DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
SAM. L. ROGERS, DIRECTOR

MORTALITY STATISTICS

1917

EIGHTEENTH ANNUAL REPORT

WASHINGTON
GOVERNMENT PRINTING OFFICE
1919

CONTENTS.

TEXT.

	Page.
DEATHS AND CRUDE DEATH RATES	9–19
Growth of the registration area: 1880 to 1917	9
Extent of the registration area in 1917	10
Deaths, by color, nativity, parent nativity, age, and sex of decedent	11
Death rates of the registration area	12
Death rates of the registration states	13
Death rates of large cities	13
Death rates of cities with considerable colored populations	14
Deaths of colored populations other than Negro	17
Deaths of nonresidents	18
Death rates of foreign countries	18
CAUSES OF DEATH	20–64
Detailed and abridged International Lists	20
Changes in the detailed International List	20
Death rates from certain important causes of death in the registration area and in the original registration states for each of the years 1900 to 1917	21
Typhoid fever	23
Malaria	26
Smallpox	28
Measles	29
Scarlet fever	33
Whooping cough	35
Diphtheria and croup	38
Influenza	40
All other epidemic diseases	42
Glanders	43
Anthrax	43
Rabies	44
Pellagra	45
Tuberculosis (all forms)	46
Tuberculosis of the lungs	49
Cancer	50
Acute anterior poliomyelitis	52
Organic diseases of the heart	53
Pneumonia (all forms)	54
Diarrhea and enteritis (under 2 years)	57
Acute nephritis and Bright's disease	59
Suicide	61
Violent deaths (excluding suicide)	61
Ill-defined and unknown causes	62
DEATHS OF CHILDREN UNDER 1 YEAR OF AGE	63
DEATHS OF SOLDIERS, SAILORS, AND MARINES	64
ACCURACY OF STATISTICS OF CAUSES OF DEATH	65–73

SUMMARY AND RATE TABLES.

TABLE IA.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, in the registration area (exclusive of Hawaii), its main subdivisions, each registration state (by cities and rural districts), and each group of registration cities in nonregistration states: 1917	77
TABLE IB.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population in each city and each rural unit in the registration area (exclusive of Hawaii): 1917	80
TABLE II.—Deaths (exclusive of stillbirths), and death rates per 100,000 population, by causes, according to the detailed International List, for the registration area (exclusive of Hawaii): 1914 to 1917	94
TABLE III.—Death rates per 100,000 population in the registration area (exclusive of Hawaii) and certain subdivisions, by color of decedent and cause of death: 1917	98
TABLE IV.—Death rates per 100,000 population in the registration area (exclusive of Hawaii), its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1917	126

CONTENTS.

GENERAL TABLES.

Page.

TABLE 1.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by month of death: 1917 153

TABLE 2.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color, general nativity, and parent nativity of decedent: 1917 162

TABLE 3.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color and age of decedent: 1917 172

TABLE 4.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, and each registration state, by age, sex, color, general nativity, and parent nativity of decedent: 1917 198

TABLE 5.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color of decedent and cause of death: 1917 232

TABLE 6.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1917 260

TABLE 7.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), from each cause and class of causes, by sex and age of decedent: 1917 282

TABLE 7A.—Deaths of white persons (exclusive of stillbirths) in the registration area (exclusive of Hawaii), from each cause and class of causes, by sex and age of decedent: 1917 294

TABLE 7B.—Deaths of colored persons (exclusive of stillbirths) in the registration area (exclusive of Hawaii), from each cause and class of causes, by sex and age of decedent: 1917 306

TABLE 8.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1917 318

TABLE 9.—Deaths (exclusive of stillbirths) in each city of 100,000 population or more in 1910, by cause of death (abridged International List) and by age of decedent: 1917 441

TABLE 10.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), registration states, and cities of 100,000 population or more in 1910, from important causes, by month of death: 1917 488

TABLE 11.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), registration states, and cities of 100,000 population or more in 1910, from important causes, for certain subdivisions for the first year of life: 1917 523

MAPS.

Growth of the registration area for deaths: 1880 to 1917 8

DIAGRAMS.

Percentages which the population and land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1917, inclusive 10

Per cent of deaths in the registration area (exclusive of Hawaii), by color, by nativity of white persons, and by parent nativity of the native white: 1917 11

Number of deaths in the registration area (exclusive of Hawaii), at all ages, under 1 year of age, and from 1 to 4 years of age, for each of the years 1900 to 1917 12

Per cent of deaths in the registration area (exclusive of Hawaii), under 1 year of age, from 1 to 4 years, and 5 years and over, for each of the years 1900 to 1917 12

General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1916 19

Death rates from certain important causes of death in the registration area of the United States for each of the years from 1900 to 1917 23

SUPPLEMENT.

HAWAII 570

SOLDIERS, SAILORS, AND MARINES 585

PORTO RICO 589

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., May 20, 1919.

SIR:

I transmit herewith the annual report on Mortality Statistics, 1917, which is the eighteenth annual compilation of such statistics prepared by the Bureau of the Census. It is based on transcripts received from the registration area for deaths, which in 1917 had an estimated population of 75,527,486, or 72.7 per cent of the total estimated population of the United States and the Territory of Hawaii.

The total number of deaths returned from this death registration area for the calendar year 1917, including 2,221 of soldiers, sailors, and marines, was 1,072,642, corresponding to a death rate of 14.2 per 1,000 population, or only two-tenths higher than the rate (14) for 1916.

The state of Tennessee and the Territory of Hawaii were added to the death registration area in 1917.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by Mr. John B. Mitchell, expert chief of division.

Respectfully,

SAM. L. ROGERS,
Director of the Census.

HON. WILLIAM C. REDFIELD,
Secretary of Commerce.

MORTALITY STATISTICS

1917

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1917.

NOTE.—In addition to the registration states (shaded in the maps) the registration area included certain cities in nonregistration states.









MORTALITY STATISTICS: 1917.

INTRODUCTION.

The present report presents mortality statistics returned from that portion of the United States known as the registration area. This area for 1917 includes all the states and cities which were in the area in 1916 and also the state of Tennessee, eight cities in nonregistration states, and for the first time territory outside of the United States, the Territory of Hawaii.

Because of the distant location of Hawaii and the peculiar constitution of its population, deaths from this part of the registration area are not included in the general tables, but are shown in special tables. Likewise deaths of soldiers, sailors, and marines which occurred after the beginning of the war are not included in the general tables, but are shown in special tables and included in all text tables. Data presented in the general tables, therefore, are based upon all deaths in the registration area of the United States, exclusive of Hawaii, before the beginning of the war and all civilian deaths after that time—a total of 1,066,711.

The estimates of population are computed on the assumption that the annual increase since 1910 has been the same as the average annual increase between 1900 and 1910. However, the fact should be emphasized that 1917 is far from the last census year and that unusual migrations of population have taken place during the war period, so that in some cases the estimates of population are probably far too high or far too low. When the estimated populations are far too high, the death rates shown are far too low, and, conversely, when the estimated populations are far too low, the death rates are far too high.

At first thought it might seem that the withdrawal from the civil population of so many young men to create our Army and Navy would reduce the civilian death rate in proportion to the number enlisting, but this is not true, for the enlisted men were all in the best of health and belonged to those age periods when normal death rates are very low. No attempt has been made to correct the death rates on account of this withdrawal of enlisted men from the general population, but it is very evident that such corrections, if made, would reduce the general rate of any area very little.

Rates for 1917 given in text tables are based upon all deaths, both civilian and noncivilian, which occurred in each area. If, however, rates based upon deaths of civilians alone are desired, calculations can readily be made from the figures given in the general tables.

Caution should always be exercised in drawing deductions from crude death rates, for due allowance must first be made for deaths of nonresidents, for the peculiar composition of the population as regards age and sex distribution, color, and nativity, as well as for other factors which may have had marked influence upon the general mortality.

DEATHS AND CRUDE DEATH RATES.

The total number of deaths returned from the registration area of the United States, exclusive of Hawaii, and tabulated for the calendar year 1917 is 1,068,932, which includes 1,066,711 deaths of civilians and 2,221 deaths of soldiers, sailors, and marines, as reported to the Census Bureau by the state and municipal registration offices after the beginning of the war. The death rate is 14.2 per 1,000 population, based on an estimated midyear population of 75,307,906 or 72.7 per cent of the total estimated population of the United States. This rate exceeds the rates for 1915 (13.5) and 1916 (14) and is higher than that for any year since 1911 (14.2).

The following table shows the number of deaths and death rates per 1,000 population for the census years ending May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1917:

CALENDAR YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.[2]		CALENDAR YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.[2]	
	Number.	Rate per 1,000 population.		Number.	Rate per 1,000 population.
1917	1,068,932	14.2	1906	658,105	15.7
1916	1,001,921	14.0	1905	545,533	16.0
1915	909,155	13.5	1904	551,354	16.5
1914	898,059	13.6	1903	524,415	16.0
1913	890,848	14.1	1902	508,640	15.9
1912	838,251	13.9	1901	518,207	16.5
1911	839,284	14.2	1900	539,939	17.6
1910	805,412	15.0	1900[3]	512,669	17.8
1909	732,538	14.4	1890[3]	386,212	19.6
1908	691,574	14.8	1880[3]	169,453	19.8
1907	687,034	16.0			

[1] Exclusive of stillbirths. [2] Exclusive of Hawaii. [3] Census year ending May 31.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1917.

The first mortality statistics published by the Federal Government related to 1850 and were based on

data collected at the decennial census of that year and covered the entire United States. The decennial collection of vital statistics by census enumerators was continued through 1900, but for the census year 1880 there was established a registration area from which transcripts of deaths were received in addition to enumerators' returns. So also for the census years 1890 and 1900 transcripts of death certificates were received from the states and cities included in the registration area.

The annual collection of mortality statistics for that part of the United States known as the registration area began with the calendar year 1900.

The following table shows the states which were included in the registration area of the United States from 1880 to 1917, with date when each was added; in each year the registration area also included certain cities in nonregistration states.

STATE.	Year.	STATE.	Year.	STATE.	Year.
Massachusetts	1880[1]	Indiana	1900	Minnesota	1910
New Jersey	1880[1]	California	1906	Montana	1910
Dist. Columbia[2]	1880[1]	Colorado	1906	North Carolina[5]	1910
Connecticut	1890[1]	Maryland	1906	Utah	1910
Delaware[3]	1890[1]	Pennsylvania	1906	Kentucky	1911
New Hampshire	1890[1]	South Dakota[4]	1906	Missouri	1911
New York	1890[1]	Washington	1908	Virginia	1913
Rhode Island	1890[1]	Wisconsin	1908	Kansas	1914
Vermont	1890[1]	Ohio	1909	South Carolina[6]	1916
Maine	1900[1]			Tennessee	1917
Michigan	1900[1]			Hawaii	1917

[1] Census year ending May 31.
[2] Included in registration states.
[3] Dropped from the registration area in the census year 1900.
[4] Dropped from the registration area in 1910.
[5] Included only municipalities having a population of 1,000 or more in 1900.
[6] The remainder of the state of North Carolina was also added to the registration area in 1916. (See note 5.)

The following table shows the growth of the registration area in both population and land area from 1880 to 1917, inclusive.

CALENDAR YEAR.	UNITED STATES.		REGISTRATION AREA.[1]			
			Population.		Land area.	
	Population.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total.
1917	103,635,306	2,973,890	75,307,906	72.7	1,349,629	45.4
1916	102,017,312	2,973,890	71,621,632	70.2	1,307,819	44.0
1915	100,399,318	2,973,890	67,336,992	67.1	1,228,704	41.3
1914	98,781,324	2,973,890	65,989,295	66.8	1,228,644	41.3
1913	97,163,330	2,973,890	63,298,718	65.1	1,147,039	38.6
1912	95,545,336	2,973,890	60,427,247	63.2	1,106,777	37.2
1911	93,927,342	2,973,890	59,275,977	63.1	1,106,734	37.2
1910	92,309,348	2,973,890	53,843,896	58.3	997,978	33.6
1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
1900	75,994,575	2,974,159	30,765,618	40.5	212,621	7.1
1900[2]			28,807,269	37.9	176,878	5.9
1890[2]	62,622,250	2,973,965	19,659,440	31.4	90,695	3.0
1880[2]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] Exclusive of Hawaii. [2] Census year ending May 31.

The percentages which the population and land area of the registration area formed of the corresponding totals for the United States in 1880, 1890, and 1900 to 1917, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1917, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1917.

The registration area in 1917 includes 27 states, the District of Columbia, and 43 cities in nonregistration states. These states and cities were added to the area on the basis of approximately complete registration of deaths (at least 90 per cent of all deaths) and when the data at hand showed that the deaths were recorded properly under state law, or, for cities, under municipal ordinances.

The states included in the registration area for 1917 are:

California.	Michigan.	Pennsylvania.
Colorado.	Minnesota.	Rhode Island.
Connecticut.	Missouri.	South Carolina.
Indiana.	Montana.	Tennessee.
Kansas.	New Hampshire.	Utah.
Kentucky.	New Jersey.	Vermont.
Maine.	New York.	Virginia.
Maryland.	North Carolina.	Washington.
Massachusetts.	Ohio.	Wisconsin.

The entire registration area comprises not only the states named but also the District of Columbia,

Territory of Hawaii, and the following cities in non-registration states:

Alabama:
Birmingham.
Mobile.
Montgomery.
Delaware:
Wilmington.
Florida:
Jacksonville.
Key West.
Pensacola.
Tampa.
Georgia:
Atlanta.
Augusta.
Brunswick.
Savannah.
Illinois:
Aurora.
Belleville.
Chicago.
Illinois—Continued:
Decatur.
Evanston.
Jacksonville
Quincy.
Springfield.
Louisiana:
Alexandria.
Baton Rouge.
Lake Charles.
Monroe.
New Orleans.
Shreveport.
Mississippi:
Hattiesburg.
Jackson.
Meridian.
Natchez.
Vicksburg.
Nebraska:
Lincoln.
Omaha.
North Dakota:
Fargo.
Oregon:
Portland.
Texas:
Beaumont.
Cleburne.
Dallas.
El Paso.
Galveston.
Houston.
San Antonio.
West Virginia:
Wheeling.

DEATHS, BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

The following table shows, for the registration area, exclusive of Hawaii, the deaths in 1917, classified according to sex, color, nativity, and parent nativity of decedent:

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA[2]: 1917.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate	1,068,932	587,309	481,623	1,000.0	1,000.0	1,000.0
White	951,411	524,787	426,624	890.1	893.5	885.8
Native	707,791	381,450	326,341	662.1	649.5	677.6
Both parents native	398,165	209,102	189,063	372.5	356.0	392.6
One or both parents foreign born	220,262	121,638	98,624	206.1	207.1	204.8
Parentage unknown	89,364	50,710	38,654	83.6	86.3	80.3
Foreign born	227,945	131,285	96,660	213.2	223.5	200.7
Unknown	15,675	12,052	3,623	14.7	20.5	7.5
Colored	117,521	62,522	54,999	109.9	106.5	114.2
Negro	113,408	59,704	53,704	106.1	101.7	111.5
Chinese	1,249	1,147	102	1.2	2.0	0.2
Japanese	1,246	789	457	1.2	1.3	0.9
Indian	1,592	856	736	1.5	1.5	1.5
Other colored [3]	26	26	.....	(4)	(4)	.....

[1] Exclusive of stillbirths.
[2] Exclusive of Hawaii.
[3] Includes 1 Abyssinian, 1 East Indian, 10 Filipinos, 4 Hindus, 1 Javanese, 3 Koreans, 1 Malay, 1 Mongolian, and 4 Turks.
[4] Less than one-tenth of 1 per 1,000.

The 1,068,932 deaths in the registration area, exclusive of Hawaii, but including 2,221 deaths of soldiers, sailors, and marines, which occurred since the beginning of the war, are distributed between the sexes and between the two groups as follows: Males, 54.9 per cent; females, 45.1 per cent; white, 89 per cent; colored, 11 per cent. Of the colored, the great majority, 96.5 per cent (equivalent to 10.6 per cent of the total for all races), are Negroes.

The percentages of deaths in the registration area by color, by nativity of the white, and by parent nativity of the native white, for 1917, are shown in the following diagram:

PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1917.



The age distribution of decedents is shown in the following table:

AGE OF DECEDENT.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA:[2] 1917.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
All ages	1,068,932	587,309	481,623	1,000.0	1,000.0	1,000.0
Under 1 year	171,024	96,951	74,073	160.0	165.1	153.8
1 year	37,638	20,127	17,511	35.2	34.3	36.4
2 years	16,893	8,903	7,990	15.8	15.2	16.6
3 years	10,520	5,563	4,957	9.8	9.5	10.3
4 years	7,633	3,997	3,636	7.1	6.8	7.5
Under 5 years	243,708	135,541	108,167	228.0	230.8	224.6
5 to 9 years	23,070	12,408	10,662	21.6	21.1	22.1
10 to 14 years	16,088	8,443	7,645	15.1	14.4	15.9
15 to 19 years	26,049	13,324	12,725	24.4	22.7	26.4
20 to 24 years	39,101	20,590	18,511	36.6	35.1	38.4
25 to 29 years	41,732	22,765	18,967	39.0	38.8	39.4
30 to 34 years	43,121	24,442	18,679	40.3	41.6	38.8
35 to 39 years	47,572	27,469	20,103	44.5	46.8	41.7
40 to 44 years	48,665	28,750	19,915	45.5	49.0	41.3
45 to 49 years	52,485	31,352	21,133	49.1	53.4	43.9
50 to 54 years	57,318	34,002	23,316	53.6	57.9	48.4
55 to 59 years	62,428	36,353	26,075	58.4	61.9	54.1
60 to 64 years	67,500	38,401	29,099	63.1	65.4	60.4
65 to 69 years	72,225	39,751	32,474	67.6	67.7	67.4
70 to 74 years	74,303	39,436	34,867	69.5	67.1	72.4
75 to 79 years	65,891	33,336	32,555	61.6	56.8	67.6
80 to 84 years	48,469	23,256	25,213	45.3	39.6	52.4
85 to 89 years	25,280	11,433	13,847	23.6	19.5	28.8
90 to 94 years	8,985	3,748	5,237	8.4	6.4	10.9
95 to 99 years	2,152	826	1,326	2.0	1.4	2.8
100 years and over	754	285	469	0.7	0.5	1.0
Unknown	2,036	1,398	638	1.9	2.4	1.3

[1] Exclusive of stillbirths. [2] Exclusive of Hawaii.

The following table and diagrams show, for each of the years 1900 to 1917, inclusive, the number of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age, and the percentages which the deaths under 1 and under 5 form of the total.

CALENDAR YEAR.	DEATHS[1] FROM ALL CAUSES IN THE REGISTRATION AREA.[2]				
	All ages.	Under 1 year.		Under 5 years.	
		Number.	Per cent of total.	Number.	Per cent of total.
1917	1,068,932	171,024	16.0	243,708	22.8
1916	1,001,921	164,660	16.4	234,081	23.4
1915	909,155	148,561	16.3	203,223	22.4
1914	898,059	155,075	17.3	214,120	23.8
1913	890,848	159,435	17.9	225,129	25.3
1912	838,251	147,455	17.6	204,639	24.4
1911	839,284	149,322	17.8	209,482	25.0
1910	805,412	154,373	19.2	217,319	27.0
1909	732,538	140,057	19.1	196,534	26.8
1908	691,574	136,432	19.7	189,865	27.5
1907	687,034	131,110	19.1	183,774	26.7
1906	658,105	133,105	20.2	186,978	28.4
1905	545,533	105,553	19.3	147,384	27.0
1904	551,354	102,880	18.7	145,902	26.5
1903	524,415	96,857	18.5	139,940	26.7
1902	508,640	98,575	19.4	143,515	28.2
1901	518,207	97,477	18.8	141,678	27.3
1900	539,939	111,687	20.7	164,137	30.4

[1] Exclusive of stillbirths. [2] Exclusive of Hawaii.

DIAGRAM A.—NUMBER OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1917.



DIAGRAM B.—PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH OF THE YEARS 1900 TO 1917.



In 1900 the deaths under 1 year of age formed 20.7 per cent and those under 5 years 30.4 per cent of the total deaths at all ages, but for 1917 the corresponding percentages are 16 and 22.8. The big decreases in these percentages are undoubtedly due, in large part at any rate, to the better care which children now receive.

DEATH RATES OF THE REGISTRATION AREA.

The death rates from all causes in the registration area and its main subdivisions for the years 1914 to 1917 and the annual averages for the five-year periods 1901 to 1905 and 1906 to 1910, are shown in the following table:

AREA.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
	1917	1916	1915	1914	Annual average.	
					1906 to 1910	1901 to 1905
The registration area[2]	14.2	14.0	13.5	13.6	15.1	16.2
Registration states[3]	14.0	13.9	13.3	13.4	15.0	15.9
Cities in registration states[3]	15.2	15.0	14.2	14.5	16.3	17.4
Rural part of registration states	13.0	12.9	12.3	12.3	13.4	14.1
Registration cities in nonregistration states	16.3	15.3	16.3	16.0	15.9	16.6
All registration cities[3]	15.3	15.0	14.5	14.7	16.2	17.0

[1] Exclusive of stillbirths. [2] Exclusive of Hawaii.
[3] Including the District of Columbia.

The rates for all the subdivisions of the registration area are in excess of those for 1916.

In view of the frequent changes which have taken place in the extent of the registration area since 1900, a more satisfactory comparison can be made from the following table, in which rates are presented for the same years and periods as in the preceding table for the group of registration states as constituted in 1900—the "original registration states," Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, Vermont, and the District of Columbia.

AREA.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
	1917	1916	1915	1914	Annual average.	
					1906 to 1910	1901 to 1905
Registration states,[2] 1900	14.9	14.9	14.3	14.4	15.5	15.9
Cities[2]	15.1	15.1	14.4	14.7	16.4	17.4
Rural districts	14.7	14.6	14.0	14.0	14.2	14.1

[1] Exclusive of stillbirths. [2] Including the District of Columbia.

The total population of these states approximated 20,000,000 in 1900 and 27,000,000 in 1917, and during this period has maintained about the same proportion of the total population of the United States, namely, 26 per cent.

The rates for 1917 and 1916 are identical for this group of states, as well as for the cities included, while for the rural districts the rate for 1917 is only one-tenth higher than for 1916.

DEATH RATES OF THE REGISTRATION STATES.

Death rates of registration states for 1917, the preceding three years, and the two five-year periods 1901 to 1905 and 1906 to 1910 are shown in the following table, separate rates for white and colored populations being given for each state in which the colored population formed 10 per cent or more of the total.

STATE.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
	1917	1916	1915	1914	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Registration states[2]	14.0	13.9	13.3	13.4	15.0	15.9
California	13.9	13.5	13.7	13.6	13.9	(3)
Colorado	10.9	10.3	11.3	11.2	14.3	(3)
Connecticut	16.5	16.3	14.9	15.1	15.6	15.7
Indiana	14.0	13.6	12.7	12.9	13.0	13.2
Kansas	11.3	10.9	10.1	9.8	(3)	(3)
Kentucky (total)	13.7	12.6	12.3	12.9	(3)	(3)
White	12.6	11.6	11.1	11.8	(3)	(3)
Colored	23.8	21.3	22.0	21.2	(3)	(3)
Maine	15.1	15.7	15.6	15.6	16.2	15.9
Maryland (total)	17.1	16.5	15.8	15.9	16.0	(3)
White	15.1	14.7	14.1	14.3	14.4	(3)
Colored	27.2	25.7	24.1	23.1	22.9	(3)
Massachusetts	15.0	15.2	14.5	14.7	16.1	16.6
Michigan	15.2	15.1	13.4	13.4	13.6	13.3
Minnesota	10.3	10.7	10.1	10.6	(4)	(3)
Missouri	13.3	12.9	12.0	12.3	(3)	(3)
Montana	13.9	12.6	11.4	11.2	(4)	(3)
New Hampshire	16.8	16.1	16.1	16.3	17.2	16.6
New Jersey	14.6	15.0	13.8	14.2	15.4	16.1
New York	14.7	14.8	14.6	14.7	16.4	17.1
North Carolina (total)	14.0	13.1	[5] 17.3	[6] 19.0	(4)	(3)
White	12.3	11.4	13.5	15.4	(4)	(3)
Colored	17.7	16.8	24.9	25.8	(4)	(3)
Ohio	14.8	14.4	13.0	13.0	(4)	(3)
Pennsylvania	14.8	14.6	13.8	13.9	15.5	(3)
Rhode Island	15.3	15.5	14.8	14.7	16.7	17.8
South Carolina (total)	14.5	13.8	(3)	(3)	(3)	(3)
White	11.7	10.9	(3)	(3)	(3)	(3)
Colored	16.9	16.4	(3)	(3)	(3)	(3)
Tennessee (total)	13.4	(3)	(3)	(3)	(3)	(3)
White	11.7	(3)	(3)	(3)	(3)	(3)
Colored	20.1	(3)	(3)	(3)	(3)	(3)
Utah	10.4	10.4	9.9	10.1	(4)	(3)
Vermont	15.0	15.6	14.7	15.0	16.1	16.2
Virginia (total)	14.3	14.7	14.2	14.0	(3)	(3)
White	11.8	12.2	11.6	11.7	(3)	(3)
Colored	20.0	20.3	19.8	18.8	(3)	(3)
Washington	7.6	7.7	8.1	8.1	(4)	(3)
Wisconsin	11.5	11.8	10.8	11.1	(4)	(3)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1917 is far away from the last census year, estimates are probably far too high in some cases and far too low in others.

[1] Exclusive of stillbirths.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Figures relate only to municipalities having a population of 1,000 or more in 1910.

The rate for the registration states as a whole (14) is only one-tenth higher than the 1916 rate (13.9). Of the 26 states which are comparable for the two years, 10 show decreases from last year. The states having highest rates in 1917 are Maryland (17.1) New Hampshire (16.8), Connecticut (16.5), Rhode Island (15.3), and Michigan (15.2). Those having the lowest rates are Washington (7.6), Minnesota (10.3), Utah (10.4), Colorado (10.9), and Kansas (11.3). As explained in the note of the table, populations have been estimated by the arithmetical method, and it is probable that estimates are far too high in some cases and far too low in others. Moreover, it should be remembered that the rates given are "crude" rates, and that no allowance is made for differences in sex, age, and race distribution of the population, so that inferences as to the relative healthfulness of the states should not be drawn from these figures alone.

DEATH RATES OF LARGE CITIES.

The following table shows for the years 1914 to 1917, inclusive, and for the two five-year periods 1901 to 1905 and 1906 to 1910, death rates for cities which in 1910 had 100,000 or more population. Separate rates for white and colored populations are shown for each city in which the colored population formed 10 per cent or more of the total.

CITY.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
	1917	1916	1915	1914	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Birmingham, Ala. (total)	20.2	14.1	15.6	17.5	(2)	(2)
White	12.1	10.0	11.3	13.1	(2)	(2)
Colored	34.1	20.9	22.7	24.2	(2)	(2)
Los Angeles, Calif.	12.5	12.3	12.3	12.9	14.8	16.4
Oakland, Calif.	10.6	10.5	11.4	11.6	15.4	13.3
San Francisco, Calif.	15.2	15.4	15.9	15.5	16.1	20.3
Denver, Colo.	12.0	11.5	13.3	13.2	17.5	17.2
Bridgeport, Conn.	18.2	19.4	15.4	15.0	15.5	16.0
New Haven, Conn.	17.1	17.0	15.7	16.1	17.3	17.3
Washington, D. C. (total)	18.1	17.8	18.1	16.6	19.6	20.5
White	15.1	15.0	15.1	13.8	15.9	16.5
Colored	26.1	25.4	26.2	23.3	28.7	29.5
Atlanta, Ga. (total)	16.2	15.3	15.1	16.5	19.4	21.1
White	12.9	11.4	11.4	13.2	15.6	16.1
Colored	23.6	23.9	23.3	23.0	26.8	29.6
Chicago, Ill.	14.9	14.5	14.3	14.2	14.9	14.5
Indianapolis, Ind.	16.2	15.6	14.7	15.9	15.2	15.4
Louisville, Ky. (total)	16.5	15.0	15.0	16.5	17.4	19.0
White	14.6	13.1	13.0	14.8	15.1	16.9
Colored	25.3	23.9	24.2	23.8	27.7	28.1
New Orleans, La. (total)	19.9	18.4	21.2	20.5	21.7	22.4
White	15.7	14.3	16.4	16.5	18.0	19.2
Colored	32.0	30.0	34.6	31.6	32.1	31.0
Baltimore, Md. (total)	19.1	18.1	17.1	18.1	19.5	20.0
White	16.6	15.9	15.2	16.0	17.3	17.8
Colored	33.6	30.7	28.1	29.5	31.5	32.0
Boston, Mass.	16.6	16.9	16.1	16.1	17.9	18.8
Cambridge, Mass.	14.0	13.5	13.1	13.2	15.1	15.1
Fall River, Mass.	16.3	17.0	15.9	17.3	19.7	20.3
Lowell, Mass.	17.0	17.3	16.2	15.9	19.4	20.2
Worcester, Mass.	16.8	17.8	15.4	15.7	17.1	16.8
Detroit, Mich.	19.0	19.0	15.7	15.6	14.8	15.1
Grand Rapids, Mich.	13.1	12.2	12.5	12.9	13.3	13.5
Minneapolis, Minn.	11.8	12.4	11.5	12.0	11.0	10.2
St. Paul, Minn.	10.8	11.3	10.7	11.4	11.0	10.0
Kansas City, Mo.	16.4	14.5	14.7	14.0	14.6	15.9
St. Louis, Mo.	15.1	14.9	13.8	15.0	15.6	17.9
Omaha, Nebr.	13.0	14.4	12.2	13.8	13.8	11.5
Jersey City, N. J.	14.5	14.6	14.5	13.8	17.7	19.3
Newark, N. J.	14.2	15.0	13.1	14.5	17.2	18.7
Paterson, N. J.	14.0	14.5	13.2	13.5	15.7	16.9
Albany, N. Y.	19.1	19.3	20.0	19.4	18.6	18.4
Buffalo, N. Y.	16.1	16.1	14.9	15.5	16.0	15.5
New York, N. Y.	13.7	13.9	13.9	14.1	16.9	19.0
Bronx Borough[4]	14.1	13.4	13.7	13.5	17.4	20.9
Brooklyn Borough[4]	13.7	14.0	13.9	13.8	16.3	18.2
Manhattan Borough[4]	13.3	13.6	14.0	14.3	17.4	19.5
Queens Borough[4]	14.8	15.4	13.9	14.4	14.9	16.1
Richmond Borough[4]	17.7	17.5	15.8	16.2	18.6	19.0

(See footnotes at end of table.)

CITY.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1917	1916	1915	1914	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Rochester, N. Y.	15.4	14.4	13.9	14.3	14.7	14.6
Syracuse, N. Y.	15.4	15.2	13.2	14.8	15.2	14.5
Cincinnati, Ohio	16.5	16.4	15.6	16.0	18.1	19.1
Cleveland, Ohio	15.7	14.8	13.4	12.8	14.1	14.9
Columbus, Ohio	15.4	15.5	14.0	14.8	15.1	15.4
Dayton, Ohio	15.9	15.2	13.6	13.8	15.5	15.1
Toledo, Ohio	17.7	18.1	15.4	15.5	14.9	14.3
Portland, Oreg.	7.8	8.0	8.4	9.1	10.3	10.2
Philadelphia, Pa.	17.1	16.2	15.6	16.1	17.7	18.1
Pittsburgh, Pa.	18.2	17.4	15.3	15.7	[6] 18.0	[6] 19.9
Scranton, Pa.	15.0	14.4	14.7	15.3	16.3	16.2
Providence, R. I.	15.4	15.8	14.6	15.2	17.6	18.8
Memphis, Tenn. (total)	19.9	([6])	19.8	20.7	20.6	19.4
White	14.7	([6])	13.9	14.8	16.1	16.5
Colored	29.3	([6])	29.9	29.5	27.0	22.9
Nashville, Tenn. (total)	16.5	([6])	17.2	18.4	19.3	21.5
White	13.9	([6])	14.0	14.6	15.2	17.0
Colored	22.3	([6])	24.4	26.1	27.2	29.6
Richmond, Va. (total)	18.5	19.7	18.9	19.7	[7] 22.5	23.4
White	15.5	16.2	15.9	15.2	[8] 17.4	18.5
Colored	24.2	26.1	24.3	27.5	[8] 29.9	31.7
Seattle, Wash.	6.9	7.0	7.4	8.1	9.8	9.3
Spokane, Wash.	7.4	7.0	8.1	8.6	12.8	11.3
Milwaukee, Wis.	12.3	12.7	11.4	11.8	13.7	13.2

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1917 is far away from the last census year, estimates are probably far too high in some cases and far too low in others.

[1] Exclusive of stillbirths.
[2] Figures for deaths not available for the entire period.
[3] Not added to registration area until a later date.
[4] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 they were distributed to boroughs of residence.
[5] Includes Allegheny.
[6] Transcripts for deaths not received.
[7] Includes Manchester for 1908 and 1909.
[8] Excludes Manchester for 1908 and 1909.

The caution given regarding inferences from crude rates as to the relative healthfulness of different states is even more applicable to crude rates of cities, because deaths in a city are affected by migrations from within as well as from without the state.

Of the 48 cities for which comparisons can be made, 25 show increases in 1917 over 1916. Rates for 1917 are the same as for 1916 for Detroit (19) and Buffalo (16.1).

DEATH RATES OF CITIES WITH CONSIDERABLE COLORED POPULATIONS:

The following table shows comparative death rates of white and colored for each city in the registration area in 1917, in which the colored population in 1910 was at least 10 per cent of the total. In order that the table may cover all southern registration cities having 10,000 or more population, rates are shown for two Kentucky cities, two Maryland cities, and two Texas cities, in which less than 10 per cent of the population was colored.

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION. 1917	1916	1915	1914	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Cities in this table (aggregate)	100.0	18.6	17.6	18.3	18.4	19.9	21.1
White	73.0	15.6	14.8	15.0	15.5	16.6	17.7
Colored	27.0	27.4	25.9	27.5	26.7	29.1	29.8
Birmingham, Ala. (total)	100.0	20.2	14.1	15.6	17.5	([2])	([3])
White	60.6	12.0	10.0	11.3	13.1	([2])	([3])
Colored	39.4	34.1	20.9	22.7	24.2	([2])	([3])
Mobile, Ala. (total)	100.0	19.8	18.8	19.5	21.8	23.6	24.8
White	55.8	15.6	14.4	15.9	18.0	18.7	19.7
Colored	44.2	25.1	24.5	24.1	26.4	29.7	31.2
Montgomery, Ala. (total)	100.0	20.5	16.4	21.0	21.4	([2])	([3])
White	49.3	14.2	12.4	15.6	16.2	([2])	([3])
Colored	50.7	27.4	20.7	26.7	26.4	([2])	([3])
Riverside, Calif. (total)	100.0	14.2	14.6	11.5	11.8	([4])	([3])
White	88.8	15.0	15.0	12.2	12.5	([4])	([3])
Colored	11.2	9.2	11.7	6.1	6.3	([4])	([3])
Wilmington, Del. (total)	100.0	19.7	19.1	16.4	15.9	17.0	17.0
White	89.6	18.0	18.0	15.6	14.7	15.9	15.7
Colored	10.4	36.9	30.6	24.0	25.7	26.5	27.2
Washington, D. C. (total)	100.0	18.1	17.8	18.1	16.6	19.6	20.5
White	71.3	15.1	15.0	15.1	13.8	15.9	16.5
Colored	28.7	26.1	25.4	26.2	23.3	28.7	29.5
Jacksonville, Fla. (total)	100.0	19.5	15.7	18.5	18.6	22.1	27.5
White	49.1	16.2	12.5	14.5	15.1	17.9	23.3
Colored	50.9	23.0	19.0	22.7	21.9	25.8	30.5
Key West, Fla. (total)	100.0	12.9	10.6	13.0	16.0	22.0	21.7
White	72.2	12.5	10.5	11.9	15.5	20.1	20.4
Colored	27.8	14.4	11.1	16.0	17.4	26.3	24.4
Pensacola, Fla. (total)	100.0	18.0	15.6	16.2	17.3	([3])	([2])
White	55.5	14.7	12.9	12.1	13.6	([3])	([3])
Colored	44.5	22.5	19.3	21.7	22.0	([3])	([3])
Tampa, Fla. (total)	100.0	12.6	12.2	14.4	([3])	([3])	([3])
White	76.2	10.9	11.4	12.4	([3])	([3])	([3])
Colored	23.8	18.5	14.8	21.5	([3])	([3])	([3])
Atlanta, Ga. (total)	100.0	16.2	15.3	15.1	16.5	19.4	21.1
White	66.4	12.9	11.4	11.4	13.2	15.6	16.1
Colored	33.6	23.6	23.9	23.3	23.0	26.8	29.6
Augusta, Ga. (total)	100.0	19.3	18.4	22.6	21.5	([3])	([3])
White	55.2	15.7	14.6	17.5	17.6	([3])	([3])
Colored	44.8	23.6	23.1	28.7	26.2	([3])	([3])
Brunswick, Ga. (total)	100.0	18.0	([3])	([3])	([3])	([3])	([3])
White	45.3	13.4	([3])	([3])	([3])	([3])	([3])
Colored	54.7	22.1	([3])	([3])	([3])	([3])	([3])
Savannah, Ga. (total)	100.0	22.5	22.7	24.6	25.4	24.8	27.1
White	48.9	14.0	13.8	14.5	17.5	17.9	19.2
Colored	51.1	30.8	31.4	34.4	33.0	31.3	34.5
Jeffersonville, Ind. (total)	100.0	12.1	13.6	12.5	15.2	17.1	19.9
White	85.2	10.8	13.1	11.0	13.3	16.3	18.1
Colored	14.8	19.5	16.9	20.8	26.4	21.8	29.4
Atchison, Kans. (total)	100.0	11.4	12.4	11.7	11.8	([3])	([3])
White	84.1	11.0	12.5	11.5	11.2	([3])	([3])
Colored	15.9	13.8	11.6	12.8	15.1	([3])	([3])
Coffeyville, Kans. (total)	100.0	10.3	11.0	9.5	12.1	([3])	([3])
White	88.7	9.1	10.0	8.7	11.6	([3])	([3])
Colored	11.3	21.4	19.3	17.1	16.7	([3])	([3])
Fort Scott, Kans. (total)	100.0	15.6	16.6	16.2	17.1	([3])	([3])
White	90.0	14.9	15.0	15.5	16.6	([3])	([3])
Colored	10.0	22.6	32.7	23.9	21.8	([3])	([3])
Kansas City, Kans. (total)	100.0	14.4	13.7	13.9	13.1	([2])	([3])
White	88.7	12.6	12.3	12.6	11.7	([2])	([3])
Colored	11.3	28.4	25.6	24.6	23.9	([2])	([3])
Lawrence, Kans. (total)	100.0	13.6	12.9	15.3	14.4	([3])	([3])
White	80.3	13.4	13.4	14.4	14.4	([3])	([3])
Colored	19.7	14.3	10.8	18.5	14.4	([3])	([3])
Leavenworth, Kans. (total)	100.0	18.2	17.0	14.4	17.0	15.7	14.8
White	87.2	16.9	15.9	13.4	16.2	14.5	13.4
Colored	12.8	26.6	24.6	21.0	22.9	23.9	22.5

(See footnotes at end of table.)

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
		1917	1916	1915	1914	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Topeka, Kans. (total)	100.0	15.0	14.2	14.1	17.4	(3)	(3)
White	89.6	14.2	13.4	13.1	16.9	(3)	(3)
Colored	10.4	23.1	22.5	23.8	21.6	(3)	(3)
Covington, Ky. (total)	100.0	16.8	15.7	15.3	15.0	15.5	18.1
White	94.5	16.0	14.9	14.1	13.7	14.9	17.4
Colored [5]	5.5	31.2	30.1	35.6	37.0	25.3	29.0
Frankfort, Ky. (total)	100.0	19.4	17.9	16.8	17.2	(3)	(3)
White	72.8	16.6	16.4	14.0	15.9	(3)	(3)
Colored	27.2	29.1	22.7	25.7	20.6	(3)	(3)
Henderson, Ky. (total)	100.0	19.9	17.3	18.1	20.1	(3)	(3)
White	73.7	13.9	13.3	14.0	17.4	(3)	(3)
Colored	26.3	46.1	33.6	33.9	27.6	(3)	(3)
Lexington, Ky.* (total)	100.0	24.2	21.7	24.6	26.0	(3)	(3)
White	68.6	21.0	17.5	21.2	22.8	(3)	(3)
Colored	31.4	32.5	32.1	33.1	33.1	(3)	(3)
Louisville, Ky. (total)	100.0	16.5	15.0	15.0	16.5	17.4	19.0
White	81.9	14.6	13.1	13.0	14.8	15.1	16.9
Colored	18.1	25.3	23.9	24.2	23.8	27.7	28.1
Newport, Ky. (total)	100.0	12.0	12.2	11.9	11.6	15.6	16.0
White	98.1	11.5	11.9	11.3	11.5	15.5	16.0
Colored [5]	1.9	35.6	22.5	38.3	16.9	21.0	20.1
Owensboro, Ky. (total)	100.0	19.3	17.3	16.6	19.4	(3)	(3)
White	80.5	17.8	16.0	15.0	17.6	(3)	(3)
Colored	19.5	26.0	23.5	23.8	26.9	(3)	(3)
Paducah, Ky. (total)	100.0	18.2	19.3	17.6	20.0	17.5	22.2
White	73.4	14.7	15.9	13.9	17.0	13.5	19.3
Colored	26.6	28.8	29.7	28.9	28.2	28.4	29.2
Alexandria, La. (total)	100.0	17.9	(3)	(3)	(3)	(3)	(3)
White	47.7	15.7	(3)	(3)	(3)	(3)	(3)
Colored	52.3	20.1	(3)	(3)	(3)	(3)	(3)
Baton Rouge, La. (total)	100.0	16.2	(3)	(3)	(3)	(3)	(3)
White	46.9	12.7	(3)	(3)	(3)	(3)	(3)
Colored	53.1	19.8	(3)	(3)	(3)	(3)	(3)
Lake Charles, La. (total)	100.0	14.0	(3)	(3)	(3)	(3)	(3)
White	61.2	11.5	(3)	(3)	(3)	(3)	(3)
Colored	38.8	17.7	(3)	(3)	(3)	(3)	(3)
Monroe, La. (total)	100.0	16.4	(3)	(3)	(3)	(3)	(3)
White	47.8	16.3	(3)	(3)	(3)	(3)	(3)
Colored	52.2	16.4	(3)	(3)	(3)	(3)	(3)
New Orleans, La. (total)	100.0	19.9	18.4	21.2	20.5	21.7	22.4
White	73.6	15.7	14.3	16.4	16.5	18.0	19.2
Colored	26.4	32.0	30.0	34.6	31.6	32.1	31.0
Shreveport, La. (total)	100.0	27.0	(3)	(3)	(3)	(3)	(3)
White	50.3	18.6	(3)	(3)	(3)	(3)	(3)
Colored	49.7	38.8	(3)	(3)	(3)	(3)	(3)
Baltimore, Md. (total)	100.0	19.1	18.1	17.1	18.1	19.5	20.0
White	84.8	16.6	15.9	15.2	16.0	17.3	17.8
Colored	15.2	33.6	30.7	28.1	29.5	31.5	32.0
Cumberland, Md. (total)	100.0	16.0	17.1	16.2	17.1	18.7	(3)
White	95.1	15.6	16.7	15.6	16.6	17.9	(3)
Colored [5]	4.9	24.2	27.2	29.8	27.8	33.2	(3)
Frederick, Md. (total)	100.0	17.3	16.7	16.5	16.4	20.1	22.0
White	85.9	16.4	15.4	15.4	17.2	17.8	18.4
Colored	14.1	23.2	25.9	23.7	11.7	34.0	41.1
Hagerstown, Md. (total)	100.0	16.2	15.1	[6] 14.7	[6] 14.5	17.5	(3)
White	93.1	15.3	14.0	[6] 14.1	[6] 14.1	16.7	(3)
Colored [5]	6.9	31.5	32.2	[6] 25.0	[7] 19.4	28.6	(3)
Hattiesburg, Miss. (total)	100.0	17.1	13.2	15.7	(3)	(3)	(3)
White	62.8	14.6	9.9	10.6	(3)	(3)	(3)
Colored	37.2	21.4	18.9	24.5	(3)	(3)	(3)
Jackson, Miss.* (total)	100.0	29.3	26.5	29.8	(3)	(3)	(3)
White	50.3	18.8	18.0	20.0	(3)	(3)	(3)
Colored	49.7	42.2	36.4	40.9	(3)	(3)	(3)
Meridian, Miss. (total)	100.0	25.1	19.8	25.7	(3)	(3)	(3)
White	59.9	17.2	14.8	19.7	(3)	(3)	(3)
Colored	40.1	37.4	27.7	34.9	(3)	(3)	(3)
Natchez, Miss. (total)	100.0	21.1	21.2	20.1	(3)	(3)	(3)
White	43.1	12.6	13.8	11.0	(3)	(3)	(3)
Colored	56.9	27.6	26.8	27.0	(3)	(3)	(3)
Vicksburg, Miss. (total)	100.0	30.2	29.5	32.3	(3)	(3)	(3)
White	42.1	16.0	17.3	21.4	(3)	(3)	(3)
Colored	57.9	39.8	37.8	39.8	(3)	(3)	(3)
Hannibal, Mo. (total)	100.0	14.0	13.4	12.6	12.4	(3)	(3)
White	89.9	12.8	12.7	11.0	11.1	(3)	(3)
Colored	10.1	26.9	20.5	29.7	24.4	(3)	(3)

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
		1917	1916	1915	1914	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Jefferson City, Mo. (total)	100.0	12.9	15.3	14.9	13.0	(3)	(3)
White	83.8	12.8	13.4	13.3	12.9	(3)	(3)
Colored	16.2	13.5	26.1	23.7	13.7	(3)	(3)
Sedalia, Mo. (total)	100.0	15.5	16.3	15.2	15.0	(3)	(3)
White	89.5	14.7	15.5	13.9	13.2	(3)	(3)
Colored	10.5	22.8	23.4	26.2	29.7	(3)	(3)
Asbury Park, N. J. (total)	100.0	11.5	12.6	11.7	13.9	(4)	(4)
White	80.9	11.0	12.5	10.7	12.3	(4)	(4)
Colored	19.1	12.9	12.8	15.3	20.5	(4)	(4)
Atlantic City, N. J. (total)	100.0	13.5	13.7	15.2	15.4	16.5	16.2
White	78.5	13.1	13.3	14.8	15.3	16.6	16.8
Colored	21.5	15.3	15.2	16.5	15.7	16.1	14.3
Montclair, N. J. (total)	100.0	9.3	8.9	10.0	14.0	14.1	17.6
White	88.4	9.2	8.9	10.4	13.9	13.7	17.1
Colored	11.6	9.9	9.0	7.1	14.9	17.4	21.7
Asheville, N. C.* (total)	100.0	23.7	22.4	22.2	24.3	(3)	(3)
White	71.4	22.0	21.7	20.3	22.7	(3)	(3)
Colored	28.6	28.2	24.3	27.2	28.1	(3)	(3)
Charlotte, N. C. (total)	100.0	19.2	19.2	18.7	21.7	(3)	(3)
White	65.4	13.7	14.0	13.8	16.2	(3)	(3)
Colored	34.6	31.0	30.3	28.8	32.2	(3)	(3)
Durham, N. C. (total)	100.0	15.0	13.4	15.4	15.5	(3)	(3)
White	62.3	11.4	10.2	11.0	10.7	(3)	(3)
Colored	37.7	20.5	18.4	22.4	23.3	(3)	(3)
Greensboro, N. C. (total)	100.0	14.2	14.1	15.2	19.6	(3)	(3)
White	64.1	11.4	11.6	10.9	12.9	(3)	(3)
Colored	35.9	19.7	19.0	23.3	31.6	(3)	(3)
Raleigh, N. C.* (total)	100.0	28.4	28.0	27.5	30.4	26.8	25.0
White	61.6	23.6	21.9	23.6	24.7	22.7	21.2
Colored	38.4	37.0	38.7	34.1	39.6	33.3	30.5
Wilmington, N. C. (total)	100.0	19.4	17.1	20.3	23.5	22.7	25.6
White	52.9	15.0	12.9	15.2	16.8	17.4	19.9
Colored	47.1	24.7	22.0	26.3	31.0	28.7	31.6
Winston-Salem, N. C. (total)	100.0	25.7	20.2	19.6	22.1	(3)	(3)
White	60.0	18.2	15.0	13.6	16.5	(3)	(3)
Colored	40.0	37.1	28.0	28.5	30.5	(3)	(3)
Springfield, Ohio (total)	100.0	16.4	15.5	13.6	13.4	(3)	(3)
White	89.5	15.3	15.2	13.0	12.5	(3)	(3)
Colored	10.5	26.6	18.3	18.9	21.6	(3)	(3)
Carlisle, Pa. (total)	100.0	16.8	17.1	14.3	14.4	15.7	16.3
White	89.1	16.0	16.0	13.1	12.9	14.5	15.3
Colored	10.9	23.6	26.3	24.4	26.9	25.0	23.7
Chester, Pa. (total)	100.0	22.5	21.1	16.1	17.1	16.1	(3)
White	87.5	20.3	19.9	14.7	16.0	14.4	(3)
Colored	12.5	38.1	29.5	25.7	25.1	27.5	(3)
Coatesville, Pa. (total)	100.0	14.5	13.5	9.4	9.8	(4)	(3)
White	86.3	14.3	13.5	9.5	10.2	(4)	(3)
Colored	13.7	16.0	13.6	9.1	7.1	(4)	(3)
West Chester, Pa. (total)	100.0	23.2	23.1	20.9	22.2	19.9	(3)
White	84.0	21.4	20.7	18.6	19.8	17.9	(3)
Colored	16.0	33.9	36.6	34.2	35.0	30.3	(3)
Charleston, S. C. (total)	100.0	25.7	25.3	29.3	27.8	27.5	29.7
White	47.2	15.7	13.6	16.5	17.6	17.2	19.3
Colored	52.8	35.7	36.7	41.6	37.0	36.5	38.2
Columbia, S. C.* (total)	100.0	36.5	32.7	41.0	(3)	(3)	(3)
White	56.1	30.5	25.1	29.4	(3)	(3)	(3)
Colored	43.9	44.5	43.1	56.5	(3)	(3)	(3)
Greenville, S. C. (total)	100.0	19.2	18.6	20.8	(3)	(3)	(3)
White	59.9	14.3	14.3	12.9	(3)	(3)	(3)
Colored	40.1	27.2	25.6	33.5	(3)	(3)	(3)
Spartanburg, S. C. (total)	100.0	17.3	15.1	16.1	(3)	(3)	(3)
White	60.7	14.7	12.1	13.8	(3)	(3)	(3)
Colored	39.3	21.2	19.7	19.5	(3)	(3)	(3)
Chattanooga, Tenn. (total)	100.0	19.7	(3)	17.7	18.4	(3)	(3)
White	59.8	16.4	(3)	14.3	16.5	(3)	(3)
Colored	40.2	25.0	(3)	23.0	21.3	(3)	(3)
Jackson, Tenn. (total)	100.0	18.6	(3)	16.1	18.7	(3)	(3)
White	63.7	14.1	(3)	11.9	15.2	(3)	(3)
Colored	36.3	27.9	(3)	24.6	24.5	(3)	(3)
Knoxville, Tenn. (total)	100.0	15.5	(3)	16.7	19.9	(3)	(3)
White	79.0	14.6	(3)	14.6	17.5	(3)	(3)
Colored	21.0	19.3	(3)	24.9	29.0	(3)	(3)
Memphis, Tenn. (total)	100.0	19.9	(3)	19.8	20.7	20.6	19.4
White	59.9	14.7	(3)	13.9	14.8	16.1	16.5
Colored	40.1	29.3	(3)	29.9	29.5	27.0	22.9

(See footnotes at end of table.)

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
		1917	1916	1915	1914	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Nashville, Tenn. (total)	100.0	16.5	(8)	17.2	18.4	19.3	21.5
White	66.9	13.9	(8)	14.0	14.6	15.2	17.0
Colored	33.1	22.3	(8)	24.4	26.1	27.2	29.6
Beaumont, Tex. (total)	100.0	15.8	15.4	(8)	(8)	(8)	(8)
White	66.5	13.4	13.7	(8)	(8)	(8)	(8)
Colored	33.5	20.6	18.9	(8)	(8)	(8)	(8)
Cleburne, Tex. (total)	100.0	10.7	(8)	(8)	(8)	(8)	(8)
White	91.4	10.1	(8)	(8)	(8)	(8)	(8)
Colored [6]	8.6	16.0	(8)	(8)	(8)	(8)	(8)
Dallas, Tex. (total)	100.0	12.6	12.6	(8)	(8)	(8)	(8)
White	80.4	11.7	11.6	(8)	(8)	(8)	(8)
Colored	19.6	16.9	17.0	(8)	(8)	(8)	(8)
El Paso, Tex. (total)	100.0	35.5	31.5	34.3	30.4	(8)	(8)
White	95.7	35.5	31.4	34.4	30.7	(8)	(8)
Colored [6]	4.3	36.2	33.6	28.4	24.4	(8)	(8)
Galveston, Tex. (total)	100.0	16.0	17.4	21.8	19.5	(9)	(8)
White	78.1	13.9	14.8	18.3	17.0	(9)	(8)
Colored	21.9	23.9	26.8	34.3	28.2	(9)	(8)
Houston, Tex. (total)	100.0	14.2	(8)	(8)	(8)	(8)	(8)
White	69.6	12.4	(8)	(8)	(8)	(8)	(8)
Colored	30.4	18.3	(8)	(8)	(8)	(8)	(8)
San Antonio, Tex. (total)	100.0	25.2	19.4	21.5	21.4	20.7	21.4
White	88.8	25.4	19.6	21.4	21.5	20.8	21.5
Colored	11.2	24.3	17.7	23.0	20.7	19.9	20.7
Alexandria, Va. (total)	100.0	16.1	16.6	16.7	19.5	21.4	21.9
White	72.6	12.9	14.4	13.0	15.8	17.4	18.4
Colored	27.4	25.9	23.0	27.2	29.1	31.6	30.0
Danville, Va. (total)	100.0	19.3	17.4	18.3	19.6	(2)	(3)
White	67.4	15.7	14.5	14.6	17.0	(2)	(3)
Colored	32.6	28.5	24.6	27.4	25.0	(2)	(3)
Lynchburg, Va. (total)	100.0	15.7	16.5	18.9	18.8	17.5	20.3
White	67.9	12.2	12.6	14.3	15.0	13.2	15.3
Colored	32.1	26.3	27.8	31.5	26.9	25.9	28.1
Newport News, Va. (total)	100.0	20.2	18.9	17.0	15.6	(3)	(3)
White	64.0	13.3	12.9	12.2	10.6	(3)	(3)
Colored	36.0	32.2	29.3	25.2	24.3	(3)	(3)
Norfolk, Va. (total)	100.0	17.1	18.6	18.7	19.6	23.2	19.2
White	62.8	11.7	12.5	13.2	13.2	16.9	14.4
Colored	37.2	26.5	28.9	27.7	30.3	33.4	26.3
Petersburg, Va. (total)	100.0	26.8	30.0	24.5	24.1	27.0	25.5
White	54.3	19.0	22.1	19.4	16.5	19.7	19.9
Colored	45.7	37.1	40.2	31.0	33.1	35.5	31.6
Portsmouth, Va. (total)	100.0	14.2	13.5	11.6	13.3	(3)	(3)
White	65.0	9.5	9.5	8.5	9.4	(3)	(3)
Colored	35.0	22.4	20.6	17.1	20.5	(3)	(3)
Richmond, Va. (total)	100.0	18.5	19.7	18.9	19.7	[10]22.5	23.4
White	63.4	15.5	16.2	15.9	15.2	[11]17.4	18.5
Colored	36.6	24.2	26.1	24.3	27.5	[11]29.9	31.7
Roanoke, Va. (total)	100.0	14.2	15.3	14.6	15.2	(2)	(3)
White	77.3	12.6	13.3	12.2	12.6	(3)	(3)
Colored	22.7	20.1	22.7	23.4	23.8	(3)	(3)
Staunton, Va.* (total)	100.0	25.5	23.0	21.1	20.1	(3)	(3)
White	76.6	28.5	25.2	20.9	21.5	(3)	(3)
Colored	23.4	15.2	15.3	21.6	15.5	(3)	(3)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1917 is far away from the last census year, estimates are probably far too high in some cases and far too low in others.

* Areas designated by asterisks contain state insane asylums, state hospitals, etc.

[1] Exclusive of stillbirths.

[2] Figures for deaths not available for the entire period.

[3] Not added to the registration area until a later date.

[4] Figures for deaths not available for the entire period; included in rural from 1906 to 1909.

[5] Colored population less than 10 per cent of the total in 1910.

[6] Probably does not include deaths in territory annexed in April, 1914.

[7] Included in rural.

[8] Transcripts for deaths not received.

[9] Population not estimated.

[10] Including Manchester for 1908 and 1909.

[11] Excluding Manchester for 1908 and 1909.

For the cities in the preceding table, the rate of the colored population for 1917 (27.4) is higher than that for 1916 (25.9). Both of these rates are lower than the rates shown for 1915, but it should be noted that the group of cities which furnishes data for these totals is not the same year after year.

The rates for the white population showing the greatest decreases in 1917 are those of Petersburg, Va., and Jeffersonville, Ind. (from 22.1 to 19 and from 13.1 to 10.8, respectively), while the rates for the colored population showing the greatest decreases in 1917 are those of Jefferson City, Mo., and Fort Scott, Kans. (from 26.1 to 13.5 and from 32.7 to 22.6, respectively).

On the other hand, the rates for the white population showing the greatest increases in 1917 are those of San Antonio, Tex., and Columbia, S. C. (from 19.6 to 25.4 and 25.1 to 30.5, respectively), while the rates showing the greatest increases in 1917 for large colored populations are those of Birmingham, Ala., and Henderson, Ky. (from 20.9 to 34.1 and from 33.6 to 46.1, respectively).

In addition to the cities in which 10 per cent or more of the inhabitants are colored, there are some in which the colored populations, although representing less than 10 per cent of the totals, are still so numerous that separate mortality statistics for the two races are significant. The following table shows for the years 1914 to 1917 and the two five-year periods 1901 to 1905 and 1906 to 1910 the death rates of white and colored populations in each city in which the colored population was more than 10,000 in 1910, although less than 10 per cent of the total:

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
		1917	1916	1915	1914	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Cities in this table (aggregate)	100.0	14.6	14.5	14.3	14.7	16.5	17.8
White	96.5	14.2	14.2	14.0	14.3	16.2	17.4
Colored	3.5	28.2	24.3	23.6	24.1	25.5	28.7
Los Angeles, Calif. (total)	100.0	12.5	12.3	12.3	12.9	14.8	16.4
White	95.7	12.2	12.0	12.0	12.7	14.6	16.2
Colored [2]	4.3	20.6	19.9	19.4	17.1	19.8	19.6
San Francisco, Calif. (total)	100.0	15.2	15.4	15.9	15.5	16.1	20.3
White	96.0	14.9	15.1	15.6	15.3	16.1	19.8
Colored [3]	4.0	23.7	24.8	24.9	20.5	15.9	30.1
Chicago, Ill. (total)	100.0	14.9	14.5	14.3	14.2	14.9	14.5
White	97.9	14.5	14.3	14.0	14.0	14.7	14.3
Colored	2.1	33.4	24.0	23.9	23.7	23.1	24.5
Indianapolis, Ind. (total)	10.00	16.2	15.6	14.7	15.9	15.2	15.4
White	90.6	15.1	14.6	13.9	15.2	14.2	14.6
Colored	9.4	26.9	25.7	22.5	23.6	24.0	23.1
Boston, Mass. (total)	100.0	16.6	16.9	16.1	16.1	17.9	18.8
White	97.8	16.4	16.6	16.0	15.9	17.7	18.6
Colored	2.2	26.5	28.4	23.0	25.3	24.3	26.0
Kansas City, Mo. (total)	100.0	16.4	14.5	14.7	14.0	14.6	15.9
White	90.5	15.2	13.3	13.5	13.0	13.5	14.6
Colored	9.5	28.3	26.5	26.7	23.6	24.9	27.1

(See footnotes at end of table.)

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
		1917	1916	1915	1914	Annual average. 1906 to 1910	Annual average. 1901 to 1905
St. Louis, Mo. (total)	100.0	15.1	14.9	13.8	15.0	15.6	17.9
White	93.5	13.9	14.1	13.0	14.2	14.8	17.1
Colored	6.5	32.1	26.4	24.5	26.6	26.7	30.3
New York, N. Y. (total)	100.0	13.7	13.9	13.9	14.1	16.9	19.0

[redacted]

DEATHS OF COLORED POPULATIONS OTHER THAN NEGRO.

The slight effect upon general death rates of deaths of colored populations other than Negro is apparent from the following table, which shows for the registration area, exclusive of Hawaii, and its principal subdivisions, the number of deaths among Indians, Chinese, Japanese, and "Other colored."

AREA.	DEATHS [1] FROM ALL CAUSES IN 1917.			
	Indian.	Chinese.	Japanese.	Other colored.
The registration area [2]	1,592	1,249	1,246	26
Registration states [3]	1,584	1,148	1,224	26
Cities in registration states [3]	88	830	702	16
Rural part of registration states	1,496	318	522	10
Registration cities in nonregistration states	8	101	22	.....
All registration cities [3]	96	931	724	16
REGISTRATION STATES.				
California:				
Cities	18	550	509	1
Rural districts	161	277	396	3
Colorado:				
Cities	1	6	14	1
Rural districts	4	.....	29	.....
Connecticut:				
Cities	1	5	1	.....
Rural districts	.....	.....	.....	.....
Indiana:				
Cities	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....
Kansas:				
Cities	.....	.....	1	.....
Rural districts	55	.....	.....	.....
Kentucky:				
Cities	.....	1	.....	.....
Rural districts	.....	.....	.....	.....
Maine:				
Cities	1	.....	.....	.....
Rural districts	14	.....	1	.....
Maryland:				
Cities	.....	4	.....	.....
Rural districts	1	.....	.....	.....
Massachusetts:				
Cities	4	41	1	.....
Rural districts	5	2	1	.....
Michigan:				
Cities	9	4	.....	1
Rural districts	180	.....	.....	.....
Minnesota:				
Cities	4	5	1	.....
Rural districts	227	1	1	.....
Missouri:				
Cities	2	7	.....	1
Rural districts	.....	1	1	.....
Montana:				
Cities	3	15	3	.....
Rural districts	185	8	9	1
New Hampshire:				
Cities	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....
New Jersey:				
Cities	.....	5	2	1
Rural districts	2	1	3	.....
New York:				
Cities	17	84	21	5
Rural districts	66	9	2	.....
North Carolina:				
Cities	.....	.....	.....	.....
Rural districts	159	3	1	.....
Ohio:				
Cities	2	7	.....	.....
Rural districts	1	1	.....	.....
Pennsylvania:				
Cities	3	29	2	3
Rural districts	1	1	.....	.....
Rhode Island:				
Cities	.....	8	1	.....
Rural districts	1	.....	.....	.....
South Carolina:				
Cities	1	.....	.....	.....
Rural districts	5	.....	.....	.....
Tennessee:				
Cities	.....	1	.....	.....
Rural districts	.....	.....	.....	.....
Utah:				
Cities	1	5	16	.....
Rural districts	35	4	14	1
Vermont:				
Cities	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....
Virginia:				
Cities	1	.....	.....	.....
Rural districts	22	1	.....	.....
Washington:				
Cities	14	47	127	3
Rural districts	277	9	64	5
Wisconsin:				
Cities	4	1	2	.....
Rural districts	95	.....	.....	.....
Washington, D. C.	2	5	1	.....

(See footnotes at end of table.)

AREA.	DEATHS [1] FROM ALL CAUSES IN 1917.			
	Indian.	Chinese.	Japanese.	Other colored.
CITIES IN REGISTRATION STATES.[4]				
Fresno, Calif.		22	55	
Los Angeles, Calif.	3	54	165	
Oakland, Calif.		42	24	
Sacramento, Calif.		56	92	1
San Diego, Calif.	5	8	10	
San Francisco, Calif.		282	58	
San Jose, Calif.		6	17	
Stockton, Calif.		46	49	
Denver, Colo.	1	5	10	1
Boston, Mass.		35	1	
New York, N. Y.	1	79	20	5
Bronx Borough [5]				
Brooklyn Borough [5]		6	5	3
Manhattan Borough [5]		67	14	2
Queens Borough [5]		6	1	
Richmond Borough [5]	1			
Philadelphia, Pa.		25	2	2
Seattle, Wash.	2	37	95	2
Tacoma, Wash.	2	1	15	
REGISTRATION CITIES IN NONREGISTRATION STATES.[4]				
Chicago, Ill.	1	24		
New Orleans, La.		11		
Portland, Oreg.		51	18	

[1] Exclusive of stillbirths.
[2] Exclusive of Hawaii.
[3] Including the District of Columbia.
[4] Including only those from which 10 or more deaths of Indians, Chinese, Japanese, or other colored were reported.
[5] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to boroughs of residence.

DEATHS OF NONRESIDENTS.

Deaths of nonresidents are not shown separately in this report, but probably will be in the report for 1918. Extracts from a letter sent to state registrars and others are given below, and it is hoped that the data relating to the residence of decedents will be sufficiently complete in 1918 to warrant tabulation.

The Director of the Census realizes that the crude death rates of many cities and towns are in excess of the true death rates of these places owing to the inclusion of deaths of nonresidents in the computation of their rates. He wishes, therefore, to secure complete data regarding the residence, i. e., "usual place of abode" of each decedent in order that, beside the crude rate of each locality, another rate corrected for deaths of nonresidents may be given.

To obtain such complete data it is absolutely necessary that *every death certificate of a nonresident* shall show the "*usual place of abode*" of the decedent. The Director of the Census desires to determine the question of residence exactly as it was done by the census enumerators in taking the census population in 1910.

Residence refers to "usual place of abode." As a rule the "usual place of abode" is the place where a person *regularly* sleeps.

DEATH RATES OF FOREIGN COUNTRIES.

The following table presents the latest available death rates per 1,000 population for the principal European countries and for certain other countries for each of the six five-year periods from 1881 to 1910, and for 1915 and 1916, together with the rates for the registration area of the United States for the two five-year periods 1901 to 1905 and 1906 to 1910 and the calendar years 1915 and 1916:



The following table presents the crude death rates per 1,000 population for the registration area of the United States and for certain countries for each year from 1900 to 1916. These rates are shown in the diagram following the table.

COUNTRY.	DEATH RATE [1] PER 1,000 POPULATION.																
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916
United States (registration area)	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.0	14.2	13.9	14.1	13.6	13.5	14.0
Australian Commonwealth	11.8	12.2	12.5	12.2	11.1	10.9	10.9	11.0	11.1	10.3	10.4	10.7	11.2	10.8	10.5	10.7	11.0
Austria	25.4	24.0	24.7	23.8	23.8	25.1	22.6	22.7	22.5	22.9	21.2	21.9	20.5	[2]	[2]	[2]	[2]
Chile	35.6	36.4	28.5	26.2	27.8	34.9	32.7	29.6	31.6	31.2	31.0	31.1	29.7	30.1	27.8	[2]	[2]
England and Wales	18.2	16.9	16.3	15.5	16.3	15.3	15.5	15.1	14.8	14.6	13.5	14.6	13.3	13.8	14.0	[3] 15.7	[3] 14.4
France	21.9	20.1	19.5	19.2	19.4	19.6	19.9	20.2	18.9	19.1	17.8	19.6	17.5	17.7	[4] 19.6	[2]	[2]
German Empire	22.1	20.7	19.4	20.0	19.6	19.8	18.2	18.0	18.1	17.2	16.2	17.3	15.6	15.0	[2]	[2]	[2]
Hungary	26.9	25.4	27.1	26.2	25.0	28.2	25.1	25.7	25.2	25.6	23.6	25.1	23.3	[2]	[2]	[2]	[2]
Ireland	19.6	17.8	17.5	17.5	18.0	17.1	16.9	17.6	17.5	17.1	17.1	16.5	16.5	17.1	16.3	17.	16.5
Italy	23.8	22.0	22.2	22.4	21.2	22.0	20.9	20.9	22.8	21.7	19.9	21.4	18.2	18.7	17.9	[2]	[2]
Japan	20.4	20.4	20.9	20.0	21.2	21.9	20.0	21.0	20.9	21.9	21.1	20.4	20.0	19.5	[2]	[2]	[2]
New Zealand	9.4	9.8	10.5	10.4	9.5	9.3	9.3	10.9	9.5	9.2	9.7	9.4	8.9	9.5	9.3	9.1	9.6
Russia (European)	31.1	32.1	31.5	30.0	29.9	31.1	29.8	28.1	28.0	28.9	[2]	[2]	[2]	[2]	[2]	[2]	[2]
Spain	28.9	27.7	26.0	25.0	25.7	25.8	26.1	24.5	[5] 23.8	[5] 24.0	[5] 23.3	[5] 23.2	[5] 21.8	[5] 22.1	[5] 22.1	[2]	[2]
Sweden	16.8	16.1	15.4	15.1	15.3	15.6	14.4	14.6	14.9	13.7	14.0	13.8	14.2	13.6	[5] 13.8	[5] 14.6	[2]

NOTE.—The rate for Australian Commonwealth, 1916, is taken from the Australian Year Book, 1916; that for New Zealand, 1916, from the New Zealand Official Year Book, 1917; and those for England and Wales and Ireland, from the report of the Registrar-General of England and Wales, 1916; rates for all other foreign countries are taken from the 1915 report of the Registrar-General of England and Wales.

[1] Exclusive of stillbirths.
[2] Figures not available.
[3] Civil population only.
[4] Provisional figures relating to 77 "*departements*."
[5] The figures are provisional.

GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 to 1916.



CAUSES OF DEATH.

Summary and Rate Tables II to IV and General Tables 5 to 11 present statistics of causes of death, the data covering the principal factors of area, age, sex, color, and month of death.

DETAILED AND ABRIDGED INTERNATIONAL LISTS.

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the presentation of deaths from disease and violence in a very specific way, and (2) an abridged list in which many of the titles are consolidations of the headings of the detailed list. The first is used for tables which show separately causes of death which it is not necessary nor practicable to show in similar detail in other tables. The distinction between these lists should always be borne in mind in connection with the use of the tables.

In some instances, where the title headings are identical in the two lists, the causes of death included are not the same. An example of this is title No. 19 of the detailed list, "Other epidemic diseases." Used in this sense, "Other epidemic diseases" includes only those epidemic maladies which are not shown separately in titles 1 to 18 of this detailed classification; but when the same expression, "Other epidemic diseases," is used in reference to the abridged list it signifies a heading of that list which includes titles 3, 11, 14, 15, 16, 17, 18, and 19 of the detailed list. Another example is furnished by the title "Tuberculosis of the lungs." This is title No. 13 of the abridged list and title No. 28 of the detailed list. In the abridged list, however, this caption includes not only title No. 28 of the detailed list, but also title No. 29, "Acute miliary tuberculosis."

The distribution of the 1917 deaths by the causes of the abridged list is shown in the opposite table, together with corresponding rates and percentages. In parentheses, after the name of each abridged title, appears the number or numbers corresponding to the title or titles of the detailed International List which it includes.

CHANGES IN THE DETAILED INTERNATIONAL LIST.

The title numbers of the second revision (1910) of the International List are given in the first column of the first table on page 21, while the second and third columns, respectively, show the numbers of the second and first revisions under which the terms would have been compiled according to the rules followed during the period 1900 to 1909. In many instances the numbers of the titles of the second revision differ from the numbers of the same titles in the first revision. As an example of this, tetanus, the title number of which is now 24, was, under the first revision, compiled as No. 72 and was included in an entirely separate class, "Diseases of the nervous system," instead of in "General diseases," as at present.

Abridged Int. List No.	CAUSE OF DEATH.[1]	DEATHS IN REGISTRATION AREA:[2] 1917. Number.	Rate per 100,000 population.	Per cent.
	All causes[3]	1,068,932	1,419.4	100.0
1	Typhoid fever (1)	10,113	13.4	0.9
2	Typhus fever (2)	16	(4)	(5)
3	Malaria (4)	2,387	3.2	0.2
4	Smallpox (5)	204	0.3	(5)
5	Measles (6)	10,745	14.3	1.0
6	Scarlet fever (7)	3,141	4.2	0.3
7	Whooping cough (8)	7,837	10.4	0.7
8	Diphtheria and croup (9)	12,458	16.5	1.2
9	Influenza (10)	12,974	17.2	1.2
10	Asiatic cholera (12)			
11	Cholera nostras (13)	242	0.3	(5)
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19)	7,858	10.4	0.7
13	Tuberculosis of the lungs (28, 29)	97,047	128.9	9.1
14	Tuberculous meningitis (30)	6,092	8.1	0.6
15	Other forms of tuberculosis (31, 32, 33, 34, 35)	7,146	9.5	0.7
16	Cancer and other malignant tumors (39, 40, 41, 42, 43, 44, 45)	61,452	81.6	5.7
17	Simple meningitis (61)	6,890	9.1	0.6
18	Cerebral hemorrhage and softening (64, 65)	63,319	84.1	5.9
19	Organic diseases of the heart (79)	115,337	153.2	10.8
20	Acute bronchitis (89)	7,298	9.7	0.7
21	Chronic bronchitis (90)	5,013	6.7	0.5
22	Pneumonia (92)	74,874	99.4	7.0
23	Other diseases of the respiratory system (tuberculosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98)	47,185	62.7	4.4
24	Diseases of the stomach (cancer excepted) (102, 103)	10,332	13.7	1.0
25	Diarrhea and enteritis (under 2 years) (104)	48,231	64.0	4.5
26	Appendicitis and typhlitis (108)	9,429	12.5	0.9
27	Hernia, intestinal obstruction (109)	8,677	11.5	0.8
28	Cirrhosis of the liver (113)	8,569	11.4	0.8
29	Acute nephritis and Bright's disease (119, 120)	80,912	107.4	7.6
30	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132)	4,351	5.8	0.4
31	Puerperal septicemia (puerperal fever, peritonitis) (137)	5,211	6.9	0.5
32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141)	7,317	9.7	0.7
33	Congenital debility and malformations (150, 151)	56,973	75.7	5.3
34	Senility (154)	11,647	15.5	1.1
35	Violent deaths (suicide excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186)	71,897	95.5	6.7
36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163)	10,056	13.4	0.9
37	Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153)	162,097	215.2	15.2
38	Unknown or ill-defined diseases (187, 188, 189)	13,610	18.1	1.3

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.
[2] Exclusive of Hawaii.
[3] Exclusive of stillbirths.
[4] Less than one-tenth of 1 per 100,000 population.
[5] Less than one-tenth of 1 per cent.

CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS NUMBER (SECOND REVISION) UNDER WHICH INCLUDED— 1910 to 1919	1900 to 1909	Title number of first revision under which formerly included.
Tetanus	24	[1] 24	72
Beriberi (new title)	27	19	19
Tuberculosis of the larynx (old title discontinued)	28	[2] I	26
Acute miliary tuberculosis (new title)	29	28	27
Scrofula (old title discontinued)	34	[3] I	35
Rickets (new title)	36	146	146
Rheumatism (unqualified)	47	48	48
Purpura haemorrhagica	55	85	85
Hemophilia	55	85	85
Neuralgia and neuritis (new title)	73	74	74
Endocarditis (unqualified, 60 years of age and over)	79	78	78
Myocarditis (unqualified, 60 years of age and over)	79	78	78
Ankylostomiasis (new title)	106	107	107
Chyluria (new title)	121	122	122
Placenta praevia	135	136	136
Childbirth, parturition, etc. (not otherwise defined)	136	140	140
Puerperal hemorrhage	[4] 135	.....	.....
Other accidents of labor	[4] 136	.....	.....
Puerperal phlegmasia alba dolens, embolus, sudden death	[4] 139	.....	.....
Following childbirth (not otherwise defined)	[4] 140	.....	.....
"Inanition" (from disease, under 1 year)	[5] 151	.....	.....
(under 3 months); 1900 to 1904	.....	153	153
(under 3 months); 1905 to 1909	.....	151	151
(3 months and over); 1900 to 1909	.....	189	179
(from disease, 1 to 69 years)	189	189	179
(from disease, 70 years and over)	[5] 154	189	179
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (under 1 year)	[5] 151	.....	.....
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (under 3 months)	.....	151	151
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (3 months and over)	.....	189	179
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (1 to 69 years)	189	189	179
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (70 years and over)	[5] 154	189	179
Atelectasis (under 3 months)	152	151	151
Injury at birth (various forms)	152	[6]	176
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Inanition"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (70 years and over)	[5] 154	189	179
Poisoning by food (new title)	164	165	175
Conflagration (new title; separately compiled by Bureau of the Census since 1903)	166	168	174
Traumatism by cutting or piercing instruments (new title)	171	[7]	166
Traumatism by fall (new title)	172	[7]	166
Traumatism by other crushing (new title)	175	[7]	166
Injuries by animals (new title)	176	[7]	166
Electricity (lightning excepted) (new title)	181	186	176
Homicide by firearms (new title)	182	[6]	176
Homicide by cutting or piercing instruments (new title)	183	[6]	176
Homicide by other means (new title)	184	[6]	176

[1] Transferred from Diseases of nervous system (Class II) to General diseases (Class I), beginning with 1910.
[2] Discontinued as a separate title and included with Tuberculosis of the lungs, beginning with 1910.
[3] Discontinued as a separate title and included with Tuberculosis of other organs, beginning with 1910.
[4] In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which statistics entered under these titles for 1910 and succeeding years are not comparable with earlier years.
[5] Changes not effective until 1911.
[6] Formerly included under old title 176 (Other external violence). In effect, the title—not title-heading or name—has been discontinued, since the present title 186, although having the same title-heading, bears little resemblance to the former title; three out of the four subtitles of the old "Other external violence" are now classified under titles other than the present "Other external violence."
[7] Title under which formerly included (see next column) discontinued.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA AND IN THE ORIGINAL REGISTRATION STATES FOR EACH OF THE YEARS 1900 TO 1917.

Rates from 12 important causes or groups of causes of death in the registration area, exclusive of Hawaii, for the series of years 1900 to 1917 are shown in the following table:

Detailed Int. List No. 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION IN THE REGISTRATION AREA.[1] 1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917
	All causes[2]	1,755.0	1,651.9	1,588.0	1,603.7	1,653.5	1,602.0	1,567.5	1,597.1	1,478.0	1,440.0	1,495.8	1,415.9	1,387.2	1,407.4	1,360.9	1,350.2	1,398.9	1,419.4
1	Typhoid fever	35.9	32.3	34.3	34.1	31.7	27.8	31.3	29.5	24.3	21.1	23.5	21.0	16.5	17.9	15.4	12.4	13.3	13.4
6	Measles	12.5	7.3	9.5	9.8	11.0	7.5	12.1	10.0	9.9	9.6	12.3	10.0	7.0	12.8	6.8	5.4	11.1	14.3
7	Scarlet fever	10.2	13.1	12.6	12.2	10.8	6.7	7.7	10.0	11.9	11.4	11.6	8.8	6.7	8.7	6.6	3.6	3.3	4.2
8	Whooping cough	12.1	9.7	12.0	15.8	6.5	10.6	15.1	11.3	10.6	9.6	11.4	11.3	9.3	10.0	10.3	8.1	10.2	10.4
9	Diphtheria and croup	43.3	34.0	30.8	31.7	28.3	23.6	25.7	23.6	21.5	20.4	21.4	18.9	18.2	18.8	17.9	15.7	14.5	16.5
28–35	Tuberculosis (all forms)*	201.9	196.9	184.5	188.5	200.7	192.3	180.2	178.5	167.6	160.8	160.3	158.9	149.5	147.6	146.8	145.8	141.6	146.4
39–45	Cancer	63.0	64.3	65.1	68.3	70.2	71.4	69.1	70.9	71.5	73.8	76.2	74.3	77.0	78.9	79.4	81.1	81.8	81.6
64	Cerebral hemorrhage, apoplexy	67.5	68.2	68.3	68.2	71.5	71.6	70.1	73.2	69.4	71.7	73.7	74.7	75.7	74.6	77.7	79.3	81.3	82.9
78, 79	Acute endocarditis and organic diseases of the heart	123.1	123.9	128.8	134.3	145.0	143.8	140.2	151.4	141.1	143.3	150.4	148.5	151.2	147.1	150.8	156.2	159.4	162.0
91, 92	Pneumonia (all forms)	180.5	161.4	155.7	155.1	171.4	148.8	145.5	156.5	130.9	137.6	147.7	133.7	132.3	132.4	127.0	132.7	137.3	149.8
104	Diarrhea and enteritis (under 2 years)	103.8	90.9	84.0	81.6	90.9	97.0	101.4	96.6	95.2	87.8	100.8	77.4	70.3	75.2	66.0	59.5	65.6	64.0
119, 120	Acute nephritis and Bright's disease	89.0	89.3	90.9	97.3	103.1	103.4	97.5	102.4	93.7	95.2	99.0	97.5	103.0	102.9	102.4	104.7	105.2	107.4

* Tuberculosis (all forms) did not include "scrofula" from 1900 to 1909; in the second revision of Causes of Death in 1910, scrofula was included with "tuberculosis of other organs," and in the rates shown for tuberculosis (all forms) scrofula is included for all the years in order that the rates may be comparable.
[1] Exclusive of Hawaii.
[2] Exclusive of stillbirths.

In the next table are presented for the original registration states (Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont, and the District of Columbia, which represent about one-third of the entire population of the registration area, exclusive of Hawaii, data corresponding to those shown in the preceding table for the registration area.

Detailed Int. List No. 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION IN THE ORIGINAL REGISTRATION STATES.																	
		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917
	All causes[1]	1,719.5	1,635.9	1,543.1	1,559.2	1,640.0	1,593.9	1,592.8	1,615.2	1,514.8	1,494.1	1,561.4	1,494.6	1,456.9	1,469.7	1,440.5	1,426.4	1,494.3	1,493.0
1	Typhoid fever	31.3	27.5	26.3	24.6	23.9	22.4	22.0	20.5	19.6	17.2	18.0	15.2	13.2	12.5	10.8	9.2	8.8	8.1
6	Measles	13.4	7.4	9.3	8.8	11.3	7.4	11.8	8.9	10.2	11.0	12.6	9.3	9.0	11.5	7.3	6.5	10.6	10.4
7	Scarlet fever	9.6	13.5	11.9	12.3	11.6	6.8	7.3	9.8	12.9	10.8	12.2	8.9	6.2	8.3	6.6	4.0	2.9	3.8
8	Whooping cough	12.3	8.7	12.4	14.3	5.8	9.0	14.5	9.5	9.4	9.9	10.7	10.6	8.0	9.0	8.8	8.8	9.1	8.8
9	Diphtheria and croup	40.4	33.4	29.7	31.0	29.3	23.6	25.8	24.0	21.6	21.1	22.5	18.5	16.8	19.2	18.4	15.8	15.1	18.2
28–35	Tuberculosis (all forms)*	195.2	189.8	174.1	177.1	188.5	180.9	177.8	175.6	169.4	163.3	164.6	158.4	149.6	148.6	148.4	146.5	143.5	146.7
39–45	Cancer	63.5	66.2	66.1	69.8	71.5	73.7	73.9	76.3	77.2	79.6	82.9	83.6	85.9	88.7	89.1	91.8	93.7	94.8
64	Cerebral hemorrhage, apoplexy	72.5	74.3	74.7	75.9	80.1	80.4	79.4	84.3	80.6	82.8	86.1	88.5	87.9	87.4	92.4	91.6	95.7	99.8
78, 79	Acute endocarditis and organic diseases of the heart	128.1	130.6	135.8	142.2	154.9	153.7	155.9	169.2	159.0	160.7	171.6	171.8	170.7	171.3	179.4	183.1	194.7	198.4
91, 92	Pneumonia (all forms)	175.5	160.2	150.4	149.7	170.3	149.3	152.6	163.3	136.4	149.5	158.8	148.5	146.3	146.7	140.6	148.3	155.1	164.8
104	Diarrhea and enteritis (under 2 years)	115.9	94.3	83.7	80.3	91.2	98.7	101.5	97.6	99.1	89.7	103.1	80.9	74.1	75.5	68.3	64.6	63.8	61.7
119, 120	Acute nephritis and Bright's disease	88.7	89.6	90.3	96.0	102.4	101.6	103.0	107.3	99.2	103.2	107.3	109.4	113.8	113.0	114.3	112.9	117.5	118.5

* Tuberculosis (all forms) did not include "scrofula" from 1900 to 1909; in the second revision of Causes of Death in 1910, scrofula was included with "tuberculosis of other organs," and in the rates shown for tuberculosis (all forms) scrofula is included for all the years in order that the rates may be comparable.

[1] Exclusive of stillbirths.

For the registration area, exclusive of Hawaii, only 2 of the 12 titles used in these tables, cancer, and diarrhea and enteritis (under 2 years), show lower rates in 1917 than in 1916. For the original registration states, however, lower rates appear in 1917 than in 1916 from typhoid fever, measles, whooping cough, and diarrhea and enteritis (under 2 years), the rates from typhoid fever and diarrhea and enteritis (under 2 years) being record low rates.

On the other hand, record high rates appear in 1917 from cerebral hemorrhage and apoplexy, acute endocarditis and organic diseases of the heart, and acute nephritis and Bright's disease in both tables and from measles for the registration area; also from cancer for the original registration states. In these tables the highest rates in 1917, as in 1900, are from acute endocarditis and organic diseases of the heart, tuberculosis (all forms), and pneumonia (all forms).

When comparisons of the rates for the earlier years of the series are made with those of recent years, marked decreases are shown in both tables from typhoid fever, scarlet fever, diphtheria and croup, tuberculosis (all forms), pneumonia (all forms), and diarrhea and enteritis (under 2 years). The lower rates from typhoid fever, scarlet fever, and diphtheria and croup are especially noteworthy, the rate from each of these causes in 1917 being only about one-third of that for 1900. On the other hand, the rates in 1917 from cancer and from acute endocarditis and organic diseases of the heart are about one-third higher than the rates for 1900, and the rates in 1917 from acute nephritis and Bright's disease and from cerebral hemorrhage and apoplexy are nearly one-fourth higher than those for 1900 for the registration area, and still more than this for the original registration states. Only from typhoid fever are the rates for each year lower for the original registration states than for the registration area, exclusive of Hawaii.

From cancer, cerebral hemorrhage and apoplexy, and acute endocarditis and organic diseases of the heart, the death rates are higher in each year for the original registration states than for the registration area. Further comparison of the original registration states with the registration area shows that for the former the death rates from tuberculosis (all forms) are lower in each year from 1900 to 1907, and higher in each year, with one exception (1911), from 1908 to 1917. From pneumonia (all forms) the rates are lower from 1900 to 1904, inclusive, and higher from 1905 to 1917, inclusive. From diarrhea and enteritis (under 2 years) the rates are higher in all of the years except 1902, 1903, 1916, and 1917, and from acute nephritis and Bright's disease the rates are higher for the original registration states in 13 of the 18 years from 1900 to 1917, inclusive. The death rates from scarlet fever, whooping cough, and diphtheria and croup show decreases from 1900 to 1917 for both areas, but the most pronounced decrease is from diphtheria and croup, 61.9 per cent for the registration area and 55 per cent for the original registration states.

The following diagram presents the fluctuations from year to year, 1900 to 1917, in the death rates from the several diseases included in the preceding table for the registration area.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS FROM 1900 TO 1917.



TYPHOID FEVER.

The number of deaths from typhoid fever in 1917 is 10,113, corresponding to a death rate of 13.4 per 100,000 population, which is slightly higher than the rate for 1916 (13.3), but is the third lowest rate in the period of 18 years from 1900 to 1917, inclusive, the lowest rate in that period being for 1915 (12.4). The addition to the registration area in 1917 of Tennessee accounts for this increase.

In the table on page 24, which shows the rates per 100,000 population for the years 1911 to 1917, and the annual average for the five-year period 1906 to 1910, rates of 40 and higher are printed in boldfaced type

DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.

[Rates of 40 or more in boldfaced type.]

AREA.	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910
SUMMARY.								
The registration area [1]	13.4	13.3	12.4	15.4	17.9	16.5	21.0	25.6
Registration states [2]	13.3	13.2	12.1	15.1	17.8	16.2	20.4	24.6
Cities in registration states [2]	10.1	10.7	10.8	13.3	16.1	15.5	18.6	25.3
Rural part of registration states	16.2	15.6	13.4	16.9	19.6	17.0	22.2	23.8
Registration cities in nonregistration states	14.8	13.9	15.7	19.2	18.7	19.6	27.7	31.0
All registration cities [2]	10.8	11.1	11.5	14.1	16.4	16.1	20.0	26.8
REGISTRATION STATES.								
California	7.2	7.1	9.7	13.4	15.9	17.2	17.3	23.8
Colorado	9.4	12.2	12.7	17.0	17.0	15.4	30.3	43.3
Connecticut	9.3	7.5	12.4	9.2	11.3	10.9	13.5	17.5
Indiana	17.5	21.5	14.9	21.2	25.1	23.5	26.7	34.7
Kansas	17.7	14.2	10.2	18.9	(3)	(3)	(3)	(3)
Kentucky (total)	34.9	31.0	30.4	41.7	42.7	34.1	46.3	(3)
White	31.5	29.0	27.8	38.9	40.2	31.5	43.7	(3)
Colored	65.2	47.7	52.4	63.6	62.5	54.2	66.8	(3)
Maine	10.5	11.1	13.4	16.0	12.0	13.7	18.0	18.2
Maryland (total)	18.6	19.4	23.7	23.9	33.3	27.8	37.5	39.1
White	16.2	16.4	18.5	21.5	26.7	24.5	33.6	35.4
Colored	30.8	34.2	48.9	34.9	63.6	43.0	55.5	55.6
Massachusetts	4.8	4.7	6.7	7.6	7.9	7.7	9.0	13.7
Michigan	12.6	14.1	11.7	13.3	18.4	18.6	19.1	24.4
Minnesota	4.3	5.4	6.8	10.1	10.8	10.6	13.5	(4)
Missouri	20.4	19.2	15.4	23.9	24.4	23.1	31.9	(3)
Montana	16.7	11.5	12.8	15.3	22.7	14.0	20.4	(4)
New Hampshire	6.1	5.0	7.7	8.7	11.9	8.7	14.6	15.3
New Jersey	6.7	7.0	6.7	8.2	9.6	11.5	12.0	14.9
New York	5.6	5.9	7.6	8.9	10.3	11.6	14.1	17.0
North Carolina (total)	29.9	29.2	[5] 40.8	[5] 56.5	[6] 57.4	[6] 40.2	[6] 70.0	(4)
White	23.5	22.6	31.0	44.6	50.6	34.4	67.2	(4)
Colored	44.0	43.8	60.1	79.3	70.1	50.8	75.1	(4)
Ohio	13.3	14.9	14.1	18.1	24.0	18.2	22.7	(4)
Pennsylvania	10.4	13.6	12.3	13.0	18.1	16.4	21.9	36.4
Rhode Island	5.4	6.8	10.1	8.1	8.3	7.7	9.5	13.1
South Carolina (total)	31.8	34.1	(3)	(3)	(3)	(3)	(3)	(3)
White	23.1	28.1	(3)	(3)	(3)	(3)	(3)	(3)
Colored	39.5	39.4	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	38.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	35.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	50.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	13.3	10.4	9.4	15.9	22.2	14.4	19.2	(4)
Vermont	6.9	6.3	13.0	11.6	7.8	11.2	12.3	15.7
Virginia (total)	21.1	25.1	23.7	27.3	33.3	(3)	(3)	(3)
White	15.5	20.9	19.5	23.3	29.3	(3)	(3)	(3)
Colored	33.7	34.5	32.9	35.5	41.5	(3)	(3)	(3)
Washington	7.6	5.1	8.1	10.7	10.3	12.4	18.3	(4)
Wisconsin	5.2	8.0	4.8	6.5	9.0	12.9	13.2	(4)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	53.8	43.5	36.2	39.7	36.0	37.3	45.5	(4)
White	20.2	34.2	27.6	35.8	28.2	36.3	42.4	(4)
Colored	110.9	59.0	50.4	45.8	48.1	38.8	50.3	(4)
Los Angeles, Calif	5.8	2.6	5.7	7.7	12.1	15.0	11.6	18.7
Oakland, Calif	2.4	4.0	6.8	6.6	12.0	13.7	14.0	24.0
San Francisco, Calif	4.7	3.5	9.0	12.7	16.1	13.6	15.3	27.0
Denver, Colo	5.2	7.3	6.3	9.0	13.5	15.2	18.0	40.0
Bridgeport, Conn	8.0	9.0	5.1	3.5	6.2	8.3	3.8	10.8
New Haven, Conn	10.5	8.7	19.7	15.2	12.7	24.4	24.9	30.4
Washington, D. C. (total)	13.5	12.9	12.0	11.9	16.4	23.0	22.2	36.4
White	5.6	9.5	8.5	6.3	14.1	20.0	19.5	31.2
Colored	34.8	22.0	21.2	25.7	22.0	30.5	28.9	49.2
Atlanta, Ga. (total)	20.9	22.0	15.7	46.3	21.9	41.9	66.1	62.1
White	18.4	20.5	17.3	46.2	18.2	34.2	58.2	60.5
Colored	26.6	25.4	12.1	46.5	29.2	57.1	81.3	65.1
Chicago, Ill	1.9	5.2	5.3	6.6	10.4	7.4	10.9	15.7
Indianapolis, Ind	10.9	26.1	14.3	25.8	24.4	17.8	25.8	29.8
Louisville, Ky. (total)	15.8	13.4	13.9	25.9	23.2	21.8	23.7	52.9
White	14.1	11.2	12.3	23.9	19.4	16.5	17.7	44.4
Colored	23.8	23.9	21.5	35.2	40.3	45.8	51.0	90.8
New Orleans, La. (total)	23.3	23.1	20.5	21.9	16.9	14.0	31.0	35.1
White	20.1	20.4	19.6	18.8	14.5	11.6	23.2	32.5
Colored	32.6	31.0	23.0	30.4	23.4	20.5	52.6	42.3
Baltimore, Md. (total)	15.6	18.1	20.7	22.6	23.8	24.6	27.6	35.4
White	14.4	18.0	16.9	22.2	19.1	23.6	25.9	33.6
Colored	22.5	19.2	42.1	24.9	50.3	30.0	37.2	45.2
Boston, Mass	3.0	3.4	5.2	9.0	8.2	8.0	8.7	16.2
Cambridge, Mass	4.4	1.8	1.8	1.8	9.2	3.7	2.8	9.8
Fall River, Mass	16.9	10.9	15.0	9.6	8.9	18.0	14.7	14.7
Lowell, Mass	6.1	11.5	16.1	10.8	10.0	10.1	7.3	14.9
Worcester, Mass	6.0	3.7	5.6	3.8	5.8	3.3	6.0	11.9
Detroit, Mich	17.8	14.7	13.5	14.1	29.4	17.5	15.8	21.9
Grand Rapids, Mich	12.8	16.4	27.8	27.6	18.2	33.9	26.7	29.0
Minneapolis, Minn	6.4	5.5	7.6	12.5	12.0	11.7	11.9	31.9
St. Paul, Minn	2.4	5.7	7.0	11.0	9.1	10.6	10.5	18.0
Kansas City, Mo	12.1	11.4	9.7	16.3	21.9	12.0	29.9	36.4
St. Louis, Mo	8.2	9.4	6.8	12.0	16.9	10.7	16.1	16.3
Omaha, Nebr	4.5	3.0	6.1	4.5	7.6	14.0	18.1	41.1
Jersey City, N. J	3.5	7.2	5.7	7.5	10.8	7.8	7.2	12.6
Newark, N. J	4.1	6.1	2.8	7.5	8.7	8.1	10.5	15.1
Paterson, N. J	12.1	4.3	4.4	4.5	8.3	5.4	7.0	8.3
Albany, N. Y	12.2	7.5	12.6	17.5	27.4	17.7	18.8	17.3
Buffalo, N. Y	10.1	10.9	10.0	16.3	15.4	11.8	25.0	23.1
New York, N. Y	3.9	3.9	6.0	6.3	7.0	9.6	10.9	13.5
Bronx Borough [7]	4.8	4.0	4.7	5.3	6.1	5.4	7.9	12.4
Brooklyn Borough [7]	3.9	4.0	7.7	6.9	6.8	12.9	12.9	14.3
Manhattan Borough [7]	3.6	3.3	5.0	6.1	7.2	7.4	10.3	13.1
Queens Borough [7]	4.5	5.7	5.4	6.2	7.3	16.3	8.8	14.0
Richmond Borough [7]	7.0	9.2	8.3	6.4	7.6	5.5	10.1	12.6
Rochester, N. Y	3.0	5.0	6.0	10.2	8.9	11.7	10.6	13.3
Syracuse, N. Y	6.3	12.2	5.9	10.0	13.0	16.7	16.2	16.0
Cincinnati, Ohio	3.9	3.2	7.4	6.2	6.8	7.7	11.4	30.9
Cleveland, Ohio	7.7	5.3	7.9	8.1	14.1	6.9	14.2	15.9
Columbus, Ohio	7.7	13.0	13.4	13.2	19.1	19.6	13.9	41.6
Dayton, Ohio	14.7	19.7	17.5	11.3	18.0	19.1	18.6	25.4
Toledo, Ohio	8.9	22.2	22.9	36.9	41.6	31.7	23.1	41.0
Portland, Oreg	5.5	4.7	5.1	6.9	6.5	16.6	19.1	23.5
Philadelphia, Pa	6.3	7.6	6.8	7.6	15.7	12.8	14.6	41.4
Pittsburgh, Pa	11.9	9.0	10.3	15.0	19.5	13.1	25.6	66.8
Scranton, Pa	6.0	6.1	12.5	9.2	9.4	10.3	14.3	35.5
Providence, R. I	6.2	5.1	8.0	11.0	11.2	10.2	12.1	14.6
Memphis, Tenn. (total)	25.0	(8)	26.7	42.6	34.2	58.9	65.4	41.6
White	23.6	(8)	23.8	36.1	33.3	41.3	53.9	35.1
Colored	27.6	(8)	31.6	52.3	35.6	85.4	82.6	50.8
Nashville, Tenn. (total)	22.9	(8)	37.1	51.3	36.9	32.8	53.9	61.8
White	21.9	(8)	25.0	44.2	39.4	22.5	51.0	55.8
Colored	25.0	(8)	63.7	65.7	31.8	53.6	59.7	73.7
Richmond, Va. (total)	6.9	23.6	12.3	14.1	20.3	16.7	17.3	35.4
White	3.9	16.9	6.1	9.4	21.3	19.2	19.5	38.3
Colored	12.4	35.7	23.4	22.3	18.4	12.5	14.8	30.3
Seattle, Wash	4.9	3.2	2.4	7.0	4.7	7.6	10.3	24.8
Spokane, Wash	7.6	2.0	9.8	12.5	7.0	17.4	35.6	50.0
Milwaukee, Wis	6.1	15.3	5.1	8.1	11.3	25.7	19.0	27.8

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] From 1900 to 1910 all deaths were charged to the boroughs in which they occurre d beginning with 1911 deaths were distributed to the boroughs of residence.
[8] Transcripts for deaths not received.

In 1917 the rate for cities in registration states is lower than the corresponding rate for 1916, while the rates for cities in nonregistration states and for the rural part of registration states (14.8 and 16.2, respectively) are higher for 1917 than the corresponding rates for 1916 (13.9 and 15.6).

It should be noted that the death rate of the colored population from this disease is almost invariably much higher than that for the white.

In 1917 no state shows a rate as high as 40. Tennessee shows the highest rate (38.2), followed by Kentucky (34.9), South Carolina (31.8), North Carolina (29.9), and Virginia (21.1). The states showing the lowest rates are Minnesota (4.3), Massachusetts (4.8), Wisconsin (5.2), Rhode Island (5.4), and New York (5.6).

Among the cities of 100,000 population or more in 1910 the following show very high rates from typhoid fever in 1917: Birmingham (53.8), Memphis (25), New Orleans (23.3), Nashville (22.9), and Atlanta (20.9). Those showing low rates are Chicago (1.9), St. Paul and Oakland (each 2.4), and Boston and Rochester (each 3). Only five of the large cities show rates of 40 or higher for any year presented, four of these being cities with large colored populations. Five of the seven cities shown by color for 1916 and 1917 have higher rates for the colored in 1917.

The following table shows the death rates per 100,000 population for the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population) which in any of these years have rates of 40 or more per 100,000 population, such rates being printed in boldfaced type.

CITY.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION. [Rates of 40 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Mobile, Ala	35.5	30.9	33.6	32.4	51.3	39.1	184.1
Montgomery, Ala	34.1	30.0	44.7	40.7	36.6	30.2	33.8
Bakersfield, Calif	28.5	47.4	12.3	32.2	74.0	70.4	67.7
Fresno, Calif	27.5	14.3	6.0	16.8	24.4	43.7	42.3
Riverside, Calif	14.6	10.1	21.0	27.3	22.8	29.7	62.1
Sacramento, Calif	11.6	7.5	29.3	36.7	52.8	44.4	40.8
San Bernardino, Calif	22.7	17.7	6.1	57.7	33.5	21.0	30.9
Stockton, Calif	27.6	17.0	14.5	46.7	19.9	16.3	20.9
Middletown town, Conn	4.3	21.9	4.5	13.6	13.8	18.6	42.6
New London, Conn	14.2	14.3	53.0	29.2	24.6	19.9	10.0
Torrington town, Conn	5.0	.....	5.2	.....	.....	11.2	92.1
Windham town, Conn	13.9	14.1	14.4	.....	22.4	22.8	46.5
Jacksonville, Fla	22.8	11.8	20.5	41.3	35.7	31.1	67.9
Key West, Fla	9.1	23.0	42.0	33.1	14.4	53.5	65.6
Augusta, Ga	33.6	35.8	44.1	48.5	24.5	(1)	(1)
Savannah, Ga	33.2	29.1	26.3	33.9	43.0	28.8	42.7
Belleville, Ill	42.5	18.9	9.5	37.8	47.3	56.8	28.4
Decatur, Ill	41.0	10.1	7.8	18.7	21.9	28.1	9.3
Jacksonville, Ill	32.2	38.8	6.5	45.4	6.5	45.5	26.0
Quincy, Ill	21.7	8.2	27.2	35.4	65.4	21.8	30.0
Springfield, Ill	27.1	13.1	28.5	29.3	30.1	41.8	28.2
East Chicago, Ind	42.9	33.3	11.0	11.7	45.5	39.8	28.5
Elwood, Ind	18.1	9.1	18.1	19.6	38.4	18.9	46.4
Evansville, Ind	24.7	31.5	23.5	12.6	44.0	34.5	21.2
Gary, Ind	23.2	33.3	6.0	(2)	(2)	(2)	23.8
Hammond, Ind	96.2	122.3	35.5	49.0	63.5	70.2	36.5
Huntington, Ind	45.5	18.4	9.5	47.7	38.4	9.6	19.4
Kokomo, Ind	27.4	33.4	19.7	40.6	36.7	54.5	28.2
Laporte, Ind	.....	22.7	.....	8.0	16.4	60.6	9.1
Logansport, Ind	9.4	33.3	33.7	177.7	65.1	81.3	5.2
Michigan City, Ind	4.6	32.5	18.9	19.3	14.8	70.3	20.5
Mishawaka, Ind	.....	6.1	13.1	34.3	28.7	60.2	79.0
Peru, Ind	24.0	8.1	24.4	32.8	26.9	27.0	172.0
South Bend, Ind	52.1	24.7	4.5	20.0	20.6	22.8	33.8
Atchison, Kans	.....	6.0	18.0	54.1	30.1	12.1	(1)
Fort Scott, Kans	37.9	19.0	28.5	57.0	47.6	57.2	(1)
Hutchinson, Kans	4.7	33.7	20.0	31.0	48.3	27.9	(1)
Kansas City, Kans	13.7	14.1	15.5	22.3	29.4	25.8	59.5
Leavenworth, Kans	108.5	5.2	20.7	10.7	5.3	10.5	36.2
Pittsburg, Kans	38.2	22.4	23.0	35.6	24.4	56.6	(1)
Frankfort, Ky	62.6	72.2	.....	36.8	37.1	46.8	85.0
Henderson, Ky	73.1	57.4	58.0	83.7	42.3	59.8	86.2
Lexington, Ky	42.9	17.0	30.2	41.2	60.6	40.5	52.5
Owensboro, Ky	33.2	45.0	45.7	98.8	41.4	84.1	36.7
Paducah, Ky	23.8	16.1	44.9	57.9	42.0	59.6	60.4
Alexandria, La	43.1	(1)	(1)	(1)	(1)	(1)	(1)
Monroe, La	80.3	(1)	(1)	(1)	(1)	(1)	(1)
Shreveport, La	64.8	(1)	(1)	(1)	(1)	(1)	(1)
Bangor, Me	70.5	18.8	41.7	46.0	43.9	27.5	83.5
Cumberland, Md	30.0	34.5	35.2	63.9	158.3	83.0	102.6
Frederick, Md	44.5	54.0	.....	27.6	65.0	37.5	47.4
Hagerstown, Md	53.6	23.4	43.6	16.1	22.9	40.8	23.7
Gardner town, Mass	51.3	11.7	11.9	18.3	.....	6.4	6.5
North Adams, Mass	9.1	27.2	13.6	47.4	23.5	13.9	18.2
Alpena, Mich	22.4	7.5	68.3	68.8	92.3	54.2	94.0
Ann Arbor, Mich	26.6	53.3	13.4	13.4	.....	13.4	20.2
Battle Creek, Mich	9.9	6.8	17.4	10.7	43.7	22.4	15.4
Bay City, Mich	24.8	45.9	21.1	34.0	15.0	69.3	41.2
Escanaba, Mich	37.3	45.2	26.5	6.8	62.6	35.7	44.0
Flint, Mich	45.3	47.5	9.6	26.2	14.9	24.8	18.4
Manistee, Mich	32.3	16.2	32.3	8.6	42.5	.....	8.1
Marquette, Mich	39.8	40.3	32.6	16.5	33.4	109.9	94.2
Menominee, Mich	19.0	28.6	19.0	31.5	10.3	20.0	67.4
Pontiac, Mich	16.7	11.4	11.7	6.0	12.4	51.3	46.1
Port Huron, Mich	5.3	31.8	21.2	.....	26.6	196.8	48.3
Sault Ste. Marie, Mich	28.3	7.2	7.3	29.6	22.6	22.9	54.5
Stillwater, Minn	.....	.....	19.4	.....	42.1	20.6	31.1
Virginia, Minn	6.3	26.3	34.6	29.3	62.0	8.2	17.3
Hattiesburg, Miss	86.4	54.6	19.1	(1)	(1)	(1)	(1)
Jackson, Miss	51.4	63.9	74.0	(1)	(1)	(1)	(1)
Meridian, Miss	82.5	68.3	64.2	(1)	(1)	(1)	(1)
Vicksburg, Miss	30.2	39.4	44.5	(1)	(1)	(1)	(1)
Jefferson City, Mo	29.2	37.1	22.6	38.4	8.0	32.4	66.0
Joplin, Mo	77.8	63.2	21.2	30.4	36.7	30.8	37.2
Moberly, Mo	23.0	15.7	16.1	.....	8.4	51.8	35.5
Sedalia, Mo	55.8	72.0	62.5	52.8	69.7	21.7	82.7
Springfield, Mo	38.9	22.3	40.5	38.8	66.0	64.8	109.1
Webb City, Mo	71.0	137.5	14.7	45.1	53.7	31.3	24.0
Anaconda, Mont	.....	56.8	.....	.....	.....	.....	.....
Billings, Mont	59.5	13.9	21.9	30.7	56.8	17.2	73.6
Great Falls, Mont	57.4	50.2	14.3	66.5	132.1	21.8	36.2
Missoula, Mont	26.2	16.5	23.1	12.1	.....	40.6	28.8
Lincoln, Nebr	10.6	17.2	21.7	11.0	8.8	40.1	22.5
Berlin, N. H	7.2	7.4	15.0	.....	15.7	16.1	49.4
Long Branch, N. J	50.8	26.0	53.1	20.4	55.6	99.7	66.3
Morristown, N. J	29.8	15.1	15.2	61.4	15.5	31.4	31.8
Trenton, N. J	13.2	6.3	13.7	17.8	21.1	39.2	44.0
Cohoes, N. Y	7.9	11.9	15.9	20.0	36.0	48.2	112.6
Corning, N. Y	31.9	32.5	6.6	33.6	20.6	48.9	21.7
Cortland, N. Y	7.5	7.7	7.8	8.0	16.2	24.9	43.2
Dunkirk, N. Y	4.7	9.6	14.9	40.8	63.0	16.2	16.9
Fulton, N. Y	.....	16.8	25.7	.....	44.6	18.2	36.7
Hudson, N. Y	15.5	15.7	24.0	32.7	58.2	25.3	.....
Lockport, N. Y	39.9	25.2	5.1	10.2	66.9	15.6	22.1
Middletown, N. Y	6.3	12.7	12.7	6.4	38.5	25.8	59.1
Newburgh, N. Y	.....	3.4	20.5	24.1	24.4	42.2	42.6
Niagara Falls, N. Y	13.0	16.1	.....	14,2	29.4	66.9	194.0
North Tonawanda, N. Y	14.2	36.3	29.7	60.7	15.5	15.9	96.7
Plattsburg, N. Y	30.5	15.6	23.9	8.1	41.6	25.6	.....
Saratoga Springs, N. Y	7.2	21.7	21.7	31.2	39.1	15.7	47.6
Watervliet, N. Y	6.4	32.2	38.8	32.5	71.8	32.8	72.3
Asheville, N. C	58.5	14.4	24.4	29.8	30.3	15.4	20.9
Charlotte, N. C	27.0	60.3	28.3	60.6	62.1	33.3	46.1
Durham, N. C	30.6	20.0	41.7	61.2	45.9	48.4	51.1
Greensboro, N. C	39.7	40.9	47.4	48.9	56.2	23.2	60.2
Raleigh, N. C	54.3	59.6	45.0	60.5	66.0	30.7	56.9
Wilmington, N. C	19.7	16.7	23.8	46.8	80.6	63.4	125.3
Winston-Salem, N. C.[3]	63.4	44.9	53.2	51.7	100.1	57.4	79.8
Akron, Ohio	35.3	24.3	30.1	31.1	20.6	26.7	42.9
Bellaire, Ohio	6.9	13.9	42.5	36.0	36.6	74.6	22.7
Cambridge, Ohio	29.0	37.1	22.8	38.9	48.7	16.6	25.6
Chillicothe, Ohio	38.4	19.4	6.5	33.0	46.7	33.7	40.8
East Liverpool, Ohio	65.4	62.0	72.0	82.3	106.9	66.1	96.1
Findlay, Ohio	.....	20.2	40.4	21.9	28.6	21.1	55.1
Ironton, Ohio	99.4	64.5	36.2	87.7	66.4	134.0	97.7
Lorain, Ohio	7.8	13.5	22.4	29.1	12.1	44.1	36.1
Marietta, Ohio	20.3	27.3	20.4	27.1	47.3	31.2	46.6
Portsmouth, Ohio	13.6	34.8	28.4	127.2	122.7	68.5	74.0
Sandusky, Ohio	4.9	9.9	9.9	39.7	14.9	24.9	69.9
Steubenville, Ohio	60.2	32.8	78.9	93.0	100.0	66.1	38.5
Warren, Ohio	37.6	61.3	39.0	41.4	50.7	.....	26.4
Youngstown, Ohio	31.2	35.1	31.6	39.8	47.8	31.2	44.6
Zanesville, Ohio	51.1	25.9	29.6	36.7	74.6	82.7	157.5
Allentown, Pa	24.6	26.8	35.5	33.2	22.1	29.8	46.6
Altoona, Pa	33.5	44.3	33.0	30.1	59.5	22.0	28.2
Beaver Falls, Pa	50.9	44.3	45.1	22.9	7.8	47.4	72.3
Bethlehem, Pa	20.9	14.1	14.4	14.6	7.4	30.1	84.0
Chambersburg, Pa	.....	40.4	24.4	41.0	41.3	41.6	25.2
Chester, Pa	26.3	33.8	19.5	14.8	42.5	10.1	17.9
Coatesville, Pa	40.0	76.1	14.4	15.0	15.6	179.1	.....
Connellsville, Pa	.....	12.9	20.0	13.7	14.1	43.6	52.4
Dubois, Pa	.....	20.5	7.0	14.3	21.9	22.5	46.1
Erie, Pa	11.8	6.6	6.8	15.2	16.9	11.5	190.6
Farrell, Pa.[4]	57.7	38.5	28.9	(5)	(5)	(5)	19.6
Greensburg, Pa	25.2	51.7	59.7	34.0	35.0	57.7	90.7

(See footnotes at end of table.)

CITY.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION. [Rates of 40 or more in boldfaced type.] 1917	1916	1915	1914	1913	1912	1911
Harrisburg, Pa	15.0	77.8	15.5	17.3	16.1	13.4	16.8
Meadville, Pa	14.3	.....	.....	29.7	52.6	7.6	54.0
New Castle, Pa	26.2	21.9	19.8	17.7	36.1	68.4	48.4
Norristown, Pa	21.9	25.5	22.7	33.0	33.7	51.5	38.5
Phoenixville, Pa	33.7	25.6	17.3	35.1	26.7	45.1	36.6
Pottsville, Pa	13.2	49.2	36.3	36.9	14.1	28.6	19.2
Reading, Pa	7.2	19.1	18.6	31.9	59.0	28.0	23.4
Sharon, Pa	31.3	16.1	38.7	22.8	47.1	36.9	19.0
Uniontown, Pa	37.0	52.9	40.1	52.2	76.4	115.0	120.6
Washington, Pa	40.8	18.5	37.8	38.6	64.2	35.4	67.8
West Chester, Pa	44.8	37.9	23.2	102.2	32.0	32.6	49.8
Wilkinsburg, Pa	12.6	17.2	35.8	4.6	33.3	4.9	40.7
Williamsport, Pa	2.9	17.7	17.9	18.1	63.9	39.9	46.5
Charleston, S. C	16.4	39.5	44.7	68.2	51.8	53.8	40.5
Columbia, S. C	42.7	66.5	73.4	(1)	(1)	(1)	(1)
Chattanooga, Tenn	58.5	(6)	22.2	36.8	(1)	(1)	(1)
Jackson, Tenn	29.0	(6)	50.9	57.0	(1)	(1)	(1)
Knoxville, Tenn	37.2	(6)	26.1	52.7	(6)	21.5	46.2
El Paso, Tex	41.9	44.0	45.2	52.5	40.4	49.3	42.9
Galveston, Tex	16.4	31.1	46.3	22.3	25.3	10.3	18.5
San Antonio, Tex	29.6	17.8	21.8	23.5	20.8	41.4	53.0
Barre, Vt	.....	16.4	75.4	25.6	.....	.....	45.4
Alexandria, Va	44.6	39.2	33.8	57.4	44.9	19.3	19.4
Danville, Va	24.8	5.0	25.2	55.8	66.5	31.0	57.3
Lynchburg, Va	17.9	33.4	21.6	40.8	19.2	29.3	40.0
Newport News, Va	30.9	29.2	19.5	19.6	49.0	(1)	(1)
Norfolk, Va	15.4	31.2	27.2	35.8	30.6	22.8	53.9
Petersburg, Va	27.1	46.9	19.7	31.9	40.2	32.5	53.3
Roanoke, Va	10.8	15.6	9.5	14.8	20.4	31.7	57.5
Staunton, Va	50.7	25.7	.....	53.0	9.0	(1)	(1)
North Yakima, Wash	54.4	9.5	40.3	10.7	17.0	18.2	58.4
Walla Walla, Wash	26.9	11.9	12.4	21.5	22.4	51.4	39.2
Wheeling, W. Va	50.4	27.7	51.0	72.4	63.5	63.9	35.7
Ashland, Wis	34.5	25.9	34.5	54.7	81.0	79.9	82.8
Kenosha, Wis	9.1	15.8	6.6	3.4	35.9	33.9	48.7
Marinette, Wis	.....	6.8	.....	7.2	21.3	42.1	69.3

[1] Not added to registration area until a later date.
[2] Incorporated in 1906; population not estimated.
[3] Salem consolidated with Winston, May, 1913.
[4] Name changed from South Sharon (incorporated in 1901) in 1912.
[5] Population not estimated.
[6] Transcripts for deaths not received.

Leavenworth, Kans. (108.5), is the only city with a rate over 100 in 1917. Ironton, Ohio (99.4), and Hammond, Ind. (96.2), are the next highest, followed by Hattiesburg, Miss. (86.4); Meridian, Miss. (82.5); and Monroe, La. (80.3). Twenty-three cities show rates below 10, the lowest being Williamsport, Pa. (2.9); Middletown town, Conn. (4.3); Michigan City, Ind. (4.6); Hutchinson, Kans., and Dunkirk, N. Y. (each 4.7); and Sandusky, Ohio (4.9).

The only cities with marked increases over the previous year are Leavenworth, Kans. (108.5 in 1917 as against 5.2 in 1916), and Bangor, Me. (70.5 as against 18.8).

MALARIA.

The number of deaths from malaria in 1917 is 2,387, corresponding to a rate of 3.2 per 100,000 population against a rate of 3 in 1916. The addition of Tennessee to the registration area fully accounts for this slight increase in the 1917 rate. The death rate from the cause was 7.9 in 1900, but after that year there was a continued decrease until 1910, for which year the rate was 2.2. Since that time the rate has ranged between 2.2 and 3.2.

The following table shows the rates per 100,000 population for the years 1911 to 1917 and the annual average for the five-year period 1906 to 1910, rates of 10 and higher being printed in boldfaced type:

AREA.	DEATH RATE FROM MALARIA PER 100,000 POPULATION. [Rates of 10 or more in boldfaced type.] 1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area [1]	3.2	3.0	2.3	2.2	2.5	3.1	3.0	2.6
Registration states [2]	3.0	2.8	1.7	1.9	2.1	2.6	2.4	1.6
Cities in registration states [2]	0.9	0.7	0.7	0.8	1.0	1.1	1.2	1.3
Rural part of registration states	4.9	4.8	2.8	2.9	3.2	4.1	3.7	1.9
Registration cities in nonregistration states	5.0	5.5	8.8	6.6	7.1	8.5	9.8	7.7
All registration cities [2]	1.5	1.4	1.9	1.6	1.9	2.2	2.5	3.0
REGISTRATION STATES.								
California	1.3	1.4	1.8	1.9	2.1	3.1	4.0	3.5
Colorado	0.2	0.5	0.2	.....	.....	0.1	0.4	0.6
Connecticut	0.7	0.6	1.4	1.0	1.4	2.1	1.9	3.4
Indiana	1.2	1.4	2.1	2.5	2.6	2.8	4.0	4.5
Kansas	2.2	2.0	1.5	2.2	(3)	(3)	(3)	(3)
Kentucky (total)	5.7	6.4	6.4	7.0	8.1	9.6	10.3	(3)
White	4.5	5.4	5.5	5.7	6.6	8.1	8.9	(3)
Colored	16.3	14.9	13.6	17.1	20.2	21.1	20.9	(3)
Maine	.....	0.1	0.1	0.9	0.7	0.4	0.4	0.9
Maryland (total)	0.9	1.2	1.1	1.0	1.7	1.8	1.1	2.5
White	0.3	0.7	0.6	0.7	1.3	1.4	0.6	2.1
Colored	3.5	3.9	3.5	2.5	3.8	3.8	3.4	4.5
Massachusetts	0.1	0.2	0.2	0.2	0.4	0.2	0.4	0.8
Michigan	0.3	0.2	0.4	0.7	0.6	0.8	1.0	1.3
Minnesota	0.1	(4)	.....	0.1	(4)	0.1	0.1	(5)
Missouri	10.4	11.0	11.4	10.8	12.7	19.1	15.3	(3)
Montana	.....	0.2	.....	.....	0.2	.....	.....	(5)
New Hampshire	.....	0.2	0.5	0.9	.....	0.2	.....	1.1
New Jersey	0.2	0.3	0.5	0.3	0.5	1.2	1.0	1.4
New York	0.3	0.3	0.4	0.5	0.4	0.5	0.7	1.3
North Carolina (total)	11.0	14.0	[6]14.0	[6]21.3	[7]18.9	[7]34.5	[7]23.2	(5)
White	7.0	9.2	7.4	12.6	11.3	24.4	16.1	(5)
Colored	19.8	24.6	26.7	39.3	32.9	53.0	36.4	(5)
Ohio	0.3	0.4	0.5	0.6	0.9	0.7	0.9	(5)
Pennsylvania	0.2	0.2	0.4	0.2	0.4	0.5	0.5	0.8
Rhode Island	0.5	0.7	0.2	0.8	0.7	0.4	1.1	1.7
South Carolina (total)	34.3	39.0	(3)	(3)	(3)	(3)	(3)	(3)
White	12.6	16.3	(3)	(3)	(3)	(3)	(3)	(3)
Colored	53.2	58.7	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	19.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	14.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	36.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	.....	0.2	.....	0.2	1.0	.....	.....	(5)
Vermont	.....	.....	0.8	0.3	0.6	0.3	1.4	1.0
Virginia (total)	5.6	6.6	7.0	7.9	7.1	(3)	(3)	(3)
White	2.7	3.7	2.8	3.7	4.3	(3)	(3)	(3)
Colored	11.9	13.1	16.4	16.4	13.0	(3)	(3)	(3)
Washington	0.3	0.1	0.3	0.1	0.1	0.1	0.2	(5)
Wisconsin	(4)	(4)	(4)	0.1	0.3	0.4	0.2	(5)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	11.6	9.9	15.5	9.6	17.7	33.3	23.5	(5)
White	5.0	4.4	2.8	2.0	5.2	18.7	10.9	(5)
Colored	22.7	19.2	36.7	21.4	36.9	55.7	42.8	(5)
Los Angeles, Calif	0.7	0.2	0.2	0.2	0.2	1.3	1.2	0.8
Oakland, Calif	0.5	.....	0.5	1.1	0.6	.....	1.3	1.4
San Francisco, Calif	0.4	0.9	0.4	0.9	1.1	2.1	1.2	1.4
Denver, Colo	.....	0.4	.....	.....	.....	0.4	0.5	0.7
Bridgeport, Conn	.....	.....	1.7	1.7	0.9	0.9	0.9	1.9
New Haven, Conn	1.3	1.3	3.4	1.4	0.7	3.6	2.9	6.0
Washington, D. C. (total)	1.4	1.4	0.6	1.4	2.3	1.8	1.2	3.7
White	0.4	1.5	.....	1.6	2.0	1.6	.....	2.5
Colored	4.0	1.0	2.0	1.0	3.0	2.0	4.1	6.4
Atlanta, Ga. (total)	1.5	2.1	3.2	5.6	6.9	6.6	5.6	7.3
White	1.5	1.5	2.4	4.2	6.1	3.6	1.9	4.6
Colored	1.7	3.4	5.2	8.3	8.6	12.5	13.0	12.3
Chicago, Ill	0.2	0.2	0.4	0.4	0.3	0.2	[5]0.4	0.5
Indianapolis, Ind	0.7	1.1	.....	1.2	1.6	1.6	2.9	2.7

(See footnotes at end of table.)

AREA.	DEATH RATE FROM MALARIA PER 100,000 POPULATION. [Rates of 10 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Louisville, Ky. (total)	2.5	1.3	3.0	3.8	3.4	4.4	5.3	4.2
White	1.5	.....	1.0	.....	.....	1.6	2.7	1.6
Colored	7.1	7.2	12.0	21.1	18.9	16.9	17.0	15.9
New Orleans, La. (total)	3.4	7.0	9.8	8.9	6.7	8.0	10.7	12.9
White	1.8	4.0	5.9	6.0	3.8	4.7	6.7	9.4
Colored	8.2	15.5	20.9	16.7	14.9	17.3	21.9	22.4
Baltimore, Md. (total)	0.7	0.3	0.2	0.7	1.6	1.6	0.5	2.6
White	.....	0.2	0.2	0.6	1.0	1.4	0.6	2.3
Colored	4.5	1.1	.....	1.1	4.6	2.3	.....	4.3
Boston, Mass	.....	0.1	.....	.....	.....	0.1	0.4	0.4
Cambridge, Mass	.....	.....	.....	.....	.....	0.9	0.9	0.4
Fall River, Mass	.....	1.6	0.8	.....	.....	.....	.....	0.2
Lowell, Mass	.....	.....	.....	.....	0.9	.....	.....	1.2
Worcester, Mass	.....	.....	.....	.....	0.6	0.7	.....	1.3
Detroit, Mich	0.2	0.2	0.4	0.2	0.4	0.4	0.6	1.0
Grand Rapids, Mich	.....	.....	0.8	1.6	0.8	0.8	1.7	1.7
Minneapolis, Minn	.....	.....	.....	.....	.....	0.3	0.3	0.1
St. Paul, Minn	0.4	.....	.....	.....	.....	0.4	.....	.....
Kansas City, Mo	2.3	1.7	2.1	2.8	1.1	1.1	1.6	2.7
St. Louis, Mo	1.7	1.6	2.5	3.0	4.0	5.5	5.4	8.3
Omaha, Nebr	.....	.....	1.8	.....	.....	0.8	.....	1.0
Jersey City, N. J	0.3	0.7	0.3	.....	0.3	0.4	1.1	1.0
Newark, N. J	.....	.....	0.3	.....	0.3	0.3	0.6	1.2
Paterson, N. J	.....	0.7	0.7	.....	.....	.....	0.8	1.0
Albany, N. Y	1.9	.....	1.0	1.9	.....	.....	.....	0.8
Buffalo, N. Y	.....	.....	0.2	0.7	0.2	.....	0.2	0.5
New York, N. Y	0.2	0.3	0.3	0.3	0.3	0.5	0.7	1.1
Bronx Borough [8]	0.3	0.2	0.4	.....	0.6	.....	0.4	1.1
Brooklyn Borough [8]	0.1	0.4	0.4	0.5	0.3	0.3	0.9	1.6
Manhattan Borough [8]	0.2	0.1	0.1	0.2	0.2	0.2	0.5	0.6
Queens Borough [8]	0.8	0.8	0.8	0.3	0.9	1.6	1.0	2.7
Richmond Borough [8]	.....	1.0	.....	2.1	.....	.....	.....	2.0
Rochester, N. Y	0.4	.....	.....	0.4	.....	.....	.....	0.2
Syracuse, N. Y	.....	.....	.....	.....	.....	0.7	.....	0.6
Cincinnati, Ohio	0.5	0.5	0.2	0.7	0.3	0.3	0.5	1.0
Cleveland, Ohio	.....	.....	.....	0.2	0.2	0.2	0.5	0.4
Columbus, Ohio	.....	0.5	.....	.....	.....	0.5	1.1	0.2
Dayton, Ohio	.....	0.8	2.4	.....	0.8	0.8	.....	1.8
Toledo, Ohio	.....	.....	1.1	0.5	1.7	.....	0.6	2.0
Portland, Oreg	.....	0.3	1.8	.....	0.4	.....	.....	0.8
Philadelphia, Pa	0.3	0.2	0.2	0.5	0.4	0.4	0.7	0.6
Pittsburgh, Pa	.....	0.3	0.5	.....	0.4	0.4	.....	0.2
Scranton, Pa	0.7	.....	.....	.....	.....	0.7	.....	0.6
Providence, R. I	.....	0.4	.....	1.2	1.2	.....	0.4	1.8
Memphis, Tenn. (total)	36.9	(9)	73.9	55.2	77.7	81.5	84.2	104.7
White	20.5	(9)	36.9	23.3	33.3	47.3	32.6	55.6
Colored	66.2	(9)	137.4	102.8	144.1	132.6	161.4	174.1
Nashville, Tenn. (total)	5.9	(9)	6.0	11.3	12.3	13.3	13.5	17.7
White	6.1	(9)	2.5	7.8	3.9	1.3	6.7	10.9
Colored	5.6	(9)	13.8	18.4	29.2	37.5	27.1	31.2
Richmond, Va. (total)	2.5	0.6	.....	0.7	.....	2.3	1.5	12.0
White	2.9	1.0	.....	.....	.....	3.6	1.2	5.6
Colored	1.8	.....	.....	2.0	.....	.....	2.1	23.1
Seattle, Wash	0.3	.....	.....	0.3	0.3	.....	0.4	.....
Spokane, Wash	.....	.....	.....	.....	.....	.....	.....	0.9
Milwaukee, Wis	.....	.....	.....	.....	0.5	0.2	.....	0.1

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not admitted to registration area until a later date.
[4] Less than one-tenth of 1 per 100,000 population.
[5] Figures for deaths not available for the entire period.
[6] Includes only municipalities having a population of 1,000 or more in 1910.
[7] Includes only municipalities having a population of 1,000 or more in 1900.
[8] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to the boroughs of residence.
[9] Transcripts for deaths not received.

Mortality from malaria is very much higher among the colored population than among the white. This is brought out clearly in the table, where, for example, in 1917 South Carolina shows a rate for the colored more than four times the rate for the white population. More than half of the deaths from this cause returned from the registration states are in the rural districts of the Southern states.

States having rates above 10 per 100,000 in 1917 are South Carolina (34.3), Tennessee (19.1), North Carolina (11), and Missouri (10.4). Other states with rates well above the rate for the registration area as a whole (3.2 per 100,000) are Kentucky (5.7) and Virginia (5.6). Two states show the low rate of 0.1 per 100,000, three show a rate of 0.2, and four a rate of 0.3.

Only two of the cities of 100,000 population or more in 1910 exceed the rate of 10 per 100,000 in 1917, the highest rates being for Memphis (36.9) and Birmingham (11.6), and only two others, Nashville (5.9) and New Orleans (3.4), have rates higher than the general rate (3.2).

The following table shows the death rates per 100,000 population for the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population) which in any of these years have rates of 10 or more per 100,000 population, such rates being printed in boldfaced type:

CITY.	DEATH RATE FROM MALARIA PER 100,000 POPULATION. [Rates of 10 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Mobile, Ala	23.6	24.0	26.5	48.6	53.1	67.1	77.8
Montgomery, Ala	9.1	30.0	14.1	19.1	7.3	30.2	78.0
Bakersfield, Calif	17.1	5.9	12.3	6.4	.....	.....	7.5
Fresno, Calif	.....	2.9	.....	3.4	.....	.....	11.5
Long Beach, Calif	.....	.....	.....	.....	4.4	.....	10.1
Sacramento, Calif	1.4	6.0	.....	3.2	14.8	13.7	2.1
Greenwich town, Conn	5.1	.....	.....	5.5	.....	11.5	.....
Jacksonville, Fla	11.4	3.9	6.8	5.7	8.9	31.1	60.0
Pensacola, Fla	11.2	15.2	23.3	39.7	40.5	(1)	(1)
Tampa, Fla	8.9	5.6	11.6	(1)	(1)	(1)	(1)
Augusta, Ga	31.6	31.8	58.2	48.5	38.7	(1)	(1)
Brunswick, Ga	63.7	(1)	(1)	(1)	(1)	(1)	(1)
Savannah, Ga	24.5	42.1	62.9	51.5	77.1	92.4	83.9
Elwood, Ind	9.1	.....	18.1	.....	.....	.....	9.3
Evansville, Ind	3.9	6.6	12.4	5.6	9.9	4.3	8.5
Kokomo, Ind	.....	.....	.....	.....	5.2	5.4	11.3
New Albany, Ind	.....	.....	4.2	4.8	.....	4.8	14.5
Vincennes, Ind	.....	5.7	11.6	6.0	18.4	18.9	6.5
Coffeyville, Kans	5.5	5.7	6.0	.....	.....	13.9	(1)
Fort Scott, Kans	.....	.....	.....	9.5	9.5	19.1	(1)
Independence, Kans	6.6	20.7	7.2	30.1	.....	8.3	(1)
Leavenworth, Kans	5.2	5.2	10.3	.....	5.3	.....	18.1
Parsons, Kans	.....	.....	6.7	6.9	.....	14.8	(1)
Pittsburg, Kans	10.9	.....	.....	5.9	.....	12.6	(1)
Topeka, Kans	.....	.....	4.2	2.1	10.8	.....	(1)
Frankfort, Ky	.....	.....	.....	.....	27.8	9.4	.....
Henderson, Ky	16.2	.....	8.3	25.1	.....	17.1	43.1
Owensboro, Ky	5.5	16.9	17.1	5.8	5.9	.....	12.2
Paducah, Ky	47.7	52.3	65.3	37.2	79.7	102.1	77.7
Alexandria, La	30.8	(1)	(1)	(1)	(1)	(1)	(1)
Baton Rouge, La	11.4	(1)	(1)	(1)	(1)	(1)	(1)
Lake Charles, La	13.4	(1)	(1)	(1)	(1)	(1)	(1)
Monroe, La	43.8	(1)	(1)	(1)	(1)	(1)	(1)
Shreveport, La	37.8	(1)	(1)	(1)	(1)	(1)	(1)
Hattiesburg, Miss	57.6	66.7	19.1	(1)	(1)	(1)	(1)
Jacson, Miss	45.0	107.6	91.6	(1)	(1)	(1)	(1)
Meridian, Miss	55.0	27.5	59.6	(1)	(1)	(1)	(1)
Natchez, Miss	33.9	42.4	25.4	(1)	(1)	(1)	(1)
Vicksburg, Miss	77.7	127.1	138.1	(1)	(1)	(1)	(1)
Hannibal, Mo	4.5	4.6	4.7	.....	5.0	10.2	.....
Joplin, Mo	12.0	6.0	6.1	6.1	9.2	6.2	6.2
Sedalia, Mo	5.1	25.7	5.2	10.6	10.7	16.3	16.5
Webb City, Mo	14.2	.....	.....	.....	7.7	15.7	.....
Kearny, N. J	.....	.....	.....	.....	4.7	.....	15.1
Morristown, N. J	.....	.....	.....	.....	15.5	.....	7.9
Lockport, N. Y	.....	.....	10.1	.....	.....	.....	.....
Peekskill, N. Y	.....	5.4	5.5	11.5	.....	.....	.....
Charlotte, N. C	19.6	27.6	23.1	18.4	21.6	19.4	11.5
Durham, N. C	7.6	4.0	4.2	4.4	13.8	19.4	20.4
Greensboro, N. C	.....	.....	5.3	16.3	5.6	5.8	6.0

(See footnotes at end of table.)

CITY.	DEATH RATE FROM MALARIA PER 100,000 POPULATION. [Rates of 10 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Raleigh, N. C.	.....	9.9	.....	10.1	25.4	46.1	41.3
Wilmington, N. C.	3.3	3.3	13.6	25.2	11.0	55.9	57.0
Winston-Salem, N. C.[2]	3.0	9.6	3.3	13.8	.....	.....	.....
Cambridge, Ohio	.....	.....	.....	.....	.....	.....	17.1
Findlay, Ohio	.....	13.5	.....	7.3	7.2	.....	6.9
West Chester, Pa.	.....	.....	.....	.....	16.0	.....	.....
Charleston, S. C.	36.0	21.4	38.1	26.6	21.7	43.7	32.1
Columbia, S. C.	25.6	34.7	8.8	(1)	(1)	(1)	(1)
Chattanooga, Tenn.	11.4	(3)	3.4	17.5	(1)	(1)	(1)
Jackson, Tenn.	44.6	(3)	73.6	17.1	(1)	(1)	(1)
Beaumont, Tex.	48.5	38.1	(1)	(1)	(1)	(1)	(1)
Dallas, Tex.	6.2	12.0	(1)	(1)	(1)	(1)	(1)
El Paso, Tex.	1.4	1.6	1.7	2.0	4.2	13.4	11.9
Galveston, Tex.	2.3	2.4	19.5	9.9	2.5	5.2	21.1
Houston, Tex.	13.7	(1)	(1)	(1)	(1)	(1)	(1)
San Antonio, Tex.	16.4	21.8	15.9	14.8	9.9	9.4	17.7
Alexandria, Va.	.....	5.6	5.6	.....	6.4	19.3	6.5
Danville, Va.	19.8	10.0	5.0	10.2	5.1	5.2	26.0
Newport News, Va.	13.3	9.7	24.4	19.6	14.7	(1)	(1)
Norfolk, Va.	13.2	13.4	11.4	16.2	23.5	18.0	28.2
Petersburg, Va.	15.5	27.4	7.9	19.9	16.1	24.3	24.6
Portsmouth, Va.	29.5	35.3	7.8	24.0	24.7	(1)	(1)

[1] Not added to registration area until a later date.
[2] Salem consolidated with Winston, May, 1913.
[3] Transcripts for deaths not received.

Among these minor cities, six have rates of 10 or more per 100,000 for the series of years 1911 to 1917: Mobile, Ala.; Savannah, Ga.; Paducah, Ky.; Charlotte, N. C.; Charleston, S. C.; and Norfolk, Va. The five cities which have the highest rates in 1917 are Vicksburg, Miss. (77.7); Brunswick, Ga. (63.7); Hattiesburg, Miss. (57.6); Meridian, Miss. (55); and Beaumont, Tex. (48.5). The five cities with the lowest rates are Sacramento, Calif., and El Paso, Tex. (each 1.4); Galveston, Tex. (2.3); Winston-Salem, N. C. (3); and Wilmington, N. C. (3.3).

SMALLPOX.

It has been many years since smallpox was the cause of high mortality, and data are now presented only to show how few deaths have been due to this disease in recent years.

Since 1900, the year for which the first annual report was published, smallpox has never reached a rate as high as 7 per 100,000 population for the registration area. The highest rate from this cause in any year from 1900 to 1917 is 6.6 in 1902; while in 1903 it is 4.2; in 1901, 3.5; 2.1 in 1904; and 1.9 in 1900. With the exception of these five years the rate for the registration area has never reached 1 per 100,000 population.

The rate for registration cities in nonregistration states has equaled or exceeded the rate for every other subdivision of the area in every year since and including 1900, except in 1901, 1902, 1910, and 1913.

The following table shows the rates per 100,000 population for 1911 to 1917, and the annual average for the five-year period, 1906 to 1910.

AREA.	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area [1]	0.3	0.2	0.3	0.3	0.2	0.3	0.2	0.2
Registration states [2]	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2
Cities in registration states [2]	0.2	(3)	0.1	0.1	0.1	0.3	0.2	0.2
Rural part of registration states	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.2
Registration cities in nonregistration states	0.8	0.9	1.6	1.5	0.2	0.7	0.7	0.3
All registration cities [2]	0.3	0.1	0.3	0.3	0.1	0.3	0.3	0.2
REGISTRATION STATES.								
California	0.5	0.4	0.1	(3)	0.6	0.6	0.4	0.5
Colorado	0.1	0.2	.....	0.1	.....	0.1	.....	0.4
Connecticut	0.2	.....	.....	.....	0.1	.....	.....	.....
Indiana	0.5	(3)	0.4	0.3	0.4	0.4	0.1	0.2
Kansas	0.4	0.2	0.6	0.5	(4)	(4)	(4)	(4)
Kentucky (total)	0.1	0.2	(3)	0.8	0.2	0.1	0.2	(4)
White	0.1	0.2	(3)	0.7	0.2	0.1	0.2	(4)
Colored	0.4	.....	.....	1.5	.....	.....	.....	(4)
Maine	.....	.....	.....	0.3	0.3	0.5	.....	.....
Maryland (total)	0.1	.....	.....	0.6	0.2	0.1	.....	.....
White	0.1	.....	.....	0.1	0.1	0.1	.....	.....
Colored	.....	.....	.....	2.9	0.4	.....	.....	.....
Massachusetts	0.3	.....	0.3	(3)	.....	0.1	0.1	0.1
Michigan	0.3	0.1	0.2	(3)	0.1	0.1	0.2	1.1
Minnesota	0.9	(3)	0.3	0.3	0.6	0.2	0.3	(5)
Missouri	0.9	0.3	0.4	0.5	0.3	0.4	0.9	(4)
Montana	1.3	0.4	0.2	1.2	0.7	0.5	.....	(5)
New Hampshire	.....	0.2	.....	.....	0.5	0.5	.....	.....
New Jersey	.....	.....	(3)	(3)	.....	0.1	(3)	(3)
New York	(3)	(3)	.....	(3)	(3)	0.1	0.1	0.1
North Carolina (total)	0.5	0.5	[6] 1.2	[6] 2.1	[7] 2.5	[7] 1.0	[7] 1.1	(5)
White	0.4	0.3	1.2	1.0	3.1	0.8	1.2	(5)
Colored	0.9	1.1	1.2	4.3	1.4	1.5	0.8	(5)
Ohio	0.2	0.1	0.1	0.3	0.1	(3)	0.1	(5)
Pennsylvania	.....	.....	.....	(3)	0.1	0.5	0.1	(3)
Rhode Island	.....	0.2	.....	.....	.....	.....	.....	.....
South Carolina (total)	.....	0.2	(4)	(4)	(4)	(4)	(4)	(4)
White	.....	.....	(4)	(4)	(4)	(4)	(4)	(4)
Colored	.....	0.5	(4)	(4)	(4)	(4)	(4)	(4)
Tennessee (total)	0.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	0.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	0.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Utah	0.9	.....	.....	0.5	1.5	1.8	2.3	(6)
Vermont	.....	0.3	0.3	.....	.....	0.3	.....	0.1
Virginia (total)	0.1	(3)	0.2	0.8	0.4	(4)	(4)	(4)
White	0.1	0.1	0.1	0.4	0.1	(4)	(4)	(4)
Colored	.....	.....	0.4	1.7	1.0	(4)	(4)	(4)
Washington	0.1	0.1	0.1	0.2	0.1	0.1	0.2	(5)
Wisconsin	0.1	0.1	0.2	0.2	0.1	0.2	0.1	(5)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	.....	.....	0.6	0.6	.....	.....	0.7	(5)
White	.....	.....	0.9	.....	.....	.....	1.2	(5)
Colored	.....	.....	.....	1.5	.....	.....	.....	(5)
Los Angeles, Calif.	.....	0.4	.....	.....	.....	2.6	1.7	0.1
Oakland, Calif.	.....	.....	.....	.....	.....	.....	.....	.....
San Francisco, Calif.	1.7	.....	.....	.....	.....	0.2	.....	1.3
Denver, Colo.	.....	.....	.....	.....	.....	.....	.....	.....
Bridgeport, Conn.	.....	.....	.....	.....	.....	.....	.....	.....
New Haven, Conn.	.....	.....	.....	.....	.....	.....	.....	.....
Washington, D. C. (total)	.....	.....	.....	.....	.....	.....	.....	0.2
White	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....
Atlanta, Ga. (total)	.....	.....	.....	0.6	0.6	.....	.....	0.3
White	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	1.7	1.7	.....	.....	0.9
Chicago, Ill.	0.1	.....	.....	(3)	.....	0.3	0.1	(3)
Indianapolis, Ind.	0.7	.....	.....	.....	.....	.....	.....	0.5
Louisville, Ky. (total)	.....	.....	.....	.....	.....	.....	.....	.....
White	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....
New Orleans, La. (total)	.....	1.1	1.4	.....	0.6	.....	0.6	1.8
White	.....	0.4	0.7	.....	0.8	.....	.....	0.3
Colored	.....	3.1	3.1	.....	.....	.....	2.2	5.7
Baltimore, Md. (total)	.....	.....	.....	0.5	.....	0.2	.....	.....
White	.....	.....	.....	.....	.....	0.2	.....	.....
Colored	.....	.....	.....	3.4	.....	.....	.....	.....
Boston, Mass.	.....	.....	.....	.....	.....	.....	0.1	(3)
Cambridge, Mass.	.....	.....	.....	.....	.....	.....	.....	.....

(See footnotes at end of table.)

AREA.	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION. 1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.								
Fall River, Mass	.....	.....	.....	.....	.....	.....	.....	0.9
Lowell, Mass	.....	.....	.....	.....	.....	.....	.....	.....
Worcester, Mass	5.4	.....	.....	.....	.....	.....	.....	.....
Detroit, Mich	0.2	0.2	0.2	0.2	0.2	.....	.....	(3)
Grand Rapids, Mich	.....	.....	.....	.....	.....	.....	.....	0.2
Minneapolis, Minn	0.3	.....	0.3	.....	.....	.....	0.3	0.3
St. Paul, Minn	.....	.....	0.4	.....	.....	0.4	0.9	0.8
Kansas City, Mo	0.7	.....	0.3	1.8	0.4	0.4	3.1	0.7
St. Louis, Mo	.....	.....	.....	.....	.....	.....	.....	0.1
Omaha, Nebr	.....	.....	.....	0.8	.....	.....	.....	1.0
Jersey City, N. J	.....	.....	.....	.....	.....	.....	.....	0.1
Newark, N. J	.....	.....	.....	.....	.....	.....	.....	0.1
Paterson, N. J	.....	.....	.....	.....	.....	.....	.....	.....
Albany, N. Y	0.9	.....	.....	.....	1.0	.....	.....	.....
Buffalo, N. Y	.....	.....	.....	.....	.....	.....	.....	0.1
New York, N. Y	.....	.....	.....	.....	.....	0.1	0.1	0.1
Bronx Borough [8]	.....	.....	.....	.....	.....	.....	0.2	.....
Brooklyn Borough [8]	.....	.....	.....	.....	.....	0.1	0.1	0.2
Manhattan Borough [8]	.....	.....	.....	.....	.....	.....	0.1	0.1
Queens Borough [8]	.....	.....	.....	.....	.....	.....	0.3	.....
Richmond Borough [8]	.....	.....	.....	.....	.....	2.2	.....	.....
Rochester, N. Y	.....	.....	.....	.....	.....	.....	.....	.....
Syracuse, N. Y	.....	.....	.....	.....	.....	.....	.....	.....
Cincinnati, Ohio	.....	.....	.....	0.5	.....	.....	0.3	0.3
Cleveland, Ohio	0.3	.....	.....	.....	.....	0.2	.....	0.1
Columbus, Ohio	.....	.....	.....	.....	.....	.....	.....	.....
Dayton, Ohio	.....	.....	.....	.....	.....	.....	.....	0.2
Toledo, Ohio	0.5	.....	.....	.....	.....	.....	.....	.....
Portland, Oreg	.....	.....	0.4	.....	0.8	0.4	.....	0.1
Philadelphia, Pa	.....	.....	.....	.....	.....	0.1	0.1	0.1
Pittsburgh, Pa	.....	.....	.....	0.2	.....	6.2	.....	0.2
Scranton, Pa	.....	.....	.....	.....	.....	.....	.....	.....
Providence, R. I	.....	.....	.....	.....	.....	.....	.....	.....
Memphis, Tenn. (total)	.....	(9)	.....	.....	.....	.....	0.8	0.5
White	.....	(9)	.....	.....	.....	.....	.....	0.6
Colored	.....	(9)	.....	.....	.....	.....	1.9	0.4
Nashville, Tenn. (total)	.....	(9)	.....	.....	.....	.....	.....	0.2
White	.....	(9)	.....	.....	.....	.....	.....	.....
Colored	.....	(9)	.....	.....	.....	.....	.....	0.6
Richmond, Va. (total)	.....	.....	.....	.....	.....	.....	.....	.....
White	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....
Seattle, Wash	.....	.....	.....	0.3	.....	.....	0.4	.....
Spokane, Wash	.....	.....	.....	.....	.....	.....	0.9	1.1
Milwaukee, Wis	.....	.....	.....	.....	.....	.....	.....	0.1

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Less than one-tenth of 1 per 100,000 population.
[4] Not added to registration area until a later date.
[5] Figures for deaths not available for the entire period.
[6] Includes only municipalities having a population of 1,000 or more in 1910.
[7] Includes only municipalities having a population of 1,000 or more in 1900.
[8] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to the boroughs of residence.
[9] Transcripts for deaths not received.

During the seven years presented in the table the only areas among the summaries and states which reach a rate of one or more per 100,000 population are registration cities in nonregistration states in 1914 and 1915, Montana in 1914 and 1917, North Carolina (municipalities of 1,000 population or more in 1910) from 1911 to 1915, and Utah from 1911 to 1913. In 1917 Montana has the highest rate (1.3) of any of the states.

Among cities which in 1910 had 100,000 population or more, 10 report deaths from smallpox in 1917, the highest rates being for Worcester (5.4), San Francisco (1.7), and Albany (0.9).

The following table shows the death rates per 100,000 population for the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population) which in any of these years have rates of 10 or more per 100,000 population, such rates being printed in boldfaced type.

CITY.	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION. [Rates of 10 or more in boldfaced type.] 1917	1916	1915	1914	1913	1912	1911
Battle Creek, Mich	.....	.....	.....	.....	.....	.....	11.6
Duluth, Minn	15.5	.....	.....	.....	.....	.....	.....
St. Cloud, Minn	.....	.....	17.2	.....	.....	.....	.....
Webb City, Mo	.....	21.7	14.7	.....	.....	.....	.....
Raleigh, N. C	.....	.....	5.0	5.0	.....	.....	10.3
Winston-Salem, N. C.[1]	.....	.....	6.6	3.4	21.4	.....	.....
Chester, Pa	.....	.....	.....	.....	15.0	2.5	.....
Chattanooga, Tenn	.....	(2)	49.5	19.3	(3)	(3)	(3)
Beaumont, Tex	.....	14.4	(3)	(3)	(3)	(3)	(3)
El Paso, Tex	5.8	28.3	51.9	101.0	6.4	49.3	57.3
San Antonio, Tex	17.9	13.7	10.0	.....	.....	3.8	1.0

[1] Salem consolidated with Winston, May, 1913.
[2] Transcripts for deaths not received.
[3] Not added to registration area until a later date.

Of the 11 minor cities shown in the preceding table which have a death rate of 10 or more per 100,000 population from smallpox in any year from 1911 to 1917, almost every one has large colored populations.

MEASLES.

The number of deaths from measles in 1917 is 10,745, or 14.3 per 100,000 population. This rate is in striking contrast with that for 1915 (5.4), the lowest rate on record in the annual mortality reports, the first of which was published in 1900.

The following table shows the rates per 100,000 population for the years 1911 to 1917, and the annual average for the five-year period 1906 to 1910, with rates of 20 and higher in boldfaced type.

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.] 1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area [1]	14.3	11.1	5.4	6.8	12.8	7.0	10.0	10.8
Registration states [2]	14.2	11.5	5.2	6.9	13.0	7.3	9.9	11.1
Cities in registration states [2]	10.3	12.8	7.1	7.7	13.5	9.5	10.1	13.1
Rural part of registration states	17.7	10.3	3.4	6.1	12.4	5.0	9.7	8.9
Registration cities in nonregistration states	15.6	5.7	7.6	5.4	11.1	4.3	10.8	8.9
All registration cities [2]	11.0	11.8	7.2	7.3	13.2	8.7	10.2	12.0
REGISTRATION STATES.								
California	7.5	2.3	5.4	6.1	5.8	5.5	3.2	6.6
Colorado	14.6	3.8	2.2	9.3	4.0	1.9	15.0	11.0
Connecticut	10.2	12.1	5.0	12.0	8.5	10.1	8.2	9.9
Indiana	20.2	7.3	2.5	5.4	16.1	2.5	9.6	8.2
Kansas	15.9	8.6	4.0	4.3	(3)	(3)	(3)	(4)

(See footnotes at end of table.)

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION STATES—contd.								
Kentucky (total)	40.1	7.9	3.6	11.5	17.0	2.3	19.7	(3)
White	41.3	8.4	3.8	12.2	18.4	2.4	19.9	(3)
Colored	29.4	4.0	1.6	5.9	6.0	1.1	18.6	(3)
Maine	19.6	1.9	2.3	5.6	8.2	7.7	4.1	8.1
Maryland (total)	8.7	7.9	2.5	1.8	15.1	2.7	9.9	7.4
White	8.2	8.0	2.2	1.4	14.2	3.0	10.0	6.9
Colored	11.3	7.4	3.9	3.7	19.2	1.3	9.8	9.7
Massachusetts	10.0	12.7	7.4	5.5	14.1	11.3	8.9	10.7
Michigan	8.9	11.4	3.4	5.9	8.6	3.9	6.9	8.4
Minnesota	5.6	12.6	3.9	3.6	9.5	1.0	5.3	(4)
Missouri	25.0	15.6	4.5	12.2	13.1	1.7	18.7	(3)
Montana	9.7	7.8	1.6	6.2	12.9	1.5	12.5	(4)
New Hampshire	11.5	10.6	2.0	8.4	12.4	4.4	9.2	5.9
New Jersey	4.8	13.1	7.8	8.1	7.8	11.0	10.7	8.8
New York	9.0	9.9	8.8	8.6	11.5	10.8	10.6	13.7
North Carolina (total)	42.8	7.1	[5] 0.6	[5] 10.8	[6] 27.0	[6] 10.9	[6] 15.5	(4)
White	47.0	6.9	0.9	12.9	32.3	11.6	14.4	(4)
Colored	33.8	7.6	.....	6.8	17.2	9.6	17.4	(4)
Ohio	11.0	15.8	4.3	4.8	13.7	8.2	6.4	(4)
Pennsylvania	6.1	18.1	6.7	6.7	19.5	10.6	10.3	15.3
Rhode Island	11.8	23.4	10.0	9.6	12.2	20.6	4.1	18.2
South Carolina (total)	40.2	4.6	(3)	(3)	(3)	(3)	(3)	(3)
White	54.2	4.9	(3)	(3)	(3)	(3)	(3)	(3)
Colored	28.0	4.4	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	33.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	35.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	28.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	23.7	8.5	0.9	2.9	31.6	3.8	10.9	(4)
Vermont	21.4	6.6	0.8	1.1	20.3	7.2	10.6	8.4
Virginia (total)	16.2	18.6	2.7	5.4	17.1	(3)	(3)	(3)
White	17.6	16.5	2.5	6.0	17.6	(3)	(3)	(3)
Colored	13.0	23.3	3.0	4.1	15.9	(3)	(3)	(3)
Washington	12.5	5.5	1.2	3.6	8.0	1.2	5.6	(4)
Wisconsin	2.9	11.8	2.1	6.0	7.6	5.2	10.7	(4)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	46.4	.....	6.3	9.0	7.0	11.3	22.0	(4)
White	26.8	.....	5.5	11.9	7.3	13.2	24.2	(4)
Colored	79.6	.....	7.6	4.6	6.4	8.4	18.6	(4)
Los Angeles, Calif	6.2	2.0	4.0	1.4	13.3	0.3	2.3	8.5
Oakland, Calif	8.2	.....	2.6	15.3	.....	3.0	11.5	7.7
San Francisco, Calif	7.6	1.3	4.8	10.5	1.8	11.3	7.7	9.0
Denver, Colo	8.9	1.9	1.2	4.1	4.2	0.4	21.2	8.6
Bridgeport, Conn	12.8	15.6	6.8	28.6	13.4	6.4	17.9	13.3
New Haven, Conn	22.3	5.3	12.2	21.5	1.4	18.7	2.2	13.3
Washington, D. C. (total)	4.9	2.2	2.0	0.3	7.8	2.0	6.5	4.9
White	6.0	1.9	2.3	.....	7.7	1.6	6.6	4.7
Colored	2.0	3.0	1.0	1.0	8.0	3.1	6.2	5.3
Atlanta, Ga. (total)	22.9	1.6	1.1	13.9	5.2	7.2	25.0	13.3
White	19.9	0.8	1.6	10.1	6.1	9.9	25.4	14.5
Colored	29.9	3.4	.....	21.6	3.4	1.8	24.2	11.0
Chicago, Ill	9.8	5.4	10.8	3.2	11.9	5.3	5.8	8.8
Indianapolis, Ind	19.7	9.8	.....	8.1	6.3	6.5	1.2	9.6
Louisville, Ky. (total)	41.5	2.1	.....	8.5	6.0	0.4	25.5	2.8
White	37.7	2.5	.....	8.3	5.8	0.5	18.8	2.8
Colored	59.4	.....	.....	9.4	7.1	.....	55.9	3.0
New Orleans, La. (total)	16.4	3.5	0.8	2.2	9.8	0.6	11.3	9.2
White	16.5	3.3	1.1	3.0	10.3	0.8	13.8	10.2
Colored	16.3	4.1	.....	.....	8.5	.....	4.4	6.2
Baltimore, Md. (total)	9.1	5.4	3.4	1.0	20.0	1.2	14.3	6.8
White	8.3	5.4	3.2	1.2	18.5	1.4	14.0	6.4
Colored	13.5	5.7	4.5	.....	28.6	.....	16.3	9.3
Boston, Mass	14.1	14.5	5.5	8.2	10.7	15.9	10.3	16.5
Cambridge, Mass	13.1	7.1	5.4	10.9	9.2	8.4	9.4	5.7
Fall River, Mass	54.7	30.4	14.2	2.4	58.9	1.6	37.5	17.3
Lowell, Mass	7.9	25.6	0.9	10.8	19.1	53.3	11.9	15.3
Worcester, Mass	7.8	34.3	1.2	11.4	10.3	9.9	3.3	10.3
Detroit, Mich	9.7	18.0	9.0	7.6	20.4	10.1	9.3	10.3
Grand Rapids, Mich	26.3	2.3	.....	4.1	9.1	.....	15.5	3.5
Minneapolis, Minn	2.9	20.4	3.7	2.6	6.0	3.4	1.3	8.4
St. Paul, Minn	5.1	7.3	5.0	1.3	7.8	0.4	.....	5.9
Kansas City, Mo	18.6	14.1	2.1	1.1	22.3	0.4	3.1	11.6
St. Louis, Mo	18.2	8.8	7.4	9.5	15.8	2.5	16.3	10.2
Omaha, Nebr	14.6	1.8	8.0	1.5	0.8	0.8	3.9	10.3

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Jersey City, N. J	8.6	5.9	17.7	4.4	10.4	5.3	15.2	7.8
Newark, N. J	1.7	25.7	5.0	18.2	4.7	14.6	6.9	10.6
Paterson, N. J	5.0	18.1	0.7	9.7	0.8	20.7	1.5	8.5
Albany, N. Y	30.0	24.5	1.9	1.9	6.8	5.9	.....	10.3
Buffalo, N. Y	2.1	15.8	10.8	2.2	15.9	15.2	1.8	15.4
New York, N. Y	10.1	9.9	12.1	10.8	13.9	13.9	13.2	18.6
Bronx Borough [7]	6.2	6.3	7.6	7.0	13.8	8.9	11.5	29.6
Brooklyn Borough [7]	5.3	5.1	6.9	6.8	7.9	11.2	7.6	22.5
Manhattan Borough [7]	14.9	15.4	17.3	15.3	18.6	16.9	18.3	15.7
Queens Borough [7]	8.2	4.1	6.2	6.8	8.9	13.7	3.6	8.2
Richmond Borough [7]	8.0	2.0	21.9	4.3	18.5	14.4	28.0	9.6
Rochester, N. Y	15.1	8.1	3.2	5.3	3.4	11.3	5.7	8.0
Syracuse, N. Y	9.5	.....	6.6	2.7	15.7	4.2	11.3	5.9
Cincinnati, Ohio	5.8	15.3	3.7	.....	18.1	8.8	3.4	14.7
Cleveland, Ohio	7.5	8.9	11.0	4.5	16.4	5.7	6.9	12.5
Columbus, Ohio	30.4	15.8	6.7	11.7	4.5	11.9	11.2	8.7
Dayton, Ohio	12.4	1.6	2.4	5.7	4.1	12.5	0.8	5.7
Toledo, Ohio	4.0	33.8	4.8	3.8	7.8	14.1	.....	8.8
Portland, Oreg	5.8	2.7	1.5	8.1	2.4	0.4	8.6	3.5
Philadelphia, Pa	4.8	6.6	11.3	4.4	12.5	3.3	18.3	15.5
Pittsburgh, Pa	11.3	23.7	12.9	9.4	27.4	26.9	9.4	25.8
Scranton, Pa	8.0	3.4	5.6	7.1	2.9	15.5	2.3	11.7
Providence, R. I	13.5	25.1	9.2	15.1	15.8	33.6	4.3	24.4
Memphis, Tenn. (total)	31.6	(3)	2.7	5.6	11.4	2.9	27.3	4.8
White	37.9	(3)	3.3	4.7	10.7	3.6	28.3	4.6
Colored	20.2	(3)	1.9	7.0	12.5	1.8	26.3	4.9
Nashville, Tenn. (total)	21.2	(3)	0.9	7.0	22.0	0.9	53.0	10.9
White	25.6	(3)	1.3	6.5	27.6	.....	57.7	12.1
Colored	11.1	(3)	.....	7.9	10.6	2.7	43.4	8.5
Richmond, Va. (total)	3.8	26.2	.....	0.7	19.5	0.8	8.5	13.3
White	1.0	15.9	.....	1.2	19.0	1.2	8.5	13.1
Colored	8.9	44.6	.....	.....	20.5	.....	8.4	13.4
Seattle, Wash	4.6	3.4	.....	0.3	11.2	0.4	5.1	2.7
Spokane, Wash	7.0	10.6	.....	6.6	0.8	5.8	5.3	4.6
Milwaukee, Wis	3.1	27.7	4.2	9.1	6.4	11.2	7.1	14.5

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to the boroughs of residence.
[8] Transcripts for deaths not received.

The rate in 1917 shows a marked increase over that in 1916 for each subdivision of the registration area, with the exception of cities in registration states and registration cities in nonregistration states. Comparing the registration states for 1917 and 1916, decreases are shown for 1917 by 11—Connecticut, Massachusetts, Michigan, Minnesota, New Jersey, New York, Ohio, Pennsylvania, Rhode Island, Virginia, and Wisconsin—while 4—Kentucky, Maine, North Carolina, and South Carolina—show rates in 1917 more than five times those for 1916. There are 303 deaths of soldiers, sailors, and marines included in the total for measles, and of this number, 150 were reported from South Carolina, 44 from Kansas, and 34 from California.

Among the cities which in 1910 had 100,000 population or more, 10 show rates above 20 for 1917.

The five cities showing the highest rates are Fall River, Birmingham, Louisville, Memphis, and Columbus.

The following table shows the death rates per 100,000 population for the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population), which in any of these years have rates of 20 or more per 100,000 population, such rates being printed in boldfaced type.

CITY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Mobile, Ala.	18.6	.....	.....	30.6	.....	1.9	11.4
Montgomery, Ala.	34.1	.....	.....	9.6	2.4	.....	49.4
Bakersfield, Calif.	.....	41.5	.....	.....	20.2	7.0	.....
Eureka, Calif.	.....	.....	21.1	29.1	.....	.....	.....
Fresno, Calif.	30.3	2.9	.....	6.7	7.0	7.3	3.8
Riverside, Calif.	.....	30.4	10.5	5.5	.....	.....	.....
San Bernardino, Calif.	5.7	.....	6.1	25.6	.....	.....	.....
San Jose, Calif.	5.0	.....	13.2	5.4	.....	22.7	.....
Santa Barbara, Calif.	32.6	.....	14.0	7.2	7.5	.....	.....
Vallejo, Calif.	50.7	7.4	7.6	15.7	8.0	.....	.....
Pueblo, Colo.	41.0	.....	3.8	5.9	10.1	.....	15.1
Trinidad, Colo.	41.6	.....	.....	23.4	.....	.....	18.5
Ansonia, Conn.	17.7	6.0	6.1	12.3	6.3	63.7	.....
Bristol, Conn.	30.6	.....	.....	.....	47.4	13.9	.....
Danbury town, Conn.	.....	11.5	3.9	.....	.....	41.0	.....
Hartford, Conn.	7.1	37.0	1.8	4.7	20.9	9.7	3.0
Manchester town, Conn.	.....	.....	.....	.....	.....	.....	21.4
Middletown town, Conn.	.....	26.3	.....	13.6	4.6	14.0	.....
Naugatuck, Conn.	7.0	28.4	.....	.....	.....	.....	15.4
New Britain, Conn.	.....	22.3	.....	11.9	4.1	12.7	.....
New London, Conn.	4.7	.....	9.6	4.9	29.5	.....	.....
Norwalk, Conn.	3.7	.....	.....	3.8	.....	31.8	.....
Stamford, town, Conn.	5.5	2.8	2.9	93.7	15.6	6.4	23.3
Torrington town, Conn.	.....	30.6	.....	26.7	5.5	.....	17.3
Wallingford town, Conn.	31.4	.....	.....	8.3	8.4	17.2	43.8
Windham town, Conn.	.....	14.1	.....	29.3	14.9	.....	77.5
Wilmington, Del.	5.2	27.6	3.2	16.2	15.4	2.2	13.5
Jacksonville, Fla.	16.4	.....	.....	1.4	4.5	3.1	23.7
Key West, Fla.	40.9	.....	.....	.....	.....	.....	10.1
Pensacola, Fla.	22.4	.....	.....	4.0	4.1	(1)	(1)
Brunswick, Ga.	81.9	(1)	(1)	(1)	(1)	(1)	(1)
Savannah, Ga.	23.1	4.4	1.5	1.5	4.4	7.6	10.7
Belleville, Ill.	4.7	4.7	.....	4.7	37.9	.....	4.7
Decatur, Ill.	.....	32.8	2.6	.....	2.7	.....	.....
Evanston, Ill.	6.8	3.5	10.7	.....	7.4	3.8	23.4
Quincy, Ill.	2.7	29.9	.....	.....	.....	.....	24.6
Springfield, Ill.	1.6	9.8	36.9	.....	31.9	5.5	.....
Anderson, Ind.	33.0	.....	.....	.....	.....	.....	17.6
East Chicago, Ind.	59.4	20.9	29.4	3.9	62.0	4.4	23.8
Elwood, Ind.	18.1	18.1	.....	.....	38.4	.....	.....
Evansville, Ind.	40.3	1.3	4.1	11.2	4.3	.....	32.4
Gary, Ind.	64.3	11.9	17.9	(2)	(2)	(2)	11.9
Hammond, Ind.	7.4	11.5	7.9	.....	33.8	4.4	.....
Huntington, Ind.	.....	.....	.....	.....	47.9	.....	.....
Kokomo, Ind.	13.7	.....	.....	.....	41.9	5.4	.....
Laporte, Ind.	.....	22.7	.....	.....	16.4	.....	.....
Marion, Ind.	35.1	5.0	.....	5.1	20.4	.....	5.1
Michigan City, Ind.	31.9	.....	4.7	4.8	73.9	.....	.....
Mishawaka, Ind.	5.9	12.2	6.6	6.9	.....	.....	23.7
Muncie, Ind.	23.4	19.7	.....	.....	8.1	.....	.....
New Albany, Ind.	46.6	.....	.....	9.7	19.4	.....	4.8
Terre Haute, Ind.	8.9	6.1	9.3	4.7	40.2	.....	.....
Vincennes, Ind.	5.5	11.3	.....	29.8	18.4	6.3	26.0
Coffeyville, Kans.	.....	11.4	6.0	25.0	19.7	.....	(1)
Fort Scott, Kans.	.....	19.0	.....	.....	.....	38.1	(1)
Hutchinson, Kans.	41.9	.....	5.0	.....	.....	.....	(1)
Independence, Kans.	6.6	.....	.....	37.6	.....	8.3	(1)
Kansas City, Kans.	27.4	5.0	3.1	5.3	18.5	1.1	4.7
Parsons, Kans.	.....	.....	6.7	.....	.....	36.9	(1)
Pittsburg, Kans.	.....	11.2	11.5	.....	.....	25.2	(1)
Topeka, Kans.	6.1	8.2	.....	4.2	23.8	.....	(1)
Frankfort, Ky.	17.9	.....	.....	.....	46.4	.....	.....
Henderson, Ky.	32.5	.....	24.9	.....	.....	8.5	.....
Owensboro, Ky.	11.1	45.0	5.7	5.8	.....	.....	207.9
Paducah, Ky.	27.8	4.0	.....	53.8	.....	.....	13.0
Baton Rouge, La.	22.8	(1)	(1)	(1)	(1)	(1)	(1)
Lake Charles, La.	20.1	(1)	(1)	(1)	(1)	(1)	(1)
Auburn, Me.	6.0	.....	.....	.....	.....	32.2	13.1
Biddeford, Me.	5.6	.....	.....	11.4	.....	23.1	11.6
Lewiston, Me.	17.8	.....	7.3	11.0	7.4	26.1	3.8
Portland, Me.	24.7	6.3	3.2	.....	26.1	8.3	10.1
Waterville, Me.	85.3	.....	16.0	16.3	.....	50.4	34.2
Cumberland, Md.	3.7	23.0	.....	.....	21.4	17.5	.....
Frederick, Md.	8.9	9.0	.....	.....	65.0	.....	.....
Hagerstown, Md.	11.5	15.6	.....	.....	.....	40.8	23.7
Adams town, Mass.	.....	21.1	.....	57.8	7.3	.....	22.8
Attleboro, Mass.	.....	15.6	.....	.....	22.5	.....	5.9
Brockton, Mass.	.....	40.0	.....	3.1	3.2	18.1	.....
Chicopee, Mass.	3.3	10.2	13.9	.....	18.2	48.5	.....
Clinton town, Mass.	22.9	.....	.....	.....	46.6	.....	.....
Fitchburg, Mass.	4.7	.....	.....	4.9	47.7	2.5	.....
Gardner town, Mass.	.....	17.5	.....	.....	25.1	12.8	.....
Gloucester, Mass.	4.1	12.3	.....	.....	.....	20.8	12.5
Greenfield town, Mass.	65.3	.....	.....	.....	8.9	.....	37.3
Holyoke, Mass.	10.5	1.5	9.4	.....	11.4	24.8	11.7
Lawrence, Mass.	.....	20.9	30.6	6.3	37.4	18.7	26.7
Leominster, Mass.	.....	4.8	.....	.....	26.0	53.4	.....
Methuen town, Mass.	.....	7.2	.....	.....	23.6	.....	.....
Milford town, Mass.	.....	.....	7.2	21.8	.....	.....	.....
New Bedford, Mass.	22.2	14.4	35.7	3.6	33.4	5.8	11.8
Northampton, Mass.	10.0	25.1	.....	10.1	.....	15.3	.....
Pittsfield, Mass.	25.2	.....	18.6	.....	11.3	.....	29.5
Plymouth town, Mass.	.....	21.8	14.8	.....	.....	47.2	.....
Taunton, Mass.	10.9	13.8	19.5	.....	8.5	34.3	.....
Wakefield town, Mass.	.....	.....	24.0	.....	.....	.....	.....
Waltham, Mass.	6.4	3.3	16.6	.....	.....	24.3	17.7
Watertown town, Mass.	6.6	26.9	.....	28.1	7.2	.....	.....
Webster town, Mass.	.....	30.3	.....	.....	.....	16.5	8.4
Westfield town, Mass.	74.6	5.4	.....	23.7	29.0	5.9	6.0
Adrian, Mich.	.....	26.2	.....	.....	.....	.....	9.3
Bay City, Mich.	.....	33.4	2.1	.....	17.2	2.2	2.2
Escanaba, Mich.	.....	19.4	.....	.....	27.8	.....	.....
Flint, Mich.	8.7	23.7	1.9	8.1	.....	4.5	.....
Ironwood, Mich.	.....	20.3	.....	7.1	14.5	22.2	.....
Ishpeming, Mich.	.....	16.1	.....	.....	24.6	.....	.....
Manistee, Mich.	.....	24.2	.....	.....	8.5	.....	.....
Marquette, Mich.	8.0	16.1	.....	16.5	.....	25.4	.....
Menominee, Mich.	.....	19.0	.....	.....	.....	20.0	.....
Muskegon, Mich.	25.5	15.3	.....	11.8	.....	.....	8.1
Pontiac, Mich.	.....	28.5	.....	.....	31.1	.....	.....
Sault Ste. Marie, Mich.	35.4	.....	.....	.....	.....	.....	.....
Traverse City, Mich.	.....	.....	.....	15.1	.....	.....	32.5
Duluth, Minn.	13.4	22.2	.....	2.2	12.7	.....	1.2
Virginia, Minn.	12.5	13.2	.....	.....	54.2	.....	.....
Hattiesburg, Miss.	92.2	6.1	.....	(1)	(1)	(1)	(1)
Jackson, Miss.	67.5	3.4	10.6	(1)	(1)	(1)	(1)
Meridian, Miss.	41.2	13.8	4.6	(1)	(1)	(1)	(1)
Hannibal, Mo.	.....	32.1	.....	.....	24.8	5.1	5.3
Jefferson City, Mo.	29.2	.....	15.1	.....	8.0	.....	8.3
Joplin, Mo.	24.0	75.3	6.1	76.1	9.2	.....	3.1
Moberly, Mo.	7.7	.....	.....	32.9	8.4	.....	.....
St. Joseph, Mo.	1.2	21.1	1.2	2.4	22.1	.....	1.3
Sedalia, Mo.	.....	46.3	.....	.....	32.1	.....	.....
Springfield, Mo.	19.4	19.8	.....	75.0	7.9	.....	38.2
Webb City, Mo.	78.1	188.1	.....	15.0	46.0	.....	16.0
Billings, Mont.	.....	20.8	.....	23.0	16.2	.....	.....
Butte, Mont.	15.9	16.1	.....	2.4	24.3	.....	2.5
Great Falls, Mont.	71.7	.....	.....	44.3	14.7	.....	14.5
Helena, Mont.	14.5	7.3	7.4	.....	.....	.....	39.3
Lincoln, Nebr.	27.7	.....	2.2	.....	19.9	13.4	27.0
Berlin, N. H.	.....	44.1	7.5	.....	39.3	.....	8.2
Concord, N. H.	4.4	.....	.....	.....	9.0	22.8	.....
Dover, N. H.	30.1	7.5	.....	.....	15.1	.....	30.2
Keene, N. H.	18.6	.....	.....	.....	.....	29.2	9.8
Laconia, N. H.	25.5	.....	.....	9.0	9.2	.....	.....
Manchester, N. H.	6.3	34.5	3.9	33.1	6.7	4.1	2.8
Nashua, N. H.	47.2	7.3	3.7	.....	3.7	.....	19.0
Portsmouth, N. H.	.....	.....	.....	.....	.....	8.8	26.4
Bayonne, N. J.	4.2	5.7	8.9	13.8	6.4	23.1	17.0
Bridgeton, N. J.	6.9	.....	.....	14.0	41.9	.....	7.0
Camden, N. J.	11.1	.....	.....	20.1	5.9	18.9	.....
Garfield, N. J.	.....	55.4	43.6	23.0	8.1	51.2	13.4
Hackensack, N. J.	.....	70.8	12.1	.....	.....	6.6	31.2
Harrison, N. J.	5.8	23.6	6.0	6.2	.....	6.5	13.4
Hoboken, N. J.	15.3	20.7	3.9	6.7	13.5	4.1	39.1
Morristown, N. J.	.....	7.5	.....	.....	7.7	31.3	.....
New Brunswick, N. J.	15.5	.....	19.9	16.1	.....	37.3	.....
Orange, N. J.	.....	42.3	.....	.....	.....	.....	3.3
Passaic, N. J.	1.3	26.5	23.2	10.6	14.2	29.6	20.3
Perth Amboy, N. J.	2.3	7.3	12.6	28.7	5.4	59.4	5.9
Phillipsburg, N. J.	6.3	6.4	.....	6.6	6.8	.....	71.2
Plainfield, N. J.	4.1	33.6	8.6	.....	.....	23.0	.....
Trenton, N. J.	4.4	17.0	18.3	2.8	13.4	9.8	31.0
Auburn, N. Y.	.....	10.7	.....	8.2	25.0	2.8	5.7
Binghamton, N. Y.	14.6	24.1	.....	30.7	31.2	6.0	10.0

(See footnotes at end of table.)

CITY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Dunkirk, N. Y.	.....	19.3	.....	20.4	5.3	.....	.....
Geneva, N. Y.	.....	36.5	7.4	.....	.....	38.8	8.0
Glens Falls, N. Y.	.....	.....	18.0	.....	.....	6.3	32.5
Hornell, N. Y.	.....	13.6	.....	13.9	21.2	.....	.....
Hudson, N. Y.	.....	7.9	.....	.....	.....	42.2	.....
Ithaca, N. Y.	.....	18.9	.....	.....	.....	.....	20.2
Jamestown, N. Y.	5.3	2.7	.....	5.7	35.3	.....	.....
Johnstown, N. Y.	.....	9.4	.....	.....	28.4	.....	.....
Kingston, N. Y.	.....	.....	3.8	26.4	.....	.....	19.2
Lackawanna, N. Y.	326.8	31.3	57.1	.....	172.7	82.9	19.5
Lockport, N. Y.	5.0	35.2	.....	.....	10.3	10.4	.....
Middletown, N. Y.	12.6	.....	.....	31.9	.....	.....	6.6
Mount Vernon, N. Y.	5.3	2.7	30.5	8.6	2.9	21.2	6.2
Niagara Falls, N. Y.	10.4	72.3	2.8	2.8	52.9	9.1	22.3
North Tonawanda, N. Y.	.....	58.1	7.4	15.2	23.3	.....	.....
Ogdensburg, N. Y.	17.8	.....	.....	24.3	36.7	.....	.....
Peekskill, N. Y.	.....	.....	16.6	34.4	5.9	18.4	6.3
Plattsburg, N. Y.	.....	38.9	.....	8.1	.....	.....	.....
Port Chester, N. Y.	.....	.....	44.8	19.9	27.5	.....	30.3
Poughkeepsie, N. Y.	.....	.....	.....	43.9	.....	3.5	17.5
Rome, N. Y.	45.3	37.9	.....	4.4	.....	.....	61.1
Troy, N. Y.	21.8	5.1	15.4	6.4	10.3	18.1	2.6
Utica, N. Y.	6.7	27.5	.....	26.8	13.7	12.8	36.3
Watertown, N. Y.	.....	33.5	.....	.....	21.2	.....	.....
White Plains, N. Y.	4.3	31.2	.....	.....	16.2	.....	.....
Asheville, N. C.	42.9	9.6	.....	34.7	.....	56.4	10.5
Charlotte, N. C.	19.6	22.6	2.6	5.3	27.0	2.8	.....
Durham, N. C.	30.6	.....	.....	.....	73.5	.....	.....
Greensboro, N. C.	9.9	10.2	.....	.....	33.7	.....	6.0
Raleigh, N. C.	24.7	9.9	.....	.....	35.6	10.2	31.0
Wilmington, N. C.	3.3	.....	.....	28.8	3.7	.....	41.8
Winston-Salem, N. C.[3]	57.3	48.1	.....	.....	25.0	9.6	.....
Fargo, N. Dak.	22.4	40.3	(1)	(1)	(1)	(1)	(1)
Akron, Ohio	53.4	47.4	2.4	10.0	5.2	9.3	1.4
Alliance, Ohio	10.2	10.5	5.5	.....	46.8	.....	12.6
Ashtabula, Ohio	18.2	23.3	.....	.....	20.0	5.1	.....
Bellaire, Ohio	13.7	83.6	42.5	.....	7.3	67.2	.....
Cambridge, Ohio	.....	22.3	.....	.....	8.1	.....	.....
Chillicothe, Ohio	19.2	12.9	.....	6.6	.....	33.7	13.6
East Liverpool, Ohio	.....	79.7	4.5	.....	55.8	.....	14.4
Findlay, Ohio	6.7	13.5	6.7	.....	21.5	.....	13.8
Hamilton, Ohio	9.7	12.3	.....	5.2	21.1	10.8	.....
Ironton, Ohio	42.6	14.3	50.7	.....	22.1	.....	7.5
Lakewood, Ohio	8.4	26.5	.....	9.9	36.8	.....	18.0
Lima, Ohio	2.7	22.6	.....	.....	24.1	.....	.....
Lorain, Ohio	.....	27.1	.....	2.9	36.3	12.6	6.6
Mansfield, Ohio	13.0	.....	.....	.....	41.3	.....	.....
Marietta, Ohio	.....	6.8	6.8	.....	.....	31.2	.....
Marion, Ohio	4.1	4.3	17.6	.....	32.8	5.1	.....
Middletown, Ohio	30.5	89.6	6.6	.....	110.9	14.3	14.7
Piqua, Ohio	.....	14.1	.....	7.2	.....	.....	22.2
Portsmouth, Ohio	61.3	24.4	.....	36.3	48.3	3.8	31.2
Sandusky, Ohio	4.9	14.9	.....	.....	.....	24.9	.....
Springfield, Ohio	9.6	17.5	.....	20.0	4.1	6.2	.....
Steubenville, Ohio	.....	120.2	.....	.....	112.0	28.9	.....
Youngstown, Ohio	6.2	40.6	1.9	12.9	48.9	24.3	7.2
Zanesville, Ohio	.....	51.8	.....	3.3	10.2	.....	21.0
Allentown, Pa.	.....	18.9	8.1	31.5	1.7	.....	.....
Altoona, Pa.	.....	10.2	1.7	35.4	.....	20.2	5.6
Beaver Falls, Pa.	7.3	81.3	60.1	7.6	54.3	15.8	48.2
Braddock, Pa.	9.1	23.1	51.6	9.6	29.2	29.7	75.7
Bradford, Pa.	.....	.....	.....	13.5	6.7	20.8	.....
Butler, Pa.	.....	54.3	.....	.....	4.1	.....	.....
Carbondale, Pa.	5.1	10.4	.....	.....	22.0	.....	.....
Carnegie, Pa.	.....	51.3	17.5	.....	9.2	66.0	.....
Chambersburg, Pa.	24.0	.....	.....	.....	41.3	.....	.....
Chester, Pa.	9.6	50.7	4.9	.....	40.0	7.6	2.6
Coatesville, Pa.	.....	27.7	.....	7.5	54.6	.....	.....
Connellsville, Pa.	.....	25.9	.....	.....	21.1	.....	.....
Dunmore, Pa.	14.1	4.8	64.1	30.4	.....	16.0	32.9
Duquesne, Pa.	4.8	85.2	.....	.....	167.6	5.8	6.0
Easton, Pa.	.....	9.8	6.6	3.3	13.5	.....	34.6
Erie, Pa.	3.9	31.9	1.4	4.1	9.9	8.6	.....
Farrell, Pa.[4]	9.6	163.6	9.6	.....	(5)	(5)	.....
Greensburg, Pa.	.....	19.4	.....	.....	77.0	.....	.....
Harrisburg, Pa.	1.4	27.8	2.8	.....	1.5	14.9	1.5
Hazleton, Pa.	.....	10.5	7.1	7.3	29.6	15.1	3.9
Homestead, Pa.	21.7	62.3	13.7	4.7	67.8	15.0	46.3
Johnstown, Pa.	2.8	27.7	6.0	9.3	31.9	3.3	10.4
Lancaster, Pa.	7.8	11.8	2.0	.....	4.1	22.7	2.1
Lebanon, Pa.	.....	9.6	4.9	.....	25.3	.....	20.6
McKees Rocks, Pa.	4.8	90.2	5.2	5.5	63.2	36.2	.....
McKeesport, Pa.	.....	48.4	.....	6.5	31.0	13.5	6.9
Mahanoy City, Pa.	5.6	22.9	11.6	17.7	6.0	.....	49.3
Meadville, Pa.	.....	36.2	.....	.....	7.5	.....	.....

CITY.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Monessen, Pa.	.....	13.9	54.5	.....	40.4	7.0	46.3
Mount Carmel, Pa.	.....	9.9	20.2	.....	10.6	21.6	.....
Nanticoke, Pa.	.....	.....	22.3	4.6	9.5	19.6	5.1
New Castle, Pa.	2.4	41.3	.....	.....	54.1	.....	2.7
Norristown, Pa.	.....	6.4	3.2	16.5	.....	34.3	7.0
orth Braddock, Pa.	12.8	13.2	27.4	14.2	7.4	7.7	32.1
Oil City, Pa.	.....	20.7	5.3	.....	27.3	.....	.....
Old Forge, Pa.	6.5	.....	14.0	29.1	7.6	7.9	8.3
Pittston, Pa.	.....	10.8	5.5	67.2	11.4	5.8	17.9
Pottstown, Pa.	.....	35.7	6.0	.....	12.3	.....	.....
Pottsville, Pa.	.....	8.9	13.6	.....	9.4	23.8	.....
Reading, Pa.	.....	22.8	6.5	.....	17.7	6.0	14.3
Shamokin, Pa.	4.7	14.2	.....	.....	14.5	4.9	34.9
Sharon, Pa.	5.2	32.2	.....	.....	52.9	.....	.....
Shenandoah, Pa.	.....	3.4	.....	10.7	18.2	22.2	.....
South Bethlehem, Pa.	8.0	53.7	21.3	13.1	31.6	37.2	9.6
Steelton, Pa.	.....	70.7	.....	6.6	6.7	27.2	.....
Sunbury, Pa.	.....	43.1	.....	6.5	.....	54.6	7.0
Uniontown, Pa.	4.6	4.8	.....	5.2	21.8	11.5	18.1
Washington, Pa.	.....	4.6	.....	29.0	19.8	15.2	.....
Wilkes-Barre, Pa.	3.8	2.6	8.0	33.9	2.8	39.7	4.3
Wilkinsburg, Pa.	.....	34.4	.....	.....	4.8	9.8	.....
Williamsport, Pa.	46.9	3.0	3.0	6.0	.....	12.3	6.2
York, Pa.	.....	42.6	.....	.....	8.3	4.2	.....
Central Falls, R. I.	30.7	11.7	.....	.....	12.4	8.4	4.2
Cranston, R. I.[6]	3.7	26.9	19.8	.....	8.5	8.8	.....
Cumberland town, R. I.	.....	36.9	.....	.....	19.1	.....	.....
East Providence town, R. I.	10.8	5.5	16.9	17.3	.....	30.1	.....
Newport, R. I.	36.0	10.0	.....	3.4	3.5	.....	.....
Pawtucket, R. I.	6.6	8.4	12.0	.....	16.2	20.2	.....
Warwick town, R. I.[7]	13.1	53.4	3.4	3.5	17.6	.....	3.7
Woonsocket, R. I.	.....	36.1	13.8	21.3	2.4	24.8	2.5
Columbia, S. C.	59.7	2.9	2.9	(1)	(1)	(1)	(1)
Greenville, S. C.	59.2	5.5	.....	(1)	(1)	(1)	(1)
Spartanburg, S. C.	50.0	.....	.....	(1)	(1)	(1)	(1)
Chattanooga, Tenn.	47.1	(8)	1.7	26.3	(1)	(1)	(1)
Jackson, Tenn.	55.7	(8)	.....	39.9	(1)	(1)	(1)
Knoxville, Tenn.	11.8	(8)	2.6	5.3	(8)	2.7	21.7
El Paso, Tex.	102.7	44.0	66.9	20.2	127.5	.....	11.9
San Antonio, Tex.	48.4	3.2	7.5	7.0	2.7	13.2	19.6
Ogden, Utah	18.6	15.9	3.3	.....	21.0	3.6	3.7
Salt Lake City, Utah	10.7	11.1	.....	4.6	12.3	4.0	26.8
Barre, Vt.	24.2	.....	.....	.....	8.7	17.8	18.2
Burlington, Vt.	9.2	41.6	.....	.....	19.0	14.4	9.7
Rutland, Vt.	13.3	27.0	.....	.....	42.2	.....	.....
Danville, Va.	14.9	40.0	.....	5.1	25.6	5.2	5.2
Lynchburg, Va.	9.0	15.2	.....	.....	25.6	13.0	.....
Newport News, Va.	26.5	4.9	.....	.....	24.5	(1)	(1)
Petersburg, Va.	7.7	101.6	.....	.....	4.0	.....	4.1
Bellingham, Wash.	23.3	.....	.....	.....	3.5	3.7	.....
North Yakima, Wash.	13.6	.....	.....	.....	.....	.....	32.4
Walla Walla, Wash.	11.5	.....	.....	4.3	31.3	.....	.....
Wheeling, W. Va.	4.6	23.1	.....	9.3	4.7	.....	16.7
Appleton, Wis.	5.6	.....	.....	22.9	5.8	.....	6.0
Ashland, Wis.	.....	.....	8.6	.....	27.0	.....	.....
Eau Claire, Wis.	.....	26.6	.....	.....	37.7	.....	5.5
Green Bay, Wis.	.....	.....	.....	50.0	.....	3.7	27.1
Janesville, Wis.	.....	.....	7.0	.....	.....	.....	43.1
Kenosha, Wis.	9.1	19.0	.....	.....	27.9	16.9	.....
Madison, Wis.	.....	6.5	13.3	6.8	10.4	.....	23.2
Marinette, Wis.	.....	20.5	.....	.....	.....	7.0	.....
Oshkosh, Wis.	.....	2.8	.....	19.9	5.8	.....	50.5
Superior, Wis.	10.6	21.6	.....	2.3	30.0	2.4	2.4
Wausau, Wis.	.....	10.4	21.3	.....	.....	.....	35.1

[1] Not added to registration area until a later date.
[2] Incorporated in 1906; population not estimated.
[3] Salem consolidated with Winston, May, 1913.
[4] Name changed from South Sharon (incorporated in 1901) in 1912.
[5] Population not estimated.
[6] Includes state institutions.
[7] Includes West Warwick town, organized November, 1913.
[8] Transcripts for deaths not received.

Among the minor cities, the five showing the highest rates in 1917 are Lackawanna, N. Y. (326.8); El Paso, Tex. (102.7); Hattiesburg, Miss. (92.2); Waterville, Me. (85.3); and Brunswick, Ga. (81.9). The five cities showing the lowest rates are St. Joseph, Mo. (1.2); Passaic, N. J. (1.3); Harrisburg, Pa. (1.4); Spring-

field, Ill. (1.6), and Perth Amboy, N. J. (2.3). The unusual rate for Lackawanna, N. Y., may be explained to some extent by the fact that a large institution for the care of infants and young children is located there.

Great variations in the death rates from measles in the states and cities are to be expected in view of the epidemic character of this disease.

SCARLET FEVER.

The number of deaths from scarlet fever in 1917 is 3,141, corresponding to a rate of 4.2 per 100,000 population, as against a rate of 3.3 in 1916, which is the lowest rate recorded from this disease since the publication of the first annual mortality report in 1900.

The following table shows the rates per 100,000 population for 1911 to 1917 and the annual average for the five-year period from 1906 to 1910, rates of 20 and higher being in boldfaced type.

AREA.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910
SUMMARY.								
The registration area[1]	4.2	3.3	3.6	6.6	8.7	6.7	8.8	10.6
Registration states[2]	3.5	3.1	3.6	6.6	7.7	6.0	8.5	10.5
Cities in registration states[2]	4.1	3.5	4.0	8.3	9.7	7.5	11.0	13.3
Rural part of registration states	3.0	2.8	3.1	4.9	5.7	4.5	6.0	7.2
Registration cities in nonregistration states	12.8	5.1	3.7	6.5	20.6	13.8	12.2	11.6
All registration cities[2]	5.3	3.7	4.0	8.0	11.3	8.4	11.2	12.9
REGISTRATION STATES.								
California	2.0	1.5	2.3	3.4	3.3	1.6	3.6	3.4
Colorado	1.8	3.8	6.2	10.4	17.2	10.0	9.9	21.0
Connecticut	1.7	2.7	3.1	6.8	9.7	7.3	9.0	8.0
Indiana	5.0	3.7	3.6	4.1	7.3	4.1	6.6	5.0
Kansas	3.1	3.4	1.8	1.8	(3)	(3)	(3)	(3)
Kentucky (total)	2.1	2.4	2.3	2.6	2.4	2.8	3.7	(3)
White	2.3	2.5	2.5	2.8	2.7	3.1	4.1	(3)
Colored	0.4	0.8	1.2	1.5	.....	1.1	0.8	(3)
Maine	0.8	0.5	1.7	2.2	2.2	2.1	2.1	3.0
Maryland (total)	1.7	3.8	5.3	5.7	5.2	2.7	5.0	5.0
White	1.9	4.2	5.8	6.2	6.0	3.0	5.9	5.8
Colored	0.9	1.7	2.6	3.3	1.3	0.8	1.3	1.1
Massachusetts	3.1	3.5	5.5	7.0	8.8	3.8	5.7	8.7
Michigan	11.1	5.8	3.6	6.0	9.6	6.3	7.1	8.7
Minnesota	4.0	5.3	6.5	15.0	8.5	4.8	9.0	(4)
Missouri	4.8	5.3	2.2	6.3	4.3	4.3	9.7	(3)
Montana	18.2	4.1	3.6	7.6	28.4	6.4	9.4	(4)
New Hampshire	1.8	1.4	1.6	5.7	3.0	2.3	3.7	2.6
New Jersey	1.9	2.5	3.5	8.6	8.4	5.4	8.4	13.3
New York	2.7	2.0	4.3	7.3	9.2	8.5	12.6	14.9
North Carolina (total)	1.7	2.6	[5] 1.6	[5] 0.6	[6] 2.8	[6] 2.6	[6] 2.1	(4)
White	2.2	3.5	2.5	0.6	3.5	3.2	2.9	(4)
Colored	0.5	0.5	.....	0.6	1.4	1.5	0.8	(4)
Ohio	3.8	4.1	4.4	4.7	6.5	8.0	10.3	(4)
Pennsylvania	2.6	2.8	3.6	10.4	11.3	6.9	9.6	12.8
Rhode Island	4.6	5.0	4.5	7.8	3.6	7.4	10.4	12.0
South Carolina (total)	1.3	2.4	(3)	(3)	(3)	(3)	(3)	(3)
White	1.7	4.0	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.9	1.0	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	2.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	2.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	8.6	5.8	2.8	3.4	3.7	4.6	14.5	(4)
Vermont	5.2	3.6	1.1	3.3	5.0	2.5	1.4	2.7
Virginia (total)	0.8	1.3	1.1	1.8	2.6	(3)	(3)	(3)
White	1.0	1.8	1.4	2.6	3.6	(3)	(3)	(3)
Colored	0.3	0.3	0.4	.....	0.4	(3)	(3)	(3)
Washington	1.3	0.8	0.5	1.8	2.3	1.6	4.6	(4)
Wisconsin	9.9	5.0	3.6	8.8	8.1	11.9	9.4	(4)

AREA.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	1.1	1.1	12.6	4.2	0.6	1.3	1.5	(4)
White	1.7	1.8	20.2	6.0	1.0	2.2	2.4	(4)
Colored	.....	.....	.....	1.5	.....	.....	.....	(4)
Los Angeles, Calif	1.9	1.4	2.1	1.1	3.2	2.1	2.6	3.8
Oakland, Calif	0.5	.....	0.5	2.7	1.1	.....	1.3	2.4
San Francisco, Calif	3.4	1.7	2.0	1.1	4.1	0.7	3.5	3.4
Denver, Colo	1.5	1.2	3.6	10.6	22.3	7.4	5.0	23.3
Bridgeport, Conn	4.0	3.3	7.6	16.5	26.8	17.4	2.8	13.7
New Haven, Conn	0.7	6.7	3.4	4.8	3.5	5.7	10.2	6.0
Washington, D. C. (total)	2.7	1.6	2.5	0.3	4.0	1.2	1.2	3.9
White	3.7	1.9	3.1	0.4	5.2	1.6	1.7	4.4
Colored	.....	1.0	1.0	.....	1.0	.....	.....	2.6
Atlanta, Ga. (total)	1.0	1.6	0.5	1.1	.....	1.2	4.4	3.0
White	1.5	1.5	0.8	0.8	.....	1.8	5.6	4.4
Colored	.....	1.7	.....	1.7	.....	.....	1.9	0.4
Chicago, Ill	24.8	6.4	3.4	10.1	39.2	27.2	21.9	22.9
Indianapolis, Ind	3.9	4.7	3.0	6.5	5.1	4.0	3.7	5.7
Louisville, Ky. (total)	1.2	0.4	0.8	5.1	3.4	3.9	3.5	5.8
White	1.5	0.5	0.5	5.7	4.2	4.3	4.3	6.2
Colored	.....	.....	2.4	2.3	.....	2.4	.....	4.0
New Orleans, La. (total)	0.5	0.3	0.5	0.6	0.6	2.6	1.2	8.1
White	0.7	0.4	0.7	0.8	0.4	3.5	1.6	10.0
Colored	.....	.....	.....	.....	1.1	.....	.....	2.7
Baltimore, Md. (total)	1.8	5.3	5.6	5.5	7.7	3.9	7.8	7.5
White	2.2	6.2	6.0	5.1	8.6	4.3	8.6	8.6
Colored	.....	.....	3.4	7.9	2.3	1.2	3.5	1.9
Boston, Mass	5.9	5.2	11.1	9.0	10.5	4.5	11.2	11.7
Cambridge, Mass	2.6	1.8	3.6	1.8	.....	1.9	2.8	5.5
Fall River, Mass	2.3	1.6	4.7	9.6	21.8	7.3	1.6	10.3
Lowell, Mass	2.6	5.3	.....	1.8	3.6	5.5	4.6	12.9
Worcester, Mass	4.2	1.8	1.9	4.4	7.7	7.2	8.6	11.6
Detroit, Mich	23.9	9.2	4.7	9.7	21.3	11.7	13.0	20.2
Grand Rapids, Mich	1.5	1.6	0.8	17.9	18.2	0.8	5.2	11.9
Minneapolis, Minn	2.9	4.4	3.1	26.2	18.9	4.6	6.1	8.6
St. Paul, Minn	3.2	3.2	12.4	19.4	7.8	4.0	16.0	17.5
Kansas City, Mo	11.1	27.5	1.4	1.4	2.2	5.3	5.4	10.1
St. Louis, Mo	7.3	6.3	2.9	19.1	6.1	6.5	27.7	11.1
Omaha, Nebr	5.6	33.8	14.1	12.8	10.7	3.9	6.3	8.2
Jersey City, N. J	2.9	3.9	5.0	7.5	14.3	9.2	11.6	26.3
Newark, N. J	0.5	1.2	0.5	6.9	5.5	1.9	6.6	18.1
Paterson, N. J	0.7	2.2	.....	0.7	3.0	6.9	10.1	9.3
Albany, N. Y	.....	.....	2.9	7.8	2.0	.....	1.0	13.1
Buffalo, N. Y	6.3	6.2	5.4	5.7	3.4	5.5	17.9	27.5
New York, N. Y	2.4	2.2	5.7	9.1	11.0	12.4	15.1	20.0
Bronx Borough[7]	2.8	1.4	4.5	7.6	9.3	12.6	12.5	20.8
Brooklyn Borough[7]	1.6	1.6	6.0	6.5	11.1	12.8	17.1	23.6
Manhattan Borough[7]	2.4	2.6	5.5	11.2	10.8	12.9	14.8	18.4
Queens Borough[7]	6.9	3.6	7.6	12.1	13.5	7.0	10.5	14.5
Richmond Borough[7]	.....	2.0	3.1	3.2	14.1	11.1	12.3	11.1
Rochester, N. Y	14.0	0.8	2.8	11.0	8.9	12.2	22.0	11.8
Syracuse, N. Y	7.6	0.6	.....	8.0	13.0	7.0	26.0	9.7
Cincinnati, Ohio	3.6	0.5	1.0	4.7	5.3	10.6	20.9	4.7
Cleveland, Ohio	2.2	6.1	11.1	8.0	19.4	17.4	33.0	13.2
Columbus, Ohio	3.6	2.3	1.4	1.5	4.5	3.1	4.3	2.3
Dayton, Ohio	4.7	11.0	7.2	7.3	4.1	1.7	0.8	4.7
Toledo, Ohio	13.9	4.0	4.3	1.1	6.7	9.6	5.2	6.7
Portland, Oreg	1.6	0.7	0.4	1.9	4.1	3.0	5.9	5.4
Philadelphia, Pa	2.0	2.5	1.6	8.1	10.5	7.7	12.3	9.3
Pittsburgh, Pa	2.2	3.6	9.6	33.3	26.4	10.7	10.7	16.1
Scranton, Pa	6.0	2.0	2.8	2.8	10.1	6.6	6.8	33.3
Providence, R. I	6.2	6.3	7.6	8.2	5.4	11.9	13.4	21.0
Memphis, Tenn. (total)	4.0	(8)	4.8	2.1	8.5	0.7	2.3	6.1
White	6.2	(8)	6.5	3.5	11.9	1.2	3.8	9.0
Colored	.....	(8)	1.9	.....	3.6	.....	.....	2.0
Nashville, Tenn. (total)	0.8	(8)	1.7	.....	.....	.....	3.6	3.4
White	1.2	(8)	2.5	.....	.....	.....	4.0	4.6
Colored	.....	(8)	.....	.....	.....	.....	2.7	1.1
Richmond, Va. (total)	0.6	1.9	0.6	1.5	3.8	0.8	2.3	0.9
White	1.0	3.0	1.0	2.3	4.7	.....	2.4	1.4
Colored	.....	.....	.....	.....	2.0	2.1	2.1	.....
Seattle, Wash	0.3	.....	0.3	1.0	2.0	0.7	2.8	5.5
Spokane, Wash	1.3	0.7	2.1	1.5	6.2	1.7	6.2	17.2
Milwaukee, Wis	17.3	11.0	7.0	22.6	15.7	16.2	15.7	19.3

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to the boroughs of residence.
[8] Transcripts for deaths not received.

Fifteen of the 26 states for which comparisons can be made have lower rates in 1917 than in 1916. The states showing the highest death rates from scarlet fever in 1917 are Montana (18.2), Michigan (11.1), Wisconsin (9.9), Utah (8.6), and Vermont (5.2). The states showing the lowest rates are Maine and Virginia (each 0.8), South Carolina and Washington (each 1.3), and Connecticut, Maryland, and North Carolina (each 1.7). Among the cities of 100,000 population or more the highest rates are shown for Chicago (24.8), Detroit (23.9), Milwaukee (17.3), Rochester (14), and Toledo (13.9). The lowest rates shown are for Seattle (0.3), Oakland, New Orleans, and Newark (each 0.5), and Richmond (0.6).

The following table shows the death rates per 100,000 population for the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population), which in any of these years have rates of 20 or more per 100,000 population, such rates being printed in boldfaced type.

CITY.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Bakersfield, Calif.	.....	5.9	.....	12.9	53.8	7.0	.....
Fresno, Calif.	2.8	2.9	.....	40.3	10.5	.....	.....
Redlands, Calif.	6.9	.....	.....	7.8	.....	.....	26.9
Trinidad, Colo.	.....	.....	.....	.....	.....	106.3	.....
Hartford, Conn.	3.5	1.8	0.9	4.7	13.3	30.0	22.7
Manchester town, Conn.	.....	.....	.....	33.5	.....	7.0	7.1
Naugatuck, Conn.	.....	.....	.....	14.7	22.3	7.6	15.4
Norwich town, Conn.	.....	10.2	6.8	10.3	27.7	.....	14.1
Torrington town, Conn.	.....	5.1	5.2	48.1	16.4	.....	.....
Waterbury, Conn.	2.2	.....	.....	17.0	3.7	7.7	22.4
Windham town, Conn.	.....	7.1	.....	.....	67.1	.....	7.7
Belleville, Ill.	14.2	.....	9.5	61.5	.....	.....	9.5
Decatur, Ill.	2.4	2.5	20.8	2.7	2.7	2.8	12.3
Evanston, Ill.	34.1	34.8	.....	7.2	18.4	19.0	7.8
East Chicago, Ind.	16.5	.....	18.4	3.9	82.7	17.7	28.5
Elwood, Ind.	.....	27.2	9.1	9.8	.....	.....	18.6
Gary, Ind.	21.4	6.0	.....	(1)	(1)	(1)	11.9
Hammond, Ind.	18.5	.....	11.8	4.1	25.4	8.8	9.1
Lafayette, Ind.	23.3	18.8	4.7	4.8	.....	.....	4.9
Laporte, Ind.	.....	.....	15.6	.....	.....	34.6	9.1
Michigan City, Ind.	4.6	.....	9.5	14.5	4.9	.....	46.2
Mishawaka, Ind.	11.7	.....	6.6	.....	7.2	7.5	31.6
Richmond, Ind.	8.0	.....	.....	12.5	34.0	21.6	4.4
South Bend, Ind.	15.5	5.8	3.0	.....	25.3	1.6	13.5
Hutchinson, Kans.	14.0	.....	.....	25.9	10.7	.....	(2)
Leavenworth, Kans.	10.3	5.2	5.2	10.7	42.3	57.7	.....
Pittsburg, Kans.	.....	.....	.....	5.9	36.7	12.6	(2)
Biddeford, Me.	.....	.....	.....	5.7	.....	.....	23.3
Cumberland, Md.	.....	.....	15.6	35.9	4.3	8.7	.....
Adams town, Mass.	.....	.....	.....	.....	110.0	.....	.....
Attleboro, Mass.	.....	.....	.....	21.9	16.9	.....	5.9
Chicopee, Mass.	.....	10.2	7.0	10.7	21.9	22.4	3.7
Fitchburg, Mass.	2.4	.....	21.9	12.3	5.0	2.5	2.6
Haverhill, Mass.	6.1	4.1	10.5	4.2	2.2	4.4	21.9
Holyoke, Mass.	.....	1.5	7.8	9.5	42.2	3.3	6.7
New Bedford, Mass.	.....	1.7	7.8	27.0	2.8	.....	1.0
Peabody, Mass.	.....	38.1	5.6	17.1	11.7	.....	.....
Pittsfield, Mass.	7.6	2.6	.....	5.5	42.3	5.8	.....
Plymouth town, Mass.	7.1	7.3	.....	37.8	7.7	15.7	8.1
Quincy, Mass.	.....	10.5	2.7	8.2	.....	.....	20.7
Taunton, Mass.	.....	5.5	11.1	19.6	31.2	5.7	.....
Westfield town, Mass.	21.3	10.9	5.6	11.3	5.8	.....	12.0
Escanaba, Mich.	37.8	32.3	.....	.....	7.0	14.3	14.7
Flint, Mich.	20.9	3.7	.....	.....	8.5	9.0	4.6
Ironwood, Mich.	46.4	6.8	.....	42.4	7.2	.....	7.5
Manistee, Mich.	8.1	.....	.....	.....	34.0	16.7	40.6
Marquette, Mich.	.....	.....	.....	16.5	16.7	.....	34.3
Muskegon, Mich.	3.6	42.1	11.6	.....	4.0	.....	.....
Pontiac, Mich.	27.8	.....	11.7	.....	6.2	12.8	6.6
Duluth, Minn.	7.2	3.2	2.2	20.1	8.1	1.2	7.3
Mankato, Minn.	.....	9.6	38.6	.....	.....	.....	9.8
Stillwater, Minn.	.....	9.8	.....	21.5	.....	.....	.....
Virginia, Minn.	31.3	.....	.....	.....	31.0	.....	.....
Winona, Minn.	5.4	5.4	5.4	55.2	22.0	.....	38.6
Jefferson City, Mo.	7.3	.....	7.5	23.0	8.0	.....	.....
Webb City, Mo.	.....	.....	.....	.....	23.0	15.7	8.0
Butte, Mont.	36.3	4.6	2.3	4.7	55.9	9.9	17.6
Great Falls, Mont.	28.7	7.2	.....	51.7	146.7	7.3	21.7
Helena, Mont.	58.0	.....	7.4	.....	22.9	.....	31.4
Manchester, N. H.	2.5	1.3	.....	23.8	8.1	1.4	4.2
Bayonne, N. J.	.....	.....	1.5	4.6	22.2	13.2	18.7
Bridgeton, N. J.	6.9	.....	.....	20.9	7.0	.....	7.0
Garfield, N. J.	6.6	.....	29.1	7.7	.....	.....	69.7
Morristown, N. J.	7.5	30.1	.....	.....	.....	.....	23.8
New Brunswick, N. J.	3.9	.....	4.0	80.6	.....	.....	12.8

CITY.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Perth Amboy, N. J.	4.7	4.9	.....	23.5	21.7	2.8	17.8
Phillipsburg, N. J.	6.3	.....	13.0	46.5	6.8	6.9	.....
Plainfield, N. J.	.....	4.2	.....	.....	45.0	.....	4.7
Trenton, N. J.	.....	2.7	3.7	26.2	26.8	2.0	7.0
West New York, N. J.	5.1	.....	11.2	5.9	24.6	13.0	13.2
Amsterdam, N. Y.	.....	5.4	.....	8.5	52.5	9.0	27.2
Auburn, N. Y.	.....	2.7	2.7	5.5	33.3	.....	5.7
Dunkirk, N. Y.	4.7	4.8	5.0	10.2	5.3	5.4	62.1
Geneva, N. Y.	7.2	.....	.....	45.1	7.6	7.8	.....
Glens Falls, N. Y.	5.8	.....	.....	.....	49.7	.....	6.5
Hudson, N. Y.	.....	.....	.....	57.3	8.3	8 4	.....
Little Falls, N. Y.	.....	.....	7.5	22.9	.....	7 9	8.0
Niagara Falls, N. Y.	.....	5.4	5.5	2.8	44.1	18.2	9.5
Port Chester, N. Y.	.....	.....	.....	19.9	.....	21.4	15.1
Poughkeepsie, N. Y.	.....	.....	33.3	6.8	6.8	6.9	10.5
Rome, N. Y.	.....	.....	.....	.....	31.6	.....	9.4
Schenectady, N. Y.	1.0	2.0	1.0	15.4	91.5	.....	3.9
Troy, N. Y.	2.6	2.6	2.6	6.4	.....	2.6	29.9
Yonkers, N. Y.	5.8	6.0	2.1	4.3	4.4	5.8	21.3
Winston-Salem, N. C.[3]	9.1	22.5	.....	3.4	3.6	4.8	.....
Akron, Ohio	5.3	4.4	9.6	8.7	10.3	26.7	37.3
Elyria, Ohio	25.6	.....	5.6	.....	11.9	.....	.....
Ironton, Ohio	7.1	7.2	.....	.....	7.4	22.3	7.5
Lakewood, Ohio	8.4	4.4	9.3	54.4	10.5	5.6	24.1
Marietta, Ohio	13.5	.....	.....	.....	.....	7.8	46.6
Youngstown, Ohio	1.8	6.5	4.8	4.0	11.1	39.3	4.8
Beaver Falls, Pa.	.....	.....	22.5	15.3	7.8	7.9	.....
Braddock, Pa.	.....	.....	.....	33.4	38.9	9.9	5.0
Bradford, Pa.	.....	.....	.....	.....	26.9	.....	.....
Carbondale, Pa.	.....	15.6	.....	.....	5.5	11.2	22.9
Carnegie, Pa.	.....	8.6	.....	9.0	55.2	.....	19.3
Duquesne, Pa.	9.7	5.0	.....	26.9	11.2	11.6	.....
Easton, Pa.	.....	.....	.....	26.8	3.4	.....	3.5
Erie, Pa.	3.9	1.3	.....	1.4	33.8	67.5	2.9
Farrell, Pa.[4]	9.6	38.5	19.2	.....	(5)	(5)	9.8
Hazleton, Pa.	.....	3.5	25.0	21.8	.....	7.5	.....
Homestead, Pa.	.....	8.9	.....	23.5	4.8	.....	.....
Johnstown, Pa.	4.3	.....	.....	6.2	9.6	6.6	22.5
McKees Rocks, Pa.	.....	.....	.....	21.9	5.7	.....	.....
Mahanoy City, Pa.	.....	.....	5.8	5.9	12.0	12.1	49.3
Mount Carmel, Pa.	.....	.....	.....	5.2	5.3	.....	22.1
North Braddock, Pa.	.....	.....	20.5	28.4	14.8	.....	16.0
Old Forge, Pa.	.....	.....	.....	7.3	7.6	.....	25.0
Pittston, Pa.	.....	5.4	.....	5.6	28.6	11.7	6.0
Plymouth, Pa.	5.1	5.2	16.0	38.0	5.5	.....	.....
Pottsville, Pa.	8.8	.....	.....	4.6	.....	28.6	33.7
Shamokin, Pa.	.....	4.7	.....	38.4	48.3	14.6	.....
Sharon, Pa.	.....	5.4	16.6	.....	.....	.....	38.0
Shenandoah, Pa.	6.7	3.4	3.5	14.2	101.7	177.8	219.4
South Bethlehem, Pa.	.....	.....	.....	17.5	22.6	.....	4.8
Wilkinsburg, Pa.	4.2	.....	4.5	50.7	19.0	4.9	5.1
El Paso, Tex.	10.1	3.1	16.7	10.1	10.6	29.1	19.1
Ogden, Utah	3.1	6.4	.....	13.5	10.5	3.6	59.9
Rutland, Vt.	13.3	6.7	.....	6.9	63.3	.....	7.2
Lynchburg, Va.	.....	3.0	.....	9.4	6.4	13.0	33.3
Aberdeen, Wash.	14.0	.....	.....	.....	.....	.....	33.6
Beloit, Wis.	5.4	.....	.....	46.7	.....	.....	.....
Green Bay, Wis.	6.7	3.4	17.4	21.4	18.3	18.7	11.6
Kenosha, Wis.	9.1	6.3	.....	.....	16.0	203.1	22.1
Manitowoc, Wis.	.....	.....	7.3	.....	52.1	15.0	.....
Racine, Wis.	.....	21.5	6.6	29.2	4.6	7.0	9.5
Sheboygan, Wis.	55.3	7.0	7.1	10.8	10.9	14.7	3.7
Superior, Wis.	.....	2.2	.....	31.6	4.6	.....	4.8
Wausau, Wis.	45.8	.....	.....	10.9	5.6	11.4	46.8

[1] Incorporated in 1906; population not estimated.
[2] Not added to registration area until a later date.
[3] Salem consolidated with Winston, May, 1913.
[4] Name changed from South Sharon (incorporated in 1901) in 1912.
[5] Population not estimated.

Helena, Mont. (58), Sheboygan, Wis. (55.3), Ironwood, Mich. (46.4), Wausau, Wis. (45.8), and Escanaba, Mich. (37.8), show the highest rates for the minor cities, while Schenectady, N. Y. (1), Youngstown, Ohio (1.8), Waterbury, Conn. (2.2), Fitchburg, Mass. and Decatur, Ill. (each 2.4), and Manchester, N. H. (2.5), show the lowest rates in 1917. Only 14 cities show rates for each year of the series, namely, Hartford, Conn., Decatur, Ill., Haverhill, Mass., Duluth, Minn., Butte, Mont., Dunkirk and Yonkers, N. Y., Akron, Lakewood, and Youngstown, Ohio, Shenandoah, Pa., El Paso, Tex., and Green Bay and Sheboygan, Wis.

WHOOPING COUGH.

The number of deaths from whooping cough in 1917 is 7,837, with a death rate of 10.4 per 100,000 population. This is due to increased rates in rural part of registration states and in registration cities in nonregistration states.

The following table shows the rates per 100,000 population for 1911 to 1917 and the annual average for the five-year period 1906 to 1910, rates of 20 and higher being in boldfaced type.

AREA.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area [1]	10.4	10.2	8.1	10.3	10.0	9.3	11.3	11.5
Registration states [2]	10.5	10.6	8.3	10.3	10.3	9.3	11.2	11.8
Cities in registration states [2]	9.4	9.7	7.9	9.2	9.3	8.1	10.7	11.7
Rural part of registration states	11.6	11.4	8.6	11.4	11.3	10.4	11.8	11.9
Registration cities in nonregistration states	9.0	4.4	5.7	10.8	6.4	9.7	11.9	10.0
All registration cities [2]	9.3	9.0	7.6	9.4	8.9	8.4	10.9	11.2
REGISTRATION STATES.								
California	6.7	7.2	4.7	10.6	4.4	6.9	6.4	7.7
Colorado	5.9	4.7	9.4	8.6	7.5	11.7	6.7	12.2
Connecticut	8.2	12.5	11.7	11.5	7.6	10.0	14.0	12.8
Indiana	9.7	9.3	5.9	10.1	11.7	8.5	10.0	12.3
Kansas	6.9	5.0	10.0	8.5	(3)	(3)	(3)	(3)
Kentucky (total)	20.7	13.4	8.4	14.8	23.3	15.0	19.0	(3)
White	19.5	12.1	7.6	13.6	21.7	13.5	17.2	(3)
Colored	30.6	24.2	15.6	24.2	35.2	26.4	32.6	(3)
Maine	5.8	16.2	10.4	12.5	5.1	7.2	9.8	10.8
Maryland (total)	9.9	12.7	6.8	14.5	15.4	11.0	14.7	18.5
White	7.1	7.7	4.7	9.3	10.1	7.3	10.1	11.6
Colored	23.9	37.2	16.9	38.6	39.8	27.8	35.8	49.2
Massachusetts	6.3	10.7	12.8	8.4	8.6	9.7	14.6	13.2
Michigan	11.8	7.5	7.8	9.7	9.4	8.5	8.5	10.9
Minnesota	4.1	9.7	7.3	8.7	6.6	9.8	8.2	(4)
Missouri	9.5	11.0	8.1	12.7	9.2	12.4	12.9	(3)
Montana	9.1	17.2	8.1	4.2	11.0	13.8	6.9	(4)
New Hampshire	12.4	12.0	10.9	11.9	9.4	9.7	12.2	13.3
New Jersey	9.7	9.3	8.6	9.5	12.9	7.2	12.6	12.8
New York	8.6	7.8	7.7	7.1	7.9	6.6	8.4	8.3
North Carolina (total)	23.1	16.7	[5]14.4	[5]16.5	[6]28.7	[6]24.6	[6]46.2	(4)
White	18.0	10.7	9.9	12.3	23.3	17.6	21.9	(4)
Colored	34.3	29.9	23.1	24.6	38.6	37.6	91.0	(4)
Ohio	11.4	13.3	7.0	7.5	13.7	8.9	11.4	(4)
REGISTRATION STATES—contd.								
Pennsylvania	10.3	12.2	6.8	11.4	11.1	10.2	12.7	16.5
Rhode Island	7.8	7.7	18.7	13.9	6.9	9.5	21.7	12.2
South Carolina (total)	12.4	17.2	(3)	(3)	(3)	(3)	(3)	(3)
White	3.8	9.9	(3)	(3)	(3)	(3)	(3)	(3)
Colored	19.9	23.4	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	17.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	16.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	25.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	3.6	7.4	20.3	11.8	9.9	17.7	6.8	(4)
Vermont	8.5	12.4	6.3	10.0	11.1	6.7	7.6	10.6
Virginia (total)	22.4	20.1	14.6	31.6	13.2	(3)	(3)	(3)
White	13.9	13.7	9.4	18.7	12.5	(3)	(3)	(3)
Colored	41.5	34.3	26.3	58.4	14.7	(3)	(3)	(3)
Washington	7.1	5.0	2.9	4.0	7.7	5.5	5.7	(4)
Wisconsin	8.3	7.0	7.7	5.8	7.4	8.3	8.7	(4)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910								
Birmingham, Ala (total)	29.5	3.9	7.5	25.9	15.2	26.0	20.5	(4)
White	8.4	1.8	0.9	19.9	16.7	9.9	24.2	(4)
Colored	65.4	7.4	18.3	35.1	12.8	50.6	14.9	(4)
Los Angeles, Calif	3.5	9.7	2.5	2.5	6.8	10.1	5.5	5.2
Oakland, Calif	3.4	2.5	10.0	15.3	1.1	9.6	3.8	10.8
San Francisco, Calif	5.9	3.9	4.6	12.3	3.6	5.1	6.8	8.0
Denver, Colo	0.7	1.2	6.3	3.7	5.5	11.3	5.4	7.6
Bridgeport, Conn	3.2	12.3	19.4	18.2	7.1	9.2	7.6	14.7
New Haven, Conn	9.9	12.7	6.8	4.8	7.8	12.9	13.2	15.2
Washington, D. C. (total)	4.6	10.2	5.3	5.4	4.9	18.4	7.4	11.3
White	3.0	4.9	3.1	2.4	1.2	8.6	5.4	6.0
Colored	8.9	24.0	11.1	12.8	14.0	42.7	12.4	24.2
Atlanta, Ga. (total)	10.7	2.6	17.3	17.8	17.8	13.8	24.3	18.0
White	6.6	2.3	8.7	8.4	10.4	4.5	16.9	12.7
Colored	20.0	3.4	36.2	36.6	32.6	32.1	39.0	28.2
Chicago, Ill	7.9	4.0	2.7	9.3	4.0	6.0	2.3	8.2
Indianapolis, Ind	7.4	9.1	6.4	6.2	14.2	1.2	7.5	13.2
Louisville, Ky. (total)	11.6	10.9	4.6	7.2	17.2	12.2	7.5	11.4
White	9.1	8.6	4.1	7.3	9.9	12.8	4.8	7.7
Colored	23.8	21.5	7.2	7.0	49.7	9.6	19.4	28.3
New Orleans, La. (total)	5.8	3.8	4.9	5.3	3.1	2.0	28.1	7.5
White	4.3	3.3	3.3	4.9	1.9	0.8	28.7	6.4
Colored	10.2	5.2	9.4	6.3	6.4	5.4	26.3	10.3
Baltimore, Md. (total)	6.1	10.2	3.6	14.3	6.8	7.5	8.1	15.4
White	5.3	7.4	2.6	8.3	4.9	5.0	5.9	9.5
Colored	10.1	26.0	9.1	47.6	17.1	21.9	20.9	47.8
Boston, Mass	4.9	9.7	14.9	6.4	13.4	10.7	14.8	14.9
Cambridge, Mass	3.5	9.7	11.6	9.1	9.2	6.5	22.5	20.0
Fall River, Mass	16.9	13.2	21.3	17.5	11.3	4.9	17.9	15.7
Lowell, Mass	6.1	9.7	16.9	8.1	4.6	12.9	15.6	10.0
Worcester, Mass	18.7	5.5	13.1	8.2	5.8	10.5	7.3	13.8
Detroit, Mich	24.7	11.1	13.3	15.6	19.2	15.9	5.5	16.4
Grand Rapids, Mich	9.0	4.7	1.6	4.9	0.8	1.7	5.2	4.8
Minneapolis, Minn	4.8	7.4	4.8	12.8	4.5	2.8	15.4	7.0
St. Paul, Minn	2.0	6.9	5.4	3.8	5.6	5.3	10.0	6.4
Kansas City, Mo	16.0	2.7	3.8	11.7	8.8	4.5	10.1	6.0
St. Louis, Mo	4.2	9.8	3.4	12.0	3.7	9.0	4.0	7.2
Omaha, Nebr	12.4	1.8	10.4	7.5	2.3	14.0	0.8	12.8
Jersey City, N. J	7.3	5.2	13.0	4.1	12.9	12.8	11.2	10.9
Newark, N. J	13.6	6.4	8.8	5.9	11.3	5.1	12.1	14.7
Paterson, N. J	7.1	2.2	6.6	5.2	8.3	2.3	12.4	11.8
Albany, N. Y	1.9	12.3	14.5	4.9	9.8	16.7	.....	10.5
Buffalo, N. Y	10.9	8.8	4.6	16.5	6.0	5.5	9.0	10.7
New York, N. Y	8.7	6.9	7.2	4.9	7.7	5.3	7.5	6.8
Bronx Borough [7]	9.8	6.8	7.2	3.2	8.9	3.1	7.9	7.3
Brooklyn Borough [7]	8.5	4.8	4.5	4.1	7.2	4.8	5.0	6.5
Manhattan Borough [7]	8.8	8.3	9.0	5.8	7.3	6.0	8.5	6.8
Queens Borough [7]	8.7	7.1	9.1	5.0	10.7	6.7	8.2	7.7
Richmond Borough [7]	5.0	9.2	6.3	6.4	10.9	3.3	22.4	9.1
Rochester, N. Y	7.2	9.3	9.6	2.4	11.9	4.8	8.8	6.5
Syracuse, N. Y	5.7	14.8	5.9	12.7	4.8	11.1	12.0	10.3
Cincinnati, Ohio	8.7	10.5	3.7	10.9	11.3	8.8	5.0	6.3
Cleveland, Ohio	17.8	6.4	11.4	6.9	10.0	5.4	14.7	8.4
Columbus, Ohio	2.3	13.5	4.8	6.8	12.5	2.1	11.7	7.0
Dayton, Ohio	11.6	5.5	7.2	12.1	2.5	13.3	9.3	14.8
Toledo, Ohio	11.4	6.1	12.8	7.1	4.4	14.7	15.0	7.2
Portland, Oreg	1.0	2.7	1.1	1.2	4.1	8.1	2.7	4.7
Philadelphia, Pa	9.4	7.5	2.6	14.8	6.4	5.9	6.9	17.0
Pittsburgh, Pa	10.2	18.8	7.9	9.0	15.4	10.4	18.8	17.8
Scranton, Pa	5.3	3.4	3.5	14.9	7.9	8.8	4.5	10.2
Providence, R. I	1.9	4.7	16.0	9.8	6.7	9.8	19.5	13.7

(See footnotes at end of table.)

AREA.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Memphis, Tenn. (total)	23.0	(8)	0.7	9.1	9.3	3.6	15.8	17.8
White	18.5	(8)	.....	4.7	7.1	3.6	12.5	10.1
Colored	31.3	(8)	1.9	15.7	12.5	3.6	20.6	28.7
Nashville, Tenn. (total)	6.8	(8)	2.6	20.9	8.8	33.7	33.2	18.1
White	3.7	(8)	3.8	14.3	7.9	21.2	28.2	10.9
Colored	13.9	(8)	.....	34.2	10.6	58.9	43.4	32.3
Richmond, Va. (total)	27.7	30.0	6.5	51.1	11.3	3.8	31.7	26.5
White	13.7	13.9	.....	21.1	8.3	2.4	19.5	17.3
Colored	53.1	58.9	18.0	103.2	16.4	6.2	52.8	42.3
Seattle, Wash	3.3	5.2	1.5	3.2	8.1	2.2	7.5	5.7
Spokane, Wash	1.9	3.3	10.5	.....	7.0	5.0	7.1	11.2
Milwaukee, Wis	12.4	8.7	12.4	3.3	3.4	18.5	2.3	11.0

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to boroughs of residence.
[8] Transcripts for deaths not received.

Of the 26 states for which rates are shown for 1917 and 1916, 13 have higher rates in 1917. The only states which show in 1917 rates in excess of 20 per 100,000 are North Carolina (23.1), Virginia (22.4), and Kentucky (20.7), and the only cities of 100,000 population of more in 1910 which show rates above 20 in 1917 are Birmingham (29.5), Richmond (27.7), Detroit (24.7), and Memphis (23).

The high rates for the Southern states here mentioned are due chiefly to their large colored populations, among which the mortality from this disease is nearly twice as high as among the white population. Very low rates are shown for Utah (3.6), Minnesota (4.1), Maine (5.8), Colorado (5.9), and Massachusetts (6.3).

Of the 48 cities for which rates are shown for the past two years, 24 show increases in 1917 over 1916. Those in which increases are most pronounced are Birmingham (from 3.9 to 29.5); Detroit (from 11.1 to 24.7); Worcester (from 5.5 to 18.7); Kansas City, Mo. (from 2.7 to 16); and Cleveland (from 6.4 to 17.8). Cities which show very low rates in 1917 are Denver (0.7); Portland, Oreg. (1); Albany, Providence, and Spokane (each 1.9).

The following table shows the death rates per 100,000 population for the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population), which in any of these years have rates of 20 or more per 100,000 population, such rates being printed in boldfaced type.

CITY.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Mobile, Ala	18.6	5.2	1.8	16.2	12.8	3.7	20.9
Montgomery, Ala	20.4	4.6	16.5	4.8	17.1	5.0	13.0
Bakersfield, Calif	5.7	11.9	.....	57.9	.....	35.2	.....
Eureka, Calif	.....	.....	.....	21.8	.....	.....	.....
Fresno, Calif	35.8	17.2	3.0	16.8	3.5	10.9	3.8
Pomona, Calif	14.7	7.6	.....	32.8	8.5	.....	.....
San Bernardino, Calif	11.4	.....	30.7	.....	6.7	7.0	.....
Pueblo, Colo	1.8	5.5	1.9	9.8	16.1	2.1	23.7
Ansonia, Conn	11.8	18.0	48.6	6.2	6.3	44.6	.....
Bristol, Conn	24.5	12.6	12.9	6.6	6.8	20.9	35.8
Danbury town, Conn	.....	3.8	31.2	4.0	.....	8.2	8.3
Greenwich town, Conn	30.6	.....	.....	10.9	.....	5.7	23.5
Manchester town, Conn	6.3	.....	39.4	.....	.....	24.9	14.3
Meriden town, Conn	8.7	8.8	3.0	41.8	.....	6.1	21.6
Middletown town, Conn	.....	4.4	.....	27.1	32.1	18.6	9.5
Naugatuck, Conn	.....	35.5	7.2	7.3	.....	.....	7.7
New Britain, Conn	18.1	20.4	11.5	11.9	10.2	4.2	45.8
New London, Conn	23.6	9.5	9.6	4.9	9.8	5.0	10.0
Norwalk, Conn	7.3	37.2	18.9	15.4	11.7	4.0	24.3
Norwich town, Conn	.....	3.4	24.0	3.4	.....	.....	24.6
Stamford town, Conn	2.8	8.5	8.8	21.2	6.2	16.1	6.7
Torrington town, Conn	.....	20.4	.....	32.1	5.5	11.2	5.8
Wallingford town, Conn	.....	8.0	.....	24.9	.....	8.6	.....
Key West, Fla	4.5	.....	.....	18.9	.....	.....	116.1
Pensacola, Fla	14.9	.....	7.8	15.9	32.4	(1)	(1)
Augusta, Ga	11.8	.....	10.0	34.4	4.1	(1)	(1)
Savannah, Ga	4.3	5.8	8.8	39.8	3.0	16.7	58.0
Aurora, Ill	31.6	2.9	.....	3.0	21.6	15.7	.....
Decatur, Ill	7.2	15.1	20.8	10.7	11.0	5.6	12.3
Quincy, Ill	2.7	2.7	24.5	5.4	.....	32.7	2.7
Springfield, Ill	.....	16.4	1.7	6.9	24.8	14.6	11.3
Anderson, Ind	20.6	33.3	12.6	.....	4.3	.....	22.0
East Chicago, Ind	23.1	.....	11.0	7.8	.....	31.0	4.8
Elwood, Ind	27.2	9.1	36.3	.....	38.4	.....	.....
Evansville, Ind	26.0	7.9	.....	21.0	7.1	7.2	16.9
Gary, Ind	23.2	11.9	17.9	(2)	(2)	(2)	23.8
Hammond, Ind	33.3	11.5	11.8	8.2	38.1	4.4	4.6
Huntington, Ind	9.1	18.4	.....	.....	28.8	28.9	9.7
Jeffersonville, Ind	19.2	.....	.....	9.7	.....	.....	38.6
Kokomo, Ind	.....	14.3	4.9	.....	26.2	.....	5.6
Laporte, Ind	.....	7.6	23.4	8.0	8.2	8.7	27.4
Logansport, Ind	4.7	9.5	4.8	19.7	20.0	5.1	5.2
Marion, Ind	5.0	10.1	20.3	10.2	10.2	.....	30.8
Mishawaka, Ind	.....	.....	.....	.....	14.3	30.1	.....
Muncie, Ind	7.8	7.9	7.9	4.0	32.3	8.2	41.2
New Albany, Ind	25.4	12.7	.....	.....	33.9	19.4	14.5
South Bend, Ind	8.5	2.9	7.5	3.1	31.6	9.8	1.7
Vincennes, Ind	16.6	11.3	5.8	11.9	49.0	.....	.....
Coffeyville, Kans	21.8	.....	11.9	12.5	.....	6.9	(1)
Independence, Kans	13.2	6.9	28.8	.....	7.9	33.1	(1)
Leavenworth, Kans	.....	25.8	.....	26.6	5.3	26.2	9.0
Parsons, Kans	6.3	12.9	6.7	.....	7.1	29.6	(1)
Pittsburg, Kans	.....	.....	5.8	11.9	.....	31.5	(1)
Frankfort, Ky	.....	18.1	.....	.....	46.4	9.4	.....
Henderson, Ky	32.5	.....	16.6	41.8	50.7	8.5	8.6
Lexington, Ky	.....	2.4	30.2	2.6	10.5	10.8	2.8
Owensboro, Ky	49.8	.....	.....	11.6	17.7	18.0	.....
Paducah, Ky	.....	20.1	8.2	12.4	25.2	29.8	4.3
Monroe, La	36.5	(1)	(1)	(1)	(1)	(1)	(1)
Auburn, Me	.....	36.6	.....	6.3	12.7	.....	6.5
Augusta, Me	.....	21.1	.....	7.2	7.3	.....	.....
Biddeford, Me	11.3	.....	51.2	.....	.....	17.4	29.1
Lewiston, Me	24.9	71.9	3.6	3.7	14.8	11.2	15.1
Portland, Me	4.6	23.5	6.3	19.3	1.6	.....	11.7
Cumberland, Md	.....	19.2	.....	4.0	25.7	8.7	8.9
Frederick, Md	8.9	36.0	9.1	.....	.....	18.8	19.0
Hagerstown, Md	15.3	3.9	7.9	.....	57.3	.....	23.7
Adams town, Mass	.....	.....	21.4	7.2	14.7	7.4	30.4
Chicopee, Mass	6.7	51.2	24.4	14.3	.....	18.7	26.2
Clinton town, Mass	22.9	15.3	.....	7.8	.....	15.5	.....
Everett, Mass	2.5	10.2	15.7	2.7	30.2	22.5	11.6
Fitchburg, Mass	9.4	19.1	19.4	2.5	2.5	10.2	41.0
Framingham town, Mass	.....	7.2	14.5	.....	.....	15.0	22.6
Gardner town, Mass	.....	5.8	17.9	24.5	.....	.....	26.1
Gloucester, Mass	.....	61.5	.....	.....	12.6	12.5	16.7
Greenfield town, Mass	.....	25.0	8.5	.....	44.5	.....	.....
Haverhill, Mass	8.1	12.4	2.1	6.4	15.1	21.9	4.4
Lawrence, Mass	4.9	12.9	33.6	5.2	20.3	5.5	15.6
Lynn, Mass	2.9	6.8	4.0	9.2	11.4	14.9	20.6
Melrose, Mass	.....	22.9	.....	.....	6.0	6.1	.....

(See footnotes at end of table.)

CITY.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Methuen town, Mass	27.9	14.4	22.2	7.6	7.9	16.2	8.2
Milford town, Mass	7.0	.....	14.3	.....	.....	37.2	37.6
New Bedford, Mass	10.7	14.4	17.4	20.7	6.5	7.7	32.3
Newburyport, Mass	.....	6.6	.....	13.2	.....	.....	40.0
Newton, Mass	2.3	2.3	20.9	.....	.....	2.4	7.4
Northampton, Mass	.....	10.0	15.1	.....	.....	30.6	5.2
Peabody, Mass	5.3	5.4	5.6	11.4	23.4	.....	30.6
Plymouth town, Mass	7.1	.....	.....	166.3	.....	7.9	56.5
Quincy, Mass	7.7	2.6	10.7	11.0	25.4	5.8	5.9
Salem, Mass	14.2	6.2	6.3	.....	13.0	6.6	24.3
Southbridge town, Mass	6.9	14.1	7.2	7.3	.....	22.8	15.4
Taunton, Mass	.....	11.0	25.0	19.6	2.8	25.7	25.7
Wakefield town, Mass	15.4	.....	55.9	.....	8.3	.....	34.2
Watertown town, Mass	.....	.....	.....	35.1	.....	.....	.....
Webster town, Mass	7.4	7.6	15.5	.....	24.2	33.0	.....
Westfield town, Mass	.....	10.9	11.1	5.7	.....	41.5	.....
Alpena, Mich	.....	15.1	.....	7.6	.....	.....	23.5
Ann Arbor, Mich	6.6	.....	.....	20.1	6.7	.....	6.7
Escanaba, Mich	6.3	25.8	.....	20.3	7.0	.....	14.7
Flint, Mich	26.1	16.4	9.6	10.1	8.5	15.8	9.2
Ironwood, Mich	19.9	20.3	6.9	.....	7.2	.....	14.9
Jackson, Mich	16.7	2.8	23.0	.....	9.0	3.0	3.1
Lansing, Mich	9.0	4.8	23.1	8.0	8.3	2.9	11.9
Manistee, Mich	.....	8.1	.....	.....	8.5	8.4	32.5
Marquette, Mich	15.9	24.2	.....	.....	.....	42.3	68.5
Muskegon, Mich	.....	42.1	.....	.....	.....	.....	48.6
Pontiac, Mich	27.8	11.4	11.7	6.0	12.4	12.8	.....
Saginaw, Mich	23.0	1.8	3.6	14.8	5.6	7.6	3.9
Sault Ste. Marie, Mich	.....	.....	7.3	.....	22.6	.....	.....
Traverse City, Mich	.....	7.2	22.2	.....	.....	7.9	24.4
St. Cloud, Minn	.....	16.9	.....	35.0	17.8	.....	.....
Stillwater, Minn	.....	.....	.....	.....	.....	10.3	20.7
Virginia, Minn	.....	.....	34.6	.....	.....	16.5	17.3
Winona, Minn	5.4	5.4	.....	27.6	.....	.....	27.5
Hannibal, Mo	.....	4.6	9.4	38.6	5.0	5.1	10.5
Jefferson City, Mo	36.5	.....	7.5	.....	55.7	.....	.....
Joplin, Mo	12.0	12.0	12.1	3.0	9.2	21.6	24.8
Moberly, Mo	.....	7.8	8.0	49.3	.....	.....	17.7
Sedalia, Mo	15.2	.....	26.1	.....	.....	10.9	5.5
Springfield, Mo	4.9	5.0	5.1	10.3	21.1	.....	16.4
Webb City, Mo	21.3	57.9	22.1	7.5	15.3	23.5	24.0
Anaconda, Mont	9.4	75.7	.....	9.6	29.0	.....	48.9
Butte, Mont	4.5	66.8	.....	4.7	29.2	2.5	10.0
Great Falls, Mont	21.5	7.2	7.2	7.4	7.3	36.4	7.2
Helena, Mont	.....	22.0	.....	.....	30.6	.....	7.9
Missoula, Mont	.....	5.5	.....	.....	6.4	13.5	21.6
Berlin, N. H	21.6	29.4	7.5	7.7	23.6	16.1	33.0
Keene, N. H	9.3	18.8	28.5	9.6	.....	.....	9.8
Laconia, N. H	8.5	.....	.....	18.0	27.6	.....	19.1
Manchester, N. H	11.3	10.2	31.2	35.7	8.1	2.7	22.3
Nashua, N. H	29.0	11.0	3.7	3.7	11.2	22.7	7.6
Portsmouth, N. H	.....	68.6	.....	17.3	8.7	8.8	8.8
Asbury Park, N. J	.....	50.0	.....	.....	.....	17.4	.....
Bayonne, N. J	6.9	10.0	14.8	4.6	1.6	34.6	13.6
Bridgeton, N. J	13.9	.....	.....	20.9	21.0	.....	7.0
Camden, N. J	9.2	16.9	6.7	19.5	25.8	4.1	14.4
Garfield, N. J	13.2	6.9	36.4	.....	32.3	.....	.....
Hackensack, N. J	.....	47.2	.....	12.5	70.8	.....	.....
Harrison, N. J	5.8	17.7	24.2	.....	12.7	13.0	53.6
Irvington, N. J	35.9	.....	.....	.....	.....	15.0	7.7
Kearny, N. J	4.1	8.5	17.6	4.6	4.7	.....	35.2
Millville, N. J	29.0	29.4	.....	22.6	30.6	69.9	.....
Montclair, N. J	11.1	.....	.....	.....	4.2	4.3	30.7
Morristown, N. J	22.4	7.5	7.6	15.3	7.7	15.6	39.7
New Brunswick, N. J	7.7	27.4	23.8	.....	16.3	16.6	34.1
Perth Amboy, N. J	2.3	29.1	7.6	20.9	40.8	2.8	23.8
Phillipsburg, N. J	.....	6.4	13.0	19.9	20.3	.....	35.6
Trenton, N. J	10.5	11.6	2.7	21.5	7.7	2.9	21.0
Union, N. J	.....	4.0	.....	.....	21.7	.....	18.2
West Hoboken, N. J	6.8	4.6	7.2	4.9	15.2	.....	24.3
West New York, N. J	30.6	16.0	5.6	5.9	12.3	6.5	13
Amsterdam, N. Y	.....	24.3	11.1	.....	2.9	18.0	12.1
Batavia, N. Y	7.4	15.0	15.3	7.9	24.2	.....	58.5
Binghamton, N. Y	23.7	7.4	20.7	7.7	1.9	17.9	14.1
Cohoes, N. Y	19.8	15.9	23.9	24.0	.....	4.0	36.2
Corning, N. Y	.....	6.5	.....	.....	.....	14.0	43.5
Cortland, N. Y	.....	7.7	.....	.....	.....	8.3	25.9
Dunkirk, N. Y	32.8	.....	5.0	45.9	31.5	5.4	33.9
Elmira, N. Y	2.6	.....	23.7	2.6	5.3	8.0	5.3
Fulton, N. Y	.....	8.4	34.3	26.2	17.8	.....	36.7
Geneva, N. Y	.....	43.8	.....	7.5	.....	.....	8.0
Hornell, N. Y	13.5	6.8	.....	13.9	.....	.....	36.4
Hudson, N. Y	.....	7.9	55.9	.....	33.3	8.4	.....
Ithaca, N. Y	.....	.....	44.6	.....	.....	6.6	6.7
Kingston, N. Y	7.4	11.2	11.3	.....	7.6	22.9	.....

CITY.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Lackawanna, N. Y	111.0	50.0	63.5	78.9	50.1	47.4	19.5
Little Falls, N. Y	7.3	.....	15.1	.....	46.6	7.9	.....
Lockport, N. Y	.....	20.1	.....	10.2	.....	25.9	27.6
Middletown, N. Y	6.3	.....	.....	25.6	.....	12.9	.....
Newburgh, N. Y	.....	6.8	20.5	.....	.....	3.5	10.6
Niagara Falls, N. Y	13.0	37.5	2.8	17.1	35.3	6.1	35.0
North Tonawanda, N. Y	28.4	7.3	7.4	30.3	31.0	7.9	24.2
Ogdensburg, N. Y	.....	17.9	.....	30.4	.....	30.8	.....
Ossining, N. Y	.....	7.3	.....	.....	31.7	.....	16.3
Oswego, N. Y	4.1	29.0	.....	50.3	12.6	12.7	.....
Peekskill, N. Y	5.3	.....	.....	28.9	5.9	.....	31.7
Plattsburg, N. Y	15.3	.....	8.0	.....	.....	34.1	.....
Port Chester, N. Y	23.9	.....	6.4	.....	13.7	.....	.....
Poughkeepsie, N. Y	9.7	32.9	16.7	3.4	10.3	3.5	14.0
Rensselaer, N. Y	.....	8.9	.....	36.3	36.5	9.2	9.3
Rome, N. Y	.....	50.6	21.5	.....	.....	18.5	.....
Saratoga Springs, N. Y	.....	28.9	50.7	.....	.....	.....	.....
Troy, N. Y	21.8	1.3	1.3	14.2	.....	3.9	22.1
Watertown, N. Y	55.9	13.4	.....	3.5	38.8	7.2	3.7
Watervliet, N. Y	.....	.....	19.4	39.0	.....	.....	26.3
White Plains, N. Y	.....	13.4	9.9	20.6	.....	11.3	41.1
Asheville, N. C	7.8	4.8	4.9	9.9	30.3	30.8	.....
Charlotte, N. C	14.7	22.6	.....	15.8	24.3	11.1	25.9
Durham, N. C	45.9	.....	16.7	13.1	9.2	9.7	20.4
Greensboro, N. C	9.9	5.1	36.9	38.1	33.7	11.6	.....
Raleigh, N. C	39.5	24.8	10.0	10.1	20.3	15.4	77.5
Wilmington, N. C	9.9	.....	10.2	14.4	22.0	3.7	239.3
Winston-Salem, N. C.[3]	81.5	6.4	19.9	17.2	46.5	14.3	29.9
Akron, Ohio	20.3	48.6	2.4	3.7	25.8	12.0	20.7
Alliance, Ohio	10.2	5.3	.....	5.6	29.2	.....	6.3
Ashtabula, Ohio	36.4	18.6	.....	19.5	40.1	.....	10.6
Bellaire, Ohio	.....	20.9	14.2	7.2	29.3	7.5	15.2
Cambridge, Ohio	14.5	7.4	15.2	.....	32.4	8.3	8.5
Chillicothe, Ohio	32.0	12.9	.....	6.6	33.3	.....	.....
East Liverpool, Ohio	26.2	53.1	9.0	9.1	55.8	14.2	14.4
Elyria, Ohio	.....	.....	27.8	5.7	23.8	18.5	.....
Findlay, Ohio	33.7	.....	.....	7.3	.....	.....	13.8
Hamilton, Ohio	7.3	7.4	15.1	20.6	18.4	2.7	35.5
Ironton, Ohio	14.2	14.3	.....	7.3	14.7	44.7	30.1
Lakewood, Ohio	4.2	8.8	9.3	4.9	.....	5.6	36.1
Lancaster, Ohio	.....	6.4	.....	.....	20.8	28.6	.....
Lima, Ohio	8.1	28.3	17.3	2.9	6.0	3.1	19.2
Lorain, Ohio	13.1	27.1	5.6	2.9	6.0	15.7	13.1
Marietta, Ohio	.....	27.3	6.8	.....	6.8	.....	31.1
Marion, Ohio	8.3	.....	.....	18.2	4.7	20.4	5.3
Massillon, Ohio	38.7	.....	.....	6.7	6.8	6.9	7.1
Middletown, Ohio	48.8	38.4	6.6	6.7	27.7	7.1	44.0
Newark, Ohio	16.5	.....	6.9	3.5	32.6	11.1	7.6
Norwood, Ohio	.....	35.9	4.7	.....	.....	.....	11.5
Portsmouth, Ohio	88.6	13.9	.....	14.5	26.0	15.2	39.0
Sandusky, Ohio	29.7	.....	.....	19.9	10.0	5.0	20.0
Springfield, Ohio	7.6	25.2	.....	2.0	18.3	26.8	4.2
Steubenville, Ohio	17.7	61.9	3.8	15.5	12.0	33.1	.....
Warren, Ohio	.....	.....	.....	.....	50.7	.....	17.6
Youngstown, Ohio	11.6	31.4	2.9	3.0	23.3	4.6	19.3
Zanesville, Ohio	6.4	3.2	23.0	10.0	.....	17.2	.....
Altoona, Pa	10.0	11.9	10.4	15.9	32.4	1.8	7.5
Beaver Falls, Pa	7.3	29.6	.....	.....	15.5	31.4	24.1
Braddock, Pa	4.5	4.6	28.2	9.6	34.0	29.7	5.0
Bradford, Pa	6.9	6.9	6.9	20.2	6.7	20.8	.....
Butler, Pa	3.5	10.9	3.8	15.7	12.2	34.1	13.6
Carbondale, Pa	5.1	15.6	.....	21.6	.....	.....	.....
Carlisle, Pa	.....	.....	.....	47.2	19.0	.....	.....
Chambersburg, Pa	16.0	8.1	16.3	41.0	16.5	.....	8.4
Chester, Pa	4.8	31.4	7.3	2.5	.....	30.3	2.6
Coatesville, Pa	.....	6.9	.....	29.9	7.8	8.1	.....
Columbia, Pa	8.7	.....	.....	27.1	.....	.....	.....
Connellsville, Pa	18.9	12.9	20.0	.....	.....	7.3	7.5
Dubois, Pa	20.0	27.3	.....	.....	.....	30.0	.....
Dunmore, Pa	9.4	.....	9.9	5.1	36.4	5.3	.....
Duquesne, Pa	29.1	35.1	15.6	.....	22.3	17.4	36.3
Easton, Pa	6.5	29.5	.....	3.3	30.4	3.4	6.9
Erie, Pa	1.3	42.6	1.4	18.0	7.0	21.5	7.3
Farrell, Pa.[4]	38.5	57.7	.....	(5)	(5)	(5)	9.8
Greensburg, Pa	25.2	12.9	.....	47.7	14.0	14.4	7.6
Homestead, Pa	4.3	13.4	9.1	32.9	33.9	10.0	30.9
Johnstown, Pa	18.4	33.6	3.0	10.8	9.6	3.3	29.4
McKees Rocks, Pa	.....	35.1	.....	16.4	17.2	.....	12.7
Mahanoy City, Pa	.....	28.6	11.6	5.9	.....	.....	49.3
Meadville, Pa	.....	.....	.....	22.3	22.5	.....	23.1
Mount Carmel, Pa	14.5	34.5	10.1	20.6	15.8	27.0	27.7
New Castle, Pa	52.5	2.4	7.4	25.3	.....	21.0	40.3
North Braddock, Pa	.....	6.6	54.7	7.1	36.9	15.4	8.0
Oil City, Pa	5.0	46.6	.....	5.4	5.5	5.6	34.0
Old Forge, Pa	25.8	.....	7.0	7.3	45.6	15.9	.....

(See footnotes at end of table.)

CITY.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Phoenixville, Pa	.....	.....	17.3	26.3	.....	27.1	9.1
Pittston, Pa	.....	.....	27.4	11.1	.....	23.4	.....
Sharon, Pa	15.7	21.5	.....	17.1	23.5	.....	12.7
South Bethlehem, Pa	8.0	12.4	17.0	.....	22.6	23.3	4.8
Steelton, Pa	6.3	38.6	.....	.....	26.8	.....	13.8
Warren, Pa	.....	6.8	.....	.....	23.6	.....	.....
Washington, Pa	.....	9.3	.....	33.8	4.9	5.1	41.7
West Chester, Pa	37.3	22.8	.....	.....	16.0	8.2	16.6
Central Falls, R. I	26.8	7.8	35.8	12.1	4.1	12.6	21.2
Cumberland town, R. I	18.2	9.2	.....	9.4	9.5	9.6	29.2
East Providence town, R. I	10.8	11.0	62.0	11.5	11.8	6.0	36.8
Newport, R. I	.....	16.6	6.7	20.6	10.5	3.5	7.2
Pawtucket, R. I	6.6	.....	15.5	12.3	.....	.....	24.2
Warwick town, R. I.[6]	52.4	3.3	23.8	24.2	7.1	7.2	25.8
Woonsocket, R. I	8.8	9.0	25.4	9.4	16.9	17.4	32 8
Charleston, S. C	19.7	67.5	19.9	26.6	15.0	67.2	16.9
Columbia, S. C	.....	11.6	20.6	(1)	(1)	(1)	(1)
Greenville, S. C	5.4	16.5	56.2	(1)	(1)	(1)	(1)
Jackson, Tenn	22.3	(7)	.....	51.3	(1)	(1)	(1)
Beaumont, Tex	13.9	21.7	(1)	(1)	(1)	(1)	(1)
El Paso, Tex	36.2	7.8	23.4	16.2	6.4	6.7	4.8
San Antonio, Tex	14.8	6.5	20.9	6.1	2.7	19 8	2 9
Ogden, Utah	.....	.....	29.5	3.4	10.5	7.2	11.2
Burlington, Vt	4.6	60.1	14.0	23.5	19.0	4.8	.....
Rutland, Vt	.....	27.0	13.7	6.9	28.1	7.1	14.5
Alexandria, Va	27.9	.....	11.3	12 8	19.2	6.4	13.0
Danville, Va	34.7	15.0	5.0	50.8	10.2	20.6	104 2
Lynchburg, Va	.....	9.1	6.2	9.4	25.6	29.3	20.0
Newport News, Va	44.2	.....	4.9	39.1	.....	(1)	(1)
Norfolk, Va	9.9	19.0	9.1	41.6	10.6	8.4	52.6
Petersburg, Va	96.8	101.6	.....	75.7	8.0	32.5	77.8
Roanoke, Va	2.2	17.8	2.4	22.2	25.5	5.3	16.4
Staunton, Va	.....	.....	43.5	.....	.....	(1)	(1)
Aberdeen, Wash	4.7	.....	.....	27.4	.....	.....	26 9
North Yakima, Wash	4.5	14.3	.....	.....	.....	.....	25.9
Wheeling, W. Va	22.9	13 8	2.3	7.0	25.9	16.6	16.7
Eau Claire, Wis	10.6	26.6	5.3	10.7	.....	5.4	.....
Fond du Lac, Wis	4.7	14.2	.....	.....	20.0	10 2	.....
Janesville, Wis	.....	.....	.....	.....	.....	.....	28.7
Kenosha, Wis	51.8	3.2	.....	17.2	4.0	8.5	22.1
La Crosse, Wis	3.1	.....	3.2	3.2	3.2	3.3	26 0
Manitowoc, Wis	21.5	.....	.....	36.9	.....	.....	7.6
Marinette, Wis	34.2	.....	6.8	.....	.....	.....	41.6
Oshkosh, Wis	8.2	2.8	.....	2.8	23.1	5.9	8.9
Racine, Wis	23.2	10.8	.....	.....	9.2	18.8	2.4
Sheboygan, Wis	6.9	21.0	28.4	7.2	50.9	.....	33.4
Wausau, Wis	5.1	.....	10.7	5.4	16.7	28.6	.....

[1] Not added to registration area until a later date.
[2] Incorporated in 1906; population not estimated.
[3] Salem consolidated with Winston, May, 1913.
[4] Name changed from South Sharon (incorporated in 1901) in 1912.
[5] Population not estimated.
[6] Includes West Warwick town, organized November, 1913.
[7] Transcripts for deaths not received.

In the preceding table are shown 297 minor cities which have rates of 20 or more per 100,000 for at least one of the years 1911 to 1917. Very high rates in 1917 are shown for Lackawanna, N. Y. (111); Petersburg, Va. (96.8); Portsmouth, Ohio (88.6); and Winston-Salem, N. C. (81.5). Very low rates are shown for Erie, Pa. (1.3); Pueblo, Colo. (1.8); Roanoke, Va. (2.2); Newton, Mass., and Perth Amboy, N. J. (each 2.3); and Everett, Mass. (2.5).

DIPHTHERIA AND CROUP.

The expression "diphtheria and croup" is used as a title in the International List, but as deaths from "croup" are really deaths from diphtheria, the term croup is now seldom seen upon death certificates.

The total number of deaths from diphtheria and croup in 1917 is 12,453, corresponding to a rate of 16.5 per 100,000 population. In 1900 the death rate from this cause in the registration area was 43.3. If we assume that these figures measure the reduction in the death rate from this cause since 1900, then in round numbers there is a saving of over 27,000 lives in 1917 in the United States to be credited to the advancement made in the treatment and prevention of this disease.

The following table shows the rates per 100,000 population for the years 1911 to 1917, and the annual average for the five-year period from 1906 to 1910, rates of 40 and higher being printed in boldfaced type:

AREA.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION. [Rates of 40 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area [1]	16.5	14.5	15.7	17.9	18.8	18.2	18.9	22.4
Registration states [2]	15.7	14.0	15.2	17.3	18.2	17.6	18.3	22.4
Cities in registration states [2]	19.4	16.5	17.5	20.9	21.6	19.6	21.4	27.3
Rural part of registration states	12.3	11.7	12.9	13.8	14.7	15.5	15.1	16.8
Registration cities in nonregistration states	27.8	20.8	21.1	25.1	26.4	25.2	24.9	22.1
All registration cities [2]	20.6	17.1	18.0	21.5	22.3	20.4	21.9	26.0
REGISTRATION STATES.								
California	6.8	9.9	11.0	9.5	6.8	5.9	6.5	13.1
Colorado	5.4	4.3	5.6	7.1	7.5	6.5	11.8	18.2
Connecticut	18.7	15.3	16.0	19.6	19.1	17.1	21.9	22.6
Indiana	15.8	13.9	10.9	14.0	18.6	19.1	14.1	13.7
Kansas	8.2	10.6	13.2	9.4	(3)	(3)	(3)	(3)
Kentucky (total)	15.1	17.1	24.4	21.9	24.6	31.9	24.8	(3)
White	16.1	17.7	25.7	23.3	26.4	34.9	26.8	(3)
Colored	6.5	12.5	12.8	11.2	10.9	8.3	9.1	(3)
Maine	9.4	7.5	11.1	11.3	11.6	13.1	10.0	15.0
Maryland (total)	10.0	12.5	13.5	13.2	15.3	15.3	12.8	16.2
White	10.9	13.8	14.8	14.5	15.9	17.0	13.0	16.7
Colored	5.2	6.1	7.4	7.1	12.1	7.6	11.9	14.1
Massachusetts	22.1	16.8	20.0	18.2	17.6	14.2	16.8	23.0
Michigan	27.8	16.3	12.0	17.2	23.0	16.1	16.5	15.6
Minnesota	10.9	7.5	8.5	16.2	10.0	7.8	15.0	(4)
Missouri	17.3	15.7	20.2	20.5	17.5	18.0	20.4	(3)
Montana	8.5	8.3	4.7	8.3	5.5	3.2	7.6	(4)
New Hampshire	10.8	10.8	7.3	10.3	12.8	19.8	15.7	21.0
New Jersey	14.8	15.7	17.6	21.8	21.3	18.6	21.7	27.4
New York	16.8	14.9	17.4	20.6	19.5	17.3	20.9	28.4
North Carolina (total)	12.9	17.1	[5] 11.7	[5] 18.0	[6] 12.8	[6] 14.0	[6] 10.4	(4)
White	14.9	20.0	15.2	20.3	12.1	15.2	10.7	(4)
Colored	8.7	10.6	4.9	13.5	14.3	11.8	9.9	(4)
Ohio	14.3	12.1	13.2	15.6	21.3	22.4	15.0	(4)
Pennsylvania	23.3	19.4	19.5	23.3	25.9	25.6	27.0	20.1
Rhode Island	24.6	23.1	16.4	18.3	24.3	24.1	25.6	24.6
South Carolina (total)	9.6	8.5	(3)	(3)	(3)	(3)	(3)	(3)
White	12.2	11.8	(3)	(3)	(3)	(3)	(3)	(3)
Colored	7.3	5.6	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	14.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	16.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	8.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	9.7	14.5	11.5	9.4	8.2	5.8	22.1	(4)
Vermont	7.9	6.6	11.0	10.5	9.7	5.9	6.7	11.8
Virginia (total)	10.0	14.4	17.2	15.8	14.2	(3)	(3)	(3)
White	11.6	16.9	19.1	18.3	16.7	(3)	(3)	(3)
Colored	6.3	8.8	13.0	10.7	8.9	(3)	(3)	(3)
Washington	3.1	2.4	2.7	3.3	3.1	5.5	8.5	(4)
Wisconsin	13.8	9.2	.6	13.2	12.4	12.5	13.6	(4)

(See footnotes at end of table.)

AREA.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION. [Rates of 40 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	6.9	5.0	10.3	9.0	1.9	10.0	9.5	(4)
White	8.4	3.5	9.2	9.9	2.1	12.1	10.9	(4)
Colored	4.3	7.4	12.2	7.6	1.6	6.8	7.4	(4)
Los Angeles, Calif	7.3	3.8	8.2	6.8	9.9	6.2	6.4	14.0
Oakland, Calif	2.4	12.6	9.4	13.1	13.7	9.0	7.0	17.7
San Francisco, Calif	15.3	28.3	25.2	19.4	6.6	6.7	5.2	13.9
Denver, Colo	7.8	1.5	3.2	4.1	8.0	5.6	16.7	23.7
Bridgeport, Conn	20.0	18.9	26.2	38.2	20.5	14.7	14.2	28.2
New Haven, Conn	17.1	16.0	23.1	19.4	16.2	12.2	19.0	23.3
Washington, D. C. (total)	9.5	9.6	7.5	8.2	7.8	4.4	5.6	10.9
White	10.0	10.2	7.7	9.1	9.3	6.1	6.6	11.6
Colored	8.0	8.0	7.1	5.9	4.0	.....	3.1	9.4
Atlanta, Ga. (total)	8.2	15.2	8.1	10.6	13.2	15.6	15.0	18.1
White	11.0	19.0	10.2	7.6	15.6	19.8	16.0	16.6
Colored	1.7	6.8	3.4	16.6	8.6	7.1	13.0	21.1
Chicago, Ill	48.2	31.5	27.5	32.2	41.2	41.2	38.2	30.2
Indianapolis, Ind	39.5	19.9	7.9	11.2	18.9	14.6	17.1	13.1
Louisville, Ky. (total)	10.8	6.7	5.9	7.2	15.0	11.3	11.9	14.2
White	12.1	7.6	6.7	8.3	16.8	13.3	13.4	15.5
Colored	4.8	2.4	2.4	2.3	7.1	2.4	4.9	7.9
New Orleans, La. (total)	8.2	10.0	30.8	31.0	31.7	16.5	7.2	11.8
White	7.9	10.2	29.5	28.2	31.3	19.0	6.7	13.9
Colored	9.2	9.3	34.5	38.7	32.9	9.7	8.8	5.9
Baltimore, Md. (total)	9.8	10.3	13.2	14.8	15.0	15 8	12.0	14.5
White	11.3	11.0	15.1	15.9	16.6	17.4	13.2	15.6
Colored	1.1	6.2	2.3	9.1	5.7	6.9	5.8	8.3
Boston, Mass	36.1	24.6	29.3	22.9	22.1	15.3	19.7	27.9
Cambridge, Mass	14.0	14.2	25.1	15.4	12.8	24.1	39.4	23.7
Fall River, Mass	28.5	15.6	26.0	20.7	27.4	26.1	22.0	20.3
Lowell, Mass	23.6	38.9	23.2	23.4	31.9	15.6	15.6	33.4
Worcester, Mass	24.7	14.7	13.7	12.0	23.2	21.7	23.9	38.5
Detroit, Mich	66.7	44.4	20.6	29.2	57.6	37.1	33.9	23.3
Grand Rapids, Mich	26.3	7.0	11.9	26.8	43.9	12.7	10.3	21.8
Minneapolis, Minn	18.2	19.0	17.8	42.2	16.8	13.9	23.8	30.2
St. Paul, Minn	16.2	8.9	12.4	29.1	18.6	10.6	32.9	37.2
Kansas City, Mo	28.8	28.5	24.5	24.1	12.8	10.2	12.4	20.3
St. Louis, Mo	29.0	20.9	26.3	34.7	29.2	21.2	17.6	19.3
Omaha, Nebr	10.1	21.2	22.7	42.8	16.0	8.5	15.0	18.6
Jersey City, N. J	19.5	14.0	19.7	31.0	25.7	15.3	21.0	33.2
Newark, N. J	6.2	9.3	5.5	11.1	18.2	14.1	15.7	29.5
Paterson, N. J	12.1	13.7	13.9	15.6	9.8	20.7	16.3	24.1
Albany, N. Y	9.4	11.3	17.4	12.6	22.5	28.5	24.8	30.0
Buffalo, N. Y	23.1	14.7	16.7	14.8	9.6	14.6	25.0	24.4
New York, N. Y	20.2	18.5	23.2	28.3	26.1	22.3	25.6	38.7
Bronx Borough [7]	18.5	18.2	25.7	34.2	28.5	19.5	25.5	43.9
Brooklyn Borough [7]	18.5	19.1	22.8	25.2	25.2	22.7	23.0	39.4
Manhattan Borough [7]	21.7	18.3	23.4	30.3	26.3	23.1	28.2	38.1
Queens Borough [7]	20.8	18.3	21.8	25.3	26.0	19.1	21.3	35.6
Richmond Borough [7]	21.0	13.3	19.8	9.6	14.1	20.0	23.5	28.1
Rochester, N. Y	19.6	9.3	7.2	11.8	17.4	27.3	41.0	26.7
Syracuse, N. Y	21.4	13.5	10.5	10.7	14.3	17.4	25.3	19.6
Cincinnati, Ohio	12.3	15.3	11.8	18.2	13.1	15.7	12.2	14.9
Cleveland, Ohio	22.2	18.8	24.8	25.5	36.3	27.3	22.3	20.3
Columbus, Ohio	10.9	8.8	11.0	8.8	10.5	20.6	12.8	9.5
Dayton, Ohio	10.9	16.5	15.1	17.8	35.2	41.5	9.3	17.5
Toledo, Ohio	18.3	17.2	16.5	17.9	23.3	33.4	24.9	23.5
Portland, Oreg	3.2	2.4	6.2	10.0	5.3	6.0	12.3	16.8
Philadelphia, Pa	25.7	22.8	19.0	19.4	21.5	23.7	31.1	33.8
Pittsburgh, Pa	23.9	21.8	26.9	28.0	36.6	31.2	23.4	23.7
Scranton, Pa	26.7	17.0	27.8	22.6	31.7	25.0	12.8	36.5
Providence, R. I	30.8	29.8	22.0	24.1	29.6	32.7	24.7	28.3
Memphis, Tenn. (total)	16.5	(8)	13.0	15.4	10.0	10.2	16.5	19.2
White	20.5	(8)	16.3	12.8	8.3	7.3	16.3	20.3
Colored	9.2	(8)	7.4	19.2	12.5	14.5	16.9	17.6
Nashville, Tenn. (total)	2.5	(8)	8.6	9.6	7.0	7.1	8.1	10.1
White	3.7	(8)	8.8	11.7	9.2	9.3	10.7	13.8
Colored	.....	(8)	8.3	5.3	2.7	2.7	2.7	2.8
Richmond, Va. (total)	5.7	3.2	3.9	3.0	6.0	6.1	10.1	9.4
White	7.8	5.0	5.0	3.5	9.5	7.2	14.6	12.0
Colored	1.8	.....	1.8	2.0	.....	4.2	2.1	4.8
Seattle, Wash	1.9	2.0	0.6	2.2	4.4	4.3	8.7	14.3
Spokane, Wash	3.8	0.7	5.6	3.7	0.8	5.0	8.0	27.5
Milwaukee, Wis	22.9	17.9	23.1	33.4	35.5	24.7	20.2	27.0

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911, deaths were distributed to boroughs of residence.
[8] Transcripts for deaths not received.

Higher rates are shown in 1917 than in 1916 for the registration area and all subdivisions as well as for 17 of the 26 states which have comparable rates for these two years.

The highest rates among the states are for Michigan (27.8), Rhode Island (24.6), Pennsylvania (23.3), Massachusetts (22.1), and Connecticut (18.7). All of these states show increased rates over those for 1916. Very low rates are shown for Washington (3.1), Colorado (5.4), California (6.8), Vermont (7.9), and Kansas (8.2).

Among the cities which in 1910 had 100,000 population or more the highest rates in 1917 are for Detroit (66.7), Chicago (48.2), Indianapolis (39.5), Boston (36.1), and Providence (30.8). Three of these cities (Detroit, Chicago, and Providence) appeared in 1916 among the five showing the highest rates. The lowest rates for 1917 are for Seattle (1.9), Oakland (2.4), Nashville (2.5), Portland, Oreg. (3.2), and Spokane (3.8).

The following table shows the death rates from diphtheria and croup for each of the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population) which in any of these years have rates of 40 or more per 100,000 population, such rates being printed in boldfaced type.

CITY.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION. [Rates of 40 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Bakersfield, Calif	5.7	11.9	43.2	32.2	20.2	14.1	7.5
Fresno, Calif	11.0	5.7	6.0	13.4	17.5	10.9	42.3
Ansonia, Conn	35.4	18.0	12.2	49.4	68.9	19.1	12.9
Greenwich town, Conn	10.2	.....	5.3	21.9	56.0	5.7	11.8
Hartford, Conn	33.7	20.7	18.4	16.8	28.5	40.7	42.5
Manchester town, Conn	.....	.....	6.6	.....	27.3	14.0	42.8
Middletown town, Conn	21.6	.....	4.5	36.1	18.3	18.6	42.6
Naugatuck, Conn	.....	7.1	36.0	14.7	89.4	.....	.....
New Britain, Conn	5.4	14.9	17.2	11.9	18.4	29.5	43.6
Wallingford town, Conn	47.1	.....	16.3	33.1	16.9	.....	35.0
Windham town, Conn	6.9	7.1	7.2	22.0	22.4	136.8	15.5
Belleville, Ill	47.3	37.8	37.8	18.9	14.2	14.2	4.7
Jacksonville, Ill	12.9	19.4	6.5	45.4	13.0	19.5	6.5
Springfield, Ill	9.6	29.5	21.8	17.2	24.8	41.8	22.5
Anderson, Ind	16.5	12.5	12.6	51.0	38.8	47.9	13.2
Elkhart, Ind	35.9	9.1	18.7	42.8	9.7	5.0	5.1
Elwood, Ind	.....	.....	9.1	39.2	38.4	18.9	46.4
Gary, Ind	42.9	59.5	.....	(1)	(1)	(1)	71.4
Jeffersonville, Ind	.....	9.6	57.6	9.7	29.1	29.0	19.3
Laporte, Ind	7.4	.....	.....	23.9	41.1	17.3	18.3
Marion, Ind	35.1	5.0	25.3	35.6	35.8	56.3	25.7
Richmond, Ind	51.8	12.1	.....	16.7	.....	.....	26.3
Vincennes, Ind	38.7	17.0	23.3	11.9	67.4	107.1	32.5
Pittsburg, Kans	.....	.....	23.0	11.9	48.9	6.3	(2)
Covington, Ky	10.1	7.0	5.3	16.1	41.6	40.3	14.9
Frankfort, Ky	.....	18.1	54.6	9.2	9.3	28.1	18.9
Henderson, Ky	32.5	8.2	8.3	8.4	8.5	51.2	8.6
Auburn, Me	6.0	.....	.....	12.5	44.4	25.7	26.1
Biddeford, Me	16.9	5.7	22.8	40.1	17.3	46.3	23.3
Waterville, Me	15.5	7.9	.....	8.1	16.5	42.0	.....
Hagerstown, Md	19.1	19.5	23.8	40.3	34.4	52.5	17.8
Chicopee, Mass	26.7	37.5	34.9	85.5	21.9	14.9	18.7
Fitchburg, Mass	33.0	50.3	68.1	24.7	17.6	12.7	41.0
Gardner town, Mass	74.1	35.0	17.9	42.8	18.8	25.7	13.0
Holyoke, Mass	30.1	16.8	23.4	31.8	42.2	21.5	18.5
Leominster, Mass	28.1	33.6	49.2	50.5	83.1	5.3	.....
Malden, Mass	42.1	21.5	41.9	38.8	35.5	10.7	19.6
Newburyport, Mass	13.1	.....	6.6	46.2	19.9	.....	13.3
North Adams, Mass	18.2	4.5	22.7	19.0	42.2	41.8	13.6
Southbridge town, Mass	20.7	28.2	50.2	.....	7.4	.....	15.4
Springfield, Mass	58.0	17.9	10.7	12.9	16.4	16.9	.7 9
Webster town, Mass	37.1	.....	.....	.....	40.4	33.0	33.7
Westfield town, Mass	21.3	27.2	.....	17.0	11.6	17.8	42.1
Adrian, Mich	25.9	.....	.....	.....	18.0	9.1	46.4
Ann Arbor, Mich	73.1	26.6	.....	26.8	6.7	13.4	6.7

(See footnotes at end of table.)

CITY.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION. [Rates of 40 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Ishpeming, Mich	8.0	24.1	24.1	8.3	16.4	8.2	47.6
Jackson, Mich	25.0	19.8	17.3	8.8	9.0	51.8	15.3
Manistee, Mich	48.5	.....	8.1	69.1	8.5	.....	16.2
Pontiac, Mich	33.3	17.1	64.5	30.2	12.4	12.8	19.8
Sault Ste. Marie, Mich	21.2	28.7	7.3	51.9	22.6	30.6	31.1
Jackson, Mich	45.0	16.8	10.6	(2)	(2)	(2)	(2)
Joplin, Mo	12.0	15.1	30.3	67.0	21.4	33.9	21.8
Sedalia, Mo	10.1	10.3	31.3	52.8	21.4	43.5	27.6
Springfield, Mo	14.6	9.9	7.6	31.0	15.8	16.2	60.0
Webb City, Mo	35.5	7.2	59.0	60.2	30.7	31.3	40.0
Berlin, N. H	14.4	36.8	15.0	38.4	39.3	193.1	90.7
Portsmouth, N. H	8.5	25.7	8.6	26.0	17.4	8.8	44.1
Camden, N. J	28.7	27.3	28.7	23.4	39.8	50.7	38.0
Garfield, N. J	13.2	55.4	7.3	45.9	16.1	17.1	26.1
Hoboken, N. J	11.5	28.5	55.2	61.3	35.2	21.7	35.0
Millville, N. J	21.7	14.7	7.4	.....	.....	15.5	71.5
Morristown, N. J	.....	30.1	30.4	7.7	7.7	15.6	55.6
Perth Amboy, N. J	21.1	17.0	40.3	60.1	84.2	45.3	59.4
Union, N. J	3.9	8.1	20.7	12.7	21.7	13.4	50.0
West New York, N. J	45.9	26.6	22.3	35.1	30.8	32.4	26.4
Batavia, N. Y	7.4	.....	.....	.....	48.5	98.8	83.6
Binghamton, N. Y	43.7	70.4	45.2	19.2	23.4	2.0	16.1
Cohoes, N. Y	7.9	23.8	39.8	24.0	40.1	12.1	16.1
Hornell, N. Y	20.2	20.4	13.8	.....	.....	.....	51.0
Lackawanna, N. Y	24.7	63.8	19.0	10.5	27.9	5.9	65.2
Middletown, N. Y	12.6	56.9	.....	.....	6.4	.....	13.1
Ogdensburg, N. Y	11.9	23.9	54.2	30.4	6.1	.....	74.0
Peekskill, N. Y	.....	.....	5.5	40.4	.....	12.2	6.3
Rensselaer, N. Y	8.9	.....	9.0	36.3	54.8	55.2	37.3
Rome, N. Y	8.2	4.2	12.9	8.8	.....	4.6	75.2
White Plains, N. Y	12.9	8.9	29.7	10.3	5.4	11.3	47.0
Akron, Ohio	75.9	30.9	15.7	10.0	34.8	50.7	44.3
Bellaire, Ohio	27.4	41.8	7.1	64.8	29.3	37.3	45.5
East Liverpool, Ohio	8.7	.....	9.0	32.0	41.8	28.3	28.8
Hamilton, Ohio	7.3	4.9	7.6	15.5	108.0	35.0	10.9
Lancaster, Ohio	.....	25.5	19.7	53.9	13.9	14.3	7.4
Lorain, Ohio	34.0	.....	.....	14.6	57.5	25.2	23.0
Middletown, Ohio	6.1	6.4	46.0	20.2	20.8	49.9	7.3
Portsmouth, Ohio	27.3	13.9	10.7	7.3	37.2	72.3	42.9
Springfield, Ohio	3.8	7.8	23.6	22.0	16.2	49.4	23.0
Steubenville, Ohio	7.1	25.5	15.0	27.1	44.0	37.2	29.9
Tiffin, Ohio	7.7	7.8	31.3	40.7	8.2	16.5	.....
Youngstown, Ohio	18.7	5.5	7.7	19.9	47.8	58.9	48.2
Allentown, Pa	21.5	14.2	11.3	46.4	32.4	49.0	46.6
Beaver Falls, Pa	21.8	51.7	15.0	22.9	15.5	23.7	40.2
Braddock, Pa	68.0	13.8	23.5	19.1	58.4	59.5	45.4
Carbondale, Pa	58.1	31.2	15.9	27.0	38.5	28.1	5.7
Carnegie, Pa	8.4	17.1	17.5	9.0	46.0	18.9	9.7
Dubois, Pa	13.3	40.9	20.9	.....	29.2	7.5	15.4
Dunmore, Pa	28.2	24.1	44.4	25.3	52.0	58.7	43.9
Farrell, Pa.[3]	38.5	28.9	48.1	(4)	(4)	(4)	19.6
Hazleton, Pa	38.0	17.5	57.1	25.4	22.2	15.1	27.1
Homestead, Pa	17.3	8.9	18.3	56.5	58.1	109.7	97.8
Johnstown, Pa	24.1	11.7	25.5	74.3	97.3	79.0	22.5
Lancaster, Pa	11.7	15.7	13.9	18.1	36.7	24.7	54.2
Lebanon, Pa	52.5	4.8	14.6	35.1	35.4	56.1	87.5
McKees Rocks, Pa	4.8	.....	10.5	16.4	109.1	30.2	12.7
McKeesport, Pa	35.2	33.7	30.0	17.4	57.5	31.5	11.5
Mahanoy City, Pa	33.9	51.5	98.7	29.5	35.9	42.5	73.9
Monessen, Pa	4.3	9.2	49.5	16.0	23.1	56.1	54.1
Mount Carmel, Pa	72.4	123.3	15.1	36.1	21.1	59.4	16.6
Nanticoke, Pa	4.2	13.0	.....	32.4	42.7	24.5	40.6
New Castle, Pa	16.7	4.9	29.7	15.2	33.5	55.3	64.5
North Braddock, Pa	44.6	6.6	6.8	14.2	51.7	46.1	40.1
Old Forge, Pa	38.8	13.4	20.9	21.8	15.2	71.5	66.6
Phoenixville, Pa	8.4	8.5	60.6	87.7	97.8	18.0	45.7
Pittston, Pa	26.4	10.8	27.4	22.4	17.2	23.4	33.7
Plymouth, Pa	.....	10.5	10.7	48.9	27.7	28.2	57.5
Pottstown, Pa	11.8	17.9	30.1	42.7	6.2	6.2	12.6
Pottsville, Pa	48.4	35.8	18.2	32.3	18.7	14.3	91.4
Reading, Pa	16.1	10.0	9.3	31.0	38.4	42.0	38.7
Shamokin, Pa	75.2	18.9	42.9	48.0	19.3	29.3	44.9
Sharon, Pa	15.7	16.1	27.7	34.2	41.2	61.6	19.0
Shenandoah, Pa	80.7	89.0	45.4	74.7	54.5	88.9	109.7
South Bethlehem, Pa	56.3	41.3	12.8	17.5	40.6	41.9	38.5
Steelton, Pa	25.4	19.3	19.6	.....	26.8	61.2	165.6
Sunbury, Pa	6.0	6.2	63.1	38.8	6.6	6.8	21.0
Wilkes-Barre, Pa	37.0	10.4	14.6	44.8	27.7	12.8	20.3
Williamsport, Pa	67.4	29.6	26.9	21.1	18.3	9.2	9.3
Woonsocket, R. I	46.3	27.1	13.8	14.2	7.3	7.4	63.1
El Paso, Tex	26.0	33.0	78.6	32.8	29.7	11.2	16.7
Roanoke, Va	2.2	17.8	35.8	41.9	15.3	5.3	35.6
Wheeling, W. Va	6.9	13.8	16.2	23.4	21.2	47.3	28.0
Fond du Lac, Wis	14.0	.....	.....	.....	.....	10.2	46.9
Kenosha, Wis	64.0	34.8	9.9	.....	8.0	12.7	8.8
La Crosse, Wis	40.8	37.9	6.3	19.1	9.6	16.3	32.5
Superior, Wis	8.5	6.5	8.8	11.3	.....	14.1	41.1
Wausau, Wis	20.3	.....	5.3	5.4	5.6	28.6	58.5

[1] Incorporated in 1906; population not estimated.
[2] Not added to registration area until a later date.
[3] Name changed from South Sharon (incorporated in 1901) in 1912.
[4] Population not estimated.

Of these 133 minor cities, 26 have rates of more than 40 per 100,000 in 1917, and 1 of them, Shenandoah, Pa., exceeded that rate for each of the years 1911 to 1917. The highest rates in 1917 are shown for Shenandoah, Pa. (80.7); Akron, Ohio (75.9); Shamokin, Pa. (75.2); Gardner town, Mass. (74.1); and Ann Arbor, Mich. (73.1). The cities with the lowest rates are Roanoke, Va. (2.2); Springfield, Ohio (3.8); Union, N. J. (3.9); Nanticoke, Pa. (4.2); and Monessen, Pa. (4.3).

INFLUENZA.

The number of deaths from influenza in 1917 is 12,974, corresponding to a rate of 17.2 per 100,000 population, as against 18,886 deaths in 1916 and a rate of 26.4. The highest rate for any year in the annual mortality reports, the first of which was published in 1900, was 32.2 for 1901.

The following table shows the rates per 100,000 population for the years 1911 to 1917 and the annual average for the five-year period 1906 to 1910, rates of 40 and higher being printed in boldfaced type:

AREA.	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION. [Rates of 40 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area [1]	17.2	26.4	16.0	9.1	12.2	10.3	15.7	16.4
Registration states [2]	17.5	27.1	15.8	9.0	12.4	10.1	15.8	16.5
Cities in registration states [2]	12.5	19.1	11.7	6.8	8.5	7.1	10.4	12.3
Rural part of registration states	21.9	34.6	19.9	11.1	16.3	13.1	21.3	21.2
Registration cities in nonregistration states	14.0	16.0	18.3	10.8	10.2	12.9	14.3	15.7
All registration cities [2]	12.8	18.7	12.7	7.3	8.8	8.0	11.0	13.2
REGISTRATION STATES.								
California	9.4	13.8	8.3	5.0	10.3	8.3	8.4	9.7
Colorado	14.5	13.1	13.9	5.3	5.4	7.0	12.3	13.7
Connecticut	25.3	38.7	18.5	13.9	16.7	14.6	23.5	26.0
Indiana	21.4	31.4	17.0	9.4	14.3	14.6	18.3	20.3
Kansas	29.3	39.3	25.6	9.5	(3)	(3)	(3)	(3)
Kentucky (total)	21.4	41.4	19.7	14.7	16.9	16.7	17.8	(3)
White	23.0	40.1	18.1	12.8	14.8	15.8	16.0	(3)
Colored	35.9	53.3	32.8	29.7	32.9	23.7	31.5	(3)
Maine	30.2	48.9	25.3	12.1	22.8	11.4	25.3	24.3
Maryland (total)	17.1	25.8	15.1	11.0	14.6	12.2	16.6	20.5
White	14.9	23.1	13.7	10.0	12.9	10.3	14.0	18.3
Colored	28.2	39.0	21.6	15.8	22.2	20.7	28.6	30.4
Massachusetts	12.4	18.3	8.5	5.9	9.2	6.9	10.0	15.9
Michigan	17.3	30.7	17.5	10.1	11.5	10.5	18.3	17.5
Minnesota	9.5	18.2	10.5	4.8	8.5	3.4	8.5	(4)
Missouri	23.8	35.0	21.3	10.3	17.0	15.2	25.9	(3)
Montana	9.1	12.6	9.2	5.1	7.2	4.2	3.8	(4)
New Hampshire	32.6	35.0	28.8	17.1	16.5	13.8	26.6	27.1
New Jersey	13.8	23.2	11.0	7.3	8.9	7.2	11.2	9.7
New York	14.4	19.2	12.9	7.9	10.9	8.0	14.4	15.1
North Carolina (total)	16.6	26.4	[5] 19.1	[5] 18.6	[5] 18.4	[5] 20.7	[5] 24.3	(4)
White	16.7	23.8	17.7	15.2	15.9	14.4	21.9	(4)
Colored	16.3	32.0	21.9	25.2	22.9	32.4	28.8	(4)
Ohio	18.5	31.7	19.3	10.3	14.2	11.6	21.8	(4)
Pennsylvania	17.4	30.2	17.4	9.2	12.3	10.1	14.7	17.9
Rhode Island	20.1	26.5	12.6	8.3	12.9	7.9	9.5	19.1
South Carolina (total)	18.5	26.6	(3)	(3)	(3)	(3)	(3)	(3)
White	13.2	23.4	(3)	(3)	(3)	(3)	(3)	(3)
Colored	23.2	29.4	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	24.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	23.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	28.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	10.1	15.2	12.7	6.3	11.1	7.1	6.5	(4)
Vermont	41.6	76.7	31.7	19.7	35.3	23.7	43.9	39.2
Virginia (total)	21.0	33.3	18.9	12.1	13.4	(3)	(3)	(3)
White	19.2	30.1	17.3	11.2	12.6	(3)	(3)	(3)
Colored	25.0	40.5	22.6	14.0	15.1	(3)	(3)	(3)
Washington	7.4	14.3	9.9	3.8	6.5	4.7	9.0	(4)
Wisconsin	15.5	29.9	15.8	7.1	11.2	8.6	12.9	(4)

(See footnotes at end of table.)

AREA.	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION. [Rates of 40 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	26.4	13.2	20.1	10.8	8.2	20.6	8.8	(4)
White	12.6	12.3	16.6	5.0	2.1	15.4	4.8	(4)
Colored	49.8	14.7	26.0	19.8	17.6	28.7	14.9	(4)
Los Angeles, Calif	5.6	9.3	4.4	3.4	9.5	7.3	6.4	9.1
Oakland, Calif	6.3	8.6	2.6	2.7	5.1	1.8	3.8	5.0
San Francisco, Calif	2.8	4.1	2.2	2.5	4.8	2.5	2.8	4.8
Denver, Colo	12.3	10.4	10.7	2.9	2.5	6.9	7.2	12.1
Bridgeport, Conn	12.8	20.6	11.8	6.1	7.1	7.3	12.3	10.8
New Haven, Conn	11.2	37.4	12.2	6.2	11.3	7.2	21.2	20.0
Washington, D. C. (total)	23.3	24.2	28.7	17.8	12.9	17.8	20.1	25.3
White	19.4	22.0	25.4	13.9	10.5	10.2	17.4	18.9
Colored	33.8	30.1	37.4	27.6	19.0	36.6	26.9	40.8
Atlanta, Ga. (total)	11.2	14.7	19.5	17.3	19.6	18.6	11.9	30.4
White	5.1	4.6	15.0	4.2	12.1	8.1	3.8	15.6
Colored	24.9	37.2	29.3	43.2	34.3	39.2	27.9	58.5
Chicago, Ill	6.0	11.7	9.4	3.9	4.3	6.4	8.0	9.8
Indianapolis, Ind	13.0	17.4	9.0	5.8	9.5	6.9	9.6	16.7
Louisville, Ky. (total)	14.5	33.1	15.6	20.0	14.6	15.3	13.2	15.1
White	9.6	29.4	13.8	12.5	7.9	9.1	9.1	10.5
Colored	38.0	50.1	23.9	54.0	45.0	43.4	31.6	35.2
New Orleans, La. (total)	29.7	26.9	51.6	31.6	19.7	26.8	26.6	32.3
White	19.7	21.1	46.2	29.7	14.9	20.5	23.6	26.4
Colored	58.1	43.3	68.8	36.6	32.9	44.2	35.0	48.7
Baltimore, Md. (total)	18.0	21.5	12.3	8.8	10.1	11.8	12.9	16.6
White	15.6	20.2	11.3	6.9	7.8	8.5	10.2	15.4
Colored	31.5	29.4	18.2	19.2	22.8	30.0	27.9	23.3
Boston, Mass	4.7	11.2	4.3	3.3	5.3	3.9	4.6	9.5
Cambridge, Mass	7.0	9.7	5.4	5.4	10.1	4.6	7.5	11.6
Fall River, Mass	8.5	24.1	1.6	4.0	7.3	2.4	1.6	10.8
Lowell, Mass	2.6	14.1	3.6	2.7	3.6	5.5	3.7	11.3
Worcester, Mass	7.2	15.3	6.9	2.5	4.5	5.9	6.0	7.9
Detroit, Mich	6.0	10.4	8.7	3.7	3.6	3.0	4.1	5.9
Grand Rapids, Mich	1.5	9.4	4.0	5.7	3.3	2.5	4.3	8.6
Minneapolis, Minn	5.6	8.8	6.5	4.1	5.1	2.2	2.2	4.4
St. Paul, Minn	7.5	9.3	8.3	4.6	4.8	4.0	5.5	3.7
Kansas City, Mo	12.1	15.8	19.3	7.1	9.9	7.5	22.5	12.6
St. Louis, Mo	21.6	22.8	11.9	9.4	12.4	14.6	16.1	15.4
Omaha, Nebr	9.6	18.7	14.1	8.3	5.3	6.2	7.9	14.1
Jersey City, N. J	10.9	13.7	6.3	3.7	4.2	2.5	5.8	6.6
Newark, N. J	10.3	17.4	6.0	5.7	6.9	9.2	9.1	8.5
Paterson, N. J	3.6	18.8	5.9	3.7	9.1	4.6	10.1	5.5
Albany, N. Y	17.8	35.8	24.1	13.6	19.5	15.7	25.8	22.5
Buffalo, N. Y	7.8	10.2	6.5	2.4	4.7	3.9	5.5	10.4
New York, N. Y	7.9	9.8	7.2	4.2	5.4	4.0	6.9	7.9
Bronx Borough [7]	7.3	10.1	6.5	6.0	6.9	4.4	6.8	6.3
Brooklyn Borough [7]	9.3	12.4	9.0	4.7	6.9	5.1	9.0	9.9
Manhattan Borough [7]	7.5	7.5	5.8	3.5	4.0	3.3	5.3	6.8
Queens Borough [7]	6.1	11.7	9.6	4.7	4.9	2.6	5.9	6.4
Richmond Borough [7]	3.0	11.2	6.3	2.1	6.5	3.3	14.6	10.6
Rochester, N. Y	5.3	8.9	6.0	6.1	3.4	4.8	5.7	8.8
Syracuse, N. Y	5.0	10.9	3.9	4.7	4.8	4.9	4.2	9.6
Cincinnati, Ohio	17.4	26.8	18.4	15.9	13.6	13.2	14.5	24.0
Cleveland, Ohio	12.1	16.3	11.1	4.1	4.0	4.9	10.7	9.2
Columbus, Ohio	11.4	33.5	11.0	7.8	8.5	6.2	14.4	9.3
Dayton, Ohio	12.4	18.9	14.3	3.2	9.0	3.3	14.4	12.2
Toledo, Ohio	11.9	19.7	17.0	4.3	10.5	6.8	14.5	16.2
Portland, Oreg	5.5	11.2	5.1	5.0	6.1	3.0	8.6	8.9
Philadelphia, Pa	14.3	24.0	20.6	9.7	9.1	7.9	11.6	14.4
Pittsburgh, Pa	15.9	26.6	10.5	6.2	8.4	10.0	11.8	18.4
Scranton, Pa	7.4	17.7	9.0	5.0	7.9	5.2	11.3	18.7
Providence, R. I	15.0	25.9	10.4	6.5	8.7	5.5	7.4	16.3
Memphis, Tenn. (total)	20.4	(8)	37.0	18.2	23.5	29.1	26.3	33.6
White	4.1	(8)	19.5	8.2	7.1	12.1	3.8	18.0
Colored	49.7	(8)	66.8	33.1	48.0	54.5	60.1	55.7
Nashville, Tenn. (total)	23.7	(8)	25.0	21.8	17.6	39.0	35.9	41.2
White	21.9	(8)	18.8	11.7	9.2	29.2	26.8	27.0
Colored	27.8	(8)	38.8	42.1	34.5	58.9	54.2	69.1
Richmond, Va. (total)	18.3	20.4	16.8	18.5	16.5	19.0	17.8	29.0
White	13.7	10.9	15.1	17.5	15.4	15.6	13.4	19.3
Colored	26.6	37.5	19.8	20.2	18.4	24.9	25.3	45.6
Seattle, Wash	3.8	10.3	6.3	1.6	4.7	2.9	6.7	4.1
Spokane, Wash	8.9	12.0	12.6	2.9	5.5	5.0	8.9	8.6
Milwaukee, Wis	9.7	15.8	16.4	3.6	6.1	4.7	3.3	8.3

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred: beginning with 1911 deaths were distributed to boroughs of residence.
[8] Transcripts for deaths not received.

Of the 26 states which are comparable for 1916 and 1917, all but Colorado show a decrease in rates for 1917. A similar general decrease for 1917 appears for the cities which in 1910 had populations of 100,000 or more. Of the 48 cities which show rates for 1916 and 1917, only 3 show increases, namely, Birmingham (from 13.2 to 26.4), Denver (from 10.4 to 12.3), and New Orleans (from 26.9 to 29.7). The highest rates for 1917 are for New Orleans (29.7), Birmingham (26.4), Nashville (23.7), Washington (23.3), and St. Louis (21.6). The lowest rates are for Grand Rapids (1.5), Lowell (2.6), San Francisco (2.8), Paterson (3.6), and Seattle (3.8).

The following table shows the death rates per 100,000 population for the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population), which in any of these years have rates of 40 or more per 100,000 population, such rates being printed in boldfaced type:

CITY.	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION. [Rates of 40 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Mobile, Ala	27.0	37.8	42.5	48.6	31.1	18.6	20.9
Pomona, Calif	44.0	53.2	23.7	.....	.....	44.4	27.8
Greenwich town, Conn	66.3	15.7	16.0	10.9	11.2	11.5	29.4
Manchester town, Conn	6.3	51.4	13.1	6.7	20.5	14.0	14.3
Meriden town, Conn	69.5	96.5	73.9	26.9	21.1	42.7	43.1
New London, Conn	18.9	47.7	14.4	14.6	9.8	19.9	25.1
Norwalk, Conn	62.2	66.9	37.8	30.7	31.3	23.8	52.6
Norwich town, Conn	27.0	91.8	47.9	13.8	34.7	14.0	63.3
Orange town, Conn	6.9	28.6	.....	7.6	15.8	40.9	17.0
Torrington town, Conn	5.0	56.1	10.4	10.7	21.9	16.8	23.0
Windham town, Conn	41.7	21.2	28.8	7.3	14.9	7.6	31.0
Quincy, Ill	38.0	35.3	59.8	10.9	24.5	8.2	19.1
Jeffersonville, Ind	.....	67.2	9.6	9.7	.....	9.7	28.9
Logansport, Ind	23.4	52.3	48.2	19.7	20.0	15.2	20.6
Marion, Ind	30.1	50.4	15.2	10.2	25.6	10.2	20.6
New Albany, Ind	21.2	67.7	16.9	33.9	43.6	43.6	19.4
Richmond, Ind	19.9	40.5	16.5	8.4	21.2	12.9	22.0
Atchison, Kans	35.7	59.8	24.0	12.0	18.1	6.0	(1)
Fort Scott, Kans	.....	19.0	19.0	19.0	.....	47.6	(1)
Independence, Kans	46.3	27.6	50.4	.....	7.9	.....	(1)
Kansas City, Kans	14.7	42.2	34.1	13.8	10.9	18.0	18.7
Lawrence, Kans	81.6	82.6	68.3	46.1	33.9	15.7	(1)
Leavenworth, Kans	46.5	72.3	77.5	32.0	47.6	21.0	40.7
Frankfort, Ky	35.8	63.2	18.2	18.4	18.5	65.5	28.3
Henderson Ky	40.6	24.6	41.4	.....	16.9	42.7	17.2
Owensboro, Ky	83.0	140.6	28.6	93.0	70.9	42.1	97.8
Paducah, Ky	7.9	44.3	24.5	4.1	12.6	51.1	21.6
Baton Rouge, La	119.7	(1)	(1)	(1)	(1)	(1)	(1)
Auburn, Me	18.1	42.7	37.1	.....	19.0	6.4	32.6
Bangor, Me	22.3	45.0	26.6	11.5	13.2	.....	7.9
Framingham town, Mass	7.1	50.1	7.2	7.3	14.8	22.5	7.5
Melrose, Mass	50.8	17.2	17.5	11.8	18.1	6.1	12.5
Newburyport, Mass	52.3	45.9	.....	.....	19.9	6.6	20.0
North Adams, Mass	27.2	40.9	9.1	.....	18.8	4.6	22.7
Northampton, Mass	25.0	50.2	15.1	15.2	5.1	20.4	15.5
Adrian, Mich	51.9	96.0	44.1	62.3	53.9	63.6	46.4
Battle Creek, Mich	29.8	44.1	20.8	10.7	36.4	3.7	7.7
Bay City, Mich	22.7	37.5	46.3	10.6	19.3	2.2	21.7
Jackson, Mich	25.0	48.1	14.4	8.8	14.9	3.0	21.4
Lansing, Mich	13.5	55.2	20.5	2.7	19.4	14.5	17.9
Traverse City, Mich	.....	50.7	.....	.....	7.7	7.9	.....
Mankato, Minn	9.6	38.6	48.2	9.7	9.7	.....	9.8
Stillwater, Minn	9.8	49.0	29.4	.....	21.0	.....	10.4
Winona, Minn	10.8	53.8	21.5	.....	5.5	.....	11.0
Hattiesburg, Miss	57.6	30.3	50.9	(1)	(1)	(1)	(1)
Jackson, Miss	61.1	43.7	28.2	(1)	(1)	(1)	(1)
Meridian, Miss	27.5	9.2	50.4	(1)	(1)	(1)	(1)
Vicksburg, Miss	47.5	21.9	35.6	(1)	(1)	(1)	(1)
Hannibal, Mo	44.6	50.4	14.1	29.0	44.7	30.6	31.5
Sedalia, Mo	15.2	25.7	46.9	15.9	10.7	5.4	33.1
Webb City, Mo	42.6	43.4	36.9	.....	15.3	39.1	16.0
Keene, N. H	.....	65.8	9.5	.....	9.7	.....	39.3
Laconia, N. H	25.5	52.0	17.7	.....	18.4	.....	9.6
Nashua, N. H	50.8	40.3	18.4	3.7	11.2	18.9	7.6
Asbury Park, N. J	13.7	42.8	7.5	15.7	8.2	8.7	.....

(See footnote at end of table.)

CITY.	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION. [Rates of 40 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Garfield, N. J.	33.1	34.7	43.6	7.7	8.1	.....	.....
Harrison, N. J.	5.8	53.1	.....	6.2	12.7	6.5	20.1
Irvington, N. J.	12.0	49.9	6.5	6.8	14.3	.....	.....
Long Branch, N. J.	25.4	13.0	26.6	13.6	.....	49.9	7.4
Millville, N. J.	21.7	66.1	14.9	22.6	23.0	15.5	.....
Phillipsburg, N. J.	37.8	44.9	45.7	13.3	20.3	27.6	42.7
West New York, N. J.	10.2	42.6	5.6	.....	6.2	.....	.....
Batavia, N. Y.	51.5	89.9	61.0	47.6	96.9	41.2	41.8
Cortland, N. Y.	22.5	45.9	.....	15.9	48.7	16.6	8.6
Dunkirk, N. Y.	103.2	53.0	19.8	10.2	5.3	.....	22.6
Fulton, N. Y.	24.7	16.8	51.4	17.5	26.7	.....	.....
Glens Falls, N. Y.	23.3	23.7	42.1	12.2	12.4	25.3	19.5
Hudson, N. Y.	15.5	47.2	24.0	16.4	8.3	8.4	.....
Ithaca, N. Y.	25.0	50.5	44.6	6.4	45.6	.....	40.3
Kingston, N. Y.	29.7	26.1	30.0	22.6	11.4	15.3	46.1
Lackawanna, N. Y.	37.0	62.6	88.9	5.3	11.1	.....	6.5
Little Falls, N. Y.	58.6	66.9	7.5	15.3	.....	7.9	31.8
Lockport, N. Y.	20.0	45.3	25.3	25.5	20.6	5.2	44.2
Ogdensburg, N. Y.	23.7	35.9	12.1	42.5	6.1	.....	37.0
Plattsburg, N. Y.	15.3	46.7	.....	8.1	8.3	8.5	17.6
Rensselaer, N. Y.	17.8	44.7	27.0	27.2	18.3	.....	18.7
Saratoga Springs, N. Y.	28.9	28.9	36.2	31.2	7.8	23.5	47.6
Watervliet, N. Y.	12.8	45.0	19.4	.....	13.1	6.6	46.0
Asheville, N. C.	15.6	52.8	53.7	29.8	65.6	35.9	57.5
Charlotte, N. C.	22.1	37.7	25.7	34.3	32.4	41.6	63.3
Greensboro, N. C.	14.9	10.2	21.1	43.5	22.5	23.2	18.1
Bellaire, Ohio	54.9	34.8	14.2	21.6	29.3	14.9	7.6
Cambridge, Ohio	29.0	44.5	.....	7.8	16.2	8.3	17.1
Chillicothe, Ohio	32.0	58.2	19.6	6.6	6.7	20.2	6.8
Mansfield, Ohio	34.7	39.6	44.6	4.5	23.0	23.3	14.2
Marietta, Ohio	.....	20.5	20.4	40.7	13.5	7.8	77.7
Newark, Ohio	19.8	50.6	31.1	24.8	14.5	22.3	45.8
Tiffin, Ohio	15.4	23.3	31.3	.....	24.6	49.6	66.6
Beaver Falls, Pa.	21.8	59.1	15.0	30.5	15.5	7.9	.....
Bradford, Pa.	6.9	41.3	27.5	.....	13.4	.....	.....
Carbondale, Pa.	35.7	72.8	42.4	48.6	33.0	22.4	40.1
Carlisle, Pa.	27.8	46.6	46.9	18.9	9.5	.....	28.9
Columbia, Pa.	8.7	87.3	43.7	27.1	26.9	.....	.....
Dunmore, Pa.	28.2	43.3	29.6	30.4	5.2	5.3	11.0
Greensburg, Pa.	12.6	51.7	19.9	.....	7.0	.....	7.6
Lebanon, Pa.	28.6	67.4	24.3	15.1	15.2	5.1	15.4
Mahanoy City, Pa.	39.5	40.1	5.8	11.8	35.9	18.2	12.3
Meadville, Pa.	14.3	65.2	36.7	.....	22.5	7.6	15.4
Norristown, Pa.	31.3	60.5	32.4	6.6	16.8	13.7	42.0
Phoenixville, Pa.	33.7	76.8	34.6	.....	35.6	9.0	.....
Pittston, Pa.	47.4	37.6	16.5	28.0	17.2	5.8	29.9
Plymouth, Pa.	15.4	41.9	.....	.....	16.6	11.3	11.5
Pottsville, Pa.	39.6	76.0	18.2	13.8	14.1	9.5	4.8
Sharon, Pa.	41.8	48.3	22.1	5.7	5.9	18.5	12.7
West Chester, Pa.	37.3	83.5	23.2	15.7	16.0	8.2	16.6
Cumberland town, R. I.	9.1	46.1	9.3	9.4	19.1	19.3	9.7
Columbia, S. C.	22.7	46.2	35.2	(1)	(1)	(1)	(1)
El Paso, Tex.	28.9	26.7	51.9	18.2	23.4	11.2	19.1
San Antonio, Tex.	39.0	34.7	29.3	23.5	38.9	50.8	49.1
Burlington, Vt.	13.8	41.6	23.3	.....	19.0	14.4	33.8
Rutland, Vt.	33.2	87.7	6.8	6.9	14.1	7.1	21.7
Alexandria, Va.	22.3	28.0	45.1	12.8	19.2	6.4	32.4
Newport News, Va.	22.1	53.5	14.6	9.8	19.6	(1)	(1)
Petersburg, Va.	19.4	70.4	55.2	47.8	36.2	56.8	49.2
Portsmouth, Va.	41.8	25.2	25.9	18.6	27.4	(1)	(1)
Staunton, Va.	.....	42.9	17.4	53.0	9.0	(1)	(1)
Appleton, Wis.	33.3	50.5	28.3	11.4	5.8	11.7	12.0
Beloit, Wis.	5.4	33.2	5.7	.....	42.0	12.4	12.7
Manitowoc, Wis.	28.7	43.5	7.3	.....	29.8	15.0	.....
Sheboygan, Wis.	20.8	52.5	10.6	10.8	7.3	11.0	3.7

[1] Not added to registration area until a later date.

Of these 120 minor cities, only 27 show death rates of 40 or more in 1917, while for 1916 only 34 show rates below 40, and only 22 show increases in 1917 over 1916. Those having the greatest increases are Greenwich town, Conn. (from 15.7 to 66.3); Dunkirk, N. Y. (from 53 to 103.2); Melrose, Mass. (from 17.2 to 50.8); and Hattiesburg, Miss. (from 30.3 to 57.6). Baton Rouge, La., shows the highest rate (119.7) for 1917, the first year of its inclusion in the registration area, and Dunkirk, N. Y., the next (103.2). Owensboro, Ky., comes next (83), followed by Lawrence, Kans. (81.6).

The cities having lowest rates are Torrington town, Conn. (5); Beloit, Wis. (5.4); Harrison, N. J. (5.8); Manchester town, Conn. (6.3); Orange town, Conn., and Bradford, Pa. (each 6.9).

ALL OTHER EPIDEMIC DISEASES.

In the International List of Causes of Death, titles 1 to 19 are assigned to the epidemic diseases, of which eight have been discussed. No deaths are reported in 1917 for three of these titles, namely, Asiatic cholera, plague, and yellow fever, and only one death each is reported from relapsing fever (Windham County, Conn.) and from miliary fever (Wolfe County, Ky.). Because of the extreme rarity of these and several other epidemic diseases, every effort has been made by the Census Bureau to authenticate the returns before tabulating them under the designated titles; each case has been made the subject of a special inquiry, and either the existence of the disease has been verified or no reply has been received; in the latter case there is no alternative but to classify the death as reported.

In 1917 the 16 deaths reported from typhus fever are distributed as follows: Norfolk County, Mass., 1; Brooklyn Borough, New York City, 2; Manhattan Borough, New York City, 1; Orange County, N. C., 1; El Paso, Tex., 10; and San Antonio, Tex., 1.

Seventeen deaths are reported from leprosy in 1917: Los Angeles, Calif., 2; San Francisco, Calif., 3; Orange County, Calif., 1; Key West, Fla., 1; Dukes County, Mass., 1; Hudson County, N. J., 1; Brooklyn Borough, New York City, 3; Manhattan Borough, New York City, 1; Chesterfield County, S. C., 1; Houston and San Antonio, Tex., each 1; and Clallam County, Wash., 1.

Dysentery is the cause of 4,548 deaths in 1917, corresponding to a rate of 6 per 100,000 population; 2,866 deaths are due to erysipelas, with a rate of 3.8 per 100,000 population; and cholera nostras is the cause of 242 deaths, with a rate of 0.3 per 100,000 population.

Under the title "Other epidemic diseases" is included a miscellaneous collection of diseases, and in 1917 the number of deaths charged to these is 425, distributed as follows: Chickenpox, 206; mumps, 106; German measles, 61; Rocky Mountain spotted fever, 13; rubella, 10; milk sickness and roseola, each 8; glandular fever and rotheln, each 5; dengue fever, 2; and foot and mouth disease, 1. The 13 deaths from Rocky Mountain spotted fever occurred at the following places: Modoc and Tulare Counties, Calif., each 1; Garfield and Moffat Counties, Colo., each 1; Sheridan County, Kans., 1; Helena and Missoula, and Carter and Madison Counties, Mont., each 1; and Ravalli County, Mont., 4. The deaths from dengue fever occurred in San Antonio, Tex., and the death from foot and mouth disease occurred in Erie, Pa.

GLANDERS.

In 1917, as in 1916, only four deaths are reported as due to glanders. The distribution of deaths from this cause for each of the years 1911 to 1917, inclusive, is shown in the following table:

AREA.	NUMBER OF DEATHS FROM GLANDERS.						
	1917	1916	1915	1914	1913	1912	1911
The registration area [1]	4	4	4	10	8	12	11
Registration states [2]	3	4	4	10	7	12	11
Cities in registration states [2]	2	4	4	5	6	9	7
Rural part of registration states	1	.....	.....	5	1	3	4
Registration cities in nonregistration states	1	.....	.....	.....	1	.....	.....
All registration cities [2]	3	4	4	5	7	9	7
REGISTRATION STATES.							
California:							
San Francisco	.....	.....	.....	.....	1	.....	.....
Rural districts	.....	.....	.....	1	.....	.....	.....
Colorado:							
Rural districts	.....	.....	.....	.....	.....	1	.....
Connecticut:							
New Haven	.....	.....	.....	.....	.....	1	1
Maine:							
Rural districts	.....	.....	.....	1	.....	1	.....
Massachusetts:							
Boston	.....	.....	.....	3	1	.....	.....
Haverhill	.....	.....	.....	.....	.....	.....	1
Marlborough	.....	.....	1	.....	.....	.....	.....
Springfield	1	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	1	.....	.....
New Hampshire:							
Manchester	.....	.....	.....	.....	1	.....	.....
Rural districts	.....	.....	.....	.....	.....	.....	1
New York:							
New York	1	3	2	.....	1	6	3
Brooklyn Borough	.....	1	.....	.....	.....	2	.....
Manhattan Borough	1	2	2	.....	1	3	3
Queens Borough	.....	.....	.....	.....	.....	1	.....
Poughkeepsie	.....	.....	.....	.....	.....	.....	1
Rochester	.....	.....	.....	.....	.....	.....	1
Rural districts	.....	.....	.....	1	.....	1	.....
North Carolina:							
Rural districts	1	.....	(3)	(3)	(4)	(4)	4 1
Ohio:							
Columbus	.....	.....	.....	1	.....	.....	.....
Toledo	.....	.....	.....	.....	.....	1	.....
Rural districts	.....	.....	.....	.....	.....	.....	1
Pennsylvania:							
Bradford	.....	.....	.....	.....	1	.....	.....
Philadelphia	.....	1	.....	.....	1	1	.....
Rural districts	.....	.....	.....	.....	.....	.....	1
Rhode Island:							
Providence	.....	.....	1	.....	.....	.....	.....
Vermont:							
Rural districts	.....	.....	.....	1	.....	.....	.....
Washington:							
Spokane	.....	.....	.....	1	.....	.....	.....
Wisconsin:							
Rural districts	.....	.....	.....	1	.....	.....	.....
REGISTRATION CITIES IN NONREGISTRATION STATES.							
Pensacola, Fla	1	.....	.....	.....	.....	(5)	(5)
Chicago, Ill	.....	.....	.....	.....	1	.....	.....

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Includes only municipalities having from 1,000 to 10,000 population in 1910.
[4] Includes only municipalities having from 1,000 to 10,000 population in 1900.
[5] Not added to registration area until a later date.

ANTHRAX.

The distribution of deaths from anthrax for each of the years 1911 to 1917, inclusive, is shown in the following table:

AREA.	NUMBER OF DEATHS FROM ANTHRAX.						
	1917	1916	1915	1914	1913	1912	1911
The registration area [1]	62	28	35	19	25	18	14
Registration states [2]	60	25	34	16	23	17	11
Cities in registration states [2]	41	15	19	11	10	10	6
Rural part of registration states	19	10	15	5	13	7	5
Registration cities in nonregistration states	2	3	1	3	2	1	3
All registration cities [2]	43	18	20	14	12	11	9
REGISTRATION STATES.							
California:							
Bakersfield	.....	.....	.....	.....	.....	.....	1
Fresno	.....	.....	1	.....	.....	.....	.....
Sacramento	1	.....	.....	.....	.....	.....	.....
San Francisco	2	.....	.....	.....	.....	.....	.....
Rural districts	3	.....	1	1	1	.....	1
Colorado:							
Rural districts	2	.....	1	.....	.....	.....	.....
Connecticut:							
Hartford	.....	.....	1	.....	.....	.....	.....
New Britain	.....	.....	.....	.....	.....	.....	1
New Haven	.....	1	.....	.....	.....	.....	.....
New London	.....	.....	1	.....	.....	.....	.....
Norwalk	1	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	1	1	1	.....	1
Indiana:							
Evansville	1	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	1	.....	.....	.....	1
Kansas:							
Hutchinson	1	.....	.....	.....	(3)	(3)	(4)
Rural districts	1	.....	.....	.....	(4)	(4)	(4)
Kentucky:							
Rural districts	.....	2	.....	.....	.....	4	.....
Maine:							
Lewiston	.....	.....	.....	1	.....	.....	.....
Maryland:							
Rural districts	1	.....	.....	.....	.....	.....	.....
Massachusetts:							
Boston	4	4	3	.....	1	1	.....
Chelsea	2	.....	1	.....	.....	.....	.....
Gardner town	.....	.....	.....	.....	1	.....	.....
Lynn	.....	.....	.....	.....	.....	.....	1
North Adams	.....	1	.....	.....	.....	.....	.....
Peabody	.....	.....	.....	.....	.....	1	.....
Waltham	1	.....	.....	.....	.....	.....	.....
Weymouth	1	.....	.....	.....	.....	.....	.....
Woburn	3	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	1	.....	.....
Michigan:							
Detroit	.....	1	.....	.....	.....	.....	.....
Rural districts	1	1	.....	.....	.....	.....	.....
Minnesota:							
St. Paul	.....	.....	1	.....	.....	1	.....
Rural districts	.....	.....	1	.....	1	.....	.....
Missouri:							
Rural districts	1	1	.....	.....	1	1	.....
Montana:							
Rural districts	.....	.....	1	.....	.....	.....	.....
New Hampshire:							
Manchester	1	.....	.....	.....	.....	.....	.....
New Jersey:							
Camden	2	.....	.....	2	.....	.....	.....
Long Branch	2	.....	.....	.....	.....	.....	.....
New Brunswick	.....	.....	1	.....	.....	.....	.....
Newark	1	.....	.....	.....	.....	.....	.....
Orange	.....	.....	.....	.....	.....	1	.....
Rural districts	1	.....	1	.....	.....	.....	.....
New York:							
Gloversville	.....	.....	.....	.....	1	.....	.....
Lackawanna	1	.....	.....	.....	.....	.....	.....
New York	9	3	8	1	1	1	.....
Bronx Borough	1	.....	.....	.....	.....	.....	.....
Brooklyn Borough	2	2	2	1	1	.....	.....
Manhattan Borough	6	1	6	.....	.....	1	.....
Rural districts	2	1	5	.....	2	.....	1
North Carolina:							
Rural districts	1	2	(5)	(5)	(5)	(5)	(5)
Ohio:							
Cincinnati	.....	.....	.....	1	.....	1	.....
Cleveland	.....	.....	.....	.....	.....	.....	1
Elyria	.....	.....	.....	.....	1	.....	.....
Toledo	.....	.....	.....	.....	.....	1	.....
Rural districts	.....	.....	.....	1	.....	1	.....
Pennsylvania:							
Dubois	.....	.....	.....	.....	.....	.....	1
McKeesport	.....	.....	.....	1	.....	.....	.....
Philadelphia	3	5	1	4	3	3	1
Pittsburgh	1	.....	.....	.....	.....	.....	.....
Wilkes-Barre	.....	.....	.....	.....	1	.....	.....
Williamsport	1	.....	1	.....	.....	.....	.....
Rural districts	5	2	2	1	4	1	.....

(See footnotes at end of table.)

AREA.	NUMBER OF DEATHS FROM ANTHRAX.						
	1917	1916	1915	1914	1913	1912	1911
REGISTRATION STATES—contd.							
Utah:							
Rural districts			1				
Vermont:							
Rural districts	1						1
Virginia:							
Norfolk				1		[3]	[3]
Richmond	1					[3]	[3]
Rural districts					1	[4]	[4]
Washington:							
Rural districts		1			1		
Wisconsin:							
Milwaukee	2						
Racine					1		
Rural districts				1			
REGISTRATION CITIES IN NONREGISTRATION STATES.							
Wilmington, Del				1	2	1	1
Chicago, Ill		1					
New Orleans, La			1	1			2
Shreveport, La	1	[4]	[4]	[4]	[4]	[4]	[4]
Lincoln, Nebr				1			
Beaumont, Tex	1	1	[4]	[4]	[4]	[4]	[4]
San Antonio, Tex		1					

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Included with cities in nonregistration states.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having from 1,000 to 10,000 population in 1910.
[6] Includes only municipalities having from 1,000 to 10,000 population in 1900.

RABIES.

In 1917 there were 66 deaths from rabies, the distribution of which is shown for each of the years 1911 to 1917, inclusive, in the following table:

AREA.	NUMBER OF DEATHS FROM RABIES.						
	1917	1916	1915	1914	1913	1912	1911
The registration area [1]	66	36	52	65	95	74	83
Registration states [2]	61	33	47	56	75	60	69
Cities in registration states [2]	36	16	32	34	47	39	45
Rural part of registration states	25	17	15	22	28	21	24
Registration cities in nonregistration states	5	3	5	9	20	14	14
All registration cities [2]	41	19	37	43	67	53	59
REGISTRATION STATES.							
California:							
Bakersfield			1				
Los Angeles			1		1	1	2
Oakland			2	1			
San Francisco			1		4	6	
Santa Cruz			1				
Rural districts		1		2	3	1	1
Colorado:							
Colorado Springs		1					
Denver	1						
Rural districts	1						
Connecticut:							
New Britain	1						
New Haven	1						
Waterbury	1						
Rural districts					1		
Indiana:							
Hammond							1
Indianapolis					2	1	1
Logansport							1
New Albany					1		
Terre Haute					1		
Rural districts	2		1		1	2	1
Kansas:							
Coffeyville				1	[3]	[3]	[4]
Parsons		1			[3]	[3]	[4]
Rural districts			3	1	[4]	[4]	[4]
Kentucky:							
Covington						1	
Henderson			1				
Lexington				1			
Louisville	1	1					
Paducah			1				
Rural districts		1	2	3	2	2	1
Maryland:							
Baltimore							2
Rural districts		2			1		1

AREA.	NUMBER OF DEATHS FROM RABIES.						
	1917	1916	1915	1914	1913	1912	1911
REGISTRATION STATES—contd.							
Massachusetts:							
Boston				1			
Chelsea				1			
Fall River				1			
Haverhill			1				
Lawrence			1				
Medford			1				
Peabody			2				
Rural districts			1	2	2		1
Michigan:							
Ann Arbor	1	1					1
Detroit				1	1	2	1
Grand Rapids		1					
Pontiac						1	
Rural districts	1				1	2	1
Minnesota:							
Minneapolis			1			1	
St. Paul	1						
Stillwater				1	1	1	
Rural districts	1	1		1	2	1	
Missouri:							
Joplin	2				1		
Kansas City	6			1			1
St. Joseph				1			
St. Louis	3	2	1		3	3	2
Sedalia						1	
Springfield					1		
Rural districts	1	1	1	3	4	3	3
New Hampshire:							
Portsmouth				1			
Rural districts					1		1
New Jersey:							
Bayonne						1	
Bridgeton							1
Hoboken							1
Jersey City	1			1	1		3
Long Branch							2
New Brunswick					1		
Newark	1				3	2	
Paterson					1		1
Perth Amboy							1
Phillipsburg			1				
Trenton						1	
West Orange	1						
Rural districts		1	2	1	2	1	4
New York:							
Batavia				1			
Buffalo	1						
New York	3	1	1	7	9	6	11
Bronx Borough				1	3		
Brooklyn Borough		1	1	1	2	5	3
Manhattan Borough	2			4	2	1	6
Queens Borough	1			1	2		2
Olean					1		
Rochester				1			
Syracuse				1			
Utica			1				
Yonkers					1		
Rural districts	1	1	1	1	1		2
North Carolina:							
Charlotte			1				
Rural districts	4	1	[5]	[5]	[5]	[5]	[5]
Ohio:							
Akron							1
Cincinnati	1	1	1			1	
Cleveland	1		2	1	1	2	1
Columbus				1			2
Hamilton			1				
Ironton					1		
Lakewood				1			
Middletown					1		
Youngstown			2		1		
Rural districts	3	3	1		2	3	4
Pennsylvania:							
Farrell [7]						1	
Johnstown							1
New Castle		1					
Philadelphia		2		2	3	1	2
Pittsburgh	3	1	5	6			2
Scranton						1	
South Bethlehem							1
Wilkinsburg					1	1	
Rural districts	3		1	6	1	5	4
Rhode Island:							
Central Falls						1	
Newport						1	
Pawtucket						1	
Providence					1		
South Carolina:							
Greenville	1		[3]	[4]	[4]	[4]	[4]
Spartanburg		1	[3]	[4]	[4]	[4]	[4]
Rural districts	4	3	[4]	[4]	[4]	[4]	[4]
Tennessee:							
Memphis	1	[8]	[3]	[3]	[8]	[8]	[8]
Nashville	1	[8]	[3]	[3]	[8]	[8]	[8]
Rural districts	2	[4]	[4]	[4]	[4]	[4]	[4]
Virginia:							
Alexandria					1	[3]	[3]
Danville			1			[3]	[3]
Norfolk	1					[3]	[3]
Petersburg					1	[3]	[3]
Rural districts		2	1	2	4	[4]	[4]

(See footnotes at end of table.)

AREA.	NUMBER OF DEATHS FROM RABIES.						
	1917	1916	1915	1914	1913	1912	1911
REGISTRATION STATES—contd.							
Washington:							
Seattle		1					
Spokane		1					
Tacoma						1	
Rural districts	1		1				
Wisconsin:							
Marinette					1		
Milwaukee	2						2
Rural districts	1					1	
Washington, D. C			1	1	2		1
REGISTRATION CITIES IN NONREGISTRATION STATES.							
Birmingham, Ala					1		1
Mobile, Ala		1					1
Montgomery, Ala	1		1		1		1
Jacksonville, Fla	1	1			5		3
Atlanta, Ga	1				2		
Savannah, Ga							1
Aurora, Ill					1	1	
Chicago, Ill	2		2	5	2	8	5
Springfield, Ill						1	
Coffeyville, Kans	(9)	(9)	(9)	(9)	1		(4)
Wichita, Kans	(9)	(9)	(9)	(9)		1	
New Orleans, La		1	1	1	1	1	2
Vicksburg, Miss			1	(4)	(4)	(4)	(4)
Omaha, Nebr				1	1		
Portland, Oreg					2		
Charleston, S. C	(9)	(9)			1		
Jackson, Tenn	(9)	(8)		1	(4)	(4)	(4)
Memphis, Tenn	(9)	(8)		1	1		
Nashville, Tenn	(9)	(8)				1	
El Paso, Tex					1	1	

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Included with cities in nonregistration states.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having from 1,000 to 10,000 population in 1910.
[6] Includes only municipalities having from 1,000 to 10,000 population in 1900.
[7] Name changed from South Sharon (incorporated in 1901) in 1912.
[8] Transcripts for deaths not received.
[9] Included with cities in registration states.

PELLAGRA.

The number of deaths caused by pellagra in 1917 is 3,666, corresponding to a death rate of 4.9 per 100,000 population, as against 3.3 in 1916. Among the areas for which comparisons can be made for these two years, an increase in 1917 is shown in a large majority of states and in all but seven of the registration cities in nonregistration states.

AREA.	NUMBER OF DEATHS FROM PELLAGRA.						
	1917	1916	1915	1914	1913	1912	1911
The registration area [1]	3,666	2,390	2,843	1,550	1,015	674	659
Registration states [2]	2,843	1,807	1,058	847	573	326	322
Cities in registration states [2]	801	558	437	391	260	166	163
Rural part of registration states	2,042	1,249	621	456	313	160	159
Registration cities in nonregistration states	823	583	1,785	703	442	348	337
All registration cities [2]	1,624	1,141	2,222	1,094	702	514	500
REGISTRATION STATES.							
California:							
Cities	8	14	11	14	13	4	5
Rural districts	16	11	17	14	6	6	7
Colorado:							
Cities	2	2		5	1		3
Rural districts	2	1	2	4	2	5	3
Connecticut:							
Cities	4	1	1	4	3		
Rural districts	1			2	1		1
Indiana:							
Cities	4	1	3	1	1		2
Rural districts	2	3	6	1	3	3	1

AREA.	NUMBER OF DEATHS FROM PELLAGRA.						
	1917	1916	1915	1914	1913	1912	1911
REGISTRATION STATES—contd.							
Kansas:							
Cities	12	3	6	11	(8)	(8)	(8)
Rural districts	16	7	22	7	(4)	(4)	(4)
Kentucky:							
Cities	37	8	14	18	16	32	19
Rural districts	160	116	135	131	88	84	46
Maine:							
Cities	10	5	4	4	3	4	
Rural districts	9	10	6	5	7	1	1
Maryland:							
Cities	5	2	9	4	11	6	3
Rural districts	11	1	7	3	3	2	8
Massachusetts:							
Cities	10	23	16	13	8	4	1
Rural districts	9	17	9	6	5	1	
Michigan:							
Cities	5	3	8	2	7	2	1
Rural districts	1	2	4	2	1		2
Minnesota:							
Cities				2	1		
Rural districts		2	1	3	1		
Missouri:							
Cities	19	11	12	14	9	3	8
Rural districts	40	30	22	10	14	12	10
Montana:							
Cities							
Rural districts				1			
New Hampshire:							
Cities	3	8	2	9	1		
Rural districts	2	3	3	1	1	1	
New Jersey:							
Cities	1	3	3	4	2	1	1
Rural districts	1	1	2	1		1	1
New York:							
Cities	28	22	8	12	5	2	1
Rural districts	1	6	4	2	2		1
North Carolina:							
Cities	128	97	195	147	96	93	105
Rural districts	492	388	[5] 152	[5] 101	[6] 61	[6] 36	[6] 72
Ohio:							
Cities	2	4	2	1			
Rural districts	1	1	3			2	2
Pennsylvania:							
Cities	5	2	5	5	5		4
Rural districts		2	1	1	2	1	1
Rhode Island:							
Cities	6	8	9	13	9	9	7
Rural districts				1			
South Carolina:							
Cities	241	257	(3)	(3)	(3)	(3)	(3)
Rural districts	473	472	(4)	(4)	(4)	(4)	(4)
Tennessee:							
Cities	153	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	597	(4)	(4)	(4)	(4)	(4)	(4)
Utah:							
Cities							
Rural districts							
Vermont:							
Cities	2		1				
Rural districts	3	2	2	2	3	3	
Virginia:							
Cities	101	74	110	94	57	(3)	(3)
Rural districts	201	174	222	156	108	(4)	(4)
Washington:							
Cities			2				
Rural districts	2				2		
Wisconsin:							
Cities	1	1			2		2
Rural districts	2		1	2	3	2	3
Washington, D. C	14	9	16	14	10	6	1
REGISTRATION CITIES IN NONREGISTRATION STATES.							
Birmingham, Ala	81	50	116	44	38	26	21
Mobile, Ala	57	45	55	23	22	7	16
Montgomery, Ala	52	37	54	38	31	33	25
Jacksonville, Fla	23	22	52	15	14	16	8
Key West, Fla					1		
Pensacola, Fla	15	9	25	9	4	(4)	(4)
Tampa, Fla	5	4	12	(4)	(4)	(4)	(4)
Atlanta, Ga	98	80	134	110	82	66	106
Brunswick, Ga	7	(4)	(4)	(4)	(4)	(4)	(4)
Augusta, Ga	38	36	56	46	23	(4)	(4)
Savannah, Ga	37	28	54	54	33	20	13
Chicago, Ill	6	6	9	7	4	7	9
Decatur, Ill	1						1
Jacksonville, Ill		4	1	1			
Quincy, Ill					1		
Springfield, Ill		1					
Coffeyville, Kans	(7)	(7)	(7)	(7)	1		(4)
Kansas City, Kans	(7)	(7)	(7)	(7)		1	
Parsons, Kans	(7)	(7)	(7)	(7)		1	(4)
Topeka, Kans	(7)	(7)	(7)	(7)	2	1	(4)

(See footnotes at end of table.)

AREA.	NUMBER OF DEATHS FROM PELLAGRA.						
	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES IN NON-REGISTRATION STATES—CON.							
Wichita, Kans.	(7)	(7)	(7)	(7)	3		
Alexandria, La.	5	(4)	(4)	(4)	(4)	(4)	(4)
Baton Rouge, La.	8	(4)	(4)	(4)	(4)	(4)	(4)
Lake Charles, La.	1	(4)	(4)	(4)	(4)	(4)	(4)
Monroe, La.	5	(4)	(4)	(4)	(4)	(4)	(4)
New Orleans, La.	50	46	76	67	53	23	28
Shreveport, La.	28	(4)	(4)	(4)	(4)	(4)	(4)
Hattiesburg, Miss.	8	14	36	(4)	(4)	(4)	(4)
Jackson, Miss.	108	90	122	(4)	(4)	(4)	(4)
Meridian, Miss.	59	19	62	(4)	(4)	(4)	(4)
Natchez, Miss.	16	17	18	(4)	(4)	(4)	(4)
Vicksburg, Miss.	25	14	52	(4)	(4)	(4)	(4)
Lincoln, Nebr.		1					
Portland, Oreg.			1	1			
Charleston, S. C.	(7)	(7)	139	85	56	49	30
Columbia, S. C.	(7)	(7)	384	(4)	(4)	(4)	(4)
Greenville, S. C.	(7)	(7)	31	(4)	(4)	(4)	(4)
Spartanburg, S. C.	(7)	(7)	19	(4)	(4)	(4)	(4)
Chattanooga, Tenn.	(7)	(8)	52	21	(4)	(4)	(4)
Jackson, Tenn.	(7)	(8)	7	9	(4)	(4)	(4)
Knoxville, Tenn.	(7)	(8)	33	16	(8)	7	12
Memphis, Tenn.	(7)	(8)	104	107	37	26	13
Nashville, Tenn.	(7)	(8)	35	21	20	7	12
Beaumont, Tex.	7	5	(4)	(4)	(4)	(4)	(4)
Cleburne, Tex.	2	(4)	(4)	(4)	(4)	(4)	(4)
Dallas, Tex.	24	30	(4)	(4)	(4)	(4)	(4)
El Paso, Tex.	11	1	4	3			1
Galveston, Tex.	3	8	11	9	4	6	6
Houston, Tex.	25	(4)	(4)	(4)	(4)	(4)	(4)
San Antonio, Tex.	18	16	31	17	13	4	7
Alexandria, Va.	(7)	(7)	(7)	(7)	(7)	1	
Danville, Va.	(7)	(7)	(7)	(7)	(7)	10	4
Lynchburg, Va.	(7)	(7)	(7)	(7)	(7)	6	3
Norfolk, Va.	(7)	(7)	(7)	(7)	(7)	11	5
Petersburg, Va.	(7)	(7)	(7)	(7)	(7)	5	3
Richmond, Va.	(7)	(7)	(7)	(7)	(7)	12	12
Roanoke, Va.	(7)	(7)	(7)	(7)	(7)	3	2

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Included with cities in nonregistration states.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having from 1,000 to 10,000 population in 1910.
[6] Includes only municipalities having from 1,000 to 10,000 population in 1900.
[7] Included with cities in registration states.
[8] Transcripts for deaths not received.

TUBERCULOSIS (ALL FORMS).

Tuberculosis (all forms) includes eight titles of the International List of Causes of Death. The number of deaths reported in 1917 from this cause is 110,285, corresponding to a rate of 146.4 per 100,000 population, and constituting 10.3 per cent of total deaths from all causes. The death rate for 1917 is much higher than that for 1916 (141.6). In fact, a noticeable increase is shown for all of the subdivisions of the registration area as well as for a majority of the registration states.

The following table shows the rates per 100,000 population for the years 1911 to 1917, and the annual average for the five-year period 1906 to 1910, with rates of 175 or more printed in boldfaced type:

AREA.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS)[1] PER 100,000 POPULATION. [Rates of 175 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910[1]
SUMMARY.								
The registration area[2]	146.4	141.6	145.8	146.8	147.6	149.5	158.9	168.7
Registration states[3]	144.2	139.3	141.5	143.3	144.6	145.9	155.6	163.5
Cities in registration states[3]	159.3	154.6	156.9	160.7	162.6	164.4	174.8	191.7
Rural part of registration states	130.6	125.1	126.2	126.1	126.6	126.8	136.0	131.7
Registration cities in nonregistration states	176.1	173.3	197.2	192.5	181.9	187.6	195.8	196.5
All registration cities[3]	161.7	157.1	162.6	165.1	165.5	168.1	177.9	192.9
REGISTRATION STATES.								
California	184.7	180.9	196.1	195.0	203.2	200.0	206.8	210.4
Colorado	178.1	163.3	168.0	181.7	185.9	203.6	218.0	244.2
Connecticut	166.3	147.2	143.3	148.1	140.5	142.9	149.5	154.2
Indiana	141.3	136.0	143.8	147.6	149.7	147.9	155.0	171.2
Kansas	56.5	54.4	54.7	56.8	(4)	(4)	(4)	(4)
Kentucky (total)	197.9	194.4	201.0	207.3	201.5	208.7	229.3	(5)
White	165.6	163.2	167.8	175.6	172.7	178.9	196.7	(4)
Colored	481.2	463.4	482.2	456.7	424.7	439.8	483.1	(4)
Maine	114.7	116.1	124.5	120.7	126.9	133.5	142.0	154.5
Maryland (total)	201.1	200.0	191.2	202.1	194.5	192.6	203.3	203.3
White	154.1	151.4	144.9	157.5	148.6	150.8	152.1	159.1
Colored	433.8	438.4	416.1	405.6	404.2	383.1	437.7	400.6
Massachusetts	144.1	147.4	140.2	141.9	144.2	147.5	153.2	169.9
Michigan	107.7	101.9	98.3	93.3	91.7	94.2	96.0	99.7
Minnesota	101.9	104.6	101.4	107.6	107.4	108.5	120.2	(5)
Missouri	146.8	141.2	145.0	148.7	143.5	148.6	154.0	(4)
Montana	116.1	113.4	118.8	109.2	108.8	115.4	107.1	(5)
New Hampshire	112.8	113.4	121.4	123.3	120.2	112.5	121.5	137.3
New Jersey	153.4	150.3	153.2	154.5	153.3	155.2	174.1	184.3
New York	159.9	155.1	163.9	168.1	167.1	167.7	177.7	189.3
North Carolina (total)	139.7	148.9	[6]231.1	[6]245.8	[7]229.8	[7]238.5	[7]256.8	(5)
White	96.1	103.5	150.6	181.5	171.1	168.4	183.5	(5)
Colored	235.3	248.5	388.6	368.2	337.7	367.4	391.4	(5)
Ohio	142.4	132.5	130.6	130.2	132.2	137.8	147.9	(5)
Pennsylvania	135.3	130.1	126.9	123.9	120.9	123.9	135.4	141.0
Rhode Island	162.5	166.7	157.0	158.3	162.7	160.5	170.9	192.3
South Carolina (total)	144.6	145.9	(4)	(4)	(4)	(4)	(4)	(4)
White	71.4	68.2	(4)	(4)	(4)	(4)	(4)	(4)
Colored	208.7	213.4	(4)	(4)	(4)	(4)	(4)	(4)
Tennessee (total)	198.5	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	155.9	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	365.8	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Utah	43.3	49.3	44.5	50.4	48.9	40.3	46.8	(5)
Vermont	90.4	107.8	91.1	101.9	107.4	100.4	118.7	127.4
Virginia (total)	172.2	177.1	184.4	182.0	168.7	(4)	(4)	(4)
White	110.9	120.1	118.2	125.8	119.6	(4)	(4)	(4)
Colored	310.7	304.2	330.4	298.5	270.3	(4)	(4)	(4)
Washington	81.7	81.3	86.7	88.5	92.4	91.7	106.7	(5)
Wisconsin	98.3	93.1	96.4	100.2	97.9	99.6	103.8	(5)
REGISTRATION CITIES OF 100,00 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	199.7	202.0	206.9	241.9	231.4	208.4	231.9	(5)
White	59.5	79.0	86.5	107.3	100.2	122.0	113.8	(5)
Colored	437.8	408.4	406.6	448.8	432.8	341.0	413.2	(5)
Los Angeles, Calif.	200.6	193.9	214.0	226.5	258.7	255.7	277.5	283.1
Oakland, Calif.	103.6	120.4	137.8	123.5	129.5	140.3	132.8	189.8
San Francisco, Calif.	183.0	193.6	210.9	213.9	200.5	198.3	190.0	208.9
Denver, Colo.	247.4	217.1	247.6	261.5	269.0	299.6	292.7	379.1
Bridgeport, Conn.	191.6	144.7	135.9	127.4	103.4	107.3	123.7	189.8
New Haven, Conn.	162.2	129.0	123.1	143.2	139.5	135.7	153.6	188.0
Washington, D. C. (total)	187.4	206.6	218.3	208.6	236.2	246.2	245.3	268.6
White	116.1	121.2	126.7	122.5	151.0	140.3	158.2	163.2
Colored	377.7	432.7	458.5	422.4	447.8	509.8	461.8	525.6

(See footnotes at end of table.)

AREA.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS)[1] PER 100,000 POPULATION. [Rates of 175 or more in boldfaced type.] 1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910[1]
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Atlanta, Ga. (total)	136.6	145.3	131.4	132.2	151.5	145.5	193 4	200.6
White	85.3	91.2	83.4	94.9	101.5	96.4	125.8	145.8
Colored	252.7	265.8	236.3	206.0	250.3	242.5	327.1	305.3
Chicago, Ill	150.6	150.2	173.4	164.9	166.1	163.3	166.8	186.8
Indianapolis, Ind	186.5	189.7	204.9	218.3	222.3	185.5	188.6	228.7
Louisville, Ky. (total)	179.0	182.1	185.7	212.3	185.3	208.9	236.1	228.0
White	127.9	132.9	137.8	171.8	147.1	164.0	198.1	182.9
Colored	420.9	412.7	409.2	394.7	357.6	411.9	408.1	429.9
New Orleans, La. (total)	319.4	291.2	302.9	293.7	253.7	265.8	260.5	291.8
White	206.5	172.9	176.6	196.1	159.3	182.2	173.2	206.3
Colored	640.4	627.3	660.1	565.3	516.3	498.1	503.8	528.1
Baltimore, Md. (total)	234.7	224.1	220.2	227.7	234.6	244.8	246.9	264.2
White	169.1	162.1	160.7	173.5	174.4	188.4	183.6	206.4
Colored	606.7	575.4	556.1	529.9	570.0	557.7	598 8	584.4
Boston, Mass	172.4	174.3	163.8	171.5	173.6	179.0	182.4	210.7
Cambridge, Mass	198.5	184.1	198.0	188.4	199.9	186.6	194.1	262.3
Fall River, Mass	167.8	187.8	141.1	168.3	145.2	140.4	150.9	159.4
Lowell, Mass	166.1	137.7	127.6	124.3	119.2	147.1	153.2	161.3
Worcester, Mass	163.7	171.5	147.7	145.1	134.3	128.8	140.4	162.1
Detroit, Mich	159.9	163.9	135.6	121.8	116.0	116.0	114.0	112.3
Grand Rapids, Mich	95.6	81.9	96.2	78.8	72.9	97.3	110.3	110.8
Minneapolis, Minn	134.7	139.9	144.0	136.2	135.6	139.5	154.3	131.7
St. Paul, Minn	135.1	123.7	128.5	137.2	138.2	130.8	134.6	133.4
Kansas City, Mo	167.7	159.1	173.9	151.8	155.6	169.5	168.1	163.4
St. Louis, Mo	155.5	144.9	144.3	164.2	157.9	158.6	158.0	198.1
Omaha, Nebr	106.4	120.9	102.3	123.1	106.1	103.2	116.7	127.1
Jersey City, N. J	150.4	168.4	164.9	161.2	155.1	160.6	189.5	226.5
Newark, N. J	168.1	168.0	186.3	177.6	174.2	170.8	207.0	258.2
Paterson, N. J	138.1	139.5	134.1	123.6	148.2	129.9	182.9	186.0
Albany, N. Y	228.9	238.7	239.6	277.8	248.2	229.0	269.4	228.1
Buffalo, N. Y	169.2	162.2	157.0	165.8	156.0	144.3	141.8	148.6
New York, N. Y	178.3	173.7	188.7	194.2	194.1	197.6	207.1	226.3
Bronx Borough[8]	221.8	178.4	193.7	193.5	200.4	189.6	192.7	445.8
Brooklyn Borough[8]	162.8	151.6	169.2	171.0	172.5	175.1	183.4	187.9
Manhattan Borough[8]	180.4	187.1	205.1	214.6	213.9	221.6	233.3	225.7
Queens Borough[8]	171.4	177.7	169.9	169.8	151.5	158.0	159.8	140.4
Richmond Borough[8]	195.4	211.4	173.0	182.9	191.0	165.1	194.0	225.9
Rochester, N. Y	119.7	112.3	118.5	113.0	118.6	112.4	131.7	157.5
Syracuse, N. Y	118.6	110.5	99.6	131.9	120.9	108.0	113.3	133.9
Cincinnati, Ohio	231.5	227.6	222.8	243.9	254.0	252.6	265.3	280.6
Cleveland, Ohio	174.0	152.7	132.6	136.3	131.7	134.1	147.4	137.1
Columbus, Ohio	168.5	153.6	158.8	166.2	160.4	170.2	190.0	209.7
Dayton, Ohio	162.1	138.3	175.3	134.9	167.0	154.5	170.7	209.0
Toledo, Ohio	204.0	194.4	193.7	178.2	188.5	178.8	186.7	170.5
Portland, Oreg	64.8	80.9	85.4	86.7	84.7	100.6	106.8	110.8
Philadelphia, Pa	197.3	193.4	186.0	190.6	188.6	190.8	219.1	234.6
Pittsburgh, Pa	161.4	136.4	133.0	133.8	127.9	124.6	130.9	141.9
Scranton, Pa	94.3	87.8	93.0	96.2	86.6	94.9	112.7	97.4
Providence, R. I	167.4	165.1	157.6	150.5	162.0	150.5	153.9	190.7
Memphis, Tenn. (total)	271.3	(9)	290.9	299.6	266.5	253.9	241.2	244.7
White	136.4	(9)	135.4	124.6	158.1	161.5	146.7	157.7
Colored	513.0	(9)	557.0	561.2	428.7	392.2	382.9	367.8
Nashville, Tenn. (total)	203.1	(9)	238.9	235.0	216.1	241.3	241.5	278.4
White	142.4	(9)	136.5	140.5	145.7	161.8	165.0	188.7
Colored	342.0	(9)	465.1	425.9	358.3	401.9	396.0	455.0
Richmond, Va. (total)	191.0	223.4	211.4	219.4	205.0	245.7	250.6	259.5
White	133.1	145.0	139.1	135.6	130.3	178.9	162.3	189.1
Colored	295.6	364.3	340.4	364.2	334.1	361.3	403.3	380.4
Seattle, Wash	76.1	75.5	64.4	88.8	96.5	101.7	121.1	110.3
Spokane, Wash	62.1	55.3	62.3	71.5	88.9	69.4	109.4	119.6
Milwaukee, Wis	99.5	96.0	96.2	105.4	104.2	97.6	106.5	130.1

[1] Including scrofula.
[2] Exclusive of Hawaii.
[3] Including the District of Columbia.
[4] Not added to registration area until a later date.
[5] Figures for deaths not available for the entire period.
[6] Includes only municipalities having a population of 1,000 or more in 1910.
[7] Includes only municipalities having a population of 1,000 or more in 1900.
[8] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to boroughs of residence.
[9] Transcripts for deaths not received.

In discussions of tuberculosis in previous years attention has been directed to the fact that there are many localities to which persons afflicted with this disease are attracted because of climatic conditions favorable to the treatment of this disease. States and cities which annually show high death rates from tuberculosis (all forms) are not always those which have conditions tending to the development of tuberculous diseases, but often are health resorts.

Of the 22 registration states for which rates appear for all the years, three (California, Kentucky, and Maryland) have higher rates than 175 for each year from 1911 to 1917. In fact, these three states have had rates above 175 each year since they were added to the registration area—California and Maryland in 1906 and Kentucky in 1911.

The states which show the highest rates in 1917 from tuberculosis (all forms) are Maryland (201.1), Tennessee (198.5), Kentucky (197.9), California (184.7), and Colorado (178.1). The states with the lowest rates are Utah (43.3), Kansas (56.5), Washington (81.7), Vermont (90.4), and Wisconsin (98.3).

Of the cities which in 1910 had populations of 100,000 or more, 15 have rates higher than 175 for each year from 1911 to 1917, and 5 of these have rates of more than 200 during the same period. The highest rates in 1917 are as follows: New Orleans (319.4), Memphis (271.3), Denver (247.4), Baltimore (234.7), Cincinnati (231.5), Albany (228.9), Toledo (204), and Nashville (203.1). With the exception of Toledo, all of these cities which show rates for the years 1900 to 1917, inclusive, show rates at least as high as 200 per 100,000 population since and including 1900.

The lowest rates among the large cities in 1917 appear for Spokane (62.1), Portland, Oreg. (64.8), Seattle (76.1), Scranton (94.3), and Grand Rapids (95.6).

The following table shows the death rates per 100,000 population for the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population) which in any of these years have rates of 175 or more per 100,000 population, such rates being printed in boldfaced type:

CITY.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION. [Rates of 175 or more in boldfaced type.] 1917	1916	1915	1914	1913	1912	1911
Mobile, Ala	224.7	247.3	286.5	302.3	304.0	307.5	324.6
Montgomery, Ala	149.9	159.4	150.5	129.3	158.5	201.1	215.7
Bakersfield, Calif	359.1	284.4	357.8	296.0	356.5	359.1	383.6
Eureka, Calif	125.5	197.4	140.6	109.0	187.8	241.2	258.1
Fresno, Calif	198.3	134.4	196.4	144.3	146.7	131.1	207.6
Long Beach, Calif	130.4	123.1	96.1	110.5	131.2	140.9	177.6
Pasadena, Calif	116.9	127.0	155.0	163.9	172.0	290.0	281.4
Pomona, Calif	95.4	68.4	118.4	155.7	179.1	168.9	176.4
Redlands, Calif	226.5	235.6	253.1	256.7	350.0	503.7	448.8
Riverside, Calif	234.3	268.2	162.9	213.2	244.9	297.1	378.9
Sacramento Calif	246.4	212.3	228.3	247.1	268.8	223.8	244.8
San Bernardino, Calif	528.0	537.0	571.5	596.1	602.8	462.8	522.5
San Diego, Calif	264.2	279.1	295.4	265.9	372.7	357.6	307.7
San Jose, Calif	108.0	120.9	131.5	134.9	163.1	164.4	180.9
Santa Barbara, Calif	182.2	154.9	195.3	224.4	202.9	304.9	268.7
Santa Cruz, Calif	46.2	75.5	106.8	89.1	193.4	89.0	152.4
Stockton, Calif	320.4	263.1	260.8	291.9	298.6	387.2	363.1
Colorado Springs, Colo	469.6	485.3	445.3	498.1	524.3	574.4	589.9
Pueblo, Colo	144.5	113.8	100.3	126.9	151.2	143.8	211.6
Trinidad, Colo	138.8	187.4	127.5	148.4	220.7	159.5	166.8

(See footnotes at end of table.)

CITY.	DEATH RATE FROM TUBERCULOSIS (ALL FORM) PER 100,000 POPULATION. [Rates of 175 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Hartford, Conn	177.2	128.0	95.5	129.9	124.7	124.0	138.3
Meriden town, Conn	359.2	362.8	384.2	414.9	392.0	396.1	428.0
Middletown town, Conn	255.1	267.5	227.0	293.7	238.4	246.8	203.4
New London, Conn	136.8	123.9	129.9	131.4	122.9	198.7	185.9
Norwich town, Conn	334.3	265.1	328.5	223.9	246.2	174.6	130.0
Windham town, Conn	194.4	127.2	107.9	29.3	111.9	98.8	240.2
Wilmington, Del	199.2	163.4	170.7	170.5	149.5	183.7	156.6
Jacksonville, Fla	234.0	226.0	221.5	229.4	254.4	230.4	260.5
Key West, Fla	186.2	165.7	182.0	283.8	244.5	296.5	282.7
Pensacola, Fla	156.7	178.9	202.0	222.1	170.2	(1)	(1)
Tampa, Fla	147.5	135.5	180.5	(1)	(1)	(1)	(1)
Augusta, Ga	189.5	250.8	280.9	200.2	181.4	(1)	(1)
Brunswick, Ga	200.3	(1)	(1)	(1)	(1)	(1)	(1)
Savannah, Ga	274.3	295.1	355.5	300.3	275.7	290.7	242.6
Jacksonville, Ill	496.6	239.0	271.7	278.7	220.7	227.5	253.9
Quincy, Ill	116.7	201.1	165.9	171.5	147.1	174.6	180.2
Springfield, Ill	113.4	119.4	157.6	177.6	161.2	136.4	185.8
Anderson, Ind	243.5	162.6	151.5	153.1	172.3	130.5	197.8
Elwood, Ind	253.9	127.0	108.8	166.5	211.4	160.4	102.1
Evansville, Ind	187.1	187.9	182.6	147.3	176.0	176.8	196.0
Gary, Ind	94.6	178.6	166.6	(2)	(2)	(2)	65.5
Jeffersonville, Ind	105.6	144.1	201.7	243.6	174.8	232.3	308.6
Kokomo, Ind	145.9	181.5	133.0	203.1	194.0	190.6	169.5
Lafayette, Ind	130.4	155.0	180.1	191.4	154.6	209.7	201.8
Marion, Ind	135.5	181.5	187.4	167.9	209.5	133.0	138.8
New Albany, Ind	253.9	169.3	194.7	242.3	252.0	252.0	218.1
Richmond, Ind	175.4	137.6	131.6	137.9	157.1	142.4	171.2
Terre Haute, Ind	129.1	130.2	186.7	190.5	151.0	164.0	187.1
Vincennes, Ind	160.3	198.3	133.7	173.0	128.7	176.4	272.6
Kansas City, Kans	130.2	130.7	142.5	146.4	182.1	171.9	208.9
Covington, Ky	283.4	204.7	221.1	237.9	220.7	270.8	235.3
Frankfort, Ky	321.9	316.0	409.8	450.3	408 0	402.5	387.3
Henderson, Ky	211.1	237.8	273.4	292.8	295.9	409.7	344.9
Lexington, Ky	314.3	287.2	355.1	399.2	311.0	307.7	320.7
Newport, Ky	174.2	166.0	192.3	215.7	166.1	173.9	206.2
Owensboro, Ky	332.0	219.3	291.4	273.0	271.7	264.4	293.4
Paducah, Ky	369.4	314.0	330.5	351.7	310.5	234.1	298.0
Alexandria, La	191.0	(1)	(1)	(1)	(1)	(1)	(1)
Baton Rouge, La	233.7	(1)	(1)	(1)	(1)	(1)	(1)
Shreveport, La	288.7	(1)	(1)	(1)	(1)	(1)	(1)
Augusta, Me	138.5	204.6	178.4	137.1	218.9	191.8	246.4
Bangor, Me	204.0	165.1	197.3	180.3	197.8	196.4	186.8
Biddeford, Me	168.9	152.8	187.9	125.8	207.1	190.9	226.8
Lewiston, Me	128.3	129.5	145.1	161.1	188.6	190.3	165.7
Waterville, Me	155.1	196.8	112.0	97.5	140.5	126.0	171.0
Cumberland, Md	116.1	126.6	148.6	183.6	167.0	157.3	120.4
Frederick, Md	124.7	153.0	81.9	64.3	148.6	187.6	227.6
Hagerstown, Md	172.3	124.6	114.9	92.7	160.5	169.0	195.7
Arlington town, Mass	107.0	156.1	71.8	89.5	182.9	119.0	129.8
Chicopee, Mass	213.7	163.7	188.3	149.7	142.2	149.3	112.4
Clinton town, Mass	160.6	107.0	152.9	117.5	147.5	123.7	183.7
Marlborough, Mass	85.0	105.4	99.5	100.1	201.4	121.6	156.4
New Bedford, Mass	156.2	182.0	154.4	164.6	151.2	144.8	166.5
Northampton, Mass	304.9	195.7	181.4	116.3	183.0	249.9	170.6
Taunton, Mass	221.3	245.3	200.2	238.6	175.6	200.1	176.8
Wakefield town, Mass	100.4	125.6	79.9	73.2	132.2	84.2	179.7
Waltham, Mass	129.0	130.9	199.1	124.6	123.2	100.6	148.8
Westfield town, Mass	213.2	331.7	356.4	334.5	370.9	527.3	516.9
Ann Arbor, Mich	246.0	226.6	207.0	167.2	167.6	141.1	181.7
Pontiac, Mich	149.9	91.3	164.3	108.6	167.9	179.5	131.8
Traverse City, Mich	220.0	275.1	317.6	256.3	284.8	212.3	235.8
Mankato, Minn	96.4	96.5	125.4	107.1	126.4	203.6	117.5
St. Cloud, Minn	133.1	143.8	137.7	131.4	97.9	81.6	147.0
Stillwater, Minn	29.4	88.2	88.2	161.4	147.2	72.0	207.4
Winona, Minn	166.9	156.0	123.8	220.9	154.7	125.6	132.2
Jackson, Miss	231.5	242.1	253.8	(1)	(1)	(1)	(1)
Meridian, Miss	288.7	270.4	266 0	(1)	(1)	(1)	(1)
Natchez, Miss	262.9	305.4	288.4	(1)	(1)	(1)	(1)
Vicksburg, Miss	314.9	333.1	209.3	(1)	(1)	(1)	(1)
Hannibal, Mo	142.9	142.0	169.2	168.9	178.6	137.8	178.6
Jefferson City, Mo	204.2	237.3	331.9	330.0	318.5	235.0	214.6
Joplin, Mo	323.4	304.0	296.8	264.8	254.1	224.8	235.6
Moberly, Mo	214.6	141.1	232.8	238.4	227.5	216.0	212.8
Sedalia, Mo	137.0	159.4	104.2	169.2	155.4	195.6	193.0
Springfield, Mo	145.8	161.2	177.2	183.5	137.3	180.9	188.2
Webb City, Mo	383.5	506.5	383.5	330.9	467.8	234.8	247.8
Butte, Mont	220.1	225.6	201.0	262.6	269.7	227.5	238.3
Great Falls, Mont	143.4	143.4	164.9	207.0	154.1	145.6	94.0
Helena, Mont	116.1	110.2	119.1	75.4	45.8	201.4	165.0
Concord, N. H	105.0	145.6	177.9	143.6	104.0	91.3	142.7
Dover, N. H	113.0	90.4	143.2	150.8	150.8	113.1	218.8
Bridgeton, N. J	90.7	173.6	132.3	153.5	146.8	105.1	257.8
Camden, N. J	138.8	145.8	119 7	185.4	168.0	157.0	200.4
Hackensack, N. J	46.0	53.1	85.0	137.4	173.7	132.6	175.9
Harrison, N. J	74.9	106.2	120.8	86.6	120.5	149.6	228.0
Hoboken, N. J	205.6	187.9	197.1	193.3	181.4	224.0	248.9
Irvington, N. J	143.7	131.0	175.7	183.7	192.5	164.7	214 7
Long Branch, N. J	101.8	110.5	139.4	135.9	104.3	135.1	176.9
Morristown, N. J	134.3	113.0	98.8	145.7	170.4	211.2	246.1
New Brunswick, N. J	177.9	184.2	202.7	209.5	183.8	207.1	179.1

CITY.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION. [Rates of 175 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Orange, N. J	184.3	163.2	166.0	153.3	159.2	178.2	232.7
Trenton, N. J	155.3	151.4	175.8	175.9	194.3	224.4	224.0
West New York, N. J	122.4	165.2	200.8	175.6	123.1	149.3	145.3
Binghamton, N. Y	182.3	161.2	143.2	153 3	189.1	137.0	132.6
Cohoes, N. Y	174.0	170.6	207.0	143.7	156.2	180.8	197.1
Glens Falls, N. Y	116.5	82.8	150.3	158.9	136.7	120.0	182.0
Hudson, N. Y	100.8	157.5	119.9	180.1	124.7	135.1	197.0
Johnstown, N. Y	84 3	75.2	84.8	47.3	113.8	152.1	216.6
Kingston, N. Y	215.5	205.5	240.3	218.9	204.9	225.0	280.5
Little Falls, N. Y	87.9	133.7	150.7	114.7	116.5	86.7	182.9
Middletown, N. Y	289.5	316.3	324.3	281.2	250.5	277.6	308.7
Newburgh, N. Y	297.8	256.8	259.3	234.3	233.2	210.9	166.8
Ogdensburg, N. Y	195.9	185.4	174.8	255.1	189.7	271.4	320.8
Peekskill, N. Y	131.4	80.9	149.8	121.3	95.1	67.2	228.5
Plattsburg, N. Y	114.4	85.7	143.4	113.9	166.4	110.7	201.9
Rome, N. Y	531.7	476.1	482.4	431.8	324.7	341.8	338.3
Saratoga Springs, N. Y	108.4	209.9	130.4	132.7	219.1	196.0	301.2
Troy, N. Y	265.1	231.1	241.8	238.6	242.9	221.5	248.2
Watervliet, N. Y	108.8	122.2	135.8	175.4	156.7	164.0	164.3
Yonkers, N. Y	139.7	125.2	111.8	139.2	176.3	139.2	139.9
Asheville, N. C	592.5	686.7	634.5	615.1	605.3	631.0	658.5
Charlotte, N. C	220.8	178.3	177.4	208.2	183.7	99.9	161.2
Durham, N. C	198.8	215.5	254.5	268.0	188.4	246.7	337.3
Greensboro, N. C	168.6	209.4	184.3	212.1	174.2	250.0	276.9
Raleigh, N. C	236.7	298.1	245.3	312.6	203.2	301.9	294.6
Wilmington, N. C	180.9	180.7	200.8	169.2	241.7	272.3	243.1
Winston-Salem, N. C.[3]	307.9	317.3	372.2	375.4	303.8	263.1	324.4
Chillicothe, Ohio	108.8	84.1	124.0	164.9	186.6	188.6	258.6
East Liverpool, Ohio	152.6	150.6	112.5	233.1	204.4	184.2	197.0
Findlay, Ohio	87.5	154.7	215.4	138.8	157.6	140.4	172.2
Ironton, Ohio	149.1	150.5	159.2	204.5	228.5	186.1	210.5
Lima, Ohio	131.9	124.4	109.8	117.9	123.6	138.8	185.3
Middletown, Ohio	189.2	166.4	157.6	222.6	159.3	199.6	132.1
Portsmouth, Ohio	235.1	208.8	142.2	210.8	178.4	216.8	237.7
Steubenville, Ohio	95.5	83.8	108.9	135.6	104.0	202.6	119.9
Tiffin, Ohio	177.5	139.9	94.0	162.8	114.9	124.0	141.6
Zanesville, Ohio	153.2	123.1	154.6	123.5	166.2	189.4	178.5
Beaver Falls, Pa	159.9	155.2	97.6	160.3	163.0	213.2	104.4
Bethlehem, Pa	104.6	190.9	114.9	80.2	74.0	150.3	99.3
Carlisle, Pa	64.8	158.5	84.5	198.3	161.6	191.4	183.0
Carnegie, Pa	117.1	85.6	122.6	53.8	147.1	207.4	77.4
Chambersburg, Pa	176.3	145.4	179.0	73.8	140.5	208.2	193.4
Chester, Pa	231.7	207.7	237.0	229.8	282.4	194.7	230.2
Coatesville, Pa	113.4	83.0	143.8	89.8	109.2	148.5	178.9
Columbia, Pa	131.0	174.6	130.9	199.0	116.6	124.5	150.0
Farrell, Pa.[4]	144.4	202.1	163.6	(5)	(5)	(5)	83.3
Norristown, Pa	222.1	226.2	256.2	208.1	232.4	233.4	220.6
Steelton, Pa	133.3	128.7	110.8	105.8	160.9	133.6	131.1
Washington, Pa	154.1	171.2	193.8	149.7	123.5	176.9	130.3
West Chester, Pa	239.6	151.9	223.9	141.5	216.1	179.4	132.9
York, Pa	79.6	129.7	178.0	175.9	146.9	122.9	149.7
Cranston, R. I.[6]	410.9	507.9	428.5	368.7	389.4	437.7	432.1
Warwick town, R. I.[7]	393.3	370.3	431.6	425.7	416.2	402.7	409.8
Charleston, S. C	216.2	266.7	258.2	226.2	230.7	258.7	321.0
Columbia, S. C	329 9	303.4	325.9	(1)	(1)	(1)	(1)
Greenville, S. C	199.3	187.0	208.0	(1)	(1)	(1)	(1)
Spartanburg, S. C	259.2	252.7	188.0	(1)	(1)	(1)	(1)
Chattanooga, Tenn	225.7	(5)	225.3	243.5	(1)	(1)	(1)
Jackson, Tenn	245.2	(5)	226.3	239.6	(1)	(1)	(1)
Knoxville, Tenn	206.3	(5)	245.4	261.1	(8)	279.8	250.1
Beaumont, Tex	152.5	205.7	(1)	(1)	(1)	(1)	(1)
El Paso, Tex	694.2	612.2	652 5	618.1	681.9	595.8	651.2
Galveston, Tex	164.1	167 2	155 8	178.8	210.1	232.5	160.8
San Antonio, Tex	386.1	325.5	390 9	407.6	383.9	415.8	409.2
Barre, Vt	266.2	312.2	251.4	307.5	244.0	257.9	336.0
Alexandria, Va	133.7	173.7	174.6	236.0	154.0	238.5	291.7
Danville, Va	168.5	139.9	191.3	243.7	225.2	309.7	208.3
Lynchburg, Va	220.9	188.3	240.8	216.8	230.3	211.6	260.1
Newport News, Va	194.5	209.2	195 1	234.8	250.1	(1)	(1)
Norfolk, Va	194.3	212.0	219.1	223.0	244.7	267.2	260.7
Petersburg, Va	317.6	230.6	280.1	302.6	253.2	316.4	295.0
Roanoke, Va	166.3	153.9	155.0	184.9	173.4	208.6	208.2
Staunton, Va	236.9	240.3	278.6	167.9	278.1	(1)	(1)
Ashland, Wis	215.6	163.9	241.5	200.7	144.0	204.2	248.4
Eau Claire, Wis	254.2	345.5	229.6	160.9	97.0	135.2	164.8
Wausau, Wis	76.3	67.6	101.1	103.4	133.9	194.2	105.4

[1] Not added to registration area until a later date.
[2] Incorporated in 1906: population not estimated.
[3] Salem consolidated with Winston, May, 1913.
[4] Name changed from South Sharon (incorporated in 1901) in 1912.
[5] Population not estimated.
[6] Includes state institutions.
[7] Includes West Warwick town, organized November, 1913.
[8] Transcripts for deaths not received.

One hundred and eighty-six minor cities which have rates of 175 or higher per 100,000 population in any

of the years 1911 to 1917 are shown in the preceding table. For the series of years, 47 cities have such high rates, and 10 of these had rates of 300 or more for each year of the series, namely, San Bernardino, Calif.; Colorado Springs, Colo.; Meriden town, Conn.; Frankfort, Ky.; Rome, N. Y.; Asheville, N. C.; Cranston and Warwick town, R. I.; and El Paso, and San Antonio, Tex. The highest rate recorded for any single year was 694.2 in 1917 for El Paso, Tex. The five cities which had the lowest rates in 1917 are Stillwater, Minn. (29.4); Hackensack, N. J. (46); Santa Cruz, Calif. (46.2); Carlisle, Pa., (64.8); and Harrison, N. J. (74.9).

TUBERCULOSIS OF THE LUNGS.

The number of deaths in 1917 from tuberculosis of the lungs, including acute miliary tuberculosis, is 97,047. The death rate (128.9 per 100,000 population) is considerably higher than the rate for 1916 (123.8), and an increase is evident in all the subdivisions of the registration area.

Tuberculosis of the lungs, including acute miliary tuberculosis, represents 88 per cent of all forms of tuberculosis in 1917, and is slightly higher than the corresponding per cent (87.4) for 1916.

The following table shows the rates per 100,000 population for 1911 to 1917, and the annual average for the five-year period 1906 to 1910, rates of 150 and higher being printed in boldfaced type:

AREA.	DEATH RATE FROM TUBERCULOSIS OF THE LUNGS [1] PER 100,000 POPULATION. [Rates of 150 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area [2]	128.9	123.8	127.7	127.8	127.7	129.9	138.0	146.8
Registration states [3]	126.8	121.7	123.8	124.4	124.8	126.4	134.7	141.7
Cities in registration states [3]	138.2	133.1	135.9	138.4	139.1	141.4	150.3	165.7
Rural part of registration states	116.6	111.2	111.8	110.6	110.4	110.9	118.7	114.5
Registration cities in non registration states	156.0	152.1	173.8	171.6	161.2	166.5	175.0	174.3
All registration cities [3]	140.7	135.7	141.3	143.0	142.4	145.3	154.0	167.9
REGISTRATION STATES.								
California	163.7	160.1	172.2	170.3	175.8	174.0	180.8	184.3
Colorado	164.1	151.9	158.2	167.8	170.6	187.0	202.7	225.9
Connecticut	139.2	125.3	122.8	126.0	121.0	121.5	127.7	134.6
Indiana	121.4	115.5	122.9	125.0	125.0	124.4	131.4	144.9
Kansas	47.9	47.4	47.9	49.3	(4)	(4)	(4)	(4)
Kentucky (total)	174.0	170.5	178.6	182.2	176.2	183.4	200.4	(4)
White	144.3	141.5	147.5	152.8	150.3	155.8	170.6	(4)
Colored	434.3	420.9	442.2	409.4	376.8	397.2	432.2	(4)
Maine	93.4	95.9	100.4	94.3	96.2	106.4	116.5	124.7
Maryland (total)	182.4	181.0	171.3	181.0	174.6	169.9	178.8	182.3
White	138.2	138.1	128.8	141.2	132.5	131.2	132.4	141.8
Colored	401.2	391.6	377.6	362.8	366.6	346.8	391.2	363.4
Massachusetts	123.7	123.6	118.1	118.8	120.8	125.6	129.3	144.6
Michigan	93.1	86.5	84.8	79.4	77.4	80.2	81.2	84.9
Minnesota	87.6	87.7	84.3	89.9	88.0	90.2	100.4	(5)
Missouri	133.1	126.9	131.0	132.3	126.7	129.9	137.2	(4)
Montana	102.8	99.0	104.9	92.5	93.3	102.8	91.3	(5)
New Hampshire	94.1	96.9	101.2	99.8	98.9	94.8	104.6	118.2
New Jersey	137.0	132.9	136.2	137.2	134.2	136.8	151.4	160.9
New York	141.9	137.2	144.3	148.3	145.9	146.9	154.9	165.3
North Carolina (total)	126.2	134.9	[6]207.9	[6]221.7	[7]203.8	[7]211.8	[7]229.5	(5)
White	85.9	92.0	133.3	160.2	149.7	147.2	163.3	(5)
Colored	214.7	228.9	354.0	338.7	303.3	330.6	351.2	(5)
Ohio	124.2	114.5	113.5	112.8	113.1	118.3	127.4	(5)
Pennsylvania	117.0	112.3	110.6	107.2	104.5	108.3	117.9	122.4
Rhode Island	141.4	142.9	132.7	134.6	133.4	132.4	145.1	161.5
South Carolina (total)	136.0	136.5	(4)	(4)	(4)	(4)	(4)	(4)
White	64.2	62.1	(4)	(4)	(4)	(4)	(4)	(4)
Colored	198.9	201.1	(4)	(4)	(4)	(4)	(4)	(4)
Tennessee (total)	177.0	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	136.7	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	335.1	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Utah	35.4	40.1	36.1	40.8	41.5	33.4	37.9	(5)
Vermont	74.3	90.5	74.8	80.6	88.3	80.6	97.1	104.7
Virginia (total)	153.7	156.8	166.2	161.8	149.6	(4)	(4)	(4)
White	96.0	104.2	103.4	108.7	103.5	(4)	(4)	(4)
Colored	283.9	274.0	304.6	271.6	244.9	(4)	(4)	(4)
Washington	67.5	66.5	74.6	69.9	74.9	73.7	84.3	(5)
Wisconsin	84.5	79.7	83.0	85.0	84.3	85.9	88.0	(5)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	173.4	173.9	178.1	211.2	195.3	184.4	224.6	(5)
White	51.1	66.7	75.5	93.4	77.2	104.4	107.8	(5)
Colored	381.0	353.8	348.5	392.3	376.7	307.2	403.9	(5)
Los Angeles, Calif.	179.7	176.7	190.0	201.0	233.5	225.1	248.1	253.1
Oakland, Calif.	89.1	94.2	112.7	101.1	106.7	115.3	104.7	159.3
San Francisco, Calif.	162.4	169.4	179.8	180.2	162.3	161.9	158.5	177.3
Denver, Colo.	222.8	199.0	235.4	241.5	244.7	271.4	270.2	347.3
Bridgeport, Conn.	153.9	118.4	120.7	98.0	83.8	86.2	108.6	162.0
New Haven, Conn.	126.1	95.5	89.1	110.7	112.7	101.9	123.6	163.6
Washington, D. C. (total)	170.1	187.4	199.6	181.7	206.9	219.1	218.1	237.7
White	104.2	107.9	114.8	106.3	134.5	126.4	135.4	142.1
Colored	345.9	397.7	422.1	369.1	336.7	449.7	423.6	470.9
Atlanta, Ga. (total)	113.2	117.0	111.4	116.0	135.9	130.5	172.8	183.5
White	72.1	73.0	72.4	82.3	91.9	89.2	109.9	131.6
Colored	206.2	215.0	196.6	182.8	222.9	212.2	237.4	232.9
Chicago, Ill.	133.2	132.8	152.6	146.1	145.3	145.0	147.3	163.2
Indianapolis, Ind.	159.0	159.6	174.0	175.5	182.1	153.5	154.1	187.8
Louisville, Ky. (total)	154.5	159.9	165.8	185.0	160.8	183.6	210.6	207.3
White	107.7	113.7	122.4	142.8	128.8	143.8	175.0	164.0
Colored	375.7	376.9	368.5	375.9	305.5	363.7	371.6	400.6
New Orleans, La. (total)	283.9	259.0	265.0	270.5	234.3	244.4	241.7	206.8
White	193.2	160.5	159.6	182.2	145.1	168.2	159.0	188.4
Colored	560.8	538.6	563.0	516.1	482.3	456.1	472.0	483.3
Baltimore, Md. (total)	211.6	200.5	195.9	203.2	207.8	214.6	212.2	235.5
White	148.9	146.5	141.5	154.1	152.4	163.6	156.5	183.4
Colored	567.4	506.4	502.7	476.7	516.3	497.8	522.0	523.8
Boston, Mass.	149.1	145.0	137.8	140.2	145.5	152.4	152.6	176.0
Cambridge, Mass.	181.1	172.6	182.7	167.6	184.3	176.4	168.9	239.2
Fall River, Mass.	144.0	161.3	113.5	146.7	128.2	125.7	136.2	141.1
Lowell, Mass.	132.0	103.3	101.7	95.5	90.1	117.7	114.7	133.4
Worcester, Mass.	129.4	133.5	114.6	119.2	104.6	107.8	115.1	134.9
Detroit, Mich.	137.5	141.3	118.6	103.6	98.5	99.3	98.8	97.1
Grand Rapids, Mich.	79.0	64.7	85.1	68.2	54.7	77.0	87.0	88.6
Minneapolis, Minn.	119.2	117.8	124.2	113.5	116.1	117.2	133.7	112.2
St. Paul, Minn.	114.5	99.1	106.2	113.6	116.2	104.3	111.8	107.0
Kansas City, Mo.	150.4	140.7	157.0	136.6	134.0	146.6	149.9	146.1
St. Louis, Mo.	138.9	129.0	128.8	145.0	138.5	136.7	136.3	177.9
Omaha, Nebr.	90.0	101.5	93.1	101.3	90.0	90.0	97.8	108.3
Jersey City, N. J.	135.0	143.6	144.6	139.5	133.5	142.5	166.4	205.2
Newark, N. J.	146.4	145.5	161.2	157.3	150.0	148.9	179.7	220.0
Paterson, N. J.	124.5	131.5	121.7	113.9	133.1	116.0	168.9	163.4
Albany, N. Y.	203.5	208.5	261.6	245.7	226.7	206.4	239.7	203.1
Buffalo, N. Y.	151.8	142.8	138.1	142.9	134.3	123.3	121.8	126.5
New York, N. Y.	159.6	154.9	167.2	172.6	170.1	173.4	180.9	198.0
Bronx Borough [8]	201.1	161.0	175.0	174.3	179.9	165.8	168.5	419.8
Brooklyn Borough [8]	145.1	135.3	149.7	150.8	149.8	153.8	159.9	164.2
Manhattan Borough [8]	160.9	165.6	181.1	191.5	188.3	193.8	203.5	192.4
Queens Borough [8]	154.2	161.1	150.1	147.7	130.7	141.7	143.1	124.4
Richmond Borough [8]	184.4	195.1	154.2	163.8	157.4	148.5	172.7	202.3
Rochester, N. Y.	94.8	91.9	100.5	91.0	97.5	95.5	111.4	135.6
Syracuse, N. Y.	89.6	88.0	85.9	107.8	100.4	89.8	95.7	113.4
Cincinnati, Ohio	211.7	208.3	200.4	219.3	229.4	224.2	237.0	250.1
Cleveland, Ohio	151.5	132.2	114.7	116.4	114.2	115.4	129.7	121.0
Columbus, Ohio	138.1	125.2	132.1	137.4	137.4	145.5	159.1	179.4
Dayton, Ohio	143.5	121.8	152.2	121.2	147.4	132.9	143.7	187.3

(See footnotes at end of table.)

AREA.	DEATH RATE FROM TUBERCULOSIS OF THE LUNGS [1] PER 100,000 POPULATION. [Rates of 150 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Toledo, Ohio	181.7	168.1	171.4	159.7	160.7	153.9	165.3	149.9
Portland, Oreg	49.9	58.2	67.1	61.4	64.5	71.2	85.0	86.2
Philadelphia, Pa	175.0	170.6	164.3	167.7	165.0	170.2	193.5	207.6
Pittsburgh, Pa	128.5	110.7	103.4	109.2	106.5	100.4	106.0	114.0
Scranton, Pa	69.5	74.2	72.2	76.4	76.5	75.8	99.9	82.5
Providence, R. I	140.1	134.1	125.6	121.6	129.1	115.2	131.8	153.7
Memphis, Tenn. (total)	243.6	(9)	262.1	273.0	243.0	224.8	220.2	228.1
White	115.9	(9)	113.8	114.1	136.7	139.6	129.2	140.8
Colored	272.6	(9)	516.1	510.7	402.0	352.3	356.6	351.4
Nashville, Tenn. (total)	176.9	(9)	201.8	201.9	174.0	193.4	202.9	228.0
White	119.3	(9)	111.4	119.7	118.2	126.0	135.5	153.9
Colored	308.6	(9)	401.4	368.1	286.6	329.6	339.0	374.0
Richmond, Va. (total)	162.6	187.0	175.2	188.3	169.7	212.2	210.4	227.7
White	106.6	116.2	109.9	99.4	92.4	145.3	130.6	162.2
Colored	263.8	314.3	291.8	342.0	303.4	328.1	343.4	340.0
Seattle, Wash	57.0	55.1	49.0	66.8	72.1	77.9	92.2	83.2
Spokane, Wash	48.2	40.6	51.1	53.8	67.8	56.2	85.4	93.6
Milwaukee, Wis	85.2	78.8	83.6	93.2	90.0	85.4	97.1	114.8

[1] Including acute miliary tuberculosis and tuberculosis of the larynx.
[2] Exclusive of Hawaii.
[3] Including the District of Columbia.
[4] Not added to registration area until a later date.
[5] Figures for deaths not available for the entire period.
[6] Includes only municipalities having a population of 1,000 or more in 1910.
[7] Includes only municipalities having a population of 1,000 or more in 1900.
[8] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to the boroughs of residence.
[9] Transcripts for deaths not received.

For tuberculosis of the lungs in 1917, as for tuberculosis (all forms), the same states appear in the same order for both high and low rates, except that in high rates from tuberculosis of the lungs Colorado takes the place of California. Only four states, California, Colorado, Kentucky, and Maryland, show rates of 150 or higher for every one of the past seven years.

Similarly, the cities of 100,000 population which have in 1917 the highest and the lowest rates from tuberculosis (all forms) also have the highest and the lowest rates from tuberculosis of the lungs. Furthermore, the rates for the cities when considered for the years 1911 to 1917 show 15 which exceeded 175 per 100,000 population from tuberculosis (all forms), and also exceeded 150 per 100,000 population from tuberculosis of the lungs. New York also should be added to the group showing rates of 150 or higher from tuberculosis of the lungs for every year of the series.

The same caution which was given for tuberculosis (all forms) should be exercised in making comparisons for pulmonary tuberculosis. The mortality from this cause among Negroes and among certain other races is markedly high, for which reason the composition of a given population in respect to color and race should be carefully considered.

CANCER.

The number of deaths in 1917 from cancer and other malignant tumors is 61,452, corresponding to a rate of 81.6 per 100,000 population, against 81.8 in 1916. The rate for 1917 shows an increase of 29.5 per cent over the rate for 1900 (63), and the increase is continuous during this period if the years 1906, 1907, 1911, and 1917 are excepted.

The following table shows the rates per 100,000 population for 1911 to 1917, and the annual average for the five-year period 1906 to 1910, rates of 80 and higher being printed in boldfaced type.

AREA.	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION. [Rates of 80 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area [1]	81.6	81.8	81.1	79.4	78.9	77.0	74.3	72.6
Registration states [2]	81.2	81.5	80.9	79.0	78.6	76.9	74.0	72.7
Cities in registration states [2]	94.5	92.3	89.7	88.5	87.7	84.9	81.9	78.7
Rural part of registration states	69.3	71.1	72.1	69.6	69.4	68.5	65.9	65.8
Registration cities in nonregistration states	86.9	86.1	83.1	85.4	82.1	78.6	77.6	72.0
All registration cities [2]	93.4	91.9	88.7	88.0	87.0	83.9	81.3	77.0
REGISTRATION STATES.								
California	105.1	99.5	99.1	97.9	97.6	90.7	82.6	80.3
Colorado	63.1	59.8	53.4	53.3	50.7	58.0	55.3	51.9
Connecticut	95.7	93.5	92.6	86.5	85.1	81.4	78.5	77.9
Indiana	89.8	85.2	82.8	79.1	81.1	74.0	71.3	64.3
Kansas	67.9	68.9	63.4	61.3	(3)	(3)	(3)	(3)
Kentucky (total)	53.8	51.0	49.7	46.0	48.0	4.49	42.7	(3)
White	53.2	51.1	49.2	46.1	48.0	45.5	42.0	(3)
Colored	59.1	50.5	54.4	45.4	48.3	40.7	48.2	(3)
Maine	105.9	113.1	106.6	107.6	107.5	110.1	98.6	95.9
Maryland (total)	90.0	87.7	89.7	81.4	82.8	70.0	73.0	64.5
White	94.8	93.6	96.5	86.1	86.9	83.5	78.0	68.9
Colored	65.9	58.9	57.1	60.2	64.4	58.2	49.9	44.7
Massachusetts	108.3	109.2	104.0	101.2	101.4	97.6	94.4	90.8
Michigan	89.0	88.4	84.7	80.5	81.5	78.6	74.5	69.6
Minnesota	83.7	86.1	79.2	76.8	75.1	69.7	67.8	(4)
Missouri	73.9	73.9	67.7	69.0	67.1	64.2	59.4	(3)
Montana	58.8	53.8	50.0	51.5	49.4	40.4	40.0	(4)
New Hampshire	105.3	111.4	109.4	100.8	104.4	107.4	96.8	94.3
New Jersey	83.9	82.2	81.1	79.0	78.4	76.5	74.6	67.3
New York	93.6	92.0	92.0	90.0	87.8	86.2	86.3	79.4
North Carolina (total)	43.0	45.1	[5] 59.5	[5] 57.8	[6] 47.9	[6] 56.8	[6] 54.8	(4)
White	46.4	48.1	62.6	61.4	46.7	62.8	59.4	(4)
Colored	35.4	38.5	53.4	51.0	50.1	45.7	46.3	(4)
Ohio	91.8	91.2	85.0	83.1	81.8	80.3	76.4	(4)
Pennsylvania	78.9	76.6	74.0	72.7	72.2	68.1	66.4	62.3
Rhode Island	95.4	92.6	92.1	91.2	93.3	89.8	88.0	84.9
South Carolina (total)	36.8	34.6	(3)	(3)	(3)	(3)	(3)	(3)
White	46.2	41.6	(3)	(3)	(3)	(3)	(3)	(3)
Colored	28.6	28.5	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	46.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	47.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	44.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	53.4	56.7	48.3	45.8	52.1	47.6	51.9	(4)
Vermont	107.7	114.9	104.0	109.9	111.7	110.4	101.0	96.7
Virginia (total)	53.3	57.0	53.7	48.9	48.4	(3)	(3)	(3)
White	55.5	63.1	58.4	52.9	52.4	(3)	(3)	(3)
Colored	48.4	43.3	43.3	40.5	40.2	(3)	(3)	(3)
Washington	58.6	62.1	57.2	61.9	53.5	53.0	46.1	(4)
Wisconsin	83.5	84.3	81.1	81.1	78.5	76.9	74.7	(4)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala., (total)	61.7	56.1	53.4	46.3	58.8	37.9	68.3	(4)
White	67.9	62.3	58.9	55.6	77.2	42.9	69.1	(4)
Colored	51.2	45.7	44.3	32.1	30.5	30.4	67.0	(4)
Los Angles, Calif	107.6	105.6	97.4	100.9	103.0	107.0	95.4	95.8
Oakland, Calif	88.2	89.6	104.8	92.9	115.3	100.4	105.3	100.1
San Francisco, Calif	152.0	133.1	129.8	128.4	131.1	116.7	110.6	108.9
Denver, Colo	88.7	90.1	79.8	90.4	82.8	87.7	77.0	81.5
Bridgeport, Conn	101.0	103.6	74.3	84.1	74.9	91.7	68.0	67.8
New Haven, Conn	118.9	116.2	101.3	113.5	95.8	101.9	91.4	94.6
Washington, D. C. (total)	113.7	107.7	111.2	100.5	104.0	95.7	86.8	87.0
White	128.4	112.4	117.1	107.5	115.2	102.7	91.4	94.4
Colored	74.6	95.2	95.9	82.9	76.1	78.3	75.4	69.1
Atlanta, Ga. (total)	73.9	63.5	62.2	59.1	67.4	59.3	61.2	59.5
White	86.0	70.0	66.1	68.8	77.1	68.5	68.6	69.5
Colored	46.6	49.1	53.5	39.9	48.0	41.0	46.5	40.5
Chicago, Ill	89.0	91.3	86.0	87.9	86.0	78.4	80.0	76.2
Indianapolis, Ind	92.4	99.4	94.1	102.0	91.5	88.7	82.5	75.8

(See footnotes at end of table.)

AREA.	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION. [Rates of 80 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Louisville, Ky. (total)	89.7	83.7	77.2	79.5	78.5	71.5	76.1	59.4
White	95.1	87.3	78.4	87.2	82.7	76.7	77.3	63.0
Colored	64.2	66.8	71.8	44.6	59.2	48.2	70.4	43.2
New Orleans, La. (total)	90.4	93.1	103.1	99.1	92.1	92.7	79.3	82.9
White	96.1	95.7	95.3	96.7	92.4	93.8	81.9	86.0
Colored	74.4	85.6	125.3	105.7	91.4	89.5	72.3	74.2
Baltimore, Md. (total)	108.1	106.7	107.8	101.6	104.6	97.4	93.9	87.4
White	112.5	108.9	114.0	103.8	104.7	101.7	98.8	90.2
Colored	83.1	93.8	72.8	89.5	103.9	73.7	66.3	71.8
Boston, Mass.	120.5	115.8	115.0	118.7	116.7	111.2	111.2	101.7
Cambridge, Mass.	134.7	112.4	109.3	100.6	81.6	83.5	104.1	81.4
Fall River, Mass.	80.9	91.9	78.8	55.8	75.0	69.4	74.2	67.5
Lowell, Mass.	74.3	85.7	79.4	88.3	74.6	88.3	75.2	80.8
Worcester, Mass.	101.7	129.2	110.3	111.6	111.7	92.7	79.2	92.4
Detroit, Mich.	77.1	77.7	76.1	78.9	71.8	74.7	65.1	64.8
Grand Rapids, Mich.	92.6	88.1	114.5	97.4	114.3	93.9	85.3	76.9
Minneapolis, Minn.	104.2	96.0	81.2	91.1	84.6	81.3	77.8	66.5
St. Paul, Minn.	92.3	87.0	79.3	70.1	79.9	73.8	75.3	71.7
Kansas City, Mo.	101.0	95.0	99.0	90.1	86.5	83.8	91.6	71.9
St. Louis, Mo.	102.1	95.3	94.5	95.4	98.2	91.3	84.5	80.2
Omaha, Nebr.	98.4	90.0	82.1	105.0	98.4	88.4	88.4	85.4
Jersey City, N. J.	69.1	73.4	76.0	73.8	68.8	68.6	65.5	61.5
Newark, N. J.	88.1	85.6	91.7	87.4	82.0	82.0	78.2	78.2
Paterson, N. J.	93.9	80.2	92.4	92.3	79.4	89.1	87.5	71.1
Albany, N. Y.	150.0	120.8	141.9	146.7	134.8	138.6	122.6	122.2
Buffalo, N. Y.	97.7	100.7	94.9	95.8	102.5	91.7	95.6	82.1
New York, N. Y.	85.6	84.5	85.0	83.5	81.7	80.4	79.2	75.1
Bronx Borough [7]	102.6	95.2	92.5	97.5	89.4	78.3	78.4	76.5
Brooklyn Borough [7]	84.3	80.4	81.1	78.5	77.1	77.1	75.8	70.0
Manhattan Borough [7]	82.0	83.4	86.4	83.7	84.0	82.7	82.1	79.4
Queens Borough [7]	87.0	94.0	84.1	81.5	73.5	74.0	71.1	61.7
Richmond Borough [7]	99.2	96.0	85.5	102.1	98.8	116.4	100.9	88.2
Rochester, N. Y.	119.4	114.7	95.3	106.5	95.4	95.0	92.5	90.0
Syracuse, N. Y.	104.1	110.5	91.1	84.4	96.9	98.9	82.3	85.5
Cincinnati, Ohio	119.3	116.2	99.1	104.2	100.9	94.4	97.9	91.4
Cleveland, Ohio	83.2	86.8	77.1	75.5	80.6	80.7	83.4	66.7
Columbus, Ohio	103.6	100.5	111.1	107.5	90.8	87.0	87.0	81.7
Dayton, Ohio	109.4	114.8	98.8	107.4	89.3	93.1	93.8	94.1
Toledo Ohio	121.3	97.9	92.6	99.9	76.5	92.8	88.4	73.4
Portland, Oreg.	85.9	82.6	79.5	87.9	76.7	76.7	75.9	66.9
Philadelphia, Pa.	99.6	101.1	92.0	93.0	95.8	89.2	87.3	83.1
Pittsburgh, Pa.	96.2	89.8	86.2	85.2	77.5	66.3	68.4	65.0
Scranton, Pa.	73.6	77.0	90.9	60.1	69.3	57.4	70.6	55.8
Providence, R. I.	105.0	100.0	92.4	92.6	106.2	105.9	95.4	98.6
Memphis, Tenn. (total)	75.7	(8)	86.2	79.6	54.9	64.7	51.9	56.7
White	84.1	(8)	91.1	100.2	55.9	68.0	52.7	68.7
Colored	60.7	(8)	78.0	48.8	53.4	59.9	50.7	39.7
Nashville, Tenn. (total)	88.9	(8)	77.6	85.3	76.4	66.5	75.4	69.1
White	98.6	(8)	81.4	88.5	97.2	72.9	85.9	76.5
Colored	66.7	(8)	69.2	78.9	34.5	53.6	54.2	54.4
Richmond, Va. (total)	71.2	97.0	82.1	94.1	86.3	92.0	87.4	79.4
White	80.2	119.2	101.9	104.1	97.2	106.8	97.6	91.7
Colored	54.9	57.1	46.8	76.9	67.6	66.5	69.7	58.1
Seattle, Wash.	64.7	70.3	61.4	70.6	68.4	57.3	57.4	52.4
Spokane, Wash.	79.3	74.5	62.9	75.2	69.4	73.6	67.6	56.8
Milwaukee, Wis.	80.4	92.8	82.7	69.4	75.9	77.2	74.3	69.0

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to boroughs of residence.
[8] Transcripts for deaths not received.

The states which have the highest rates in 1917 are Massachusetts (108.3), Vermont (107.7), Maine (105.9), New Hampshire (105.3), and California (105.1). These states also have the highest rates for the preceding five years, although not in the same order. The lowest rates are shown for South Carolina (36.8), North Carolina (43), Tennessee (46.6), Virginia (53.3), and Utah (53.4). In 1917, rates of 80 or more are shown for 15 states; 7 of these have rates higher than 80 for the years 1911 to 1917, while 5 have such high rates for each year from and including 1907.

Rates of 80 or more appear for the years 1911 to 1917 for 22 of the cities which in 1910 had 100,000 population or more, of which 14 have such rates for each year since and including 1907. The cities in order of rates in 1917 are San Francisco (152), Albany (150), Cambridge (134.7), Toledo (121.3), and Boston (120.5). Toledo is the only one of these cities which does not show such a high rate (80) for each year of the series, having fallen in 1913 to 76.5. The cities showing low rates in 1917 are Birmingham (61.7), Seattle (64.7), Jersey City (69.1), Richmond (71.2), and Atlanta (73.9). There is an increase in the rates for 1917 over those for 1916 in 28 of the 48 large cities for which data were received for the two years.

The crude rates from cancer in different localities should not be compared without consideration of the age, sex, and race distribution of the population, and allowance should be made for the fact that relatively high mortality for a given city may be caused by deaths of nonresidents who come to the city for hospital treatment.

The classification, by seat of disease, of the deaths from cancer in 1917, with the rate per 100,000 population, is shown in the following table:

SEAT OF DISEASE.	DEATHS, REGISTRATION AREA [1]: 1917.		
	Number.	Rate per 100,000 population.	Per cent.
Cancer and other malignant tumors (aggregate)	61,452	81.6	100.0
Cancer of buccal cavity (total)	2,280	3.0	3.7
Cancer of the—			
Lip	385	0.5	0.6
Tongue	542	0.7	0.9
Mouth	237	0.3	0.4
Jaw	890	1.2	1.4
Others of this class	226	0.3	0.4
Cancer of the stomach, liver (total)	23,413	31.1	38.1
Cancer of the—			
Pharynx	95	0.1	0.2
Esophagus	751	1.0	1.2
Stomach	15,152	20.1	24.7
Liver and gall bladder	7,415	9.8	12.1
Cancer of the peritoneum, intestines, rectum (total)	8,184	10.9	13.3
Cancer of the—			
Mesentery and peritoneum	604	0.8	1.0
Intestines (except rectum)	5,134	6.8	8.4
Rectum and anus	2,403	3.2	3.9
Others of this class	43	0.1	0.1
Cancer of the female genital organs (total)	9,331	12.4	15.2
Cancer of the—			
Ovary and fallopian tube	538	0.7	0.9
Uterus	8,456	11.2	13.8
Vagina and vulva	234	0.3	0.4
Others of this class	103	0.1	0.2
Cancer of the breast	5,712	7.6	9.3
Cancer of the skin	2,157	2.9	3.5
Cancer of other organs or of organs not specified (total)	10,375	13.8	16.9
Cancer of the—			
Larynx	415	0.6	0.7
Lung and pleura	704	0.9	1.1
Pancreas	927	1.2	1.5
Kidneys and suprarenals	630	0.8	1.0
Prostate	1,073	1.4	1.7
Bladder	1,578	2.1	2.6
Brain	213	0.3	0.3
Bones (except jaw)	579	0.8	0.9
Testes	113	0.2	0.2
Others of this class	4,143	5.5	6.7

[1] Exclusive of Hawaii.

Classification by age and sex according to the nature of the malignant disease, whether carcinoma, sarcoma, or hypernephroma, is shown in the following table:

AGE.	DEATHS IN THE REGISTRATION AREA:[1] 1917.					
	Carcinoma.		Sarcoma.		Hypernephroma.	
	Male.	Female.	Male.	Female.	Male.	Female.
All ages	23,343	34,330	1,950	1,705	73	51
Under 1 year	10	11	21	26	.....	.....
1 year	1	5	26	17	.....	.....
2 years	7	6	19	18	.....	.....
3 years	7	11	20	18	.....	1
4 years	5	4	18	18	1	.....
Under 5 years	30	37	104	97	1	1
5 to 9 years	19	10	68	43	1	1
10 to 14 years	11	15	55	35	2	2
15 to 19 years	28	48	58	60	1	.....
20 to 24 years	81	148	92	42	2	.....
25 to 29 years	171	327	97	60	.....	3
30 to 34 years	304	330	107	79	5	4
35 to 39 years	554	1,598	110	98	5	3
40 to 44 years	987	2,535	116	132	4	4
45 to 49 years	1,601	3,428	152	156	9	7
50 to 54 years	2,400	4,066	165	170	14	12
55 to 59 years	3,105	4,561	190	187	7	4
60 to 64 years	3,587	4,274	179	139	6	5
65 to 69 years	3,585	4,105	177	142	10	2
70 to 74 years	3,090	3,599	121	113	4	1
75 to 79 years	2,185	2,592	90	77	2	2
80 to 84 years	1,074	1,364	47	47	.....	.....
85 to 89 years	400	583	19	24	.....	.....
90 to 94 years	81	145	1	3	.....	.....
95 to 99 years	22	20	.....	.....	.....	.....
100 years and over	1	8	.....	.....	.....	.....
Unknown age	27	37	2	1	.....	.....

[1] Exclusive of Hawaii.

Cancer and other malignant tumors include seven titles of the International List of Causes of Death, to three of which are charged two-thirds of all deaths from this cause in 1917. The total number of deaths is 61,452, and 23,413 of these, or 38.1 per cent, are due to cancer of the stomach and liver; 8,184, or 13.3 per cent, to cancer of the peritoneum, intestines, and rectum; and 9,331, or 15.2 per cent, to cancer of the female genital organs.

Of the total deaths from cancer, 36,086, or 58.7 per cent, are of females and 25,366, or 41.3 per cent, are of males. Year after year the statistics show that more than half of those who die of cancer are females, although the male population of the registration area exceeds the female. The causes which show a large excess of male deaths are cancer of the buccal cavity (1,896 males and 384 females), cancer of the skin (1,396 males and 761 females), and cancer of other organs or of organs not specified (6,636 males and 3,739 females). Cancer of the stomach and liver caused nearly half of all the deaths of males, but only about one-third of the deaths of females are assigned to this cause. Cancer of the breast and cancer of the female genital organs caused 41.4 per cent of all cancer deaths among females in 1917.

ACUTE ANTERIOR POLIOMYELITIS.

The number of deaths from acute anterior poliomyelitis in 1917 is 1,182, corresponding to a rate of 1.6 per 100,000 population. This is a very decided decrease from the rate for 1916 (10), which is the highest shown in the series of years 1910 to 1917.

The following table shows the rates per 100,000 population for the years 1910 to 1917, rates of 2 and higher being printed in boldfaced type.

AREA.	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS) PER 100,000 POPULATION. [Rates of 2 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	1910
SUMMARY.								
The registration area[1]	1.6	10.0	1.0	1.1	1.4	1.9	1.8	2.7
Registration states[2]	1.4	10.5	1.1	1.1	1.4	2.0	1.8	2.9
Cities in registration states[2]	1.1	14.9	0.9	0.9	1.2	1.9	1.7	2.2
Rural part of registration states	1.7	6.5	1.2	1.3	1.6	2.1	2.0	3.6
Registration cities in nonregistration states	4.1	2.2	0.7	0.9	0.6	1.1	1.1	1.6
All registration cities[2]	1.5	13.2	0.9	0.9	1.1	1.7	1.6	2.0
REGISTRATION STATES.								
California	0.8	0.9	0.8	1.2	1.1	4.6	1.2	1.2
Colorado	0.3	0.4	0.6	0.9	0.1	0.5	0.7	0.5
Connecticut	1.3	19.2	1.0	0.5	0.8	0.8	1.3	3.6
Indiana	1.1	1.9	0.7	1.2	1.6	1.7	2.5	1.8
Kansas	1.0	1.4	1.1	0.7	(3)	(3)	(3)	(3)
Kentucky (total)	1.7	2.1	1.0	1.1	2.2	1.6	2.6	(3)
White	1.7	2.1	1.0	1.2	2.1	1.6	2.5	(3)
Colored	1.6	2.0	0.4	0.4	3.0	1.5	3.4	(3)
Maine	0.6	3.6	0.8	1.0	1.8	1.2	1.7	4.2
Maryland (total)	1.2	8.1	1.6	1.1	1.4	2.3	2.6	2.7
White	1.1	7.6	1.1	0.7	1.5	2.5	2.3	2.5
Colored	1.7	10.8	3.9	2.9	1.3	1.7	3.8	3.4
Massachusetts	1.3	12.5	1.1	1.4	1.9	1.4	1.6	3.6
Michigan	1.3	4.9	1.2	1.1	1.4	1.4	1.6	1.7
Minnesota	0.8	4.6	1.3	0.7	1.7	1.3	2.8	9.5
Missouri	1.4	1.4	1.2	1.1	1.4	2.3	1.8	.....
Montana	1.7	5.2	0.2	0.9	1.9	2.7	1.3	4.5
New Hampshire	2.0	5.6	2.0	2.1	4.8	1.8	2.5	4.4
New Jersey	1.4	41.0	0.8	0.7	1.1	1.0	1.7	2.0
New York	1.1	32.8	0.7	0.9	1.4	2.4	1.8	1.9
North Carolina (total)	1.4	2.0	[4] 1.2	[4] 2.5	[5] 1.8	[5] 0.8	[5] 4.0	[5] 0.8
White	1.5	2.2	0.3	1.9	1.6	1.2	4.5	0.9
Colored	1.2	1.7	3.0	3.7	2.1	.....	3.0	0.8
Ohio	2.5	2.5	1.9	1.2	1.2	3.6	2.8	1.6
Pennsylvania	1.6	7.8	1.0	0.8	1.2	1.5	1.2	3.5
Rhode Island	1.1	7.0	1.2	1.5	2.2	1.2	2.5	8.1
South Carolina (total)	1.0	1.8	(3)	(3)	(3)	(3)	(3)	(3)
White	1.3	2.0	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.8	1.7	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	1.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	1.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	1.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	0.2	0.7	0.7	1.2	1.7	1.5	0.8	1.9
Vermont	4.1	3.3	5.0	14.9	1.7	2.5	3.1	2.5
Virginia (total)	3.1	3.1	1.7	2.0	2.1	(3)	(3)	(3)
White	3.5	3.8	1.4	1.7	2.0	(3)	(3)	(3)
Colored	2.1	1.6	2.4	2.6	2.3	(3)	(3)	(3)
Washington	0.4	0.7	0.5	0.8	0.8	0.5	1.6	7.0
Wisconsin	1.0	2.7	0.5	0.8	1.2	1.3	1.3	1.8
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	0.5	1.1	1.1	2.4	2.5	1.3	5.9	0.8
White	.....	0.9	.....	1.0	1.0	1.1	7.3	1.2
Colored	1.4	1.5	3.1	4.6	4.8	1.7	3.7	.....
Los Angeles, Calif.	1.3	1.0	1.3	0.5	1.0	13.7	0.9	0.9
Oakland, Calif.	0.5	.....	.....	1.1	0.6	2.4	2.6	.....
San Francisco, Calif.	0.2	0.9	0.2	1.3	0.7	0.9	0.5	0.7
Denver, Colo.	.....	0.4	0.4	0.8	.....	0.4	0.9	.....
Bridgeport, Conn.	0.8	18.9	1.7	1.7	2.7	1.8	.....	.....
New Haven, Conn.	0.7	27.4	1.4	0.7	.....	.....	2.2	1.5
Washington, D. C. (total)	0.8	1.6	1.1	0.3	0.6	1.2	1.5	6.3
White	0.7	1.9	.....	.....	0.8	.....	.....	6.3
Colored	1.0	1.0	4.0	1.0	.....	4.1	5.2	6.3
Atlanta, Ga. (total)	0.5	0.5	1.1	0.6	0.6	1.2	1.2	.....
White	0.7	.....	.....	0.8	0.9	0.9	.....	.....
Colored	.....	1.7	3.4	.....	.....	1.8	3.7	.....
Chicago, Ill.	7.6	2.0	0.7	0.9	0.3	1.0	0.6	1.0
Indianapolis, Ind.	0.4	2.2	0.4	1.2	1.2	1.2	1.7	0.4
Louisville, Ky. (total)	1.2	0.4	.....	0.4	0.4	0.9	0.4	0.4
White	1.5	0.5	.....	0.5	0.5	1.1	0.5	0.5
Colored	.....	.....	.....	.....	.....	.....	.....	.....
New Orleans, La. (total)	0.5	0.5	.....	0.3	.....	0.3	0.9	0.6
White	0.7	0.4	.....	0.4	.....	.....	.....	0.8
Colored	.....	1.0	.....	.....	.....	1.1	3.3	.....

(See footnotes at end of table.)

AREA.	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS) PER 100,000 POPULATION. [Rates of 2 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Baltimore, Md. (total)	0.2	11.9	1.0	0.7	0.7	2.8	1.8	1.3
White	0.2	9.6	0.8	0.8	0.6	3.1	2.1	0.8
Colored	.....	24.9	2.3	.....	1.1	1.2	.....	3.5
Boston, Mass	0.5	22.3	0.7	1.4	1.2	1.3	0.3	1.8
Cambridge, Mass	0.9	3.5	.....	0.9	2.8	.....	2.8	.....
Fall River, Mass	0.8	1.6	.....	2.4	1.6	0.8	3.3	5.8
Lowell, Mass	1.7	3.5	1.8	2.7	2.7	3.7	3.7	0.9
Worcester, Mass	1.2	2.4	0.6	0.6	3.2	0.7	1.3	1.4
Detroit, Mich	0.8	2.8	0.2	0.7	1.5	0.2	1.2	0.9
Grand Rapids, Mich	0.8	5.5	.....	2.4	.....	1.7	2.6	.....
Minneapolis, Minn	0.5	3.0	0.6	0.9	0.6	1.5	1.3	4.9
St. Paul, Minn	0.4	3.2	0.4	.....	0.9	0.9	3.7	0.5
Kansas City, Mo	2.6	.....	1.0	0.4	0.7	1.1	1.6	4.0
St. Louis, Mo	0.3	0.5	1.2	0.4	0.3	1.3	0.7	0.9
Omaha, Nebr	2.3	.....	.....	1.5	0.8	2.3	1.6	2.4
Jersey City, N. J	0.6	11.4	0.3	.....	1.4	0.7	3.3	.....
Newark, N. J	2.4	33.4	0.3	.....	1.3	0.8	1.1	0.9
Paterson, N. J	0.7	16.6	0.7	1.5	.....	2.3	2.3	0.8
Albany, N. Y	0.9	3.8	1.0	1.9	2.0	.....	3.0	3.0
Buffalo, N. Y	0.2	1.1	1.1	0.7	0.7	10.2	0.5	1.9
New York, N. Y	1.2	43.9	0.5	0.7	1.3	1.5	2.0	1.1
Bronx Borough [6]	2.7	30.7	0.9	2.3	2.8	1.5	2.8	0.9
Brooklyn Borough [6]	1.1	59.8	0.5	0.6	0.7	1.2	2.0	1.2
Manhattan Borough [6]	0.9	27.8	0.4	0.5	1.4	1.9	2.0	1.0
Queens Borough [6]	1.8	92.9	0.6	0.9	0.6	0.3	1.0	2.4
Richmond Borough [6]	.....	60.3	.....	.....	2.2	.....	4.5	1.2
Rochester, N. Y	.....	1.2	1.2	0.4	0.4	1.7	0.9	0.5
Syracuse, N. Y	0.6	41.8	.....	4.0	0.7	0.7	0.7	.....
Cincinnati, Ohio	1.4	1.2	0.5	0.2	0.8	1.8	10.8	0.5
Cleveland, Ohio	0.7	1.6	2.1	0.8	1.8	4.2	2.6	1.1
Columbus, Ohio	0.9	1.9	0.5	0.5	1.0	1.5	2.1	0.5
Dayton, Ohio	2.3	3.1	0.8	1.6	0.8	10.0	1.7	0.9
Toledo, Ohio	1.5	12.6	2.1	1.1	1.7	1.1	1.7	0.6
Portland, Oreg	.....	1.0	.....	.....	0.8	1.3	.....	9.1
Philadelphia, Pa	1.0	18.3	0.5	0.7	0.7	0.7	0.7	1.7
Pittsburgh, Pa	1.0	2.4	0.7	0.4	1.3	0.5	1.1	2.2
Scranton, Pa	2.0	2.7	0.7	2.1	1.4	.....	1.5	0.8
Providence, R. I	0.8	7.8	0.4	.....	1.2	0.9	0.9	5.8
Memphis, Tenn. (total)	0.7	(7)	2.1	.....	0.7	0.7	1.5	0.8
White	1.0	(7)	.....	.....	1.2	.....	.....	1.3
Colored	.....	(7)	5.6	.....	.....	1.8	3.8	.....
Nashville, Tenn. (total)	.....	(7)	1.7	.....	1.8	1.8	0.9	.....
White	.....	(7)	1.3	.....	1.3	2.7	1.3	.....
Colored	.....	(7)	2.8	.....	2.7	.....	.....	.....
Richmond, Va. (total)	0.6	1.9	0.6	0.7	1.5	.....	0.8	4.7
White	1.0	3.0	.....	.....	2.4	.....	.....	3.7
Colored	.....	.....	1.8	2.0	.....	.....	2.1	6.4
Seattle, Wash	0.8	0.9	.....	0.3	1.0	.....	1.2	5.8
Spokane, Wash	.....	.....	.....	.....	0.8	0.8	1.8	8.5
Milwaukee, Wis	0.7	0.7	0.7	0.2	0.5	1.5	0.8	0.8

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911, deaths were distributed to boroughs of residence.
[7] Transcripts for deaths not received.

The decrease from 1916 is pronounced in all subdivisions of the registration area, except registration cities in nonregistration states, which shows an increase (from 2.2 to 4.1).

Vermont is the only state showing a higher rate than in 1916, and Chicago, with a rate of 7.6, the only city with a very high rate in 1917.

ORGANIC DISEASES OF THE HEART.

The number of deaths from organic diseases of the heart in 1917 is 115,337, corresponding to a rate of 153.2 per 100,000 population, and constituting 10.8 per cent of the deaths from all causes. More deaths are reported as due to organic heart diseases in 1917, 1916 and 1915 than to tuberculosis (all forms), which previously held first place among causes of death.

In making comparisons it must not be forgotten that nearly all persons who die of heart diseases have passed middle life, and therefore the crude death rates should be used with caution and considered only in connection with the age distribution of the population.

The following table shows the rates per 100,000 population for 1910 to 1917, rates of 150 and higher being printed in boldfaced type.

AREA.	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION. [Rates of 150 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	1910
SUMMARY.								
The registration area [1]	153.2	150.1	147.1	141.8	138.6	142.6	140.9	141.5
Registration states [2]	153.0	150.2	146.6	141.7	138.3	141.6	140.5	141.8
Cities in registration states [2]	168.6	164.0	154.7	150.3	148.2	150.6	148.3	145.4
Rural part of registration states	139.0	137.5	138.7	133.2	128.3	132.2	132.5	137.8
Registration cities in nonregistration states	155.4	147.9	152.5	143.2	142.5	153.8	145.4	139.1
All registration cities [2]	166.7	161.8	154.3	149.3	147.4	151.1	147.9	144.2
REGISTRATION STATES.								
California	186.4	188.4	181.0	168.0	178.4	185.4	178.7	160.5
Colorado	83.8	79.9	94.4	79.4	86.2	93.5	89.4	86.0
Connecticut	178.2	175.3	153.7	155.8	154.7	151.1	159.6	160.7
Indiana	161.0	152.5	147.8	139.1	138.5	151.4	143.2	137.2
Kansas	113.3	110.3	104.8	96.7	(3)	(3)	(3)	(3)
Kentucky (total)	108.6	93.2	94.8	85.5	87.4	92.6	86.5	(3)
White	93.8	83.1	83.3	73.3	78.3	80.4	74.5	(3)
Colored	239.0	180.6	192.5	180.7	157.2	187.1	179.5	(3)
Maine	190.4	191.5	185.4	181.7	175.3	177.4	179.8	184.3
Maryland (total)	189.1	162.8	156.4	152.8	140.4	148.6	142.8	131.6
White	171.1	147.9	144.4	140.2	127.2	135.5	127.5	120.0
Colored	278.0	235.6	215.0	210.4	200.9	208.4	212.9	184.8
Massachusetts	202.8	195.4	180.8	185.3	183.1	186.9	183.5	177.5
Michigan	181.3	171.5	161.0	156.2	152.2	151.3	147.0	152.6
Minnesota	104.3	105.9	101.4	101.9	92.8	89.0	90.1	81.6
Missouri	110.5	108.2	103.5	95.1	95.9	104.0	102.4	(3)
Montana	100.9	102.1	91.2	89.5	90.9	75.2	80.8	67.8
New Hampshire	212.9	205.2	213.8	208.1	187.1	192.7	197.0	200.7
New Jersey	169.2	166.7	146.1	149.5	144.9	143.9	143.3	137.2
New York	194.5	192.7	184.5	175.6	160.9	154.2	165.7	164.7
North Carolina (total)	98.5	92.1	[4]128.2	[4]133.0	[5]126.5	[5]133.0	[5]136.0	[5]120.2
White	89.8	84.3	98.9	93.7	97.2	100.8	96.1	92.5
Colored	117.6	109.1	135.8	207.8	180.3	192.2	209.4	171.3
Ohio	168.6	162.5	149.9	146.6	150.8	154.1	145.9	141.4
Pennsylvania	152.0	145.0	141.3	137.7	125.5	133.2	129.0	128.7
Rhode Island	161.7	169.1	160.1	162.9	159.1	168.8	158.0	160.8
South Carolina (total)	95.0	84.5	(3)	(3)	(3)	(3)	(3)	(3)
White	88.8	75.8	(3)	(3)	(3)	(3)	(3)	(3)
Colored	100.4	92.0	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	96.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	82.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	155.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	102.5	97.0	98.0	95.1	99.6	100.0	82.8	80.2
Vermont	215.6	219.4	200.0	194.6	213.4	209.6	211.8	221.8
Virginia (total)	138.3	137.0	131.1	123.3	114.3	(3)	(3)	(3)
White	114.4	115.0	110.1	105.1	99.1	(3)	(3)	(3)
Colored	192.0	186.0	177.5	161.0	145.7	(3)	(3)	(3)
Washington	75.7	80.6	82.0	79.4	86.0	78.6	82.8	74.3
Wisconsin	117.2	118.9	114.4	112.2	108.1	113.0	110.6	98.8
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	137.0	84.7	101.1	119.8	128.3	105.2	132.1	126.0
White	88.8	65.8	63.5	88.4	81.4	70.3	84.8	89.1
Colored	218.9	116.5	163.5	167.9	200.4	158.7	204.8	182.8
Los Angeles, Calif	153.1	161.0	153.8	141.0	164.4	173.6	183.2	137.3
Oakland, Calif	189.4	189.3	184.6	173.8	188.9	195.9	194.0	201.6
San Francisco, Calif	226.5	250.7	234.9	221.2	237.2	240.6	227.9	214.8

(See footnotes at end of table.)

AREA.	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION. [Rates of 150 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Denver, Colo.	105.8	101.6	118.9	102.2	111.8	123.3	121.6	128.0
Bridgeport, Conn.	164.4	143.9	125.0	95.4	125.7	145.0	120.9	114.9
New Haven, Conn.	198.3	175.0	182.9	156.4	175.5	160.8	164.6	178.2
Washington, D. C. (total)	250.5	230.5	224.2	203.7	219.5	234.0	214.5	212.2
White	228.9	223.0	214.1	194.4	198.6	202.5	180.7	183.1
Colored	308.1	250.5	250.4	227.0	271.5	312.3	298.6	285.0
Atlanta, Ga. (total)	124.4	110.2	130.3	109.3	104.8	107.2	101.7	107.8
White	86.8	76.8	84.3	77.2	82.3	85.6	80.8	87.8
Colored	209.5	184.5	231.1	172.8	149.2	149.8	143.1	147.6
Chicago, Ill.	163.6	159.9	153.9	140.9	142.4	152.1	140.3	134.0
Indianapolis, Ind.	194.3	175.6	187.1	169.3	154.9	184.3	175.8	159.7
Louisville, Ky. (total)	192.3	145.7	156.1	158.6	143.2	159.6	150.8	157.8
White	164.0	116.8	128.6	131.9	121.5	133.1	115.4	123.5
Colored	326.8	281.4	284.7	279.6	241.6	279.4	310.9	313.1
New Orleans, La. (total)	234.5	207.4	231.7	215.4	222.2	231.3	202.6	207.0
White	189.3	166.3	185.0	187.4	169.6	179.5	164.9	170.2
Colored	363.0	324.0	363.5	293.1	368.6	375.2	307.7	309.3
Baltimore, Md. (total)	221.1	193.2	173.5	181.7	169.5	173.8	167.7	173.7
White	192.4	168.6	153.4	156.1	145.0	152.2	142.3	147.6
Colored	384.2	332.3	286.6	323.8	306.1	293.8	309.2	319.2
Boston, Mass.	220.0	220.4	194.1	218.7	211.4	205.0	189.9	201.1
Cambridge, Mass.	203.0	191.2	157.6	159.5	160.5	152.2	172.5	153.1
Fall River, Mass.	178.7	158.9	154.4	154.7	145.2	155.9	137.9	126 8
Lowell, Mass.	170.5	161.6	140.9	149.5	132.0	157.2	181.7	172.3
Worcester, Mass.	246.8	251.7	224.3	218.1	202.7	197.8	228.8	196.3
Detroit, Mich.	166.7	164.8	130.7	138.2	133.7	118.4	113.4	109.5
Grand Rapids, Mich.	170.9	134.8	133.6	128.2	125.1	139.6	122.4	168.8
Minneapolis, Minn.	107.9	120.0	114.6	107.4	106.8	99.9	95.1	95.7
St. Paul, Minn.	126.8	122.6	107.4	106.9	82.9	92.4	101.3	93.2
Kansas City, Mo.	145.2	138.3	147.6	132.3	136.2	136.5	134.0	137.6
St. Louis, Mo.	146.0	144.6	133.4	128.6	123.0	141.6	146.6	131.3
Omaha, Nebr.	115.9	93.7	81.5	108.8	112.1	122.6	146.0	121.3
Jersey City, N. J.	164.8	165.8	121.6	125.9	131.7	125.4	145.8	134.4
Newark, N. J.	158.3	153.6	133.1	129.0	137.4	138.6	131.8	134.5
Paterson, N. J.	196.4	195.0	156.9	179.4	166.4	185.9	192.9	168.8
Albany, N. Y.	249.5	235.8	224.9	227.3	217.9	226.1	237.7	235.2
Buffalo, N. Y.	172.1	170.1	155.9	161.0	170.3	158.1	169.8	160.0
New York, N. Y.	166.8	168.7	160.4	145.8	144.5	143.2	140.1	137.4
Bronx Borough [6]	165.2	157.7	139.7	138.7	143.7	142.0	137.9	126.8
Brooklyn Borough [6]	189.2	197.4	199.5	162.3	159.5	162.0	161.5	161.2
Manhattan Borough [6]	148.5	146.9	134.5	133.5	132.7	129.5	127.6	123.9
Queens Borough [6]	167.9	176.2	166.5	162.1	160.0	136.3	128.0	127.9
Richmond Borough [6]	222.4	214.5	187.6	136.1	159.6	180.7	120.0	136.4
Rochester, N. Y.	222.1	192.3	195.0	198.3	159.8	145.4	170.0	157.5
Syracuse, N. Y.	208.1	201.1	163.2	183.5	185.0	141.4	167.5	207.1
Cincinnati, Ohio	204.9	202.7	199.9	191.7	207.8	210.6	185.7	182.6
Cleveland, Ohio	128.6	119.6	108.3	101.8	118.0	129.7	118.3	102.7
Columbus, Ohio	169.9	156.4	139.2	137.4	150.9	159.4	146.3	165.5
Dayton, Ohio	205.5	180.8	166.5	158.3	172.0	183.6	168.2	162.6
Toledo, Ohio	200.5	192.8	162.4	149.4	153.0	129.0	125.4	150.1
Portland, Oreg.	85.9	102.2	88.7	105.5	121.3	109.1	118.2	106.0
Philadelphia, Pa.	212.3	197.4	200.9	196.6	170.4	182.1	181.1	173.1
Pittsburgh, Pa.	140.4	144.7	118.5	118.8	126.2	126.8	118.2	125.9
Scranton, Pa.	146.4	119.2	128.4	147.2	112.5	117.0	93.9	86.6
Providence, R. I.	147.8	167.5	143.2	167.7	157.8	174.7	155.2	179.2
Memphis, Tenn. (total)	144.2	(7)	145.1	134.0	123.3	144.0	126.3	133.9
White	105.6	(7)	111.7	104.8	80.8	91.0	99.1	97.5
Colored	213.3	(7)	202.4	177.8	186.8	223.4	167.0	188.7
Nashville, Tenn. (total)	186.2	(7)	211.2	215.0	208.2	205.8	220.8	181.8
White	122.9	(7)	146.5	134.0	141.8	128.6	134.2	124.3
Colored	330.9	(7)	354.4	378.6	342.4	361.7	396.0	298.5
Richmond, Va. (total)	211.7	189.5	189.4	180.9	206.5	212.2	170.9	175.9
White	194.7	175.8	173.5	145.0	190.8	189.7	153.8	166.5
Colored	242.6	214.3	217.9	242.8	233.7	251.3	200.6	192.2
Seattle, Wash.	78.3	85.8	87.7	88.8	87.7	85.8	96.9	84.7
Spokane, Wash.	56.5	69.2	80.4	73.0	93.5	76.9	99.6	77.6
Milwaukee, Wis.	101.1	102.9	98.1	92.5	96.4	98.7	95.6	97.3

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to boroughs of residence.
[7] Transcripts for deaths not received.

In all subdivisions of the registration area the 1917 rate is the highest for the series of years shown.

The greatest increases among the states in the eight-year period 1910 to 1917 are for Maryland (from 131.6 to 189.1), Montana (from 67.8 to 100.9), New Jersey (from 137.2 to 169.2), New York (from 164.7 to 194.5), and Michigan (from 152.6 to 181.3).

Eight states have rates above 150 per 100,000 population for the series of years 1910 to 1917. Of these, the following states show the highest rates in 1917: Vermont (215.6), New Hampshire (212.9), Massachusetts (202.8), New York (194.5), and Maine (190.4). The states showing the lowest rates in 1917 are Washington (75.7), Colorado (83.8), South Carolina (95), Tennessee (96.8), and North Carolina (98.5).

Rates of 150 or higher are shown throughout the series of years 1910 to 1917 for 17 of the cities which in 1910 had 100,000 population or more. The cities which have the highest rates in 1917 are Washington, D. C. (250.5); Albany (249.5); Worcester (246.8); New Orleans (234.5); and San Francisco (226.5). The lowest rates in 1917 are for Spokane (56.5); Seattle (78.3); Portland, Oreg. (85.9); Milwaukee (101.1); and Denver (105.8).

PNEUMONIA (ALL FORMS).

In 1917 the number of deaths due to pneumonia (all forms) is 112,821. Of these, 65,438 are due to lobar pneumonia, 37,947 to bronchopneumonia, and 9,436 to pneumonia (unqualified). The death rate from pneumonia (all forms) in 1917 is 149.8. Although this is the highest rate in the past seven years, it is 17 per cent lower than the rate (180.5) in 1900.

The following table shows the death rates per 100,000 population for the years 1911 to 1917 and the annual average for the five-year period 1906 to 1910, rates of 200 and higher being printed in boldfaced type.

AREA.	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION. [Rates of 200 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area [1]	149.8	137.3	132.7	127.0	132.4	132.3	133.7	143.4
Registration states [2]	147.8	137.0	130.8	124.4	129.0	128.3	129.6	140.8
Cities in registration states [2]	177.8	165.1	155.8	149.5	156.2	152.5	153.7	170.0
Rural part of registration states	120.9	111.3	105.9	99.6	101.6	103.3	105.0	107.9
Registration cities in nonregistration states	176.4	140.9	154.1	159.8	171.8	174.0	178.9	157.4
All registration cities [2]	177.6	161.8	155.6	151.0	158.4	155.9	157.5	166.7
REGISTRATION STATES.								
California	111.2	103.0	97.4	93.5	108.3	111.2	101.5	101.1
Colorado	116.1	99.8	145.4	113.5	119.4	119.4	136.0	146.9
Connecticut	209.4	197.8	155.4	154.3	151.4	145.5	153.5	139.4
Indiana	126.6	114.3	110.3	105.0	97.4	104.7	99.6	97.6
Kansas	107.4	82.7	86.3	67.1	(3)	(3)	(3)	(3)
Kentucky (total)	119.7	110.7	98.0	108.4	99.0	100.6	98.9	(3)
White	107.9	101.9	85.4	99.9	89.9	90.8	85.5	(3)
Colored	223.5	187.0	204.9	174.8	169.9	175.8	202.6	(3)
Maine	156.4	137.5	138.2	146.7	145.3	142.2	141.7	146.8

(See footnotes at end of table.)

AREA.	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION. [Rates of 200 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION STATES—contd.								
Maryland (total)	193.9	181.0	159.2	158.2	146.9	132.0	146.8	137.6
White	150.8	147.7	128.8	131.9	120.0	106.1	119.6	112.4
Colored	407.2	343.9	306.3	278.5	269.9	250.2	271.4	249.9
Massachusetts	169.6	173.0	160.6	155.6	154.8	152.0	153.8	155.2
Michigan	138.2	116.2	103.9	92.4	98.5	93.6	90.4	90.8
Minnesota	95.9	85.8	89.6	97.3	81.1	71.9	96.1	(4)
Missouri	154.9	130.6	121.3	108.9	114.0	115.6	119.7	(3)
Montana	146.5	116.7	114.6	107.3	121.2	95.4	90.2	(4)
New Hampshire	159.1	140.6	123.2	127.9	146.8	131.5	145.5	134.2
New Jersey	174.8	179.1	151.7	153.7	150.8	145.0	151.4	164.1
New York	173.4	161.9	166.9	155.6	171.4	173.5	177.8	184.8
North Carolina (total)	107.3	104.8	[6]129.5	[6]150.1	[6]119.7	[6]131.2	[6]150.7	(4)
White	87.8	84.1	83.4	106.6	73.1	83.6	84.5	(4)
Colored	150.1	149.9	219.8	233.0	205.3	218.7	272.3	(4)
Ohio	150.8	138.1	121.5	108.1	111.5	111.8	101.8	(4)
Pennsylvania	188.6	167.7	148.3	146.0	152.8	145.5	140.0	149.5
Rhode Island	179.1	159.0	164.9	143.1	146.8	157.7	152.1	172.8
South Carolina (total)	118.7	105.0	(8)	(8)	(8)	(8)	(8)	(8)
White	95.4	82.9	(8)	(8)	(8)	(8)	(8)	(8)
Colored	139.2	124.3	(8)	(8)	(8)	(8)	(8)	(8)
Tennessee (total)	110.4	(8)	(8)	(8)	(8	(8)	(8)	(8)
White	91.8	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Colored	183.7	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Utah	109.5	109.9	103.9	112.7	103.8	101.8	110.6	(4)
Vermont	157.0	122.6	114.8	112.7	140.0	139.1	129.0	140.0
Virginia (total)	126 5	126.1	113.6	106.0	90.4	(3)	(3)	(3)
White	93.2	89.3	86.0	79.7	69.5	(3)	(3)	(3)
Colored	201.6	208.3	174.5	160.3	133.8	(3)	(3)	(3)
Washington	54.9	53.4	57.1	50.6	59.0	50.3	64.8	(4)
Wisconsin	120.8	109.3	104.9	95.5	88.9	84.1	85.7	(4)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	269.3	137.5	123.5	172.1	149.8	184.4	160.7	(4)
White	107.2	72.8	84.7	116.3	60.5	115.4	101.8	(4)
Colored	544.4	246.2	188.0	258.0	287.0	290.3	251.3	(4)
Los Angeles, Calif	84.2	78.0	81.2	75.9	108.6	109.8	98.0	93.8
Oakland, Calif	86.7	75.5	93.3	86.3	119.3	116.5	107.2	121.0
San Francisco, Calif	127.0	129.0	130.9	120.2	134.7	123.4	132.9	143.8
Denver, Colo	110.4	122.3	162.0	136.9	109.3	123.8	151.8	165.0
Bridgeport, Conn	311.1	357.8	204.3	191.7	184.6	163.3	143.6	165.5
New Haven, Conn	229.2	225.1	198.5	193.1	188.1	225.4	212.1	194.0
Washington, D. C. (total)	161.9	164.3	176.8	131.0	129.9	141.2	164.5	165.3
White	109.5	110.2	117.1	90.9	74.9	90.8	105.1	101.5
Colored	302.2	307.6	333.2	230.9	266.5	266.5	312.0	320.7
Atlanta, Ga. (total)	154.0	141.2	141.6	143.3	160.0	203.5	227.8	198.6
White	75.7	68.4	80.3	89.8	76.3	111.7	135.3	106.0
Colored	330.9	303.1	275.9	249.2	325.8	385.2	410.8	375.7
Chicago, Ill	197.5	158.1	164.5	178.5	206.1	210.9	200.7	210.0
Indianapolis, Ind	149.8	141.8	142.3	140.9	120.6	132.0	110.0	124.6
Louisville, Ky. (total)	188.2	146.9	137.1	149.3	146.6	128.2	125.3	162.8
White	147.4	113.7	94.8	120.0	112.0	96.4	89.1	114.7
Colored	380.5	302.9	335.0	281.9	303.2	272.2	289.0	378.2
New Orleans, La. (total)	147.7	117.3	193.2	186.9	164.9	142.9	161.8	171.0
White	96.1	66.9	117.8	118.6	100.8	91.9	102.3	113.8
Colored	294.7	260.0	406.3	376.8	343.1	284.7	327.4	329.2
Baltimore, Md. (total)	242.8	235.7	200.1	212.4	204.2	178.2	198.4	188.6
White	176.8	186.8	160.7	172.8	160.2	138.2	154.6	145.8
Colored	617.9	513.2	423.1	432.5	448.9	401.0	441.8	425.8
Boston, Mass	212.7	210.8	202.9	190.7	196.1	203.1	207.1	192.4
Cambridge, Mass	148.7	159.3	146.0	160.4	170.6	150.4	152.8	151.3
Fall River, Mass	204.1	243.8	200.2	233.6	260.5	201.6	193.3	207.9
Lowell, Mass	175.8	178.4	183.7	150.4	142.9	150.8	147.7	214.5
Worcester, Mass	190.8	230.2	186.3	171.8	180.1	189.3	164.3	170.9
Detroit, Mich	265.6	235.0	186.8	170.7	208.8	181.5	140.8	147.6
Grand Rapids, Mich	87.3	70.2	95.4	75.5	66.3	49.9	117.2	82.3
Minneapolis, Minn	116.2	111.4	111.8	121.7	102.6	91.5	113.4	108.7
St. Paul, Minn	94.3	80.5	110.7	112.8	81.2	77.3	92.6	85.7
Kansas City, Mo	192.3	122.5	156.3	117.8	115.4	110.5	148.7	142.3
St. Louis, Mo	200.1	173.5	142.1	152.9	138.4	151.1	148.3	133.5
Omaha, Nebr	203.1	173.4	143.4	129.1	119.8	146.6	172.0	125.5
Jersey City, N. J	195.2	184.4	193.6	167.7	191.2	173.4	198.9	216.9
Newark, N. J	164.3	161.2	134.8	185.3	140.6	153.5	155.5	187.2
Paterson, N. J	178.6	197.2	147.4	148.9	158.8	172.1	137.1	193.1
Albany, N. Y	176.3	161.3	168.0	130.1	135.8	189.7	141.6	137.7
Buffalo, N. Y	179.9	166.3	164.7	146.7	149.0	153.1	147.5	150.2
New York, N. Y	184.6	179.9	195.5	180.1	194.3	194.7	209.6	233.6
Bronx Borough [7]	174.1	150.0	188.0	154.0	169.6	162.1	157.9	173.7
Brooklyn Borough [7]	196.2	198.1	196.3	178.0	195.9	196.2	205.6	230.7
Manhattan Borough [7]	176.0	172.4	200.7	190.6	201.6	203.9	230.0	251.8
Queens Borough [7]	195.0	180.3	166.8	161.5	169.0	162.4	154.5	189.5
Richmond Borough [7]	207.4	198.2	189.7	151.0	193.2	202.9	199.6	200.3

AREA.	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION. [Rates of 200 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Rochester, N. Y	149.2	121.6	117.6	138.7	155.1	148.9	116.2	116.6
Syracuse, N. Y	154.5	134.3	119.3	139.3	185.0	141.4	119.6	116.0
Cincinnati, Ohio	147.0	145.4	140.2	133.5	151.3	153.3	125.9	156.0
Cleveland, Ohio	199.1	182.2	151.5	113.1	127.8	109.7	96.0	122.4
Columbus, Ohio	159.0	155.9	126.3	114.4	113.8	119.2	121.2	126.5
Dayton, Ohio	162.9	146.2	140.2	105.8	127.8	124.6	121.7	127.1
Toledo, Ohio	158.4	156.5	121.4	111.3	89.8	111.5	113.9	108.3
Portland, Oreg	52.5	52.5	54.2	60.2	75.4	58.0	76.8	67.8
Philadelphia, Pa	216.0	172.2	170.0	167.7	145.4	133.3	159.0	155.3
Pittsburgh, Pa	356.5	331.0	245.5	240.4	283.8	251.1	207.2	263.2
Scranton, Pa	211.3	190.0	199.2	234.9	208.5	200.2	200.6	175.2
Providence, R. I	184.7	174.1	166.8	161.6	159.5	167.9	166.0	193.3
Memphis, Tenn. (total)	189.6	(8)	136.9	155.7	165.3	178.9	197.7	171.9
White	112.8	(8)	86.7	83.9	105.8	122.6	127.9	110.1
Colored	327.3	(8)	222.8	263.2	254.4	263.3	302.1	259.3
Nashville, Tenn. (total)	161.7	(8)	152.6	173.2	151.1	173.0	222.6	192.1
White	121.7	(8)	108.9	117.1	106.4	92.8	128.8	114.2
Colored	253.0	(8)	249.2	286.6	241.5	334.9	412.2	345.6
Richmond, Va. (total)	189.0	194.0	199.8	181.6	162.2	170.4	158.6	184.0
White	103.7	110.2	126.1	90.1	91.2	102.0	90.3	101.5
Colored	343.5	344.7	331.4	339.9	284.9	288.7	276.6	325.6
Seattle, Wash	43.7	40.2	56.8	54.0	64.4	51.5	53.0	64.3
Spokane, Wash	59.0	49.9	54.5	61.2	70.9	59.5	123.6	120.0
Milwaukee, Wis	173.9	154.2	140.9	118.0	122.6	128.2	94.3	123.7

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to boroughs of residence.
[8] *Transcripts for deaths not received.*

In 1917 the rates are higher for all subdivisions of the registration area, the increase in registration cities in nonregistration states being especially notable (from 140.9 to 176.4).

Among the states, the highest death rates in 1917 from pneumonia (all forms) are for Connecticut (209.4), Maryland (193.9), Pennsylvania (188.6), Rhode Island (179.1), and New Jersey (174.8), while the lowest are for Washington (54.9), Minnesota (95.9), North Carolina (107.3), Kansas (107.4), and Utah (109.5).

Among the cities which in 1910 had 100,000 population or more the five which have the highest rates are Pittsburgh (356.5), Bridgeport (311.1), Birmingham (269.3), Detroit (265.6), and Baltimore (242.8). Pittsburgh is the only one of these large cities which has a rate of 200 or more per 100,000 population for the series of years 1911 to 1917, inclusive. The cities which have the lowest rates are Seattle (43.7), Portland, Oreg. (52.5), Spokane (59), Los Angeles (84.2), and Oakland (86.7).

The following table shows the death rates per 100,000 population for the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population), which in any of these years have rates of

200 or more per 100,000 population, such rates being printed in boldfaced type.

CITY.	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION. [Rates of 200 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Bakersfield, Calif	165.3	130.4	135.8	193.1	195.0	**204.2**	**248.2**
Stockton, Calif	**336 9**	**212.1**	**205.7**	**202.3**	135.4	**216.0**	129.4
Trinidad, Colo	145.7	158.6	**232.4**	**320.3**	**271.6**	**292.3**	111 1
Ansonia, Conn	**212.3**	149.7	101.3.	154.3	119.1	108.3	58.2
Hartford, Conn	**359.8**	**300.3**	**217.5**	**205.5**	**226.4**	176.4	**240.0**
Middletown town, Conn	**486.9**	**333.3**	**302.7**	185.2	**224.7**	**251.4**	**203.3**
New London, Conn	**198.1**	**214.4**	**149.2**	**141.1**	**132.7**	**114.3**	**150.6**
Stamford town, Conn	**210.3**	**187.9**	**143.7**	**190.4**	**159.0**	**199.5**	**226.2**
Windham town, Conn	**187.4**	**162.5**	**158.2**	**227.0**	**194.0**	**159.6**	**193.7**
Wilmington, Del	**311.4**	**241.9**	**210.4**	**179.2**	**167.1**	**169.2**	**217.5**
Augusta, Ga	**195.5**	**157.2**	**234.7**	**198.2**	**179.4**	(1)	(1)
Savannah, Ga	**157.4**	**138.1**	**163.8**	**153.1**	**200.1**	**202.9**	**300.4**
Jacksonville, Ill	**464.3**	**303.6**	**226.4**	**200.9**	**175.3**	**180.0**	**149.8**
East Chicago, Ind	**389.6**	**209.6**	**268.4**	**187.1**	**372.0**	**269.9**	**247.4**
Gary, Ind	**294.6**	**380.9**	**363.1**	(2)	(2)	(2)	**154.7**
Hammond, Ind	**336.8**	**244.5**	**169.8**	**192.0**	**126.9**	**105.3**	**91.3**
Laporte, Ind	**125.3**	**128.8**	**70.1**	**63.8**	**115.1**	**207.8**	**164.5**
Marion, Ind	**205.8**	**105.9**	**116.5**	**117.0**	**102.2**	**112.5**	**71.9**
Kansas City, Kans	**179.2**	**113.6**	**202.4**	**131.5**	**166.9**	**140.4**	**158.7**
Henderson, Ky	**121.8**	**114.8**	**157.4**	**133.9**	**270.4**	**239.0**	**163.9**
Lexington, Ky	**250.0**	**132.5**	**186.4**	**206.1**	**197.7**	**202.4**	**171.4**
Augusta, Me	**453.8**	**465.8**	**356.8**	**382.4**	**306.5**	**250.9**	**201.5**
Bangor, Me	**333.9**	**240.1**	**159.3**	**209.3**	**298.7**	**278.8**	**166.9**
Biddeford, Me	**174.5**	**150.2**	**278.9**	**234.6**	**235.9**	**202.5**	**250.1**
Lewiston, Me	**160.4**	**136.6**	**181.4**	**219.7**	**255.1**	**197.8**	**188.3**
Waterville, Me	**124.0**	**118 1**	**192.0**	**227.6**	**140.5**	**277.3**	**196.6**
Chelsea, Mass	**167.3**	**149.4**	**120.5**	**188.9**	**187.9**	**215.0**	**185.4**
Clinton town, Mass	**153.0**	**191.2**	**214.1**	**172.4**	**124.2**	**85.0**	**114.8**
Framingham town, Mass	**162.6**	**171.6**	**144.8**	**183.2**	**200.3**	**97.6**	**165.6**
Greenfield town, Mass	**220.4**	**208.4**	**127.7**	**113.1**	**97.9**	**118.3**	**111.8**
Haverhill, Mass	**174.9**	**255.8**	**173.7**	**131.7**	**157.4**	**155.5**	**162.1**
Holyoke, Mass	**212.0**	**249.7**	**206.0**	**213.2**	**212.5**	**200.3**	**191.3**
Lawrence, Mass	**148.7**	**166.1**	**210.8**	**179.5**	**147.6**	**202.0**	**197.2**
Milford town, Mass	**161.1**	**170.1**	**114.8**	**246.9**	**161.8**	**208.5**	**255.9**
New Bedford, Mass	**207.2**	**191.3**	**184.0**	**178.9**	**206.0**	**164.9**	**180.2**
North Adams, Mass	**204.4**	**90.8**	**77.2**	**175.4**	**136.1**	**125.4**	**122.8**
Northampton, Mass	**194.9**	**205.8**	**141.1**	**141.7**	**127.0**	**122.4**	**113.8**
Pittsfield, Mass	**181.5**	**126.8**	**133.0**	**142.3**	**219.8**	**139.4**	**118.1**
Southbridge town, Mass	**131.4**	**133.8**	**215.1**	**131.5**	**216.0**	**121.5**	**92.5**
Taunton, Mass	**240.4**	**281.1**	**314.3**	**291.9**	**232.3**	**251.6**	**253.8**
Westfield town, Mass	**191.8**	**119.6**	**183.2**	**221.2**	**202.8**	**171.8**	**126.2**
Escanaba, Mich	**208.1**	**187.3**	**185.2**	**108.5**	**243.4**	**157.0**	**88.1**
Muskegon, Mich	**167.7**	**222.2**	**170.7**	**82.5**	**83.6**	**92.8**	**129.5**
Pontiac, Mich	**261.0**	**182.6**	**129.1**	**138.9**	**118.2**	**115.4**	**98.8**
Virginia, Minn	**181.8**	**197.5**	**138.6**	**131 7**	**209.1**	**164.6**	**121.0**
Winona, Minn	**220.6**	**102.2**	**107.6**	**77.3**	**93.3**	**70.9**	**88.1**
Jackson, Miss	**218.6**	**131.1**	**112.8**	(1)	(1)	(1)	(1)
Natchez, Miss	**203.5**	**101.8**	**84.8**	(1)	(1)	(1)	(1)
Vicksburg, Miss	**237.3**	**170.9**	**204.9**	(1)	(1)	(1)	(1)
Joplin, Mo	**275.4**	**180.6**	**245.2**	**118.7**	**128.6**	**110.8**	**120.9**
Webb City, Mo	**134.9**	**274.9**	**162.2**	**67.7**	**122.7**	**78.3**	**87.9**
Butte, Mont	**251.9**	**232.6**	**250.0**	**177.4**	**243.0**	**178.0**	**148.1**
Great Falls, Mont	**494.7**	**200.7**	**243.8**	**347.4**	**198.1**	**123.8**	**130.2**
Berlin, N. H	**194.4**	**250.0**	**180.4**	**199.8**	**306.6**	**233.4**	**197.8**
Keene, N. H	**158.5**	**94.0**	**104.3**	**105.3**	**202.7**	**77.9**	**127.7**
Bridgeton, N. J	**214.9**	**125.0**	**104.4**	**125.6**	**83.9**	**49.0**	**83.6**
Camden, N. J	**280.3**	**235.3**	**231.9**	**242.0**	**198.8**	**169.2**	**191.1**
Elizabeth, N. J	**217.3**	**188.0**	**147.8**	**152.9**	**153.2**	**174.1**	**180.3**
Garfield, N. J	**172.1**	**228.7**	**225.5**	**267.8**	**298.6**	**196.4**	**165.5**
Hackensack, N. J	**264.2**	**177.0**	**157.8**	**162.4**	**135.1**	**112.7**	**142.1**
Hoboken, N. J	**220.9**	**195.6**	**184.0**	**172.0**	**228.7**	**162.1**	**264.2**
Long Branch, N. J	**158.9**	**207.9**	**152.8**	**101.9**	**118.2**	**135.3**	**176.8**
Morristown, N. J	**216.3**	**173.1**	**129.2**	**145.8**	**232.4**	**148.6**	**262.0**
New Brunswick, N. J	**263.0**	**282.2**	**198.7**	**153.1**	**261.4**	**211.2**	**196.2**
Orange, N. J	**240.8**	**311.4**	**215.2**	**200.2**	**178.3**	**210.6**	**222.9**
Passaic, N. J	**167.8**	**273.2**	**176.8**	**261.0**	**295.9**	**253.3**	**228.9**
Phillipsburg, N. J	**163.7**	**275.6**	**117.4**	**166.0**	**81.2**	**89.6**	**192.3**
Trenton, N. J	**200.9**	**302.0**	**210.6**	**220.0**	**219.2**	**182.2**	**217.0**
West New York, N. J	**158.1**	**245.0**	**245.4**	**134.6**	**196.9**	**188.2**	**152.0**
Batavia, N. Y	**139.8**	**104.9**	**129.7**	**150.6**	**274.6**	**140.0**	**125.4**
Binghamton, N. Y	**264.3**	**183.4**	**130.0**	**155.2**	**161.8**	**192.4**	**186.9**
Cohoes, N. Y	**221.4**	**190.4**	**195.0**	**175.7**	**164.2**	**229.0**	**245.3**
Cortland, N. Y	**210.2**	**122.4**	**117.0**	**127.3**	**138.1**	**223.9**	**129.5**
Elmira, N. Y	**203.8**	**160.0**	**184.4**	**105.8**	**108.9**	**98.6**	**122.6**
Geneva, N. Y	**208.4**	**204.2**	**96.2**	**127.8**	**221.4**	**201.6**	**183.8**
Hudson, N. Y	**224.8**	**181.0**	**167.8**	**114.6**	**166.3**	**168.9**	**137.0**
Lackawanna, N. Y	**209.6**	**300.2**	**323.7**	**320.8**	**256.3**	**449.9**	**156.4**
Little Falls, N. Y	**131.8**	**215.6**	**165.8**	**160.6**	**209.5**	**165.4**	**167.0**
Middletown, N. Y	**352.4**	**164.5**	**222.5**	**172.5**	**218.4**	**348.6**	**269.3**
Newburgh, N. Y	**163.9**	**114.9**	**126.2**	**89.6**	**163.6**	**154.7**	**211.0**
Niagara Falls, N. Y	**236.6**	**214.2**	**193.2**	**133.8**	**249.9**	**200.6**	**162.2**
North Tonawanda, N. Y	**163.6**	**79.9**	**126.2**	**98.6**	**201.7**	**111.1**	**145.1**
Ogdensburg, N. Y	**249.3**	**287.1**	**253.1**	**230.8**	**422.4**	**475.0**	**314.6**
Olean, N. Y	**212.7**	**120.3**	**134.8**	**149.8**	**127.3**	**123.3**	**191.3**
Ossining, N. Y	**120.9**	**73.0**	**119.9**	**146.3**	**134.6**	**203.3**	**195.**

CITY.	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION. [Rates of 200 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Port Chester, N. Y	**215.2**	**123.6**	**134.3**	**185.5**	**158.1**	**185.6**	**159.0**
Poughkeepsie, N. Y	**259.9**	**263 2**	**183.4**	**168.9**	**143.8**	**180.5**	**241.0**
Rensselaer, N. Y	**106.6**	**178.9**	**99.1**	**217.6**	**164.4**	**165.5**	**140.0**
Rome, N. Y	**230.8**	**185.4**	**155.1**	**180.7**	**139.8**	**124.7**	**155.1**
Saratoga Springs, N. Y	**231.2**	**267.7**	**268.1**	**109.3**	**195.6**	**235.2**	**285.3**
Troy, N. Y	**257.4**	**192.5**	**217.4**	**215.3**	**190.0**	**264.2**	**236.5**
Utica, N. Y	**225.2**	**222.0**	**165.7**	**225.4**	**198.1**	**247.4**	**206.2**
Watervliet, N. Y	**262.5**	**231.6**	**303.8**	**201.4**	**195.8**	**275.6**	**295.7**
White Plains, N. Y	**107.2**	**151.3**	**208.0**	**134.2**	**231.6**	**163.4**	**164.6**
Asheville, N. C	**167.6**	**148.9**	**161.1**	**233.2**	**141.2**	**148.8**	**146.3**
Charlotte, N. C	**225.7**	**178.3**	**169.7**	**202.3**	**124.3**	**119.2**	**132.4**
Raleigh, N. C	**246.6**	**129.2**	**190.2**	**171.4**	**157.5**	**163.8**	**180.9**
Wilmington, N. C	**174.3**	**150.5**	**149.7**	**226.8**	**183.2**	**208.8**	**269.6**
Winston-Salem, N. C.[3]	**437.6**	**298.5**	**152.9**	**189.4**	**200.2**	**186.5**	**239.5**
Akron, Ohio	**259.6**	**220.7**	**166.3**	**118.3**	**149.4**	**140.1**	**123.1**
Alliance, Ohio	**204.3**	**147.7**	**120.0**	**84.7**	**87.7**	**72.8**	**88.3**
Bellaire, Ohio	**192.1**	**181.2**	**155.8**	**194.3**	**248.7**	**313.4**	**151.6**
Canton, Ohio	**209.4**	**175.8**	**126.8**	**108.0**	**111.3**	**118.5**	**96.2**
East Liverpool, Ohio	**239.7**	**243.5**	**81.0**	**155.4**	**185.8**	**207.9**	**134.6**
Ironton, Ohio	**149.2**	**143.4**	**144.7**	**138.8**	**125.4**	**186.1**	**255.6**
Lakewood, Ohio	**155.4**	**119.4**	**168.1**	**202.8**	**84.1**	**39.3**	**78.2**
Middletown, Ohio	**225.8**	**179.2**	**131.4**	**168.6**	**159.4**	**128.3**	**132.0**
Steubenville, Ohio	**198.2**	**233.2**	**255.3**	**182.1**	**184.0**	**210.8**	**188.2**
Warren, Ohio	**285.5**	**191.4**	**179.5**	**182.2**	**211.2**	**120.8**	**158.5**
Youngstown, Ohio	**374.1**	**303.5**	**226.8**	**217.7**	**273.5**	**229.9**	**229.0**
Beaver Falls, Pa	**181.8**	**251.3**	**112.6**	**190.8**	**124.2**	**142.1**	**104.4**
Bethlehem, Pa	**216.0**	**134.4**	**143.6**	**153.0**	**170.2**	**75.2**	**76.4**
Braddock, Pa	**485.0**	**373.5**	**328.5**	**277.0**	**549.6**	**391.4**	**383.6**
Carbondale, Pa	**239.8**	**265.0**	**206.5**	**232.0**	**291.6**	**241.3**	**280.5**
Carnegie, Pa	**217.3**	**342.1**	**131.3**	**251.1**	**229.8**	**254.5**	**96.7**
Chester, Pa	**363.1**	**273.0**	**175.9**	**170.5**	**222.4**	**209.8**	**184.2**
Coatesville, Pa	**213.4**	**193.7**	**107.8**	**104.7**	**132.5**	**130.3**	**51.1**
Columbia, Pa	**209.5**	**139.7**	**61.1**	**27.1**	**98.7**	**115.6**	**114.6**
Dunmore, Pa	**249.0**	**163.7**	**261.5**	**182.2**	**202.6**	**245.5**	**257.8**
Duquesne, Pa	**184.1**	**200.4**	**197.1**	**150.7**	**229.1**	**185.8**	**181.2**
Easton, Pa	**262.5**	**317.7**	**119.2**	**150.6**	**121.8**	**123.1**	**152.2**
Erie, Pa	**208.9**	**131.7**	**96.2**	**154.7**	**156.3**	**119.2**	**133.4**
Farrell, Pa.[4]	**404.2**	**394.6**	**259.9**	(5)	(5)	(5)	**117.8**
Greensburg, Pa	**170.0**	**200.2**	**99.4**	**149.8**	**175.0**	**151.4**	**151.1**
Hazleton, Pa	**169.1**	**150.9**	**192.9**	**90.9**	**151.7**	**207.3**	**112.3**
Homestead, Pa	**229.7**	**213.7**	**183.0**	**244.6**	**237.3**	**154.6**	**133.9**
Johnstown, Pa	**271.0**	**237.9**	**192.2**	**165.5**	**185.0**	**215.6**	**187.0**
Lebanon, Pa	**362.8**	**255.1**	**150.4**	**185.7**	**141.7**	**96.9**	**92.6**
McKees Rocks, Pa	**177.9**	**175.4**	**256.5**	**208.1**	**356.1**	**163.0**	**171.7**
McKeesport, Pa	**248.4**	**237.8**	**186.1**	**171.9**	**234.6**	**200.4**	**194.9**
Mahanoy City, Pa	**158.1**	**171.8**	**133.6**	**64.8**	**173.4**	**151.7**	**221.8**
Nanticoke, Pa	**151.2**	**194.6**	**160.4**	**254.9**	**223.0**	**264.9**	**233.5**
New Castle, Pa	**281.5**	**160.5**	**121.4**	**159.2**	**157.3**	**142.1**	**145.2**
Norristown, Pa	**278.4**	**232.5**	**155.7**	**211.5**	**225.6**	**171.7**	**259.1**
North Braddock, Pa	**210.4**	**244.3**	**219.0**	**198.9**	**132.9**	**184.5**	**208.5**
Old Forge, Pa	**180.9**	**181.2**	**160.6**	**349.1**	**205.0**	**317.6**	**216.3**
Pittston, Pa	**268.8**	**306.5**	**236.0**	**274.2**	**240.4**	**310.0**	**251.2**
Pottstown, Pa	**211.9**	**297.7**	**84.3**	**91.4**	**129.5**	**99.9**	**176.9**
Shamokin, Pa	**202.1**	**175.1**	**138.2**	**96.0**	**149.8**	**185.3**	**119.9**
Sharon, Pa	**203.6**	**150.4**	**154.9**	**102.6**	**152.9**	**92.4**	**126.6**
Shenandoah, Pa	**188.2**	**260.3**	**185.0**	**170.8**	**268.7**	**296.4**	**166.4**
South Bethlehem, Pa	**180.8**	**252.0**	**119.0**	**144.5**	**135.4**	**163.0**	**91.4**
Steelton, Pa	**222.1**	**180.1**	**136.9**	**112.4**	**167.6**	**81.6**	**103.5**
West Chester, Pa	**238.8**	**159.4**	**146.7**	**212.2**	**96.0**	**89.7**	**132.9**
Wilkinsburg, Pa	**309.5**	**275.5**	**156.5**	**258.1**	**237.6**	**225.7**	**132.3**
Williamsport, Pa	**225.7**	**124.2**	**101.5**	**72.3**	**103.4**	**199.7**	**164.4**
Central Falls, R. I	**126.4**	**85.8**	**143.0**	**133.6**	**247.5**	**201.9**	**144.3**
Cranston, R. I.[6]	**287.6**	**169.3**	**277.8**	**237.6**	**139.7**	**140.1**	**163.8**
East Providence town, R. I	**183.9**	**209.8**	**152.2**	**86.4**	**170.6**	**150.4**	**104.2**
Newport, R. I	**228.9**	**129.5**	**94.5**	**92.6**	**125.5**	**141.8**	**126.5**
Woonsocket, R. I	**156.5**	**218.7**	**200.7**	**137.0**	**116.1**	**143.8**	**161.6**
Charleston, S. C	**204.8**	**159.7**	**254.9**	**219.6**	**247.4**	**255.4**	**207.8**
Columbia, S. C	**247.4**	**208.0**	**199.7**	(1)	(1)	(1)	(1)
El Paso, Tex	**378.9**	**281.0**	**329.6**	**208.1**	**403.6**	**306.9**	**336.4**
San Antonio, Tex	**205.1**	**90.4**	**110.5**	**127.8**	**111.1**	**127.0**	**93.2**
Rutland, Vt	**212.8**	**141.6**	**109.4**	**152.6**	**168.9**	**157.1**	**101.5**
Alexandria, Va	**189.5**	**173.7**	**208.4**	**217.0**	**102.6**	**161.2**	**149.1**
Newport News, Va	**282.9**	**223.7**	**185.3**	**88.0**	**54.0**	(1)	(1)
Norfolk, Va	**196.4**	**218.7**	**187.3**	**182.6**	**167.0**	**164.1**	**156.7**
Petersburg, Va	**286.6**	**387.0**	**197.3**	**227.0**	**176.9**	**150.1**	**172.1**
Staunton, Va	**422.9**	**283.2**	**252.5**	**176.7**	**188.4**	(1)	(1)
Wheeling, W. Va	**210.7**	**235.1**	**167.1**	**112.1**	**169.3**	**198.8**	**200.1**
Ashland, Wis	**215.6**	**284.6**	**232.9**	**173.3**	**224.9**	**97.7**	**147.2**
Green Bay, Wis	**169.9**	**173.7**	**156.9**	**142.7**	**127.9**	**179.8**	**243.9**
Janesville, Wis	**242.9**	**195.3**	**112.1**	**77.5**	**120.4**	**135.2**	**129.3**

[1] Not added to registration area until a later date.
[2] Incorporated in 1906; population not estimated.
[3] Salem consolidated with Winston, May, 1913.
[4] Name changed from South Sharon (incorporated in 1901) in 1912.
[5] Population not estimated.
[6] Includes state institutions.

Of these 165 minor cities 63 show rates of 200 or more for but one year of the series, and only 8 show such high rates for all the years: Braddock, Pa.; Augusta, Me.; El Paso, Tex.; Youngstown, Ohio; Pittston, Pa.; Ogdensburg, N. Y.; Taunton, Mass.; and Carbondale, Pa.

The five minor cities having the highest rates in 1917 are Great Falls, Mont. (494.7); Braddock, Pa. (485); Middletown town, Conn. (466.9); Jacksonville, Ill. (464.3); and Augusta, Me. (453.8). Three New York cities, Rensselaer (106.6), White Plains (107.2), and Ossining (120.9), show the lowest rates of the minor cities for 1917, followed closely by Henderson, Ky. (121.8), and Waterville, Me. (124).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

Diarrhea and enteritis in 1917 is the cause of death of 48,231 children under 2 years of age, corresponding to a rate of 64 per 100,000 population. This is the lowest rate for any year since 1900, except that for 1915 (59.5). This marked reduction from the rate of 1900 (108.8) is doubtless due in part to measures now employed to prevent loss of child life. The great difference, however, which still exists between the rates of the various states certainly suggests that some of these rates at least are still too high.

The following table shows the death rates per 100,000 population for the years 1911 to 1917, and the annual average for the five-year period 1906 to 1910, rates of 100 and higher being printed in boldfaced type.

AREA.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION. [Rates of 100 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area [1]	64.0	65.6	59.5	66.0	75.2	70.3	77.4	96.2
Registration states [2]	60.7	62.2	56.5	62.6	72.2	66.6	73.6	95.8
Cities in registration states [2]	69.6	71.5	68.3	75.3	84.6	83.3	91.0	115.8
Rural part of registration states	52.8	53.7	44.7	50.2	59.7	49.4	55.8	73.3
Registration cities in nonregistration states	106.8	109.3	95.7	107.6	110.6	109.5	119.6	98.4
All registration cities [2]	74.8	76.7	72.3	79.8	88.4	87.4	95.3	111.3
REGISTRATION STATES.								
California	34.3	28.7	27.8	30.6	45.7	38.6	36.4	39.2
Colorado	32.9	39.5	26.1	39.0	43.2	37.8	56.6	70.6
Connecticut	79.1	85.7	94.6	87.1	83.0	87.3	79.1	105.7
Indiana	54.0	62.6	41.5	57.9	67.4	58.6	61.5	66.8
Kansas	36.6	36.9	23.3	31.4	(3)	(3)	(3)	(3)
Kentucky (total)	54.9	49.9	37.3	47.7	55.6	40.6	50.1	(3)
White	53.7	49.6	36.6	46.6	55.5	40.0	49.3	(3)
Colored	66.1	52.9	43.6	56.2	56.1	44.8	56.5	(3)
Maine	33.8	60.3	50.7	51.9	61.4	43.0	63.2	79.6
Maryland (total)	97.0	95.1	84.8	92.7	101.1	87.2	98.4	102.0
White	83.1	81.7	77.1	86.8	92.2	79.5	91.0	94.9
Colored	165.7	160.7	122.0	119.5	141.9	122.8	132.7	133.8
Massachusetts	70.3	67.3	73.8	81.7	86.7	94.5	103.2	110.0
Michigan	56.0	68.5	41.4	56.2	59.3	48.3	57.0	76.1
Minnesota	24.5	27.9	26.3	33.9	41.3	29.2	40.1	(4)
Missouri	48.0	48.4	36.4	54.3	57.7	52.0	60.8	(3)
Montana	45.7	39.6	23.3	38.6	38.6	21.7	36.2	(4)
New Hampshire	57.8	60.6	66.5	61.3	96.2	53.8	88.7	92.0
New Jersey	83.2	73.5	83.2	85.6	89.9	95.0	99.7	108.2
New York	57.8	57.3	67.3	65.5	74.6	76.5	81.8	107.7
North Carolina (total)	97.1	77.9	[5]118.2	[5]134.0	[6]114.4	[6]136.9	[6]150.1	(4)
White	90.4	74.5	88.9	111.7	97.6	121.6	130.7	(4)
Colored	111.8	85.2	175.5	176.4	145.2	164.9	185.8	(4)
Ohio	58.5	62.4	46.0	55.9	72.4	61.7	59.8	(4)
Pennsylvania	94.8	101.7	90.7	95.4	106.3	93.7	104.1	127.4
Rhode Island	55.6	69.7	76.3	73.6	83.7	81.3	88.3	131.8
South Carolina (total)	79.4	71.9	(3)	(3)	(3)	(3)	(3)	(3)
White	75.8	70.6	(3)	(3)	(3)	(3)	(3)	(3)
Colored	82.6	73.0	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	48.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	46.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	54.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	39.2	26.0	22.4	30.9	43.0	27.9	37.4	(4)
Vermont	27.1	41.0	44.1	53.4	49.2	40.4	61.8	67.3
Virginia (total)	66.0	66.1	55.4	58.5	69.0	(3)	(3)	(3)
White	55.7	55.8	43.9	49.5	66.2	(3)	(3)	(3)
Colored	89.3	89.3	80.9	77.1	74.8	(3)	(3)	(3)
Washington	15.3	11.1	12.5	15.7	21.6	16.5	25.4	(4)
Wisconsin	30.3	38.8	29.8	36.4	45.7	46.2	51.3	(4)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	172.4	71.0	65.5	74.0	88.5	73.9	135.8	(4)
White	117.3	72.8	62.6	73.5	82.4	78.0	132.1	(4)
Colored	265.8	67.8	70.3	74.8	97.8	67.5	141.5	(4)
Los Angeles, Calif.	27.6	29.1	27.1	30.8	42.7	29.3	34.3	35.9
Oakland, Calif.	18.9	11.1	21.5	19.1	34.8	32.3	35.1	50.3
San Francisco, Calif.	17.4	18.1	20.0	22.5	31.7	42.2	38.0	47.1
Denver, Colo.	17.5	13.0	14.6	25.7	27.3	23.0	41.4	55.1
Bridgeport, Conn.	101.8	130.0	109.8	107.6	131.1	108.3	123.8	130.1
New Haven, Conn.	59.8	68.8	65.9	69.2	57.1	78.2	70.2	91.7
Washington, D. C. (total)	62.6	50.0	47.1	42.7	62.1	55.1	80.9	99.0
White	39.8	30.7	28.9	20.6	37.5	32.7	56.9	60.3
Colored	123.3	101.2	94.9	97.7	123.2	110.9	140.5	193.1
Atlanta, Ga. (total)	95.8	54.1	47.0	73.6	73.7	80.8	101.7	102.9
White	86.0	54.0	40.9	58.8	61.5	61.3	84.5	95.7
Colored	118.1	54.2	60.4	103.0	97.7	119.5	135.7	116.6
Chicago, Ill.	115.6	141.4	112.7	131.1	142.0	139.1	132.6	138.0
Indianapolis, Ind.	50.8	56.6	30.9	60.4	48.9	49.8	56.6	68.4
Louisville, Ky. (total)	47.8	44.8	31.6	43.8	36.0	27.5	37.4	37.9
White	43.3	40.6	28.2	43.1	31.4	25.0	34.4	37.1
Colored	69.0	64.4	47.9	47.0	56.8	38.5	51.0	41.7
New Orleans, La. (total)	89.7	70.7	104.2	88.3	103.1	89.0	136.9	130.3
White	70.6	61.1	85.7	73.0	91.3	79.9	128.7	122.1
Colored	143.8	98.0	156.7	130.9	136.0	114.3	159.9	153.0
Baltimore, Md. (total)	107.0	99.4	83.0	101.5	101.5	91.5	104.2	118.0
White	95.7	87.0	81.7	97.3	96.3	83.7	98.0	108.1
Colored	170.8	169.6	89.9	124.6	130.2	134.8	138.3	172.6
Boston, Mass.	57.0	49.4	62.9	64.6	72.9	84.8	106.4	99.2
Cambridge, Mass.	52.5	56.6	50.1	61.6	85.3	75.2	86.3	88.1
Fall River, Mass.	210.3	213.5	226.2	295.8	224.2	247.3	318.9	355.1
Lowell, Mass.	166.1	173.1	155.2	140.5	165.6	176.5	201.8	230.5
Worcester, Mass.	85.5	77.8	71.6	72.3	93.1	141.3	79.8	115.0
Detroit, Mich.	117.0	129.3	97.0	122.2	106.0	99.1	98.6	102.8
Grand Rapids, Mich.	42.1	54.6	26.2	42.2	67.1	49.1	62.0	81.9
Minneapolis, Minn.	21.7	30.0	26.6	41.1	34.8	34.3	44.0	55.8
St. Paul, Minn.	25.7	26.3	24.8	41.8	45.8	46.4	43.8	58.0
Kansas City, Mo.	42.5	47.0	42.8	53.2	82.1	67.7	55.9	45.7
St. Louis, Mo.	44.8	49.9	45.0	61.3	72.6	69.1	87.2	73.7
Omaha, Nebr.	23.1	41.7	22.1	39.8	43.5	38.0	48.1	61.4
Jersey City, N. J.	94.4	80.0	109.0	87.5	87.6	89.9	109.6	142.7
Newark, N. J.	83.1	71.9	76.4	104.3	91.5	102.6	117.8	112.9
Paterson, N. J.	58.4	42.6	42.5	61.1	76.4	79.9	70.5	107.9
Albany, N. Y.	45.0	61.3	69.5	44.7	59.6	54.1	51.5	57.2
Buffalo, N. Y.	101.3	113.1	104.5	117.6	142.3	130.6	108.7	139.7
New York, N. Y.	61.2	58.1	72.2	67.1	73.5	82.4	92.6	133.8
Bronx Borough [7]	45.2	38.5	51.8	50.1	56.9	63.8	74.8	97.6
Brooklyn Borough [7]	64.2	55.4	75.3	69.8	74.2	90.5	98.9	141.3
Manhattan Borough [7]	61.4	65.1	73.3	66.5	74.2	77.4	90.7	131.5
Queens Borough [7]	67.5	52.4	77.9	83.9	85.1	97.3	97.9	149.0
Richmond Borough [7]	71.1	60.3	80.2	67.0	89.0	107.5	98.7	173.4
Rochester, N. Y.	71.4	76.8	65.0	72.2	80.9	89.8	92.9	82.6
Syracuse, N. Y.	82.6	76.5	61.6	93.7	79.9	80.8	79.5	110.3
Cincinnati, Ohio	39.3	49.2	43.0	60.2	64.5	67.9	64.3	86.2
Cleveland, Ohio	116.0	109.9	103.5	108.1	133.0	140.4	133.6	132.4
Columbus, Ohio	35.0	26.5	22.4	45.5	41.1	30.4	37.4	48.0
Dayton, Ohio	55.8	67.6	24.7	55.7	81.1	64.0	55.8	69.7

(See footnotes at end of table.)

AREA.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION. [Rates of 100 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Toledo, Ohio	67.8	**105.5**	57.0	84.7	93.1	72.4	68.2	73.2
Portland, Oreg	13.6	7.4	5.9	9.2	11.8	18.3	28.2	36.2
Philadelphia, Pa	94.1	88.3	90.0	**107.4**	**100.6**	93.4	**118.0**	**133.5**
Pittsburgh, Pa	**128.5**	**117.3**	97.6	**103.7**	**134.8**	**113.5**	**130.3**	**169.1**
Scranton, Pa	**129.7**	**141.7**	**136.7**	**162.7**	**138.5**	**153.8**	**173.5**	**191.9**
Providence, R. I	52.7	58.0	59.2	71.8	75.4	71.0	77.6	**120.2**
Memphis, Tenn. (total)	51.4	(8)	36.3	60.0	50.6	66.2	90.2	79.6
White	48.2	(8)	32.5	51.2	44.0	65.5	**110.3**	75.9
Colored	57.0	(8)	42.7	73.2	60.5	67.2	69.1	84.8
Nashville, Tenn. (total)	59.3	(8)	60.4	67.9	47.4	86.0	**123.9**	**100.9**
White	58.4	(8)	56.4	69.0	47.3	76.9	**115.4**	87.2
Colored	61.2	(8)	69.2	65.7	47.8	**104.5**	141.0	**128.1**
Richmond, Va. (total)	71.8	72.8	67.2	74.9	86.3	**103.5**	**158.6**	**129.4**
White	45.0	53.6	54.5	59.7	72.3	75.6	**115.9**	94.8
Colored	**120.4**	**107.1**	90.1	**101.2**	**110.7**	**151.6**	**232.3**	**188.8**
Seattle, Wash	6.3	5.2	7.6	11.2	15.2	17.7	23.7	36.8
Spokane, Wash	12.7	10.0	13.3	20.6	24.9	18.2	40.9	60.3
Milwaukee, Wis	56.4	72.8	57.5	68.9	86.6	**114.7**	98.8	**119.0**

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred beginning with 1911 deaths were distributed to boroughs of residence.
[8] Transcripts for deaths not received.

The decrease in the rate for 1917 as compared with that for 1916 prevails in each of the principal subdivisions of the registration area, but is somewhat greater in the registration cities in nonregistration states (from 109.8 to 106.8). For the seven years 1911 to 1917 the rate for registration cities in nonregistration states exceeds the rate for cities in registration states, but the reverse is true for 1900 to 1910.

The five states having the highest rates are North Carolina (97.1), Maryland (97), Pennsylvania (94.8), New Jersey (83.2), and South Carolina (79.4). The states showing low rates are Washington (15.3), Minnesota (24.5), Vermont (27.1), Wisconsin (30.3), and Colorado (32.9).

Among the cities which in 1910 had 100,000 population or more, the highest rates in 1917 are for Fall River (210.3), Birmingham (172.4), Lowell (166.1), Scranton (129.7), and Pittsburgh (128.5), and the lowest rates are for Seattle (6.3), Spokane (12.7), Portland, Oreg. (13.6), San Francisco (17.4), and Denver (17.5). Decided increases in the rates of 1917 over those of 1916 are shown for Birmingham (from 71 to 172.4), Atlanta (from 54.1 to 95.8), New Orleans (from 70.7 to 89.7), Paterson (from 42.6 to 58.4), and Jersey City (from 80 to 94.4). Marked decreases are shown for Toledo (from 105.5 to 67.8), Bridgeport (from 130 to 101.8), Chicago (from 141.4 to 115.6), and Omaha (from 41.7 to 23.1).

The following table shows the death rates per 100,000 population for the years 1911 to 1917 for the minor cities (those which in 1910 had 10,000 to 100,000 population) which in any of these years have rates of 100 or more per 100,000 population, such rates being printed in boldfaced type.

CITY.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION. [Rates of 100 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Montgomery, Ala	95.4	43.9	84.6	76.6	85.3	57.8	**111.8**
Bakersfield, Calif	57.0	47.4	37.0	38.6	94.1	91.5	**142.9**
Fresno, Calif	79.9	60.1	56.5	107.4	**139.7**	**123.8**	88.4
San Bernardino, Calif	**119.2**	76.7	**104.5**	33.3	**154.0**	70.1	80.9
Pueblo, Colo	67.8	45.9	34.1	43.0	62.5	54.2	**116.6**
Trinidad, Colo	48.6	72.1	45.0	**109.4**	67.9	**168.3**	**185.2**
Ansonia, Conn	**224.1**	**191.6**	**200.6**	**253.0**	**231.9**	**127.4**	**252.4**
Bristol, Conn	73.5	94.2	96.5	79.2	54.2	97.5	**114.5**
Hartford, Conn	**123.2**	**107.3**	**123.0**	88.8	67.6	**107.6**	68.2
Meriden town, Conn	55.0	76.1	**103.4**	92.5	39.2	73.1	67.7
Middletown town, Conn	30.3	52.6	80.1	72.3	**105.5**	**102.4**	66.2
Naugatuck, Conn	48.9	85.1	**151.4**	51.3	**148.9**	**128.7**	**123.2**
New Britain, Conn	**130.0**	**113.4**	**126.4**	**132.4**	**136.7**	**147.6**	**106.9**
New London, Conn	**108.5**	90.5	86.7	**131.3**	**118.0**	69.5	95.4
Norwich town, Conn	87.8	74.8	78.7	65.4	86.7	**146.6**	87.9
Torrington town, Conn	89.8	91.9	94.0	96.2	54.7	**134.7**	28.8
Wallingford town, Conn	62.9	40.0	81.4	74.6	33.7	**146.1**	78.8
Waterbury, Conn	88.6	**152.9**	**153.4**	**133.3**	**180.6**	**134.5**	**121.3**
Windham town, Conn	55.5	98.9	93.5	**161.1**	59.7	83.6	**116.2**
Wilmington, Del	**140.5**	**124.1**	92.3	**103.2**	88.0	92.4	73.2
Jacksonville, Fla	70.8	53.9	49.2	67.0	56.5	74.7	**116.8**
Key West, Fla	81.8	69.0	**130.6**	**105.5**	**254.0**	**233.3**	**484.7**
Pensacola, Fla	**119.4**	72.3	69.9	87.3	85.1	(1)	(1)
Tampa, Fla	99.6	**126.2**	95.1	(1)	(1)	(1)	(1)
Augusta, Ga	88.9	65.7	86.3	**115.3**	87.7	(1)	(1)
Savannah, Ga	**130.0**	**127.9**	**120.0**	**167.9**	**133.4**	**119.6**	**131.2**
East Chicago, Ind	**459.0**	**514.9**	**400.7**	**389.7**	**562.1**	**349.5**	**404.5**
Evansville, Ind	65.0	44.7	57.0	68.7	66.7	64.7	**114.3**
Gary, Ind	**164.3**	**809.4**	**410.7**	(2)	(2)	(2)	**380.9**
Hammond, Ind	**170.3**	**236.9**	**173.7**	**171.6**	**203.1**	**153.6**	**127.9**
Jeffersonville, Ind	67.2	57.6	19.2	78.0	48.6	67.8	**154.3**
Laporte, Ind	**117.9**	68.2	23.4	79.8	74.0	**173.2**	91.4
Michigan City, Ind	68.5	93.0	90.0	86.9	**128.0**	95.4	**107.7**
Mishawaka, Ind	35.1	73.2	**111.7**	48.0	**114.8**	52.6	55.3
South Bend, Ind	83.1	105.9	67.1	81.4	87.0	83.2	**128.3**
Terre Haute, Ind	38.6	84.7	47.8	80.3	**102.8**	86.9	64.1
Vincennes, Ind	27.6	**136.0**	69.8	59.7	**159.4**	81.9	51.9
Coffeyville, Kans	38.2	**119.7**	23.9	**118.9**	52.6	55.5	(1)
Fort Scott, Kans	37.9	**104.3**	.....	28.5	28.5	47.6	(1)
Kansas City, Kans	60.7	54.3	46.5	42.4	66.5	57.3	**101.5**
Henderson, Ky	**105.6**	90.2	91.1	66.9	93.0	85.4	94.9
Owensboro, Ky	66.4	**135.0**	45.7	**122.0**	88.6	72.1	**146.7**
Augusta, Me	34.9	**127.0**	85.6	93.8	**131.3**	88.6	**104.5**
Biddeford, Me	95.7	**135.9**	62.6	**120.2**	**166.8**	**121.5**	**116.3**
Lewiston, Me	**117.6**	**147.4**	98.0	**142.8**	**129.4**	**160.4**	**169.5**
Waterville, Me	62.0	86.6	24.0	97.6	33.1	**109.2**	**111.1**
Cumberland, Md	71.2	92.0	97.8	91.8	**145.5**	**126.7**	**107.1**
Hagerstown, Md	76.6	93.5	75.3	72.6	**120.3**	**110.7**	71.2
Adams town, Mass	90.2	91.5	**149.8**	**151.8**	95.3	**133.8**	**228.0**
Chelsea, Mass	39.3	90.9	63.7	**119.6**	**109.6**	93.5	**121.5**
Chicopee, Mass	**263.8**	**208.1**	**264.9**	**245.9**	**222.4**	**283.6**	**258.7**
Fitchburg, Mass	56.6	47.9	97.2	86.4	**105.3**	**158.0**	71.8
Framingham town, Mass	35.3	**107.3**	94.1	58.6	66.8	75.1	7.5
Gardner town, Mass	**102.7**	58.3	59.7	**165.1**	**100.3**	**109.2**	84.7
Greenfield town, Mass	32.7	50.0	8.5	78.3	44.5	36.4	**111.8**
Holyoke, Mass	**209.0**	**154.7**	**185.7**	**168.6**	**209.3**	**105.3**	**184.6**
Lawrence, Mass	**172.0**	**136.2**	**157.8**	**167.0**	**165.8**	**196.5**	**215.0**
Methuen town, Mass	90.8	93.4	66.6	91.4	**110.0**	81.1	57.7
New Bedford, Mass	**135.7**	**169.3**	**177.9**	**223.0**	**212.5**	**243.5**	**257.6**
North Adams, Mass	50.0	50.0	45.4	**109.1**	61.0	74.3	72.8
Pittsfield, Mass	73.1	36.2	55.9	79.4	70.5	95.8	**106.3**
Plymouth town, Mass	64.3	43.7	66.7	**105.8**	77.1	62.9	**129.1**
Salem, Mass	38.5	63.8	56.5	68.1	**127.7**	90.3	**128.4**
Southbridge town, Mass	55.3	63.4	43.0	**109.6**	**104.3**	**129.1**	**100.2**
Taunton, Mass	71.0	**151.6**	**153.0**	**103.8**	**169.9**	**154.4**	**196.8**
Webster town, Mass	81.6	90.8	92.8	39.5	**104.9**	**148.6**	**126.4**
Westfield town, Mass	**111.9**	97.9	**133.2**	90.7	**139.1**	**154.0**	**150.2**
Alpena, Mich	22.4	97.9	53.1	61.1	92.3	46.5	**117.5**
Escanaba, Mich	44.2	58.1	19.8	81.4	83.5	35.7	**102.8**
Flint, Mich	85.4	**157.0**	65.2	32.3	25.6	40.6	34.5
Marquette, Mich	31.9	48.4	24.5	82.5	66.8	59.2	**111.4**
Sault Ste. Marie, Mich	35.4	64.7	14.6	59.3	**120.4**	53.5	54.5
Virginia, Minn	62.7	65.8	**103.9**	**131.7**	**232.4**	82.3	**164.3**
Meridian, Miss	**187.9**	**146.7**	**137.5**	(1)	(1)	(1)	(1)
Natchez, Miss	**135.7**	93.3	17.0	(1)	(1)	(1)	(1)
Joplin, Mo	83.8	**168.6**	69.6	82.2	94.9	77.0	**105.4**
Webb City, Mo	**127.8**	**151.9**	44.2	90.2	76.7	86.1	**135.9**
Anaconda, Mont	28.2	**104.1**	28.6	28.8	19.3	38.9	29.4
Great Falls, Mont	**121.9**	57.4	57.4	38.7	51.4	21.8	50.6
Berlin, N. H	**136.8**	**191.2**	**172.9**	**238.2**	94.3	**128.8**	**288.4**

(See footnotes at end of table.)

CITY.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION. [Rates of 100 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Dover, N. H.	30.1	37.7	75.4	98.0	60.3	67.9	166.0
Manchester, N. H.	163.3	140.5	166.3	133.5	231.5	141.1	213.5
Nashua, N. H.	83.5	95.1	136.5	59.5	183.6	75.5	99.0
Bayonne, N. J.	110.8	110.2	122.8	119.5	117.5	151.7	181.9
Camden, N. J.	124.9	113.9	102.5	125.9	116.3	91.2	101.7
Elizabeth, N. J.	123.8	100.4	126.6	128.6	173.2	181.7	146.3
Garfield, N. J.	264.7	194.1	240.0	168.3	242.1	204.9	217.8
Hackensack, N. J.	45.9	88.5	121.4	62.5	115.8	112.7	115.0
Harrison, N. J.	144.1	118.0	120.8	160.9	158.6	247.2	140.8
Long Branch, N. J.	25.5	45.5	79.7	67.9	55.6	99.7	103.1
Millville, N. J.	79.6	73.4	59.5	60.4	76.6	124.3	71.5
Montclair, N. J.	44.3	41.8	43.1	104.9	20.8	111.8	61.3
Morristown, N. J.	37.3	15.1	53.2	53.7	116.2	148.6	87.3
New Brunswick, N. J.	162.4	176.4	174.8	173.2	236.9	194.7	319.8
Orange, N. J.	53.5	36.3	55.3	28.2	50.9	94.0	137.7
Passaic, N. J.	167.8	117.1	143.5	137.3	154.2	205.6	222.1
Perth Amboy, N. J.	192.3	165.1	229.1	222.1	230.9	240.5	240.6
Phillipsburg, N. J.	56.7	95.1	19.6	66.4	81.2	103.4	99.7
Plainfield, N. J.	69.9	96.6	120.3	70.3	81.0	106.0	66.5
Trenton, N. J.	89.5	104.8	118.1	97.3	151.3	121.5	131.0
West New York, N. J.	56.1	85.2	50.2	122.9	80.0	77.9	66.1
Amsterdam, N. Y.	78.9	72.8	96.8	102.2	137.1	221.9	126.8
Auburn, N. Y.	55.5	77.6	100.1	93.1	91.5	103.8	176.1
Binghamton, N. Y.	89.3	142.7	122.5	84.3	154.0	69.4	74.3
Cohoes, N. Y.	106.8	111.1	99.5	159.7	132.2	96.4	209.1
Fulton, N. Y.	57.7	67.2	128.4	148.5	133.7	100.1	119.4
Hudson, N. Y.	62.0	125.9	119.9	81.8	99.8	84.5	137.0
Lackawanna, N. Y.	542.6	625.5	672.8	462.9	568.2	651.2	723.2
Little Falls, N. Y.	109.9	163.6	165.8	168.2	194.0	118.2	127.2
Niagara Falls, N. Y.	226.2	182.0	190.4	185.0	126.4	167.2	229.0
North Tonawanda, N. Y.	120.9	116.2	81.6	136.5	186.2	111.1	104.8
Port Chester, N. Y.	47.8	30.9	102.3	66.2	116.8	228.4	181.7
Poughkeepsie, N. Y.	58.5	65.8	60.0	67.6	109.6	62.5	101.3
Rome, N. Y.	103.1	118.0	120.6	48.5	94.7	152.4	94.0
Schenectady, N. Y.	76.1	41.2	58.8	68.1	90.4	104.7	90.3
Utica, N. Y.	59.4	81.2	90.6	104.8	152.0	139.0	97.3
White Plains, N. Y.	30.0	17.8	44.6	41.3	75.4	112.7	141.1
Yonkers, N. Y.	78.6	78.1	112.8	101.7	156.4	130.0	179.0
Charlotte, N. C.	115.3	148.2	108.0	97.5	81.0	72.1	86.4
Durham, N. C.	118.5	87.8	91.8	105.0	36.8	77.4	102.2
Greensboro, N. C.	79.3	35.8	73.7	135.9	112.4	139.5	96.3
Raleigh, N. C.	138.1	99.4	110.1	161.3	111.8	168.9	227.4
Wilmington, N. C.	161.2	140.5	153.1	219.6	201.5	268.5	292.4
Winston-Salem, N. C.[3]	244.4	186.2	176.1	199.8	168.0	105.2	154.7
Akron, Ohio	147.4	149.0	74.7	118.3	146.9	125.4	81.6
Bellaire, Ohio	48.0	139.4	120.4	158.3	109.7	104.5	68.2
Canton, Ohio	105.5	82.2	47.3	50.5	66.4	64.8	67.3
Chillicothe, Ohio	51.2	51.7	39.2	46.2	106.6	47.1	34.0
East Liverpool, Ohio	95.9	101.8	90.0	114.3	92.9	99.2	81.7
Lakewood, Ohio	105.0	88.4	51.4	79.1	36.8	84.2	78.2
Lorain, Ohio	75.8	132.6	95.3	93.1	163.3	198.4	141.2
Middletown, Ohio	91.6	179.2	78.8	74.2	180.2	92.7	124.7
Portsmouth, Ohio	81.8	146.1	46.2	98.1	111.5	57.1	89.6
Steubenville, Ohio	176.9	149.4	206.5	151.1	156.0	103.4	98.4
Warren, Ohio	90.2	176.1	39.0	66.3	92.9	60.4	35.2
Youngstown, Ohio	204.0	143.9	113.9	135.2	196.8	206.8	121.7
Allentown, Pa.	138.2	111.8	108.2	71.3	131.2	119.1	111.8
Beaver Falls, Pa.	116.4	96.1	82.6	68.7	131.9	71.0	88.3
Braddock, Pa.	312.8	267.5	323.8	229.3	257.8	247.7	307.9
Butler, Pa.	87.2	126.7	60.2	82.2	57.1	64.0	90.7
Carbondale, Pa.	51.0	72.8	68.8	97.1	60.5	117.8	103.1
Carnegie, Pa.	125.4	188.2	43.8	80.7	147.1	141.4	174.1
Chester, Pa.	150.5	190.8	131.9	155.7	125.0	131.5	120.2
Coatesville, Pa.	126.7	207.5	93.4	82.3	140.3	138.4	93.7
Dubois, Pa.	93.4	81.8	48.8	71.4	117.0	82.4	61.4
Dunmore, Pa.	216.1	235.8	182.6	207.5	166.3	266.3	246.8
Duquesne, Pa.	174.4	335.6	186.7	193.8	240.2	156.8	175.3
Easton, Pa.	100.5	72.1	59.6	60.2	91.3	51.3	62.3
Erie, Pa.	66.6	123.7	96.2	116.0	140.8	87.6	126.1
Farrell, Pa.[4]	250.2	346.5	173.2	(5)	(5)	(5)	176.6
Hazleton, Pa.	103.5	140.4	139.3	141.8	140.6	139.4	92.9
Homestead, Pa.	190.7	235.9	233.3	178.8	198.5	264.4	226.5
Johnstown, Pa.	127.7	132.8	88.6	99.0	116.4	108.6	135.0
Lebanon, Pa.	105.0	67.4	53.4	30.1	91.1	61.2	61.7
McKees Rocks, Pa.	187.5	215.5	183.2	153.4	402.0	289.7	203.5
McKeesport, Pa.	142.9	168.3	113.4	154.5	110.6	137.3	133.0
Mahanoy City, Pa.	186.3	131.7	168.4	106.1	197.3	242.7	197.1
Monessen, Pa.	169.1	166.4	128.8	240.0	132.8	238.3	254.9
Mount Carmel, Pa.	111.1	153.0	100.9	190.9	132.0	189.1	149.5
Nanticoke, Pa.	138.6	138.4	213.9	208.6	156.9	230.5	197.9
New Castle, Pa.	88.3	102.1	84.3	83.4	74.8	68.4	48.4
North Braddock, Pa.	140.3	151.8	171.1	113.7	192.0	100.0	152.4
Old Forge, Pa.	54.6	167.8	223.4	276.4	387.2	309.6	141.4
Phoenixville, Pa.	42.1	136.6	112.5	96.5	97.8	117.2	128.1
Pittston, Pa.	205.5	182.8	153.7	207.1	114.5	204.7	113.6
Plymouth, Pa.	66.9	146.6	80.0	152.9	127.2	202.9	298.8
Pottsville, Pa.	57.2	98.3	77.2	60.0	84.3	95.3	134.7
Shenandoah, Pa.	302.5	267.1	335.1	391.6	403.0	359.4	295.0
South Bethlehem, Pa.	200.9	289.2	204.1	192.6	297.9	228.2	302.9
Steelton, Pa.	82.5	218.7	84.8	132.2	147.5	81.6	213.8

AREA.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION. [Rates of 100 or more in boldfaced type.]						
	1917	1916	1915	1914	1913	1912	1911
Washington, Pa.	77.0	101.8	70.9	24.2	74.1	35.4	51.2
West Chester, Pa.	59.7	91.1	100.4	102.2	56.0	81.5	33.2
Wilkes-Barre, Pa.	84.3	93.8	146.2	91.0	88.8	93.6	131.9
Central Falls, R. I.	95.8	136.5	139.0	137.6	231.0	164.0	140.0
Cumberland town, R. I.	45.6	110.6	121.2	94.3	57.2	38.6	48.6
Warwick town, R. I.[6]	72.1	76.7	115.5	93.4	130.5	97.1	147.7
Woonsocket, R. I.	90.4	117.2	143.0	134.6	116.1	163.6	154.1
Charleston, S. C.	158.9	144.9	185.3	194.7	165.5	191.6	153.7
Columbia, S. C.	153.6	161.8	214.3	(1)	(1)	(1)	(1)
El Paso, Tex.	572.7	494.5	496.9	341.4	492.8	398.7	305.4
San Antonio, Tex.	375.9	268.9	280.5	258.1	205.1	308.6	219.8
Burlington, Vt.	59.6	78.6	56.0	174.1	156.7	138.9	299.6
Alexandria, Va.	66.9	39.2	90.1	76.6	134.7	103.2	103.7
Danville, Va.	89.2	94.9	100.7	76.2	66.5	123.9	125.0
Lynchburg, Va.	80.6	57.7	101.9	157.1	179.1	110.7	110.0
Newport News, Va.	159.1	87.5	102.4	122.3	63.8	(1)	(1)
Norfolk, Va.	77.9	90.4	84.0	98.2	97.6	101.8	135.9
Petersburg, Va.	267.3	222.3	149.9	195.1	213.0	170.4	204.8
Roanoke, Va.	101.6	75.8	40.5	115.8	160.6	76.6	153.4
North Yakima, Wash.	108.8	23.9	20.2	48.0	22.7	12.1	51.9
Green Bay, Wis.	126.6	122.6	69.7	67.8	113.3	67.4	170.4
Kenosha, Wis.	70.1	79.2	39.6	37.9	83.8	156.6	150.4

[1] Not added to registration area until a later date.
[2] Incorporated in 1906; population not estimated.
[3] Salem consolidated with Winston, May, 1913.
[4] Name changed from South Sharon (incorporated in 1901) in 1912.
[5] Population not estimated.
[6] Includes West Warwick town, organized November, 1913.

The highest rates in 1917 are for El Paso, Tex. (572.7); Lackawanna, N. Y. (542.6); East Chicago, Ind. (459); San Antonio, Tex. (375.9); and Braddock, Pa. (312.8). The lowest rates are for Alpena, Mich. (22.4); Long Branch, N. J. (25.5); Vincennes, Ind. (27.6); Anaconda, Mont. (28.2); and White Plains, N. Y. (30).

ACUTE NEPHRITIS AND BRIGHT'S DISEASE.

In 1917 the number of deaths from acute nephritis and Bright's disease is 80,912, corresponding to a rate of 107.4 per 100,000 population, which is 20.7 per cent higher than the rate for 1900 (89). Of these deaths 6,244 are due to acute nephritis and 74,668 to Bright's disease, which includes chronic nephritis and nephritis unqualified.

The following table shows the death rates per 100,000 population for the years 1911 to 1917 and the annual average for the five-year period 1906 to 1910, rates of 150 and higher being printed in boldfaced type.

AREA.	DEATH RATE FROM ACUTE NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION. [Rates of 150 or more in boldfaced type.]							
	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
SUMMARY.								
The registration area[1]	107.4	105.2	104.7	102.4	102.9	103.0	97.5	97.5
Registration states[2]	105.4	103.7	102.1	99.9	100.1	99.7	94.1	94.7
Cities in registration states[2]	123.1	121.3	116.4	117.7	118.8	116.9	112.7	114.0
Rural part of registration states	89.5	87.6	87.8	82.5	81.3	81.8	75.0	72.9
Registration cities in nonregistration states	134.0	124.4	135.4	132.9	134.7	139.1	135.8	112.5
All registration cities[2]	124.6	121.7	119.2	119.8	121.1	120.3	116.2	113.6

(See footnotes at end of table.)

DEATH RATE FROM ACUTE NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION.

[Rates of 150 or more in boldfaced type.]

AREA.	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION STATES.								
California	106.4	109.1	107.2	100.5	98.7	95.3	92.1	82.3
Colorado	70.7	67.5	77.4	75.4	75.5	83.0	79.9	73.6
Connecticut	123.2	122.9	114.5	116.5	112.0	106.3	117.5	103.1
Indiana	113.1	105.8	101.7	97.1	92.7	92.9	84.6	73.8
Kansas	79.9	75.6	69.6	65.4	(3)	(3)	(3)	(3)
Kentucky (total)	96.3	82.8	83.7	79.7	80.3	75.4	65.9	(3)
White	85.2	73.6	74.2	70.8	71.4	68.4	61.3	(3)
Colored	**193.7**	**162.0**	**163.7**	148.7	149.3	129.9	102.1	(3)
Maine	111.9	119.0	119.2	120.0	102.9	101.4	114.1	98.3
Maryland (total)	**163.8**	**152.9**	**150.2**	141.4	140.1	139.4	128.0	121.4
White	149.2	142.9	136.5	133.7	129.2	125.3	116.7	112.2
Colored	**235.9**	**201.8**	**216.7**	**176.4**	**189.6**	**203.8**	**179.6**	**162.5**
Massachusetts	96.3	97.0	93.8	94.4	90.9	90.3	86.7	85.5
Michigan	86.6	82.1	81.5	74.7	74.9	75.4	67.2	63.5
Minnesota	73.1	76.3	78.0	74.3	72.5	70.6	63.3	(4)
Missouri	116.3	111.2	109.1	99.7	95.2	98.4	85.2	(3)
Montana	75.7	78.1	76.0	57.6	58.9	60.6	52.0	(4)
New Hampshire	122.2	114.6	113.9	117.6	118.8	121.7	110.9	103.5
New Jersey	132.0	131.1	124.7	126.2	121.8	117.1	116.5	108.7
New York	131.4	131.5	124.9	131.6	134.7	138.5	132.0	129.4
North Carolina (total)	84.2	72.6	[5] 114.5	[6] 121.1	[6] 105.1	[6] 106.0	[6] 91.9	(4)
White	78.6	69.2	94.2	99.5	87.5	94.8	74.6	(4)
Colored	96.3	80.0	**154.2**	**162.3**	137.4	126.6	123.6	(4)
Ohio	97.1	96.5	92.2	87.8	87.6	90.1	77.5	(4)
Pennsylvania	116.2	107.2	103.7	100.3	103.0	94.4	91.9	88.4
Rhode Island	115.5	130.6	120.8	124.8	123.9	123.6	124.2	125.2
South Carolina (total)	96.5	96.5	(3)	(3)	(3)	(3)	(3)	(3)
White	90.3	82.1	(3)	(3)	(3)	(3)	(3)	(3)
Colored	102.0	109.0	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	74.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	62.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	120.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	71.2	70.5	68.6	65.4	64.7	69.6	59.7	(4)
Vermont	113.4	114.7	122.5	110.7	115.6	115.7	105.7	101.4
Virginia (total)	107.8	109.6	109.4	98.1	93.9	(3)	(3)	(3)
White	92.7	94.0	94.3	87.7	81.7	(3)	(3)	(3)
Colored	141.9	144.3	142.6	119.8	119.2	(3)	(3)	(3)
Washington	46.1	49.3	53.5	54.3	55.6	49.9	55.0	(4)
Wisconsin	69.6	69.7	64.4	62.5	63.4	67.2	64.2	(4)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.								
Birmingham, Ala. (total)	110.2	85.8	96.5	119.2	110.6	110.5	103.5	(4)
White	68.7	68.5	83.7	99.4	86.6	108.8	93.3	(4)
Colored	**180.5**	115.0	117.7	149.6	147.5	113.1	119.1	(4)
Los Angeles, Calif.	106.4	111.3	102.7	105.0	108.4	103.1	93.4	97.0
Oakland, Calif.	81.9	89.1	92.2	95.6	95.9	75.3	82.3	110.7
San Francisco, Calif.	125.9	135.3	137.7	126.0	120.6	117.9	122.8	108.8
Denver, Colo.	93.5	95.5	112.6	102.6	117.3	110.7	122.1	110.0
Bridgeport, Conn.	**156.3**	**162.9**	**157.9**	**151.8**	**159.6**	122.9	137.9	129.2
New Haven, Conn.	118.2	122.3	135.3	145.3	129.0	125.6	134.6	121.4
Washington, D. C. (total)	**180.3**	**168.1**	**181.5**	**172.3**	141.6	**155.8**	**157.3**	146.0
White	143.7	144.6	**150.6**	143.6	118.0	131.3	133.8	125.3
Colored	**278.3**	**230.4**	**262.5**	**243.7**	**200.4**	**216.7**	**203.6**	**196.5**
Atlanta, Ga. (total)	**159.1**	**158.5**	**160.0**	**172.9**	**175.6**	**210.7**	**197.8**	**155.7**
White	148.5	135.4	124.4	**159.5**	149.0	**189.2**	**180.4**	143.1
Colored	**182.9**	**209.9**	**238.0**	**199.4**	**228.1**	**253.2**	**232.4**	**179.9**
Chicago, Ill.	112.4	107.2	111.5	104.3	115.1	111.6	109.4	112.6
Indianapolis, Ind.	111.4	115.0	106.9	101.6	110.4	106.5	92.1	90.0
Louisville, Ky. (total)	**166.1**	**154.0**	**160.3**	**160.8**	**151.4**	140.8	122.2	115.6
White	144.4	132.0	**151.3**	141.3	134.0	121.4	119.2	107.9
Colored	**268.7**	**257.6**	**201.0**	**249.0**	**229.8**	**192.7**	136.0	149.9
New Orleans, La. (total)	**266.6**	**231.1**	**239.9**	**267.4**	**270.3**	**267.8**	**243.2**	**216.1**
White	**215.5**	**173.9**	**199.5**	**213.0**	**221.5**	**208.6**	**190.5**	**177.9**
Colored	**411.9**	**293.2**	**350.9**	**418.7**	**405.8**	**432.4**	**389.8**	**321.6**
Baltimore, Md. (total)	**191.2**	**174.3**	**171.6**	**168.9**	**180.1**	**178.7**	**162.1**	**171.6**
White	**170.7**	**163.0**	**154.0**	**156.7**	**164.5**	**160.1**	147.3	**157.3**
Colored	**307.8**	**238.5**	**270.7**	**236.7**	**267.3**	**282.3**	**244.1**	**251.1**
Boston, Mass.	102.8	102.6	97.6	99.5	91.9	93.0	98.9	87.6
Cambridge, Mass.	63.9	70.8	80.6	84.3	62.4	81.7	88.1	70.9
Fall River, Mass.	117.1	105.9	102.4	102.8	91.9	106.9	93.8	99.1
Lowell, Mass.	85.7	89.2	97.2	89.2	112.8	91.9	82.6	100.5
Worcester, Mass.	95.1	105.3	72.9	79.9	76.8	73.6	72.5	76.4
Detroit, Mich.	83.8	85.1	81.7	72.2	80.9	69.7	65.1	66.2
Grand Rapids, Mich.	104.6	88.9	90.6	84.4	82.9	88.9	78.4	68.7
Minneapolis, Minn.	97.7	101.8	104.1	87.9	97.8	89.0	76.8	74.4
St. Paul, Minn.	69.3	92.6	77.3	80.7	93.7	84.0	62.1	65.3
Kansas City, Mo.	149.4	130.9	136.3	117.8	110.6	102.6	101.4	91.2
St. Louis, Mo.	**170.0**	**176.8**	**169.0**	**171.8**	**167.6**	**171.6**	147.1	135.0
Omaha, Nebr.	89.4	91.3	76.0	104.3	87.0	92.3	93.1	71.9

DEATH RATE FROM ACUTE NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION.

[Rates of 150 or more in boldfaced type.]

AREA.	1917	1916	1915	1914	1913	1912	1911	Annual average 1906 to 1910
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—continued.								
Jersey City, N. J.	133.4	132.5	126.6	134.0	126.5	134.6	129.8	120.4
Newark, N. J.	146.1	140.9	124.3	140.6	142.1	119.4	135.4	130.2
Paterson, N. J.	149.5	138.0	**156.9**	122.9	132.3	120.6	131.7	122.7
Albany, N. Y.	**153.8**	**197.2**	**189.2**	**178.7**	**209.1**	**216.3**	**194.1**	**186.6**
Buffalo, N. Y.	130.3	127.0	120.7	125.7	115.5	115.8	94.9	93.0
New York, N. Y.	131.4	131.4	122.2	139.0	138.1	140.3	142.8	**151.0**
Bronx Borough [7]	136.3	138.4	123.8	129.4	140.6	123.9	122.2	141.4
Brooklyn Borough [7]	120.3	121.4	104.7	140.0	138.9	137.9	137.2	142.7
Manhattan Borough [7]	132.4	130.4	129.8	133.5	135.8	144.1	148.4	**159.3**
Queens Borough [7]	143.9	149.1	129.7	147.4	124.3	121.3	139.5	129.3
Richmond Borough [7]	**247.5**	**246.2**	**225.1**	**289.2**	**220.4**	**237.2**	**220.9**	**188.7**
Rochester, N. Y.	140.5	136.7	136.8	128.1	139.8	134.1	117.6	112.1
Syracuse, N. Y.	119.2	112.5	106.2	101.8	105.1	128.1	97.1	100.5
Cincinnati, Ohio	**161.0**	**158.8**	**166.2**	145.0	**160.1**	**164.1**	144.9	135.0
Cleveland, Ohio	87.5	90.9	91.7	84.5	96.8	104.2	93.6	86.4
Columbus, Ohio	82.2	90.3	91.5	83.6	94.3	79.5	78.0	82.3
Dayton, Ohio	96.2	119.5	102.8	108.2	104.0	114.7	71.0	86.2
Toledo, Ohio	92.6	89.3	84.1	98.3	87.6	101.3	89.0	69.6
Portland, Oreg.	62.6	55.5	60.5	66.4	56.8	58.4	60.0	52.9
Philadelphia, Pa.	**190.3**	**177.7**	**167.0**	**174.4**	**177.5**	**159.5**	**164.5**	**166.8**
Pittsburgh, Pa.	98.9	92.0	92.0	88.7	82.3	79.7	73.7	71.4
Scranton, Pa.	105.0	85.8	102.7	85.6	94.5	108.2	74.4	79.3
Providence, R. I.	119.7	142.4	128.4	133.4	124.5	127.5	137.4	135.9
Memphis, Tenn. (total)	**165.9**	(8)	**171.1**	**178.0**	**179.5**	**195.0**	**157.1**	134.2
White	117.9	(8)	130.1	142.1	**164.0**	**177.2**	140.4	135.3
Colored	**251.9**	(8)	**241.4**	**231.8**	**202.8**	**221.6**	**182.0**	132.7
Nashville, Tenn. (total)	**119.4**	(8)	132.8	126.2	102.8	115.3	80.8	83.0
White	109.5	(8)	110.2	97.6	90.6	98.1	68.4	71.1
Colored	141.8	(8)	**152.7**	**184.0**	127.4	**150.0**	105.8	106.5
Richmond, Va. (total)	**175.2**	**204.9**	**204.3**	**170.5**	**204.2**	**213.0**	**193.4**	**155.0**
White	**152.9**	**196.6**	**196.7**	149.7	**188.4**	**200.5**	**173.3**	142.4
Colored	**161.1**	**219.7**	**217.9**	**206.4**	**231.6**	**234.7**	**228.0**	**176.7**
Seattle, Wash.	42.3	45.0	56.5	62.0	61.6	54.4	63.3	60.0
Spokane, Wash.	66.6	65.2	74.1	77.4	74.0	64.5	80.9	68.9
Milwaukee, Wis.	79.5	79.9	70.6	69.8	74.1	73.7	66.2	63.0

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911 deaths were distributed to boroughs of residence.
[8] Transcripts for deaths not received.

For all subdivisions of the registration area, the rates for 1917 are higher than those for 1916. Cities in registration states have rates much higher than those for rural part of registration states, not only for the seven years shown in the table, but for every year since and including 1900.

The five states which have the highest rates in 1917 are Maryland (163.8), New Jersey (132), New York (131.4), Connecticut (123.2), and New Hampshire (122.2). The states which have the lowest rates are Washington (46.1), Wisconsin (69.6), Colorado (70.7), Utah (71.2), and Minnesota (73.1). In a comparison of the rates for 1916 and 1917 very marked decreases are shown in the later year for Maine (from 119 to 111.9) and for Rhode Island (from 130.6 to 115.5). Notable increases are shown for Kentucky (from 82.8 to 96.3), North Carolina (from 72.6 to 84.2), Maryland (from 152.9 to 163.8), and Pennsylvania (from 107.2 to 116.2).

The only state with a death rate as high as 150 from acute nephritis and Bright's disease is Maryland, and this state for only the years 1915, 1916, and 1917. In fact, Maryland is the only state which shows a rate as high as 150 in the annual mortality reports, the first of which was published in 1900.

There are 12 cities of 100,000 population or more in 1910 which have rates of 150 or higher per 100,000 in 1917. Six of these cities have such rates for the series of years 1911 to 1917, and four of the six, New Orleans, Baltimore, Philadelphia, and Albany, for the preceding four years. The five cities which show the highest rates in 1917 are New Orleans (266.6), Baltimore (191.2), Philadelphia (190.3), Washington (180.3), and Richmond (175.2). The five cities which show the lowest rates are Seattle (42.3), Portland, Oreg. (62.6), Cambridge (63.9), Spokane (66.6), and St. Paul (69.3).

In making a comparison of crude rates from acute nephritis and Bright's disease it should be borne in mind that about 80 per cent of the deaths from this cause occur among persons past 40 years of age.

SUICIDE.

The death rate from suicide in 1917 is the lowest (13.4 per 100,000 population) recorded since 1902. All the subdivisions of the registration area show a lower rate than in 1916 and likewise a majority of the states. The five states which show the highest rates in 1917 are California (29.9), Montana (23.9), New Hampshire (17.8), and Connecticut and Vermont (each 17.3). California has had the highest rate of any of the registration states since it was added to the registration area in 1906. The five states which have the lowest rates in 1917 are South Carolina (2.6), North Carolina (3.2), Tennessee (5.3), Virginia (6.2), and Kentucky (8.3).

Among the cities of 100,000 population or more in 1910, the five which show the highest rates from suicide in 1917 are San Francisco (42), Kansas City, Mo. (31.7), Los Angeles (30.6), Toledo (27.2), and Oakland (27.1). The cities which have the lowest rates are Nashville (3.4), Scranton (4), Cambridge (4.4), Fall River (6.2), and Lowell (9.6). The most pronounced decreases in the rates from suicide in 1917 when compared with 1916 are shown for Bridgeport (13.6 against 34.5), Omaha (16.3 against 29.6), and Dayton (16.3 against 27.5). On the other hand, very notable increases are shown for New Haven (22.3 from 14.7) and Denver (20.9 from 14.6).

Under the title "Suicide" are included nine headings, to four of which more than 80 per cent of all deaths from this cause are charged in 1917. The greatest number of deaths in this class are due to firearms (3,335, with a rate of 4.4 per 100,000 population); followed by poison (1,859, with a rate of 2.5); hanging or strangulation (1,574, with a rate of 2.1); and asphyxia (1,475, with a rate of 2).

VIOLENT DEATHS (EXCLUDING SUICIDE).

In 1917 the number of deaths due to all forms of violence (excluding suicide) is 71,897, which corresponds to a rate of 95.5 per 100,000 population, against a rate of 90.9 in 1916. Under this heading are included deaths from accidental or undefined causes, and those from homicide, the former numbering 66,116, with a rate of 87.8 per 100,000, and the latter 5,781 with a rate of 7.7, the rate from each of these causes exceeding the rate for 1916.

The greatest number of deaths under this title are due to traumatism by fall (11,114, with a rate of 14.8 per 100,000); next in order are deaths due to railroad accidents and injuries (8,649, with a rate of 11.5); burns (conflagration excepted) (6,830, with a rate of 9.1); automobile accidents (6,724, with a rate of 8.9); homicide (5,781, with a rate of 7.7); accidental drowning (5,550, with a rate of 7.4); and absorption of deleterious gases (conflagration excepted) (3,375, with a rate of 4.5). All of these causes of death show higher rates in 1917 than in 1916, except traumatism by fall and by accidental drowning. It is of interest to note that automobile accidents have become the fourth most important cause of violent deaths.

The death rate in 1917 from street-car accidents (3) is higher than the rate in 1916 (2.5), and deaths from injuries by other vehicles show a slightly lower rate in 1917 (3.1, compared with 3.3). Deaths from the effects of heat show a rate of 2.6, which is lower than the 1916 rate (2.9), but is the third highest rate since 1911 (5.3 per 100,000).

Among the registration states those showing the highest death rates in 1917 from violent deaths (excluding suicide) are Montana (204), Ohio (119.1), Connecticut (119), Pennsylvania (116.6), and California (115.4). Those showing the lowest rates are North Carolina (66.9), Wisconsin (67.7), Washington (68.3), Maine (68.4), and Tennessee (70.6).

The five cities of 100,000 or more population in 1910 showing the highest rates are Memphis (160.7), Detroit (153.5), Bridgeport (153.1), Birmingham (152.9), and Pittsburgh (148.9). The five cities showing the lowest rates in 1917 are Spokane (43.8), Denver (50.7), Portland, Oreg. (55.1), Seattle (55.9), and Fall River (60.8). The same cities show the lowest rates in 1916.

As might be expected, in view of the enormous increase in the number of automobiles used, the death rate from automobile accidents has advanced continuously since 1906—the first year for which they were reported separately—when it stood at 0.4 per 100,000 population. This rate, which in 1917 is 8.9, bids fair soon to rival the death rate from railroad accidents and injuries. Were it certain that such a high rate is the necessary price for this modern convenience there would be less reason for calling special attention to this rapid increase, but it is believed that better traffic laws, better enforcement of such laws, and more exact-

8243

ing examinations for automobile drivers would prevent hundreds of deaths annually.

One phase, which is particularly distressing, is the large number of deaths from this cause among children. In 1917, 28 per cent of the total number of deaths from automobile accidents are of children under 15 years of age, as contrasted with 6.4 per cent below that age from railroad accidents.

In the following table are given for 1916 and 1917 death rates from railroad accidents and injuries and automobile accidents and injuries for cities which had 100,000 inhabitants or more in 1910. The 1917 death rate in this group of cities from automobile accidents and injuries is 12.1 per 100,000, compared with 7.6 from railroad accidents and injuries.

City.	Death rate per 100,000 population from—			
	Railroad accidents and injuries.		Automobile accidents and injuries.	
	1917	1916	1917	1916
Total	7.6	7.6	12.1	9.6
Birmingham, Ala	19.0	8.3	5.8	7.7
Los Angeles, Calif	7.1	8.5	19.0	18.0
Oakland, Calif	9.7	8.1	10.2	9.1
San Francisco, Calif	4.0	3.5	15.3	13.4
Denver, Colo	3.4	4.2	8.6	8.1
Bridgeport, Conn	6.4	13.2	24.1	21.4
New Haven, Conn	9.2	12.0	14.4	15.4
Washington, D. C	4.1	2.5	13.5	10.2
Atlanta, Ga	10.2	7.9	15.3	14.2
Chicago, Ill	10.6	9.9	12.2	9.7
Indianapolis, Ind	16.9	9.8	10.9	6.9
Louisville, Ky	15.8	7.1	9.1	3.8
New Orleans, La	5.6	7.3	11.9	5.4
Baltimore, Md	4.9	2.9	13.5	6.1
Boston, Mass	5.3	8.3	10.9	9.4
Cambridge, Mass	4.4	2.7	13.1	10.6
Fall River, Mass	3.1	3.1	9.2	4.7
Lowell, Mass	5.2	4.4	12.2	5.3
Worcester, Mass	11.4	9.8	16.3	12.2
Detroit, Mich	9.5	15.3	25.3	22.0
Grand Rapids, Mich	12.8	9.4	10.5	7.0
Minneapolis, Minn	9.1	9.6	11.5	9.1
St. Paul, Minn	8.3	11.7	9.5	12.5
Kansas City, Mo	14.1	16.1	18.3	12.8
St. Louis, Mo	7.3	7.8	9.5	8.8
Omaha, Nebr	6.8	9.7	12.9	8.5
Jersey City, N. J	16.3	18.6	7.4	6.2
Newark, N. J	5.5	4.4	14.8	13.0
Paterson, N. J	10.7	10.8	13.5	10.1
Albany, N. Y	11.3	19.8	15.9	10.4
Buffalo, N. Y	13.0	13.9	17.4	12.0
New York, N. Y	1.4	1.6	9.6	7.7
Rochester, N. Y	9.1	9.7	7.9	11.2
Syracuse, N. Y	15.1	16.1	12.6	7.7
Cincinnati, Ohio	14.5	15.8	13.8	13.6
Cleveland, Ohio	16.0	16.5	19.8	14.5
Columbus, Ohio	15.0	13.5	13.6	12.1
Dayton, Ohio	8.5	15.7	14.7	6.3
Toledo, Ohio	16.8	20.7	12.9	9.6
Portland, Oreg	2.3	4.1	9.7	4.7
Philadelphia, Pa	6.7	5.8	9.7	8.9
Pittsburgh, Pa	20.8	18.1	17.1	11.1
Scranton, Pa	20.7	23.8	9.4	10.9
Providence, R. I	3.8	3.5	10.4	9.8
Memphis, Tenn	16.5	[1]	15.1	[1]
Nashville, Tenn	10.2	[1]	11.0	[1]
Richmond, Va	8.2	6.4	6.3	6.4
Seattle, Wash	2.2	2.6	7.9	7.7
Spokane, Wash	5.1	2.0	5.1	3.3
Milwaukee, Wis	10.3	6.9	9.4	5.7

[1] Transcripts of deaths not received.

The relatively low rate in New York City from automobile accidents and injuries compared with the rates from this cause in some other cities is extremely gratifying and raises the question whether this is due to better laws and better enforcement of the same in the metropolis.

Underestimates of population undoubtedly explain, partly at least, some of the very high rates, just as overestimates of population undoubtedly account in part for some of the very low rates. The five cities showing the highest rates from automobile accidents and injuries are Detroit (25.3), Bridgeport (24.1), Cleveland (19.8), Los Angeles (19), and Kansas City, Mo. (18.3).

The cities showing the lowest rates from automobile accidents and injuries are Spokane (5.1), Birmingham (5.8), Richmond (6.3), Jersey City (7.4), Rochester and Seattle (each 7.9).

ILL-DEFINED AND UNKNOWN CAUSES.

Marked and steady improvement year after year in the certification of causes of death is shown in the following table.

AREA.	Year admitted to the registration area.	1900	1901	1902	1903	1904	1905	Annual average, 1900 to 1905	1906	1907	1908	1909	1910	Annual average, 1906 to 1910	1911	1912	1913	1914	1915	Annual average, 1911 to 1915	1916	1917
Registration area [1]		4.2	3.4	3.3	2.8	2.5	2.5	3.1	2.4	2.1	2.0	1.7	1.5	1.9	0.9	0.8	1.0	0.9	0.8	0.9	1.1	1.3
REGISTRATION STATES.																						
California	1906								2.1	1.7	1.3	0.9	0.6	1.3	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1
Colorado	1906								1.3	1.2	0.6	0.5	0.6	0.8	0.3	0.2	0.2	0.1	0.2	0.2	0.2	0.2
Connecticut	1890	1.5	1.5	1.6	1.5	1.5	1.5	1.5	1.3	1.5	1.5	1.5	1.5	1.4	0.6	0.5	0.6	0.5	0.5	0.6	0.4	0.4
Illinois	1918																					
Indiana	1900	6.1	4.4	4.1	3.1	2.8	2.7	3.9	2.1	1.6	0.8	0.4	0.3	1.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Kansas	1914																	1.8	1.7	1.8	1.5	1.3
Kentucky	1911														3.8	4.0	2.7	3.9	3.6	3.6	3.5	3.2
Louisiana	1918																					
Maine	1900	5.5	5.3	4.7	4.7	4.6	3.6	4.7	4.4	3.6	2.7	2.8	3.0	3.3	1.6	1.8	1.5	1.6	1.3	1.6	1.7	1.6
Maryland	1906								4.2	4.1	4.0	3.9	4.0	4.0	1.8	1.5	1.2	1.3	1.5	1.5	1.3	1.1
Massachusetts	1880	3.6	3.4	3.5	2.9	2.1	2.2	2.9	2.2	2.2	2.4	1.7	1.2	1.9	0.5	0.5	0.4	0.5	0.4	0.4	0.5	0.5
Michigan	1900	4.7	3.6	3.2	3.1	3.3	3.8	3.7	3.3	3.1	2.7	2.3	2.3	2.7	1.0	1.2	0.9	0.8	0.6	0.9	0.7	0.6
Minnesota	1910												2.1	2.1	1.4	1.2	1.0	1.0	0.7	1.1	1.0	0.7
Missouri	1911														1.7	1.6	1.5	1.4	1.6	1.6	1.5	1.3
Montana	1910												1.9	1.9	1.8	1.9	2.5	2.3	2.0	2.1	2.1	2.0
New Hampshire	1890	6.0	5.5	4.7	3.2	3.1	3.2	4.3	2.6	2.7	2.4	2.0	1.8	2.3	0.7	0.5	0.7	0.5	0.4	0.6	0.5	0.4
New Jersey	1880	4.2	3.8	3.8	3.4	2.9	2.9	3.5	2.6	2.4	2.3	2.2	1.5	2.2	0.4	0.3	0.3	0.2	0.2	0.3	0.2	0.1
New York	1890	3.1	2.3	2.2	2.1	1.9	1.8	2.2	1.7	1.0	1.1	0.9	0.9	1.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
North Carolina [2]	1916												5.8	5.8	3.6	2.9	4.0	5.3	5.1	4.3	8.5	8.6
Ohio	1909											1.1	0.9	1.0	0.5	0.5	0.5	0.6	0.6	0.5	0.7	0.7
Oregon	1918																					
Pennsylvania	1906								2.8	2.6	2.4	2.3	2.3	2.5	1.0	1.0	0.9	0.7	0.6	0.8	0.5	0.5
Rhode Island	1890	2.0	1.8	1.3	1.4	1.3	1.4	1.5	1.3	1.3	1.3	1.8	1.3	1.4	0.7	0.5	0.5	0.5	0.5	0.5	0.4	0.6
South Carolina	1916																				4.8	4.7
Tennessee	1917																					6.6
Utah	1910												3.4	3.4	1.7	2.1	2.0	2.4	2.6	2.2	3.4	3.5
Vermont	1890	5.4	4.5	4.0	2.9	3.2	2.9	3.8	2.5	1.8	0.8	0.6	0.5	1.2	0.4	0.3	0.2	0.2	0.2	0.3	0.1	0.2
Virginia	1913																8.8	4.1	3.8	5.5	3.8	4.2
Washington	1908										2.2	2.2	1.8	2.0	1.5	1.6	1.4	1.3	1.5	1.4	1.2	1.0
Wisconsin	1908										2.9	2.7	2.2	2.6	0.9	0.7	0.9	0.5	0.3	0.7	0.3	0.8
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.																						
New York	1880	2.2	2.1	1.8	1.9	1.5	1.6	1.8	1.4	0.9	1.0	0.8	0.9	1.0	0.1	0.1	0.1	0.1	0.1	0.1	[3]	[3]
Philadelphia	1880	4.6	4.2	4.5	2.6	2.0	2.4	3.4	1.8	1.7	1.8	1.6	1.0	1.6	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1
Chicago	1880	1.2	1.1	1.0	0.8	0.7	0.7	0.9	0.6	0.7	0.4	0.1	0.1	0.4	[3]	[3]	[3]	0.1	0.1	[3]	[3]	[3]
Boston	1880	2.5	2.4	2.7	2.3	2.0	2.2	2.3	2.2	2.4	2.5	1.1	1.0	1.8	0.3	0.2	0.2	0.3	0.3	0.3	0.4	0.2
Cleveland	1880	10.0	4.2	3.5	3.3	2.7	2.4	4.4	2.3	2.2	2.5	0.3	0.3	1.5	0.1	0.0	0.2	0.6	0.8	0.3	1.4	1.5
Washington, D. C.	1880	2.0	1.9	2.0	2.0	1.8	1.5	1.9	1.3	1.7	1.5	1.6	1.5	1.5	0.3	0.3	0.2	0.1	0.1	0.2	0.1	0.1
Baltimore	1880	4.1	3.4	3.5	3.3	2.6	3.1	3.3	3.1	2.7	3.1	3.0	2.7	2.9	1.1	0.8	0.3	0.2	0.3	0.6	0.1	0.1
St. Louis	1880	4.2	4.2	4.7	2.7	2.1	1.9	3.2	1.8	1.6	1.6	1.2	0.4	1.3	0.1	[3]	0.1	0.1	[3]	0.1	[3]	[3]
Cincinnati	1880	5.1	1.7	1.4	2.2	1.9	2.0	2.3	2.2	1.8	0.9	0.9	0.4	1.3	0.2	[3]	[3]	[3]	[3]	0.1	0.6	[3]
New Orleans	1880	4.7	3.5	2.9	2.8	2.4	1.9	3.0	1.9	2.1	1.9	2.2	0.5	1.7	[3]	[3]	[3]	[3]	[3]	[3]	[3]	[3]

NOTE.—Previous to 1900 the registration area comprised certain states and cities for which mortality figures were compiled only for the census years 1880 and 1890, from data collected by census enumerators.

[1] Exclusive of Hawaii.

[2] Previous to 1914 returns received only from municipalities of 1,000 population or more in 1900; for 1914 and 1915, returns received only from municipalities of 1,000 population or more in 1910.

[3] Less than one-tenth of 1 per cent.

Although the per cent of total deaths classified as due to ill-defined and unknown causes by no means tells the whole story in regard to certification, still it does serve as a very reliable index of the character of such certification.

The per cent of certificates showing ill-defined and unknown causes of death in the registration area fell steadily from 4.2 in 1900 to 0.8 in 1912. The slightly higher per cents (1.3 in 1917 and 1.1 in 1916) are accounted for by the addition of new territory to the registration area for those years.

DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

Deaths of children under 1 year of age are usually considered in connection with the number of births, and the number of deaths under 1 year of age per 1,000 births is commonly spoken of as the infant mortality rate.

As the number of births is known in but three-fourths of the states of the death registration area, no consideration of infant mortality in the usual way of the entire death registration area is possible. But as we now have a birth registration area and an annual report on Birth Statistics, it has been thought best to show in that report those infant mortality tables which relate exclusively to the birth registration area and to retain in the Mortality Statistics other tables which relate to the death registration area.

The next table indicates that infant deaths are every year forming a smaller and smaller part of total deaths, but that the decreases have occurred principally after the second week of life. Diarrhea and enteritis is becoming a less important factor, but premature birth and injuries at birth form considerably larger per cents of the total in 1917 than in 1910.

PER CENT OF TOTAL DEATHS UNDER 1 YEAR OF AGE TO TOTAL DEATHS, AND IN EACH OF THE 12 SUBDIVISIONS OF THE FIRST YEAR OF LIFE TO DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1917.

AGE.	1917	1916	1915	1914	1913	1912	1911	1910
Deaths under 1 year of age to total deaths	15.7	16.1	16.6	17.3	17.9	17.7	17.9	19.4
Total deaths under 1 year of age	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Less than 1 day	15.8	15.6	16.0	14.6	13.3	12.7	11.8	9.8
1 day	4.9	5.0	5.0	5.1	4.9	5.2	5.3	4.9
2 days	3.8	3.8	3.7	3.8	3.4	3.5	3.3	2.9
3 to 6 days	7.2	7.2	7.1	7.3	6.7	6.9	6.8	6.1
1 week	6.2	6.0	6.2	6.3	6.2	6.2	6.1	5.7
2 weeks	4.6	4.4	4.7	4.8	4.7	4.8	4.8	4.6
3 weeks but less than 1 month	3.7	3.5	3.7	3.7	3.7	3.9	3.7	3.8
1 month	8.9	8.8	9.0	9.2	9.5	9.6	9.8	9.9
2 months	7.0	7.0	7.3	7.6	7.7	8.0	7.9	8.4
3 to 5 months	16.2	16.2	16.3	16.7	17.5	17.3	17.7	19.3
6 to 8 months	12.0	12.4	11.9	12.0	12.5	12.4	12.8	14.1
9 to 11 months	9.7	10.1	9.1	9.1	9.9	9.6	9.9	10.7

PER CENT OF TOTAL DEATHS UNDER 1 YEAR OF AGE FROM CERTAIN IMPORTANT CAUSES IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1917.

Abridged Int. List No.	CAUSE OF DEATH.	1917	1916	1915	1914	1913	1912	1911	1910
	All causes under 1 year of age	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
5	Measles	1.0	1.4	0.7	0.7	1.3	0.8	0.9	1.0
6	Scarlet fever	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2
7	Whooping cough	2.2	2.4	2.1	2.3	2.1	2.1	2.4	2.2
8	Diphtheria and croup	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6
9	Influenza	0.8	0.9	0.6	0.3	0.4	0.3	0.4	0.3
(12)	Dysentery	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.5
(12)	Erysipelas	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
(37)	Tetanus	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
13	Tuberculosis of the lungs	0.6	0.5	0.5	0.5	0.5	0.6	0.6	0.6
14	Tuberculous meningitis	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.7
15	Other forms of tuberculosis	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3
(37)	Syphilis	1.3	1.3	1.3	1.2	1.2	1.1	1.2	1.0
17	Meningitis	0.9	0.8	0.9	1.0	1.0	1.1	1.4	1.5
(37)	Convulsions	1.1	1.2	1.6	2.0	2.1	2.4	2.6	2.7
19	Organic diseases of the heart	0.4	0.3	0.4	0.4	0.5	0.6	0.6	0.6
20	Acute bronchitis	2.6	2.3	2.4	2.4	2.5	2.7	2.6	2.8
22	Pneumonia	4.6	4.0	4.4	4.5	4.5	5.0	4.8	5.3
(23)	Bronchopneumonia	9.5	9.1	9.8	9.1	8.5	8.3	7.4	6.8
24	Diseases of the stomach	1.2	1.4	1.5	1.7	1.9	2.0	2.0	2.0
25	Diarrhea and enteritis	22.5	22.9	21.9	22.8	24.2	23.3	25.0	28.6
(33)	Malformations	7.3	7.1	6.6	6.7	5.9	5.8	5.5	5.0
(33)	Premature birth	20.5	20.1	19.6	18.5	17.2	17.0	15.8	13.3
(33, 37)	Congenital debility	9.2	9.8	11.5	12.3	13.3	13.4	12.6	10.0
(37)	Injuries at birth	4.4	4.2	4.2	3.9	3.4	3.3	3.2	2.4
35	External causes	1.3	1.2	1.1	1.1	1.1	1.1	1.3	1.0
38	Unknown or ill-defined diseases	1.0	1.0	0.9	0.9	0.9	0.9	1.0	4.4
	All other causes	5.1	5.7	5.4	5.2	4.9	5.4	5.8	5.5

In default of infant mortality rates based upon births, some idea of the improving conditions which surround our children under 1 year of age may be obtained by a glance at the following table, which gives for a series of years rates per 1,000 estimated midyear population under 1 year of age in the registration states as of 1910 (exclusive of North Carolina).

DEATH RATE PER 1,000 ESTIMATED MIDYEAR POPULATION UNDER 1 YEAR OF AGE FROM CERTAIN IMPORTANT CAUSES IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1917.

Abridged Int. List No.	CAUSE OF DEATH.	1917	1916	1915	1914	1913	1912	1911	1910
	All causes under 1 year of age	102.9	105.4	103.4	108.7	116.0	112.2	116.0	131.7
5	Measles	1.1	1.4	0.7	0.7	1.5	0.9	1.0	1.3
6	Scarlet fever	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3
7	Whooping cough	2.3	2.5	2.1	2.4	2.5	2.3	2.8	3.0
8	Diphtheria and croup	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.8
9	Influenza	0.8	1.0	0.7	0.3	0.4	0.3	0.5	0.4
(12)	Dysentery	0.2	0.2	0.3	0.3	0.3	0.3	0.4	0.6
(12)	Erysipelas	0.6	0.6	0.5	0.5	0.6	0.6	0.6	0.6
(37)	Tetanus	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
13	Tuberculosis of the lungs	0.6	0.6	0.5	0.6	0.6	0.6	0.7	0.8
14	Tuberculous meningitis	0.8	0.8	0.9	0.8	0.9	0.9	1.0	0.9
15	Other forms of tuberculosis	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4
(37)	Syphilis	1.3	1.4	1.3	1.3	1.3	1.3	1.3	1.3
17	Meningitis	0.9	0.8	1.0	1.1	1.2	1.3	1.6	2.0
(37)	Convulsions	1.1	1.3	1.7	2.2	2.5	2.7	3.0	3.6
19	Organic diseases of the heart	0.4	0.4	0.4	0.4	0.6	0.6	0.7	0.8
20	Acute bronchitis	2.7	2.4	2.5	2.6	2.9	3.1	3.0	3.7
22	Pneumonia	4.7	4.2	4.5	4.8	5.3	5.7	5.6	6.9
(23)	Bronchopneumonia	9.8	9.6	10.1	9.9	9.9	9.3	8.6	8.9
24	Diseases of the stomach	1.3	1.5	1.6	1.8	2.2	2.3	2.3	2.6
25	Diarrhea and enteritis	23.2	24.1	22.6	24.7	28.1	26.2	29.0	37.7
(33)	Malformations	7.5	7.5	6.9	7.3	6.8	6.5	6.4	6.6
(33)	Premature birth	21.1	21.2	20.3	20.1	20.0	19.1	18.4	17.5
(33, 37)	Congenital debility	9.4	10.3	11.9	13.4	15.5	15.0	14.6	13.2
(37)	Injuries at birth	4.6	4.4	4.3	4.2	3.9	3.7	3.7	3.2
35	External causes	1.4	1.2	1.1	1.2	1.3	1.2	1.5	1.3
38	Unknown or ill-defined diseases	1.1	1.0	0.9	1.0	1.0	1.1	1.1	5.8
	All other causes	5.2	6.0	5.5	5.6	5.7	6.0	6.7	7.2

The rate from all causes under 1 year of age has declined from 131.7 in 1910 to 102.9 in 1917, and the rate from diarrhea and enteritis has declined from 37.7 to 23.2. On the other hand, a few increases appear which should serve as food for thought. What has occasioned the increase in the rate from premature birth from 17.5 in 1910 to 21.1 in 1917? What has occasioned the increase in the rate from injuries at birth from 3.2 in 1910 to 4.6 in 1917?

DEATHS OF SOLDIERS, SAILORS, AND MARINES.

There are 2,221 deaths of soldiers, sailors, and marines in the registration area in 1917. This number includes only those reported to the Bureau of the Census by state and municipal registration officers after the declaration of war, April 6, 1917. Of this number, 1,468, or more than 66 per cent, are in the two age periods 20 to 24 and 25 to 29, and 2,072, or 93.3 per cent, are white. The number of deaths due to violence (excluding suicide) is 499, and about one-fourth of these (123) are due to railroad accidents. There are 425 deaths charged to pneumonia (all forms), and 303 to measles.

Tables showing deaths in the registration area and registration states, by color and age of decedent, and by important causes; also for the registration area for all ages, by each cause and class of causes, may be found on pages 585 to 588.

ACCURACY OF STATISTICS OF CAUSES OF DEATH.

It is obvious that the cause of death can not be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would cause the death to be incorrectly classified, not only with reference to the title of the International List of Causes of Death to which, on the basis of the incomplete statement, it would have to be assigned, but also with reference to the class or group of causes into which the list is divided.

One of the principal difficulties in classifying deaths according to the International List is the fact that each year the Census Bureau receives several hundred thousand certificates of deaths on each of which the names of two or more diseases appear. All systems of classification in present use are based upon the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with nothing to indicate which was the chief or primary cause, one of them must be selected as the cause under which the death shall be classified. In many cases no dependence can be placed upon the order in which the terms are written; nor can the compiler rely upon the statements as to the "cause of death" or the "contributory cause," since these terms are used with different and diametrically opposed meanings not only by physicians but by registration officers.

In its effort to improve the statement of cause of death, the Bureau of the Census has sent to every physician in the country two pamphlets bearing upon this subject, namely, "Relation of Physicians to Mortality Statistics" and "Physicians' Pocket Reference to the International List of Causes of Death." These pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death, and, second, to emphasize the fact that the value of statistics of cause of death depends largely upon the precision and completeness with which the information is supplied by the medical profession. With these ends in view, the titles of the International List have been included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

The first test inquiry was made for 1911. Five of the undesirable terms frequently used in reporting causes of death—"meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis"—were selected, and, in cases where they had been employed *without qualification*, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification, and with each was inclosed a copy of the "Physicians' Pocket Reference to the International List of Causes of Death," the paragraph therein referring to the unsatisfactory nature of the term used being marked. In Mortality Statistics, 1911 (pp. 36–38), the results of this test may be found. It is sufficient to say that approximately 2,000 replies were received, and the additional information obtained from the physicians enabled the bureau to improve the classification in 57 per cent of the cases covered by replies.

In 1914, 1915, and again in 1916 and in 1917, the bureau conducted further and broader inquiries along these lines; and it is interesting to note that only 43,876 queries were sent out in 1917 as against 50,000 in 1916. From these figures one would conclude that statements of causes of death as first received are much better in 1917 than in 1916, and while this is believed to be the case, it must be pointed out that some of the improvement noted is doubtless due to the fact that during part of the year 1917 in seven states state officials as special agents of the Bureau of the Census queried indefinite returns before the transcripts were forwarded to the Bureau of the Census. Special agents for this purpose received appointments as follows: North Carolina, March 22; Kentucky, March 22; Virginia, April 12; Louisiana, May 15; Mississippi, September 18; Michigan, October 29; and Washington, October 30.

The effect of the queries upon the totals for certain causes is shown in the following table:

RESULTS OBTAINED BY SENDING 43,876 QUERIES TO PHYSICIANS IN 1917.

[The results of the inquiries covering unsatisfactory terms for the following International List numbers are shown on pages 66 to 68.]

Detailed Int. List No.	TITLES TO WHICH UNSATISFACTORY TERMS WERE CHANGED.	Total.	UNSATISFACTORY TERM.											
			Croup, membranous laryngitis.	Septicemia, sepsis, blood poisoning.	Tabes mesenterica.	Auto-intoxication, toxemia, ptomaine poisoning.	Cerebral abscess.	Meningitis, cerebral meningitis, spinal meningitis, cerebrospinal meningitis (undefined).	Cerebral congestion.	Cerebral softening.	Hemiplegia, paralysis, and general paralysis.	Paresis.	Fit or fits.	Convulsions (5 years and over).
			9	20	31	55	60	61	64	65	66	67	69	70
	Number of replies received	32,702	121	369	31	152	132	1,861	76	160	2,187	598	1	68
	Number of changes in classification	17,171	68	279	2	96	84	1,339	47	85	1,503	251	1	54
	Per cent changed	52.5	56.2	75.6	6.5	63.2	63.6	72.0	61.8	53.1	68.7	42.0	100.0	79.4
1	Typhoid fever	73			1		2	9			1			
4	Malaria	62		2		2		3	6		1			
5	Smallpox	2												
6	Measles	463	4	1				11	2					
7	Scarlet fever	74						2						1
8	Whooping cough	275	2					6						
9	Diphtheria and croup	47		1				3			1			
10	Influenza	547		2			7	21	2		1	4	1	
13	Cholera nostras	4												
14	Dysentery	36						5						
18	Erysipelas	13		3				1			1			
19	Other epidemic diseases	18												
20	Purulent infection and septicemia	8												
24	Tetanus	4												
26	Pellagra	5									2	1		
28	Tuberculosis of the lungs	350			1		2	5			7			
29	Acute miliary tuberculosis	16									1			
30	Tuberculous meningitis	291				1	10	247	4	1				1
31	Abdominal tuberculosis	44						2						
32	Pott's disease	9		1				2						
33	White swellings	3		1										
34	Tuberculosis of other organs	13									1			
35	Disseminated tuberculosis	7									1			
36	Rickets	28												
37	Syphilis	423		6		1	5	23	3	7	79	39		
38	Gonococcus infection	252		5				1						1
39	Cancer and other malignant tumors of the buccal cavity	2									1			
40	Cancer and other malignant tumors of the stomach, liver	29									2			
41	Cancer and other malignant tumors of the peritoneum, intestines, rectum	4												
42	Cancer and other malignant tumors of the female genital organs	13												
43	Cancer and other malignant tumors of the breast	6												
44	Cancer and other malignant tumors of the skin	3									2			
45	Cancer and other malignant tumors of other organs	10					1							
46	Other tumors (tumors of the female genital organs excepted)	4												
47	Acute articular rheumatism	27		3				1			1	1		
48	Chronic rheumatism and gout	12												
49	Scurvy	3												
50	Diabetes	25		1							4	1		
51	Exophthalmic goiter	6									1			
53	Leukemia	6												
54	Anemia, chlorosis	22										1		
55	Other general diseases	14		1							1			
56	Alcoholism (acute or chronic)	129				2		10	3	1				1
57	Chronic lead poisoning	1												
59	Other chronic poisonings	11		1										
60	Encephalitis	9							3			1		
61a	Simple meningitis	13				1	1		3		1			
61b	Cerebrospinal meningitis (undefined)	46						43	2					
61c	Cerebrospinal fever	724				1		718			1			
62	Locomotor ataxia	12						1			9			
63	Other diseases of the spinal cord	325		1				4		2	237	50		
64	Cerebral hemorrhage, apoplexy	1,025				1	1	4		16	875	56		
65	Softening of the brain	28									9	14		
66	Paralysis without specified cause	64				1		1				43		
67	General paralysis of the insane	93								2	83			
68	Other forms of mental alienation	13				1								
69	Epilepsy	23						2		1	3			3
70	Convulsions (nonpuerperal) [5 years and over]	1												
71	Convulsions of infants [under 5 years of age]	7						2						
73	Neuralgia and neuritis	2				1								
74	Other diseases of the nervous system	46					2	1			10	1		1
75	Diseases of the eyes and their annexa	4		1			1							
76	Diseases of the ears	70		6			21	39				1		
77	Pericarditis	15												
78	Acute endocarditis	44		1										

RESULTS OBTAINED BY SENDING 43,876 QUERIES TO PHYSICIANS IN 1917—Continued.

[The results of the inquiries covering unsatisfactory terms for the following International List numbers are continued on page 68.]

Detailed Int. List No.	TITLES TO WHICH UNSATISFACTORY TERMS WERE CHANGED.	Total.	UNSATISFACTORY TERM.											
			Croup, membranous laryngitis.	Septicemia, sepsis, blood poisoning.	Tabes mesenterica.	Autointoxication, toxemia, ptomaine poisoning.	Cerebral abscess.	Meningitis, cerebral meningitis, spinal meningitis, cerebrospinal meningitis (undefined).	Cerebral congestion.	Cerebral softening.	Hemiplegia, paralysis, and general paralysis.	Paresis.	Fit or fits.	Convulsions (5 years and over).
			9	20	31	55	60	61	64	65	66	67	69	70
79	Organic diseases of the heart	539	1	1		1				1	30	14		
80	Angina pectoris	21									1			
81	Diseases of the arteries, atheroma, aneurism, etc.	218		1						33	22	3		1
82	Embolism and thrombosis	67		1			1	1	1	18	27	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7		4										
84	Diseases of the lymphatic system (lymphangitis, etc.)	2												
85	Hemorrhage; other diseases of the circulatory system	1												
86	Diseases of the nasal fossae	4		1										
87	Diseases of the larynx	38	29								1	1		
88	Diseases of the thyroid body	4												
89	Acute bronchitis	55	7					3						
90	Chronic bronchitis	52												
91	Bronchopneumonia	1,866	10	3		2	1	6			1			
92a	Lobar pneumonia	3,591	7	3			3	7	1		2	1		
92b	Pneumonia (unqualified)	61	3					7			2	1		
93	Pleurisy	25		1								1		
94	Pulmonary congestion, pulmonary apoplexy	24												
95	Gangrene of the lung	3												
96	Asthma	18												
97	Pulmonary emphysema	2												
98	Other diseases of the respiratory system (tuberculosis excepted)	11		2										
99	Diseases of the mouth and annexa	23		10			2	2						
100	Diseases of the pharynx	86	3	14		2	1	6			1			
102	Ulcer of the stomach	33												
103	Other diseases of the stomach (cancer excepted)	126				5			1					
104	Diarrhea and enteritis (under 2 years)	1,342				29		27	4		1			
105	Diarrhea and enteritis (2 years and over)	338				16		2				1		2
107	Intestinal parasites	1												
108	Appendicitis and typhlitis	159	1	3			1	2						
109a	Hernia	15		1										
109b	Intestinal obstruction	31		1		1						1		
110	Other diseases of the intestines	30		2		6					1			1
111	Acute yellow atrophy of the liver	1												
113	Cirrhosis of the liver	28												
114	Biliary calculi	11												
115	Other diseases of the liver	26		1				1						
117	Simple peritonitis (nonpuerperal)	7												
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2												
119	Acute nephritis	124				1								2
120	Bright's disease	417		2		5		2		1	49	6		6
122	Other diseases of the kidneys and annexa	31		1										1
123	Calculi of the urinary passages	3												
124	Diseases of the bladder	11		1							2			
125	Diseases of the urethra, urinary abscess, etc.	16		2										
126	Diseases of the prostate	33		1		1								
127	Nonvenereal diseases of the male genital organs	3		1										
129	Uterine tumor (noncancerous)	8												
130	Other diseases of the uterus	17		2					1			1		
131	Cysts and other tumors of the ovary	6		1										
132	Salpingitis and other diseases of the female genital organs	31		1			1	1						
133	Nonpuerperal diseases of the breast (cancer excepted)	2		1										
134	Accidents of pregnancy	9						1						
135	Puerperal hemorrhage	4												
136	Other accidents of labor	13						1						
137	Puerperal septicemia	182		47		1		2			1			1
138	Puerperal albuminuria and convulsions	168						1						30
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1												
140	Following childbirth (not otherwise defined)	1												
142	Gangrene	1												
143	Furuncle	12		9				1						
144	Acute abscess	18		16										
145	Other diseases of the skin and annexa	16		9										
146	Diseases of the bones (tuberculosis excepted)	31		1			11	12	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4		2										
148	Amputations	2												

RESULTS OBTAINED BY SENDING 43,876 QUERIES TO PHYSICIANS IN 1917—Continued.

Detailed Int. List No.	TITLES TO WHICH UNSATISFACTORY TERMS WERE CHANGED.	UNSATISFACTORY TERM. Total.	Croup, membranous laryngitis. 9	Septicemia, sepsis, blood poisoning. 20	Tabes mesenterica. 31	Autointoxication, toxemia, ptomaine poisoning. 55	Cerebral abscess. 60	Meningitis, cerebral meningitis, spinal meningitis, cerebrospinal meningitis (undefined). 61	Cerebral congestion. 64	Cerebral softening. 65	Hemiplegia, paralysis, and general paralysis. 66	Paresis. 67	Fit or fits. 69	Convulsions (5 years and over). 70
149	Other diseases of the organs of locomotion	2		1										
150a	Hydrocephalus	12		1				2						
150b	Congenital malformations of the heart	62							1					
150c	Other congenital malformations	73						7						1
151a	Premature birth (not stillborn)	369				1		1	1					
151b	Congenital debility	24				5		1	1					
152a	Injuries at birth (not stillborn)	203		4		1		19	3		1			
152b	Other causes peculiar to early infancy	56		11				1			1			
153	Lack of care	11												
154	Senility	8										4		
155	Suicide by poison	5												1
160	Suicide by cutting or piercing instruments	1		1										
164	Poisoning by food	28				6		2						
165	Other acute poisonings	30		2		1		2	1					
166	Conflagration	1												
167	Burns (conflagration excepted)	16		4				1						
168	Absorption of deleterious gases (conflagration excepted)	6												
170	Traumatism by firearms	1												
171	Traumatism by cutting or piercing instruments	9		8										
172	Traumatism by fall	96		5			7	32	1	1	8	1		
173	Traumatism in mines and quarries	2									1			
174	Traumatism by machines	3												
175	Traumatism by other crushing (vehicles, railways, landslides, etc.)	22		3			1	3	2		6			
176	Injuries by animals	7					1			1				
177	Starvation	5												
178	Excessive cold	7		1				1				1		
179	Effects of heat	6						1						
180	Lightning	1												
182	Homicide by firearms	3		1							1			
184	Homicide by other means	6		1							1			
185	Fractures (cause not specified)	3		1										
186	Other external violence	93		52			1	14			4			
188	Sudden death	4												
189	Cause of death not specified or ill-defined	6	1								2			

[The results of the inquiries covering unsatisfactory terms for the following International List numbers are shown on pages 68 and 70.]

Detailed Int. List No.	TITLES TO WHICH UNSATISFACTORY TERMS WERE CHANGED.	UNSATISFACTORY TERM. Convulsions (under 5 years). 71	Cerebral tumor. 74	Cardiac dilatation, acute cardiac dilatation, cardiac insufficiency. 79	Hemorrhage. 85	Edema of glottis. 87	Bronchopneumonia. 91	Pneumonia (unqualified), typhoid pneumonia. 92	Pleurisy. 93	Pulmonary congestion, edema of lungs. 94	Pulmonary abscess and hemorrhage. 98	Stricture of esophagus. 101	Gastritis, indigestion, acute indigestion. 103	Intestinal congestion. 104–105	Gangrene of intestines (of bowels), intestinal trouble. 110
	Number of replies received	786	25	1,203	34	33	6,927	6,082	7	438	365	28	2,018	6	4
	Number of changes in classification	374	11	314	27	11	1,336	5,543	6	335	264	17	952	1	3
	Per cent changed	47.6	44.0	26.1	79.4	33.3	19.3	91.1	85.7	76.5	72.3	60.7	47.2	16.7	75.0
1	Typhoid fever	1		1			3	40					1		
4	Malaria	4		1	1		3	2		2			5		
5	Smallpox						1								
6	Measles	1					346	57		1		1			
7	Scarlet fever						6	3							
8	Whooping cough	4				1	224	28		2					
9	Diphtheria and croup	1		2		2	19	3					1	1	
10	Influenza			7			291	78		13	6		6		
13	Cholera nostras	1											2		
14	Dysentery	3					6	2					2		
18	Erysipelas						4						1		
19	Other epidemic diseases	1					11	3							
20	Purulent infection and septicemia			1						1			1		
24	Tetanus	2								1					
26	Pellagra										1				
28	Tuberculosis of the lungs	2		7	3	1	31	30	2	13	142		4		
29	Acute miliary tuberculosis		1				1	1		1					
30	Tuberculous meningitis	3	4				2	4					1		
31	Abdominal tuberculosis	1					1						4		
32	Pott's disease						1						1		

RESULTS OBTAINED BY SENDING 43,876 QUERIES TO PHYSICIANS IN 1917—Continued.

[The results of the inquiries covering unsatisfactory terms for the following International List numbers are continued on page 70.]

Detailed Int. List No.	TITLES TO WHICH UNSATISFACTORY TERMS WERE CHANGED.	UNSATISFACTORY TERM.												
		Convulsions (under 5 years).	Cerebral tumor.	Cardiac dilatation, acute cardiac dilatation, cardiac insufficiency.	Hemorrhage.	Edema of glottis.	Bronchopneumonia.	Pneumonia (unqualified), typhoid pneumonia.	Pleurisy.	Pulmonary congestion, edema of lungs.	Pulmonary abscess and hemorrhage.	Stricture of esophagus.	Gastritis, indigestion, acute indigestion.	Intestinal congestion.	Gangrene of intestines (of bowels), intestinal trouble.
		71	74	79	85	87	91	92	93	94	98	101	103	104–105	110
33	White swellings														
34	Tuberculosis of other organs			1			2								
35	Disseminated tuberculosis							1							
36	Rickets	4						1					3		
37	Syphilis	13	1	10		2	32	6		4	4	3	8		
38	Gonococcus infection						1								
39	Cancer and other malignant tumors of the buccal cavity							1							
40	Cancer and other malignant tumors of the stomach, liver			1				2		1	1	7	7		1
41	Cancer and other malignant tumors of the peritoneum, intestines, rectum														
42	Cancer and other malignant tumors of the female genital organs							3							
43	Cancer and other malignant tumors of the breast							1		1					
44	Cancer and other malignant tumors of the skin									1					
45	Cancer and other malignant tumors of other organs							2			1				
46	Other tumors (tumors of the female genital organs excepted)			1											
47	Acute articular rheumatism			7			1			1			2		
48	Chronic rheumatism and gout			2						1	1				
49	Scurvy														
51	Diabetes						3	3		1			1		
50	Exophthalmic goiter			1				2		2					
53	Leukemia						1	1		1					
54	Anemia, chlorosis			1			1								
55	Other general diseases	3													
56	Alcoholism (acute or chronic)			39	1					2	2		31		
57	Chronic lead poisoning														
59	Other chronic poisonings			2											
60	Encephalitis	1									1				
61a	Simple meningitis	3		1									1		
61b	Cerebrospinal meningitis (undefined)														
61c	Cerebrospinal fever	1						3							
62	Locomotor ataxia														
63	Other diseases of the spinal cord			1			13	2		2			1		
64	Cerebral hemorrhage, apoplexy	3		9	6			3		3	2		4		
65	Softening of the brain							1							
66	Paralysis without specified cause							3		2	1				
67	General paralysis of the insane		1												
68	Other forms of mental alienation			5						1					
69	Epilepsy	4		5						1	1		2		
70	Convulsions (nonpuerperal) [5 years and over]														
71	Convulsions of infants [under 5 years of age]														
73	Neuralgia and neuritis									1					
74	Other diseases of the nervous system	8			1		1	2		1			3		
75	Diseases of the eyes and their annexa														
76	Diseases of the ears														
77	Pericarditis			1				2					1		
78	Acute endocarditis	2		15				2		2			7		
79	Organic diseases of the heart	2					8	28		48	1		49		
80	Angina pectoris			6						1			7		
81	Diseases of the arteries, atheroma, aneurism, etc.			32				1		9	6		11		
82	Embolism and thrombosis			3				2		1	3		2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)			1					1						
84	Diseases of the lymphatic system (lymphangitis, etc.)						1								
85	Hemorrhage; other diseases of the circulatory system														
86	Diseases of the nasal fossae	1													
87	Diseases of the larynx	1		1			1	1							
88	Diseases of the thyroid body			1							1				
89	Acute bronchitis	4		3			5	2		11	1		2		
90	Chronic bronchitis			9				2		10	8				
91	Bronchopneumonia	8		6				1,739	2	42	6		5		
92a	Lobar pneumonia	2		14			57	3,382		65	12		2		
92b	Pneumonia (unqualified)	4		1			3			11	18		1		
93	Pleurisy						6	5		1	7				
94	Pulmonary congestion, pulmonary apoplexy	1						14			1				
95	Gangrene of the lung										3				
96	Asthma			9						2	2		1		
97	Pulmonary emphysema										1				
98	Other diseases of the respiratory system (tuberculosis excepted)							2		4					
99	Diseases of the mouth and annexa							1			1		2		
100	Diseases of the pharynx			2		3	6			1	6				
102	Ulcer of the stomach			1							1		20		
103	Other diseases of the stomach (cancer excepted)	7		14	1					2					

RESULTS OBTAINED BY SENDING 43,876 QUERIES TO PHYSICIANS IN 1917—Continued.

Detailed Int. list No.	TITLES TO WHICH UNSATISFACTORY TERMS WERE CHANGED.	UNSATISFACTORY TERM.													
		Convulsions (under 5 years).	Cerebral tumor.	Cardiac dilatation, acute cardiac dilatation, cardiac insufficiency.	Hemorrhage.	Edema of glottis.	Bronchopneumonia.	Pneumonia (unqualified), typhoid pneumonia.	Pleurisy.	Pulmonary congestion, edema of lungs.	Pulmonary abscess and hemorrhage.	Stricture of esophagus.	Gastritis, indigestion, acute indigestion.	Intestinal congestion.	Gangrene of intestines (of bowels), intestinal trouble.
		71	74	79	85	87	91	92	93	94	98	101	103	04–10	110
104	Diarrhea and enteritis (under 2 years)	140	1	2	1		155	13		4			420		1
105	Diarrhea and enteritis (2 years and over)	14		3	1		1	1		1	1		257		
107	Intestinal parasites	1													
108	Appendicitis and typhlitis			1			2	5		2	6		1		1
109a	Hernia			1				1					2		
109b	Intestinal obstruction	1		1			4	1		1			9		
110	Other diseases of the intestines	2			2								4		
111	Acute yellow atrophy of the liver														
113	Cirrhosis of the liver			4						1	1		2		
114	Biliary calculi			2				2							
115	Other diseases of the liver			1						1	1		3		
117	Simple peritonitis (nonpuerperal)			1									1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)												1		
119	Acute nephritis	3		4						1	1		4		
120	Bright's disease	2		39		1	4	10		29	1		5		
122	Other diseases of the kidneys and annexa						1	1			1				
123	Calculi of the urinary passages														
124	Diseases of the bladder							1							
125	Diseases of the urethra, urinary abscess, etc														
126	Diseases of the prostate			2				1		1	1				
127	Nonvenereal diseases of the male genital organs	1													
129	Uterine tumor (noncancerous)			3	1								1		
130	Other diseases of the uterus			3							1		1		
131	Cysts and other tumors of the ovary			1						1					
132	Salpingitis and other diseases of the female genital organs			1							1				
133	Nonpuerperal diseases of the breast (cancer excepted)														
134	Accidents of pregnancy			1	1			2		3			1		
135	Puerperal hemorrhage				3										
136	Other accidents of labor			3				5	1				2		
137	Puerperal septicemia			1				4							
138	Puerperal albuminuria and convulsions			3	1			1		1					
139	Puerperal phlegmasia alba dolens, embolus, sudden death			1											
140	Following childbirth (not otherwise defined)														
142	Gangrene							1							
143	Furuncle							1							
144	Acute abscess					1									
145	Other diseases of the skin and annexa														
146	Diseases of the bones (tuberculosis excepted)						2	1							
147	Diseases of the joints (tuberculosis and rheumatism excepted)						1								
148	Amputations			1						1					
149	Other diseases of the organs of locomotion														
150a	Hydrocephalus	3	1				3								
150b	Congenital malformations of the heart	5		4			7			4	1				
150c	Other congenital malformations	5	1				12	2		1		1	3		
151a	Premature birth (not stillborn)	13		1			9	2					4		
151b	Congenital debility	9								1					
152a	Injuries at birth (not stillborn)	65					25	4		5					
152b	Other causes peculiar to early infancy	9			2		2	2		2					
153	Lack of care	1					4			1					
154	Senility														
155	Suicide by poison											1			
160	Suicide by cutting or piercing instruments														
164	Poisoning by food												18		
165	Other acute poisonings	2					2	1				4	6		
166	Conflagration									1					
167	Burns (conflagration excepted)	1					5	1							
168	Absorption of deleterious gases (conflagration excepted)	1								1	1				
170	Traumatism by firearms														
171	Traumatism by cutting or piercing instruments										1				
172	Traumatism by fall			4			2	4		1	1		1		
173	Traumatism in mines and quarries							1							
174	Traumatism by machines				1			1							
175	Traumatism by other crushing (vehicles, railways, landslides, etc.)			1	1										
176	Injuries by animals														
177	Starvation														
178	Excessive cold							1							
179	Effects of heat												1		
180	Lightning									1					
182	Homicide by firearms														
184	Homicide by other means														
185	Fractures (cause not specified)										1				
186	Other external violence		1	1			3	1			3		2		
188	Sudden death														
189	Cause of death not specified or ill-defined							1					1		

RESULTS OBTAINED BY SENDING 43,876 QUERIES TO PHYSICIANS IN 1917—Continued.

[The results of the inquiries covering unsatisfactory terms for the following International List numbers are shown on pages 71 to 73.]

Detailed Int. List No.	TITLES TO WHICH UNSATISFACTORY TERMS WERE CHANGED.	UNSATISFACTORY TERM.												
		Disease of liver, liver trouble.	Peritonitis, general peritonitis, septic peritonitis.	Acute Bright's disease, acute nephritis.	Bright's disease, nephritis, uremia.	Renal congestion, disease of kidneys.	Disease of uterus.	Salpingitis, pyosalpinx, pus tubes.	Abscess, cellulitis.	Hydrocephalus.	Asthenia, atrophy, debility, exhaustion, inanition, marasmus, etc. (under 1 year).	Senility, old age.	Anasarca, ascites, dropsy.	Exhaustion, fever, heart failure, natural causes, weakness, etc.
		115	117	119	120	122	130	132	144	150	151	154	187	189
	Number of replies received	15	503	2,554	873	38	4	437	15	81	2,823	712	224	711
	Number of changes in classification	8	353	737	305	28	2	307	9	24	1,365	412	187	431
	Per cent changed	53.3	70.2	28.9	34.9	73.7	50.0	70.3	60.0	29.6	48.4	57.9	83.5	60.6
1	Typhoid fever		1	4	4								1	4
4	Malaria		1	9	1	1					1	2		15
5	Smallpox			1										
6	Measles		1	26	5						6			1
7	Scarlet fever		1	53	8									
8	Whooping cough		1	1	1						4			1
9	Diphtheria and croup			9				1						3
10	Influenza			81	8						1	15		3
13	Cholera nostras													1
14	Dysentery		2	5	1						4	3		3
18	Erysipelas			1							1	1		
19	Other epidemic diseases		1		1							1		
20	Purulent infection and septicemia			4										1
24	Tetanus							1						
26	Pellagra												1	
28	Tuberculosis of the lungs		1	7		1					69	6	1	15
29	Acute miliary tuberculosis			5							6			
30	Tuberculous meningitis								1	7	4			1
31	Abdominal tuberculosis		17			1					11	4	1	2
32	Pott's disease			2				1			1			
33	White swellings			1							1			
34	Tuberculosis of other organs		1	1	1			3			1			2
35	Disseminated tuberculosis			1							3			1
36	Rickets										17			3
37	Syphilis		1	27	4			6		2	120	1	1	15
38	Gonococcus infection		10	4				229	1					
39	Cancer and other malignant tumors of the buccal cavity													
40	Cancer and other malignant tumors of the stomach, liver			2	1							4		
41	Cancer and other malignant tumors of the peritoneum, intestines, rectum		1		2							1		
42	Cancer and other malignant tumors of the female genital organs		4	2	2							1		1
43	Cancer and other malignant tumors of the breast			2	1									
44	Cancer and other malignant tumors of the skin													
45	Cancer and other malignant tumors of other organs		2	1	2							1		
46	Other tumors (tumors of the female genital organs excepted)			1									2	
47	Acute articular rheumatism		1	7								1	1	
48	Chronic rheumatism and gout			2	1							5		
49	Scurvy										2			1
50	Diabetes			4	3							1	2	1
51	Exophthalmic goiter													
53	Leukemia			2										1
54	Anemia, chlorosis			4	1						8	3	1	2
55	Other general diseases			3							4	2		
56	Alcoholism (acute or chronic)		1	19	3							6		8
57	Chronic lead poisoning			1										
59	Other chronic poisonings			3								3		2
60	Encephalitis													3
61a	Simple meningitis									2				
61b	Cerebrospinal meningitis (undefined)			1										
61c	Cerebrospinal fever													
62	Locomotor ataxia											2		
63	Other diseases of the spinal cord											8		4
64	Cerebral hemorrhage, apoplexy			5	7							22		8
65	Softening of the brain											4		
66	Paralysis without specified cause			1	1	1						9		1
67	General paralysis of the insane											7		
68	Other forms of mental alienation											3		3
69	Epilepsy													1
70	Convulsions (nonpuerperal) [5 years and over]													1
71	Convulsions of infants [under 5 years of age]										3			2
73	Neuralgia and neuritis													
74	Other diseases of the nervous system			1						6	1	3		4
75	Diseases of the eyes and their annexa										1	1		
76	Diseases of the ears			1						1	1			
77	Pericarditis											2	9	
78	Acute endocarditis			1							2	3	1	

RESULTS OBTAINED BY SENDING 43,876 QUERIES TO PHYSICIANS IN 1917—Continued.

[The results of the inquiries covering unsatisfactory terms for the following International List numbers are continued on page 73.]

Detailed Int. List No.	TITLES TO WHICH UNSATISFACTORY TERMS WERE CHANGED.	UNSATISFACTORY TERM.												
		Disease of liver, liver trouble.	Peritonitis, general pecitonitis, septic peritonitis.	Acute Bright's disease, acute nephritis.	Bright's disease, nephritis, uremia.	Renal congestion, disease of kidneys.	Disease of uterus.	Salpingitis, pyosalpinx, pus tubes.	Abscess, cellulitis.	Hydrocephalus.	Asthenia, atrophy, debility, exhaustion, inanition, marasmus, etc. (under 1 year).	Senility, old age.	Anasarca, ascites, dropsy.	Exhaustion, fever, heart failure, natural causes, weakness, etc.
		115	117	119	120	122	130	132	144	150	151	154	157	159
79	Organic diseases of the heart			43	9	3					5	71	78	146
80	Angina pectoris		1										2	3
81	Diseases of the arteries, atheroma, aneurism, etc.			19	9							58	5	8
82	Embolism and thrombosis		1	1							2			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)		1											
84	Diseases of the lymphatic system (lymphangitis, etc.)													1
85	Hemorrhage; other diseases of the circulatory system											1		
86	Diseases of the nasal fossae										1			1
87	Diseases of the larynx			3										
88	Diseases of the thyroid body			1										1
89	Acute bronchitis			4	1						8	3		1
90	Chronic bronchitis			6								15		2
91	Bronchopneumonia			10							14	9		4
92a	Lobar pneumonia		2	13	2			1			2	7		4
92b	Pneumonia (unqualified)			3	1						1	4		1
93	Pleurisy			1								1	2	
94	Pulmonary congestion, pulmonary apoplexy										2	4		2
95	Gangrene of the lung													
96	Asthma											2		2
97	Pulmonary emphysema											1		
98	Other diseases of the respiratory system (tuberculosis excepted)								1		1			1
99	Diseases of the mouth and annexa		1						1		2	1		
100	Diseases of the pharynx			38	1				1					1
102	Ulcer of the stomach		10		1									
103	Other diseases of the stomach (cancer excepted)		1								74	9	1	11
104	Diarrhea and enteritis (under 2 years)		6	17	1					2	458		1	59
105	Diarrhea and enteritis (2 years and over)		12	2								9		15
107	Intestinal parasites													
108	Appendicitis and typhlitis		118	8	4			4						
109a	Hernia		6	1								1	1	1
109b	Intestinal obstruction		7	1	1							1		1
110	Other diseases of the intestines		5	2							3	1		1
111	Acute yellow atrophy of the liver										1			
113	Cirrhosis of the liver	4	1	2								5	6	2
114	Biliary calculi		3	1	1							2		
115	Other diseases of the liver		7		1						1	1	8	
117	Simple peritonitis (nonpuerperal)			1	1							1	1	1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)				1									
119	Acute nephritis				96	4						5	1	2
120	Bright's disease	1	1	129		17					2	44	51	10
122	Other diseases of the kidneys and annexa			6	17							1	1	1
123	Calculi of the urinary passages				3									
124	Diseases of the bladder				1							6		
125	Diseases of the urethra, urinary abscess, etc.		1	3	9							1		
126	Diseases of the prostate		2	7	12							5		
127	Nonvenereal diseases of the male genital organs		1											
129	Uterine tumor (noncancerous)		1					2						
130	Other diseases of the uterus		5									2	1	
131	Cysts and other tumors of the ovary		2	1										
132	Salpingitis and other diseases of the female genital organs	2	20	2			1							1
133	Nonpuerperal diseases of the breast (cancer excepted)										1			
134	Accidents of pregnancy													
135	Puerperal hemorrhage				1									
136	Other accidents of labor													1
137	Puerperal septicemia		61	2	5		1	53					2	1
138	Puerperal albuminuria and convulsions			75	54								2	
139	Puerperal phlegmasia alba dolens, embolus, sudden death													
140	Following childbirth (not otherwise defined)													1
142	Gangrene													
143	Furuncle										1			
144	Acute abscess		1											
145	Other diseases of the skin and annexa			1							2	3	1	
146	Diseases of the bones (tuberculosis excepted)			1					1			1		
147	Diseases of the joints (tuberculosis and rheumatism excepted)				1									
148	Amputations													
149	Other diseases of the organs of locomotion								1					
150a	Hydrocephalus										2			
150b	Congenital malformations of the heart										39			1
150c	Other congenital malformations			1	1						37			1
151a	Premature birth (not stillborn)										337			

RESULTS OBTAINED BY SENDING 43,876 QUERIES TO PHYSICIANS IN 1917—Continued.

Detailed Int. List No.	TITLES TO WHICH UNSATISFACTORY TERMS WERE CHANGED.	UNSATISFACTORY TERM.												
		Disease of liver, liver trouble.	Peritonitis, general peritonitis, septic peritonitis.	Acute Bright's disease, acute nephritis.	Bright's disease, nephritis, uremia.	Renal congestion, disease of kidneys.	Disease of uterus.	Salpingitis, pyosalpinx, pus tubes.	Abscess, cellulitis.	Hydrocephalus.	Asthenia, atrophy, debility, exhaustion, inanition, marasmus, etc. (under 1 year).	Senility, old age.	Anasarca, ascites, dropsy.	Exhaustion, fever, heart failure, natural causes, weakness, etc.
		115	117	119	120	122	130	132	144	150	151	154	187	189
151b	Congenital debility	1		1	2									3
152a	Injuries at birth (not stillborn)		1	1	1				1		69			3
152b	Other causes peculiar to early infancy		5								20			1
153	Lack of care										5			
154	Senility													4
155	Suicide by poison			3										
160	Suicide by cutting or piercing instruments													
164	Poisoning by food		1	1										
165	Other acute poisonings			7	2									
166	Conflagration													
167	Burns (conflagration excepted)			1	2									1
168	Absorption of deleterious gases (conflagration excepted)			1							2			
170	Traumatism by firearms				1									
171	Traumatism by cutting or piercing instruments													
172	Traumatism by fall		10	6	4			1		1		6		
173	Traumatism in mines and quarries													
174	Traumatism by machines		1											
175	Traumatism by other crushing (vehicles, railways, landslides, etc.)		1	3								1		
176	Injuries by animals		3										1	1
177	Starvation											4		1
178	Excessive cold			2							1			
179	Effects of heat			1	1									2
180	Lightning													
182	Homicide by firearms		1											
184	Homicide by other means							4						
185	Fractures (cause not specified)													
186	Other external violence		6					1	1	3		1		
188	Sudden death													4
189	Cause of death not specified or ill-defined												1	

In regard to bronchopneumonia in 1917, the bureau sent out a special form letter to physicians inquiring if the disease occurred as a complication or sequela of some other disease or abnormal condition, with the request that if this were the fact the physician should state clearly the nature of the primary cause. To this letter 6,927 replies were received, on the basis of which the classification was changed in 1,336 cases. On the other hand, 1,866 additions to the deaths originally charged to bronchopneumonia were made as a result of inquiries sent out in regard to deaths reported due to other causes. The net change, therefore, brings about an increase in the number of deaths reported as due to bronchopneumonia. In a similar test for 1916, the net change brought about a reduction in the number of deaths assigned to bronchopneumonia. Taking the past four years together, the net result of these queries was to change the assignment of 4,653 deaths originally stated to be due to bronchopneumonia, and to add to the deaths from this cause 5,704 which, before inquiry, appeared to be due to other causes. It appears, therefore, that bronchopneumonia is one of the causes for which the number of deaths is usually understated.

Out of a total of 1,068,932 transcripts of deaths in 1917, only 43,876, or 4.1 per cent, were returned to the physicians certifying the causes of death for more complete or precise statement. The extent of the inquiry is shown, by states, in the following table.

AREA.	Total deaths.	Number of certificates queried.	Per cent of certificates queried.
The registration area [1]	1,068,932	43,876	4.1
Alabama [2]	5,916	298	5.0
California	42,020	1,329	3.2
Colorado	10,763	682	6.3
Connecticut	20,836	1,334	6.4
Delaware [2]	1,883	170	9.0
District of Columbia	6,687	176	2.6
Florida [2]	3,021	186	6.2
Georgia [2]	5,904	541	9.2
Illinois [2]	41,974	537	1.3
Indiana	39,765	1,340	3.3
Kansas	20,842	1,778	8.5
Kentucky	32,812	3,612	11.0
Louisiana [2]	9,530	591	6.2
Maine	11,699	814	7.0
Maryland	23,485	652	2.8
Massachusetts	56,767	847	1.5
Michigan	47,158	4,063	8.6
Minnesota	23,931	376	1.6
Mississippi [2]	2,706	97	3.6
Missouri	45,676	1,327	2.9
Montana	6,596	268	4.1
Nebraska [2]	3,027	190	6.3
New Hampshire	7,462	444	6.0
New Jersey	43,880	1,969	4.5
New York	154,204	3,402	2.2
North Carolina	34,008	808	2.4
North Dakota [2]	216	5	2.3
Ohio	77,021	829	1.1
Oregon [2]	2,393	85	3.6
Pennsylvania	128,262	5,923	4.6
Rhode Island	9,566	231	2.4
South Carolina	23,789	1,921	8.1
Tennessee	30,875	2,689	8.7
Texas [2]	10,272	608	5.9
Utah	4,632	150	3.2
Vermont	5,482	110	2.0
Virginia	31,674	1,249	3.9
Washington	12,209	311	2.5
West Virginia [2]	851	69	8.1
Wisconsin	29,138	1,865	6.4

[1] Exclusive of Hawaii.
[2] Nonregistration state, certificates received only from certain registration cities.

SUMMARY AND RATE TABLES.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1917.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions, but excluding the deaths of soldiers and sailors after the United States entered the war. Rates for deaths numbering less than 5 are shown in *italics*. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910, smaller places being included in the "rural districts."]

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1917 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

AREA.	POPULATION.		Number of deaths, 1917.	Death rate per 1,000 population, 1917.
	Census of April 15, 1910.	Estimated as of July 1, 1917.		
SUMMARY.				
The registration area (exclusive of Hawaii) (total)	66,917,957	75,307,906	1,066,711	14.2
White	61,925,270	69,993,004	949,339	13.6
Colored	4,992,687	5,314,902	117,372	22.1
Registration states [1] (total)	62,492,970	69,915,105	979,136	14.0
White	58,077,129	65,287,884	880,776	13.5
Colored	4,415,841	4,627,221	98,360	21.3
Cities in registration states [1] (total)	27,749,743	33,020,277	500,281	15.2
White	26,430,857	31,509,724	458,119	14.5
Colored	1,318,886	1,510,553	42,162	27.9
Rural part of registration states (total)	34,743,227	36,894,828	478,855	13.0
White	31,646,272	33,778,160	422,657	12.5
Colored	3,096,955	3,116,668	56,198	18.0
Registration cities in nonregistration states (total)	4,424,987	5,392,801	87,575	16.2
White	3,848,141	4,705,120	68,563	14.6
Colored	576,846	687,681	19,012	27.6
All registration cities [1] (total)	32,174,730	38,413,078	587,856	15.3
White	30,278,998	36,214,844	526,682	14.5
Colored	1,895,732	2,198,234	61,174	27.8
ALABAMA.				
Registration cities [2] (total)	222,342	292,956	5,904	20.2
White	127,908	175,361	2,269	12.9
Colored	94,434	117,595	3,635	30.9
CALIFORNIA.				
Total	2,377,549	3,029,032	41,809	13.8
White	2,259,672	2,885,205	39,244	13.6
Colored	117,877	143,827	2,565	17.8
Cities (total)	1,266,930	1,761,592	23,962	13.6
White	1,211,397	1,685,053	22,396	13.3
Colored	55,533	76,539	1,566	20.5
Rural districts (total)	1,110,619	1,267,440	17,847	14.1
White	1,048,275	1,200,152	16,848	14.0
Colored	62,344	67,288	999	14.8
COLORADO.				
Total	799,024	988,320	10,725	10.9
White	783,415	969,093	10,424	10.8
Colored	15,609	19,227	301	15.7
Cities (total)	297,058	377,901	4,546	12.0
White	287,704	366,582	4,346	11.9
Colored	9,354	11,319	200	17.7
Rural districts (total)	501,966	610,419	6,179	10.1
White	495,711	602,511	6,078	10.1
Colored	6,255	7,908	101	12.8
CONNECTICUT.				
Total	1,114,756	1,265,373	20,819	16.5
White	1,098,897	1,249,614	20,247	16.2
Colored	15,859	15,759	572	36.3
Cities (total)	752,224	877,392	14,973	17.1
White	740,623	865,192	14,499	16.8
Colored	11,601	12,200	474	38.9
Rural districts (total)	362,532	387,981	5,846	15.1
White	358,274	384,422	5,748	15.0
Colored	4,258	3,559	98	27.5
FLORIDA.				
Registration cities [3] (total)	138,408	184,129	3,016	16.4
White	84,286	115,583	1,552	13.4
Colored	54,122	68,546	1,464	21.4
GEORGIA.				
Registration cities [4] (total)	271,125	327,020	5,893	18.0
White	161,901	203,143	2,726	13.4
Colored	109,224	123,877	3,167	25.6
ILLINOIS.				
Registration cities [5] (total)	2,395,921	2,788,898	41,949	15.0
White	2,341,357	2,722,642	39,832	14.6
Colored	54,564	66,256	2,117	31.9
INDIANA.				
Total	2,700,876	2,835,492	39,736	14.0
White	2,639,961	2,772,418	37,899	13.7
Colored	60,915	63,074	1,837	29.1
Cities (total)	819,067	970,490	15,319	15.8
White	777,968	923,852	13,974	15.1
Colored	41,099	46,638	1,345	28.8
Rural districts (total)	1,881,809	1,865,002	24,417	13.1
White	1,861,993	1,848,566	23,925	12.9
Colored	19,816	16,436	492	29.9
KANSAS.				
Total	1,690,949	1,851,870	20,644	11.1
White	1,634,352	1,793,506	19,261	10.7
Colored	56,597	58,364	1,383	23.7
Cities (total)	303,843	373,613	5,041	13.5
White	274,369	340,825	4,277	12.5
Colored	29,474	32,788	764	23.3
Rural districts (total)	1,387,106	1,478,257	15,603	10.6
White	1,359,983	1,452,681	14,984	10.3
Colored	27,123	25,576	619	24.2
KENTUCKY.				
Total	2,289,905	2,394,093	32,723	13.7
White	2,027,951	2,148,863	26,893	12.5
Colored	261,954	245,230	5,830	23.8
Cities (total)	403,294	441,300	7,588	17.2
White	333,219	369,511	5,578	15.1
Colored	70,075	71,789	2,010	28.0
Rural districts (total)	1,886,611	1,952,793	25,135	12.9
White	1,694,732	1,779,352	21,315	12.0
Colored	191,879	173,441	3,820	22.0
LOUISIANA.				
Registration cities [6] (total)	414,858	476,478	9,513	20.0
White	287,737	332,605	5,208	15.7
Colored	127,121	143,873	4,305	29.9
MAINE.				
Total	742,371	777,340	11,667	15.0
White	739,995	774,863	11,631	15.0
Colored	2,376	2,477	36	14.5
Cities (total)	166,433	181,334	3,153	17.4
White	165,747	180,614	3,144	17.4
Colored	686	720	9	12.5
Rural districts (total)	575,938	596,006	8,514	14.3
White	574,248	594,249	8,487	14.3
Colored	1,690	1,757	27	15.4
MARYLAND.				
Total	1,295,346	1,373,673	23,444	17.1
White	1,062,639	1,143,092	17,192	15.0
Colored	232,707	230,581	6,252	27.1
Cities (total)	607,242	658,673	12,398	18.8
White	518,475	565,580	9,297	16.4
Colored	88,767	93,093	3,101	33.3
Rural districts (total)	688,104	715,000	11,046	15.5
White	544,164	577,912	7,895	13.7
Colored	143,940	137,488	3,151	22.9
MASSACHUSETTS.				
Total	3,366,416	3,775,973	56,675	15.0
White	3,324,926	3,730,171	55,662	14.9
Colored	41,490	45,802	1,013	22.1

[1] Includes District of Columbia.
[2] Includes Birmingham, Mobile, and Montgomery.
[3] Includes Jacksonville, Key West, Pensacola, and Tampa.
[4] Includes Atlanta, Augusta, Brunswick, and Savannah.
[5] Includes Aurora, Belleville, Chicago, Decatur, Evanston, Jacksonville, Quincy, and Springfield.
[6] Includes Alexandria, Baton Rouge, Lake Charles, Monroe, New Orleans, and Shreveport.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1917—Continued.

[See notes at head of this table, p. 77.]

AREA.	POPULATION.		Number of deaths, 1917.	Death rate per 1,000 population, 1917.
	Census of April 15, 1910.	Estimated as of July 1, 1917.		
MASSACHUSETTS—continued.				
Cities (total)	2,606,380	2,962,458	44,179	14.9
White	2,571,927	2,924,557	43,290	14.8
Colored	34,453	37,901	889	23.5
Rural districts (total)	760,036	813,515	12,496	15.4
White	752,999	805,614	12,372	15.4
Colored	7,037	7,901	124	15.7
MICHIGAN.				
Total	2,810,173	3,094,266	47,121	15.2
White	2,785,247	3,067,511	46,248	15.1
Colored	24,926	26,755	873	32.6
Cities (total)	1,043,746	1,295,755	22,295	17.2
White	1,032,893	1,283,066	21,808	17.0
Colored	10,853	12,689	487	38.4
Rural districts (total)	1,766,427	1,798,511	24,826	13.8
White	1,752,354	1,784,445	24,440	13.7
Colored	14,073	14,066	386	27.4
MINNESOTA.				
Total	2,075,708	2,312,445	23,913	10.3
White	2,059,227	2,294,413	23,500	10.2
Colored	16,481	18,032	413	22.9
Cities (total)	654,837	787,563	9,244	11.7
White	648,272	779,450	9,076	11.6
Colored	6,565	8,113	168	20.7
Rural districts (total)	1,420,871	1,524,882	14,669	9.6
White	1,410,955	1,514,963	14,424	9.5
Colored	9,916	9,919	245	24.7
MISSISSIPPI.				
Registration cities [1] (total)	88,885	105,255	2,682	25.5
White	45,874	55,503	886	16.0
Colored	43,011	49,752	1,796	36.1
MISSOURI.				
Total	3,293,335	3,429,595	45,625	13.3
White	3,134,932	3,273,689	41,300	12.6
Colored	158,403	155,906	4,325	27.7
Cities (total)	1,150,840	1,290,699	20,418	15.8
White	1,068,828	1,199,722	17,636	14.7
Colored	82,012	90,977	2,782	30.6
Rural districts (total)	2,142,495	2,138,896	25,207	11.8
White	2,066,104	2,073,967	23,664	11.4
Colored	76,391	64,929	1,543	23.8
MONTANA.				
Total	376,053	472,935	6,589	13.9
White	360,580	458,611	6,291	13.7
Colored	15,473	14,324	298	20.8
Cities (total)	98,662	115,908	2,112	18.2
White	96,499	113,605	2,059	18.1
Colored	2,163	2,303	53	23.0
Rural districts (total)	277,391	357,027	4,477	12.5
White	264,081	345,006	4,232	12.3
Colored	13,310	12,021	245	20.4
NEBRASKA.				
Registration cities [2] (total)	168,069	224,734	3,024	13.5
White	162,802	217,272	2,843	13.1
Colored	5,267	7,462	181	24.3
NEW HAMPSHIRE.				
Total	430,572	444,429	7,457	16.8
White	429,906	443,859	7,445	16.8
Colored	666	570	12	21.1
Cities (total)	174,112	191,374	3,326	17.4
White	173,787	191,078	3,319	17.4
Colored	325	296	7	23.6
Rural districts (total)	256,460	253,055	4,131	16.3
White	256,119	252,781	4,126	16.3
Colored	341	274	5	18.2
NEW JERSEY.				
Total	2,537,167	3,014,194	43,801	14.5
White	2,445,894	2,908,379	41,093	14.1
Colored	91,273	105,815	2,708	25.6
Cities (total)	1,635,863	1,965,751	27,881	14.2
White	1,580,229	1,898,538	26,088	13.7
Colored	55,634	67,213	1,793	26.7
NEW JERSEY—continued.				
Rural districts (total)	901,304	1,048,443	15,920	15.2
White	865,665	1,009,841	15,005	14.9
Colored	35,639	38,602	915	23.7
NEW YORK.				
Total	9,113,614	10,460,182	153,959	14.7
White	8,966,845	10,288,042	149,688	14.5
Colored	146,769	172,140	4,271	24.8
Cities (total)	6,771,142	8,055,711	115,916	14.4
White	6,652,569	7,911,935	112,287	14.2
Colored	118,573	143,776	3,629	25.2
Rural districts (total)	2,342,472	2,404,471	38,043	15.8
White	2,314,276	2,376,107	37,401	15.8
Colored	28,196	28,364	642	22.7
NORTH CAROLINA.				
Total	2,206,287	2,434,381	33,969	14.0
White	1,500,511	1,673,443	20,468	12.2
Colored	705,776	760,938	13,501	17.7
Cities (total)	154,578	196,556	4,077	20.7
White	96,299	125,180	2,031	16.2
Colored	58,279	71,376	2,046	28.7
Rural districts (total)	2,051,709	2,237,825	29,892	13.4
White	1,404,212	1,548,263	18,437	11.9
Colored	647,497	689,562	11,455	16.6
OHIO.				
Total	4,767,121	5,212,085	76,940	14.8
White	4,654,897	5,088,998	73,008	14.3
Colored	112,224	123,087	3,932	31.9
Cities (total)	2,145,194	2,586,928	41,771	16.1
Whites	2,078,001	2,507,435	38,941	15.5
Colored	67,193	79,493	2,830	35.6
Rural districts (total)	2,621,927	2,625,157	35,169	13.4
White	2,576,896	2,581,563	34,067	13.2
Colored	45,031	43,594	1,102	25.3
PENNSYLVANIA.				
Total	7,665,111	8,660,042	128,163	14.8
White	7,467,713	8,435,673	121,494	14.4
Colored	197,398	224,369	6,669	29.7
Cities (total)	3,653,461	4,170,702	68,670	16.5
White	3,507,631	4,002,656	63,438	15.8
Colored	145,830	168,046	5,232	31.1
Rural districts (total)	4,011,650	4,489,340	59,493	13.3
White	3,960,082	4,433,017	58,056	13.1
Colored	51,568	56,323	1,437	25.5
RHODE ISLAND.				
Total	542,610	625,865	9,510	15.2
White	532,492	615,300	9,204	15.0
Colored	10,118	10,565	306	29.0
Cities (total)	437,627	509,345	7,970	15.6
White	429,088	500,236	7,686	15.4
Colored	8,539	9,109	284	31.2
Rural districts (total)	104,983	116,520	1,540	13.2
White	103,404	115,064	1,518	13.2
Colored	1,579	1,456	22	15.1
SOUTH CAROLINA.				
Total	1,515,400	1,643,205	23,503	14.3
White	679,161	767,745	8,731	11.4
Colored	836,239	875,460	14,772	16.9
Cities (total)	118,410	136,765	3,580	26.2
White	62,599	75,411	1,446	19.2
Colored	55,811	61,354	2,134	34.8
Rural districts (total)	1,396,990	1,506,440	19,923	13.2
White	616,562	692,334	7,285	10.5
Colored	780,428	814,106	12,638	15.5
TENNESSEE.				
Total	2,184,789	2,304,629	30,862	13.4
White	1,711,432	1,836,433	21,460	11.7
Colored	473,357	468,196	9,402	20.1
Cities (total)	338,198	408,646	7,425	18.2
White	217,841	276,592	4,042	14.6
Colored	120,357	132,054	3,383	25.6

[1] Includes Hattiesburg, Jackson, Meridian, Natchez, and Vicksburg.

[2] Includes Lincoln and Omaha.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1917—Continued.

[See notes at head of this table, p. 77.]

AREA.	POPULATION.		Number of deaths, 1917.	Death rate per 1,000 population, 1917.
	Census of April 15, 1910.	Estimated as of July 1, 1917.		
TENNESSEE—continued.				
Rural districts (total)	1,846,591	1,895,983	23,437	12.4
White	1,493,591	1,559,841	17,418	11.2
Colored	353,000	336,142	6,019	17.9
TEXAS.				
Registration cities [1] (total)	374,782	528,034	10,258	19.4
White	304,361	433,110	8,369	19.3
Colored	70,421	94,924	1,889	19.9
UTAH.				
Total	373,351	443,866	4,615	10.4
White	366,583	435,286	4,517	10.4
Colored	6,768	8,580	98	11.4
Cities (total)	118,357	153,966	1,693	11.0
White	116,400	150,675	1,661	11.0
Colored	1,957	3,291	32	9.7
Rural districts (total)	254,994	289,900	2,922	10.1
White	250,183	284,611	2,856	10.0
Colored	4,811	5,289	66	12.5
VERMONT.				
Total	355,956	364,946	5,468	15.0
White	354,298	362,711	5,462	15.1
Colored	1,658	2,235	6	2.7
Cities (total)	44,748	49,241	795	16.1
White	44,605	49,121	793	16.1
Colored	143	120	2	*16.7*
Rural districts (total)	311,208	315,705	4,673	14.8
White	309,693	313,590	4,669	14.9
Colored	1,515	2,115	4	*1.9*
VIRGINIA.				
Total	2,061,612	2,213,025	31,527	14.2
White	1,389,809	1,533,577	18,017	11.7
Colored	671,803	679,448	13,510	19.9
Cities (total)	381,923	468,706	8,361	17.8
White	249,872	313,970	4,384	14.0
Colored	132,051	154,736	3,977	25.7
Rural districts (total)	1,679,689	1,744,319	23,166	13.3
White	1,139,937	1,219,607	13,633	11.2
Colored	539,752	524,712	9,533	18.2
WASHINGTON.				
Total	1,141,990	1,597,400	12,137	7.6
White	1,109,111	1,556,433	11,474	7.4
Colored	32,879	40,967	663	16.2
Cities (total)	521,557	782,631	5,738	7.3
White	507,388	763,404	5,455	7.1
Colored	14,169	19,227	283	14.7
Rural districts (total)	620,433	814,769	6,399	7.9
White	601,723	793,029	6,019	7.6
Colored	18,710	21,740	380	17.5
WISCONSIN.				
Total	2,333,860	2,527,167	29,130	11.5
White	2,320,555	2,512,275	28,937	11.5
Colored	13,305	14,892	193	13.0
Cities (total)	752,948	879,995	11,245	12.8
White	750,499	877,203	11,182	12.7
Colored	2,449	2,792	63	22.6
Rural districts (total)	1,580,912	1,647,172	17,885	10.9
White	1,570,056	1,635,072	17,755	10.9
Colored	10,856	12,100	130	10.7

[1] Includes Beaumont, Cleburne, Dallas, El Paso, Galveston, Houston, and San Antonio.

TABLE II B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions, but excluding the deaths of soldiers and sailors after the United States entered the war. Rates for deaths numbering less than 5 are shown in *italics*. Minor areas containing state insane asylums, state hospitals, etc. are designated by asterisks (*). Figures for white and colored are shown separately for areas (except as indicated in the footnotes) only when the colored population of the area formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910.]

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1917 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	Rate per 1,000 population.
REGISTRATION CITIES.			
ALABAMA.[1]			
Birmingham (total)	189,716	3,836	20.2
White	119,369	1,434	12.0
Colored	70,347	2,402	34.1
Mobile (total)	59,201	1,170	19.8
White	33,063	515	15.6
Colored	26,138	655	25.1
Montgomery (total)	44,039	898	20.4
White	22,929	320	14.0
Colored	21,110	578	27.4
CALIFORNIA.			
Alameda	28,433	291	10.2
Bakersfield	17,543	334	19.0
Berkeley	60,427	476	7.9
Eureka	15,142	197	13.0
Fresno	36,314	546	15.0
Long Beach	29,163	510	17.5
Los Angeles (total)	535,485	6,706	12.5
White	512,348	6,230	12.2
Colored	23,137	476	20.6
Oakland	206,405	2,190	10.6
Pasadena	49,620	496	10.0
Pomona	13,624	149	10.9
Redlands	14,573	149	10.2
Riverside (total)	20,496	292	14.2
White	17,991	269	15.0
Colored	2,505	23	9.2
Sacramento	68,984	1,216	17.6
San Bernardino	17,616	368	20.9
San Diego	56,412	1,032	18.3
San Francisco (total)	471,023	7,084	15.0
White	454,495	6,695	14.7
Colored	16,528	389	23.5
San Jose	39,810	433	10.9
Santa Barbara	15,360	271	17.6
Santa Cruz	15,150	168	11.1
Stockton *	36,209	892	24.6
Vallejo	13,803	162	11.7
COLORADO.			
Colorado Springs	38,965	520	13.3
Denver	268,439	3,215	12.0
Pueblo	56,084	630	11.2
Trinidad	14,413	181	12.6
CONNECTICUT.			
Ansonia	16,954	275	16.2
Bridgeport	124,724	2,270	18.2
Bristol	16,318	208	12.7
Danbury town	26,443	417	15.8
Greenwich town	19,594	282	14.4
Hartford	112,831	2,588	22.9
Manchester town	15,859	134	8.4
Meriden town	34,525	565	16.4
Middletown *	23,130	633	27.4
Naugatuck	14,314	137	9.6
New Britain	55,385	748	13.5
New Haven	152,275	2,603	17.1
New London	21,199	424	20.0
Norwalk	27,332	417	15.3
Norwich town	29,613	565	19.1
Orange town	14,393	173	12.0
Stamford town	36,131	577	16.0
Torrington town	20,041	235	11.7
Wallingford town	12,726	148	11.6
Waterbury	89,201	1,314	14.7
Windham town	14,404	260	18.1
DELAWARE.[1]			
Wilmington (total)	95,369	1,880	19.7
White	86,755	1,562	18.0
Colored	8,614	318	36.9
REGISTRATION CITIES—Continued.			
DISTRICT OF COLUMBIA.			
Washington (total)	369,282	6,605	17.9
White	268,681	3,956	14.8
Colored	100,601	2,619	26.0
FLORIDA.[1]			
Jacksonville (total)	79,065	1,544	19.5
White	40,131	650	16.2
Colored	38,934	894	23.0
Key West (total)	22,011	285	12.9
White	16,514	206	12.5
Colored	5,497	79	14.4
Pensacola (total)	26,802	479	17.9
White	15,367	223	14.5
Colored	11,435	256	22.4
Tampa (total)	56,251	708	12.6
White	43,571	473	10.9
Colored	12,680	235	18.5
GEORGIA.[1]			
Atlanta (total)	196,144	3,170	16.2
White	136,001	1,751	12.9
Colored	60,143	1,419	23.6
Augusta (total)	50,642	969	19.1
White	27,862	431	15.5
Colored	22,780	538	23.6
Brunswick (total)	10,984	196	17.8
White	5,134	67	13.1
Colored	5,850	129	22.1
Savannah (total)	69,250	1,558	22.5
White	34,146	477	14.0
Colored	35,104	1,081	30.8
ILLINOIS.[1]			
Aurora	34,795	516	14.8
Belleville	21,154	348	16.5
Chicago (total)	2,547,201	38,011	14.9
White	2,490,025	36,105	14.5
Colored	57,176	1,906	33.3
Decatur	41,483	580	14.0
Evanston	29,304	385	13.1
Jacksonville *	15,506	545	35.1
Quincy	36,832	588	16.0
Springfield	62,623	976	15.6
INDIANA.			
Anderson	24,230	399	16.5
East Chicago	30,286	563	18.6
Elkhart	22,273	315	14.1
Elwood	[2] 11,028	154	14.0
Evansville	76,981	1,240	16.1
Fort Wayne	78,014	976	12.5
Gary	[3] 56,000	803	14.3
Hammond	27,016	542	20.1
Huntington	10,982	167	15.2
Indianapolis (total)	283,622	4,582	16.2
White	256,824	3,862	15.0
Colored	26,798	720	26.9
Jeffersonville (total)	[2] 10,412	126	12.1
White	[2] 8,874	96	10.8
Colored	[2] 1,538	30	19.5
Kokomo	21,929	311	14.2
Lafayette	21,481	437	20.3
Laporte	13,572	210	15.5
Logansport	21,338	273	12.8
Marion	19,923	309	15.5
Michigan City	21,913	269	12.3
Mishawaka	17,083	161	9.4
Muncie	25,653	393	15.3
New Albany	23,629	397	16.8
Peru	12,491	168	13.4
Richmond	25,080	369	14.7
South Bend	70,967	917	12.9
Terre Haute	67,361	959	14.2
Vincennes	18,089	279	15.4
REGISTRATION CITIES—Continued.			
KANSAS.			
Atchison (total)	16,785	192	11.4
White	14,111	155	11.0
Colored	2,674	37	13.8
Coffeyville (total)	18,331	189	10.3
White	16,458	149	9.1
Colored	1,873	40	21.4
Fort Scott (total)	10,564	165	15.6
White	9,633	144	14.9
Colored	931	21	22.6
Hutchinson	21,461	271	12.6
Independence	15,111	149	9.9
Kansas City (total)	102,096	1,465	14.3
White	90,985	1,150	12.6
Colored	11,111	315	28.4
Lawrence (total)	13,477	183	13.6
White	10,826	145	13.4
Colored	2,651	38	14.3
Leavenworth (total)	[2] 19,363	352	18.2
White	[2] 16,881	286	16.9
Colored	[2] 2,482	66	26.6
Parsons	15,952	215	13.5
Pittsburg	18,340	239	13.0
Topeka (total)	49,538	741	15.0
White	45,422	646	14.2
Colored	4,116	95	23.1
Wichita	73,597	880	12.0
KENTUCKY.			
Covington (total)	59,623	1,000	16.8
White	56,550	904	16.0
Colored [4]	3,073	96	31.2
Frankfort (total)	11,179	217	19.4
White	8,668	144	16.6
Colored	2,511	73	29.1
Henderson (total)	12,312	245	19.9
White	10,036	140	13.9
Colored	2,276	105	46.1
Lexington * (total)	41,997	1,016	24.2
White	30,168	631	20.9
Colored	11,829	385	32.5
Louisville (total)	240,808	3,919	16.3
White	198,753	2,853	14.4
Colored	42,055	1,066	25.3
Newport (total)	32,133	385	12.0
White	31,458	361	11.5
Colored [4]	675	24	35.6
Owensboro (total)	18,070	348	19.3
White	14,914	266	17.8
Colored	3,156	82	26.0
Paducah (total)	25,178	458	18.2
White	18,964	279	14.7
Colored	6,214	179	28.8
LOUISIANA.[1]			
Alexandria (total)	16,232	287	17.7
White	7,904	120	15.2
Colored	8,328	167	20.1
Baton Rouge (total)	17,544	284	16.2
White	8,685	109	12.6
Colored	8,859	175	19.8
Lake Charles (total)	14,930	209	14.0
White	9,011	104	11.5
Colored	5,919	105	17.7
Monroe (total)	13,698	224	16.4
White	6,484	106	16.3
Colored	7,214	118	16.4
New Orleans (total)	377,010	7,510	19.9
White	278,935	4,369	15.7
Colored	98,075	3,141	32.0
Shreveport (total)	[5] 37,064	999	27.0
White	21,586	400	18.5
Colored	15,478	599	38.7

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	DEATHS: 1917. Rate per 1,000 population.
REGISTRATION CITIES—Continued.			
MAINE.			
Auburn	16,607	218	13.1
Augusta*	14,325	315	22.0
Bangor*	26,958	669	24.8
Biddeford	17,760	273	15.4
Lewiston	28,061	476	17.0
Portland	64,720	996	15.4
Waterville	12,903	206	16.0
MARYLAND.			
Baltimore (total)	594,637	11,355	19.1
White	505,628	8,362	16.5
Colored	89,009	2,993	33.6
Cumberland (total)	26,686	426	16.0
White	25,487	397	15.6
Colored[4]	1,199	29	24.2
Frederick (total)	11,225	194	17.3
White	9,802	161	16.4
Colored	1,423	33	23.2
Hagerstown (total)	26,125	423	16.2
White	24,663	377	15.3
Colored[4]	1,462	46	31.5
MASSACHUSETTS.			
Adams town	14,406	121	8.4
Arlington town	13,073	179	13.7
Attleboro	19,776	239	12.1
Beverly	22,128	294	13.3
Boston (total)	767,813	12,704	16.5
White	750,765	12,252	16.3
Colored	17,048	452	26.5
Brockton	69,152	750	10.8
Brookline town	33,526	383	11.4
Cambridge	114,293	1,605	14.0
Chelsea	[6] 48,405	682	14.1
Chicopee	29,950	426	14.2
Clinton town	[2] 13,075	186	14.2
Everett	40,160	376	9.4
Fall River	129,828	2,116	16.3
Fitchburg	42,419	485	11.4
Framingham town	14,149	229	16.2
Gardner town	17,534	250	14.3
Gloucester	[2] 24,398	359	14.7
Greenfield town	12,251	214	17.5
Haverhill	49,180	731	14.9
Holyoke	66,503	1,055	15.9
Lawrence	102,923	1,395	13.6
Leominster	21,365	220	10.3
Lowell	114,366	1,940	17.0
Lynn	104,534	1,267	12.1
Malden	52,243	582	11.1
Marlborough	15,285	199	13.0
Medford	26,681	378	14.2
Melrose	17,724	270	15.2
Methuen town	14,320	202	14.1
Milford town	14,280	185	13.0
New Bedford	121,622	1,786	14.7
Newburyport	15,291	253	16.5
Newton	44,345	520	11.7
North Adams	[2] 22,019	356	16.2
Northampton*	20,006	436	21.8
Peabody	18,785	258	13.7
Pittsfield	39,678	647	16.3
Plymouth town	14,001	191	13.6
Quincy	39,022	469	12.0
Revere	23,929	237	9.9
Salem	49,346	602	12.2
Somerville	88,618	1,077	12.2
Southbridge town	14,465	153	10.6
Springfield	108,668	1,876	17.3
Taunton*	36,610	780	21.3
Wakefield town	12,947	126	9.7
Waltham	31,011	393	12.7
Watertown town	15,188	190	12.5
Webster town	13,484	136	10.1
Westfield town*	18,769	338	18.0
REGISTRATION CITIES—Continued.			
MASSACHUSETTS—continued.			
Weymouth town	14,041	171	12.2
Winthrop town	13,105	143	10.9
Woburn	16,078	230	14.3
Worcester	166,106	2,789	16.8
MICHIGAN.			
Adrian	11,570	214	18.5
Alpena	13,365	159	11.9
Ann Arbor	15,041	480	31.9
Battle Creek	30,159	495	16.4
Bay City	48,390	635	13.1
Detroit	[7] 619,648	11,736	18.9
Escanaba	15,854	225	14.2
Flint	57,386	829	14.4
Grand Rapids	132,861	1,738	13.1
Holland	12,459	122	9.8
Ironwood	15,095	189	12.5
Ishpeming	[2] 12,448	146	11.7
Jackson	35,996	668	18.6
Kalamazoo*	50,408	871	17.3
Lansing	44,499	649	14.6
Manistee	[2] 12,381	156	12.6
Marquette	12,555	187	14.9
Menominee	[2] 10,507	125	11.9
Muskegon	27,434	502	18.3
Pontiac*	18,006	488	27.1
Port Huron	[2] 18,863	344	18.2
Saginaw	56,469	827	14.6
Sault Ste. Marie	14,130	181	12.8
Traverse City*	14,090	329	23.3
MINNESOTA.			
Duluth	97,077	1,146	11.8
Mankato	[2] 10,365	199	19.2
Minneapolis	373,448	4,413	11.8
St. Cloud	12,013	170	14.2
St. Paul	252,465	2,724	10.8
Stillwater	[2] 10,198	97	9.5
Virginia	15,954	188	11.8
Winona	[2] 18,583	307	16.5
MISSISSIPPI.[1]			
Hattiesburg (total)	17,357	286	16.5
White	11,010	150	13.6
Colored	6,347	136	21.4
Jackson* (total)	31,104	899	28.9
White	16,770	294	17.5
Colored	14,334	605	42.2
Meridian (total)	21,824	547	25.1
White	13,284	228	17.2
Colored	8,540	319	37.4
Natchez (total)	[2] 11,791	249	21.1
White	[2] 5,087	64	12.6
Colored	[2] 6,704	185	27.6
Vicksburg (total)	23,179	701	30.2
White	9,352	150	16.0
Colored	13,827	551	39.8
MISSOURI.			
Hannibal (total)	22,399	313	14.0
White	20,543	263	12.8
Colored	1,856	50	26.9
Jefferson City (total)	13,712	177	12.9
White	11,711	150	12.8
Colored	2,001	27	13.5
Joplin	33,400	677	20.3
Kansas City (total)	305,816	5,008	16.4
White	277,873	4,216	15.2
Colored	27,943	792	28.3
Moberly	13,047	186	14.3
St. Joseph*	[8] 86,498	1,264	14.6
St. Louis (total)	768,630	11,584	15.1
White	717,748	9,949	13.9
Colored	50,882	1,635	32.1
Sedalia (total)	19,711	305	15.5
White	17,735	260	14.7
Colored	1,976	45	22.8
Springfield	41,169	638	15.5
Webb City	14,082	266	18.9
REGISTRATION CITIES—Continued.			
MONTANA.			
Anaconda	10,631	153	14.4
Billings	15,123	237	15.7
Butte	44,057	867	19.7
Great Falls	[2] 13,948	416	29.8
Helena	13,789	223	16.2
Missoula	19,075	216	11.3
NEBRASKA.[1]			
Lincoln	46,957	708	15.1
Omaha	177,777	2,316	13.0
NEW HAMPSHIRE.			
Berlin	13,892	205	14.8
Concord*	22,858	489	21.4
Dover	13,276	246	18.5
Keene	10,725	195	18.2
Laconia	11,745	200	17.0
Manchester	79,607	1,301	16.3
Nashua	27,541	482	17.5
Portsmouth	11,730	208	17.7
NEW JERSEY.			
Asbury Park (total)	14,629	168	11.5
White	11,134	123	11.0
Colored	3,495	45	12.9
Atlantic City (total)	59,515	804	13.5
White	47,153	615	13.0
Colored	12,362	189	15.3
Bayonne	72,204	857	11.9
Bloomfield	19,013	209	11.0
Bridgeton	14,425	226	15.7
Camden	108,117	1,908	17.6
East Orange	43,761	371	8.5
Elizabeth	88,830	1,334	15.0
Garfield	15,109	182	12.0
Hackensack	17,412	319	18.3
Harrison	17,345	174	10.0
Hoboken	78,324	1,182	15.1
Irvington	16,710	231	13.8
Jersey City	312,557	4,528	14.5
Kearny	24,325	315	12.9
Long Branch	15,733	311	19.8
Millville	13,813	206	14.9
Montclair (total)	27,087	251	9.3
White	23,752	218	9.2
Colored	3,335	33	9.9
Morristown	13,410	272	20.3
New Brunswick	25,855	565	21.9
Newark	418,789	5,946	14.2
Orange	33,636	585	17.4
Passaic	74,478	912	12.2
Paterson	140,512	1,964	14.0
Perth Amboy	42,646	607	14.2
Phillipsburg	15,879	197	12.4
Plainfield	24,330	406	16.7
Trenton*	113,974	1,901	16.7
Union	25,370	190	7.5
West Hoboken	44,386	396	8.9
West New York	19,613	238	12.1
West Orange	13,964	126	9.0
NEW YORK.			
Albany	106,632	2,039	19.1
Amsterdam	38,043	485	12.7
Auburn	37,823	540	14.3
Batavia	13,595	244	17.9
Binghamton*	54,864	1,197	21.8
Buffalo	475,781	7,649	16.1
Cohoes	25,292	429	17.0
Corning	15,676	264	16.8
Cortland	13,321	272	20.4
Dunkirk	21,311	310	14.5
Elmira	38,272	746	19.5
Fulton	12,138	161	13.3
Geneva	13,915	236	17.0
Glens Falls	17,160	279	16.3
Gloversville	22,314	350	15.7

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	Rate per 1,000 population.
REGISTRATION CITIES—Continued.			
NEW YORK—continued.			
Hornell	14,857	195	13.1
Hudson	12,898	230	17.8
Ithaca	16,017	273	17.0
Jamestown	37,431	524	14.0
Johnstown	10,678	140	13.1
Kingston	26,910	518	19.2
Lackawanna	[6] 16,219	447	27.6
Little Falls	13,653	227	16.6
Lockport	20,028	331	16.5
Middletown*	15,890	432	27.2
Mount Vernon	37,991	419	11.0
New Rochelle	39,192	358	9.1
New York (total)	5,737,492	78,518	13.7
Bronx Borough	599,215	8,466	14.1
Brooklyn Borough	1,976,103	26,913	13.6
Manhattan Borough	2,682,978	35,781	13.3
Queens Borough	379,398	5,598	14.8
Richmond Borough	99,800	1,760	17.6
White	5,617,570	75,516	13.4
Bronx Borough	593,610	8,303	14.0
Brooklyn Borough	1,949,181	26,160	13.4
Manhattan Borough	2,600,616	33,848	13 0
Queens Borough	375,617	5,482	14.6
Richmond Borough	98,546	1,723	17.5
Colored	119,922	3,002	25.0
Bronx Borough	5,605	163	29.1
Brooklyn Borough	26,922	753	28.0
Manhattan Borough	82,362	1,933	23.5
Queens Borough	3,779	116	30.7
Richmond Borough	1,254	37	29.5
Newburgh	29,893	534	17.9
Niagara Falls	38,466	719	18.7
North Tonawanda	14,060	209	14.9
Ogdensburg*	16,845	495	29.4
Olean	16,927	266	15.7
Ossining	14,064	162	11.5
Oswego	24,219	365	15.1
Peekskill	19,034	223	11.7
Plattsburg	13,111	201	15.3
Port Chester	16,727	220	13.2
Poughkeepsie	30,786	546	17.7
Rensselaer	11,252	124	11.0
Rochester	264,714	4,083	15.4
Rome*	24,259	674	27.8
Saratoga Springs	13,839	277	20.0
Schenectady	103,774	1,101	10.6
Syracuse	158,559	2,426	15.3
Troy	78,094	1,653	21.2
Utica*	89,272	1,569	17.6
Watertown	30,404	558	18.4
Watervliet	15,622	242	15.5
White Plains	23,331	257	11.0
Yonkers	103,066	1,199	11.6
NORTH CAROLINA.			
Asheville* (total)	25,656	607	23.7
White	18,738	412	22.0
Colored	6,918	195	28.2
Charlotte (total)	40,759	773	19.0
White	27,838	372	13.4
Colored	12,921	401	31.0
Durham (total)	26,160	392	15.0
White	15,988	183	11.4
Colored	10,172	209	20.5
Greensboro (total)	20,171	287	14.2
White	13,276	151	11.4
Colored	6,895	136	19.7
Raleigh* (total)	20,274	575	28.4
White	12,972	305	23.5
Colored	7,302	270	37.0
Wilmington (total)	30,400	590	19.4
White	16,497	247	15.0
Colored	13,903	343	24.7
Winston-Salem (total)	33,136	853	25.7
White	19,871	361	18.2
Colored	13,265	492	37.1
REGISTRATION CITIES—Continued.			
NORTH DAKOTA.[1]			
Fargo (total)	17,872	216	12.1
White	17,726	213	12.0
Colored [4]	146	3	*20.5*
OHIO.			
Akron	93,604	2,139	22.9
Alliance	19,581	305	15.6
Ashtabula	22,008	315	14.3
Bellaire	14,575	267	18.3
Cambridge	13,804	173	12.5
Canton	62,566	1,001	16.0
Chillicothe	15,625	248	15.9
Cincinnati (total)	414,248	6,827	16.5
White	391,835	5,948	15.2
Colored	22,413	879	39.2
Cleveland	692,259	10,833	15.6
Columbus (total)	220,135	3,383	15.4
White	203,953	2,981	14.6
Colored	16,182	402	24.8
Dayton	128,939	2,055	15.9
East Liverpool	22,941	394	17.2
Elyria	19,503	271	13.9
Findlay	[2] 14,858	212	14.3
Hamilton	41,338	514	12.4
Ironton	14,079	274	19.5
Lakewood	23,813	284	11.9
Lancaster	16,086	203	12.6
Lima	37,145	544	14.6
Lorain	38,266	384	10.0
Mansfield	23,051	339	14.7
Marietta	[3] 14,785	194	13.1
Marion	24,129	343	14.2
Massillon	15,509	214	13.8
Middletown	16,384	270	16.5
Newark	30,317	388	12.8
Norwood	23,269	182	7.8
Piqua	14,275	253	17.7
Portsmouth	29,356	500	17.0
Sandusky	20,226	346	17.1
Springfield (total)	52,296	859	16.4
White	46,881	715	15.3
Colored	5,415	144	26.6
Steubenville	28,259	534	18.9
Tiffin	12,962	218	16.8
Toledo	202,010	3,566	17.7
Warren	13,308	284	21.3
Youngstown	112,282	2,144	19.1
Zanesville	31,320	511	16.3
OREGON.[1]			
Portland (total)	308,399	2,390	7.7
White	303,071	2,300	7.6
Colored [4]	5,328	90	16.9
PENNSYLVANIA.			
Allentown	65,109	1,140	17.5
Altoona	59,712	778	13.0
Beaver Falls	13,749	251	18.3
Bethlehem	14,353	219	15.3
Braddock	22,060	490	22.2
Bradford	[2] 14,544	238	16.4
Butler	28,677	313	10.9
Carbondale	19,597	318	16.2
Carlisle (total)	10,795	181	16 8
White	9,693	155	16.0
Colored	1,102	26	23.6
Carnegie	11,963	130	10.9
Chambersburg	12,475	210	16.8
Chester (total)	41,857	939	22.4
White	36,765	745	20.3
Colored	5,092	194	38.1
Coatesville (total)	14,998	218	14.5
White	12,681	181	14.3
Colored	2,317	37	16.0
Columbia	[2] 11,454	175	15.3
REGISTRATION CITIES—Continued.			
PENNSYLVANIA—continued.			
Connellsville	15,876	192	12.1
Dubois	14,994	182	12.1
Dunsmore	21,286	347	16.3
Duquesne	20,644	219	10.6
Easton	30,854	635	20.6
Erie	76,592	1,299	17.0
Farrell	[9] 10,390	197	19.0
Greensburg	15,881	243	15.3
Harrisburg	73,276	1,148	15.7
Hazleton*	28,981	467	16.1
Homestead	23,473	285	12.4
Johnstown	70,473	1,098	15.6
Lancaster	51,437	791	15.4
Lebanon	20,947	420	20.1
McKees Rocks	20,795	198	9.5
McKeesport	48,299	773	16.0
Mahanoy City	17,709	220	12.4
Meadville	13,968	233	16.7
Monessen	23,070	179	7.8
Mount Carmel	20,709	211	10.2
Nanticoke	23.811	298	12.5
New Castle	41,915	663	15.8
Norristown*	31,969	797	24.9
North Braddock	15,684	172	11.0
Oil City	20,162	265	13.1
Old Forge	15,479	155	10.0
Philadelphia (total)	1,735,514	29,649	17.1
White	1,634,094	26,492	16.2
Colored	101,420	3,157	31.1
Phoenixville	11,871	187	15.8
Pittsburgh (total)	586,196	10,645	18.2
White	557,763	9,742	17.5
Colored	28,433	903	31.8
Pittston	18.975	318	16.8
Plymouth	19,439	167	8.6
Pottstown	16,987	263	15.5
Pottsville	22,717	466	20.5
Reading	111,607	1,591	14.3
Scranton	149,541	2,247	15.0
Shamokin	21,274	259	12.2
Sharon	19,156	281	14.7
Shenandoah	29,753	394	13.2
South Bethlehem	24,886	349	14.0
Steelton	15,759	194	12.3
Sunbury	16.661	183	11.0
Uniontown	21,600	333	15.4
Warren	15,083	194	12.9
Washington	22,076	342	15.5
West Chester (total)	13,403	311	23.2
White	11,456	245	21.4
Colored	1,947	66	33.9
Wilkes-Barre	78,334	1,163	14.8
Wilkinsburg	23,899	391	16.4
Williamsport	34,123	753	22.1
York	52,770	703	13.3
RHODE ISLAND.			
Central Falls	26,101	301	11.5
Cranston [10]	26,773	849	31.7
Cumberland town	10,968	131	11.9
East Providence town	18,485	244	13.2
Newport	30,585	434	14.2
Pawtucket	60,666	901	14.9
Providence	259.895	3,996	15.4
Warwick town [11]	30,507	515	16.9
Woonsocket	45,365	599	13.2
SOUTH CAROLINA.			
Charleston (total)	61,041	1,570	25.7
White	30,337	475	15.7
Colored	30.704	1,095	35.7
Columbia* (total)	35,165	1,281	36.4
White	20,271	618	30.5
Colored	14,894	663	44.5
Greenville (total)	18,574	353	19.0
White	11,596	163	14.1
Colored	6,978	190	27.2
Spartanburg (total)	21,985	376	17.1
White	13.207	190	14.4
Colored	8,778	186	21.2

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	DEATHS: 1917. Rate per 1,000 population.
REGISTRATION CITIES—Continued.			
TENNESSEE.			
Chattanooga (total)	61,575	1,211	19.7
White	37,748	616	16.3
Colored	23,827	595	25.0
Jackson (total)	17,946	334	18.6
White	12,095	171	14.1
Colored	5,851	163	27.9
Knoxville (total)	59,112	917	15.5
White	47,079	685	14.6
Colored	12,033	232	19.3
Memphis (total)	151,877	3,019	19.9
White	97,499	1,429	14.7
Colored	54,378	1,590	29.2
Nashville (total)	118,136	1,944	16.5
White	82,171	1,141	13.9
Colored	35,965	803	22.3
TEXAS.[1]			
Beaumont (total)	28,851	457	15.8
White	19,038	255	13.4
Colored	9,813	202	20.6
Cleburne (total)	12,553	134	10.7
White	11,363	115	10.1
Colored [4]	1,190	19	16.0
Dallas (total)	129,738	1,641	12.6
White	104,841	1,220	11.6
Colored	24,897	421	16.9
El Paso (total)	69,149	2,456	35.5
White	67,132	2,383	35.5
Colored [4]	2,017	73	36.2
Galveston (total)	42,650	683	16.0
White	33,324	460	13.8
Colored	9,326	223	23.9
Houston (total)	116,878	1,652	14.1
White	82,356	1,021	12.4
Colored	34,522	631	18.3
San Antonio (total)	128,215	3,235	25.2
White	115,056	2,915	25.3
Colored	13,159	320	24.3
UTAH.			
Ogden	32,343	325	10.0
Salt Lake City	121,623	1,368	11.2
VERMONT.			
Barre	12,401	135	10.9
Burlington	21,802	413	18.9
Rutland	15,038	247	16.4
VIRGINIA.			
Alexandria (total)	17,939	289	16.1
White	13,459	173	12.9
Colored	4,480	116	25.9
Danville (total)	20,183	390	19.3
White	14,471	227	15.7
Colored	5,712	163	28.5
Lynchburg (total)	33,497	526	15.7
White	25,180	307	12.2
Colored	8,317	219	26.3
Newport News (total)	[12] 22,622	442	19.5
White	14,322	190	13.3
Colored	8,300	252	30.4
Norfolk (total)	91,148	1,555	17.1
White	57,845	673	11.6
Colored	33,303	882	26.5
Petersburg (total)	25,817	692	26.8
White	14,611	276	18.9
Colored	11,206	416	37.1
Portsmouth (total)	40,693	579	14.2
White	25,843	246	9.5
Colored	14,850	333	22.4
Richmond (total)	158,702	2,932	18.5
White	102,224	1,566	15.3
Colored	56,478	1,366	24.2
Roanoke (total)	46,282	654	14.1
White	36,828	464	12.6
Colored	9,454	190	20.1
Staunton * (total)	11,823	302	25.5
White	9,187	262	28.5
Colored	2,636	40	15.2
REGISTRATION CITIES—Continued.			
WASHINGTON.			
Aberdeen	21,392	154	7.2
Bellingham	34,362	222	6.5
Everett	37,205	262	7.0
North Yakima	22,058	244	11.1
Seattle	366,445	2,530	6.9
Spokane	157,656	1,162	7.4
Tacoma	117,446	950	8.1
Walla Walla	26,067	214	8.2
WEST VIRGINIA.[1]			
Wheeling (total)	43,657	850	19.5
White	42,349	803	19.0
Colored [4]	1,308	47	35.9
WISCONSIN.			
Appleton	18,005	287	15.9
Ashland	[2] 11,594	241	20.8
Beloit	18,547	237	12.8
Eau Claire	18,887	347	18.4
Fond du Lac	21,486	312	14.5
Green Bay	30,017	521	17.4
Janesville	14,411	231	16.0
Kenosha	32,833	364	11.1
La Crosse	31,833	453	14.2
Madison	31,315	392	12.5
Manitowoc	13,931	218	15.6
Marinette	[2] 14,610	174	11.9
Milwaukee	445,008	5,461	12.3
Oshkosh	36,549	451	12.3
Racine	47,465	553	11.7
Sheboygan	28,907	370	12.8
Superior	47,167	421	8.9
Wausau	19,666	212	10.8
RURAL PART OF REGISTRATION STATES.[13]			
CALIFORNIA.			
Alameda County	35,493	825	23.2
Alpine County (total)	[2] 309	------	------
White	[2] 213	------	------
Colored	[2] 96	------	------
Amador County	[2] 9,086	141	15.5
Butte County	34,734	415	11.9
Calaveras County	[2] 9,171	100	10.9
Colusa County	8,000	118	14.8
Contra Costa County	41,623	449	10.8
Del Norte County (total)	2,424	28	11.6
White	2,035	26	12.8
Colored	389	2	5.1
Eldorado County	[2] 7,492	127	17.0
Fresno County	66,931	798	11.9
Glenn County	8,648	66	7.6
Humboldt County	23,645	195	8.2
Inyo County (total)	8,871	54	6.1
White	7,965	52	6.5
Colored	906	2	2.2
Kern County	35,672	210	5.9
Kings County	20,872	254	12.2
Lake County	[2] 5,526	62	11.2
Lassen County	5,014	67	13.4
Los Angeles County	119,924	2,674	22.3
Madera County	9,831	114	11.6
Marin County	31,985	302	9.4
Mariposa County	[2] 3,956	39	9.9
Mendocino County *	26,458	318	12.0
Merced County	19,479	182	9.3
Modoc County	7,005	48	6.9
Mono County (total)	[2] 2,042	4	2.0
White	[2] 1,621	4	2.5
Colored	[2] 421	------	------
Monterey County	27,624	336	12.2
Napa County *	22,244	546	24.5
Nevada County	[2] 14,955	205	13.7
Orange County	45,195	649	14.4
Placer County	20,025	252	12.6
RURAL PART OF REGISTRATION STATES.[13]—Con.			
CALIFORNIA—continued.			
Plumas County (total)	5,699	82	14.4
White	5,075	72	14.2
Colored	624	10	16.0
Riverside County	26,461	292	11.0
Sacramento County (total)	14,800	196	13.2
White	12,733	146	11.5
Colored	2,067	50	24.2
San Benito County	9,068	105	11.6
San Bernardino County *	45,522	750	16.5
San Diego County [14]	48,162	705	14.6
San Joaquin County (total)	25,673	483	18.8
White	22,674	419	18.5
Colored	2,999	64	21.3
San Luis Obispo County	21,387	233	10.9
San Mateo County	37,162	360	9.7
Santa Barbara County	18,804	177	9.4
Santa Clara County *	60,753	1,176	19.4
Santa Cruz County	14,367	184	12.8
Shasta County	20,088	247	12.3
Sierra County	4,156	35	8.4
Siskiyou County	20,142	253	12.6
Solano County (total)	16,250	190	11.7
White	14,551	176	12.1
Colored	1,699	14	8.2
Sonoma County	55,630	735	13.2
Stanislaus County	31,990	420	13.1
Sutter County	6,650	96	14.4
Tehama County	11,697	162	13.8
Trinity County (total)	[2] 3,301	32	9.7
White	[2] 2,903	28	9.6
Colored	[2] 398	4	10.1
Tulare County	47,896	536	11.2
Tuolumne County	[2] 9,979	120	12.0
Ventura County	21,252	344	16.2
Yolo County	14,150	199	14.1
Yuba County (total)	11,080	157	14.2
White	9,826	135	13.7
Colored	1,254	22	17.5
COLORADO.			
Adams County	11,905	88	7.4
Arapahoe County	13,740	145	10.6
Archuleta County	4,167	23	5.5
Baca County	3,799	20	5.3
Bent County	6,499	81	12.5
Boulder County	36,742	411	11.2
Chaffee County	8,012	129	16.1
Cheyenne County	6,012	18	3.0
Clear Creek County	[2] 5,001	48	9.6
Conejos County [15]	19,231	82	4.3
Custer County	[2] 1,947	23	11.8
Delta County	19,673	117	5.9
Dolores County	[2] 642	4	6.2
Douglas County	3,243	26	8.0
Eagle County	[2] 2,985	13	4.4
El Paso County	12,909	229	17.7
Elbert County	6,958	41	5.9
Fremont County	20,039	194	9.7
Garfield County	13,287	113	8.5
Gilpin County	[2] 4,131	29	7.0
Grand County	2,679	23	8.6
Gunnison County	6,309	47	7.4
Hinsdale County	[2] 646	4	6.2
Huerfano County	16,914	155	9.2
Jackson County	1,410	9	6.4
Jefferson County	17,825	246	13.8
Kiowa County	4,502	5	1.1
Kit Carson County	11,791	79	6.7
La Plata County	13,581	134	9.9
Lake County	10,600	161	15.2
Larimer County	35,174	294	8.4
Las Animas County	27,844	405	14.5
Lincoln County	9,558	60	6.3
Logan County	14,115	143	10.1
Mesa County	31,633	181	5.7

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	DEATHS: 1917. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[18]—Con.			
COLORADO—continued.			
Mineral County	[2] 1,239	15	12.1
Montezuma County	6,467	61	9.4
Montrose County	14,491	86	5.9
Morgan County	14,182	146	10.3
Otero County [16]	26,536	322	12.1
Ouray County	[2] 3,514	26	7.4
Park County	[2] 2,492	17	6.8
Phillips County	4,343	42	9.7
Pitkin County	[2] 4,566	45	9.9
Prowers County	13,719	136	9.9
Pueblo County *	9,114	439	48.2
Rio Blanco County	2,801	23	8.2
Rio Grande County	8,373	37	4.4
Routt County [17]	10,407	101	9.7
Saguache County	4,383	45	10.3
San Juan County	3,589	29	8.1
San Miguel County	[2] 4,700	64	13.6
Sedgwick County	4,586	32	7.0
Summit County	[2] 2,003	27	13.5
Teller County	[2] 14,351	152	10.6
Washington County	8,036	49	6.1
Weld County	55,504	421	7.6
Yuma County	11,378	84	7.4
CONNECTICUT.			
Fairfield County	55,715	890	16.0
Hartford County	89,718	1,304	14.5
Litchfield County	55,028	738	13.4
Middlesex County	25,337	364	14.4
New Haven County	52,618	919	17.5
New London County *	46,641	747	16.0
Tolland County	27,872	367	13.2
Windham County	35,052	517	14.7
INDIANA.			
Adams County	[2] 21,840	201	9.2
Allen County	27,135	311	11.5
Bartholomew County	24,971	300	12.0
Benton County	[2] 12,688	95	7.5
Blackford County	[2] 15,820	192	12.1
Boone County	[2] 24,673	309	12.5
Brown County	[2] 7,975	92	11.5
Carroll County	[2] 17,970	210	11.7
Cass County *	16,358	351	21.5
Clark County	[2] 19,848	287	14.5
Clay County	[2] 32,535	356	10.9
Clinton County	[2] 26,674	355	13.3
Crawford County	[2] 12,057	138	11.4
Daviess County	[2] 27,747	323	11.6
Dearborn County	[2] 21,396	273	12.8
Decatur County	[2] 18,793	246	13.1
Dekalb County	[2] 25,054	336	13.4
Delaware County	27,045	349	12.9
Dubois County	[2] 19,843	196	9.9
Elkhart County	29,621	381	12.9
Fayette County	15,085	234	15.5
Floyd County	6,792	92	13.5
Fountain County	[2] 20,439	243	11.9
Franklin County	[2] 15,335	184	12.0
Fulton County	[2] 16,879	203	12.0
Gibson County	30,164	396	13.1
Grant County [18]	[19] 31,503	499	15.8
Greene County	42,963	401	9.3
Hamilton County	[2] 27,026	354	13.1
Hancock County	[2] 19,030	249	13.1
Harrison County	[2] 20,232	219	10.8
Hendricks County	[2] 20,840	256	12.3
Henry County *	33,167	504	15.2
Howard County	14,607	195	13.3
Huntington County	18,058	218	12.1
Jackson County	[2] 24,727	355	14.4
Jasper County	[2] 13,044	155	11.9
Jay County	[2] 24,961	315	12.6
Jefferson County *	[2] 20,483	431	21.0
Jennings County	[2] 14,203	187	13.2
RURAL PART OF REGISTRATION STATES[18]—Con.			
INDIANA—continued.			
Johnson County	20,517	237	11.6
Knox County	25,792	299	11.6
Kosciusko County	[2] 27,936	335	12.0
Lagrange County	[2] 15,148	176	11.6
Lake County	41,587	449	10.8
Laporte County	15,720	159	10.1
Lawrence County	34,198	346	10.1
Madison County	[20] 29,946	367	12.2
Marion County *	28,531	570	20.0
Marshall County	[2] 24,175	323	13.4
Martin County	[2] 12,950	108	8.3
Miami County	17,593	185	10.5
Monroe County	25,288	316	12.5
Montgomery County	[2] 29,296	416	14.2
Morgan County	21,709	275	12.7
Newton County	10,543	119	11.3
Noble County	24,355	349	14.3
Ohio County	[2] 4,329	63	14.6
Orange County	17,437	227	13.0
Owen County	[2] 14,053	179	12.7
Parke County	[2] 22,214	270	12.2
Perry County	[2] 18,078	222	12.3
Pike County	[2] 19,684	238	12.1
Porter County	21,535	256	11.9
Posey County	[2] 21,670	258	11.9
Pulaski County	[2] 13,312	139	10.4
Putnam County	[2] 20,520	281	13.7
Randolph County	29,275	394	13.5
Ripley County	[2] 19,452	218	11.2
Rush County	[2] 19,349	260	13.4
St. Joseph County	14,824	289	19.5
Scott County	8,334	85	10.2
Shelby County	27,027	346	12.8
Spencer County	[2] 20,676	212	10.3
Starke County	10,666	148	13.9
Steuben County	[2] 14,274	190	13.3
Sullivan County	37,135	359	9.7
Switzerland County	[2] 9,914	121	12.2
Tippecanoe County	19,606	339	17.3
Tipton County	[2] 17,459	163	9.3
Union County	[2] 6,260	82	13.1
Vanderburg County *	4,595	296	64.4
Vermilion County	21,502	312	14.5
Vigo County	39,469	519	13.1
Wabash County	[2] 26,926	321	11.9
Warren County	[2] 10,899	131	12.0
Warrick County	[2] 21,911	243	11.1
Washington County	[2] 17,445	202	11.6
Wayne County *	22,171	436	19.7
Wells County	[2] 22,418	218	9.7
White County	[2] 17,602	205	11.6
Whitley County	[2] 16,892	175	10.4
KANSAS.			
Allen County	33,577	290	8.6
Anderson County	[2] 13,829	127	9.2
Atchison County	[19] 11,322	127	11.2
Barber County	12,340	80	6.5
Barton County	20,862	195	9.3
Bourbon County	[19] 13,443	127	9.4
Brown County	[2] 21,314	219	10.3
Butler County	[2] 23,059	373	16.2
Chase County	[2] 7,527	79	10.5
Chautauqua County	[2] 11,429	122	10.7
Cherokee County	[2] 38,162	533	14.0
Cheyenne County	5,422	36	6.6
Clark County	5,838	42	7.2
Clay County	[2] 15,251	166	10.9
Cloud County	18,620	229	12.3
Coffey County	[2] 15,205	155	10.2
Comanche County	4,494	33	7.3
Cowley County	32,982	442	13.4
Crawford County	41,867	514	12.3
Decatur County	[2] 8,976	73	8.1
RURAL PART OF REGISTRATION STATES[18]—Con.			
KANSAS—continued.			
Dickinson County	26,220	261	10.0
Doniphan County	[2] 14,422	161	11.2
Douglas County	[19] 11,247	131	11.6
Edwards County	9,479	63	6.6
Elk County	[2] 10,128	104	10.3
Ellis County	14,758	159	10.8
Ellsworth County	11,041	99	9.0
Finney County	9,418	91	9.7
Ford County	15,697	206	13.1
Franklin County	[2] 20,884	306	14.7
Geary County	14,095	154	10.9
Gove County	8,675	43	5.0
Graham County	11,274	81	7.2
Grant County	1,571	8	5.1
Gray County	4,477	38	8.5
Greeley County	1,949	9	4.6
Greenwood County	[2] 16,050	159	9.9
Hamilton County	4,772	31	6.5
Harper County	17,987	124	6.9
Harvey County	20,376	263	12.9
Haskell County	1,383	16	11.6
Hodgeman County	3,587	26	7.2
Jackson County	[2] 16,861	179	10.6
Jefferson County	[2] 15,826	171	10.8
Jewell County	[2] 18,148	195	10.7
Johnson County	18,422	227	12.3
Kearny County	4,737	20	4.2
Kingman County	15,374	116	7.5
Kiowa County	8,954	50	5.6
Labette County *	18,416	261	14.2
Lane County	3,361	25	7.4
Leavenworth County [18]	[21] 22,039	514	23.3
Lincoln County	10,328	90	8.7
Linn County	[2] 14,735	186	12.6
Logan County	5,901	25	4.2
Lyon County	[2] 24,927	294	11.8
McPherson County	21,593	207	9.6
Marion County	23,684	221	9.3
Marshall County	[2] 23,880	193	8.1
Meade County	7,590	64	8.4
Miami County *	[2] 20,030	369	18.4
Mitchell County	[2] 14,089	172	12.2
Montgomery County	30,947	293	9.5
Morris County	12,710	101	7.9
Morton County	2,083	12	5.8
Nemaha County	[2] 19,072	155	8.1
Neosho County	27,037	285	10.5
Ness County	6,366	81	11.8
Norton County	11,823	128	10.8
Osage County	[2] 19,905	216	10.9
Osborne County	13,544	126	9.3
Ottawa County	12,269	105	8.6
Pawnee County	11,613	86	7.4
Phillips County	[2] 14,150	117	8.3
Pottawatomie County	[2] 17,522	156	8.9
Pratt County	14,126	86	6.1
Rawlins County	7,209	52	7.2
Reno County	22,834	171	7.5
Republic County	[2] 17,447	138	7.9
Rice County	15,369	153	10.0
Riley County	17,210	196	11.4
Rooks County	13,705	84	6.1
Rush County	9,060	68	7.5
Russell County	12,487	92	7.4
Saline County	22,718	275	12.1
Scott County	4,468	28	6.3
Sedgwick County	20,708	198	9.6
Seward County	6,477	51	7.9
Shawnee County *	18,283	410	22.4
Sheridan County	6,987	45	6.4
Sherman County	5,428	47	8.7
Smith County	[2] 15,365	130	8.5
Stafford County	14,465	86	5.9
Stanton County	1,549	7	4.5
Stevens County	3,790	30	7.9

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	DEATHS: 1917. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[12]—Con.			
KANSAS—continued.			
Sumner County	34,320	280	8.2
Thomas County	6,435	35	5.4
Trego County	7,351	45	6.1
Wabaunsee County	[2] 12,721	96	7.5
Wallace County	3,912	19	4.9
Washington County	[2] 20,229	164	8.1
Wichita County	2,597	9	3.5
Wilson County	22,866	256	11.2
Woodson County	[2] 9,450	110	11.6
Wyandotte County (total)	17,564	307	17.5
White	15,788	233	14.8
Colored	1,776	74	41.7
KENTUCKY.			
Adair County	17,682	219	12.4
Allen County	15,047	209	13.9
Anderson County	10,215	132	12.9
Ballard County (total)	14,098	160	11.3
White	12,454	130	10.4
Colored	1,644	30	18.2
Barren County (total)	26,822	387	14.4
White	23,377	299	12.8
Colored	3,445	88	25.5
Bath County	[2] 13,988	159	11.4
Bell County (total)	37,751	418	11.1
White	33,980	359	10.6
Colored	3,771	59	15.6
Boone County	[2] 9,420	118	12.5
Bourbon County (total)	[2] 17,462	260	14.9
White	11,819	155	13.1
Colored	[2] 5,643	105	18.6
Boyd County	26,809	392	14.6
Boyle County (total)	15,289	246	16.1
White	11,596	151	13.0
Colored	3,693	95	25.7
Bracken County	[2] 10,308	113	11.0
Breathitt County	19,890	162	8.1
Breckinridge County	21,399	248	11.6
Bullitt County	[2] 9,487	185	19.5
Butler County	[2] 15,805	129	8.2
Caldwell County (total)	[2] 14,063	173	12.3
White	[2] 11,543	134	11.6
Colored	[2] 2,520	39	15.5
Calloway County	21,497	232	10.8
Campbell County	30,993	412	13.3
Carlisle County	[2] 9,048	133	14.7
Carroll County	[2] 8,110	104	12.8
Carter County	23,236	304	13.1
Casey County	15,725	176	11.2
Christian County * (total)	39,489	737	18.7
White	24,008	392	16.3
Colored	15,481	345	22.3
Clark County (total)	18,931	318	16.8
White	14,981	216	14.4
Colored	3,950	102	25.8
Clay County	19,558	143	7.3
Clinton County	8,358	49	5.9
Crittenden County	[2] 13,296	139	10.5
Cumberland County (total)	10,490	104	9.9
White	9,392	82	8.7
Colored	1,098	22	20.0
Daviess County	24,666	304	12.3
Edmonson County	10,751	124	11.5
Elliott County	[2] 9,814	100	10.2
Estill County	12,713	106	8.3
Fayette County (total)	9,837	153	15.6
White	7,151	97	13.6
Colored	2,686	56	20.8
Fleming County	[2] 16,066	208	12.9
Floyd County	20,865	142	6.8
Franklin County	10,162	133	13.1
Fulton County (total)	15,988	298	18.6
White	12,257	198	16.2
Colored	3,731	100	26.8
Gallatin County	[2] 4,697	64	13.6
RURAL PART OF REGISTRATION STATES[12]—Con.			
KENTUCKY—continued.			
Garrard County (total)	[2] 11,894	120	10.1
White	9,610	87	9.1
Colored	[2] 2,284	33	14.4
Grant County	[2] 10,581	143	13.5
Graves County	33,784	433	12.8
Grayson County	20,016	222	11.1
Green County (total)	[2] 11,871	107	9.0
White	10,528	97	9.2
Colored	[2] 1,343	10	7.4
Greenup County	20,695	285	13.8
Hancock County	[2] 8,512	92	10.8
Hardin County	[2] 22,696	294	13.0
Harlan County	11,096	256	23.1
Harrison County (total)	[2] 16,873	201	11.9
White	[2] 15,122	176	11.6
Colored	[2] 1,751	25	14.3
Hart County (total)	[2] 18,173	224	12.3
White	16,182	190	11.7
Colored	[2] 1,991	34	17.1
Henderson County (total)	[19] 17,040	236	13.8
White	12,498	169	13.5
Colored	4,542	67	14.8
Henry County (total)	[2] 13,716	177	12.9
White	[2] 11,924	141	11.8
Colored	[2] 1,792	36	20.1
Hickman County (total)	11,752	179	15.2
White	10,248	145	14.1
Colored	1,504	34	22.6
Hopkins County (total)	36,696	508	13.8
White	29,066	365	12.6
Colored	7,630	143	18.7
Jackson County	10,859	88	8.1
Jefferson County* (total)	44,281	933	21.1
White	39,147	747	19.1
Colored	5,134	186	36.2
Jessamine County (total)	13,115	160	12.2
White	10,434	108	10.4
Colored	2,681	52	19.4
Johnson County	20,220	183	9.1
Kenton County	15,670	200	12.8
Knott County	12,312	103	8.4
Knox County	25,577	355	13.9
Larue County	[2] 10,701	135	12.6
Laurel County	21,536	192	8.9
Lawrence County	20,399	221	10.8
Lee County	10,656	94	8.8
Leslie County	10,598	75	7.1
Letcher County	11,682	278	23.8
Lewis County	[2] 16,887	234	13.9
Lincoln County (total)	18,508	262	14.2
White	15,959	193	12.1
Colored	2,549	69	27.1
Livingston County	[2] 10,627	132	12.4
Logan County (total)	[2] 24,977	319	12.8
White	19,623	222	11.3
Colored	[2] 5,354	97	18.1
Lyon County (total)	9,498	110	11.6
White	7,796	82	10.5
Colored	1,702	28	16.5
McCracken County (total)	14,507	166	11.4
White	12,316	145	11.8
Colored	2,191	21	9.6
McLean County	13,818	181	13.1
Madison County (total)	27,931	354	12.7
White	22,951	251	10.9
Colored	4,980	103	20.7
Magoffin County	14,857	130	8.8
Marion County (total)	16,359	268	16.4
White	14,490	209	14.4
Colored	1,869	59	31.6
Marshall County	17,287	156	9.0
Martin County	8,394	52	6.2
Mason County (total)	[2] 18,611	282	15.2
White	[2] 15,741	222	14.1
Colored	[2] 2,870	60	20.9
Meade County	[2] 9,783	138	14.1
RURAL PART OF REGISTRATION STATES[12]—Con.			
KENTUCKY—continued.			
Menifee County	[2] 6,153	51	8.3
Mercer County (total)	[2] 14,063	219	15.6
White	[2] 11,892	172	14.5
Colored	[2] 2,171	47	21.6
Metcalfe County	10,792	143	13.3
Monroe County	14,108	178	12.6
Montgomery County (total)	12,892	151	11.7
White	9,912	104	10.5
Colored	2,980	47	15.8
Morgan County	18,789	186	9.9
Muhlenberg County (total)	34,332	449	13.1
White	30,872	393	12.7
Colored	3,460	56	16.2
Nelson County (total)	17,006	253	14.9
White	14,444	195	13.5
Colored	2,562	58	22.6
Nicholas County	[2] 10,601	130	12.3
Ohio County	27,902	343	12.3
Oldham County (total)	7,371	103	14.0
White	6,689	88	13.2
Colored	682	15	22.0
Owen County	[2] 14,248	174	12.2
Owsley County	8,784	69	7.9
Pendleton County	[2] 11,985	148	12.3
Perry County	13,429	241	17.9
Pike County	38,243	516	13.5
Powell County	[2] 6,268	48	7.7
Pulaski County [22]	95,910	1,052	11.0
Robertson County	[2] 4,121	57	13.8
Rockcastle County	15,972	139	8.7
Rowan County	10,285	109	10.6
Russell County	11,712	112	9.6
Scott County (total)	[2] 16,956	184	10.9
White	[2] 12,912	114	8.8
Colored	[2] 4,044	70	17.3
Shelby County (total)	[2] 18,041	237	13.1
White	14,050	169	12.0
Colored	[2] 3,991	68	17.0
Simpson County (total)	[2] 11,460	173	15.1
White	9,295	135	14.5
Colored	[2] 2,165	38	17.6
Spencer County (total)	7,682	71	9.2
White	7,285	62	8.5
Colored	397	9	22.7
Taylor County (total)	12,608	153	12.1
White	11,334	115	10.1
Colored	1,274	38	29.8
Todd County (total)	[2] 16,488	219	13.3
White	[2] 11,145	144	12.9
Colored	[2] 5,343	75	14.0
Trigg County (total)	14,878	204	13.7
White	11,686	123	10.5
Colored	3,192	81	25.4
Trimble County	[2] 6,512	40	6.1
Union County (total)	[2] 19,886	271	13.6
White	[2] 17,472	221	12.6
Colored	[2] 2,414	50	20.7
Warren County (total)	31,023	469	15.1
White	25,554	334	13.1
Colored	5,469	135	24.7
Washington County (total)	[2] 13,940	153	11.0
White	[2] 12,161	136	11.2
Colored	[2] 1,779	17	9.6
Webster County (total)	21,614	327	15.1
White	18,786	238	12.7
Colored	2,828	89	31.5
Wolfe County	10,665	117	11.0
Woodford County (total)	[2] 12,571	175	13.9
White	8,847	115	13.0
Colored	[2] 3,724	60	16.1
MAINE.			
Androscoggin County	19,228	212	11.0
Aroostook County	84,825	893	10.5
Cumberland County	55,561	824	14.8
Franklin County	19,611	262	13.4
Hancock County	[2] 35,575	527	14.8
Kennebec County [18]	38,367	697	18.2
Knox County	[2] 28,981	463	16.0
Lincoln County	[2] 18,216	281	15.4

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this tabe, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	DEATHS: 1917. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[13]—Con.			
MAINE—continued.			
Oxford County	39,189	550	14.0
Penobscot County	64,924	885	13.6
Piscataquis County	22,030	307	13.9
Sagadahoc County	[2] 18,574	313	16.9
Somerset County	38,089	558	14.6
Waldo County	[2] 23,383	339	14.5
Washington County	[2] 42,905	587	13.7
York County	53,424	816	15.3
MARYLAND.			
Allegany County	42,088	431	10.2
Anne Arundel County* (total)	[2] 39,553	887	22.4
White	25,396	429	16.9
Colored	[2] 14,157	458	32.4
Baltimore County* (total)	145,411	2,288	15.7
White	132,078	2,039	15.4
Colored	13,333	249	18.7
Calvert County (total)	10,398	135	13.0
White	5,424	54	10.0
Colored	4,974	81	16.3
Caroline County (total)	21,382	348	16.3
White	16,193	219	13.5
Colored	5,189	129	24.9
Carroll County*	33,986	557	16.4
Cecil County (total)	[2] 23,759	368	15.5
White	[2] 20,425	309	15.1
Colored	[2] 3,334	59	17.7
Charles County (total)	[2] 16,386	274	16.7
White	[2] 7,813	96	12.3
Colored	[2] 8,573	178	20.8
Dorchester County* (total)	29,184	562	19.3
White	19,810	311	15.7
Colored	9,374	251	26.8
Frederick County*	41,996	639	15.2
Garrett County	21,859	216	9.9
Harford County (total)	27,965	442	15.8
White	22,849	330	14.4
Colored	[2] 5,116	112	21.9
Howard County (total)	[2] 16,106	229	14.2
White	12,332	150	12.2
Colored	[2] 3,774	79	20.9
Kent County (total)	[2] 16,957	298	17.6
White	[2] 10,795	134	12.4
Colored	[2] 6,162	164	26.6
Montgomery County (total)	33,284	449	13.5
White	24,636	294	11.9
Colored	8,648	155	17.9
Prince Georges County (total)	40,708	543	13.3
White	29,559	321	10.9
Colored	11,149	222	19.9
Queen Annes County (total)	[2] 16,839	297	17.6
White	[2] 11,023	168	15.2
Colored	[2] 5,816	129	22.2
St. Marys County (total)	[1] 17,030	215	12.6
White	9,726	105	10.8
Colored	[2] 7,304	110	15.1
Somerset County (total)	26,843	421	15.7
White	17,410	220	12.6
Colored	9,433	201	21.3
Talbot County (total)	[2] 19,620	305	15.5
White	[2] 12,841	152	11.8
Colored	[2] 6,779	153	22.6
Washington County	26,765	372	13.9
Wicomico County (total)	29,706	449	15.1
White	23,045	303	13.1
Colored	6,661	146	21.9
Worcester County (total)	22,554	321	14.2
White	15,413	181	11.7
Colored	7,141	140	19.6
MASSACHUSETTS.			
Barnstable County	[2] 27,542	419	15.2
Berkshire County	37,749	482	12.8
Bristol County	59,311	790	13.3
Dukes County	[2] 4,504	84	18.7
Essex County *	94,820	1,444	15.2
RURAL PART OF REGISTRATION STATES[13]—Con.			
MASSACHUSETTS—continued.			
Franklin County	33,094	492	14.9
Hampden County *	48,186	784	16.3
Hampshire County	46,610	571	12.3
Middlesex County *	129,833	2,413	18.6
Nantucket County	[2] 2,962	69	23.3
Norfolk County *	110,012	1,466	13.3
Plymouth County *	83,339	1,280	15.4
Worcester County *	135,829	2,202	16.2
MICHIGAN.			
Alcona County	5,711	59	10.3
Alger County	8,995	89	9.9
Allegan County	40,555	529	13.0
Alpena County	7,848	60	7.6
Antrim County	[2] 15,692	173	11.0
Arenac County	[2] 9,640	120	12.4
Baraga County	7,447	59	7.9
Barry County	22,721	304	13.4
Bay County	24,125	212	8.8
Benzie County	11,333	115	10.1
Berrien County	56,874	827	14.5
Branch County	[2] 25,605	382	14.9
Calhoun County	31,825	476	15.0
Cass County	[2] 20,624	328	15.9
Charlevoix County	22,954	212	9.2
Cheboygan County	19,592	204	10.4
Chippewa County	12,629	114	9.0
Clare County	9,883	107	10.8
Clinton County	[2] 23,129	310	13.4
Crawford County	4,656	77	16.5
Delta County	18,799	200	10.6
Dickinson County	22,448	179	8.0
Eaton County	[2] 30,499	470	15.4
Emmet County	20,479	234	11.4
Genesee County	23,777	444	18.7
Gladwin County	9,762	92	9.4
Gogebic County	13,052	222	17.0
Grand Traverse County	12,107	128	10.6
Gratiot County	[2] 28,820	426	14.8
Hillsdale County	[2] 29,673	419	14.1
Houghton County	104,181	914	8.8
Huron County	35,192	329	9.3
Ingham County	18,658	343	18.4
Ionia County *	[2] 33,550	436	13.0
Iosco County	[2] 9,753	108	11.1
Iron County	19,669	192	9.8
Isabella County	23,207	271	11.7
Jackson County	21,229	358	16.9
Kalamazoo County	21,783	284	13.0
Kalkaska County	8,800	98	11.1
Kent County	47,765	826	17.3
Keweenaw County	10,031	78	7.8
Lake County	[2] 4,939	52	10.5
Lapeer County *	[2] 26,033	416	16.0
Leelanau County	10,644	104	9.8
Lenawee County	[19] 36,337	533	14.7
Livingston County *	[2] 17,736	262	14.8
Luce County *	4,748	130	27.4
Mackinac County (total)	10,377	106	10.2
White	8,865	99	11.2
Colored	1,512	7	4.6
Macomb County	[2] 32,606	505	15.5
Manistee County	[2] 14,307	175	12.2
Marquette County	[23] 25,750	240	9.3
Mason County	23,981	258	10.8
Mecosta County	[2] 19,466	301	15.5
Menominee County	[21] 14,121	115	8.1
Midland County	[2] 14,005	168	12.0
Missaukee County	11,551	97	8.4
Monroe County	33,035	436	13.2
Montcalm County	[2] 32,069	420	13.1
Montmorency County	4,135	36	8.7
Muskegon County	15,727	276	17.5
Newaygo County	20,348	252	12.4
Oakland County	35,060	629	17.9
Oceana County	19,645	227	11.6
RURAL PART OF REGISTRATION STATES[13]—Con.			
MICHIGAN—continued.			
Ogemaw County	9,740	86	8.8
Ontonagon County	10,439	112	10.7
Osceola County	17,911	205	11.4
Oscoda County	2,434	9	3.7
Otsego County	6,826	74	10.8
Ottawa County	36,953	381	10.3
Presque Isle County	13,021	111	8.5
Roscommon County	2,627	17	6.5
Saginaw County	38,710	436	11.3
St. Clair County	[2] 33,478	441	13.2
St. Joseph County	26,674	360	13.5
Sanilac County	[2] 33,930	347	10.2
Schoolcraft County	9,258	89	9.6
Shiawassee County	[2] 33,246	432	13.0
Tuscola County *	[2] 34,913	470	13.5
Van Buren County	[2] 33,185	491	14.8
Washtenaw County	[10] 29,673	443	14.9
Wayne County	[24] 45,377	2,499	55.1
Wexford County	23,631	277	11.7
MINNESOTA.			
Aitkin County	13,019	104	8.0
Anoka County *	13,354	156	11.7
Becker County	20,994	202	9.6
Beltrami County	27,342	313	11.4
Benton County	11,482	94	8.2
Big Stone County	9,830	99	10.1
Blue Earth County	[2] 18,972	157	8.3
Brown County	20,387	232	11.4
Carlton County	23,065	146	6.3
Carver County	[2] 17,455	141	8.1
Cass County * (total)	14,425	153	10.6
White	13,410	142	10.6
Colored	1,015	11	10.8
Chippewa County	14,158	137	9.7
Chisago County	13,747	158	11.5
Clay County	20,881	166	7.9
Clearwater County	9,713	48	4.9
Cook County	1,719	5	2.9
Cottonwood County	13,076	103	7.9
Crow Wing County	18,766	316	16.8
Dakota County*	27,681	298	10.8
Dodge County	[2] 12,094	107	8.8
Douglas County	[2] 17,669	188	10.6
Faribault County	[2] 19,949	167	8.4
Fillmore County	[2] 25,680	218	8.5
Freeborn County	22,606	194	8.6
Goodhue County	32,001	335	10.5
Grant County	9,244	58	6.3
Hennepin County	36,779	294	8.0
Houston County	[2] 14,297	115	8.0
Hubbard County	12,204	79	6.5
Isanti County	13,300	157	11.8
Itasca County	27,338	164	6.0
Jackson County	[2] 14,491	115	7.9
Kanabec County	7,809	50	6.4
Kandiyohi County	19,373	194	10.0
Kittson County	10,967	52	4.7
Koochiching County	10,217	113	11.1
Lac qui Parle County	16,271	122	7.5
Lake County	10,462	77	7.4
LeSueur County	[2] 18,609	173	9.3
Lincoln County	10,536	64	6.1
Lyon County	16,546	159	9.6
McLeod County	[2] 18,691	160	8.6
Mahnomen County (total)	[25] 3,249	44	13.5
White	[25] 1,614	23	14.3
Colored	[25] 1,635	21	12.8
Marshall County	16,805	127	7.6
Martin County	17,942	142	7.9
Meeker County	[2] 17,022	166	9.8
Mille Lacs County	12,630	127	10.1
Morrison County	24,901	227	9.1
Mower County	22,861	224	9.8
Murray County	[2] 11,755	90	7.7

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	DEATHS: 1917. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[18]—Con.			
MINNESOTA—continued.			
Nicollet County *	[2] 14,125	251	17.8
Nobles County	15,412	125	8.1
Norman County	[25] 13,446	92	6.8
Olmsted County *	[2] 22,497	840	37.3
Otter Tail County *	46,519	609	13.1
Pennington County	10,983	115	10.5
Pine County	19,039	164	8.6
Pipestone County	9,762	80	8.2
Polk County	36,419	330	9.1
Pope County	12,869	126	9.8
Ramsey County	9,985	83	8.3
Red Lake County	7,689	64	8.3
Redwood County	19,274	151	7.8
Renville County	[2] 23,123	163	7.0
Rice County*	[2] 25,911	304	11.7
Rock County	10,626	58	5.5
Roseau County	14,509	109	7.5
St. Louis County	108,889	882	8.1
Scott County	[2] 14,888	159	10.7
Sherburne County	7,661	94	12.3
Sibley County	[2] 15,540	128	8.2
Stearns County	40,579	329	8.1
Steele County	[2] 16,146	179	11.1
Stevens County	[2] 8,293	61	7.4
Swift County	[2] 12,949	122	9.4
Todd County	24,277	197	8.1
Traverse County	8,395	45	5.4
Wabasha County	[2] 18,554	226	12.2
Wadena County	9,185	94	10.2
Waseca County	[2] 13,466	114	8.5
Washington County	[2] 15,815	152	9.6
Watonwan County	[2] 11,382	94	8.3
Wilkin County	9,780	60	6.1
Winona County	[2] 14,815	138	9.3
Wright County	[2] 28,082	261	9.3
Yellow Medicine County	15,991	140	8.8
MISSOURI.			
Adair County	23,407	280	12.0
Andrew County	[2] 15,282	156	10.2
Atchison County	[2] 13,604	105	7.7
Audrain County	22,069	224	10.1
Barry County	[2] 23,869	191	8.0
Barton County	[2] 16,747	158	9.4
Bates County	[2] 25,869	287	11.1
Benton County	[2] 14,881	123	8.3
Bollinger County	[2] 14,576	116	8.0
Boone County (total)	31,911	392	12.3
White	28,007	305	10.9
Colored	3,904	87	22.3
Buchanan County	[8] 14,833	167	11.3
Butler County	23,435	472	20.1
Caldwell County	[2] 14,605	162	11.1
Callaway County* (total)	[2] 24,400	403	16.5
White	[2] 20,885	307	14.7
Colored	[2] 3,515	96	27.3
Camden County	[2] 11,582	91	7.9
Cape Girardeau County	30,033	414	13.8
Carroll County	[2] 23,098	236	10.2
Carter County	[2] 5,504	57	10.4
Cass County	[2] 22,973	243	10.6
Cedar County	[2] 16,080	160	10.0
Chariton County	[2] 23,503	217	9.2
Christian County	[2] 15,332	128	8.1
Clark County	[2] 12,811	137	10.7
Clay County	21,323	328	15.4
Clinton County	[2] 15,297	144	9.4
Cole County	9,251	103	11.1
Cooper County (total)	[2] 20,311	253	12.5
White	[2] 17,432	197	11.3
Colored	[2] 2,879	56	19.5
Crawford County	14,025	121	8.6
Dade County	[2] 15,613	136	8.7
Dallas County	[2] 13,181	63	4.8
Daviess County	[2] 17,605	189	10.7
Dekalb County	[2] 12,531	129	10.3
Dent County	13,432	118	8.8
RURAL PART OF REGISTRATION STATES[18]—Con.			
MISSOURI—continued.			
Douglas County	[2] 16,664	97	5.8
Dunklin County	36,621	721	19.7
Franklin County	[2] 29,830	373	12.5
Gasconade County	13,247	130	9.8
Gentry County	[2] 16,820	161	9.6
Greene County	30,777	279	9.1
Grundy County	[2] 16,744	241	14.4
Harrison County	[2] 20,466	220	10.7
Henry County	[2] 27,242	317	11.6
Hickory County	[2] 8,741	52	5.9
Holt County	[2] 14,539	149	10.2
Howard County (total)	[2] 15,653	175	11.2
White	[2] 12,500	125	10.0
Colored	[2] 3,153	50	15.9
Howell County	[2] 21,065	234	11.1
Iron County	[2] 8,563	85	9.9
Jackson County	42,181	473	11.2
Jasper County	46,317	710	15.3
Jefferson County	29,458	331	11.2
Johnson County	[2] 26,297	314	11.9
Knox County	[2] 12,403	120	9.7
Laclede County	17,976	161	9.0
Lafayette County	[2] 30,154	387	12.8
Lawrence County	[2] 26,553	295	11.1
Lewis County	[2] 15,514	171	11.0
Lincoln County	[2] 17,033	197	11.6
Linn County	[2] 25,253	272	10.8
Livingston County	[2] 19,453	217	11.2
McDonald County	[2] 13,539	87	6.4
Macon County	[2] 30,868	323	10.5
Madison County	12,218	178	14.6
Maries County	10,432	95	9.1
Marion County	11,267	145	12.9
Mercer County	[2] 12,335	109	8.8
Miller County	17,833	120	6.7
Mississippi County (total)	16,540	201	12.2
White	14,720	170	11.5
Colored	1,820	31	17.0
Moniteau County	[2] 14,375	175	12.2
Monroe County	[2] 18,304	192	10.5
Montgomery County	[2] 15,604	172	11.0
Morgan County	13,365	139	10.4
New Madrid County (total)	25,478	257	10.1
White	23,334	242	10.4
Colored	2,144	15	7.0
Newton County	27,234	314	11.5
Nodaway County	[2] 28,833	333	11.5
Oregon County	15,245	79	5.2
Osage County	14,420	146	10.1
Ozark County	[2] 11,926	75	6.3
Pemiscot County	24,992	414	16.6
Perry County	[2] 14,398	113	7.6
Pettis County	15,277	133	8.7
Phelps County	16,964	189	11.1
Pike County (total)	[2] 22,556	286	12.7
White	[2] 19,206	218	11.4
Colored	[2] 3,350	68	20.3
Platte County	[2] 14,429	193	13.4
Polk County	[2] 21,561	230	10.7
Pulaski County	12,199	133	10.9
Putnam County	[2] 14,308	142	9.9
Ralls County	13,368	145	10.8
Randolph County	14,404	182	12.6
Ray County	[2] 21,451	259	12.1
Reynolds County	10,637	52	4.9
Ripley County	[2] 13,099	139	10.6
St. Charles County	24,854	302	12.2
St. Clair County	[2] 16,412	147	9.0
St. Francois County*	44,267	572	12.9
St. Louis County*	106,049	1,544	14.6
Ste. Genevieve County	10,787	129	12.0
Saline County* (total)	[2] 29,448	357	12.1
White	[2] 25,664	305	11.9
Colored	[2] 3,784	52	13.7
Schuyler County	[2] 9,062	91	10.0
Scotland County	[2] 11,869	138	11.6
Scott County	29,145	353	12.1
Shannon County	11,585	99	8.5
Shelby County	[2] 14,864	115	7.7
RURAL PART OF REGISTRATION STATES[18]—Con.			
MISSOURI—continued.			
Stoddard County	30,097	358	11.9
Stone County	12,775	82	6.4
Sullivan County	[2] 18,598	170	9.1
Taney County	[2] 9,134	88	9.6
Texas County	[2] 21,458	217	10.1
Vernon County*	[2] 28,827	470	16.3
Warren County	[2] 9,123	119	13.0
Washington County	[2] 13,378	172	12.9
Wayne County	[2] 15,181	162	10.7
Webster County	17,914	175	9.8
Worth County	[2] 8,007	62	7.7
Wright County	18,895	150	7.9
MONTANA.			
Beaverhead County	7,053	83	11.8
Broadwater County	4,112	34	8.3
Cascade County	[21] 17,115	85	5.0
Chouteau County [26]	54,939	817	14.9
Custer County [27]	124,597	1,490	12.0
Deer Lodge County* [28]	9,356	318	34.0
Flathead County [29]	31,946	253	7.9
Gallatin County	17,381	168	9.7
Granite County	[2] 2,942	64	21.8
Jefferson County	5,799	60	10.3
Lewis and Clark County	10,022	96	9.6
Madison County	[2] 7,229	65	9.0
Missoula County [30]	17,975	172	9.6
Park County	13,205	114	8.6
Ravalli County	14,471	93	6.4
Silver Bow County	19,517	565	28.9
NEW HAMPSHIRE.			
Belknap County	10,866	209	19.2
Carroll County	[2] 16,316	251	15.4
Cheshire County	[19] 19,934	281	14.1
Coos County	17,799	273	15.3
Grafton County	42,242	668	15.8
Hillsborough County	28,727	586	20.4
Merrimack County	31,137	532	17.1
Rockingham County	41,238	608	14.7
Strafford County	[19] 25,675	373	14.5
Sullivan County	20,305	350	17.2
NEW JERSEY.			
Atlantic County	30,986	454	14.7
Bergen County	148,957	1,687	11.3
Burlington County	72,642	1,140	15.7
Camden County	59,012	909	15.4
Cape May County	24,521	299	12.2
Cumberland County	29,807	440	14.8
Essex County*	52,218	1,190	22.8
Gloucester County	41,355	547	13.2
Hudson County*	53,465	1,232	23.0
Hunterdon County*	[2] 33,569	498	14.8
Mercer County	33,795	575	17.0
Middlesex County	71,227	991	13.9
Monmouth County	73,626	1,198	16.3
Morris County*	68,263	1,112	16.3
Ocean County	22,465	343	15.3
Passaic County	45,222	552	12.2
Salem County (total)	28,072	484	17.2
White	24,533	405	16.5
Colored	3,539	79	22.3
Somerset County*	43,106	615	14.3
Sussex County	28,714	388	13.5
Union County	56,852	860	15.1
Warren County	31,253	406	13.0
NEW YORK.			
Albany County	32,029	481	15.0
Allegany County	[2] 41,412	585	14.1
Broome County	30,996	725	23.4
Cattaraugus County	49,195	752	15.3
Cayuga County	29,918	502	16.8
Chautauqua County	58,655	791	13.5
Chemung County	16,827	321	19.1
Chenango County	[2] 35,575	667	18.7
Clinton County*	35,704	480	13.4
Columbia County	31,085	488	15.7

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[18]—Con.			
NEW YORK—continued.			
Cortland County	17,148	296	17.3
Delaware County	[2] 45,575	689	15.1
Dutchess County*	61,248	1,271	20.8
Erie County*	106,549	1,342	12.6
Essex County*	35,466	595	16.8
Franklin County*	47,808	807	16.9
Fulton County	12,777	209	16.4
Genesee County	26,248	309	11.8
Greene County	[2] 30,214	503	16.6
Hamilton County	[2] 4,373	43	9.8
Herkimer County	46,576	807	17.3
Jefferson County	52,632	791	15.0
Lewis County	[2] 24,849	381	15.3
Livingston County*	38,752	695	17.9
Madison County	[2] 39,289	667	17.0
Monroe County	66,206	913	13.8
Montgomery County	26,881	402	15.0
Nassau County	104,720	1,425	13.6
Niagara County	31,946	453	14.2
Oneida County	56,217	892	15.9
Onondaga County	64,778	1,082	16.7
Ontario County	40,327	636	15.8
Orange County	79,080	1,120	14.2
Orleans County	33,341	422	12.7
Oswego County	35,878	636	17.7
Otsego County	[2] 47,216	786	16.6
Putnam County	15,307	164	10.7
Rensselaer County	33,352	487	14.6
Rockland County	53,130	684	12.9
St. Lawrence County	[19] 72,160	1,160	16.1
Saratoga County	48,682	727	14.9
Schenectady County	14,667	211	14.4
Schoharie County	[2] 23,855	410	17.2
Schuyler County	[2] 14,004	268	19.1
Seneca County*	[2] 26,972	688	25.5
Steuben County	53,222	970	18.2
Suffolk County*	109,682	2,428	22.1
Sullivan County*	34,904	671	19.2
Tioga County	[2] 25,624	425	16.6
Tompkins County	[19] 17,630	318	18.0
Ulster County	67,302	767	11.4
Warren County	16,727	228	13.6
Washington County	49,349	665	13.5
Wayne County	51,287	758	14.8
Westchester County	101,768	1,346	13.2
Wyoming County	32,950	424	12.9
Yates County	[2] 18,642	280	15.0
NORTH CAROLINA.			
Alamance County (total)	30,935	386	12.5
White	23,433	276	11.8
Colored	7,502	110	14.7
Alexander County	12,054	140	11.6
Alleghany County	[2] 7,745	72	9.3
Anson County (total)	28,090	346	12.3
White	13,550	152	11.2
Colored	14,540	194	13.3
Ashe County	[2] 19,074	161	8.4
Avery County	11,479	123	10.7
Beaufort County (total)	34,143	534	15.6
White	20,023	241	12.0
Colored	14,120	293	20.8
Bertie County (total)	24,864	333	13.4
White	10,135	125	12.3
Colored	14,729	208	14.1
Bladen County (total)	18,246	246	13.5
White	9,670	115	11.9
Colored	8,576	131	15.3
Brunswick County (total)	15,728	171	10.9
White	10,058	96	9.5
Colored	5,670	75	13.2
Buncombe County	28,165	352	12 5
Burke County * (total)	24,115	368	15.3
White	21,620	328	15.2
Colored	2,495	40	16.0
RURAL PART OF REGISTRATION STATES[18]—Con.			
NORTH CAROLINA—continued.			
Cabarrus County (total)	29,002	469	16.2
White	22,912	350	15.3
Colored	6,090	119	19.5
Caldwell County (total)	23,290	279	12.0
White	20,655	249	12.1
Colored	2,635	30	11.4
Camden County (total)	5,762	64	11.1
White	3,531	32	9.1
Colored	2,231	32	14.3
Carteret County (total)	15,211	171	11.2
White	12,796	124	9.7
Colored	2,415	47	19.5
Caswell County (total)	[2] 14,858	156	10.5
White	7,207	75	10.4
Colored	[2] 7,651	81	10.6
Catawba County (total)	32,141	421	13.1
White	28,315	340	12.0
Colored	3,826	81	21.2
Chatham County (total)	23,764	278	11.7
White	15,861	172	10.8
Colored	7,903	106	13.4
Cherokee County	15,797	106	6.7
Chowan County (total)	12,066	188	15.6
White	5,684	91	16.0
Colored	6,382	97	15.2
Clay County	[2] 3,909	57	14.6
Cleveland County (total)	32,717	348	10.6
White	26,239	269	10.3
Colored	6,478	79	12.2
Columbus County (total)	32,944	389	11.8
White	22,348	219	9.8
Colored	10,596	170	16.0
Craven County (total)	26,640	496	18.6
White	12,496	147	11.8
Colored	14,144	349	24.7
Cumberland County (total)	33,719	550	16.3
White	19,001	273	14.4
Colored	14,718	277	18.8
Currituck County (total)	8,543	92	10.8
White	5,345	48	9.0
Colored	3,198	44	13.8
Dare County (total)	4,902	61	12.4
White	4,464	56	12.5
Colored	438	5	11.4
Davidson County (total)	33,785	397	11.8
White	29,623	337	11.4
Colored	4,162	60	14.4
Davie County (total)	14,327	198	13.8
White	12,188	136	11.2
Colored	2,139	62	29.0
Duplin County (total)	27,659	366	13.2
White	17,827	209	11.7
Colored	9,832	157	16.0
Durham County (total)	15,717	317	20.2
White	11,584	248	21.4
Colored	4,133	69	16.7
Edgecombe County (total)	35,966	609	16.9
White	14,419	202	14.0
Colored	21,547	407	18.9
Forsyth County (total)	22,970	374	16.3
White	19,660	258	13.1
Colored	3,310	116	35.0
Franklin County (total)	[2] 24,692	377	15.3
White	13,126	161	12.3
Colored	[2] 11,566	216	18.7
Gaston County (total)	43,749	652	14.9
White	34,329	493	14.4
Colored	9,420	159	16.9
Gates County (total)	10,485	112	10.7
White	5,873	58	9.9
Colored	4,612	54	11.7
Graham County	5,046	40	7.9
Granville County (total)	26,444	278	10.5
White	13,942	154	11.0
Colored	12,502	124	9.9
Greene County (total)	13,846	201	14.5
White	7,518	106	14.1
Colored	6,328	95	15.0
RURAL PART OF REGISTRATION STATES[18]—Con.			
NORTH CAROLINA—continued.			
Guilford County (total)	55,963	783	14.0
White	44,355	574	12.9
Colored	11,608	209	18.0
Halifax County (total)	42,650	617	14.5
White	14,966	198	13.2
Colored	27,684	419	15.1
Harnett County (total)	26,689	313	11.7
White	19,185	189	9.9
Colored	7,504	124	16.5
Haywood County	24,523	253	10.3
Henderson County (total)	17,837	223	12.5
White	15,981	183	11.5
Colored	1,856	40	21.6
Hertford County (total)	16,270	209	12.8
White	6,662	61	9.2
Colored	9,608	148	15.4
Hoke County (total)	13,400	126	9.4
White	5,643	52	9.2
Colored	7,757	74	9.5
Hyde County (total)	[2] 8,840	70	7.9
White	[2] 5,139	33	6.4
Colored	[2] 3,701	37	10.0
Iredell County (total)	38,148	483	12.7
White	30,600	355	11.6
Colored	7,548	128	17.0
Jackson County	13,834	151	10.9
Johnston County (total)	48,080	655	13.6
White	36,453	471	12.9
Colored	11,627	184	15.8
Jones County (total)	9,082	98	10.8
White	4,741	54	11.4
Colored	4,341	44	10.1
Lee County (total)	11,944	161	13.5
White	8,324	100	12.0
Colored	3,620	61	16.9
Lenoir County (total)	25,783	437	16.9
White	13,967	214	15.3
Colored	11,816	223	18.9
Lincoln County (total)	18,324	231	12.6
White	15,647	190	12.1
Colored	2,677	41	15.3
McDowell County (total)	14,245	261	18.3
White	12,029	218	18.1
Colored	2,216	43	19.4
Macon County	12,255	168	13.7
Madison County	[2] 20,132	198	9.8
Martin County (total)	19,558	284	14.5
White	9,617	109	11.3
Colored	9,941	175	17.6
Mecklenburg County (total)	34,858	351	10.1
White	21,121	198	9.4
Colored	13,737	153	11.1
Mitchell County	10,263	141	13.7
Montgomery County (total)	15,530	166	10.7
White	11,877	120	10 1
Colored	3,653	46	12.6
Moore County (total)	17,859	201	11.3
White	12,050	132	11.0
Colored	5,809	69	11.9
Nash County (total)	39,747	550	13.8
White	23,086	277	12.0
Colored	16,661	273	16.4
New Hanover County (total)	6,201	118	19.0
White	3,172	37	11.7
Colored	3,029	81	26.7
Northampton County (total)	23,180	274	11.8
White	9,429	78	8.3
Colored	13,751	196	14.3
Onslow County (total)	15,719	171	10.9
White	11,024	117	10.6
Colored	4,695	54	11.5
Orange County (total)	15,338	220	14.3
White	10,656	143	13.4
Colored	4,682	77	16.4
Pamlico County (total)	11,368	125	11.0
White	6,765	68	10.1
Colored	4,603	57	12.4

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	DEATHS: 1917. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[13]—Con.			
NORTH CAROLINA—continued.			
Pasquotank County (total)	18,907	280	14.8
White	9,578	116	12.1
Colored	9,329	164	17.6
Pender County (total)	16,997	183	10.8
White	8,858	81	9.1
Colored	8,139	102	12.5
Perquimans County (total)	11,757	150	12.8
White	5,740	59	10.3
Colored	6,017	91	15.1
Person County (total)	17,846	255	14.3
White	10,042	128	12.7
Colored	7,804	127	16.3
Pitt County (total)	40,320	603	15.0
White	20,305	278	13.7
Colored	20,015	325	16.2
Polk County (total)	8,103	84	10.4
White	7,092	69	9.7
Colored	1,011	15	14.8
Randolph County (total)	30,409	322	10.6
White	27,172	266	9.8
Colored	3,237	56	17.3
Richmond County (total)	22,460	378	16.8
White	12,163	203	16.7
Colored	10,297	175	17.0
Robeson County (total)	52,964	661	12.5
White	23,997	296	12.3
Colored	28,967	365	12.6
Rockingham County (total)	38,836	584	15.0
White	29,192	386	13.2
Colored	9,644	198	20.5
Rowan County (total)	42,232	572	13.5
White	32,458	372	11.5
Colored	9,774	200	20.5
Rutherford County (total)	30,781	404	13.1
White	26,607	334	12.6
Colored	4,174	70	16.8
Sampson County (total)	32,612	440	13.5
White	21,533	281	13.0
Colored	11,079	159	14.4
Scotland County (total)	17,413	258	14.8
White	7,623	102	13.4
Colored	9,790	156	15.9
Stanly County (total)	23,332	411	17.6
White	20,955	332	15.8
Colored	2,377	79	33.2
Stokes County (total)	20,360	217	10.7
White	18,097	181	10.0
Colored	2,263	36	15.9
Surry County	32,762	369	11.3
Swain County	11,864	143	12.1
Transylvania County	7,608	79	10.4
Tyrrell County (total)	5,392	58	10.8
White	3,620	35	9.7
Colored	1,772	23	13.0
Union County (total)	37,744	437	11.6
White	27,428	280	10.2
Colored	10,316	157	15.2
Vance County (total)	21,425	372	17.4
White	11,240	166	14.8
Colored	10,185	206	20.2
Wake County (total)	49,234	668	13.6
White	29,566	348	11.8
Colored	19,668	320	16.3
Warren County (total)	21,080	310	14.7
White	7,731	83	10.7
Colored	13,349	227	17.0
Washington County (total)	11,394	190	16.7
White	5,786	90	15.6
Colored	5,608	100	17.8
Watauga County	11,493	121	10.5
Wayne County* (total)	38,867	799	20.6
White	21,712	334	15.4
Colored	17,155	465	27.1
Wilkes County	32,770	341	10.4
Wilson County (total)	31,679	596	18.8
White	17,544	262	14.9
Colored	14,135	334	23.6
Yadkin County	16,408	202	12.3
Yancey County	12,515	89	7.1
RURAL PART OF REGISTRATION STATES[13]—Con.			
OHIO.			
Adams County	[2] 24,755	279	11.3
Allen County*	25,715	373	14.5
Ashland County	24,281	305	12.6
Ashtabula County	43,451	632	14.5
Athens County*	54,416	706	13.0
Auglaize County	31,285	316	10.1
Belmont County	73,945	985	13.3
Brown County	[2] 24,832	325	13.1
Butler County	22,332	333	14.9
Carroll County	[2] 15,761	168	10.7
Champaign County	[2] 26,351	355	13.5
Clark County	19,611	273	13.9
Clermont County	[2] 29,551	387	13.1
Clinton County	[2] 23,680	294	12.4
Columbiana County	59,539	792	13.3
Coshocton County	30,693	321	10.5
Crawford County	34,124	496	14.5
Cuyahoga County	66,107	1,036	15.7
Darke County	43,225	503	11.6
Defiance County	[2] 24,498	291	11.9
Delaware County	27,751	381	13.7
Erie County	18,593	396	21.3
Fairfield County	26,720	289	10.8
Fayette County	21,757	297	13.7
Franklin County	43,118	669	15.5
Fulton County	24,725	284	11.5
Gallia County*	[2] 25,745	423	16.4
Geauga County	[2] 14,670	187	12.7
Greene County (total)	[2] 29,733	440	14.8
White	[2] 25,760	347	13.5
Colored	[2] 3,973	93	23.4
Guernsey County	34,963	322	9.2
Hamilton County	60,626	709	11.7
Hancock County	[2] 23,002	206	9.0
Hardin County	[2] 30,407	404	13.3
Harrison County	[2] 19,076	256	13.4
Henry County	[2] 25,119	244	9.7
Highland County	[2] 28,711	394	13.7
Hocking County	[2] 23,650	280	11.8
Holmes County	[2] 17,909	220	12.3
Huron County	35,576	487	13.7
Jackson County	[2] 30,791	425	13.8
Jefferson County	52,539	534	10.2
Knox County	31,940	367	11.5
Lake County	23,835	359	15.1
Lawrence County	[19] 25,409	358	14.1
Licking County	31,492	369	11.7
Logan County	[2] 30,084	370	12.3
Lorain County	33,728	371	11.0
Lucas County	19,308	306	15.8
Madison County	[2] 19,902	213	10.7
Mahoning County	37,460	595	15.9
Marion County	13,706	203	14.8
Medina County	24,795	331	13.3
Meigs County	[2] 25,594	379	14.8
Mercer County	[2] 27,536	306	11.1
Miami County	32,189	425	13 2
Monroe County	[2] 24,244	240	9.9
Montgomery County[13]	59,361	1,188	20.0
Morgan County	[2] 16,097	258	16.0
Morrow County	[2] 16,815	193	11.5
Muskingum County	29,308	365	12.5
Noble County	[2] 18,601	240	12.9
Ottawa County	22,467	284	12.6
Paulding County	[2] 22,730	184	8.1
Perry County	37,991	376	9.9
Pickaway County	[2] 26,158	361	13.8
Pike County	[2] 15,723	195	12.4
Portage County	31,079	475	15.3
Preble County	23,921	276	11.5
Putnam County	[2] 29,972	307	10.2
Richland County	27,081	336	12.4
Ross County	[19] 24,444	322	13.2
Sandusky County	35,798	396	11.1
Scioto County	24,568	382	15.5
Seneca County	30,376	416	13.7
Shelby County	24,690	294	11.9
Stark County*	45,944	760	16.5
RURAL PART OF REGISTRATION STATES[14]—Con.			
OHIO—continued.			
Summit County	41,320	926	22.4
Trumbull County	43,963	697	15.9
Tuscarawas County	59,430	676	11.4
Union County	[2] 21,871	285	13.0
Van Wert County	[2] 29,119	273	9.4
Vinton County	[2] 13,096	170	13.0
Warren County	[2] 24,497	353	14.4
Washington County	[2] 32,499	346	10.6
Wayne County	38,195	519	13.6
Williams County	25,376	299	11.8
Wood County	[2] 46,330	568	12.3
Wyandot County	[2] 20,760	240	11.6
PENNSYLVANIA.			
Adams County	[2] 34,319	430	12.5
Allegheny County	423,527	5,885	13.9
Armstrong County	79,068	894	11.3
Beaver County	80,606	1,230	15.3
Bedford County	[2] 38,879	446	11.5
Berks County*	88,847	1,499	16.9
Blair County	66,490	845	12.7
Bradford County	[2] 54,526	924	16.9
Bucks County	80,428	1,104	13.7
Butler County	55,492	652	11.7
Cambria County	140,401	1,848	13.2
Cameron County	8,079	101	12.5
Carbon County	58,931	787	13.4
Center County	43,810	594	13.6
Chester County	78,810	1,177	14.9
Clarion County	38,356	377	9.8
Clearfield County	88,377	960	10.9
Clinton County	33,259	454	13.7
Columbia County	54,725	599	10.9
Crawford County	[19] 47,597	671	14.1
Cumberland County	46,702	619	13.3
Dauphin County*	62,963	953	15.1
Delaware County	92,943	1,453	15.6
Elk County	38,038	379	10.0
Erie County	51,368	726	14.1
Fayette County	171,607	2,140	12.5
Forest County	[2] 9,435	66	7.0
Franklin County*	50,856	834	16.4
Fulton County	[2] 9,703	129	13.3
Greene County	29,320	364	12.4
Huntingdon County	40,971	583	14.2
Indiana County	83,474	1,001	12.0
Jefferson County	65,992	682	10.3
Juniata County	[2] 15,013	194	12.9
Lackawanna County	101,653	1,359	13.4
Lancaster County	110,505	1,502	13.6
Lawrence County	37,597	521	13.9
Lebanon County	42,806	667	15.6
Lehigh County*	66,719	1,132	17.0
Luzerne County	236,469	2,896	12.2
Lycoming County	50,448	519	10.3
McKean County	[2] 33,324	368	11.0
Mercer County	62,980	756	12.0
Mifflin County	31,160	426	13.7
Monroe County	24,239	339	14.0
Montgomery County	142,823	1,856	13.0
Montour County*	[2] 14,868	387	26.0
Northampton County	83,203	1,147	13.8
Northumberland County	67,746	849	12.5
Perry County	[2] 24,136	328	13.6
Pike County	[2] 8,033	115	14.3
Potter County	[2] 29.729	305	10.3
Schuylkill County *	163.240	2,474	15.2
Snyder County	[2] 16,800	211	12.6
Somerset County	81,042	920	11.4
Sullivan County	[2] 11,293	119	10.5
Susquehanna County	[2] 37.746	502	13.3
Tioga County	[2] 42,829	557	13.0
Union County	[2] 16,249	204	12.6
Venango County *	41,095	510	12.4
Warren County *	24.946	461	18.5
Washington County	159,195	2,138	13.4

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[13]—Con.			
PENNSYLVANIA—continued.			
Wayne County	[2] 29,236	367	12.6
Westmoreland County	244,274	2,804	11.5
Wyoming County	[2] 15,509	205	13.2
York County	98,227	949	9.7
RHODE ISLAND.			
Bristol County	20,856	322	15.4
Kent County	10,544	136	12.9
Newport County	13,667	182	13.3
Providence County	45,935	523	11.4
Washington County	25,518	377	14.8
SOUTH CAROLINA.			
Aiken County (total)	43,904	430	9.8
White	20,173	182	9.0
Colored	23,731	248	10.5
Anderson County (total)	79,670	945	11.9
White	51,263	517	10.1
Colored	28,407	428	15.1
Bamberg County (total)	19,454	196	10.1
White	5,678	56	9.9
Colored	13,776	140	10.2
Barnwell County (total)	[2] 34,209	274	8.0
White	[2] 9,561	46	4.8
Colored	[2] 24,648	228	9.3
Beaufort County[31] (total)	56,493	974	17.2
White	13,532	134	9.9
Colored	42,961	840	19.6
Berkeley County (total)	[2] 23,487	381	16.2
White	[2] 5,256	58	11.0
Colored	[2] 18,231	323	17.7
Calhoun County (total)	18,682	355	19.0
White	4,434	40	9.0
Colored	14,248	315	22.1
Charleston County (total)	27,981	644	23.0
White	5,787	64	11.1
Colored	22,194	580	26.1
Cherokee County (total)	29,698	378	12.7
White	20,380	231	11.3
Colored	9,318	147	15.8
Chester County (total)	30,017	453	15.1
White	11,043	173	15.7
Colored	18,974	280	14.8
Chesterfield County (total)	30,607	322	10.5
White	18,279	169	9.2
Colored	12,328	153	12.4
Clarendon County (total)	35,110	579	16.5
White	9,350	99	10.6
Colored	25,760	480	18.6
Colleton County (total)	36,804	338	9.2
White	14,486	106	7.3
Colored	22,318	232	10.4
Darlington County (total)	39,879	648	16.2
White	16,646	224	13.5
Colored	23,233	424	18.2
Dillon County (total)	25,682	308	12.0
White	12,336	146	11.8
Colored	13,346	162	12.1
Dorchester County (total)	19,058	232	12.2
White	7,422	74	10.0
Colored	11,636	158	13.6
Fairfield County (total)	29,454	273	9.3
White	7,076	46	6.5
Colored	22,378	227	10.1
Florence County (total)	40,925	799	19.5
White	17,890	297	16.6
Colored	23,035	502	21.8
Georgetown County (total)	[2] 22,270	409	18.4
White	6,158	79	12.8
Colored	[2] 16,112	330	20.5
Greenville County (total)	60,670	745	12.3
White	45,785	535	11.7
Colored	14,885	210	14.1
Greenwood County[32] (total)	104,675	1,212	11.6
White	37,207	423	11.4
Colored	67,468	789	11.7
Horry County (total)	29,646	377	12.7
White	22,719	231	10.2
Colored	6,927	146	21.1
RURAL PART OF REGISTRATION STATES[13]—Con.			
SOUTH CAROLINA—continued.			
Kershaw County (total)	29,991	302	10.1
White	12,024	117	9.7
Colored	17,967	185	10.3
Lancaster County (total)	28,358	359	12.7
White	14,490	155	10.7
Colored	13,868	204	14.7
Laurens County (total)	44,593	563	12.6
White	21,417	240	11.2
Colored	23,176	323	13.9
Lee County (total)	28,025	412	14.7
White	9,109	95	10.4
Colored	18,916	317	16.8
Lexington County (total)	35,985	344	9.6
White	23,222	174	7.5
Colored	12,763	170	13.3
Marion County (total)	23,390	332	14.2
White	10,529	100	9.5
Colored	12,861	232	18.0
Marlboro County (total)	33,780	474	14.0
White	13,013	158	12.1
Colored	20,767	316	15.2
Newberry County (total)	37,801	431	11.4
White	14,146	147	10.4
Colored	23,655	284	12.0
Oconee County (total)	30,041	422	14.0
White	22,647	270	11.9
Colored	7,394	152	20.6
Orangeburg County (total)	62,775	956	15.2
White	21,738	213	9.8
Colored	41,037	743	18.1
Pickens County (total)	29,836	310	10.4
White	23,945	208	8.7
Colored	5,891	102	17.3
Richland County (total)	26,950	268	9.9
White	11,248	43	3.8
Colored	15,702	225	14.3
Saluda County (total)	22,385	159	7.1
White	10,436	60	5.7
Colored	11,949	99	8.3
Spartanburg County (total)	74,549	953	12.8
White	53,080	649	12.2
Colored	21,469	304	14.2
Sumter County (total)	42,586	843	19.8
White	11,570	155	13.4
Colored	31,016	688	22.2
Union County (total)	33,129	343	10.4
White	16,992	169	9.9
Colored	16,137	174	10.8
Williamsburg County (total)	41,962	513	12.2
White	16,304	102	6.3
Colored	25,658	411	16.0
York County (total)	52,122	667	12.8
White	24,191	300	12.4
Colored	27,931	367	13.1
TENNESSEE.			
Anderson County	17,777	196	11.0
Bedford County (total)	[2] 22,667	293	12.9
White	[2] 17,181	208	12.1
Colored	[2] 5,486	85	15.5
Benton County	12,864	144	11.2
Bledsoe County	[2] 6,329	52	8.2
Blount County	21,979	358	16.3
Bradley County (total)	16,756	270	16.1
White	15,298	233	15.2
Colored	1,458	37	25.4
Campbell County	34,738	170	4.9
Cannon County	[2] 10,825	120	11.1
Carroll County (total)	[2] 23,971	313	13.1
White	18,920	228	12.1
Colored	[2] 5,051	85	16.8
Carter County	22,138	276	12.5
Cheatham County (total)	10,851	126	11.6
White	9,310	99	10.6
Colored	1,541	27	17.5
RURAL PART OF REGISTRATION STATES[13]—Con.			
TENNESSEE—continued.			
Chester County (total)	[2] 9,090	113	12.4
White	[2] 7,519	88	11.7
Colored	[2] 1,571	25	15.9
Claiborne County	25,553	150	5.9
Clay County	9,437	76	8.1
Cocke County	19,580	273	13.9
Coffee County (total)	15,662	205	13.1
White	14,170	173	12.2
Colored	1,492	32	21.4
Crockett County (total)	16,228	267	16.5
White	12,940	176	13.6
Colored	3,288	91	27.7
Cumberland County	10,068	65	6.5
Davidson County* (total)	50,806	748	14.7
White	38,034	521	13.7
Colored	12,772	227	17.8
Decatur County (total)	[2] 10,093	113	11.2
White	[2] 9,074	97	10.7
Colored	[2] 1,019	16	15.7
Dekalb County	[2] 15,434	161	10.4
Dickson County (total)	20,919	196	9.4
White	17,720	153	8.6
Colored	3,199	43	13.4
Dyer County (total)	30,600	433	14.2
White	24,965	329	13.2
Colored	5,635	104	18.5
Fayette County (total)	30,662	405	13.2
White	7,241	77	10.6
Colored	23,421	328	14.0
Fentress County	8,424	36	4.3
Franklin County (total)	20,564	282	13.7
White	17,671	214	12.1
Colored	2,893	68	23.5
Gibson County (total)	43,253	643	14.9
White	34,279	419	12.2
Colored	8,974	224	25.0
Giles County (total)	[2] 32,629	371	11.4
White	21,762	209	9.6
Colored	[2] 10,867	162	14.9
Grainger County	[2] 13,888	167	12.0
Greene County	31,436	407	12.9
Grundy County	8,701	36	4.1
Hamblen County (total)	14,321	216	15.1
White	12,864	178	13.8
Colored	1,457	38	26.1
Hamilton County (total)	47,818	772	16.1
White	40,870	611	14.9
Colored	6,948	161	23.2
Hancock County	[2] 10,778	91	8.4
Hardeman County* (total)	23,036	384	16.7
White	13,033	189	14.5
Colored	10,003	195	19.5
Hardin County (total)	[2] 17,521	130	7.4
White	[2] 15,351	115	7.5
Colored	[2] 2,170	15	6.9
Hawkins County	[2] 23,587	239	10.1
Haywood County (total)	26,436	414	15.7
White	8,298	91	11.0
Colored	18,138	323	17.8
Henderson County (total)	[2] 17,030	210	12.3
White	[2] 15,112	178	11.8
Colored	[2] 1,918	32	16.7
Henry County (total)	26,328	253	9.6
White	20,476	162	7.9
Colored	5,852	91	15.6
Hickman County (total)	16,642	85	5.1
White	14,349	60	4.2
Colored	2,293	25	10.9
Houston County (total)	[2] 6,224	80	12.9
White	[2] 5,314	66	12.4
Colored	[2] 910	14	15.4
Humphreys County	14,279	208	14.6
Jackson County	[2] 15,036	134	8.9
James County	[2] 5,210	53	10.2
Jefferson County	[2] 17,755	183	10.3
Johnson County	15,089	131	8.7

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	DEATHS: 1917. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[12]—Con.			
TENNESSEE—continued.			
Knox County*	49,590	352	7.1
Lake County (total)	9,677	83	8.6
White	5,480	46	8.4
Colored	4,197	37	8.8
Lauderdale County (total)	[2] 21,105	363	17.2
White	[2] 11,551	177	15.3
Colored	[2] 9,554	186	19.5
Lawrence County	19,150	208	10.9
Lewis County (total)	7,184	49	6.8
White	5,996	44	7.3
Colored	1,188	5	4.2
Lincoln County (total)	[2] 25,908	354	13.7
White	20,406	274	13.4
Colored	[2] 5,502	80	14.5
Loudon County	15,637	184	11.8
McMinn County	22,420	324	14.5
McNairy County	[2] 16,356	186	11.4
Macon County	15,783	208	13.2
Madison County (total)	23,617	307	13.0
White	13,743	141	10.3
Colored	9,874	166	16.8
Marion County (total)	19,943	212	10.6
White	17,523	177	10.1
Colored	2,420	35	14.5
Marshall County (total)	[2] 16,872	246	14.6
White	[2] 13,458	177	13.2
Colored	[2] 3,414	69	20.2
Maury County	[2] 40,456	455	11.2
White	[2] 24,287	285	11.7
Colored	[2] 16,169	170	10.5
Meigs County	[2] 6,131	48	7.8
Monroe County	22,271	264	11.9
Montgomery County (total)	[2] 33,672	439	13.0
White	20,239	236	11.7
Colored	[2] 13,433	203	15.1
Moore County	[2] 4,800	52	10.8
Morgan County	12,822	157	12.2
Obion County (total)	31,157	384	12.3
White	25,544	289	11.3
Colored	5,613	95	16.9
Overton County	17,678	128	7.2
Perry County	8,825	77	8.7
Pickett County	[2] 5,087	20	3.9
Polk County	16,128	232	14.4
Putnam County	22,308	225	10.1
Rhea County	16,206	175	10.8
Roane County (total)	22,948	328	14.3
White	20,768	293	14.1
Colored	2,180	35	16.1
Robertson County (total)	25,783	313	12.1
White	19,543	215	11.0
Colored	6,240	98	15.7
Rutherford County (total)	[2] 33,199	442	13.3
White	21,832	244	11.2
Colored	[2] 11,367	198	17.4
Scott County	14,310	103	7.2
Sequatchie County	4,840	41	8.5
Sevier County	22,496	198	8.8
Shelby County (total)	67,213	1,219	18.1
White	24,754	333	13.5
Colored	42,459	886	20.9
Smith County (total)	[2] 18,548	234	12.6
White	16,223	187	11.5
Colored	[2] 2,325	47	20.2
Stewart County (total)	[2] 14,860	195	13.1
White	13,054	171	13.1
Colored	[2] 1,806	24	13.3
Sullivan County	30,444	444	14.6
Sumner County (total)	[2] 25,621	337	13.2
White	20,235	255	12.6
Colored	[2] 5,386	82	15.2
Tipton County (total)	29,594	376	12.7
White	16,699	189	11.3
Colored	12,895	187	14.5
Trousdale County (total)	[2] 5,874	69	11.7
White	4,093	36	8.8
Colored	[2] 1,781	33	18.5
Unicoi County	8,185	103	12.6
Union County	[2] 11,414	106	9.3
Van Buren County	[2] 2,784	24	8.6
Warren County (total)	16,624	199	12.0
White	14,768	164	11.1
Colored	1,856	35	18.9
Washington County	33,611	571	17.0
Wayne County	[2] 12,062	132	10.9
Weakley County (total)	[2] 31,929	442	13.8
White	28,458	375	13.2
Colored	[2] 3,471	67	19.3
White County	16,342	159	9.7
Williamson County (total)	[2] 24,213	281	11.6
White	[2] 16,385	172	10.5
Colored	[2] 7,828	109	13.9
Wilson County (total)	[2] 25,394	341	13.4
White	[2] 19,091	250	13.1
Colored	[2] 6,603	91	14.4
UTAH.			
Beaver County	5,523	72	13.0
Box Elder County	16,729	153	9.1
Cache County	26,655	209	7.8
Carbon County	11,266	125	11.1
Davis County	11,792	88	7.5
Emery County	8,278	63	7.6
Garfield County	3,848	43	11.2
Grand County	1,920	10	5.2
Iron County	4,215	53	12.6
Juab County	11,155	102	9.1
Kane County	[2] 1,652	8	4.8
Millard County	6,438	68	10.6
Morgan County	2,775	30	10.8
Piute County	[2] 1,734	15	8.7
Rich County	[2] 1,883	9	4.8
Salt Lake County	49,003	578	11.8
San Juan County (total)	3,366	13	3.9
White	1,314	13	9.9
Colored	2,052	------	------
Sanpete County	16,988	188	11.1
Sevier County	10,741	129	12.0
Summit County	[2] 8,200	102	12.4
Tooele County	8,335	87	10.4
Uinta County (total)	7,483	90	12.0
White	6,822	68	10.0
Colored	661	22	33.3
Utah County*	41,946	424	10.1
Wasatch County[33]	11,973	106	8.9
Washington County	5,495	60	10.9
Wayne County	[2] 1,749	6	3.4
Weber County	10,091	91	9.0
VERMONT.			
Addison County	[2] 20,010	267	13.3
Bennington County	[2] 21,378	326	15.2
Caledonia County	27,235	429	15.8
Chittenden County	22,722	315	13.9
Essex County	[2] 7,384	99	13.4
Franklin County	[2] 29,866	460	15.4
Grand Isle County	[2] 3,761	36	9.6
Lamoille County	12,801	181	14.1
Orange County	[2] 18,703	284	15.2
Orleans County	24,296	309	12.7
Rutland County	35,969	460	12.8
Washington County*	33,021	502	15.2
Windham County	27,130	456	16.8
Windsor County	34,743	549	15.8
VIRGINIA.			
Accomac County (total)	39,628	437	11.0
White	25,380	223	8.8
Colored	14,248	214	15.0
Albemarle County (total)	25,868	504	19.5
White	17,960	280	15.6
Colored	7,908	224	28.3
Alexandria County (total)	11,791	167	14.2
White	9,349	99	10.6
Colored	2,442	68	27.8
Alleghany County (total)	15,212	139	9.1
White	12,517	100	8.0
Colored	2,695	39	14.5
Amelia County (total)	[2] 8,720	139	15.9
White	3,230	39	12.1
Colored	[2] 5,490	100	18.2
Amherst County* (total)	19,712	247	12.5
White	11,981	161	13.4
Colored	7,731	86	11.1
Appomattox County (total)	[2] 8,904	118	13.3
White	5,815	63	10.8
Colored	[2] 3,089	55	17.8
Augusta County (total)	33,700	444	13.2
White	29,708	342	11.5
Colored	3,992	102	25.6
Bath County (total)	7,226	70	9.7
White	5,932	61	10.3
Colored	1,294	9	7.0
Bedford County (total)	[2] 29,549	414	14.0
White	21,094	255	12.1
Colored	[2] 8,455	159	18.8
Bland County	[2] 5,154	52	10.1
Botetourt County (total)	18,140	194	10.7
White	14,942	140	9.4
Colored	3,198	54	16.9
Bristol (city) (total)	7,465	107	14.3
White	6,235	80	12.8
Colored	1,230	27	22.0
Brunswick County (total)	19,995	285	14.3
White	8,313	91	10.9
Colored	11,682	194	16.6
Buchanan County	14,263	179	12.5
Buckingham County (total)	[2] 15,204	197	13.0
White	7,634	83	10.9
Colored	[2] 7,570	114	15.1
Buena Vista (city) (total)	3,870	48	12.4
White	3,449	45	13.0
Colored	421	3	7.1
Campbell County (total)	26,624	328	12.3
White	16,089	181	11.2
Colored	10,535	147	14.0
Caroline County (total)	[2] 16,596	250	15.1
White	7,846	124	15.8
Colored	[2] 8,750	126	14.4
Carroll County	22,439	239	10.7
Charles City County (total)	5,409	90	16.6
White	1,420	13	9.2
Colored	3,989	77	19.3
Charlotte County (total)	16,108	190	11.8
White	7,973	81	10.2
Colored	8,135	109	13.4
Charlottesville (city) (total)	12,020	161	13.4
White	8,318	100	12.0
Colored	3,702	61	16.5
Chesterfield County (total)	18,197	279	15.3
White	11,802	153	13.0
Colored	6,395	126	19.7
Clarke County (total)	[2] 7,468	101	13.5
White	[2] 5,568	69	12.4
Colored	[2] 1,900	32	16.8
Clifton Forge (city) (total)	7,330	66	9.0
White	5,980	50	8.4
Colored	1,350	16	11.9
Craig County	5,016	50	10.0
Culpeper County (total)	[2] 13,472	148	11.0
White	8,210	77	9.4
Colored	[2] 5,262	71	13.5
Cumberland County (total)	9,340	136	14.6
White	3,430	38	11.1
Colored	5,910	98	16.6
Dickenson County	10,260	76	7.4

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[13]—Con.			
VIRGINIA—continued.			
Dinwiddie County* (total)	15,491	549	35.4
White	6,272	62	9.9
Colored	9,219	487	52.8
Elizabeth City County[18] (total)	22,513	437	19.4
White	15,072	243	16.1
Colored	7,441	194	26.1
Essex County (total)	[2] 9,105	115	12.6
White	3,790	47	12.4
Colored	[2] 5,315	68	12.8
Fairfax County (total)	21,154	282	13.3
White	16,629	209	12.6
Colored	4,525	73	16.1
Fauquier County (total)	[2] 22,526	276	12.3
White	[2] 15,037	145	9.6
Colored	[2] 7,489	131	17.5
Floyd County	[2] 14,092	160	11.4
Fluvanna County (total)	[2] 8,323	127	15.3
White	[2] 4,949	65	13.1
Colored	[2] 3,374	62	18.4
Franklin County (total)	26,864	269	10.0
White	21,832	199	9.1
Colored	5,032	70	13.9
Frederick County	[2] 12,787	154	12.0
Fredericksburg (city) (total)	6,461	118	18.3
White	5,079	86	16.9
Colored	1,382	32	23.2
Giles County	12,230	129	10.5
Gloucester County (total)	[2] 12,477	140	11.2
White	6,570	60	9.1
Colored	[2] 5,907	80	13.5
Goochland County (total)	[2] 9,237	155	16.8
White	4,007	44	11.0
Colored	[2] 5,230	111	21.2
Grayson County	22,048	199	9.0
Greene County (total)	7,464	109	14.6
White	6,199	88	14.2
Colored	1,265	21	16.6
Greensville County (total)	13,447	191	14.2
White	5,343	43	8.0
Colored	8,104	148	18.3
Halifax County (total)	42,122	554	13.2
White	21,690	255	11.8
Colored	20,432	299	14.6
Hanover County (total)	[2] 17,200	258	15.0
White	10,160	119	11.7
Colored	[2] 7,040	139	19.7
Henrico County (total)	16,439	261	15.9
White	11,671	141	12.1
Colored	4,768	120	25.2
Henry County (total)	[2] 18,459	213	11.5
White	10,997	101	9.2
Colored	[2] 7,462	112	15.0
Highland County	[2] 5,317	51	9.6
Isle of Wight County (total)	16,264	196	12.1
White	7,890	68	8.6
Colored	8,374	128	15.3
James City County* (total)	6,779	193	28.5
White	3,746	130	34.7
Colored	3,033	63	20.8
King and Queen County (total)	9,802	129	13.2
White	4,377	39	8.9
Colored	5,425	90	16.6
King George County (total)	[2] 6,378	105	16.5
White	[2] 3,465	52	15.0
Colored	[2] 2,913	53	18.2
King William County (total)	8,669	150	17.3
White	3,721	48	12.9
Colored	4,948	102	20.6
Lancaster County (total)	10,337	123	11.9
White	5,048	45	8.9
Colored	5,289	78	14.7
Lee County	26,746	316	11.8
Loudoun County (total)	[2] 21,167	292	13.8
White	[2] 15,946	202	12.7
Colored	[2] 5,221	90	17.2
Louisa County (total)	16,621	259	15.6
White	9,320	108	11.6
Colored	7,301	151	20.7
Lunenburg County (total)	13,564	170	12.5
White	6,618	78	11.8
Colored	6,946	92	13.2
Madison County (total)	[2] 10,055	113	11.2
White	6,791	65	9.6
Colored	[2] 3,264	48	14.7
Mathews County (total)	9,419	106	11.3
White	6,851	64	9.3
Colored	2,568	42	16.4
Mecklenburg County (total)	30,711	368	12.0
White	14,270	112	7.8
Colored	16,441	256	15.6
Middlesex County (total)	9,313	139	14.9
White	4,631	47	10.1
Colored	4,682	92	19.6
Montgomery County (total)	18,300	234	12.8
White	16,428	186	11.3
Colored	1,872	48	25.6
Nansemond County (total)	29,665	391	13.2
White	12,350	148	12.0
Colored	17,315	243	14.0
Nelson County (total)	17,365	192	11.1
White	12,430	126	10.1
Colored	4,935	66	13.4
New Kent County (total)	[2] 4,682	56	12.0
White	1,779	16	9.0
Colored	[2] 2,903	40	13.8
Norfolk County (total)	49,686	762	15.3
White	21,458	251	11.7
Colored	28,228	511	18.1
Northampton County (total)	18,790	197	10.5
White	8,304	53	6.4
Colored	10,486	144	13.7
Northumberland County (total)	11,455	168	14.7
White	7,141	73	10.2
Colored	4,314	95	22.0
Nottaway County (total)	14,262	194	13.6
White	6,995	67	9.6
Colored	7,267	127	17.5
Orange County (total)	14,152	149	10.5
White	8,654	75	8.7
Colored	5,498	74	13.5
Page County	14,463	205	14.2
Patrick County	18,901	158	8.5
Pittsylvania County (total)	54,154	666	12.3
White	34,644	372	10.7
Colored	19,510	294	15.1
Powhatan County (total)	[2] 6,099	125	20.5
White	2,466	28	11.4
Colored	[2] 3,633	97	26.7
Prince Edward County (total)	[2][14] 14,266	202	14.2
White	5,808	60	10.3
Colored	[2] 8,458	142	16.8
Prince George County (total)	40,000	300	7.5
White	30,500	150	4.9
Colored	9,500	150	15.8
Prince William County (total)	12,091	165	13.0
White	9,315	127	12.8
Colored	2,776	38	13.7
Princess Anne County* (total)	11,769	256	21.8
White	5,889	95	16.1
Colored	5,880	161	27.4
Pulaski County (total)	19,171	202	10.5
White	16,480	159	9.6
Colored	2,691	43	16.0
Radford (city) (total)	4,828	48	9.9
White	4,010	44	11.0
Colored	818	4	4.9
Rappahannock County (total)	[2] 8,044	109	13.6
White	[2] 5,896	79	13.4
Colored	[2] 2,148	30	14.0
Richmond County (total)	7,653	109	14.2
White	4,496	57	12.7
Colored	3,157	52	16.5
Roanoke County* (total)	20,742	259	12.5
White	17,470	205	11.7
Colored	3,272	54	16.5
Rockbridge County (total)	[2] 21,171	248	11.7
White	[2] 17,642	197	11.2
Colored	[2] 3,529	51	14.5
Rockingham County	35,905	476	13.3
Russell County	27,446	263	9.6
Scott County	24,630	271	11.0
Shenandoah County	21,441	244	11.4
Smyth County*	22,665	321	14.2
Southampton County (total)	28,823	344	11.9
White	11,076	103	9.3
Colored	17,747	241	13.6
Spotsylvania County (total)	10,441	112	10.7
White	7,083	61	8.6
Colored	3,358	51	15.2
Stafford County (total)	[2] 8,070	97	12.0
White	[2] 6,350	73	11.5
Colored	1,720	24	14.0
Surry County (total)	10,623	147	13.8
White	4,059	41	10.1
Colored	6,564	106	16.1
Sussex County (total)	14,817	214	14.4
White	5,181	43	8.3
Colored	9,636	171	17.7
Tazewell County (total)	26,085	264	10.1
White	23,833	221	9.3
Colored	2,252	43	19.1
Warren County (total)	[2] 8,589	109	12.7
White	7,457	91	12.2
Colored	[2] 1,132	18	15.9
Warwick County (total)	[34] 4,880	76	15.6
White	847	25	29.5
Colored	4,033	51	12.6
Washington County	35,627	334	9.4
Westmoreland County (total)	9,363	137	14.6
White	4,864	66	13.6
Colored	4,499	71	15.8
Winchester (city) (total)	6,376	144	22.6
White	5,388	109	20.2
Colored	988	35	35.4
Wise County	44,751	588	13.1
Wythe County (total)	[2] 20,372	235	11.5
White	18,183	203	11.2
Colored	[2] 2,189	32	14.6
York County (total)	7,957	134	16.8
White	4,447	39	8.8
Colored	3,510	95	27.1
WASHINGTON.			
Adams County	15,359	77	5.0
Asotin County	7,631	59	7.7
Chelan County	23,261	175	7.5
Clallam County (total)	7,595	138	18.2
White	6,601	110	16.7
Colored	994	28	28.2
Clarke County	35,383	258	7.3
Columbia County	[2] 7,042	50	7.1
Cowlitz County	15,980	94	5.9
Douglas County[35]	27,413	145	5.3
Ferry County (total)	4,974	49	9.9
White	4,091	36	8.8
Colored	883	13	14.7
Franklin County	8,559	43	5.0
Garfield County	4,403	31	7.0
Grays Harbor County	29,138	224	7.7
Island County	6,774	46	6.8
Jefferson County	10,253	77	7.5
King County	45,632	524	11.5
Kitsap County	25,589	247	9.7
Kittitas County	25,027	169	6.8
Lewis County	44,514	305	6.9
Lincoln County	21,606	131	6.1
Mason County	6,137	31	5.1
Okanogan County	18,871	144	7.6

For footnotes, see p. 93.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[See notes at head of this table, p. 80.]

AREA.	Population estimated as of July 1, 1917.	DEATHS: 1917. Number.	DEATHS: 1917. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[19]—Con.			
WASHINGTON—continued.			
Pacific County	17,312	107	6.2
Pierce County*	51,030	549	10.8
San Juan County	4,095	32	7.8
Skagit County*	40,168	395	9.8
Skamania County	3,761	29	7.7
Snohomish County	47,741	328	6.9
Spokane County*	41,504	409	9.9
Stevens County[33]	36,067	245	6.8
Thurston County	23,168	210	9.1
Wahkiakum County	3,625	33	9.1
Walla Walla County	15,537	91	5.9
Whatcom County	33,686	237	7.0
Whitman County	39,062	258	6.6
Yakima County[37]	66,934	459	6.9
WISCONSIN.			
Adams County	[2] 8,604	97	11.3
Ashland County (total)	[21] 11,677	79	6.8
White	10,471	79	7.5
Colored	1,206	.....	.....
Barron County	33,083	328	9.9
Bayfield County	17,151	127	7.4
Brown County	29,730	268	9.0
Buffalo County	[2] 16,006	131	8.2
Burnett County	10,156	82	8.1
Calumet County	[2] 16,701	158	9.5
Chippewa County*[38]	50,728	561	11.1
Clark County	33,159	266	8.0
Columbia County	31,135	385	12.4
Crawford County	[2] 16,288	183	11.2
Dane County*	51,960	614	11.8
Dodge County	48,023	480	10.0
Door County	19,534	206	10.5
Douglas County	8,348	62	7.4
Dunn County	25,420	252	9.9
Eau Claire County	14,585	101	6.9
Florence County	3,515	33	9.4
Fond du Lac County	33,059	324	9.8
Forest County	10,713	67	6.3
Grant County	39,099	432	11.0
Green County	[2] 21,641	244	11.3
Green Lake County	[2] 15,491	164	10.6
Iowa County	[2] 22,497	226	10.0
Iron County	9,539	112	11.7
Jackson County	[2] 17,075	171	10.0
Jefferson County	[2] 34,306	423	12.3
Juneau County	[2] 19,569	201	10.3
Kenosha County	8,286	129	15.6
Kewaunee County	[2] 16,784	161	9.6
La Crosse County	12,891	134	10.4
Lafayette County	[2] 20,075	206	10.3
Langlade County	20,352	166	8.2
Lincoln County	21,104	184	8.7
Manitowoc County	33,029	321	9.7
Marathon County	43,999	416	9.5
Marinette County	[21] 21,384	179	8.4
Marquette County	10,909	119	10.9
Milwaukee County*	63,488	1,644	25.9
Monroe County	29,448	328	11.1
Oconto County	29,146	230	7.9
Oneida County	13,300	139	10.5
Outagamie County	33,180	313	9.4
Ozaukee County	17,677	157	8.9
Pepin County	[2] 7,577	77	10.2
Pierce County	[2] 22,079	212	9.6
Polk County	23,969	244	10.2
Portage County	32,012	345	10.8
Price County	17,217	136	7.9
Racine County	18,558	238	12.8
Richland County	[2] 18,809	190	10.1
Rock County	25,744	255	9.9
St. Croix County	[2] 25,910	277	10.7
Sauk County	[2] 32,869	365	11.1
Sawyer County (total)	8,150	55	6.7
White	6,712	38	5.7
Colored	1,438	17	11.8
Shawano County	35,101	307	8.7
Sheboygan County	29,297	284	9.7
Taylor County	15,378	131	8.5
Trempealeau County	[2] 22,928	264	11.5
Vernon County	[2] 28,116	255	9.1
Vilas County	6,813	37	5.4
Walworth County	29,874	374	12.5
Washburn County	10,147	90	8.9
Washington County	23,926	242	10.1
Waukesha County*	38,464	500	13.0
Waupaca County	33,633	424	12.6
Waushara County	21,012	164	7.8
Winnebago County*	28,407	413	14.5
Wood County	34,026	403	11.8

[1] Nonregistration state: only those cities with satisfactory registration of deaths are shown.
[2] Population Apr. 15, 1910. Decrease since 1900; no estimate made.
[3] Special estimate.
[4] Colored population less than 10 per cent of the total in 1910.
[5] Estimate based on Federal census of 1910 and special census, Feb. 15, 1917.
[6] Estimate based on Federal census of 1910 and state census of 1915.
[7] Estimated population plus that of part of Wayne County annexed in 1916 and 1917.
[8] Estimate based on Federal censuses of 1890 and 1910, as returns of 1900 were defective.
[9] Population Apr. 15, 1910, plus that of territory annexed since 1910.
[10] Includes state institutions.
[11] Includes West Warwick town; separate estimated populations not available.
[12] Estimated population plus that of part of Warwick County annexed in 1917.
[13] Exclusive of municipalities having a population of 10,000 or more in 1910.
[14] Includes Imperial County; separate estimated populations not available.
[15] Includes Alamosa and Costilla Counties; separate estimated populations not available.
[16] Includes Crowley County; separate estimated populations not available.
[17] Includes Moffat County; separate estimated populations not available.
[18] Includes National Military Home.
[19] Population Apr. 15, 1910, exclusive of estimated population July 1, 1917, of the only city in the county of 10,000 inhabitants or more in 1910. Decrease since 1900; no estimate made.
[20] Population Apr. 15, 1910, excluding that of Elwood, Apr. 15, 1910, and the estimated population of Anderson, July 1, 1917. Decrease since 1900; no estimate made.
[21] Estimated population July 1, 1917, exclusive of population Apr. 15, 1910, of the only city in the county of 10,000 inhabitants or more in 1910.
[22] Includes McCreary, Wayne, and Whitley Counties; separate estimated populations not available.
[23] Estimated population July 1, 1917, excluding that of Ishpeming, Apr. 15, 1910, and the estimated population of Marquette, July 1, 1917.
[24] Estimated population minus that of territory annexed to Detroit in 1916 and 1917.
[25] Population Apr. 15, 1910. Mahnomen County organized from part of Norman County in 1906; estimate for combined counties shows decrease.
[26] Includes Blaine, Hill, Phillips, Sheridan, Teton, Toole, and Valley Counties; separate estimated populations not available.
[27] Includes Big Horn, Carbon, Carter, Dawson, Fallon, Fergus, Meagher, Musselshell, Prairie, Richland, Rosebud, Stillwater, Sweet Grass, Wheatland, Wibaux, and Yellowstone Counties; separate estimated populations not available.
[28] Includes Powell County; separate estimated populations not available.
[29] Includes Lincoln County; separate estimated populations not available.
[30] Includes Mineral and Sanders Counties; separate estimated populations not available.
[31] Includes Hampton and Jasper Counties; separate estimated populations not available.
[32] Includes Abbeville, Edgefield, and McCormick Counties; separate estimated populations not available.
[33] Includes Duchesne County; separate estimated populations not available.
[34] Estimated population minus that of territory annexed to Newport News in 1917.
[35] Includes Grant County; separate estimated populations not available.
[36] Includes Pend Oreille County; separate estimated populations not available.
[37] Includes Benton and Klickitat Counties; separate estimated populations not available.
[38] Includes Rusk County; separate estimated populations not available.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1914 TO 1917.

[The deaths and death rates in 1917, exclude those of soldiers and sailors after the United States entered the war. The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect Jan. 1, 1910. Changes depending upon new titles are indicated by asterisks (*) following the titles, and reference should be made to the statements in the text (p. 21) relative to changes in classification. In some cases these changes markedly affect the comparability of the rates.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1917	1916	1915	1914	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1917	1916	1915	1914	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	All causes	1,066,711	1,001,921	909,155	898,059	714,933	529,630	1,416.5	1,398.9	1,350.2	1,360.9	1,511.5	1,619.7
	I.—General diseases *	284,993	268,040	240,858	238,094	191,161	146,137	378.4	374.2	357.7	360.8	404.1	446.9
1	Typhoid fever	10,089	9,510	8,332	10,185	12,120	10,458	13.4	13.3	12.4	15.4	25.6	32.0
2	Typhus fever	16	35	2	3	1	3	(1)	(1)	(1)	(1)	(1)	(1)
3	Relapsing fever	1	1	.....	4	1	2	(1)	(1)	.....	(1)	(1)	(1)
4	Malaria	2,385	2,175	1,541	1,477	1,206	1,568	3.2	3.0	2.3	2.2	2.6	4.8
5	Smallpox	204	114	169	212	108	1,119	0.3	0.2	0.3	0.3	0.2	3.4
6	Measles	10,442	7,947	3,649	4,461	5,092	2,951	13.9	11.1	5.4	6.8	10.8	9.0
7	Scarlet fever	3,124	2,355	2,419	4,340	5,030	3,608	4.1	3.3	3.6	6.6	10.6	11.0
8	Whooping cough	7,837	7,284	5,421	6,816	5,440	3,572	10.4	10.2	8.1	10.3	11.5	10.9
9	Diphtheria and croup	12,442	10,367	10,544	11,786	10,576	9,674	16.5	14.5	15.7	17.9	22.4	29.6
10	Influenza	12,965	18,886	10,768	6,014	7,760	6,506	17.2	26.4	16.0	9.1	16.4	19.9
11	Miliary fever	1	.....	.....	2	(2)	3	(1)	.....	.....	(1)	(1)	(1)
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	242	291	210	306	485	460	0.3	0.4	0.3	0.5	1.0	1.4
14	Dysentery	4,546	3,550	2,519	3,026	3,076	2,810	6.0	5.0	3.7	4.6	6.5	8.6
15	Plague	.....	.....	1	10	19	18	.....	.....	(1)	(1)	(1)	0.1
16	Yellow fever	.....	1	.....	.....	1	92	.....	(1)	.....	.....	(1)	0.3
17	Leprosy	17	11	13	12	8	5	(1)	(1)	(1)	(1)	(1)	(1)
18	Erysipelas	2,863	2,680	2,340	2,472	1,977	1,455	3.8	3.7	3.5	3.7	4.2	4.5
19	Other epidemic diseases *	405	218	235	293	156	76	0.5	0.3	0.3	0.4	0.3	0.2
20	Purulent infection and septicemia	1,110	1,407	1,555	1,737	1,798	1,998	1.5	2.0	2.3	2.6	3.8	6.1
21	Glanders	4	4	4	10	7	5	(1)	(1)	(1)	(1)	(1)	(1)
22	Anthrax	61	28	35	19	21	23	0.1	(1)	0.1	(1)	(1)	0.1
23	Rabies	66	36	52	65	72	42	0.1	0.1	0.1	0.1	0.2	0.1
24	Tetanus *	1,329	1,225	1,229	1,354	1,276	1,150	1.8	1.7	1.8	2.1	2.7	3.5
25	Mycoses	39	41	42	28	29	14	0.1	0.1	0.1	(1)	0.1	(1)
26	Pellagra	3,666	2,390	2,843	1,550	101	1	4.9	3.3	4.2	2.3	0.2	(1)
27	Beriberi *	15	6	6	5	(3)	(4)	(1)	(1)	(1)	(1)	(3)	(4)
	Tuberculosis (total)	110,144	101,396	98,194	96,903	79,792	62,978	146.3	141.6	145.8	146.8	168.7	192.6
28	Tuberculosis of the lungs *	93,290	85,538	82,853	81,247	69,436	55,809	123.9	119.4	123.0	123.1	146.8	170.7
29	Acute miliary tuberculosis *	3,631	3,128	3,140	3,119	(3)	(4)	4.8	4.4	4.7	4.7	(3)	(4)
30	Tuberculous meningitis	6,084	5,706	5,445	5,410	4,289	2,905	8.1	8.0	8.1	8.2	9.1	8.9
31	Abdominal tuberculosis	3,745	3,586	3,410	3,648	2,843	1,946	5.0	5.0	5.1	5.5	6.0	6.0
32	Pott's disease	889	896	877	914	692	492	1.2	1.3	1.3	1.4	1.5	1.5
33	White swellings	505	496	463	482	348	234	0.7	0.7	0.7	0.7	0.7	0.7
34	Tuberculosis of other organs *	1,381	1,339	1,330	1,320	988	666	1.8	1.9	2.0	2.0	2.1	2.0
35	Disseminated tuberculosis	619	707	676	763	1,195	926	0.8	1.0	1.0	1.2	2.5	2.8
36	Ricket *	566	574	474	530	(3)	(4)	0.8	0.8	0.7	0.8	(3)	(4)
37	Syphilis	7,795	6,902	5,819	5,195	2,550	1,335	10.4	9.6	8.6	7.9	5.4	4.1
38	Gonococcus infection	595	539	340	253	121	41	0.8	0.8	0.5	0.4	0.3	0.1
	Cancer and other malignant tumors (total)	61,429	58,600	54,584	52,420	34,320	22,214	81.6	81.8	81.1	79.4	72.6	67.9
39	Of the buccal cavity	2,279	2,091	2,123	2,270	1,212	677	3.0	2.9	3.2	3.4	2.6	2.1
40	Of the stomach, liver	23,406	22,480	21,221	19,889	13,395	8,091	31.1	31.4	31.5	30.1	28.3	24.7
41	Of the peritoneum, intestines, rectum	8,177	7,716	7,332	6,745	4,148	2,332	10.9	10.8	10.9	10.2	8.8	7.1
42	Of the female genital organs	9,331	8,898	8,120	8,152	5,118	3,263	12.4	12.4	12.1	12.4	10.8	10.0
43	Of the breast	5,712	5,558	5,163	5,423	3,070	1,845	7.6	7.8	7.7	8.2	6.5	5.6
44	Of the skin	2,157	2,042	1,955	1,957	1,268	740	2.9	2.9	2.9	3.0	2.7	2.3
45	Of other organs or of organs not specified	10,367	9,815	8,670	7,984	6,110	5,266	13.8	13.7	12.9	12.1	12.9	16.1
46	Other tumors (tumors of the female genital organs excepted)	272	337	315	336	489	488	0.4	0.5	0.5	0.5	1.0	1.5
47	Acute articular rheumatism *	3,432	3,258	3,274	3,539	2,551	1,698	4.6	4.5	4.9	5.4	5.4	5.2
48	Chronic rheumatism and gout *	1,021	908	865	811	1,039	1,191	1.4	1.3	1.3	1.2	2.2	3.6
49	Scurvy	94	77	79	92	67	48	0.1	0.1	0.1	0.1	0.1	0.1
50	Diabetes	12,734	12,199	11,775	10,666	6,494	3,772	16.9	17.0	17.5	16.2	13.7	11.5
51	Exophthalmic goiter	1,264	1,158	1,067	1,006	512	218	1.7	1.6	1.6	1.5	1.1	0.7
52	Addison's disease	320	312	288	311	200	149	0.4	0.4	0.4	0.5	0.4	0.5
53	Leukemia	1,506	1,424	1,325	1,305	728	394	2.1	2.0	2.0	2.0	1.5	1.2
54	Anemia, chlorosis	4,022	3,785	3,521	3,326	2,293	1,578	5.3	5.3	5.2	5.0	4.8	4.8
55	Other general diseases *	1,623	1,431	1,428	1,455	476	158	2.2	2.0	2.1	2.2	1.0	0.5
56	Alcoholism (acute or chronic)	3,907	4,161	2,945	3,257	2,734	2,002	5.2	5.8	4.4	4.9	5.8	6.1
57	Chronic lead poisoning	147	190	155	149	101	87	0.2	0.3	0.2	0.2	0.2	0.3
58	Other chronic occupation poisonings	18	15	10	10	5	5	(1)	(1)	(1)	(1)	(1)	(1)
59	Other chronic poisonings	235	212	471	343	233	166	0.3	0.3	0.7	0.5	0.5	0.5
	II.—Diseases of the nervous system and of the organs of special sense *	100,291	99,077	88,108	87,614	72,470	58,890	133.2	138.3	130.8	132.8	153.2	180.1
60	Encephalitis	620	554	581	711	517	630	0.8	0.8	0.9	1.1	1.1	1.9
61	Meningitis (total)	6,673	5,091	4,985	5,823	9,197	10,366	8.9	7.1	7.4	8.8	19.4	31.7
	Simple meningitis	2,735	2,573	2,841	3,223	6,384	7,601	3.6	3.6	4.2	4.9	13.5	23.2
	Cerebrospinal meningitis (undefined)	1,186	983	1,181	1,473	2,813	2,765	1.6	1.4	1.8	2.2	5.9	8.5
	Cerebrospinal fever	2,752	1,535	963	1,127			3.7	2.1	1.4	1.7		

For footnotes, see p. 97.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1914 TO 1917—Continued.

[See note at head of this table, p. 94.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1917	1916	1915	1914	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1917	1916	1915	1914	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	II.—Diseases of the nervous system and of the organs of special sense*—Contd.												
62	Locomotor ataxia	1,772	1,717	1,757	1,699	1,249	786	2.4	2.4	2.6	2.6	2.6	2.4
63	Other diseases of the spinal cord (total)	5,147	11,036	4,183	4,121	2,736	1,589	6.8	15.4	6.2	6.2	5.8	4.9
	Acute anterior poliomyelitis	1,182	7,130	691	720			1.6	10.0	1.0	1.1		
	Other diseases of the spinal cord [5]	3,965	3,906	3,492	3,401	2,736	1,589	5.3	5.5	5.2	5.2	5.8	4.9
64	Cerebral hemorrhage, apoplexy	62,417	58,233	53,397	51,272	33,913	22,756	82.9	81.3	79.3	77.7	71.7	69.6
65	Softening of the brain	888	921	1,041	1,148	1,163	1,198	1.2	1.3	1.5	1.7	2.5	3.7
66	Paralysis without specified cause [6]	5,445	5,165	6,052	6,382	7,606	6,583	7.2	7.2	9.0	9.7	16.1	20.1
67	General paralysis of the insane [6]	5,248	5,150	5,014	4,690	2,588	2,234	7.0	7.2	7.4	7.1	5.5	6.8
68	Other forms of mental alienation	1,651	1,438	1,464	1,468	1,719	1,170	2.2	2.0	2.2	2.2	3.6	3.6
69	Epilepsy	3,161	2,882	2,582	2,582	1,981	1,452	4.2	4.0	3.8	3.9	4.2	4.4
70	Convulsions (nonpuerperal)	137	124	109	118	256	364	0.2	0.2	0.2	0.2	0.5	1.1
71	Convulsions of infants	2,172	2,437	2,694	3,420	6,038	7,000	2.9	3.4	4.0	5.2	12.8	21.4
72	Chorea	102	104	109	124	103	87	0.1	0.1	0.2	0.2	0.2	0.3
73	Neuralgia and neuritis *	429	392	391	411	2,599	2,240	0.6	0.5	0.6	0.6	5.5	6.9
74	Other diseases of the nervous system *	2,731	2,386	2,435	2,426			3.6	3.3	3.6	3.7		
75	Diseases of the eyes and their annexa	97	54	66	59	29	22	0.1	0.1	0.1	0.1	0.1	0.1
76	Diseases of the ears	1,601	1,393	1,248	1,160	776	413	2.1	1.9	1.9	1.8	1.6	1.3
	III.—Diseases of the circulatory system *	151,701	141,589	130,755	123,901	84,040	52,696	201.4	197.7	194.2	187.8	177.7	161.2
77	Pericarditis	832	735	772	803	638	677	1.1	1.0	1.1	1.2	1.3	2.1
78	Acute endocarditis *	6,669	6,696	6,147	5,946	5,790	3,665	8.9	9.3	9.1	9.0	12.2	11.2
79	Organic diseases of the heart *	115,304	107,475	99,053	93,588	62,985	40,612	153.1	150.1	147.1	141.8	133.2	124.2
80	Angina pectoris	5,914	5,445	5,180	4,751	3,204	2,143	7.9	7.6	7.7	7.2	6.8	6.6
81	Diseases of the arteries, atheroma, aneurism, etc.	19,050	17,115	15,685	15,044	8,394	3,066	25.3	23.9	23.3	22.8	17.7	9.4
82	Embolism and thrombosis	2,706	2,829	2,732	2,672	1,866	1,367	3.6	3.9	4.1	4.0	3.9	4.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	454	544	441	448	284	187	0.6	0.8	0.7	0.7	0.6	0.6
84	Diseases of the lymphatic system (lymphangitis, etc.)	454	462	452	377	144	65	0.6	0.6	0.7	0.6	0.3	0.2
85	Hemorrhage; other diseases of the circulatory system *	318	288	293	272	736	915	0.4	0.4	0.4	0.4	1.6	2.8
	IV.—Diseases of the respiratory system	133,904	118,435	109,444	104,086	88,976	72,091	177.8	165.4	162.5	157.7	188.1	220.5
86	Diseases of the nasal fossae	367	275	125	127	99	71	0.5	0.4	0.2	0.2	0.2	0.2
87	Diseases of the larynx	821	735	762	814	781	756	1.1	1.0	1.1	1.2	1.7	2.3
88	Diseases of the thyroid body	521	467	447	339	133	97	0.7	0.7	0.7	0.5	0.4	0.3
89	Acute bronchitis	7,296	6,700	6,505	6,396	7,206	6,996	9.7	9.4	9.7	9.7	15.2	21.4
90	Chronic bronchitis	5,011	4,887	5,177	5,050	5,239	5,031	6.7	6.8	7.7	7.7	11.1	15.4
91	Bronchopneumonia	37,879	35,105	33,501	32,153	19,130	10,768	50.3	49.0	49.8	48.7	40.4	32.9
92	Pneumonia (total)	74,517	63,229	55,825	51,651	48,713	41,044	98.9	88.3	82.9	78.3	103.0	125.5
	Lobar pneumonia	65,108	54,699	44,153	36,911	48,713	41,044	86.5	76.4	65.6	55.9	103.0	125.5
	Pneumonia (undefined)	9,409	8,530	11,672	14,740			12.5	11.9	17.3	22.3		
93	Pleurisy	2,827	2,599	2,323	2,441	1,955	1,520	3.8	3.6	3.4	3.7	4.1	4.6
94	Pulmonary congestion, pulmonary apoplexy	1,471	1,326	1,630	2,011	2,636	2,802	2.0	1.9	2.4	3.0	5.6	8.6
95	Gangrene of the lung	226	236	215	194	177	166	0.3	0.3	0.3	0.3	0.4	0.5
96	Asthma	1,819	1,752	1,664	1,634	1,386	1,220	2.4	2.4	2.5	2.5	2.9	3.7
97	Pulmonary emphysema	170	182	185	194	169	227	0.2	0.3	0.3	0.3	0.4	0.7
98	Other diseases of the respiratory system (tuberculosis excepted)	979	942	1,085	1,082	1,302	1,393	1.3	1.3	1.6	1.6	2.8	4.3
	V.—Diseases of the digestive system	109,303	106,027	94,987	99,673	91,377	63,834	145.8	148.0	141.1	151.0	193.2	195.2
99	Diseases of the mouth and annexa	716	676	552	522	349	242	1.0	0.9	0.8	0.8	0.7	0.7
100	Diseases of the pharynx	2,174	1,850	1,569	1,476	735	473	2.9	2.6	2.3	2.2	1.6	1.4
101	Diseases of the esophagus	120	145	143	151	132	113	0.2	0.2	0.2	0.2	0.3	0.3
102	Ulcer of the stomach	3,302	3,265	2,922	2,681	1,680	964	4.4	4.6	4.3	4.1	3.6	2.9
103	Other diseases of the stomach (cancer excepted)	7,021	7,065	7,089	7,856	7,939	5,786	9.3	9.9	10.5	11.9	16.8	17.7
104	Diarrhea and enteritis (under 2 years)	48,231	46,956	40,099	43,532	45,516	29,094	64.0	65.6	59.5	66.0	96.2	89.0
105	Diarrhea and enteritis (2 years and over)	11,269	9,807	8,226	8,875	7,891	6,610	15.0	13.7	12.2	13.4	16.7	20.2
106	Ankylostomiasis *	29	22	13	32	67	38	(1)	(1)	(1)	(1)	0.1	0.1
107	Intestinal parasites *	162	128	84	115			0.2	0.2	0.1	0.2		
108	Appendicitis and typhlitis	9,374	9,157	8,397	8,099	5,306	3,589	12.4	12.8	12.5	12.3	11.2	11.0
109	Hernia, intestinal obstruction (total)	8,663	8,074	7,577	7,706	6,089	4,256	11.5	11.3	11.3	11.7	12.9	13.0
	Hernia	3,044	2,880	2,604	2,646	1,927	1,364	4.0	4.0	3.9	4.0	4.1	4.2
	Intestinal obstruction	5,619	5,194	4,973	5,060	4,162	2,892	7.5	7.3	7.4	7.7	8.8	8.8
110	Other diseases of the intestines	1,855	1,823	1,934	1,899	1,311	945	2.5	2.5	2.9	2.9	2.8	2.9
111	Acute yellow atrophy of the liver	293	306	274	310	189	131	0.4	0.4	0.4	0.5	0.4	0.4
112	Hydatid tumor of the liver	27	32	20	24	16	11	(1)	(1)	(1)	(1)	(1)	(1)
113	Cirrhosis of the liver	8,567	8,799	8,439	8,526	6,784	4,694	11.4	12.3	12.5	12.9	14.3	14.4
114	Biliary calculi	2,475	2,438	2,228	2,149	1,301	736	3.3	3.4	3.3	3.3	2.8	2.2
115	Other diseases of the liver	3,422	3,487	3,276	3,254	2,865	2,443	4.5	4.9	4.9	4.9	6.1	7.5
116	Diseases of the spleen	129	132	107	144	95	85	0.2	0.2	0.2	0.2	0.2	0.3
117	Simple peritonitis (nonpuerperal)	1,503	1,373	1,527	1,848	2,899	3,537	2.0	1.9	2.3	2.8	6.1	10.8
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	476	492	531	474	214	88	0.6	0.7	0.8	0.7	0.5	0.3

For footnotes, see p. 97.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1914 TO 1917—Continued.

[See note at head of this table, p. 94.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1917	1916	1915	1914	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1917	1916	1915	1914	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	92,397	86,324	80,808	78,023	54,171	37,584	122.7	120.5	120.0	118.2	114.5	114.9
119	Acute nephritis	6,233	5,921	6,020	5,912	4,773	3,138	8.3	8.3	8.9	9.0	10.1	9.6
120	Bright's disease	74,639	69,395	64,480	61,633	41,339	28,565	99.1	96.9	95.8	93.4	87.4	87.4
121	Chyluria *	.....	3	.....	3	} 1,247	926	.....	(1)	.....	(1)	} 2.6	2.8
122	Other diseases of the kidneys and annexa *	1,785	1,812	1,609	1,530			2.4	2.5	2.4	2.3		
123	Calculi of the urinary passages	496	471	478	442	265	155	0.7	0.7	0.7	0.7	0.6	0.5
124	Diseases of the bladder	1,275	1,235	1,335	1,451	1,484	1,415	1.7	1.7	2.0	2.2	3.1	4.3
125	Diseases of the urethra, urinary abscess, etc	374	285	288	266	204	136	0.5	0.4	0.4	0.4	0.4	0.4
126	Diseases of the prostate	3,118	2,922	2,612	2,671	1,628	862	4.1	4.1	3.9	4.0	3.4	2.6
127	Nonvenereal diseases of the male genital organs	86	86	78	91	49	35	0.1	0.1	0.1	0.1	0.1	0.1
128	Uterine hemorrhage (nonpuerperal)	45	47	49	47	79	89	0.1	0.1	0.1	0.1	0.2	0.3
129	Uterine tumor (noncancerous)	1,494	1,329	1,253	1,198	837	581	2.0	1.9	1.9	1.8	1.8	1.8
130	Other diseases of the uterus	834	806	653	720	734	564	1.1	1.1	1.0	1.1	1.6	1.7
131	Cysts and other tumors of the ovary	647	635	562	592	472	430	0.9	0.9	0.8	0.9	1.0	1.3
132	Salpingitis and other diseases of the female genital organs	1,331	1,326	1,337	1,414	1,034	671	1.8	1.9	2.0	2.1	2.2	2.1
133	Nonpuerperal diseases of the breast (cancer excepted)	40	51	49	44	26	17	0.1	0.1	0.1	0.1	0.1	0.1
	VII.—The puerperal state	12,528	11,642	10,237	10,518	7,330	4,643	16.6	16.3	15.2	15.9	15.5	14.2
134	Accidents of pregnancy	1,028	985	941	902	800	549	1.4	1.4	1.4	1.4	1.7	1.7
135	Puerperal hemorrhage *	1,178	1,118	1,000	1,000	491	337	1.6	1.6	1.5	1.5	1.0	1.0
136	Other accidents of labor *	1,194	1,212	979	926	629	295	1.6	1.7	1.5	1.4	1.3	0.9
137	Puerperal septicemia *	5,211	4,786	4,214	4,664	3,224	2,057	6.9	6.7	6.3	7.1	6.8	6.2
138	Puerperal albuminuria and convulsions *	3,409	3,087	2,673	2,617	1,593	911	4.5	4.3	4.0	4.0	3.4	2.8
139	Puerperal phlegmasia alba dolens, embolus, sudden death *	439	415	383	378	61	4	0.6	0.6	0.6	0.6	0.1	(1)
140	Following childbirth (not otherwise defined) *	58	24	41	27	528	488	0.1	(1)	0.1	(1)	1.1	1.5
141	Puerperal diseases of the breast	11	5	6	4	3	1	(1)	(1)	(1)	(1)	(1)	(1)
	VIII.—Diseases of the skin and of the cellular tissue	3,315	3,358	3,071	3,057	2,869	2,392	4.4	4.7	4.6	4.6	6.1	7.3
142	Gangrene	1,462	1,528	1,440	1,442	1,656	1,457	1.9	2.1	2.1	2.2	3.5	4.5
143	Furuncle	449	448	421	371	221	149	0.6	0.6	0.6	0.6	0.5	0.5
144	Acute abscess	681	709	571	600	512	473	0.9	1.0	0.8	0.9	1.1	1.4
145	Other diseases of the skin and annexa	723	673	639	644	480	312	1.0	0.9	0.9	1.0	1.0	1.0
	IX.—Diseases of the bones and of the organs of locomotion *	2,295	2,039	1,771	1,697	1,335	932	3.0	2.8	2.6	2.6	2.8	2.9
146	Diseases of the bones (tuberculosis excepted) *	1,953	1,721	1,526	1,478	1,190	795	2.6	2.4	2.3	2.2	2.5	2.4
147	Diseases of the joints (tuberculosis and rheumatism excepted)	252	242	185	152	97	75	0.3	0.3	0.3	0.2	0.2	0.2
148	Amputations	6	1	3	5	13	35	(1)	(1)	(1)	(1)	(1)	0.1
149	Other diseases of the organs of locomotion	84	75	57	62	36	27	0.1	0.1	0.1	0.1	0.1	0.1
	X.—Malformations	11,841	11,412	9,986	10,314	7,066	3,978	15.7	15.9	14.8	15.6	14.9	12.2
150	Congenital malformations (stillbirths not included) (total)	11,841	11,412	9,986	10,314	7,066	3,978	15.7	15.9	14.8	15.6	14.9	12.2
	Hydrocephalus	994	995	853	860	669	527	1.3	1.4	1.3	1.3	1.4	1.6
	Congenital malformations of the heart	7,166	6,718	6,032	6,204	4,272	2,190	9.5	9.4	9.0	9.4	9.0	6.7
	Other congenital malformations	3,681	3,699	3,101	3,250	2,125	1,261	4.9	5.2	4.6	4.9	4.5	3.9
	XI.—Early infancy *	57,048	55,678	51,765	52,535	35,456	24,167	75.8	77.7	76.9	79.6	75.0	73.9
151	Congenital debility, icterus, and sclerema * (total)	45,132	44,090	41,115	42,009	30,526	17,646	59.9	61.6	61.1	63.7	64.5	54.0
	Premature birth	34,704	33,123	29,027	28,270	16,899	10,062	46.1	46.2	43.1	42.8	35.7	30.8
	Congenital debility, "atrophy," "marasmus," etc	10,428	10,967	12,088	13,739	13,627	7,585	13.8	15.3	18.0	20.8	28.8	23.2
152	Other causes peculiar to early infancy * (total)	11,717	11,313	10,424	10,280	4,765	2,499	15.6	15.8	15.5	15.6	10.1	7.6
	Injuries at birth *	6,631	6,274	5,914	5,716	3,138	1,634	8.8	8.8	8.8	8.7	6.6	5.0
	Other causes peculiar to early infancy [7]	5,086	5,039	4,510	4,564	1,627	864	6.8	7.0	6.7	6.9	3.4	2.6
153	Lack of care *	199	275	226	246	165	4,022	0.3	0.4	0.3	0.4	0.3	12.3
	XII.—Old age *	11,647	12,165	12,392	13,033	13,715	13,400	15.5	17.0	18.4	19.8	29.0	41.0
154	Senility *	11,647	12,165	12,392	13,033	13,715	13,400	15.5	17.0	18.4	19.8	29.0	41.0
	XIII.—External causes *	81,340	75,283	67,292	67,550	51,058	33,251	108.0	105.1	99.9	102.4	107.9	101.7
	Suicide (total)	9,942	10,162	11,216	10,933	7,584	4,548	13.2	14.2	16.7	16.6	16.0	13.9
155	By poison	1,844	2,016	2,481	3,000	2,281	1,549	2.4	2.8	3.7	4.5	4.8	4.7
156	By asphyxia	1,469	1,458	1,584	1,419	785	365	2.0	2.0	2.4	2.2	1.7	1.1
157	By hanging or strangulation	1,569	1,509	1,749	1,552	1,085	684	2.1	2.1	2.6	2.4	2.3	2.1
158	By drowning	603	623	670	619	415	231	0.8	0.9	1.0	0.9	0.9	0.7
159	By firearms	3,269	3,386	3,608	3,286	2,233	1,108	4.3	4.7	5.4	5.0	4.7	3.4
160	By cutting or piercing instruments	711	671	681	658	472	261	0.9	0.9	1.0	1.0	1.0	0.8
161	By jumping from high places	269	283	259	225	128	55	0.4	0.4	0.4	0.3	0.3	0.2
162	By crushing	103	104	83	89	67	20	0.1	0.1	0.1	0.1	0.1	0.1
163	Other suicides	105	112	101	85	118	275	0.1	0.2	0.1	0.1	0.3	0.8

For footnotes, see p. 97.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1914 TO 1917—Continued.

[See note at head of this table, p. 94.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1917	1916	1915	1914	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1917	1916	1915	1914	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	XIII.—External causes*—Continued.												
	Accidental or undefined * (total)	65,644	60,071	51,406	51,770	40,702	27,753	87.2	83.9	76.3	78.5	86.0	84.9
164	Poisoning by food *	779	720	639	689	1,655	1,412	1.0	1.0	0.9	1.0	3.5	4.3
165	Other acute poisonings *	1,294	1,285	1,280	1,538			1.7	1.8	1.9	2.3		
166	Conflagration *	1,157	1,054	971	1,029	545	[3]	1.5	1.5	1.4	1.6	1.2	[3]
167	Burns (conflagration excepted)	6,829	5,726	4,804	5,021	3,885	2,715	9.1	8.0	7.1	7.6	8.2	8.3
168	Absorption of deleterious gases (conflagration excepted) *	3,366	2,927	2,202	2,598	1,766	1,519	4.5	4.1	3.3	3.9	3.7	4.6
169	Accidental drowning	5,462	6,185	6,514	5,703	4,551	3,362	7.3	8.6	9.7	8.6	9.6	10.3
170	Traumatism by firearms	1,730	1,613	1,501	1,579	1,012	1,109	2.3	2.3	2.2	2.4	2.1	3.4
171	Traumatism by cutting or piercing instruments *	164	117	89	123	[3]	[4]	0.2	0.2	0.1	0.2	[3]	[4]
172	Traumatism by fall *	11,088	10,775	9,979	9,904	[3]	[4]	14.7	15.0	14.8	15.0	[3]	[4]
173	Traumatism in mines and quarries (total)	2,713	2,226	2,110	2,190	2,010	320	3.6	3.1	3.1	3.3	4.2	1.0
	Traumatism in mines	2,623	2,119	2,009	2,062			3.5	3.0	3.0	3.1		
	Traumatism in quarries	90	107	101	128			0.1	0.1	0.1	0.2	4.2	1.0
174	Traumatism by machines	2,108	1,624	1,257	1,305	1,002	285	2.8	2.3	1.9	2.0	2.1	0.9
175	Traumatism by other crushing * (total)	20,284	17,991	14,978	14,433	[3]	[4]	26.9	25.1	22.2	21.9	[3]	[4]
	Railroad accidents and injuries	8,526	8,127	6,652	7,062	7,076	4,977	11.3	11.3	9.9	10.7	15.0	15.2
	Street-car accidents and injuries	2,259	1,775	1,555	1,673	1,747		3.0	2.5	2.3	2.5	3.7	
	Automobile accidents and injuries	6,677	5,193	3,978	2,826	496	848	8.9	7.3	5.9	4.3	1.0	2.6
	Injuries by other vehicles	2,302	2,333	2,348	2,418	1,870		3.1	3.3	3.5	3.7	4.0	
	Landslide, other crushing *	520	563	445	454	[3]	[4]	0.7	0.8	0.7	0.7	[3]	[4]
176	Injuries by animals *	653	589	563	550	[3]	[4]	0.9	0.8	0.8	0.8	[3]	[4]
177	Starvation	38	47	43	57	36	33	0.1	0.1	0.1	0.1	0.1	0.1
178	Excessive cold	507	371	344	412	243	191	0.7	0.5	0.5	0.6	0.5	0.6
179	Effects of heat	1,963	2,056	407	757	763	1,188	2.6	2.9	0.6	1.1	1.6	3.6
180	Lightning	359	340	221	287	154	98	0.5	0.5	0.3	0.4	0.3	0.3
181	Electricity (lightning excepted) *	654	586	515	553	[3]	[4]	0.9	0.8	0.8	0.8	[3]	[4]
185	Fractures (cause not specified)	475	636	391	418	1,351	2,785	0.6	0.9	0.6	0.6	2.9	8.5
186	Other external violence *	4,021	3,203	2,598	2,624	8,554	6,527	5.3	4.5	3.9	4.0	18.1	20.0
	Homicide (total)	5,754	5,050	4,670	4,847	2,771	950	7.6	7.1	6.9	7.3	5.9	2.9
182	By firearms *	3,793	3,241	2,885	3,077			5.0	4.5	4.3	4.7		
183	By cutting or piercing instruments *	761	700	663	693	2,771	950	1.0	1.0	1.0	1.1	5.9	2.9
184	By other means *	1,200	1,109	1,122	1,077			1.6	1.5	1.7	1.6		
	XIV.—Ill-defined diseases *	13,603	10,852	7,681	7,964	13,907	15,633	18.1	15.2	11.4	12.1	29.4	47.8
187	Ill-defined organic disease	668	572	427	526	842	1,311	0.9	0.8	0.6	0.8	1.8	4.0
188	Sudden death	1,033	667	486	513	233	123	1.4	0.9	0.7	0.8	0.5	0.4
189	Not specified or ill-defined * (total)	11,902	9,613	6,768	6,925	12,833	14,199	15.8	13.4	10.1	10.5	27.1	43.4
	Ill-defined	4,455	3,877	2,865	3,067	11,224	12,580	5.9	5.4	4.3	4.6	23.7	38.5
	Not specified or unknown	7,447	5,736	3,903	3,858	1,609	1,618	9.9	8.0	5.8	5.8	3.4	4.9

[1] Less than one-tenth of 1 per 100,000 population.
[2] Less than 1.
[3] Figures for deaths not available for the entire period.
[4] Figures for deaths not tabulated separately prior to 1910.
[5] Exclusive of acute anterior poliomyelitis (infantile paralysis).
[6] Paresis (unqualified) transferred from List No. 66 to No. 67, beginning with 1911.
[7] Exclusive of injuries at birth.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions, but excluding the deaths of soldiers and sailors than 5 are shown in *italics*. Minor areas containing state insane asylums, state hospitals, etc., are designated by asterisks (*). Figures for white and colored are shown bered 10,000 or more, in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of munic-

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1917 is far away from

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	SUMMARY.															
1	The registration area (exclusive of Hawaii) (total).	1,416.5	13.4	3.2	0.3	13.9	4.1	10.4	16.5	17.2	3.8	128.7	8.1	9.5	5.9	81.6
2	White	1,356.3	11.5	1.8	0.3	13.2	4.4	9.2	17.1	16.6	3.9	114.0	7.9	8.5	5.7	83.7
3	Colored	2,208.4	38.0	21.0	0.5	22.6	0.8	26.0	8.7	25.6	2.1	322.1	10.8	22.7	8.9	52.9
4	Registration states [2] (total)	1,400.5	13.3	3.0	0.2	13.7	3.5	10.5	15.7	17.5	3.8	126.6	8.0	9.3	6.0	81.2
5	White	1,349.1	11.6	1.8	0.2	13.2	3.7	9.3	16.2	17.0	3.9	113.3	7.8	8.5	5.7	83.3
6	Colored	2,125.7	37.3	20.8	0.3	21.8	0.8	27.2	8.6	23.9	2.0	314.0	11.0	20.9	9.2	51.5
7	Cities in registration states [2] (total)	1,515.1	10.1	0.9	0.2	10.1	4.0	9.4	19.4	12.5	4.4	138.1	11.3	9.8	6.0	94.4
8	White	1,453.9	9.2	0.5	0.2	9.9	4.2	8.6	19.8	11.8	4.5	124.9	10.8	8.9	5.8	95.4
9	Colored	2,791.2	28.7	10.1	*0.2*	15.1	0.9	24.2	10.8	26.9	3.9	413.3	21.8	28.6	10.6	74.0
10	Rural part of registration states (total)	1,297.9	16.2	4.9	0.3	17.0	3.0	11.6	12.3	21.9	3.2	116.3	5.1	8.9	5.9	69.3
11	White	1,251.3	13.8	2.9	0.3	16.2	3.2	10.0	12.7	21.8	3.4	102.5	5.1	8.1	5.6	72.0
12	Colored	1,803.1	41.5	26.0	0.4	25.1	0.7	28.7	7.5	22.4	1.1	265.9	5.8	17.1	8.6	40.5
13	Registration cities in nonregistration states (total).	1,623.9	14.8	5.0	0.8	15.5	12.8	9.0	27.7	14.0	3.7	155.9	8.6	11.5	5.3	86.9
14	White	1,457.2	10.6	2.4	0.7	13.8	14.5	7.8	30.5	10.6	3.9	123.6	8.5	8.1	5.1	90.5
15	Colored	2,764.7	42.9	22.2	1.6	27.5	1.5	17.4	9.2	37.4	2.8	376.6	9.2	35.0	6.8	62.4
16	All registration cities [2] (total)	1,530.4	10.7	1.5	0.3	10.9	5.3	9.3	20.6	12.7	4.3	140.6	10.9	10.1	5.9	93.3
17	White	1,454.3	9.4	0.8	0.2	10.4	5.5	8.5	21.2	11.7	4.4	124.7	10.5	8.8	5.7	94.7
18	Colored	2,782.9	33.1	13.9	0.6	19.0	1.1	22.1	10.3	30.2	3.5	401.8	17.8	30.6	9.4	70.4
	REGISTRATION STATES.															
19	California (total)	1,380.3	7.2	1.3	0.5	6.4	1.6	6.7	6.8	9.4	2.1	163.2	10.5	10.4	4.0	104.8
20	White	1,360.2	6.4	1.2	0.5	6.2	1.6	6.3	6.9	9.5	2.1	155.8	9.0	9.5	4.0	106.4
21	Colored	1,783.4	24.3	*2.8*	.....	9.0	*2.1*	13.9	3.5	7.0	3.5	312.9	40.3	28.5	4.2	72.3
22	Colorado (total)	1,085.2	9.4	*0.2*	*0.1*	14.5	1.8	5.9	5.4	14.5	2.7	162.1	6.5	7.4	4.2	63.1
23	White	1,075.6	9.4	*0.2*	*0.1*	14.7	1.9	5.9	5.4	14.2	2.8	158.4	6.5	7.5	4.3	63.5
24	Colored	1,565.5	*10.4*	.....	.....	*5.2*	.....	*5.2*	*5.2*	26.0	.....	348.5	*5.2*	.....	.....	46.8
25	Connecticut (total)	1,645.3	9.3	0.7	*0.2*	10.2	1.7	8.2	18.7	25.2	4.9	139.2	17.1	10.0	6.1	95.7
26	White	1,620.3	9.0	0.7	*0.2*	10.2	1.8	8.2	18.7	24.9	5.0	133.8	16.7	9.4	6.1	95.7
27	Colored	3,629.7	38.1	.....	.....	*6.3*	.....	*12.7*	*12.7*	50.8	.....	571.1	44.4	50.8	*6.3*	95.2
28	Indiana (total)	1,401.4	17.5	1.2	0.5	20.2	5.0	9.7	15.8	21.4	4.2	121.3	6.8	13.1	5.5	89.8
29	White	1,367.0	16.8	1.2	0.5	20.0	5.1	9.2	15.5	21.0	4.2	113.7	6.5	12.3	5.4	90.3
30	Colored	2,912.5	47.6	*4.8*	*3.2*	28.5	*1.6*	28.5	28.5	38.1	*4.8*	455.0	20.6	49.1	11.1	69.8
31	Kansas (total)	1,114.8	17.5	2.2	0.4	13.5	3.1	6.9	8.1	29.3	3.2	47.6	1.8	6.7	5.0	67.8
32	White	1,073.9	16.7	2.0	0.4	13.1	3.2	6.6	8.3	28.5	3.3	41.5	1.7	6.0	4.7	68.1
33	Colored	2,369.6	44.5	8.6	.....	25.7	.....	17.1	*3.4*	53.1	*1.7*	233.0	*6.9*	30.8	13.7	60.0
34	Kentucky (total)	1,366.8	34.8	5.7	*0.1*	39.8	2.1	20.7	15.1	24.4	3.5	173.9	9.9	14.0	6.7	53.8
35	White	1,251.5	31.3	4.5	*0.1*	41.0	2.3	19.5	16.1	23.0	3.4	144.2	9.3	12.0	5.9	53.2
36	Colored	2,377.4	65.2	16.3	*0.4*	29.4	*0.4*	30.6	6.5	35.9	3.7	434.3	15.5	31.4	13.9	59.1
37	Maine (total)	1,500.9	10.5	.....	.....	18.8	0.6	5.8	9.4	30.1	4.5	93.3	7.8	13.5	5.9	105.9
38	White	1,501.0	10.6	.....	.....	18.7	0.6	5.8	9.4	30.1	4.5	92.8	7.7	13.6	5.9	106.0
39	Colored	1,453.4	.....	.....	.....	*40.4*	.....	.....	.....	*40.4*	.....	242.2	*40.4*	.....	.....	*80.7*
40	Maryland (total)	1,706.7	18.6	0.9	*0.1*	8.7	1.7	9.9	10.0	17.1	3.1	182.3	7.8	10.9	7.4	90.0
41	White	1,504.0	16.2	*0.3*	*0.1*	8.1	1.9	7.1	10.9	14.9	3.1	138.2	7.6	8.3	6.9	94.8
42	Colored	2,711.4	30.8	3.5	.....	11.3	*0.9*	23.9	5.2	28.2	3.0	400.7	8.7	23.9	9.5	65.9
43	Massachusetts (total)	1,500.9	4.8	*0.1*	0.3	9.9	3.1	6.3	22.1	12.4	6.0	123.5	11.3	9.1	4.8	108.3
44	White	1,492.2	4.8	*0.1*	0.3	9.9	3.1	6.2	22.1	12.4	6.0	120.3	11.1	8.9	4.8	108.5
45	Colored	2,211.7	*4.4*	*2.2*	.....	*6.5*	.....	*8.7*	19.6	10.9	*6.5*	384.3	24.0	24.0	*4.4*	85.1
46	Michigan (total)	1,522.8	12.6	0.3	0.3	8.9	11.1	11.8	27.7	17.3	5.8	93.0	6.9	7.7	7.3	89.0
47	White	1,507.7	12.4	0.2	0.3	8.8	11.1	11.8	27.9	17.2	5.9	89.6	6.7	7.5	7.2	89.1
48	Colored	3,262.9	37.4	*3.7*	*3.7*	22.4	*7.5*	18.7	*7.5*	18.7	.....	478.4	22.4	26.2	26.2	82.2
49	Minnesota (total)	1,034.1	4.3	*0.1*	0.9	5.6	4.0	4.1	10.9	9.5	3.2	87.6	6.7	7.6	5.2	83.7
50	White	1,024.2	4.3	(3)	0.9	5.5	4.0	4.1	10.9	9.5	3.1	83.8	6.5	7.4	5.2	83.7
51	Colored	2,290.4	.....	*5.5*	.....	*16.6*	.....	*11.1*	*5.5*	*5.5*	*5.5*	571.2	33.3	33.3	*11.1*	83.2
52	Missouri (total)	1,330.3	20.4	10.4	0.9	24.7	4.8	9.5	17.3	23.8	4.3	133.1	5.5	8.2	5.1	73.9
53	White	1,261.6	19.3	10.1	0.9	25.0	4.9	8.8	17.3	23.4	4.4	114.5	5.0	7.3	5.0	73.6
54	Colored	2,774.1	41.7	15.4	*1.9*	19.2	*1.9*	24.4	18.6	32.1	3.2	523.4	16.0	28.2	6.4	80.2
55	Montana (total)	1,393.2	16.7	.....	1.3	9.7	18.0	9.1	8.5	9.1	8.0	102.8	7.0	6.3	5.9	58.8
56	White	1,371.8	16.4	.....	1.3	9.4	18.5	9.2	8.7	9.4	8.3	92.0	6.8	5.5	6.1	59.3
57	Colored	2,080.4	*27.9*	.....	.....	*20.9*	.....	*7.0*	.....	.....	.....	446.8	*14.0*	34.9	.....	41.9
58	New Hampshire (total)	1,677.9	6.1	.....	.....	11.5	1.8	12.4	10.8	32.6	5.4	94.1	9.9	8.8	7.4	105.3
59	White	1,677.3	6.1	.....	.....	11.5	1.8	12.2	10.8	32.7	5.4	93.9	9.9	8.8	7.4	105.2
60	Colored	2,105.3	.....	.....	.....	.....	.....	*175.4*	.....	.....	.....	*175.4*	.....	.....	.....	*175.4*
61	New Jersey (total)	1,453.2	6.6	0.2	.....	4.7	1.9	9.7	14.8	13.8	2.8	136.8	8.3	8.1	6.4	83.9
62	White	1,412.9	6.4	0.2	.....	4.5	1.9	8.9	15.1	13.8	2.8	129.7	7.9	7.4	6.2	84.3
63	Colored	2,559.2	12.3	.....	.....	11.3	*0.9*	33.1	7.6	14.2	*2.8*	332.7	19.8	27.4	12.3	72.8

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917.

after the United States entered the war. Bases of rates may be found in Tables I A and I B for populations, and in Table 5 for deaths. Rates for deaths numbering less separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numipalities of 10,000 inhabitants or more, in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List (see p. 20.).]

the last census year, the estimates are probably far too high in some cases and far too low in others.

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis and typhlitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal septicemia. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (suicide excepted). 35	Suicide. 36	All other defined diseases. (37)	Unknown or ill-defined diseases. 38	
16.9	8.9	84.1	153.1	16.3	149.2	12.2	64.0	12.4	11.5	11.4	107.4	6.9	9.7	75.7	94.8	13.2	234.1	18.1	1
17.6	8.7	83.8	149.9	16.1	141.1	11.5	61.7	12.4	11.3	11.5	103.2	6.5	9.1	73.9	91.5	13.8	222.4	12.6	2
8.2	11.6	87.3	195.9	19.6	257.0	21.4	95.0	12.5	13.8	9.6	161.9	12.3	18.3	98.9	139.0	5.4	387.5	90.4	3
16.9	8.7	85.4	152.9	16.2	147.2	12.1	60.7	11.9	11.2	10.9	105.3	6.8	9.6	76.2	93.7	12.9	230.9	18.4	4
17.6	8.5	85.4	150.5	16.0	139.9	11.4	58.6	11.9	11.1	11.1	102.3	6.4	9.0	74.5	91.0	13.5	221.7	13.1	5
8.1	11.2	85.7	187.0	19.2	250.5	20.9	90.9	10.9	12.3	8.4	148.9	12.0	17.9	100.7	132.0	5.0	361.2	93.5	6
20.1	10.9	83.8	168.5	17.9	177.3	12.8	69.6	16.9	13.8	13.8	123.0	8.1	9.6	79.6	104.5	15.9	233.2	5.2	7
20.4	10.3	82.1	162.8	17.3	165.0	12.1	67.4	16.7	13.5	13.8	117.8	7.7	9.4	78.1	100.8	16.2	223.9	4.3	8
13.8	21.3	121.7	288.2	31.1	433.4	26.0	115.7	21.2	19.5	14.3	231.4	16.4	15.6	112.3	180.2	9.0	426.6	23.8	9
14.1	6.8	86.8	139.0	14.8	120.3	11.5	52.8	7.4	8.8	8.3	89.5	5.7	9.6	73.1	84.1	10.3	228.9	30.2	10
14.9	6.8	88.5	139.1	14.9	116.4	10.8	50.4	7.5	8.8	8.6	87.7	5.3	8.8	71.1	81.8	11.0	219.6	21.3	11
5.3	6.1	68.2	137.9	13.4	162.0	18.5	78.9	6.0	8.8	5.6	108.9	9.9	19.0	95.1	108.7	3.1	329.5	127.3	12
16.5	10.9	66.7	155.4	17.5	175.8	14.1	106.8	19.9	16.0	17.2	134.0	8.5	10.8	68.6	109.0	16.5	274.5	13.7	13
17.6	10.5	62.2	140.6	16.8	157.6	12.5	104.5	19.5	14.9	17.1	117.1	7.6	9.3	65.9	97.8	17.8	232.1	5.5	14
9.0	14.0	97.9	256.2	22.5	300.7	24.9	122.6	22.8	23.8	17.4	249.7	14.5	21.1	87.0	185.8	7.7	564.7	69.8	15
19.6	10.9	81.4	166.7	17.8	177.1	12.9	74.8	17.3	14.1	14.3	124.6	8.1	9.8	78.1	105.1	16.0	239.0	6.4	16
20.0	10.4	79.4	159.9	17.2	164.0	12.2	72.2	17.0	13.7	14.2	117.7	7.7	9.3	76.5	100.4	16.4	225.0	4.4	17
12.3	19.4	114.3	278.2	28.4	391.9	25.7	117.9	21.7	20.9	15.3	237.1	15.8	17.3	104.4	182.0	8.6	469.8	38.2	18
19.7	5.8	86.5	186.2	11.3	110.2	11.0	34.3	14.1	12.4	15.8	106.2	5.0	8.0	48.4	114.2	29.5	225.0	1.8	19
20.0	5.6	88.2	188.2	11.0	106.9	11.0	32.5	13.8	12.1	15.7	106.3	4.4	7.9	46.1	110.5	29.2	223.5	1.7	20
12.5	9.0	50.8	146.7	16.7	176.6	11.8	69.5	20.2	19.5	16.7	102.9	15.3	10.4	95.3	189.8	35.5	255.2	4.9	21
13.0	5.3	53.5	83.7	11.1	115.5	13.8	32.9	18.0	10.7	6.4	70.7	8.6	7.4	62.7	90.3	12.4	169.2	2.2	22
13.1	5.3	53.7	82.7	11.0	114.1	13.6	33.3	18.1	10.3	6.0	70.5	8.7	7.4	62.5	88.5	12.3	167.3	2.1	23
5.2	*5.2*	46.8	135.2	*15.6*	187.2	*20.8*	*10.4*	*15.6*	31.2	26.0	83.2	*5.2*	*5.2*	72.8	176.8	*20.8*	239.2	*10.4*	24
22.5	19.5	116.6	178.2	19.4	209.3	13.4	79.1	11.9	12.0	11.4	123.1	6.1	9.0	86.0	118.5	17.2	239.0	6.0	25
22.5	18.9	115.9	176.5	19.0	203.3	13.4	78.4	11.6	11.8	11.4	121.0	5.9	8.8	85.5	116.8	17.1	236.4	5.8	26
25.4	69.8	171.3	317.3	57.1	685.3	*12.7*	133.3	31.7	*25.4*	*12.7*	291.9	*19.0*	*25.4*	120.6	247.5	*25.4*	444.2	*25.4*	27
18.2	6.6	100.9	161.0	15.0	126.5	9.2	54.0	13.0	11.4	12.9	113.1	8.0	8.2	72.3	95.2	15.0	227.7	1.1	28
18.1	6.4	100.2	156.0	14.8	120.0	9.0	53.6	13.0	11.5	12.9	111.2	7.8	8.0	71.9	91.9	15.0	223.0	1.1	29
23.8	15.9	130.0	380.5	22.2	412.2	17.4	72.9	14.3	7.9	14.3	198.2	14.3	15.9	93.5	236.2	15.9	434.4	*1.6*	30
17.1	6.1	75.2	113.3	12.5	104.5	12.0	36.6	14.1	11.4	7.1	79.9	7.1	8.7	66.9	74.8	8.8	231.6	13.9	31
17.2	5.7	73.5	107.0	12.0	98.5	11.7	35.7	14.1	11.3	7.0	74.7	7.0	8.6	66.6	71.9	8.9	226.0	12.8	32
12.0	18.8	126.8	306.7	25.7	287.8	22.3	63.4	15.4	15.4	12.0	239.9	10.3	13.7	77.1	166.2	*5.1*	404.4	48.0	33
9.7	12.6	54.5	108.6	14.1	118.3	12.5	54.9	8.6	9.1	7.1	96.2	7.0	8.5	78.6	80.5	8.1	229.2	44.2	34
9.6	12.3	50.0	93.8	13.4	106.3	11.2	53.7	8.5	8.5	6.2	85.0	6.7	8.4	79.6	69.6	8.8	211.2	42.9	35
10.2	15.1	93.8	239.0	20.8	223.5	23.7	66.1	9.0	14.3	15.1	193.7	10.2	9.4	70.1	176.6	2.4	336.6	55.5	36
27.3	8.1	130.3	190.4	23.0	155.5	10.2	33.8	13.5	12.5	6.6	111.7	3.9	10.5	68.3	67.9	13.4	283.0	24.8	37
27.4	8.1	130.6	190.6	23.1	154.7	10.1	33.9	13.6	12.5	6.6	111.9	3.9	10.6	68.5	68.1	13.4	282.9	24.8	38
.....	.....	*40.4*	*121.1*	.....	403.7	*40.4*	.....	.....	.....	.....	*40.4*	.....	.....	.....	.....	.....	323.0	*40.4*	39
15.0	9.2	103.3	188.9	25.0	193.4	12.5	97.0	10.8	12.2	11.6	163.8	6.6	10.3	95.4	98.8	12.4	247.8	19.3	40
16.5	7.3	101.8	171.0	20.9	150.8	10.5	83.1	10.1	11.7	12.2	149.2	5.3	9.4	85.7	91.7	14.3	225.6	8.1	41
7.4	18.6	140.5	277.6	45.1	404.6	22.6	165.7	14.3	14.7	9.1	235.9	12.6	14.7	143.1	134.0	3.0	357.8	74.6	42
21.0	7.3	103.6	202.8	20.2	169.2	9.6	70.3	12.0	9.6	8.2	96.2	6.9	9.6	79.4	83.8	13.0	248.7	7.8	43
21.1	7.3	103.6	201.5	20.2	167.3	9.6	70.4	12.0	9.6	8.1	95.7	6.9	9.4	79.1	83.4	13.0	247.7	7.7	44
17.5	8.7	100.4	305.7	19.6	320.9	*8.7*	63.3	15.3	15.3	*8.7*	139.7	10.9	21.8	98.2	117.9	10.9	334.0	13.1	45
19.2	10.0	106.7	181.3	24.7	138.1	14.9	56.0	16.4	14.8	12.1	86.6	9.4	12.0	94.6	103.8	15.1	297.8	9.7	46
19.3	10.0	106.1	180.0	24.6	134.5	14.7	56.1	16.2	14.8	12.1	85.5	9.3	12.1	94.2	102.1	15.1	295.8	9.5	47
15.0	*11.2*	175.7	321.4	37.4	556.9	37.3	48.6	37.3	*15.0*	18.7	209.3	18.7	*8.7*	138.3	291.5	*11.2*	527.0	33.6	48
15.4	11.2	61.9	104.2	11.6	95.9	9.5	24.5	17.0	11.5	6.9	73.1	5.8	7.4	71.6	71.1	12.5	182.9	6.8	49
15.5	10.9	62.2	103.8	11.5	93.3	9.4	24.1	17.0	11.6	6.9	73.0	5.8	7.3	71.7	70.6	12.5	182.0	6.2	50
5.5	44.4	27.7	160.8	*22.2*	427.0	27.7	*72.1*	*11.1*	*5.5*	*5.5*	83.2	*11.1*	*16.6*	61.0	122.0	*16.6*	299.5	88.7	51
14.1	9.7	64.5	110.5	16.1	154.7	10.5	48.0	13.3	11.9	12.9	116.2	8.4	7.6	56.8	82.5	16.4	216.7	17.7	52
14.1	8.9	62.8	102.2	15.7	142.5	10.1	47.1	13.4	11.6	12.6	109.6	8.3	7.3	56.6	77.5	16.8	208.3	16.9	53
16.0	25.7	100.1	284.1	25.0	411.1	18.0	66.1	12.2	18.6	20.5	255.3	10.9	13.5	61.6	187.3	7.7	393.2	34.6	54
13.7	8.5	45.7	100.9	8.7	145.9	11.2	45.7	26.2	11.2	14.0	75.7	15.0	15.2	90.7	203.4	23.9	248.2	28.3	55
14.0	8.5	45.8	100.7	8.9	142.2	11.1	46.2	26.4	11.6	14.0	74.8	15.0	15.3	91.8	202.4	23.3	249.7	19.4	56
7.0	*7.0*	41.9	104.7	.....	265.3	*14.0*	*27.9*	*20.9*	.....	*14.0*	104.7	*14.0*	*14.0*	55.9	237.4	41.9	202.5	314.2	57
25.4	8.1	157.7	212.9	28.8	159.1	12.6	57.8	12.4	14.4	13.1	122.2	4.5	10.6	96.1	85.7	17.8	325.6	7.2	58
25.5	8.1	157.9	212.7	28.8	158.8	12.6	57.9	12.4	14.4	13.1	121.9	4.5	10.6	96.2	85.2	17.8	326.0	7.2	59
.....	.....	.....	*350.9*	.....	*350.9*	.....	.....	.....	.....	.....	*350.9*	.....	.....	.....	*526.3*	.....	.....	.....	60
21.1	8.6	95.7	169.2	17.7	174.3	12.7	83.2	9.4	9.4	14.8	132.0	5.5	8.8	79.9	103.6	14.2	192.9	2.1	61
21.3	8.3	94.1	165.8	17.2	161.8	12.3	81.2	9.3	9.4	14.7	128.7	5.3	8.9	79.2	102.2	14.5	187.8	1.9	62
17.0	16.1	140.8	263.7	30.2	516.9	23.6	138.0	13.2	9.5	17.0	222.1	11.3	7.6	98.3	143 6	6.6	330.8	5.7	63

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION STATES—Con.															
1	New York (total)	1,471.9	5.6	0.3	(3)	8.9	2.7	8.6	16.8	14.3	4.2	141.8	10.5	7.5	5.6	93.5
2	White	1,455.0	5.6	0.3	(3)	8.9	2.7	8.3	16.8	14.4	4.2	136.9	10.1	7.3	5.6	93.7
3	Colored	2,481.1	8.7	*1.2*	.....	8.1	*1.2*	27.3	13.9	13.9	4.1	434.5	36.0	17.4	8.1	84.8
4	North Carolina (total)	1,395.4	29.9	11.0	0.5	42.8	1.7	23.1	12.9	16.6	2.8	126.1	3.5	10.0	5.4	43.0
5	White	1,223.1	23.5	7.0	0.4	47.0	2.2	18.0	14.9	16.7	3.5	85.9	3.6	6.6	4.7	46.4
6	Colored	1,774.3	44.0	19.8	0.9	33.8	*0.5*	34.3	8.7	16.3	1.2	214.6	3.3	17.3	7.0	35.4
7	Ohio (total)	1,476.2	13.3	0.3	0.2	11.0	3.8	11.4	14.3	18.5	4.1	124.2	7.6	10.6	6.8	91.8
8	White	1,434.6	12.7	0.3	0.2	10.9	3.9	10.9	14.4	18.3	4.1	114.6	7.3	10.1	6.7	92.1
9	Colored	3,194.5	37.4	.....	.....	14.6	*0.8*	32.5	8.9	23.6	*3.3*	523.2	17.9	31.7	13.0	82.9
10	Pennsylvania (total)	1,479.9	10.4	0.2	.....	6.0	2.6	10.3	23.3	17.4	3.6	116.9	8.7	9.6	6.8	78.9
11	White	1,440.2	10.1	0.2	.....	6.0	2.6	9.9	23.5	17.0	3.6	108.0	8.2	8.9	6.5	79.0
12	Colored	2,972.3	20.9	*0.9*	.....	8.9	*0.9*	23.6	16.9	30.8	2.7	452.8	25.9	36.5	16.5	76.7
13	Rhode Island (total)	1,519.5	5.4	*0.5*	.....	10.2	4.6	7.8	24.6	20.0	4.2	141.4	11.7	9.3	6.6	95.4
14	White	1,495.9	5.0	*0.5*	.....	10.1	4.7	8.0	25.0	20.0	4.2	134.1	11.7	8.6	6.5	95.7
15	Colored	2,896.4	*28.4*	.....	.....	*18.9*	.....	.....	.....	*18.9*	.....	567.9	*9.5*	47.3	*9.5*	75.7
16	South Carolina (total)	1,430.3	31.8	34.3	.....	31.1	1.3	12.4	9.6	18.4	2.1	135.6	2.6	6.0	4.4	36.8
17	White	1,137.2	23.1	12.6	.....	35.0	1.7	3.8	12.2	12.9	3.4	63.6	3.3	3.9	3.0	46.2
18	Colored	1,687.3	39.5	53.2	.....	27.6	0.9	19.9	7.3	23.2	0.9	198.9	1.9	7.8	5.7	28.6
19	Tennessee (total)	1,339.1	38.1	19.1	0.2	33.9	2.1	17.8	14.6	24.5	2.3	177.0	5.9	15.6	7.0	46.6
20	White	1,168.6	35.1	14.7	*0.2*	35.3	2.5	16.0	16.2	23.4	2.7	136.7	5.8	13.4	5.6	47.3
21	Colored	2,008.1	50.2	36.5	*0.2*	28.6	*0.6*	25.0	8.3	28.8	1.1	335.1	6.6	24.1	12.8	44.2
22	Utah (total)	1,039.7	13.3	.....	*0.9*	23.7	8.6	3.6	9.7	10.1	5.0	35.4	2.9	5.0	6.3	53.4
23	White	1,037.7	13.1	.....	*0.9*	23.2	8.7	3.7	9.9	10.3	4.4	33.8	3.0	4.8	6.2	53.8
24	Colored	1,142.2	*23.3*	.....	.....	*46.6*	.....	.....	.....	.....	*35.0*	116.6	.....	*11.7*	*11.7*	*35.0*
25	Vermont (total)	1,498.3	6.9	.....	.....	21.4	5.2	8.5	7.9	41.6	4.4	74.0	9.0	7.1	5.2	107.7
26	White	1,505.9	6.9	.....	.....	21.5	5.2	8.5	8.0	41.9	4.4	74.2	9.1	6.9	5.2	108.4
27	Colored	268.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	*44.7*	.....	*44.7*	.....	.....
28	Virginia (total)	1,424.6	21.0	5.6	*0.1*	15.7	0.8	22.4	10.0	21.0	2.6	152.9	6.1	12.4	7.4	53.3
29	White	1,174.8	15.4	2.7	*0.1*	16.9	1.0	13.9	11.6	19.2	3.2	95.9	5.6	9.3	6.1	55.4
30	Colored	1,988.4	33.7	11.9	.....	13.0	*0.3*	41.5	6.3	24.9	1.2	281.4	7.4	19.4	10.4	48.4
31	Washington (total)	759.8	7.6	*0.1*	*0.1*	12.4	1.3	7.1	3.1	7.3	1.6	67.2	7.6	6.6	3.3	58.5
32	White	737.2	7.1	*0.1*	*0.1*	11.1	1.3	6.6	3.2	7.1	1.5	59.6	6.6	6.2	3.1	58.6
33	Colored	1,618.4	24.4	.....	.....	61.0	.....	24.4	.....	14.6	*4.9*	356.4	43.9	22.0	*9.8*	56.1
34	Wisconsin (total)	1,152.7	5.2	(3)	*0.1*	2.9	9.9	8.3	13.8	15.5	4.6	84.5	6.8	7.0	7.6	83.5
35	White	1,151.8	5.3	(3)	*0.1*	2.9	10.0	8.3	13.9	15.5	4.6	83.5	6.8	7.0	7.6	83.7
36	Colored	1,296.0	.....	.....	.....	*6.7*	.....	.....	.....	*6.7*	.....	241.7	*6.7*	*13.4*	*6.7*	40.3
	REGISTRATION CITIES.															
	ALABAMA.[4]															
37	Registration cities (total)	2,015.3	46.8	13.7	.....	38.6	*0.7*	25.9	7.2	24.2	3.1	173.7	6.1	17.1	4.1	71.0
38	White	1,293.9	24.0	7.4	.....	24.0	*1.1*	7.4	9.1	13.1	4.0	59.9	6.3	5.1	2.9	81.0
39	Colored	3,091.1	80.8	23.0	.....	60.4	.....	53.6	4.3	40.8	*1.7*	343.6	6.0	34.9	6.0	56.1
40	Birmingham (total)	2,022.0	53.8	11.6	.....	46.4	*1.1*	29.5	6.9	26.4	2.6	172.9	6.3	20.0	4.2	61.7
41	White	1,201.3	20.2	5.0	.....	26.8	*1.7*	8.4	8.4	12.6	*2.5*	50.3	5.0	*3.4*	*1.7*	67.9
42	Colored	3,414.5	110.9	22.7	.....	79.6	.....	65.4	*4.3*	49.8	*2.8*	381.0	8.5	48.3	8.5	51.2
43	Mobile (total)	1,976.3	35.5	23.6	.....	18.6	.....	18.6	*5.1*	27.0	*3.4*	207.8	*5.1*	11.8	*1.7*	106.4
44	White	1,557.6	30.2	21.2	.....	24.2	.....	*9.1*	*9.1*	15.1	*6.0*	114.9	*9.1*	*12.1*	*3.0*	133.1
45	Colored	2,505.9	42.1	26.8	.....	*11.5*	.....	30.6	.....	42.1	.....	325.2	.....	*11.5*	.....	72.7
46	Montgomery (total)	2,039.1	31.8	*9.1*	.....	31.8	.....	20.4	11.4	11.4	*4.5*	131.7	*6.8*	11.4	*6.8*	63.6
47	White	1,395.6	34.9	.....	.....	*8.7*	.....	.....	*13.1*	*13.1*	*8.7*	30.5	*8.7*	*4.4*	*8.7*	74.1
48	Colored	2,738.0	28.4	*18.9*	.....	56.8	.....	42.6	*9.5*	*9.5*	.....	241.6	*4.7*	*18.9*	*4.7*	52.1
	CALIFORNIA.															
49	Registration cities (total)	1,360.2	6.8	0.6	0.5	6.6	2.0	5.4	8.7	6.2	2.3	158.5	11.1	10.3	3.7	120.5
50	White	1,329.1	5.6	0.5	0.5	6.6	2.0	5.2	8.9	6.2	2.1	148.4	8.7	9.3	3.6	122.0
51	Colored	2,046.0	31.4	*2.6*	.....	7.8	*2.6*	9.1	*5.2*	6.5	*5.2*	381.5	64.0	31.4	6.5	87.5
52	Alameda	1,023.5	*10.6*	.....	.....	.....	*7.0*	*3.5*	*10.6*	*10.6*	.....	73.9	*10.6*	*7.0*	*7.0*	80.9
53	Bakersfield	1,903.9	28.5	*17.1*	.....	.....	.....	*5.7*	*5.7*	*17.1*	.....	302.1	28.5	28.5	.....	91.2
54	Berkeley	787.7	.....	.....	.....	*1.7*	*1.7*	*3.3*	9.9	*3.3*	.....	51.3	*6.6*	*6.6*	*3.3*	79.4
55	Eureka	1,301.0	.....	.....	.....	.....	*6.6*	.....	.....	.....	.....	85.9	*19.3*	*19.3*	*6.6*	99.1
56	Fresno	1,503.6	27.5	.....	.....	30.3	*2.8*	35.8	*11.0*	19.3	.....	157.0	27.5	13.8	*2.8*	101.9
57	Long Beach	1,748.8	*6.9*	.....	.....	.....	.....	.....	*6.9*	*3.4*	.....	113.2	*10.3*	*6.9*	*3.4*	240.0
58	Los Angeles (total)	1,252.3	5.8	*0.7*	.....	6.2	1.9	3.5	7.3	5.6	2.8	179.7	10.1	10.8	3.2	107.6
59	White	1,216.0	4.7	*0.6*	.....	6.1	1.8	3.3	7.2	5.7	2.9	170.6	7.4	10.0	3.1	108.7
60	Colored	2,057.3	30.3	*4.3*	.....	*8.6*	*4.3*	*8.6*	*8.6*	*4.3*	.....	380.3	69.2	30.3	*4.3*	82.1
61	Oakland	1,061.0	2.4	*0.5*	.....	8.2	*0.5*	3.4	2.4	6.3	3.4	89.1	8.2	6.3	*1.9*	88.2
62	Pasadena	999.6	*8.1*	.....	.....	.....	.....	.....	.....	*8.1*	.....	102.8	*2.0*	12.1	*4.0*	114.9
63	Pomona	1,093.7	.....	.....	.....	*14.7*	.....	*14.7*	.....	44.0	*7.3*	88.1	.....	*7.3*	.....	95.4
64	Redlands	1,022.4	.....	.....	.....	.....	*6.9*	*6.9*	.....	*27.4*	*6.9*	219.6	.....	*6.9*	*6.9*	130.4

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
23.3	6.1	90.3	194.4	18.4	172.9	10.6	57.8	11.5	11.7	13.9	131.3	5.4	8.1	71.4	93.1	14.1	215.8	1.5	1
23.4	6.0	90.4	193.4	18.0	169.1	10.5	56.9	11.5	11.7	13.9	130.0	5.4	7.9	70.8	92.0	14.2	213.7	1.5	2
17.4	12.8	82.5	256.8	38.9	402.0	15.1	106.9	8.7	13.9	13.9	213.8	8.7	18.0	105.7	155.7	8.7	339.8	*2.3*	3
6.5	8.8	69.0	93.5	9.4	106.6	11.3	97.1	8.3	7.9	4.1	84.2	7.0	18.8	82.5	66.6	3.1	255.8	120.4	4
7.8	10.1	68.3	89.8	7.0	86.8	8.3	90.4	8.4	6.8	3.6	78.6	5.1	16.4	85.0	54.9	3.9	226.7	84.8	5
3.7	6.0	70.6	117.6	14.7	150.1	17.7	111.8	8.1	10.4	5.3	96.3	11.2	24.2	77.0	92.5	1.3	319.9	198.7	6
17.5	11.6	109.7	163.6	16.4	150.5	11.5	58.5	11.8	12.0	14.9	97.1	8.1	8.4	75.2	118.6	14.5	242.6	10.7	7
17.5	11.3	108.7	163.9	16.1	142.2	11.0	58.1	11.8	11.9	14.8	94.4	8.0	8.2	74.9	112.9	14.5	237.6	10.2	8
17.9	26.8	150.3	364.8	27.6	491.5	33.3	75.6	13.8	16.2	21.1	210.4	13.0	16.2	85.3	351.0	13.8	445.2	30.9	9
16.5	11.7	85.3	151.9	18.7	188.4	16.1	94.8	9.8	11.7	12.4	116.1	7.1	9.6	87.0	116.2	10.8	214.1	6.9	10
16.4	11.0	84.8	148.7	18.4	177.1	15.8	94.0	9.5	11.5	12.4	113.4	6.9	9.5	86.5	113.6	10.9	209.3	6.8	11
17.8	38.3	103.0	274.1	32.5	613.3	27.6	124.8	20.5	16.9	12.5	217.9	14.3	12.0	104.3	213.5	9.8	393.5	11.6	12
19.0	9.7	115.2	161.7	23.0	177.2	11.0	55.6	12.8	10.7	10.7	115.5	5.8	9.7	92.5	82.4	10.7	246.1	8.5	13
19.3	9.3	113.0	157.0	22.4	176.2	10.9	55.3	12.5	10.9	10.7	114.3	5.9	9.8	91.3	81.7	10.7	242.6	8.0	14
.....	*37.9*	246.1	435.4	56.8	236.6	*18.9*	75.7	*28.4*	.....	*9.5*	189.3	.....	*9.5*	160.9	123.0	*9.5*	444.9	*37.9*	15
5.3	4.7	55.9	94.7	6.1	116.4	14.3	79.4	7.1	7.9	2.6	96.4	6.7	19.9	129.7	73.3	2.4	312.4	68.7	16
7.0	7.2	58.0	88.3	6.1	90.4	8.7	75.8	7.6	6.6	3.3	90.0	4.9	16.0	99.1	53.0	4.3	249.8	36.3	17
3.8	2.6	54.1	100.3	6.1	139.2	19.2	82.6	6.7	8.9	2.1	102.0	8.3	23.3	156.5	91.0	0.8	367.2	97.1	18
6.9	7.9	40.5	96.8	10.5	110.4	12.8	48.4	9.5	9.3	5.5	74.6	7.5	10.7	56.7	70.2	5.3	262.2	88.2	19
7.5	8.3	37.8	82.0	9.2	91.8	10.9	46.8	9.0	8.1	5.0	62.9	5.3	10.0	57.8	57.7	6.1	224.8	73.0	20
4.7	6.4	50.8	155.3	15.8	183.7	20.5	54.9	11.5	14.3	7.5	120.2	16.0	13.5	52.1	119.6	2.1	409.0	147.8	21
10.4	7.9	47.5	102.3	9.9	108.6	9.7	39.2	22.1	10.1	5.0	71.2	6.8	11.5	84.9	93.3	10.4	174.4	36.9	22
10.6	7.8	48.2	102.9	10.1	103.0	9.9	39.1	22.3	9.9	4.8	72.1	6.9	11.7	85.2	91.7	10.1	173.9	36.8	23
.....	*11.7*	*11.7*	69.9	.....	139.9	.....	*46.6*	*11.7*	*23.3*	*11.7*	*23.3*	.....	.....	69.9	174.8	*23.3*	198.1	*46.6*	24
22.5	7.9	132.3	215.6	28.5	155.4	11.5	27.1	15.3	9.9	9.9	113.4	4.1	9.0	74.8	73.4	17.0	268.5	3.0	25
22.6	8.0	132.9	217.0	28.7	156.3	11.6	27.3	15.2	9.9	9.9	113.6	4.1	9.1	75.3	73.9	17.1	270.2	3.0	26
.....	.....	*44.7*	.....	.....	.....	.....	.....	*44.7*	.....	.....	*89.5*	.....	.....	.....	.....	.....	.....	.....	27
8.7	9.2	79.3	138.2	12.0	125.1	16.4	66.0	7.9	9.4	5.6	107.8	8.6	13.8	85.9	76.9	5.9	256.1	60.8	28
10.2	9.6	67.9	114.4	8.8	92.5	12.3	55.7	7.5	9.2	5.5	92.7	6.3	11.3	81.0	66.1	7.6	216.2	43.8	29
5.3	8.4	105.2	191.9	19.3	198.5	25.6	89.3	8.7	9.7	5.9	141.9	14.0	19.4	96.8	101.1	2.1	346.2	99.2	30
12.4	3.1	46.2	75.7	3.9	54.2	6.3	15.3	10.6	7.2	4.3	46.0	5.0	5.8	42.7	68.0	11.8	150.1	7.6	31
12.5	2.9	46.9	75.5	3.7	51.5	6.0	14.6	10.7	7.1	4.3	45.4	4.9	5.7	41.2	65.7	11.8	148.4	5.9	32
7.3	12.2	19.5	83.0	12.2	153.8	14.6	41.5	*4.9*	12.2	*4.9*	68.3	*7.3*	*9.8*	97.6	156.2	*9.8*	212.4	73.2	33
16.4	6.4	74.9	117.2	17.9	120.8	11.4	30.3	13.9	12.9	11.3	69.6	4.9	8.5	72.4	67.6	13.9	224.2	8.3	34
16.5	6.3	75.0	117.2	18.0	120.4	11.3	30.4	13.9	13.0	11.2	69.7	4.9	8.2	72.3	67.5	14.0	224.3	8.3	35
.....	*13.4*	67.2	114.2	.....	181.3	33.6	*6.7*	*20.1*	*6.7*	*26.9*	47.0	*13.4*	53.7	87.3	80.6	*6.7*	201.5	*13.4*	36
10.2	4.4	82.3	142.7	10.2	213.3	14.0	143.4	32.8	17.4	8.9	159.8	14.0	22.2	84.7	143.0	9.9	433.2	36.9	37
10.3	2.9	66.7	103.8	8.6	96.9	8.6	103.2	34.8	17.7	5.7	100.9	9.1	20.5	73.6	91.2	16.0	266.9	11.4	38
10.2	6.8	105.4	200.7	12.8	386.9	22.1	203.2	29.8	17.0	13.6	247.5	21.3	24.7	101.2	220.2	*0.9*	681.2	74.8	39
10.5	4.7	75.4	137.0	11.1	268.8	13.7	172.4	33.7	17.9	9.5	110.2	15.3	22.1	85.4	152.3	12.7	405.3	20.6	40
10.1	*8.4*	60.3	88.8	10.9	106.4	8.4	117.3	34.3	18.4	5.9	68.7	10.1	18.4	81.3	85.4	19.3	232.1	8.4	41
11.4	7.1	100.9	218.9	11.4	544.4	22.7	265.8	32.7	17.1	15.6	180.5	24.2	28.4	92.4	265.8	*1.4*	699.4	41.2	42
10.1	*5.1*	86.1	192.6	10.1	86.1	8.4	86.1	20.3	10.1	8.4	243.2	8.4	13.5	72.6	141.9	*5.1*	434.1	69.3	43
9.1	*3.0*	69.6	181.5	*6.0*	63.5	*9.1*	72.6	24.2	*13.1*	*3.0*	154.3	*3.0*	15.1	60.5	118.0	*9.1*	329.7	27.2	44
11.5	7.7	107.1	206.6	*15.3*	114.8	7.7	103.3	*15.3*	7.7	*15.3*	355.8	*15.3*	*11.5*	88.0	172.2	.....	566.2	122.4	45
9.1	*2.3*	106.7	99.9	*6.8*	145.3	22.7	95.4	45.4	25.0	*6.8*	261.1	15.9	34.1	97.6	104.5	*4.5*	551.3	63.6	46
18.1	.....	95.9	69.8	.....	95.9	*8.7*	74.1	52.3	21.8	*8.7*	191.9	*18.1*	39.3	52.3	82.9	*8.7*	357.6	*4.4*	47
4.7	*4.7*	118.4	132.6	*14.2*	199.0	37.9	118.4	37.9	28.4	*4.7*	336.3	*18.9*	28.4	146.8	127.9	.....	762.7	127.9	48
21.2	6.2	84.9	187.5	10.2	106.0	12.0	26.0	16.9	13.3	17.8	110.5	5.7	8.5	44.8	96.6	30.4	217.7	1.0	49
21.4	6.1	86.2	188.4	10.0	101.8	11.8	23.9	16.1	13.0	17.4	109.2	4.9	8.3	42.6	92.9	30.6	214.1	0.9	50
17.0	10.5	57.5	167.2	15.7	197.3	15.7	73.2	34.0	19.6	26.1	138.5	23.5	11.8	94.1	179.0	26.1	296.6	*1.3*	51
24.6	*3.5*	102.0	207.5	21.1	49.2	.....	17.6	*10.6*	*14.1*	*10.6*	70.3	*14.1*	*3.5*	21.1	59.8	21.1	151.2	.....	52
17.1	51.3	62.7	68.4	*17.1*	159.6	*22.8*	57.0	51.3	28.5	*22.8*	103.3	28.5	*5.7*	51.3	296.4	*22.8*	307.8	.....	53
14.9	*1.7*	82.7	125.8	*5.0*	49.6	*3.3*	*1.7*	9.9	14.9	9.9	86.1	*1.7*	*6.6*	36.4	49.6	8.3	112.5	.....	54
6.6	*6.6*	112.3	165.1	.....	92.5	*13.2*	*13.2*	*6.6*	*26.4*	*19.8*	178.3	*6.6*	*13.2*	52.8	118.9	*6.6*	217.9	*6.6*	55
11.0	*2.8*	85.4	129.4	.....	121.2	*11.0*	79.9	24.8	16.5	*11.0*	71.6	*5.5*	19.3	90.9	121.2	22.0	247.8	*2.8*	56
27.4	.....	171.5	305.2	*10.3*	82.3	*6.9*	34.3	*10.3*	*6.9*	20.6	126.9	*3.4*	*3.4*	44.6	92.6	30.9	377.2	*3.4*	57
18.9	5.8	72.6	153.1	8.4	84.0	12.5	27.6	14.0	14.4	12.1	106.4	6.7	7.1	41.5	84.8	30.4	206.4	*0.4*	58
18.3	5.9	72.4	153.8	8.4	79.8	12.3	25.4	13.7	13.7	12.5	104.6	6.1	7.0	37.1	81.4	30.6	200.6	*0.4*	59
30.3	*4.3*	77.8	138.3	*8.6*	177.2	*17.3*	77.8	21.6	30.3	*4.3*	147.0	21.6	*8.6*	138.3	159.9	25.9	332.8	.....	60
17.4	4.8	74.1	139.4	8.2	86.7	7.8	18.9	15.5	13.6	19.9	81.9	5.3	7.3	52.3	61.5	27.1	148.3	.....	61
10.1	*6.0*	80.6	153.2	10.1	52.4	16.1	14.1	12.1	*8.1*	*2.0*	110.8	*2.0*	*2.0*	22.2	46.4	14.1	133.4	*2.0*	62
7.3	.....	88.1	190.8	*7.3*	80.7	*22.0*	*22.0*	*14.7*	*22.0*	.....	73.4	*7.3*	*7.3*	*22.0*	80.7	*7.3*	168.8	.....	63
13.7	.....	41.2	102.9	*13.7*	41.2	*6.9*	54.9	*6.9*	.....	.....	89.2	.....	*6.9*	34.3	61.8	.....	137.2	.....	64

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	CALIFORNIA—continued.															
1	Riverside (total)	1,424.7	14.6	.....	.....	.....	.....	19.5	.....	4.9	.....	195.2	34.2	4.9	4.9	126.9
2	White	1,495.2	11.1	.....	.....	.....	.....	22.2	.....	5.6	.....	194.5	27.8	5.6	5.6	127.8
3	Colored	918.2	39.9	.....	.....	.....	.....	.....	.....	.....	.....	199.6	79.8	.....	.....	119.8
4	Sacramento	1,762.7	11.6	1.4	.....	7.2	4.3	13.0	10.1	7.2	1.4	214.5	14.5	17.4	10.1	139.2
5	San Bernardino	2,089.0	22.7	.....	.....	5.7	5.7	11.4	.....	11.4	5.7	488.2	11.4	28.4	.....	158.9
6	San Diego	1,829.4	14.2	.....	.....	1.8	1.8	1.8	7.1	5.3	1.8	237.5	8.9	16.0	5.3	145.4
7	San Francisco (total)	1,504.0	4.7	0.4	1.7	7.6	2.5	5.9	15.3	2.8	1.5	160.7	12.5	8.1	3.8	151.2
8	White	1,473.1	4.4	0.4	1.8	7.7	2.6	5.9	15.4	2.9	1.5	146.1	10.8	7.7	3.5	150.9
9	Colored	2,353.6	12.1	.....	.....	6.1	.....	6.1	12.1	.....	.....	562.7	60.5	18.2	12.1	157.3
10	San Jose	1,087.7	5.0	.....	.....	5.0	2.5	7.5	7.5	5.0	.....	95.5	5.0	7.5	5.0	105.5
11	Santa Barbara	1,764.3	6.5	.....	.....	32.6	.....	.....	19.5	13.0	.....	156.2	6.5	19.5	6.5	117.2
12	Santa Cruz	1,108.9	6.6	.....	.....	.....	.....	.....	.....	.....	.....	33.0	.....	13.2	.....	85.8
13	Stockton*	2,463.5	27.6	.....	.....	5.5	.....	5.5	13.8	16.6	13.8	281.7	22.1	16.6	5.5	104.9
14	Vallejo	1,173.7	.....	.....	.....	7.2	.....	.....	.....	14.5	7.2	72.4	7.2	14.5	.....	79.7
	COLORADO.															
15	Registration cities (total)	1,203.0	5.3	.....	.....	14.0	1.3	0.8	7.9	11.6	3.4	228.6	11.4	10.3	4.2	81.5
16	White	1,185.5	5.2	.....	.....	14.5	1.4	0.8	8.2	10.9	3.5	220.7	11.7	10.6	4.4	81.8
17	Colored	1,766.9	8.8	.....	.....	.....	.....	.....	.....	35.3	.....	485.9	.....	.....	.....	70.7
18	Colorado Springs	1,334.5	5.1	.....	.....	.....	2.6	.....	2.6	5.1	5.1	456.8	7.7	5.1	5.1	87.3
19	Denver	1,197.7	5.2	.....	.....	8.9	1.5	0.7	7.8	12.3	3.4	222.4	13.4	10.8	4.8	88.7
20	Pueblo	1,123.3	3.6	.....	.....	41.0	.....	1.8	12.5	7.1	3.6	126.6	3.6	14.3	1.8	55.3
21	Trinidad	1,255.8	13.9	.....	.....	41.6	.....	.....	6.9	34.7	.....	124.9	13.9	.....	.....	34.7
	CONNECTICUT.															
22	Registration cities (total)	1,706.5	11.2	0.6	0.2	9.8	1.9	8.3	20.1	23.4	5.2	140.3	20.3	10.4	6.5	97.3
23	White	1,675.8	10.7	0.6	0.2	9.8	2.0	8.3	20.1	23.2	5.3	134.5	19.8	9.7	6.6	97.2
24	Colored	3,885.2	41.0	.....	.....	8.2	.....	8.2	16.4	32.8	.....	549.2	57.4	57.4	.....	106.6
25	Ansonia	1,622.0	.....	.....	5.9	17.7	.....	11.8	35.4	23.6	.....	147.5	17.7	5.9	5.9	53.1
26	Bridgeport	1,820.0	8.0	.....	.....	12.8	4.0	3.2	20.0	12.8	3.2	153.9	32.1	5.6	3.2	101.0
27	Bristol	1,274.7	.....	.....	.....	30.6	.....	24.5	30.6	6.1	6.1	98.1	6.1	.....	.....	42.9
28	Danbury town	1,577.0	7.6	.....	.....	.....	.....	.....	.....	26.5	11.3	147.5	.....	7.6	11.3	128.6
29	Greenwich town	1,439.2	5.1	5.1	.....	10.2	.....	30.6	10.2	66.3	5.1	81.7	5.1	5.1	.....	86.8
30	Hartford	2,293.7	19.5	.....	.....	7.1	3.5	11.5	33.7	23.0	10.6	134.7	31.0	11.5	7.1	132.1
31	Manchester town	844.9	.....	.....	.....	.....	.....	6.3	.....	6.3	.....	56.8	12.6	6.3	.....	44.1
32	Meriden town	1,636.5	2.9	.....	.....	11.6	2.9	8.7	17.4	69.5	2.9	324.4	17.4	17.4	11.6	127.4
33	Middletown town*	2,736.7	4.3	.....	.....	.....	4.3	.....	21.6	38.9	13.0	237.8	.....	17.3	4.3	73.5
34	Naugatuck	957.1	.....	.....	.....	7.0	.....	.....	.....	14.0	.....	83.8	14.0	.....	14.0	27.9
35	New Britain	1,350.5	9.0	.....	.....	.....	.....	18.1	5.4	27.1	.....	93.9	7.2	3.6	3.6	66.8
36	New Haven	1,709.4	10.5	1.3	.....	22.3	0.7	9.9	17.1	11.2	7.2	126.1	22.3	13.8	9.9	118.9
37	New London	2,000.1	14.2	.....	.....	4.7	.....	23.6	23.6	18.9	4.7	117.9	14.2	4.7	9.4	113.2
38	Norwalk	1,525.7	11.0	.....	.....	3.7	3.7	7.3	25.6	62.2	3.7	91.5	25.6	11.0	.....	76.8
39	Norwich town	1,907.9	27.0	.....	.....	13.5	.....	.....	13.5	27.0	3.4	310.7	10.1	13.5	6.8	118.2
40	Orange town	1,202.0	.....	.....	.....	6.9	.....	.....	6.9	6.9	.....	97.3	13.9	20.8	.....	62.5
41	Stamford town	1,507.0	2.8	.....	.....	5.5	5.5	2.8	36.0	30.4	8.3	83.0	19.4	11.1	5.5	94.1
42	Torrington town	1,172.6	5.0	5.0	.....	.....	.....	.....	20.0	5.0	.....	89.8	10.0	.....	5.0	34.9
43	Wallingford town	1,163.0	7.9	.....	.....	31.4	.....	.....	47.1	23.6	.....	125.7	15.7	7.9	.....	62.9
44	Waterbury	1,473.1	23.5	1.1	1.1	.....	2.2	6.7	21.3	21.3	4.5	132.3	23.5	14.6	11.2	63.9
45	Windham town	1,805.1	13.9	.....	.....	.....	.....	6.9	6.9	41.7	.....	145.8	20.8	27.8	.....	187.4
	DELAWARE.[4]															
46	Wilmington (total)	1,971.3	37.7	1.0	.....	5.2	4.2	16.8	13.6	17.8	4.2	173.0	12.6	13.6	5.2	81.8
47	White	1,800.5	31.1	1.2	.....	5.8	4.6	13.8	15.0	17.3	3.5	140.6	9.2	13.8	5.8	84.1
48	Colored	3,691.7	104.5	.....	.....	.....	.....	46.4	.....	23.2	11.6	499.2	46.4	11.6	.....	58.0
	DISTRICT OF COLUMBIA.															
49	Washington (total)	1,788.6	13.3	1.4	.....	2.4	2.4	4.6	9.2	23.3	3.2	169.5	6.2	10.6	5.7	112.7
50	White	1,483.5	5.6	0.4	.....	2.6	3.3	3.0	9.7	19.4	3.3	103.5	4.1	7.4	5.2	126.9
51	Colored	2,603.4	33.8	4.0	.....	2.0	.....	8.9	8.0	33.8	3.0	345.9	11.9	18.9	7.0	74.6
	FLORIDA.[4]															
52	Registration cities (total)	1,638.0	25.5	9.2	.....	19.0	1.6	4.3	4.9	16.8	1.6	177.6	2.7	10.3	5.4	72.8
53	White	1,342.8	25.1	4.3	.....	12.1	2.6	5.2	6.1	15.6	2.6	95.2	2.6	7.8	5.2	86.5
54	Colored	2,135.8	26.3	17.5	.....	30.6	.....	2.9	2.9	19.0	.....	316.6	2.9	14.6	5.8	49.6
55	Jacksonville (total)	1,952.8	22.8	11.4	.....	16.4	.....	5.8	3.8	26.6	1.5	226.4	.....	7.6	7.6	73.4
56	White	1,619.7	29.9	7.5	.....	10.0	.....	2.5	7.5	24.9	2.5	109.6	.....	.....	7.5	87.2
57	Colored	2,296.2	15.4	15.4	.....	23.1	.....	5.1	.....	28.3	.....	346.7	.....	15.4	7.7	59.1
58	Key West (total)	1,294.8	9.1	.....	.....	40.9	.....	4.5	4.5	4.5	.....	172.6	9.1	4.5	4.5	95.4
59	White	1,247.4	6.1	.....	.....	24.2	.....	6.1	6.1	6.1	.....	145.3	12.1	6.1	6.1	109.0
60	Colored	1,437.1	18.2	.....	.....	91.0	.....	.....	.....	.....	.....	254.7	.....	.....	.....	54.6
61	Pensacola (total)	1,787.2	22.4	11.2	.....	18.7	.....	14.9	3.7	22.4	3.7	145.5	.....	11.2	3.7	82.1
62	White	1,451.2	19.5	6.5	.....	13.0	.....	26.0	.....	26.0	6.5	39.0	.....	19.5	.....	130.1
63	Colored	2,238.7	26.2	17.5	.....	26.2	.....	.....	8.7	17.5	.....	288.6	.....	.....	8.7	17.5
64	Tampa (total)	1,258.6	37.3	8.9	.....	14.2	5.3	.....	7.1	5.3	1.8	126.2	5.3	16.0	3.6	58.7
65	White	1,085.6	29.8	2.3	.....	9.2	6.9	.....	6.9	6.9	2.3	82.6	2.3	11.5	4.6	62.0
66	Colored	1,853.3	63.1	31.5	.....	31.5	.....	.....	7.9	.....	.....	276.0	15.8	31.5	.....	47.3

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98; 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
9.8	*9.8*	126.9	146.4	.....	107.3	*9.8*	39.0	*9.8*	*14.6*	*9.8*	165.9	*4.9*	.....	39.0	107.3	*14.6*	190.3	*14.6*	1
11.1	*11.1*	133.4	166.8	.....	122.3	*11.1*	44.5	*11.1*	*16.7*	*11.1*	161.2	*5.6*	.....	44.5	111.2	*16.7*	200.1	*16.7*	2
.....	.....	*79.8*	.....	.....	.....	.....	.....	.....	.....	.....	199.6	.....	.....	.....	*79.8*	.....	*119.8*	.....	3
36.2	*5.8*	88.4	187.0	13.0	160.9	11.6	46.4	18.8	7.2	26.1	152.2	13.0	11.6	68.1	147.9	31.9	281.2	*2.9*	4
17.0	*5.7*	119.2	158.9	*5.7*	147.6	.....	119.2	*22.7*	*11.4*	*22.7*	85.1	28.4	*17.0*	85.1	181.7	34.1	278.2	.....	5
23.0	*8.5*	145.4	294.3	10.6	115.2	14.2	16.0	16.0	*7.1*	14.2	125.9	*6.8*	8.9	58.5	117.0	37.2	370.5	.....	6
27.2	7.2	85.6	226.1	14.2	124.6	14.2	17.4	21.4	13.4	25.9	124.6	3.2	9.6	39.7	111.5	40.6	217.8	1.1	7
27.5	6.8	86.7	227.5	13.4	121.7	14.1	16.3	20.7	13.6	24.6	121.0	2.9	9.9	39.4	110.5	40.7	213.0	1.1	8
18.2	*18.2*	54.5	187.6	36.3	205.7	*18.2*	48.4	42.4	*6.1*	60.5	223.9	*12.1*	.....	48.4	139.2	36.3	350.9	.....	9
17.6	*2.5*	72.8	188.4	*2.5*	90.4	*10.0*	30.1	*10.0*	*7.5*	15.1	100.5	*2.5*	*7.5*	37.7	65.3	27.6	148.2	.....	10
26.0	*6.5*	104.2	306.0	*13.0*	195.3	32.6	65.1	*13.0*	*13.0*	*26.0*	97.7	*6.5*	*19.5*	45.6	143.2	.....	273.4	.....	11
33.0	*6.6*	125.4	231.0	*6.6*	118.8	*19.8*	*13.2*	*19.8*	*6.6*	*13.2*	79.2	.....	*6.6*	46.2	46.2	*19.8*	178.2	.....	12
22.1	16.6	96.7	190.6	19.3	336.9	13.8	52.5	27.6	22.1	27.6	179.5	*2.8*	24.9	58.0	207.1	49.7	*2.8*	13	
14.5	*7.2*	115.9	166.6	*7.2*	173.9	.....	*7.2*	*21.7*	*7.2*	*29.0*	*29.0*	*14.5*	.....	65.2	94.2	.....	217.3	.....	14
18.8	5.3	60.3	102.4	11.6	111.7	13.0	25.9	24.6	14.3	6.9	93.7	8.7	7.1	57.2	53.2	17.5	189.5	*0.8*	15
19.1	5.2	60.6	100.7	11.5	108.3	12.5	26.5	25.1	13.9	5.7	93.6	8.7	7.4	57.0	51.6	17.2	186.6	*0.8*	16
8.8	*8.8*	53.0	159.0	*17.7*	220.9	*26.5*	*8.8*	*8.8*	*26.5*	44.2	97.2	*8.8*	.....	61.8	106.0	*26.5*	282.7	.....	17
15.4	*2.6*	48.8	130.9	*7.7*	84.7	25.7	15.4	18.0	*10.3*	.....	112.9	*7.7*	*5.1*	53.9	41.1	*2.6*	169.4	.....	18
20.1	5.2	65.9	105.8	11.2	110.4	13.0	17.5	22.0	15.6	6.0	93.5	8.2	6.3	50.3	50.7	20.5	194.5	*0.7*	19
16.0	*7.1*	44.6	66.0	17.8	126.6	*7.1*	67.8	21.4	12.5	14.3	74.9	12.5	8.9	96.3	60.6	10.7	187.2	.....	20
18.9	*6.9*	48.6	104.1	*6.9*	145.7	.....	48.6	104.1	*6.9*	*18.9*	117.9	*6.9*	*20.8*	41.6	104.1	*27.8*	159.6	*6.9*	21
22.1	23.3	106.0	171.6	19.3	229.4	14.4	87.0	14.7	14.4	12.4	129.5	7.5	10.6	93.1	123.9	18.1	247.1	6.7	22
22.1	22.3	105.1	169.9	18.7	221.5	14.3	85.8	14.3	14.2	12.4	126.9	7.3	10.4	92.3	122.2	17.9	243.6	6.5	23
24.6	90.2	172.1	295.1	57.4	795.1	*16.4*	172.1	41.0	*24.6*	*16.4*	311.5	*24.6*	*24.6*	147.5	245.9	*32.8*	491.8	*24.6*	24
5.9	*23.6*	106.2	112.1	47.2	212.3	*11.8*	224.1	.....	*5.9*	*23.6*	82.6	*5.9*	.....	100.3	100.3	35.4	176.9	*23.6*	25
16.0	17.6	85.8	164.4	11.2	311.1	12.0	101.8	14.4	15.2	14.4	156.3	8.0	16.8	109.0	153.1	13.6	224.5	14.4	26
12.3	*12.3*	104.2	128.7	*18.4*	183.8	*6.1*	73.5	.....	*6.1*	*6.1*	98.1	.....	.....	110.3	36.8	36.8	183.8	*12.3*	27
18.9	22.7	94.5	226.9	26.5	75.6	*11.8*	79.4	*8.8*	22.7	*11.8*	75.6	*7.6*	.....	56.7	143.7	*15.1*	344.1	.....	28
15.3	.....	122.5	107.2	35.7	142.9	*10.2*	56.1	*10.2*	25.5	*15.3*	91.9	*5.1*	*10.2*	56.1	112.3	*10.2*	285.8	*15.3*	29
30.1	79.8	132.9	203.8	23.9	358.9	19.5	123.2	22.2	19.5	23.9	173.7	11.5	15.1	100.1	171.1	20.4	327.9	10.6	30
18.9	.....	56.8	126.1	*18.9*	170.3	.....	31.5	.....	.....	.....	63.1	.....	*6.8*	*12.6*	63.1	*18.9*	113.5	*12.6*	31
14.5	14.5	95.6	147.7	*11.6*	188.3	20.3	55.0	*5.8*	*5.8*	*5.8*	92.7	*5.8*	*11.6*	52.1	95.6	*11.6*	188.3	.....	32
34.6	*17.3*	151.3	484.2	*8.6*	466.9	*17.3*	30.3	21.6	21.6	*8.6*	263.7	*4.3*	*4.3*	43.2	151.3	30.3	562.0	.....	33
7.0	*14.0*	83.8	118.8	*21.0*	118.8	.....	48.9	.....	.....	*7.0*	97.8	.....	.....	83.8	55.9	*7.0*	132.7	.....	34
16.2	18.1	61.4	99.3	19.9	182.4	14.4	130.0	12.6	*7.2*	*7.2*	104.7	*1.8*	10.8	144.4	101.1	*7.2*	169.7	*7.2*	35
31.5	21.0	103.1	198.3	15.8	229.2	18.4	59.8	21.7	14.4	12.5	117.6	7.2	7.9	94.6	111.0	22.3	249.5	*2.6*	36
28.3	*14.2*	151.0	264.2	*4.7*	193.4	23.6	108.5	*14.2*	23.6	*14.2*	155.7	*4.7*	*9.4*	99.1	165.1	33.0	334.9	*9.4*	37
11.0	*3.7*	161.0	182.9	32.9	186.6	22.0	51.2	*11.0*	*11.0*	*3.7*	80.5	*11.0*	*7.3*	76.8	120.7	*14.6*	215.9	.....	38
27.0	*6.8*	148.6	195.9	20.3	148.6	*13.5*	87.8	*13.5*	16.9	*6.8*	131.7	*13.5*	16.9	114.8	124.9	16.9	260.0	.....	39
27.8	*6.9*	180.6	180.6	*13.9*	69.5	*6.9*	48.6	.....	*13.9*	*6.9*	69.5	.....	.....	48.6	69.5	*13.9*	222.3	*6.9*	40
22.1	*2.8*	166.1	141.2	16.6	210.3	*8.3*	85.8	24.9	22.1	*8.3*	99.6	*5.5*	19.4	72.0	116.2	19.4	251.9	.....	41
24.9	.....	64.9	114.8	*5.0*	144.7	*15.0*	89.8	*15.0*	*5.0*	*5.0*	79.8	*5.0*	*10.0*	99.8	114.8	34.9	159.7	*10.0*	42
.....	*31.4*	102.2	133.6	*23.6*	172.9	.....	62.9	.....	*7.9*	.....	70.7	.....	*7.9*	62.9	39.3	*7.9*	117.9	.....	43
19.1	16.8	71.7	93.0	24.7	155.8	9.0	88.6	7.8	14.6	15.7	151.3	13.5	10.1	107.6	116.6	16.8	207.4	5.6	44
27.8	.....	90.3	201.3	41.7	187.4	*27.8*	55.5	48.6	*6.9*	.....	159.7	*6.9*	*6.9*	55.5	138.9	.....	298.5	.....	45
19.9	10.5	108.0	189.8	16.8	310.4	19.9	140.5	13.6	16.8	12.6	164.6	9.4	11.5	107.0	164.6	17.8	248.5	*2.1*	46
19.6	10.4	108.4	177.5	11.5	251.3	20.7	133.7	13.8	16.1	13.8	159.1	8.1	10.4	101.4	154.5	19.6	223.6	*1.2*	47
23.2	*11.6*	104.5	313.4	69.7	905.5	*11.6*	209.0	*11.6*	*23.2*	.....	220.6	*23.2*	*23.2*	162.5	267.0	.....	499.2	*11.6*	48
19.8	8.7	130.5	250.5	15.2	159.2	17.3	62.6	13.3	14.6	11.4	179.0	7.6	9.7	79.3	92.1	20.3	331.7	1.4	49
21.2	7.8	116.9	228.9	13.4	105.7	15.6	39.8	11.2	13.8	13.8	141.8	3.0	8.6	61.4	86.0	24.6	274.7	*1.1*	50
15.9	10.9	167.0	308.1	19.9	302.2	21.9	123.3	18.9	16.9	5.0	278.3	19.9	12.9	127.2	108.3	8.9	484.1	*2.0*	51
9.8	9.8	67.9	111.9	15.7	98.8	10.3	88.0	13.6	10.9	21.7	145.6	8.1	16.8	87.4	126.5	18.0	348.1	77.1	52
13.8	9.5	55.4	104.7	11.2	65.8	10.4	100.4	12.1	13.0	19.0	120.3	7.8	18.2	86.5	101.2	21.6	262.1	38.9	53
2.9	10.2	89.0	124.0	23.3	154.6	10.2	67.1	16.0	7.3	26.3	188.2	8.8	14.6	89.0	169.2	11.7	493.1	141.5	54
16.4	13.9	89.8	139.1	20.2	139.1	11.4	70.8	13.9	12.6	27.8	174.5	11.4	20.2	107.5	174.5	13.9	418.6	75.9	55
27.4	15.0	67.3	134.6	15.0	84.7	*10.0*	84.7	15.0	12.5	24.9	157.0	12.5	24.9	97.2	159.5	22.4	341.4	24.9	56
5.1	12.8	113.0	143.8	25.7	195.2	12.8	56.5	12.8	12.8	30.9	192.6	*10.2*	15.4	118.1	190.1	*5.1*	498.3	128.4	57
9.1	*9.1*	68.1	90.9	*18.2*	54.5	*13.6*	81.8	*18.2*	.....	*13.6*	127.2	*4.5*	*18.2*	109.0	50.0	*4.5*	240.8	*13.6*	58
12.1	*6.1*	66.6	84.8	*18.2*	54.5	*18.2*	102.9	*18.2*	.....	*18.2*	115.1	*6.1*	*18.2*	109.0	54.5	*6.1*	199.8	*12.1*	59
.....	*18.2*	*72.8*	109.2	*18.2*	*54.6*	.....	*18.2*	*18.2*	.....	.....	163.7	.....	*18.2*	109.2	*36.4*	.....	363.8	*18.2*	60
8.7	*7.5*	67.2	145.5	22.4	111.9	*7.5*	119.4	22.4	*11.2*	29.8	138.0	*7.5*	18.7	111.9	123.1	18.7	440.3	41.0	61
6.5	*6.5*	52.1	156.2	*18.0*	71.6	*6.5*	123.6	*19.5*	*19.5*	32.5	84.6	*6.5*	*19.5*	156.2	84.6	*19.5*	273.3	*18.0*	62
.....	*8.7*	87.5	131.2	*35.0*	166.2	*8.7*	113.7	*26.2*	.....	*26.2*	209.9	*8.7*	*17.5*	52.5	174.9	*17.5*	664.6	78.7	63
3.6	*5.3*	37.3	65.8	*5.3*	53.3	8.9	99.6	*7.1*	12.4	12.4	115.6	*5.3*	10.7	39.1	90.7	28.4	247.1	120.9	64
4.6	*6.9*	41.3	66.6	*4.6*	50.5	*9.2*	105.6	*4.6*	16.1	*9.2*	101.0	*4.6*	11.5	43.6	71.1	27.5	208.9	71.1	65
.....	.....	*23.7*	63.1	*7.9*	63.1	*7.9*	78.9	*15.8*	.....	*23.7*	165.6	*7.9*	*7.9*	*23.7*	157.7	*31.5*	378.5	291.8	66

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	GEORGIA.[4]															
1	Registration cities (total)	1,802.0	25.7	13.1	0.6	24.2	1.2	9.2	7.6	18.0	3.1	148.0	7.6	20.2	2.1	74.6
2	White	1,341.9	19.2	5.9	.....	23.6	2.0	6.9	11.3	8.9	1.5	71.4	6.4	11.8	0.5	92.5
3	Colored	2,556.6	36.3	25.0	1.6	25.0	.....	12.9	1.6	33.1	5.7	273.7	9.7	33.9	4.8	45.2
4	Atlanta (total)	1,616.1	20.9	1.5	.....	22.9	1.0	10.7	8.2	11.2	3.6	113.2	5.6	17.8	2.0	73.9
5	White	1,287.5	18.4	1.5	.....	19.9	1.5	6.6	11.0	5.1	2.2	72.1	4.4	8.8	.....	86.0
6	Colored	2,359.4	26.6	1.7	.....	29.9	.....	20.0	1.7	24.9	6.7	206.2	8.3	38.2	6.7	46.6
7	Augusta (total)	1,913.4	33.6	31.6	3.9	17.8	2.0	11.8	.....	15.8	.....	159.9	5.9	23.7	3.9	82.9
8	White	1,546.9	17.9	17.9	.....	25.1	3.6	14.4	.....	10.8	.....	82.5	10.8	21.5	3.6	107.7
9	Colored	2,361.7	52.7	48.3	3.8	3.8	.....	3.8	.....	21.9	.....	254.6	.....	26.3	4.4	52.7
10	Brunswick (total)	1,784.4	27.3	63.7	.....	81.9	.....	.....	9.1	18.2	9.1	173.0	9.1	18.2	9.1	36.4
11	White	1,305.0	39.0	39.0	.....	136.3	.....	.....	19.5	39.0	.....	19.5	19.5	19.5	.....	39.0
12	Colored	2,205.1	17.1	85.5	.....	34.2	.....	.....	.....	.....	17.1	307.7	.....	17.1	17.1	34.2
13	Savannah (total)	2,249.8	33.2	24.5	.....	23.1	1.4	4.3	11.6	39.0	2.9	233.9	14.4	24.5	.....	76.5
14	White	1,396.9	20.5	8.8	.....	20.5	2.9	2.9	20.5	17.6	.....	67.4	8.8	14.6	.....	114.2
15	Colored	3,079.4	45.6	39.9	.....	25.6	.....	5.7	2.8	59.8	5.7	396.0	19.9	34.2	.....	39.9
	ILLINOIS.[4]															
16	Registration cities (total)	1,504.1	3.9	0.2	0.1	9.3	23.3	7.8	45.4	6.9	4.2	131.7	9.6	8.0	6.0	91.2
17	White	1,463.0	3.7	0.2	(3)	9.2	23.5	7.7	45.5	6.6	4.1	121.6	9.3	7.3	6.0	91.0
18	Colored	3,195.0	13.6	.....	3.0	10.6	12.1	10.6	40.8	21.1	9.1	546.4	24.1	36.2	7.5	98.1
19	Aurora	1,483.0	8.6	.....	.....	2.9	8.6	31.6	14.4	23.0	2.9	83.3	11.5	11.5	8.6	89.1
20	Belleville	1,645.1	42.5	.....	.....	4.7	14.2	.....	47.3	9.5	9.5	151.3	4.7	9.5	14.2	75.6
21	Chicago (total)	1,492.3	1.9	0.2	0.1	9.8	24.8	7.9	48.1	6.0	4.1	133.1	9.7	7.7	5.8	89.0
22	White	1,450.0	1.9	0.2	.....	9.8	25.0	7.8	48.2	5.8	4.0	123.3	9.4	6.9	5.9	88.6
23	Colored	3,333.6	3.5	.....	3.5	10.5	14.0	12.2	47.2	17.5	8.7	559.7	22.7	40.2	5.2	106.7
24	Decatur	1,398.2	41.0	.....	2.4	.....	2.4	7.2	9.6	7.2	2.4	94.0	7.2	9.6	14.5	103.7
25	Evanston	1,313.8	3.4	.....	.....	6.8	34.1	3.4	20.5	3.4	3.4	51.2	17.1	3.4	.....	129.7
26	Jacksonville*	3,514.8	32.2	6.4	.....	12.9	.....	.....	12.9	19.3	12.9	457.9	.....	38.7	.....	187.0
27	Quincy	1,596.4	21.7	.....	.....	2.7	.....	2.7	21.7	38.0	5.4	105.9	5.4	5.4	2.7	97.7
28	Springfield	1,558.5	27.1	.....	.....	1.6	1.6	.....	9.6	12.8	6.4	89.4	11.2	12.8	9.6	130.9
	INDIANA.															
29	Registration cities (total)	1,578.5	21.7	1.1	0.3	21.1	6.6	11.5	25.0	14.0	4.7	130.7	8.0	16.5	6.1	89.9
30	White	1,512.6	20.7	1.0	0.2	20.7	6.8	10.5	24.4	13.1	4.7	115.1	7.6	15.0	5.6	90.8
31	Colored	2,883.9	42.9	4.3	2.1	30.0	2.1	32.2	38.6	32.2	6.4	439.6	17.2	45.0	15.0	70.8
32	Anderson	1,646.7	8.3	4.1	.....	33.0	.....	20.6	16.5	8.3	.....	206.4	16.5	20.6	.....	53.7
33	East Chicago	1,858.9	42.9	.....	.....	59.4	16.5	23.1	23.1	.....	.....	102.4	.....	13.2	3.3	29.7
34	Elkhart	1,414.3	15.5	.....	.....	.....	4.5	.....	35.9	.....	.....	80.8	4.5	9.0	4.5	103.3
35	Elwood	[5]1,396.4	18.1	9.1	.....	18.1	.....	27.2	.....	.....	.....	217.6	9.1	27.2	9.1	54.4
36	Evansville	1,610.8	24.7	3.9	.....	40.3	2.6	26.0	13.0	16.9	6.5	162.4	5.2	19.5	2.6	96.1
37	Fort Wayne	1,251.1	11.5	.....	.....	1.3	.....	5.1	17.9	15.4	2.6	89.7	10.3	7.7	3.8	106.4
38	Gary	[6]1,433.9	23.2	1.8	.....	64.3	21.4	23.2	42.9	7.1	1.8	69.6	12.5	12.5	7.1	30.4
39	Hammond	2,006.2	96.2	.....	.....	7.4	18.5	33.3	14.8	25.9	7.4	96.2	3.7	7.4	7.4	48.1
40	Huntington	1,520.7	45.5	.....	.....	.....	9.1	9.1	.....	27.3	.....	91.1	.....	.....	.....	136.6
41	Indianapolis (total)	1,615.5	10.9	0.7	0.7	19.7	3.9	7.4	39.5	13.0	7.1	159.0	6.3	21.2	6.3	92.4
42	White	1,503.8	10.5	0.8	0.4	19.9	3.9	4.7	38.2	13.6	7.8	133.2	5.1	18.7	5.5	94.2
43	Colored	2,686.8	14.9	.....	3.7	18.7	3.7	33.6	52.2	7.5	.....	406.7	18.7	44.8	14.9	74.6
44	Jeffersonville (total)	[5]1,210.1	9.6	9.6	.....	9.6	.....	19.2	.....	.....	.....	67.2	19.2	19.2	.....	105.6
45	White	[5]1,081.8	11.3	11.3	.....	11.3	.....	22.5	.....	.....	.....	33.8	22.5	11.3	.....	112.7
46	Colored	[5]1,950.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	260.1	.....	65.0	.....	65.0
47	Kokomo	1,418.2	27.4	.....	.....	13.7	.....	.....	18.2	27.4	4.6	109.4	22.8	13.7	13.7	95.8
48	Lafayette	2,034.4	32.6	.....	.....	4.7	23.3	9.3	9.3	23.3	9.3	107.1	4.7	18.6	4.7	190.7
49	Laporte	1,547.3	.....	.....	.....	.....	.....	.....	7.4	.....	.....	73.7	7.4	14.7	7.4	117.9
50	Logansport	1,279.4	9.4	.....	.....	9.4	.....	4.7	4.7	23.4	.....	84.4	.....	.....	9.4	126.5
51	Marion	1,551.0	10.0	5.0	.....	35.1	5.0	5.0	35.1	30.1	.....	115.4	.....	20.1	.....	120.5
52	Michigan City	1,227.6	4.6	.....	.....	31.9	4.6	.....	9.1	.....	.....	132.3	9.1	13.7	.....	82.1
53	Mishawaka	942.5	.....	.....	.....	5.9	11.7	.....	11.7	.....	.....	35.1	.....	5.9	5.9	82.0
54	Muncie	1,532.0	23.4	.....	.....	23.4	3.9	7.8	7.8	15.6	.....	109.1	3.9	19.5	19.5	105.3
55	New Albany	1,680.1	25.4	.....	.....	46.6	.....	25.4	12.7	21.2	4.2	215.8	12.7	25.4	.....	71.9
56	Peru	1,345.0	24.0	.....	.....	.....	8.0	8.0	8.0	8.0	8.0	88.1	24.0	8.0	8.0	80.1
57	Richmond	1,471.3	12.0	.....	.....	8.0	8.0	19.9	51.8	19.9	12.0	119.6	27.9	27.9	8.0	63.8
58	South Bend	1,292.1	52.1	.....	.....	4.2	15.5	8.5	7.0	12.7	4.2	93.0	9.9	2.8	2.8	76.1
59	Terre Haute	1,423.7	14.8	1.5	1.5	8.9	1.5	.....	14.8	10.4	4.5	111.3	3.0	14.8	10.4	69.8
60	Vincennes	1,542.4	22.1	.....	.....	5.5	11.1	16.6	38.7	27.6	11.1	127.1	.....	33.2	11.1	77.4
	KANSAS.															
61	Registration cities (total)	1,349.3	23.6	2.7	0.3	15.3	4.6	9.4	10.7	20.1	3.2	68.8	2.9	10.4	4.8	88.9
62	White	1,254.9	21.1	2.1	0.3	13.2	5.0	7.6	11.1	17.6	3.2	56.0	2.9	8.5	3.8	91.8
63	Colored	2,330.1	48.8	9.1	.....	36.6	.....	27.4	6.1	45.7	3.0	201.3	3.0	30.5	15.2	57.9
64	Atchison (total)	1,143.9	.....	6.0	.....	6.0	.....	11.9	6.0	35.7	.....	29.8	.....	.....	6.0	107.2
65	White	1,098.4	.....	7.1	.....	7.1	.....	14.2	7.1	42.5	.....	21.3	.....	.....	.....	120.5
66	Colored	1,383.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	74.8	.....	.....	37.4	37.4
67	Coffeyville (total)	1,031.0	38.2	5.5	.....	.....	.....	21.8	.....	10.9	.....	65.5	.....	10.9	.....	21.8
68	White	905.3	30.4	.....	.....	.....	.....	18.2	.....	12.2	.....	54.7	.....	12.2	.....	24.3
69	Colored	2,135.6	106.8	53.4	.....	.....	.....	53.4	.....	.....	.....	160.2	.....	.....	.....	.....

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
11.3	6.7	94.5	152.0	18.7	158.7	25.4	101.8	20.5	14.1	6.7	185.0	13.1	16.2	85.3	98.8	8.9	394.8	34.2	1
14.3	4.4	83.7	105.3	9.4	79.3	20.2	82.2	20.7	10.3	5.9	151.6	8.9	11.8	74.8	84.7	13.8	282.1	16.7	2
6.5	10.5	112.2	228.5	33.9	289.0	33.9	134.0	20.2	20.2	8.1	239.8	20.2	23.4	102.5	121.9	*0.8*	579.6	63.0	3
12.2	9.2	87.7	124.4	15.8	154.0	21.9	95.8	25.0	10.2	5.6	159.1	14.8	15.8	77.0	105.0	9.7	345.7	34.7	4
12.5	5.1	75.0	86.8	7.4	75.7	21.3	86.0	27.9	8.1	5.1	148.5	12.5	13.2	68.4	94.9	14.0	265.4	22.1	5
11.6	18.3	116.4	209.5	34.9	330.9	23.3	118.1	18.3	15.0	*6.7*	182.9	20.0	21.6	96.4	128.0	.....	527.1	63.2	6
9.9	*2.0*	136.3	165.9	23.7	195.5	21.7	88.9	13.8	23.7	*2.0*	258.7	11.8	15.8	94.8	82.9	9.9	357.4	*5.9*	7
17.9	*3.6*	154.3	154.3	*3.6*	129.2	17.9	86.1	*10.8*	21.5	*3.6*	175.9	.....	*10.8*	93.3	71.8	*14.4*	254.8	*7.2*	8
.....	.....	114.1	180.0	48.3	276.6	26.3	92.2	*17.6*	26.3	.....	360.0	26.3	21.9	96.6	96.6	*4.4*	482.9	*4.4*	9
9.1	*9.1*	118.4	154.8	*9.1*	81.9	54.6	91.0	.....	*9.1*	*9.1*	145.7	*18.2*	.....	45.5	100.1	.....	437.0	*36.4*	10
19.5	.....	116.9	116.9	.....	*19.5*	*19.5*	*58.4*	.....	.....	*19.5*	*58.4*	.....	.....	*58.4*	116.9	.....	331.1	.....	11
.....	*17.1*	119.6	188.0	*17.1*	136.8	85.5	119.7	.....	*17.1*	.....	222.2	*34.2*	.....	*34.2*	85.5	.....	529.9	*68.4*	12
10.1	*2.9*	79.4	219.5	24.5	157.4	33.2	130.0	15.9	18.8	13.0	210.8	8.7	20.2	108.3	92.4	7.2	554.5	53.4	13
17.6	*2.9*	55.6	137.6	23.4	61.5	17.6	67.4	*2.9*	*11.7*	*8.8*	158.1	*2.9*	*8.8*	87.9	49.8	14.6	363.1	*5.9*	14
2.8	*2.8*	102.6	299.1	25.6	250.7	48.4	190.9	28.5	25.6	17.1	262.1	14.2	31.3	128.2	133.9	.....	740.7	99.7	15
19.5	13.0	58.7	164.0	18.3	195.3	12.6	109.5	16.8	14.1	19.5	114.5	6.5	7.6	61.4	101.0	18.6	205.3	0.5	16
19.5	12.1	57.6	157.4	18.2	185.9	12.2	110.0	16.6	13.8	19.5	111.9	6.3	7.6	61.1	98.0	18.5	200.5	0.5	17
19.6	51.3	102.6	433.2	21.1	582.6	30.2	89.0	22.6	27.2	19.6	217.3	13.6	9.1	74.0	224.9	22.6	401.5	.....	18
23.0	*11.5*	106.3	135.1	25.9	172.4	17.2	51.7	20.1	17.2	*5.7*	120.7	*2.9*	17.2	69.0	77.6	*3.6*	304.6	.....	19
37.8	28.4	113.5	108.7	37.8	137.1	42.5	33.1	52.0	23.6	*18.9*	146.5	*14.2*	*9.5*	37.8	146.5	37.8	217.5	*18.9*	20
19.4	13.0	54.9	163.6	17.7	197.3	11.9	115.6	15.9	13.0	19.6	112.4	6.4	7.3	61.2	100.4	18.8	195.6	*0.2*	21
19.3	12.0	53.7	156.7	17.6	187.9	11.4	116.0	15.7	12.7	19.5	110.0	6.2	7.3	60.8	97.1	18.6	190.7	*0.2*	22
21.0	57.7	106.7	463.5	22.7	608.6	33.2	96.2	24.5	28.0	21.0	216.9	14.0	10.5	78.7	243.1	26.2	409.3	.....	23
19.3	*9.6*	67.5	156.7	*9.6*	137.4	12.1	48.2	16.9	24.1	*7.2*	142.2	*7.2*	*9.6*	77.1	94.0	*9.6*	241.1	*7.2*	24
20.5	*13.7*	85.3	143.3	34.1	150.2	*13.7*	30.7	30.7	*10.2*	*13.7*	54.6	*3.4*	*6.8*	78.5	92.1	20.5	235.5	.....	25
38.7	*12.9*	187.0	393.4	*25.8*	464.3	*25.8*	38.7	45.1	51.6	38.7	264.4	.....	*6.4*	77.4	148.3	32.2	877.1	*6.4*	26
29.9	*8.1*	122.2	198.2	35.3	146.6	13.6	35.3	13.6	24.4	21.7	141.2	*10.9*	13.6	57.0	86.9	13.6	309.5	*5.4*	27
8.0	12.8	79.8	153.3	17.6	167.7	25.5	57.5	25.5	33.5	31.9	140.5	9.6	8.0	54.3	129.3	17.6	273.1	.....	28
19.8	8.9	86.1	165.6	16.8	158.8	11.6	76.0	23.8	14.3	17.0	113.7	11.3	9.4	81.0	134.0	18.5	253.7	0.8	29
19.7	8.2	84.2	155.0	16.3	144.3	11.1	75.8	24.2	14.5	17.1	110.1	11.0	8.9	79.6	128.6	18.7	248.2	0.9	30
21.4	21.4	124.4	375.2	25.7	446.0	21.4	81.5	15.0	10.7	15.0	184.4	17.2	19.3	109.4	240.1	15.0	362.4	.....	31
8.3	.....	111.4	173.3	.....	136.2	*12.4*	82.5	*12.4*	*8.3*	20.6	152.7	*16.5*	*12.4*	90.8	115.6	20.6	284.8	.....	32
.....	*6.6*	26.4	79.2	*9.9*	389.6	*9.9*	459.0	*3.3*	*13.2*	36.3	19.8	*9.9*	*3.3*	112.2	214.6	*9.9*	138.7	*3.3*	33
35.9	*9.0*	112.2	197.5	*13.0*	116.7	*9.0*	40.4	31.4	31.4	.....	134.7	*4.5*	*9.0*	58.4	112.2	31.4	206.5	.....	34
9.1	*9.1*	*27.2*	145.1	*27.2*	90.7	.....	*36.3*	*9.1*	.....	.....	108.8	.....	*27.2*	108.8	54.4	*18.1*	335.5	.....	35
16.9	6.5	92.2	168.9	33.8	140.3	15.6	65.0	28.6	15.6	28.6	133.8	14.3	9.1	76.6	94.8	14.3	235.1	*1.3*	36
16.7	10.3	93.7	92.3	15.4	124.3	9.0	28.2	23.1	10.3	6.4	112.8	7.7	*2.6*	62.8	97.4	15.4	243.5	*2.6*	37
5.4	*5.4*	10.7	46.4	8.9	294.6	12.5	164.3	19.6	10.7	*3.6*	44.6	*7.1*	10.7	78.6	241.1	8.9	142.9	.....	38
14.8	*7.4*	59.2	81.4	29.6	336.8	*14.8*	170.3	29.6	*14.8*	33.3	103.6	*14.8*	*11.1*	107.3	347.9	18.5	244.3	.....	39
18.2	*9.1*	127.5	309.6	.....	136.6	*9.1*	*9.1*	.....	*9.1*	*27.3*	72.8	.....	*9.1*	63.7	127.5	*9.1*	264.1	.....	40
21.5	10.9	94.8	194.3	12.7	149.5	10.9	50.8	28.9	12.3	15.9	111.4	10.2	12.0	78.3	102.2	19.4	291.2	.....	41
21.4	8.6	91.5	170.5	10.9	125.8	10.5	49.5	29.6	12.5	15.6	105.5	10.1	11.3	76.3	94.2	20.2	283.5	.....	42
22.4	33.6	126.9	421.7	29.9	376.9	*14.9*	63.4	22.4	*11.2*	18.7	167.9	*11.2*	18.7	97.0	179.1	*11.2*	365.7	.....	43
19.2	.....	76.8	211.3	*9.6*	57.6	*9.6*	67.2	*9.6*	*19.2*	*9.6*	163.3	.....	.....	76.8	76.8	*19.2*	124.9	.....	44
11.3	.....	67.6	214.1	*11.3*	*22.6*	*11.3*	56.3	*11.3*	*22.5*	*11.3*	157.8	.....	.....	67.6	*45.1*	*11.3*	124.0	.....	45
65.0	.....	*130.0*	*195.1*	.....	*260.1*	.....	*130.0*	.....	.....	.....	*195.1*	.....	.....	*130.0*	*260.1*	*65.0*	*130.0*	.....	46
18.2	*4.6*	100.3	123.1	*9.1*	150.5	*18.7*	59.3	*18.2*	*18.2*	*18.7*	91.2	*9.1*	*9.1*	127.7	82.1	*18.7*	209.8	.....	47
27.9	*4.7*	162.9	265.4	*18.6*	144.3	*14.0*	23.3	55.9	32.6	32.6	116.4	*9.3*	*9.3*	83.8	186.2	41.9	363.1	*4.7*	48
22.1	*7.4*	73.7	280.0	51.6	125.3	*29.5*	*17.9*	36.8	*22.1*	*7.4*	132.6	.....	.....	66.3	66.3	*22.1*	257.9	.....	49
32.8	*4.7*	98.4	103.1	28.1	75.0	*9.4*	32.8	*14.1*	*14.1*	*9.4*	168.7	*4.7*	*4.7*	46.9	131.2	28.1	201.5	.....	50
30.1	*10.0*	85.3	190.7	*20.1*	205.8	*15.1*	*15.1*	*10.0*	*10.0*	35.1	50.2	*5.0*	.....	60.2	115.4	*20.1*	291.1	.....	51
13.7	*9.1*	50.2	136.9	*9.1*	114.1	.....	68.5	*18.3*	*13.7*	*13.7*	86.7	*4.6*	*4.6*	77.6	100.4	*4.6*	214.5	.....	52
.....	*11.7*	*17.6*	76.1	*11.7*	70.2	*17.6*	35.1	*11.7*	*17.6*	*5.9*	122.9	*17.6*	*11.7*	111.2	82.0	.....	163.9	.....	53
23.4	.....	113.0	155.9	19.5	128.6	*11.7*	66.3	19.5	23.4	.....	93.6	19.5	*15.6*	81.9	93.6	23.4	300.2	*3.9*	54
21.2	*4.2*	84.6	173.5	38.1	101.6	*4.2*	50.8	*4.2*	*8.5*	*8.5*	139.7	*8.5*	*8.5*	25.4	266.6	*12.7*	258.2	.....	55
80.1	.....	112.1	104.1	*8.0*	96.1	*32.0*	40.0	*16.0*	*8.0*	*16.0*	112.1	*16.9*	.....	64.0	128.1	*8.0*	232.2	.....	56
15.9	*4.0*	75.8	251.2	19.9	99.7	*15.9*	59.8	.....	*12.0*	19.9	167.5	*4.0*	*4.0*	59.8	63.8	*12.0*	207.3	.....	57
14.1	11.3	63.4	146.5	11.3	102.9	9.9	83.1	19.7	12.7	14.1	97.2	16.9	7.0	90.2	94.4	18.3	188.8	*1.4*	58
19.3	13.4	86.1	154.4	11.9	120.2	*5.9*	38.6	28.2	10.4	19.3	117.3	16.3	7.4	77.2	170.7	26.7	231.6	*1.5*	59
33.2	*11.1*	44.2	188.0	*11.1*	138.2	*5.5*	27.6	*22.1*	27.6	33.2	127.1	27.6	*22.1*	44.2	171.4	*11.1*	215.6	.....	60
17.7	12.6	79.8	133.0	13.1	135.2	12.0	44.7	27.6	15.8	8.6	108.1	8.8	8.3	70.9	96.9	11.8	269.5	9.4	61
17.9	11.1	76.0	118.8	11.4	118.8	11.7	43.7	28.5	15.8	7.9	94.2	8.2	7.3	68.7	90.1	12.3	259.7	8.2	62
15.2	27.4	118.9	280.6	30.5	305.0	15.2	54.9	18.3	15.2	15.2	253.1	15.2	18.3	94.5	167.7	*6.1*	372.1	21.3	63
11.9	*6.0*	107.2	95.3	.....	154.9	*11.9*	*6.0*	29.8	*17.9*	*11.9*	35.7	*6.0*	*11.9*	77.5	53.6	29.8	250.2	*17.9*	64
14.3	.....	99.2	78.0	.....	106.3	*14.2*	*7.1*	35.4	*21.3*	*14.2*	*21.3*	*7.1*	*7.1*	78.0	56.7	35.4	262.2	*21.3*	65
.....	*37.4*	*149.6*	187.0	.....	411.4	.....	.....	.....	.....	.....	*112.2*	.....	*37.4*	*74.8*	*37.4*	.....	187.0	.....	66
21.8	*5.5*	*21.8*	109.1	*10.9*	92.7	*10.9*	38.2	*10.9*	*16.4*	*5.5*	54.6	*21.8*	*5.5*	98.2	109.1	*10.9*	207.3	*5.5*	67
24.3	*6.1*	*24.3*	97.2	*6.1*	54.7	*12.2*	36.5	*12.2*	*18.2*	*6.1*	42.5	*12.2*	*6.1*	103.3	91.1	*12.2*	182.3	*6.1*	68
.....	.....	.....	*218.6*	*53.4*	427.1	.....	*53.4*	.....	.....	.....	*160.2*	*106.8*	.....	*53.4*	267.0	.....	427.1	.....	69

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	KANSAS—continued.															
1	Fort Scott (total)	1,561.9	37.9	.....	.....	.....	.....	.....	28.4	.....	.....	28.4	.....	18.9	9.5	94.7
2	White	1,494.9	41.5	.....	.....	.....	.....	.....	20.8	.....	.....	31.1	.....	20.8	.....	103.8
3	Colored	2,255.6	.....	.....	.....	.....	.....	.....	107.4	.....	.....	.....	.....	.....	107.4	.....
4	Hutchinson	1,262.8	4.7	.....	.....	37.3	14.0	9.3	14.0	14.0	.....	69.9	4.7	4.7	.....	93.2
5	Independence	986.0	6.6	6.6	.....	6.6	.....	13.2	33.1	46.3	.....	46.3	.....	.....	.....	52.9
6	Kansas City (total)	1,434.9	13.7	2.9	1.0	27.4	8.8	19.6	11.8	14.7	1.0	109.7	2.9	17.6	4.9	91.1
7	White	1,263.9	12.1	2.2	1.1	18.7	9.9	13.2	12.1	7.7	1.1	89.0	3.3	14.3	4.4	93.4
8	Colored	2,835.0	27.0	9.0	.....	99.0	.....	72.0	9.0	72.0	.....	279.0	.....	45.0	9.0	72.0
9	Lawrence (total)	1,357.9	7.4	.....	.....	7.4	.....	.....	.....	81.6	.....	66.8	.....	7.4	14.8	81.6
10	White	1,339.4	9.2	.....	.....	9.2	.....	.....	.....	92.4	.....	55.4	.....	9.2	18.5	92.4
11	Colored	1,433.4	.....	.....	.....	.....	.....	.....	.....	37.7	.....	113.2	.....	.....	.....	37.7
12	Leavenworth (total)	[5] 1,817.9	108.5	5.2	.....	5.2	10.3	.....	20.7	46.5	5.2	72.3	10.3	.....	15.5	129.1
13	White	[5] 1,694.2	94.8	.....	.....	5.9	11.8	.....	23.7	35.5	5.9	59.2	11.8	.....	11.8	142.2
14	Colored	[5] 2,659.1	201.5	40.3	.....	.....	.....	.....	.....	120.9	.....	161.2	.....	.....	40.3	40.3
15	Parsons	1,347.8	6.3	.....	.....	.....	.....	6.3	.....	6.3	12.5	75.2	.....	.....	.....	75.2
16	Pittsburg	1,303.2	38.2	10.9	.....	.....	.....	.....	.....	27.3	5.5	60.0	.....	5.5	.....	70.9
17	Topeka (total)	1,495.8	24.2	.....	.....	6.1	6.1	6.1	10.1	12.1	8.1	50.5	4.0	16.1	4.0	115.1
18	White	1,422.2	26.4	.....	.....	6.6	6.6	6.6	11.0	11.0	8.8	39.6	4.4	8.8	2.2	114.5
19	Colored	2,308.1	.....	.....	.....	.....	.....	.....	.....	24.3	.....	170.1	.....	97.2	24.3	121.5
20	Wichita	1,195.7	25.8	1.4	.....	19.0	.....	1.4	9.5	13.6	4.1	43.5	4.1	8.2	5.4	82.9
	KENTUCKY.															
21	Registration cities (total)	1,719.5	20.8	4.8	.....	26.1	2.3	9.7	10.2	13.6	4.5	198.1	14.3	14.7	6.6	89.5
22	White	1,509.6	16.8	2.7	.....	23.3	2.7	8.4	11.1	15.2	4.3	144.2	13.8	10.8	6.0	94.2
23	Colored	2,799.9	41.8	15.3	.....	40.4	.....	16.7	5.6	36.2	5.6	475.0	16.7	34.8	9.8	65.5
24	Covington (total)	1,677.2	15.1	.....	.....	5.0	5.0	.....	10.1	23.5	3.4	256.6	15.1	11.7	10.1	112.4
25	White	1,598.6	12.4	.....	.....	5.3	5.3	.....	10.6	17.7	3.5	235.2	14.1	10.6	7.1	114.9
26	Colored[7]	3,124.0	65.1	.....	.....	.....	.....	.....	.....	130.2	.....	650.8	32.5	32.5	65.1	65.1
27	Frankfort (total)	1,941.1	62.6	.....	.....	17.9	.....	.....	.....	35.8	.....	304.1	8.9	8.9	.....	62.6
28	White	1,661.3	80.8	.....	.....	23.1	.....	.....	.....	23.1	.....	184.6	11.5	.....	.....	69.2
29	Colored	2,907.2	.....	.....	.....	.....	.....	.....	.....	79.6	.....	716.8	.....	39.8	.....	39.8
30	Henderson (total)	1,989.9	73.1	16.2	.....	32.5	.....	32.5	32.5	40.6	.....	194.9	.....	16.2	.....	56.9
31	White	1,395.0	39.9	10.0	.....	29.9	.....	29.9	29.9	39.9	.....	129.5	.....	10.0	.....	59.8
32	Colored	4,613.4	219.7	43.9	.....	43.9	.....	43.9	43.9	43.9	.....	483.3	.....	43.9	.....	43.9
33	Lexington * (total)	2,419.2	40.5	.....	.....	7.1	4.8	.....	9.5	4.8	9.5	273.8	26.2	14.3	7.1	119.1
34	White	2,091.6	29.8	.....	.....	9.9	6.6	.....	9.9	6.6	9.9	179.0	16.6	9.9	9.9	129.3
35	Colored	3,254.7	67.6	.....	.....	.....	.....	.....	8.5	.....	8.5	515.7	50.7	25.4	.....	93.0
36	Louisville (total)	1,627.4	15.4	2.5	.....	39.0	1.2	11.6	10.8	14.5	2.9	154.5	10.8	13.3	6.6	89.7
37	White	1,435.4	13.6	1.5	.....	34.7	1.5	9.1	12.1	9.6	3.0	107.7	11.1	8.6	6.0	95.1
38	Colored	2,534.8	23.8	7.1	.....	59.4	.....	23.8	4.8	38.0	2.4	375.7	9.5	35.7	9.5	64.2
39	Newport (total)	1,198.1	3.1	.....	.....	.....	3.1	6.2	6.2	15.6	3.1	164.9	3.1	6.2	6.2	68.5
40	White	1,147.6	.....	.....	.....	.....	3.2	6.4	6.4	15.9	3.2	155.8	3.2	6.4	6.4	69.9
41	Colored[7]	3,555.6	148.1	.....	.....	.....	.....	.....	.....	.....	.....	592.6	.....	.....	.....	.....
42	Owensboro (total)	1,925.8	33.2	5.5	.....	11.1	.....	49.8	16.6	83.0	11.1	243.5	55.3	33.2	5.5	66.4
43	White	1,783.6	40.2	6.7	.....	6.7	.....	53.6	20.1	87.2	6.7	160.9	67.1	20.1	6.7	67.1
44	Colored	2,598.2	.....	.....	.....	31.7	.....	31.7	.....	63.4	31.7	633.7	.....	95.1	.....	63.4
45	Paducah (total)	1,819.0	23.8	47.7	.....	27.8	4.0	.....	.....	7.9	15.9	313.8	19.9	35.7	4.0	55.6
46	White	1,471.2	10.5	26.4	.....	26.4	5.3	.....	.....	5.3	15.8	158.2	21.1	42.2	.....	58.0
47	Colored	2,880.6	64.4	112.6	.....	32.2	.....	.....	.....	16.1	16.1	788.5	16.1	16.1	16.1	48.3
	LOUISIANA.[4]															
48	Registration cities (total)	1,996.5	28.3	8.8	.....	16.4	0.4	7.3	7.6	32.5	3.4	272.0	4.2	22.5	4.6	87.1
49	White	1,565.8	23.5	4.8	.....	15.9	0.6	5.7	7.8	22.2	4.5	175.0	4.5	7.8	3.3	95.3
50	Colored	2,992.2	39.6	18.1	.....	17.4	.....	11.1	7.0	56.3	0.7	496.3	3.5	56.3	7.6	68.1
51	Alexandria (total)	1,768.1	30.8	30.8	.....	12.3	.....	.....	.....	6.2	.....	184.8	.....	6.2	12.3	43.1
52	White	1,518.2	50.6	25.3	.....	12.7	.....	.....	.....	.....	.....	63.3	.....	.....	.....	38.0
53	Colored	2,005.3	12.0	36.0	.....	12.0	.....	.....	.....	12.0	.....	300.2	.....	12.0	24.0	48.0
54	Baton Rouge (total)	1,618.8	17.1	11.4	.....	22.8	.....	11.4	5.7	119.7	5.7	216.6	.....	17.1	.....	51.3
55	White	1,255.0	23.0	11.5	.....	11.5	.....	11.5	11.5	115.1	11.5	115.1	.....	11.5	.....	69.1
56	Colored	1,975.4	11.3	11.3	.....	33.9	.....	11.3	.....	124.2	.....	316.1	.....	22.6	.....	33.9
57	Lake Charles (total)	1,399.9	26.8	13.4	.....	20.1	.....	13.4	6.7	33.5	.....	107.2	13.4	13.4	.....	33.5
58	White	1,154.1	22.2	11.1	.....	22.2	.....	11.1	11.1	33.3	.....	33.3	.....	22.2	.....	33.3
59	Colored	1,773.9	33.8	16.9	.....	16.9	.....	16.9	.....	33.8	.....	219.6	33.8	.....	.....	33.8
60	Monroe (total)	1,635.3	80.3	43.8	.....	7.3	.....	36.5	.....	29.2	14.6	160.6	.....	.....	.....	73.0
61	White	1,634.8	77.1	30.8	.....	15.4	.....	46.3	.....	30.8	30.8	46.3	.....	.....	.....	123.4
62	Colored	1,635.7	83.2	55.4	.....	.....	.....	27.7	.....	27.7	.....	263.4	.....	.....	.....	27.7
63	New Orleans (total)	1,992.0	23.3	3.4	.....	16.4	0.5	5.8	8.2	29.7	2.9	288.6	4.8	25.7	4.8	90.4
64	White	1,566.3	20.1	1.8	.....	16.5	0.7	4.3	7.9	19.7	3.6	192.9	5.4	7.9	3.6	96.1
65	Colored	3,202.7	32.6	8.2	.....	16.3	.....	10.2	9.2	58.1	1.0	560.8	3.1	76.5	8.2	74.4
66	Shreveport (total)	[8] 2,695.3	64.8	37.8	.....	16.2	.....	10.8	8.1	32.4	5.4	275.2	.....	10.8	5.4	116.0
67	White	1,853.1	41.7	23.2	.....	9.3	.....	9.3	9.3	18.5	9.3	106.6	.....	4.6	4.6	134.3
68	Colored	3,870.0	96.9	58.1	.....	25.8	.....	12.9	6.5	51.7	.....	510.4	.....	19.4	6.5	90.5

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis and typhlitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal septicemia. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (suicide excepted). 35	Suicide. 36	All other defined diseases. (37)	Unknown or ill-defined diseases. 38	
18.9	.....	123.1	198.8	*18.9*	151.5	*9.5*	*37.9*	*18.9*	*18.9*	*18.9*	113.6	.....	.....	113.6	142.0	*18.9*	312.4	*28.4*	1
20.8	.....	135.0	166.1	*20.8*	135.0	*10.4*	*41.5*	*20.8*	*10.4*	*20.8*	103.8	.....	.....	103.8	145.3	*10.4*	301.0	*31.1*	2
.....	.....	.....	537.1	.....	*322.2*	.....	.....	.....	*107.4*	.....	*214.8*	.....	.....	*214.8*	*107.4*	*107.4*	*429.6*	.....	3
14.0	*14.0*	107.2	88.5	*14.0*	88.5	*9.3*	32.6	41.9	*9.3*	*9.3*	83.9	*14.0*	*4.7*	97.9	111.8	.....	247.0	*9.3*	4
13.2	*6.6*	46.3	79.4	*19.9*	59.6	*13.2*	39.7	*26.5*	*13.2*	.....	72.8	*6.6*	*19.9*	33.1	79.4	*19.9*	218.4	*6.6*	5
18.6	25.5	58.8	105.8	14.7	179.2	9.8	60.7	20.6	21.5	11.8	136.1	7.3	5.9	64.6	102.8	12.7	248.8	*2.0*	6
17.6	22.0	57.2	85.7	12.1	157.2	9.9	60.4	19.8	23.1	9.9	111.0	8.8	*4.4*	55.0	85.7	13.2	226.4	*2.2*	7
27.0	54.0	72.0	270.0	*36.0*	360.0	*9.0*	63.0	*27.0*	*9.0*	*27.0*	342.0	.....	*18.0*	144.0	243.0	*9.0*	432.0	.....	8
.....	*14.8*	118.7	185.5	*22.3*	66.8	.....	*14.8*	*22.3*	*14.8*	*7.4*	66.8	*22.3*	*22.3*	37.1	96.5	*14.8*	341.3	*22.3*	9
.....	*18.5*	138.6	166.3	*27.7*	64.7	.....	*18.5*	*27.7*	*9.2*	.....	55.4	*9.2*	*18.5*	*27.7*	110.8	*18.5*	323.3	*18.5*	10
.....	.....	37.7	264.1	.....	*75.4*	.....	.....	.....	*37.7*	*37.7*	*113.2*	*75.4*	*37.7*	*75.4*	*37.7*	.....	414.9	*37.7*	11
20.7	*15.5*	175.6	247.9	31.0	129.1	*15.5*	51.6	25.8	*5.2*	*5.2*	108.5	*5.2*	*15.5*	36.2	139.4	.....	361.5	.....	12
23.7	*5.9*	130.3	237.0	*23.7*	148.1	*11.8*	41.5	29.6	.....	*5.9*	106.6	*5.9*	*17.8*	41.5	130.3	.....	331.7	.....	13
.....	*80.6*	483.5	322.3	*80.6*	.....	*40.3*	*120.9*	.....	*40.3*	.....	*120.9*	.....	.....	.....	201.5	.....	564.1	.....	14
18.8	*6.3*	50.2	119.1	*25.1*	106.6	.....	31.3	50.2	*6.3*	*18.8*	156.7	*12.5*	*18.8*	75.2	200.6	.....	269.6	.....	15
16.4	*16.4*	81.8	54.5	*5.5*	120.0	*21.8*	60.0	*21.8*	*21.8*	*5.5*	130.9	*5.5*	*10.9*	76.3	87.2	*10.9*	299.9	38.2	16
28.3	*2.0*	92.9	187.7	10.1	155.4	16.1	42.4	34.3	18.2	*8.1*	145.3	*6.1*	*2.0*	98.9	70.7	18.2	280.6	16.1	17
26.4	*2.2*	92.5	171.7	*8.8*	136.5	13.2	41.8	35.2	17.6	*6.6*	132.1	*4.4*	*2.2*	103.5	63.8	19.8	286.2	11.0	18
48.6	.....	*97.2*	364.4	*24.3*	364.4	*48.6*	*48.6*	*24.3*	*24.3*	*24.3*	291.5	*24.3*	.....	*48.6*	145.8	.....	218.7	*72.9*	19
13.6	6.8	73.4	144.0	6.8	115.5	14.9	42.1	31.3	10.9	*4.1*	77.4	8.2	8.2	58.4	73.4	8.2	273.1	6.8	20
18.8	11.1	89.5	195.3	22.7	168.4	20.4	49.2	16.3	18.8	16.5	164.1	8.4	9.1	66.2	91.1	13.8	314.5	5.2	21
21.1	10.0	83.1	164.3	18.9	129.6	16.5	45.5	16.8	18.4	15.7	145.3	7.6	9.5	70.1	79.0	16.2	283.9	4.6	22
7.0	16.7	122.6	355.2	41.8	367.7	40.4	68.3	13.9	20.9	20.9	260.5	12.5	7.0	46.0	153.2	*1.4*	472.2	8.4	23
16.8	*6.7*	109.0	244.9	13.4	130.8	16.8	43.6	11.7	16.8	16.8	154.3	8.4	8.4	102.3	85.5	13.4	209.7	.....	24
17.7	*7.1*	106.1	229.9	12.4	116.7	15.9	38.9	10.6	17.7	17.7	150.3	*5.3*	8.8	104.3	81.3	14.1	206.9	.....	25
.....	.....	162.7	520.7	*32.5*	390.5	*32.5*	*130.2*	*32.5*	.....	.....	227.8	*65.1*	.....	*65.1*	162.7	.....	260.3	.....	26
.....	*26.8*	89.5	161.0	44.7	116.3	62.6	*35.8*	.....	*8.9*	*17.9*	161.0	.....	*17.9*	*35.8*	143.1	*8.9*	465.2	44.7	27
.....	*23.1*	92.3	126.9	*46.1*	103.8	*46.1*	*23.1*	.....	*11.5*	*23.1*	126.9	.....	*23.1*	*34.6*	115.4	*11.5*	403.8	57.7	28
.....	*39.8*	*79.6*	278.8	*39.8*	*159.3*	*119.5*	*79.6*	.....	.....	.....	278.8	.....	.....	*39.8*	238.9	.....	677.0	.....	29
24.4	.....	105.6	333.0	*24.4*	121.8	40.6	105.6	.....	*16.2*	40.6	138.1	*16.2*	*8.1*	48.7	113.7	.....	324.9	*32.5*	30
29.9	.....	99.6	169.4	*29.9*	59.8	*19.9*	109.6	.....	*10.0*	*29.9*	69.7	*10.0*	.....	49.8	79.7	.....	229.2	*19.9*	31
.....	.....	*131.8*	1,054.5	.....	395.4	*131.8*	*87.9*	.....	*43.9*	*87.9*	439.4	*43.9*	*43.9*	*43.9*	263.6	.....	746.9	*87.9*	32
28.6	*7.1*	114.3	192.9	16.7	250.0	28.6	42.9	38.1	35.7	*4.8*	214.3	*9.5*	14.3	64.3	109.5	11.9	709.6	*9.5*	33
33.1	*6.6*	112.7	126.0	*9.9*	169.1	*13.3*	46.4	43.1	33.1	*3.3*	188.9	*9.9*	*13.3*	56.4	102.8	16.6	679.5	*9.9*	34
16.9	*8.5*	118.4	363.5	*33.8*	456.5	67.6	*33.8*	*25.4*	42.3	*8.5*	279.0	*8.5*	*16.9*	84.5	126.8	.....	786.2	*8.5*	35
19.5	11.6	83.5	192.3	24.9	178 6	19.5	47.8	15.8	19.9	15.4	166.1	7.1	7.5	54.4	88.5	14.5	287.0	*0.8*	36
22.6	10.1	75.5	164.0	21.1	135.8	18.1	43.3	16.1	20.1	13.1	144.4	7.0	8.6	59.4	76.5	17.6	268.7	.....	37
4.8	19.0	121.3	325.8	42.8	380.5	26.2	69.0	14.3	19.0	26.2	268.7	*7.1*	*2.4*	30.9	145.0	.....	373.3	*4.8*	38
12.4	*9.3*	84.0	155.6	18.7	102.7	*3.1*	49.8	*3.1*	*6.2*	18.7	127.6	*6.2*	.....	71.6	59.1	15.6	168.1	.....	39
12.7	*9.5*	82.6	152.6	15.9	85.8	*3.2*	44.5	*3.2*	*3.2*	19.1	127.2	*6.4*	.....	73.1	54.0	15.9	162.1	.....	40
.....	.....	*148.1*	*296.3*	*148.1*	888.9	.....	*296.3*	.....	*148.1*	.....	*148.1*	.....	.....	.....	*296.3*	.....	*444.4*	.....	41
22.1	27.7	88.5	149.4	*16.6*	177.1	*5.5*	66.4	*22.1*	*11.1*	*22.1*	155.0	*11.1*	27.7	99.6	110.7	*11.1*	271.2	*16.6*	42
20.1	33.5	80.5	140.8	*20.1*	160.9	.....	60.3	*26.8*	*13.4*	*26.8*	147.5	*6.7*	*26.8*	114.0	80.5	*13.4*	248.1	*20.1*	43
31.7	.....	*126.7*	190.1	.....	253.5	*31.7*	*95.1*	.....	.....	.....	190.1	*31.7*	*31.7*	*31.7*	253.5	.....	380.2	.....	44
11.9	*11.9*	59.6	143.0	31.8	147.0	27.8	51.6	23.8	*11.9*	27.8	150.9	19.9	*11.9*	87.4	91.3	19.9	313.8	19.9	45
15.8	*5.3*	36.9	84.4	*15.8*	137.1	26.4	52.7	31.6	*15.8*	31.6	147.6	*21.1*	*15.8*	89.6	84.4	*21.1*	247.8	*21.1*	46
.....	*32.2*	128.7	321.9	80.5	177.0	*32.2*	*48.3*	.....	.....	*16.1*	160.9	*16.1*	.....	80.5	112.6	*16.1*	515.0	*16.1*	47
13.4	5.9	88.8	221.6	15.7	144.6	16.0	84.2	23.1	22.7	27.3	246.6	10.5	17.2	61.9	122.8	13.9	355.7	9.7	48
14.1	4.5	80.6	174.1	12.0	95.6	12.9	66.4	23.5	17.4	25.9	206.3	9.6	12.3	51.7	92.9	17.7	272.4	4.8	49
11.8	9.0	107.7	331.5	24.3	257.9	22.9	125.1	22.2	34.8	30.6	339.9	12.5	28.5	85.5	191.8	4.9	548.4	20.9	50
.....	*18.5*	73.9	203.3	*6.2*	104.7	*18.5*	98.6	*18.5*	30.8	.....	215.6	*6.2*	*12.3*	43.1	172.5	*24.6*	351.2	43.1	51
.....	*25.3*	63.3	139.2	*12.7*	88.6	.....	75.9	*38.0*	*38.0*	.....	177.1	*12.7*	*12.7*	63.3	202.4	*50.6*	303.6	*25.3*	52
.....	*12.0*	84.1	264.2	.....	120.1	*36.0*	120.1	.....	*24.0*	.....	252.2	.....	*12.0*	*24.0*	144.1	.....	396.3	60.0	53
.....	*5.7*	68.4	136.8	*5.7*	45.6	*5.7*	68.4	.....	*5.7*	28.5	199.5	.....	*17.1*	96.9	96.9	*5.7*	342.0	*11.4*	54
.....	*11.5*	*46.1*	126.7	*11.5*	*46.1*	*11.5*	*34.5*	.....	*11.5*	57.6	115.1	.....	*23.0*	*46.1*	69.1	*11.5*	241.8	.....	55
.....	.....	90.3	146.7	.....	*45.2*	.....	101.6	.....	.....	.....	282.2	.....	*11.3*	146.7	124.2	.....	440.2	*22.6*	56
13.4	.....	60.3	87.1	*20.1*	120.6	*20.1*	46.9	33.5	*26.8*	*13.4*	87.1	*13.4*	33.5	80.4	113.9	.....	254.5	93.8	57
22.2	.....	77.7	66.6	.....	66.6	*11.1*	*11.1*	*44.4*	*11.1*	*11.1*	99.9	*11.1*	*22.2*	66.6	122.1	.....	233.0	77.7	58
.....	.....	*53.3*	118.3	*50.7*	202.7	*33.3*	101.4	*16.9*	*50.7*	*16.9*	*67.6*	*16.9*	*50.7*	101.4	101.4	.....	287.2	118.3	59
.....	*14.6*	*29.2*	94.9	*7.3*	138.7	36.5	73.0	36.5	*14.6*	*7.3*	146.0	*7.3*	*14.6*	36.5	146.0	*29.2*	248.2	109.5	60
.....	.....	*50.8*	*61.7*	.....	169.6	*46.3*	*61.7*	*61.7*	*15.4*	.....	200.5	.....	*15.4*	77.1	215.9	*46.3*	169.6	*61.7*	61
.....	*27.7*	*27.7*	124.8	*13.9*	110.9	*27.7*	83.2	*13.9*	*13.9*	*13.9*	97.0	*13.9*	*13.9*	.....	83.2	*13.9*	318.8	152.5	62
14.6	5.6	96.0	234.2	16.2	147.2	13.3	89.7	17.5	19.9	30.0	266.6	10.1	12.5	59.1	109.5	13.5	331.3	*0.5*	63
14.7	3.9	83.5	188.9	12.5	95.4	13.3	70.6	17.6	16.5	26.5	215.5	8.6	9.7	48.0	79.9	16.1	263.9	*0.7*	64
14.3	10.2	131.5	363.0	26.5	294.7	13.3	143.8	17.3	29.6	39.8	411.9	14.3	20.4	90.7	193.7	6.1	523.1	.....	65
18.9	*2.7*	64.8	242.8	21.6	194.3	37.8	48.6	33.6	56.7	24.3	180.8	21.6	62.1	33.6	242.8	16.2	693.4	16.2	66
18.5	*4.6*	78.3	92.7	*13.9*	111.2	*4.6*	46.3	33.4	27.8	27.8	180.7	27.8	37.1	33.4	180.7	27.8	430.8	*4.6*	67
19.4	.....	45.2	452.3	32.3	310,1	84.0	51.7	84.0	96.9	*19.4*	180.9	*12,9*	96,9	84,0	329,5	.....	1,059.6	32.3	68

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	MAINE.															
1	Registration cities (total)	1,738.8	19.9	.....	.....	21.5	*1.7*	7.7	11.0	16.0	6.6	117.5	10.5	16.5	6.1	119.1
2	White	1,740.7	19.9	.....	.....	21.6	*1.7*	7.8	11.1	16.1	6.6	116.8	10.5	16.6	6.1	119.0
3	Colored	1,250.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	*277.8*	.....	.....	.....	*138.9*
4	Auburn	1,312.7	.....	.....	.....	*6.0*	*6.0*	.....	*6.0*	*18.1*	*6.0*	84.3	*6.0*	*6.0*	*6.0*	114.4
5	Augusta*	2,199.0	*20.9*	.....	.....	*14.0*	.....	.....	.....	*14.0*	*7.0*	181.5	.....	*7.0*	.....	83.8
6	Bangor*	2,481.6	70.5	.....	.....	*11.1*	*3.7*	*3.7*	*11.1*	22.3	18.5	178.1	*7.4*	18.5	*7.4*	152.1
7	Biddeford	1,537.2	*11.3*	.....	.....	*5.6*	.....	*11.3*	*16.9*	*16.9*	.....	123.9	*22.6*	*22.6*	.....	129.5
8	Lewiston	1,696.3	*3.6*	.....	.....	17.8	*3.6*	24.9	*10.7*	*14.3*	*7.1*	106.9	*10.7*	*10.7*	*3.6*	163.9
9	Portland	1,538.9	15.5	.....	.....	24.7	.....	*4.6*	12.4	10.8	*1.5*	92.7	9.3	18.5	10.8	103.5
10	Waterville	1,596.5	*7.8*	.....	.....	85.3	.....	*7.8*	*15.5*	*31.0*	*15.5*	100.8	*23.3*	*31.0*	.....	62.0
	MARYLAND.															
11	Registration cities (total)	1,882.3	18.2	*0.6*	.....	9.0	2.0	6.2	10.6	17.2	4.1	201.9	11.7	11.8	8.5	107.5
12	White	1,643.8	17.2	.....	.....	8.3	2.3	5.7	12.2	14.9	3.7	143.6	11.3	9.5	7.8	111.6
13	Colored	3,331.1	24.7	*4.3*	.....	12.9	.....	9.7	1.1	31.2	6.4	556.4	14.0	25.8	12.9	82.7
14	Baltimore (total)	1,909.6	15.6	*0.7*	.....	9.1	1.8	6.1	9.8	18.0	4.5	211.6	11.3	11.8	9.1	108.1
15	White	1,653.8	14.4	.....	.....	8.3	2.2	5.3	11.3	15.6	4.2	148.9	10.7	9.5	8.3	112.5
16	Colored	3,362.6	22.5	*4.5*	.....	13.5	.....	10.1	1.1	31.5	6.7	567.4	14.6	24.7	13.5	83.1
17	Cumberland (total)	1,596.3	30.0	.....	.....	*3.7*	.....	.....	18.7	*11.2*	.....	82.4	26.2	*7.5*	.....	104.9
18	White	1,557.7	27.5	.....	.....	*3.9*	.....	.....	19.6	*7.8*	.....	70.6	27.5	*7.8*	.....	102.0
19	Colored[7]	2,418.7	*83.4*	.....	.....	.....	.....	.....	.....	*83.4*	.....	*333.6*	.....	.....	.....	*166.8*
20	Frederick (total)	1,728.3	44.5	.....	.....	*8.9*	.....	*8.9*	*17.8*	*8.9*	.....	98.0	*8.9*	*17.8*	.....	89.1
21	White	1,642.5	51.0	.....	.....	*10.2*	.....	*10.2*	*20.4*	*10.2*	.....	81.6	*10.2*	*20.4*	.....	102.0
22	Colored	2,319.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	*210.8*	.....	.....	.....	.....
23	Hagerstown (total)	1,619.1	53.6	.....	.....	*11.5*	*7.7*	*15.3*	19.1	*7.7*	.....	149.3	*7.7*	*15.3*	*7.7*	103.3
24	White	1,528.6	48.7	.....	.....	*12.2*	*8.1*	*16.2*	20.3	*8.1*	.....	133.8	*8.1*	*8.1*	*8.1*	105.4
25	Colored[7]	3,146.4	*136.8*	.....	.....	.....	.....	.....	.....	.....	.....	410.4	.....	*136.8*	.....	*68.4*
	MASSACHUSETTS.															
26	Registration cities (total)	1,491.3	5.0	*0.1*	0.3	11.1	3.2	6.5	25.0	10.1	6.2	120.4	12.4	8.7	4.5	106.0
27	White	1,480.2	5.0	*0.1*	0.3	11.1	3.2	6.4	25.0	10.2	6.2	116.7	12.2	8.4	4.5	106.2
28	Colored	2,345.6	*2.6*	*2.6*	.....	*7.9*	.....	*10.6*	23.7	*7.9*	*5.3*	403.7	26.4	29.0	*5.3*	89.7
29	Adams town	839.9	*6.9*	.....	.....	.....	.....	.....	*20.8*	*13.9*	.....	55.5	.....	.....	*13.9*	76.4
30	Arlington town	1,369.2	*7.6*	.....	.....	*7.6*	*7.6*	.....	*7.6*	*22.9*	.....	99.4	*7.6*	.....	.....	137.7
31	Attleboro	1,208.5	.....	.....	.....	.....	.....	*5.1*	*15.2*	*20.2*	.....	86.0	*15.2*	*5.1*	*10.1*	101.1
32	Beverly	1,328.6	*4.5*	.....	.....	.....	.....	*9.0*	.....	*4.5*	.....	76.8	*4.5*	.....	*4.5*	81.3
33	Boston (total)	1,654.6	3.0	.....	.....	13.9	5.9	4.9	36.1	4.7	9.2	148.7	12.9	10.4	3.3	120.3
34	White	1,631.9	3.1	.....	.....	14.3	6.0	4.8	36.2	4.8	9.3	141.1	12.7	9.7	3.3	120.1
35	Colored	2,651.3	.....	.....	.....	.....	.....	*11.7*	29.3	.....	*5.9*	492.7	*23.5*	41.1	.....	129.0
36	Brockton	1,084.6	.....	*1.4*	.....	.....	.....	*5.8*	*4.3*	18.8	*4.3*	55.0	8.7	*2.9*	7.2	85.3
37	Brookline town	1,142.4	.....	.....	.....	.....	*3.0*	.....	.....	*8.9*	*3.0*	47.7	*6.0*	*8.9*	*3.0*	170.0
38	Cambridge	1,404.3	4.4	.....	.....	13.1	*2.6*	*3.5*	14.0	7.0	6.1	181.1	8.7	8.7	*3.5*	134.7
39	Chelsea	[9] 1,408.9	*6.2*	.....	.....	*4.1*	.....	*2.1*	22.7	*4.1*	10.3	107.4	*8.3*	*4.1*	*4.1*	99.2
40	Chicopee	1,422.4	*3.3*	.....	.....	*3.3*	.....	*6.7*	26.7	*6.7*	*3.3*	197.0	*13.4*	*3.3*	*6.7*	56.8
41	Clinton town	[5] 1,422.6	.....	.....	.....	*22.9*	.....	*22.9*	.....	*7.6*	*15.3*	137.7	*15.3*	*7.6*	.....	76.5
42	Everett	936.3	.....	.....	.....	*10.0*	.....	*2.5*	29.9	17.4	*2.5*	57.3	*5.0*	.....	*5.0*	67.2
43	Fall River	1,629.8	16.9	.....	.....	54.7	*2.3*	16.9	28.5	8.5	*3.1*	144.0	16.9	6.9	3.9	80.9
44	Fitchburg	1,143.4	.....	.....	*2.4*	*4.7*	*2.4*	*9.4*	33.0	*2.4*	*4.7*	96.7	14.1	*2.4*	*4.7*	68.4
45	Framingham town	1,618.5	.....	.....	.....	*14.1*	.....	.....	*21.2*	*7.1*	.....	63.6	*14.1*	.....	.....	183.8
46	Gardner town	[5] 1,425.8	51.3	.....	.....	.....	.....	.....	74.1	*11.4*	*11.4*	114.1	*5.7*	.....	*5.7*	79.8
47	Gloucester	1,471.4	*8.2*	.....	.....	*4.1*	.....	.....	20.5	*12.3*	.....	114.8	*4.1*	*8.2*	*8.2*	118.9
48	Greenfield town	1,746.8	*16.3*	.....	.....	65.3	*8.2*	.....	.....	*16.3*	*24.5*	65.3	.....	*8.2*	.....	138.8
49	Haverhill	1,486.4	10.2	.....	.....	*2.0*	*6.1*	*8.1*	26.4	24.4	*6.1*	124.0	*2.0*	*4.1*	*8.1*	95.6
50	Holyoke	1,586.4	*6.0*	.....	.....	10.5	.....	9.0	30.1	9.0	*1.5*	94.7	13.5	9.0	*4.5*	87.2
51	Lawrence	1,355.4	*5.8*	.....	.....	.....	*1.0*	4.9	12.6	7.8	*1.9*	128.3	16.5	10.7	*3.9*	65.1
52	Leominster	1,029.7	*4.7*	.....	.....	.....	.....	.....	28.1	*9.4*	*9.4*	51.5	.....	*9.4*	.....	121.7
53	Lowell	1,696.3	6.1	.....	.....	7.9	*2.6*	6.1	23.6	*2.6*	7.0	132.0	20.1	14.0	11.4	74.3
54	Lynn	1,212.0	6.7	.....	.....	*1.0*	*3.8*	*2.9*	16.3	8.6	*1.0*	106.2	8.6	13.4	*3.8*	97.6
55	Malden	1,114.0	.....	.....	.....	.....	*5.7*	*3.8*	42.1	13.4	*7.7*	68.9	*7.7*	9.6	*5.7*	86.1
56	Marlborough	1,301.9	.....	.....	.....	.....	.....	*13.1*	.....	*13.1*	*6.5*	52.3	*19.6*	*13.1*	*6.5*	98.1
57	Medford	1,416.7	*3.7*	.....	.....	*3.7*	.....	.....	*15.0*	*15.0*	.....	82.5	*7.5*	.....	*3.7*	157.4
58	Melrose	1,523.4	.....	.....	.....	*11.3*	.....	.....	*11.3*	50.8	*5.6*	62.1	.....	*5.6*	.....	231.3
59	Methuen town	1,410.6	.....	.....	.....	.....	.....	*27.9*	*7.0*	*7.0*	*14.0*	97.8	*20.9*	*7.0*	*7.0*	118.7
60	Milford town	1,295.5	.....	*7.0*	.....	.....	.....	*7.0*	.....	.....	*14.0*	70.0	*14.0*	*7.0*	*28.0*	84.0
61	New Bedford	1,468.5	7.4	.....	.....	22.2	.....	10.7	14.0	8.2	*5.8*	120.9	23.0	11.5	*0.8*	74.0
62	Newburyport	1,654.6	*6.5*	.....	.....	*19.6*	.....	.....	*13.1*	52.3	*13.1*	32.7	*6.5*	.....	.....	170.0
63	Newton	1,172.6	.....	.....	.....	*4.5*	.....	*2.3*	20.3	18.0	*9.0*	38.3	*9.0*	*4.5*	.....	119.5
64	North Adams	[5] 1,616.8	*9.1*	.....	.....	*18.2*	.....	.....	*18.2*	27.2	.....	68.1	.....	*13.6*	.....	136.2
65	Northampton*	2,179.3	.....	.....	.....	*10.0*	.....	.....	*20.0*	25.0	*5.0*	299.9	*5.0*	.....	.....	110.0
66	Peabody	1,373.4	*5.3*	.....	.....	.....	.....	*5.3*	.....	*21.3*	*10.6*	63.9	*10.6*	.....	.....	106.5
67	Pittsfield	1,630.6	*2.5*	.....	.....	25.2	*7.6*	12.6	17.6	17.6	*5.0*	128.5	*10.1*	*5.0*	*5.0*	141.1
68	Plymouth town	1,364.2	*14.3*	.....	.....	.....	*7.1*	*7.1*	*28.6*	*28.6*	*7.1*	57.1	*7.1*	.....	*7.1*	78.6
69	Quincy	1,201.9	*5.1*	.....	.....	.....	.....	*7.7*	*2.6*	*7.7*	*2.6*	123.0	*10.3*	*5.1*	*5.1*	102.5
70	Revere	990.4	*12.5*	.....	.....	*4.2*	.....	.....	*12.5*	*4.2*	.....	46.0	*8.4*	*8.4*	*4.2*	62.7
71	Salem	1,220.0	.....	.....	.....	*4.1*	.....	14.2	*4.1*	10.1	.....	103.4	12.2	12.2	*8.1*	99.3
72	Somerville	1,215.3	5.6	.....	.....	*2.3*	*3.4*	*1.1*	30.5	13.5	7.9	86.9	9.0	.....	*4.5*	101.6

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
36.9	14.3	127.9	180.3	19.9	192.5	14.3	54.6	27.0	19.3	6.1	134.0	6.6	14.3	81.6	77.8	13.2	341.4	22.6	1
37.1	14.4	128.5	179.9	19.9	192.7	14.4	54.8	27.1	19.4	6.1	134.5	6.6	14.4	81.9	78.1	13.3	341.1	22.7	2
.....	.....	.....	*277.3*	.....	*138.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*416.7*	.....	3
54.2	*6.0*	144.5	198.7	*24.1*	102.4	.....	66.2	.....	.....	*6.0*	72.3	.....	*6.0*	102.4	*18.1*	*18.1*	216.8	*18.1*	4
34.9	*7.0*	139.6	160.6	*7.0*	446.8	*14.0*	34.9	*20.9*	*14.0*	.....	167.5	.....	*14.0*	90.8	62.8	*14.0*	628.3	*14.0*	5
18.5	*14.8*	159.5	304.2	22.3	330.1	29.7	*11.1*	55.6	29.7	*3.7*	133.5	7.4	18.5	70.5	133.5	*11.1*	578.7	44.5	6
33.8	28.2	107.0	146.4	*5.6*	168.9	*22.5*	95.7	*11.3*	*11.3*	*11.3*	112.6	*5.6*	.....	67.6	90.1	.....	242.1	*16.9*	7
21.4	*7.1*	96.2	82.0	39.2	160.4	21.4	117.6	53.5	17.8	*3.6*	163.9	*14.3*	17.8	124.7	60.6	*14.3*	278.0	24.9	8
44.8	15.5	131.3	194.7	9.3	136.0	7.7	34.0	10.8	23.2	7.7	146.8	7.7	13.9	60.3	77.3	12.4	279.7	21.6	9
54.3	*23.3*	108.5	108.5	54.3	124.0	*7.8*	62.0	54.3	*23.3*	*7.8*	77.5	.....	*31.0*	100.8	77.5	*31.0*	271.3	.....	10
19.3	12.3	118.1	218.2	22.6	230.2	9.4	102.9	18.1	17.3	15.3	186.0	8.5	9.9	97.3	112.3	15.9	256.6	2.7	11
21.0	9.2	109.8	191.0	19.8	168.3	8.7	92.3	16.8	17.0	16.6	165.8	7.1	10.4	89.1	101.7	17.9	231.3	2.1	12
8.6	31.2	168.6	383.5	39.7	605.8	14.0	167.6	25.8	19.3	7.5	308.3	17.2	6.4	147.2	177.2	*4.3*	410.3	6.4	13
20.3	12.8	121.9	221.1	21.9	242.8	8.9	107.0	16.5	16.8	16.0	191.2	7.7	9.8	96.7	109.8	16.8	252.1	2.0	14
22.3	9.3	113.7	192.4	18.8	176.8	8.1	95.7	14.6	16.2	17.4	170.7	6.1	10.3	87.2	97.7	19.0	224.5	1.6	15
9.0	32.6	168.5	384.2	39.3	617.9	13.5	170.8	27.0	20.2	7.9	307.8	16.9	6.7	150.5	178.6	*4.5*	408.9	*4.5*	16
11.2	*15.0*	56.2	157.4	26.2	119.9	22.5	71.2	33.7	33.7	*15.0*	157.4	*3.7*	*11.2*	82.4	187.4	*3.7*	299.8	*3.7*	17
11.8	*15.7*	54.9	153.0	27.5	109.9	23.5	66.7	35.3	35.3	*15.7*	149.1	*3.9*	*11.8*	82.4	184.4	*3.9*	302.1	*3.9*	18
.....	.....	*88.4*	*260.2*	.....	*338.6*	.....	*166.8*	.....	.....	.....	*338.6*	.....	.....	*83.4*	*250.2*	.....	*250.2*	.....	19
8.9	*8.9*	133.6	187.1	44.5	124.7	*8.9*	*26.7*	62.4	*35.6*	.....	169.3	*35.6*	*17.8*	71.3	89.1	*26.7*	347.4	*26.7*	20
10.2	*10.2*	112.2	173.4	*30.6*	102.0	*10.2*	*30.6*	71.4	*40.8*	.....	153.0	*30.6*	*20.4*	71.4	102.0	*30.6*	306.1	*20.4*	21
.....	.....	*231.1*	*231.1*	*140.1*	*231.1*	.....	.....	.....	.....	.....	*231.1*	*70.3*	.....	*70.3*	.....	.....	632.5	*70.3*	22
7.7	.....	88.0	225.8	26.8	99.5	*7.7*	76.6	19.1	*3.8*	*7.7*	103.3	19.1	*7.7*	137.8	103.3	*3.8*	275.6	*7.7*	23
8.1	.....	85.1	206.8	28.4	81.1	*4.1*	73.0	20.3	*4.1*	*8.1*	89.2	20.3	*8.1*	141.9	97.3	*4.1*	267.6	*4.1*	24
.....	.....	*136.8*	547.2	.....	410.4	*68.4*	*136.8*	.....	.....	.....	342.0	.....	.....	*68.4*	*205.2*	.....	410.4	*68.4*	25
21.3	8.3	95.1	195.8	19.3	172.6	9.8	75.0	14.3	10.2	8.4	93.7	8.1	10.6	82.7	87.1	13.1	238.6	7.7	26
21.3	8.3	95.0	194.1	19.4	170.2	9.7	75.1	14.3	10.1	8.4	92.8	8.1	10.4	82.3	86.9	13.2	237.3	7.7	27
21.1	*7.9*	102.9	324.5	18.5	353.5	*10.6*	68.6	18.5	15.8	*7.9*	163.6	13.2	26.4	113.5	102.9	*10.6*	337.7	13.2	28
6.9	.....	69.4	118.0	.....	48.6	.....	90.2	*6.9*	.....	.....	76.4	*20.8*	*6.9*	34.7	48.6	*6.9*	118.0	.....	29
15.3	*15.3*	84.1	260.1	*7.6*	122.4	*15.3*	*23.9*	*15.3*	*15.3*	.....	107.1	*7.6*	*7.6*	68.8	38.2	*23.9*	244.8	.....	30
25.3	*5.1*	75.8	222.5	*15.2*	75.8	*10.1*	25.3	*5.1*	*5.1*	.....	80.9	*5.1*	*10.1*	91.0	50.6	*20.2*	217.4	*10.1*	31
9.0	*13.6*	131.1	226.0	*9.0*	149.1	*4.5*	*4.5*	*9.0*	*9.0*	.....	67.8	*4.5*	*9.0*	126.5	90.4	*9.0*	271.1	.....	32
20.3	9.9	89.7	220.0	15.6	212.4	11.1	57.0	16.5	15.2	11.7	102.8	10.7	12.8	81.5	103.5	17.3	268.8	4.0	33
20.2	9.7	89.0	216.7	15.7	207.8	11.1	57.3	16.6	15.2	11.9	101.1	10.7	12.1	80.6	103.9	17.4	265.7	3.9	34
23.5	*17.6*	123.2	363.7	*11.7*	416.5	*11.7*	46.9	*11.7*	*17.6*	*5.9*	176.0	*11.7*	41.1	123.2	88.0	*11.7*	404.7	*11.7*	35
20.2	*2.5*	95.4	147.5	17.4	105.6	11.6	8.7	8.7	*2.9*	*4.3*	62.2	7.2	15.9	*66.5	66.5	21.7	224.1	*1.4*	36
38.8	*3.0*	68.3	214.8	*6.0*	131.2	*3.0*	*3.0*	*11.9*	*6.0*	*3.9*	77.6	*3.0*	*6.0*	38.8	29.8	20.9	217.7	*3.0*	37
29.7	*1.7*	94.5	203.0	17.5	148.7	9.6	52.5	9.6	11.4	6.1	63.9	7.9	7.9	57.7	77.0	4.4	213.5	.....	38
26.9	*6.2*	82.6	223.1	10.3	157.0	*8.3*	39.3	20.7	*8.3*	*6.2*	74.4	*8.3*	*4.1*	101.2	88.8	10.3	243.8	16.5	39
6.7	16.7	70.1	156.9	23.4	153.6	*6.7*	263.8	.....	.....	*6.7*	73.5	.....	*6.7*	70.1	83.5	*6.7*	150.3	.....	40
15.3	.....	99.4	130.0	45.9	153.0	*15.3*	61.2	*15.3*	*30.6*	*7.6*	53.5	*22.9*	.....	99.4	122.4	.....	221.8	*22.9*	41
14.9	*5.0*	47.3	166.8	*10.0*	122.0	12.5	17.4	12.5	*2.5*	*10.0*	62.3	*10.0*	.....	52.3	34.9	*7.5*	151.9	.....	42
21.6	5.4	70.9	178.7	28.5	204.1	12.3	210.3	9.2	6.2	6.9	117.1	8.5	9.2	82.4	60.8	5.4	186.4	22.3	43
18.9	.....	37.7	207.5	16.5	101.4	11.8	56.6	14.1	*7.1*	*7.1*	66.0	14.1	*9.4*	84.9	61.3	*9.4*	174.5	.....	44
35.3	*14.1*	113.1	169.6	*7.1*	162.6	*7.1*	35.3	56.5	*7.1*	.....	98.9	*14.1*	*14.1*	98.9	183.8	*14.1*	282.7	.....	45
34.2	*17.1*	85.5	159.7	*11.4*	125.5	*11.4*	102.7	*11.4*	*5.7*	*5.7*	148.3	*5.7*	.....	79.8	85.5	*17.1*	165.4	.....	46
16.4	*12.3*	135.3	209.0	49.2	168.0	*16.4*	36.9	*4.1*	*8.2*	*16.4*	131.2	*4.1*	*12.3*	41.0	77.9	20.5	213.1	.....	47
16.3	.....	130.6	163.3	*32.7*	220.4	*8.2*	*32.7*	*8.2*	*8.2*	.....	98.0	.....	.....	81.6	204.1	*16.3*	261.2	122.4	48
12.2	10.2	144.4	191.1	14.2	174.9	*2.0*	46.8	14.2	10.2	*8.1*	69.1	*8.1*	20.3	93.5	89.5	*8.1*	225.7	26.4	49
25.6	*6.0*	75.2	156.4	13.5	212.0	13.5	209.0	24.1	13.5	12.0	87.2	9.0	9.0	124.8	100.7	12.0	207.5	.....	50
13.6	16.5	96.2	111.7	17.5	148.7	9.7	172.0	15.5	12.6	7.8	83.6	4.9	5.8	68.0	83.6	10.7	173.9	44.7	51
42.1	*4.7*	60.8	149.8	*9.4*	98.3	.....	*18.7*	*4.7*	*9.4*	*14.0*	107.7	*4.7*	.....	51.5	56.2	*9.4*	154.5	.....	52
19.2	14.9	104.9	170.5	49.0	175.8	15.7	166.1	21.0	9.6	8.7	85.7	6.1	14.0	116.3	91.8	9.6	308.7	*0.9*	53
23.9	6.7	98.5	155.9	14.3	145.4	4.8	27.7	11.5	7.7	6.7	77.5	*3.8*	9.6	56.4	65.1	9.6	211.4	5.7	54
26.8	*3.8*	68.9	166.5	7.7	118.7	*7.7*	26.8	15.3	13.4	*3.8*	93.8	*5.7*	15.3	68.9	47.9	*5.7*	166.5	.....	55
13.1	*19.6*	111.2	294.4	*26.2*	130.8	*13.1*	32.7	*6.5*	*6.5*	*13.1*	45.8	*19.6*	*13.1*	39.3	98.1	*6.5*	176.6	*13.1*	56
26.2	*3.7*	142.4	202.4	*11.2*	176.2	*3.7*	33.7	*3.7*	*15.0*	.....	131.2	.....	.....	90.0	45.0	*15.0*	228.6	.....	57
28.2	.....	135.4	237.0	*11.3*	101.6	*5.6*	*5.6*	*11.3*	*16.9*	*16.9*	124.1	.....	*16.9*	79.0	112.8	*5.6*	231.3	*5.6*	58
20.9	.....	104.7	181.6	*27.9*	132.7	*14.0*	90.8	*7.0*	.....	.....	41.9	*14.0*	.....	41.9	55.9	*20.9*	307.3	41.9	59
14.0	*7.0*	140.1	133.1	*7.0*	161.1	*7.0*	*7.0*	42.0	*7.0*	.....	119.0	.....	.....	112.0	112.0	.....	196.1	.....	60
17.3	7.4	77.3	129.9	37.8	207.2	6.6	135.7	8.2	5.8	8.2	70.7	5.8	9.9	78.9	74.0	18.1	235.2	36.2	61
13.1	*6.5*	78.5	313.9	*13.1*	196.2	*6.5*	*13.1*	*6.5*	*6.5*	*6.5*	215.8	.....	.....	52.3	137.3	*6.5*	268.1	.....	62
6.8	*4.5*	97.0	169.1	18.0	121.8	*4.5*	45.1	*9.0*	*2.3*	*2.3*	51.9	*6.8*	*9.0*	72.2	51.9	13.5	261.6	.....	63
9.1	*9.1*	145.3	190.7	40.9	204.4	*4.5*	50.0	22.7	*18.2*	*9.1*	127.2	*4.5*	.....	45.4	99.9	31.8	308.8	*4.5*	64
20.0	*20.0*	309.9	239.9	25.0	194.9	*20.0*	40.0	35.0	*5.0*	*10.0*	155.0	*5.0*	*20.0*	90.0	95.0	.....	394.9	25.0	65
10.6	*5.3*	63.9	244.9	31.9	154.4	*10.6*	69.2	*21.3*	*5.3*	*5.3*	79.9	*5.3*	*5.3*	111.8	74.5	*5.3*	244.9	.....	66
22.7	27.7	105.9	148.7	*10.1*	181.5	*10.1*	73.1	*5.0*	*10.1*	27.7	121.0	*7.6*	12.6	108.4	113.4	12.6	252.0	*2.5*	67
7.1	.....	114.3	257.1	35.7	114.3	.....	64.3	*7.1*	*14.3*	*14.3*	71.4	.....	*21.4*	107.1	85.7	*7.1*	200.0	.....	68
33.3	*5.1*	71.8	197.3	*5.1*	117.9	*5.1*	28.2	*7.7*	*7.7*	*5.1*	87.1	*5.1*	*5.1*	92.3	94.8	17.9	143.5	.....	69
33.4	*4.2*	75.2	133.7	.....	129.5	*4.2*	62.7	.....	*4.2*	.....	75.2	.....	*4.2*	71.0	41.8	25.1	158.8	*4.2*	70
18.2	12.2	81.1	245.2	16.2	115.5	18.2	38.5	*6.1*	*4.1*	*6.1*	58.8	*6.1*	*8.1*	93.2	48.6	*8.1*	168.2	.....	71
18.1	5.6	106.1	174.9	14.7	115.1	7.9	24.8	10.2	9.0	5.6	67.7	*4.5*	10.2	77.9	46.3	11.3	238.1	*1.1*	72

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	MASSACHUSETTS—continued.															
1	Southbridge town	1,057.7	6.9	.....	.....	.....	.....	6.9	20.7	.....	.....	62.2	20.7	6.9	.....	96.8
2	Springfield	1,726.4	6.4	.....	.....	4.6	6.4	6.4	58.0	23.0	11.0	94.8	12.0	10.1	11.0	111.3
3	Taunton *	2,130.6	2.7	.....	.....	10.9	.....	.....	8.2	16.4	5.5	188.5	24.6	8.2	13.7	122.9
4	Wakefield town	973.2	.....	.....	.....	.....	7.7	15.4	15.4	7.7	.....	92.7	7.7	.....	7.7	115.9
5	Waltham	1,267.3	3.2	3.2	.....	6.4	.....	.....	16.1	22.6	12.9	100.0	9.7	19.3	3.2	96.7
6	Watertown town	1,251.0	6.6	.....	.....	6.6	.....	.....	.....	13.2	.....	105.3	.....	6.6	.....	131.7
7	Webster town	1,008.6	.....	.....	.....	.....	.....	7.4	37.1	.....	.....	37.1	.....	14.8	.....	81.6
8	Westfield town	1,800.8	.....	.....	.....	58.6	21.3	.....	21.3	10.7	.....	202.5	.....	10.7	10.7	106.6
9	Weymouth town	1,217.9	.....	.....	.....	.....	.....	.....	7.1	21.4	7.1	85.5	7.1	7.1	.....	170.9
10	Winthrop town	1,091.2	.....	.....	.....	7.6	.....	7.6	.....	15.3	.....	38.2	.....	.....	.....	122.1
11	Woburn	1,430.7	.....	.....	.....	.....	.....	6.2	12.4	12.4	.....	99.5	18.7	12.4	.....	80.9
12	Worcester	1,679.0	6.0	.....	5.4	7.8	4.2	18.7	24.7	7.2	5.4	129.4	20.5	13.8	2.4	101.7
	MICHIGAN.															
13	Registration cities (total)	1,720.6	17.4	0.2	0.2	9.7	17.1	17.5	43.4	9.2	8.1	112.2	10.7	8.3	7.6	92.8
14	White	1,699.7	17.0	0.2	0.2	9.6	17.1	17.3	43.6	9.1	8.2	109.0	10.4	8.2	7.5	92.7
15	Colored	3,838.0	55.2	7.9	.....	25.6	7.9	39.4	15.8	15.8	.....	433.4	31.5	15.8	23.6	102.5
16	Adrian	1,849.6	8.6	.....	.....	.....	17.3	8.6	25.9	51.9	.....	60.5	8.6	.....	.....	181.5
17	Alpena	1,189.7	22.4	.....	.....	15.0	7.5	.....	.....	7.5	.....	82.3	7.5	.....	.....	74.8
18	Ann Arbor	3,191.3	26.6	.....	.....	13.3	13.3	6.6	73.1	13.3	.....	232.7	.....	13.3	.....	379.0
19	Battle Creek	1,641.3	9.9	.....	.....	3.3	9.9	.....	39.8	29.8	3.3	69.6	.....	19.9	16.6	119.4
20	Bay City	1,312.3	24.8	.....	.....	.....	4.1	10.3	12.4	22.7	4.1	72.3	2.1	2.1	6.2	88.9
21	Detroit	[10] 1,894.0	17.8	0.2	0.2	9.7	23.7	24.7	66.7	6.0	8.4	137.5	14.2	8.2	8.6	77.1
22	Escanaba	1,419.2	37.8	.....	.....	.....	37.8	6.3	.....	6.3	.....	119.8	6.3	6.3	6.3	50.5
23	Flint	1,444.6	45.3	.....	1.7	3.7	20.9	26.1	38.3	7.0	3.5	48.8	3.7	7.0	5.2	71.4
24	Grand Rapids	1,308.1	12.8	.....	.....	26.3	1.5	9.0	26.3	1.5	6.8	79.0	11.3	5.3	6.8	92.6
25	Holland	979.2	16.1	.....	.....	8.0	.....	16.1	.....	.....	8.0	40.1	16.1	.....	.....	96.3
26	Ironwood	1,252.1	13.2	.....	.....	.....	46.4	19.9	13.2	.....	.....	152.4	.....	.....	.....	79.5
27	Ishpeming	[5] 1,172.9	8.0	.....	.....	.....	40.2	.....	8.0	.....	8.0	48.2	8.0	16.1	16.1	80.3
28	Jackson	1,855.8	.....	.....	.....	3.3	16.7	16.7	25.0	25.0	3.3	113.9	3.3	3.3	11.1	113.9
29	Kalamazoo *	1,727.9	4.0	.....	.....	4.0	4.0	7.9	19.8	15.9	29.8	111.1	2.0	9.9	7.9	113.1
30	Lansing	1,458.5	11.2	.....	.....	2.2	27.0	9.0	18.0	13.5	13.5	53.9	9.0	11.2	9.0	114.6
31	Manistee	[5] 1,260.0	32.3	.....	.....	.....	8.1	.....	48.5	16.2	8.1	88.8	.....	.....	8.1	72.7
32	Marquette	1,489.4	39.8	.....	.....	8.0	.....	15.9	.....	8.0	.....	71.7	23.9	8.0	8.0	95.6
33	Menominee	[5] 1,189.7	19.0	.....	.....	.....	.....	.....	.....	23.6	.....	66.6	.....	9.5	9.5	76.1
34	Muskegon	1,829.8	10.9	.....	.....	25.5	3.6	.....	7.3	7.3	10.9	134.9	14.6	10.9	3.6	149.4
35	Pontiac *	2,710.2	16.7	.....	.....	.....	27.8	27.8	33.3	38.9	22.2	116.6	11.1	22.2	16.7	111.1
36	Port Huron	[5] 1,823.7	5.3	.....	.....	5.3	15.9	.....	31.8	15.9	.....	90.1	10.6	.....	10.6	148.4
37	Saginaw	1,464.5	12.4	3.5	.....	.....	3.5	23.0	10.6	3.5	5.3	85.0	5.3	10.6	1.8	102.7
38	Sault Ste. Marie	1,281.0	28.3	.....	.....	35.4	.....	.....	21.2	21.2	.....	63.7	7.1	7.1	7.1	56.6
39	Traverse City *	2,335.0	14.2	.....	.....	.....	.....	.....	7.1	.....	14.2	191.6	.....	28.4	.....	134.8
	MINNESOTA.															
40	Registration cities (total)	1,173.7	5.2	0.1	2.0	5.3	4.1	3.0	16.9	6.6	4.1	111.0	10.2	10.0	5.2	98.3
41	White	1,164.4	5.3	.....	2.1	5.4	4.1	3.0	16.9	6.7	4.0	107.0	9.9	9.8	5.3	98.4
42	Colored	2,070.8	.....	12.3	.....	.....	.....	12.3	12.3	.....	12.3	493.0	37.0	37.0	.....	86.3
43	Duluth	1,180.5	6.2	.....	15.5	13.4	7.2	.....	15.5	5.2	3.1	76.2	24.7	11.3	6.2	70.0
44	Mankato	[5] 1,919.9	19.3	.....	.....	19.3	.....	.....	.....	9.6	.....	57.9	9.6	28.9	19.3	221.9
45	Minneapolis	1,181.7	6.4	.....	0.8	2.9	2.9	4.8	18.2	5.6	4.3	119.2	6.4	9.1	4.6	104.2
46	St. Cloud	1,415.1	8.3	.....	.....	8.3	.....	.....	8.3	25.0	8.3	124.9	41.6	16.6	8.3	83.2
47	St. Paul	1,079.0	2.4	0.4	.....	5.1	3.2	2.0	16.2	7.5	4.0	114.5	9.1	11.5	5.1	92.3
48	Stillwater	[5] 951.2	.....	.....	.....	.....	.....	.....	.....	9.8	.....	29.4	.....	.....	9.8	78.4
49	Virginia	1,178.4	6.3	.....	.....	12.5	31.3	.....	37.6	.....	6.3	81.5	6.3	.....	6.3	75.2
50	Winona	[5] 1,652.0	5.4	.....	.....	.....	5.4	5.4	10.8	10.8	5.4	156.1	10.8	.....	.....	166.8
	MISSISSIPPI.[4]															
51	Registration cities (total)	2,548.1	54.2	55.1	1.9	45.6	1.9	7.6	19.0	45.6	3.8	210.9	12.4	20.0	4.8	85.5
52	White	1,596.3	41.4	43.2	1.8	37.8	.....	7.2	14.4	41.4	7.2	75.7	7.2	3.6	.....	82.9
53	Colored	3,609.9	68.3	68.3	2.0	54.3	4.0	8.0	24.1	50.2	.....	361.8	18.1	38.2	10.0	88.4
54	Hattiesburg (total)	1,647.8	86.4	57.6	.....	83.4	.....	5.8	28.8	57.6	5.8	86.4	.....	11.5	.....	57.6
55	White	1,362.4	54.5	54.5	.....	90.8	.....	9.1	45.4	63.6	9.1	45.4	.....	9.1	.....	63.6
56	Colored	2,142.7	141.8	63.0	.....	78.8	.....	.....	.....	47.3	.....	157.6	.....	15.8	.....	47.3
57	Jackson * (total)	2,890.3	51.4	45.0	3.2	67.5	6.4	6.4	45.0	61.1	9.6	189.7	9.6	32.2	6.4	77.2
58	White	1,753.1	29.8	41.7	.....	41.7	.....	6.0	11.9	47.7	17.9	47.7	11.9	6.0	.....	89.4
59	Colored	4,220.7	76.7	48.8	7.0	97.7	14.0	7.0	83.7	76.7	.....	355.8	7.0	62.8	14.0	62.8
60	Meridian (total)	2,506.4	82.5	55.0	4.6	41.2	.....	18.3	4.6	27.5	.....	261.2	9.2	18.3	.....	105.4
61	White	1,716.4	75.3	22.6	7.5	22.6	.....	7.5	7.5	22.6	.....	112.9	7.5	.....	.....	112.9
62	Colored	3,735.4	93.7	105.4	.....	70.3	.....	35.1	.....	35.1	.....	491.8	11.7	46.8	.....	93.7
63	Natchez (total)	[5] 2,111.8	8.5	33.9	.....	8.5	.....	.....	.....	17.0	.....	212.0	50.9	.....	.....	93.3
64	White	[5] 1,258.1	.....	59.0	.....	.....	.....	.....	.....	19.7	.....	19.7	19.7	.....	.....	59.0
65	Colored	[5] 2,759.5	14.9	14.9	.....	14.9	.....	.....	.....	14.9	.....	358.0	74.6	.....	.....	119.3
66	Vicksburg (total)	3,024.3	30.2	77.7	.....	8.6	.....	4.3	.....	47.5	.....	284.7	8.6	21.6	12.9	94.9
67	White	1,603.9	21.4	53.5	.....	10.7	.....	10.7	.....	42.8	.....	139.0	.....	.....	.....	64.2
68	Colored	3,985.0	36.2	94.0	.....	7.2	.....	.....	.....	50.6	.....	383.3	14.5	36.2	21.7	115.7

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
34.6	*18.8*	89.9	145.2	*18.8*	131.4	*6.9*	55.3	.....	.....	.....	41.5	.....	.....	83.0	48.4	*20.7*	131.4	*20.7*	1
24.8	11.0	103.1	186.8	14.7	179.4	12.9	81.0	29.4	12.0	8.3	170.2	7.4	12.0	115.9	133.4	12.0	256.7	.....	2
21.9	.....	120.2	360.6	35.5	240.4	13.7	71.0	16.4	*5.5*	*10.9*	114.7	*5.5*	21.9	103.8	125.6	13.7	442.5	*5.5*	3
7.7	*7.7*	123.6	146.8	*23.2*	92.7	*7.7*	*7.7*	.....	.....	.....	77.2	.....	.....	38.6	*7.7*	.....	162.2	.....	4
19.3	*6.4*	77.4	206.4	25.8	129.0	*3.2*	*12.9*	*9.7*	.....	*9.7*	70.9	*3.2*	16.1	61.3	80.6	*3.2*	235.4	*3.2*	5
19.8	.....	105.3	190.9	*6.6*	144.9	.....	46.1	.....	.....	*6.6*	79.0	.....	*19.8*	65.8	85.6	*13.2*	197.5	.....	6
37.1	.....	89.0	89.0	*22.2*	133.5	*7.4*	81.6	*14.8*	*7.4*	.....	51.9	.....	.....	59.3	44.5	.....	185.4	*7.4*	7
26.6	*5.3*	111.9	202.5	26.6	191.8	*16.0*	111.9	*16.0*	*5.3*	.....	106.6	*10.7*	*21.3*	106.6	85.2	32.0	282.4	.....	8
28.5	*7.1*	170.9	185.2	*14.2*	106.8	*7.1*	*28.5*	*7.1*	.....	.....	92.6	.....	*7.1*	57.0	*28.5*	.....	163.8	*7.1*	9
22.9	*15.3*	122.1	137.4	*22.9*	91.6	.....	*22.9*	.....	*15.3*	*7.6*	122.1	*7.6*	.....	53.4	106.8	*7.6*	145.0	.....	10
31.1	.....	105.7	205.3	*12.4*	130.6	*12.4*	*24.9*	*6.2*	*12.4*	*6.2*	87.1	*12.4*	*24.9*	105.7	93.3	*24.9*	286.1	*6.2*	11
24.1	6.0	103.5	246.8	22.3	190.8	7.8	85.5	19.3	10.8	8.4	95.1	18.1	10.8	95.7	110.2	13.8	261.3	*1.2*	12
19.5	15.9	92.1	169.0	23.8	189.1	18.1	77.6	24.4	18.9	14.0	89.4	12.2	13.5	113.8	126.3	19.4	324.9	4.5	13
19.6	15.8	91.3	167.5	23.8	183.3	17.7	77.7	24.2	18.9	14.0	87.8	12.2	13.6	112.9	123.1	19.4	322.1	4.4	14
7.9	*23.6*	173.4	323.1	*23.6*	772.3	63.0	63.0	39.4	*16.8*	*23.6*	252.2	*15.8*	----	197.0	441.3	*15.8*	606.8	*7.9*	15
43.2	*8.6*	138.3	285.2	*8.6*	77.8	*17.3*	51.9	*25.9*	*8.6*	*8.6*	112.4	.....	*8.6*	51.9	155.6	*8.6*	475.4	.....	16
7.5	*7.5*	37.4	164.6	89.8	*29.9*	*7.5*	*22.4*	*22.4*	*22.4*	*29.9*	44.9	.....	*7.5*	82.3	74.8	.....	299.3	*22.4*	17
59.8	*13.3*	259.3	285.9	*19.9*	139.6	59.8	46.5	93.1	53.2	*26.6*	192.8	.....	*19.9*	172.9	179.5	53.2	738.0	*6.6*	18
39.8	*6.6*	169.1	238.7	16.6	82.9	*6.6*	16.6	19.9	*13.3*	*13.3*	96.2	16.6	*9.9*	66.3	145.9	*13.3*	344.8	*3.3*	19
12.4	10.3	88.9	169.5	22.7	121.9	24.8	20.7	22.7	24.8	14.5	43.4	12.4	14.5	62.0	93.0	*6.2*	287.2	10.3	20
18.4	22.4	68.7	166.5	21.1	265.6	17.8	117.0	27.6	20.3	17.3	83.8	14.0	13.7	136.0	152.5	23.2	303.4	1.6	21
6.3	31.5	119.8	132.5	*12.6*	208.1	.....	44.2	*25.2*	*18.9*	*12.6*	94.6	*6.3*	*12.6*	107.2	119.8	*12.6*	170.3	*6.3*	22
12.2	*7.0*	85.4	122.0	29.6	141.1	24.4	85.4	13.9	*7.0*	10.5	69.7	20.9	10.5	149.9	83.6	17.4	247.4	13.9	23
15.1	4.5	91.1	170.9	30.9	87.3	14.3	42.1	13.5	14.3	6.8	104.6	3.8	12.8	70.8	70.8	9.8	262.7	*3.0*	24
24.1	.....	40.1	112.4	*24.1*	48.2	*16.1*	48.2	*8.0*	*16.1*	*8.0*	40.1	*8.0*	*8.0*	64.2	*32.1*	*24.1*	256.8	.....	25
.....	*19.9*	*26.5*	72.9	33.1	99.4	*6.6*	92.7	*13.2*	.....	*6.6*	59.6	*19.9*	*19.9*	79.5	159.0	*6.6*	205.4	*6.6*	26
16.1	*8.0*	96.4	120.5	40.2	80.3	*16.1*	*24.1*	40.2	*24.1*	.....	56.2	*16.1*	*16.1*	88.4	104.4	*8.0*	176.7	*8.0*	27
25.0	*5.6*	158.4	152.8	19.4	144.5	27.8	30.6	25.0	27.8	22.2	141.7	*8.3*	16.7	100.0	194.5	33.3	363.9	*2.8*	28
13.9	*2.0*	132.9	188.5	11.9	128.9	9.9	27.8	21.8	13.9	11.9	119.0	*4.0*	*4.0*	89.3	91.3	23.8	497.9	*6.0*	29
29.2	*6.7*	96.6	157.3	13.5	105.6	36.0	83.1	13.5	15.7	*6.7*	87.6	*9.0*	13.5	112.4	*92.1*	15.7	269.7	*2.2*	30
24.2	.....	113.1	113.1	*32.3*	40.4	*16.2*	*16.2*	*24.2*	*8.1*	*8.1*	145.4	*8.1*	*16.2*	40.4	80.8	.....	282.7	*8.1*	31
31.9	.....	151.3	159.3	*15.9*	127.4	*15.9*	*31.9*	*31.9*	*23.9*	*23.9*	159.3	*15.9*	*31.9*	39.8	63.7	*15.9*	270.8	.....	32
9.5	*9.5*	76.1	104.7	*28.6*	133.2	*9.5*	.....	*38.1*	66.6	*9.5*	47.6	.....	.....	104.7	66.6	*9.5*	257.0	*9.5*	33
32.8	47.4	127.6	134.9	*8.6*	167.7	21.9	47.4	29.2	*7.3*	*7.3*	127.6	21.9	*10.9*	167.7	105.7	*10.9*	368.2	*10.9*	34
22.2	.....	261.0	255.5	*16.7*	261.0	*16.7*	55.5	*22.2*	*16.7*	*5.6*	100.0	33.3	*22.2*	100.0	105.5	27.8	938.6	*5.6*	35
21.2	*10.6*	116.6	275.7	47.7	106.0	*21.2*	37.1	*15.9*	*21.2*	*21.2*	121.9	*15.9*	37.1	185.5	111.3	*5.3*	312.8	*5.3*	36
26.6	19.5	109.8	159.4	37.2	148.8	17.7	15.9	15.9	21.3	8.9	69.1	12.4	10.6	76.1	102.7	17.7	309.9	17.7	37
14.2	*14.2*	56.6	191.1	*21.2*	120.3	*7.1*	35.4	*21.2*	*7.1*	.....	*21.2*	*7.1*	*21.2*	63.7	198.2	*28.3*	205.2	.....	38
14.2	*14.2*	149.0	220.0	56.8	85.2	*7.1*	*14.2*	42.6	*21.3*	*14.2*	106.5	*7.1*	*7.1*	49.7	56.8	*28.4*	1,043.3	*7.1*	39
17.1	21.6	60.8	117.5	7.9	118.5	9.4	25.9	22.1	12.3	8.5	83.7	6.1	7.4	76.9	80.2	16.1	198.6	1.1	40
17.2	20.8	61.1	116.0	7.7	117.5	9.4	25.8	22.3	12.3	8.5	83.4	6.2	7.2	77.2	79.5	16.2	197.4	1.2	41
12.3	98.6	*37.0*	258.8	*24.7*	209.5	*12.3*	*37.0*	.....	*12.3*	*12.3*	110.9	.....	*24.7*	*49.3*	147.9	*12.3*	308.1	.....	42
10.3	19.6	51.5	103.0	10.3	157.6	10.3	40.2	16.5	15.5	11.3	61.8	9.3	8.2	75.2	97.9	17.5	210.1	.....	43
77.2	.....	106.1	193.0	*19.3*	164.0	*19.3*	*9.6*	96.5	57.9	*19.3*	125.4	57.9	.....	115.8	86.8	.....	385.9	.....	44
16.1	29.2	66.1	107.6	5.9	116.2	10.2	21.7	18.2	12.3	7.8	97.7	3.7	8.3	79.8	73.6	16.9	200.8	*0.5*	45
25.0	*16.6*	*25.0*	141.5	*8.3*	141.5	*16.6*	*16.6*	58.3	.....	.....	108.2	*25.0*	*8.3*	116.5	91.6	*8.3*	266.4	*8.3*	46
15.4	13.9	56.2	126.8	8.3	94.3	7.1	25.7	23.4	9.5	8.7	69.3	5.9	4.4	66.9	79.2	15.4	174.7	*0.4*	47
49.0	.....	88.3	137.3	*19.6*	*39.2*	*9.8*	*9.8*	*29.4*	.....	*9.8*	117.7	.....	*29.4*	*39.2*	*19.6*	.....	225.5	.....	48
18.8	*18.8*	*18.8*	81.5	.....	181.8	.....	62.7	*25.1*	*12.5*	.....	43.9	.....	*25.1*	131.6	131.6	*6.3*	156.7	.....	49
37.7	*10.8*	75.3	209.9	*21.5*	220.6	*16.1*	26.9	37.7	*21.5*	*10.8*	75.3	*6.4*	.....	80.7	102.2	32.3	263.7	26.9	50
10.5	9.5	84.6	226.1	11.4	177.7	18.1	102.6	40.9	28.5	14.3	228.0	4.8	15.2	78.9	165.3	5.7	660.3	97.9	51
14.4	*5.4*	68.5	100.9	12.6	104.5	*7.2*	70.3	39.6	19.8	12.6	154.9	*1.8*	16.2	72.1	99.1	*7.2*	389.2	36.0	52
6.0	14.1	102.5	365.8	10.0	259.3	30.1	138.7	42.2	38.2	16.1	309.5	*8.0*	14.1	86.4	239.2	*4.0*	962.8	166.8	53
11.5	*17.3*	57.6	92.2	.....	138.3	*5.8*	92.2	34.6	*11.5*	*5.8*	109.5	.....	*17.3*	97.9	126.8	*5.8*	242.0	97.9	54
9.1	*18.2*	45.4	54.5	.....	72.7	.....	90.8	45.4	.....	.....	99.9	.....	*18.2*	90.8	81.7	*9.1*	227.1	54.5	55
15.8	*15.8*	78.8	157.6	.....	252.1	*15.8*	94.5	*15.8*	*31.5*	*15.8*	126.0	.....	*15.8*	110.3	204.8	.....	267.9	173.3	56
6.4	6.4	90.0	157.5	6.4	186.5	*9.6*	77.2	48.2	32.2	*12.9*	299.0	*9.6*	25.7	77.2	186.5	16.1	938.8	93.2	57
11.9	6.0	71.6	89.4	*11.9*	119.3	6.0	*17.9*	41.7	35.8	*17.9*	214.7	6.0	*23.9*	47.7	119.3	*17.9*	512.8	29.8	58
.....	7.0	111.6	237.2	.....	265.1	*14.0*	146.5	55.8	*27.9*	*7.0*	397.7	*14.0*	*27.9*	111.6	265.1	*14.0*	1,437.1	167.4	59
9.2	*9.2*	64.1	137.5	*18.3*	119.1	.....	187.9	50.4	*18.7*	*18.7*	187.9	.....	*18.7*	96.2	142.0	.....	691.9	123.7	60
15.1	.....	90.3	105.4	*15.1*	60.2	.....	120.4	*30.1*	*15.1*	.....	128.0	.....	*22.6*	120.4	82.8	.....	451.7	60.2	61
.....	*23.4*	*23.4*	187.4	*23.4*	210.8	.....	292.7	82.0	*11.7*	*35.1*	281.0	.....	.....	58.5	234.2	.....	1,065.6	222.5	62
8.5	*8.5*	110.3	195.1	*17.0*	203.5	*17.0*	135.7	*8.5*	*8.5*	*33.9*	381.6	.....	*8.5*	67.8	93.3	.....	373.2	*17.0*	63
19.7	.....	*59.0*	137.6	*19.7*	157.3	*19.7*	*59.0*	*19.7*	*19.7*	*39.3*	216.2	.....	.....	*39.3*	117.9	.....	157.2	.....	64
.....	*14.9*	149.2	238.7	*14.9*	238.7	*14.9*	193.9	.....	.....	*29.8*	507.2	.....	*14.9*	89.5	74.6	.....	537.0	*29.8*	65
17.3	*8.6*	103.5	517.7	*17.3*	237.3	56.1	47.5	43.1	60.4	*12.9*	181.2	*8.6*	*4.3*	56.1	224.3	.....	716.2	120.8	66
21.4	.....	64.2	149.7	*21.4*	149.7	*21.4*	74.9	53.5	*21.4*	*21.4*	117.6	.....	.....	*42.8*	96.2	.....	395.6	*10.7*	67
14.5	*14.5*	130.2	766.6	*14.5*	296.5	79.6	*28.9*	36.2	86.8	*7.2*	224.2	*14.5*	*7.2*	65.1	311.0	.....	933.0	195.3	68

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	MISSOURI.															
1	Registration cities (total)	1,581.9	13.9	2.3	0.6	17.8	7.4	8.2	26.9	19.5	6.9	150.1	8.1	8.7	5.7	99.7
2	White	1,470.0	12.5	1.8	0.5	17.8	7.7	7.2	26.8	18.7	7.2	121.6	6.8	7.1	5.8	100.4
3	Colored	3,057.9	33.0	9.9	2.2	18.7	3.3	22.0	28.6	30.8	3.3	525.4	24.2	29.7	4.4	90.1
4	Hannibal (total)	1,397.4	4.5	4.5	.....	.....	.....	.....	4.5	44.6	.....	125.0	13.4	4.5	13.4	62.5
5	White	1,280.2	4.9	4.9	.....	.....	.....	.....	4.9	24.3	.....	92.5	14.6	4.9	14.6	63.3
6	Colored	2,694.0	.....	.....	.....	.....	.....	.....	.....	269.4	.....	484.9	.....	.....	.....	68.9
7	Jefferson City (total)	1,290.8	29.2	.....	7.3	29.2	7.3	36.5	7.3	21.9	.....	196.9	.....	7.3	7.3	43.8
8	White	1,280.8	25.6	.....	8.5	34.2	8.5	25.6	8.5	25.6	.....	145.2	.....	8.5	8.5	42.7
9	Colored	1,349.3	50.0	.....	.....	.....	.....	100.0	.....	.....	.....	499.8	.....	.....	.....	50.0
10	Joplin	2,026.9	77.8	13.0	9.0	24.0	.....	13.0	12.0	6.0	6.0	299.4	21.0	3.0	3.0	77.8
11	Kansas City (total)	1,637.6	12.1	2.3	0.7	18.6	11.1	16.0	28.8	12.1	6.5	150.4	7.2	10.1	5.6	101.0
12	White	1,517.2	10.8	1.4	0.4	20.5	11.2	13.0	30.2	10.8	6.8	113.7	6.8	9.0	5.4	104.4
13	Colored	2,834.3	25.1	10.7	3.6	.....	10.7	46.5	14.3	25.1	3.6	515.3	10.7	21.5	7.2	68.0
14	Moberly	1,425.6	23.0	.....	.....	7.7	7.7	.....	.....	15.3	7.7	206.9	.....	7.7	.....	46.0
15	St. Joseph *	[11]1,461.3	11.6	2.3	.....	1.2	2.3	9.2	19.7	17.3	10.4	111.0	3.5	9.2	1.2	96.0
16	St. Louis (total)	1,507.1	8.2	1.7	.....	18.2	7.3	4.2	29.0	21.6	7.2	138.9	8.3	8.3	5.6	102.1
17	White	1,386.1	6.7	1.5	.....	17.1	7.8	3.8	28.0	21.2	7.4	112.2	6.3	6.1	5.7	102.3
18	Colored	3,213.3	29.5	2.0	.....	33.4	.....	9.8	43.2	27.5	3.9	516.9	37.3	39.3	3.9	100.2
19	Sedalia (total)	1,547.4	50.7	5.1	5.1	.....	.....	15.2	10.1	15.2	5.1	131.9	5.1	.....	5.1	60.9
20	White	1,466.0	39.5	.....	.....	.....	.....	16.9	11.3	16.9	5.0	90.2	5.6	.....	5.6	67.7
21	Colored	2,277.3	151.8	50.6	50.6	.....	.....	.....	.....	.....	.....	506.1	.....	.....	.....	.....
22	Springfield	1,549.7	38.9	2.4	2.4	19.4	2.4	4.9	14.6	19.4	.....	133.6	7.3	4.9	17.0	89.9
23	Webb City	1,888.9	71.0	14.2	.....	78.1	.....	21.3	35.5	42.6	7.1	355.1	7.1	21.3	.....	63.9
	MONTANA.															
24	Registration cities (total)	1,822.1	21.6	.....	1.7	19.8	29.3	5.2	12.1	8.6	7.8	126.0	12.9	10.4	7.8	100.9
25	White	1,812.4	20.2	.....	1.8	20.2	29.9	5.3	12.3	8.8	7.9	123.2	12.3	10.6	7.9	98.6
26	Colored	2,301.3	86.3	.....	.....	.....	.....	.....	.....	.....	.....	260.5	43.4	.....	.....	217.1
27	Anaconda	1,439.2	.....	.....	.....	18.8	18.8	9.4	28.2	.....	.....	94.1	.....	.....	.....	75.3
28	Billings	1,567.1	59.5	.....	.....	.....	13.2	.....	.....	13.2	.....	59.5	13.2	.....	.....	92.6
29	Butte	1,967.9	2.3	.....	4.5	15.9	36.3	4.5	11.3	9.1	11.3	195.2	11.3	13.6	4.5	81.7
30	Great Falls	[6]2,982.5	57.4	.....	.....	71.7	21.5	21.5	35.8	7.2	21.5	121.9	7.2	14.3	28.7	129.1
31	Helena	1,617.2	14.5	.....	.....	14.5	58.0	.....	7.3	.....	.....	87.0	21.8	7.3	14.5	123.3
32	Missoula	1,132.4	26.2	.....	.....	10.5	15.7	.....	.....	15.7	5.2	62.9	21.0	15.7	5.2	125.8
	NEBRASKA.[4]															
33	Registration cities (total)	1,345.6	5.8	.....	.....	17.4	5.3	10.2	13.3	11.6	3.1	83.7	9.8	8.9	8.0	102.8
34	White	1,308.5	5.5	.....	.....	17.9	5.5	10.1	13.8	11.5	3.2	67.7	9.7	7.8	7.4	104.5
35	Colored	2,425.6	13.4	.....	.....	.....	.....	13.4	.....	13.4	.....	549.5	13.4	40.2	26.8	53.6
36	Lincoln	1,507.8	10.6	.....	.....	27.7	4.3	2.1	25.6	19.2	2.1	59.6	10.6	17.0	6.4	121.4
37	Omaha	1,302.8	4.5	.....	.....	14.6	5.6	12.4	10.1	9.6	3.4	90.0	9.6	6.8	8.4	97.9
	NEW HAMPSHIRE.															
38	Registration cities (total)	1,738.0	6.3	.....	.....	14.6	1.6	12.0	14.6	23.5	3.1	93.0	16.2	9.9	8.4	105.6
39	White	1,737.0	6.3	.....	.....	14.7	1.6	11.5	14.7	23.6	3.1	92.6	16.2	9.9	8.4	105.2
40	Colored	2,364.9	.....	.....	.....	.....	.....	337.3	.....	.....	.....	337.3	.....	.....	.....	337.3
41	Berlin	1,475.7	7.2	.....	.....	.....	.....	21.6	14.4	14.4	.....	57.6	14.4	14.4	.....	57.6
42	Concord *	2,139.3	.....	.....	.....	4.4	.....	.....	13.1	26.2	4.4	91.9	13.1	.....	4.4	179.4
43	Dover	1,853.0	.....	.....	.....	30.1	.....	7.5	30.1	30.1	7.5	105.5	.....	7.5	30.1	143.1
44	Keene	1,818.2	18.6	.....	.....	18.6	.....	9.3	9.3	.....	9.3	74.6	.....	9.3	.....	149.2
45	Laconia	1,702.9	.....	.....	.....	25.5	.....	8.5	.....	25.5	.....	102.2	.....	17.0	.....	93.7
46	Manchester	1,634.3	8.8	.....	.....	6.3	2.5	11.3	16.3	18.8	1.3	101.7	28.9	10.0	7.5	75.4
47	Nashua	1,750.1	.....	.....	.....	47.2	.....	29.0	14.5	50.8	3.6	94.4	10.9	14.5	3.6	94.4
48	Portsmouth	1,773.2	17.1	.....	.....	.....	8.5	.....	8.5	8.5	8.5	68.2	.....	8.5	34.1	179.0
	NEW JERSEY.															
49	Registration cities (total)	1,418.3	7.0	0.3	.....	5.0	1.8	9.7	13.8	10.5	2.7	120.5	9.4	8.7	7.0	82.3
50	White	1,374.1	6.8	0.3	.....	4.8	1.8	9.0	14.1	10.5	2.7	114.1	9.0	7.7	6.8	82.6
51	Colored	2,667.6	10.4	.....	.....	8.9	.....	29.8	4.5	10.4	3.0	300.5	20.8	35.7	13.4	72.9
52	Asbury Park (total)	1,148.4	.....	.....	.....	13.7	.....	.....	.....	13.7	.....	54.7	.....	6.8	6.8	88.9
53	White	1,104.7	.....	.....	.....	13.0	.....	.....	.....	9.0	.....	44.9	.....	.....	.....	98.8
54	Colored	1,287.6	.....	.....	.....	.....	.....	.....	.....	28.6	.....	85.8	.....	28.6	28.6	57.2
55	Atlantic City (total)	1,350.9	11.8	1.7	.....	3.4	.....	1.7	3.4	8.4	.....	65.5	6.7	13.4	5.0	114.3
56	White	1,304.3	12.7	2.1	.....	2.1	.....	2.1	4.2	6.4	.....	48.8	6.4	10.6	4.2	125.1
57	Colored	1,528.9	8.1	.....	.....	8.1	.....	.....	.....	16.2	.....	129.4	8.1	24.3	8.1	72.8
58	Bayonne	1,186.9	1.4	1.4	.....	4.2	.....	6.9	5.5	11.1	6.9	99.7	9.7	1.4	8.3	48.5
59	Bloomfield	1,099.2	.....	.....	.....	.....	.....	15.8	.....	5.3	.....	78.9	5.3	.....	.....	63.1
60	Bridgeton	1,566.7	.....	.....	.....	6.9	6.9	13.9	20.8	13.9	.....	76.8	13.9	.....	.....	104.0
61	Camden	1,764.8	16.6	.....	.....	11.1	1.8	9.2	28.7	14.8	4.6	124.9	2.8	11.1	10.2	99.9
62	East Orange	847.8	.....	.....	.....	4.6	.....	.....	4.6	6.9	.....	70.8	4.6	.....	.....	86.8
63	Elizabeth	1,501.7	12.4	.....	.....	1.1	5.6	9.0	20.3	12.4	.....	93.4	13.5	9.0	2.3	87.8
64	Garfield	1,204.6	.....	.....	.....	.....	6.6	13.2	13.2	33.1	.....	92.7	6.6	6.6	.....	33.1
65	Hackensack	1,832.1	17.2	5.7	.....	.....	.....	.....	5.7	5.7	.....	34.5	.....	11.5	5.7	114.9
66	Harrison	1,003.2	.....	.....	.....	5.8	.....	5.8	11.5	5.8	.....	63.4	.....	11.5	.....	51.9
67	Hoboken	1,509.1	8.9	.....	.....	14.0	6.4	10.2	11.5	11.5	3.8	183.9	11.5	7.7	6.4	67.7

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
17.7	14.9	64.7	141.9	19.2	198.3	11.4	47.3	22.7	17.0	19.1	159.5	9.8	8.7	58.5	114.6	26.0	252.3	2.8	1
18.0	13.1	63.3	127.1	18.4	173.4	10.8	45.8	23.3	16.6	19.0	147.5	9.4	8.3	58.2	106.6	27.1	239.7	2.5	2
14.3	38.5	82.4	336.3	20.7	526.5	18.7	66.0	14.3	22.0	19.8	318.8	14.3	13.2	62.7	219.8	11.0	417.7	6.6	3
8.9	31.3	129.5	98.2	*4.5*	125.0	*4.5*	58.0	*4.5*	*8.9*	*4.5*	102.7	.....	*8.9*	58.0	142.9	22.3	250.0	58.0	4
9.7	34.1	126.6	82.8	*4.9*	82.7	*4.9*	63.3	*4.9*	*9.7*	*4.9*	92.5	.....	*9.7*	58.4	136.3	24.3	248.3	53.5	5
.....	.....	*161.6*	269.4	.....	592.7	.....	.....	.....	.....	.....	*215.5*	.....	.....	*53.9*	*215.5*	.....	269.4	*107.8*	6
7.3	*7.3*	51.1	72.9	*14.6*	116.7	*7.3*	43.8	*7.3*	*14.6*	*21.9*	124.0	.....	*7.3*	65.6	116.7	*14.6*	189.6	*14.6*	7
8.5	*8.5*	42.7	85.4	*8.5*	119.5	.....	51.2	*8.5*	*17.1*	*17.1*	136.6	.....	*8.5*	76.9	119.5	*17.1*	204.9	*8.5*	8
.....	.....	*100.0*	.....	*50.0*	*100.0*	*50.0*	.....	.....	.....	*50.0*	*50.0*	.....	.....	.....	*100.0*	.....	*100.0*	*50.0*	9
9.0	*12.0*	74.9	158.7	*9.0*	275.4	*3.0*	83.8	24.0	*9.0*	*12.0*	110.8	21.0	24.0	101.8	236.5	50.9	245.5	*3.0*	10
16.0	14.4	61.5	145.2	15.7	191.6	11.1	42.5	24.2	17.0	13.1	149.4	11.4	11.4	61.1	134.1	31.4	301.2	2.6	11
16.6	13.7	62.3	126.7	13.7	169.9	10.4	40.3	25.9	18.0	14.4	136.4	11.5	11.2	64.4	120.2	32.7	282.1	2.5	12
10.7	21.5	53.7	329.2	35.8	408.0	17.9	64.4	*7.2*	*7.2*	.....	279.1	*10.7*	*14.3*	28.6	272.0	17.9	490.3	*3.6*	13
23.0	.....	76.6	99.6	.....	199.3	.....	*30.7*	61.3	*7.7*	.....	184.0	.....	*7.7*	38.3	176.3	*30.7*	161.0	*7.7*	14
26.6	10.4	106.4	78.6	*4.6*	178.0	10.4	37.0	42.8	32.4	5.8	126.0	9.2	9.2	50.9	104.0	19.7	312.1	*2.3*	15
18.3	15.4	53.7	146.0	23.5	200.1	10.7	44.8	18.6	15.9	24.2	169.9	8.5	6.6	52.7	96.1	23.7	217.8	*0.1*	16
18.3	12.4	52.0	129.9	23.1	172.3	10.3	42.9	18.5	14.9	23.5	157.2	7.9	6.1	50.4	88.9	24.8	206.5	*0.1*	17
19.7	57.0	78.6	373.4	29.5	591.6	15.7	70.8	19.7	29.5	33.4	349.8	15.7	13.8	84.5	198.5	*7.9*	377.3	.....	18
15.2	*15.2*	106.5	111.6	*5.1*	152.2	*15.2*	91.3	*15.2*	25.4	*15.2*	223.2	*5.1*	*5.1*	106.5	91.3	*5.1*	233.4	.....	19
16.9	*16.9*	107.1	118.4	.....	152.2	*11.3*	90.2	*16.9*	*22.6*	*16.9*	197.3	*5.6*	*5.6*	112.8	90.2	*5.6*	219.9	.....	20
.....	.....	*101.2*	*50.6*	*50.6*	*151.8*	*50.6*	*101.2*	.....	*50.6*	.....	455 5	.....	.....	*50.6*	*101.2*	.....	354.3	.....	21
7.3	*7.3*	89.9	170.0	19.4	170.0	26.7	41.3	38.9	*7.3*	*2.4*	77.7	17.0	*7.3*	70.4	106.9	17.0	303.6	12.1	22
7.1	*21.3*	92.3	49.7	.....	134.9	35.5	127.8	*14.2*	*7.1*	*21.3*	71.0	*21.3*	*14.2*	56.8	198.8	*28.4*	248.5	*21.3*	23
20.7	14.7	51.8	151.0	12.9	223.5	22.4	50.0	48.3	25.0	15.5	119.1	25.9	17.3	103.5	170.8	34.5	332.2	19.0	24
21.1	15.0	51.1	147.0	13.2	224.5	22.9	50.2	49.3	25.5	15.8	116.2	26.4	17.6	103.9	167.2	34.3	333.6	18.5	25
.....	.....	*86.3*	347.4	.....	*173.7*	.....	*43.4*	.....	.....	.....	260.5	.....	.....	*86.3*	347.4	*43.4*	260.5	*43.4*	26
28.2	*18.8*	94.1	47.0	*9.4*	178.7	*18.8*	*28.2*	*28.2*	*9.4*	*28.2*	*57.6*	.....	*9.4*	56.4	141.1	*28.2*	357.4	75.3	27
13.2	*26.4*	39.7	119.0	*13.2*	185.1	.....	59.5	79.3	*13.2*	.....	125.6	33 1	*6.6*	132.2	158.7	39.7	271.1	.....	28
27.2	13.6	38.6	174.8	13.6	249.7	36.3	45.4	47.7	31.8	20.4	152.1	25.0	22.7	72.6	213.4	43.1	322.3	15.9	29
21.6	*7.2*	35.8	186 4	*21.6*	494.7	35.8	121.9	50.2	*21.6*	*14.3*	164.9	64.5	35.8	258.1	229.4	50.2	587.9	43.0	30
7.3	*14.5*	65.3	145.0	*14.5*	101.5	*7.3*	65.3	58.0	43.5	*7.3*	123 3	*14.5*	*21.8*	108.8	87.0	*14.5*	369.9	.....	31
15.7	*10.5*	68.2	152.0	*5.2*	99.6	*10.5*	.....	26.2	*15.7*	*15.7*	41.9	*15.7*	.....	57.7	110.1	*15.7*	162.5	*5.2*	32
18.7	12.5	64.5	115.2	8.0	188.7	15.1	25.4	33 8	27.6	9.3	93.0	15.6	8.9	65.0	82.3	15.6	264.8	*1.8*	33
18.9	12.9	62.6	113.2	7.8	183 2	14.7	25.8	33.6	27.6	9.2	89 3	15.6	8.3	66.3	81.5	14.7	257.3	*1.4*	34
13.4	.....	120.6	174.2	*13.4*	348.4	*26.8*	*13.4*	*40.2*	*26.8*	*13.4*	201.0	*13.4*	*26.8*	*26.8*	107.2	*40.2*	482.4	*13.4*	35
17.0	10.6	87.3	112.9	12.8	136.3	*6.4*	34.1	46 9	31.9	10.6	106.5	23.4	19.2	85.2	89.4	12.8	357.8	.....	36
19.1	12.9	58.5	115.9	6.8	202.5	17.4	23.1	30.4	26.4	9.0	89.4	13.5	6.2	59.6	80.4	16.3	240.2	*2.3*	37
18.8	13.1	145.8	190.7	29.3	174.0	14.1	98.8	15.2	17.2	13.6	119.1	8.4	8.9	133.2	90.4	17.2	315.1	6.3	38
18.8	13.1	146.0	190.5	29.3	173.8	14.1	98.9	15.2	17.3	13.6	118.8	8.4	8.9	133.5	90.0	17.3	315.6	6.3	39
.....	.....	.....	*337.8*	.....	*337.8*	.....	.....	.....	.....	.....	*337.8*	.....	.....	.....	*337.8*	.....	.....	.....	40
7.2	50.4	79.2	93.6	*21.6*	194.4	.....	136.8	*28.8*	*14.4*	*14.4*	*28.8*	*21.6*	*7.2*	144.0	100.8	*7.2*	295.1	*28.8*	41
26.2	.....	201.2	385.0	21.9	148.7	*8.7*	*8.7*	*13.1*	30.6	26.2	175.0	*4.4*	*13.1*	87.5	78.7	*17.6*	555.6	.....	42
30.1	.....	218.4	158.2	37.7	165.7	*7.5*	*30.1*	*15.1*	37.7	*15.1*	173.2	*7.5*	*15.1*	82.9	90.4	*7.5*	369.1	.....	43
28.0	*9.3*	223.8	270.4	.....	158.5	*37.3*	*37.3*	*28.0*	*28.0*	*18.6*	223.8	.....	*9.3*	93.2	83.9	*9.3*	251.7	*9.3*	44
25.5	.....	127.7	144.7	*25.5*	187.3	*17.0*	*8.5*	*8.5*	*8.5*	.....	221.4	*8.5*	.....	110.7	110.7	*8.5*	408.7	*8.5*	45
17.6	15.1	128.1	163.3	37.7	167.1	15.1	163.3	13.8	11.3	13.8	65.3	8.8	*3.8*	162.0	80.4	18.8	256.3	*3.8*	46
14.5	18.2	98.0	163.4	25.4	199.7	21.8	83.5	*14.5*	*14.5*	*10.9*	127.1	*7.3*	25.4	145.2	105.3	*14.5*	290.5	*7.3*	47
8.5	.....	213.1	187.6	*25.6*	196.1	.....	51.2	*8.5*	*17.1*	.....	204.6	*8.5*	.....	102.3	119.4	51.2	230.2	*8.5*	48
21.1	9.8	80.7	164.5	17.8	177.3	12.9	87.9	12.2	10.1	15.9	130.5	6.9	9.4	80.9	104.2	14.0	181.4	2.1	49
21 3	9.4	79.0	160.6	17.3	161.9	12.5	86.0	12.1	10.0	15.9	127.2	6.5	9.4	80.6	103.0	14.2	174.8	2.1	50
16.4	20.8	130.9	272.3	32.7	613.0	25.3	139.9	14.9	14.9	17.9	224.7	16.4	7.4	90.8	138.4	8.9	367.5	*4.5*	51
20.5	.....	88.9	143.6	*6.8*	82.0	*13.7*	47.9	.....	*6.8*	*13.7*	116.2	*6.8*	*6.8*	41.0	34.2	*6.8*	328.1	.....	52
18.0	.....	98.8	152.7	*9.0*	89.8	.....	*35.9*	.....	*9.0*	*18.0*	107.8	.....	*9.0*	44.9	*35.9*	*9.0*	298.4	.....	53
23.6	.....	*57.2*	*114.4*	.....	*57.2*	*57.2*	*35.8*	.....	.....	.....	143.1	*28.6*	.....	*28.6*	*28.6*	.....	429.2	.....	54
28.6	8.4	77.3	169.7	15.1	127.7	*3.4*	42.0	*6.7*	18.5	20.2	168.0	11.8	13.4	67.2	97.5	25.2	213.4	*1.7*	55
33.9	10.6	74.2	176.0	17.0	97.6	.....	33.9	*6.4*	19.1	19.1	167.5	*6.4*	14.8	67.9	103.9	27.6	201.5	*2.1*	56
8.1	.....	89.0	145.6	*8.1*	242.7	*16.2*	72.8	*8.1*	*16.2*	*24.3*	169.9	*32.4*	*8.1*	64.7	72.8	*16.2*	258.9	.....	57
9.7	*5.5*	66.5	119.1	30.5	130.2	12.5	110.8	12.5	*5.5*	15.2	80.3	*2.8*	12.5	94.2	105.3	11.1	155.1	*2.8*	58
21.0	.....	110.5	178.8	*21.0*	99.9	*5.3*	57.9	.....	*10.5*	*15.8*	126.2	.....	*5.3*	73.6	42.1	*15.8*	147.3	.....	59
20.8	*6.9*	152.5	180.2	.....	214.9	*27.7*	34.7	*20.8*	*20.8*	*6.9*	159.4	.....	*13.9*	90.1	90.1	*6.9*	263.4	.....	60
21.3	6.5	111.0	200.7	5.5	280.3	11.1	124.9	12.9	12.0	15.7	170.2	18.5	9.2	108.2	112.8	13.9	192.4	*1.8*	61
13.7	*2.3*	91.4	137.1	*9.1*	73.1	*6.9*	27.4	.....	*2.3*	*4.6*	114.3	.....	.....	36.6	25.1	16.0	105.1	*4.6*	62
20.3	15.8	86.7	172.2	15.8	217.3	12.4	123.8	5.6	12.4	22.5	90.1	5.6	*3.4*	92.3	122.7	11.3	198.1	6.8	63
.....	.....	*13.2*	105.9	*13.2*	172.1	.....	264.7	*6.6*	*6.6*	*19.9*	46.3	.....	.....	172.1	39.7	*1.99*	119.1	.....	64
28.7	*17.2*	155.1	224.0	34.5	264.2	*28.7*	45.9	28.7	34.5	*17.2*	109.1	*11.5*	*11.5*	109.1	212.5	*23.0*	275.7	.....	65
5.8	.....	57.7	103.8	46.1	121.1	*11.5*	144.1	.....	.....	*23.1*	86.5	.....	*5.8*	46.1	69.2	*17.3*	109.5	.....	66
25.5	16.6	65.1	231.1	10.2	210.7	10.2	77.9	*3.8*	17.9	15.3	141.7	7.7	*3.8*	49.8	126.4	21.7	127.7	*2.6*	67

[1] For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	NEW JERSEY—continued.															
1	Irvington	1,382.4	.....	.....	.....	*12.0*	.....	35.9	*6.0*	*12.0*	*6.0*	125.7	*12.0*	*6.0*	*12.0*	77.8
2	Jersey City	1,448.7	3.5	*0.3*	.....	8.6	2.9	9.3	19.5	10.9	1.9	134.7	9.6	5.8	8.3	69.1
3	Kearny	1,295.0	*4.1*	.....	.....	.....	.....	*4.1*	*8.2*	*8.2*	*4.1*	90.4	*8.2*	.....	.....	86.3
4	Long Branch	1,976.7	50.8	.....	.....	.....	.....	*19.1*	*6.4*	*25.4*	*6.4*	89.0	*6.4*	*6.4*	*12.7*	69.9
5	Millville	1,491.3	.....	.....	.....	*7.2*	.....	*29.0*	*21.7*	*21.7*	.....	108.6	.....	.....	*7.2*	79.6
6	Montclair (total)	926.6	*3.7*	.....	.....	*3.7*	.....	*11.1*	.....	*11.1*	.....	59.1	*3.7*	*7.4*	*11.1*	62.8
7	White	917.8	*4.2*	.....	.....	*4.2*	.....	*4.2*	.....	*12.6*	.....	50.5	.....	*4.2*	*12.6*	67.4
8	Colored	989.5	.....	.....	.....	.....	.....	*60.0*	.....	.....	.....	*119.9*	*29.9*	*29.9*	.....	*29.9*
9	Morristown	2,028.3	*29.8*	.....	.....	.....	*7.5*	*22.4*	.....	*7.5*	*7.5*	111.9	*7.5*	*14.9*	*14.9*	231.2
10	New Brunswick	2,185.3	23.2	*3.9*	.....	*15.5*	*3.9*	7.7	27.1	7.7	*3.9*	147.0	*11.6*	19.3	19.3	112.2
11	Newark	1,419.8	4.1	.....	.....	1.7	*0.5*	13.6	6.2	10.3	3.3	146.4	10.7	11.0	9.3	88.1
12	Orange	1,739.2	*5.9*	.....	.....	.....	*5.9*	17.8	*8.9*	14.9	*3.0*	151.6	20.8	*11.9*	*3.0*	110.0
13	Passaic	1,224.5	*4.0*	.....	.....	*1.3*	.....	*4.0*	26.9	12.1	.....	118.2	17.5	10.7	.....	56.4
14	Paterson	1,397.7	12.1	.....	.....	5.0	*0.7*	7.1	12.1	3.6	*2.8*	124.5	3.6	10.0	7.1	93.9
15	Perth Amboy	1,423.3	*4.7*	.....	.....	*2.3*	*4.7*	*2.3*	21.1	*7.0*	*4.7*	96.1	*9.4*	14.1	*4.7*	56.3
16	Phillipsburg	1,240.6	*6.3*	.....	.....	*6.3*	*6.3*	.....	*25.2*	37.8	*6.3*	75.6	*6.3*	*6.3*	*6.3*	44.1
17	Plainfield	1,668.7	*4.1*	4.1	.....	*4.1*	.....	*8.2*	37.0	*12.3*	.....	57.5	20.6	*4.1*	.....	164.4
18	Trenton*	1,667.9	13.2	.....	.....	4.4	.....	10.5	11.4	7.9	*3.5*	127.2	14.9	13.2	7.9	97.4
19	Union	748.9	.....	.....	.....	.....	.....	.....	*3.9*	*7.8*	*3.9*	78.8	.....	.....	*3.9*	43.4
20	West Hoboken	892.2	*2.3*	.....	.....	*6.8*	*2.3*	*6.8*	20.3	*6 8*	*2.3*	83.4	*6.8*	11.3	*6.8*	42.8
21	West New York	1,213.5	.....	.....	.....	*5.1*	*5.1*	30.6	45.9	*10.2*	*10.2*	102.0	*20.4*	.....	*5.1*	81.6
22	West Orange	902.3	.....	.....	.....	*7.2*	.....	.....	*14.3*	*14.3*	.....	150.4	.....	*7.2*	*7.2*	50.1
	NEW YORK.															
23	Registration cities (total)	1,438.9	5.4	0.2	(3)	9.9	3.0	9.0	19.1	9.5	4.2	148.7	12.0	7.5	5.3	91.2
24	White	1,419.2	5.3	0.2	(3)	10.0	3.1	8.6	19.1	9.4	4.2	143.2	11.5	7.4	5.3	91.2
25	Colored	2,524.1	9.0	*0.7*	.....	9.0	*1.4*	27.1	16.0	13.2	4.9	450.0	39.6	17.4	8.3	90.4
26	Albany	1,912.2	12.2	*1.9*	*0.9*	30.0	.....	*1.9*	9.4	17.8	5.6	203.5	11.3	14.1	10.3	150.0
27	Amsterdam	1,274.9	.....	.....	.....	*2.6*	.....	.....	*7.9*	*7.9*	.....	89.4	*7.9*	*10.5*	*5.3*	73.6
28	Auburn	1,427.7	*5.3*	.....	.....	.....	.....	.....	21.2	*7.9*	*5.3*	92.5	.....	*2.6*	*5.3*	132.2
29	Batavia	1,794.8	*7.4*	.....	.....	.....	.....	*7.4*	*7.4*	51.5	.....	66.2	.....	.....	*7.4*	73.6
30	Binghamton*	2,181.8	12.8	.....	.....	14.6	*3.6*	23.7	43.7	20.0	*3.6*	153.1	12.8	16.4	12.8	125.8
31	Buffalo	1,607.7	10.1	.....	.....	2.1	6.3	10.9	23.1	7.8	6.3	151.8	11.3	6.1	4.2	97.7
32	Cohoes	1,696.2	*7.9*	.....	.....	*4.0*	.....	19.8	*7.9*	*15.8*	*4.0*	142.3	*11.9*	19.8	.....	106.8
33	Corning	1,684.1	31.9	.....	.....	.....	.....	.....	*25.5*	*25.5*	.....	82.9	*6.4*	*6.4*	*12.8*	82.9
34	Cortland	2,041.9	*7.5*	.....	.....	.....	*7.5*	.....	*7.5*	*22.5*	.....	67.6	*30.0*	*22.5*	*30.0*	127.6
35	Dunkirk	1,454.6	4.7	.....	.....	.....	4.7	32.8	4.7	103.2	4.7	70.4	*18.8*	*9.4*	4.7	46.9
36	Elmira	1,949.2	*10.5*	.....	.....	.....	*5.2*	*2.6*	*5.2*	23.5	*7.8*	88.8	*2.6*	*10.5*	*2.6*	135.9
37	Fulton	1,326.4	.....	.....	.....	*8.2*	.....	.....	*33.0*	*24.7*	.....	*53.0*	.....	.....	*8.2*	173.0
38	Geneva	1,696.0	*14.4*	.....	.....	.....	*7.2*	.....	.....	*28.7*	*7.2*	*28.7*	*7.2*	*28.7*	*7.2*	122.2
39	Glens Falls	1,625.9	*11.7*	.....	.....	.....	*5.8*	.....	*23.3*	*23.3*	.....	87.4	*23.3*	*5.8*	*11.7*	134.0
40	Gloversville	1,568.5	*4.5*	.....	.....	.....	.....	*18.4*	26.9	*13.4*	*9.0*	67.2	*4.5*	*4.5*	*9.0*	116.5
41	Hornell	1,312.5	.....	*6.7*	.....	.....	*6.7*	*13.5*	*20.2*	*20.2*	*6.7*	67.3	.....	.....	.....	114.4
42	Hudson	1,783.2	*15.5*	.....	.....	.....	.....	.....	.....	*15.5*	*7.8*	85.3	*15.5*	.....	.....	108.5
43	Ithaca	1,704.4	*25.0*	.....	.....	.....	.....	.....	.....	*25.0*	.....	49.9	*6.2*	*12.5*	*18.7*	181.1
44	Jamestown	1,399.9	*5.3*	.....	.....	*5.3*	*5.3*	*10.7*	*8.0*	13.4	.....	117.5	18.7	*10.7*	*8.0*	133.6
45	Johnstown	1,311.1	.....	.....	.....	.....	.....	.....	.....	*28.1*	.....	*37.5*	*18.7*	*28.1*	.....	121.7
46	Kingston	1,924.9	*14.9*	*3.7*	.....	.....	.....	7.4	7.4	29.7	.....	200.7	7.4	7.4	*11.1*	104.1
47	Lackawanna	[9] 2,756.0	.....	.....	.....	326.8	.....	111.0	*24.7*	37.0	.....	129.5	30.8	.....	*6.2*	*6.2*
48	Little Falls	1,662.6	*22.0*	.....	.....	*7.3*	.....	*7.3*	*7.3*	58.6	*14.6*	65.9	*22.0*	.....	*7.3*	80.6
49	Lockport	1,652.7	39.9	.....	.....	*5.0*	.....	.....	*10.0*	*20.0*	.....	134.8	*5.0*	*10.0*	.....	124.8
50	Middletown*	2,718.7	.....	.....	.....	*12.6*	.....	*6.3*	*12.6*	31.5	*18.9*	251.7	*18.9*	*18.9*	*6.3*	144.8
51	Mount Vernon	1,102.9	*10.5*	.....	.....	*5.3*	.....	*5.3*	*5.3*	*2.6*	7.9	55.3	*5.3*	7.9	*10.5*	73.7
52	New Rochelle	913.5	*2.6*	.....	.....	.....	.....	*5.1*	*2.6*	7.7	.....	28.1	7.7	*5.1*	*5.1*	61.2
53	New York (total)	1,368.5	3.9	0.2	.....	10.1	2.4	8.7	20.2	7.9	4.0	159.5	12.1	6.6	5.3	85.5
54	Bronx Borough	1,412.8	4.8	*0.3*	.....	6.2	2.8	9.8	18.5	7.3	5.5	201.1	12 5	8.2	5.2	102.6
55	Brooklyn Borough	1,361.9	3.9	*0.1*	.....	5.3	1.7	8.5	18.4	9.3	3.3	144.9	11.7	6.0	6.2	84.3
56	Manhattan Borough	1,333.6	3.6	0.2	.....	14.8	2.4	8.8	21.7	7.5	4.4	160.8	12 9	6.6	4.3	81.9
57	Queens Borough	1,475.5	4.5	*0.8*	.....	8.2	6.9	8.7	20.8	6.1	3.4	153 9	9.8	7.4	7.1	87.0
58	Richmond Borough	1,763.5	7.0	.....	.....	8.0	.....	5.0	21.0	*3.0*	*2.0*	184.4	6.0	5.0	9.0	99.2
59	White	1,344.3	3.9	0.2	.....	10.1	2.5	8.3	20.2	7.8	4.0	153.0	11.6	6.4	5.2	85.5
60	Bronx Borough	1,398.7	4.5	*0.3*	.....	6.2	2.9	9.8	18.0	7.4	5.6	195.2	12.5	7.9	5.2	101.9
61	Brooklyn Borough	1,342.1	3.9	.....	.....	5.3	1.6	8.2	18.5	8.7	3.3	140.1	11.2	5.8	6.1	84.0
62	Manhattan Borough	1,301.5	3.5	0.2	.....	15.0	2.4	8.3	21.9	7.7	4.3	152.5	12.1	6.4	4.2	82.3
63	Queens Borough	1,459.5	4.5	*0.8*	.....	8.3	6.9	8.5	20.8	6.1	3.5	149.1	9.9	6.9	7.2	86.5
64	Richmond Borough	1,748.4	6.1	.....	.....	8.1	.....	5.1	21.3	*3.0*	*2.0*	180.6	6.1	5.1	8.1	98.4
65	Colored	2,503.3	6.7	*0.8*	.....	8.3	*1.7*	25.9	18.3	12.5	5.0	465.3	38.4	15.0	8.3	84.2
66	Bronx Borough	2,908.1	*35.7*	.....	.....	.....	.....	*17.8*	*71.4*	.....	.....	820.7	*17.8*	*35.7*	.....	178.4
67	Brooklyn Borough	2,797.0	*3.7*	*3.7*	.....	*3.7*	*3.7*	33.4	*14.9*	52.0	*7.4*	494.0	48.3	*14.9*	*11.1*	100.3
68	Manhattan Borough	2,347.0	*4.9*	.....	.....	10.9	*1.2*	24.3	15.8	*1.2*	*4.9*	423.7	38.9	12.1	7.3	69.2
69	Queens Borough	3,069.6	.....	.....	.....	.....	.....	*26.5*	*26.5*	.....	.....	635.1	.....	*52.9*	.....	132.3
70	Richmond Borough	2,950.6	*79.7*	.....	.....	.....	.....	.....	.....	.....	.....	478.5	.....	.....	*79.7*	*159.5*
71	Newburgh	1,786.4	.....	.....	.....	*10.0*	.....	.....	26.8	*10.0*	*3.3*	277.7	*6.7*	*13.4*	*10.0*	123.8
72	Niagara Falls	1,869.2	13.0	*2.6*	.....	*10.4*	.....	13.0	*10.4*	*10.4*	13.0	91.0	15.6	20.8	*2.6*	75.4
73	North Tonawanda	1,486.5	*14.2*	.....	.....	.....	.....	*28.4*	.....	.....	*7.1*	99.6	*7.1*	*7.1*	.....	99.6
74	Ogdensburg*	2,933.6	*17.8*	.....	.....	*17.8*	.....	.....	*11.9*	*23.7*	.....	160.3	*17.8*	*17.8*	.....	142.5
75	Olean	1,571.5	*5.9*	.....	.....	.....	.....	*11.8*	*23.6*	*17.7*	.....	*23.6*	.....	*5.9*	*5.9*	112.2

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis and typhlitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal septicemia. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (suicide excepted). 35	Suicide. 36	All other defined diseases. (37)	Unknown or ill-defined diseases. 38	
23.9	.....	119.7	197.5	*12.0*	101.7	*18.0*	29.9	*18.0*	.....	*23.9*	155.6	*6.0*	*18.0*	71.8	89.8	35.9	155.6	.....	1
19.8	14.4	72.3	164.8	23.4	194.5	16.3	94.4	9.9	9.0	17.9	133.4	7.0	12.5	76.1	106.2	12.2	177.6	2.6	2
16.4	*12.3*	102.8	148.0	24.7	119.2	24.7	41.1	*12.3*	*12.3*	*8.2*	148.0	*8.2*	*8.2*	69.9	139.8	*12.3*	172.7	.....	3
63.6	*6.4*	152.5	267.0	*12.7*	158.9	*12.7*	*25.6*	31.8	38.1	*12.7*	235.2	*19.1*	*6.4*	101.7	197.0	*12.7*	317.8	*12.7*	4
36.2	*7.2*	130.3	115.8	*14.6*	130.3	*14.5*	79.6	36.2	*29.0*	.....	94.1	*14.5*	*14.5*	79.6	209.9	*14.5*	195.5	.....	5
22.2	*3.7*	66.5	118.1	*11.1*	155.1	*7.4*	44.3	.....	.....	*7.4*	88.6	*3.7*	.....	40.6	55.4	.....	129.2	.....	6
25.3	*4.2*	67.4	126.3	*12.6*	151.6	*8.4*	37.9	.....	.....	*8.4*	92.6	*4.2*	.....	46.3	54.7	.....	117.9	.....	7
.....	.....	*60.0*	*60.0*	.....	179.9	.....	*90.0*	.....	.....	.....	*60.0*	.....	.....	.....	*60.0*	.....	209.9	.....	8
44.7	.....	134.2	231.2	*29.8*	216.3	*14.9*	37.3	44.7	37.3	*7.5*	149.1	*7.5*	*29.8*	89.5	149.1	.....	350.5	.....	9
23.2	*15.5*	112.2	212.7	*15.5*	263.0	*15.5*	162.4	19.3	*15.5*	*3.9*	174.0	*11.6*	*11.6*	150.8	263.0	*11.6*	270.7	30.9	10
23.4	10.3	76.6	158.3	26.5	164.3	15.8	83.1	11.9	7.2	18.6	146.1	4.8	8.1	77.6	96.9	15.3	169.3	*0.5*	11
32.7	17.8	107.0	181.4	*8.9*	240.8	*8.9*	53.5	17.8	*11.9*	*8.9*	163.5	*5.9*	17.8	104.1	101.1	14.9	288.4	.....	12
13.4	*5.4*	29.5	104.7	13.4	167.8	6.7	167.8	20.1	*5.4*	6.7	59.1	8.1	24.2	91.3	99.4	13.4	137.0	.....	13
16.4	3.6	72.6	196.4	11.4	178.6	12.8	58.4	22.1	14.9	16.4	149.5	3.6	7.1	54.8	101.8	17.1	177.9	.....	14
23.4	16.4	56.3	107.9	16.4	145.4	*7.0*	192.3	*7.0*	*2.3*	*7.0*	65.7	*9.4*	*9.4*	133.7	194.6	*7.0*	185.2	*9.4*	15
25.2	*12.6*	157.4	94.5	.....	163.7	*18.9*	56.7	.....	*12.6*	.....	113.4	.....	.....	88.2	63.0	.....	195.2	*12.6*	16
24.7	*12.3*	127.4	156.2	*4.1*	168.5	20.6	69.9	32.9	*16.4*	*12.3*	172.6	*12.3*	*4.1*	82.2	131.5	*4.1*	300.0	.....	17
18.4	12.3	105.3	179.0	7.9	200.9	8.8	89.5	16.7	11.4	19.3	142.1	13.2	12.3	116.7	124.6	13.2	264.1	*0.9*	18
31.5	.....	43.4	157.7	*15.8*	78.8	*3.9*	27.6	*7.8*	.....	*15.8*	63.1	*3.9*	.....	31.5	*7.8*	*7.8*	110.4	.....	19
13.5	*4.5*	51.8	112.6	13.5	135.2	13.5	47.3	*4.5*	*2.3*	24.8	83.4	*2.3*	*4.5*	60.8	18.0	11.3	90.1	.....	20
35.7	*10.2*	30.6	173.4	*5.1*	158.1	*5.1*	56.1	*5.1*	*10.2*	*15.3*	122.4	.....	.....	76.5	61.2	25.5	107.1	.....	21
7.2	*7.2*	78.8	114.6	*14.3*	128.9	*14.3*	*14.3*	.....	.....	.....	78.8	.....	*7.2*	57.3	*21.5*	.....	107.4	.....	22
23.3	6.5	73.9	177.2	17.2	180.1	9.9	65.1	13.1	11.8	14.0	132.1	5.7	8.2	73.4	92.3	14.0	195.1	0.7	23
23.3	6.4	73.9	175.9	16.8	175.4	9.9	64.3	13.2	11.8	14.0	130.4	5.7	8.0	72.8	91.3	14.0	193.0	0.7	24
18.8	13.9	77.2	249.7	40.3	434.7	13.2	113.4	10.4	14.6	14.6	223.3	9.0	18.8	109.2	148.8	10.4	313.7	*2.8*	25
29.1	16.9	134.1	248.5	15.9	176.3	20.6	45.0	16.9	18.8	18.8	153.8	7.5	12.2	86.3	111.6	14.1	317.0	.....	26
7.9	*10.5*	76.2	186.6	13.1	139.3	*10.5*	78.9	21.0	*10.5*	13.1	73.6	*10.5*	15.8	76.2	89.4	*2.6*	223.4	*10.5*	27
29.1	*5.3*	158.6	224.7	*10.6*	140.1	*2.6*	55.5	*7.9*	18.5	*7.9*	92.5	*2.6*	18.5	84.6	68.7	15.9	211.5	.....	28
14.7	*22.1*	110.3	206.0	*7.4*	139.8	36.8	58.8	*7.4*	36.8	*14.7*	132.4	*7.4*	*14.7*	147.1	154.5	*22.1*	441.3	.....	29
18.2	18.2	136.7	266.1	25.5	264.3	20.0	89.3	12.8	20.0	14.6	173.2	10.9	9.1	114.8	116.7	14.6	411.9	*1.8*	30
26.9	8.0	99.0	171.7	16.0	179.9	14.9	101.3	19.1	13.2	16.4	130.3	5.7	8.2	86.8	115.4	10.5	246.3	*0.2*	31
39.5	19.8	94.9	213.5	*7.9*	221.4	23.7	106.8	*11.9*	*15.8*	*15.8*	118.6	.....	19.8	98.8	126.5	*4.0*	217.5	.....	32
12.8	*12.8*	134.0	140.3	*19.1*	197.8	*19.1*	63.8	*19.1*	38.3	*12.8*	185.0	*6.4*	*19.1*	114.8	127.6	*12.8*	267.9	*6.4*	33
22.5	*22.5*	217.7	232.7	*7.5*	210.2	*7.5*	45.0	*30.0*	37.5	*7.5*	225.2	*7.5*	*30.0*	112.6	112.6	*30.0*	360.3	.....	34
14.1	*4.7*	70.4	159.5	23.5	122.0	*4.7*	61.0	*4.7*	28.2	*9.4*	70.4	.....	*9.4*	112.6	173.6	.....	272.2	*9.4*	35
47.0	15.7	122.8	243.0	18.3	203.8	20.9	39.2	26.1	34.0	*10.5*	248.2	15.7	26.1	101.9	154.2	15.7	308.3	*2.6*	36
33.0	.....	107.1	214.2	.....	156.5	*3.2*	57.7	*3.2*	*16.5*	*24.7*	74.1	.....	*16.5*	74.1	98.9	.....	156.5	.....	37
14.4	*14.4*	158.1	287.5	*14.4*	208.4	.....	43.1	*14.4*	*28.7*	.....	71.9	*28.7*	*7.2*	71.9	143.7	*14.4*	323.4	.....	38
17.5	.....	157.3	262.2	*5.8*	116.6	*23.3*	29.1	35.0	29.1	*5.8*	122.4	*5.8*	*5.8*	99.1	93.2	*17.5*	273.9	.....	39
26.9	*9.0*	161.3	246.5	*17.9*	112.0	*9.0*	26.9	22.4	31.4	*13.4*	152.4	.....	*13.4*	94.1	85.1	*13.4*	264.4	.....	40
20.2	*6.7*	101.0	195.2	*26.9*	134.6	*20.2*	*20.2*	*6.7*	*20.2*	*20.2*	53.8	.....	.....	40.4	121.2	*6.7*	262.5	.....	41
62.0	.....	124.1	186.1	85.3	224.8	*15.5*	62.0	.....	46.5	.....	124.1	*7.8*	*23.3*	116.3	93.0	*31.0*	333.4	.....	42
18.7	*6.2*	181.1	187.3	.....	156.1	*12.5*	*12.5*	*18.7*	*6.2*	*12.5*	218.5	.....	*6.2*	49.9	112.4	*18.7*	368.4	.....	43
16.0	*8.0*	122.9	149.6	18.7	93.5	16.0	16.0	*8.0*	26.7	13.4	77.5	*8.0*	13.4	88.2	90.8	13.4	280.5	*2.7*	44
56.2	*9.4*	121.7	187.3	*18.7*	65.6	*9.4*	*28.1*	.....	.....	.....	206.0	*9.4*	.....	74.9	65.6	*9.4*	215.4	.....	45
18.6	22.3	193.2	286.1	22.3	141.2	*11.1*	33.4	44.6	18.6	*3.7*	141.2	*7.4*	*3.7*	96.6	137.5	18.6	330.7	.....	46
.....	30.8	*24.7*	*18.5*	37.0	209.6	*24.7*	542.6	*12.3*	*6.2*	*6.2*	55.5	*6.2*	.....	345.3	271.3	*12.3*	468.6	*12.3*	47
7.3	*7.3*	109.9	197.8	*7.3*	131.8	*14.6*	109.9	*22.0*	*22.0*	*22.0*	153.8	*7.3*	43.9	95.2	227.1	.....	190.4	.....	48
10.0	*5.0*	154.8	304.6	*10.0*	164.8	*20.0*	49.9	.....	*15.0*	30.0	119.8	.....	*10.0*	84.9	74.9	*15.0*	229.7	*5.0*	49
13.9	*6.3*	195.1	459.4	*12.6*	352.4	*25.2*	*18.9*	*12.6*	44.1	31.5	264.3	*6.3*	*25.2*	69.2	125.9	*25.2*	503.5	.....	50
23.7	*7.9*	79.0	147.4	21.1	100.0	*10.5*	36.9	13.2	15.8	13.2	136.9	*5.3*	.....	44.7	47.4	15.8	194.8	.....	51
12.8	.....	63.8	109.7	*10.2*	107.2	*5.1*	30.6	15.3	*7.7*	12.8	68.9	*2.6*	.....	79.1	84.2	12.8	165.9	.....	52
22.8	5.9	58.6	166.8	17.3	183.9	8.6	61.2	11.8	9.8	13.9	131.3	5.2	7.3	67.3	86.6	14.3	169.1	0.4	53
24.7	5.8	64.3	165.2	9.3	174.1	12.0	45.2	14.2	12.2	9.0	136.3	6.0	9.5	74.9	73.6	16.0	174.7	*0.7*	54
21.5	5.2	59.1	189.1	20.3	195.0	8.1	64.2	11.9	9.7	14.7	120.1	5.3	8.1	66.3	84.1	13.2	162.3	0.3	55
22.7	6.6	51.5	148.5	18.0	175.6	7.7	61.4	10.5	8.9	13.0	132.4	4.7	5.9	63.8	88.8	13.8	169.8	0.2	56
28.7	5.3	82.2	167.9	12.4	194.8	11.3	67.5	16.6	11.3	22.4	143.6	6.6	9.5	81.4	91.2	18.2	179.0	*1.1*	57
20.0	*2.0*	115.2	222.4	8.0	207.4	8.0	71.1	13.0	14.0	18.0	247.5	6.0	7.0	83.2	136.3	22.0	211.4	*1.0*	58
23.0	5.7	58.4	165.2	16.8	178.5	8.5	59.9	11.8	9.7	13.9	129.5	5.1	7.0	66.4	85.4	14.3	166.1	0.3	59
24.8	5.6	64.2	163.6	9.4	172.5	12.0	45.3	14.3	12.3	8.9	135.3	6.1	9.4	74.3	73.3	16.2	173.2	*0.7*	60
21.6	5.1	58.8	186.9	20.0	190.6	8.1	63.1	11.9	9.5	14.6	119.1	5.1	7.9	66.1	82.9	13.3	160.3	0.3	61
22.9	6.4	51.3	146.9	17.0	167.7	7.7	59.3	10.5	8.9	13.1	129.6	4.5	5.4	62.1	87.6	13.8	165.7	0.2	62
28.8	5.3	82.0	166.9	12.0	192.2	11.4	67.6	16.2	11.4	22.6	142.2	6.7	9.6	80.7	89.2	18.4	176.5	*0.8*	63
19.3	*2.0*	113.7	222.2	8.1	206.0	8.1	70.0	13.2	13.2	18.3	245.6	6.1	7.1	84.2	136.0	22.3	208.0	*1.0*	64
17.5	13.3	66.7	240.2	44.2	439.5	10.0	125.1	10.0	13.3	13.3	218.5	10.0	20.0	110.1	140.1	10.0	309.4	*1.7*	65
17.8	*35.7*	*71.4*	339.0	.....	339.0	*17.8*	*35.7*	.....	.....	*17.8*	249.8	.....	*17.8*	142.7	107.0	.....	339.0	.....	66
14.9	*11.1*	78.0	345.4	40.9	508.9	*11.1*	141.1	*11.1*	22.3	22.3	193.2	18.6	26.0	78.0	167.1	*7.4*	308.3	.....	67
17.0	13.4	58.3	197.9	48.6	425.0	9.7	128.7	8.5	10.9	10.9	218.5	8.5	19.4	117.8	126.3	12.1	299.9	*1.2*	68
26.5	.....	*105.8*	264.6	*52.9*	449.9	.....	*52.9*	*52.9*	.....	.....	291.1	.....	.....	158.8	291.1	.....	423.4	*26.5*	69
79.7	.....	*239.2*	*239.2*	.....	*319.0*	.....	*159.5*	.....	*79.7*	.....	398.7	.....	.....	.....	*169.5*	.....	478.5	.....	70
6.7	*6.7*	123.8	194.0	*10.0*	163.9	26.8	40.1	*6.7*	23.4	*6.7*	220.8	*3.3*	*10.0*	70.3	123.8	20.1	247.5	.....	71
15.6	18.2	52.0	169.0	*7.8*	236.6	*5.2*	226.2	15.6	15.6	23.4	140.4	18.2	*7.8*	153.4	187.2	15.6	283.4	.....	72
42.7	*7.1*	64.0	113.8	42.7	163.6	*14.2*	120.9	*28.4*	*14.2*	*7.1*	64.0	*14.2*	*7.1*	149.4	192.0	*21.3*	156.5	.....	73
47.5	*11.9*	249.3	682.7	*17.8*	249.3	*5.9*	53.4	29.7	29.7	*17.8*	154.3	*17.8*	*5.9*	172.2	118.7	*23.7*	635.2	*5.9*	74
23.6	*5.9*	82.7	159.5	*5.9*	212.7	*11.8*	*23.6*	35.4	41.4	*5.9*	130.0	*17.7*	41.4	135.9	147.7	*17.7*	265.8	.....	75

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	NEW YORK—continued.															
1	Ossining	1,151.9	.....	.....	.....	.....	7.1	.....	14.2	14.2	7.1	85.3	21.3	7.1	.....	42.7
2	Oswego	1,507.1	4.1	.....	.....	.....	.....	4.1	8.3	16.5	.....	95.0	4.1	8.3	12.4	123.9
3	Peekskill	1,171.6	.....	.....	.....	.....	10.5	5.3	.....	26.3	.....	99.8	15.8	15.8	.....	110.3
4	Plattsburg	1,533.1	22.9	.....	7.6	.....	7.6	15.3	7.6	7.6	7.6	91.5	7.6	15.3	.....	76.3
5	Port Chester	1,315.2	.....	.....	.....	.....	.....	23.9	12.0	17.9	6.0	77.7	17.9	12.0	6.0	41.8
6	Poughkeepsie	1,773.5	9.7	.....	.....	.....	.....	9.7	9.7	3.2	3.2	97.4	13.0	6.5	3.2	94.2
7	Rensselaer	1,102.0	8.9	.....	.....	.....	8.9	.....	8.9	17.8	.....	88.9	.....	.....	.....	62.2
8	Rochester	1,542.4	3.0	0.4	.....	15.1	14.0	7.2	19.6	5.3	3.3	94.8	12.1	12.8	5.3	119.4
9	Rome*	2,778.4	12.4	.....	.....	45.3	.....	.....	8.2	16.5	8.2	502.9	4.1	24.7	4.1	115.4
10	Saratoga Springs	2,001.6	7.2	.....	.....	.....	.....	.....	.....	28.9	.....	79.5	7.2	21.7	.....	195.1
11	Schenectady	1,061.0	3.9	1.0	.....	6.7	1.0	4.8	6.7	11.6	4.8	62.6	6.7	1.9	2.9	76.1
12	Syracuse	1,530.0	6.3	.....	.....	9.5	7.6	5.7	21.4	5.0	3.8	89.6	17.0	12.0	4.4	104.1
13	Troy	2,116.7	28.2	.....	.....	21.8	2.6	21.8	20.5	35.9	9.0	230.5	19.2	15.4	6.4	146.0
14	Utica*	1,757.5	12.3	.....	.....	6.7	1.1	12.3	11.2	5.6	11.2	101.9	13.4	13.4	5.6	105.3
15	Watertown	1,835.3	9.9	.....	.....	.....	.....	55.9	.....	23.0	.....	88.8	9.9	13.2	9.9	108.5
16	Watervliet	1,549.1	6.4	.....	6.4	6.4	.....	.....	19.2	12.8	.....	108.8	.....	.....	.....	108.8
17	White Plains	1,101.5	.....	.....	.....	4.3	.....	.....	12.9	.....	.....	60.0	8.6	21.4	.....	85.7
18	Yonkers	1,163.3	5.8	.....	.....	1.0	5.8	6.8	23.3	3.9	1.9	116.4	17.5	5.8	2.9	58.2
	NORTH CAROLINA.															
19	Registration cities (total)	2,074.2	40.2	6.1	.....	27.0	4.1	30.5	9.2	17.8	3.6	240.1	8.1	22.9	8.6	70.2
20	White	1,622.5	26.4	0.8	.....	31.2	4.8	19.2	10.4	13.6	4.8	177.3	9.6	9.6	5.6	78.3
21	Colored	2,866.5	64.4	15.4	.....	19.6	2.8	50.4	7.0	25.2	1.4	350.3	5.6	46.2	14.0	56.0
22	Asheville* (total)	2,365.9	58.5	.....	.....	42.9	.....	7.8	7.8	15.6	3.9	549.6	7.8	35.1	15.6	74.1
23	White	2,198.7	53.4	.....	.....	48.0	.....	5.3	5.3	16.0	5.3	624.4	5.3	32.0	5.3	101.4
24	Colored	2,818.7	72.3	.....	.....	28.9	.....	14.5	14.5	14.5	.....	346.9	14.5	43.4	43.4	.....
25	Charlotte (total)	1,896.5	27.0	19.6	.....	17.2	7.4	14.7	9.8	22.1	.....	198.7	4.9	17.2	4.9	56.4
26	White	1,338.3	10.8	.....	.....	21.6	3.6	21.6	14.4	18.0	.....	97.0	3.6	3.6	3.6	53.9
27	Colored	3,103.5	61.9	61.9	.....	7.7	15.5	.....	.....	31.0	.....	417.9	7.7	46.4	7.7	61.9
28	Durham (total)	1,498.5	30.6	7.6	.....	30.6	.....	45.9	7.6	15.3	.....	172.0	11.5	15.3	11.5	53.5
29	White	1,144.6	6.3	.....	.....	43.8	.....	25.0	6.3	12.5	.....	106.3	18.8	.....	12.5	50.0
30	Colored	2,054.7	68.8	19.7	.....	9.8	.....	78.6	9.8	19.7	.....	275.3	.....	39.3	9.8	59.0
31	Greensboro (total)	1,422.8	39.7	.....	.....	9.9	9.9	9.9	5.0	14.9	.....	143.8	5.0	19.8	5.0	69.4
32	White	1,137.4	45.2	.....	.....	7.6	15.1	15.1	7.5	7.5	.....	60.3	7.5	7.5	7.5	82.9
33	Colored	1,972.4	29.0	.....	.....	14.5	.....	.....	.....	29.0	.....	304.6	.....	43.5	.....	43.5
34	Raleigh* (total)	2,836.1	54.3	.....	.....	24.7	.....	39.5	4.9	19.7	9.9	212.1	4.9	19.7	9.9	138.1
35	White	2,351.2	23.1	.....	.....	30.8	.....	7.7	7.7	15.4	15.4	123.3	7.7	15.4	7.7	131.1
36	Colored	3,697.6	109.6	.....	.....	13.7	.....	95.9	.....	27.4	.....	369.8	.....	27.4	13.7	150.6
37	Wilmington (total)	1,940.8	16.4	3.3	.....	3.3	.....	9.9	6.6	23.0	6.6	144.7	13.2	23.0	13.2	72.4
38	White	1,497.2	12.1	.....	.....	6.1	.....	6.1	.....	6.1	12.1	54.6	12.1	12.1	.....	90.9
39	Colored	2,467.1	21.6	7.2	.....	.....	.....	14.4	14.4	43.2	.....	251.7	14.4	36.0	28.8	50.3
40	Winston-Salem (total)	2,574.2	63.4	3.0	.....	57.3	9.1	81.5	18.1	12.1	6.0	268.6	9.1	30.2	3.0	54.3
41	White	1,816.7	40.3	5.0	.....	55.4	15.1	45.3	25.2	15.1	5.0	140.9	15.1	.....	5.0	65.4
42	Colored	3,709.0	98.0	.....	.....	60.3	.....	135.7	7.5	7.5	7.5	459.9	.....	75.4	.....	37.7
	NORTH DAKOTA.[4]															
43	Fargo (total)	1,208.6	11.2	.....	.....	22.4	.....	.....	11.2	.....	.....	44.8	.....	22.4	.....	89.5
44	White	1,201.6	11.3	.....	.....	22.6	.....	.....	11.3	.....	.....	45.1	.....	22.6	.....	90.3
45	Colored[7]	2,054.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	OHIO.															
46																
47	Registration cities (total)	1,614.7	12.9	0.2	0.2	11.1	4.2	13.6	17.8	14.3	4.8	145.5	10.4	11.5	7.3	97.2
48	White	1,553.0	12.0	0.2	0.2	11.0	4.3	13.0	18.0	14.0	4.8	130.8	10.2	10.7	7.2	97.5
	Colored	3,560.1	40.3	.....	.....	13.8	1.3	35.2	10.1	25.2	5.8	610.1	16.4	37.7	10.1	89.3
49																
50	Akron	2,285.2	35.3	1.1	1.1	53.4	5.3	20.3	75.9	31.0	25.6	117.5	12.8	7.5	15.0	76.9
51	Alliance	1,557.6	.....	.....	.....	10.2	.....	10.2	5.1	5.1	5.1	112.4	.....	15.3	.....	81.7
52	Ashtabula	1,431.3	22.7	.....	.....	18.2	.....	36.4	9.1	13.6	.....	90.9	4.5	13.6	9.1	95.4
53	Bellaire	1,831.9	6.9	.....	.....	13.7	34.3	.....	27.4	54.9	.....	116.6	.....	6.9	20.6	75.5
	Cambridge	1,253.3	29.0	.....	.....	.....	.....	14.5	7.2	29.0	7.2	86.9	.....	14.5	7.2	101.4
54	Canton	1,599.9	17.6	.....	.....	.....	1.6	11.2	16.0	3.2	4.8	68.7	3.2	14.4	1.6	95.9
55	Chillicothe	1,587.2	38.4	.....	.....	19.2	.....	32.0	.....	32.0	.....	89.6	6.4	12.8	6.4	89.6
56	Cincinnati (total)	1,648.0	3.9	0.5	.....	5.8	3.6	8.7	12.3	17.4	3.1	211.7	9.2	10.6	6.8	119.3
57	White	1,518.0	3.3	0.5	.....	4.6	3.6	7.4	12.0	16.8	3.1	178.4	8.2	9.2	6.6	121.2
58	Colored	3,921.8	13.4	.....	.....	26.8	4.5	31.2	17.8	26.8	4.5	794.2	26.8	35.7	8.9	84.8
59	Cleveland	1,564.9	7.7	.....	0.3	7.5	2.2	17.8	22.2	12.0	5.2	151.5	13.4	9.1	8.4	83.2
60	Columbus (total)	1,536.8	7.7	.....	.....	30.4	3.6	2.3	10.9	11.4	2.7	138.1	12.7	17.7	6.8	103.6
61	White	1,461.6	7.4	.....	.....	32.4	3.9	2.5	11.8	10.8	2.9	117.2	13.7	17.2	6.9	104.4
62	Colored	2,484.2	12.4	.....	.....	6.2	.....	.....	.....	13.5	.....	401.7	.....	24.7	6.2	92.7
63	Dayton	1,593.8	14.7	.....	.....	12.4	4.7	11.6	10.9	12.4	1.6	143.5	8.5	10.1	5.4	109.4
64	East Liverpool	1,717.4	65.4	.....	.....	.....	.....	26.2	8.7	8.7	13.1	135.1	4.4	13.1	8.7	47.9
65	Elyria	1,389.5	10.3	.....	.....	.....	25.6	.....	15.4	5.1	5.1	92.3	10.3	.....	5.1	71.8
66	Findlay	[5] 1,426.8	.....	.....	.....	6.7	.....	33.7	13.5	6.7	.....	74.0	.....	13.5	20.2	161.5
67	Hamilton	1,243.4	9.7	.....	.....	9.7	2.4	7.3	7.3	14.5	9.7	89.5	14.5	16.9	2.4	75.0
68	Ironton	1,946.2	99.4	.....	.....	42.6	7.1	14.2	14.2	7.1	.....	99.4	7.1	42.6	.....	120.7

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
28.4	.....	149.3	106.7	.....	120.9	*7.1*	*21.3*	*21.3*	*7.1*	.....	142.2	*7.1*	*7.1*	49.8	106.7	.....	177.8	.....	1
24.8	.....	165.2	272.5	*16.5*	86.7	.....	78.5	*4.1*	24.8	*16.5*	148.6	*12.4*	*4.1*	90.8	61.9	.....	223.0	.....	2
15.3	*5.3*	68.3	162.9	*21.0*	115.6	*5.3*	57.8	*5.3*	*5.3*	*5.3*	105.1	.....	*5.3*	42.0	89.3	*5.3*	168.1	*5.3*	3
30.5	*7.6*	91.5	213.6	*22.9*	91.5	*15.3*	38.1	*30.5*	*30.5*	.....	106.8	*7.6*	*22.9*	83.9	152.5	*22.9*	297.5	.....	4
6.0	.....	65.8	101.6	*23.9*	215.2	.....	47.8	*6.0*	41.8	29.9	101.6	.....	*23.9*	101.6	113.6	*12.0*	209.2	.....	5
45.5	*3.2*	181.9	220.9	22.7	259.9	*9.7*	58.5	*9.7*	*6.5*	19.5	87.7	*6.5*	19.5	97.4	65.0	*13.0*	386.5	*9.7*	6
8.9	*8.9*	97.8	186.6	53.3	106.6	*35.5*	*17.8*	*8.9*	*17.8*	.....	88.9	.....	.....	*8.9*	97.8	.....	168.9	.....	7
28.7	4.9	114.5	222.1	13.6	149.2	13.6	71.4	15.9	12.1	17.8	140.5	6.8	7.6	78.2	80.8	12.8	239.1	.....	8
45.3	*4.1*	173.1	354.5	66.0	230.8	*16.5*	103.1	*12.4*	*16.5*	*12.4*	300.9	*8.2*	*16.5*	78.3	123.7	28.9	445.2	.....	9
14.5	*7.2*	144.5	267.4	*7.2*	231.2	*14.5*	*21.7*	.....	*28.9*	*7.2*	325.2	*7.2*	*21.7*	43.4	137.3	*28.9*	354.1	.....	10
9.6	6.7	89.6	109.9	7.7	99.3	*2.9*	76.1	8.7	6.7	9.6	78.1	5.8	6.7	74.2	71.3	11.6	194.7	*1.0*	11
25.2	4.4	104.7	208.1	17.0	153.9	12.0	82.6	15.8	20.2	9.5	118.6	8.2	10.1	89.6	112.9	14.5	233.4	*3.2*	12
29.5	11.5	117.8	293.2	17.9	257.4	16.6	42.3	17.9	21.8	19.2	198.5	15.4	11.5	96.0	102.4	9.0	279.2	*2.6*	13
24.6	5.6	115.4	257.6	29.1	225.2	10.1	59.4	25.8	20.2	13.4	165.8	6.7	7.8	82.9	118.7	14.6	274.4	.....	14
32.9	*13.2*	108.5	213.8	29.6	171.0	*3.3*	72.4	32.9	*9.9*	19.7	108.5	*9.9*	32.9	125.0	131.6	23.0	378.2	.....	15
19.2	*6.4*	134.4	217.6	*25.6*	262.5	*6.4*	64.0	.....	.....	*6.4*	89.6	.....	*12.8*	134.4	70.4	*12.8*	179.2	38.4	16
21.4	*12.9*	72.9	128.6	*4.3*	107.2	21.4	30.0	30.0	*4.3*	*8.6*	77.2	*4.3*	.....	42.9	102.9	42.9	188.6	*8.6*	17
14.6	*2.9*	80.5	121.3	13.6	155.2	12.6	78.6	10.7	13.6	16.5	98.0	6.8	5.8	62.1	62.1	12.6	145.5	*1.0*	18
11.2	9.7	98.7	165.9	18.8	219.3	16.8	139.9	31.0	19.3	6.6	167.9	8.1	19.3	127.7	112.4	4.6	377.0	31.5	19
12.8	8.0	83.1	118.2	5.6	136.6	15.2	91.9	28.0	14.4	5.6	139.0	4.8	18.4	111.8	89.5	7.2	317.1	24.0	20
8.4	12.6	126.1	249.4	42.0	364.3	19.6	224.2	36.4	28.0	8.4	218.6	14.0	21.0	155.5	152.7	.....	482.0	44.8	21
19.5	19.5	105.2	155.9	35.1	167.6	19.5	89.6	31.2	31.2	*11.7*	183.2	19.5	19.5	116.9	155.9	*15.6*	331.3	19.5	22
26.7	*10.7*	101.4	138.8	.....	112.1	26.7	69.4	37.4	*5.3*	*10.7*	106.7	*21.3*	*16.0*	96.1	138.8	*21.3*	330.9	26.7	23
.....	*43.4*	115.6	202.4	130.1	318.0	.....	144.6	*14.5*	101.2	*14.5*	390.3	*14.5*	*28.9*	173.5	202.4	.....	332.5	.....	24
12.3	12.3	100.6	161.9	19.6	213.4	29.4	115.3	29.4	24.5	*4.9*	127.6	*7.4*	*9.8*	120.2	120.2	*2.5*	343.5	41.7	25
10.8	*10.8*	75.4	68.3	*7.2*	154.5	21.6	79.0	25.1	28.7	*5.6*	107.8	.....	*7.2*	100.6	86.2	*3.6*	269.4	25.1	26
15.5	*15.5*	154.8	363.7	46.4	340.5	46.4	193.5	38.7	*15.5*	*7.7*	170.3	*23.2*	*15.5*	162.5	193.5	.....	503.1	77.4	27
3.8	*3.8*	84.1	114.7	*15.3*	122.3	19.1	118.5	19.1	*3.8*	*3.8*	149.1	.....	22.9	91.7	30.6	.....	256.1	38.2	28
6.3	*6.3*	56.3	93.8	*6.3*	112.6	*12.5*	106.3	.....	*6.3*	.....	118.8	.....	*25.0*	100.1	*12.5*	.....	168.9	31.3	29
.....	.....	127.8	147.5	*29.5*	137.6	*29.5*	137.6	49.2	.....	*9.8*	196.6	.....	*19.7*	78.6	59.0	.....	393.2	49.2	30
5.0	*5.0*	49.6	133.9	*5.0*	109.1	.....	79.3	59.5	*9.9*	*5.0*	119.0	.....	*9.9*	119.0	94.2	*5.0*	262.8	*19.8*	31
.....	.....	52.7	90.4	.....	82.9	.....	*22.6*	60.3	.....	.....	97.9	.....	.....	82.9	75.3	*7.5*	286.2	*15.1*	32
14.5	*14.5*	*43.5*	217.5	*14.5*	159.5	.....	188.5	*58.0*	*29.0*	*14.5*	159.5	.....	*29.0*	188.5	130.5	.....	217.5	*29.0*	33
24.7	*19.7*	138.1	256.5	29.6	241.7	24.7	138.1	34.5	29.6	*9.9*	241.7	*9.9*	24.7	148.0	177.6	*9.9*	720.1	*19.7*	34
38.5	*15.4*	131.1	215.8	*15.4*	138.8	*30.8*	77.1	38.5	*23.1*	*15.4*	246.7	*7.7*	*23.1*	123.3	169.6	*15.4*	609.0	*30.8*	35
.....	*27.4*	150.6	328.7	*54.8*	424.5	*13.7*	246.5	*27.4*	*41.1*	.....	232.8	*13.7*	*27.4*	191.7	191.7	.....	917.6	.....	36
9.9	*3.3*	134.9	213.8	*9.9*	174.3	.....	161.2	19.7	19.7	*3.3*	154.6	*3.3*	36.2	134.9	115.1	.....	388.2	23.0	37
.....	*6.1*	84.9	163.7	*6.1*	109.1	.....	97.0	*18.2*	*18.2*	.....	121.2	.....	48.5	151.5	90.9	.....	357.6	*12.1*	38
21.6	.....	194.2	273.3	*14.4*	251.7	.....	237.4	*21.6*	*21.6*	*7.2*	194.2	*7.2*	*21.6*	115.1	143.9	.....	424.4	36.0	39
6.0	*6.0*	75.4	138.8	18.1	437.6	18.1	244.4	33.2	15.1	*9.1*	217.3	15.1	15.1	159.9	102.6	*3.0*	398.4	45.3	40
10.1	*5.0*	85.6	105.7	*5.0*	211.4	*10.1*	171.1	25.2	*10.1*	*10.1*	201.3	*5.0*	*15.1*	130.8	65.4	*5.0*	286.9	25.2	41
.....	*7.5*	60.3	188.5	37.7	776.5	*30.2*	354.3	45.2	*22.6*	*7.5*	241.2	*30.2*	*15.1*	203.5	158.3	.....	565.4	75.4	42
11.2	*11.2*	50.4	78.3	*11.2*	67.1	*11.2*	*11.2*	28.0	28.0	*22.4*	95.1	*11.2*	*11.2*	123.1	100.7	*11.2*	296.6	28.0	43
11.3	*11.3*	50.8	67.7	*11.3*	62.1	*11.3*	*11.3*	28.2	28.2	*22.6*	95.9	*11.3*	*11.3*	124.1	101.5	*11.3*	299.0	28.2	44
.....	.....	.....	*1,369.9*	.....	*684.9*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
18.3	16.0	98.8	161.6	18.5	179.2	11.4	79.6	16.6	14.3	17.2	101.2	11.2	9.7	87.6	140.8	16.9	254.2	10.5	46
18.2	15.3	96.9	155.0	18.1	165.4	10.6	79.4	16.6	14.1	17.1	97.7	11.2	9.4	87.2	132.5	16.9	247.4	9.9	47
20.1	36.5	158.5	368.3	30.2	615.1	35.2	85.5	16.4	21.4	22.6	211.3	13.8	17.6	100.6	401.3	16.4	466.7	28.9	48
17.1	103.6	95.1	162.4	17.1	259.6	15.0	147.4	26.7	18.2	15.0	84.4	33.1	17.1	189.1	251.1	18.2	326.9	9.6	49
15.3	*15.3*	127.7	209.4	*5.1*	204.3	*10.2*	56.2	*5.1*	*20.4*	*5.1*	40.9	*15.3*	*20.4*	76.6	178.7	*10.2*	265.6	30.6	50
13.6	*13.6*	95.4	177.2	*4.5*	122.7	*9.1*	10.9	22.7	*18.2*	*18.2*	59.1	27.3	*9.1*	68.2	172.7	*18.2*	222.6	*4.5*	51
13.7	*13.7*	116.6	137.2	*6.9*	192.1	*6.9*	18.0	*20.6*	*6.9*	*13.7*	96.1	*20.6*	*13.7*	96.1	301.9	54.9	315.6	.....	52
7.2	*14.5*	94.2	86.9	*7.2*	94.2	*21.7*	36.2	*29.0*	.....	*14.5*	79.7	36.2	*29.0*	86.9	130.4	.....	188.4	.....	53
17.6	20.8	124.7	164.6	*4.8*	209.4	8.0	105.5	16.0	9.6	14.4	54.3	9.6	14.4	103.9	191.8	12.8	257.3	22.4	54
19.2	*6.4*	147.2	1[illegible]6	*12.8*	134.4	*12.8*	51.2	*12.8*	*12.8*	*25.6*	147.2	.....	*6.4*	76.8	134.4	*19.2*	288.0	.....	55
21.2	6.8	105.3	204.9	16.4	147.0	9.2	39.3	13.5	15.9	21.2	161.0	12.1	6.3	62.0	114.9	16.7	261.4	.....	56
20.7	4.6	102.8	191.4	16.1	120.5	7.9	36.5	13.3	16.3	21.7	153.4	12.5	5.9	61.0	99.3	17.4	24.19	.....	57
31.2	44.6	147.2	441.7	22.3	611.3	31.2	89.2	*17.8*	*8.9*	*13.4*	294.5	*4.5*	*13.4*	80.3	388.2	*4.5*	602.3	.....	58
17.9	15.5	73.1	128.6	28.2	198.9	11.1	116.0	13.7	12.1	16.0	87.5	9.8	9.4	83.8	140.1	18.8	220.0	24.0	59
13.2	10.4	105.4	169.9	8.6	159.0	15.0	35.0	12.3	17.7	16.4	82.2	7.7	6.8	80.0	114.9	12.3	319.8	2.3	60
13.7	9.8	[illegible]4	151.0	7.4	138.3	13.7	35.3	12.7	17.7	16.2	79.9	6.9	5.9	80.9	102.0	12.3	320.7	*2.0*	61
6.2	*18.5*	[illegible]7.4	407.9	*24.7*	420.2	30.9	30.9	*6.2*	*18.5*	*18.5*	111.2	*18.5*	*18.5*	68.0	278.1	*12.4*	309.0	*6.2*	62
17.1	10.1	[illegible]4.9	205.5	8.5	162.9	12.4	55.8	19.4	23.3	17.8	96.2	9.3	10.9	89.2	115.6	16.3	252.8	*0.8*	63
8.7	30.5	[illegible]5.9	122.1	*17.4*	239.7	*8.7*	95.9	30.5	30.5	21.8	74.1	*17.4*	*4.4*	82.8	178.7	*17.4*	305.1	*4.4*	64
30.8	.....	51.3	158.9	*5.1*	133.3	*15.4*	61.5	*15.4*	*10.3*	*15.4*	148.7	*20.5*	*15.4*	97.4	112.8	.....	246.1	*10.3*	65
20.2	.....	161.5	215.4	*13.5*	67.3	*20.2*	*13.5*	20.2	*20.2*	6.7	60.6	.....	.....	47.1	101.0	*6.7*	316.3	*6.7*	66
16.9	*2.4*	70.2	125.8	16.9	150.0	*9.7*	72.6	12.1	.....	33.9	89.5	*2.4*	*9.7*	89.5	99.2	12.1	169.3	*2.4*	67
14.2	*7.1*	85.2	177.6	85.2	149.2	*14.2*	99.4	49.7	*21.3*	*7.1*	149.2	42.6	*21.3*	78.1	149.2	.....	319.6	*21.3*	68

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	OHIO—continued.															
1	Lakewood	1,192.6	.....	.....	.....	*8.4*	*8.4*	*4.2*	*8.4*	*4.2*	.....	75.6	*12.6*	*16.8*	*12.6*	92.4
2	Lancaster	1,262.0	.....	.....	.....	.....	.....	.....	.....	31.1	.....	149.2	*6.2*	*6.2*	*18.6*	93.2
3	Lima	1,464.5	*3.1*	.....	*2.7*	*2.7*	18.8	*3.1*	35.0	*5.4*	*2.7*	110.4	*2.7*	18.8	*3.1*	105.0
4	Lorain	1,003.5	*7.8*	.....	.....	.....	.....	13.1	34.0	*5.2*	.....	70.6	*10.5*	*2.6*	*2.6*	75.8
5	Mansfield	1,470.7	*13.0*	.....	.....	*13.0*	.....	*13.0*	.....	34.7	*4.3*	112.8	.....	*8.7*	*4.3*	99.8
6	Marietta	[12]1,312.1	*20.3*	.....	.....	.....	*13.5*	.....	*13.5*	.....	.....	128.5	*13.5*	*20.3*	.....	87.9
7	Marion	1,421.5	29.0	*4.1*	.....	*4.1*	.....	*8.3*	*4.1*	37.3	*8.3*	82.9	.....	*16.6*	.....	87.0
8	Massillon	1,379.8	*6.4*	.....	.....	*6.4*	*6.4*	38.7	*6.4*	*25.8*	.....	64.5	*12.9*	.....	*6.4*	116.1
9	Middletown	1,647.9	*6.1*	.....	.....	30.5	.....	48.8	*6.1*	*24.4*	.....	164.8	*18.3*	*6.1*	*12.2*	61.0
10	Newark	1,279.8	*13.2*	.....	.....	*3.3*	*6.6*	16.5	*3.3*	19.8	*3.3*	75.9	*3.3*	*9.9*	.....	89.1
11	Norwood	782.2	.....	.....	.....	*4.3*	.....	.....	*12.9*	*17.2*	.....	55.9	*8.6*	*4.3*	.....	64.5
12	Piqua	1,772.3	*21.0*	.....	.....	.....	*7.0*	*14.0*	*14.0*	.....	*7.0*	126.1	*7.0*	*28.0*	*7.0*	119.1
13	Portsmouth	1,703.2	*13.6*	.....	.....	61.3	*3.4*	88.6	27.3	27.3	.....	201.0	27.3	*6.8*	*10.2*	81.8
14	Sandusky	1,710.7	*4.9*	.....	.....	*4.9*	.....	29.7	*4.9*	*14.8*	*4.9*	74.2	.....	*9.9*	.....	153.3
15	Springfield (total)	1,642.6	17.2	.....	.....	9.6	.....	*7.6*	*3.8*	22.9	.....	135.8	.....	11.5	*5.7*	93.7
16	White	1,525.1	*6.4*	.....	.....	10.7	.....	*8.5*	*4.3*	19.2	.....	115.2	.....	*4.3*	*4.3*	98.1
17	Colored	2,659.3	110.8	.....	.....	.....	.....	.....	.....	*55.4*	.....	313.9	.....	*73.9*	*18.5*	*55.4*
18	Steubenville	1,889.7	60.2	.....	.....	.....	*3.5*	17.7	*7.1*	*14.2*	*3.5*	74.3	.....	21.2	*3.5*	116.8
19	Tiffin	1,681.8	*7.7*	.....	.....	*15.4*	.....	*7.7*	*7.7*	*15.4*	.....	131.2	*30.9*	*15.4*	.....	169.7
20	Toledo	1,765.3	8.9	.....	*0.5*	4.0	13.9	11.4	17.8	11.9	5.9	181.7	9.9	12.4	7.4	121.3
21	Warren	2,134.1	37.6	.....	.....	.....	.....	.....	*30.1*	.....	*15.0*	75.1	*22.5*	*15.0*	*7.5*	135.3
22	Youngstown	1,909.5	31.2	.....	.....	6.2	*1.8*	11.6	18.7	7.1	5.3	118.5	17.0	9.8	9.8	59.7
23	Zanesville	1,631.5	51.1	.....	.....	.....	.....	*6.4*	*6.4*	19.2	*6.4*	130.9	.....	22.3	*9.6*	105.4
	OREGON.[4]															
24	Portland (total)	775.0	5.5	.....	.....	5.8	1.6	*1.0*	3.2	5.5	2.3	49.9	6.5	8.1	2.6	85.9
25	White	758.9	5.3	.....	.....	5.6	1.6	*1.0*	3.3	5.6	2.0	43.9	5.9	7.9	2.6	83.8
26	Colored[7]	1,689.2	*18.8*	.....	.....	*18.8*	.....	.....	.....	.....	*18.8*	394.1	*37.5*	*18.8*	.....	206.5
	PENNSYLVANIA.															
27	Registration cities (total)	1,646.5	10.8	0.3	.....	5.3	2.5	9.1	25.6	15.4	3.7	129.4	12.3	11.1	7.4	91.4
28	White	1,584.9	10.4	0.2	.....	5.1	2.6	8.6	25.9	14.6	3.7	116.2	11.6	10.3	7.0	91.8
29	Colored	3,113.4	20.2	*1.2*	.....	10.1	*0.6*	20.8	18.4	33.9	*2.4*	443.9	29.8	32.1	16.7	80.3
30	Allentown	1,750.9	24.6	.....	.....	.....	*4.6*	*6.1*	21.5	26.1	*3.1*	104.4	21.5	*6.1*	*6.1*	113.7
31	Altoona	1,302.9	33.5	.....	.....	.....	*1.7*	10.0	38.5	*1.7*	*3.3*	65.3	10.0	8.4	*3.3*	72.0
32	Beaver Falls	1,825.6	50.9	.....	.....	*7.3*	.....	*7.3*	*21.3*	*21.3*	*7.3*	123.6	*21.3*	*14.5*	*21.3*	94.6
33	Bethlehem	1,525.8	*20.9*	.....	.....	.....	.....	*13.9*	*20.9*	*20.9*	*7.0*	90.6	*7.0*	*7.0*	.....	76.6
34	Braddock	2,221.2	36.3	.....	.....	*9.1*	.....	*4.5*	68.0	*18.1*	.....	95.2	*4.5*	*13.6*	*9.1*	45.3
35	Bradford	[6]1,636.4	.....	.....	.....	.....	.....	*6.9*	.....	*6.9*	.....	75.6	13.8	.....	.....	158.1
36	Butler	1,091.5	*10.5*	.....	.....	.....	*3.5*	*3.5*	20.9	20.9	*7.0*	62.8	*13.9*	*3.5*	.....	52.3
37	Carbondale	1,622.7	*5.1*	.....	.....	*5.1*	.....	*5.1*	56.1	35.7	*5.1*	25.5	*5.1*	*5.1*	*5.1*	86.7
38	Carlisle (total)	1,676.7	.....	.....	.....	.....	.....	.....	.....	*27.8*	.....	64.8	.....	.....	*13.5*	157.5
39	White	1,599.1	.....	.....	.....	.....	.....	.....	.....	*31.0*	.....	61.9	.....	.....	*20.6*	165.1
40	Colored	2,359.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	*90.7*	.....	.....	.....	*90.7*
41	Carnegie	1,086.7	.....	.....	.....	.....	.....	*8.4*	*8.4*	*8.4*	.....	92.0	*8.4*	*16.7*	.....	50.2
42	Chambersburg	1,683.4	.....	.....	.....	*24.0*	.....	*16.0*	*8.0*	64.1	.....	160.3	.....	*16.0*	*8.0*	56.1
43	Chester (total)	2,243.4	26.3	.....	.....	*9.6*	.....	*4.8*	23.9	35.8	*2.4*	188.7	23.9	19.1	*7.2*	81.2
44	White	2,026.4	24.5	.....	.....	.....	.....	*5.4*	27.2	35.4	*2.7*	155.0	24.5	*10.9*	*8.2*	89.8
45	Colored	3,809.9	*39.3*	.....	.....	*78.6*	.....	.....	.....	*39.3*	.....	432.1	*19.6*	*78.6*	.....	*19.6*
46	Coatesville (total)	1,453.5	40.0	.....	.....	.....	.....	.....	*13.3*	*13.3*	.....	100.0	*6.7*	*6.7*	*13.3*	86.7
47	White	1,427.3	39.4	.....	.....	.....	.....	.....	*15.8*	*7.9*	.....	55.2	.....	*7.9*	*15.8*	78.9
48	Colored	1,596.9	*43.2*	.....	.....	.....	.....	.....	.....	*43.2*	.....	345.3	*43.2*	.....	.....	*129.5*
49	Columbia	[5]1,527.9	*26.2*	.....	.....	.....	*17.5*	*8.7*	.....	*8.7*	.....	78.6	*26.2*	*26.2*	*8.7*	96.0
50	Connellsville	1,209.4	.....	.....	.....	.....	.....	*18.9*	*6.3*	*6.3*	.....	107.1	*6.3*	.....	*12.6*	63.0
51	Dubois	1,213.8	.....	.....	.....	*6.7*	*13.3*	*20.0*	*13.3*	*6.7*	.....	*26.7*	.....	*6.7*	*6.7*	86.7
52	Dunmore	1,630.2	.....	.....	.....	*14.1*	.....	*9.4*	28.2	28.2	.....	61.1	.....	131.5	*9.4*	56.4
53	Duquesne	1,060.8	24.2	.....	.....	*4.8*	*9.7*	29.1	24.2	*9.7*	.....	58.1	*9.7*	*9.7*	.....	43.6
54	Easton	2,058.1	.....	*3.2*	.....	.....	.....	*6.5*	25.9	29.2	*3.2*	110.2	16.2	*3.2*	*3.2*	142.6
55	Erie	1,696.0	11.8	.....	.....	*3.9*	*3.9*	*1.3*	22.2	9.1	9.1	129.3	9.1	18.3	10.4	105.8
56	Farrell	[12]1,896.1	57.7	.....	.....	*9.6*	*9.6*	*38.5*	*38.5*	*28.9*	.....	115.5	.....	*28.9*	*9.6*	*38.5*
57	Greensburg	1,530.1	*25.2*	.....	.....	.....	.....	*25.2*	*6.3*	*12.6*	.....	50.4	37.8	*12.6*	*6.3*	44.1
58	Harrisburg	1,566.7	15.0	.....	.....	*1.4*	9.6	*4.1*	20.5	6.8	.....	103.7	12.3	8.2	*1.4*	114.6
59	Hazleton *	1,611.4	*10.4*	.....	.....	.....	.....	17.3	38.0	.....	*3.5*	55.2	*3.5*	*10.4*	*6.9*	82.8
60	Homestead	1,235.3	*17.3*	.....	.....	21.7	.....	*4.3*	*17.3*	*4.3*	.....	78.0	*13.0*	.....	*4.3*	39.0
61	Johnstown	1,558.0	9.9	*1.4*	.....	*2.8*	*4.3*	18.4	24.1	15.6	*5.7*	75.2	18.4	11.4	*4.3*	65.3
62	Lancaster	1,537.8	19.4	.....	.....	7.8	.....	.....	11.7	21.4	.....	97.2	9.7	13.6	9.7	85.5
63	Lebanon	2,005.1	33.4	.....	.....	.....	*14.3*	.....	52.5	28.6	.....	62.1	*14.3*	*4.8*	*19.1*	90.7
64	McKees Rocks	952.2	*9.6*	.....	.....	*4.8*	.....	.....	*4.8*	*4.8*	*4.8*	72.1	*4.8*	*4.8*	.....	*19.2*
65	McKeesport	1,600.4	20.7	.....	.....	.....	*2.1*	*8.3*	35.2	10.4	*2.1*	72.5	20.7	12.4	*2.1*	78.7
66	Mahanoy City	1,242.3	.....	.....	.....	*5.6*	.....	.....	33.9	39.5	.....	50.8	.....	.....	*5.6*	45.2
67	Meadville	1,668.1	*14.3*	.....	.....	.....	.....	.....	.....	*14.3*	*7.2*	57.3	*7.2*	*21.5*	.....	157.5
68	Monessen	775.9	*4.3*	.....	.....	.....	.....	*17.3*	*4.3*	*8.7*	.....	*17.3*	*4.3*	*8.7*	*4.3*	21.7
69	Mount Carmel	1,018.9	.....	.....	.....	.....	.....	*14.5*	72.4	*4.8*	.....	67.6	*4.8*	.....	*4.8*	33.8
70	Nanticoke	1,251.5	*8.4*	.....	.....	.....	.....	*4.2*	*4.2*	*16.8*	.....	75.6	*4.2*	*4.2*	.....	58.8

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
25.2	*16.8*	92.4	155.4	.....	155.4	*4.2*	105.0	*8.4*	.....	*12.6*	50.4	*4.2*	*12.6*	42.0	50.4	*16.8*	193.2	*4.2*	1
12.4	*6.2*	149.2	161.6	.....	111.9	*6.2*	31.1	*6.2*	*12.4*	31.1	43.5	*6.2*	*24.9*	49.7	49.7	*6.2*	242.4	*6.2*	2
18.3	*5.4*	110.4	140.0	18.8	134.6	*10.8*	32.3	24.2	29.6	13.5	94.2	16.2	*10.8*	94.2	131.9	13.5	231.5	*5.4*	3
10.5	*10.5*	34.0	57.5	.....	130.7	.....	75.8	*5.2*	*7.8*	*2.6*	44.4	*2.6*	*7.8*	107.1	120.2	*7.8*	151.6	*5.2*	4
25.0	*8.7*	151.8	156.2	*13.0*	121.5	*13.0*	39.0	*17.4*	*13.0*	21.7	134.5	.....	.....	52.1	151.8	*8.7*	234.3	*4.3*	5
27.1	*13.5*	101.5	148.8	*20.3*	128.5	*20.3*	*6.8*	*13.5*	*20.3*	.....	94.7	.....	.....	33.8	60.9	*6.8*	317.9	.....	6
24.9	.....	74.6	107.8	37.3	165.8	*8.3*	24.9	*12.4*	*12.4*	*8.3*	124.3	*8.3*	24.9	111.9	120.2	*4.1*	269.4	.....	7
19.3	*6.4*	116.1	141.9	*19.3*	103.2	.....	*19.3*	*19.3*	*12.9*	*19.3*	96.7	*6.4*	*6.4*	83.8	161.2	*12.9*	245.0	.....	8
12.2	*12.2*	103.8	122.1	*18.3*	225.8	*6.1*	91.6	*6.1*	*6.1*	.....	134.3	*18.3*	*6.1*	103.8	170.9	*18.3*	201.4	*12.2*	9
19.8	.....	135.2	161.6	19.8	115.4	16.5	49.5	29.7	*9.9*	*13.2*	79.2	*6.6*	*9.9*	69.3	85.8	*3.3*	204.5	*6.6*	10
30.1	*4.3*	81.7	94.5	*12.9*	34.4	*8.6*	34.4	.....	*4.3*	*8.6*	64.5	.....	.....	64.5	25.8	*8.6*	137.5	.....	11
35.0	*7.0*	105.1	217.2	49.0	119.1	*14.0*	42.0	35.0	42.0	.....	210.2	*7.0*	*14.0*	112.1	105.1	49.0	259.2	.....	12
13.6	27.3	61.3	112.4	27.3	126.0	17.0	81.8	*10.2*	20.4	30.7	146.5	*6.8*	*6.8*	112.4	126.0	17.0	194.2	17.0	13
9.9	*4.9*	173.0	237.3	74.2	138.4	*14.8*	*9.9*	*9.9*	24.7	24.7	113.7	*9.9*	*9.9*	64.3	168.1	*4.9*	311.5	*4.9*	14
28.7	11.5	202.7	166.4	*7.6*	170.2	*7.6*	34.4	*3.8*	11.5	17.2	147.2	15.3	13.4	99.4	120.5	26.8	233.3	17.2	15
25.6	12.8	187.7	166.4	*6.4*	134.4	*2.1*	27.7	*4.3*	12.8	19.2	147.2	12.8	10.7	98.1	113.1	*27.7*	230.4	14.9	16
55.4	.....	332.4	166.2	*18.6*	480.1	*55.4*	92.3	.....	.....	.....	147.7	*36.9*	*36.9*	110.8	184.7	*18.5*	258.5	*36.9*	17
17.7	28.3	88.5	88.5	*10.6*	194.6	*14.2*	176.9	42.5	*3.5*	*10.6*	109.7	*7.1*	*14.2*	155.7	300.8	21.2	279.6	*3.5*	18
46.3	.....	208.3	300.9	*15.4*	138.9	.....	*15.4*	.....	.....	*15.4*	84.9	.....	.....	77.1	84.9	*7.7*	285.4	.....	19
18.8	7.4	106.9	200.5	18.8	157.4	9.4	67.8	23.8	13.4	23.8	92.6	11.4	10.4	106.4	135.1	26.2	325.2	3.0	20
37.6	37.6	187.9	157.8	52.6	285.5	*7.5*	90.2	*22.5*	*22.5*	*7.5*	142.8	.....	*22.5*	75.1	315.6	.....	323.1	*7.5*	21
13.4	41.0	66.8	132.7	10.7	374.1	16.9	204.0	27.6	12.5	14.2	63.2	15.1	9.8	101.5	246.7	18.7	222.7	21.4	22
9.6	*9.6*	166.0	226.7	*6.4*	178.8	28.7	41.5	31.9	*6.4*	16.0	99.0	*9.6*	*12.8*	76.6	105.4	16.0	220.3	*12.8*	23
15.6	6.2	57.1	85.9	7.1	52.5	10.1	13.6	9.4	7.8	7.1	62.6	2.9	4.9	37.3	55.1	10.7	150.1	*1.0*	24
15.8	5.6	57.7	85.1	7.3	52.5	9.6	13.5	9.2	7.9	6.9	61.0	3.0	4.9	37.3	51.8	9.9	150.1	*1.0*	25
.....	*37.5*	*18.8*	131.4	.....	*56.3*	*37.5*	*18.8*	*18.8*	.....	*18.8*	150.2	.....	.....	*37.5*	244.0	*56.3*	150.2	.....	26
18.7	16.0	79.7	168.6	22.5	229.2	18.0	101.9	15.5	15.3	15.6	145.9	8.9	10.9	88.7	124.6	13.0	225.6	3.5	27
18.7	14.7	78.8	163.6	21.9	210.2	17.5	100.6	15.1	15.2	15.7	141.3	8.6	10.7	88.0	121.5	13.1	218.5	3.3	28
20.2	46.4	99.4	288.6	37.5	683.7	31.5	132.7	25.6	19.0	13.1	257.1	17.3	14.3	105.3	196.4	10.7	396.9	7.1	29
36.9	*6.1*	147.4	124.4	12.3	178.2	9.2	138.2	21.5	15.4	24.6	159.7	10.8	9.2	155.1	102.9	24.6	236.5	.....	30
6.7	13.4	85.4	125.6	8.4	147.4	18.4	40.2	*5.0*	*5.0*	11.7	135.7	*5.0*	10.0	108.9	113.9	*5.0*	206.0	*3.3*	31
29.1	*7.3*	50.9	152.7	72.7	181.8	43.6	116.4	*14.5*	*14.5*	.....	145.5	*21.8*	*7.3*	123.6	203.7	*21.8*	218.2	*7.3*	32
20.9	.....	83.6	229.9	*27.9*	216.0	*20.9*	41.8	.....	*18.9*	*18.9*	125.4	.....	*7.0*	132.4	48.8	*20.9*	243.9	*18.9*	33
13.6	*9.1*	45.3	126.9	36.3	485.0	54.4	312.8	*18.6*	*9.1*	*18.1*	95.2	*9.1*	31.7	145.1	244.8	*13.6*	249.3	*4.5*	34
48.1	.....	110.0	226.9	*6.9*	171.9	.....	*20.6*	*27.5*	*20.6*	41.3	171.9	.....	.....	68.8	151.3	*20.6*	281.9	*6.9*	35
20.9	*10.5*	62.8	101.1	*10.5*	104.6	17.4	87.2	*18.9*	*3.5*	*18.9*	52.3	*7.0*	20.9	83.7	122.0	*7.0*	153.4	.....	36
15.3	*5.1*	188.8	97.0	*20.4*	239.8	*5.1*	51.0	*15.3*	25.5	*5.1*	209.2	*20.4*	*20.4*	112.3	142.9	*5.1*	204.1	.....	37
.....	.....	185.3	324.2	*9.3*	139.0	*18.5*	*37.1*	*9.3*	.....	.....	139.0	*18.5*	*9.3*	64.8	139.0	.....	315.0	.....	38
.....	.....	185.7	299.2	*10.3*	123.8	*20.6*	*41.3*	*10.3*	.....	.....	134.1	*10.3*	*10.3*	72.2	123.8	.....	278.6	.....	39
.....	.....	*181.5*	544.5	.....	*272.2*	.....	.....	.....	.....	.....	*181.5*	*90.7*	.....	.....	*272.2*	.....	635.2	.....	40
8.4	.....	*16.7*	58.5	41.8	217.3	.....	125.4	.....	*8.4*	.....	50.2	*16.7*	.....	117.0	83.6	*16.7*	133.7	.....	41
24.0	.....	152.3	280.6	*8.0*	104.2	*8.0*	40.1	40.1	*24.0*	.....	152.3	.....	*8.0*	56.1	152.3	*16.0*	264.5	.....	42
28.7	33.4	98.0	215.0	19.1	363.1	28.7	150.5	11.9	26.3	*7.2*	126.6	11.9	14.3	119.5	327.3	*9.6*	229.4	.....	43
29.9	32.6	81.6	193.1	16.3	310.1	21.8	141.4	*10.9*	29.9	*5.4*	108.8	*8.2*	16.3	127.8	307.4	*10.9*	190.4	.....	44
19.6	*39.3*	216.0	373.1	*39.3*	746.3	*78.6*	216.0	*19.6*	.....	*19.6*	255.3	*39.3*	.....	*58.9*	471.3	.....	510.6	.....	45
13.3	.....	86.7	133.4	.....	213.4	.....	126.7	*13.3*	.....	*20.0*	153.4	*6.7*	.....	126.7	126.7	*6.7*	146.7	.....	46
15.8	.....	94.6	141.9	.....	212.9	.....	118.3	*15.8*	.....	*23.7*	173.5	*7.9*	.....	141.9	118.3	*7.9*	134.1	.....	47
.....	.....	*43.2*	*86.3*	.....	215.8	.....	*172.6*	.....	.....	.....	*43.2*	.....	.....	*43.2*	*172.6*	.....	215.8	.....	48
17.5	.....	113.5	227.0	*26.2*	209.5	*17.5*	43.7	.....	*34.9*	*17.5*	148.4	*8.7*	*17.5*	69.8	139.7	.....	139.7	.....	49
12.6	*6.3*	44.1	81.9	*6.3*	195.3	.....	31.5	*6.3*	*12.6*	*25.2*	63.0	*6.3*	.....	94.5	163.8	*25.2*	214.2	.....	50
20.0	.....	80.0	100.0	*20.0*	113.4	60.0	93.4	*6.7*	*20.0*	*6.7*	80.0	*13.3*	*6.7*	113.4	86.7	*6.7*	186.7	*13.3*	51
9.4	*14.1*	89.3	122.1	103.4	249.0	*9.4*	216.1	.....	.....	.....	84.6	.....	.....	112.8	84.6	.....	197.3	.....	52
9.7	*19.4*	24.2	38.8	*9.7*	184.1	.....	174.4	.....	*4.8*	*4.8*	29.1	.....	.....	96.9	92.0	.....	150.2	.....	53
22.7	.....	168.5	168.5	42.1	262.5	32.4	100.5	38.9	19.4	22.7	200.9	25.9	*9.7*	94.0	217.2	19.4	265.8	*3.2*	54
23.5	6.5	116.2	177.6	7.8	208.9	*5.2*	66.6	23.5	19.6	13.1	143.6	10.4	10.4	95.3	147.5	14.4	271.6	.....	55
28.9	*28.9*	*19.2*	*28.9*	.....	404.2	*9.6*	250.2	*9.6*	.....	.....	*38.5*	.....	*9.6*	163.6	250.2	*19.2*	182.9	77.0	56
6.3	31.5	37.8	94.5	*6.3*	163.7	*18.9*	63.0	44.1	37.8	31.5	75.6	31.5	*25.2*	75.6	302.2	*6.3*	220.4	37.8	57
19.1	10.9	102.4	176.0	12.3	174.7	24.6	23.2	20.5	25.9	12.3	147.4	9.6	13.6	87.3	146.0	6.8	253.8	*2.7*	58
17.3	*6.9*	82.8	165.6	62.1	169.1	38.0	103.5	27.6	20.7	24.2	127.7	*10.4*	20.7	103.5	176.0	*10.4*	213.9	*3.5*	59
4.3	*17.3*	47.7	52.0	30.3	229.7	*13.0*	190.7	*4.3*	*8.7*	30.3	78.0	.....	.....	91.0	69.4	*13.0*	156.0	.....	60
14.2	17.0	52.5	93.7	17.0	271.0	7.1	127.7	29.8	15.6	17.0	99.3	14.2	9.9	116.4	166.0	11.4	218.5	*2.8*	61
15.6	*1.9*	136.1	186.6	13.6	169.1	*5.8*	64.2	19.4	17.5	21.4	182.7	*1.9*	*7.8*	81.7	91.4	11.7	233.3	.....	62
14.3	*4.8*	186.2	133.7	*19.1*	362.8	38.2	105.0	23.9	*14.3*	*4.8*	167.1	*14.3*	*9.5*	114.6	157.5	.....	305.5	*9.5*	63
4.8	*9.6*	*9.6*	52.9	.....	177.9	*9.6*	187.5	*4.8*	*9.6*	*9.6*	*14.4*	*4.8*	.....	125.0	81.8	*9.6*	110.6	.....	64
14.5	12.4	45.5	87.0	31.1	248.4	18.6	142.9	24.8	10.4	26.9	109.7	18.6	14.5	103.5	205.0	12.4	209.1	.....	65
.....	*11.3*	73.4	67.8	33.9	158.1	39.5	186.3	.....	*5.6*	*11.3*	90.3	*5.6*	*5.6*	73.4	84.7	.....	203.3	*11.3*	66
64.4	*14.3*	186.1	236.3	.....	143.2	*28.6*	71.6	*14.3*	*28.6*	*21.5*	71.6	.....	*21.5*	93.1	100.2	*7.2*	272.1	*14.3*	67
.....	*8.7*	*8.7*	30.3	39.0	160.4	*18.0*	169.1	.....	*17.3*	.....	26.0	.....	*8.7*	39.0	47.7	*18.0*	82.4	21.7	68
29.0	*9.7*	33.8	96.6	*14.5*	173.8	*14.5*	111.1	.....	*4.8*	24.1	57.9	*4.8*	*4.8*	57.9	62.8	.....	115.9	.....	69
16.8	*4.2*	54.6	113.4	33.6	151.2	25.2	138.6	*8.4*	*8.4*	*12.6*	63.0	*4.2*	*12.6*	100.8	142.8	.....	180.6	*4.2*	70

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE O

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	PENNSYLVANIA—continued.															
1	New Castle	1,581.8	26.2	.....	.....	*2.4*	.....	52.5	16.7	16.7	.....	66.8	*4.8*	*9.5*	11.9	69.2
2	Norristown *	2,493.0	21.9	.....	.....	.....	*6.3*	18.8	37.5	31.3	*9.4*	193.9	18.8	*9.4*	*9.4*	97.0
3	North Braddock	1,096.7	.....	.....	.....	*12.8*	.....	.....	44.6	*6.4*	*6.4*	70.1	.....	.....	*6.4*	31.9
4	Oil City	1,314.4	*9.9*	.....	.....	.....	*9.9*	*5.0*	*14.9*	*14.9*	.....	24.8	*5.0*	*5.0*	*9.9*	99.2
5	Old Forge	1,001.4	.....	.....	.....	*6.5*	.....	*25.8*	38.8	.....	*12.9*	*19.4*	.....	.....	.....	32.3
6	Philadelphia (total)	1,708.4	6.3	0.3	.....	4.7	2.0	9.4	25.7	14.3	3.1	174.8	13.1	9.2	7.5	99.6
7	White	1,621.2	6.1	0.3	.....	4.5	2.1	8.6	26.1	13.5	3.2	154.5	11.8	8.4	7.0	100.4
8	Colored	3,112.8	8.9	*1.0*	.....	8.9	.....	21.7	19.7	27.6	*2.0*	501.9	33.5	22.7	15.8	86.8
9	Phoenixville	1,575.3	*33.7*	.....	.....	.....	*16.8*	.....	*8.4*	*33.7*	.....	117.9	.....	*8.4*	.....	101.1
10	Pittsburgh (total)	1,815.9	11.9	.....	.....	11.3	2.2	10.2	23.9	15.9	7.8	128.5	16.7	16.2	8.9	96.2
11	White	1,746.6	10.9	.....	.....	11.3	2.2	9.7	24.2	13.8	8.1	120.1	16.0	14.3	8.1	97.7
12	Colored	3,175.9	31.7	.....	.....	*10.6*	*3.5*	21.1	17.6	56.3	*3.5*	291.9	31.7	52.8	24.6	66.8
13	Pittston	1,675.9	.....	.....	.....	.....	.....	.....	26.4	47.4	.....	31.6	.....	*5.3*	*10.5*	68.5
14	Plymouth	859.1	.....	.....	.....	.....	*5.1*	*15.4*	.....	*15.4*	.....	51.4	*5.1*	*5.1*	.....	36.0
15	Pottstown	1,548.2	35.3	.....	.....	.....	.....	*5.9*	*11.8*	*11.8*	*5.9*	100.1	.....	35.3	.....	88.3
16	Pottsville	2,051.3	*13.2*	*8.8*	.....	.....	*8.8*	*4.4*	48.4	39.6	.....	158.5	*4.4*	*8.8*	*8.8*	118.9
17	Reading	1,495.5	7.2	*0.9*	.....	.....	*1.8*	9.0	16.1	13.4	*3.6*	91.4	14.3	9.9	8.1	69.0
18	Scranton	1,502.6	6.0	*0.7*	.....	8.0	6.0	5.3	26.7	7.4	4.0	69.5	11.4	13.4	6.7	73.6
19	Shamokin	1,217.4	*14.1*	.....	.....	*4.7*	.....	.....	75.2	*18.8*	.....	89.3	*9.4*	.....	*4.7*	70.5
20	Sharon	1,466.9	31.3	.....	.....	*5.2*	.....	*15.7*	*15.7*	41.8	.....	109.6	.....	*20.9*	*15.7*	62.6
21	Shenandoah	1,394.2	.....	.....	.....	.....	*6.7*	.....	80.7	*10.1*	.....	60.5	*3.4*	.....	*3.4*	26.9
22	South Bethlehem	1,402.4	*4.0*	.....	.....	*8.0*	.....	*8.0*	56.3	*12.1*	*8.0*	112.5	*12.1*	*8.0*	*12.1*	56.3
23	Steelton	1,231.0	*6.5*	.....	.....	.....	.....	*6.3*	*25.4*	*12.7*	.....	107.9	*12.7*	*12.7*	.....	50.8
24	Sunbury	1,098.4	*18.0*	.....	.....	.....	*18.0*	*6.0*	*6.0*	*6.0*	.....	54.0	*6.0*	.....	.....	78.0
25	Uniontown	1,541.7	37.0	.....	.....	*4.6*	.....	.....	*4.6*	*9.3*	*9.3*	92.6	*4.6*	*9.3*	*9.3*	106.5
26	Warren	1,286.2	.....	.....	.....	.....	.....	.....	.....	*13.3*	.....	59.7	*13.3*	.....	*19.9*	119.3
27	Washington	1,549.2	40.8	.....	.....	.....	*4.5*	.....	.....	40.8	.....	135.9	*9.1*	*9.1*	*9.1*	122.3
28	West Chester (total)	2,320.4	44.8	.....	.....	.....	.....	37.3	*7.5*	37.3	.....	194.0	*7.5*	37.3	*14.9*	164.1
29	White	2,138.6	*34.9*	.....	.....	.....	.....	*17.5*	8.7	43.6	.....	139.7	*8.7*	*34.9*	*17.5*	165.9
30	Colored	3,389.8	*102.7*	.....	.....	.....	.....	*154.1*	.....	.....	.....	513.6	.....	*51.4*	.....	*154.1*
31	Wilkes-Barre	1,484.7	14.0	.....	.....	*3.8*	.....	*2.6*	37.0	11.5	*1.3*	77.9	6.4	11.5	6.4	76.6
32	Wilkinsburg	1,636.1	*12.6*	.....	.....	.....	*4.2*	*8.4*	20.9	29.3	.....	100.4	*8.4*	*12.6*	.....	117.2
33	Williamsport	2,206.7	*2.9*	.....	.....	46.9	*2.9*	*5.9*	67.4	20.5	*5.9*	96.7	*2.9*	20.5	17.6	193.4
34	York	1,332.2	13.3	.....	.....	.....	*1.9*	.....	20.8	9.5	*7.6*	68.2	*7.6*	*3.8*	11.4	106.1
	RHODE ISLAND.															
35	Registration cities (total)	1,564.8	5.3	*0.4*	.....	10.8	4.5	8.2	26.9	17.9	5.1	151.8	13.0	8.8	7.1	101.7
36	White	1,536.5	4.8	*0.4*	.....	10.6	4.6	8.4	27.4	17.8	5.2	142.7	13.0	8.0	7.0	102.2
37	Colored	3,117.8	*32.9*	.....	.....	*22.0*	.....	.....	.....	*22.0*	.....	647.7	*11.0*	54.9	*11.0*	76.8
38	Central Falls	1,153.2	*3.8*	*3.8*	.....	30.7	*3.8*	26.8	23.0	30.7	.....	72.8	.....	.....	*7.7*	76.6
39	Cranston [13]	3,171.1	*3.7*	.....	.....	*3.7*	*11.2*	*7.5*	*7.5*	33.6	*14.9*	403.4	*7.5*	.....	29.9	198.0
40	Cumberland town	1,194.4	.....	.....	.....	.....	.....	*18.2*	.....	*9.1*	.....	91.2	*9.1*	*9.1*	.....	63.8
41	East Providence town	1,320.0	.....	.....	.....	*10.8*	*5.4*	*10.8*	*10.8*	*21.6*	*5.4*	97.4	*5.4*	*5.4*	*10.8*	102.8
42	Newport	1,419.0	*3.3*	.....	.....	*3.3*	.....	.....	36.0	.....	.....	114.4	*9.3*	*13.1*	.....	137.3
43	Pawtucket	1,485.2	*4.9*	*1.6*	.....	*6.6*	*3.3*	*6.6*	16.5	29.7	*3.3*	85.7	*4.9*	9.9	11.5	94.0
44	Providence	1,537.5	6.2	.....	.....	13.5	6.2	1.9	30.8	15.0	5.4	140.1	15.8	11.5	4.6	105.0
45	Warwick town [14]	1,688.1	*6.6*	.....	.....	*13.1*	.....	52.4	16.4	22.9	*9.8*	380.2	*9.8*	*3.3*	*3.3*	85.2
46	Woonsocket	1,320.4	*6.6*	.....	.....	.....	.....	*8.8*	46.3	11.0	*4.4*	112.4	26.5	*4.4*	*8.8*	46.3
	SOUTH CAROLINA.															
47	Registration cities (total)	2,617.6	25.6	22.7	.....	34.4	4.4	10.2	11.0	19.7	7.3	225.2	7.3	16.8	4.4	69.5
48	White	1,917.5	21.2	11.9	.....	37.1	6.6	*1.3*	15.9	9.3	8.0	122.0	9.3	8.0	*5.3*	88.8
49	Colored	3,478.2	31.0	35.9	.....	31.0	*1.6*	21.2	*4.9*	32.6	*6.5*	352.1	*4.9*	27.7	*3.3*	45.6
50	Charleston (total)	2,572.0	16.4	36.0	.....	*6.6*	*1.6*	19.7	*6.6*	26.2	*3.3*	199.9	*1.6*	14.7	*4.9*	47.5
51	White	1,565.7	*3.3*	26.4	.....	*6.6*	*3.3*	*3.3*	*9.9*	*13.2*	.....	85.7	.....	*3.3*	*6.6*	59.3
52	Colored	3,566.3	29.3	45.6	.....	*6.5*	.....	35.8	*3.3*	39.1	*6.5*	312.7	*3.3*	26.1	*3.3*	35.8
53	Columbia * (total)	3,642.8	42.7	25.6	.....	59.7	14.2	.....	25.6	22.7	19.9	298.6	17.1	14.2	*5.7*	96.7
54	White	3,048.7	59.2	*4.9*	.....	69.1	*19.7*	.....	34.5	*14.8*	24.7	162.8	*19.7*	*9.9*	*9.9*	123.3
55	Colored	4,451.5	*20.1*	53.7	.....	47.0	*6.7*	.....	*13.4*	33.6	*13.4*	483.4	*13.4*	*20.1*	.....	60.4
56	Greenville (total)	1,900.5	*10.8*	.....	.....	59.2	.....	*5.4*	.....	*16.2*	.....	183.1	.....	*16.2*	.....	107.7
57	White	1,405.7	.....	.....	.....	*34.5*	.....	.....	.....	.....	.....	120.7	.....	.....	.....	120.7
58	Colored	2,722.8	*28.7*	.....	.....	100.3	.....	*14.3*	.....	*43.0*	.....	286.6	.....	*43.0*	.....	86.0
59	Spartanburg (total)	1,710.3	36.4	.....	.....	50.0	.....	*4.5*	*9.1*	.....	*4.5*	213.8	*13.6*	27.3	*4.5*	54.6
60	White	1,438.6	*22.7*	.....	.....	60.6	.....	.....	*15.1*	.....	*7.6*	143.9	*22.7*	*22.7*	.....	75.7
61	Colored	2,118.9	57.0	.....	.....	*34.2*	.....	*11.4*	.....	.....	.....	319.0	.....	*34.2*	*11.4*	*22.8*
	TENNESSEE.															
62	Registration cities (total)	1,817.0	31.8	19.1	.....	29.1	2.2	14.2	8.8	22.0	3.9	206.3	8.3	19.6	7.1	76.8
63	White	1,461.4	30.0	10.5	.....	33.3	3.3	9.8	11.2	13.0	4.7	125.1	8.3	15.2	3.3	88.4
64	Colored	2,561.8	35.6	37.1	.....	20.4	.....	23.5	3.8	40.9	*2.3*	376.4	8.3	28.8	15.1	56.8
65	Chattanooga (total)	1,966.7	58.5	11.4	.....	47.1	*1.6*	13.0	*6.5*	26.0	*3.2*	191.6	9.7	24.4	8.1	55.2
66	White	1,631.9	71.5	*7.9*	.....	55.6	*2.6*	*5.3*	*10.6*	23.8	*2.6*	132.5	13.2	23.8	*5.3*	76.8
67	Colored	2,497.2	37.8	*16.8*	.....	33.6	.....	25.2	.....	29.4	*4.2*	285.4	*4.2*	25.2	*12.6*	21.0
68	Jackson (total)	1,861.1	39.0	44.6	.....	55.7	.....	*22.3*	*11.1*	39.0	*22.3*	222.9	.....	*22.3*	.....	100.3
69	White	1,413.8	*24.8*	*8.3*	.....	49.6	.....	*16.5*	*16.5*	*8.3*	*33.1*	140.6	.....	*8.3*	.....	115.8
70	Colored	2,785.8	*68.4*	119.6	.....	*68.4*	.....	*54.2*	.....	102.5	.....	393.1	.....	*51.3*	.....	*68.4*

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—

Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis and typhlitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal septicemia. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (suicide excepted). 35	Suicide. 36	All other defined diseases. (37)	Unknown or ill-defined diseases. 38	
11.9	31.0	71.6	112.1	21.5	281.5	19.1	88.3	11.9	16.7	11.9	93.0	14.3	*2.4*	54.9	124.1	16.7	262.4	59.6	1
28.2	*12.5*	175.2	315.9	18.8	278.4	25.0	78.2	18.8	21.9	*9.4*	168.9	*9.4*	15.6	56.3	187.7	*12.5*	600.6	*6.3*	2
6.4	*12.8*	38.3	70.1	31.9	210.4	*19.1*	140.3	.....	*12.8*	*6.4*	31.9	.....	.....	57.4	121.1	*6.4*	146.6	*6.4*	3
34.7	.....	104.2	133.9	.....	119.0	*9.9*	54.6	*19.8*	*5.0*	*9.9*	99.2	*14.9*	*19.8*	109.1	94.2	*9.9*	272.8	*5.0*	4
6.5	*6.5*	45.2	*12.9*	38.8	180.9	*12.9*	180.9	.....	*6.5*	*6.5*	45.2	.....	*19.4*	77.5	109.8	*6.5*	103.4	*6.5*	5
19.2	20.2	72.5	212.2	22.4	215.4	16.0	94.1	13.7	15.1	16.1	190.3	6.6	9.3	78.8	99.5	15.2	220.6	1.4	6
19.3	17.5	71.5	205.6	21.2	192.4	14.7	91.7	12.9	14.9	16.5	184.0	6.1	8.8	76.8	95.3	15.4	209.0	1.2	7
18.7	63.1	87.8	317.5	40.4	586.7	36.5	132.1	26.6	18.7	10.8	290.9	14.8	17.7	110.4	165.6	11.8	407.2	4.9	8
33.7	.....	92.7	160.1	*8.4*	151.6	*16.8*	42.1	*8.4*	*33.7*	*33.7*	160.1	.....	*8.4*	117.9	117.9	*16.8*	244.3	*8.4*	9
17.2	22.7	73.4	140.4	27.5	356.2	22.5	128.5	17.1	15.4	19.4	98.9	14.0	14.2	95.7	148.8	14.2	239.0	1.5	10
16.5	22.6	70.5	136.4	26.9	318.4	22.9	126.4	16.9	15.4	19.5	95.2	13.6	14.2	95.7	146.5	14.2	236.8	1.6	11
31.7	24.6	130.1	218.1	38.7	1,097.3	*14.1*	168.8	21.1	*14.1*	17.6	172.3	21.1	*14.1*	95.0	189.9	*14.1*	281.4	.....	12
15.8	*10.5*	63.2	142.3	*21.1*	288.8	36.9	205.5	31.6	*15.8*	*21.1*	79.1	*15.8*	26.4	52.7	274.0	.....	189.7	*15.8*	13
.....	*5.1*	51.4	56.6	*15.4*	72.0	46.3	66.9	.....	*5.1*	*15.4*	46.3	.....	*5.1*	61.7	92.6	*5.1*	180.1	.....	14
35.3	*5.9*	106.0	147.2	*5.9*	211.9	*11.8*	*17.7*	29.4	*23.5*	*23.5*	76.5	*17.7*	*23.5*	106.0	141.3	*11.8*	253.1	*5.9*	15
30.8	*8.8*	83.6	202.5	48.4	167.3	*13.2*	57.2	30.8	*8.8*	26.4	303.7	22.0	35.2	92.4	246.5	22.0	224.5	*4.4*	16
18.8	5.4	104.8	139.8	13.4	171.1	14.3	75.3	15.2	18.8	16.1	151.4	7.2	7.2	74.4	104.8	15.2	226.7	*0.9*	17
16.7	9.4	73.6	146.4	27.4	210.6	22.1	129.7	18.1	12.7	10.7	105.0	6.7	11.4	90.9	145.1	4.0	221.3	*2.0*	18
18.8	*9.4*	70.5	136.3	*18.8*	202.1	*18.8*	84.6	.....	*4.7*	*9.4*	84.6	*4.7*	*14.1*	70.5	32.9	*4.7*	141.0	*4.7*	19
5.2	*5.2*	62.6	88.7	*15.7*	203.6	*20.9*	78.3	*15.7*	*10.4*	*15.7*	73.1	*20.9*	*15.7*	78.3	182.7	*15.7*	161.8	78.3	20
3.4	*3.4*	57.1	33.6	53.8	188.2	26.9	302.5	.....	*3.4*	*10.1*	90.7	*3.4*	*3.4*	80.7	114.3	*3.4*	151.2	*8.4*	21
16.1	20.1	56.3	72.3	36.2	180.8	*12.1*	200.9	.....	.....	*4.0*	60.3	*4.0*	*4.0*	164.8	120.5	*12.1*	132.6	*8.0*	22
19.0	*6.3*	50.8	114.2	*6.3*	222.1	*12.7*	82.5	.....	.....	*12.7*	76.1	.....	*6.3*	107.9	133.3	*12.7*	133.3	.....	23
18.0	.....	120.0	186.1	.....	72.0	*6.0*	*18.0*	*12.0*	.....	.....	84.0	*12.0*	*6.0*	114.0	84.0	*6.0*	168.1	.....	24
9.3	37.0	74.1	125.0	*18.9*	157.4	*4.6*	69.4	*18.5*	37.0	*18.5*	97.2	*18.5*	23.1	64.8	231.5	27.8	226.9	.....	25
18.3	*6.6*	119.3	165.7	*26.5*	112.7	*6.6*	.....	53.0	*18.3*	.....	86.2	*6.6*	.....	126.0	99.4	.....	218.8	*6.6*	26
4.5	*18.6*	77.0	126.8	*4.5*	176.7	27.2	77.0	*18.1*	*13.6*	*4.5*	104.2	27.2	*4.5*	81.5	135.9	*9.1*	271.8	.....	27
52.2	.....	37.3	208.9	*7.5*	238.8	*29.8*	59.7	59.7	59.7	*14.9*	283.5	*22.4*	*14.9*	111.9	149.2	*22.4*	402.9	.....	28
61.1	.....	43.6	200.8	*8.7*	192.0	*23.2*	61.1	61.1	52.4	*17.5*	244.4	*17.5*	*17.5*	96.0	148.4	*26.2*	392.8	.....	29
.....	.....	.....	256.8	.....	513.6	*51.4*	*51.4*	*51.4*	*102.7*	.....	513.6	*51.4*	.....	*205.4*	*154.1*	.....	462.2	.....	30
31.9	*5.1*	61.3	109.8	24.3	164.7	28.1	84.3	23.0	25.5	11.5	132.8	11.5	14.0	97.0	162.1	15.3	226.0	7.7	31
.....	*16.7*	54.4	125.5	*16.7*	309.5	*12.6*	33.5	*12.6*	*8.4*	*8.4*	75.3	20.9	*16.7*	121.3	154.8	*4.2*	322.2	*8.4*	32
26.4	17.6	161.2	240.3	32.2	225.7	35.2	44.0	41.0	29.3	*11.7*	199.3	*8.8*	20.5	143.6	143.6	17.6	322.4	*2.9*	33
28.4	*6.7*	136.4	144.0	11.4	132.6	9.5	30.3	*7.6*	19.0	9.5	140.2	*5.8*	15.2	55.0	66.3	*7.6*	257.7	*1.9*	34
19.4	10.0	119.2	166.7	22.8	177.7	11.0	54.6	15.1	11.8	10.2	118.2	6.7	10.4	95.2	86.4	10.4	248.8	8.8	35
19.8	9.4	116.3	160.9	22.0	176.9	10.8	54.0	14.8	12.0	10.2	116.9	6.8	10.4	93.8	85.6	10.4	244.9	8.6	36
.....	*43.9*	274.5	483.0	65.9	219.6	*22.0*	87.8	*32.9*	.....	*11.0*	186.6	.....	*11.0*	175.7	131.7	*11.0*	461.1	*22.0*	37
19.2	*3.8*	69.0	103.4	49.8	126.4	*11.5*	95.8	*11.5*	*3.8*	*15.3*	61.3	*7.7*	*7.7*	145.6	26.8	*3.8*	107.3	*3.8*	38
14.9	*7.5*	268.9	440.7	59.8	287.6	*3.7*	29.9	.....	*7.5*	*11.2*	156.9	*7.5*	*3.7*	82.2	67.2	*7.5*	982.3	*11.2*	39
9.1	*9.1*	164.1	164.1	*36.5*	127.6	.....	45.6	.....	.....	.....	72.9	.....	.....	63.8	109.4	.....	164.1	*27.4*	40
37.9	*5.4*	135.2	146.1	*10.8*	183.9	27.0	*21.6*	.....	.....	.....	146.1	.....	.....	97.4	64.9	.....	151.5	*5.4*	41
26.2	*6.5*	134.1	261.6	19.6	189.6	*8.3*	19.6	*6.5*	*3.3*	16.3	91.5	*6.5*	*6.5*	81.7	55.6	19.6	150.4	*3.3*	42
23.0	*3.3*	126.9	166.5	21.4	158.2	9.9	49.5	21.4	16.5	13.2	151.6	18.1	*3.3*	108.8	98.9	*4.9*	206.0	.....	43
18.1	13.1	107.7	147.8	16.2	184.7	13.1	52.7	18.5	15.4	8.5	119.7	4.6	13.9	84.6	102.3	14.2	235.5	11.2	44
16.4	19.7	150.8	118.0	29.5	137.7	*3.3*	72.1	.....	*3.3*	*6.6*	98.3	*9.8*	*9.8*	124.6	78.7	*6.6*	196.7	*3.3*	45
11.0	*4.4*	66.1	127.9	24.2	156.5	11.0	90.4	24.2	11.0	17.6	105.8	*4.4*	15.4	112.4	52.9	*4.4*	191.8	13.2	46
12.4	8.0	148.4	230.3	8.8	204.0	21.2	135.3	27.1	21.2	8.8	275.7	11.0	19.7	193.0	136.0	6.6	669.0	22.7	47
10.6	6.6	112.7	153.8	6.6	135.3	21.2	66.3	29.2	19.9	10.6	220.1	6.6	14.6	132.6	94.2	11.9	514.5	*5.3*	48
14.7	9.8	192.3	324.3	11.4	238.5	21.2	220.0	24.4	22.8	*6.5*	343.9	16.3	26.1	267.3	187.4	.....	858.9	44.0	49
9.8	*6.6*	155.6	237.5	*6.6*	204.8	14.7	158.9	18.0	19.7	*6.6*	345.7	*3.3*	22.9	237.5	136.0	9.8	565.2	27.9	50
6.6	*3.3*	79.1	148.3	*9.9*	102.2	19.8	56.0	26.4	*13.2*	*9.9*	280.2	*3.3*	23.1	95.6	92.3	19.8	352.7	*3.3*	51
18.0	*9.8*	231.2	325.7	*3.3*	306.1	*9.8*	250.6	*9.8*	26.1	*3.3*	410.4	*3.3*	22.8	377.8	179.1	.....	775.1	52.1	52
22.7	*2.8*	210.4	315.7	17.1	247.4	37.0	153.6	39.8	37.0	17.1	307.1	17.1	25.6	184.8	190.5	*5.7*	1,148.9	19.9	53
24.7	*4.9*	217.1	217.1	*4.9*	228.9	34.5	83.9	*19.7*	39.5	*14.8*	256.5	*9.9*	*14.8*	202.3	128.3	*9.9*	981.7	*4.9*	54
20.1	.....	201.4	449.8	33.6	275.3	40.3	248.4	67.1	33.6	*20.1*	376.0	*26.9*	40.3	161.1	275.3	.....	1,376.4	40.3	55
.....	*21.5*	80.8	210.0	*10.8*	150.7	*16.2*	96.9	*21.5*	*21.5*	.....	150.7	*21.5*	*21.5*	161.5	96.9	.....	409.2	*10.8*	56
.....	*8.6*	69.0	146.6	*8.6*	77.6	*8.6*	60.4	*25.9*	*25.9*	.....	129.4	*8.6*	*8.6*	138.0	77.6	.....	336.3	.....	57
.....	*43.0*	100.3	315.3	*14.3*	272.3	*28.7*	157.6	*14.3*	*14.3*	.....	186.3	*43.0*	*43.0*	200.6	129.0	.....	530.2	*28.7*	58
13.6	*9.1*	86.4	91.0	.....	177.4	*18.2*	72.8	36.4	.....	*9.1*	136.5	*13.6*	.....	109.2	81.9	*4.5*	409.4	22.7	59
7.6	*15.1*	68.1	75.7	.....	121.1	*15.1*	68.1	53.0	.....	*15.1*	106.0	*7.6*	.....	106.0	60.6	*7.6*	325.6	*15.1*	60
22.8	.....	113.9	113.9	.....	262.0	*22.8*	79.7	*11.4*	.....	.....	182.3	*22.8*	.....	113.9	113.9	.....	535.4	*34.2*	61
13.7	7.8	70.7	149.8	14.4	165.2	23.7	54.1	27.4	21.3	11.0	137.5	13.7	13.9	66.1	132.6	10.0	373.7	60.9	62
17.0	8.7	64.7	109.5	10.1	112.1	17.0	51.0	26.4	19.5	10.1	116.1	10.8	11.6	64.7	102.3	13.0	308.8	34.0	63
6.8	6.1	83.3	234.0	23.5	276.4	37.9	60.6	29.5	25.0	12.9	182.5	19.7	18.9	68.9	196.1	3.8	509.6	117.4	64
14.6	*4.9*	78.0	147.8	21.1	186.8	26.0	53.6	26 0	21.1	9.7	123.4	14.6	8.1	71.5	147.8	14.6	407.6	133.2	65
13.5	*7.9*	66.2	124.5	15.9	116.6	23.8	47.7	21.2	21.2	13.2	111.3	*6.8*	*5.8*	66.2	127.2	18.5	331.1	58.3	66
8.4	.....	96.5	134.7	29.4	298.0	29.4	63.0	33.6	21.0	*4.2*	142.7	29.4	*12.6*	79.7	180.5	*8.4*	528.8	251.8	67
11.1	*16.7*	111.4	150.5	*11.1*	55.7	*16.7*	50.2	*16.7*	.....	*16.7*	150.5	*16.7*	*16.7*	55.7	128.2	.....	328.8	128.2	68
16.5	*24.8*	99.2	124.0	*8.3*	41.3	*8.3*	*24.8*	*8.3*	.....	*24.8*	148.8	.....	*16.5*	66.1	99.2	.....	264.6	*16.5*	69
.....	.....	136.7	205.1	*17.1*	85.5	*34.2*	102.5	*34.2*	.....	.....	153.8	*51.3*	*17.1*	*34.2*	188.0	.....	461.5	358.9	70

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever	Malaria.	Smallpox.	Measles.	Scarlet fever	Whooping cough.	Diphtheria and croup	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Con.															
	TENNESSEE—continued.															
1	Knoxville (total)	1,551.3	37.2	.....	.....	11.8	*1.7*	*5.1*	*3.4*	13.5	.....	179.3	13.5	13.5	*6.8*	71.1
2	White	1,455.0	25.5	.....	.....	14.9	*2.1*	*4.2*	*4.2*	*8.5*	.....	144.4	10.6	12.7	*3.1*	70.1
3	Colored	1,928.0	83.1	.....	.....	.....	.....	*8.3*	.....	*33.2*	.....	315.8	*24.9*	*16.6*	*24.9*	74.8
4	Memphis (total)	1,987.8	25.0	36.9	.....	31.6	4.0	23.0	16.5	20.4	6.6	243.6	8.6	19.1	9.2	75.7
5	White	1,465.7	23.6	20.5	.....	37.9	6.2	18.5	20.5	*4.1*	8.2	115.9	7.2	13.3	*4.1*	84.1
6	Colored	2,924.0	27.6	66.2	.....	20.2	.....	31.3	9.2	49.7	*3.7*	472.6	11.0	29.4	18.4	60.7
7	Nashville (total)	1,645.6	22.9	*5.9*	.....	21.2	*0.8*	6.8	*2.5*	23.7	.....	176.9	5.9	20.3	5.1	88.9
8	White	1,388.6	21.9	6.1	.....	25.6	*1.2*	*3.7*	*3.7*	21.9	.....	119.3	*7.3*	15.8	*2.4*	98.6
9	Colored	2,232.7	25.0	*5.6*	.....	*11.1*	.....	13.9	.....	27.8	.....	308.6	*2.8*	30.6	*11.1*	66.7
	TEXAS.[4]															
10	Registration cities (total)	1,942.7	25.9	11.7	6.6	29.7	1.5	11.2	11.4	24.8	4.0	251.7	8.5	12.5	5.7	76.9
11	White	1,932.3	26.1	9.0	6.7	34.9	1.8	12.0	12.7	22.9	4.6	246.4	9.7	10.9	5.3	83.1
12	Colored	1,990.0	25.3	24.2	6.3	6.3	.....	7.4	5.3	33.7	*1.1*	276.0	*3.2*	20.0	7.4	48.5
13	Beaumont (total)	1,584.0	31.2	48.5	.....	*10.4*	.....	*13.9*	*10.4*	*10.4*	*3.5*	142.1	.....	*10.4*	.....	100.5
14	White	1,339.4	31.5	57.8	.....	*15.8*	.....	*15.8*	*15.8*	*5.3*	*5.3*	63.0	.....	.....	.....	115.6
15	Colored	2,058.5	*30.6*	*30.6*	.....	.....	.....	*10.2*	.....	*20.4*	.....	295.5	.....	*30.6*	.....	71.3
16	Cleburne (total)	1,067.5	*23.9*	*8.0*	.....	.....	.....	*15.9*	.....	*23.9*	.....	71.7	.....	*8.0*	.....	63.7
17	White	1,012.1	*26.4*	.....	.....	.....	.....	*17.6*	.....	*26.4*	.....	52.8	.....	.....	.....	61.6
18	Colored[7]	1,596.6	.....	*84.0*	.....	.....	.....	.....	.....	.....	.....	*252.1*	.....	*84.0*	.....	*84.0*
19	Dallas (total)	1,264.9	19.3	6.2	*0.8*	10.0	.....	.....	7.7	16.2	*3.1*	114.8	7.7	10.8	*1.5*	74.8
20	White	1,163.7	16.2	4.8	.....	9.5	.....	.....	9.5	15.3	*2.9*	80.1	8.6	5.7	*1.9*	81.1
21	Colored	1,691.0	32.1	*12.0*	*4.0*	*12.0*	.....	.....	.....	20.1	*4.0*	261.1	*4.0*	32.1	.....	48.2
22	El Paso (total)	3,551.8	41.9	*1.4*	*5.8*	102.7	10.1	36.2	26.0	28.9	17.4	637.8	28.9	*27.5*	17.4	95.4
23	White	3,549.8	41.7	*1.5*	*6.0*	102.8	10.4	35.8	26.8	28.3	17.9	631.6	28.3	25.3	16.4	95.3
24	Colored[7]	3,619.2	*49.6*	.....	.....	*99.2*	.....	*49.6*	.....	*49.6*	.....	842.8	*49.6*	*99.2*	*49.6*	*99.2*
25	Galveston total)	1,601.4	16.4	*2.3*	.....	*2.3*	.....	.....	*9.4*	18.8	.....	152.4	*4.7*	*7.0*	.....	79.7
26	White	1,380.4	*9.0*	.....	.....	*3.0*	.....	.....	*9.0*	15.0	.....	126.0	*6.0*	*3.0*	.....	90.0
27	Colored	2,391.2	*42.9*	*10.7*	.....	.....	.....	.....	*10.7*	*32.2*	.....	246.6	.....	*21.4*	.....	*42.9*
28	Houston (total)	1,413.4	22.2	13.7	6.0	6.0	*0.9*	7.7	8.6	22.2	*0.9*	137.8	*1.7*	4.3	9.4	51.3
29	White	1,239.7	24.3	*4.9*	*3.6*	8.5	*1.2*	*4.9*	8.5	20.6	*1.2*	87.4	*1.2*	6.1	6.1	59.5
30	Colored	1,827.8	17.4	34.8	*11.6*	.....	.....	14.5	*8.7*	26.1	.....	257.8	*2.9*	.....	17.4	31.9
31	San Antonio (total)	2,523.1	29.6	16.4	17.9	48.4	.....	14.8	11.7	39.0	*2.3*	361.1	8.6	16.4	3.9	87.4
32	White	2,533.5	31.3	15.6	19.1	53.0	.....	16.5	12.2	33.0	*2.6*	371.1	9.6	15.6	4.3	89.5
33	Colored	2,431.8	*15.2*	*23.3*	*7.6*	*7.6*	.....	.....	*7.6*	91.2	.....	273.6	.....	*22.3*	.....	68.4
	UTAH.															
34	Registration cities (total)	1,099.6	17.5	.....	.....	12.3	7.1	*1.9*	9.1	3.9	4.5	40.3	3.2	8.4	6.5	70.8
35	White	1,102.4	17.3	.....	.....	12.6	7.3	*2.0*	9.3	4.0	*2.7*	39.8	3.3	8.6	6.6	71.7
36	Colored	972.3	*30.4*	.....	.....	.....	.....	.....	.....	.....	*94.2*	*60.8*	.....	.....	.....	*30.4*
37	Ogden	1,004.9	15.5	.....	.....	18.6	*3.1*	.....	18.6	15.5	*3.1*	40.2	.....	15.5	*12.4*	40.2
38	Salt Lake City	1,124.8	18.1	.....	.....	10.7	8.2	*2.5*	6.6	*0.8*	4.9	40.3	4.1	6.6	4.9	78.9
	VERMONT.															
39	Registration cities (total)	1,614.5	10.2	.....	.....	14.2	*6.1*	*6.1*	10.2	16.2	*4.1*	109.7	14.2	*8.1*	*2.0*	99.5
40	White	1,614.4	10.2	.....	.....	14.3	*6.1*	*6.1*	10.2	16.3	*4.1*	107.9	14.3	*8.1*	*2.0*	99.3
41	Colored	*1,666.7*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*333.3*	.....	.....	.....	.....
42	Barre	1,088.6	.....	.....	.....	*24.2*	*8.1*	*16.1*	.....	.....	.....	233.9	*32.3*	.....	.....	56.4
43	Burlington	1,894.3	*9.2*	.....	.....	*9.2*	.....	*4.6*	*18.3*	*13.8*	.....	73.4	*9.2*	*9.2*	.....	119.3
44	Rutland	1,642.5	*19.9*	.....	.....	*13.3*	*13.3*	.....	*6.6*	33.2	*13.3*	59.8	*6.6*	*13.3*	*6.6*	106.4
	VIRGINIA.															
45	Registration cities (total)	1,783.8	15.8	8.7	.....	8.5	*0.9*	22.0	5.5	20.3	3.6	168.5	12.4	13.4	7.3	70.6
46	White	1,396.3	13.7	3.5	.....	6.4	*1.3*	10.5	5.7	16.2	4.5	105.7	11.8	10.8	5.4	79.6
47	Colored	2,570.2	20.0	19.4	.....	12.9	.....	45.2	5.2	28.4	*1.9*	296.0	13.6	18.7	11.0	52.3
48	Alexandria (total)	1,611.0	44.6	.....	.....	.....	.....	27.9	*5.6*	*22.3*	.....	122.6	*11.1*	.....	*5.6*	89.2
49	White	1,285.4	44.6	.....	.....	.....	.....	.....	.....	*14.9*	.....	111.4	*7.4*	.....	.....	104.0
50	Colored	2,589.3	*44.6*	.....	.....	.....	.....	111.6	*22.3*	*44.6*	.....	156.2	*22.3*	.....	*22.3*	*44.6*
51	Danville (total)	1,932.3	24.8	*19.8*	.....	*14.9*	.....	34.7	.....	24.8	*5.0*	148.6	*5.0*	*14.9*	*5.0*	44.6
52	White	1,568.7	34.6	*6.9*	.....	*20.7*	.....	*20.7*	.....	34.6	*6.9*	110.6	.....	*6.9*	.....	48.4
53	Colored	2,853.6	.....	*52.5*	.....	.....	.....	*70.0*	.....	.....	.....	245.1	*17.5*	*35.0*	*17.5*	*35.0*
54	Lynchburg (total)	1,570.3	17.9	*6.0*	.....	*9.0*	.....	.....	*3.0*	29.9	*3.0*	173.1	29.9	17.9	*6.0*	74.6
55	White	1,219.2	19.9	*4.0*	.....	.....	.....	.....	*4.0*	31.8	*4.0*	127.1	23.8	19.9	*4.0*	79.4
56	Colored	2,633.2	*12.0*	*12.0*	.....	*36.1*	.....	.....	.....	*24.0*	.....	312.6	*48.1*	*12.0*	*12.0*	60.1
57	Newport News (total)	1,953.8	30.9	*13.3*	.....	26.5	.....	44.2	*13.3*	22.1	.....	181.2	.....	*8.8*	*13.3*	39.8
58	White	1,326.6	*14.0*	*7.0*	.....	34.9	.....	34.9	*14.0*	*20.9*	.....	55.9	.....	*7.0*	.....	41.9
59	Colored	3,036.1	60.2	*24.1*	.....	*12.0*	.....	60.2	*12.0*	*24.1*	.....	397.6	.....	*12.0*	*36.1*	*36.1*
60	Norfolk (total)	1,706.0	15.4	13.2	.....	6.6	.....	9.9	*4.4*	14.3	*1.1*	171.2	7.7	15.4	*2.2*	81.2
61	White	1,163.5	12.1	8.6	.....	*3.5*	.....	*5.2*	*3.5*	13.8	*1.7*	67.4	*6.9*	10.4	*3.5*	91.6
62	Colored	2,648.4	21.0	21.0	.....	*12.0*	.....	18.0	*6.0*	15.0	.....	351.3	*9.0*	24.0	.....	63.1
63	Petersburg (total)	2,680.4	27.1	*15.5*	.....	*7.7*	.....	96.8	*15.5*	19.4	.....	294.4	*11.6*	*11.6*	*11.6*	81.3
64	White	1,889.0	*27.4*	.....	.....	.....	.....	41.1	*13.7*	*6.8*	.....	225.9	*20.5*	*6.8*	*6.8*	116.4
65	Colored	3,712.3	*26.8*	*55.7*	.....	*17.8*	.....	169.6	*17.8*	*35.7*	.....	383.7	.....	*17.8*	*17.8*	*35.7*

For footnotes, see pp. 124, 125.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis and typhlitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal septicemia. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (suicide excepted). 35	Suicide. 36	All other defined diseases. (37)	Unknown or ill-defined diseases. 38	
18.6	*6.8*	67.7	93.0	10.2	120.1	30.5	52.4	25.4	15.2	*3.4*	111.7	16.9	27.1	66.0	108.3	10.2	372.2	38.9	1
23.4	*8.5*	65.8	78.6	*8.5*	108.3	21.2	53.1	29.7	14.9	*4.2*	118.9	19.1	31.9	61.6	110.5	10.6	348.4	38.2	2
.....	.....	74.8	149.6	*16.6*	166.2	66.5	49.9	*8.3*	*16.6*	.....	83.1	*8.3*	*8.3*	83.1	99.7	*8.3*	465.4	41.6	3
10.5	10.5	62.6	144.2	15.8	189.6	24.4	51.4	32.3	26.3	8.6	165.9	16.5	12.5	68.5	159.3	14.5	391.8	62.6	4
12.3	10.3	60.5	105.6	10.3	112.8	19.5	48.2	28.7	24.6	9.2	117.9	14.4	6.2	69.7	93.3	20.5	300.5	36.9	5
7.4	11.0	66.2	213.3	25.7	327.3	33.1	57.0	38.6	29.4	*7.4*	251.9	20.2	23.9	66.2	277.7	*3.7*	555.4	108.5	6
15.2	5.1	72.8	186.2	11.9	161.7	19.5	59.3	24.5	21.2	17.8	119.4	7.6	11.9	61.8	103.3	*3.4*	340.3	22.0	7
18.3	*4.9*	63.3	122.9	8.5	121.7	9.7	58.4	26.8	18.3	11.0	109.5	6.1	8.5	59.6	97.4	*4.9*	292.1	19.5	8
3.3	*5.6*	94.5	330.9	19.5	253.0	41.7	61.2	19.5	27.8	33.4	141.8	*11.1*	19.5	66.7	116.8	.....	450.4	27.8	9
13.1	12.5	59.1	112.7	31.4	160.6	14.2	192.2	24.4	18.0	15.3	122.7	11.7	13.4	93.6	132.9	21.2	373.7	37.7	10
15.0	12.7	59.6	101.1	33.7	160.9	12.2	220.0	26.8	16.9	16.6	111.1	12.0	12.0	100.7	126.5	22.9	363.2	22.4	11
4.2	11.6	56.9	165.4	21.1	159.1	23.2	65.3	13.7	23.2	9.5	175.9	10.5	20.0	61.1	162.2	13.7	421.4	107.5	12
3.5	*3.5*	52.0	58.9	*10.4*	128.2	*3.5*	58.9	20.8	17.3	*10.4*	142.1	17.3	*10.4*	76.3	187.2	20.8	308.5	72.8	13
.....	*5.8*	47.3	42.0	*15.8*	94.5	.....	52.5	31.5	*5.8*	*15.8*	126.1	*10.5*	*5.8*	47.3	157.6	*15.8*	278.4	63.0	14
10.2	.....	61.1	91.7	.....	193.6	*10.2*	71.3	.....	*40.8*	.....	173.2	*30.6*	*20.4*	132.5	244.6	*30.6*	366.9	91.7	15
.....	*8.0*	47.8	55.8	.....	95.6	*15.9*	47.8	*8.0*	*15.9*	.....	55.8	.....	*31.9*	87.6	111.5	*15.9*	223.1	*31.9*	16
.....	*8.8*	44.0	52.8	.....	105.6	*8.8*	44.0	.....	*17.6*	.....	61.6	.....	*26.4*	79.2	114.4	*8.8*	228.8	*26.4*	17
.....	.....	*84.0*	*84.0*	.....	.....	*84.0*	*84.0*	*84.0*	.....	.....	.....	.....	*84.0*	*168.1*	*84.0*	*84.0*	*168.1*	*84.0*	18
10.0	9.2	50.9	99.4	10.8	100.2	10.8	28.5	42.4	10.0	8.5	94.0	13.9	13.9	66.3	115.6	17.7	286.7	*3.1*	19
11.4	*3.8*	53.4	76.3	9.5	83.0	7.6	31.5	46.7	9.5	8.6	90.6	13.4	13.4	75.4	108.7	19.1	264.2	*1.9*	20
4.0	32.1	40.2	196.8	*16.1*	172.7	24.1	*16.1*	24.1	*12.0*	*8.0*	108.4	*16.1*	*16.1*	28.1	144.6	*12.0*	381.6	*8.0*	21
11.6	31.8	72.3	146.1	96.9	378.9	13.0	572.7	21.7	24.6	37.6	107.0	28.9	11.6	147.5	176.4	36.2	556.8	*2.9*	22
11.9	32.8	73.0	141.5	99.8	378.4	13.4	585.4	22.3	23.8	38.7	101.3	29.8	11.9	151.9	172.8	35.8	555.6	*1.5*	23
.....	.....	*49.6*	297.5	.....	396.6	.....	*148.7*	.....	*49.6*	.....	297.5	.....	.....	.....	297.5	*49.6*	594.9	*49.6*	24
14.1	*4.7*	63.3	138.3	14.1	93.8	25.8	56.3	*7.0*	11.7	14.1	201.6	*7.0*	*7.0*	86.8	140.7	14.1	403.3	*4.7*	25
15.0	*6.0*	66.0	108.0	15.0	72.0	15.0	57.0	*9.0*	15.0	*12.0*	153.0	*6.0*	*3.0*	93.0	138.0	15.0	318.1	*3.0*	26
10.7	.....	53.6	246.6	*10.7*	171.6	64.3	53.6	.....	.....	*21.4*	375.3	*10.7*	*21.4*	64.3	150.1	*10.7*	707.7	*10.7*	27
12.8	6.8	53.9	101.0	13.7	89.0	14.5	45.3	21.4	16.3	13.7	122.3	*3.4*	7.7	42.8	141.2	23.1	272.1	119.8	28
17.0	6.1	54.6	92.3	7.3	83.8	12.1	42.5	26.7	8.5	15.8	115.4	*5.6*	*4.9*	43.7	129.9	27.9	245.3	64.4	29
2.9	*3.7*	52.1	121.7	29.0	101.4	20.3	52.1	*8.7*	34.8	*8.7*	139.0	*2.9*	14.5	40.6	168.0	*11.6*	336.0	252.0	30
20.3	15.6	66.3	127.9	46.8	205.1	16.4	375.9	18.7	26.5	14.8	136.5	9.4	20.3	145.1	106.9	17.9	475.0	20.3	31
22.6	17.4	62.6	119.1	47.8	202.5	17.4	398.1	18.3	27.8	14.8	122.5	9.6	18.3	147.8	106.0	20.0	465.9	21.7	32
.....	.....	98.8	205.2	38.0	228.0	*7.6*	182.4	*22.8*	*15.2*	*15.2*	258.4	*7.6*	38.0	121.6	114.0	.....	554.8	*7.6*	33
7.1	7.8	50.7	108.5	7.8	100.0	7.8	37.0	30.5	13.6	7.8	86.4	9.7	7.1	70.1	100.7	20.1	188.4	52.6	34
7.3	8.0	51.8	108.8	8.0	99.6	8.0	37.2	31.2	13.3	7.3	88.3	10.0	7.3	71.7	98.2	19.9	188.5	53.1	35
.....	.....	.....	*91.2*	.....	*121.5*	.....	*80.4*	.....	*80.4*	*80.4*	.....	.....	.....	.....	212.7	*80.4*	182.3	*80.4*	36
3.1	.....	52.6	117.5	*9.3*	83.5	*9.3*	49.5	21.6	*12.4*	*6.2*	77.3	*6.2*	*6.2*	64.9	83.5	21.6	191.7	*6.2*	37
8.2	9.9	50.2	106.1	7.4	104.4	7.4	33.7	32.9	14.0	8.2	88.8	10.7	7.4	71.5	105.2	19.7	187.5	65.0	38
22.3	12.2	111.7	203.1	22.3	144.2	26.4	40.6	40.6	16.2	14.2	127.9	*4.1*	*8.1*	119.8	77.2	26.4	294.5	*2.0*	39
22.4	12.2	112.0	203.6	22.4	144.5	26.5	40.7	38.7	16.3	14.3	128.3	*4.1*	*8.1*	120.1	77.4	26.5	295.2	*2.0*	40
.....	.....	.....	.....	.....	.....	.....	.....	*888.8*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	41
16.1	.....	64.5	104 8	*8.1*	80.6	*24.2*	*16.1*	*16.1*	*8.1*	*32.3*	64.5	*8.1*	*8.1*	88.7	56.4	*16.1*	104.8	.....	42
27.5	*13.8*	133.0	289.0	45.9	133.0	32.1	59.6	59.6	27.5	*13.8*	142.2	.....	*9.2*	151.4	87.1	27.5	371.5	*4.6*	43
19.9	*19.9*	119.7	159.6	.....	212.8	*19.9*	33.2	33.2	*6.6*	.....	159.6	*6.6*	*6.6*	99.7	79.8	33.2	339.1	.....	44
14.1	10.5	119.7	186.7	16.4	190.3	25.4	90.2	18.8	18.3	12.2	158.5	15.4	15.6	103.3	96.9	8.3	306.6	19.2	45
17.8	9.9	91.7	151.0	6.4	104.5	17.2	56.1	19.1	16.9	11.8	141.7	12.1	13.4	89.8	83.8	10.8	258.3	8.9	46
6.5	11.6	176.5	259.2	36.8	364.5	42.0	159.6	18.1	21.3	12.9	192.6	22.0	20.0	130.5	123.4	3.2	404.6	40.1	47
11.1	.....	100.3	128.2	*22.3*	189.5	27.9	66.9	*11.1*	*16.7*	*5.6*	228.6	*11.1*	*11.1*	61.3	117.1	*16.7*	234.1	*22.3*	48
14.9	.....	59.4	133.7	.....	89.2	*14.9*	59.4	*7.4*	*14.9*	*7.4*	215.5	.....	*14.9*	66.9	74.3	*22.3*	193.2	*14.9*	49
.....	.....	223.2	111.6	*39.3*	491.1	*67.0*	*39.3*	*22.3*	*22.3*	.....	267.9	*44.6*	.....	*44.6*	245.5	.....	357.1	*44.6*	50
14.9	34.7	89.2	208.1	44.6	163.5	*19.8*	89.2	44.6	34.7	*14.9*	109.0	24.8	*9.9*	54.5	148.6	*14.9*	460.8	*9.9*	51
6.9	41.5	55.3	165.8	*20.7*	55.3	*13.8*	62.2	55.3	*27.6*	*20.7*	76.0	*20.7*	*13.8*	62.2	145.1	*20.7*	407.7	*6.9*	52
36.0	*17.5*	175.1	315.1	105.0	437.7	*36.0*	157.6	*17.5*	*52.5*	.....	192.6	*36.0*	.....	*36.0*	157.6	.....	595.2	*17.5*	53
14.9	*3.0*	107.5	146.3	*11.9*	116.4	20.9	80.6	*11.9*	*11.9*	*9.0*	176.1	17.9	23.9	74.6	65.7	14.9	271.7	20.9	54
15.8	*4.0*	83.4	103.3	.....	67.5	19.9	47.7	*7.9*	*11.9*	*4.0*	111.2	19.9	19.9	67.5	55.6	19.9	230.3	*11.9*	55
12.0	.....	180.4	276.5	*48.1*	264.5	*24.0*	180.4	*24.0*	*12.0*	*24.0*	372.7	*12.0*	*36.1*	96.2	96.2	.....	396.8	*48.1*	56
26.5	*8.8*	114.9	185.7	*17.7*	256.4	35.4	159.1	.....	22.1	*18.3*	137.0	22.1	*18.3*	114.9	159.1	*4.4*	265.2	*4.4*	57
41.9	*7.0*	34.9	111.7	*7.0*	132.7	*7.0*	83.8	.....	*7.0*	*20.9*	118.7	*14.0*	*7.0*	97.8	167.6	*7.0*	230.4	.....	58
.....	*12.0*	253.0	313.3	*36.1*	469.9	84.3	289.2	.....	*48.2*	.....	168.7	*36.1*	*24.1*	144.6	144.6	.....	325.3	*12.0*	59
13.2	17.6	122.9	218.3	13.2	196.4	19.7	77.9	18.7	20.8	14.3	132.8	14.3	16.5	90.0	102.0	*4.4*	267.7	*3.3*	60
13.8	13.8	86.4	146.9	*1.7*	81.3	20.7	32.8	15.6	15.6	15.6	114.1	10.4	12.1	72.6	93.4	*5.2*	179.8	*3.5*	61
12.0	24.0	186.2	342.3	33.0	396.4	18.0	156.1	24.0	30.0	*12.0*	165.2	21.0	24.0	120.1	117.1	*3.0*	420.4	*3.0*	62
7.7	31.0	209.2	185.9	*7.7*	286.6	38.7	267.3	*11.6*	23.2	*11.6*	333.1	*7.7*	23.2	139.4	143.3	*7.7*	337.0	*15.5*	63
13.7	41.1	123.2	157.4	*6.8*	143.7	*20.5*	164.3	.....	*6.8*	*6.8*	266.9	*6.8*	*27.4*	123.2	136.9	*6.8*	164.3	*6.8*	64
.....	*17.8*	321.3	223.1	*8.9*	473.0	62.5	401.6	*26.8*	44.6	*17.8*	419.5	*8.9*	*17.8*	160.6	151.7	*8.9*	562.2	*26.8*	65

For footnotes, see pp. 124, 125.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF

[See notes at head of this table, pp. 98, 99.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer and other malignant tumors. 16
	REGISTRATION CITIES—Con.															
	VIRGINIA—continued.															
1	Portsmouth (total)	1,422.8	12.3	29.5	.....	9.8	7.4	4.9	4.9	41.8	2.5	152.4	9.8	7.4	9.8	51.6
2	White	951.9	7.7	.....	.....	7.7	11.6	3.9	7.7	19.3	3.9	100.6	11.6	7.7	7.7	50.3
3	Colored	2,242.4	20.2	80.8	.....	18.5	.....	6.7	.....	80.8	.....	242.4	6.7	6.7	18.5	53.9
4	Richmond (total)	1,847.5	6.9	2.5	.....	3.8	0.6	27.7	5.7	18.3	2.5	162.6	15.8	12.6	8.2	71.2
5	White	1,531.9	3.9	2.9	.....	1.0	1.0	13.7	7.8	13.7	2.0	106.6	15.7	10.8	8.8	80.2
6	Colored	2,418.6	12.4	1.8	.....	8.9	.....	53.1	1.8	26.6	3.5	263.8	15.9	15.9	7.1	54.9
7	Roanoke (total)	1,413.1	10.8	.....	.....	19.4	.....	2.2	2.2	15.1	6.5	136.1	10.8	19.4	6.5	71.3
8	White	1,259.9	10.9	.....	.....	19.0	.....	2.7	.....	13.6	8.1	100.5	10.9	10.9	5.4	81.5
9	Colored	2,009.7	10.6	.....	.....	21.2	.....	.....	10.6	21.2	.....	275.0	10.6	52.9	10.6	31.7
10	Staunton* (total)	2,554.3	50.7	.....	.....	8.5	.....	.....	8.5	.....	50.7	203.0	8.5	25.4	16.9	84.6
11	White	2,851.9	48.5	.....	.....	.....	.....	.....	10.9	.....	54.4	185.0	.....	32.7	.....	87.1
12	Colored	1,517.5	75.9	.....	.....	37.9	.....	.....	.....	.....	37.9	265.6	37.9	.....	75.9	75.9
	WASHINGTON.															
13	Registration cities (total)	733.2	7.5	0.3	.....	6.9	0.8	4.6	2.4	5.2	1.5	55.2	10.7	6.5	3.4	70.7
14	White	714.6	6.8	0.3	.....	7.1	0.8	4.6	2.5	5.2	1.3	50.3	9.3	6.3	3.4	70.2
15	Colored	1,471.9	36.4	.....	.....	.....	.....	5.2	.....	5.2	10.4	249.6	67.6	15.6	5.2	88.4
16	Aberdeen	719.9	18.7	.....	.....	.....	14.0	4.7	4.7	4.7	4.7	60.8	9.3	.....	.....	74.8
17	Bellingham	646.1	.....	.....	.....	23.3	.....	11.6	.....	.....	.....	58.2	5.8	5.8	2.9	75.7
18	Everett	704.2	8.1	.....	.....	13.4	.....	18.8	5.4	2.7	2.7	72.6	13.4	8.1	.....	75.3
19	North Yakima	1,106.2	54.4	4.5	.....	18.6	.....	4.5	.....	13.6	.....	81.6	18.1	9.1	.....	54.4
20	Seattle	690.4	4.9	0.3	.....	4.6	0.3	3.3	1.9	3.8	1.1	57.0	12.3	6.8	4.4	64.7
21	Spokane	737.0	7.6	.....	.....	7.0	1.3	1.9	3.8	8.9	1.3	48.2	10.1	3.8	3.2	79.3
22	Tacoma	808.9	3.4	.....	.....	6.0	.....	6.0	2.6	4.3	3.4	49.4	7.7	10.2	3.4	74.9
23	Walla Walla	821.0	23.0	.....	.....	11.5	.....	3.8	.....	11.5	.....	42.2	3.8	3.8	3.8	80.6
	WEST VIRGINIA.[4]															
24	Wheeling (total)	1,947.0	50.4	.....	.....	4.6	.....	22.9	6.9	18.3	6.9	146.8	34.4	16.0	4.6	128.3
25	White	1,896.1	47.2	.....	.....	4.7	.....	23.6	7.1	18.9	7.1	103.9	30.7	16.5	4.7	132.2
26	Colored[7]	3,593.3	152.9	.....	.....	.....	.....	.....	.....	.....	.....	335.2	152.9	.....	.....	.....
	WISCONSIN.															
27	Registration cities (total)	1,277.8	8.2	0.1	0.1	3.2	13.5	12.8	19.5	12.0	5.0	83.6	10.1	8.4	7.0	94.5
28	White	1,274.7	8.2	0.1	0.1	3.2	13.6	12.9	19.6	12.1	5.0	83.3	10.1	8.3	7.0	94.6
29	Colored	2,256.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	179.1	.....	35.8	.....	71.6
30	Appleton	1,594.0	.....	.....	.....	5.6	.....	11.1	16.7	33.3	22.2	72.2	16.7	27.8	.....	133.3
31	Ashland	[5] 2,078.7	34.5	.....	.....	.....	.....	.....	.....	25.9	17.3	163.9	8.6	43.1	25.9	163.9
32	Beloit	1,277.8	27.0	5.4	.....	10.8	5.4	16.2	21.6	5.4	21.6	59.3	.....	21.6	27.0	97.1
33	Eau Claire	1,837.3	10.6	.....	.....	.....	5.3	10.6	21.2	26.5	5.3	211.8	21.2	21.2	5.3	206.5
34	Fond du Lac	1,452.1	4.7	.....	.....	.....	9.3	4.7	14.0	14.0	.....	83.8	4.7	14.0	4.7	153.0
35	Green Bay	1,735.7	6.7	.....	.....	.....	6.7	6.7	.....	.....	6.7	63.3	30.0	6.7	6.7	106.7
36	Janesville	1,602.9	.....	.....	.....	.....	6.9	.....	6.9	34.7	.....	131.8	6.9	.....	6.9	55.5
37	Kenosha	1,108.6	9.1	.....	.....	9.1	9.1	51.8	64.0	15.2	3.0	45.7	6.1	12.2	3.0	70.1
38	La Crosse	1,423.1	.....	.....	.....	.....	3.1	3.1	40.8	3.1	15.7	84.8	9.4	15.7	.....	153.9
39	Madison	1,251.8	9.6	.....	3.2	.....	9.6	9.6	3.2	6.4	3.2	63.9	19.2	6.4	12.8	89.4
40	Manitowoc	1,564.9	7.2	.....	.....	.....	.....	21.5	.....	28.7	.....	86.1	7.2	.....	7.2	143.6
41	Marinette	[5] 1,191.0	.....	.....	.....	.....	.....	34.2	6.8	13.7	.....	109.5	13.7	6.8	.....	95.8
42	Milwaukee	1,227.2	6.1	.....	.....	3.1	17.3	12.4	22.9	9.7	4.0	84.9	9.4	4.9	7.6	80.4
43	Oshkosh	1,234.0	8.2	.....	.....	.....	8.2	8.2	5.5	10.9	8.2	93.0	2.7	5.5	5.5	114.9
44	Racine	1,165.1	14.7	.....	.....	2.1	.....	23.2	6.3	19.0	4.2	90.6	14.7	10.5	2.1	99.0
45	Sheboygan	1,280.0	31.1	.....	.....	6.9	55.3	6.9	20.8	20.8	.....	58.8	10.4	20.8	.....	100.3
46	Superior	892.6	10.6	.....	.....	10.6	.....	4.2	8.5	4.2	.....	48.8	4.2	4.2	4.2	59.4
47	Wausau	1,078.0	.....	.....	.....	.....	45.8	5.1	20.3	25.4	5.1	61.0	5.1	10.2	20.3	106.8

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] Less than one-tenth of 1 per 100,000 population.
[4] Nonregistration state; only those cities with satisfactory registration of deaths are shown.
[5] Rate based upon population Apr. 15, 1910. Decrease since 1900; no estimate made.
[6] Special estimate.
[7] Colored population less than 10 per cent of the total in 1910.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See notes at head of this table, pp. 98, 99.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia; intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4.9	7.4	98.3	108.1	29.5	164.6	31.9	63.9	7.4	7.4	12.3	95.8	14.7	19.7	71.3	81.1	2.5	218.7	39.3	1
7.7	3.9	81.3	73.5	19.3	85.1	27.1	42.6	3.9	3.9	15.5	81.3	7.7	11.6	46.4	50.3	3.9	143.2	3.9	2
.....	13.5	127.9	168.4	47.1	303.0	40.4	101.0	13.5	13.5	6.7	121.2	26.9	33.7	114.5	134.7	.....	350.2	101.0	3
17.0	5.7	137.4	211.7	17.6	189.0	31.5	71.8	21.4	17.0	13.9	175.2	10.7	13.2	125.4	81.9	9.5	337.1	22.1	4
25.4	5.9	121.3	194.7	7.8	103.7	17.6	45.0	23.5	19.6	10.8	182.9	6.8	9.8	110.5	70.4	12.7	289.6	5.9	5
1.8	5.3	166.4	242.6	35.4	343.5	56.7	120.4	17.7	12.4	19.5	161.1	17.7	19.5	152.3	102.7	3.5	423.2	51.3	6
13.0	6.5	38.9	112.4	4.3	125.3	6.5	101.6	32.4	21.6	6.5	99.4	32.4	10.8	125.3	101.6	6.5	239.8	28.1	7
10.9	5.4	38.0	81.5	2.7	86.9	8.1	86.9	38.0	27.2	8.1	78.7	29.9	13.6	116.8	81.5	5.4	255.2	21.7	8
21.2	10.6	42.3	232.7	10.6	275.0	.....	158.7	10.6	.....	.....	179.8	42.3	.....	158.7	179.8	10.6	179.8	52.9	9
8.5	.....	177.6	338.3	.....	422.9	8.5	25.4	8.5	16.9	8.5	169.2	8.5	25.4	59.2	42.3	16.9	718.9	42.3	10
10.9	.....	206 8	370.1	.....	478.9	10.9	32.7	10.9	21.8	10.9	195.9	10.9	32.7	54.4	54.4	21.8	870.8	43.5	11
.....	.....	75.9	227.6	.....	227.6	.....	.....	.....	.....	.....	75.9	.....	.....	75.9	.....	.....	189.7	37.9	12
13.7	2.7	42.2	73.6	4.1	50.3	5.7	12.8	15.1	7.9	4.9	49.7	5.7	6.0	37.1	55.3	13.5	154.0	3.1	13
13.8	2.4	42.6	72.6	3.8	48.6	5.4	12.2	15.2	7.7	4.8	48.3	5.6	6.0	35.1	54.1	13.4	151.8	3.1	14
10.4	15.6	26.0	114.4	15.6	119.6	20.8	36.4	10.4	15.6	5.2	104.0	10.4	5.2	114.4	104.0	20.8	239.2	.....	15
4.7	.....	42.1	51.4	4.7	46.7	9.3	14.0	37.4	.....	.....	23.4	4.7	.....	37.4	65.4	14.0	144.9	23.4	16
20.4	.....	37.8	55.3	8.7	32.0	5.8	5.8	2.9	5.8	.....	52.4	8.7	8.7	23.3	43.7	8.7	142.6	.....	17
8.1	.....	45.7	67.2	.....	29.6	.....	13.4	8.1	5.4	.....	43.0	8.1	8.1	21.5	61.8	5.4	158.6	.....	18
22.7	9.1	63.5	117.9	9.1	77.1	.....	108.8	22.7	18.1	4.5	54.4	13.6	4.5	68.0	63.5	18.1	172.3	4.5	19
12.6	1.9	37.1	78.3	3.5	43.7	6.5	6.3	10.6	8.2	5.5	42.3	2.5	5.7	39.3	55.9	16.9	146.5	1.6	20
10.1	4.4	37.4	56.5	3.8	59.0	5.1	12.7	26.0	9.5	5.7	66.6	9.5	6.3	33.6	43.1	10.8	159.8	0.6	21
21.3	3.4	54.5	89.4	4.3	68.1	6.8	12.8	12.8	5.1	3.4	55.3	9.4	6.0	35.8	69.0	10.2	163.5	6.8	22
15.8	3.8	69.1	53.7	7.7	46.0	3.8	30.7	23.0	11.5	15.3	49.9	.....	7.7	46.0	49.9	11.5	180.3	11.5	23
11.5	22.9	68.7	174.1	13.7	210.7	20.6	77.9	27.5	34.4	18.3	121.4	11.5	11.5	98.5	217.6	16.0	380.2	.....	24
11.8	23.6	66.1	165.3	11.8	207.8	18.9	75.6	28.3	33.1	18.9	115.7	11.8	11.8	101.5	200.7	16.5	380.2	.....	25
.....	.....	152.9	458.7	76.5	305.8	76.5	152.9	.....	76.5	.....	305.8	.....	.....	.....	764.5	.....	382.3	.....	26
16.7	9.1	69.2	109.4	21.0	153.8	14.1	45.6	22.5	19.0	14.5	79.3	5.9	8.5	79.5	82.8	16.0	228.3	4.2	27
16.8	9.0	69.0	109.3	21.2	152.9	13.9	45.6	22.3	18.9	14.4	79.3	5.8	8.4	78.9	82.3	16.1	228.2	4.2	28
.....	35.8	143.3	143.3	.....	429.8	71.6	35.8	71.6	35.8	71.6	71.6	35.8	35.8	286.5	250.7	.....	250.7	.....	29
22.2	16.7	77.8	144.4	5.6	194.4	11.1	16.7	55.5	44.4	16.7	61.1	5.6	16.7	94.4	111.1	11.1	344.3	5.6	30
34.5	25.9	120.8	250.1	25.9	215.6	17.3	17.3	43.1	34.5	25.9	155.3	.....	17.3	77.6	172.5	.....	336.4	25.9	31
16.2	16.2	97.1	36.3	10.8	161.8	10.8	16.2	21.6	16.2	10.8	53.9	5.4	16.2	59.3	75.5	16.2	269.6	.....	32
21.2	15.9	84.7	254.1	15.9	153.5	15.9	26.5	42.4	31.8	10.6	68.8	5.3	15.9	68.8	121.8	21.2	307.1	10.6	33
27.9	14.0	107.1	116.4	14.0	83.8	14.0	32.6	32.6	32.6	9.3	97.7	.....	18.6	97.7	83.8	9.3	344.4	9.3	34
26.7	3.3	70.0	80.0	10.0	169.9	23.3	126.6	103.3	33.3	16.7	136.6	26.7	20.0	103.3	109.9	3.3	419.8	13.3	35
13.9	6.9	159.6	180.4	13.9	242.9	13.9	13.9	34.7	48.6	.....	55.5	.....	13.9	83.3	124.9	27.8	298.4	20.8	36
12.2	9.1	45.7	51.8	24.4	100.5	12.2	70.1	9.1	6.1	15.2	39.6	.....	9.1	85.3	103.6	13.3	191.9	6.1	37
22.0	9.4	78.5	144.5	12.6	128.8	9.4	12.6	59.7	28.3	9.4	62.8	.....	9.4	75.4	84.8	3.1	326.7	15.7	38
16.0	6.4	115.0	95.8	3.2	134.1	12.8	12.8	16.0	31.9	3.2	79.8	6.4	6.4	79.8	95.8	19.2	277.8	3.2	39
14.4	43.1	129.2	114.9	64.6	193.8	.....	.....	43.1	21.5	21.5	86.1	.....	7.2	114.9	114.9	.....	287.1	7.2	40
13.7	.....	109.5	157.4	13.7	109.5	6.8	27.4	.....	6.8	.....	82.1	.....	6.8	54.8	89.0	6.8	219.0	6.8	41
16.4	8.3	54.8	101.1	27.6	173.9	16.2	56.4	13.3	13.9	16.9	79.5	6.5	7.0	77.8	74.4	18.7	201.3	0.2	42
8.2	2.7	106.7	161.4	8.2	104.0	8.2	16.4	46.5	35.6	21.9	95.8	8.2	.....	76.6	41.0	16.4	199.7	5.5	43
21.1	12.6	46.3	101.1	19.0	128.5	14.7	59.0	8.4	16.9	6.3	63.2	4.2	6.3	86.4	82.2	10.5	185.4	6.3	44
10.4	.....	100.3	86.5	24.2	100.3	13.8	24.2	20.8	20.8	27.7	100.3	6.9	10.4	83.0	72.6	20.8	221.4	3.5	45
10.6	3.5	53.0	78.4	4.2	101.8	2.1	21.2	8.5	10.6	8.5	57.2	6.4	6.4	61.5	103.9	21.2	163.2	6.4	46
10.2	5.1	55.9	91.5	.....	106.8	20.3	20.3	25.4	15.3	5.1	96.6	.....	10.2	86.4	40.7	5.1	167.8	10.2	47

[8] Rate based upon population estimated on Federal census 1910 and special census Feb. 15, 1917.
[9] Rate based upon population estimated on Federal census 1910 and state census 1915.
[10] Rate based upon estimated population plus that of part of Wayne County annexed in 1916 and 1917.
[11] Rate based upon population estimated on Federal censuses 1890 and 1910, as returns of 1900 were defective.
[12] Rate based upon population Apr. 15, 1910, plus that of territory annexed since 1910.
[13] Includes state institutions.
[14] Includes West Warwick town; separate estimated populations not available.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions, but excluding the deaths of soldiers and sailors in Table 6 for deaths. The term "cities" indicates municipalities of 10,000 inhabitants

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.										
		Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes [3]	1,416.5	1,400.5	1,515.1	1,297.9	1,623.9	1,530.4	1,360.2	1,408.1	1,203.0	1,012.3	1,706.5	1,506.8
	I.—General diseases	378.4	372.0	396.0	350.6	461.6	405.2	404.0	380.8	434.2	277.0	418.4	385.3
1	Typhoid fever	13.4	13.3	10.1	16.2	14.8	10.7	6.8	7.9	5.3	12.0	11.2	5.2
2	Typhus fever	(4)	(4)	(4)	(4)	0.2	(4)	.....	.....	.....	.....	.....	.....
3	Relapsing fever	(4)	(4)	.....	(4)	.....	.....	.....	.....	.....	.....	.....	*0.3*
4	Malaria	3.2	3.0	0.9	4.9	5.0	1.5	0.6	2.3	.....	*0.3*	0.6	*1.0*
5	Smallpox	0.3	0.2	0.2	0.3	0.8	0.3	0.5	0.6	.....	*0.2*	*0.2*	.....
6	Measles	13.9	13.7	10.1	17.0	15.5	10.9	6.6	6.0	14.0	14.7	9.8	11.1
7	Scarlet fever	4.1	3.5	4.0	3.0	12.8	5.3	2.0	1.0	1.3	2.1	1.9	1.3
8	Whooping cough	10.4	10.5	9.4	11.6	9.0	9.3	5.4	8.5	*0.8*	9.0	8.3	8.0
9	Diphtheria and croup	16.5	15.7	19.4	12.3	27.7	20.6	8.7	4.0	7.9	3.8	20.1	15.5
10	Influenza	17.2	17.5	12.5	21.9	14.0	12.7	6.2	13.9	11.6	16.2	23.4	29.4
11	Miliary fever	(4)	(4)	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	0.3	0.3	0.2	0.5	0.2	0.2	.....	.....	.....	*0.5*	*0.1*	.....
14	Dysentery	6.0	5.9	2.3	9.2	7.2	3.0	1.4	3.9	1.9	4.3	3.4	4.9
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	(4)	(4)	(4)	(4)	*0.1*	(4)	0.3	*0.1*	.....	.....	.....	.....
18	Erysipelas	3.8	3.8	4.4	3.2	3.7	4.3	2.3	2.0	3.4	2.3	5.2	4.1
19	Other epidemic diseases	0.5	0.5	0.6	0.5	0.5	0.6	0.3	*0.3*	.....	*0.5*	*0.5*	1.3
20	Purulent infection and septicemia	1.5	1.4	1.4	1.5	2.2	1.5	1.0	1.0	1.9	*0.5*	2.6	2.1
21	Glanders	(4)	(4)	(4)	(4)	(4)	(4)	.....	.....	.....	.....	.....	.....
22	Anthrax	0.1	0.1	0.1	(4)	(4)	0.1	*0.2*	*0.2*	.....	*0.3*	*0.1*	.....
23	Rabies	0.1	0.1	0.1	0.1	0.1	0.1	.....	.....	*0.3*	*0.2*	*0.3*	.....
24	Tetanus	1.8	1.6	1.7	1.5	4.3	2.0	1.3	2.5	*0.3*	*0.7*	1.8	1.5
25	Mycoses	0.1	(4)	0.1	(4)	0.1	0.1	*0.1*	.....	.....	*0.2*	*0.1*	.....
26	Pellagra	4.9	4.1	2.4	5.5	15.3	4.2	0.5	1.3	*0.5*	*0.3*	*0.5*	*0.3*
27	Beriberi	(4)	(4)	(4)	(4)	.....	(4)	*0.1*	0.4	.....	.....	.....	.....
	Tuberculosis (total)	146.3	144.0	159.2	130.3	175.9	161.5	179.9	190.1	250.3	129.9	171.0	155.7
28	Tuberculosis of the lungs	123.9	121.9	131.9	112.9	149.8	134.4	154.8	164.7	224.1	118.9	133.8	134.0
29	Acute miliary tuberculosis	4.8	4.7	6.1	3.5	6.0	6.1	3.7	5.0	4.5	2.0	6.5	2.8
30	Tuberculous meningitis	8.1	8.0	11.3	5.1	8.6	10.9	11.1	9.7	11.4	3.4	20.3	9.8
31	Abdominal tuberculosis	5.0	4.9	4.9	4.9	5.7	5.0	5.3	5.8	5.6	2.8	5.1	3.9
32	Pott's disease	1.2	1.2	1.4	0.9	1.4	1.4	1.4	1.6	*0.5*	*0.7*	1.8	1.8
33	White swellings	0.7	0.7	0.8	0.6	0.7	0.8	0.7	0.6	.....	*0.3*	0.9	*1.0*
34	Tuberculosis of other organs	1.8	1.8	2.0	1.7	1.9	2.0	2.4	1.5	2.9	0.8	1.7	1.3
35	Disseminated tuberculosis	0.8	0.7	0.7	0.8	1.8	0.8	0.5	1.2	1.3	1.0	0.8	*1.0*
36	Rickets	0.8	0.7	0.9	0.6	1.1	0.9	0.4	*0.3*	.....	.....	0.7	*0.3*
37	Syphilis	10.4	9.5	13.0	6.4	21.3	14.2	13.9	8.2	10.1	4.8	6.7	3.6
38	Gonococcus infection	0.8	0.7	1.2	0.3	1.6	1.2	1.0	*0.3*	*0.3*	*0.2*	1.0	.....
	Cancer and other malignant tumors (total)	81.6	81.2	94.4	69.3	86.9	93.3	120.5	83.1	81.5	51.8	97.3	92.0
39	Of the buccal cavity	3.0	3.0	3.3	2.8	3.3	3.3	4.2	3.2	3.4	2.3	4.0	3.1
40	Of the stomach, liver	31.1	31.0	34.6	27.8	32.2	34.2	44.3	34.4	31.0	20.5	32.9	32.5
41	Of the peritoneum, intestines, rectum	10.9	10.9	13.6	8.5	10.7	13.2	14.9	11.4	10.1	5.6	15.5	13.1
42	Of the female genital organs	12.4	12.2	14.9	9.8	15.0	14.9	17.9	9.4	15.1	7.9	13.4	15.2
43	Of the breast	7.6	7.6	9.1	6.3	7.4	8.9	12.2	6.2	5.8	3.8	10.1	7.2
44	Of the skin	2.9	2.9	2.4	3.4	2.2	2.3	3.0	2.7	1.3	2.1	2.6	4.9
45	Of other organs or of organs not specified	13.8	13.6	16.6	10.8	16.1	16.6	24.0	15.9	14.8	9.7	18.7	16.0
46	Other tumors (tumors of the female genital organs excepted)	0.4	0.3	0.3	0.4	0.5	0.4	0.4	*0.2*	.....	*0.2*	.....	.....
47	Acute articular rheumatism	4.6	4.6	5.0	4.2	4.6	4.9	2.7	2.8	4.0	3.4	5.2	3.1
48	Chronic rheumatism and gout	1.4	1.4	1.1	1.7	0.7	1.0	1.0	1.6	*0.3*	0.8	1.3	2.1
49	Scurvy	0.1	0.1	0.1	0.1	0.2	0.1	*0.1*	*0.2*	.....	*0.2*	*0.1*	.....
50	Diabetes	16.9	16.9	20.1	14.1	16.5	19.6	21.2	17.5	18.8	9.3	22.1	23.5
51	Exophthalmic goiter	1.7	1.6	2.0	1.3	2.2	2.0	1.6	1.0	2.1	*0.3*	1.3	*1.0*
52	Addison's disease	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.6	1.6	*0.2*	0.7	*0.5*
53	Leukemia	2.1	2.0	2.4	1.6	2.3	2.4	3.2	2.2	3.4	1.1	2.4	*0.8*
54	Anemia, chlorosis	5.3	5.4	5.7	5.1	5.1	5.6	6.6	5.4	7.7	3.6	4.2	6.4
55	Other general diseases	2.2	2.1	2.4	1.9	2.4	2.4	1.4	1.0	2.1	1.5	3.5	*1.0*
56	Alcoholism (acute or chronic)	5.2	5.2	7.1	3.4	5.7	6.9	4.7	9.7	2.6	1.8	10.6	8.5
57	Chronic lead poisoning	0.2	0.2	0.3	0.1	0.1	0.2	*0.2*	0.5	.....	.....	*0.1*	.....
58	Other chronic occupation poisonings	(4)	(4)	(4)	(4)	(4)	(4)	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	0.3	0.3	0.3	0.3	0.3	0.3	0.5	*0.2*	*0.3*	.....	.....	*0.5*
	II.—Diseases of the nervous system and of the organs of special sense.	133.2	134.8	129.6	139.4	112.4	127.2	122.6	148.1	91.6	85.8	167.3	193.1
60	Encephalitis	0.8	0.8	0.7	0.9	1.0	0.8	0.8	0.7	*0.8*	*0.7*	0.8	*0.8*
61	Meningitis (total)	8.9	8.7	10.9	6.8	10.9	10.9	6.2	5.1	5.3	5.2	23.3	11.1
	Simple meningitis	3.6	3.6	3.8	3.4	4.3	3.9	2.9	3.0	3.4	2.5	5.0	5.2
	Cerebrospinal meningitis (undefined)	1.6	1.6	1.6	1.5	1.6	1.6	1.0	0.6	*0.5*	1.0	2.6	2.6
	Cerebrospinal fever	3.7	3.5	5.4	1.9	5.0	5.4	2.3	1.5	1.3	1.8	15.6	3.4

[1] Including District of Columbia.

[2] A list of these cities will be found on p. 11.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917.

after the United States entered the war. Rates for deaths numbering less than 5 are shown in *italics*. Bases of rates may be found in Table IA for populations, and or more in 1910, smaller places being included in the "rural districts."]

to the fact that 1917 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

DEATH RATE PER 100,000 POPULATION.																	Detailed Int. List No.
INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.					
				Cities.			Rural districts.					Cities.			Rural districts.		
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	
1,578.5	1,309.2	1,349.3	1,055.5	1,719.5	1,509.6	2,799.9	1,287.1	1,197.9	2,202.5	1,738.8	1,428.5	1,882.3	1,643.8	3,331.1	1,544.9	1,367.1	2,291.8	
424.7	369.8	328.4	246.2	493.8	423.3	856.7	450.5	414.6	818.7	446.7	346.5	483.9	410.4	930.3	379.3	331.8	579.0	
21.7	15.2	23.6	16.0	20.8	16.8	41.8	37.9	34.3	75.0	19.9	7.7	18.2	17.2	24.7	19.0	15.2	34.9	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
1.1	1.3	2.7	2.0	4.8	2.7	15.3	5.9	4.8	16.7	.....	.....	*0.6*	.....	*4.3*	1.1	*0.7*	*2.9*	4
0.3	0.6	*0.3*	0.4	.....	.....	.....	*0.2*	*0.1*	*0.6*	.....	.....	.....	.....	.....	*0.1*	*0.2*	.....	5
21.1	19.7	15.3	13.1	26.1	23.3	40.4	43.0	44.7	24.8	21.5	18.0	9.0	8.3	12.9	8.4	8.0	10.2	6
6.6	4.2	4.6	2.7	2.3	2.7	.....	2.1	2.2	*0.6*	*1.7*	*0.3*	2.0	2.3	.....	1.5	1.6	*1.5*	7
11.5	8.7	9.4	6.3	9.7	8.4	16.7	23.1	21.9	36.3	7.7	5.2	6.2	5.7	9.7	13.3	8.5	33.5	8
25.0	11.0	10.7	7.4	10.2	11.1	*5.6*	16.2	17.1	6.9	11.0	8.9	10.6	12.2	*1.1*	9.4	9.7	8.0	9
14.0	25.2	20.1	31.6	18.6	15.2	36.2	25.7	24.7	35.7	16.0	34.4	17.2	14.9	31.2	17.1	14.9	26.2	10
.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
0.3	0.3	.....	0.7	*0.2*	.....	*1.4*	1.3	1.3	*1.2*	*0.6*	*0.6*	*0.2*	.....	*1.1*	1.0	0.9	*1.5*	12
3.9	6.5	5.6	5.8	6.6	5.7	11.1	15.5	15.6	14.4	*1.7*	1.5	2.4	2.1	*4.3*	6.6	5.7	10.2	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
4.7	4.0	3.2	3.2	4.5	4.3	*5.6*	3.2	3.3	2.9	6.6	3.9	4.1	3.7	6.4	2.2	2.6	*0.7*	18
1.0	0.5	.....	*0.3*	*0.5*	*0.5*	.....	*0.2*	*0.2*	.....	*0.6*	*0.7*	*0.2*	.....	*1.1*	*0.3*	*0.2*	*0.7*	19
1.2	1.1	4.0	2.4	2.7	2.4	*4.2*	1.5	1.6	*1.2*	*2.2*	0.8	1.4	1.6	.....	1.1	1.4	.....	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
0.1	.....	*0.3*	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.2*	.....	22
.....	*0.1*	.....	.....	*0.2*	*0.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
2.6	1.9	2.7	1.4	3.9	3.2	7.0	2.0	1.6	6.3	*1.7*	1.3	2.0	1.8	*3.2*	2.7	2.3	4.4	24
0.2	.....	*0.3*	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
0.4	*0.1*	3.2	1.1	8.4	8.9	*5.6*	8.2	8.1	9.2	5.5	1.5	0.8	*0.4*	*3.2*	1.5	1.4	*2.2*	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.2*	.....	.....	.....	.....	.....	.....	27
155.2	133.8	82.2	49.6	227.1	168.9	526.5	191.1	164.7	462.4	144.5	105.5	225.5	164.4	596.2	178.4	144.1	322.9	
124.6	112.8	65.0	40.3	191.5	140.5	454.1	165.9	142.2	408.8	110.8	84.1	192.7	139.0	518.8	158.2	129.2	280.0	28
6.1	3.6	3.7	2.0	6.6	3.8	20.9	2.5	1.9	8.6	6.6	1.8	9.3	4.6	37.6	6.0	3.8	15.3	29
8.0	6.1	2.9	1.6	14.3	13.8	16.7	8.9	8.3	15.0	10.5	7.0	11.7	11.3	14.0	4.2	4.0	5.1	30
9.4	6.9	4.3	2.6	11.1	7.8	27.9	9.3	8.0	23.1	7.7	4.2	3.8	2.7	10.7	5.6	2.9	16.7	31
2.0	0.9	*1.1*	0.8	*0.9*	*0.8*	*1.4*	0.8	0.7	*1.7*	*2.2*	1.8	2.3	1.9	*4.3*	1.5	1.6	*1.5*	32
1.1	0.5	*0.3*	*0.3*	*0.5*	*0.3*	*1.4*	0.8	0.7	*1.7*	.....	1.2	*0.3*	*0.4*	.....	0.7	0.9	.....	33
2.7	2.3	3.7	1.2	1.1	*1.1*	*1.4*	1.9	1.9	*1.7*	2.8	2.5	2.7	2.3	5.4	1.0	1.2	.....	34
1.3	0.8	*1.1*	1.0	1.1	*0.8*	*2.8*	0.9	0.8	*1.7*	3.9	2.9	2.7	2.3	5.4	1.3	*0.5*	4.4	35
0.9	*0.2*	*1.1*	*0.3*	*0.9*	*0.5*	*2.8*	0.5	0.4	*1.7*	.....	*0.3*	*0.6*	*0.2*	*3.2*	1.4	*0.5*	5.1	36
17.1	8.8	10.7	3.9	11.6	6.8	36.2	4.2	2.1	25.4	17.1	3.0	24.7	12.6	98.8	9.9	4.7	32.0	37
1.5	0.4	2.4	0.4	1.1	*0.8*	*2.8*	*0.2*	*0.1*	*1.2*	3.3	*0.7*	3.9	2.5	12.9	0.8	*0.8*	*2.9*	38
89.9	89.8	88.9	62.5	89.5	94.2	65.5	45.8	44.7	56.5	119.1	101.8	107.5	111.6	82.7	73.8	78.4	54.6	
1.9	3.5	2.7	3.1	2.5	2.7	*1.4*	1.5	1.6	*1.2*	3.3	5.5	4.6	4.4	5.4	3.2	3.6	*1.5*	39
34.3	39.5	35.3	26.8	32.4	34.9	19.5	16.9	16.9	17.3	40.8	37.8	41.1	43.8	24.7	28.8	30.3	22.5	40
10.4	8.4	11.8	7.0	10.4	12.4	.....	4.5	4.4	5.8	21.5	13.4	14.0	13.8	15.0	9.9	10.7	6.5	41
17.0	10.5	15.3	6.8	18.1	17.0	23.7	7.6	6.7	17.3	23.2	15.8	16.5	17.0	14.0	11.0	9.7	16.7	42
9.2	8.7	5.4	4.4	7.7	6.8	12.5	4.3	4.0	7.5	8.8	8.4	7.0	6.4	10.7	7.7	8.5	4.4	43
3.7	6.1	2.7	3.5	3.9	4.6	.....	3.4	3.6	*1.2*	2.8	3.7	2.0	1.9	*2.1*	3.2	4.0	.....	44
13.5	13.1	15.8	11.0	14.5	15.7	8.4	7.5	7.6	6.3	18.7	17.3	22.3	24.2	10.7	9.9	11.6	*2.9*	45
0.3	0.4	*0.5*	0.5	*0.5*	*0.5*	.....	0.4	0.3	*1.7*	*0.6*	*0.7*	*0.3*	*0.4*	.....	*0.1*	.....	*0.7*	46
5.3	3.8	3.2	3.5	5.2	4.3	9.8	4.7	3.8	13.3	3.9	2.3	7.3	6.4	12.9	3.9	3.6	5.1	47
0.8	1.4	1.6	1.6	1.4	1.6	.....	2.0	2.0	*2.3*	*2.2*	3.5	1.2	1.4	.....	2.4	2.4	*2.2*	48
.....	.....	.....	*0.1*	.....	.....	.....	*0.2*	*0.2*	*0.6*	.....	*0.7*	*0.2*	*0.2*	.....	.....	.....	.....	49
19.8	17.4	17.7	16.9	18.8	21.1	7.0	7.6	7.2	11.5	36.9	24.3	19.3	21.0	8.6	11.0	12.1	6.5	50
2.6	2.1	2.9	1.5	1.1	*1.1*	*1.4*	0.5	0.5	*0.6*	*2.2*	0.8	2.3	2.5	*1.1*	1.1	1.4	.....	51
0.2	0.5	*0.5*	0.7	*0.2*	*0.3*	.....	*0.1*	*0.1*	.....	.....	*0.5*	*0.6*	*0.7*	.....	*0.1*	*0.2*	.....	52
3.0	1.6	1.9	2.0	2.0	2.2	*1.4*	1.3	1.3	*0.6*	*1.7*	2.0	2.7	3.0	*1.1*	1.3	1.6	.....	53
4.3	4.8	5.9	5.1	6.8	6.8	7.0	2.1	2.1	*1.7*	5.0	9.7	3.8	4.2	*1.1*	3.6	4.5	.....	54
1.2	1.2	*1.1*	2.2	2.9	3.2	*1.4*	1.6	1.7	*0.6*	5.0	2.2	2.3	2.5	*1.1*	1.5	1.2	*2.9*	55
5.9	2.9	2.1	0.6	5.0	5.1	*4.2*	1.6	1.1	6.3	6.1	2.0	6.1	6.0	6.4	4.1	3.5	6.5	56
0.4	*0.1*	.....	*0.2*	.....	.....	.....	*0.1*	*0.1*	.....	*1.1*	0.8	*0.3*	*0.4*	.....	.....	.....	.....	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.2*	.....	*1.1*	.....	.....	.....	58
0.3	*0.2*	.....	*0.2*	*0.2*	*0.3*	.....	0.4	0.4	*0.6*	*1.7*	*0.5*	*0.5*	*0.5*	.....	*0.1*	.....	*0.7*	59
127.3	158.6	129.0	121.4	164.5	150.2	238.2	102.2	95.0	176.4	209.0	177.0	167.8	152.8	258.9	167.4	158.4	205.1	
1.4	1.0	*0.3*	0.9	1.1	1.4	.....	1.4	1.3	*2.3*	*1.7*	1.3	*0.2*	*0.2*	.....	*0.4*	*0.3*	*0.7*	60
8.9	5.5	12.6	4.4	11.1	10.0	16.7	12.9	12.8	14.4	14.3	6.2	12.3	9.2	31.2	6.3	5.4	10.2	61
4.1	2.6	5.6	1.9	5.0	4.3	8.4	5.8	5.7	7.5	9.9	3.7	2.3	1.8	5.4	3.8	3.5	5.1	
1.6	1.2	*0.3*	1.2	1.6	1.6	*1.4*	3.1	2.9	5.2	*2.2*	*0.7*	1.1	1.1	*1.1*	0.8	*0.5*	*2.2*	
3.1	1.7	6.2	1.3	4.5	4.1	7.0	4.0	4.2	*1.7*	*2.2*	1.8	9.0	6.4	24.7	1.7	1.4	*2.9*	

[3] Exclusive of stillbirths.

[4] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
62	Locomotor ataxia	2.4	2.3	2.6	2.1	2.4	2.6	2.8	2.7	3.2	1.0	2.6	1.8
63	Other diseases of the spinal cord (total)	6.8	6.7	6.0	7.2	9.0	6.5	7.6	8.3	4.0	3.3	6.5	7.7
	Acute anterior poliomyelitis	1.6	1.4	1.1	1.7	4.1	1.5	0.8	0.7	.....	*0.5*	1.1	1.8
	Other diseases of the spinal cord [3]	5.3	5.3	5.0	5.6	4.9	5.0	6.8	7.6	4.0	2.8	5.4	5.9
64	Cerebral hemorrhage, apoplexy	82.9	84.2	83.0	85.3	65.8	80.6	83.4	86.5	59.5	48.3	105.1	137.9
65	Softening of the brain	1.2	1.2	0.9	1.5	1.0	0.9	1.5	2.1	*0.8*	1.0	0.9	2.6
66	Paralysis without specified cause	7.2	7.4	4.0	10.3	5.6	4.3	3.2	8.8	5.3	4.4	2.5	2.8
67	General paralysis of the insane	7.0	7.3	6.4	8.1	3.2	5.9	5.1	20.3	3.4	11.6	7.0	8.2
68	Other forms of mental alienation	2.2	2.2	1.7	2.7	1.9	1.7	2.0	1.6	1.6	*0.7*	1.7	1.5
69	Epilepsy	4.2	4.3	3.2	5.3	2.7	3.1	1.9	4.7	2.4	5.9	4.3	7.7
70	Convulsions (nonpuerperal)	0.2	0.2	0.1	0.2	0.1	0.1	.....	.....	.....	.....	*0.1*	*0.3*
71	Convulsions of infants	2.9	3.0	2.4	3.5	1.7	2.3	0.6	1.4	.....	*0.7*	3.8	4.4
72	Chorea	0.1	0.1	0.2	0.1	0.1	0.1	*0.1*	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	0.6	0.6	0.5	0.6	0.5	0.5	0.7	0.8	*0.3*	*0.2*	*0.5*	*1.0*
74	Other diseases of the nervous system	3.6	3.6	4.1	3.1	4.1	4.1	3.9	3.4	2.9	1.6	4.8	4.6
75	Diseases of the eyes and their annexa	0.1	0.1	0.1	0.1	0.2	0.1	.....	*0.2*	*0.3*	.....	*0.1*	*0.3*
76	Diseases of the ears	2.1	2.1	2.8	1.5	2.3	2.7	2.7	1.5	1.9	1.3	3.4	*0.8*
	III.—Diseases of the circulatory system.	201.4	201.4	222 5	182.4	202.5	219.7	242 8	241.5	139.7	110.3	233.3	248.7
77	Pericarditis	1.1	1.1	1.0	1.2	1.2	1.0	1.3	1.7	*0.8*	0.8	0.6	*0.5*
78	Acute endocarditis	8.9	8 6	12.6	5.0	12.2	12.5	9.2	8.8	7.7	5.2	14.2	7.0
79	Organic diseases of the heart	153.1	152.9	168.5	139 0	155.4	166.7	187.5	184.5	102.4	72.1	171.6	193.1
80	Angina pectoris	7.9	8.0	7.5	8.4	6.6	7.3	9.9	8.6	5.3	9.5	10.1	13.1
81	Diseases of the arteries, atheroma, aneurism, etc.	25.3	25.6	27.1	24.3	21.1	26.3	27.9	32.0	15.3	17.2	28.7	29.6
82	Embolism and thrombosis	3.6	3.6	4.0	3.2	4.0	4.0	5.5	4.8	6.9	3.9	5.5	3.4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc..	0.6	0.6	0.8	0.4	0.9	0.8	0.3	*0.2*	*0.5*	*0.5*	0.6	*1.0*
84	Diseases of the lymphatic system (lymphangitis, etc.).	0.6	0.6	0.9	0.3	0.8	0.9	1.0	0.5	*0.8*	*0.3*	1.3	*0.3*
85	Hemorrhage: other diseases of the circulatory system.	0.4	0.4	0.3	0.5	0.3	0.3	*0.1*	0.6	.....	*0.7*	0.7	*0.8*
	IV.—Diseases of the respiratory system.	177.8	175.5	207.9	146.5	207.5	207.9	128.2	138.6	136.3	143.0	263.1	194.6
86	Diseases of the nasal fossae	0.5	0.5	0.2	0.8	0.2	0.2	*0.1*	.....	.....	.....	*0.1*	.....
87	Diseases of the larynx	1.1	1.1	1 0	1.2	0.8	0.9	0.9	1.0	*0.5*	1.8	1.3	*0.8*
88	Diseases of the thyroid body	0.7	0.7	0.8	0.5	1.2	0.9	1.0	*0.3*	1.6	*0.3*	*0.2*	*0.5*
89	Acute bronchitis	9.7	9.6	11.4	7.9	11.1	11.4	5.2	6.5	5.6	6.4	13.3	11.6
90	Chronic bronchitis	6.7	6.7	6.5	6.9	6.4	6.5	5.1	6.3	6.1	4.4	5.9	8.2
91	Bronchopneumonia	50.3	49.6	58.8	41.3	59.5	58.9	35.6	39.4	29.6	36.4	66.0	55.7
92	Pneumonia (total)	98.9	97.6	118 4	79 0	116.4	118.1	70.3	76.7	82 0	81.6	163.4	108.0
	Lobar pneumonia	86.5	84.9	109.5	62 8	107.2	109.1	65.7	66.2	77.0	77.3	147.5	87.1
	Pneumonia (undefined)	12.5	12.7	9.0	16.1	9 2	9.0	4.7	10.5	5.0	4.3	16.0	20.9
93	Pleurisy	3.8	3.7	4.9	2.5	5.0	4.9	4.1	2.5	2.6	2.6	5.8	3.1
94	Pulmonary congestion, pulmonary apoplexy	2.0	1.9	2.1	1.9	2 0	2.0	2.4	1.7	2.9	1.0	3 0	2.8
95	Gangrene of the lung	0.3	0 3	0.3	0.3	0.4	0 3	0.7	*0.3*	*0.3*	*0.2*	*0.3*	*0.5*
96	Asthma	2.4	2 4	2 2	2 5	2.9	2 3	1.7	2.2	3.4	3.1	2 2	2.8
97	Pulmonary emphysema	0.2	0.2	0.2	0.2	0 2	0.2	*0.2*	*0.2*	.....	.....	*0.3*	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	1.3	1.3	1.1	1.4	1.5	1.2	0.9	1.3	1.6	5.2	1.1	*0.5*
	V.—Diseases of the digestive system	145.8	140.3	158.5	124.0	217.7	166.8	116.3	119.9	110.3	98.3	172.1	124.2
99	Diseases of the mouth and annexa	1.0	0.9	0.8	1.0	1.1	0.9	0.9	0.5	*0.3*	1.0	1.0	*0.3*
100	Diseases of the pharynx	2.9	2.9	3.3	2.5	3.3	3.3	2.3	2.1	2.6	2.5	3.3	1.5
101	Diseases of the esophagus	0.2	0.2	0.2	0.1	0.1	0.2	*0.2*	*0.2*	.....	.....	*0.1*	.....
102	Ulcer of the stomach	4.4	4.3	5.5	3.3	5.0	5.4	7.8	4.5	4.5	3.3	4.8	5.4
103	Other diseases of the stomach (cancer excepted)	9.3	9.4	7.0	11.6	8.5	7.2	5.8	8.6	6.4	7.2	6.7	10.3
104	Diarrhea and enteritis (under 2 years)	64.0	60.7	69.6	52.8	106.8	74.8	26.0	45.8	25.9	37.2	87.0	61.3
105	Diarrhea and enteritis (2 years and over)	15.0	14.5	12.8	16.0	21.5	14.0	11.1	12.8	8.7	7.9	13.1	13.7
106	Ankylostomiasis	(4)	(4)	(4)	0.1	(4)	(4)	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	0.2	0.2	0.1	0.4	0.1	0.1	*0.1*	.....	.....	.....	*0.1*	*0.3*
108	Appendicitis and typhlitis	12.4	11.9	16.9	7.4	19.9	17.3	16.9	10.1	24.6	13.9	14.7	5.4
109	Hernia, intestinal obstruction (total)	11.5	11.2	13.8	8.8	16.0	14.1	13.3	11.3	14.3	8.5	14.4	6.7
	Hernia	4.0	3.9	5.5	2.5	5.8	5.5	4.1	3.6	4.5	2 6	5.7	1.5
	Intestinal obstruction	7.5	7.2	8.3	6.3	10.2	8.6	9.1	7.7	9.8	5.9	8.7	5.2
110	Other diseases of the intestines	2.5	2.4	2.6	2.3	3.1	2.7	2.4	2.2	2.4	1.8	3.0	1.5
111	Acute yellow atrophy of the liver	0.4	0.4	0.4	0.4	0.6	0.4	0.7	0.6	*0.8*	*0.3*	*0.1*	*0.3*
112	Hydatid tumor of the liver	(4)	(4)	0.1	(4)	.....	(4)	*0.1*	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	11.4	10.9	13 8	8.3	17.2	14.3	17.8	13 0	6.9	6.1	12 4	9.0
114	Biliary calculi	3.3	3.2	4.2	2.4	4.0	4.1	3.1	2.3	3.7	3.1	3.5	2.1
115	Other diseases of the liver	4.5	4.4	4.7	4.1	6.9	5.0	5.2	3.9	6.1	3.3	4.7	3.9
116	Diseases of the spleen	0.2	0.2	0.2	0.2	0.3	0.2	*0.2*	*0.1*	*0.3*	*0.3*	.....	.....
117	Simple peritonitis (nonpuerperal)	2.0	2.0	1.9	2.1	2.4	1.9	1.4	1.4	2.4	1.5	2.6	1.5
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	0.6	0.6	0.9	0.4	0.9	0.9	1.0	0.7	*0.5*	*0.5*	0.6	*0.5*

[1] Including District of Columbia.

[2] A list of these cities will be found on p. 11.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION.																	Detailed Int. List No.
INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.					
				Cities.			Rural districts.					Cities.			Rural districts.		
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	
2.5	2.1	2.7	2.0	3.9	4.3	*1.4*	1.5	1.6	*1.2*	5.0	3.9	2.6	2.1	5.4	2.5	3.1	.....	62
5.6	7.1	4.6	7.3	6.1	5.7	8.4	6.7	6.2	11.5	8.3	7.2	6.2	6.2	6.4	7.3	7.4	6.5	63
1.2	1.0	*0.8*	1.0	*0.7*	*0.8*	.....	1.9	1.9	*2.3*	*0.6*	*0.7*	*0.3*	*0.4*	.....	2.1	1.9	*2.9*	
4.3	6.1	3.7	6.3	5.4	4.9	8.4	4.8	4.3	9.2	7.7	6.5	5.9	5.8	6.4	5.2	5.5	3.6	
85.5	106.5	77.6	72.7	87.2	80.9	119.8	44.8	41.3	80.7	126.8	128.7	117.7	109.3	168.6	98.2	93.0	120.0	64
0.6	2.0	2.1	1.4	2.3	2.2	*2.8*	1.8	1.9	*1.2*	*1.1*	2.3	*0.5*	*0.5*	.....	1.1	1.0	*1.6*	65
2.5	6.2	8.6	12.7	10.4	8.1	22.3	12.7	12.2	17.9	6.6	6.4	7.6	6.9	11.8	17.6	16.1	24.0	66
5.8	11.8	3.5	5.4	15.9	14.3	23.7	5.2	4.3	15.0	22.6	4.0	5.0	3.7	12.9	12.0	13.0	8.0	67
1.6	3.1	2.9	3.6	5.9	4.6	12.5	3.2	2.6	9.2	6.6	2.0	*0.6*	*0.4*	*2.1*	1.5	1.9	.....	68
4.6	6.5	2.7	2.9	11.6	10.3	18.1	4.3	3.7	9.8	4.4	4.4	2.0	1.4	5.4	6.2	5.9	7.3	69
0.1	.....	*0.5*	*0.2*	.....	.....	.....	0.6	0.5	*1.2*	*1.1*	*0.3*	.....	.....	.....	*0.6*	*0.5*	*0.7*	70
1.2	0.6	1.9	1.8	1.8	1.4	*4.2*	2.6	2.3	5.8	3.3	2.9	2.3	2.1	*3.2*	7.6	4.7	19.6	71
0.4	*0.2*	*0.5*	*0.1*	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	*0.1*	*0.2*	.....	72
0.5	0.6	*0.5*	0.7	*0.5*	*0.3*	*1.4*	0.5	0.4	*1.2*	*0.6*	1.2	*0.6*	*0.2*	*3.2*	1.1	1.4	.....	73
3.3	3.0	4.6	3.5	4.8	4.3	7.0	2.5	2.3	4.0	3.3	5.2	7.0	6.9	7.5	2.5	2.4	*2.9*	74
0.1	*0.2*	*0.3*	*0.1*	*0.2*	*0.3*	.....	*0.2*	*0.3*	.....	*0.6*	*0.2*	*0.2*	*0.2*	.....	.....	.....	.....	75
2.6	2.2	3.2	1.6	1.8	2.2	.....	1.3	1.3	*1.2*	2.8	0.8	3.2	3.5	*1.1*	2.4	2.1	3.6	76
221.5	211.0	180.4	146.2	269.4	233.8	452.7	115.4	103.9	234.1	262.5	270.1	273.1	245.2	442.6	203.1	194.3	240.0	
1.5	1.3	1.3	1.4	2.7	1.6	8.4	1.2	1.2	*1.2*	*0.6*	1.8	1.1	0.9	*2.1*	2.0	1.2	5.1	77
9.5	3.8	5.9	3.6	18.6	12.4	50.1	2.8	2.3	8.1	6.1	4.0	8.5	8.1	10.7	4.2	4.0	5.1	78
165.6	158.6	133.0	108.3	195.3	164.3	355.2	89.1	79.1	190.8	180.3	193.5	218.2	191.0	383.5	162.0	151.5	205.8	79
9.6	12.3	5.1	6.6	6.8	7.0	*5.6*	4.8	4.4	8.6	16.0	17.8	9.3	9.9	5.4	7.6	8.5	3.6	80
30.9	30.9	25.2	20.8	41.9	44.1	30.6	15.2	14.6	21.9	48.0	47.7	32.3	31.6	36.5	22.7	23.9	17 5	81
2.5	3.2	8.0	3.9	2.5	2.4	*2.8*	1.3	1.3	*1.2*	9.9	3.9	2.7	2.8	*2.1*	3.5	4.0	*1.5*	82
0.9	0.6	*0.3*	0.6	*0.7*	*0.8*	.....	0.3	*0.2*	*1.2*	*0.6*	*0.7*	*0.6*	*0.4*	*2.1*	0.7	*0.7*	*0.7*	83
0.7	*0.2*	.....	*0.1*	.....	.....	.....	0.3	0.3	.....	*0.6*	*0.2*	*0.3*	*0.4*	.....	*0.1*	*0.2*	.....	84
0.3	0.3	1.6	0.7	*0.9*	*1.1*	.....	0.5	0.4	*1.2*	*0.6*	*0.7*	*0.2*	*0.2*	.....	*0.4*	*0.3*	*0.7*	85
187.2	131.6	160.3	121.1	211.4	165.1	449.9	129.9	123.9	192.6	226.7	177.2	262.2	196.8	659.6	202.1	168.0	345.5	
0.2	*0.2*	*0.5*	0.5	.....	.....	.....	0.4	0.4	.....	*0.6*	*0.7*	*0.2*	*0.2*	.....	0.8	*0.2*	3.6	86
1.2	0.9	1.6	1.1	2.3	2.4	*1.4*	1.3	1.3	*1.2*	*1.7*	*0.5*	*0.5*	*0.5*	.....	1.5	1.7	*0.7*	87
1.2	0.8	1.6	0.7	1.1	*0.5*	*4.2*	*0.2*	*0.2*	.....	*1.1*	*0.2*	*0.5*	*0.5*	.....	*0.4*	*0.3*	*0.7*	88
9.6	6.2	4.8	4.6	9.1	6.8	20.9	5.5	5.6	4.6	10.5	14.3	14.7	12.6	27.9	16.9	12.6	34.9	89
7.2	7.9	8.3	7.7	13.6	12.2	20.9	6.7	6.6	7.5	9.4	9.7	7.9	7.2	11.8	10.2	9.4	13.8	90
57.6	38.7	46.6	30.6	49.2	41.4	89.2	34.2	32.4	51.9	73.3	50.8	90.8	69.1	222.4	64.1	51.8	115.6	91
101.2	71.0	88.6	66.1	119.2	88.2	278.6	72.9	69.1	111.9	119.1	93.5	139.4	99.2	383.5	95.5	81.9	152.7	92
93.4	62.2	68.5	48.9	99.0	72.0	238.2	53.4	50.0	88.2	94.3	66.8	136.2	96.5	377.0	84.6	74.1	128.7	
6.8	8.8	20.1	17.2	20.2	16.2	40.4	19.5	19.1	23.6	24.8	26.7	3.2	2.7	6.4	10.9	7.8	24.0	
3.6	2.0	1.6	3.2	5.4	4.3	11.1	1.5	1.4	2.9	4.4	2.3	4.6	3.9	8.6	3.8	3.3	5.8	93
0.9	0.9	2.4	2.0	3.6	4.3	.....	1.8	1.9	*1.2*	3.3	2.2	1.5	1.6	*1.1*	3.5	3.3	4.4	94
0.6	*0.2*	*0.5*	*0.3*	*0.2*	*0.3*	.....	0.4	*0.2*	*1.7*	*0.6*	*0.2*	*0.3*	*0.4*	.....	*0.6*	*0.3*	*1.6*	95
2.6	2.3	2.1	3.0	5.0	3.2	13.9	3.7	3.2	8.6	*2.2*	1.5	*0.6*	*0.4*	*2.1*	2.9	1.9	7.3	96
0.2	0.3	.....	*0.1*	*0.5*	*0.3*	*1.4*	*0.1*	*0.1*	.....	.....	*0.2*	*0.6*	*0.7*	.....	*0.3*	*0.3*	.....	97
1.0	0.5	1.6	1.2	2.3	*1.1*	8.4	1.3	1.3	*1.2*	*0.6*	1.2	0.8	*0.5*	*2.1*	1.5	0.9	4.4	98
195.1	118.7	165.9	115.2	161.8	149.1	225.7	128.1	123.9	171.2	159.9	95.0	199.3	184.8	287.9	162.5	137.1	269.1	
0.9	0.6	*1.1*	*0.3*	*0.9*	*0.5*	*2.8*	0.7	0.7	*1.2*	*1.1*	*0.2*	0.8	*0.7*	*1.1*	2.2	1.6	5.1	99
5.4	2.8	2.9	2.4	3.6	3.8	*2.8*	1.3	1.3	*1.2*	*2.2*	3.0	3.8	3.9	*3.2*	1.8	1.6	*2.9*	100
0.2	*0.1*	.....	*0.2*	*0.2*	*0.3*	.....	.....	.....	.....	.....	*0.2*	.....	.....	.....	.....	.....	.....	101
6.1	3.5	5.1	2.9	7.5	7.0	9.8	2.6	2.4	4.6	6.1	3.2	4.4	4.1	6.4	3.2	2.4	6.5	102
10.4	11.3	13.1	11.3	10.2	7.6	23.7	15.3	14.2	26.5	10.5	13.6	7.7	6.5	15.0	15.7	13.0	26.9	103
76.0	42.5	44.7	34.5	49.2	45.5	68.3	56.2	55.4	65.2	54.6	27.5	102.9	92.3	167.6	91.5	74.1	164.4	104
17.3	14.4	21.7	18.3	17.7	15.4	29.3	19.6	19.2	24.2	16.5	9.2	15.8	13.8	27.9	19.3	17.8	25.5	105
.....	*0.1*	.....	.....	.....	.....	.....	0.4	0.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
.....	*0.1*	.....	.....	.....	.....	.....	0.7	0.7	.....	*0.6*	*0.3*	*0.2*	.....	*1.1*	*0.1*	*0.2*	.....	107
23.8	7.5	27.6	10.8	16.3	16.8	13.9	6.8	6.8	6.9	27.0	9.4	18.1	16.8	25.8	4.1	3.5	6.5	108
14.3	9.9	15.8	10.3	18.8	18.4	20.9	6.9	6.4	11.5	19.3	10.4	17.3	17.0	19.3	7.6	6.6	11.6	109
4.2	2.4	3.7	2.6	5.4	5.4	*5.6*	1.4	1.1	4.6	3.9	2.3	8.4	8.5	7.5	3.2	2.9	4.4	
9.5	7.5	12.0	7.6	13.4	13.0	15.3	5.4	5.3	6.9	15.4	8.1	9.0	8.5	11.8	4.3	3.6	7.3	
3.6	2.1	6.2	4.0	3.2	2.4	7.0	2.0	1.8	4.0	2.8	2.9	2.3	2.1	*3.2*	1.8	1.7	*2.2*	110
0.3	0.5	*0.3*	0.5	*0.9*	*0.5*	*2.8*	*0.2*	*0.1*	*1.2*	.....	*0.5*	*0.2*	.....	*1.1*	*0.4*	*0.3*	*0.7*	111
.....	*0.1*	.....	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	*0.7*	112
17.0	10.8	8.6	6.8	16.5	15.7	20.9	5.0	4.3	12.7	6.1	6.7	15.3	16.6	7.5	8.3	7.8	10.2	113
6.6	3.5	4.3	3.4	3.9	4.1	*2.8*	2.6	2.7	*1.7*	6.1	1.7	4.1	4.1	*4.3*	1.8	2.3	.....	114
9.0	5.9	9.6	6.3	6.6	5.4	12.5	5.0	5.1	4.0	4.4	3.7	3.9	4.2	*2.1*	2.8	2.9	*2.2*	115
0.4	*0.2*	.....	*0.1*	.....	.....	.....	*0.2*	*0.2*	*0.6*	.....	.....	*0.6*	*0.7*	.....	*0.3*	*0.2*	*0.7*	116
2.4	2.3	2.9	2.8	5.0	4.3	8.4	2.4	2.0	5.8	2.8	2.3	0.9	1.1	.....	1.5	1.2	*2.9*	117
1. 3	0.5	2.1	0.5	1.4	1.6	.....	0.3	0.3	.....	.....	*0.2*	1.1	0.9	*2.1*	.....	.....	.....	118

[3] Exclusive of acute anterior poliomyelitis (infantile paralysis).

[4] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	122.7	119.9	140.9	101.1	158.5	143.4	132.0	113.7	109.8	64.5	141.8	119.6
119	Acute nephritis	8.3	7.9	9.3	6.7	12.9	9.8	6.1	6.6	6.4	5.7	13.6	5.7
120	Bright's disease	99.1	97.4	113.7	82.8	121.1	114.8	104.4	93.6	87.3	50.8	115.9	103.1
121	Chyluria												
122	Other diseases of the kidneys and annexa	2.4	2.3	2.5	2.1	3.2	2.6	3.2	2.8	2.1	1.1	2.1	2.3
123	Calculi of the urinary passages	0.7	0.6	0.8	0.4	1.0	0.9	0.7	0.6	*0.3*	*0.2*	*0.2*	*0.5*
124	Diseases of the bladder	1.7	1.7	1.2	2.1	1.8	1.3	1.4	1.9	1.3	1.8	1.0	2.6
125	Diseases of the urethra, urinary abscess, etc.	0.5	0.4	0.6	0.2	1.5	0.7	0.5	0.4	*0.5*	.....	*0.3*	.....
126	Diseases of the prostate	4.1	4.1	4.6	3.7	4.5	4.6	6.9	4.0	4.2	1.6	3.2	3.4
127	Nonvenereal diseases of the male genital organs	0.1	0.1	0.1	0.1	0.2	0.2	*0.1*	.....	.....	.....	*0.5*	.....
128	Uterine hemorrhage (nonpuerperal)	0.1	0.1	(3)	0.1	0.1	0.1	*0.1*	.....	*0.3*	.....	*0.1*	.....
129	Uterine tumor (noncancerous)	2.0	1.8	2.8	0.9	4.2	3.0	3.7	1.7	1.9	*0.3*	1.9	*0.8*
130	Other diseases of the uterus	1.1	1.0	1.4	0.7	2.1	1.5	1.2	0.6	1.3	*0.7*	1.0	*0.3*
131	Cysts and other tumors of the ovary	0.9	0.8	1.2	0.5	1.1	1.2	1.2	0.7	*1.1*	1.1	0.7	*0.8*
132	Salpingitis and other diseases of the female genital organs	1.8	1.6	2.5	0.7	4.5	2.8	2.7	0.8	3.2	1.1	1.3	*0.3*
133	Nonpuerperal diseases of the breast (cancer excepted)	0.1	(3)	0.1	(3)	0.1	0.1	*0.1*	*0.1*	.....	.....	.....	.....
	VII.—The puerperal state	16.6	16.4	17.7	15.3	19.3	17.9	14.2	11.3	15.9	16.1	18.1	8.2
134	Accidents of pregnancy	1.4	1.3	1.5	1.2	1.8	1.5	1.4	1.5	*1.1*	1.0	1.0	*0.5*
135	Puerperal hemorrhage	1.6	1.6	1.6	1.5	1.7	1.6	1.1	1.3	*0.3*	2.0	2.7	*0.3*
136	Other accidents of labor	1.6	1.6	1.5	1.7	1.4	1.5	1.5	0.7	1.3	*0.5*	1.9	*0.5*
137	Puerperal septicemia	6.9	6.8	8.1	5.7	8.5	8.1	5.7	3.9	8.7	8.5	7.5	2.8
138	Puerperal albuminuria and convulsions	4.5	4.5	4.4	4.5	5.3	4.6	4.1	3.4	3.2	3.4	3.9	2.8
139	Puerperal phlegmasia alba dolens, embolus, sudden death	0.6	0.6	0.6	0.6	0.5	0.6	0.3	0.5	*1.1*	*0.5*	0.9	*0.8*
140	Following childbirth (not otherwise defined)	0.1	0.1	0.1	0.1	0.1	0.1	*0.1*	*0.1*	*0.3*	.....	*0.1*	.....
141	Puerperal diseases of the breast	(3)	(3)	(3)	(3)	.....	(3)	.....	.....	.....	*0.2*	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue.	4.4	4.4	4.6	4.2	4.3	4.6	3.3	4.4	2.4	2.3	5.6	6.2
142	Gangrene	1.9	2.0	1.5	2.3	1.8	1.6	1.5	2.5	1.3	1.3	1.5	3.4
143	Furuncle	0.6	0.6	0.8	0.4	0.7	0.8	0.6	0.7	*0.3*	*0.2*	0.9	*0.8*
144	Acute abscess	0.9	0.9	1.2	0.6	1.1	1.2	0.6	0.6	*0.3*	*0.5*	1.9	*1.0*
145	Other diseases of the skin and annexa	1.0	1.0	1.1	0.9	0.8	1.1	0.6	0.6	*0.5*	*0.3*	1.3	*1.0*
	IX.—Diseases of the bones and of the organs of locomotion.	3.0	2.9	4.2	1.8	4.5	4.3	3.7	2.2	3.2	1.1	4.3	*1.0*
146	Diseases of the bones (tuberculosis excepted)	2.6	2.5	3.7	1.4	4.1	3.7	3.3	2.1	3.2	1.1	3.8	*0.8*
147	Diseases of the joints (tuberculosis and rheumatism excepted).	0.3	0.3	0.4	0.3	0.3	0.4	0.3	*0.2*	.....	.....	0.6	*0.3*
148	Amputations	(3)	(3)	(3)	(3)	(3)	(3)	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	0.1	0.1	0.1	0.1	0.1	0.1	.....	.....	.....	.....	.....	.....
	X.—Malformations	15.7	15.8	17.0	14.7	15.1	16.7	12.7	13.1	7.1	11.8	19.0	18.3
150	Congenital malformations (stillbirths not included) (total).	15.7	15.8	17.0	14.7	15.1	16.7	12.7	13.1	7.1	11.8	19.0	18.3
	Hydrocephalus	1.3	1.3	1.4	1.2	1.5	1.4	0.9	1.2	*1.1*	0.8	3.1	1.8
	Congenital malformations of the heart	9.5	9.6	10.3	8.9	9.0	10.1	7.7	8.0	5.0	8.5	7.9	11.9
	Other congenital malformations	4.9	4.9	5.3	4.6	4.6	5.2	4.0	3.9	*1.1*	2.5	8.1	4.6
	XI.—Early infancy	75.8	76.0	81.6	71.1	72.0	80.3	42.6	51.8	61.1	63.2	105.7	67.0
151	Congenital debility, ictorus, and sclerema (total).	59.9	60.4	62.6	58.5	53.6	61.3	32.1	40.4	50.0	54.4	74.1	51.5
	Premature birth	46.1	46.3	49.1	43.9	42.9	48.2	27.3	30.5	39.2	42.9	58.0	36.6
	Congenital debility, "atrophy," "marasmus," etc.	13.8	14.1	13.5	14.6	10.6	13.1	4.8	9.9	10.8	11.5	16.1	14.9
152	Other causes peculiar to early infancy (total).	15.6	15.4	18.8	12.4	17.8	18.6	10.3	10.5	11.1	8.7	31.1	14.9
	Injuries at birth	8.8	8.7	11.0	6.6	10.0	10.9	5.8	5.7	5.0	3.3	20.1	8.5
	Other causes peculiar to early infancy [4]	6.8	6.7	7.8	5.7	7.8	7.8	4.5	4.8	6.1	5.4	11.1	6.4
153	Lack of care	0.3	0.2	0.2	0.2	0.6	0.3	*0.2*	0.9	.....	*0.2*	*0.5*	*0.5*
	XII.—Old age	15.5	15.9	9.0	22.2	9.4	9.0	9.9	12.8	19.8	13.1	9.1	14.7
154	Senility	15.5	15.9	9.0	22.2	9.4	9.0	9.9	12.8	19.8	13.1	9.1	14.7
	XIII.—External causes	108.0	106.7	120.3	94.4	125.5	121.1	127.0	167.0	70.7	122.5	142.0	121.4
	Suicide (total)	13.2	12.9	15.9	10.3	16.5	16.0	30.4	28.2	17.5	9.3	18.1	15.2
155	By poison	2.5	2.4	3.1	1.7	3.7	3.2	5.2	3.6	3.2	1.0	4.1	2.8
156	By asphyxia	2.0	1.8	3.5	0.3	4.0	3.6	7.1	0.8	1.3	.....	5.2	*1.0*
157	By hanging or strangulation	2.1	2.1	1.9	2.3	1.5	1.9	1.5	3.9	*1.1*	0.8	3.0	2.8
158	By drowning	0.8	0.8	0.8	0.8	0.6	0.8	1.3	2.0	*0.5*	*0.2*	1.1	2.8
159	By firearms	4.4	4.3	4.6	4.0	5.0	4.7	12.0	13.7	9.5	5.6	3.4	3.4
160	By cutting or piercing instruments	0.9	1.0	1.1	0.8	0.8	1.1	2.5	3.2	1.6	1.3	0.6	*1.0*
161	By jumping from high places	0.4	0.3	0.6	0.1	0.5	0.6	0.5	*0.2*	*0.3*	*0.5*	*0.3*	*0.3*
162	By crushing	0.1	0.1	0.1	0.1	0.1	0.1	*0.2*	0.5	.....	.....	*0.1*	*0.3*
163	Other suicides	0.1	0.1	0.1	0.2	0.2	0.1	*0.1*	0.5	.....	.....	*0.2*	*0.3*

[1] Including District of Columbia.

[2] A list of these cities will be found on p. 11.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION.

INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.						Detailed Int. List No.
				Cities.			Rural districts.					Cities.			Rural districts.			
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	
137.3	123.0	132.8	88.3	183.8	162.4	293.9	39.6	80.0	188.5	160.5	119.0	205.7	184.1	337.3	151.6	140.9	196.4	
11.8	8.1	7.2	4.8	13.8	11.6	25.1	4.9	4.4	9.8	7.7	7.6	13.8	9.7	38.7	12.4	8.8	27.6	119
101.8	104.7	100.9	67.9	150.2	133.7	235.4	75.9	68.1	156.2	126.3	97.3	172.2	156.1	269.6	130.9	124.2	159.3	120
																		121
2.8	1.3	3.7	2.6	2.0	2.2	*1.4*	1.3	1.2	2.9	3.3	1.5	2.0	1.8	*3.2*	1.3	1.4	*0.7*	122
1.0	0.6	1.6	0.7	*0.9*	*1.1*	.....	*0.2*	*0.2*	.....	*0.6*	*0.2*	1.5	1.8	.....	1.0	0.9	*1.5*	123
1.0	1.7	1.3	2.2	2.0	1.9	*2.8*	2.4	1.9	6.9	*1.7*	3.2	0.8	0.9	.....	1.3	1.0	*2.2*	124
1.0	*0.2*	*0.5*	*0.3*	*0.2*	.....	*1.4*	*0.2*	*0.2*	.....	.....	*0.3*	*0.6*	*0.5*	*1.1*	*0.6*	*0.5*	*0.7*	125
4.8	3.9	6.7	5.8	4.8	4.9	*4.2*	2.6	2.4	5.2	8.8	6.0	5.9	6.2	*4.3*	2.1	2.4	*0.7*	126
.....	*0.1*	.....	*0.2*	.....	.....	.....	*0.1*	*0.1*	.....	*0.6*	*0.2*	*0.3*	*0.2*	*1.1*	*0.1*	*0.2*	.....	127
.....	*0.1*	.....	.....	.....	.....	.....	*0.1*	*0.1*	*0.6*	.....	.....	*0.3*	*0.2*	*1.1*	*0.3*	*0.2*	*0.7*	128
3.5	0.7	2.4	1.1	2.7	1.6	8.4	0.7	0.4	3.5	4.4	*0.7*	3.9	2.7	11.8	1.0	*0.7*	*2.2*	129
1.9	0.3	2.7	1.0	1.6	1.4	*2.8*	0.4	0.4	.....	*1.7*	1.2	1.5	1.1	*4.3*	*0.3*	*0.3*	.....	130
1.4	0.3	2.1	0.9	*0.9*	*0.8*	*1.4*	0.5	0.3	*1.7*	2.8	*0.3*	1.4	1.4	*1.1*	*0.1*	*0.2*	.....	131
6.1	1.0	3.5	0.8	4.1	3.0	9.8	0.5	0.3	*1.7*	2.8	*0.5*	1.4	1.4	*1.1*	*0.3*	*0.2*	*0.7*	132
.....	*0.1*	.....	.....	*0.5*	*0.3*	*1.4*	*0.1*	*0.1*	.....	.....	.....	*0.2*	*0.2*	.....	.....	.....	.....	133
20.7	13.8	17.1	15.5	17.4	17.0	19.5	15.1	14.6	19.6	21.0	12.4	18.4	17.5	23.6	15.4	11.9	29.8	
2.0	0.6	1.9	1.6	3.2	3.2	*2.8*	1.3	1.3	*1.2*	3.9	0.8	1.7	1.8	*1.1*	1.1	1.0	*1.5*	134
1.6	1.1	*1.1*	0.7	*0.7*	*0.8*	.....	1.2	1.1	*1.7*	*1.1*	1.0	2.0	1.9	*2.1*	2.2	1.6	5.1	135
0.4	1.1	1.3	1.3	*0.9*	*0.8*	*1.4*	2.1	2.0	2.9	*1.7*	1.8	1.2	1.2	*1.1*	1.4	1.6	*0.7*	136
11.3	6.2	8.8	6.6	8.4	7.6	12.5	6.7	6.5	9.2	6.6	3.0	8.5	7.1	17.2	4.8	3.6	9.5	137
4.7	4.1	3.5	4.9	3.6	3.8	*2.8*	3.3	3.3	4.0	6.1	4.5	4.9	5.3	*2.1*	5.0	3.3	12.4	138
0.2	0.6	*0.5*	0.5	*0.7*	*0.8*	.....	0.3	*0.2*	*0.6*	*1.7*	0.8	*0.2*	*0.2*	.....	0.8	0.9	*0.7*	139
0.4	*0.1*	.....	.....	.....	.....	.....	*0.2*	*0.2*	.....	.....	*0.3*	.....	.....	.....	.....	.....	.....	140
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141
4.9	3.4	3.5	3.7	6.3	5.7	9.8	2.6	2.5	4.0	5.0	5.5	5.0	4.4	8.6	4.5	4.3	5.1	
2.8	2.5	1.9	1.9	3.2	2.7	*5.6*	1.3	1.1	3.5	*2.2*	4.4	1.7	1.2	*4.3*	1.7	1.6	*2.2*	142
0.6	*0.2*	*0.3*	0.4	*0.5*	*0.5*	.....	0.3	0.3	.....	*0.6*	*0.2*	0.9	1.1	.....	0.8	1.0	.....	143
0.7	*0.2*	*0.5*	0.7	1.6	1.9	.....	0.5	0.5	.....	*2.2*	*0.3*	0.8	*0.5*	*2.1*	0.8	0.9	*0.7*	144
0.8	0.5	*0.3*	0.7	1.1	*0.5*	*4.2*	0.6	0.6	*0.6*	.....	*0.7*	1.7	1.6	*2.1*	1.1	0.9	*2.2*	145
4.4	2.0	2.4	1.2	3.9	3.8	*4.2*	1.7	1.8	*1.2*	*2.2*	2.0	3.9	4.2	*2.1*	1.5	1.2	*2.9*	
3.7	1.6	1.9	1.0	2.9	3.2	*1.4*	1.2	1.2	*1.2*	*1.7*	1.3	3.3	3.7	*1.1*	1.4	1.2	*2.2*	146
0.7	0.3	*0.3*	*0.1*	*0.7*	*0.5*	*1.4*	0.4	0.4	.....	*0.6*	*0.3*	*0.5*	*0.4*	*1.1*	*0.1*	.....	*0.7*	147
.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
.....	*0.2*	*0.3*	*0.1*	*0.2*	.....	*1.4*	*0.1*	*0.1*	.....	.....	*0.3*	*0.2*	*0.2*	.....	.....	.....	.....	149
21.2	19.5	11.0	15.0	11.1	12.2	*5.6*	8.8	9.0	5.8	14.9	9.4	21.7	19.6	34.4	16.5	15.8	19.6	
21.2	19.5	11.0	15.0	11.1	12.2	*5.6*	8.8	9.0	5.8	14.9	9.4	21.7	19.6	34.4	16.5	15.8	19.6	150
1.2	1.2	*0.5*	0.5	*0.5*	*0.5*	.....	0.5	0.6	.....	*1.1*	1.0	1.4	1.2	*2.1*	1.4	0.9	3.6	
14.3	13.2	7.0	10.8	7.3	8.1	*2.8*	4.7	4.9	*2.3*	8.3	6.2	15.2	12.4	32.2	10.6	10.6	10.9	
5.7	5.1	3.5	3.7	3.4	3.5	*2.8*	3.6	3.6	3.5	5.5	2.2	5.2	6.0	.....	4.5	4.3	5.1	
75.1	60.6	72.3	61.9	64.1	66.8	50.1	81.5	81.6	80.7	91.5	69.0	96.1	87.7	147.2	93.1	81.6	141.8	
59.8	48.3	60.0	50.9	55.1	57.9	40.4	72.7	72.5	74.4	66.7	54.9	75.6	69.5	112.8	77.1	66.7	120.7	151
52.1	41.0	42.0	37.1	42.8	45.2	30.6	59.1	58.7	63.4	40.3	39.6	58.0	52.7	90.2	50.3	46.8	65.5	
7.6	7.3	17.9	13.8	12.2	12.7	9.8	13.6	13.8	11.0	26.5	15.3	17.6	16.8	22.6	26.7	19.9	55.3	
15.3	12.3	12.0	11.0	8.8	8.7	9.8	8.6	8.8	5.8	24.8	13.8	20.0	18.0	32.2	15.7	14.7	19.6	152
7.6	6.7	5.6	5.8	4.1	4.6	*1.4*	4.3	4.4	*2.3*	14.3	7.2	10.6	10.4	11.8	7.1	6.4	10.2	
7.6	5.6	6.4	5.2	4.8	4.1	8.4	4.3	4.4	3.5	10.5	6.5	9.4	7.6	20.4	8.5	8.3	9.5	
0.1	.....	*0.3*	.....	*0.2*	*0.3*	.....	0.3	0.3	0.6	.....	*0.3*	*0.5*	*0.2*	*2.1*	*0.4*	*0.2*	*1.5*	153
5.7	7.8	28.1	27.5	21.8	20.0	30.6	23.7	21.6	45.5	25.4	41.6	14.1	14.7	10.7	17.8	14.9	29.8	
5.7	7.8	28.1	27.5	21.8	20.0	30.6	23.7	21.6	45.5	25.4	41.6	14.1	14.7	10.7	17.8	14.9	29.8	154
152.5	88.2	108.7	77.3	104.9	95.3	154.6	85.0	74.9	189.1	91.0	78.4	128.3	119.5	181.5	95.5	92 8	106.9	
18.5	13.2	11.8	8.1	13.8	16.2	*1.4*	6.9	7.2	2.9	13.2	13.4	15.9	17.9	*4.3*	9.2	10.9	*2.2*	
6.3	2.5	4.8	1.8	3.9	4.6	.....	1.7	1.7	*1.7*	2.8	0.8	3.3	3.4	*3.2*	1.4	1.7	.....	155
1.2	*0.2*	*0.3*	*0.2*	*0.7*	*0.8*	.....	.....	.....	.....	*1.1*	*0.3*	3.8	4.4	.....	*0.4*	*0.5*	.....	156
2.5	2.6	*1.1*	1.5	*0.7*	*0.8*	.....	1.4	1.5	.....	3.9	3.4	2.1	2.5	.....	2.1	2.3	*1.6*	157
0.8	0.8	*0.3*	*0.1*	1.1	1.4	.....	0.5	0.5	.....	*0.6*	1.5	*0.5*	*0.5*	.....	0.7	*0.7*	*0.7*	158
6.0	5.1	4.6	3.7	4.8	5.4	*1.4*	2.8	2.9	*1.2*	3.3	5.9	4.7	5.5	.....	2.7	3.3	.....	159
1.4	1.2	*0.3*	0.4	2.0	2.4	.....	0.5	0.5	.....	*1.1*	1.0	*0.3*	*0.4*	.....	1.3	1.6	.....	160
0.2	.....	*0.3*	*0.1*	*0.5*	*0.5*	.....	.....	.....	.....	.....	.....	0.8	0.9	.....	*0.3*	*0.3*	.....	161
0.1	0.4	*0.3*	*0.1*	.....	.....	.....	.....	.....	.....	*0.6*	*0.2*	.....	.....	.....	*0.1*	*0.2*	.....	162
.....	0.3	.....	*0.3*	*0.2*	*0.3*	.....	*0.1*	*0.1*	.....	.....	*0.3*	*0.5*	*0.4*	*1.1*	*0.3*	*0.3*	.....	163

* Less than one-tenth of 1 per 100,000 population.

† Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	87.2	86.8	95.8	78.8	92.1	95.2	84.9	124.7	44.7	105.3	118.6	103.6
164	Poisoning by food	1.0	1.0	0.8	1.3	1.0	0.8	0.9	2.6	*0.5*	1.5	0.8	*1.0*
165	Other acute poisonings	1.7	1.7	1.7	1.7	2.1	1.7	1.8	2.6	1.6	3.3	1.3	1.3
166	Conflagration	1.5	1.6	1.4	1.7	1.0	1.4	1.6	3.6	*0.3*	1.3	0.8	*0.5*
167	Burns (conflagration excepted)	9.1	9.0	10.0	8.1	10.4	10.0	6.2	6.5	3.2	4.9	15.2	4.4
168	Absorption of deleterious gases (conflagration excepted).	4.5	4.3	6.5	2.2	7.2	6.6	6.1	2.1	*0.3*	2.1	6.7	2.8
169	Accidental drowning	7.3	7.4	6.6	8.1	5.0	6.4	6.2	16.0	*0.5*	7.4	9.0	22.7
170	Traumatism by firearms	2.3	2.2	1.5	2.8	3.4	1.8	1.2	5.3	3.2	3.6	1.7	1.8
171	Traumatism by cutting or piercing instruments.	0.2	0.2	0.2	0.2	0.4	0.3	0.3	.....	.....	*0.2*	*0.2*	*0.5*
172	Traumatism by fall	14.7	14.7	18.4	11.4	14.7	17.9	14.5	12.9	9.8	6.9	22.1	14.4
173	Traumatism in mines and quarries (total).	3.6	3.8	1.8	5.6	1.2	1.7	0.3	3.2	2.1	37.4	*0.2*	.....
	Traumatism in mines	3.5	3.7	1.7	5.5	1.2	1.6	*0.1*	3.0	1.9	37.2	.....	.....
	Traumatism in quarries	0.1	0.1	0.1	0.1	(3)	0.1	*0.2*	*0.2*	*0.3*	*0.3*	*0.2*	.....
174	Traumatism by machines	2.8	2.8	3.6	2.0	3.2	3.5	2.6	3.6	1.6	1.5	2.8	*0.5*
175	Traumatism by other crushing (total)	26.9	26.5	30.8	22.7	32.3	31.0	36.4	48.1	16.1	25.2	38.8	37.9
	Railroad accidents and injuries	11.5	11.4	10.7	12.0	10.9	10.7	7.9	17.4	4.8	9.0	10.7	12.1
	Street-car accidents and injuries	3.0	2.8	4.5	1.3	5.6	4.6	5.2	2.2	*1.1*	*0.2*	5.5	11.3
	Automobile accidents and injuries	8.9	8.6	11.7	5.8	12.2	11.8	17.0	20.0	7.9	10.3	17.1	10.8
	Injuries by other vehicles	3.1	3.1	3.2	2.9	2.9	3.2	5.4	7.1	2.4	4.8	4.4	2.6
	Landslide, other crushing	0.7	0.7	0.7	0.7	0.7	0.7	0.9	1.4	.....	1.0	1.0	*1.0*
176	Injuries by animals	0.9	0.9	0.6	1.1	0.6	0.6	0.7	1.9	*1.1*	1.3	1.1	*0.8*
177	Starvation	0.1	(3)	(3)	(3)	0.1	0.1	*0.1*	*0.2*	.....	.....	.....	.....
178	Excessive cold	0.7	0.7	0.5	0.9	0.3	0.5	*0.1*	*0.3*	.....	1.5	*0.5*	2.1
179	Effects of heat	2.6	2.7	4.4	1.2	1.1	4.0	0.8	5.8	.....	.....	8.9	5.2
180	Lightning	0.5	0.5	0.1	0.9	*0.1*	0.1	.....	.....	*0.3*	3.4	*0.1*	*1.0*
181	Electricity (lightning excepted)	0.9	0.9	1.0	0.8	0.9	1.0	1.1	2.3	*0.3*	1.3	1.4	*0.8*
185	Fractures (cause not specified)	0.6	0.6	0.7	0.5	1.1	0.8	0.5	0.4	*0.3*	*0.7*	1.3	*0.3*
186	Other external violence	5.3	5.3	5.1	5.5	6.0	5.2	3.5	7.1	2.6	2.0	5.8	5.7
	Homicide (total)	7.6	6.9	8.7	5.3	16.9	9.9	11.8	14.0	8.5	7.9	5.2	2.6
182	By firearms	5.0	4.6	5.4	3.8	11.2	6.2	7.9	10.9	7.7	6.4	2.4	*1.0*
183	By cutting or piercing instruments	1.0	0.9	1.3	0.5	2.6	1.5	1.3	1.7	.....	*0.3*	1.5	*0.5*
184	By other means	1.6	1.5	2.0	1.0	3.1	2.1	2.6	1.5	*0.3*	1.1	1.4	*1.0*
	XIV.—Ill-defined diseases	18.1	18.4	5.2	30.2	13.7	6.4	1.0	3.0	*0.3*	3.1	6.7	4.4
187	Ill-defined organic disease	0.9	0.9	0.1	1.6	0.6	0.2	*0.1*	*0.2*	.....	*0.3*	.....	*0.3*
188	Sudden death	1.4	1.4	0.5	2.3	0.5	0.5	.....	*0.2*	*0.3*	*0.3*	0.6	*0.5*
189	Not specified or ill-defined (total)	15.8	16.1	4.6	26.3	12.6	5.7	0.9	2.7	*0.5*	2.5	6.2	3.6
	Ill-defined	5.9	5.9	2.5	8.8	6.7	3.1	0.3	1.4	*0.5*	1.8	3.9	2.1
	Not specified or unknown	9.9	10.2	2.1	17.5	5.9	2.6	0.5	1.3	.....	*0.7*	2.3	1.5

[1] Including District of Columbia.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION.																		Detailed Int. List No.
INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.						
				Cities.			Rural districts.					Cities.			Rural districts.			
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	
119.7	72.4	81.4	65.1	73.2	69.3	93.3	66.5	59.9	134.9	76.1	64.3	104.0	95.8	153.6	82.2	79.1	95.3	
0.7	1.4	*1.1*	1.4	*0.5*	*0.3*	*1.4*	1.1	0.9	2.9	.....	2.3	1.5	0.9	5.4	1.1	*0.5*	3.6	164
2.2	1.8	3.5	2.2	1.1	*0.3*	*2.3*	1.2	1.2	*1.7*	*1.1*	1.5	1.5	1.6	*1.1*	1.7	1.9	*0.7*	165
1.6	0.8	1.6	0.7	2.3	*1.1*	8.4	1.6	1.3	4.6	*0.6*	3.7	1.8	1.6	*3.2*	1.5	0.9	4.4	166
7.8	4.6	9.4	4.8	7.7	5.4	19.5	9.6	9.0	15.0	6.6	4.4	12.9	10.1	30.1	5.2	3.6	11.6	167
5.6	2.7	1.9	1.8	2.3	2.2	*2.8*	1.9	1.5	6.3	*2.2*	*0.3*	4.6	4.8	*3.2*	1.5	1.0	3.6	168
6.1	4.5	4.8	3.9	2.5	1.6	7.0	4.4	3.9	8.6	10.5	11.6	9.7	7.2	24.7	14.4	13.5	18.2	169
3.7	2.3	2.7	2.4	3.6	2.7	8.4	4.3	3.7	9.8	*2.2*	1.3	1.8	1.8	*2.1*	3.8	2.6	8.7	170
0.2	*0.2*	.....	*0.1*	*0.2*	*0.3*	.....	*0.1*	*0.1*	.....	*1.1*	.....	*0.3*	*0.4*	.....	*0.1*	*0.2*	.....	171
20.6	14.0	14.2	10.6	11.6	13.0	*4.2*	7.5	7.7	5.2	15.4	14.4	18.4	18.7	16.1	11.5	13.3	3.6	172
3.9	4.3	*1.1*	2.4	*0.2*	*0.3*	.....	6.9	4.6	30.0	.....	.....	1.4	1.4	*1.1*	2.8	3.5	.....	173
3.7	4.2	*0.3*	2.4	*0.2*	*0.3*	.....	6.9	4.6	30.0	.....	.....	1.1	1.2	.....	2.4	2.9	.....	
0.2	*0.1*	*0.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.3*	*0.2*	*1.1*	*0.4*	*0.5*	.....	
4.9	1.5	2.1	1.8	3.2	2.4	7.0	1.4	1.4	*1.2*	4.4	1.8	3.2	1.9	10.7	2.2	2.3	*2.2*	174
51.1	25.9	24.4	18.4	28.3	29.5	22.3	14.0	13.5	19.0	21.5	12.2	33.2	32.7	36.5	25.6	26.8	20.4	175
25.8	14.0	12.3	8.7	15.4	15.7	13.9	10.2	9.9	13.8	9.4	4.4	8.4	8.1	9.7	14.0	14.7	10.9	
6.1	2.8	*1.1*	0.5	2.9	3.0	*2.8*	0.3	*0.2*	*1.2*	4.4	0.8	7.3	6.2	14.0	1.5	1.4	*2.2*	
11.0	5.0	7.5	5.3	8.2	9.2	*2.8*	1.4	1.3	*1.7*	6.6	3.2	13.2	14.0	8.6	7.0	7.6	4.4	
4.3	2.7	2.9	3.5	1.4	1.4	*1.4*	1.8	1.9	*1.7*	*1.1*	2.7	2.9	2.8	*3.2*	2.8	2.8	*2.9*	
3.9	1.3	*0.5*	0.4	*0.5*	*0.3*	*1.4*	*0.2*	*0.2*	*0.6*	.....	1.2	1.5	1.6	*1.1*	*0.3*	*0.3*	.....	
0.4	1.6	2.1	1.9	*0.2*	.....	*1.4*	1.3	1.2	*2.3*	*1.7*	1.2	*0.5*	*0.4*	*1.1*	1.0	*0.7*	*2.2*	176
.....	.....	.....	*0.1*	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	.....	.....	.....	*0.1*	*0.2*	.....	177
0.8	0.5	1.6	0.3	*0.9*	*0.8*	*1.4*	1.0	0.6	5.2	.....	0.7	*0.3*	*0.4*	.....	1.4	*0.3*	5.8	178
1.0	0.5	2.1	1.3	*0.7*	*0.8*	.....	0.5	*0.2*	2.9	.....	*0.5*	5.6	4.6	11.8	1.4	1.0	*2.9*	179
0.1	0.9	.....	0.9	.....	.....	.....	0.9	0.8	*1.7*	.....	*0.3*	.....	.....	.....	*0.3*	*0.3*	.....	180
2.6	0.8	*0.5*	0.9	.....	.....	.....	0.5	0.4	*1.2*	*1.1*	.....	0.9	1.1	.....	1.3	1.4	*0.7*	181
.....	.....	*1.1*	1.4	2.5	3.0	.....	0.8	0.8	*0.6*	*1.7*	*0.7*	1.1	1.1	*1.1*	1.5	1.7	*0.7*	185
6.3	4.0	7.2	7.7	5.4	5.1	7.0	7.8	6.9	16.7	6.1	7.2	5.3	5.3	5.4	3.8	3.3	5.8	186
14.2	2.6	15.5	4.2	17.9	9.7	59.9	11.6	7.8	51.3	*1.7*	*0.7*	8.4	5.8	23.6	4.1	2.8	9.5	
9.6	2.0	9.9	3.1	11.6	6.2	39.0	9.2	5.8	43.8	*1.7*	*0.5*	4.9	3.4	14.0	2.2	1.2	6.5	182
2.1	0.3	2.1	0.7	3.4	*1.1*	15.3	1.2	0.8	5.2	.....	.....	1.4	*0.4*	7.5	*0.4*	*0.3*	*0.7*	183
2.6	0.3	3.5	0.4	2.9	2.4	*5.6*	1.3	1.2	*2.3*	.....	*0.2*	2.1	2.1	*2.1*	1.4	1.2	*2.2*	184
0.8	1.3	9.4	15.0	5.2	4.6	8.4	53.0	50.9	75.0	22.6	25.5	2.7	2.1	6.4	34.5	14.0	120.7	
.....	*0.2*	*0.5*	0.7	.....	.....	.....	2.9	2.8	4.0	.....	*0.3*	*0.2*	*0.2*	.....	*0.6*	.....	*2.9*	187
.....	*0.2*	*0.5*	0.5	*0.9*	*1.1*	.....	2.6	2.2	6.9	8.8	2.0	.....	.....	.....	2.2	1.2	6.5	188
0.8	1.0	8.3	13.7	4.3	3.5	8.4	47.5	45.9	64.0	13.8	23.2	2.6	1.9	6.4	31.7	12.8	111.3	189
0.4	0.8	4.6	4.3	1.6	1.4	*2.3*	12.2	11.7	17.3	7.7	11.2	1.7	1.2	*4.3*	9.4	4.8	28.4	
0.4	*0.2*	3.7	9.4	2.7	2.2	*5.6*	35.3	34.2	46.7	6.1	11.9	0.9	*0.7*	*2.1*	22.4	8.0	82.9	

[2] A list of these cities will be found on p. 11.

[3] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes [1]	1,491.3	1,536.0	1,720.6	1,380.4	1,173.7	962.0	1,581.9	1,178.5	1,822.1	1,254.0	1,738.0	1,632.5
	I.—General diseases	380.7	383.3	436.5	319.2	345.5	251.3	443.1	368.6	482.3	282.3	375.2	372.3
1	Typhoid fever	5.0	4.2	17.4	9.1	5.2	3.8	13.9	24.2	21.6	15.1	6.3	5.9
2	Typhus fever	(2)											
3	Relapsing fever												
4	Malaria	*0.1*	*0.1*	*0.2*	0.3	*0.1*	*0.1*	2.3	15.2				
5	Smallpox	0.3		*0.2*	0.4	2.0	0.3	0.6	1.1	*1.7*	*1.1*		
6	Measles	11.1	5.4	9.7	8.3	5.3	5.7	17.8	28.9	19.8	6.4	14.6	9.1
7	Scarlet fever	3.2	2.7	17.1	6.8	4.1	3.9	7.4	3.2	29.3	14.3	*1.6*	2.0
8	Whooping cough	6.5	5.4	17.5	7.7	3.0	4.7	8.2	10.3	5.2	10.4	12.0	12.6
9	Diphtheria and croup	25.0	11.6	43.4	16.5	16.9	7.7	26.9	11.5	12.1	7.3	14.6	7.9
10	Influenza	10.1	20.8	9.2	23.1	6.6	11.0	19.5	26.3	8.6	9.2	23.5	39.5
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras		*0.2*	0.5	*0.1*		0.3	*0.2*	0.9				*0.8*
14	Dysentery	1.3	2.2	2.0	2.4	1.4	1.4	2.7	11.6		3.6	5.2	*1.6*
15	Plague												
16	Yellow fever												
17	Leprosy		*0.1*										
18	Erysipelas	6.2	5.0	8.1	4.2	4.1	2.7	6.9	2.8	7.8	8.1	3.1	7.1
19	Other epidemic diseases	1.0	0.7	0.5	0.7	*0.4*	0.7	0.6	*0.2*	*2.6*	2.2	*1.0*	*0.4*
20	Purulent infection and septicemia	1.5	1.1	2.8	2.4	1.4	1.2	1.3	1.2	6.0	2.2	2.6	2.0
21	Glanders	(2)											
22	Anthrax	0.4			*0.1*				(2)			*0.5*	
23	Rabies			*0.1*	*0.1*	*0.1*	*0.1*	0.9	(2)				
24	Tetanus	0.8	*0.4*	1.7	0.8	1.4	1.8	3.0	1.9	*0.9*	*0.3*	*1.6*	
25	Mycoses	(2)	*0.2*	*0.1*	*0.1*		*0.1*			*0.9*			
26	Pellagra	0.3	1.1	0.4	*0.1*			1.5	1.9			*1.6*	*0.8*
27	Beriberi								(2)				
	Tuberculosis (total)	141.5	152.4	131.1	90.5	131.2	86.7	166.8	134.7	149.3	105.3	119.1	107.9
28	Tuberculosis of the lungs	116.0	132.0	107.7	76.2	105.3	72.6	143.8	120.3	120.8	92.7	85.7	90.5
29	Acute miliary tuberculosis	4.4	2.8	4.6	2.9	5.7	2.9	6.3	2.5	5.2	2.5	7.3	4.3
30	Tuberculous meningitis	12.4	7.1	10.7	4.2	10.2	4.9	8.1	4.0	12.9	5.0	16.2	5.1
31	Abdominal tuberculosis	3.6	4.7	4.9	3.4	3.5	2.9	4.5	5.2	5.2	3.1	5.2	3.6
32	Pott's disease	1.5	1.8	1.6	1.3	1.9	0.7	1.9	0.8	*1.7*	*0.6*	*0.5*	
33	White swellings	0.8	1.2	*0.2*	0.3	1.1	0.5	0.9	0.7	*0.9*	*0.8*	*1.6*	*1.6*
34	Tuberculosis of other organs	2.1	1.7	1.0	0.8	1.3	1.6	1.5	1.0	*2.6*	*0.3*	2.6	2.4
35	Disseminated tuberculosis	0.7	1.0	0.6	1.3	*0.3*	0.7		0.3		*0.3*		*0.4*
36	Rickets	1.1	1.2	1.3	0.5	0.6	0.6	0.8	0.4		*0.6*		*1.6*
37	Syphilis	7.0	5.4	13.5	5.6	14.3	3.9	19.6	6.3	14.7	7.0	11.0	2.4
38	Gonococcus infection	0.6	*0.1*	2.4	0.3	0.9	*0.1*	2.2	0.3	*0.9*	*0.6*		*0.4*
	Cancer and other malignant tumors (total)	106.0	116.5	92.8	86.2	98.3	76.1	99.7	58.4	100.9	45.1	105.6	105.1
39	Of the buccal cavity	3.9	4.7	2.5	3.8	3.6	3.3	3.3	2.1	*3.5*	3.4	*2.1*	5.1
40	Of the stomach, liver	34.2	36.3	34.8	37.4	41.8	35.9	32.9	24.1	46.6	23.0	33.4	29.2
41	Of the peritoneum, intestines, rectum	18.7	20.9	11.8	9.8	11.9	9.5	13.2	6.5	12.9	3.9	19.3	17.0
42	Of the female genital organs	16.8	18.3	17.1	9.7	12.8	6.4	18.4	7.3	18.1	4.5	19.9	22.1
43	Of the breast	11.1	12.4	8.8	8.0	8.4	4.9	8.6	4.8	5.2	3.1	8.4	13.0
44	Of the skin	2.8	4.1	2.2	4.0	1.9	2.0	3.3	4.3	*1.7*	*0.8*	5.7	2.8
45	Of other organs or of organs not specified	18.4	19.9	15.7	13.5	17.9	14.1	20.1	9.2	12.9	6.4	16.7	15.8
46	Other tumors (tumors of the female genital organs excepted)	0.3	*0.2*	0.5	0.4	*0.5*	0.5	0.4	0.4	*1.7*		*0.5*	
47	Acute articular rheumatism	3.3	4.1	6.1	5.1	4.3	3.5	4.4	3.2	7.8	4.5	5.2	2.4
48	Chronic rheumatism and gout	1.2	1.8	1.5	2.1	0.9	1.8	1.3	1.5		*0.8*	3.1	4.3
49	Scurvy	0.2	*0.1*	*0.2*	*0.2*		*0.1*						
50	Diabetes	21.3	20.0	19.5	19.0	17.1	14.6	17.7	12.0	20.7	11.5	18.8	30.4
51	Exophthalmic goiter	1.2	0.9	3.2	2.0	2.2	2.5	2.5	1.3	*1.7*	*0.3*	2.6	*0.4*
52	Addison's disease	0.4	*0.5*	0.6	0.6	*0.4*	0.7	*0.3*	*0.1*	*0.9*	*0.3*	*1.0*	*1.2*
53	Leukemia	2.1	2.0	2.9	1.3	3.6	3.0	2.6	1.7	*0.9*	1.4	*2.1*	*1.2*
54	Anemia, chlorosis	8.2	9.0	12.0	14.8	10.3	7.1	4.4	3.6	*2.6*	6.2	10.5	9.5
55	Other general diseases	4.3	2.1	3.8	2.6	2.3	1.3	1.2	1.7	6.0	1.7	2.6	6.7
56	Alcoholism (acute or chronic)	8.7	5.2	14.0	4.1	6.3	3.2	4.6	1.5	56.9	16.2	4.2	6.3
57	Chronic lead poisoning	0.2	*0.1*	*0.2*	*0.1*	*0.1*		*0.2*	(2)	*0.9*			2.0
58	Other chronic occupation poisonings	(2)											
59	Other chronic poisonings	0.2	*0.2*	*0.1*	0.8	*0.1*	*0.1*	0.5	*0.1*		*0.3*	*0.5*	*0.8*
	II.—Diseases of the nervous system and of the organs of special sense	137.1	199.6	165.2	175.8	109.3	100.7	122.5	107.3	95.8	102.2	205.9	209.0
60	Encephalitis	0.8	0.6	1.4	0.7	*0.5*	0.3	0.9	0.9		*0.6*	*1.6*	*0.4*
61	Meningitis (total)	8.3	3.8	15.9	5.8	21.6	5.8	14.9	6.5	14.7	6.4	13.1	4.3
	Simple meningitis	3.7	1.8	6.3	2.7	2.4	2.1	2.7	3.0	*3.5*	3.9	6.8	2.8
	Cerebrospinal meningitis (undefined)	1.3	0.6	3.2	1.3	2.0	1.3	1.9	1.6	6.9	2.2	4.2	1.2
	Cerebrospinal fever	3.3	1.4	6.4	1.8	17.1	2.4	10.3	2.0	4.3	*0.8*	*2.1*	*0.4*

[1] Exclusive of stillbirths.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.
NEW JERSEY.		NEW YORK.		NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		
				Cities.			Rural districts.									
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1,418.3	1,518.4	1,438.9	1,582.2	2,074.2	1,622.5	2,866.5	1,335.8	1,190.8	1,661.2	1,614.7	1,339.7	1,646.5	1,325.2	1,564.8	1,321.7	
330.8	381.0	386.0	361.8	646.6	501.7	900.9	390.0	335.7	511.9	421.8	335.8	380.9	310.3	416.8	296.1	
7.0	5.9	5.4	6.6	40.2	26.4	64.4	29.0	23.3	41.9	12.9	13.7	10.8	10.1	5.3	6.0	1
.....	.....	(2)	.....	.....	.....	.....	(2)	*0.1*	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
0.3	.....	0.2	0.4	*6.1*	*0.8*	*15.4*	11.4	7.5	20.3	*0.2*	0.5	0.3	0.1	*0.4*	*0.9*	4
.....	.....	(2)	.....	.....	.....	.....	0.6	0.4	1.0	0.2	0.2	.....	.....	.....	.....	5
5.0	4.3	9.9	5.4	27.0	31.2	19.6	44.2	48.2	35.2	11.1	10.9	5.3	6.7	10.8	7.7	6
1.8	2.0	3.0	1.6	4.1	4.8	*2.8*	1.5	2.0	*0.3*	4.2	3.4	2.5	2.7	4.5	5.1	7
9.7	9.7	9.0	7.5	30.5	19.2	50.4	22.4	17.9	32.6	13.6	9.3	9.1	11.4	8.2	6.0	8
13.8	16.8	19.1	8.9	9.2	10.4	7.0	13.3	15.2	8.3	17.8	10.9	25.6	21.2	26.9	14.6	9
10.5	20.0	9.5	30.7	17.8	13.6	25.2	16.4	16.9	15.4	14.3	22.5	15.4	19.2	17.9	29.2	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
0.2	*0.2*	(2)	*0.2*	*1.6*	*1.6*	*1.4*	1.0	1.0	0.9	0.3	0.2	0.5	0.5	.....	.....	13
1.2	2.3	1.2	2.8	17.8	12.8	26.6	25.7	22.5	32.8	2.2	4.5	1.8	3.1	2.6	*1.7*	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	*0.1*	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
2.7	2.8	4.2	3.9	3.6	4.8	*1.4*	2.7	3.4	1.2	4.8	3.4	3.7	3.5	5.1	.....	18
0.8	0.6	0.6	0.4	*0.5*	.....	*1.4*	0.4	0.6	*0.1*	0.5	0.7	0.8	0.6	*0.2*	.....	19
0.5	*0.1*	0.7	1.6	3.1	*3.2*	*2.8*	1.8	1.9	1.6	1.2	1.2	1.1	1.4	*0.6*	*0.9*	20
.....	.....	(2)	.....	.....	.....	.....	(2)	*0.1*	.....	.....	.....	.....	.....	.....	.....	21
0.3	*0.1*	0.1	(2)	.....	.....	.....	(2)	.....	*0.1*	.....	.....	0.1	0.1	.....	.....	22
0.2	.....	(2)	(2)	.....	.....	.....	*0.2*	*0.2*	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	.....	.....	23
2.0	1.1	0.8	1.0	9.7	*3.2*	21.0	1.6	0.9	3.2	2.4	1.4	1.6	1.5	1.8	*1.7*	24
.....	.....	(2)	*0.1*	.....	.....	.....	.....	.....	.....	(2)	.....	.....	(2)	*0.2*	.....	25
0.1	*0.1*	0.3	(2)	*65.1*	*40.7*	*107.9*	*22.0*	*18.1*	*30.6*	*0.1*	(2)	0.1	.....	1.2	.....	26
.....	.....	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	.....	27
138.6	180.7	168.3	131.4	271.2	196.5	402.1	128.1	88.0	218.0	167.5	117.6	152.9	118.8	173.6	113.3	
114.8	163.6	142.2	114.9	231.0	174.9	329.2	112.7	76.9	193.0	139.7	100.3	122.3	100.5	146.7	94.4	28
5.7	3.9	6.5	3.7	9.2	*2.4*	21.0	3.4	1.6	7.5	5.8	2.9	7.1	4.8	5.1	*1.7*	29
9.4	6.3	12.0	5.5	8.1	9.6	*5.6*	3.1	3.2	3.0	10.4	4.7	12.3	5.3	13.0	6.0	30
3.7	3.3	3.1	3.6	16.3	6.4	33.6	5.4	3.8	9.0	6.3	5.1	5.9	4.6	4.1	5.1	31
1.6	1.0	1.2	1.1	*1.0*	*0.8*	*1.4*	0.8	0.5	1.3	1.3	0.8	1.8	0.7	1.0	*0.9*	32
1.2	*0.1*	0.8	0.7	3.1	*0.8*	7.0	0.4	*0.3*	0.7	0.7	0.5	0.8	0.5	*0.2*	.....	33
1.7	1.5	1.9	1.4	2.5	*1.6*	*4.2*	2.1	1.6	3.2	2.3	2.1	2.1	1.4	1.6	*0.9*	34
0.5	1.0	0.5	0.6	.....	.....	.....	0.2	*0.3*	*0.1*	0.9	1.1	0.6	0.9	2.0	*4.3*	35
1.8	1.0	0.6	0.5	3.1	*1.6*	*5.6*	0.7	*0.2*	1.7	0.6	0.5	0.8	0.7	*0.8*	.....	36
6.8	6.3	13.8	5.9	29.5	13.6	57.4	7.3	2.3	18.7	17.0	6.1	10.3	5.0	7.5	5.1	37
1.0	*0.3*	0.8	0.3	*2.0*	*0.8*	*4.2*	0.4	*0.2*	0.7	1.8	0.4	1.1	0.2	*0.8*	.....	38
82.3	86.9	91.2	101.4	70.2	78.3	56.0	40.6	43.9	33.2	97.2	86.5	91.4	67.3	101.7	67.8	
2.6	4.2	3.0	3.7	*1.6*	*2.4*	.....	1.5	1.7	1.2	3.4	3.4	3.5	3.0	4.9	*1.7*	39
30.1	33.3	34.0	35.8	22.4	26.4	15.4	13.4	14.8	10.2	37.2	35.1	35.1	28.7	29.4	29.2	40
13.1	11.4	14.0	15.8	7.1	8.8	*4.2*	3.5	4.1	2.2	12.8	10.7	12.4	8.2	17.7	9.4	41
11.4	13.3	12.0	14.3	16.8	13.6	22.4	9.4	7.9	12.6	17.0	10.7	14.9	8.8	17.5	10.3	42
9.6	9.3	9.4	10.8	8.6	12.0	*2.8*	4.0	4.8	2.2	8.4	8.7	8.5	6.4	12.4	6.0	43
2.0	3.1	1.8	4.5	*1.5*	*0.8*	*2.8*	2.6	3.4	0.9	2.7	4.7	2.3	2.8	4.3	*1.7*	44
13.5	12.4	17.0	16.6	12.2	14.4	8.4	6.2	7.1	4.1	15.7	13.2	14.6	9.3	15.5	9.4	45
0.1	.....	0.4	0.7	.....	.....	.....	0.6	0.5	0.7	0.4	0.5	0.2	*0.1*	*0.4*	*1.7*	46
6.3	3.5	4.7	3.8	7.6	4.8	12.6	3.9	3.2	5.5	6.3	4.9	5.8	4.8	6.1	*3.4*	47
0.8	1.7	0.6	2.8	*1.0*	*0.8*	*1.4*	1.2	1.4	0.7	1.0	1.5	1.5	1.4	1.0	*0.9*	48
0.1	*0.1*	0.1	(2)	.....	.....	.....	*0.1*	*0.1*	*0.3*	(2)	(2)	0.2	0.2	.....	.....	49
21.1	21.2	23.3	23.4	11.2	12.8	8.4	6.1	7.4	3.2	18.3	16.8	18.7	14.3	19.4	17.2	50
1.4	0.8	1.7	1.8	.....	.....	.....	*0.4*	0.6	.....	3.8	2.9	1.6	1.0	*0.8*	*0.9*	51
0.5	*0.2*	0.4	1.0	.....	.....	.....	*0.2*	*0.3*	.....	0.4	0.7	0.4	0.3	*0.8*	*0.9*	52
2.0	2.2	2.4	1.5	5.1	7.2	*1.4*	1.5	1.9	*0.6*	2.0	2.2	2.1	1.3	2.0	*2.6*	53
4.6	3.7	4.3	8.4	4.6	5.6	*2.8*	1.7	2.1	0.7	5.6	5.4	4.9	4.2	4.3	*3.4*	54
1.8	1.2	2.1	1.8	*2.0*	*3.2*	.....	1.8	2.1	1.2	2.2	1.6	2.2	2.0	1.8	*2.6*	55
5.2	5.2	6.5	5.0	2.5	*3.2*	*1.4*	0.7	0.8	*0.4*	10.8	4.8	7.3	5.9	10.0	*2.6*	56
0.4	*0.1*	0.2	*0.1*	.....	.....	.....	.....	.....	.....	0.5	*0.1*	0.4	0.2	.....	.....	57
0.2	.....	(2)	(2)	.....	.....	.....	(2)	*0.1*	.....	(2)	.....	(2)	(2)	.....	.....	58
0.1	.....	0.3	0.6	*0.5*	*0.8*	.....	0.4	0.5	.....	0.5	0.4	0.4	0.2	*0.4*	.....	59
116.4	185.8	108.0	214.7	149.6	130.2	183.5	115.8	114.3	119.4	155.9	172.2	132.0	142.5	170.4	140.7	
0.7	0.9	0.4	0.9	*1.0*	*0.8*	*1.4*	1.5	1.4	1.7	0.9	0.7	0.8	0.8	*0.4*	*0.9*	60
9.8	6.3	6.5	4.8	9.7	8.0	12.6	8.8	10.3	5.4	16.0	7.4	16.0	7.7	10.0	8.6	61
4.3	3.3	2.6	3.0	4.1	*2.4*	7.0	5.6	6.8	2.9	4.4	3.1	5.6	3.8	3.5	*2.6*	
1.5	0.9	1.4	1.0	*3.6*	*3.2*	*4.2*	2.4	2.5	2.2	2.0	2.0	1.4	1.1	2.0	6.0	
4.0	2.1	2.6	0.8	*2.0*	*2.4*	*1.4*	0.8	1.0	*0.3*	9.5	2.3	9.0	2.8	4.5	.....	

² Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), TS AND CLASS OF

[See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
62	Locomotor ataxia	2.4	5.3	2.9	2.9	2.5	1.2	3.3	1.9	*3.5*	1.4	*2.1*	*1.6*
63	Other diseases of the spinal cord (total)	6.8	10.9	7.2	9.5	6.2	5.8	5.5	7.9	4.3	4.5	12.0	10.7
	Acute anterior poliomyelitis	1.3	1.2	1.2	1.4	*0.4*	1.0	0.9	1.7	*0.9*	2.0	*0.5*	3.2
	Other diseases of the spinal cord [1]	5.5	9.7	6.0	8.1	5.8	4.8	4.6	6.2	*3.5*	2.5	11.5	7.5
64	Cerebral hemorrhage, apoplexy	94.4	132.1	91.4	115.7	59.8	62.1	63.4	63.4	51.8	42.6	145.3	165.6
65	Softening of the brain	0.7	2.2	0.7	1.6	1.0	0.4	1.3	0.9	.....	*1.1*	*0.5*	*1.2*
66	Paralysis without specified cause	3.0	5.7	7.6	13.6	1.8	4.4	6.1	10.8	*2.6*	5.0	7.3	4.0
67	General paralysis of the insane	6.0	16.1	9.5	5.6	1.9	5.2	13.3	4.5	*2.6*	15.1	4.2	4.3
68	Other forms of mental alienation	0.8	1.6	3.7	1.5	1.5	2.2	1.9	1.4	*0.9*	9.0	2.6	5.1
69	Epilepsy	2.6	12.3	4.5	6.1	1.8	4.5	4.5	3.5	*1.7*	6.2	5.2	3.6
70	Convulsions (nonpuerperal)	[2]	.....	0.7	0.4	*0.1*	*0.2*	.....	*0.1*	*0.9*	.....	.....	.....
71	Convulsions of infants	2.5	2.2	5.8	5.2	2.9	3.3	0.8	1.1	*1.7*	4.2	2.6	2.0
72	Chorea	0.2	.....	*0.3*	*0.2*	.....	*0.1*	0.4	*0.1*	.....	.....	*0.5*	.....
73	Neuralgia and neuritis	0.3	0.6	0.6	1.1	*0.5*	0.5	0.5	0.4	*1.7*	*0.3*	*0.5*	*1.6*
74	Other diseases of the nervous system	4.8	4.9	9.1	4.5	4.7	2.4	2.4	1.6	6.0	2.8	5.2	3.2
75	Diseases of the eyes and their annexa	*0.1*	.....	*0.2*	*0.1*	.....	*0.1*	*0.2*	.....	.....	.....	.....	.....
76	Diseases of the ears	3.3	1.2	3.8	1.5	2.4	2.3	3.2	2.1	*3.5*	3.1	3.1	*1.6*
	III.—Diseases of the circulatory system.	269.4	335.3	228.1	246.3	154.4	130.2	207.4	125.9	207.9	112.3	290.5	360.4
77	Pericarditis	0.6	0.7	1.1	0.7	0.6	0.7	1.1	1.3	*0.9*	2.0	*1.0*	*1.6*
78	Acute endocarditis	10.2	5.9	11.0	5.7	7.4	4.9	8.3	2.9	20.7	7.3	13.6	10.3
79	Organic diseases of the heart	195.8	228.4	169.0	190.1	117.5	97.4	141.9	91.5	151.0	84.6	190.7	229.5
80	Angina pectoris	9.0	18.1	7.3	11.2	5.5	5.8	7.4	5.9	8.6	5.0	15.7	21.3
81	Diseases of the arteries, atheroma, aneurism, etc	46.9	73.3	32.2	22.4	19.8	16.7	43.5	21.5	19.0	8.1	58.0	85.0
82	Embolism and thrombosis	4.1	6.9	5.0	4.6	2.9	3.5	3.1	1.9	4.3	4.5	9.9	11.5
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1.0	0.6	0.5	0.4	*0.4*	0.5	1.0	0.4	*1.7*	.....	*1.0*	*0.4*
84	Diseases of the lymphatic system (lymphangitis, etc.)	1.7	1.2	1.6	0.4	*0.3*	0.4	0.5	*0.1*	.....	.....	*0.5*	.....
85	Hemorrhage; other diseases of the circulatory system	*0.1*	*0.2*	0.4	0.8	*0.1*	0.5	0.7	0.4	*1.7*	*0.8*	.....	*0.8*
	IV.—Diseases of the respiratory system.	201.7	188.8	231.1	139.3	135.7	107.3	228.9	152.6	258.8	135.6	217.4	187.7
86	Diseases of the nasal fossae	.....	*0.1*	*0.2*	0.4	*0.1*	0.4	*0.1*	*0.2*	.....	*0.3*	*0.5*	.....
87	Diseases of the larynx	1.3	1.2	1.9	1.2	*0.5*	1.0	1.0	1.2	*2.6*	*0.3*	*1.0*	*0.8*
88	Diseases of the thyroid body	0.5	0.9	1.9	0.8	1.1	1.4	0.8	0.2	*2.6*	*0.6*	.....	*1.2*
89	Acute bronchitis	11.7	12.8	15.8	15.3	3.2	6.0	10.5	6.8	10.4	5.0	19.3	14.2
90	Chronic bronchitis	7.7	10.3	8.0	10.0	4.7	7.5	8.8	7.5	*2.6*	2.2	9.9	14.2
91	Bronchopneumonia	64.0	61.7	64.1	35.4	40.0	31.0	63.3	36.2	41.4	40.3	51.7	34.4
92	Pneumonia (total)	108.6	95.1	124.9	66.1	78.5	53.3	135.0	92.2	182.0	80.4	122.3	113.4
	Lobar pneumonia	104.1	92.7	106.7	47.5	73.5	46.1	132.8	87.9	170.8	73.1	93.5	81.0
	Pneumonia (undefined)	4.5	2.5	18.2	18.6	5.0	7.1	2.2	4.2	11.2	7.3	28.7	32.4
93	Pleurisy	4.4	2.0	6.3	3.4	4.3	2.6	3.8	2.5	5.2	1.4	6.3	2.8
94	Pulmonary congestion, pulmonary apoplexy	1.4	2.6	2.0	2.2	1.4	1.1	1.1	1.5	*2.6*	*0.6*	*1.0*	4.0
95	Gangrene of the lung	0.3	*0.4*	0.4	*0.2*	*0.3*	0.5	0.5	*0.1*	.....	*0.3*	*0.5*	.....
96	Asthma	1.2	1.1	3.7	3.0	1.4	1.8	2.9	2.9	4.3	1.4	3.1	*1.6*
97	Pulmonary emphysema	*0.1*	*0.2*	*0.2*	0.3	*0.3*	*0.3*	0.4	*0.1*	.....	.....	.....	*0.8*
98	Other diseases of the respiratory system (tuberculosis excepted)	0.6	*0.4*	1.6	1.1	.....	0.6	0.9	1.2	5.2	2.8	*1.6*	*0.4*
	V.—Diseases of the digestive system	146.9	109.3	198.4	124.6	109.2	87.7	152.2	124.3	207.1	122.4	196.0	114.6
99	Diseases of the mouth and annexa	0.5	.....	1.3	0.5	1.0	1.1	0.9	1.0	*1.7*	.....	*1.6*	*0.8*
100	Diseases of the pharynx	3.7	2.2	5.0	2.9	4.2	3.5	2.9	2.4	6.9	4.2	3.7	4.7
101	Diseases of the esophagus	0.3	.....	*0.2*	0.3	.....	*0.1*	*0.2*	*0.1*	.....	.....	*0.5*	.....
102	Ulcer of the stomach	5.3	3.7	5.9	4.7	6.0	2.9	6.0	3.4	15.5	4.8	5.2	5.1
103	Other diseases of the stomach (cancer excepted)	4.1	6.0	15.7	11.7	2.8	4.4	4.9	10.5	5.2	5.9	9.9	11.9
104	Diarrhea and enteritis (under 2 years)	75.0	53.3	77.6	40.5	25.9	23.8	47.3	48.4	50.0	44.3	98.8	26.9
105	Diarrhea and enteritis (2 years and over)	11.7	16.0	16.2	14.1	10.4	8.7	12.9	20.3	12.1	14.0	14.6	15.0
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	*0.1*	.....	.....	.....	.....	.....
107	Intestinal parasites	*0.1*	*0.1*	.....	*0.2*	.....	*0.1*	.....	.....	.....	.....	*0.5*	.....
108	Appendicitis and typhlitis	14.3	3.6	24.4	10.6	22.1	14.3	22.7	7.7	48.3	19.0	15.2	10.3
109	Hernia, intestinal obstruction (total)	10.2	7.6	18.9	11.9	12.3	11.1	17.0	8.9	25.0	6.7	17.2	12.3
	Hernia	5.1	3.4	5.6	3.1	5.8	3.5	6.4	2.2	6.0	*1.1*	5.7	4.7
	Intestinal obstruction	5.1	4.2	13.4	8.8	6.5	7.7	10.5	6.7	19.0	5.6	11.5	7.5
110	Other diseases of the intestines	2.1	1.7	3.6	2.8	2.4	2.2	3.9	2.8	4.3	2.2	*1.6*	2.8
111	Acute yellow atrophy of the liver	0.2	*0.5*	0.6	0.5	*0.1*	*0.3*	*0.2*	0.3	.....	*0.6*	*0.5*	*1.6*
112	Hydatid tumor of the liver	*0.1*	.....	.....	.....	*0.1*	.....	*0.1*	*0.1*	.....	.....	.....	*0.4*
113	Cirrhosis of the liver	8.4	7.1	14.0	10.7	8.5	6.1	19.1	9.2	15.5	13.4	13.6	12.6
114	Biliary calculi	4.6	1.7	4.0	2.3	5.8	4.4	5.7	3.3	6.0	2.2	2.6	3.6
115	Other diseases of the liver	3.1	4.1	6.4	6.7	5.6	3.5	5.5	3.8	12.9	2.0	7.3	3.6
116	Diseases of the spleen	0.2	.....	0.5	0.3	.....	.....	*0.2*	*0.1*	.....	.....	*0.5*	*0.4*
117	Simple peritonitis (nonpuerperal)	1.7	0.9	3.0	3.4	1.0	1.0	2.2	1.8	*3.5*	2.5	2.6	2.4
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1.1	0.7	0.9	0.6	0.9	0.3	0.6	*0.2*	.....	*0.6*	.....	*0.4*

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION—continued.

NEW JERSEY.		NEW YORK.		NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		Detailed Int. List No.
				Cities.			Rural districts.									
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
2.0	2.7	2.2	3.4	*1.5*	*1.6*	*1.4*	0.7	0.9	*0.3*	3.6	3.0	3.0	2.7	2.7	*2.6*	62
5.2	9.3	5.4	10.2	3.1	4.0	*1.4*	4.6	4.7	4.2	6.7	10.2	6.3	6.7	5.9	10.3	63
1.1	1.8	1.0	1.4	*1.0*	*1.6*	.....	1.4	1.5	1.3	2.2	2.7	1.1	2.1	*0.6*	*3.4*	
4.1	7.5	4.4	8.8	*2.0*	*2.4*	*1.4*	3.1	3.2	2.9	4.5	7.5	5.2	4.6	5.3	6.9	
80.3	122.4	73.4	142.4	97.2	80.7	126.1	65.1	65.5	64.1	97.7	117.7	78.8	89.5	118.6	97.0	64
0.5	1.5	0.5	2.8	*1.5*	*2.4*	.....	1.3	1.6	0.7	1.1	2.9	0.9	1.0	*0.6*	*0.9*	65
3.3	6.7	2.3	9.1	12.2	8.8	18.2	15.6	14.5	18.0	2.7	7.1	4.7	6.4	3.5	5.1	66
3.6	15.9	5.2	21.1	4.1	4.0	*4.2*	1.1	1.4	*0.3*	11.1	5.9	5.2	9.6	12.0	.....	67
1.6	3.4	1.2	3.9	4.6	6.4	*1.4*	2.8	2.4	3.6	1.8	3.8	1.5	2.4	2.4	*0.9*	68
1.7	6.9	2.4	7.6	4.6	4.0	*5.6*	4.8	3.7	7.3	3.4	5.7	3.4	5.0	4.7	*3.4*	69
0.2	*0.1*	(2)	(2)	*0.5*	.....	*1.4*	0 4	*0.1*	0.9	0.3	.....	0.1	0.2	*0.2*	.....	70
2.1	2.8	1.3	2.0	*1.5*	*0.8*	*2.8*	4.3	2.8	7.8	3.2	2.1	3.8	5.0	3.1	6.0	71
0.2	.....	(2)	0.2	.....	.....	.....	*0.1*	*0.1*	.....	0.4	0.2	0.2	0.1	*0.4*	*0.9*	72
0.5	0.7	0.4	1.1	.....	.....	.....	0.4	0.4	*0.6*	0.4	0.7	0.7	0.7	*0.8*	.....	73
3.2	4.3	4.0	4.2	5.1	5.6	*4.2*	3.0	3.0	3.0	3.2	3.0	3.3	2.7	3.1	*1.7*	74
0.1	.....	0.1	*0.2*	*0.5*	*0.8*	.....	*0.1*	*0.2*	.....	0.2	0.2	0.2	0.1	*0.2*	.....	75
1.7	2.0	2.5	0.9	2.5	*2.4*	*2.8*	1.3	1.2	1.5	3.1	1.6	3.2	1.9	1.8	*2.6*	76
208.9	232.9	224.8	335.6	207.6	159.8	291.4	106.4	102.1	116.0	215.4	233.1	218.5	177.3	230.3	201.7	
0.5	1.6	0.7	1.8	2.5	*0.8*	*5.6*	1.3	1.6	0.9	1.2	1.2	1.1	1.1	1.0	*1.7*	77
15.1	11.2	13.7	8.1	9.2	9.6	8.4	1.7	1.5	2.3	12.6	4.6	15.2	7.0	11.8	6.9	78
164.5	178.2	177.2	252.1	165.9	118.2	249.4	92.6	87.5	104.0	161.6	175.6	168.6	136.5	166.7	139.9	79
6.4	10.5	6.2	15.2	8.6	10.4	*5.6*	3.0	3.7	1.5	6.7	12.5	6.9	7.8	9.8	14.6	80
16.2	26.4	22.1	50.2	15.8	16.0	15.4	5.8	5.9	5.5	28.3	34.0	21.1	20.3	33.6	35.2	81
4.5	4.2	3.3	7.2	2.5	*2.4*	*2.8*	0.8	0.9	0.7	3.1	3.7	3.8	3.2	5.3	*2.6*	82
0.9	*0.3*	0.8	0.6	*0.5*	*0.8*	.....	*0.2*	*0.1*	*0.3*	0.9	0.5	0.5	0.4	1.0	.....	83
0.7	*0.4*	0.7	0.2	*1.5*	*1.6*	*1.4*	0.3	0.3	*0.1*	0.8	0.2	0.8	0.6	*0.6*	.....	84
0.3	*0.2*	0.2	0.3	*1.0*	.....	*2.8*	0.6	0.6	0.7	0.2	0.8	0.4	0.4	*0.6*	*0.9*	85
208.1	198.3	207.2	183.7	254.9	157.4	425.9	116.1	97.7	157.3	209.1	148.1	269.8	180.1	211.4	210.3	
0.3	*0.1*	0.1	*0.2*	*1.5*	*0.8*	*2.8*	3.1	1.4	7.0	0.2	*0.1*	0.1	0.1	*0.2*	.....	86
1.1	1.6	0.5	1.2	*2.0*	*3.2*	.....	1.3	1.5	1.0	0.7	1.2	1.2	1.9	*0.8*	*1.7*	87
0.2	*0.4*	0.6	0.7	.....	.....	.....	0.4	*0.1*	0.9	0.9	0.4	0.8	0.5	*0.2*	.....	88
13.1	10.6	12.5	11.4	10.7	*2.4*	25.2	5.3	3.6	9.0	11.5	6.4	14.2	10.0	16.1	17.2	89
4.7	6.9	4.7	10.8	8.1	*3.2*	16.8	3.3	3.5	2.9	7.0	7.9	8.3	5.2	6.7	6.9	90
52.4	54.4	58.5	57.3	76.8	59.9	106.5	30.2	28.6	33.8	63.6	44.1	77.2	62.9	61.6	67.8	91
124.9	114.3	121.6	91.6	142.5	76.7	257.8	66.5	54.2	94.1	115.7	78.0	152.1	87.5	116.0	107.3	92
117.0	97.2	114.7	74.0	128.7	64.7	241.0	47.9	39.9	65.8	112.9	72.2	137.6	73.7	99.7	83.2	
7.9	17.1	6.9	17.6	13.7	12.0	16.8	18.6	14.3	28.3	2.7	5.8	14.5	13.9	16.3	24.0	
5.2	3.9	4.8	4.1	5.6	6.4	*4.2*	1.2	1.0	1.5	4.4	2.5	6.9	3.1	4.1	*2.6*	93
2.1	2.8	1.6	2.7	3.1	*2.4*	*4.2*	1.0	1.1	0.9	1.3	2.8	3.4	2.2	2.0	*3.4*	94
0.5	*0.3*	0.2	0.4	.....	.....	.....	(2)	.....	*0.1*	0.3	0.4	0.3	0.4	*0.6*	.....	95
2.4	1.4	1.3	2.0	4.1	*1.6*	8.4	2.4	1.6	4.2	2.4	2.9	3.5	3.1	1.4	*0.9*	96
0.3	*0.4*	0.1	0.5	.....	.....	.....	*0.1*	*0.1*	*0.3*	*0.2*	0.3	0.2	0.4	*0.6*	.....	97
0.9	1.3	0.8	1.1	*0.5*	*0.8*	.....	1.2	1.0	1.7	1.0	1.1	1.7	2.7	1.2	*2.6*	98
161.9	137.2	137.8	110.5	285.9	218.1	404.9	172.7	168.2	182.7	177.8	112.6	196.2	154.7	131.5	124.4	
0.6	0.9	0.7	0.8	*1.0*	*1.6*	.....	2.1	1.0	4.8	1.0	0.9	0.9	0.8	*0.4*	*0.9*	99
2.8	2.3	3.0	2.5	4.1	*2.4*	7.0	2.3	2.4	2.0	3.9	3.0	2.6	2.2	2.0	*0.9*	100
0.3	.....	0.2	*0.1*	*0.5*	.....	*1.4*	(2)	*0.1*	.....	*0.2*	*0.1*	0.4	0.2	*0.2*	*0.9*	101
5.6	2.5	5.2	5.4	4.1	5.6	*1.4*	1.9	1.8	2.2	6.5	3.5	4.2	2.5	3.3	6.9	102
5.1	8.9	3.7	11.2	19.8	8.8	39.2	17.2	15.2	21.8	9.4	11.4	10.1	11.6	5.9	10.3	103
87.9	74.4	65.1	33.0	139.9	91.9	224.2	93.3	90.3	100.2	79.6	37.6	101.9	88.3	54.6	60.1	104
11.1	14.8	9.5	14.8	38.7	35.1	44.8	27.2	29.8	21.3	12.4	11.7	14.9	15.5	14.5	12.0	105
.....	.....	.....	.....	.....	.....	.....	0.3	*0.3*	*0.3*	.....	.....	.....	.....	.....	.....	106
.....	.....	0.1	*0.1*	.....	.....	.....	1.0	0.6	2.0	(2)	*0.1*	(2)	0.2	.....	.....	107
12.2	4.3	13.1	5.9	31.0	28.0	36.4	6.3	6.8	5.2	16.6	7.1	15.5	4.5	15.1	*2.6*	108
10.1	8.0	11.8	11.2	19.3	14.4	28.0	6.9	6.2	8.6	14.3	9.7	15.3	8.3	11.8	6.0	109
5.1	3.9	5.9	4.0	4.6	*2.4*	8.4	1.8	1.4	2.8	5.0	2.7	6.1	2.4	5.1	*1.7*	
5.0	4.1	6.0	7.2	14.8	12.0	19.6	5.1	4.8	5.8	9.3	7.0	9.2	5.9	6.7	4.3	
2.8	2.0	2.1	2.3	2.5	*3.2*	*1.4*	2.5	3.0	1.6	2.6	2.8	2.2	2.1	1.0	*1.7*	110
0.2	*0.3*	0.3	0.3	*1.0*	.....	*2.8*	*0.1*	*0.1*	*0.1*	0.5	0.4	0.6	0.4	.....	*0.9*	111
0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	(2)	(2)	.....	.....	112
15.9	12.6	14.0	13.3	6.6	5.6	8.4	3.9	3.5	4.9	17.2	12.6	15.6	9.5	10.2	12.9	113
3.2	2.2	3.6	2.2	*2.0*	*3.2*	.....	1.3	1.6	0.7	5.3	3.5	4.1	1.9	4.5	*1.7*	114
2.4	2.3	3.1	4.7	7.6	9.6	*4.2*	3.5	3.6	3.3	4.7	4.8	5.1	3.9	4.5	*1.7*	115
0.2	*0.1*	0.1	*0.2*	.....	.....	.....	*0.2*	*0.1*	*0.4*	0.3	0.3	*0.1*	*0.1*	*0.2*	.....	116
0.7	1.0	1.2	2.1	5.6	5.6	*5.6*	2.1	1.8	2.9	2.6	2.6	1.8	2.2	2.9	*2.6*	117
0.7	0.7	0.8	0.7	*2.0*	*3.2*	.....	0.2	*0.2*	*0.3*	0.6	0.4	1.0	0.3	*0.4*	*2.6*	118

[2] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CITIES AND CLASS OF RURAL DISTRICTS, 1900.

[See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	109.9	115.2	110.4	101.1	102.1	81.3	184.0	100.6	154.4	73.4	143.7	137.1
119	Acute nephritis	6.2	6.0	10.1	6.7	3.7	2.9	11.0	8.3	8.6	5.0	10.5	6.7
120	Bright's disease	87.6	99.2	79.3	77.8	80.0	64.8	148.5	81.7	110.4	56.6	108.7	117.8
121	Chyluria												
122	Other diseases of the kidneys and annexa	2.4	2.1	3.0	2.8	2.2	1.9	3.1	1.1	*2.6*	2.5	4.2	*1.2*
123	Calculi of the urinary passages	0.8	*0.5*	0.9	0.6	1.0	0.5	0.9	0.3	*0.9*	.....	*0.5*	*1.2*
124	Diseases of the bladder	1.3	2.1	1.9	3.0	1.0	1.8	1.5	2.2	*1.7*	*1.1*	.....	3.2
125	Diseases of the urethra, urinary abscess, etc.	0.6	*0.1*	0.5	0.3	*0.4*	0.4	1.0	(1)	.....	*0.3*	*1.0*	*0.8*
126	Diseases of the prostate	4.6	3.0	5.2	5.2	5.8	6.4	4.7	4.3	7.8	2.8	7.8	4.3
127	Nonvenereal diseases of the male genital organs	0.2	.....	*0.3*	*0.2*	*0.1*	.....	*0.2*	*0.1*	.....	.....	*0.5*	.....
128	Uterine hemorrhage (nonpuerperal)	.....	.....	.....	*0.2*	.....	*0.1*	*0.1*	*0.1*	.....	*0.6*	.....	.....
129	Uterine tumor (noncancerous)	2.2	1.0	3.0	1.4	1.9	1.0	4.3	0.9	*3.5*	*1.1*	3.7	*1.2*
130	Other diseases of the uterus	0.9	*0.2*	2.2	1.4	1.4	0.7	1.6	0.3	6.9	2.0	*0.5*	.....
131	Cysts and other tumors of the ovary	1.2	*0.4*	1.6	0.4	1.0	0.4	1.9	0.4	4.3	*0.3*	2.6	*0.4*
132	Salpingitis and other diseases of the female genital organs	1.9	*0.5*	2.3	0.9	3.6	0.5	4.8	0.7	7.8	*1.1*	3.7	*0.4*
133	Nonpuerperal diseases of the breast (cancer excepted)	(1)	*0.1*	.....	*0.1*	.....	.....	*0.2*	(1)	.....	.....	.....	.....
	VII.—The puerperal state	18.7	8.4	25.7	18.3	13.5	13.1	18.4	14.5	43.1	26.0	17.2	13.4
134	Accidents of pregnancy	1.6	0.7	2.5	1.4	1.4	1.0	2.0	1.0	5.2	2.5	.....	*1.2*
135	Puerperal hemorrhage	1.5	1.5	1.5	2.4	1.3	1.6	1.1	0.9	*2.6*	3.1	*1.0*	*0.8*
136	Other accidents of labor	1.8	1.0	2.7	1.4	0.8	1.3	1.5	1.0	*1.7*	2.2	2.6	2.8
137	Puerperal septicemia	8.1	2.5	12.2	7.4	6.1	5.6	9.8	7.6	25.9	11.5	8.4	*1.6*
138	Puerperal albuminuria and convulsions	4.4	1.8	5.6	4.7	2.9	2.7	3.8	3.3	6.9	5.3	5.2	5.5
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1.1	0.6	0.9	0.9	1.0	0.8	*0.2*	0.5	*0.9*	1.4	.....	*1.2*
140	Following childbirth (not otherwise defined)	*0.1*	.....	*0.2*	*0.1*	.....	.....	.....	*0.1*	.....	.....	.....	*0.4*
141	Puerperal diseases of the breast	*0.1*	*0.2*	*0.1*	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue.	4.7	4.8	8.0	5.9	3.0	3.2	4.2	3.5	5.2	2.5	3.1	5.9
142	Gangrene	0.9	2.3	3.4	3.8	*0.5*	1.8	1.2	1.8	*1.7*	*0.8*	*2.1*	4.0
143	Furuncle	0.9	0.6	0.7	0.3	*0.5*	*0.1*	1.0	0.5	*1.7*	*0.3*	*0.5*	*0.8*
144	Acute abscess	1.3	0.7	1.1	0.6	*0.3*	*0.3*	0.9	0.6	*1.7*	*0.8*	*0.5*	.....
145	Other diseases of the skin and annexa	1.6	1.1	2.9	1.2	1.8	1.0	1.1	0.7	.....	*0.6*	.....	*1.2*
	IX.—Diseases of the bones and of the organs of locomotion.	4.1	1.6	4.6	2.5	3.7	2.4	3.5	1.4	6.0	*1.1*	3.7	2.0
146	Diseases of the bones (tuberculosis excepted)	3.4	1.2	3.9	1.9	3.3	2.0	3.2	1.0	5.2	*1.1*	3.7	*1.2*
147	Diseases of the joints (tuberculosis and rheumatism excepted)	0.4	*0.4*	*0.2*	0.4	*0.3*	*0.2*	*0.3*	0.3	*0.9*	.....	.....	*0.8*
148	Amputations	.....	.....	*0.1*	.....	.....	.....	.....	(1)	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	0.2	.....	*0.3*	*0.2*	*0.1*	*0.2*	.....	*0.1*	.....	.....	.....	.....
	X.—Malformations	20.2	16.5	20.1	17.3	17.6	15.0	13.3	10.1	25.0	22.7	21.9	13.4
150	Congenital malformations (stillbirths not included) (total).	20.2	16.5	20.1	17.3	17.6	15.0	13.3	10.1	25.0	22.7	21.9	13.4
	Hydrocephalus	1.8	1.0	1.4	1.2	1.3	1.7	1.2	0.6	.....	1.4	*0.5*	*0.8*
	Congenital malformations of the heart	12.7	11.3	11.7	9.6	9.7	8.2	8.4	5.5	20.7	14.8	12.0	7.1
	Other congenital malformations	5.7	4.2	7.1	6.6	6.7	5.1	3.8	4.1	4.3	6.4	9.4	5.5
	XI.—Early infancy	85.4	67.7	115.3	79.2	74.4	66.0	58.3	56.3	98.4	80.9	131.2	66.8
151	Congenital debility, icterus, and sclerema (total).	62.5	50.8	93.6	63.4	59.3	53.8	45.2	45.6	78.5	63.9	111.3	54.5
	Premature birth	49.1	40.1	73.5	45.1	50.3	42.7	39.0	37.4	59.5	48.2	78.4	38.3
	Congenital debility, "atrophy," "marasmus," etc.	13.4	10.7	20.1	18.3	9.0	11.1	6.2	8.3	19.0	15.7	32.9	16.2
152	Other causes peculiar to early infancy (total)	22.7	16.7	21.3	15.4	15.0	11.9	12.9	10.6	19.8	16.8	19.9	12.3
	Injuries at birth	14.1	9.7	11.1	8.6	9.5	5.8	6.8	5.5	12.1	9.8	12.0	7.1
	Other causes peculiar to early infancy [2]	8.6	7.0	10.3	6.8	5.5	6.0	6.1	5.1	7.8	7.0	7.8	5.1
153	Lack of care	*0.1*	*0.2*	*0.2*	0.3	*0.1*	*0.3*	*0.2*	(1)	.....	*0.3*	.....	.....
	XII.—Old age	4.6	13.0	27.2	37.9	7.7	17.2	2.8	13.0	13.8	26.9	18.3	41.5
154	Senility	4.6	13.0	27.2	37.9	7.7	17.2	2.8	13.0	13.8	26.9	18.3	41.5
	XIII.—External causes	100.2	84.6	145.6	99.6	96.4	76.9	140.5	73.7	205.3	234.4	107.6	100.4
	Suicide (total)	13.1	12.5	19.4	12.0	16.1	10.6	26.0	10.6	34.5	20.4	17.2	18.2
155	By poison	1.8	0.9	6.6	2.1	2.5	1.6	9.0	2.8	14.7	5.9	*1.6*	4.0
156	By asphyxia	3.8	0.9	2.5	*0.2*	3.3	.....	1.9	*0.1*	*0.9*	*0.6*	3.7	.....
157	By hanging or strangulation	1.9	3.2	3.1	3.0	2.0	3.5	2.2	1.3	.....	*1.1*	3.7	5.1
158	By drowning	1.0	2.3	0.4	0.8	0.9	0.7	0.9	0.6	.....	*0.6*	*0.5*	*0.8*
159	By firearms	3.1	4.3	4.8	4.3	6.0	3.5	9.9	5.2	14.7	9.8	7.8	7.1
160	By cutting or piercing instruments	0.8	*0.1*	1.4	1.1	1.0	1.0	0.9	0.5	*3.5*	2.0	.....	*1.2*
161	By jumping from high places	0.4	.....	*0.2*	.....	*0.3*	*0.1*	0.7	.....	*0.9*	*0.3*	.....	.....
162	By crushing	0.2	0.6	*0.2*	*0.2*	*0.1*	.....	*0.2*	.....	.....	.....	.....	.....
163	Other suicides	*0.1*	*0.2*	*0.2*	0.4	.....	*0.3*	*0.2*	*0.2*	.....	*0.3*	.....	.....

[1] Less than one-tenth of 1 per 100,000 population.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.
NEW JERSEY.		NEW YORK.		NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		
				Cities.			Rural districts.									
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
142.4	144.3	146.6	143.1	189.8	157.4	246.6	88.6	82.0	103.3	121.5	106.7	163.6	97.8	130.6	112.4	
9.7	9.3	7.4	7.5	22.9	8.0	49.0	7.8	6.3	11.2	10.2	6.7	12.1	7.4	7.7	7.7	119
120.8	125.5	124.6	121.4	145.0	131.0	169.5	69.0	67.5	72.5	91.0	86.4	133.8	81.1	110.5	96.1	120
																121
1.6	1.6	2.3	1.7	2.5	4.0	.....	3.2	3.0	3.6	2.2	1.8	2.2	1.6	2.7	*0.9*	122
0.5	*0.3*	1.0	0.7	*1.0*	*1.6*	.....	0.2	*0.3*	*0.1*	0.9	0.7	0.9	0.4	*0.2*	.....	123
0.8	1.2	0.7	2.8	3.6	*3.2*	*4.2*	2.0	1.1	3.9	1.0	3.3	1.6	2.0	1.0	4.3	124
0.4	.....	0.5	*0.2*	*2.0*	*0.8*	*4.2*	0.4	*0.1*	1.2	0.6	*0.2*	0.6	0.2	*0.2*	.....	125
2.9	3.1	3.6	5.5	3.1	4.0	*1.4*	2.7	2.3	3.6	5.1	4.7	4.2	2.6	2.9	*3.4*	126
0.1	*0.2*	0.1	(1)	.....	.....	.....	(1)	*0.1*	.....	0.3	*0.1*	(1)	*0.1*	*0.2*	.....	127
0.1	*0.1*	(1)	(1)	.....	.....	.....	.....	.....	.....	*0.1*	(1)	(1)	(1)	.....	.....	128
1.7	1.2	2.7	1.0	5.1	*2.4*	9.8	0.8	*0.3*	2.0	3.1	1.0	2.7	0.7	2.4	.....	129
1.2	*0.3*	0.9	0.6	*1.5*	.....	*4.2*	1.2	0.6	2.3	2.2	0.6	1.5	0.4	*0.6*	.....	130
0.9	0.5	1.1	1.0	*0.5*	.....	*1.4*	*0.1*	*0.1*	.....	1.4	0.6	1.1	0.8	1.0	.....	131
1.7	0.9	1.5	0.6	2.5	*2.4*	*2.8*	1.1	0.4	2.6	3.5	0.6	2.8	0.6	1.2	.....	132
.....	*0.1*	(1)	(1)	.....	.....	.....	(1)	.....	*0.1*	*0.1*	.....	0.1	*0.1*	.....	.....	133
16.2	10.9	13.9	12.2	27.5	23.2	35.0	25.7	21.4	35.4	20.9	12.2	19.8	13.8	17.1	8.6	
1.1	0.7	1.2	1.0	3.1	*3.2*	*2.8*	1.7	1.6	2.0	1.5	1.1	1.3	1.3	*0.4*	*0.9*	134
1.8	1.4	1.5	0.8	*2.0*	*3.2*	.....	3.1	2.6	4.4	2.7	1.3	1.7	1.6	1.8	*0.9*	135
1.5	1.3	1.3	1.6	*1.0*	*1.6*	.....	3.8	2.7	6.1	1.3	1.0	1.7	1.3	1.0	*1.7*	136
6.9	3.1	5.7	4.4	8.1	4.8	14.0	6.9	5.2	10.9	11.2	5.1	8.9	5.4	6.7	*1.7*	137
4.2	3.8	3.5	3.5	12.2	8.8	18.2	9.4	8.7	11.0	3.7	3.2	5.6	3.5	6.5	*3.4*	138
0.8	0.6	0.6	0.9	*1.0*	*1.6*	.....	0.6	0.5	0.9	0.4	0.5	0.5	0.5	*0.6*	.....	139
0.1	.....	0.1	*0.1*	.....	.....	.....	*0.1*	*0.1*	*0.1*	*0.1*	*0.1*	(1)	*0.1*	*0.2*	.....	140
.....	.....	(1)	.....	.....	.....	.....	(1)	*0.1*	.....	.....	.....	.....	.....	.....	.....	141
3.6	3.8	4.1	5.7	7.6	8.0	7.0	3.6	3.2	4.5	3.9	5.0	5.9	5.5	7.5	4.3	
1.2	2.4	0.9	3.5	2.5	*2.4*	*2.8*	1.3	1.2	1.5	1.2	3.4	2.0	2.8	3.7	*1.7*	142
0.6	0.5	0.9	0.4	*0.5*	*0.8*	.....	0.5	0.6	*0.4*	0.8	0.3	0.9	0.6	1.2	*0.9*	143
1.0	*0.4*	1.4	0.9	3.1	4.0	*1.4*	0.5	0.5	0.7	0.7	0.5	1.9	1.1	1.6	.....	144
0.9	0.6	0.9	0.8	*1.5*	*0.8*	*2.8*	1.3	1.0	1.9	1.2	0.8	1.0	1.0	1.0	*1.7*	145
3.8	1.8	4.5	2.4	4.6	7.2	.....	1.6	1.9	0.9	4.3	1.7	4.7	1.9	3.3	*1.7*	
3.4	1.5	4.2	1.9	4.6	7.2	.....	1.2	1.6	*0.4*	4.0	1.4	3.8	1.5	2.7	*0.9*	146
0.4	*0.2*	0.3	0.5	.....	.....	.....	*0.2*	*0.2*	*0.1*	0.2	0.2	0.7	0.3	*0.4*	*0.9*	147
.....	.....	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
0.1	*0.1*	(1)	(1)	.....	.....	.....	*0.2*	*0.1*	*0.3*	*0.1*	*0.1*	0.2	0.2	*0.2*	.....	149
19.4	21.5	14.9	16.6	14.8	17.6	9.8	9.9	11.6	5.9	20.1	16.8	21.7	21.9	14.9	19.7	
19.4	21.5	14.9	16.6	14.8	17.6	9.8	9.9	11.6	5.9	20.1	16.8	21.7	21.9	14.9	19.7	150
2.0	1.5	1.4	1.5	*1.0*	*0.8*	*1.4*	1.0	1.1	0.9	1.7	1.2	1.4	1.6	1.8	*1.7*	
11.3	13.9	8.3	10.1	10.2	12.8	*5.6*	4.4	5.7	1.5	12.0	10.7	14.6	15.2	9.4	12.9	
6.1	6.0	5.2	5.0	3.6	4.0	*2.8*	4.5	4.8	3.6	6.4	4.9	5.8	5.2	3.7	5.1	
81.4	68.5	79.7	64.0	124.6	107.8	154.1	79.3	82.0	73.1	87.2	57.7	86.0	80.1	110.5	80.7	
61.6	56.5	58.5	47.9	112.9	94.3	145.7	68.6	71.2	62.9	67.5	46.2	66.9	63.4	80.3	60.9	151
50.1	42.9	45.5	38.5	85.5	80.7	93.9	48.6	53.3	38.0	54.6	33.6	53.3	47.0	49.1	40.3	
11.5	13.5	12.9	9.4	27.5	13.6	51.8	20.1	17.9	24.9	12.9	12.5	13.6	16.5	31.2	20.6	
19.4	11.7	21.1	16.0	11.2	13.6	7.0	10.3	10.7	9.6	19.8	11.5	18.5	16.3	30.2	19.7	152
10.9	7.4	12.5	11.0	4.6	4.8	*4.2*	5.2	6.1	3.2	13.4	7.1	10.7	9.1	21.4	15.4	
8.5	4.3	8.6	4.9	6.6	8.8	*2.8*	5.1	4.6	6.4	6.3	4.5	7.9	7.3	8.8	4.3	
0.5	*0.3*	0.1	*0.1*	*0.5*	.....	*1.4*	0.3	*0.2*	*0.6*	.....	.....	0.5	0.4	.....	.....	153
5.1	13.4	4.4	17.4	12.2	13.6	9.8	32.4	25.3	48.4	8.6	18.2	6.3	11.8	14.7	36.9	
5.1	13.4	4.4	17.4	12.2	13.6	9.8	32.4	25.3	48.4	8.6	18.2	6.3	11.8	14.7	36.9	154
118.2	117.1	106.3	110.4	117.0	96.7	152.7	65.6	55.7	87.7	157.7	108.8	137.6	117.2	96.8	77.2	
14.0	14.6	14.0	14.7	4.6	7.2	.....	3.0	3.7	1.5	16.9	12.2	13.0	8.8	10.4	12.0	
1.9	1.3	1.5	2.6	.....	.....	.....	0.4	0.5	.....	4.4	2.2	2.1	1.2	*0.6*	*0.9*	155
5.5	2.6	4.8	0.5	.....	.....	.....	.....	.....	.....	0.3	*0.3*	3.3	0.2	4.3	*1.7*	156
1.8	3.6	1.9	4.4	*0.5*	*0.8*	.....	0.3	0.4	.....	2.6	3.3	1.5	2.5	1.2	*0.9*	157
0.7	0.8	0.7	1.9	*0.5*	*0.3*	.....	*0.1*	*0.1*	*0.1*	1.4	0.8	0.5	0.6	*0.8*	4.3	158
2.5	4.2	2.4	3.9	3.6	5.6	.....	1.8	2.1	1.2	6.0	4.6	4.1	3.2	2.9	*3.4*	159
1.0	1.3	1.0	1.0	.....	.....	.....	*0.2*	*0.3*	.....	1.5	0.8	1.1	0.8	*0.4*	*0.9*	160
0.3	*0.2*	1.5	0.2	.....	.....	.....	(1)	*0.1*	.....	0.6	*0.1*	0.3	*0.1*	*0.2*	.....	161
0.2	0.5	0.1	*0.1*	.....	.....	.....	(1)	.....	*0.1*	*0.1*	*0.1*	(1)	0.1	.....	.....	162
.....	*0.1*	(1)	*0.2*	.....	.....	.....	*0.1*	*0.2*	.....	.....	*0.1*	0.1	*0.1*	.....	.....	163

[1] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	84.1	70.1	115.1	84.6	76.2	63.5	90.1	58.5	134.6	200.0	87.3	80.6
164	Poisoning by food	0.4	1.4	1.5	1.3	1.3	0.8	1.0	1.0	*0.9*	*0.3*	*0.5*	2.0
165	Other acute poisonings	1.3	2.1	2.2	1.8	2.2	1.5	2.3	1.4	4.3	3.6	*2.1*	2.4
166	Conflagration	0.9	2.2	2.1	2.3	1.8	2.0	0.8	1.4	*0.9*	4.5	3.1	2.0
167	Burns (conflagration excepted)	8.9	5.5	10.8	5.6	5.0	3.5	7.4	5.8	*2.6*	6.7	7.3	3.6
168	Absorption of deleterious gases (conflagration excepted)	8.3	1.6	6.2	3.1	7.7	2.3	3.3	1.1	4.3	3.1	9.4	2.8
169	Accidental drowning	6.2	14.9	6.7	11.7	5.5	9.8	2.9	5.7	4.3	14.6	11.5	11.9
170	Traumatism by firearms	0.5	1.2	1.9	2.7	0.9	2.3	2.3	3.5	7.8	8.4	*1.0*	*1.2*
171	Traumatism by cutting or piercing instruments	0.4	*0.2*	*0.3*	*0.1*	*0.1*	0.4	*0.2*	*0.1*	*0.9*	*0.6*	.....	.....
172	Traumatism by fall	19.2	12.2	18.4	14.0	13.7	8.0	20.8	10.6	16.4	9.0	17.2	16.2
173	Traumatism in mines and quarries (total)	0.2	*0.1*	1.2	5.2	*0.5*	2.8	3.7	2.2	23.3	64.7	.....	.....
	Traumatism in mines	.....	.....	1.1	5.1	*0.5*	2.8	3.5	2.1	23.3	62.7	.....	.....
	Traumatism in quarries	0.2	*0.1*	*0.2*	*0.1*	.....	.....	*0.2*	(1)	.....	2.0	.....	.....
174	Traumatism by machines	3.1	1.2	3.7	2.2	3.7	1.7	4.0	0.9	*1.7*	2.5	*1.0*	3.2
175	Traumatism by other crushing (total)	24.0	21.4	44.3	22.9	25.3	18.2	31.5	14.0	43.1	56.0	21.4	24.1
	Railroad accidents and injuries	6.3	9.7	13.0	10.8	9.9	7.8	11.5	7.0	20.7	26.9	8.9	14.6
	Street-car accidents and injuries	3.5	1.1	10.2	2.3	2.7	*0.2*	4.3	(1)	*2.6*	*0.3*	*1.0*	.....
	Automobile accidents and injuries	10.7	8.1	16.5	6.3	9.4	5.7	11.8	3.6	14.7	11.8	9.4	6.3
	Injuries by other vehicles	2.9	2.2	3.7	2.8	3.0	3.7	3.3	2.8	4.3	13.4	*3.1*	2.4
	Landslide, other crushing	0.5	*0.2*	0.8	0.7	*0.3*	0.7	0.6	0.6	*0.9*	3.6	.....	*0.8*
176	Injuries by animals	0.5	.....	0.9	1.2	0.6	2.0	1.1	1.3	*1.7*	5.0	*1.0*	*0.8*
177	Starvation	*0.1*	.....	*0.1*	*0.1*	*0.1*	.....	.....	(1)	.....	.....	.....	.....
178	Excessive cold	0.4	1.4	0.6	0.9	0.8	1.0	*0.3*	0.7	6.0	6.2	*0.5*	2.0
179	Effects of heat	3.1	1.6	4.2	0.8	1.9	0.5	2.1	0.5	.....	.....	3.1	*0.4*
180	Lightning	*0.1*	0.9	.....	0.9	.....	0.9	.....	1.0	*0.9*	2.2	.....	*1.2*
181	Electricity (lightning excepted)	0.8	0.6	1.5	0.6	0.8	0.9	1.3	0.9	*2.6*	*0.6*	3.1	*0.8*
185	Fractures (cause not specified)	0.9	*0.2*	1.7	0.7	*0.1*	*0.1*	0.8	.....	*2.6*	*0.3*	.....	.....
186	Other external violence	4.7	1.4	6.6	6.5	4.3	4.5	4.3	6.4	10.4	11.2	4.7	6.3
	Homicide (total)	3.0	2.0	11.1	2.9	4.1	2.8	24.5	4.6	36.2	14.0	3.1	*1.6*
182	By firearms	1.7	1.4	7.3	1.8	1.9	1.3	17.2	3.5	25.0	9.2	*1.0*	*1.2*
183	By cutting or piercing instruments	0.4	*0.1*	1.7	0.4	0.8	0.7	2.9	0.5	4.3	1.7	.....	.....
184	By other means	0.9	*0.5*	2.1	0.8	1.4	0.9	4.3	0.6	6.9	3.1	*2.1*	*0.4*
	XIV.—Ill-defined diseases	7.7	8.0	4.5	13.4	1.1	9.8	2.8	26.7	19.0	31.4	6.3	7.9
187	Ill-defined organic disease	(1)	*0.1*	0.4	0.9	.....	*0.3*	*0.2*	0.7	.....	*0.6*	.....	.....
188	Sudden death	0.8	1.0	*0.2*	1.1	*0.3*	1.0	.....	1.1	*0.9*	1.4	*1.6*	2.4
189	Not specified or ill-defined (total)	6.9	6.9	3.9	11.5	0.9	8.5	2.6	24.9	18.1	29.4	4.7	5.5
	Ill-defined	5.2	6.3	2.9	4.8	*0.3*	2.2	1.4	4.7	9.5	9.0	3.1	4.7
	Not specified or unknown	1.8	0.6	1.0	6.7	0.6	6.3	1.2	20.2	8.6	20.4	*1.6*	*0.8*

(1) Less than one-tenth of 1 per 100,000 population.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.
NEW JERSEY.		NEW YORK.		NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		
				Cities.			Rural districts.									
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities	Rural districts.	Cities.	Rural districts.	
98.2	96.7	87.8	93.0	97.2	84.7	119.1	55.9	48.6	72.5	125.1	92.8	116.9	102.9	82.9	61.8	
0.7	1.0	0.5	0.8	*1.6*	.....	*4.2*	1.8	1.9	1.6	1.3	1.5	0.7	0.8	*0.8*	.....	164
1.1	1.6	1.3	1.8	3.6	*3.2*	*4.2*	1.3	0.9	2.2	2.6	1.5	1.9	1.6	1.0	.....	165
2.8	2.5	1.1	1.9	3.6	.....	9.8	1.6	0.5	3.9	3.0	1.8	1.0	1.4	*0.4*	*1.7*	166
11.9	6.6	8.8	5.0	16.8	18.4	14.0	14.4	11.2	21.5	12.0	6.2	14.9	12.6	10.0	5.1	167
8.2	5.0	9.0	2.9	*2.0*	*0.8*	*4.2*	2.8	1.9	4.8	5.4	2.9	4.9	1.8	8.6	*0.9*	168
8.6	15.3	7.9	12.8	4.1	*0.8*	9.8	2.9	2.1	4.8	5.8	6.4	5.6	7.4	8.6	22.3	169
0.7	1.4	0.5	1.6	7.1	4.8	11.2	3.9	2.9	6.2	1.9	2.1	1.6	1.7	1.2	.....	170
0.2	*0.1*	0.2	*0.1*	.....	.....	.....	*0.2*	*0.1*	*0.3*	0.5	0.3	0.2	0.2	*0.2*	.....	171
17.7	12.8	19.4	19.4	13.2	14.4	11.2	6.7	8.2	3.5	22.2	16.5	21.7	14.8	16.5	5.1	172
.....	0.8	0.1	0.5	.....	.....	.....	0.3	*0.3*	*0.3*	1.0	3.4	8.3	17.7	.....	.....	173
.....	0.8	(1)	0.5	.....	.....	.....	*0.2*	*0.2*	*0.1*	1.0	3.3	8.2	17.4	.....	.....	
.....	.....	(1)	(1)	.....	.....	.....	*0.1*	*0.1*	*0.1*	(1)	*0.1*	0.2	0.4	.....	.....	
2.6	2.5	2.8	1.7	3.6	*2.4*	*5.6*	2.2	1.8	3.0	6.8	2.1	4.9	2.9	2.7	.....	174
29.0	34.1	22.6	33.4	27.0	26.4	28.0	9.6	10.0	8.7	50.1	35.9	36.8	31.3	21.4	20.6	175
11.7	17.4	4.8	18.4	11.7	10.4	.....	5.4	5.3	5.5	21.5	22.0	16.5	18.8	4.7	6.0	
3.1	1.8	3.8	1.8	*2.0*	*0.8*	*4.2*	(1)	*0.1*	.....	7.5	3.0	4.9	1.9	3.5	*3.4*	
11.2	11.6	10.6	9.4	11.2	13.6	7.0	1.9	2.6	*0.4*	16.0	7.3	11.5	7.4	9.0	8.6	
2.6	2.7	3.0	3.3	*1.6*	*1.6*	*1.4*	1.8	1.7	1.9	3.9	3.2	3.6	2.7	2.7	*1.7*	
0.3	0.6	0.4	0.4	*0.5*	.....	*1.4*	0.5	0.3	0.9	1.2	0.5	0.3	0.4	1.4	*0.9*	
0.4	0.5	0.3	1.2	*1.5*	*1.6*	*1.4*	0.6	0.7	*0.4*	0.6	1.3	0.6	0.6	*0.6*	.....	176
0.1	.....	(1)	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	(1)	(1)	.....	.....	177
0.4	1.0	0.3	0.9	.....	.....	.....	0.5	0.3	0.9	0.7	0.8	0.7	0.9	*0.6*	*0.9*	178
8.7	4.8	6.9	2.5	*0.5*	.....	*1.4*	0.3	*0.1*	*0.6*	2.2	1.3	6.2	1.5	5.5	*3.4*	179
0.1	0.6	(1)	0.5	.....	.....	.....	1.1	0.8	1.6	*0.2*	1.0	*0.1*	0.6	.....	.....	180
0.5	1.0	0.5	0.8	*1.5*	*0.8*	*2.8*	0.5	0.6	*0.1*	1.7	0.9	1.2	1.2	*0.6*	.....	181
0.7	*0.1*	0.9	0.8	*0.5*	*0.8*	.....	*0.1*	*0.1*	.....	0.9	1.6	0.1	0.1	*0.6*	.....	185
3.9	5.2	4.5	4.3	10.7	10.4	11.2	5.2	3.9	8.1	6.1	5.2	5.5	4.0	3.5	*1.7*	186
6.0	5.8	4.5	2.7	15.3	4.8	33.6	6.7	3.5	13.8	15.7	3.9	7.6	5.5	3.5	*3.4*	
3.4	3.0	2.4	1.3	10.7	*3.2*	23.8	5.2	2.7	10.9	9.8	2.5	4.7	3.8	1.8	*2.6*	182
1.0	0.5	0.8	0.2	*1.5*	.....	*4.2*	0.5	*0.1*	1.5	2.6	0.4	0.9	0.6	*0.8*	.....	183
1.6	2.4	1.3	1.1	3.1	*1.6*	*5.6*	0.9	0.6	1.5	3.2	1.0	1.9	1.1	1.0	*0.9*	184
2.1	1.9	0.7	4.2	31.5	24.0	44.8	128.2	89.7	214.6	10.5	10.9	3.5	10.2	8.8	6.9	
.....	*0.2*	.....	*0.2*	.....	.....	.....	5.2	3.4	9.1	*0.1*	0.4	*0.1*	0.3	.....	.....	187
0.1	*0.1*	(1)	0.2	5.1	4.8	*5.6*	10.6	8.5	15.5	1.1	1.3	0.4	1.1	1.6	*0.9*	188
2.1	1.6	0.7	3.8	26.5	19.2	39.2	112.4	77.8	190.0	9.4	9.2	3.0	8.8	7.3	6.0	189
1.8	1.5	0.4	2.5	10.7	12.8	7.0	24.4	22.0	29.7	2.8	3.3	2.0	4.0	5.1	6.0	
0.3	*0.1*	0.3	1.3	15.8	6.4	32.2	88.0	55.9	160.2	6.5	5.9	1.0	4.8	2.2	.....	

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		SOUTH CAROLINA.						TENNESSEE.					
		Cities.			Rural districts.			Cities.			Rural districts.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	All causes[1]	2,617.6	1,917.5	3,478.2	1,322.5	1,052.2	1,552.4	1,817.0	1,461.4	2,561.8	1,236.1	1,116.7	1,790.6
	I.—General diseases	753.1	535.7	1,020.3	422.4	303.8	523.4	577.8	465.3	813.3	475.3	418.6	738.5
1	Typhoid fever	25.6	21.2	31.0	32.4	23.3	40.2	31.8	30.0	35.6	39.5	36.0	55.9
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	22.7	11.9	35.9	35.3	12.7	54.5	19.1	10.5	37.1	19.1	15.5	36.3
5	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3	*0.3*	*0.3*
6	Measles	34.4	37.1	31.0	30.8	34.8	27.4	29.1	33.3	20.4	35.0	35.6	31.8
7	Scarlet fever	4.4	6.6	*1.6*	1.0	1.2	0.9	2.2	3.3	.....	2.1	2.4	*0.9*
8	Whooping cough	10.2	*1.3*	21.2	12.5	4.0	19.8	14.2	9.8	23.5	18.6	17.1	25.6
9	Diphtheria and croup	11.0	15.9	*4.9*	9.5	11.8	7.5	8.8	11.2	3.8	15.9	17.1	10.1
10	Influenza	19.7	9.3	32.6	18.3	13.3	22.5	22.0	13.0	40.9	25.1	25.3	24.1
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	.....	.....	.....	0.7	0.9	*0.6*	.....	.....	.....	0.6	0.5	*0.9*
14	Dysentery	22.7	14.6	32.6	47.5	42.5	51.8	15.9	14.8	18.2	19.4	17.9	26.5
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	.....	.....	.....
18	Erysipelas	7.3	8.0	*6.6*	1.6	2.9	*0.6*	3.9	4.7	*2.3*	2.0	2.3	*0.6*
19	Other epidemic diseases	*1.5*	*2.7*	.....	0.3	*0.3*	*0.4*	*1.0*	*1.4*	.....	0.3	0.3	.....
20	Purulent infection and septicemia	5.1	*5.3*	*4.9*	1.7	1.3	2.1	3.4	2.9	4.5	2.1	1.8	3.6
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	*0.7*	.....	*1.6*	*0.3*	*0.3*	*0.2*	*0.6*	*0.7*	.....	*0.1*	*0.1*	*0.3*
24	Tetanus	17.5	13.3	22.8	2.3	0.9	3.4	4.4	3.3	6.8	1.8	1.7	2.4
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	176.2	110.1	257.5	31.4	28.0	34.3	37.4	29.6	53.8	31.5	23.6	68.1
27	Beriberi	*0.7*	*1.3*	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	249.3	139.2	384.7	134.6	63.3	195.3	234.2	148.6	413.5	190.8	157.1	347.2
28	Tuberculosis of the lungs	206.9	119.3	314.6	123.3	55.5	180.9	191.9	122.2	337.7	165.9	136.0	304.6
29	Acute miliary tuberculosis	18.3	*2.7*	37.5	4.2	1.7	6.4	14.4	2.9	38.6	4.7	2.7	14.3
30	Tuberculous meningitis	7.3	9.3	*4.9*	2.1	2.6	1.7	8.3	8.3	8.3	5.4	5.3	5.9
31	Abdominal tuberculosis	11.0	*5.3*	17.9	3.2	1.9	4.3	13.0	8.7	22.0	9.0	8.1	12.8
32	Pott's disease	*0.7*	.....	*1.6*	*0.2*	*0.4*	.....	1.2	*1.4*	*0.8*	1.2	1.2	*0.9*
33	White swellings	*0.7*	*1.3*	.....	0.4	*0.3*	*0.6*	1.2	*0.7*	*2.3*	0.6	0.5	*0.9*
34	Tuberculosis of other organs	*2.2*	*1.3*	*3.3*	0.9	0.7	1.0	3.7	3.6	3.8	3.3	2.6	6.5
35	Disseminated tuberculosis	*2.2*	.....	*4.9*	0.3	*0.1*	*0.5*	*0.5*	*0.7*	.....	0.7	0.6	*1.2*
36	Rickets	*1.5*	.....	*3.3*	1.0	*0.6*	1.4	1.2	*1.4*	*0.8*	0.5	0.5	*0.6*
37	Syphilis	39.5	10.6	75.0	12.6	3.6	20.3	25.2	14.5	47.7	9.4	3.1	38.7
38	Gonococcus infection	.....	.....	.....	0.5	*0.1*	0.7	2.7	*0.7*	6.8	0.5	*0.1*	2.4
	Cancer and other malignant tumors (total)	69.5	88.8	45.6	33.9	41.6	27.3	76.8	86.4	56.8	40.1	40.3	39.3
39	Of the buccal cavity	*2.2*	.....	*4.9*	1.3	2.2	*0.5*	2.2	2.9	*0.8*	1.3	1.2	1.8
40	Of the stomach, liver	22.7	33.2	9.8	10.8	14.4	7.6	20.8	25.3	11.4	11.9	12.5	8.9
41	Of the peritoneum, intestines, rectum	6.6	10.6	*1.6*	2.3	3.8	1.1	9.8	12.7	3.8	2.7	2.7	2.7
42	Of the female genital organs	22.7	26.5	17.9	10.9	9.2	12.3	21.3	21.7	20.4	8.6	7.2	15.5
43	Of the breast	4.4	*4.0*	*4.9*	3.1	3.5	2.8	6.4	6.1	*6.8	3.7	3.7	4.2
44	Of the skin	5.1	6.6	*3.3*	2.1	4.2	*0.4*	2.2	2.9	*0.8*	3.9	4.6	*0.6*
45	Of other organs or of organs not specified	5.8	8.0	*3.3*	3.4	4.3	2.6	14.2	14.8	12.9	8.0	8.5	5.7
46	Other tumors (tumors of the female genital organs excepted)	*0.7*	.....	*1.6*	0.3	.....	0.6	2.0	*0.7*	4.5	*0.2*	*0.2*	*0.3*
47	Acute articular rheumatism	*2.9*	*4.0*	*1.6*	3.9	2.2	5.3	6.6	3.3	13.6	5.3	4.2	10.4
48	Chronic rheumatism and gout	*1.5*	*1.3*	*1.6*	0.6	*0.6*	0.6	*0.5*	.....	*1.5*	1.7	1.8	1.5
49	Scurvy	.....	.....	.....	*0.1*	*0.1*	*0.1*	.....	.....	.....	*0.2*	*0.2*	.....
50	Diabetes	12.4	10.6	14.7	4.6	6.6	2.9	13.7	17.0	6.8	5.5	5.8	3.9
51	Exophthalmic goiter	.....	.....	.....	*0.2*	*0.3*	*0.1*	2.0	1.8	*2.3*	0.6	0.6	*0.6*
52	Addison's disease	.....	.....	.....	.....	.....	.....	*0.2*	*0.4*	.....	*0.1*	*0.1*	.....
53	Leukemia	5.8	8.0	*3.3*	0.6	0.9	*0.4*	2.2	3.3	.....	1.0	1.1	*0.6*
54	Anemia, chlorosis	3.7	6.6	.....	1.0	1.3	0.7	7.3	8.0	6.1	2.0	2.2	*0.9*
55	Other general diseases	5.1	6.6	*3.3*	1.8	2.7	1.0	3.9	4.7	*2.3*	3.0	2.9	3.6
56	Alcoholism (acute or chronic)	*1.5*	*1.3*	*1.6*	0.7	1.2	*0.4*	3.9	4.3	*3.0*	0.3	*0.3*	*0.6*
57	Chronic lead poisoning	.....	.....	.....	*0.1*	.....	*0.1*	.....	.....	.....	*0.1*	*0.1*	*0.3*
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	*0.1*	.....
59	Other chronic poisonings	.....	.....	.....	0.3	*0.6*	*0.1*	1.5	1.8	*0.8*	0.6	0.6	*0.6*
	II.—Diseases of the nervous system and of the organs of special sense.	235.4	184.3	298.3	96.4	91.4	100.6	129.2	112.4	164.3	83.5	80.1	99.7
60	Encephalitis	.....	.....	.....	0.7	*0.6*	0.7	2.0	1.8	*2.3*	1.1	1.3	*0.3*
61	Meningitis (total)	8.0	6.6	9.8	4.4	7.2	2.1	7.8	8.7	6.1	8.0	8.3	6.5
	Simple meningitis	5.1	*4.0*	*6.5*	2.7	4.3	1.4	3.9	4.7	*2.3*	4.5	4.6	3.9
	Cerebrospinal meningitis (undefined)	*0.7*	*1.3*	.....	0.4	0.7	*0.1*	2.2	1.8	*3.0*	2.0	1.9	2.1
	Cerebrospinal fever	*2.2*	*1.3*	*3.3*	1.3	2.2	0.6	1.7	2.2	*0.8*	1.5	1.7	*0.6*

[1] Exclusive of stillbirths.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.		
				Cities.			Rural districts.							
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
1,099.6	1,007.9	1,614.5	1,480.2	1,783.8	1,396.3	2,570.2	1,328.1	1,117.8	1,816.8	733.2	785.4	1,277.8	1,085.8	
227.3	211.5	369.6	354.4	464.9	372.3	652.7	382.9	300.0	575.6	219.0	219.0	331.0	280.2	
17.5	11.0	10.2	6.3	15.8	13.7	20.0	22.4	15.8	37.7	7.5	7.6	8.2	3.6	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	8.7	3.5	19.4	4.7	2.5	9.7	*0.3*	.....	*0.1*	.....	4
.....	*1.4*	.....	.....	.....	.....	.....	*0.1*	*0.2*	.....	.....	*0.1*	*0.1*	*0.1*	5
12.3	29.7	14.2	22.5	8.5	6.4	12.9	17.6	19.6	13.0	6.9	17.7	3.2	2.8	6
7.1	9.3	*6.1*	5.1	*0.9*	*1.3*	.....	0.7	0.9	*0.4*	0.8	1.7	13.5	8.0	7
1.9	4.5	*6.1*	8.9	22.0	10.5	45.2	22.5	14.8	40.4	4.6	9.5	12.8	5.8	8
9.1	10.0	10.2	7.6	5.5	5.7	5.2	11.2	13.1	6.7	2.4	3.8	19.5	10.8	9
3.9	13.5	16.2	45.6	20.3	16.2	28.4	21.2	20.0	23.8	5.2	9.3	12.0	17.3	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	*0.3*	.....	*0.3*	*0.6*	.....	*1.9*	*0.2*	*0.2*	*0.4*	.....	*0.1*	*0.2*	*0.1*	13
0.6	2.1	.....	2.2	14.3	15.0	12.9	17.7	16.5	20.6	0.9	2.0	0.8	1.9	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	.....	17
4.5	5.2	*4.1*	4.4	3.6	4.5	*1.9*	2.3	2.9	1.0	1.5	1.7	5.0	4.4	18
.....	*0.3*	.....	*1.3*	*0.4*	*0.3*	*0.6*	*0.1*	*0.2*	.....	*0.1*	*0.1*	0.7	0.5	19
2.6	*1.0*	*2.0*	2.2	3.4	4.1	*1.9*	1.5	1.6	1.5	0.9	0.7	1.8	1.6	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	*0.3*	*0.2*	.....	*0.6*	.....	.....	.....	.....	.....	*0.2*	.....	22
.....	.....	.....	.....	*0.2*	.....	*0.6*	.....	.....	.....	.....	*0.1*	*0.2*	*0.1*	23
.....	*0.3*	.....	*0.6*	4.7	2.5	9.0	1.9	1.5	2.9	*0.3*	*0.2*	1.3	0.7	24
.....	.....	*2.0*	.....	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	*0.1*	*0.1*	25
.....	.....	*4.1*	*1.0*	21.5	22.0	20.7	11.5	8.0	19.6	.....	*0.2*	*0.1*	*0.1*	26
0.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	.....	.....	27
52.0	38.6	132.0	83.6	194.4	128.4	328.3	165.2	106.3	302.3	72.4	90.0	102.2	96.3	
38.3	31.4	101.5	66.8	157.9	103.2	268.8	144.1	91.3	267.0	51.2	75.5	80.7	83.3	28
1.9	*1.4*	*8.1*	1.6	10.7	2.5	27.1	4.5	2.1	10.1	4.0	3.3	3.0	1.6	29
3.2	2.8	14.2	8.2	12.4	11.8	13.6	4.5	4.0	5.5	10.7	4.5	10.1	5.0	30
3.2	*1.4*	*4.1*	3.8	8.7	6.4	13.6	6.5	4.7	10.9	3.2	3.2	4.4	3.0	31
1.3	*0.3*	.....	*0.6*	*0.9*	*1.0*	*0.6*	1.0	0.7	1.7	1.1	1.2	1.1	0.7	32
0.6	.....	.....	*0.6*	*0.9*	*0.6*	*1.3*	0.9	0.6	1.5	0.6	*0.2*	*0.3*	0.6	33
3.2	*0.7*	*2.0*	1.6	1.9	1.6	*2.6*	3.2	2.6	4.4	1.4	1.7	1.9	1.5	34
.....	*0.7*	*2.0*	*0.3*	1.1	*1.3*	*0.6*	0.5	*0.2*	1.1	*0.1*	*0.2*	0.6	0.4	35
.....	*1.0*	.....	*0.6*	1.5	.....	4.5	0.7	*0.3*	1.5	*0.4*	.....	1.5	0.8	36
3.9	8.6	*0.1*	1.9	28.4	14.3	56.9	9.6	4.0	22.5	10.2	3.8	6.4	4.6	37
0.6	*0.3*	.....	*0.3*	2.3	*1.0*	5.2	0.6	*0.2*	1.3	*0.3*	*0.2*	0.7	*0.1*	38
70.8	44.2	99.5	109.0	70.6	79.6	52.3	48.6	49.2	47.3	70.7	46.9	94.5	77.6	
3.9	*1.0*	*8.1*	2.5	2.1	2.5	*1.3*	1.9	2.4	1.0	2.2	1.8	2.0	2.2	39
27.9	25.2	32.5	38.3	21.8	25.5	14.2	16.7	16.5	17.2	26.7	24.1	40.0	40.7	40
7.8	3.8	10.2	20.6	6.0	7.3	3.2	5.0	5.6	3.6	9.3	5.9	15.8	10.3	41
9.7	5.2	16.2	16.8	18.6	19.1	17.4	10.0	8.5	13.3	11.4	4.7	11.6	6.9	42
6.5	2.4	*8.1*	7.0	7.5	7.0	8.4	4.6	4.3	5.1	5.7	2.6	7.0	4.8	43
2.6	1.7	*6.1*	4.8	1.9	2.5	*0.6*	2.7	3.6	*0.6*	1.5	1.5	1.8	2.9	44
12.3	4.8	18.3	19.0	12.8	15.6	7.1	7.7	8.3	6.5	13.8	6.4	16.3	9.7	45
1.3	.....	.....	*1.3*	*0.4*	*0.6*	.....	0.3	*0.3*	*0.4*	*0.1*	*0.4*	*0.3*	*0.1*	46
6.5	3.8	*2.0*	4.1	5.5	3.5	9.7	5.4	4.3	8.2	2.7	2.2	5.5	5.6	47
.....	2.4	.....	1.6	1.7	1.9	*1.3*	2.0	2.0	2.1	0.8	0.9	1.6	2.2	48
.....	.....	.....	.....	*0.2*	.....	*0.6*	*0.1*	.....	*0.2*	*0.3*	.....	*0.2*	*0.1*	49
7.1	12.1	22.3	22.5	14.1	17.8	6.5	7.3	8.3	5.0	13.7	11.2	16.7	16.3	50
3.2	*1.0*	*2.0*	3.2	1.5	1.9	*0.6*	0.6	0.6	*0.3*	3.3	1.2	4.5	2.1	51
.....	.....	.....	*1.3*	*0.2*	*0.3*	.....	*0.1*	*0.2*	.....	0.6	*0.4*	*0.3*	0.5	52
1.9	1.7	*4.1*	2.5	2.3	2.9	*1.3*	1.4	1.4	1.5	1.5	1.0	2.2	2.7	53
5.8	1.7	14.2	8.6	5.1	7.0	*1.3*	2.0	2.3	1.3	5.9	3.8	5.9	7.7	54
2.6	4.5	*4.1*	1.9	2.8	3.5	*1.3*	2.3	2.1	2.7	2.2	0.9	2.8	1.5	55
9.1	2.4	*8.1*	2.5	2.3	2.9	*1.3*	0.5	0.5	*0.6*	1.9	1.0	5.1	3.7	56
1.3	*0.3*	.....	.....	*0.2*	*0.3*	.....	*0.2*	*0.2*	*0.2*	*0.1*	*0.1*	*0.3*	0.3	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	.....	.....	58
0.6	.....	.....	*1.3*	*0.4*	*0.6*	.....	*0.2*	*0.2*	*0.4*	*0.3*	.....	*0.2*	*0.2*	59
86.4	75.5	158.4	186.2	179.0	137.0	264.3	135.1	119.9	170.6	63.9	91.6	105.8	124.8	
1.9	*0.3*	*6.1*	*0.3*	1.9	*1.0*	3.9	1.0	0.9	1.3	*0.4*	*0.5*	*0.5*	0.9	60
7.8	7.9	12.2	7.3	10.5	9.9	11.6	8.9	9.5	7.4	2.7	3.6	9.1	4.9	61
0.6	2.8	*3.1*	6.0	4.9	4.5	5.8	4.1	4.7	2.7	1.4	1.6	4.1	1.8	
3.9	3.4	*2.0*	*1.3*	2.6	2.5	*2.6*	2.9	3.1	2.3	0.8	0.9	1.6	1.3	
3.2	1.7	*2.0*	.....	3.0	2.9	3.2	1.9	1.7	2.5	*0.5*	1.2	3.4	1.8	

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		SOUTH CAROLINA.						TENNESSEE.					
		Cities.			Rural districts.			Cities.			Rural districts.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
62	Locomotor ataxia	2.2	1.3	3.3	0.3	0.1	0.5	2.7	2.9	2.3	0.7	0.4	1.8
63	Other diseases of the spinal cord (total)	5.8	6.6	4.9	3.3	4.0	2.7	6.6	6.9	6.1	4.5	4.7	3.6
	Acute anterior poliomyelitis				1.1	1.4	0.9	0.5	0.7		1.4	1.3	1.5
	Other diseases of the spinal cord [1]	5.8	6.6	4.9	2.2	2.6	1.8	6.1	6.1	6.1	3.2	3.4	2.1
64	Cerebral hemorrhage, apoplexy	147.0	111.4	190.7	47.3	51.7	43.5	69.0	62.5	82.5	32.6	31.6	37.2
65	Softening of the brain	1.5	1.3	1.6	0.3	0.3	0.2	1.7	2.2	0.8	1.4	1.5	0.9
66	Paralysis without specified cause	20.5	15.9	26.1	23.8	16.9	29.6	16.4	10.5	28.8	18.2	17.6	21.4
67	General paralysis of the insane	21.9	14.6	31.0	0.7	0.7	0.7	3.2	2.9	3.8	2.1	1.5	4.8
68	Other forms of mental alienation	4.4	4.0	4.9	0.5	0.4	0.5	2.4	1.1	5.3	2.0	1.6	3.9
69	Epilepsy	13.2	10.6	16.3	3.0	2.5	3.4	3.9	2.5	6.8	5.0	4.1	9.2
70	Convulsions (nonpuerperal)	0.7	1.3		0.8	0.4	1.1				0.4	0.4	0.6
71	Convulsions of infants	3.7	1.3	6.5	8.1	2.6	12.8	3.2	1.4	6.8	2.6	2.1	5.1
72	Chorea				0.1	0.1					0.2	0.3	
73	Neuralgia and neuritis	0.7	1.3		0.3	0.6	0.1	0.2	0.4		0.4	0.3	0.6
74	Other diseases of the nervous system	4.4	6.6	1.6	2.1	2.3	1.8	6.4	4.7	9.8	3.3	3.3	3.3
75	Diseases of the eyes and their annexa				0.1	0.1	0.1	0.2		0.8	0.1	0.1	
76	Diseases of the ears	1.5	1.3	1.6	0.7	0.7	0.6	3.4	4.0	2.3	0.9	1.0	0.6
	III.—Diseases of the circulatory system.	369.2	274.5	485.7	98.5	98.8	98.3	199.2	151.5	299.1	102.2	93.0	144.9
77	Pericarditis	2.9		6.5	1.3	0.7	1.7	1.5	0.4	3.8	1.2	1.0	2.4
78	Acute endocarditis	16.0	14.6	17.9	4.4	3.8	4.9	10.8	5.4	22.0	2.0	1.7	3.3
79	Organic diseases of the heart	230.3	153.8	324.3	82.4	81.2	83.4	149.8	109.5	234.0	85.4	77.1	124.4
80	Angina pectoris	14.6	23.9	3.3	2.7	4.6	1.0	8.6	9.8	6.1	3.9	3.9	3.6
81	Diseases of the arteries, atheroma, aneurism, etc.	99.4	80.9	122.2	5.2	5.8	4.8	18.4	17.4	20.4	7.7	7.6	8.3
82	Embolism and thrombosis	2.9	1.3	4.9	0.8	1.0	0.6	5.4	6.1	3.8	1.2	1.2	1.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.	1.5		3.3	0.3	0.1	0.5	2.4	1.4	4.5	0.3	0.2	0.6
84	Diseases of the lymphatic system (lymphangitis, etc.).				0.3	0.4	0.1	0.5		1.5	0.2	0.1	0.3
85	Hemorrhage; other diseases of the circulatory system.	1.5		3.3	1.2	1.2	1.2	2.0	1.4	3.0	0.4	0.3	0.9
	IV.—Diseases of the respiratory system	234.0	163.1	321.1	128.0	98.9	152.7	203.4	139.2	337.7	118.8	107.0	173.7
86	Diseases of the nasal fossae	0.7	1.3		7.2	1.7	11.8	0.5		1.5	0.8	0.7	1.2
87	Diseases of the larynx				0.5	0.7	0.4	1.2	1.1	1.5	1.6	1.6	1.8
88	Diseases of the thyroid body	2.2	4.0		0.4	0.3	0.5	1.5	1.1	2.3	0.3	0.3	0.6
89	Acute bronchitis	6.6	5.3	8.1	3.8	3.8	3.8	5.9	3.6	10.6	4.5	4.4	5.1
90	Chronic bronchitis	2.2	1.3	3.3	2.1	2.3	1.8	8.6	6.5	12.9	5.2	4.7	7.7
91	Bronchopneumonia	51.2	33.2	73.3	19.9	22.0	18.2	46.5	32.9	75.0	28.1	26.1	37.2
92	Pneumonia (total)	152.8	102.1	215.1	88.6	63.6	109.8	118.7	79.2	201.4	70.6	62.1	110.1
	Lobar pneumonia	130.2	84.9	185.8	42.7	39.4	45.4	90.3	58.9	156.0	40.6	34.8	67.2
	Pneumonia (undefined)	22.7	17.2	29.3	45.9	24.1	64.4	28.4	20.2	45.4	30.0	27.2	42.8
93	Pleurisy	6.6	4.0	9.8	1.3	1.4	1.1	8.6	5.4	15.1	1.5	1.2	3.0
94	Pulmonary congestion, pulmonary apoplexy	2.9	4.0	1.6	0.6	0.9	0.4	3.2	2.5	4.5	1.4	1.6	0.6
95	Gangrene of the lung										0.2	0.2	0.3
96	Asthma	5.1	2.7	8.1	1.9	1.0	2.7	4.2	3.3	6.1	2.5	2.1	4.8
97	Pulmonary emphysema	0.7	1.3		0.1		0.1	0.5	0.4	0.8	0.2	0.2	
98	Other diseases of the respiratory system (tuberculosis excepted).	2.9	4.0	1.6	1.7	1.3	2.1	4.2	3.3	6.1	2.0	2.1	1.5
	V.—Diseases of the digestive system	288.8	202.9	394.4	146.9	135.8	156.4	197.0	178.6	235.5	119.8	115.5	139.8
99	Diseases of the mouth and annexa	0.7	1.3		3.9	1.4	5.9	1.5	0.4	3.8	1.3	1.0	2.4
100	Diseases of the pharynx	5.1	6.6	3.3	2.1	1.0	2.9	2.7	3.3	1.5	1.7	1.7	1.8
101	Diseases of the esophagus	1.5	2.7		0.1		0.1	0.2	0.4				
102	Ulcer of the stomach	5.8	6.6	4.9	2.3	2.7	2.0	4.2	3.6	5.3	2.5	2.6	2.1
103	Other diseases of the stomach (cancer excepted).	16.1	8.0	26.1	22.6	12.6	31.2	17.6	9.8	34.1	13.9	12.7	19.6
104	Diarrhea and enteritis (under 2 years)	135.3	66.3	220.0	74.3	76.8	72.2	54.1	51.0	60.6	47.2	46.0	52.7
105	Diarrhea and enteritis (2 years and over)	46.8	26.5	71.7	17.8	19.9	16.0	25.9	22.1	34.1	24.3	23.8	26.5
106	Ankylostomiasis				0.3	0.4	0.1	0.2		0.8	0.2	0.3	
107	Intestinal parasites				2.5	0.3	4.4	0.2	0.4		0.6	0.5	1.2
108	Appendicitis and typhlitis	27.1	29.2	24.4	5.3	5.2	5.4	27.4	26.4	29.5	5.7	6.0	4.5
109	Hernia, intestinal obstruction (total)	21.2	19.9	22.8	6.6	5.2	7.9	21.3	19.5	25.0	6.8	6.0	10.1
	Hernia	6.6	6.6	6.5	1.5	0.3	2.6	5.6		7.6	1.4	1.1	3.0
	Intestinal obstruction	14.6	13.3	16.3	5.1	4.9	5.3	15.7		17.4	5.3	4.9	7.1
110	Other diseases of the intestines	2.9	4.0	1.6	2.0	1.7	2.2	4.4	5.1	3.0	1.5	1.2	2.7
111	Acute yellow atrophy of the liver	0.7	1.3		0.2	0.3	0.1				0.5	0.5	0.3
112	Hydatid tumor of the liver												
113	Cirrhosis of the liver	8.8	10.6	6.5	2.1	2.5	1.7	11.0	10.1	12.9	4.3	4.0	5.4
114	Biliary calculi	2.2	4.0		0.7	1.0	0.4	6.1	7.6	3.0	2.2	2.5	0.9
115	Other diseases of the liver	6.6	8.0	4.9	2.3	2.6	2.1	12.5	13.0	11.4	4.4	4.4	4.8
116	Diseases of the spleen	0.7	1.3		0.1	0.3		0.2		0.8	0.4	0.4	0.6
117	Simple peritonitis (nonpuerperal)	5.8	5.3	6.5	1.7	1.7	1.7	5.6	4.7	7.6	2.2	1.7	4.2
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	1.5	1.3	1.6				1.7	1.4	2.3	0.2	0.1	0.3

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.		
				Cities.			Rural districts.							
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
1.8	0.3	2.0	4.1	3.8	3.2	5.2	0.9	0.7	1.1	1.7	1.4	2.0	2.5	62
5.8	3.1	2.0	11.4	6.6	4.5	11.0	7.7	8.4	6.1	3.8	3.7	5.1	7.0	63
0.6	----	2.0	4.4	0.6	0.6	0.6	3.7	4.3	2.5	0.5	0.4	0.8	1.2	
5.2	3.1	----	7.0	6.0	3.8	10.3	4.0	4.1	3.6	3.3	3.3	4.3	5.8	
50.7	45.9	109.7	134.6	114.8	87.0	171.3	66.8	59.9	82.9	41.7	49.3	68.8	77.3	64
----	----	2.0	1.0	4.9	4.8	5.2	1.7	1.9	1.3	0.5	0.7	0.5	0.6	65
1.9	2.4	6.1	3.2	13.0	8.9	21.3	22.1	19.7	27.8	2.7	5.2	2.6	3.8	66
1.9	2.4	4.1	5.1	3.8	3.5	4.5	3.2	2.9	4.0	1.5	11.9	2.2	6.9	67
2.6	0.7	2.0	2.2	1.3	1.0	1.9	2.7	2.5	3.0	0.6	4.7	1.4	4.4	68
0.6	3.8	4.1	7.6	4.5	4.1	5.2	7.6	4.9	13.9	1.5	3.2	2.4	4.6	69
----	----	----	----	0.6	0.3	1.3	0.6	0.2	1.5	----	0.1	0.2	0.2	70
1.8	2.4	2.0	2.5	6.4	1.6	16.2	7.5	4.1	15.2	0.8	2.6	4.9	5.2	71
----	0.3	----	0.3	----	----	----	0.1	0.1	----	----	0.4	----	0.1	72
----	----	----	0.3	0.6	0.6	0.6	0.6	0.6	0.8	0.3	0.4	0.7	0.5	73
3.9	3.4	4.1	4.1	3.6	4.1	2.6	2.8	2.6	3.2	3.1	2.8	3.4	4.4	74
----	0.3	----	0.3	0.2	----	0.6	----	----	----	----	0.1	0.1	0.1	75
6.5	2.1	2.0	1.9	2.3	2.5	1.9	1.0	1.1	0.8	2.7	1.1	2.0	1.5	76
144.8	120.4	270.1	299.3	229.1	189.8	308.9	147.9	127.6	195.2	105.5	105.2	159.1	162.5	
1.8	0.7	2.0	1.0	0.6	0.3	1.3	0.9	0.8	1.0	1.0	0.4	0.7	1.6	77
9.7	4.8	6.1	7.0	10.0	6.4	17.4	2.6	2.1	3.8	10.3	4.7	14.7	6.4	78
108.5	99.0	203.1	217.6	186.7	151.0	259.2	125.1	105.0	172.1	73.6	77.7	109.4	121.4	79
2.6	3.1	18.3	19.0	6.8	8.0	4.5	4.8	5.5	3.0	5.7	6.9	7.7	6.0	80
18.2	8.6	38.6	49.4	17.5	16.9	18.7	12.6	12.5	12.8	10.5	12.8	19.1	22.8	81
3.2	2.8	2.0	5.1	6.4	6.1	7.1	1.2	1.1	1.3	2.9	1.7	3.1	2.9	82
0.6	0.3	----	0.3	0.2	0.3	----	0.1	0.2	----	0.4	0.1	1.3	0.8	83
0.6	0.3	----	----	0.9	1.0	0.6	0.2	0.3	----	0.8	0.5	2.7	0.3	84
----	0.7	----	----	----	----	----	0.4	0.1	1.1	0.3	0.5	0.5	0.3	85
115.6	134.9	192.9	195.8	232.1	128.0	443.3	132.3	109.9	184.5	60.2	68.2	188.9	129.4	
0.6	0.3	----	0.3	0.4	0.3	0.6	2.6	1.3	5.5	0.1	0.5	0.3	0.2	86
----	1.7	2.0	0.3	0.2	----	0.6	1.4	1.5	1.1	0.5	0.4	2.2	1.1	87
2.6	0.3	6.1	1.6	1.9	1.6	2.6	0.5	0.4	0.8	0.6	0.6	1.0	0.5	88
4.5	8.6	16.2	14.6	10.5	3.5	24.6	6.2	4.8	9.3	1.9	1.5	13.2	7.2	89
3.2	2.4	6.1	14.9	6.0	2.9	12.3	4.6	4.6	4.8	2.2	2.2	7.8	9.0	90
34.4	54.5	58.9	48.8	57.8	32.2	109.9	31.5	29.1	37.0	15.7	20.7	48.8	32.7	91
65.6	58.6	85.3	108.3	132.5	72.3	254.6	76.1	60.3	112.6	34.6	37.1	105.0	70.5	92
61.7	50.7	69.0	71.9	111.4	55.7	224.2	45.5	37.2	64.8	32.8	32.9	92.2	56.5	
3.9	7.9	16.2	36.4	21.1	16.6	30.4	30.6	23.1	47.8	1.8	4.2	12.8	14.1	
1.8	1.7	2.0	2.2	7.3	6.4	9.0	2.6	2.3	3.2	1.7	1.5	4.7	2.8	93
1.9	0.3	3.1	2.5	6.6	4.1	11.6	1.9	2.2	1.3	0.8	1.0	1.8	1.6	94
----	0.3	4.1	----	0.2	0.3	----	0.2	0.2	0.4	0.6	----	0.1	0.4	95
0.6	2.4	4.1	1.9	4.7	2.5	9.0	2.8	2.0	4.6	1.0	2.5	2.4	2.4	96
----	0.7	----	----	0.9	0.6	1.3	----	----	----	----	----	0.3	0.3	97
0.6	2.8	----	0.3	3.2	1.3	7.1	1.9	1.1	3.8	0.4	0.5	1.3	0.8	98
134.4	107.3	178.7	95.0	202.0	155.4	296.6	122.5	114.5	140.8	70.7	61.5	147.6	85.2	
0.6	----	2.0	0.6	2.1	1.6	3.2	1.8	1.2	3.2	0.8	0.2	1.3	0.7	99
7.8	5.2	----	4.4	2.8	2.2	3.9	1.4	1.9	0.4	3.4	2.9	4.1	3.5	100
1.3	----	4.1	0.6	----	----	----	----	----	----	----	0.1	----	0.2	101
6.5	4.8	8.1	3.8	6.8	4.1	12.3	2.6	2.3	3.4	4.3	2.3	6.3	4.5	102
3.2	4.5	4.1	5.1	11.1	6.7	20.0	13.2	11.7	16.6	3.3	4.4	7.4	7.7	103
37.0	40.4	40.6	25.0	90.2	56.1	159.6	59.5	55.6	68.6	12.8	17.7	45.6	22.1	104
11.0	10.7	8.1	11.7	20.1	16.9	26.5	18.5	17.9	19.8	6.3	9.8	11.1	8.2	105
----	----	----	----	0.2	0.3	----	0.1	0.1	0.2	----	----	----	----	106
----	0.3	----	----	0.4	0.3	0.6	1.2	0.7	2.3	----	0.1	----	0.1	107
30.5	17.6	40.6	11.4	18.8	19.1	18.1	4.9	4.5	5.9	15.1	6.3	22.5	9.3	108
13.6	8.3	16.2	8.9	18.3	16.9	21.3	6.9	7.2	6.3	7.9	6.5	19.0	9.7	109
2.6	1.0	8.1	3.8	4.7	4.1	5.8	1.9	1.8	2.1	2.8	2.0	5.7	2.7	
11.0	7.2	8.1	5.1	13.7	12.7	15.5	5.0	5.4	4.2	5.1	4.5	13.3	7.0	
1.8	2.8	6.1	2.2	5.1	6.1	3.2	1.9	1.4	3.2	2.7	1.4	2.5	1.8	110
----	0.7	2.0	1.0	0.4	0.6	----	0.2	0.2	----	0.4	0.3	0.7	0.2	111
----	----	----	----	----	----	----	----	----	----	----	----	----	----	112
7.8	3.4	14.2	9.2	12.2	11.8	12.9	3.8	3.9	3.8	4.9	3.8	14.5	9.5	113
3.9	1.7	14.2	2.9	3.6	4.8	1.3	1.7	2.0	0.8	2.4	1.2	4.2	2.7	114
5.2	3.4	14.2	5.1	5.1	5.1	5.2	2.4	2.0	3.2	4.3	2.5	5.8	3.6	115
----	----	----	----	0.2	----	0.6	0.2	0.2	----	----	0.1	0.3	0.1	116
3.2	2.8	4.1	2.5	3.8	2.2	7.1	1.9	1.6	2.9	0.8	1.7	1.5	1.2	117
1.3	0.7	----	0.6	0.6	0.6	0.6	0.1	0.1	0.2	1.3	0.1	0.9	0.2	118

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		SOUTH CAROLINA.						TENNESSEE.					
		Cities.			Rural districts.			Cities.			Rural districts.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	307.8	249.3	379.8	92.9	83.6	100.8	174.0	141.0	243.1	71.8	63.1	112.2
119	Acute nephritis	26.3	15.9	39.1	7.5	4.9	9.7	19.8	11.2	37.9	4.7	3.7	9.5
120	Bright's disease	249.3	204.2	304.8	72.6	70.9	74.1	117.7	104.8	144.6	56.3	49.9	86.3
121	Chyluria												
122	Other diseases of the kidneys and annexa	8.8	8.0	9.8	6.6	3.5	9.3	2.7	3.3	*1.5*	2.8	3.1	1.8
123	Calculi of the urinary passages	*0.7*	*1.3*		*0.3*	*0.1*	*0.4*	*1.0*	*1.4*		0.4	0.4	*0.3*
124	Diseases of the bladder	*2.2*	*1.3*	*3.3*	1.1	1.0	1.2	2.9	1.8	5.3	2.1	1.9	3.3
125	Diseases of the urethra, urinary abscess, etc.	*2.9*	*1.3*	*4.9*	0.3		0.6	2.9	*0.7*	7.6	0.4	0.3	*0.6*
126	Diseases of the prostate	8.0	9.3	*6.5*	1.3	1.3	1.2	7.1	6.1	9.1	2.3	2.3	2.4
127	Nonvenereal diseases of the male genital organs.				*0.1*	*0.3*		*0.2*		*0.8*	*0.1*		*0.3*
128	Uterine hemorrhage (nonpuerperal)				*0.1*		*0.1*				*0.1*	*0.1*	*0.3*
129	Uterine tumor (noncancerous)	3.7	*4.0*	*3.3*	0.6	*0.1*	1.0	5.6	*1.4*	14.4	0.6	0.3	2.1
130	Other diseases of the uterus	*2.2*	*2.7*	*1.6*	1.7	0.9	2.5	6.4	5.3	7.6	1.0	0.6	2.7
131	Cysts and other tumors of the ovary				*0.2*	*0.4*		*0.7*	*0.4*	*1.5*	0.3	*0.3*	*0.6*
132	Salpingitis and other diseases of the female genital organs.	3.7	*1.3*	*6.5*	0.5	*0.1*	0.7	6.9	4.0	12.9	0.6	0.3	2.1
133	Nonpuerperal diseases of the breast (cancer excepted).												
	VII.—The puerperal state	30.7	21.2	42.4	26.3	20.9	30.8	27.7	22.4	38.6	16.1	14.0	25.9
134	Accidents of pregnancy				1.2	1.6	0.9	2.4	1.8	3.8	1.4	1.3	1.5
135	Puerperal hemorrhage	*2.2*		*4.9*	2.2	1.9	2.5	*0.7*	*1.1*		1.2	1.3	*0.9*
136	Other accidents of labor	*1.5*	*1.3*	*1.6*	5.8	3.5	7.7	2.4	2.2	*3.0*	2.3	2.1	3.3
137	Puerperal septicemia	11.0	6.6	16.3	6.4	4.8	7.7	13.7	10.8	19.7	6.1	4.3	14.6
138	Puerperal albuminuria and convulsions	15.4	11.9	19.6	10.4	9.1	11.5	8.1	6.1	12.1	4.7	4.6	5.1
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	*0.7*	*1.3*		*0.3*	*0.1*	*0.4*	*0.2*	*0.4*		0.3	*0.3*	*0.6*
140	Following childbirth (not otherwise defined)				*0.1*		*0.1*				*0.1*	*0.1*	
141	Puerperal diseases of the breast												
	VIII.—Diseases of the skin and of the cellular tissue.	9.5	8.0	11.4	2.1	1.2	2.9	5.9	4.7	8.3	3.3	2.8	5.9
142	Gangrene	3.7	*1.3*	*6.5*	0.7	0.7	0.7	2.2	*1.1*	4.5	1.6	1.3	2.7
143	Furuncle	*1.5*	*1.3*	*1.6*	*0.3*		*0.5*	*0.2*	*0.4*		0.3	0.3	*0.3*
144	Acute abscess	3.7	*5.3*	*1.6*	0.7	*0.4*	0.9	2.2	1.8	*3.0*	*0.2*	*0.2*	*0.3*
145	Other diseases of the skin and annexa	*0.7*		*1.6*	0.5		0.9	1.2	*1.4*	*0.8*	1.2	0.9	2.7
	IX.—Diseases of the bones and of the organs of locomotion.	5.8	6.6	*4.9*	1.1	1.3	1.0	7.3	9.0	3.8	1.7	1.7	1.8
146	Diseases of the bones (tuberculosis excepted)	5.1	*5.3*	*4.9*	1.0	1.2	0.9	6.9	9.0	*2.3*	1.2	1.2	*1.2*
147	Diseases of the joints (tuberculosis and rheumatism excepted).				*0.1*	*0.1*	*0.1*	*0.5*		*1.5*	0.3	0.3	*0.3*
148	Amputations												
149	Other diseases of the organs of locomotion	*0.7*	*1.3*								*0.2*	*0.2*	*0.3*
	X.—Malformations	13.2	17.2	8.1	7.2	10.0	4.9	10.5	14.5	*2.3*	7.6	8.5	3.6
150	Congenital malformations (stillbirths not included) (total).	13.2	17.2	8.1	7.2	10.0	4.9	10.5	14.5	*2.3*	7.6	8.5	3.6
	Hydrocephalus				1.9	1.0	2.7	*0.7*	*1.1*		0.8	0.8	*0.9*
	Congenital malformations of the heart	11.0	14.6	*6.5*	2.9	5.5	0.7	7.1	9.4	*2.3*	3.5	4.0	1.5
	Other congenital malformations	*2.2*	*2.7*	*1.6*	2.4	3.5	1.5	2.7	4.0		3.3	3.7	*1.2*
	XI.—Early infancy	198.2	132.6	278.7	127.0	96.1	153.3	65.6	57.8	81.8	54.1	54.5	52.1
151	Congenital debility, icterus, and sclerema (total).	179.9	115.4	259.2	116.7	85.5	143.2	55.5	50.3	66.6	47.0	48.1	41.9
	Premature birth	92.9	99.5	84.8	86.9	65.7	104.9	37.4	33.6	45.4	33.4	34.9	26.5
	Congenital debility, "atrophy," "marasmus," etc.	87.0	15.9	174.4	29.8	19.8	38.3	18.1	16.6	21.2	13.6	13.2	15.5
152	Other causes peculiar to early infancy (total)	18.3	17.2	19.6	10.0	10.3	9.8	10.0	7.6	15.1	6.9	6.3	9.5
	Injuries at birth	5.8	8.0	*3.3*	3.3	4.8	2.1	4.6	4.0	6.1	2.8	2.6	3.9
	Other causes peculiar to early infancy[1]	12.4	9.3	16.3	6.7	5.5	7.7	5.4	3.6	9.1	4.1	3.7	5.7
153	Lack of care				*0.3*	*0.3*	*0.2*				*0.2*	*0.1*	*0.6*
	XII.—Old age	6.6	10.6	*1.6*	31.1	18.8	41.5	15.9	15.5	16.7	26.8	23.6	41.6
154	Senility	6.6	10.6	*1.6*	31.1	18.8	41.5	15.9	15.5	16.7	26.8	23.6	41.6
	XIII.—External causes	142.6	106.1	187.4	69.6	52.0	84.6	142.7	115.3	199.9	61.1	54.6	91.0
	Suicide (total)	6.6	11.9		2.1	3.5	0.9	10.0	13.0	3.8	4.3	4.9	1.5
155	By poison	*0.7*	*1.3*		*0.3*	*0.6*		4.6	5.4	*3.0*	0.7	0.8	*0.6*
156	By asphyxia	*1.5*	*2.7*					1.2	1.8				
157	By hanging or strangulation	*1.5*	*2.7*		*0.1*	*0.1*		*0.5*	*0.7*		0.8	1.0	
158	By drowning							*0.7*	*0.7*	*0.8*	0.4	0.4	
159	By firearms	*1.5*	*2.7*		1.6	2.6	0.7	2.0	2.9		1.9	2.1	*0.9*
160	By cutting or piercing instruments	*0.7*	*1.3*		*0.1*		*0.1*	*0.7*	*1.1*		*0.2*	*0.2*	
161	By jumping from high places	*0.7*	*1.3*					*0.2*	*0.4*		*0.1*	*0.1*	
162	By crushing				*0.1*	*0.1*							
163	Other suicides										0.3	0.3	

[1] Exclusive of injuries at birth.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.		
				Cities.			Rural districts.							
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
107.2	73.5	148.3	124.5	183.3	163.1	224.3	104.4	88.6	141.0	65.8	50.2	96.0	76.7	
9.1	6.9	*8.1*	8.2	17.9	9.2	35.5	7.4	6.0	10.7	3.1	2.7	4.8	5.0	119
77.3	56.2	119.8	102.9	140.6	132.5	157.0	86.8	74.1	116.3	46.6	39.8	74.5	59.3	120
														121
3.9	2.1	*2.0*	*1.0*	5.1	5.7	3.9	2.1	2.1	1.9	2.7	1.7	1.8	2.1	122
0.6	*1.4*	*2.0*	*0.6*	1.1	*1.3*	*0.8*	*0.2*	*0.2*	*0.2*	0.6	*0.1*	0.6	0.4	123
1.9	*0.3*		3.2	1.7	*1.3*	*2.6*	1.5	1.2	2.3	*0.5*	*0.5*	2.2	2.9	124
0.6	*0.7*			1.7	1.6	*1.9*	0.5	*0.1*	1.5	0.6		*0.2*	*0.1*	125
5.2	3.1	*3.1*	5.1	6.2	7.0	4.5	3.0	3.0	3.0	5.4	2.9	4.5	4.4	126
							0.1	*0.1*		*0.1*			*0.1*	127
0.6							*0.1*		*0.4*					128
2.6	*1.4*	*6.1*	*1.3*	3.6	*1.0*	9.0	0.6	0.4	1.1	2.0	0.9	2.6	0.9	129
1.3			*0.6*	2.3	2.2	*2.6*	1.1	0.7	2.3	1.7	*0.4*	1.4	0.3	130
0.6	*0.3*	*2.6*	*1.0*	1.1	*0.3*	*2.6*	0.3	*0.3*	*0.4*	*0.3*	*0.5*	1.4	0.6	131
3.2	*1.0*		*0.6*	1.9	*1.0*	3.9	0.6	0.5	1.0	2.2	0.7	1.9	0.6	132
												0.1		133
16.9	19.0	12.2	13.3	30.9	25.5	42.0	20.2	15.6	30.9	11.8	9.9	14.4	12.9	
0.6	1.7		*1.3*	1.3	*0.6*	*2.6*	1.6	1.1	2.7	1.0	*0.4*	1.7	1.3	134
2.6	3.8	*2.0*	2.5	1.9	*1.3*	3.2	1.7	1.6	1.7	0.9	1.1	1.0	1.3	135
1.3	*1.0*		*1.0*	2.3	*1.3*	4.5	2.2	1.4	4.0	*0.4*	0.7	0.8	1.8	136
9.7	5.2	*4.1*	4.1	15.4	12.1	22.0	6.8	4.8	11.6	5.7	4.3	5.9	4.4	137
1.9	6.2	*6.1*	4.1	10.0	10.2	9.7	7.3	6.1	10.1	3.2	2.8	4.0	3.3	138
0.6	*1.0*		*0.3*				0.5	0.4	*0.6*	*0.4*	0.6	0.9	0.6	139
							0.1	*0.1*	*0.2*	*0.1*		*0.1*	*0.1*	140
														141
1.3	3.4	*6.1*	6.7	5.3	3.8	8.4	3.8	2.7	6.3	2.4	2.3	5.0	4.6	
	2.4	*2.0*	3.5	3.0	1.6	5.8	1.8	1.2	3.0	0.8	1.5	1.3	2.9	142
		2.0	*0.6*	*0.6*	*1.0*		*0.2*	*0.2*	*0.2*	*0.4*	*0.4*	1.6	0.3	143
0.6	*0.7*		*1.0*	1.1	*1.0*	*1.3*	0.6	0.5	1.0	0.6		*1.3*	0.5	144
0.6	*0.3*	*2.0*	1.6	*0.6*	*0.3*	*1.3*	1.2	0.8	2.1	0.6	*0.5*	0.9	0.8	145
1.9	*1.4*	*2.0*	1.9	3.2	2.9	3.9	1.8	1.6	2.1	3.3	1.6	4.2	1.7	
1.9	*1.0*		1.9	3.0	2.9	3.2	1.5	1.3	1.9	2.8	1.4	3.2	1.0	146
	0.3	*2.0*		*0.2*		*0.6*	*0.2*	*0.2*	*0.2*	*0.4*	*0.2*	0.7	0.4	147
												0.1		148
							0.1	*0.1*		*0.1*		*0.2*	0.3	149
16.2	18.6	18.3	14.3	11.1	13.4	6.5	12.5	14.3	8.4	10.0	11.8	12.7	12.6	
16.2	18.6	18.3	14.3	11.1	13.4	6.5	12.5	14.3	8.4	10.0	11.8	12.7	12.6	150
1.3	1.7		*1.3*	*0.9*	*0.3*	*1.9*	1.4	1.4	1.3	0.6	0.7	1.6	1.3	
9.1	12.8	*4.1*	7.9	5.8	7.6	*1.9*	5.2	6.5	2.3	7.5	7.2	7.2	6.4	
5.8	4.1	14.2	5.1	4.5	5.4	*2.6*	5.9	6.4	4.8	1.8	3.8	4.0	4.9	
65.6	93.8	130.0	64.9	105.6	88.5	140.2	81.0	75.4	94.1	37.2	45.4	86.0	68.5	
53.9	74.2	101.5	53.5	92.2	76.4	124.1	68.7	64.4	78.5	27.1	36.3	66.8	56.0	151
48.7	63.5	77.2	39.6	65.9	57.3	83.4	43.5	46.2	37.2	22.2	27.7	50.9	44.6	
5.2	10.7	24.4	13.9	26.2	19.1	40.7	25.2	18.2	41.4	4.9	8.6	15.9	11.4	
11.7	19.3	26.4	11.1	11.7	11.5	12.3	11.6	10.7	13.9	10.1	9.0	19.1	12.5	152
9.7	8.6	14.2	4.8	5.3	5.7	4.5	5.4	5.7	4.6	5.7	5.3	10.5	5.9	
1.9	10.7	12.2	6.3	6.4	5.7	7.8	6.2	4.9	9.3	4.3	3.7	8.6	6.6	
	0.3	*2.0*	*0.3*	1.7	*0.6*	3.9	0.7	*0.2*	1.7		*0.1*	*0.1*		153
8.4	25.5	22.3	32.3	12.8	13.1	12.3	35.0	26.6	54.5	11.5	16.4	24.0	43.8	
8.4	25.5	22.3	32.3	12.8	13.1	12.3	35.0	26.6	54.5	11.5	16.4	24.0	43.8	154
120.8	94.5	103.6	88.4	105.2	94.6	126.7	76.8	68.4	96.2	68.9	90.2	98.9	72.2	
20.1	5.2	26.4	15.5	8.3	10.8	3.2	5.3	6.8	1.7	13.5	10.1	16.0	12.8	
5.8	*1.0*	*8.1*	2.5	2.1	2.9	*0.6*	0.7	1.0	*0.2*	3.1	0.9	2.6	2.1	155
0.6			*0.6*	*0.2*	*0.3*					2.2	*0.1*	1.7	*0.1*	156
1.9	0.7	*4.1*	3.8	*0.6*	*0.6*	*0.6*	1.0	1.3	*0.4*	*0.5*	1.7	3.9	4.2	157
0.6	*0.3*	*4.1*	1.6	*0.2*		*0.6*	0.5	0.7	*0.2*	0.6	1.1	1.9	1.6	158
7.8	2.4	10.2	5.4	4.5	6.4	*0.6*	2.5	3.1	1.0	5.0	4.8	4.9	3.5	159
1.9	*0.3*		1.6	*0.4*	*0.6*		0.4	0.6		1.1	1.1	0.6	0.8	160
0.6										*0.5*	*0.2*	*0.1*	*0.1*	161
0.6				*0.2*		*0.6*				*0.3*		*0.1*	0.4	162
	0.3						*0.1*	*0.2*		*0.3*	*0.1*	*0.2*	*0.1*	163

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS AND CLASS OF

[See notes at head of this table, pp. 126, 127.]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		SOUTH CAROLINA.						TENNESSEE.					
		Cities.			Rural districts.			Cities.			Rural districts.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	108.2	79.6	143.4	57.8	45.4	68.4	101.8	90.4	125.7	49.7	45.4	69.6
164	Poisoning by food	2.2	2.7	1.6	1.8	1.7	1.8	1.2	0.7	2.3	1.1	1.0	1.2
165	Other acute poisonings	3.7	4.0	3.3	3.0	2.2	3.7	2.7	2.9	2.3	1.1	0.8	2.4
166	Conflagration	.....	.....	.....	1.9	1.2	2.6	1.7	1.1	3.0	0.9	0.6	2.4
167	Burns (conflagration excepted)	21.2	9.3	35.9	18.8	10.3	26.0	18.8	12.7	31.8	9.6	8.2	16.1
168	Absorption of deleterious gases (conflagration excepted).	2.2	.....	4.9	2.3	2.2	2.3	2.9	2.5	3.8	1.8	1.6	2.7
169	Accidental drowning	3.7	2.7	4.9	4.4	3.2	5.4	5.9	5.8	6.1	2.5	2.1	4.8
170	Traumatism by firearms	5.8	4.0	8.1	4.2	3.5	4.8	8.3	6.1	12.9	3.6	2.7	7.7
171	Traumatism by cutting or piercing instruments.	.....	.....	.....	0.1	0.1	.....	1.0	1.1	0.8	0.4	0.3	0.6
172	Traumatism by fall	15.4	13.3	17.9	4.6	6.4	3.1	8.8	10.8	4.5	6.6	6.9	5.4
173	Traumatism in mines and quarries (total)	0.7	.....	1.6	.....	.....	.....	1.7	2.5	.....	1.6	1.9	0.6
	Traumatism in mines	.....	.....	.....	.....	.....	.....	1.5	2.2	.....	1.6	1.8	0.6
	Traumatism in quarries	0.7	.....	1.6	.....	.....	.....	0.2	0.4	.....	0.1	0.1	.....
174	Traumatism by machines	5.1	2.7	8.1	1.6	2.0	1.2	2.7	1.8	4.5	0.9	0.8	1.2
175	Traumatism by other crushing (total)	35.1	35.8	34.2	7.0	6.4	7.6	31.6	30.7	33.3	7.9	7.6	8.9
	Railroad accidents and injuries	22.7	21.2	24.4	4.6	4.0	5.0	15.4	12.3	22.0	4.4	4.3	5.1
	Street-car accidents and injuries	1.5	1.3	1.6	0.1	0.1	.....	1.7	1.4	2.3	0.1	.....	0.6
	Automobile accidents and injuries	8.8	11.9	4.9	1.2	1.6	0.9	10.8	12.3	7.6	1.3	1.3	1.2
	Injuries by other vehicles	0.7	.....	1.6	1.2	0.6	1.7	2.9	4.0	0.8	1.7	1.7	1.5
	Landslide, other crushing	1.5	1.3	1.6	.....	.....	.....	0.7	0.7	0.8	0.3	0.3	0.6
176	Injuries by animals	0.7	.....	1.6	0.5	0.7	0.4	0.5	0.7	.....	0.9	1.0	0.6
177	Starvation	.....	.....	.....	.....	.....	.....	0.2	0.4	.....	0.2	0.1	0.3
178	Excessive cold	.....	.....	.....	0.8	0.3	1.2	1.0	.....	3.0	0.6	0.3	1.8
179	Effects of heat	.....	.....	.....	0.3	0.1	0.5	1.2	0.4	3.0	0.1	0.1	.....
180	Lightning	3.7	.....	8.1	2.3	1.7	2.8	.....	.....	.....	0.6	0.6	0.6
181	Electricity (lightning excepted)	0.7	1.3	.....	0.2	0.4	.....	1.5	1.1	2.3	0.3	0.2	0.6
185	Fractures (cause not specified)	.....	.....	.....	.....	.....	.....	1.5	1.8	0.8	1.1	1.1	1.2
186	Other external violence	8.0	4.0	13.0	4.0	3.0	4.9	8.6	7.2	11.4	8.1	7.5	10.7
	Homicide (total)	27.8	14.6	44.0	9.8	3.2	15.4	30.8	11.9	70.4	7.1	4.4	19.9
182	By firearms	18.3	8.0	31.0	7.8	2.6	12.3	22.5	8.7	51.5	5.0	2.8	15.2
183	By cutting or piercing instruments	5.8	.....	13.0	0.5	.....	1.0	5.1	1.8	12.1	0.8	0.7	1.5
184	By other means	3.7	6.6	.....	1.4	0.6	2.1	3.2	1.4	6.8	1.3	0.9	3.3
	XIV.—Ill-defined diseases	22.7	5.3	44.0	72.9	39.7	101.1	60.9	34.0	117.4	94.0	79.9	159.8
187	Ill-defined organic disease	2.2	.....	4.9	10.0	4.5	14.7	1.2	0.4	3.0	5.6	5.0	8.3
188	Sudden death	0.7	1.3	.....	4.2	4.0	4.4	6.1	2.9	12.9	6.6	6.0	9.5
189	Not specified or ill-defined (total)	19.7	4.0	39.1	58.6	31.2	81.9	53.6	30.7	101.5	81.8	68.9	141.9
	Ill-defined	18.3	4.0	35.9	44.8	22.0	64.2	10.0	9.4	11.4	21.0	19.7	26.8
	Not specified or unknown	1.5	.....	3.3	13.8	9.2	17.7	43.6	21.3	90.1	60.8	49.1	115.1

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE CAUSES: 1917—Continued.

[See notes at head of this table, pp. 126, 127.]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.		
				Cities.			Rural districts.							
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
91.6	84.9	77.2	71.0	80.9	77.4	87.9	65.2	56.8	84.8	50.6	76.0	76.7	57.7	
2.6	3.8	.....	*1.0*	*0.9*	*0.6*	*1.3*	1.3	1.5	1.0	1.0	1.4	0.8	0.8	164
3.2	3.4	*2.0*	2.2	2.3	2.5	*1.9*	1.0	0.7	1.7	0.9	1.0	0.7	1.2	165
0.6	*0.3*	.....	1.9	*0.4*	*0.3*	*0.6*	2.5	0.7	6.9	1.0	*0.5*	0.7	1.5	166
2.6	4.5	*2.0*	4.1	10.2	9.9	11.0	14.0	10.0	23.4	2.9	3.1	6.3	4.5	167
4.5	*0.3*	*8.1*	2.9	5.5	6.1	4.5	2.1	1.6	3.2	2.9	2.0	3.0	2.2	168
5.2	7.2	12.2	8.9	7.5	5.4	11.6	6.5	5.2	9.7	5.0	13.5	7.3	8.6	169
3.2	3.8	*2.0*	2.5	4.3	2.9	7.1	4.2	3.5	5.7	*0.4*	2.5	2.0	1.7	170
.....	*0.3*	.....	.....	.....	.....	.....	*0.1*	*0.1*	*0.2*	.....	.....	.....	*0.2*	171
11.0	10.0	16.2	18.4	13.7	15.9	9.0	7.1	7.7	5.5	9.7	6.4	14.0	8.7	172
12.3	12.8	*2.0*	*1.3*	*0.6*	*0.6*	*0.6*	4.9	5.7	3.2	*0.4*	3.4	*0.5*	0.6	173
11.7	12.4	.....	.....	*0.6*	*0.6*	*0.6*	4.9	5.6	3.2	*0.4*	3.4	*0.2*	0.5	
0.6	*0.3*	*2.0*	*1.3*	.....	.....	.....	*0.1*	*0.1*	.....	.....	.....	*0.2*	*0.1*	
5.2	4.1	*2.0*	*1.3*	2.6	1.6	4.5	2.7	2.5	3.0	4.7	4.1	2.7	1.8	174
28.6	23.8	22.3	14.9	21.3	23.3	17.4	9.4	9.8	8.4	15.8	23.8	27.6	16.5	175
11.7	11.0	10.2	9.5	9.4	9.9	8.4	6.1	6.6	4.8	3.6	9.1	11.6	7.8	
2.6	*1.4*	*2.0*	.....	2.6	2.2	3.2	0.5	0.5	*0.4*	2.7	0.6	3.4	0.9	
11.0	5.2	*8.1*	3.2	6.0	6.7	4.5	1.4	1.6	1.0	7.7	7.0	8.5	3.2	
2.6	5.5	*2.0*	1.6	2.3	2.9	*1.3*	1.3	1.0	2.1	1.4	2.7	3.0	3.5	
0.6	*0.7*	.....	*0.6*	1.1	1.6	.....	*0.2*	*0.2*	*0.2*	*0.5*	4.4	1.1	1.2	
1.3	*0.7*	*4.1*	1.6	*0.2*	*0.3*	.....	0.9	0.8	1.1	*0.5*	1.2	1.1	1.4	176
.....	.....	.....	*0.3*	.....	.....	.....	.....	.....	.....	.....	*0.1*	.....	.....	177
.....	*1.0*	.....	*1.3*	*0.2*	.....	*0.6*	1.1	0.4	2.9	*0.1*	*0.2*	*0.5*	1.3	178
.....	.....	.....	.....	3.2	2.5	4.5	0.5	*0.2*	1.3	.....	*0.2*	1.6	0.6	179
.....	.....	.....	.....	.....	.....	.....	1.3	1.2	1.5	.....	.....	.....	0.6	180
0.6	2.1	.....	*1.0*	.....	.....	.....	0.5	0.5	*0.4*	*0.5*	0.7	0.8	0.4	181
4.5	*1.4*	.....	*0.3*	.....	.....	.....	0.3	0.4	*0.2*	.....	*0.1*	*0.3*	*0.2*	185
.....	.....	.....	.....	*0.9*	*1.0*	*0.6*	4.6	4.3	5.3	4.6	11.8	6.9	4.8	186
5.8	5.2	*4.1*	7.3	7.0	4.5	12.3								
9.1	4.5	.....	1.9	16.0	6.4	35.5	6.2	4.8	9.7	4.7	4.2	6.1	1.7	
5.8	2.8	.....	*1.3*	9.6	3.8	21.3	4.4	3.6	6.1	3.6	2.9	2.5	0.8	182
2.6	*0.7*	.....	.....	1.9	*0.3*	5.2	0.5	*0.3*	1.0	*0.4*	*0.4*	0.6	*0.2*	183
0.6	*1.0*	.....	*0.6*	4.5	2.2	9.0	1.4	0.8	2.7	0.8	0.9	3.1	0.7	184
52.6	28.6	*2.0*	3.2	19.2	8.9	40.1	71.9	52.7	116.6	3.1	12.0	4.2	10.6	
.....	.....	.....	.....	*0.2*	.....	*0.6*	4.0	2.7	6.9	.....	*0.6*	*0.1*	0.8	187
0.6	2.4	.....	*0.6*	*0.9*	.....	*2.6*	6.6	4.7	11.1	.....	*0.5*	0.7	1.6	188
52.0	26.2	*2.0*	2.5	18.1	8.9	36.8	61.4	45.3	98.7	3.1	11.0	3.4	8.1	189
51.3	21.4	.....	*0.6*	14.1	6.1	30.4	20.2	15.8	30.3	1.3	3.1	1.6	2.8	
0.6	4.8	*2.0*	1.9	4.1	2.9	6.5	41.2	29.5	68.4	1.8	8.9	1.8	5.3	

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1917.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SUMMARY.													
The registration area (exclusive of Hawaii)	1,066,711	108,102	98,469	101,929	93,859	92,329	80,585	81,826	83,229	79,583	80,208	78,267	88,325
Registration states [1]	979,136	99,579	90,625	93,796	85,930	84,326	73,783	75,007	76,613	73,254	73,436	71,612	81,175
Cities in registration states [1]	500,281	51,364	45,360	47,840	44,515	42,934	36,682	37,273	39,673	36,929	37,392	37,584	42,735
Rural part of registration states	478,855	48,215	45,265	45,956	41,415	41,392	37,101	37,734	36,940	36,325	36,044	34,028	38,440
Registration cities in nonregistration states	87,575	8,523	7,844	8,133	7,929	8,003	6,802	6,819	6,616	6,329	6,772	6,655	7,150
All registration cities [1]	587,856	59,887	53,204	55,973	52,444	50,937	43,484	44,092	46,289	43,258	44,164	44,239	49,885
REGISTRATION STATES.													
California	41,809	4,365	3,641	3,738	3,518	3,322	3,501	3,264	2,984	3,028	3,212	3,376	3,860
Colorado	10,725	1,179	951	1,006	1,030	879	817	787	788	852	833	727	876
Connecticut	20,819	2,319	1,823	2,008	1,819	1,827	1,498	1,555	1,795	1,585	1,515	1,458	1,617
Indiana	39,736	3,776	3,861	4,075	3,519	3,394	2,840	3,004	3,062	3,013	3,024	2,890	3,278
Kansas	20,644	2,267	2,004	2,195	1,838	1,671	1,517	1,682	1,440	1,466	1,440	1,448	1,676
Kentucky	32,723	3,077	3,178	3,260	2,890	2,661	2,390	2,722	2,694	2,394	2,473	2,366	2,618
Maine	11,667	1,218	1,175	1,145	1,001	1,050	841	881	757	830	948	856	965
Maryland	23,444	2,324	2,055	2,363	2,068	1,900	1,599	1,837	1,999	1,869	1,798	1,652	1,980
Massachusetts	56,675	6,035	5,396	5,142	5,096	4,950	4,108	3,917	4,409	4,310	4,324	4,170	4,818
Michigan	47,121	4,669	4,328	4,645	4,343	4,353	3,624	3,600	3,457	3,391	3,612	3,327	3,772
Minnesota	23,913	2,549	2,134	2,261	2,183	2,201	1,914	1,875	1,586	1,694	1,788	1,815	1,913
Missouri	45,625	5,088	4,599	4,775	4,037	3,681	3,270	3,440	3,342	3,343	3,309	3,143	3,598
Montana	6,589	622	545	582	626	576	681	526	427	519	532	441	512
New Hampshire	7,457	863	765	685	672	621	568	507	536	562	532	556	590
New Jersey	43,801	4,656	3,959	3,942	3,675	3,560	2,996	3,497	3,902	3,303	3,182	3,320	3,809
New York	153,959	16,558	14,257	14,570	13,474	13,341	11,244	11,067	12,398	11,485	11,380	11,478	12,707
North Carolina	33,969	2,834	2,872	2,904	2,774	3,344	3,508	2,988	2,744	2,460	2,568	2,300	2,673
Ohio	76,910	7,349	7,211	7,630	6,789	6,587	5,653	5,569	6,211	5,991	5,961	5,669	6,320
Pennsylvania	128,163	12,970	11,789	12,457	11,383	10,770	8,704	9,435	10,552	9,877	9,528	9,609	11,089
Rhode Island	9,510	1,068	936	870	841	836	687	695	715	718	657	676	811
South Carolina	23,503	2,001	1,980	1,987	1,994	2,520	2,141	2,095	1,800	1,760	1,813	1,583	1,829
Tennessee	30,862	2,768	2,846	2,861	2,502	2,554	2,625	2,818	2,506	2,327	2,324	2,220	2,511
Utah	4,615	536	425	424	393	377	349	325	311	372	349	350	404
Vermont	5,468	587	569	572	494	491	399	396	363	392	375	427	403
Virginia	31,527	3,074	2,876	2,931	2,549	2,599	2,592	2,917	2,562	2,257	2,300	2,257	2,613
Washington	12,137	1,166	1,029	1,149	1,096	1,031	944	867	893	901	1,054	961	1,046
Wisconsin	29,130	2,965	2,827	2,959	2,771	2,714	2,309	2,264	1,872	2,041	2,103	2,017	2,288
REGISTRATION CITIES.													
ALABAMA.[2]													
Registration cities	5,904	413	494	499	479	560	570	558	524	461	435	430	481
Birmingham	3,836	257	314	318	302	364	373	382	342	296	277	292	319
Mobile	1,170	82	104	108	94	122	111	101	102	92	92	77	85
Montgomery	898	74	76	73	83	74	86	75	80	73	66	61	77
CALIFORNIA.													
Registration cities	23,962	2,540	2,151	2,180	2,069	1,907	1,955	1,739	1,717	1,725	1,803	1,946	2,230
Alameda	291	36	25	21	30	24	17	16	25	34	23	13	27
Bakersfield	334	37	35	25	35	32	30	27	23	21	31	20	18
Berkeley	476	34	32	50	37	33	50	41	36	37	40	35	51
Eureka	197	16	17	16	18	14	11	17	11	15	14	24	24
Fresno	546	66	56	34	42	53	37	45	32	22	51	58	50
Long Beach	510	62	41	51	42	41	36	39	42	46	36	31	43
Los Angeles	6,706	713	582	612	603	503	558	463	494	460	509	533	676
Oakland	2,190	238	206	208	173	179	175	148	183	151	168	174	187
Pasadena	496	61	53	50	49	37	38	33	27	35	27	41	45
Pomona	149	16	15	17	7	11	16	9	13	12	8	15	10
Redlands	149	18	12	14	13	12	13	12	7	6	12	16	14
Riverside	292	32	27	20	26	31	24	17	28	11	19	25	32
Sacramento	1,216	129	102	92	106	78	89	97	98	89	95	113	128
San Bernardino	368	42	34	49	27	30	36	25	33	20	25	21	26
San Diego	1,032	123	84	91	89	98	77	69	71	73	63	87	107
San Francisco	7,084	728	656	646	628	584	570	534	462	561	531	559	625
San Jose	433	45	33	43	28	32	39	26	29	31	27	52	48
Santa Barbara	271	30	20	21	21	23	32	17	19	12	26	24	26
Santa Cruz	168	20	15	19	14	12	18	17	16	9	12	7	9
Stockton	892	84	93	82	71	64	77	71	54	72	74	81	69
Vallejo	162	10	13	19	10	16	12	16	14	8	12	17	15
COLORADO.													
Registration cities	4,546	511	399	421	412	350	313	344	359	379	337	327	394
Colorado Springs	520	44	34	42	32	37	37	37	65	52	51	36	53
Denver	3,215	375	285	310	291	248	220	228	243	256	236	241	282
Pueblo	630	68	60	53	66	55	41	65	36	55	38	45	48
Trinidad	181	24	20	16	23	10	15	14	15	16	12	5	11

[1] Including District of Columbia.

[2] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1917—Continued.

This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
CONNECTICUT.													
Registration cities	14,973	1,642	1,307	1,448	1,313	1,308	1,075	1,142	1,274	1,137	1,109	1,046	1,172
Ansonia	275	28	26	22	18	23	15	24	30	23	18	19	29
Bridgeport	2,270	284	210	242	204	186	167	185	178	163	162	141	148
Bristol	208	17	19	21	20	18	11	20	19	15	16	15	17
Danbury town	417	44	34	36	31	31	24	26	54	48	36	21	32
Greenwich town	282	19	26	30	16	27	26	22	23	17	20	22	34
Hartford	2,588	271	218	245	230	228	196	217	212	192	192	175	212
Manchester town	134	14	10	12	14	21	4	5	8	11	9	9	17
Meriden town	565	90	56	48	38	46	39	39	46	31	49	46	37
Middletown town	633	73	60	55	63	49	47	43	54	44	54	43	48
Naugatuck	137	9	13	12	9	5	10	9	17	13	10	12	18
New Britain	748	83	52	75	63	61	49	50	79	63	59	62	52
New Haven	2,603	266	227	269	233	239	197	178	215	199	174	178	228
New London	424	54	30	33	38	45	26	36	36	43	28	27	28
Norwalk	417	54	38	43	41	28	26	36	24	25	31	33	38
Norwich town	565	49	40	41	61	60	41	45	37	45	47	55	44
Orange town	173	15	17	19	15	15	13	16	14	10	13	10	16
Stamford town	577	64	61	43	47	56	45	38	44	37	56	44	42
Torrington town	235	23	20	25	25	20	14	11	23	27	18	17	12
Wallingford town	148	16	10	18	13	23	9	10	19	8	3	8	11
Waterbury	1,314	132	115	136	105	104	105	110	125	104	93	95	90
Windham town	260	37	25	23	29	23	11	22	17	19	21	14	19
DELAWARE.[1]													
Wilmington	1,880	206	172	173	160	153	126	169	164	120	155	145	137
DISTRICT OF COLUMBIA.													
Washington	6,605	696	594	660	555	516	464	477	508	514	502	520	599
FLORIDA.[1]													
Registration cities	3,016	245	262	276	294	273	214	249	247	198	234	252	272
Jacksonville	1,544	124	145	147	143	135	92	122	124	99	131	122	160
Key West	285	20	26	25	22	28	28	29	29	18	18	16	26
Pensacola	479	31	30	40	49	53	44	36	42	32	37	45	40
Tampa	708	70	61	64	80	57	50	62	52	49	48	69	64
GEORGIA.[1]													
Registration cities	5,893	460	538	456	492	595	460	500	449	461	462	498	522
Atlanta	3,170	252	301	234	242	313	256	267	258	258	240	265	284
Augusta	969	80	78	84	98	99	73	79	70	77	75	79	77
Brunswick	196	14	12	11	12	32	13	20	17	15	21	12	17
Savannah	1,558	114	147	127	140	151	118	134	104	111	126	142	144
ILLINOIS.[1]													
Registration cities	41,949	4,390	3,837	4,223	3,968	3,854	3,075	2,984	3,121	3,110	3,223	2,990	3,174
Aurora	516	48	44	56	41	38	41	41	36	48	56	29	38
Belleville	348	51	27	30	25	29	19	25	32	29	35	22	24
Chicago	38,011	3,908	3,484	3,870	3,649	3,513	2,813	2,711	2,805	2,800	2,901	2,702	2,855
Decatur	580	80	40	46	46	52	42	35	54	35	49	52	49
Evanston	385	32	35	27	33	48	21	35	23	40	18	30	43
Jacksonville	545	86	47	54	38	47	40	24	43	46	37	37	46
Quincy	588	79	50	55	52	51	42	45	49	39	43	38	45
Springfield	976	106	110	85	84	76	57	68	79	73	84	80	74
INDIANA.													
Registration cities	15,319	1,340	1,416	1,562	1,383	1,331	1,126	1,158	1,229	1,145	1,198	1,137	1,294
Anderson	399	37	41	54	37	33	19	38	38	24	27	29	22
East Chicago	563	38	56	51	54	57	41	40	55	50	39	31	51
Elkhart	315	30	19	38	31	29	18	26	26	20	25	23	30
Elwood	154	16	7	15	14	12	13	15	5	15	14	13	15
Evansville	1,240	104	111	127	125	103	85	89	115	85	107	86	103
Fort Wayne	976	85	93	93	82	83	71	89	73	67	88	76	76
Gary	803	48	66	84	64	79	70	70	69	58	68	60	67
Hammond	542	49	60	66	46	42	40	32	37	39	39	42	50
Huntington	167	15	16	17	6	16	19	9	6	12	8	23	20
Indianapolis	4,582	402	421	439	433	392	336	361	359	351	353	330	405
Jeffersonville	126	7	11	9	16	11	11	8	10	11	13	8	11
Kokomo	311	35	43	28	26	36	13	20	25	22	23	15	25
Lafayette	437	35	40	35	34	45	25	39	34	34	36	37	43
Laporte	210	21	14	26	11	19	19	14	20	20	13	14	19
Logansport	273	30	32	34	16	21	19	21	21	17	26	22	14
Marion	309	26	30	27	35	31	22	21	24	26	18	25	24
Michigan City	269	19	17	31	35	21	18	18	30	22	18	19	21
Mishawaka	161	16	18	21	12	6	12	13	9	15	15	10	16
Muncie	393	35	36	37	30	45	31	33	32	29	30	26	29
New Albany	397	30	38	81	36	30	25	20	29	24	30	24	30
Peru	168	19	14	14	20	15	16	11	15	6	23	6	9
Richmond	369	35	30	25	32	37	18	38	33	27	25	38	31
South Bend	917	90	92	93	81	74	76	61	71	78	63	70	68
Terre Haute	959	85	84	89	83	75	84	55	76	76	77	83	92
Vincennes	279	33	27	28	24	19	25	17	17	17	22	27	23

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
KANSAS.													
Registration cities	5,041	500	460	526	441	414	371	411	375	367	358	372	446
Atchison	192	23	12	25	13	21	12	12	13	15	12	9	25
Coffeyville	189	16	24	28	9	13	19	18	12	13	14	16	7
Fort Scott	165	17	15	13	10	14	16	12	9	5	12	21	21
Hutchinson	271	26	17	35	29	22	19	29	19	13	15	22	25
Independence	149	16	17	13	18	13	9	9	8	12	12	10	12
Kansas City	1,465	138	125	148	141	130	110	117	120	113	101	104	118
Lawrence	183	12	30	23	20	15	11	9	13	11	10	15	14
Leavenworth	352	41	28	38	28	23	21	37	28	31	26	18	33
Parsons	215	13	20	19	16	19	26	17	22	14	12	20	17
Pittsburg	239	25	21	18	20	16	16	31	20	20	17	16	19
Topeka	741	95	67	85	61	52	44	40	51	61	56	52	77
Wichita	880	78	84	81	76	76	68	80	60	59	71	69	78
KENTUCKY.													
Registration cities	7,588	765	690	723	682	626	539	583	553	532	600	626	669
Covington	1,000	109	80	84	93	95	73	75	64	85	79	81	82
Frankfort	217	15	26	23	31	21	13	20	16	15	9	10	18
Henderson	245	14	20	18	20	18	22	23	19	19	27	26	19
Lexington	1,016	92	93	88	89	90	59	76	77	91	93	81	87
Louisville	3,919	409	378	395	351	309	262	272	287	259	304	318	375
Newport	385	40	34	26	39	34	28	32	35	26	34	33	24
Owensboro	348	42	24	39	26	26	35	41	29	8	23	29	26
Paducah	458	44	35	50	33	33	47	44	26	29	31	48	38
LOUISIANA.[1]													
Registration cities	9,513	983	913	788	737	789	800	778	734	643	739	755	854
Alexandria	287	27	15	19	16	29	24	28	23	16	24	31	35
Baton Rouge	284	24	29	25	20	19	32	23	21	16	23	19	28
Lake Charles	209	19	13	11	18	17	17	15	15	16	25	19	24
Monroe	224	14	24	18	21	19	20	17	20	16	19	15	21
New Orleans	7,510	799	751	635	571	619	628	616	570	513	546	582	680
Shreveport	999	100	81	80	91	86	79	79	85	66	97	89	66
MAINE.													
Registration cities	3,153	331	279	302	271	275	219	243	232	226	268	223	284
Auburn	218	26	20	25	21	16	13	15	15	17	16	12	22
Augusta	315	24	27	36	21	42	19	27	17	21	25	23	33
Bangor	669	75	62	63	48	72	50	49	45	46	61	41	57
Biddeford	273	27	17	29	20	25	16	29	13	31	28	15	23
Lewiston	476	37	51	36	43	29	33	36	51	34	37	41	48
Portland	996	115	84	97	98	76	71	62	80	66	75	83	89
Waterville	206	27	18	16	20	15	17	25	11	11	26	8	12
MARYLAND.													
Registration cities	12,398	1,249	1,070	1,232	1,151	985	845	913	999	971	931	920	1,132
Baltimore	11,355	1,147	974	1,134	1,052	906	763	850	923	878	847	853	1,028
Cumberland	426	43	37	40	46	30	34	25	30	37	33	24	47
Frederick	194	16	16	22	13	21	12	9	16	17	18	13	21
Hagerstown	423	43	43	36	40	28	36	29	30	39	33	30	36
MASSACHUSETTS.													
Registration cities	44,179	4,689	4,206	4,054	3,985	3,913	3,184	3,064	3,435	3,300	3,315	3,249	3,785
Adams town	121	11	9	12	7	12	10	10	8	15	8	6	13
Arlington town	179	19	11	16	17	19	19	13	10	12	13	13	17
Attleboro	239	23	24	22	15	26	9	18	19	16	32	10	25
Beverly	294	40	28	33	29	29	21	21	12	24	20	19	18
Boston	12,704	1,366	1,204	1,202	1,102	1,133	993	860	892	973	939	945	1,095
Brockton	750	92	82	74	75	69	53	59	39	50	59	44	54
Brookline town	383	49	49	27	34	31	21	31	14	20	26	31	50
Cambridge	1,605	168	163	144	154	118	124	103	137	103	120	130	141
Chelsea	682	79	58	63	58	63	48	50	48	52	48	53	62
Chicopee	426	38	41	35	39	32	20	55	53	27	28	25	33
Clinton town	186	19	16	17	18	21	18	10	11	14	16	15	11
Everett	376	36	42	33	26	31	32	17	25	25	32	30	47
Fall River	2,116	229	234	213	193	169	145	134	201	157	139	161	141
Fitchburg	485	67	53	47	40	33	42	31	36	35	33	32	36
Framingham town	229	30	17	21	13	20	9	15	24	20	13	23	24
Gardner town	250	44	30	17	22	19	11	9	19	23	20	17	19
Gloucester	359	31	41	33	34	32	19	31	38	18	28	26	28
Greenfield town	214	29	18	17	22	21	13	15	15	14	16	15	19
Haverhill	731	87	72	78	69	67	60	44	53	60	48	47	46
Holyoke	1,055	85	82	92	94	88	58	100	115	91	79	84	87
Lawrence	1,395	159	111	115	110	126	93	75	144	142	119	96	105
Leominster	220	28	22	18	17	17	16	12	23	23	13	15	16
Lowell	1,940	198	192	169	175	187	118	112	179	160	154	123	173
Lynn	1,267	127	136	113	136	116	79	87	88	95	88	96	106
Malden	582	56	62	45	48	51	46	40	40	34	47	44	69

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1917—Continued.

This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
MASSACHUSETTS—continued.													
Marlborough	199	25	21	15	15	15	16	12	13	15	13	16	23
Medford	378	43	27	23	44	42	17	35	14	30	30	36	37
Melrose	270	31	28	26	21	22	15	24	19	21	21	22	20
Methuen town	202	27	12	16	21	11	18	22	20	14	14	14	13
Milford town	185	9	23	21	15	14	12	16	11	17	14	18	15
New Bedford	1,786	154	156	189	175	139	126	141	134	138	135	137	162
Newburyport	253	28	22	34	29	21	18	14	16	15	13	20	23
Newton	520	60	42	57	56	42	26	36	39	31	36	45	50
North Adams	356	37	35	26	34	35	25	27	29	36	25	21	26
Northampton	436	51	32	26	45	39	25	39	36	32	42	32	37
Peabody	258	31	18	27	26	20	15	19	16	10	29	29	18
Pittsfield	647	74	53	50	55	70	53	46	52	40	51	42	61
Plymouth town	191	26	19	15	23	14	14	15	10	15	11	13	16
Quincy	469	43	39	53	40	49	26	37	33	34	34	38	43
Revere	237	19	29	22	23	25	13	10	14	20	22	19	21
Salem	602	80	67	36	50	59	46	44	48	44	45	34	49
Somerville	1,077	122	131	105	108	98	82	56	67	66	67	82	93
Southbridge town	153	13	25	13	8	13	7	16	14	12	7	11	14
Springfield	1,876	191	141	172	161	160	158	134	159	140	162	125	173
Taunton	780	91	80	71	60	66	50	41	83	53	64	63	58
Wakefield town	126	10	12	15	15	14	7	6	9	10	11	9	8
Waltham	393	40	31	42	28	32	34	50	22	26	20	25	43
Watertown town	190	15	17	19	16	21	19	11	14	8	21	12	17
Webster town	136	12	20	11	14	19	11	9	4	9	8	9	10
Westfield town	338	30	33	30	26	28	27	28	31	31	17	24	33
Weymouth town	171	17	17	21	19	19	10	9	9	11	13	11	15
Winthrop town	143	16	12	15	16	18	8	8	9	6	11	9	15
Woburn	230	26	16	19	19	16	21	11	17	15	24	20	26
Worcester	2,789	258	251	229	276	262	208	196	250	198	217	213	231
MICHIGAN.													
Registration cities	22,295	2,156	1,884	2,211	2,115	2,103	1,663	1,725	1,749	1,597	1,683	1,598	1,811
Adrian	214	27	22	14	26	16	23	14	11	16	15	16	14
Alpena	159	16	11	17	12	17	9	8	12	12	11	21	13
Ann Arbor	480	45	35	47	42	56	36	41	36	34	32	46	30
Battle Creek	495	44	32	52	49	40	31	43	41	33	52	46	32
Bay City	635	47	57	65	56	63	51	40	46	40	53	52	65
Detroit	11,736	1,118	976	1,166	1,111	1,140	875	936	991	839	859	816	909
Escanaba	225	19	23	16	30	18	20	23	9	14	15	19	19
Flint	329	86	71	91	74	62	66	63	66	72	70	46	62
Grand Rapids	1,738	192	146	190	179	186	129	115	108	96	137	110	150
Holland	122	9	16	15	12	9	4	12	9	7	13	5	11
Ironwood	189	16	13	17	13	25	14	13	15	16	14	15	18
Ishpeming	146	14	11	7	8	14	11	13	18	9	11	13	17
Jackson	668	68	65	68	58	50	56	41	38	45	51	57	71
Kalamazoo	871	75	92	71	83	65	65	73	64	70	70	71	72
Lansing	649	57	54	82	66	53	42	46	54	50	52	38	55
Manistee	156	20	12	22	8	14	12	13	13	7	10	11	14
Marquette	187	29	13	18	21	13	9	14	11	15	16	16	12
Menominee	125	13	12	14	16	13	7	7	5	9	9	7	13
Muskegon	502	48	38	48	52	47	31	38	33	41	38	46	42
Pontiac	488	38	44	39	46	43	40	39	32	38	43	38	48
Port Huron	344	33	30	25	29	41	28	39	30	28	16	18	27
Saginaw	827	103	71	84	91	63	77	52	63	69	52	43	59
Sault Ste. Marie	181	11	14	16	15	26	10	13	11	14	11	20	20
Traverse City	329	28	26	27	18	29	17	29	33	23	33	28	38
MINNESOTA.													
Registration cities	9,244	947	805	883	873	838	742	682	613	676	693	762	730
Duluth	1,146	119	98	113	128	115	96	86	61	89	72	80	89
Mankato	199	27	16	18	16	12	15	14	12	16	18	19	16
Minneapolis	4,413	455	381	415	424	389	330	332	323	323	337	362	342
St. Cloud	170	20	16	11	12	14	15	11	12	13	14	11	21
St. Paul	2,724	283	236	262	247	250	227	198	165	196	207	234	219
Stillwater	97	2	9	12	4	8	12	7	6	8	6	9	14
Virginia	188	11	18	18	17	15	16	8	14	18	17	22	14
Winona	307	30	31	34	25	35	31	26	20	13	22	25	15
MISSISSIPPI.[1]													
Registration cities	2,682	222	221	220	220	225	212	232	213	204	241	246	226
Hattiesburg	286	24	22	16	32	24	17	26	16	15	25	36	33
Jackson	899	71	79	88	67	74	62	89	71	66	93	66	73
Meridian	547	31	35	28	36	52	65	44	56	58	50	45	47
Natchez	249	18	31	26	23	24	16	19	17	16	18	25	16
Vicksburg	701	78	54	62	62	51	52	54	53	49	55	74	57

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
MISSOURI.													
Registration cities	20,418	2,119	1,993	2,190	1,888	1,723	1,485	1,569	1,413	1,416	1,511	1,455	1,656
Hannibal	313	35	35	36	25	27	23	21	17	22	31	22	19
Jefferson City	177	26	15	18	20	17	16	17	12	9	8	7	12
Joplin	677	49	82	70	54	38	58	52	49	52	60	57	56
Kansas City	5,008	508	486	606	492	410	329	357	355	337	372	346	410
Moberly	186	19	15	18	15	15	14	14	11	24	14	14	13
St. Joseph	1,264	146	127	132	94	106	87	107	88	105	97	78	97
St. Louis	11,584	1,204	1,098	1,191	1,098	1,027	877	893	768	776	848	840	964
Sedalia	305	33	34	34	18	16	21	26	29	22	23	26	23
Springfield	638	71	69	65	48	38	42	45	66	57	41	53	43
Webb City	266	28	32	20	24	29	18	37	18	12	17	12	19
MONTANA.													
Registration cities	2,112	210	162	194	228	190	158	163	163	151	168	148	177
Anaconda	153	25	12	10	15	15	14	14	9	11	5	10	13
Billings	237	28	19	22	16	19	17	14	26	21	18	21	16
Butte	867	84	71	82	106	68	61	56	59	62	74	64	80
Great Falls	416	33	25	55	46	41	31	28	36	31	31	25	34
Helena	223	23	22	16	18	13	12	21	14	18	24	18	24
Missoula	216	17	13	9	27	34	23	30	19	8	16	10	10
NEBRASKA.[1]													
Registration cities	3,024	267	236	342	303	265	236	285	214	197	209	208	262
Lincoln	708	78	57	75	66	73	55	49	60	46	44	51	54
Omaha	2,316	189	179	267	237	192	181	236	154	151	165	157	208
NEW HAMPSHIRE.													
Registration cities	3,326	363	339	293	306	276	256	222	253	290	226	233	269
Berlin	205	21	19	12	17	18	10	14	26	15	16	15	22
Concord	489	56	41	39	39	46	51	31	33	44	31	34	44
Dover	246	32	22	32	21	21	17	22	14	23	20	13	9
Keene	195	14	24	16	16	17	13	15	16	20	11	16	17
Laconia	200	36	23	14	14	18	16	11	11	12	8	20	17
Manchester	1,301	130	131	120	122	110	108	89	88	122	86	94	101
Nashua	482	52	56	41	55	36	30	25	48	38	36	26	39
Portsmouth	208	22	23	19	22	10	11	15	17	16	18	15	20
NEW JERSEY.													
Registration cities	27,881	2,944	2,516	2,504	2,388	2,276	1,908	2,205	2,450	2,079	2,022	2,186	2,403
Asbury Park	168	16	14	15	13	22	16	11	17	12	4	13	15
Atlantic City	804	78	61	73	65	80	51	68	89	63	60	53	63
Bayonne	857	90	63	80	64	83	68	76	81	64	64	48	76
Bloomfield	209	18	17	17	25	10	10	20	18	15	22	18	19
Bridgeton	226	20	26	23	23	15	12	14	20	16	15	20	22
Camden	1,908	204	192	168	151	132	133	171	153	118	119	187	180
East Orange	371	47	39	37	30	20	21	22	25	28	31	28	43
Elizabeth	1,334	137	138	121	92	108	98	95	126	111	113	91	104
Garfield	182	19	19	9	11	15	14	20	13	15	19	9	19
Hackensack	319	37	17	28	29	24	21	23	21	35	31	26	27
Harrison	174	16	15	19	12	12	8	13	20	19	12	12	16
Hoboken	1,182	136	90	123	93	97	81	91	107	86	96	84	98
Irvington	231	29	26	15	20	29	18	15	18	12	18	15	16
Jersey City	4,528	511	417	383	420	376	308	320	400	304	338	349	402
Kearny	315	31	31	26	32	23	24	34	22	25	24	23	20
Long Branch	311	25	19	29	24	21	22	36	36	35	12	29	23
Millville	206	18	18	17	24	9	21	16	17	15	11	12	28
Montclair	251	36	23	18	14	20	20	25	16	20	14	16	29
Morristown	272	28	25	26	30	20	19	23	24	25	14	14	24
New Brunswick	565	67	52	41	42	37	42	64	53	47	41	44	35
Newark	5,946	611	574	560	506	510	384	452	510	418	411	487	523
Orange	585	60	56	47	57	54	44	47	42	41	47	44	46
Passaic	912	89	82	81	84	63	60	97	86	78	67	71	54
Paterson	1,964	198	155	168	182	171	123	142	185	164	129	181	166
Perth Amboy	607	47	50	53	61	48	41	53	63	52	45	41	53
Phillipsburg	197	26	24	22	11	18	15	8	12	18	13	12	18
Plainfield	406	41	33	42	44	25	19	34	35	34	38	33	28
Trenton	1,901	193	159	180	153	148	146	152	162	140	145	158	165
Union	190	24	18	10	16	17	15	15	17	9	15	18	16
West Hoboken	396	44	35	44	33	39	32	22	29	25	23	30	40
West New York	238	29	19	22	18	22	14	11	22	25	20	13	23
West Orange	126	19	9	7	9	8	8	15	11	10	11	7	12

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
NEW YORK.													
Registration cities	115,916	12,449	10,543	10,933	10,165	9,992	8,422	8,262	9,551	8,628	8,567	8,694	9,710
Albany	2,039	222	197	191	175	198	158	158	127	154	142	147	170
Amsterdam	485	60	37	48	39	43	39	35	45	40	33	29	37
Auburn	540	53	59	45	46	39	37	46	46	40	39	45	45
Batavia	244	22	20	18	29	19	17	19	23	18	22	18	19
Binghamton	1,197	120	125	111	120	106	78	94	64	101	93	86	99
Buffalo	7,649	718	656	771	635	646	619	535	634	618	568	603	646
Cohoes	429	42	26	39	41	33	35	42	31	35	32	25	48
Corning	264	26	31	22	26	18	23	10	16	17	20	22	33
Cortland	272	30	28	18	15	24	23	21	26	24	25	17	21
Dunkirk	310	21	43	24	30	32	18	19	20	34	25	24	20
Elmira	746	87	90	74	67	57	60	43	56	43	64	43	62
Fulton	161	21	10	24	12	16	18	8	13	8	5	9	17
Geneva	236	26	21	31	17	14	27	20	22	10	15	17	16
Glens Falls	279	26	20	25	26	25	25	24	28	17	22	18	23
Gloversville	350	36	43	29	22	18	24	27	27	36	31	28	29
Hornell	195	22	23	24	12	10	13	17	7	16	13	23	15
Hudson	230	31	20	27	19	17	17	14	21	17	15	17	15
Ithaca	273	33	33	36	27	19	17	21	16	12	20	21	18
Jamestown	524	55	47	40	52	52	39	36	34	38	37	41	53
Johnstown	140	18	13	11	8	8	10	9	7	18	11	14	13
Kingston	518	69	52	41	49	37	37	34	43	31	39	40	46
Lackawanna	447	27	34	43	30	39	29	55	47	54	32	31	26
Little Falls	227	16	28	24	19	24	13	13	21	20	18	19	12
Lockport	331	35	29	32	28	25	25	20	26	36	29	23	23
Middletown	432	54	27	40	44	37	30	28	30	35	36	41	30
Mount Vernon	419	52	39	44	28	35	26	37	26	28	31	28	45
New Rochelle	358	36	40	29	31	26	22	27	26	34	31	26	30
New York	78,518	8,621	7,132	7,346	6,905	6,816	5,591	5,536	6,689	5,625	5,656	5,931	6,670
Bronx Borough	8,466	897	720	849	701	722	593	651	646	594	675	665	753
Brooklyn Borough	26,913	2,975	2,424	2,413	2,248	2,290	1,878	1,935	2,368	1,964	1,953	2,106	2,359
Manhattan Borough	35,781	3,968	3,315	3,441	3,312	3,163	2,588	2,415	3,023	2,570	2,517	2,583	2,886
Queens Borough	5,598	594	519	490	490	485	398	405	502	374	373	441	527
Richmond Borough	1,760	187	154	153	154	156	134	130	150	123	138	136	145
Newburgh	534	62	42	71	42	37	39	34	51	42	44	30	40
Niagara Falls	719	72	55	63	76	65	52	73	73	69	33	40	48
North Tonawanda	209	26	13	21	15	17	12	14	23	15	21	17	15
Ogdensburg	495	43	39	46	38	54	40	44	20	52	65	29	25
Olean	266	22	25	32	23	31	23	20	18	18	14	13	27
Ossining	162	19	15	14	17	8	13	18	10	8	17	12	11
Oswego	365	31	32	26	30	34	27	25	37	29	34	27	33
Peekskill	223	27	16	25	21	13	16	18	19	19	12	13	24
Plattsburg	201	11	24	16	18	18	10	18	14	22	21	9	20
Port Chester	220	27	20	19	17	19	14	21	22	15	14	19	13
Poughkeepsie	546	68	51	56	52	48	36	40	33	40	43	34	45
Rensselaer	124	10	10	11	15	9	9	9	13	10	10	7	311
Rochester	4,083	437	354	357	374	383	297	302	304	320	325	312	18
Rome	674	65	69	60	57	55	58	54	44	63	55	56	38
Saratoga Springs	277	25	20	25	24	25	13	17	22	24	26	31	25
Schenectady	1,101	105	107	97	94	90	64	83	92	96	94	80	199
Syracuse	2,426	233	217	267	226	198	188	170	188	195	185	168	191
Troy	1,653	157	178	156	146	129	137	109	109	130	125	125	152
Utica	1,509	172	123	160	146	138	128	87	106	136	129	112	32
Watertown	558	63	59	46	39	48	48	37	46	42	44	44	42
Watervliet	242	29	19	27	22	22	14	19	18	19	20	16	17
White Plains	257	30	33	17	20	13	23	19	19	25	20	22	16
Yonkers	1,199	136	99	114	101	105	91	83	99	80	112	92	87
NORTH CAROLINA.													
Registration cities	4,077	326	344	316	311	395	385	344	335	291	362	319	349
Asheville	607	54	52	53	40	59	53	50	47	38	58	43	60
Charlotte	773	56	59	54	63	70	78	66	73	58	61	66	69
Durham	392	38	36	23	25	44	44	32	32	29	30	29	30
Greensboro	287	21	22	20	24	24	18	24	30	26	23	33	22
Raleigh	575	44	60	42	49	53	38	52	41	42	59	48	47
Wilmington	590	42	41	41	49	58	72	52	41	42	63	44	45
Winston-Salem	853	71	74	83	61	87	82	68	71	56	68	56	76
NORTH DAKOTA.[1]													
Fargo	216	22	17	19	16	22	10	19	20	15	18	15	23

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
OHIO.													
Registration cities	41,771	3,906	3,750	4,138	3,718	3,612	3,109	3,074	3,500	3,221	3,233	3,078	3,432
Akron	2,139	157	197	245	225	190	167	142	201	167	166	138	144
Alliance	305	29	35	28	25	29	22	12	20	32	21	17	35
Ashtabula	315	30	18	27	32	32	26	32	27	23	20	22	26
Bellaire	267	23	21	23	17	23	33	19	21	16	22	22	27
Cambridge	173	22	15	11	8	22	11	11	12	16	18	14	13
Canton	1,001	64	97	83	98	83	77	73	98	84	84	76	84
Chillicothe	248	21	27	23	11	17	14	12	24	27	18	28	26
Cincinnati	6,327	732	608	659	598	598	510	520	491	478	512	509	612
Cleveland	10,333	1,023	985	1,076	960	912	788	808	1,016	835	810	746	874
Columbus	3,383	337	357	332	261	304	241	246	257	253	265	256	274
Dayton	2,055	194	193	202	203	158	150	127	162	147	171	180	168
East Liverpool	394	45	35	35	40	34	17	21	32	32	31	36	36
Elyria	271	20	29	30	20	32	23	15	18	32	17	18	17
Findlay	212	15	16	22	22	20	11	15	18	15	19	16	23
Hamilton	514	52	45	61	49	45	35	35	44	45	41	23	39
Ironton	274	19	27	35	26	17	16	19	23	21	16	25	30
Lakewood	284	23	30	24	28	21	16	19	23	31	22	19	28
Lancaster	203	18	20	21	19	16	11	20	21	16	18	14	9
Lima	544	45	43	59	49	42	36	48	53	46	42	35	46
Lorain	384	21	21	42	22	47	33	21	27	34	43	33	40
Mansfield	339	41	26	38	28	36	27	23	21	33	25	17	24
Marietta	194	20	18	30	24	14	13	14	15	13	14	11	8
Marion	343	26	25	40	32	33	24	17	29	27	37	28	25
Massillon	214	18	19	20	18	11	15	21	18	21	16	19	18
Middletown	270	19	27	18	18	27	20	30	24	20	19	29	19
Newark	388	37	45	35	37	38	24	35	29	31	22	17	37
Norwood	182	15	18	15	11	9	17	14	17	18	14	17	17
Piqua	253	19	24	25	19	15	24	20	15	22	26	22	22
Portsmouth	500	54	52	44	46	40	37	31	32	40	38	37	49
Sandusky	346	31	32	28	23	22	29	30	38	34	26	27	26
Springfield	359	70	58	73	33	82	68	54	77	75	72	69	73
Steubenville	234	60	37	54	47	36	44	43	36	41	51	37	48
Tiffin	218	16	24	20	19	21	23	17	19	9	12	15	23
Toledo	3,566	359	282	358	326	326	288	269	266	249	299	271	273
Warren	284	21	24	22	28	30	19	20	31	20	18	25	26
Youngstown	2,144	167	165	226	203	188	162	188	201	172	153	168	151
Zanesville	511	43	55	49	43	42	38	33	44	46	34	42	42
OREGON.[1]													
Portland	2,390	237	173	204	193	208	172	191	152	176	224	246	214
PENNSYLVANIA.													
Registration cities	68,670	7,094	6,242	6,780	6,125	5,801	4,725	5,198	5,515	4,836	4,982	5,240	6,132
Allentown	1,140	132	94	117	100	75	82	88	107	89	89	81	86
Altoona	778	70	59	62	70	72	63	54	77	50	62	66	73
Beaver Falls	251	39	20	20	15	14	16	28	16	19	15	22	27
Bethlehem	219	33	18	16	15	14	17	16	17	20	10	16	27
Braddock	490	45	36	47	29	47	38	45	44	32	44	33	50
Bradford	238	28	28	18	19	20	18	19	16	15	19	20	18
Butler	313	38	32	34	22	24	20	22	24	22	19	25	31
Carbondale	318	39	29	29	27	29	18	24	21	30	27	24	21
Carlisle	181	20	20	18	8	24	10	11	10	16	17	7	20
Carnegie	130	18	6	14	10	8	9	7	14	11	6	15	12
Chambersburg	210	24	22	24	14	14	16	14	18	14	19	16	15
Chester	939	106	66	103	102	75	62	83	73	61	53	66	89
Coatesville	218	14	21	22	15	15	17	23	12	18	12	19	30
Columbia	175	11	16	19	8	20	12	9	16	7	22	19	16
Connellsville	192	15	17	24	17	22	12	9	13	13	11	25	14
Dubois	182	23	17	18	14	18	11	5	19	12	13	19	13
Dunmore	347	29	39	44	26	24	28	36	23	26	24	17	31
Duquesne	219	22	22	29	15	18	9	18	23	21	13	14	15
Easton	635	90	60	60	52	45	48	41	55	56	51	31	46
Erie	1,299	118	125	140	124	105	88	104	84	90	97	108	116
Farrell	197	14	11	25	16	19	10	13	23	16	19	18	13
Greensburg	243	16	27	29	18	16	16	16	27	16	13	17	32
Harrisburg	1,148	118	84	116	104	110	87	89	82	61	86	105	106
Hazleton	467	48	53	37	36	35	35	37	36	39	33	36	42
Homestead	285	29	21	17	21	21	23	24	27	22	19	32	29
Johnstown	1,098	114	91	104	106	100	81	88	85	92	81	64	92
Lancaster	791	84	61	61	81	70	62	59	63	62	53	58	77
Lebanon	420	58	39	37	46	37	21	17	30	37	32	34	32
McKees Rocks	198	16	20	13	17	19	13	21	22	15	20	7	15
McKeesport	773	64	64	83	76	70	51	61	65	58	53	68	60
Mahanoy City	220	23	23	15	18	11	8	25	24	22	25	16	10
Meadville	233	25	16	23	17	24	21	24	13	14	19	16	21
Monessen	179	16	12	22	17	18	11	21	13	11	13	16	9
Mount Carmel	211	20	15	26	21	21	9	27	19	16	9	12	16
Nanticoke	298	36	26	25	19	24	26	24	33	23	23	22	17

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
PENNSYLVANIA—continued.													
New Castle	663	65	63	76	58	54	50	44	62	53	40	48	50
Norristown	797	100	70	88	81	63	51	49	62	47	61	52	73
North Braddock	172	15	11	14	11	19	11	13	18	14	18	17	11
Oil City	265	26	25	21	22	21	16	22	28	19	18	21	26
Old Forge	155	11	10	20	17	22	6	16	13	11	9	11	9
Philadelphia	29,649	3,163	2,849	2,924	2,691	2,573	2,034	2,167	2,281	1,937	2,058	2,264	2,708
Phoenixville	187	18	22	17	17	17	9	18	16	11	12	16	14
Pittsburgh	10,645	1,070	914	1,009	922	827	756	781	868	800	806	872	1,020
Pittston	318	19	29	40	19	43	29	37	22	20	19	20	21
Plymouth	167	14	24	26	9	16	13	7	8	19	17	5	9
Pottstown	263	32	31	23	27	19	15	16	13	18	30	21	18
Pottsville	466	55	43	45	32	35	35	45	39	31	41	28	37
Reading	1,591	138	142	165	158	155	93	117	145	109	114	128	127
Scranton	2,247	231	200	232	203	185	145	211	205	158	169	154	154
Shamokin	259	27	26	23	21	20	18	13	23	22	34	16	16
Sharon	281	24	15	37	27	20	18	24	17	22	20	27	30
Shenandoah	394	27	24	29	25	30	27	39	43	59	31	23	37
South Bethlehem	349	32	32	38	29	28	20	30	34	24	26	27	29
Steelton	194	19	17	23	25	13	11	17	13	12	15	11	18
Sunbury	183	22	21	23	17	9	16	11	9	16	7	13	19
Uniontown	333	27	22	29	34	34	26	26	23	29	25	24	34
Warren	194	20	14	22	21	14	15	12	22	14	11	14	15
Washington	342	33	24	33	30	31	25	26	24	34	25	25	32
West Chester	311	28	26	28	34	22	16	24	29	22	19	31	32
Wilkes-Barre	1,163	115	103	122	99	92	64	94	112	94	85	85	98
Wilkinsburg	391	43	39	44	39	34	34	26	20	18	27	27	40
Williamsport	753	62	63	65	74	67	57	63	61	52	73	46	70
York	703	63	73	73	68	60	47	48	61	45	51	50	64
RHODE ISLAND.													
Registration cities	7,970	905	768	749	704	708	585	591	586	597	546	558	673
Central Falls	301	47	23	25	38	24	17	23	23	19	19	24	19
Cranston (exclusive of)	283	25	33	22	26	18	25	20	15	24	22	26	27
State institutions	566	58	51	52	41	62	41	42	54	50	38	29	48
Cumberland town	131	10	15	11	11	10	12	5	10	15	10	8	14
East Providence town	244	27	20	23	19	23	18	23	21	13	18	18	21
Newport	434	61	40	46	31	42	35	34	29	39	28	17	32
Pawtucket	901	106	93	68	68	69	75	65	63	63	65	59	107
Providence	3,996	431	389	379	371	359	294	300	290	295	260	309	319
Warwick town	277	35	25	33	23	25	18	11	29	26	19	17	16
West Warwick town	238	30	24	24	25	23	11	21	13	19	13	12	23
Woonsocket	599	75	55	66	51	53	39	47	39	34	54	39	47
SOUTH CAROLINA.													
Registration cities	3,580	316	279	290	289	350	321	310	260	256	286	278	345
Charleston	1,570	130	131	128	143	162	126	142	102	122	110	121	153
Columbia	1,281	122	92	99	86	120	123	104	104	84	116	98	133
Greenville	353	31	27	36	25	30	41	28	25	24	31	30	25
Spartanburg	376	33	29	27	35	38	31	36	29	26	29	29	34
TENNESSEE.													
Registration cities	7,425	660	678	654	610	625	581	635	592	567	581	566	676
Chattanooga	1,211	124	114	114	81	82	113	97	103	95	102	85	101
Jackson	334	22	22	33	33	25	19	40	27	35	15	37	26
Knoxville	917	64	72	52	88	91	74	91	89	75	65	76	80
Memphis	3,019	296	275	272	261	269	220	235	228	201	251	217	294
Nashville	1,944	154	195	183	147	158	155	172	145	161	148	151	175
TEXAS.[1]													
Registration cities	10,258	998	898	854	987	992	854	786	719	678	779	808	905
Beaumont	457	25	38	37	42	38	38	42	38	28	37	33	61
Cleburne	134	14	12	7	9	16	8	9	16	6	14	13	10
Dallas	1,641	162	157	150	130	128	119	143	106	106	144	147	149
El Paso	2,456	253	213	212	285	316	250	206	165	159	139	122	136
Galveston	683	61	68	59	48	62	60	53	47	57	49	60	59
Houston	1,652	210	124	119	146	144	114	116	115	119	131	156	158
San Antonio	3,235	273	286	270	327	288	265	217	232	203	265	277	332
UTAH.													
Registration cities	1,693	187	137	139	150	142	128	107	129	145	128	141	160
Ogden	325	27	24	29	27	31	28	18	25	26	31	32	27
Salt Lake City	1,368	160	113	110	123	111	100	89	104	119	97	109	133

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1917—Continued.

[This table exoludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
VERMONT.													
Registration cities	795	69	82	73	70	72	58	61	68	57	61	57	67
Barre	135	13	18	15	13	7	9	8	13	9	14	6	10
Burlington	413	29	34	42	32	38	31	36	34	33	30	38	36
Rutland	247	27	30	16	25	27	18	17	21	15	17	13	21
VIRGINIA.													
Registration cities	8,361	845	695	701	683	648	714	755	682	634	632	610	762
Alexandria	289	33	23	31	22	10	18	30	37	21	17	24	23
Danville	390	31	34	26	31	31	48	36	30	23	31	23	46
Lynchburg	526	60	43	45	38	37	54	52	37	38	43	35	44
Newport News	442	47	34	41	31	33	29	45	41	37	36	33	35
Norfolk	1,555	146	128	122	125	135	139	125	122	127	112	118	156
Petersburg	692	52	58	50	52	55	63	74	60	52	53	57	66
Portsmouth	579	59	46	44	49	45	54	54	44	31	46	36	71
Richmond	2,932	337	257	246	246	219	231	265	232	220	211	216	252
Roanoke	654	61	56	70	53	55	57	47	54	56	51	46	48
Staunton	302	19	16	26	36	28	21	27	25	29	32	22	21
WASHINGTON.													
Registration cities	5,738	507	494	529	509	484	457	412	426	413	501	480	526
Aberdeen	154	8	11	8	16	15	16	8	14	13	16	11	18
Bellingham	222	19	28	36	18	17	13	17	11	13	12	21	17
Everett	262	23	19	22	21	27	23	18	18	21	20	25	25
North Yakima	244	23	24	23	13	17	17	29	15	25	21	19	18
Seattle	2,530	229	207	243	216	234	220	163	196	170	222	205	225
Spokane	1,162	106	99	104	103	86	88	101	80	85	94	99	117
Tacoma	950	89	89	76	100	71	67	59	72	65	98	85	79
Walla Walla	214	10	17	17	22	17	13	17	20	21	18	15	27
WEST VIRGINIA.[1]													
Wheeling	850	80	83	79	80	67	73	68	59	66	53	62	80
WISCONSIN.													
Registration cities	11,245	1,098	1,077	1,155	1,121	1,074	894	884	707	779	789	815	852
Appleton	287	30	22	31	26	23	17	19	21	27	18	28	25
Ashland	241	29	32	16	18	23	21	22	14	16	11	18	21
Beloit	237	26	13	24	23	33	25	16	16	10	22	10	19
Eau Claire	347	26	43	31	38	35	30	25	19	24	27	24	25
Fond du Lac	312	44	25	33	31	29	19	27	19	26	12	16	31
Green Bay	521	42	56	47	51	58	48	38	34	34	39	40	34
Janesville	231	35	24	28	14	25	11	15	13	14	17	18	17
Kenosha	364	31	37	22	41	28	20	33	23	31	25	37	36
La Crosse	453	45	45	47	42	40	31	38	38	35	33	28	31
Madison	392	41	27	34	40	38	27	38	19	27	38	23	40
Manitowoc	218	17	22	20	21	24	21	26	18	12	10	15	12
Marinette	174	22	17	19	17	16	17	14	7	10	12	7	16
Milwaukee	5,461	540	526	607	572	483	449	424	336	359	389	390	386
Oshkosh	451	45	39	45	41	52	38	31	37	28	19	32	44
Racine	553	49	46	62	64	64	27	49	30	40	37	38	47
Sheboygan	370	33	33	34	36	40	39	22	28	32	20	24	29
Superior	421	25	44	42	31	40	30	35	23	39	39	49	24
Wausau	212	18	26	13	15	23	24	12	12	15	21	18	15

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1917.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.				
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.			
SUMMARY.												
The registration area (exclusive of Hawaii)	1,066,711	949,339	706,035	397,720	160,586	52,328	7,186	34,172	54,043	227,795	15,509	113,262	4,110
Registration states[1]	979,136	880,776	659,101	377,641	144,968	48,037	6,559	32,247	49,649	207,365	14,310	94,380	3,980
Cities in registration states[1]	500,281	458,119	312,302	145,517	102,007	29,273	3,704	12,091	19,710	139,082	6,735	40,526	1,636
Rural part of registration states	478,855	422,657	346,799	232,124	42,961	18,764	2,855	20,156	29,939	68,283	7,575	53,854	2,344
Registration cities in nonregistration states	87,575	68,563	46,934	20,079	15,618	4,291	627	1,925	4,394	20,430	1,199	18,882	130
All registration cities[1]	587,856	526,682	359,236	165,596	117,625	33,564	4,331	14,016	24,104	159,512	7,934	59,408	1,766
REGISTRATION STATES.													
California	41,809	39,244	25,801	11,219	5,255	2,345	495	1,777	4,710	12,406	1,037	650	1,915
Colorado	10,725	10,424	7,785	4,066	1,189	604	149	597	1,180	2,244	395	246	55
Connecticut	20,819	20,247	13,569	5,332	5,238	1,052	164	680	1,103	6,305	373	565	7
Indiana	39,736	37,899	33,505	23,064	3,163	1,470	296	2,507	3,005	4,066	328	1,337	.....
Kansas	20,644	19,261	15,943	9,634	1,251	836	240	1,297	2,685	2,876	442	1,328	55
Kentucky	32,723	26,893	25,142	20,141	933	462	105	1,593	1,908	1,249	502	5,829	1
Maine	11,667	11,631	9,814	7,074	942	844	31	305	618	1,670	147	20	16
Maryland	23,444	17,192	14,398	9,692	2,004	864	162	725	951	2,543	251	6,247	5
Massachusetts	56,675	55,662	36,647	16,050	13,064	3,694	480	1,652	1,707	18,577	438	959	54
Michigan	47,121	46,248	32,017	15,433	8,096	3,578	557	1,848	2,505	13,212	1,019	679	194
Minnesota	23,913	23,500	13,730	5,596	4,668	2,089	182	504	691	9,477	293	174	239
Missouri	45,625	41,300	34,548	22,076	3,798	1,661	385	2,610	4,018	5,641	1,111	4,313	12
Montana	6,589	6,291	4,039	1,874	888	458	67	208	544	1,768	484	74	224
New Hampshire	7,457	7,445	5,635	2,944	903	463	49	370	906	1,514	296	12	.....
New Jersey	43,801	41,093	28,208	14,173	9,610	2,390	284	674	1,077	12,461	424	2,694	14
New York	153,959	149,688	98,449	45,077	36,409	9,521	770	2,723	3,949	50,045	1,194	4,067	204
North Carolina	33,969	20,468	20,144	17,706	68	125	20	1,151	1,074	127	197	13,338	163
Ohio	76,940	73,008	57,774	34,305	11,356	3,695	610	2,936	4,872	13,653	1,581	3,921	11
Pennsylvania	128,163	121,494	93,450	53,629	24,537	6,855	947	2,966	4,516	26,559	1,485	6,630	39
Rhode Island	9,510	9,204	6,063	2,728	2,421	619	36	96	163	3,050	91	296	10
South Carolina	23,503	8,731	8,468	7,296	88	87	12	500	485	130	133	14,766	6
Tennessee	30,862	21,460	20,462	15,855	230	192	40	1,839	2,306	401	597	9,401	1
Utah	4,615	4,517	3,107	1,803	615	387	30	90	182	1,330	80	22	76
Vermont	5,468	5,462	4,481	2,800	560	393	31	278	419	917	64	6	.....
Virginia	31,527	18,017	17,114	13,885	293	267	38	1,215	1,416	501	402	13,486	24
Washington	12,137	11,474	8,112	4,405	1,339	840	114	501	913	3,056	306	118	545
Wisconsin	29,130	28,937	17,422	7,548	5,708	2,079	256	568	1,263	10,971	544	91	102
REGISTRATION CITIES.													
ALABAMA.[2]													
Registration cities	5,904	2,269	2,013	1,418	125	76	13	104	277	191	65	3,633	2
Birmingham	3,836	1,434	1,282	902	76	39	5	80	180	98	54	2,401	1
Mobile	1,170	515	439	291	48	33	7	16	44	70	6	654	1
Montgomery	898	320	292	225	1	4	1	8	53	23	5	578	.....
CALIFORNIA.													
Registration cities	23,962	22,396	14,341	6,182	3,213	1,395	301	982	2,268	7,522	533	488	1,078
Alameda	291	282	172	80	36	19	5	8	24	108	2	3	6
Bakersfield	334	316	234	89	27	15	7	20	76	67	15	8	10
Berkeley	476	460	321	195	51	30	3	14	28	136	3	6	10
Eureka	197	195	127	34	18	7	6	7	55	65	3	.....	2
Fresno	546	460	341	140	93	17	9	25	57	113	6	9	77
Long Beach	510	503	411	191	33	25	12	62	88	87	5	3	4
Los Angeles	6,706	6,230	4,359	2,025	805	337	119	351	722	1,708	163	254	222
Oakland	2,190	2,060	1,318	613	309	167	10	78	141	722	20	64	66
Pasadena	496	476	360	197	33	27	8	31	64	111	5	16	4
Pomona	149	147	117	57	15	9	.....	17	19	30	.....	2	.....
Redlands	149	144	117	74	13	11	3	5	11	26	1	2	3
Riverside	292	269	206	101	35	15	4	18	33	57	6	7	16
Sacramento	1,216	1,045	699	274	139	60	21	50	135	326	20	22	149
San Bernardino	368	354	249	101	43	12	13	14	66	100	5	4	10
San Diego	1,032	989	669	341	105	61	11	62	89	281	39	20	23
San Francisco	7,084	6,695	3,480	1,185	1,268	463	49	147	368	3,032	183	49	340
San Jose	433	408	277	114	65	41	8	18	31	127	4	2	23
Santa Barbara	271	255	192	115	36	20	2	7	12	58	5	4	12
Santa Cruz	168	165	115	67	15	8	1	11	13	48	2	.....	3
Stockton	892	786	477	150	63	42	4	27	191	267	42	11	95
Vallejo	162	157	100	39	11	9	6	10	25	53	4	2	3

[1] Including District of Columbia.

[2] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1917—Contd.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.					
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.				
REGISTRATION CITIES—Contd.													
COLORADO.													
Registration cities	4,546	4,346	3,169	1,551	538	259	68	254	499	1,020	157	178	22
Colorado Springs	520	497	416	244	58	37	3	26	48	73	8	23	.....
Denver	3,215	3,088	2,170	1,003	356	181	53	190	387	793	125	110	17
Pueblo	630	584	453	225	105	34	9	29	51	113	18	41	5
Trinidad	181	177	130	79	19	7	3	9	13	41	6	4	.....
CONNECTICUT.													
Registration cities	14,973	14,499	9,371	3,243	4,132	780	118	389	709	4,902	226	467	7
Ansonia	275	266	177	28	127	9	1	3	9	88	1	9	.....
Bridgeport	2,270	2,210	1,359	439	612	143	19	43	103	802	49	59	1
Bristol	208	207	149	60	55	8	2	12	12	52	6	1	.....
Danbury town	417	405	268	107	80	21	3	24	33	126	11	12	.....
Greenwich town	282	269	200	78	83	28	1	3	7	64	5	13	.....
Hartford	2,588	2,446	1,602	555	697	120	22	71	137	809	35	140	2
Manchester town	134	134	72	27	23	7	1	7	7	60	2	.....	.....
Meriden town	565	560	312	116	134	32	4	13	13	243	5	5	.....
Middletown town	633	617	398	158	127	27	6	18	62	213	6	15	1
Naugatuck	137	137	84	18	45	8	.....	5	8	52	1	.....	.....
New Britain	748	741	476	123	303	29	6	7	8	259	6	6	1
New Haven	2,603	2,489	1,587	515	728	119	27	70	128	865	37	113	1
New London	424	410	290	140	82	24	2	12	30	106	14	14	.....
Norwalk	417	404	294	162	71	27	2	16	16	107	3	13	.....
Norwich town	565	537	338	130	147	23	5	11	22	191	8	28	.....
Orange town	173	170	136	54	41	16	1	9	15	33	1	3	.....
Stamford town	577	567	379	145	144	41	4	19	26	171	17	10	.....
Torrington town	235	232	147	51	63	14	2	5	12	85	.....	3	.....
Wallingford town	148	148	110	48	39	12	1	2	8	34	4	.....	.....
Waterbury	1,314	1,291	824	231	478	57	7	26	25	458	9	22	1
Windham town	260	259	169	58	53	15	2	13	28	84	6	1	.....
DELAWARE.[1]													
Wilmington	1,880	1,562	1,234	741	276	90	13	38	76	295	33	318	.....
DISTRICT OF COLUMBIA.													
Washington	6,605	3,986	3,274	2,236	342	167	9	37	483	616	96	2,611	8
FLORIDA.[1]													
Registration cities	3,016	1,552	1,173	681	150	114	14	76	138	337	42	1,463	1
Jacksonville	1,544	650	548	365	31	28	8	41	75	79	23	893	1
Key West	285	206	106	33	33	34	3	1	2	96	4	79	.....
Pensacola	479	223	191	120	10	13	.....	19	29	29	3	256	.....
Tampa	708	473	328	163	76	39	3	15	32	133	12	235	.....
GEORGIA.[1]													
Registration cities	5,893	2,726	2,499	1,683	74	56	9	166	511	185	42	3,166	1
Atlanta	3,170	1,751	1,651	1,320	52	37	7	150	85	76	24	1,419	.....
Augusta	969	431	395	325	19	13	1	7	30	24	12	537	1
Brunswick	196	67	60	36	3	6	1	9	5	4	3	129	.....
Savannah	1,558	477	393	2	.....	.....	.....	.....	391	81	3	1,081	.....
ILLINOIS.[1]													
Registration cities	41,949	39,832	24,675	7,627	11,450	2,677	387	756	1,778	14,595	562	2,092	25
Aurora	516	508	356	172	109	32	7	10	26	139	13	8	.....
Belleville	348	344	246	130	73	26	3	3	11	93	5	4	.....
Chicago	38,011	36,105	21,894	6,177	10,920	2,499	344	595	1,359	13,771	440	1,881	25
Decatur	580	551	474	316	43	27	8	35	45	68	9	29	.....
Evanston	385	359	258	133	63	25	6	14	17	96	5	26	.....
Jacksonville	545	507	383	169	30	22	10	25	127	67	57	38	.....
Quincy	588	537	390	153	64	13	4	17	139	126	21	51	.....
Springfield	976	921	674	377	148	33	5	57	54	235	12	55	.....

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1917—Contd.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.					
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.				
REGISTRATION CITIES—Contd.													
INDIANA.													
Registration cities	15,319	13,974	11,562	7,066	1,964	731	119	775	907	2,282	130	1,345	.....
Anderson	399	387	375	302	15	8	1	29	20	11	1	12	.....
East Chicago	563	546	399	53	300	23	4	6	8	142	5	17	.....
Elkhart	315	311	268	174	22	14	5	18	35	43	.....	4	.....
Elwood	154	154	140	105	6	5	4	13	7	14	.....	.....	.....
Evansville	1,240	1,079	923	576	132	44	18	57	96	149	7	161	.....
Fort Wayne	976	960	757	434	149	66	9	50	49	192	11	16	.....
Gary	803	700	467	120	284	36	3	7	17	223	10	103	.....
Hammond	542	525	350	130	136	51	5	11	17	168	7	17	.....
Huntington	167	167	150	110	7	4	2	11	16	17	.....	.....	.....
Indianapolis	4,582	3,862	3,304	2,262	334	214	24	229	241	522	36	720	.....
Jeffersonville	126	96	78	52	7	1	2	8	8	17	1	30	.....
Kokomo	311	301	281	207	8	14	.....	19	33	18	2	10	.....
Lafayette	437	431	346	219	52	19	1	17	38	84	1	6	.....
Laporte	210	210	160	89	37	16	2	5	11	48	2	.....	.....
Logansport	273	266	228	142	28	10	4	14	30	32	6	7	.....
Marion	309	285	270	187	12	6	3	33	29	10	5	24	.....
Michigan City	269	262	168	73	57	19	3	8	8	92	2	7	.....
Mishawaka	161	159	131	63	18	5	1	27	17	28	.....	2	.....
Muncie	393	373	349	274	16	12	.....	23	24	21	3	20	.....
New Albany	397	351	309	183	42	23	8	18	35	40	2	46	.....
Peru	168	162	138	84	14	7	.....	14	19	23	1	6	.....
Richmond	369	329	293	205	39	11	1	17	20	36	.....	40	.....
South Bend	917	899	682	342	159	80	8	45	48	211	6	18	.....
Terre Haute	959	892	759	518	71	29	8	76	57	115	18	67	.....
Vincennes	279	267	237	157	19	14	3	20	24	26	4	12	.....
KANSAS.													
Registration cities	5,041	4,277	3,539	2,031	329	199	67	307	606	638	100	763	1
Atchison	192	155	119	61	9	5	3	18	23	33	3	37	.....
Coffeyville	189	149	134	98	2	4	2	15	13	10	5	40	.....
Fort Scott	165	144	130	82	2	4	.....	10	32	9	5	21	.....
Hutchinson	271	247	216	130	15	11	7	25	28	28	3	24	.....
Independence	149	138	126	83	6	6	1	10	20	11	1	11	.....
Kansas City	1,465	1,150	898	460	133	69	13	71	152	221	31	314	1
Lawrence	183	145	122	82	6	6	1	10	17	22	1	38	.....
Leavenworth	352	286	202	83	27	17	8	12	55	78	6	66	.....
Parsons	215	180	160	100	9	5	6	16	24	14	6	35	.....
Pittsburg	239	220	178	116	10	12	2	12	26	37	5	19	.....
Topeka	741	646	537	294	59	35	9	47	93	97	12	95	.....
Wichita	880	817	717	442	51	25	15	61	123	78	22	63	.....
KENTUCKY.													
Registration cities	7,588	5,578	4,647	2,881	651	250	59	279	527	837	94	2,009	1
Covington	1,000	904	704	409	149	61	11	36	38	192	8	96	.....
Frankfort	217	144	121	83	6	6	2	9	15	12	11	73	.....
Henderson	245	140	133	101	8	2	1	11	10	5	2	105	.....
Lexington	1,016	631	577	418	26	9	3	30	91	42	12	385	.....
Louisville	3,919	2,853	2,318	1,349	369	141	32	134	293	485	50	1,065	1
Newport	385	361	281	151	74	26	6	5	19	78	2	24	.....
Owensboro	348	266	252	191	13	3	1	27	17	10	4	82	.....
Paducah	458	279	261	179	6	2	3	27	44	13	5	179	.....
LOUISIANA.[1]													
Registration cities	9,513	5,208	4,151	2,514	906	374	26	96	235	999	58	4,294	11
Alexandria	287	120	105	66	6	10	2	5	16	6	9	167	.....
Baton Rouge	284	109	96	67	7	4	.....	8	10	11	2	175	.....
Lake Charles	209	104	88	50	5	6	1	13	13	10	6	105	.....
Monroe	224	106	91	67	5	1	.....	7	11	9	6	118	.....
New Orleans	7,510	4,369	3,423	2,015	870	345	18	32	143	929	17	3,130	11
Shreveport	999	400	348	249	13	8	5	31	42	34	18	599	.....
MAINE.													
Registration cities	3,153	3,144	2,399	1,506	451	225	6	74	137	699	46	8	1
Auburn	218	218	197	144	22	11	.....	8	12	21	.....	.....	.....
Augusta	315	314	253	183	30	17	1	5	17	54	7	1	.....
Bangor	669	665	519	371	58	44	3	13	30	136	10	3	1
Biddeford	273	273	179	84	66	23	.....	2	4	89	5	.....	.....
Lewiston	476	475	322	160	97	38	.....	14	13	149	4	1	.....
Portland	996	993	770	478	151	58	2	29	52	206	17	3	.....
Waterville	206	206	159	86	27	34	.....	3	9	44	3	.....	.....

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1917—Contd.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.	
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.				
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.			
REGISTRATION CITIES—Contd.												
MARYLAND.												
Registration cities	12,398	9,297	7,374	4,451	1,456	556	102	322	487	1,814	109	3,097	4
Baltimore	11,355	8,362	6,512	3,775	1,397	532	97	272	439	1,755	95	2,989	4
Cumberland	426	397	347	236	43	18	3	25	22	44	6	29	.....
Frederick	194	161	156	139	5	2	.....	5	5	5	.....	33	.....
Hagerstown	423	377	359	301	11	4	2	20	21	10	8	46	.....
MASSACHUSETTS.												
Registration cities	44,179	43,290	27,626	10,961	11,000	2,953	395	1,149	1,168	15,306	358	843	46
Adams town	121	121	77	16	37	7	5	7	5	41	3	.....	.....
Arlington town	179	179	115	68	28	7	.....	5	7	64	.....	.....	.....
Attleboro	239	236	170	74	51	21	1	12	11	62	4	3	.....
Beverly	294	293	220	122	51	25	1	11	10	72	1	.....	1
Boston	12,704	12,252	7,350	2,636	3,204	836	116	321	237	4,728	174	416	36
Brockton	750	736	504	288	115	57	4	22	18	232	.....	14	.....
Brookline town	383	382	272	175	48	24	3	9	13	106	4	1	.....
Cambridge	1,605	1,528	888	366	380	90	7	22	23	632	8	75	2
Chelsea	682	661	429	181	148	42	11	22	25	222	10	21	.....
Chicopee	426	426	269	52	165	31	3	5	13	156	1	.....	.....
Clinton town	186	184	116	41	53	12	3	1	6	67	1	2	.....
Everett	376	353	222	116	65	20	3	10	8	129	2	23	.....
Fall River	2,116	2,113	1,301	270	335	148	22	15	11	809	3	2	1
Fitchburg	485	485	285	94	131	32	3	6	19	197	3	.....	.....
Framingham town	229	227	173	79	51	21	1	10	11	52	2	2	.....
Gardner town	250	248	172	62	65	18	4	2	21	76	.....	2	.....
Gloucester	359	359	244	125	59	31	2	16	11	114	1	.....	.....
Greenfield town	214	211	156	86	29	13	2	9	17	50	5	3	.....
Haverhill	731	728	544	295	134	51	6	29	29	181	3	3	.....
Holyoke	1,055	1,054	666	124	292	72	39	101	38	385	3	1	.....
Lawrence	1,395	1,391	800	164	509	87	8	13	19	583	8	4	.....
Leominster	220	220	161	61	47	20	1	18	14	57	2	.....	.....
Lowell	1,940	1,938	1,196	354	619	149	9	32	33	723	19	2	.....
Lynn	1,267	1,247	854	419	240	78	8	51	58	389	4	19	1
Malden	582	574	379	179	125	41	7	14	13	194	1	8	.....
Marlborough	199	198	131	68	31	11	.....	7	14	67	.....	1	.....
Medford	378	370	256	135	53	30	5	18	15	112	2	8	.....
Melrose	270	269	197	132	27	23	1	10	4	72	.....	1	.....
Methuen town	202	202	123	44	49	15	1	7	7	79	.....	.....	.....
Milford town	185	185	128	46	54	12	.....	7	9	55	2	.....	.....
New Bedford	1,786	1,694	1,084	296	581	119	28	30	30	601	9	89	3
Newburyport	253	253	192	131	27	17	1	9	7	60	1	.....	.....
Newton	520	511	361	229	79	43	4	2	4	149	1	9	.....
North Adams	356	353	231	96	75	31	4	8	17	115	7	3	.....
Northampton	436	435	287	146	92	25	1	10	13	146	2	1	.....
Peabody	258	258	162	72	74	11	.....	3	2	95	1	.....	.....
Pittsfield	647	636	463	224	158	41	7	15	18	167	6	11	.....
Plymouth town	191	184	141	78	40	10	1	5	7	42	1	7	.....
Quincy	469	469	287	132	95	30	3	16	11	178	4	.....	.....
Revere	237	237	145	47	60	15	5	8	10	92	.....	.....	.....
Salem	602	598	411	202	139	45	4	9	12	185	2	4	.....
Somerville	1,077	1,071	693	338	197	87	7	31	33	377	1	6	.....
Southbridge town	153	153	104	41	41	13	1	6	2	49	.....	.....	.....
Springfield	1,876	1,825	1,308	598	443	128	10	46	83	514	3	51	.....
Taunton	780	773	508	223	193	48	11	19	14	257	8	5	2
Wakefield town	126	126	90	59	18	3	1	9	.....	36	.....	.....	.....
Waltham	393	390	254	116	77	28	4	14	15	131	5	3	.....
Watertown town	190	189	120	60	39	9	4	4	4	69	.....	1	.....
Webster town	136	136	77	19	43	11	.....	2	2	59	.....	.....	.....
Westfield town	338	336	257	108	93	14	3	16	23	71	8	2	.....
Weymouth town	171	170	122	77	22	9	2	5	7	48	.....	1	.....
Winthrop town	143	143	100	49	21	15	2	2	11	41	2	.....	.....
Woburn	230	224	139	68	47	16	.....	1	7	82	3	6	.....
Worcester	2,789	2,756	1,692	680	651	161	16	67	117	1,036	28	33	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1917—Contd.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.				
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.			
REGISTRATION CITIES—Contd.												
MICHIGAN.												
Registration cities	22,295	21,808	14,427	5,980	4,730	1,340	283	691	903	6,802	579	473	14
Adrian	214	209	170	106	22	12	4	14	12	39	.....	5	.....
Alpena	159	159	83	39	19	16	2	1	6	75	1	.....	.....
Ann Arbor	480	464	361	190	71	41	6	22	31	96	7	16	.....
Battle Creek	495	487	413	267	33	35	9	33	36	66	8	8	.....
Bay City	635	632	358	139	111	57	10	16	25	263	11	3	.....
Detroit	11,736	11,388	7,300	2,403	3,154	1,004	131	292	316	3,674	414	343	5
Escanaba	225	224	124	42	42	26	4	5	5	88	12	1	.....
Flint	829	820	649	372	103	67	23	46	38	165	6	8	1
Grand Rapids	1,738	1,721	1,144	540	337	128	20	61	58	562	15	16	1
Holland	122	122	66	34	19	12	1	.....	.....	55	1	.....	.....
Ironwood	189	189	95	17	61	14	2	.....	1	92	2	.....	.....
Ishpeming	146	146	61	15	35	9	.....	1	1	84	1	.....	.....
Jackson	668	655	514	306	79	44	7	36	42	127	14	13	.....
Kalamazoo	871	848	643	334	98	53	11	51	96	178	27	23	.....
Lansing	649	640	543	314	74	43	11	43	58	88	9	9	.....
Manistee	156	156	84	24	37	14	.....	5	4	70	2	.....	.....
Marquette	187	182	84	28	30	17	2	3	4	95	3	4	1
Menominee	125	124	66	20	23	10	5	.....	8	57	1	.....	1
Muskegon	502	501	334	159	74	46	6	13	36	162	5	.....	1
Pontiac	488	481	348	196	67	45	3	17	20	128	5	7	.....
Port Huron	344	341	188	89	44	34	4	5	12	148	5	3	.....
Saginaw	827	814	497	225	119	68	16	19	50	310	7	12	1
Sault Ste. Marie	181	178	83	19	31	21	2	2	8	77	18	1	2
Traverse City	329	327	219	102	47	24	4	6	36	103	5	1	1
MINNESOTA.													
Registration cities	9,244	9,076	5,508	2,161	2,031	810	77	213	216	3,464	104	158	10
Duluth	1,146	1,138	604	190	238	107	6	23	40	510	24	6	2
Mankato	199	199	117	41	33	20	2	6	15	78	4	.....	.....
Minneapolis	4,413	4,331	2,750	1,182	941	379	36	112	100	1,537	44	76	6
St. Cloud	170	170	123	53	42	22	.....	2	4	47	.....	.....	.....
St. Paul	2,724	2,647	1,568	570	635	238	25	56	44	1,057	22	76	1
Stillwater	97	97	41	21	12	3	.....	2	3	55	1	.....	.....
Virginia	188	187	110	23	63	15	3	1	5	72	5	.....	1
Winona	307	307	195	81	67	26	5	11	5	108	4	.....	.....
MISSISSIPPI.[1]													
Registration cities	2,682	886	829	549	28	29	6	62	155	31	26	1,793	3
Hattiesburg	286	150	147	120	3	5	1	8	10	2	1	136	.....
Jackson	899	294	281	160	9	5	.....	20	87	7	6	605	.....
Meridian	547	228	215	168	7	7	2	20	11	6	7	319	.....
Natchez	249	64	56	46	.....	5	.....	.....	5	6	2	185	.....
Vicksburg	701	150	130	55	9	7	3	14	42	10	10	548	3
MISSOURI.													
Registration cities	20,418	17,636	13,215	6,914	2,741	1,007	214	887	1,452	3,933	488	2,772	10
Hannibal	313	263	223	144	17	9	1	18	34	29	11	50	.....
Jefferson City	177	150	115	69	14	4	1	9	18	26	9	27	.....
Joplin	677	649	591	404	11	19	6	61	90	31	27	27	1
Kansas City	5,008	4,216	3,407	1,941	415	212	61	312	466	658	151	789	3
Moberly	186	158	137	110	8	5	.....	7	7	14	7	28	.....
St. Joseph	1,264	1,155	884	490	102	43	12	85	152	161	110	109	.....
St. Louis	11,584	9,949	6,879	3,066	2,139	683	126	307	558	2,944	126	1,629	6
Sedalia	305	260	222	150	5	9	5	32	21	22	16	45	.....
Springfield	638	571	506	355	26	18	2	42	63	42	23	67	.....
Webb City	266	265	251	185	4	5	.....	14	43	6	8	1	.....
MONTANA.													
Registration cities	2,112	2,059	1,192	487	311	149	22	65	158	701	166	32	21
Anaconda	153	147	75	24	21	14	5	1	10	68	4	5	1
Billings	237	228	171	87	31	19	2	7	25	42	15	5	4
Butte	867	853	429	148	143	59	6	25	48	363	61	8	6
Great Falls	416	409	243	108	63	30	4	15	23	114	52	7	.....
Helena	223	216	140	54	31	16	4	4	31	59	17	2	5
Missoula	216	206	134	66	22	11	1	13	21	55	17	5	5
NEBRASKA.[1]													
Registration cities	3,024	2,843	2,021	926	452	183	32	98	330	784	38	175	6
Lincoln	708	678	531	303	83	40	8	20	77	140	7	29	1
Omaha	2,316	2,165	1,490	623	369	143	24	78	253	644	31	146	5

[1] Nonregistration state: only those cities with satisfactory registration of deaths are shown.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1917—Contd.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA:	All deaths.	WHITE.									Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.	
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.				
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.			
REGISTRATION CITIES—Contd.												
NEW HAMPSHIRE												
Registration cities	3,326	3,319	2,350	1,000	630	267	28	117	308	883	86	7	.....
Berlin	205	205	124	23	63	21	1	2	14	61	20	.....	.....
Concord	489	488	382	223	38	27	4	25	65	94	12	1	.....
Dover	246	246	179	92	32	11	.....	9	35	52	15	.....	.....
Keene	195	195	156	90	16	12	2	9	27	32	7	.....	.....
Laconia	200	199	153	89	17	11	.....	8	28	40	6	1	.....
Manchester	1,301	1,298	865	262	335	144	11	36	77	426	7	3	.....
Nashua	482	481	327	135	104	28	5	14	41	143	11	1	.....
Portsmouth	208	207	164	86	25	13	5	14	21	35	8	1	.....
NEW JERSEY.													
Registration cities	27,881	26,088	17,043	7,286	7,005	1,583	195	374	600	8,783	262	1,785	8
Asbury Park	168	123	95	73	10	8	.....	1	3	28	.....	45	.....
Atlantic City	804	615	470	311	79	51	5	12	12	137	8	188	1
Bayonne	857	845	532	156	297	57	3	4	15	304	9	12	.....
Bloomfield	209	196	130	57	40	19	1	6	7	65	1	13	.....
Bridgeton	226	202	189	153	11	4	.....	18	3	12	1	24	.....
Camden	1,908	1,681	1,340	808	290	107	19	48	68	320	21	227	.....
East Orange	371	341	262	173	55	21	1	6	6	78	1	30	.....
Elizabeth	1,334	1,269	817	325	362	74	21	15	20	439	13	65	.....
Garfield	182	182	120	8	99	10	2	1	.....	62	.....	.....	.....
Hackensack	319	296	200	113	61	20	.....	1	5	93	3	23	.....
Harrison	174	173	109	30	68	6	2	1	2	62	2	1	.....
Hoboken	1,182	1,178	647	200	346	72	8	8	13	527	4	4	.....
Irvington	231	229	143	75	40	17	1	6	4	85	1	2	.....
Jersey City	4,528	4,356	2,734	951	1,333	278	36	40	96	1,570	52	171	1
Kearny	315	310	212	68	62	20	1	6	55	92	6	5	.....
Long Branch	311	264	191	121	40	14	2	6	8	64	9	46	1
Millville	206	201	186	154	15	4	1	7	5	15	.....	5	.....
Montclair	251	218	162	81	46	17	2	6	10	54	2	33	.....
Morristown	272	258	171	115	37	11	3	1	4	83	4	14	.....
New Brunswick	565	537	379	142	174	30	7	12	14	146	12	28	.....
Newark	5,946	5,414	3,354	1,266	1,554	328	24	70	112	2,004	56	527	5
Orange	585	484	309	140	125	34	3	5	2	175	.....	101	.....
Passaic	912	891	549	108	382	39	7	7	6	338	4	21	.....
Paterson	1,964	1,918	1,043	395	439	126	15	19	49	860	15	46	.....
Perth Amboy	607	593	369	84	244	26	3	4	8	215	9	14	.....
Phillipsburg	197	197	157	110	31	9	.....	4	3	38	2	.....	.....
Plainfield	406	360	284	188	58	20	4	5	9	73	3	46	.....
Trenton	1,901	1,809	1,330	675	459	83	15	47	51	462	17	92	.....
Union	190	190	106	33	54	13	1	2	3	81	3	.....	.....
West Hoboken	396	396	211	66	103	31	5	1	5	185	.....	.....	.....
West New York	238	237	154	64	65	18	3	2	2	79	4	1	.....
West Orange	126	125	88	43	26	16	.....	3	.....	37	.....	1	.....
NEW YORK.													
Registration cities	115,916	112,287	68,850	26,231	31,613	7,417	503	1,233	1,853	42,693	744	3,502	127
Albany	2,039	2,000	1,424	658	472	142	19	54	79	559	17	39	.....
Amsterdam	485	481	344	157	142	23	6	9	7	133	4	4	.....
Auburn	540	532	367	176	128	33	2	10	18	163	2	8	.....
Batavia	244	244	187	106	54	16	1	3	7	56	1	.....	.....
Binghamton	1,197	1,174	942	535	233	61	9	43	61	212	20	23	.....
Buffalo	7,649	7,560	4,861	1,678	2,234	645	56	134	114	2,640	59	80	9
Cohoes	429	429	281	90	142	35	6	3	5	144	4	.....	.....
Corning	264	261	201	124	33	17	3	8	16	57	3	3	.....
Cortland	272	271	237	145	34	10	1	20	27	30	4	1	.....
Dunkirk	310	310	206	79	80	28	4	4	11	102	2	.....	.....
Elmira	746	727	567	359	66	42	4	43	53	147	13	19	.....
Fulton	161	160	135	81	25	9	1	12	7	25	.....	1	.....
Geneva	236	229	180	99	50	16	2	5	8	46	3	7	.....
Glens Falls	279	278	232	146	53	21	.....	7	5	45	1	1	.....
Gloversville	350	340	283	156	45	22	2	19	39	55	2	10	.....
Hornell	195	195	163	100	32	10	.....	11	10	31	1	.....	.....
Hudson	230	217	183	99	34	9	1	19	21	30	4	13	.....
Ithaca	273	258	230	168	27	13	4	9	9	27	1	15	.....
Jamestown	524	523	336	194	92	30	2	8	10	185	2	1	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1917—Contd.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.					
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.				
REGISTRATION CITIES—Contd.													
NEW YORK—continued.													
Johnstown	140	138	115	71	20	3	.....	9	12	21	2	2	.....
Kingston	518	503	395	247	93	28	7	8	12	103	5	15	.....
Lackawanna	447	446	373	107	173	30	14	37	12	58	15	1	.....
Little Falls	227	227	168	71	74	.8	2	3	10	55	4	.....	.....
Lockport	331	327	233	114	65	24	4	14	12	92	2	4	.....
Middletown	432	422	319	180	60	30	3	17	29	99	4	10	.....
Mount Vernon	419	401	262	137	79	40	1	2	3	136	3	18	.....
New Rochelle	358	318	195	82	78	22	2	6	5	123	.....	40	.....
New York	78,518	75,516	42,847	14,381	22,531	4,719	215	315	686	32,276	393	2,897	105
Bronx Borough	8,466	8,303	4,536	1,393	2,533	538	17	22	33	3,752	15	163	.....
Brooklyn Borough	26,913	26,160	15,624	5,634	7,904	1,782	60	93	151	10,428	108	739	14
Manhattan Borough	35,781	33,848	18,243	5,549	10,125	1,803	121	179	466	15,368	237	1,850	83
Queens Borough	5,598	5,482	3,413	1,345	1,561	459	13	14	21	2,050	19	109	7
Richmond Borough	1,760	1,723	1,031	460	408	137	4	7	15	678	14	36	1
Newburgh	534	516	377	234	94	29	2	4	14	133	6	18	.....
Niagara Falls	719	706	452	117	252	58	4	10	11	244	10	13	.....
North Tonawanda	209	209	132	38	78	12	1	1	2	73	4	.....	.....
Ogdensburg	495	489	332	141	86	45	4	17	39	145	12	5	1
Olean	266	261	206	106	44	12	1	15	28	49	6	5	.....
Ossining	162	155	104	57	26	12	2	3	4	50	1	7	.....
Oswego	365	365	258	119	64	31	10	11	23	104	3	.....	.....
Peekskill	223	218	183	114	38	15	.....	4	12	35	.....	5	.....
Plattsburg	201	200	171	105	24	26	1	6	9	26	3	1	.....
Port Chester	220	211	147	60	56	19	.....	3	9	64	.....	9	.....
Poughkeepsie	546	525	425	259	87	27	4	18	30	95	5	21	.....
Rensselaer	124	123	94	48	25	8	.....	7	6	28	1	1	.....
Rochester	4,083	4,047	2,714	1,115	1,084	336	21	51	107	1,292	41	35	1
Rome	674	666	500	241	164	53	3	15	24	159	7	8	.....
Saratoga Springs	277	259	192	110	27	17	4	14	20	62	5	18	.....
Schenectady	1,101	1,097	816	361	296	73	13	36	37	271	10	4	.....
Syracuse	2,426	2,391	1,710	872	561	141	16	80	40	659	22	30	5
Troy	1,653	1,632	1,132	474	407	140	22	41	48	487	13	20	1
Utica	1,569	1,556	1,103	452	457	98	8	31	57	439	14	12	1
Watertown	558	551	436	276	72	45	2	14	27	113	2	6	1
Watervliet	242	242	176	70	78	20	3	2	3	63	3	.....	.....
White Plains	257	233	181	88	61	20	3	7	2	48	4	23	1
Yonkers	1,199	1,148	743	234	383	94	8	11	13	404	1	49	2
NORTH CAROLINA.													
Registration cities	4,077	2,031	1,934	1,577	26	31	10	151	139	69	28	2,046	.....
Asheville	607	412	375	295	15	14	5	21	25	29	8	195	.....
Charlotte	773	372	360	302	2	3	1	32	20	9	3	401	.....
Durham	392	183	179	147	1	1	.....	18	12	3	1	209	.....
Greensboro	287	151	146	126	.....	2	2	9	7	4	1	136	.....
Raleigh	575	305	286	218	.....	3	2	15	48	7	12	270	.....
Wilmington	590	247	232	188	7	6	.....	21	10	15	.....	343	.....
Winston-Salem	853	361	356	301	1	2	.....	35	17	2	3	492	.....
NORTH DAKOTA.[1]													
Fargo	216	213	134	50	39	14	2	14	15	67	12	3	.....
OHIO.													
Registration cities	41,771	38,941	28,301	14,441	8,188	2,272	341	1,121	1,938	9,673	967	2,821	9
Akron	2,139	2,094	1,623	985	398	77	13	61	89	410	61	45	.....
Alliance	305	294	239	159	38	15	1	16	10	53	2	11	.....
Ashtabula	315	314	218	113	54	22	4	13	12	87	9	.....	1
Bellaire	267	249	193	107	56	17	1	5	7	53	3	18	.....
Cambridge	173	166	154	117	9	7	2	13	6	10	2	7	.....
Canton	1,001	983	774	468	164	44	9	47	42	195	14	18	.....
Chillicothe	248	221	191	124	23	8	4	19	13	25	5	27	.....
Cincinnati	6,827	5,948	4,233	2,104	1,316	402	50	134	227	1,646	69	879	.....
Cleveland	10,833	10,301	6,167	1,836	3,165	608	84	156	318	3,699	435	526	6
Columbus	3,383	2,981	2,514	1,566	317	157	20	122	332	402	65	402	.....
Dayton	2,055	1,869	1,551	936	287	105	22	75	126	300	18	186	.....
East Liverpool	394	379	315	225	37	18	2	20	13	62	2	15	.....
Elyria	271	255	182	101	44	18	2	9	8	68	5	16	.....
Findlay	212	210	193	128	11	6	1	21	26	15	2	2	.....
Hamilton	514	490	422	286	59	33	13	18	13	65	3	24	.....

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1917—Contd.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.	
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.				
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.			
REGISTRATION CITIES—Contd.												
OHIO—continued.												
Ironton	274	253	226	156	20	7	3	20	20	27	21	
Lakewood	284	284	202	87	81	19	1	7	7	82		
Lancaster	203	198	179	134	17	15	1	8	4	19	5	
Lima	544	530	469	344	44	18	8	23	32	55	6	14
Lorain	384	373	244	64	142	26		4	8	125	4	11
Mansfield	339	336	262	160	56	14		14	18	64	10	3
Marietta	194	190	172	106	19	11	2	15	19	16	2	4
Marion	343	331	293	212	18	19	3	19	22	37	1	12
Massillon	214	207	157	80	39	17	3	6	12	48	2	7
Middletown	270	252	219	158	35	6	5	10	5	30	3	18
Newark	388	376	324	189	41	22	2	26	44	41	11	12
Norwood	182	182	141	88	37	8	3	1	4	41		
Piqua	253	233	207	139	19	11	3	14	21	26	20	
Portsmouth	500	468	434	325	30	14	8	22	35	31	3	32
Sandusky	346	337	213	87	81	18	3	6	18	114	10	9
Springfield	859	715	613	431	75	39	4	23	41	89	13	144
Steubenville	534	508	368	186	119	27	3	8	25	128	12	26
Tiffin	218	217	179	120	25	12	1	5	16	35	3	1
Toledo	3,566	3,431	2,458	1,202	627	278	42	85	224	887	86	134	1
Warren	284	279	219	133	45	16		13	12	51	9	5	
Youngstown	2,144	2,009	1,325	482	606	107	14	37	79	594	90	134	1
Zanesville	511	478	428	303	34	31	4	26	30	43	7	33	
OREGON.[1]												
Portland	2,390	2,300	1,654	823	317	150	33	132	199	609	37	21	69
PENNSYLVANIA.												
Registration cities	68,670	63,438	45,923	23,235	14,415	4,042	542	1,344	2,345	16,714	801	5,195	37
Allentown	1,140	1,132	959	719	191	24		18	7	161	12	8	
Altoona	778	762	676	494	93	50	1	21	17	82	4	16	
Beaver Falls	251	242	168	80	51	13	3	3	18	69	5	9	
Bethlehem	219	218	201	165	13	8	1	8	6	14	3	1	
Braddock	490	471	332	95	196	23	3	3	12	131	8	19	
Bradford	238	237	184	104	30	13	2	17	18	47	6		1
Butler	313	307	257	158	69	13	1	7	9	49	1	6	
Carbondale	318	318	228	105	80	23	5	10	5	88	2		
Carlisle	181	155	146	131	1		1	8	5	8	1	25	1
Carnegie	130	124	93	30	42	14	1	4	2	29	2	6	
Chambersburg	210	191	185	140	11	10	1	14	9	5	1	19	
Chester	939	745	565	300	168	54	5	19	19	166	14	194	
Coatesville	218	181	155	102	35	4	2	3	9	26		37	
Columbia	175	166	147	115	16	7	1	6	2	18	1	9	
Connellsville	192	178	134	106	16	7	1	2	2	42	2	14	
Dubois	182	182	153	80	40	17	3	9	4	27	2		
Dunmore	347	346	260	55	102	24	1	15	63	84	2	1	
Duquesne	219	213	169	39	111	13		2	4	44		6	
Easton	635	623	489	344	80	34	2	12	17	123	11	12	
Erie	1,299	1,271	891	392	293	85	14	20	87	361	19	28	
Farrell	197	177	117	18	85	12		1	1	59	1	20	
Greensburg	243	237	166	80	44	9		12	21	69	2	6	
Harrisburg	1,148	993	876	686	75	38	5	33	39	101	16	155	
Hazleton	467	466	309	114	139	47	3	4	2	154	3	1	
Homestead	285	265	200	55	125	14			6	65		20	
Johnstown	1,098	1,049	780	385	282	74	8	17	14	266	3	49	
Lancaster	791	769	682	560	49	25	4	27	17	87		22	
Lebanon	420	410	375	330	27	8	1	6	3	34	1	10	
McKees Rocks	198	195	147	36	95	12	2	2		45	3	3	
McKeesport	773	741	484	218	197	56		4	9	254	3	32	
Mahanoy City	220	220	158	61	71	21	4		1	60	2		
Meadville	233	228	181	112	29	11	4	15	10	47		5	
Monessen	179	169	128	21	93	9	1	2	2	40	1	10	
Mount Carmel	211	211	145	53	66	19	2	3	2	65	1		
Nanticoke	298	298	168	47	92	23	4	2		128	2		
New Castle	663	644	506	256	157	35	5	21	32	131	7	19	
Norristown	797	750	582	356	131	51	3	19	22	159	9	47	
North Braddock	172	166	119	39	57	20		3		46	1	6	
Oil City	265	260	201	133	44	10	1	5	8	57	2	4	1
Old Forge	155	155	109	12	74	22	1			46			

[1] Nonregistration state: only those cities with satisfactory registration of deaths are shown.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1917—Contd.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.				
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.			
REGISTRATION CITIES—Contd.												
PENNSYLVANIA—continued.												
Philadelphia	29,649	26,492	18,219	8,472	5,892	1,696	262	552	1,345	7,846	427	3,128	29
Phoenixville	187	182	136	83	38	7	1	2	5	46	.....	5	.....
Pittsburgh	10,645	9,742	6,617	2,684	2,700	714	108	180	231	2,994	131	898	5
Pittston	318	318	199	55	116	19	2	1	6	113	6	.....	.....
Plymouth	167	167	96	39	40	12	.....	2	3	70	1	.....	.....
Pottstown	263	249	225	178	23	12	.....	9	3	24	.....	14	.....
Pottsville	466	464	362	212	88	31	11	11	9	101	1	2	.....
Reading	1,591	1,568	1,402	1,110	174	70	6	23	19	160	6	23	.....
Scranton	2,247	2,237	1,485	567	685	151	14	28	40	731	21	10	.....
Shamokin	259	257	205	126	54	25	.....	.....	.....	52	.....	2	.....
Sharon	281	271	181	76	62	26	.....	11	6	86	4	10	.....
Shenandoah	394	394	293	60	175	43	4	6	5	99	2	.....	.....
South Bethlehem	349	348	251	72	147	14	.....	5	13	96	1	1	.....
Steelton	194	163	131	68	52	5	1	2	3	30	2	31	.....
Sunbury	183	182	174	150	7	1	4	6	6	6	2	1	.....
Uniontown	333	294	205	123	40	14	3	10	15	75	14	39	.....
Warren	194	194	147	75	31	17	5	9	10	47	.....	.....	.....
Washington	342	303	264	183	35	14	1	17	14	38	1	39	.....
West Chester	311	245	216	159	21	9	2	13	12	27	2	66	.....
Wilkes-Barre	1,163	1,156	734	300	306	97	10	10	11	409	13	7	.....
Wilkinsburg	391	369	309	206	45	33	2	12	11	60	.....	22	.....
Williamsport	753	719	634	433	77	53	5	29	37	81	4	34	.....
York	703	659	613	478	37	27	5	29	37	36	10	44	.....
RHODE ISLAND.													
Registration cities	7,970	7,686	4,930	2,093	2,069	537	33	79	119	2,684	72	275	9
Central Falls	301	300	185	44	105	27	2	7	.....	115	.....	1	.....
Cranston (exclusive of)	283	281	222	126	71	14	.....	8	3	57	2	2	.....
State institutions	566	530	270	123	85	10	4	5	43	243	17	34	2
Cumberland town	131	131	65	19	37	9	.....	.....	.....	63	3	.....	.....
East Providence town	244	230	165	97	50	14	.....	1	3	61	4	14	.....
Newport	434	384	271	159	76	20	1	1	14	109	4	48	2
Pawtucket	901	901	523	215	219	74	3	5	7	367	11	.....	.....
Providence	3,996	3,820	2,494	1,051	1,075	264	18	49	37	1,302	24	171	5
Warwick town	277	272	181	99	55	20	.....	3	4	88	3	5	.....
West Warwick town	238	238	182	53	100	29	.....	.....	.....	56	.....	.....	.....
Woonsocket	599	599	372	107	196	56	5	.....	8	223	4	.....	.....
SOUTH CAROLINA.													
Registration cities	3,580	1,446	1,292	945	50	30	6	100	161	89	65	2,133	1
Charleston	1,570	475	397	268	44	15	4	25	41	70	8	1,095	.....
Columbia	1,281	618	547	367	3	14	1	54	108	17	54	662	1
Greenville	353	163	160	143	3	1	1	8	4	1	2	190	.....
Spartanburg	376	190	188	167	.....	.....	.....	13	8	1	1	186	.....
TENNESSEE.													
Registration cities	7,425	4,042	3,691	2,511	172	102	22	388	496	244	107	3,382	1
Chattanooga	1,211	616	570	399	14	14	4	82	57	31	15	595	.....
Jackson	334	171	161	125	4	5	.....	14	13	9	1	163	.....
Knoxville	917	685	638	392	6	11	2	84	143	15	32	232	.....
Memphis	3,019	1,429	1,284	830	93	45	7	126	183	109	36	1,589	1
Nashville	1,944	1,141	1,038	765	55	27	9	82	100	80	23	803	.....
TEXAS.[1]													
Registration cities	10,258	8,369	5,924	2,735	1,640	490	80	338	641	2,165	280	1,877	12
Beaumont	457	255	188	123	13	8	2	20	22	33	34	202	.....
Cleburne	134	115	105	82	2	3	.....	12	6	8	2	19	.....
Dallas	1,641	1,220	1,070	714	49	27	17	96	167	98	52	421	.....
El Paso	2,456	2,383	1,377	372	730	93	10	47	125	943	63	66	7
Galveston	683	460	288	125	73	33	5	15	37	159	13	222	1
Houston	1,652	1,021	739	408	85	49	20	63	114	186	96	628	3
San Antonio	3,235	2,915	2,157	911	688	277	26	85	170	738	20	319	1
UTAH.													
Registration cities	1,693	1,661	1,089	595	221	143	13	41	76	535	37	10	22
Ogden	325	312	207	122	36	26	2	7	14	99	6	3	10
Salt Lake City	1,368	1,349	882	473	185	117	11	34	62	436	31	7	12

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1917—Contd.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.					
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.				
REGISTRATION CITIES—Contd.													
VERMONT.													
Registration cities	795	793	598	327	118	68	5	31	49	184	11	2	.....
Barre	135	135	79	40	20	8	1	2	8	56	.....	.....	.....
Burlington	413	411	323	172	54	48	3	22	24	79	9	2	.....
Rutland	247	247	196	115	44	12	1	7	17	49	2	.....	.....
VIRGINIA.													
Registration cities	8,361	4,384	4,059	3,161	147	106	20	217	408	253	72	3,976	1
Alexandria	289	173	161	124	7	6	.....	11	13	10	2	116	.....
Danville	390	227	219	188	1	2	.....	15	13	3	5	163	.....
Lynchburg	526	307	290	265	2	8	1	10	4	14	3	219	.....
Newport News	442	190	158	119	15	7	1	7	9	27	5	252	.....
Norfolk	1,555	673	580	488	25	24	2	19	22	69	24	882	.....
Petersburg	692	276	263	227	5	5	1	13	12	8	5	416	.....
Portsmouth	579	246	238	189	12	4	.....	17	16	8	.....	333	.....
Richmond	2,932	1,566	1,448	1,123	65	43	12	78	127	96	22	1,365	1
Roanoke	654	464	447	329	11	6	3	36	62	14	3	190	.....
Staunton	302	262	255	109	4	1	.....	11	130	4	3	40	.....
WASHINGTON.													
Registration cities	5,738	5,455	3,742	1,986	711	431	46	209	359	1,591	122	92	191
Aberdeen	154	154	100	50	26	10	2	3	9	46	8	.....	.....
Bellingham	222	220	150	76	29	18	2	10	15	67	3	.....	2
Everett	262	256	182	99	37	27	2	7	10	72	2	4	2
North Yakima	244	230	185	115	20	17	5	9	19	41	4	5	9
Seattle	2,530	2,348	1,536	802	295	187	26	77	149	746	66	46	136
Spokane	1,162	1,124	846	479	160	85	2	51	69	263	15	21	17
Tacoma	950	917	579	268	122	77	6	40	66	316	22	15	18
Walla Walla	214	206	164	97	22	10	1	12	22	40	2	1	7
WEST VIRGINIA.[1]													
Wheeling	850	803	627	332	161	38	12	45	39	172	4	47	.....
WISCONSIN.													
Registration cities	11,245	11,182	6,856	2,479	2,753	923	100	262	339	4,151	175	56	7
Appleton	287	286	175	80	57	24	5	5	4	109	2	1	.....
Ashland	241	238	105	29	45	15	4	6	6	121	12	1	2
Beloit	237	225	182	93	37	20	1	11	20	42	1	12	.....
Eau Claire	347	346	203	105	53	18	5	9	13	135	8	1	.....
Fond du Lac	312	311	207	94	58	18	15	14	8	101	3	1	.....
Green Bay	521	517	352	118	75	45	13	67	34	151	14	2	2
Janesville	231	231	171	92	41	15	1	6	16	58	2	.....	.....
Kenosha	364	362	251	72	138	32	.....	3	6	110	1	2	.....
La Crosse	453	452	263	104	89	32	3	18	17	182	7	1	.....
Madison	392	387	279	127	90	24	8	13	17	105	3	4	1
Manitowoc	218	218	121	57	39	16	1	4	4	94	3	.....	.....
Marinette	174	174	99	35	30	26	.....	4	4	67	8	.....	.....
Milwaukee	5,461	5,437	3,275	1,049	1,520	472	30	79	125	2,093	69	22	2
Oshkosh	451	448	276	119	82	43	2	14	16	168	4	3	.....
Racine	553	553	346	113	171	45	3	2	12	196	11	.....	.....
Sheboygan	370	370	208	61	102	29	4	3	9	157	5	.....	.....
Superior	421	415	223	71	93	32	1	4	22	171	21	6	.....
Wausau	212	212	120	60	33	17	4	.....	6	91	1	.....	.....

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivision
The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rura

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SUMMARY.												
1	The registration area (exclusive of Hawaii) (total)	1,066,711	171,024	37,638	16,893	10,520	7,633	243,708	23,070	16,086	25,679	33,131	41,235
2	White	949,339	151,378	32,266	14,663	9,202	6,724	214,233	20,337	13,549	20,328	30,421	38,944
3	Colored	117,372	19,646	5,372	2,230	1,318	909	29,475	2,733	2,537	5,351	7,710	7,291
4	Registration states[1] (total)	979,136	157,487	33,605	15,024	9,401	6,775	222,292	20,812	14,639	23,289	34,114	36,691
5	White	880,776	140,151	28,962	13,114	8,274	6,003	196,504	18,438	12,442	18,809	27,873	30,900
6	Colored	98,360	17,336	4,643	1,910	1,127	772	25,788	2,374	2,197	4,480	6,241	5,791
7	Cities in registration states[1] (total)	500,281	79,683	16,524	7,289	4,686	3,528	111,710	10,724	6,836	10,933	17,992	21,002
8	White	458,119	73,602	14,922	6,635	4,313	3,244	102,716	9,895	6,118	9,309	15,306	18,012
9	Colored	42,162	6,081	1,602	654	373	284	8,994	829	718	1,624	2,686	2,990
10	Rural part of registration states (total)	478,855	77,804	17,081	7,735	4,715	3,247	110,582	10,088	7,803	12,356	16,122	15,689
11	White	422,657	66,549	14,040	6,479	3,961	2,759	93,788	8,543	6,324	9,500	12,567	12,888
12	Colored	56,198	11,255	3,041	1,256	754	488	16,794	1,545	1,479	2,856	3,555	2,801
13	Registration cities in nonregistration states (total)	87,575	13,537	4,033	1,869	1,119	858	21,416	2,258	1,447	2,390	4,017	4,544
14	White	68,563	11,227	3,304	1,549	928	721	17,729	1,899	1,107	1,519	2,548	3,044
15	Colored	19,012	2,310	729	320	191	137	3,687	359	340	871	1,469	1,500
16	All registration cities[1] (total)	587,856	93,220	20,557	9,158	5,805	4,386	133,126	12,982	8,283	13,323	22,009	25,546
17	White	526,682	84,829	18,226	8,184	5,241	3,965	120,445	11,794	7,225	10,828	17,854	21,056
18	Colored	61,174	8,391	2,331	974	564	421	12,681	1,188	1,058	2,495	4,155	4,490
	REGISTRATION STATES.												
19	California (total)	41,809	4,081	765	447	271	214	5,778	678	518	743	1,314	1,689
20	White	39,244	3,603	681	396	246	192	5,118	628	489	685	1,213	1,563
21	Colored	2,565	478	84	51	25	22	660	50	29	58	101	126
22	Colorado (total)	10,725	1,578	271	130	95	63	2,137	192	171	314	499	652
23	White	10,424	1,548	264	126	92	63	2,093	190	166	306	486	622
24	Colored	301	30	7	4	3	.....	44	2	5	8	13	30
25	Connecticut (total)	20,819	3,514	659	296	189	121	4,779	430	270	381	612	733
26	White	20,247	3,432	637	286	182	117	4,654	422	262	356	579	694
27	Colored	572	82	22	10	7	4	125	8	8	25	33	39
28	Indiana (total)	39,736	5,419	1,243	528	347	231	7,768	819	663	1,016	1,302	1,332
29	White	37,899	5,223	1,188	509	324	220	7,464	774	616	932	1,202	1,215
30	Colored	1,837	196	55	19	23	11	304	45	47	84	100	117
31	Kansas (total)	20,644	2,991	594	306	177	127	4,195	459	354	497	628	626
32	White	19,261	2,828	544	280	171	120	3,943	434	319	454	557	555
33	Colored	1,383	163	50	26	6	7	252	25	35	43	71	71
34	Kentucky (total)	32,723	5,371	1,536	708	410	309	8,334	779	655	1,113	1,459	1,302
35	White	26,893	4,697	1,363	615	350	264	7,289	680	518	831	1,083	968
36	Colored	5,830	674	173	93	60	45	1,045	99	137	282	376	334
37	Maine (total)	11,667	1,553	223	115	83	55	2,029	180	137	209	268	291
38	White	11,631	1,551	222	114	83	55	2,025	177	136	207	267	291
39	Colored	36	2	1	1	.....	.....	4	3	1	2	1	.....
40	Maryland (total)	23,444	4,071	777	292	179	148	5,467	444	360	613	802	900
41	White	17,192	2,776	489	186	119	93	3,663	286	213	368	479	584
42	Colored	6,252	1,295	288	106	60	55	1,804	158	147	245	323	316
43	Massachusetts (total)	56,675	9,369	1,796	734	461	395	12,755	1,134	634	926	1,522	1,796
44	White	55,662	9,222	1,747	719	452	381	12,521	1,117	618	896	1,473	1,740
45	Colored	1,013	147	49	15	9	14	234	17	16	30	49	56
46	Michigan (total)	47,121	7,877	1,425	660	467	356	10,785	1,223	703	1,008	1,587	1,789
47	White	46,248	7,785	1,392	647	461	352	10,637	1,201	679	978	1,537	1,729
48	Colored	873	92	33	13	6	4	148	22	24	30	50	60
49	Minnesota (total)	23,913	3,694	523	295	239	149	4,900	484	434	667	938	1,037
50	White	23,500	3,636	506	284	236	145	4,807	472	418	642	915	1,008
51	Colored	413	58	17	11	3	4	93	12	16	25	23	29
52	Missouri (total)	45,625	5,975	1,636	809	493	317	9,230	1,117	794	1,267	1,744	1,864
53	White	41,300	5,532	1,486	753	444	300	8,515	1,035	713	1,068	1,487	1,567
54	Colored	4,325	443	150	56	49	17	715	82	81	199	257	297
55	Montana (total)	6,589	1,090	178	90	70	55	1,483	182	124	167	296	367
56	White	6,291	1,042	169	85	69	50	1,415	169	118	151	281	349
57	Colored	298	48	9	5	1	5	68	13	6	16	15	18
58	New Hampshire (total)	7,457	1,049	178	78	60	42	1,407	92	82	118	178	176
59	White	7,445	1,047	178	78	60	42	1,405	92	82	118	178	176
60	Colored	12	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
61	New Jersey (total)	43,801	7,554	1,462	581	370	293	10,260	856	593	900	1,410	1,575
62	White	41,093	7,101	1,329	533	349	275	9,587	802	539	805	1,261	1,420
63	Colored	2,708	453	133	48	21	18	673	54	54	95	149	155
64	New York (total)	153,959	22,474	4,738	1,980	1,280	975	31,447	2,863	1,740	2,788	4,564	5,476
65	White	149,688	21,790	4,564	1,915	1,246	937	30,452	2,785	1,680	2,654	4,322	5,199
66	Colored	4,271	684	174	65	34	38	995	78	60	134	242	277
67	North Carolina (total)	33,969	7,601	2,460	1,025	489	354	11,929	878	635	1,264	1,582	1,371
68	White	20,468	4,481	1,521	686	312	228	7,228	516	305	552	686	628
69	Colored	13,501	3,120	939	339	177	126	4,701	362	330	712	896	743

[1] Including District of Columbia.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
42,968	47,488	48,614	52,442	57,305	62,413	67,496	72,220	74,303	65,890	48,469	25,280	8,985	2,152	754	2,023	1
36,289	39,720	41,591	46,050	50,721	57,173	62,245	67,542	70,112	62,926	46,291	24,067	8,219	1,822	303	1,456	2
6,679	7,768	7,023	6,392	6,584	5,240	5,251	4,678	4,191	2,964	2,178	1,213	766	330	451	567	3
38,404	42,493	43,582	47,232	51,906	57,168	62,462	67,528	70,148	62,692	46,289	24,173	8,583	2,042	695	1,902	4
33,139	36,347	38,007	42,168	46,572	52,852	58,011	63,473	66,438	60,054	44,348	23,076	7,895	1,753	286	1,391	5
5,265	6,146	5,575	5,064	5,334	4,316	4,451	4,055	3,710	2,638	1,941	1,097	688	289	409	511	6
22,499	25,441	26,818	29,167	31,610	32,512	33,562	32,730	30,935	25,744	17,276	8,667	2,964	694	177	288	7
19,598	21,930	23,544	26,329	28,684	30,308	31,548	31,143	29,729	24,945	16,822	8,404	2,828	639	106	206	8
2,901	3,511	3,274	2,838	2,926	2,204	2,014	1,587	1,206	799	454	263	136	55	71	82	9
15,905	17,052	16,764	18,065	20,296	24,656	28,900	34,798	39,213	36,948	29,013	15,506	5,619	1,348	518	1,614	10
13,541	14,417	14,463	15,839	17,888	22,544	26,463	32,330	36,709	35,109	27,526	14,672	5,067	1,114	180	1,185	11
2,364	2,635	2,301	2,226	2,408	2,112	2,437	2,468	2,504	1,839	1,487	834	552	234	338	429	12
4,564	4,995	5,032	5,210	5,399	5,245	5,034	4,692	4,155	3,198	2,180	1,107	402	110	59	121	13
3,150	3,373	3,584	3,882	4,149	4,321	4,234	4,069	3,674	2,872	1,943	991	324	69	17	65	14
1,414	1,622	1,448	1,328	1,250	924	800	623	481	326	237	116	78	41	42	56	15
27,063	30,436	31,850	34,377	37,009	37,757	38,596	37,422	35,090	28,942	19,456	9,774	3,366	804	236	409	16
22,748	25,303	27,128	30,211	32,833	34,629	35,782	35,212	33,403	27,817	18,765	9,395	3,152	708	123	271	17
4,315	5,133	4,722	4,166	4,176	3,128	2,814	2,210	1,687	1,125	691	379	214	96	113	138	18
1,976	2,249	2,268	2,463	2,780	2,830	3,125	3,152	3,319	3,011	2,234	1,178	376	83	30	15	19
1,825	2,067	2,100	2,334	2,603	2,672	2,900	3,007	3,225	2,972	2,209	1,158	366	77	19	14	20
151	182	168	129	177	158	225	145	94	39	25	20	10	6	11	1	21
625	627	556	515	605	676	691	722	629	502	354	182	34	13	6	23	22
598	589	526	495	589	661	677	711	618	494	349	181	34	12	5	22	23
27	38	30	20	16	15	14	11	11	8	5	1	----	1	1	1	24
795	950	995	1,120	1,191	1,255	1,375	1,466	1,436	1,272	916	572	195	38	14	24	25
768	904	956	1,079	1,160	1,228	1,348	1,433	1,408	1,254	911	564	191	38	14	24	26
27	46	39	41	31	27	27	33	28	18	5	8	4	----	----	----	27
1,366	1,446	1,512	1,702	1,916	2,323	2,671	3,091	3,466	3,265	2,368	1,197	399	85	9	20	28
1,249	1,309	1,368	1,582	1,803	2,214	2,579	3,001	3,393	3,198	2,332	1,174	390	83	6	15	29
117	137	144	120	113	109	92	90	73	67	36	23	9	2	3	5	30
664	732	685	744	904	1,072	1,276	1,519	1,936	1,894	1,377	740	228	48	19	47	31
606	634	612	669	830	980	1,204	1,438	1,854	1,820	1,346	706	215	39	7	39	32
58	98	73	75	74	92	72	81	82	74	31	34	13	9	12	8	33
1,284	1,316	1,302	1,381	1,364	1,698	1,767	2,029	2,168	1,921	1,394	719	277	65	48	348	34
946	953	970	1,009	1,003	1,384	1,473	1,739	1,905	1,721	1,266	641	239	45	10	220	35
338	363	332	372	361	314	294	290	263	200	128	78	38	20	38	128	36
296	329	347	483	489	618	780	975	1,184	1,293	949	529	187	53	1	40	37
293	327	345	479	487	615	779	974	1,183	1,290	949	527	186	53	1	40	38
3	2	2	4	2	3	1	1	1	3	----	2	1	----	----	----	39
966	1,013	1,074	1,140	1,334	1,342	1,558	1,627	1,638	1,415	978	470	145	51	22	85	40
662	668	690	833	942	1,047	1,231	1,373	1,415	1,266	854	424	113	32	5	41	41
304	345	384	307	392	295	327	254	223	149	124	46	32	19	17	41	42
1,851	2,254	2,532	2,894	3,201	3,560	4,001	4,323	4,309	3,801	2,814	1,604	565	134	29	36	43
1,806	2,188	2,457	2,834	3,128	3,502	3,941	4,264	4,272	3,758	2,800	1,593	561	132	26	35	44
45	66	75	60	73	58	60	59	37	43	14	11	4	2	3	1	45
1,826	1,912	1,741	1,915	2,171	2,589	2,841	3,393	3,643	3,427	2,605	1,291	442	93	19	118	46
1,768	1,857	1,677	1,851	2,119	2,537	2,806	3,355	3,606	3,400	2,576	1,279	437	87	18	114	47
58	55	64	64	52	52	35	38	37	27	29	12	5	6	1	4	48
1,000	988	984	1,044	1,224	1,475	1,502	1,487	1,650	1,587	1,367	738	321	61	14	11	49
982	960	965	1,019	1,204	1,460	1,485	1,469	1,637	1,570	1,355	733	318	59	11	11	50
18	28	19	25	20	15	17	18	13	17	12	5	3	2	3	----	51
1,894	2,056	2,094	2,163	2,296	2,621	2,846	3,129	3,318	3,070	2,292	1,133	411	75	39	172	52
1,570	1,697	1,764	1,868	1,990	2,405	2,627	2,944	3,166	2,975	2,208	1,095	387	65	13	141	53
324	359	330	295	306	216	219	185	152	95	84	38	24	10	26	31	54
434	479	405	367	422	391	346	317	244	240	150	60	25	1	2	87	55
419	461	381	348	408	378	336	304	233	227	144	58	23	1	1	86	56
15	18	24	19	14	13	10	13	11	13	6	2	2	----	1	1	57
200	221	238	317	334	410	537	689	710	682	556	300	121	35	2	52	58
199	221	236	315	334	410	535	688	710	682	555	300	121	35	2	51	59
1	----	2	2	----	----	2	1	----	----	1	----	----	----	----	1	60
1,759	1,994	2,178	2,406	2,632	2,797	2,967	2,956	2,920	2,622	1,723	884	289	65	6	9	61
1,616	1,820	1,967	2,244	2,430	2,655	2,829	2,836	2,826	2,556	1,682	867	278	60	4	9	62
143	174	211	162	202	142	138	120	94	66	41	17	11	5	2	----	63
6,159	7,127	8,062	8,918	9,991	10,318	10,862	11,191	11,065	9,387	6,765	3,544	1,278	293	48	73	64
5,831	6,753	7,734	8,608	9,733	10,095	10,704	11,035	10,920	9,295	6,714	3,514	1,256	292	43	69	65
328	374	328	310	258	223	158	156	145	92	51	30	22	1	5	4	66
1,184	1,237	1,170	1,095	1,145	1,358	1,619	1,815	1,926	1,442	1,166	634	295	107	77	40	67
621	628	640	619	647	922	1,134	1,313	1,378	1,099	852	463	158	53	9	17	68
563	609	530	476	498	436	485	502	548	343	314	171	137	54	68	23	69

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions
The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
1	Ohio (total)	76,940	11,140	2,196	983	596	477	15,392	1,505	1,045	1,735	2,667	2,923
2	White	73,008	10,722	2,072	936	576	460	14,766	1,435	979	1,570	2,414	2,606
3	Colored	3,932	418	124	47	20	17	626	70	66	165	253	317
4	Pennsylvania (total)	128,163	24,703	4,775	2,100	1,333	930	33,841	2,786	1,849	2,624	4,204	4,618
5	White	121,494	23,736	4,502	2,001	1,282	886	32,407	2,643	1,734	2,385	3,716	4,117
6	Colored	6,669	967	273	99	51	44	1,434	143	115	239	488	501
7	Rhode Island (total)	9,510	1,644	330	149	81	59	2,263	200	111	171	251	332
8	White	9,204	1,593	324	143	79	58	2,197	196	105	166	233	317
9	Colored	306	51	6	6	2	1	66	4	6	5	18	15
10	South Carolina (total)	23,503	5,385	1,596	654	388	247	8,270	699	558	976	1,316	1,058
11	White	8,731	1,828	616	244	135	101	2,924	234	168	223	296	289
12	Colored	14,772	3,557	980	410	253	146	5,346	465	395	753	1,020	769
13	Tennessee (total)	30,862	4,874	1,494	724	457	254	7,803	865	661	1,319	1,660	1,464
14	White	21,460	3,627	1,123	547	339	190	5,826	586	428	735	930	815
15	Colored	9,402	1,247	371	177	118	64	1,977	279	233	584	730	649
16	Utah (total)	4,615	946	194	80	70	34	1,324	158	119	147	162	186
17	White	4,517	917	192	79	67	33	1,288	154	118	142	156	178
18	Colored	98	29	2	1	3	1	36	4	1	5	6	8
19	Vermont (total)	5,468	642	102	47	24	30	845	103	66	107	105	117
20	White	5,462	642	102	47	23	30	844	103	66	107	105	117
21	Colored	6				1		1					
22	Virginia (total)	31,527	5,941	1,390	617	377	220	8,545	702	615	1,062	1,435	1,246
23	White	18,017	3,370	802	355	213	121	4,861	395	305	436	587	556
24	Colored	13,510	2,571	588	262	164	99	3,684	307	310	626	848	690
25	Washington (total)	12,137	1,625	282	145	117	87	2,256	288	239	352	434	500
26	White	11,474	1,481	246	129	104	71	2,031	259	210	320	409	474
27	Colored	663	144	36	16	13	16	225	29	29	32	25	26
28	Wisconsin (total)	29,130	4,597	641	390	240	204	6,072	594	433	668	908	1,018
29	White	28,937	4,569	640	386	240	202	6,037	591	429	658	899	1,000
30	Colored	193	28	1	4		2	35	3	4	10	9	18
	REGISTRATION CITIES.												
	ALABAMA.[1]												
31	Registration cities (total)	5,904	802	377	137	92	53	1,461	155	123	286	412	360
32	White	2,269	307	158	41	38	21	565	58	47	76	102	88
33	Colored	3,635	495	219	96	54	32	896	97	76	210	310	272
34	Birmingham (total)	3,836	548	320	89	73	35	1,065	117	91	198	303	244
35	White	1,434	223	128	29	28	12	420	45	34	43	69	53
36	Colored	2,402	325	192	60	45	23	645	72	57	155	234	191
37	Mobile (total)	1,170	143	33	15	7	10	208	17	18	39	65	56
38	White	515	53	19	2	3	7	84	7	9	18	20	20
39	Colored	655	90	14	13	4	3	124	10	9	21	45	36
40	Montgomery (total)	898	111	24	33	12	8	188	21	14	49	44	60
41	White	320	31	11	10	7	2	61	6	4	15	13	15
42	Colored	578	80	13	23	5	6	127	15	10	34	31	45
	CALIFORNIA.												
43	Registration cities (total)	23,962	2,088	423	242	157	122	3,032	395	274	394	757	975
44	White	22,396	1,845	369	208	144	110	2,676	360	261	361	695	886
45	Colored	1,566	243	54	34	13	12	356	35	13	33	62	89
46	Alameda	291	17	3	2	3		25	6	6	4	4	7
47	Bakersfield	334	41	5	4	2	3	55	6	10	6	21	15
48	Berkeley	476	34	8	5	2	6	55	9	5	9	12	14
49	Eureka	197	17	1	1	1	1	21	5	3	4	4	9
50	Fresno	546	106	21	12	11	8	158	11	4	8	16	34
51	Long Beach	510	32	5	2	2	2	43	7	5	5	11	8
52	Los Angeles (total)	6,706	594	129	77	51	33	884	105	89	134	243	292
53	White	6,230	511	111	62	47	31	762	98	82	125	224	259
54	Colored	476	83	18	15	4	2	122	7	7	9	19	33
55	Oakland	2,190	252	33	21	19	12	337	31	21	38	52	73
56	Pasadena	496	20	10		3	1	34	3	5	10	13	8
57	Pomona	149	13		3	1	1	18	1	3	2	3	8
58	Redlands	149	19	4	2			25	1	1	3	7	5
59	Riverside (total)	292	27	4	5	1	2	39	6	4	9	10	10
60	White	269	26	3	4	1	2	36	5	4	6	10	9
61	Colored	23	1	1	1			3	1		3		1
62	Sacramento	1,216	127	25	15	6	6	179	27	15	17	35	58
63	San Bernardino	368	53	13	4			70	8	6	7	20	15
64	San Diego	1,032	63	14	8	5		90	9	7	13	35	48
65	San Francisco (total)	7,084	505	108	61	37	44	755	126	65	97	209	284
66	White	6,695	471	96	55	36	36	694	110	63	91	196	260
67	Colored	389	34	12	6	1	8	61	16	2	6	13	24
68	San Jose	433	41	9	5	3	1	59	11	4	6	11	12
69	Santa Barbara	271	31	10	8	1	1	51	4	3	3	9	11
70	Santa Cruz	168	13	4		1		18	3	2	2	3	4
71	Stockton	892	64	16	7	8	1	96	14	12	13	33	50
72	Vallejo	162	19	1				20	2	4	4	6	10

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3,077	3,371	3,399	3,736	3,865	4,536	4,919	5,633	6,059	5,736	4,191	2,220	723	163	22	23	1
2,801	3,030	3,096	3,475	3,614	4,350	4,755	5,445	5,900	5,614	4,105	2,172	697	150	13	21	2
276	341	303	261	251	186	164	188	159	122	86	48	26	13	9	2	3
5,057	5,568	5,750	6,335	6,981	7,358	7,856	8,506	8,505	7,387	5,247	2,585	826	177	31	72	4
4,605	4,964	5,254	5,853	6,574	7,039	7,581	8,268	8,322	7,257	5,175	2,536	805	167	23	69	5
452	604	496	482	407	319	275	238	183	130	72	49	21	10	8	3	6
312	381	443	507	580	584	709	711	662	553	422	202	84	22	4	6	7
296	373	423	484	558	565	682	688	651	547	415	199	79	21	4	5	8
16	8	20	23	22	19	27	23	11	6	7	3	5	1	----	1	9
938	1,020	911	856	867	817	1,038	1,092	1,025	782	568	316	165	63	60	108	10
272	329	303	344	285	424	527	589	531	445	295	147	59	15	1	36	11
666	691	608	512	582	393	511	503	494	337	273	169	106	48	59	72	12
1,335	1,486	1,297	1,287	1,283	1,390	1,595	1,677	1,826	1,573	1,155	529	220	66	75	296	13
810	915	813	821	775	988	1,200	1,321	1,483	1,304	952	414	144	40	14	146	14
525	571	484	466	508	402	395	356	343	269	203	115	76	26	61	150	15
202	208	192	180	185	220	268	260	246	207	193	114	34	8	1	1	16
195	202	190	175	182	216	267	258	241	206	193	113	34	8	1	----	17
7	6	2	5	3	4	1	2	5	1	----	1	----	----	----	1	18
143	157	160	177	277	363	378	442	579	553	500	278	81	27	10	----	19
143	157	160	177	276	362	377	442	578	552	500	278	81	27	10	----	20
----	----	----	----	1	1	1	----	1	1	----	----	----	----	----	----	21
1,164	1,368	1,249	1,230	1,342	1,546	1,820	1,939	2,028	1,772	1,305	659	289	80	83	48	22
573	621	602	613	609	922	1,110	1,358	1,468	1,337	954	482	167	36	9	16	23
591	747	647	617	733	624	710	581	560	435	351	177	122	44	74	32	24
595	603	568	611	702	805	773	872	844	776	527	247	87	16	6	36	25
569	552	530	575	672	775	757	856	829	764	521	234	83	16	3	35	26
26	51	38	36	30	30	16	16	15	12	6	13	4	----	3	1	27
991	1,017	1,093	1,240	1,369	1,791	1,862	2,045	2,276	2,073	1,899	1,118	436	103	13	111	28
982	1,002	1,082	1,228	1,361	1,784	1,851	2,034	2,261	2,068	1,897	1,115	433	101	13	111	29
9	15	11	12	8	7	11	11	15	5	2	3	3	2	----	----	30
329	385	350	368	352	256	236	253	221	153	95	48	25	7	12	17	31
89	115	109	113	131	123	143	159	152	100	53	30	11	1	1	3	32
240	270	241	255	221	133	93	94	69	53	42	18	14	6	11	14	33
201	253	208	211	211	140	140	145	130	74	44	24	11	3	7	16	34
53	74	69	64	83	68	99	85	87	44	22	15	4	----	----	3	35
148	179	139	147	128	72	41	60	43	30	22	9	7	3	7	13	36
65	83	81	92	82	77	55	66	54	47	31	18	8	3	4	1	37
20	25	17	34	35	42	24	42	44	33	22	11	6	1	1	----	38
45	58	64	58	47	35	31	24	10	14	9	7	2	2	3	1	39
63	49	61	65	59	39	41	42	37	32	20	6	6	1	1	----	40
16	16	23	15	13	13	20	32	21	23	9	4	1	----	----	----	41
47	33	38	50	46	26	21	10	16	9	11	2	5	1	1	----	42
1,176	1,369	1,409	1,513	1,764	1,769	1,897	1,843	1,862	1,601	1,117	586	179	38	10	2	43
1,073	1,236	1,290	1,431	1,638	1,662	1,765	1,755	1,818	1,584	1,105	578	178	35	7	2	44
103	133	119	82	126	107	132	88	44	17	12	8	1	3	3	----	45
8	13	11	19	30	27	24	18	25	29	22	5	4	3	1	----	46
20	30	17	28	17	19	24	25	17	11	8	2	----	1	2	----	47
10	25	19	21	29	33	49	45	47	42	29	19	4	----	----	----	48
7	7	13	11	11	18	17	17	22	13	10	4	1	----	----	----	49
35	19	35	33	35	32	29	33	22	16	15	7	3	1	----	----	50
15	18	24	23	24	32	45	61	68	60	39	19	3	----	----	----	51
366	376	397	405	480	506	531	551	454	430	266	148	40	7	2	----	52
330	330	359	377	452	480	494	534	447	425	262	144	39	6	1	----	53
36	46	38	28	28	26	37	17	7	5	4	4	1	1	1	----	54
99	119	127	116	154	132	134	157	202	165	131	74	24	4	----	----	55
17	24	25	16	36	43	49	37	50	48	38	26	13	1	----	----	56
6	5	----	4	6	8	9	12	23	18	11	9	3	----	----	----	57
9	9	5	6	7	7	8	12	15	10	6	9	2	1	1	----	58
11	11	14	15	17	17	21	33	32	18	12	7	3	2	----	1	59
8	11	13	14	12	14	21	32	31	18	12	7	3	2	----	1	60
3	----	1	1	5	3	----	1	1	----	----	----	----	----	----	----	61
65	71	77	83	96	87	90	86	78	60	51	30	9	2	----	----	62
28	19	20	24	17	19	33	17	25	16	11	9	4	----	----	----	63
48	53	46	60	64	92	84	89	93	105	59	28	6	3	----	----	64
353	461	465	545	617	560	605	515	548	409	274	137	48	9	1	1	65
327	433	440	524	575	527	564	486	530	406	274	136	48	9	1	1	66
26	28	25	21	42	33	41	29	18	3	----	1	----	----	----	----	67
15	20	22	15	30	33	37	31	35	42	32	12	3	1	2	----	68
14	6	17	14	15	14	16	21	17	20	21	13	1	1	----	----	69
5	4	5	6	10	12	16	14	14	16	24	9	1	----	----	----	70
37	72	64	62	58	65	65	61	64	59	46	15	5	1	----	----	71
8	7	6	7	11	11	11	8	11	14	12	4	2	1	1	----	72

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	COLORADO.												
1	Registration cities (total)	4,546	511	77	49	36	19	692	62	66	131	236	292
2	White	4,346	496	75	48	33	19	671	61	61	126	229	269
3	Colored	200	15	2	1	3	.....	21	1	5	5	7	23
4	Colorado Springs	520	38	5	4	3	.....	50	3	4	19	35	48
5	Denver	3,215	313	41	31	22	10	417	46	46	78	162	205
6	Pueblo	630	130	24	13	10	8	185	9	13	25	26	29
7	Trinidad	181	30	7	1	1	1	40	4	3	9	13	10
	CONNECTICUT.												
8	Registration cities (total)	14,973	2,685	504	227	145	96	3,657	340	201	284	468	561
9	White	14,499	2,611	487	219	139	93	3,549	332	197	263	440	530
10	Colored	474	74	17	8	6	3	108	8	4	21	28	31
11	Ansonia	275	87	14	8	4	4	117	3	6	2	7	6
12	Bridgeport	2,270	445	86	31	23	17	602	48	37	38	90	103
13	Bristol	208	50	10	4	6	.....	70	5	1	3	5	3
14	Danbury town	417	43	14	5	4	3	69	4	2	7	15	20
15	Greenwich town	282	60	15	5	1	.....	81	9	3	6	2	8
16	Hartford	2,588	438	90	37	35	21	621	56	38	52	104	112
17	Manchester town	134	19	4	.....	3	.....	26	3	.....	.....	6	2
18	Meriden town	565	68	11	9	5	6	99	7	9	12	18	31
19	Middletown town	633	38	6	7	1	1	53	11	3	9	10	17
20	Naugatuck	137	34	3	2	2	1	42	3	1	4	5	2
21	New Britain	748	224	35	13	6	4	282	14	5	16	14	32
22	New Haven	2,603	432	114	49	18	14	627	58	40	47	63	80
23	New London	424	60	14	1	4	3	82	11	4	11	20	7
24	Norwalk	417	62	7	6	2	5	82	10	5	11	12	9
25	Norwich town	565	84	9	6	3	2	104	13	5	11	16	20
26	Orange town	173	25	3	3	3	1	35	4	4	6	4	5
27	Stamford town	577	103	14	8	5	2	132	20	11	7	16	13
28	Torrington town	235	55	10	1	2	2	70	6	3	6	8	5
29	Wallingford town	148	25	5	8	3	2	43	4	3	1	3	4
30	Waterbury	1,314	300	35	20	13	7	375	50	18	29	47	73
31	Windham town	260	33	5	4	2	1	45	1	3	6	3	9
	DELAWARE.[1]												
32	Wilmington (total)	1,880	366	82	31	17	14	510	36	26	42	78	79
33	White	1,562	313	63	26	17	11	430	34	18	28	64	60
34	Colored	318	53	19	5	.....	3	80	2	8	14	14	19
	DISTRICT OF COLUMBIA.												
35	Washington (total)	6,605	729	141	61	38	29	998	102	76	137	267	253
36	White	3,986	372	63	35	20	17	507	62	34	64	122	123
37	Colored	2,619	357	78	26	18	12	491	40	42	73	145	130
	FLORIDA.[1]												
38	Registration cities (total)	3,016	428	120	56	31	26	661	57	44	126	166	207
39	White	1,552	251	68	27	15	9	370	24	22	59	51	85
40	Colored	1,464	177	52	29	16	17	291	33	22	67	115	122
41	Jacksonville (total)	1,544	183	48	27	12	14	284	30	19	69	97	126
42	White	650	79	22	9	6	4	120	8	10	21	24	47
43	Colored	894	104	26	18	6	10	164	22	9	48	73	79
44	Key West (total)	285	56	10	10	2	2	80	3	4	11	11	10
45	White	206	44	5	7	1	1	58	1	2	9	7	6
46	Colored	79	12	5	3	1	1	22	2	2	2	4	4
47	Pensacola (total)	479	78	21	7	7	6	119	10	5	17	23	31
48	White	223	48	9	6	3	2	68	2	3	8	8	12
49	Colored	256	30	12	1	4	4	51	8	2	9	15	19
50	Tampa (total)	708	111	41	12	10	4	178	14	16	29	35	40
51	White	473	80	32	5	5	2	124	13	7	21	12	20
52	Colored	235	31	9	7	5	2	54	1	9	8	23	20
	GEORGIA.[1]												
53	Registration cities (total)	5,893	837	275	118	68	41	1,339	113	85	199	322	370
54	White	2,726	395	133	54	29	19	630	61	39	51	94	120
55	Colored	3,167	442	142	64	39	22	709	52	46	148	228	250
56	Atlanta (total)	3,170	439	158	68	34	26	725	61	45	101	154	199
57	White	1,751	246	86	39	12	13	396	45	27	37	68	82
58	Colored	1,419	193	72	29	22	13	329	16	18	64	86	117
59	Augusta (total)	969	120	39	16	12	4	191	23	13	35	56	60
60	White	431	61	17	7	5	2	92	7	3	7	12	22
61	Colored	538	59	22	9	7	2	99	16	10	28	44	38
62	Brunswick (total)	196	26	12	4	4	.....	46	5	3	4	10	6
63	White	67	13	5	1	3	.....	22	2	2	1	2	1
64	Colored	129	13	7	3	1	.....	24	3	1	3	8	5
65	Savannah (total)	1,058	252	66	30	18	11	377	24	24	59	102	105
66	White	477	75	25	7	9	4	120	7	7	6	12	15
67	Colored	1,081	177	41	23	9	7	257	17	17	53	90	90

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
304	298	239	238	294	318	316	305	271	239	150	68	20	5	.....	2	1
284	273	219	224	283	307	305	296	263	235	146	67	20	5	.....	2	2
20	25	20	14	11	11	11	9	8	4	4	1	.....	.....	.....	.....	3
33	51	35	28	30	37	30	33	31	25	16	8	3	1	.....	.....	4
224	201	175	168	217	235	240	232	199	182	114	56	13	4	.....	2	5
37	38	25	33	37	40	34	25	30	20	19	4	1	.....	.....	.....	6
10	9	4	9	10	6	12	15	11	12	1	.....	3	.....	.....	.....	7
604	737	765	893	946	937	974	993	876	794	517	291	102	15	10	8	8
583	696	730	856	917	914	954	966	859	779	515	286	100	15	10	8	9
21	41	35	37	29	23	20	27	17	15	2	5	2	.....	.....	.....	10
9	15	11	9	16	1	11	18	12	6	10	5	1	.....	.....	.....	11
117	145	134	146	154	11	138	133	90	83	57	22	9	3	1	1	12
6	6	3	11	13	1	13	9	15	17	10	5	1	.....	.....	.....	13
14	14	19	25	25	41	34	34	36	27	17	8	6	.....	.....	.....	14
10	8	9	11	19	15	16	20	26	18	11	5	5	.....	.....	.....	15
103	125	136	139	166	172	184	166	121	132	89	46	19	3	3	1	16
3	4	6	5	7	12	10	7	13	11	13	3	2	.....	.....	1	17
25	26	32	38	30	40	38	43	35	39	16	20	6	.....	1	.....	18
30	28	41	41	56	58	54	59	54	57	33	13	5	1	.....	.....	19
3	1	10	9	10	6	10	11	7	8	4	1	.....	.....	.....	.....	20
25	40	31	42	45	40	43	28	27	35	9	16	4	.....	.....	.....	21
101	115	113	173	176	172	193	171	169	146	84	51	19	2	2	1	22
11	20	21	24	35	25	24	33	27	30	20	8	6	1	1	3	23
16	10	17	27	15	31	23	27	33	36	36	15	1	.....	1	.....	24
29	34	36	36	29	24	24	62	43	36	21	15	5	1	1	.....	25
4	5	5	11	12	6	15	11	19	9	8	8	1	1	.....	.....	26
14	34	32	39	31	35	39	42	42	32	25	9	4	.....	.....	.....	27
8	8	11	16	14	7	11	20	19	8	10	4	1	.....	.....	.....	28
6	4	4	1	4	10	10	12	12	10	9	5	1	2	.....	.....	29
61	83	80	77	74	77	61	67	56	41	20	20	3	1	.....	1	30
9	12	14	13	15	24	23	20	20	13	15	12	3	.....	.....	.....	31
69	77	110	108	124	124	94	115	110	70	55	30	13	3	2	5	32
55	59	79	86	108	103	75	104	101	62	53	28	9	3	.....	3	33
14	18	31	22	16	21	19	11	9	8	2	2	4	.....	2	2	34
311	384	377	406	456	425	480	470	537	449	274	130	50	17	5	1	35
134	166	166	237	256	262	316	330	425	383	239	109	40	9	1	1	36
177	218	211	169	200	163	164	140	112	66	35	21	10	8	4	.....	37
173	206	178	195	205	156	144	146	115	99	79	27	11	7	5	9	38
70	71	76	96	88	85	95	101	86	82	61	17	6	4	.....	3	39
103	135	102	99	117	71	49	45	29	17	18	10	5	3	5	6	40
109	112	103	111	110	87	61	71	49	49	33	11	6	4	2	1	41
35	36	33	44	35	38	36	46	37	41	26	8	2	3	.....	.....	42
74	76	70	67	75	49	25	25	12	8	7	3	4	1	2	1	43
14	4	12	16	17	18	9	20	19	15	15	4	2	.....	.....	1	44
13	1	10	14	11	12	5	15	11	14	11	3	2	.....	.....	1	45
1	3	2	2	6	6	4	5	8	1	4	1	.....	.....	.....	.....	46
23	37	18	29	32	18	28	29	15	13	14	7	2	2	3	4	47
10	12	5	11	13	10	13	18	8	9	10	1	1	.....	.....	1	48
13	25	13	18	19	8	15	11	7	4	4	6	1	2	3	3	49
27	53	45	39	46	33	46	26	32	22	17	5	1	1	.....	3	50
12	22	28	27	29	25	41	22	30	18	14	5	1	1	.....	1	51
15	31	17	12	17	8	5	4	2	4	3	.....	.....	.....	.....	2	52
338	432	383	354	374	325	362	283	258	151	118	44	18	5	5	15	53
118	141	129	136	127	176	222	202	203	126	96	33	11	3	.....	8	54
220	291	254	218	247	149	140	81	55	25	22	11	7	2	5	7	55
189	238	192	171	180	190	209	153	150	90	67	30	9	2	5	10	56
86	99	86	85	74	114	143	115	126	77	59	21	5	1	.....	5	57
103	139	106	86	106	76	66	38	24	13	8	9	4	1	5	5	58
47	60	64	61	72	54	73	62	47	20	17	7	3	2	.....	2	59
12	17	21	20	26	28	42	48	34	17	10	6	3	2	.....	2	60
35	43	43	41	46	26	31	14	13	3	7	1	.....	.....	.....	.....	61
13	19	9	16	14	9	11	10	6	5	5	1	1	.....	.....	3	62
2	4	2	1	2	5	6	2	4	4	3	1	.....	.....	.....	1	63
11	15	7	15	12	4	5	8	2	1	2	.....	1	.....	.....	2	64
89	115	118	106	108	72	69	58	55	36	29	6	5	1	.....	.....	65
18	21	20	30	25	29	31	37	39	28	24	5	3	.....	.....	.....	66
71	94	98	76	83	43	38	21	16	8	5	1	2	1	.....	.....	67

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	ILLINOIS.[1]												
1	Registration cities (total)	41,949	7,084	2,030	1,048	629	536	11,327	1,327	682	828	1,530	1,871
2	White	39,832	6,874	1,960	1,015	617	520	10,986	1,278	649	767	1,398	1,685
3	Colored	2,117	210	70	33	12	16	341	49	33	61	132	186
4	Aurora	516	82	16	10	3	8	119	3	10	9	13	18
5	Belleville	348	28	7	6	3	1	45	13	7	8	14	17
6	Chicago (total)	38,011	6,664	1,961	1,000	595	511	10,731	1,245	606	736	1,396	1,732
7	White	36,105	6,468	1,894	970	584	495	10,411	1,204	578	683	1,277	1,563
8	Colored	1,906	196	67	30	11	16	320	41	28	53	119	169
9	Decatur	580	74	10	9	7	4	104	9	16	14	16	29
10	Evanston	385	56	9	7	3	3	78	11	12	8	17	9
11	Jacksonville	545	26	7	2	2	2	39	6	6	7	18	17
12	Quincy	588	50	5	6	6	3	70	14	6	14	27	14
13	Springfield	976	104	15	8	10	4	141	26	19	32	29	35
	INDIANA.												
14	Registration cities (total)	15,319	2,310	520	248	163	102	3,343	384	280	455	612	660
15	White	13,974	2,146	480	233	146	93	3,098	346	244	396	536	577
16	Colored	1,345	164	40	15	17	9	245	38	36	59	76	83
17	Anderson	399	61	13	6	4	3	87	12	6	19	12	21
18	East Chicago	563	220	65	35	12	3	335	15	7	7	15	22
19	Elkhart	315	33	4	2	3	.....	42	10	2	3	7	14
20	Elwood	154	27	6	4	.....	.....	37	3	1	2	6	5
21	Evansville	1,240	176	44	25	12	7	264	35	21	49	56	56
22	Fort Wayne	976	116	13	8	8	8	153	26	19	27	37	43
23	Gary	803	215	70	21	14	15	335	31	14	19	48	54
24	Hammond	542	99	32	10	8	8	157	14	16	27	30	37
25	Huntington	167	16	1	1	.....	3	21	3	1	5	4	9
26	Indianapolis (total)	4,582	567	115	61	43	22	808	112	93	135	184	196
27	White	3,862	490	94	50	34	18	686	93	72	108	156	151
28	Colored	720	77	21	11	9	4	122	19	21	27	28	45
29	Jeffersonville (total)	126	17	1	2	2	.....	22	1	2	4	6	4
30	White	96	12	1	2	2	.....	17	1	1	1	3	1
31	Colored	30	5	.....	.....	.....	.....	5	.....	1	3	3	3
32	Kokomo	311	62	11	5	4	1	83	7	5	11	16	8
33	Lafayette	437	34	5	4	3	5	51	7	10	9	17	14
34	Laporte	210	32	6	3	2	1	44	5	1	4	4	7
35	Logansport	273	26	4	.....	4	.....	34	6	.....	4	10	4
36	Marion	309	45	15	8	7	2	77	4	4	5	7	9
37	Michigan City	269	42	19	1	2	1	65	5	3	5	6	13
38	Mishawaka	161	40	4	2	2	.....	48	4	7	8	2	4
39	Muncie	393	59	8	4	1	4	76	8	6	16	16	11
40	New Albany	397	39	12	3	6	4	64	18	6	10	15	13
41	Peru	168	17	2	.....	.....	.....	19	3	1	5	4	8
42	Richmond	369	52	10	9	5	2	78	10	5	7	17	9
43	South Bend	917	183	27	20	9	9	248	24	23	24	33	42
44	Terre Haute	959	108	21	8	10	4	151	14	21	37	51	45
45	Vincennes	279	24	12	6	2	.....	44	7	6	13	9	12
	KANSAS.												
46	Registration cities (total)	5,041	681	154	70	34	29	968	124	93	124	201	209
47	White	4,277	587	123	56	33	26	825	106	76	95	158	165
48	Colored	764	94	31	14	1	3	143	18	17	29	43	44
49	Atchison (total)	192	19	3	2	.....	1	25	3	2	4	9	6
50	White	155	17	1	2	.....	1	21	3	2	4	6	5
51	Colored	37	2	2	.....	.....	.....	4	.....	.....	.....	3	1
52	Coffeyville (total)	189	34	6	2	1	2	45	4	6	6	7	9
53	White	149	31	4	2	.....	1	38	2	6	3	6	8
54	Colored	40	3	2	.....	1	1	7	2	.....	3	1	1
55	Fort Scott (total)	165	26	5	1	.....	1	33	3	3	2	7	2
56	White	144	20	5	1	.....	1	27	3	3	2	7	2
57	Colored	21	6	.....	.....	.....	.....	6	.....	.....	.....	.....	.....
58	Hutchinson	271	35	10	3	2	1	51	11	5	13	13	12
59	Independence	149	14	5	4	.....	1	24	8	4	2	7	3
60	Kansas City (total)	1,465	234	63	29	13	11	350	36	29	35	57	77
61	White	1,150	193	47	19	13	10	282	27	18	20	39	55
62	Colored	315	41	16	10	.....	1	68	9	11	15	18	22
63	Lawrence (total)	183	17	2	2	.....	1	22	3	2	4	4	5
64	White	145	12	2	2	.....	1	17	3	2	4	3	3
65	Colored	38	5	.....	.....	.....	.....	5	.....	.....	.....	1	2
66	Leavenworth (total)	352	29	8	5	3	.....	45	9	11	8	11	10
67	White	286	22	5	4	3	.....	34	9	10	6	7	5
68	Colored	66	7	3	1	.....	.....	11	.....	1	2	4	5
69	Parsons	215	24	6	.....	2	1	33	5	6	6	10	16
70	Pittsburg	239	33	5	6	2	1	47	9	5	7	8	12
71	Topeka (total)	741	111	10	8	2	4	135	16	8	16	30	26
72	White	646	102	7	6	2	3	120	16	5	12	26	22
73	Colored	95	9	3	2	.....	1	15	.....	3	4	4	4
74	Wichita	880	105	31	8	9	5	158	17	12	21	38	31

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—														Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
1,984	2,129	2,275	2,455	2,673	2,638	2,447	2,332	1,990	1,589	1,068	551	201	34	6	12	1
1,808	1,923	2,087	2,284	2,531	2,504	2,344	2,256	1,937	1,562	1,054	540	193	31	5	10	2
176	206	188	171	142	134	103	76	53	27	14	11	8	3	1	2	3
17	24	15	26	21	35	26	43	40	40	30	16	8	3	.....	.....	4
14	22	21	22	17	24	30	19	32	20	12	11	.....	.....	.....	.....	5
1,829	1,970	2,071	2,238	2,446	2,363	2,168	2,070	1,638	1,317	837	428	155	25	6	4	6
1,666	1,777	1,900	2,081	2,317	2,246	2,075	2,004	1,598	1,296	825	420	151	24	5	4	7
163	193	171	157	129	117	93	66	40	21	12	8	4	1	1	.....	8
23	19	28	32	32	48	36	39	51	31	35	13	4	.....	.....	1	9
11	11	19	14	19	27	24	21	30	28	25	10	7	1	.....	3	10
17	17	32	33	31	53	41	32	62	59	37	25	7	2	.....	4	11
21	16	34	35	40	30	55	42	47	37	51	28	7	.....	.....	.....	12
52	50	55	55	67	58	67	66	90	57	41	20	13	3	.....	.....	13
686	698	790	811	871	957	1,016	961	935	871	580	283	102	21	1	2	14
592	590	680	714	791	875	947	911	895	834	562	270	95	20	.....	1	15
94	108	110	97	80	82	69	50	40	37	18	13	7	1	1	1	16
12	9	15	18	27	29	27	36	22	24	10	9	3	1	.....	.....	17
22	34	25	26	23	4	10	9	1	5	1	2	.....	.....	.....	.....	18
17	9	14	17	19	21	29	29	28	26	17	2	7	2	.....	.....	19
7	4	7	7	6	9	10	8	13	19	6	2	1	1	.....	.....	20
52	49	54	72	69	74	87	68	74	79	42	26	13	.....	.....	.....	21
42	31	59	54	57	70	72	66	74	74	40	23	8	1	.....	.....	22
64	42	57	28	38	31	9	12	8	7	3	2	1	.....	.....	.....	23
37	31	36	31	26	18	27	16	19	9	7	3	1	.....	.....	.....	24
8	9	9	6	8	9	23	11	12	15	7	5	1	1	.....	.....	25
226	242	267	272	285	318	328	307	295	265	139	81	20	7	1	1	26
178	182	205	211	236	273	287	275	274	247	130	73	18	6	.....	1	27
48	60	62	61	49	45	41	32	21	18	9	8	2	1	1	.....	28
2	4	1	6	7	8	8	11	17	12	7	3	1	.....	.....	.....	29
1	3	1	4	7	7	5	9	14	10	7	3	1	.....	.....	.....	30
1	1	.....	2	.....	1	3	2	3	2	.....	.....	.....	.....	.....	.....	31
2	10	10	12	12	20	25	23	19	20	18	6	2	2	.....	.....	32
13	20	28	21	31	31	30	28	44	37	30	12	4	.....	.....	.....	33
7	5	5	12	13	19	12	15	14	12	18	9	3	1	.....	.....	34
12	12	13	14	19	23	24	30	18	19	22	5	4	.....	.....	.....	35
6	14	17	11	12	18	26	28	26	22	16	5	2	.....	.....	.....	36
15	13	9	13	24	13	24	16	8	11	14	11	1	.....	.....	.....	37
7	7	3	8	8	9	9	8	6	11	6	6	.....	.....	.....	.....	38
16	24	14	25	24	30	34	28	18	18	18	5	5	.....	.....	1	39
10	19	23	17	15	33	32	17	32	33	26	11	2	1	.....	.....	40
4	3	13	6	10	11	18	13	16	14	14	3	2	1	.....	.....	41
12	16	5	13	18	18	25	30	43	24	28	8	3	.....	.....	.....	42
42	32	31	47	42	55	47	65	61	38	35	17	10	1	.....	.....	43
39	51	57	58	55	67	58	69	56	55	45	20	8	2	.....	.....	44
12	8	18	17	23	19	22	18	11	22	11	7	.....	.....	.....	.....	45
193	245	219	232	296	310	323	339	369	349	245	146	36	10	7	3	46
160	187	176	188	245	259	282	304	333	312	233	132	30	9	.....	2	47
33	58	43	44	51	51	41	35	36	37	12	14	6	1	7	1	48
7	9	5	9	9	11	18	14	23	13	13	10	1	.....	.....	1	49
3	6	5	5	6	9	14	11	21	11	12	9	1	.....	.....	1	50
4	3	.....	4	3	2	4	3	2	2	1	1	.....	.....	.....	.....	51
9	13	9	9	8	6	7	11	13	12	8	7	.....	.....	.....	.....	52
7	7	5	8	7	4	4	11	8	10	8	7	.....	.....	.....	.....	53
2	6	4	1	1	2	3	.....	5	2	.....	.....	.....	.....	.....	.....	54
6	7	11	3	9	8	9	10	14	16	9	8	2	3	.....	.....	55
5	7	11	2	8	8	7	8	10	14	8	8	1	3	.....	.....	56
1	.....	.....	1	1	.....	2	2	4	2	1	.....	1	.....	.....	.....	57
5	17	12	9	18	15	19	19	19	21	5	6	1	.....	.....	.....	58
10	3	5	9	5	7	7	10	17	12	11	3	.....	2	.....	.....	59
62	80	71	81	98	96	86	93	69	66	46	23	6	1	3	.....	60
53	55	47	60	77	75	75	82	57	59	44	19	5	1	.....	.....	61
9	25	24	21	21	21	11	11	12	7	2	4	1	.....	3	.....	62
10	6	5	2	3	13	10	9	21	29	16	9	7	.....	2	1	63
5	5	4	2	2	12	8	8	18	21	13	9	5	.....	.....	1	64
5	1	1	.....	1	1	2	1	3	8	3	.....	2	.....	2	.....	65
10	16	10	19	26	18	20	23	28	40	24	19	2	1	2	.....	66
8	12	9	15	21	15	13	16	28	37	23	16	2	.....	.....	.....	67
2	4	1	4	5	3	7	7	.....	3	1	3	.....	1	2	.....	68
5	13	11	12	16	14	12	15	18	9	10	3	1	.....	.....	.....	69
13	9	7	10	14	21	15	12	17	11	16	5	.....	1	.....	.....	70
17	28	32	37	41	54	53	48	57	67	39	28	7	2	.....	.....	71
14	24	25	32	35	44	47	44	51	62	36	23	6	2	.....	.....	72
3	4	7	5	6	10	6	4	6	5	3	5	1	.....	.....	.....	73
39	44	41	32	49	47	67	75	73	53	48	25	9	.....	.....	1	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	KENTUCKY.												
1	Registration cities (total)	7,588	802	194	113	66	44	1,219	135	100	207	308	360
2	White	5,578	622	155	77	48	30	932	108	73	132	205	229
3	Colored	2,010	180	39	36	18	14	287	27	27	75	103	131
4	Covington (total)	1,000	124	17	10	3	5	159	19	8	20	41	54
5	White	904	115	15	10	3	5	148	19	6	16	37	44
6	Colored [1]	96	9	2	.....	.....	.....	11	.....	2	4	4	10
7	Frankfort (total)	217	16	4	1	3	.....	24	6	8	13	15	8
8	White	144	9	3	.....	3	.....	15	5	8	9	11	3
9	Colored	73	7	1	1	.....	.....	9	1	.....	4	4	5
10	Henderson (total)	245	21	14	6	3	3	47	4	6	12	9	7
11	White	140	14	10	4	2	1	31	3	4	7	5	5
12	Colored	105	7	4	2	1	2	16	1	2	5	4	2
13	Lexington (total)	1,016	77	26	7	3	2	115	14	10	25	42	58
14	White	631	40	16	4	2	2	64	10	5	14	23	29
15	Colored	385	37	10	3	1	.....	51	4	5	11	19	29
16	Louisville (total)	3,919	397	108	74	45	22	646	71	50	97	149	175
17	White	2,853	311	89	47	30	14	491	56	39	59	93	112
18	Colored	1,066	86	19	27	15	8	155	15	11	38	56	63
19	Newport (total)	385	54	11	5	3	1	74	5	5	9	9	18
20	White	361	48	11	5	3	1	68	5	5	8	8	17
21	Colored [1]	24	6	.....	.....	.....	.....	6	.....	.....	1	1	1
22	Owensboro (total)	348	54	5	5	3	4	71	8	6	16	12	13
23	White	266	45	4	5	3	3	60	6	4	13	9	7
24	Colored	82	9	1	.....	.....	1	11	2	2	3	3	6
25	Paducah (total)	458	59	9	5	3	7	83	8	7	15	31	27
26	White	279	40	7	2	2	4	55	4	2	6	19	12
27	Colored	179	19	2	3	1	3	28	4	5	9	12	15
	LOUISIANA.[2]												
28	Registration cities (total)	9,513	1,095	288	126	86	48	1,643	140	137	302	504	553
29	White	5,208	557	162	71	43	19	852	77	68	98	177	234
30	Colored	4,305	538	126	55	43	29	791	63	69	204	327	319
31	Alexandria (total)	287	36	6	7	4	.....	53	7	8	15	19	22
32	White	120	16	2	4	.....	.....	22	4	4	2	8	4
33	Colored	167	20	4	3	4	.....	31	3	4	13	11	18
34	Baton Rouge (total)	284	43	10	6	3	1	63	6	4	16	15	11
35	White	109	11	3	5	1	1	21	2	2	1	3	1
36	Colored	175	32	7	1	2	.....	42	4	2	15	12	10
37	Lake Charles (total)	209	40	3	4	4	4	55	4	6	8	8	17
38	White	104	14	1	2	2	2	21	3	5	1	3	3
39	Colored	105	26	2	2	2	2	34	1	1	7	5	14
40	Monroe (total)	224	25	13	6	3	1	48	2	5	6	17	15
41	White	106	13	6	3	2	.....	24	2	2	1	7	10
42	Colored	118	12	7	3	1	1	24	.....	3	5	10	5
43	New Orleans (total)	7,510	866	243	92	68	37	1,306	104	97	212	349	391
44	White	4,369	461	144	52	36	13	706	54	44	87	129	194
45	Colored	3,141	405	99	40	32	24	600	50	53	125	220	197
46	Shreveport (total)	999	85	13	11	4	5	118	17	17	45	96	97
47	White	400	42	6	5	2	3	58	12	11	6	27	22
48	Colored	599	43	7	6	2	2	60	5	6	39	69	75
	MAINE.												
49	Registration cities (total)	3,153	433	69	39	20	11	572	61	43	74	79	108
50	White	3,144	432	69	39	20	11	571	60	43	74	78	108
51	Colored	9	1	.....	.....	.....	.....	1	1	.....	.....	1	.....
52	Auburn	218	39	3	1	.....	.....	43	5	3	3	3	7
53	Augusta	315	34	4	2	1	.....	41	5	1	5	6	10
54	Bangor	669	55	11	3	2	2	73	12	11	17	23	28
55	Biddeford	273	49	13	5	2	1	70	6	5	8	7	6
56	Lewiston	476	101	5	9	9	3	127	10	4	11	12	16
57	Portland	996	113	25	17	4	3	162	16	16	24	20	32
58	Waterville	206	42	8	2	2	2	56	7	3	6	8	9
	MARYLAND.												
59	Registration cities (total)	12,398	1,943	378	154	91	90	2,656	239	173	305	461	546
60	White	9,297	1,456	246	109	69	59	1,939	157	112	193	289	354
61	Colored	3,101	487	132	45	22	31	717	82	61	112	172	192
62	Baltimore (total)	11,355	1,780	358	139	82	84	2,443	221	157	270	408	500
63	White	8,362	1,308	228	96	60	53	1,745	139	98	161	242	314
64	Colored	2,993	472	130	43	22	31	698	82	59	109	166	186
65	Cumberland (total)	426	58	6	6	2	2	74	7	8	20	20	20
66	White	397	54	5	5	2	2	68	7	7	20	18	18
67	Colored [1]	29	4	1	1	.....	.....	6	.....	1	.....	2	2
68	Frederick (total)	194	25	3	6	3	1	38	3	4	4	11	7
69	White	161	18	3	5	3	1	30	3	3	4	9	7
70	Colored	33	7	.....	1	.....	.....	8	.....	1	.....	2	.....
71	Hagerstown (total)	423	80	11	3	4	3	101	8	4	11	22	19
72	White	377	76	10	3	4	3	96	8	4	8	20	15
73	Colored [1]	46	4	1	.....	.....	.....	5	.....	.....	3	2	4

[1] Colored population less than 10 per cent of the total in 1910.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
384	410	438	516	501	548	536	519	483	400	296	150	49	9	6	14	1
236	247	280	334	325	416	426	420	406	355	268	132	40	7	----	7	2
148	163	158	182	176	132	110	99	77	45	28	18	9	2	6	7	3
52	49	63	52	52	85	86	69	56	72	45	13	3	2	----	----	4
42	38	54	44	46	77	79	66	54	71	45	13	3	2	----	----	5
10	11	9	8	6	8	7	3	2	1	----	----	----	----	----	----	6
11	9	8	18	17	8	9	11	12	15	8	4	3	2	----	8	7
8	3	7	10	9	4	8	8	8	11	6	2	1	2	----	6	8
3	6	1	8	8	4	1	3	4	4	2	2	2	----	----	2	9
9	13	15	17	16	13	16	16	17	6	6	8	7	----	1	----	10
1	8	5	8	9	6	9	8	10	5	5	6	5	----	----	----	11
8	5	10	9	7	7	7	8	7	1	1	2	2	----	1	----	12
52	73	73	67	69	83	65	68	86	47	36	24	5	1	2	1	13
28	38	36	46	33	54	42	50	64	36	33	21	5	----	----	----	14
24	35	37	21	36	29	23	18	22	11	3	3	----	1	2	1	15
194	199	221	283	284	285	281	282	240	205	140	81	28	3	3	2	16
121	112	140	176	178	212	220	227	205	182	130	74	23	2	----	1	17
73	87	81	107	106	73	61	55	35	23	10	7	5	1	3	1	18
12	20	22	27	28	27	25	28	26	19	20	9	2	----	----	----	19
10	18	18	26	25	27	24	27	26	19	19	9	2	----	----	----	20
2	2	4	1	3	----	1	1	----	----	1	----	----	----	----	----	21
19	15	13	17	12	20	31	26	24	18	24	3	----	----	----	----	22
12	9	10	9	9	16	26	18	21	17	18	2	----	----	----	----	23
7	6	3	8	3	4	5	8	3	1	6	1	----	----	----	----	24
35	32	23	35	23	27	23	19	22	18	17	8	1	1	----	3	25
14	21	10	15	16	20	18	16	18	14	12	5	1	1	----	----	26
21	11	13	20	7	7	5	3	4	4	5	3	----	----	----	3	27
602	652	602	650	607	624	646	517	515	354	247	140	46	17	9	6	28
265	299	303	352	367	397	429	344	367	258	175	106	31	6	----	3	29
337	353	299	298	240	227	217	173	148	96	72	34	15	11	9	3	30
7	28	14	16	18	17	20	12	10	6	5	6	3	1	----	----	31
4	11	5	9	9	6	15	4	7	3	----	2	1	----	----	----	32
3	17	9	7	9	11	5	8	3	3	5	4	2	1	----	----	33
18	18	13	13	14	17	15	17	15	9	10	5	1	3	1	----	34
6	7	5	7	6	8	6	8	8	6	7	5	----	----	----	----	35
12	11	8	6	8	9	9	9	7	3	3	----	1	3	1	----	36
10	12	15	15	9	11	11	8	5	6	5	2	----	1	----	1	37
3	6	9	7	8	6	10	7	2	5	3	2	----	----	----	----	38
7	6	6	8	1	5	1	1	3	1	2	----	----	1	----	1	39
15	20	14	15	13	14	10	9	11	4	6	----	----	----	----	----	40
6	7	9	5	8	6	3	6	7	1	2	----	----	----	----	----	41
9	13	5	10	5	8	7	3	4	3	4	----	----	----	----	----	42
468	497	481	532	474	511	527	425	440	307	204	124	39	11	7	4	43
221	245	253	303	302	339	364	291	322	230	152	95	29	6	----	3	44
247	252	228	229	172	172	163	134	118	77	52	29	10	5	7	1	45
84	77	65	59	79	54	63	46	34	22	17	3	3	1	1	1	46
25	23	22	21	34	32	31	28	21	13	11	2	1	----	----	----	47
59	54	43	38	45	22	32	18	13	9	6	1	2	1	1	1	48
86	125	125	178	156	197	225	229	283	275	192	93	26	11	----	15	49
85	125	124	176	155	196	225	229	283	275	192	93	26	11	----	15	50
1	----	1	2	1	1	----	----	----	----	----	----	----	----	----	----	51
2	4	6	9	10	11	13	17	23	23	22	10	3	1	----	----	52
8	12	12	24	12	16	27	38	42	29	17	7	2	1	----	----	53
19	37	29	50	37	35	50	46	51	57	49	27	5	5	----	8	54
9	11	9	13	11	25	18	17	20	16	11	7	2	----	----	2	55
16	17	16	25	24	23	35	30	38	37	20	9	3	1	----	2	56
29	38	47	48	53	77	71	69	94	101	59	24	10	3	----	3	57
3	6	6	9	9	10	11	12	15	12	14	9	1	----	----	----	58
590	621	689	713	823	787	856	859	795	601	406	184	56	18	7	13	59
378	396	421	515	580	614	694	766	713	555	374	174	50	16	3	4	60
212	225	268	198	243	173	162	93	82	46	32	10	6	2	4	9	61
560	560	643	656	762	718	793	790	716	544	368	162	48	18	7	11	62
352	347	383	465	527	552	638	703	637	503	338	153	42	16	3	4	63
208	213	260	191	235	166	155	87	79	41	30	9	6	2	4	7	64
16	29	16	29	24	31	32	27	25	19	10	12	7	----	----	----	65
15	26	13	28	22	29	30	25	24	18	10	12	7	----	----	----	66
1	3	3	1	2	2	2	2	1	1	----	----	----	----	----	----	67
4	12	10	10	9	10	13	14	18	14	10	3	----	----	----	----	68
3	7	8	9	9	10	11	11	16	10	9	2	----	----	----	----	69
1	5	2	1	----	----	2	3	2	4	1	1	----	----	----	----	70
10	20	20	18	28	28	18	28	36	24	18	7	1	----	----	2	71
8	16	17	13	22	23	15	27	36	24	17	7	1	----	----	----	72
2	4	3	5	6	5	3	1	----	----	1	----	----	----	----	2	73

[a] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MASSACHUSETTS.												
1	Registration cities (total)	44,179	7,823	1,518	626	394	345	10,706	957	530	726	1,226	1,480
2	White	43,290	7,691	1,473	615	386	332	10,497	942	515	701	1,181	1,435
3	Colored	889	132	45	11	8	13	209	15	15	25	45	45
4	Adams town	121	28	3	3	.....	2	36	3	2	1	3	1
5	Arlington town	179	20	2	1	.....	5	28	3	1	5	5	13
6	Attleboro	239	39	9	2	2	1	53	9	2	5	5	7
7	Beverly	294	54	4	3	3	1	65	5	2	4	10	10
8	Boston (total)	12,704	1,970	446	181	120	105	2,822	268	161	203	371	474
9	White	12,252	1,909	426	177	113	98	2,723	263	155	194	347	447
10	Colored	452	61	20	4	7	7	99	5	6	9	24	27
11	Brockton	750	101	9	5	7	4	126	13	11	10	26	15
12	Brookline town	383	25	1	2	2	1	31	1	3	1	5	5
13	Cambridge	1,605	206	51	23	5	15	300	32	13	26	43	64
14	Chelsea	682	122	16	5	7	5	155	9	4	10	16	22
15	Chicopee	426	140	18	6	6	4	174	10	3	8	18	11
16	Clinton town	186	41	5	1	2	.....	49	5	1	3	7	3
17	Everett	376	46	9	7	5	1	68	15	4	9	6	12
18	Fall River	2,116	605	145	60	29	20	859	53	19	43	43	49
19	Fitchburg	485	88	16	10	7	2	123	19	2	8	14	14
20	Framingham town	229	32	4	2	1	4	43	5	3	4	10	8
21	Gardner town	250	47	8	5	.....	4	64	8	5	4	4	10
22	Gloucester	359	34	8	2	2	3	49	5	2	2	8	14
23	Greenfield town	214	26	9	3	1	2	41	1	1	3	10	4
24	Haverhill	731	116	12	10	10	3	151	18	8	13	11	24
25	Holyoke	1,055	347	52	15	10	12	436	25	9	19	17	34
26	Lawrence	1,395	352	80	13	16	10	471	28	14	23	42	56
27	Leominster	220	24	10	3	2	.....	39	9	4	5	6	6
28	Lowell	1,940	461	72	48	28	11	620	43	29	29	57	48
29	Lynn	1,267	174	33	11	8	6	232	14	15	16	36	39
30	Malden	582	66	16	9	4	6	101	21	12	8	19	17
31	Marlborough	199	23	5	1	2	1	32	3	1	4	4	9
32	Medford	378	53	7	2	1	1	64	6	.....	8	4	7
33	Melrose	270	22	4	1	1	2	30	3	4	2	3	3
34	Methuen town	202	32	5	1	2	2	42	5	3	5	6	8
35	Milford town	185	28	1	1	2	3	35	6	2	3	8	5
36	New Bedford	1,786	493	116	38	18	16	681	39	23	32	33	46
37	Newburyport	253	18	4	5	2	.....	29	6	3	1	6	4
38	Newton	520	82	14	7	.....	5	108	12	4	11	11	12
39	North Adams	356	43	5	5	3	5	61	8	4	6	10	13
40	Northampton	436	44	3	5	2	3	57	5	2	5	15	21
41	Peabody	258	57	7	2	3	2	71	1	1	5	5	8
42	Pittsfield	647	123	25	14	6	4	172	7	7	11	24	27
43	Plymouth town	191	36	8	1	3	.....	48	6	3	3	3	3
44	Quincy	469	78	12	2	3	1	96	13	1	8	16	12
45	Revere	237	47	10	5	.....	.....	62	5	1	4	2	12
46	Salem	602	98	21	7	3	2	131	11	6	13	17	16
47	Somerville	1,077	140	28	10	13	11	202	19	17	18	31	22
48	Southbridge town	153	38	6	3	1	1	49	7	2	1	2	6
49	Springfield	1,876	328	63	24	17	14	446	78	40	27	64	82
50	Taunton	780	122	5	5	6	5	143	7	13	10	29	32
51	Wakefield town	126	13	1	.....	1	1	16	1	.....	1	6	4
52	Waltham	393	50	8	7	5	3	73	6	11	16	13	20
53	Watertown town	190	32	6	2	.....	.....	40	1	1	1	4	6
54	Webster town	136	32	5	1	2	1	41	4	4	2	3	2
55	Westfield town	338	65	14	6	2	2	89	13	10	10	16	9
56	Weymouth town	171	14	3	1	.....	2	20	3	1	2	2	1
57	Winthrop town	143	16	1	2	2	1	22	.....	2	7	6	5
58	Woburn	230	31	9	4	.....	1	45	6	2	5	9	6
59	Worcester	2,789	501	84	34	17	29	665	54	32	43	82	119
	MICHIGAN.												
60	Registration cities (total)	22,295	4,217	814	412	265	202	5,910	688	326	492	906	1,052
61	White	21,808	4,166	800	406	262	201	5,835	681	315	482	878	1,005
62	Colored	487	51	14	6	3	1	75	7	11	10	28	47
63	Adrian	214	11	3	.....	2	1	17	5	4	3	5	2
64	Alpena	159	30	6	2	.....	1	39	3	1	1	8	9
65	Ann Arbor	480	56	14	6	5	1	82	12	10	17	25	21
66	Battle Creek	495	44	11	11	3	3	72	13	10	10	14	14
67	Bay City	635	73	12	5	2	3	95	16	21	25	22	23
68	Detroit	11,736	2,714	521	269	167	138	3,809	439	169	246	529	689
69	Escanaba	225	38	5	2	5	3	53	6	2	5	13	11
70	Flint	829	203	28	21	20	9	281	30	11	13	42	27
71	Grand Rapids	1,738	252	75	17	13	7	364	42	24	42	49	41
72	Holland	122	20	7	3	2	.....	32	2	2	5	4	5
73	Ironwood	189	46	8	5	3	1	63	3	3	6	11	12
74	Ishpeming	146	22	5	2	.....	1	30	10	1	5	6	8
75	Jackson	668	89	16	13	8	8	134	16	6	16	27	35
76	Kalamazoo	871	87	12	4	2	3	108	12	9	19	17	23
77	Lansing	649	116	27	15	7	3	168	14	15	11	12	31

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,510	1,817	2,073	2,360	2,614	2,799	3,086	3,189	3,116	2,591	1,905	1,022	341	88	21	22	1
1,473	1,760	2,002	2,303	2,552	2,748	3,033	3,137	3,085	2,557	1,893	1,012	337	87	19	21	2
37	57	71	57	62	51	53	52	31	34	12	10	4	1	2	1	3
2	5	4	5	7	7	11	9	12	4	8	1	----	----	----	----	4
1	4	6	8	11	10	14	15	17	14	12	8	1	3	----	----	5
4	9	7	7	11	18	18	26	19	21	9	5	3	----	----	1	6
7	13	9	9	13	17	23	21	23	31	13	15	3	1	----	----	7
519	618	756	813	879	836	959	866	824	595	428	211	68	22	8	3	8
503	591	710	777	842	810	930	836	809	584	425	209	66	21	7	3	9
16	27	46	36	37	26	29	30	15	11	3	2	2	1	1	----	10
20	32	41	44	45	47	63	69	59	55	47	20	5	2	----	----	11
7	15	14	17	31	40	38	43	33	37	29	24	6	2	1	----	12
65	92	83	92	87	102	144	122	102	98	75	44	17	3	----	1	13
20	25	27	35	41	33	36	32	79	71	47	9	7	1	1	2	14
11	12	22	17	22	15	19	13	26	30	8	7	----	----	----	----	15
6	8	9	11	17	10	9	15	11	9	8	4	----	----	----	1	16
7	15	11	23	14	41	29	27	34	25	18	11	4	2	----	1	17
48	68	72	87	92	133	110	133	130	80	49	36	11	1	----	----	18
19	18	18	24	21	24	27	40	49	25	16	12	6	3	----	3	19
12	10	9	10	10	7	16	19	19	17	19	7	1	----	----	----	20
8	9	14	17	10	15	18	17	17	11	11	4	4	----	----	----	21
7	16	17	21	25	35	20	27	34	30	21	22	4	----	----	----	22
12	4	7	16	14	12	9	19	21	15	15	7	1	1	----	1	23
17	22	42	44	53	35	62	58	48	48	41	28	6	3	1	----	24
36	28	50	35	58	49	54	57	56	46	29	12	5	----	----	----	25
51	45	61	64	83	73	72	88	99	58	45	15	6	1	----	----	26
2	8	6	12	10	13	19	18	22	22	12	5	1	1	----	----	27
63	89	102	100	114	113	139	102	105	85	51	35	9	5	----	2	28
47	65	59	60	84	96	81	102	106	91	77	31	14	2	----	----	29
19	19	19	35	34	48	47	54	39	31	42	12	4	1	----	----	30
7	8	11	4	10	18	15	15	18	18	11	10	1	----	----	----	31
7	8	6	26	20	26	31	37	38	30	32	21	5	2	----	----	32
10	5	11	14	14	16	18	25	26	35	30	16	5	----	----	----	33
5	7	4	6	6	13	21	15	14	16	15	7	3	----	1	----	34
5	3	10	8	11	16	16	12	14	14	7	7	3	----	----	----	35
53	85	66	75	77	103	108	102	90	67	57	31	13	3	2	----	36
6	5	9	7	18	20	15	34	24	22	25	12	4	2	1	----	37
15	16	16	21	24	39	28	37	49	48	33	17	15	1	3	----	38
15	12	10	16	25	21	19	37	36	27	23	12	1	----	----	----	39
17	21	22	25	20	40	27	30	33	41	35	13	5	2	----	----	40
6	14	8	14	20	19	16	19	26	14	6	3	2	----	----	----	41
26	25	28	29	31	35	49	45	33	42	25	18	8	2	----	3	42
7	5	8	9	7	11	22	9	14	19	7	5	1	----	1	----	43
21	16	19	25	31	24	39	38	36	34	25	13	2	----	----	----	44
3	5	11	12	19	20	11	22	23	11	8	6	----	----	----	----	45
13	12	19	30	39	38	53	50	47	39	38	20	8	2	----	----	46
27	30	38	64	55	66	93	93	90	97	67	34	13	----	1	----	47
4	4	3	2	5	9	12	14	11	12	7	1	1	1	----	----	48
74	81	88	108	102	101	111	121	115	97	75	39	22	4	----	1	49
24	34	30	43	41	50	63	75	50	67	38	26	5	----	----	----	50
6	5	4	6	6	5	5	8	18	13	11	7	3	1	----	----	51
13	18	8	20	26	23	14	28	42	26	19	11	4	2	----	----	52
7	6	6	9	11	13	16	13	26	8	12	8	1	1	----	----	53
1	1	6	3	3	11	10	15	10	8	6	3	2	1	----	----	54
9	9	18	12	14	14	14	25	14	25	24	8	2	1	----	2	55
3	6	7	8	10	9	13	23	18	17	15	7	5	1	----	----	56
1	5	6	4	7	12	12	13	10	8	10	11	1	1	----	----	57
5	5	12	8	13	15	15	25	15	19	11	8	5	1	----	----	58
110	117	124	146	163	183	183	219	192	168	103	63	15	6	1	1	59
1,079	1,132	977	1,052	1,166	1,227	1,288	1,302	1,280	1,149	739	371	115	21	5	18	60
1,034	1,092	929	1,017	1,130	1,198	1,269	1,285	1,264	1,136	735	367	114	20	5	17	61
45	40	48	35	36	29	19	17	16	13	4	4	1	1	----	1	62
5	3	9	10	11	11	14	26	28	30	16	7	7	1	----	----	63
5	9	1	3	3	8	17	11	11	15	7	6	----	1	----	1	64
20	26	21	33	32	29	31	35	34	30	15	5	1	1	----	----	65
20	25	17	24	32	40	43	37	38	42	26	15	2	----	----	1	66
22	25	25	17	26	49	50	53	51	49	41	17	6	----	1	1	67
666	659	537	539	591	533	545	527	455	381	258	107	42	9	3	3	68
12	9	13	15	11	19	19	7	9	9	6	4	2	----	----	----	69
38	39	24	30	34	49	37	40	44	40	26	18	4	1	----	1	70
63	53	69	79	84	99	123	155	147	145	96	45	16	2	----	----	71
3	3	3	2	4	4	8	3	14	14	10	3	1	----	----	----	72
8	11	12	13	7	8	10	10	6	3	1	----	2	----	----	----	73
5	13	7	4	6	8	7	16	9	6	2	1	----	1	----	1	74
36	35	30	33	31	51	39	50	48	37	28	13	3	----	----	----	75
35	43	45	52	62	67	71	67	79	81	44	27	7	----	1	2	76
23	29	20	32	37	35	49	39	45	41	30	11	4	2	----	1	77

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MICHIGAN—continued.												
1	Manistee	156	17		1	2	1	21	3	2	9	7	8
2	Marquette	187	25	2	1	2	3	33	5	2	2	9	6
3	Menominee	125	17		1	1		19			7	5	8
4	Muskegon	502	87	22	10	4	3	126	17	7	12	22	17
5	Pontiac	488	51	4	3	4		62	8	6	8	16	21
6	Port Huron	344	62	3	3	2	2	72	4	3	4	12	2
7	Saginaw	827	118	27	12	6	7	170	18	9	17	27	24
8	Sault Ste. Marie	181	27	3	4	2	2	38	6	6	6	14	8
9	Traverse City	329	12	3	2	3	2	22	4	3	3	10	7
	MINNESOTA.												
10	Registration cities (total)	9,244	1,333	186	109	83	65	1,776	176	151	254	391	476
11	White	9,076	1,318	181	107	83	65	1,754	175	150	245	384	458
12	Colored	168	15	5	2			22	1	1	9	7	18
13	Duluth	1,146	199	41	16	10	12	278	28	29	35	50	68
14	Mankato	199	18	1		2	2	23	1	5	5	7	10
15	Minneapolis	4,413	620	80	54	36	28	818	76	57	121	182	230
16	St. Cloud	170	33	1	4	2	1	41	2	4	14	13	8
17	St. Paul	2,724	379	50	22	28	18	497	56	46	65	118	132
18	Stillwater	97	7				1	8			2		4
19	Virginia	188	43	8	8	4	3	66	7	4	4	7	12
20	Winona	307	34	5	5	1		45	6	6	8	14	12
	MISSISSIPPI.[1]												
21	Registration cities (total)	2,682	279	85	58	23	15	460	58	66	99	220	182
22	White	886	104	39	35	8	4	190	22	21	19	47	43
23	Colored	1,796	175	46	23	15	11	270	36	45	80	173	139
24	Hattiesburg (total)	286	49	21	15	5	2	92	11	11	13	22	13
25	White	150	23	18	12	2	1	56	7	4	4	8	5
26	Colored	136	26	3	3	3	1	36	4	7	9	14	8
27	Jackosn (total)	899	88	25	17	8	8	146	22	20	36	84	67
28	White	294	20	5	11	3	3	42	7	7	10	20	15
29	Colored	605	68	20	6	5	5	104	15	13	26	64	52
30	Meridian (total)	547	70	28	18	3	2	121	15	17	20	45	38
31	White	228	39	12	7	1		59	4	3	5	11	14
32	Colored	319	31	16	11	2	2	62	11	14	15	34	24
33	Natchez (total)	249	33	4	3	1	1	42	2	7	6	10	20
34	White	64	8	2	2			12		3		1	5
35	Colored	185	25	2	1	1	1	30	2	4	6	9	15
36	Vicksburg (total)	701	39	7	5	6	2	59	8	11	24	59	44
37	White	150	14	2	3	2		21	4	4		7	4
38	Colored	551	25	5	2	4	2	38	4	7	24	52	40
	MISSOURI.												
39	Registration cities (total)	20,418	2,293	608	312	183	142	3,538	484	302	556	847	972
40	White	17,636	2,018	520	270	156	130	3,094	433	265	437	689	760
41	Colored	2,782	275	88	42	27	12	444	51	37	119	158	212
42	Hannibal (total)	313	40	8	4	3	1	56	9	4	11	7	16
43	White	263	34	8	3	1	1	47	8	3	11	6	12
44	Colored	50	6		1	2		9	1	1		1	4
45	Jefferson City (total)	177	23	5	5	3	1	37	6	5	5	6	9
46	White	150	22	4	4	3		33	5	5	3	3	5
47	Colored	27	1	1	1		1	4	1		2	3	4
48	Joplin	677	90	28	12	5	4	139	20	13	32	39	42
49	Kansas City (total)	5,008	585	130	76	42	38	871	108	65	139	238	266
50	White	4,216	502	106	66	37	34	745	96	58	109	196	202
51	Colored	792	83	24	10	5	4	126	12	7	30	42	64
52	Moberly	186	14	3	2	2		21	1	3	8	6	15
53	St. Joseph	1,264	110	31	14	8	10	173	26	22	31	53	51
54	St. Louis (total)	11,584	1,252	363	186	106	82	1,989	283	170	297	439	515
55	White	9,949	1,090	308	159	87	76	1,720	249	142	224	350	392
56	Colored	1,635	162	55	27	19	6	269	34	28	73	89	123
57	Sedalia (total)	305	53	8	2	1	1	65	9	1	5	15	13
58	White	260	49	8	1	1	1	60	9	1	3	9	11
59	Colored	45	4		1			5			2	6	2
60	Springfield	638	81	18	5	7	3	114	16	13	15	29	28
61	Webb City	266	45	14	6	6	2	73	6	6	13	15	17
	MONTANA.												
62	Registration cities (total)	2,112	291	45	24	15	16	391	65	40	50	101	115
63	White	2,059	288	44	24	15	16	387	63	40	50	99	113
64	Colored	53	3	1				4	2			2	2
65	Anaconda	153	19	2	2	3		26	9	2	3	5	3
66	Billings	237	51	5	1			57	7	6	6	11	14
67	Butte	867	86	22	11	8	9	136	18	16	21	35	57
68	Great Falls	416	74	11	6	3	3	97	20	9	9	29	21
69	Helena	223	36	4	1		1	42	6	2	7	12	11
70	Missoula	216	25	1	3	1	3	33	5	5	4	9	9

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
6	4	4	8	5	11	12	14	11	17	10	4	.....	.....	.....	.....	1
6	9	10	11	20	11	8	19	19	5	5	6	.....	.....	.....	1	2
10	4	8	6	7	9	8	7	7	9	7	1	3	.....	.....	.....	3
15	21	23	24	25	24	27	32	38	36	22	9	5	.....	.....	.....	4
23	30	23	30	34	42	39	26	41	41	18	15	2	.....	.....	3	5
13	15	17	15	20	21	39	32	21	24	16	13	1	.....	.....	.....	6
26	34	34	45	52	59	61	45	71	54	38	36	4	2	.....	1	7
11	15	11	6	9	9	5	12	12	9	1	1	2	.....	.....	.....	8
8	18	14	21	23	31	26	39	42	31	16	7	1	1	.....	2	9
484	452	473	488	575	661	658	572	543	494	342	184	75	18	1	.....	10
471	433	460	470	562	650	651	566	540	491	340	182	75	18	1	.....	11
13	19	13	18	13	11	7	6	3	3	2	2	.....	.....	.....	.....	12
58	55	61	54	74	79	78	60	54	45	22	12	4	1	1	.....	13
8	3	10	9	9	15	18	17	20	15	12	6	4	2	.....	.....	14
230	218	238	234	282	298	318	296	254	251	171	95	32	12	.....	.....	15
9	2	8	7	7	9	7	13	8	9	6	2	1	.....	.....	.....	16
146	144	132	160	168	228	192	150	161	140	109	53	25	2	.....	.....	17
4	1	3	2	8	7	15	9	14	5	8	4	2	1	.....	.....	18
14	17	9	12	7	6	8	4	4	4	.....	3	.....	.....	.....	.....	19
15	12	12	10	20	19	22	23	28	25	14	9	7	.....	.....	.....	20
155	211	175	140	172	117	143	132	114	102	70	31	18	11	1	5	21
33	48	51	32	51	47	64	60	57	48	28	16	4	2	.....	3	22
122	163	124	108	121	70	79	72	57	54	42	15	14	9	1	2	23
14	17	20	4	8	8	11	14	10	8	4	4	.....	1	.....	1	24
4	8	6	2	6	4	9	8	7	6	2	3	.....	.....	.....	1	25
10	9	14	2	2	4	2	6	3	2	2	1	.....	1	.....	.....	26
52	80	67	46	58	28	54	45	30	30	15	11	4	1	.....	3	27
12	18	21	14	18	13	29	21	17	16	6	5	1	.....	.....	2	28
40	62	46	32	40	15	25	24	13	14	9	6	3	1	.....	1	29
32	36	29	30	26	31	24	16	26	18	12	7	3	1	.....	.....	30
7	9	12	7	12	17	13	12	18	13	8	3	1	.....	.....	.....	31
25	27	17	23	14	14	11	4	8	5	4	4	2	1	.....	.....	32
14	14	11	15	18	17	10	7	13	16	16	2	4	4	1	.....	33
4	2	2	4	3	4	5	3	5	6	4	1	.....	.....	.....	.....	34
10	12	9	11	15	13	5	4	8	10	12	1	4	4	1	.....	35
43	64	48	45	62	33	44	50	35	30	23	7	7	4	.....	1	36
6	11	10	5	12	9	8	16	10	7	8	4	2	2	.....	.....	37
37	53	38	40	50	24	36	34	25	23	15	3	5	2	.....	1	38
1,077	1,223	1,258	1,263	1,313	1,405	1,373	1,337	1,242	1,031	665	349	122	23	11	27	39
837	941	1,010	1,061	1,100	1,261	1,235	1,238	1,162	991	638	336	108	20	3	17	40
240	282	248	202	213	144	138	99	80	40	27	13	14	3	8	10	41
20	15	7	16	16	27	14	25	17	13	17	12	9	.....	.....	2	42
12	10	4	14	12	25	13	22	17	12	17	11	6	.....	.....	1	43
8	5	3	2	4	2	1	3	.....	1	.....	1	3	.....	.....	1	44
13	7	9	5	5	4	9	9	12	16	9	3	1	1	2	4	45
10	5	7	5	5	3	8	9	12	16	9	2	1	.....	1	3	46
3	2	2	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	1	1	47
36	40	42	42	32	44	35	32	33	22	19	11	1	1	.....	2	48
273	353	320	303	311	324	332	303	285	244	165	77	23	5	1	2	49
191	258	250	244	258	282	292	286	264	224	159	75	20	5	.....	2	50
82	95	70	59	53	42	40	17	21	20	6	2	3	.....	1	.....	51
10	12	15	9	11	10	9	11	14	16	9	3	1	.....	.....	2	52
56	65	84	80	73	93	97	101	86	80	42	26	17	4	2	2	53
609	674	722	743	791	828	814	778	726	575	347	199	64	12	6	3	54
481	513	580	619	656	748	738	712	676	557	330	190	59	11	1	1	55
128	161	142	124	135	80	76	66	50	18	17	9	5	1	5	2	56
14	12	14	13	18	16	21	22	16	16	19	5	1	.....	.....	10	57
11	9	11	12	15	11	19	20	14	16	18	5	1	.....	.....	5	58
3	3	3	1	3	5	2	2	2	.....	1	.....	.....	.....	.....	5	59
25	30	30	42	42	43	32	43	47	40	35	10	4	.....	.....	.....	60
21	15	15	10	14	16	10	13	6	9	3	3	1	.....	.....	.....	61
163	200	145	139	158	132	114	89	85	64	36	14	4	.....	1	6	62
157	194	138	134	153	129	109	88	81	63	36	14	4	.....	1	6	63
6	6	7	5	5	3	5	1	4	1	.....	.....	.....	.....	.....	.....	64
11	9	7	13	11	16	10	10	7	7	1	3	.....	.....	.....	.....	65
18	20	24	11	15	11	12	8	6	5	2	3	1	.....	.....	.....	66
91	97	58	80	75	56	34	27	29	17	13	3	2	.....	.....	2	67
21	37	28	22	24	20	16	19	15	13	9	2	1	.....	1	3	68
12	18	10	6	15	14	21	12	17	11	6	1	.....	.....	.....	.....	69
10	19	18	7	18	15	21	13	11	11	5	2	.....	.....	.....	1	70

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions
The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NEBRASKA.[1]												
1	Registration cities (total)	3,024	369	86	44	23	24	546	80	53	71	123	134
2	White	2,843	356	84	41	23	24	528	78	50	68	112	121
3	Colored	181	13	2	3	.....	.....	18	2	3	3	11	13
4	Lincoln	708	90	21	14	5	9	139	24	16	18	34	36
5	Omaha	2,316	279	65	30	18	15	407	56	37	53	89	98
	NEW HAMPSHIRE.												
6	Registration cities (total)	3,326	646	116	38	31	24	855	50	43	63	102	96
7	White	3,319	644	116	38	31	24	853	50	43	63	102	96
8	Colored	7	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
9	Berlin	205	64	11	3	2	4	84	5	2	7	8	12
10	Concord	489	38	7	1	2	3	51	1	2	3	12	11
11	Dover	246	25	6	3	2	.....	36	10	4	4	5	3
12	Keene	195	24	2	3	2	2	33	2	1	3	6	5
13	Laconia	200	23	4	3	.....	1	31	3	2	5	6	3
14	Manchester	1,301	351	59	18	18	10	456	17	19	31	43	46
15	Nashua	482	98	22	7	4	2	133	6	10	6	13	13
16	Portsmouth	208	23	5	.....	1	2	31	6	3	4	9	3
	NEW JERSEY.												
17	Registration cities (total)	27,881	5,155	1,049	389	250	195	7,038	575	391	571	919	1,040
18	White	26,088	4,866	954	359	233	183	6,595	545	351	511	819	936
19	Colored	1,793	289	95	30	17	12	443	30	40	60	100	104
20	Asbury Park (total)	168	23	3	3	2	.....	31	1	2	3	3	3
21	White	123	16	2	3	2	.....	23	.....	1	1	1	3
22	Colored	45	7	1	.....	.....	.....	8	1	1	2	2	.....
23	Atlantic City (total)	804	93	15	9	3	3	123	7	10	15	20	16
24	White	615	62	10	5	3	3	83	6	6	11	14	8
25	Colored	189	31	5	4	.....	.....	40	1	4	4	6	8
26	Bayonne	857	234	40	12	12	4	302	20	12	18	33	33
27	Bloomfield	209	34	5	1	2	1	43	3	2	4	2	4
28	Bridgeton	226	32	10	4	2	1	49	4	1	5	6	9
29	Camden	1,908	384	68	27	14	15	508	38	31	46	69	64
30	East Orange	371	42	7	2	2	2	55	3	3	4	8	7
31	Elizabeth	1,334	299	56	16	19	22	412	25	21	28	56	51
32	Garfield	182	79	19	4	2	2	106	2	1	4	6	8
33	Hackensack	319	49	6	.....	1	1	57	4	6	9	14	12
34	Harrison	174	42	14	.....	2	.....	58	6	1	1	4	5
35	Hoboken	1,182	177	46	17	7	9	256	27	15	26	30	46
36	Irvington	231	37	7	1	1	.....	46	5	1	.....	7	10
37	Jersey City	4,528	793	211	76	55	28	1,163	84	72	88	159	172
38	Kearny	315	39	6	5	2	4	56	8	10	5	4	11
39	Long Branch	311	38	3	.....	1	1	43	6	5	8	7	11
40	Millville	206	30	10	4	1	2	47	5	5	6	4	4
41	Montclair (total)	251	42	9	2	.....	2	55	3	2	3	1	5
42	White	218	37	8	2	.....	.....	47	1	1	3	.....	3
43	Colored	33	5	1	.....	.....	2	8	2	1	.....	1	2
44	Morristown	272	31	4	.....	1	1	37	9	5	5	9	9
45	New Brunswick	565	118	20	12	1	3	154	20	14	13	22	32
46	Newark	5,946	1,031	237	77	53	33	1,431	131	89	131	191	247
47	Orange	585	92	19	8	6	6	131	12	9	11	17	24
48	Passaic	912	286	55	19	8	6	374	27	8	30	43	27
49	Paterson	1,964	263	47	27	10	13	360	52	21	40	56	67
50	Perth Amboy	607	189	34	14	9	3	249	14	8	11	28	20
51	Phillipsburg	197	45	7	2	2	.....	56	4	3	2	4	9
52	Plainfield	406	59	9	6	5	8	87	4	6	7	15	16
53	Trenton	1,901	392	53	22	15	17	499	29	16	31	66	86
54	Union	190	28	5	3	1	.....	37	2	3	3	1	7
55	West Hoboken	396	76	15	6	4	7	108	9	5	8	22	14
56	West New York	238	60	7	7	5	.....	79	8	3	5	4	8
57	West Orange	126	18	2	3	2	1	26	3	1	1	8	3
	NEW YORK												
58	Registration cities (total)	115,916	18,558	4,157	1,681	1,102	826	26,324	2,381	1,382	2,217	3,677	4,486
59	White	112,287	17,955	3,999	1,622	1,072	792	25,440	2,311	1,331	2,112	3,472	4,244
60	Colored	3,629	603	158	59	30	34	884	70	51	105	205	242
61	Albany	2,039	246	51	27	11	8	343	27	14	46	59	69
62	Amsterdam	485	89	11	7	2	8	117	8	8	8	10	25
63	Auburn	540	68	12	6	3	2	91	10	3	12	7	22
64	Batavia	244	37	3	.....	2	.....	42	3	3	4	6	12
65	Binghamton	1,197	168	46	14	11	4	243	24	13	18	29	34
66	Buffalo	7,649	1,402	231	92	59	44	1,828	159	92	139	287	370
67	Cohoes	429	83	12	6	3	1	105	8	6	8	12	15
68	Corning	264	37	3	1	3	1	45	7	3	7	9	12
69	Cortland	272	31	1	5	.....	1	38	5	8	5	5	5
70	Dunkirk	310	62	16	5	2	4	89	6	1	9	18	10

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
158	152	164	146	197	210	240	191	195	175	126	41	16	1	1	4	1
140	141	146	128	181	196	230	184	190	168	120	41	16	1	----	4	2
18	11	18	18	16	14	10	7	5	7	6	----	----	----	1	----	3
23	35	26	29	36	46	57	45	48	40	40	9	5	1	1	----	4
135	117	138	117	161	164	183	146	147	135	86	32	11	----	----	4	5
91	99	108	147	158	179	223	294	241	240	183	92	36	11	1	14	
91	99	107	147	158	179	222	293	241	240	182	92	36	11	1	13	
----	----	1	----	----	----	1	1	----	----	1	----	----	----	----	1	8
6	7	4	4	10	5	12	12	7	6	3	2	1	----	----	8	9
16	18	13	24	30	39	37	53	58	56	35	19	7	2	----	2	10
10	7	5	13	16	15	19	26	21	15	20	8	6	2	----	1	11
1	5	11	8	9	9	9	18	17	26	13	11	6	1	----	1	12
5	9	5	8	4	9	15	21	19	25	21	8	----	----	----	1	13
32	31	34	64	58	70	81	106	67	60	53	23	5	4	----	1	14
13	17	25	16	19	27	35	35	40	32	19	15	7	----	1	----	15
8	5	11	10	12	5	15	23	12	20	19	6	4	2	----	----	16
1,195	1,346	1,474	1,714	1,713	1,844	1,898	1,779	1,593	1,376	841	398	134	31	2	9	17
1,091	1,225	1,319	1,597	1,569	1,755	1,806	1,705	1,542	1,342	821	389	130	29	2	9	18
104	121	155	117	144	89	92	74	51	34	20	9	4	2	----	----	19
1	3	11	5	10	18	23	13	9	13	9	6	2	2	----	----	20
1	2	4	3	8	14	18	10	5	13	7	6	2	1	----	----	21
----	1	7	2	2	4	5	3	4	----	2	----	----	1	----	----	22
36	44	65	62	60	54	72	70	57	54	29	8	2	----	----	----	23
25	31	39	47	39	44	61	62	49	53	27	8	2	----	----	----	24
11	13	26	15	21	10	11	8	8	1	2	----	----	----	----	----	25
51	43	41	48	50	46	42	37	31	27	15	6	2	----	----	----	26
5	8	5	10	8	14	16	14	18	17	15	11	1	----	----	----	27
7	5	8	7	12	7	18	17	18	21	21	7	3	1	----	----	28
71	94	83	112	102	120	122	130	103	93	75	35	11	1	----	----	29
11	12	15	18	18	26	34	43	31	37	26	15	4	1	----	----	30
62	53	62	78	75	74	80	76	83	45	31	14	3	3	----	1	31
6	5	4	10	7	6	6	3	6	----	----	2	----	----	----	----	32
6	18	16	20	19	14	26	22	16	24	17	14	3	2	----	----	33
3	8	9	16	11	8	16	8	10	7	1	2	----	----	----	----	34
62	64	81	99	90	88	98	73	51	46	17	7	6	----	----	----	35
3	10	8	15	13	14	20	17	15	24	10	9	4	----	----	----	36
195	223	264	328	300	322	275	274	218	216	104	49	16	5	----	1	37
10	12	17	15	14	12	18	14	37	40	22	9	----	1	----	----	38
11	14	24	17	22	26	30	21	30	23	7	5	----	----	----	1	39
9	7	10	6	10	11	17	15	20	14	11	5	----	----	----	----	40
4	5	6	13	22	16	20	21	21	21	17	10	5	1	----	----	41
2	3	3	10	19	14	17	21	21	21	17	9	5	1	----	----	42
2	2	3	3	3	2	3	----	----	----	----	1	----	----	----	----	43
15	11	10	25	23	15	23	16	24	14	9	8	3	2	----	----	44
30	24	29	20	22	29	37	40	28	27	15	5	4	----	----	----	45
275	324	335	366	380	410	425	367	304	280	151	83	20	5	1	----	46
23	32	36	40	38	44	45	52	26	23	16	2	4	----	----	----	47
50	53	51	46	37	38	37	24	27	22	13	3	1	----	1	----	48
103	88	100	116	133	151	155	154	149	97	78	23	13	2	----	6	49
25	37	29	30	41	25	19	27	17	16	5	5	1	----	----	----	50
6	3	7	11	9	14	8	7	20	16	8	7	3	----	----	----	51
13	13	15	19	23	27	36	33	30	23	24	11	3	1	----	----	52
78	91	89	97	105	142	126	129	128	91	60	27	8	3	----	----	53
4	8	13	22	12	16	9	16	15	12	7	3	----	----	----	----	54
8	16	13	23	24	35	22	27	20	21	14	5	2	----	----	----	55
8	11	15	16	15	13	12	14	12	6	7	1	1	----	----	----	56
4	7	2	4	8	9	11	5	19	6	7	1	1	----	----	----	57
5,037	5,901	6,730	7,322	8,135	7,989	8,079	7,603	7,062	5,501	3,564	1,721	607	148	30	20	58
4,753	5,565	6,442	7,055	7,920	7,805	7,949	7,476	6,950	5,437	3,530	1,704	598	148	25	20	59
284	336	288	267	215	184	130	127	112	64	34	17	9	----	5	----	60
73	93	104	157	126	139	173	165	180	141	81	35	10	4	----	----	61
17	24	15	24	31	29	33	30	45	24	23	5	6	----	----	3	62
14	16	18	22	34	34	37	59	50	44	42	18	5	1	1	----	63
9	10	11	13	10	23	18	15	18	15	19	9	3	1	----	----	64
55	48	70	69	73	84	89	105	78	79	53	26	4	2	----	1	65
344	388	420	466	527	534	508	467	372	341	223	123	49	11	1	----	66
13	22	27	21	21	31	27	37	30	26	8	7	4	----	----	1	67
6	11	10	20	9	21	18	22	27	14	12	6	3	2	----	----	68
10	9	12	14	15	21	16	22	30	29	21	4	2	----	----	1	69
8	19	13	13	9	17	13	20	23	19	10	9	4	----	----	----	70

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions
The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NEW YORK—continued.												
1	Elmira	746	88	14	6	3	1	112	6	11	14	20	28
2	Fulton	161	27	2	3	1	----	33	3	----	3	2	5
3	Geneva	236	33	5	3	5	1	47	2	5	----	5	10
4	Glens Falls	279	28	5	6	1	1	41	6	4	5	4	12
5	Gloversville	350	38	5	2	4	----	49	9	7	1	7	11
6	Hornell	195	23	1	1	2	----	27	5	----	3	4	7
7	Hudson	230	37	3	2	1	2	45	3	1	3	7	7
8	Ithaca	273	18	1	1	----	----	20	1	1	6	16	4
9	Jamestown	524	73	8	7	6	6	100	7	6	18	13	27
10	Johnstown	140	16	2	----	2	----	20	1	1	----	1	4
11	Kingston	518	46	9	4	4	1	64	10	7	9	15	18
12	Lackawanna	447	259	50	21	12	4	346	3	2	5	17	11
13	Little Falls	227	42	7	2	----	3	54	4	2	6	10	5
14	Lockport	331	35	10	2	3	2	52	2	3	4	9	6
15	Middletown	432	25	3	2	----	4	34	6	3	5	11	15
16	Mount Vernon	419	50	12	6	2	2	72	8	7	3	9	18
17	New Rochelle	358	65	8	3	2	1	79	9	1	5	9	7
18	New York (total)	78,518	12,568	3,093	1,203	802	616	18,282	1,707	978	1,554	2,557	3,090
19	Bronx Borough	8,466	1,345	277	142	83	65	1,912	186	134	206	332	355
20	Brooklyn Borough	26,913	4,276	1,043	390	271	221	6,201	583	357	550	911	1,055
21	Manhattan Borough	35,781	5,783	1,533	566	377	268	8,527	774	388	661	1,060	1,435
22	Queens Borough	5,598	937	195	86	59	45	1,322	141	76	103	183	189
23	Richmond Borough	1,760	227	45	19	12	17	320	23	23	34	71	56
24	White	75,516	12,039	2,964	1,153	777	586	17,519	1,648	937	1,467	2,394	2,880
25	Bronx Borough	8,303	1,322	273	139	83	63	1,880	183	131	196	323	339
26	Brooklyn Borough	26,160	4,158	1,015	379	266	214	6,032	572	346	531	867	1,000
27	Manhattan Borough	33,848	5,412	1,442	530	359	248	7,991	736	366	609	957	1,304
28	Queens Borough	5,482	923	190	86	57	44	1,300	134	71	100	181	182
29	Richmond Borough	1,723	224	44	19	12	17	316	23	23	31	66	55
30	Colored	3,002	529	129	50	25	30	763	59	41	87	163	210
31	Bronx Borough	163	23	4	3	----	2	32	3	3	10	9	16
32	Brooklyn Borough	753	118	28	11	5	7	169	11	11	19	44	55
33	Manhattan Borough	1,933	371	91	36	18	20	536	38	22	52	103	131
34	Queens Borough	116	14	5	----	2	1	22	7	5	3	2	7
35	Richmond Borough	37	3	1	----	----	----	4	----	----	3	5	1
36	Newburgh	534	55	7	3	6	1	72	9	3	5	28	22
37	Niagara Falls	719	205	30	13	4	6	258	18	5	15	29	34
38	North Tonawanda	209	59	6	----	2	3	70	3	1	6	4	7
39	Ogdensburg	495	55	5	1	6	1	68	4	2	9	10	12
40	Olean	266	44	6	4	4	1	59	4	5	7	9	5
41	Ossining	162	19	2	1	3	3	28	3	3	2	7	6
42	Oswego	365	49	6	4	2	2	63	3	5	3	8	11
43	Peekskill	223	30	2	----	1	----	33	8	2	4	6	8
44	Plattsburg	201	31	2	5	1	1	40	2	2	8	10	12
45	Port Chester	220	48	8	7	1	2	66	2	5	8	16	6
46	Poughkeepsie	546	91	17	5	3	6	122	6	8	9	16	14
47	Rensselaer	124	10	2	----	----	1	13	2	----	3	5	2
48	Rochester	4,083	584	144	66	46	26	866	65	38	54	91	135
49	Rome	674	76	22	6	6	3	113	14	17	25	40	30
50	Saratoga Springs	277	13	5	1	----	----	19	3	1	4	5	4
51	Schenectady	1,101	230	29	21	4	5	289	18	13	17	28	36
52	Syracuse	2,426	430	73	25	23	11	562	49	18	35	67	90
53	Troy	1,653	200	55	17	13	10	295	30	19	26	37	69
54	Utica	1,569	258	44	18	10	13	343	40	15	26	40	48
55	Watertown	558	86	14	5	4	4	113	9	6	12	17	19
56	Watervliet	242	47	3	4	2	2	58	6	2	5	5	8
57	White Plains	257	33	3	6	3	----	45	10	9	4	6	----
58	Yonkers	1,199	211	48	32	12	8	311	24	13	30	35	49
	NORTH CAROLINA.												
59	Registration cities (total)	4,077	732	241	99	44	34	1,150	103	79	186	269	229
60	White	2,031	322	131	61	22	18	554	52	34	62	89	90
61	Colored	2,046	410	110	38	22	16	596	51	45	124	180	139
62	Asheville (total)	607	90	21	13	7	2	133	12	22	20	58	48
63	White	412	48	14	6	6	1	75	4	11	9	39	35
64	Colored	195	42	7	7	1	1	58	8	11	11	19	13
65	Charlotte (total)	773	141	44	24	9	6	224	17	12	37	52	40
66	White	372	72	29	19	7	6	133	13	5	15	11	19
67	Colored	401	69	15	5	2	----	91	4	7	22	41	21
68	Durham (total)	392	71	30	8	8	4	121	15	9	25	28	51
69	White	183	34	16	6	2	2	60	10	2	9	7	5
70	Colored	209	37	14	2	6	2	61	5	7	16	21	10
71	Greensboro (total)	287	51	12	6	1	4	74	4	11	19	14	9
72	White	151	19	3	3	1	3	29	3	6	7	6	3
73	Colored	136	32	9	3	----	1	45	1	5	12	8	6
74	Raleigh (total)	575	79	19	9	2	3	112	10	9	20	22	38
75	White	305	28	10	5	1	1	45	5	4	9	6	11
76	Colored	270	51	9	4	1	2	67	5	5	11	16	27
77	Wilmington (total)	590	130	34	6	1	7	178	11	5	21	27	28
78	White	247	48	16	5	----	2	71	4	4	6	5	4
79	Colored	343	82	18	1	1	5	107	7	1	15	22	24

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
29	31	33	39	47	50	69	60	54	64	37	30	8	4	----------	----------	1
4	4	4	7	10	13	13	12	17	15	10	4	2	----------	----------	----------	2
5	15	10	8	16	16	20	16	12	20	20	6	3	----------	----------	----------	3
5	7	14	18	15	24	30	21	27	14	21	8	2	----------	----------	1	4
13	13	16	22	18	21	29	29	33	28	27	15	2	----------	----------	----------	5
6	6	8	10	13	19	21	20	13	12	12	4	5	----------	----------	----------	6
4	9	14	11	7	15	15	17	19	17	20	9	5	2	----------	----------	7
4	6	4	20	25	13	28	27	28	32	23	6	8	1	----------	----------	8
18	16	33	29	31	36	25	28	39	41	38	18	1	----------	----------	----------	9
2	4	4	8	9	13	10	19	14	9	11	6	4	----------	----------	----------	10
20	24	26	22	38	47	42	42	55	35	25	14	2	1	----------	2	11
15	12	7	2	8	8	1	3	----------	1	2	1	1	----------	----------	2	12
16	12	11	8	10	17	7	13	25	12	6	7	1	----------	----------	1	13
13	12	19	20	18	20	20	34	42	28	19	9	1	----------	----------	----------	14
20	17	26	25	33	39	29	34	41	56	17	12	8	1	----------	----------	15
13	16	19	18	23	37	22	31	47	35	23	12	5	1	----------	----------	16
14	18	27	17	32	27	25	18	21	23	14	7	3	2	----------	----------	17
3,638	4,285	4,859	5,234	5,830	5,438	5,422	4,826	4,360	3,183	1,954	904	306	85	22	4	18
407	447	476	525	648	590	612	499	458	351	204	80	29	13	2	----------	19
1,166	1,315	1,590	1,727	1,926	1,825	1,863	1,722	1,614	1,223	792	335	119	31	7	1	20
1,750	2,169	2,374	2,517	2,756	2,553	2,429	2,093	1,817	1,213	737	361	124	30	12	1	21
249	272	318	360	398	359	394	365	341	266	141	91	20	8	1	1	22
66	82	101	105	102	111	124	147	130	130	80	37	14	3	----------	1	23
3,398	3,987	4,616	5,016	5,666	5,290	5,318	4,738	4,271	3,143	1,926	893	302	85	18	4	24
392	428	469	520	638	579	606	494	456	347	202	77	29	13	1	----------	25
1,119	1,249	1,524	1,670	1,884	1,782	1,836	1,689	1,584	1,208	783	331	116	31	5	1	26
1,580	1,967	2,215	2,377	2,650	2,469	2,368	2,054	1,766	1,194	721	358	123	30	12	1	27
243	261	309	349	394	354	388	357	336	264	140	90	20	8	----------	1	28
64	82	99	100	100	106	120	144	129	130	80	37	14	3	----------	1	29
240	298	243	218	164	148	104	88	89	40	28	11	4	----------	4	----------	30
15	19	7	5	10	11	6	5	2	4	2	3	----------	----------	1	----------	31
47	66	66	57	42	43	27	33	30	15	9	4	3	----------	2	----------	32
170	202	159	140	106	84	61	39	51	19	16	3	1	----------	----------	----------	33
6	11	9	11	4	5	6	8	5	2	1	1	----------	----------	1	----------	34
2	----------	2	5	2	5	4	3	1	----------	----------	----------	----------	----------	----------	----------	35
21	26	29	39	26	30	38	44	54	42	23	13	7	2	1	----------	36
37	36	37	38	37	38	25	37	29	25	11	10	----------	----------	----------	----------	37
12	15	10	14	9	8	12	11	11	7	6	2	----------	1	----------	----------	38
14	29	29	23	37	33	45	49	42	29	41	13	5	----------	----------	1	39
8	12	18	12	13	20	26	25	15	12	12	3	1	----------	----------	----------	40
5	7	13	8	3	12	10	16	16	7	8	5	3	----------	----------	----------	41
10	15	10	22	14	24	40	34	36	22	29	14	2	----------	----------	----------	42
10	9	8	15	19	13	14	16	24	17	7	6	4	----------	----------	----------	43
10	8	5	13	8	9	11	14	20	14	11	2	2	----------	----------	----------	44
2	4	16	7	14	19	8	13	10	12	9	2	1	----------	----------	----------	45
12	16	23	21	29	33	43	60	41	40	32	17	4	----------	----------	----------	46
2	7	7	6	7	7	9	14	11	13	8	6	1	----------	----------	1	47
129	158	206	216	295	301	323	321	298	275	187	88	32	4	1	----------	48
23	30	29	36	30	40	57	37	53	43	27	17	10	2	1	----------	49
8	9	15	21	20	23	27	37	24	23	16	10	7	----------	1	----------	50
32	43	57	55	67	63	63	84	74	75	48	26	11	1	1	----------	51
84	94	105	130	145	184	163	154	204	146	109	68	15	4	----------	----------	52
75	70	77	87	107	119	159	155	130	104	52	27	9	6	----------	----------	53
64	69	84	79	77	86	118	118	126	115	69	36	9	6	1	----------	54
17	24	31	31	29	32	33	53	36	44	27	17	8	----------	----------	----------	55
11	3	8	11	15	15	11	22	25	15	12	6	2	1	----------	1	56
11	7	10	19	27	22	11	21	23	12	12	1	4	2	----------	1	57
52	63	69	82	69	72	73	76	60	52	37	18	13	1	----------	----------	58
216	237	202	185	200	175	228	205	158	114	80	38	12	5	3	3	59
95	103	101	84	91	102	137	137	112	91	58	28	8	2	----------	1	60
121	134	101	101	109	73	91	68	46	23	22	10	4	3	3	2	61
35	52	29	35	29	21	36	25	15	13	14	6	3	1	----------	----------	62
26	38	24	25	20	15	28	19	13	13	11	4	3	----------	----------	----------	63
9	14	5	10	9	6	8	6	2	----------	3	2	----------	1	----------	----------	64
51	51	35	34	41	32	46	40	29	14	9	5	3	----------	1	----------	65
19	16	13	12	14	18	25	20	19	11	5	2	2	----------	----------	----------	66
32	35	22	22	27	14	21	20	10	3	4	3	1	----------	1	----------	67
15	21	24	10	18	15	21	19	19	10	4	1	----------	----------	2	----------	68
6	4	9	4	8	11	9	11	16	7	4	1	----------	----------	----------	----------	69
9	17	15	6	10	4	12	8	3	3	----------	----------	----------	----------	2	----------	70
14	13	15	15	16	19	16	15	12	10	8	2	1	----------	----------	----------	71
8	6	7	8	7	11	12	13	9	8	6	1	1	----------	----------	----------	72
6	7	8	7	9	8	4	2	3	2	2	1	----------	----------	----------	----------	73
34	31	32	37	30	30	40	37	25	29	24	12	3	----------	----------	----------	74
14	17	20	18	11	21	24	27	19	24	17	11	2	----------	----------	----------	75
20	14	12	19	19	9	16	10	6	5	7	1	1	----------	----------	----------	76
24	38	28	21	29	27	37	43	28	20	13	7	1	3	----------	1	77
10	14	12	4	15	9	17	29	16	13	9	4	----------	1	----------	----------	78
14	24	16	17	14	18	20	14	12	7	4	3	1	2	----------	1	79

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions
The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NORTH CAROLINA—continued.												
1	Winston-Salem (total)	853	170	81	33	16	8	308	34	11	44	68	51
2	White	361	73	43	17	5	3	141	13	2	7	15	13
3	Colored	492	97	38	16	11	5	167	21	9	37	53	38
	NORTH DAKOTA.[1]												
4	Fargo (total)	216	33	3	3	3	1	43	8	1	6	16	12
5	White	213	33	3	3	3	1	43	8	1	6	16	12
6	Colored [2]	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	OHIO.												
7	Registration cities (total)	41,771	6,860	1,359	593	368	285	9,465	891	586	965	1,704	1,977
8	White	38,941	6,550	1,261	558	352	270	8,991	845	538	842	1,507	1,720
9	Colored	2,830	310	98	35	16	15	474	46	48	123	197	257
10	Akron	2,139	508	109	59	42	25	743	71	44	59	128	135
11	Alliance	305	49	12	1	3	2	67	3	3	7	17	9
12	Ashtabula	315	51	6	7	3	2	69	6	1	6	18	14
13	Bellaire	267	44	7	8	2	1	62	10	6	6	17	14
14	Cambridge	173	29	4	.....	1	3	37	8	3	5	3	7
15	Canton	1,001	191	33	15	8	10	257	18	11	27	31	43
16	Chillicothe	248	29	5	.....	2	3	39	5	3	6	3	8
17	Cincinnati (total)	6,827	688	123	58	48	26	943	90	75	136	269	331
18	White	5,948	599	98	50	44	22	813	79	64	103	202	253
19	Colored	879	89	25	8	4	4	130	11	11	33	67	78
20	Cleveland	10,833	2,208	476	184	103	85	3,056	274	143	250	404	515
21	Columbus (total)	3,383	386	76	33	20	17	532	56	52	104	139	174
22	White	2,981	346	71	30	18	17	482	50	43	89	117	135
23	Colored	402	40	5	3	2	.....	50	6	9	15	22	39
24	Dayton	2,055	318	45	18	8	8	397	35	35	49	81	83
25	East Liverpool	394	54	18	7	5	5	89	10	12	9	17	21
26	Elyria	271	41	7	4	2	3	57	3	7	5	8	11
27	Findlay	212	14	6	1	2	.....	23	5	4	5	5	4
28	Hamilton	514	99	18	5	2	6	130	15	4	9	20	17
29	Ironton	274	41	16	4	5	5	71	12	6	8	12	11
30	Lakewood	284	50	16	5	1	2	74	5	4	6	9	10
31	Lancaster	203	23	3	2	.....	2	30	8	4	6	5	7
32	Lima	544	75	15	11	5	3	109	22	7	14	25	22
33	Lorain	384	108	14	10	6	5	143	11	5	10	17	13
34	Mansfield	339	46	6	1	2	.....	55	4	6	7	11	11
35	Mariette	194	16	5	2	.....	.....	23	1	5	6	11	9
36	Marion	343	50	9	6	4	2	71	4	3	5	11	21
37	Massillon	214	31	7	2	2	3	45	2	2	4	9	13
38	Middletown	270	64	11	8	4	1	88	6	3	8	12	17
39	Newark	388	63	8	4	.....	1	76	7	6	7	10	12
40	Norwood	182	30	.....	2	2	1	35	4	5	3	3	2
41	Piqua	253	26	7	4	.....	1	38	4	1	8	5	4
42	Portsmouth	500	99	28	11	11	11	160	14	13	17	25	24
43	Sandusky	346	36	5	.....	1	1	43	7	2	3	10	12
44	Springfield (total)	859	110	19	8	2	4	143	12	13	26	36	35
45	White	715	93	14	5	2	2	116	9	10	17	27	25
46	Colored	144	17	5	3	.....	2	27	3	3	9	9	10
47	Steubenville	534	114	17	4	7	3	145	11	9	10	31	28
48	Tiffin	218	21	4	2	1	1	29	3	2	2	7	7
49	Toledo	3,566	542	89	46	25	25	727	62	47	73	153	181
50	Warren	284	40	7	3	7	2	59	8	2	7	11	10
51	Youngstown	2,144	508	120	53	28	12	721	65	26	45	106	127
52	Zanesville	511	58	8	5	4	4	79	10	12	7	25	15
	OREGON.[1]												
53	Portland (total)	2,390	252	46	24	15	16	353	47	33	52	64	105
54	White	2,300	247	44	22	15	15	343	45	32	49	61	98
55	Colored [2]	90	5	2	2	.....	1	10	2	1	3	3	7
	PENNSYLVANIA.												
56	Registration cities (total)	68,670	12,317	2,515	1,081	710	527	17,150	1,492	963	1,425	2,419	2,849
57	White	63,438	11,571	2,292	1,005	670	488	16,026	1,375	879	1,251	2,051	2,440
58	Colored	5,232	746	223	76	40	39	1,124	117	84	174	368	409
59	Allentown	1,140	274	33	18	5	4	334	19	10	22	51	37
60	Altoona	778	136	23	16	7	8	190	23	18	19	28	28
61	Beaver Falls	251	44	9	4	5	.....	62	4	3	2	16	17
62	Bethlehem	219	51	3	3	.....	4	61	1	2	2	4	9
63	Braddock	490	134	34	15	8	11	202	15	8	3	12	21
64	Bradford	238	21	1	.....	.....	1	23	3	9	2	4	6
65	Butler	313	65	11	6	1	2	85	7	5	11	8	14
66	Carbondale	318	63	7	6	1	3	80	10	5	9	8	10
67	Carlisle (total)	181	14	7	1	.....	1	23	3	.....	2	4	4
68	White	155	13	4	1	.....	.....	18	2	.....	1	4	4
69	Colored	26	1	3	.....	.....	1	5	1	.....	1	.....	.....
70	Carnegie	130	45	6	2	1	.....	54	2	3	4	7	2

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
43	31	39	33	37	31	32	26	30	18	8	5	1	1	.....	2	1
12	8	16	13	16	17	22	18	20	15	6	5	.....	1	.....	1	2
31	23	23	20	21	14	10	8	10	3	2	.....	1	.....	.....	1	3
10	7	16	13	10	17	14	13	8	6	8	7	.....	1	.....	.....	4
9	7	15	13	10	17	13	13	8	6	8	7	.....	1	.....	.....	5
1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
2,089	2,296	2,290	2,363	2,414	2,600	2,582	2,561	2,408	2,101	1,453	740	234	57	10	5	7
1,847	2,020	2,037	2,170	2,219	2,471	2,483	2,454	2,335	2,042	1,416	723	221	50	5	5	8
222	276	253	193	195	129	99	107	73	59	37	17	13	7	5	.....	9
109	126	89	94	85	94	80	69	80	66	39	22	4	.....	.....	2	10
12	21	18	10	20	11	22	21	18	20	15	11	.....	.....	.....	.....	11
13	17	11	17	19	27	16	20	19	18	13	8	2	1	.....	.....	12
17	15	14	20	15	10	18	14	11	13	3	2	.....	.....	.....	.....	13
9	9	4	7	8	17	11	11	10	9	8	6	1	.....	.....	.....	14
58	58	56	59	59	53	46	64	49	54	32	20	4	2	.....	.....	15
7	16	21	12	14	17	14	18	20	21	12	7	2	2	1	.....	16
333	414	401	451	446	510	550	493	463	418	303	130	54	13	4	.....	17
275	324	315	376	379	475	510	460	439	397	296	128	48	11	1	.....	18
58	90	86	75	67	35	40	33	24	21	7	2	6	2	3	.....	19
602	608	645	643	623	586	592	564	494	409	244	121	53	6	1	.....	20
161	189	216	212	227	229	251	228	206	194	123	61	22	4	3	.....	21
125	148	180	180	200	210	235	210	195	184	118	54	20	3	3	.....	22
36	41	36	32	27	19	16	18	11	10	5	7	2	1	.....	.....	23
76	112	114	103	129	140	145	141	144	119	91	50	8	3	.....	.....	24
27	25	19	12	18	22	29	28	26	11	11	7	.....	1	.....	.....	25
12	15	11	8	11	12	22	23	21	19	15	7	4	.....	.....	.....	26
3	7	6	9	12	14	13	18	39	18	13	9	3	2	.....	.....	27
21	23	31	29	33	36	36	29	29	18	21	8	4	1	.....	.....	28
12	12	5	10	12	17	11	15	20	15	13	6	5	1	.....	.....	29
8	11	5	12	17	20	18	17	19	22	18	7	2	.....	.....	.....	30
9	4	7	8	7	12	11	25	15	25	10	9	1	.....	.....	.....	31
31	24	19	29	27	41	28	42	34	24	25	11	6	4	.....	.....	32
18	26	25	19	14	20	18	10	12	9	6	7	.....	1	.....	.....	33
11	16	18	16	8	31	23	23	34	30	25	8	2	.....	.....	.....	34
6	8	12	10	10	11	8	12	20	19	13	6	4	.....	.....	.....	35
14	15	15	8	17	24	28	23	23	26	17	12	6	.....	.....	.....	36
11	8	3	16	8	16	18	17	17	13	4	6	1	1	.....	.....	37
7	8	13	9	15	16	11	15	11	11	11	6	3	.....	.....	.....	38
13	17	17	20	23	20	30	27	35	31	24	9	4	.....	.....	.....	39
6	3	6	6	14	17	10	11	21	18	10	4	2	2	.....	.....	40
14	9	9	14	13	17	23	20	26	19	17	10	.....	2	.....	.....	41
24	20	19	17	12	25	30	24	27	24	15	9	1	.....	.....	.....	42
16	19	14	19	21	21	28	30	35	25	21	16	3	1	.....	.....	43
37	51	34	40	55	62	62	78	67	45	32	24	5	1	1	.....	44
29	40	24	36	44	53	57	70	60	41	28	24	4	1	.....	.....	45
8	11	10	4	11	9	5	8	7	4	4	.....	1	.....	1	.....	46
33	26	32	31	36	24	23	34	21	22	10	6	1	1	.....	.....	47
3	10	4	12	13	19	16	19	20	17	17	12	4	1	.....	1	48
191	181	194	214	230	259	214	238	188	179	142	71	15	7	.....	.....	49
12	14	11	13	14	21	17	18	24	24	13	4	2	.....	.....	.....	50
113	138	148	122	98	94	73	87	74	56	36	8	5	.....	.....	2	51
20	21	24	32	31	35	37	35	36	40	31	20	1	.....	.....	.....	52
97	89	132	168	172	183	199	173	178	167	111	54	11	1	.....	1	53
91	85	126	162	166	172	185	167	175	166	110	54	11	1	.....	1	54
6	4	6	6	6	11	14	6	3	1	1	.....	.....	.....	.....	.....	55
3,034	3,398	3,563	4,033	4,299	4,290	4,365	4,353	4,059	3,283	2,195	1,049	354	75	17	5	56
2,681	2,905	3,156	3,648	3,954	4,037	4,166	4,181	3,925	3,189	2,141	1,013	339	66	11	4	57
353	493	407	385	345	253	199	172	134	94	54	36	15	9	6	1	58
40	46	52	58	59	73	70	74	73	66	37	14	2	3	.....	.....	59
32	33	34	43	49	47	46	46	50	39	26	17	10	.....	.....	.....	60
8	13	11	13	9	11	11	23	17	17	7	5	2	.....	.....	.....	61
9	5	8	8	8	13	15	18	17	20	12	5	2	.....	.....	.....	62
30	29	28	41	25	16	19	18	14	7	2	.....	.....	.....	.....	.....	63
8	7	8	14	16	15	27	29	27	18	14	7	1	.....	.....	.....	64
9	22	14	17	19	10	18	14	25	14	13	3	4	1	.....	.....	65
6	13	15	9	18	28	29	13	31	17	13	2	.....	1	1	.....	66
		4	7	9	16	13	21	21	19	10	10	3	.....	2	.....	67
	5	4		6	14	10	19	20	17	10	8	3	.....	1	.....	68
.....	1	.....		3	2	3	2	1	2	.....	2	.....	.....	1	.....	69
3	5		6	7	4	7	7	6	4	1	.....	.....	.....	.....	.....	70

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions
The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	PENNSYLVANIA—continued.												
1	Chambersburg	210	20	1	.....	.....	.....	21	6	6	2	10	7
2	Chester (total)	939	182	38	14	18	17	269	28	10	38	36	61
3	White	745	159	26	10	15	11	221	21	8	29	28	41
4	Colored	194	23	12	4	3	6	48	7	2	9	8	20
5	Coatesville (total)	218	48	14	5	5	1	73	6	3	4	9	7
6	White	181	39	10	5	5	1	60	5	2	3	6	7
7	Colored	37	9	4	.....	.....	.....	13	1	1	1	3	.....
8	Columbia	175	25	5	.....	.....	1	31	7	2	6	3	2
9	Connellsville	192	39	5	4	1	1	50	3	.....	6	8	10
10	Dubois	182	52	6	4	2	1	65	5	3	1	2	9
11	Dunmore	347	134	29	7	1	4	175	6	1	6	4	9
12	Duquesne	219	87	20	9	4	1	121	8	1	3	8	9
13	Easton	635	92	12	11	2	5	122	10	7	12	33	20
14	Erie	1,299	216	33	17	13	7	286	23	18	35	49	48
15	Farrell	197	68	25	6	4	1	104	6	2	6	6	16
16	Greensburg	243	36	14	1	1	3	55	6	10	6	10	19
17	Harrisburg	1,148	128	19	12	12	9	180	18	15	20	53	57
18	Hazleton	467	100	18	10	5	5	138	17	9	15	28	25
19	Homestead	285	107	27	8	4	4	150	4	5	3	8	7
20	Johnstown	1,098	292	48	23	17	9	389	31	19	24	56	42
21	Lancaster	791	117	16	9	3	3	148	16	12	12	22	28
22	Lebanon	420	66	10	5	4	4	89	9	4	13	19	15
23	McKees Rocks	198	77	17	9	5	2	110	3	3	5	4	8
24	McKeesport	773	157	43	15	9	11	235	19	9	22	40	50
25	Mahanoy City	220	65	11	7	6	2	91	7	1	5	4	1
26	Meadville	233	26	5	.....	2	1	34	4	4	5	8	4
27	Monessen	179	80	15	7	1	1	104	5	1	.....	5	9
28	Mount Carmel	211	55	16	8	5	3	87	6	4	3	6	7
29	Nanticoke	298	74	21	6	3	1	105	8	3	10	12	13
30	New Castle	663	140	35	9	12	6	202	29	12	16	21	22
31	Norristown	797	81	12	8	8	4	113	17	6	11	23	37
32	North Braddock	172	47	12	1	1	7	68	9	1	4	5	6
33	Oil City	265	53	5	1	.....	1	60	9	7	8	7	14
34	Old Forge	155	66	18	6	2	3	95	1	.....	1	2	3
35	Philadelphia (total)	29,649	4,637	1,020	431	292	193	6,573	610	386	569	989	1,169
36	White	26,492	4,176	887	384	272	174	5,893	548	337	467	760	936
37	Colored	3,157	461	133	47	20	19	680	62	49	102	229	233
38	Phoenixville	187	31	3	2	.....	1	37	3	4	3	4	5
39	Pittsburgh (total)	10,645	1,983	446	179	133	92	2,833	228	154	247	428	555
40	White	9,742	1,846	401	168	124	83	2,622	205	140	217	377	474
41	Colored	903	137	45	11	9	9	211	23	14	30	51	81
42	Pittston	318	69	16	3	3	3	94	9	1	11	9	14
43	Plymouth	167	41	4	1	3	3	52	4	1	2	3	3
44	Pottstown	263	46	2	2	1	2	53	11	5	4	14	8
45	Pottsville	466	66	9	9	5	1	90	11	8	12	20	23
46	Reading	1,591	269	47	16	15	3	350	28	22	25	39	62
47	Scranton	2,247	487	100	44	20	24	675	57	44	44	66	90
48	Shamokin	259	54	8	6	5	2	75	9	3	5	5	5
49	Sharon	281	55	5	2	5	1	68	4	4	8	16	10
50	Shenandoah	394	159	30	21	6	6	222	5	8	7	10	11
51	South Bethlehem	349	136	20	8	6	4	174	9	3	6	14	9
52	Steelton	194	52	10	4	3	5	74	3	3	2	12	8
53	Sunbury	183	27	4	1	.....	2	34	6	1	4	6	9
54	Uniontown	333	44	6	6	8	4	68	3	7	7	15	18
55	Warren	194	35	1	1	.....	.....	37	4	4	.....	8	6
56	Washington	342	53	11	6	4	3	77	6	8	15	12	13
57	West Chester (total)	311	41	8	3	3	1	56	7	3	10	14	14
58	White	245	27	6	3	2	1	39	7	2	7	10	10
59	Colored	66	14	2	.....	1	.....	17	.....	1	3	4	4
60	Wilkes-Barre	1,163	216	41	19	5	7	288	21	17	29	33	53
61	Wilkinsburg	391	63	8	4	2	4	81	12	10	10	17	17
62	Williamsport	753	99	17	13	9	8	146	16	20	15	23	14
63	York	703	77	15	7	4	6	109	13	6	12	19	20
	RHODE ISLAND.												
64	Registration cities (total)	7,970	1,362	268	129	72	50	1,881	175	91	140	211	284
65	White	7,686	1,315	263	124	70	49	1,821	171	85	135	193	269
66	Colored	284	47	5	5	2	1	60	4	6	5	18	15
67	Central Falls	301	98	21	4	4	4	131	5	4	8	8	6
68	Cranston (exclusive of)	283	63	11	3	3	1	81	5	5	7	2	7
69	State institutions	566	4	1	1	.....	.....	6	.....	.....	4	12	15
70	Cumberland town	131	21	4	3	.....	1	29	3	3	.....	3	3
71	East Providence town	244	42	3	4	2	2	53	4	3	2	8	4
72	Newport	434	50	13	5	4	3	75	11	3	16	6	8
73	Pawtucket	901	172	29	17	8	8	234	21	6	8	19	37
74	Providence	3,996	650	141	65	36	22	914	95	57	75	112	170
75	Warwick town	277	27	3	2	1	3	36	2	2	8	14	11
76	West Warwick town	238	81	11	11	3	1	107	7	1	2	7	5
77	Woonsocket	599	154	31	14	11	5	215	22	7	10	20	18

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
6	8	12	9	10	12	18	16	19	15	22	8	3	----	----	----	1
40	64	64	41	49	42	45	39	33	37	21	17	5	----	----	----	2
28	53	43	32	37	30	37	35	28	34	20	15	5	----	----	----	3
12	11	21	9	12	12	8	4	5	3	1	2	----	----	----	----	4
8	5	4	8	13	11	13	15	10	10	12	4	3	----	----	----	5
7	5	3	7	7	7	13	13	9	9	11	4	3	----	----	----	6
1	----	1	1	6	4	----	2	1	1	1	----	----	----	----	----	7
7	5	7	6	6	9	12	17	22	14	13	3	1	1	1	----	8
8	6	9	13	15	10	7	21	15	5	2	2	1	1	----	----	9
7	6	6	8	7	14	7	14	3	15	3	7	----	----	----	----	10
8	8	8	12	14	13	19	16	20	15	6	5	1	1	----	----	11
5	9	5	13	9	2	4	7	8	4	3	----	----	----	----	----	12
31	26	31	47	34	37	35	53	46	42	23	20	6	----	----	----	13
59	57	55	86	71	102	77	95	84	77	49	19	8	1	----	----	14
8	8	5	9	5	6	5	7	2	1	----	1	----	----	----	----	15
9	20	16	14	15	12	9	12	8	7	9	3	3	----	----	----	16
71	68	64	42	68	87	84	84	77	77	49	22	11	----	1	----	17
20	8	18	19	33	30	25	30	20	19	6	5	1	----	1	----	18
10	10	13	11	10	16	7	8	6	8	7	----	1	----	----	1	19
74	62	54	54	54	47	31	42	36	34	28	16	5	----	----	----	20
22	25	27	35	49	68	65	62	75	53	50	13	8	1	----	----	21
17	16	8	15	27	27	29	25	36	27	26	16	----	2	----	----	22
6	8	5	9	7	6	5	7	5	5	1	1	----	----	----	----	23
45	42	36	53	48	46	31	28	27	22	11	7	2	----	----	----	24
13	8	10	10	14	14	12	3	13	5	6	3	----	----	----	----	25
2	7	6	12	8	15	19	23	20	22	25	8	6	1	----	----	26
2	6	9	6	9	3	7	2	3	4	3	1	----	----	----	----	27
10	4	4	7	15	14	11	12	12	6	2	1	----	----	----	----	28
18	11	9	19	21	17	19	14	8	4	2	3	----	1	1	----	29
28	28	29	28	35	40	31	34	31	35	24	15	3	----	----	----	30
32	35	41	55	43	44	71	80	69	54	40	20	6	----	----	----	31
6	9	11	6	7	8	13	7	1	9	1	1	----	----	----	----	32
8	13	5	22	8	11	14	16	18	22	13	9	1	----	----	----	33
4	2	7	12	5	6	7	5	3	1	1	----	----	----	----	----	34
1,269	1,477	1,635	1,878	2,094	1,977	2,080	2,012	1,834	1,468	983	445	159	34	6	2	35
1,061	1,162	1,367	1,646	1,877	1,832	1,972	1,900	1,759	1,412	953	424	151	28	5	2	36
208	315	268	232	217	145	108	112	75	56	30	21	8	6	1	----	37
9	6	11	4	10	8	16	13	18	16	10	5	4	1	----	----	38
572	648	620	653	673	617	594	580	493	348	241	120	27	11	3	----	39
503	562	558	580	611	567	565	552	485	338	235	114	26	10	1	----	40
69	86	62	73	62	50	29	28	8	10	6	6	1	1	2	----	41
21	18	13	28	19	11	18	16	17	7	6	3	2	----	----	1	42
7	9	9	10	6	13	13	14	9	7	3	2	----	----	----	----	43
12	5	16	7	11	19	13	17	23	21	17	6	1	----	----	----	44
31	21	18	23	26	46	37	27	26	24	13	8	2	----	----	----	45
54	65	74	82	87	108	107	130	121	113	66	42	14	2	----	----	46
84	105	131	152	148	131	118	121	103	85	63	20	10	----	----	----	47
6	11	10	7	17	12	24	16	21	16	8	6	----	3	----	----	48
14	14	32	12	14	12	9	14	14	19	14	3	----	----	----	----	49
9	13	11	21	15	20	12	10	12	4	1	2	1	----	----	----	50
13	13	17	15	18	18	8	12	8	5	3	4	----	----	----	----	51
7	9	6	8	10	9	11	7	10	9	3	2	1	----	----	----	52
8	9	7	11	8	16	10	13	16	13	8	3	1	----	----	----	53
24	27	20	23	16	20	17	29	17	10	7	4	1	----	----	----	54
4	9	8	7	8	11	23	16	15	18	6	5	3	2	----	----	55
18	19	7	19	19	21	27	18	27	19	9	7	----	1	----	----	56
6	14	12	8	10	17	30	23	32	18	18	11	8	----	----	----	57
5	11	10	4	8	14	24	20	24	17	16	11	6	----	----	----	58
1	3	2	4	2	3	6	3	8	1	2	----	2	----	----	----	59
68	68	70	77	78	78	72	67	64	33	23	15	9	----	----	----	60
17	21	15	19	14	24	23	24	19	26	23	13	4	1	----	1	61
27	32	26	37	30	46	68	55	74	69	34	14	6	----	1	----	62
21	22	35	35	40	54	48	62	75	65	43	16	2	6	----	----	63
267	352	390	451	500	521	619	592	532	437	307	136	58	16	4	6	64
252	344	372	429	479	502	597	571	522	432	301	133	54	15	4	5	65
15	8	18	22	21	19	22	21	10	5	6	3	4	1	----	1	66
6	10	7	5	15	17	28	19	15	10	4	2	1	----	----	----	67
3	9	18	6	15	12	25	29	17	15	17	8	----	----	1	1	68
34	28	40	47	39	45	68	73	52	60	28	10	4	----	1	----	69
4	6	6	9	10	9	11	8	9	5	7	4	2	----	----	----	70
6	7	13	11	15	16	23	23	23	10	15	6	1	1	----	----	71
16	13	18	28	25	36	30	31	38	23	34	8	8	7	----	----	72
19	34	43	55	50	60	67	79	55	47	38	15	11	2	----	1	73
140	188	204	246	277	269	295	269	250	202	130	67	28	5	1	2	74
13	22	14	20	21	13	17	22	24	20	12	4	----	----	----	2	75
4	8	5	4	15	11	14	14	10	14	5	5	----	----	----	----	76
22	27	22	20	18	33	41	25	39	31	17	7	3	1	1	----	77

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	SOUTH CAROLINA.												
1	Registration cities (total)	3,580	592	146	89	45	23	895	73	56	99	229	231
2	White	1,446	209	51	29	19	10	318	31	23	33	62	52
3	Colored	2,134	383	95	60	26	13	577	42	33	66	167	179
4	Charleston (total)	1,570	312	59	44	23	5	443	30	21	36	91	95
5	White	475	66	15	5	6	3	95	9	5	5	15	14
6	Colored	1,095	246	44	39	17	2	348	21	16	31	76	81
7	Columbia (total)	1,281	154	45	23	11	9	242	23	27	44	86	91
8	White	618	82	14	14	7	4	121	9	15	18	31	25
9	Colored	663	72	31	9	4	5	121	14	12	26	55	66
10	Greenville (total)	353	64	21	11	7	3	106	9	6	10	29	17
11	White	163	29	10	4	2	2	47	4	2	6	13	3
12	Colored	190	35	11	7	5	1	59	5	4	4	16	14
13	Spartanburg (total)	376	62	21	11	4	6	104	11	2	9	23	28
14	White	190	32	12	6	4	1	55	9	1	4	3	10
15	Colored	186	30	9	5	.....	5	49	2	1	5	20	18
	TENNESSEE.												
16	Registration cities (total)	7,425	836	269	125	102	41	1,373	157	150	328	471	499
17	White	4,042	490	168	72	65	29	824	93	81	123	198	200
18	Colored	3,383	346	101	53	37	12	549	64	69	205	273	299
19	Chattanooga (total)	1,211	146	43	18	11	6	224	30	31	64	99	80
20	White	616	76	23	13	8	4	124	16	14	30	43	36
21	Colored	595	70	20	5	3	2	100	14	17	34	56	44
22	Jackson (total)	334	36	9	7	7	2	61	6	6	19	18	22
23	White	171	16	4	5	2	2	29	1	1	9	2	8
24	Colored	163	20	5	2	5	.....	32	5	5	10	16	14
25	Knoxville (total)	917	131	35	9	12	6	193	16	24	39	54	69
26	White	685	101	30	7	10	3	151	11	19	27	38	49
27	Colored	232	30	5	2	2	3	42	5	5	12	16	20
28	Memphis (total)	3,019	311	103	62	47	21	544	69	55	154	188	230
29	White	1,429	168	56	28	29	16	297	39	27	35	53	70
30	Colored	1,590	143	47	34	18	5	247	30	28	119	135	160
31	Nashville (total)	1,944	212	79	29	25	6	351	36	34	52	112	98
32	White	1,141	129	55	19	16	4	223	26	20	22	62	37
33	Colored	803	83	24	10	9	2	128	10	14	30	50	61
	TEXAS.[1]												
34	Registration cities (total)	10,258	1,875	611	203	126	79	2,894	218	176	350	540	628
35	White	8,369	1,677	561	193	114	74	2,619	196	140	271	386	459
36	Colored	1,889	198	50	10	12	5	275	22	36	79	154	169
37	Beaumont (total)	457	68	13	8	2	.....	91	9	11	18	29	36
38	White	255	31	7	8	1	.....	47	8	7	10	6	12
39	Colored	202	37	6	.....	1	.....	44	1	4	8	23	24
40	Cleburne (total)	134	20	6	5	2	.....	33	3	2	4	4	4
41	White	115	16	3	5	2	.....	26	3	2	4	3	3
42	Colored [2]	19	4	3	.....	.....	.....	7	.....	.....	.....	1	1
43	Dallas (total)	1,641	200	41	14	12	8	275	32	34	65	75	108
44	White	1,220	171	31	12	10	8	232	26	27	46	46	74
45	Colored	421	29	10	2	2	.....	43	6	7	19	29	34
46	El Paso (total)	2,456	614	236	78	40	24	992	62	38	79	130	150
47	White	2,383	607	234	78	40	22	981	62	35	77	126	142
48	Colored [2]	73	7	2	.....	.....	2	11	.....	3	2	4	8
49	Galveston (total)	683	76	4	3	6	1	90	11	7	9	28	46
50	White	460	63	3	2	4	.....	72	10	5	3	14	24
51	Colored	223	13	1	1	2	1	18	1	2	6	14	22
52	Houston (total)	1,652	165	34	16	12	11	238	30	32	52	115	113
53	White	1,021	100	22	12	9	9	152	19	17	25	57	62
54	Colored	631	65	12	4	3	2	86	11	15	27	58	51
55	San Antonio (total)	3,235	732	277	79	52	35	1,175	71	52	123	159	171
56	White	2,915	689	261	76	48	35	1,109	68	47	106	134	142
57	Colored	320	43	16	3	4	.....	66	3	5	17	25	29
	UTAH.												
58	Registration cities (total)	1,693	254	47	22	23	10	356	49	47	51	67	87
59	White	1,661	250	46	22	23	10	351	49	47	50	62	83
60	Colored	32	4	1	.....	.....	.....	5	.....	.....	1	5	4
61	Ogden	325	54	9	2	5	1	71	6	13	9	18	13
62	Salt Lake City	1,368	200	38	20	18	9	285	43	34	42	49	74
	VERMONT.												
63	Registration cities (total)	795	126	13	6	6	3	154	18	14	12	20	23
64	White	793	126	13	6	6	3	154	18	14	12	20	23
65	Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
66	Barre	135	20	5	4	2	.....	31	5	4	1	2	3
67	Burlington	413	76	5	1	3	3	88	9	6	11	16	12
68	Rutland	247	30	3	1	1	.....	35	4	4	.....	2	8

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
196	214	227	209	214	173	184	187	151	111	66	38	9	5	2	11	1
60	70	75	85	77	96	98	113	95	75	45	28	6	1	----	3	2
136	144	152	124	137	77	86	74	56	36	21	10	3	4	2	8	3
84	92	103	91	111	87	71	72	50	43	27	16	4	2	----	1	4
15	23	23	24	31	42	36	41	32	30	21	12	2	----	----	----	5
69	69	80	67	80	45	35	31	18	13	6	4	2	2	----	1	6
68	89	80	68	69	57	80	82	71	52	26	15	2	2	1	6	7
27	34	35	37	28	35	44	49	41	36	19	10	1	1	----	2	8
41	55	45	31	41	22	36	33	30	16	7	5	1	1	1	4	9
18	17	21	21	15	15	15	13	15	7	8	4	2	----	1	4	10
7	5	10	10	7	8	6	9	11	5	3	4	2	----	----	1	11
11	12	11	11	8	7	9	4	4	2	5	----	----	----	1	3	12
26	16	23	29	19	14	18	20	15	9	5	3	1	1	----	----	13
11	8	7	14	11	11	12	14	11	4	2	2	1	----	----	----	14
15	8	16	15	8	3	6	6	4	5	3	1	----	1	----	----	15
468	499	466	423	459	419	426	369	325	269	151	78	33	6	9	47	16
207	223	215	223	234	251	272	266	232	202	114	49	18	2	----	15	17
261	276	251	200	225	168	154	103	93	67	37	29	15	4	9	32	18
69	76	70	70	82	54	68	61	51	41	19	15	5	----	1	1	19
26	33	24	28	32	34	38	43	35	31	16	11	2	----	----	----	20
43	43	46	42	50	20	30	18	16	10	3	4	3	----	1	1	21
20	19	13	13	18	24	19	19	16	18	11	4	3	1	1	3	22
10	14	6	9	10	15	11	12	9	13	9	2	----	----	----	1	23
10	5	7	4	8	9	8	7	7	5	2	2	3	1	1	2	24
61	54	45	44	56	46	52	44	37	36	23	7	3	1	1	12	25
39	40	26	31	40	30	42	40	35	34	18	6	2	1	----	6	26
22	14	19	13	16	16	10	4	2	2	5	1	1	----	1	6	27
210	228	223	192	179	169	158	116	103	87	50	21	10	2	3	28	28
79	85	94	98	92	96	101	81	66	58	37	8	6	----	----	7	29
131	143	129	94	87	73	57	35	37	29	13	13	4	2	3	21	30
108	122	115	104	124	126	129	129	118	87	48	31	12	2	3	3	31
53	51	65	57	60	76	80	90	87	66	34	22	8	1	----	1	32
55	71	50	47	64	50	49	39	31	21	14	9	4	1	3	2	33
600	611	607	569	463	544	464	476	402	293	176	123	38	22	17	47	34
429	446	427	438	344	454	392	418	349	255	158	109	27	15	10	27	35
171	165	180	131	119	90	72	58	53	38	18	14	11	7	7	20	36
35	26	27	34	21	29	18	18	20	14	11	7	----	1	2	----	37
16	11	14	20	13	20	12	16	16	11	10	6	----	----	----	----	38
19	15	13	14	8	9	6	2	4	3	1	1	----	1	2	----	39
7	9	3	4	4	15	9	11	8	9	1	4	----	----	----	----	40
4	6	2	4	4	15	8	11	8	8	1	3	----	----	----	----	41
3	3	1	----	----	----	1	----	----	1	----	1	----	----	----	----	42
109	111	130	108	92	108	94	92	87	57	34	19	7	4	----	----	43
70	66	79	73	55	85	76	79	78	53	33	16	4	2	----	----	44
39	45	51	35	37	23	18	13	9	4	1	3	3	2	----	----	45
132	136	126	114	83	98	73	77	62	42	19	20	9	7	6	1	46
122	132	119	109	77	95	73	74	60	39	19	20	8	7	5	1	47
10	4	7	5	6	3	----	3	2	3	----	----	1	----	1	----	48
42	47	48	41	52	48	45	59	44	23	18	4	4	1	----	16	49
17	26	24	26	35	38	29	44	38	21	15	3	4	1	----	11	50
25	21	24	15	17	10	16	15	6	2	3	1	----	----	----	5	51
101	116	118	113	92	103	100	89	85	58	35	23	5	2	3	29	52
56	61	64	68	50	71	80	73	58	46	26	20	2	----	----	14	53
45	55	54	45	42	32	20	16	27	12	9	3	3	2	3	15	54
174	166	155	155	119	143	125	130	96	90	58	46	13	7	6	1	55
144	144	125	138	110	130	114	121	91	77	54	41	9	5	5	1	56
30	22	30	17	9	13	11	9	5	13	4	5	4	2	1	----	57
94	91	86	97	86	104	113	93	110	64	52	33	10	3	----	----	58
89	88	85	95	85	101	113	92	109	64	52	33	10	3	----	----	59
5	3	1	2	1	3	----	1	1	----	----	----	----	----	----	----	60
16	14	12	18	13	19	19	22	27	5	15	14	1	----	----	----	61
78	77	74	79	73	85	94	71	83	59	37	19	9	3	----	----	62
37	28	25	38	46	64	51	50	65	65	43	25	13	3	1	----	63
37	28	25	38	45	64	50	50	65	65	43	25	13	3	1	----	64
----	----	----	----	1	----	1	----	----	----	----	----	----	----	----	----	65
5	7	7	9	12	10	7	7	9	6	6	4	----	----	----	----	66
22	11	9	15	21	31	28	24	32	37	20	10	8	2	1	----	67
10	10	9	14	13	23	16	19	24	22	17	11	5	1	----	----	68

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor subdivisions The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	VIRGINIA.												
1	Registration cities (total)	8,361	1,432	292	102	79	59	1,964	144	143	271	446	450
2	White	4,384	649	140	49	35	30	903	70	72	92	166	173
3	Colored	3,977	783	152	53	44	29	1,061	74	71	179	280	277
4	Alexandria (total)	289	42	10	2	2	3	59	5	6	6	14	9
5	White	173	24	5	.....	.....	1	30	3	3	3	8	2
6	Colored	116	18	5	2	2	2	29	2	3	3	6	7
7	Danville (total)	390	58	23	8	5	3	97	11	11	19	19	23
8	White	227	37	16	3	3	2	61	4	8	5	11	12
9	Colored	163	21	7	5	2	1	36	7	3	14	8	11
10	Lynchburg (total)	526	84	15	4	4	3	110	11	3	15	24	26
11	White	307	46	8	4	3	.....	61	6	3	6	13	20
12	Colored	219	38	7	.....	1	3	49	5	.....	9	11	6
13	Newport News (total)	442	85	19	5	7	6	122	8	12	13	28	30
14	White	190	37	8	4	3	2	54	4	6	2	7	7
15	Colored	252	48	11	1	4	4	68	4	6	11	21	23
16	Norfolk (total)	1,555	238	44	21	15	10	328	27	29	55	87	81
17	White	673	81	17	9	6	3	116	12	9	14	33	21
18	Colored	882	157	27	12	9	7	212	15	20	41	54	60
19	Petersburg (total)	692	166	26	10	5	3	210	12	16	22	46	50
20	White	276	57	12	3	1	2	75	4	6	5	15	20
21	Colored	416	109	14	7	4	1	135	8	10	17	31	30
22	Portsmouth (total)	579	91	16	9	4	5	125	13	9	27	34	31
23	White	246	29	10	2	2	4	47	6	6	9	6	7
24	Colored	333	62	6	7	2	1	78	7	3	18	28	24
25	Richmond (total)	2,932	516	112	31	29	18	706	42	40	79	138	149
26	White	1,566	234	45	16	11	10	316	22	20	28	36	50
27	Colored	1,366	282	67	15	18	8	390	20	20	51	102	99
28	Roanoke (total)	654	136	26	10	8	8	188	13	13	29	45	41
29	White	464	91	18	8	6	6	129	8	8	16	28	26
30	Colored	190	45	8	2	2	2	59	5	5	13	17	15
31	Staunton (total)	302	16	1	2	.....	.....	19	2	4	6	11	10
32	White	262	13	1	.....	.....	.....	14	1	3	4	9	8
33	Colored	40	3	.....	2	.....	.....	5	1	1	2	2	2
	WASHINGTON.												
34	Registration cities (total)	5,738	667	110	62	43	38	920	115	73	145	206	260
35	White	5,455	613	93	58	40	36	840	111	72	135	193	246
36	Colored	283	54	17	4	3	2	80	4	1	10	13	14
37	Aberdeen	154	23	2	.....	1	3	29	3	3	6	6	11
38	Bellingham	222	19	8	2	3	2	34	4	3	3	11	9
39	Everett	262	33	10	4	2	.....	49	5	1	12	11	16
40	North Yakima	244	45	7	5	2	3	62	5	1	7	6	14
41	Seattle	2,530	295	40	27	17	12	391	49	39	58	94	104
42	Spokane	1,162	131	20	14	12	9	186	32	11	30	49	56
43	Tacoma	950	91	16	8	6	7	128	15	11	24	28	38
44	Walla Walla	214	30	7	2	.....	2	41	2	4	5	1	12
	WEST VIRGINIA. [1]												
45	Wheeling (total)	850	117	30	21	6	5	179	19	21	29	42	43
46	White	803	113	29	21	6	4	173	18	20	27	40	39
47	Colored [2]	47	4	1	.....	.....	1	6	1	1	2	2	4
	WISCONSIN.												
48	Registration cities (total)	11,245	2,007	311	187	121	101	2,727	289	163	271	392	432
49	White	11,182	1,994	310	186	121	100	2,711	288	162	269	389	428
50	Colored	63	13	1	1	.....	1	16	1	1	2	3	4
51	Appleton	287	39	4	7	2	3	55	5	1	11	13	9
52	Ashland	241	22	6	3	3	1	35	7	9	8	8	10
53	Beloit	237	30	2	5	1	2	40	6	1	9	9	11
54	Eau Claire	347	34	5	2	6	3	50	10	4	10	18	16
55	Fond du Lac	312	36	4	2	2	4	48	7	1	6	15	8
56	Green Bay	521	117	13	7	6	4	147	8	6	11	24	18
57	Janesville	231	22	3	2	1	1	29	4	4	4	5	9
58	Kenosha	364	101	12	10	4	3	130	24	8	10	11	20
59	La Crosse	453	43	6	6	4	5	64	15	4	15	16	10
60	Madison	392	46	10	3	3	5	67	3	2	6	21	23
61	Manitowoc	218	39	4	1	4	.....	48	3	2	8	6	6
62	Marinette	174	21	4	1	3	1	30	4	6	5	5	6
63	Milwaukee	5,461	1,125	190	101	67	48	1,531	142	85	120	178	189
64	Oshkosh	451	56	3	5	2	5	71	9	9	9	9	23
65	Racine	553	122	13	14	4	5	158	12	8	15	19	22
66	Sheboygan	370	53	12	7	2	8	82	10	3	9	13	19
67	Superior	421	68	14	4	2	1	89	15	7	11	18	23
68	Wausau	212	33	6	7	5	2	53	5	3	4	4	10

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

(except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more; in 1910. subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
409	503	479	468	482	493	509	458	427	353	215	91	36	6	6	8	1
180	200	219	213	213	282	318	345	348	296	183	80	27	3	.....	1	2
229	303	260	255	269	211	191	113	79	57	32	11	9	3	6	7	3
15	16	14	13	18	12	21	22	19	23	6	8	2	.....	.....	1	4
11	7	9	9	11	7	13	15	13	17	4	6	2	.....	.....	.....	5
4	9	5	4	7	5	8	7	6	6	2	2	.....	.....	.....	1	6
13	18	23	19	23	26	19	17	19	11	11	5	.....	1	2	3	7
5	4	13	11	11	17	13	10	17	10	10	4	.....	1	.....	.....	8
8	14	10	8	12	9	6	7	2	1	1	1	.....	.....	2	3	9
22	42	22	22	30	39	38	30	36	19	25	6	5	1	.....	.....	10
10	21	10	13	13	19	19	21	26	15	21	6	4	.....	.....	.....	11
12	21	12	9	17	20	19	9	10	4	4	.....	1	1	.....	.....	12
22	38	32	20	23	19	25	19	15	9	5	2	.....	.....	.....	.....	13
9	17	11	8	10	11	13	8	10	7	4	2	.....	.....	.....	.....	14
13	21	21	12	13	8	12	11	5	2	1	.....	.....	.....	.....	.....	15
100	122	113	83	102	97	87	67	78	62	25	7	2	.....	.....	3	16
30	35	41	25	34	51	55	57	61	51	19	6	2	.....	.....	1	17
70	87	72	58	68	46	32	10	17	11	6	1	.....	.....	.....	2	18
30	20	33	43	29	28	45	32	27	23	16	5	4	.....	1	.....	19
9	5	11	18	8	13	16	19	19	16	10	4	3	.....	.....	.....	20
21	15	22	25	21	15	29	13	8	7	6	1	1	.....	1	.....	21
26	46	43	40	39	29	30	28	16	20	13	6	3	.....	1	.....	22
8	12	14	13	19	16	19	19	11	18	8	6	2	.....	.....	.....	23
18	34	29	27	20	13	11	9	5	2	5	.....	1	.....	1	.....	24
137	153	161	169	171	182	196	177	153	140	86	36	14	3	.....	.....	25
59	65	77	76	75	99	132	136	129	121	82	32	10	1	.....	.....	26
78	88	84	93	96	83	64	41	24	19	4	4	4	2	.....	.....	27
33	32	20	34	25	30	24	36	31	26	16	12	4	1	1	.....	28
28	19	16	21	16	21	18	32	29	21	14	11	2	1	.....	.....	29
5	13	4	13	9	9	6	4	2	5	2	1	2	.....	1	.....	30
11	16	18	25	22	31	24	30	33	20	12	4	2	.....	1	1	31
11	15	17	19	16	28	20	28	33	20	11	3	2	.....	.....	.....	32
.....	1	1	6	6	3	4	2	.....	.....	1	1	.....	.....	1	1	33
307	309	325	333	395	446	409	421	384	327	213	94	39	8	.....	9	34
287	275	294	311	381	430	397	414	383	325	212	93	39	8	.....	9	35
20	34	31	22	14	16	12	7	1	2	1	1	.....	.....	.....	.....	36
9	12	9	6	9	6	8	11	9	13	.....	1	.....	1	.....	2	37
9	11	12	8	15	13	22	17	15	20	11	4	1	.....	.....	.....	38
15	15	10	16	13	27	17	14	13	10	12	3	2	1	.....	.....	39
12	12	17	10	17	11	21	13	21	9	3	2	.....	1	.....	.....	40
151	151	135	160	193	205	181	171	147	140	92	46	17	3	.....	3	41
63	64	77	60	77	93	78	82	78	61	39	18	5	1	.....	2	42
37	38	53	63	61	77	70	97	87	56	40	14	11	.....	.....	2	43
11	6	12	10	10	14	12	16	14	18	16	6	3	1	.....	.....	44
49	44	40	44	50	51	45	61	49	39	27	11	5	1	1	.....	45
43	38	36	42	45	47	42	61	49	39	27	10	5	1	1	.....	46
6	6	4	2	5	4	3	.....	.....	.....	.....	1	.....	.....	.....	.....	47
432	457	476	582	576	743	734	758	743	595	449	263	112	26	7	18	48
431	449	472	574	572	742	729	755	743	595	448	262	112	26	7	18	49
1	8	4	8	4	1	5	3	.....	.....	1	1	.....	.....	.....	.....	50
5	6	9	10	14	17	30	30	22	26	9	4	9	2	.....	.....	51
10	10	16	10	16	22	21	20	10	10	8	4	1	.....	.....	6	52
14	13	15	8	14	14	15	15	14	10	12	12	2	1	.....	2	53
14	11	14	17	22	22	30	25	30	22	15	11	4	1	.....	1	54
13	10	17	10	14	21	26	22	25	34	15	12	6	.....	2	.....	55
17	25	21	24	23	33	29	29	34	30	20	13	5	4	.....	.....	56
7	9	8	8	10	19	16	30	14	20	20	9	5	.....	.....	1	57
5	20	12	23	11	17	25	9	18	11	5	3	.....	1	.....	1	58
16	24	24	21	21	31	31	39	35	32	30	16	5	2	.....	2	59
11	16	19	22	25	28	29	23	22	21	31	16	5	.....	1	1	60
7	5	3	13	10	9	16	13	24	18	10	11	5	.....	.....	1	61
6	10	3	4	8	21	8	15	24	6	6	6	.....	1	.....	.....	62
214	224	224	308	280	357	331	351	333	260	183	98	41	8	3	1	63
15	9	19	16	28	30	25	35	43	33	31	26	9	1	1	.....	64
27	31	28	29	22	27	35	42	24	16	18	10	6	3	.....	1	65
14	10	13	19	23	23	23	23	27	21	19	9	4	1	.....	.....	66
24	19	22	29	24	31	30	22	28	13	10	1	3	1	.....	1	67
13	5	9	11	11	16	14	15	16	12	7	2	2	.....	.....	.....	68

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	THE REGISTRATION AREA. (Exclusive of Hawaii.)												
1	Total	1,066,711	171,024	37,638	16,893	10,520	7,633	243,708	23,070	16,086	25,679	38,131	41,235
2	Males	585,088	96,951	20,127	8,903	5,563	3,997	135,541	12,408	8,441	12,954	19,620	22,268
3	Females	481,623	74,073	17,511	7,990	4,957	3,636	108,167	10,662	7,645	12,725	18,511	18,967
4	White	949,339	151,378	32,266	14,663	9,202	6,724	214,233	20,337	13,549	20,328	30,421	33,944
5	Males	522,715	86,104	17,263	7,777	4,910	3,539	119,593	11,056	7,253	10,528	15,849	18,567
6	Females	426,624	65,274	15,003	6,886	4,292	3,185	94,640	9,281	6,296	9,800	14,572	15,377
7	Native	706,035	150,568	31,926	14,445	9,035	6,552	212,526	19,534	12,667	18,185	24,222	24,319
8	Males	379,694	85,660	17,083	7,667	4,828	3,450	118,688	10,608	6,760	9,386	12,067	12,377
9	Females	326,341	64,908	14,843	6,778	4,207	3,102	93,838	8,926	5,907	8,799	12,155	11,942
10	Both parents native	M 208,657 / F 189,063	47,885 / 36,154	9,154 / 7,935	4,320 / 3,946	2,698 / 2,462	1,977 / 1,759	66,034 / 52,256	6,228 / 5,381	4,234 / 3,693	5,841 / 5,530	6,872 / 7,312	6,845 / 6,939
11	One or both parents foreign	M 121,476 / F 98,624	35,052 / 26,689	7,550 / 6,588	3,191 / 2,713	2,036 / 1,622	1,401 / 1,282	49,230 / 38,894	4,177 / 3,373	2,340 / 2,083	3,104 / 2,890	4,326 / 4,006	4,408 / 4,005
12	Parentage unknown[1]	M 49,561 / F 38,654	2,723 / 2,065	379 / 320	156 / 119	94 / 123	72 / 61	3,424 / 2,688	203 / 172	186 / 151	441 / 379	869 / 837	1,124 / 998
13	Foreign	227,795	288	231	155	140	150	964	722	821	2,002	5,827	8,941
14	Males	131,135	166	117	69	71	76	499	403	456	1,049	3,484	5,621
15	Females	96,660	122	114	86	69	74	465	319	365	953	2,343	3,320
16	Unknown	15,509	522	109	63	27	22	743	81	61	141	372	684
17	Males	11,886	278	63	41	11	13	406	45	37	93	298	569
18	Females	3,623	244	46	22	16	9	337	36	24	48	74	115
19	Colored	117,372	19,646	5,372	2,230	1,318	909	29,475	2,733	2,537	5,351	7,710	7,291
20	Males	62,373	10,847	2,864	1,126	653	458	15,948	1,352	1,188	2,426	3,771	3,701
21	Females	54,999	8,799	2,508	1,104	665	451	13,527	1,381	1,349	2,925	3,939	3,590
22	Negro	M 59,558 / F 53,704	10,383 / 8,447	2,761 / 2,432	1,079 / 1,056	627 / 639	430 / 424	15,280 / 12,998	1,281 / 1,330	1,148 / 1,288	2,346 / 2,858	3,671 / 3,848	3,590 / 3,520
23	Indian	M 854 / F 736	162 / 124	53 / 35	21 / 23	17 / 11	15 / 18	268 / 211	47 / 36	34 / 52	57 / 52	55 / 41	35 / 32
24	Chinese	M 1,147 / F 102	37 / 28	6 / 6	6 / 3	2 / 3	7 / ----	58 / 40	10 / 2	5 / 3	7 / 6	23 / 5	41 / 7
25	Japanese	M 789 / F 457	262 / 200	44 / 35	20 / 22	7 / 12	6 / 9	339 / 278	14 / 13	1 / 6	15 / 9	17 / 45	32 / 31
26	Other colored	M 25 / F ----	3 / ----	---- / ----	---- / ----	---- / ----	---- / ----	3 / ----	---- / ----	---- / ----	1 / ----	5 / ----	3 / ----
	REGISTRATION STATES.[2]												
27	Total	979,136	157,487	33,605	15,024	9,401	6,775	222,292	20,812	14,639	23,289	34,114	36,691
28	Males	536,420	89,427	17,975	7,942	4,957	3,552	123,853	11,183	7,665	11,822	17,607	19,807
29	Females	442,716	68,060	15,630	7,082	4,444	3,223	98,439	9,629	6,974	11,467	16,507	16,884
30	White	880,776	140,151	28,962	13,114	8,274	6,003	196,504	18,438	12,442	18,809	27,873	30,980
31	Males	484,249	79,809	15,514	6,981	4,396	3,159	109,859	10,017	6,653	9,802	14,559	16,898
32	Females	396,527	60,342	13,448	6,133	3,878	2,844	86,645	8,421	5,789	9,007	13,314	14,002
33	Native	659,101	139,465	28,699	12,938	8,138	5,860	195,100	17,748	11,679	16,887	22,284	22,217
34	Males	354,016	79,422	15,369	6,886	4,332	3,088	109,097	9,627	6,220	8,753	11,115	11,265
35	Females	305,085	60,043	13,330	6,052	3,806	2,772	86,003	8,121	5,459	8,134	11,169	10,952
36	Both parents native	M 197,908 / F 179,733	45,311 / 34,212	8,536 / 7,386	4,006 / 3,659	2,500 / 2,228	1,827 / 1,622	62,180 / 49,117	5,807 / 5,017	3,959 / 3,471	5,505 / 5,199	6,444 / 6,860	6,326 / 6,478
37	One or both parents foreign	M 110,199 / F 89,365	31,651 / 23,984	6,489 / 5,646	2,737 / 2,288	1,752 / 1,496	1,200 / 1,091	43,829 / 34,505	3,646 / 2,947	2,093 / 1,853	2,849 / 2,589	3,890 / 3,568	3,931 / 3,593
38	Parentage unknown[1]	M 45,909 / F 35,987	2,460 / 1,847	344 / 298	143 / 105	80 / 72	61 / 59	3,088 / 2,381	174 / 157	168 / 135	399 / 346	781 / 741	1,008 / 881
39	Foreign	207,365	221	163	115	110	122	731	614	706	1,789	5,247	8,055
40	Males	119,299	138	89	54	53	58	392	348	396	961	3,172	5,109
41	Females	88,066	83	74	61	57	64	339	266	310	828	2,075	2,946
42	Unknown	14,310	465	100	61	26	21	673	76	57	133	342	628
43	Males	10,934	249	56	41	11	13	370	42	37	88	272	524
44	Females	3,376	216	44	20	15	8	303	34	20	45	70	104
45	Colored	98,360	17,336	4,643	1,910	1,127	772	25,788	2,374	2,197	4,480	6,241	5,791
46	Males	52,171	9,618	2,461	961	561	393	13,994	1,166	1,012	2,020	3,048	2,909
47	Females	46,189	7,718	2,182	949	566	379	11,794	1,208	1,185	2,460	3,193	2,882
48	Negro	M 49,471 / F 44,909	9,157 / 7,368	2,358 / 2,108	915 / 902	535 / 540	366 / 352	13,331 / 11,270	1,096 / 1,158	973 / 1,124	1,941 / 2,394	2,951 / 3,105	2,807 / 2,814
49	Indian	M 849 / F 734	162 / 124	53 / 35	21 / 23	17 / 11	15 / 18	268 / 211	47 / 36	34 / 52	57 / 52	54 / 41	35 / 31
50	Chinese	M 1,052 / F 96	37 / 27	6 / 6	5 / 3	2 / 3	6 / ----	56 / 39	10 / 2	4 / 3	7 / 5	22 / 3	33 / 6
51	Japanese	M 774 / F 450	259 / 199	44 / 33	20 / 21	7 / 12	6 / 9	336 / 274	13 / 12	1 / 6	14 / 9	16 / 44	31 / 31
52	Other colored	M 25 / F ----	3 / ----	---- / ----	---- / ----	---- / ----	---- / ----	3 / ----	---- / ----	---- / ----	1 / ----	5 / ----	3 / ----

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
42,968	47,488	48,614	52,442	57,305	62,413	67,496	72,220	74,303	65,890	48,469	25,280	8,985	2,152	754	2,023	1
24,289	27,385	28,699	31,309	33,989	36,338	38,397	39,746	39,436	33,335	23,256	11,433	3,748	826	285	1,385	2
18,679	20,103	19,915	21,133	23,316	26,075	29,099	32,474	34,867	32,555	25,213	13,847	5,237	1,326	469	638	3
36,289	39,720	41,591	46,050	50,721	57,173	62,245	67,542	70,112	62,926	46,291	24,067	8,219	1,822	303	1,456	4
20,721	23,141	24,800	27,730	30,272	33,466	35,481	37,118	37,099	31,726	22,166	10,847	3,444	695	120	1,043	5
15,568	16,579	16,791	18,320	20,449	23,707	26,764	30,424	33,013	31,200	24,125	13,220	4,775	1,127	183	413	6
24,815	25,879	27,157	29,236	30,707	37,285	40,400	42,691	44,177	40,391	29,724	15,292	5,129	1,052	155	492	7
13,116	13,935	15,102	16,484	17,352	21,034	22,720	23,322	23,174	20,011	14,104	6,708	2,053	380	52	261	8
11,699	11,944	12,055	12,752	13,355	16,251	17,680	19,369	21,003	20,380	15,620	8,584	3,076	672	103	231	9
6,863	6,838	6,883	7,542	7,943	10,264	12,027	13,714	13,929	12,269	8,687	4,076	1,207	213	15	1 33	10
6,881	6,766	6,364	6,542	6,623	8,436	9,726	11,726	13,306	13,137	10,217	5,624	1,997	406	54	147	
4,821	5,244	6,231	6,499	6,462	6,941	6,187	4,307	3,102	2,108	1,235	528	164	30	3	29	11
3,620	3,813	4,304	4,635	4,829	5,344	4,921	3,783	3,121	2,551	1,504	642	247	57	5	17	
1,432	1,853	1,988	2,443	2,947	3,829	4,506	5,301	6,143	5,634	4,182	2,104	682	137	34	99	12
1,198	1,365	1,387	1,575	1,903	2,471	3,033	3,860	4,576	4,692	3,899	2,318	832	209	44	67	
10,620	12,717	13,154	15,485	18,609	18,726	20,568	23,733	24,859	21,688	15,909	8,451	2,968	731	139	161	13
6,892	8,236	8,602	10,107	11,725	11,455	11,763	12,958	13,208	11,193	7,701	3,983	1,336	294	62	108	14
3,728	4,481	4,552	5,378	6,884	7,271	8,805	10,775	11,651	10,495	8,208	4,468	1,632	437	77	53	15
854	1,124	1,280	1,329	1,405	1,162	1,277	1,118	1,076	847	658	324	122	39	9	803	16
713	970	1,096	1,139	1,195	977	998	838	717	522	361	156	55	21	6	674	17
141	154	184	190	210	185	279	280	359	325	297	168	67	18	3	129	18
6,679	7,768	7,023	6,392	6,584	5,240	5,251	4,678	4,191	2,964	2,178	1,213	766	330	451	567	19
3,568	4,244	3,899	3,579	3,717	2,872	2,916	2,628	2,337	1,609	1,090	586	304	131	165	342	20
3,111	3,524	3,124	2,813	2,867	2,368	2,335	2,050	1,854	1,355	1,088	627	462	199	286	225	21
3,411	4,048	3,720	3,410	3,518	2,676	2,683	2,463	2,220	1,553	1,060	562	298	128	157	335	22
3,062	3,475	3,084	2,771	2,833	2,355	2,313	2,020	1,819	1,326	1,057	611	444	191	277	224	
30	35	28	23	27	32	28	34	35	33	18	17	5	2	7	4	23
18	24	18	28	26	12	17	25	34	27	31	16	18	8	9	1	
53	56	64	91	140	147	195	128	81	23	12	7	1	1	1	3	24
3	3	4	9	7	1	5	4	1	2							
72	100	85	53	31	17	10	3									25
28	22	18	5	1			1									
2	5	2	2	1				1								26
38,404	42,493	43,582	47,232	51,906	57,168	62,462	67,528	70,148	62,692	46,289	24,173	8,583	2,042	695	1,902	27
21,704	24,481	25,678	28,129	30,701	33,148	35,419	37,134	37,222	31,710	22,263	10,965	3,588	782	258	1,301	28
16,700	18,012	17,904	19,103	21,205	24,020	27,043	30,394	32,926	30,982	24,026	13,208	4,995	1,260	437	601	29
33,139	36,347	38,007	42,168	46,572	52,852	58,011	63,473	66,438	60,054	44,348	23,076	7,895	1,753	286	1,391	30
18,891	21,120	22,613	25,328	27,688	30,797	32,952	34,855	35,139	30,274	21,284	10,430	3,313	668	111	998	31
14,248	15,227	15,394	16,840	18,884	22,055	25,059	28,618	31,299	29,780	23,064	12,646	4,582	1,085	175	393	32
22,809	23,847	25,076	27,018	28,573	34,957	38,130	40,736	42,490	39,121	28,878	14,882	5,011	1,033	152	473	33
12,033	12,806	13,911	15,169	16,110	19,634	21,382	22,242	22,310	19,392	13,715	6,549	2,014	370	50	252	34
10,776	11,041	11,165	11,849	12,463	15,323	16,748	18,494	20,180	19,729	15,163	8,333	2,997	663	102	221	35
6,386	6,390	6,427	7,057	7,508	9,719	11,479	13,208	13,509	11,977	8,494	3,987	1,191	209	15	131	
6,414	6,333	5,966	6,179	6,265	8,077	9,327	11,317	12,909	12,801	9,972	5,482	1,952	402	54	141	36
4,363	4,770	5,718	5,943	5,951	6,437	5,778	4,090	2,962	2,018	1,201	511	161	29	2	27	
3,306	3,471	3,951	4,241	4,460	4,946	4,607	3,565	2,948	2,436	1,442	621	239	56	5	16	37
1,284	1,646	1,766	2,169	2,651	3,478	4,125	4,944	5,839	5,397	4,020	2,051	662	132	33	94	
1,056	1,237	1,248	1,429	1,738	2,300	2,814	3,612	4,323	4,492	3,749	2,230	806	205	43	64	38
9,553	11,466	11,788	13,941	16,719	16,843	18,718	21,710	22,935	20,123	14,832	7,879	2,765	683	125	143	39
6,203	7,425	7,721	9,121	10,487	10,281	10,664	11,851	12,156	10,384	7,221	3,731	1,246	278	55	97	40
3,350	4,041	4,067	4,820	6,232	6,562	8,054	9,859	10,779	9,739	7,611	4,148	1,519	405	70	46	41
777	1,034	1,143	1,209	1,280	1,052	1,163	1,027	1,013	810	638	315	119	37	9	775	42
655	889	981	1,038	1,091	882	906	762	673	498	348	150	53	20	6	649	43
122	145	162	171	189	170	257	265	340	312	290	165	66	17	3	126	44
5,265	6,146	5,575	5,064	5,334	4,316	4,451	4,055	3,710	2,638	1,941	1,097	688	289	409	511	45
2,813	3,361	3,065	2,801	3,013	2,351	2,467	2,279	2,083	1,436	979	535	275	114	147	303	46
2,452	2,785	2,510	2,263	2,321	1,965	1,984	1,776	1,627	1,202	962	562	413	175	262	208	47
2,664	3,173	2,894	2,641	2,824	2,170	2,249	2,126	1,971	1,381	951	512	269	111	139	297	48
2,403	2,736	2,471	2,222	2,287	1,952	1,962	1,747	1,592	1,173	931	546	395	167	253	207	
30	32	28	23	26	32	28	34	35	33	18	17	5	2	7	4	49
18	24	18	28	26	12	17	24	34	27	31	16	18	8	9	1	
48	54	58	82	131	132	130	116	76	22	10	6	1	1	1	2	50
3	3	4	8	7	1	5	4	1	2							
69	97	83	53	31	17	10	3									51
28	22	17	5	1			1									
2	5	2	2	1				1								52

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CITIES IN REGISTRATION STATES.[1]												
1	Total	500,281	79 683	16,524	7,289	4,686	3,528	111,710	10,724	6,836	10,933	17,992	21,002
2	Males	276,530	45,390	8,872	3,864	2,513	1,858	62,497	5,841	3,634	5,598	9,418	11,696
3	Females	223,751	34,293	7,652	3,425	2,173	1,670	49,213	4,883	3,202	5,335	8,574	9,306
4	White	458,119	73,602	14,922	6,635	4,313	3,244	102,716	9,895	6,118	9,309	15,306	18,012
5	Males	253,241	42,054	8,005	3,528	2,326	1,707	57,620	5,418	3,309	4,825	7,999	10,012
6	Females	204,878	31,548	6,917	3,107	1,987	1,537	45,096	4,477	2,809	4,484	7,307	8,000
7	Native	312,302	73,270	14,779	6,534	4,230	3,146	101,959	9,406	5,596	7,959	11,412	11,975
8	Males	169,557	41,864	7,931	3,477	2,287	1,662	57,221	5,141	3,026	4,108	5,696	6,246
9	Females	142,745	31,406	6,848	3,057	1,943	1,484	44,738	4,265	2,570	3,851	5,716	5,729
10	Both parents native M	77,128	18,200	3,031	1,445	966	754	24,396	2,439	1,549	2,079	2,785	2,992
	Both parents native F	68,389	13,561	2,536	1,307	858	647	18,909	2,069	1,260	1,941	2,896	2,825
11	One or both parents foreign M	74,632	22,087	4,739	1,967	1,284	886	30,963	2,630	1,417	1,875	2,554	2,737
	One or both parents foreign F	60,352	16,652	4,148	1,702	1,055	809	24,366	2,132	1,257	1,760	2,497	2,467
12	Parentage unknown[2] M	17,797	1,577	161	65	37	22	1,862	72	60	154	357	517
	Parentage unknown[2] F	14,004	1,193	164	48	30	28	1,463	64	53	150	323	437
13	Foreign	139,082	143	103	84	74	90	494	464	510	1,297	3,710	5,695
14	Males	78,319	89	53	40	35	42	259	260	277	684	2,152	3,486
15	Females	60,763	54	50	44	39	48	235	204	233	613	1,558	2,209
16	Unknown	6,735	189	40	17	9	8	263	25	12	53	184	342
17	Males	5,365	101	21	11	4	3	140	17	6	33	151	280
18	Females	1,370	88	19	6	5	5	123	8	6	20	33	62
19	Colored	42,162	6,081	1,602	654	373	284	8,994	829	718	1,624	2,686	2,990
20	Males	23,289	3,336	867	336	187	151	4,877	423	325	773	1,419	1,684
21	Females	18,873	2,745	735	318	186	133	4,117	406	393	851	1,267	1,306
22	Negro M	22,020	3,190	834	318	182	142	4,666	402	320	752	1,386	1,625
	Negro F	18,506	2,625	706	304	176	129	3,940	393	386	838	1,231	1,281
23	Indian M	56		2	1		1	4	2	1	5	4	5
	Indian F	32	3			1		4	2	1	4	4	2
24	Chinese M	751	32	6	5	2	5	50	10	3	7	17	30
	Chinese F	79	23	6	3	3		35	2	2	5	2	5
25	Japanese M	446	112	25	12	3	3	155	9	1	8	9	23
	Japanese F	256	94	23	11	6	4	138	9	4	4	30	18
26	Other colored M	16	2					2			1	3	1
	Other colored F												
	RURAL PART OF REGISTRATION STATES.[3]												
27	Total	478,855	77,804	17,081	7,735	4,715	3,247	110,582	10,088	7,803	12,356	16,122	15,689
28	Males	259,890	44,037	9,103	4,078	2,444	1,694	61,356	5,342	4,031	6,224	8,189	8,111
29	Females	218,965	33,767	7,978	3,657	2,271	1,553	49,226	4,746	3,772	6,132	7,933	7,578
30	White	422,657	66,549	14,040	6,479	3,961	2,759	93,788	8,543	6,324	9,500	12,567	12,888
31	Males	231,008	37,755	7,509	3,453	2,070	1,452	52,239	4,599	3,344	4,977	6,560	6,886
32	Females	191,649	28,794	6,531	3,026	1,891	1,307	41,549	3,944	2,980	4,523	6,007	6,002
33	Native	346,799	66,195	13,920	6,404	3,908	2,714	93,141	8,342	6,083	8,928	10,872	10,242
34	Males	184,459	37,558	7,438	3,409	2,045	1,426	51,876	4,486	3,194	4,645	5,419	5,019
35	Females	162,340	28,637	6,482	2,995	1,863	1,288	41,265	3,856	2,889	4,283	5,453	5,223
36	Both parents native M	120,780	27,111	5,505	2,561	1,534	1,073	37,784	3,368	2,410	3,426	3,659	3,334
	Both parents native F	111,344	20,651	4,850	2,352	1,380	975	30,208	2,948	2,211	3,258	3,964	3,653
37	One or both parents foreign M	35,567	9,564	1,750	770	468	314	12,866	1,016	676	974	1,336	1,194
	One or both parents foreign F	29,013	7,332	1,498	586	441	282	10,139	815	596	829	1,071	1,126
38	Parentage unknown[2] M	28,112	883	183	78	43	39	1,226	102	108	245	424	491
	Parentage unknown[2] F	21,983	654	134	57	42	31	918	93	82	196	418	444
39	Foreign	68,283	78	60	31	36	32	237	150	196	492	1,537	2,360
40	Males	40,980	49	36	14	18	16	133	88	119	277	1,020	1,623
41	Females	27,303	29	24	17	18	16	104	62	77	215	517	737
42	Unknown	7,575	276	60	44	17	13	410	51	45	80	158	286
43	Males	5,569	148	35	30	7	10	230	25	31	55	121	244
44	Females	2,006	128	25	14	10	3	180	26	14	25	37	42
45	Colored	56,198	11,255	3,041	1,256	754	488	16,794	1,545	1,479	2,856	3,555	2,801
46	Males	28,882	6,282	1,594	625	374	242	9,117	743	687	1,247	1,629	1,225
47	Females	27,316	4,973	1,447	631	380	246	7,677	802	792	1,609	1,926	1,576
48	Negro M	27,451	5,967	1,524	597	353	224	8,665	694	653	1,189	1,565	1,182
	Negro F	26,403	4,743	1,402	598	364	223	7,330	765	738	1,556	1,874	1,533
49	Indian M	793	162	51	20	17	14	264	45	33	52	50	30
	Indian F	702	121	35	23	10	18	207	34	51	48	37	29
50	Chinese M	301	5				1	6		1		5	3
	Chinese F	17	4					4		1		1	1
51	Japanese M	328	147	19	8	4	3	181	4		6	7	8
	Japanese F	194	105	10	10	6	5	136	3	2	5	14	13
52	Other colored M	9	1					1				2	2
	Other colored F												

[1] Including District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

[2] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
22,499	25,441	26,818	29,167	31,610	32,512	33,562	32,730	30,935	25,744	17,276	8,667	2,964	694	177	288	1
13,271	15,319	16,348	17,814	19,018	18,965	18,820	17,606	15,678	12,314	7,662	3,476	1,072	226	55	202	2
9,228	10,122	10,470	11,353	12,592	13,547	14,742	15,124	15,257	13,430	9,614	5,191	1,892	468	122	86	3
19,598	21,930	23,544	26,329	28,684	30,308	31,548	31,143	29,729	24,945	16,822	8,404	2,828	639	106	206	4
11,604	13,224	14,395	16,127	17,291	17,726	17,729	16,761	15,041	11,911	7,457	3,362	1,028	212	31	159	5
7,994	8,706	9,149	10,202	11,393	12,582	13,819	14,382	14,688	13,034	9,365	5,042	1,800	427	75	47	6
12,411	13,028	14,183	15,076	15,557	17,502	17,472	16,165	14,872	12,752	8,731	4,358	1,489	303	40	56	7
6,930	7,427	8,246	8,709	8,998	9,901	9,710	8,735	7,464	5,895	3,824	1,650	497	93	8	32	8
5,481	5,601	5,937	6,367	6,559	7,601	7,762	7,430	7,408	6,857	4,907	2,708	992	210	32	24	9
3,175	3,207	3,201	3,300	3,446	4,131	4,365	4,609	4,223	3,495	2,341	1,018	306	56	4	11	10
2,731	2,648	2,568	2,665	2,649	3,212	3,604	3,992	4,362	4,304	3,164	1,770	658	131	20	11	
3,111	3,368	4,157	4,293	4,199	4,209	3,659	2,352	1,485	921	461	172	48	8	----	13	11
2,265	2,363	2,775	3,012	3,094	3,355	2,998	2,094	1,630	1,186	692	271	99	32	2	5	
644	852	888	1,116	1,353	1,561	1,686	1,774	1,756	1,479	1,022	460	143	29	4	8	12
485	590	594	690	816	1,034	1,160	1,344	1,416	1,367	1,051	667	235	47	10	8	
6,730	8,291	8,674	10,516	12,365	12,231	13,481	14,574	14,503	11,934	7,907	3,972	1,315	325	64	30	13
4,279	5,270	5,555	6,766	7,619	7,333	7,539	7,714	7,359	5,853	3,552	1,686	525	115	22	14	14
2,451	3,021	3,119	3,750	4,746	4,898	5,942	6,860	7,144	6,081	4,355	2,286	790	210	42	16	15
457	611	687	737	762	575	595	404	354	259	184	74	24	11	2	120	16
395	527	594	652	674	492	480	312	218	163	81	26	6	4	1	113	17
62	84	93	85	88	83	115	92	136	96	103	48	18	7	1	7	18
2,901	3,511	3,274	2,838	2,926	2,204	2,014	1,587	1,206	799	454	263	136	55	71	82	19
1,667	2,095	1,953	1,687	1,727	1,239	1,091	845	637	403	205	114	44	14	24	43	20
1,234	1,416	1,321	1,151	1,199	965	923	742	569	396	249	149	92	41	47	39	21
1,572	1,969	1,849	1,586	1,602	1,128	970	767	596	393	200	112	44	14	24	43	22
1,210	1,401	1,299	1,143	1,189	964	919	735	567	396	247	148	92	41	47	39	
7	7	3	3	1	2	----	4	5	3	----	----	----	----	----	----	23
1	1	3	1	2	1	----	2	1	----	2	1	----	----	----	----	
38	47	46	66	103	97	114	74	35	7	5	2	----	----	----	----	24
2	2	3	5	7	----	4	4	1	----	----	----	----	----	----	----	
48	70	53	31	20	12	7	----	----	----	----	----	----	----	----	----	25
21	12	16	2	1	----	----	1	----	----	----	----	----	----	----	----	
2	2	2	1	1	----	----	----	1	----	----	----	----	----	----	----	26
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
15,905	17,052	16,764	18,065	20,296	24,656	28,900	34,798	39,213	36,948	29,013	15,506	5,619	1,348	518	1,614	27
8,433	9,162	9,330	10,315	11,683	14,183	16,599	19,528	21,544	19,396	14,601	7,489	2,516	556	203	1,099	28
7,472	7,890	7,434	7,750	8,613	10,473	12,301	15,270	17,669	17,552	14,412	8,017	3,103	792	315	515	29
13,541	14,417	14,463	15,839	17,888	22,544	26,463	32,330	36,709	35,109	27,526	14,672	5,067	1,114	180	1,185	30
7,287	7,896	8,218	9,201	10,397	13,071	15,223	18,094	20,098	18,363	13,827	7,068	2,285	456	80	839	31
6,254	6,521	6,245	6,638	7,491	9,473	11,240	14,236	16,611	16,746	13,699	7,604	2,782	658	100	346	32
10,398	10,819	10,893	11,942	13,016	17,455	20,658	24,571	27,618	26,369	20,147	10,524	3,522	730	112	417	33
5,103	5,379	5,665	6,460	7,112	9,733	11,672	13,507	14,846	13,497	9,891	4,899	1,517	277	42	220	34
5,295	5,440	5,228	5,482	5,904	7,722	8,986	11,064	12,772	12,872	10,256	5,625	2,005	453	70	197	35
3,211	3,183	3,226	3,757	4,062	5,588	7,114	8,599	9,286	8,482	6,153	2,969	885	153	11	120	36
3,683	3,685	3,398	3,514	3,616	4,865	5,723	7,325	8,547	8,497	6,808	3,712	1,294	271	34	130	
1,252	1,402	1,561	1,650	1,752	2,228	2,119	1,738	1,477	1,097	740	339	113	21	2	14	37
1,041	1,108	1,176	1,229	1,366	1,591	1,609	1,471	1,318	1,250	750	350	140	24	3	11	
640	794	878	1,053	1,298	1,917	2,439	3,170	4,083	3,918	2,998	1,591	519	103	29	86	38
571	647	654	739	922	1,266	1,654	2,268	2,907	3,125	2,698	1,563	571	158	33	56	
2,823	3,175	3,114	3,425	4,354	4,612	5,237	7,136	8,432	8,189	6,925	3,907	1,450	358	61	113	39
1,924	2,155	2,166	2,355	2,868	2,948	3,125	4,137	4,797	4,531	3,669	2,045	721	163	33	83	40
899	1,020	948	1,070	1,486	1,664	2,112	2,999	3,635	3,658	3,256	1,862	729	195	28	30	41
320	423	456	472	518	477	568	623	659	551	454	241	95	26	7	655	42
260	362	387	386	417	390	426	450	455	335	267	124	47	16	5	536	43
60	61	69	86	101	87	142	173	204	216	187	117	48	10	2	119	44
2,364	2,635	2,301	2,226	2,408	2,112	2,437	2,468	2,504	1,839	1,487	834	552	234	338	429	45
1,146	1,266	1,112	1,114	1,286	1,112	1,376	1,434	1,446	1,033	774	421	231	100	123	260	46
1,218	1,369	1,189	1,112	1,122	1,000	1,061	1,034	1,058	806	713	413	321	134	215	169	47
1,092	1,204	1,045	1,055	1,222	1,042	1,279	1,359	1,375	988	751	400	225	97	115	254	48
1,193	1,335	1,172	1,079	1,098	988	1,043	1,012	1,025	777	684	398	303	126	206	168	
23	25	25	20	25	30	28	30	30	30	18	17	5	2	7	4	49
17	23	15	27	24	11	17	22	33	27	29	15	18	8	9	1	
10	7	12	16	28	35	66	42	41	15	5	4	1	1	1	2	50
1	1	1	3	----	1	1	----	----	2	----	----	----	----	----	----	
21	27	30	22	11	5	3	3	----	----	----	----	----	----	----	----	51
7	10	1	3	----	----	----	----	----	----	----	----	----	----	----	----	
----	3	----	1	----	----	----	----	----	----	----	----	----	----	----	----	52
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	

[3] The term "rural" embraces the area outside of municipalities of 10,000 inhabitants or more in 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES IN NONREGISTRATION STATES.[1]												
1	Total	87,575	13,537	4,033	1,869	1,119	858	21,416	2,258	1,447	2,390	4,017	4,544
2	Males	48,668	7,524	2,152	961	606	445	11,688	1,225	776	1,132	2,013	2,461
3	Females	38,907	6,013	1,881	908	513	413	9,728	1,033	671	1,258	2,004	2,083
4	White	68,563	11,227	3,304	1,549	928	721	17,729	1,899	1,107	1,519	2,548	3,044
5	Males	38,466	6,295	1,749	796	514	330	9,734	1,039	600	726	1,290	1,669
6	Females	30,097	4,932	1,555	753	414	341	7,995	860	507	793	1,258	1,375
7	Native	46,934	11,103	3,227	1,507	897	692	17,426	1,786	988	1,298	1,938	2,102
8	Males	25,678	6,238	1,714	781	496	362	9,591	981	540	633	952	1,112
9	Females	21,256	4,865	1,513	726	401	330	7,835	805	448	665	986	990
10	Both parents native (M)	10,749	2,574	618	314	198	150	3,854	421	275	336	428	519
	Both parents native (F)	9,330	1,942	549	287	224	137	3,139	364	222	331	452	461
11	One or both parents foreign (M)	11,277	3,401	1,051	454	284	201	5,401	531	247	255	436	477
	One or both parents foreign (F)	9,259	2,705	942	425	126	191	4,389	426	210	301	438	412
12	Parentage unknown[2] (M)	3,652	263	35	13	14	11	336	29	18	42	88	116
	Parentage unknown[2] (F)	2,667	218	22	14	51	2	307	15	16	33	96	117
13	Foreign	20,430	67	68	40	30	28	233	108	115	213	580	886
14	Males	11,836	28	28	15	18	18	107	55	60	88	312	512
15	Females	8,594	39	40	25	12	10	126	53	55	125	268	374
16	Unknown	1,199	57	9	2	1	1	70	5	4	8	30	56
17	Males	952	29	7				36	3		5	26	45
18	Females	247	28	2	2	1	1	34	2	4	3	4	11
19	Colored	19,012	2,310	729	320	191	137	3,687	359	340	871	1,469	1,500
20	Males	10,202	1,229	403	165	92	65	1,954	186	176	406	723	792
21	Females	8,810	1,081	326	155	99	72	1,733	173	164	465	746	708
22	Negro (M)	10,087	1,226	403	164	92	64	1,949	185	175	405	720	783
	Negro (F)	8,795	1,079	324	154	99	72	1,728	172	164	464	743	706
23	Indian (M)	5										1	
	Indian (F)	2											1
24	Chinese (M)	95			1		1	2		1		1	8
	Chinese (F)	6	1					1			1	2	1
25	Japanese (M)	15	3					3	1		1	1	1
	Japanese (F)	7	1	2	1			4	1			1	
26	Other colored (M)												
	Other colored (F)												
	ALL REGISTRATION CITIES.[3]												
27	Total	587,856	93,220	20,557	9,158	5,805	4,386	133,126	12,982	8,283	13,323	22,009	25,546
28	Males	325,198	52,914	11,024	4,825	3,119	2,303	74,185	7,066	4,410	6,730	11,431	14,157
29	Females	262,658	40,306	9,533	4,333	2,686	2,083	58,941	5,916	3,873	6,593	10,578	11,389
30	White	526,682	84,829	18,226	8,184	5,241	3,965	120,445	11,794	7,225	10,828	17,854	21,056
31	Males	291,707	48,349	9,754	4,324	2,840	2,087	67,354	6,457	3,909	5,551	9,289	11,681
32	Females	234,975	36,480	8,472	3,860	2,401	1,878	53,091	5,337	3,316	5,277	8,565	9,375
33	Native	359,236	84,373	18,006	8,041	5,127	3,838	119,385	11,192	6,584	9,257	13,350	14,077
34	Males	195,235	48,102	9,645	4,258	2,783	2,024	66,812	6,122	3,566	4,741	6,648	7,358
35	Females	164,001	36,271	8,361	3,783	2,344	1,814	52,573	5,070	3,018	4,516	6,702	6,719
36	Both parents native (M)	87,877	20,774	3,649	1,759	1,164	904	28,250	2,860	1,824	2,415	3,213	3,511
	Both parents native (F)	77,719	15,503	3,085	1,594	1,082	784	22,048	2,433	1,482	2,272	3,348	3,286
37	One or both parents foreign (M)	85,909	25,438	5,800	2,421	1,568	1,087	36,364	3,161	1,664	2,130	2,990	3,214
	One or both parents foreign (F)	69,611	19,357	5,090	2,127	1,181	1,000	28,755	2,558	1,467	2,061	2,935	2,879
38	Parentage unknown[2] (M)	21,449	1,840	196	78	51	33	2,198	101	78	196	445	633
	Parentage unknown[2] (F)	16,671	1,411	186	62	81	30	1,770	79	69	183	419	554
39	Foreign	159,512	210	171	124	104	118	727	572	625	1,510	4,290	6,581
40	Males	90,155	117	81	55	53	60	366	315	337	772	2,464	3,998
41	Females	69,357	93	90	69	51	58	361	257	288	738	1,826	2,583
42	Unknown	7,934	246	49	19	10	9	333	30	16	61	214	398
43	Males	6,317	130	28	11	4	3	176	20	6	38	177	325
44	Females	1,617	116	21	8	6	6	157	10	10	23	37	73
45	Colored	61,174	8,391	2,331	974	564	421	12,681	1,188	1,058	2,495	4,155	4,490
46	Males	33,491	4,565	1,270	501	279	216	6,831	609	501	1,179	2,142	2,476
47	Females	27,683	3,826	1,061	473	285	205	5,849	579	557	1,316	2,013	2,014
48	Negro (M)	32,107	4,416	1,237	482	274	206	6,615	587	495	1,157	2,106	2,408
	Negro (F)	27,301	3,704	1,030	458	275	201	5,668	565	550	1,302	1,974	1,987
49	Indian (M)	61		2	1		1	4	2	1	5	5	5
	Indian (F)	34	3			1		4	2	1	4	4	3
50	Chinese (M)	846	32	6	6	2	6	52	10	4	7	18	38
	Chinese (F)	85	24	6	3	3		36	2	2	6	4	6
51	Japanese (M)	461	115	25	12	3	3	158	10	1	9	10	24
	Japanese (F)	263	95	25	12	6	4	142	10	4	4	31	18
52	Other colored (M)	16	2					2			1	3	1
	Other colored (F)												

[1] A list of these cities will be found on p. 11.

[2] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
4,564	4,995	5,032	5,210	5,399	5,245	5,034	4,692	4,155	3,198	2,180	1,107	402	110	59	121	1
2,585	2,904	3,021	3,180	3,288	3,190	2,978	2,612	2,214	1,625	993	468	160	44	27	84	2
1,979	2,091	2,011	2,030	2,111	2,055	2,056	2,080	1,941	1,573	1,187	639	242	66	32	37	3
3,150	3,373	3,584	3,882	4,149	4,321	4,234	4,069	3,674	2,872	1,943	991	324	69	17	65	4
1,830	2,021	2,187	2,402	2,584	2,669	2,529	2,263	1,960	1,452	882	417	131	27	9	45	5
1,320	1,352	1,397	1,480	1,565	1,652	1,705	1,806	1,714	1,420	1,061	574	193	42	8	20	6
2,006	2,032	2,081	2,218	2,134	2,328	2,270	1,955	1,687	1,270	846	410	118	19	3	19	7
1,083	1,129	1,191	1,315	1,242	1,400	1,338	1,080	864	619	389	159	39	10	2	9	8
923	903	890	903	892	928	932	875	823	651	457	251	79	9	1	10	9
477	448	456	485	435	545	548	506	420	292	193	89	16	4	----------	2	10
467	433	398	* 363	358	359	399	409	397	336	245	142	45	4	----------	6	
458	474	513	556	511	504	409	217	140	90	34	17	3	1	1	2	11
314	342	353	394	369	398	314	218	173	115	62	21	8	1	----------	1	
148	207	222	274	296	351	381	357	304	237	162	53	20	5	1	5	12
142	128	139	146	165	171	219	248	253	200	150	88	26	4	1	3	
1,067	1,251	1,366	1,544	1,890	1,883	1,850	2,023	1,924	1,565	1,077	572	203	48	14	18	13
689	811	881	986	1,238	1,174	1,099	1,107	1,052	809	480	252	90	16	7	11	14
378	440	485	558	652	709	751	916	872	756	597	320	113	32	7	7	15
77	90	137	120	125	110	114	91	63	37	20	9	3	2	----------	28	16
58	81	115	101	104	95	92	76	44	24	13	6	2	1	----------	25	17
19	9	22	19	21	15	22	15	19	13	7	3	1	1	----------	3	18
1,414	1,622	1,448	1,328	1,250	924	800	623	481	326	237	116	78	41	42	56	19
755	883	834	778	704	521	449	349	254	173	111	51	29	17	18	39	20
659	739	614	550	546	403	351	274	227	153	126	65	49	24	24	17	21
747	875	826	769	694	506	434	337	249	172	109	50	29	17	18	38	22
659	739	613	549	546	403	351	273	227	153	126	65	49	24	24	17	
----------	3	----------	----------	1	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	23
----------	----------	----------	----------	----------	----------	----------	1	----------	----------	----------	----------	----------	----------	----------	----------	
5	2	6	9	9	15	15	12	5	1	2	1	----------	----------	----------	1	24
3	3	2	1	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	25
----------	----------	1	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	26
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	
27,063	30,436	31,850	34,377	37,009	37,757	38,596	37,422	35,090	28,942	19,456	9,774	3,366	804	236	409	27
15,856	18,223	19,369	20,994	22,306	22,155	21,798	20,218	17,892	13,939	8,655	3,944	1,232	270	82	286	28
11,207	12,213	12,481	13,383	14,703	15,602	16,798	17,204	17,198	15,003	10,801	5,830	2,134	534	154	123	29
22,748	25,303	27,128	30,211	32,833	34,629	35,782	35,212	33,403	27,817	18,765	9,395	3,152	708	123	271	30
13,434	15,245	16,532	18,529	19,875	20,395	20,258	19,024	17,001	13,363	8,339	3,779	1,159	239	40	204	31
9,314	10,058	10,546	11,682	12,958	14,234	15,524	16,188	16,402	14,454	10,426	5,616	1,993	469	83	67	32
14,417	15,060	16,264	17,294	17,691	19,830	19,742	18,120	16,559	14,022	9,577	4,768	1,607	322	43	75	33
8,013	8,556	9,437	10,024	10,240	11,301	11,048	9,815	8,328	6,514	4,213	1,809	536	103	10	41	34
6,404	6,504	6,827	7,270	7,451	8,529	8,694	8,305	8,231	7,508	5,364	2,959	1,071	219	33	34	35
3,652	3,655	3,657	3,785	3,881	4,676	4,913	5,115	4,643	3,787	2,534	1,107	322	60	4	13	36
3,198	3,081	2,966	3,028	3,007	3,571	4,003	4,401	4,759	4,640	3,409	1,912	703	135	20	17	
3,569	3,842	4,670	4,849	4,710	4,713	4,068	2,569	1,625	1,011	495	189	51	9	1	15	37
2,579	2,705	3,128	3,406	3,463	3,753	3,312	2,312	1,803	1,301	754	292	107	33	2	6	
792	1,059	1,110	1,390	1,649	1,912	2,067	2,131	2,060	1,716	1,184	513	163	34	5	13	38
627	718	733	836	981	1,205	1,379	1,592	1,669	1,567	1,201	755	261	51	11	11	
7,797	9,542	10,040	12,060	14,255	14,114	15,331	16,597	16,427	13,499	8,984	4,544	1,518	373	78	48	39
4,968	6,081	6,436	7,752	8,857	8,507	8,638	8,821	8,411	6,662	4,032	1,938	615	131	29	25	40
2,829	3,461	3,604	4,308	5,398	5,607	6,693	7,776	8,016	6,837	4,952	2,606	903	242	49	23	41
534	701	824	857	887	685	709	495	417	296	204	83	27	13	2	148	42
453	608	709	753	778	587	572	388	262	187	94	32	8	5	1	138	43
81	93	115	104	109	98	137	107	155	109	110	51	19	8	1	10	44
4,315	5,133	4,722	4,166	4,176	3,128	2,814	2,210	1,687	1,125	691	379	214	96	113	138	45
2,422	2,978	2,787	2,465	2,431	1,760	1,540	1,194	891	576	316	165	73	31	42	82	46
1,893	2,155	1,935	1,701	1,745	1,368	1,274	1,016	796	549	375	214	141	65	71	56	47
2,319	2,844	2,675	2,355	2,296	1,634	1,404	1,104	845	565	309	162	73	31	42	81	48
1,869	2,140	1,912	1,692	1,735	1,367	1,270	1,008	794	549	373	213	141	65	71	56	
7	10	3	3	2	2	----------	4	5	3	----------	----------	----------	----------	----------	----------	49
1	1	3	1	2	1	----------	3	1	----------	2	1	----------	----------	----------	----------	
43	49	52	75	112	112	129	86	40	8	7	3	----------	----------	----------	1	50
2	2	3	6	7	----------	4	4	1	----------	----------	----------	----------	----------	----------	----------	
51	73	55	31	20	12	7	----------	----------	----------	----------	----------	----------	----------	----------	----------	51
21	12	17	2	1	----------	----------	1	----------	----------	----------	----------	----------	----------	----------	----------	
2	2	2	1	1	----------	----------	----------	1	----------	----------	----------	----------	----------	----------	----------	52
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	

[1]Including District of Columbia and municipalities of 10 000 inhabitants or more in 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES.												
	CALIFORNIA.												
1	Total	41,809	4,081	765	447	271	214	5,778	678	518	743	1,314	1,689
2	Males	25,322	2,266	424	238	163	111	3,202	383	275	408	731	1,016
3	Females	16,487	1,815	341	209	108	103	2,576	295	243	335	583	673
4	White	39,244	3,603	681	396	246	192	5,118	628	489	685	1,213	1,563
5	Males	23,541	1,997	373	209	151	95	2,825	350	264	379	677	947
6	Females	15,703	1,606	308	187	95	97	2,293	278	225	306	536	616
7	Native	25,801	3,532	664	379	241	184	5,050	581	416	578	912	997
8	Males	14,683	1,985	365	202	148	92	2,792	319	220	322	477	542
9	Females	11,118	1,597	299	177	93	92	2,258	262	196	256	435	455
10	Both parents native (M)	6,151	980	161	82	72	41	1,336	171	124	185	227	235
	Both parents native (F)	5,068	737	139	95	51	46	1,068	134	109	141	217	203
11	One or both parents foreign (M)	4,462	930	193	115	73	49	1,360	138	82	113	179	173
	One or both parents foreign (F)	3,633	808	150	78	40	43	1,119	122	79	97	157	179
12	Parentage unknown [1] (M)	4,070	75	11	5	3	2	96	10	14	24	71	134
	Parentage unknown [1] (F)	2,417	52	10	4	2	3	71	6	8	18	61	73
13	Foreign	12,406	16	15	16	5	8	60	46	72	106	280	512
14	Males	7,938	8	8	6	3	3	28	31	44	57	185	353
15	Females	4,468	8	7	10	2	5	32	15	28	49	95	159
16	Unknown	1,037	5	2	1	.....	.....	8	1	1	1	21	54
17	Males	920	4	.....	1	.....	.....	5	.....	.....	.....	15	52
18	Females	117	1	2	.....	.....	.....	3	1	1	1	6	2
19	Colored	2,565	478	84	51	25	22	660	50	29	58	101	126
20	Males	1,781	269	51	29	12	16	377	33	11	29	54	69
21	Females	784	209	33	22	13	6	283	17	18	29	47	57
22	Negro (M)	367	36	6	6	3	4	55	10	4	9	16	21
	Negro (F)	283	24	5	1	1	.....	31	3	3	10	10	25
23	Indian (M)	102	14	5	3	2	2	26	6	4	9	8	5
	Indian (F)	77	13	2	1	1	.....	17	3	8	7	1	4
24	Chinese (M)	751	24	6	3	2	6	41	9	2	4	17	23
	Chinese (F)	76	21	5	2	1	.....	29	2	3	5	3	2
25	Japanese (M)	557	195	34	17	5	4	255	8	1	7	12	20
	Japanese (F)	348	151	21	18	10	6	206	9	4	7	33	26
26	Other colored (M)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	COLORADO.												
27	Total	10,725	1,578	271	130	95	63	2,137	192	171	314	499	652
28	Males	6,328	902	131	73	45	33	1,184	100	91	158	282	378
29	Females	4,397	676	140	57	50	30	953	92	80	156	217	274
30	White	10,424	1,548	264	126	92	63	2,093	190	166	306	486	622
31	Males	6,134	885	129	70	44	33	1,161	99	88	153	275	359
32	Females	4,290	663	135	56	48	30	932	91	78	153	211	263
33	Native	7,785	1,540	260	126	89	62	2,077	184	157	273	400	443
34	Males	4,296	880	128	70	42	33	1,153	94	82	129	208	222
35	Females	3,489	660	132	56	47	29	924	90	75	144	192	221
36	Both parents native (M)	2,132	541	87	47	23	24	722	65	56	73	99	108
	Both parents native (F)	1,934	430	90	38	30	19	607	62	49	101	112	124
37	One or both parents foreign (M)	1,090	292	38	22	17	9	378	24	23	40	67	62
	One or both parents foreign (F)	852	205	40	15	16	10	286	25	20	33	54	64
38	Parentage unknown [1] (M)	1,074	47	3	1	2	.....	53	5	3	16	42	52
	Parentage unknown [1] (F)	703	25	2	3	1	.....	31	3	6	10	26	33
39	Foreign	2,244	3	3	.....	3	1	10	5	8	26	79	155
40	Males	1,516	3	1	.....	2	.....	6	4	5	17	61	117
41	Females	728	.....	2	.....	1	1	4	1	3	9	18	38
42	Unknown	395	5	1	.....	.....	.....	6	1	1	7	7	24
43	Males	322	2	.....	.....	.....	.....	2	1	1	7	6	20
44	Females	73	3	1	.....	.....	.....	4	.....	.....	.....	1	4
45	Colored	301	30	7	4	3	.....	44	2	5	8	13	30
46	Males	194	17	2	3	1	.....	23	1	3	5	7	19
47	Females	107	13	5	1	2	.....	21	1	2	3	6	11
48	Negro (M)	151	6	1	2	1	.....	10	1	3	4	5	16
	Negro (F)	95	7	3	.....	2	.....	12	1	2	3	5	10
49	Indian (M)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1
	Indian (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
50	Chinese (M)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
51	Japanese (M)	33	11	1	1	.....	.....	13	.....	.....	1	.....	2
	Japanese (F)	10	6	2	1	.....	.....	9	.....	.....	.....	.....	.....
52	Other colored (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,976	2,249	2,268	2,463	2,780	2,830	3,125	3,152	3,319	3,011	2,234	1,178	376	83	30	15	1
1,253	1,444	1,438	1,607	1,855	1,824	2,035	1,988	1,977	1,717	1,256	640	194	46	18	15	2
723	805	830	856	925	1,006	1,090	1,164	1,342	1,294	978	538	182	37	12	.....	3
1,825	2,067	2,100	2,334	2,603	2,672	2,900	3,007	3,225	2,972	2,209	1,158	366	77	19	14	4
1,158	1,310	1,314	1,510	1,712	1,686	1,840	1,862	1,897	1,686	1,238	627	191	43	11	14	5
667	757	786	824	891	986	1,060	1,145	1,328	1,286	971	531	175	34	8	.....	6
1,182	1,238	1,291	1,462	1,506	1,660	1,708	1,672	1,763	1,618	1,254	672	203	31	6	1	7
669	715	734	881	916	975	1,021	986	1,003	911	707	364	108	16	4	1	8
513	523	557	581	590	685	687	686	760	707	547	308	95	15	2	.....	9
286	247	246	312	323	385	422	400	408	363	284	144	48	5	.....	.....	10
246	223	224	228	247	294	277	287	344	344	269	164	43	4	2	.....	
215	252	273	309	294	276	265	196	136	95	69	25	8	3	1	.....	11
186	194	209	219	198	221	189	146	115	104	58	28	11	2	.....	.....	
168	216	215	260	299	314	334	390	459	453	354	195	52	8	3	1	12
81	106	124	134	145	170	221	253	301	259	220	116	41	9	.....	.....	
588	723	699	760	975	929	1,077	1,254	1,395	1,311	928	474	157	45	13	2	13
440	495	482	523	677	635	716	804	839	745	509	259	81	26	7	2	14
148	228	217	237	298	294	361	450	556	566	419	215	76	19	6	.....	15
55	106	110	112	122	83	115	81	67	43	27	12	6	1	.....	11	16
49	100	98	106	119	76	103	72	55	30	22	4	2	1	.....	11	17
6	6	12	6	3	7	12	9	12	13	5	8	4	.....	.....	.....	18
151	182	168	129	177	158	225	145	94	39	25	20	10	6	11	1	19
95	134	124	97	143	138	195	126	80	31	18	13	3	3	7	1	20
56	48	44	32	34	20	30	19	14	8	7	7	7	3	4	.....	21
20	31	30	23	33	23	30	26	15	7	6	4	1	1	2	.....	22
27	26	24	17	25	15	22	13	10	4	5	4	5	2	2	.....	
7	3	3	2	4	3	4	2	1	3	3	3	1	1	4	.....	23
1	3	2	3	3	4	3	2	3	3	2	3	2	1	2	.....	
24	34	32	35	81	97	153	95	64	21	9	6	1	1	1	1	24
3	2	3	8	5	1	5	3	1	1	.....	.....	.....	.....	.....	.....	
44	64	59	36	25	15	8	3	.....	.....	.....	.....	.....	.....	.....	.....	25
25	17	15	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
625	627	556	515	605	676	691	722	629	502	354	182	34	13	6	23	27
391	407	336	324	380	426	453	436	364	283	192	97	14	6	4	22	28
234	220	220	191	225	250	238	286	265	219	162	85	20	7	2	1	29
598	589	526	495	589	661	677	711	618	494	349	181	34	12	5	22	30
373	382	316	310	370	412	441	430	357	278	188	97	14	6	4	21	31
225	207	210	185	219	249	236	281	261	216	161	84	20	6	1	1	32
412	394	356	339	372	419	417	463	364	314	235	125	27	7	4	3	33
223	227	195	205	220	250	252	273	194	169	118	61	12	3	3	3	34
189	167	161	134	152	169	165	190	170	145	117	64	15	4	1	.....	35
97	110	99	93	78	105	94	119	69	68	50	20	6	.....	1	.....	36
111	96	82	67	67	78	64	75	82	68	51	29	8	1	.....	.....	
66	60	44	46	65	52	59	40	28	15	14	3	1	2	.....	1	37
44	34	39	28	37	38	51	32	26	9	25	6	.....	1	.....	.....	
60	57	52	66	77	93	99	114	97	86	54	38	5	1	2	2	38
34	37	40	39	48	53	50	83	62	68	41	29	7	2	1	.....	
155	165	141	128	186	209	222	211	218	161	98	53	5	5	.....	4	39
127	128	96	81	125	135	156	128	134	96	58	34	1	3	.....	4	40
28	37	45	47	61	74	66	83	84	65	40	19	4	2	.....	.....	41
31	30	29	28	31	33	38	37	36	19	16	3	2	.....	1	15	42
23	27	25	24	25	27	33	29	29	13	12	2	1	.....	1	14	43
8	3	4	4	6	6	5	8	7	6	4	1	1	.....	.....	1	44
27	38	30	20	16	15	14	11	11	8	5	1	.....	1	1	1	45
18	25	20	14	10	14	12	6	7	5	4	.....	.....	.....	.....	1	46
9	13	10	6	6	1	2	5	4	3	1	1	.....	1	1	.....	47
14	23	12	12	9	11	10	5	6	5	4	.....	.....	.....	.....	1	48
9	12	10	6	6	1	2	5	4	3	1	1	.....	1	1	.....	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	50
4	2	7	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	CONNECTICUT.												
1	Total	20,819	3,514	659	296	189	121	4,779	430	270	381	612	733
2	Males	11,557	1,990	359	174	94	56	2,673	236	149	218	344	425
3	Females	9,262	1,524	300	122	95	65	2,106	194	121	163	268	308
4	White	20,247	3,432	637	286	182	117	4,654	422	262	356	579	694
5	Males	11,229	1,942	349	167	93	53	2,604	230	143	204	326	401
6	Females	9,018	1,490	288	119	89	64	2,050	192	119	152	253	293
7	Native	13,569	3,415	630	283	178	113	4,619	399	238	291	352	378
8	Males	7,357	1,930	345	165	90	53	2,583	220	132	168	191	208
9	Females	6,212	1,485	285	118	88	60	2,036	179	106	123	161	170
10	Both parents native	M 2,726	515	75	31	19	14	654	61	48	65	74	81
		F 2,606	431	67	28	23	19	568	55	24	35	60	59
11	One or both parents foreign	M 3,653	1,367	283	131	69	39	1,869	156	81	100	105	110
		F 2,801	1,027	218	90	64	41	1,440	121	79	82	89	91
12	Parentage unknown[1]	M 978	48	7	3	2	.....	60	3	3	3	12	17
		F 805	27	.....	.....	1	.....	28	3	3	6	12	20
13	Foreign	6,305	8	6	3	4	3	24	22	24	63	222	306
14	Males	3,598	5	4	2	3	.....	14	10	11	34	132	185
15	Females	2,707	3	2	1	1	3	10	12	13	29	90	121
16	Unknown	373	9	1	.....	.....	1	11	1	.....	2	5	10
17	Males	274	7	.....	.....	.....	.....	7	.....	.....	2	3	8
18	Females	99	2	1	.....	.....	1	4	1	.....	.....	2	2
19	Colored	572	82	22	10	7	4	125	8	8	25	33	39
20	Males	328	48	10	7	1	3	69	6	6	14	18	24
21	Females	244	34	12	3	6	1	56	2	2	11	15	15
22	Negro	M 322	47	10	7	1	3	68	6	6	14	18	24
		F 243	34	12	3	6	1	56	2	2	10	15	15
23	Indian	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F 1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
24	Chinese	M 5	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese	M 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	INDIANA.												
27	Total	39,736	5,419	1,243	528	347	231	7,768	819	663	1,016	1,302	1,332
28	Males	21,527	3,109	667	281	171	122	4,350	442	358	500	685	697
29	Females	18,209	2,310	576	247	176	109	3,418	377	305	516	617	635
30	White	37,899	5,223	1,188	509	324	220	7,464	774	616	932	1,202	1,215
31	Males	20,473	3,007	637	274	158	118	4,194	420	335	455	619	628
32	Females	17,426	2,216	551	235	166	102	3,270	354	281	477	583	587
33	Native	33,505	5,221	1,184	507	323	220	7,455	765	601	904	1,111	1,090
34	Males	17,775	3,006	634	272	157	118	4,187	415	324	438	549	531
35	Females	15,730	2,215	550	235	166	102	3,268	350	277	466	562	559
36	Both parents native	M 12,114	2,460	505	220	131	99	3,415	364	284	359	440	404
		F 10,950	1,820	432	194	133	83	2,662	299	236	402	465	432
37	One or both parents foreign	M 2,673	476	122	45	26	16	685	44	31	52	71	83
		F 2,256	367	110	39	30	14	560	46	36	49	55	76
38	Parentage unknown[1]	M 2,988	70	7	7	.....	3	87	7	9	27	38	44
		F 2,524	28	8	2	3	5	46	5	5	15	42	51
39	Foreign	4,066	1	3	1	1	.....	6	8	12	26	84	116
40	Males	2,457	1	3	1	1	.....	6	5	9	16	66	89
41	Females	1,609	.....	.....	.....	.....	.....	.....	3	3	10	18	27
42	Unknown	328	1	1	1	.....	.....	3	1	3	2	7	9
43	Males	241	.....	.....	1	.....	.....	1	.....	2	1	4	8
44	Females	87	1	1	.....	.....	.....	2	1	1	1	3	1
45	Colored	1,837	196	55	19	23	11	304	45	47	84	100	117
46	Males	1,054	102	30	7	13	4	156	22	23	45	66	69
47	Females	783	94	25	12	10	7	148	23	24	39	34	48
48	Negro	M 1,054	102	30	7	13	4	156	22	23	45	66	69
		F 783	94	25	12	10	7	148	23	24	39	34	48
49	Indian	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
795	950	995	1,120	1,191	1,255	1,375	1,466	1,436	1,272	916	572	195	38	14	24	1
500	619	624	727	725	712	763	779	749	586	399	235	66	7	3	18	2
295	331	371	393	466	543	612	687	687	686	517	337	129	31	11	6	3
768	904	956	1,079	1,160	1,228	1,348	1,433	1,408	1,254	911	564	191	38	14	24	4
485	593	602	698	703	700	751	759	730	578	396	233	65	7	3	18	5
283	311	354	381	457	528	597	674	678	676	515	331	126	31	11	6	6
382	461	516	519	520	650	734	763	787	795	597	383	140	29	10	6	7
224	293	312	314	295	368	400	407	410	364	256	158	46	4	1	3	8
158	168	204	205	225	282	334	356	377	431	341	225	94	25	9	3	9
80	86	94	103	93	130	171	229	253	215	159	96	32	2	----	----	10
68	52	81	60	81	107	170	210	250	278	217	149	60	18	4	----	
122	172	184	160	139	169	137	71	33	32	6	6	----	----	----	1	11
73	97	103	112	107	125	106	65	37	42	20	6	3	2	----	1	
22	35	34	51	63	69	92	107	124	117	91	56	14	2	1	2	12
17	19	20	33	37	50	58	81	90	111	104	70	31	5	5	2	
367	419	411	519	595	549	585	647	591	439	293	171	45	8	3	2	13
244	280	266	349	370	310	330	334	300	203	134	71	17	2	1	1	14
123	139	145	170	225	239	255	313	291	236	159	100	28	6	2	1	15
19	24	29	41	45	29	29	23	30	20	21	10	6	1	1	16	16
17	20	24	35	38	22	21	18	20	11	6	4	2	1	1	14	17
2	4	5	6	7	7	8	5	10	9	15	6	4	----	----	2	18
27	46	39	41	31	27	27	33	28	18	5	8	4	----	----	----	19
15	26	22	29	22	12	12	20	19	8	3	2	1	----	----	----	20
12	20	17	12	9	15	15	13	9	10	2	6	3	----	----	----	21
15	26	22	26	20	12	12	20	19	8	3	2	1	----	----	----	22
12	20	17	12	9	15	15	13	9	10	2	6	3	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	23
----	----	----	2	2	----	----	----	----	----	----	----	----	----	----	----	24
----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
1,366	1,446	1,512	1,702	1,916	2,323	2,671	3,091	3,466	3,265	2,368	1,197	399	85	9	20	27
714	794	834	947	1,087	1,316	1,490	1,732	1,832	1,704	1,209	584	193	40	5	14	28
652	652	678	755	829	1,007	1,181	1,359	1,634	1,561	1,159	613	206	45	4	6	29
1,249	1,309	1,368	1,582	1,803	2,214	2,579	3,001	3,393	3,198	2,332	1,174	390	83	6	15	30
635	715	747	884	1,014	1,248	1,448	1,678	1,789	1,665	1,189	567	191	39	3	10	31
614	594	621	698	789	966	1,131	1,323	1,604	1,533	1,143	607	199	44	3	5	32
1,083	1,136	1,163	1,366	1,553	1,953	2,242	2,523	2,832	2,616	1,843	903	296	62	3	5	33
527	584	587	734	834	1,068	1,225	1,389	1,491	1,356	934	430	139	31	1	1	34
556	552	576	632	719	885	1,017	1,134	1,341	1,260	909	473	157	31	2	4	35
378	394	374	454	511	617	701	847	871	807	552	256	72	14	----	----	36
429	403	405	404	449	543	619	679	824	742	567	267	102	17	1	3	
93	107	124	175	176	208	229	185	166	133	63	32	14	2	----	----	37
75	90	93	130	146	159	185	142	151	140	77	25	18	2	----	1	
56	83	89	105	147	243	295	357	454	416	319	142	53	15	1	1	38
52	59	78	98	124	183	213	313	366	378	265	181	37	12	1	----	
152	157	188	194	229	230	302	441	531	554	465	255	91	20	3	2	39
97	117	145	131	161	153	194	264	276	295	242	128	52	7	2	2	40
55	40	43	63	68	77	108	177	255	259	223	127	39	13	1	----	41
14	16	17	22	21	31	35	37	30	28	24	16	3	1	----	8	42
11	14	15	19	19	27	29	25	22	14	13	9	----	1	----	7	43
3	2	2	3	2	4	6	12	8	14	11	7	3	----	----	1	44
117	137	144	120	113	109	92	90	73	67	36	23	9	2	3	5	45
79	79	87	63	73	68	42	54	43	39	20	17	2	1	2	4	46
38	58	57	57	40	41	50	36	30	28	16	6	7	1	1	1	47
79	79	87	63	73	68	42	54	43	39	20	17	2	1	2	4	48
38	58	57	57	40	41	50	36	30	28	16	6	7	1	1	1	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	49
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	50
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	KANSAS.												
1	Total	20,644	2,991	594	306	177	127	4,195	459	354	497	628	626
2	Males	11,476	1,675	320	167	86	68	2,316	254	191	258	316	309
3	Females	9,168	1,316	274	139	91	59	1,879	205	163	239	312	317
4	White	19,261	2,828	544	280	171	120	3,943	434	319	454	557	555
5	Males	10,723	1,587	295	154	86	66	2,188	239	169	241	286	273
6	Females	8,538	1,241	249	126	85	54	1,755	195	150	213	271	282
7	Native	15,943	2,807	536	279	164	118	3,904	421	305	436	512	473
8	Males	8,650	1,572	291	153	83	65	2,164	233	163	234	253	216
9	Females	7,293	1,235	245	126	81	53	1,740	188	142	202	259	257
10	Both parents native	M 5,126	1,275	245	136	72	54	1,782	195	133	184	172	146
		F 4,508	997	200	102	67	41	1,407	145	111	159	187	172
11	One or both parents foreign	M 1,218	221	37	11	9	9	287	32	24	31	53	41
		F 1,109	188	32	20	9	10	259	34	26	23	37	45
12	Parentage unknown[1]	M 2,306	76	9	6	2	2	95	6	6	19	28	29
		F 1,676	50	13	4	5	2	74	9	5	20	35	40
13	Foreign	2,876	5	5	1	4	1	16	10	8	16	37	60
14	Males	1,737	3	2	1	2	.....	8	3	1	5	27	41
15	Females	1,139	2	3	.....	2	1	8	7	7	11	10	19
16	Unknown	442	16	3	.....	3	1	23	3	6	2	8	22
17	Males	336	12	2	.....	1	1	16	3	5	2	6	16
18	Females	106	4	1	.....	2	.....	7	.....	1	.....	2	6
19	Colored	1,383	163	50	26	6	7	252	25	35	43	71	71
20	Males	753	88	25	13	.....	2	128	15	22	17	30	36
21	Females	630	75	25	13	6	5	124	10	13	26	41	35
22	Negro	M 721	83	22	10	.....	1	116	14	21	17	28	34
		F 607	74	24	12	4	3	117	10	11	26	39	35
23	Indian	M 31	5	3	3	.....	1	12	1	1	.....	2	2
		F 23	1	1	1	2	2	7	.....	2	.....	2	.....
24	Chinese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese	M 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	KENTUCKY.												
27	Total	32,723	5,371	1,536	708	410	309	8,334	779	655	1,113	1,459	1,302
28	Males	17,141	3,006	792	334	214	159	4,505	410	329	491	669	623
29	Females	15,582	2,365	744	374	196	150	3,829	369	326	622	790	679
30	White	26,893	4,697	1,363	615	350	264	7,289	680	518	831	1,083	968
31	Males	14,034	2,616	711	284	186	136	3,933	357	256	385	491	452
32	Females	12,859	2,081	652	331	164	128	3,356	323	262	446	592	516
33	Native	25,142	4,669	1,347	612	346	264	7,238	672	511	821	1,059	934
34	Males	13,087	2,606	700	284	183	136	3,909	354	253	380	481	431
35	Females	12,055	2,063	647	328	163	128	3,329	318	258	441	578	503
36	Both parents native	M 10,350	2,483	673	274	178	129	3,737	333	242	342	435	378
		F 9,791	1,964	622	310	156	123	3,175	295	243	406	511	433
37	One or both parents foreign	M 803	40	11	4	2	2	59	8	5	12	18	20
		F 697	37	6	4	2	1	50	8	7	11	27	29
38	Parentage unknown[1]	M 1,934	83	16	6	3	5	113	13	6	26	28	33
		F 1,567	62	19	14	5	4	104	15	8	24	40	41
39	Foreign	1,249	1	2	.....	.....	.....	3	1	1	2	12	15
40	Males	649	.....	2	.....	.....	.....	2	.....	1	1	5	9
41	Females	600	1	.....	.....	.....	.....	1	1	.....	1	7	6
42	Unknown	502	27	14	3	4	.....	48	7	6	8	12	19
43	Males	298	10	9	.....	3	.....	22	3	2	4	5	12
44	Females	204	17	5	3	1	.....	26	4	4	4	7	7
45	Colored	5,830	674	173	93	60	45	1,045	99	137	282	376	334
46	Males	3,107	390	81	50	28	23	572	53	73	106	178	171
47	Females	2,723	284	92	43	32	22	473	46	64	176	198	163
48	Negro	M 3,106	390	81	50	28	23	572	53	73	106	178	171
		F 2,723	284	92	43	32	22	473	46	64	176	198	163
49	Indian	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese	M 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
664	732	685	744	904	1,072	1,276	1,519	1,936	1,894	1,377	740	228	48	19	47	1
313	377	365	381	472	615	775	900	1,168	1,125	784	377	114	18	10	38	2
351	355	320	363	432	457	501	619	768	769	593	363	114	30	9	9	3
606	634	612	669	830	980	1,204	1,438	1,854	1,820	1,346	706	215	39	7	39	4
290	321	322	340	434	565	731	850	1,109	1,075	770	359	110	15	5	31	5
316	313	290	329	396	415	473	588	745	745	576	347	105	24	2	8	6
514	541	517	554	653	767	937	1,085	1,370	1,320	964	487	145	27	4	7	7
230	262	264	267	338	420	555	634	794	763	537	233	71	11	3	5	8
284	279	253	287	315	347	382	451	576	557	427	254	74	16	1	2	9
134	144	157	134	178	215	264	313	322	320	223	80	25	4	----	1	10
156	162	149	178	169	183	202	230	293	282	192	93	31	5	1	1	
56	61	56	61	55	77	103	70	71	58	46	25	9	1	----	1	11
69	55	54	53	64	70	54	58	63	61	53	25	5	1	----	----	
40	57	51	72	105	128	188	251	401	385	268	128	37	6	3	3	12
59	62	50	56	82	94	126	163	220	214	182	136	38	10	----	1	
67	68	70	92	142	174	231	312	441	476	357	212	66	11	3	7	13
37	43	40	57	74	114	146	182	281	295	216	121	35	4	2	5	14
30	25	30	35	68	60	85	130	160	181	141	91	31	7	1	2	15
25	25	25	23	35	39	36	41	43	24	25	7	4	1	----	25	16
23	16	18	16	22	31	30	34	34	17	17	5	4	----	----	21	17
2	9	7	7	13	8	6	7	9	7	8	2	----	1	----	4	18
58	98	73	75	74	92	72	81	82	74	31	34	13	9	12	8	19
23	56	43	41	38	50	44	50	59	50	14	18	4	3	5	7	20
35	42	30	34	36	42	28	31	23	24	17	16	9	6	7	1	21
22	54	41	40	37	50	44	48	58	49	13	17	4	3	5	6	22
35	40	29	34	35	41	27	31	23	22	17	16	7	6	6	----	
1	2	1	1	1	----	----	2	1	1	1	1	----	----	----	1	23
----	2	1	----	1	1	1	----	----	2	----	----	2	----	1	1	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1,284	1,316	1,302	1,381	1,364	1,698	1,767	2,029	2,168	1,921	1,394	719	277	65	48	348	27
633	636	653	747	756	959	1,001	1,105	1,177	982	724	357	120	27	18	219	28
651	680	649	634	608	739	766	924	991	939	670	362	157	38	30	129	29
948	953	970	1,009	1,003	1,384	1,473	1,739	1,905	1,721	1,266	641	239	45	10	220	30
431	443	481	540	544	801	838	949	1,031	872	659	316	101	19	5	130	31
515	510	489	469	459	583	635	790	874	849	607	325	138	26	5	90	32
921	919	929	959	913	1,285	1,335	1,549	1,674	1,464	1,047	533	202	36	9	132	33
413	420	454	506	488	739	756	859	904	740	558	263	87	18	4	70	34
508	499	475	453	425	546	579	690	770	724	489	270	115	18	5	62	35
325	302	331	307	318	475	491	597	617	478	364	167	52	6	2	51	36
412	411	354	323	287	369	398	505	547	504	319	182	64	4	2	47	
30	46	62	101	71	118	86	55	37	30	24	11	7	3	----	----	37
43	31	68	65	59	82	63	48	36	37	13	13	5	1	----	1	
58	72	61	98	99	146	179	207	250	232	170	85	28	9	2	19	38
53	57	53	65	79	95	118	137	187	183	157	75	46	13	3	14	
16	14	20	31	68	72	94	158	192	227	190	94	32	5	----	2	39
12	9	15	19	42	43	55	70	106	114	88	45	11	----	----	2	40
4	5	5	12	26	29	39	88	86	113	102	49	21	5	----	----	41
9	20	21	19	22	27	44	32	39	30	29	14	5	4	1	86	42
6	14	12	15	14	19	27	20	21	18	13	8	3	1	1	58	43
3	6	9	4	8	8	17	12	18	12	16	6	2	3	----	28	44
338	363	332	372	361	314	294	290	263	200	128	78	38	20	38	128	45
202	193	172	207	212	158	163	156	146	110	65	41	19	8	13	89	46
136	170	160	165	149	156	131	134	117	90	63	37	19	12	25	39	47
202	193	172	206	212	158	163	156	146	110	65	41	19	8	13	89	48
136	170	160	165	149	156	131	134	117	90	63	37	19	12	25	39	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	49
----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	50
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	MAINE.												
1	Total	11,667	1,553	223	115	83	55	2,029	180	137	209	268	291
2	Males	6,130	858	126	62	41	30	1,117	101	71	102	139	145
3	Females	5,537	695	97	53	42	25	912	79	66	107	129	146
4	White	11,631	1,551	222	114	83	55	2,025	177	136	207	267	291
5	Males	6,108	856	125	62	41	30	1,114	100	71	101	138	145
6	Females	5,523	695	97	52	42	25	911	77	65	106	129	146
7	Native	9,814	1,541	216	111	78	50	1,996	167	126	181	225	223
8	Males	5,149	848	122	60	40	27	1,097	94	67	88	111	108
9	Females	4,665	693	94	51	38	23	899	73	59	93	114	115
10	Both parents native	M 3,615	502	69	36	29	17	653	49	40	57	68	76
		F 3,459	405	48	28	20	14	515	41	38	58	80	83
11	One or both parents foreign	M 973	331	52	24	10	10	427	44	26	26	38	30
		F 844	274	46	23	17	7	367	31	21	34	33	29
12	Parentage unknown [1]	M 561	15	1	.....	1	.....	17	1	1	5	5	2
		F 362	14	.....	.....	1	2	17	1	.....	1	1	3
13	Foreign	1,670	8	5	3	5	5	26	9	10	24	40	65
14	Males	857	6	2	2	1	3	14	6	4	11	25	34
15	Females	813	2	3	1	4	2	12	3	6	13	15	31
16	Unknown	147	2	1	.....	.....	.....	3	1	.....	2	2	3
17	Males	102	2	1	.....	.....	.....	3	.....	.....	2	2	3
18	Females	45	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
19	Colored	36	2	1	1	.....	.....	4	3	1	2	1	.....
20	Males	22	2	1	.....	.....	.....	3	1	.....	1	1	.....
21	Females	14	.....	.....	1	.....	.....	1	2	1	1	.....	.....
22	Negro	M 14	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
		F 6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Indian	M 7	1	1	.....	.....	.....	2	1	.....	1	.....	.....
		F 8	.....	.....	1	.....	.....	1	2	1	1	.....	.....
24	Chinese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese	M 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MARYLAND.												
27	Total	23,444	4,071	777	292	179	148	5,467	444	360	613	802	900
28	Males	12,638	2,282	412	157	91	71	3,013	236	187	304	390	483
29	Females	10,806	1,789	365	135	88	77	2,454	208	173	309	412	417
30	White	17,192	2,776	489	186	119	93	3,663	286	213	368	479	584
31	Males	9,311	1,561	252	98	61	50	2,022	158	132	190	228	317
32	Females	7,881	1,215	237	88	58	43	1,641	128	81	178	251	267
33	Native	14,398	2,757	487	184	118	92	3,638	285	204	347	427	512
34	Males	7,724	1,554	251	97	61	49	2,012	157	127	176	192	270
35	Females	6,674	1,203	236	87	57	43	1,626	128	77	171	235	242
36	Both parents native	M 5,124	1,226	181	80	45	39	1,571	119	92	143	145	190
		F 4,568	947	175	71	42	28	1,263	108	70	133	166	173
37	One or both parents foreign	M 1,622	276	62	15	14	9	376	35	29	31	33	54
		F 1,408	220	54	15	15	14	318	16	5	31	56	53
38	Parentage unknown [1]	M 978	52	8	2	2	1	65	3	6	2	14	26
		F 698	36	7	1	.....	1	45	4	2	7	13	16
39	Foreign	2,543	4	1	1	1	1	8	1	5	20	48	66
40	Males	1,401	3	1	1	.....	1	6	1	2	13	32	42
41	Females	1,142	1	.....	.....	1	.....	2	.....	3	7	16	24
42	Unknown	251	15	1	1	.....	.....	17	.....	4	1	4	6
43	Males	186	4	.....	.....	.....	.....	4	.....	3	1	4	5
44	Females	65	11	1	1	.....	.....	13	.....	1	.....	.....	1
45	Colored	6,252	1,295	288	106	60	55	1,804	158	147	245	323	316
46	Males	3,327	721	160	59	30	21	991	78	55	114	162	166
47	Females	2,925	574	128	47	30	34	813	80	92	131	161	150
48	Negro	M 3,323	721	160	59	30	21	991	78	55	114	162	166
		F 2,924	574	128	47	30	34	813	80	92	131	161	150
49	Indian	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese	M 4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
296	329	347	483	489	618	780	975	1,184	1,293	949	529	187	53	1	40	1
140	150	171	259	262	370	437	513	639	680	464	230	85	23	----	32	2
156	179	176	224	227	248	343	462	545	613	485	299	102	30	1	8	3
293	327	345	479	487	615	779	974	1,183	1,290	949	527	186	53	1	40	4
137	149	170	258	260	368	436	512	639	677	464	229	85	23	----	32	5
156	178	175	221	227	247	343	462	544	613	485	298	101	30	1	8	6
221	245	259	365	379	496	637	802	970	1,060	811	447	150	44	1	9	7
92	104	123	200	202	299	366	430	519	565	400	197	62	20	----	5	8
129	141	136	165	177	197	271	372	451	495	411	250	88	24	1	4	9
67	65	74	148	137	222	262	337	390	439	311	155	48	16	----	1	10
95	111	94	126	135	159	212	298	379	408	333	203	66	20	1	4	
21	31	29	35	42	49	48	39	41	22	18	3	3	1	----	----	11
29	27	33	28	24	24	35	35	29	34	13	12	6	----	----	----	
4	8	20	17	23	28	56	54	88	104	71	39	11	3	----	4	12
5	3	9	11	18	14	24	39	43	53	65	35	16	4	----	----	
69	73	81	108	100	117	133	160	197	211	124	73	32	9	----	9	13
42	37	42	54	52	67	65	77	109	103	60	28	19	3	----	5	14
27	36	39	54	48	50	68	83	88	108	64	45	13	6	----	4	15
3	9	5	6	8	2	9	12	16	19	14	7	4	----	----	22	16
3	8	5	4	6	2	5	5	11	9	4	4	4	----	----	22	17
----	1	----	2	2	----	4	7	5	10	10	3	----	----	----	----	18
3	2	2	4	2	3	1	1	1	3	----	2	1	----	----	----	19
3	1	1	1	2	2	1	1		3	----	1	----	----	----	----	20
----	1	1	3	----	1	----	----	1	----	----	1	1	----	----	----	21
1	1	1	1	1	2	----	1	----	3	----	1	----	----	----	----	22
----	----	1	3	----	----	----	----	1	----	----	----	1	----	----	----	
2	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	23
----	1	----	----	----	1	----	----	----	----	----	1	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	24
----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
966	1,013	1,074	1,140	1,334	1,342	1,558	1,627	1,638	1,415	978	470	145	51	22	85	27
534	570	634	665	759	772	879	872	852	680	466	202	60	16	7	57	28
432	443	440	475	575	570	679	755	786	735	512	268	85	35	15	28	29
662	668	690	833	942	1,047	1,231	1,373	1,415	1,266	854	424	113	32	5	44	30
367	381	413	493	546	621	687	746	722	600	405	187	47	13	2	34	31
295	287	277	340	396	426	544	627	693	666	449	237	66	19	3	10	32
557	558	580	665	750	839	970	1,038	1,071	952	603	289	77	20	2	14	33
296	317	335	385	424	477	534	563	551	463	276	129	29	4	1	6	34
261	241	245	280	326	362	436	475	520	489	327	160	48	16	1	8	35
189	204	189	220	213	271	307	338	352	307	172	79	18	2	----	3	36
176	160	175	146	198	200	267	300	331	332	216	106	29	12	1	6	
72	90	104	118	136	131	141	112	66	48	27	17	----	1	----	1	37
67	58	55	96	100	110	107	106	102	70	40	14	3	----	----	1	
35	23	42	47	75	75	86	113	133	108	77	33	11	1	1	2	38
18	23	15	38	28	52	62	69	87	87	71	40	16	4	----	1	
90	101	92	151	170	194	241	319	322	298	234	130	36	12	3	2	39
59	55	65	93	104	131	137	172	156	126	122	55	18	9	1	2	40
31	46	27	58	86	63	104	147	166	172	112	75	18	3	2	----	41
15	9	18	17	22	14	20	16	22	16	17	5	----	----	----	28	42
12	9	13	15	18	13	16	11	15	11	7	3	----	----	----	26	43
3	----	5	2	4	1	4	5	7	5	10	2	----	----	----	2	44
304	345	384	307	392	295	327	254	223	149	124	46	32	19	17	41	45
167	189	221	172	213	151	192	126	130	80	61	15	13	3	5	23	46
137	156	163	135	179	144	135	128	93	69	63	31	19	16	12	18	47
167	189	220	171	212	151	191	126	130	80	61	15	13	3	5	23	48
137	156	163	135	179	144	135	128	93	69	63	31	18	16	12	18	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	49
----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	
----	----	1	1	1	----	1	----	----	----	----	----	----	----	----	----	50
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	MASSACHUSETTS.												
1	Total	56,675	9,369	1,796	734	461	395	12,755	1,134	634	926	1,522	1,796
2	Males	29,635	5,353	1,002	370	244	209	7,178	615	350	476	756	967
3	Females	27,040	4,016	794	364	217	186	5,577	519	284	450	766	829
4	White	55,662	9,222	1,747	719	452	381	12,521	1,117	618	896	1,473	1,740
5	Males	29,051	5,269	976	364	239	200	7,048	607	343	459	731	931
6	Females	26,611	3,953	771	355	213	181	5,473	510	275	437	742	809
7	Native	36,647	9,192	1,731	705	440	366	12,434	1,053	553	722	979	948
8	Males	19,175	5,252	965	357	233	191	6,998	570	309	376	490	473
9	Females	17,472	3,940	766	348	207	175	5,436	483	244	346	489	475
10	Both parents native {M	8,128	1,558	237	96	54	48	1,993	170	97	120	180	171
	{F	7,922	1,086	164	105	59	63	1,477	162	86	112	154	145
11	One or both parents foreign {M	9,408	3,470	706	251	174	141	4,742	393	207	248	297	283
	{F	7,830	2,665	586	235	146	111	3,743	311	154	227	316	308
12	Parentage unknown [1] {M	1,639	224	22	10	5	2	263	7	5	8	13	19
	{F	1,720	189	16	8	2	1	216	10	4	7	19	22
13	Foreign	18,577	19	13	14	12	14	72	62	65	171	486	771
14	Males	9,568	11	8	7	6	8	40	36	34	80	234	440
15	Females	9,009	8	5	7	6	6	32	26	31	91	252	331
16	Unknown	438	11	3	.....	.....	1	15	2	.....	3	8	21
17	Males	308	6	3	.....	.....	1	10	1	.....	3	7	18
18	Females	130	5	.....	.....	.....	.....	5	1	.....	.....	1	3
19	Colored	1,013	147	49	15	9	14	234	17	16	30	49	56
20	Males	584	84	26	6	5	9	130	8	7	17	25	36
21	Females	429	63	23	9	4	5	104	9	9	13	24	20
22	Negro {M	536	84	26	6	5	9	130	7	7	16	23	33
	{F	423	62	23	9	4	5	103	9	9	13	24	19
23	Indian {M	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
	{F	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese {M	40	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2
	{F	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
25	Japanese {M	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MICHIGAN.												
27	Total	47,121	7,877	1,425	660	467	356	10,785	1,223	703	1,008	1,587	1,789
28	Males	26,388	4,495	784	377	248	193	6,097	659	366	561	843	988
29	Females	20,733	3,382	641	283	219	163	4,688	564	337	447	744	801
30	White	46,248	7,785	1,392	647	461	352	10,637	1,201	679	978	1,537	1,729
31	Males	25,832	4,433	762	370	242	191	5,998	644	357	546	815	951
32	Females	20,416	3,352	630	277	219	161	4,639	557	322	432	722	778
33	Native	32,017	7,751	1,374	636	446	340	10,547	1,121	612	862	1,131	1,164
34	Males	17,248	4,412	752	364	234	183	5,945	590	322	480	552	561
35	Females	14,769	3,339	622	272	212	157	4,602	531	290	382	579	603
36	Both parents native {M	8,156	2,209	350	169	108	78	2,914	311	164	241	230	215
	{F	7,277	1,681	280	133	103	79	2,276	284	155	180	277	267
37	One or both parents foreign {M	6,726	2,073	385	191	120	101	2,870	270	150	228	285	297
	{F	5,505	1,568	337	135	107	74	2,221	240	133	190	271	286
38	Parentage unknown [1] {M	2,366	130	17	4	6	4	161	9	8	11	37	49
	{F	1,987	90	5	4	2	4	105	7	2	12	31	50
39	Foreign	13,212	20	16	10	13	10	69	69	64	110	366	510
40	Males	7,725	10	9	5	7	6	37	47	33	65	225	348
41	Females	5,487	10	7	5	6	4	32	22	31	45	141	162
42	Unknown	1,019	14	2	1	2	2	21	11	3	6	40	55
43	Males	859	11	1	1	1	2	16	7	2	1	38	42
44	Females	160	3	1	.....	1	.....	5	4	1	5	2	13
45	Colored	873	92	33	13	6	4	148	22	24	30	50	60
46	Males	556	62	22	7	6	2	99	15	9	15	28	37
47	Females	317	30	11	6	.....	2	49	7	15	15	22	23
48	Negro {M	442	45	13	4	3	.....	65	8	5	6	24	35
	{F	237	23	8	4	.....	1	36	3	11	7	15	20
49	Indian {M	109	17	9	3	3	2	34	7	4	8	3	2
	{F	80	7	3	2	.....	1	13	4	4	8	7	3
50	Chinese {M	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,851	2,254	2,532	2,894	3,201	3,560	4,001	4,323	4,309	3,801	2,814	1,604	565	134	29	36	1
1,005	1,241	1,458	1,686	1,765	1,903	2,084	2,225	2,092	1,760	1,194	616	188	35	10	31	2
846	1,013	1,074	1,208	1,436	1,657	1,917	2,098	2,217	2,041	1,620	988	377	99	19	5	3
1,806	2,188	2,457	2,834	3,128	3,502	3,941	4,264	4,272	3,758	2,800	1,593	561	132	26	35	4
972	1,202	1,410	1,651	1,716	1,870	2,048	2,194	2,071	1,736	1,190	614	186	34	8	30	5
834	986	1,047	1,183	1,412	1,632	1,893	2,070	2,201	2,022	1,610	979	375	98	18	5	6
1,005	1,113	1,273	1,349	1,422	1,867	2,077	2,262	2,188	2,124	1,764	1,030	388	79	13	4	7
540	590	722	763	776	1,013	1,104	1,192	1,040	959	735	380	116	23	2	4	8
465	523	551	586	646	854	973	1,070	1,148	1,165	1,029	650	272	56	11	.....	9
193	208	253	272	305	480	575	752	730	711	531	287	81	17	1	1	10
189	207	180	244	243	396	518	647	805	850	757	491	213	39	7	.....	
326	338	424	427	387	410	376	251	139	84	47	18	7	1	.....	3	11
241	277	340	295	332	357	333	254	149	90	68	26	7	2	.....	.....	
21	44	45	64	84	123	153	189	171	164	157	75	28	5	1	.....	12
35	39	31	47	71	101	122	169	194	225	204	133	52	15	4	.....	
780	1,048	1,157	1,450	1,661	1,596	1,813	1,967	2,059	1,612	1,013	548	171	52	13	10	13
417	593	666	858	907	826	908	979	1,021	764	445	229	69	11	6	5	14
363	455	491	592	754	770	905	988	1,038	848	568	319	102	41	7	5	15
21	27	27	35	45	39	51	35	25	22	23	15	2	1	.....	21	16
15	19	22	30	33	31	36	23	10	13	10	5	1	.....	.....	21	17
6	8	5	5	12	8	15	12	15	9	13	10	1	1	.....	.....	18
45	66	75	60	73	58	60	59	37	43	14	11	4	2	3	1	19
33	39	48	35	49	33	36	31	21	24	4	2	2	1	2	1	20
12	27	27	25	24	25	24	28	16	19	10	9	2	1	1	.....	21
28	36	43	29	42	29	31	28	19	23	4	2	2	1	2	1	22
12	27	26	25	24	25	24	28	16	18	9	8	2	1	1	.....	
.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	
5	2	5	6	7	4	4	2	1	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,826	1,912	1,741	1,915	2,171	2,589	2,841	3,393	3,643	3,427	2,605	1,291	442	93	19	118	27
1,084	1,154	1,025	1,122	1,298	1,490	1,700	1,945	1,984	1,789	1,307	657	190	38	6	85	28
742	758	716	793	873	1,099	1,141	1,448	1,659	1,638	1,298	634	252	55	13	33	29
1,768	1,857	1,677	1,851	2,119	2,537	2,806	3,355	3,606	3,400	2,576	1,279	437	87	18	114	30
1,039	1,117	979	1,075	1,264	1,457	1,682	1,921	1,960	1,774	1,292	651	187	36	6	81	31
729	740	698	776	855	1,080	1,124	1,434	1,646	1,626	1,284	628	250	51	12	33	32
1,094	1,081	1,019	1,066	1,213	1,509	1,638	1,819	1,992	1,829	1,330	715	215	31	6	23	33
574	566	536	547	685	826	975	1,007	1,057	917	648	344	88	14	2	12	34
520	515	483	519	528	683	663	812	935	912	682	371	127	17	4	11	35
234	215	213	210	288	363	453	496	548	496	335	172	43	8	1	6	36
217	211	220	229	242	305	330	424	511	474	387	200	75	7	1	5	
274	275	268	254	277	292	299	222	183	137	87	43	12	1	.....	2	37
239	227	200	208	196	242	206	191	173	154	74	41	9	1	1	2	
66	76	55	83	120	171	223	239	326	284	226	129	33	5	1	4	38
64	77	63	82	90	136	127	197	251	284	221	130	43	9	2	4	
599	677	568	685	826	966	1,099	1,467	1,550	1,526	1,211	547	214	55	12	22	39
399	460	358	438	503	577	646	854	853	829	620	300	94	22	4	13	40
200	217	210	247	323	389	453	613	697	697	591	247	120	33	8	9	41
75	99	90	100	80	62	69	69	64	45	35	17	8	1	.....	69	42
66	91	85	90	76	54	61	60	50	28	24	7	5	.....	.....	56	43
9	8	5	10	4	8	8	9	14	17	11	10	3	1	.....	13	44
58	55	64	64	52	52	35	38	37	27	29	12	5	6	1	4	45
45	37	46	47	34	33	18	24	24	15	15	6	3	2	.....	4	46
13	18	18	17	18	19	17	14	13	12	14	6	2	4	1	.....	47
40	34	44	44	32	24	14	15	18	13	13	2	2	1	.....	3	48
12	14	16	11	14	19	13	11	11	11	6	5	1	1	.....	.....	
4	3	2	2	2	8	4	9	6	2	2	4	1	1	.....	1	49
1	4	2	6	4	.....	4	3	2	1	8	1	1	3	1	.....	
1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	MINNESOTA.												
1	Total	23,913	3,694	523	295	239	149	4,900	484	434	667	938	1,037
2	Males	13,630	2,124	282	166	133	68	2,773	269	219	354	502	574
3	Females	10,283	1,570	241	129	106	81	2,127	215	215	313	436	463
4	White	23,500	3,636	506	284	236	145	4,807	472	418	642	915	1,008
5	Males	13,388	2,091	271	162	130	67	2,721	263	213	339	487	558
6	Females	10,112	1,545	235	122	106	78	2,086	209	205	303	428	450
7	Native	13,730	3,623	504	280	233	141	4,781	457	408	590	751	718
8	Males	7,583	2,083	270	159	128	67	2,707	254	209	312	378	363
9	Females	6,147	1,540	234	121	105	74	2,074	203	199	278	373	355
10	Both parents native {M	3,082	1,140	130	79	64	27	1,440	116	78	123	98	94
	{F	2,514	856	110	58	43	37	1,104	105	85	85	98	89
11	One or both parents foreign {M	3,811	897	134	78	62	38	1,209	137	129	180	266	251
	{F	3,128	645	122	61	62	35	925	96	111	188	262	244
12	Parentage unknown [1] {M	690	46	6	2	2	2	58	1	2	9	14	18
	{F	505	39	2	2	.....	2	45	2	3	5	13	22
13	Foreign	9,477	5	2	4	3	4	18	15	9	52	160	278
14	Males	5,541	3	1	3	2	.....	9	9	4	27	105	179
15	Females	3,936	2	1	1	1	4	9	6	5	25	55	94
16	Unknown	293	8	.....	.....	.....	.....	8	.....	1	.....	4	17
17	Males	264	5	.....	.....	.....	.....	5	.....	.....	.....	4	16
18	Females	29	3	.....	.....	.....	.....	3	.....	1	.....	.....	1
19	Colored	413	58	17	11	3	4	93	12	16	25	23	29
20	Males	242	33	11	4	3	1	52	6	6	15	15	16
21	Females	171	25	6	7	.....	3	41	6	10	10	8	13
22	Negro {M	115	6	4	1	.....	.....	11	.....	.....	4	6	11
	{F	59	7	1	1	.....	.....	9	1	1	3	3	8
23	Indian {M	120	25	7	3	3	1	39	6	6	10	9	4
	{F	111	18	5	6	.....	3	32	4	9	7	5	5
24	Chinese {M	6	2	.....	.....	.....	.....	2	.....	.....	1	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	{F	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
26	Other colored {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MISSOURI.												
27	Total	45,625	5,975	1,636	809	493	317	9,230	1,117	794	1,267	1,744	1,864
28	Males	25,613	3,364	897	442	245	169	5,117	575	414	635	876	989
29	Females	20,012	2,611	739	367	248	148	4,113	542	380	632	868	875
30	White	41,300	5,532	1,486	753	444	300	8,515	1,035	713	1,068	1,487	1,567
31	Males	23,152	3,100	812	415	221	161	4,709	540	372	543	738	816
32	Females	18,148	2,432	674	338	223	139	3,806	495	341	525	749	751
33	Native	34,548	5,510	1,478	745	441	298	8,472	1,026	701	1,037	1,391	1,415
34	Males	18,923	3,086	808	407	219	160	4,680	535	364	524	667	709
35	Females	15,625	2,424	670	338	222	138	3,792	491	337	513	724	706
36	Both parents native {M	11,909	2,603	674	344	190	135	3,946	468	312	416	464	495
	{F	10,167	2,063	568	300	191	117	3,239	420	285	414	532	484
37	One or both parents foreign {M	3,346	323	94	43	18	21	499	53	38	68	117	130
	{F	2,498	235	73	30	21	17	376	54	37	52	103	122
38	Parentage unknown [1] {M	3,668	160	40	20	11	4	235	14	14	40	86	84
	{F	2,960	126	29	8	10	4	177	17	15	47	89	100
39	Foreign	5,641	6	3	5	2	2	18	6	11	20	78	110
40	Males	3,398	4	.....	5	1	1	11	2	7	15	56	71
41	Females	2,243	2	3	.....	1	1	7	4	4	5	22	39
42	Unknown	1,111	16	5	3	1	.....	25	3	1	11	18	42
43	Males	831	10	4	3	1	.....	18	3	1	4	15	36
44	Females	280	6	1	.....	.....	.....	7	.....	.....	7	3	6
45	Colored	4,325	443	150	56	49	17	715	82	81	199	257	297
46	Males	2,461	264	85	27	24	8	408	35	42	92	138	173
47	Females	1,864	179	65	29	25	9	307	47	39	107	119	124
48	Negro {M	2,451	263	85	27	24	8	407	35	42	92	138	173
	{F	1,862	179	65	29	25	9	307	47	39	107	118	123
49	Indian {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
50	Chinese {M	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
52	Other colored {M	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,000	988	984	1,044	1,224	1,475	1,502	1,487	1,650	1,587	1,367	738	321	61	14	11	1
593	577	590	601	738	919	950	898	947	856	704	385	142	26	5	8	2
407	411	394	443	486	556	552	589	703	731	663	353	179	35	9	3	3
982	960	965	1,019	1,204	1,460	1,485	1,469	1,637	1,570	1,355	733	318	59	11	11	4
581	555	577	587	725	907	940	887	943	846	697	382	141	26	5	8	5
401	405	388	432	479	553	545	582	694	724	658	351	177	33	6	3	6
603	554	559	556	541	671	569	490	453	416	354	170	71	15	2	1	7
325	298	310	287	306	390	349	293	257	218	187	92	43	5	.....	.....	8
278	256	249	269	235	281	220	197	196	198	167	78	28	10	2	1	9
89	69	71	58	82	101	120	125	121	109	108	54	23	3	.....	.....	10
68	62	56	71	61	93	73	95	107	98	88	50	17	8	1	.....	
217	200	210	193	181	207	171	89	75	48	25	17	6	.....	.....	.....	11
189	166	169	174	144	154	115	69	47	42	20	8	3	1	.....	1	
19	29	29	36	43	32	58	79	61	61	54	21	14	2	.....	.....	12
21	28	24	24	30	34	32	33	42	58	59	20	8	1	1	.....	
357	372	379	438	631	759	891	960	1,167	1,145	993	557	244	44	9	4	13
234	227	241	277	387	487	567	577	671	622	504	286	98	21	5	4	14
123	145	138	161	244	272	324	383	496	523	489	271	146	23	4	.....	15
22	34	27	25	32	30	25	19	17	9	8	6	3	.....	.....	6	16
22	30	26	23	32	30	24	17	15	6	6	4	.....	.....	.....	4	17
.....	4	1	2	.....	.....	1	2	2	3	2	2	3	.....	.....	2	18
18	28	19	25	20	15	17	18	13	17	12	5	3	2	3	.....	19
12	22	13	14	13	12	10	11	4	10	7	3	1	.....	.....	.....	20
6	6	6	11	7	3	7	7	9	7	5	2	2	2	3	.....	21
10	18	10	9	12	9	3	5	1	2	2	1	1	.....	.....	.....	22
4	3	4	8	2	3	4	1	2	1	1	1	.....	.....	.....	.....	
2	4	2	3	1	3	7	6	3	8	5	2	.....	.....	.....	.....	23
2	3	2	3	5	.....	3	6	7	6	4	1	2	2	3	.....	
.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1,894	2,056	2,094	2,163	2,296	2,621	2,846	3,129	3,318	3,070	2,292	1,133	411	75	39	172	27
1,062	1,179	1,229	1,326	1,434	1,622	1,718	1,794	1,855	1,659	1,198	575	187	33	15	121	28
832	877	865	837	862	999	1,128	1,335	1,463	1,411	1,094	558	224	42	24	51	29
1,570	1,697	1,764	1,868	1,990	2,405	2,627	2,944	3,166	2,975	2,208	1,095	387	65	13	141	30
880	960	1,017	1,148	1,250	1,485	1,598	1,681	1,772	1,616	1,152	562	178	31	5	99	31
690	737	747	720	740	920	1,029	1,263	1,394	1,359	1,056	533	209	34	8	42	32
1,384	1,424	1,485	1,555	1,533	1,903	2,039	2,185	2,257	2,116	1,550	733	258	34	9	41	33
753	773	820	924	923	1,127	1,216	1,224	1,244	1,120	800	371	112	12	4	21	34
631	651	665	631	610	776	823	961	1,013	996	750	362	146	22	5	20	35
428	418	363	450	418	525	597	637	677	609	430	191	51	5	1	8	36
394	376	350	307	267	385	404	494	581	559	398	182	77	9	1	9	
205	230	291	294	285	313	270	196	145	113	52	28	12	3	.....	4	37
129	151	197	204	193	213	191	168	113	96	68	14	12	3	.....	2	
120	125	166	180	220	289	349	391	422	398	318	152	49	4	3	9	38
108	124	118	120	150	178	228	299	319	341	284	166	57	10	4	9	
128	211	215	237	366	409	485	677	812	766	602	331	121	26	4	8	39
81	135	146	161	254	279	307	395	459	438	320	178	63	14	1	5	40
47	76	69	76	112	130	178	282	353	328	282	153	58	12	3	3	41
58	62	64	76	91	93	103	82	97	93	56	31	8	5	.....	92	42
46	52	51	63	73	79	75	62	69	58	32	13	3	5	.....	73	43
12	10	13	13	18	14	28	20	28	35	24	18	5	.....	.....	19	44
324	359	330	295	306	216	219	185	152	95	84	38	24	10	26	31	45
182	219	212	178	184	137	120	113	83	43	46	13	9	2	10	22	46
142	140	118	117	122	79	99	72	69	52	38	25	15	8	16	9	47
181	218	212	176	181	137	119	112	83	43	46	13	9	2	10	22	48
142	140	118	117	122	79	99	72	69	52	38	25	15	8	16	9	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
1	.....	.....	2	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	MONTANA.												
1	Total	6,589	1,090	178	90	70	55	1,483	182	124	167	296	367
2	Males	4,372	650	97	55	38	22	862	102	75	89	173	247
3	Females	2,217	440	81	35	32	33	621	80	49	78	123	120
4	White	6,291	1,042	169	85	69	50	1,415	169	118	151	281	349
5	Males	4,194	627	93	53	38	20	831	92	73	78	165	235
6	Females	2,097	415	76	32	31	30	584	77	45	73	116	114
7	Native	4,039	1,034	166	85	66	48	1,399	157	110	130	202	221
8	Males	2,438	622	91	53	36	19	821	86	67	66	101	134
9	Females	1,601	412	75	32	30	29	578	71	43	64	101	87
10	Both parents native (M)	1,085	370	53	31	19	12	485	50	31	34	44	57
	Both parents native (F)	789	249	41	21	17	16	344	38	25	38	41	37
11	One or both parents foreign (M)	836	216	34	21	17	7	295	35	33	24	45	55
	One or both parents foreign (F)	577	147	33	11	13	11	215	31	17	24	47	36
12	Parentage unknown [1] (M)	517	36	4	1			41	1	3	8	12	22
	Parentage unknown [1] (F)	235	16	1			2	19	2	1	2	13	14
13	Foreign	1,768	5	2		3	2	12	10	6	18	56	89
14	Males	1,302	3	1		2	1	7	5	5	9	41	66
15	Females	466	2	1		1	1	5	5	1	9	15	23
16	Unknown	484	3	1				4	2	2	3	23	39
17	Males	454	2	1				3	1	1	3	23	35
18	Females	30	1					1	1	1			4
19	Colored	298	48	9	5	1	5	68	13	6	16	15	18
20	Males	178	23	4	2		2	31	10	2	11	8	12
21	Females	120	25	5	3	1	3	37	3	4	5	7	6
22	Negro (M)	52	1		1			2	1		1	1	6
	Negro (F)	22	2	1				3	1			1	
23	Indian (M)	96	17	4	1		2	24	9	2	10	6	5
	Indian (F)	92	22	3	3	1	3	32	2	4	5	6	4
24	Chinese (M)	19	2					2				1	
	Chinese (F)	4	1					1					1
25	Japanese (M)	10	3					3					
	Japanese (F)	2		1				1					1
26	Other colored (M)	1											1
	Other colored (F)												
	NEW HAMPSHIRE.												
27	Total	7,457	1,049	178	78	60	42	1,407	92	82	118	178	176
28	Males	3,881	594	85	37	31	24	771	40	44	62	91	93
29	Females	3,576	455	93	41	29	18	636	52	38	56	87	83
30	White	7,445	1,047	178	78	60	42	1,405	92	82	118	178	176
31	Males	3,874	593	85	37	31	24	770	40	44	62	91	93
32	Females	3,571	454	93	41	29	18	635	52	38	56	87	83
33	Native	5,635	1,038	172	76	58	40	1,384	84	74	94	120	106
34	Males	2,900	586	81	36	31	23	757	37	41	48	61	49
35	Females	2,735	452	91	40	27	17	627	47	33	46	59	57
36	Both parents native (M)	1,506	225	22	16	14	9	286	18	15	26	23	21
	Both parents native (F)	1,438	163	40	14	10	9	236	21	14	18	27	29
37	One or both parents foreign (M)	738	326	53	18	16	11	424	17	24	18	31	21
	One or both parents foreign (F)	677	260	47	23	16	8	354	24	19	25	28	24
38	Parentage unknown [1] (M)	656	35	6	2	1	3	47	2	2	4	7	7
	Parentage unknown [1] (F)	620	29	4	3	1		37	2		3	4	4
39	Foreign	1,514	2	3	1	2	1	9	6	7	18	49	64
40	Males	794	2	3				5	3	2	10	24	40
41	Females	720			1	2	1	4	3	5	8	25	24
42	Unknown	296	7	3	1		1	12	2	1	6	9	6
43	Males	180	5	1	1		1	8		1	4	6	4
44	Females	116	2	2				4	2		2	3	2
45	Colored	12	2					2					
46	Males	7	1					1					
47	Females	5	1					1					
48	Negro (M)	7	1					1					
	Negro (F)	5	1					1					
49	Indian (M)												
	Indian (F)												
50	Chinese (M)												
	Chinese (F)												
51	Japanese (M)												
	Japanese (F)												
52	Other colored (M)												
	Other colored (F)												

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
434	479	405	367	422	391	346	317	244	240	150	60	25	1	2	87	1
298	349	298	275	302	293	247	216	164	147	97	39	12	.....	1	86	2
136	130	107	92	120	98	99	101	80	93	53	21	13	1	1	1	3
419	461	381	348	408	378	336	304	233	227	144	58	23	1	1	86	4
290	336	282	262	291	281	240	208	156	144	96	37	12	.....	.....	85	5
129	125	99	86	117	97	96	96	77	83	48	21	11	1	1	1	6
217	212	192	152	187	193	172	144	114	112	83	33	7	.....	.....	2	7
121	133	128	98	119	133	121	86	71	66	56	23	6	.....	.....	2	8
96	79	64	54	68	60	51	58	43	46	27	10	1	.....	.....	.....	9
49	37	32	32	42	44	40	26	23	26	22	9	2	.....	.....	.....	10
35	31	30	20	32	23	15	22	20	21	11	5	1	.....	.....	.....	
37	54	57	37	37	43	33	19	15	7	8	2	.....	.....	.....	.....	11
36	31	21	13	24	25	17	20	10	9	.....	1	.....	.....	.....	.....	
35	42	39	29	40	46	48	41	33	33	26	12	4	.....	.....	2	12
25	17	13	21	12	12	19	16	13	16	16	4	.....	.....	.....	.....	
159	197	149	155	173	158	135	143	108	101	55	24	15	1	1	3	13
129	154	116	127	128	122	93	105	75	64	35	13	6	.....	.....	2	14
30	43	33	28	45	36	42	38	33	37	20	11	9	1	1	1	15
43	52	40	41	48	27	29	17	11	14	6	1	1	.....	.....	81	16
40	49	38	37	44	26	26	17	10	14	5	1	.....	.....	.....	81	17
3	3	2	4	4	1	3	.....	1	.....	1	.....	1	.....	.....	.....	18
15	18	24	19	14	13	10	13	11	13	6	2	2	.....	1	1	19
8	13	16	13	11	12	7	8	8	3	1	2	.....	.....	1	1	20
7	5	8	6	3	1	3	5	3	10	5	.....	2	.....	.....	.....	21
5	5	7	8	4	4	2	2	3	.....	.....	.....	.....	.....	.....	1	22
4	1	4	3	1	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	
1	5	8	3	5	6	1	2	2	3	1	2	.....	.....	1	.....	23
3	4	4	3	1	1	2	5	1	8	5	.....	2	.....	.....	.....	
1	1	.....	2	.....	1	4	4	3	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
1	2	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
200	221	238	317	334	410	537	689	710	682	556	300	121	35	2	52	27
94	119	130	180	192	239	276	372	346	324	273	140	44	8	.....	43	28
106	102	108	137	142	171	261	317	364	358	283	160	77	27	2	9	29
199	221	236	315	334	410	535	688	710	682	555	300	121	35	2	51	30
94	119	128	178	192	239	274	372	346	324	273	140	44	8	.....	43	31
105	102	108	137	142	171	261	316	364	358	282	160	77	27	2	8	32
130	141	149	200	205	272	368	474	520	496	446	233	98	29	2	10	33
54	70	75	105	121	160	190	261	255	245	215	104	38	6	.....	8	34
76	71	74	95	84	112	178	213	265	251	231	129	60	23	2	2	35
23	38	34	49	68	85	115	167	165	161	131	54	22	2	.....	3	36
37	41	46	60	34	61	106	134	156	144	140	81	38	14	1	.....	
22	21	30	28	16	29	18	12	8	9	4	4	.....	.....	.....	2	37
22	16	15	17	23	23	28	24	12	16	2	3	.....	1	.....	1	
9	11	11	28	37	46	57	82	82	75	80	46	16	4	.....	3	38
17	14	13	18	27	28	44	55	97	91	89	45	22	8	1	1	
56	72	78	103	114	118	145	191	157	163	86	50	15	5	.....	8	39
31	44	46	66	58	67	70	99	77	69	42	30	4	1	.....	6	40
25	28	32	37	56	51	75	92	80	94	44	20	11	4	.....	2	41
13	8	9	12	15	20	22	23	33	23	23	17	8	1	.....	33	42
9	5	7	7	13	12	14	12	14	10	16	6	2	1	.....	29	43
4	3	2	5	2	8	8	11	19	13	7	11	6	.....	.....	4	44
1	.....	2	2	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	1	45
.....	.....	2	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	47
.....	.....	2	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	NEW JERSEY.												
1	Total	43,801	7,554	1,462	581	370	293	10,260	856	593	900	1,410	1,575
2	Males	24,045	4,298	798	305	174	135	5,710	469	312	477	739	892
3	Females	19,756	3,256	664	276	196	158	4,550	387	281	423	671	683
4	White	41,093	7,101	1,329	533	349	275	9,587	802	539	805	1,261	1,420
5	Males	22,548	4,033	733	283	162	123	5,334	443	286	430	644	799
6	Females	18,545	3,068	596	250	187	152	4,253	359	253	375	617	621
7	Native	28,208	7,057	1,321	529	347	270	9,524	767	492	673	886	918
8	Males	15,285	4,015	728	282	161	120	5,306	420	257	363	439	496
9	Females	12,923	3,042	593	247	186	150	4,218	347	235	310	447	422
10	Both parents native (M)	7,457	1,541	248	87	63	50	1,989	209	113	168	207	223
	Both parents native (F)	6,716	1,169	184	104	69	52	1,578	151	111	147	221	217
11	One or both parents foreign (M)	6,825	2,388	468	194	98	69	3,217	209	138	185	214	253
	One or both parents foreign (F)	5,459	1,809	396	140	117	93	2,555	193	120	155	214	178
12	Parentage unknown [1] (M)	1,003	86	12	1	.....	1	100	2	6	10	18	20
	Parentage unknown [1] (F)	748	64	13	3	.....	5	85	3	4	8	12	27
13	Foreign	12,461	11	5	4	2	3	25	31	44	129	362	494
14	Males	6,946	7	3	1	1	2	14	21	28	65	195	295
15	Females	5,515	4	2	3	1	1	11	10	16	64	167	199
16	Unknown	424	33	3	.....	.....	2	38	4	3	3	13	8
17	Males	317	11	2	.....	.....	1	14	2	1	2	10	8
18	Females	107	22	1	.....	.....	1	24	2	2	1	3	.....
19	Colored	2,708	453	133	48	21	18	673	54	54	95	149	155
20	Males	1,497	265	65	22	12	12	376	26	26	47	95	93
21	Females	1,211	188	68	26	9	6	297	28	28	48	54	62
22	Negro (M)	1,483	265	65	22	12	12	376	26	26	47	94	93
	Negro (F)	1,211	188	68	26	9	6	297	28	28	48	54	62
23	Indian (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEW YORK.												
27	Total	153,959	22,474	4,738	1,980	1,280	975	31,447	2,863	1,740	2,788	4,564	5,476
28	Males	84,178	12,823	2,461	1,048	706	528	17,566	1,559	912	1,462	2,447	3,075
29	Females	69,781	9,651	2,277	932	574	447	13,881	1,304	828	1,326	2,117	2,401
30	White	149,688	21,790	4,564	1,915	1,246	937	30,452	2,785	1,680	2,654	4,322	5,199
31	Males	81,790	12,459	2,367	1,019	691	506	17,042	1,525	880	1,398	2,315	2,919
32	Females	67,898	9,331	2,197	896	555	431	13,410	1,260	800	1,256	2,007	2,280
33	Native	98,449	21,684	4,518	1,892	1,220	903	30,217	2,646	1,487	2,142	3,053	3,193
34	Males	53,377	12,403	2,346	1,010	680	489	16,928	1,441	769	1,144	1,607	1,751
35	Females	45,072	9,281	2,172	882	540	414	13,289	1,205	718	998	1,446	1,442
36	Both parents native (M)	23,766	5,020	683	335	226	178	6,442	563	339	505	702	773
	Both parents native (F)	21,311	3,695	606	298	192	141	4,932	466	314	442	680	666
37	One or both parents foreign (M)	26,021	7,065	1,623	661	445	306	10,100	869	424	614	866	905
	One or both parents foreign (F)	20,679	5,276	1,528	573	341	272	7,990	728	398	539	725	723
38	Parentage unknown [1] (M)	3,590	318	40	14	9	5	386	9	6	25	39	73
	Parentage unknown [1] (F)	3,082	310	38	11	7	1	367	11	6	17	41	53
39	Foreign	50,045	44	41	19	23	33	160	133	193	509	1,248	1,961
40	Males	27,485	25	19	6	11	17	78	79	111	253	689	1,130
41	Females	22,560	19	22	13	12	16	82	54	82	256	559	831
42	Unknown	1,194	62	5	4	3	1	75	6	.....	3	21	45
43	Males	928	31	2	3	.....	.....	36	5	.....	1	19	38
44	Females	266	31	3	1	3	1	39	1	.....	2	2	7
45	Colored	4,271	684	174	65	34	38	995	78	60	134	242	277
46	Males	2,388	364	94	29	15	22	524	34	32	64	132	156
47	Females	1,883	320	80	36	19	16	471	44	28	70	110	121
48	Negro (M)	2,229	356	93	28	14	21	512	32	29	60	126	147
	Negro (F)	1,838	311	77	35	18	16	457	43	26	67	105	119
49	Indian (M)	48	4	1	.....	1	1	7	1	2	3	3	3
	Indian (F)	35	6	1	.....	.....	.....	7	1	2	3	4	2
50	Chinese (M)	89	3	.....	1	.....	.....	4	.....	1	.....	1	5
	Chinese (F)	4	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....
51	Japanese (M)	17	1	.....	.....	.....	.....	1	1	.....	.....	1	1
	Japanese (F)	6	3	1	1	.....	.....	5	.....	.....	.....	1	.....
52	Other colored (M)	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,759	1,994	2,178	2,406	2,632	2,797	2,967	2,956	2,920	2,622	1,723	884	289	65	6	9	1
1,034	1,213	1,331	1,504	1,618	1,599	1,626	1,537	1,453	1,282	738	362	113	26	2	8	2
725	781	847	902	1,014	1,198	1,341	1,419	1,467	1,340	985	522	176	39	4	1	3
1,616	1,820	1,967	2,244	2,430	2,655	2,829	2,836	2,826	2,556	1,682	867	278	60	4	9	4
951	1,109	1,212	1,409	1,506	1,537	1,549	1,468	1,406	1,249	720	354	110	23	1	8	5
665	711	755	835	924	1,118	1,280	1,368	1,420	1,307	962	513	168	37	3	1	6
947	1,001	1,126	1,238	1,239	1,498	1,534	1,490	1,564	1,518	1,055	532	167	35	2	2	7
552	580	659	755	744	823	836	777	782	741	451	217	70	16	.....	1	8
395	421	467	483	495	675	698	713	782	777	604	315	97	19	2	1	9
255	265	263	334	350	412	484	521	545	542	341	170	53	13	.....	.....	10
205	213	203	211	247	343	404	476	562	602	465	263	78	16	2	1	
274	275	359	365	318	325	268	162	122	86	38	11	5	.....	.....	1	11
171	187	235	246	216	275	236	151	127	104	69	18	7	2	.....	.....	
23	40	37	56	76	86	84	94	115	113	72	36	12	3	.....	.....	12
19	21	29	26	32	57	58	86	93	71	70	34	12	1	.....	.....	
652	796	799	964	1,143	1,124	1,252	1,321	1,238	1,017	614	325	110	25	2	.....	13
384	502	515	619	722	687	679	672	609	496	264	131	40	7	1	.....	14
268	288	284	345	421	437	573	649	629	521	350	194	70	18	1	.....	15
17	29	42	42	48	33	43	25	24	21	13	10	1	.....	.....	7	16
15	27	38	35	40	27	34	19	15	12	5	6	.....	.....	.....	7	17
2	2	4	7	8	6	9	6	9	9	8	4	1	.....	.....	.....	18
143	174	211	162	202	142	138	120	94	66	41	17	11	5	2	.....	19
83	104	119	95	112	62	77	69	47	33	18	8	3	3	1	.....	20
60	70	92	67	90	80	61	51	47	33	23	9	8	2	1	.....	21
82	103	116	93	110	60	77	68	46	33	18	8	3	3	1	.....	22
60	70	92	67	90	80	61	51	47	33	23	9	8	2	1	.....	
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	1	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	26
6,159	7,127	8,062	8,918	9,991	10,318	10,862	11,191	11,065	9,387	6,765	3,544	1,278	293	48	73	27
3,613	4,332	4,961	5,417	5,943	5,917	5,934	5,874	5,575	4,491	2,996	1,431	497	98	20	58	28
2,546	2,795	3,101	3,501	4,048	4,401	4,928	5,317	5,490	4,896	3,769	2,113	781	195	28	15	29
5,831	6,753	7,734	8,608	9,733	10,095	10,704	11,035	10,920	9,295	6,714	3,514	1,256	292	43	69	30
3,410	4,109	4,753	5,237	5,779	5,791	5,848	5,805	5,502	4,435	2,968	1,416	487	98	19	54	31
2,421	2,644	2,981	3,371	3,954	4,304	4,856	5,230	5,418	4,860	3,746	2,098	769	194	24	15	32
3,372	3,707	4,310	4,619	5,029	5,608	5,793	5,721	5,655	5,086	3,813	2,052	759	154	17	16	33
1,895	2,194	2,583	2,661	2,878	3,134	3,200	3,074	2,886	2,381	1,696	812	280	47	8	8	34
1,477	1,513	1,727	1,958	2,151	2,474	2,593	2,647	2,769	2,705	2,117	1,240	479	107	9	8	35
816	905	915	935	1,041	1,263	1,493	1,756	1,840	1,555	1,154	556	178	30	2	3	36
724	670	701	768	818	1,049	1,244	1,510	1,729	1,832	1,467	871	352	65	5	6	
1,004	1,175	1,548	1,552	1,655	1,621	1,419	949	601	387	222	78	29	1	.....	2	37
699	774	929	1,091	1,209	1,229	1,145	824	686	490	302	131	46	19	1	1	
75	114	120	174	182	250	288	369	445	439	320	178	73	16	6	3	38
54	69	97	99	124	196	204	313	354	383	348	238	81	23	3	1	
2,393	2,941	3,299	3,856	4,586	4,389	4,811	5,243	5,194	4,159	2,865	1,443	488	134	26	14	39
1,457	1,821	2,062	2,457	2,801	2,570	2,571	2,684	2,572	2,026	1,255	596	203	50	11	9	40
936	1,120	1,237	1,399	1,785	1,819	2,240	2,559	2,622	2,133	1,610	847	285	84	15	5	41
66	105	125	133	118	98	100	71	71	50	36	19	9	4	.....	39	42
58	94	108	119	100	87	77	47	44	28	17	8	4	1	.....	37	43
8	11	17	14	18	11	23	24	27	22	19	11	5	3	.....	2	44
328	374	328	310	258	223	158	156	145	92	51	30	22	1	5	4	45
203	223	208	180	164	126	86	69	73	56	28	15	10	.....	1	4	46
125	151	120	130	94	97	72	87	72	36	23	15	12	1	4	.....	47
183	212	197	162	139	111	78	66	67	53	28	14	9	.....	1	3	48
121	150	120	130	92	96	72	84	68	35	22	14	12	1	4	.....	
5	.....	2	3	5	2	2	1	3	3	.....	1	1	.....	.....	1	49
4	.....	.....	.....	2	1	.....	2	4	1	1	1	.....	.....	.....	.....	
9	6	7	13	19	13	6	2	3	.....	.....	.....	.....	.....	.....	.....	50
.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
6	4	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd. NORTH CAROLINA.												
1	Total	33,969	7,601	2,460	1,025	489	354	11,929	878	635	1,264	1,582	1,371
2	Males	16,764	4,211	1,294	517	253	183	6,458	449	319	568	681	573
3	Females	17,205	3,390	1,166	508	236	171	5,471	429	316	696	901	798
4	White	20,468	4,481	1,521	686	312	228	7,228	516	305	552	686	628
5	Males	10,188	2,485	820	361	165	125	3,956	276	170	245	292	265
6	Females	10,280	1,996	701	325	147	103	3,272	240	135	307	394	363
7	Native	20,144	4,471	1,515	681	311	223	7,201	514	303	544	674	609
8	Males	9,998	2,481	817	359	164	122	3,943	275	169	238	285	251
9	Females	10,146	1,990	698	322	147	101	3,258	239	134	306	388	358
10	Both parents native (M)	8,781	2,387	796	354	161	115	3,813	265	163	226	263	222
	Both parents native (F)	8,925	1,937	680	317	144	98	3,176	234	129	288	350	335
11	One or both parents foreign (M)	114	11	4	.....	.....	.....	15	1	.....	1	1	2
	One or both parents foreign (F)	99	9	1	3	1	.....	14	1	2	.....	9	5
12	Parentage unknown [1] (M)	1,103	83	17	5	3	7	115	9	6	11	22	27
	Parentage unknown [1] (F)	1,122	44	17	2	2	3	68	4	3	18	29	18
13	Foreign	127	.....	.....	.....	.....	.....	.....	.....	.....	1	8	8
14	Males	81	.....	.....	.....	.....	.....	.....	.....	.....	1	5	5
15	Females	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3
16	Unknown	197	10	6	5	1	5	27	2	2	7	4	11
17	Males	109	4	3	2	1	3	13	1	1	6	1	9
18	Females	88	6	3	3	.....	2	14	1	1	1	3	2
19	Colored	13,501	3,120	939	339	177	126	4,701	362	330	712	896	743
20	Males	6,576	1,726	474	156	88	58	2,502	173	149	323	389	308
21	Females	6,925	1,394	465	183	89	68	2,199	189	181	389	507	435
22	Negro (M)	6,484	1,698	461	154	85	57	2,455	170	149	322	380	304
	Negro (F)	6,854	1,379	453	181	88	68	2,169	186	179	387	503	430
23	Indian (M)	88	28	13	2	3	1	47	3	.....	1	9	4
	Indian (F)	71	15	12	2	1	.....	30	3	2	2	4	5
24	Chinese (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	OHIO.												
27	Total	76,940	11,140	2,196	983	596	477	15,392	1,505	1,045	1,735	2,667	2,923
28	Males	43,050	6,360	1,177	509	322	251	8,619	801	560	935	1,480	1,649
29	Females	33,890	4,780	1,019	474	274	226	6,773	704	485	800	1,187	1,274
30	White	73,008	10,722	2,072	936	576	460	14,766	1,435	979	1,570	2,414	2,606
31	Males	40,631	6,130	1,110	484	310	242	8,276	762	527	854	1,307	1,446
32	Females	32,377	4,592	962	452	266	218	6,490	673	452	716	1,107	1,160
33	Native	57,774	10,684	2,064	927	570	451	14,696	1,379	933	1,453	1,960	1,961
34	Males	31,112	6,112	1,105	482	308	238	8,245	738	503	788	1,010	987
35	Females	26,662	4,572	959	445	262	213	6,451	641	430	665	950	974
36	Both parents native (M)	18,152	3,725	660	288	204	163	5,040	518	392	583	676	646
	Both parents native (F)	16,153	2,751	568	299	173	139	3,930	468	299	477	676	659
37	One or both parents foreign (M)	8,489	2,255	428	186	102	71	3,042	209	104	163	253	253
	One or both parents foreign (F)	7,172	1,755	384	143	88	72	2,442	166	120	160	222	248
38	Parentage unknown [1] (M)	4,471	132	17	8	2	4	163	11	7	42	81	88
	Parentage unknown [1] (F)	3,337	66	7	3	1	2	79	7	11	28	52	67
39	Foreign	13,653	14	4	8	5	9	40	53	44	108	413	568
40	Males	8,201	8	3	1	1	4	17	22	23	61	261	393
41	Females	5,452	6	1	7	4	5	23	31	21	47	152	175
42	Unknown	1,581	24	4	1	1	.....	30	3	2	9	41	77
43	Males	1,318	10	2	1	1	.....	14	2	1	5	36	66
44	Females	263	14	2	.....	.....	.....	16	1	1	4	5	11
45	Colored	3,932	418	124	47	20	17	626	70	66	165	253	317
46	Males	2,419	230	67	25	12	9	343	39	33	81	173	203
47	Females	1,513	188	57	22	8	8	283	31	33	84	80	114
48	Negro (M)	2,408	230	67	24	12	9	342	39	33	81	172	202
	Negro (F)	1,513	188	57	22	8	8	283	31	33	84	80	114
49	Indian (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese (M)	8	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,184	1,237	1,170	1,095	1,145	1,358	1,619	1,815	1,926	1,442	1,166	634	295	107	77	40	1
491	492	468	508	566	712	865	973	993	648	528	257	113	47	31	24	2
693	745	702	587	579	646	754	842	933	794	638	377	182	60	46	16	3
621	628	640	619	647	922	1,134	1,313	1,378	1,099	852	463	158	53	9	17	4
244	254	266	291	327	500	629	703	688	458	357	177	59	18	3	10	5
377	374	374	328	320	422	505	610	690	641	495	286	99	35	6	7	6
609	608	624	602	625	907	1,107	1,285	1,344	1,075	835	450	155	51	9	13	7
236	242	258	280	313	489	612	685	667	450	347	170	58	18	3	8	8
373	366	366	322	312	418	495	600	677	625	488	280	97	33	6	5	9
206	205	208	233	266	396	494	546	503	342	255	118	36	13	----	8	10
329	331	330	277	259	341	404	489	522	482	362	197	65	20	3	2	
6	5	9	8	6	10	13	9	11	7	3	3	3	----	1	----	11
3	4	1	7	4	4	7	7	6	5	10	8	----	2	----	----	
24	32	41	39	41	83	105	130	153	101	89	49	19	5	2	----	12
41	31	35	38	49	73	84	104	149	138	116	75	32	11	3	3	
4	9	6	11	12	4	13	11	17	11	9	3	----	----	----	----	13
1	7	4	8	8	3	8	7	9	7	5	3	----	----	----	----	14
3	2	2	3	4	1	5	4	8	4	4	----	----	----	----	----	15
8	11	10	6	10	11	14	17	17	13	8	10	3	2	----	4	16
7	5	4	3	6	8	9	11	12	1	5	4	1	----	----	2	17
1	6	6	3	4	3	5	6	5	12	3	6	2	2	----	2	18
563	609	530	476	498	436	485	502	548	343	314	171	137	54	68	23	19
247	238	202	217	239	212	236	270	305	190	171	80	54	29	28	14	20
316	371	328	259	259	224	249	232	243	153	143	91	83	25	40	9	21
243	236	202	215	238	210	231	268	303	187	168	80	52	29	28	14	22
313	369	327	257	258	224	249	230	239	152	138	91	80	25	39	9	
2	2	----	2	1	1	4	2	2	3	3	----	2	----	----	----	23
3	2	1	2	1	----	----	2	4	1	5	----	3	----	1	----	
2	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
3,077	3,371	3,399	3,736	3,865	4,536	4,919	5,633	6,059	5,736	4,191	2,220	723	163	22	23	27
1,840	2,091	2,162	2,334	2,372	2,697	2,805	3,157	3,223	2,952	2,001	998	295	59	4	16	28
1,237	1,280	1,237	1,402	1,493	1,839	2,114	2,476	2,836	2,784	2,190	1,222	428	104	18	7	29
2,801	3,030	3,096	3,475	3,614	4,350	4,755	5,445	5,900	5,614	4,105	2,172	697	150	13	21	30
1,663	1,853	1,947	2,166	2,219	2,569	2,703	3,037	3,133	2,887	1,957	967	285	56	2	15	31
1,138	1,177	1,149	1,309	1,395	1,781	2,052	2,408	2,767	2,727	2,148	1,205	412	94	11	6	32
2,024	2,125	2,187	2,486	2,527	3,260	3,643	3,945	4,291	4,006	2,826	1,491	468	100	9	4	33
1,076	1,165	1,227	1,420	1,449	1,820	2,020	2,186	2,290	2,009	1,302	662	179	34	1	1	34
948	960	960	1,066	1,078	1,440	1,623	1,759	2,001	1,997	1,524	829	289	66	8	3	35
649	641	615	686	682	893	1,060	1,248	1,332	1,179	797	387	107	21	----	----	36
638	575	560	597	538	763	895	1,057	1,204	1,155	938	513	164	41	3	3	
314	340	426	517	513	588	553	417	345	239	134	62	14	3	----	----	37
230	277	290	351	376	440	465	375	359	353	167	87	39	4	1	----	
113	184	186	217	254	339	407	521	613	591	371	213	58	10	1	1	38
80	108	110	118	164	237	263	327	438	489	419	229	86	21	4	----	
672	756	715	811	918	978	1,029	1,408	1,510	1,516	1,199	643	219	45	3	5	39
492	555	538	583	613	653	616	778	773	806	606	286	102	20	----	3	40
180	201	177	228	305	325	413	630	737	710	593	357	117	25	3	2	41
105	149	194	178	169	112	83	92	99	92	80	38	10	5	1	12	42
95	133	182	163	157	96	67	73	70	72	49	19	4	2	1	11	43
10	16	12	15	12	16	16	19	29	20	31	19	6	3	----	1	44
276	341	303	261	251	186	164	188	159	122	86	48	26	13	9	2	45
177	238	215	168	153	128	102	120	90	65	44	31	10	3	2	1	46
99	103	88	93	98	58	62	68	69	57	42	17	16	10	7	1	47
176	237	214	168	151	126	102	120	90	64	44	31	10	3	2	1	48
99	103	88	93	98	58	62	68	69	57	42	17	16	10	7	1	
1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	49
----	----	1	----	2	2	----	----	----	1	----	----	----	----	----	----	50
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	PENNSYLVANIA.												
1	Total	128,163	24,703	4,775	2,100	1,333	930	33,841	2,786	1,849	2,624	4,204	4,618
2	Males	71,674	14,159	2,545	1,121	733	493	19,051	1,541	991	1,381	2,430	2,706
3	Females	56,489	10,544	2,230	979	600	437	14,790	1,245	858	1,243	1,774	1,912
4	White	121,494	23,736	4,502	2,001	1,282	886	32,407	2,643	1,734	2,385	3,716	4,117
5	Males	67,648	13,639	2,393	1,067	705	473	18,277	1,472	942	1,242	2,108	2,366
6	Females	53,846	10,097	2,109	934	577	413	14,130	1,171	792	1,143	1,608	1,751
7	Native	93,450	23,670	4,471	1,985	1,267	866	32,259	2,574	1657	2,114	2,809	2,689
8	Males	50,495	13,596	2,374	1,060	700	465	18,195	1,443	897	1,089	1,496	1,402
9	Females	42,955	10,074	2,097	925	567	401	14,064	1,131	760	1,025	1,313	1,287
10	Both parents native	M. 28,376	6,760	997	504	335	268	8,864	765	538	683	894	830
		F. 25,253	4,948	870	447	285	208	6,758	676	452	647	821	788
11	One or both parents foreign	M. 17,948	6,543	1,352	541	359	193	8,988	656	337	378	534	470
		F. 14,391	4,903	1,179	465	272	190	7,009	442	295	358	439	435
12	Parentage unknown [1]	M. 4,171	293	25	15	6	4	343	22	22	28	68	102
		F. 3,311	223	48	13	10	3	297	13	13	20	53	64
13	Foreign	26,559	30	18	10	11	18	87	63	74	254	877	1,359
14	Males	16,025	22	11	4	4	8	49	25	43	141	586	906
15	Females	10,534	8	7	6	7	10	38	38	31	113	291	453
16	Unknown	1,485	36	13	6	4	2	61	6	3	17	30	69
17	Males	1,128	21	8	3	1	.....	33	4	2	12	26	58
18	Females	357	15	5	3	3	2	28	2	1	5	4	11
19	Colored	6,669	967	273	99	51	44	1,434	143	115	239	488	501
20	Males	4,026	520	152	54	28	20	774	69	49	139	322	340
21	Females	2,643	447	121	45	23	24	660	74	66	100	166	161
22	Negro	M. 3,991	519	152	54	28	20	773	69	48	138	321	338
		F. 2,639	445	121	45	23	24	658	74	65	100	166	161
23	Indian	M. 2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
		F. 2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
24	Chinese	M. 29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
		F. 1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
25	Japanese	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
26	Other colored	M. 3	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	RHODE ISLAND.												
27	Total	9,510	1,644	330	149	81	59	2,263	200	111	171	251	332
28	Males	5,036	941	203	77	40	35	1,296	102	59	95	116	170
29	Females	4,474	703	127	72	41	24	967	98	52	76	135	162
30	White	9,204	1,593	324	143	79	58	2,197	196	105	166	233	317
31	Males	4,861	911	201	72	40	34	1,258	101	55	91	105	161
32	Females	4,343	682	123	71	39	24	939	95	50	75	128	156
33	Native	6,063	1,585	318	139	77	55	2,174	185	93	131	149	188
34	Males	3,233	906	196	69	40	33	1,244	92	47	67	65	94
35	Females	2,830	679	122	70	37	22	930	93	46	64	84	94
36	Both parents native	M. 1,403	269	51	21	9	12	362	29	12	23	13	26
		F. 1,325	194	35	21	9	8	267	32	15	15	21	37
37	One or both parents foreign	M. 1,689	600	140	48	31	21	840	62	34	39	49	67
		F. 1,387	455	85	49	28	14	631	61	31	47	60	54
38	Parentage unknown [1]	M. 141	37	5	.....	.....	.....	42	1	1	5	3	1
		F. 118	30	2	.....	.....	.....	32	.....	.....	2	3	3
39	Foreign	3,050	6	6	4	2	2	20	10	11	35	82	125
40	Males	1,566	4	5	3	.....	.....	12	8	7	24	38	64
41	Females	1,484	2	1	1	2	2	8	2	4	11	44	61
42	Unknown	91	2	.....	.....	.....	1	3	1	1	.....	2	4
43	Males	62	1	.....	.....	.....	1	2	1	1	.....	2	3
44	Females	29	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
45	Colored	306	51	6	6	2	1	66	4	6	5	18	15
46	Males	175	30	2	5	.....	1	38	1	4	4	11	9
47	Females	131	21	4	1	2	.....	28	3	2	1	7	6
48	Negro	M. 167	30	2	5	.....	1	38	1	4	4	11	9
		F. 129	20	4	1	1	.....	26	3	2	1	7	6
49	Indian	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese	M. 6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 2	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....
51	Japanese	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
5,057	5,568	5,750	6,335	6,981	7,358	7,856	8,506	8,505	7,387	5,247	2,585	826	177	31	72	1
3,106	3,461	3,647	3,970	4,249	4,310	4,435	4,529	4,429	3,571	2,377	1,049	315	62	9	55	2
1,951	2,107	2,103	2,365	2,732	3,048	3,421	3,977	4,076	3,816	2,870	1,536	511	115	22	17	3
4,605	4,964	5,254	5,853	6,574	7,039	7,581	8,268	8,322	7,257	5,175	2,536	805	167	23	69	4
2,806	3,050	3,329	3,640	3,974	4,120	4,269	4,400	4,330	3,502	2,352	1,033	311	62	9	54	5
1,799	1,914	1,925	2,213	2,600	2,919	3,312	3,868	3,992	3,755	2,823	1,503	494	105	14	15	6
2,939	3,001	3,267	3,542	3,993	4,669	5,184	5,670	5,678	5,190	3,750	1,780	570	99	11	5	7
1,647	1,681	1,894	2,002	2,218	2,574	2,859	3,016	2,936	2,467	1,711	711	212	37	3	5	8
1,292	1,320	1,373	1,540	1,775	2,095	2,325	2,654	2,742	2,723	2,039	1,069	358	62	8	----	9
989	946	1,014	1,050	1,190	1,318	1,744	1,950	2,010	1,723	1,186	503	147	26	2	4	10
820	822	779	903	1,026	1,228	1,405	1,781	1,894	1,963	1,454	753	240	38	5	----	
542	588	704	727	761	885	711	623	449	298	197	76	20	3	----	1	11
396	389	486	509	575	662	616	533	456	374	254	111	42	9	1	----	
116	147	176	225	267	371	404	443	477	446	328	132	45	8	1	----	
76	109	108	128	174	205	304	340	392	386	331	205	76	15	2	----	12
1,591	1,850	1,863	2,160	2,422	2,254	2,271	2,484	2,546	1,993	1,376	730	225	64	12	4	13
1,096	1,274	1,330	1,507	1,622	1,452	1,312	1,296	1,343	988	619	311	96	21	6	2	14
495	576	533	653	800	802	959	1,188	1,203	1,005	757	419	129	43	6	2	15
75	113	124	151	159	116	126	114	98	74	49	26	10	4	----	60	16
63	95	105	131	134	94	98	88	51	47	22	11	3	4	----	47	17
12	18	19	20	25	22	28	26	47	27	27	15	7	----	----	13	18
452	604	496	482	407	319	275	238	183	130	72	49	21	10	8	3	19
300	411	318	330	275	190	166	129	99	69	25	16	4	----	----	1	20
152	193	178	152	132	129	109	109	84	61	47	33	17	10	8	2	21
298	407	316	326	266	186	164	128	99	69	24	16	4	----	----	1	22
152	193	177	152	132	129	109	109	84	61	47	33	17	10	8	2	
----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	23
1	3	2	4	9	4	2	1	----	----	1	----	----	----	----	----	24
----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	25
1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
312	381	443	507	580	584	709	711	662	553	422	202	84	22	4	6	27
169	217	263	313	319	302	381	363	312	266	179	67	41	2	----	4	28
143	164	180	194	261	282	328	348	350	287	243	135	43	20	4	2	29
296	373	423	484	558	565	682	688	651	547	415	199	79	21	4	5	30
159	213	252	299	307	295	363	348	305	263	175	66	40	2	----	3	31
137	160	171	185	251	270	319	340	346	284	240	133	39	19	4	2	32
175	214	230	235	255	289	335	337	331	287	265	124	52	13	----	1	33
97	117	131	141	142	157	197	168	159	139	114	38	24	----	----	----	34
78	97	99	94	113	132	138	169	172	148	151	86	28	13	----	1	35
30	37	52	57	61	75	103	125	121	118	103	37	19	----	----	----	36
24	31	34	35	60	61	71	120	142	112	130	79	25	13	----	1	
63	77	74	81	72	76	83	32	27	8	4	----	1	----	----	----	37
51	64	58	55	49	64	62	38	26	23	12	----	1	----	----	----	
4	3	5	3	9	6	11	11	11	13	7	1	4	----	----	----	38
3	2	7	4	4	7	5	11	4	13	9	7	2	----	----	----	
119	153	187	240	295	264	339	343	311	256	145	73	27	8	4	3	39
61	93	117	150	159	130	161	174	141	121	59	27	16	2	----	2	40
58	60	70	90	136	134	178	169	170	135	86	46	11	6	4	1	41
2	6	6	9	8	12	8	8	9	4	5	2	----	----	----	1	42
1	3	4	8	6	8	5	6	5	3	2	1	----	----	----	1	43
1	3	2	1	2	4	3	2	4	1	3	1	----	----	----	----	44
16	8	20	23	22	19	27	23	11	6	7	3	5	1	----	1	45
10	4	11	14	12	7	18	15	7	3	4	1	1	----	----	1	46
6	4	9	9	10	12	9	8	4	3	3	2	4	1	----	----	47
10	4	11	10	11	7	18	13	7	3	3	1	1	----	----	1	48
6	4	9	9	10	12	9	8	4	3	3	2	4	1	----	----	
----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	49
----	----	----	3	1	----	----	2	----	----	----	----	----	----	----	----	50
----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	SOUTH CAROLINA.												
1	Total	23,503	5,385	1,596	654	388	247	8,270	699	558	976	1,316	1,058
2	Males	11,661	3,005	852	349	204	124	4,534	351	285	414	556	438
3	Females	11,842	2,380	744	305	184	123	3,736	348	273	562	760	620
4	White	8,731	1,828	616	244	135	101	2,924	234	163	223	296	289
5	Males	4,379	1,030	322	126	73	50	1,601	125	88	107	134	137
6	Females	4,352	798	294	118	62	51	1,323	109	75	116	162	152
7	Native	8,468	1,824	610	241	135	101	2,911	232	160	221	286	282
8	Males	4,234	1,028	319	123	73	50	1,593	124	86	106	129	134
9	Females	4,234	796	291	118	62	51	1,318	108	74	115	157	148
10	Both parents native	M 3,635	984	310	120	71	49	1,534	118	80	96	115	119
		F 3,661	757	285	116	59	49	1,266	108	71	105	138	130
11	One or both parents foreign	M 89	8	1	1	1	.....	11	2	1	2	1	1
		F 98	8	1	.....	1	.....	10	.....	.....	.....	2	1
12	Parentage unknown[1]	M 510	36	8	2	1	1	48	4	5	8	13	14
		F 475	31	5	2	2	2	42	.....	3	10	17	17
13	Foreign	130	.....	1	.....	.....	.....	1	1	1	.....	3	2
14	Males	80	.....	.....	.....	.....	.....	.....	1	1	.....	1	1
15	Females	50	.....	1	.....	.....	.....	1	.....	.....	.....	2	1
16	Unknown	133	4	5	3	.....	.....	12	1	2	2	7	5
17	Males	65	2	3	3	.....	.....	8	.....	1	1	4	2
18	Females	68	2	2	.....	.....	.....	4	1	1	1	3	3
19	Colored	14,772	3,557	980	410	253	146	5,346	465	395	753	1,020	769
20	Males	7,282	1,975	530	223	131	74	2,933	226	197	307	422	301
21	Females	7,490	1,582	450	187	122	72	2,413	239	198	446	598	468
22	Negro	M 7,279	1,975	530	223	131	74	2,933	226	196	307	421	301
		F 7,487	1,582	450	187	122	72	2,413	239	198	446	598	468
23	Indian	M 3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
		F 3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	TENNESSEE.												
27	Total	30,862	4,874	1,494	724	457	254	7,803	865	661	1,319	1,660	1,464
28	Males	15,720	2,750	798	379	232	137	4,296	443	306	593	731	637
29	Females	15,142	2,124	696	345	225	117	3,507	422	355	726	929	827
30	White	21,460	3,627	1,123	547	339	190	5,826	586	428	735	930	815
31	Males	11,078	2,063	609	290	174	101	3,237	306	205	356	412	363
32	Females	10,382	1,564	514	257	165	89	2,589	280	223	379	518	452
33	Native	20,462	3,578	1,111	532	335	190	5,746	578	421	723	907	795
34	Males	10,496	2,037	601	282	173	101	3,194	303	200	350	398	353
35	Females	9,966	1,541	510	250	162	89	2,552	275	221	373	509	442
36	Both parents native	M 8,033	1,911	566	270	161	92	3,000	286	182	318	326	302
		F 7,822	1,435	476	241	152	84	2,388	260	203	335	436	375
37	One or both parents foreign	M 250	21	5	2	2	5	35	.....	5	6	14	5
		F 212	12	9	.....	3	1	25	3	4	8	7	8
38	Parentage unknown[1]	M 2,213	105	30	10	10	4	159	17	13	26	58	46
		F 1,932	94	25	9	7	4	139	12	14	30	66	59
39	Foreign	401	.....	.....	.....	.....	.....	.....	1	.....	2	4	3
40	Males	249	.....	.....	.....	.....	.....	.....	1	.....	.....	4	2
41	Females	152	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
42	Unknown	597	49	12	15	4	.....	80	7	7	10	19	17
43	Males	333	26	8	8	1	.....	43	2	5	6	10	8
44	Females	264	23	4	7	3	.....	37	5	2	4	9	9
45	Colored	9,402	1,247	371	177	118	64	1,977	279	233	584	730	649
46	Males	4,642	687	189	89	58	36	1,059	137	101	237	319	274
47	Females	4,760	560	182	88	60	28	918	142	132	347	411	375
48	Negro	M 4,641	687	189	89	58	36	1,059	137	101	237	319	274
		F 4,760	560	182	88	60	28	918	142	132	347	411	375
49	Indian	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese	M 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
938	1,020	911	856	867	817	1,038	1,092	1,025	782	568	316	165	63	60	108	1
402	402	386	422	450	414	561	603	539	342	241	151	62	24	22	62	2
536	618	525	434	417	403	477	489	486	440	327	165	103	39	38	46	3
272	329	303	344	285	424	527	589	531	445	295	147	59	15	1	36	4
121	119	129	174	161	228	277	307	278	175	108	58	20	7	----	25	5
151	210	174	170	124	196	250	282	253	270	187	89	39	8	1	11	6
265	318	292	337	272	401	512	558	500	417	272	133	56	15	1	27	7
115	113	123	168	152	213	269	289	261	163	100	51	19	7	----	19	8
150	205	169	169	120	188	243	269	239	254	172	82	37	8	1	8	9
100	96	95	143	119	162	210	209	188	121	65	34	13	3	----	15	10
132	177	143	140	94	151	189	220	174	204	131	60	19	3	1	5	
2	1	6	4	8	12	5	8	8	9	6	2	----	----	----	----	11
3	9	6	6	4	8	9	9	11	9	8	2	1	----	----	----	
13	16	22	21	25	39	54	72	65	33	29	15	6	4	----	4	12
15	19	20	23	22	29	45	40	54	41	33	20	17	5	----	3	
2	4	4	5	8	14	7	17	19	12	17	11	2	----	----	----	13
2	3	3	5	6	10	4	11	11	5	8	7	1	----	----	----	14
----	1	1	----	2	4	3	6	8	7	9	4	1	----	----	----	15
5	7	7	2	5	9	8	14	12	16	6	3	1	----	----	9	16
4	3	3	1	3	5	4	7	6	7	----	----	----	----	----	6	17
1	4	4	1	2	4	4	7	6	9	6	3	1	----	----	3	18
666	691	608	512	582	393	511	503	494	337	273	169	106	48	59	72	19
281	283	257	248	289	186	284	296	261	167	133	93	42	17	22	37	20
385	408	351	264	293	207	227	207	233	170	140	76	64	31	37	35	21
281	282	257	248	289	186	284	296	261	167	133	93	42	17	22	37	22
385	407	351	263	293	207	227	207	232	170	140	76	64	31	37	35	
----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	23
----	1	----	1	----	----	----	----	1	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
1,335	1,486	1,297	1,237	1,283	1,390	1,595	1,677	1,826	1,573	1,155	529	220	66	75	296	27
586	650	610	623	705	788	873	923	994	838	574	260	100	21	25	144	28
749	836	687	664	578	602	722	754	832	735	581	269	120	45	50	152	29
810	915	813	821	775	988	1,200	1,321	1,483	1,304	952	414	144	40	14	146	30
345	378	383	409	410	560	666	721	808	692	472	202	70	11	4	68	31
465	537	430	412	365	428	534	600	675	612	480	212	74	29	10	78	32
779	886	771	777	720	929	1,125	1,220	1,364	1,194	873	381	122	35	10	106	33
327	361	360	383	379	518	623	661	738	624	428	182	56	9	2	47	34
452	525	411	394	341	411	502	559	626	570	445	199	66	26	8	59	35
254	279	260	267	234	360	399	410	412	360	245	87	26	2	1	23	36
365	426	316	295	239	275	323	371	382	339	275	124	40	15	2	38	
13	11	19	26	19	13	20	11	18	16	11	7	----	1	----	----	37
8	12	9	13	24	23	18	7	14	11	12	6	----	----	----	----	
60	71	81	90	126	145	204	240	308	248	172	88	30	6	1	24	38
79	87	86	86	78	113	161	181	230	220	158	69	26	11	6	21	
10	9	18	17	24	26	37	47	70	62	38	17	12	2	----	2	39
4	6	9	12	18	17	22	31	43	38	21	13	7	1	----	----	40
6	3	9	5	6	9	15	16	27	24	17	4	5	1	----	2	41
21	20	24	27	31	33	38	54	49	48	41	16	10	3	4	38	42
14	11	14	14	13	25	21	29	27	30	23	7	7	1	2	21	43
7	9	10	13	18	8	17	25	22	18	18	9	3	2	2	17	44
525	571	484	466	508	402	395	356	343	269	203	115	76	26	61	150	45
241	272	227	214	295	228	207	202	186	146	102	58	30	10	21	76	46
284	299	257	252	213	174	188	154	157	123	101	57	46	16	40	74	47
241	272	227	214	295	228	206	202	186	146	102	58	30	10	21	76	48
284	299	257	252	213	174	188	154	157	123	101	57	46	16	40	74	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	49
----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	50
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	UTAH.												
1	Total	4,615	946	194	80	70	34	1,324	158	119	147	162	186
2	Males	2,609	514	103	34	34	17	702	88	59	87	91	115
3	Females	2,006	432	91	46	36	17	622	70	60	60	71	71
4	White	4,517	917	192	79	67	33	1,288	154	118	142	156	178
5	Males	2,555	502	101	34	34	17	688	85	59	85	90	111
6	Females	1,962	415	91	45	33	16	600	69	59	57	66	67
7	Native	3,107	916	190	77	67	31	1,281	149	117	132	117	120
8	Males	1,712	501	100	33	34	16	684	82	59	77	59	61
9	Females	1,395	415	90	44	33	15	597	67	58	55	58	59
10	Both parents native (M)	949	354	65	23	27	9	478	54	43	55	30	30
	Both parents native (F)	854	317	66	29	24	11	447	50	41	34	32	23
11	One or both parents foreign (M)	581	140	35	10	7	7	199	28	16	19	26	24
	One or both parents foreign (F)	451	90	23	15	9	4	141	17	17	19	24	28
12	Parentage unknown [1] (M)	182	7					7			3	3	7
	Parentage unknown [1] (F)	90	8	1				9			2	2	8
13	Foreign	1,330	1	2	2		2	7	5	1	9	38	51
14	Males	765	1	1	1		1	4	3		7	30	43
15	Females	565		1	1		1	3	2	1	2	8	8
16	Unknown	80									1	1	7
17	Males	78									1	1	7
18	Females	2											
19	Colored	98	29	2	1	3	1	36	4	1	5	6	8
20	Males	54	12	2				14	3		2	1	4
21	Females	44	17		1	3	1	22	1	1	3	5	4
22	Negro (M)	14									1	1	2
	Negro (F)	8									1	2	1
23	Indian (M)	13	5					5	3		1		1
	Indian (F)	23	9		1	3	1	14	1	1	2	1	
24	Chinese (M)	8	1					1					
	Chinese (F)	1											1
25	Japanese (M)	18	5	2				7					1
	Japanese (F)	12	8					8				2	2
26	Other colored (M)	1	1					1					
	Other colored (F)												
	VERMONT.												
27	Total	5,468	642	102	47	24	30	845	103	66	107	105	117
28	Males	2,801	362	53	25	14	20	474	56	32	46	42	59
29	Females	2,667	280	49	22	10	10	371	47	34	61	63	58
30	White	5,462	642	102	47	23	30	844	103	66	107	105	117
31	Males	2,796	362	53	25	13	20	473	56	32	46	42	59
32	Females	2,666	280	49	22	10	10	371	47	34	61	63	58
33	Native	4,481	642	101	46	23	28	840	98	59	99	91	90
34	Males	2,273	362	53	24	13	18	470	54	27	40	33	44
35	Females	2,208	280	48	22	10	10	370	44	32	59	58	46
36	Both parents native (M)	1,371	230	31	14	8	13	296	36	21	23	17	27
	Both parents native (F)	1,429	182	24	15	4	6	231	36	26	40	33	22
37	One or both parents foreign (M)	526	118	22	10	5	5	160	16	5	16	15	12
	One or both parents foreign (F)	458	89	24	6	6	4	129	8	5	15	22	21
38	Parentage unknown [1] (M)	376	14					14	2	1	1	1	5
	Parentage unknown [1] (F)	321	9		1			10		1	4	3	3
39	Foreign	917		1	1		2	4	5	7	6	13	26
40	Males	478			1		2	3	2	5	5	8	14
41	Females	439		1				1	3	2	1	5	12
42	Unknown	64									2	1	1
43	Males	45									1	1	1
44	Females	19									1		
45	Colored	6				1		1					
46	Males	5				1		1					
47	Females	1											
48	Negro (M)	5				1		1					
	Negro (F)	1											
49	Indian (M)												
	Indian (F)												
50	Chinese (M)												
	Chinese (F)												
51	Japanese (M)												
	Japanese (F)												
52	Other colored (M)												
	Other colored (F)												

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
202	208	192	180	185	220	268	260	246	207	193	114	34	8	1	1	1
141	123	117	109	114	144	169	153	126	96	92	57	19	5	1	1	2
61	85	75	71	71	76	99	107	120	111	101	57	15	3	.....	.....	3
195	202	190	175	182	216	267	258	241	206	193	113	34	8	1	.....	4
134	117	115	106	112	142	168	152	122	96	92	56	19	5	1	.....	5
61	85	75	69	70	74	99	106	119	110	101	57	15	3	.....	.....	6
140	127	121	110	109	114	118	103	75	66	59	37	7	5	.....	.....	7
86	64	68	62	60	77	78	64	41	34	32	15	5	4	.....	.....	8
54	63	53	48	49	37	40	39	34	32	27	22	2	1	.....	.....	9
26	20	17	11	14	29	36	29	25	17	19	11	3	2	.....	.....	10
22	30	16	15	18	16	18	18	17	22	18	15	1	1	.....	.....	
48	31	35	38	29	32	22	18	3	6	5	1	.....	1	.....	.....	11
24	29	33	28	23	19	19	13	9	3	1	3	1	.....	.....	.....	
12	13	16	13	17	16	20	17	13	11	8	3	2	1	.....	.....	12
8	4	4	5	8	2	3	8	8	7	8	4	.....	.....	.....	.....	
48	71	60	57	60	92	143	148	162	139	133	75	27	3	1	.....	13
41	49	38	37	39	55	84	82	77	61	59	40	14	1	1	.....	14
7	22	22	20	21	37	59	66	85	78	74	35	13	2	.....	.....	15
7	4	9	8	13	10	6	7	4	1	1	1	.....	.....	.....	.....	16
7	4	9	7	13	10	6	6	4	1	1	1	.....	.....	.....	.....	17
.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	18
7	6	2	5	3	4	1	2	5	1	.....	1	.....	.....	.....	1	19
7	6	2	3	2	2	1	1	4	.....	.....	1	.....	.....	.....	1	20
.....	.....	.....	2	1	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	21
2	3	1	1	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	22
.....	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	23
.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	1	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....	24
5	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
143	157	160	177	277	363	378	442	579	553	500	278	81	27	10	.....	27
66	77	93	108	147	196	189	233	287	278	261	116	25	12	4	.....	28
77	80	67	69	130	167	189	209	292	275	239	162	56	15	6	.....	29
143	157	160	177	276	362	377	442	578	552	500	278	81	27	10	.....	30
66	77	93	108	146	195	189	233	286	277	261	116	25	12	4	.....	31
77	80	67	69	130	167	188	209	292	275	239	162	56	15	6	.....	32
108	132	127	144	217	284	305	347	446	448	376	200	50	13	7	.....	33
45	65	75	83	112	156	157	185	220	219	190	82	11	3	2	.....	34
63	67	52	61	105	128	148	162	226	229	186	118	39	10	5	.....	35
25	32	36	38	61	94	93	116	134	141	122	50	6	2	1	.....	36
41	46	30	40	68	75	82	102	149	157	137	78	28	3	5	.....	
16	24	31	32	29	34	43	29	27	13	16	7	.....	1	.....	.....	37
17	17	16	15	24	36	38	25	27	22	11	6	4	.....	.....	.....	
4	9	8	13	22	28	21	40	59	65	52	25	5	.....	1	.....	38
5	4	6	6	13	17	28	35	50	50	38	34	7	7	.....	.....	
32	25	29	31	57	74	70	87	121	94	117	74	28	14	3	.....	39
19	12	14	23	32	37	31	42	57	52	66	32	13	9	2	.....	40
13	13	15	8	25	37	39	45	64	42	51	42	15	5	1	.....	41
3	.....	4	2	2	4	2	8	11	10	7	4	3	.....	.....	.....	42
2	.....	4	2	2	2	1	6	9	6	5	2	1	.....	.....	.....	43
1	.....	.....	.....	.....	2	1	2	2	4	2	2	2	.....	.....	.....	44
.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	45
.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	VIRGINIA.												
1	Total	31,527	5,941	1,390	617	377	220	8,545	702	615	1,062	1,435	1,246
2	Males	16,077	3,336	725	327	177	121	4,686	361	309	525	673	583
3	Females	15,450	2,605	665	290	200	99	3,859	341	306	537	762	663
4	White	18,017	3,370	802	355	213	121	4,861	395	305	436	587	556
5	Males	9,397	1,909	419	207	103	66	2,704	219	177	244	300	276
6	Females	8,620	1,461	383	148	110	55	2,157	176	128	192	287	280
7	Native	17,114	3,292	791	343	210	118	4,754	390	298	420	563	528
8	Males	8,837	1,862	413	196	102	62	2,636	216	171	233	283	256
9	Females	8,277	1,430	378	147	108	55	2,118	174	127	187	280	272
10	Both parents native	M.. 7,067	1,703	372	177	93	58	2,403	201	158	206	249	214
		F.. 6,818	1,307	352	137	97	49	1,942	159	118	166	241	235
11	One or both parents foreign	M.. 321	71	18	7	3	2	101	6	6	10	4	6
		F.. 277	38	9	4	4	3	58	2	.....	6	10	8
12	Parentage unknown [1]	M.. 1,449	88	23	12	6	3	132	9	7	17	30	36
		F.. 1,182	85	17	6	7	3	118	13	9	15	29	29
13	Foreign	501	.....	.....	.....	.....	.....	.....	1	.....	6	14	15
14	Males	322	.....	.....	.....	.....	.....	.....	1	.....	4	12	10
15	Females	179	.....	.....	.....	.....	.....	.....	.....	.....	2	2	5
16	Unknown	402	78	11	12	3	3	107	4	7	10	10	13
17	Males	238	47	6	11	1	3	68	2	6	7	5	10
18	Females	164	31	5	1	2	.....	39	2	1	3	5	3
19	Colored	13,510	2,571	588	262	164	99	3,684	307	310	626	848	690
20	Males	6,680	1,427	306	120	74	55	1,982	142	132	281	373	307
21	Females	6,830	1,144	282	142	90	44	1,702	165	178	345	475	383
22	Negro	M.. 6,667	1,421	305	120	74	55	1,975	142	132	281	373	307
		F.. 6,819	1,143	281	142	90	43	1,699	164	176	345	474	383
23	Indian	M.. 12	6	1	.....	.....	.....	7	.....	.....	.....	.....	.....
		F.. 11	1	1	.....	.....	1	3	1	2	.....	1	.....
24	Chinese	M.. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese	M..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored	M..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	WASHINGTON.												
27	Total	12,137	1,625	282	145	117	87	2,256	288	239	352	434	500
28	Males	7,257	941	157	77	63	38	1,276	159	124	195	233	292
29	Females	4,880	684	125	68	54	49	980	129	115	157	201	208
30	White	11,474	1,481	246	129	104	71	2,031	259	210	320	409	474
31	Males	6,846	860	139	70	56	31	1,156	145	110	174	220	274
32	Females	4,628	621	107	59	48	40	875	114	100	146	189	200
33	Native	8,112	1,474	242	122	98	71	2,007	244	201	301	336	336
34	Males	4,586	855	138	66	52	31	1,142	137	105	163	171	170
35	Females	3,526	619	104	56	46	40	865	107	96	138	165	166
36	Both parents native	M.. 2,441	572	84	48	34	17	755	85	64	89	89	80
		F.. 1,964	413	70	39	28	23	573	69	61	81	94	81
37	One or both parents foreign	M.. 1,296	263	51	17	17	13	361	50	40	70	73	68
		F.. 997	188	32	17	17	16	270	36	33	55	60	65
38	Parentage unknown [1]	M.. 849	20	3	1	1	1	26	2	1	4	9	22
		F.. 565	18	2	.....	1	1	22	2	2	2	11	20
39	Foreign	3,056	6	4	7	6	.....	23	15	9	17	65	124
40	Males	1,992	5	1	4	4	.....	14	8	5	9	43	90
41	Females	1,064	1	3	3	2	.....	9	7	4	8	22	34
42	Unknown	306	1	.....	.....	.....	.....	1	.....	.....	2	8	14
43	Males	268	.....	.....	.....	.....	.....	.....	.....	.....	2	6	14
44	Females	38	1	.....	.....	.....	.....	1	.....	.....	.....	2	.....
45	Colored	663	144	36	16	13	16	225	29	29	32	25	26
46	Males	411	81	18	7	7	7	120	14	14	21	13	18
47	Females	252	63	18	9	6	9	105	15	15	11	12	8
48	Negro	M.. 78	4	2	1	.....	.....	7	.....	1	4	1	6
		F.. 40	5	3	2	1	.....	11	.....	.....	.....	.....	3
49	Indian	M.. 151	30	9	4	5	5	53	10	12	11	8	3
		F.. 140	26	7	5	3	6	47	13	14	9	5	3
50	Chinese	M.. 53	3	.....	.....	.....	.....	3	.....	1	1	1	1
		F.. 3	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....
51	Japanese	M.. 122	44	7	2	2	2	57	4	.....	5	2	6
		F.. 69	31	8	1	2	3	45	2	1	2	7	2
52	Other colored	M.. 7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2
		F..	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,164	1,368	1,249	1,230	1,342	1,546	1,820	1,939	2,028	1,772	1,305	659	289	80	83	48	1
542	667	612	603	694	791	950	1,021	1,056	890	603	298	126	37	27	23	2
622	701	637	627	648	755	870	918	972	882	702	361	163	43	56	25	3
573	621	602	613	609	922	1,110	1,358	1,468	1,337	954	482	167	36	9	16	4
274	298	288	311	342	500	613	727	741	654	424	213	69	12	2	9	5
299	323	314	302	267	422	497	631	727	683	530	269	98	24	7	7	6
540	594	563	571	558	876	1,037	1,278	1,368	1,238	879	456	150	33	9	11	7
251	280	265	284	303	469	559	682	680	603	388	197	62	11	2	6	8
289	314	298	287	255	407	478	596	688	635	491	259	88	22	7	5	9
207	218	204	208	223	340	410	527	462	405	254	125	42	8	1	2	10
250	257	234	237	192	318	368	455	548	472	362	186	54	16	4	4	
7	8	11	11	15	26	22	26	34	11	13	3	1				11
5	12	16	11	17	20	20	24	22	26	7	5	7	1			
37	54	50	65	65	103	127	129	184	187	121	69	19	3	1	4	12
34	45	48	39	46	69	90	117	118	137	122	68	27	5	3	1	
18	17	21	28	31	32	47	43	69	76	50	20	12	1			13
13	11	12	20	23	23	35	26	43	42	27	15	5				14
5	6	9	8	8	9	12	17	26	34	23	5	7	1			15
15	10	13	14	20	14	26	37	31	23	25	6	5	2		5	16
10	7	11	7	16	8	19	19	18	9	9	1	2	1		3	17
5	3	7	7	4	6	7	18	13	14	16	5	3	1		2	18
591	747	647	617	733	624	710	581	560	435	351	177	122	44	74	32	19
268	369	324	292	352	291	337	294	315	236	179	85	57	25	25	14	20
323	378	323	325	381	333	373	287	245	199	172	92	65	19	49	18	21
267	369	322	291	352	291	336	294	315	235	179	85	57	25	25	14	22
323	378	323	324	381	332	373	287	244	199	171	92	65	19	49	18	
1		1	1			1			1							23
		1	1		1			1		1						
																24
																25
																26
595	603	568	611	702	805	773	872	844	776	527	247	87	16	6	36	27
353	337	377	399	424	527	494	546	527	442	305	147	51	10	5	34	28
242	266	191	212	278	278	279	326	317	334	222	100	36	6	1	2	29
569	552	530	575	672	775	757	856	829	764	521	234	83	16	3	35	30
334	296	348	370	408	503	482	533	518	433	302	143	51	10	3	33	31
235	256	182	205	264	272	275	323	311	331	219	91	32	6		2	32
376	340	335	348	373	473	459	511	494	468	314	141	47	7	1		33
206	169	202	209	201	292	265	300	299	258	176	88	28	4	1		34
170	171	133	139	172	181	194	211	195	210	138	53	19	3			35
104	80	102	99	85	139	122	148	134	127	86	39	13	1			
100	83	64	68	77	93	94	118	93	95	76	36	8				36
65	60	57	57	64	76	72	54	60	38	19	8	4				
51	53	48	43	59	52	47	30	39	26	19	6	4	1			37
37	29	43	53	52	77	71	98	105	93	71	41	11	3	1		
19	35	21	28	36	36	53	63	63	89	43	11	7	2			38
175	194	172	198	267	276	271	328	310	277	200	90	33	8	2	2	39
115	111	123	135	177	186	192	218	198	164	121	52	22	5	2	2	40
60	83	49	63	90	90	79	110	112	113	79	38	11	3			41
18	18	23	29	32	26	27	17	25	19	7	3	3	1		33	42
13	16	23	26	30	25	25	15	21	11	5	3	1	1		31	43
5	2		3	2	1	2	2	4	8	2		2			2	44
26	51	38	36	30	30	16	16	15	12	6	13	4		3	1	45
19	41	29	29	16	24	12	13	9	9	3	4			2	1	46
7	10	9	7	14	6	4	3	6	3	3	9	4		1		47
3	7	9	6	6	16	5	2	1	2	1	1					
2	4	3	1	6	3	2	1	1			2	1				48
2	7	4	5	5	5	1	5	6	7	2	3			2		
2	2	4	5	7	3	2	2	5	3	3	7	3		1		49
4	8	5	9	2	3	6	6	2							1	
				1												50
9	17	11	9	2												
3	4	2	1													51
1	2			1												
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of soldiers and

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
	WISCONSIN.												
1	Total	29,130	4,597	641	390	240	204	6,072	594	433	668	908	1,018
2	Males	16,413	2,667	344	211	135	122	3,479	332	245	365	464	548
3	Females	12,717	1,930	297	179	105	82	2,593	262	188	303	444	470
4	White	28,937	4,569	640	386	240	202	6,037	591	429	658	899	1,000
5	Males	16,314	2,652	343	209	135	121	3,460	331	244	362	461	540
6	Females	12,623	1,917	297	177	105	81	2,577	260	185	296	438	460
7	Native	17,422	4,542	636	382	237	201	5,998	563	410	606	773	780
8	Males	9,650	2,635	343	206	133	120	3,437	315	233	323	375	387
9	Females	7,772	1,907	293	176	104	81	2,561	248	177	283	398	393
10	Both parents native {M	4,142	1,613	183	114	78	74	2,062	166	126	136	129	124
	{F	3,406	1,156	172	85	54	54	1,521	117	88	118	146	144
11	One or both parents foreign {M	4,419	897	153	89	53	45	1,237	146	99	172	228	242
	{F	3,624	684	114	89	50	25	962	126	83	156	234	226
12	Parentage unknown [1] {M	1,089	125	7	3	2	1	138	3	8	15	18	21
	{F	742	67	7	2	.....	2	78	5	6	9	18	23
13	Foreign	10,971	5	1	1	3	1	11	23	18	41	112	196
14	Males	6,256	4	.....	.....	2	1	7	14	10	31	75	133
15	Females	4,715	1	1	1	1	.....	4	9	8	10	37	63
16	Unknown	544	22	3	3	.....	.....	28	5	1	11	14	24
17	Males	408	13	.....	3	.....	.....	16	2	1	8	11	20
18	Females	136	9	3	.....	.....	.....	12	3	.....	3	3	4
19	Colored	193	28	1	4	.....	2	35	3	4	10	9	18
20	Males	99	15	1	2	.....	1	19	1	1	3	3	8
21	Females	94	13	.....	2	.....	1	16	2	3	7	6	10
22	Negro {M	49	5	1	.....	.....	1	7	1	.....	1	1	5
	{F	42	7	.....	1	.....	.....	8	.....	.....	.....	2	6
23	Indian {M	48	10	.....	2	.....	.....	12	.....	1	2	2	3
	{F	51	5	.....	1	.....	1	7	2	3	7	4	4
24	Chinese {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
25	Japanese {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
991	1,017	1,093	1,240	1,369	1,791	1,862	2,045	2,276	2,073	1,899	1,118	436	103	13	111	1
574	580	645	740	838	1,068	1,080	1,207	1,274	1,085	970	581	203	48	5	82	2
417	437	448	500	531	723	782	838	1,002	988	929	537	233	55	8	29	3
982	1,002	1,082	1,228	1,361	1,784	1,851	2,034	2,261	2,068	1,897	1,115	433	101	13	111	4
570	570	636	736	835	1,063	1,073	1,199	1,265	1,083	969	580	202	48	5	82	5
412	432	446	492	526	721	778	835	996	985	928	535	231	53	8	29	6
718	636	702	709	697	947	883	750	714	599	502	275	105	22	4	29	7
393	348	389	394	401	541	511	425	393	294	273	143	47	11	2	15	8
325	288	313	315	296	406	372	325	321	305	229	132	58	11	2	14	9
115	88	64	88	60	138	137	161	151	141	145	85	22	2	1	1	10
94	80	74	80	52	110	103	109	152	157	137	72	37	8	1	6	
244	223	269	263	282	337	291	174	97	49	36	16	5	1	----	8	11
202	176	218	202	209	250	222	149	90	65	32	11	4	1	1	5	
34	37	56	43	59	66	83	90	145	104	92	42	20	8	1	6	12
29	32	21	33	35	46	47	67	79	83	60	49	17	2	----	3	
239	333	340	476	626	795	921	1,251	1,519	1,442	1,364	825	324	79	8	28	13
158	191	214	310	402	486	528	747	860	773	679	425	152	37	3	21	14
81	142	126	166	224	309	393	504	659	669	685	400	172	42	5	7	15
25	33	40	43	38	42	47	33	28	27	31	15	4	----	1	54	16
19	31	33	32	32	36	34	27	12	16	17	12	3	----	----	46	17
6	2	7	11	6	6	13	6	16	11	14	3	1	----	1	8	18
9	15	11	12	8	7	11	11	15	5	2	3	3	2	----	----	19
4	10	9	4	3	5	7	8	9	2	1	1	1	----	----	----	20
5	5	2	8	5	2	4	3	6	3	1	2	2	2	----	----	21
3	6	5	3	1	2	5	5	1	1	1	----	1	----	----	----	22
3	3	1	5	4	2	2	2	1	2	----	1	----	----	----	----	
1	3	4	----	2	3	2	3	8	1	----	1	----	----	----	----	23
2	2	1	3	1	----	2	1	5	1	1	1	2	2	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	1	----	1	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers and sailors after the United States entered the war. Figures for white and colored are shown separately for minor
more, in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	SUMMARY.														
1	The registration area (exclusive of Hawaii) (total)	1,066,711	10,089	2,385	204	10,442	3,124	7,837	12,442	12,965	2,863	96,921	6,084	7,139	4,453
2	White	949,339	8,068	1,268	178	9,242	3,079	6,457	11,981	11,604	2,752	79,802	5,511	5,933	3,979
3	Colored	117,372	2,021	1,117	26	1,200	45	1,380	461	1,361	111	17,119	573	1,206	474
4	Registration states[1] (total)	979,136	9,293	2,117	162	9,606	2,433	7,352	10,946	12,209	2,661	88,516	5,621	6,519	4,166
5	White	880,776	7,567	1,153	147	8,595	2,398	6,092	10,548	11,105	2,569	73,987	5,111	5,554	3,739
6	Colored	98,360	1,726	964	15	1,011	35	1,260	398	1,104	92	14,529	510	965	427
7	Cities in registration states[1] (total)	500,281	3,323	311	61	3,347	1,337	3,089	6,415	4,138	1,468	45,591	3,726	3,248	1,991
8	White	458,119	2,890	158	58	3,119	1,323	2,723	6,252	3,731	1,409	39,348	3,397	2,816	1,831
9	Colored	42,162	433	153	3	228	14	366	163	407	59	6,243	329	432	160
10	Rural part of registration states (total)	478,855	5,970	1,806	101	6,259	1,096	4,263	4,531	8,071	1,193	42,925	1,895	3,271	2,175
11	White	422,657	4,677	995	89	5,476	1,075	3,369	4,296	7,374	1,160	34,639	1,714	2,738	1,908
12	Colored	56,198	1,293	811	12	783	21	894	235	697	33	8,286	181	533	267
13	Registration cities in nonregistration states (total)	87,575	796	268	42	836	691	485	1,496	756	202	8,405	463	620	287
14	White	68,563	501	115	31	647	681	365	1,433	499	183	5,815	400	379	240
15	Colored	19,012	295	153	11	189	10	120	63	257	19	2,590	63	241	47
16	All registration cities[1] (total)	587,856	4,119	579	103	4,183	2,028	3,574	7,911	4,894	1,670	53,996	4,189	3,868	2,278
17	White	526,682	3,391	273	89	3,766	2,004	3,088	7,685	4,230	1,592	45,163	3,797	3,195	2,071
18	Colored	61,174	728	306	14	417	24	486	226	664	78	8,833	392	673	207
	REGISTRATION STATES.														
19	California (total)	41,809	219	40	15	193	48	203	205	285	65	4,944	318	316	120
20	White	39,244	184	36	15	180	45	183	200	275	60	4,494	260	275	114
21	Colored	2,565	35	4	.....	13	3	20	5	10	5	450	58	41	6
22	Colorado (total)	10,725	93	2	1	143	18	58	53	143	27	1,602	64	73	42
23	White	10,424	91	2	1	142	18	57	52	138	27	1,535	63	73	42
24	Colored	301	2	.....	.....	1	.....	1	1	5	.....	67	1	.....	.....
25	Connecticut (total)	20,819	118	9	2	129	22	104	236	319	62	1,762	216	126	77
26	White	20,247	112	9	2	128	22	102	234	311	62	1,672	209	118	76
27	Colored	572	6	.....	.....	1	.....	2	2	8	.....	90	7	8	1
28	Indiana (total)	39,736	495	35	15	572	142	274	449	606	120	3,439	192	371	157
29	White	37,899	465	32	13	554	141	256	431	582	117	3,152	179	340	150
30	Colored	1,837	30	3	2	18	1	18	18	24	3	287	13	31	7
31	Kansas (total)	20,644	325	40	7	250	57	128	150	542	60	881	34	125	93
32	White	19,261	299	35	7	235	57	118	148	511	59	745	30	107	85
33	Colored	1,383	26	5	.....	15	.....	10	2	31	1	136	4	18	8
34	Kentucky (total)	32,723	833	136	3	954	51	495	362	583	83	4,163	237	334	160
35	White	26,893	673	96	2	882	50	420	346	495	74	3,098	199	257	126
36	Colored	5,830	160	40	1	72	1	75	16	88	9	1,065	38	77	34
37	Maine (total)	11,667	82	.....	.....	146	5	45	73	234	35	725	61	105	46
38	White	11,631	82	.....	.....	145	5	45	73	233	35	719	60	105	46
39	Colored	36	.....	.....	.....	1	.....	.....	.....	1	.....	6	1	.....	.....
40	Maryland (total)	23,444	256	12	1	119	24	136	137	235	43	2,504	107	150	101
41	White	17,192	185	4	1	93	22	81	125	170	36	1,580	87	95	79
42	Colored	6,252	71	8	.....	26	2	55	12	65	7	924	20	55	22
43	Massachusetts (total)	56,675	182	4	10	372	117	236	834	469	225	4,664	425	342	182
44	White	55,662	180	3	10	369	117	232	825	464	222	4,488	414	331	180
45	Colored	1,013	2	1	.....	3	.....	4	9	5	3	176	11	11	2
46	Michigan (total)	47,121	389	8	9	275	344	366	858	534	181	2,877	213	237	227
47	White	46,248	379	7	8	269	342	361	856	529	181	2,749	207	230	220
48	Colored	873	10	1	1	6	2	5	2	5	.....	128	6	7	7
49	Minnesota (total)	23,913	99	2	21	129	92	95	251	220	73	2,025	155	175	121
50	White	23,500	99	1	21	126	92	93	250	219	72	1,922	149	169	119
51	Colored	413	.....	1	.....	3	.....	2	1	1	1	103	6	6	2
52	Missouri (total)	45,625	698	356	31	848	164	326	594	815	149	4,564	189	282	174
53	White	41,300	633	332	28	818	161	288	565	765	144	3,748	164	238	164
54	Colored	4,325	65	24	3	30	3	38	29	50	5	816	25	44	10
55	Montana (total)	6,589	79	.....	6	46	85	43	40	43	38	486	33	30	28
56	White	6,291	75	.....	6	43	85	42	40	43	38	422	31	25	28
57	Colored	298	4	.....	.....	3	.....	1	.....	.....	.....	64	2	5	.....
58	New Hampshire (total)	7,457	27	.....	.....	51	8	55	48	145	24	418	44	39	33
59	White	7,445	27	.....	.....	51	8	54	48	145	24	417	44	39	33
60	Colored	12	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
61	New Jersey (total)	43,801	199	6	.....	143	56	293	447	417	83	4,124	251	244	193
62	White	41,093	186	6	.....	131	55	258	439	402	80	3,772	230	215	180
63	Colored	2,708	13	.....	.....	12	1	35	8	15	3	352	21	29	13
64	New York (total)	153,959	589	28	3	931	283	903	1,753	1,501	435	14,831	1,099	785	588
65	White	149,688	574	26	3	917	281	856	1,729	1,477	428	14,083	1,037	755	574
66	Colored	4,271	15	2	.....	14	2	47	24	24	7	748	62	30	14

[1] Including District of Columbia.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917.

subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or of 10,000 inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List. (See p. 20.)]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
61,429	12,734	6,673	63,305	115,304	12,307	112,396	9,201	48,231	9,374	8,663	8,567	80,872	5,211	7,317	56,973	71,398	9,942	176,263	13,603	1
58,619	12,298	6,058	58,667	104,890	11,263	98,736	8,061	43,181	8,711	7,930	8,056	72,267	4,557	6,345	51,715	64,011	9,656	155,066	8,798	2
2,810	436	615	4,638	10,414	1,044	13,660	1,140	5,050	663	733	511	8,605	654	972	5,258	7,387	286	20,597	4,805	3
56,743	11,844	6,084	59,707	106,926	11,361	102,913	8,441	42,470	8,301	7,798	7,641	73,647	4,755	6,734	53,272	65,520	9,053	161,460	12,865	4
54,362	11,470	5,565	55,742	98,274	10,472	91,321	7,472	38,263	7,795	7,229	7,250	66,759	4,201	5,907	48,612	59,411	8,820	144,746	8,540	5
2,381	374	519	3,965	8,652	889	11,592	969	4,207	506	569	391	6,888	554	827	4,660	6,109	233	16,714	4,325	6
31,172	6,634	3,590	27,685	55,639	5,907	58,534	4,213	22,980	5,567	4,544	4,564	40,620	2,662	3,183	26,287	34,492	5,247	77,005	1,711	7
30,054	6,426	3,260	25,846	51,286	5,437	51,987	3,820	21,232	5,247	4,249	4,348	37,125	2,415	2,948	24,590	31,770	5,111	70,561	1,352	8
1,118	208	330	1,839	4,353	470	6,547	393	1,748	320	295	216	3,495	247	235	1,697	2,722	136	6,444	359	9
25,571	5,210	2,494	32,022	51,287	5,454	44,379	4,228	19,490	2,734	3,254	3,077	33,027	2,093	3,551	26,985	31,028	3,806	84,455	11,154	10
24,308	5,044	2,305	29,896	46,988	5,035	39,334	3,652	17,031	2,548	2,980	2,902	29,634	1,786	2,959	24,022	27,641	3,709	74,185	7,188	11
1,263	166	189	2,126	4,299	419	5,045	576	2,459	186	274	175	3,393	307	592	2,963	3,387	97	10,270	3,966	12
4,686	890	589	3,598	8,378	946	9,483	760	5,761	1,073	865	926	7,225	456	583	3,701	5,878	889	14,803	738	13
4,257	828	493	2,925	6,616	791	7,415	589	4,918	916	701	806	5,508	356	438	3,103	4,600	836	10,920	258	14
429	62	96	673	1,762	155	2,068	171	843	157	164	120	1,717	100	145	598	1,278	53	3,883	480	15
35,858	7,524	4,179	31,283	64,017	6,853	68,017	4,973	28,741	6,640	5,409	5,490	47,845	3,118	3,766	29,988	40,370	6,136	91,808	2,449	16
34,311	7,254	3,753	28,771	57,902	6,228	59,402	4,409	26,150	6,163	4,950	5,154	42,633	2,771	3,386	27,693	36,370	5,947	81,481	1,610	17
1,547	270	426	2,512	6,115	625	8,615	564	2,591	477	459	336	5,212	347	380	2,295	4,000	189	10,327	839	18
3,175	596	175	2,619	5,641	342	3,339	334	1,038	426	377	478	3,216	150	243	1,467	3,460	893	6,814	55	19
3,071	578	162	2,546	5,430	318	3,085	317	938	397	349	454	3,068	128	228	1,330	3,187	842	6,447	48	20
104	18	13	73	211	24	254	17	100	29	28	24	148	22	15	137	273	51	367	7	21
624	128	52	529	827	110	1,142	136	325	178	106	63	699	85	73	620	892	123	1,672	22	22
615	127	51	520	801	107	1,106	132	323	175	100	58	683	84	72	606	858	119	1,626	20	23
9	1	1	9	26	3	36	4	2	3	6	5	16	1	1	14	34	4	46	2	24
1,211	285	247	1,475	2,255	246	2,648	169	1,001	150	152	144	1,558	77	114	1,088	1,499	218	3,024	76	25
1,196	281	236	1,448	2,205	237	2,540	167	980	145	148	142	1,512	74	110	1,069	1,460	214	2,954	72	26
15	4	11	27	50	9	108	2	21	5	4	2	46	3	4	19	39	4	70	4	27
2,547	516	188	2,860	4,565	425	3,587	260	1,531	370	324	367	3,207	226	232	2,051	2,698	426	6,457	32	28
2,503	501	178	2,778	4,325	411	3,327	249	1,485	361	319	358	3,082	217	222	1,992	2,549	416	6,183	31	29
44	15	10	82	240	14	260	11	46	9	5	9	125	9	10	59	149	10	274	1	30
1,256	316	113	1,393	2,098	231	1,935	223	677	261	211	132	1,479	131	162	1,239	1,386	163	4,289	257	31
1,221	309	102	1,319	1,919	216	1,767	210	640	252	202	125	1,339	125	154	1,194	1,289	160	4,053	229	32
35	7	11	74	179	15	168	13	37	9	9	7	140	6	8	45	97	3	236	28	33
1,289	232	301	1,305	2,601	338	2,833	299	1,315	205	217	171	2,302	168	203	1,882	1,928	195	5,487	1,058	34
1,144	207	264	1,075	2,015	287	2,285	241	1,153	183	182	134	1,827	143	180	1,710	1,495	189	4,539	922	35
145	25	37	230	586	51	548	58	162	22	35	37	475	25	23	172	433	6	948	136	36
823	212	63	1,013	1,480	179	1,209	79	263	105	97	51	868	30	82	531	528	104	2,200	193	37
821	212	63	1,012	1,477	179	1,199	78	263	105	97	51	867	30	82	531	528	104	2,192	192	38
2			1	3		10	1					1						8	1	39
1,236	206	126	1,488	2,595	343	2,657	172	1,332	148	168	160	2,250	90	141	1,310	1,357	171	3,404	265	40
1,084	189	83	1,164	1,955	239	1,724	120	950	115	134	139	1,706	61	107	980	1,048	164	2,579	93	41
152	17	43	324	640	104	933	52	382	33	34	21	544	29	34	330	309	7	825	172	42
4,088	794	276	3,911	7,658	761	6,388	361	2,655	454	364	308	3,633	261	361	2,997	3,166	491	9,392	294	43
4,049	786	272	3,865	7,518	752	6,241	357	2,626	447	357	304	3,569	256	351	2,952	3,112	486	9,239	288	44
39	8	4	46	140	9	147	4	29	7	7	4	64	5	10	45	54	5	153	6	45
2,754	595	310	3,302	5,609	764	4,274	461	1,733	507	459	375	2,679	291	371	2,927	3,211	467	9,215	299	46
2,732	591	307	3,255	5,523	754	4,125	451	1,720	497	455	370	2,623	286	370	2,890	3,133	464	9,074	290	47
22	4	3	47	86	10	149	10	13	10	4	5	56	5	1	37	78	3	141	9	48
1,935	357	258	1,432	2,410	268	2,217	220	567	392	267	160	1,691	134	171	1,656	1,643	289	4,230	158	49
1,920	356	250	1,427	2,381	264	2,140	215	554	390	266	159	1,676	132	168	1,645	1,621	286	4,176	142	50
15	1	8	5	29	4	77	5	13	2	1	1	15	2	3	11	22	3	54	16	51
2,536	485	332	2,211	3,788	553	5,305	359	1,645	457	409	443	3,985	289	259	1,948	2,829	561	7,433	608	52
2,411	460	292	2,055	3,345	514	4,664	331	1,542	438	380	411	3,587	272	238	1,852	2,537	549	6,820	554	53
125	25	40	156	443	39	641	28	103	19	29	32	398	17	21	96	292	12	613	54	54
278	65	40	216	477	41	690	53	216	124	53	66	358	71	72	429	962	113	1,174	134	55
272	64	39	210	462	41	652	51	212	121	53	64	343	69	70	421	928	107	1,145	89	56
6	1	1	6	15		38	2	4	3		2	15	2	2	8	34	6	29	45	57
468	113	36	701	946	128	707	56	257	55	64	58	543	20	47	427	381	79	1,447	32	58
467	113	36	701	944	128	705	56	257	55	64	58	541	20	47	427	378	79	1,447	32	59
1				2		2						2				3				60
2,529	637	258	2,886	5,101	533	5,254	382	2,507	284	283	445	3,978	167	266	2,408	3,124	428	5,813	62	61
2,452	619	241	2,737	4,822	501	4,707	357	2,361	270	273	427	3,743	155	258	2,304	2,972	421	5,463	56	62
77	18	17	149	279	32	547	25	146	14	10	18	235	12	8	104	152	7	350	6	63
9,782	2,437	642	9,446	20,335	1,922	18,085	1,104	6,042	1,200	1,223	1,449	13,738	568	845	7,464	9,735	1,479	22,575	159	64
9,636	2,407	620	9,304	19,893	1,855	17,393	1,078	5,858	1,185	1,199	1,425	13,370	553	814	7,282	9,467	1,464	21,990	155	65
146	30	22	142	442	67	692	26	184	15	24	24	368	15	31	182	268	15	585	4	66

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION STATES—Contd.														
1	North Carolina (total)	33,969	728	268	13	1,042	41	562	315	403	68	3,070	86	243	131
2	White	20,468	393	117	6	785	37	301	249	279	59	1,437	61	111	78
3	Colored	13,501	335	151	7	257	4	261	66	124	9	1,633	25	132	53
4	Ohio (total)	76,940	694	16	11	572	198	596	746	962	214	6,474	394	552	357
5	White	73,008	648	16	11	554	197	556	735	933	210	5,830	372	513	341
6	Colored	3,932	46	.....	.....	18	1	40	11	29	4	644	22	39	16
7	Pennsylvania (total)	128,163	901	17	.....	523	225	891	2,019	1,506	313	10,125	753	831	585
8	White	121,494	854	15	.....	503	223	838	1,981	1,437	307	9,109	695	749	548
9	Colored	6,669	47	2	.....	20	2	53	38	69	6	1,016	58	82	37
10	Rhode Island (total)	9,510	34	3	.....	64	29	49	154	125	26	885	73	58	41
11	White	9,204	31	3	.....	62	29	49	154	123	26	825	72	53	40
12	Colored	306	3	.....	.....	2	.....	.....	.....	2	.....	60	1	5	1
13	South Carolina (total)	23,503	523	563	.....	511	21	203	158	302	34	2,229	42	98	73
14	White	8,731	177	97	.....	269	13	29	94	99	26	488	25	30	23
15	Colored	14,772	346	466	.....	242	8	174	64	203	8	1,741	17	68	50
16	Tennessee (total)	30,862	879	441	5	782	49	410	337	565	54	4,079	137	359	162
17	White	21,460	644	270	4	648	46	293	298	430	49	2,510	106	246	102
18	Colored	9,402	235	171	1	134	3	117	39	135	5	1,569	31	113	60
19	Utah (total)	4,615	59	.....	4	105	38	16	43	45	22	157	13	22	28
20	White	4,517	57	.....	4	101	38	16	43	45	19	147	13	21	27
21	Colored	98	2	.....	.....	4	.....	.....	.....	.....	3	10	.....	1	1
22	Vermont (total)	5,468	25	.....	.....	78	19	31	29	152	16	270	33	26	19
23	White	5,462	25	.....	.....	78	19	31	29	152	16	269	33	25	19
24	Colored	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
25	Virginia (total)	31,527	465	123	2	347	17	495	221	464	57	3,383	136	274	164
26	White	18,017	236	42	2	259	15	213	178	295	49	1,471	86	142	93
27	Colored	13,510	229	81	.....	88	2	282	43	169	8	1,912	50	132	71
28	Washington (total)	12,137	121	2	1	198	20	113	50	117	26	1,074	121	105	52
29	White	11,474	111	2	1	173	20	103	50	111	24	928	103	96	48
30	Colored	663	10	.....	.....	25	.....	10	.....	6	2	146	18	9	4
31	Wisconsin (total)	29,130	132	1	2	74	251	209	350	391	116	2,135	172	178	191
32	White	28,937	132	1	2	73	251	209	350	390	116	2,099	171	176	190
33	Colored	193	.....	.....	.....	1	.....	.....	.....	1	.....	36	1	2	1
	REGISTRATION CITIES.														
	ALABAMA.[1]														
34	Registration cities (total)	5,904	137	40	.....	113	2	76	21	71	9	509	18	50	12
35	White	2,269	42	13	.....	42	2	13	16	23	7	105	11	9	5
36	Colored	3,635	95	27	.....	71	.....	63	5	48	2	404	7	41	7
37	Birmingham (total)	3,836	102	22	.....	88	2	56	13	50	5	328	12	38	8
38	White	1,434	24	6	.....	32	2	10	10	15	3	60	6	4	2
39	Colored	2,402	78	16	.....	56	.....	46	3	35	2	268	6	34	6
40	Mobile (total)	1,170	21	14	.....	11	.....	11	3	16	2	123	3	7	1
41	White	515	10	7	.....	8	.....	3	3	5	2	38	3	4	1
42	Colored	655	11	7	.....	3	.....	8	.....	11	.....	85	.....	3	.....
43	Montgomery (total)	898	14	4	.....	14	.....	9	5	5	2	58	3	5	3
44	White	320	8	.....	.....	2	.....	.....	3	3	2	7	2	1	2
45	Colored	578	6	4	.....	12	.....	9	2	2	.....	51	1	4	1
	CALIFORNIA.														
46	Registration cities (total)	23,962	119	11	8	117	35	95	154	109	40	2,793	195	181	65
47	White	22,396	95	9	8	111	33	88	150	104	36	2,501	146	157	60
48	Colored	1,566	24	2	.....	6	2	7	4	5	4	292	49	24	5
49	Alameda	291	3	.....	.....	.....	2	1	3	3	.....	21	3	2	2
50	Bakersfield	334	5	3	.....	.....	.....	1	1	3	.....	53	5	5	.....
51	Berkeley	476	.....	.....	.....	1	1	2	6	2	.....	31	4	4	2
52	Eureka	197	.....	.....	.....	.....	1	.....	.....	.....	.....	13	3	3	1
53	Fresno	546	10	.....	.....	11	1	13	4	7	.....	57	10	5	1
54	Long Beach	510	2	.....	.....	.....	.....	.....	2	1	.....	33	3	2	1
55	Los Angeles (total)	6,706	31	4	.....	33	10	19	39	30	15	962	54	58	17
56	White	6,230	24	3	.....	31	9	17	37	29	15	874	38	51	16
57	Colored [2]	476	7	1	.....	2	1	2	2	1	.....	88	16	7	1
58	Oakland	2,190	5	1	.....	17	1	7	5	13	7	184	17	13	4
59	Pasadena	496	4	.....	.....	.....	.....	.....	.....	4	.....	51	1	6	2
60	Pomona	149	.....	.....	.....	2	.....	2	.....	6	1	12	.....	1	.....
61	Redlands	149	.....	.....	.....	.....	1	1	.....	4	1	32	.....	1	1
62	Riverside (total)	292	3	.....	.....	.....	.....	4	.....	1	.....	40	7	1	1
63	White	269	2	.....	.....	.....	.....	4	.....	1	.....	35	5	1	1
64	Colored	23	1	.....	.....	.....	.....	.....	.....	.....	.....	5	2	.....	.....
65	Sacramento	1,216	8	1	.....	5	3	9	7	5	1	148	10	12	7
66	San Bernardino	368	4	.....	.....	1	1	2	.....	2	1	86	2	5	.....

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
1,046	159	215	1,680	2,398	229	2,595	274	2,364	203	193	101	2,049	171	458	2,008	1,622	76	6,227	2,931	1
777	131	169	1,143	1,503	117	1,453	139	1,513	141	114	61	1,316	86	274	1,422	918	66	3,793	1,419	2
269	28	46	537	895	112	1,142	135	851	62	79	40	733	85	184	586	704	10	2,434	1,512	3
4,787	913	607	5,719	8,789	854	7,842	601	3,048	617	624	778	5,061	424	438	3,918	6,179	756	12,642	557	4
4,685	891	574	5,534	8,340	820	7,237	560	2,955	600	604	752	4,802	408	418	3,813	5,747	739	12,094	519	5
102	22	33	185	449	34	605	41	93	17	20	26	259	16	20	105	432	17	548	38	6
6,832	1,425	1,012	7,385	13,158	1,623	16,316	1,398	8,211	850	1,012	1,078	10,057	614	829	7,531	10,064	938	18,540	601	7
6,660	1,385	926	7,154	12,543	1,550	14,940	1,336	7,931	804	974	1,050	9,568	582	802	7,297	9,585	916	17,657	575	8
172	40	86	231	615	73	1,376	62	280	46	38	28	489	32	27	234	479	22	883	26	9
597	119	61	721	1,012	144	1,109	69	348	80	67	67	723	36	61	579	516	67	1,540	53	10
589	119	57	695	966	138	1,084	67	340	77	67	66	703	36	60	562	503	66	1,493	49	11
8	-------	4	26	46	6	25	2	8	3	-------	1	20	-------	1	17	13	1	47	4	12
605	87	78	919	1,556	100	1,913	235	1,305	117	129	43	1,584	111	327	2,131	1,204	40	5,133	1,129	13
355	54	55	445	678	47	694	67	582	58	51	25	691	33	123	761	407	33	1,918	279	14
250	33	23	474	878	53	1,219	168	723	59	78	18	893	73	204	1,370	797	7	3,215	850	15
1,075	160	183	933	2,232	243	2,545	296	1,116	220	215	126	1,719	172	246	1,306	1,619	122	6,043	2,032	16
868	138	153	695	1,505	169	1,685	200	859	166	148	91	1,156	97	183	1,062	1,059	112	4,128	1,340	17
207	22	30	238	727	74	860	96	257	54	67	35	563	75	63	244	560	10	1,915	692	18
237	46	35	211	454	44	482	43	174	98	45	22	316	30	51	377	414	46	774	164	19
234	46	34	210	448	44	470	43	170	97	43	21	314	30	51	371	399	44	757	160	20
3	-------	1	1	6	-------	12	-------	4	1	2	1	2	-------	-------	6	15	2	17	4	21
393	82	29	483	787	104	567	42	99	56	36	36	414	15	33	273	268	62	980	11	22
393	82	29	482	787	104	567	42	99	55	36	36	412	15	33	273	268	62	980	11	23
-------	-------	-------	1	-------	-------	-------	-------	-------	1	-------	-------	2	-------	-------	-------	-------	-------	-------	-------	24
1,179	193	204	1,756	3,058	266	2,768	362	1,461	174	207	124	2,386	191	306	1,900	1,701	131	5,667	1,345	25
850	157	147	1,041	1,754	135	1,419	188	854	115	141	84	1,422	96	174	1,242	1,014	117	3,315	671	26
329	36	57	715	1,304	131	1,349	174	607	59	66	40	964	95	132	658	687	14	2,352	674	27
935	198	50	738	1,209	62	865	100	244	169	115	69	735	80	93	682	1,086	188	2,397	122	28
912	195	45	730	1,175	57	802	94	227	167	110	67	707	77	89	642	1,022	184	2,310	92	29
23	3	5	8	34	5	63	6	17	2	5	2	28	3	4	40	64	4	87	30	30
2,110	415	161	1,893	2,962	452	3,053	289	765	352	327	285	1,758	125	214	1,830	1,708	352	5,666	211	31
2,104	415	159	1,883	2,945	452	3,026	284	764	349	326	281	1,751	123	206	1,817	1,696	351	5,636	209	32
6	-------	2	10	17	-------	27	5	1	3	1	4	7	2	8	13	12	1	30	2	33
208	30	13	241	418	30	625	41	420	96	51	26	468	41	65	248	419	29	1,269	108	34
142	18	5	117	182	15	170	15	181	61	31	10	177	16	36	129	160	28	468	20	35
66	12	8	124	236	15	455	26	239	35	20	16	291	25	29	119	259	1	801	88	36
117	20	9	143	260	21	510	26	327	64	34	18	209	29	42	162	289	24	769	39	37
81	12	4	72	106	13	127	10	140	41	22	7	82	12	22	97	102	23	277	10	38
36	8	5	71	154	8	383	16	187	23	12	11	127	17	20	65	187	1	492	29	39
63	6	3	51	114	6	51	5	51	12	6	5	144	5	8	43	84	3	257	41	40
44	3	1	23	60	2	21	3	24	8	4	1	51	1	5	20	39	3	109	9	41
19	3	2	28	54	4	30	2	27	4	2	4	93	4	3	23	45	-------	148	32	42
28	4	1	47	44	3	64	10	42	20	11	3	115	7	15	43	46	2	243	28	43
17	3	-------	22	16	-------	22	2	17	12	5	2	44	3	9	12	19	2	82	1	44
11	1	1	25	28	3	42	8	25	8	6	1	71	4	6	31	27	-------	161	27	45
2,122	374	110	1,496	3,303	180	1,867	211	458	298	234	313	1,946	101	149	789	1,702	535	3,835	17	46
2,055	361	102	1,452	3,175	168	1,716	199	402	272	219	293	1,840	83	140	717	1,565	515	3,608	16	47
67	13	8	44	128	12	151	12	56	26	15	20	106	18	9	72	137	20	227	1	48
23	7	1	29	59	6	14	-------	5	3	4	3	20	4	1	6	17	6	43	-------	49
16	3	9	11	12	3	28	4	10	9	5	4	19	5	1	9	52	4	54	-------	50
48	9	1	50	76	3	30	2	1	6	9	6	52	1	4	22	30	5	68	-------	51
15	1	1	17	25	-------	14	2	2	1	4	3	27	1	2	8	18	1	33	1	52
37	4	1	31	47	-------	44	4	29	9	6	4	26	2	7	33	44	8	90	1	53
70	8	-------	50	89	3	24	2	10	3	2	6	37	1	1	13	27	9	110	1	54
576	101	31	389	820	45	450	67	148	75	77	65	570	36	38	222	454	163	1,105	2	55
557	94	30	371	788	43	409	63	130	70	70	64	536	31	36	190	417	157	1,028	2	56
19	7	1	18	32	2	41	4	18	5	7	1	34	5	2	32	37	6	77	-------	57
182	36	10	153	391	17	179	16	39	32	28	41	169	11	15	108	127	56	306	-------	58
57	5	3	40	76	5	26	8	7	6	4	1	55	1	1	11	23	7	91	1	59
13	1	-------	12	26	1	11	3	3	2	3	-------	10	1	1	3	11	1	23	-------	60
19	2	-------	6	15	2	6	1	8	1	-------	-------	13	-------	1	5	9	-------	20	-------	61
26	2	2	26	30	-------	22	2	8	2	3	2	34	1	-------	8	22	3	39	3	62
23	2	2	24	30	-------	22	2	8	2	3	2	29	1	-------	8	20	3	36	3	63
3	-------	-------	2	-------	-------	-------	-------	-------	-------	-------	-------	5	-------	-------	-------	2	-------	3	-------	64
96	25	4	61	129	9	111	8	32	13	5	18	105	9	8	47	102	22	194	2	65
28	3	1	21	28	1	26	-------	21	4	2	4	15	5	3	15	32	6	49	-------	66

[2] Includes 254 Negroes, 3 Indians, 54 Chinese, and 165 Japanese.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	CALIFORNIA—continued.														
1	San Diego	1,032	8			1	1	1	4	3	1	134	5	9	3
2	San Francisco (total)	7,084	22	2	8	36	12	28	72	13	7	757	59	38	18
3	White	6,695	20	2	8	35	12	27	70	13	7	664	49	35	16
4	Colored [1]	389	2			1		1	2			93	10	3	2
5	San Jose	433	2			2	1	3	3	2		38	2	3	2
6	Santa Barbara	271	1			5			3	2		24	1	3	1
7	Santa Cruz	168	1									5		2	
8	Stockton	892	10			2		2	5	6	5	102	8	6	2
9	Vallejo	162				1				2	1	10	1	2	
	COLORADO.														
10	Registration cities (total)	4,546	20			53	5	3	30	44	13	864	43	39	16
11	White	4,346	19			53	5	3	30	40	13	809	43	39	16
12	Colored	200	1							4		55			
13	Colorado Springs	520	2				1		1	2	2	178	3	2	2
14	Denver	3,215	14			24	4	2	21	33	9	597	36	29	13
15	Pueblo	630	2			23		1	7	4	2	71	2	8	1
16	Trinidad	181	2			6			1	5		18	2		
	CONNECTICUT.														
17	Registration cities (total)	14,973	98	5	2	86	17	73	176	205	46	1,231	178	91	57
18	White	14,499	93	5	2	85	17	72	174	201	46	1,164	171	84	57
19	Colored	474	5			1		1	2	4		67	7	7	
20	Ansonia	275			1	3		2	6	4		25	3	1	1
21	Bridgeport	2,270	10			16	5	4	25	16	4	192	40	7	4
22	Bristol	208				5		4	5	1	1	16	1		
23	Danbury town	417	2							7	3	39		2	3
24	Greenwich town	282	1	1		2		6	2	13	1	16	1	1	
25	Hartford	2,588	22			8	4	13	38	26	12	152	35	13	8
26	Manchester town	134						1		1		9	2	1	
27	Meriden town	565	1			4	1	3	6	24	1	112	6	6	4
28	Middletown town	633	1				1		5	9	3	55		4	1
29	Naugatuck	137				1				2		12	2		2
30	New Britain	748	5					10	3	15		52	4	2	2
31	New Haven	2,603	16	2		34	1	15	26	17	11	192	34	21	15
32	New London	424	3			1		5	5	4	1	25	3	1	2
33	Norwalk	417	3			1	1	2	7	17	1	25	7	3	
34	Norwich town	565	8			4			4	8	1	92	3	4	2
35	Orange town	173				1			1	1		14	2	3	
36	Stamford town	577	1			2	2	1	13	11	3	30	7	4	2
37	Torrington town	235	1	1					4	1		18	2		1
38	Wallingford town	148	1			4			6	3		16	2	1	
39	Waterbury	1,314	21	1	1		2	6	19	19	4	118	21	13	10
40	Windham town	260	2					1	1	6		21	3	4	
	DELAWARE.[2]														
41	Wilmington (total)	1,880	36	1		5	4	16	13	17	4	165	12	13	5
42	White	1,562	27	1		5	4	12	13	15	3	122	8	12	5
43	Colored	318	9					4		2	1	43	4	1	
	DISTRICT OF COLUMBIA.														
44	Washington (total)	6,605	49	5		9	9	17	34	86	12	626	23	39	21
45	White	3,986	15	1		7	9	8	26	52	9	278	11	20	14
46	Colored	2,619	34	4		2		9	8	34	3	348	12	19	7
	FLORIDA.[2]														
47	Registration cities (total)	3,016	47	17		35	3	8	9	31	3	327	5	19	10
48	White	1,552	29	5		14	3	6	7	18	3	110	3	9	6
49	Colored	1,464	18	12		21		2	2	13		217	2	10	4
50	Jacksonville (total)	1,544	18	9		13		3	3	21	1	179		6	6
51	White	650	12	3		4		1	3	10	1	44			3
52	Colored	894	6	6		9		2		11		135		6	3
53	Key West (total)	285	2			9		1	1	1		38	2	1	1
54	White	206	1			4		1	1	1		24	2	1	1
55	Colored	79	1			5						14			
56	Pensacola (total)	479	6	3		5		4	1	6	1	39		3	1
57	White	223	3	1		2		4		4	1	6		3	
58	Colored	256	3	2		3			1	2		33			1
59	Tampa (total)	708	21	5		8	3		4	3	1	71	3	9	2
60	White	473	13	1		4	3		3	3	1	36	1	5	2
61	Colored	235	8	4		4			1			35	2	4	
	GEORGIA.[2]														
62	Registration cities (total)	5,893	84	43	2	79	4	30	25	59	10	484	25	66	7
63	White	2,726	39	12		48	4	14	23	18	3	145	13	24	1
64	Colored	3,167	45	31	2	31		16	2	41	7	339	12	42	6

[1] Includes 49 Negroes, 282 Chinese, and 58 Japanese.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
82	13	2	82	166	6	65	8	9	9	4	8	71	3	5	33	66	21	209	.....	1
712	128	34	403	1,065	67	587	67	82	101	63	122	587	15	45	187	525	191	1,026	5	2
686	125	31	394	1,034	61	553	64	74	94	62	112	550	13	45	179	502	185	968	5	3
26	3	3	9	31	6	34	3	8	7	1	10	37	2	.....	8	23	6	58	.....	4
22	7	1	29	75	1	36	4	12	4	3	6	40	1	3	15	26	11	59	.....	5
18	4	1	16	47	2	30	5	10	2	2	4	15	1	3	7	22	.....	42	.....	6
13	5	1	19	35	1	18	3	2	3	1	2	12	.....	1	7	7	3	27	.....	7
38	8	6	35	69	7	122	5	19	10	8	10	65	1	9	21	75	18	217	1	8
11	2	1	16	23	1	24	.....	1	3	1	4	4	2	.....	9	13	.....	30	.....	9
308	71	20	228	387	44	422	49	98	93	54	26	354	33	27	216	201	66	716	3	10
300	70	19	222	369	42	397	46	97	92	51	21	343	32	27	209	189	63	684	3	11
8	1	1	6	18	2	25	3	1	1	3	5	11	1	.....	7	12	3	32	.....	12
34	6	1	19	51	3	33	10	6	7	4	.....	44	3	2	21	16	1	66	.....	13
238	54	14	177	284	30	297	35	47	59	42	16	251	22	17	135	136	55	522	2	14
31	9	4	25	37	10	71	4	38	12	7	8	42	7	5	54	34	6	105	.....	15
5	2	1	7	15	1	21	.....	7	15	1	2	17	1	3	6	15	4	23	1	16
854	194	204	930	1,506	169	2,013	126	763	129	126	109	1,136	66	93	817	1,087	159	2,168	59	17
841	191	193	909	1,470	162	1,916	124	742	124	123	107	1,098	63	90	799	1,057	155	2,108	56	18
13	3	11	21	36	7	97	2	21	5	3	2	38	3	3	18	30	4	60	3	19
9	1	4	18	19	8	36	2	38	.....	1	4	14	1	.....	17	17	6	30	4	20
126	20	22	107	205	14	388	15	127	18	19	18	195	10	21	136	191	17	280	18	21
7	2	2	17	21	3	30	1	12	.....	1	1	16	.....	.....	18	6	6	30	2	22
34	5	6	25	60	7	20	3	21	1	6	3	20	2	.....	15	38	4	91	.....	23
17	3	.....	24	21	7	28	2	11	2	5	3	18	1	2	11	22	2	56	3	24
149	34	90	150	230	27	405	22	139	25	22	27	196	13	17	113	193	23	370	12	25
7	3	.....	9	20	3	27	.....	5	.....	.....	.....	10	.....	1	2	10	3	18	2	26
44	5	5	33	51	4	65	7	19	2	2	2	32	2	4	18	33	4	65	.....	27
17	8	4	35	112	2	108	4	7	5	5	2	61	1	1	10	35	7	130	.....	28
4	1	2	12	17	3	17	.....	7	.....	.....	1	14	.....	.....	12	8	1	19	.....	29
37	9	10	34	55	11	101	8	72	7	4	4	58	1	6	80	56	4	94	4	30
181	48	32	157	302	24	349	28	91	33	22	19	179	11	12	144	169	34	380	4	31
24	6	3	32	56	1	41	5	23	3	5	3	33	1	2	21	35	7	71	2	32
21	3	1	44	50	9	51	6	14	3	3	1	22	3	2	21	33	4	59	.....	33
35	8	2	44	58	6	44	4	26	4	5	2	39	4	5	34	37	5	77	.....	34
9	4	1	26	26	2	10	1	7	.....	2	1	10	.....	.....	7	10	2	32	1	35
34	8	1	60	51	6	76	3	31	9	8	3	36	2	7	26	42	7	91	.....	36
7	5	.....	13	23	1	29	3	18	3	1	1	16	1	2	20	23	7	32	2	37
8	.....	4	13	17	3	22	.....	8	.....	1	.....	9	.....	1	8	5	1	15	.....	38
57	17	15	64	83	22	139	8	79	7	13	14	135	12	9	96	104	15	185	5	39
27	4	.....	13	29	6	27	4	8	7	1	.....	23	1	1	8	20	.....	43	.....	40
78	19	10	103	181	16	296	19	134	13	16	12	157	9	11	102	157	17	237	2	41
73	17	9	94	154	10	218	18	116	12	14	12	138	7	9	88	134	17	194	1	42
5	2	1	9	27	6	78	1	18	1	2	.....	19	2	2	14	23	.....	43	1	43
416	73	32	482	925	56	588	64	231	49	54	42	661	28	36	293	340	75	1,225	5	44
341	57	21	314	615	36	284	42	107	30	37	37	381	8	23	165	231	66	738	3	45
75	16	11	168	310	20	304	22	124	19	17	5	280	20	13	128	109	9	487	2	46
134	18	18	125	206	29	182	19	162	25	20	40	268	15	31	161	233	33	641	142	47
100	16	11	64	121	13	76	12	116	14	15	22	139	9	21	100	117	25	303	45	48
34	2	7	61	85	16	106	7	46	11	5	18	129	6	10	61	116	8	338	97	49
58	13	11	71	110	16	110	9	56	11	10	22	138	9	16	85	138	11	331	60	50
35	11	6	27	54	6	34	4	34	6	5	10	63	5	10	39	64	9	137	10	51
23	2	5	44	56	10	76	5	22	5	5	12	75	4	6	46	74	2	194	50	52
21	2	2	15	20	4	12	3	18	4	.....	3	28	1	4	24	11	1	53	3	53
18	2	1	11	14	3	9	3	17	3	.....	3	19	1	3	18	9	1	33	2	54
3	.....	1	4	6	1	3	.....	1	1	.....	.....	9	.....	1	6	2	.....	20	1	55
22	1	2	18	39	6	30	2	32	6	3	8	37	2	5	30	33	5	118	11	56
20	1	1	8	24	2	11	1	19	3	3	5	13	1	3	24	13	3	42	2	57
2	.....	1	10	15	4	19	1	13	3	.....	3	24	1	2	6	20	2	76	9	58
33	2	3	21	37	3	30	5	56	4	7	7	65	3	6	22	51	16	139	68	59
27	2	3	18	29	2	22	4	46	2	7	4	44	2	5	19	31	12	91	31	60
6	.....	.....	3	8	1	8	1	10	2	.....	3	21	1	1	3	20	4	48	37	61
244	37	22	309	497	61	519	83	333	67	46	22	605	43	53	279	323	29	1,291	112	62
188	29	9	170	214	19	161	41	167	42	21	12	308	18	24	152	172	28	573	34	63
56	8	13	139	283	42	358	42	166	25	25	10	297	25	29	127	151	1	718	78	64

[a] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	GEORGIA—continued.														
1	Atlanta (total)	3,170	41	3	.....	45	2	21	16	22	7	222	11	35	4
2	White	1,751	25	2	.....	27	2	9	15	7	3	98	6	12	.....
3	Colored	1,419	16	1	.....	18	.....	12	1	15	4	124	5	23	4
4	Augusta (total)	969	17	16	2	9	1	6	.....	8	.....	81	3	12	2
5	White	431	5	5	.....	7	1	4	.....	3	.....	23	3	6	1
6	Colored	538	12	11	2	2	.....	2	.....	5	.....	58	.....	6	1
7	Brunswick (total)	196	3	7	.....	9	.....	.....	1	2	1	19	1	2	1
8	White	67	2	2	.....	7	.....	.....	1	2	.....	1	1	1	.....
9	Colored	129	1	5	.....	2	.....	.....	.....	.....	1	18	.....	1	1
10	Savannah (total)	1,558	23	17	.....	16	1	3	8	27	2	162	10	17	.....
11	White	477	7	3	.....	7	1	1	7	6	.....	23	3	5	.....
12	Colored	1,081	16	14	.....	9	.....	2	1	21	2	139	7	12	.....
	ILLINOIS.[1]														
13	Registration cities (total)	41,949	109	5	3	258	649	217	1,267	193	118	3,672	268	222	168
14	White	39,832	100	5	1	251	641	210	1,240	179	112	3,310	252	198	163
15	Colored	2,117	9	.....	2	7	8	7	27	14	6	362	16	24	5
16	Aurora	516	3	.....	.....	1	3	11	5	8	1	29	4	4	3
17	Belleville	348	9	.....	.....	1	3	.....	10	2	2	32	1	2	3
18	Chicago (total)	38,011	49	4	2	250	631	201	1,226	154	105	3,391	246	195	149
19	White	36,105	47	4	.....	244	623	194	1,199	144	100	3,071	233	172	146
20	Colored	1,906	2	.....	2	6	8	7	27	10	5	320	13	23	3
21	Decatur	580	17	.....	1	.....	1	3	4	3	1	39	3	4	6
22	Evanston	385	1	.....	.....	2	10	1	6	1	1	15	5	1	.....
23	Jacksonville	545	5	1	.....	2	.....	.....	2	3	2	71	.....	6	.....
24	Quincy	588	8	.....	.....	1	.....	1	8	14	2	39	2	2	1
25	Springfield	976	17	.....	.....	1	1	.....	6	8	4	56	7	8	6
	INDIANA.														
26	Registration cities (total)	15,319	211	11	3	205	64	112	243	136	46	1,268	78	160	59
27	White	13,974	191	9	2	191	63	97	225	121	43	1,003	70	139	52
28	Colored	1,345	20	2	1	14	1	15	18	15	3	205	8	21	7
29	Anderson	399	2	1	.....	8	.....	5	4	2	.....	50	4	5	.....
30	East Chicago	563	13	.....	.....	18	5	7	7	.....	.....	31	.....	4	1
31	Elkhart	315	3	.....	.....	.....	1	.....	8	.....	.....	18	1	2	1
32	Elwood	154	2	1	.....	2	.....	3	.....	.....	.....	24	1	3	1
33	Evansville	1,240	19	3	.....	31	2	20	10	13	5	125	4	15	2
34	Fort Wayne	976	9	.....	.....	1	.....	4	14	12	2	70	8	6	3
35	Gary	803	13	1	.....	36	12	13	24	4	1	39	7	7	4
36	Hammond	542	26	.....	.....	2	5	9	4	7	2	26	1	2	2
37	Huntington	167	5	.....	.....	.....	1	1	.....	3	.....	10	.....	.....	.....
38	Indianapolis (total)	4,582	31	2	2	56	11	21	112	37	20	451	18	60	18
39	White	3,862	27	2	1	51	10	12	98	35	20	342	13	48	14
40	Colored	720	4	.....	1	5	1	9	14	2	.....	109	5	12	4
41	Jeffersonville (total)	126	1	1	.....	1	.....	2	.....	.....	.....	7	2	2	.....
42	White	96	1	1	.....	1	.....	2	.....	.....	.....	3	2	1	.....
43	Colored	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	1	.....
44	Kokomo	311	6	.....	.....	3	.....	.....	4	6	1	24	5	3	3
45	Lafayette	437	7	.....	.....	1	5	2	2	5	2	23	1	4	1
46	Laporte	210	.....	.....	.....	.....	.....	.....	1	.....	.....	10	1	2	1
47	Logansport	273	2	.....	.....	2	.....	1	1	5	.....	18	.....	.....	2
48	Marion	309	2	1	.....	7	1	1	7	6	.....	23	.....	4	.....
49	Michigan City	269	1	.....	.....	7	1	.....	2	.....	.....	29	2	3	.....
50	Mishawaka	161	.....	.....	.....	1	2	.....	2	.....	.....	6	.....	1	1
51	Muncie	393	6	.....	.....	6	1	2	2	4	.....	28	1	5	5
52	New Albany	397	6	.....	.....	11	.....	6	3	5	1	51	3	6	.....
53	Peru	168	3	.....	.....	.....	1	1	1	1	1	11	3	1	1
54	Richmond	369	3	.....	.....	2	2	5	13	5	3	30	7	7	2
55	South Bend	917	37	.....	.....	3	11	6	5	9	3	66	7	2	2
56	Terre Haute	959	10	1	1	6	1	.....	10	7	3	75	2	10	7
57	Vincennes	279	4	.....	.....	1	2	3	7	5	2	23	.....	6	2
	KANSAS.														
58	Registration cities (total)	5,041	88	10	1	57	17	35	40	75	12	257	11	39	18
59	White	4,277	72	7	1	45	17	26	38	60	11	191	10	29	13
60	Colored	764	16	3	.....	12	.....	9	2	15	1	66	1	10	5
61	Atchison (total)	192	.....	1	.....	1	.....	2	1	6	.....	5	.....	.....	1
62	White	155	.....	1	.....	1	.....	2	1	6	.....	3	.....	.....	.....
63	Colored	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1
64	Coffeyville (total)	189	7	1	.....	.....	.....	4	.....	2	.....	12	.....	2	.....
65	White	149	5	.....	.....	.....	.....	3	.....	2	.....	9	.....	2	.....
66	Colored	40	2	1	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....
67	Fort Scott (total)	165	4	.....	.....	.....	.....	.....	3	.....	.....	3	.....	2	1
68	White	144	4	.....	.....	.....	.....	.....	2	.....	.....	3	.....	2	.....
69	Colored	21	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1
70	Hutchinson	271	1	.....	.....	8	3	2	3	3	.....	15	1	1	.....
71	Independence	149	1	1	.....	1	.....	2	5	7	.....	7	.....	.....	.....

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																				
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
145	24	18	172	244	31	302	43	188	49	20	11	312	29	31	151	206	19	678	68	1
117	17	7	102	118	10	103	29	117	38	11	7	202	17	18	93	129	19	361	30	2
28	7	11	70	126	21	199	14	71	11	9	4	110	12	13	58	77	-------	317	38	3
42	5	1	69	84	12	99	11	45	7	12	1	131	6	8	48	42	5	181	3	4
30	5	1	43	43	1	36	5	24	3	6	1	49	-------	3	26	20	4	71	2	5
12	-------	-------	26	41	11	63	6	21	4	6	-------	82	6	5	22	22	1	110	1	6
4	1	1	13	17	1	9	6	10	-------	1	1	16	2	-------	5	11	-------	48	4	7
2	1	-------	6	6	-------	1	1	3	-------	-------	1	3	-------	-------	3	6	-------	17	-------	8
2	-------	1	7	11	1	8	5	7	-------	1	-------	13	2	-------	2	5	-------	31	4	9
53	7	2	55	152	17	109	23	90	11	13	9	146	6	14	75	64	5	384	37	10
39	6	1	19	47	8	21	6	23	1	4	3	54	1	3	30	17	5	124	2	11
14	1	1	36	105	9	88	17	67	10	9	6	92	5	11	45	47	-------	260	35	12
2,543	545	363	1,636	4,573	509	5,447	352	3,053	468	393	545	3,192	180	212	1,713	2,817	520	5,725	14	13
2,478	532	329	1,568	4,286	495	5,061	332	2,994	453	375	532	3,048	171	206	1,664	2,668	505	5,459	14	14
65	13	34	68	287	14	386	20	59	15	18	13	144	9	6	49	149	15	266	-------	15
31	8	4	37	47	9	60	6	18	7	6	2	42	1	6	24	27	3	106	-------	16
16	8	6	24	23	8	29	9	7	11	5	4	31	3	2	8	31	8	46	4	17
2,268	493	332	1,398	4,166	450	5,026	303	2,944	406	331	498	2,863	162	187	1,559	2,557	478	4,983	4	18
2,207	481	299	1,337	3,901	437	4,678	284	2,889	392	315	486	2,739	154	181	1,514	2,418	463	4,749	4	19
61	12	33	61	265	13	348	19	55	14	16	12	124	8	6	45	139	15	234	-------	20
43	8	4	28	65	4	57	5	20	7	10	3	59	3	4	32	39	4	100	3	21
38	6	4	25	42	10	44	4	9	9	3	4	16	1	2	23	27	6	69	-------	22
29	6	2	29	61	4	72	4	6	7	8	6	41	-------	1	12	23	5	136	1	23
36	11	3	45	73	13	54	5	13	5	9	8	52	4	5	21	32	5	114	2	24
82	5	8	50	96	11	105	16	36	16	21	20	88	6	5	34	81	11	171	-------	25
872	192	86	836	1,607	163	1,541	113	738	231	139	165	1,103	110	91	786	1,300	180	2,462	8	26
839	182	76	778	1,432	151	1,333	103	700	224	134	158	1,017	102	82	735	1,188	173	2,293	8	27
33	10	10	58	175	12	208	10	38	7	5	7	86	8	9	51	112	7	169	-------	28
13	2	-------	27	42	-------	33	3	20	3	2	5	37	4	3	22	28	5	69	-------	29
9	-------	2	8	24	3	118	3	139	1	4	11	6	3	1	34	65	3	42	1	30
23	8	2	25	44	4	26	2	9	7	7	-------	30	1	2	13	25	7	46	-------	31
6	1	1	3	16	3	10	-------	4	1	-------	-------	12	-------	3	12	6	2	37	-------	32
74	13	5	71	130	26	108	12	50	22	12	22	103	11	7	59	73	11	181	1	33
83	13	8	77	72	12	97	7	22	18	8	5	88	6	2	49	76	12	190	2	34
17	3	3	6	26	5	165	7	92	11	6	2	25	4	6	44	135	5	80	-------	35
13	4	2	16	22	8	91	4	46	8	4	9	28	4	3	29	94	5	66	-------	36
15	2	1	14	34	-------	15	1	1	-------	1	3	8	-------	1	7	14	1	29	-------	37
262	61	31	269	551	36	424	31	144	82	35	45	316	29	34	222	290	55	826	-------	38
242	55	22	235	438	28	323	27	127	76	32	40	271	26	29	196	242	52	728	-------	39
20	6	9	34	113	8	101	4	17	6	3	5	45	3	5	26	48	3	98	-------	40
11	2	-------	8	22	1	6	1	7	1	2	1	17	-------	-------	8	8	2	13	-------	41
10	1	-------	6	19	1	2	1	5	1	2	1	14	-------	-------	6	4	1	11	-------	42
1	1	-------	2	3	-------	4	-------	2	-------	-------	-------	3	-------	-------	2	4	1	2	-------	43
21	4	1	22	27	2	33	3	13	4	4	3	20	2	2	28	18	3	46	-------	44
41	8	1	35	57	4	31	3	5	12	7	7	25	2	2	18	40	9	78	1	45
16	3	1	10	38	7	17	4	16	5	3	1	18	-------	-------	9	9	3	35	-------	46
27	7	1	21	22	6	16	2	7	3	3	2	36	1	1	10	28	6	43	-------	47
24	6	2	17	38	4	41	3	3	2	2	7	10	1	-------	12	23	4	58	-------	48
18	3	2	11	30	2	25	-------	15	4	3	3	19	1	1	17	22	1	47	-------	49
14	-------	2	3	13	2	12	3	6	2	3	1	21	3	2	19	14	-------	28	-------	50
27	6	-------	29	40	5	33	3	17	5	6	-------	24	5	4	21	24	6	77	1	51
17	5	1	20	41	9	24	1	12	1	2	2	33	2	2	6	63	3	61	-------	52
10	10	-------	14	13	1	12	4	5	2	1	2	14	2	-------	8	16	1	29	-------	53
16	4	1	19	63	5	25	4	15	-------	3	5	42	1	1	15	16	3	52	-------	54
54	10	8	45	104	8	73	7	59	14	9	10	69	12	5	64	67	13	134	1	55
47	13	9	58	104	8	81	4	26	19	7	13	79	11	5	52	115	18	156	1	56
14	6	2	8	34	2	25	1	5	4	5	6	23	5	4	8	31	2	39	-------	57
332	66	47	298	497	49	505	45	167	103	59	32	404	33	31	265	362	44	1,007	35	58
313	61	38	259	405	39	405	40	149	97	54	27	321	28	25	234	307	42	885	28	59
19	5	9	39	92	10	100	5	18	6	5	5	83	5	6	31	55	2	122	7	60
18	2	1	18	16	-------	26	2	1	5	3	2	6	1	2	13	9	5	42	3	61
17	2	-------	14	11	-------	15	2	1	5	3	2	3	1	1	11	8	5	37	3	62
1	-------	1	4	5	-------	11	-------	-------	-------	-------	-------	3	-------	1	2	1	-------	5	-------	63
4	4	1	4	20	2	17	2	7	2	3	1	10	4	1	18	20	2	38	1	64
4	4	1	4	16	1	9	2	6	2	3	1	7	2	1	17	15	2	30	1	65
-------	-------	-------	-------	4	1	8	-------	1	-------	-------	-------	3	2	-------	1	5	-------	8	-------	66
10	2	-------	13	21	2	16	1	4	2	2	2	12	-------	-------	12	15	2	33	3	67
10	2	-------	13	16	2	13	1	4	2	1	2	10	-------	-------	10	14	1	29	3	68
-------	-------	-------	-------	5	-------	3	-------	-------	-------	1	-------	2	-------	-------	2	1	1	4	-------	69
20	3	3	23	19	3	19	2	7	9	2	2	18	3	1	21	24	-------	53	2	70
8	2	1	7	12	3	9	2	6	4	2	-------	11	1	3	5	12	3	33	1	71

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	KANSAS—continued.														
1	Kansas City (total)	1,465	14	3	1	28	9	20	12	15	1	112	3	18	5
2	White	1,150	11	2	1	17	9	12	11	7	1	81	3	13	4
3	Colored	315	3	1	.....	11	.....	8	1	8	.....	31	.....	5	1
4	Lawrence (total)	183	1	.....	.....	1	.....	.....	.....	11	.....	9	.....	1	2
5	White	145	1	.....	.....	1	.....	.....	.....	10	.....	6	.....	1	2
6	Colored	38	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....
7	Leavenworth (total)	352	21	1	.....	1	2	.....	4	9	1	14	2	.....	3
8	White	286	16	.....	.....	1	2	.....	4	6	1	10	2	.....	2
9	Colored	66	5	1	.....	.....	.....	.....	.....	3	.....	4	.....	.....	1
10	Parsons	215	1	.....	.....	.....	.....	1	.....	1	2	12	.....	.....	.....
11	Pittsburg	239	7	2	.....	.....	.....	.....	.....	5	1	11	.....	1	.....
12	Topeka (total)	741	12	.....	.....	3	3	3	5	6	4	25	2	8	2
13	White	646	12	.....	.....	3	3	3	5	5	4	18	2	4	1
14	Colored	95	.....	.....	.....	.....	.....	.....	.....	1	.....	7	.....	4	1
15	Wichita	880	19	1	.....	14	.....	1	7	10	3	32	3	6	4
	KENTUCKY.														
16	Registration cities (total)	7,588	92	21	.....	115	10	43	45	82	20	874	63	65	29
17	White	5,578	62	10	.....	86	10	31	41	56	16	533	51	40	22
18	Colored	2,010	30	11	.....	29	.....	12	4	26	4	341	12	25	7
19	Covington (total)	1,000	9	.....	.....	3	3	.....	6	14	2	153	9	7	6
20	White	904	7	.....	.....	3	3	.....	6	10	2	133	8	6	4
21	Colored [1]	96	2	.....	.....	.....	.....	.....	.....	4	.....	20	1	1	2
22	Frankfort (total)	217	7	.....	.....	2	.....	.....	.....	4	.....	34	1	1	.....
23	White	144	7	.....	.....	2	.....	.....	.....	2	.....	16	1	.....	.....
24	Colored	73	.....	.....	.....	.....	.....	.....	.....	2	.....	18	.....	1	.....
25	Henderson (total)	245	9	2	.....	4	.....	4	4	5	.....	24	.....	2	.....
26	White	140	4	1	.....	3	.....	3	3	4	.....	13	.....	1	.....
27	Colored	105	5	1	.....	1	.....	1	1	1	.....	11	.....	1	.....
28	Lexington (total)	1,016	17	.....	.....	3	2	.....	4	2	4	115	11	6	3
29	White	631	9	.....	.....	3	2	.....	3	2	3	54	5	3	3
30	Colored	385	8	.....	.....	.....	.....	.....	1	.....	1	61	6	3	.....
31	Louisville (total)	3,919	37	6	.....	94	3	28	26	35	7	372	26	32	16
32	White	2,853	27	3	.....	69	3	18	24	19	6	214	22	17	12
33	Colored	1,066	10	3	.....	25	.....	10	2	16	1	158	4	15	4
34	Newport (total)	385	1	.....	.....	.....	1	2	2	5	1	53	1	2	2
35	White	361	.....	.....	.....	.....	1	2	2	5	1	49	1	2	2
36	Colored [1]	24	1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....
37	Owensboro (total)	348	6	1	.....	2	.....	9	3	15	2	44	10	6	1
38	White	266	6	1	.....	1	.....	8	3	13	1	24	10	3	1
39	Colored	82	.....	.....	.....	1	.....	1	.....	2	1	20	.....	3	.....
40	Paducah (total)	458	6	12	.....	7	1	.....	.....	2	4	79	5	9	1
41	White	279	2	5	.....	5	1	.....	.....	1	3	30	4	8	.....
42	Colored	179	4	7	.....	2	.....	.....	.....	1	1	49	1	1	1
	LOUISIANA.[2]														
43	Registration cities (total)	9,513	135	42	.....	78	2	35	36	155	16	1,296	20	107	22
44	White	5,208	78	16	.....	53	2	19	26	74	15	582	15	26	11
45	Colored	4,305	57	26	.....	25	.....	16	10	81	1	714	5	81	11
46	Alexandria (total)	287	5	5	.....	2	.....	.....	.....	1	.....	30	.....	1	2
47	White	120	4	2	.....	1	.....	.....	.....	.....	.....	5	.....	.....	.....
48	Colored	167	1	3	.....	1	.....	.....	.....	1	.....	25	.....	1	2
49	Baton Rouge (total)	284	3	2	.....	4	.....	2	1	21	1	38	.....	3	.....
50	White	109	2	1	.....	1	.....	1	1	10	1	10	.....	1	.....
51	Colored	175	1	1	.....	3	.....	1	.....	11	.....	28	.....	2	.....
52	Lake Charles (total)	209	4	2	.....	3	.....	2	1	5	.....	16	2	2	.....
53	White	104	2	1	.....	2	.....	1	1	3	.....	3	.....	2	.....
54	Colored	105	2	1	.....	1	.....	1	.....	2	.....	13	2	.....	.....
55	Monroe (total)	224	11	6	.....	1	.....	5	.....	4	2	22	.....	.....	.....
56	White	106	5	2	.....	1	.....	3	.....	2	2	3	.....	.....	.....
57	Colored	118	6	4	.....	.....	.....	2	.....	2	.....	19	.....	.....	.....
58	New Orleans (total)	7,510	88	13	.....	62	2	22	31	112	11	1,088	18	97	18
59	White	4,369	56	5	.....	46	2	12	22	55	10	538	15	22	10
60	Colored	3,141	32	8	.....	16	.....	10	9	57	1	550	3	75	8
61	Shreveport (total)	999	24	14	.....	6	.....	4	3	12	2	102	.....	4	2
62	White	400	9	5	.....	2	.....	2	2	4	2	23	.....	1	1
63	Colored	599	15	9	.....	4	.....	2	1	8	.....	79	.....	3	1
	MAINE.														
64	Registration cities (total)	3,153	36	.....	.....	39	3	14	20	29	12	213	19	30	11
65	White	3,144	36	.....	.....	39	3	14	20	29	12	211	19	30	11
66	Colored	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
67	Auburn	218	.....	.....	.....	1	1	.....	1	3	1	14	1	1	1
68	Augusta	315	3	.....	.....	2	.....	.....	.....	2	1	26	.....	1	.....
69	Bangor	669	19	.....	.....	3	1	1	3	6	5	48	2	5	2
70	Biddeford	273	2	.....	.....	1	.....	2	3	3	.....	22	4	4	.....
71	Lewiston	476	1	.....	.....	5	1	7	3	4	2	30	3	3	1
72	Portland	996	10	.....	.....	16	.....	3	8	7	1	60	6	12	7
73	Waterville	206	1	.....	.....	11	.....	1	2	4	2	13	3	4	.....

[1] Colored population less than 10 per cent of the total in 1910.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
93	19	26	60	108	15	183	10	62	21	22	12	139	8	6	66	105	13	254	2	1
85	16	20	52	78	11	143	9	55	18	21	9	101	8	4	50	78	12	206	2	2
8	3	6	8	30	4	40	1	7	3	1	3	38	.....	2	16	27	1	48	.....	3
11	.....	2	16	25	3	9	.....	2	3	2	1	9	3	3	5	13	2	46	3	4
10	.....	2	15	18	3	7	.....	2	3	1	.....	6	1	2	3	12	2	35	2	5
1	.....	.....	1	7	.....	2	.....	.....	.....	1	1	3	2	1	2	1	.....	11	1	6
25	4	3	34	48	6	25	3	10	5	1	1	21	1	3	7	27	.....	70	.....	7
24	4	1	22	40	4	25	2	7	5	.....	1	18	1	3	7	22	.....	56	.....	8
1	.....	2	12	8	2	.....	1	3	.....	1	.....	3	.....	.....	.....	5	.....	14	.....	9
12	3	1	8	19	4	17	.....	5	8	1	3	25	2	3	12	32	.....	43	.....	10
13	3	3	15	10	1	22	4	11	4	4	1	24	1	2	14	16	2	55	7	11
57	14	1	46	93	5	77	8	21	17	9	4	72	3	1	49	35	9	139	8	12
52	12	1	42	78	4	62	6	19	16	8	3	60	2	1	47	29	9	130	5	13
5	2	.....	4	15	1	15	2	2	1	1	1	12	1	.....	2	6	.....	9	3	14
61	10	5	54	106	5	85	11	31	23	8	3	57	6	6	43	54	6	201	5	15
395	83	49	395	862	100	743	90	217	72	83	73	724	37	40	292	402	61	1,388	23	16
348	78	37	307	607	70	479	61	168	62	68	58	537	28	35	259	292	60	1,049	17	17
47	5	12	88	255	30	264	29	49	10	15	15	187	9	5	33	110	1	339	6	18
67	10	4	65	146	8	78	10	26	7	10	10	92	5	5	61	51	8	125	.....	19
65	10	4	60	130	7	66	9	22	6	10	10	85	3	5	59	46	8	117	.....	20
2	.....	.....	5	16	1	12	1	4	1	.....	.....	7	2	.....	2	5	.....	8	.....	21
7	.....	3	10	18	5	13	7	4	.....	1	2	18	.....	2	4	16	1	52	5	22
6	.....	2	8	11	4	9	4	2	.....	1	2	11	.....	2	3	10	1	35	5	23
1	.....	1	2	7	1	4	3	2	.....	.....	.....	7	.....	.....	1	6	.....	17	.....	24
7	3	.....	13	41	3	15	5	13	.....	2	5	17	2	1	6	14	.....	40	4	25
6	3	.....	10	17	3	6	2	11	.....	1	3	7	1	.....	5	8	.....	23	2	26
1	.....	.....	3	24	.....	9	3	2	.....	1	2	10	1	1	1	6	.....	17	2	27
50	12	3	48	81	7	105	12	18	16	15	2	90	4	6	27	46	5	298	4	28
39	10	2	34	38	3	51	4	14	13	10	1	57	3	4	17	31	5	205	3	29
11	2	1	14	43	4	54	8	4	3	5	1	33	1	2	10	15	.....	93	1	30
216	47	28	201	463	60	430	47	115	38	48	37	400	17	18	131	213	35	691	2	31
189	45	20	150	326	42	270	36	86	32	40	26	287	14	17	118	152	35	534	.....	32
27	2	8	51	137	18	160	11	29	6	8	11	113	3	1	13	61	.....	157	2	33
22	4	3	27	50	6	33	1	16	1	2	6	41	2	.....	23	19	5	54	.....	34
22	4	3	26	48	5	27	1	14	1	1	6	40	2	.....	23	17	5	51	.....	35
.....	.....	.....	1	2	1	6	.....	2	.....	1	.....	1	.....	.....	.....	2	.....	3	.....	36
12	4	5	16	27	3	32	1	12	4	2	4	28	2	5	18	20	2	49	3	37
10	3	5	12	21	3	24	.....	9	4	2	4	22	1	4	17	12	2	37	3	38
2	1	.....	4	6	.....	8	1	3	.....	.....	.....	6	1	1	1	8	.....	12	.....	39
14	3	3	15	36	8	37	7	13	6	3	7	38	5	3	22	23	5	79	5	40
11	3	1	7	16	3	26	5	10	6	3	6	28	4	3	17	16	4	47	4	41
3	.....	2	8	20	5	11	2	3	.....	.....	1	10	1	.....	5	7	1	32	1	42
415	64	28	423	1,056	75	689	76	401	110	108	130	1,175	50	82	295	585	66	1,695	46	43
317	47	15	268	579	40	318	43	221	78	58	86	686	32	41	172	309	59	906	16	44
98	17	13	155	477	35	371	33	180	32	50	44	489	18	41	123	276	7	789	30	45
7	.....	3	12	33	1	17	3	16	3	5	.....	35	1	2	7	28	4	57	7	46
3	.....	2	5	11	1	7	.....	6	3	3	.....	14	1	1	5	16	4	24	2	47
4	.....	1	7	22	.....	10	3	10	.....	2	.....	21	.....	1	2	12	.....	33	5	48
9	.....	1	12	24	1	8	1	12	.....	1	5	35	.....	3	17	17	1	60	2	49
6	.....	1	4	11	1	4	1	3	.....	1	5	10	.....	2	4	6	1	21	.....	50
3	.....	.....	8	13	.....	4	.....	9	.....	.....	.....	25	.....	1	13	11	.....	39	2	51
5	2	.....	9	13	3	18	3	7	5	4	2	13	2	5	12	17	.....	38	14	52
3	2	.....	7	6	.....	6	1	1	4	1	1	9	1	2	6	11	.....	21	7	53
2	.....	.....	2	7	3	12	2	6	1	3	1	4	1	3	6	6	.....	17	7	54
10	.....	2	4	13	1	19	5	10	5	2	1	20	1	2	5	20	4	34	15	55
8	.....	.....	2	4	.....	11	3	4	4	1	.....	13	.....	1	5	14	3	11	4	56
2	.....	2	2	9	1	8	2	6	1	1	1	7	1	1	.....	6	1	23	11	57
341	55	21	362	883	61	555	50	338	66	75	113	1,005	38	47	223	413	51	1,249	2	58
268	41	11	233	527	35	266	37	197	49	46	74	601	24	27	134	223	45	736	2	59
73	14	10	129	356	26	289	13	141	17	29	39	404	14	20	89	190	6	513	.....	60
43	7	1	24	90	8	72	14	18	31	21	9	67	8	23	31	90	6	257	6	61
29	4	1	17	20	3	24	1	10	18	6	6	39	6	8	18	39	6	93	1	62
14	3	.....	7	70	5	48	13	8	13	15	3	28	2	15	13	51	.....	164	5	63
216	67	26	232	327	36	349	26	99	49	35	11	243	12	26	148	141	24	619	41	64
215	67	26	232	325	36	348	26	99	49	35	11	243	12	26	148	141	24	616	41	65
1	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	66
19	9	1	24	33	4	17	.....	11	.....	.....	1	12	.....	1	17	3	3	36	3	67
12	5	1	20	23	1	64	2	5	3	2	.....	24	.....	2	13	9	2	90	2	68
41	5	4	43	82	6	89	8	3	15	8	1	36	2	5	19	36	3	156	12	69
23	6	5	19	26	1	30	4	17	2	2	2	20	1	.....	12	16	.....	43	3	70
46	6	2	27	23	11	45	6	33	15	5	1	46	4	5	35	17	4	78	7	71
67	29	10	85	126	6	88	5	22	7	15	5	95	5	9	39	50	8	181	14	72
8	7	3	14	14	7	16	1	8	7	3	1	10	.....	4	13	10	4	35	.....	73

[2] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	MARYLAND.														
1	Registration cities (total)	12,398	120	4	.....	59	13	41	70	113	27	1,330	77	78	56
2	White	9,297	97	.....	.....	47	13	32	69	84	21	812	64	54	44
3	Colored	3,101	23	4	.....	12	.....	9	1	29	6	518	13	24	12
4	Baltimore (total)	11,355	93	4	.....	54	11	36	58	107	27	1,258	67	70	54
5	White	8,362	73	.....	.....	42	11	27	57	79	21	753	54	48	42
6	Colored	2,993	20	4	.....	12	.....	9	1	28	6	505	13	22	12
7	Cumberland (total)	426	8	.....	.....	1	.....	.....	5	3	.....	22	7	2	.....
8	White	397	7	.....	.....	1	.....	.....	5	2	.....	18	7	2	.....
9	Colored [1]	29	1	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	.....
10	Frederick (total)	194	5	.....	.....	1	.....	1	2	1	.....	11	1	2	.....
11	White	161	5	.....	.....	1	.....	1	2	1	.....	8	1	2	.....
12	Colored	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
13	Hagerstown (total)	423	14	.....	.....	3	2	4	5	2	.....	39	2	4	2
14	White	377	12	.....	.....	3	2	4	5	2	.....	33	2	2	2
15	Colored [1]	46	2	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	2	.....
	MASSACHUSETTS.														
16	Registration cities (total)	44,179	148	3	10	328	95	192	740	300	184	3,567	367	257	134
17	White	43,290	147	2	10	325	95	188	731	297	182	3,414	357	246	132
18	Colored	889	1	1	.....	3	.....	4	9	3	2	153	10	11	2
19	Adams town	121	1	.....	.....	.....	.....	.....	3	2	.....	8	.....	.....	2
20	Arlington town	179	1	.....	.....	1	1	.....	1	3	.....	13	1	.....	.....
21	Attleboro	239	.....	.....	.....	.....	.....	1	3	4	.....	17	3	1	2
22	Beverly	294	1	.....	.....	.....	.....	2	.....	1	.....	17	1	.....	1
23	Boston (total)	12,704	23	.....	.....	107	45	38	277	36	71	1,143	99	80	25
24	White	12,252	23	.....	.....	107	45	36	272	36	70	1,059	95	73	25
25	Colored	452	.....	.....	.....	.....	.....	2	5	.....	1	84	4	7	.....
26	Brockton	750	.....	1	.....	.....	.....	4	3	13	3	38	6	2	5
27	Brookline town	383	.....	.....	.....	.....	1	.....	.....	3	1	16	2	3	1
28	Cambridge	1,605	5	.....	.....	15	3	4	16	8	7	207	10	10	4
29	Chelsea	682	3	.....	.....	2	.....	1	11	2	5	52	4	2	2
30	Chicopee	426	1	.....	.....	1	.....	2	8	2	1	59	4	1	2
31	Clinton town	186	.....	.....	.....	3	.....	3	.....	1	2	18	2	1	.....
32	Everett	376	.....	.....	.....	4	.....	1	12	7	1	23	2	.....	2
33	Fall River	2,116	22	.....	.....	71	3	22	37	11	4	187	22	9	5
34	Fitchburg	485	.....	.....	1	2	1	4	14	1	2	41	6	1	2
35	Framingham town	229	.....	.....	.....	2	.....	.....	3	1	.....	9	2	.....	.....
36	Gardner town	250	9	.....	.....	.....	.....	.....	13	2	2	20	1	.....	1
37	Gloucester	359	2	.....	.....	1	.....	.....	5	3	.....	28	1	2	2
38	Greenfield town	214	2	.....	.....	8	1	.....	.....	2	3	8	.....	1	.....
39	Haverhill	731	5	.....	.....	1	3	4	13	12	3	61	1	2	4
40	Holyoke	1,055	4	.....	.....	7	.....	6	20	6	1	63	9	6	3
41	Lawrence	1,395	6	.....	.....	.....	1	5	13	8	2	132	17	11	4
42	Leominster	220	1	.....	.....	.....	.....	.....	6	2	2	11	.....	2	.....
43	Lowell	1,940	7	.....	.....	9	3	7	27	3	8	151	23	16	13
44	Lynn	1,267	7	.....	.....	1	4	3	17	9	1	111	9	14	4
45	Malden	582	.....	.....	.....	.....	3	2	22	7	4	36	4	5	3
46	Marlborough	199	.....	.....	.....	.....	.....	2	.....	2	1	8	3	2	1
47	Medford	378	1	.....	.....	1	.....	.....	4	4	.....	22	2	.....	1
48	Melrose	270	.....	.....	.....	2	.....	.....	2	9	1	11	.....	1	.....
49	Methuen town	202	.....	.....	.....	.....	.....	4	1	1	2	14	3	1	1
50	Milford town	185	.....	1	.....	.....	.....	1	.....	.....	2	10	2	1	4
51	New Bedford	1,786	9	.....	.....	27	.....	13	17	10	7	147	28	14	1
52	Newburyport	253	1	.....	.....	3	.....	.....	2	8	2	5	1	.....	.....
53	Newton	520	.....	.....	.....	2	.....	1	9	8	4	17	4	2	.....
54	North Adams	356	2	.....	.....	4	.....	.....	4	6	.....	15	.....	3	.....
55	Northampton	436	.....	.....	.....	2	.....	.....	4	5	1	60	1	.....	.....
56	Peabody	258	1	.....	.....	.....	.....	1	.....	4	2	12	2	.....	.....
57	Pittsfield	647	1	.....	.....	10	3	5	7	7	2	51	4	2	2
58	Plymouth town	191	2	.....	.....	.....	1	1	4	4	1	8	1	.....	1
59	Quincy	469	2	.....	.....	.....	.....	3	1	3	1	48	4	2	2
60	Revere	237	3	.....	.....	1	.....	.....	3	1	.....	11	2	2	1
61	Salem	602	.....	.....	.....	2	.....	7	2	5	.....	51	6	6	4
62	Somerville	1,077	5	.....	.....	2	3	1	27	12	7	77	8	.....	4
63	Southbridge town	153	1	.....	.....	.....	.....	1	3	.....	.....	9	3	1	.....
64	Springfield	1,876	7	.....	.....	5	7	7	63	25	12	103	13	11	12
65	Taunton	780	1	.....	.....	4	.....	.....	3	6	2	69	9	3	5
66	Wakefield town	126	.....	.....	.....	.....	1	2	2	1	.....	12	1	.....	1
67	Waltham	393	1	1	.....	2	.....	.....	5	7	4	31	3	6	1
68	Watertown town	190	1	.....	.....	1	.....	.....	.....	2	.....	16	.....	1	.....
69	Webster town	136	.....	.....	.....	.....	.....	1	5	.....	.....	5	.....	2	.....
70	Westfield town	338	.....	.....	.....	11	4	.....	4	2	.....	38	.....	2	2
71	Weymouth town	171	.....	.....	.....	.....	.....	.....	1	3	1	12	1	1	.....
72	Winthrop town	143	.....	.....	.....	1	.....	1	.....	2	.....	5	.....	.....	.....
73	Woburn	230	.....	.....	.....	.....	.....	1	2	2	.....	16	3	2	.....
74	Worcester	2,789	10	.....	9	13	7	31	41	12	9	215	34	23	4

[1] Colored population less than 10 per cent of the total in 1910.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
708	127	81	778	1,437	149	1,516	62	678	119	114	101	1,225	56	65	641	740	105	1,690	18	1
631	119	52	621	1,080	112	952	49	522	95	96	94	938	40	59	504	575	101	1,308	12	2
77	8	29	157	357	37	564	13	156	24	18	7	287	16	6	137	165	4	382	6	3
643	121	76	725	1,315	130	1,444	53	636	98	100	95	1,137	46	58	575	653	100	1,499	12	4
569	113	47	575	973	95	894	41	484	74	82	88	863	31	52	441	494	96	1,135	8	5
74	8	29	150	342	35	550	12	152	24	18	7	274	15	6	134	159	4	364	4	6
28	3	4	15	42	7	32	6	19	9	9	4	42	1	3	22	50	1	80	1	7
26	3	4	14	39	7	28	6	17	9	9	4	38	1	3	21	47	1	77	1	8
2	-------	-------	1	3	-------	4	-------	2	-------	-------	-------	4	-------	-------	1	3	-------	3	-------	9
10	1	1	15	21	5	14	1	3	7	4	-------	19	4	2	8	10	3	39	3	10
10	1	1	11	17	3	10	1	3	7	4	-------	15	3	2	7	10	3	30	2	11
-------	-------	-------	4	4	2	4	-------	-------	-------	-------	-------	4	1	-------	1	-------	-------	9	1	12
27	2	-------	23	59	7	26	2	20	5	1	2	27	5	2	36	27	1	72	2	13
26	2	-------	21	51	7	20	1	18	5	1	2	22	5	2	35	24	1	66	1	14
1	-------	-------	2	8	-------	6	1	2	-------	-------	-------	5	-------	-------	1	3	-------	6	1	15
3,140	631	245	2,818	5,800	573	5,112	289	2,221	425	302	250	2,777	241	313	2,450	2,580	389	7,069	229	16
3,106	623	242	2,779	5,677	566	4,978	285	2,195	418	296	247	2,715	236	303	2,407	2,541	385	6,941	224	17
34	8	3	39	123	7	134	4	26	7	6	3	62	5	10	43	39	4	128	5	18
11	1	-------	10	17	-------	7	-------	13	1	-------	-------	11	3	1	5	7	1	17	-------	19
18	2	2	11	34	1	16	2	3	2	2	-------	14	1	1	9	5	3	32	-------	20
20	5	1	15	44	3	15	2	5	1	1	-------	16	1	2	18	10	4	43	2	21
18	2	3	29	50	2	33	1	1	2	2	-------	15	1	2	28	20	2	60	-------	22
924	156	76	689	1,689	120	1,631	85	438	127	117	90	789	82	98	626	795	133	2,064	31	23
902	152	73	668	1,627	118	1,560	83	430	125	114	89	759	80	91	605	780	131	1,995	29	24
22	4	3	21	62	2	71	2	8	2	3	1	30	2	7	21	15	2	69	2	25
59	14	2	66	102	12	73	8	6	6	2	3	43	5	11	46	46	15	155	1	26
57	13	1	23	72	2	44	1	1	4	2	3	26	1	2	13	10	7	73	1	27
154	34	2	108	232	20	170	11	60	11	13	7	73	9	9	66	88	5	244	-------	28
48	13	3	40	108	5	76	4	19	10	4	3	36	4	2	49	43	5	118	8	29
17	2	5	21	47	7	46	2	79	-------	-------	2	22	-------	2	21	25	2	45	-------	30
10	2	-------	13	17	6	20	2	8	2	4	1	7	3	-------	13	16	-------	29	3	31
27	6	2	19	67	4	49	5	7	5	1	4	25	4	-------	21	14	3	61	-------	32
105	28	7	92	232	37	265	16	273	12	8	9	152	11	12	107	79	7	242	29	33
29	8	-------	16	88	7	43	5	24	6	3	3	28	6	4	36	26	4	74	-------	34
26	5	2	16	24	1	23	1	5	8	1	-------	14	2	2	14	26	2	40	-------	35
14	6	3	15	28	2	22	2	18	2	1	1	26	1	-------	14	15	3	29	-------	36
29	4	3	33	51	12	41	4	9	1	2	4	32	1	3	10	19	5	52	-------	37
17	2	-------	16	20	4	27	1	4	1	1	-------	12	-------	-------	10	25	2	32	15	38
47	6	5	71	94	7	86	1	23	7	5	4	34	4	10	46	44	4	111	13	39
58	17	4	50	104	9	141	9	139	16	9	8	58	6	6	33	67	8	138	-------	40
67	14	17	99	115	18	153	10	177	16	13	8	86	5	6	70	86	11	179	46	41
26	9	1	13	32	2	21	-------	4	1	2	3	23	1	-------	11	12	2	33	-------	42
85	22	17	120	195	56	201	18	190	24	11	10	98	7	16	133	105	11	353	1	43
102	25	7	103	163	15	152	5	29	12	8	7	81	4	10	59	68	10	221	6	44
45	14	2	36	87	4	62	4	14	8	7	2	49	3	8	36	25	3	87	-------	45
15	2	3	17	45	4	20	2	5	1	1	2	7	3	2	6	15	1	27	2	46
42	7	1	38	54	3	47	1	9	1	4	-------	35	-------	-------	24	12	4	61	-------	47
41	5	-------	24	42	2	18	1	1	2	3	3	22	-------	3	14	20	1	41	1	48
17	3	-------	15	26	4	19	2	13	1	-------	-------	6	2	-------	6	8	3	44	6	49
12	2	1	20	19	1	23	1	1	6	1	-------	17	-------	-------	16	16	-------	28	-------	50
90	21	9	94	158	46	252	8	165	10	7	10	86	7	12	96	90	22	286	44	51
26	2	1	12	48	2	30	1	2	1	1	1	33	-------	-------	8	21	1	41	-------	52
53	3	2	43	75	8	54	2	20	4	1	1	23	3	4	32	23	6	116	-------	53
30	2	2	32	42	9	45	1	11	5	4	2	28	1	-------	10	22	7	68	1	54
22	4	4	62	48	5	39	4	8	7	1	2	31	1	4	18	19	-------	79	5	55
20	2	1	12	46	6	29	2	13	4	1	1	15	1	1	21	14	1	46	-------	56
56	9	11	42	59	4	72	4	29	2	4	11	48	3	5	43	45	5	100	1	57
11	1	-------	16	36	5	16	-------	9	1	2	2	10	-------	3	15	12	1	28	-------	58
40	13	2	28	77	2	46	2	11	3	3	2	34	2	2	36	37	7	56	-------	59
15	8	1	18	32	-------	31	1	15	-------	1	-------	18	-------	1	17	10	6	38	1	60
49	9	6	40	121	8	57	9	19	3	2	3	29	3	4	46	24	4	83	-------	61
90	16	5	94	155	13	102	7	22	9	8	5	60	4	9	69	41	10	211	1	62
14	5	2	13	21	2	19	1	8	-------	-------	-------	6	-------	-------	12	7	3	19	3	63
121	27	12	112	203	16	195	14	88	32	13	9	185	8	13	126	145	13	279	-------	64
45	8	-------	44	132	13	88	5	26	6	2	4	42	2	8	38	46	5	162	2	65
15	1	1	16	19	3	12	1	1	-------	-------	-------	10	-------	-------	5	1	-------	21	-------	66
30	6	2	24	64	8	40	1	4	3	-------	3	22	1	5	19	25	1	73	1	67
20	3	-------	16	29	1	22	-------	7	-------	-------	1	12	-------	3	10	13	2	30	-------	68
11	5	-------	12	12	3	18	1	11	2	1	-------	7	-------	-------	8	6	-------	25	1	69
20	5	1	21	38	5	36	3	21	3	1	-------	20	2	4	20	16	6	53	-------	70
24	4	1	24	26	2	15	1	4	1	-------	-------	13	-------	1	8	4	-------	23	1	71
16	3	2	16	18	3	12	-------	3	-------	2	1	16	1	-------	7	14	1	19	-------	72
13	5	-------	17	33	2	21	2	4	1	2	1	14	2	4	17	15	4	46	1	73
169	40	10	172	410	37	317	13	142	32	18	14	158	30	18	159	183	23	434	2	74

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	MICHIGAN.														
1	Registration cities (total)	22,295	225	3	2	126	221	227	562	119	105	1,454	138	107	99
2	White	21,808	218	2	2	123	220	222	560	117	105	1,399	134	105	96
3	Colored	487	7	1		3	1	5	2	2		55	4	2	3
4	Adrian	214	1				2	1	3	6		7	1		
5	Alpena	159	3			2	1			1		11	1		
6	Ann Arbor	480	4			2	2	1	11	2		35		2	
7	Battle Creek	495	3			1	3		12	9	1	21		6	5
8	Bay City	635	12				2	5	6	11	2	35	1	1	3
9	Detroit	11,736	110	1	1	60	147	153	413	37	52	852	88	51	53
10	Escanaba	225	6				6	1		1		19	1	1	1
11	Flint	829	26		1	5	12	15	22	4	2	28	5	4	3
12	Grand Rapids	1,738	17			35	2	12	35	2	9	105	15	7	9
13	Holland	122	2			1		2			1	5	2		
14	Ironwood	189	2				7	3	2			23			
15	Ishpeming	146	1				5		1		1	6	1	2	2
16	Jackson	668				3	6	6	9	9	3	41	3	3	4
17	Kalamazoo	871	2			2	2	4	10	8	15	56	1	5	4
18	Lansing	649	5			1	12	4	8	6	6	24	4	5	4
19	Manistee	156	4				1		6	2	1	11			1
20	Marquette	187	5			1		2		1		9	3	1	1
21	Menominee	125	2							3		7		1	1
22	Muskegon	502	3			7	1		2	2	3	37	4	3	1
23	Pontiac	488	3				5	5	6	7	4	21	2	4	3
24	Port Huron	344	1			1	3		6	3		17	2		2
25	Saginaw	827	7	2			2	13	6	2	3	48	3	6	1
26	Sault Ste. Marie	181	4			5			3	3		9	1	1	1
27	Traverse City	329	2						1		2	27		4	
	MINNESOTA.														
28	Registration cities (total)	9,244	41	1	16	42	32	24	133	52	32	874	80	79	41
29	White	9,076	41		16	42	32	23	132	52	31	834	77	76	41
30	Colored	168		1				1	1		1	40	3	3	
31	Duluth	1,146	6		15	13	7		15	5	3	74	24	11	6
32	Mankato	199	2			2				1		6	1	3	2
33	Minneapolis	4,413	24		1	11	11	18	68	21	16	445	24	34	17
34	St. Cloud	170	1			1			1	3	1	15	5	2	1
35	St. Paul	2,724	6	1		13	8	5	41	19	10	289	23	29	13
36	Stillwater	97								1		3			1
37	Virginia	188	1			2	5		6		1	13	1		1
38	Winona	307	1				1	1	2	2	1	29	2		
	MISSISSIPPI.[1]														
39	Registration cities (total)	2,682	57	58	2	48	2	8	20	48	4	222	13	21	5
40	White	886	23	24	1	21		4	8	23	4	42	4	2	
41	Colored	1,796	34	34	1	27	2	4	12	25		180	9	19	5
42	Hattiesburg (total)	286	15	10		15		1	5	10	1	15		2	
43	White	150	6	6		10		1	5	7	1	5		1	
44	Colored	136	9	4		5				3		10		1	
45	Jackson (total)	899	16	14	1	21	2	2	14	19	3	59	3	10	2
46	White	294	5	7		7		1	2	8	3	8	2	1	
47	Colored	605	11	7	1	14	2	1	12	11		51	1	9	2
48	Meridian (total)	547	18	12	1	9		4	1	6		57	2	4	
49	White	228	10	3	1	3		1	1	3		15	1		
50	Colored	319	8	9		6		3		3		42	1	4	
51	Natchez (total)	249	1	4		1				2		25	6		
52	White	64		3						1		1	1		
53	Colored	185	1	1		1				1		24	5		
54	Vicksburg (total)	701	7	18		2		1		11		66	2	5	3
55	White	150	2	5		1		1		4		13			
56	Colored	551	5	13		1				7		53	2	5	3
	MISSOURI.														
57	Registration cities (total)	20,418	180	30	8	230	95	106	347	252	89	1,937	104	112	74
58	White	17,636	150	21	6	213	92	86	321	224	86	1,459	82	85	70
59	Colored	2,782	30	9	2	17	3	20	26	28	3	478	22	27	4
60	Hannibal (total)	313	1	1					1	10		28	3	1	3
61	White	263	1	1					1	5		19	3	1	3
62	Colored	50								5		9			
63	Jefferson City (total)	177	4		1	4	1	5	1	3		27		1	1
64	White	150	3		1	4	1	3	1	3		17		1	1
65	Colored	27	1					2				10			
66	Joplin	677	26	4	3	8		4	4	2	2	100	7	1	1
67	Kansas City (total)	5,008	37	7	2	57	34	49	88	37	20	460	22	31	17
68	White	4,216	30	4	1	57	31	36	84	30	19	316	19	25	15
69	Colored	792	7	3	1		3	13	4	7	1	144	3	6	2

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
1,203	253	206	1,193	2,190	309	2,450	235	1,005	316	245	182	1,158	158	175	1,474	1,636	251	4,210	58	1
1,190	252	203	1,171	2,149	306	2,352	227	997	311	243	179	1,126	156	175	1,449	1,580	249	4,133	57	2
13	1	3	22	41	3	98	8	8	5	2	3	32	2	-------	25	56	2	77	1	3
21	5	1	16	33	1	9	2	6	3	1	1	13	-------	1	6	18	1	55	-------	4
10	1	1	5	22	12	4	1	3	3	3	4	6	-------	1	11	10	-------	40	3	5
57	9	2	39	43	3	21	9	7	14	8	4	29	-------	3	26	27	8	111	1	6
36	12	2	51	72	5	25	2	5	6	4	4	29	5	3	20	44	4	104	1	7
43	6	5	43	82	11	59	12	10	11	12	7	21	6	7	30	45	3	139	5	8
478	114	139	426	1,032	131	1,646	110	725	171	126	107	519	87	85	843	945	144	1,880	10	9
8	1	5	19	21	2	33	-------	7	4	3	2	15	1	2	17	19	2	27	1	10
41	7	4	49	70	17	81	14	49	8	4	6	40	12	6	86	48	10	142	8	11
123	20	6	121	227	41	116	19	56	18	19	9	139	5	17	94	94	13	349	4	12
12	3	-------	5	14	3	6	2	6	1	2	1	5	1	1	8	4	3	32	-------	13
12	-------	3	4	11	5	15	1	14	2	-------	1	9	3	3	12	24	1	31	1	14
10	2	1	12	15	5	10	2	3	5	3	-------	7	2	2	11	13	1	22	1	15
41	9	2	57	55	7	52	10	11	9	10	8	51	3	6	36	70	12	131	1	16
57	7	1	67	95	6	65	5	14	11	7	6	60	2	2	45	46	12	251	3	17
51	13	3	43	70	6	47	16	37	6	7	3	39	4	6	50	41	7	120	1	18
9	3	-------	14	14	4	5	2	2	3	1	1	18	1	2	5	10	-------	35	1	19
12	4	-------	19	20	2	16	2	4	4	3	3	20	2	4	5	8	2	34	-------	20
8	1	1	8	11	3	14	1	-------	4	7	1	5	-------	-------	11	7	1	27	1	21
41	9	13	35	37	1	46	6	13	8	2	2	35	6	3	46	29	3	101	3	22
20	4	-------	47	46	3	47	3	10	4	3	1	18	6	4	18	19	5	169	1	23
28	4	2	22	52	9	20	4	7	3	4	4	23	3	7	35	21	1	59	1	24
58	15	11	62	90	21	84	10	9	9	12	5	39	7	6	43	58	10	175	10	25
8	2	2	8	27	3	17	1	5	3	1	-------	3	1	3	9	28	4	29	-------	26
19	2	2	21	31	8	12	1	2	6	3	2	15	1	1	7	8	4	147	1	27
774	135	170	479	925	62	933	74	204	174	97	67	659	48	58	606	632	127	1,564	9	28
767	134	162	476	904	60	916	73	201	174	96	66	650	48	56	602	620	126	1,539	9	29
7	1	8	3	21	2	17	1	3	-------	1	1	9	-------	2	4	12	1	25	-------	30
68	10	19	50	100	10	153	10	39	16	15	11	60	9	8	73	95	17	204	-------	31
23	8	-------	11	20	2	17	2	1	10	6	2	13	6	-------	12	9	-------	40	-------	32
389	60	109	247	402	22	434	38	31	68	46	29	365	14	31	298	275	63	750	2	33
10	3	2	3	17	1	17	2	2	7	-------	-------	13	3	1	14	11	1	32	1	34
233	39	35	142	320	21	238	18	65	59	24	22	175	15	11	169	200	39	441	1	35
8	5	-------	9	14	2	4	1	1	3	-------	1	12	-------	3	4	2	-------	23	-------	36
12	3	3	3	13	-------	29	-------	10	4	2	-------	7	-------	4	21	21	1	25	-------	37
31	7	2	14	39	4	41	3	5	7	4	2	14	1	-------	15	19	6	49	5	38
90	11	10	89	238	12	187	19	108	43	30	15	240	5	16	83	174	6	695	103	39
46	8	3	38	56	7	58	4	39	22	11	7	86	1	9	40	55	4	216	20	40
44	3	7	51	182	5	129	15	69	21	19	8	154	4	7	43	119	2	479	83	41
10	2	3	10	16	-------	24	1	16	6	2	1	19	-------	3	17	22	1	42	17	42
7	1	2	5	6	-------	8	-------	10	5	-------	-------	11	-------	2	10	9	1	25	6	43
3	1	1	5	10	-------	16	1	6	1	2	1	8	-------	1	7	13	-------	17	11	44
24	2	2	28	49	2	58	3	24	15	10	4	93	3	8	24	58	5	292	29	45
15	2	1	12	15	2	20	1	3	7	6	3	36	1	4	8	20	3	86	5	46
9	-------	1	16	34	-------	38	2	21	8	4	1	57	2	4	16	38	2	206	24	47
23	2	2	14	30	4	26	-------	41	11	3	3	41	-------	3	21	31	-------	151	27	48
15	2	-------	12	14	2	8	-------	16	4	2	-------	17	-------	3	16	11	-------	60	8	49
8	-------	2	2	16	2	18	-------	25	7	1	3	24	-------	-------	5	20	-------	91	19	50
11	1	1	13	23	2	24	2	16	1	1	4	45	-------	1	8	11	-------	44	2	51
3	1	-------	3	7	1	8	1	3	1	1	2	11	-------	-------	2	6	-------	8	-------	52
8	-------	1	10	16	1	16	1	13	-------	-------	2	34	-------	1	6	5	-------	36	2	53
22	4	2	24	120	4	55	13	11	10	14	3	42	2	1	13	52	-------	166	28	54
6	2	-------	6	14	2	14	2	7	5	2	2	11	-------	-------	4	9	-------	37	1	55
16	2	2	18	106	2	41	11	4	5	12	1	31	2	1	9	43	-------	129	27	56
1,287	229	192	835	1,831	248	2,559	147	610	293	219	246	2,059	126	112	755	1,479	335	3,256	36	57
1,205	216	157	760	1,525	221	2,080	130	550	280	199	228	1,769	113	100	698	1,279	325	2,876	30	58
82	13	35	75	306	27	479	17	60	13	20	18	290	13	12	57	200	10	380	6	59
14	2	7	29	22	1	28	1	13	1	2	1	23	-------	2	13	32	5	56	13	60
13	2	7	26	17	1	17	1	13	1	2	1	19	-------	2	12	28	5	51	11	61
1	-------	-------	3	5	-------	11	-------	-------	-------	-------	-------	4	-------	-------	1	4	-------	5	2	62
6	1	1	7	10	2	16	1	6	1	2	3	17	-------	1	9	16	2	26	2	63
5	1	1	5	10	1	14	-------	6	1	2	2	16	-------	1	9	14	2	24	1	64
1	-------	-------	2	-------	1	2	1	-------	-------	-------	1	1	-------	-------	-------	2	-------	2	1	65
26	3	4	25	53	3	92	1	28	8	3	4	37	7	8	34	79	17	82	1	66
309	49	44	188	444	48	586	34	130	74	52	40	457	35	35	187	410	96	921	8	67
290	46	38	173	352	38	472	29	112	72	50	40	379	32	31	179	334	91	734	7	68
19	3	6	15	92	10	114	5	18	2	2	-------	78	3	4	8	76	5	137	1	69

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	MISSOURI—continued.														
1	Moberly	186	3			1	1			2	1	27		1	
2	St. Joseph	1,264	10	2		1	2	8	17	15	9	96	3	8	1
3	St. Louis (total)	11,584	63	12		140	56	32	223	166	55	1,068	64	64	43
4	White	9,949	48	11		123	56	27	201	152	53	805	45	44	41
5	Colored	1,635	15	1		17		5	22	14	2	263	19	20	2
6	Sedalia (total)	305	10	1	1			3	2	3	1	26	1		1
7	White	260	7					3	2	3	1	16	1		1
8	Colored	45	3	1	1							10			
9	Springfield	638	16	1	1	8	1	2	6	8		55	3	2	7
10	Webb City	266	10	2		11		3	5	6	1	50	1	3	
	MONTANA.														
11	Registration cities (total)	2,112	25		2	23	34	6	14	10	9	146	15	12	9
12	White	2,059	23		2	23	34	6	14	10	9	140	14	12	9
13	Colored	53	2									6	1		
14	Anaconda	153				2	2	1	3			10			
15	Billings	237	9				2			2		9	2		
16	Butte	867	1		2	7	16	2	5	4	5	86	5	6	2
17	Great Falls	416	8			10	3	3	5	1	3	17	1	2	4
18	Helena	223	2			2	8		1			12	3	1	2
19	Missoula	216	5			2	3			3	1	12	4	3	1
	NEBRASKA.[1]														
20	Registration cities (total)	3,024	13			39	12	23	30	26	7	188	22	20	18
21	White	2,843	12			39	12	22	30	25	7	147	21	17	16
22	Colored	181	1					1		1		41	1	3	2
23	Lincoln	708	5			13	2	1	12	9	1	28	5	8	3
24	Omaha	2,316	8			26	10	22	18	17	6	160	17	12	15
	NEW HAMPSHIRE.														
25	Registration cities (total)	3,326	12			28	3	23	28	45	6	178	31	19	16
26	White	3,319	12			28	3	22	28	45	6	177	31	19	16
27	Colored	7						1				1			
28	Berlin	205	1					3	2	2		8	2	2	
29	Concord	489				1			3	6	1	21	3		1
30	Dover	246				4		1	4	4	1	14		1	4
31	Keene	195	2			2		1	1		1	8		1	
32	Laconia	200				3		1		3		12		2	
33	Manchester	1,301	7			5	2	9	13	15	1	81	23	8	6
34	Nashua	482				13		8	4	14	1	26	3	4	1
35	Portsmouth	208	2				1		1	1	1	8		1	4
	NEW JERSEY.														
36	Registration cities (total)	27,881	137	6		98	35	191	271	207	54	2,368	185	171	138
37	White	26,088	130	6		92	35	171	268	200	52	2,166	171	147	129
38	Colored	1,793	7			6		20	3	7	2	202	14	24	9
39	Asbury Park (total)	168				2				2		8		1	1
40	White	123				2				1		5			
41	Colored	45								1		3		1	1
42	Atlantic City (total)	804	7	1		2		1	2	5		39	4	8	3
43	White	615	6	1		1		1	2	3		23	3	5	2
44	Colored	189	1			1				2		16	1	3	1
45	Bayonne	857	1	1		3		5	4	8	5	72	7	1	6
46	Bloomfield	209						3		1		15	1		
47	Bridgeton	226				1	1	2	3	2		11	2		
48	Camden	1,908	18			12	2	10	31	16	5	135	3	12	11
49	East Orange	371				2			2	3		31	2		
50	Elizabeth	1,334	11			1	5	8	18	11		83	12	8	2
51	Garfield	182					1	2	2	5		14	1	1	
52	Hackensack	319	3	1					1	1		6		2	1
53	Harrison	174				1		1	2	1		11		2	
54	Hoboken	1,182	7			11	5	8	9	9	3	144	9	6	5
55	Irvington	231				2		6	1	2	1	21	2	1	2
56	Jersey City	4,528	11	1		27	9	29	61	34	6	421	30	18	26
57	Kearny	315	1					1	2	2	1	22	2		
58	Long Branch	311	8					3	1	4	1	14	1	1	2
59	Millville	206				1		4	3	3		15			1
60	Montclair (total)	251	1			1		3		3		16	1	2	3
61	White	218	1			1		1		3		12		1	3
62	Colored	33						2				4	1	1	
63	Morristown	272	4				1	3		1	1	15	1	2	2
64	New Brunswick	565	6	1		4	1	2	7	2	1	38	3	5	5
65	Newark	5,946	17			7	2	57	26	43	14	613	45	46	39
66	Orange	585	2				2	6	3	5	1	51	7	4	1
67	Passaic	912	3			1		3	20	9		88	13	8	
68	Paterson	1,964	17			7	1	10	17	5	4	175	5	14	10

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
6	3	.....	10	13	.....	26	.....	4	8	1	.....	24	.....	1	5	23	4	21	1	1
83	23	9	92	68	4	154	9	32	37	28	5	109	8	8	44	90	17	270	2	2
785	141	118	413	1,122	181	1,538	82	344	143	122	186	1,306	65	51	405	739	182	1,674	1	3
734	131	89	373	932	166	1,237	74	308	133	107	169	1,128	57	44	362	638	178	1,482	1	4
51	10	29	40	190	15	301	8	36	10	15	17	178	8	7	43	101	4	192	.....	5
12	3	3	21	22	1	30	3	18	3	5	3	44	1	1	21	18	1	46	.....	6
12	3	3	19	21	.....	27	2	16	3	4	3	35	1	1	20	16	1	39	.....	7
.....	.....	.....	2	1	1	3	1	2	.....	1	.....	9	.....	.....	1	2	.....	7	.....	8
37	3	3	37	70	8	70	11	17	16	3	1	32	7	3	29	44	7	125	5	9
9	1	3	13	7	.....	19	5	18	2	1	3	10	3	2	8	28	4	35	3	10
117	24	17	60	175	15	259	26	58	56	29	18	138	30	20	120	198	40	385	22	11
112	24	17	58	167	15	255	26	57	56	29	18	132	30	20	118	190	39	379	21	12
5	.....	.....	2	8	.....	4	.....	1	.....	.....	.....	6	.....	.....	2	8	1	6	1	13
8	3	2	10	5	1	19	2	3	3	1	3	4	.....	1	6	15	3	38	8	14
14	2	4	6	18	2	28	.....	9	12	2	.....	19	5	1	20	24	6	41	.....	15
36	12	6	17	77	6	110	16	20	21	14	9	67	11	10	32	94	19	142	7	16
18	3	1	5	26	3	69	5	17	7	3	2	23	9	5	36	32	7	82	6	17
17	1	2	9	20	2	14	1	9	8	6	1	17	2	3	15	12	2	51	.....	18
24	3	2	13	29	1	19	2	.....	5	3	3	8	3	.....	11	21	3	31	1	19
231	42	28	145	259	18	424	34	57	76	62	21	209	35	20	146	185	35	595	4	20
227	41	28	136	246	17	398	32	56	73	60	20	194	34	18	144	177	32	559	3	21
4	1	.....	9	13	1	26	2	1	3	2	1	15	1	2	2	8	3	36	1	22
57	8	5	41	53	6	64	3	16	22	15	5	50	11	9	40	42	6	168	.....	23
174	34	23	104	206	12	360	31	41	54	47	16	159	24	11	106	143	29	427	4	24
202	36	25	279	365	56	333	27	189	29	33	26	228	16	17	255	173	33	603	12	25
201	36	25	279	364	56	332	27	189	29	33	26	227	16	17	255	172	33	603	12	26
1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	27
8	1	7	11	13	3	27	.....	19	4	2	2	4	3	1	20	14	1	41	4	28
41	6	.....	46	88	5	34	2	2	3	7	6	40	1	3	20	18	4	127	.....	29
19	4	.....	29	21	5	22	1	4	2	5	2	23	1	2	11	12	1	49	.....	30
16	3	1	24	29	.....	17	4	4	3	3	2	24	.....	1	10	9	1	27	1	31
11	3	.....	15	17	3	22	2	1	1	1	.....	26	1	.....	13	13	1	48	1	32
60	14	12	102	130	30	133	12	130	11	9	11	52	7	3	129	64	15	204	3	33
26	4	5	27	45	7	55	6	23	4	4	3	35	2	7	40	29	4	80	2	34
21	1	.....	25	22	3	23	.....	6	1	2	.....	24	1	.....	12	14	6	27	1	35
1,618	415	192	1,587	3,233	350	3,486	254	1,727	239	199	313	2,565	135	184	1,591	2,049	275	3,566	42	36
1,569	404	178	1,499	3,050	328	3,074	237	1,633	229	189	301	2,414	124	179	1,530	1,956	269	3,319	39	37
49	11	14	88	183	22	412	17	94	10	10	12	151	11	5	61	93	6	247	3	38
13	3	.....	13	21	1	12	2	7	.....	1	2	17	1	1	6	5	1	48	.....	39
11	2	.....	11	17	1	10	.....	4	.....	1	2	12	.....	1	5	4	1	33	.....	40
2	1	.....	2	4	.....	2	2	3	.....	.....	.....	5	1	.....	1	1	.....	15	.....	41
68	17	5	46	101	9	76	2	25	4	11	12	100	7	8	40	58	15	127	1	42
59	16	5	35	83	8	46	.....	16	3	9	9	79	3	7	32	49	13	95	1	43
9	1	.....	11	18	1	30	2	9	1	2	3	21	4	1	8	9	2	32	.....	44
35	7	4	48	86	22	94	9	80	9	4	11	58	2	9	68	76	8	112	2	45
12	4	.....	21	34	4	19	1	11	.....	2	3	24	.....	1	14	8	3	28	.....	46
15	3	1	22	26	.....	31	4	5	3	3	1	23	.....	2	13	13	1	38	.....	47
108	23	7	120	217	6	303	12	135	14	13	17	184	20	10	117	122	15	208	2	48
38	6	1	40	60	4	32	3	12	.....	1	2	50	.....	.....	16	11	7	46	2	49
78	18	14	77	153	14	193	11	110	5	11	20	80	5	3	82	109	10	176	6	50
5	.....	.....	2	16	2	26	.....	40	1	1	3	7	.....	.....	26	6	3	18	.....	51
20	5	3	27	39	6	46	5	8	5	6	3	19	2	2	19	37	4	48	.....	52
9	1	.....	10	18	8	21	2	25	.....	.....	4	15	.....	1	8	12	3	19	.....	53
53	20	13	51	181	8	165	8	61	3	14	12	111	6	3	39	99	17	100	2	54
13	4	.....	20	33	2	17	3	5	3	.....	4	26	1	3	12	15	6	26	.....	55
216	62	45	226	515	73	608	51	295	31	28	56	417	22	39	238	332	38	555	8	56
21	4	3	25	36	6	29	6	10	3	3	2	36	2	2	17	34	3	42	.....	57
11	10	1	24	42	2	25	2	4	5	6	2	37	3	1	16	31	2	50	2	58
11	5	1	18	16	2	18	2	11	5	4	.....	13	2	2	11	29	2	27	.....	59
17	6	1	18	32	3	42	2	12	.....	.....	2	24	1	.....	11	15	.....	35	.....	60
16	6	1	16	30	3	36	2	9	.....	.....	2	22	1	.....	11	13	.....	28	.....	61
1	.....	.....	2	2	.....	6	.....	3	.....	.....	.....	2	.....	.....	.....	2	.....	7	.....	62
31	6	.....	18	31	4	29	2	5	6	5	1	20	1	4	12	20	.....	47	.....	63
29	6	4	29	55	4	68	4	42	5	4	1	45	3	3	39	68	3	70	8	64
369	98	43	321	663	111	688	66	348	50	30	78	612	20	34	325	406	64	709	2	65
37	11	6	36	61	3	81	3	18	6	4	3	55	2	6	35	34	5	97	.....	66
42	10	4	22	78	10	125	5	125	15	4	5	44	6	18	68	74	10	102	.....	67
132	23	5	102	276	16	251	18	82	31	21	23	210	5	10	77	143	24	250	.....	68

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	NEW JERSEY—continued.														
1	Perth Amboy	607	2	.....	.....	1	2	1	9	3	2	41	4	6	2
2	Phillipsburg	197	1	.....	.....	1	1	.....	4	6	1	12	1	1	1
3	Plainfield	406	1	1	.....	1	.....	2	9	3	.....	14	5	1	.....
4	Trenton	1,901	15	.....	.....	5	.....	12	13	9	4	145	17	15	9
5	Union	190	.....	.....	.....	.....	.....	.....	1	2	1	20	.....	.....	1
6	West Hoboken	396	1	.....	.....	3	1	3	9	3	1	37	3	5	3
7	West New York	238	.....	.....	.....	1	1	6	9	2	2	20	4	.....	1
8	West Orange	126	.....	.....	.....	1	.....	.....	2	2	.....	21	.....	1	1
	NEW YORK.														
9	Registration cities (total)	115,916	431	18	3	801	245	723	1,538	762	342	11,980	967	608	430
10	White	112,287	418	17	3	788	243	684	1,515	743	335	11,333	910	583	418
11	Colored	3,629	13	1	.....	13	2	39	23	19	7	647	57	25	12
12	Albany	2,039	13	2	1	32	.....	2	10	19	6	217	12	15	11
13	Amsterdam	485	.....	.....	.....	1	.....	.....	3	3	.....	34	3	4	2
14	Auburn	540	2	.....	.....	.....	.....	.....	8	3	2	35	.....	1	2
15	Batavia	244	1	.....	.....	.....	.....	1	1	7	.....	9	.....	.....	1
16	Binghamton	1,197	7	.....	.....	8	2	13	24	11	2	84	7	9	7
17	Buffalo	7,649	48	.....	.....	10	30	52	110	37	30	722	54	29	20
18	Cohoes	429	2	.....	.....	1	.....	5	2	4	1	36	3	5	.....
19	Corning	264	5	.....	.....	.....	.....	.....	4	4	.....	13	1	1	2
20	Cortland	272	1	.....	.....	.....	1	.....	1	3	.....	9	4	3	4
21	Dunkirk	310	1	.....	.....	.....	1	7	1	22	1	15	4	2	1
22	Elmira	746	4	.....	.....	.....	2	1	2	9	3	34	1	4	1
23	Fulton	161	.....	.....	.....	1	.....	.....	4	3	.....	4	.....	.....	1
24	Geneva	236	2	.....	.....	.....	1	.....	.....	4	1	4	1	4	1
25	Glens Falls	279	2	.....	.....	.....	1	.....	4	4	.....	15	4	1	2
26	Gloversville	350	1	.....	.....	.....	.....	3	6	3	2	15	1	1	2
27	Hornell	195	.....	1	.....	.....	1	2	3	3	1	10	.....	.....	.....
28	Hudson	230	2	.....	.....	.....	.....	.....	.....	2	1	11	2	.....	.....
29	Ithaca	273	4	.....	.....	.....	.....	.....	.....	4	.....	8	1	2	3
30	Jamestown	524	2	.....	.....	2	2	4	3	5	.....	44	7	4	3
31	Johnstown	140	.....	.....	.....	.....	.....	.....	.....	3	.....	4	2	3	.....
32	Kingston	518	4	1	.....	.....	.....	2	2	8	.....	54	2	2	3
33	Lackawanna	447	.....	.....	.....	53	.....	18	4	6	.....	21	5	.....	1
34	Little Falls	227	3	.....	.....	1	.....	1	1	8	2	9	3	.....	1
35	Lockport	331	8	.....	.....	1	.....	.....	2	4	.....	27	1	2	.....
36	Middletown	432	.....	.....	.....	2	.....	1	2	5	3	40	3	3	1
37	Mount Vernon	419	4	.....	.....	2	.....	2	2	1	3	21	2	3	4
38	New Rochelle	358	1	.....	.....	.....	.....	2	1	3	.....	11	3	2	2
39	New York (total)	78,518	226	11	.....	578	140	500	1,158	454	231	9,152	696	376	304
40	Bronx Borough	8,466	29	2	.....	37	17	59	111	44	33	1,205	75	49	31
41	Brooklyn Borough	26,913	77	1	.....	104	33	168	364	183	66	2,864	232	118	122
42	Manhattan Borough	35,781	96	5	.....	398	64	235	583	201	117	4,315	346	176	115
43	Queens Borough	5,598	17	3	.....	31	26	33	79	23	13	584	37	28	27
44	Richmond Borough	1,760	7	.....	.....	8	.....	5	21	3	2	184	6	5	9
45	White	75,516	218	10	.....	568	138	469	1,136	439	225	8,594	650	358	294
46	Bronx Borough	8,303	27	2	.....	37	17	58	107	44	33	1,159	74	47	31
47	Brooklyn Borough	26,160	76	.....	.....	103	32	159	360	169	64	2,731	219	114	119
48	Manhattan Borough	33,848	92	5	.....	389	63	215	570	200	113	3,966	314	166	109
49	Queens Borough	5,482	17	3	.....	31	26	32	78	23	13	560	37	26	27
50	Richmond Borough	1,723	6	.....	.....	8	.....	5	21	3	2	178	6	5	8
51	Colored	3,002	8	1	.....	10	2	31	22	15	6	558	46	18	10
52	Bronx Borough	163	2	.....	.....	.....	.....	1	4	.....	.....	46	1	2	.....
53	Brooklyn Borough	753	1	1	.....	1	1	9	4	14	2	133	13	4	3
54	Manhattan Borough	1,933	4	.....	.....	9	1	20	13	1	4	349	32	10	6
55	Queens Borough	116	.....	.....	.....	.....	.....	1	1	.....	.....	24	.....	2	.....
56	Richmond Borough	37	1	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	1
57	Newburgh	534	.....	.....	.....	3	.....	.....	8	3	1	83	2	4	3
58	Niagara Falls	719	5	1	.....	4	.....	5	4	4	5	35	6	8	1
59	North Tonawanda	209	2	.....	.....	.....	.....	4	.....	.....	1	14	1	1	.....
60	Ogdensburg	495	3	.....	.....	3	.....	.....	2	4	.....	27	3	3	.....
61	Olean	266	1	.....	.....	.....	.....	2	4	3	.....	4	.....	1	1
62	Ossining	162	.....	.....	.....	.....	1	.....	2	2	1	12	3	1	.....
63	Oswego	365	1	.....	.....	.....	.....	1	2	4	.....	23	1	2	3
64	Peekskill	223	.....	.....	.....	.....	2	1	.....	5	.....	19	3	3	.....
65	Plattsburg	201	3	.....	1	.....	1	2	1	1	1	12	1	2	.....
66	Port Chester	220	.....	.....	.....	.....	.....	4	2	3	1	13	3	2	1
67	Poughkeepsie	546	3	.....	.....	.....	.....	3	3	1	1	30	4	2	1
68	Rensselaer	124	1	.....	.....	.....	1	.....	1	2	.....	10	.....	.....	.....
69	Rochester	4,083	8	1	.....	40	37	19	52	14	10	251	32	34	14
70	Rome	674	3	.....	.....	11	.....	.....	2	4	2	122	1	6	1
71	Saratoga Springs	277	1	.....	.....	.....	.....	.....	.....	4	.....	11	1	3	.....

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
24	10	7	24	46	7	62	3	82	3	1	3	28	4	4	57	83	3	79	4	1
7	4	2	25	15	-------	26	3	9	-------	2	-------	18	-------	-------	14	10	-------	31	2	2
40	6	3	31	38	1	41	5	17	8	4	3	42	3	1	20	32	1	73	-------	3
111	21	14	120	204	9	229	10	102	19	13	22	162	15	14	133	142	15	301	1	4
11	8	-------	11	40	4	20	1	7	2	-------	4	16	1	-------	8	2	2	28	-------	5
19	6	2	23	50	6	60	6	21	2	1	11	37	1	2	27	8	5	40	-------	6
16	7	2	6	34	1	31	1	11	1	2	3	24	-------	-------	15	12	5	21	-------	7
7	1	1	11	16	2	18	2	2	-------	-------	-------	11	-------	1	8	3	-------	15	-------	8
7,343	1,874	527	5,955	14,274	1,389	14,506	800	5,248	1,058	954	1,130	10,639	462	658	5,914	7,435	1,125	15,720	57	9
7,213	1,847	507	5,844	13,915	1,331	13,881	781	5,085	1,043	933	1,109	10,318	449	631	5,757	7,221	1,110	15,269	53	10
130	27	20	111	359	58	625	19	163	15	21	21	321	13	27	157	214	15	451	4	11
160	31	18	143	265	17	188	22	48	18	20	20	164	8	13	92	119	15	338	-------	12
28	3	4	29	71	5	53	4	30	8	4	5	28	4	6	29	34	1	85	4	13
50	11	2	60	85	4	53	1	21	3	7	3	35	1	7	32	26	6	80	-------	14
10	2	3	15	28	1	19	5	8	1	5	2	18	1	2	20	21	3	60	-------	15
69	10	10	75	146	14	145	11	49	7	11	8	95	6	5	63	64	8	226	1	16
465	128	38	471	817	76	856	71	482	91	63	78	620	27	39	413	549	50	1,172	1	17
27	10	5	24	54	2	56	6	27	3	4	4	30	-------	5	25	32	1	55	-------	18
13	2	2	21	22	3	31	3	10	3	6	2	29	1	3	18	20	2	42	1	19
17	3	3	29	31	1	28	1	6	4	5	1	30	1	4	15	15	4	48	-------	20
10	3	1	15	34	5	26	1	13	1	6	2	15	-------	2	24	37	-------	58	2	21
52	18	6	47	93	7	78	8	15	10	13	4	95	6	10	39	59	6	118	1	22
21	4	-------	13	26	-------	19	1	7	1	2	3	9	-------	2	9	12	-------	19	-------	23
17	2	2	22	40	2	29	-------	6	2	4	-------	10	4	1	10	20	2	46	-------	24
23	3	-------	27	45	1	20	4	5	6	5	1	21	1	1	17	16	3	47	-------	25
26	6	2	36	55	4	25	2	6	5	7	3	34	-------	3	21	19	3	59	-------	26
17	3	1	15	29	4	20	3	3	1	3	3	8	-------	-------	6	18	1	39	-------	27
14	8	-------	16	24	11	29	2	8	-------	6	-------	16	1	3	15	12	4	43	-------	28
29	3	1	29	30	-------	25	2	2	3	1	2	35	-------	1	8	18	3	59	-------	29
50	6	3	46	56	7	35	6	6	3	10	5	29	3	5	33	34	5	105	1	30
13	6	1	13	20	2	7	1	3	-------	-------	-------	22	1	-------	8	7	1	23	-------	31
28	5	6	52	77	6	38	3	9	12	5	1	38	2	1	25	37	5	89	-------	32
1	-------	5	4	3	6	34	4	88	2	1	1	9	1	-------	56	44	2	76	2	33
11	1	1	15	27	1	18	2	15	3	3	3	21	1	6	13	31	-------	26	-------	34
25	2	1	31	61	2	33	4	10	-------	3	6	24	-------	2	17	15	3	46	1	35
23	3	1	31	73	2	56	4	3	2	7	5	42	1	4	11	20	4	80	-------	36
28	9	3	30	56	8	38	4	14	5	6	5	52	2	-------	17	18	6	74	-------	37
24	5	-------	25	43	4	42	2	12	6	3	5	27	1	-------	31	33	5	65	-------	38
4,906	1,311	337	3,362	9,568	994	10,554	491	3,514	677	562	797	7,534	297	418	3,864	4,966	818	9,701	21	39
615	148	35	385	990	56	1,043	72	271	85	73	54	817	36	57	449	441	96	1,047	4	40
1,665	425	102	1,167	3,736	401	3,853	161	1,268	235	192	291	2,374	105	161	1,310	1,661	261	3,207	6	41
2,197	609	178	1,383	3,983	482	4,712	207	1,648	281	240	349	3,551	125	157	1,713	2,382	370	4,557	6	42
330	109	20	312	637	47	739	43	256	63	43	85	545	25	36	309	346	69	679	4	43
99	20	2	115	222	8	207	8	71	13	14	18	247	6	7	83	136	22	211	1	44
4,805	1,290	321	3,282	9,280	941	10,027	479	3,364	665	546	781	7,272	285	394	3,732	4,798	806	9,330	19	45
605	147	33	381	971	56	1,024	71	269	85	73	53	803	36	56	441	435	96	1,028	4	46
1,638	421	99	1,146	3,643	390	3,716	158	1,230	232	186	285	2,322	100	154	1,239	1,616	259	3,124	6	47
2,140	595	167	1,335	3,820	442	4,362	199	1,542	274	231	340	3,371	118	141	1,616	2,278	360	4,310	5	48
325	108	20	308	627	45	722	43	254	61	43	85	534	25	36	303	335	69	663	3	49
97	19	2	112	219	8	203	8	69	13	13	18	242	6	7	83	134	22	205	1	50
101	21	16	80	288	53	527	12	150	12	16	16	262	12	24	132	168	12	371	2	51
10	1	2	4	19	-------	19	1	2	-------	-------	1	14	-------	1	8	6	-------	19	-------	52
27	4	3	21	93	11	137	3	38	3	6	6	52	5	7	21	45	2	83	-------	53
57	14	11	48	163	40	350	8	106	7	9	9	180	7	16	97	104	10	247	1	54
5	1	-------	4	10	2	17	-------	2	2	-------	-------	11	-------	-------	6	11	-------	16	1	55
2	1	-------	3	3	-------	4	-------	2	-------	1	-------	5	-------	-------	-------	2	-------	6	-------	56
37	2	2	37	58	3	49	8	12	2	7	2	66	1	3	21	37	6	74	-------	57
29	6	7	20	65	3	91	2	87	6	6	9	54	7	3	59	72	6	109	-------	58
14	6	1	9	16	6	23	2	17	4	2	1	9	2	1	21	27	3	22	-------	59
24	8	2	42	115	3	42	1	9	5	5	3	26	3	1	29	20	4	107	1	60
19	4	1	14	27	1	36	2	4	6	7	1	22	3	7	23	25	3	45	-------	61
6	4	-------	21	15	-------	17	1	3	3	1	-------	20	1	1	7	15	-------	25	-------	62
30	6	-------	40	66	4	21	-------	19	1	6	4	36	3	1	22	15	-------	54	-------	63
21	3	1	13	31	4	22	1	11	1	1	1	20	-------	1	8	17	1	32	1	64
10	4	1	12	28	3	12	2	5	4	4	-------	14	1	3	11	20	3	39	-------	65
7	1	-------	11	17	4	36	-------	8	1	7	5	17	-------	4	17	19	2	35	-------	66
29	14	1	56	68	7	80	3	18	3	2	6	27	2	6	30	20	4	119	3	67
7	1	1	11	21	6	12	4	2	1	2	-------	10	-------	-------	1	11	-------	19	-------	68
316	76	13	303	588	36	395	36	189	42	32	47	372	18	20	207	214	34	633	-------	69
28	11	1	42	86	16	56	4	25	3	4	3	73	2	4	19	30	7	108	-------	70
27	2	1	20	37	1	32	2	3	-------	4	1	45	1	3	6	19	4	49	-------	71

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	NEW YORK—continued.														
1	Schenectady	1,101	4	1	.....	7	1	5	7	12	5	65	7	2	3
2	Syracuse	2,426	10	.....	.....	15	12	9	34	8	6	142	27	19	7
3	Troy	1,653	22	.....	.....	17	2	17	16	28	7	180	15	12	5
4	Utica	1,569	11	.....	.....	6	1	11	10	5	10	91	12	12	5
5	Watertown	558	3	.....	.....	.....	.....	17	.....	7	.....	27	3	4	3
6	Watervliet	242	1	.....	1	1	.....	.....	3	2	.....	17	.....	.....	.....
7	White Plains	257	.....	.....	.....	1	.....	.....	3	.....	.....	14	2	5	.....
8	Yonkers	1,199	6	.....	.....	1	6	7	24	4	2	120	18	6	3
	NORTH CAROLINA.														
9	Registration cities (total)	4,077	79	12	.....	53	8	60	18	35	7	472	16	45	17
10	White	2,031	33	1	.....	39	6	24	13	17	6	222	12	12	7
11	Colored	2,046	46	11	.....	14	2	36	5	18	1	250	4	33	10
12	Asheville (total)	607	15	.....	.....	11	.....	2	2	4	1	141	2	9	4
13	White	412	10	.....	.....	9	.....	1	1	3	1	117	1	6	1
14	Colored	195	5	.....	.....	2	.....	1	1	1	.....	24	1	3	3
15	Charlotte (total)	773	11	8	.....	7	3	6	4	9	.....	81	2	7	2
16	White	372	3	.....	.....	6	1	6	4	5	.....	27	1	1	1
17	Colored	401	8	8	.....	1	2	.....	.....	4	.....	54	1	6	1
18	Durham (total)	392	8	2	.....	8	.....	12	2	4	.....	45	3	4	3
19	White	183	1	.....	.....	7	.....	4	1	2	.....	17	3	.....	2
20	Colored	209	7	2	.....	1	.....	8	1	2	.....	28	.....	4	1
21	Greensboro (total)	287	8	.....	.....	2	2	2	1	3	.....	29	1	4	1
22	White	151	6	.....	.....	1	2	2	1	1	.....	8	1	1	1
23	Colored	136	2	.....	.....	1	.....	.....	.....	2	.....	21	.....	3	.....
24	Raleigh (total)	575	11	.....	.....	5	.....	8	1	4	2	43	1	4	2
25	White	305	3	.....	.....	4	.....	1	1	2	2	16	1	2	1
26	Colored	270	8	.....	.....	1	.....	7	.....	2	.....	27	.....	2	1
27	Wilmington (total)	590	5	1	.....	1	.....	3	2	7	2	44	4	7	4
28	White	247	2	.....	.....	1	.....	1	.....	1	2	9	2	2	.....
29	Colored	343	3	1	.....	.....	.....	2	2	6	.....	35	2	5	4
30	Winston-Salem (total)	853	21	1	.....	19	3	27	6	4	2	89	3	10	1
31	White	361	8	1	.....	11	3	9	5	3	1	28	3	.....	1
32	Colored	492	13	.....	.....	8	.....	18	1	1	1	61	.....	10	.....
	NORTH DAKOTA.[1]														
33	Fargo (total)	216	2	.....	.....	4	.....	.....	2	.....	.....	8	.....	4	.....
34	White	213	2	.....	.....	4	.....	.....	2	.....	.....	8	.....	4	.....
35	Colored[2]	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	OHIO.														
36	Registration cities (total)	41,771	334	4	5	287	109	353	460	371	124	3,764	270	298	189
37	White	38,941	302	4	5	276	108	325	452	351	121	3,279	257	268	181
38	Colored	2,830	32	.....	.....	11	1	28	8	20	3	485	13	30	8
39	Akron	2,139	33	1	1	50	5	19	71	29	24	110	12	7	14
40	Alliance	305	.....	.....	.....	2	.....	2	1	1	1	22	.....	3	.....
41	Ashtabula	315	5	.....	.....	4	.....	8	2	3	.....	20	1	3	2
42	Bellaire	267	1	.....	.....	2	5	.....	4	8	.....	17	.....	1	3
43	Cambridge	173	4	.....	.....	.....	.....	2	1	4	1	12	.....	2	1
44	Canton	1,001	11	.....	.....	.....	1	7	10	2	3	43	2	9	1
45	Chillicothe	218	6	.....	.....	3	.....	5	.....	5	.....	14	1	2	1
46	Cincinnati (total)	6,827	16	2	.....	24	15	36	51	72	13	377	38	44	28
47	White	5,948	13	2	.....	18	14	29	47	66	12	699	32	36	26
48	Colored	879	3	.....	.....	6	1	7	4	6	1	178	6	8	2
49	Cleveland	10,333	53	.....	2	52	15	123	154	83	36	1,049	93	63	58
50	Columbus (total)	3,383	17	.....	.....	67	8	5	24	25	6	304	23	39	15
51	White	2,981	15	.....	.....	66	8	5	24	22	6	239	23	35	14
52	Colored	402	2	.....	.....	1	.....	.....	.....	3	.....	65	.....	4	1
53	Dayton	2,055	19	.....	.....	16	6	15	14	16	2	185	11	13	7
54	East Liverpool	394	15	.....	.....	.....	.....	6	2	2	3	31	1	3	2
55	Elyria	271	2	.....	.....	.....	5	.....	3	1	1	18	2	.....	1
56	Findlay	212	.....	.....	.....	1	.....	5	2	1	.....	11	.....	2	3
57	Hamilton	514	4	.....	.....	4	1	3	3	6	4	37	6	7	1
58	Ironton	274	14	.....	.....	6	1	2	2	1	.....	14	1	6	.....
59	Lakewood	284	.....	.....	.....	2	2	1	2	1	.....	18	3	4	3
60	Lancaster	203	.....	.....	.....	.....	.....	.....	.....	5	.....	24	1	1	3
61	Lima	544	3	.....	1	1	7	3	13	2	1	41	1	7	3
62	Lorain	384	3	.....	.....	.....	.....	5	13	2	.....	27	4	1	1
63	Mansfield	339	3	.....	.....	3	.....	3	.....	8	1	26	.....	2	1
64	Marietta	194	3	.....	.....	.....	2	.....	2	.....	.....	19	2	3	.....
65	Marion	343	7	1	.....	1	.....	2	1	9	2	20	.....	4	.....
66	Massillon	214	1	.....	.....	1	1	6	1	4	.....	10	2	.....	1
67	Middletown	270	1	.....	.....	5	.....	8	1	4	.....	27	3	1	2

[1] No registration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
79	10	7	93	114	8	103	3	79	9	7	10	81	6	7	77	74	12	202	1	1
165	40	7	166	330	27	244	19	131	25	32	15	188	13	16	142	179	23	370	5	2
114	23	9	92	229	14	201	13	33	11	17	15	155	12	9	75	80	7	218	2	3
94	22	5	103	230	26	201	9	53	23	18	12	148	6	7	74	106	13	245	.....	4
33	10	4	33	65	9	52	1	22	10	3	6	33	3	10	38	40	7	115	.....	5
17	3	1	21	34	4	41	1	10	.....	.....	1	14	.....	2	21	11	2	28	6	6
20	5	3	17	30	1	25	5	7	7	1	2	18	1	.....	10	24	10	44	2	7
60	15	3	83	125	14	160	13	81	11	14	17	101	7	6	64	64	13	150	1	8
138	22	19	194	326	37	431	33	275	61	38	13	330	16	38	251	221	9	741	62	9
98	16	10	104	148	7	171	19	115	33	18	7	174	6	23	140	112	9	397	30	10
40	6	9	90	178	30	260	14	160	26	20	6	156	10	15	111	109	.....	344	32	11
19	5	5	27	40	9	43	5	23	8	8	3	47	5	5	30	40	4	85	5	12
19	5	2	19	26	.....	21	5	13	7	1	2	20	4	3	18	26	4	62	5	13
.....	.....	3	8	14	9	22	.....	10	1	7	1	27	1	2	12	14	.....	23	.....	14
23	5	5	41	66	8	87	12	47	12	10	2	52	3	4	49	49	1	140	17	15
15	3	3	21	19	2	43	6	22	7	8	1	30	.....	2	28	24	1	75	7	16
8	2	2	20	47	6	44	6	25	5	2	1	22	3	2	21	25	.....	65	10	17
14	1	1	22	30	4	32	5	31	5	1	1	39	.....	6	24	8	.....	67	10	18
8	1	1	9	15	1	18	2	17	.....	1	.....	19	.....	4	16	2	.....	27	5	19
6	.....	.....	13	15	3	14	3	14	5	.....	1	20	.....	2	8	6	.....	40	5	20
14	1	1	10	27	1	22	.....	16	12	2	1	24	.....	2	24	19	1	53	4	21
11	.....	.....	7	12	.....	11	.....	3	8	.....	.....	13	.....	.....	11	10	1	38	2	22
3	1	1	3	15	1	11	.....	13	4	2	1	11	.....	2	13	9	.....	15	2	23
28	5	4	28	52	6	49	5	28	7	6	2	49	2	5	30	36	2	146	4	24
17	5	2	17	28	2	18	4	10	5	3	2	32	1	3	16	22	2	79	4	25
11	.....	2	11	24	4	31	1	18	2	3	.....	17	1	2	14	14	.....	67	.....	26
22	3	1	41	65	3	53	.....	49	6	6	1	47	1	11	41	35	.....	118	7	27
15	.....	1	14	27	1	18	.....	16	3	3	.....	20	.....	8	25	15	.....	59	2	28
7	3	.....	27	38	2	35	.....	33	3	3	1	27	1	3	16	20	.....	59	5	29
18	2	2	25	46	6	145	6	81	11	5	3	72	5	5	53	34	1	132	15	30
13	2	1	17	21	1	42	2	34	5	2	2	40	1	3	26	13	1	57	5	31
5	.....	1	8	25	5	103	4	47	6	3	1	32	4	2	27	21	.....	75	10	32
16	2	2	9	14	2	12	2	2	5	5	4	17	2	2	22	18	2	53	5	33
16	2	2	9	12	2	11	2	2	5	5	4	17	2	2	22	18	2	53	5	34
.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
2,515	473	413	2,555	4,180	478	4,637	295	2,060	430	370	446	2,618	291	250	2,266	3,642	437	6,575	272	36
2,444	457	384	2,429	3,887	454	4,148	267	1,992	417	353	428	2,450	280	236	2,186	3,323	424	6,204	249	37
71	16	29	126	293	24	489	28	68	13	17	18	168	11	14	80	319	13	371	23	38
72	16	97	89	152	16	243	14	138	25	17	14	79	31	16	177	235	17	306	9	39
16	3	3	25	41	1	40	2	11	1	4	1	8	3	4	15	35	2	52	6	40
21	3	3	21	39	1	27	2	9	5	4	4	13	6	2	15	38	4	49	1	41
11	2	2	17	20	1	28	1	7	3	1	2	14	3	2	14	44	8	46	.....	42
14	1	2	13	12	1	13	3	5	4	.....	2	11	5	4	12	18	.....	26	.....	43
60	11	13	78	103	3	131	5	66	10	6	9	34	6	9	65	120	8	161	14	44
14	3	1	23	24	2	21	2	8	2	2	4	23	.....	1	12	21	3	45	.....	45
494	88	28	436	849	68	609	38	163	56	66	88	667	50	26	257	476	69	1,083	.....	46
475	81	18	403	750	63	472	31	143	52	64	85	601	49	23	239	389	68	948	.....	47
19	7	10	33	99	5	137	7	20	4	2	3	66	1	3	18	87	1	135	.....	48
576	124	107	506	890	194	1,377	77	803	95	84	111	666	68	65	580	970	130	1,523	166	49
228	29	23	232	374	19	350	33	77	27	39	36	181	17	15	176	253	27	704	5	50
213	28	20	213	308	15	282	28	72	26	36	33	163	14	12	165	208	25	654	4	51
15	1	3	19	66	4	68	5	5	1	3	3	18	3	3	11	45	2	50	1	52
141	22	13	161	265	11	210	16	72	25	30	23	124	12	14	115	149	21	326	1	53
11	2	7	22	28	4	55	2	22	7	7	5	17	4	1	19	41	4	70	1	54
14	6	.....	10	31	1	26	3	12	3	2	3	29	4	3	19	22	.....	48	2	55
24	3	.....	24	32	2	10	3	2	3	3	1	9	.....	.....	7	15	1	47	1	56
31	7	1	29	52	7	62	4	30	5	.....	14	37	1	4	37	41	5	70	1	57
17	2	1	12	25	12	21	2	14	7	3	1	21	6	3	11	21	.....	45	3	58
22	6	4	22	37	.....	37	1	25	2	.....	3	12	1	3	10	12	4	46	1	59
15	2	1	24	26	.....	18	1	5	1	2	5	7	1	4	8	8	1	39	1	60
39	7	2	41	52	7	50	4	12	9	11	5	35	6	4	35	49	5	86	2	61
29	4	4	13	22	.....	50	.....	29	2	3	1	17	1	3	41	46	3	58	2	62
23	6	2	35	36	3	28	3	9	4	3	5	31	.....	.....	12	35	2	54	1	63
13	4	2	15	22	3	19	3	1	2	3	.....	14	.....	.....	5	9	1	47	.....	64
21	6	.....	18	26	9	40	2	6	3	3	2	30	2	6	27	29	1	65	.....	65
18	3	1	18	22	3	16	.....	3	3	2	3	15	1	1	13	25	2	38	.....	66
10	2	2	17	20	3	37	1	15	1	1	.....	22	3	1	17	28	3	33	2	67

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	OHIO—continued.														
1	Newark	388	4			1	2	5	1	6	1	23	1	3	
2	Norwood	182				1			3	4		13	2	1	
3	Piqua	253	3				1	2	2		1	18	1	4	1
4	Portsmouth	500	4			18	1	26	8	8		59	8	2	3
5	Sandusky	346	1			1		6	1	3	1	15		2	
6	Springfield (total)	859	9			5		4	2	12		71		6	3
7	White	715	3			5		4	2	9		54		2	2
8	Colored	144	6							3		17		4	1
9	Steubenville	534	17				1	5	2	4	1	21		6	1
10	Tiffin	218	1			2		1	1	2		17	4	2	
11	Toledo	3,566	18		1	8	28	23	36	24	12	367	20	25	15
12	Warren	284	5						4		2	10	3	2	1
13	Youngstown	2,144	35			7	2	13	21	8	6	133	19	11	11
14	Zanesville	511	16					2	2	6	2	41		7	3
	OREGON.[1]														
15	Portland (total)	2,390	17			18	5	3	10	17	7	154	20	25	8
16	White	2,300	16			17	5	3	10	17	6	133	18	24	8
17	Colored[2]	90	1			1					1	21	2	1	
	PENNSYLVANIA.														
18	Registration cities (total)	68,670	449	12		222	106	379	1,068	642	154	5,397	513	465	307
19	White	63,438	415	10		205	105	344	1,037	585	150	4,651	463	411	279
20	Colored	5,232	34	2		17	1	35	31	57	4	746	50	54	28
21	Allentown	1,140	16				3	4	14	17	2	68	14	4	4
22	Altoona	778	20				1	6	23	1	2	39	6	5	2
23	Beaver Falls	251	7			1		1	3	3	1	17	3	2	3
24	Bethlehem	219	3					2	3	3	1	13	1	1	
25	Braddock	490	8			2		1	15	4		21	1	3	2
26	Bradford	238						1		1		11	2		
27	Butler	313	3				1	1	6	6	2	18	4	1	
28	Carbondale	318	1			1		1	11	7	1	5	1	1	1
29	Carlisle (total)	181								3		7			2
30	White	155								3		6			2
31	Colored	26										1			
32	Carnegie	130						1	1	1		11	1	2	
33	Chambersburg	210				3		2	1	8		20		2	1
34	Chester (total)	939	11			4		2	10	15	1	79	10	8	3
35	White	745	9					2	10	13	1	57	9	4	3
36	Colored	194	2			4				2		22	1	4	
37	Coatesville (total)	218	6						2	2		15	1	1	2
38	White	181	5						2	1		7		1	2
39	Colored	37	1							1		8	1		
40	Columbia	175	3				2	1		1		9	3	3	1
41	Connellsville	192						3	1	1		17	1		2
42	Dubois	182				1	2	3	2	1		4		1	1
43	Dunmore	347				3		2	6	6		13		28	2
44	Duquesne	219	5			1	2	6	5	2		12	2	2	
45	Easton	635		1				2	8	9	1	34	5	1	1
46	Erie	1,299	9			3	3	1	17	7	7	99	7	14	8
47	Farrell	197	6			1	1	4	4	3		12		3	1
48	Greensburg	243	4					4	1	2		8	6	2	1
49	Harrisburg	1,148	11			1	7	3	15	5		76	9	6	1
50	Hazleton	467	3					5	11		1	16	1	3	2
51	Homestead	285	4			5		1	4	1		18	3		1
52	Johnstown	1,098	7	1		2	3	13	17	11	4	53	13	8	3
53	Lancaster	791	10			4			6	11		50	5	7	5
54	Lebanon	420	7				3		11	6		13	3	1	4
55	McKees Rocks	198	2			1			1	1	1	15	1	1	
56	McKeesport	773	10				1	4	17	5	1	35	10	6	1
57	Mahanoy City	220				1			6	7		9			1
58	Meadville	233	2							2	1	8	1	3	
59	Monessen	179	1					4	1	2		4	1	2	1
60	Mount Carmel	211						3	15	1		14	1		1
61	Nanticoke	298	2					1	1	4		18	1	1	
62	New Castle	663	11			1		22	7	7		28	2	4	5
63	Norristown	797	7				2	6	12	10	3	62	6	3	3
64	North Braddock	172				2			7	1	1	11			1
65	Oil City	265	2				2	1	3	3		5	1	1	2
66	Old Forge	155				1		4	6		2	3			
67	Philadelphia (total)	29,649	109	6		82	35	163	446	249	54	3,034	227	160	130
68	White	26,492	100	5		73	35	141	426	221	52	2,525	193	137	114
69	Colored	3,157	9	1		9		22	20	28	2	509	34	23	16
70	Phoenixville	187	4				2		1	4		14		1	

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
27	6	-------	41	49	6	35	5	15	9	3	4	24	2	3	21	26	1	62	2	1
15	7	1	19	22	3	8	2	8	-------	1	2	15	-------	-------	15	6	2	32	-------	2
17	5	1	15	31	7	17	2	6	5	6	-------	30	1	2	16	15	7	37	-------	3
24	4	8	18	33	8	37	5	24	3	6	9	43	2	2	33	37	5	57	5	4
31	2	1	35	48	15	28	3	2	2	5	5	23	2	2	13	34	1	63	1	5
49	15	6	106	87	4	89	4	18	2	6	9	77	8	7	52	63	14	122	9	6
46	12	6	88	78	3	63	1	13	2	6	9	69	6	5	46	53	13	108	7	7
3	3	-------	18	9	1	26	3	5	-------	-------	-------	8	2	2	6	10	1	14	2	8
33	5	8	25	25	3	55	4	50	12	1	3	31	2	4	44	85	6	79	1	9
22	6	-------	27	39	2	18	-------	2	-------	-------	2	11	-------	-------	10	11	1	37	-------	10
245	38	15	216	405	38	318	19	137	48	27	48	187	23	21	215	273	53	657	6	11
18	5	5	25	21	7	38	1	12	3	3	1	19	-------	3	10	42	-------	43	1	12
67	15	46	75	149	12	420	19	229	31	14	16	71	17	11	114	277	21	250	24	13
33	3	3	52	71	2	56	9	13	10	2	5	31	3	4	24	33	5	69	4	14
265	48	19	176	265	22	162	31	42	29	24	22	193	9	15	115	170	33	463	3	15
254	48	17	175	258	22	159	29	41	28	24	21	185	9	15	113	157	30	455	3	16
11	-------	2	1	7	-------	3	2	1	1	-------	1	8	-------	-------	2	13	3	8	-------	17
3,811	781	667	3,323	7,032	940	9,561	752	4,249	646	640	650	6,086	372	453	3,698	5,195	544	9,411	145	18
3,676	747	589	3,156	6,547	877	8,412	699	4,026	603	608	628	5,654	343	429	3,521	4,865	526	8,744	133	19
135	34	78	167	485	63	1,149	53	223	43	32	22	432	29	24	177	330	18	667	12	20
74	24	4	96	81	8	116	6	90	14	10	16	104	7	6	101	67	16	154	-------	21
43	4	8	51	75	5	88	11	24	3	3	7	81	3	6	65	68	3	123	2	22
13	4	1	7	21	10	25	6	16	2	2	-------	20	3	1	17	28	3	30	1	23
11	3	-------	12	33	4	31	3	6	-------	2	2	18	-------	1	19	7	3	35	2	24
10	3	2	10	28	8	107	12	69	3	2	4	21	2	7	32	54	3	55	1	25
23	7	-------	16	33	1	25	-------	3	4	3	6	25	-------	-------	10	22	3	41	1	26
15	6	3	18	29	3	30	5	25	4	1	4	15	2	6	24	35	2	44	-------	27
17	3	1	37	19	4	47	1	10	3	5	1	41	4	4	22	28	1	40	-------	28
17	-------	-------	20	35	1	15	2	4	1	-------	-------	15	2	1	7	15	-------	34	-------	29
16	-------	-------	18	29	1	12	2	4	1	-------	-------	13	1	1	7	12	-------	27	-------	30
1	-------	-------	2	6	-------	3	-------	-------	-------	-------	-------	2	1	-------	-------	3	-------	7	-------	31
6	1	-------	2	7	5	26	-------	15	-------	1	-------	6	2	-------	14	10	2	16	-------	32
7	3	-------	19	35	1	13	1	5	5	3	-------	19	-------	1	7	19	2	33	-------	33
34	12	14	41	90	8	152	12	62	5	11	3	53	5	6	50	137	4	96	-------	34
33	11	12	30	71	6	114	8	52	4	11	2	40	3	6	47	113	4	70	-------	35
1	1	2	11	19	2	38	4	11	1	-------	1	13	2	-------	3	24	-------	26	-------	36
13	2	-------	13	20	-------	32	-------	19	2	-------	3	23	1	-------	19	19	1	22	-------	37
10	2	-------	12	18	-------	27	-------	15	2	-------	3	22	1	-------	18	15	1	17	-------	38
3	-------	-------	1	2	-------	5	-------	4	-------	-------	-------	1	-------	-------	1	4	-------	5	-------	39
11	2	-------	13	26	3	24	2	5	-------	4	2	17	1	2	8	16	-------	16	-------	40
10	2	1	7	13	1	31	-------	5	1	2	4	10	1	-------	15	26	4	34	-------	41
13	3	-------	12	15	3	17	9	14	1	3	1	12	2	1	17	13	1	28	2	42
12	2	3	19	26	22	53	2	46	-------	-------	-------	18	-------	-------	24	18	-------	42	-------	43
9	2	4	5	8	2	38	-------	36	-------	1	1	6	-------	-------	20	19	-------	31	-------	44
44	7	-------	52	52	13	81	10	31	12	6	7	62	8	3	29	67	6	82	1	45
81	18	5	89	136	6	160	4	51	18	15	10	110	8	8	73	113	11	208	-------	46
4	3	3	2	3	-------	42	1	26	1	-------	-------	4	-------	1	17	26	2	19	8	47
7	1	5	6	15	1	26	3	10	7	6	5	12	5	4	12	48	1	35	6	48
84	14	8	75	129	9	128	18	17	15	19	9	108	7	10	64	107	5	136	2	49
24	5	2	24	48	18	49	11	30	8	6	7	37	3	6	30	51	3	62	1	50
9	1	4	11	12	7	53	3	44	1	2	7	18	-------	-------	21	16	3	36	-------	51
46	10	12	37	66	12	191	5	90	21	11	12	70	10	7	82	117	8	154	2	52
44	8	1	70	96	7	87	3	33	10	9	11	94	1	4	42	47	6	120	-------	53
19	3	1	39	28	4	76	8	22	5	3	1	35	3	2	24	33	-------	64	2	54
4	1	2	2	11	-------	37	2	39	1	2	2	3	1	-------	26	17	2	23	-------	55
38	7	6	22	42	15	120	9	69	12	5	13	53	9	7	50	99	6	101	-------	56
8	-------	2	13	12	6	28	7	33	-------	1	2	16	1	1	13	15	-------	36	2	57
22	9	2	26	33	-------	20	4	10	2	4	3	10	-------	3	13	14	1	38	2	58
5	-------	2	2	7	9	37	3	39	-------	4	-------	6	-------	2	9	11	3	19	5	59
7	6	2	7	20	3	36	3	23	-------	1	5	12	1	1	12	13	-------	24	-------	60
14	4	1	13	27	8	36	6	33	2	2	3	15	1	3	24	34	-------	43	1	61
29	5	13	30	47	9	118	8	37	5	7	5	39	6	1	23	52	7	110	25	62
31	9	4	56	101	6	89	8	25	6	7	3	54	3	5	18	60	4	192	2	63
5	1	2	6	11	5	33	3	22	-------	2	1	5	-------	-------	9	19	1	23	1	64
20	7	-------	21	27	-------	24	2	11	4	1	2	20	3	4	22	19	2	55	1	65
5	1	1	7	2	6	28	2	28	-------	1	1	7	-------	3	12	17	1	16	1	66
1,728	334	350	1,258	3,682	388	3,739	277	1,633	237	262	280	3,302	114	161	1,367	1,726	263	3,828	25	67
1,640	315	286	1,169	3,360	347	3,144	240	1,499	210	243	269	3,007	99	143	1,255	1,558	251	3,415	20	68
88	19	64	89	322	41	595	37	134	27	19	11	295	15	18	112	168	12	413	5	69
12	4	-------	11	19	1	18	2	5	1	4	4	19	-------	1	14	14	2	29	1	70

[2] Colored population less than 10 per cent of the total in 1910. The deaths include those of 21 Negroes, 51 Chinese, and 18 Japanese.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(87)
	REGISTRATION CITIES—Contd.														
	PENNSYLVANIA—continued.														
1	Pittsburgh (total)	10,645	70	.....	.....	66	13	60	140	93	46	753	98	95	52
2	White	9,742	61	.....	.....	63	12	54	135	77	45	670	89	80	45
3	Colored	903	9	.....	.....	3	1	6	5	16	1	83	9	15	7
4	Pittston	318	.....	.....	.....	.....	.....	.....	5	9	.....	6	.....	1	2
5	Plymouth	167	.....	.....	.....	.....	1	3	.....	3	.....	10	1	1	.....
6	Pottstown	263	6	.....	.....	.....	.....	1	2	2	1	17	.....	6	.....
7	Pottsville	466	3	2	.....	.....	2	1	11	9	.....	36	1	2	2
8	Reading	1,591	8	1	.....	.....	2	10	18	15	4	102	16	11	9
9	Scranton	2,247	9	1	.....	12	9	8	40	11	6	104	17	20	10
10	Shamokin	259	3	.....	.....	1	.....	.....	16	4	.....	19	2	.....	1
11	Sharon	281	6	.....	.....	1	.....	3	3	8	.....	21	.....	4	3
12	Shenandoah	394	.....	.....	.....	.....	2	.....	24	3	.....	18	1	.....	1
13	South Bethlehem	349	1	.....	.....	2	.....	2	14	3	2	28	3	2	3
14	Steelton	194	1	.....	.....	.....	.....	1	4	2	.....	17	2	2	.....
15	Sunbury	183	3	.....	.....	.....	3	1	1	1	.....	9	1	.....	.....
16	Uniontown	333	8	.....	.....	1	.....	.....	1	2	2	20	1	2	2
17	Warren	194	.....	.....	.....	.....	.....	.....	.....	2	.....	9	2	.....	3
18	Washington	342	9	.....	.....	.....	1	.....	.....	9	.....	30	2	2	2
19	West Chester (total)	311	6	.....	.....	.....	.....	5	1	5	.....	26	1	5	2
20	White	245	4	.....	.....	.....	.....	2	1	5	.....	16	1	4	2
21	Colored	66	2	.....	.....	.....	.....	3	.....	.....	.....	10	.....	1	.....
22	Wilkes-Barre	1,163	11	.....	.....	3	.....	2	29	9	1	61	5	9	5
23	Wilkinsburg	391	3	.....	.....	.....	1	2	5	7	.....	24	2	3	.....
24	Williamsport	753	1	.....	.....	16	1	2	23	7	2	33	1	7	6
25	York	703	7	.....	.....	.....	1	.....	11	5	4	36	4	2	6
	RHODE ISLAND.														
26	Registration cities (total)	7,970	27	2	.....	55	23	42	137	91	26	773	66	45	36
27	White	7,686	24	2	.....	53	23	42	137	89	26	714	65	40	35
28	Colored	284	3	.....	.....	2	.....	.....	.....	2	.....	59	1	5	1
29	Central Falls	301	1	1	.....	8	1	7	6	8	.....	19	.....	.....	2
30	Cranston (exclusive of)	283	1	.....	.....	1	3	2	2	4	1	14	2	.....	1
31	State institutions	566	.....	.....	.....	.....	.....	.....	.....	5	3	94	.....	.....	7
32	Cumberland town	131	.....	.....	.....	.....	.....	2	.....	1	.....	10	1	1	.....
33	East Providence town	244	.....	.....	.....	2	1	2	2	4	1	18	1	1	2
34	Newport	434	1	.....	.....	1	.....	.....	11	.....	.....	35	3	4	.....
35	Pawtucket	901	3	1	.....	4	2	4	10	18	2	52	3	6	7
36	Providence	3,996	16	.....	.....	35	16	5	80	39	14	364	41	30	12
37	Warwick town	277	1	.....	.....	.....	.....	2	3	7	1	96	1	.....	.....
38	West Warwick town	238	1	.....	.....	4	.....	14	2	.....	2	20	2	1	1
39	Woonsocket	599	3	.....	.....	.....	.....	4	21	5	2	51	12	2	4
	SOUTH CAROLINA.														
40	Registration cities (total)	3,580	35	31	.....	47	6	14	15	27	10	308	10	23	6
41	White	1,446	16	9	.....	28	5	1	12	7	6	92	7	6	4
42	Colored	2,134	19	22	.....	19	1	13	3	20	4	216	3	17	2
43	Charleston (total)	1,570	10	22	.....	4	1	12	4	16	2	122	1	9	3
44	White	475	1	8	.....	2	1	1	3	4	.....	26	.....	1	2
45	Colored	1,095	9	14	.....	2	.....	11	1	12	2	96	1	8	1
46	Columbia (total)	1,281	15	9	.....	21	5	.....	9	8	7	105	6	5	2
47	White	618	12	1	.....	14	4	.....	7	3	5	33	4	2	2
48	Colored	663	3	8	.....	7	1	.....	2	5	2	72	2	3	.....
49	Greenville (total)	353	2	.....	.....	11	.....	1	.....	3	.....	34	.....	3	.....
50	White	163	.....	.....	.....	4	.....	.....	.....	.....	.....	14	.....	.....	.....
51	Colored	190	2	.....	.....	7	.....	1	.....	3	.....	20	.....	3	.....
52	Spartanburg (total)	376	8	.....	.....	11	.....	1	2	.....	1	47	3	6	1
53	White	190	3	.....	.....	8	.....	.....	2	.....	1	19	3	3	.....
54	Colored	186	5	.....	.....	3	.....	1	.....	.....	.....	28	.....	3	1
	TENNESSEE.														
55	Registration cities (total)	7,425	130	78	.....	119	9	58	36	90	16	843	34	80	29
56	White	4,042	83	29	.....	92	9	27	31	36	13	346	23	42	9
57	Colored	3,383	47	49	.....	27	.....	31	5	54	3	497	11	38	20
58	Chattanooga (total)	1,211	36	7	.....	29	1	8	4	16	2	118	6	15	5
59	White	616	27	3	.....	21	1	2	4	9	1	50	5	9	2
60	Colored	595	9	4	.....	8	.....	6	.....	7	1	68	1	6	3
61	Jackson (total)	334	7	8	.....	10	.....	4	2	7	4	40	.....	4	.....
62	White	171	3	1	.....	6	.....	2	2	1	4	17	.....	1	.....
63	Colored	163	4	7	.....	4	.....	2	.....	6	.....	23	.....	3	.....
64	Knoxville (total)	917	22	.....	.....	7	1	3	2	8	.....	106	8	8	4
65	White	685	12	.....	.....	7	1	2	2	4	.....	68	5	6	1
66	Colored	232	10	.....	.....	.....	.....	1	.....	4	.....	38	3	2	3
67	Memphis (total)	3,019	38	56	.....	48	6	35	25	31	10	370	13	29	14
68	White	1,429	23	20	.....	37	6	18	20	4	8	113	7	13	4
69	Colored	1,590	15	36	.....	11	.....	17	5	27	2	257	6	16	10

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
564	101	133	430	823	161	2,088	132	753	100	90	114	580	82	83	561	871	83	1,401	9	1
545	92	126	393	761	150	1,776	128	705	94	86	109	531	76	79	534	817	79	1,321	9	2
19	9	7	37	62	11	312	4	48	6	4	5	49	6	4	27	54	4	80	.....	3
13	3	2	12	27	4	51	7	39	6	3	4	15	3	5	10	52	.....	36	3	4
7	.....	1	10	11	3	14	9	13	.....	1	3	9	.....	1	12	18	1	35	.....	5
15	6	1	18	25	1	36	2	3	5	4	4	13	3	4	18	24	2	43	1	6
27	7	2	19	46	11	38	3	13	7	2	6	69	5	8	21	56	5	51	1	7
77	21	6	117	156	15	191	16	84	17	21	18	169	8	8	83	117	17	253	1	8
110	25	14	110	219	41	315	33	194	27	19	16	157	10	17	136	217	6	331	3	9
15	4	2	15	29	4	43	4	18	.....	1	2	18	1	3	15	7	1	30	1	10
12	1	1	12	17	3	39	4	15	3	2	3	14	4	3	15	35	3	31	15	11
8	1	1	17	10	16	56	8	90	.....	1	3	27	1	1	24	31	1	45	1	12
14	4	5	14	18	9	45	3	50	.....	.....	1	15	1	1	41	30	3	33	2	13
8	3	1	8	18	1	35	2	13	.....	.....	2	12	.....	1	17	21	2	21	.....	14
13	3	.....	20	31	.....	12	1	3	2	.....	.....	14	2	1	19	14	1	28	.....	15
23	2	8	16	27	3	34	1	15	4	8	4	21	4	5	14	50	6	49	.....	16
18	2	1	18	25	4	17	1	.....	8	2	.....	13	1	.....	19	15	.....	33	1	17
27	1	3	17	28	1	39	6	17	4	3	1	23	6	1	18	30	2	60	.....	18
22	7	.....	5	23	1	32	4	8	8	8	2	38	3	2	15	20	3	54	.....	19
19	7	.....	5	23	1	22	3	7	7	6	2	28	2	2	11	17	3	45	.....	20
3	.....	.....	.....	5	.....	10	1	1	1	2	.....	10	1	.....	4	3	.....	9	.....	21
60	25	4	48	86	19	129	22	66	18	20	9	104	9	11	76	127	12	177	6	22
28	.....	4	13	30	4	74	3	8	3	2	2	18	5	4	29	37	1	77	2	23
66	9	6	55	82	11	77	12	15	14	10	4	68	3	7	49	49	6	110	1	24
56	15	3	72	76	6	70	5	16	4	10	5	74	2	8	29	35	4	136	1	25
518	99	51	607	849	116	905	56	278	77	60	52	602	34	53	485	440	53	1,267	45	26
511	99	47	582	805	110	885	54	270	74	60	51	585	34	52	469	428	52	1,225	43	27
7	.....	4	25	44	6	20	2	8	3	.....	1	17	.....	1	16	12	1	42	2	28
20	5	1	18	27	13	33	3	25	3	1	4	16	2	2	38	7	1	28	1	29
31	3	1	23	34	8	38	1	8	.....	1	3	19	1	1	20	9	.....	48	3	30
22	1	1	49	84	8	39	.....	.....	.....	1	.....	23	1	.....	2	9	2	215	.....	31
7	1	1	18	18	4	14	.....	5	.....	.....	.....	8	.....	.....	7	12	.....	18	3	32
19	7	1	25	27	2	34	5	4	.....	.....	.....	27	.....	.....	18	12	.....	28	1	33
42	8	2	41	80	6	58	1	6	2	1	5	28	2	2	25	17	6	46	1	34
57	17	2	77	101	13	96	6	30	13	10	8	92	11	2	66	60	3	125	.....	35
273	47	34	280	384	42	480	34	137	48	40	22	311	12	36	220	266	37	612	29	36
18	2	1	26	21	3	17	.....	7	.....	.....	1	19	.....	3	10	14	2	22	.....	37
8	3	5	20	15	6	25	1	15	.....	1	1	11	3	.....	28	10	.....	38	1	38
21	5	2	30	58	11	71	5	41	11	5	8	48	2	7	51	24	2	87	6	39
95	17	11	203	315	12	279	29	185	37	29	12	377	15	27	264	186	9	915	31	40
67	8	5	85	116	5	102	16	50	22	15	8	166	5	11	100	71	9	388	4	41
28	9	6	118	199	7	177	13	135	15	14	4	211	10	16	164	115	.....	527	27	42
29	6	4	95	145	4	125	9	97	11	12	4	211	2	14	145	83	6	345	17	43
18	2	1	24	45	3	31	6	17	8	4	3	85	1	7	29	28	6	107	1	44
11	4	3	71	100	1	94	3	80	3	8	1	126	1	7	116	55	.....	238	16	45
34	8	1	74	111	6	87	13	54	14	13	6	108	6	9	65	67	2	404	7	46
25	5	1	44	44	1	46	7	17	4	8	3	52	2	3	41	26	2	199	1	47
9	3	.....	30	67	5	41	6	37	10	5	3	56	4	6	24	41	.....	205	6	48
20	.....	4	15	39	2	28	3	18	4	4	.....	28	4	4	30	18	.....	76	2	49
14	.....	1	8	17	1	9	1	7	3	3	.....	15	1	1	16	9	.....	39	.....	50
6	.....	3	7	22	1	19	2	11	1	1	.....	13	3	3	14	9	.....	37	2	51
12	3	2	19	20	.....	39	4	16	8	.....	2	30	3	.....	24	18	1	90	5	52
10	1	2	9	10	.....	16	2	9	7	.....	2	14	1	.....	14	8	1	43	2	53
2	2	.....	10	10	.....	23	2	7	1	.....	.....	16	2	.....	10	10	.....	47	3	54
314	56	32	289	612	59	675	97	221	112	87	45	562	56	57	270	542	41	1,527	249	55
239	47	24	179	303	28	310	47	141	73	54	28	321	30	32	179	283	36	854	94	56
75	9	8	110	309	31	365	50	80	39	33	17	241	26	25	91	259	5	673	155	57
34	9	3	48	91	13	115	16	33	16	13	6	76	9	5	44	91	9	251	82	58
29	7	3	25	47	6	44	9	18	8	8	5	42	2	2	25	48	7	125	22	59
5	2	.....	23	44	7	71	7	15	8	5	1	34	7	3	19	43	2	126	60	60
18	2	3	20	27	2	10	3	9	3	.....	3	27	3	3	10	23	.....	59	23	61
14	2	3	12	15	1	5	1	3	1	.....	3	18	.....	2	8	12	.....	32	2	62
4	.....	.....	8	12	1	5	2	6	2	.....	.....	9	3	1	2	11	.....	27	21	63
42	11	4	40	55	6	71	18	31	15	9	2	66	10	16	39	64	6	220	23	64
33	11	4	31	37	4	51	10	25	14	7	2	56	9	15	29	52	5	164	18	65
9	.....	.....	9	18	2	20	8	6	1	2	.....	10	1	1	10	12	1	56	5	66
115	16	16	95	219	24	288	37	78	49	40	13	252	25	19	104	242	22	595	95	67
82	12	10	59	103	10	110	19	47	28	24	9	115	14	6	68	91	20	293	36	68
33	4	6	36	116	14	178	18	31	21	16	4	137	11	13	36	151	2	302	59	69

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	TENNESSEE—continued.														
1	Nashville (total)	1,944	27	7	.....	25	1	8	3	28	.....	209	7	24	6
2	White	1,141	18	5	.....	21	1	3	3	18	.....	98	6	13	2
3	Colored	803	9	2	.....	4	.....	5	.....	10	.....	111	1	11	4
	TEXAS.[1]														
4	Registration cities (total)	10,258	137	62	35	157	8	59	60	131	21	1,329	45	66	30
5	White	8,369	113	39	29	151	8	52	55	99	20	1,067	42	47	23
6	Colored	1,889	24	23	6	6	.....	7	5	32	1	262	3	19	7
7	Beaumont (total)	457	9	14	.....	3	.....	4	3	3	1	41	.....	3	.....
8	White	255	6	11	.....	3	.....	3	3	1	1	12	.....	.....	.....
9	Colored	202	3	3	.....	.....	.....	1	.....	2	.....	29	.....	3	.....
10	Cleburne (total)	134	3	1	.....	.....	.....	2	.....	3	.....	9	.....	1	.....
11	White	115	3	.....	.....	.....	.....	2	.....	3	.....	6	.....	.....	.....
12	Colored[2]	19	.....	1	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....
13	Dallas (total)	1,641	25	8	1	13	.....	.....	10	21	4	149	10	14	2
14	White	1,220	17	5	.....	10	.....	.....	10	16	3	84	9	6	2
15	Colored	421	8	3	1	3	.....	.....	.....	5	1	65	1	8	.....
16	El Paso (total)	2,456	29	1	4	71	7	25	18	20	12	441	20	19	12
17	White	2,383	28	1	4	69	7	24	18	19	12	424	19	17	11
18	Colored[2]	73	1	.....	.....	2	.....	1	.....	1	.....	17	1	2	1
19	Galveston (total)	683	7	1	.....	1	.....	.....	4	8	.....	65	2	3	.....
20	White	460	3	.....	.....	1	.....	.....	3	5	.....	42	2	1	.....
21	Colored	223	4	1	.....	.....	.....	.....	1	3	.....	23	.....	2	.....
22	Houston (total)	1,652	26	16	7	7	1	9	10	26	1	161	2	5	11
23	White	1,021	20	4	3	7	1	4	7	17	1	72	1	5	5
24	Colored	631	6	12	4	.....	.....	5	8	9	.....	89	1	.....	6
25	San Antonio (total)	3,235	38	21	23	62	.....	19	15	50	3	463	11	21	5
26	White	2,915	36	18	22	61	.....	19	14	38	3	427	11	18	5
27	Colored	320	2	3	1	1	.....	.....	1	12	.....	36	.....	3	.....
	UTAH.														
28	Registration cities (total)	1,693	27	.....	.....	19	11	3	14	6	7	62	5	13	10
29	White	1,661	26	.....	.....	19	11	3	14	6	4	60	5	13	10
30	Colored	32	1	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....
31	Ogden	325	5	.....	.....	6	1	.....	6	5	1	13	.....	5	4
32	Salt Lake City	1,368	22	.....	.....	13	10	3	8	1	6	49	5	8	6
	VERMONT.														
33	Registration cities (total)	795	5	.....	.....	7	3	3	5	8	2	54	7	4	1
34	White	793	5	.....	.....	7	3	3	5	8	2	53	7	4	1
35	Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
36	Barre	135	.....	.....	.....	3	1	2	.....	.....	.....	29	4	.....	.....
37	Burlington	413	2	.....	.....	2	.....	1	4	3	.....	16	2	2	.....
38	Rutland	247	3	.....	.....	2	2	.....	1	5	2	9	1	2	1
	VIRGINIA.														
39	Registration cities (total)	8,361	74	41	.....	40	4	103	26	95	17	790	58	63	34
40	White	4,384	43	11	.....	20	4	33	18	51	14	332	37	34	17
41	Colored	3,977	31	30	.....	20	.....	70	8	44	3	458	21	29	17
42	Alexandria (total)	289	8	.....	.....	.....	.....	5	1	4	.....	22	2	.....	1
43	White	173	6	.....	.....	.....	.....	.....	.....	2	.....	15	1	.....	.....
44	Colored	116	2	.....	.....	.....	.....	5	1	2	.....	7	1	.....	1
45	Danville (total)	390	5	4	.....	3	.....	7	.....	5	1	30	1	3	1
46	White	227	5	1	.....	3	.....	3	.....	5	1	16	.....	1	.....
47	Colored	163	.....	3	.....	.....	.....	4	.....	.....	.....	14	1	2	1
48	Lynchburg (total)	526	6	2	.....	3	.....	.....	1	10	1	58	10	6	2
49	White	307	5	1	.....	.....	.....	.....	1	8	1	32	6	5	1
50	Colored	219	1	1	.....	3	.....	.....	.....	2	.....	26	4	1	1
51	Newport News (total)	442	7	3	.....	6	.....	10	3	5	.....	41	.....	2	3
52	White	190	2	1	.....	5	.....	5	2	3	.....	8	.....	1	.....
53	Colored	252	5	2	.....	1	.....	5	1	2	.....	33	.....	1	3
54	Norfolk (total)	1,555	14	12	.....	6	.....	9	4	13	1	156	7	14	2
55	White	673	7	5	.....	2	.....	3	2	8	1	39	4	6	2
56	Colored	882	7	7	.....	4	.....	6	2	5	.....	117	3	8	.....
57	Petersburg (total)	692	7	4	.....	2	.....	25	4	5	.....	76	3	3	3
58	White	276	4	.....	.....	.....	.....	6	2	1	.....	33	3	1	1
59	Colored	416	3	4	.....	2	.....	19	2	4	.....	43	.....	2	2
60	Portsmouth (total)	579	5	12	.....	4	3	2	2	17	1	62	4	3	4
61	White	216	2	.....	.....	2	3	1	2	5	1	26	3	2	2
62	Colored	333	3	12	.....	2	.....	1	.....	12	.....	36	1	1	2
63	Richmond (total)	2,932	11	4	.....	6	1	44	9	29	4	258	25	20	13
64	White	1,566	4	3	.....	1	1	14	8	14	2	109	16	11	9
65	Colored	1,366	7	1	.....	5	.....	30	1	15	2	149	9	9	4

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
105	18	6	86	220	14	191	23	70	29	25	21	141	9	14	73	122	4	402	26	1
81	15	4	52	101	7	100	8	48	22	15	9	90	5	7	49	80	4	240	16	2
24	3	2	34	119	7	91	15	22	7	10	12	51	4	7	24	42	-------	162	10	3
406	69	66	312	595	166	848	75	1,015	129	95	81	648	62	71	494	702	112	1,973	199	4
360	65	55	258	438	146	697	53	953	116	73	72	481	52	52	436	548	99	1,573	97	5
46	4	11	54	157	20	151	22	62	13	22	9	167	10	19	58	154	13	400	102	6
29	1	1	15	17	3	37	1	17	6	5	3	41	5	3	22	54	6	89	21	7
22	-------	1	9	8	3	18	-------	10	6	1	3	24	2	1	9	30	3	53	12	8
7	1	-------	6	9	-------	19	1	7	-------	4	-------	17	3	2	13	24	3	36	9	9
8	-------	1	6	7	-------	12	2	6	1	2	-------	7	-------	4	11	14	2	28	4	10
7	-------	1	5	6	-------	12	1	5	-------	2	-------	7	-------	3	9	13	1	26	3	11
1	-------	-------	1	1	-------	-------	1	1	1	-------	-------	-------	-------	1	2	1	1	2	1	12
97	13	12	66	129	14	130	14	37	55	13	11	122	18	18	86	150	23	372	4	13
85	12	4	56	80	10	87	8	33	49	10	9	95	14	14	79	114	20	277	2	14
12	1	8	10	49	4	43	6	4	6	3	2	27	4	4	7	36	3	95	2	15
66	8	22	50	101	67	262	9	396	15	17	26	74	20	8	102	122	25	385	2	16
64	8	22	49	95	67	254	9	393	15	16	26	68	20	8	102	116	24	373	1	17
2	-------	-------	1	6	-------	8	-------	3	-------	1	-------	6	-------	-------	-------	6	1	12	1	18
34	6	2	27	59	6	40	11	24	3	5	6	86	3	3	37	60	6	172	2	19
30	5	2	22	36	5	24	5	19	3	5	4	51	2	1	31	46	5	106	1	20
4	1	-------	5	23	1	16	6	5	-------	-------	2	35	1	2	6	14	1	66	1	21
60	15	8	63	118	16	104	17	53	25	19	16	143	4	9	50	165	27	318	140	22
49	14	5	45	76	6	69	10	35	22	7	13	95	3	4	36	107	23	202	53	23
11	1	3	18	42	10	35	7	18	3	12	3	48	1	5	14	58	4	116	87	24
112	26	20	85	164	60	263	21	482	24	34	19	175	12	26	186	137	23	609	26	25
103	26	20	72	137	55	233	20	458	21	32	17	141	11	21	170	122	23	536	25	26
9	-------	-------	13	27	5	30	1	24	3	2	2	34	1	5	16	15	-------	73	1	27
109	11	12	78	167	12	154	12	57	47	21	12	133	15	11	108	155	31	290	81	28
108	11	12	78	164	12	150	12	56	47	20	11	133	15	11	108	148	30	284	80	29
1	-------	-------	-------	3	-------	4	-------	1	-------	1	1	-------	-------	-------	-------	7	1	6	1	30
13	1	-------	17	38	3	27	3	16	7	4	2	25	2	2	21	27	7	62	2	31
96	10	12	61	129	9	127	9	41	40	17	10	108	13	9	87	128	24	228	79	32
49	11	6	55	100	11	71	13	20	20	8	7	63	2	4	59	38	13	145	1	33
49	11	6	55	100	11	71	13	20	19	8	7	63	2	4	59	38	13	145	1	34
-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	35
7	2	-------	8	13	1	10	3	2	2	1	4	8	1	1	11	7	2	13	-------	36
26	6	3	29	63	10	29	7	13	13	6	3	31	-------	2	33	19	6	81	1	37
16	3	3	18	24	-------	32	3	5	5	1	-------	24	1	1	15	12	5	51	-------	38
331	66	49	561	875	77	892	119	423	88	86	57	743	72	73	484	454	39	1,437	90	39
250	56	31	288	474	20	328	54	176	60	53	37	445	38	42	282	263	34	811	28	40
81	10	18	273	401	57	564	65	247	28	33	20	298	34	31	202	191	5	626	62	41
16	2	-------	18	23	4	34	5	12	2	3	1	41	2	2	11	21	3	42	4	42
14	2	-------	8	18	-------	12	2	8	1	2	1	29	-------	2	9	10	3	26	2	43
2	-------	-------	10	5	4	22	3	4	1	1	-------	12	2	-------	2	11	-------	16	2	44
9	3	7	18	42	9	33	4	18	9	7	3	22	5	2	11	30	3	93	2	45
7	1	6	8	24	3	8	2	9	8	4	3	11	3	2	9	21	3	59	1	46
2	2	1	10	18	6	25	2	9	1	3	-------	11	2	-------	2	9	-------	34	1	47
25	5	1	36	49	4	39	7	27	4	4	3	59	6	8	25	22	5	91	7	48
20	4	1	21	26	-------	17	5	12	2	3	1	28	5	5	17	14	5	58	3	49
5	1	-------	15	23	4	22	2	15	2	1	2	31	1	3	8	8	-------	33	4	50
9	6	2	26	42	4	58	8	36	-------	5	3	31	5	3	26	36	1	60	1	51
6	6	1	5	16	1	19	1	12	-------	1	3	17	2	1	14	24	1	33	-------	52
3	-------	1	21	26	3	39	7	24	-------	4	-------	14	3	2	12	12	-------	27	1	53
74	12	16	112	199	12	179	18	71	17	19	13	121	13	15	82	93	4	244	3	54
53	8	8	50	85	1	47	12	19	9	9	9	66	6	7	42	54	3	104	2	55
21	4	8	62	114	11	132	6	52	8	10	4	55	7	8	40	39	1	140	1	56
21	2	8	54	48	2	74	10	69	3	6	3	86	2	6	36	37	2	87	4	57
17	2	6	18	23	1	21	3	24	-------	1	1	39	1	4	18	20	1	24	1	58
4	-------	2	36	25	1	53	7	45	3	5	2	47	1	2	18	17	1	63	3	59
21	2	3	40	44	12	67	13	26	3	3	5	39	6	8	29	33	1	89	16	60
13	2	1	21	19	5	22	7	11	1	1	4	21	2	3	12	13	1	37	1	61
8	-------	2	19	25	7	45	6	15	2	2	1	18	4	5	17	20	-------	52	15	62
113	27	9	218	336	28	300	50	114	34	27	22	278	17	21	199	130	15	535	35	63
82	26	6	124	199	8	106	18	46	24	20	11	187	7	10	113	72	13	296	6	64
31	1	3	94	137	20	194	32	68	10	7	11	91	10	11	86	58	2	239	29	65

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[See note at head of this table, pp. 232, 233.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	VIRGINIA—continued.														
1	Roanoke (total)	654	5	.....	.....	9	.....	1	1	7	3	63	5	9	3
2	White	464	4	.....	.....	7	.....	1	.....	5	3	37	4	4	2
3	Colored	190	1	.....	.....	2	.....	.....	1	2	.....	26	1	5	1
4	Staunton (total)	302	6	.....	.....	1	.....	.....	1	.....	6	24	1	3	2
5	White	262	4	.....	.....	.....	.....	.....	1	.....	5	17	.....	3	.....
6	Colored	40	2	.....	.....	1	.....	.....	.....	.....	1	7	1	.....	2
	WASHINGTON.														
7	Registration cities (total)	5,738	59	2	.....	54	6	36	19	41	12	432	84	51	27
8	White	5,455	52	2	.....	54	6	35	19	40	10	384	71	48	26
9	Colored	283	7	.....	.....	.....	.....	1	.....	1	2	48	13	3	1
10	Aberdeen	154	4	.....	.....	.....	3	1	1	1	1	13	2	.....	.....
11	Bellingham	222	.....	.....	.....	8	.....	4	.....	.....	.....	20	2	2	1
12	Everett	262	3	.....	.....	5	.....	7	2	1	1	27	5	3	.....
13	North Yakima	244	12	1	.....	3	.....	1	.....	3	.....	18	4	2	.....
14	Seattle	2,530	18	1	.....	17	1	12	7	14	4	209	45	25	16
15	Spokane	1,162	12	.....	.....	11	2	3	6	14	2	76	16	6	5
16	Tacoma	950	4	.....	.....	7	.....	7	3	5	4	58	9	12	4
17	Walla Walla	214	6	.....	.....	3	.....	1	.....	3	.....	11	1	1	1
	WEST VIRGINIA.[1]														
18	Wheeling (total)	850	22	.....	.....	2	.....	10	3	8	3	51	15	7	2
19	White	803	20	.....	.....	2	.....	10	3	8	3	44	13	7	2
20	Colored[2]	47	2	.....	.....	.....	.....	.....	.....	.....	.....	7	2	.....	.....
	WISCONSIN.														
21	Registration cities (total)	11,245	72	1	1	28	119	113	172	106	44	736	89	74	62
22	White	11,182	72	1	1	28	119	113	172	106	44	731	89	73	62
23	Colored	63	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	1	.....
24	Appleton	287	.....	.....	.....	1	.....	2	3	6	4	13	3	5	.....
25	Ashland	241	4	.....	.....	.....	.....	.....	.....	3	2	19	1	5	3
26	Beloit	237	5	1	.....	2	1	3	4	1	4	11	.....	4	5
27	Eau Claire	347	2	.....	.....	.....	1	2	4	5	1	40	4	4	1
28	Fond du Lac	312	1	.....	.....	.....	2	1	3	3	.....	18	1	3	1
29	Green Bay	521	2	.....	.....	.....	2	2	.....	.....	2	19	9	2	2
30	Janesville	231	.....	.....	.....	.....	1	.....	1	5	.....	19	1	.....	1
31	Kenosha	364	3	.....	.....	3	3	17	21	5	1	15	2	4	1
32	La Crosse	453	.....	.....	.....	.....	1	1	13	1	5	27	3	5	.....
33	Madison	392	3	.....	1	.....	3	3	1	2	1	20	6	2	4
34	Manitowoc	218	1	.....	.....	.....	.....	3	.....	4	.....	12	1	.....	1
35	Marinette	174	.....	.....	.....	.....	.....	5	1	2	.....	16	2	1	.....
36	Milwaukee	5,461	27	.....	.....	14	77	55	102	43	18	378	42	22	34
37	Oshkosh	451	3	.....	.....	.....	3	3	2	4	3	34	1	2	2
38	Racine	553	7	.....	.....	1	.....	11	3	9	2	43	7	5	1
39	Sheboygan	370	9	.....	.....	2	16	2	6	6	.....	17	3	6	.....
40	Superior	421	5	.....	.....	5	.....	2	4	2	.....	23	2	2	2
41	Wausau	212	.....	.....	.....	.....	9	1	4	5	1	12	1	2	4

[1] Nonregistration state; only those cities with satisfactory registration of deaths are shown.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1917—Continued.

[See note at head of this table, pp. 232, 233.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
33	6	3	18	52	2	58	3	47	15	10	3	46	15	5	58	47	3	111	13	1
30	4	2	14	30	1	32	3	32	14	10	3	29	11	5	43	30	2	94	8	2
3	2	1	4	22	1	26	-------	15	1	-------	-------	17	4	-------	15	17	1	17	5	3
10	1	-------	21	40	-------	50	1	3	1	2	1	20	1	3	7	5	2	85	5	4
8	1	-------	19	34	-------	44	1	3	1	2	1	18	1	3	5	5	2	80	4	5
2	-------	-------	2	6	-------	6	-------	-------	-------	-------	-------	2	-------	-------	2	-------	-------	5	1	6
553	107	21	330	576	32	394	45	100	118	62	38	389	45	47	290	433	106	1,205	24	7
536	105	18	325	554	29	371	41	93	116	59	37	369	43	46	268	413	102	1,159	24	8
17	2	3	5	22	3	23	4	7	2	3	1	20	2	1	22	20	4	46	-------	9
16	1	-------	9	11	1	10	2	3	8	-------	-------	5	1	-------	8	14	3	31	5	10
26	7	-------	13	19	3	11	2	2	1	2	-------	18	3	3	8	15	3	49	-------	11
28	3	-------	17	25	-------	11	-------	5	3	2	-------	16	3	3	8	23	2	59	-------	12
12	5	2	14	26	2	17	-------	24	5	4	1	12	3	1	15	14	4	38	1	13
237	46	7	136	287	13	160	24	23	39	30	20	155	9	21	144	205	62	537	6	14
125	16	7	59	89	6	93	8	20	41	15	9	105	15	10	53	68	17	252	1	15
88	25	4	64	105	5	80	8	15	15	6	4	65	11	7	42	81	12	192	8	16
21	4	1	18	14	2	12	1	8	6	3	3	13	-------	2	12	13	3	47	3	17
56	5	10	30	76	6	92	9	34	12	15	8	53	5	5	43	95	7	166	-------	18
56	5	10	28	70	5	88	8	32	12	14	8	49	5	5	43	85	7	161	-------	19
-------	-------	-------	2	6	1	4	1	2	-------	1	-------	4	-------	-------	-------	10	-------	5	-------	20
832	147	80	609	963	185	1,353	124	401	198	167	128	698	52	75	700	729	141	2,009	37	21
830	147	79	605	959	185	1,341	122	400	196	166	126	696	51	74	692	722	141	2,002	37	22
2	-------	1	4	4	-------	12	2	1	2	1	2	2	1	1	8	7	-------	7	-------	23
24	4	3	14	26	1	35	2	3	10	8	3	11	1	3	17	20	2	62	1	24
19	4	3	14	29	3	25	2	2	5	4	3	18	-------	2	9	20	-------	39	3	25
18	3	3	18	16	2	30	2	3	4	3	2	10	1	3	11	14	3	50	-------	26
39	4	3	16	48	3	29	3	5	8	6	2	13	1	3	13	23	4	58	2	27
33	6	3	23	25	3	18	3	7	7	7	2	21	-------	4	21	18	2	74	2	28
32	8	1	21	24	3	51	7	38	31	10	5	41	8	6	31	33	1	126	4	29
8	2	1	23	26	2	35	2	2	5	7	-------	8	-------	2	12	18	4	43	3	30
23	4	3	15	17	8	33	4	23	3	2	5	13	-------	3	28	34	6	63	2	31
49	7	3	25	46	4	41	3	4	19	9	3	20	-------	3	24	27	1	104	5	32
28	5	2	36	30	1	42	4	4	5	10	1	25	2	2	25	30	6	87	1	33
20	2	6	18	16	9	27	-------	-------	6	3	3	12	-------	1	16	16	-------	40	1	34
14	2	-------	16	23	2	16	1	4	-------	1	-------	12	-------	1	8	13	1	32	1	35
358	73	37	244	450	123	774	72	251	59	62	75	354	29	31	346	331	83	896	1	36
42	3	1	39	59	3	38	3	6	17	13	8	35	3	-------	28	15	6	73	2	37
47	10	6	22	48	9	61	7	28	4	8	3	30	2	3	41	39	5	88	3	38
29	3	-------	29	25	7	29	4	7	6	6	8	29	2	3	24	21	6	64	1	39
28	5	4	25	37	2	48	1	10	4	5	4	27	3	3	29	49	10	77	3	40
21	2	1	11	18	-------	21	4	4	5	3	1	19	-------	2	17	8	1	33	2	41

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910, smaller places being included in the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.		Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	1,066,711	979,136	500,281	478,855	87,575	587,856	23,962	17,847	4,546	6,179	14,973	5,846
	I.—General diseases	284,993	260,098	130,752	129,346	24,895	155,647	7,117	4,826	1,641	1,691	3,671	1,495
1	Typhoid fever	10,089	9,293	3,323	5,970	796	4,119	119	100	20	73	98	20
2	Typhus fever	16	5	4	1	11	15						
3	Relapsing fever	1	1		1								1
4	Malaria	2,385	2,117	311	1,806	268	579	11	29		2	5	4
5	Smallpox	204	162	61	101	42	103	8	7		1	2	
6	Measles	10,442	9,606	3,347	6,259	836	4,183	117	76	53	90	86	43
7	Scarlet fever	3,124	2,433	1,337	1,096	691	2,028	35	13	5	13	17	5
8	Whooping cough	7,837	7,352	3,089	4,263	485	3,574	95	108	3	55	73	31
9	Diphtheria and croup	12,442	10,946	6,415	4,531	1,496	7,911	154	51	30	23	176	60
10	Influenza	12,965	12,209	4,138	8,071	756	4,894	109	176	44	99	205	114
11	Miliary fever	1	1		1								
12	Asiatic cholera												
13	Cholera nostras	242	232	59	173	10	69				3	1	
14	Dysentery	4,546	4,157	773	3,384	389	1,162	25	49	7	26	30	19
15	Plague												
16	Yellow fever												
17	Leprosy	17	14	9	5	3	12	5	1				
18	Erysipelas	2,863	2,661	1,468	1,193	202	1,670	40	25	13	14	46	16
19	Other epidemic diseases	405	376	201	175	29	230	5	4		3	4	5
20	Purulent infection and septicemia	1,110	989	448	541	121	569	18	13	7	3	23	8
21	Glanders	4	3	2	1	1	3						
22	Anthrax	61	59	41	18	2	43	3	3		2	1	
23	Rabies	66	61	36	25	5	41			1	1	3	
24	Tetanus	1,329	1,099	552	547	230	782	23	32	1	4	16	6
25	Mycoses	39	34	19	15	5	24	2			1	1	
26	Pellagra	3,666	2,843	801	2,042	823	1,624	8	16	2	2	4	1
27	Beriberi	15	15	8	7		8	2	5				
	Tuberculosis (total)	110,144	100,656	52,565	48,091	9,488	62,053	3,169	2,409	946	793	1,500	604
28	Tuberculosis of the lungs	93,290	85,210	43,561	41,649	8,080	51,641	2,727	2,087	847	726	1,174	520
29	Acute miliary tuberculosis	3,631	3,306	2,030	1,276	325	2,355	66	64	17	12	57	11
30	Tuberculous meningitis	6,084	5,621	3,726	1,895	463	4,189	195	123	43	21	178	38
31	Abdominal tuberculosis	3,745	3,436	1,627	1,809	309	1,936	94	74	21	17	45	15
32	Pott's disease	889	816	473	343	73	546	25	20	2	4	16	7
33	White swellings	505	467	259	208	38	297	12	7		2	8	4
34	Tuberculosis of other organs	1,381	1,279	662	617	102	764	42	19	11	5	15	5
35	Disseminated tuberculosis	619	521	227	294	98	325	8	15	5	6	7	4
36	Rickets	566	505	289	216	61	350	7	4			6	3
37	Syphilis	7,795	6,647	4,302	2,345	1,148	5,450	244	104	38	29	59	14
38	Gonococcus infection	595	507	387	120	88	475	17	4	1	1	9	
	Cancer and other malignant tumors (total)	61,429	56,743	31,172	25,571	4,686	35,858	2,122	1,053	308	316	854	357
39	Of the buccal cavity	2,279	2,101	1,075	1,026	178	1,253	74	41	13	14	35	12
40	Of the stomach, liver	23,406	21,669	11,409	10,260	1,737	13,146	780	436	117	125	289	126
41	Of the peritoneum, intestines, rectum	8,177	7,600	4,477	3,123	577	5,054	263	144	38	34	136	51
42	Of the female genital organs	9,331	8,520	4,921	3,599	811	5,732	316	119	57	48	118	59
43	Of the breast	5,712	5,314	3,004	2,310	398	3,402	215	78	22	23	89	28
44	Of the skin	2,157	2,040	781	1,259	117	898	52	34	5	13	23	19
45	Of other organs or of organs not specified	10,367	9,499	5,505	3,994	868	6,373	422	201	56	59	164	62
46	Other tumors (tumors of the female genital organs excepted)	272	244	114	130	28	142	7	2		1		
47	Acute articular rheumatism	3,432	3,182	1,641	1,541	250	1,891	47	35	15	21	46	12
48	Chronic rheumatism and gout	1,021	984	350	634	37	387	18	20	1	5	11	8
49	Scurvy	94	82	38	44	12	50	1	3		1	1	
50	Diabetes	12,734	11,844	6,634	5,210	890	7,524	374	222	71	57	194	91
51	Exophthalmic goiter	1,264	1,146	666	480	118	784	29	13	8	2	11	4
52	Addison's disease	320	296	147	149	24	171	11	8	6	1	6	2
53	Leukemia	1,506	1,380	781	599	126	907	57	28	13	7	21	3
54	Anemia, chlorosis	4,022	3,748	1,879	1,869	274	2,153	116	68	29	22	37	25
55	Other general diseases	1,623	1,491	806	685	132	938	24	13	8	9	31	4
56	Alcoholism (acute or chronic)	3,907	3,601	2,335	1,266	306	2,641	82	123	10	11	93	33
57	Chronic lead poisoning	147	139	86	53	8	94	4	6			1	
58	Other chronic occupation poisonings	18	16	12	4	2	14						
59	Other chronic poisonings	235	219	106	113	16	122	9	3	1			2
	II.—Diseases of the nervous system and of the organs of special sense	100,291	94,228	42,781	51,447	6,063	48,844	2,160	1,877	346	524	1,468	749
60	Encephalitis	620	567	247	320	53	300	14	9	3	4	7	1
61	Meningitis (total)	6,673	6,084	3,590	2,494	589	4,179	110	65	20	32	204	43
	Simple meningitis	2,735	2,505	1,261	1,244	230	1,491	51	38	13	15	44	20
	Cerebrospinal meningitis (undefined)	1,186	1,099	540	559	87	627	18	8	2	6	23	10
	Cerebrospinal fever	2,752	2,480	1,789	691	272	2,061	41	19	5	11	137	13
62	Locomotor ataxia	1,772	1,640	863	777	132	995	49	34	12	6	23	7
63	Other diseases of the spinal cord (total)	5,147	4,661	1,992	2,669	486	2,478	134	105	15	20	57	30
	Acute anterior poliomyelitis	1,182	961	349	612	221	570	14	9		3	10	7
	Other diseases of the spinal cord [3]	3,965	3,700	1,643	2,057	265	1,908	120	96	15	17	47	23
64	Cerebral hemorrhage, apoplexy	62,417	58,871	27,397	31,474	3,546	30,943	1,469	1,096	225	295	922	535
65	Softening of the brain	888	836	288	548	52	340	27	27	3	6	8	10
66	Paralysis without specified cause	5,445	5,144	1,332	3,812	301	1,633	57	112	20	27	22	11
67	General paralysis of the insane	5,248	5,076	2,105	2,971	172	2,277	90	257	13	71	61	32
68	Other forms of mental alienation	1,651	1,549	565	984	102	667	35	20	6	4	15	6
69	Epilepsy	3,161	3,013	1,042	1,971	148	1,190	34	59	9	36	38	30
70	Convulsions (nonpuerperal)	137	130	44	86	7	51					1	1
71	Convulsions of infants	2,172	2,082	794	1,288	90	884	11	18		4	33	17
72	Chorea	102	96	50	46	6	56	1					
73	Neuralgia and neuritis	429	404	165	239	25	190	13	10	1	1	4	4
74	Other diseases of the nervous system	2,731	2,510	1,349	1,161	221	1,570	69	43	11	10	42	18
75	Diseases of the eyes and their annexa	97	87	44	43	10	54		3	1		1	1
76	Diseases of the ears	1,601	1,478	914	564	123	1,037	47	19	7	8	30	3

[1] Including District of Columbia. [2] A list of these cities will be found on p. 11. [3] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed List No.	CAUSE OF DEATH.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	III.—Diseases of the circulatory system	151,701	140,781	73,485	67,296	10,920	84,405	4,278	3,061	528	673	2,047	965
77	Pericarditis	832	768	314	454	64	378	23	21	3	5	5	2
78	Acute endocarditis	6,669	6,010	4,149	1,861	659	4,808	162	111	29	32	125	27
79	Organic diseases of the heart	115,304	106,926	55,639	51,287	8,378	64,017	3,303	2,338	387	440	1,506	749
80	Angina pectoris	5,914	5,560	2,468	3,092	354	2,822	175	109	20	58	89	51
81	Diseases of the arteries, atheroma, aneurism, etc.	19,050	17,910	8,955	8,955	1,140	10,095	492	406	58	105	252	115
82	Embolism and thrombosis	2,706	2,492	1,307	1,185	214	1,521	97	61	26	24	48	13
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	454	403	251	152	51	302	6	2	2	3	5	4
84	Diseases of the lymphatic system (lymphangitis, etc.)	454	412	294	118	42	336	18	6	3	2	11	1
85	Hemorrhage; other diseases of the circulatory system	318	300	108	192	18	126	2	7	.....	4	6	3
	IV.—Diseases of the respiratory system	133,904	122,715	68,654	54,061	11,189	79,843	2,258	1,757	515	873	2,308	755
86	Diseases of the nasal fossae	367	358	52	306	9	61	2	.....	.....	.....	1	.....
87	Diseases of the larynx	821	778	319	459	43	362	15	13	2	11	11	3
88	Diseases of the thyroid body	521	457	267	190	64	331	17	4	6	2	2	2
89	Acute bronchitis	7,296	6,696	3,773	2,923	600	4,373	91	82	21	39	117	45
90	Chronic bronchitis	5,011	4,665	2,134	2,531	346	2,480	89	80	23	27	52	32
91	Bronchopneumonia	37,879	34,672	19,432	15,240	3,207	22,639	628	500	112	222	579	216
92	Pneumonia (total)	74,517	68,241	39,102	29,139	6,276	45,378	1,239	972	310	498	1,434	419
	Lobar pneumonia	65,108	59,327	36,144	23,183	5,781	41,925	1,157	839	291	472	1,294	338
	Pneumonia (undefined)	9,409	8,914	2,958	5,956	495	3,453	82	133	19	26	140	81
93	Pleurisy	2,827	2,558	1,625	933	269	1,894	73	32	10	16	51	12
94	Pulmonary congestion, pulmonary apoplexy	1,471	1,363	679	684	108	787	42	22	11	6	26	11
95	Gangrene of the lung	226	207	109	98	19	128	13	4	1	1	3	2
96	Asthma	1,819	1,665	726	939	154	880	30	28	13	19	19	11
97	Pulmonary emphysema	170	158	69	89	12	81	4	3	.....	.....	3	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	979	897	367	530	82	449	15	17	6	32	10	2
	V.—Diseases of the digestive system	109,808	98,070	52,325	45,745	11,738	64,063	2,048	1,520	417	600	1,510	482
99	Diseases of the mouth and annexa	716	655	278	377	61	339	16	6	1	6	9	1
100	Diseases of the pharynx	2,174	1,995	1,089	906	179	1,268	41	26	10	15	29	6
101	Diseases of the esophagus	120	112	75	37	8	83	3	3	.....	.....	1	.....
102	Ulcer of the stomach	3,302	3,035	1,813	1,222	267	2,080	137	57	17	20	42	21
103	Other diseases of the stomach (cancer excepted)	7,021	6,564	2,296	4,268	457	2,753	103	109	24	44	59	40
104	Diarrhea and enteritis (under 2 years)	48,231	42,470	22,980	19,490	5,761	28,741	458	580	98	227	763	238
105	Diarrhea and enteritis (2 years and over)	11,269	10,108	4,219	5,889	1,161	5,380	196	162	33	48	115	53
106	Ankyl stomiasis	29	27	3	24	2	5	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	162	155	21	134	7	28	1	.....	.....	.....	1	1
108	Appendicitis and typhlitis	9,374	8,301	5,567	2,734	1,073	6,640	298	128	93	85	129	21
109	Hernia, intestinal obstruction (total)	8,663	7,798	4,544	3,254	865	5,409	234	143	54	52	126	26
	Hernia	3,044	2,730	1,800	930	314	2,114	73	45	17	16	50	6
	Intestinal obstruction	5,619	5,068	2,744	2,324	551	3,295	161	98	37	36	76	20
110	Other diseases of the intestines	1,855	1,688	853	835	167	1,020	43	28	9	11	26	6
111	Acute yellow atrophy of the liver	293	262	122	140	31	153	13	7	3	2	1	3
112	Hydatid tumor of the liver	27	27	17	10	.....	17	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	8,567	7,641	4,564	3,077	926	5,490	313	165	26	37	109	35
114	Biliary calculi	2,475	2,261	1,376	885	214	1,590	55	29	14	19	31	8
115	Other diseases of the liver	3,422	3,051	1,536	1,515	371	1,907	91	49	23	20	41	15
116	Diseases of the spleen	129	115	58	57	14	72	3	1	1	2	.....	.....
117	Simple peritonitis (nonpuerperal)	1,503	1,375	618	757	128	746	24	18	9	9	23	6
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	476	430	296	134	46	342	18	9	2	3	5	2
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	92,397	83,852	46,539	37,313	8,545	55,084	2,326	1,441	415	394	1,244	464
119	Acute nephritis	6,233	5,536	3,068	2,468	697	3,765	107	84	24	35	119	22
120	Bright's disease	74,639	68,111	37,552	30,559	6,528	44,080	1,839	1,186	330	310	1,017	400
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	1,785	1,612	827	785	173	1,000	57	36	8	7	18	9
123	Calculi of the urinary passages	496	440	280	160	56	336	13	7	1	1	2	2
124	Diseases of the bladder	1,275	1,178	390	788	97	487	24	24	5	11	9	10
125	Diseases of the urethra, urinary abscess, etc	374	295	206	89	79	285	8	5	2	.....	3	.....
126	Diseases of the prostate	3,118	2,874	1,504	1,370	244	1,748	121	51	16	10	28	13
127	Nonvenereal diseases of the male genital organs	86	76	48	28	10	58	1	.....	.....	.....	4	.....
128	Uterine hemorrhage (nonpuerperal)	45	37	12	25	8	20	1	.....	1	.....	1	.....
129	Uterine tumor (noncancerous)	1,494	1,265	934	331	229	1,163	65	21	7	2	17	3
130	Other diseases of the uterus	834	722	471	251	112	583	21	7	5	4	9	1
131	Cysts and other tumors of the ovary	647	586	392	194	61	453	21	9	4	7	6	3
132	Salpingitis and other diseases of the female genital organs	1,331	1,087	836	251	244	1,080	47	10	12	7	11	1
133	Nonpuerperal diseases of the breast (cancer excepted)	40	33	19	14	7	26	1	1	.....	.....	.....	.....
	VII.—The puerperal state	12,528	11,489	5,845	5,644	1,039	6,884	250	143	60	98	159	32
134	Accidents of pregnancy	1,028	932	487	445	96	583	25	19	4	6	9	2
135	Puerperal hemorrhage	1,178	1,088	519	569	90	609	19	16	1	12	24	3
136	Other accidents of labor	1,194	1,116	479	637	78	557	26	9	5	3	17	2
137	Puerperal septicemia	5,211	4,755	2,662	2,093	456	3,118	101	49	33	52	66	11
138	Puerperal albuminuria and convulsions	3,409	3,123	1,466	1,657	286	1,752	73	43	12	21	34	11
139	Puerperal phlegmasia alba dolens, embolus, sudden death	439	412	199	213	27	226	5	6	4	3	8	3
140	Following childbirth (not otherwise defined)	58	52	26	26	6	32	1	1	1	.....	1	.....
141	Puerperal diseases of the breast	11	11	7	4	.....	7	.....	.....	.....	1	.....	.....

[1] Including District of Columbia.

[2] A list of these cities will be found on p. 11.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed List No.	CAUSE OF DEATH.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.		Registration cities in nonregistration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VIII.—Diseases of the skin and of the cellular tissue	3,315	3,081	1,533	1,548	234	1,767	58	56	9	14	49	24
142	Gangrene	1,462	1,367	502	865	95	597	27	32	5	8	13	13
143	Furuncle	449	412	266	146	37	303	10	9	1	1	8	3
144	Acute abscess	681	624	403	221	57	460	10	8	1	3	17	4
145	Other diseases of the skin and annexa	723	678	362	316	45	407	11	7	2	2	11	4
	IX.—Diseases of the bones and of the organs of locomotion	2,295	2,051	1,391	660	244	1,635	65	28	12	7	38	4
146	Diseases of the bones (tuberculosis excepted)	1,953	1,733	1,215	518	220	1,435	59	26	12	7	33	3
147	Diseases of the joints (tuberculosis and rheumatism excepted)	252	235	137	98	17	154	6	2	.....	.....	5	1
148	Amputations	6	5	3	2	1	4	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	84	78	36	42	6	42	.....	.....	.....	.....	.....	.....
	X.—Malformations	11,841	11,028	5,615	5,413	813	6,428	223	166	27	72	167	71
150	Congenital malformations (stillbirths not included) (total)	11,841	11,028	5,615	5,413	813	6,428	223	166	27	72	167	71
	Hydrocephalus	994	912	472	440	82	554	16	15	4	5	27	7
	Congenital malformations of the heart	7,166	6,681	3,403	3,278	485	3,888	136	102	19	52	69	46
	Other congenital malformations	3,681	3,435	1,740	1,695	246	1,986	71	49	4	15	71	18
	XI.—Early infancy	57,048	53,166	26,945	26,221	3,882	30,827	750	656	231	386	927	260
151	Congenital debility, icterus, and sclerema (total)	45,132	42,244	20,672	21,572	2,888	23,560	566	512	189	332	650	200
	Premature birth	34,704	32,390	16,205	16,185	2,314	18,519	481	387	148	262	509	142
	Congenital debility, "atrophy," "marasmus," etc	10,428	9,854	4,467	5,387	574	5,041	85	125	41	70	141	58
152	Other causes peculiar to early infancy (total)	11,717	10,758	6,199	4,559	959	7,158	181	133	42	53	273	58
	Injuries at birth	6,631	6,092	3,639	2,453	539	4,178	102	72	19	20	176	33
	Other causes peculiar to early infancy [3]	5,086	4,666	2,560	2,106	420	2,980	79	61	23	33	97	25
153	Lack of care	199	164	74	90	35	109	3	11	.....	1	4	2
	XII.—Old age	11,647	11,139	2,966	8,173	508	3,474	175	162	75	80	80	57
154	Senility	11,647	11,139	2,966	8,173	508	3,474	175	162	75	80	80	57
	XIII.—External causes	81,340	74,573	39,739	34,834	6,767	46,506	2,237	2,116	267	748	1,246	471
	Suicide (total)	9,942	9,053	5,247	3,806	889	6,136	535	358	66	57	159	59
155	By poison	1,844	1,645	1,025	620	199	1,224	91	45	12	6	36	11
156	By asphyxia	1,469	1,252	1,153	99	217	1,370	125	10	5	.....	46	4
157	By hanging or strangulation	1,569	1,488	634	854	81	715	26	49	4	5	26	11
158	By drowning	603	573	270	303	30	300	23	25	2	1	10	11
159	By firearms	3,269	2,997	1,515	1,482	272	1,787	211	174	36	34	30	13
160	By cutting or piercing instruments	711	666	366	300	45	411	44	40	6	8	5	4
161	By jumping from high places	269	244	212	32	25	237	9	3	1	3	3	1
162	By crushing	103	96	44	52	7	51	4	6	.....	.....	1	3
163	Other suicides	105	92	28	64	13	41	2	6	.....	.....	2	1
	Accidental or undefined (total)	65,644	60,678	31,620	29,058	4,966	36,586	1,495	1,580	169	643	1,041	402
164	Poisoning by food	779	724	260	464	55	315	15	33	2	9	7	4
165	Other acute poisonings	1,294	1,180	558	622	114	672	31	33	6	20	11	5
166	Conflagration	1,157	1,102	474	628	55	529	29	45	3	8	7	2
167	Burns (conflagration excepted)	6,829	6,267	3,293	2,974	562	3,855	109	83	12	30	133	17
168	Absorption of deleterious gases (conflagration excepted)	3,366	2,980	2,150	830	386	2,536	108	27	1	13	59	11
169	Accidental drowning	5,462	5,190	2,186	3,004	272	2,458	109	203	2	45	79	88
170	Traumatism by firearms	1,730	1,549	502	1,047	181	683	22	67	12	22	15	7
171	Traumatism by cutting or piercing instruments	164	144	81	63	20	101	5	.....	.....	1	2	2
172	Traumatism by fall	11,088	10,294	6,073	4,221	794	6,867	256	163	37	42	194	56
173	Traumatism in mines and quarries (total)	2,713	2,647	586	2,061	66	652	5	41	8	228	2	.....
	Traumatism in mines	2,623	2,558	547	2,011	65	612	2	38	7	227	.....	.....
	Traumatism in quarries	90	89	39	50	1	40	3	3	1	1	2	.....
174	Traumatism by machines	2,108	1,936	1,188	748	172	1,360	46	46	6	9	25	2
175	Traumatism by other crushing (total)	20,284	18,542	10,173	8,369	1,742	11,915	642	610	61	154	340	147
	Railroad accidents and injuries	8,526	7,936	3,524	4,412	590	4,114	139	220	18	55	94	47
	Street-car accidents and injuries	2,259	1,958	1,479	479	301	1,780	92	28	4	1	48	44
	Automobile accidents and injuries	6,677	6,021	3,868	2,153	656	4,524	300	254	30	63	150	42
	Injuries by other vehicles	2,302	2,144	1,072	1,072	158	1,230	96	90	9	29	39	10
	Landslide, other crushing	520	483	230	253	37	267	15	18	.....	6	9	4
176	Injuries by animals	653	621	204	417	32	236	12	24	4	8	10	3
177	Starvation	38	32	14	18	6	20	2	3	.....	.....	.....	.....
178	Excessive cold	507	493	160	333	14	174	1	4	.....	9	4	8
179	Effects of heat	1,963	1,904	1,466	438	59	1,525	14	74	.....	.....	78	20
180	Lightning	359	355	25	330	4	29	.....	.....	1	21	1	4
181	Electricity (lightning excepted)	654	605	317	288	49	366	19	29	3	8	12	3
185	Fractures (cause not specified)	475	418	240	178	57	297	9	5	1	4	11	1
186	Other external violence	4,021	3,695	1,670	2,025	326	1,996	61	90	10	12	51	22
	Homicide (total)	5,754	4,842	2,872	1,970	912	3,784	207	178	32	48	46	10
182	By firearms	3,793	3,189	1,795	1,394	604	2,399	139	138	29	39	21	4
183	By cutting or piercing instruments	761	621	420	201	140	560	23	21	.....	2	13	2
184	By other means	1,200	1,032	657	375	168	825	45	19	3	7	12	4
	XIV.—Ill-defined diseases	13,603	12,865	1,711	11,154	738	2,449	17	38	3	19	59	17
187	Ill-defined organic disease	668	638	30	608	30	60	2	2	.....	2	.....	1
188	Sudden death	1,033	1,004	159	845	29	188	.....	2	1	2	5	2
189	Not specified or ill-defined (total)	11,902	11,223	1,522	9,701	679	2,201	15	34	2	15	54	14
	Ill-defined	4,455	4,093	837	3,256	362	1,199	6	18	2	11	34	8
	Not specified or unknown	7,447	7,130	685	6,445	317	1,002	9	16	.....	4	20	6

[1] Including District of Columbia.

[2] A list of these cities will be found on p. 11.

[3] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed Inf. List No.	CAUSE OF DEATH.	DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.					
									Cities.			Rural districts.		
		Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.
	All causes	6,605	3,986	2,619	15,319	24,417	5,041	15,603	7,588	5,578	2,010	25,135	21,315	3,820
	I.—General diseases	1,629	958	671	4,122	6,897	1,227	3,640	2,179	1,564	615	8,797	7,377	1,420
1	Typhoid fever	49	15	34	211	284	88	237	92	62	30	741	611	130
2	Typhus fever													
3	Relapsing fever													
4	Malaria	5	1	4	11	24	10	30	21	10	11	115	86	29
5	Smallpox				3	12	1	6				3	2	1
6	Measles	9	7	2	205	367	57	193	115	86	29	839	796	43
7	Scarlet fever	9	9		64	78	17	40	10	10		41	40	1
8	Whooping cough	17	8	9	112	162	35	93	43	31	12	452	389	63
9	Diphtheria and croup	34	26	8	243	206	40	110	45	41	4	317	305	12
10	Influenza	86	52	34	136	470	75	467	82	56	26	501	439	62
11	Miliary fever											1	1	
12	Asiatic cholera													
13	Cholera nostras				3	6		10	1		1	26	24	2
14	Dysentery	6	3	3	38	121	21	86	29	21	8	302	277	25
15	Plague													
16	Yellow fever													
17	Leprosy													
18	Erysipelas	12	9	3	46	74	12	48	20	16	4	63	58	5
19	Other epidemic diseases	2	2		10	10		4	2	2		3	3	
20	Purulent infection and septicemia	11	8	3	12	21	15	35	12	9	3	30	28	2
21	Glanders													
22	Anthrax				1		1	1						
23	Rabies					2			1	1				
24	Tetanus	8	4	4	25	35	10	21	17	12	5	39	28	11
25	Mycoses	2	2		2		1					1	1	
26	Pellagra	14	5	9	4	2	12	16	37	33	4	160	144	16
27	Beriberi													
	Tuberculosis (total)	688	309	379	1,506	2,496	307	733	1,002	624	378	3,732	2,930	802
28	Tuberculosis of the lungs	573	270	303	1,209	2,103	243	595	845	519	326	3,240	2,531	709
29	Acute miliary tuberculosis	53	8	45	59	68	14	29	29	14	15	49	34	15
30	Tuberculous meningitis	23	11	12	78	114	11	23	63	51	12	174	148	26
31	Abdominal tuberculosis	21	10	11	91	129	16	38	49	29	20	182	142	40
32	Pott's disease	3	2	1	19	16	4	12	4	3	1	16	13	3
33	White swellings	4	3	1	11	10	1	4	2	1	1	16	13	3
34	Tuberculosis of other organs	8	3	5	26	42	14	17	5	4	1	37	34	3
35	Disseminated tuberculosis	3	2	1	13	14	4	15	5	3	2	18	15	3
36	Rickets	11	1	10	9	3	4	4	4	2	2	10	7	3
37	Syphilis	77	30	47	166	164	40	58	51	25	26	82	38	44
38	Gonococcus infection	3		3	15	7	9	6	5	3	2	3	1	2
	Cancer and other malignant tumors (total)	416	341	75	872	1,675	332	924	395	348	47	894	796	98
39	Of the buccal cavity	27	19	8	18	66	10	46	11	10	1	30	28	2
40	Of the stomach, liver	146	118	28	333	736	132	396	143	129	14	330	300	30
41	Of the peritoneum, intestines, rectum	54	49	5	101	157	44	104	46	46		88	78	10
42	Of the female genital organs	63	44	19	164	195	57	100	80	63	17	149	119	30
43	Of the breast	45	40	5	89	163	20	65	34	25	9	84	71	13
44	Of the skin	7	7		36	113	10	51	17	17		66	64	2
45	Of other organs or of organs not specified	74	64	10	131	245	59	162	64	58	6	147	136	11
46	Other tumors (tumors of the female genital organs excepted)				3	8	2	8	2	2		8	5	3
47	Acute articular rheumatism	13	7	6	51	71	12	52	23	16	7	91	68	23
48	Chronic rheumatism and gout	8	7	1	8	27	6	23	6	6		40	36	4
49	Scurvy							1				4	3	1
50	Diabetes	73	57	16	192	324	66	250	83	78	5	149	129	20
51	Exophthalmic goiter	7	6	1	25	39	11	22	5	4	1	10	9	1
52	Addison's disease	3	2	1	2	9	2	10	1	1		2	2	
53	Leukemia	5	4	1	29	29	7	29	9	8	1	25	24	1
54	Anemia, chlorosis	24	19	5	42	89	22	75	30	25	5	41	38	3
55	Other general diseases	18	15	3	12	23	4	33	13	12	1	31	30	1
56	Alcoholism (acute or chronic)	19	9	10	57	55	8	9	22	19	3	31	20	11
57	Chronic lead poisoning				4	1		3				2	2	
58	Other chronic occupation poisonings													
59	Other chronic poisonings				3	3		3	1	1		8	7	1
	II.—Diseases of the nervous system and of the organs of special sense	714	463	251	1,235	2,957	482	1,795	726	555	171	1,996	1,690	306
60	Encephalitis	4	1	3	14	18	1	13	5	5		28	24	4
61	Meningitis (total)	32	21	11	86	102	47	66	49	37	12	252	227	25
	Simple meningitis	14	12	2	40	49	21	28	22	16	6	114	101	13
	Cerebrospinal meningitis (undefined)	4	2	2	16	22	3	18	7	6	1	60	51	9
	Cerebrospinal fever	14	7	7	30	31	23	20	20	15	5	78	75	3
62	Locomotor ataxia	6	4	2	24	39	10	30	17	16	1	30	28	2
63	Other diseases of the spinal cord (total)	28	25	3	54	133	17	108	27	21	6	130	110	20
	Acute anterior poliomyelitis	3	2	1	12	19	3	15	3	3		37	33	4
	Other diseases of the spinal cord[1]	25	23	2	42	114	14	93	24	18	6	93	77	16
64	Cerebral hemorrhage, apoplexy	476	311	165	830	1,986	290	1,075	385	299	86	875	735	140
65	Softening of the brain	6	3	3	6	38	8	20	10	8	2	35	33	2
66	Paralysis without specified cause	10	6	4	24	115	32	188	46	30	16	248	217	31
67	General paralysis of the insane	67	44	23	56	220	13	80	70	53	17	102	76	26
68	Other forms of mental alienation	17	8	9	16	57	11	53	26	17	9	62	46	16
69	Epilepsy	32	15	17	45	121	10	43	51	38	13	83	66	17
70	Convulsions (nonpuerperal)				1		2	3				11	9	2
71	Convulsions of infants	9	2	7	12	12	7	26	8	5	3	51	41	10
72	Chorea				4	3	2	1				2	2	
73	Neuralgia and neuritis	1	1		5	12	2	11	2	1	1	10	8	2
74	Other diseases of the nervous system	21	18	3	32	56	17	52	21	16	5	48	41	7
75	Diseases of the eyes and their annexa	1		1	1	4	1	2	1	1		3	3	
76	Diseases of the ears	4	4		25	41	12	24	8	8		26	24	2

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed Int. List No.	CAUSE OF DEATH.	DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.					
									Cities.			Rural districts.		
		Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.
	III.—Diseases of the circulatory system	1,259	805	454	2,150	3,935	674	2,161	1,189	864	325	2,254	1,848	406
77	Pericarditis	6	3	3	15	24	5	21	12	6	6	24	22	2
78	Acute endocarditis	134	43	91	92	70	22	53	82	46	36	55	41	14
79	Organic diseases of the heart	925	615	310	1,607	2,958	497	1,601	862	607	255	1,739	1,408	331
80	Angina pectoris	43	40	3	93	229	19	98	30	26	4	94	79	15
81	Diseases of the arteries, atheroma, aneurism, etc.	119	82	37	300	576	94	308	185	163	22	297	259	38
82	Embolism and thrombosis	24	17	7	24	59	30	58	11	9	2	26	24	2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5	4	1	9	11	1	9	3	3	.....	5	3	2
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	.....	1	7	3	.....	2	.....	.....	.....	5	5	.....
85	Hemorrhage; other diseases of the circulatory system	2	1	1	3	5	6	11	4	4	.....	9	7	2
	IV.—Diseases of the respiratory system	708	362	346	1,817	2,455	599	1,790	933	610	323	2,537	2,203	334
86	Diseases of the nasal fossae	2	2	.....	2	3	2	7	.....	.....	.....	8	8	.....
87	Diseases of the larynx	1	1	.....	12	17	6	16	10	9	1	26	24	2
88	Diseases of the thyroid body	3	2	1	12	14	6	10	5	2	3	3	3	.....
89	Acute bronchitis	28	13	15	93	115	18	68	40	25	15	108	100	8
90	Chronic bronchitis	28	23	5	70	147	31	114	60	45	15	130	117	13
91	Bronchopneumonia	190	86	104	559	721	174	453	217	153	64	667	577	90
92	Pneumonia (total)	398	198	200	982	1,325	331	977	526	326	200	1,423	1,229	194
	Lobar pneumonia	364	184	180	916	1,160	256	723	437	266	171	1,042	889	153
	Pneumonia (undefined)	34	14	20	66	165	75	254	89	60	29	381	340	41
93	Pleurisy	19	11	8	35	37	6	47	24	16	8	30	25	5
94	Pulmonary congestion, pulmonary apoplexy	19	16	3	9	16	9	30	16	16	.....	36	34	2
95	Gangrene of the lung	1	1	.....	6	3	2	4	1	1	.....	7	4	3
96	Asthma	8	2	6	25	43	8	44	22	12	10	72	57	15
97	Pulmonary emphysema	1	1	.....	2	5	.....	2	2	1	1	2	2	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	10	6	4	10	9	6	18	10	4	6	25	23	2
	V.—Diseases of the digestive system	561	332	229	1,893	2,214	620	1,703	714	552	162	2,501	2,204	297
99	Diseases of the mouth and annexa	2	1	1	9	12	4	4	4	2	2	14	12	2
100	Diseases of the pharynx	9	7	2	52	52	11	35	16	14	2	25	23	2
101	Diseases of the esophagus	.....	.....	.....	2	2	.....	3	1	1	.....	.....	.....	.....
102	Ulcer of the stomach	22	14	8	59	66	19	43	33	26	7	50	42	8
103	Other diseases of the stomach (cancer excepted)	36	18	18	101	211	49	167	45	28	17	299	253	46
104	Diarrhea and enteritis (under 2 years)	231	107	124	738	793	167	510	217	168	49	1,098	985	113
105	Diarrhea and enteritis (2 years and over)	60	36	24	168	229	81	271	78	57	21	383	341	42
106	Ankylostomiasis	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	7	7	.....
107	Intestinal parasites	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	13	13	.....
108	Appendicitis and typhlitis	49	30	19	231	139	103	158	72	62	10	133	121	12
109	Hernia, intestinal obstruction (total)	54	37	17	139	185	59	152	83	68	15	134	114	20
	Hernia	15	12	3	47	45	14	39	24	20	4	28	20	8
	Intestinal obstruction	39	25	14	92	140	45	113	59	48	11	106	94	12
110	Other diseases of the intestines	7	3	4	35	39	23	59	14	9	5	39	32	7
111	Acute yellow atrophy of the liver	1	1	.....	3	9	1	7	4	2	2	4	2	2
112	Hydatid tumor of the liver	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	42	37	5	165	202	32	100	73	58	15	98	76	22
114	Biliary calculi	16	15	1	64	65	16	50	17	15	2	51	48	3
115	Other diseases of the liver	19	16	3	87	110	36	93	29	20	9	98	91	7
116	Diseases of the spleen	.....	.....	.....	4	4	.....	1	.....	.....	.....	4	3	1
117	Simple peritonis (nonpuerperal)	10	7	3	23	43	11	41	22	16	6	46	36	10
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3	3	.....	13	9	8	7	6	6	.....	5	5	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	752	435	317	1,332	2,294	496	1,305	811	600	211	1,750	1,423	327
119	Acute nephritis	70	17	53	115	151	27	71	61	43	18	95	78	17
120	Bright's disease	591	364	227	988	1,953	377	1,004	663	494	169	1,483	1,212	271
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	18	12	6	27	25	14	38	9	8	1	26	21	5
123	Calculi of the urinary passages	2	1	1	10	11	6	11	4	4	.....	3	3	.....
124	Diseases of the bladder	4	2	2	10	31	5	32	9	7	2	46	34	12
125	Diseases of the urethra, urinary abscess, etc	3	1	2	10	3	2	4	1	.....	1	3	3	.....
126	Diseases of the prostate	23	19	4	47	73	25	86	21	18	3	51	42	9
127	Nonvenereal diseases of the male genital organs	2	.....	2	.....	1	.....	3	.....	.....	.....	2	2	.....
128	Uterine hemorrhage (nonpuerperal)	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	2	1	1
129	Uterine tumor (noncancerous)	14	5	9	34	13	9	16	12	6	6	13	7	6
130	Other diseases of the uterus	5	2	3	18	5	10	15	7	5	2	7	7	.....
131	Cysts and other tumors of the ovary	7	5	2	14	6	8	13	4	3	1	9	6	3
132	Salpingitis and other diseases of the female genital organs	13	7	6	59	19	13	12	18	11	7	9	6	3
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	.....	1	.....	.....	2	1	1	1	1	.....
	VII.—The puerperal state	64	31	33	201	257	64	229	77	63	14	294	260	34
134	Accidents of pregnancy	6	4	2	19	11	7	23	14	12	2	26	24	2
135	Puerperal hemorrhage	5	3	2	16	20	4	10	3	3	.....	23	20	3
136	Other accidents of labor	3	3	.....	4	20	5	19	4	3	1	41	36	5
137	Puerperal septicemia	28	8	20	110	116	33	98	37	28	9	131	115	16
138	Puerperal albuminuria and convulsions	19	10	9	46	77	13	72	16	14	2	65	58	7
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2	2	.....	2	12	2	7	3	3	.....	5	4	1
140	Following childbirth (not otherwise defined)	1	1	.....	4	1	.....	.....	.....	.....	.....	3	3	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed list No.	CAUSE OF DEATH.	DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.					
									Cities.			Rural districts.		
		Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.
	VIII.—Diseases of the skin and of the cellular tissue	26	9	17	48	64	13	55	28	21	7	51	44	7
142	Gangrene	18	6	12	27	47	7	28	14	10	4	26	20	6
143	Furuncle	2	2		6	4	1	6	2	2		5	5	
144	Acute abscess	5	1	4	7	3	2	11	7	7		9	9	
145	Other diseases of the skin and annexa	1		1	8	10	3	10	5	2	3	11	10	1
	IX.—Diseases of the bones and of the organs of locomotion	16	12	4	43	37	9	18	17	14	3	34	32	2
146	Diseases of the bones (tuberculosis excepted)	9	7	2	36	29	7	15	13	12	1	23	21	2
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6	4	2	7	5	1	2	3	2	1	8	8	
148	Amputations											1	1	
149	Other diseases of the organs of locomotion	1	1			3	1	1	1		1	2	2	
	X.—Malformations	40	35	5	206	364	41	221	49	45	4	171	161	10
150	Congenital malformations (stillbirths not included) (total)	40	35	5	206	364	41	221	49	45	4	171	161	10
	Hydrocephalus	8	6	2	12	22	2	7	2	2		10	10	
	Congenital malformations of the heart	23	21	2	139	246	26	159	32	30	2	91	87	4
	Other congenital malformations	9	8	1	55	96	13	55	15	13	2	70	64	6
	XI.—Early infancy	313	171	142	729	1,130	270	915	283	247	36	1,592	1,452	140
151	Congenital debility, icterus, and sclerema (total)	253	130	123	580	901	224	753	243	214	29	1,419	1,290	129
	Premature birth	206	99	107	506	765	157	549	189	167	22	1,154	1,044	110
	Congenital debility, "atrophy," "marasmus," etc	47	31	16	74	136	67	204	54	47	7	265	246	19
152	Other causes peculiar to early infancy (total)	60	41	19	148	229	45	162	39	32	7	167	157	10
	Injuries at birth	33	27	6	74	125	21	85	18	17	1	83	79	4
	Other causes peculiar to early infancy[1]	27	14	13	74	104	24	77	21	15	6	84	78	6
153	Lack of care				1		1		1	1		6	5	1
	XII.—Old age	103	73	30	55	145	105	406	96	74	22	463	384	79
154	Senility	103	73	30	55	145	105	406	96	74	22	463	384	79
	XIII.—External causes	415	297	118	1,480	1,644	406	1,143	463	352	111	1,660	1,332	328
	Suicide (total)	75	66	9	180	246	44	119	61	60	1	134	129	5
155	By poison	13	10	3	61	47	18	26	17	17		33	30	3
156	By asphyxia	23	22	1	12	4	1	3	3	3				
157	By hanging or strangulation	6	5	1	24	48	4	22	3	3		27	27	
158	By drowning	5	5		8	15	1	1	5	5		9	9	
159	By firearms	20	17	3	58	96	17	54	21	20	1	54	52	2
160	By cutting or piercing instruments	6	5	1	14	23	1	6	9	9		9	9	
161	By jumping from high places	2	2		2		1	2	2	2				
162	By crushing				1	8	1	1						
163	Other suicides					5		4	1	1		2	2	
	Accidental or undefined (total)	312	222	90	1,162	1,350	304	962	323	256	67	1,299	1,065	234
164	Poisoning by food	2	2		7	27	4	20	2	1	1	21	16	5
165	Other acute poisonings	6	4	2	21	33	13	33	5	3	2	24	21	3
166	Conflagration	9	2	7	16	15	6	10	10	4	6	31	23	8
167	Burns (conflagration excepted)	43	29	14	76	86	35	71	34	20	14	187	161	26
168	Absorption of deleterious gases (conflagration excepted)	39	32	7	54	50	7	26	10	8	2	38	27	11
169	Accidental drowning	22	12	10	59	83	18	58	11	6	5	85	70	15
170	Traumatism by firearms	4	2	2	36	43	10	36	16	10	6	83	66	17
171	Traumatism by cutting or piercing instruments	1	1		2	3		2	1	1		2	2	
172	Traumatism by fall	50	45	5	200	262	53	156	51	48	3	146	137	9
173	Traumatism in mines and quarries (total)				38	81	4	35	1	1		134	82	52
	Traumatism in mines				36	79	3	35	1	1		134	82	52
	Traumatism in quarries				2	2	1							
174	Traumatism by machines	9	5	4	48	28	8	27	14	9	5	27	25	2
175	Traumatism by other crushing (total)	96	64	32	496	483	91	272	125	109	16	273	240	33
	Railroad accidents and injuries	15	9	6	250	261	46	129	68	58	10	200	176	24
	Street-car accidents and injuries	22	14	8	59	53	4	7	13	11	2	6	4	2
	Automobile accidents and injuries	46	34	12	107	94	28	78	36	34	2	27	24	3
	Injuries by other vehicles	12	7	5	42	50	11	52	6	5	1	36	33	3
	Landslide, other crushing	1		1	38	25	2	6	2	1	1	4	3	1
176	Injuries by animals	2	2		4	29	8	28	1		1	25	21	4
177	Starvation							2				1	1	
178	Excessive cold	2		2	8	10	6	5	4	3	1	19	10	9
179	Effects of heat	18	14	4	10	10	8	19	3	3		9	4	5
180	Lightning	1	1		1	17		14				17	14	3
181	Electricity (lightning excepted)	1	1		25	15	2	13				9	7	2
185	Fractures (cause not specified)						4	21	11	11		16	15	1
186	Other external violence	7	6	1	61	75	27	114	24	19	5	152	123	29
	Homicide (total)	28	9	19	138	48	58	62	79	36	43	227	138	89
182	By firearms	15	5	10	93	38	37	46	51	23	28	179	103	76
183	By cutting or piercing instruments	4		4	20	5	3	10	15	4	11	23	14	9
184	By other means	9	4	5	25	5	13	6	13	9	4	25	21	4
	XIV.—Ill-defined diseases	5	3	2	8	24	35	222	23	17	6	1,035	905	130
187	Ill-defined organic disease					3	2	11				56	49	7
188	Sudden death					3	2	8	4	4		51	39	12
189	Not specified or ill-defined (total)	5	3	2	8	18	31	203	19	13	6	928	817	111
	Ill-defined	4	2	2	4	14	17	64	7	5	2	238	208	30
	Not specified or unknown	1	1		4	4	14	139	12	8	4	690	609	81

[1] Exclusive of injuries at birth

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed Int. List No.	CAUSE OF DEATH.	MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.	
				Cities.			Rural districts.						
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	3,153	8,514	12,398	9,297	3,101	11,046	7,895	3,151	44,179	12,496	22,295	24,826
	I.—General diseases	810	2,065	3,187	2,321	866	2,712	1,916	796	11,279	3,118	5,656	5,740
1	Typhoid fever	36	46	120	97	23	136	88	48	148	34	225	164
2	Typhus fever									1			
3	Relapsing fever												
4	Malaria			4		4	8	4	4	3	1	3	5
5	Smallpox						1	1		10		2	7
6	Measles	39	107	59	47	12	60	46	14	328	44	126	149
7	Scarlet fever	3	2	13	13		11	9	2	95	22	221	123
8	Whooping cough	14	31	41	32	9	95	49	46	192	44	227	139
9	Diphtheria and croup	20	53	70	69	1	67	56	11	740	94	562	296
10	Influenza	29	205	113	84	29	122	86	36	300	169	119	415
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	1	3	1		1	7	5	2		2	6	2
14	Dysentery	3	9	16	12	4	47	33	14	39	18	26	43
15	Plague												
16	Yellow fever												
17	Leprosy										1		
18	Erysipelas	12	23	27	21	6	16	15	1	184	41	105	76
19	Other epidemic diseases	1	4	1		1	2	1	1	30	6	6	12
20	Purulent infection and septicemia	4	5	9	9		8	8		43	9	36	43
21	Glanders									1			
22	Anthrax						1	1		11			1
23	Rabies											1	1
24	Tetanus	3	8	13	10	3	19	13	6	23	3	22	15
25	Mycoses									1	2	1	1
26	Pellagra	10	9	5	2	3	11	8	3	10	9	5	1
27	Beriberi		1										
	Tuberculosis (total)	262	629	1,485	930	555	1,276	832	444	4,191	1,240	1,699	1,628
28	Tuberculosis of the lungs	201	501	1,269	786	483	1,131	746	385	3,437	1,074	1,395	1,370
29	Acute miliary tuberculosis	12	11	61	26	35	43	22	21	130	23	59	53
30	Tuberculous meningitis	19	42	77	64	13	30	23	7	367	58	138	75
31	Abdominal tuberculosis	14	25	25	15	10	40	17	23	106	38	63	62
32	Pott's disease	4	11	15	11	4	11	9	2	43	15	21	24
33	White swellings		7	2	2		5	5		25	10	2	6
34	Tuberculosis of other organs	5	15	18	13	5	7	7		63	14	13	15
35	Disseminated tuberculosis	7	17	18	13	5	9	3	6	20	8	8	23
36	Rickets		2	4	1	3	10	3	7	34	10	17	9
37	Syphilis	31	18	163	71	92	71	27	44	208	44	175	100
38	Gonococcus infection	6	4	26	14	12	6	2	4	19	1	31	5
	Cancer and other malignant tumors (total)	216	607	708	631	77	528	453	75	3,140	948	1,203	1,551
39	Of the buccal cavity	6	33	30	25	5	23	21	2	116	38	33	69
40	Of the stomach, liver	74	225	271	248	23	206	175	31	1,014	295	451	673
41	Of the peritoneum, intestines, rectum	39	80	92	78	14	71	62	9	553	170	153	176
42	Of the female genital organs	42	94	109	96	13	79	56	23	499	149	221	174
43	Of the breast	16	50	46	36	10	55	49	6	329	101	114	144
44	Of the skin	5	22	13	11	2	23	23		83	33	28	72
45	Of other organs or of organs not specified	34	103	147	137	10	71	67	4	546	162	203	243
46	Other tumors (tumors of the female genital organs excepted)	1	4	2	2		1		1	8	2	6	7
47	Acute articular rheumatism	7	14	48	36	12	28	21	7	98	33	79	91
48	Chronic rheumatism and gout	4	21	8	8		17	14	3	36	15	20	37
49	Scurvy		4	1	1					5	1	2	4
50	Diabetes	67	145	127	119	8	79	70	9	631	163	253	342
51	Exophthalmic goiter	4	3	15	14	1	8	8		35	7	42	36
52	Addison's disease		3	4	4		1	1		13	4	8	11
53	Leukemia	3	12	18	17	1	9	9		61	16	38	23
54	Anemia, chlorosis	9	58	25	24	1	26	26		243	73	155	266
55	Other general diseases	9	13	15	14	1	11	7	4	127	17	49	47
56	Alcoholism (acute or chronic)	11	12	40	34	6	29	20	9	259	42	182	73
57	Chronic lead poisoning	2	5	2	2					5	1	3	2
58	Other chronic occupation poisonings			1		1				1			
59	Other chronic poisonings	3	3	3	3		1		1	6	2	1	15
	II —Diseases of the nervous system and of the organs of special sense	379	1,055	1,105	864	241	1,197	915	282	4,061	1,624	2,141	3,161
60	Encephalitis	3	8	1	1		3	2	1	25	5	18	12
61	Meningitis (total)	26	37	81	52	29	45	31	14	245	31	206	104
	Simple meningitis	18	22	15	10	5	27	20	7	109	15	81	48
	Cerebrospinal meningitis (undefined)	4	4	7	6	1	6	3	3	33	5	42	23
	Cerebrospinal fever	4	11	59	36	23	12	8	4	98	11	83	33
62	Locomotor ataxia	9	23	17	12	5	18	18		71	43	38	52
63	Other diseases of the spinal cord (total)	15	43	41	35	6	52	43	9	202	89	93	171
	Acute anterior poliomyelitis	1	4	2	2		15	11	4	39	10	15	25
	Other diseases of the spinal cord [1]	14	39	39	33	6	37	32	5	163	79	78	146
64	Cerebral hemorrhage, apoplexy	230	767	775	618	157	702	537	165	2,798	1,075	1,184	2,081
65	Softening of the brain	2	14	3	3		8	6	2	20	18	9	28
66	Paralysis without specified cause	12	38	50	39	11	126	93	33	89	46	99	244
67	General paralysis of the insane	41	24	33	21	12	86	75	11	177	131	123	100
68	Other forms of mental alienation	12	12	4	2	2	11	11		25	13	48	27
69	Epilepsy	8	26	13	8	5	44	34	10	77	100	58	109
70	Convulsions (nonpuerperal)	2	2				4	3	1	1		9	7
71	Convulsions of infants	6	17	15	12	3	54	27	27	74	18	75	94
72	Chorea						1	1		5		4	3
73	Neuralgia and neuritis	1	7	4	1	3	8	8		9	5	8	20
74	Other diseases of the nervous system	6	31	46	39	7	18	14	4	141	40	118	81
75	Diseases of the eyes and their annexa	1	1	1	1					4		2	1
76	Diseases of the ears	5	5	21	20	1	17	12	5	98	10	49	27

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE, AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed List No.	CAUSE OF DEATH.	MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.	
				Cities.			Rural districts.						
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	III.—Diseases of the circulatory system	476	1,610	1,799	1,387	412	1,452	1,122	330	7,982	2,728	2,955	4,430
77	Pericarditis	1	11	7	5	2	14	7	7	19	6	14	12
78	Acute endocarditis	11	24	56	46	10	30	23	7	302	48	143	102
79	Organic diseases of the heart	327	1,153	1,437	1,080	357	1,158	875	283	5,800	1,858	2,190	3,419
80	Angina pectoris	29	105	61	56	5	54	49	5	268	147	94	201
81	Diseases of the arteries, atheroma, aneurism, etc.	87	284	213	179	34	162	138	24	1,389	596	417	583
82	Embolism and thrombosis	18	23	18	16	2	25	23	2	120	56	65	82
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc	1	4	4	2	2	5	4	1	31	5	6	8
84	Diseases of the lymphatic system ((lymphangitis, etc.)	1	1	2	2		1	1		50	10	21	8
85	Hemorrhage; other diseases of the circulatory system	1	4	1	1		3	2	1	3	2	5	15
	IV.—Diseases of the respiratory system	411	1,056	1,727	1,113	614	1,445	970	475	5,974	1,536	2,994	2,505
86	Diseases of the nasal fossae	1	4	1	1		6	1	5		1	3	7
87	Diseases of the larynx	3	3	3	3		11	10	1	39	10	25	22
88	Diseases of the thyroid body	2	1	3	3		3	2	1	16	7	24	14
89	Acute bronchitis	19	85	97	71	26	121	73	48	346	104	205	275
90	Chronic bronchitis	17	58	52	41	11	73	54	19	227	84	104	180
91	Bronchopneumonia	133	303	598	391	207	458	299	159	1,895	502	831	636
92	Pneumonia (total)	216	557	918	561	357	683	473	210	3,217	774	1,619	1,188
	Lobar pneumonia	171	398	897	546	351	605	428	177	3,084	754	1,383	854
	Pneumonia (undefined)	45	159	21	15	6	78	45	33	133	20	236	334
93	Pleurisy	8	14	30	22	8	27	19	8	131	16	81	62
94	Pulmonary congestion, pulmonary apoplexy	6	13	10	9	1	25	19	6	40	21	26	39
95	Gangrene of the lung	1	1	2	2		4	2	2	8	3	5	4
96	Asthma	4	9	4	2	2	21	11	10	35	9	48	54
97	Pulmonary emphysema		1	4	4		2	2		3	2	2	5
98	Other diseases of the respiratory system (tuberculosis excepted)	1	7	5	3	2	11	5	6	17	3	21	19
	V.—Diseases of the digestive system	290	566	1,313	1,045	268	1,162	792	370	4,352	889	2,571	2,241
99	Diseases of the mouth and annexa	2	1	5	4	1	16	9	7	16		17	9
100	Diseases of the pharynx	4	18	25	22	3	13	9	4	111	18	65	52
101	Diseases of the esophagus		1							9		3	5
102	Ulcer of the stomach	11	19	29	23	6	23	14	9	157	30	77	85
103	Other diseases of the stomach (cancer excepted)	19	81	51	37	14	112	75	37	121	49	204	210
104	Diarrhea and enteritis (under 2 years)	99	164	678	522	156	654	428	226	2,221	434	1,005	728
105	Diarrhea and enteritis (2 years and over)	30	55	104	78	26	138	103	35	346	130	210	253
106	Ankylostomiasis												
107	Intestinal parasites	1	2	1		1	1	1		4	1		4
108	Appendicitis and typhlitis	49	56	119	95	24	29	20	9	425	29	316	191
109	Hernia, intestinal obstruction (total)	35	62	114	96	18	54	38	16	302	62	245	214
	Hernia	7	14	55	48	7	23	17	6	151	28	72	56
	Intestinal obstruction	28	48	59	48	11	31	21	10	151	34	173	158
110	Other diseases of the intestines	5	17	15	12	3	13	10	3	63	14	47	50
111	Acute yellow atrophy of the liver		3	1		1	3	2	1	6	4	8	9
112	Hydatid tumor of the liver						1		1	3			
113	Cirrhosis of the liver	11	40	101	94	7	59	45	14	250	58	182	193
114	Biliary calculi	11	10	27	23	4	13	13		136	14	52	41
115	Other diseases of the liver	8	22	26	24	2	20	17	3	92	33	83	120
116	Diseases of the spleen			4	4		2	1	1	6		6	5
117	Simple peritonitis (nonpuerperal)	5	14	6	6		11	7	4	51	7	39	62
118	Other diseases of the digestive system (cancer and tuberculosis excepted)		1	7	5	2				33	6	12	10
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	291	709	1,355	1,041	314	1,084	814	270	3,255	937	1,430	1,819
119	Acute nephritis	14	45	91	55	36	89	51	38	183	49	131	121
120	Bright's disease	229	580	1,134	883	251	936	717	219	2,594	807	1,027	1,400
121	Chyluria												
122	Other diseases of the kidneys and annexa	6	9	13	10	3	9	8	1	72	17	39	50
123	Calculi of the urinary passages	1	1	10	10		7	5	2	24	4	12	10
124	Diseases of the bladder	3	19	5	5		9	6	3	39	17	25	54
125	Diseases of the urethra, urinary abscess, etc		2	4	3	1	4	3	1	18	1	7	6
126	Diseases of the prostate	16	36	39	35	4	15	14	1	135	24	67	93
127	Nonvenereal diseases of the male genital organs	1	1	2	1	1	1	1		5		4	3
128	Uterine hemorrhage (nonpuerperal)			2	1	1	2	1	1				4
129	Uterine tumor (noncancerous)	8	4	26	15	11	7	4	3	64	8	39	26
130	Other diseases of the uterus	3	7	10	6	4	2	2		28	2	28	25
131	Cysts and other tumors of the ovary	5	2	9	8	1	1	1		35	3	21	8
132	Salpingitis and other diseases of the female genital organs	5	3	9	8	1	2	1	1	57	4	30	17
133	Nonpuerperal diseases of the breast (cancer excepted)			1	1					1	1		2
	VII.—The puerperal state	38	74	121	99	22	110	69	41	554	68	333	329
134	Accidents of pregnancy	7	5	11	10	1	8	6	2	47	6	32	26
135	Puerperal hemorrhage	2	6	13	11	2	16	9	7	44	12	20	44
136	Other accidents of labor	3	11	8	7	1	10	9	1	54	8	35	25
137	Puerperal septicemia	12	18	56	40	16	34	21	13	241	20	158	133
138	Puerperal albuminuria and convulsions	11	27	32	30	2	36	19	17	129	15	73	84
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3	5	1	1		6	5	1	34	5	12	16
140	Following childbirth (not otherwise defined)		2							3		2	1
141	Puerperal diseases of the breast									2	2	1	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table. p. 260.]

Detailed List No. Int.	CAUSE OF DEATH.	MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.	
				Cities.			Rural districts.						
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	VIII.—Diseases of the skin and of the cellular tissue	9	33	33	25	8	32	25	7	140	39	104	106
142	Gangrene	4	26	11	7	4	12	9	3	27	19	44	69
143	Furuncle	1	1	6	6	.....	6	6	.....	27	5	9	5
144	Acute abscess	4	2	5	3	2	6	5	1	38	6	14	10
145	Other diseases of the skin and annexa	.....	4	11	9	2	8	5	3	48	9	37	22
	IX.—Diseases of the bones and of the organs of locomotion	4	12	26	24	2	11	7	4	120	13	59	45
146	Diseases of the bones (tuberculosis excepted)	3	8	22	21	1	10	7	3	100	10	51	34
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	2	3	2	1	1	.....	1	13	3	3	7
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
149	Other diseases of the organs of locomotion	.....	2	1	1	.....	.....	.....	.....	7	.....	4	4
	X.—Malformations	27	56	143	111	32	118	91	27	597	134	261	312
150	Congenital malformations (stillbirths not included) (total)	27	56	143	111	32	118	91	27	597	134	261	312
	Hydrocephalus	2	6	9	7	2	10	5	5	52	8	18	22
	Congenital malformations of the heart	15	37	100	70	30	76	61	15	375	92	151	172
	Other congenital malformations	10	13	34	34	.....	32	25	7	170	34	92	118
	XI.—Early infancy	166	411	633	496	137	666	471	195	2,530	551	1,494	1,424
151	Congenital debility, icterus, and sclerema (total)	121	327	498	393	105	551	385	166	1,853	413	1,213	1,141
	Premature birth	73	236	382	298	84	360	270	90	1,455	326	952	812
	Congenital debility, "atrophy," "marasmus," etc	48	91	116	95	21	191	115	76	398	87	261	329
152	Other causes peculiar to early infancy (total)	45	82	132	102	30	112	85	27	673	136	278	277
	Injuries at birth	26	43	70	59	11	51	37	14	417	79	144	154
	Other causes peculiar to early infancy[1]	19	39	62	43	19	61	48	13	256	57	134	123
153	Lack of care	.....	2	3	1	2	3	1	2	4	2	3	6
	XII.—Old age	46	248	93	83	10	127	86	41	137	106	352	682
154	Senility	46	248	93	83	10	127	86	41	137	106	352	682
	XIII.—External causes	165	467	845	676	169	683	536	147	2,969	688	1,887	1,791
	Suicide (total)	24	80	105	101	4	66	63	3	389	102	251	216
155	By poison	5	5	22	19	3	10	10	.....	54	7	85	37
156	By asphyxia	2	2	25	25	.....	3	3	.....	114	7	33	3
157	By hanging or strangulation	7	20	14	14	.....	15	13	2	57	26	40	54
158	By drowning	1	9	3	3	.....	5	4	1	29	19	5	15
159	By firearms	6	35	31	31	.....	19	19	.....	92	35	62	77
160	By cutting or piercing instruments	2	6	2	2	.....	9	9	.....	25	1	18	19
161	By jumping from high places	.....	.....	5	5	.....	2	2	.....	11	.....	3	.....
162	By crushing	1	1	.....	.....	.....	1	1	.....	5	5	3	4
163	Other suicides	.....	2	3	2	1	2	2	.....	2	2	2	7
	Accidental or undefined (total)	138	383	685	542	143	588	457	131	2,491	570	1,492	1,522
164	Poisoning by food	.....	14	10	5	5	8	3	5	13	11	19	24
165	Other acute poisonings	2	9	10	9	1	12	11	1	38	17	29	33
166	Conflagration	1	22	12	9	3	11	5	6	28	18	27	42
167	Burns (conflagration excepted)	12	26	85	57	28	37	21	16	265	45	140	100
168	Absorption of deleterious gases (conflagration excepted)	4	2	30	27	3	11	6	5	247	13	80	55
169	Accidental drowning	19	69	64	41	23	103	78	25	185	121	87	210
170	Traumatism by firearms	4	8	12	10	2	27	15	12	14	10	25	49
171	Traumatism by cutting or piercing instruments	2	.....	2	2	.....	1	1	.....	11	2	4	1
172	Traumatism by fall	28	86	121	106	15	82	77	5	568	99	239	251
173	Traumatism in mines and quarries (total)	.....	.....	9	8	1	20	20	.....	6	1	16	94
	Traumatism in mines	.....	.....	7	7	.....	17	17	.....	.....	.....	14	92
	Traumatism in quarries	.....	.....	2	1	1	3	3	.....	6	1	2	2
174	Traumatism by machines	8	11	21	11	10	16	13	3	93	10	48	40
175	Traumatism by other crushing (total)	39	73	219	185	34	183	155	28	709	174	574	412
	Railroad accidents and injuries	17	26	55	46	9	100	85	15	186	79	169	195
	Street-car accidents and injuries	8	5	48	35	13	11	8	3	105	9	132	42
	Automobile accidents and injuries	12	19	87	79	8	50	44	6	316	66	214	113
	Injuries by other vehicles	2	16	19	16	3	20	16	4	86	18	48	50
	Landslide, other crushing	.....	7	10	9	1	2	2	.....	16	2	11	12
176	Injuries by animals	3	7	3	2	1	7	4	3	16	.....	12	21
177	Starvation	.....	.....	.....	.....	.....	1	1	.....	4	.....	1	1
178	Excessive cold	.....	4	2	2	.....	10	2	8	12	11	8	17
179	Effects of heat	.....	3	37	26	11	10	6	4	91	13	55	15
180	Lightning	.....	2	.....	.....	.....	2	2	.....	3	7	.....	16
181	Electricity (lightning excepted)	2	.....	6	6	.....	9	8	1	23	5	20	11
185	Fractures (cause not specified)	3	4	7	6	1	11	10	1	26	2	22	13
186	Other external violence	11	43	35	30	5	27	19	8	139	11	86	117
	Homicide (total)	3	4	55	33	22	29	16	13	89	16	144	53
182	By firearms	3	3	32	19	13	16	7	9	49	11	95	32
183	By cutting or piercing instruments	.....	.....	9	2	7	3	2	1	12	1	22	7
184	By other means	.....	1	14	12	2	10	7	3	28	4	27	14
	XIV.—Ill-defined diseases	41	152	18	12	6	247	81	166	229	65	58	241
187	Ill-defined organic disease	.....	2	1	1	.....	4	.....	4	1	1	5	16
188	Sudden death	16	12	.....	.....	.....	16	7	9	23	8	2	19
189	Not specified or ill-defined (total)	25	138	17	11	6	227	74	153	205	56	51	206
	Ill-defined	14	67	11	7	4	67	28	39	153	51	38	86
	Not specified or unknown	11	71	6	4	2	160	46	114	52	5	13	120

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed List No.	CAUSE OF DEATH.	MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	9,244	14,669	20,418	25,207	2,112	4,477	3,326	4,131	27,881	15,920	115,916	38,043
	I.—General diseases	2,721	3,832	5,719	7,884	559	1,007	718	942	6,503	3,995	31,093	8,700
1	Typhoid fever	41	58	180	518	25	54	12	15	137	62	431	158
2	Typhus fever											3	
3	Relapsing fever												
4	Malaria	1	1	30	326					6		18	10
5	Smallpox	16	5	8	23	2	4					3	
6	Measles	42	87	230	618	23	23	28	23	98	45	801	130
7	Scarlet fever	32	60	95	69	34	51	3	5	35	21	245	38
8	Whooping cough	24	71	106	220	6	37	23	32	191	102	723	130
9	Diphtheria and croup	133	118	347	247	14	26	28	20	271	176	1,538	215
10	Influenza	52	168	252	563	10	33	45	100	207	210	762	739
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras		5	2	20				2	4	2	3	4
14	Dysentery	11	22	35	248		13	10	4	24	24	97	68
15	Plague												
16	Yellow fever												
17	Leprosy										1	4	
18	Erysipelas	32	41	89	60	9	29	6	18	54	29	342	93
19	Other epidemic diseases	3	10	8	4	3	8	2	1	15	6	46	10
20	Purulent infection and septicemia	11	18	17	25	7	8	5	5	10	1	57	38
21	Glanders											1	
22	Anthrax				1			1		5	1	10	1
23	Rabies	1	1	11	1					3		4	1
24	Tetanus	11	28	39	40	1	1	3		40	12	66	25
25	Mycoses		2			1						4	3
26	Pellagra			19	40			3	2	1	1	28	1
27	Beriberi				1							2	
	Tuberculosis (total)	1,033	1,322	2,153	2,882	173	376	228	273	2,724	1,895	13,555	3,160
28	Tuberculosis of the lungs	829	1,107	1,856	2,573	140	331	164	229	2,256	1,715	11,453	2,762
29	Acute miliary tuberculosis	45	44	81	54	6	9	14	11	112	41	527	89
30	Tuberculous meningitis	80	75	104	85	15	18	31	13	185	66	967	132
31	Abdominal tuberculosis	43	44	58	111	6	11	10	9	73	35	251	86
32	Pott's disease	15	10	24	17	2	2	1		31	10	100	27
33	White swellings	9	7	11	15	1	3	3	4	24	1	65	16
34	Tuberculosis of other organs	10	25	19	21	3	1	5	6	34	16	150	33
35	Disseminated tuberculosis	2	10		6		1		1	9	11	42	15
36	Rickets	5	9	10	8		2		4	36	10	51	12
37	Syphilis	113	60	253	134	17	25	21	6	133	66	1,113	141
38	Gonococcus infection	7	2	28	7	1	2		1	19	3	62	7
	Cancer and other malignant tumors (total)	774	1,161	1,287	1,249	117	161	202	266	1,618	911	7,343	2,439
39	Of the buccal cavity	28	50	42	45	4	12	4	13	52	44	243	90
40	Of the stomach, liver	329	548	424	516	54	82	64	74	591	349	2,736	860
41	Of the peritoneum, intestines, rectum	94	145	170	138	15	14	37	43	258	120	1,128	380
42	Of the female genital organs	101	98	237	157	21	16	38	56	224	139	969	344
43	Of the breast	66	75	111	103	6	11	16	33	188	97	760	260
44	Of the skin	15	30	43	93	2	3	11	7	39	32	141	107
45	Of other organs or of organs not specified	141	215	260	197	15	23	32	40	266	130	1,366	398
46	Other tumors (tumors of the female genital organs excepted)	4	7	5	8	2		1		2		29	17
47	Acute articular rheumatism	34	53	57	68	9	16	10	6	123	37	379	91
48	Chronic rheumatism and gout	7	27	17	32		3	6	11	15	18	51	67
49	Scurvy		1							1	1	10	1
50	Diabetes	135	222	229	256	24	41	36	77	415	222	1,874	563
51	Exophthalmic goiter	17	38	32	28	2	1	5	1	27	8	137	44
52	Addison's disease	3	10	4	3	1	1	2	3	9	2	30	24
53	Leukemia	28	46	34	36	1	5	4	3	40	23	191	35
54	Anemia, chlorosis	81	109	57	78	3	22	20	24	90	39	344	203
55	Other general diseases	18	20	16	36	7	6	5	17	35	13	172	44
56	Alcoholism (acute or chronic)	50	49	59	32	66	58	8	16	102	53	520	120
57	Chronic lead poisoning	1		3	1	1			5	8	1	16	3
58	Other chronic occupation poisonings									4		2	1
59	Other chronic poisonings	1	1	7	2		1	1	2	1		26	14
	II.—Diseases of the nervous system and of the organs of special sense	861	1,535	1,581	2,295	111	365	394	529	2,288	1,948	8,699	5,163
60	Encephalitis	4	5	11	20		2	3	1	13	9	32	21
61	Meningitis (total)	170	88	192	140	17	23	25	11	192	66	527	115
	Simple meningitis	19	32	35	64	4	14	13	7	84	35	209	72
	Cerebrospinal meningitis (undefined)	16	20	24	34	8	8	8	3	30	9	112	24
	Cerebrospinal fever	135	36	133	42	5	1	4	1	78	22	206	19
62	Locomotor ataxia	20	18	43	40	4	5	4	4	39	28	176	82
63	Other diseases of the spinal cord (total)	49	89	71	169	5	16	23	27	103	98	435	246
	Acute anterior poliomyelitis	3	16	12	37	1	7	1	8	22	19	82	34
	Other diseases of the spinal cord [1]	46	73	59	132	4	9	22	19	81	79	353	212
64	Cerebral hemorrhage, apoplexy	471	947	818	1,356	60	152	278	419	1,578	1,283	5,916	3,424
65	Softening of the brain	8	6	17	20		4	1	3	9	16	39	67
66	Paralysis without specified cause	14	67	79	232	3	18	14	10	65	70	185	218
67	General paralysis of the insane	15	80	172	96	3	54	8	11	70	167	421	507
68	Other forms of mental alienation	12	33	24	31	1	32	5	13	32	36	100	93
69	Epilepsy	14	68	58	74	2	22	10	9	34	72	196	182
70	Convulsions (nonpuerperal)	1	3		3	1				3	1	3	1
71	Convulsions of infants	23	50	10	24	2	15	5	5	41	29	103	49
72	Chorea		1	5	3			1		4		3	6
73	Neuralgia and neuritis	4	8	7	9	2	1	1	4	9	7	35	27
74	Other diseases of the nervous system	37	36	31	34	7	10	10	8	62	45	320	100
75	Diseases of the eyes and their annexa		1	2						1		9	4
76	Diseases of the ears	19	35	41	44	4	11	6	4	33	21	199	21

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed List No.	CAUSE OF DEATH.	MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	III.—Diseases of the circulatory system	1,216	1,986	2,677	2,692	241	401	556	912	4,107	2,442	18,109	8,070
77	Pericarditis	5	10	14	28	1	7	2	4	10	17	54	44
78	Acute endocarditis	58	74	107	61	24	26	26	26	296	117	1,101	194
79	Organic diseases of the heart	925	1,485	1,831	1,957	175	302	365	581	3,233	1,868	14,274	6,061
80	Angina pectoris	43	89	95	126	10	18	30	54	126	110	501	365
81	Diseases of the arteries, atheroma, aneurism, etc.	156	254	561	460	22	29	111	215	318	277	1,777	1,207
82	Embolism and thrombosis	23	53	40	40	5	16	19	29	88	44	269	172
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	7	13	9	2	.....	2	1	17	3	61	14
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	6	7	3	.....	.....	1	.....	14	4	58	5
85	Hemorrhage; other diseases of the circulatory system	1	8	9	8	2	3	.....	2	5	2	14	8
	IV.—Diseases of the respiratory system	1,069	1,636	2,954	3,263	300	484	416	475	4,090	2,079	16,695	4,416
86	Diseases of the nasal fossae	1	6	1	4	.....	1	1	.....	5	1	6	4
87	Diseases of the larynx	4	15	13	26	3	1	2	2	22	17	44	28
88	Diseases of the thyroid body	9	21	10	5	3	2	.....	3	4	4	48	16
89	Acute bronchitis	25	91	135	145	12	18	37	36	258	111	1,009	274
90	Chronic bronchitis	37	115	113	160	3	8	19	36	92	72	380	259
91	Bronchopneumonia	315	472	817	775	48	144	99	87	1,030	570	4,714	1,377
92	Pneumonia (total)	618	812	1,742	1,971	211	287	234	287	2,456	1,198	9,792	2,202
	Lobar pneumonia	579	703	1,714	1,881	198	261	179	205	2,300	1,019	9,236	1,780
	Pneumonia (undefined)	39	109	28	90	13	26	55	82	156	179	556	422
93	Pleurisy	34	39	49	53	6	5	12	7	103	41	385	98
94	Pulmonary congestion, pulmonary apoplexy	11	17	14	32	3	2	2	10	41	29	128	65
95	Gangrene of the lung	2	7	7	2	.....	1	1	.....	9	3	14	9
96	Asthma	11	28	37	61	5	5	6	4	47	15	103	47
97	Pulmonary emphysema	2	4	5	3	.....	.....	.....	2	6	4	9	11
98	Other diseases of the respiratory system (tuberculosis excepted)	.....	9	11	26	6	10	3	1	17	14	63	26
	V.—Diseases of the digestive system	860	1,338	1,965	2,658	240	437	375	290	3,182	1,438	11,103	2,657
99	Diseases of the mouth and annexa	8	17	11	22	2	.....	3	2	12	9	54	19
100	Diseases of the pharynx	33	53	38	52	8	15	7	12	56	24	239	59
101	Diseases of the esophagus	.....	1	2	2	.....	.....	1	.....	5	.....	20	2
102	Ulcer of the stomach	47	44	78	72	18	17	10	13	111	26	417	130
103	Other diseases of the stomach (cancer excepted)	22	67	63	224	6	21	19	30	100	93	297	269
104	Diarrhea and enteritis (under 2 years)	204	363	610	1,035	58	158	189	68	1,727	780	5,248	794
105	Diarrhea and enteritis (2 years and over)	82	133	166	434	14	50	28	38	219	155	766	355
106	Ankylostomiasis	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	.....	1	.....	.....	.....	.....	1	.....	.....	.....	6	2
108	Appendicitis and typhlitis	174	218	293	164	56	68	29	26	239	45	1,058	142
109	Hernia, intestinal obstruction (total)	97	170	219	190	29	24	33	31	199	84	954	269
	Hernia	46	53	83	47	7	4	11	12	101	41	474	95
	Intestinal obstruction	51	117	136	143	22	20	22	19	98	43	480	174
110	Other diseases of the intestines	19	33	50	60	5	8	3	7	56	21	170	55
111	Acute yellow atrophy of the liver	1	4	3	7	.....	2	1	4	4	3	21	8
112	Hydatid tumor of the liver	1	.....	1	2	.....	.....	.....	.....	1	.....	8	.....
113	Cirrhosis of the liver	67	93	246	197	18	48	26	32	313	132	1,130	319
114	Biliary calculi	46	67	74	70	7	8	5	9	63	23	291	52
115	Other diseases of the liver	44	53	71	82	15	7	14	9	48	24	252	112
116	Diseases of the spleen	.....	.....	3	2	.....	.....	1	1	3	1	10	4
117	Simple peritonitis (nonpuerperal)	8	16	28	39	4	9	5	6	13	11	95	50
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7	5	8	4	.....	2	.....	1	13	7	67	16
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	804	1,239	2,375	2,151	179	262	275	347	2,799	1,513	11,806	3,440
119	Acute nephritis	29	44	142	178	10	18	20	17	190	97	598	181
120	Bright's disease	630	988	1,917	1,748	128	202	208	298	2,375	1,316	10,041	2,918
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	17	29	40	24	3	9	8	3	32	17	187	41
123	Calculi of the urinary passages	8	7	12	7	1	.....	1	3	10	3	80	16
124	Diseases of the bladder	8	27	20	46	2	4	.....	8	16	13	54	67
125	Diseases of the urethra, urinary abscess, etc	3	6	13	1	.....	1	2	2	8	.....	42	4
126	Diseases of the prostate	46	97	61	93	9	10	15	11	57	33	289	133
127	Nonvenereal diseases of the male genital organs	1	.....	2	2	.....	.....	1	.....	1	2	12	1
128	Uterine hemorrhage (nonpuerperal)	.....	1	1	2	.....	2	.....	.....	1	1	1	1
129	Uterine tumor (noncancerous)	15	16	56	19	4	4	7	3	34	13	217	24
130	Other diseases of the uterus	11	10	21	7	8	7	1	.....	23	3	71	14
131	Cysts and other tumors of the ovary	8	6	25	9	5	1	5	1	18	5	87	25
132	Salpingitis and other diseases of the female genital organs	28	8	62	14	9	4	7	1	34	9	124	14
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	3	1	.....	.....	.....	.....	.....	1	3	1
	VII.—The puerperal state	106	199	238	310	50	93	33	34	319	114	1,120	293
134	Accidents of pregnancy	11	15	26	21	6	9	.....	3	22	7	98	23
135	Puerperal hemorrhage	10	25	14	20	3	11	2	2	35	15	117	20
136	Other accidents of labor	6	20	20	21	2	8	5	7	29	14	108	38
137	Puerperal septicemia	48	86	126	163	30	41	16	4	135	32	462	106
138	Puerperal albuminuria and convulsions	23	41	49	71	8	19	10	14	82	40	280	83
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8	12	3	11	1	5	.....	3	15	6	46	21
140	Following childbirth (not otherwise defined)	.....	.....	.....	3	.....	.....	.....	1	1	.....	5	2
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed List No.	CAUSE OF DEATH.	MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VIII.—Diseases of the skin and of the cellular tissue	24	49	54	75	6	9	6	15	70	40	329	136
142	Gangrene	4	27	15	38	2	3	4	10	23	25	74	85
143	Furuncle	4	2	13	11	2	1	1	2	11	5	72	10
144	Acute abscess	2	4	12	12	2	3	1	.....	19	4	109	22
145	Other diseases of the skin and annexa	14	16	14	14	.....	2	.....	3	17	6	74	19
	IX.—Diseases of the bones and of the organs of locomotion	29	36	45	31	7	4	7	5	74	19	366	57
146	Diseases of the bones (tuberculosis excepted)	26	30	41	22	6	4	7	3	66	16	336	45
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	3	4	6	1	.....	.....	2	7	2	25	11
148	Amputations	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....
149	Other diseases of the organs of locomotion	1	3	.....	2	.....	.....	.....	.....	1	1	4	1
	X.—Malformations	139	229	172	217	29	81	42	34	381	225	1,203	399
150	Congenital malformations (stillbirths not included) (total)	139	229	172	217	29	81	42	34	381	225	1,203	399
	Hydrocephalus	10	26	15	12	.....	5	1	2	39	16	114	35
	Congenital malformations of the heart	76	125	108	117	24	53	23	18	223	146	669	243
	Other congenital malformations	53	78	49	88	5	23	18	14	119	63	420	121
	XI.—Early infancy	586	1,006	752	1,204	114	289	251	169	1,601	718	6,418	1,538
151	Congenital debility, icterus, and sclerema (total)	467	821	583	976	91	228	213	138	1,210	592	4,711	1,151
	Premature birth	396	651	503	799	69	172	150	97	984	450	3,668	926
	Congenital debility, "atrophy," "marasmus," etc	71	170	80	177	22	56	63	41	226	142	1,043	225
152	Other causes peculiar to early infancy (total)	118	181	167	227	23	60	38	31	382	123	1,696	384
	Injuries at birth	75	89	88	118	14	35	23	18	214	78	1,004	265
	Other causes peculiar to early infancy [1]	43	92	79	109	9	25	15	13	168	45	692	119
153	Lack of care	1	4	2	1	.....	1	.....	.....	9	3	11	3
	XII.—Old age	61	262	36	279	16	96	35	105	101	141	358	418
154	Senility	61	262	36	279	16	96	35	105	101	141	358	418
	XIII.—External causes	759	1,173	1,814	1,576	238	837	206	254	2,324	1,228	8,560	2,654
	Suicide (total)	127	162	335	226	40	73	33	46	275	153	1,125	354
155	By poison	20	24	116	59	17	21	3	10	38	14	122	62
156	By asphyxia	26	.....	25	2	1	2	7	.....	108	27	389	13
157	By hanging or strangulation	16	53	28	27	.....	4	7	13	35	38	153	106
158	By drowning	7	11	12	12	.....	2	1	2	14	8	54	45
159	By firearms	47	54	128	112	17	35	15	18	50	44	194	93
160	By cutting or piercing instruments	8	15	12	10	4	7	.....	3	20	14	81	24
161	By jumping from high places	2	1	9	.....	1	1	.....	.....	6	2	117	5
162	By crushing	1	.....	3	.....	.....	.....	.....	.....	4	5	11	2
163	Other suicides	.....	4	2	4	.....	1	.....	.....	.....	1	4	4
	Accidental or undefined (total)	600	968	1,163	1,252	156	714	167	204	1,931	1,014	7,072	2,236
164	Poisoning by food	10	12	13	21	1	3	1	5	14	11	40	20
165	Other acute poisonings	17	23	30	30	5	13	4	6	22	17	104	43
166	Conflagration	14	30	10	29	1	16	6	5	55	26	89	45
167	Burns (conflagration excepted)	39	53	96	124	3	24	14	9	234	69	712	121
168	Absorption of deleterious gases (conflagration excepted)	61	35	43	24	5	11	18	7	162	52	729	69
169	Accidental drowning	43	149	38	122	5	52	22	30	169	160	637	308
170	Traumatism by firearms	7	43	30	74	9	30	2	3	14	15	44	39
171	Traumatism by cutting or piercing instruments	1	6	3	3	1	2	.....	.....	4	1	16	2
172	Traumatism by fall	108	122	268	227	19	32	33	41	347	134	1,565	467
173	Traumatism in mines and quarries (total)	4	43	48	46	27	231	.....	.....	.....	8	6	12
	Traumatism in mines	4	43	45	45	27	224	.....	.....	.....	8	3	11
	Traumatism in quarries	.....	.....	3	1	.....	7	.....	.....	.....	.....	3	1
174	Traumatism by machines	29	26	51	20	2	9	2	8	52	26	222	42
175	Traumatism by other crushing (total)	199	277	406	300	50	200	41	61	570	357	1,824	804
	Railroad accidents and injuries	78	119	148	149	24	96	17	37	230	182	388	443
	Street-car accidents and injuries	21	3	56	1	3	1	2	.....	61	19	305	44
	Automobile accidents and injuries	74	87	152	77	17	42	18	16	221	122	857	227
	Injuries by other vehicles	24	57	42	60	5	48	4	6	52	28	241	80
	Landslide, other crushing	2	11	8	13	1	13	.....	2	6	6	33	10
176	Injuries by animals	5	30	14	28	2	18	2	2	7	5	28	28
177	Starvation	1	.....	.....	1	.....	.....	.....	.....	2	.....	2	.....
178	Excessive cold	6	16	4	16	7	22	1	5	8	11	27	21
179	Effects of heat	15	7	27	10	.....	.....	6	1	171	50	553	59
180	Lightning	.....	14	.....	21	1	8	.....	3	1	6	3	13
181	Electricity (lightning excepted)	6	13	17	19	3	2	6	2	10	10	40	20
185	Fractures (cause not specified)	1	1	10	.....	3	1	.....	.....	13	1	72	19
186	Other external violence	34	68	55	137	12	40	9	16	76	55	359	104
	Homicide (total)	32	43	316	98	42	50	6	4	118	61	363	64
182	By firearms	15	20	222	74	29	33	2	3	67	31	193	32
183	By cutting or piercing instruments	6	10	38	11	5	6	.....	.....	19	5	62	5
184	By other means	11	13	56	13	8	11	4	1	32	25	108	27
	XIV.—Ill-defined diseases	9	149	36	572	22	112	12	20	42	20	57	102
187	Ill-defined organic disease	.....	4	3	16	.....	2	.....	.....	.....	2	.....	4
188	Sudden death	2	16	.....	24	1	5	3	6	1	1	1	6
189	Not specified or ill-defined (total)	7	129	33	532	21	105	9	14	41	17	56	92
	Ill-defined	2	33	18	101	11	32	6	12	36	16	34	60
	Not specified or unknown	5	96	15	431	10	73	3	2	5	1	22	32

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed List No.	CAUSE OF DEATH.	NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.						
	All causes	4,077	2,031	2,046	29,892	18,437	11,455	41,771	35,169	68,670	59,493	7,970	1,540
	I.—General diseases	1,271	628	643	8,728	5,198	3,530	10,911	8,814	15,887	13,931	2,123	345
1	Typhoid fever	79	33	46	649	360	289	334	360	449	452	27	7
2	Typhus fever				1	1							
3	Relapsing fever												
4	Malaria	12	1	11	256	116	140	4	12	12	5	2	1
5	Smallpox				13	6	7	5	6				
6	Measles	53	39	14	989	746	243	287	285	222	301	55	9
7	Scarlet fever	8	6	2	33	31	2	109	89	106	119	23	6
8	Whooping cough	60	24	36	502	277	225	353	243	379	512	42	7
9	Diphtheria and croup	18	13	5	297	236	61	460	286	1,068	951	137	17
10	Influenza	35	17	18	368	262	106	371	591	642	864	91	34
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	3	2	1	22	16	6	8	6	21	24		
14	Dysentery	35	16	19	575	349	226	57	117	73	137	13	2
15	Plague												
16	Yellow fever												
17	Leprosy												
18	Erysipelas	7	6	1	61	53	8	124	90	154	159	26	
19	Other epidemic diseases	1		1	10	9	1	12	18	34	29	1	
20	Purulent infection and septicemia	6	4	2	41	30	11	32	31	45	63	3	1
21	Glanders				1	1							
22	Anthrax				1		1			5	5		
23	Rabies				4	3	1	2	3	3	3		
24	Tetanus	19	4	15	36	14	22	61	38	65	66	9	2
25	Mycoses							1			2	1	
26	Pellagra	128	51	77	492	281	211	2	1	5		6	
27	Beriberi									1			
	Tuberculosis (total)	533	246	287	2,866	1,363	1,503	4,332	3,088	6,375	5,334	884	132
28	Tuberculosis of the lungs	454	219	235	2,521	1,190	1,331	3,615	2,634	5,100	4,514	747	110
29	Acute miliary tuberculosis	18	3	15	77	25	52	149	76	297	214	28	2
30	Tuberculous meningitis	16	12	4	70	49	21	270	124	513	240	66	7
31	Abdominal tuberculosis	32	8	24	121	59	62	164	135	244	207	21	6
32	Pott's disease	2	1	1	17	8	9	33	22	73	33	5	1
33	White swellings	6	1	5	9	4	5	18	13	35	23	1	
34	Tuberculosis of other organs	5	2	3	46	24	22	60	54	87	62	8	1
35	Disseminated tuberculosis				5	4	1	23	30	26	41	10	5
36	Rickets	6	2	4	15	3	12	16	12	35	33	4	
37	Syphilis	58	17	41	164	35	129	440	159	429	226	38	6
38	Gonococcus infection	4	1	3	8	3	5	46	10	44	11	4	
	Cancer and other malignant tumors (total)	138	98	40	908	679	229	2,515	2,272	3,811	3,021	518	79
39	Of the buccal cavity	3	3		34	26	8	88	90	146	134	25	2
40	Of the stomach, liver	44	33	11	299	229	70	963	922	1,466	1,289	150	34
41	Of the peritoneum, intestines, rectum	14	11	3	79	64	15	330	281	516	370	90	11
42	Of the female genital organs	33	17	16	210	123	87	441	282	623	397	89	12
43	Of the breast	17	15	2	89	74	15	217	228	353	289	63	7
44	Of the skin	3	1	2	59	53	6	69	123	97	125	22	2
45	Of other organs or of organs not specified	24	18	6	138	110	28	407	346	610	417	79	11
46	Other tumors (tumors of the female genital organs excepted)				13	8	5	11	14	10	4	2	2
47	Acute articular rheumatism	15	6	9	88	50	38	164	129	243	214	31	4
48	Chronic rheumatism and gout	2	1	1	26	21	5	25	39	64	64	5	1
49	Scurvy				3	1	2	1	1	11	11		
50	Diabetes	22	16	6	137	115	22	473	440	781	644	99	20
51	Exophthalmic goiter				9	9		98	77	65	46	4	1
52	Addison's disease				4	4		11	18	17	13	4	1
53	Leukemia	10	9	1	33	29	4	51	59	87	57	10	3
54	Anemia, chlorosis	9	7	2	38	33	5	145	142	203	189	22	4
55	Other general diseases	4	4		41	33	8	56	41	90	88	9	3
56	Alcoholism (acute or chronic)	5	4	1	15	12	3	279	125	305	267	51	3
57	Chronic lead poisoning							13	2	16	8		
58	Other chronic occupation poisonings				1	1		1		2	1		
59	Other chronic poisonings	1	1		8	8		12	10	15	8	2	
	II.—Diseases of the nervous system and of the organs of special sense	294	163	131	2,592	1,769	823	4,032	4,521	5,505	6,398	868	164
60	Encephalitis	2	1	1	34	22	12	22	18	33	38	2	1
61	Meningitis (total)	19	10	9	196	159	37	413	194	667	345	51	10
	Simple meningitis	8	3	5	125	105	20	113	81	232	169	18	3
	Cerebrospinal meningitis (undefined)	7	4	3	53	38	15	53	52	59	51	10	7
	Cerebrospinal fever	4	3	1	18	16	2	247	61	376	125	23	
62	Locomotor ataxia	3	2	1	16	14	2	94	80	124	119	14	3
63	Other diseases of the spinal cord (total)	6	5	1	102	73	29	173	267	263	302	30	12
	Acute anterior poliomyelitis	2	2		32	23	9	57	71	46	96	3	4
	Other diseases of the spinal cord [1]	4	3	1	70	50	20	116	196	217	206	27	8
64	Cerebral hemorrhage, apoplexy	191	101	90	1,456	1,014	442	2,527	3,089	3,286	4,019	604	113
65	Softening of the brain	3	3		30	25	5	28	75	37	43	3	1
66	Paralysis without specified cause	24	11	13	349	225	124	69	187	194	289	18	6
67	General paralysis of the insane	8	5	3	24	22	2	288	156	218	433	61	
68	Other forms of mental alienation	9	8	1	62	37	25	47	99	64	107	12	1
69	Epilepsy	9	5	4	107	57	50	89	150	140	223	24	4
70	Convulsions (nonpuerperal)	1		1	8	2	6	7		5	8	1	
71	Convulsions of infants	3	1	2	97	43	54	84	55	157	223	16	7
72	Chorea				2	2		10	5	9	6	2	1
73	Neuralgia and neuritis				10	6	4	11	19	29	31	4	
74	Other diseases of the nervous system	10	7	3	68	47	21	84	78	137	122	16	2
75	Diseases of the eyes and their annexa	1	1		3	3		5	6	8	5	1	
76	Diseases of the ears	5	3	2	28	18	10	81	43	134	85	9	3

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed Int. List No.	CAUSE OF DEATH.	NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.						
	III—Diseases of the circulatory system	408	200	208	2,381	1,581	800	5,572	6,118	9,114	7,961	1,173	235
77	Pericarditis	5	1	4	30	24	6	32	32	46	48	5	8
78	Acute endocarditis	18	12	6	39	23	16	327	121	633	314	60	2
79	Organic diseases of the heart	326	148	178	2,072	1,355	717	4,180	4,609	7,032	6,126	849	163
80	Angina pectoris	17	13	4	67	57	10	173	329	289	350	50	17
81	Diseases of the arteries, atheroma, aneurism, etc	31	20	11	130	92	38	731	892	881	913	171	41
82	Embolism and thrombosis	5	3	2	19	14	5	80	96	158	145	27	3
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	1	.....	4	2	2	24	13	22	17	5	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	2	1	6	5	1	20	5	35	29	3	.....
85	Hemorrhage: other diseases of the circulatory system	2	.....	2	14	9	5	5	21	18	19	3	1
	IV.—Diseases of the respiratory system	501	197	304	2,597	1,512	1,085	5,410	3,887	11,253	8,084	1,077	245
86	Diseases of the nasal fossae	3	1	2	69	21	48	5	3	5	5	1	.....
87	Diseases of the larynx	4	4	.....	30	23	7	18	32	48	84	4	2
88	Diseases of the thyroid body	.....	.....	.....	8	2	6	24	10	33	22	1	.....
89	Acute bronchitis	21	3	18	118	56	62	298	169	593	448	82	20
90	Chronic bronchitis	16	4	12	74	54	20	180	207	347	235	34	8
91	Bronchopneumonia	151	75	76	676	443	233	1,645	1,157	3,218	2,825	314	79
92	Pneumonia (total)	280	96	184	1,488	839	649	2,992	2,048	6,343	3,930	591	125
	Lobar pneumonia	253	81	172	1,072	618	454	2,921	1,895	5,740	3,307	508	97
	Pneumonia (undefined)	27	15	12	416	221	195	71	153	603	623	83	28
93	Pleurisy	11	8	3	26	16	10	114	65	287	141	21	3
94	Pulmonary congestion, pulmonary apoplexy	6	3	3	23	17	6	33	73	140	97	10	4
95	Gangrene of the lung	.....	.....	.....	1	.....	1	7	10	14	17	3	.....
96	Asthma	8	2	6	54	25	29	63	75	145	141	7	1
97	Pulmonary emphysema	.....	.....	.....	3	1	2	4	9	9	20	3	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	1	1	.....	27	15	12	27	29	71	119	6	3
	V.—Diseases of the digestive system	562	273	289	3,864	2,604	1,260	4,600	2,957	8,185	6,946	670	145
99	Diseases of the mouth and annexa	2	2	.....	48	15	33	27	23	36	38	2	1
100	Diseases of the pharynx	8	3	5	51	37	14	101	80	110	101	10	1
101	Diseases of the esophagus	1	.....	1	1	1	.....	4	2	15	7	1	1
102	Ulcer of the stomach	8	7	1	43	28	15	169	93	175	114	17	8
103	Other diseases of the stomach (cancer excepted)	39	11	28	385	235	150	242	299	422	519	30	12
104	Diarrhea and enteritis (under 2 years)	275	115	160	2,089	1,398	691	2,060	988	4,249	3,962	278	70
105	Diarrhea and enteritis (2 years and over)	76	44	32	608	461	147	321	308	620	698	74	14
106	Ankylostomiasis	.....	.....	.....	6	4	2	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	.....	.....	.....	23	9	14	1	2	2	8	.....	.....
108	Appendicitis and typhlitis	61	35	26	142	106	36	430	187	646	204	77	3
109	Hernia, intestinal obstruction (total)	38	18	20	155	96	59	370	254	640	372	60	7
	Hernia	9	3	6	40	21	19	129	70	255	108	26	2
	Intestinal obstruction	29	15	14	115	75	40	241	184	385	264	34	5
110	Other diseases of the intestines	5	4	1	57	46	11	66	73	93	96	5	2
111	Acute yellow atrophy of the liver	2	.....	2	3	2	1	12	11	24	20	.....	1
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....
113	Cirrhosis of the liver	13	7	6	88	54	34	446	332	650	428	52	15
114	Biliary calculi	4	4	.....	29	24	5	138	91	172	84	23	2
115	Other diseases of the liver	15	12	3	79	56	23	122	125	213	177	23	2
116	Diseases of the spleen	.....	.....	.....	4	1	3	7	7	3	3	1	.....
117	Simple peritonitis (nonpuerperal)	11	7	4	48	28	20	68	69	73	99	15	3
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4	4	.....	5	3	2	16	11	40	15	2	3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	373	197	176	1,982	1,270	712	3,144	2,800	6,823	4,391	665	131
119	Acute nephritis	45	10	35	174	97	77	263	176	505	330	39	9
120	Bright's disease	285	164	121	1,545	1,045	500	2,355	2,267	5,581	3,641	563	112
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	5	5	.....	71	46	25	57	47	92	70	14	1
123	Calculi of the urinary passages	2	2	.....	5	4	1	22	18	36	17	1	.....
124	Diseases of the bladder	7	4	3	44	17	27	26	86	65	89	5	5
125	Diseases of the urethra, urinary abscess, etc	4	1	3	10	2	8	16	4	27	8	1	.....
126	Diseases of the prostate	6	5	1	61	36	25	131	124	174	115	15	4
127	Nonvenereal diseases of the male genital organs	.....	.....	.....	1	1	.....	7	3	2	3	1	.....
128	Uterine hemorrhage (nonpuerperal)	.....	.....	.....	.....	.....	.....	2	1	1	2	.....	.....
129	Uterine tumor (noncancerous)	10	3	7	18	4	14	80	26	113	33	12	.....
130	Other diseases of the uterus	3	.....	3	26	10	16	57	15	62	19	3	.....
131	Cysts and other tumors of the ovary	1	.....	1	2	2	.....	36	17	44	34	5	.....
132	Salpingitis and other diseases of the female genital organs	5	3	2	24	6	18	90	16	116	26	6	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	1	.....	1	2	.....	5	4	.....	.....
	VII.—The puerperal state	54	29	25	575	331	244	541	321	825	618	87	10
134	Accidents of pregnancy	6	4	2	39	25	14	39	29	56	60	2	1
135	Puerperal hemorrhage	4	4	.....	70	40	30	69	35	69	73	9	1
136	Other accidents of labor	2	2	.....	84	42	42	33	25	70	59	5	2
137	Puerperal septicemia	16	6	10	155	80	75	291	133	372	242	4	2
138	Puerperal albuminuria and convulsions	24	11	13	211	135	76	97	83	235	158	33	4
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2	2	.....	13	7	6	10	14	21	23	3	.....
140	Following childbirth (not otherwise defined)	.....	.....	.....	2	1	1	2	2	2	3	1	.....
141	Puerperal diseases of the breast	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed Int. List No.	CAUSE OF DEATH.	NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.						
	VIII.—Diseases of the skin and of the cellular tissue	15	10	5	80	49	31	100	132	244	246	38	5
142	Gangrene	5	3	2	28	18	10	30	90	83	127	19	2
143	Furuncle	1	1	.....	12	9	3	20	9	39	25	6	1
144	Acute abscess	6	5	1	12	7	5	18	13	80	50	8	.....
145	Other diseases of the skin and annexa	3	1	2	28	15	13	32	20	42	44	5	2
	IX.—Diseases of the bones and of the organs of locomotion	9	9	.....	35	29	6	110	45	198	86	17	2
146	Diseases of the bones (tuberculosis excepted)	9	9	.....	27	24	3	103	38	160	67	14	1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	.....	.....	.....	4	3	1	5	5	30	12	2	1
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	.....	.....	4	2	2	2	2	8	7	1	.....
	X.—Malformations	29	22	7	221	180	41	520	440	906	985	76	23
150	Congenital malformations (stillbirths not included) (total)	29	22	7	221	180	41	520	440	906	985	76	23
	Hydrocephalus	2	1	1	23	17	6	43	32	59	71	9	2
	Congenital malformations of the heart	20	16	4	98	88	10	311	280	607	681	48	15
	Other congenital malformations	7	5	2	100	75	25	166	128	240	233	19	6
	XI.—Early infancy	245	135	110	1,774	1,270	504	2,257	1,515	3,585	3,597	563	94
151	Congenital debility, icterus, and sclerema (total)	222	118	104	1,536	1,102	434	1,746	1,212	2,792	2,848	409	71
	Premature birth	168	101	67	1,087	825	262	1,412	883	2,223	2,109	250	47
	Congenital debility, "atrophy," "marasmus," etc	54	17	37	449	277	172	334	329	569	739	159	24
152	Other causes peculiar to early infancy (total)	22	17	5	231	165	66	511	303	773	733	154	23
	Injuries at birth	9	6	3	116	94	22	347	186	445	407	109	18
	Other causes peculiar to early infancy [1]	13	11	2	115	71	44	164	117	328	326	45	5
153	Lack of care	1	.....	1	7	3	4	.....	.....	20	16	.....	.....
	XII.—Old age	24	17	7	726	392	334	223	478	261	531	75	43
154	Senility	24	17	7	726	392	334	223	478	261	531	75	43
	XIII.—External causes	230	121	109	1,468	863	605	4,079	2,856	5,739	5,263	493	90
	Suicide (total)	9	9	.....	67	57	10	437	319	544	394	53	14
155	By poison	.....	.....	.....	8	8	.....	114	57	88	53	3	1
156	By asphyxia	.....	.....	.....	.....	.....	.....	9	4	136	8	22	2
157	By hanging or strangulation	1	1	.....	6	6	.....	66	86	61	112	6	1
158	By drowning	1	1	.....	3	2	1	37	21	19	26	4	5
159	By firearms	7	7	.....	41	33	8	155	122	173	145	15	4
160	By cutting or piercing instruments	.....	.....	.....	4	4	.....	38	21	46	37	2	1
161	By jumping from high places	.....	.....	.....	1	1	.....	16	3	13	4	1	.....
162	By crushing	.....	.....	.....	1	.....	1	2	3	2	5	.....	.....
163	Other suicides	.....	.....	.....	3	3	.....	.....	2	6	4	.....	.....
	Accidental or undefined (total)	191	106	85	1,252	752	500	3,236	2,435	4,877	4,621	422	72
164	Poisoning by food	3	.....	3	40	29	11	34	39	28	34	4	.....
165	Other acute poisonings	7	4	3	29	14	15	67	40	79	73	5	.....
166	Conflagration	7	.....	7	35	8	27	77	46	41	65	2	2
167	Burns (conflagration excepted)	33	23	10	322	174	148	310	163	620	566	51	6
168	Absorption of deleterious gases (conflagration excepted)	4	1	3	62	29	33	140	75	204	80	44	1
169	Accidental drowning	8	1	7	66	33	33	150	168	234	330	44	26
170	Traumatism by firearms	14	6	8	88	45	43	49	56	68	76	6	.....
171	Traumatism by cutting or piercing instruments	.....	.....	.....	4	2	2	12	9	9	7	1	.....
172	Traumatism by fall	26	18	8	151	127	24	575	432	906	665	84	6
173	Traumatism in mines and quarries (total)	.....	.....	.....	6	4	2	27	89	347	796	.....	.....
	Traumatism in mines	.....	.....	.....	4	3	1	26	87	340	779	.....	.....
	Traumatism in quarries	.....	.....	.....	2	1	1	1	2	7	17	.....	.....
174	Traumatism by machines	7	3	4	49	28	21	177	56	206	129	14	.....
175	Traumatism by other crushing (total)	53	33	20	215	155	60	1,295	943	1,535	1,406	109	24
	Railroad accidents and injuries	23	13	10	120	82	38	557	578	687	846	24	7
	Street-car accidents and injuries	4	1	3	1	1	.....	193	79	204	86	18	4
	Automobile accidents and injuries	22	17	5	43	40	3	414	191	481	331	46	10
	Injuries by other vehicles	3	2	1	40	27	13	101	83	150	123	14	2
	Landslide, other crushing	1	.....	1	11	5	6	30	12	13	20	7	1
176	Injuries by animals	3	2	1	14	11	3	16	34	27	25	3	.....
177	Starvation	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....
178	Excessive cold	.....	.....	.....	11	5	6	19	20	28	39	3	1
179	Effects of heat	1	.....	1	6	2	4	58	34	259	67	28	4
180	Lightning	.....	.....	.....	24	13	11	4	27	3	26	.....	.....
181	Electricity (lightning excepted)	3	1	2	11	10	1	43	23	48	52	3	.....
185	Fractures (cause not specified)	1	1	.....	2	2	.....	24	41	6	5	3	.....
186	Other external violence	21	13	8	117	61	56	159	137	228	179	18	2
	Homicide (total)	30	6	24	149	54	95	406	102	318	248	18	4
182	By firearms	21	4	17	117	42	75	254	66	198	172	9	3
183	By cutting or piercing instruments	3	.....	3	12	2	10	68	10	39	27	4	.....
184	By other means	6	2	4	20	10	10	84	26	81	49	5	1
	XIV.—Ill-defined diseases	62	30	32	2,869	1,389	1,480	272	285	145	456	45	8
187	Ill-defined organic disease	.....	.....	.....	116	53	63	2	10	4	12	.....	.....
188	Sudden death	10	6	4	238	131	107	28	33	15	48	8	1
189	Not specified or ill-defined (total)	52	24	28	2,515	1,205	1,310	242	242	126	396	37	7
	Ill-defined	21	16	5	545	340	205	73	87	85	179	26	7
	Not specified or unknown	31	8	23	1,970	865	1,105	169	155	41	217	11	.....

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed Int. List No.	CAUSE OF DEATH.	SOUTH CAROLINA.						TENNESSEE.					
		Cities.			Rural districts.			Cities.			Rural districts.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	All causes	3,580	1,446	2,134	19,923	7,285	12,638	7,425	4,042	3,383	23,437	17,418	6,019
	I.—General diseases	1,030	404	626	6,364	2,103	4,261	2,361	1,287	1,074	9,012	6,529	2,483
1	Typhoid fever	35	16	19	488	161	327	130	83	47	749	561	188
2	Typhus fever												
3	Relapsing fever												
4	Malaria	31	9	22	532	88	444	78	29	49	363	241	122
5	Smallpox										5	4	1
6	Measles	47	28	19	464	241	223	119	92	27	663	556	107
7	Scarlet fever	6	5	1	15	8	7	9	9		40	37	3
8	Whooping cough	14	1	13	189	28	161	58	27	31	352	266	86
9	Diphtheria and croup	15	12	3	143	82	61	36	31	5	301	267	34
10	Influenza	27	7	20	275	92	183	90	36	54	475	394	81
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras				10	6	4				11	8	3
14	Dysentery	31	11	20	716	294	422	65	41	24	368	279	89
15	Plague												
16	Yellow fever												
17	Leprosy				1		1						
18	Erysipelas	10	6	4	24	20	4	16	13	3	38	36	2
19	Other epidemic diseases	2	2		5	2	3	4	4		5	5	
20	Purulent infection and septicemia	7	4	3	26	9	17	14	8	6	40	28	12
21	Glanders												
22	Anthrax												
23	Rabies	1		1	4	2	2	2	2		2	1	1
24	Tetanus	24	10	14	34	6	28	18	9	9	34	26	8
25	Mycoses												
26	Pellagra	241	83	158	473	194	279	153	82	71	597	368	229
27	Beriberi	1	1										
	Tuberculosis (total)	341	105	236	2,028	438	1,590	957	411	546	3,618	2,,451	1,167
28	Tuberculosis of the lungs	283	90	193	1,857	384	1,473	784	338	446	3,146	2,122	1,024
29	Acute miliary tuberculosis	25	2	23	64	12	52	59	8	51	90	42	48
30	Tuberculous meningitis	10	7	3	32	18	14	34	23	11	103	83	20
31	Abdominal tuberculosis	15	4	11	48	13	35	53	24	29	170	127	43
32	Pott's disease	1		1	3	3		5	4	1	22	19	3
33	White swellings	1	1		6	2	4	5	2	3	11	8	3
34	Tuberculosis of other organs	3	1	2	13	5	8	15	10	5	62	40	22
35	Disseminated tuberculosis	3		3	5	1	4	2	2		14	10	4
36	Rickets	2		2	15	4	11	5	4	1	10	8	2
37	Syphilis	54	8	46	190	25	165	103	40	63	179	49	130
38	Gonococcus infection				7	1	6	11	2	9	10	2	8
	Cancer and other malignant tumors (total)	95	67	28	510	288	222	314	239	75	761	629	132
39	Of the buccal cavity	3		3	19	15	4	9	8	1	25	19	6
40	Of the stomach, liver	31	25	6	162	100	62	85	70	15	225	195	30
41	Of the peritoneum, intestines, rectum	9	8	1	35	26	9	40	35	5	51	42	9
42	Of the female genital organs	31	20	11	164	64	100	87	60	27	164	112	52
43	Of the breast	6	3	3	47	24	23	26	17	9	71	57	14
44	Of the skin	7	5	2	32	29	3	9	8	1	73	71	2
45	Of other organs or of organs not specified	8	6	2	51	30	21	58	41	17	152	133	19
46	Other tumors (tumors of the female genital organs excepted)	1		1	5		5	8	2	6	4	3	1
47	Acute articular rheumatism	4	3	1	58	15	43	27	9	18	100	65	35
48	Chronic rheumatism and gout	2	1	1	9	4	5	2		2	33	28	5
49	Scurvy				2	1	1				3	3	
50	Diabetes	17	8	9	70	46	24	56	47	9	104	91	13
51	Exophthalmic goiter				3	2	1	8	5	3	11	9	2
52	Addison's disease							1	1		2	2	
53	Leukemia	8	6	2	9	6	3	9	9		19	17	2
54	Anemia, chlorosis	5	5		15	9	6	30	22	8	38	35	3
55	Other general diseases	7	5	2	27	19	8	16	13	3	57	45	12
56	Alcoholism (acute or chronic)	2	1	1	11	8	3	16	12	4	6	4	2
57	Chronic lead poisoning				1		1				2	1	1
58	Other chronic occupation poisonings										1	1	
59	Other chronic poisonings				5	4	1	6	5	1	11	9	2
	II.—Diseases of the nervous system and of the organs of special sense	322	139	183	1,452	633	819	528	311	217	1,584	1,249	335
60	Encephalitis				10	4	6	8	5	3	21	20	1
61	Meningitis (total)	11	5	6	67	50	17	32	24	8	151	129	22
	Simple meningitis	7	3	4	41	30	11	16	13	3	85	72	13
	Cerebrospinal meningitis (undefined)	1	1		6	5	1	9	5	4	37	30	7
	Cerebrospinal fever	3	1	2	20	15	5	7	6	1	29	27	2
62	Locomotor ataxia	3	1	2	5	1	4	11	8	3	13	7	6
63	Other diseases of the spinal cord (total)	8	5	3	50	28	22	27	19	8	86	74	12
	Acute anterior poliomyelitis				17	10	7	2	2		26	21	5
	Other diseases of the spinal cord [1]	8	5	3	33	18	15	25	17	8	60	53	7
64	Cerebral hemorrhage, apoplexy	201	84	117	712	358	354	282	173	109	618	493	125
65	Softening of the brain	2	1	1	4	2	2	7	6	1	26	23	3
66	Paralysis without specified cause	28	12	16	358	117	241	67	29	38	346	274	72
67	General paralysis of the insane	30	11	19	11	5	6	13	8	5	40	24	16
68	Other forms of mental alienation	6	3	3	7	3	4	10	3	7	38	25	13
69	Epilepsy	18	8	10	45	17	28	16	7	9	95	64	31
70	Convulsions (nonpuerperal)	1	1		12	3	9				8	6	2
71	Convulsions of infants	5	1	4	122	18	104	13	4	9	50	33	17
72	Chorea				1	1					4	4	
73	Neuralgia and neuritis	1	1		5	4	1	1	1		7	5	2
74	Other diseases of the nervous system	6	5	1	31	16	15	26	13	13	62	51	11
75	Diseases of the eyes and their annexa				2	1	1	1		1	2	2	
76	Diseases of the ears	2	1	1	10	5	5	14	11	3	17	15	2

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed Int. List No.	CAUSE OF DEATH.	SOUTH CAROLINA.						TENNESSEE.					
		Cities.			Rural districts.			Cities.			Rural districts.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	III.—Diseases of the circulatory system	505	207	298	1,484	684	800	814	419	395	1,937	1,450	487
77	Pericarditis	4	.....	4	19	5	14	6	1	5	23	15	8
78	Acute endocarditis	22	11	11	66	26	40	44	15	29	38	27	11
79	Organic diseases of the heart	315	116	199	1,241	562	679	612	303	309	1,620	1,202	418
80	Angina pectoris	20	18	2	40	32	8	35	27	8	73	61	12
81	Diseases of the arteries, atheroma, aneurism, etc.	136	61	75	79	40	39	75	48	27	146	118	28
82	Embolism and thrombosis	4	1	3	12	7	5	22	17	5	22	18	4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	.....	2	5	1	4	10	4	6	5	3	2
84	Diseases of the lymphatic system (lymphangitis, etc.)	.....	.....	.....	4	3	1	2	.....	2	3	2	1
85	Hemorrhage; other diseases of the circulatory system	2	.....	2	18	8	10	8	4	4	7	4	3
	IV.—Diseases of the respiratory system	320	123	197	1,928	685	1,243	831	385	446	2,253	1,669	584
86	Diseases of the nasal fossae	1	1	.....	108	12	96	2	.....	2	15	11	4
87	Diseases of the larynx	.....	.....	.....	8	5	3	5	3	2	31	25	6
88	Diseases of the thyroid body	3	3	.....	6	2	4	6	3	3	6	4	2
89	Acute bronchitis	9	4	5	57	26	31	24	10	14	85	68	17
90	Chronic bronchitis	3	1	2	31	16	15	35	18	17	99	73	26
91	Bronchopneumonia	70	25	45	300	152	148	190	91	99	532	407	125
92	Pneumonia (total)	209	77	132	1,334	440	894	485	219	266	1,338	968	370
	Lobar pneumonia	178	64	114	643	273	370	369	163	206	769	543	226
	Pneumonia (undefined)	31	13	18	691	167	524	116	56	60	569	425	144
93	Pleurisy	9	3	6	19	10	9	35	15	20	28	18	10
94	Pulmonary congestion, pulmonary apoplexy	4	3	1	9	6	3	13	7	6	27	25	2
95	Gangrene of the lung	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	1
96	Asthma	7	2	5	29	7	22	17	9	8	48	32	16
97	Pulmonary emphysema	1	1	.....	1	.....	1	2	1	1	3	3	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	4	3	1	26	9	17	17	9	8	37	32	5
	V.—Diseases of the digestive system	395	153	242	2,213	940	1,273	805	494	311	2,272	1,802	470
99	Diseases of the mouth and annexa	1	1	.....	58	10	48	6	1	5	24	16	8
100	Diseases of the pharynx	7	5	2	31	7	24	11	9	2	32	26	6
101	Diseases of the esophagus	2	2	.....	1	.....	1	1	1	.....	.....	.....	.....
102	Ulcer of the stomach	8	5	3	35	19	16	17	10	7	48	41	7
103	Other diseases of the stomach (cancer excepted)	22	6	16	341	87	254	72	27	45	264	198	66
104	Diarrhea and enteritis (under 2 years)	185	50	135	1,120	532	588	221	141	80	895	718	177
105	Diarrhea and enteritis (2 years and over)	64	20	44	268	138	130	106	61	45	461	372	89
106	Ankylostomiasis	.....	.....	.....	4	3	1	1	.....	1	4	4	.....
107	Intestinal parasites	.....	.....	.....	38	2	36	1	1	.....	12	8	4
108	Appendicitis and typhlitis	37	22	15	80	36	44	112	73	39	108	93	15
109	Hernia, intestinal obstruction (total)	29	15	14	100	36	64	87	54	33	128	94	34
	Hernia	9	5	4	23	2	21	23	13	10	27	17	10
	Intestinal obstruction	20	10	10	77	34	43	64	41	23	101	77	24
110	Other diseases of the intestines	4	3	1	30	12	18	18	14	4	28	19	9
111	Acute yellow atrophy of the liver	1	1	.....	3	2	1	.....	.....	.....	9	8	1
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	12	8	4	31	17	14	45	28	17	81	63	18
114	Biliary calculi	3	3	.....	10	7	3	25	21	4	42	39	3
115	Other diseases of the liver	9	6	3	35	18	17	51	36	15	84	68	16
116	Diseases of the spleen	1	1	.....	2	2	.....	1	.....	1	8	6	2
117	Simple peritonitis (nonpuerperal)	8	4	4	26	12	14	23	13	10	41	27	14
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	1	1	.....	.....	.....	7	4	3	3	2	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	421	188	233	1,400	579	821	711	390	321	1,361	984	377
119	Acute nephritis	36	12	24	113	34	79	81	31	50	89	57	32
120	Bright's disease	341	154	187	1,094	491	603	481	290	191	1,068	778	290
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	12	6	6	100	24	76	11	9	2	54	48	6
123	Calculi of the urinary passages	1	1	.....	4	1	3	4	4	.....	7	6	1
124	Diseases of the bladder	3	1	2	17	7	10	12	5	7	40	29	11
125	Diseases of the urethra, urinary abscess, etc.	4	1	3	5	.....	5	12	2	10	7	5	2
126	Diseases of the prostate	11	7	4	19	9	10	29	17	12	44	36	8
127	Nonvenereal diseases of the male genital organs	.....	.....	.....	2	2	.....	1	.....	1	1	.....	1
128	Uterine hemorrhage (nonpuerperal)	.....	.....	.....	1	.....	1	.....	.....	.....	2	1	1
129	Uterine tumor (noncancerous)	5	3	2	9	1	8	23	4	19	12	5	7
130	Other diseases of the uterus	3	2	1	26	6	20	26	16	10	19	10	9
131	Cysts and other tumors of the ovary	.....	.....	.....	3	3	.....	3	1	2	6	4	2
132	Salpingitis and other diseases of the female genital organs	5	1	4	7	1	6	28	11	17	12	5	7
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	42	16	26	396	145	251	113	62	51	305	218	87
134	Accidents of pregnancy	.....	.....	.....	18	11	7	10	5	5	26	21	5
135	Puerperal hemorrhage	3	.....	3	33	13	20	3	3	.....	23	20	3
136	Other accidents of labor	2	1	1	87	24	63	10	6	4	44	33	11
137	Puerperal septicemia	15	5	10	96	33	63	56	30	26	116	67	49
138	Puerperal albuminuria and convulsions	21	9	12	157	63	94	33	17	16	89	72	17
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1	1	.....	4	1	3	1	1	.....	6	4	2
140	Following childbirth (not otherwise defined)	.....	.....	.....	1	.....	1	.....	.....	.....	1	1	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed Int. List No.	CAUSE OF DEATH.	SOUTH CAROLINA.						TENNESSEE.					
		Cities.			Rural districts.			Cities.			Rural districts.		
		Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	VIII.—Diseases of the skin and of the cellular tissue	13	6	7	32	8	24	24	13	11	63	43	20
142	Gangrene	5	1	4	11	5	6	9	3	6	30	21	9
143	Furuncle	2	1	1	4	.....	4	1	1	.....	6	5	1
144	Acute abscess	5	4	1	10	3	7	9	5	4	4	3	1
145	Other diseases of the skin and annexa	1	.....	1	7	.....	7	5	4	1	23	14	9
	IX.—Diseases of the bones and of the organs of locomotion	8	5	3	17	9	8	30	25	5	32	26	6
146	Diseases of the bones (tuberculosis excepted)	7	4	3	15	8	7	28	25	3	22	18	4
147	Diseases of the joints (tuberculosis and rheumatism excepted)	.....	.....	.....	2	1	1	2	.....	2	6	5	1
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	1	.....	.....	.....	.....	.....	.....	.....	4	3	1
	X.—Malformations	18	13	5	109	69	40	43	40	3	144	132	12
150	Congenital malformations (stillbirths not included) (total)	18	13	5	109	69	40	43	40	3	144	132	12
	Hydrocephalus	.....	.....	.....	29	7	22	3	3	.....	15	12	3
	Congenital malformations of the heart	15	11	4	44	38	6	29	26	3	67	62	5
	Other congenital malformations	3	2	1	36	24	12	11	11	.....	62	58	4
	XI.—Early infancy	271	100	171	1,913	665	1,248	268	160	108	1,025	850	175
151	Congenital debility, icterus, and sclerema (total)	246	87	159	1,758	592	1,166	227	139	88	892	751	141
	Premature birth	127	75	52	1,309	455	854	153	93	60	634	545	89
	Congenital debility, "atrophy," "marasmus," etc.	119	12	107	449	137	312	74	46	28	258	206	52
152	Other causes peculiar to early infancy (total)	25	13	12	151	71	80	41	21	20	130	98	32
	Injuries at birth	8	6	2	50	33	17	19	11	8	53	40	13
	Other causes peculiar to early infancy [1]	17	7	10	101	38	63	22	10	12	77	58	19
153	Lack of care	.....	.....	.....	4	2	2	.....	.....	.....	3	1	2
	XII.—Old age	9	8	1	468	130	338	65	43	22	508	368	140
154	Senility	9	8	1	468	130	338	65	43	22	508	368	140
	XIII.—External causes	195	80	115	1,049	360	689	583	319	264	1,158	852	306
	Suicide (total)	9	9	.....	31	24	7	41	36	5	81	76	5
155	By poison	1	1	.....	4	4	.....	19	15	4	14	12	2
156	By asphyxia	2	2	.....	.....	.....	.....	5	5	.....	.....	.....	.....
157	By hanging or strangulation	2	2	.....	1	1	.....	2	2	.....	15	15	.....
158	By drowning	.....	.....	.....	.....	.....	.....	3	2	1	7	7	.....
159	By firearms	2	2	.....	24	18	6	8	8	.....	36	33	3
160	By cutting or piercing instruments	1	1	.....	1	.....	1	3	3	.....	3	3	.....
161	By jumping from high places	1	1	.....	.....	.....	.....	1	1	.....	1	1	.....
162	By crushing	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	5	.....
	Accidental or undefined (total)	148	60	88	871	314	557	416	250	166	942	708	234
164	Poisoning by food	3	2	1	27	12	15	5	2	3	20	16	4
165	Other acute poisonings	5	3	2	45	15	30	11	8	3	21	13	8
166	Conflagration	.....	.....	.....	29	8	21	7	3	4	17	9	8
167	Burns (conflagration excepted)	29	7	22	283	71	212	77	35	42	182	128	54
168	Absorption of deleterious gases (conflagration excepted)	3	.....	3	34	15	19	12	7	5	34	25	9
169	Accidental drowning	5	2	3	66	22	44	24	16	8	48	32	16
170	Traumatism by firearms	8	3	5	63	24	39	34	17	17	68	42	26
171	Traumatism by cutting or piercing instruments	.....	.....	.....	1	1	.....	4	3	1	7	5	2
172	Traumatism by fall	21	10	11	69	44	25	36	30	6	126	108	18
173	Traumatism in mines and quarries (total)	1	.....	1	.....	.....	.....	7	7	.....	31	29	2
	Traumatism in mines	.....	.....	.....	.....	.....	.....	6	6	.....	30	28	2
	Traumatism in quarries	1	.....	1	.....	.....	.....	1	1	.....	1	1	.....
174	Traumatism by machines	7	2	5	24	14	10	11	5	6	17	13	4
175	Traumatism by other crushing (total)	48	27	21	106	44	62	129	85	44	149	119	30
	Railroad accidents and injuries	31	16	15	69	28	41	63	34	29	84	67	17
	Street-car accidents and injuries	2	1	1	1	1	.....	7	4	3	2	.....	2
	Automobile accidents and injuries	12	9	3	18	11	7	44	34	10	25	21	4
	Injuries by other vehicles	1	.....	1	18	4	14	12	11	1	32	27	5
	Landslide, other crushing	2	1	1	.....	.....	.....	3	2	1	6	4	2
176	Injuries by animals	1	.....	1	8	5	3	2	2	.....	17	15	2
177	Starvation	.....	.....	.....	.....	.....	.....	1	1	.....	3	2	1
178	Excessive cold	.....	.....	.....	12	2	10	4	.....	4	11	5	6
179	Effects of heat	.....	.....	.....	5	1	4	5	1	4	1	1	.....
180	Lightning	5	.....	5	35	12	23	.....	.....	.....	11	9	2
181	Electricity (lightning excepted)	1	1	.....	3	3	.....	6	3	3	5	3	2
185	Fractures (cause not specified)	.....	.....	.....	.....	.....	.....	6	5	1	21	17	4
186	Other external violence	11	3	8	61	21	40	35	20	15	153	117	36
	Homicide (total)	38	11	27	147	22	125	126	33	93	135	68	67
182	By firearms	25	6	19	118	18	100	92	24	68	94	43	51
183	By cutting or piercing instruments	8	.....	8	8	.....	8	21	5	16	16	11	5
184	By other means	5	5	.....	21	4	17	13	4	9	25	14	11
	XIV.—Ill-defined diseases	31	4	27	1,098	275	823	249	94	155	1,783	1,246	537
187	Ill-defined organic disease	3	.....	3	151	31	120	5	1	4	106	78	28
188	Sudden death	1	1	.....	64	28	36	25	8	17	126	94	32
189	Not specified or ill-defined (total)	27	3	24	883	216	667	219	85	134	1,551	1,074	477
	Ill-defined	25	3	22	675	152	523	41	26	15	398	308	90
	Not specified or unknown	2	.....	2	208	64	144	178	59	119	1,153	766	387

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed List No.	CAUSE OF DEATH.	UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
						Cities.			Rural districts.						
		Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	1,693	2,922	795	4,673	8,361	4,384	3,977	23,166	13,633	9,533	5,738	6,399	11,245	17,885
	I.—General diseases	350	613	182	1,119	2,179	1,169	1,010	6,679	3,659	3,020	1,714	1,784	2,913	4,616
1	Typhoid fever	27	32	5	20	74	43	31	391	193	198	59	62	72	60
2	Typhus fever														
3	Relapsing fever														
4	Malaria					41	11	30	82	31	51	2		1	
5	Smallpox		4						2	2			1	1	1
6	Measles	19	86	7	71	40	20	20	307	239	68	54	144	28	46
7	Scarlet fever	11	27	3	16	4	4		13	11	2	6	14	119	132
8	Whooping cough	3	13	3	28	103	33	70	392	180	212	36	77	113	96
9	Diphtheria and croup	14	29	5	24	26	18	8	195	160	35	19	31	172	178
10	Influenza	6	39	8	144	95	51	44	369	244	125	41	76	106	285
11	Miliary fever														
12	Asiatic cholera														
13	Cholera nostras		1		1	3		3	4	2	2		1	2	1
14	Dysentery	1	6		7	67	47	20	309	201	108	7	16	7	32
15	Plague														
16	Yellow fever														
17	Leprosy												1		
18	Erysipelas	7	15	2	14	17	14	3	40	35	5	12	14	44	72
19	Other epidemic diseases		1		4	2	1	1	2	2		1	1	6	8
20	Purulent infection and septicemia	4	3	1	7	16	13	3	27	19	8	7	6	16	26
21	Glanders														
22	Anthrax				1	1		1						2	
23	Rabies					1		1					1	2	1
24	Tetanus		1		2	22	8	14	33	18	15	2	2	11	11
25	Mycoses			1					1	1				1	2
26	Pellagra			2	3	101	69	32	201	98	103		2	1	2
27	Beriberi	1										1			
	Tuberculosis (total)	80	112	65	264	911	403	508	2,882	1,296	1,586	567	733	899	1,586
28	Tuberculosis of the lungs	59	91	50	211	740	324	416	2,514	1,113	1,401	401	615	710	1,372
29	Acute miliary tuberculosis	3	4	4	5	50	8	42	79	26	53	31	27	26	27
30	Tuberculous meningitis	5	8	7	26	58	37	21	78	49	29	84	37	89	83
31	Abdominal tuberculosis	5	4	2	12	41	20	21	114	57	57	25	26	39	50
32	Pott's disease	2	1		2	4	3	1	18	9	9	9	10	10	12
33	White swellings	1			2	4	2	2	15	7	8	5	2	3	10
34	Tuberculosis of other organs	5	2	1	5	9	5	4	55	32	23	11	14	17	25
35	Disseminated tuberculosis		2	1	1	5	4	1	9	3	6	1	2	5	7
36	Rickets		3		2	7		7	12	4	8	3		13	14
37	Syphilis	6	25	3	6	133	45	88	167	49	118	80	31	56	76
38	Gonococcus infection	1	1		1	11	3	8	10	3	7	2	2	6	1
	Cancer and other malignant tumors (total)	109	128	49	344	331	250	81	848	600	248	553	382	832	1,278
39	Of the buccal cavity	6	3	4	8	10	8	2	34	29	5	17	15	18	36
40	Of the stomach, liver	43	73	16	121	102	80	22	291	201	90	209	196	352	671
41	Of the peritoneum, intestines, rectum	12	11	5	65	28	23	5	87	68	19	73	48	139	170
42	Of the female genital organs	15	15	8	53	87	60	27	174	104	70	89	38	102	114
43	Of the breast	10	7	4	22	35	22	13	80	53	27	45	21	62	79
44	Of the skin	4	5	3	15	9	8	1	47	44	3	12	12	16	48
45	Of other organs or of organs not specified	19	14	9	60	60	49	11	135	101	34	108	52	143	160
46	Other tumors (tumors of the female genital organs excepted)	2			4	2	2		6	4	2	1	3	3	2
47	Acute articular rheumatism	10	11	1	13	26	11	15	95	52	43	21	18	48	92
48	Chronic rheumatism and gout		7		5	8	6	2	35	24	11	6	7	14	37
49	Scurvy					1		1	1		1	2		2	2
50	Diabetes	11	35	11	71	66	56	10	127	101	26	107	91	147	268
51	Exophthalmic goiter	5	3	1	10	7	6	1	10	7	3	26	10	40	34
52	Addison's disease				4	1	1		2	2		5	3	3	8
53	Leukemia	3	5	2	8	11	9	2	25	17	8	12	8	19	44
54	Anemia, chlorosis	9	5	7	27	24	22	2	35	28	7	46	31	52	127
55	Other general diseases	4	13	2	6	13	11	2	40	26	14	17	7	25	25
56	Alcoholism (acute or chronic)	14	7	4	8	11	9	2	9	6	3	15	8	45	61
57	Chronic lead poisoning	2	1			1	1		3	2	1	1	1	3	5
58	Other chronic occupation poisonings											1			
59	Other chronic poisonings	1			4	2	2		4	2	2	2		2	3
	II.—Diseases of the nervous system and of the organs of special sense	133	219	78	588	839	430	409	2,357	1,462	895	500	746	931	2,056
60	Encephalitis	3	1	3	1	9	3	6	18	11	7	3	4	4	15
61	Meningitis (total)	12	23	6	23	49	31	18	155	116	39	21	29	80	81
	Simple meningitis	1	8	4	19	23	14	9	71	57	14	11	13	36	29
	Cerebrospinal meningitis (undefined)	6	10	1	4	12	8	4	50	38	12	6	7	14	22
	Cerebrospinal fever	5	5	1		14	9	5	34	21	13	4	9	30	30
62	Locomotor ataxia	2	1	1	13	18	10	8	15	9	6	13	11	18	42
63	Other diseases of the spinal cord (total)	9	9	1	36	31	14	17	134	102	32	30	30	45	115
	Acute anterior poliomyelitis	1		1	14	3	2	1	65	52	13	4	3	7	19
	Other diseases of the spinal cord [1]	8	9		22	28	12	16	69	50	19	26	27	38	96
64	Cerebral hemorrhage, apoplexy	78	133	54	425	538	273	265	1,165	730	435	326	402	605	1,274
65	Softening of the brain			1	3	23	15	8	30	23	7	4	6	4	10
66	Paralysis without specified cause	3	7	3	10	61	28	33	386	240	146	21	42	23	62
67	General paralysis of the insane	3	7	2	16	18	11	7	56	35	21	12	97	19	113
68	Other forms of mental alienation	4	2	1	7	6	3	3	47	31	16	5	38	12	73
69	Epilepsy	1	11	2	24	21	13	8	133	60	73	12	26	21	75
70	Convulsions (nonpuerperal)					3	1	2	10	2	8		1	2	3
71	Convulsions of infants	2	7	1	8	30	5	25	130	50	80	6	21	43	85
72	Chorea		1		1				1	1			3		1
73	Neuralgia and neuritis				1	3	2	1	11	7	4	2	3	6	8
74	Other diseases of the nervous system	6	10	2	13	17	13	4	49	32	17	24	23	30	73
75	Diseases of the eyes and their annexa		1		1	1		1					1	1	2
76	Diseases of the ears	10	6	1	6	11	8	3	17	13	4	21	9	18	24

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed Int. List No.	CAUSE OF DEATH.	UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
						Cities.			Rural districts.						
		Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	III.—Diseases of the circulatory system	223	349	133	945	1,074	596	478	2,580	1,556	1,024	826	857	1,400	2,677
77	Pericarditis	2	2	1	3	3	1	2	15	10	5	8	3	6	27
78	Acute endocarditis	15	14	3	22	47	20	27	46	26	20	81	38	129	105
79	Organic diseases of the heart	167	237	100	687	875	474	401	2,183	1,280	903	576	633	963	1,999
80	Angina pectoris	4	9	9	60	32	25	7	83	67	16	45	56	68	99
81	Diseases of the arteries, atheroma, aneurism, etc.	28	25	19	156	82	53	29	219	152	67	82	104	168	376
82	Embolism and thrombosis	5	8	1	16	30	19	11	21	14	7	23	14	27	48
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	1	.....	1	1	1	.....	2	2	.....	3	1	11	13
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1	.....	.....	4	3	1	4	4	.....	6	4	24	5
85	Hemorrhage; other diseases of the circulatory system	.....	2	.....	.....	.....	.....	.....	7	1	6	2	4	4	5
	IV.—Diseases of the respiratory system	178	391	95	618	1,088	402	686	2,308	1,340	968	471	556	1,662	2,132
86	Diseases of the nasal fossae	1	1	.....	1	2	1	1	45	16	29	1	4	3	3
87	Diseases of the larynx	.....	5	1	1	1	.....	1	24	18	6	4	3	19	18
88	Diseases of the thyroid body	4	1	3	5	9	5	4	9	5	4	5	4	9	8
89	Acute bronchitis	7	25	8	46	49	11	38	108	59	49	15	12	116	118
90	Chronic bronchitis	5	7	3	47	28	9	19	81	56	25	17	18	69	149
91	Bronchopneumonia	53	158	29	154	271	101	170	549	355	194	123	169	429	538
92	Pneumonia (total)	101	170	42	342	621	227	394	1,327	736	591	271	302	924	1,162
	Lobar pneumonia	95	147	34	227	522	175	347	794	454	340	257	268	811	930
	Pneumonia (undefined)	6	23	8	115	99	52	47	533	282	251	14	34	113	232
93	Pleurisy	2	5	1	7	34	20	14	45	28	17	13	12	41	46
94	Pulmonary congestion, pulmonary apoplexy	3	1	4	8	31	13	18	34	27	7	6	8	16	26
95	Gangrene of the lung	.....	1	2	.....	1	1	.....	4	2	2	5	.....	1	6
96	Asthma	1	7	2	6	22	8	14	48	24	24	8	20	21	40
97	Pulmonary emphysema	.....	2	.....	.....	4	2	2	.....	.....	.....	.....	.....	3	5
98	Other diseases of the respiratory system (tuberculosis excepted)	1	8	.....	1	15	4	11	34	14	20	3	4	11	13
	V.—Diseases of the digestive system	207	311	88	300	947	488	459	2,136	1,397	739	553	501	1,299	1,404
99	Diseases of the mouth and annexa	1	.....	1	2	10	5	5	32	15	17	6	2	11	11
100	Diseases of the pharynx	12	15	.....	14	13	7	6	25	23	2	27	24	36	57
101	Diseases of the esophagus	2	.....	2	2	.....	.....	.....	.....	.....	.....	.....	1	.....	3
102	Ulcer of the stomach	10	14	4	12	32	13	19	46	28	18	34	19	55	74
103	Other diseases of the stomach (cancer excepted)	5	13	2	16	52	21	31	230	143	87	26	36	65	127
104	Diarrhea and enteritis (under 2 years)	57	117	20	79	423	176	247	1,038	678	360	100	144	401	364
105	Diarrhea and enteritis (2 years and over)	17	31	4	37	94	53	41	322	218	104	49	80	98	135
106	Ankylostomiasis	.....	.....	.....	.....	1	1	.....	2	1	1	.....	.....	.....	.....
107	Intestinal parasites	.....	1	.....	.....	2	1	1	21	9	12	.....	1	.....	1
108	Appendicitis and typhlitis	47	51	20	36	88	60	28	86	55	31	118	51	198	154
109	Hernia, intestinal obstruction (total)	21	24	8	28	86	53	33	121	88	33	62	53	167	160
	Hernia	4	3	4	12	22	13	9	33	22	11	22	16	50	44
	Intestinal obstruction	17	21	4	16	64	40	24	88	66	22	40	37	117	116
110	Other diseases of the intestines	2	8	3	7	24	19	5	34	17	17	21	11	22	29
111	Acute yellow atrophy of the liver	.....	2	1	3	2	2	.....	3	3	.....	3	2	6	4
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	12	10	7	29	57	37	20	67	47	20	38	31	128	157
114	Biliary calculi	6	5	7	9	17	15	2	29	25	4	19	10	37	45
115	Other diseases of the liver	8	10	7	16	24	16	8	41	24	17	34	20	51	59
116	Diseases of the spleen	.....	.....	.....	.....	1	.....	1	3	3	.....	.....	1	3	2
117	Simple peritonitis (nonpuerperal)	5	8	2	8	18	7	11	34	19	15	6	14	13	19
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	2	.....	2	3	2	1	2	1	1	10	1	8	3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	165	213	73	393	859	512	347	1,821	1,081	740	515	409	845	1,263
119	Acute nephritis	14	20	4	26	84	29	55	129	73	56	24	22	42	83
120	Bright's disease	119	163	59	325	659	416	243	1,514	904	610	365	324	656	977
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	6	6	1	3	24	18	6	36	26	10	21	14	16	34
123	Calculi of the urinary passages	1	4	1	2	5	4	1	3	2	1	5	1	5	6
124	Diseases of the bladder	3	1	.....	10	8	4	4	27	15	12	4	4	19	47
125	Diseases of the urethra, urinary abscess, etc.	1	2	.....	.....	8	5	3	9	1	8	5	.....	2	2
126	Diseases of the prostate	8	9	4	16	29	22	7	52	36	16	42	24	40	73
127	Nonvenereal diseases of the male genital organs	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	1
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	4	4	3	4	17	3	14	11	5	6	16	7	23	15
130	Other diseases of the uterus	2	.....	.....	2	11	7	4	20	8	12	13	3	12	5
131	Cysts and other tumors of the ovary	1	1	1	3	5	1	4	6	4	2	2	4	12	10
132	Salpingitis and other diseases of the female genital organs	5	3	.....	2	9	3	6	11	6	5	17	6	17	10
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	VII.—The puerperal state	26	55	6	42	145	80	65	352	190	162	92	81	127	212
134	Accidents of pregnancy	1	5	.....	4	6	2	4	28	14	14	8	3	15	22
135	Puerperal hemorrhage	4	11	1	8	9	4	5	29	20	9	7	9	9	22
136	Other accidents of labor	2	3	.....	3	11	4	7	38	17	21	3	6	7	30
137	Puerperal septicemia	15	15	2	13	72	38	34	119	58	61	45	35	52	73
138	Puerperal albuminuria and convulsions	3	18	3	13	47	32	15	128	75	53	25	23	35	54
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1	3	.....	1	.....	.....	.....	8	5	3	3	5	8	10
140	Following childbirth (not otherwise defined)	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	1	1
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1917—Continued.

[See note at head of this table, p. 260.]

Detailed List No. Int.	CAUSE OF DEATH.	UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
						Cities.			Rural districts.						
		Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	VIII.—Diseases of the skin and of the cellular tissue	2	10	3	21	25	12	13	66	33	33	19	19	44	76
142	Gangrene	.....	7	1	11	14	5	9	31	15	16	6	12	11	48
143	Furuncle	.....	.....	1	2	3	3	.....	3	2	1	3	3	14	5
144	Acute abscess	1	2	.....	3	5	3	2	11	6	5	5	.....	11	9
145	Other diseases of the skin and annexa	1	1	1	5	3	1	2	21	10	11	5	4	8	14
	IX.—Diseases of the bones and of the organs of locomotion	3	4	1	6	15	9	6	31	20	11	26	13	37	28
146	Diseases of the bones (tuberculosis excepted)	3	3	.....	6	14	9	5	26	16	10	22	11	28	17
147	Diseases of the joints (tuberculosis and rheumatism excepted)	.....	1	1	.....	1	.....	1	4	3	1	3	2	6	6
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
149	Other diseases of the organs of locomotion	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	2	5
	X.—Malformations	25	54	9	45	52	42	10	218	174	44	78	96	112	208
150	Congenital malformations (stillbirths not included) (total)	25	54	9	45	52	42	10	218	174	44	78	96	112	208
	Hydrocephalus	2	5	.....	4	4	1	3	24	17	7	5	6	14	21
	Congenital malformations of the heart	14	37	2	25	27	24	3	91	79	12	59	59	63	106
	Other congenital malformations	9	12	7	16	21	17	4	103	78	25	14	31	35	81
	XI.—Early infancy	101	272	64	205	495	278	217	1,413	919	494	291	370	757	1,128
151	Congenital debility, icterus, and sclerema (total)	83	215	50	169	432	240	192	1,198	786	412	212	296	588	922
	Premature birth	75	184	38	125	309	180	129	759	564	195	174	226	448	734
	Congenital debility, "atrophy," "marasmus," etc	8	31	12	44	123	60	63	439	222	217	38	70	140	188
152	Other causes peculiar to early infancy (total)	18	56	13	35	55	36	19	203	130	73	79	73	168	206
	Injuries at birth	15	25	7	15	25	18	7	94	70	24	45	43	92	98
	Other causes peculiar to early infancy [1]	3	31	6	20	30	18	12	109	60	49	34	30	76	108
153	Lack of care	.....	1	1	1	8	2	6	12	3	9	.....	1	1	.....
	XII.—Old age	13	74	11	102	60	41	19	611	325	286	90	134	211	721
154	Senility	13	74	11	102	60	41	19	611	325	286	90	134	211	721
	XIII.—External causes	186	274	51	279	493	297	196	1,339	834	505	539	735	870	1,190
	Suicide (total)	31	15	13	49	39	34	5	92	83	9	106	82	141	211
155	By poison	9	3	4	8	10	9	1	13	12	1	24	7	23	35
156	By asphyxia	1	.....	.....	2	1	1	.....	.....	.....	.....	17	1	15	2
157	By hanging or strangulation	3	2	2	12	3	2	1	18	16	2	4	14	34	69
158	By drowning	1	1	2	5	1	.....	1	9	8	1	5	9	17	27
159	By firearms	12	7	5	17	21	20	1	43	38	5	39	39	43	57
160	By cutting or piercing instruments	3	1	.....	5	2	2	.....	7	7	.....	9	9	5	13
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	2	1	1
162	By crushing	1	.....	.....	.....	1	.....	1	.....	.....	.....	2	.....	1	6
163	Other suicides	.....	1	.....	.....	.....	.....	.....	2	2	.....	2	1	2	1
	Accidental or undefined (total)	141	246	38	224	379	243	136	1,138	693	445	396	619	675	951
164	Poisoning by food	4	11	.....	3	4	2	2	23	18	5	8	11	7	13
165	Other acute poisonings	5	10	1	7	11	8	3	18	9	9	7	8	6	20
166	Conflagration	1	1	.....	6	2	1	1	44	8	36	8	4	6	24
167	Burns (conflagration excepted)	4	13	1	13	48	31	17	245	122	123	23	25	55	74
168	Absorption of deleterious gases (conflagration excepted)	7	1	4	9	26	19	7	37	20	17	23	16	26	37
169	Accidental drowning	8	21	6	28	35	17	18	114	63	51	39	110	64	141
170	Traumatism by firearms	5	11	1	8	20	9	11	73	43	30	3	20	18	28
171	Traumatism by cutting or piercing instruments	.....	1	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	4
172	Traumatism by fall	17	29	8	58	64	50	14	123	94	29	76	52	123	144
173	Traumatism in mines and quarries (total)	19	37	1	4	3	2	1	86	69	17	3	28	4	10
	Traumatism in mines	18	36	.....	.....	3	2	1	85	68	17	3	28	2	9
	Traumatism in quarries	1	1	1	4	.....	.....	.....	1	1	.....	.....	.....	2	1
174	Traumatism by machines	8	12	1	4	12	5	7	47	31	16	37	33	24	30
175	Traumatism by other crushing (total)	44	69	11	47	100	73	27	164	120	44	124	194	243	272
	Railroad accidents and injuries	18	32	5	30	44	31	13	106	81	25	28	74	102	128
	Street-car accidents and injuries	4	4	1	.....	12	7	5	8	6	2	21	5	30	15
	Automobile accidents and injuries	17	15	4	10	28	21	7	24	19	5	60	57	75	52
	Injuries by other vehicles	4	16	1	5	11	9	2	23	12	11	11	22	26	58
	Landslide, other crushing	1	2	.....	2	5	5	.....	3	2	1	4	36	10	19
176	Injuries by animals	2	2	2	5	1	1	.....	16	10	6	4	10	10	23
177	Starvation	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
178	Excessive cold	.....	3	.....	4	1	.....	1	20	5	15	1	2	4	22
179	Effects of heat	.....	.....	.....	.....	15	8	7	9	2	7	.....	2	14	10
180	Lightning	1	6	.....	3	.....	.....	.....	23	15	8	.....	.....	.....	10
181	Electricity (lightning excepted)	7	4	.....	1	.....	.....	.....	8	6	2	4	6	7	7
185	Fractures (cause not specified)	.....	.....	.....	.....	4	3	1	6	5	1	.....	1	3	3
186	Other external violence	9	15	2	23	33	14	19	80	52	28	36	96	61	79
	Homicide (total)	14	13	.....	6	75	20	55	109	58	51	37	34	54	28
182	By firearms	9	8	.....	4	45	12	33	76	44	32	28	24	22	13
183	By cutting or piercing instruments	4	2	.....	.....	9	1	8	9	4	5	3	3	5	3
184	By other means	1	3	.....	2	21	7	14	24	10	14	6	7	27	12
	XIV.—Ill-defined diseases	81	83	1	10	90	28	62	1,255	643	612	24	98	37	174
187	Ill-defined organic disease	.....	.....	.....	.....	1	.....	1	69	33	36	.....	4	1	14
188	Sudden death	1	7	.....	2	4	.....	4	115	57	58	.....	4	6	26
189	Not specified or ill-defined (total)	80	76	1	8	85	28	57	1,071	553	518	24	90	30	134
	Ill-defined	79	62	.....	2	66	19	47	352	193	159	10	25	14	46
	Not specified or unknown	1	14	1	6	19	9	10	719	360	359	14	65	16	88

[1] Exclusive of injuries at birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes	1,066,711	171,024	37,638	16,893	10,520	7,633	243,708	23,070	16,086	25,679	38,131
	Males	585,088	96,951	20,127	8,903	5,563	3,997	135,541	12,408	8,441	12,954	19,620
	Females	481,623	74,073	17,511	7,990	4,957	3,636	108,167	10,662	7,645	12,725	18,511
	I.—General diseases	284,993	18,591	11,168	6,506	4,571	3,450	44,286	10,141	6,318	12,008	18,237
	Males	146,334	10,078	5,802	3,398	2,339	1,787	23,404	5,133	2,738	5,133	8,735
	Females	138,659	8,513	5,366	3,108	2,232	1,663	20,882	5,008	3,580	6,875	9,502
1	Typhoid fever	M. 5,888	51	77	67	74	76	345	377	419	764	930
		F. 4,201	39	47	83	54	52	275	369	507	753	575
2	Typhus fever	M. 9							1			
		F. 7										1
3	Relapsing fever	M.										
		F. 1									1	
4	Malaria	M. 1,209	128	85	54	35	29	331	100	70	53	58
		F. 1,176	116	67	52	47	33	315	97	54	77	71
5	Smallpox	M. 121	19	5	3	2		29	5	2	4	8
		F. 83	14	3	1	2	3	23	3	8	6	10
6	Measles	M. 5,301	1,294	1,376	627	380	211	3,888	454	167	242	160
		F. 5,141	1,069	1,238	568	347	194	3,416	494	204	189	137
7	Scarlet fever	M. 1,605	88	177	223	173	149	810	419	121	90	69
		F. 1,519	66	156	176	159	149	706	410	141	78	63
8	Whooping cough	M. 3,635	2,067	847	318	141	83	3,456	138	18	8	3
		F. 4,202	2,183	1,096	427	187	105	3,998	146	31	7	5
9	Diphtheria and croup	M. 6,469	545	1,045	981	818	651	4,040	1,650	363	128	67
		F. 5,973	448	797	813	740	604	3,402	1,717	412	115	81
10	Influenza	M. 6,087	845	233	92	62	32	1,264	99	49	89	103
		F. 6,878	600	195	94	63	32	984	109	80	97	106
11	Miliary fever	M. 1										
		F.										
12	Asiatic cholera	M.										
		F.										
13	Cholera nostras	M. 123	31	13	4	2	5	55	5	1		1
		F. 119	20	10	5	3	3	41	5	3	1	1
14	Dysentery	M. 2,256	475	419	175	80	52	1,201	106	37	20	15
		F. 2,290	448	359	163	72	41	1,083	72	23	20	20
15	Plague	M.										
		F.										
16	Yellow fever	M.										
		F.										
17	Leprosy	M. 14									1	1
		F. 3										1
18	Erysipelas	M. 1,590	429	23	4	2	2	460	9	5	15	22
		F. 1,273	395	34	13	8	1	451	8	6	18	35
19	Other epidemic diseases	M. 230	93	41	13	11	7	165	29	7	6	
		F. 175	61	34	8	10	5	118	19	6	5	4
20	Purulent infection and septicemia	M. 630	82	11	9	6	7	115	23	26	23	28
		F. 480	54	7	7	5	4	77	18	15	39	33
21	Glanders	M. 2										
		F. 2										
22	Anthrax	M. 59				1		1	1		1	3
		F. 2										1
23	Rabies	M. 50		1	3	3	4	11	12	4	1	2
		F. 16		1		3	1	5	4	2	2	
24	Tetanus	M. 955	194	8	12	9	13	236	121	118	62	61
		F. 374	135	7	3	4	6	155	62	29	15	10
25	Mycoses	M. 27									1	2
		F. 12		1				1				1
26	Pellagra	M. 1,066	13	13	14	5	10	55	34	24	18	40
		F. 2,600	13	14	14	11	6	58	29	32	109	241
27	Beriberi	M. 9	5					5				1
		F. 6	2			1		3			1	1
	Tuberculosis (total)	M. 62,243	1,553	1,066	614	392	318	3,943	990	817	3,057	6,353
		F. 47,901	1,202	991	497	388	304	3,382	968	1,474	4,744	7,265
28	Tuberculosis of the lungs	M. 53,292	518	297	143	97	76	1,131	353	470	2,503	5,681
		F. 39,998	362	316	133	101	77	989	405	1,066	4,084	6,513
29	Acute miliary tuberculosis	M. 1,979	96	72	37	21	27	253	42	52	183	233
		F. 1,652	72	53	28	19	18	190	67	92	266	295
30	Tuberculous meningitis	M. 3,241	698	567	338	201	159	1,963	379	135	139	131
		F. 2,843	584	520	276	212	161	1,753	341	161	136	112
31	Abdominal tuberculosis	M. 1,774	126	73	56	33	26	314	98	64	103	139
		F. 1,971	90	53	27	30	20	220	75	81	163	213
32	Pott's disease	M. 507	8	8	10	14	14	54	53	33	39	62
		F. 382	15	4	9	13	17	58	28	27	31	26
33	White swellings	M. 315	8	6	5	4	3	26	23	26	31	29
		F. 190	6	7	5	2	6	26	22	8	10	16
34	Tuberculosis of other organs	M. 806	51	29	13	19	8	120	35	28	41	55
		F. 575	35	27	13	8	4	87	20	22	35	55
35	Disseminated tuberculosis	M. 329	48	14	12	3	5	82	7	9	18	23
		F. 290	38	11	6	3	1	59	10	17	19	35
36	Rickets	M. 309	185	75	20	9	6	295	7	1	2	
		F. 257	137	60	27	4	3	231	6	3		2
37	Syphilis	M. 5,170	1,273	104	37	16	17	1,447	29	20	61	175
		F. 2,625	969	86	35	19	10	1,119	28	21	61	118
38	Gonococcus infection	M. 128	22		1	1		24	2		7	10
		F. 467	24	1	1			26	3	4	42	80

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
41,235	42,968	47,488	48,614	52,442	57,305	62,413	67,496	72,220	74,303	65,890	48,469	25,280	8,985	2,152	754	2,023	
22,268	24,289	27,385	28,699	31,309	33,989	36,338	38,397	39,746	39,436	33,335	23,256	11,433	3,748	826	285	1,385	
18,967	18,679	20,103	19,915	21,133	23,316	26,075	29,099	32,474	34,867	32,555	25,213	13,847	5,237	1,326	469	638	
18,830	17,983	18,600	17,708	17,917	17,946	18,285	17,283	15,998	13,578	9,990	5,782	2,586	811	177	55	474	
9,729	9,828	10,446	9,832	9,786	9,689	9,589	8,916	7,991	6,473	4,592	2,550	1,092	331	77	18	252	
9,101	8,155	8,154	7,876	8,131	8,257	8,696	8,367	8,007	7,105	5,398	3,232	1,494	480	100	37	222	
690	544	461	324	329	208	176	119	96	39	27	15	3	3	.....	.....	19	1
374	305	227	183	183	123	98	78	64	37	29	9	1	.....	.....	.....	11	
1	1	2	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
2	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
57	53	56	49	47	56	59	61	41	47	26	19	10	7	1	.....	8	4
72	56	63	56	33	33	39	40	46	36	39	27	12	1	2	1	6	
10	2	11	4	6	11	8	4	7	4	1	2	1	.....	.....	1	1	5
4	5	6	6	3	1	3	.....	3	.....	.....	.....	2	.....	.....	.....	.....	
70	45	52	43	38	26	36	28	22	12	3	6	.....	.....	.....	.....	9	6
99	97	106	94	67	58	27	39	37	27	26	13	3	.....	.....	1	7	
38	23	10	13	4	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	2	7
55	31	15	7	5	2	1	1	1	1	.....	1	.....	1	.....	.....	.....	
.....	1	.....	2	.....	1	.....	3	2	1	.....	.....	.....	1	.....	.....	1	8
2	1	2	.....	.....	2	.....	1	1	2	1	.....	.....	.....	.....	.....	3	
38	44	31	26	29	19	8	10	7	2	3	1	1	.....	.....	.....	2	9
53	55	41	26	21	17	8	4	8	9	1	.....	.....	.....	.....	.....	3	
110	123	161	192	207	228	318	377	415	531	666	605	354	145	36	10	5	10
106	120	144	166	175	242	303	409	552	769	880	850	500	202	53	18	13	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	1	2	4	4	6	4	6	6	10	6	4	3	2	.....	.....	.....	13
4	2	3	2	3	2	6	3	7	11	13	4	5	3	.....	.....	.....	
26	29	40	38	41	29	61	71	94	123	129	103	53	26	2	4	8	14
29	23	32	42	46	37	65	81	112	171	171	146	74	23	6	2	12	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	3	.....	1	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
44	53	72	86	91	119	123	105	91	113	80	61	28	8	2	.....	3	18
39	36	50	50	61	78	56	67	78	62	73	65	21	12	6	.....	1	
2	2	1	2	4	2	3	2	3	.....	1	1	.....	.....	.....	.....	.....	19
3	.....	3	1	2	.....	3	4	2	1	1	1	1	.....	.....	.....	1	
29	34	39	37	37	36	55	36	37	29	17	21	4	2	1	.....	1	20
36	32	31	38	23	23	16	18	20	16	21	13	8	1	1	.....	1	
.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
7	3	7	7	7	8	3	4	4	1	2	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	2	2	4	3	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	.....	23
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
43	42	45	46	51	40	27	26	20	12	3	.....	.....	.....	.....	.....	2	24
9	18	15	11	10	7	15	6	3	5	3	1	.....	.....	.....	.....	.....	
.....	4	2	.....	2	3	5	1	2	3	1	.....	1	.....	.....	.....	.....	25
4	2	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
42	41	71	79	101	88	82	114	121	85	34	17	6	4	.....	1	9	26
277	283	337	255	221	172	137	158	106	78	50	24	8	5	1	3	16	
1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
7,340	7,172	7,170	6,161	5,226	4,366	3,371	2,440	1,738	1,137	566	205	76	11	7	1	96	
6,739	5,308	4,400	3,286	2,481	1,856	1,547	1,329	1,143	907	589	270	92	23	5	2	91	
6,650	6,592	6,617	5,680	4,813	4,059	3,095	2,227	1,559	1,012	497	183	66	11	7	.....	86	28
6,129	4,806	3,988	2,921	2,213	1,647	1,338	1,179	983	793	526	240	79	17	4	2	76	
248	204	219	157	149	83	57	45	28	15	5	3	1	.....	.....	.....	2	29
212	164	109	83	46	38	24	18	19	14	6	3	.....	.....	.....	.....	6	
116	84	87	67	52	31	25	11	10	2	3	1	1	.....	.....	1	3	30
73	59	55	47	30	25	20	14	4	5	2	4	.....	.....	.....	.....	2	
141	136	118	118	98	91	106	87	69	56	24	7	2	.....	.....	.....	3	31
210	164	157	137	105	83	100	72	84	53	29	11	7	.....	1	.....	6	
42	35	31	26	30	27	22	16	11	11	12	2	1	.....	.....	.....	.....	32
31	23	23	30	21	18	22	16	13	8	3	2	1	1	.....	.....	.....	
37	22	15	23	12	14	11	10	15	12	5	3	1	.....	.....	.....	.....	33
10	10	11	10	12	13	5	4	11	11	8	2	1	.....	.....	.....	.....	
76	66	56	67	55	43	41	37	37	26	15	4	3	.....	.....	.....	1	34
55	59	38	37	29	22	31	22	20	17	12	6	3	5	.....	.....	.....	
30	33	27	23	17	18	14	7	9	3	5	2	1	.....	.....	.....	1	35
19	23	19	21	25	10	7	4	9	6	3	2	1	.....	.....	.....	1	
1	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	36
2	.....	1	4	1	1	1	2	1	2	1	.....	.....	.....	.....	.....	.....	
256	352	537	483	468	399	332	238	191	78	50	24	10	2	2	.....	16	37
158	184	207	180	148	127	89	64	56	33	16	9	.....	1	.....	.....	6	
18	8	10	6	15	7	5	7	3	5	1	.....	.....	.....	.....	.....	.....	38
89	62	71	51	30	2	3	1	2	.....	.....	1	.....	.....	.....	.....	.....	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.												
	Cancer and other malignant tumors (total)	M	25,343	31	27	26	27	24	135	88	68	86	171
		F	36,086	37	22	24	30	22	135	54	52	108	190
39	Of the buccal cavity	M	1,895	1	2	3	1	1	8	2	7	2	6
		F	384	2		1	1	2	6	5		5	1
40	Of the stomach, liver	M	11,824	5	4	2	2	3	16	6	4	10	29
		F	11,582	6	3		3	3	15	8	8	10	34
41	Of the peritoneum, intestines, rectum	M	3,510	2	2	6	2	4	16	17	11	14	35
		F	4,667	5	3	3	4	2	17	4	1	14	37
42	Of the female genital organs	F	9,331	1	1	1			3	2	9	17	65
43	Of the breast	M	90								1		2
		F	5,622	1					1			1	10
44	Of the skin	M	1,396	2			1		3	3	2		4
		F	761	1	1	4	1	1	8	1	3		3
45	Of other organs or of organs not specified	M	6,628	21	19	15	21	16	92	60	43	60	95
		F	3,739	21	14	15	21	14	85	34	31	61	40
46	Other tumors (tumors of the female genital organs excepted)	M	110	10	1	2		1	14	1		1	2
		F	162	3	2				5	4		6	3
47	Acute articular rheumatism	M	1,740	15	12	15	28	30	100	201	196	118	97
		F	1,692	11	7	15	19	33	85	184	213	113	94
48	Chronic rheumatism and gout	M	365							1	3	4	6
		F	656		1		1	1	3	2	2		6
49	Scurvy	M	46	21	9	3			33	1	1		2
		F	48	28	7	2			37		2		1
50	Diabetes	M	5,950	17	21	21	21	30	110	101	116	167	175
		F	6,784	8	12	16	18	21	75	96	175	129	133
51	Exophthalmic goiter	M	149			1	1	1	3		1	4	13
		F	1,115	1					1	1	8	44	84
52	Addison's disease	M	146		1				1	1	2	4	7
		F	174								1	2	10
53	Leukemia	M	899	27	23	15	13	13	91	59	38	52	50
		F	607	14	22	14	12	12	74	30	26	27	43
54	Anemia, chlorosis	M	1,768	97	37	10	2	2	148	26	17	18	31
		F	2,254	76	27	10	10	6	129	29	28	44	52
55	Other general diseases	M	861	467	52	34	25	14	592	42	27	18	13
		F	762	340	62	40	15	12	469	40	18	19	17
56	Alcoholism (acute or chronic)	M	3,500									6	40
		F	407									1	4
57	Chronic lead poisoning	M	143	1					1	1			1
		F	4										
58	Other chronic occupation poisonings	M	18									1	
		F											
59	Other chronic poisonings	M	110									1	15
		F	125							1		2	3
	II.—Diseases of the nervous system and of the organs of special sense		100,291	4,471	1,544	980	653	485	8,133	1,602	1,129	1,259	1,295
	Males		53,300	2,628	827	542	351	263	4,611	897	610	745	777
	Females		46,991	1,843	717	438	302	222	3,522	705	519	514	518
60	Encephalitis	M	378	63	29	10	12	4	118	24	17	19	25
		F	242	40	10	9	8	4	71	13	11	11	19
61	Meningitis (total)	M	3,959	858	412	302	187	135	1,894	456	240	260	219
		F	2,714	622	330	243	155	112	1,462	319	232	128	93
	Simple meningitis	M	1,573	405	162	136	87	44	834	140	69	72	51
		F	1,162	283	136	115	60	47	641	100	72	54	41
	Cerebrospinal meningitis (undefined)	M	726	167	95	59	30	34	385	91	41	51	40
		F	460	104	66	48	27	25	270	58	46	16	14
	Cerebrospinal fever	M	1,660	286	155	107	70	57	675	225	130	137	128
		F	1,092	235	128	80	68	40	551	161	114	58	38
62	Locomotor ataxia	M	1,373									2	5
		F	399				1		1				2
63	Other diseases of the spinal cord (total)	M	2,716	125	104	89	62	52	432	119	70	64	59
		F	2,431	113	119	71	56	51	410	105	70	35	32
	Acute anterior poliomyelitis	M	627	110	95	76	58	50	389	103	38	20	20
		F	555	91	111	67	52	42	363	90	50	13	7
	Other diseases of the spinal cord[1]	M	2,089	15	9	13	4	2	43	16	32	44	39
		F	1,876	22	8	4	4	9	47	15	20	22	25
64	Cerebral hemorrhage, apoplexy	M	31,328	77	26	7	9	10	129	38	35	62	96
		F	31,089	91	27	13	10	4	145	30	25	63	89
65	Softening of the brain	M	468							1		2	1
		F	420									1	1
66	Paralysis without specified cause	M	2,637	13	6	5	1	2	27	9	9	11	18
		F	2,803	19	5	6	2	2	34	11	8	9	11
67	General paralysis of the insane	M	3,813								2	9	15
		F	1,435							1	2	4	19
68	Other forms of mental alienation	M	694								2	16	44
		F	957								1	26	46
69	Epilepsy	M	1,906	65	21	13	16	9	124	62	96	171	183
		F	1,255	33	22	16	9	10	90	55	63	125	116
70	Convulsions (nonpuerperal)	M	60							28	5	5	4
		F	77							17	6	11	8
71	Convulsions of infants	M	1,276	1,103	99	39	20	15	1,276				
		F	896	719	120	33	16	8	896				
72	Chorea	M	36	2	2				4	4	6	6	3
		F	66	3	3			1	7	7	6	16	6
73	Neuralgia and neuritis	M	158	4					4	1	2	1	1
		F	271	2			1	1	4		1	3	8

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
264	415	665	1,106	1,760	2,577	3,299	3,772	3,771	3,215	2,277	1,121	419	82	22	1	29	
390	913	1,699	2,671	3,591	4,248	4,752	4,418	4,249	3,713	2,671	1,411	607	148	20	8	38	
8	16	42	80	142	182	238	289	277	239	184	112	42	11	3	1	4	39
2	8	12	18	23	24	36	37	38	53	52	38	17	8		1		
75	141	283	507	872	1,352	1,685	1,938	1,825	1,505	960	425	151	17	6		17	40
63	169	302	545	846	1,241	1,563	1,623	1,750	1,523	1,097	535	199	32	4	3	12	
45	86	106	196	254	348	486	497	500	438	294	124	38	3			2	41
56	99	181	252	376	476	595	638	621	602	416	185	77	14	1		5	
153	370	709	1,004	1,326	1,307	1,274	1,019	835	601	375	172	60	16	3		11	42
	1	2	8	9	10	10	14	8	9	9	3	3		1			
42	137	319	576	703	763	751	646	501	471	337	212	110	32	4	1	5	43
8	14	25	30	59	71	114	159	187	212	222	172	75	26	8		2	
3	13	6	11	24	39	49	47	73	106	115	132	90	28	7	3		44
128	157	207	285	424	614	766	875	974	812	608	285	110	25	4		4	
71	117	170	265	293	398	484	408	431	357	279	137	54	18	1		5	45
6	2	3	9	9	10	11	8	8	13	7	4	1	1				46
4	5	7	12	13	13	7	13	18	15	18	12	5	2				
73	83	89	93	92	98	111	87	103	66	60	44	22	4			3	47
107	78	98	73	80	76	79	92	98	70	68	43	23	14	1	1	2	
9	15	10	21	15	21	35	35	37	51	51	32	13	4			2	48
3	17	13	24	31	45	59	71	92	110	82	59	25	8	3	1		
1			2			1	3		1		1						49
1	1		2	2	1	1											
207	208	185	244	370	526	732	780	739	596	404	196	64	18	3		9	50
161	169	195	229	391	602	873	1,060	933	785	479	197	73	23	1		5	
10	12	14	15	18	18	15	9	7	4	2	2		1			1	51
82	118	126	117	137	120	121	58	54	20	13	5	4				2	
6	6	11	11	16	13	21	15	17	7	6	1					1	52
9	18	12	19	18	24	17	15	16	8	4		1					
62	67	46	57	76	55	70	77	51	27	10	7					4	53
38	33	38	32	40	35	53	46	37	29	20	5	1					
37	36	67	105	148	211	231	220	177	150	88	34	15	8	1			54
72	101	113	146	213	257	264	233	234	160	103	46	20	9			1	
12	19	8	10	14	15	22	18	15	17	11	4	3	1				55
23	15	16	9	23	10	16	15	13	16	13	16	7	4	1		2	
191	363	526	517	520	470	329	219	148	82	48	14	5	1			21	56
42	59	72	65	58	27	27	27	14	4	5	2						
4	8	20	19	25	19	20	13	9	2	1							57
		1	1		2												
1	4	4	2	2		3		1									58
13	8	10	13	7	2	6	5	6	8	11	5						59
12	7	8	20	16	13	6	12	6	7	8	2	1				1	
1,520	2,045	2,945	3,893	5,003	6,507	8,037	9,569	11,199	12,299	11,005	7,711	3,662	1,053	224	59	142	
916	1,204	1,831	2,249	2,823	3,600	4,351	5,231	5,970	6,325	5,351	3,631	1,550	430	85	21	92	
604	841	1,114	1,644	2,180	2,907	3,686	4,338	5,229	5,974	5,654	4,080	2,112	623	139	38	50	
21	25	28	19	21	15	13	9	4	7	6	4	2				1	60
4	15	13	18	14	12	7	10	9	5	4	1	3	1			1	
168	134	129	99	102	86	53	39	33	24	6	4	5	1			7	61
73	68	51	56	52	39	48	24	28	12	19	4	1				5	
50	50	50	48	41	45	34	22	28	18	6	4	5				6	
28	27	25	33	29	24	34	9	18	9	12	3					3	
30	18	21	12	15	11	2	5	2	1							1	
8	9	6	5	3	3	4	6	3	3	3	1					2	
88	66	58	39	46	30	17	12	3	5			1					
37	32	20	18	20	12	10	9	7		4		1					
12	30	50	116	159	200	219	193	177	122	49	27	9	3				62
3	20	18	24	37	45	68	51	53	41	20	14	2					
58	56	78	92	114	152	217	253	273	292	213	116	38	14	2		4	63
41	46	54	87	114	132	168	217	252	264	226	112	50	10	4	1	1	
15	9	8	5	3	4	4		4	1	1	1		1			1	
8	5	3	2	2	3	2	3	3	1								
43	47	70	87	111	148	213	253	269	291	212	115	38	13	2		3	
33	41	51	85	112	129	166	214	249	263	226	112	50	10	4	1	1	
193	264	509	896	1,412	2,237	2,926	3,887	4,651	4,975	4,326	2,994	1,230	335	72	11	50	64
151	245	444	897	1,371	2,079	2,791	3,393	4,141	4,864	4,593	3,378	1,718	506	111	28	27	
	1	3	8	6	19	30	46	64	84	88	68	36	6	2	1	2	65
2	1	6	7	8	9	24	27	59	71	88	71	32	8	5			
12	18	43	54	78	120	173	308	342	471	410	285	170	55	8	7	9	66
18	18	50	61	103	142	178	242	341	450	460	354	215	74	15	7	7	
82	319	557	582	562	474	382	257	179	173	108	71	29	8			4	67
32	105	147	161	163	145	119	114	124	101	91	60	32	9	1	2	3	
55	59	73	63	59	58	72	53	56	34	31	9	4	3			3	68
69	85	89	86	94	103	84	86	64	40	39	23	15	5			2	
175	163	199	159	125	83	100	79	71	52	31	13	11	1			8	69
110	114	109	94	77	60	63	57	43	33	25	11	8				2	
3	3	3	2	2	1	2	1			1							70
9	6	8	4	2		2	1			2	1						
																	71
	1	2	1	2	1		3	1	1	1							72
2	2	3	2	2	1	1	2	2	3		3			1			
7	7	7	11	15	15	15	16	19	13	12	6	3	1	1		1	73
7	12	16	27	13	25	24	22	35	19	24	11	14	5	1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74	Other diseases of the nervous system	M. 1,496	123	49	20	20	15	227	64	66	66	56
		F. 1,235	84	19	16	23	17	159	57	44	49	50
75	Diseases of the eyes and their annexa	M. 53	5	3	2	1	1	12	3	3	.....	1
		F. 44	3	1	3	3	3	13	4	4	1	1
76	Diseases of the ears	M. 949	190	76	55	23	20	364	88	57	51	47
		F. 652	114	61	28	18	9	230	86	46	32	17
	III.—Diseases of the circulatory system	151,701	1,237	256	179	165	179	2,016	1,273	1,605	1,792	2,099
	Males	81,724	687	127	82	96	87	1,079	639	687	869	974
	Females	69,977	550	129	97	69	92	937	634	918	923	1,125
77	Pericarditis	M. 459	6	2	1	2	3	14	10	14	7	18
		F. 373	6	2	.....	1	7	16	13	12	16	10
78	Acute endocarditis	M. 3,651	169	26	24	27	30	276	141	100	115	153
		F. 3,018	136	35	26	25	17	239	132	157	148	148
79	Organic diseases of the heart	M. 60,834	306	70	35	55	45	511	457	556	708	748
		F. 54,470	262	66	53	36	61	478	462	729	727	896
80	Angina pectoris	M. 3,762	.....	.....	.....	.....	1	1	.....	1	7	11
		F. 2,152	1	.....	.....	.....	.....	1	3	4	4	12
81	Diseases of the arteries, atheroma, aneurism, etc.	M. 11,051	2	.....	.....	.....	.....	2	.....	1	13	8
		F. 7,999	1	.....	.....	.....	.....	1	1	.....	1	10
82	Embolism and thrombosis	M. 1,354	29	6	5	3	2	45	9	3	14	26
		F. 1,352	23	2	4	1	2	32	9	8	18	33
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	M. 185	5	2	1	.....	1	9	2	.....	1	3
		F. 269	6	.....	.....	.....	.....	6	1	1	2	8
84	Diseases of the lymphatic system (lymphangitis, etc.)	M. 255	148	19	16	9	5	197	16	5	2	5
		F. 199	105	22	14	5	5	151	8	5	3	6
85	Hemorrhage; other diseases of the circulatory system	M. 173	22	2	.....	.....	.....	24	4	7	2	2
		F. 145	10	2	.....	1	.....	13	5	2	4	2
	IV.—Diseases of the respiratory system	133,904	27,567	9,320	3,606	1,766	1,130	43,389	2,458	1,384	2,252	3,230
	Males	76,054	15,683	5,011	1,919	962	610	24,185	1,300	708	1,361	2,068
	Females	57,850	11,884	4,309	1,687	804	520	19,204	1,158	676	891	1,162
86	Diseases of the nasal fossae	M. 179	119	3	3	5	2	132	3	3	2	2
		F. 188	104	11	5	2	4	126	6	5	4	7
87	Diseases of the larynx	M. 487	102	72	51	41	33	299	42	11	6	6
		F. 334	79	41	45	31	15	211	35	3	5	7
88	Diseases of the thyroid body	M. 77	6	2	.....	.....	1	9	.....	4	4	4
		F. 444	5	.....	2	.....	.....	7	2	11	16	26
89	Acute bronchitis	M. 3,749	2,171	401	129	54	30	2,785	41	17	12	16
		F. 3,547	1,693	352	118	48	32	2,243	33	13	12	15
90	Chronic bronchitis	M. 2,315	42	26	9	3	2	82	20	8	14	26
		F. 2,696	40	24	10	2	2	78	17	6	28	37
91	Bronchopneumonia	M. 19,869	8,499	2,587	876	394	230	12,586	387	133	141	148
		F. 18,010	6,346	2,301	782	342	225	9,996	381	146	128	118
92	Pneumonia (total)	M. 45,063	4,455	1,759	778	428	283	7,703	735	492	1,110	1,732
		F. 29,454	3,402	1,448	652	347	217	6,066	631	435	638	858
	Lobar pneumonia	M. 39,900	3,446	1,461	635	355	239	6,136	610	421	960	1,551
		F. 25,208	2,620	1,195	537	278	181	4,811	529	357	526	734
	Pneumonia (undefined)	M. 5,163	1,009	298	143	73	44	1,567	125	71	150	181
		F. 4,246	782	253	115	69	36	1,255	102	78	112	124
93	Pleurisy	M. 1,695	105	121	58	28	18	330	53	30	55	74
		F. 1,132	92	96	51	23	15	277	35	38	33	47
94	Pulmonary congestion, pulmonary apoplexy	M. 686	133	18	3	2	3	159	6	4	4	14
		F. 785	83	22	7	6	4	122	3	2	8	4
95	Gangrene of the lung	M. 154	.....	.....	.....	.....	.....	.....	1	1	2	8
		F. 72	.....	2	2	.....	1	5	4	.....	5	8
96	Asthma	M. 1,008	14	10	5	4	6	39	4	4	3	9
		F. 811	10	7	5	1	3	26	2	6	.....	11
97	Pulmonary emphysema	M. 108	6	1	1	.....	1	9	1	.....	1	1
		F. 62	5	.....	3	.....	.....	8	2	1	.....	2
98	Other diseases of the respiratory system (tuberculosis excepted)	M. 664	31	11	6	3	1	52	7	1	7	28
		F. 315	25	5	5	2	2	39	7	10	14	22
	V.—Diseases of the digestive system	109,808	41,422	11,929	3,282	1,557	963	59,153	2,470	1,667	1,744	2,195
	Males	59,905	23,395	6,485	1,718	825	517	32,940	1,290	908	956	1,146
	Females	49,903	18,027	5,444	1,564	732	446	26,213	1,180	759	788	1,049
99	Diseases of the mouth and annexa	M. 372	120	34	8	4	3	169	18	6	2	13
		F. 344	121	19	8	4	3	155	20	9	7	11
100	Diseases of the pharynx	M. 1,165	108	62	58	65	46	339	165	73	67	75
		F. 1,009	75	52	47	51	31	256	163	89	75	67
101	Diseases of the esophagus	M. 72	5	1	1	.....	.....	7	1	.....	1	4
		F. 48	3	.....	1	1	1	6	4	.....	1	3
102	Ulcer of the stomach	M. 2,081	10	.....	3	.....	.....	13	3	7	20	63
		F. 1,221	4	4	2	2	1	13	7	11	22	61
103	Other diseases of the stomach (cancer excepted)	M. 3,632	1,236	184	69	35	25	1,549	67	33	31	48
		F. 3,389	912	160	79	40	26	1,217	47	28	35	41
104	Diarrhea and enteritis (under 2 years)	M. 26,889	20,907	5,982	.....	.....	.....	26,889	.....	.....	.....	.....
		F. 21,342	16,319	5,023	.....	.....	.....	21,342	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	M. 5,654	.....	.....	1,379	553	282	2,214	354	102	55	100
		F. 5,615	.....	.....	1,274	510	253	2,037	355	96	60	91
106	Ankylostomiasis	M. 14	.....	.....	.....	2	.....	2	2	1	3	.....
		F. 15	.....	3	.....	1	1	5	3	3	.....	2

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
87	85	99	110	123	110	110	64	71	64	53	26	11	2	-------	1	1	
61	67	87	97	107	85	91	66	65	52	50	20	21	6	-------	-------	1	74
-------	-------	4	2	2	3	1	2	6	3	6	3	1	-------	-------	1	-------	
-------	2	-------	-------	4	-------	-------	2	1	2	7	3	-------	-------	-------	-------	-------	75
43	39	47	35	41	26	38	21	23	10	10	5	1	1	-------	-------	2	
22	35	19	23	19	30	18	24	12	17	6	14	1	-------	-------	-------	1	76
2,696	3,462	4,557	5,898	7,348	9,519	11,806	15,115	17,992	20,579	19,260	14,125	7,345	2,354	509	119	232	
1,318	1,814	2,374	3,249	4,157	5,486	6,955	8,671	10,096	11,295	10,164	7,073	3,462	977	191	49	145	
1,378	1,648	2,183	2,649	3,191	4,033	4,851	6,444	7,896	9,284	9,096	7,052	3,883	1,377	318	70	87	
16	19	23	24	32	38	34	58	43	41	33	24	9	1	-------	1	-------	
16	18	19	15	15	24	17	31	37	33	43	21	12	3	1	-------	1	77
185	227	249	346	433	505	542	84	95	71	60	36	21	7	2	-------	3	78
190	215	206	261	275	364	378	59	64	61	54	40	16	9	1	-------	1	
1,019	1,374	1,835	2,484	3,153	4,172	5,209	6,931	7,983	8,488	7,413	4,762	2,220	551	110	35	115	79
1,080	1,289	1,801	2,136	2,611	3,216	3,847	5,483	6,518	7,327	6,980	5,125	2,621	841	180	49	74	
25	58	73	134	212	310	477	573	552	573	426	225	77	19	1	-------	7	80
22	34	42	75	97	131	179	261	346	378	270	194	66	24	7	-------	2	
35	83	119	175	216	333	532	830	1,222	1,926	2,082	1,901	1,085	382	75	13	18	81
8	23	23	67	103	169	270	459	751	1,283	1,551	1,551	1,097	479	127	20	5	
23	29	56	51	80	103	130	159	163	172	122	110	42	14	2	-------	1	
52	49	56	69	67	88	115	115	140	162	162	99	58	16	2	-------	2	82
3	8	14	17	21	12	19	19	14	16	14	6	3	3	1	-------	-------	
8	14	24	19	14	28	32	29	27	19	21	11	3	2	-------	-------	-------	83
4	7	1	4	-------	1	2	1	5	2	2	1	-------	-------	-------	-------	-------	
1	1	1	4	2	2	4	3	2	2	-------	2	2	-------	-------	-------	-------	84
8	9	4	14	10	12	10	16	19	6	12	8	5	-------	-------	-------	1	
1	5	11	3	7	11	9	4	11	19	15	9	8	3	-------	1	2	85
3,594	4,361	5,257	5,522	5,938	6,437	6,874	7,229	7,979	8,300	7,903	6,409	3,546	1,279	321	82	160	
2,382	2,945	3,632	3,883	4,140	4,281	4,248	4,175	4,307	4,015	3,597	2,642	1,465	488	111	29	92	
1,212	1,416	1,625	1,639	1,798	2,156	2,626	3,054	3,672	4,285	4,306	3,767	2,081	791	210	53	68	
1	6	3	3	1	1	-------	3	4	3	4	5	1	2	-------	-------	-------	
3	4	4	3	1	-------	2	2	-------	4	6	6	3	1	-------	-------	1	86
5	10	9	20	8	13	7	12	8	13	7	6	4	-------	-------	-------	1	
7	6	5	5	4	5	1	10	6	7	6	8	2	-------	-------	1	-------	87
4	5	7	6	6	6	5	4	6	2	4	1	-------	-------	-------	-------	-------	
29	48	43	40	35	58	40	24	21	24	10	6	2	1	1	-------	-------	88
19	26	22	27	34	37	42	52	64	104	146	154	97	39	12	2	1	
14	18	13	16	14	35	47	61	98	167	187	266	195	69	24	7	-------	89
21	29	46	48	74	95	128	169	240	311	375	304	212	84	20	6	3	
25	21	28	43	36	57	113	137	272	369	487	461	306	134	34	6	1	90
185	216	290	304	327	423	453	581	687	845	849	709	419	130	30	8	18	
140	158	156	169	213	283	416	574	802	1,092	1,156	1,120	627	240	66	17	12	91
2,001	2,483	3,071	3,226	3,379	3,390	3,242	3,035	2,935	2,451	1,931	1,255	591	185	43	9	64	
898	1,050	1,264	1,240	1,353	1,561	1,823	2,084	2,241	2,351	2,170	1,629	771	260	65	16	50	92
1,866	2,308	2,865	2,985	3,126	3,145	2,971	2,777	2,646	2,131	1,664	1,032	466	149	33	3	55	
791	937	1,134	1,126	1,217	1,390	1,634	1,875	2,007	2,014	1,883	1,313	632	200	49	11	38	
135	175	206	241	253	245	271	258	289	320	267	223	125	36	10	6	9	
107	113	130	114	136	171	189	209	234	337	287	316	139	60	16	5	12	
83	89	93	114	138	110	136	86	114	73	63	33	13	7	-------	-------	1	
43	57	53	52	65	60	61	50	62	68	58	45	17	9	1	-------	1	93
12	7	11	16	19	18	27	29	27	47	70	98	80	31	5	2	-------	
13	6	13	5	20	17	24	16	48	62	99	125	116	59	17	5	1	94
7	10	6	15	15	20	21	19	15	7	1	4	1	-------	-------	1	-------	
1	7	9	5	4	5	6	4	3	-------	1	3	2	-------	-------	-------	-------	95
16	27	27	48	71	87	109	114	140	106	107	55	30	7	1	1	3	
13	25	24	39	40	57	68	70	97	113	100	73	28	15	2	-------	2	96
2	2	4	7	3	7	12	8	15	9	14	4	8	1	-------	-------	-------	
2	-------	2	3	-------	2	1	5	3	11	7	9	2	1	-------	1	-------	97
26	35	43	49	65	74	66	63	52	44	26	14	9	2	-------	-------	1	
24	16	11	19	13	16	24	17	19	17	19	16	10	2	-------	-------	-------	98
2,445	2,730	3,161	3,398	3,872	4,070	4,100	4,083	3,973	3,767	3,128	2,179	1,086	374	82	24	107	
1,247	1,417	1,715	1,909	2,194	2,337	2,354	2,274	2,137	1,926	1,467	964	472	157	22	9	64	
1,198	1,313	1,446	1,489	1,678	1,733	1,746	1,809	1,836	1,841	1,661	1,215	614	217	60	15	43	
7	16	9	15	18	20	16	17	17	15	8	4	2	-------	-------	-------	-------	
17	15	15	12	15	16	8	9	10	8	12	-------	3	1	1	-------	-------	99
78	64	55	53	34	42	22	21	20	23	12	14	3	4	-------	1	-------	
67	48	41	27	38	20	22	18	16	24	19	12	5	1	-------	-------	1	100
-------	-------	1	6	5	7	6	2	10	11	5	2	4	-------	-------	-------	-------	
1	2	-------	3	1	6	3	3	2	4	4	2	2	1	-------	-------	-------	101
112	140	187	246	208	218	201	199	171	140	77	48	18	3	-------	2	5	
73	82	107	102	114	91	110	105	95	85	73	37	17	12	2	-------	2	102
54	82	98	102	123	165	159	178	227	201	198	165	94	40	6	2	10	
81	85	79	90	111	126	140	146	207	245	258	245	133	48	19	3	5	103
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	104
110	137	159	186	227	201	231	245	258	313	297	242	145	52	6	3	17	
115	124	154	141	157	162	174	271	304	355	388	328	198	66	22	7	10	105
1	-------	-------	1	1	-------	-------	1	-------	1	-------	-------	-------	-------	-------	-------	1	
1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	106

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers and

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	V.—Diseases of the digestive system—Continued.												
107	Intestinal parasites	M	73	2	16	10	9	8	45	14	3	.....	2
		F	89	8	19	16	10	11	64	15	4	1	1
108	Appendicitis and typhlitis	M	5,436	24	31	56	60	81	252	432	545	576	567
		F	3,938	15	15	36	46	52	164	378	399	419	435
109	Hernia, intestinal obstruction (total)	M	4,517	763	119	83	57	48	1,070	128	65	95	114
		F	4,146	411	90	54	34	29	618	98	44	58	101
	Hernia	M	1,645	157	21	11	5	4	198	10	6	19	35
		F	1,399	42	4	1	.....	3	50	5	2	1	11
	Intestinal obstruction	M	2,872	606	98	72	52	44	872	118	59	76	79
		F	2,747	369	86	53	34	26	568	93	42	57	90
110	Other diseases of the intestines	M	871	85	17	15	13	2	132	24	16	22	23
		F	984	56	17	15	12	7	107	17	17	16	30
111	Acute yellow atrophy of the liver	M	131	11	1	.....	3	.....	15	3	.....	3	8
		F	162	3	.....	1	.....	.....	4	2	2	11	21
112	Hydatid tumor of the liver	M	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F	14	.....	.....	.....	1	.....	1	.....	.....	.....	.....
113	Cirrhosis of the liver	M	5,785	5	3	3	2	2	15	6	11	17	25
		F	2,782	6	4	6	2	2	20	9	10	9	21
114	Biliary calculi	M	681	.....	.....	2	1	.....	3	.....	.....	1	6
		F	1,794	.....	1	.....	1	.....	2	.....	.....	6	21
115	Other diseases of the liver	M	1,540	56	17	9	6	5	93	20	11	25	38
		F	1,882	56	16	6	3	6	87	13	11	19	42
116	Diseases of the spleen	M	74	2	.....	.....	.....	1	3	1	1	4	5
		F	55	.....	3	2	1	1	7	2	1	4	4
117	Simple peritonitis (nonpuerperal)	M	652	57	16	21	15	12	121	48	30	32	39
		F	851	35	17	16	12	21	101	46	33	45	85
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	M	253	4	2	1	.....	2	9	4	4	2	15
		F	223	3	1	1	1	1	7	1	2	.....	12
	VI.—Nonvenereal diseases of the genito-urinary system and annexa		92,397	792	313	249	177	155	1,686	587	565	886	1,571
	Males		51,147	461	163	114	103	97	938	308	242	352	587
	Females		41,250	331	150	135	74	58	748	279	323	534	984
119	Acute nephritis	M	3,446	250	93	54	56	56	509	164	89	104	157
		F	2,787	171	82	75	39	21	388	135	111	130	133
120	Bright's disease	M	41,720	87	57	50	40	39	273	123	137	218	378
		F	32,919	68	53	48	29	32	230	135	187	271	494
121	Chyluria	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	M	1,016	76	6	4	6	2	94	15	10	13	26
		F	769	71	13	10	4	3	101	7	10	20	34
123	Calculi of the urinary passages	M	361	1	1	1	1	.....	4	3	1	3	9
		F	135	.....	1	.....	1	1	3	.....	.....	1	5
124	Diseases of the bladder	M	1,037	15	1	1	.....	.....	17	2	5	5	6
		F	238	7	.....	1	1	1	10	.....	2	3	4
125	Diseases of the urethra, urinary abscess, etc.	M	357	1	.....	1	.....	.....	2	.....	.....	5	6
		F	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	M	3,118	.....	.....	.....	.....	.....	.....	.....	.....	3	3
127	Nonvenereal diseases of the male genital organs	M	86	27	5	3	.....	.....	35	1	.....	1	2
128	Uterine hemorrhage (nonpuerperal)	F	45	.....	.....	.....	.....	.....	.....	.....	.....	5	2
129	Uterine tumor (noncancerous)	F	1,494	.....	.....	.....	.....	.....	.....	.....	.....	1	16
130	Other diseases of the uterus	F	834	.....	.....	.....	.....	.....	.....	2	9	37	76
131	Cysts and other tumors of the ovary	F	647	.....	1	.....	.....	.....	1	.....	3	13	28
132	Salpingitis and other diseases of the female genital organs	F	1,331	3	.....	1	.....	.....	4	.....	1	52	192
133	Nonpuerperal diseases of the breast (cancer excepted)	M	6	4	.....	.....	.....	.....	4	.....	.....	.....	.....
		F	34	11	.....	.....	.....	.....	11	.....	.....	1	.....
	VII.—The puerperal state		12,528	.....	.....	.....	.....	.....	.....	.....	38	1,149	2,779
134	Accidents of pregnancy	F	1,028	.....	.....	.....	.....	.....	.....	.....	1	50	184
135	Puerperal hemorrhage	F	1,178	.....	.....	.....	.....	.....	.....	.....	.....	33	167
136	Other accidents of labor	F	1,194	.....	.....	.....	.....	.....	.....	.....	4	79	225
137	Puerperal septicemia	F	5,211	.....	.....	.....	.....	.....	.....	.....	14	477	1,253
138	Puerperal albuminuria and convulsions	F	3,409	.....	.....	.....	.....	.....	.....	.....	19	486	857
139	Puerperal phlegmasia alba dolens, embolus, sudden death	F	439	.....	.....	.....	.....	.....	.....	.....	.....	21	74
140	Following childbirth (not otherwise defined)	F	58	.....	.....	.....	.....	.....	.....	.....	.....	3	16
141	Puerperal diseases of the breast	F	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
	VIII.—Diseases of the skin and of the cellular tissue		3,315	621	59	26	25	22	753	55	35	57	64
	Males		1,934	337	28	15	11	11	402	30	18	36	36
	Females		1,381	284	31	11	14	11	351	25	17	21	28
142	Gangrene	M	330	19	4	7	2	5	37	9	5	2	8
		F	632	20	6	5	11	7	49	13	1	4	6
143	Furuncle	M	327	55	2	1	2	.....	60	4	2	21	8
		F	122	43	3	1	1	.....	48	.....	3	9	7
144	Acute abscess	M	401	96	12	3	4	5	120	15	6	9	13
		F	280	91	13	4	2	1	111	10	9	4	8
145	Other diseases of the skin and annexa	M	376	167	10	4	3	1	185	2	5	4	7
		F	347	130	9	1	.....	3	143	2	4	4	7

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No.
	1	1	1	1	2	2				1							107
1	1	1		1													
495	439	463	382	351	297	211	164	108	81	32	22	10	2	1		6	108
369	333	302	267	232	186	154	111	71	55	31	22	7	1			2	
135	156	182	176	234	245	287	352	332	340	275	202	83	32	3	1	10	109
129	180	160	225	257	310	333	328	355	327	275	192	100	40	6	2	8	
54	44	64	67	103	118	142	176	157	159	137	87	45	19	2		3	
15	20	44	71	118	156	177	187	167	148	114	64	30	14	1	2	2	
81	112	118	109	131	127	145	176	175	181	138	115	38	13	1	1	7	
114	160	116	154	139	154	156	141	188	179	161	128	70	26	5		6	
23	43	48	55	54	63	72	53	55	60	51	44	20	7	3			110
64	67	76	67	50	62	51	57	63	62	69	57	36	12	2	2		
5	7	6	7	10	9	12	17	10	9	9	1						111
20	12	10	7	10	5	8	6	8	12	12	8	3		1			
4	1			1	2	2		1			1						112
	1	1		2	1	1	1	1	1	3	1						
79	177	317	471	660	755	832	731	655	496	339	130	53	8	2		6	113
40	87	177	208	297	319	276	295	281	303	226	142	42	11	6		3	
15	22	26	46	68	90	97	83	83	68	42	21	8	1			1	114
56	73	117	141	162	210	229	228	203	163	92	58	21	6			6	
67	76	104	106	130	148	139	152	124	123	96	51	28	6	1		2	115
78	98	109	120	154	161	180	175	164	165	155	96	38	12	1	1	3	
5	5	9	6	8	5	4	7	5	4	1		1					116
1	1	4	2	6	5	2	5	7		3			1				
31	32	32	29	25	39	38	35	43	32	19	16	3	2			6	117
73	85	78	60	42	23	28	36	31	25	33	11	9	5			2	
23	19	18	21	36	29	23	17	18	9	5	1						118
12	18	15	17	29	30	27	15	18	7	8	4					1	
2,187	2,892	3,947	4,943	6,057	7,145	8,324	9,572	10,662	11,186	9,634	6,386	2,946	852	163	57	149	
859	1,260	1,692	2,286	3,092	4,003	4,882	5,730	6,274	6,749	5,710	3,791	1,695	475	96	34	92	
1,328	1,632	2,255	2,657	2,965	3,142	3,442	3,842	4,388	4,437	3,924	2,595	1,251	377	67	23	57	
168	215	239	232	217	226	251	220	185	173	140	92	51	6	4	1	3	119
165	169	191	159	204	194	180	151	135	123	105	63	37	6	3		5	
596	954	1,338	1,884	2,681	3,530	4,287	4,989	5,357	5,598	4,658	2,902	1,280	357	75	27	78	120
641	859	1,303	1,722	2,150	2,524	2,987	3,476	4,063	4,133	3,679	2,424	1,170	348	59	21	43	
																	121
45	38	41	54	62	61	75	92	87	102	84	62	37	13	2	2	1	122
39	44	59	65	46	58	52	48	41	60	34	30	15	3	1		2	
23	18	23	28	23	29	30	37	40	36	26	22	3	1			2	123
6	12	8	12	20	18	13	11	6	7	4	6	2	1				
9	9	9	18	21	36	37	64	98	159	167	212	116	39	5		3	124
6	8	8	7	6	9	12	11	23	19	39	37	16	14	2	2		
8	21	32	48	52	36	44	39	20	21	10	7	2	2			2	
	4		1	3	5		2				1			1			125
6		9	18	28	84	155	283	482	657	619	492	205	57	10	4	3	126
4	5	1	4	7	1	3	6	5	2	6	2	1					127
5	7	6	8	7	3		1		1								128
54	131	242	326	287	153	83	49	52	39	32	18	5	1			5	129
110	106	116	99	82	68	41	31	23	19	5	6	2		1		1	130
55	51	65	75	70	68	53	52	39	34	24	10	4	2				131
245	239	254	180	89	37	21	10	5	1							1	132
				1					1								133
2	2	3	3	1	5			1	1	2			2				
2,872	2,553	2,117	897	107	2											14	
264	241	209	70	9													134
234	293	282	147	22													135
255	247	252	114	16												2	136
1,299	1,061	761	303	37	2											4	137
704	573	513	229	22												6	138
92	123	94	32	1												2	139
20	11	6	2														140
4	4																141
56	75	95	97	135	140	147	204	233	271	272	334	182	74	29	6	1	
33	47	60	62	96	88	92	128	140	170	160	175	114	35	10	1	1	
23	28	35	35	39	52	55	76	93	101	112	159	68	39	19	5		
6	10	13	12	26	21	32	49	81	119	119	137	102	33	8	1		142
5	8	7	10	7	21	26	36	59	66	85	120	57	30	17	5		
8	12	17	13	20	28	31	37	26	17	10	6	6				1	143
2	3	6	7	8	5	2	3	5	5	4	2	2	1				
13	19	19	27	36	22	19	22	18	17	15	10		1				144
9	17	17	10	12	11	12	12	13	9	7	6	2	1				
6	6	11	10	14	17	10	20	15	17	16	22	6	1	2			145
7		5	8	12	15	15	25	16	21	16	31	7	7	2			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers and

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	2,295	162	89	49	49	37	386	216	213	147	151
	Males	1,430	93	50	22	26	22	213	125	140	111	94
	Females	865	69	39	27	23	15	173	91	73	36	57
146	Diseases of the bones (tuberculosis excepted)	M 1,228	73	48	21	26	21	189	116	127	96	89
		F 725	63	35	24	21	14	157	86	68	35	46
147	Diseases of the joints (tuberculosis and rheumatism excepted)	M 150	13	2	1		1	17	8	8	11	5
		F 102	4	2	2	1	1	10	3	4	1	7
148	Amputations	M 5										
		F 1										
149	Other diseases of the organs of locomotion	M 47	7					7	1	5	4	
		F 37	2	2	1	1		6	2	1		4
	X.—Malformations	11,841	10,980	332	128	54	48	11,542	129	75	42	22
	Males	6,791	6,332	196	55	33	24	6,640	60	41	25	9
	Females	5,050	4,648	136	73	21	24	4,902	69	34	17	13
150	Congenital malformations (stillbirths not included) (total)	M 6,791	6,332	196	55	33	24	6,640	60	41	25	9
		F 5,050	4,648	136	73	21	24	4,902	69	34	17	13
	Hydrocephalus	M 533	363	80	15	12	10	480	27	14	5	
		F 461	344	40	22	11	10	427	17	8	5	3
	Congenital malformations of the heart	M 4,240	4,064	70	21	12	8	4,175	18	22	13	6
		F 2,926	2,753	62	25	7	8	2,855	30	17	8	6
	Other congenital malformations	M 2,018	1,905	46	19	9	6	1,985	15	5	7	3
		F 1,663	1,551	34	26	3	6	1,620	22	9	4	4
	XI.—Early infancy	57,048	57,048					57,048				
	Males	32,764	32,764					32,764				
	Females	24,284	24,284					24,284				
151	Congenital debility, icterus, and sclerema (total)	M 25,630	25,630					25,630				
		F 19,502	19,502					19,502				
	Premature birth	M 19,611	19,611					19,611				
		F 15,093	15,093					15,093				
	Congenital debility, "atrophy," "marasmus," etc.	M 6,019	6,019					6,019				
		F 4,409	4,409					4,409				
152	Other causes peculiar to early infancy (total)	M 7,017	7,017					7,017				
		F 4,700	4,700					4,700				
	Injuries at birth	M 4,096	4,096					4,096				
		F 2,535	2,535					2,535				
	Other causes peculiar to early infancy [1]	M 2,921	2,921					2,921				
		F 2,165	2,165					2,165				
153	Lack of care	M 117	117					117				
		F 82	82					82				
	XII.—Old age	11,647										
	Males	4,964										
	Females	6,683										
154	Senility	M 4,964										
		F 6,683										
	XIII.—External causes	81,340	2,352	1,748	1,601	1,373	1,076	8,150	3,921	2,947	4,177	6,266
	Males	61,192	1,269	973	895	751	534	4,422	2,527	2,298	3,294	5,094
	Females	20,148	1,083	775	706	622	542	3,728	1,394	649	883	1,172
	Suicide (total)	M 7,401							1	24	140	472
		F 2,541								16	162	321
155	By poison	M 1,020									23	81
		F 824								6	81	161
156	By asphyxia	M 914								1	15	54
		F 555								1	20	58
157	By hanging or strangulation	M 1,275								11	15	49
		F 294									3	11
158	By drowning	M 370								1	2	23
		F 233								2	11	16
159	By firearms	M 2,899									81	229
		F 370									40	50
160	By cutting or piercing instruments	M 632										22
		F 79										4
161	By jumping from high places	M 171									4	8
		F 98									4	10
162	By crushing	M 72										6
		F 31									1	3
163	Other suicides	M 48										
		F 57									2	8

[1] Exclusive of injuries at birth.

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
110	108	115	125	137	113	109	87	93	66	49	45	17	5	2	.....	1	
73	69	68	86	93	77	76	54	55	35	27	22	8	3	.....	.....	1	
37	39	47	39	44	36	33	33	38	31	22	23	9	2	2	.....	.....	
62	59	62	71	83	63	62	47	36	24	20	14	5	2	.....	.....	1	
30	36	38	36	40	30	30	26	25	18	9	8	6	1	.....	.....	.....	146
8	7	6	12	8	10	12	3	16	5	4	7	2	1	.....	.....	.....	
6	3	6	3	3	3	3	7	9	12	9	8	3	1	1	.....	.....	147
1	1	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	148
2	2	.....	2	2	4	2	3	3	5	3	1	1	.....	.....	.....	.....	
1	.....	3	.....	1	3	.....	.....	4	1	4	6	.....	.....	1	.....	.....	149
12	8	6	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	4	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	4	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	4	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	4	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
3	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	151
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	152
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	1	1	14	41	136	343	996	1,807	3,240	2,594	1,618	514	303	39	
.....	.....	.....	1	.....	9	17	65	164	446	793	1,414	1,094	648	193	105	15	
.....	.....	.....	.....	1	5	24	71	179	550	1,014	1,826	1,500	970	321	198	24	
.....	.....	.....	1	.....	9	17	65	164	446	793	1,414	1,094	648	193	105	15	
.....	.....	.....	.....	1	5	24	71	179	550	1,014	1,826	1,500	970	321	198	24	154
6,673	6,524	6,348	5,823	5,573	4,964	4,221	3,575	3,123	2,597	2,322	1,901	1,089	448	102	19	577	
5,584	5,585	5,385	4,965	4,734	4,129	3,487	2,754	2,224	1,614	1,184	823	373	149	27	7	533	
1,089	939	963	858	839	835	734	821	899	983	1,138	1,078	716	299	75	12	44	
705	812	730	745	755	757	674	521	474	270	171	80	23	8	1	.....	38	
335	301	294	233	240	192	128	115	92	55	30	13	9	.....	2	.....	3	
137	118	112	101	95	102	77	52	58	25	21	9	5	.....	.....	.....	4	
142	94	87	64	50	48	22	20	20	12	9	3	4	.....	.....	.....	1	155
74	80	79	91	85	121	91	81	69	42	17	10	2	1	.....	.....	1	
65	64	62	51	62	52	38	34	20	16	8	2	1	.....	.....	.....	1	156
78	111	104	119	137	128	136	118	108	73	42	25	8	3	.....	.....	10	
28	25	32	24	40	42	20	22	29	10	2	3	3	.....	.....	.....	.....	157
33	38	41	37	30	40	33	30	29	12	13	3	1	3	.....	.....	1	
21	29	23	27	27	16	19	20	7	5	7	1	1	.....	.....	.....	1	158
310	343	281	294	301	266	258	188	149	91	56	22	4	.....	1	.....	13	
49	53	53	45	27	13	15	10	5	3	.....	1	.....	.....	.....	.....	.....	159
44	78	76	74	71	71	62	35	42	22	20	9	2	1	.....	.....	3	
6	14	8	6	8	9	7	5	4	3	2	2	.....	.....	1	.....	.....	160
20	25	19	16	23	22	9	8	11	3	2	.....	1	.....	.....	.....	.....	
10	12	16	10	15	5	4	2	4	3	1	1	.....	.....	1	.....	.....	161
6	14	14	4	10	3	4	4	1	1	.....	.....	.....	.....	.....	.....	5	
6	4	7	1	4	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	162
3	5	4	9	3	4	4	5	7	1	.....	2	.....	.....	.....	.....	1	
8	6	6	5	7	5	2	1	3	2	1	.....	.....	.....	.....	.....	.....	163

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers and

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	M.	49,168	1,202	961	883	742	524	4,312	2,488	2,232	2,922	3,998
		F.	16,476	1,003	764	695	610	539	3,611	1,360	618	617	652
164	Poisoning by food	M.	427	44	27	31	30	12	144	33	24	17	16
		F.	352	30	30	28	15	14	117	34	12	18	18
165	Other acute poisonings	M.	717	55	104	79	29	22	289	27	12	6	29
		F.	577	43	102	45	29	16	235	22	10	36	40
166	Conflagration	M.	705	26	22	26	22	18	114	49	23	33	24
		F.	452	27	22	27	27	26	129	61	29	19	21
167	Burns (conflagration excepted)	M.	2,975	172	411	420	299	150	1,452	188	65	73	133
		F.	3,854	130	309	381	361	312	1,493	546	149	147	146
168	Absorption of deleterious gases (conflagration excepted).	M.	2,359	443	14	8	11	7	483	29	34	60	124
		F.	1,007	383	10	4	2	3	402	4	13	27	36
169	Accidental drowning	M.	4,853	13	92	69	47	44	265	495	549	558	581
		F.	609	18	61	40	18	11	148	63	80	75	73
170	Traumatism by firearms	M.	1,478	5	9	13	20	17	64	121	281	308	177
		F.	252	5	6	9	7	9	36	46	47	27	29
171	Traumatism by cutting or piercing instruments	M.	129	2	2	1	3	2	10	14	8	4	4
		F.	35	2		1	1		4	5			3
172	Traumatism by fall	M.	6,538	76	101	70	70	43	360	175	147	195	256
		F.	4,550	82	84	43	34	36	279	82	51	28	30
173	Traumatism in mines and quarries (total)	M.	2,710							3	9	204	349
		F.	3			1			1				
	Traumatism in mines	M.	2,620							3	7	198	338
		F.	3			1			1				
	Traumatism in quarries	M.	90								2	6	11
		F.											
174	Traumatism by machines	M.	2,054	1	1	2	5	2	11	24	74	194	222
		F.	54		1	3	2	1	7	4	1	5	9
175	Traumatism by other crushing (total)	M.	17,231	46	67	98	158	164	533	1,127	773	951	1,646
		F.	3,053	28	56	60	82	86	312	400	168	196	183
	Railroad accidents and injuries	M.	7,783	13	18	14	14	13	72	143	193	488	881
		F.	743	4	16	9	6	9	44	53	47	61	57
	Street-car accidents and injuries	M.	1,779	3	11	22	19	31	86	79	54	60	124
		F.	480	3	10	10	15	8	46	31	11	22	19
	Automobile accidents and injuries	M.	5,193	17	26	35	91	98	267	703	398	272	450
		F.	1,484	10	16	24	46	61	157	269	90	92	94
	Injuries by other vehicles	M.	2,004	13	11	26	33	21	104	181	117	104	143
		F.	298	8	11	17	15	7	58	40	18	20	9
	Landslide, other crushing	M.	472		1	1	1	1	4	21	11	27	48
		F.	48	3	3			1	7	7	2	1	4
176	Injuries by animals	M.	583		2	13	11	13	39	44	40	25	28
		F.	70	3	1	2	3	3	12	8	3	4	5
177	Starvation	M.	26	1					1			1	2
		F.	12	1	1			1	3				
178	Excessive cold	M.	438	8	2		1	1	12	3	5	9	11
		F.	69	4					4	5			
179	Effects of heat	M.	1,451	144	35	6	4	2	191	7	9	11	22
		F.	512	105	24	11	5	2	147	4	3	1	5
180	Lightning	M.	292	2					2	14	23	30	23
		F.	67							4	10	8	9
181	Electricity (lightning excepted)	M.	638				1	1	2	12	21	64	105
		F.	16							4	3	1	2
185	Fractures (cause not specified)	M.	333	4		2	1		7	3	7	4	14
		F.	142	1		2	2	2	7	1	2		1
186	Other external violence	M.	3,231	160	72	45	30	26	333	120	128	175	232
		F.	790	141	57	38	22	17	275	67	37	25	42
	Homicide (total)	M.	4,623	67	12	12	9	10	110	38	42	232	624
		F.	1,131	80	11	11	12	3	117	34	15	104	199
182	By firearms	M.	3,193	2	5	1	2	1	11	17	29	168	469
		F.	600	5	5	3	3	1	17	13	7	60	116
183	By cutting or piercing instruments	M.	607	1	1	1	1		4	1	7	27	105
		F.	154	4		1	1		6	2		19	34
184	By other means	M.	823	64	6	10	6	9	95	20	6	37	50
		F.	377	71	6	7	8	2	94	19	8	25	49
	XIV.—Ill-defined diseases		13,603	5,781	880	287	130	88	7,166	218	110	166	222
	Males		7,549	3,224	465	143	66	45	3,943	99	51	72	100
	Females		6,054	2,557	415	144	64	43	3,223	119	59	94	122
187	Ill-defined organic disease	M.	318	3	4	4	3	2	16	4	1	4	4
		F.	350	1	7	5	1		14	5	5	8	12
188	Sudden death	M.	606	128	18	3	4	1	154	4	2	5	8
		F.	427	120	7	1	2	2	132	4	2	2	7
189	Not specified or ill-defined (total)	M.	6,625	3,093	443	136	59	42	3,773	91	48	63	88
		F.	5,277	2,436	401	138	61	41	3,077	110	52	84	103
	Ill-defined	M.	2,544	619	291	75	28	16	1,029	41	31	29	40
		F.	1,911	512	244	67	30	17	870	58	19	35	34
	Not specified or unknown	M.	4,081	2,474	152	61	31	26	2,744	50	17	34	48
		F.	3,366	1,924	157	71	31	24	2,207	52	33	49	69

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Continued.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Detailed List No. Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
4,021	4,057	4,067	3,781	3,626	3,130	2,661	2,142	1,697	1,315	996	741	349	141	26	7	459	
573	501	550	534	557	613	591	690	801	919	1,102	1,063	707	299	73	12	33	
17	16	24	19	22	17	20	21	14	8	8	4					3	164
17	15	24	11	18	10	10	8	17	8	9	1	1	4				
34	61	47	50	34	32	30	24	16	10	8	4	1				3	165
51	34	35	31	25	15	8	13	7	6	5	2	2					
28	45	41	45	51	50	46	42	30	26	18	21	5	1	1		12	166
17	19	15	18	10	16	11	19	13	12	14	14	14		1			
143	125	125	110	101	87	68	64	37	56	47	34	11	6	1	3	46	167
134	112	95	91	101	117	96	107	120	115	116	88	38	19	3	4	17	
172	163	179	176	210	163	138	145	100	74	49	35	17	3			5	168
35	33	40	45	49	51	42	52	52	43	39	30	9	5				
431	348	335	342	287	215	141	91	70	47	19	12	6	3			58	169
25	23	24	23	13	15	15	6	11	5	6	2					2	
104	105	74	62	48	35	38	28	17	4	2	1	1				8	170
22	9	9	6	8	5	1	1	1	1	1		2				1	
7	6	10	8	12	7	13	6	10	4	3	3						171
	2	2	1	2	1	3	3	4		2	2	1					
290	432	438	472	500	497	443	432	377	385	417	371	216	99	20	3	13	172
45	43	66	60	84	112	159	218	322	541	750	812	559	240	58	8	3	
403	444	366	269	229	150	82	47	29	11	3	1					111	173
			1	1													
395	429	353	263	220	140	77	44	28	10	3	1					111	
			1	1													
8	15	13	6	9	10	5	3	1	1								
280	251	246	196	147	126	103	67	69	27	9	4					4	174
6	2	1	3	3	1	3	1	3	3	2							
1,592	1,535	1,596	1,452	1,351	1,193	1,063	785	606	432	263	141	45	11	1	1	134	175
184	159	184	187	167	191	178	180	139	97	67	40	16				5	
920	826	859	753	658	556	463	330	233	151	92	38	9	7	1		110	
54	62	60	50	34	54	46	49	23	22	14	9	1				3	
132	156	183	142	137	145	154	98	68	71	45	30	8	1			6	
28	16	34	34	47	43	37	30	25	20	20	9	6				2	
369	367	373	376	355	313	276	222	169	123	82	48	17	2		1	10	
94	68	73	88	61	79	68	77	79	42	27	19	7					
126	140	119	123	148	142	152	118	123	79	43	25	11	1			5	
4	11	16	11	19	14	21	24	11	12	5	3	2					
45	46	62	58	53	37	18	17	13	8	1						3	
4	2	1	4	6	1	6		1	1	1							
19	38	39	28	42	46	44	46	28	38	18	13	5				3	176
2	2		1	4	7	3	4	4	5	3	1	2					
				2	1	3	3	5	4	1	1			1		1	177
		1		1			3	1		2		1					
15	10	29	36	48	50	45	43	42	26	17	15	4	4			14	178
1	1	4	3	3	5	6	5	5	2	9	5	3	5	1		2	
48	92	124	144	179	186	130	88	74	58	36	27	11	8	1		5	179
6	10	10	18	23	26	15	36	53	41	37	31	26	14	6			
32	30	30	24	25	9	15	15	7	5	4						4	180
6	6	7	3	6	3	2			2			1					
123	82	75	56	48	17	9	12	6	1	1						4	181
3	1				1	1											
24	29	24	37	30	33	23	20	15	16	15	11	10	4			7	185
1	1	6	3	6	1	2	11	16	11	16	21	25	7	4			
259	245	265	255	260	216	207	163	145	83	58	43	17	2	1		24	186
18	29	27	29	33	36	36	23	33	27	24	14	7	5			3	
858	716	588	439	353	242	152	91	53	29	17	2	1				36	
181	137	119	91	42	30	15	16	6	9	6	2					8	
631	522	418	308	235	162	101	54	27	10	8	2					21	182
102	77	75	61	21	21	11	5	4	6	1						3	
138	99	79	51	32	26	11	9	7	4	1						6	183
24	20	19	7	13	2	2	3			3							
89	95	91	80	86	54	40	28	19	15	8		1				9	184
55	40	25	23	8	7	2	8	2	3	2	2					5	
240	227	340	305	353	448	469	643	625	664	520	357	227	117	29	30	127	
121	116	179	175	193	290	287	399	388	388	290	171	108	55	14	12	98	
119	111	161	130	160	158	182	244	237	276	230	186	119	62	15	18	29	
4	4	9	6	11	23	16	33	42	50	30	31	17	8	1	2	2	
14	11	16	14	11	16	30	26	26	47	34	27	21	7	3	1	2	187
8	14	24	20	20	38	53	65	49	52	43	21	10	8	1	2	5	
7	7	15	8	13	26	25	30	34	37	31	15	20	8	1	2	1	188
109	98	146	149	162	229	218	301	297	286	217	119	81	39	12	8	91	
98	93	130	108	136	116	127	188	177	192	165	144	78	47	11	15	26	189
41	50	75	79	91	141	126	175	195	171	103	52	40	12	4	1	18	
44	44	68	57	80	54	75	103	91	99	70	58	23	16	6	2	5	
68	48	71	70	71	88	92	126	102	115	114	67	41	27	8	7	73	
54	49	62	51	56	62	52	85	86	93	95	86	55	31	5	13	21	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of soldiers and

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes		949,339	151,378	32,266	14,663	9,202	6,724	214,233	20,337	13,549	20,328	30,421
	Males		522,715	86,104	17,263	7,777	4,910	3,539	119,593	11,056	7,253	10,528	15,849
	Females		426,624	65,274	15,003	6,886	4,292	3,185	94,640	9,281	6,296	9,800	14,572
	I.—General diseases		248,057	15,536	9,575	5,729	4,050	3,052	37,942	8,793	4,930	9,028	14,121
	Males		128,162	8,398	4,999	3,014	2,065	1,576	20,052	4,455	2,181	3,943	6,884
	Females		119,895	7,138	4,576	2,715	1,985	1,476	17,890	4,338	2,749	5,085	7,237
1	Typhoid fever	M	4,792	28	48	56	51	57	240	293	306	595	743
		F	3,276	28	34	62	42	39	205	269	386	566	423
2	Typhus fever	M	9							1			
		F	7										1
3	Relapsing fever	M											
		F	1									1	
4	Malaria	M	683	61	44	31	11	13	160	53	38	30	22
		F	585	54	26	25	21	21	147	52	23	33	32
5	Smallpox	M	105	17	4	3	2		26	5	2	4	8
		F	73	12	3	1	2	3	21	1	8	6	8
6	Measles	M	4,655	1,102	1,250	554	331	183	3,420	385	135	213	139
		F	4,587	933	1,117	509	309	168	3,036	437	176	163	109
7	Scarlet fever	M	1,586	85	174	219	173	146	797	415	121	88	69
		F	1,493	64	152	176	158	146	696	405	136	78	62
8	Whooping cough	M	2,991	1,747	694	252	110	59	2,862	102	9	4	2
		F	3,466	1,855	895	338	143	79	3,310	112	19	5	5
9	Diphtheria and croup	M	6,225	468	1,008	953	799	635	3,863	1,612	352	124	59
		F	5,756	401	767	794	729	588	3,279	1,668	394	108	75
10	Influenza	M	5,447	749	198	80	54	29	1,110	92	41	74	79
		F	6,157	525	166	82	57	29	859	88	67	74	78
11	Miliary fever	M	1										
		F											
12	Asiatic cholera	M											
		F											
13	Cholera nostras	M	103	27	11	4	1	4	47	5			1
		F	102	18	8	4	3	3	36	5	3	1	
14	Dysentery	M	1,662	308	292	133	59	44	836	77	28	12	9
		F	1,700	272	233	124	57	32	718	50	17	12	12
15	Plague	M											
		F											
16	Yellow fever	M											
		F											
17	Leprosy	M	9										1
		F	2										
18	Erysipelas	M	1,524	415	23	4	2	2	446	9	5	15	20
		F	1,228	387	34	12	8	1	442	7	6	17	30
19	Other epidemic diseases	M	214	86	38	13	10	7	154	27	6	4	
		F	163	54	33	8	10	5	110	17	6	5	3
20	Purulent infection and septicemia	M	574	81	10	9	6	5	111	21	24	22	25
		F	423	52	6	7	5	3	73	17	13	31	24
21	Glanders	M	2										
		F	2										
22	Anthrax	M	55									1	3
		F	2										1
23	Rabies	M	41		1	3	2	4	10	10	2	1	2
		F	16		1		3	1	5	4	2	2	
24	Tetanus	M	755	121	8	12	9	13	163	107	100	51	48
		F	275	76	7	3	4	6	96	52	22	11	9
25	Mycoses	M	27									1	2
		F	12		1				1				1
26	Pellagra	M	661	3	7	7	2	8	27	12	10	7	17
		F	1,222	6	5	7	5	3	26	10	5	44	73
27	Beriberi	M	1										
		F	2				1		1			1	
	Tuberculosis (total)	M	52,474	1,332	902	529	313	247	3,323	717	537	2,213	4,963
		F	38,772	1,032	832	408	311	240	2,823	698	955	3,422	5,578
28	Tuberculosis of the lungs	M	44,944	428	209	101	56	46	840	203	268	1,795	4,454
		F	32,135	278	230	90	56	46	700	221	642	2,908	5,007
29	Acute miliary tuberculosis	M											
		F	1,490	84	56	25	16	11	192	24	32	118	164
30	Tuberculous meningitis	M	1,233	63	45	22	16	11	157	48	61	196	207
		F	2,935	627	525	319	186	147	1,804	332	125	124	114
31	Abdominal tuberculosis	M	2,576	547	482	251	191	143	1,614	304	141	116	99
		F	1,427	118	67	51	24	19	279	64	36	66	94
			1,599	80	39	19	27	15	180	56	54	122	153
32	Pott's disease	M	452	6	5	9	13	12	45	43	28	34	53
		F	350	13	4	8	11	17	53	24	23	29	24
33	White swellings	M	270	6	5	4	4	3	22	20	23	26	19
		F	169	5	7	5	1	5	23	21	7	9	14
34	Tuberculosis of other organs	M	698	45	24	8	13	5	95	27	18	35	47
		F	492	31	21	10	8	3	73	14	13	27	46
35	Disseminated tuberculosis	M	258	18	11	12	1	4	46	4	7	15	18
		F	218	15	4	3	1		23	10	14	15	28
36	Rickets	M	228	144	57	11	6	2	220	4	1	2	
		F	188	101	43	18	3	3	168	3	1		1
37	Syphilis	M	3,728	973	57	22	9	10	1,071	16	13	24	87
		F	1,828	753	59	24	15	5	856	17	9	31	60
38	Gonococcus infection	M	101	19		1	1		21	1		5	7
		F	335	23	1	1			25	3	1	21	55

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
33,944	36,289	39,720	41,591	46,050	50,721	57,173	62,245	67,542	70,112	62,926	46,291	24,067	8,219	1,822	303	1,456	
18,567	20,721	23,141	24,800	27,730	30,272	33,466	35,481	37,118	37,099	31,726	22,166	10,847	3,444	695	120	1,043	
15,377	15,568	16,579	16,791	18,320	20,449	23,707	26,764	30,424	33,013	31,200	24,125	13,220	4,775	1,127	183	413	
15,333	15,035	15,522	15,240	15,975	16,215	16,970	16,174	15,106	12,899	9,593	5,511	2,454	744	143	27	302	
8,117	8,380	8,860	8,524	8,748	8,767	8,901	8,330	7,506	6,122	4,379	2,426	1,036	310	63	12	166	
7,216	6,655	6,662	6,716	7,227	7,448	8,069	7,844	7,600	6,777	5,214	3,085	1,418	434	80	15	136	
587	465	391	279	284	182	155	104	80	35	25	12	3	2	.....	.....	11	1
300	247	187	150	163	100	86	66	55	30	27	8	1	.....	.....	.....	7	
1	1	2	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
2	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
38	34	26	30	24	34	44	44	24	33	15	14	7	7	.....	.....	6	4
31	21	29	30	16	12	21	29	33	20	24	17	8	1	2	.....	4	
8	2	9	3	5	10	5	2	7	4	1	2	1	.....	.....	1	.....	5
4	5	4	5	2	1	3	.....	3	.....	.....	.....	2	.....	.....	.....	.....	
59	42	46	42	37	25	35	26	22	12	2	6	.....	.....	.....	.....	9	6
89	89	101	91	65	57	26	39	33	26	26	13	3	.....	.....	1	7	
38	23	10	13	4	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	2	7
52	30	15	6	5	2	1	1	1	1	.....	1	.....	1	.....	.....	.....	
.....	1	.....	2	.....	1	.....	3	2	1	.....	.....	.....	1	.....	.....	1	8
2	1	2	.....	.....	2	.....	1	1	2	1	.....	.....	.....	.....	.....	3	
37	44	28	24	29	19	8	10	7	2	3	1	1	.....	.....	.....	2	9
53	51	38	25	20	15	6	4	8	9	1	.....	.....	.....	.....	.....	2	
85	101	128	156	178	187	282	330	397	489	624	574	344	139	29	6	2	10
79	98	110	121	150	192	258	362	512	723	847	814	479	183	45	8	10	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
2	.....	2	4	2	4	3	5	5	9	5	4	3	2	.....	.....	.....	13
2	1	3	2	2	2	5	2	5	11	11	4	5	2	.....	.....	.....	
18	21	27	26	31	17	43	56	69	107	114	92	47	22	2	3	5	14
17	18	19	30	29	26	50	65	94	146	160	135	67	20	6	.....	9	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
1	1	2	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
39	50	60	79	87	118	117	102	89	109	78	61	27	8	2	.....	3	18
34	33	48	49	57	76	53	65	77	62	72	61	20	12	6	.....	1	
2	2	1	2	4	2	3	2	3	.....	1	1	.....	.....	.....	.....	.....	19
3	.....	2	1	2	.....	3	4	2	1	1	1	1	.....	.....	.....	1	
25	29	34	33	32	31	50	35	31	27	16	20	4	2	1	.....	1	20
31	26	27	35	21	23	14	15	16	16	20	13	6	1	1	.....	.....	
.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
7	3	7	7	7	7	3	4	3	1	2	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	1	2	2	2	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	.....	23
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
32	37	33	37	34	35	21	26	18	9	3	.....	.....	.....	.....	.....	1	24
6	15	11	7	9	6	14	6	2	5	3	1	.....	.....	.....	.....	.....	
.....	4	2	.....	2	3	5	1	2	3	1	.....	1	.....	.....	.....	.....	25
4	2	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
20	21	36	48	71	55	65	82	82	62	25	11	3	1	.....	.....	6	26
80	116	161	135	126	86	87	95	72	50	40	12	1	.....	.....	.....	3	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
6,106	6,096	6,066	5,285	4,625	3,877	3,056	2,190	1,550	1,033	519	181	65	9	7	1	55	
5,414	4,383	3,605	2,734	2,129	1,598	1,386	1,196	1,043	845	558	241	85	20	2	1	56	
5,551	5,612	5,608	4,873	4,276	3,619	2,807	1,997	1,390	915	457	159	56	9	7	.....	48	28
4,920	3,979	3,280	2,429	1,898	1,415	1,192	1,056	898	741	497	214	73	15	2	1	47	
186	161	170	126	120	62	44	40	27	14	4	3	1	.....	.....	.....	2	29
161	120	74	61	44	31	22	15	14	12	5	2	.....	.....	.....	.....	3	
100	73	78	60	45	26	24	11	9	2	3	1	1	.....	.....	1	2	30
67	48	49	43	26	21	19	12	4	5	2	4	.....	.....	.....	.....	2	
106	111	95	100	81	77	98	78	58	53	21	7	1	.....	.....	.....	2	31
165	133	128	112	86	74	92	69	78	48	28	11	6	.....	.....	.....	4	
39	33	27	25	28	26	22	15	9	11	11	2	1	.....	.....	.....	.....	32
29	21	20	27	20	16	21	16	13	7	3	2	1	1	.....	.....	.....	
33	20	14	17	10	12	10	10	14	11	5	3	1	.....	.....	.....	.....	33
9	7	8	10	11	12	5	3	11	10	8	.....	1	.....	.....	.....	.....	
64	59	49	62	49	39	39	34	34	25	14	4	3	.....	.....	.....	1	34
49	53	30	34	24	21	28	21	18	16	12	6	3	4	.....	.....	.....	
27	27	25	22	16	16	12	5	9	2	4	2	1	.....	.....	.....	.....	35
14	22	16	18	20	8	7	4	7	6	3	2	1	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
2	.....	.....	1	4	1	1	2	1	2	1	.....	.....	.....	.....	.....	.....	
163	237	372	347	354	311	272	187	153	57	36	12	7	2	1	.....	6	37
98	104	137	130	102	86	64	49	46	22	12	4	.....	.....	.....	.....	1	
14	5	6	4	14	5	5	6	3	4	1	.....	.....	.....	.....	.....	.....	38
63	41	53	40	24	2	3	1	2	.....	.....	1	.....	.....	.....	.....	.....	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLU

[This table excludes the deaths of soldiers and

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.												
	Cancer and other malignant tumors (total)	M	24,498	30	26	26	27	22	131	81	66	82	160
		F	34,121	37	22	20	28	19	126	50	45	95	169
39	Of the buccal cavity	M	1,846	1	2	3	1	1	8	2	7	2	5
		F	356	2		1	1	1	5	5		3	1
40	Of the stomach, liver	M	11,384	5	3	2	2	3	15	6	4	9	26
		F	11,140	6	3		3	3	15	7	6	8	31
41	Of the peritoneum, intestines, rectum	M	3,416	2	2	6	2	4	16	16	10	13	33
		F	4,508	5	3	3	4	2	17	3	1	14	31
42	Of the female genital organs	F	8,464	1	1	1			3	2	7	15	57
43	Of the breast	M	84								1		2
		F	5,338	1					1			1	10
44	Of the skin	M	1,373	2			1		3	3	2		4
		F	740	1	1	4	1		7	1	2		3
45	Of other organs or of organs not specified	M	6,395	20	19	15	21	14	89	54	42	58	90
		F	3,575	21	14	11	19	13	78	32	29	54	36
46	Other tumors (tumors of the female genital organs excepted)	M	102	10	1	2		1	14	1			2
		F	129	3	2				5	3		5	2
47	Acute articular rheumatism	M	1,526	12	11	14	27	30	94	186	182	109	84
		F	1,498	10	6	13	18	33	80	177	202	102	88
48	Chronic rheumatism and gout	M	332							1	3	3	4
		F	623		1		1	1	3	2	2		6
49	Scurvy	M	39	18	8	2			28	1	1		2
		F	43	25	7	2			34		2		
50	Diabetes	M	5,752	17	20	21	20	29	107	100	116	163	169
		F	6,546	7	12	16	18	20	73	94	172	124	127
51	Exophthalmic goiter	M	138			1	1	1	3		1	4	11
		F	1,084	1					1	1	8	44	84
52	Addison's disease	M	142		1				1	1	2	4	7
		F	173								1	2	10
53	Leukemia	M	870	26	23	14	13	12	88	58	36	48	47
		F	588	13	20	14	12	11	70	30	24	24	40
54	Anemia, chlorosis	M	1,732	88	33	8	2	2	133	23	17	17	31
		F	2,204	72	26	10	9	6	123	27	26	38	51
55	Other general diseases	M	797	430	50	30	24	11	545	38	27	17	11
		F	713	324	57	37	13	11	442	38	18	17	17
56	Alcoholism (acute or chronic)	M	3,328									4	35
		F	381										2
57	Chronic lead poisoning	M	136	1					1	1			1
		F	4										
58	Other chronic occupation poisonings	M	16									1	
		F											
59	Other chronic poisonings	M	101									1	14
		F	115							1		2	1
	II.—Diseases of the nervous system and of the organs of special sense		91,791	3,944	1,394	886	604	441	7,269	1,440	997	1,079	1,115
	Males		49,026	2,306	748	498	329	242	4,123	806	534	638	664
	Females		42,765	1,638	646	388	275	199	3,146	634	463	441	451
60	Encephalitis	M	339	59	25	10	12	3	109	20	16	16	23
		F	215	37	10	7	8	4	66	11	8	9	16
61	Meningitis (total)	M	3,578	805	385	283	173	123	1,769	418	213	227	177
		F	2,480	589	295	224	143	102	1,353	291	211	116	83
	Simple meningitis	M	1,453	378	152	130	81	41	782	133	63	62	45
		F	1,071	267	120	109	56	45	597	94	64	48	39
	Cerebrospinal meningitis (undefined)	M	661	159	87	56	28	29	359	86	36	44	34
		F	420	98	59	43	26	20	246	53	42	15	12
	Cerebrospinal fever	M	1,464	268	146	97	64	53	628	199	114	121	98
		F	989	224	116	72	61	37	510	144	105	53	32
62	Locomotor ataxia	M	1,323									2	5
		F	372				1		1				1
63	Other diseases of the spinal cord (total)	M	2,560	115	99	82	61	48	405	110	67	58	52
		F	2,284	101	112	66	54	46	379	93	67	32	30
	Acute anterior poliomyelitis	M	588	100	90	72	57	46	365	94	35	19	20
		F	517	82	106	63	51	38	340	81	48	12	6
	Other diseases of the spinal cord [1]	M	1,972	15	9	10	4	2	40	16	32	39	32
		F	1,767	19	6	3	3	8	39	12	19	20	24
64	Cerebral hemorrhage, apoplexy	M	29,223	71	23	6	7	10	117	33	25	46	79
		F	28,609	88	27	11	10	4	140	23	22	47	77
65	Softening of the brain	M	446							1		1	1
		F	389									1	1
66	Paralysis without specified cause	M	2,189	11	5	3	1	2	22	5	7	8	12
		F	2,242	15	3	4		2	24	9	3	7	8
67	General paralysis of the insane	M	3,534								2	7	12
		F	1,308							1	2	3	13
68	Other forms of mental alienation	M	608								1	13	44
		F	847								1	17	36
69	Epilepsy	M	1,632	46	18	12	16	8	100	48	83	143	158
		F	1,100	27	19	8	7	6	67	48	54	105	100
70	Convulsions (nonpuerperal)	M	43							22	3	3	2
		F	59							14	2	7	7
71	Convulsions of infants	M	1,023	892	71	29	18	13	1,023				
		F	728	586	99	23	12	8	728				
72	Chorea	M	35	2	2				4	4	6	6	3
		F	63	3	3			1	7	7	5	15	6
73	Neuralgia and neuritis	M	144	3					3	1	2	1	
		F	257	2			1	1	4		1	2	8

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

SIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Contd.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No. Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
244	386	621	1,038	1,668	2,460	3,191	3,683	3,680	3,130	2,234	1,106	414	78	18	1	26	
336	800	1,476	2,428	3,334	3,991	4,526	4,253	4,111	3,609	2,619	1,383	586	140	14	5	25	
8	14	41	76	138	176	230	282	270	237	179	112	42	10	3	1	3	39
1	6	8	17	18	21	33	37	38	52	49	37	17	7		1		
66	127	256	473	822	1,283	1,626	1,887	1,776	1,462	941	421	148	16	5		15	40
52	154	269	505	792	1,181	1,497	1,577	1,704	1,491	1,085	530	193	31	3		9	
41	80	105	184	247	339	470	485	495	426	292	121	38	3			2	41
49	95	164	235	359	451	577	626	609	590	410	184	77	14			2	
127	307	594	882	1,196	1,200	1,179	952	783	571	359	157	53	12	2		6	42
	1	2	8	9	9	9	14	7	7	9	3	3					
36	125	286	535	664	718	728	619	481	457	328	208	104	31	2	1	3	43
8	12	23	29	56	68	113	159	184	208	220	170	75	26	8		2	
3	11	5	10	22	36	46	44	73	104	115	131	90	27	7	3		44
121	152	194	268	396	585	743	856	948	790	593	279	108	23	2		4	
68	102	150	244	283	384	466	398	423	344	273	136	52	18			5	45
5	1	3	9	9	9	10	8	8	11	6	4	1	1				
3	3	5	9	9	10	5	8	14	13	18	12	4	1				46
65	77	79	78	80	80	91	66	91	55	49	34	21	3			2	
90	67	77	60	70	61	62	78	92	61	60	39	21	11				47
8	14	10	19	15	17	34	33	34	48	48	28	8	4			1	
3	14	13	19	27	43	56	68	87	106	81	58	24	8	3			48
1			2				3				1						
	1		2	2	1	1											49
193	197	174	231	351	500	707	755	725	587	398	194	59	18	3		5	
156	155	165	211	367	577	841	1,032	919	774	468	193	72	22			4	50
9	11	12	15	18	16	13	9	6	4	2	2		1			1	
80	114	119	116	132	118	117	55	52	20	13	5	3				2	51
6	6	9	10	16	13	20	15	17	7	6	1					1	
8	18	12	19	18	24	17	15	16	8	4		1					52
60	64	46	55	73	52	68	77	51	27	10	7					3	
36	32	37	32	38	35	52	46	37	29	20	5	1					53
36	33	66	104	148	210	229	218	175	150	86	34	14	8				
70	93	110	141	210	253	261	233	233	159	103	45	20	8				54
12	15	8	10	13	15	20	16	14	17	11	4	3	1				
19	15	14	7	21	9	15	15	12	15	12	15	7	4	1			55
172	339	508	496	496	450	314	213	141	79	46	14	3	1			17	
37	54	70	63	55	25	25	25	14	4	5	2						56
4	7	18	18	24	19	19	13	8	2	1							
		1	1		2												57
1	4	4	2	1		2		1									
																	58
13	6	9	12	7	1	5	4	6	7	11	5						
12	7	8	15	16	11	6	12	6	7	7	2	1				1	59
1,273	1,766	2,474	3,321	4,314	5,693	7,333	8,780	10,488	11,672	10,581	7,413	3,499	969	197	21	97	
780	1,053	1,568	1,965	2,460	3,209	4,050	4,844	5,646	6,008	5,153	3,484	1,488	400	80	7	66	
493	713	906	1,356	1,854	2,484	3,283	3,936	4,842	5,664	5,428	3,929	2,011	569	117	14	31	
19	23	22	18	19	12	12	9	4	5	6	4	2					60
3	14	11	15	13	11	7	10	8	3	4	1	3		1		1	
142	115	102	86	90	78	46	38	32	23	6	4	5	1			6	61
64	60	49	47	45	37	46	17	25	12	16	4	1				3	
44	45	43	43	36	41	31	21	27	17	6	4	5				5	
26	25	23	29	23	22	33	6	18	9	10	3					2	
24	16	16	12	14	9	2	5	2	1							1	
8	9	6	4	3	3	4	4	3	3	3	1					1	
74	54	43	31	40	28	13	12	3	5				1				
30	26	20	14	19	12	9	7	4		3		1					
9	26	47	114	151	196	210	188	173	117	48	26	8	3				62
1	18	17	20	33	42	65	50	51	40	18	14	1					
53	51	70	82	99	137	208	245	261	288	206	112	37	13	2		4	63
37	43	48	79	109	118	159	204	238	257	221	109	47	10	3		1	
15	9	7	5	3	4	3		4	1	1	1		1			1	
8	5	2	2	2	3	2	3	2	1								
38	42	63	77	96	133	205	245	257	287	205	111	37	12	2		3	
29	38	46	77	107	115	157	201	236	256	221	109	47	10	3		1	
143	209	403	743	1,200	1,981	2,732	3,623	4,422	4,768	4,193	2,888	1,191	316	69	5	37	
105	186	331	707	1,154	1,770	2,491	3,102	3,859	4,638	4,445	3,272	1,646	472	94	13	15	64
	1	2	7	4	17	28	45	59	83	86	67	34	6	2		2	
2		4	7	5	9	18	23	57	67	83	68	31	8	5			65
10	13	29	38	42	79	142	244	301	395	369	259	153	48	6	1	6	
11	8	22	37	61	89	123	184	270	392	407	321	194	57	11		4	66
75	296	514	540	524	433	357	232	171	162	104	68	27	7			3	
29	97	129	143	147	127	110	102	119	98	89	58	30	7	1	1	2	67
45	50	61	56	55	50	64	48	47	32	28	7	4	2			1	
58	70	79	70	82	95	80	80	63	40	36	21	14	4			1	68
152	144	165	135	103	77	92	67	64	45	27	12	11	1			5	
90	103	97	88	70	54	57	54	40	29	24	10	8				2	69
3	2	2	1	1	1	1	1			1							
8	5	6	3	2		2				2	1						70
																	71
		2	1	2	1		3	1	1	1							72
2	1	3	2	2	1	1	2	2	3		3			1			
7	6	7	10	13	14	14	15	17	13	12	5	3		1			73
6	10	14	24	11	24	22	22	35	19	24	11	14	5	1			

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLU

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
74	Other diseases of the nervous system	M	1,400	117	45	19	19	15	215	59	53	58	51
		F	1,159	79	17	15	20	16	147	54	41	49	48
75	Diseases of the eyes and their annexa	M	49	4	3	2	1	1	11	3	3	.....	1
		F	40	3	1	3	2	2	11	4	3	1	1
76	Diseases of the ears	M	900	181	72	52	21	19	345	82	53	49	44
		F	613	108	60	27	17	7	219	79	43	30	16
	III.—Diseases of the circulatory system		138,927	1,163	220	166	158	162	1,869	1,194	1,493	1,607	1,781
	Males		74,951	649	111	77	91	79	1,007	604	636	785	843
	Females		63,976	514	109	89	67	83	862	590	857	822	938
77	Pericarditis	M	390	2	2	1	2	3	10	10	13	7	13
		F	320	5	2	.....	1	7	15	12	11	14	6
78	Acute endocarditis	M	3,292	165	24	22	27	28	266	137	97	107	139
		F	2,670	130	32	23	25	17	227	129	144	129	124
79	Organic diseases of the heart	M	55,352	286	60	32	50	40	468	429	511	639	643
		F	49,538	242	53	49	34	53	431	424	684	655	753
80	Angina pectoris	M	3,657	.....	.....	.....	.....	1	1	.....	1	6	10
		F	2,054	.....	.....	.....	.....	.....	.....	3	3	3	8
81	Diseases of the arteries, atheroma, aneurism, etc.	M	10,412	2	.....	.....	.....	.....	2	.....	1	10	6
		F	7,571	1	.....	.....	.....	.....	1	1	.....	1	6
82	Embolism and thrombosis	M	1,294	29	5	5	3	2	44	9	3	14	24
		F	1,270	23	1	4	1	2	31	9	8	13	29
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	M	167	5	2	1	.....	1	9	1	.....	.....	2
		F	249	5	.....	.....	.....	.....	5	1	1	2	7
84	Diseases of the lymphatic system (lymphangitis, etc.).	M	240	143	18	16	9	4	190	14	5	1	5
		F	179	99	19	13	5	4	140	6	5	2	4
85	Hemorrhage; other diseases of the circulatory system.	M	147	17	.....	.....	.....	.....	17	4	5	1	1
		F	125	9	2	.....	1	.....	12	5	1	3	1
	IV.—Diseases of the respiratory system		118,060	24,134	8,139	3,082	1,499	976	37,830	2,100	1,118	1,661	2,250
	Males		66,577	13,790	4,359	1,643	831	529	21,152	1,123	580	1,020	1,432
	Females		51,483	10,344	3,780	1,439	668	447	16,678	977	538	641	818
86	Diseases of the nasal fossae	M	91	48	.....	.....	2	2	52	2	3	1	2
		F	81	35	.....	4	.....	1	40	2	4	2	2
87	Diseases of the larynx	M	450	91	71	47	37	32	278	39	11	5	4
		F	313	74	38	44	29	15	200	33	3	5	6
88	Diseases of the thyroid body	M	72	6	2	.....	.....	1	9	.....	4	3	4
		F	403	3	.....	2	.....	.....	5	2	8	15	23
89	Acute bronchitis	M	3,361	1,958	329	110	47	27	2,471	38	11	7	10
		F	3,229	1,535	298	100	44	29	2,006	29	10	6	9
90	Chronic bronchitis	M	2,163	37	20	7	2	1	67	14	4	7	18
		F	2,510	34	19	8	1	1	63	11	2	17	12
91	Bronchopneumonia	M	17,869	7,634	2,272	745	343	193	11,187	343	108	114	111
		F	16,268	5,619	2,034	673	276	193	8,795	327	115	95	94
92	Pneumonia (total)	M	38,727	3,753	1,516	664	365	246	6,544	620	405	825	1,191
		F	25,872	2,853	1,269	542	287	186	5,137	528	349	456	598
	Lobar pneumonia	M	34,558	3,037	1,290	555	317	213	5,412	518	351	720	1,072
		F	22,413	2,297	1,078	460	237	160	4,232	456	294	387	525
	Pneumonia (undefined)	M	4,169	716	226	109	48	33	1,132	102	54	105	119
		F	3,459	556	191	82	50	26	905	72	55	69	73
93	Pleurisy	M	1,537	97	119	57	27	17	317	50	28	42	57
		F	1,004	84	92	49	23	15	263	32	33	25	40
94	Pulmonary congestion, pulmonary apoplexy	M	623	122	14	2	2	3	143	5	3	4	9
		F	731	74	20	7	5	3	109	3	1	7	3
95	Gangrene of the lung	M	145	.....	.....	.....	.....	.....	.....	1	1	2	7
		F	61	.....	1	2	.....	.....	3	4	.....	4	7
96	Asthma	M	863	10	6	4	3	5	28	3	1	3	3
		F	700	10	5	2	1	2	20	.....	6	.....	6
97	Pulmonary emphysema	M	99	5	1	1	.....	1	8	1	.....	1	.....
		F	57	4	.....	2	.....	.....	6	2	1	.....	2
98	Other diseases of the respiratory system (tuberculosis excepted).	M	577	29	9	6	3	1	48	7	1	6	16
		F	254	19	4	4	2	2	31	4	6	9	16
	V.—Diseases of the digestive system		98,869	37,375	10,247	2,845	1,371	868	52,706	2,250	1,509	1,507	1,866
	Males		54,135	21,199	5,562	1,505	734	469	29,469	1,182	824	847	985
	Females		44,734	16,176	4,685	1,340	637	399	23,237	1,068	685	660	881
99	Diseases of the mouth and annexa	M	291	83	18	4	4	3	112	16	4	1	12
		F	270	77	13	5	3	3	101	19	9	5	10
100	Diseases of the pharynx	M	1,092	101	55	56	61	43	316	160	72	64	72
		F	922	65	49	42	46	28	230	156	84	68	63
101	Diseases of the esophagus	M	71	5	1	1	.....	.....	7	1	.....	1	3
		F	43	3	.....	.....	1	1	5	3	.....	1	2
102	Ulcer of the stomach	M	1,939	9	.....	3	.....	.....	12	3	6	17	56
		F	1,100	4	3	2	2	.....	11	6	11	17	52
103	Other diseases of the stomach (cancer excepted)	M	3,077	1,093	136	55	27	21	1,332	52	24	23	36
		F	2,724	777	126	56	33	19	1,011	36	21	21	19
104	Diarrhea and enteritis (under 2 years)	M	24,143	18,989	5,154	.....	.....	.....	24,143	.....	.....	.....	.....
		F	19,038	14,711	4,327	.....	.....	.....	19,038	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	M	5,008	.....	.....	1,201	489	253	1,943	305	84	44	77
		F	4,907	.....	.....	1,093	434	227	1,754	313	84	43	69
106	Ankylostomiasis	M	12	.....	.....	.....	2	.....	2	2	1	2	.....
		F	11	.....	2	.....	1	.....	3	3	3	.....	1

SIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Contd.

sailors after the United States entered the war.]

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
81	81	93	100	115	105	108	64	66	63	51	24	11	2	.....	.....	.....	74
56	62	81	92	99	79	84	62	63	48	46	20	21	6	.....	.....	1	
.....	.....	4	1	1	3	1	2	5	3	6	3	1	.....	.....	1	.....	75
.....	1	.....	.....	4	.....	.....	2	1	2	7	3	.....	.....	.....	.....	.....	
41	36	45	33	41	25	35	20	23	10	9	5	1	1	.....	.....	2	76
21	35	15	22	17	28	18	22	11	16	6	13	1	.....	.....	.....	1	
2,176	2,789	3,656	4,804	6,219	8,162	10,693	13,911	16,904	19,539	18,498	13,668	7,075	2,219	447	57	166	
1,047	1,445	1,899	2,670	3,570	4,718	6,343	8,038	9,503	10,717	9,726	6,845	3,335	913	173	27	107	
1,129	1,344	1,757	2,134	2,649	3,444	4,350	5,873	7,401	8,822	8,772	6,823	3,740	1,306	274	30	59	
13	11	19	22	26	29	29	53	40	35	31	21	6	1	.....	1	.....	77
10	13	11	11	13	19	14	29	33	31	41	20	12	3	1	.....	1	
159	197	216	291	381	436	503	80	90	70	59	35	19	7	2	.....	1	78
159	186	173	221	226	325	340	52	57	60	53	38	16	9	1	.....	1	
806	1,088	1,461	2,037	2,677	3,559	4,697	6,383	7,460	8,015	7,064	4,593	2,123	504	93	16	36	79
883	1,048	1,447	1,707	2,158	2,720	3,433	4,980	6,083	6,950	6,719	4,940	2,513	791	153	17	49	
18	53	68	120	200	292	470	564	545	566	419	222	75	19	1	.....	7	80
19	26	37	60	86	122	171	252	339	368	269	193	64	23	6	.....	2	
18	52	72	124	183	286	491	772	1,171	1,838	2,010	1,852	1,063	366	74	10	11	81
6	14	14	49	80	148	238	419	712	1,218	1,498	1,512	1,066	460	111	13	4	
21	27	48	46	76	93	124	153	160	169	118	107	41	14	2	.....	1	82
45	41	49	61	63	75	111	108	139	156	159	98	56	16	2	.....	1	
3	7	11	13	19	11	19	17	14	16	13	6	3	2	1	.....	.....	83
7	13	18	18	14	26	30	28	25	18	20	11	3	2	.....	.....	.....	
3	5	.....	4	.....	1	2	1	4	2	2	1	.....	.....	.....	.....	.....	84
.....	.....	1	4	2	1	4	2	2	2	.....	2	2	.....	.....	.....	.....	
6	5	4	13	8	11	8	15	19	6	10	8	5	.....	.....	.....	1	85
.....	3	7	3	7	8	9	3	11	19	13	9	8	2	.....	.....	1	
2,694	3,469	4,248	4,659	5,163	5,656	6,265	6,698	7,446	7,885	7,619	6,191	3,427	1,222	296	45	118	
1,769	2,338	2,940	3,273	3,625	3,770	3,890	3,850	3,970	3,793	3,457	2,532	1,407	469	103	13	71	
925	1,131	1,308	1,386	1,538	1,886	2,375	2,848	3,476	4,092	4,162	3,659	2,020	753	193	32	47	
1	6	2	1	1	.....	.....	2	3	3	4	5	1	2	.....	.....	.....	86
2	3	2	.....	1	.....	1	2	.....	4	6	6	3	1	.....	.....	.....	
3	9	8	18	6	12	7	12	7	13	7	6	4	.....	.....	.....	1	87
7	6	4	5	2	4	1	9	5	7	5	8	2	.....	.....	1	.....	
4	5	6	5	5	6	5	3	6	2	4	1	.....	.....	.....	.....	.....	88
26	44	38	37	32	54	37	23	19	21	10	6	2	1	.....	.....	.....	
13	19	19	20	31	33	39	47	61	98	144	154	95	38	11	1	1	89
8	12	10	14	10	30	44	56	95	160	179	261	191	69	23	7	.....	
17	21	33	40	67	85	117	160	230	303	369	297	204	82	20	5	3	90
12	15	21	33	27	50	104	130	260	358	476	455	300	128	32	3	1	
144	180	237	261	291	369	420	550	649	808	827	691	408	127	29	3	12	91
110	128	136	147	182	250	389	538	767	1,051	1,125	1,090	618	231	65	6	9	
1,471	1,970	2,481	2,727	2,936	2,989	2,953	2,784	2,686	2,298	1,839	1,184	559	173	38	3	51	92
681	842	1,016	1,063	1,171	1,370	1,633	1,939	2,116	2,238	2,090	1,571	735	239	54	11	35	
1,369	1,829	2,321	2,525	2,715	2,779	2,719	2,559	2,430	2,013	1,591	977	443	140	30	2	43	
607	756	911	970	1,055	1,224	1,466	1,755	1,898	1,920	1,821	1,269	602	187	41	7	30	
102	141	160	202	221	210	234	225	256	285	248	207	116	33	8	1	8	
74	86	105	93	116	146	167	184	218	318	269	302	133	52	13	4	5	
70	67	79	97	135	95	131	81	106	68	61	33	12	7	.....	.....	1	93
35	45	42	38	54	53	53	46	58	61	56	43	16	9	1	.....	1	
8	5	8	12	16	14	25	25	23	45	68	95	79	31	5	.....	.....	94
8	5	9	3	16	12	23	15	45	60	98	122	114	59	16	3	.....	
6	10	6	13	15	19	19	19	14	6	1	4	1	.....	.....	1	.....	95
1	6	6	4	3	5	6	4	2	.....	1	3	2	.....	.....	.....	.....	
13	20	21	35	61	74	99	101	123	100	95	48	27	6	.....	.....	2	96
12	15	17	25	28	45	61	64	89	106	93	70	27	13	2	.....	1	
1	.....	3	6	3	7	11	8	15	8	14	4	8	1	.....	.....	.....	97
1	.....	2	2	.....	2	1	5	3	10	7	9	2	1	.....	1	.....	
18	26	37	38	58	67	64	58	47	41	24	10	9	2	.....	.....	.....	98
22	10	5	15	12	11	22	17	17	16	16	15	8	2	.....	.....	.....	
2,114	2,346	2,740	2,987	3,497	3,717	3,837	3,807	3,750	3,607	2,997	2,089	1,033	351	75	11	73	
1,106	1,234	1,494	1,675	2,012	2,150	2,220	2,127	2,013	1,834	1,393	917	440	148	21	3	41	
1,008	1,112	1,246	1,312	1,485	1,567	1,617	1,680	1,737	1,773	1,604	1,172	593	203	54	8	32	
6	15	8	13	15	18	14	17	16	12	6	4	2	.....	.....	.....	.....	99
14	13	13	12	13	12	8	8	10	8	10	.....	3	1	1	.....	.....	
72	60	49	48	29	40	22	17	20	21	11	12	3	4	.....	.....	.....	100
59	44	36	20	31	16	21	18	15	23	19	12	5	1	.....	.....	1	
.....	.....	1	6	5	7	6	2	10	11	5	2	4	.....	.....	.....	.....	101
1	1	.....	3	.....	6	3	3	2	4	4	2	2	1	.....	.....	.....	
105	125	170	226	197	201	188	186	165	133	75	48	18	3	.....	1	4	102
65	66	96	91	103	80	101	95	87	84	69	37	17	9	2	.....	1	
37	53	72	66	91	125	144	152	201	192	135	152	87	39	6	2	6	103
42	50	42	50	66	82	102	117	173	227	238	233	128	45	16	1	4	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	104
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
97	114	132	155	202	181	205	225	236	290	281	232	137	51	5	.....	12	105
89	98	122	112	128	132	151	236	272	336	371	313	193	62	20	3	6	
.....	.....	.....	1	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	106
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLU

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	V.—Diseases of the digestive system—Continued.												
107	Intestinal parasites	M	37	1	7	4	5	2	19	7	1	----	2
		F	53	5	15	9	6	5	40	6	1	1	1
108	Appendicitis and typhlitis	M	5,070	20	29	55	57	78	239	412	510	538	518
		F	3,641	15	15	36	45	52	163	357	365	386	392
109	Hernia, intestinal obstruction (total)	M	4,099	700	112	77	52	46	987	124	61	73	85
		F	3,831	372	84	53	33	27	569	90	39	40	82
	Hernia	M	1,470	134	20	9	4	3	170	10	5	12	27
		F	1,337	34	4	1	----	3	42	4	2	1	10
	Intestinal obstruction	M	2,629	566	92	68	48	43	817	114	56	61	58
		F	2,494	338	80	52	33	24	527	86	37	39	72
110	Other diseases of the intestines	M	794	76	16	14	12	2	120	24	12	21	15
		F	899	50	15	15	12	7	99	15	16	11	25
111	Acute yellow atrophy of the liver	M	117	11	----	----	2	----	13	3	----	3	7
		F	150	2	----	1	----	----	3	1	1	9	19
112	Hydatid tumor of the liver	M	11	----	----	----	----	----	----	----	----	----	1
		F	14	----	----	----	1	----	1	----	----	----	----
113	Cirrhosis of the liver	M	5,426	3	3	2	2	2	12	6	9	10	17
		F	2,630	6	4	4	2	2	18	6	8	6	16
114	Biliary calculi	M	657	----	----	2	1	----	3	----	----	1	5
		F	1,751	----	1	----	1	----	2	----	----	5	20
115	Other diseases of the liver	M	1,413	50	14	9	6	5	84	17	10	21	30
		F	1,751	51	14	6	3	5	79	11	10	14	33
116	Diseases of the spleen	M	69	2	----	----	----	1	3	1	1	4	5
		F	49	----	3	2	1	1	7	2	1	1	2
117	Simple peritonitis (nonpuerperal)	M	570	52	15	21	14	12	114	45	25	22	29
		F	739	35	13	15	12	21	96	43	30	32	64
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	M	239	4	2	1	----	1	8	4	4	2	15
		F	211	3	1	1	1	1	7	1	2	----	11
	VI.—Nonvenereal diseases of the genito-urinary system and annexa		82,331	699	239	204	152	137	1,431	513	501	717	1,228
	Males		45,811	405	119	91	86	89	790	271	212	289	476
	Females		36,520	294	120	113	66	48	641	242	289	428	752
119	Acute nephritis	M	2,868	219	64	43	47	51	424	148	79	84	125
		F	2,296	152	59	63	35	19	328	118	99	102	106
120	Bright's disease	M	37,523	76	46	39	33	36	230	107	119	184	311
		F	29,580	61	47	39	25	25	197	116	171	222	371
121	Chyluria	M	----	----	----	----	----	----	----	----	----	----	----
		F	----	----	----	----	----	----	----	----	----	----	----
122	Other diseases of the kidneys and annexa	M	886	65	4	3	5	2	79	12	8	11	19
		F	683	62	12	9	4	3	90	6	7	17	30
123	Calculi of the urinary passages	M	347	1	1	1	1	----	4	2	1	3	9
		F	129	----	1	----	1	----	2	----	----	1	5
124	Diseases of the bladder	M	921	12	----	1	----	----	13	1	5	2	3
		F	205	5	----	1	1	1	8	----	1	2	1
125	Diseases of the uretha, urinary abscess, etc	M	256	1	----	1	----	----	2	----	----	1	4
		F	13	----	----	----	----	----	----	----	----	----	----
126	Diseases of the prostate	M	2,931	----	----	----	----	----	----	----	----	3	3
127	Nonvenereal diseases of the male genital organs	M	73	27	4	3	----	----	34	1	----	1	2
128	Uterine hemorrhage (nonpuerperal)	F	34	----	----	----	----	----	----	----	----	4	1
129	Uterine tumor (noncancerous)	F	1,176	----	----	----	----	----	----	----	----	1	11
130	Other diseases of the uterus	F	698	----	----	----	----	----	----	2	7	28	55
131	Cysts and other tumors of the ovary	F	598	----	1	----	----	----	1	----	3	10	24
132	Salpingitis and other diseases of the female genital organs	F	1,079	3	----	1	----	----	4	----	1	40	148
133	Nonpuerperal diseases of the breast (cancer excepted)	M	6	4	----	----	----	----	4	----	----	----	----
		F	29	11	----	----	----	----	11	----	----	1	----
	VII.—The puerperal state		10,902	----	----	----	----	----	----	----	12	856	2,368
134	Accidents of pregnancy	F	918	----	----	----	----	----	----	----	1	37	149
135	Puerperal hemorrhage	F	1,050	----	----	----	----	----	----	----	----	23	148
136	Other accidents of labor	F	980	----	----	----	----	----	----	----	----	42	178
137	Puerperal septicemia	F	4,557	----	----	----	----	----	----	----	4	367	1,075
138	Puerperal albuminuria and convulsions	F	2,926	----	----	----	----	----	----	----	7	365	737
139	Puerperal phlegmasia alba dolens, embolus, sudden death	F	409	----	----	----	----	----	----	----	----	19	66
140	Following childbirth (not otherwise defined)	F	51	----	----	----	----	----	----	----	----	3	12
141	Puerperal diseases of the breast	F	11	----	----	----	----	----	----	----	----	----	3
	VIII.—Diseases of the skin and of the cellular tissue		2,996	591	54	25	23	19	712	49	34	49	55
	Males		1,758	319	26	14	10	8	377	30	17	33	32
	Females		1,238	272	28	11	13	11	335	19	17	16	23
142	Gangrene	M	735	13	4	7	2	4	30	9	4	1	5
		F	556	18	5	5	10	7	45	9	1	3	5
143	Furuncle	M	317	55	2	1	2	----	60	4	2	20	8
		F	114	40	3	1	1	----	45	----	3	8	6
144	Acute abscess	M	368	93	11	3	4	3	114	15	6	9	12
		F	255	87	12	4	2	1	106	8	9	3	7
145	Other diseases of the skin and annexa	M	338	158	9	3	2	1	173	2	5	3	7
		F	313	127	8	1	----	3	139	2	4	2	5

SIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Contd.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
	1	1	1		2	2				1							107
1	1	1		1													
459	406	420	352	328	282	202	156	104	80	31	18	9	1	1		4	108
325	300	272	244	219	180	147	107	68	54	30	22	7	1			2	
110	127	146	150	215	222	270	329	312	322	258	192	77	29	3		7	109
113	152	136	200	229	285	317	305	347	317	274	188	96	40	6	2	4	
44	35	49	61	95	107	130	163	147	147	128	80	40	16	2		2	
14	17	41	67	108	151	168	178	165	146	114	62	28	14	1	2	2	
66	92	97	89	120	115	140	166	165	175	130	112	37	13	1		5	
99	135	95	133	121	134	149	127	182	171	160	126	68	26	5		2	
22	39	41	51	48	58	66	49	52	57	50	42	18	6	3			
53	56	66	55	47	59	47	55	61	60	68	56	34	12	2	2		110
5	7	5	6	9	7	10	14	9	9	9	1						111
19	12	10	7	9	4	8	5	8	12	12	8	3					
4				1	1	2		1			1						112
	1	1		2	1	1	1	1	1	3	1						
69	157	283	418	617	714	799	695	629	480	324	127	47	8	2		3	113
36	73	164	198	273	298	266	284	276	293	220	136	40	10	6		3	
14	22	23	43	66	87	95	81	81	64	42	21	8	1				114
53	69	111	139	153	207	222	224	202	163	91	57	21	6			6	
55	61	88	92	122	139	134	147	119	121	91	49	26	5	1		1	115
65	85	95	111	142	149	171	169	161	160	153	93	36	11	1		2	
5	5	9	4	8	4	4	7	4	3	1		1					116
1	1	4	2	6	5	2	5	6		3			1				
27	25	28	24	22	36	34	33	37	29	18	15	3	1			3	117
62	72	64	53	37	21	23	34	30	24	31	10	8	3			2	
19	17	18	19	36	26	23	16	17	9	5	1						118
10	17	13	15	26	30	27	14	18	7	8	4					1	
1,751	2,368	3,138	4,068	5,155	6,132	7,447	8,675	9,849	10,398	9,093	6,077	2,773	765	130	28	94	
715	1,042	1,360	1,906	2,631	3,454	4,360	5,174	5,762	6,212	5,370	3,608	1,588	432	79	18	62	
1,036	1,326	1,778	2,162	2,524	2,678	3,087	3,501	4,087	4,186	3,723	2,469	1,185	333	51	10	32	
134	170	192	176	169	173	215	189	166	149	131	86	48	6	2		2	119
118	125	138	122	165	158	143	136	121	114	98	60	35	6	2		2	
503	804	1,080	1,594	2,314	3,068	3,846	4,517	4,917	5,158	4,369	2,756	1,193	319	66	15	53	120
502	723	1,052	1,402	1,829	2,142	2,703	3,173	3,783	3,904	3,494	2,302	1,106	306	47	9	26	
																	121
38	30	33	47	50	56	67	81	79	92	78	57	36	11	1		1	122
31	39	51	58	40	49	49	45	39	53	30	30	15	3			1	
22	17	22	27	22	26	29	36	40	35	25	22	3	1			1	123
6	11	7	12	19	18	11	11	6	7	4	6	2	1				
6	6	5	16	14	29	28	51	86	143	161	199	110	37	4		2	124
4	5	6	6	3	9	10	7	22	16	39	36	16	12	1	1		
6	12	18	33	33	29	35	32	18	15	7	7	1	2			1	125
	2		1	2	5		1				1			1			
4		9	12	23	72	137	263	452	617	594	479	196	56	6	3	2	126
2	3	1	1	5	1	3	5	4	2	5	2	1					127
4	5	4	7	4	3		1		1								128
30	84	167	247	249	135	68	42	50	38	27	18	5	1			3	129
92	89	97	83	70	59	35	28	21	19	5	6	2					130
50	46	59	66	65	64	50	49	39	32	24	10	4	2				131
199	195	195	155	77	33	18	8	5	1								132
				1					1								
	2	2	3	1	3			1	1	2			2				133
2,518	2,325	1,911	807	92	2											11	
236	230	193	64	8													134
210	263	260	130	16													135
206	217	220	101	14												2	136
1,143	972	687	272	33	2											2	137
615	513	457	207	20												5	138
87	115	88	31	1												2	139
17	11	6	2														140
4	4																141
45	59	77	79	116	122	127	168	213	253	253	313	175	70	24	2	1	
29	37	50	50	81	82	82	109	128	156	152	162	109	32	9		1	
16	22	27	29	35	40	45	59	85	97	101	151	66	38	15	2		
4	5	9	10	16	17	26	42	72	109	115	127	97	30	7			142
2	6	4	6	6	13	22	27	53	64	76	113	55	30	14	2		
8	12	15	12	20	28	29	36	24	16	10	6	6				1	143
2	3	5	7	8	5	2	3	5	3	4	2	2	1				
11	15	17	20	32	22	18	17	18	16	15	10		1				144
8	13	14	9	12	8	11	11	11	9	7	6	2	1				
6	5	9	8	13	15	9	14	14	15	12	19	6	1	2			145
4		4	7	9	14	10	18	16	21	14	30	7	6	1			

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLU

[This table excludes the deaths of soldiers and

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	2,157	149	84	49	46	36	364	204	206	140	144
	Males	1,348	84	48	22	25	22	201	117	134	104	90
	Females	809	65	36	27	21	14	163	87	72	36	54
146	Diseases of the bones (tuberculosis excepted) M	1,163	67	46	21	25	21	180	110	121	89	85
	F	681	60	33	24	19	13	149	82	67	35	43
147	Diseases of the joints (tuberculosis and rheumatism excepted) M	139	11	2	1	.....	1	15	7	8	11	5
	F	92	3	1	2	1	1	8	3	4	1	7
148	Amputations M	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion M	41	6	.....	.....	.....	.....	6	.....	5	4	.....
	F	35	2	2	1	1	.....	6	2	1	.....	4
	X.—Malformations	11,359	10,562	303	114	51	46	11,076	120	73	39	21
	Males	6,503	6,080	178	50	31	23	6,362	57	39	22	8
	Females	4,856	4,482	125	64	20	23	4,714	63	34	17	13
150	Congenital malformations (stillbirths not included) (total) M	6,503	6,080	178	50	31	23	6,362	57	39	22	8
	F	4,856	4,482	125	64	20	23	4,714	63	34	17	13
	Hydrocephalus M	492	342	68	13	11	10	444	25	12	4	.....
	F	425	323	36	16	10	10	395	13	8	5	3
	Congenital malformations of the heart M	4,093	3,922	67	20	12	8	4,029	18	22	13	5
	F	2,823	2,656	57	24	7	8	2,752	30	17	8	6
	Other congenital malformations M	1,918	1,816	43	17	8	5	1,889	14	5	5	3
	F	1,608	503	32	24	3	5	1,567	20	9	4	4
	XI.—Early infancy	51,409	51,409	.....	.....	.....	.....	51,409	.....	.....	.....	.....
	Males	29,677	29,677	.....	.....	.....	.....	29,677	.....	.....	.....	.....
	Females	21,732	21,732	.....	.....	.....	.....	21,732	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total) M	23,044	23,044	.....	.....	.....	.....	23,044	.....	.....	.....	.....
	F	17,312	17,312	.....	.....	.....	.....	17,312	.....	.....	.....	.....
	Premature birth M	17,903	17,903	.....	.....	.....	.....	17,903	.....	.....	.....	.....
	F	13,573	13,573	.....	.....	.....	.....	13,573	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc M	5,141	5,141	.....	.....	.....	.....	5,141	.....	.....	.....	.....
	F	3,739	3,739	.....	.....	.....	.....	3,739	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total) M	6,551	6,551	.....	.....	.....	.....	6,551	.....	.....	.....	.....
	F	4,364	4,364	.....	.....	.....	.....	4,364	.....	.....	.....	.....
	Injuries at birth M	3,924	3,924	.....	.....	.....	.....	3,924	.....	.....	.....	.....
	F	2,419	2,419	.....	.....	.....	.....	2,419	.....	.....	.....	.....
	Other causes peculiar to early infancy [1] M	2,627	2,627	.....	.....	.....	.....	2,627	.....	.....	.....	.....
	F	1,945	1,945	.....	.....	.....	.....	1,945	.....	.....	.....	.....
153	Lack of care M	82	82	.....	.....	.....	.....	82	.....	.....	.....	.....
	F	56	56	.....	.....	.....	.....	56	.....	.....	.....	.....
	XII.—Old age	10,016	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Males	4,280	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Females	5,736	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
154	Senility M	4,280	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	5,736	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XIII.—External causes	73,667	2,011	1,558	1,408	1,184	931	7,092	3,548	2,623	3,573	5,378
	Males	55,483	1,076	869	792	675	469	3,881	2,351	2,066	2,812	4,397
	Females	18,184	935	689	616	509	462	3,211	1,197	557	761	981
	Suicide (total) M	7,193	.....	.....	.....	.....	.....	.....	1	23	135	449
	F	2,463	.....	.....	.....	.....	.....	.....	.....	16	154	301
155	By poison M	989	.....	.....	.....	.....	.....	.....	.....	.....	23	77
	F	794	.....	.....	.....	.....	.....	.....	.....	6	76	151
156	By asphyxia M	904	.....	.....	.....	.....	.....	.....	.....	1	15	54
	F	547	.....	.....	.....	.....	.....	.....	.....	1	20	57
157	By hanging or strangulation M	1,250	.....	.....	.....	.....	.....	.....	.....	10	14	47
	F	285	.....	.....	.....	.....	.....	.....	.....	.....	3	10
158	By drowning M	345	.....	.....	.....	.....	.....	.....	.....	1	2	20
	F	227	.....	.....	.....	.....	.....	.....	.....	2	11	13
159	By firearms M	2,823	.....	.....	.....	.....	.....	.....	1	11	77	219
	F	358	.....	.....	.....	.....	.....	.....	.....	6	37	49
160	By cutting or piercing instruments M	607	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
	F	74	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
161	By jumping from high places M	162	.....	.....	.....	.....	.....	.....	.....	.....	4	6
	F	96	.....	.....	.....	.....	.....	.....	.....	.....	4	8
162	By crushing M	69	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
	F	30	.....	.....	.....	.....	.....	.....	.....	.....	1	2
163	Other suicides M	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	52	.....	.....	.....	.....	.....	.....	.....	1	2	8

[1] Exclusive of injuries at birth.

SIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Contd.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed list No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
100	98	101	115	127	105	106	82	88	64	48	41	16	5	2	.....	1	
68	63	62	80	88	73	73	50	53	35	26	20	7	3	.....	.....	1	
32	35	39	35	39	32	33	32	35	29	22	21	9	2	2	.....	.....	
57	54	57	65	81	60	60	43	35	24	20	14	5	2	.....	.....	1	146
27	33	31	33	36	26	30	25	23	17	9	8	6	1	.....	.....	.....	
8	7	5	12	5	9	11	3	16	5	3	6	2	1	.....	.....	.....	147
5	2	5	2	2	3	3	7	8	11	9	7	3	1	1	.....	.....	
1	1	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	148
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
2	1	.....	2	2	4	2	3	2	5	3	.....	.....	.....	.....	.....	.....	149
.....	.....	3	.....	1	3	.....	.....	4	1	4	5	.....	.....	1	.....	.....	
11	8	6	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	4	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	4	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	4	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
6	4	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	151
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	152
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	12	34	101	289	809	1,595	2,887	2,383	1,388	401	97	19	
.....	.....	.....	1	.....	9	13	48	143	370	695	1,260	992	565	138	37	9	
.....	.....	.....	.....	.....	3	21	53	146	439	900	1,627	1,391	823	263	60	10	
.....	.....	.....	1	.....	9	13	48	143	370	695	1260	992	565	138	37	9	154
.....	.....	.....	.....	.....	3	21	53	146	439	900	1,627	1,391	823	263	60	10	
5,812	5,892	5,660	5,338	5,167	4,632	4,010	3,373	2,958	2,476	2,241	1,829	1,055	421	97	10	482	
4,867	5,053	4,804	4,553	4,382	3,849	3,313	2,607	2,114	1,538	1,136	784	362	141	25	3	445	
945	839	856	785	785	783	697	766	844	938	1,105	1,045	693	280	72	7	37	
669	780	693	720	742	747	669	513	469	266	169	79	23	8	1	.....	37	
312	293	287	228	238	191	127	114	91	55	30	13	8	.....	2	.....	3	
129	112	109	97	93	102	76	52	57	24	20	9	5	.....	.....	.....	4	155
135	90	86	64	48	48	22	20	20	12	9	3	3	.....	.....	.....	1	
71	77	77	91	85	120	91	80	69	42	17	10	2	1	.....	.....	1	156
61	63	61	51	62	52	38	33	20	16	8	2	1	.....	.....	.....	1	
75	108	99	117	135	127	134	116	108	73	42	24	8	3	.....	.....	10	157
23	25	30	23	40	42	20	22	29	10	2	3	3	.....	.....	.....	.....	
27	34	35	37	28	39	33	29	29	11	12	3	1	3	.....	.....	1	158
19	28	23	27	27	16	19	20	7	5	7	1	1	.....	.....	.....	1	
299	332	269	282	297	260	256	187	148	90	56	22	4	.....	1	.....	12	159
46	52	51	43	27	13	15	10	5	3	.....	1	.....	.....	.....	.....	.....	
39	75	72	69	68	70	62	34	41	22	20	9	2	1	.....	.....	3	160
6	14	7	5	8	9	6	5	3	3	2	2	.....	.....	1	.....	.....	
20	25	17	15	23	22	9	6	10	2	2	.....	1	.....	.....	.....	.....	161
10	12	16	10	15	5	4	2	4	3	1	1	.....	.....	1	.....	.....	
6	14	11	4	10	3	4	4	1	1	.....	.....	.....	.....	.....	.....	5	162
6	4	7	1	4	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
3	3	4	3	3	4	4	5	6	1	.....	2	.....	.....	.....	.....	1	163
6	5	6	4	7	4	2	1	3	2	1	.....	.....	.....	.....	.....	.....	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLU

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	M	45,152	1,015	862	781	667	460	3,785	2,317	2,014	2,552	3,572
		F	14,901	868	678	605	498	460	3,109	1,168	530	538	566
164	Poisoning by food	M	373	39	24	30	28	10	131	27	20	13	12
		F	297	24	26	26	15	12	103	31	9	12	14
165	Other acute poisonings	M	636	48	89	68	25	19	249	25	9	5	23
		F	504	39	87	37	26	15	204	18	6	33	34
166	Conflagration	M	588	21	13	18	17	10	79	36	21	20	23
		F	363	17	19	21	17	22	96	45	19	16	18
167	Burns (conflagration excepted)	M	2,582	146	362	356	255	121	1,240	165	54	60	108
		F	3,187	111	266	328	280	256	1,241	420	119	117	108
168	Absorption of deleterious gases (conflagration excepted)	M	2,152	358	11	8	9	6	392	26	32	55	113
		F	930	334	8	4	1	3	350	4	11	25	35
169	Accidental drowning	M	4,381	12	89	67	43	42	253	465	487	487	515
		F	554	15	57	34	17	10	133	57	75	67	69
170	Traumatism by firearms	M	1,211	4	7	12	18	15	56	97	234	257	132
		F	190	4	5	7	5	7	28	36	32	21	21
171	Traumatism by cutting or piercing instruments	M	117	2	2	1	3	2	10	13	6	4	3
		F	32	2		1	1		4	4			2
172	Traumatism by fall	M	6,245	68	97	67	69	42	343	167	133	168	239
		F	4,407	72	77	40	31	32	252	77	49	20	29
173	Traumatism in mines and quarries (total)	M	2,586							3	9	188	330
		F	3			1			1				
	Traumatism in mines	M	2,502							3	7	184	319
		F	3			1			1				
	Traumatism in quarries	M	84								2	4	11
		F											
174	Traumatism by machines	M	1,854	1	1	2	5	2	11	23	67	169	183
		F	49		1	3	2	1	7	4	1	4	8
175	Traumatism by other crushing (total)	M	16,108	44	66	93	149	152	504	1,084	733	853	1,512
		F	2,901	26	54	54	77	81	292	386	160	190	175
	Railroad accidents and injuries	M	7,173	13	18	13	13	10	67	138	180	423	786
		F	693	4	15	8	6	9	42	50	40	58	56
	Street-car accidents and injuries	M	1,678	3	11	20	17	28	79	71	54	56	116
		F	454	3	10	9	15	8	45	30	11	22	19
	Automobile accidents and injuries	M	4,966	16	26	35	88	94	259	685	381	254	433
		F	1,434	10	16	23	43	56	148	263	89	89	88
	Injuries by other vehicles	M	1,858	12	10	24	30	19	95	170	107	95	137
		F	278	7	10	14	13	7	51	38	18	20	8
	Landslide, other crushing	M	433		1	1	1	1	4	20	11	25	40
		F	42	2	3			1	6	5	2	1	4
176	Injuries by animals	M	537		2	11	11	13	37	39	37	20	26
		F	65	2	1	2	3	3	11	8	3	4	4
177	Starvation	M	19										1
		F	11	1	1			1	3				
178	Excessive cold	M	367	7	2		1	1	11	2	3	7	5
		F	44	3					3	4			
179	Effects of heat	M	1,349	123	31	6	4	2	166	7	8	10	19
		F	481	101	22	8	4	2	137	4	3	1	5
180	Lightning	M	252	1					1	13	19	27	20
		F	49							3	5	4	7
181	Electricity (lightning excepted)	M	603				1	1	2	10	19	56	101
		F	16							4	3	1	2
185	Fractures (cause not specified)	M	313	2		2	1		5	3	7	4	12
		F	136	1		2	2	1	6	1	2		
186	Other external violence	M	2,879	139	66	40	28	22	295	112	116	149	195
		F	682	116	54	37	17	14	238	62	33	23	35
	Homicide (total)	M	3,138	61	7	11	8	9	96	33	29	125	376
		F	820	67	11	11	11	2	102	29	11	69	114
182	By firearms	M	2,098	2	4	1	2	1	10	13	20	91	275
		F	419	4	5	3	3	1	16	13	6	41	62
183	By cutting or piercing instruments	M	386	1	1	1	1		4	1	5	13	66
		F	77	4		1	1		6	2		4	10
184	By other means	M	654	58	2	9	5	8	82	19	4	21	35
		F	324	59	6	7	7	1	80	14	5	24	42
	XIV.—Ill-defined diseases		8,798	3,805	453	155	64	56	4,533	126	53	72	94
	Males		5,004	2,121	244	71	33	33	2,502	60	30	35	38
	Females		3,794	1,684	209	84	31	23	2,031	66	23	37	56
187	Ill-defined organic disease	M	170	1	1	1	1	2	6	2		1	
		F	196	1	2	5			8	3	1	3	3
188	Sudden death	M	450	103	9	2	2	1	117	1	1	2	5
		F	284	78	4		1	1	84	2	1	1	6
189	Not specified or ill-defined (total)	M	4,384	2,017	234	68	30	30	2,379	57	29	32	33
		F	3,314	1,605	203	79	30	22	1,939	61	21	33	47
	Ill-defined	M	1,775	404	170	42	17	11	644	28	18	14	19
		F	1,235	338	123	38	16	9	524	26	11	17	18
	Not specified or unknown	M	2,609	1,613	64	26	13	19	1,735	29	11	18	14
		F	2,079	1,267	80	41	14	13	1,415	35	10	16	29

SIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Contd.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Int. Detailed List No.
3,679	3,765	3,701	3,510	3,374	2,922	2,530	2,028	1,604	1,251	954	704	338	133	24	3	392	
505	448	484	481	513	569	558	638	748	875	1,070	1,032	685	280	70	7	27	
14	16	19	18	18	12	18	21	12	7	8	4					3	164
12	10	17	7	16	10	10	8	16	8	9	1	1	3				
27	57	43	47	32	32	28	19	16	10	8	3	1				2	165
42	32	31	29	22	14	8	12	6	4	5	2	2					
26	41	37	39	45	44	44	33	27	24	18	17	3				11	166
16	16	14	16	10	15	11	17	8	11	13	12	9		1			
129	112	114	100	90	80	63	55	30	49	42	28	11	5	1	1	45	167
113	98	76	82	90	102	89	92	102	97	105	72	34	12	2		16	
160	154	160	164	195	154	132	142	98	70	49	35	15	3			3	168
34	32	37	41	48	51	41	50	47	42	39	29	9	5				
375	315	300	317	262	202	132	84	64	44	16	10	5				48	169
22	22	24	19	12	15	14	4	10	4	5	1					1	
78	33	58	56	40	34	35	27	16	4	2						2	170
15	5	8	5	7	5	1	1	1	1	1		1				1	
4	6	10	7	12	6	11	6	10	4	3	2						171
	2	2	1	2	1	3	3	3		2	2	1					
274	414	406	442	476	472	432	418	362	376	410	367	213	99	20	1	13	172
41	38	59	54	79	103	153	205	317	531	740	805	553	235	57	7	3	
391	421	350	261	224	149	81	45	28	10	3	1					92	173
			1	1													
384	406	339	255	216	139	76	42	27	9	3	1					92	
			1	1													
7	15	11	6	8	10	5	3	1	1								
247	231	218	182	137	118	96	63	66	27	8	4					4	174
6	2	1	2	3	1	2		3	3	2							
1,486	1,430	1,459	1,354	1,250	1,117	1,022	751	578	414	250	135	45	11	1	1	118	175
173	145	173	177	159	184	169	170	135	93	64	38	14				4	
846	769	777	697	603	522	444	315	225	144	88	35	9	7	1		97	
48	55	57	48	30	52	43	47	23	21	11	9	1				2	
125	149	171	135	129	134	150	90	64	69	43	28	8	1			6	
26	13	32	33	44	39	36	26	22	20	20	9	5				2	
350	348	350	359	333	295	266	216	163	120	79	47	17	2		1	8	
91	67	69	81	61	79	66	75	79	39	27	17	6					
123	122	103	109	136	134	146	114	113	73	39	25	11	1			5	
4	9	14	11	18	13	20	22	10	12	5	3	2					
42	42	58	54	49	32	16	16	13	8	1						2	
4	1	1	4	6	1	4		1	1	1							
17	34	36	25	40	45	44	42	26	34	16	11	5				3	176
2	2		1	4	7	2	4	4	3	3	1	2					
				2	1	3	3	4	3	1						1	177
		1		1			2	1		2		1					
14	9	25	34	41	41	40	42	32	21	12	11	3	3			11	178
1		2	1	2	4	3	4	4	1	6	5	1	1			2	
42	90	115	133	176	167	125	81	72	54	35	27	11	6	1		4	179
5	9	8	16	21	26	14	34	49	39	37	29	25	13	6			
27	30	25	18	20	8	13	13	7	5	3						3	180
4	6	4	3	6	2	2			2			1					
117	79	74	53	43	16	9	12	6	1	1						4	181
3	1				1	1											
22	25	21	36	29	33	22	20	15	15	15	10	10	4			5	185
1	6	2	5	1	2	10	16	11	16	21	25	7	4				
229	218	231	224	242	191	180	151	135	79	54	39	16	2	1		20	186
16	27	21	24	25	27	33	22	26	25	21	14	6	4				
519	508	410	323	266	180	114	66	41	21	13	1	1				16	
128	98	85	76	34	23	12	14	5	8	5						7	
378	368	282	223	169	118	73	39	19	5	6	1					8	182
68	52	50	51	18	17	9	5	3	5	1						2	
79	68	53	34	23	18	8	4	6	3	1							183
11	10	13	4	8	2	2	3			2							
62	72	75	66	74	44	33	23	16	13	6		1				8	184
49	36	22	21	8	4	1	6	2	3	2						5	
117	134	187	168	224	273	351	476	451	510	408	272	177	65	10	5	92	
64	72	101	101	132	191	221	304	280	314	239	128	83	31	4		74	
53	62	86	67	92	82	130	172	171	196	169	144	94	34	6	5	18	
1	2	5	1	2	8	8	20	26	31	20	20	11	5			1	187
2	2	6	8	6	9	18	16	19	29	24	19	13	5	1		1	
4	9	11	12	13	26	44	51	38	46	35	19	7	4	1		4	188
5	5	11	2	8	13	21	25	26	23	22	10	17	1			1	
59	61	85	88	117	157	169	233	216	237	184	89	65	22	3		69	189
46	55	69	57	78	60	91	131	126	144	123	115	64	28	5	5	16	
26	34	46	55	63	102	101	143	152	142	94	42	33	10			9	
24	30	40	35	48	33	55	75	70	84	55	49	21	13	3	1	3	
33	27	39	33	54	55	68	90	64	95	90	47	32	12	3		60	
22	25	29	22	30	27	36	56	56	60	68	66	43	15	2	4	13	

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes		117,372	19,646	5,372	2,230	1,318	909	29,475	2,733	2,537	5,351	7,710
	Males		62,373	10,847	2,864	1,126	653	458	15,948	1,352	1,188	2,426	3,771
	Females		54,999	8,799	2,508	1,104	665	451	13,527	1,381	1,349	2,925	3,939
	I.—General diseases		36,936	3,055	1,593	777	521	398	6,344	1,348	1,388	2,980	4,116
	Males		18,172	1,680	803	384	274	211	3,352	678	557	1,190	1,851
	Females		18,764	1,375	790	393	247	187	2,992	670	831	1,790	2,265
1	Typhoid fever	M	1,096	23	29	11	23	19	105	84	113	169	187
		F	925	11	13	21	12	13	70	100	121	187	152
2	Typhus fever	M											
		F											
3	Relapsing fever	M											
		F											
4	Malaria	M	526	67	41	23	24	16	171	47	32	23	36
		F	591	62	41	27	26	12	168	45	31	44	39
5	Smallpox	M	16	2	1				3				
		F	10	2					2	2			2
6	Measles	M	646	192	126	73	49	28	468	69	32	29	21
		F	554	136	121	59	38	26	380	57	28	26	28
7	Scarlet fever	M	19	3	3	4		3	13	4		2	
		F	26	2	4		1	3	10	5	5		1
8	Whooping cough	M	644	320	153	66	31	24	594	36	9	4	1
		F	736	328	201	89	44	26	688	34	12	2	
9	Diphtheria and croup	M	244	77	37	28	19	16	177	38	11	4	8
		F	217	47	30	19	11	16	123	49	18	7	6
10	Influenza	M	640	96	35	12	8	3	154	7	8	15	24
		F	721	75	29	12	6	3	125	21	13	23	28
11	Miliary fever	M											
		F											
12	Asiatic cholera	M											
		F											
13	Cholera nostras	M	20	4	2		1	1	8		1		
		F	17	2	2	1			5				1
14	Dysentery	M	594	167	127	42	21	8	365	29	9	8	6
		F	590	176	126	39	15	9	365	22	6	8	8
15	Plague	M											
		F											
16	Yellow fever	M											
		F											
17	Leprosy	M	5									1	
		F	1										1
18	Erysipelas	M	66	14					14				2
		F	45	8		1			9	1		1	5
19	Other epidemic diseases	M	16	7	3		1		11	2	1	2	
		F	12	7	1				8	2			1
20	Purulent infection and septicemia	M	56	1	1			2	4	2	2	1	3
		F	57	2	1			1	4	1	2	8	9
21	Glanders	M											
		F											
22	Anthrax	M	4				1		1	1			
		F											
23	Rabies	M	9				1		1	2	2		
		F											
24	Tetanus	M	200	73					73	14	18	11	13
		F	99	59					59	10	7	4	1
25	Mycoses	M											
		F											
26	Pellagra	M	405	10	6	7	3	2	28	22	14	11	23
		F	1,378	7	9	7	6	3	32	19	27	65	168
27	Beriberi	M	8	5					5				1
		F	4	2					2				1
	Tuberculosis (total)	M	9,769	221	164	85	79	71	620	273	280	844	1,390
		F	9,129	170	159	89	77	64	559	270	519	1,322	1,687
28	Tuberculosis of the lungs	M	8,348	90	88	42	41	30	291	150	202	708	1,227
		F	7,863	84	86	43	45	31	289	184	424	1,176	1,506
29	Acute miliary tuberculosis	M	489	12	16	12	5	16	61	18	20	65	69
		F	419	9	8	6	3	7	33	19	31	70	88
30	Tuberculous meningitis	M	306	71	42	19	15	12	159	47	10	15	17
		F	267	37	38	25	21	18	139	37	20	20	13
31	Abdominal tuberculosis	M	347	8	6	5	9	7	35	34	28	37	45
		F	372	10	14	8	3	5	40	19	27	41	60
32	Pott's disease	M	55	2	3	1	1	2	9	10	5	5	9
		F	32	2		1	2		5	4	4	2	2
33	White swellings	M	45	2	1	1			4	3	3	5	10
		F	21	1			1	1	3	1	1	1	2
34	Tuberculosis of other organs	M	108	6	5	5	6	3	25	8	10	6	8
		F	83	4	6	3		1	14	6	9	8	9
35	Disseminated tuberculosis	M	71	30	3		2	1	36	3	2	3	5
		F	72	23	7	3	2	1	36		3	4	7
36	Rickets	M	81	41	18	9	3	4	75	3			
		F	69	36	17	9	1		63	3	2		1
37	Syphilis	M	1,442	300	47	15	7	7	376	13	7	37	88
		F	797	216	27	11	4	5	263	11	12	30	58
38	Gonococcus infection	M	27	3					3	1		2	3
		F	132	1					1		3	21	25

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
7,291	6,679	7,768	7,023	6,392	6,584	5,240	5,251	4,678	4,191	2,964	2,178	1,213	766	330	451	567	
3,701	3,568	4,244	3,899	3,579	3,717	2,872	2,916	2,628	2,337	1,609	1,090	586	304	131	165	342	
3,590	3,111	3,524	3,124	2,813	2,867	2,368	2,335	2,050	1,854	1,355	1,088	627	462	199	286	225	
3,497	2,948	3,078	2,468	1,942	1,731	1,315	1,109	892	679	397	271	132	67	34	28	172	
1,612	1,448	1,586	1,308	1,038	922	688	586	485	351	213	124	56	21	14	6	86	
1,885	1,500	1,492	1,160	904	809	627	523	407	328	184	147	76	46	20	22	86	
103	79	70	45	45	26	21	15	16	4	2	3	----	1	----	----	8	
74	58	40	33	20	23	12	12	9	7	2	1	----	----	----	----	4	1
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	3
19	19	30	19	23	22	15	17	17	14	11	5	3	----	1	----	2	
41	35	34	26	17	21	18	11	13	16	15	10	4	----	----	1	2	4
2	----	2	1	1	1	3	2	----	----	----	----	----	----	----	----	1	5
----	----	2	1	1	----	----	----	----	----	----	----	----	----	----	----	----	
11	3	6	1	1	1	1	2	----	----	1	----	----	----	----	----	----	
10	8	5	3	2	1	1	----	4	1	----	----	----	----	----	----	----	6
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	7
3	1	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	8
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1	----	3	2	----	----	----	----	----	----	----	----	----	----	----	----	----	9
----	4	3	1	1	2	2	----	----	----	----	----	----	----	----	----	1	
25	22	33	36	29	41	36	47	18	42	42	31	10	6	7	4	3	
27	22	34	45	25	50	45	47	40	46	33	36	21	19	8	10	3	10
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	11
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	12
1	1	----	----	2	2	1	1	1	1	1	----	----	----	----	----	----	13
2	1	----	----	1	----	1	1	2	----	2	----	----	1	----	----	----	
8	8	13	12	10	12	18	15	25	16	15	11	6	4	----	1	3	
12	5	13	12	17	11	15	16	18	25	11	11	7	3	----	2	3	14
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	15
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	16
1	----	1	----	----	----	1	1	----	----	----	----	----	----	----	----	----	17
5	3	12	7	4	1	6	3	2	4	2	----	1	----	----	----	----	
5	3	2	1	4	2	3	2	1	----	1	4	1	----	----	----	----	18
----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	19
4	5	5	4	5	5	5	1	6	2	1	1	----	----	----	----	----	
5	6	4	3	2	----	2	3	4	----	1	----	2	----	----	----	1	20
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	21
----	----	----	----	----	1	----	----	1	----	----	----	----	----	----	----	----	22
----	1	----	2	1	----	----	----	----	----	----	----	----	----	----	----	----	23
11	5	12	9	17	5	6	----	2	3	----	----	----	----	----	----	1	
3	3	4	4	1	1	1	----	1	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	25
22	20	35	31	30	33	17	32	39	23	9	6	3	3	----	1	3	
197	167	176	120	95	86	50	63	34	28	10	12	7	5	1	3	13	26
1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	27
1,234	1,076	1,104	876	601	489	315	250	188	104	47	24	11	2	----	----	41	
1,325	925	795	552	352	258	161	133	100	62	31	29	7	3	3	1	35	
1,099	980	1,009	807	537	440	288	230	169	97	40	24	10	2	----	----	38	
1,209	827	708	492	315	232	146	123	85	52	29	26	6	2	2	1	29	28
62	43	49	31	29	21	13	5	1	1	1	----	----	----	----	----	----	
51	44	35	22	2	7	2	3	5	2	1	1	----	----	----	----	3	29
16	11	9	7	7	5	1	----	1	----	----	----	----	----	----	----	1	
6	11	6	4	4	4	1	2	----	----	----	----	----	----	----	----	----	30
35	25	23	18	17	14	8	9	11	3	3	----	1	----	----	----	1	
45	31	29	25	19	9	8	3	6	5	1	----	1	----	1	----	2	31
3	2	4	1	2	1	----	1	2	----	1	----	----	----	----	----	----	
2	2	3	3	1	2	1	----	----	1	----	----	----	----	----	----	----	32
4	2	1	6	2	2	1	----	1	1	----	----	----	----	----	----	----	
1	3	3	----	1	1	----	1	----	1	----	2	----	----	----	----	----	33
12	7	7	5	6	4	2	3	3	1	1	----	----	----	----	----	----	
6	6	8	3	5	1	3	1	2	1	----	----	----	1	----	----	----	34
3	6	2	1	1	2	2	2	----	1	1	----	----	----	----	----	----	
5	1	3	3	5	2	----	----	2	----	----	----	----	----	----	----	1	35
----	1	----	----	1	----	----	----	----	1	----	----	----	----	----	----	1	
93	115	165	136	114	88	60	51	38	21	14	12	3	----	1	----	----	36
60	80	70	50	46	41	25	15	10	11	4	5	----	1	----	----	10	
4	3	4	2	1	2	----	1	----	1	----	----	----	----	----	----	5	37
26	21	18	11	6	----	----	----	----	----	----	----	----	----	----	----	----	38

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.												
	Cancer and other malignant tumors (total)	M.	845	1	1			2	4	7	2	4	11
		F.	1,965			4	2	3	9	4	7	13	21
39	Of the buccal cavity	M.	49										1
		F.	28					1	1			2	
40	Of the stomach, liver	M.	440		1				1			1	3
		F.	442							1	2	2	3
41	Of the peritoneum, intestines, rectum	M.	94							1	1	1	2
		F.	159							1			6
42	Of the female genital organs	F.	867								2	2	8
43	Of the breast	M.	6										
		F.	284										
44	Of the skin	M.	23										
		F.	21					1	1		1		
45	Of other organs or of organs not specified	M.	233	1				2	3	6	1	2	5
		F.	164			4	2	1	7	2	2	7	4
46	Other tumors (tumors of the female genital organs excepted)	M.	8									1	
		F.	33								1	1	1
47	Acute articular rheumatism	M.	214	3	1	1	1		6	15	14	9	13
		F.	194	1	1	2	1		5	7	11	11	6
48	Chronic rheumatism and gout	M.	33									1	2
		F.	33										
49	Scurvy	M.	7	3	1	1			5				
		F.	5	3					3				1
50	Diabetes	M.	198		1		1	1	3	1		4	6
		F.	238	1				1	2	2	3	5	6
51	Exophthalmic goiter	M.	11										2
		F.	31										
52	Addison's disease	M.	4										
		F.	1										
53	Leukemia	M.	29	1		1		1	3	1	2	4	3
		F.	19	1	2			1	4		2	3	3
54	Anemia, chlorosis	M.	36	9	4	2			15	3		1	
		F.	50	4	1		1		6	2	2	6	1
55	Other general diseases	M.	64	37	2	4	1	3	47	4		1	2
		F.	49	16	5	3	2	1	27	2		2	
56	Alcoholism (acute or chronic)	M.	172									2	5
		F.	26									1	2
57	Chronic lead poisoning	M.	7										
		F.											
58	Other chronic occupation poisonings	M.	2										
		F.											
59	Other chronic poisonings	M.	9										1
		F.	10										2
	II.—Diseases of the nervous system and of the organs of special sense		8,500	527	150	94	49	44	864	162	132	180	180
	Males		4,274	322	79	44	22	21	488	91	76	107	113
	Females		4,226	205	71	50	27	23	376	71	56	73	67
60	Encephalitis	M.	39	4	4			1	9	4	1	3	2
		F.	27	3		2			5	2	3	2	3
61	Meningitis (total)	M.	381	53	27	19	14	12	125	38	27	33	42
		F.	234	33	35	19	12	10	109	28	21	12	10
	Simple meningitis	M.	120	27	10	6	6	3	52	7	6	10	6
		F.	91	16	16	6	4	2	44	6	8	6	2
	Cerebrospinal meningitis (undefined)	M.	65	8	8	3	2	5	26	5	5	7	6
		F.	40	6	7	5	1	5	24	5	4	1	2
	Cerebrospinal fever	M.	196	18	9	10	6	4	47	26	16	16	30
		F.	103	11	12	8	7	3	41	17	9	5	6
62	Locomotor ataxia	M.	50										1
		F.	27										
63	Other diseases of the spinal cord (total)	M.	156	10	5	7	1	4	27	9	3	6	7
		F.	147	12	7	5	2	5	31	12	3	3	2
	Acute anterior poliomyelitis	M.	39	10	5	4	1	4	24	9	3	1	
		F.	38	9	5	4	1	4	23	9	2	1	1
	Other diseases of the spinal cord [1]	M.	117			3			3			5	7
		F.	109	3	2	1	1	1	8	3	1	2	1
64	Cerebral hemorrhage, apoplexy	M.	2,105	6	3	1	2		12	5	10	16	17
		F.	2,480	3		2			5	7	3	16	12
65	Softening of the brain	M.	22									1	
		F.	31										
66	Paralysis without specified cause	M.	448	2	1	2			5	4	2	3	6
		F.	566	4	2	2	2		10	2	5	2	3
67	General paralysis of the insane	M.	279									2	3
		F.	127									1	6
68	Other forms of mental alienation	M.	86								1	3	
		F.	110									9	10
69	Epilepsy	M.	274	19	3	1		1	24	14	13	28	25
		F.	155	6	3	8	2	4	23	7	9	20	16
70	Convulsions (nonpuerperal)	M.	17							6	2	2	2
		F.	18							3	4	4	1
71	Convulsions of infants	M.	253	211	28	10	2	2	253				
		F.	168	133	21	10	4		168				
72	Chorea	M.	1										
		F.	3								1	1	
73	Neuralgia and neuritis	M.	14	1					1				1
		F.	14									1	

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Con.
ailors after the United States entered the war.]

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
20	29	44	68	92	117	108	89	91	85	43	15	5	4	4		3	
54	113	223	243	257	257	226	165	138	104	52	28	21	8	6	3	13	
	2	1	4	4	6	8	7	7	2	5			1			1	39
1	2	4	1	5	3	3			1	3	1		1				
9	14	27	34	50	69	59	51	49	43	19	4	3	1	1		2	40
11	15	33	40	54	60	66	46	46	32	12	5	6	1	1	3	3	
4	6	1	12	7	9	16	12	5	12	2	3						41
7	4	17	17	17	25	18	12	12	12	6	1			1		3	
26	63	115	122	130	107	95	67	52	30	16	15	7	4	1		5	42
					1	1		1	2					1			
6	12	33	41	39	45	23	27	20	14	9	4	6	1	2		2	43
	2	2	1	3	3	1		3	4	2	2						
	2	1	1	2	3	3	3		2		1		1				44
7	5	13	17	28	29	23	19	26	22	15	6	2	2	2			45
3	15	20	21	10	14	18	10	8	13	6	1	2		1			
1	1				1	1			2	1							46
1	2	2	3	4	3	2	5	4	2			1	1				
8	6	10	15	12	18	20	21	12	11	11	10	1	1			1	47
17	11	21	13	10	15	17	14	6	9	8	4	2	3	1	1	2	
1	1		2		4	1	2	3	3	3	4	5				1	48
	3		5	4	2	3	3	5	4	1	1	1			1		
						1			1								49
1																	
14	11	11	13	19	26	25	25	14	9	6	2	5				4	50
5	14	30	18	24	25	32	28	14	11	11	4	1	1	1		1	
1	1	2			2	2		1									51
2	4	7	1	5	2	4	3	2				1					
		2	1			1											52
1																	
2	3		2	3	3	2										1	53
2	1	1		2		1											
1	3	1	1		1	2	2	2		2		1		1			54
2	8	3	5	3	4	3		1	1		1		1			1	
	4			1		2	2	1									55
4		2	2	2	1	1		1	1	1	1					2	
19	24	18	21	24	20	15	6	7	3	2		2				4	56
5	5	2	2	3	2	2	2										
	1	2	1	1		1		1									57
				1		1											58
	2	1	1		1	1	1		1								59
			5		2					1							
247	279	471	572	689	814	704	789	711	627	424	298	163	84	27	38	45	
136	151	263	284	363	391	301	387	324	317	198	147	62	30	5	14	26	
111	128	208	288	326	423	403	402	387	310	226	151	101	54	22	24	19	
2	2	6	1	2	3	1			2							1	60
1	1	2	3	1	1		1		2								
26	19	27	13	12	8	7	1	1	1							1	61
9	8	2	9	7	2	2	7	3		3						2	
6	5	7	5	5	4	3	1	1	1							1	
2	2	2	4	6	2	1	3			2						1	
6	2	5		1	2												
			1				2									1	
14	12	15	8	6	2	4											
7	6		4	1		1	2	3		1							
3	4	3	2	8	4	9	5	4	5	1	1	1					62
2	2	1	4	4	3	3	1	2	1	2		1					
5	5	8	10	15	15	9	8	12	4	7	4	1	1				63
4	3	6	8	5	14	9	13	14	7	5	3	3		1	1		
		1				1											
		1						1									
5	5	7	10	15	15	8	8	12	4	7	4	1	1				
4	3	5	8	5	14	9	13	13	7	5	3	3		1	1		
50	55	106	153	212	256	194	264	229	207	133	106	39	19	3	6	13	64
46	59	113	190	217	309	300	291	282	226	148	106	72	34	17	15	12	
		1	1	2	2	2	1	5	1	2	1	2			1		65
	1	2		3		6	4	2	4	5	3	1					
2	5	14	16	36	41	31	64	41	76	41	26	17	7	2	6	3	66
7	10	28	24	42	53	55	58	71	58	53	33	21	17	4	7	3	
7	23	43	42	38	41	25	25	8	11	4	3	2	1			1	67
3	8	18	18	16	18	9	12	5	3	2	2	2	2		1	1	
10	9	12	7	4	8	8	5	9	2	3	2		1			2	68
11	15	10	16	12	8	4	6	1		3	2	1	1			1	
23	19	34	24	22	6	8	12	7	7	4	1					3	69
20	11	12	6	7	6	6	3	3	4	1	1						
	1	1	1	1		1											70
1	1	2	1				1										
																	71
	1																72
	1																
	1		1	2	1	1	1	2			1		1			1	73
1	2	2	3	2	1	2											

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74	Other diseases of the nervous system	M. 96	6	4	1	1	.....	12	5	13	8	5
		F. 76	5	2	1	3	1	12	3	3	.....	2
75	Diseases of the eyes and their annexa	M. 4	1	.....	.....	.....	.....	1	.....	.....	.....	.....
		F. 4	.....	.....	.....	1	1	2	.....	1	.....	.....
76	Diseases of the ears	M. 49	9	4	3	2	1	19	6	4	2	3
		F. 39	6	1	1	1	2	11	7	3	2	1
	III.—Diseases of the circulatory system	12,774	74	36	13	7	17	147	79	112	185	318
	Males	6,773	38	16	5	5	8	72	35	51	84	131
	Females	6,001	36	20	8	2	9	75	44	61	101	187
77	Pericarditis	M. 69	4	.....	.....	.....	.....	4	.....	1	.....	5
		F. 53	1	.....	.....	.....	.....	1	1	1	2	4
78	Acute endocarditis	M. 359	4	2	2	.....	2	10	4	3	8	14
		F. 348	6	3	3	.....	.....	12	3	13	19	24
79	Organic diseases of the heart	M. 5,482	20	10	3	5	5	43	28	45	69	105
		F. 4,932	20	13	4	2	8	47	38	45	72	143
80	Angina pectoris	M. 105	.....	.....	.....	.....	.....	.....	.....	.....	1	1
		F. 98	1	.....	.....	.....	.....	1	.....	1	1	4
81	Diseases of the arteries, atheroma, aneurism, etc.	M. 639	.....	.....	.....	.....	.....	.....	.....	.....	3	2
		F. 428	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
82	Embolism and thrombosis	M. 60	.....	1	.....	.....	.....	1	.....	.....	.....	2
		F. 82	.....	1	.....	.....	.....	1	.....	.....	5	4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	M. 18	.....	.....	.....	.....	.....	.....	1	.....	1	1
		F. 20	1	.....	.....	.....	.....	1	.....	.....	.....	1
84	Diseases of the lymphatic system (lymphangitis, etc.)	M. 15	5	1	.....	.....	1	7	2	.....	1	.....
		F. 20	6	3	1	.....	1	11	2	.....	1	2
85	Hemorrhage; other diseases of the circulatory system.	M. 26	5	2	.....	.....	.....	7	.....	2	1	1
		F. 20	1	.....	.....	.....	.....	1	.....	1	1	1
	IV.—Diseases of the respiratory system	15,844	3,433	1,181	524	267	154	5,559	358	266	591	980
	Males	9,477	1,893	652	276	131	81	3,033	177	128	341	636
	Females	6,367	1,540	529	248	136	73	2,526	181	138	250	344
86	Diseases of the nasal fossae	M. 88	71	3	3	3	.....	80	1	.....	1	.....
		F. 107	69	11	1	2	3	86	4	1	2	5
87	Diseases of the larynx	M. 37	11	1	4	4	1	21	3	.....	1	2
		F. 21	5	3	1	2	.....	11	2	.....	.....	1
88	Diseases of the thyroid body	M. 5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F. 41	2	.....	.....	.....	.....	2	.....	3	1	3
89	Acute bronchitis	M. 338	213	72	19	7	3	314	3	6	5	6
		F. 318	158	54	18	4	3	237	4	3	6	6
90	Chronic bronchitis	M. 152	5	6	2	1	1	15	6	4	7	8
		F. 186	6	5	2	1	1	15	6	4	11	25
91	Bronchopneumonia	M. 2,000	865	315	131	51	37	1,399	44	25	27	37
		F. 1,742	727	267	109	66	32	1,201	54	31	33	24
92	Pneumonia (total)	M. 6,336	702	243	114	63	37	1,159	115	87	285	541
		F. 3,582	549	179	110	60	31	929	103	86	182	260
	Lobar pneumonia	M. 5,342	409	171	80	38	26	724	92	70	240	479
		F. 2,795	323	117	77	41	21	579	73	63	139	209
	Pneumonia (undefined)	M. 994	293	72	34	25	11	435	23	17	45	62
		F. 787	226	62	33	19	10	350	30	23	43	51
93	Pleurisy	M. 158	8	2	1	1	1	13	3	2	13	17
		F. 128	8	4	2	.....	.....	14	3	5	8	7
94	Pulmonary congestion, pulmonary apoplexy	M. 63	11	4	1	.....	.....	16	1	1	.....	5
		F. 54	9	2	.....	1	1	13	.....	1	1	1
95	Gangrene of the lung	M. 9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F. 11	.....	1	.....	.....	1	2	.....	.....	1	1
96	Asthma	M. 145	4	4	1	1	1	11	1	3	.....	6
		F. 111	.....	2	3	.....	1	6	2	.....	.....	5
97	Pulmonary emphysema	M. 9	1	.....	.....	.....	.....	1	.....	.....	.....	1
		F. 5	1	.....	1	.....	.....	2	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted).	M. 87	2	2	.....	.....	.....	4	.....	.....	1	12
		F. 61	6	1	1	.....	.....	8	3	4	5	6
	V.—Diseases of the digestive system	10,939	4,047	1,682	437	186	95	6,447	220	158	237	329
	Males	5,770	2,196	923	213	91	48	3,471	108	84	109	161
	Females	5,169	1,851	759	224	95	47	2,976	112	74	128	168
99	Diseases of the mouth and annexa	M. 81	37	16	4	.....	.....	57	2	2	1	1
		F. 74	44	6	3	1	.....	54	1	.....	2	1
100	Diseases of the pharynx	M. 73	7	7	2	4	3	23	5	1	3	3
		F. 87	10	3	5	5	3	26	7	5	7	4
101	Diseases of the esophagus	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F. 5	.....	.....	1	.....	.....	1	1	.....	.....	1
102	Ulcer of the stomach	M. 142	1	.....	.....	.....	.....	1	.....	1	3	7
		F. 121	.....	1	.....	.....	1	2	1	.....	5	9
103	Other diseases of the stomach (cancer excepted)	M. 555	143	48	14	8	4	217	15	9	8	12
		F. 665	135	34	23	7	7	206	11	7	14	22
104	Diarrhea and enteritis (under 2 years)	M. 2,746	1,918	828	.....	.....	.....	2,746	.....	.....	.....	.....
		F. 2,304	1,608	696	.....	.....	.....	2,304	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	M. 646	.....	.....	178	64	29	271	49	18	11	23
		F. 708	.....	.....	181	76	26	283	42	12	17	22
106	Ankylostomiasis	M. 2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F. 4	.....	1	.....	.....	1	2	.....	.....	.....	1

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Con.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
6	4	6	10	8	5	2		5	1	2	2				1	1	74
5	5	6	5	8	6	7	4	2	4	4							
			1	1				1									75
	1																
2	3	2	2		1	3	1			1							76
1		4	1	2	2		2	1	1		1						
520	673	901	1,094	1,129	1,357	1,113	1,204	1,088	1,040	762	457	270	135	62	62	66	
271	369	475	579	587	768	612	633	593	578	438	228	127	64	18	22	38	
249	304	426	515	542	589	501	571	495	462	324	229	143	71	44	40	28	
3	8	4	2	6	9	5	5	3	6	2	3	3					77
6	5	8	4	2	5	3	2	4	2	2	1						
26	30	33	55	52	69	39	4	5	1	1	1	2				2	78
31	29	33	40	49	39	38	7	7	1	1	2						
213	286	374	447	476	613	512	548	523	473	349	169	97	47	17	19	29	79
197	241	354	429	453	496	414	503	435	377	261	185	108	50	27	32	25	
7	5	5	14	12	18	7	9	7	7	7	3	2					80
3	8	5	15	11	9	8	9	7	10	1	1	2	1	1			
17	31	47	51	33	47	41	58	51	88	72	49	22	16	1	3	7	81
2	9	9	18	23	21	32	40	39	65	53	39	31	19	16	7	1	
2	2	8	5	4	10	6	6	3	3	4	3	1					82
7	8	7	8	4	13	4	7	1	6	3	1	2				1	
	1	3	4	2	1		2			1			1				83
1	1	6	1		2	2	1	2	1	1							
1	2	1						1									84
1	1				1		1										
2	4		1	2	1	2	1			2							85
1	2	4			3		1			2			1		1	1	
900	892	1,009	863	775	781	609	531	533	415	284	218	119	57	25	37	42	
613	607	692	610	515	511	358	325	337	222	140	110	58	19	8	16	21	
287	285	317	253	260	270	251	206	196	193	144	108	61	38	17	21	21	
		1	2		1		1	1									86
1	1	2	3			1										1	
2	1	1	2	2	1			1									87
		1		2	1		1	1		1							
		1	1	1			1										88
3	4	5	3	3	4	3	1	2	3				1				
6	7	3	7	3	4	3	5	3	6	2		2	1	1	1		89
6	6	3	2	4	5	3	5	3	7	8	5	4		1			
4	8	13	8	7	10	11	9	10	8	6	7	8	2		1		90
13	6	7	10	9	7	9	7	12	11	11	6	6	6	2	3		
41	36	53	43	36	54	33	31	38	37	22	18	11	3	1	5	6	91
30	30	20	22	31	33	27	36	35	41	31	30	9	9	1	11	3	
530	513	590	499	443	401	289	251	249	153	92	71	32	12	5	6	13	92
217	208	248	177	182	191	190	145	125	113	80	58	36	21	11	5	15	
497	479	544	460	411	366	252	218	216	118	73	55	23	9	3	1	12	
184	181	223	156	162	166	168	120	109	94	62	44	30	13	8	4	8	
33	34	46	39	32	35	37	33	33	35	19	16	9	3	2	5	1	
33	27	25	21	20	25	22	25	16	19	18	14	6	8	3	1	7	
13	22	14	17	3	15	5	5	8	5	2		1					93
8	12	11	14	11	7	8	4	4	7	2	2	1					
4	2	3	4	3	4	2	4	4	2	2	3	1			2		94
5	1	4	2	4	5	1	1	3	2	1	3	2		1	2	1	
1			2		1	2		1	1								95
	1	3	1	1				1									
3	7	6	13	10	13	10	13	17	6	12	7	3	1	1	1	1	96
1	10	7	14	12	12	7	6	8	7	7	3	1	2			1	
1	2	1	1			1			1								97
1			1						1								
8	9	6	11	7	7	2	5	5	3	2	4					1	98
2	6	6	4	1	5	2		2	1	3	1	2					
331	384	421	411	375	353	263	276	223	160	131	90	53	23	7	13	34	
141	183	221	234	182	187	134	147	124	92	74	47	32	9	1	6	23	
190	201	200	177	193	166	129	129	99	68	57	43	21	14	6	7	11	
1	1	1	2	3	2	2		1	3	2							99
3	2	2		2	4		1			2							
6	4	6	5	5	2		4		2	1	2				1		100
8	4	5	7	7	4	1		1	1								
																	101
	1			1													
7	15	17	20	11	17	13	13	6	7	2					1	1	102
8	16	11	11	11	11	9	10	8	1	4		3				1	
17	29	26	36	32	40	15	26	26	9	13	13	7	1			4	103
39	35	37	40	45	44	38	29	34	18	20	12	5	3	3	2	1	
																	104
13	23	27	31	25	20	26	20	22	23	16	10	8	1	1	3	5	105
26	26	32	29	29	30	23	35	32	19	17	15	5	4	2	4	4	
1																	106
1																	

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	V.—Diseases of the digestive system—Continued.											
107	Intestinal parasites	M. 36	1	9	6	4	6	26	7	2	.....	.....
		F. 36	3	4	7	4	6	24	9	3	.....	.....
108	Appendicitis and typhlitis	M. 366	4	2	1	3	3	13	20	35	38	49
		F. 297	.....	.....	.....	1	.....	1	21	34	33	43
109	Hernia, intestinal obstruction (total)	M. 418	63	7	6	5	2	83	4	4	22	29
		F. 315	39	6	1	1	2	49	8	5	18	19
	Hernia	M. 175	23	1	2	1	1	28	.....	1	7	8
		F. 62	8	.....	.....	.....	.....	8	1	.....	.....	1
	Intestinal obstruction	M. 243	40	6	4	4	1	55	4	3	15	21
		F. 253	31	6	1	1	2	41	7	5	18	18
110	Other diseases of the intestines	M. 77	9	1	1	1	.....	12	.....	4	1	8
		F. 85	6	2	.....	.....	.....	8	2	1	5	5
111	Acute yellow atrophy of the liver	M. 14	.....	1	.....	1	.....	2	.....	.....	.....	1
		F. 12	1	.....	.....	.....	.....	1	1	1	2	2
112	Hydatid tumor of the liver	M. 2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	M. 359	2	.....	1	.....	.....	3	.....	2	7	8
		F. 152	.....	.....	2	.....	.....	2	3	2	3	5
114	Biliary calculi	M. 24	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F. 43	.....	.....	.....	.....	.....	.....	.....	.....	1	1
115	Other diseases of the liver	M. 127	6	3	.....	.....	.....	9	3	1	4	8
		F. 131	5	2	.....	.....	1	8	2	1	5	9
116	Diseases of the spleen	M. 5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 6	.....	.....	.....	.....	.....	.....	.....	.....	3	2
117	Simple peritonitis (nonpuerperal)	M. 82	5	1	.....	1	.....	7	3	5	10	10
		F. 112	.....	4	1	.....	.....	5	3	3	13	21
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	M. 14	.....	.....	.....	.....	1	1	.....	.....	.....	.....
		F. 12	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	10,066	93	74	45	25	18	255	74	64	169	343
	Males	5,336	56	44	23	17	8	148	37	30	63	111
	Females	4,730	37	30	22	8	10	107	37	34	106	232
119	Acute nephritis	M. 578	31	29	11	9	5	85	16	10	20	32
		F. 491	19	23	12	4	2	60	17	12	28	27
120	Bright's disease	M. 4,197	11	11	11	7	3	43	16	18	34	67
		F. 3,339	7	6	9	4	7	33	19	16	49	123
121	Chyluria	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	M. 130	11	2	1	1	.....	15	3	2	2	7
		F. 86	9	1	1	.....	.....	11	1	3	3	4
123	Calculi of the urinary passages	M. 14	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
		F. 6	.....	.....	.....	.....	1	1	.....	.....	.....	.....
124	Diseases of the bladder	M. 116	3	1	.....	.....	.....	4	1	.....	3	3
		F. 33	2	.....	.....	.....	.....	2	.....	1	1	3
125	Diseases of the urethra, urinary abscess, etc	M. 101	.....	.....	.....	.....	.....	.....	.....	.....	4	2
		F. 4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	M. 187	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	M. 13	.....	1	.....	.....	.....	1	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	F. 11	.....	.....	.....	.....	.....	.....	.....	.....	1	1
129	Uterine tumor (noncancerous)	F. 318	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
130	Other diseases of the uterus	F. 136	.....	.....	.....	.....	.....	.....	.....	2	9	21
131	Cysts and other tumors of the ovary	F. 49	.....	.....	.....	.....	.....	.....	.....	.....	3	4
132	Salpingitis and other diseases of the female genital organs.	F. 252	.....	.....	.....	.....	.....	.....	.....	.....	12	44
133	Nonpuerperal diseases of the breast (cancer excepted).	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	1,626	.....	.....	.....	.....	.....	.....	.....	26	293	411
134	Accidents of pregnancy	F. 110	.....	.....	.....	.....	.....	.....	.....	.....	13	35
135	Puerperal hemorrhage	F. 128	.....	.....	.....	.....	.....	.....	.....	.....	10	19
136	Other accidents of labor	F. 214	.....	.....	.....	.....	.....	.....	.....	4	37	47
137	Puerperal septicemia	F. 654	.....	.....	.....	.....	.....	.....	.....	10	110	178
138	Puerperal albuminuria and convulsions	F. 483	.....	.....	.....	.....	.....	.....	.....	12	121	120
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	F. 30	.....	.....	.....	.....	.....	.....	.....	.....	2	8
140	Following childbirth (not otherwise defined)	F. 7	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
141	Puerperal diseases of the breast	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	319	30	5	1	2	3	41	6	1	8	9
	Males	176	18	2	1	1	3	25	.....	1	3	4
	Females	143	12	3	.....	1	.....	16	6	.....	5	5
142	Gangrene	M. 95	6	.....	.....	.....	1	7	.....	1	1	3
		F. 76	2	1	.....	1	.....	4	4	.....	1	1
143	Furuncle	M. 10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F. 8	3	.....	.....	.....	.....	3	.....	.....	1	1
144	Acute abscess	M. 33	3	1	.....	.....	2	6	.....	.....	.....	1
		F. 25	4	1	.....	.....	.....	5	2	.....	1	1
145	Other diseases of the skin and annexa	M. 38	9	1	1	1	.....	12	.....	.....	1	.....
		F. 34	3	1	.....	.....	.....	4	.....	.....	2	2

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Con.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
				1													107
36	33	43	30	23	15	9	8	4	1	1	4	1	1			2	108
44	33	30	23	13	6	7	4	3	1	1							
25	29	36	26	19	23	17	23	20	18	17	10	6	3		1	3	109
16	28	24	25	28	25	16	23	8	10	1	4	4				4	
10	9	15	6	8	11	12	13	10	12	9	7	5	3			1	
1	3	3	4	10	5	9	9	2	2		2	2					
15	20	21	20	11	12	5	10	10	6	8	3	1			1	2	
15	25	21	21	18	20	7	14	6	8	1	2	2				4	
4	4	7	4	6	5	6	4	3	3	1	2	2	1				110
11	11	10	12	3	3	4	2	2	2	1	1	2					
		1	1	1	2	2	3	1									111
1				1	1		1							1			
	1				1												112
10	20	34	53	43	41	33	36	26	16	15	3	6				3	113
4	14	13	10	24	21	10	11	5	10	6	6	2	1				
1		3	3	2	3	2	2	2	4							1	114
3	4	6	2	9	3	7	4	1		1	1						
12	15	16	14	8	9	5	5	5	2	5	2	2	1			1	115
13	13	14	9	12	12	9	6	3	5	2	3	2	1		1	1	
			2		1			1	1								116
								1									
4	7	4	5	3	3	4	2	6	3	1	1		1			3	117
11	13	14	7	5	2	5	2	1	1	2	1	1	2				
4	2		2		3		1	1									118
2	1	2	2	3			1										
436	524	809	875	902	1,013	877	897	813	788	541	309	173	87	33	29	55	
144	218	332	380	461	549	522	556	512	537	340	183	107	43	17	16	30	
292	306	477	495	441	464	355	341	301	251	201	126	66	44	16	13	25	
34	45	47	56	48	53	36	31	19	24	9	6	3		2	1	1	119
47	44	53	37	39	36	37	15	14	9	7	3	2		1		3	
93	150	258	290	367	462	441	472	440	440	289	146	87	38	9	12	25	120
139	136	251	320	321	382	284	303	280	229	185	122	64	42	12	12	17	
																	121
7	8	8	7	12	5	8	11	8	10	6	5	1	2	1	2		122
8	5	8	7	6	9	3	3	2	7	4				1		1	
1	1	1	1	1	3	1	1		1	1						1	123
	1	1		1		2											
3	3	4	2	7	7	9	13	12	16	6	13	6	2	1		1	124
2	3	2	1	3		2	4	1	3		1		2	1	1		
2	9	14	15	19	7	9	7	2	6	3		1				1	125
	2			1			1										
2			6	5	12	18	20	30	40	25	13	9	1	4	1	1	126
2	2		3	2			1	1		1							127
1	2	2	1	3													128
24	47	75	79	38	18	15	7	2	1	5						2	129
18	17	19	16	12	9	6	3	2						1		1	130
5	5	6	9	5	4	3	3		2								131
46	44	59	25	12	4	3	2									1	132
2		1			2												133
354	228	206	90	15												3	
28	11	16	6	1													134
24	30	22	17	6													135
49	30	32	13	2													136
156	89	74	31	4												2	137
89	60	56	22	2												1	138
5	8	6	1														139
3																	140
																	141
11	16	18	18	19	18	20	36	20	18	19	21	7	4	5	4		
4	10	10	12	15	6	10	19	12	14	8	13	5	3	1	1		
7	6	8	6	4	12	10	17	8	4	11	8	2	1	4	3		
2	5	4	2	10	4	6	7	9	10	4	10	5	3	1	1		142
3	2	3	4	1	8	4	9	6	2	9	7	2		3	3		
		2	1			2	1	2	1								143
		1							2								
2	4	2	7	4		1	5		1								144
1	4	3	1		3	1	1	2									
	1	2	2	1	2	1	6	1	2	4	3						145
3		1	1	3	1	5	7			2	1		1	1			

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	138	13	5	.....	3	1	22	12	7	7	7
	Males	82	9	2	.....	1	.....	12	8	6	7	4
	Females	56	4	3	.....	2	1	10	4	1	.....	3
146	Diseases of the bones (tuberculosis excepted) M	65	6	2	.....	1	.....	9	6	6	7	4
	F	44	3	2	.....	2	1	8	4	1	.....	3
147	Diseases of the joints (tuberculosis and rheumatism excepted) M	11	2	.....	.....	.....	.....	2	1	.....	.....	.....
	F	10	1	1	.....	.....	.....	2	.....	.....	.....	.....
148	Amputations M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion M	6	1	.....	.....	.....	.....	1	1	.....	.....	.....
	F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	482	418	29	14	3	2	466	9	2	3	1
	Males	288	252	18	5	2	1	278	3	2	3	1
	Females	194	166	11	9	1	1	188	6	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total) M	288	252	18	5	2	1	278	3	2	3	1
	F	194	166	11	9	1	1	188	6	.....	.....	.....
	Hydrocephalus M	41	21	12	2	1	.....	36	2	2	1	.....
	F	36	21	4	6	1	.....	32	4	.....	.....	.....
	Congenital malformations of the heart M	147	142	3	1	.....	.....	146	.....	.....	.....	1
	F	103	97	5	1	.....	.....	103	.....	.....	.....	.....
	Other congenital malformations M	100	89	3	2	1	1	96	1	.....	2	.....
	F	55	48	2	2	.....	1	53	2	.....	.....	.....
	XI.—Early infancy	5,639	5,639	.....	.....	.....	.....	5,639	.....	.....	.....	.....
	Males	3,087	3,087	.....	.....	.....	.....	3,087	.....	.....	.....	.....
	Females	2,552	2,552	.....	.....	.....	.....	2,552	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total) M	2,586	2,586	.....	.....	.....	.....	2,586	.....	.....	.....	.....
	F	2,190	2,190	.....	.....	.....	.....	2,190	.....	.....	.....	.....
	Premature birth M	1,708	1,708	.....	.....	.....	.....	1,708	.....	.....	.....	.....
	F	1,520	1,520	.....	.....	.....	.....	1,520	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc. M	878	878	.....	.....	.....	.....	878	.....	.....	.....	.....
	F	670	670	.....	.....	.....	.....	670	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total) M	466	466	.....	.....	.....	.....	466	.....	.....	.....	.....
	F	336	336	.....	.....	.....	.....	336	.....	.....	.....	.....
	Injuries at birth M	172	172	.....	.....	.....	.....	172	.....	.....	.....	.....
	F	116	116	.....	.....	.....	.....	116	.....	.....	.....	.....
	Other causes peculiar to early infancy[1] M	294	294	.....	.....	.....	.....	294	.....	.....	.....	.....
	F	220	220	.....	.....	.....	.....	220	.....	.....	.....	.....
153	Lack of care M	35	35	.....	.....	.....	.....	35	.....	.....	.....	.....
	F	26	26	.....	.....	.....	.....	26	.....	.....	.....	.....
	XII.—Old age	1,631	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Males	684	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Females	947	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
154	Senility M	684	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	947	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XIII.—External causes	7,673	341	190	193	189	145	1,058	373	324	604	888
	Males	5,709	193	104	103	76	65	541	176	232	482	697
	Females	1,964	148	86	90	113	80	517	197	92	122	191
	Suicide (total) M	208	.....	.....	.....	.....	.....	.....	.....	1	5	23
	F	78	.....	.....	.....	.....	.....	.....	.....	.....	8	20
155	By poison M	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
	F	30	.....	.....	.....	.....	.....	.....	.....	.....	5	10
156	By asphyxia M	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
157	By hanging or strangulation M	25	.....	.....	.....	.....	.....	.....	.....	1	1	2
	F	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
158	By drowning M	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
	F	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
159	By firearms M	76	.....	.....	.....	.....	.....	.....	.....	.....	4	10
	F	12	.....	.....	.....	.....	.....	.....	.....	.....	3	1
160	By cutting or piercing instruments M	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	F	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
161	By jumping from high places M	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
162	By crushing M	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
163	Other suicides M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of injuries at birth.

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Con.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
10	10	14	10	10	8	3	5	5	2	1	4	1					
5	6	6	6	5	4	3	4	2		1	2	1					
5	4	8	4	5	4		1	3	2		2						
5	5	5	6	2	3	2	4	1									146
3	3	7	3	4	4		1	2	1								
		1		3	1	1				1	1						147
1	1	1	1	1				1	1		1						
																	148
	1							1			1	1					149
1											1						
1																	
1																	
1																	150
1																	
																	151
																	152
																	153
				1	2	7	35	54	187	212	353	211	230	113	206	20	
						4	17	21	76	98	154	102	83	55	68	6	
				1	2	3	18	33	111	114	199	109	147	58	138	14	
						4	17	21	76	98	154	102	83	55	68	6	154
				1	2	3	18	33	111	114	199	109	147	58	138	14	
861	632	688	485	406	332	211	202	165	121	81	72	34	27	5	9	95	
717	532	581	412	352	280	174	147	110	76	48	39	11	8	2	4	88	
144	100	107	73	54	52	37	55	55	45	33	33	23	19	3	5	7	
36	32	37	25	13	10	5	8	5	4	2	1					1	
23	8	7	5	2	1	1	1	1				1					
8	6	3	4	2		1		1	1	1							155
7	4	1		2								1					
3	3	2			1		1										156
4	1	1					1										
3	3	5	2	2	1	2	2				1						157
5		2	1														
6	4	6		2	1		1		1	1							158
2	1																
11	11	12	12	4	6	2	1	1	1							1	159
3	1	2	2														
5	3	4	5	3	1		1	1									160
		1	1			1		1									
		2	1				2	1	1								161
		3															162
	2		1					1									163
2	1		1		1												

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of soldiers and

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	M.	4,016	187	99	102	75	64	527	171	218	370	426
		F.	1,575	135	86	90	112	79	502	192	88	79	86
164	Poisoning by food	M.	54	5	3	1	2	2	13	6	4	4	4
		F.	55	6	4	2		2	14	3	3	6	4
165	Other acute poisonings	M.	81	7	15	11	4	3	40	2	3	1	6
		F.	73	4	15	8	3	1	31	4	4	3	6
166	Conflagration	M.	117	5	9	8	5	8	35	13	2	13	1
		F.	89	10	3	6	10	4	33	16	10	3	3
167	Burns (conflagration excepted)	M.	393	26	49	64	44	29	212	23	11	13	25
		F.	667	19	43	53	81	56	252	126	30	30	38
168	Absorption of deleterious gases (conflagration excepted)	M.	207	85	3		2	1	91	3	2	5	11
		F.	77	49	2		1		52		2	2	1
169	Accidental drowning	M.	472	1	3	2	4	2	12	30	62	71	66
		F.	55	3	4	6	1	1	15	6	5	8	4
170	Traumatism by firearms	M.	267	1	2	1	2	2	8	24	47	51	45
		F.	62	1	1	2	2	2	8	10	15	6	8
171	Traumatism by cutting or piercing instruments	M.	12							1	2		1
		F.	3							1			1
172	Traumatism by fall	M.	293	8	4	3	1	1	17	8	14	27	17
		F.	143	10	7	3	3	4	27	5	2	8	1
173	Traumatism in mines and quarries (total)	M.	124									16	19
		F.											
	Traumatism in mines	M.	118									14	19
		F.											
	Traumatism in quarries	M.	6									2	
		F.											
174	Traumatism by machines	M.	200							1	7	25	39
		F.	5									1	1
175	Traumatism by other crushing (total)	M.	1,123	2	1	5	9	12	29	43	40	98	134
		F.	152	2	2	6	5	5	20	14	8	6	8
	Railroad accidents and injuries	M.	610			1	1	3	5	5	13	65	95
		F.	50		1	1			2	3	7	3	1
	Street-car accidents and injuries	M.	101			2	2	3	7	8		4	8
		F.	26			1			1	1			
	Automobile accidents and injuries	M.	227	1			3	4	8	18	17	18	17
		F.	50			1	3	5	9	6	1	3	6
	Injuries by other vehicles	M.	146	1	1	2	3	2	9	11	10	9	6
		F.	20		1	3	2		7	2			1
	Landslide, other crushing	M.	39							1		2	8
		F.	6	1					1	2			
176	Injuries by animals	M.	46			2			2	5	3	5	2
		F.	5	1					1				1
177	Starvation	M.	7	1					1			1	1
		F.	1										
178	Excessive cold	M.	71	1					1	1	2	2	6
		F.	25	1					1	1			
179	Effects of heat	M.	102	21	4				25		1	1	3
		F.	31	4	2	3	1		10				
180	Lightning	M.	40	1					1	1	4	3	3
		F.	18							1	5	4	2
181	Electricity (lightning excepted)	M.	35							2	2	8	4
		F.											
185	Fractures (cause not specified)	M.	20	2					2				2
		F.	6					1	1				1
186	Other external violence	M.	352	21	6	5	2	4	38	8	12	26	37
		F.	108	25	3	1	5	3	37	5	4	2	7
	Homicide (total)	M.	1,485	6	5	1	1	1	14	5	13	107	248
		F.	311	13			1	1	15	5	4	35	85
182	By firearms	M.	1,095		1				1	4	9	77	194
		F.	181	1					1		1	19	54
183	By cutting or piercing instruments	M.	221								2	14	39
		F.	77									15	24
184	By other means	M.	169	6	4	1	1	1	13	1	2	16	15
		F.	53	12			1	1	14	5	3	1	7
	XIV.—Ill-defined diseases		4,805	1,976	427	132	66	32	2,633	92	57	94	128
	Males		2,545	1,103	221	72	33	12	1,441	39	21	37	62
	Females		2,260	873	206	60	33	20	1,192	53	36	57	66
187	Ill-defined organic disease	M.	148	2	3	3	2		10	2	1	3	4
		F.	154		5		1		6	2	4	5	9
188	Sudden death	M.	156	25	9	1	2		37	3	1	3	3
		F.	143	42	3	1	1	1	48	2	1	1	1
189	Not specified or ill-defined (total)	M.	2,241	1,076	209	68	29	12	1,394	34	19	31	55
		F.	1,963	831	198	59	31	19	1,138	49	31	51	56
	Ill-defined	M.	769	215	121	33	11	5	385	13	13	15	21
		F.	676	174	121	29	14	8	346	32	8	18	16
	Not specified or unknown	M.	1,472	861	88	35	18	7	1,009	21	6	16	34
		F.	1,287	657	77	30	17	11	792	17	23	33	40

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Con.

sailors after the United States entered the war.]

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed Int. List No.
342	292	366	271	252	208	131	114	93	64	42	37	11	8	2	4	67	
68	53	66	53	44	44	33	52	53	44	32	31	22	19	3	5	6	
3		5	1	4	5	2		2	1								164
5	5	7	4	2				1					1				
7	4	4	3	2		2	5				1					1	165
9	2	4	2	3	1		1	1	2								
2	4	4	6	6	6	2	9	3	2		4	2	1	1		1	166
1	3	1	2		1		2	5	1	1	2	5					
14	13	11	10	11	7	5	9	7	7	5	6		1		2	1	167
21	14	19	9	11	15	7	15	18	18	11	16	4	7	1	4	1	
12	9	19	12	15	9	6	3	2	4			2				2	168
1	1	3	4	1		1	2	5	1		1						
56	33	35	25	25	13	9	7	6	3	3	2	1	3			10	169
3	1		4	1		1	2	1	1	1	1					1	
26	22	16	6	8	1	3	1	1			1	1				6	170
7	4	1	1	1								1					
3			1		1	2					1						171
								1									
16	18	32	30	24	25	11	14	15	9	7	4	3			2		172
4	5	7	6	5	9	6	13	5	10	10	7	6	5	1	1		
12	23	16	8	5	1	1	2	1	1							19	173
11	23	14	8	4	1	1	2	1	1							19	
1		2		1													
33	20	28	14	10	8	7	4	3		1							174
			1			1	1										
106	105	137	98	101	76	41	34	28	18	13	6					16	175
11	14	11	10	8	7	9	10	4	4	3	2	2				1	
74	57	82	56	55	34	19	15	8	7	4	3					13	
6	7	3	2	4	2	3	2		1	3						1	
7	7	12	7	8	11	4	8	4	2	2	2						
2	3	2	1	3	4	1	4	3				1					
19	19	23	17	22	18	10	6	6	3	3	1					2	
3	1	4	7			2	2		3		2	1					
3	18	16	14	12	8	6	4	10	6	4							
	2	2		1	1	1	2	1									
3	4	4	4	4	5	2	1									1	
	1					2											
2	4	3	3	2	1		4	2	4	2	2						176
						1			2								
								1	1		1			1			177
							1										
1	1	4	2	7	9	5	1	10	5	5	4	1	1			3	178
	1	2	2	1	1	3	1	1	1	3		2	4	1			
6	2	9	11	3	19	5	7	2	4	1			2			1	179
1	1	2	2	2		1	2	4	2		2	1	1				
5		5	6	5	1	2	2			1						1	180
2		3			1												
6	3	1	3	5	1												181
2	4	3	1	1		1			1		1					2	185
1			1	1			1										
30	27	34	31	18	25	27	12	10	4	4	4	1				4	186
2	2	6	5	8	9	3	1	7	2	3		1	1			3	
339	208	178	116	87	62	38	25	12	8	4	1					20	
53	39	34	15	8	7	3	2	1	1	1	2					1	
253	154	136	85	66	44	28	15	8	5	2	1					13	182
34	25	25	10	3	4	2		1	1							1	
59	31	26	17	9	8	3	5	1	1							6	183
13	10	6	3	5						1							
27	23	16	14	12	10	7	5	3	2	2						1	184
6	4	3	2		3	1	2				2						
123	93	153	137	129	175	118	167	174	154	112	85	50	52	19	25	35	
57	44	78	74	61	99	66	95	108	74	51	43	25	24	10	12	24	
66	49	75	63	68	76	52	72	66	80	61	42	25	28	9	13	11	
3	2	4	5	9	15	8	13	16	19	10	11	6	3	1	2	1	187
12	9	10	6	5	7	12	10	7	18	10	8	8	2	2	1	1	
4	5	13	8	7	12	9	14	11	6	8	2	3	4		2	1	188
2	2	4	6	5	13	4	5	8	14	9	5	3	7	1	2		
50	37	61	61	45	72	49	68	81	49	33	30	16	17	9	8	22	189
52	38	61	51	58	56	36	57	51	48	42	29	14	19	6	10	10	
15	16	29	24	28	39	25	32	43	29	9	10	7	2	4	1	9	
20	14	28	22	32	21	20	28	21	15	15	9	2	3	3	1	2	
35	21	32	37	17	33	24	36	38	20	24	20	9	15	5	7	13	
32	24	33	29	26	35	16	29	30	33	27	20	12	16	3	9	8	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII).																	
	All causes	1,066,711	171,024	37,638	16,893	10,520	7,633	23,070	41,765	79,366	90,456	101,056	119,718	139,716	140,193	73,749	11,137	754	2,023
	I.—General diseases	284,993	18,591	11,168	6,506	4,571	3,450	10,141	18,326	37,667	36,583	35,625	36,231	33,281	23,568	8,368	988	55	474
1	Typhoid fever	10,089	90	124	150	128	128	746	2,443	2,569	1,537	1,019	605	357	132	28	3		30
2	Typhus fever	16						1		4	6	3	1	1					
3	Relapsing fever	1							1										
4	Malaria	2,385	244	152	106	82	62	197	254	258	228	185	187	188	148	68	11	1	14
5	Smallpox	204	33	8	4	4	3	8	20	32	24	19	23	14	5	5		1	1
6	Measles	10,442	2,363	2,614	1,195	727	405	948	802	466	300	242	147	126	68	22		1	16
7	Scarlet fever	3,124	154	333	399	332	298	829	430	225	79	29	7	4	1	1	1		2
8	Whooping cough	7,837	4,250	1,943	745	328	188	284	64	10	4	2	3	7	4		1		4
9	Diphtheria and croup	12,442	993	1,842	1,794	1,558	1,255	3,367	1,018	239	171	102	52	29	15	2			5
10	Influenza	12,965	1,445	428	186	125	64	208	315	425	548	740	1,091	1,753	2,846	2,309	436	28	18
11	Miliary fever	1									1								
13	Cholera nostras	242	51	23	9	5	8	10	5	9	8	13	18	22	40	16	5		
14	Dysentery	4,546	923	778	338	152	93	178	100	90	124	167	192	358	594	376	57	6	20
17	Leprosy	17							1	4	4	1	4	3					
18	Erysipelas	2,863	824	57	17	10	3	17	44	140	211	288	376	341	328	175	28		4
19	Other epidemic diseases	405	154	75	21	21	12	48	24	9	6	9	8	11	3	3			1
20	Purulent infection and septicemia	1,110	136	18	16	11	11	41	103	126	136	135	130	111	83	46	5		2
21	Glanders	4									1	2		1					
22	Anthrax	61				1		1	1	11	10	14	12	8	3				
23	Rabies	66		2	3	6	5	16	9	7	5	8	1	1	2	1			
24	Tetanus	1,329	329	15	15	13	19	183	224	123	120	118	89	55	23	1			2
25	Mycoses	39		1					1	7	8	3	11	3	4	1			
26	Pellagra	3,666	26	27	28	16	16	63	183	600	732	656	479	499	247	55	10	4	25
27	Beriberi	15	7			1			1	4	2								
	Tuberculosis (total)	110,144	2,755	2,057	1,111	780	622	1,958	10,092	27,697	24,050	17,154	11,140	6,650	3,199	643	46	3	187
28	Tuberculosis of the lungs	93,290	880	613	276	198	153	758	8,123	24,973	22,003	15,627	10,139	5,948	2,828	568	39	2	162
29	Acute miliary tuberculosis	3,631	168	125	65	40	45	109	593	988	696	435	202	110	40	7			8
30	Tuberculous meningitis	6,084	1,282	1,087	614	413	320	720	571	432	285	196	101	39	12	6		1	5
31	Abdominal tuberculosis	3,745	216	126	83	63	46	173	411	703	575	458	380	312	162	27	1		9
32	Pott's disease	889	23	12	19	27	31	81	130	161	112	107	89	56	34	6	1		
33	White swellings	505	14	13	10	6	9	45	75	92	58	57	43	40	36	7			
34	Tuberculosis of other organs	1,381	86	56	26	27	12	55	126	241	219	188	137	116	70	16	5		1
35	Disseminated tuberculosis	619	86	25	18	6	6	17	63	107	102	86	49	29	17	6			2
36	Rickets	566	322	135	47	13	9	13	6	5	1	6	2	3	4				
37	Syphilis	7,795	2,242	190	72	35	27	57	163	707	1,280	1,279	947	549	177	43	5		22
38	Gonococcus infection	595	46	1	2	1		5	53	197	151	102	17	13	6	1			
	Cancer and other malignant tumors (total)	61,429	68	49	50	57	46	142	314	1,015	3,692	9,128	14,876	16,210	11,876	3,558	272	9	67
39	Of the buccal cavity	2,279	3	2	4	2	3	7	14	17	78	263	480	641	528	209	22	2	4
40	Of the stomach, liver	23,406	11	7	2	5	6	14	32	201	895	2,770	5,841	7,136	5,085	1,310	59	3	29
41	Of the peritoneum, intestines, rectum	8,177	7	5	9	6	6	21	40	173	472	1,078	1,905	2,256	1,750	424	18		7
42	Of the female genital organs	9,331	1	1	1			2	26	218	1,079	2,330	2,581	1,854	976	232	19		11
43	Of the breast	5,712	1						2	54	459	1,296	1,534	1,169	826	328	37	1	5
44	Of the skin	2,157	3	1	4	2	1	4	5	18	58	124	273	466	655	469	69	3	2
45	Of other organs or of organs not specified	10,367	42	33	30	42	30	94	195	334	651	1,267	2,262	2,688	2,056	586	48		9
46	Other tumors (tumors of the female genital organs excepted)	272	13	3	2		1	5	7	15	17	43	41	47	53	22	3		
47	Acute articular rheumatism	3,432	26	19	30	47	63	385	640	371	348	338	364	380	264	132	19	1	5
48	Chronic rheumatism and gout	1,021		1		1	1	3	9	24	55	91	160	235	294	129	15	1	2
49	Scurvy	94	49	16	5			1	3	5	1	6	3	3	1	1			
50	Diabetes	12,734	25	33	37	39	51	197	587	676	757	1,234	2,733	3,512	2,264	530	45		14
51	Exophthalmic goiter	1,264	1		1	1	1	1	57	189	270	287	274	128	39	11	1		3
52	Addison's disease	320		1				1	9	32	47	64	75	63	25	2			1
53	Leukemia	1,506	41	45	29	25	25	89	143	193	184	205	213	211	86	13			4
54	Anemia, chlorosis	4,022	173	64	20	12	8	55	107	192	317	612	963	864	501	115	18		1
55	Other general diseases	1,623	807	114	74	40	26	82	82	65	58	56	63	61	57	30	6		2
56	Alcoholism (acute or chronic)	3,907							7	277	1,020	1,160	853	408	139	21	1		21
57	Chronic lead poisoning	147	1					1		5	29	45	41	22	3				
58	Other chronic occupation poisonings	18							1	1	8	4	3	1					
59	Other chronic poisonings	235						1	3	43	33	56	27	29	34	8			1
	II.—Diseases of the nervous system and of the organs of special sense	100,291	4,471	1,544	980	653	485	1,602	2,388	2,815	4,990	8,896	14,544	20,768	23,304	11,373	1,277	59	142
60	Encephalitis	620	103	39	19	20	8	37	58	69	81	72	47	32	22	10	1		2
61	Meningitis (total)	6,673	1,480	742	545	342	247	775	860	553	382	309	226	124	61	14	1		12
	Simple meningitis	2,735	688	298	251	147	91	240	267	170	152	151	137	77	45	12			9
	Cerebrospinal meningitis (undefined)	1,186	271	161	107	57	59	149	154	92	54	35	20	16	7	1			3
	Cerebrospinal fever	2,752	521	283	187	138	97	386	439	291	176	123	69	31	9	1	1		
62	Locomotor ataxia	1,772				1			2	22	118	336	532	474	232	52	3		
63	Other diseases of the spinal cord (total)	5,147	238	223	160	118	103	224	239	190	234	407	669	995	995	316	30	1	5
	Acute anterior poliomyelitis	1,182	201	206	143	110	92	193	121	50	25	12	13	10	3	1	1		1
	Other diseases of the spinal cord [1]	3,965	37	17	17	8	11	31	118	140	209	395	656	985	992	315	29	1	4
64	Cerebral hemorrhage, apoplexy	62,417	168	53	20	19	14	68	185	529	1,462	4,576	10,033	16,072	18,758	9,320	1,024	39	77
65	Softening of the brain	888						1	3	4	11	29	82	196	331	207	21	1	2
66	Paralysis without specified cause	5,445	32	11	11	3	4	20	37	59	129	296	613	1,233	1,791	1,024	152	14	16
67	General paralysis of the insane	5,248						1	17	148	1,128	1,468	1,120	674	473	192	18	2	7
68	Other forms of mental alienation	1,651							45	214	306	302	317	259	144	51	8		5
69	Epilepsy	3,161	98	43	29	25	19	117	455	584	585	455	306	250	141	43	1		10
70	Convulsions (nonpuerperal)	137						45	27	24	20	10	5	2	3	1			
71	Convulsions of infants	2,172	1,822	219	72	36	23												
72	Chorea	102	5	5			1	11	34	11	8	7	3	8	5	3	1		
73	Neuralgia and neuritis	429	6			1	1	1	7	23	42	66	79	92	68	34	8		1
74	Other diseases of the nervous system	2,731	207	68	36	43	32	121	225	254	338	437	396	266	219	78	8	1	2
75	Diseases of the eyes and their annexa	97	8	4	5	4	4	7	8	2	6	8	4	11	18	7		1	
76	Diseases of the ears	1,601	304	137	83	41	29	174	186	129	140	118	112	80	43	21	1		3

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued.																		
	III.—Diseases of the circulatory system	151,701	1,237	256	179	165	179	1,273	3,397	4,795	8,019	13,246	21,325	33,107	39,839	21,470	2,863	119	232
77	Pericarditis	332	12	4	1	3	10	23	49	60	79	86	113	169	150	66	5	1	1
78	Acute endocarditis	6,669	305	61	50	52	47	273	520	676	897	1,315	1,789	302	246	113	19	.....	4
79	Organic diseases of the heart	115,304	568	136	88	91	106	919	2,720	3,743	6,299	10,384	16,444	26,915	30,208	14,728	1,682	84	189
80	Angina pectoris	5,914	1	.....	.....	.....	1	3	16	70	207	518	1,097	1,732	1,647	562	51	.....	9
81	Diseases of the arteries, atheroma, aneurism, etc	19,050	3	.....	.....	.....	.....	1	15	61	248	561	1,304	3,262	6,842	5,634	1,063	33	23
82	Embolism and thrombosis	2,709	52	8	9	4	4	18	43	134	190	267	436	577	618	309	34	.....	3
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	454	11	2	1	.....	1	3	4	22	60	71	91	89	70	23	6	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	454	253	41	30	14	10	24	15	16	10	10	9	11	6	5	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	318	32	4	.....	1	.....	9	15	13	29	34	42	50	52	30	3	1	3
	IV.—Diseases of the respiratory system	133,904	27,567	9,320	3,606	1,766	1,130	2,458	3,636	6,824	9,618	11,460	13,311	15,208	16,203	9,955	1,600	82	160
86	Diseases of the nasal fossae	367	223	14	8	7	6	9	14	13	17	8	3	9	17	15	3	.....	1
87	Diseases of the larynx	821	181	113	96	72	48	77	25	25	30	37	26	36	33	20	.....	1	1
88	Diseases of the thyroid body	521	11	2	2	.....	1	2	35	63	103	87	109	55	40	9	2	.....	.....
89	Acute bronchitis	7,296	3,864	753	247	102	62	74	54	64	79	91	161	275	604	712	144	9	1
90	Chronic bronchitis	5,011	82	50	19	5	4	37	56	109	124	201	393	818	1,542	1,283	272	12	4
91	Bronchopneumonia	37,879	14,845	4,888	1,658	736	455	768	548	591	820	1,013	1,575	2,644	3,942	2,875	466	25	30
92	Pneumonia (total)	74,517	7,857	3,207	1,430	775	500	1,366	2,675	5,489	7,868	9,198	10,016	10,295	8,903	4,246	553	25	114
	Lobar pneumonia	65,108	6,066	2,656	1,172	633	420	1,139	2,264	4,942	7,244	8,454	9,140	9,305	7,692	3,443	431	14	93
	Pneumonia (undefined)	9,409	1,791	551	258	142	80	227	411	547	624	744	876	990	1,211	803	122	11	21
93	Pleurisy	2,827	197	217	109	51	33	88	156	247	292	369	367	312	262	108	17	.....	2
94	Pulmonary congestion, pulmonary apoplexy	1,471	216	40	10	8	7	9	18	43	37	60	86	120	278	419	112	7	1
95	Gangrene of the lung	226	.....	2	2	.....	1	5	8	24	32	39	52	41	9	10	.....	1	.....
96	Asthma	1,819	24	17	10	5	9	6	13	49	103	198	321	421	426	186	25	1	5
97	Pulmonary emphysema	170	11	1	4	.....	1	3	2	7	8	13	22	31	41	23	2	1	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	979	56	16	11	5	3	14	32	100	105	146	180	151	106	49	4	.....	1
	V.—Diseases of the digestive system	109,808	41,422	11,929	3,282	1,557	963	2,470	3,411	4,640	5,891	7,270	8,170	8,056	6,895	3,265	456	24	107
99	Diseases of the mouth and annexa	716	241	53	16	8	6	38	24	48	55	60	60	53	43	9	2	.....	.....
100	Diseases of the pharynx	2,174	183	114	105	116	77	328	304	287	208	152	106	75	78	34	5	1	1
101	Diseases of the esophagus	120	8	1	2	1	1	5	2	8	3	15	22	17	24	10	1	.....	.....
102	Ulcer of the stomach	3,302	14	4	5	2	1	10	60	309	516	670	620	570	375	120	17	2	7
103	Other diseases of the stomach (cancer excepted)	7,021	2,148	344	148	75	51	114	127	224	344	426	590	758	902	637	113	5	15
104	Diarrhea and enteritis (under 2 years)	48,231	37,226	11,005	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	11,269	.....	.....	2,653	1,063	535	709	313	416	574	711	768	1,078	1,353	913	146	10	27
106	Ankylostomiasis	29	.....	3	.....	3	1	5	7	4	1	2	.....	1	1	.....	.....	.....	1
107	Intestinal parasites	162	10	35	26	19	19	29	8	4	4	3	4	.....	1	.....	.....	.....	.....
108	Appendicitis and typhlitis	9,374	39	46	92	106	133	810	1,939	1,866	1,537	1,232	818	454	199	61	4	.....	8
109	Hernia, intestinal obstruction (total)	8,663	1,174	209	137	91	77	226	262	479	678	892	1,175	1,367	1,217	577	81	3	18
	Hernia	3,044	199	25	12	5	7	15	28	115	172	359	593	687	558	226	36	2	5
	Intestinal obstruction	5,619	975	184	125	86	70	211	234	364	506	533	582	680	659	351	45	1	13
110	Other diseases of the intestines	1,855	141	34	30	25	9	41	71	143	234	226	248	228	242	157	24	2	.....
111	Acute yellow atrophy of the liver	293	14	1	1	3	.....	5	16	54	35	34	34	41	42	12	1	.....	.....
112	Hydatid tumor of the liver	27	.....	.....	.....	1	.....	.....	.....	5	3	3	6	3	4	2	.....	.....	.....
113	Cirrhosis of the liver	8,567	11	7	9	4	4	15	47	165	758	1,636	2,182	1,962	1,364	367	27	.....	9
114	Biliary calculi	2,475	.....	1	2	2	.....	.....	7	98	238	417	626	597	365	108	7	.....	7
115	Other diseases of the liver	3,422	112	33	15	9	11	33	66	225	387	510	628	615	539	213	20	1	5
116	Diseases of the spleen	129	2	3	2	1	2	3	10	15	19	22	16	24	8	1	1	.....	.....
117	Simple peritonitis (nonpuerperal)	1,503	92	33	37	27	33	94	140	228	227	156	128	145	109	39	7	.....	8
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	476	7	3	2	1	3	5	8	62	70	103	109	68	29	5	.....	.....	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	92,397	792	313	249	177	155	587	1,451	3,758	6,839	11,000	15,469	20,234	20,820	9,332	1,015	57	149
119	Acute nephritis	6,233	421	175	129	95	77	299	434	623	814	812	851	691	541	243	19	1	8
120	Bright's disease	74,639	155	110	98	69	71	258	813	2,109	4,454	8,437	13,328	17,885	18,068	7,776	839	48	121
122	Other diseases of the kidneys and annexa	1,785	147	19	14	10	5	22	53	144	182	227	246	268	280	144	19	2	3
123	Calculi of the urinary passages	496	1	2	1	2	1	3	5	43	61	83	90	94	73	33	2	.....	2
124	Diseases of the bladder	1,275	22	1	2	1	1	2	15	25	34	52	94	196	384	381	60	2	3
125	Diseases of the urethra, urinary abscess, etc	374	1	.....	1	.....	.....	.....	5	14	57	104	85	61	31	10	3	.....	2
126	Diseases of the prostate	3,118	.....	.....	.....	.....	.....	.....	3	9	9	46	239	765	1,276	697	67	4	3
127	Nonvenereal diseases of the male genital organs	86	27	5	3	.....	.....	1	1	6	6	11	4	11	8	3	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	45	.....	.....	.....	.....	.....	.....	5	7	13	15	3	1	1	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	1,494	.....	.....	.....	.....	.....	.....	1	70	373	613	236	101	71	23	1	.....	5
130	Other diseases of the uterus	834	.....	.....	.....	.....	.....	2	46	186	222	181	109	54	24	8	1	.....	1
131	Cysts and other tumors of the ovary	647	.....	1	.....	.....	.....	.....	16	83	116	145	121	91	58	14	2	.....	.....
132	Salpingitis and other diseases of the female genital organs	1,331	3	.....	1	.....	.....	.....	53	437	493	269	58	15	1	.....	.....	.....	1
133	Nonpuerperal diseases of the breast (cancer excepted)	40	15	.....	.....	.....	.....	.....	1	2	5	5	5	1	4	.....	2	.....	.....
	VII.—The puerperal state	12,528	.....	.....	.....	.....	.....	.....	1,187	5,651	4,670	1,004	2	.....	.....	.....	.....	.....	14
134	Accidents of pregnancy	1,028	.....	.....	.....	.....	.....	.....	51	448	450	79	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	1,178	.....	.....	.....	.....	.....	.....	33	401	575	169	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	1,194	.....	.....	.....	.....	.....	.....	83	480	499	130	.....	.....	.....	.....	.....	.....	2
137	Puerperal septicemia	5,211	.....	.....	.....	.....	.....	.....	491	2,552	1,822	340	2	.....	.....	.....	.....	.....	4
138	Puerperal albuminuria and convulsions	3,409	.....	.....	.....	.....	.....	.....	505	1,561	1,086	251	.....	.....	.....	.....	.....	.....	6
139	Puerperal phlegmasia alba dolens, embolus, sudden death	439	.....	.....	.....	.....	.....	.....	21	166	217	33	.....	.....	.....	.....	.....	.....	2
140	Following childbirth (not otherwise defined)	58	.....	.....	.....	.....	.....	.....	3	36	17	2	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	11	.....	.....	.....	.....	.....	.....	.....	7	4	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	3,315	621	59	26	25	22	55	92	120	170	232	237	437	543	516	103	6	1
142	Gangrene	1,462	39	10	12	13	12	22	12	25	38	55	100	225	389	416	88	6	.....
143	Furuncle	449	98	5	2	3	.....	4	35	25	38	48	66	71	36	16	1	.....	1
144	Acute abscess	681	187	25	7	6	6	25	28	43	72	85	64	65	48	18	2	.....	.....
145	Other diseases of the skin and annexa	723	297	19	5	3	4	4	17	27	22	44	57	76	70	66	12	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	2,295	162	89	49	49	37	216	360	261	223	262	222	180	115	62	7	.....	1
146	Diseases of the bones (tuberculosis excepted)	1,953	136	83	45	47	35	202	326	227	195	230	185	134	71	33	3	.....	1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	252	17	4	3	1	2	11	24	26	22	26	28	35	30	20	3	.....	.....
148	Amputations	6	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	1	1	.....	.....	.....
149	Other diseases of the organs of locomotion	84	9	2	1	1	.....	3	10	7	5	5	9	10	13	8	1	.....	.....
	X.—Malformations	11,841	10,980	332	128	54	48	129	117	34	14	5	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	11,841	10,980	332	128	54	48	129	117	34	14	5	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	994	707	120	37	23	20	44	32	6	3	2	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	7,166	6,817	132	46	19	16	48	60	20	6	2	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	3,681	3,456	80	45	12	12	37	25	8	5	1	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	57,048	57,048	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	45,132	45,132	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	34,704	34,704	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	10,428	10,428	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	11,717	11,717	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	6,631	6,631	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	5,086	5,086	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	199	199	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	11,647	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	55	479	2,803	5,834	2,132	303	39
154	Senility	11,647	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	55	479	2,803	5,834	2,132	303	39
	XIII.—External causes	81,340	2,352	1,748	1,601	1,373	1,076	3,921	7,124	12,939	12,872	11,396	9,185	6,698	4,919	2,990	550	19	577
	Suicide (total)	9,942	.....	.....	.....	.....	.....	1	342	1,833	2,137	1,973	1,751	1,202	526	125	11	.....	41
155	By poison	1,844	.....	.....	.....	.....	.....	.....	110	521	411	310	249	150	67	21	.....	.....	5
156	By asphyxia	1,469	.....	.....	.....	.....	.....	.....	37	251	285	289	302	204	83	15	1	.....	2
157	By hanging or strangulation	1,569	.....	.....	.....	.....	.....	.....	29	166	272	320	326	277	127	39	3	.....	10
158	By drowning	603	.....	.....	.....	.....	.....	.....	16	93	131	121	108	86	37	6	3	.....	2
159	By firearms	3,269	.....	.....	.....	.....	.....	1	138	638	730	667	552	352	150	27	1	.....	13
160	By cutting or piercing instruments	711	.....	.....	.....	.....	.....	.....	.....	76	176	159	149	86	47	13	2	.....	3
161	By jumping from high places	269	.....	.....	.....	.....	.....	.....	8	48	72	64	40	25	9	2	1	.....	.....
162	By crushing	103	.....	.....	.....	.....	.....	.....	1	21	39	19	10	6	2	.....	.....	.....	5
163	Other suicides	105	.....	.....	.....	.....	.....	.....	3	19	21	24	15	16	4	2	.....	.....	1
	Accidental or undefined (total)	65,644	2,205	1,725	1,578	1,352	1,003	3,848	6,389	9,244	9,175	8,498	6,995	5,330	4,332	2,860	539	19	492
164	Poisoning by food	779	74	57	59	45	28	67	71	68	79	70	57	60	33	6	4	.....	3
165	Other acute poisonings	1,294	98	206	124	58	38	49	64	154	177	140	85	60	29	9	.....	.....	3
166	Conflagration	1,157	53	44	53	49	44	110	104	90	120	124	123	104	70	54	3	.....	12
167	Burns (conflagration excepted)	6,829	302	720	801	660	462	734	434	556	457	403	368	328	334	171	29	7	63
168	Absorption of deleterious gases (conflagration excepted)	3,366	826	24	12	13	10	33	134	367	415	480	394	349	205	91	8	.....	5
169	Accidental drowning	5,462	31	153	109	65	55	558	1,262	1,110	730	665	386	178	77	20	3	.....	60
170	Traumatism by firearms	1,730	10	15	22	27	26	167	663	332	197	124	79	47	8	4	.....	.....	9
171	Traumatism by cutting or piercing instruments	164	4	2	2	4	2	19	12	14	20	23	24	23	9	6	.....	.....	.....
172	Traumatism by fall	11,088	158	185	113	104	79	257	421	621	979	1,116	1,211	1,349	2,093	1,958	417	11	16
173	Traumatism in mines and quarries (total)	2,713	.....	.....	1	.....	.....	3	213	752	810	500	232	76	14	1	.....	.....	111
	Traumatism in mines	2,623	.....	.....	1	.....	.....	3	205	733	782	485	217	72	13	1	.....	.....	111
	Traumatism in quarries	90	.....	.....	.....	.....	.....	.....	8	19	28	15	15	4	1	.....	.....	.....	.....
174	Traumatism by machines	2,108	1	2	5	7	3	28	274	517	500	349	233	140	41	4	.....	.....	4
175	Traumatism by other crushing (total)	20,284	74	123	158	240	250	1,527	2,088	3,605	3,474	3,157	2,625	1,710	859	242	12	1	139
	Railroad accidents and injuries	8,526	17	34	23	20	22	196	789	1,912	1,807	1,495	1,119	635	279	57	8	.....	113
	Street-car accidents and injuries	2,259	6	21	32	34	39	110	147	303	389	360	379	221	156	53	1	.....	8
	Automobile accidents and injuries	6,677	27	42	59	137	159	972	852	1,007	881	880	736	547	274	91	2	1	10
	Injuries by other vehicles	2,302	21	22	43	48	28	221	259	282	286	301	329	276	139	41	1	.....	5
	Landslide, other crushing	520	3	4	1	1	2	28	41	101	111	121	62	31	11	.....	.....	.....	3
176	Injuries by animals	653	3	3	15	14	16	52	72	54	79	75	100	82	64	21	.....	.....	3
177	Starvation	38	2	1	.....	.....	1	.....	1	2	1	3	4	12	7	2	1	.....	1
178	Excessive cold	507	12	2	.....	1	1	8	14	27	44	90	106	95	54	27	10	.....	16
179	Effects of heat	1,963	249	59	17	9	4	11	24	81	236	364	357	251	172	95	29	.....	5
180	Lightning	359	2	.....	.....	.....	.....	18	71	70	73	58	29	22	11	1	.....	.....	4
181	Electricity (lightning excepted)	654	.....	.....	.....	1	1	16	89	233	158	104	28	18	2	.....	.....	.....	4
185	Fractures (cause not specified)	475	5	.....	4	3	2	4	13	40	60	76	59	62	58	67	15	.....	7
186	Other external violence	4,021	301	129	83	52	43	187	365	551	566	577	495	364	192	81	8	.....	27
	Homicide (total)	5,754	147	23	23	21	13	72	393	1,862	1,560	925	439	166	61	5	.....	.....	44
182	By firearms	3,793	7	10	4	5	2	30	264	1,318	1,092	625	295	90	25	2	.....	.....	24
183	By cutting or piercing instruments	761	5	1	2	2	.....	3	53	301	217	103	41	19	8	.....	.....	.....	6
184	By other means	1,200	135	12	17	14	11	39	76	243	251	197	103	57	28	3	.....	.....	14
	XIV.—Ill-defined diseases	13,603	5,781	880	287	130	88	218	276	462	567	658	917	1,268	1,184	584	146	30	127
187	Ill-defined organic disease	668	4	11	9	4	2	9	18	34	40	42	85	127	161	96	19	3	4
188	Sudden death	1,033	248	25	4	6	3	8	11	30	60	61	142	178	163	66	18	4	6
189	Not specified or ill-defined (total)	11,902	5,529	844	274	120	83	201	247	398	467	555	690	963	860	422	109	23	117
	Ill-defined	4,455	1,131	535	142	58	33	99	114	159	237	307	396	564	443	173	38	3	23
	Not specified or unknown	7,447	4,398	309	132	62	50	102	133	239	230	248	294	399	417	249	71	20	94

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	REGISTRATION STATES.[1]																	
	All causes	979,136	157,487	33,605	15,024	9,401	6,775	20,812	37,928	70,805	80,897	90,814	109,074	129,990	132,840	70,462	10,625	695	1,902
	I.—General diseases	260,098	17,155	10,117	5,771	4,080	3,061	9,052	16,641	33,241	32,842	32,232	33,128	31,027	22,301	8,014	944	51	441
1	Typhoid fever	9,293	82	115	141	116	119	689	2,252	2,319	1,400	950	571	349	129	28	3		30
2	Typhus fever	5						1			1	2	1						
3	Relapsing fever	1							1										
4	Malaria	2,117	229	139	100	78	57	179	226	208	189	148	167	172	133	66	11	1	14
5	Smallpox	162	29	7	2	3	2	6	15	26	16	14	19	11	5	5		1	1
6	Measles	9,606	2,194	2,356	1,059	659	363	864	769	442	291	239	145	123	66	21		1	14
7	Scarlet fever	2,433	127	264	296	252	241	637	347	169	60	26	5	4	1	1	1		2
8	Whooping cough	7,352	4,030	1,801	690	306	173	259	58	10	4	2	3	7	4		1		4
9	Diphtheria and croup	10,946	915	1,606	1,543	1,378	1,093	2,951	896	222	153	96	48	25	14	2			4
10	Influenza	12,209	1,371	397	168	117	62	198	281	391	487	669	997	1,665	2,713	2,229	421	26	17
11	Miliary fever	1									1								
13	Cholera nostras	232	48	22	9	5	7	10	5	9	8	12	17	21	39	15	5		
14	Dysentery	4,157	847	732	320	137	83	164	87	73	98	140	155	329	554	357	56	6	19
17	Leprosy	14							1	2	4	1	3	3					
18	Erysipelas	2,661	776	55	16	9	3	16	39	117	185	262	354	312	314	171	28		4
19	Other epidemic diseases	376	146	66	19	20	12	44	23	8	6	7	8	10	3	3			1
20	Purulent infection and septicemia	989	125	16	15	8	9	40	87	111	118	120	107	104	78	44	5		2
21	Glanders	3									1	2							
22	Anthrax	59				1		1	1	11	10	13	12	7	3				
23	Rabies	61		2	2	6	5	13	9	7	5	7	1	1	2	1			
24	Tetanus	1,099	252	11	14	11	19	155	133	101	105	97	77	53	18	1			2
25	Mycoses	34		1					1	6	8	3	9	2	3	1			
26	Pellagra	2,843	23	23	25	12	14	48	150	437	543	501	390	405	195	44	7	3	23
27	Beriberi	15	7			1			1	4	2								
	Tuberculosis (total)	100,656	2,525	1,912	1,018	717	560	1,815	9,210	25,020	21,800	15,638	10,270	6,257	3,072	620	44	3	175
28	Tuberculosis of the lungs	85,210	824	569	255	182	131	699	7,405	22,571	19,947	14,236	9,342	5,598	2,713	549	37	2	150
29	Acute miliary tuberculosis	3,306	157	119	58	39	40	102	543	390	618	404	186	98	38	6			8
30	Tuberculous meningitis	5,621	1,192	1,007	564	380	294	672	533	390	258	177	96	34	12	6		1	5
31	Abdominal tuberculosis	3,436	208	121	80	58	44	161	370	625	519	410	350	297	156	27	1		9
32	Pott's disease	816	22	10	17	24	30	74	115	139	107	102	82	53	34	6	1		
33	White swellings	467	13	11	9	5	7	40	70	87	54	53	39	38	34	7			
34	Tuberculosis of other organs	1,279	81	53	20	24	10	52	117	219	200	176	127	111	69	14	5		1
35	Disseminated tuberculosis	521	28	22	15	5	4	15	57	99	97	80	48	28	16	5			2
36	Rickets	505	288	119	42	11	9	12	6	3	1	6	2	3	3				
37	Syphilis	6,647	1,984	165	59	29	20	49	132	578	1,044	1,080	813	477	156	39	5		17
38	Gonococcus infection	507	40	1	1			5	46	175	120	87	16	9	6	1			
	Cancer and other malignant tumors (total)	56,743	64	42	43	53	43	126	280	895	3,316	8,283	13,561	15,096	11,219	3,392	254	9	62
39	Of the buccal cavity	2,101	3	2	4	2	3	7	11	11	71	238	424	590	506	202	21	2	4
40	Of the stomach, liver	21,669	9	5	2	4	6	13	27	176	811	2,523	5,317	6,652	4,787	1,254	53	3	27
41	Of the peritoneum, intestines, rectum	7,600	6	3	8	4	6	18	35	154	429	986	1,762	2,106	1,657	402	18		6
42	Of the female genital organs	8,520	1	1	1			2	23	197	949	2,111	2,354	1,710	924	221	16		10
43	Of the breast	5,314	1						2	46	421	1,182	1,409	1,116	786	311	34	1	5
44	Of the skin	2,040	3	1	4	2	1	4	5	17	55	107	259	436	623	451	67	3	2
45	Of other organs or of organs not specified	9,499	41	30	29	41	27	82	177	294	580	1,136	2,036	2,486	1,936	551	45		8
46	Other tumors (tumors of the female genital organs excepted)	244	13	3	2		1	5	6	14	15	35	35	43	49	20	3		
47	Acute articular rheumatism	3,182	25	19	26	40	55	356	591	344	324	308	336	359	246	129	18	1	5
48	Chronic rheumatism and gout	984		1		1	1	3	9	20	55	87	153	226	286	127	13		2
49	Scurvy	82	42	14	5			1	3	5	1	5	3	1	1	1			
50	Diabetes	11,884	23	33	33	39	51	190	555	618	699	1,125	2,498	3,281	2,138	506	43		12
51	Exophthalmic goiter	1,146	1		1	1	1	1	49	158	246	260	251	124	38	11	1		3
52	Addison's disease	296		1				1	9	29	43	59	72	55	24	2			1
53	Leukemia	1,380	39	38	27	24	24	83	128	174	160	186	201	199	83	11			3
54	Anemia, chlorosis	3,748	161	61	20	10	8	52	97	173	297	551	902	806	482	109	18		1
55	Other general diseases	1,491	748	95	70	36	26	76	77	60	52	46	56	57	56	29	6		1
56	Alcoholism (acute or chronic)	3,601							7	255	909	1,070	802	383	133	20	1		21
57	Chronic lead poisoning	139	1					1		5	27	41	40	21	3				
58	Other chronic occupation poisonings	16							1	1	6	4	3	1					
59	Other chronic poisonings	219						1	3	41	32	50	25	26	32	8			1
	II.—Diseases of the nervous system and of the organs of special sense	94,228	4,199	1,388	882	581	419	1,450	2,216	2,567	4,580	8,171	13,485	19,584	22,336	10,957	1,227	51	135
60	Encephalitis	567	93	36	18	19	6	32	56	61	73	65	45	32	20	8	1		2
61	Meningitis (total)	6,084	1,377	677	491	316	219	706	789	498	332	270	210	118	55	14	1		11
	Simple meningitis	2,505	645	272	232	133	83	219	247	154	130	130	127	73	40	12			8
	Cerebrospinal meningitis (undefined)	1,099	261	146	97	55	46	140	145	83	51	30	18	16	7	1			3
	Cerebrospinal fever	2,480	471	259	162	128	90	347	397	261	151	110	65	29	8	1	1		
62	Locomotor ataxia	1,640				1			2	19	106	301	489	445	225	49	3		
63	Other diseases of the spinal cord (total)	4,661	208	172	130	85	77	182	225	170	206	382	600	933	950	308	28		5
	Acute anterior poliomyelitis	961	174	157	116	78	68	156	114	42	20	11	10	9	3	1	1		1
	Other diseases of the spinal cord [2]	3,700	34	15	14	7	9	26	111	128	186	371	590	924	947	307	27		4
64	Cerebral hemorrhage, apoplexy	58,871	154	50	19	19	14	64	170	454	1,300	4,137	9,294	15,133	18,002	8,971	983	33	74
65	Softening of the brain	835						1	3	4	9	25	79	183	311	197	21	1	2
66	Paralysis without specified cause	5,144	32	9	11	2	3	19	31	54	112	260	551	1,179	1,712	992	148	13	16
67	General paralysis of the insane	5,076						1	16	146	1,102	1,425	1,076	649	450	186	16	2	7
68	Other forms of mental alienation	1,549							39	201	288	286	293	241	141	50	7		3
69	Epilepsy	3,013	94	36	28	24	17	111	439	563	552	429	294	239	136	41	1		9
70	Convulsions (nonpuerperal)	130						43	25	22	20	9	5	2	3	1			
71	Convulsions of infants	2,082	1,748	210	69	32	23												
72	Chorea	96	4	5				10	33	11	7	7	2	8	5	3	1		
73	Neuralgia and neuritis	404	5			1	1	1	6	20	38	63	73	88	66	33	8		1
74	Other diseases of the nervous system	2,510	192	63	32	42	27	111	203	222	309	396	371	250	204	77	8	1	2
75	Diseases of the eyes and their annexa	87	7	4	5	3	4	6	7	2	5	6	4	10	16	7		1	
76	Diseases of the ears	1,478	285	126	79	37	28	163	172	120	121	110	99	74	40	20	1		3

[1] Including District of Columbia.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	REGISTRATION STATES [1]—Continued.																	
	III.—Diseases of the circulatory system	140,781	1,173	231	168	146	150	1,162	3,045	4,262	7,062	11,695	19,409	30,978	37,766	20,476	2,723	108	227
77	Pericarditis	768	11	3	1		8	21	43	54	68	78	106	159	145	62	15	1	1
78	Acute endocarditis	6,010	291	50	46	41	40	253	456	607	804	1,164	1,620	282	231	102	19		4
79	Organic diseases of the heart	106,926	540	129	86	84	92	838	2,452	3,337	5,553	9,146	14,965	25,128	28,666	14,048	1,598	78	186
80	Angina pectoris	5,560	1					3	15	61	190	480	1,016	1,638	1,571	527	49		9
81	Diseases of the arteries, atheroma, aneurism, etc	17,910	3					1	14	44	191	492	1,185	3,084	6,446	5,388	1,012	29	21
82	Embolism and thrombosis	2,492	50	7	6	4	3	17	37	115	167	235	390	548	586	293	31		3
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	403	10	2	1			3	4	20	53	59	80	79	64	22	6		
84	Diseases of the lymphatic system (lymphangitis, etc.)	412	237	36	28	14	7	19	11	11	9	10	9	10	6	5			
85	Hemorrhage; other diseases of the circulatory system	300	30	4		1		7	13	13	27	31	38	50	51	29	3		3
	IV.—Diseases of the respiratory system	122,715	25,334	8,315	3,180	1,563	990	2,209	3,291	5,954	8,585	10,352	12,109	14,170	15,398	9,511	1,532	78	144
86	Diseases of the nasal fossae	358	219	14	8	7	6	9	13	13	16	6	3	9	16	15	3		1
87	Diseases of the larynx	778	174	106	92	68	46	74	24	21	29	34	24	35	30	19		1	1
88	Diseases of the thyroid body	457	10	2	2		1	2	31	51	89	73	98	50	38	8	2		
89	Acute bronchitis	6,696	3,555	659	204	91	49	71	46	49	65	80	145	260	585	684	143	9	1
90	Chronic bronchitis	4,665	74	47	13	5	3	32	44	90	106	182	356	756	1,468	1,217	258	11	3
91	Bronchopneumonia	34,672	13,561	4,301	1,440	638	381	691	493	511	746	943	1,455	2,487	3,766	2,760	449	23	27
92	Pneumonia (total)	68,241	7,275	2,920	1,285	691	459	1,217	2,432	4,812	7,035	8,298	9,084	9,583	8,443	4,053	527	25	102
	Lobar pneumonia	59,327	5,555	2,391	1,046	555	381	1,004	2,088	4,316	6,465	7,610	8,262	8,639	7,277	3,281	412	14	81
	Pneumonia (undefined)	8,914	1,720	529	239	136	78	213	394	496	570	688	822	944	1,166	772	115	11	21
93	Pleurisy	2,558	183	194	101	46	25	78	138	212	254	336	339	286	246	103	15		2
94	Pulmonary congestion, pulmonary apoplexy	1,363	200	36	10	8	7	9	17	36	32	53	77	109	261	397	104	6	1
95	Gangrene of the lung	207		2	2		1	4	8	20	30	34	49	37	9	10		1	
96	Asthma	1,665	22	17	10	5	8	6	13	44	85	172	287	392	394	179	25	1	5
97	Pulmonary emphysema	158	9	1	3		1	2	2	5	8	12	22	28	39	23	2	1	
98	Other diseases of the respiratory system (tuberculosis excepted)	897	52	16	10	4	3	14	30	90	90	129	170	138	103	43	4		1
	V.—Diseases of the digestive system	98,070	36,936	10,372	2,885	1,363	849	2,252	3,080	3,980	5,111	6,317	7,334	7,396	6,492	3,143	438	22	100
99	Diseases of the mouth and annexa	655	235	48	15	7	6	35	24	42	46	55	50	41	40	9	2		
100	Diseases of the pharynx	1,995	176	108	102	103	69	302	282	254	188	132	99	68	72	33	5	1	1
101	Diseases of the esophagus	112	7	1	1	1	1	3	2	7	3	14	22	16	23	10	1		
102	Ulcer of the stomach	3,035	13	4	5	1		10	58	275	457	616	566	534	358	114	16	2	6
103	Other diseases of the stomach (cancer excepted)	6,564	2,066	328	138	68	48	110	119	185	300	371	520	703	856	621	112	4	15
104	Diarrhea and enteritis (under 2 years)	42,470	32,962	9,508															
105	Diarrhea and enteritis (2 years and over)	10,108			2,306	924	460	631	280	362	499	620	691	1,003	1,283	875	140	9	25
106	Ankylostomiasis	27		2		3	1	5	7	4	1	1		1	1				1
107	Intestinal parasites	155	9	31	26	19	19	28	8	4	4	2	4		1				
108	Appendicitis and typhlitis	8,301	34	44	84	95	118	733	1,729	1,598	1,346	1,079	779	411	182	57	4		8
109	Hernia, intestinal obstruction (total)	7,798	1,077	192	120	80	67	207	239	407	578	763	1,050	1,244	1,127	550	78	3	16
	Hernia	2,730	178	23	10	5	7	14	25	95	147	307	527	622	516	213	34	2	5
	Intestinal obstruction	5,068	899	169	110	75	60	193	214	312	431	456	523	622	611	337	44	1	11
110	Other diseases of the intestines	1,688	137	34	28	24	8	37	61	119	202	197	226	205	236	151	21	2	
111	Acute yellow atrophy of the liver	262	12	1	1	3		4	15	49	33	28	31	34	40	11			
112	Hydatid tumor of the liver	27				1				5	3	3	6	3	4	2			
113	Cirrhosis of the liver	7,641	10	7	6	2	3	15	41	136	637	1,388	1,940	1,795	1,270	358	25		8
114	Biliary calculi	2,261		1	2	2			7	83	216	366	566	554	348	102	7		7
115	Other diseases of the liver	3,051	105	27	14	9	11	32	60	186	314	431	560	559	511	208	19	1	4
116	Diseases of the spleen	115	2	2	2		2	3	10	13	18	16	13	24	8	1	1		
117	Simple peritonitis (nonpuerperal)	1,375	85	31	33	20	33	92	131	196	204	144	114	136	105	36	7		8
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	430	6	3	2	1	3	5	7	55	62	91	97	65	27	5			1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	83,852	723	272	215	159	131	517	1,285	3,217	5,902	9,734	13,855	18,419	19,517	8,787	936	49	134
119	Acute nephritis	5,536	388	156	107	86	63	260	381	546	682	716	756	628	511	229	18	1	8
120	Bright's disease	68,111	137	95	89	60	62	234	729	1,826	3,904	7,522	11,978	16,303	16,945	7,308	768	40	111
122	Other diseases of the kidneys and annexa	1,612	132	12	13	10	4	18	47	121	158	210	220	248	259	137	18	2	3
123	Calculi of the urinary passages	440		2	1	2	1	1	5	39	57	72	81	80	65	30	2		2
124	Diseases of the bladder	1,178	21	1	2	1	1	2	15	21	29	42	73	179	364	364	58	2	3
125	Diseases of the urethra, urinary abscess, etc	295	1						4	11	48	77	73	45	22	10	3		1
126	Diseases of the prostate	2,874							2	8	6	37	209	688	1,193	662	63	4	2
127	Nonvenereal diseases of the male genital organs	76	27	5	3				1	5	5	9	2	8	8	3			
128	Uterine hemorrhage (nonpuerperal)	37							3	7	11	12	2	1	1				
129	Uterine tumor (noncancerous)	1,265							1	52	297	522	206	93	68	22	1		3
130	Other diseases of the uterus	722						2	39	161	196	154	93	48	20	8	1		
131	Cysts and other tumors of the ovary	586		1					16	72	99	132	110	83	57	14	2		
132	Salpingitis and other diseases of the female genital organs	1,087	3						42	346	406	225	49	14	1				1
133	Nonpuerperal diseases of the breast (cancer excepted)	33	14							2	4	4	3	1	3		2		
	VII.—The puerperal state	11,489							1,070	5,144	4,324	936	2						13
134	Accidents of pregnancy	932							46	393	416	77							
135	Puerperal hemorrhage	1,088							29	360	542	157							
136	Other accidents of labor	1,116							77	447	464	126							2
137	Puerperal septicemia	4,755							442	2,318	1,676	314	2						3
138	Puerperal albuminuria and convulsions	3,123							454	1,429	1,006	228							6
139	Puerperal phlegmasia alba dolens, embolus, sudden death	412							19	159	200	32							2
140	Following childbirth (not otherwise defined)	52							3	31	16	2							
141	Puerperal diseases of the breast	11								7	4								

[1] Including District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	REGISTRATION STATES [1]—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	3,081	582	55	24	24	21	52	84	106	149	211	262	397	518	492	97	6	1
142	Gangrene	1,367	36	10	11	12	11	21	12	20	34	49	91	198	374	400	82	6	
143	Furuncle	412	91	4	2	3		3	28	23	35	47	60	68	34	12	1		1
144	Acute abscess	624	174	24	6	6	6	24	27	41	60	77	57	60	43	17	2		
145	Other diseases of the skin and annexa	678	281	17	5	3	4	4	17	22	20	38	54	71	67	63	12		
	IX.—Diseases of the bones and of the organs of locomotion	2,051	150	79	38	37	34	190	321	237	204	229	198	164	105	57	7		1
146	Diseases of the bones (tuberculosis excepted)	1,733	126	73	34	36	32	176	290	205	179	199	166	120	63	30	3		1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	235	16	4	3	1	2	11	22	25	20	25	24	33	28	18	3		
148	Amputations	5								1		1		1	1	1			
149	Other diseases of the organs of locomotion	78	8	2	1			3	9	6	5	4	8	10	13	8	1		
	X.—Malformations	11,028	10,236	306	116	48	45	120	107	31	14	5							
150	Congenital malformations (stillbirths not included) (total)	11,028	10,236	306	116	48	45	120	107	31	14	5							
	Hydrocephalus	912	646	110	35	20	20	41	30	5	3	2							
	Congenital malformations of the heart	6,681	6,358	125	41	17	15	43	56	18	6	2							
	Other congenital malformations	3,435	3,232	71	40	11	10	36	21	8	5	1							
	XI.—Early infancy	53,166	53,166																
151	Congenital debility, icterus, and sclerema (total)	42,244	42,244																
	Premature birth	32,390	32,390																
	Congenital debility, "atrophy," "marasmus," etc	9,854	9,854																
152	Other causes peculiar to early infancy (total)	10,758	10,758																
	Injuries at birth	6,092	6,092																
	Other causes peculiar to early infancy [2]	4,666	4,666																
153	Lack of care	164	164																
	XII.—Old age	11,139										1	50	450	2,652	5,612	2,054	283	37
154	Senility	11,139										1	50	450	2,652	5,612	2,054	283	37
	XIII.—External causes	74,573	2,235	1,648	1,483	1,277	996	3,600	6,532	11,660	11,639	10,339	8,412	6,201	4,615	2,845	523	17	551
	Suicide (total)	9,053						1	309	1,609	1,931	1,791	1,625	1,120	502	119	11		35
155	By poison	1,645							94	449	357	281	231	144	64	21			4
156	By asphyxia	1,252							34	205	245	245	264	173	73	11	1		1
157	By hanging or strangulation	1,488							29	155	257	299	310	263	126	37	3		9
158	By drowning	573							16	83	125	115	101	86	36	6	3		2
159	By firearms	2,997						1	126	568	663	606	521	329	145	27	1		10
160	By cutting or piercing instruments	666								70	164	149	138	83	44	13	2		3
161	By jumping from high places	244							8	44	64	57	38	22	8	2	1		
162	By crushing	96							1	19	35	19	9	6	2				5
163	Other suicides	92							1	16	21	20	13	14	4	2			1
	Accidental or undefined (total)	60,678	2,099	1,627	1,462	1,258	985	3,535	5,895	8,532	8,400	7,749	6,419	4,933	4,058	2,722	512	17	475
164	Poisoning by food	724	69	55	56	42	25	65	65	60	66	63	54	59	32	6	4		3
165	Other acute poisonings	1,180	96	194	116	51	37	48	59	135	159	122	71	53	28	8			3
166	Conflagration	1,102	50	43	53	49	44	105	100	87	109	111	117	97	68	54	3		12
167	Burns (conflagration excepted)	6,267	275	672	730	618	437	681	383	509	406	358	331	298	312	160	28	6	63
168	Absorption of deleterious gases (conflagration excepted)	2,980	789	23	9	12	10	32	118	334	344	410	337	304	166	80	8		4
169	Accidental drowning	5,190	29	150	107	63	50	525	1,200	1,063	698	622	362	169	75	19	3		55
170	Traumatism by firearms	1,549	10	15	20	26	22	151	603	284	171	114	69	40	8	3			8
171	Traumatism by cutting or piercing instruments	144	2	2	2	4	2	17	10	12	19	20	22	20	7	5			
172	Traumatism by fall	10,294	147	174	103	101	76	245	381	555	870	993	1,119	1,251	1,987	1,873	393	11	15
173	Traumatism in mines and quarries (total)	2,647			1			3	205	731	798	488	224	72	13	1			111
	Traumatism in mines	2,558			1			3	197	712	770	474	209	68	12	1			111
	Traumatism in quarries	89							8	19	28	14	15	4	1				
174	Traumatism by machines	1,936	1	2	5	6	3	26	255	477	453	316	217	130	38	3			4
175	Traumatism by other crushing (total)	18,542	71	116	148	214	218	1,367	1,898	3,327	3,171	2,886	2,389	1,577	790	223	11		136
	Railroad accidents and injuries	7,936	17	34	21	20	20	174	728	1,772	1,676	1,397	1,040	601	261	55	8		112
	Street-car accidents and injuries	1,958	5	18	29	32	30	100	132	271	338	298	327	187	135	48	1		7
	Automobile accidents and injuries	6,021	28	40	56	121	139	863	757	925	796	800	657	497	251	81	2		10
	Injuries by other vehicles	2,144	20	21	41	40	27	203	241	264	263	276	309	263	132	39			5
	Landslide, other crushing	483	3	3	1	1	2	27	40	95	98	115	56	29	11				2
176	Injuries by animals	621	3	3	14	11	13	50	70	46	75	72	98	80	62	21			3
177	Starvation	32	2	1			1			1	1	3	4	11	5	1	1		1
178	Excessive cold	493	12	2		1	1	8	14	25	41	88	102	94	53	26	10		16
179	Effects of heat	1,904	244	57	17	9	4	10	23	77	227	351	347	244	167	93	29		5
180	Lightning	355	2					17	71	70	73	57	29	21	11	1			3
181	Electricity (lightning excepted)	605					1	15	84	209	147	98	28	17	2				4
185	Fractures (cause not specified)	418	5		4	3	2	3	9	35	53	64	52	56	50	64	14		4
186	Other external violence	3,695	292	118	77	48	39	167	342	495	519	513	447	340	184	81	8		25
	Homicide (total)	4,842	136	21	21	19	11	64	328	1,519	1,308	799	368	148	55	4			41
182	By firearms	3,189	6	10	4	5	2	27	223	1,080	915	536	249	84	23	1			24
183	By cutting or piercing instruments	621	5	1	2	2		3	41	238	182	90	33	14	6				4
184	By other means	1,032	125	10	15	12	9	34	64	201	211	173	86	50	26	3			13
	XIV.—Ill-defined diseases	12,865	5,598	822	262	123	79	208	256	406	485	592	830	1,204	1,140	568	144	30	118
187	Ill-defined organic disease	638	4	11	9	4	2	9	16	34	38	39	78	123	152	94	19	3	3
188	Sudden death	1,004	245	25	4	6	3	8	11	29	56	57	136	170	160	66	18	4	6
189	Not specified or ill-defined (total)	11,223	5,349	786	249	113	74	191	229	343	391	496	616	911	828	408	107	23	109
	Ill-defined	4,097	1,064	494	129	52	26	93	102	134	195	272	350	531	426	166	36	3	20
	Not specified or unknown	7,130	4,285	292	120	61	48	98	127	209	196	224	266	380	402	242	71	20	89

[1] Including District of Columbia.

[2] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CALIFORNIA.																	
	All causes	41,809	4,081	765	447	271	214	678	1,261	3,003	4,225	4,731	5,610	6,277	6,330	3,412	459	30	15
	I.—General diseases	11,943	494	249	166	106	89	285	534	1,453	1,796	1,736	1,855	1,638	1,130	367	43	2	
1	Typhoid fever	219	2	2	3	2	1	12	36	51	38	35	23	10	3		1		
4	Malaria	40	3	1				4	1	4	4	5	4	6	4	4			
5	Smallpox	15		1			2	1	1	2	1		4	1		1		1	
6	Measles	193	44	47	31	16	9	22	9	2	5	6	1	1					
7	Scarlet fever	48		6	7	6	4	10	8	6		1							
8	Whooping cough	203	117	42	25	6	5	6	1					1					
9	Diphtheria and croup	205	14	18	33	26	23	68	12	5	2	3			1				
10	Influenza	285	32	5	3	4	1	5	4	6	8	14	21	45	66	55	16		
14	Dysentery	74	28	9	5	5	1	1		1		4	4	3	10	3			
17	Leprosy	6									3	1	1	1					
18	Erysipelas	65	15	3				1	3	5	4	8	9	4	12	1			
19	Other epidemic diseases	9	2						2	1			4						
20	Purulent infection and septicemia	31	4	1			1			3	4	3	5	8	2				
22	Anthrax	6										1	2	3					
24	Tetanus	55	7		3		2	15	8	3	4	5	5	1	2				
25	Mycoses	2									1		1						
26	Pellagra	24					1	1		1	4	5	7	4	1				
27	Beriberi	7	6							1									
	Tuberculosis (total)	5,578	103	102	51	38	32	104	379	1,191	1,339	937	668	424	174	34	1	1	
28	Tuberculosis of the lungs	4,814	26	22	10	7	5	42	301	1,079	1,239	871	617	398	164	31	1	1	
29	Acute miliary tuberculosis	130	7	4	4	3	4	5	22	34	25	14	6		1	1			
30	Tuberculous meningitis	318	56	66	28	22	16	39	28	24	16	8	10	3	1	1			
31	Abdominal tuberculosis	168	10	6	8	5	3	9	12	26	35	23	15	15	1				
32	Pott's disease	45		1			3	6	3	9	6	7	8		2				
33	White swellings	19							2	4	4	4	1	1	3				
34	Tuberculosis of other organs	61	3	2	1	1	1	3	5	12	9	7	10	4	2	1			
35	Disseminated tuberculosis	23	1	1					6	3	5	3	1	3					
36	Rickets	11	6	2	1		1					1							
37	Syphilis	348	78	6	2				3	33	52	72	53	34	13	1	1		
38	Gonococcus infection	21	2							9	3	7							
	Cancer and other malignant tumors (total)	3,175	3			1	3	3	11	38	193	443	780	837	622	221	20		
39	Of the buccal cavity	115									6	9	20	39	22	18	1		
40	Of the stomach, liver	1,216	1					1		8	64	136	292	367	267	74	6		
41	Of the peritoneum, intestines, rectum	407					1	1	2	3	20	58	90	111	92	25	4		
42	Of the female genital organs	435								10	39	111	124	83	51	16	1		
43	Of the breast	293								1	25	61	110	50	31	14	1		
44	Of the skin	86	1						1		2	4	10	22	20	24	2		
45	Of other organs or of organs not specified	623	1			1	2	1	8	16	37	64	134	165	139	50	5		
46	Other tumors (tumors of the female genital organs excepted)	9											3	2	4				
47	Acute articular rheumatism	82	1					10	17	7	11	9	13	6	5	2	1		
48	Chronic rheumatism and gout	38									2	4	5	5	18	4			
49	Scurvy	4	1	2								1							
50	Diabetes	596	1		2	1	1	15	25	38	31	59	104	155	132	30	2		
51	Exophthalmic goiter	42							2	5	11	5	11	4	4				
52	Addison's disease	19							2		1	5	4	5	2				
53	Leukemia	85	1	2			2	4	7	13	11	8	14	15	6	2			
54	Anemia, chlorosis	184	5			1		3	2	5	16	30	54	36	26	6			
55	Other general diseases	37	19						1	2	3	5	1	3	1	1	1		
56	Alcoholism (acute or chronic)	205								15	41	54	49	23	21	2			
57	Chronic lead poisoning	10								1	2	3	3	1					
59	Other chronic poisonings	12								5	2	2	2		1				
	II.—Diseases of the nervous system and of the organs of special sense	4,037	77	36	24	20	19	36	71	93	235	399	608	833	1,032	510	39	3	2
60	Encephalitis	23	4		2	1	1		2	2	3	1	2	3	2				
61	Meningitis (total)	175	34	20	12	8	9	9	24	12	17	13	11	4	1	1			
	Simple meningitis	89	16	8	9	3	2	4	9	6	10	10	7	3	1	1			
	Cerebrospinal meningitis (undefined)	26	7	2	2	3	4		1	3	1	1	2						
	Cerebrospinal fever	60	11	10	1	2	3	5	14	3	6	2	2	1					
62	Locomotor ataxia	83								2	4	19	20	19	16	3			
63	Other diseases of the spinal cord (total)	239	6	3	2	2	3	6	7	6	15	19	33	66	55	14	2		
	Acute anterior poliomyelitis	23	5	3	1	2	3	2	3	1	1		1	1					
	Other diseases of the spinal cord[1]	216	1		1			4	4	5	14	19	32	65	55	14	2		
64	Cerebral hemorrhage, apoplexy	2,565	5	2			1	3	4	17	56	176	397	620	828	429	25		2
65	Softening of the brain	54								1		1	3	14	19	16			
66	Paralysis without specified cause	169						2	1	4	4	8	18	25	65	32	8	2	
67	General paralysis of the insane	347							1	9	77	116	74	44	17	7	2		
68	Other forms of mental alienation	55							1	7	11	8	12	11	3	2			
69	Epilepsy	93		1				5	11	16	21	13	15	5	6				
71	Convulsions of infants	29	22	3	1	2	1												
72	Chorea	1							1										
73	Neuralgia and neuritis	23									1	2	3	7	8	1	1		
74	Other diseases of the nervous system	112	2	1	2	6	2	6	8	10	14	18	18	9	10	5	1		
75	Diseases of the eyes and their annexa	3										1	1					1	
76	Diseases of the ears	66	4	6	5	1	2	5	11	7	12	4	1	6	2				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CALIFORNIA—Continued.																	
	III.—Diseases of the circulatory system	7,339	41	3	6	6	4	41	104	165	347	601	1,022	1,664	2,019	1,158	146	11	1
77	Pericarditis	44	1					1	4	3	2	6	6	13	7	1			
78	Acute endocarditis	273	9		1	3	2	11	15	26	48	46	80	14	14	4			
79	Organic diseases of the heart	5,641	20	3	2	1	2	24	82	128	258	474	768	1,371	1,565	829	104	9	1
80	Angina pectoris	284									10	22	48	89	79	35	1		
81	Diseases of the arteries, atheroma, aneurism, etc	898								3	14	37	89	137	307	272	37	2	
82	Embolism and thrombosis	158	1					1		3	12	14	25	38	43	17	4		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8						1			1		2	2	2				
84	Diseases of the lymphatic system (lymphangitis, etc.)	24	10		3	2		3	3	2	1								
85	Hemorrhage; other diseases of the circulatory system	9									1	2	4		2				
	IV.—Diseases of the respiratory system	4,015	606	175	83	37	31	77	99	168	287	383	465	494	586	447	68	7	2
86	Diseases of the nasal fossae	2							1		1								
87	Diseases of the larynx	28	5	3	6	2	1	4	3		2			1		1			
88	Diseases of the thyroid body	21					1		1	2	5	4	3	3	1	1			
89	Acute bronchitis	173	63	13	5	2		4		1	3	7	4	9	25	32	5		
90	Chronic bronchitis	169	2					1		2	7	6	13	24	57	45	12		
91	Bronchopneumonia	1,128	356	96	38	18	13	27	13	20	35	42	61	96	139	146	25	3	
92	Pneumonia (total)	2,211	176	60	31	13	13	36	68	130	205	291	337	328	320	180	19	2	2
	Lobar pneumonia	1,996	144	57	27	11	11	29	62	120	192	270	310	299	291	155	15	2	1
	Pneumonia (undefined)	215	32	3	4	2	2	7	6	10	13	21	27	29	29	25	4		1
93	Pleurisy	105	2	2	2	1	1	4	10	5	14	19	20	10	7	6	2		
94	Pulmonary congestion, pulmonary apoplexy	64	1						1	1	4	3	3	4	16	25	5	1	
95	Gangrene of the lung	17							1	2	4	4	3	1		1		1	
96	Asthma	58		1		1	2			1	3	6	12	14	12	6			
97	Pulmonary emphysema	7			1						1		1		1	3			
98	Other diseases of the respiratory system (tuberculosis excepted)	32	1					1	1	4	3	1	8	4	8	1			
	V.—Diseases of the digestive system	3,568	972	217	89	57	27	64	116	158	277	369	409	363	297	135	18		
99	Diseases of the mouth and annexa	22	4	1					2	2	4	2	3	3	1				
100	Diseases of the pharynx	67	1	3	4	6	2	5	10	10	8	6	5	2	5				
101	Diseases of the esophagus	6										2	2		1	1			
102	Ulcer of the stomach	194			1					13	27	42	42	39	22	8			
103	Other diseases of the stomach (cancer excepted)	212	56	5	2	3		2	1	2	12	13	26	23	37	25	5		
104	Diarrhea and enteritis (under 2 years)	1,038	843	195															
105	Diarrhea and enteritis (2 years and over)	358			72	39	14	19	4	11	27	41	25	38	30	32	6		
107	Intestinal parasites	1	1																
108	Appendicitis and typhlitis	426	2	4		6	8	26	85	69	79	61	47	27	10	1	1		
109	Hernia, intestinal obstruction (total)	377	54	6	9	2	1	9	6	16	29	59	46	52	53	30	5		
	Hernia	118	8							4	8	20	24	24	17	9	4		
	Intestinal obstruction	259	46	6	9	2	1	9	6	12	21	39	22	28	36	21	1		
110	Other diseases of the intestines	71	7						1	4	6	9	18	7	11	8			
111	Acute yellow atrophy of the liver	20		1						7	2	1		4	3	2			
112	Hydatid tumor of the liver	1											1						
113	Cirrhosis of the liver	478	1				1	1		6	48	86	125	122	73	15			
114	Biliary calculi	84				1				2	5	12	30	16	13	4	1		
115	Other diseases of the liver	140	1	1					3	6	20	22	29	22	28	8			
116	Diseases of the spleen	4					1			1				1	1				
117	Simple peritonitis (nonpuerperal)	42	2	1				2	4	5	2	8	5	5	7	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	27			1					4	8	5	5	2	2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,767	26	3	8	6	5	19	48	123	267	429	619	807	900	465	42		
119	Acute nephritis	191	15	1	5	3	3	9	14	15	22	29	28	26	9	12			
120	Bright's disease	3,025	6	2	2	3	2	9	29	65	176	318	527	701	767	380	38		
122	Other diseases of the kidneys and annexa	93	3		1			1	2	7	8	15	17	17	16	6			
123	Calculi of the urinary passages	20								1	3	2	3	6	5				
124	Diseases of the bladder	48	1						1			1	1	5	13	24	2		
125	Diseases of the urethra, urinary abscess, etc	13									1	1	5	3	1	1	1		
126	Diseases of the prostate	172										2	13	39	77	40	1		
127	Nonvenereal diseases of the male genital organs	1													1				
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	86								5	24	35	15	1	6				
130	Other diseases of the uterus	28								11	4	6	3	2	2				
131	Cysts and other tumors of the ovary	30							1	1	4	9	5	5	3	2			
132	Salpingitis and other diseases of the female genital organs	57							1	17	25	10	2	2					
133	Nonpuerperal diseases of the breast (cancer excepted)	2	1							1									
	VII.—The puerperal state	393							22	167	170	34							
134	Accidents of pregnancy	44							2	15	22	5							
135	Puerperal hemorrhage	35							1	12	17	5							
136	Other accidents of labor	35							1	11	20	3							
137	Puerperal septicemia	150							9	69	61	11							
138	Puerperal albuminuria and convulsions	116							9	55	42	10							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	11								4	7								
140	Following childbirth (not otherwise defined)	2								1	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CALIFORNIA—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	114	13	.....	.....	1	.....	.....	.....	6	5	10	15	15	19	23	7	.....	.....
142	Gangrene	59	2	.....	.....	.....	.....	.....	.....	.....	2	2	8	8	14	17	6	.....	.....
143	Furuncle	19	2	.....	.....	1	.....	.....	.....	3	.....	1	5	4	2	1	.....	.....	.....
144	Acute abscess	18	5	.....	.....	.....	.....	.....	.....	1	3	5	1	1	1	1	.....	.....	.....
145	Other diseases of the skin and annexa	18	4	.....	.....	.....	.....	.....	.....	2	.....	2	1	2	2	4	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	93	5	1	.....	2	2	6	13	13	12	14	9	10	5	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	85	4	1	.....	2	2	6	12	12	10	14	8	8	5	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	8	1	.....	.....	.....	.....	.....	1	1	2	.....	1	2	.....	.....	.....	.....	.....
	X.—Malformations	389	356	9	4	2	1	11	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	389	356	9	4	2	1	11	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	31	20	1	.....	2	1	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	238	225	4	2	.....	.....	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	120	111	4	2	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,406	1,406	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,078	1,078	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	868	868	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	210	210	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	314	314	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	174	174	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	140	140	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	14	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	337	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	17	83	164	64	5	.....
154	Senility	337	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	17	83	164	64	5	.....
	XIII.—External causes	4,353	82	69	66	34	36	139	249	654	826	749	595	427	250	139	30	2	6
	Suicide (total)	893	.....	.....	.....	.....	.....	.....	21	145	202	186	168	109	47	11	2	.....	2
155	By poison	136	.....	.....	.....	.....	.....	.....	8	29	30	29	22	11	6	1	.....	.....	.....
156	By asphyxia	135	.....	.....	.....	.....	.....	.....	1	19	28	28	28	23	6	2	.....	.....	.....
157	By hanging or strangulation	75	.....	.....	.....	.....	.....	.....	1	13	13	15	14	6	6	4	1	.....	2
158	By drowning	48	.....	.....	.....	.....	.....	.....	2	8	12	8	10	7	1	.....	.....	.....	.....
159	By firearms	385	.....	.....	.....	.....	.....	.....	9	65	87	80	70	45	25	4	.....	.....	.....
160	By cutting or piercing instruments	84	.....	.....	.....	.....	.....	.....	.....	7	22	21	18	12	3	.....	1	.....	.....
161	By jumping from high places	12	.....	.....	.....	.....	.....	.....	.....	2	2	3	4	1	.....	.....	.....	.....	.....
162	By crushing	10	.....	.....	.....	.....	.....	.....	.....	2	4	2	1	1	.....	.....	.....	.....	.....
163	Other suicides	8	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	1	3	.....	.....	.....	.....	.....
	Accidental or undefined (total)	3,075	77	65	64	33	35	136	212	407	528	477	386	299	194	128	28	2	4
164	Poisoning by food	48	3	1	3	1	1	4	3	3	4	7	8	4	4	2	.....	.....	.....
165	Other acute poisonings	64	2	7	6	2	1	3	2	5	11	10	6	6	1	2	.....	.....	.....
166	Conflagration	74	5	4	4	3	2	5	5	5	10	6	7	11	3	4	.....	.....	.....
167	Burns (conflagration excepted)	192	6	13	19	11	12	20	10	24	21	11	20	7	10	6	2	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	135	22	1	.....	.....	.....	1	4	9	13	23	23	24	9	6	.....	.....	.....
169	Accidental drowning	312	1	15	7	.....	4	20	44	58	49	62	32	16	2	1	.....	.....	1
170	Traumatism by firearms	89	.....	.....	4	2	1	7	17	19	13	10	11	5	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	.....	.....
172	Traumatism by fall	419	9	2	4	4	1	9	16	18	48	38	47	49	76	76	20	2	.....
173	Traumatism in mines and quarries (total)	46	.....	.....	.....	.....	.....	.....	.....	15	15	10	4	2	.....	.....	.....	.....	.....
	Traumatism in mines	40	.....	.....	.....	.....	.....	.....	.....	13	13	9	3	2	.....	.....	.....	.....	.....
	Traumatism in quarries	6	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	92	.....	.....	.....	.....	.....	2	8	19	30	20	7	5	.....	1	.....	.....	.....
175	Traumatism by other crushing (total)	1,252	6	13	11	10	10	59	87	187	253	222	175	129	64	24	2	.....	.....
	Railroad accidents and injuries	359	3	4	3	2	2	5	18	72	88	65	50	31	10	4	2	.....	.....
	Street-car accidents and injuries	120	.....	.....	3	1	.....	3	5	22	21	14	18	17	12	4	.....	.....	.....
	Automobile accidents and injuries	554	3	8	2	5	7	36	44	71	103	107	70	54	32	12	.....	.....	.....
	Injuries by other vehicles	186	.....	1	2	2	1	15	20	17	30	25	35	24	10	4	.....	.....	.....
	Landslide, other crushing	33	.....	.....	1	.....	.....	.....	.....	5	11	11	2	3	.....	.....	.....	.....	.....
176	Injuries by animals	36	.....	.....	1	.....	.....	3	1	5	3	8	7	2	5	1	.....	.....	.....
177	Starvation	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	1
178	Excessive cold	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	.....
179	Effects of heat	88	16	3	2	.....	.....	.....	2	4	8	8	13	14	10	4	2	.....	2
181	Electricity (lightning excepted)	48	.....	.....	.....	.....	.....	.....	4	16	10	13	4	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	14	.....	.....	1	.....	.....	.....	.....	1	4	3	2	3	.....	.....	.....	.....	.....
186	Other external violence	151	7	6	2	.....	3	3	9	18	34	24	19	15	9	1	1	.....	.....
	Homicide (total)	385	5	4	2	1	1	3	16	102	96	86	41	19	9	.....	.....	.....	.....
182	By firearms	277	.....	2	.....	.....	.....	1	11	80	71	59	35	13	5	.....	.....	.....	.....
183	By cutting or piercing instruments	44	.....	1	.....	.....	.....	.....	2	11	13	12	1	2	2	.....	.....	.....	.....
184	By other means	64	5	1	2	1	1	2	3	11	12	15	5	4	2	.....	.....	.....	.....
	XIV.—Ill-defined diseases	55	3	3	1	.....	.....	.....	1	1	3	7	9	9	9	3	2	.....	4
187	Ill-defined organic disease	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....
188	Sudden death	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
189	Not specified or ill-defined (total)	49	3	3	1	.....	.....	.....	1	1	3	7	9	8	8	.....	1	.....	4
	Ill-defined	24	2	3	1	.....	.....	.....	1	.....	1	2	3	5	5	.....	.....	.....	1
	Not specified or unknown	25	1	.....	.....	.....	.....	.....	.....	1	2	5	6	3	3	.....	1	.....	3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
COLORADO.																			
	All causes	10,725	1,578	271	130	95	63	192	485	1,151	1,252	1,071	1,281	1,413	1,131	536	47	6	23
	I.—General diseases	3,332	192	95	46	37	16	76	189	647	602	421	418	337	188	65	3		
1	Typhoid fever	93		1	5	2	2	5	26	20	11	10	9	1	1				
4	Malaria	2								1				1					
5	Smallpox	1	1																
6	Measles	143	30	42	16	13	2	19	12	6	1			2					
7	Scarlet fever	18	2	3	2	1	1	5	3		1								
8	Whooping cough	58	30	13	5	1	1	6	2										
9	Diphtheria and croup	53	7	3	7	6	5	15	6	2	1	1							
10	Influenza	143	30	9	2	4	1	1	2	7	4	4	11	17	27	23	1		
13	Cholera nostras	3	1									1			1				
14	Dysentery	33	11	5	1		1		1		2	1	1	3	4	3			
18	Erysipelas	27	12	3	1	1					3	2	1	2	2				
19	Other epidemic diseases	3		1									1	1					
20	Purulent infection and septicemia	10	1						2	4		3							
22	Anthrax	2										1			1				
23	Rabies	2			1				1										
24	Tetanus	5	2					1			1			1					
25	Mycoses	1												1					
26	Pellagra	4	1									1		2					
	Tuberculosis (total)	1,739	24	11	4	5	1	11	104	565	511	259	149	66	25	4			
28	Tuberculosis of the lungs	1,573	12	2		1		2	82	524	475	246	140	63	22	4			
29	Acute miliary tuberculosis	29							6	10	9	3	1						
30	Tuberculous meningitis	64	10	8	4	3	1	8	6	11	9	1	3						
31	Abdominal tuberculosis	38	2	1		1			3	11	8	5	3	2	2				
32	Pott's disease	6							1	1	2	1			1				
33	White swellings	2						1	1										
34	Tuberculosis of other organs	16							3	4	6		2	1					
35	Disseminated tuberculosis	11							2	4	2	3							
37	Syphilis	67	30						1	5	9	10	5	4	2	1			
38	Gonococcus infection	2								1	1								
	Cancer and other malignant tumors (total)	624	2	2		1		1	4	11	37	91	170	181	97	26	1		
39	Of the buccal cavity	27								1		2	3	11	6	4			
40	Of the stomach, liver	242								1	10	32	68	85	36	10			
41	Of the peritoneum, intestines, rectum	72								2	3	9	21	22	12	3			
42	Of the female genital organs	105							1	4	11	28	29	21	9	2			
43	Of the breast	45									2	7	20	11	3	1	1		
44	Of the skin	18									1		2	6	7	2			
45	Of other organs or of organs not specified	115	2	2		1		1	3	3	10	13	27	25	24	4			
46	Other tumors (tumors of the female genital organs excepted)	1													1				
47	Acute articular rheumatism	36			1			6	7	4	3	2	4	4	2	2	1		
48	Chronic rheumatism and gout	6									1	1		2	2				
49	Scurvy	1										1							
50	Diabetes	128			1	1	2	2	12	9	5	20	36	23	12	5			
51	Exophthalmic goiter	10								3	2		4		1				
52	Addison's disease	7								1			3	2	1				
53	Leukemia	20						1	2	3	4	3	2	3	2				
54	Anemia, chlorosis	51	1	1				1	3	3	2	5	15	14	5	1			
55	Other general diseases	17	7	1		2		2	1		1	2		1					
56	Alcoholism (acute or chronic)	21								2	2	2	7	6	2				
59	Other chronic poisonings	1										1							
	II.—Diseases of the nervous system and of the organs of special sense	870	26	8	6	5	6	11	16	25	58	95	148	215	172	74	4	1	
60	Encephalitis	7	1		1	1			1	2		1							
61	Meningitis (total)	52	12	4	2	3	6	6	6	1	3	3	3	2	1				
	Simple meningitis	28	6	3	1	2	1	4	3	1	1	2	2	1	1				
	Cerebrospinal meningitis (undefined)	8	3				3						1	1					
	Cerebrospinal fever	16	3	1	1	1	2	2	3		2	1							
62	Locomotor ataxia	18										3	6	5	4				
63	Other diseases of the spinal cord (total)	35			1			1	1	3	1	6	8	6	6	2			
	Acute anterior poliomyelitis	3						1	1	1									
	Other diseases of the spinal cord [1]	32			1					2	1	6	8	6	6	2			
64	Cerebral hemorrhage, apoplexy	520	2	1				1		7	18	30	92	169	133	63	3	1	
65	Softening of the brain	9										1	1	2	2	3			
66	Paralysis without specified cause	47								1	1	6	5	13	17	3	1		
67	General paralysis of the insane	84								1	21	32	18	10	2				
68	Other forms of mental alienation	10								1	1	4	3		1				
69	Epilepsy	45	2	1	1	1			4	6	9	4	8	5	2	2			
71	Convulsions of infants	4	4																
73	Neuralgia and neuritis	2											2						
74	Other diseases of the nervous system	21	2					1	2	2	4	4	2	2	1	1			
75	Diseases of the eyes and their annexa	1													1				
76	Diseases of the ears	15	3	2	1			2	2	1		1		1	2				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	COLORADO—Continued.																		
	III.—Diseases of the circulatory system	1,201	15	3	2	1	3	14	53	58	99	100	176	294	271	105	4		3
77	Pericarditis	8							1	1		1	2	3					
78	Acute endocarditis	61	4	2				4	3	11	6	5	21	4	1				
79	Organic diseases of the heart	827	11	1	2		3	10	45	43	73	77	103	225	167	63	2		2
80	Angina pectoris	78							1	1	6	7	17	20	22	3			1
81	Diseases of the arteries, atheroma, aneurism, etc	163									4	7	18	30	66	36	2		
82	Embolism and thrombosis	50							2	1	8	2	10	10	14	3			
83	Diseases of the veins (varices, hemorrhoids, etc.)	5								1	1		2	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	5				1			1			1	1		1				
85	Hemorrhage; other diseases of the circulatory system)	4									1		2	1					
	IV.—Diseases of the respiratory system	1,388	291	57	23	21	10	22	47	67	90	129	168	191	173	88	8	3	
87	Diseases of the larynx	13	3	2	2	2	1	1			1			1					
88	Diseases of the thyroid body	8	1							2		1	3			1			
89	Acute bronchitis	60	44	5		2	1		1			1	1		3	1	1		
90	Chronic bronchitis	50		1					2		1	2	6	9	21	7		1	
91	Bronchopneumonia	334	195	35	9	10	5	6	2	5	8	4	11	11	18	15			
92	Pneumonia (total)	808	47	11	11	6	3	14	35	56	69	108	124	145	114	56	7	2	
	Lobar pneumonia	763	44	11	9	5	3	13	34	52	67	104	118	139	108	49	6	1	
	Pneumonia (undefined)	45	3		2	1		1	1	4	2	4	6	6	6	7	1	1	
93	Pleurisy	26	1	1		1		1	4		2	3	4	3	4	2			
94	Pulmonary congestion, pulmonary apoplexy	17		1					1				1	4	5	5			
95	Gangrene of the lung	2							1	1									
96	Asthma	32							1	1		4	8	12	5	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	38		1	1					2	9	6	10	6	3				
	V.—Diseases of the digestive system	1,017	308	70	27	14	12	28	46	68	68	93	94	92	67	25	5		
99	Diseases of the mouth and annexa	7	3									1	3						
100	Diseases of the pharynx	25	2	2	1	1	3	3	3	2	3	2	1	1	1				
102	Ulcer of the stomach	37								4	2	9	7	7	6	2			
103	Other diseases of the stomach (cancer excepted)	68	25	4	2	1			1	2	2	4	3	6	7	9	2		
104	Diarrhea and enteritis (under 2 years)	325	266	59															
105	Diarrhea and enteritis (2 years and over)	81			23	7	5	7	3	3	1	8	4	7	7	5	1		
108	Appendicitis and typhlitis	178	1	1		3	1	14	35	33	31	26	17	11	5				
109	Hernia, intestinal obstruction (total)	106	7	3			2	3	3	10	10	13	13	20	16	5	1		
	Hernia	33	2	1			1			4		4	4	8	7	2			
	Intestinal obstruction	73	5	2			1	3	3	6	10	9	9	12	9	3	1		
110	Other diseases of the intestines	20	2						1	2	6	4	2	1	1		1		
111	Acute yellow atrophy of the liver	5										1	1	3					
113	Cirrhosis of the liver	63								2	3	11	15	19	11	2			
114	Biliary calculi	33								1	2	1	14	9	5	1			
115	Other diseases of the liver	43	2			1				2	3	8	11	8	7	1			
116	Diseases of the spleen	3					1	1				1							
117	Simple peritonitis (nonpuerperal)	18		1	1	1				6	3	2	3		1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5								1	2	2							
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	809	8	5	3	1	1	3	22	33	59	79	149	202	177	62	2	1	2
119	Acute nephritis	59	6	2	2	1		2	8	6	2	7	5	7	11				
120	Bright's disease	640		3	1			1	12	14	41	52	136	179	147	49	2	1	2
122	Other diseases of the kidneys and annexa	15	1								3	3	2	2	3	1			
123	Calculi of the urinary passages	2										1				1			
124	Diseases of the bladder	16	1				1		1				2		6	5			
125	Diseases of the urethra, urinary abscess, etc	2									1	1							
126	Diseases of the prostate	26											2	10	9	5			
128	Uterine hemorrhage (nonpuerperal)	1												1					
129	Uterine tumor (noncancerous)	9								1	2	4	2						
130	Other diseases of the uterus	9								4	2	2		1					
131	Cysts and other tumors of the ovary	11								1	4	2		2	1	1			
132	Salpingitis and other diseases of the female genital organs	19							1	7	4	7							
	VII.—The puerperal state	158							9	75	58	16							
134	Accidents of pregnancy	10							1	6	3								
135	Puerperal hemorrhage	13								4	6	3							
136	Other accidents of labor	8							1	3	1	3							
137	Puerperal septicemia	85							5	44	30	6							
138	Puerperal albuminuria and convulsions	33							2	15	13	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7								2	5								
140	Following childbirth (not otherwise defined)	1										1							
141	Puerperal diseases of the breast	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	COLORADO—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	23	4				1	1	1	1	1	1	1	4	2	6			
142	Gangrene	13					1	1			1			4	2	4			
143	Furuncle	2							1							1			
144	Acute abscess	4	2									1				1			
145	Other diseases of the skin and annexa	4	2							1			1						
	IX.—Diseases of the bones and of the organs of locomotion	19				1		3	4	1	1	3	4	1	1				
146	Diseases of the bones (tuberculosis excepted)	19				1		3	4	1	1	3	4	1	1				
	X.—Malformations	99	95	3					1										
150	Congenital malformations (stillbirths not included) (total)	99	95	3					1										
	Hydrocephalus	9	6	2					1										
	Congenital malformations of the heart	71	70	1															
	Other congenital malformations	19	19																
	XI.—Early infancy	617	617																
151	Congenital debility, icterus, and sclerema (total)	521	521																
	Premature birth	410	410																
	Congenital debility, "atrophy," "marasmus," etc	111	111																
152	Other causes peculiar to early infancy (total)	95	95																
	Injuries at birth	39	39																
	Other causes peculiar to early infancy [1]	56	56																
153	Lack of care	1	1																
	XII.—Old age	155												7	38	89	20	1	
154	Senility	155												7	38	89	20	1	
	XIII.—External causes	1,015	20	25	22	15	14	34	96	176	216	131	122	68	40	19	1		16
	Suicide (total)	123							3	20	27	28	32	8	3	1			1
155	By poison	18							2	5	3	3	3		1				1
156	By asphyxia	5							1		2		2						
157	By hanging or strangulation	9								2		4	2			1			
158	By drowning	3								1		2							
159	By firearms	70								10	21	14	19	5	1				
160	By cutting or piercing instruments	14								2	1	4	5	1	1				
161	By jumping from high places	4										1	1	2					
	Accidental or undefined (total)	812	19	25	20	14	13	32	89	140	163	86	82	59	36	18	1		15
164	Poisoning by food	11	1	2		2	1				1		1	1	1				1
165	Other acute poisonings	26	2	3	6	1	1	1	2	2	2	2	2	2					
166	Conflagration	11				1		1					3	2	2	2			
167	Burns (conflagration excepted)	42	1	4	3	3	3	6	2	5	4	3	3	2	2				1
168	Absorption of deleterious gases (conflagration excepted)	14	8	1					2		1	1	1						
169	Accidental drowning	47		10	3	1	4	5	9	5	4	2	1	2		1			
170	Traumatism by firearms	34			1	1			20	4	6	2							
171	Traumatism by cutting or piercing instruments	1						1											
172	Traumatism by fall	79	1					2	5	12	4	9	6	14	13	12	1		
173	Traumatism in mines and quarries (total)	236							10	73	81	32	23	5					12
	Traumatism in mines	234							10	73	81	31	22	5					12
	Traumatism in quarries	2										1	1						
174	Traumatism by machines	15			1				5	3	2	1		1	1				1
175	Traumatism by other crushing (total)	215	2	3	2	5	3	12	19	27	39	30	36	24	11	2			
	Railroad accidents and injuries	73	1	1		1		2	4	12	17	15	8	7	4	1			
	Street-car accidents and injuries	5						1						3	1				
	Automobile accidents and injuries	93		2	1	2	2	4	10	10	21	13	18	7	2	1			
	Injuries by other vehicles	38	1		1	2	1	5	4	2	1	2	9	7	3				
	Landslide, other crushing	6							1	3			1		1				
176	Injuries by animals	12			1			1	2		5		1		2				
178	Excessive cold	9					1		1				1	3	3				
180	Lightning	22						2	8	4	6	1	1						
181	Electricity (lightning excepted)	11							2	2	5	1		1					
185	Fractures (cause not specified)	5	1		1						1		1	1					
186	Other external violence	22	3	2	2			1	2	3	2	2	2	1	1	1			
	Homicide (total)	80	1		2	1	1	2	4	16	26	17	8	1	1				
182	By firearms	68	1		1		1	2	3	15	20	16	8	1					
183	By cutting or piercing instruments	2							1	1									
184	By other means	10			1	1						6	1			1			
	XIV.—Ill-defined diseases	22	2	5	1				1			3	1	2	2	3			2
187	Ill-defined organic disease	2													1	1			
188	Sudden death	3	1						1					1					
189	Not specified or ill-defined (total)	17	1	5	1							3	1	1	1	2			2
	Ill-defined	13		5	1							3		1	1	2			
	Not specified or unknown	4	1										1						2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CONNECTICUT.																	
	All causes	20,819	3,514	659	296	189	121	430	651	1,345	1,745	2,115	2,446	2,841	2,708	1,488	233	14	24
	I.—General diseases	5,166	360	195	122	86	48	164	270	583	668	693	697	649	422	176	28	.....	5
1	Typhoid fever	118	.....	.....	2	.....	1	7	24	35	20	11	11	6	.....	1	.....	.....	.....
3	Relapsing fever	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	9	.....	.....	1	.....	.....	.....	.....	.....	.....	4	.....	4	.....	.....	.....	.....	.....
5	Smallpox	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	129	42	39	23	12	4	5	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	22	2	2	2	2	3	7	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	104	60	28	7	4	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	236	13	44	39	28	18	69	17	3	1	1	3	.....	.....	.....	.....	.....	.....
10	Influenza	319	32	8	5	4	1	4	8	5	13	26	38	35	69	57	14	.....	.....
13	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
14	Dysentery	49	12	3	1	1	.....	1	.....	1	1	4	2	8	7	7	1	.....	.....
18	Erysipelas	62	24	.....	.....	.....	.....	.....	1	4	4	7	8	7	3	4	.....	.....	.....
19	Other epidemic diseases	9	5	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	31	11	3	1	.....	.....	1	3	1	1	2	3	4	.....	1	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	3	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	22	8	.....	.....	2	1	3	1	1	2	1	.....	2	1	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,104	84	63	33	29	12	43	171	467	488	335	214	106	44	11	1	.....	3
28	Tuberculosis of the lungs	1,694	19	8	6	5	1	11	142	414	438	304	201	96	37	9	1	.....	2
29	Acute miliary tuberculosis	68	8	2	3	.....	1	4	5	15	17	9	2	2	.....	.....	.....	.....	.....
30	Tuberculous meningitis	216	49	46	20	20	9	20	10	19	11	7	1	3	.....	.....	.....	.....	1
31	Abdominal tuberculosis	60	6	2	3	2	.....	3	8	8	7	9	7	1	2	2	.....	.....	.....
32	Pott's disease	23	.....	.....	.....	1	1	2	4	4	4	3	2	1	1	.....	.....	.....	.....
33	White swellings	12	.....	1	.....	1	.....	2	1	2	3	1	.....	.....	1	.....	.....	.....	.....
34	Tuberculosis of other organs	20	2	3	.....	.....	.....	1	.....	2	4	1	1	3	3	.....	.....	.....	.....
35	Disseminated tuberculosis	11	.....	1	1	.....	.....	.....	1	3	4	1	.....	.....	.....	.....	.....	.....	.....
36	Rickets	9	5	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	73	27	2	1	.....	1	1	.....	2	9	15	8	6	1	.....	.....	.....	.....
38	Gonococcus infection	9	.....	.....	.....	.....	.....	.....	1	3	2	3	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,211	2	1	1	2	1	4	5	14	65	176	287	329	238	77	9	.....	.....
39	Of the buccal cavity	47	.....	.....	.....	.....	.....	.....	.....	.....	2	7	10	13	13	2	.....	.....	.....
40	Of the stomach, liver	415	.....	.....	.....	.....	.....	.....	.....	2	15	61	113	117	83	22	2	.....	.....
41	Of the peritoneum, intestines, rectum	187	.....	.....	.....	.....	.....	1	.....	.....	15	18	35	55	46	15	2	.....	.....
42	Of the female genital organs	177	.....	.....	.....	.....	.....	.....	1	4	11	36	44	50	25	6	.....	.....	.....
43	Of the breast	117	1	.....	.....	.....	.....	.....	.....	1	8	24	30	24	18	9	2	.....	.....
44	Of the skin	42	.....	.....	.....	.....	.....	.....	.....	.....	3	2	4	6	13	12	2	.....	.....
45	Of other organs or of organs not specified	226	1	1	1	2	1	3	4	7	11	28	51	64	40	11	1	.....	.....
47	Acute articular rheumatism	58	.....	.....	.....	.....	1	9	11	9	2	8	5	9	2	2	.....	.....	.....
48	Chronic rheumatism and gout	19	.....	.....	.....	.....	.....	.....	1	.....	.....	2	5	5	6	.....	.....	.....	.....
49	Scurvy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	285	.....	1	.....	2	.....	2	13	8	17	30	65	90	43	12	2	.....	.....
51	Exophthalmic goiter	15	.....	.....	.....	.....	.....	.....	1	4	5	3	.....	1	1	.....	.....	.....	.....
52	Addison's disease	8	.....	.....	.....	.....	.....	1	.....	1	2	2	.....	2	.....	.....	.....	.....	.....
53	Leukemia	24	1	1	.....	.....	1	1	1	2	5	2	4	3	2	1	.....	.....	.....
54	Anemia, chlorosis	62	4	.....	.....	.....	2	.....	2	6	2	13	10	17	3	2	1	.....	.....
55	Other general diseases	35	25	.....	2	.....	.....	2	1	4	.....	.....	1	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	126	.....	.....	.....	.....	.....	.....	.....	9	27	41	31	13	2	1	.....	.....	2
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,217	121	43	18	18	11	34	63	64	93	189	280	429	535	280	37	1	1
60	Encephalitis	8	1	.....	.....	.....	.....	1	.....	2	1	1	1	.....	.....	.....	1	.....	.....
61	Meningitis (total)	247	55	25	15	17	8	23	41	26	11	15	4	3	4	.....	.....	.....	.....
	Simple meningitis	64	22	4	4	3	3	6	4	4	3	5	2	1	3	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	33	3	6	1	6	3	3	5	1	2	2	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	150	30	15	10	8	2	14	32	21	6	8	1	2	1	.....	.....	.....	.....
62	Locomotor ataxia	30	.....	.....	.....	.....	.....	.....	.....	.....	2	8	7	6	4	3	.....	.....	.....
63	Other diseases of the spinal cord (total)	87	7	4	1	.....	2	5	2	2	1	11	13	12	23	2	2	.....	.....
	Acute anterior poliomyelitis	17	6	4	1	.....	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	70	1	.....	.....	.....	1	1	1	2	1	11	13	12	23	2	2	.....	.....
64	Cerebral hemorrhage, apoplexy	1,457	5	1	.....	.....	.....	.....	1	4	36	92	205	361	467	252	31	1	1
65	Softening of the brain	18	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	7	5	2	.....	.....
66	Paralysis without specified cause	33	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	5	8	8	11	.....	.....	.....
67	General paralysis of the insane	93	.....	.....	.....	.....	.....	.....	.....	1	23	29	18	8	13	1	.....	.....	.....
68	Other forms of mental alienation	21	.....	.....	.....	.....	.....	.....	1	5	1	4	5	4	.....	.....	1	.....	.....
69	Epilepsy	68	1	1	.....	1	.....	.....	8	17	6	13	8	10	.....	3	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	50	41	7	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	8	.....	.....	.....	.....	.....	.....	.....	2	.....	3	.....	3	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	60	4	1	.....	.....	.....	1	5	3	5	10	11	9	8	3	.....	.....	.....
75	Diseases of the eyes and their annexa	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
76	Diseases of the ears	33	7	3	1	.....	.....	4	3	1	6	3	2	2	1	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CONNECTICUT—Continued.																	
	III.—Diseases of the circulatory system	3,012	20	2	3	5	5	28	63	83	148	263	427	695	799	412	51	3	5
77	Pericarditis	7									2	2	2		1				
78	Acute endocarditis	152	5		2	2	1	5	10	14	20	32	47	6	4	3			1
79	Organic diseases of the heart	2,255	5	1	1	2	4	21	52	61	115	208	321	549	600	279	30	2	4
80	Angina pectoris	140								5	5	8	21	40	49	11	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	367									2	4	24	80	127	111	18	1	
82	Embolism and thrombosis	61	2			1				2	2	7	8	14	17	6	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	9		1						1	2	1	1	2	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	12	8					2	1							1			
85	Hemorrhage; other diseases of the circulatory system	9										1	3	4		1			
	IV.—Diseases of the respiratory system	3,063	592	190	68	28	18	59	42	122	252	305	347	419	346	232	36	6	1
86	Diseases of the nasal fossae	1						1											
87	Diseases of the larynx	14	5	3	1	2								2		1			
88	Diseases of the thyroid body	4									1		1		2				
89	Acute bronchitis	162	84	9	3		1	3	2		2	2	4	9	15	21	3	4	
90	Chronic bronchitis	84		1				1			1	3	11	14	25	19	7	2	
91	Bronchopneumonia	795	310	87	34	13	6	18	4	7	17	23	38	69	97	65	7		
92	Pneumonia (total)	1,853	173	86	27	12	11	34	32	109	223	263	265	304	193	106	14		1
	Lobar pneumonia	1,632	140	67	21	11	9	30	29	102	207	245	243	269	163	84	11		1
	Pneumonia (undefined)	221	33	19	6	1	2	4	3	7	16	18	22	35	30	22	3		
93	Pleurisy	63	9	4	3	1		2	3	5	2	6	13	8	4	3			
94	Pulmonary congestion, pulmonary apoplexy	37	7									1	3	3	5	13	5		
95	Gangrene of the lung	5							1		3			1					
96	Asthma	30	1									5	5	11	3	5			
97	Pulmonary emphysema	3	1										1		1				
98	Other diseases of the respiratory system (tuberculosis excepted)	12	2							1	3	2	4						
	V.—Diseases of the digestive system	1,992	907	172	43	23	13	38	51	73	78	134	168	118	107	56	10	1	
99	Diseases of the mouth and annexa	10	2	1							3		1	2	1				
100	Diseases of the pharynx	35	2	3	1			7	5	6	4	4	2		1				
101	Diseases of the esophagus	1												1					
102	Ulcer of the stomach	63	2						1	5	9	18	12	6	7	3			
103	Other diseases of the stomach (cancer excepted)	99	32	3		2		2	2	6	5	3	9	7	14	10	3	1	
104	Diarrhea and enteritis (under 2 years)	1,001	840	161															
105	Diarrhea and enteritis (2 years and over)	168			35	16	10	9	3	5	10	10	16	14	25	12	3		
107	Intestinal parasites	2				1						1							
108	Appendicitis and typhlitis	150	1	1	3	2	2	16	31	29	13	25	16	5	4	2			
109	Hernia, intestinal obstruction (total)	152	23	2	3	1		1	7	2	9	18	30	25	16	12	3		
	Hernia	56	3					1			2	7	17	14	10	2			
	Intestinal obstruction	96	20	2	3	1			7	2	7	11	13	11	6	10	3		
110	Other diseases of the intestines	32	2	1	1	1			1	2	3	2	10	4	3	2			
111	Acute yellow atrophy of the liver	4	1							1	1	1							
113	Cirrhosis of the liver	144								5	10	31	44	32	15	7			
114	Biliary calculi	39								3	4	4	14	8	4	1	1		
115	Other diseases of the liver	56	1				1			1	2	11	11	10	14	5			
117	Simple peritonitis (nonpuerperal)	29	1					2	1	7	2	5	2	4	3	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7						1		1	3	1	1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,708	15	4	1	2	3	11	19	66	166	224	278	382	334	181	22		
119	Acute nephritis	141	9	2	1		2	6	10	7	26	29	20	15	10	4			
121	Bright's disease	1,417		1		1	1	5	7	44	125	172	242	350	296	154	19		
122	Other diseases of the kidneys and annexa	27	2			1			1	1	4	6	3	5	3	1			
123	Calculi of the urinary passages	4								1		1	1	1					
124	Diseases of the bladder	19	2								1	1	2	1	4	7	1		
125	Diseases of the urethra, urinary abscess, etc.	3								1			1	1					
126	Diseases of the prostate	41										1	4	4	15	15	2		
127	Nonvenereal diseases of the male genital organs	4	2	1											1				
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	20								2	4	6	3	3	2				
130	Other diseases of the uterus	10							1		3	5	1						
131	Cysts and other tumors of the ovary	9								2		1	1	2	3				
132	Salpingitis and other diseases of the female genital organs	12								8	3	1							
	VII.—The puerperal state	191							4	92	77	18							
134	Accidents of pregnancy	11								5	5	1							
135	Puerperal hemorrhage	27								7	16	4							
136	Other accidents of labor	19								10	7	2							
137	Puerperal septicemia	77							2	41	29	5							
138	Puerperal albuminura and convulsions	45							1	25	14	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	11								4	6	1							
140	Following childbirth (not otherwise defined)	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CONNECTICUT—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	73	25	2	.....	.....	.....	3	1	1	2	3	7	6	9	9	4	1	.....
142	Gangrene	26	3	.....	.....	.....	.....	1	.....	.....	.....	.....	1	3	5	8	4	1	.....
143	Furuncle	11	3	.....	.....	.....	.....	.....	1	1	.....	.....	4	1	1	.....	.....	.....	.....
144	Acute abscess	21	8	2	.....	.....	.....	2	.....	.....	1	3	1	2	2	.....	.....	.....	.....
145	Other diseases of the skin and annexa	15	11	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	42	3	.....	1	.....	1	2	4	6	1	10	6	5	1	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	36	3	.....	1	.....	1	2	4	6	1	8	5	4	.....	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....
	X.—Malformations	238	219	7	3	.....	4	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	238	219	7	3	.....	4	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	34	26	4	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	115	109	3	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	89	84	.....	1	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,187	1,187	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	850	850	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	651	651	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	199	199	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	331	331	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	209	209	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	122	122	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	137	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	31	71	30	2	.....
154	Senility	137	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	31	71	30	2	.....
	XIII.—External causes	1,717	41	38	35	27	18	86	131	252	257	267	224	132	118	65	15	.....	11
	Suicide (total)	218	.....	.....	.....	.....	.....	.....	6	38	48	48	37	17	17	6	1	.....	.....
155	By poison	47	.....	.....	.....	.....	.....	.....	2	9	11	11	7	3	4	.....	.....	.....	.....
156	By asphyxia	50	.....	.....	.....	.....	.....	.....	2	11	5	8	8	7	7	2	.....	.....	.....
157	By hanging or strangulation	37	.....	.....	.....	.....	.....	.....	.....	5	12	11	7	1	1	.....	.....	.....	.....
158	By drowning	21	.....	.....	.....	.....	.....	.....	1	3	4	4	3	2	2	1	1	.....	.....
159	By firearms	43	.....	.....	.....	.....	.....	.....	1	8	10	9	9	3	2	1	.....	.....	.....
160	By cutting or piercing instruments	9	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	1	2	.....	.....	.....
161	By jumping from high places	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....
162	By crushing	4	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,443	39	37	34	26	18	86	122	195	192	212	183	114	101	59	14	.....	11
164	Poisoning by food	11	3	.....	.....	.....	.....	2	3	1	.....	.....	.....	1	1	.....	.....	.....	.....
165	Other acute poisonings	16	1	2	2	.....	.....	1	.....	2	5	1	1	.....	1	.....	.....	.....	.....
166	Conflagration	9	.....	1	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	1	.....	.....	.....
167	Burns (conflagration excepted)	150	6	20	19	12	8	16	5	15	11	13	8	7	7	3	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	70	11	.....	.....	.....	.....	.....	3	7	6	17	9	12	3	2	.....	.....	.....
169	Accidental drowning	167	3	4	1	1	3	18	30	43	21	23	8	8	2	.....	.....	.....	2
170	Traumatism by firearms	22	.....	.....	.....	.....	.....	2	10	3	2	2	2	1	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	4	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
172	Traumatism by fall	250	3	6	4	1	.....	5	4	10	22	38	40	25	44	36	11	.....	1
173	Traumatism in mines and quarries (total)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	27	.....	.....	.....	.....	.....	.....	5	9	6	4	2	1	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	487	2	.....	8	10	7	36	49	81	83	73	70	34	24	5	.....	.....	5
	Railroad accidents and injuries	141	1	.....	.....	.....	.....	.....	12	34	26	31	23	6	6	.....	.....	.....	2
	Street-car accidents and injuries	92	1	.....	5	.....	1	3	7	8	22	9	18	8	5	2	.....	.....	3
	Automobile accidents and injuries	192	.....	.....	1	8	5	29	26	29	26	23	21	12	10	2	.....	.....	.....
	Injuries by other vehicles	49	.....	.....	2	1	1	2	4	9	6	7	7	6	3	1	.....	.....	.....
	Landslide, other crushing	13	.....	.....	.....	1	.....	2	.....	1	3	3	1	2	.....	.....	.....	.....	.....
176	Injuries by animals	13	1	.....	.....	.....	.....	.....	1	.....	2	4	1	2	1	1	.....	.....	.....
178	Excessive cold	12	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	5	2	.....	.....	.....	.....
179	Effects of heat	98	4	2	.....	.....	.....	.....	1	2	17	19	22	10	10	7	3	.....	1
180	Lightning	5	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	15	.....	.....	.....	.....	.....	.....	3	7	3	2	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	12	.....	.....	.....	1	.....	.....	.....	1	1	2	3	2	1	1	.....	.....	.....
186	Other external violence	73	5	2	.....	1	.....	4	8	14	8	10	8	5	4	2	.....	.....	2
	Homicide (total)	56	2	1	1	1	.....	.....	3	19	17	7	4	1	.....	.....	.....	.....	.....
182	By firearms	25	.....	.....	.....	.....	.....	.....	.....	5	10	7	2	1	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	15	.....	.....	.....	.....	.....	.....	.....	10	5	.....	.....	.....	.....	.....	.....	.....	.....
184	By other means	16	2	1	1	1	.....	.....	3	4	2	.....	2	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	76	24	6	2	.....	.....	3	.....	3	3	9	11	4	6	4	.....	.....	1
187	Ill-defined organic disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
188	Sudden death	7	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	.....	.....	.....
189	Not specified or ill-defined (total)	68	23	6	2	.....	.....	3	.....	3	2	7	10	3	5	3	.....	.....	1
	Ill-defined	42	12	6	2	.....	.....	2	.....	2	1	7	4	2	3	1	.....	.....	.....
	Not specified or unknown	26	11	.....	.....	.....	.....	1	.....	1	1	.....	6	1	2	2	.....	.....	1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	INDIANA.																	
	All causes	39,736	5,419	1,243	528	347	231	819	1,679	2,634	2,812	3,214	4,239	5,762	6,731	3,565	484	9	20
	I.—General diseases	11,019	636	400	219	150	128	411	808	1,263	1,130	1,188	1,368	1,458	1,313	493	50	.....	4
1	Typhoid fever	495	6	6	8	5	7	44	125	124	69	35	28	17	17	3	.....	.....	1
4	Malaria	35	1	2	1	.....	2	1	2	5	2	4	4	7	3	1	.....	.....	.....
5	Smallpox	15	4	1	.....	.....	.....	.....	1	.....	3	2	1	1	2	.....	.....	.....	.....
6	Measles	572	115	158	55	32	21	58	52	22	19	16	10	4	6	3	.....	.....	1
7	Scarlet fever	142	11	13	22	13	11	35	25	6	4	2	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	274	150	64	27	12	11	7	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....
9	Diphtheria and croup	449	12	35	52	45	49	142	78	22	4	7	2	1	.....	.....	.....	.....	.....
10	Influenza	606	79	23	9	4	.....	9	15	21	18	23	44	74	157	114	16	.....	.....
13	Cholera nostras	9	.....	1	.....	.....	.....	.....	.....	1	.....	1	2	.....	3	.....	1	.....	.....
14	Dysentery	159	29	11	2	3	5	3	.....	.....	4	7	8	19	36	30	2	.....	.....
18	Erysipelas	120	20	3	1	1	.....	.....	3	5	7	16	16	19	15	13	1	.....	.....
19	Other epidemic diseases	20	8	5	1	1	.....	2	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	33	7	.....	.....	.....	.....	1	2	1	1	6	8	1	5	.....	1	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
24	Tetanus	60	3	1	2	.....	.....	9	19	4	5	5	6	4	2	.....	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	6	.....	.....	.....	.....	.....	.....	.....	3	.....	2	1	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	4,002	89	60	34	26	15	61	384	918	745	542	428	383	263	49	4	.....	1
28	Tuberculosis of the lungs	3,312	32	21	10	11	3	20	300	796	666	466	377	331	231	44	3	.....	1
29	Acute miliary tuberculosis	127	3	3	2	1	2	4	22	40	20	18	4	4	3	1	.....	.....	.....
30	Tuberculous meningitis	192	39	28	16	9	9	22	28	10	15	10	4	2	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	220	10	7	4	2	.....	7	21	42	24	31	29	26	15	2	.....	.....	.....
32	Pott's disease	35	.....	.....	.....	1	1	3	5	6	3	7	3	5	1	.....	.....	.....	.....
33	White swellings	21	1	.....	.....	1	.....	2	2	6	2	1	.....	4	2	.....	.....	.....	.....
34	Tuberculosis of other organs	68	3	1	1	1	.....	1	5	12	12	8	6	6	9	2	1	.....	.....
35	Disseminated tuberculosis	27	1	.....	1	.....	.....	2	1	6	3	1	5	5	2	.....	.....	.....	.....
36	Rickets	12	7	2	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
37	Syphilis	330	72	7	1	2	3	5	7	22	41	51	65	38	6	9	1	.....	.....
38	Gonococcus infection	22	1	.....	.....	.....	.....	.....	7	6	3	2	.....	2	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,547	2	2	1	4	2	8	7	33	106	331	547	665	633	187	19	.....	.....
39	Of the buccal cavity	84	.....	.....	.....	.....	.....	.....	.....	.....	2	4	15	20	25	15	3	.....	.....
40	Of the stomach, liver	1,069	.....	1	.....	1	.....	1	.....	4	25	89	215	345	310	74	4	.....	.....
41	Of the peritoneum, intestines, rectum	258	.....	.....	.....	.....	.....	.....	.....	5	11	37	60	67	64	13	1	.....	.....
42	Of the female genital organs	359	1	.....	.....	.....	.....	.....	.....	9	37	86	95	70	49	11	1	.....	.....
43	Of the breast	252	.....	.....	.....	.....	.....	.....	.....	2	12	62	69	46	49	11	1	.....	.....
44	Of the skin	149	1	.....	1	.....	.....	.....	.....	1	5	7	18	36	45	27	8	.....	.....
45	Of other organs or of organs not specified	376	.....	1	.....	3	2	7	7	12	14	46	75	81	91	36	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	11	.....	1	.....	.....	.....	.....	2	.....	1	1	2	.....	2	2	.....	.....	.....
47	Acute articular rheumatism	122	.....	1	.....	.....	.....	12	32	12	8	13	11	13	13	6	1	.....	.....
48	Chronic rheumatism and gout	35	.....	.....	.....	.....	.....	.....	.....	1	2	3	4	9	9	7	.....	.....	.....
50	Diabetes	516	1	.....	.....	1	.....	10	36	22	31	40	94	114	110	52	4	.....	1
51	Exophthalmic goiter	64	.....	.....	.....	1	.....	.....	3	8	11	12	14	13	1	1	.....	.....	.....
52	Addison's disease	11	.....	.....	.....	.....	.....	.....	.....	1	2	2	4	1	1	.....	.....	.....	.....
53	Leukemia	58	.....	1	.....	.....	2	3	3	7	3	7	10	13	6	3	.....	.....	.....
54	Anemia, chlorosis	131	3	1	.....	.....	.....	1	1	7	14	24	28	28	15	9	.....	.....	.....
55	Other general diseases	35	16	2	1	.....	.....	.....	2	1	1	3	1	5	1	2	.....	.....	.....
56	Alcoholism (acute or chronic)	112	.....	.....	.....	.....	.....	.....	.....	7	24	27	26	22	5	1	.....	.....	.....
57	Chronic lead poisoning	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	4,192	102	42	35	17	12	52	70	90	179	319	598	933	1,121	552	67	.....	3
60	Encephalitis	32	5	1	1	1	.....	1	2	5	5	4	2	3	2	.....	.....	.....	.....
61	Meningitis (total)	188	32	23	20	11	9	20	14	15	9	10	12	6	5	1	.....	.....	1
	Simple meningitis	89	8	12	9	6	2	7	8	7	4	8	9	4	4	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	38	12	1	3	2	3	4	2	3	1	1	2	2	1	.....	.....	.....	1
	Cerebrospinal fever	61	12	10	8	3	4	9	4	5	4	1	1	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	63	.....	.....	.....	.....	.....	.....	.....	.....	4	12	20	16	10	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	187	10	5	6	4	.....	4	5	3	7	11	23	39	44	25	1	.....	.....
	Acute anterior poliomyelitis	31	8	5	6	4	.....	4	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	156	2	.....	.....	.....	.....	.....	3	3	6	11	23	38	44	25	1	.....	.....
64	Cerebral hemorrhage, apoplexy	2,816	8	.....	.....	1	1	3	14	17	50	161	405	731	918	446	60	.....	1
65	Softening of the brain	44	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	9	20	11	1	.....	.....
66	Paralysis without specified cause	139	.....	.....	.....	.....	.....	2	.....	.....	2	2	12	24	54	39	4	.....	.....
67	General paralysis of the insane	276	.....	.....	.....	.....	.....	.....	1	7	43	53	62	52	43	15	.....	.....	.....
68	Other forms of mental alienation	73	.....	.....	.....	.....	.....	.....	2	7	10	18	18	11	5	2	.....	.....	.....
69	Epilepsy	166	4	2	3	.....	.....	7	19	24	36	27	18	17	6	2	.....	.....	1
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	24	22	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	7	1	.....	.....	.....	.....	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	17	.....	.....	.....	.....	.....	.....	.....	2	1	1	3	4	2	4	.....	.....	.....
74	Other diseases of the nervous system	88	7	2	.....	.....	1	2	5	2	9	14	18	16	7	4	1	.....	.....
75	Diseases of the eyes and their annexa	5	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
76	Diseases of the ears	66	13	7	4	.....	1	10	5	6	1	6	3	4	5	1	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	INDIANA—Continued.																	
	III.—Diseases of the circulatory system	6,085	32	11	3	4	6	40	115	128	245	393	732	1,307	1,832	1,087	142	4	4
77	Pericarditis	39						1	3	1	8	4	6	5	9	2			
78	Acute endocarditis	162	4	2	1	2		6	13	18	17	25	33	19	14	8			
79	Organic diseases of the heart	4,565	17	8	1	2	6	32	93	105	204	303	589	1,046	1,377	697	78	3	4
80	Angina pectoris	322							3	3	10	32	51	90	96	35	2		
81	Diseases of the arteries, atheroma, aneurism, etc.	876								1	3	18	35	125	306	326	61	1	
82	Embolism and thrombosis	83	2	1					2		3	8	13	19	21	14			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	20						1				3	5	2	5	4			
84	Diseases of the lymphatic system (lymphangitis, etc.)	10	8		1				1										
85	Hemorrhage; other diseases of the circulatory system	8	1											1	4	1	1		
	IV.—Diseases of the respiratory system	4,272	802	259	97	73	27	74	120	166	227	266	367	540	722	465	65		2
86	Diseases of the nasal fossae	5	2						1		2								
87	Diseases of the larynx	29	5	2	2	6	1		1	2	1	1		6	1	1			
88	Diseases of the thyroid body	26	1							1	5	7	7	4	1				
89	Acute bronchitis	208	99	14	4	2		4	2		4	1	4	9	26	34	5		
90	Chronic bronchitis	217		1				2		2	1	2	17	40	84	52	16		
91	Bronchopneumonia	1,280	442	158	52	31	8	27	22	21	30	28	34	96	175	137	19		
92	Pneumonia (total)	2,307	248	83	28	31	17	37	87	132	170	209	283	348	395	217	21		1
	Lobar pneumonia	2,076	206	76	26	29	16	35	78	116	152	199	266	320	349	188	19		1
	Pneumonia (undefined)	231	42	7	2	2	1	2	9	16	18	10	17	28	46	29	2		
93	Pleurisy	72		1	9	3		3	5	4	9	11	3	10	10	3	1		
94	Pulmonary congestion, pulmonary apoplexy	25	4						1				1	1	4	12	2		
95	Gangrene of the lung	9								1	2		3	2	1				
96	Asthma	68			1		1				2	5	9	19	22	7	1		1
97	Pulmonary emphysema	7	1		1				1				1	2		1			
98	Other diseases of the respiratory system (tuberculosis excepted)	19						1		3	1	2	5	3	3	1			
	V.—Diseases of the digestive system	4,107	1,308	433	113	53	33	93	139	168	210	262	312	406	374	173	28	1	1
99	Diseases of the mouth and annexa	21	9	1		1		1	2		1	2	1	1	1	1			
100	Diseases of the pharynx	104	7	6	5	4		18	16	16	12	5	7	2	1	4	1		
101	Diseases of the esophagus	4	1										1	1		1			
102	Ulcer of the stomach	125			1	1		1	6	8	16	17	24	22	23	6			
103	Other diseases of the stomach (cancer excepted)	312	91	10	2	3	4	10	4	5	11	12	27	36	43	40	13	1	
104	Diarrhea and enteritis (under 2 years)	1,531	1,138	393															
105	Diarrhea and enteritis (2 years and over)	437			96	41	19	17	5	16	12	21	26	58	79	40	7		
106	Ankylostomiasis	1													1				
107	Intestinal parasites	2				1		1											
108	Appendicitis and typhlitis	370	1	1	2	1	4	27	83	79	62	54	29	17	6	4			
109	Hernia, intestinal obstruction (total)	324	44	13	3		3	9	9	5	22	29	35	59	67	24	2		
	Hernia	92	8						1	1	4	11	11	22	26	7	1		
	Intestinal obstruction	232	36	13	3		3	9	8	4	18	18	24	37	41	17	1		
110	Other diseases of the intestines	74	4	4	3			1	3	8	7	7	7	11	10	9			
111	Acute yellow atrophy of the liver	12							1		2	2	3	1	3				
112	Hydatid tumor of the liver	1														1			
113	Cirrhosis of the liver	367					1	2	2	6	29	59	70	107	71	19	1		
114	Biliary calculi	129								7	10	16	34	28	28	6			
115	Other diseases of the liver	197	5	3			1	2	4	14	14	27	39	38	33	14	3		
116	Diseases of the spleen	8						1			2			4	1				
117	Simple peritonitis (nonpuerperal)	66	8	2	1	1	1	3	4	4	7	5	4	15	7	2	1		1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	22									3	6	5	6		2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,626	23	15	9	10	2	19	54	109	191	331	489	784	1,006	518	63	1	2
119	Acute nephritis	266	16	9	5	5	1	10	20	21	23	37	33	33	36	16			1
120	Bright's disease	2,941	2	5	4	5	1	8	26	53	117	226	416	703	872	442	59	1	1
122	Other diseases of the kidneys and annexa	52	4					1	1	3	3	7	9	5	12	7			
123	Calculi of the urinary passages	21		1						2	1	2	4	3	4	4			
124	Diseases of the bladder	41								1	2		1	7	16	12	2		
125	Diseases of the urethra, urinary abscess, etc.	13									1	5	5	1	1				
126	Diseases of the prostate	120										2	7	18	57	34	2		
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	2							2										
129	Uterine tumor (noncancerous)	47								2	5	23	4	5	7	1			
130	Other diseases of the uterus	23							1	5	3	8	3	2		1			
131	Cysts and other tumors of the ovary	20							1	1	2	4	4	6	1	1			
132	Salpingitis and other diseases of the female genital organs	78							3	21	33	17	3	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	1									1								
	VII.—The puerperal state	458							55	200	170	33							
134	Accidents of pregnancy	30							5	9	13	3							
135	Puerperal hemorrhage	36							1	10	20	5							
136	Other accidents of labor	24							2	8	14								
137	Puerperal septicemia	226							26	117	69	14							
138	Puerperal albuminuria and convulsions	123							21	49	44	9							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	14								5	7	2							
140	Following childbirth (not otherwise defined)	5	c							2	3								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Death at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	INDIANA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	112	7	1	1	3	.....	2	3	7	2	4	9	13	28	29	3	.....	.....
142	Gangrene	74	1	.....	1	3	.....	.....	1	.....	2	3	4	8	22	26	3	.....	.....
143	Furuncle	10	.....	.....	.....	.....	.....	.....	1	3	.....	.....	2	2	1	1	.....	.....	.....
144	Acute abscess	10	.....	1	.....	.....	.....	1	1	3	.....	1	1	.....	2	.....	.....	.....	.....
145	Other diseases of the skin and annexa	18	6	.....	.....	.....	.....	1	.....	1	.....	.....	2	3	3	2	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	80	2	5	1	1	2	4	19	6	4	15	4	6	8	2	1	.....	.....
146	Diseases of the bones (tuberculosis excepted)	65	2	5	1	1	2	4	18	4	2	12	4	4	5	.....	1	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	12	.....	.....	.....	.....	.....	.....	1	1	1	3	.....	2	2	2	.....	.....	.....
149	Other diseases of the organs of locomotion	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
	X.—Malformations	570	548	6	5	1	.....	5	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	570	548	6	5	1	.....	5	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	34	26	3	1	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	385	376	1	3	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	151	146	2	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,859	1,859	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,481	1,481	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,271	1,271	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	210	210	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	377	377	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	199	199	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	178	178	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	200	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	51	96	44	2	.....
154	Senility	200	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	51	96	44	2	.....
	XIII.—External causes	3,124	93	67	45	35	21	119	292	492	453	403	355	304	272	149	20	1	3
	Suicide (total)	426	.....	.....	.....	.....	.....	.....	28	63	84	64	73	61	41	12	.....	.....	.....
155	By poison	108	.....	.....	.....	.....	.....	.....	12	22	20	12	15	15	10	2	.....	.....	.....
156	By asphyxia	16	.....	.....	.....	.....	.....	.....	.....	2	4	5	4	.....	1	.....	.....	.....	.....
157	By hanging or strangulation	72	.....	.....	.....	.....	.....	.....	1	4	11	12	17	14	10	3	.....	.....	.....
158	By drowning	23	.....	.....	.....	.....	.....	.....	.....	5	3	6	4	3	2	.....	.....	.....	.....
159	By firearms	154	.....	.....	.....	.....	.....	.....	15	24	37	18	23	23	12	2	.....	.....	.....
160	By cutting or piercing instruments	37	.....	.....	.....	.....	.....	.....	.....	4	7	7	9	4	3	3	.....	.....	.....
161	By jumping from high places	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
162	By crushing	9	.....	.....	.....	.....	.....	.....	.....	2	2	3	.....	1	1	.....	.....	.....	.....
163	Other suicides	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	.....	.....	.....
	Accidental or undefined (total)	2,512	92	64	43	34	21	114	251	380	317	305	264	236	230	137	20	1	3
164	Poisoning by food	34	3	3	3	4	.....	3	1	4	2	4	2	4	.....	1	.....	.....	.....
165	Other acute poisonings	54	2	13	7	2	1	3	2	7	6	4	4	.....	3	.....	.....	.....	.....
166	Conflagration	31	2	2	1	3	1	1	5	1	4	2	1	3	4	1	.....	.....	.....
167	Burns (conflagration excepted)	162	5	12	15	11	7	14	14	20	11	13	9	12	8	11	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	104	50	1	.....	.....	.....	.....	2	11	10	7	12	5	6	.....	.....	.....	.....
169	Accidental drowning	142	.....	6	3	1	1	16	34	39	11	14	8	4	3	1	.....	.....	1
170	Traumatism by firearms	79	.....	2	.....	1	2	7	32	14	6	9	2	2	2	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	5	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....
172	Traumatism by fall	462	4	7	6	2	.....	2	11	18	29	34	41	60	124	106	17	1	.....
173	Traumatism in mines and quarries (total)	119	.....	.....	.....	.....	.....	.....	16	33	30	20	13	6	1	.....	.....	.....	.....
	Traumatism in mines	115	.....	.....	.....	.....	.....	.....	15	32	30	19	12	6	1	.....	.....	.....	.....
	Traumatism in quarries	4	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	76	.....	.....	1	.....	.....	1	4	17	20	14	11	5	3	.....	.....	.....	.....
175	Traumatism by other crushing (total)	979	5	9	3	8	6	57	105	183	164	147	124	103	55	8	.....	.....	2
	Railroad accidents and injuries	511	1	2	.....	1	.....	14	54	114	102	83	60	50	26	3	.....	.....	1
	Street-car accidents and injuries	112	.....	1	1	1	1	3	12	15	22	15	19	12	8	1	.....	.....	1
	Automobile accidents and injuries	201	1	5	1	4	3	22	26	32	26	27	24	19	7	4	.....	.....	.....
	Injuries by other vehicles	92	1	.....	1	2	1	8	7	9	7	12	15	19	10	.....	.....	.....	.....
	Landslide, other crushing	63	2	1	.....	.....	1	10	6	13	7	10	6	3	4	.....	.....	.....	.....
176	Injuries by animals	33	.....	1	1	.....	2	1	7	3	.....	.....	3	9	4	2	.....	.....	.....
178	Excessive cold	18	1	.....	.....	.....	.....	.....	.....	.....	.....	3	6	2	3	2	1	.....	.....
179	Effects of heat	20	3	.....	.....	.....	.....	.....	1	.....	1	4	3	2	2	2	.....	.....	.....
180	Lightning	18	1	.....	.....	.....	.....	.....	1	3	2	5	5	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	40	.....	.....	.....	.....	.....	2	4	16	11	4	2	1	.....	.....	.....	.....	.....
186	Other external violence	136	16	8	3	1	1	7	12	10	10	21	17	15	12	3	.....	.....	.....
	Homicide (total)	186	1	3	2	1	.....	5	13	49	52	34	18	7	1	.....	.....	.....	.....
182	By firearms	131	.....	2	2	1	.....	3	10	36	38	24	9	5	1	.....	.....	.....	.....
183	By cutting or piercing instruments	25	.....	.....	.....	.....	.....	.....	3	10	6	3	2	1	.....	.....	.....	.....	.....
184	By other means	30	1	1	.....	.....	.....	2	.....	3	8	7	7	1	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	32	7	4	.....	.....	.....	.....	1	3	1	.....	4	5	4	1	1	.....	1
187	Ill-defined organic disease	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....
188	Sudden death	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
189	Not specified or ill-defined (total)	26	6	4	.....	.....	.....	.....	.....	2	1	.....	4	4	4	.....	.....	.....	1
	Ill-defined	18	1	4	.....	.....	.....	.....	.....	1	.....	.....	4	4	4	.....	.....	.....	.....
	Not specified or unknown	8	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KANSAS.																		
	All causes	20,644	2,991	594	306	177	127	459	851	1,254	1,396	1,429	1,976	2,795	3,830	2,117	276	19	47
	I.—General diseases	4,867	281	156	88	67	46	197	314	475	505	464	555	669	713	304	26	2	5
1	Typhoid fever	325	2	5	2	3	2	24	85	92	49	28	14	11	6	2			
4	Malaria	40			1		1	3		3	5	5	1	6	8	7			
5	Smallpox	7	1						1	2			2		1				
6	Measles	250	42	48	23	22	7	36	36	14	6	5	5	3	3				
7	Scarlet fever	57	5	3	4	5	3	15	12	6	4								
8	Whooping cough	128	70	26	12	5	3	8	2					1	1				
9	Diphtheria and croup	150	10	20	20	13	17	48	12	3	5	1				1			
10	Influenza	542	54	14	2	3	5	9	12	8	15	15	39	55	167	122	19	2	1
13	Cholera nostras	10	2		2						2			2	1	1			
14	Dysentery	107	16	12	6	4	1	1	1	1	2	2	7	10	21	22	1		
18	Erysipelas	60	11	4		1			1		3	6	7	9	9	9			
19	Other epidemic diseases	4	1	1	1			1											
20	Purulent infection and septicemia	50	4	1	1	1		2	4	3	7	7	6	2	8	4			
22	Anthrax	2								1			1						
24	Tetanus	31	1	3			1	4	7	3	6	2	2	1	1				
25	Mycoses	1										1							
26	Pellagra	28						1		1	8	7	4	6	1				
	Tuberculosis (total)	1,040	14	9	8	5	3	14	91	257	247	150	104	86	42	7			3
28	Tuberculosis of the lungs	838	5	3		1	1	6	73	218	210	117	89	70	36	7			2
29	Acute miliary tuberculosis	43						1	8	14	11	3	3	2	1				
30	Tuberculous meningitis	34	6	5	3	1		3	4	3	3	3		2					1
31	Abdominal tuberculosis	54	2		3			1	1	12	12	11	7	4	1				
32	Pott's disease	16	1			2	1		2	2	2	2	1	2	1				
33	White swellings	5					1	1			1				2				
34	Tuberculosis of other organs	31		1	1	1		1	1	6	4	8	4	4					
35	Disseminated tuberculosis	19			1			1	2	2	4	6		2	1				
36	Rickets	8	5	2											1				
37	Syphilis	98	22	2	2				3	8	13	13	19	11	5				
38	Gonococcus infection	15						1	3	4	4	1	1	1					
	Cancer and other malignant tumors (total)	1,256	1			2		3	10	20	70	158	235	335	318	101	2		1
39	Of the buccal cavity	56								1		8	8	20	13	5	1		
40	Of the stomach, liver	528	1						1	5	13	53	92	177	146	39			1
41	Of the peritoneum, intestines, rectum	148				1			3	1	9	22	21	40	41	10			
42	Of the female genital organs	157							1	6	21	35	40	31	17	6			
43	Of the breast	85								2	9	14	19	16	18	7			
44	Of the skin	61									4	3	8	4	24	17	1		
45	Of other organs or of organs not specified	221				1		3	5	5	14	23	47	47	59	17			
46	Other tumors (tumors of the female genital organs excepted)	10	2							1		1	1	2	2		1		
47	Acute articular rheumatism	64	1			1		7	8	8	9	3	6	11	5	5			
48	Chronic rheumatism and gout	29									3	2	2	4	11	7			
49	Scurvy	1		1															
50	Diabetes	316		1			1	10	20	21	24	23	55	74	72	15			
51	Exophthalmic goiter	33					1		1	5	4	9	5	5	3				
52	Addison's disease	12		1						1	1	2	3	2	2				
53	Leukemia	36				1		5	2	4	4	3	7	6	4				
54	Anemia, chlorosis	97	3	1	2	1		2	2	5	7	12	23	20	16	1	2		
55	Other general diseases	37	14	2	2		1	3	1	2	2	1	2	4	2		1		
56	Alcoholism (acute or chronic)	17								1	4	7	3	1	1				
57	Chronic lead poisoning	3									1		1	1					
59	Other chronic poisonings	3								1					2				
	II.—Diseases of the nervous system and of the organs of special sense	2,277	64	29	16	8	12	25	63	59	93	149	274	460	662	328	31	1	3
60	Encephalitis	14	2			2	1	1	1	1	2	1		2		1			
61	Meningitis (total)	113	16	12	13	2	4	10	27	11	3	6	2	3	2	2			
	Simple meningitis	49	6	7	8	2	2	2	9	2	2	3		2	2	2			
	Cerebrospinal meningitis (undefined)	21	3	4	3		1	1	7	2									
	Cerebrospinal fever	43	7	1	2		1	7	11	7	1	3	2	1					
62	Locomotor ataxia	40									3	5	10	14	6	2			
63	Other diseases of the spinal cord (total)	125	4	8		1		6	4	4	2	6	13	25	42	10			
	Acute anterior poliomyelitis	18	3	5		1		5	3	1									
	Other diseases of the spinal cord [1]	107	1	3				1	1	3	2	6	13	25	42	10			
64	Cerebral hemorrhage, apoplexy	1,365	6	2		1	3	1	5	7	28	66	175	325	488	237	18	1	2
65	Softening of the brain	28										3	5	7	8	5			
66	Paralysis without specified cause	220			1			1		2	5	2	19	45	81	50	13		1
67	General paralysis of the insane	93								6	17	20	22	10	8	10			
68	Other forms of mental alienation	64							2	6	8	16	10	9	9	4			
69	Epilepsy	53	1					1	6	13	10	8	3	4	6	1			
70	Convulsions (nonpuerperal)	5						1	1	1	2								
71	Convulsions of infants	33	26	4	2		1												
72	Chorea	3							1		1			1					
73	Neuralgia and neuritis	13	1						1			1	4	2	3	1			
74	Other diseases of the nervous system	69	3	2			1		4	7	9	12	9	9	9	4			
75	Diseases of the eyes and their annexa	3	2									1							
76	Diseases of the ears	36	3	1		2	2	4	11	1	3	2	2	4		1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KANSAS—Continued.																		
	III.—Diseases of the circulatory system	2,835	19	9	1	2	2	21	48	60	92	189	310	598	981	460	37	3	3
77	Pericarditis	26	1					3		1	3	1	2	6	8	1			
78	Acute endocarditis	75	2	1			1	4	7	7	9	10	16	4	7	7			
79	Organic diseases of the heart	2,098	11	5	1	1	1	12	39	43	62	154	238	470	712	324	20	2	3
80	Angina pectoris	117						1		1	5	10	13	33	41	12	1		
81	Diseases of the arteries, atheroma, aneurism, etc	402									7	6	24	63	184	102	15	1	
82	Embolism and thrombosis	88	2	2		1		1	2	7	3	8	13	19	21	9			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10								1	3		2	2		1	1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1	1															
85	Hemorrhage: other diseases of the circulatory system	17	2										2	1	8	4			
	IV.—Diseases of the respiratory system	2,389	446	115	61	35	16	55	91	124	122	135	201	278	401	273	28	4	4
86	Diseases of the nasal fossae	9	3		1						1			1		3			
87	Diseases of the larynx	22	6	1	1	2	3	2		2	1		1	2	1				
88	Diseases of the thyroid body	16	1	1					1	4	2		3	3	1				
89	Acute bronchitis	86	38	11	2	3		3		1	2	1	3	5	11	5	1		
90	Chronic bronchitis	145	1						3	5	1	9	8	23	54	35	5	1	
91	Bronchopneumonia	627	220	45	30	13	4	19	17	4	6	18	27	45	101	66	11	1	
92	Pneumonia (total)	1,308	168	50	24	17	8	30	65	99	102	92	132	172	194	143	8		4
	Lobar pneumonia	979	105	36	18	12	6	17	52	81	84	78	107	136	144	95	5		3
	Pneumonia (undefined)	329	63	14	6	5	2	13	13	18	18	14	25	36	50	48	3		1
93	Pleurisy	53	1	6	1				1	6	2	6	11	5	9	5			
94	Pulmonary congestion, pulmonary apoplexy	39	7	1	1		1					2	2	3	11	7	3	1	
95	Gangrene of the lung	6								1	1	1		1	1	1			
96	Asthma	52							2	2	3	3	8	11	14	8		1	
97	Pulmonary emphysema	2											1	1					
98	Other diseases of the respiratory system (tuberculosis excepted)	24	1		1			1	2		1	3	5	6	4				
	V.—Diseases of the digestive system	2,323	583	230	95	42	26	70	100	104	137	126	180	218	267	125	18		2
99	Diseases of the mouth and annexa	8	2					1			1	1	1	1	1				
100	Diseases of the pharynx	46	3	2	3	2	3	5	9	5	4	2	4	1	1	2			
101	Diseases of the esophagus	3												2	1				
102	Ulcer of the stomach	62							1	4	8	10	5	13	15	5	1		
103	Other diseases of the stomach (cancer excepted)	216	60	7	5	3	3	3	2	4	6	9	16	29	43	21	5		
104	Diarrhea and enteritis (under 2 years)	677	467	210															
105	Diarrhea and enteritis (2 years and over)	352			72	31	13	15	7	7	13	22	21	34	64	48	5		
108	Appendicitis and typhlitis	261	1	1	2	3	5	29	61	47	46	25	24	9	5	2	1		
109	Hernia, intestinal obstruction (total)	211	37	4	8	2	1	10	9	8	14	13	26	30	30	18	1		
	Hernia	53	3		1			2	2	1	2	3	9	10	11	9			
	Intestinal obstruction	158	34	4	7	2	1	8	7	7	12	10	17	20	19	9	1		
110	Other diseases of the intestines	82	5	1	2		1	1	3	6	9	7	11	11	18	5	2		
111	Acute yellow atrophy of the liver	8								1	1			3	3				
112	Hydatid tumor of the liver	2										1			1				
113	Cirrhosis of the liver	132		1					2		7	14	32	36	34	5			1
114	Biliary calculi	66			1					3	4	6	14	19	15	4			
115	Other diseases of the liver	129	7		1			2	2	3	11	13	16	28	31	12	3		
116	Diseases of the spleen	1									1								
117	Simple peritonitis (nonpuerperal)	52	1	4	1	1		3	4	14	10	2	4		4	3			1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	15						1		2	2	1	6	2	1				
	VI.—Nonvenereal diseases of the genito-urinay system and annexa	1,801	20	1	3	2	6	13	22	58	105	157	268	392	508	221	23		2
119	Acute nephritis	98	8		1		2	6	4	12	9	14	9	9	15	9			
120	Bright's disease	1,381	6		2	1	4	6	13	25	55	112	229	336	400	171	20		1
122	Other diseases of the kidneys and annexa	52	5	1		1		1	1	2	6	5	2	9	16	3			
123	Calculi of the urinary passages	17									3	2	7	1	2	1			1
124	Diseases of the bladder	37								2		1	1	7	14	12			
125	Diseases of the urethra, urinary abscess, etc	6									1	1	1	2	1				
126	Diseases of the prostate	111											8	23	54	23	3		
127	Nonvenereal diseases of the male genital organs	3	1							1					1				
129	Uterine tumor (noncancerous)	25								1	10	5	3	2	2	2			
130	Other diseases of the uterus	25							2	9	7	6			1				
131	Cysts and other tumors of the ovary	21								2	4	3	7	3	2				
132	Salpingitis and other diseases of the female genital organs	25							2	4	10	8	1						
	VII.—The puerperal state	293							26	137	112	16	1						1
134	Accidents of pregnancy	30								15	13	2							
135	Puerperal hemorrhage	14								7	3	4							
136	Other accidents of labor	24							1	6	16	1							
137	Puerperal septicemia	131							15	69	41	5	1						
138	Puerperal albuminuria and convulsions	85							10	38	32	4							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	9								2	7								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KANSAS—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	68	9	1	.....	1	.....	.....	2	1	3	3	8	5	15	16	2	1	1
142	Gangrene	35	1	.....	.....	.....	.....	.....	.....	1	1	.....	3	2	11	13	2	1	.....
143	Furuncle	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	1
144	Acute abscess	13	4	1	.....	1	.....	.....	2	.....	.....	1	2	1	.....	1	.....	.....	.....
145	Other diseases of the skin and annexa	13	4	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	2	2	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	27	2	.....	.....	.....	.....	2	8	3	1	2	4	2	1	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	22	1	.....	.....	.....	.....	2	8	3	1	2	2	1	1	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
	X.—Malformations	262	245	6	2	.....	1	3	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	262	245	6	2	.....	1	3	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	9	6	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	185	176	4	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	68	63	1	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,185	1,185	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	977	977	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	706	706	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	271	271	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	207	207	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	106	106	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	101	101	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	511	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	15	125	275	84	8	2
154	Senility	511	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	15	125	275	84	8	2
	XIII.—External causes	1,549	50	33	35	20	17	70	168	228	211	180	156	128	123	91	21	.....	18
	Suicide (total)	163	.....	.....	.....	.....	.....	.....	7	35	28	34	30	16	8	3	.....	.....	2
155	By poison	44	.....	.....	.....	.....	.....	.....	1	10	7	10	8	3	2	3	.....	.....	.....
156	By asphyxia	4	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	26	.....	.....	.....	.....	.....	.....	1	4	5	5	4	3	2	.....	.....	.....	2
158	By drowning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
159	By firearms	71	.....	.....	.....	.....	.....	.....	5	19	13	11	14	7	2	.....	.....	.....	.....
160	By cutting or piercing instruments	7	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	1	.....	.....	.....	.....
161	By jumping from high places	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
162	By crushing	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
163	Other suicides	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,266	49	32	35	19	17	66	152	164	150	127	115	102	115	87	21	.....	15
164	Poisoning by food	24	3	1	2	.....	.....	3	1	2	2	3	1	4	2	.....	.....	.....	.....
165	Other acute poisonings	46	4	11	5	3	3	3	3	3	3	2	2	3	1	.....	.....	.....	.....
166	Conflagration	16	.....	.....	.....	1	1	.....	.....	1	2	3	1	2	2	3	.....	.....	.....
167	Burns (conflagration excepted)	106	2	5	9	9	5	10	13	12	9	7	5	9	4	5	1	.....	1
168	Absorption of deleterious gases (conflagration excepted)	33	18	1	.....	.....	.....	.....	1	4	4	2	1	.....	.....	1	.....	.....	1
169	Accidental drowning	76	.....	6	2	2	1	6	20	23	8	2	2	1	2	1	.....	.....	.....
170	Traumatism by firearms	46	1	.....	1	.....	1	7	17	6	4	7	.....	1	1	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
172	Traumatism by fall	209	2	2	3	.....	1	5	11	12	12	11	11	16	51	57	14	.....	1
173	Traumatism in mines and quarries (total)	39	.....	.....	.....	.....	.....	.....	2	6	15	10	5	1	.....	.....	.....	.....	.....
	Traumatism in mines	38	.....	.....	.....	.....	.....	.....	2	6	14	10	5	1	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	35	.....	.....	.....	1	.....	.....	8	9	6	4	4	2	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	363	2	.....	3	1	3	19	45	64	51	53	41	40	25	6	.....	.....	10
	Railroad accidents and injuries	175	.....	.....	2	1	.....	2	13	36	29	30	22	22	7	2	.....	.....	9
	Street-car accidents and injuries	11	.....	.....	.....	.....	.....	1	1	1	3	1	1	1	1	1	.....	.....	.....
	Automobile accidents and injuries	106	2	.....	1	.....	1	8	18	18	15	18	5	8	10	1	.....	.....	1
	Injuries by other vehicles	63	.....	.....	.....	.....	1	8	11	9	1	3	13	8	7	2	.....	.....	.....
	Landslide, other crushing	8	.....	.....	.....	.....	1	.....	2	.....	3	1	.....	1	.....	.....	.....	.....	.....
176	Injuries by animals	36	.....	2	5	.....	1	3	3	2	3	2	8	3	4	.....	.....	.....	.....
177	Starvation	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
178	Excessive cold	11	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	2	2	.....	.....
179	Effects of heat	27	2	.....	.....	.....	.....	.....	2	2	1	4	8	1	4	1	2	.....	.....
180	Lightning	14	.....	.....	.....	.....	.....	.....	6	1	4	2	.....	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	15	.....	.....	.....	.....	.....	1	4	4	4	2	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	25	.....	.....	.....	.....	.....	.....	1	2	2	1	1	2	6	8	2	.....	.....
186	Other external violence	141	15	4	5	2	1	9	15	11	19	10	22	11	12	3	.....	.....	2
	Homicide (total)	120	1	1	.....	1	.....	4	9	29	33	19	11	10	.....	1	.....	.....	1
182	By firearms	83	1	1	.....	.....	.....	2	5	20	24	15	5	9	.....	.....	.....	.....	1
183	By cutting or piercing instruments	18	.....	.....	.....	.....	.....	.....	2	6	5	3	1	1	.....	.....	.....	.....	.....
184	By other means	19	.....	.....	.....	1	.....	2	2	3	4	1	5	.....	.....	1	.....	.....	.....
	XIV.—Ill-defined diseases	257	87	14	5	.....	1	3	4	5	15	8	17	30	34	22	6	.....	6
187	Ill-defined organic disease	13	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	2	5	2	.....	.....	.....
188	Sudden death	10	2	1	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	.....	1	.....	.....
189	Not specified or ill-defined (total)	234	85	13	5	.....	1	3	4	4	15	6	13	27	27	20	5	.....	6
	Ill-defined	81	9	8	4	.....	.....	2	.....	.....	6	4	7	15	16	7	2	.....	1
	Not specified or unknown	153	76	5	1	.....	1	1	4	4	9	2	6	12	11	13	3	.....	5

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (TOTAL).																		
	All causes	32,723	5,371	1,536	708	410	309	779	1,768	2,761	2,600	2,683	3,062	3,796	4,089	2,113	342	48	348
	I.—General diseases	10,976	868	554	317	225	177	416	989	1,618	1,261	1,071	1,104	1,046	840	328	46	6	110
1	Typhoid fever	833	8	6	10	9	8	60	258	196	105	71	52	34	5	5			6
4	Malaria	136	19	8	5	2	2	7	15	13	13	4	16	10	11	5	2	1	3
5	Smallpox	3	1							1		1							
6	Measles	954	190	162	80	71	49	71	94	62	55	47	25	19	18	5			6
7	Scarlet fever	51	3	5	3	8	8	15	6	2	1								
8	Whooping cough	495	226	125	63	26	14	26	11										4
9	Diphtheria and croup	362	67	57	59	48	40	72	12	3	1	1							2
10	Influenza	583	50	11	7	4	6	8	13	12	22	29	53	82	155	108	17	2	4
11	Miliary fever	1									1								
13	Cholera nostras	27	4	5	3	1	3			1	1		1	2	3	1	2		
14	Dysentery	331	50	53	26	12	5	17	18	7	14	5	17	22	46	27	7		5
18	Erysipelas	83	22	4	1					4	4	5	12	11	13	6	1		
19	Other epidemic diseases	5	2	1	1		1												
20	Purulent infection and septicemia	42		1	1		1	2	3	3	6	5	9	5	4	2			
23	Rabies	1								1									
24	Tetanus	56	16			1	2	10	7	7	3	4	2	2	1				1
25	Mycoses	1		1															
26	Pellagra	197	2		2	4	3	5	8	30	31	41	26	19	20	2			4
	Tuberculosis (total)	4,734	138	93	47	35	28	93	493	1,186	848	593	467	363	245	55	2	1	47
28	Tuberculosis of the lungs	4,085	58	45	19	14	7	53	423	1,102	793	537	415	324	202	50	2		41
29	Acute miliary tuberculosis	78	1	3			1	2	13	20	13	14	6	1	2	1			1
30	Tuberculous meningitis	237	60	35	20	17	15	23	21	12	10	11	7	3	1		1		1
31	Abdominal tuberculosis	231	11	5	4	2	3	11	23	37	21	25	33	26	25	1			4
32	Pott's disease	20			2		2		5	2	2		1	3	3				
33	White swellings	18			1			3		3	3	1	2		4	1			
34	Tuberculosis of other organs	42	7	3		2		1	8	6	5	1	1	2	5	1			
35	Disseminated tuberculosis	23	1	2	1					4	1	4	2	4	3	1			
36	Rickets	14	9	2		1						1	1						
37	Syphilis	133	35	6			1	1	4	16	13	29	13	9	4				2
38	Gonococcus infection	8							1	5	1	1							
	Cancer and other malignant tumors (total)	1,289	3	4	2	1	2	5	8	29	80	168	306	343	223	86	10	1	18
39	Of the buccal cavity	41								1	2	5	11	12	6	3			1
40	Of the stomach, liver	473		1						10	20	48	123	158	80	26		1	6
41	Of the peritoneum, intestines, rectum	134	1					1	2	3	9	17	23	37	31	7			3
42	Of the female genital organs	229								7	31	58	64	39	15	9	2		4
43	Of the breast	118									8	20	37	23	19	7	3		1
44	Of the skin	83					1			1	1	3	10	20	30	14	2		1
45	Of other organs or of organs not specified	211	2	3	2	1	1	4	6	7	9	17	38	54	42	20	3		2
46	Other tumors (tumors of the female genital organs excepted)	10	1					1		1	2	2		3					
47	Acute articular rheumatism	114		1			2	7	15	6	14	9	19	18	12	7		1	3
48	Chronic rheumatism and gout	46									3	1	9	13	15	4	1		
49	Scurvy	4	1	1				1							1				
50	Diabetes	232		2	1	1	1	6	10	12	15	26	37	66	42	10	2		1
51	Exophthalmic goiter	15			1				3	1	1	3	3	2					1
52	Addison's disease	3								2				1					
53	Leukemia	34			2		1	2	5	6	4	2	1	5	5				1
54	Anemia, chlorosis	71	11	3				1	2	3	8	7	20	11	4	1			
55	Other general diseases	44	10	3	3	1		5	2		5	1	3		6	3	2		
56	Alcoholism (acute or chronic)	53							1	8	10	13	9	3	6	1			2
57	Chronic lead poisoning	2											1		1				
59	Other chronic poisonings	9						1		1		2	2	3					
	II.—Diseases of the nervous system and of the organs of special sense	2,722	204	75	38	15	18	49	83	94	144	251	363	523	573	230	34	2	26
60	Encephalitis	33	7	4	2	2	1	4	2	2	1	3	2	1	1				1
61	Meningitis (total)	301	102	41	22	9	10	27	38	16	9	12	6	3	2	2			2
	Simple meningitis	136	49	20	9	2	1	11	18	6	3	6	4	2	2	1			2
	Cerebrospinal meningitis (undefined)	67	22	10	9	1	3	8	6	4	2		1			1			
	Cerebrospinal fever	98	31	11	4	6	6	8	14	6	4	6	1	1					
62	Locomotor ataxia	47								1	2	11	15	11	7				
63	Other diseases of the spinal cord (total)	157	12	12	8	2	1	4	9	7	4	12	20	26	29	7	2		2
	Acute anterior poliomyelitis	40	10	11	7	2	1	4	4										1
	Other diseases of the spinal cord [1]	117	2	1	1				5	7	4	12	20	26	29	7	2		1
64	Cerebral hemorrhage, apoplexy	1,260	5	6			1	3	8	14	39	112	215	328	354	143	19	2	11
65	Softening of the brain	45										1	2	15	19	7	1		
66	Paralysis without specified cause	294	4					1		3	5	12	32	77	99	48	10		3
67	General paralysis of the insane	172							1	8	22	42	31	22	34	9	1		2
68	Other forms of mental alienation	88							1	9	17	15	16	16	7	6			1
69	Epilepsy	134	7	1	1		1	3	15	20	34	22	11	7	6	4			2
70	Convulsions (nonpuerperal)	11						3		4		1	1	2					
71	Convulsions of infants	59	52	3	2		2												
72	Chorea	2												2					
73	Neuralgia and neuritis	12	1							1	1		1	1	4	1	1		1
74	Other diseases of the nervous system	69	9	1		1			5	6	8	8	10	8	9	3			1
75	Diseases of the eyes and their annexa	4					1		1	1				1					
76	Diseases of the ears	34	5	7	3	1	1	4	3	2	2		1	3	2				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (TOTAL)—Continued.																	
	III.—Diseases of the circulatory system	3,443	23	6	6	3	4	32	66	118	197	327	495	742	897	440	45	5	37
77	Pericarditis	36							3	2	1	1	10	5	9	4			1
78	Acute endocarditis	137	4	2	2		2		8	15	15	29	41	10	6	3			
79	Organic diseases of the heart	2,601	17	4	3	2	2	28	54	89	160	259	379	605	660	286	22	4	27
80	Angina pectoris	124						1		6	6	14	25	38	21	11			2
81	Diseases of the arteries, atheroma, aneurism, etc	482									10	13	35	73	190	131	23	1	6
82	Embolism and thrombosis	37			1			1	1	6	3	3	3	7	9	3			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8										4	1	2		1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	1			1		1				1	1						
85	Hemorrhage; other diseases of the circulatory system	13	1					1			2	3		2	2	1			1
	IV.—Diseases of the respiratory system	3,470	639	220	111	62	33	56	133	179	178	259	289	416	528	285	59	3	20
86	Diseases of the nasal fossae	8	4		1				1		1				1				
87	Diseases of the larynx	36	10	5	4	3	2	4	1		1	2	1	1		2			
88	Diseases of the thyroid body	8	1							1	1		3	1	1				
89	Acute bronchitis	148	77	25	5	4		2	1	2	1		3	6	10	10	2		
90	Chronic bronchitis	190	2	2	1	1		1	5	6	2	11	10	24	74	39	11	1	
91	Bronchopneumonia	884	320	100	47	21	15	11	22	21	11	30	32	66	106	64	12		6
92	Pneumonia (total)	1,949	217	85	53	30	16	35	99	133	143	189	214	282	285	127	27	2	12
	Lobar pneumonia	1,479	122	51	39	20	14	28	71	115	119	155	176	229	213	95	21	1	10
	Pneumonia (undefined)	470	95	34	14	10	2	7	28	18	24	34	38	53	72	32	6	1	2
93	Pleurisy	54	1	1		2		2	1	4	11	12	3	5	8	4			
94	Pulmonary congestion, pulmonary apoplexy	52	3							3		2	5	4	13	19	3		
95	Gangrene of the lung	8						1			1	2	2	1	1				
96	Asthma	94	1	2		1				3	4	4	12	23	21	17	4		2
97	Pulmonary emphysema	4	1												1	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	35	2						3	6	2	7	4	3	7	1			
	V.—Diseases of the digestive system	3,215	959	544	146	33	29	90	115	111	172	213	214	221	225	101	19	1	22
99	Diseases of the mouth and annexa	18	4	2	1					1	1	6	3						
100	Diseases of the pharynx	41	3	3	4	4	3	5	5	1	4	3		3	3				
101	Diseases of the esophagus	1														1			
102	Ulcer of the stomach	83							2	7	9	18	11	18	15	1	1		1
103	Other diseases of the stomach (cancer excepted)	344	109	14	7	3	1	6	7	13	18	21	27	37	47	23	5		6
104	Diarrhea and enteritis (under 2 years)	1,315	808	507															
105	Diarrhea and enteritis (2 years and over)	461			128	16	16	35	21	13	23	33	36	34	53	38	8	1	6
106	Ankylostomiasis	7		1		1		1	3		1								
107	Intestinal parasites	13	1	3	2	1	2	4											
108	Appendicitis and typhlitis	205		1		1	1	20	46	30	41	30	21	9	2	2			1
109	Hernia, intestinal obstruction (total)	217	19	7	4	6	5	16	9	8	24	20	27	23	26	17	3		3
	Hernia	52	5					2		1	5	6	12	6	9	6			
	Intestinal obstruction	165	14	7	4	6	5	14	9	7	19	14	15	17	17	11	3		3
110	Other diseases of the intestines	53	1	1					5	5	4	8	10	7	8	3	1		
111	Acute yellow atrophy of the liver	8							1	3			1	2		1			
113	Cirrhosis of the liver	171	1							2	16	28	41	40	32	9			2
114	Biliary calculi	68								3	9	14	15	16	9	1			1
115	Other diseases of the liver	127	9	2		1	1	1	6	9	11	22	14	22	23	5			1
116	Diseases of the spleen	4		1							1		1	1					
117	Simple peritonitis (nonpuerperal)	68	4	2				2	10	15	7	8	6	8	4		1		1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	11								1	3	2	1	1	3				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,561	28	12	7	3	5	11	45	73	151	266	347	558	678	303	36	9	29
119	Acute nephritis	156	12	5	3		2	7	10	15	17	21	19	21	15	6	3		
120	Bright's disease	2,146	7	7	3	3	3	4	27	40	105	217	305	489	611	269	23	7	26
122	Other diseases of the kidneys and annexa	35	6		1				1	3	2	2	4	8	3	3	2		
123	Calculi of the urinary passages	7								1	1	1		1	2	1			
124	Diseases of the bladder	55	1						2	2	3	2	3	9	13	11	6	1	2
125	Diseases of the urethra, urinary abscess, etc	4										1	3						
126	Diseases of the prostate	72										2	3	20	32	11	2	1	1
127	Nonvenereal diseases of the male genital organs	2	1													1			
128	Uterine hemorrhage (nonpuerperal)	2									1	1							
129	Uterine tumor (noncancerous)	25									4	12	4	5					
130	Other diseases of the uterus	14							1	1	7	2		3					
131	Cysts and other tumors of the ovary	13							2	1	1	2	3	1	2	1			
132	Salpingitis and other diseases of the female genital organs	27							2	10	10	3	2						
133	Nonpuerperal diseases of the breast (cancer excepted)	3	1										1	1					
	VII.—The puerperal state	371							54	146	141	29							1
134	Accidents of pregnancy	40							4	13	17	6							
135	Puerperal hemorrhage	26							2	8	12	4							
136	Other accidents of labor	45							6	13	21	4							1
137	Puerperal septicemia	168							27	68	65	8							
138	Puerperal albuminuria and convulsions	81							14	36	24	7							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8								7	1								
140	Following childbirth (not otherwise defined)	3							1	1	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	79	13	1	1	1	.....	3	3	1	6	4	6	12	15	12	1	.....	.....
142	Gangrene	40	1	1	1	1	.....	.....	1	.....	3	.....	2	8	11	10	1	.....	.....
143	Furuncle	7	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....	.....
144	Acute abscess	16	4	.....	.....	.....	.....	2	.....	1	3	2	2	1	.....	1	.....	.....	.....
145	Other diseases of the skin and annexa	16	6	.....	.....	.....	.....	1	2	.....	.....	.....	2	2	2	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	51	2	3	2	1	.....	3	9	3	3	4	10	8	.....	3	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	36	1	3	2	1	.....	2	8	2	3	4	8	1	.....	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	11	1	.....	.....	.....	.....	1	.....	1	.....	.....	2	5	.....	1	.....	.....	.....
148	Amputations	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....
	X.—Malformations	220	199	5	2	5	1	3	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	220	199	5	2	5	1	3	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	12	6	1	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	123	115	1	.....	2	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	85	78	3	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,875	1,875	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,662	1,662	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,343	1,343	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	319	319	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	206	206	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	101	101	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	105	105	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	559	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	36	128	280	87	19	6
154	Senility	559	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	36	128	280	87	19	6
	XIII.—External causes	2,123	89	54	54	50	30	92	244	384	308	221	165	151	117	79	9	1	75
	Suicide (total)	195	.....	.....	.....	.....	.....	.....	10	42	36	45	31	19	7	5	.....	.....	.....
155	By poison	50	.....	.....	.....	.....	.....	.....	2	13	11	9	9	3	3	.....	.....	.....	.....
156	By asphyxia	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
157	By hanging or strangulation	30	.....	.....	.....	.....	.....	.....	1	4	3	10	7	3	1	1	.....	.....	.....
158	By drowning	14	.....	.....	.....	.....	.....	.....	.....	1	5	3	2	1	1	1	.....	.....	.....
159	By firearms	75	.....	.....	.....	.....	.....	.....	6	19	11	20	8	8	2	1	.....	.....	.....
160	By cutting or piercing instruments	18	.....	.....	.....	.....	.....	.....	.....	2	5	2	4	3	.....	2	.....	.....	.....
161	By jumping from high places	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,622	85	54	54	50	29	91	215	235	190	136	107	120	104	74	9	1	68
164	Poisoning by food	23	2	1	1	1	1	1	4	1	5	3	.....	.....	2	.....	.....	.....	1
165	Other acute poisonings	29	3	8	1	3	1	.....	2	2	4	.....	2	1	2	.....	.....	.....	.....
166	Conflagration	41	2	2	6	1	1	3	5	3	3	2	2	1	3	3	1	.....	3
167	Burns (conflagration excepted)	221	10	23	36	30	20	25	14	8	7	5	5	14	10	9	1	.....	4
168	Absorption of deleterious gases (conflagration excepted)	48	35	.....	.....	.....	.....	.....	5	2	3	1	2	.....	.....	.....	.....	.....	.....
169	Accidental drowning	96	.....	6	4	1	.....	7	29	21	9	8	3	2	2	.....	.....	.....	4
170	Traumatism by firearms	99	3	1	.....	2	.....	10	36	20	14	5	3	2	.....	.....	.....	.....	3
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
172	Traumatism by fall	197	9	4	1	1	.....	7	10	8	13	18	12	18	43	45	6	1	1
173	Traumatism in mines and quarries (total)	135	.....	.....	.....	.....	.....	1	24	46	25	5	8	3	2	.....	.....	.....	21
	Traumatism in mines	135	.....	.....	.....	.....	.....	1	24	46	25	5	8	3	2	.....	.....	.....	21
174	Traumatism by machines	41	.....	.....	.....	.....	.....	1	8	6	7	10	3	6	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	398	3	2	1	6	2	18	52	78	70	46	38	37	19	4	.....	.....	22
	Railroad accidents and injuries	268	2	1	.....	3	1	6	40	59	50	27	26	19	10	3	.....	.....	21
	Street-car accidents and injuries	19	.....	.....	.....	1	.....	.....	1	1	4	6	2	3	1	.....	.....	.....	.....
	Automobile accidents and injuries	63	.....	.....	.....	1	.....	9	2	13	12	7	5	10	3	1	.....	.....	.....
	Injuries by other vehicles	42	1	1	1	1	1	3	8	5	1	6	4	5	4	.....	.....	.....	1
	Landslide, other crushing	6	.....	.....	.....	.....	.....	.....	1	.....	3	.....	1	.....	1	.....	.....	.....	.....
176	Injuries by animals	26	.....	.....	.....	2	1	3	4	.....	2	4	1	4	2	1	.....	.....	2
177	Starvation	1	.....	.....	.....	.....	1	.....	.....	.....	5	2	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	23	2	.....	.....	.....	.....	1	1	1	1	3	4	6	1	2	.....	.....	1
179	Effects of heat	12	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	7	1	.....	.....	.....	.....
180	Lightning	17	1	.....	.....	.....	.....	.....	3	8	2	.....	1	.....	1	.....	.....	.....	1
181	Electricity (lightning excepted)	9	.....	.....	.....	.....	.....	.....	.....	5	2	1	.....	.....	.....	.....	.....	.....	1
185	Fractures (cause not specified)	27	.....	.....	1	.....	.....	1	1	2	3	3	1	4	3	6	1	.....	1
186	Other external violence	176	15	7	3	3	2	13	17	24	19	19	21	15	12	3	.....	.....	3
	Homicide (total)	306	4	.....	.....	.....	1	1	19	107	82	40	27	12	6	.....	.....	.....	7
182	By firearms	230	1	.....	.....	.....	.....	.....	15	90	60	31	19	6	2	.....	.....	.....	6
183	By cutting or piercing instruments	38	.....	.....	.....	.....	.....	.....	2	12	14	4	3	3	.....	.....	.....	.....	.....
184	By other means	38	3	.....	.....	.....	1	1	2	5	8	5	5	3	4	.....	.....	.....	1
	XIV.—Ill-defined diseases	1,058	472	62	24	12	12	24	23	34	38	38	66	83	88	52	6	2	22
187	Ill-defined organic disease	56	.....	.....	3	.....	1	1	1	3	2	5	8	11	9	9	2	.....	1
188	Sudden death	55	12	3	.....	1	.....	.....	.....	.....	5	1	5	10	12	6	.....	.....	.....
189	Not specified or ill-defined (total)	947	460	59	21	11	11	23	22	31	31	32	53	62	67	37	4	2	21
	Ill-defined	245	76	28	8	3	5	7	5	4	9	14	15	25	32	9	.....	.....	5
	Not specified or unknown	702	384	31	13	8	6	16	17	27	22	18	38	37	35	28	4	2	16

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (WHITE).																		
	All causes	26,893	4,697	1,363	615	350	264	680	1,349	2,051	1,899	1,979	2,387	3,212	3,626	1,907	284	10	220
	I.—General diseases	8,941	747	473	281	194	151	349	713	1,218	955	851	901	917	772	301	41	2	75
1	Typhoid fever	673	7	6	9	7	4	50	205	161	81	60	40	27	5	5			6
4	Malaria	96	14	6	3	2	2	5	11	8	8	3	9	8	8	5	2		2
5	Smallpox	2	1							1									
6	Measles	882	167	149	73	67	45	63	89	55	54	47	25	19	18	5			6
7	Scarlet fever	50	3	5	3	8	8	15	6	2									
8	Whooping cough	420	201	100	52	22	10	23	8										4
9	Diphtheria and croup	346	62	54	57	47	39	71	9	3	1	1							2
10	Influenza	495	46	10	7	3	5	7	10	8	18	19	39	68	140	96	16	1	2
11	Miliary fever	1									1								
13	Cholera nostras	24	4	5	3	1	3						1	2	3	1	1		
14	Dysentery	298	43	47	24	11	5	16	18	7	11	2	13	21	43	26	6		5
18	Erysipelas	74	20	4	1					3	1	4	11	11	13	5	1		
19	Other epidemic diseases	5	2	1	1		1												
20	Purulent infection and septicemia	37		1	1		1	2	3	2	5	5	9	2	4	2			
23	Rabies	1								1									
24	Tetanus	40	14			1	2	6	7	5	1	1	1	2					
25	Mycoses	1		1															
26	Pellagra	177	2		2	3	3	4	8	25	27	37	24	18	20	2			2
	Tuberculosis (total)	3,554	115	67	36	18	19	58	293	872	627	457	375	312	222	48	2	1	32
28	Tuberculosis of the lungs	3,050	46	27	13	2	5	27	247	814	589	414	332	279	183	43	2		27
29	Acute miliary tuberculosis	48		3			1	1	6	14	8	7	3	1	2	1			1
30	Tuberculous meningitis	199	52	30	17	12	10	20	18	8	10	10	7	2	1		1		1
31	Abdominal tuberculosis	171	9	3	3	2	1	7	11	21	14	21	28	24	23	1			3
32	Pott's disease	16			1		2		5	2	1			2	3				
33	White swellings	14			1			2		3	1	1	2		3	1			
34	Tuberculosis of other organs	38	7	3		2		1	6	6	4	1	1	2	4	1			
35	Disseminated tuberculosis	18	1	1	1					4		3	2	2	3	1			
36	Rickets	9	6	1		1							1						
37	Syphilis	63	21	2				1	3	6	5	12	6	5	2				
38	Gonococcus infection	4								2	1	1							
	Cancer and other malignant tumors (total)	1,144	3	4	2	1	1	4	8	24	60	142	268	316	211	83	8		9
39	Of the buccal cavity	38									1	5	10	12	6	3			1
40	Of the stomach, liver	429		1						8	18	42	109	145	76	26			4
41	Of the peritoneum, intestines, rectum	124	1					1	2	3	9	16	23	34	28	7			
42	Of the female genital organs	182								5	18	49	55	32	13	8	1		1
43	Of the breast	96									6	14	29	20	19	6	2		
44	Of the skin	81								1	1	2	10	20	30	14	2		1
45	Of other organs or of organs not specified	194	2	3	2	1	1	3	6	7	7	14	32	53	39	19	3		2
46	Other tumors (tumors of the female genital organs excepted)	7	1					1			1	2		2					
47	Acute articular rheumatism	84		1			2	7	13	4	11	8	8	12	10	7			1
48	Chronic rheumatism and gout	42									2	1	9	12	14	3	1		
49	Scurvy	3	1	1				1											
50	Diabetes	207		2	1	1		6	10	12	15	25	29	55	39	9	2		1
51	Exophthalmic goiter	13			1				3	1	1	2	2	2					1
52	Addison's disease	3								2				1					
53	Leukemia	32			2		1	2	5	4	4	2	1	5	5				1
54	Anemia, chlorosis	63	5	3				1	2	3	8	7	19	11	4				
55	Other general diseases	42	9	3	3	1		5	2		4	1	3		6	3	2		
56	Alcoholism (acute or chronic)	39								6	8	10	6	3	4	1			1
57	Chronic lead poisoning	2											1		1				
59	Other chronic poisonings	8						1		1		2	1	3					
	II.—Diseases of the nervous system and of the organs of special sense	2,245	179	69	35	12	15	46	72	70	97	172	278	441	508	204	31		16
60	Encephalitis	29	6	3	2	2	1	4	2	2	1	3	1	1	1				
61	Meningitis (total)	264	93	37	21	8	8	25	33	12	7	7	4	3	2	2			2
	Simple meningitis	117	44	18	9	2		10	15	5	2	3	2	2	2	1			2
	Cerebrospinal meningitis (undefined)	57	20	9	9		2	7	5	2	1		1			1			
	Cerebrospinal fever	90	29	10	3	6	6	8	13	5	4	4	1	1					
62	Locomotor ataxia	44								1	2	8	15	11	7				
63	Other diseases of the spinal cord (total)	131	11	11	8		1	4	9	4	3	8	15	22	26	6	1		2
	Acute anterior poliomyelitis	36	9	10	7		1	4	4										1
	Other diseases of the spinal cord [1]	95	2	1	1				5	4	3	8	15	22	26	6	1		1
64	Cerebral hemorrhage, apoplexy	1,034	5	6			1	2	6	9	23	76	160	275	317	129	18		7
65	Softening of the brain	41											2	13	18	7	1		
66	Paralysis without specified cause	247	4					1		2	3	8	22	68	86	41	9		3
67	General paralysis of the insane	129							1	5	14	29	24	17	29	8	1		1
68	Other forms of mental alienation	63							1	7	11	7	14	13	6	4			
69	Epilepsy	104	6	1				3	12	16	24	19	9	5	4	4			1
70	Convulsions (nonpuerperal)	9						3		3		1	1	1					
71	Convulsions of infants	46	40	3	1		2												
72	Chorea	2												2					
73	Neuralgia and neuritis	9	1							1				1	4	1	1		
74	Other diseases of the nervous system	57	9	1		1			4	5	7	6	10	6	6	2			
75	Diseases of the eyes and their annexa	4					1		1	1				1					
76	Diseases of the ears	32	4	7	3	1	1	4	3	2	2		1	2	2				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (WHITE)—Continued.																		
	III.—Diseases of the circulatory system	2,712	21	6	4	3	1	30	49	83	113	193	347	628	778	402	35	.....	19
77	Pericarditis	28	.....	.....	.....	.....	.....	.....	3	1	1	.....	6	4	8	4	.....	.....	1
78	Acute endocarditis	87	4	2	2	.....	1	.....	4	9	7	16	26	8	6	2	.....	.....	.....
79	Organic diseases of the heart	2,015	16	4	1	2	.....	26	41	64	89	151	263	508	564	257	15	.....	14
80	Angina pectoris	105	.....	.....	.....	.....	.....	1	.....	3	5	9	20	34	20	11	.....	.....	2
81	Diseases of the arteries, atheroma, aneurism, etc	422	.....	.....	.....	.....	.....	.....	.....	.....	7	9	27	66	169	123	20	.....	1
82	Embolism and thrombosis	33	.....	.....	1	.....	.....	1	1	6	2	3	3	4	9	3	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	1	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	1	.....	.....	1	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	11	.....	.....	.....	.....	.....	1	.....	.....	2	2	.....	2	2	1	.....	.....	1
	IV.—Diseases of the respiratory system	2,813	512	194	87	51	27	50	101	117	127	178	218	345	478	264	48	.....	16
86	Diseases of the nasal fossæ	8	4	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
87	Diseases of the larynx	33	8	5	4	3	2	4	1	.....	.....	2	1	1	.....	2	.....	.....	.....
88	Diseases of the thyroid body	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....
89	Acute bronchitis	125	62	23	3	4	.....	1	1	.....	1	.....	3	5	10	10	2	.....	.....
90	Chronic bronchitis	162	2	1	1	.....	.....	1	3	1	1	2	7	23	74	38	8	.....	.....
91	Bronchopneumonia	730	255	85	36	16	12	9	16	14	4	23	25	58	99	61	12	.....	5
92	Pneumonia (total)	1,555	173	77	42	25	13	33	75	90	107	136	161	231	248	114	20	.....	10
	Lobar pneumonia	1,155	94	48	30	16	12	26	53	73	88	105	129	186	184	84	18	.....	9
	Pneumonia (undefined)	400	79	29	12	9	1	7	22	17	19	31	32	45	64	30	2	.....	1
93	Pleurisy	41	1	1	.....	2	.....	1	1	3	8	7	2	4	7	4	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	50	3	.....	.....	.....	.....	.....	.....	2	.....	2	5	4	13	18	3	.....	.....
95	Gangrene of the lung	5	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	1	.....	.....	.....	.....
96	Asthma	69	1	2	.....	1	.....	.....	.....	2	3	1	7	18	16	14	3	.....	1
97	Pulmonary emphysema	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	27	2	.....	.....	.....	.....	.....	3	5	1	4	3	1	7	1	.....	.....	.....
	V.—Diseases of the digestive system	2,756	820	499	129	32	29	83	101	81	121	160	181	192	205	91	18	.....	14
99	Diseases of the mouth and annexa	14	3	2	1	.....	.....	.....	.....	.....	1	.....	4	3	.....	.....	.....	.....	.....
100	Diseases of the pharynx	37	3	3	4	4	3	5	5	1	3	1	.....	2	3	.....	.....	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
102	Ulcer of the stomach	68	.....	.....	.....	.....	.....	.....	2	6	7	14	10	14	12	1	1	.....	1
103	Other diseases of the stomach (cancer excepted)	281	94	12	6	3	1	5	4	6	11	12	23	31	41	23	4	.....	5
104	Diarrhea and enteritis (under 2 years)	1,153	689	464	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	398	.....	.....	112	15	16	30	19	10	16	24	29	31	51	33	8	.....	4
106	Ankylostomiasis	7	.....	1	.....	1	.....	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	13	1	3	2	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	183	.....	1	.....	1	1	20	45	25	32	25	21	9	2	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	182	17	7	4	6	5	15	7	6	13	13	26	21	22	15	3	.....	2
	Hernia	40	4	.....	.....	.....	.....	2	.....	1	3	3	11	5	7	4	.....	.....	.....
	Intestinal obstruction	142	13	7	4	6	5	13	7	5	10	10	15	16	15	11	3	.....	2
110	Other diseases of the intestines	41	1	1	.....	.....	.....	.....	4	3	2	4	8	7	3	2	1	.....	.....
111	Acute yellow atrophy of the liver	4	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	1	.....	.....	.....
113	Cirrhosis of the liver	134	1	.....	.....	.....	.....	.....	.....	1	12	19	32	32	28	8	.....	.....	1
114	Biliary calculi	63	.....	.....	.....	.....	.....	.....	.....	3	9	13	12	16	9	1	.....	.....	.....
115	Other diseases of the liver	111	7	2	.....	1	1	1	6	7	6	22	11	19	22	5	.....	.....	1
116	Diseases of the spleen	3	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	52	4	2	.....	.....	.....	2	6	9	5	7	4	8	4	.....	1	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	11	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	1	3	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,023	23	10	6	3	3	11	37	53	94	180	250	451	584	268	29	1	20
119	Acute nephritis	121	11	4	3	.....	1	7	9	10	10	15	14	16	14	4	3	.....	.....
120	Bright's disease	1,706	6	6	2	3	2	4	22	30	66	153	218	394	525	237	18	1	19
122	Other diseases of the kidneys and annexa	29	4	.....	1	.....	.....	.....	1	2	2	1	4	7	2	3	2	.....	.....
123	Calculi of the urinary passages	7	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	2	1	.....	.....	.....
124	Diseases of the bladder	41	.....	.....	.....	.....	.....	.....	1	2	2	.....	2	5	13	10	5	.....	1
125	Diseases of the urethra, urinary abscess, etc	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	19	26	11	1	.....	.....
127	Nonvenereal diseases of the male genital organs	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4	5	.....	.....	.....	.....	.....
130	Other diseases of the uterus	12	.....	.....	.....	.....	.....	.....	1	1	5	2	.....	3	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	9	.....	.....	.....	.....	.....	.....	1	1	1	1	2	.....	2	1	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	17	.....	.....	.....	.....	.....	.....	2	6	6	1	2	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	VII.—The puerperal state	323	.....	.....	.....	.....	.....	.....	44	125	127	26	.....	.....	.....	.....	.....	.....	1
134	Accidents of pregnancy	36	.....	.....	.....	.....	.....	.....	3	11	17	5	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	23	.....	.....	.....	.....	.....	.....	2	8	10	3	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	39	.....	.....	.....	.....	.....	.....	4	11	19	4	.....	.....	.....	.....	.....	.....	1
137	Puerperal septicemia	143	.....	.....	.....	.....	.....	.....	21	56	58	8	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	72	.....	.....	.....	.....	.....	.....	13	32	21	6	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7	.....	.....	.....	.....	.....	.....	.....	6	1	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (WHITE)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	65	12	1	1			3	3	1	6	4	2	9	13	9	1		
142	Gangrene	30	1	1	1				1		3			6	9	7	1		
143	Furuncle	7	2									2		1	2				
144	Acute abscess	16	4					2		1	3	2	2	1		1			
145	Other diseases of the skin and annexa	12	5					1	2					1	2	1			
	IX.—Diseases of the bones and of the organs of locomotion	46	2	3	2	1		3	8	2	3	4	8	8		2			
146	Diseases of the bones (tuberculosis excepted)	33	1	3	2	1		2	7	2	3	4	6	1		1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	10	1					1					2	5		1			
148	Amputations	1												1					
149	Other diseases of the organs of locomotion	2							1					1					
	X.—Malformations	206	185	5	2	5	1	3	4		1								
150	Congenital malformations (stillbirths not included) (total)	206	185	5	2	5	1	3	4		1								
	Hydrocephalus	12	6	1	1	1	1		2										
	Congenital malformations of the heart	117	109	1		2		2	2		1								
	Other congenital malformations	77	70	3	1	2		1											
	XI.—Early infancy	1,699	1,699																
151	Congenital debility, icterus, and sclerema (total)	1,504	1,504																
	Premature birth	1,211	1,211																
	Congenital debility, "atrophy," "marasmus," etc	293	293																
152	Other causes peculiar to early infancy (total)	189	189																
	Injuries at birth	96	96																
	Other causes peculiar to early infancy [1]	93	93																
153	Lack of care	6	6																
	XII.—Old age	458											1	27	105	246	69	6	4
154	Senility	458											1	27	105	246	69	6	4
	XIII.—External causes	1,684	75	50	45	39	26	81	196	277	222	182	143	123	105	74	7		39
	Suicide (total)	189							10	40	35	45	29	19	6	5			
155	By poison	47							2	12	11	9	8	3	2				
156	By asphyxia	3										1	1	1					
157	By hanging or strangulation	30							1	4	3	10	7	3	1	1			
158	By drowning	14								1	5	3	2	1	1	1			
159	By firearms	72							6	18	10	20	7	8	2	1			
160	By cutting or piercing instruments	18								2	5	2	4	3		2			
161	By jumping from high places	2								2									
163	Other suicides	3							1	1	1								
	Accidental or undefined (total)	1,321	72	50	45	39	25	80	177	186	148	108	92	94	93	69	7		36
164	Poisoning by food	17	2	1	1	1		1	2		5	1			2				1
165	Other acute poisonings	24	3	6		2	1		2	2	4		1	1	2				
166	Conflagration	27	2	2	3	1	1	2	4	3			1	1	3	2			2
167	Burns (conflagration excepted)	181	10	22	32	24	18	19	10	5	5	3	4	8	10	7			4
168	Absorption of deleterious gases (conflagration excepted)	35	27						4	2		1	1						
169	Accidental drowning	76		6	4	1		6	20	18	8	4	3	1	2				3
170	Traumatism by firearms	76	2	1		1		9	32	12	10	4	2	2					1
171	Traumatism by cutting or piercing instruments	3										1			1	1			
172	Traumatism by fall	185	8	4	1			7	9	8	12	18	12	15	40	44	6		1
173	Traumatism in mines and quarries (total)	83						1	20	31	16	3	8	1	1				2
	Traumatism in mines	83						1	20	31	16	3	8	1	1				2
174	Traumatism by machines	34						1	5	4	7	8	3	6					
175	Traumatism by other crushing (total)	349	2	2	1	5	2	17	46	70	58	40	35	34	15	4			18
	Railroad accidents and injuries	234	2	1		2	1	6	36	51	43	24	25	16	7	3			17
	Street-car accidents and injuries	15				1			1	1	2	4	2	3	1				
	Automobile accidents and injuries	58				1		8	1	13	10	7	5	10	2	1			
	Injuries by other vehicles	38		1	1	1	1	3	7	5	1	5	3	5	4				1
	Landslide, other crushing	4							1		2				1				
176	Injuries by animals	21				2	1	3	3		1	4	1	2	1	1			2
177	Starvation	1					1												
178	Excessive cold	13	2						1			2	3	3	1	1			
179	Effects of heat	7									1	1	1	3	1				
180	Lightning	14							3	7	2		1		1				
181	Electricity (lightning excepted)	7								3	2	1							1
185	Fractures (cause not specified)	26			1			1	1	2	3	2	1	4	3	6	1		1
186	Other external violence	142	14	6	2	2	1	13	15	19	14	15	15	13	10	3			
	Homicide (total)	174	3				1	1	9	51	39	29	22	10	6				3
182	By firearms	126	1						6	44	29	23	14	5	2				2
183	By cutting or piercing instruments	18							1	4	6	2	3	2					
184	By other means	30	2				1	1	2	3	4	4	5	3	4				1
	XIV.—Ill-defined diseases	922	422	53	23	10	11	21	21	24	33	29	58	71	78	46	5	1	16
187	Ill-defined organic disease	49			2		1	1	1	2	1	4	7	10	9	9	2		
188	Sudden death	43	9	2		1					4	1	3	8	10	5			
189	Not specified or ill-defined (total)	830	413	51	21	9	10	20	20	22	28	24	48	53	59	32	3	1	16
	Ill-defined	213	70	25	8	3	4	5	5	3	8	11	14	19	27	8			3
	Not specified or unknown	617	343	26	13	6	6	15	15	19	20	13	34	34	32	24	3	1	13

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (COLORED).																		
	All causes	5,830	674	173	93	60	45	99	419	710	701	704	675	584	463	206	58	38	128
	I.—General diseases	2,035	121	81	36	31	26	67	276	400	306	220	203	129	68	27	5	4	35
1	Typhoid fever	160	1		1	2	4	10	53	35	24	11	12	7					
4	Malaria	40	5	2	2			2	4	5	5	1	7	2	3			1	1
5	Smallpox	1										1							
6	Measles	72	23	13	7	4	4	8	5	7	1								
7	Scarlet fever	1									1								
8	Whooping cough	75	25	25	11	4	4	3	3										
9	Diphtheria and croup	16	5	3	2	1	1	1	3										
10	Influenza	88	4	1		1	1	1	3	4	4	10	14	14	15	12	1	1	2
13	Cholera nostras	3								1	1						1		
14	Dysentery	33	7	6	2	1		1			3	3	4	1	3	1	1		
18	Erysipelas	9	2							1	3	1	1			1			
20	Purulent infection and septicemia	5								1	1			3					
24	Tetanus	16	2					4		2	2	3	1		1				1
26	Pellagra	20				1		1		5	4	4	2	1					2
	Tuberculosis (total)	1,180	23	26	11	17	9	35	200	314	221	136	92	51	23	7			15
28	Tuberculosis of the lungs	1,035	12	18	6	12	2	26	176	288	204	123	83	45	19	7			14
29	Acute miliary tuberculosis	30	1					1	7	6	5	7	3						
30	Tuberculous meningitis	38	8	5	3	5	5	3	3	4		1		1					
31	Abdominal tuberculosis	60	2	2	1		2	4	12	16	7	4	5	2	2				1
32	Pott's disease	4			1						1		1	1					
33	White swellings	4						1			2				1				
34	Tuberculosis of other organs	4							2		1				1				
35	Disseminated tuberculosis	5		1							1	1		2					
36	Rickets	5	3	1								1							
37	Syphilis	70	14	4			1		1	10	8	17	7	4	2				2
38	Gonococcus infection	4							1	3									
	Cancer and other malignant tumors (total)	145					1	1		5	20	26	38	27	12	3	2	1	9
39	Of the buccal cavity	3								1	1		1						
40	Of the stomach, liver	44								2	2	6	14	13	4			1	2
41	Of the peritoneum, intestines, rectum	10										1		3	3				3
42	Of the female genital organs	47								2	13	9	9	7	2	1	1		3
43	Of the breast	22									2	6	8	3		1	1		1
44	Of the skin	2					1					1							
45	Of other organs or of organs not specified	17						1			2	3	6	1	3	1			
46	Other tumors (tumors of the female genital organs excepted)	3								1	1			1					
47	Acute articular rheumatism	30							2	2	3	1	11	6	2			1	2
48	Chronic rheumatism and gout	4									1			1	1	1			
49	Scurvy	1													1				
50	Diabetes	25					1					1	8	11	3	1			
51	Exophthalmic goiter	2										1	1						
53	Leukemia	2								2									
54	Anemia, chlorosis	8	6										1			1			
55	Other general diseases	2	1								1								
56	Alcoholism (acute or chronic)	14							1	2	2	3	3		2				1
59	Other chronic poisonings	1											1						
	II.—Diseases of the nervous system and of the organs of special sense	477	25	6	3	3	3	3	11	24	47	79	85	82	65	26	3	2	10
60	Encephalitis	4	1	1									1						1
61	Meningitis (total)	37	9	4	1	1	2	2	5	4	2	5	2						
	Simple meningitis	19	5	2			1	1	3	1	1	3	2						
	Cerebrospinal meningitis (undefined)	10	2	1		1	1	1	1	2	1								
	Cerebrospinal fever	8	2	1	1				1	1		2							
62	Locomotor ataxia	3										3							
63	Other diseases of the spinal cord (total)	26	1	1		2				3	1	4	5	4	3	1	1		
	Acute anterior poliomyelitis	4	1	1		2													
	Other diseases of the spinal cord [1]	22								3	1	4	5	4	3	1	1		
64	Cerebral hemorrhage, apoplexy	226						1	2	5	16	36	55	53	37	14	1	2	4
65	Softening of the brain	4										1		2	1				
66	Paralysis without specified cause	47								1	2	4	10	9	13	7	1		
67	General paralysis of the insane	43								3	8	13	7	5	5	1			1
68	Other forms of mental alienation	25								2	6	8	2	3	1	2			1
69	Epilepsy	30	1		1		1		3	4	10	3	2	2	2				1
70	Convulsions (nonpuerperal)	2								1				1					
71	Convulsions of infants	13	12		1														
73	Neuralgia and neuritis	3									1		1						1
74	Other diseases of the nervous system	12							1	1	1	2		2	3	1			1
76	Diseases of the ears	2	1											1					

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	731	2		2		3	2	17	35	84	134	148	114	119	38	10	5	18
77	Pericarditis	8								1		1	4	1	1				
78	Acute endocarditis	50				1			4	6	8	13	15	2		1			
79	Organic diseases of the heart	586	1		2		2	2	13	25	71	108	116	97	96	29	7	4	13
80	Angina pectoris	19								3	1	5	5	4	1				
81	Diseases of the arteries, atheroma, aneurism, etc	60									3	4	8	7	21	8	3	1	5
82	Embolism and thrombosis	4									1			3					
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2										2							
85	Hemorrhage; other diseases of the circulatory system	2	1									1							
	IV.—Diseases of the respiratory system	657	127	26	24	11	6	6	32	62	51	81	71	71	50	21	11	3	4
87	Diseases of the larynx	3	2								1								
88	Diseases of the thyroid body	3								1	1			1					
89	Acute bronchitis	23	15	2	2			1		2				1					
90	Chronic bronchitis	28		1		1			2	5	1	9	3	1		1	3	1	
91	Bronchopneumonia	154	65	15	11	5	3	2	6	7	7	7	7	8	7	3			1
92	Pneumonia (total)	394	44	8	11	5	3	2	24	43	36	53	53	51	37	13	7	2	2
	Lobar pneumonia	324	28	3	9	4	2	2	18	42	31	50	47	43	29	11	3	1	1
	Pneumonia (undefined)	70	16	5	2	1	1		6	1	5	3	6	8	8	2	4	1	1
93	Pleurisy	13						1		1	3	5	1	1	1				
94	Pulmonary congestion, pulmonary apoplexy	2								1						1			
95	Gangrene of the lung	3										1	1	1					
96	Asthma	25								1	1	3	5	5	5	3	1		1
97	Pulmonary emphysema	1	1																
98	Other diseases of the respiratory system (tuberculosis excepted)	8								1	1	3	1	2					
	V.—Diseases of the digestive system	459	139	45	17	1		7	14	30	51	53	33	29	20	10	1	1	8
99	Diseases of the mouth and annexa	4	1								1	2							
100	Diseases of the pharynx	4									1	2		1					
102	Ulcer of the stomach	15								1	2	4	1	4	3				
103	Other diseases of the stomach (cancer excepted)	63	15	2	1			1	3	7	7	9	4	6	6		1		1
104	Diarrhea and enteritis (under 2 years)	162	119	43															
105	Diarrhea and enteritis (2 years and over)	63			16	1		5	2	3	7	9	7	3	2	5		1	2
108	Appendicitis and typhlitis	22							1	5	9	5				1			1
109	Hernia, intestinal obstruction (total)	35	2					1	2	2	11	7	1	2	4	2			1
	Hernia	12	1								2	3	1	1	2	2			
	Intestinal obstruction	23	1					1	2	2	9	4		1	2				1
110	Other diseases of the intestines	12							1	2	2	4	2			1			
111	Acute yellow atrophy of the liver	4							1	1			1	1					
113	Cirrhosis of the liver	37								1	4	9	9	8	4	1			1
114	Biliary calculi	5										1	3						1
115	Other diseases of the liver	16	2							2	5		3	3	1				
116	Diseases of the spleen	1												1					
117	Simple peritonitis (nonpuerperal)	16							4	6	2	1	2						1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	538	5	2	1		2		8	20	57	86	97	107	94	35	7	8	9
119	Acute nephritis	35	1	1			1		1	5	7	6	5	5	1	2			
120	Bright's disease	440	1	1	1		1		5	10	39	64	87	95	86	32	5	6	7
122	Other diseases of the kidneys and annexa	6	2							1		1		1	1				
124	Diseases of the bladder	14	1						1		1	2	1	4		1	1	1	1
125	Diseases of the urethra, urinary abscess, etc	1											1						
126	Diseases of the prostate	12										1	1	1	6		1	1	1
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	12									4	8							
130	Other diseases of the uterus	2									2								
131	Cysts and other tumors of the ovary	4							1			1	1	1					
132	Salpingitis and other diseases of the female genital organs	10								4	4	2							
133	Nonpuerperal diseases of the breast (cancer excepted)	1											1						
	VII.—The puerperal state	48							10	21	14	3							
134	Accidents of pregnancy	4							1	2		1							
135	Puerperal hemorrhage	3									2	1							
136	Other accidents of labor	6							2	2	2								
137	Puerperal septicemia	25							6	12	7								
138	Puerperal albuminuria and convulsions	9							1	4	3	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATON STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	14	1			1							4	3	2	3			
142	Gangrene	10				1							2	2	2	3			
145	Other diseases of the skin and annexa	4	1										2	1					
	IX.—Diseases of the bones and of the organs of locomotion	5							1	1			2			1			
146	Diseases of the bones (tuberculosis excepted)	3							1				2						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1								1									
149	Other diseases of the organs of locomotion	1														1			
	X.—Malformations	14	14																
150	Congenital malformations (stillbirths not included) (total)	14	14																
	Congenital malformations of the heart	6	6																
	Other congenital malformations	8	8																
	XI.—Early infancy	176	176																
151	Congenital debility, icterus, and sclerema (total)	158	158																
	Premature birth	132	132																
	Congenital debility, "atrophy," "marasmus," etc	26	26																
152	Other causes peculiar to early infancy (total)	17	17																
	Injuries at birth	5	5																
	Other causes peculiar to early infancy[1]	12	12																
153	Lack of care	1	1																
	XII.—Old age	101											2	9	23	34	18	13	2
154	Senility	101											2	9	23	34	18	13	2
	XIII.—External causes	439	14	4	9	11	4	11	48	107	86	39	22	28	12	5	2	1	36
	Suicide (total)	6								2	1		2		1				
155	By poison	3								1			1		1				
159	By firearms	3								1	1		1						
	Accidental or undefined (total)	301	13	4	9	11	4	11	38	49	42	28	15	26	11	5	2	1	32
164	Poisoning by food	6					1		2	1		2							
165	Other acute poisonings	5		2	1	1							1						
166	Conflagration	14			3			1	1		3	2	1			1	1		1
167	Burns (conflagration excepted)	40		1	4	6	2	6	4	3	2	2	1	6		2	1		
168	Absorption of deleterious gases (conflagration excepted)	13	8						1		3		1						
169	Accidental drowning	20						1	9	3	1	4		1					1
170	Traumatism by firearms	23	1			1		1	4	8	4	1	1						2
172	Traumatism by fall	12	1			1			1		1			3	3	1		1	
173	Traumatism in mines and quarries (total)	52							4	15	9	2		2	1				19
	Traumatism in mines	52							4	15	9	2		2	1				19
174	Traumatism by machines	7							3	2		2							
175	Traumatism by other crushing (total)	49	1			1		1	6	8	12	6	3	3	4				4
	Railroad accidents and injuries	34				1			4	8	7	3	1	3	3				4
	Street-car accidents and injuries	4									2	2							
	Automobile accidents and injuries	5						1	1		2				1				
	Injuries by other vehicles	4	1						1			1	1						
	Landslide, other crushing	2									1		1						
176	Injuries by animals	5							1		1			2	1				
178	Excessive cold	10						1		1	1	1	1	3		1			1
179	Effects of heat	5										1		4					
180	Lightning	3	1							1									1
181	Electricity (lightning excepted)	2								2									
185	Fractures (cause not specified)	1										1							
186	Other external violence	34	1	1	1	1	1		2	5	5	4	6	2	2				3
	Homicide (total)	132	1						10	56	43	11	5	2					4
182	By firearms	104							9	46	31	8	5	1					4
183	By cutting or piercing instruments	20							1	8	8	2		1					
184	By other means	8	1							2	4	1							
	XIV.—Ill-defined diseases	136	50	9	1	2	1	3	2	10	5	9	8	12	10	6	1	1	6
187	Ill-defined organic disease	7			1					1	1	1	1	1					1
188	Sudden death	12	3	1							1		2	2	2	1			
189	Not specified or ill-defined (total)	117	47	8		2	1	3	2	9	3	8	5	9	8	5	1	1	5
	Ill-defined	32	6	3			1	2		1	1	3	1	6	5	1			2
	Not specified or unknown	85	41	5		2		1	2	8	2	5	4	3	3	4	1	1	3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MAINE.																		
	All causes	11,667	1,553	223	115	83	55	180	346	559	625	830	1,107	1,755	2,477	1,478	240	1	40
	I.—General diseases	2.875	191	77	46	36	22	79	149	270	271	342	347	416	427	180	15	1	6
1	Typhoid fever	82			1	1	2	6	20	19	12	13	4	2	1				1
6	Measles	146	46	29	8	8	4	15	10	5	5	9	2	2	1	2			
7	Scarlet fever	5			1		1	2	1										
8	Whooping cough	45	25	9	5	3		2	1										
9	Diphtheria and croup	73	6	7	14	9	7	22	5	1		2							
10	Influenza	234	30	8	2	5		1	2	4	2	10	12	34	60	57	7		
13	Cholera nostras	4	2					1									1		
14	Dysentery	12	1		1			1	1		1	1		1	3	2			
18	Erysipelas	35	5	2					1		1	5	2	6	7	5	1		
19	Other epidemic diseases	5	5																
20	Purulent infection and septicemia	9	1				1	1		2	1	1	1	1					
24	Tetanus	11	1			1		2	2	1	2	1	1						
26	Pellagra	19									5	1	4	4	5				
27	Beriberi	1									1								
	Tuberculosis (total)	891	25	14	11	8	6	17	81	208	163	140	89	70	48	9			2
28	Tuberculosis of the lungs	702	4	3	2	3	2	7	61	179	139	123	71	54	46	6			2
29	Acute miliary tuberculosis	23	2					1	1	9	7	1	1		1				
30	Tuberculous meningitis	61	16	9	7	2	3	8	7	2	3	2	1	1					
31	Abdominal tuberculosis	39	1			3	1		4	7	5	6	7	3	1	1			
32	Pott's disease	15							2	2	3	2	1	4		1			
33	White swellings	7							1	1		1	2	1		1			
34	Tuberculosis of other organs	20	2	1				1		3	3	2	2	6					
35	Disseminated tuberculosis	24		1	2				5	5	3	3	4	1					
36	Rickets	2		1	1														
37	Syphilis	49	17	2					2	2	13	4	5	1	3				
38	Gonococcus infection	10	1						1	5	3								
	Cancer and other malignant tumors (total)	823	1	2	1	1			1	5	39	105	163	199	216	81	6	1	2
39	Of the buccal cavity	39										2	4	13	14	6			
40	Of the stomach, liver	299									11	27	60	86	73	38	3		1
41	Of the peritoneum, intestines, rectum	119								1	5	15	26	24	38	10			
42	Of the female genital organs	136								3	14	40	32	24	18	4			1
43	Of the breast	66									4	10	17	11	19	3	2		
44	Of the skin	27				1						1	2	3	13	6		1	
45	Of other organs or of organs not specified	137	1	2	1				1	1	6	10	22	38	41	14	1		
46	Other tumors (tumors of the female genital organs excepted)	5											1	3		1			
47	Acute articular rheumatism	21						4	3	3	1	3	2	3	2				
48	Chronic rheumatism and gout	25								1	2	2	3	4	7	6			
49	Scurvy	4	3													1			
50	Diabetes	212		1	1		1	2	12	6	7	15	33	62	57	15			
51	Exophthalmic goiter	9							1		2	4	1			1			
52	Addison's disease	3								1		1	1						
53	Leukemia	15						1		1	3	3	1	4	2				
54	Anemia, chlorosis	67	12	1					2	3	2	8	11	15	13				
55	Other general diseases	22	10	1				2	3		1	1	1	2	1				
56	Alcoholism (acute or chronic)	23								2	4	9	6		1				1
57	Chronic lead poisoning	7									1	1	2	3					
59	Other chronic poisonings	6								1		3	2						
	II.—Diseases of the nervous system and of the organs of special sense	1,434	38	21	9	8	3	8	19	15	49	89	188	282	429	241	30		5
60	Encephalitis	11	2	1				1	2		1			2	1				1
61	Meningitis (total)	63	13	10	4	5	1	3	7	1	3	1	7	4	2	1			1
	Simple meningitis	40	6	6	1	3	1	2	3	1	2	1	7	4	2				1
	Cerebrospinal meningitis (undefined)	8	1	2	1	1			2		1								
	Cerebrospinal fever	15	6	2	2	1		1	2							1			
62	Locomotor ataxia	32										6	9	9	6	2			
63	Other diseases of the spinal cord (total)	58			1	2	1		2	2	5	4	10	8	15	7	1		
	Acute anterior poliomyelitis	5			1	2	1		1										
	Other diseases of the spinal cord [1]	53							1	2	5	4	10	8	15	7	1		
64	Cerebral hemorrhage, apoplexy	997	1						2	3	14	43	129	223	357	198	25		2
65	Softening of the brain	16											1	1	7	5	2		
66	Paralysis without specified cause	50	2	1						1	2		5	7	14	16	2		
67	General paralysis of the insane	65								1	6	22	10	11	11	4			
68	Other forms of mental alienation	24							1	2	5	3	2	7	3	1			
69	Epilepsy	34	2	1	1	1	1		3	2	6	7	2	3	4	1			
70	Convulsions (nonpuerperal)	4						2		1					1				
71	Convulsions of infants	23	16	6	1														
73	Neuralgia and neuritis	8									1		2	4	1				
74	Other diseases of the nervous system	37		2	2			1	2	1	6	1	8	3	6	5			
75	Diseases of the eyes and their annexa	2											1		1				
76	Diseases of the ears	10	2					1		1		2	2			1			1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MAINE—Continued.																		
	III.—Diseases of the circulatory system	2,086	11	2	4	.....	2	9	11	26	43	97	181	436	764	446	47	.....	7
77	Pericarditis	12	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	3	3	2	.....	.....	.....
78	Acute endocarditis	35	.....	.....	1	.....	1	2	3	2	3	4	8	5	4	1	1	.....	.....
79	Organic diseases of the heart	1,480	9	2	1	.....	.....	7	8	19	31	78	136	321	549	294	18	.....	7
80	Angina pectoris	135	.....	.....	.....	.....	.....	.....	.....	1	2	4	19	47	45	15	2	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	371	.....	.....	.....	.....	.....	.....	.....	1	3	5	10	49	150	129	24	.....	.....
82	Embolism and thrombosis	41	1	.....	1	.....	1	.....	.....	2	2	5	5	9	9	4	2	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	1	.....	.....	.....
	IV.—Diseases of the respiratory system	1,467	289	72	18	15	4	24	31	45	58	77	126	194	280	192	36	.....	6
86	Diseases of the nasal fossae	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	2	1	.....	.....	.....
87	Diseases of the larynx	6	1	.....	.....	1	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
88	Diseases of the thyroid body	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....
89	Acute bronchitis	104	45	5	3	2	1	1	.....	1	.....	.....	2	4	16	18	6	.....	.....
90	Chronic bronchitis	75	1	1	.....	.....	.....	.....	.....	.....	1	.....	4	12	24	26	6	.....	.....
91	Bronchopneumonia	436	144	36	7	4	.....	9	4	4	7	12	17	45	73	64	10	.....	.....
92	Pneumonia (total)	773	91	26	6	8	2	10	21	38	45	62	92	125	155	73	13	.....	6
	Lobar pneumonia	569	50	16	2	4	2	5	19	29	37	50	73	101	122	47	7	.....	5
	Pneumonia (undefined)	204	41	10	4	4	.....	5	2	9	8	12	19	24	33	26	6	.....	1
93	Pleurisy	22	2	2	2	.....	.....	.....	3	1	2	2	3	3	2	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	19	4	1	.....	.....	.....	1	.....	1	.....	.....	2	.....	2	7	1	.....	.....
95	Gangrene of the lung	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
96	Asthma	13	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	3	3	4	2	.....	.....	.....
97	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	8	1	.....	.....	.....	.....	2	.....	.....	.....	1	2	1	1	.....	.....	.....	.....
	V.—Diseases of the digestive system	856	286	34	20	13	15	19	36	43	39	54	57	87	89	53	11	.....	.....
99	Diseases of the mouth and annexa	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	22	1	1	2	3	.....	1	2	4	2	1	1	1	2	1	.....	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	30	.....	1	.....	.....	.....	.....	.....	3	3	5	7	5	4	2	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	100	29	2	1	1	.....	.....	3	1	2	6	4	16	18	12	5	.....	.....
104	Diarrhea and enteritis (under 2 years)	263	238	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	85	.....	.....	11	7	5	5	1	3	2	6	3	14	14	11	3	.....	.....
107	Intestinal parasites	3	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	105	.....	2	2	1	6	11	23	18	12	12	4	12	1	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	97	10	2	3	.....	1	.....	3	5	7	9	13	12	16	14	2	.....	.....
	Hernia	21	3	.....	.....	.....	.....	.....	1	.....	2	2	7	2	2	2	.....	.....	.....
	Intestinal obstruction	76	7	2	3	.....	1	.....	2	5	5	7	6	10	14	12	2	.....	.....
110	Other diseases of the intestines	22	2	.....	.....	.....	.....	.....	.....	3	3	1	2	5	4	2	.....	.....	.....
111	Acute yellow atrophy of the liver	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....
113	Cirrhosis of the liver	51	.....	.....	.....	.....	.....	.....	.....	1	2	5	10	8	18	7	.....	.....	.....
114	Biliary calculi	21	.....	.....	.....	.....	.....	.....	.....	2	3	3	5	5	3	.....	.....	.....	.....
115	Other diseases of the liver	30	4	.....	.....	.....	.....	.....	1	2	2	2	4	6	5	3	1	.....	.....
117	Simple peritonitis (nonpuerperal)	19	1	.....	.....	1	2	2	3	.....	1	2	3	2	2	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,009	6	1	1	.....	.....	2	9	24	45	85	119	227	330	133	15	.....	3
119	Acute nephritis	59	2	.....	1	.....	.....	2	2	4	6	10	7	10	11	4	.....	.....	.....
120	Bright's disease	809	.....	.....	.....	.....	.....	.....	5	10	27	67	102	201	278	103	13	.....	3
122	Other diseases of the kidneys and annexa	15	3	.....	.....	.....	.....	.....	.....	1	2	2	2	2	2	1	.....	.....	.....
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
124	Diseases of the bladder	22	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	12	7	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	52	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	9	23	17	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	12	.....	.....	.....	.....	.....	.....	.....	1	3	2	3	2	1	.....	.....	.....	.....
130	Other diseases of the uterus	10	.....	.....	.....	.....	.....	.....	2	2	1	4	1	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	7	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	2	1	.....	1	.....	.....
132	Salpingitis and other diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	.....	1	6	.....	1	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	112	.....	.....	.....	.....	.....	.....	9	53	41	8	.....	.....	.....	.....	.....	.....	1
134	Accidents of pregnancy	12	.....	.....	.....	.....	.....	.....	.....	9	3	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	8	.....	.....	.....	.....	.....	.....	.....	4	4	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	14	.....	.....	.....	.....	.....	.....	1	5	6	2	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	30	.....	.....	.....	.....	.....	.....	4	16	9	1	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	38	.....	.....	.....	.....	.....	.....	3	16	13	5	.....	.....	.....	.....	.....	.....	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8	.....	.....	.....	.....	.....	.....	1	2	5	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MAINE—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	42	1							2		2	2	7	12	14	2		
142	Gangrene	30											1	4	11	12	2		
143	Furuncle	2										1		1					
144	Acute abscess	6								2		1	1	1		1			
145	Other diseases of the skin and annexa	4	1											1	1	1			
	IX.—Diseases of the bones and of the organs of locomotion	16							3	1	2	2	3	2	1	2			
146	Diseases of the bones (tuberculosis excepted)	11							2	1	2	2	2	1		1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3							1				1		1				
149	Other diseases of the organs of locomotion	2												1		1			
	X.—Malformations	83	75	1	4	1	1		1										
150	Congenital malformations (stillbirths not included) (total)	83	75	1	4	1	1		1										
	Hydrocephalus	8	5		3														
	Congenital malformations of the heart	52	47	1	1	1	1		1										
	Other congenital malformations	23	23																
	XI.—Early infancy	577	577																
151	Congenital debility, icterus, and sclerema (total)	448	448																
	Premature birth	309	309																
	Congenital debility, "atrophy," "marasmus," etc.	139	139																
152	Other causes peculiar to early infancy (total)	127	127																
	Injuries at birth	69	69																
	Other causes peculiar to early infancy [1]	58	58																
153	Lack of care	2	2																
	XII.—Old age	294											1	5	56	157	75		
154	Senility	294											1	5	56	157	75		
	XIII.—External causes	632	12	10	9	7	7	38	76	75	71	64	64	68	62	54	7		8
	Suicide (total)	104							6	15	15	12	20	21	7	6			2
155	By poison	10								6		1		2	1				
156	By asphyxia	4											1	2	1				
157	By hanging or strangulation	27									3	4	9	7	1	3			
158	By drowning	10							2	1	1		1	4	1				
159	By firearms	41							3	7	10	4	9	4	1	2			1
160	By cutting or piercing instruments	8									1	3		1	2	1			
162	By crushing	2							1										1
163	Other suicides	2								1				1					
	Accidental or undefined (total)	521	12	10	9	7	7	38	69	56	55	52	44	46	55	48	7		6
164	Poisoning by food	14	1	1		1	3		1	1	4	1		1					
165	Other acute poisonings	11	1	2	2			1	1	1	2		1		[a]				
166	Conflagration	23	1	1		2		6	2	1	3	1	1	1	3	1			
167	Burns (conflagration excepted)	38	2	3	4	2		4	1	4	3	1	3	1	9	1			
168	Absorption of deleterious gases (conflagration excepted)	6	1						1			3	1						
169	Accidental drowning	88			2	1	1	10	34	15	7	5	5	5	1				2
170	Traumatism by firearms	12						1	5	1	4	1							
171	Traumatism by cutting or piercing instruments	2											1	1					
172	Traumatism by fall	114	3	1			1	3	1	4	2	6	9	11	31	35	7		
174	Traumatism by machines	19							3	6	2	1	3	3	1				
175	Traumatism by other crushing (total)	112					1	9	11	14	21	21	11	15	3	4			2
	Railroad accidents and injuries	43						2	5	3	11	11	1	4	2	2			2
	Street-car accidents and injuries	13							1	2	2	4	2	1	1				
	Automobile accidents and injuries	31						3	3	6	4	5	5	4		1			
	Injuries by other vehicles	18					1	4	1	1		1	3	6		1			
	Landslide, other crushing	7							1	2	4								
176	Injuries by animals	10						2	1			2	1	1	1	2			
178	Excessive cold	4									1		1			1			1
179	Effects of heat	3	1										2						
180	Lightning	2							2										
181	Electricity (lightning excepted)	2								1		1							
185	Fractures (cause not specified)	7									1		1		2	3			
186	Other external violence	54	2	2	1	1	1	2	6	8	5	9	4	7	4	1			1
	Homicide (total)	7							1	4	1			1					
182	By firearms	6							1	4	1								
184	By other means	1												1					
	XIV.—Ill-defined diseases	193	67	5	4	3	1	1	2	5	6	10	19	31	27	6	2		4
187	Ill-defined organic disease	2													1		1		
188	Sudden death	28	4							1	3	3	8	2	4	1			2
189	Not specified or ill-defined (total)	163	63	5	4	3	1	1	2	4	3	7	11	29	22	5	1		2
	Ill-defined	81	13	4	4	2	1	1		3	3	5	8	20	13	4			
	Not specified or unknown	82	50	1		1			2	1		2	3	9	9	1	1		2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
MARYLAND (TOTAL).																			
	All causes	23,444	4,071	777	292	179	148	444	973	1,702	1,979	2,214	2,676	3,185	3,053	1,448	196	22	85
	I.—General diseases	5,899	306	184	93	65	61	177	453	884	813	837	734	670	457	127	18	2	18
1	Typhoid fever	256	.....	1	4	3	5	23	60	66	35	26	19	10	2	1	.....	.....	1
4	Malaria	12	.....	1	.....	.....	.....	1	.....	2	.....	3	1	2	1	.....	1	.....	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	119	25	35	13	7	10	12	8	2	3	1	1	2	.....	.....	.....	.....	.....
7	Scarlet fever	24	1	1	2	.....	4	11	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	136	77	35	12	6	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	137	18	21	18	21	10	31	10	3	2	2	.....	1	.....	.....	.....	.....	.....
10	Influenza	235	15	11	1	4	1	4	5	7	15	19	28	36	45	30	9	2	3
13	Cholera nostras	8	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	2	2	.....	.....	.....	.....
14	Dysentery	63	7	6	3	2	.....	1	.....	3	.....	4	4	11	14	7	1	.....	.....
18	Erysipelas	43	8	.....	.....	.....	.....	.....	1	2	8	3	9	4	6	2	.....	.....	.....
19	Other epidemic diseases	3	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	17	2	.....	1	.....	.....	.....	.....	5	1	1	4	2	1	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	32	10	.....	1	.....	1	4	5	1	5	2	.....	2	.....	.....	.....	.....	1
26	Pellagra	16	.....	.....	1	.....	.....	.....	.....	5	2	3	4	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,761	45	55	31	16	18	63	299	689	582	446	262	170	65	12	1	.....	7
28	Tuberculosis of the lungs	2,400	20	23	14	3	6	28	248	633	543	404	243	154	61	12	1	.....	7
29	Acute miliary tuberculosis	104	3	5	4	1	2	6	25	19	17	17	2	3	.....	.....	.....	.....	.....
30	Tuberculous meningitis	107	13	17	11	6	6	20	8	10	6	8	2	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	65	3	2	2	1	.....	4	9	20	3	5	6	8	2	.....	.....	.....	.....
32	Pott's disease	26	2	1	.....	2	3	1	2	3	1	5	4	2	.....	.....	.....	.....	.....
33	White swellings	7	.....	.....	.....	1	.....	.....	1	.....	.....	1	1	1	2	.....	.....	.....	.....
34	Tuberculosis of other organs	25	1	4	.....	.....	.....	2	5	3	5	2	2	1	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	27	3	3	.....	2	1	2	1	1	7	4	2	1	.....	.....	.....	.....	.....
36	Rickets	14	3	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	234	75	6	3	3	2	3	9	23	26	42	18	23	1	.....	.....	.....	.....
38	Gonococcus infection	32	1	.....	.....	.....	.....	.....	6	10	4	10	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,236	.....	.....	.....	1	4	3	6	23	73	215	289	311	241	62	5	.....	3
39	Of the buccal cavity	53	.....	.....	.....	.....	1	.....	.....	.....	2	9	11	12	14	3	.....	.....	1
40	Of the stomach, liver	477	.....	.....	.....	.....	1	1	.....	4	15	63	114	145	110	20	3	.....	1
41	Of the peritoneum, intestines, rectum	163	.....	.....	.....	.....	.....	1	1	5	10	31	34	47	29	5	.....	.....	.....
42	Of the female genital organs	188	.....	.....	.....	.....	.....	.....	1	6	19	47	57	33	15	9	.....	.....	1
43	Of the breast	101	.....	.....	.....	.....	.....	.....	.....	1	15	29	18	14	17	6	1	.....	.....
44	Of the skin	36	.....	.....	.....	.....	.....	.....	.....	1	3	2	2	8	12	8	.....	.....	.....
45	Of other organs or of organs not specified	218	.....	.....	.....	1	2	1	4	6	9	34	53	52	44	11	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	76	.....	1	.....	2	.....	8	25	6	9	9	9	1	3	2	1	.....	.....
48	Chronic rheumatism and gout	25	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	9	9	3	.....	.....	.....
49	Scurvy	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	206	.....	.....	.....	.....	1	6	4	13	16	11	39	64	45	7	.....	.....	.....
51	Exophthalmic goiter	23	.....	.....	.....	.....	.....	.....	1	3	4	6	7	1	1	.....	.....	.....	.....
52	Addison's disease	5	.....	.....	.....	.....	.....	.....	2	.....	1	.....	2	.....	.....	.....	.....	.....	.....
53	Leukemia	27	1	.....	1	.....	1	2	1	5	3	3	1	5	3	1	.....	.....	.....
54	Anemia, chlorosis	51	.....	2	.....	.....	1	.....	2	3	6	5	15	4	13	.....	.....	.....	.....
55	Other general diseases	26	12	4	1	.....	.....	1	1	1	1	.....	3	.....	2	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	69	.....	.....	.....	.....	.....	.....	2	8	12	19	14	8	3	.....	.....	.....	3
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,302	103	41	20	11	12	34	54	65	114	194	371	499	520	238	18	3	5
60	Encephalitis	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	126	24	12	9	6	7	18	19	10	8	6	2	3	2	.....	.....	.....	.....
	Simple meningitis	42	9	4	4	3	1	6	3	1	4	3	1	2	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	13	4	1	2	.....	1	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	71	11	7	3	3	5	12	11	9	4	3	1	1	1	.....	.....	.....	.....
62	Locomotor ataxia	35	.....	.....	.....	.....	.....	.....	.....	.....	1	11	13	6	3	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	93	4	4	2	2	2	5	2	3	7	5	12	18	20	7	.....	.....	.....
	Acute anterior poliomyelitis	17	.....	3	2	2	2	4	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	76	4	1	.....	.....	.....	1	.....	3	6	5	12	17	20	7	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,477	1	2	1	.....	1	1	4	19	46	120	265	395	423	179	13	2	5
65	Softening of the brain	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	4	.....	.....	.....
66	Paralysis without specified cause	176	.....	.....	.....	.....	.....	.....	.....	4	2	5	23	47	53	36	5	1	.....
67	General paralysis of the insane	119	.....	.....	.....	.....	.....	.....	1	3	19	28	35	12	13	8	.....	.....	.....
68	Other forms of mental alienation	15	.....	.....	.....	.....	.....	.....	1	1	2	3	3	5	.....	.....	.....	.....	.....
69	Epilepsy	57	1	1	.....	1	.....	2	6	18	17	4	5	1	.....	1	.....	.....	.....
70	Convulsions (nonpuerperal)	4	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	69	54	10	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	12	.....	.....	.....	.....	.....	.....	1	1	2	2	2	3	1	.....	.....	.....	.....
74	Other diseases of the nervous system	64	3	7	1	2	1	4	14	2	8	9	6	4	1	2	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
76	Diseases of the ears	38	15	3	3	.....	.....	3	4	3	1	1	2	3	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system	3,251	27	2	.....	3	5	21	76	100	190	318	473	745	827	406	45	4	9
77	Pericarditis	21	.....	.....	.....	.....	.....	.....	2	3	.....	4	2	4	3	3	.....	.....	.....
78	Acute endocarditis	86	2	.....	.....	.....	1	2	7	4	10	20	31	3	5	.....	1	.....	.....
79	Organic diseases of the heart	2,595	17	2	.....	3	4	19	65	91	162	266	385	619	625	297	29	3	8
80	Angina pectoris	115	.....	.....	.....	.....	.....	.....	.....	.....	5	8	23	32	39	7	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	375	.....	.....	.....	.....	.....	.....	2	2	11	16	24	76	140	88	14	1	1
82	Embolism and thrombosis	43	2	.....	.....	.....	.....	.....	.....	.....	1	4	5	9	12	10	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	9	2	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	2	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
	IV.—Diseases of the respiratory system	3,172	735	231	85	40	28	62	87	150	224	260	292	363	361	202	37	4	11
86	Diseases of the nasal fossae	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	14	3	2	1	.....	2	1	1	.....	1	.....	1	1	.....	1	.....	.....	.....
88	Diseases of the thyroid body	6	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	1	.....	.....
89	Acute bronchitis	218	118	19	6	2	2	3	.....	1	2	2	8	9	27	15	4	.....	.....
90	Chronic bronchitis	125	6	4	1	.....	.....	1	1	5	5	5	11	19	32	29	6	.....	.....
91	Bronchopneumonia	1,056	412	139	47	22	15	23	20	16	27	27	57	65	112	59	11	1	3
92	Pneumonia (total)	1,601	178	64	28	14	8	32	60	123	179	207	195	244	169	80	12	2	6
	Lobar pneumonia	1,502	153	55	27	12	8	30	55	120	172	195	190	236	157	74	11	1	6
	Pneumonia (undefined)	99	25	9	1	2	.....	2	5	3	7	12	5	8	12	6	1	1	.....
93	Pleurisy	57	4	1	1	1	1	1	2	4	5	10	9	8	9	1	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	35	7	2	.....	1	.....	.....	.....	.....	.....	1	2	4	4	10	3	1	.....
95	Gangrene of the lung	6	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	1	.....	1	.....	.....	.....
96	Asthma	25	.....	.....	1	.....	.....	.....	.....	.....	2	5	5	7	4	.....	.....	.....	1
97	Pulmonary emphysema	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	3	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	16	.....	.....	.....	.....	.....	1	1	1	1	1	1	2	4	3	.....	.....	1
	V.—Diseases of the digestive system	2,475	1,187	241	49	21	16	41	60	82	123	111	147	165	147	74	8	1	2
99	Diseases of the mouth and annexa	21	8	1	1	.....	.....	1	.....	3	3	.....	.....	2	1	1	.....	.....	.....
100	Diseases of the pharynx	38	2	5	1	2	1	9	2	.....	6	4	4	1	1	.....	.....	.....	.....
102	Ulcer of the stomach	52	.....	.....	.....	.....	.....	1	1	11	14	7	8	7	2	.....	.....	.....	1
103	Other diseases of the stomach (cancer excepted)	163	37	12	2	2	.....	2	2	3	11	7	12	30	24	16	3	.....	.....
104	Diarrhea and enteritis (under 2 years)	1,332	1,113	219	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	242	.....	.....	40	14	9	8	6	12	17	17	15	26	44	29	4	.....	1
107	Intestinal parasites	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	148	.....	.....	1	.....	4	14	37	27	24	14	14	7	5	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	168	21	2	3	.....	2	2	6	11	16	19	23	28	20	14	1	.....	.....
	Hernia	78	7	.....	.....	.....	.....	.....	1	3	8	12	12	15	12	8	.....	.....	.....
	Intestinal obstruction	90	14	2	3	.....	2	2	5	8	8	7	11	13	8	6	1	.....	.....
110	Other diseases of the intestines	28	3	.....	1	1	.....	1	1	2	4	.....	4	6	2	2	.....	1	.....
111	Acute yellow atrophy of the liver	4	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	160	.....	.....	.....	.....	.....	.....	1	3	9	22	46	40	31	8	.....	.....	.....
114	Biliary calculi	40	.....	.....	.....	.....	.....	.....	.....	3	5	8	11	6	6	1	.....	.....	.....
115	Other diseases of the liver	46	3	2	.....	.....	.....	.....	1	1	4	7	7	9	10	2	.....	.....	.....
116	Diseases of the spleen	6	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	17	.....	.....	.....	1	.....	1	3	1	6	2	1	1	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7	.....	.....	.....	.....	.....	.....	.....	2	.....	2	2	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,439	15	7	9	3	2	14	37	85	198	262	453	565	530	231	15	1	12
119	Acute nephritis	180	8	4	6	2	2	12	16	14	24	19	41	13	10	7	1	.....	1
120	Bright's disease	2,070	2	2	1	1	.....	2	19	57	138	214	397	517	493	205	11	1	10
122	Other diseases of the kidneys and annexa	22	3	1	1	.....	.....	.....	.....	5	2	2	2	1	3	2	.....	.....	.....
123	Calculi of the urinary passages	17	.....	.....	1	.....	.....	.....	.....	3	3	5	1	2	2	.....	.....	.....	.....
124	Diseases of the bladder	14	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	1	4	2	.....	.....
125	Diseases of the urethra, urinary abscess, etc	8	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	1	1	.....	.....	.....
126	Diseases of the prostate	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	23	18	10	1	.....	.....
127	Nonvenereal diseases of the male genital organs	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	33	.....	.....	.....	.....	.....	.....	1	.....	12	8	4	3	2	2	.....	.....	1
130	Other diseases of the uterus	12	.....	.....	.....	.....	.....	.....	1	3	4	4	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	10	.....	.....	.....	.....	.....	.....	.....	1	3	3	3	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	11	.....	.....	.....	.....	.....	.....	.....	.....	7	4	.....	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	231	.....	.....	.....	.....	.....	.....	32	97	87	15	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	19	.....	.....	.....	.....	.....	.....	2	7	10	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	29	.....	.....	.....	.....	.....	.....	.....	10	15	4	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	18	.....	.....	.....	.....	.....	.....	.....	8	8	2	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	90	.....	.....	.....	.....	.....	.....	15	42	29	4	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	68	.....	.....	.....	.....	.....	.....	13	28	22	5	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7	.....	.....	.....	.....	.....	.....	2	2	3	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	65	7	2	.....	.....	.....	3	3	.....	3	5	7	15	13	5	1	1	.....
142	Gangrene	23	.....	.....	.....	.....	.....	2	.....	.....	.....	1	3	6	5	4	1	1	.....
143	Furuncle	12	1	.....	.....	.....	.....	.....	1	.....	.....	1	3	3	3	.....	.....	.....	.....
144	Acute abscess	11	1	1	.....	.....	.....	1	1	.....	2	3	.....	2	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	19	5	1	.....	.....	.....	.....	1	.....	1	.....	1	4	5	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	37	3	.....	1	.....	.....	5	10	7	3	1	1	3	3	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	32	2	.....	1	.....	.....	5	10	7	2	1	1	3	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	261	230	17	5	1	1	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	261	230	17	5	1	1	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	19	12	1	2	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	176	162	13	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	66	56	3	3	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,299	1,299	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,049	1,049	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	742	742	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	307	307	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	244	244	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	121	121	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	123	123	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	220	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	67	97	38	6	5
154	Senility	220	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	67	97	38	6	5
	XIII.—External causes	1,528	35	32	21	32	22	79	155	228	217	199	182	125	105	62	11	.....	23
	Suicide (total)	171	.....	.....	.....	.....	.....	.....	4	32	38	32	29	22	9	3	1	.....	1
155	By poison	32	.....	.....	.....	.....	.....	.....	2	14	7	1	4	4	.....	.....	.....	.....	.....
156	By asphyxia	28	.....	.....	.....	.....	.....	.....	.....	7	4	4	7	5	1	.....	.....	.....	.....
157	By hanging or strangulation	29	.....	.....	.....	.....	.....	.....	.....	2	8	8	4	2	5	.....	.....	.....	.....
158	By drowning	8	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	2	.....	.....	.....	.....
159	By firearms	50	.....	.....	.....	.....	.....	.....	2	7	10	14	7	7	.....	2	.....	.....	1
160	By cutting or piercing instruments	11	.....	.....	.....	.....	.....	.....	.....	.....	4	1	3	2	1	.....	.....	.....	.....
161	By jumping from high places	7	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	1	1	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
163	Other suicides	5	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,273	32	32	21	31	22	77	146	176	156	146	150	101	93	59	10	.....	21
164	Poisoning by food	18	.....	1	2	1	1	2	3	3	1	.....	2	2	.....	.....	.....	.....	.....
165	Other acute poisonings	22	3	2	2	2	.....	1	2	.....	2	6	.....	1	1	.....	.....	.....	.....
166	Conflagration	23	.....	2	.....	1	1	1	2	1	3	4	1	4	2	1	.....	.....	.....
167	Burns (conflagration excepted)	122	6	11	10	14	12	22	8	7	7	3	9	5	7	1	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	41	9	1	.....	2	1	.....	.....	4	3	5	4	8	3	.....	.....	.....	1
169	Accidental drowning	167	.....	2	.....	3	.....	11	28	36	27	18	23	9	5	1	.....	.....	4
170	Traumatism by firearms	39	.....	.....	.....	1	.....	4	19	5	7	1	1	.....	.....	1	.....	.....	.....
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
172	Traumatism by fall	203	2	5	2	3	2	8	8	11	6	17	19	31	41	41	7	.....	.....
173	Traumatism in mines and quarries (total)	29	.....	.....	1	.....	.....	.....	4	5	12	5	1	.....	1	.....	.....	.....	.....
	Traumatism in mines	24	.....	.....	1	.....	.....	.....	3	5	10	4	.....	.....	1	.....	.....	.....	.....
	Traumatism in quarries	5	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	37	.....	.....	.....	.....	.....	1	4	9	5	6	8	3	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	402	2	3	3	4	5	23	55	78	61	60	51	21	14	5	2	.....	15
	Railroad accidents and injuries	155	.....	1	.....	.....	.....	1	12	40	27	32	21	5	6	1	.....	.....	9
	Street-car accidents and injuries	59	.....	.....	1	.....	2	4	6	10	7	6	14	5	1	1	.....	.....	2
	Automobile accidents and injuries	137	.....	2	2	4	3	15	27	20	18	15	11	7	6	2	2	.....	3
	Injuries by other vehicles	39	2	.....	.....	.....	.....	3	7	6	8	4	3	3	1	1	.....	.....	1
	Landslide, other crushing	12	.....	.....	.....	.....	.....	.....	3	2	1	3	2	1	.....	.....	.....	.....	.....
176	Injuries by animals	10	.....	.....	.....	.....	.....	1	3	1	2	.....	1	1	1	.....	.....	.....	.....
177	Starvation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
178	Excessive cold	12	1	.....	.....	.....	.....	1	.....	.....	.....	2	2	3	2	.....	.....	.....	1
179	Effects of heat	47	4	2	.....	.....	.....	.....	1	2	4	8	13	5	5	3	.....	.....	.....
180	Lightning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	15	.....	.....	.....	.....	.....	.....	1	7	2	2	3	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	18	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	5	3	4	.....	.....	.....
186	Other external violence	62	5	3	1	.....	.....	2	8	7	10	6	9	3	5	2	1	.....	.....
	Homicide (total)	84	3	.....	.....	1	.....	2	5	20	23	21	3	2	3	.....	.....	.....	1
182	By firearms	48	.....	.....	.....	.....	.....	.....	3	12	16	12	2	1	2	.....	.....	.....	.....
183	By cutting or piercing instruments	12	.....	.....	.....	.....	.....	1	1	4	3	2	.....	.....	1	.....	.....	.....	.....
184	By other means	24	3	.....	.....	1	.....	1	1	4	4	7	1	1	.....	.....	.....	.....	1
	XIV.—Ill-defined diseases	265	124	20	9	3	1	4	3	4	7	12	15	29	23	6	5	.....	.....
187	Ill-defined organic disease	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....	.....
188	Sudden death	16	2	1	.....	.....	.....	.....	1	.....	1	1	2	2	3	.....	3	.....	.....
189	Not specified or ill-defined (total)	244	122	19	9	3	1	4	2	3	6	11	12	26	18	6	2	.....	.....
	Ill-defined	78	10	12	4	1	1	1	.....	2	2	6	7	15	12	5	.....	.....	.....
	Not specified or unknown	166	112	7	5	2	.....	3	2	1	4	5	5	11	6	1	2	.....	.....

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (WHITE).																	
	All causes	17,192	2,776	489	186	119	93	286	581	1,063	1,330	1,523	1,989	2,604	2,681	1,278	145	5	44
	I.—General diseases	4,237	184	124	62	49	40	109	238	537	569	603	591	580	420	110	14	.....	7
1	Typhoid fever	185	.....	1	3	2	4	13	35	51	28	21	17	8	2	.....	.....	.....	.....
4	Malaria	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	93	19	28	11	5	7	10	5	2	2	1	1	2	.....	.....	.....	.....	.....
7	Scarlet fever	22	1	1	2	.....	4	10	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	81	47	25	6	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	125	15	20	17	20	9	28	8	3	2	2	.....	1	.....	.....	.....	.....	.....
10	Influenza	170	8	5	1	2	1	4	5	3	10	8	21	29	39	26	6	.....	2
13	Cholera nostras	5	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	2	.....	.....	.....	.....
14	Dysentery	45	5	4	1	2	.....	1	.....	1	.....	3	3	8	10	6	1	.....	.....
18	Erysipelas	36	7	.....	.....	.....	.....	.....	1	1	7	2	6	4	6	2	.....	.....	.....
19	Other epidemic diseases	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	17	2	.....	1	.....	.....	.....	.....	5	1	1	4	2	1	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	23	5	.....	1	.....	1	4	3	1	4	2	.....	1	.....	.....	.....	.....	1
26	Pellagra	10	.....	.....	1	.....	.....	.....	.....	3	.....	1	4	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,762	27	30	15	11	9	21	135	406	388	319	199	137	55	7	1	.....	2
28	Tuberculosis of the lungs	1,532	5	11	.....	.....	2	3	111	378	362	289	183	126	52	7	1	.....	2
29	Acute miliary tuberculosis	48	3	1	2	.....	.....	1	11	10	9	9	1	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	87	12	13	11	6	4	15	7	6	5	6	2	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	32	3	1	2	1	.....	1	1	5	2	4	5	6	1	.....	.....	.....	.....
32	Pott's disease	20	1	1	.....	2	2	.....	1	3	1	5	3	1	.....	.....	.....	.....	.....
33	White swellings	7	.....	.....	.....	1	.....	.....	1	.....	.....	1	1	1	2	.....	.....	.....	.....
34	Tuberculosis of other organs	20	1	3	.....	.....	.....	.....	3	3	5	2	2	1	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	16	2	.....	.....	1	1	1	.....	1	4	3	2	1	.....	.....	.....	.....	.....
36	Rickets	4	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	98	36	2	1	3	.....	.....	1	7	15	15	6	12	.....	.....	.....	.....	.....
38	Gonococcus infection	16	1	.....	.....	.....	.....	.....	2	4	3	5	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,084	.....	.....	.....	1	1	1	5	16	62	170	248	288	231	57	4	.....	.....
39	Of the buccal cavity	46	.....	.....	.....	.....	.....	.....	.....	.....	1	8	8	12	14	3	.....	.....	.....
40	Of the stomach, liver	423	.....	.....	.....	.....	1	1	.....	4	13	48	96	133	105	19	3	.....	.....
41	Of the peritoneum, intestines, rectum	140	.....	.....	.....	.....	.....	.....	1	1	9	25	28	44	27	5	.....	.....	.....
42	Of the female genital organs	152	.....	.....	.....	.....	.....	.....	1	4	13	34	50	31	13	6	.....	.....	.....
43	Of the breast	85	.....	.....	.....	.....	.....	.....	.....	1	14	24	13	11	17	5	.....	.....	.....
44	Of the skin	34	.....	.....	.....	.....	.....	.....	.....	1	3	2	2	7	11	8	.....	.....	.....
45	Of other organs or of organs not specified	204	.....	.....	.....	1	.....	.....	3	5	9	29	51	50	44	11	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	57	.....	1	.....	2	.....	6	23	3	5	8	5	.....	2	1	1	.....	.....
48	Chronic rheumatism and gout	22	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	8	7	3	.....	.....	.....
49	Scurvy	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	189	.....	.....	.....	.....	1	6	4	11	12	9	36	60	43	7	.....	.....	.....
51	Exophthalmic goiter	22	.....	.....	.....	.....	.....	.....	1	3	4	6	6	1	1	.....	.....	.....	.....
52	Addison's disease	5	.....	.....	.....	.....	.....	.....	2	.....	1	.....	2	.....	.....	.....	.....	.....	.....
53	Leukemia	26	1	.....	1	.....	1	2	.....	5	3	3	1	5	3	1	.....	.....	.....
54	Anemia, chlorosis	50	.....	2	.....	.....	1	.....	1	3	6	5	15	4	13	.....	.....	.....	.....
55	Other general diseases	21	9	2	1	.....	.....	1	1	1	1	.....	3	.....	2	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	54	.....	.....	.....	.....	.....	.....	1	4	10	17	11	6	3	.....	.....	.....	2
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,779	73	25	16	7	8	24	40	42	74	123	271	396	460	203	13	.....	4
60	Encephalitis	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	83	21	8	7	3	4	11	12	5	4	4	2	1	1	.....	.....	.....	.....
	Simple meningitis	30	9	3	2	1	1	5	3	.....	2	2	1	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	9	3	1	2	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	44	9	4	3	2	2	6	7	5	2	2	1	.....	1	.....	.....	.....	.....
62	Locomotor ataxia	30	.....	.....	.....	.....	.....	.....	.....	.....	1	10	9	6	3	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	78	2	3	2	2	1	4	1	2	7	3	10	16	19	6	.....	.....	.....
	Acute anterior poliomyelitis	13	.....	2	2	2	1	3	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	65	2	1	.....	.....	.....	1	.....	2	6	3	10	15	19	6	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,155	1	2	1	.....	1	1	4	13	25	67	184	318	372	153	9	.....	4
65	Softening of the brain	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	3	.....	.....	.....
66	Paralysis without specified cause	132	.....	.....	.....	.....	.....	.....	.....	2	.....	3	18	28	48	29	4	.....	.....
67	General paralysis of the insane	96	.....	.....	.....	.....	.....	.....	1	3	13	20	30	10	11	8	.....	.....	.....
68	Other forms of mental alienation	13	.....	.....	.....	.....	.....	.....	1	.....	1	3	3	5	.....	.....	.....	.....	.....
69	Epilepsy	42	1	.....	.....	1	.....	1	5	12	14	2	4	1	.....	1	.....	.....	.....
70	Convulsions (nonpuerperal)	3	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	39	33	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	9	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	1	.....	.....	.....	.....
74	Other diseases of the nervous system	53	2	6	1	1	1	3	11	1	7	8	5	4	1	2	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
76	Diseases of the ears	32	12	2	3	.....	.....	3	4	3	.....	1	1	3	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (WHITE)—Continued.																		
	III.—Diseases of the circulatory system	2,509	25	1	.....	3	2	17	51	60	120	196	320	593	722	360	35	2	2
77	Pericarditis	12	.....	.....	.....	.....	.....	.....	1	2	.....	3	2	3	1	.....	.....	.....	.....
78	Acute endocarditis	69	2	.....	.....	.....	.....	2	2	4	10	16	24	3	5	.....	1	.....	.....
79	Organic diseases of the heart	1,955	15	1	.....	3	2	15	46	54	104	159	248	481	541	261	23	1	1
80	Angina pectoris	105	.....	.....	.....	.....	.....	.....	.....	.....	2	4	22	32	38	7	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	317	.....	.....	.....	.....	.....	.....	2	.....	3	11	18	63	126	81	11	1	1
82	Embolism and thrombosis	39	2	.....	.....	.....	.....	.....	.....	.....	1	3	4	9	10	10	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
	IV.—Diseases of the respiratory system	2,083	432	123	42	28	19	33	37	68	113	155	195	300	311	189	31	1	6
86	Diseases of the nasal fossae	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	13	2	2	1	.....	2	1	1	.....	1	.....	1	1	.....	1	.....	.....	.....
88	Diseases of the thyroid body	5	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....
89	Acute bronchitis	144	71	9	2	2	.....	1	.....	1	2	2	3	9	24	15	3	.....	.....
90	Chronic bronchitis	95	3	1	.....	.....	.....	.....	.....	.....	2	4	8	15	29	27	6	.....	.....
91	Bronchopneumonia	690	241	72	25	14	11	11	8	10	15	20	39	57	97	58	10	.....	2
92	Pneumonia (total)	1,034	103	38	13	11	5	18	25	56	88	114	134	197	146	72	9	1	4
	Lobar pneumonia	974	91	35	12	10	5	17	22	54	82	106	131	192	137	67	8	1	4
	Pneumonia (undefined)	60	12	3	1	1	.....	1	3	2	6	8	3	5	9	5	1	.....	.....
93	Pleurisy	41	4	1	1	1	1	1	1	.....	2	9	5	8	6	1	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	28	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	4	10	3	.....	.....
95	Gangrene of the lung	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....
96	Asthma	13	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	5	3	.....	.....	.....	.....
97	Pulmonary emphysema	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	3	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	8	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	1	2	1	.....	.....	.....
	V.—Diseases of the digestive system	1,837	840	174	35	14	8	30	40	50	85	86	127	138	136	68	5	1	.....
99	Diseases of the mouth and annexa	13	3	1	.....	.....	.....	1	.....	2	2	.....	.....	2	1	1	.....	.....	.....
100	Diseases of the pharynx	31	2	4	1	2	.....	6	2	.....	5	4	3	1	1	.....	.....	.....	.....
102	Ulcer of the stomach	37	.....	.....	.....	.....	.....	1	1	7	12	5	5	4	2	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	112	23	8	1	1	.....	1	1	2	5	3	8	22	21	14	2	.....	.....
104	Diarrhea and enteritis (under 2 years)	950	792	158	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	181	.....	.....	28	9	4	6	3	7	10	12	12	23	39	26	2	.....	.....
107	Intestinal parasites	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	115	.....	.....	1	.....	2	11	26	18	18	12	14	7	5	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	134	14	1	3	.....	2	1	3	6	10	13	21	25	20	14	1	.....	.....
	Hernia	65	4	.....	.....	.....	.....	.....	.....	1	6	9	11	14	12	8	.....	.....	.....
	Intestinal obstruction	69	10	1	3	.....	2	1	3	5	4	4	10	11	8	6	1	.....	.....
110	Other diseases of the intestines	22	3	.....	1	1	.....	1	1	2	2	.....	3	4	1	2	.....	1	.....
111	Acute yellow atrophy of the liver	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	139	.....	.....	.....	.....	.....	.....	1	1	9	18	41	33	29	7	.....	.....	.....
114	Biliary calculi	36	.....	.....	.....	.....	.....	.....	.....	2	2	8	11	6	6	1	.....	.....	.....
115	Other diseases of the liver	41	3	2	.....	.....	.....	.....	.....	1	3	5	7	8	10	2	.....	.....	.....
116	Diseases of the spleen	5	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	13	.....	.....	.....	1	.....	1	2	.....	4	2	1	1	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,855	8	3	7	1	1	10	18	56	125	176	327	455	457	197	8	.....	6
119	Acute nephritis	106	4	2	4	1	1	8	11	8	12	9	25	8	8	5	.....	.....	.....
120	Bright's disease	1,600	.....	1	1	.....	.....	2	6	37	90	145	291	415	427	173	6	.....	6
122	Other diseases of the kidneys and annexa	18	2	.....	1	.....	.....	.....	.....	3	2	2	2	1	3	2	.....	.....	.....
123	Calculi of the urinary passages	15	.....	.....	1	.....	.....	.....	.....	3	2	4	1	2	2	.....	.....	.....	.....
124	Diseases of the bladder	11	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	4	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	.....	1	.....	.....	.....
126	Diseases of the prostate	49	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	22	14	10	1	.....	.....
127	Nonvenereal diseases of the male genital organs	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	19	.....	.....	.....	.....	.....	.....	1	.....	5	6	1	2	2	2	.....	.....	.....
130	Other diseases of the uterus	8	.....	.....	.....	.....	.....	.....	.....	3	2	3	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	9	.....	.....	.....	.....	.....	.....	.....	1	3	2	3	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	9	.....	.....	.....	.....	.....	.....	.....	.....	5	4	.....	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	168	.....	.....	.....	.....	.....	.....	22	69	66	11	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	16	.....	.....	.....	.....	.....	.....	1	6	9	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	20	.....	.....	.....	.....	.....	.....	.....	9	9	2	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	16	.....	.....	.....	.....	.....	.....	.....	7	7	2	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	61	.....	.....	.....	.....	.....	.....	12	26	20	3	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	49	.....	.....	.....	.....	.....	.....	7	19	19	4	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6	.....	.....	.....	.....	.....	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	50	5	1					3		1	4	7	11	12	5	1		
142	Gangrene	16											3	3	5	4	1		
143	Furuncle	12	1						1			1	3	3	3				
144	Acute abscess	8	1	1					1		1	3		1					
145	Other diseases of the skin and annexa	14	3						1				1	4	4	1			
	IX.—Diseases of the bones and of the organs of locomotion	31	2		1			4	10	5	3	1	1	3	1				
146	Diseases of the bones (tuberculosis excepted)	28	1		1			4	10	5	2	1	1	3					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2									1				1				
149	Other diseases of the organs of locomotion	1	1																
	X.—Malformations	202	179	12	5		1	3	2										
150	Congenital malformations (stillbirths not included) (total)	202	179	12	5		1	3	2										
	Hydrocephalus	12	8	1	2			1											
	Congenital malformations of the heart	131	122	8					1										
	Other congenital malformations	59	49	3	3		1	2	1										
	XI.—Early infancy	967	967																
151	Congenital debility, icterus, and sclerema (total)	778	778																
	Premature birth	568	568																
	Congenital debility, "atrophy," "marasmus," etc	210	210																
152	Other causes peculiar to early infancy (total)	187	187																
	Injuries at birth	96	96																
	Other causes peculiar to early infancy[1]	91	91																
153	Lack of care	2	2																
	XII.—Old age	169												4	52	86	25	1	1
154	Senility	169												4	52	86	25	1	1
	XIII.—External causes	1,212	23	24	17	17	14	56	120	176	171	162	144	108	96	55	11		18
	Suicide (total)	164							3	28	37	32	28	22	9	3	1		1
155	By poison	29							1	12	7	1	4	4					
156	By asphyxia	28								7	4	4	7	5	1				
157	By hanging or strangulation	27									8	8	4	2	5				
158	By drowning	7									1	2	1	1	2				
159	By firearms	50							2	7	10	14	7	7		2			1
160	By cutting or piercing instruments	11									4	1	3	2	1				
161	By jumping from high places	7								2		2	1			1	1		
162	By crushing	1												1					
163	Other suicides	4									3		1						
	Accidental or undefined (total)	999	21	24	17	16	14	54	115	137	125	115	114	84	85	52	10		16
164	Poisoning by food	8		1	2				1	1	1			2					
165	Other acute poisonings	20	2	2	2	1		1	2		2	6		1	1				
166	Conflagration	14		1					2	1	3	4		2	1				
167	Burns (conflagration excepted)	78	4	7	8	7	6	11	7	3	4	3	7	5	6				
168	Absorption of deleterious gases (conflagration excepted)	33	6	1		1	1			3	3	5	2	8	3				
169	Accidental drowning	119		1		1		9	21	22	18	14	18	8	4				3
170	Traumatism by firearms	25				1		3	12	1	7	1							
171	Traumatism by cutting or piercing instruments	3									1		1		1				
172	Traumatism by fall	183	2	4	1	2	2	7	7	8	6	15	15	26	41	40	7		
173	Traumatism in mines and quarries (total)	28			1				4	5	11	5	1		1				
	Traumatism in mines	24			1				3	5	10	4			1				
	Traumatism in quarries	4							1		1	1	1						
174	Traumatism by machines	24						1	3	6	3	2	6	2	1				
175	Traumatism by other crushing (total)	340	2	3	3	3	5	20	46	71	49	45	44	16	14	5	2		12
	Railroad accidents and injuries	131		1				1	10	36	23	24	18	5	6	1			6
	Street-car accidents and injuries	43			1		2	2	4	8	5	4	10	3	1	1			2
	Automobile accidents and injuries	123		2	2	3	3	14	23	19	16	12	11	5	6	2	2		3
	Injuries by other vehicles	32	2					3	6	6	4	3	3	2	1	1			1
	Landslide, other crushing	11							3	2	1	2	2	1					
176	Injuries by animals	6							1	1	1		1	1	1				
177	Starvation	1													1				
178	Excessive cold	4											1	1	1				1
179	Effects of heat	32	1	1					1	1	3	7	8	4	4	2			
180	Lightning	2										2							
181	Electricity (lightning excepted)	14							1	7	2	2	2						
185	Fractures (cause not specified)	16									2	1	2	5	2	4			
186	Other external violence	49	4	3				2	7	7	9	3	6	3	3	1	1		
	Homicide (total)	49	2			1		2	2	11	9	15	2	2	2				1
182	By firearms	26							1	6	6	9	2	1	1				
183	By cutting or piercing instruments	4						1		2					1				
184	By other means	19	2			1		1	1	3	3	6		1					1
	XIV.—Ill-defined diseases	93	38	2	1						3	6	6	16	14	5	2		
187	Ill-defined organic disease	1													1				
188	Sudden death	7	1								1			1	2		2		
189	Not specified or ill-defined (total)	85	37	2	1						2	6	6	15	11	5			
	Ill-defined	35	5	2							1	4	3	10	6	4			
	Not specified or unknown	50	32		1						1	2	3	5	5	1			

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (COLORED).																		
	All causes	6,252	1,295	288	106	60	55	158	392	639	649	691	687	581	372	170	51	17	41
	I.—General diseases	1,662	122	60	31	16	21	68	215	347	244	234	143	90	37	17	4	2	11
1	Typhoid fever	71			1	1	1	10	25	15	7	5	2	2		1			1
4	Malaria	8		1						2		3		1	1				
6	Measles	26	6	7	2	2	3	2	3		1								
7	Scarlet fever	2						1	1										
8	Whooping cough	55	30	10	6	5	2	2											
9	Diphtheria and croup	12	3	1	1	1	1	3	2										
10	Influenza	65	7	6		2				4	5	11	7	7	6	4	3	2	1
13	Cholera nostras	3											2	1					
14	Dysentery	18	2	2	2					2		1	1	3	4	1			
18	Erysipelas	7	1							1	1	1	3						
19	Other epidemic diseases	2	1					1											
24	Tetanus	9	5						2		1			1					
26	Pellagra	6								2	2	2							
	Tuberculosis (total)	999	18	25	16	5	9	42	164	283	194	127	63	33	10	5			5
28	Tuberculosis of the lungs	868	15	12	14	3	4	25	137	255	181	115	60	28	9	5			5
29	Acute miliary tuberculosis	56		4	2	1	2	5	14	9	8	8	1	2					
30	Tuberculous meningitis	20	1	4			2	5	1	4	1	2							
31	Abdominal tuberculosis	33		1				3	8	15	1	1	1	2	1				
32	Pott's disease	6	1				1	1	1				1	1					
34	Tuberculosis of other organs	5		1				2	2										
35	Disseminated tuberculosis	11	1	3		1		1	1		3	1							
36	Rickets	10	7	2	1														
37	Syphilis	136	39	4	2		2	3	8	16	11	27	12	11	1				
38	Gonococcus infection	16							4	6	1	5							
	Cancer and other malignant tumors (total)	152					3	2	1	7	11	45	41	23	10	5	1		3
39	Of the buccal cavity	7					1				1	1	3						1
40	Of the stomach and liver	54									2	15	18	12	5	1			1
41	Of the peritoneum, intestines, rectum	23						1		4	1	6	6	3	2				
42	Of the female genital organs	36								2	6	13	7	2	2	3			1
43	Of the breast	16									1	5	5	3		1	1		
44	Of the skin	2												1	1				
45	Of other organs or of organs not specified	14					2	1	1	1		5	2	2					
46	Other tumors (tumors of the female genital organs excepted)	1										1							
47	Acute articular rheumatism	19						2	2	3	4	1	4	1	1	1			
48	Chronic rheumatism and gout	3												1	2				
50	Diabetes	17								2	4	2	3	4	2				
51	Exophthalmic goiter	1											1						
53	Leukemia	1							1										
54	Anemia, chlorosis	1							1										
55	Other general diseases	5	3	2															
56	Alcoholism (acute or chronic)	15							1	4	2	2	3	2					1
58	Other chronic occupation poisonings	1										1							
59	Other chronic poisonings	1											1						
	II.—Diseases of the nervous system and of the organs of special sense	523	30	16	4	4	4	10	14	23	40	71	100	103	60	35	5	3	1
60	Encephalitis	1		1															
61	Meningitis (total)	43	3	4	2	3	3	7	7	5	4	2		2	1				
	Simple meningitis	12		1	2	2		1		1	2	1		1	1				
	Cerebrospinal meningitis (undefined)	4	1						3										
	Cerebrospinal fever	27	2	3		1	3	6	4	4	2	1		1					
62	Locomotor ataxia	5										1	4						
63	Other diseases of the spinal cord (total)	15	2	1			1	1	1	1		2	2	2	1	1			
	Acute anterior poliomyelitis	4		1			1	1	1										
	Other diseases of the spinal cord[1]	11	2							1		2	2	2	1	1			
64	Cerebral hemorrhage, apoplexy	322								6	21	53	81	77	51	26	4	2	1
65	Softening of the brain	2												1		1			
66	Paralysis without specified cause	44								2	2	2	5	19	5	7	1	1	
67	General paralysis of the insane	23									6	8	5	2	2				
68	Other forms of mental alienation	2								1	1								
69	Epilepsy	15		1				1	1	6	3	2	1						
70	Convulsions (nonpuerperal)	1							1										
71	Convulsions of infants	30	21	7	2														
73	Neuralgia and neuritis	3							1	1	1								
74	Other diseases of the nervous system	11	1	1		1		1	3	1	1	1	1						
76	Diseases of the ears	6	3	1							1		1						

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	742	2	1			3	4	25	40	70	122	153	152	105	46	10	2	7
77	Pericarditis	9							1	1		1		1	2	3			
78	Acute endocarditis	17					1		5			4		7					
79	Organic diseases of the heart	640	2	1			2	4	19	37	58	107	137	138	84	36	6	2	7
80	Angina pectoris	10									3	4	1		1		1		
81	Diseases of the arteries, atheroma, aneurism, etc	58								2	8	5	6	13	14	7	3		
82	Embolism and thrombosis	4										1	1		2				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3									1				2				
85	Hemorrhage; other diseases of the circulatory system	1											1						
	IV.—Diseases of the respiratory system	1,089	303	108	43	12	9	29	50	82	111	105	97	63	50	13	6	3	5
86	Diseases of the nasal fossae	5	5																
87	Diseases of the larynx	1	1																
88	Diseases of the thyroid body	1															1		
89	Acute bronchitis	74	47	10	4		2	2					5		3		1		
90	Chronic bronchitis	30	3	3	1			1	1	5	3	1	3	4	3	2			
91	Bronchopneumonia	366	171	67	22	8	4	12	12	6	12	7	18	8	15	1	1	1	1
92	Pneumonia (total)	567	75	26	15	3	3	14	35	67	91	93	61	47	23	8	3	1	2
	Lobar pneumonia	528	62	20	15	2	3	13	33	66	90	89	59	44	20	7	3		2
	Pneumonia (undefined)	39	13	6		1		1	2	1	1	4	2	3	3	1		1	
93	Pleurisy	16							1	4	3	1	4		3				
94	Pulmonary congestion, pulmonary apoplexy	7	1	2		1							1	1				1	
95	Gangrene of the lung	2							1				1						
96	Asthma	12			1						1	3	3	2	1				1
98	Other diseases of the respiratory system (tuberculosis excepted)	8									1		1	1	2	2			1
	V.—Diseases of the digestive system	638	347	67	14	7	8	11	20	32	38	25	20	27	11	6	3		2
99	Diseases of the mouth and annexa	8	5		1					1	1								
100	Diseases of the pharynx	7		1			1	3			1		1						
102	Ulcer of the stomach	15								4	2	2	3	3					1
103	Other diseases of the stomach (cancer excepted)	51	14	4	1	1		1	1	1	6	4	4	8	3	2	1		
104	Diarrhea and enteritis (under 2 years)	382	321	61															
105	Diarrhea and enteritis (2 years and over)	61			12	5	5	2	3	5	7	5	3	3	5	3	2		1
107	Intestinal parasites	1						1											
108	Appendicitis and typhlitis	33					2	3	11	9	6	2							
109	Hernia, intestinal obstruction (total)	34	7	1				1	3	5	6	6	2	3					
	Hernia	13	3						1	2	2	3	1	1					
	Intestinal obstruction	21	4	1				1	2	3	4	3	1	2					
110	Other diseases of the intestines	6									2		1	2	1				
111	Acute yellow atrophy of the liver	2				1				1									
112	Hydatid tumor of the liver	1									1								
113	Cirrhosis of the liver	21								2		4	5	7	2	1			
114	Biliary calculi	4								1	3								
115	Other diseases of the liver	5							1		1	2		1					
116	Diseases of the spleen	1								1									
117	Simple peritonitis (nonpuerperal)	4							1	1	2								
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2								1			1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	584	7	4	2	2	1	4	19	29	73	86	126	110	73	34	7	1	6
119	Acute nephritis	74	4	2	2	1	1	4	5	6	12	10	16	5	2	2	1		1
120	Bright's disease	470	2	1		1			13	20	48	69	106	102	66	32	5	1	4
122	Other diseases of the kidneys and annexa	4	1	1						2									
123	Calculi of the urinary passages	2									1	1							
124	Diseases of the bladder	3											1	1			1		
125	Diseases of the urethra, urinary abscess, etc	2										1			1				
126	Diseases of the prostate	5												1	4				
127	Nonvenereal diseases of the male genital organs	1										1							
128	Uterine hemorrhage (nonpuerperal)	2								1	1								
129	Uterine tumor (noncancerous)	14									7	2	3	1					1
130	Other diseases of the uterus	4							1		2	1							
131	Cysts and other tumors of the ovary	1										1							
132	Salpingitis and other diseases of the female genital organs	2									2								
	VII.—The puerperal state	63							10	28	21	4							
134	Accidents of pregnancy	3							1	1	1								
135	Puerperal hemorrhage	9								1	6	2							
136	Other accidents of labor	2								1	1								
137	Puerperal septicemia	29							3	16	9	1							
138	Puerperal albuminuria and convulsions	19							6	9	3	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99* years.	100 years and over.	
	MARYLAND (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	15	2	1				3			2	1		4	1			1	
142	Gangrene	7						2				1		3				1	
144	Acute abscess	3						1			1			1					
145	Other diseases of the skin and annexa	5	2	1							1				1				
	IX.—Diseases of the bones and of the organs of locomotion	6	1					1		2					2				
146	Diseases of the bones (tuberculosis excepted)	4	1					1		2									
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2													2				
	X.—Malformations	59	51	5		1		1	1										
150	Congenital malformations (stillbirths not included) (total)	59	51	5		1		1	1										
	Hydrocephalus	7	4			1		1	1										
	Congenital malformations of the heart	45	40	5															
	Other congenital malformations	7	7																
	XI.—Early infancy	332	332																
151	Congenital debility, icterus, and sclerema (total)	271	271																
	Premature birth	174	174																
	Congenital debility, "atrophy," "marasmus," etc	97	97																
152	Other causes peculiar to early infancy (total)	57	57																
	Injuries at birth	25	25																
	Other causes peculiar to early infancy [1]	32	32																
153	Lack of care	4	4																
	XII.—Old age	51											1	2	15	11	13	5	4
154	Senility	51											1	2	15	11	13	5	4
	XIII.—External causes	316	12	8	4	15	8	23	35	52	46	37	38	17	9	7			5
	Suicide (total)	7							1	4	1		1						
155	By poison	3							1	2									
157	By hanging or strangulation	2								2									
158	By drowning	1											1						
163	Other suicides	1									1								
	Accidental or undefined (total)	274	11	8	4	15	8	23	31	39	31	31	36	17	8	7			5
164	Poisoning by food	10				1	1	2	2	2			2						
165	Other acute poisonings	2	1			1													
166	Conflagration	9		1		1	1	1					1	2	1	1			
167	Burns (conflagration excepted)	44	2	4	2	7	6	11	1	4	3		2		1	1			
168	Absorption of deleterious gases (conflagration excepted)	8	3			1				1			2						1
169	Accidental drowning	48		1		2		2	7	14	9	4	5	1	1	1			1
170	Traumatism by firearms	14						1	7	4			1			1			
172	Traumatism by fall	20		1	1	1		1	1	3		2	4	5		1			
173	Traumatism in mines and quarries (total)	1									1								
	Traumatism in quarries	1									1								
174	Traumatism by machines	13							1	3	2	4	2	1					
175	Traumatism by other crushing (total)	62				1		3	9	7	12	15	7	5					3
	Railroad accidents and injuries	24							2	4	4	8	3						3
	Street-car accidents and injuries	16						2	2	2	2	2	4	2					
	Automobile accidents and injuries	14				1		1	4	1	2	3		2					
	Injuries by other vehicles	7							1		4	1		1					
	Landslide, other crushing	1										1							
176	Injuries by animals	4						1	2		1								
178	Excessive cold	8	1					1				2	1	2	1				
179	Effects of heat	15	3	1						1	1	1	5	1	1	1			
181	Electricity (lightning excepted)	1											1						
185	Fractures (cause not specified)	2									1				1				
186	Other external violence	13	1		1				1		1	3	3		2	1			
	Homicide (total)	35	1						3	9	14	6	1		1				
182	By firearms	22							2	6	10	3			1				
183	By cutting or piercing instruments	8							1	2	3	2							
184	By other means	5	1							1	1	1	1						
	XIV.—Ill-defined diseases	172	86	18	8	3	1	4	3	4	4	6	9	13	9	1	3		
187	Ill-defined organic disease	4								1			1	1	1				
188	Sudden death	9	1	1					1			1	2	1	1		1		
189	Not specified or ill-defined (total)	159	85	17	8	3	1	4	2	3	4	5	6	11	7	1	2		
	Ill-defined	43	5	10	4	1	1	1		2	1	2	4	5	6	1			
	Not specified or unknown	116	80	7	4	2		3	2	1	3	3	2	6	1		2		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MASSACHUSETTS.																	
	All causes	56,675	9,369	1,796	734	461	395	1,134	1,560	3,318	4,105	5,426	6,761	8,324	8,110	4,418	699	29	36
	I.—General diseases	14,397	939	583	306	218	185	507	665	1,580	1,721	1,919	2,073	1,948	1,259	455	31	2	6
1	Typhoid fever	182	.....	1	1	3	1	15	29	45	32	30	15	7	2	1	.....	.....	.....
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Malaria	4	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....
5	Smallpox	10	.....	.....	2	.....	.....	.....	.....	4	.....	2	1	1	.....	.....	.....	.....	.....
6	Measles	372	106	152	42	30	9	21	3	2	3	1	2	1	.....	.....	.....	.....	.....
7	Scarlet fever	117	2	12	19	8	23	31	16	4	2	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	236	143	60	16	10	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	834	56	102	111	99	89	271	69	13	13	5	3	2	1	.....	.....	.....	.....
10	Influenza	469	60	21	11	5	2	6	1	11	13	30	35	63	98	103	8	2	.....
13	Cholera nostras	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
14	Dysentery	57	16	6	4	.....	.....	3	3	1	1	2	3	5	8	4	1	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	225	80	5	.....	.....	1	1	2	5	21	24	39	22	18	6	1	.....	.....
19	Other epidemic diseases	36	11	8	3	2	2	5	3	.....	.....	1	.....	.....	.....	1	.....	.....	.....
20	Purulent infection and septicemia	52	7	2	.....	.....	.....	1	4	8	6	11	4	3	4	1	1	.....	.....
21	Glanders	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	11	.....	.....	.....	.....	.....	.....	.....	1	.....	4	4	2	.....	.....	.....	.....	.....
*24	Tetanus	26	5	.....	.....	1	.....	1	3	4	5	3	4	.....	.....	.....	.....	.....	.....
25	Mycoses	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	19	.....	.....	.....	.....	.....	.....	.....	1	3	2	6	5	2	.....	.....	.....	.....
	Tuberculosis (total)	5,431	187	160	79	45	42	96	429	1,306	1,209	905	571	272	105	24	1	.....	.....
28	Tuberculosis of the lungs	4,511	50	36	18	12	7	20	322	1,201	1,115	854	519	247	89	20	1	.....	.....
29	Acute miliary tuberculosis	153	16	11	4	3	2	4	26	34	22	20	7	3	1	.....	.....	.....	.....
30	Tuberculous meningitis	425	98	91	48	22	25	51	39	19	16	8	5	3	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	144	11	12	7	5	4	10	17	19	27	8	16	3	4	1	.....	.....	.....
32	Pott's disease	58	2	1	.....	2	2	4	9	11	10	2	7	5	1	2	.....	.....	.....
33	White swellings	35	.....	1	.....	.....	2	4	5	7	4	4	2	3	3	.....	.....	.....	.....
34	Tuberculosis of other organs	77	7	6	2	1	.....	1	8	10	11	7	10	8	6	.....	.....	.....	.....
35	Disseminated tuberculosis	28	3	2	.....	.....	.....	2	3	5	4	2	5	.....	1	1	.....	.....	.....
36	Rickets	44	24	15	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	252	126	7	1	2	.....	1	1	13	31	25	25	15	5	.....	.....	.....	.....
38	Gonococcus infection	20	8	.....	.....	.....	.....	.....	.....	6	4	1	1	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	4,088	5	3	3	1	1	7	15	47	199	595	971	1,142	826	253	18	.....	2
39	Of the buccal cavity	154	.....	.....	.....	.....	.....	2	.....	1	4	23	31	42	42	9	.....	.....	.....
40	Of the stomach, liver	1,309	1	1	.....	.....	.....	.....	2	7	37	158	316	412	291	81	2	.....	1
41	Of the peritoneum, intestines, rectum	723	.....	.....	.....	.....	.....	2	2	7	39	67	155	229	171	49	2	.....	.....
42	Of the female genital organs	648	.....	.....	.....	.....	.....	.....	.....	11	54	153	190	139	83	15	3	.....	.....
43	Of the breast	430	.....	.....	.....	.....	.....	.....	.....	2	27	99	111	98	52	36	5	.....	.....
44	Of the skin	116	.....	.....	.....	.....	.....	.....	.....	.....	2	3	15	27	39	26	4	.....	.....
45	Of other organs or of organs not specified	708	4	2	3	1	1	3	11	19	36	92	153	195	148	37	2	.....	1
46	Other tumors (tumors of the female genital organs excepted)	10	.....	1	1	.....	.....	.....	.....	1	1	1	.....	3	2	.....	.....	.....	.....
47	Acute articular rheumatism	131	2	.....	.....	2	2	22	28	11	13	14	16	14	5	2	.....	.....	.....
48	Chronic rheumatism and gout	51	.....	.....	.....	.....	.....	.....	.....	.....	2	6	11	12	11	8	.....	.....	1
49	Scurvy	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	794	4	1	2	2	4	8	33	32	48	79	169	252	121	39	.....	.....	.....
51	Exophthalmic goiter	42	.....	.....	.....	.....	.....	.....	2	9	8	12	9	2	.....	.....	.....	.....	.....
52	Addison's disease	17	.....	.....	.....	.....	.....	.....	.....	1	1	5	2	6	1	1	.....	.....	.....
53	Leukemia	77	1	5	1	1	2	3	10	15	6	9	15	6	2	1	.....	.....	.....
54	Anemia, chlorosis	316	3	8	2	1	.....	4	5	10	29	48	85	69	44	7	1	.....	.....
55	Other general diseases	144	86	14	6	3	5	5	8	7	1	2	3	2	1	1	.....	.....	.....
56	Alcoholism (acute or chronic)	301	.....	.....	.....	.....	.....	.....	.....	19	67	96	73	40	2	1	.....	.....	3
57	Chronic lead poisoning	6	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	1	1	.....	.....	.....	.....
	II—Diseases of the nervous system and of the organs of special sense	5,685	216	87	51	25	19	67	94	121	221	488	857	1,254	1,346	737	98	4	.....
60	Encephalitis	30	6	5	1	.....	.....	1	1	6	1	4	3	2	.....	.....	.....	.....	.....
61	Meningitis (total)	276	78	37	29	13	11	26	25	16	12	14	10	4	1	.....	.....	.....	.....
	Simple meningitis	124	37	20	13	2	3	10	11	3	6	8	8	3	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	43	13	5	6	2	1	5	3	5	2	1	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	109	28	12	10	9	7	11	11	8	4	5	2	1	1	.....	.....	.....	.....
62	Locomotor ataxia	114	.....	.....	.....	.....	.....	.....	.....	1	3	18	29	41	21	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	291	7	11	5	7	5	6	14	11	10	36	49	57	55	18	.....	.....	.....
	Acute anterior poliomyelitis	49	6	10	4	6	4	5	7	6	.....	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	242	1	1	1	1	1	1	7	5	10	36	49	56	55	18	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	3,873	13	1	.....	.....	.....	5	8	16	59	252	602	1,012	1,148	664	90	3	.....
65	Softening of the brain	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	6	15	10	4	.....	.....
66	Paralysis without specified cause	135	1	1	.....	.....	.....	.....	.....	2	2	5	23	28	43	29	1	.....	.....
67	General paralysis of the insane	308	.....	.....	.....	.....	.....	.....	.....	5	65	82	66	52	29	7	1	1	.....
68	Other forms of mental alienation	38	.....	.....	.....	.....	.....	.....	.....	3	6	3	13	6	5	1	1	.....	.....
69	Epilepsy	177	5	2	2	1	3	11	25	30	30	22	22	12	11	1	.....	.....	.....
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	92	73	15	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	5	.....	1	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	181	11	3	2	1	.....	11	9	14	21	39	26	24	14	5	1	.....	.....
75	Diseases of the eyes and their annexa	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
76	Diseases of the ears	108	22	11	7	3	.....	6	11	14	8	11	8	6	1	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MASSACHUSETTS—Continued.																		
	III.—Diseases of the circulatory system	10,710	109	19	14	8	13	74	193	257	416	814	1,406	2,430	2,918	1,744	282	9	4
77	Pericarditis	25					1	1	4		1	2	5	5	4	2			
78	Acute endocarditis	350	29	5	2	2	3	25	27	24	42	66	97	14	10	4			
79	Organic diseases of the heart	7,658	33	7	7	3	9	47	158	225	342	651	1,079	1,827	2,024	1,074	165	4	3
80	Angina pectoris	415								1	9	24	68	137	120	50	6		
81	Diseases of the arteries, atheroma, aneurism, etc	1,985								3	8	45	121	398	710	585	109	5	1
82	Embolism and thrombosis	176	3		1	1		1	2	3	7	18	26	41	45	27	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	36							1	1	5	5	9	8	4	2	1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	60	42	7	4	2			1		2	2							
85	Hemorrhage; other diseases of the circulatory system	5	2									1	1		1				
	IV.—Diseases of the respiratory system	7,510	1,546	598	167	79	53	91	95	227	449	633	785	947	1,032	665	133	7	3
86	Diseases of the nasal fossae	1								1									
87	Diseases of the larynx	49	15	8	4	3	3	4	2	3	1	2	1		2	1			
88	Diseases of the thyroid body	23						1	1	4	3	3	5	3	3				
89	Acute bronchitis	450	231	48	14	4	5	4	1	4	2	7	9	25	41	47	8		
90	Chronic bronchitis	311	6	3				4		2	7	16	22	53	83	93	20	2	
91	Bronchopneumonia	2,397	840	332	79	27	24	29	14	25	46	70	111	211	316	210	59	3	1
92	Pneumonia (total)	3,991	420	190	68	42	19	42	71	175	358	506	600	623	555	282	37	1	2
	Lobar pneumonia	3,838	406	180	64	39	19	36	68	168	348	494	575	605	536	262	36		2
	Pneumonia (undefined)	153	14	10	4	3		6	3	7	10	12	25	18	19	20	1	1	
93	Pleurisy	147	12	16	1	3	2	6	6	8	23	20	18	13	13	5	1		
94	Pulmonary congestion, pulmonary apoplexy	61	16							1	1		4	1	9	20	8	1	
95	Gangrene of the lung	11						1		1	1		3	5					
96	Asthma	44	2		1					3	4	4	8	10	7	5			
97	Pulmonary emphysema	5	1									2		1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	20	3	1							3	3	4	2	2	2			
	V.—Diseases of the digestive system	5,241	2,468	384	109	48	45	124	143	183	256	348	377	344	259	134	17		2
99	Diseases of the mouth and annexa	16	7		1			2		2		3	1						
100	Diseases of the pharynx	129	5	14	5	4	7	30	10	17	13	8	8	3	4	1			
101	Diseases of the esophagus	9	1									1	3	1	2	1			
102	Ulcer of the stomach	187	1					2	4	16	31	41	38	30	11	12	1		
103	Other diseases of the stomach (cancer excepted)	170	79	6	3	2		3	2	4	9	5	9	11	16	19	2		
104	Diarrhea and enteritis (under 2 years)	2,655	2,304	351															
105	Diarrhea and enteritis (2 years and over)	476			92	35	23	30	8	16	33	35	44	57	58	40	5		
107	Intestinal parasites	5		2	1		1			1									
108	Appendicitis and typhlitis	454		3	4	4	6	42	104	85	68	66	42	17	9	4			
109	Hernia, intestinal obstruction (total)	364	57	6	2	1	2	7	8	11	32	44	52	58	58	21	5		
	Hernia	179	13	5	1			1	2	5	10	22	35	41	31	8	5		
	Intestinal obstruction	185	44	1	1	1	2	6	6	6	22	22	17	17	27	13			
110	Other diseases of the intestines	77	6					4	2	4	12	10	10	13	7	9			
111	Acute yellow atrophy of the liver	10								2	3	2		1	1	1			
112	Hydatid tumor of the liver	3								1			1		1				
113	Cirrhosis of the liver	308							2	6	26	65	84	72	42	8	3		
114	Biliary calculi	150								5	10	28	39	37	23	7			1
115	Other diseases of the liver	125	1			1			1	5	10	14	34	29	21	9			
116	Diseases of the spleen	6								2		1	1	1	1				
117	Simple peritonitis (nonpuerperal)	58	7	2	1	1	5	4	1	4	7	8	5	6	5	1	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	39					1		1	2	2	17	6	8		1			1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	4,192	42	16	10	8	10	31	54	161	308	562	704	932	931	378	39	2	4
119	Acute nephritis	232	25	7	4	6	3	16	13	29	26	30	20	29	16	7			1
120	Bright's disease	3,401	5	6	5	1	7	13	35	98	206	443	618	814	794	319	32	2	3
122	Other diseases of the kidneys and annexa	89	10	2		1		1	3	7	5	12	13	14	14	7			
123	Calculi of the urinary passages	28						1		4	2	4	8	6	1	2			
124	Diseases of the bladder	56								1	2	2	5	11	15	17	3		
125	Diseases of the urethra, urinary abscess, etc	19									5	8	1	4		1			
126	Diseases of the prostate	159										4	13	33	81	25	3		
127	Nonvenereal diseases of the male genital organs	5	1	1	1							1			1				
129	Uterine tumor (noncancerous)	72								1	17	32	11	8	3				
130	Other diseases of the uterus	30							1	2	9	5	3	6	4				
131	Cysts and other tumors of the ovary	38								3	10	9	9	5	2				
132	Salpingitis and other diseases of the female genital organs	61	1						2	16	26	12	2	2					
133	Nonpuerperal diseases of the breast (cancer excepted)	2											1			1			
	VII.—The puerperal state	622							28	283	250	61							
134	Accidents of pregnancy	53							4	21	21	7							
135	Puerperal hemorrhage	56							1	12	32	11							
136	Other accidents of labor	62							1	27	28	6							
137	Puerperal septicemia	261							15	132	94	20							
138	Puerperal albuminuria and convulsions	144							7	69	56	12							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	39								16	18	5							
140	Following childbirth (not otherwise defined)	3								3									
141	Puerperal diseases of the breast	4								3	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MASSACHUSETTS—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	179	46	5	2	.....	2	1	10	4	7	17	17	24	22	15	6	1	.....
142	Gangrene	46	3	1	.....	.....	.....	.....	.....	1	1	2	5	7	12	8	5	1	.....
143	Furuncle	32	7	.....	.....	.....	.....	.....	4	.....	2	4	5	5	4	.....	1	.....	.....
144	Acute abscess	44	10	3	2	.....	2	1	4	2	3	7	3	6	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	57	26	1	.....	.....	.....	.....	2	1	1	4	4	6	5	7	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	133	11	4	5	3	1	13	17	13	15	11	21	13	4	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	110	8	3	4	3	1	11	14	12	13	10	18	10	2	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	16	.....	1	.....	.....	.....	1	2	1	2	1	3	2	2	1	.....	.....	.....
149	Other diseases of the organs of locomotion	7	3	.....	1	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	X.—Malformations	731	679	20	5	2	1	9	8	4	1	2	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	731	679	20	5	2	1	9	8	4	1	2	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	60	43	7	2	1	1	2	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	467	444	10	2	1	.....	3	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	204	192	3	1	.....	.....	4	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	3,081	3,081	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	2,266	2,266	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,781	1,781	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	485	485	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	809	809	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	496	496	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	313	313	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	243	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	56	116	57	3	.....
154	Senility	243	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	56	116	57	3	.....
	XIII.—External causes	3,657	139	63	62	68	65	215	249	480	446	540	480	382	257	160	34	1	16
	Suicide (total)	491	.....	.....	.....	.....	.....	.....	7	89	88	104	92	64	38	6	.....	.....	3
155	By poison	61	.....	.....	.....	.....	.....	.....	2	18	7	12	15	4	3	.....	.....	.....	.....
156	By asphyxia	121	.....	.....	.....	.....	.....	.....	1	12	26	29	22	18	10	3	.....	.....	.....
157	By hanging or strangulation	83	.....	.....	.....	.....	.....	.....	.....	12	9	24	14	14	9	1	.....	.....	.....
158	By drowning	48	.....	.....	.....	.....	.....	.....	1	11	13	6	7	7	3	.....	.....	.....	.....
159	By firearms	127	.....	.....	.....	.....	.....	.....	2	27	21	24	23	19	8	2	.....	.....	1
160	By cutting or piercing instruments	26	.....	.....	.....	.....	.....	.....	.....	4	5	4	7	2	4	.....	.....	.....	.....
161	By jumping from high places	11	.....	.....	.....	.....	.....	.....	1	1	5	3	1	.....	.....	.....	.....	.....	.....
162	By crushing	10	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	1	.....	.....	.....	2
163	Other suicides	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	3,061	133	63	62	67	65	212	239	356	330	422	382	313	218	154	34	1	10
164	Poisoning by food	24	3	3	4	1	.....	.....	1	2	.....	3	1	3	.....	1	2	.....	.....
165	Other acute poisonings	55	2	6	4	1	4	3	2	8	8	8	4	3	1	1	.....	.....	.....
166	Conflagration	46	3	1	.....	2	5	3	1	2	5	5	7	2	3	6	.....	.....	1
167	Burns (conflagration excepted)	310	25	26	37	27	23	28	8	16	15	30	25	14	20	14	2	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	260	56	3	.....	1	.....	3	10	26	29	37	38	36	15	5	1	.....	.....
169	Accidental drowning	306	.....	2	3	3	6	52	77	59	31	36	22	8	3	1	.....	.....	3
170	Traumatism by firearms	24	.....	.....	.....	.....	1	5	6	3	6	.....	2	.....	1	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	13	1	.....	.....	1	.....	1	.....	.....	2	.....	6	2	.....	.....	.....	.....	.....
172	Traumatism by fall	667	2	11	6	7	6	10	11	35	42	85	98	97	127	103	25	1	1
173	Traumatism in mines and quarries (total)	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	103	.....	.....	.....	.....	.....	5	13	25	18	11	17	10	3	1	.....	.....	.....
175	Traumatism by other crushing (total)	883	4	8	5	19	18	91	93	149	134	122	112	86	30	7	.....	.....	5
	Railroad accidents and injuries	265	3	3	.....	1	1	11	24	59	51	36	33	28	9	1	.....	.....	5
	Street-car accidents and injuries	114	.....	3	.....	1	2	5	7	16	21	17	25	11	5	1	.....	.....	.....
	Automobile accidents and injuries	382	.....	1	4	12	11	66	50	57	48	46	37	34	13	3	.....	.....	.....
	Injuries by other vehicles	104	1	1	1	5	4	9	10	15	12	15	13	13	3	2	.....	.....	.....
	Landslide, other crushing	18	.....	.....	.....	.....	.....	.....	2	2	2	8	4	.....	.....	.....	.....	.....	.....
176	Injuries by animals	16	.....	.....	.....	1	.....	2	.....	.....	2	5	1	5	.....	.....	.....	.....	.....
177	Starvation	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....
178	Excessive cold	23	.....	.....	.....	.....	.....	.....	.....	.....	2	6	3	7	1	4	.....	.....	.....
179	Effects of heat	101	20	3	1	1	.....	2	1	7	9	18	16	11	6	5	4	.....	.....
180	Lightning	10	.....	.....	.....	.....	.....	1	2	1	3	3	.....	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	28	.....	.....	.....	.....	.....	.....	5	12	2	8	.....	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	28	2	.....	.....	1	.....	.....	.....	3	4	9	4	3	1	1	.....	.....	.....
186	Other external violence	150	15	.....	2	2	2	6	9	8	17	33	21	24	7	4	.....	.....	.....
	Homicide (total)	105	6	.....	.....	1	.....	3	3	35	28	14	6	5	1	.....	.....	.....	3
182	By firearms	60	.....	.....	.....	.....	.....	2	2	25	19	5	4	2	.....	.....	.....	.....	1
183	By cutting or piercing instruments	13	.....	.....	.....	1	.....	.....	.....	5	3	3	.....	1	.....	.....	.....	.....	.....
184	By other means	32	6	.....	.....	.....	.....	1	1	5	6	6	2	2	1	.....	.....	.....	2
	XIV.—Ill-defined diseases	294	93	17	3	2	1	2	4	5	15	31	41	39	26	12	2	.....	1
187	Ill-defined organic disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
188	Sudden death	31	4	.....	1	.....	.....	.....	.....	.....	1	4	10	8	3	.....	.....	.....	.....
189	Not specified or ill-defined (total)	261	89	17	2	2	1	2	4	5	14	27	30	31	22	12	2	.....	1
	Ill-defined	204	56	10	1	2	1	.....	3	4	12	24	29	27	22	11	2	.....	.....
	Not specified or unknown	57	33	7	1	.....	.....	2	1	1	2	3	1	4	.....	1	.....	.....	1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MICHIGAN.																	
	All causes	47,121	7,877	1,425	660	467	356	1,223	1,711	3,376	3,738	3,656	4,760	6,234	7,070	3,896	535	19	118
	I.—General diseases	11,396	736	437	255	191	176	577	716	1,413	1,307	1,204	1,390	1,412	1,103	428	32	2	17
1	Typhoid fever	389	1	2	5	3	5	26	79	94	76	39	31	16	11	1	.....	.....	.....
4	Malaria	8	.....	1	.....	.....	.....	.....	2	.....	1	.....	2	.....	2	.....	.....	.....	.....
5	Smallpox	9	.....	1	.....	.....	.....	.....	.....	1	2	2	2	.....	1	.....	.....	.....	.....
6	Measles	275	65	98	27	6	13	30	19	7	4	2	2	.....	1	.....	.....	.....	1
7	Scarlet fever	344	21	42	43	26	27	87	44	35	10	7	1	1	.....	.....	.....	.....	.....
8	Whooping cough	366	231	80	20	12	9	11	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
9	Diphtheria and croup	858	28	104	101	99	83	271	103	33	22	10	1	2	1	.....	.....	.....	.....
10	Influenza	534	55	19	4	3	5	10	7	14	28	20	34	76	130	111	16	1	1
13	Cholera nostras	8	4	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
14	Dysentery	69	11	7	6	3	3	.....	2	2	2	5	4	6	11	7	.....	.....	.....
18	Erysipelas	181	39	1	.....	.....	.....	2	1	8	12	20	21	24	33	18	2	.....	.....
19	Other epidemic diseases	18	8	2	.....	.....	.....	4	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....
20	Purulent infection and septicemia	79	7	2	.....	.....	.....	3	5	17	9	11	9	6	6	4	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	37	1	1	.....	.....	1	2	8	7	5	3	4	3	2	.....	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	6	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	3,327	81	43	35	27	17	65	350	972	728	429	303	174	86	12	1	.....	4
28	Tuberculosis of the lungs	2,765	31	12	5	4	3	25	256	858	664	387	272	156	80	8	1	.....	3
29	Acute miliary tuberculosis	112	4	3	.....	4	3	3	25	31	19	13	2	3	1	.....	.....	.....	1
30	Tuberculous meningitis	213	38	23	24	18	10	28	33	19	14	1	4	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	125	4	4	5	1	.....	3	19	29	22	14	13	8	3	.....	.....	.....	.....
32	Pott's disease	45	2	1	.....	.....	1	3	2	16	3	6	6	4	.....	1	.....	.....	.....
33	White swellings	8	.....	.....	.....	.....	.....	1	2	2	.....	.....	1	.....	1	1	.....	.....	.....
34	Tuberculosis of other organs	28	1	.....	.....	.....	.....	1	3	8	3	4	3	2	1	2	.....	.....	.....
35	Disseminated tuberculosis	31	1	.....	1	.....	.....	1	10	9	3	4	2	.....	.....	.....	.....	.....	.....
36	Rickets	26	15	7	1	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
37	Syphilis	275	87	10	1	2	1	2	4	24	49	35	31	22	4	1	.....	.....	2
38	Gonococcus infection	36	4	.....	.....	.....	.....	.....	.....	14	8	8	1	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,754	2	3	1	.....	2	7	17	49	165	353	621	747	574	196	9	1	7
39	Of the buccal cavity	102	.....	.....	.....	.....	.....	.....	2	.....	2	9	21	22	28	16	2	.....	.....
40	Of the stomach, liver	1,124	.....	1	.....	.....	1	.....	3	12	44	115	232	361	280	68	2	.....	5
41	Of the peritoneum, intestines, rectum	329	.....	.....	.....	.....	1	2	2	7	16	39	72	104	65	21	.....	.....	.....
42	Of the female genital organs	395	.....	.....	.....	.....	.....	.....	3	8	51	89	128	67	38	9	1	.....	1
43	Of the breast	258	.....	.....	.....	.....	.....	.....	1	.....	25	43	75	59	36	18	.....	.....	1
44	Of the skin	100	.....	1	.....	.....	.....	1	.....	1	2	5	8	18	32	28	3	1	.....
45	Of other organs or of organs not specified	446	2	1	1	.....	.....	4	6	21	25	53	85	116	95	36	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	13	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	1	2	3	.....	.....	.....
47	Acute articular rheumatism	170	1	.....	2	2	2	18	28	26	11	16	17	20	15	11	1	.....	.....
48	Chronic rheumatism and gout	57	.....	.....	.....	.....	.....	.....	.....	.....	3	2	8	12	19	12	1	.....	.....
49	Scurvy	6	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	595	1	.....	3	4	6	16	30	43	36	52	111	162	103	28	.....	.....	.....
51	Exophthalmic goiter	78	.....	.....	.....	.....	.....	1	.....	7	19	20	19	7	5	.....	.....	.....	.....
52	Addison's disease	19	.....	.....	.....	.....	.....	.....	3	1	2	4	3	4	2	.....	.....	.....	.....
53	Leukemia	61	1	2	2	3	2	8	4	6	6	10	4	9	4	.....	.....	.....	.....
54	Anemia, chlorosis	421	23	4	1	.....	.....	5	6	24	33	57	95	90	65	16	2	.....	.....
55	Other general diseases	96	47	6	2	1	.....	7	.....	5	4	6	3	5	6	4	.....	.....	.....
56	Alcoholism (acute or chronic)	255	.....	.....	.....	.....	.....	.....	.....	20	65	82	55	21	10	.....	.....	.....	2
57	Chronic lead poisoning	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	16	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	3	6	3	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	5,302	266	69	43	44	20	84	106	140	233	410	692	1,086	1,387	639	69	2	12
60	Encephalitis	30	2	2	1	3	.....	.....	3	5	6	2	3	.....	2	1	.....	.....	.....
61	Meningitis (total)	310	71	40	30	26	6	47	35	23	13	5	6	6	2	.....	.....	.....	.....
	Simple meningitis	129	33	16	17	11	4	7	13	7	6	4	5	4	2	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	65	14	10	6	5	1	10	9	8	2	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	116	24	14	7	10	1	30	13	8	5	1	1	2	.....	.....	.....	.....	.....
62	Locomotor ataxia	90	.....	.....	.....	.....	.....	.....	1	1	2	11	29	27	16	3	.....	.....	.....
63	Other diseases of the spinal cord (total)	264	6	4	6	6	4	5	16	8	10	26	33	52	66	21	1	.....	.....
	Acute anterior poliomyelitis	40	5	4	6	6	4	5	7	1	1	1	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	224	1	.....	.....	.....	.....	.....	9	7	9	25	33	52	66	21	1	.....	.....
64	Cerebral hemorrhage, apoplexy	3,265	4	2	1	.....	.....	6	9	24	62	204	447	829	1,090	521	55	2	9
65	Softening of the brain	37	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	8	12	10	.....	.....	.....
66	Paralysis without specified cause	343	3	.....	.....	.....	.....	.....	.....	3	5	17	35	85	118	67	9	.....	1
67	General paralysis of the insane	223	.....	.....	.....	.....	.....	.....	.....	4	55	58	48	25	21	9	2	.....	1
68	Other forms of mental alienation	75	.....	.....	.....	.....	.....	.....	2	13	13	15	14	9	6	3	.....	.....	.....
69	Epilepsy	167	4	2	1	1	.....	4	18	34	32	29	19	12	8	2	.....	.....	1
70	Convulsions (nonpuerperal)	16	.....	.....	.....	.....	.....	2	4	2	4	2	1	.....	1	.....	.....	.....	.....
71	Convulsions of infants	169	147	12	2	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	7	.....	.....	.....	.....	.....	2	2	1	.....	1	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	28	1	.....	.....	.....	1	.....	.....	.....	1	4	6	5	9	.....	1	.....	.....
74	Other diseases of the nervous system	199	11	1	1	2	2	10	8	13	21	30	41	24	32	2	1	.....	.....
75	Diseases of the eyes and their annexa	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
76	Diseases of the ears	76	17	6	1	2	3	8	7	9	7	5	5	3	3	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MICHIGAN—Continued.																	
	III.—Diseases of the circulatory system	7,385	85	20	6	6	7	75	139	203	336	481	896	1,667	2,192	1,135	103	3	31
77	Pericarditis	26	1						2	1	2	1	3	7	4	4	1		
78	Acute endocarditis	245	13	4	3	1	3	25	24	25	43	36	53	5	7	2	1		
79	Organic diseases of the heart	5,609	47	7	1	3	4	48	104	160	264	383	708	1,336	1,666	803	49	2	24
80	Angina pectoris	295							3	4	10	21	45	90	83	33	4		2
81	Diseases of the arteries, atheroma, aneurism, etc	1,000							2	1	4	19	60	192	393	278	47	1	3
82	Embolism and thrombosis	147	7	1					3	11	10	18	21	31	34	10			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	14		1						1		1	4	3	3		1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	29	14	5	2	2		2			2					2			
85	Hemorrhage; other diseases of the circulatory system	20	3	2					1		1	2	2	3	2	3			1
	IV.—Diseases of the respiratory system	5,499	1,327	379	150	76	48	105	117	289	456	427	472	570	642	377	51	1	12
86	Diseases of the nasal fossae	10	5											2		2	1		
87	Diseases of the larynx	47	3	10	9	4	4	3	2	2	1	4	1		1	3			
88	Diseases of the thyroid body	38	1						2	7	3	9	8	6	1	1			
89	Acute bronchitis	480	262	61	11	9	1	6	5	5	6	6	7	21	42	27	10		1
90	Chronic bronchitis	284	6						1	3	6	5	20	54	105	70	13		1
91	Bronchopneumonia	1,467	629	167	71	24	18	33	18	27	34	44	61	85	149	98	7		2
92	Pneumonia (total)	2,807	392	126	55	36	20	56	77	216	374	327	326	355	290	137	11	1	8
	Lobar pneumonia	2,237	304	96	47	27	16	38	58	186	327	265	267	293	215	83	8	1	6
	Pneumonia (undefined)	570	88	30	8	9	4	18	19	30	47	62	59	62	75	54	3		2
93	Pleurisy	143	10	8	3	2	3	5	8	18	17	14	18	19	10	8			
94	Pulmonary congestion, pulmonary apoplexy	65	13	5			1		1	3	1	4	1	2	12	16	6		
95	Gangrene of the lung	9								1	3	1	1	1	1	1			
96	Asthma	102	3		1		1	1	1	1	7	8	17	20	27	12	3		
97	Pulmonary emphysema	7						1		1		1	3		1				
98	Other diseases of the respiratory system (tuberculosis excepted)	40	3	2		1			2	5	4	4	9	5	3	2			
	V.—Diseases of the digestive system	4,812	1,688	380	119	75	46	149	163	232	277	284	379	413	406	175	20	1	5
99	Diseases of the mouth and annexa	26	8	1	1			2		2	5		3	3	1				
100	Diseases of the pharynx	117	12	5	5	4	6	16	15	14	11	11	6	4	6	1	1		
101	Diseases of the esophagus	8											3		3	2			
102	Ulcer of the stomach	162	1						1	13	17	24	38	40	20	8			
103	Other diseases of the stomach (cancer excepted)	414	156	22	2		4	8	3	11	24	19	29	35	58	35	7	1	
104	Diarrhea and enteritis (under 2 years)	1,733	1,406	327															
105	Diarrhea and enteritis (2 years and over)	463			89	58	22	38	14	10	17	26	32	41	68	40	6		2
107	Intestinal parasites	4		1				2		1									
108	Appendicitis and typhlitis	507	6	4	9	7	6	56	101	91	81	61	49	24	11	1			
109	Hernia, intestinal obstruction (total)	459	77	12	7	3	6	12	16	35	27	33	57	80	62	27	5		
	Hernia	128	8	2			2		2	5	4	12	20	35	27	8	3		
	Intestinal obstruction	331	69	10	7	3	4	12	14	30	23	21	37	45	35	19	2		
110	Other diseases of the intestines	97	7	3	1	2		3	1	8	11	8	12	9	17	15			
111	Acute yellow atrophy of the liver	17	2					1		1	2	1	5	3	2				
113	Cirrhosis of the liver	375		1				1	2	3	26	47	76	97	96	24	1		1
114	Biliary calculi	93			1					7	11	9	20	25	13	6			1
115	Other diseases of the liver	203	4	1	1		1	3	1	18	26	24	34	36	43	11			
116	Diseases of the spleen	11							2		2	1	2	4					
117	Simple peritonitis (nonpuerperal)	101	7	2	3	1	1	7	6	16	16	15	8	8	5	5			1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	22	2	1					1	2	1	5	5	4	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,249	55	11	7	6	9	28	64	163	231	333	486	693	771	357	28	2	5
119	Acute nephritis	252	34	6	3	3	5	16	15	22	29	40	26	20	24	9			
120	Bright's disease	2,427	8	4	3	3	4	10	40	79	135	227	402	594	625	268	18	2	5
122	Other diseases of the kidneys and annexa	89	7	1				1	1	14	7	10	11	13	15	9			
123	Calculi of the urinary passages	22								2	1	2	7	4	5	1			
124	Diseases of the bladder	79	1						1	1	1	4	4	9	26	27	5		
125	Diseases of the urethra, urinary abscess, etc	13	1								3	3	2	2		1	1		
126	Diseases of the prostate	160								2		1	12	33	70	38	4		
127	Nonvenereal diseases of the male genital organs	7	4		1					1					1				
128	Uterine hemorrhage (nonpuerperal)	4							1		1	2							
129	Uterine tumor (noncancerous)	65								4	16	23	9	9	2	2			
130	Other diseases of the uterus	53						1	4	16	9	9	8	3	1	2			
131	Cysts and other tumors of the ovary	29								6	8	4	3	6	2				
132	Salpingitis and other diseases of the female genital organs	47							2	16	21	7	1						
133	Nonpuerperal diseases of the breast (cancer excepted)	2										1	1						
	VII.—The puerperal state	662							45	314	240	61							2
134	Accidents of pregnancy	58								25	29	4							
135	Puerperal hemorrhage	64							3	26	26	9							
136	Other accidents of labor	60							2	29	18	11							
137	Puerperal septicemia	291							21	152	94	23							1
138	Puerperal albuminuria and convulsions	157							18	71	56	12							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	28							1	11	14	1							1
140	Following childbirth (not otherwise defined)	3									2	1							
141	Puerperal diseases of the breast	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MICHIGAN—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	210	54	6	1			2	2	4	8	7	10	19	55	35	7		
142	Gangrene	113		1	1			1	1	1	4	4	6	10	46	31	7		
143	Furuncle	14	1	2								1	1	3					
144	Acute abscess	24	8	1				1	1	3	3		1	2	2	2			
145	Other diseases of the skin and annexa	59	39	2							1	2	2	4	7	2			
	IX.—Diseases of the bones and of the organs of locomotion	104	8	5	3	2	3	6	17	12	9	8	6	12	11	1			
146	Diseases of the bones (tuberculosis excepted)	85	7	5	2	2	3	6	15	11	9	4	5	10	5	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	10	1		1				1	1		1	1	2	2				
148	Amputations	1										1							
149	Other diseases of the organs of locomotion	8		1					1			2			4				
	X.—Malformations	573	533	18	5	2	1	5	7	2									
150	Congenital malformations (stillbirths not included) (total)	573	533	18	5	2	1	5	7	2									
	Hydrocephalus	40	30	6	1	1		2											
	Congenital malformations of the heart	323	307	6	1	1	1	2	4	1									
	Other congenital malformations	210	196	6	3			1	3	1									
	XI.—Early infancy	2,918	2,918																
151	Congenital debility, icterus, and sclerema (total)	2,354	2,354																
	Premature birth	1,764	1,764																
	Congenital debility, "atrophy," "marasmus," etc.	590	590																
152	Other causes peculiar to early infancy (total)	555	555																
	Injuries at birth	298	298																
	Other causes peculiar to early infancy[1]	257	257																
153	Lack of care	9	9																
	XII.—Old age	1,034											2	22	240	570	190	6	4
154	Senility	1,034											2	22	240	570	190	6	4
	XIII.—External causes	3,678	123	82	69	63	45	185	328	596	628	423	404	301	216	156	33	1	25
	Suicide (total)	467						1	10	92	119	77	76	63	18	7	1		3
155	By poison	122							3	37	36	15	15	9	4	2			1
156	By asphyxia	36							1	6	11	6	9	2	1				
157	By hanging or strangulation	94							1	6	21	15	20	18	9	3			1
158	By drowning	20							1	3	2	3	3	6		1			1
159	By firearms	139						1	4	30	33	28	21	18	3	1			
160	By cutting or piercing instruments	37								6	9	6	6	8	1		1		
161	By jumping from high places	3								1	1	1							
162	By crushing	7								2	5								
163	Other suicides	9								1	1	3	2	2					
	Accidental or undefined (total)	3,014	122	82	68	62	44	183	307	442	449	311	314	232	196	149	32	1	20
164	Poisoning by food	43	6	3	7	3	1	8	2	2	2	2	1	3	3				
165	Other acute poisonings	62	10	13	1	4	2	3	4	7	8	6	1	1	2				
166	Conflagration	69	3	2	7	3	2	5	7	6	6	8	5	6	5	3	1		
167	Burns (conflagration excepted)	240	15	36	34	27	13	18	11	23	18	12	12	11	7	3			
168	Absorption of deleterious gases (conflagration excepted)	135	43		1	1		3	5	17	20	10	11	15	5	3	1		
169	Accidental drowning	297	1	10	3	5	6	25	77	62	45	28	17	6	5	2			5
170	Traumatism by firearms	74				1		7	32	16	9	1	5	2	1				
171	Traumatism by cutting or piercing instruments	5						1	1			1	1	1					
172	Traumatism by fall	490	12	3	4	1	3	12	19	40	44	29	48	51	93	102	28	1	
173	Traumatism in mines and quarries (total)	110							7	36	38	17	8	3	1				
	Traumatism in mines	106							7	35	35	17	8	3	1				
	Traumatism in quarries	4								1	3								
174	Traumatism by machines	88						1	10	21	19	11	15	8	2				1
175	Traumatism by other crushing (total)	986	2	7	6	13	14	82	100	165	179	122	137	82	49	20	1		7
	Railroad accidents and injuries	364		4	1	2	3	12	38	73	80	48	51	25	17	3			7
	Street-car accidents and injuries	174	1	1	1	2	3	5	10	28	34	23	32	10	14	9	1		
	Automobile accidents and injuries	327	1	2	2	7	8	55	42	45	49	31	34	33	13	5			
	Injuries by other vehicles	98			2	2		10	7	14	12	14	17	12	5	3			
	Landslide, other crushing	23							3	5	4	6	3	2					
176	Injuries by animals	33			1	1	1	1	3	1	7		8	3	3	4			
177	Starvation	2												1	1				
178	Excessive cold	25	1						1	2	1	6	3	5	3		1		2
179	Effects of heat	70	16	3	2			1		5	5	9	11	8	4	6			
180	Lightning	16						1	5	2	1	3	1	3					
181	Electricity (lightning excepted)	31						3	8	5	12	2		1					
185	Fractures (cause not specified)	35			1		1		1	7	6	6	6	2	2	2			1
186	Other external violence	203	13	5	1	3	1	12	14	25	29	38	24	20	10	4			4
	Homicide (total)	197	1		1	1	1	1	11	62	60	35	14	6	2				2
182	By firearms	127							8	46	38	23	9	3					
183	By cutting or piercing instruments	29							1	11	14	1	1		1				
184	By other means	41	1		1	1	1	1	2	5	8	11	4	3	1				2
	XIV.—Ill-defined diseases	299	84	17	2	2	1	7	7	8	13	18	23	39	47	23	2	1	5
187	Ill-defined organic disease	21										1	3	2	8	6	1		
188	Sudden death	21	4								2		3	6	3	3			
189	Not specified or ill-defined (total)	257	80	17	2	2	1	7	7	6	13	17	17	31	36	14	1	1	5
	Ill-defined	124	22	13	1	2		4	5	3	6	10	9	16	24	9			
	Not specified or unknown	133	58	4	1		1	3	2	3	7	7	8	15	12	5	1	1	5

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MINNESOTA.																	
	All causes	23,913	3,694	523	295	239	149	484	1,101	1,975	1,988	2,028	2,699	2,989	3,237	2,105	382	14	11
	I.—General diseases	6,553	325	160	89	97	68	195	472	915	796	791	923	865	614	218	21	.....	4
1	Typhoid fever	99	1	.....	.....	1	1	3	11	35	17	15	10	4	.....	1	.....	.....	.....
4	Malaria	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
5	Smallpox	21	3	.....	.....	1	.....	.....	5	3	3	3	2	1	.....	.....	.....	.....	.....
6	Measles	129	39	38	8	5	8	13	7	7	2	2	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	92	3	10	7	11	7	25	16	9	4	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	95	61	15	7	3	2	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	251	10	18	19	29	21	58	51	16	12	9	6	2	.....	.....	.....	.....	.....
10	Influenza	220	33	6	4	4	1	8	14	9	8	11	8	21	44	41	8	.....	.....
13	Cholera nostras	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
14	Dysentery	33	11	3	2	3	.....	2	1	.....	.....	1	.....	3	4	3	.....	.....	.....
18	Erysipelas	73	17	1	.....	1	1	.....	1	6	7	6	8	14	7	3	1	.....	.....
19	Other epidemic diseases	13	6	.....	1	.....	1	1	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	29	8	.....	1	1	1	1	1	3	4	1	2	1	3	1	.....	.....	1
23	Rabies	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	39	8	.....	.....	.....	1	3	9	3	4	3	4	3	.....	1	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,355	46	48	30	25	13	40	258	682	502	314	213	114	62	7	1	.....	.....
28	Tuberculosis of the lungs	1,936	12	11	7	8	3	16	213	602	450	276	184	100	51	3	.....	.....	.....
29	Acute miliary tuberculosis	89	5	6	3	4	.....	3	11	26	10	10	5	5	1	.....	.....	.....	.....
30	Tuberculous meningitis	155	26	29	17	10	5	15	17	17	3	8	7	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	87	2	1	1	1	3	1	14	17	19	12	7	4	5	.....	.....	.....	.....
32	Pott's disease	25	1	.....	2	1	1	2	.....	3	7	3	2	2	1	.....	.....	.....	.....
33	White swellings	16	.....	1	.....	1	1	.....	2	4	3	.....	1	.....	2	1	.....	.....	.....
34	Tuberculosis of other organs	35	.....	.....	.....	.....	.....	2	1	7	6	5	6	2	2	3	1	.....	.....
35	Disseminated tuberculosis	12	.....	.....	.....	.....	.....	1	.....	6	4	.....	1	.....	.....	.....	.....	.....	.....
36	Rickets	14	6	5	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	173	41	2	1	.....	1	.....	2	14	32	33	23	18	5	1	.....	.....	.....
38	Gonococcus infection	9	.....	.....	.....	.....	.....	.....	.....	3	1	3	1	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,935	3	1	1	3	2	7	12	40	93	268	485	505	377	130	7	.....	1
39	Of the buccal cavity	78	.....	.....	.....	.....	.....	.....	.....	.....	4	3	16	28	16	10	1	.....	.....
40	Of the stomach, liver	877	2	.....	.....	.....	.....	.....	3	9	23	84	202	282	207	64	1	.....	.....
41	Of the peritoneum, intestines, rectum	239	.....	.....	.....	.....	.....	.....	.....	5	17	42	71	48	41	13	1	.....	1
42	Of the female genital organs	199	.....	.....	.....	.....	.....	2	1	6	24	44	63	33	19	6	1	.....	.....
43	Of the breast	141	.....	.....	.....	.....	.....	.....	.....	2	8	44	40	22	17	8	.....	.....	.....
44	Of the skin	45	.....	.....	.....	.....	.....	.....	.....	2	1	2	8	9	14	8	1	.....	.....
45	Of other organs or of organs not specified	356	1	1	1	3	2	5	8	16	16	49	85	83	63	21	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	11	1	.....	.....	.....	.....	.....	1	1	1	1	2	.....	2	1	1	.....	.....
47	Acute articular rheumatism	87	.....	.....	.....	1	1	12	18	9	11	10	9	7	7	2	.....	.....	.....
48	Chronic rheumatism and gout	34	.....	.....	.....	.....	.....	.....	.....	1	2	5	2	7	9	7	1	.....	.....
49	Scurvy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	357	.....	4	3	3	3	6	40	27	29	23	46	87	69	14	2	.....	1
51	Exophthalmic goiter	55	.....	.....	.....	.....	.....	.....	3	14	7	14	9	7	1	.....	.....	.....	.....
52	Addison's disease	13	.....	.....	.....	.....	.....	.....	.....	2	2	1	5	2	1	.....	.....	.....	.....
53	Leukemia	74	2	2	1	4	3	5	9	12	8	6	8	10	4	.....	.....	.....	.....
54	Anemia, chlorosis	190	3	4	2	.....	.....	4	5	6	15	30	50	49	16	6	.....	.....	.....
55	Other general diseases	38	18	1	1	1	1	.....	5	4	2	3	1	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	99	.....	.....	.....	.....	.....	.....	.....	7	27	28	26	8	2	.....	.....	.....	1
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,396	130	41	21	20	13	58	92	98	118	178	325	419	513	330	39	1	.....
60	Encephalitis	9	2	.....	.....	1	.....	3	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	258	44	27	13	13	7	32	38	35	19	12	10	7	1	.....	.....	.....	.....
	Simple meningitis	51	13	6	3	3	1	6	5	4	5	1	3	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	36	6	5	4	1	2	6	7	3	1	.....	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	171	25	16	6	9	4	20	26	28	13	11	6	6	1	.....	.....	.....	.....
62	Locomotor ataxia	38	.....	.....	.....	.....	.....	.....	.....	.....	1	10	13	11	3	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	138	6	3	.....	1	.....	2	8	10	7	14	25	31	22	9	.....	.....	.....
	Acute anterior poliomyelitis	19	5	2	.....	1	.....	2	6	2	.....	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	119	1	1	.....	.....	.....	.....	2	8	7	14	25	30	22	9	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,418	6	.....	.....	.....	.....	.....	5	11	24	78	221	321	430	286	35	1	.....
65	Softening of the brain	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	6	2	1	.....	.....
66	Paralysis without specified cause	81	.....	.....	1	.....	.....	.....	1	.....	4	1	11	14	22	24	3	.....	.....
67	General paralysis of the insane	95	.....	.....	.....	.....	.....	1	1	2	20	30	16	8	12	5	.....	.....	.....
68	Other forms of mental alienation	45	.....	.....	.....	.....	.....	.....	2	7	12	8	6	8	2	.....	.....	.....	.....
69	Epilepsy	82	.....	1	.....	1	1	6	18	14	12	10	6	9	3	1	.....	.....	.....
70	Convulsions (nonpuerperal)	4	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	73	61	6	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	12	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	.....	6	1	.....	.....	.....
74	Other diseases of the nervous system	73	4	2	1	1	1	6	6	15	12	7	12	2	3	1	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
76	Diseases of the ears	54	7	2	4	1	2	6	9	4	4	7	1	4	8	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MINNESOTA—Continued.																		
	III.—Diseases of the circulatory system	3,202	23	5	.....	4	1	26	84	118	151	227	426	632	833	565	104	3	.....
77	Pericarditis	15	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	2	4	2	.....	.....	.....
78	Acute endocarditis	132	4	2	.....	2	1	6	11	19	16	19	31	12	9	.....	.....	.....	.....
79	Organic diseases of the heart	2,410	7	3	.....	1	.....	20	70	95	121	172	332	508	641	382	56	2	.....
80	Angina pectoris	132	.....	.....	.....	.....	.....	.....	.....	1	5	10	26	43	33	11	3	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	410	.....	.....	.....	.....	.....	.....	.....	.....	5	12	22	47	124	156	43	1	.....
82	Embolism and thrombosis	76	3	.....	.....	1	.....	.....	3	1	2	8	10	16	19	11	2	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10	1	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	2	1	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	9	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	2	1	2	.....	.....	.....
	IV.—Diseases of the respiratory system	2,705	548	152	60	29	17	41	63	138	161	193	240	312	379	304	66	2	.....
86	Diseases of the nasal fossae	7	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
87	Diseases of the larynx	19	2	4	7	.....	1	1	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....
88	Diseases of the thyroid body	30	.....	.....	.....	.....	.....	.....	3	2	7	7	8	2	1	.....	.....	.....	.....
89	Acute bronchitis	116	50	7	2	2	.....	2	.....	1	2	.....	1	4	8	28	9	.....	.....
90	Chronic bronchitis	152	1	.....	.....	.....	.....	1	1	3	3	1	9	22	44	52	15	.....	.....
91	Bronchopneumonia	787	358	91	33	18	11	7	3	4	13	13	16	37	81	84	17	1	.....
92	Pneumonia (total)	1,430	122	43	18	9	4	27	50	119	122	160	192	218	214	114	17	1	.....
	Lobar pneumonia	1,282	91	33	16	8	3	22	42	111	115	146	180	208	196	98	12	1	.....
	Pneumonia (undefined)	148	31	10	2	1	1	5	8	8	7	14	12	10	18	16	5	.....	.....
93	Pleurisy	73	4	6	.....	.....	1	2	3	9	10	8	7	13	7	2	1	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	28	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	2	12	5	.....	.....
95	Gangrene of the lung	9	.....	.....	.....	.....	.....	.....	1	.....	.....	1	4	2	1	.....	.....	.....	.....
96	Asthma	39	.....	1	.....	.....	.....	.....	.....	.....	2	.....	1	11	14	8	2	.....	.....
97	Pulmonary emphysema	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	9	2	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	2	1	.....	.....	.....
	V.—Diseases of the digestive system	2,198	572	103	70	44	32	59	143	141	161	175	209	190	183	100	15	.....	1
99	Diseases of the mouth and annexa	25	3	2	.....	1	.....	2	.....	2	2	6	2	1	4	.....	.....	.....	.....
100	Diseases of the pharynx	86	7	2	3	2	2	9	19	12	12	6	3	1	4	3	1	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	91	.....	.....	.....	.....	.....	.....	2	8	15	10	21	21	8	6	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	89	38	1	1	.....	2	1	1	1	3	.....	2	8	13	16	2	.....	.....
104	Diarrhea and enteritis (under 2 years)	567	480	87	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	215	.....	.....	50	29	15	9	8	8	12	13	17	16	19	16	2	.....	1
107	Intestinal parasites	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
108	Appendicitis and typhlitis	392	1	3	11	5	9	28	92	80	59	46	37	13	5	3	.....	.....	.....
109	Hernia, intestinal obstruction (total)	267	38	5	2	4	1	6	9	7	16	24	29	48	49	25	4	.....	.....
	Hernia	99	4	.....	.....	.....	.....	.....	3	1	5	10	15	28	22	10	1	.....	.....
	Intestinal obstruction	168	34	5	2	4	1	6	6	6	11	14	14	20	27	15	3	.....	.....
110	Other diseases of the intestines	52	1	2	1	2	1	3	4	2	5	6	6	4	6	5	4	.....	.....
111	Acute yellow atrophy of the liver	5	1	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	160	.....	.....	.....	.....	.....	.....	2	5	14	17	40	28	45	8	1	.....	.....
114	Biliary calculi	113	.....	.....	.....	.....	.....	.....	.....	3	5	24	28	31	17	5	.....	.....	.....
115	Other diseases of the liver	97	2	.....	1	.....	.....	.....	2	9	13	15	17	14	10	13	1	.....	.....
117	Simple peritonitis (nonpuerperal)	24	1	1	1	.....	2	1	2	.....	3	8	3	1	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12	.....	.....	.....	.....	.....	.....	2	3	2	.....	1	4	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,043	18	4	6	3	5	12	34	81	120	179	322	392	531	296	38	2	.....
119	Acute nephritis	73	7	1	4	1	1	3	9	12	5	5	9	7	7	2	.....	.....	.....
120	Bright's disease	1,618	4	3	2	2	4	9	22	39	86	143	261	337	444	235	27	.....	.....
122	Other diseases of the kidneys and annexa	46	5	.....	.....	.....	.....	.....	2	3	3	3	8	5	7	9	1	.....	.....
123	Calculi of the urinary passages	15	.....	.....	.....	.....	.....	.....	.....	3	2	1	5	2	2	.....	.....	.....	.....
124	Diseases of the bladder	35	1	.....	.....	.....	.....	.....	.....	.....	2	1	3	2	14	11	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	.....	1	.....	.....	.....
126	Diseases of the prostate	143	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	30	54	35	9	2	.....
127	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	31	.....	.....	.....	.....	.....	.....	.....	3	2	10	12	3	.....	1	.....	.....	.....
130	Other diseases of the uterus	21	.....	.....	.....	.....	.....	.....	.....	6	5	2	4	1	3	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	14	.....	.....	.....	.....	.....	.....	1	3	4	2	.....	2	.....	2	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	36	.....	.....	.....	.....	.....	.....	.....	12	10	10	4	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	305	.....	.....	.....	.....	.....	.....	16	116	144	29	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	26	.....	.....	.....	.....	.....	.....	.....	11	12	3	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	35	.....	.....	.....	.....	.....	.....	2	10	17	6	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	26	.....	.....	.....	.....	.....	.....	.....	5	16	5	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	124	.....	.....	.....	.....	.....	.....	10	64	52	8	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	64	.....	.....	.....	.....	.....	.....	4	21	34	5	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	20	.....	.....	.....	.....	.....	.....	.....	5	13	2	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MINNESOTA—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	73	18	.....	.....	1	.....	.....	2	3	2	7	2	9	10	12	7	.....	.....
142	Gangrene	31	1	.....	.....	.....	.....	.....	1	1	.....	2	1	6	6	9	4	.....	.....
143	Furuncle	6	1	.....	.....	1	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....
144	Acute abscess	6	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	1	.....	.....
145	Other diseases of the skin and annexa	30	15	.....	.....	.....	.....	.....	.....	1	.....	4	.....	2	3	3	2	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	65	5	1	.....	1	1	5	14	9	4	5	8	2	6	4	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	56	3	1	.....	1	1	4	13	9	4	5	7	2	5	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....
149	Other diseases of the organs of locomotion	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....
	X.—Malformations	368	338	10	8	2	.....	3	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	368	338	10	8	2	.....	3	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	36	25	5	4	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	201	191	2	2	1	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	131	122	3	2	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,592	1,592	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,288	1,288	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,047	1,047	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	241	241	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	299	299	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	164	164	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	135	135	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	323	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	17	51	169	76	6	.....
154	Senility	323	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	17	51	169	76	6	.....
	XIII.—External causes	1,932	59	42	41	36	10	85	175	350	327	240	229	134	98	92	10	.....	4
	Suicide (total)	289	.....	.....	.....	.....	.....	.....	4	73	74	49	45	31	9	4	.....	.....	.....
155	By poison	44	.....	.....	.....	.....	.....	.....	.....	19	12	5	3	4	1	.....	.....	.....	.....
156	By asphyxia	26	.....	.....	.....	.....	.....	.....	.....	7	7	5	5	1	1	.....	.....	.....	.....
157	By hanging or strangulation	69	.....	.....	.....	.....	.....	.....	1	12	14	16	13	9	4	.....	.....	.....	.....
158	By drowning	18	.....	.....	.....	.....	.....	.....	.....	7	2	1	4	3	.....	1	.....	.....	.....
159	By firearms	101	.....	.....	.....	.....	.....	.....	3	26	26	14	15	11	3	3	.....	.....	.....
160	By cutting or piercing instruments	23	.....	.....	.....	.....	.....	.....	.....	2	9	5	5	2	.....	.....	.....	.....	.....
161	By jumping from high places	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,568	51	42	38	35	9	84	166	259	241	177	175	100	89	88	10	.....	4
164	Poisoning by food	22	1	2	3	.....	.....	2	2	3	5	1	1	1	1	.....	.....	.....	.....
165	Other acute poisonings	40	.....	6	10	.....	2	1	2	3	7	5	2	1	1	.....	.....	.....	.....
166	Conflagration	44	4	1	2	3	2	3	1	5	2	5	7	6	2	1	.....	.....	.....
167	Burns (conflagration excepted)	92	4	12	8	12	2	8	8	7	6	10	5	2	3	3	2	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	96	23	.....	1	1	.....	2	9	14	16	8	10	5	4	3	.....	.....	.....
169	Accidental drowning	192	1	7	4	7	.....	19	42	48	26	19	10	5	3	.....	.....	.....	1
170	Traumatism by firearms	50	.....	.....	1	.....	.....	3	21	7	9	4	3	2	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	7	.....	.....	.....	.....	.....	.....	3	.....	1	2	1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	230	2	4	1	3	1	8	8	13	16	15	25	16	44	66	8	.....	.....
173	Traumatism in mines and quarries (total)	47	.....	.....	.....	.....	.....	.....	4	18	17	8	.....	.....	.....	.....	.....	.....	.....
	Traumatism in mines	47	.....	.....	.....	.....	.....	.....	4	18	17	8	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	55	.....	.....	.....	.....	.....	.....	10	15	12	7	6	5	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	476	3	6	3	4	2	29	38	97	89	73	71	35	14	10	.....	.....	2
	Railroad accidents and injuries	197	.....	.....	.....	1	.....	4	10	49	43	26	40	15	5	3	.....	.....	1
	Street-car accidents and injuries	24	1	.....	.....	1	.....	1	.....	6	5	4	4	1	.....	1	.....	.....	.....
	Automobile accidents and injuries	161	1	4	1	2	2	15	21	34	25	25	15	9	5	2	.....	.....	.....
	Injuries by other vehicles	81	1	1	2	.....	.....	7	5	7	16	14	11	9	3	4	.....	.....	1
	Landslide, other crushing	13	.....	1	.....	.....	.....	2	2	1	.....	4	1	1	1	.....	.....	.....	.....
176	Injuries by animals	35	.....	.....	1	1	.....	4	3	2	1	2	11	6	4	.....	.....	.....	.....
177	Starvation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
178	Excessive cold	22	.....	.....	.....	.....	.....	.....	.....	1	.....	3	7	3	5	2	.....	.....	1
179	Effects of heat	22	3	.....	.....	1	.....	.....	.....	.....	4	4	3	2	4	1	.....	.....	.....
180	Lightning	14	.....	.....	.....	.....	.....	.....	5	2	1	1	.....	4	1	.....	.....	.....	.....
181	Electricity (lightning excepted)	19	.....	.....	.....	.....	.....	.....	1	6	9	2	1	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
186	Other external violence	102	10	4	4	3	.....	4	9	18	20	8	11	6	3	2	.....	.....	.....
	Homicide (total)	75	8	.....	3	1	1	1	5	18	12	14	9	3	.....	.....	.....	.....	.....
182	By firearms	35	.....	.....	.....	.....	.....	.....	3	12	8	6	4	2	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	16	1	.....	1	1	.....	1	.....	3	1	3	5	.....	.....	.....	.....	.....	.....
184	By other means	24	7	.....	2	.....	1	.....	2	3	3	5	.....	1	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	158	66	5	.....	2	2	.....	3	4	2	4	11	17	19	15	6	.....	2
187	Ill-defined organic disease	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
188	Sudden death	18	4	1	.....	.....	.....	.....	.....	1	1	.....	3	3	3	1	1	.....	.....
189	Not specified or ill-defined (total)	136	61	4	.....	2	2	.....	3	3	1	4	8	13	14	14	5	.....	2
	Ill-defined	35	6	1	.....	.....	.....	.....	3	1	1	1	4	9	2	5	2	.....	.....
	Not specified or unknown	101	55	3	.....	2	2	.....	.....	2	.....	3	4	4	12	9	3	.....	2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MISSOURI.																		
	All causes	45,625	5,975	1,636	809	493	317	1,117	2,061	3,608	3,950	4,257	4,917	5,975	6,388	3,425	486	39	172
	I.—General diseases	13,603	853	554	351	253	176	559	955	1,764	1,665	1,571	1,550	1,538	1,206	502	65	2	39
1	Typhoid fever	698	6	14	12	11	12	54	193	157	90	61	45	24	13	4	1	.....	1
4	Malaria	356	47	26	21	12	8	30	34	30	31	35	27	28	17	6	2	.....	2
5	Smallpox	31	7	2	.....	.....	.....	2	2	8	3	1	1	3	.....	1	.....	.....	1
6	Measles	848	141	156	97	60	39	79	105	81	28	26	13	13	6	1	.....	.....	3
7	Scarlet fever	164	9	23	18	15	19	42	20	12	5	.....	.....	1	.....	.....	.....	.....	.....
8	Whooping cough	326	175	73	41	12	5	16	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	594	37	86	87	82	60	174	44	14	6	.....	3	.....	1	.....	.....	.....	.....
10	Influenza	815	97	17	13	8	3	21	22	17	34	37	52	97	179	185	32	.....	1
13	Cholera nostras	22	1	1	.....	1	.....	2	.....	.....	.....	1	4	1	9	1	1	.....	.....
14	Dysentery	283	41	45	22	10	4	12	5	1	3	9	7	22	55	38	7	1	1
18	Erysipelas	149	23	3	.....	.....	.....	2	1	9	8	20	19	27	20	13	3	.....	1
19	Other epidemic diseases	12	4	4	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	42	5	.....	1	1	.....	2	3	3	5	5	6	5	5	.....	1	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
23	Rabies	12	.....	.....	.....	1	1	4	2	1	1	2	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	79	20	1	.....	1	1	9	13	7	3	11	8	4	1	.....	.....	.....	.....
26	Pellagra	59	.....	.....	.....	.....	.....	1	5	7	11	8	14	9	3	1	.....	.....	.....
27	Beriberi	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	5,035	117	70	29	25	17	67	415	1,238	1,103	779	519	390	207	42	.....	.....	17
28	Tuberculosis of the lungs	4,429	46	28	11	7	6	34	348	1,141	1,028	720	479	347	183	38	.....	.....	13
29	Acute miliary tuberculosis	135	9	5	3	1	.....	1	21	35	27	12	10	7	2	.....	.....	.....	2
30	Tuberculous meningitis	189	49	30	10	10	10	21	20	13	7	10	2	3	4	.....	.....	.....	.....
31	Abdominal tuberculosis	169	9	4	1	4	1	8	12	32	25	18	18	20	12	3	.....	.....	2
32	Pott's disease	41	1	.....	3	3	.....	2	7	3	5	10	4	1	2	.....	.....	.....	.....
33	White swellings	26	.....	1	1	.....	.....	.....	3	6	5	3	2	3	2	.....	.....	.....	.....
34	Tuberculosis of other organs	40	3	2	.....	.....	.....	1	3	6	5	6	3	8	2	1	.....	.....	.....
35	Disseminated tuberculosis	6	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	1	.....	.....	.....	.....	.....
36	Rickets	18	9	7	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
37	Syphilis	387	78	12	2	3	.....	4	8	35	53	80	57	37	12	2	1	.....	3
38	Gonococcus infection	35	1	.....	.....	.....	.....	.....	2	9	11	9	2	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,536	1	.....	2	2	2	10	16	43	155	356	567	690	516	156	13	1	6
39	Of the buccal cavity	87	.....	.....	.....	.....	.....	.....	.....	1	4	13	12	24	24	5	3	1	.....
40	Of the stomach, liver	940	.....	.....	.....	.....	.....	1	1	6	25	98	238	303	205	60	1	.....	2
41	Of the peritoneum, intestines, rectum	308	.....	.....	1	.....	.....	1	3	6	22	51	59	87	69	8	1	.....	.....
42	Of the female genital organs	394	.....	.....	.....	.....	.....	.....	1	13	54	88	99	78	50	10	.....	.....	1
43	Of the breast	214	.....	.....	.....	.....	.....	.....	.....	2	12	50	49	52	34	14	.....	.....	1
44	Of the skin	136	.....	.....	.....	.....	.....	.....	1	2	5	7	14	33	38	29	6	.....	1
45	Of other organs or of organs not specified	457	1	.....	1	2	2	8	10	13	33	49	96	113	96	30	2	.....	1
46	Other tumors (tumors of the female genital organs excepted)	13	1	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	5	.....	.....	.....	.....
47	Acute articular rheumatism	125	.....	1	2	.....	1	13	17	16	15	13	11	15	14	6	1	.....	.....
48	Chronic rheumatism and gout	49	.....	.....	.....	.....	.....	1	1	2	2	2	10	8	15	8	.....	.....	.....
50	Diabetes	485	4	2	2	2	3	9	21	39	30	43	95	108	94	30	1	.....	2
51	Exophthalmic goiter	60	1	.....	.....	.....	.....	.....	2	9	16	9	17	4	.....	1	1	.....	.....
52	Addison's disease	7	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	2	.....	.....	.....	.....	.....
53	Leukemia	70	2	4	.....	1	1	1	8	7	10	11	10	10	5	.....	.....	.....	.....
54	Anemia, chlorosis	135	8	3	.....	2	.....	1	4	7	8	20	30	29	18	4	1	.....	.....
55	Other general diseases	52	18	4	1	4	.....	2	6	.....	2	1	4	3	5	2	.....	.....	.....
56	Alcoholism (acute or chronic)	91	.....	.....	.....	.....	.....	.....	.....	7	27	26	22	4	3	1	.....	.....	1
57	Chronic lead poisoning	4	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	9	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	2	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	3,876	134	58	36	24	16	71	126	141	203	357	532	715	922	476	46	3	16
60	Encephalitis	31	4	.....	2	2	.....	2	5	4	3	3	3	3	.....	.....	.....	.....	.....
61	Meningitis (total)	332	62	36	22	11	11	31	50	33	21	26	15	8	4	.....	.....	.....	2
	Simple meningitis	99	17	14	9	4	6	6	15	7	3	8	3	2	4	.....	.....	.....	1
	Cerebrospinal meningitis (undefined)	58	13	6	.....	3	.....	12	10	4	3	4	.....	2	.....	.....	.....	.....	1
	Cerebrospinal fever	175	32	16	13	4	5	13	25	22	15	14	12	4	.....	.....	.....	.....	.....
62	Locomotor ataxia	83	.....	.....	.....	.....	.....	.....	1	1	9	18	19	18	12	5	.....	.....	.....
63	Other diseases of the spinal cord (total)	240	12	7	6	2	3	8	10	10	13	8	31	38	66	21	5	.....	.....
	Acute anterior poliomyelitis	49	10	7	6	2	3	7	6	2	3	1	1	.....	.....	1	.....	.....	.....
	Other diseases of the spinal cord [1]	191	2	.....	.....	.....	.....	1	4	8	10	7	30	38	66	20	5	.....	.....
64	Cerebral hemorrhage, apoplexy	2,174	7	3	.....	1	1	8	9	29	45	164	344	502	674	343	34	1	9
65	Softening of the brain	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	7	5	11	8	1	.....	1
66	Paralysis without specified cause	311	2	.....	.....	.....	.....	3	2	3	4	17	21	69	111	73	5	1	.....
67	General paralysis of the insane	268	.....	.....	.....	.....	.....	.....	2	5	67	63	56	34	26	12	1	1	1
68	Other forms of mental alienation	55	.....	.....	.....	.....	.....	.....	3	8	10	17	7	4	5	.....	.....	.....	1
69	Epilepsy	132	1	3	.....	3	1	5	20	35	10	21	9	14	7	1	.....	.....	2
70	Convulsions (nonpuerperal)	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....
71	Convulsions of infants	34	29	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	8	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	1	.....	1	.....	.....	.....
73	Neuralgia and neuritis	16	.....	.....	.....	.....	.....	1	1	.....	1	3	2	3	1	4	.....	.....	.....
74	Other diseases of the nervous system	65	4	1	.....	1	.....	2	9	7	6	8	7	11	3	6	.....	.....	.....
75	Diseases of the eyes and their annexa	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
76	Diseases of the ears	85	13	5	5	3	.....	10	12	4	11	5	10	5	1	1	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MISSOURI—Continued.																		
	III.—Diseases of the circulatory system	5,369	40	3	7	10	5	43	127	171	297	456	698	1,140	1,436	797	114	5	20
77	Pericarditis	42	1		1	1			5	3	2	2	5	8	9	5			
78	Acute endocarditis	168	12	1	2	2	2	10	15	11	22	23	20	21	16	6	5		
79	Organic diseases of the heart	3,788	17	1	3	6	3	33	102	139	232	369	559	849	953	458	45	3	16
80	Angina pectoris	221							1	2	12	16	36	63	72	14	4		1
81	Diseases of the arteries, atheroma, aneurism, etc	1,021							1	5	18	37	63	178	354	302	58	2	3
82	Embolism and thrombosis	80	3							9	5	7	11	12	24	7	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	22	1						1	1	4	1	2	4	5	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	10	4	1	1	1			1					1	1				
85	Hemorrhage; other diseases of the circulatory system	17	2						1	1	2	1	2	4	2	2			
	IV.—Diseases of the respiratory system	6,217	955	318	154	73	40	141	195	289	449	493	616	810	973	588	94	6	23
86	Diseases of the nasal fossae	5	3		1										1				
87	Diseases of the larynx	39	6	7	3	8	1	8		4				1	1				
88	Diseases of the thyroid body	15	1							2	4	1	1	2	3		1		
89	Acute bronchitis	280	125	22	8	2	3	5	6	2		2	7	8	28	50	11	1	
90	Chronic bronchitis	273	5	2	2				1	4	2	14	12	40	95	80	14	2	
91	Bronchopneumonia	1,592	519	177	70	31	18	42	30	20	52	37	65	123	242	136	24	2	4
92	Pneumonia (total)	3,713	282	103	68	31	16	78	144	246	361	416	486	586	556	285	35	1	19
	Lobar pneumonia	3,595	265	99	66	30	15	74	136	243	354	407	470	574	540	271	33		18
	Pneumonia (undefined)	118	17	4	2	1	1	4	8	3	7	9	16	12	16	14	2	1	1
93	Pleurisy	102	6	4	3	1	1	7	13	3	15	10	19	7	9	5	1		
94	Pulmonary congestion, pulmonary apoplexy	46	6	2	1			1		1	1	1	3	6	8	10	6		
95	Gangrene of the lung	9								2	1	1	2	3					
96	Asthma	98					1			1	4	5	13	29	24	19	2		
97	Pulmonary emphysema	8								1	1	1	1	1	2	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	37	2	1					1	3	8	5	7	4	4	2			
	V.—Diseases of the digestive system	4,623	1,261	579	194	78	36	135	184	204	260	326	378	387	387	181	24		9
99	Diseases of the mouth and annexa	33	11				1	2	1	2	4	1	3	1	5	1	1		
100	Diseases of the pharynx	90	8	4	6	4	2	24	13	10	6	1	1	4	3	3			1
101	Diseases of the esophagus	4	1										1			1	1		
102	Ulcer of the stomach	150	1					1	3	10	20	33	35	25	21				1
103	Other diseases of the stomach (cancer excepted)	287	61	16	6	4	2	4	6	5	11	11	23	37	51	44	5		1
104	Diarrhea and enteritis (under 2 years)	1,645	1,103	542															
105	Diarrhea and enteritis (2 years and over)	600			161	54	20	41	20	20	22	28	32	45		61	10		1
106	Ankylostomiasis	1												1					
108	Appendicitis and typhlitis	457	3	1	5	3	7	34	105	90	74	69	32	17	14	1			2
109	Hernia, intestinal obstruction (total)	409	56	12	11	8	3	15	15	24	24	41	58	58	58	22	3		1
	Hernia	130	11	1				1		5	7	17	29	26	23	7	2		1
	Intestinal obstruction	279	45	11	11	8	3	14	15	19	17	24	29	32	35	15	1		
110	Other diseases of the intestines	110	7	2	1	4		2	6	7	17	13	14	13	17	7			
111	Acute yellow atrophy of the liver	10						1	2	1				3	2	1			
112	Hydatid tumor of the liver	3											1	1		1			
113	Cirrhosis of the liver	443	1	1					2	12	37	79	107	113	68	20	2		1
114	Biliary calculi	144								3	12	21	44	31	24	8	1		
115	Other diseases of the liver	153	4	1	2			3	2	10	18	18	21	30	36	8			
116	Diseases of the spleen	5							1			1		2			1		
117	Simple peritonitis (nonpuerperal)	67	5		2	1	1	8	8	9	12	6	3	6	2	3			1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12								1	3	4	3		1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	4,526	35	17	12	12	6	22	69	190	322	481	693	987	1,089	534	43	2	12
119	Acute nephritis	320	21	9	11	3	2	11	21	20	33	32	48	37	46	21	4		1
120	Bright's disease	3,665	3	6	1	7	3	11	36	112	210	362	607	864	949	447	34	2	11
122	Other diseases of the kidneys and annexa	64	8	1		1	1		4	3	9	10	6	9	8	4			
123	Calculi of the urinary passages	19								2	4	5	2	4	1	1			
124	Diseases of the bladder	66	2			1			1	4		1	2	18	19	14	4		
125	Diseases of the urethra, urinary abscess, etc	14								1		2	6	4	1				
126	Diseases of the prostate	154								2	2	1	6	39	58	45	1		
127	Nonvenereal diseases of the male genital organs	4		1								1		1		1			
128	Uterine hemorrhage (nonpuerperal)	3								1		2							
129	Uterine tumor (noncancerous)	75								3	17	38	10	3	3	1			
130	Other diseases of the uterus	28							3	2	8	11	2	2					
131	Cysts and other tumors of the ovary	34							2	6	10	6	1	6	3				
132	Salpingitis and other diseases of the female genital organs	76							2	34	28	9	3						
133	Nonpuerperal diseases of the breast (cancer excepted)	4	1								1	1			1				
	VII.—The puerperal state	548							62	250	189	47							
134	Accidents of pregnancy	47							3	17	24	3							
135	Puerperal hemorrhage	34							1	13	14	6							
136	Other accidents of labor	41							2	14	19	6							
137	Puerperal septicemia	289							32	138	97	22							
138	Puerperal albuminuria and convulsions	120							23	60	29	8							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	14							1	5	6	2							
140	Following childbirth (not otherwise defined)	3								3									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MISSOURI—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	129	19	2	1	2	3	2	5	4	4	7	11	18	17	29	5	.....	.....
142	Gangrene	53	1	1	1	2	2	1	1	1	.....	2	3	5	12	17	4	.....	.....
143	Furuncle	24	4	.....	.....	.....	.....	1	1	.....	1	3	2	6	2	4	.....	.....	.....
144	Acute abscess	24	5	.....	.....	.....	.....	.....	1	2	3	2	3	5	2	1	.....	.....	.....
145	Other diseases of the skin and annexa	28	9	1	.....	.....	1	.....	2	1	.....	.....	3	2	1	7	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	76	3	5	.....	1	2	11	9	15	6	7	4	5	4	2	2	.....	.....
146	Diseases of the bones (tuberculosis excepted)	63	2	4	.....	1	2	11	8	12	6	5	4	4	2	1	1	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	10	.....	1	.....	.....	.....	.....	1	3	.....	2	.....	1	2	.....	.....	.....	.....
148	Amputations	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
149	Other diseases of the organs of locomotion	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	X.—Malformations	389	367	5	3	.....	2	5	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	389	367	5	3	.....	2	5	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	27	19	3	1	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	225	215	1	2	.....	.....	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	137	133	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,956	1,956	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,559	1,559	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,302	1,302	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	257	257	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	394	394	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	206	206	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	188	188	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	315	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14	71	145	65	18	1
154	Senility	315	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14	71	145	65	18	1
	XIII.—External causes	3,390	67	72	43	37	27	115	317	561	539	489	405	292	227	129	23	1	46
	Suicide (total)	561	.....	.....	.....	.....	.....	.....	21	116	127	116	93	52	32	3	.....	.....	1
155	By poison	175	.....	.....	.....	.....	.....	.....	10	42	40	35	25	12	7	3	.....	.....	1
156	By asphyxia	27	.....	.....	.....	.....	.....	.....	1	8	5	5	.....	5	3	.....	.....	.....	.....
157	By hanging or strangulation	55	.....	.....	.....	.....	.....	.....	1	5	12	8	12	12	5	.....	.....	.....	.....
158	By drowning	24	.....	.....	.....	.....	.....	.....	.....	5	2	6	6	4	1	.....	.....	.....	.....
159	By firearms	240	.....	.....	.....	.....	.....	.....	9	51	56	54	43	15	12	.....	.....	.....	.....
160	By cutting or piercing instruments	22	.....	.....	.....	.....	.....	.....	.....	2	6	2	6	3	3	.....	.....	.....	.....
161	By jumping from high places	9	.....	.....	.....	.....	.....	.....	.....	1	2	4	1	1	.....	.....	.....	.....	.....
162	By crushing	3	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	6	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	1	.....	.....	.....	.....
	Accidental or undefined (total)	2,415	66	70	43	36	27	114	275	306	299	304	266	231	187	126	23	1	41
164	Poisoning by food	34	2	3	3	1	1	3	3	1	5	4	2	4	2	.....	.....	.....	.....
165	Other acute poisonings	60	3	8	4	2	1	1	5	6	8	8	4	7	3	.....	.....	.....	.....
166	Conflagration	39	1	2	2	3	.....	4	8	1	4	4	2	2	4	1	.....	.....	1
167	Burns (conflagration excepted)	220	8	20	14	16	15	23	13	20	20	14	15	23	11	7	.....	1	.....
168	Absorption of deleterious gases (conflagration excepted)	67	23	1	.....	.....	1	.....	3	7	8	9	2	6	4	3	.....	.....	.....
169	Accidental drowning	160	4	8	2	2	1	10	48	25	19	17	4	5	3	1	.....	.....	11
170	Traumatism by firearms	104	.....	.....	4	1	1	6	44	22	8	10	4	3	1	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	6	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	1	1	.....	.....	.....	.....
172	Traumatism by fall	495	6	12	6	4	1	11	22	11	36	53	52	54	102	99	22	.....	4
173	Traumatism in mines and quarries (total)	94	.....	.....	.....	.....	.....	.....	10	27	30	13	9	2	1	.....	.....	.....	2
	Traumatism in mines	90	.....	.....	.....	.....	.....	.....	9	25	30	13	8	2	1	.....	.....	.....	2
	Traumatism in quarries	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	71	.....	1	.....	.....	1	1	13	15	16	10	8	5	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	706	2	5	5	1	3	35	68	123	110	109	117	63	36	9	1	.....	19
	Railroad accidents and injuries	297	1	1	.....	.....	.....	6	22	57	56	47	48	24	13	3	1	.....	18
	Street-car accidents and injuries	57	.....	.....	2	.....	.....	3	4	6	11	6	15	4	5	1	.....	.....	.....
	Automobile accidents and injuries	229	1	1	1	1	3	14	29	42	28	41	39	18	8	3	.....	.....	.....
	Injuries by other vehicles	102	.....	2	2	.....	.....	12	13	13	12	12	11	14	8	2	.....	.....	1
	Landslide, other crushing	21	.....	1	.....	.....	.....	.....	.....	5	3	3	4	3	2	.....	.....	.....	.....
176	Injuries by animals	42	1	.....	.....	1	.....	2	8	5	1	4	5	7	7	1	.....	.....	.....
177	Starvation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
178	Excessive cold	20	1	.....	.....	.....	.....	.....	.....	1	2	2	3	5	2	1	.....	.....	3
179	Effects of heat	37	1	.....	.....	.....	.....	.....	1	1	5	11	6	9	2	1	.....	.....	.....
180	Lightning	21	.....	.....	.....	.....	.....	1	3	2	5	5	3	1	1	.....	.....	.....	.....
181	Electricity (lightning excepted)	36	.....	.....	.....	.....	.....	1	2	12	8	8	.....	4	.....	.....	.....	.....	1
185	Fractures (cause not specified)	10	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	3	.....	.....	.....	.....	.....
186	Other external violence	192	14	10	3	5	2	16	23	25	11	22	26	26	6	3	.....	.....	.....
	Homicide (total)	414	1	2	.....	1	.....	1	21	139	113	69	46	9	8	.....	.....	.....	4
182	By firearms	296	.....	.....	.....	.....	.....	.....	15	99	85	54	30	8	1	.....	.....	.....	4
183	By cutting or piercing instruments	49	.....	.....	.....	.....	.....	.....	2	26	11	4	4	.....	2	.....	.....	.....	.....
184	By other means	69	1	2	.....	1	.....	1	4	14	17	11	12	1	5	.....	.....	.....	.....
	XIV.—Ill-defined diseases	608	285	23	8	3	4	13	8	17	16	22	29	69	56	42	5	2	6
187	Ill-defined organic disease	19	.....	2	2	.....	.....	1	.....	.....	.....	.....	2	4	4	2	2	.....	.....
188	Sudden death	24	5	1	.....	.....	.....	1	1	.....	.....	2	3	5	3	3	.....	.....	.....
189	Not specified or ill-defined (total)	565	280	20	6	3	4	11	7	17	16	20	24	60	49	37	3	2	6
	Ill-defined	119	16	5	.....	1	.....	2	3	2	6	7	12	35	20	10	.....	.....	.....
	Not specified or unknown	446	264	15	6	2	4	9	4	15	10	13	12	25	29	27	3	2	6

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MONTANA.																		
	All causes	6,589	1,090	178	90	70	55	182	291	663	913	772	813	663	484	210	26	2	87
	I.—General diseases	1,566	104	49	21	26	28	74	99	166	247	217	259	171	73	29	.....	.....	3
1	Typhoid fever	79	.....	1	1	.....	2	5	16	25	18	6	2	2	1	.....	.....	.....	.....
5	Smallpox	6	.....	.....	.....	1	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
6	Measles	46	9	12	5	7	2	8	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	85	5	7	4	7	9	19	22	10	2	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	43	25	10	3	1	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	40	1	5	.....	3	5	13	9	2	1	1	.....	.....	.....	.....	.....	.....	.....
10	Influenza	43	5	2	2	1	1	1	1	2	2	3	5	4	4	10	.....	.....	.....
14	Dysentery	13	3	1	1	.....	2	.....	.....	.....	1	1	.....	2	2	.....	.....	.....	.....
18	Erysipelas	38	7	.....	.....	.....	.....	.....	.....	3	5	3	12	1	4	3	.....	.....	.....
19	Other epidemic diseases	11	3	1	.....	.....	.....	.....	.....	2	1	2	.....	1	1	.....	.....	.....	.....
20	Purulent infection and septicemia	15	2	.....	.....	.....	.....	.....	2	2	2	1	2	4	.....	.....	.....	.....	.....
24	Tetanus	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	549	19	8	4	4	3	15	32	88	133	104	95	34	7	2	.....	.....	1
28	Tuberculosis of the lungs	471	8	6	.....	.....	2	10	21	74	125	95	91	30	7	2	.....	.....	.....
29	Acute miliary tuberculosis	15	.....	.....	.....	.....	.....	.....	4	5	1	4	.....	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	33	11	2	4	2	1	2	3	3	4	1	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	17	.....	.....	.....	2	.....	2	2	3	2	1	2	2	.....	.....	.....	.....	1
32	Pott's disease	4	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....
33	White swellings	4	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
36	Rickets	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	42	12	.....	.....	.....	.....	.....	1	3	12	7	5	2	.....	.....	.....	.....	.....
38	Gonococcus infection	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	278	1	.....	.....	.....	.....	1	2	4	17	46	83	75	39	9	.....	.....	1
39	Of the buccal cavity	16	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	2	4	2	.....	.....	1
40	Of the stomach, liver	136	.....	.....	.....	.....	.....	.....	.....	.....	9	17	46	40	20	4	.....	.....	.....
41	Of the peritoneum, intestines, rectum	29	.....	.....	.....	.....	.....	.....	.....	2	2	6	8	6	5	.....	.....	.....	.....
42	Of the female genital organs	37	.....	.....	.....	.....	.....	.....	.....	.....	4	10	11	10	2	.....	.....	.....	.....
43	Of the breast	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	6	4	1	.....	.....	.....	.....
44	Of the skin	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....
45	Of other organs or of organs not specified	38	1	.....	.....	.....	.....	1	2	1	2	5	8	11	5	2	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	25	.....	.....	.....	.....	2	6	5	3	4	1	1	.....	3	.....	.....	.....	.....
48	Chronic rheumatism and gout	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
50	Diabetes	65	.....	.....	.....	2	1	2	3	4	5	6	20	14	5	3	.....	.....	.....
51	Exophthalmic goiter	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	6	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	2	1	.....	.....	.....	.....
54	Anemia, chlorosis	25	.....	.....	.....	.....	1	1	.....	2	1	6	7	6	1	.....	.....	.....	.....
55	Other general diseases	13	10	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	124	.....	.....	.....	.....	.....	.....	.....	9	35	26	23	23	5	2	.....	.....	1
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	476	25	11	6	4	3	12	18	22	55	64	63	95	68	26	3	.....	1
60	Encephalitis	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	40	8	3	1	3	2	5	8	1	5	2	2	.....	.....	.....	.....	.....	.....
	Simple meningitis	18	5	.....	1	1	.....	2	4	1	2	1	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	16	2	3	.....	2	2	3	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	6	1	.....	.....	.....	.....	.....	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	2	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	21	1	.....	1	.....	.....	2	4	.....	2	2	2	4	3	.....	.....	.....	.....
	Acute anterior poliomyelitis	8	1	.....	1	.....	.....	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	13	.....	.....	.....	.....	.....	.....	1	.....	1	2	2	4	3	.....	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	212	2	.....	.....	.....	.....	.....	.....	.....	10	22	30	70	56	20	1	.....	1
65	Softening of the brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....
66	Paralysis without specified cause	21	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	4	5	4	2	.....	.....
67	General paralysis of the insane	57	.....	.....	.....	.....	.....	.....	.....	2	16	17	14	8	.....	.....	.....	.....	.....
68	Other forms of mental alienation	33	.....	.....	.....	.....	.....	.....	.....	8	10	12	3	.....	.....	.....	.....	.....	.....
69	Epilepsy	24	.....	1	.....	.....	.....	2	5	5	4	2	2	1	2	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	17	13	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	17	.....	.....	2	.....	.....	1	1	4	4	3	1	1	.....	.....	.....	.....	.....
76	Diseases of the ears	15	1	4	1	.....	1	2	.....	1	1	.....	1	1	1	1	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MONTANA—Continued.																		
	III.—Diseases of the circulatory system	642	10	.....	2	1	.....	10	24	38	54	64	149	128	107	50	4	.....	1
77	Pericarditis	8	.....	.....	.....	.....	.....	1	.....	1	1	1	1	2	1	.....	.....	.....	.....
78	Acute endocarditis	50	2	.....	.....	1	.....	4	3	6	8	9	15	1	1	.....	.....	.....	.....
79	Organic diseases of the heart	477	6	.....	2	.....	.....	5	21	28	39	39	106	108	81	38	3	.....	1
80	Angina pectoris	28	.....	.....	.....	.....	.....	.....	.....	.....	1	4	12	9	2	.....	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	51	1	.....	.....	.....	.....	.....	.....	.....	.....	5	9	7	18	10	1	.....	.....
82	Embolism and thrombosis	21	1	.....	.....	.....	.....	.....	.....	2	3	4	6	1	2	2	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	784	171	47	16	8	7	11	16	65	99	102	88	60	65	25	3	1	.....
86	Diseases of the nasal fossae	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	4	.....	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....	.....	.....
89	Acute bronchitis	30	18	4	.....	.....	.....	.....	1	.....	1	1	3	1	1	.....	.....	.....	.....
90	Chronic bronchitis	11	.....	.....	1	.....	.....	.....	.....	1	.....	1	2	.....	3	3	.....	.....	.....
91	Bronchopneumonia	192	107	26	4	4	2	3	.....	6	5	6	7	3	11	7	.....	1	.....
92	Pneumonia (total)	498	43	16	9	3	5	8	14	52	86	89	62	52	44	13	2	.....	.....
	Lobar pneumonia	459	36	13	7	3	4	8	12	51	80	86	60	48	37	12	2	.....	.....
	Pneumonia (undefined)	39	7	3	2	.....	1	.....	2	1	6	3	2	4	7	1	.....	.....	.....
93	Pleurisy	11	.....	.....	1	1	.....	.....	.....	2	4	2	1	.....	.....	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	5	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	1	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
96	Asthma	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	2	2	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	16	1	.....	.....	.....	.....	.....	1	1	1	2	5	1	4	.....	.....	.....	.....
	V.—Diseases of the digestive system	677	203	39	21	21	9	28	34	47	68	58	59	52	26	11	1	.....	.....
99	Diseases of the mouth and annexa	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	23	2	.....	.....	1	.....	6	7	4	.....	1	.....	1	1	.....	.....	.....	.....
102	Ulcer of the stomach	35	.....	.....	.....	.....	.....	.....	.....	4	8	10	7	5	1	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	27	11	.....	.....	.....	.....	.....	.....	.....	1	2	3	4	2	4	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	216	180	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	64	.....	.....	17	14	6	3	1	6	5	3	4	2	.....	3	.....	.....	.....
108	Appendicitis and typhlitis	124	.....	.....	4	3	2	14	20	21	27	16	7	8	2	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	53	8	2	.....	3	1	1	2	6	6	3	6	9	5	1	.....	.....	.....
	Hernia	11	1	1	.....	1	.....	.....	.....	1	.....	1	1	3	2	.....	.....	.....	.....
	Intestinal obstruction	42	7	1	.....	2	1	1	2	5	6	2	5	6	3	1	.....	.....	.....
110	Other diseases of the intestines	13	1	.....	.....	.....	.....	1	.....	1	4	2	1	2	1	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	66	.....	.....	.....	.....	.....	.....	.....	1	9	13	17	15	8	2	1	.....	.....
114	Biliary calculi	15	.....	.....	.....	.....	.....	.....	.....	1	3	2	3	3	2	1	.....	.....	.....
115	Other diseases of the liver	22	.....	1	.....	.....	.....	.....	3	.....	2	4	8	1	3	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	13	1	.....	.....	.....	.....	3	.....	2	2	1	1	2	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	441	8	2	1	3	.....	7	12	28	48	80	72	73	78	24	5	.....	.....
119	Acute nephritis	28	4	.....	1	2	.....	3	1	4	3	3	2	2	3	.....	.....	.....	.....
120	Bright's disease	330	3	1	.....	.....	.....	4	8	11	32	59	62	65	63	17	5	.....	.....
122	Other diseases of the kidneys and annexa	12	1	1	.....	1	.....	.....	1	.....	2	3	2	.....	.....	1	.....	.....	.....
123	Calculi of the urinary passages	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	2	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	10	4	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	8	.....	.....	.....	.....	.....	.....	.....	1	2	5	.....	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	15	.....	.....	.....	.....	.....	.....	.....	5	4	3	3	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	6	.....	.....	.....	.....	.....	.....	.....	1	.....	4	1	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	13	.....	.....	.....	.....	.....	.....	1	5	4	2	.....	1	.....	.....	.....	.....	.....
	VII.—The puerperal state	143	.....	.....	.....	.....	.....	.....	12	61	61	9	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	15	.....	.....	.....	.....	.....	.....	1	7	7	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	14	.....	.....	.....	.....	.....	.....	.....	3	11	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	10	.....	.....	.....	.....	.....	.....	.....	6	2	2	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	71	.....	.....	.....	.....	.....	.....	2	34	30	5	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	27	.....	.....	.....	.....	.....	.....	9	9	7	2	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6	.....	.....	.....	.....	.....	.....	.....	2	4	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MONTANA—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	15	2						2		2	1	1	1	5	1			
142	Gangrene	5									1				3	1			
143	Furuncle	3							2		1								
144	Acute abscess	5	2									1		1	1				
145	Other diseases of the skin and annexa	2											1		1				
	IX.—Diseases of the bones and of the organs of locomotion	11	1					1	6	1	1		1						
146	Diseases of the bones (tuberculosis excepted)	10	1					1	5	1	1		1						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1							1										
	X.—Malformations	110	101	4	1	1	2		1										
150	Congenital malformations (stillbirths not included) (total)	110	101	4	1	1	2		1										
	Hydrocephalus	5	4						1										
	Congenital malformations of the heart	77	71	3		1	2												
	Other congenital malformations	28	26	1	1														
	XI.—Early infancy	403	403																
151	Congenital debility, icterus, and sclerema (total)	319	319																
	Premature birth	241	241																
	Congenital debility, "atrophy," "marasmus," etc	78	78																
152	Other causes peculiar to early infancy (total)	83	83																
	Injuries at birth	49	49																
	Other causes peculiar to early infancy [1]	34	34																
153	Lack of care	1	1																
	XII.—Old age	112										1	9	26	35	34	6	1	
154	Senility	112										1	9	26	35	34	6	1	
	XIII.—External causes	1,075	16	21	19	6	5	37	63	229	271	165	98	43	16	6	1		79
	Suicide (total)	113							2	27	35	21	16	8	3				1
155	By poison	38							1	13	11	8	4	1					
156	By asphyxia	3									1		1	1					
157	By hanging or strangulation	4								1	1	1		1					
158	By drowning	2									1	1							
159	By firearms	52							1	13	14	9	8	4	2				1
160	By cutting or piercing instruments	11									5	1	3	1	1				
161	By jumping from high places	2									1	1							
163	Other suicides	1									1								
	Accidental or undefined (total)	870	15	21	19	6	5	36	58	173	203	126	79	32	13	6	1		77
164	Poisoning by food	4	1				1	2											
165	Other acute poisonings	18		5	3			1	1	3	4	1							
166	Conflagration	17	1	1	2		1	1		1	3	3	4						
167	Burns (conflagration excepted)	27		3	3	2		2	1	4	3	5	2		1	1			
168	Absorption of deleterious gases (conflagration excepted)	16	7	1			1	2		3	1	1							
169	Accidental drowning	57	2	6	4			7	8	9	10	4	3	2					2
170	Traumatism by firearms	39	1	1				2	11	4	5	7	4	3	1				
171	Traumatism by cutting or piercing instruments	3			1						1	1							
172	Traumatism by fall	51		1	1			1	6	10	10	5	7	2	4	3	1		
173	Traumatism in mines and quarries (total)	258						1	2	64	70	39	7	1					74
	Traumatism in mines	251						1	2	58	69	39	7	1					74
	Traumatism in quarries	7								6	1								
174	Traumatism by machines	11				1				3	2	2	2	1					
175	Traumatism by other crushing (total)	250	1	2	3	1	2	5	17	56	72	39	36	13	3				
	Railroad accidents and injuries	120						2	6	31	42	20	15	3	1				
	Street-car accidents and injuries	4									1	2		1					
	Automobile accidents and injuries	59	1	2	2		2	1	6	13	14	9	8	1					
	Injuries by other vehicles	53			1	1		2	3	10	10	6	11	7	2				
	Landslide, other crushing	14							2	2	5	2	2	1					
176	Injuries by animals	20			1	1		1	4	5	3	2	1	1		1			
178	Excessive cold	29	1					4	2	4	5	6	1	3	2	1			
180	Lightning	9						1	1	1	4	1	1						
181	Electricity (lightning excepted)	5									2	1	1						1
185	Fractures (cause not specified)	4				1				1		1			1				
186	Other external violence	52	1	1	1			6	5	5	8	8	10	6	1				
	Homicide (total)	92	1					1	3	29	33	18	3	3					1
182	By firearms	62						1	2	24	22	10	1	2					
183	By cutting or piercing instruments	11							1	3	5	2							
184	By other means	19	1							2	6	6	2	1					1
	XIV.—Ill-defined diseases	134	46	5	3		1	2	4	6	7	11	14	14	11	4	3		3
187	Ill-defined organic disease	2								1	1								
188	Sudden death	6	3											1	1	1			
189	Not specified or ill-defined (total)	126	43	5	3		1	2	4	5	6	11	14	13	10	3	3		3
	Ill-defined	43	13	1	1			1	1	3	3	5	7	5	2	1			
	Not specified or unknown	83	30	4	2		1	1	3	2	3	6	7	8	8	2	3		3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW HAMPSHIRE.																		
	All causes	7,457	1,049	178	78	60	42	92	200	354	421	555	744	1,226	1,392	856	156	2	52
	I.—General diseases	1,660	116	61	27	24	18	42	72	145	156	192	205	260	225	91	14	.....	12
1	Typhoid fever	27	1	1	.....	.....	.....	4	6	7	2	4	1	1	.....	.....	.....	.....	.....
6	Measles	51	18	12	5	1	1	6	2	2	2	1	.....	1	.....	.....	.....	.....	.....
7	Scarlet fever	8	1	1	.....	2	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	55	36	13	1	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	48	4	6	5	7	10	9	5	1	.....	1	.....	.....	.....	.....	.....	.....	.....
10	Influenza	145	18	1	4	.....	.....	3	2	3	4	3	7	19	44	33	4	.....	.....
13	Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
14	Dysentery	14	2	2	.....	.....	1	1	.....	.....	.....	.....	3	1	1	3	.....	.....	.....
18	Erysipelas	24	1	.....	.....	.....	.....	.....	.....	.....	3	3	6	7	2	1	1	.....	.....
19	Other epidemic diseases	3	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	10	2	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	1	1	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
26	Pellagra	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	2	.....	.....	.....	.....
	Tuberculosis (total)	501	17	16	5	9	3	9	39	104	100	97	48	33	16	3	.....	.....	2
28	Tuberculosis of the lungs	393	6	3	.....	1	2	6	28	86	85	83	44	30	14	3	.....	.....	2
29	Acute miliary tuberculosis	25	.....	2	.....	2	.....	.....	3	7	7	4	.....	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	44	11	10	4	6	1	2	4	2	1	1	2	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	19	.....	.....	.....	.....	.....	.....	3	6	5	3	.....	2	.....	.....	.....	.....	.....
32	Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
33	White swellings	7	.....	1	.....	.....	.....	1	1	1	1	2	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	11	.....	.....	1	.....	.....	.....	.....	2	1	3	2	1	1	.....	.....	.....	.....
35	Disseminated tuberculosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
36	Rickets	4	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	27	5	2	.....	.....	.....	.....	.....	2	4	7	4	2	.....	.....	.....	.....	1
38	Gonococcus infection	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	468	.....	1	.....	.....	.....	1	2	4	20	53	95	129	114	40	6	.....	3
39	Of the buccal cavity	17	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	7	4	2	.....	.....	.....
40	Of the stomach, liver	138	.....	.....	.....	.....	.....	1	.....	1	2	7	37	39	38	11	1	.....	1
41	Of the peritoneum, intestines, rectum	80	.....	.....	.....	.....	.....	.....	.....	2	4	4	9	30	24	7	.....	.....	.....
42	Of the female genital organs	94	.....	.....	.....	.....	.....	.....	.....	.....	6	24	25	18	14	6	.....	.....	1
43	Of the breast	49	.....	.....	.....	.....	.....	.....	.....	1	3	10	9	9	9	7	1	.....	.....
44	Of the skin	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	7	4	2	.....	.....
45	Of other organs or of organs not specified	72	.....	1	.....	.....	.....	.....	1	.....	4	8	12	22	18	3	2	.....	1
46	Other tumors (tumors of the female genital organs excepted)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	16	.....	.....	.....	.....	1	2	3	3	1	2	3	1	.....	.....	.....	.....	.....
48	Chronic rheumatism and gout	17	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	6	7	2	.....	.....	.....
50	Diabetes	113	1	1	.....	1	1	.....	6	7	4	6	16	38	25	5	.....	.....	2
51	Exophthalmic goiter	6	.....	.....	.....	.....	.....	.....	2	2	.....	1	.....	1	.....	.....	.....	.....	.....
52	Addison's disease	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	1
53	Leukemia	7	.....	1	.....	.....	.....	.....	.....	4	1	.....	.....	1	.....	.....	.....	.....	.....
54	Anemia, chlorosis	44	1	.....	1	.....	.....	.....	1	.....	6	4	6	12	9	1	3	.....	.....
55	Other general diseases	22	5	3	5	.....	.....	4	1	.....	.....	1	.....	1	2	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	24	.....	.....	.....	.....	.....	.....	.....	.....	4	7	7	4	.....	.....	.....	.....	2
57	Chronic lead poisoning	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	1	.....	.....	.....	.....
59	Other chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1
	II.—Diseases of the nervous system and of the organs of special sense	923	22	6	9	4	2	6	10	16	18	62	107	246	248	143	18	1	5
60	Encephalitis	4	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....
61	Meningitis (total)	36	10	3	5	3	1	3	4	1	4	.....	1	.....	.....	1	.....	.....	.....
	Simple meningitis	20	6	1	2	2	1	.....	2	.....	4	.....	1	.....	.....	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	11	4	1	2	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	5	.....	1	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	2	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	50	4	1	1	.....	.....	.....	1	3	.....	3	4	18	12	2	.....	.....	1
	Acute anterior poliomyelitis	9	4	1	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	41	.....	.....	.....	.....	.....	.....	.....	1	.....	3	4	18	12	2	.....	.....	1
64	Cerebral hemorrhage, apoplexy	697	.....	.....	1	1	.....	.....	.....	.....	4	44	82	207	211	128	15	1	3
65	Softening of the brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1
66	Paralysis without specified cause	24	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	4	9	2	3	.....	.....
67	General paralysis of the insane	19	.....	.....	.....	.....	.....	.....	.....	1	1	3	4	.....	7	3	.....	.....	.....
68	Other forms of mental alienation	18	.....	.....	.....	.....	.....	.....	.....	2	1	3	2	7	2	1	.....	.....	.....
69	Epilepsy	19	.....	.....	1	.....	.....	1	3	4	3	3	1	2	1	.....	.....	.....	.....
71	Convulsions of infants	10	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	1	.....	.....	.....
74	Other diseases of the nervous system	18	1	.....	.....	.....	.....	.....	1	2	3	1	3	3	1	3	.....	.....	.....
76	Diseases of the ears	10	.....	.....	.....	.....	.....	2	1	2	1	1	.....	2	.....	1	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW HAMPSHIRE—Continued.																	
	III.—Diseases of the circulatory system	1,468	8	3	2	2	.....	5	16	25	46	87	148	328	466	290	33	.....	9
77	Pericarditis	6	.....	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	1	.....	.....	.....
78	Acute endocarditis	52	3	1	.....	1	.....	.....	4	5	10	7	13	5	3	.....	.....	.....	.....
79	Organic diseases of the heart	946	3	.....	2	1	.....	5	12	15	31	64	107	238	300	149	14	.....	5
80	Angina pectoris	84	.....	.....	.....	.....	.....	.....	.....	.....	2	12	13	20	26	10	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	326	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10	52	118	125	17	.....	3
82	Embolism and thrombosis	48	2	.....	.....	.....	.....	.....	.....	4	2	1	4	11	17	5	1	.....	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	891	135	42	19	11	7	6	18	31	51	60	74	127	161	112	30	.....	7
86	Diseases of the nasal fossae	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	4	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
88	Diseases of the thyroid body	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	73	33	5	8	2	1	.....	.....	.....	.....	.....	1	2	8	9	4	.....	.....
90	Chronic bronchitis	55	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	7	18	17	7	.....	1
91	Bronchopneumonia	186	60	23	5	2	.....	2	2	1	3	3	6	14	30	28	5	.....	2
92	Pneumonia (total)	521	39	14	4	7	6	2	15	23	40	52	63	94	93	52	13	.....	4
	Lobar pneumonia	384	24	8	3	5	3	1	13	18	30	41	55	72	57	40	10	.....	4
	Pneumonia (undefined)	137	15	6	1	2	3	1	2	5	10	11	8	22	36	12	3	.....	.....
93	Pleurisy	19	1	.....	.....	.....	.....	1	1	2	3	1	.....	6	4	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	12	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	3	5	1	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
96	Asthma	10	.....	.....	1	.....	.....	.....	.....	1	1	1	1	2	3	.....	.....	.....	.....
97	Pulmonary emphysema	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
98	Other diseases of the respiratory system. (tuberculosis excepted)	4	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	1	.....	.....	.....	.....
	V.—Diseases of the digestive system	665	246	47	10	11	9	15	24	26	32	32	40	67	59	37	9	.....	1
99	Diseases of the mouth and annexa	5	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	1	.....	.....	.....	.....
100	Diseases of the pharynx	19	1	1	.....	1	.....	4	3	1	.....	.....	1	2	3	2	.....	.....	.....
101	Diseases of the esophagus	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	23	.....	.....	.....	.....	.....	.....	.....	2	2	4	4	4	4	2	1	.....	.....
103	Other diseases of the stomach (cancer excepted)	49	17	2	1	.....	1	1	1	2	3	1	4	4	4	5	3	.....	.....
104	Diarrhea and enteritis (under 2 years)	257	218	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	66	.....	.....	7	6	4	2	3	1	6	3	3	11	11	9	.....	.....	.....
107	Intestinal parasites	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	55	.....	1	2	1	1	6	14	11	5	6	3	4	1	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	64	5	2	.....	1	1	1	.....	2	1	2	7	17	15	6	3	.....	1
	Hernia	23	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	9	4	5	.....	.....	1
	Intestinal obstruction	41	4	2	.....	1	1	1	.....	2	1	1	5	8	11	1	3	.....	.....
110	Other diseases of the intestines	10	1	.....	.....	.....	1	.....	1	.....	2	.....	2	2	1	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	1	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	58	.....	.....	.....	.....	.....	.....	.....	2	8	9	11	13	8	6	1	.....	.....
114	Biliary calculi	14	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	5	2	2	.....	.....	.....
115	Other diseases of the liver	23	2	2	.....	.....	.....	.....	1	.....	.....	1	4	3	5	4	1	.....	.....
116	Diseases of the spleen	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	11	1	.....	.....	.....	1	1	1	1	2	1	.....	.....	3	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	622	11	3	1	1	.....	3	12	9	31	56	100	142	167	71	11	.....	4
119	Acute nephritis	37	6	1	.....	1	.....	1	3	1	3	4	4	5	7	1	.....	.....	.....
120	Bright's disease	506	3	2	.....	.....	.....	2	9	3	22	41	87	124	145	55	9	.....	4
122	Other diseases of the kidneys and annexa	11	1	.....	1	.....	.....	.....	.....	.....	1	1	2	4	1	.....	.....	.....	.....
123	Calculi of the urinary passages	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....
124	Diseases of the bladder	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....
126	Diseases of the prostate	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	8	9	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	10	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	1	2	1	.....	.....	.....
130	Other diseases of the uterus	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	6	.....	.....	.....	.....	.....	.....	.....	2	.....	3	.....	.....	.....	.....	1	.....	.....
132	Salpingitis and other diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	.....	3	2	3	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	67	.....	.....	.....	.....	.....	.....	4	31	29	3	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	12	.....	.....	.....	.....	.....	.....	1	5	5	1	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	20	.....	.....	.....	.....	.....	.....	.....	10	9	1	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	24	.....	.....	.....	.....	.....	.....	3	11	10	.....	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW HAMPSHIRE—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	21	3										1	4	5	7	1		
142	Gangrene	14												3	4	6	1		
143	Furuncle	3	1											1	1	1			
144	Acute abscess	1	1																
145	Other diseases of the skin and annexa	3	2										1						
	IX.—Diseases of the bones and of the organs of locomotion	12	1						3		2	2	3			1			
146	Diseases of the bones (tuberculosis excepted)	10	1						3		2	2	2						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2											1			1			
	X.—Malformations	76	70	4	2														
150	Congenital malformations (stillbirths not included) (total)	76	70	4	2														
	Hydrocephalus	3	3																
	Congenital malformations of the heart	41	35	4	2														
	Other congenital malformations	32	32																
	XI.—Early infancy	420	420																
151	Congenital debility, icterus, and sclerema (total)	351	351																
	Premature birth	247	247																
	Congenital debility, "atrophy," "maramus," etc	104	104																
152	Other causes peculiar to early infancy (total)	69	69																
	Injuries at birth	41	41																
	Other causes peculiar to early infancy [1]	28	28																
	XII.—Old age	140												5	19	80	34	1	1
154	Senility	140												5	19	80	34	1	1
	XIII.—External causes	460	10	8	7	6	5	15	41	70	56	61	60	44	37	22	6		11
	Suicide (total)	79							4	13	17	16	12	9	6	1			2
155	By poison	13								2	6	4	1						
156	By asphyxia	7								2	1	2	1	1					
157	By hanging or strangulation	20							2	1	3	4	2	5	2	1			
158	By drowning	3										1	1		1				
159	By firearms	33							2	8	6	5	5	3	3				1
160	By cutting or piercing instruments	3									1		2						
	Accidental or undefined (total)	371	10	7	6	6	5	15	36	56	36	43	48	35	31	20	6		11
164	Poisoning by food	6				1		1	1			1		2					
165	Other acute poisonings	10	2	4			1				1		1			1			
166	Conflagration	11			1						1	1	6		1				1
167	Burns (conflagration excepted)	23		1	3	1		2	3	4	3	4	2						
168	Absorption of deleterious gases (conflagration excepted)	25	5						1	5	5	2	2	2	2				1
169	Accidental drowning	52		1	2	1	1	6	14	12	3	5	6	1					
170	Traumatism by firearms	5							2	1			1	1					
172	Traumatism by fall	74		1			2	1		2	3	5	6	10	20	16	6		2
174	Traumatism by machines	10							1	3	2	1	1	1	1				
175	Traumatism by other crushing (total)	102				1	1	4	12	23	10	14	18	10	4	2			3
	Railroad accidents and injuries	54					1		9	10	9	7	10	5	1	1			1
	Street-car accidents and injuries	2											1	1					
	Automobile accidents and injuries	34				1		4	3	10	1	5	4	3	1				2
	Injuries by other vehicles	10								3		1	2	1	2	1			
	Landslide, other crushing	2										1	1						
176	Injuries by animals	4						1			1		1	1					
178	Excessive cold	6										1	1	1		1			2
179	Effects of heat	7	1								1	2	2		1				
180	Lightning	3									1	2							
181	Electricity (lightning excepted)	8								4	1	2							1
186	Other external violence	25	2			2			2	2	4	3	1	6	2				1
	Homicide (total)	10		1	1				1	1	3	2				1			
182	By firearms	5								1	2	1				1			
184	By other means	5		1	1				1		1	1							
	XIV.—Ill-defined diseases	32	7	4	1	1	1			1			6	3	5	2			1
188	Sudden death	9	1										1	2	4	1			
189	Not specified or ill-defined (total)	23	6	4	1	1	1			1			5	1	1	1			1
	Ill-defined	18	5	3	1					1			4	1	1	1			1
	Not specified or unknown	5	1	1		1	1						1						

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW JERSEY.																		
	All causes	43,801	7,554	1,462	581	370	293	856	1,493	2,985	3,753	4,584	5,429	5,923	5,542	2,607	354	6	9
	I.—General diseases	10,498	611	347	217	125	101	311	566	1,345	1,424	1,555	1,559	1,286	809	212	29	1	
1	Typhoid fever	199	2		1	1	1	12	41	54	25	33	16	8	4	1			
4	Malaria	6						1			1		3	1					
6	Measles	143	49	43	22	8	3	10	4	3	1								
7	Scarlet fever	56	5	7	14	2	3	11	8	5				1					
8	Whooping cough	293	149	94	30	9	4	6			1								
9	Diphtheria and croup	447	27	77	73	57	44	129	27	2	4	2	4			1			
10	Influenza	417	48	16	9	6	4	9	13	14	24	28	38	50	89	53	15	1	
13	Cholera nostras	6	2										2	1		1			
14	Dysentery	48	11	2	1		2	2	1	1	3	3	1	6	9	6			
17	Leprosy	1								1									
18	Erysipelas	83	27	2	1			2		6	2	8	12	8	7	5	3		
19	Other epidemic diseases	21	6	5	1	2	1	3	1					1		1			
20	Purulent infection and septicemia	11	4	1				1		1	1	1		1	1				
22	Anthrax	6								1	2	1	1	1					
23	Rabies	3				1								1		1			
24	Tetanus	52	12				1	11	4	7	6	4	4	3					
26	Pellagra	2									2								
	Tuberculosis (total)	4,619	120	73	46	27	26	69	374	1,113	1,058	870	537	215	77	13	1		
28	Tuberculosis of the lungs	3,971	33	18	5	6	4	19	289	1,016	987	815	500	198	69	11	1		
29	Acute miliary tuberculosis	153	4	4		2	2	1	27	43	34	16	13	5	2				
30	Tuberculous meningitis	251	66	43	33	16	14	29	24	14	8	2	2						
31	Abdominal tuberculosis	108	9	6	4	1	3	7	17	15	16	16	5	5	3	1			
32	Pott's disease	41			1		1	6	10	7	2	4	5	4	1				
33	White swellings	25	1	1	1	1	1	4	2	5	2	4	1	2					
34	Tuberculosis of other organs	50	6	1			1	2	3	11	6	8	9	1	2				
35	Disseminated tuberculosis	20	1		2	1		1	2	2	3	5	2			1			
36	Rickets	46	28	9	4	1	1	3											
37	Syphilis	199	71	6	3		2	1	2	18	32	24	24	14	2				
38	Gonococcus infection	22	2						3	9	1	6	1						
	Cancer and other malignant tumors (total)	2,529	2	1	6	1	1	6	13	38	142	402	652	695	454	111	5		
39	Of the buccal cavity	96			2			1	1	1	7	11	23	24	20	6			
40	Of the stomach, liver	940							3	4	38	135	267	285	176	31	1		
41	Of the peritoneum, intestines, rectum	378			1					8	7	59	92	112	78	20	1		
42	Of the female genital organs	363							1	7	43	84	112	72	35	9			
43	Of the breast	285								3	16	61	75	70	42	18			
44	Of the skin	71								2	2	2	8	12	34	10	1		
45	Of other organs or of organs not specified	396	2	1	3	1	1	5	8	13	29	50	75	120	69	17	2		
46	Other tumors (tumors of the female genital organs excepted)	2											1	1					
47	Acute articular rheumatism	160	4	3	1	4	3	26	43	14	11	20	9	15	6	1			
48	Chronic rheumatism and gout	33							1		4	3	7	9	7	2			
49	Scurvy	2	1										1						
50	Diabetes	637		1	2	2	3	4	13	22	31	67	156	197	125	9	5		
51	Exophthalmic goiter	35							1	6	10	9	6	1	1	1			
52	Addison's disease	11								1	2	2	5	1					
53	Leukemia	63	4	3		2		3	10	5	8	13	6	6	3				
54	Anemia, chlorosis	129	6	2			2	1	5	5	13	15	33	27	15	5			
55	Other general diseases	48	31	2	3	2		1	2	2	1		1	2	1				
56	Alcoholism (acute or chronic)	155								16	37	38	35	20	8	1			
57	Chronic lead poisoning	9								1		4	3	1					
58	Other chronic occupation poisonings	4									2	1	1						
59	Other chronic poisonings	1										1							
	II.—Diseases of the nervous system and of the organs of special sense	4,236	168	51	37	21	19	64	86	89	193	366	642	938	1,001	504	56	1	
60	Encephalitis	22	5	1	1	1	1	1	1	2	3	3	1		1	1			
61	Meningitis (total)	258	66	31	23	11	10	33	29	15	12	14	9	4	1				
	Simple meningitis	119	39	15	12	6	6	10	7	4	3	7	7	3					
	Cerebrospinal meningitis (undefined)	39	10	4	3	1	1	6	8	2		2	1	1					
	Cerebrospinal fever	100	17	12	8	4	3	17	14	9	9	5	1		1				
62	Locomotor ataxia	67								2	5	14	18	20	5	2	1		
63	Other diseases of the spinal cord (total)	201	5	6	5	3	5	6	11	7	15	14	20	50	39	14	1		
	Acute anterior poliomyelitis	41	5	6	5	3	4	4	8	1	1	1		1	2				
	Other diseases of the spinal cord [1]	160					1	2	3	6	14	13	20	49	37	14	1		
64	Cerebral hemorrhage, apoplexy	2,861	3	3					1	18	56	196	471	767	856	440	49	1	
65	Softening of the brain	25												6	13	5	1		
66	Paralysis without specified cause	135	2							2	2	11	10	30	46	30	2		
67	General paralysis of the insane	237							2	3	48	65	64	31	19	5			
68	Other forms of mental alienation	68							1	12	16	12	13	9	3	2			
69	Epilepsy	106	3			1		6	20	13	19	20	11	9	3	1			
70	Convulsions (nonpuerperal)	4						1		1	2								
71	Convulsions of infants	70	58	5	4	1	2												
72	Chorea	4	1	1				1							1				
73	Neuralgia and neuritis	16				1					1	2	7	2	1		2		
74	Other diseases of the nervous system	107	13	2	1	1	1	10	10	6	12	12	15	8	12	4			
75	Diseases of the eyes and their annexa	1				1													
76	Diseases of the ears	54	12	2	3	1		6	11	8	2	3	3	2	1				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW JERSEY—Continued.																	
	III.—Diseases of the circulatory system	6,549	60	19	10	9	5	78	177	255	384	651	1,017	1,407	1,559	804	113	1	
77	Pericarditis	27						1	4	1	4	5	3	5	1	2	1		
78	Acute endocarditis	413	23	5	6	4	1	19	30	41	47	87	101	24	19	4	2		
79	Organic diseases of the heart	5,101	27	9	3	3	4	53	136	205	307	506	790	1,169	1,241	577	70	1	
80	Angina pectoris	236							1		6	12	59	70	60	27	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	595							2		6	18	41	107	209	175	37		
82	Embolism and thrombosis	132	1		1			3	3	8	12	17	17	26	25	17	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	20									2	6	5	4	1	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	18	8	5		2		2					1						
85	Hemorrhage; other diseases of the circulatory system	7	1						1					2	3				
	IV.—Diseases of the respiratory system	6,169	1,415	486	147	88	60	105	140	306	454	564	629	694	664	366	50	1	
86	Diseases of the nasal fossae	6	2				2		1	1									
87	Diseases of the larynx	39	14	3	5	1	2	4		1		3	4	1	1				
88	Diseases of the thyroid body	8							1	2		2	2			1			
89	Acute bronchitis	369	225	33	9	4	1	2	1	3	4	2	7	15	23	32	8		
90	Chronic bronchitis	164	2	3				2	3	3	4	10	7	33	46	42	9		
91	Bronchopneumonia	1,600	676	228	53	32	32	31	14	22	27	30	65	112	149	117	11	1	
92	Pneumonia (total)	3,654	466	200	75	46	21	59	110	256	401	472	502	490	400	141	15		
	Lobar pneumonia	3,319	409	177	63	39	21	55	99	242	380	440	459	453	357	115	10		
	Pneumonia (undefined)	335	57	23	12	7		4	11	14	21	32	43	37	43	26	5		
93	Pleurisy	144	15	16	4	5	2	4	7	14	5	17	19	15	13	6	2		
94	Pulmonary congestion, pulmonary apoplexy	70	13	2	1			1	1		2	3	1	11	13	17	5		
95	Gangrene of the lung	12						1	1	1	2	2	2	2		1			
96	Asthma	62		1						1	3	14	14	10	12	7			
97	Pulmonary emphysema	10	1									1	1	3	3	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	31	1					1	1	2	6	8	5	2	4	1			
	V.—Diseases of the digestive system	4,620	2,226	448	83	52	41	63	100	134	204	303	330	277	254	93	10	1	1
99	Diseases of the mouth and annexa	21	10					2	2		3		3	1					
100	Diseases of the pharynx	80	5	8	2	7	1	10	9	9	10	5	7	3	3	1			
101	Diseases of the esophagus	5	1		1									2	1				
102	Ulcer of the stomach	137	1					2	1	16	24	41	24	13	12	3			
103	Other diseases of the stomach (cancer excepted)	193	75	7	1	1	4	2	1	6	3	13	16	22	27	14	1		
104	Diarrhea and enteritis (under 2 years)	2,507	2,083	424															
105	Diarrhea and enteritis (2 years and over)	374			71	42	29	17	19	19	21	26	28	32	42	24	4		
108	Appendicitis and typhlitis	284	2			2	3	20	58	56	54	44	23	12	9	1			
109	Hernia, intestinal obstruction (total)	283	39	6	6		2	7	5	7	16	29	48	47	48	19	3	1	
	Hernia	142	7	3	1		1			3	8	16	25	31	33	12	1	1	
	Intestinal obstruction	141	32	3	5		1	7	5	4	8	13	23	16	15	7	2		
110	Other diseases of the intestines	77	2	1	1			2	1	4	12	8	10	16	12	7	1		
111	Acute yellow atrophy of the liver	7									2	1	1		3				
112	Hydatid tumor of the liver	1								1									
113	Cirrhosis of the liver	445	1	1				1		6	43	100	136	84	55	17	1		
114	Biliary calculi	86								2	8	17	15	25	17	2			
115	Other diseases of the liver	72	7						2	3	3	10	12	14	17	3			1
116	Diseases of the spleen	4		1					1			1			1				
117	Simple peritonitis (nonpuerperal)	24			1		2		1	2	3	3	4	2	4	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	20								3	2	5	3	4	3				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	4,312	30	18	11	5	3	21	71	164	336	554	775	951	948	387	37		1
119	Acute nephritis	287	19	13	7	4	1	9	22	36	38	32	39	37	16	12	1		1
120	Bright's disease	3,691	6	5	3	1	2	10	44	105	248	470	698	859	870	337	33		
122	Other diseases of the kidneys and annexa	49	4		1			1		4	4	5	9	12	5	3	1		
123	Calculi of the urinary passages	13								1	5	1	1	2	3				
124	Diseases of the bladder	29								1	1	1	3	8	6	9			
125	Diseases of the urethra, urinary abscess, etc	8									2	1	3		2				
126	Diseases of the prostate	90							1				2	22	39	24	2		
127	Nonvenereal diseases of the male genital organs	3	1							1				1					
128	Uterine hemorrhage (nonpuerperal)	2										1	1						
129	Uterine tumor (noncancerous)	47								1	11	16	10	5	3	1			
130	Other diseases of the uterus	26						1	1	3	8	8	2	1	1	1			
131	Cysts and other tumors of the ovary	23							1		4	8	5	3	2				
132	Salpingitis and other diseases of the female genital organs	43							2	12	15	11	2	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	1													1				
	VII.—The puerperal state	433							28	191	177	37							
134	Accidents of pregnancy	29								13	15	1							
135	Puerperal hemorrhage	50							1	18	22	9							
136	Other accidents of labor	43							1	16	23	3							
137	Puerperal septicemia	167							11	80	63	13							
138	Puerperal albuminuria and convulsions	122							14	56	44	8							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	21							1	8	9	3							
140	Following childbirth (not otherwise defined)	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW JERSEY—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	110	21	1	.....	.....	1	3	3	4	6	7	14	11	17	19	3	.....	.....
142	Gangrene	48	1	.....	.....	.....	.....	1	.....	.....	1	3	4	8	11	16	3	.....	.....
143	Furuncle	16	2	.....	.....	.....	.....	1	1	1	2	1	7	.....	1	.....	.....	.....	.....
144	Acute abscess	23	9	1	.....	.....	.....	1	2	.....	1	3	2	1	3	.....	.....	.....	.....
145	Other diseases of the skin and annexa	23	9	.....	.....	.....	1	.....	.....	3	2	.....	1	2	2	3	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	93	13	2	4	3	.....	13	14	7	7	12	11	4	3	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	82	12	2	4	3	.....	12	12	6	7	11	8	4	1	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	9	1	.....	.....	.....	.....	.....	1	1	.....	1	3	.....	2	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	606	574	13	3	5	4	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	606	574	13	3	5	4	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	55	41	6	1	3	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	369	357	5	1	1	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	182	176	2	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	2,319	2,319	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,802	1,802	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,434	1,434	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	368	368	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	505	505	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	292	292	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	213	213	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	12	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	242	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	20	72	115	33	1	.....
154	Senility	242	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	20	72	115	33	1	.....
	XIII.—External causes	3,552	91	61	.65	59	58	194	306	488	568	531	447	333	214	107	23	.....	7
	Suicide (total)	428	.....	.....	.....	.....	.....	.....	16	60	94	89	83	56	27	2	1	.....	.....
155	By poison	52	.....	.....	.....	.....	.....	.....	3	15	14	3	6	6	3	2	.....	.....	.....
156	By asphyxia	135	.....	.....	.....	.....	.....	.....	8	18	25	26	36	15	6	.....	1	.....	.....
157	By hanging or strangulation	73	.....	.....	.....	.....	.....	.....	.....	5	15	20	12	14	7	.....	.....	.....	.....
158	By drowning	22	.....	.....	.....	.....	.....	.....	1	3	6	6	1	3	2	.....	.....	.....	.....
159	By firearms	94	.....	.....	.....	.....	.....	.....	4	14	17	21	17	13	8	.....	.....	.....	.....
160	By cutting or piercing instruments	34	.....	.....	.....	.....	.....	.....	.....	1	11	9	8	4	1	.....	.....	.....	.....
161	By jumping from high places	8	.....	.....	.....	.....	.....	.....	.....	1	3	1	2	1	.....	.....	.....	.....	.....
162	By crushing	9	.....	.....	.....	.....	.....	.....	.....	3	3	3	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	2,945	79	61	65	58	57	191	275	376	414	426	352	272	185	105	22	.....	7
164	Poisoning by food	25	1	2	1	3	1	1	3	3	4	1	4	.....	1	.....	.....	.....	.....
165	Other acute poisonings	39	1	2	3	1	4	2	4	7	8	4	2	1	.....	.....	.....	.....	.....
166	Conflagration	81	1	1	1	2	1	7	6	15	11	10	12	4	2	2	.....	.....	.....
167	Burns (conflagration excepted)	303	7	29	33	25	29	31	15	27	23	29	21	14	16	3	1	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	214	25	1	1	.....	1	3	10	22	25	36	32	41	13	4	.....	.....	.....
169	Accidental drowning	329	.....	3	5	5	4	28	80	67	46	46	27	9	5	3	.....	.....	1
170	Traumatism by firearms	29	.....	.....	1	1	1	3	8	5	2	6	2	.....	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	5	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....
172	Traumatism by fall	481	11	8	6	3	9	15	13	21	51	53	60	65	88	61	17	.....	.....
173	Traumatism in mines and quarries (total)	8	.....	.....	.....	.....	.....	.....	.....	7	1	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in mines	8	.....	.....	.....	.....	.....	.....	.....	7	1	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	78	.....	.....	.....	.....	.....	.....	14	20	17	13	5	8	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	927	1	5	6	13	5	91	104	143	158	159	118	74	41	9	.....	.....	.....
	Railroad accidents and injuries	412	.....	.....	3	.....	.....	12	41	82	86	73	61	36	17	1	.....	.....	.....
	Street-car accidents and injuries	80	.....	1	.....	1	2	3	9	9	14	13	13	9	3	3	.....	.....	.....
	Automobile accidents and injuries	343	1	2	2	12	3	66	45	39	40	57	29	25	18	4	.....	.....	.....
	Injuries by other vehicles	80	.....	2	1	.....	.....	10	9	10	18	12	11	4	2	1	.....	.....	.....
	Landslide, other crushing	12	.....	.....	.....	.....	.....	.....	.....	3	.....	4	4	.....	1	.....	.....	.....	.....
176	Injuries by animals	12	.....	.....	.....	.....	.....	1	1	1	2	2	3	2	.....	.....	.....	.....	.....
177	Starvation	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
178	Excessive cold	19	.....	.....	.....	.....	.....	.....	.....	1	1	.....	6	7	2	2	.....	.....	.....
179	Effects of heat	221	27	4	4	2	.....	2	3	8	32	43	35	29	13	15	4	.....	.....
180	Lightning	7	.....	.....	.....	.....	.....	1	1	1	.....	1	1	2	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	20	.....	.....	.....	.....	.....	1	2	7	6	2	2	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	14	.....	.....	.....	.....	.....	.....	1	.....	4	2	1	1	1	4	.....	.....	.....
186	Other external violence	131	5	6	4	3	2	4	10	21	23	17	20	13	2	1	.....	.....	.....
	Homicide (total)	179	12	.....	.....	1	1	3	15	52	60	16	12	5	2	.....	.....	.....	.....
182	By firearms	98	.....	.....	.....	.....	.....	1	9	33	37	10	7	1	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	24	.....	.....	.....	.....	.....	1	1	6	10	4	1	1	.....	.....	.....	.....	.....
184	By other means	57	12	.....	.....	1	1	1	5	13	13	2	4	3	2	.....	.....	.....	.....
	XIV.—Ill-defined diseases	62	26	16	4	3	1	1	.....	.....	.....	4	4	2	1	.....	.....	.....	.....
187	Ill-defined organic disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
188	Sudden death	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
189	Not specified or ill-defined (total)	58	25	16	4	3	1	1	.....	.....	.....	4	4	.....	.....	.....	.....	.....	.....
	Ill-defined	52	20	16	4	3	1	1	.....	.....	.....	3	4	.....	.....	.....	.....	.....	.....
	Not specified or unknown	6	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK.																	
	All causes	153,959	22,474	4,738	1,980	1,280	975	2,363	4,528	10,040	13,286	16,980	20,309	22,053	20,452	10,309	1,571	48	73
	I.—General diseases	39,793	2,275	1,497	827	585	412	1,053	1,808	4,703	5,475	6,066	6,095	4,888	2,956	1,015	123	4	11
1	Typhoid fever	589	2	3	7	5	5	36	109	152	104	82	43	20	16	4	.....	.....	1
2	Typhus fever	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
4	Malaria	28	.....	.....	.....	.....	.....	.....	2	6	2	4	6	6	1	1	.....	.....	.....
5	Smallpox	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
6	Measles	931	238	367	144	62	28	44	15	10	7	7	4	4	1	.....	.....	.....	.....
7	Scarlet fever	283	10	30	39	45	30	62	37	16	8	2	2	.....	1	1	.....	.....	.....
8	Whooping cough	903	482	241	80	48	23	24	1	.....	.....	1	1	2	.....	.....	.....	.....	.....
9	Diphtheria and croup	1,753	168	351	275	239	153	413	72	26	28	9	8	8	3	.....	.....	.....	.....
10	Influenza	1,501	156	59	22	12	5	26	26	57	60	102	130	215	285	286	59	1	.....
13	Cholera nostras	7	1	1	.....	.....	.....	2	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
14	Dysentery	165	30	14	12	4	6	5	2	3	4	9	7	17	24	21	4	1	2
17	Leprosy	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....
18	Erysipelas	435	174	9	4	.....	.....	2	6	12	28	43	63	45	31	14	4	.....	.....
19	Other epidemic diseases	56	18	17	5	4	.....	7	1	.....	1	2	.....	1	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	95	18	.....	1	.....	1	4	9	9	10	10	11	6	9	7	.....	.....	.....
21	Glanders	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	11	.....	.....	.....	.....	.....	.....	.....	3	5	1	2	.....	.....	.....	.....	.....	.....
23	Rabies	5	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	1	.....	.....	.....	.....
24	Tetanus	91	18	.....	1	.....	3	8	13	5	15	12	4	9	3	.....	.....	.....	.....
25	Mycoses	7	.....	.....	.....	.....	.....	.....	.....	2	3	.....	1	.....	1	.....	.....	.....	.....
26	Pellagra	29	.....	.....	.....	.....	.....	.....	.....	4	9	6	3	5	1	1	.....	.....	.....
27	Beriberi	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	16,715	363	341	192	121	123	302	1,250	3,831	3,881	3,132	1,950	850	301	63	9	1	5
28	Tuberculosis of the lungs	14,215	80	52	25	15	20	79	1,000	3,472	3,607	2,903	1,828	786	271	59	8	1	4
29	Acute miliary tuberculosis	616	41	40	9	11	5	23	70	169	114	83	33	12	6	.....	.....	.....	.....
30	Tuberculous meningitis	1,099	210	209	136	81	80	149	82	61	46	28	12	3	2	.....	.....	.....	.....
31	Abdominal tuberculosis	337	19	20	12	9	5	17	37	49	58	48	38	17	6	2	.....	.....	.....
32	Pott's disease	127	2	2	.....	2	7	16	23	24	9	18	10	5	6	2	1	.....	.....
33	White swellings	81	2	3	3	.....	.....	9	17	15	7	7	6	10	2	.....	.....	.....	.....
34	Tuberculosis of other organs	183	7	9	5	3	3	6	17	36	23	33	18	16	7	.....	.....	.....	.....
35	Disseminated tuberculosis	57	2	6	2	.....	3	3	4	5	17	7	5	1	1	.....	.....	.....	1
36	Rickets	63	44	12	2	.....	1	.....	1	1	.....	.....	.....	1	1	.....	.....	.....	.....
37	Syphilis	1,254	378	22	8	3	2	5	9	79	203	245	198	79	21	2	.....	.....	.....
38	Gonococcus infection	69	3	.....	.....	.....	.....	1	5	23	21	14	.....	1	.....	1	.....	.....	.....
	Cancer and other malignant tumors (total)	9,782	7	9	7	7	4	12	37	147	617	1,613	2,599	2,532	1,689	469	30	1	2
39	Of the buccal cavity	333	.....	1	.....	.....	.....	2	1	2	8	57	87	87	63	22	3	.....	.....
40	Of the stomach, liver	3,596	1	.....	1	2	.....	2	1	27	152	474	1,014	1,073	682	158	7	.....	2
41	Of the peritoneum, intestines, rectum	1,508	2	1	4	.....	.....	3	4	29	97	211	385	383	317	70	2	.....	.....
42	Of the female genital organs	1,313	.....	.....	.....	.....	.....	.....	3	23	138	337	393	251	134	32	2	.....	.....
43	Of the breast	1,020	.....	.....	.....	.....	.....	.....	.....	12	92	248	259	222	134	49	4	.....	.....
44	Of the skin	248	.....	.....	.....	1	.....	.....	.....	1	8	18	43	62	54	55	5	1	.....
45	Of other organs or of organs not specified	1,764	4	7	2	4	4	5	28	53	122	268	418	454	305	83	7	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	46	2	.....	.....	.....	.....	1	.....	2	3	9	7	8	11	3	.....	.....	.....
47	Acute articular rheumatism	470	4	3	6	16	11	50	96	60	41	52	37	50	28	13	3	.....	.....
48	Chronic rheumatism and gout	118	.....	.....	.....	1	.....	.....	.....	1	2	11	23	31	31	16	2	.....	.....
49	Scurvy	11	7	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	2,437	2	3	6	9	7	23	61	95	109	280	631	727	387	89	8	.....	.....
51	Exophthalmic goiter	181	.....	.....	.....	.....	.....	.....	6	27	39	45	35	21	7	1	.....	.....	.....
52	Addison's disease	54	.....	.....	.....	.....	.....	.....	.....	5	11	8	13	13	3	1	.....	.....	.....
53	Leukemia	226	8	2	6	5	4	14	18	32	22	40	38	28	9	.....	.....	.....	.....
54	Anemia, chlorosis	547	16	3	2	.....	1	4	18	23	40	91	130	137	64	16	2	.....	.....
55	Other general diseases	216	126	8	7	4	5	8	8	9	4	8	8	5	10	4	2	.....	.....
56	Alcoholism (acute or chronic)	640	.....	.....	.....	.....	.....	.....	.....	46	180	213	128	59	11	2	.....	.....	1
57	Chronic lead poisoning	19	.....	.....	.....	.....	.....	.....	.....	.....	5	7	7	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	40	.....	.....	.....	.....	.....	.....	3	13	7	4	4	4	5	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	13,862	413	128	80	70	55	179	241	345	698	1,377	2,255	3,061	3,249	1,527	178	2	4
60	Encephalitis	53	4	.....	.....	1	1	4	8	9	8	11	2	4	1	.....	.....	.....	.....
61	Meningitis (total)	642	153	54	38	31	21	83	67	59	41	35	33	13	11	3	.....	.....	.....
	Simple meningitis	281	65	22	15	12	6	28	28	24	23	16	18	12	9	3	.....	.....	.....
	Cerebrospinal meningitis (undefined)	136	29	14	8	4	6	30	11	12	7	7	6	.....	2	.....	.....	.....	.....
	Cerebrospinal fever	225	59	18	15	15	9	25	28	23	11	12	9	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	258	.....	.....	.....	.....	.....	.....	.....	2	14	44	86	72	30	9	1	.....	.....
63	Other diseases of the spinal cord (total)	681	19	22	15	14	13	22	40	23	41	72	99	136	116	44	4	.....	1
	Acute anterior poliomyelitis	116	15	19	13	11	11	19	16	4	1	4	2	.....	.....	.....	1	.....	.....
	Other diseases of the spinal cord [1]	565	4	3	2	3	2	3	24	19	40	68	97	136	116	44	3	.....	1
64	Cerebral hemorrhage, apoplexy	9,340	9	2	1	3	.....	4	9	50	173	705	1,626	2,512	2,787	1,302	153	2	2
65	Softening of the brain	106	.....	.....	.....	.....	.....	.....	1	1	.....	3	7	22	41	30	1	.....	.....
66	Paralysis without specified cause	403	1	.....	2	.....	1	1	1	1	6	17	37	95	146	81	14	.....	.....
67	General paralysis of the insane	928	.....	.....	.....	.....	.....	.....	2	32	220	281	212	98	55	24	4	.....	.....
68	Other forms of mental alienation	193	.....	.....	.....	.....	.....	.....	8	33	42	36	32	21	12	9	.....	.....	.....
69	Epilepsy	378	7	2	3	4	2	17	47	70	72	56	39	33	18	8	.....	.....	.....
70	Convulsions (nonpuerperal)	4	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	152	129	14	4	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	9	.....	.....	.....	.....	.....	.....	2	1	2	3	1	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	62	.....	.....	.....	.....	.....	.....	.....	4	9	21	8	10	6	4	.....	.....	.....
74	Other diseases of the nervous system	420	29	17	5	11	10	20	36	45	53	74	56	37	19	7	1	.....	.....
75	Diseases of the eyes and their annexa	13	3	1	1	.....	1	2	1	.....	.....	.....	.....	.....	3	1	.....	.....	.....
76	Diseases of the ears	220	59	16	11	3	4	23	19	14	17	19	17	8	4	5	.....	.....	1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK—Continued.																	
	III.—Diseases of the circulatory system	26,179	199	26	26	20	30	230	589	776	1,303	2,298	3,829	5,821	6,708	3,756	539	15	14
77	Pericarditis	98	1				1	5	1	8	8	15	11	22	16	7	2	1	
78	Acute endocarditis	1,295	72	10	6	7	6	48	93	134	186	282	375	33	26	13	4		
79	Organic diseases of the heart	20,335	74	9	14	13	19	174	485	598	1,022	1,774	2,974	4,853	5,256	2,716	332	10	12
80	Angina pectoris	866							1	6	26	93	163	258	238	71	9		1
81	Diseases of the arteries, atheroma, aneurism, etc.	2,984	1						1	10	24	82	217	527	1,045	888	184	4	1
82	Embolism and thrombosis	441	7	1				1	5	14	25	38	71	107	113	54	5		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	75	3						1	2	10	13	15	16	8	5	2		
84	Diseases of the lymphatic system (lymphangitis, etc.)	63	39	6	6		4	1	1	3				1	2				
85	Hemorrhage; other diseases of the circulatory system	22	2					1	1	1	2	1	3	4	4	2	1		
	IV.—Diseases of the respiratory system	21,111	4,111	1,669	562	242	168	334	444	935	1,604	2,103	2,416	2,416	2,426	1,398	272	9	2
86	Diseases of the nasal fossae	10	1		1					3	1			2	1	1			
87	Diseases of the larynx	72	7	11	5	5	4	9	3		3	7	2	5	7	4			
88	Diseases of the thyroid body	64		1					5	6	21	9	13	6	3				
89	Acute bronchitis	1,283	738	118	32	13	10	12	8	7	12	19	31	41	95	116	29	2	
90	Chronic bronchitis	639	13	7	3	2	1	3	2	11	15	25	55	108	204	147	43		
91	Bronchopneumonia	6,091	2,321	877	244	97	49	116	74	84	135	180	313	440	630	439	88	3	1
92	Pneumonia (total)	11,994	958	591	247	113	101	181	326	771	1,356	1,742	1,877	1,688	1,357	598	84	3	1
	Lobar pneumonia	11,016	841	542	222	102	89	165	303	723	1,300	1,655	1,749	1,568	1,197	489	68	2	1
	Pneumonia (undefined)	978	117	49	25	11	12	16	23	48	56	87	128	120	160	109	16	1	
93	Pleurisy	483	43	58	29	11	3	11	21	35	36	69	60	51	40	14	2		
94	Pulmonary congestion, pulmonary apoplexy	193	20	4					3	3	2	6	7	16	48	63	21		
95	Gangrene of the lung	23		1				1		3	4	5	6	3					
96	Asthma	150	2			1			1	4	9	21	36	35	29	9	3		
97	Pulmonary emphysema	20	2					1					2	4	7	2	1	1	
98	Other diseases of the respiratory system (tuberculosis excepted)	89	6	1	1				1	8	10	20	14	17	5	5	1		
	V.—Diseases of the digestive system	13,760	5,489	1,059	247	159	96	279	330	531	785	1,132	1,248	1,134	821	382	63	4	1
99	Diseases of the mouth and annexa	73	21	5	1		2	5	2	4	3	10	6	4	6	3	1		
100	Diseases of the pharynx	298	33	22	12	15	9	43	34	36	30	25	13	14	7	4	1		
101	Diseases of the esophagus	22						2	1	3		5	2	5	4				
102	Ulcer of the stomach	547						1	6	52	85	131	101	86	66	15	3	1	
103	Other diseases of the stomach (cancer excepted)	566	169	24	13	3	3	5	5	13	29	41	50	56	81	53	21		
104	Diarrhea and enteritis (under 2 years)	6,042	5,074	968															
105	Diarrhea and enteritis (2 years and over)	1,121			186	100	48	59	20	54	71	103	104	126	139	93	17	1	
107	Intestinal parasites	8	1	1	2					1	2	1							
108	Appendicitis and typhlitis	1,200	6	8	14	25	22	109	199	210	194	155	127	71	37	13			
109	Hernia, intestinal obstruction (total)	1,223	149	23	13	8	5	29	23	50	80	141	188	235	176	88	13	1	1
	Hernia	569	22	3	2	2		2		18	24	73	122	154	96	42	7	1	1
	Intestinal obstruction	654	127	20	11	6	5	27	23	32	56	68	66	81	80	46	6		
110	Other diseases of the intestines	225	19	2	1	2	1	2	12	13	27	34	36	29	29	15	2	1	
111	Acute yellow atrophy of the liver	29	1						3	7	2	6	4	2	4				
112	Hydatid tumor of the liver	8								3	1	2			2				
113	Cirrhosis of the liver	1,449			1			2	5	25	146	329	400	311	172	54	4		
114	Biliary calculi	343							3	9	40	57	96	86	39	13			
115	Other diseases of the liver	364	6	2	1			3	4	20	49	63	70	80	40	25	1		
116	Diseases of the spleen	14							1	2		5	2	2	1	1			
117	Simple peritonitis (nonpuerperal)	145	10	4	2	5	5	19	11	18	16	7	16	19	10	3			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	83			1	1	1		1	11	10	17	23	8	8	2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	15,246	83	15	19	14	18	82	164	520	1,071	2,084	2,905	3,559	3,232	1,312	156	7	5
119	Acute nephritis	779	51	9	8	10	13	40	42	92	117	104	113	94	57	27	2		
120	Bright's disease	12,959	13	4	9	3	3	37	105	316	768	1,694	2,596	3,228	2,894	1,154	126	6	3
122	Other diseases of the kidneys and annexa	228	13	2		1	2	4	6	21	19	34	30	39	40	15	2		
123	Calculi of the urinary passages	96							1	8	14	23	13	20	12	4	1		
124	Diseases of the bladder	121			1			1	1	1	2	10	9	12	37	34	12		1
125	Diseases of the urethra, urinary abscess, etc.	46								2	7	17	14	2	3	1			
126	Diseases of the prostate	422								1	3	7	37	130	163	68	12	1	
127	Nonvenereal diseases of the male genital organs	13	4		1						2	3		3					
128	Uterine hemorrhage (nonpuerperal)	2								1	1								
129	Uterine tumor (noncancerous)	241								5	51	117	37	10	14	6			1
130	Other diseases of the uterus	85							4	14	20	18	19	7	1	2			
131	Cysts and other tumors of the ovary	112							1	14	22	22	28	13	11	1			
132	Salpingitis and other diseases of the female genital organs	138							4	45	45	34	9	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	4	2									1					1		
	VII.—The puerperal state	1,413							75	645	590	103							
134	Accidents of pregnancy	121							5	53	53	10							
135	Puerperal hemorrhage	137							3	49	66	19							
136	Other accidents of labor	146							2	59	69	16							
137	Puerperal septicemia	568							31	274	233	30							
138	Puerperal albuminuria and convulsions	363							31	177	128	27							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	67							2	26	38	1							
140	Following childbirth (not otherwise defined)	7							1	5	1								
141	Puerperal diseases of the breast	4								2	2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	465	90	10	6	5	4	8	16	18	34	39	40	64	67	55	9	.....	.....
142	Gangrene	159	5	.....	2	2	3	5	3	2	2	6	10	23	45	43	8	.....	.....
143	Furuncle	82	23	1	.....	.....	.....	.....	5	4	11	8	10	15	5	.....	.....	.....	.....
144	Acute abscess	131	37	7	1	1	1	3	5	7	15	17	8	14	12	3	.....	.....	.....
145	Other diseases of the skin and annexa	93	25	2	3	2	.....	.....	3	5	6	8	12	12	5	9	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	423	38	16	6	6	10	39	62	51	50	46	40	28	16	11	3	.....	1
146	Diseases of the bones (tuberculosis excepted)	381	34	16	6	6	9	37	55	46	45	45	37	22	14	8	.....	.....	1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	36	4	.....	.....	.....	1	2	6	3	5	1	1	5	2	3	3	.....	.....
148	Amputations	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	1	.....	.....	.....	.....	.....
	X.—Malformations	1,602	1,472	49	16	8	4	19	23	5	6	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	1,602	1,472	49	16	8	4	19	23	5	6	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	149	111	15	2	4	2	8	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	912	855	21	8	3	1	4	13	3	4	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	541	506	13	6	1	1	7	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	7,956	7,956	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	5,862	5,862	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	4,594	4,594	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	1,268	1,268	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	2,080	2,080	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	1,269	1,269	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	811	811	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	14	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	776	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	23	169	409	160	7	.....
154	Senility	776	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	23	169	409	160	7	.....
	XIII.—External causes	11,214	298	244	188	170	176	637	771	1,506	1,663	1,728	1,465	1,041	798	433	67	.....	29
	Suicide (total)	1,479	.....	.....	.....	.....	.....	.....	46	238	303	305	266	208	93	17	1	.....	2
155	By poison	184	.....	.....	.....	.....	.....	.....	10	46	42	35	23	21	5	2	.....	.....	.....
156	By asphyxia	402	.....	.....	.....	.....	.....	.....	13	75	70	71	82	61	27	2	.....	.....	1
157	By hanging or strangulation	259	.....	.....	.....	.....	.....	.....	3	31	37	41	65	49	25	7	.....	.....	1
158	By drowning	99	.....	.....	.....	.....	.....	.....	2	7	28	20	17	17	6	1	1	.....	.....
159	By firearms	287	.....	.....	.....	.....	.....	.....	11	37	60	77	42	40	17	3	.....	.....	.....
160	By cutting or piercing instruments	105	.....	.....	.....	.....	.....	.....	.....	15	25	29	18	8	8	2	.....	.....	.....
161	By jumping from high places	122	.....	.....	.....	.....	.....	.....	7	23	36	28	16	9	3	.....	.....	.....	.....
162	By crushing	13	.....	.....	.....	.....	.....	.....	.....	3	4	2	3	1	.....	.....	.....	.....	.....
163	Other suicides	8	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	2	2	.....	.....	.....	.....
	Accidental or undefined (total)	9,308	267	241	182	168	174	628	690	1,150	1,234	1,365	1,173	825	702	416	66	.....	27
164	Poisoning by food	60	8	4	3	1	4	3	6	6	6	7	5	5	2	.....	.....	.....	.....
165	Other acute poisonings	147	7	22	9	5	4	6	5	26	25	16	12	5	3	1	.....	.....	1
166	Conflagration	134	6	2	7	3	7	7	5	14	16	17	20	15	11	4	.....	.....	.....
167	Burns (conflagration excepted)	833	33	106	80	69	62	95	34	57	61	64	54	46	49	20	2	.....	1
168	Absorption of deleterious gases (conflagration excepted)	798	83	4	2	4	2	5	25	99	116	145	119	93	66	32	3	.....	.....
169	Accidental drowning	945	4	10	13	7	7	94	154	188	154	163	84	43	14	3	.....	.....	7
170	Traumatism by firearms	83	.....	1	.....	1	1	6	35	18	8	8	3	1	.....	1	.....	.....	.....
171	Traumatism by cutting or piercing instruments	18	1	.....	1	.....	1	1	.....	5	2	5	1	1	.....	.....	.....	.....	.....
172	Traumatism by fall	2,032	24	38	27	37	25	74	76	122	206	232	253	249	340	280	49	.....	.....
173	Traumatism in mines and quarries (total)	18	.....	.....	.....	.....	.....	.....	1	6	5	2	3	1	.....	.....	.....	.....	.....
	Traumatism in mines	14	.....	.....	.....	.....	.....	.....	.....	6	5	2	1	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....	.....
174	Traumatism by machines	264	.....	.....	1	.....	.....	5	29	61	60	53	32	17	5	.....	.....	.....	1
175	Traumatism by other crushing (total)	2,628	6	16	27	35	51	307	253	434	376	391	366	203	111	38	.....	.....	14
	Railroad accidents and injuries	831	1	5	1	1	1	22	61	179	166	161	130	61	26	4	.....	.....	12
	Street-car accidents and injuries	349	.....	4	2	7	10	21	26	37	62	55	61	31	23	9	.....	.....	1
	Automobile accidents and injuries	1,084	1	1	15	19	30	226	130	165	102	125	129	78	44	18	.....	.....	1
	Injuries by other vehicles	321	4	6	9	8	10	34	34	43	35	40	41	32	18	7	.....	.....	.....
	Landslide, other crushing	43	.....	.....	.....	.....	.....	4	2	10	11	10	5	1	.....	.....	.....	.....	.....
176	Injuries by animals	56	.....	.....	.....	.....	4	3	6	4	4	7	13	10	5	.....	.....	.....	.....
177	Starvation	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
178	Excessive cold	48	1	.....	.....	.....	.....	.....	2	2	4	15	10	7	3	3	.....	.....	1
179	Effects of heat	612	65	25	3	1	2	4	3	23	81	124	121	73	61	17	8	.....	1
180	Lightning	16	.....	.....	.....	.....	.....	1	2	2	4	3	.....	1	3	.....	.....	.....	.....
181	Electricity (lightning excepted)	60	.....	.....	.....	.....	.....	3	9	22	11	13	2	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	91	.....	.....	.....	.....	.....	.....	2	7	10	23	10	16	12	7	4	.....	.....
186	Other external violence	463	29	13	9	5	4	14	43	54	84	77	65	38	17	10	.....	.....	1
	Homicide (total)	427	31	3	6	2	2	9	35	118	126	58	26	8	3	.....	.....	.....	.....
182	By firearms	225	.....	1	.....	.....	1	3	24	74	70	31	15	4	2	.....	.....	.....	.....
183	By cutting or piercing instruments	67	1	.....	.....	.....	.....	.....	4	22	24	12	4	.....	.....	.....	.....	.....	.....
184	By other means	135	30	2	6	2	1	6	7	22	32	15	7	4	1	.....	.....	.....	.....
	XIV.—Ill-defined diseases	159	50	25	3	1	2	3	5	5	7	4	8	18	10	11	1	.....	6
187	Ill-defined organic disease	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....
188	Sudden death	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	2	.....	.....	.....
189	Not specified or ill-defined (total)	148	50	25	3	1	2	3	5	5	6	3	7	17	5	9	1	.....	6
	Ill-defined	94	17	25	3	1	1	3	5	3	3	1	6	13	5	7	1	.....	.....
	Not specified or unknown	54	33	.....	.....	.....	1	.....	.....	2	3	2	1	4	.....	2	.....	.....	6

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (TOTAL).																	
	All causes	33,969	7,601	2,460	1,025	489	354	878	1,899	2,953	2,421	2,265	2,503	3,434	3,368	1,800	402	77	40
	1.—General diseases	9,999	1,083	670	367	217	162	418	968	1,551	1,143	931	772	805	603	250	47	5	7
1	Typhoid fever	728	12	26	24	15	13	65	193	168	90	53	29	30	5	1	1	.....	3
2	Typhus fever	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	268	30	26	14	9	5	24	30	26	12	13	16	26	19	17	1	.....	.....
5	Smallpox	13	4	1	.....	.....	.....	.....	.....	2	1	2	2	1	.....	.....	.....	.....	.....
6	Measles	1,042	210	186	118	76	39	113	103	62	42	31	19	24	15	4	.....	.....	.....
7	Scarlet fever	41	3	8	1	7	3	14	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	562	324	122	60	20	14	18	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	315	79	54	49	39	33	46	9	.....	1	3	.....	1	1	.....	.....	.....	.....
10	Influenza	403	49	17	3	2	4	6	8	17	13	25	30	43	96	60	27	3	.....
13	Cholera nostras	25	4	1	1	2	3	3	2	1	.....	2	.....	3	1	2	.....	.....	.....
14	Dysentery	610	146	135	54	22	17	22	14	13	11	20	17	46	55	32	6	.....	.....
18	Erysipelas	68	25	1	.....	.....	.....	2	1	2	7	6	8	10	3	3	.....	.....	.....
19	Other epidemic diseases	11	4	1	.....	1	.....	1	1	1	1	.....	.....	1	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	47	6	2	2	.....	1	3	8	3	4	4	4	5	3	2	.....	.....	.....
21	Glanders	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	4	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	55	34	1	.....	.....	.....	2	7	4	2	3	.....	2	.....	.....	.....	.....	.....
26	Pellagra	620	4	4	5	2	2	10	30	90	126	102	91	86	52	13	1	.....	2
	Tuberculosis (total)	3,399	54	55	17	14	18	57	480	1,049	673	423	240	188	98	28	3	.....	2
28	Tuberculosis of the lungs	2,975	27	27	4	6	4	33	423	962	616	376	218	163	86	26	2	.....	2
29	Acute miliary tuberculosis	95	1	2	2	.....	2	2	21	36	16	6	4	1	2	.....	.....	.....	.....
30	Tuberculous meningitis	86	19	14	6	5	7	9	8	7	3	5	3	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	153	4	7	2	1	4	8	15	24	25	26	8	20	6	2	1	.....	.....
32	Pott's disease	19	1	1	.....	.....	.....	.....	5	5	1	2	2	.....	2	.....	.....	.....	.....
33	White swellings	15	1	.....	.....	.....	.....	.....	1	5	3	1	2	1	1	.....	.....	.....	.....
34	Tuberculosis of other organs	51	1	4	3	2	1	4	5	9	8	7	3	3	1	.....	.....	.....	.....
35	Disseminated tuberculosis	5	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
36	Rickets	21	11	4	5	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	222	54	10	4	1	1	3	9	38	41	22	19	11	7	2	.....	.....	.....
38	Gonococcus infection	12	2	.....	.....	.....	.....	.....	2	6	2	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,046	2	1	2	4	1	3	12	31	76	163	230	254	191	68	6	2	.....
39	Of the buccal cavity	37	.....	.....	.....	1	.....	.....	.....	.....	1	1	10	10	11	1	1	1	.....
40	Of the stomach, liver	343	.....	1	.....	.....	1	1	1	9	20	41	81	89	69	28	1	1	.....
41	Of the peritoneum, intestines, rectum	93	1	.....	.....	.....	.....	.....	2	3	6	11	27	26	14	3	.....	.....	.....
42	Of the female genital organs	243	.....	.....	.....	.....	.....	.....	1	10	32	68	62	45	20	5	.....	.....	.....
43	Of the breast	106	.....	.....	.....	.....	.....	.....	.....	1	10	25	21	22	19	7	1	.....	.....
44	Of the skin	62	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	14	27	13	2	.....	.....
45	Of other organs or of organs not specified	162	1	.....	2	3	.....	2	8	8	7	14	26	48	31	11	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	5	.....	.....	.....	.....
47	Acute articular rheumatism	103	2	.....	.....	1	1	9	12	9	6	8	11	20	13	10	1	.....	.....
48	Chronic rheumatism and gout	28	.....	.....	.....	.....	.....	.....	1	2	5	5	4	2	7	1	1	.....	.....
49	Scurvy	3	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	159	1	1	2	.....	1	6	25	11	12	16	26	30	21	7	.....	.....	.....
51	Exophthalmic goiter	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	.....	.....	.....	.....	.....
52	Addison's disease	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
53	Leukemia	43	2	2	2	.....	2	2	5	4	5	4	8	5	2	.....	.....	.....	.....
54	Anemia, chlorosis	47	4	5	.....	.....	1	2	4	4	8	5	7	3	4	.....	.....	.....	.....
55	Other general diseases	45	16	6	4	2	2	5	4	2	.....	.....	1	.....	3	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	20	.....	.....	.....	.....	.....	.....	.....	2	2	8	3	4	1	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	9	.....	.....	.....	.....	.....	.....	.....	1	.....	5	2	.....	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,886	212	70	47	29	14	51	85	90	103	225	415	628	586	270	51	7	3
60	Encephalitis	36	5	6	.....	.....	.....	1	4	4	5	2	3	1	3	2	.....	.....	.....
61	Meningitis (total)	215	61	34	25	19	6	21	22	12	4	4	4	3	.....	.....	.....	.....	.....
	Simple meningitis	133	46	16	17	16	4	11	10	5	1	2	3	2	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	60	13	14	7	3	1	6	6	4	2	2	1	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	22	2	4	1	.....	1	4	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	19	.....	.....	.....	.....	.....	.....	.....	1	.....	3	8	5	2	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	108	13	10	8	2	3	7	8	5	1	6	14	16	10	5	.....	.....	.....
	Acute anterior poliomyelitis	34	10	9	2	1	3	5	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	74	3	1	6	1	.....	2	6	5	.....	6	13	16	10	5	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,647	13	4	2	1	.....	2	14	22	45	152	303	458	403	192	30	3	3
65	Softening of the brain	33	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	5	17	6	1	1	.....
66	Paralysis without specified cause	373	1	1	1	.....	1	1	2	3	10	20	39	92	126	57	16	3	.....
67	General paralysis of the insane	32	.....	.....	.....	.....	.....	.....	.....	1	2	6	6	8	6	2	1	.....	.....
68	Other forms of mental alienation	71	.....	.....	.....	.....	.....	.....	3	8	6	10	15	16	10	2	1	.....	.....
69	Epilepsy	116	14	2	2	1	1	5	24	19	19	10	10	8	1	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	9	.....	.....	.....	.....	.....	1	4	1	.....	2	.....	.....	1	.....	.....	.....	.....
71	Convulsions of infants	100	89	6	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	5	1	1	2	.....	.....
74	Other diseases of the nervous system	78	8	2	2	2	2	6	3	12	7	9	9	8	5	3	.....	.....	.....
75	Diseases of the eyes and their annexa	4	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
76	Diseases of the ears	33	7	3	4	2	1	7	1	1	2	1	2	2	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system	2,789	27	8	4	4	2	23	56	123	176	245	392	658	688	315	55	9	4
77	Pericarditis	35	1	1				1		2	3	5	4	7	8	3			
78	Acute endocarditis	57	1			1		1	5	8	6	17	13	5					
79	Organic diseases of the heart	2,398	17	6	3	3	2	20	47	107	154	205	322	581	602	273	44	8	4
80	Angina pectoris	84							3	2	3	6	18	26	14	11	1		
81	Diseases of the arteries, atheroma, aneurism, etc	161									6	8	22	30	58	27	9	1	
82	Embolism and thrombosis	24								2	3	2	8	3	5	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5											3	1			1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	9	5	1	1								2						
85	Hemorrhage; other diseases of the circulatory system	16	3					1	1	2	1	2		5	1				
	IV.—Diseases of the respiratory system	3,098	829	258	156	49	35	84	189	233	203	172	174	292	253	146	20	1	4
86	Diseases of the nasal fossae	72	58	2	2		1	1	1				1	1	2	3			
87	Diseases of the larynx	34	11	5	9	3	1	1			1	1		2					
88	Diseases of the thyroid body	8			1							3	1	1	2				
89	Acute bronchitis	139	77	31	10	3			5			4	1	2	1	5			
90	Chronic bronchitis	90	2	2	2			1	6	11	2	5	4	10	23	19	2	1	
91	Bronchopneumonia	827	369	115	68	24	10	23	21	15	21	15	15	50	40	37	4		
92	Pneumonia (total)	1,768	299	97	60	19	21	52	149	191	164	132	143	202	153	69	13		4
	Lobar pneumonia	1,325	144	58	35	13	12	39	115	172	140	112	122	173	132	45	10		3
	Pneumonia (undefined)	443	155	39	25	6	9	13	34	19	24	20	21	29	21	24	3		1
93	Pleurisy	37	4	1	3				4	4	3	3	2	6	4	3			
94	Pulmonary congestion, pulmonary apoplexy	29	4	2			1	2	1	2	3	2		2	6	4			
95	Gangrene of the lung	1		1															
96	Asthma	62	4	1	1			4	1	3	4	4	6	11	18	4	1		
97	Pulmonary emphysema	3		1						1	1								
98	Other diseases of the respiratory system (tuberculosis excepted)	28	1				1		1	6	4	3	1	5	4	2			
	V.—Diseases of the digestive system	4,426	1,486	1,155	289	86	57	119	136	144	140	139	159	203	203	87	17	3	3
99	Diseases of the mouth and annexa	50	36	4	2			1		1		1	1	2	2				
100	Diseases of the pharynx	59	8	1	3	5	2	8	6	8	1	3	3	4	4	2		1	
101	Diseases of the esophagus	2									1				1				
102	Ulcer of the stomach	51		1					1	7	10	5	9	6	10		2		
103	Other diseases of the stomach (cancer excepted)	424	116	40	18	6	3	12	12	18	28	28	28	51	40	22	1		1
104	Diarrhea and enteritis (under 2 years)	2,364	1,279	1,085															
105	Diarrhea and enteritis (2 years and over)	684			252	61	37	66	20	14	13	18	29	54	66	42	8	2	2
106	Ankylostomiasis	6						2	2	2									
107	Intestinal parasites	23	2	4	3	4	3	7											
108	Appendicitis and typhlitis	203		1	1	2	2	6	60	42	29	27	18	10	4		1		
109	Hernia, intestinal obstruction (total)	193	36	10	3	5	6	9	9	16	19	12	16	19	26	5	2		
	Hernia	49	9	1		1		1	2	5	2	2	5	8	11		2		
	Intestinal obstruction	144	27	9	3	4	6	8	7	11	17	10	11	11	15	5			
110	Other diseases of the intestines	62	3	3	1	2		1	3	9	6	8	6	8	10	1	1		
111	Acute yellow atrophy of the liver	5							1	1		1	1	1					
113	Cirrhosis of the liver	101	1		2				2	6	10	14	20	20	20	5	1		
114	Biliary calculi	33							1	2	5	4	4	5	8	3	1		
115	Other diseases of the liver	94	3	4	3		4	1	4	8	10	9	19	16	8	5			
116	Diseases of the spleen	4							3					1					
117	Simple peritonitis (nonpuerperal)	59	1		1	1		6	12	8	7	8	4	5	4	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	9	1	2						2	1	1	1	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,355	36	28	22	13	7	27	53	131	184	260	361	463	504	230	28	3	5
119	Acute nephritis	219	13	20	4	4	3	11	21	21	32	24	31	18	12	4		1	
120	Bright's disease	1,830	16	6	15	8	3	13	25	82	117	192	298	403	432	187	26	2	5
122	Other diseases of the kidneys and annexa	76	5	1	3	1		2	1	4	5	7	6	13	15	12	1		
123	Calculi of the urinary passages	7					1					1	1		3	1			
124	Diseases of the bladder	51	2	1				1	1	3	3	4	3	6	12	14	1		
125	Diseases of the urethra, urinary abscess, etc	14							1	1	3	3	4	1	1				
126	Diseases of the prostate	67										4	6	16	29	12			
127	Nonvenereal diseases of the male genital organs	1												1					
129	Uterine tumor (noncancerous)	28								2	7	13	6						
130	Other diseases of the uterus	29							3	6	8	4	5	3					
131	Cysts and other tumors of the ovary	3										1		2					
132	Salpingitis and other diseases of the female genital organs	29							1	11	9	7	1						
133	Nonpuerperal diseases of the breast (cancer excepted)	1								1									
	VII.—The puerperal state	629							107	285	189	47							1
134	Accidents of pregnancy	45							5	21	17	2							
135	Puerperal hemorrhage	74							2	31	31	10							
136	Other accidents of labor	86							20	36	20	10							
137	Puerperal septicemia	171							24	83	53	11							
138	Puerperal albuminuria and convulsions	235							54	106	62	12							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	15							2	6	5	2							
140	Following childbirth (not otherwise defined)	2								1	1								
141	Puerperal diseases of the breast	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (TOTAL)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	95	21	4	1	1	.....	2	2	10	2	5	6	13	12	12	4	.....	.....
142	Gangrene	33	2	2	.....	.....	.....	1	.....	2	1	1	2	6	5	9	2	.....	.....
143	Furuncle	13	1	.....	.....	.....	.....	.....	.....	3	1	3	1	1	3	.....	.....	.....	.....
144	Acute abscess	18	6	1	.....	1	.....	.....	1	5	.....	1	1	2	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	31	12	1	1	.....	.....	1	1	.....	.....	.....	2	4	4	3	2	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	44	2	3	2	1	1	6	7	6	3	3	2	4	3	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	36	2	3	2	1	1	5	7	5	2	3	2	3	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....
	X.—Malformations	250	225	11	5	1	2	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	250	225	11	5	1	2	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	25	19	4	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	118	107	3	3	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	107	99	4	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	2,019	2,019	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,758	1,758	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,255	1,255	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	503	503	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	253	253	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	125	125	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	128	128	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	8	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	750	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	52	207	317	134	37	1
154	Senility	750	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	52	207	317	134	37	1
	XIII.—External causes	1,698	128	83	73	62	55	115	236	294	184	121	95	87	83	63	13	3	3
	Suicide (total)	76	.....	.....	.....	.....	.....	.....	8	17	15	11	15	7	2	1	.....	.....	.....
155	By poison	8	.....	.....	.....	.....	.....	.....	.....	4	3	.....	1	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	7	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	1	.....	.....	.....	.....	.....
158	By drowning	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....
159	By firearms	48	.....	.....	.....	.....	.....	.....	8	11	8	7	8	4	1	1	.....	.....	.....
160	By cutting or piercing instruments	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
163	Other suicides	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,443	122	81	73	62	55	114	210	203	129	84	70	79	80	62	13	3	3
164	Poisoning by food	43	4	5	5	2	.....	4	7	4	4	3	2	2	1	.....	.....	.....	.....
165	Other acute poisonings	36	1	9	5	2	.....	2	1	6	4	2	1	2	1	.....	.....	.....	.....
166	Conflagration	42	4	2	4	2	2	5	12	3	4	.....	.....	1	2	1	.....	.....	.....
167	Burns (conflagration excepted)	355	26	49	44	46	42	51	25	12	10	10	2	11	15	8	3	1	.....
168	Absorption of deleterious gases (conflagration excepted)	66	59	.....	.....	.....	.....	1	2	2	1	.....	1	.....	.....	.....	.....	.....	.....
169	Accidental drowning	74	1	1	3	.....	.....	4	23	22	9	3	2	2	1	1	2	.....	.....
170	Traumatism by firearms	102	1	1	1	3	1	12	44	21	8	5	1	3	.....	.....	.....	.....	1
171	Traumatism by cutting or piercing instruments	4	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	177	2	5	2	.....	1	8	12	11	6	4	12	23	34	48	7	2	.....
173	Traumatism in mines and quarries (total)	6	.....	.....	.....	.....	.....	.....	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in mines	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	56	.....	.....	1	1	1	2	11	16	10	6	5	3	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	268	2	1	.....	3	3	16	40	67	45	36	21	15	17	1	.....	.....	1
	Railroad accidents and injuries	143	.....	.....	.....	.....	.....	2	22	43	29	21	11	8	6	.....	.....	.....	1
	Street-car accidents and injuries	5	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....
	Automobile accidents and injuries	65	.....	.....	.....	3	2	6	10	11	10	10	6	5	2	.....	.....	.....	.....
	Injuries by other vehicles	43	1	1	.....	.....	1	7	6	5	4	2	4	2	9	1	.....	.....	.....
	Landslide, other crushing	12	1	.....	.....	.....	.....	1	1	6	1	2	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	17	.....	.....	1	.....	1	3	1	1	1	1	2	4	2	.....	.....	.....	.....
178	Excessive cold	11	1	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	2	1	1	.....	.....
179	Effects of heat	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	1
180	Lightning	24	.....	.....	.....	.....	.....	.....	10	7	5	.....	2	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	14	.....	.....	.....	.....	.....	2	4	3	2	2	.....	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....
186	Other external violence	138	21	8	7	3	3	4	17	20	18	9	13	9	5	1	.....	.....	.....
	Homicide (total)	179	6	2	.....	.....	.....	1	18	74	40	26	10	1	1	.....	.....	.....	.....
182	By firearms	138	.....	2	.....	.....	.....	1	16	57	32	20	8	1	1	.....	.....	.....	.....
183	By cutting or piercing instruments	15	.....	.....	.....	.....	.....	.....	2	6	5	2	.....	.....	.....	.....	.....	.....	.....
184	By other means	26	6	.....	.....	.....	.....	.....	.....	11	3	4	2	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	2,931	1,533	170	59	26	19	32	55	86	94	117	125	229	226	109	33	9	9
187	Ill-defined organic disease	116	1	1	.....	1	.....	1	2	6	3	13	14	24	26	21	2	1	.....
188	Sudden death	248	64	6	2	2	.....	1	2	9	14	11	34	43	37	16	4	2	1
189	Not specified or ill-defined (total)	2,567	1,468	163	57	23	19	30	51	71	77	93	77	162	163	72	27	6	8
	Ill-defined	566	185	67	16	7	2	7	14	12	24	41	34	72	63	16	5	.....	1
	Not specified or unknown	2,001	1,283	96	41	16	17	23	37	59	53	52	43	90	100	56	22	6	7

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (WHITE).																		
	All causes	20,468	4,481	1,521	686	312	228	516	857	1,314	1,249	1,259	1,569	2,447	2,477	1,315	211	9	17
	I.—General diseases	5,826	583	417	243	158	108	257	415	675	597	564	506	596	474	193	34	2	4
1	Typhoid fever	393	4	15	15	10	4	32	92	84	53	36	20	21	4	.....	1	.....	2
2	Typhus fever	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	117	12	7	5	3	3	7	12	8	5	7	6	18	12	11	1	.....	.....
5	Smallpox	6	1	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
6	Measles	785	132	139	89	59	27	93	77	44	37	31	18	22	13	4	.....	.....	.....
7	Scarlet fever	37	3	7	1	6	3	14	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	301	188	65	28	9	7	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	249	52	40	42	37	31	35	8	.....	.....	2	.....	1	1	.....	.....	.....	.....
10	Influenza	279	28	8	1	1	4	3	2	9	10	11	16	37	77	50	21	1	.....
13	Cholera nostras	18	2	1	.....	1	3	3	2	.....	.....	1	.....	2	1	2	.....	.....	.....
14	Dysentery	365	59	75	37	18	12	16	7	7	7	10	12	34	42	25	4	.....	.....
18	Erysipelas	59	19	1	.....	.....	.....	2	1	2	7	6	7	9	3	2	.....	.....	.....
19	Other epidemic diseases	9	3	1	.....	1	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	34	5	2	2	.....	.....	3	6	2	2	2	4	3	2	1	.....	.....	.....
21	Glanders	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	3	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	18	8	1	.....	.....	.....	2	3	2	.....	.....	.....	2	.....	.....	.....	.....	.....
26	Pellagra	332	1	2	2	1	1	2	13	22	61	75	51	54	39	7	.....	.....	1
	Tuberculosis (total)	1,609	31	34	10	6	6	19	141	439	335	215	150	128	72	21	1	.....	1
28	Tuberculosis of the lungs	1,409	12	15	1	3	.....	6	128	411	308	194	138	109	63	19	1	.....	1
29	Acute miliary tuberculosis	28	1	1	.....	.....	.....	2	3	11	6	.....	3	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	61	13	14	6	3	5	6	6	2	2	3	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	67	3	2	1	.....	1	2	1	5	12	13	4	15	6	2	.....	.....	.....
32	*Pott's disease*	9	1	.....	.....	.....	.....	.....	2	3	.....	.....	1	.....	2	.....	.....	.....	.....
33	White swellings	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	.....	.....	.....
34	Tuberculosis of other organs	26	1	2	2	.....	.....	2	.....	5	5	5	2	2	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	4	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
36	Rickets	5	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	52	11	3	1	.....	.....	1	.....	8	6	7	6	6	2	1	.....	.....	.....
38	Gonococcus infection	4	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	777	1	.....	1	4	1	2	9	18	40	111	164	206	158	56	5	1	.....
39	Of the buccal cavity	29	.....	.....	.....	1	.....	.....	.....	.....	.....	1	8	10	7	1	.....	1	.....
40	Of the stomach, liver	262	.....	.....	.....	.....	1	1	.....	6	13	26	60	74	56	24	1	.....	.....
41	Of the peritoneum, intestines, rectum	75	1	.....	.....	.....	.....	.....	1	2	4	8	20	25	11	3	.....	.....	.....
42	Of the female genital organs	140	.....	.....	.....	.....	.....	.....	.....	4	12	43	38	24	16	3	.....	.....	.....
43	Of the breast	89	.....	.....	.....	.....	.....	.....	.....	.....	7	23	18	19	16	5	1	.....	.....
44	Of the skin	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	13	26	10	2	.....	.....
45	Of other organs or of organs not specified	128	.....	.....	1	3	.....	1	8	6	4	10	17	41	26	10	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	4	.....	.....	.....	.....
47	Acute articular rheumatism	56	.....	.....	.....	.....	1	5	7	6	3	4	7	8	8	7	.....	.....	.....
48	Chronic rheumatism and gout	22	.....	.....	.....	.....	.....	.....	1	1	4	3	4	2	6	.....	1	.....	.....
49	Scurvy	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	131	1	1	2	.....	1	5	21	10	9	15	17	23	20	6	.....	.....	.....
51	Exophthalmic goiter	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	.....	.....	.....	.....	.....
52	Addison's disease	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
53	Leukemia	38	2	2	2	.....	1	2	3	4	4	4	7	5	2	.....	.....	.....	.....
54	Anemia, chlorosis	40	3	5	.....	.....	1	1	3	4	6	4	6	3	4	.....	.....	.....	.....
55	Other general diseases	37	13	5	4	2	1	4	4	1	.....	.....	1	.....	2	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	16	.....	.....	.....	.....	.....	.....	.....	.....	2	7	2	4	1	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	9	.....	.....	.....	.....	.....	.....	.....	1	.....	5	2	.....	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,932	131	48	37	20	10	28	46	55	52	116	269	448	442	199	27	1	3
60	Encephalitis	23	4	5	.....	.....	.....	.....	1	3	3	2	2	1	.....	2	.....	.....	.....
61	Meningitis (total)	169	50	22	21	14	4	18	17	10	4	2	4	3	.....	.....	.....	.....	.....
	Simple meningitis	108	39	10	14	12	3	11	8	4	1	1	3	2	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	42	10	9	6	2	.....	3	4	3	2	1	1	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	19	1	3	1	.....	1	4	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	5	2	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	78	10	6	6	2	3	3	5	2	.....	2	13	12	10	4	.....	.....	.....
	Acute anterior poliomyelitis	25	7	6	2	1	3	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	53	3	.....	4	1	.....	.....	3	2	.....	2	12	12	10	4	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,115	8	4	2	.....	.....	.....	8	10	23	76	199	320	308	136	17	1	3
65	Softening of the brain	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	15	6	1	.....	.....
66	Paralysis without specified cause	236	1	1	1	.....	1	.....	1	2	.....	6	18	66	87	44	8	.....	.....
67	General paralysis of the insane	27	.....	.....	.....	.....	.....	.....	.....	1	2	5	5	7	5	2	.....	.....	.....
68	Other forms of mental alienation	45	.....	.....	.....	.....	.....	.....	1	5	2	6	8	13	8	2	.....	.....	.....
69	Epilepsy	62	6	1	1	.....	.....	2	12	13	11	5	5	6	.....	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
71	Convulsions of infants	44	38	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	54	7	2	1	1	1	3	1	8	5	7	6	5	4	3	.....	.....	.....
75	Diseases of the eyes and their annexa	4	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
76	Diseases of the ears	21	6	3	3	1	1	2	.....	.....	1	1	1	2	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis)

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (WHITE)—Continued.																	
	III.—Diseases of the circulatory system	1,781	17	3	4	3	.....	15	30	50	76	131	213	458	508	241	29	.....	3
77	Pericarditis	25	.....	1	.....	.....	.....	1	.....	1	3	2	1	6	7	3	.....	.....	.....
78	Acute endocarditis	35	1	.....	.....	1	.....	1	5	2	2	9	9	5	.....	.....	.....	.....	.....
79	Organic diseases of the heart	1,503	11	1	3	2	.....	12	23	45	68	106	167	394	440	206	22	.....	3
80	Angina pectoris	70	.....	.....	.....	.....	.....	.....	2	1	1	6	11	24	14	10	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	112	.....	.....	.....	.....	.....	.....	.....	.....	1	5	16	22	41	22	5	.....	.....
82	Embolism and thrombosis	17	.....	.....	.....	.....	.....	.....	.....	1	1	1	6	3	5	.....	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	7	4	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	9	1	.....	.....	.....	.....	1	.....	.....	.....	2	.....	4	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	1,709	397	154	93	25	25	41	69	76	99	88	100	210	201	115	15	1	.....
86	Diseases of the nasal fossae	22	15	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....
87	Diseases of the larynx	27	9	4	8	1	1	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
89	Acute bronchitis	59	33	13	5	2	.....	.....	.....	.....	.....	.....	.....	2	.....	4	.....	.....	.....
90	Chronic bronchitis	58	2	1	1	.....	.....	1	.....	1	1	1	3	9	20	15	2	1	.....
91	Bronchopneumonia	518	207	78	47	13	7	8	9	5	9	10	12	42	36	32	3	.....	.....
92	Pneumonia (total)	935	125	55	29	9	15	29	58	66	82	68	81	139	118	51	10	.....	.....
	Lobar pneumonia	699	63	33	16	8	8	20	45	57	71	57	64	117	102	31	7	.....	.....
	Pneumonia (undefined)	236	62	22	13	1	7	9	13	9	11	11	17	22	16	20	3	.....	.....
93	Pleurisy	24	2	1	2	.....	.....	.....	2	1	2	1	2	6	4	1	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	20	3	1	.....	.....	.....	1	.....	1	1	2	.....	2	5	4	.....	.....	.....
96	Asthma	27	1	.....	.....	.....	.....	1	.....	1	2	2	2	4	11	3	.....	.....	.....
97	Pulmonary emphysema	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	16	.....	.....	.....	.....	1	.....	.....	1	1	3	.....	4	4	2	.....	.....	.....
	V.—Diseases of the digestive system	2,877	899	773	214	57	41	81	82	78	71	79	111	150	162	68	11	.....	.....
99	Diseases of the mouth and annexa	17	11	1	1	.....	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
100	Diseases of the pharynx	40	5	.....	2	4	2	8	3	8	.....	1	.....	3	3	1	.....	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
102	Ulcer of the stomach	35	.....	1	.....	.....	.....	.....	1	4	7	3	6	4	9	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	246	73	23	11	5	1	7	5	6	8	6	17	36	32	15	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	1,513	781	732	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	505	.....	.....	192	40	28	44	14	8	7	12	22	36	61	35	6	.....	.....
106	Ankylostomiasis	4	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	9	2	1	.....	1	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	141	.....	1	1	2	1	5	43	27	15	19	15	7	4	.....	1	.....	.....
109	Hernia, intestinal obstruction (total)	114	20	8	3	3	5	5	4	3	10	9	11	15	13	5	.....	.....	.....
	Hernia	24	3	1	.....	.....	.....	1	1	1	.....	2	3	7	5	.....	.....	.....	.....
	Intestinal obstruction	90	17	7	3	3	5	4	3	2	10	7	8	8	8	5	.....	.....	.....
110	Other diseases of the intestines	50	2	3	1	2	.....	1	1	5	5	6	5	7	10	1	1	.....	.....
111	Acute yellow atrophy of the liver	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	61	1	.....	.....	.....	.....	.....	.....	4	2	7	16	14	12	4	1	.....	.....
114	Biliary calculi	28	.....	.....	.....	.....	.....	.....	1	2	5	3	2	5	7	2	1	.....	.....
115	Other diseases of the liver	68	2	1	3	.....	3	.....	3	3	7	6	13	16	7	4	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	35	1	.....	.....	.....	.....	4	6	5	5	4	3	4	2	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7	1	2	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,467	24	16	17	7	4	14	19	49	87	123	230	332	360	168	15	.....	2
119	Acute nephritis	107	7	10	3	2	2	7	9	8	15	11	16	6	8	3	.....	.....	.....
120	Bright's disease	1,209	12	5	11	4	2	7	8	35	63	98	197	293	320	137	15	.....	2
122	Other diseases of the kidneys and annexa	51	4	1	3	1	.....	.....	.....	1	2	4	3	11	10	11	.....	.....	.....
123	Calculi of the urinary passages	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	3	1	.....	.....	.....
124	Diseases of the bladder	21	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	4	9	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	41	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	13	15	7	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	4	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	10	.....	.....	.....	.....	.....	.....	1	2	1	2	2	2	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	9	.....	.....	.....	.....	.....	.....	1	3	3	2	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	360	.....	.....	.....	.....	.....	.....	56	157	121	25	.....	.....	.....	.....	.....	.....	1
134	Accidents of pregnancy	29	.....	.....	.....	.....	.....	.....	1	14	12	2	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	44	.....	.....	.....	.....	.....	.....	.....	21	19	4	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	44	.....	.....	.....	.....	.....	.....	11	16	11	6	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	86	.....	.....	.....	.....	.....	.....	13	36	34	3	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	146	.....	.....	.....	.....	.....	.....	29	66	41	9	.....	.....	.....	.....	.....	.....	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	9	.....	.....	.....	.....	.....	.....	2	3	3	1	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	59	13	3	.....	1	.....	2	.....	6	1	4	3	9	6	8	3	.....	.....
142	Gangrene	21	1	2	.....	.....	.....	1	.....	1	.....	.....	.....	5	3	6	2	.....	.....
143	Furuncle	10	.....	.....	.....	.....	.....	.....	.....	3	1	3	1	1	1	.....	.....	.....	.....
144	Acute abscess	12	5	.....	.....	1	.....	.....	.....	2	.....	1	1	2	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	16	7	1	.....	.....	.....	1	.....	.....	.....	.....	1	1	2	2	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	38	2	2	2	1	1	5	6	6	2	2	2	4	3	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	33	2	2	2	1	1	5	6	5	2	2	2	3	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	X.—Malformations	202	187	7	2	1	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	202	187	7	2	1	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	18	15	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	104	95	3	1	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	80	77	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,405	1,405	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,220	1,220	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	926	926	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	294	294	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	182	182	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	100	100	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	82	82	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	409	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	30	117	198	59	3	1
154	Senility	409	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	30	117	198	59	3	1
	XIII.—External causes	984	64	43	50	31	30	61	116	146	106	86	63	58	66	55	8	1	.....
	Suicide (total)	66	.....	.....	.....	.....	.....	.....	5	16	11	11	13	7	2	1	.....	.....	.....
155	By poison	8	.....	.....	.....	.....	.....	.....	.....	4	3	.....	1	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	7	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	1	.....	.....	.....	.....	.....
158	By drowning	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
159	By firearms	40	.....	.....	.....	.....	.....	.....	5	10	6	7	6	4	1	1	.....	.....	.....
160	By cutting or piercing instruments	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
163	Other suicides	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	858	61	42	50	31	30	60	107	113	82	58	46	51	64	54	8	1	.....
164	Poisoning by food	29	3	3	5	1	.....	2	6	1	2	2	1	2	1	.....	.....	.....	.....
165	Other acute poisonings	18	.....	2	3	.....	.....	2	.....	3	3	2	1	1	1	.....	.....	.....	.....
166	Conflagration	8	1	.....	1	.....	.....	.....	.....	2	2	.....	.....	.....	2	.....	.....	.....	.....
167	Burns (conflagration excepted)	197	14	27	31	23	23	22	13	8	5	9	2	6	9	4	1	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	30	29	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
169	Accidental drowning	34	.....	1	2	.....	.....	3	8	12	5	2	.....	1	.....	.....	.....	.....	.....
170	Traumatism by firearms	51	1	.....	.....	2	.....	5	22	9	5	3	1	3	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	145	2	4	2	.....	1	4	5	9	5	2	9	15	31	48	7	1	.....
173	Traumatism in mines and quarries (total)	4	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in mines	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	31	.....	.....	1	1	1	1	6	4	8	5	3	1	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	188	1	.....	.....	2	2	14	29	43	29	24	17	12	14	1	.....	.....	.....
	Railroad accidents and injuries	95	.....	.....	.....	.....	.....	1	16	26	18	15	8	6	5	.....	.....	.....	.....
	Street-car accidents and injuries	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Automobile accidents and injuries	57	.....	.....	.....	2	2	6	8	10	9	8	5	5	2	.....	.....	.....	.....
	Injuries by other vehicles	29	1	.....	.....	.....	.....	6	4	3	2	.....	4	1	7	1	.....	.....	.....
	Landslide, other crushing	5	.....	.....	.....	.....	.....	1	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	13	.....	.....	1	.....	1	2	1	.....	1	1	2	3	1	.....	.....	.....	.....
178	Excessive cold	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....
179	Effects of heat	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
180	Lightning	13	.....	.....	.....	.....	.....	.....	3	6	3	.....	1	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	11	.....	.....	.....	.....	.....	2	2	3	2	1	.....	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....
186	Other external violence	74	10	5	4	2	1	3	10	9	10	4	7	5	4	.....	.....	.....	.....
	Homicide (total)	60	3	1	.....	.....	.....	1	4	17	13	17	4	.....	.....	.....	.....	.....	.....
182	By firearms	46	.....	1	.....	.....	.....	1	4	12	12	13	3	.....	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
184	By other means	12	3	.....	.....	.....	.....	.....	.....	5	.....	3	1	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	1,419	759	55	24	8	8	12	14	16	37	41	71	152	138	70	10	1	3
187	Ill-defined organic disease	53	.....	.....	.....	.....	.....	.....	.....	.....	2	3	7	15	13	13	.....	.....	.....
188	Sudden death	137	38	3	.....	1	.....	1	.....	3	6	2	20	29	22	12	.....	.....	.....
189	Not specified or ill-defined (total)	1,229	721	52	24	7	8	11	14	13	29	36	44	108	103	45	10	1	3
	Ill-defined	356	126	28	11	2	.....	3	6	5	12	18	22	53	53	12	4	.....	1
	Not specified or unknown	873	595	24	13	5	8	8	8	8	17	18	22	55	50	33	6	1	2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	Int. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Death at unknown age.
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NORTH CAROLINA (COLORED).																			
		All causes	13,501	3,120	939	339	177	126	362	1,042	1,639	1,172	1,006	934	987	891	485	191	68	23
		1.—General diseases	4,173	500	253	124	59	54	161	553	876	546	367	266	209	129	57	13	3	3
1		Typhoid fever	335	8	11	9	5	9	33	101	84	37	17	9	9	1	1			1
4		Malaria	151	18	19	9	6	2	17	18	18	7	6	10	8	7	6			
5		Smallpox	7	3	1								1	1						
6		Measles	257	78	47	29	17	12	20	26	18	5		1	2	2				
7		Scarlet fever	4		1		1			2										
8		Whooping cough	261	136	57	32	11	7	14	3	1									
9		Diphtheria and croup	66	27	14	7	2	2	11	1		1	1							
10		Influenza	124	21	9	2	1		3	6	8	3	14	14	6	19	10	6	2	
13		Cholera nostras	7	2		1	1				1		1		1					
14		Dysentery	245	87	60	17	4	5	6	7	6	4	10	5	12	13	7	2		
18		Erysipelas	9	6										1	1		1			
19		Other epidemic diseases	2	1						1										
20		Purulent infection and septicemia	13	1				1		2	1	2	2		2	1	1			
22		Anthrax	1						1											
23		Rabies	1																	
24		Tetanus	37	26						4	2	2	1							
26		Pellagra	288	3	2	3	1	1	8	17	68	65	27	40	32	13	6	1		1
		Tuberculosis (total)	1,790	23	21	7	8	12	38	339	610	338	208	90	60	26	7	2		1
28		Tuberculosis of the lungs	1,566	15	12	3	3	4	27	295	551	308	182	80	54	23	7	1		1
29		Acute miliary tuberculosis	67		1	2		2		18	25	10	6	1		2				
30		Tuberculous meningitis	25	6			2	2	3	2	5	1	2	2						
31		Abdominal tuberculosis	86	1	5	1	1	3	6	14	19	13	13	4	5			1		
32		Pott's disease	10		1					3	2	1	2	1						
33		White swellings	10	1						1	4	2	1	1						
34		Tuberculosis of other organs	25		2	1	2	1	2	5	4	3	2	1	1	1				
35		Disseminated tuberculosis	1							1										
36		Rickets	16	9	2	4				1										
37		Syphilis	170	43	7	3	1	1	2	9	30	35	15	13	5	5	1			
38		Gonococcus infection	8							1	6	1								
		Cancer and other malignant tumors (total)	269	1	1	1			1	3	13	36	52	66	48	33	12	1	1	
39		Of the buccal cavity	8									1		2		4		1		
40		Of the stomach, liver	81		1					1	3	7	15	21	15	13	4		1	
41		Of the peritoneum, intestines, rectum	18							1	1	2	3	7	1	3				
42		Of the female genital organs	103							1	6	20	25	24	21	4	2			
43		Of the breast	17								1	3	2	3	3	3	2			
44		Of the skin	8										3		1	1	3			
45		Of other organs or of organs not specified	34	1		1			1		2	3	4	9	7	5	1			
46		Other tumors (tumors of the female genital organs excepted)	5												4	1				
47		Acute articular rheumatism	47	2			1		4	5	3	3	4	4	12	5	3	1		
48		Chronic rheumatism and gout	6								1	1	2			1	1			
49		Scurvy	2	1							1									
50		Diabetes	28						1	4	1	3	1	9	7	1	1			
53		Leukemia	5					1		2		1		1						
54		Anemia, chlorosis	7	1						1	1	2	1	1						
55		Other general diseases	8	3	1			1	1											
56		Alcoholism (acute or chronic)	4								1					1				
		II.—Diseases of the nervous system and of the organs of special sense	954	81	22	10	9	4	23	39	35	51	109	146	180	144	71	24	6	
60		Encephalitis	13	1	1				1	3	1	2		1		3				
61		Meningitis (total)	46	11	12	4	5	2	3	5	2		2							
		Simple meningitis	25	7	6	3	4	1		2	1		1							
		Cerebrospinal meningitis (undefined)	18	3	5	1	1	1	3	2	1		1							
		Cerebrospinal fever	3	1	1					1										
62		Locomotor ataxia	3																	
63		Other diseases of the spinal cord (total)	30	3	4	2			4	3	3	1	4	1	4		1			
		Acute anterior poliomyelitis	9	3	3				2											
		Other diseases of the spinal cord [1]	21		1	2			2	3	3		4	1	4		1			
64		Cerebral hemorrhage, apoplexy	532	5			1		2	6	12	22	76	104	138	95	56	13	2	
65		Softening of the brain	5									1			1	2			1	
66		Paralysis without specified cause	137						1	1	1	10	14	21	26	39	13	8	3	
67		General paralysis of the insane	5										1	1	1	1		1		
68		Other forms of mental alienation	26							2	3	4	4	7	3	2		1		
69		Epilepsy	54	8	1	1	1	1	3	12	6	8	5	5	2	1				
70		Convulsions (nonpuerperal)	7						1	4	1		1							
71		Convulsions of infants	56	51	4	1														
73		Neuralgia and neuritis	4																	
74		Other diseases of the nervous system	24	1		1	1	1	3	2	4	2	2	3	2	1	1	1		
76		Diseases of the ears	12	1		1	1		5	1	1	1		1						

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	1,008	10	5	.....	1	2	8	26	73	100	114	179	200	180	74	26	9	1
77	Pericarditis	10	1	.....	.....	.....	.....	.....	.....	1	.....	3	3	1	1	.....	.....	.....	.....
78	Acute endocarditis	22	.....	.....	.....	.....	.....	.....	.....	6	4	8	4	.....	.....	.....	.....	.....	.....
79	Organic diseases of the heart	895	6	5	.....	1	2	8	24	62	86	99	155	187	162	67	22	8	1
80	Angina pectoris	14	.....	.....	.....	.....	.....	.....	1	1	2	.....	7	2	.....	1	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	49	.....	.....	.....	.....	.....	.....	.....	.....	5	3	6	8	17	5	4	1	.....
82	Embolism and thrombosis	7	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	.....	.....	1	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	7	2	.....	.....	.....	.....	.....	1	2	1	.....	.....	1	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	1,389	432	104	63	24	10	43	120	157	104	84	74	82	52	31	5	.....	4
86	Diseases of the nasal fossae	50	43	2	2	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	7	2	1	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	1	.....	.....	.....	.....
89	Acute bronchitis	80	44	18	5	1	.....	.....	5	.....	.....	4	1	.....	1	1	.....	.....	.....
90	Chronic bronchitis	32	.....	1	1	.....	.....	.....	6	10	1	4	1	1	3	4	.....	.....	.....
91	Bronchopneumonia	309	162	37	21	11	3	15	12	10	12	5	3	8	4	5	1	.....	.....
92	Pneumonia (total)	833	174	42	31	10	6	23	91	125	82	64	62	63	35	18	3	.....	4
	Lobar pneumonia	626	81	25	19	5	4	19	70	115	69	55	58	56	30	14	3	.....	3
	Pneumonia (undefined)	207	93	17	12	5	2	4	21	10	13	9	4	7	5	4	.....	.....	1
93	Pleurisy	13	2	.....	1	.....	.....	.....	2	3	1	2	.....	.....	.....	2	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	9	1	1	.....	.....	1	1	1	1	2	.....	.....	.....	1	.....	.....	.....	.....
95	Gangrene of the lung	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
96	Asthma	35	3	1	1	.....	.....	3	1	2	2	2	4	7	7	1	1	.....	.....
97	Pulmonary emphysema	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	12	1	.....	.....	.....	.....	.....	1	5	3	.....	1	1	.....	.....	.....	.....	.....
	V.—Diseases of the digestive system	1,549	587	382	75	29	16	38	54	66	69	60	48	53	41	19	6	3	3
99	Diseases of the mouth and annexa	33	25	3	1	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....
100	Diseases of the pharynx	19	3	1	1	1	.....	.....	3	.....	1	2	3	1	1	1	.....	1	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	16	.....	.....	.....	.....	.....	.....	.....	3	3	2	3	2	1	.....	2	.....	.....
103	Other diseases of the stomach (cancer excepted)	178	43	17	7	1	2	5	7	12	20	22	11	15	8	7	.....	.....	1
104	Diarrhea and enteritis (under 2 years)	851	498	353	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	179	.....	.....	60	21	9	22	6	6	6	6	7	18	5	7	2	2	2
106	Ankylostomiasis	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	14	.....	3	3	3	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	62	.....	.....	.....	.....	1	1	17	15	14	8	3	3	.....	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	79	16	2	.....	2	1	4	5	13	9	3	5	4	13	.....	2	.....	.....
	Hernia	25	6	.....	.....	1	.....	.....	1	4	2	.....	2	1	6	.....	2	.....	.....
	Intestinal obstruction	54	10	2	.....	1	1	4	4	9	7	3	3	3	7	.....	.....	.....	.....
110	Other diseases of the intestines	12	1	.....	.....	.....	.....	.....	2	4	1	2	1	1	.....	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	40	.....	.....	2	.....	.....	.....	2	2	8	7	4	6	8	1	.....	.....	.....
114	Biliary calculi	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....
115	Other diseases of the liver	26	1	3	.....	.....	1	1	1	5	3	3	6	.....	1	1	.....	.....	.....
116	Diseases of the spleen	3	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	24	.....	.....	1	1	.....	2	6	3	2	4	1	1	2	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	888	12	12	5	6	3	13	34	82	97	137	131	131	144	62	13	3	3
119	Acute nephritis	112	6	10	1	2	1	4	12	13	17	13	15	12	4	1	.....	1	.....
120	Bright's disease	621	4	1	4	4	1	6	17	47	54	94	101	110	112	50	11	2	3
122	Other diseases of the kidneys and annexa	25	1	.....	.....	.....	.....	2	1	3	3	3	3	2	5	1	1	.....	.....
123	Calculi of the urinary passages	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	30	1	1	.....	.....	.....	1	1	3	3	3	1	2	8	5	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc	11	.....	.....	.....	.....	.....	.....	1	1	2	3	2	1	1	.....	.....	.....	.....
126	Diseases of the prostate	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	14	5	.....	.....	.....
129	Uterine tumor (noncancerous)	21	.....	.....	.....	.....	.....	.....	.....	2	5	12	2	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	19	.....	.....	.....	.....	.....	.....	2	4	7	2	3	1	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	20	.....	.....	.....	.....	.....	.....	.....	8	6	5	1	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	269	.....	.....	.....	.....	.....	.....	51	128	68	22	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	16	.....	.....	.....	.....	.....	.....	4	7	5	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	30	.....	.....	.....	.....	.....	.....	2	10	12	6	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	42	.....	.....	.....	.....	.....	.....	9	20	9	4	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	85	.....	.....	.....	.....	.....	.....	11	47	19	8	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	89	.....	.....	.....	.....	.....	.....	25	40	21	3	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	36	8	1	1	.....	.....	.....	2	4	1	1	3	4	6	4	1	.....	.....
142	Gangrene	12	1	.....	.....	.....	.....	.....	.....	1	1	1	2	1	2	3	.....	.....	.....
143	Furuncle	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
144	Acute abscess	6	1	1	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	15	5	.....	1	.....	.....	.....	1	.....	.....	.....	1	3	2	1	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	6	.....	1	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	3	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
	X.—Malformations	48	38	4	3	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	48	38	4	3	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	7	4	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	14	12	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	27	22	2	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	614	614	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	538	538	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	329	329	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	209	209	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	71	71	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	25	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	46	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	341	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	22	90	119	75	34	.....
154	Senility	341	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	22	90	119	75	34	.....
	XIII.—External causes	714	64	40	23	31	25	54	120	148	78	35	32	29	17	8	5	2	3
	Suicide (total)	10	.....	.....	.....	.....	.....	.....	3	1	4	.....	2	.....	.....	.....	.....	.....	.....
158	By drowning	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
159	By firearms	8	.....	.....	.....	.....	.....	.....	3	1	2	.....	2	.....	.....	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	585	61	39	23	31	25	54	103	90	47	26	24	28	16	8	5	2	3
164	Poisoning by food	14	1	2	.....	1	.....	2	1	3	2	1	1	.....	.....	.....	.....	.....	.....
165	Other acute poisonings	18	1	7	2	2	.....	.....	1	3	1	.....	.....	1	.....	.....	.....	.....	.....
166	Conflagration	34	3	2	3	2	2	5	12	1	2	.....	.....	1	.....	1	.....	.....	.....
167	Burns (conflagration excepted)	158	12	22	13	23	19	29	12	4	5	1	.....	5	6	4	2	1	.....
168	Absorption of deleterious gases (conflagration excepted)	36	30	.....	.....	.....	.....	1	1	2	1	.....	1	.....	.....	.....	.....	.....	.....
169	Accidental drowning	40	1	.....	1	.....	.....	1	15	10	4	1	2	1	1	1	2	.....	.....
170	Traumatism by firearms	51	.....	1	1	1	1	7	22	12	3	2	.....	.....	.....	.....	.....	.....	1
171	Traumatism by cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	32	.....	1	.....	.....	.....	4	7	2	1	2	3	8	3	.....	.....	1	.....
173	Traumatism in mines and quarries (total)	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in mines	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	25	.....	.....	.....	.....	.....	1	5	12	2	1	2	2	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	80	1	1	.....	1	1	2	11	24	16	12	4	3	3	.....	.....	.....	1
	Railroad accidents and injuries	48	.....	.....	.....	.....	.....	1	6	17	11	6	3	2	1	.....	.....	.....	1
	Street-car accidents and injuries	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
	Automobile accidents and injuries	8	.....	.....	.....	1	.....	.....	2	1	1	2	1	.....	.....	.....	.....	.....	.....
	Injuries by other vehicles	14	.....	1	.....	.....	1	1	2	2	2	2	.....	1	2	.....	.....	.....	.....
	Landslide, other crushing	7	1	.....	.....	.....	.....	.....	1	3	1	1	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	4	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
178	Excessive cold	6	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	1	.....	.....
179	Effects of heat	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1
180	Lightning	11	.....	.....	.....	.....	.....	.....	7	1	2	.....	1	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
186	Other external violence	64	11	3	3	1	2	1	7	11	8	5	6	4	1	1	.....	.....	.....
	Homicide (total)	119	3	1	.....	.....	.....	.....	14	57	27	9	6	1	1	.....	.....	.....	.....
182	By firearms	92	.....	1	.....	.....	.....	.....	12	45	20	7	5	1	1	.....	.....	.....	.....
183	By cutting or piercing instruments	13	.....	.....	.....	.....	.....	.....	2	6	4	1	.....	.....	.....	.....	.....	.....	.....
184	By other means	14	3	.....	.....	.....	.....	.....	.....	6	3	1	1	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	1,512	774	115	35	18	11	20	41	70	57	76	54	77	88	39	23	8	6
187	Ill-defined organic disease	63	1	1	.....	1	.....	1	2	6	1	10	7	9	13	8	2	1	.....
188	Sudden death	111	26	3	2	1	.....	.....	2	6	8	9	14	14	15	4	4	2	1
189	Not specified or ill-defined (total)	1,338	747	111	33	16	11	19	37	58	48	57	33	54	60	27	17	5	5
	Ill-defined	210	59	39	5	5	2	4	8	7	12	23	12	19	10	4	1	.....	.....
	Not specified or unknown	1,128	688	72	28	11	9	15	29	51	36	34	21	35	50	23	16	5	5

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	OHIO.																	
	All Causes	76,940	11,140	2,196	983	596	477	1,505	2,780	5,590	6,448	7,135	8,401	10,552	11,795	6,411	886	22	23
	1.—General diseases	19,725	1,115	591	354	251	229	614	1,191	2,490	2,550	2,441	2,574	2,539	1,986	715	81	2	2
1	Typhoid fever	694	4	3	9	9	10	47	148	177	124	81	45	31	6	.....	.....	.....	.....
4	Malaria	16	1	1	.....	.....	.....	.....	.....	2	2	.....	5	2	3	.....	.....	.....	.....
5	Smallpox	11	4	.....	.....	.....	.....	1	1	1	.....	.....	2	1	.....	1	.....	.....	.....
6	Measles	572	126	131	56	33	25	52	60	40	16	10	11	7	3	2	.....	.....	.....
7	Scarlet fever	198	12	16	26	28	22	43	30	10	6	3	1	.....	.....	.....	1	.....	.....
8	Whooping cough	596	312	148	67	23	14	24	2	1	2	.....	1	1	1	.....	.....	.....	.....
9	Diphtheria and croup	746	46	87	39	38	94	220	84	14	11	6	3	4	.....	.....	.....	.....	.....
10	Influenza	962	84	25	9	10	6	8	28	35	43	47	81	135	211	206	32	2	.....
13	Cholera nostras	14	3	1	.....	.....	.....	.....	.....	.....	1	1	1	2	4	1	.....	.....	.....
14	Dysentery	174	17	15	7	4	.....	4	.....	3	4	4	4	16	57	33	6	.....	.....
18	Erysipelas	214	55	2	1	1	.....	1	3	12	15	27	29	21	28	16	3	.....	.....
19	Other epidemic diseases	30	14	3	1	4	.....	2	3	.....	1	.....	.....	1	1	.....	.....	.....	.....
20	Purulent infection and septicemia	63	8	.....	2	1	.....	2	6	6	11	5	4	9	1	7	1	.....	.....
23	Rabies	5	.....	1	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	99	11	1	1	1	1	14	22	11	13	11	10	3	.....	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
26	Pellagra	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
	Tuberculosis (total)	7,420	164	123	62	35	33	116	665	1,888	1,595	1,106	723	507	331	67	4	.....	1
28	Tuberculosis of the lungs	6,249	49	47	13	6	9	28	507	1,706	1,428	1,002	649	445	290	60	4	.....	1
29	Acute miliary tuberculosis	225	10	2	2	1	4	11	43	56	41	22	14	11	6	2	.....	.....	.....
30	Tuberculous meningitis	394	71	63	36	25	14	54	48	37	21	17	5	1	1	1	.....	.....	.....
31	Abdominal tuberculosis	299	17	6	2	1	3	13	36	56	52	34	27	32	17	3	.....	.....	.....
32	Pott's disease	55	4	.....	2	.....	2	5	9	4	12	7	7	2	1	.....	.....	.....	.....
33	White swellings	31	.....	1	.....	.....	1	2	7	1	6	3	4	4	2	.....	.....	.....	.....
34	Tuberculosis of other organs	114	9	3	1	2	.....	3	11	18	22	13	10	9	12	1	.....	.....	.....
35	Disseminated tuberculosis	53	4	1	1	.....	.....	.....	4	10	13	8	7	3	2	.....	.....	.....	.....
36	Rickets	28	18	8	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	599	141	11	8	1	2	6	10	44	113	118	84	43	16	2	.....	.....	.....
38	Gonococcus infection	56	2	.....	.....	.....	.....	.....	1	20	17	6	7	2	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	4,787	9	3	5	7	3	10	21	88	270	659	1,066	1,304	1,023	296	23	.....	.....
39	Of the buccal cavity	178	1	.....	1	.....	1	.....	1	2	4	10	30	58	51	19	.....	.....	.....
40	Of the stomach, liver	1,885	.....	.....	.....	.....	1	1	3	14	64	193	425	596	486	98	4	.....	.....
41	Of the peritoneum, intestines, rectum	611	.....	1	1	1	1	1	2	21	37	75	133	176	125	37	.....	.....	.....
42	Of the female genital organs	723	.....	1	.....	.....	.....	.....	.....	19	84	189	200	139	76	15	.....	.....	.....
43	Of the breast	445	.....	.....	.....	.....	.....	.....	.....	2	34	99	110	103	64	28	5	.....	.....
44	Of the skin	192	.....	.....	1	.....	.....	.....	.....	1	3	9	23	31	58	54	12	.....	.....
45	Of other organs or of organs not specified	753	8	1	2	6	.....	8	15	29	44	84	145	201	163	45	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	25	1	.....	.....	.....	.....	1	.....	1	2	3	3	6	4	4	.....	.....	.....
47	Acute articular rheumatism	293	1	.....	2	2	9	35	52	38	44	30	24	30	14	10	2	.....	.....
48	Chronic rheumatism and gout	64	.....	.....	.....	.....	1	.....	2	.....	4	7	7	16	16	11	.....	.....	.....
49	Scurvy	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	913	2	5	1	1	5	10	32	37	61	75	218	251	175	34	6	.....	.....
51	Exophthalmic goiter	175	.....	.....	.....	.....	.....	.....	5	20	34	35	51	18	6	5	.....	.....	1
52	Addison's disease	29	.....	.....	.....	.....	.....	.....	.....	1	6	5	7	5	5	.....	.....	.....	.....
53	Leukemia	110	2	2	3	.....	2	6	6	11	13	18	21	19	5	2	.....	.....	.....
54	Anemia, chlorosis	287	15	1	1	1	.....	3	5	12	19	36	73	65	41	12	3	.....	.....
55	Other general diseases	97	61	3	3	2	1	6	4	.....	4	1	4	5	2	1	.....	.....	.....
56	Alcoholism (acute or chronic)	404	.....	.....	.....	.....	.....	.....	1	15	111	138	82	30	24	3	.....	.....	.....
57	Chronic lead poisoning	15	1	.....	.....	.....	.....	.....	.....	1	1	4	3	4	1	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	22	.....	.....	.....	.....	.....	.....	.....	1	6	4	3	.....	6	2	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	8,553	302	139	82	60	37	137	172	219	446	707	1,137	1,749	2,178	1,070	114	2	2
60	Encephalitis	40	9	2	.....	.....	.....	.....	4	4	7	4	2	3	3	2	.....	.....	.....
61	Meningitis (total)	607	106	75	45	31	23	81	75	68	40	26	20	11	5	.....	.....	.....	1
	Simple meningitis	194	35	23	16	8	10	20	14	15	13	13	16	7	3	.....	.....	.....	1
	Cerebrospinal meningitis (undefined)	105	24	20	8	9	2	8	15	9	4	3	.....	2	1	.....	.....	.....	.....
	Cerebrospinal fever	308	47	32	21	14	11	53	46	44	23	10	4	2	1	.....	.....	.....	.....
62	Locomotor ataxia	174	.....	.....	.....	.....	.....	.....	.....	.....	18	32	55	45	17	7	.....	.....	.....
63	Other diseases of the spinal cord (total)	440	21	23	19	19	8	21	20	11	11	27	43	88	91	35	3	.....	.....
	Acute anterior poliomyelitis	128	19	22	18	18	6	21	16	4	1	1	1	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	312	2	1	1	1	2	.....	4	7	10	26	42	87	91	35	3	.....	.....
64	Cerebral hemorrhage, apoplexy	5,616	11	4	2	1	3	7	9	40	139	364	801	1,401	1,832	904	95	2	1
65	Softening of the brain	103	.....	.....	.....	.....	.....	.....	.....	.....	2	3	6	18	39	33	2	.....	.....
66	Paralysis without specified cause	256	1	.....	1	.....	1	1	6	2	5	9	17	57	97	53	6	.....	.....
67	General paralysis of the insane	444	.....	.....	.....	.....	.....	.....	.....	13	115	134	89	43	33	15	2	.....	.....
68	Other forms of mental alienation	146	.....	.....	.....	.....	.....	.....	1	14	24	29	28	25	19	4	2	.....	.....
69	Epilepsy	239	6	3	1	2	.....	4	20	35	52	39	28	28	18	2	1	.....	.....
70	Convulsions (nonpuerperal)	7	.....	.....	.....	.....	.....	4	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	139	121	13	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	15	.....	.....	.....	.....	.....	1	6	3	.....	1	.....	.....	2	1	1	.....	.....
73	Neuralgia and neuritis	30	1	.....	.....	.....	.....	.....	1	2	2	1	6	8	5	4	.....	.....	.....
74	Other diseases of the nervous system	162	12	3	1	1	.....	6	12	12	21	29	27	17	14	5	2	.....	.....
75	Diseases of the eyes and their annexa	11	.....	.....	1	1	1	.....	.....	.....	1	.....	1	2	1	3	.....	.....	.....
76	Diseases of the ears	124	14	16	9	4	.....	12	16	15	9	9	13	3	2	2	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	OHIO—Continued.																	
	III.—Diseases of the circulatory system	11,690	53	11	12	9	5	101	231	273	534	918	1,487	2,498	3,447	1,858	241	7	5
77	Pericarditis	64							4	5	6	5	7	13	18	5	1		
78	Acute endocarditis	448	13		1		2	22	38	39	58	112	113	17	26	6	1		
79	Organic diseases of the heart	8,789	22	11	7	9	2	73	182	204	415	702	1,164	2,009	2,614	1,239	127	4	5
80	Angina pectoris	502						1	2	4	19	36	108	138	143	48	3		
81	Diseases of the arteries, atheroma, aneurism, etc.	1,623							2	7	16	35	69	269	589	528	105	3	
82	Embolism and thrombosis	176	2		1		1	4	3	10	13	15	18	40	42	24	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	37	1							2	5	4	7	6	11	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	25	13		3			1		1	1	2	1	2	1				
85	Hemorrhage; other diseases of the circulatory system	26	2							1	1	7		4	3	7	1		
	IV.—Diseases of the respiratory system	9,297	1,717	579	206	80	65	172	236	446	633	788	902	1,076	1,326	934	130	5	2
86	Diseases of the nasal fossae	8	3					1	1		3								
87	Diseases of the larynx	50	12	7	7	1	3	3	2	2	3	4	1	2	1	1		1	
88	Diseases of the thyroid body	34							2	6	4	2	12	2	6				
89	Acute bronchitis	467	202	45	13	5	4	4	2	4	5	4	10	23	55	79	11	1	
90	Chronic bronchitis	387		3		1		2	1	2	10	14	20	63	119	131	20	1	
91	Bronchopneumonia	2,802	991	329	105	34	28	51	46	35	62	92	145	200	359	276	47	1	1
92	Pneumonia (total)	5,040	485	175	73	33	27	102	168	363	518	632	659	706	683	370	44	1	1
	Lobar pneumonia	4,816	459	170	70	33	26	95	159	352	492	616	632	683	644	344	40		1
	Pneumonia (undefined)	224	26	5	3		1	7	9	11	26	16	27	23	39	26	4	1	
93	Pleurisy	179	9	12	7	4	2	7	8	20	20	19	18	21	20	9	3		
94	Pulmonary congestion, pulmonary apoplexy	106	12	6				1	2	2	1	2	4	10	27	34	5		
95	Gangrene of the lung	17							1	2		3	5	4		2			
96	Asthma	138	1				1		1		3	10	23	29	47	23			
97	Pulmonary emphysema	13	1							1				4	5	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	56	1	2	1	2		1	2	9	4	6	5	12	4	7			
	V.—Diseases of the digestive system	7,557	2,774	681	178	79	44	149	234	341	382	465	602	675	602	307	43		1
99	Diseases of the mouth and annexa	50	12	3		1		5	4	3	2	5	5	7	2	1			
100	Diseases of the pharynx	181	14	5	15	6	5	22	34	30	13	12	8	9	7	1			
101	Diseases of the esophagus	6		1								1	1	1	2				
102	Ulcer of the stomach	262	2						8	26	39	49	43	46	33	14	2		
103	Other diseases of the stomach (cancer excepted)	541	184	21	11	8	3	9	5	16	16	18	47	57	74	61	11		
104	Diarrhea and enteritis (under 2 years)	3,048	2,426	622															
105	Diarrhea and enteritis (2 years and over)	629			122	48	18	37	10	15	26	38	46	68	104	83	14		
107	Intestinal parasites	3							1				2						
108	Appendicitis and typhlitis	617	1	2	7	6	7	52	121	131	103	78	57	32	14	6			
109	Hernia, intestinal obstruction (total)	624	95	18	12	4	5	14	22	42	40	48	78	92	104	46	4		
	Hernia	199	14	2	1			1	2	10	13	16	42	35	44	17	2		
	Intestinal obstruction	425	81	16	11	4	5	13	20	32	27	32	36	57	60	29	2		
110	Other diseases of the intestines	139	20	3	3			1	5	5	9	18	17	16	23	14	5		
111	Acute yellow atrophy of the liver	23	1					1	3	4	1	3	2	3	4	1			
112	Hydatid tumor of the liver	2											1	1					
113	Cirrhosis of the liver	778		1	1	1			4	13	57	119	181	202	149	45	4		1
114	Biliary calculi	229				1			1	12	28	28	45	68	31	14	1		
115	Other diseases of the liver	247	4	2		1	1	3	4	21	18	31	46	52	42	20	2		
116	Diseases of the spleen	14	1					1		2	3	1	2	3	1				
117	Simple peritonitis (nonpuerperal)	137	13	3	7	3	5	2	12	20	24	13	12	14	8	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	27	1					2		1	3	3	9	4	4				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	5,944	44	17	14	10	9	20	92	215	386	597	832	1,312	1,539	771	85	1	
119	Acute nephritis	439	25	13	8	7	3	8	31	37	54	56	61	54	52	26	4		
120	Bright's disease	4,622	8	4	5	1	5	11	47	116	207	414	683	1,130	1,298	625	67	1	
122	Other diseases of the kidneys and annexa	104	3		1	1	1	1	3	6	15	17	10	15	18	9	4		
123	Calculi of the urinary passages	40				1				3	3	6	5	8	7	6	1		
124	Diseases of the bladder	112	1						1		1	2	8	11	50	35	3		
125	Diseases of the urethra, urinary abscess, etc	20								1	6	4	3	2	3	1			
126	Diseases of the prostate	255								1	1	2	18	65	96	67	5		
127	Nonvenereal diseases of the male genital organs	10	6						1	1		2							
128	Uterine hemorrhage (nonpuerperal)	3									2	1							
129	Uterine tumor (noncancerous)	106								2	28	38	20	11	6		1		
130	Other diseases of the uterus	72							4	14	21	15	8	7	2	1			
131	Cysts and other tumors of the ovary	53							2	4	7	16	10	8	5	1			
132	Salpingitis and other diseases of the female genital organs	106	1						3	30	41	23	6	1	1				
133	Nonpuerperal diseases of the breast (cancer excepted)	2										1			1				
	VII.—The puerperal state	862							73	404	316	69							
134	Accidents of pregnancy	68							5	25	31	7							
135	Puerperal hemorrhage	104							2	37	54	11							
136	Other accidents of labor	58							3	25	23	7							
137	Puerperal septicemia	424							36	207	152	29							
138	Puerperal albuminuria and convulsions	180							26	96	45	13							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	24							1	10	11	2							
140	Following childbirth (not otherwise defined)	4								4									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	OHIO—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	232	44	2	2	1	1	1	4	3	7	16	17	28	55	45	6		
142	Gangrene	120	2	1	2	1	1	1		1	3	2	4	10	48	38	6		
143	Furuncle	29	5						1		1	8	7	6		1			
144	Acute abscess	31	8	1					2	2	2	3	4	5	2	2			
145	Other diseases of the skin and annexa	52	29						1		1	3		7	5	4			
	IX.—Diseases of the bones and of the organs of locomotion	155	11	5	2	1	3	16	14	22	12	18	17	16	10	7	1		
146	Diseases of the bones (tuberculosis excepted)	141	11	5	2	1	2	16	14	20	10	17	12	14	10	6	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	10					1			1	1	1	3	2		1			
149	Other diseases of the organs of locomotion	4								1	1		2						
	X.—Malformations	960	900	27	7	4	4	7	7	2	1	1							
150	Congenital malformations (stillbirths not included) (total)	960	900	27	7	4	4	7	7	2	1	1							
	Hydrocephalus	75	53	10	3	1	4	2	2										
	Congenital malformations of the heart	591	567	10	2	3		2	5	1		1							
	Other congenital malformations	294	280	7	2			3		1	1								
	XI.—Early infancy	3,772	3,772																
151	Congenital debility, icterus, and sclerema (total)	2,958	2,958																
	Premature birth	2,295	2,295																
	Congenital debility, "atrophy," "marasmus," etc	663	663																
152	Other causes peculiar to early infancy (total)	814	814																
	Injuries at birth	533	533																
	Other causes peculiar to early infancy [1]	281	281																
	XII.—Old age	701											2	20	176	381	117	5	
154	Senility	701											2	20	176	381	117	5	
	XIII.—External causes	6,935	163	110	119	99	76	282	517	1,157	1,157	1,079	784	588	428	302	63		11
	Suicide (total)	756							21	150	157	144	142	102	32	5	3		
155	By poison	171							11	46	37	32	30	14	1				
156	By asphyxia	13								4	3	1	3	2					
157	By hanging or strangulation	152							3	17	27	25	34	33	11	1	1		
158	By drowning	58								11	9	18	8	8	3		1		
159	By firearms	277							7	56	60	54	54	31	13	1	1		
160	By cutting or piercing instruments	59								5	19	9	11	9	3	3			
161	By jumping from high places	19								8	2	3	1	4	1				
162	By crushing	5								3		2							
163	Other suicides	2											1	1					
	Accidental or undefined (total)	5,671	156	110	118	96	76	280	472	838	847	838	609	473	392	296	60		10
164	Poisoning by food	73	9	5	6	6	2	8	5	5	4	6	10	5	1	1			
165	Other acute poisonings	107	7	15	10	3	2	3	4	12	14	19	11	5		2			
166	Conflagration	123	4	5	6	7	5	21	10	9	8	17	11	7	6	7			
167	Burns (conflagration excepted)	473	22	44	61	39	28	22	28	37	33	46	29	32	37	13	2		
168	Absorption of deleterious gases (conflagration excepted)	215	66	1				3	7	32	30	32	18	16	4	5			1
169	Accidental drowning	318	2	6	11	2	1	37	70	59	48	48	17	13	4				
170	Traumatism by firearms	105				3	2	8	40	29	7	9	5	1					1
171	Traumatism by cutting or piercing instruments	21		1		1		2			4	2	5	3	2	1			
172	Traumatism by fall	1,007	13	12	6	7	8	21	44	58	97	95	88	111	192	204	50		1
173	Traumatism in mines and quarries (total)	116							8	23	26	29	19	9	2				
	Traumatism in mines	113							6	22	26	29	19	9	2				
	Traumatism in quarries	3							2	1									
174	Traumatism by machines	233				1	1	1	18	59	62	42	26	16	6	1			
175	Traumatism by other crushing (total)	2,238	9	12	13	24	23	140	198	429	412	398	273	197	82	20	1		7
	Railroad accidents and injuries	1,135	1	3	2	3	3	19	90	266	243	238	144	85	26	4	1		7
	Street-car accidents and injuries	272	1	3	3	3	3	11	17	45	40	58	34	24	24	6			
	Automobile accidents and injuries	605	6	5	6	14	16	98	63	92	94	66	62	59	18	6			
	Injuries by other vehicles	184	1	1	2	4	1	12	25	21	22	26	28	23	14	4			
	Landslide, other crushing	42							3	5	13	10	5	6					
176	Injuries by animals	50			1		1	3	4	2	11	6	8	3	9	2			
177	Starvation	3	1									1		1					
178	Excessive cold	39						1	1	1	4	10	10	5	6	1			
179	Effects of heat	92	9	2	1		1		1	6	14	18	13	11	7	9			
180	Lightning	31						1	7	6	6	2	5	4					
181	Electricity (lightning excepted)	66					1	1	10	22	17	5	6	3	1				
185	Fractures (cause not specified)	65						1		2	7	5	9	6	11	17	7		
186	Other external violence	296	14	7	3	3	1	7	17	47	43	48	46	25	22	13			
	Homicide (total)	508	7		1	3		2	24	169	153	97	33	13	4	1			1
182	By firearms	320	2			1		1	17	112	109	48	25	4	1				
183	By cutting or piercing instruments	78							3	30	28	14	1	2					
184	By other means	110	5		1	2		1	4	27	16	35	7	7	3	1			1
	XIV.—Ill-defined diseases	557	245	34	7	2	4	6	9	18	24	36	47	51	48	21	5		
187	Ill-defined organic disease	12			1					1		2	2	1	2	3			
188	Sudden death	61	28	3	1		1	1		3	5	3	5	5	3	2	1		
189	Not specified or ill-defined (total)	484	217	31	5	2	3	5	9	14	19	31	40	45	43	16	4		
	Ill-defined	160	33	23	2			3	4	6	8	9	17	20	24	8	3		
	Not specified or unknown	324	184	8	3	2	3	2	5	8	11	22	23	25	19	8	1		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	PENNSYLVANIA.																	
	All causes	128,163	24,703	4,775	2,100	1,333	930	2,786	4,473	8,822	10,625	12,085	14,339	16,362	15,892	7,832	1,003	31	72
	I.—General diseases	29,818	2,166	1,211	755	536	389	1,122	1,664	3,525	3,747	3,807	3,944	3,620	2,466	781	78	2	5
1	Typhoid fever	901	8	7	11	6	12	43	177	254	175	109	59	26	12	1	.....	.....	1
4	Malaria	17	1	.....	.....	.....	1	.....	.....	3	3	.....	3	3	2	.....	1	.....	.....
6	Measles	523	162	164	74	38	22	33	16	4	5	1	1	3	.....	.....	.....	.....	.....
7	Scarlet fever	225	10	22	22	23	23	82	30	11	1	2	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	891	502	248	68	34	15	21	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	2,019	122	316	322	280	207	541	149	34	18	18	6	3	3	.....	.....	.....	.....
10	Influenza	1,506	189	62	27	19	6	26	42	53	66	107	150	237	297	193	30	2	.....
13	Cholera nostras	45	13	8	2	.....	1	1	1	1	.....	5	3	3	3	4	.....	.....	.....
14	Dysentery	210	38	20	19	6	7	6	1	6	2	9	7	18	43	24	3	.....	1
18	Erysipelas	313	104	3	3	.....	1	2	3	17	20	26	38	25	46	21	4	.....	.....
19	Other epidemic diseases	63	32	9	3	3	4	7	1	.....	.....	2	.....	2	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	108	17	1	1	2	2	9	11	11	11	12	9	13	4	4	1	.....	.....
22	Anthrax	10	.....	.....	.....	.....	.....	.....	.....	3	1	2	2	1	1	.....	.....	.....	.....
23	Rabies	6	.....	.....	.....	1	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	131	13	.....	2	.....	3	25	29	15	12	9	17	4	2	.....	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
26	Pellagra	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	.....
27	Beriberi	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	11,709	460	270	150	93	63	215	956	2,706	2,525	1,913	1,238	752	306	54	6	.....	2
28	Tuberculosis of the lungs	9,614	134	86	45	26	17	69	728	2,404	2,278	1,708	1,124	667	274	48	4	.....	2
29	Acute miliary tuberculosis	511	26	11	11	3	5	11	75	128	103	81	34	18	5	.....	.....	.....	.....
30	Tuberculous meningitis	753	196	146	74	49	30	84	60	50	27	20	12	3	1	1	.....	.....	.....
31	Abdominal tuberculosis	451	72	17	12	5	6	27	50	66	56	52	36	35	14	3	.....	.....	.....
32	Pott's disease	106	3	3	3	5	3	14	13	12	19	11	10	7	3	.....	.....	.....	.....
33	White swellings	58	3	1	3	.....	1	6	13	9	4	7	4	4	2	1	.....	.....	.....
34	Tuberculosis of other organs	149	18	3	1	4	1	4	9	26	29	20	11	16	4	1	2	.....	.....
35	Disseminated tuberculosis	67	8	3	1	1	.....	.....	8	11	9	14	7	2	3	.....	.....	.....	.....
36	Rickets	68	38	18	7	1	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	655	296	21	10	5	1	4	7	53	93	76	47	28	11	3	.....	.....	.....
38	Gonococcus infection	55	9	1	1	.....	.....	1	5	19	10	8	.....	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	6,832	12	6	5	8	7	12	38	116	417	1,021	1,666	1,812	1,314	373	25	.....	.....
39	Of the buccal cavity	280	2	.....	.....	.....	1	2	3	.....	10	32	61	73	65	28	3	.....	.....
40	Of the stomach, liver	2,755	.....	.....	.....	.....	1	1	5	28	123	357	686	810	577	161	6	.....	.....
41	Of the peritoneum, intestines, rectum	886	2	.....	1	2	1	1	7	24	51	121	214	235	197	28	2	.....	.....
42	Of the female genital organs	1,020	.....	.....	1	.....	.....	.....	2	22	108	262	268	222	110	24	1	.....	.....
43	Of the breast	642	.....	.....	.....	.....	.....	.....	.....	9	54	120	166	148	102	38	5	.....	.....
44	Of the skin	222	1	.....	1	.....	.....	3	2	1	7	18	35	44	53	51	6	.....	.....
45	Of other organs or of organs not specified	1,027	7	6	2	6	4	5	19	32	64	111	236	280	210	43	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	14	1	.....	1	.....	.....	.....	1	2	.....	3	2	1	3	.....	.....	.....	.....
47	Acute articular rheumatism	457	6	7	8	4	7	49	91	32	52	38	62	55	31	14	1	.....	.....
48	Chronic rheumatism and gout	128	.....	1	.....	.....	.....	.....	1	7	6	10	25	33	32	12	1	.....	.....
49	Scurvy	22	11	3	.....	.....	.....	.....	2	2	.....	2	1	1	.....	.....	.....	.....	.....
50	Diabetes	1,425	1	4	4	2	1	14	53	72	93	137	306	412	267	54	5	.....	.....
51	Exophthalmic goiter	111	.....	.....	.....	.....	.....	.....	9	12	22	28	25	11	3	1	.....	.....	.....
52	Addison's disease	30	.....	.....	.....	.....	.....	.....	.....	4	5	9	5	3	4	.....	.....	.....	.....
53	Leukemia	144	7	6	6	3	1	11	14	9	19	13	24	19	11	1	.....	.....	.....
54	Anemia, chlorosis	392	23	7	3	3	.....	8	13	25	28	63	85	75	46	12	1	.....	.....
55	Other general diseases	178	91	7	6	6	4	7	10	8	4	2	8	10	8	7	.....	.....	.....
56	Alcoholism (acute or chronic)	572	.....	.....	.....	.....	.....	.....	.....	36	148	165	145	60	14	3	.....	.....	1
57	Chronic lead poisoning	24	.....	.....	.....	.....	.....	.....	.....	1	5	6	6	6	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	23	.....	.....	.....	.....	.....	.....	.....	6	5	7	1	3	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	11,903	698	195	137	84	70	246	330	331	582	989	1,587	2,407	2,759	1,366	121	.....	1
60	Encephalitis	71	15	5	2	1	.....	6	4	4	9	11	8	5	1	.....	.....	.....	.....
61	Meningitis (total)	1,012	216	85	89	49	42	140	154	85	58	41	28	16	6	2	1	.....	.....
	Simple meningitis	401	114	35	42	20	20	39	34	29	19	18	16	10	3	2	.....	.....	.....
	Cerebrospinal meningitis (undefined)	110	23	7	11	6	3	17	23	9	4	2	.....	3	2	.....	.....	.....	.....
	Cerebrospinal fever	501	79	43	36	23	19	84	97	47	35	21	12	3	1	.....	1	.....	.....
62	Locomotor ataxia	243	.....	.....	.....	1	.....	.....	.....	2	23	39	74	70	29	5	.....	.....	.....
63	Other diseases of the spinal cord (total)	565	27	21	18	9	12	37	30	18	27	49	75	103	105	31	2	.....	1
	Acute anterior poliomyelitis	142	22	21	18	9	12	32	9	6	6	2	3	1	1	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	423	5	.....	.....	.....	.....	5	21	12	21	47	72	102	104	31	2	.....	1
64	Cerebral hemorrhage, apoplexy	7,305	23	5	3	6	.....	6	19	62	134	477	1,101	1,901	2,313	1,150	105	.....	.....
65	Softening of the brain	80	.....	.....	.....	.....	.....	.....	1	1	1	3	11	20	29	14	.....	.....	.....
66	Paralysis without specified cause	483	3	.....	.....	1	.....	.....	3	5	12	23	39	123	154	109	11	.....	.....
67	General paralysis of the insane	651	.....	.....	.....	.....	.....	.....	1	25	151	189	121	80	54	29	1	.....	.....
68	Other forms of mental alienation	171	.....	.....	.....	.....	.....	.....	4	21	29	32	35	25	20	5	.....	.....	.....
69	Epilepsy	363	11	6	3	2	2	8	60	66	70	54	36	28	12	5	.....	.....	.....
70	Convulsions (nonpuerperal)	13	.....	.....	.....	.....	.....	6	.....	2	4	1	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	380	320	47	9	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	15	.....	1	.....	.....	.....	2	8	1	1	.....	1	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	60	.....	.....	.....	.....	.....	.....	1	2	5	14	11	11	9	6	1	.....	.....
74	Other diseases of the nervous system	259	32	7	5	5	4	12	20	23	36	41	33	16	18	7	.....	.....	.....
75	Diseases of the eyes and their annexa	13	1	1	1	.....	.....	2	1	.....	2	1	.....	1	3	.....	.....	.....	.....
76	Diseases of the ears	219	50	17	7	9	7	27	24	14	20	14	14	8	5	3	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	PENNSYLVANIA—Continued.																	
	III.—Diseases of the circulatory system	17,075	202	42	36	21	19	146	440	605	867	1,494	2,529	3,800	4,337	2,223	306	8	.....
77	Pericarditis	94	3	1	.....	.....	2	3	3	5	12	9	11	18	18	9	.....	.....	.....
78	Acute endocarditis	947	57	9	11	7	5	29	72	109	118	173	281	40	22	13	1	.....	.....
79	Organic diseases of the heart	13,158	100	23	19	12	12	102	355	458	669	1,163	1,923	3,185	3,395	1,548	188	6	.....
80	Angina pectoris	639	.....	.....	.....	.....	.....	.....	.....	12	26	66	128	179	167	56	5	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	1,794	.....	.....	.....	.....	.....	1	.....	5	13	44	121	299	653	550	106	2	.....
82	Embolism and thrombosis	303	4	2	1	.....	.....	3	7	13	17	28	53	65	62	42	6	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc)	39	1	.....	.....	.....	.....	.....	1	3	6	7	3	8	9	1	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	64	34	7	5	2	.....	6	1	.....	1	1	2	2	1	2	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	37	3	.....	.....	.....	.....	2	1	.....	5	3	7	4	10	2	.....	.....	.....
	IV.—Diseases of the respiratory system	19,337	4,599	1,347	530	256	170	328	424	940	1,481	1,734	2,048	2,135	2,085	1,130	124	4	2
86	Diseases of the nasal fossae	10	5	.....	.....	.....	1	1	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
87	Diseases of the larynx	132	30	18	14	13	9	15	1	2	3	6	8	4	6	2	.....	.....	1
88	Diseases of the thyroid body	55	3	.....	.....	.....	.....	.....	5	6	14	6	8	7	4	2	.....	.....	.....
89	Acute bronchitis	1,041	608	109	41	13	10	6	4	7	12	17	20	38	72	74	10	.....	.....
90	Chronic bronchitis	582	13	8	.....	.....	.....	5	8	6	14	32	72	107	156	142	19	.....	.....
91	Bronchopneumonia	6,043	2,599	724	246	121	72	124	82	94	149	167	250	435	570	378	31	1	.....
92	Pneumonia (total)	10,273	1,231	443	203	97	65	167	295	766	1,219	1,349	1,481	1,358	1,113	439	45	1	1
	Lobar pneumonia	9,047	995	376	166	80	54	145	255	711	1,138	1,224	1,354	1,208	958	350	32	1	.....
	Pneumonia (undefined)	1,226	236	67	37	17	11	22	40	55	81	125	127	150	155	89	13	.....	1
93	Pleurisy	428	39	39	18	6	7	10	22	33	38	59	56	42	45	13	1	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	237	56	3	4	5	4	.....	3	4	7	9	23	13	39	53	12	2	.....
95	Gangrene of the lung	31	.....	.....	2	.....	.....	.....	.....	2	3	10	8	4	.....	2	.....	.....	.....
96	Asthma	286	3	2	1	.....	1	.....	2	8	11	43	62	78	53	17	5	.....	.....
97	Pulmonary emphysema	29	1	.....	1	.....	1	.....	.....	.....	2	5	6	6	5	2	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	190	11	1	.....	1	.....	.....	2	12	8	31	53	43	21	6	1	.....	.....
	V.—Diseases of the digestive system	15,131	7,296	1,574	355	188	101	291	331	449	640	828	928	929	780	404	36	1	.....
99	Diseases of the mouth and annexa	74	28	8	.....	2	2	3	4	8	7	4	3	3	.....	2	.....	.....	.....
100	Diseases of the pharynx	211	22	3	13	16	7	31	23	28	22	15	15	5	7	4	.....	.....	.....
101	Diseases of the esophagus	22	2	.....	.....	.....	.....	.....	1	3	1	2	6	2	5	.....	.....	.....	.....
102	Ulcer of the stomach	289	2	1	1	.....	.....	.....	8	27	45	61	43	62	27	10	2	.....	.....
103	Other diseases of the stomach (cancer excepted)	941	306	35	20	13	7	19	20	22	34	76	75	100	126	80	8	.....	.....
104	Diarrhea and enteritis (under 2 years)	8,211	6,726	1,485	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	1,318	.....	.....	285	132	60	103	36	44	72	67	77	140	160	130	12	.....	.....
107	Intestinal parasites	10	1	1	3	1	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	850	2	4	5	6	3	87	173	166	161	117	64	42	14	6	.....	.....	.....
109	Hernia, intestinal obstruction (total)	1,012	150	26	10	15	8	20	31	57	77	107	157	154	136	58	6	.....	.....
	Hernia	363	23	4	2	1	1	1	2	14	23	46	76	75	69	24	2	.....	.....
	Intestinal obstruction	649	127	22	8	14	7	19	29	43	54	61	81	79	67	34	4	.....	.....
110	Other diseases of the intestines	189	24	5	7	3	3	7	2	12	27	20	14	18	21	25	1	.....	.....
111	Acute yellow atrophy of the liver	44	5	.....	1	.....	.....	.....	1	6	6	7	6	3	5	4	.....	.....	.....
112	Hydatid tumor of the liver	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	1,078	3	1	1	.....	1	4	7	13	83	215	294	249	158	47	2	.....	.....
114	Biliary calculi	256	.....	.....	.....	.....	.....	.....	1	9	21	52	63	70	30	10	.....	.....	.....
115	Other diseases of the liver	390	16	2	.....	.....	2	3	8	21	50	56	85	55	63	25	3	1	.....
116	Diseases of the spleen	6	.....	.....	1	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	172	9	3	8	.....	5	14	14	23	26	17	10	13	25	3	2	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	55	.....	.....	.....	.....	1	.....	1	7	5	12	14	12	3	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	11,214	114	25	29	22	17	76	180	423	796	1,365	2,023	2,463	2,508	1,060	105	5	3
119	Acute nephritis	835	65	16	15	14	9	43	63	83	104	110	128	95	66	23	1	.....	.....
120	Bright's disease	9,222	25	8	13	8	8	32	101	228	536	1,081	1,754	2,213	2,218	895	94	5	3
122	Other diseases of the kidneys and annexa	162	9	.....	1	.....	.....	1	7	11	19	24	32	22	18	16	2	.....	.....
123	Calculi of the urinary passages	53	.....	1	.....	.....	.....	.....	.....	3	8	10	9	9	9	4	.....	.....	.....
124	Diseases of the bladder	154	4	.....	.....	.....	.....	.....	2	2	3	7	9	31	47	45	4	.....	.....
125	Diseases of the urethra, urinary abscess, etc	35	.....	.....	.....	.....	.....	.....	1	2	3	13	8	7	1	.....	.....	.....	.....
126	Diseases of the prostate	289	.....	.....	.....	.....	.....	.....	1	.....	.....	2	26	60	126	70	4	.....	.....
127	Nonvenereal diseases of the male genital organs	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	146	.....	.....	.....	.....	.....	.....	.....	6	32	59	27	10	8	4	.....	.....	.....
130	Other diseases of the uterus	81	.....	.....	.....	.....	.....	.....	2	28	28	10	7	2	4	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	78	.....	.....	.....	.....	.....	.....	1	11	11	14	16	12	10	3	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	142	.....	.....	.....	.....	.....	.....	2	48	49	35	7	1	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	9	7	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	1,443	.....	.....	.....	.....	.....	.....	120	640	565	117	1	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	116	.....	.....	.....	.....	.....	.....	5	47	55	9	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	142	.....	.....	.....	.....	.....	.....	4	40	81	17	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	129	.....	.....	.....	.....	.....	.....	4	51	57	17	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	614	.....	.....	.....	.....	.....	.....	52	299	219	43	1	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	393	.....	.....	.....	.....	.....	.....	52	181	131	29	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	44	.....	.....	.....	.....	.....	.....	3	20	19	2	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	5	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	PENNSYLVANIA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	490	108	11	4	3	4	12	9	11	29	43	37	63	75	71	10	.....	.....
142	Gangrene	210	3	1	1	1	1	3	.....	3	3	12	15	44	53	62	8	.....	.....
143	Furuncle	64	19	.....	1	.....	.....	1	4	2	10	8	4	10	4	1	.....	.....	.....
144	Acute abscess	130	41	5	2	2	1	8	5	6	13	19	10	4	10	3	1	.....	.....
145	Other diseases of the skin and annexa	86	45	5	.....	.....	2	.....	.....	.....	3	4	8	5	8	5	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	284	24	13	7	6	5	28	46	30	32	27	22	23	15	6	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	227	19	12	6	5	5	25	41	23	27	23	19	15	6	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	42	4	1	1	1	.....	2	3	5	5	4	2	7	4	3	.....	.....	.....
149	Other diseases of the organs of locomotion	15	1	.....	.....	.....	.....	1	2	2	.....	.....	1	1	5	2	.....	.....	.....
	X.—Malformations	1,891	1,788	46	12	5	10	18	6	3	2	1	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	1,891	1,788	46	12	5	10	18	6	3	2	1	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	130	89	19	6	2	4	7	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	1,288	1,249	16	3	1	5	8	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	473	450	11	3	2	1	3	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	7,182	7,182	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	5,640	5,640	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	4,332	4,332	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	1,308	1,308	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	1,506	1,506	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	852	852	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	654	654	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	36	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	792	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	30	198	408	145	10	.....
154	Senility	792	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	30	198	408	145	10	.....
	XIII.—External causes	11,002	306	251	226	206	142	513	917	1,853	1,866	1,634	1,157	834	607	357	74	.....	59
	Suicide (total)	938	.....	.....	.....	.....	.....	.....	30	156	200	216	177	103	46	8	1	.....	1
155	By poison	141	.....	.....	.....	.....	.....	.....	9	44	30	27	16	13	1	1	.....	.....	.....
156	By asphyxia	144	.....	.....	.....	.....	.....	.....	2	18	29	28	36	22	8	1	.....	.....	.....
157	By hanging or strangulation	173	.....	.....	.....	.....	.....	.....	3	8	38	44	30	32	13	4	1	.....	.....
158	By drowning	45	.....	.....	.....	.....	.....	.....	3	7	9	14	9	1	2	.....	.....	.....	.....
159	By firearms	318	.....	.....	.....	.....	.....	.....	13	62	74	70	59	24	13	2	.....	.....	1
160	By cutting or piercing instruments	33	.....	.....	.....	.....	.....	.....	.....	10	12	25	18	10	8	.....	.....	.....	.....
161	By jumping from high places	17	.....	.....	.....	.....	.....	.....	.....	2	4	5	5	.....	1	.....	.....	.....	.....
162	By crushing	7	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	1	.....	.....	.....	.....	.....
163	Other suicides	10	.....	.....	.....	.....	.....	.....	.....	3	2	2	3	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	9,498	287	249	224	204	142	505	855	1,508	1,498	1,322	950	717	558	349	73	.....	57
164	Poisoning by food	62	3	6	3	6	4	5	7	7	6	6	1	5	3	.....	.....	.....	.....
165	Other acute poisonings	152	29	17	14	11	3	2	8	20	17	12	7	8	2	1	.....	.....	1
166	Conflagration	106	3	3	.....	3	6	10	12	11	15	16	10	12	3	2	.....	.....	.....
167	Burns (conflagration excepted)	1,186	50	124	137	117	73	125	74	126	92	49	55	44	41	21	5	.....	53
168	Absorption of deleterious gases (conflagration excepted)	284	86	2	1	1	2	1	12	33	26	41	34	23	14	6	2	.....	.....
169	Accidental drowning	564	3	22	11	7	4	61	149	114	82	51	41	10	9	.....	.....	.....	.....
170	Traumatism by firearms	144	1	3	4	3	2	15	50	27	20	6	6	6	1	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	16	.....	.....	.....	.....	.....	4	1	.....	2	2	2	3	2	.....	.....	.....	.....
172	Traumatism by fall	1,571	17	28	12	12	7	16	41	79	146	165	186	228	297	276	60	.....	1
173	Traumatism in mines and quarries (total)	1,143	.....	.....	.....	.....	.....	1	94	297	360	242	107	36	5	1	.....	.....	.....
	Traumatism in mines	1,119	.....	.....	.....	.....	.....	1	94	293	349	238	105	34	4	1	.....	.....	.....
	Traumatism in quarries	24	.....	.....	.....	.....	.....	.....	.....	4	11	4	2	2	1	.....	.....	.....	.....
174	Traumatism by machines	335	1	1	1	1	.....	2	32	90	89	62	34	17	5	.....	.....	.....	.....
175	Traumatism by other crushing (total)	2,941	11	17	31	33	36	231	320	573	511	494	336	223	104	18	2	.....	1
	Railroad accidents and injuries	1,533	3	4	6	3	6	37	141	351	352	297	184	98	41	7	2	.....	1
	Street-car accidents and injuries	290	1	5	9	11	4	27	13	40	45	45	47	23	17	3	.....	.....	.....
	Automobile accidents and injuries	812	2	5	11	15	23	138	128	129	78	104	72	66	34	7	.....	.....	.....
	Injuries by other vehicles	273	5	3	5	4	3	26	35	43	33	37	31	35	12	1	.....	.....	.....
	Landslide, other crushing	33	.....	.....	.....	.....	.....	3	3	10	3	11	2	1	.....	.....	.....	.....	.....
176	Injuries by animals	52	.....	.....	.....	.....	.....	4	2	4	8	10	8	7	7	2	.....	.....	.....
177	Starvation	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
178	Excessive cold	67	1	2	.....	1	.....	.....	1	6	6	16	14	13	7	.....	.....	.....	.....
179	Effects of heat	326	54	9	4	4	1	1	5	10	34	62	53	45	28	14	2	.....	.....
180	Lightning	29	.....	.....	.....	.....	.....	4	2	6	5	6	3	.....	3	.....	.....	.....	.....
181	Electricity (lightning excepted)	100	.....	.....	.....	.....	.....	1	14	35	22	18	6	3	1	.....	.....	.....	.....
185	Fractures (cause not specified)	11	.....	.....	.....	.....	.....	.....	1	2	1	4	1	2	.....	.....	.....	.....	.....
186	Other external violence	407	28	15	6	5	4	22	30	68	56	60	45	32	25	8	2	.....	1
	Homicide (total)	566	19	2	2	2	.....	8	32	189	168	96	30	14	3	.....	.....	.....	1
182	By firearms	370	.....	2	1	2	.....	4	21	130	118	67	17	4	3	.....	.....	.....	1
183	By cutting or piercing instruments	66	2	.....	1	.....	.....	.....	.....	28	21	7	5	2	.....	.....	.....	.....	.....
184	By other means	130	17	.....	.....	.....	.....	4	11	31	29	22	8	8	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	601	220	60	9	6	3	6	6	12	18	46	62	58	62	26	4	1	2
187	Ill-defined organic disease	16	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	3	3	5	4	.....	.....	.....
188	Sudden death	63	18	1	.....	.....	1	.....	.....	1	4	4	10	12	9	3	.....	.....	.....
189	Not specified or ill-defined (total)	522	202	59	9	6	2	5	6	11	14	42	49	43	48	19	4	1	2
	Ill-defined	264	42	43	5	4	2	2	4	7	9	29	38	32	30	12	3	1	1
	Not specified or unknown	258	160	16	4	2	.....	3	2	4	5	13	11	11	18	7	1	.....	1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	RHODE ISLAND.																		
	All causes	9,510	1,644	330	149	81	59	200	282	583	693	950	1,164	1,420	1,215	624	106	4	6
	I.—General diseases	2,468	156	122	61	33	28	98	125	289	299	338	341	297	204	65	10	1	1
1	Typhoid fever	34						1	7	14	8	2	2						
4	Malaria	3	1										1		1				
6	Measles	64	21	28	9	3		2	1										
7	Scarlet fever	29		3	8	4	3	6	2		1	2							
8	Whooping cough	49	27	18	1	1	1	1											
9	Diphtheria and croup	154	11	27	17	16	16	56	7	1	2	1							
10	Influenza	125	10	6	3	1	1	2	1	2	4	6	15	19	35	16	4		
14	Dysentery	15	4	2			1							1	4	3			
18	Erysipelas	26	8			1				2	1	5	5	2	2				
19	Other epidemic diseases	1	1																
20	Purulent infection and septicemia	4		1									1		2				
24	Tetanus	11	2	1				3	2	1		1		1					
25	Mycoses	1													1				
26	Pellagra	6									1		3	2					
	Tuberculosis (total)	1,016	38	33	20	6	6	14	88	237	217	186	99	45	19	5	2		1
28	Tuberculosis of the lungs	857	13	5	7			6	65	220	207	175	94	41	18	4	1		1
29	Acute miliary tuberculosis	28	1	1	4		1	1	6	5	4	2	2	1					
30	Tuberculous meningitis	73	17	21	8	6	3	2	7	3	2	3	1						
31	Abdominal tuberculosis	27	3	6			1	4	5	3		2	2	1					
32	Pott's disease	6	1				1	1	2						1				
33	White swellings	1							1										
34	Tuberculosis of other organs	9	1						1	3		3					1		
35	Disseminated tuberculosis	15	2		1				1	3	4	1		2		1			
36	Rickets	4	2		1				1										
37	Syphilis	44	20						1	3	3	8	6	1	2				
38	Gonococcus infection	4	1								1	2							
	Cancer and other malignant tumors (total)	597						1	3	6	28	88	156	168	111	32	3	1	
39	Of the buccal cavity	27									2	3	6	5	9	2			
40	Of the stomach, liver	184									4	25	49	53	40	11	2		
41	Of the peritoneum, intestines, rectum	101						1		2	4	10	26	36	18	4			
42	Of the female genital organs	101							2	1	8	22	33	25	9	1			
43	Of the breast	70									4	16	18	15	10	6		1	
44	Of the skin	24										2	1	9	7	5			
45	Of other organs or of organs not specified	90							1	3	6	10	23	25	18	3	1		
46	Other tumors (tumors of the female genital organs excepted)	4	1					1	1						1				
47	Acute articular rheumatism	35						4	5	6	3	5	5	5	1	1			
48	Chronic rheumatism and gout	6										1	1	2		1	1		
50	Diabetes	119				1		3	4	6	7	8	30	39	17	4			
51	Exophthalmic goiter	5								1	1	2	1						
52	Addison's disease	5										2	2		1				
53	Leukemia	13	1	1				1	1	2	2	2	1	1	1				
54	Anemia, chlorosis	26	3					1		3	3	3	4	3	3	3			
55	Other general diseases	12	5	2	2			2	1										
56	Alcoholism (acute or chronic)	54								5	16	14	9	8	2				
59	Other chronic poisonings	2									1				1				
	II.—Diseases of the nervous system and of the organs of special sense	1,032	51	20	13	4	1	9	14	20	40	108	157	270	220	97	7	1	
60	Encephalitis	3	2									1							
61	Meningitis (total)	61	21	11	7	3		3	5	3	2	2	3	1					
	Simple meningitis	21	8	3	6	1			2			1							
	Cerebrospinal meningitis (undefined)	17	8	2	1	1		1	1		2	1							
	Cerebrospinal fever	23	5	6		1		2	2	3			3	1					
62	Locomotor ataxia	17									1	7	3	3	2	1			
63	Other diseases of the spinal cord (total)	42	3		2			1	1	1	1	6	5	14	8				
	Acute anterior poliomyelitis	7	3		2				1		1								
	Other diseases of the spinal cord [1]	35						1		1		6	5	14	8				
64	Cerebral hemorrhage, apoplexy	717		2	1				2	5	17	57	118	225	196	87	6	1	
65	Softening of the brain	4											1		2	1			
66	Paralysis without specified cause	24										1		8	7	7	1		
67	General paralysis of the insane	61									7	24	15	12	3				
68	Other forms of mental alienation	13								3	1	2	5	1	1				
69	Epilepsy	28					1	1	4	6	7	3	3	2		1			
70	Convulsions (nonpuerperal)	1								1									
71	Convulsions of infants	23	17	3	2	1													
72	Chorea	3		1					1					1					
73	Neuralgia and neuritis	4										1	1	2					
74	Other diseases of the nervous system	18	6						1	1	3	4	2		1				
75	Diseases of the eyes and their annexa	1												1					
76	Diseases of the ears	12	2	3	1			4			1		1						

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	RHODE ISLAND—Continued.																		
	III.—Diseases of the circulatory system	1,408	8	1	1	4	.....	11	26	40	60	121	211	328	378	189	29	.....	1
77	Pericarditis	7	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	1	.....	.....	.....	.....	.....
78	Acute endocarditis	68	2	1	.....	1	.....	4	9	5	5	16	20	1	3	1	.....	.....	.....
79	Organic diseases of the heart	1,012	3	.....	.....	2	.....	6	17	30	45	96	155	251	257	130	19	.....	1
80	Angina pectoris	67	.....	.....	.....	.....	.....	.....	.....	.....	1	6	15	19	22	4	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	212	.....	.....	.....	.....	.....	.....	.....	1	2	1	13	46	89	50	10	.....	.....
82	Embolism and thrombosis	30	2	.....	.....	.....	.....	1	.....	1	4	.....	5	8	6	3	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	4	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
	IV.—Diseases of the respiratory system	1,322	310	103	43	17	12	24	25	37	64	118	142	169	155	76	25	1	1
86	Diseases of the nasal fossae	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
87	Diseases of the larynx	6	1	1	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	102	68	7	6	2	2	1	.....	.....	.....	2	2	.....	6	5	1	.....	.....
90	Chronic bronchitis	42	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	10	15	8	4	.....	.....
91	Bronchopneumonia	393	151	60	19	7	3	7	7	4	6	11	21	33	41	15	8	.....	.....
92	Pneumonia (total)	716	86	33	12	8	7	11	13	28	54	95	110	120	87	43	7	1	1
	Lobar pneumonia	605	64	26	10	7	6	10	11	23	47	83	98	110	72	33	4	.....	1
	Pneumonia (undefined)	111	22	7	2	1	1	1	2	5	7	12	12	10	15	10	3	1	.....
93	Pleurisy	24	1	1	4	.....	.....	2	3	.....	2	6	3	1	1	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	14	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	4	.....	.....
95	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
96	Asthma	8	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	3	1	.....	.....	.....	.....
97	Pulmonary emphysema	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	9	1	1	1	.....	.....	.....	1	3	.....	1	1	.....	.....	.....	.....	.....	.....
	V.—Diseases of the digestive system	815	326	57	12	9	5	21	18	47	36	54	78	79	38	30	4	.....	1
99	Diseases of the mouth and annexa	3	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	11	2	1	.....	1	.....	3	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....
101	Diseases of the esophagus	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	25	.....	.....	.....	.....	.....	.....	.....	4	4	4	3	8	.....	2	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	42	16	3	.....	.....	1	1	.....	2	.....	2	3	2	3	9	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	348	298	50	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	88	.....	.....	10	5	3	4	3	5	6	5	14	15	11	6	1	.....	.....
108	Appendicitis and typhlitis	80	1	1	1	1	1	8	9	23	10	8	12	2	3	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	67	7	1	1	2	.....	1	2	2	4	6	9	18	10	3	1	.....	.....
	Hernia	28	1	.....	.....	.....	.....	.....	1	1	2	3	6	6	6	2	.....	.....	.....
	Intestinal obstruction	39	6	1	1	2	.....	1	1	1	2	3	3	12	4	1	1	.....	.....
110	Other diseases of the intestines	7	.....	1	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	1	.....	.....
111	Acute yellow atrophy of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	67	.....	.....	.....	.....	.....	.....	.....	2	2	14	21	17	7	4	.....	.....	.....
114	Biliary calculi	25	.....	.....	.....	.....	.....	.....	.....	.....	1	8	5	7	2	2	.....	.....	.....
115	Other diseases of the liver	25	.....	.....	.....	.....	.....	1	.....	2	3	4	4	6	2	2	1	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	18	1	.....	.....	.....	.....	3	2	4	2	1	2	2	.....	.....	.....	.....	1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	796	1	.....	2	1	2	3	7	26	71	112	149	195	137	82	8	.....	.....
119	Acute nephritis	48	.....	.....	.....	1	2	1	1	3	10	6	11	6	6	1	.....	.....	.....
120	Bright's disease	675	.....	.....	2	.....	.....	2	6	18	52	96	126	177	118	71	7	.....	.....
122	Other diseases of the kidneys and annexa	15	1	.....	.....	.....	.....	.....	.....	2	2	3	2	2	2	1	.....	.....	.....
123	Calculi of the urinary passages	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	5	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	10	4	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	12	.....	.....	.....	.....	.....	.....	.....	.....	4	6	1	1	.....	.....	.....	.....	.....
130	Other deseases of the uterus	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	6	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	1	.....	.....	.....	.....	.....
	VII.—The puerperal state	97	.....	.....	.....	.....	.....	.....	5	43	39	10	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	10	.....	.....	.....	.....	.....	.....	.....	4	4	2	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	7	.....	.....	.....	.....	.....	.....	.....	2	3	2	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	36	.....	.....	.....	.....	.....	.....	3	15	16	2	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	37	.....	.....	.....	.....	.....	.....	2	19	12	4	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

RHODE ISLAND—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIII.—Diseases of the skin and of the cellular tissue	43	11	1	1			1	2	4	2	2	1	3	4	4	2		
142	Gangrene	21	2							3		1		6	3	4	2		
143	Furuncle	7	2		1				2	1	1								
144	Acute abscess	8	2					1			1	1	1	1	1				
145	Other diseases of the skin and annexa	7	5	1										1					
	IX.—Diseases of the bones and of the organs of locomotion	19	3		2			3	2	2	1	2	3	1					
146	Diseases of the bones (tuberculosis excepted)	15	3		1			3	1	2	1	1	2	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3			1							1	1						
149	Other diseases of the organs of locomotion	1							1										
	X.—Malformations	99	96	1	1						1								
150	Congenital malformations (stillbirths not included) (total)	99	96	1	1						1								
	Hydrocephalus	11	11																
	Congenital malformations of the heart	63	60	1	1						1								
	Other congenital malformations	25	25																
	XI.—Early infancy	657	657																
151	Congenital debility, icterus, and sclerema (total)	480	480																
	Premature birth	297	297																
	Congenital debility, "atrophy," "marasmus," etc	183	183																
152	Other causes peculiar to early infancy (total)	177	177																
	Injuries at birth	127	127																
	Other causes peculiar to early infancy [1]	50	50																
	XII.—Old age	118											1	7	33	59	18		
154	Senility	118											1	7	33	59	18		
	XIII.—External causes	583	14	19	11	11	10	28	57	72	77	82	76	56	42	22	3	1	2
	Suicide (total)	67							8	14	11	9	15	7	2				1
155	By poison	4								2		2							
156	By asphyxia	24							2	5	4	6	4	2	1				
157	By hanging or strangulation	7							1	2	2		1	1					
158	By drowning	9								2	2		4						1
159	By firearms	19							5	3	2	1	4	3	1				
160	By cutting or piercing instruments	3									1		1	1					
161	By jumping from high places	1											1						
	Accidental or undefined (total)	494	14	19	11	11	10	28	48	50	63	70	56	47	40	22	3	1	1
164	Poisoning by food	4	1								1				1	1			
165	Other acute poisonings	5	1	3										1					
166	Conflagration	4											2	1		1			
167	Burns (conflagration excepted)	57	2	9	3	8	4	6	2	2	4	2	7	2	4	2			
168	Absorption of deleterious gases (conflagration excepted)	45	3		2			1	3	11	5	7	5	5	2	1			
169	Accidental drowning	70		1	1			6	17	10	9	14	7	2	2	1			
170	Traumatism by firearms	6		2	1	1	1	1											
171	Traumatism by cutting or piercing instruments	1						1											
172	Traumatism by fall	90	1	2	3	2			2	3	6	15	8	14	20	10	3	1	
174	Traumatism by machines	14							3	2	4	2	2	1					
175	Traumatism by other crushing (total)	133		1	1		5	12	16	21	23	18	15	13	7	1			
	Railroad accidents and injuries	31							4	11	6	5	2	3					
	Street-car accidents and injuries	22						1	2	2	4	3	4	3	3				
	Automobile accidents and injuries	56					5	7	9	4	9	6	6	5	4	1			
	Injuries by other vehicles	16		1	1			2		3	1	4	3	1					
	Landslide, other crushing	8						2	1	1	3			1					
176	Injuries by animals	3										2	1						
178	Excessive cold	4									1		1	2					
179	Effects of heat	32	6	1						1	3	5	5	4	3	4			
181	Electricity (lightning excepted)	3									3								
185	Fractures (cause not specified)	3									1		1		1				
186	Other external violence	20						1	5		3	5	2	2		1			1
	Homicide (total)	22							1	8	3	3	5	2					
182	By firearms	12							1	4	1	2	3	1					
183	By cutting or piercing instruments	4								3			1						
184	By other means	6								1	2	1	1	1					
	XIV.—Ill-defined diseases	53	11	6	2	2	1	2	1	3	3	3	5	10	4				
188	Sudden death	9	4			1					1	1		1	1				
189	Not specified or ill-defined (total)	44	7	6	2	1	1	2	1	3	2	2	5	9	3				
	Ill-defined	33	4	6	2		1	1	1	2	2	2	3	7	2				
	Not specified or unknown	11	3			1		1		1			2	2	1				

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (TOTAL).																		
	All causes	23,503	5,385	1,596	654	388	247	699	1,534	2,374	1,958	1,767	1,684	2,130	1,807	884	228	60	108
	I.—General diseases	7,394	878	536	256	170	116	331	759	1,231	923	700	497	522	300	113	29	5	28
1	Typhoid fever	523	10	12	10	8	9	48	138	128	62	47	18	21	6	1	.....	.....	5
4	Malaria	563	82	44	29	37	22	49	61	51	57	25	32	29	28	13	2	.....	2
6	Measles	511	131	86	55	33	19	56	46	31	16	18	6	8	2	3	.....	1	.....
7	Scarlet fever	21	2	3	4	1	2	3	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	203	101	52	18	11	6	9	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	158	49	30	22	14	16	20	3	1	.....	1	2	.....	.....	.....	.....	.....	.....
10	Influenza	302	72	13	5	5	.....	8	14	24	13	17	22	29	45	21	14	.....	.....
13	Cholera nostras	10	4	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....
14	Dysentery	747	217	211	74	30	18	47	16	8	15	17	10	33	29	15	4	1	2
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	34	10	.....	.....	1	.....	1	1	5	3	.....	4	4	1	4	.....	.....	.....
19	Other epidemic diseases	7	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
20	Purulent infection and septicemia	33	4	1	.....	.....	1	1	4	5	7	2	4	3	1	.....	.....	.....	.....
23	Rabies	5	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
24	Tetanus	58	37	2	.....	.....	.....	3	7	4	2	3	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	714	11	13	13	3	2	15	54	137	118	104	87	102	40	7	3	3	2
27	Beriberi	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,369	42	38	13	18	12	53	357	746	499	287	142	101	37	14	.....	.....	10
28	Tuberculosis of the lungs	2,140	25	25	8	13	8	48	324	685	461	265	128	95	32	13	.....	.....	10
29	Acute miliary tuberculosis	89	3	4	.....	1	2	1	17	29	17	7	4	4	.....	.....	.....	.....	.....
30	Tuberculous meningitis	42	13	6	5	3	2	1	5	3	1	2	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	63	.....	1	.....	1	.....	3	9	19	13	5	6	1	4	1	.....	.....	.....
32	Pott's disease	4	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
33	White swellings	7	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	1	.....	.....	.....	.....
34	Tuberculosis of other organs	16	1	2	.....	.....	.....	.....	.....	4	3	5	1	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	8	.....	.....	.....	.....	.....	.....	1	4	1	1	1	.....	.....	.....	.....	.....	.....
36	Rickets	17	5	7	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	244	83	11	3	1	1	.....	17	30	39	21	11	15	6	4	.....	.....	2
38	Gonococcus infection	7	.....	.....	.....	.....	.....	.....	2	2	1	1	1	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	605	.....	.....	.....	2	3	5	4	16	70	128	126	142	79	24	4	.....	2
39	Of the buccal cavity	22	.....	.....	.....	.....	.....	.....	.....	.....	2	1	6	6	4	3	.....	.....	.....
40	Of the stomach, liver	193	.....	.....	.....	.....	.....	.....	.....	6	14	37	48	53	28	5	1	.....	1
41	Of the peritoneum, intestines, rectum	44	.....	.....	.....	.....	2	1	1	1	4	5	9	14	5	2	.....	.....	.....
42	Of the female genital organs	195	.....	.....	.....	.....	.....	.....	.....	4	35	63	38	36	15	4	.....	.....	.....
43	Of the breast	53	.....	.....	.....	.....	.....	.....	.....	2	5	13	14	10	6	2	1	.....	.....
44	Of the skin	39	.....	.....	.....	.....	.....	.....	1	.....	2	4	4	10	9	7	2	.....	.....
45	Of other organs or of organs not specified	59	.....	.....	.....	2	1	4	2	3	8	5	7	13	12	1	.....	.....	1
46	Other tumors (tumors of the female genital organs excepted)	6	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	1	1	.....	.....	.....
47	Acute articular rheumatism	62	.....	.....	1	1	1	2	11	10	7	7	6	7	9	.....	.....	.....	.....
48	Chronic rheumatism and gout	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	.....	3	1	.....	.....	.....
49	Scurvy	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	87	.....	2	.....	1	1	1	6	11	7	10	14	19	8	5	.....	.....	2
51	Exophthalmic goiter	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
53	Leukemia	17	.....	1	.....	.....	.....	2	3	6	1	2	.....	2	.....	.....	.....	.....	.....
54	Anemia, chlorosis	20	2	2	1	.....	.....	1	3	4	.....	1	1	3	1	.....	1	.....	.....
55	Other general diseases	34	12	5	5	2	1	2	3	3	.....	.....	.....	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	13	.....	.....	.....	.....	.....	.....	.....	3	3	4	2	.....	.....	.....	1	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,774	159	30	25	13	11	27	63	62	95	179	283	338	342	105	21	6	15
60	Encephalitis	10	3	.....	.....	.....	.....	2	1	1	2	.....	1	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	78	21	9	7	7	4	6	12	3	3	2	1	2	.....	.....	.....	.....	1
	Simple meningitis	48	13	7	4	4	1	2	9	2	1	2	1	1	.....	.....	.....	.....	1
	Cerebrospinal meningitis (undefined)	7	2	.....	2	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	23	6	2	1	3	2	3	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	3	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	58	6	5	3	2	2	3	2	1	4	5	4	11	10	.....	.....	.....	.....
	Acute anterior poliomyelitis	17	4	4	3	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	41	2	1	.....	1	.....	.....	2	1	4	5	4	11	10	.....	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	913	7	1	3	.....	2	3	9	21	52	111	198	209	210	63	12	1	11
65	Softening of the brain	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	3	.....	2	.....	.....	.....
66	Paralysis without specified cause	386	6	.....	2	1	.....	2	6	6	10	33	60	99	108	37	9	4	3
67	General paralysis of the insane	41	.....	.....	.....	.....	.....	.....	1	3	8	10	9	5	4	1	.....	.....	.....
68	Other forms of mental alienation	13	.....	.....	.....	.....	.....	.....	2	4	3	3	.....	1	.....	.....	.....	.....	.....
69	Epilepsy	63	2	1	3	.....	2	6	16	17	4	7	3	1	1	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	13	.....	.....	.....	.....	.....	4	4	1	3	1	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	127	107	12	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	6	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	1	.....	.....	.....	.....
74	Other diseases of the nervous system	37	3	2	1	1	.....	1	5	3	4	4	4	2	5	1	.....	1	.....
75	Diseases of the eyes and their annexa	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
76	Diseases of the ears	12	3	.....	1	.....	.....	.....	2	2	2	.....	1	.....	.....	1	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system	1,989	21	10	3	3	1	12	43	134	168	242	292	434	411	171	28	1	15
77	Pericarditis	23	1					1	2	3	1	2	2	7	3	1			
78	Acute endocarditis	88	4	1		1		2	7	8	15	20	23	2	3	1			1
79	Organic diseases of the heart	1,556	11	7	3	2	1	8	30	113	139	189	219	356	322	124	18	1	13
80	Angina pectoris	60	1							4	2	9	9	19	14	2			
81	Diseases of the arteries, atheroma, aneurism, etc.	215								1	3	18	34	45	64	41	9		
82	Embolism and thrombosis	16								2	2	2	2		4	2	1		1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7						1			1	1	2	2					
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	3							1									
85	Hemorrhage; other diseases of the circulatory system	20	1	2					4	2	5	1	1	3	1				
	IV.—Diseases of the respiratory system	2,248	635	178	71	48	28	77	176	223	167	145	126	166	117	68	13	1	9
86	Diseases of the nasal fossae	109	69	9		4	1	4	3	7	2	5	1	1	2				1
87	Diseases of the larynx	8	3		2	1					1				1				
88	Diseases of the thyroid body	9							2	1	2	1	2	1					
89	Acute bronchitis	66	40	9	3	2	1		1				1	1	5	2		1	
90	Chronic bronchitis	34	3	2			1	3	1	1	2	1	4	4	8	4			
91	Bronchopneumonia	370	197	47	24	7	3	13	17	9	3	7	4	16	12	9	2		
92	Pneumonia (total)	1,543	313	106	39	33	21	53	145	195	143	114	101	127	84	50	11		8
	Lobar pneumonia	821	106	46	15	12	13	26	75	116	103	77	65	88	45	28	2		4
	Pneumonia (undefined)	722	207	60	24	21	8	27	70	79	40	37	36	39	39	22	9		4
93	Pleurisy	28	3	1	1	1		2	1	3	3	3	3	4	2	1			
94	Pulmonary congestion, pulmonary apoplexy	13	3	1					1	1	1	2	1		1	2			
96	Asthma	36	1	3	2				2	4	4	7	6	6	1				
97	Pulmonary emphysema	2									2								
98	Other diseases of the respiratory system (tuberculosis excepted)	30	3				1	2	3	2	4	5	3	6	1				
	V.—Diseases of the digestive system	2,608	951	606	161	71	40	72	91	113	95	97	83	97	70	45	5		11
99	Diseases of the mouth and annexa	59	34	11	5	1		2	2	1	1				2				
100	Diseases of the pharynx	38	6	5	3	4	4	5	3	2	3	3							
101	Diseases of the esophagus	3				1	1			1									
102	Ulcer of the stomach	43		1						3	11	8	9	6	3	1	1		
103	Other diseases of the stomach (cancer excepted)	363	116	37	18	5	5	11	16	16	23	25	25	27	20	17			2
104	Diarrhea and enteritis (under 2 years)	1,305	769	536															
105	Diarrhea and enteritis (2 years and over)	332			118	52	19	23	18	16	10	13	8	21	19	7	4		4
106	Ankylostomiasis	4				1	1	1											1
107	Intestinal parasites	38	2	7	8	3	7	7	4										
108	Appendicitis and typhlitis	117	1			1	1	11	25	32	12	12	10	5	3	3			1
109	Hernia, intestinal obstruction (total)	129	14	5	6	1	2	6	9	18	19	11	8	16	8	4			2
	Hernia	32	3				1		2	5	4	2	1	9	4	1			
	Intestinal obstruction	97	11	5	6	1	1	6	7	13	15	9	7	7	4	3			2
110	Other diseases of the intestines	34	4	1		1		3	2	5	2	3	5	3	2	3			
111	Acute yellow atrophy of the liver	4								1	1	1	1						
113	Cirrhosis of the liver	43	1						4	3	6	4	5	10	5	4			1
114	Biliary calculi	13		1							1	2	5	1	2	1			
115	Other diseases of the liver	44	3	2	2			1	1	7	2	9	6	4	4	3			
116	Diseases of the spleen	3	1									1		1					
117	Simple peritonitis (nonpuerperal)	34			1	1		2	7	7	4	4	1	3	2	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2								1		1							
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,821	20	24	13	13	10	25	41	142	183	212	280	387	317	128	14	3	9
119	Acute nephritis	149	6	13	5	6	2	8	8	23	26	16	9	10	12	3	1		1
120	Bright's disease	1,435	5	9	7	5	8	15	21	94	119	163	244	345	271	110	11	1	7
122	Other diseases of the kidneys and annexa	112	9	2	1	2		2	7	14	13	16	14	12	13	3	1	2	1
123	Calculi of the urinary passages	5								1			3		1				
124	Diseases of the bladder	20							1		1		3	5	6	4			
125	Diseases of the urethra, urinary abscess, etc.	9									4	1	1	2	1				
126	Diseases of the prostate	30								1		1	1	8	12	7			
127	Nonvenereal diseases of the male genital organs	2										1			1				
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	14									6	4	3	1					
130	Other diseases of the uterus	29							2	7	7	7	1	4		1			
131	Cysts and other tumors of the ovary	3							1				1			1			
132	Salpingitis and other diseases of the female genital organs	12							1	2	7	2							
	VII.—The puerperal state	438							89	190	124	33							2
134	Accidents of pregnancy	18								9	7	2							
135	Puerperal hemorrhage	36							4	9	19	4							
136	Other accidents of labor	89							17	39	26	6							1
137	Puerperal septicemia	111							19	51	28	12							1
138	Puerperal albuminuria and convulsions	178							47	79	43	9							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5							2	2	1								
140	Following childbirth (not otherwise defined)	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (TOTAL)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	45	8	.....	.....	1	.....	1	4	4	6	5	5	5	3	2	1	.....	.....
142	Gangrene	16	3	.....	.....	.....	.....	.....	1	1	2	1	2	2	1	2	1	.....	.....
143	Furuncle	6	.....	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....	.....	.....	.....
144	Acute abscess	15	3	.....	.....	1	.....	1	.....	2	2	2	2	2	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	8	2	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	2	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	25	3	4	.....	.....	.....	4	5	1	4	2	.....	.....	.....	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	22	2	4	.....	.....	.....	3	4	1	4	2	.....	.....	.....	2	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	127	104	13	4	1	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	127	104	13	4	1	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	29	13	11	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	59	57	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	39	34	2	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	2,184	2,184	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	2,004	2,004	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,436	1,436	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	568	568	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	176	176	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	58	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	118	118	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	477	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14	137	186	97	39	3
154	Senility	477	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14	137	186	97	39	3
	XIII.—External causes	1,244	80	59	80	52	34	109	211	212	128	102	49	51	36	26	6	.....	9
	Suicide (total)	40	.....	.....	.....	.....	.....	.....	2	11	8	10	6	2	1	.....	.....	.....	.....
155	By poison	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....
156	By asphyxia	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
159	By firearms	26	.....	.....	.....	.....	.....	.....	2	8	7	5	2	1	1	.....	.....	.....	.....
160	By cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,019	79	59	80	52	34	104	188	126	81	68	34	43	33	26	6	.....	6
164	Poisoning by food	30	2	3	2	2	.....	2	6	1	4	2	2	2	1	.....	1	.....	.....
165	Other acute poisonings	50	7	9	8	2	3	3	5	4	2	3	1	1	1	.....	.....	.....	1
166	Conflagration	29	1	3	2	3	4	7	4	1	2	1	.....	1	.....	.....	.....	.....	.....
167	Burns (conflagration excepted)	312	14	38	62	38	24	52	27	19	7	5	5	8	7	5	.....	.....	1
168	Absorption of deleterious gases (conflagration excepted)	37	31	.....	.....	.....	.....	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
169	Accidental drowning	71	2	2	2	1	.....	9	24	16	6	6	1	.....	1	.....	.....	.....	1
170	Traumatism by firearms	71	.....	.....	1	1	1	14	40	8	3	2	.....	.....	.....	1	.....	.....	.....
171	Traumatism by cutting or piercing instruments	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	90	3	2	1	.....	.....	3	12	9	6	6	5	7	20	13	3	.....	.....
173	Traumatism in mines and quarries (total)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	31	.....	.....	.....	.....	.....	.....	10	8	7	4	1	1	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	154	1	.....	2	3	.....	3	32	37	24	19	12	13	3	2	.....	.....	3
	Railroad accidents and injuries	100	.....	.....	.....	.....	.....	.....	21	32	14	13	7	7	3	1	.....	.....	2
	Street-car accidents and injuries	3	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Automobile accidents and injuries	30	.....	.....	.....	1	.....	3	5	4	5	3	4	3	.....	1	.....	.....	1
	Injuries by other vehicles	19	1	.....	2	1	.....	.....	4	1	4	2	1	3	.....	.....	.....	.....	.....
	Landslide, other crushing	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	9	.....	.....	.....	.....	.....	2	4	.....	.....	.....	1	1	.....	1	.....	.....	.....
178	Excessive cold	12	.....	.....	.....	.....	.....	.....	2	1	.....	3	1	2	.....	1	2	.....	.....
179	Effects of heat	5	1	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
180	Lightning	40	.....	.....	.....	.....	.....	4	8	13	6	7	1	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....
186	Other external violence	72	17	2	.....	2	2	3	9	8	9	9	4	4	.....	3	.....	.....	.....
	Homicide (total)	185	1	.....	.....	.....	.....	5	21	75	39	24	9	6	2	.....	.....	.....	3
182	By firearms	143	.....	.....	.....	.....	.....	2	16	61	29	21	6	5	2	.....	.....	.....	1
183	By cutting or piercing instruments	16	.....	.....	.....	.....	.....	.....	1	8	2	3	.....	.....	.....	.....	.....	.....	2
184	By other means	26	1	.....	.....	.....	.....	3	4	6	8	.....	3	1	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	1,129	342	136	41	16	7	38	50	62	65	50	68	116	74	38	14	5	7
187	Ill-defined organic disease	154	.....	3	2	.....	.....	5	7	17	18	10	17	29	29	11	4	2	.....
188	Sudden death	65	16	1	.....	.....	1	1	1	1	2	3	14	10	7	5	.....	2	1
189	Not specified or ill-defined (total)	910	326	132	39	16	6	32	42	44	45	37	37	77	38	22	10	1	6
	Ill-defined	700	223	118	36	12	6	27	34	31	36	29	25	62	29	20	8	.....	4
	Not specified or unknown	210	103	14	3	4	.....	5	8	13	9	8	12	15	9	2	2	1	2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (WHITE).																	
	All causes	8,731	1,828	616	244	135	101	234	386	585	601	647	709	1,116	976	442	74	1	36
	I.—General diseases	2,507	233	217	100	67	52	116	165	282	276	264	212	288	167	52	10	1	5
1	Typhoid fever	177	2	4	3	3	4	16	40	39	23	23	9	9	2				
4	Malaria	97	5	8	3	6	4	12	5	11	15	6	7	6	7	1	1		
6	Measles	269	49	47	27	20	12	32	20	18	11	15	5	7	2	3		1	
7	Scarlet fever	13	1	1	2	1	1	2	2	3									
8	Whooping cough	29	16	11	1			1											
9	Diphtheria and croup	94	15	22	17	11	13	14	1				1						
10	Influenza	99	17	3	2	4			3	5	4	3	6	13	26	8	5		
13	Cholera nostras	6	3	2											1				
14	Dysentery	305	64	91	31	12	11	21	8	1	8	5	5	19	19	9	1		
18	Erysipelas	26	9			1		1	1	4	2		3	2		3			
19	Other epidemic diseases	4	2	1															1
20	Purulent infection and septicemia	13	3					1	2	2	2		2	1					
23	Rabies	2					1								1				
24	Tetanus	16	10	2					1		2	1							
26	Pellagra	277	1	5	5	2	2	3	11	37	34	48	46	58	23	2			
27	Beriberi	1				1													
	Tuberculosis (total)	543	15	6	4	2	1	5	48	131	132	80	47	50	16	4			2
28	Tuberculosis of the lungs	474	6	2		1	1	4	42	117	118	72	44	47	14	4			2
29	Acute miliary tuberculosis	14							2	3	5	2		2					
30	Tuberculous meningitis	25	9	4	4	1		1	2	2		2							
31	Abdominal tuberculosis	17								7	6	1	2		1				
32	Pott's disease	3							1	1		1							
33	White swellings	3									1			1	1				
34	Tuberculosis of other organs	6								1	2	2	1						
35	Disseminated tuberculosis	1							1										
36	Rickets	4	1	3															
37	Syphilis	33	11	2	1				4	1	6	3		2	2	1			
38	Gonococcus infection	1											1						
	Cancer and other malignant tumors (total)	355				1	2	4	3	7	27	64	66	101	58	19	2		1
39	Of the buccal cavity	15										1	3	5	4	2			
40	Of the stomach, liver	125								3	5	25	27	38	23	3	1		
41	Of the peritoneum, intestines, rectum	34					2	1	1		2	3	8	12	4	1			
42	Of the female genital organs	84								2	13	23	12	21	10	3			
43	Of the breast	27								1	2	4	8	6	4	2			
44	Of the skin	34										4	3	10	9	7	1		
45	Of other organs or of organs not specified	36				1		3	2	1	5	4	5	9	4	1			1
47	Acute articular rheumatism	18					1	1	6	2		3	1	1	3				
48	Chronic rheumatism and gout	5										1	1		2	1			
49	Scurvy	1			1														
50	Diabetes	54		2		1			4	8	5	7	9	12	4	1			1
51	Exophthalmic goiter	2								1			1						
53	Leukemia	12						2	1	5	1	1		2					
54	Anemia, chlorosis	14	1	2					3	4			1	3					
55	Other general diseases	24	8	5	3	2		1	2	2				1					
56	Alcoholism (acute or chronic)	9								1	3	3	1				1		
59	Other chronic poisonings	4									1	1		1	1				
	II.—Diseases of the nervous system and of the organs of special sense	772	46	16	10	6	6	7	24	21	33	57	111	173	195	55	6		6
60	Encephalitis	4							1	1	1		1						
61	Meningitis (total)	55	15	7	6	4	3	3	8	3	2	1	1	1					1
	Simple meningitis	33	9	5	4	2	1	1	5	2	1	1	1						1
	Cerebrospinal meningitis (undefined)	6	1		2		1	1						1					
	Cerebrospinal fever	16	5	2		2	1	1	3	1	1								
62	Locomotor ataxia	2											1	1					
63	Other diseases of the spinal cord (total)	33	5	3	1	2	1	1	2		1	1	2	6	8				
	Acute anterior poliomyelitis	10	3	3	1	1	1	1											
	Other diseases of the spinal cord [1]	23	2			1			2		1	1	2	6	8				
64	Cerebral hemorrhage, apoplexy	442	6	1			2	1	1	4	14	36	79	119	137	35	4		3
65	Softening of the brain	3												1		2			
66	Paralysis without specified cause	129	2							2	1	7	17	38	42	16	2		2
67	General paralysis of the insane	16									6	3	3	1	3				
68	Other forms of mental alienation	6								2	2	2							
69	Epilepsy	25	1	1	1			1	5	8	2	4	2						
70	Convulsions (nonpuerperal)	4						1	1	1		1							
71	Convulsions of infants	19	16	3															
72	Chorea	1							1										
73	Neuralgia and neuritis	5							1					3	1				
74	Other diseases of the nervous system	21		1	1				3		3	2	4	2	4	1			
75	Diseases of the eyes and their annexa	1												1					
76	Diseases of the ears	6	1		1				1		1		1			1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (WHITE)—Continued.																		
	III.—Diseases of the circulatory system	891	11	2	.....	1	.....	6	16	36	41	84	119	228	233	99	10	.....	5
77	Pericarditis	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....
78	Acute endocarditis	37	4	.....	.....	1	.....	1	2	3	7	9	6	1	3	.....	.....	.....	.....
79	Organic diseases of the heart	678	5	2	.....	.....	.....	4	12	27	31	65	90	179	181	70	7	.....	5
80	Angina pectoris	50	.....	.....	.....	.....	.....	.....	.....	2	1	7	9	18	12	1	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	101	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14	23	33	28	2	.....	.....
82	Embolism and thrombosis	8	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	3	.....	1	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	8	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	3	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	808	205	67	29	13	11	23	47	47	44	55	59	84	74	38	7	.....	5
86	Diseases of the nasal fossae	13	9	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....
87	Diseases of the larynx	5	1	.....	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	5	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	30	20	1	1	1	.....	.....	.....	.....	.....	.....	1	1	3	2	.....	.....	.....
90	Chronic bronchitis	17	1	1	.....	.....	.....	.....	.....	.....	1	1	2	3	5	3	.....	.....	.....
91	Bronchopneumonia	177	89	21	10	4	2	5	6	3	1	4	1	9	11	9	2	.....	.....
92	Pneumonia (total)	517	83	41	14	5	8	16	36	41	36	44	46	65	51	21	5	.....	5
	Lobar pneumonia	337	40	24	4	2	7	9	26	30	30	32	36	53	30	10	1	.....	3
	Pneumonia (undefined)	180	43	17	10	3	1	7	10	11	6	12	10	12	21	11	4	.....	2
93	Pleurisy	13	2	1	1	1	.....	1	1	.....	.....	1	2	2	.....	1	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	9	.....	1	.....	.....	.....	.....	1	1	1	1	1	.....	1	2	.....	.....	.....
96	Asthma	9	.....	1	1	.....	.....	.....	1	1	1	1	3	.....	.....	.....	.....	.....	.....
97	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	12	.....	.....	.....	.....	1	1	.....	.....	1	2	2	4	1	.....	.....	.....	.....
	V.—Diseases of the digestive system	1,093	371	274	72	24	16	31	22	36	36	43	40	55	44	20	4	.....	5
99	Diseases of the mouth and annexa	11	7	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
100	Diseases of the pharynx	12	3	1	2	1	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
101	Diseases of the esophagus	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	24	.....	.....	.....	.....	.....	.....	.....	2	4	4	7	3	2	1	1	.....	.....
103	Other diseases of the stomach (cancer excepted)	93	30	6	6	.....	1	1	2	2	9	6	8	8	7	7	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	582	321	261	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	158	.....	.....	56	19	12	13	6	5	4	4	2	13	14	5	3	.....	2
106	Ankylostomiasis	3	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
107	Intestinal parasites	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	58	.....	.....	.....	1	1	7	7	11	9	9	6	4	2	.....	.....	.....	1
109	Hernia, intestinal obstruction (total)	51	5	3	3	.....	.....	3	2	6	4	4	4	9	6	2	.....	.....	.....
	Hernia	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	4	2	.....	.....	.....	.....
	Intestinal obstruction	44	5	3	3	.....	.....	3	2	5	4	4	4	5	4	2	.....	.....	.....
110	Other diseases of the intestines	15	1	.....	.....	.....	.....	2	.....	2	1	2	3	3	.....	1	.....	.....	.....
111	Acute yellow atrophy of the liver	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	25	1	.....	.....	.....	.....	.....	2	.....	1	3	3	8	5	1	.....	.....	1
114	Biliary calculi	10	.....	1	.....	.....	.....	.....	.....	.....	.....	2	3	1	2	1	.....	.....	.....
115	Other diseases of the liver	24	2	1	2	.....	.....	1	.....	3	.....	4	4	3	4	.....	.....	.....	.....
116	Diseases of the spleen	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	16	.....	.....	1	1	.....	1	2	2	2	2	.....	2	1	2	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	767	5	6	6	5	4	7	10	26	44	71	123	206	163	85	3	.....	3
119	Acute nephritis	46	1	2	2	3	1	3	3	3	6	1	4	7	7	3	.....	.....	.....
120	Bright's disease	645	2	4	4	1	3	3	5	17	29	58	113	184	145	72	3	.....	2
122	Other diseases of the kidneys and annexa	30	2	.....	.....	1	.....	1	.....	3	5	5	3	4	4	1	.....	.....	1
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	4	5	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	8	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	2	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	161	.....	.....	.....	.....	.....	.....	23	66	58	13	.....	.....	.....	.....	.....	.....	1
134	Accidents of pregnancy	11	.....	.....	.....	.....	.....	.....	.....	5	5	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	13	.....	.....	.....	.....	.....	.....	1	2	10	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	25	.....	.....	.....	.....	.....	.....	4	10	8	2	.....	.....	.....	.....	.....	.....	1
137	Puerperal septicemia	38	.....	.....	.....	.....	.....	.....	3	17	12	6	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	72	.....	.....	.....	.....	.....	.....	14	31	23	4	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (WHITE)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	14	3			1				2		2	2	2		1	1		
142	Gangrene	6	2									1		1		1	1		
143	Furuncle	1											1						
144	Acute abscess	7	1			1				2		1	1	1					
	IX.—Diseases of the bones and of the organs of locomotion	14	1	3				2	4	1	1					2			
146	Diseases of the bones (tuberculosis excepted)	12	1	3				1	3	1	1					2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1						1											
149	Other diseases of the organs of locomotion	1							1										
	X.—Malformations	82	75	3	1			1	2										
150	Congenital malformations (stillbirths not included) (total)	82	75	3	1			1	2										
	Hydrocephalus	7	4	2				1											
	Congenital malformations of the heart	49	47		1				1										
	Other congenital malformations	26	24	1					1										
	XI.—Early infancy	765	765																
151	Congenital debility, icterus, and sclerema (total)	679	679																
	Premature birth	530	530																
	Congenital debility, "atrophy," "marasmus," etc	149	149																
152	Other causes peculiar to early infancy (total)	84	84																
	Injuries at birth	39	39																
	Other causes peculiar to early infancy [1]	45	45																
153	Lack of care	2	2																
	XII.—Old age	138												4	48	61	25		
154	Senility	138												4	48	61	25		
	XIII.—External causes	440	22	15	21	16	11	37	66	54	53	46	29	28	22	15	3		2
	Suicide (total)	33							1	8	7	8	6	2	1				
155	By poison	5								1	1	2	1						
156	By asphyxia	2										1	1						
157	By hanging or strangulation	3								1			1	1					
159	By firearms	20							1	5	6	4	2	1	1				
160	By cutting or piercing instruments	1											1						
161	By jumping from high places	1								1									
162	By crushing	1										1							
	Accidental or undefined (total)	374	22	15	21	16	11	35	63	38	38	32	19	25	19	15	3		2
164	Poisoning by food	14	1	1	2	2		2			2		1	2	1				
165	Other acute poisonings	18	3	3	1	1		1		3	1	3	1	1					
166	Conflagration	8		1		2		3	1			1							
167	Burns (conflagration excepted)	78		7	17	12	7	11	5	5	3	2	2	3	2	2			
168	Absorption of deleterious gases (conflagration excepted)	15	13					1	1										
169	Accidental drowning	24		2	1			2	13	3	2		1						
170	Traumatism by firearms	27				1	1	5	15	2	2	1							
171	Traumatism by cutting or piercing instruments	1							1										
172	Traumatism by fall	54						2	4	4	4	3	2	6	16	10	3		
174	Traumatism by machines	16							5	2	4	4		1					
175	Traumatism by other crushing (total)	71						3	13	13	13	11	8	6		2			2
	Railroad accidents and injuries	44							7	12	6	7	5	4		1			2
	Street-car accidents and injuries	2							2										
	Automobile accidents and injuries	20						3	3		5	3	3	2		1			
	Injuries by other vehicles	4							1	1	1	1							
	Landslide, other crushing	1									1								
176	Injuries by animals	5						1	2				1	1					
178	Excessive cold	2								1		1							
179	Effects of heat	1												1					
180	Lightning	12						3	1	5	1	1	1						
181	Electricity (lightning excepted)	4									2	1		1					
186	Other external violence	24	5	1			1	1	2		4	4	2	3		1			
	Homicide (total)	33						2	2	8	8	6	4	1	2				
182	By firearms	24							1	6	5	6	3	1	2				
184	By other means	9						2	1	2	3		1						
	XIV.—Ill-defined diseases	279	91	13	5	2	1	4	7	14	15	12	14	48	30	14	5		4
187	Ill-defined organic disease	31						2	1	2	3	2	1	11	7	1	1		
188	Sudden death	29	7							1		1	5	6	6	2			1
189	Not specified or ill-defined (total)	219	84	13	5	2	1	2	6	11	12	9	8	31	17	11	4		3
	Ill-defined	155	46	10	4	2	1	2	6	7	11	7	7	26	12	9	3		2
	Not specified or unknown	64	38	3	1					4	1	2	1	5	5	2	1		1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SOUTH CAROLINA (COLORED).																			
	All causes	14,772	3,557	980	410	253	146	465	1,148	1,789	1,357	1,120	975	1,014	831	442	154	59	72
	I.—General diseases	4,887	645	319	156	103	64	215	594	949	647	436	285	234	133	61	19	4	23
1	Typhoid fever	346	8	8	7	5	5	32	98	89	39	24	9	12	4	1			5
4	Malaria	466	77	36	26	31	18	37	56	40	42	19	25	23	21	12	1		2
6	Measles	242	82	39	28	13	7	24	26	13	5	3	1	1					
7	Scarlet fever	8	1	2	2		1	1				1							
8	Whooping cough	174	85	41	17	11	6	8	6										
9	Diphtheria and croup	64	34	8	5	3	3	6	2	1		1	1						
10	Influenza	203	55	10	3	1		8	11	19	9	14	16	16	19	13	9		
13	Cholera nostras	4	1							1				1	1				
14	Dysentery	442	153	120	43	18	7	26	8	7	7	12	5	14	10	6	3	1	2
17	Leprosy	1								1									
18	Erysipelas	8	1							1	1		1	2	1	1			
19	Other epidemic diseases	3	2					1											
20	Purulent infection and septicemia	20	1	1			1		2	3	5	2	2	2	1				
23	Rabies	3				1			1		1								
24	Tetanus	42	27					3	6	4		2							
26	Pellagra	437	10	8	8	1		12	43	100	84	56	41	44	17	5	3	3	2
	Tuberculosis (total)	1,826	27	32	9	16	11	48	309	615	367	207	95	51	21	10			8
28	Tuberculosis of the lungs	1,666	19	23	8	12	7	44	282	568	343	193	84	48	18	9			8
29	Acute miliary tuberculosis	75	3	4		1	2	1	15	26	12	5	4	2					
30	Tuberculous meningitis	17	4	2	1	2	2		3	1	1		1						
31	Abdominal tuberculosis	46		1		1		3	9	12	7	4	4	1	3	1			
32	Pott's disease	1									1								
33	White swellings	4								1	1	1	1						
34	Tuberculosis of other organs	10	1	2						3	1	3							
35	Disseminated tuberculosis	7								4	1	1	1						
36	Rickets	13	4	4	1		1	3											
37	Syphilis	211	72	9	2	1	1		13	29	33	18	11	13	4	3			2
38	Gonococcus infection	6							2	2	1	1							
	Cancer and other malignant tumors (total)	250				1	1	1	1	9	43	64	60	41	21	5	2		1
39	Of the buccal cavity	7									2		3	1		1			
40	Of the stomach, liver	68								3	9	12	21	15	5	2			1
41	Of the peritoneum, intestines, rectum	10								1	2	2	1	2	1	1			
42	Of the female genital organs	111								2	22	40	26	15	5	1			
43	Of the breast	26								1	3	9	6	4	2		1		
44	Of the skin	5							1		2		1				1		
45	Of other organs or of organs not specified	23				1	1	1		2	3	1	2	4	8				
46	Other tumors (tumors of the female genital organs excepted)	6						1			1		1	1	1	1			
47	Acute articular rheumatism	44			1	1		1	5	8	7	4	5	6	6				
48	Chronic rheumatism and gout	6										1	4		1				
49	Scurvy	1			1														
50	Diabetes	33					1	1	2	3	2	3	5	7	4	4			1
51	Exophthalmic goiter	1											1						
53	Leukemia	5		1					2	1		1							
54	Anemia, chlorosis	6	1		1			1				1			1		1		
55	Other general diseases	10	4		2		1	1	1	1									
56	Alcoholism (acute or chronic)	4								2		1	1						
57	Chronic lead poisoning	1											1						
59	Other chronic poisonings	1										1							
	II.—Diseases of the nervous system and of the organs of special sense	1,002	113	14	15	7	5	20	39	41	62	122	172	165	147	50	15	6	9
60	Encephalitis	6	3					2			1								
61	Meningitis (total)	23	6	2	1	3	1	3	4		1	1		1					
	Simple meningitis	15	4	2		2		1	4			1		1					
	Cerebrospinal meningitis (undefined)	1	1																
	Cerebrospinal fever	7	1		1	1	1	2			1								
62	Locomotor ataxia	6										2	1		3				
63	Other diseases of the spinal cord (total)	25	1	2	2		1	2		1	3	4	2	5	2				
	Acute anterior poliomyelitis	7	1	1	2		1	2											
	Other diseases of the spinal cord[1]	18		1						1	3	4	2	5	2				
64	Cerebral hemorrhage, apoplexy	471	1		3			2	8	17	38	75	119	90	73	28	8	1	8
65	Softening of the brain	3							1					2					
66	Paralysis without specified cause	257	4		2	1		2	6	4	9	26	43	61	66	21	7	4	1
67	General paralysis of the insane	25							1	3	2	7	6	4	1	1			
68	Other forms of mental alienation	7							2	2	1	1		1					
69	Epilepsy	38	1		2		2	5	11	9	2	3	1	1	1				
70	Convulsions (nonpuerperal)	9						3	3		3								
71	Convulsions of infants	108	91	9	5	2	1												
73	Neuralgia and neuritis	1										1							
74	Other diseases of the nervous system	16	3	1		1		1	2	3	1	2			1			1	
75	Diseases of the eyes and their annexa	1	1																
76	Diseases of the ears	6	2						1	2	1								

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

SOUTH CAROLINA (COLORED)—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	III.—Diseases of the circulatory system	1,098	10	8	3	2	1	6	27	98	127	158	173	206	178	72	18	1	10
77	Pericarditis	18	1						2	3	1	2	2	4	2	1			
78	Acute endocarditis	51		1				1	5	5	8	11	17	1		1			1
79	Organic diseases of the heart	878	6	5	3	2	1	4	18	86	108	124	129	177	141	54	11	1	8
80	Angina pectoris	10	1							2	1	2		1	2	1			
81	Diseases of the arteries, atheroma, aneurism, etc	114								1	3	17	20	22	31	13	7		
82	Embolism and thrombosis	8									1	1	2		1	2			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6						1			1	1	2	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1																
85	Hemorrhage; other diseases of the circulatory system	12	1	2					2	1	4		1		1				
	IV.—Diseases of the respiratory system	1,440	430	111	42	35	17	54	129	176	123	90	67	82	43	30	6	1	4
86	Diseases of the nasal fossae	96	60	9		3	1	4	3	6	2	5	1	1					1
87	Diseases of the larynx	3	2												1				
88	Diseases of the thyroid body	4								1	1		1	1					
89	Acute bronchitis	36	20	8	2	1	1		1						2			1	
90	Chronic bronchitis	17	2	1		1	3	1	1	1	1		2	1	3	1			
91	Bronchopneumonia	193	108	26	14	3	1	8	11	6	2	3	3	7	1				
92	Pneumonia (total)	1,026	230	65	25	28	13	37	109	154	107	70	55	62	33	29	6		3
	Lobar pneumonia	484	66	22	11	10	6	17	49	86	73	45	29	35	15	18	1		1
	Pneumonia (undefined)	542	164	43	14	18	7	20	60	68	34	25	26	27	18	11	5		2
93	Pleurisy	15	1					1		3	3	2	1	2	2				
94	Pulmonary congestion, pulmonary apoplexy	4	3									1							
96	Asthma	27	1	2	1				1	3	3	6	3	6	1				
97	Pulmonary emphysema	1									1								
98	Other diseases of the respiratory system (tuberculosis excepted)	18	3					1	3	2	3	3	1	2					
	V.—Diseases of the digestive system	1,515	580	332	89	47	24	41	69	77	59	54	43	42	26	25	1		6
99	Diseases of the mouth and annexa	48	27	11	4	1		2	2						1				
100	Diseases of the pharynx	26	3	4	1	3	3	3	2	1	3	3							
101	Diseases of the esophagus	1								1									
102	Ulcer of the stomach	19		1						1	7	4	2	3	1				
103	Other diseases of the stomach (cancer excepted)	270	86	31	12	5	4	10	14	14	14	19	17	19	13	10			2
104	Diarrhea and enteritis (under 2 years)	723	448	275															
105	Diarrhea and enteritis (2 years and over)	174			62	33	7	10	12	11	6	9	6	8	5	2	1		2
106	Ankylostomiasis	1					1												
107	Intestinal parasites	36	2	6	7	3	7	7	4										
108	Appendicitis and typhlitis	59	1					4	18	21	3	3	4	1	1	3			
109	Hernia, intestinal obstruction (total)	78	9	2	3	1	2	3	7	12	15	7	4	7	2	2			2
	Hernia	25	3				1		2	4	4	2	1	5	2	1			
	Intestinal obstruction	53	6	2	3	1	1	3	5	8	11	5	3	2		1			2
110	Other diseases of the intestines	19	3	1		1		1	2	3	1	1	2		2	2			
111	Acute yellow atrophy of the liver	1											1						
113	Cirrhosis of the liver	18							2	3	5	1	2	2		3			
114	Biliary calculi	3									1		2						
115	Other diseases of the liver	20	1	1					1	4	2	5	2	1		3			
117	Simple peritonitis (nonpuerperal)	18						1	5	5	2	2	1	1	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1								1									
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,054	15	18	7	8	6	18	31	116	139	141	157	181	154	43	11	3	6
119	Acute nephritis	103	5	11	3	3	1	5	5	20	20	15	5	3	5		1		1
120	Bright's disease	790	3	5	3	4	5	12	16	77	90	105	131	161	126	38	8	1	5
122	Other diseases of the kidneys and annexa	82	7	2	1	1		1	7	11	8	11	11	8	9	2	1	2	
123	Calculi of the urinary passages	3											2		1				
124	Diseases of the bladder	12							1		1		2	3	4	1			
125	Diseases of the urethra, urinary abscess, etc	8									4		1	2	1				
126	Diseases of the prostate	14								1		1	1	1	8	2			
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	10									4	2	3	1					
130	Other diseases of the uterus	21							2	5	6	4	1	2			1		
132	Salpingitis and other diseases of the female genital organs	10								2	6	2							
	VII.—The puerperal state	277							66	124	66	20							1
134	Accidents of pregnancy	7								4	2	1							
135	Puerperal hemorrhage	23							3	7	9	4							
136	Other accidents of labor	64							13	29	13	4							
137	Puerperal septicemia	73							16	34	16	6							1
138	Puerperal albuminuria and convulsions	106							33	48	20	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3							1	1	1								
140	Following childbirth (not otherwise defined)	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	31	5					1	4	2	6	3	3	3	3	1			
142	Gangrene	10	1						1	1	2		2	1	1	1			
143	Furuncle	5							2	1	1	1							
144	Acute abscess	8	2					1			2	1	1	1					
145	Other diseases of the skin and annexa	8	2						1		1	1		1	2				
	IX.—Diseases of the bones and of the organs of locomotion	11	2	1				2	1		3	2							
146	Diseases of the bones (tuberculosis excepted)	10	1	1				2	1		3	2							
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1																
	X. Malformations	45	29	10	3	1		2											
150	Congenital malformations (stillbirths not included) (total)	45	29	10	3	1		2											
	Hydrocephalus	22	9	9	3			1											
	Congenital malformations of the heart	10	10																
	Other congenital malformations	13	10	1		1		1											
	XI.—Early infancy	1,419	1,419																
151	Congenital debility, icterus, and sclerema (total)	1,325	1,325																
	Premature birth	906	906																
	Congenital debility, "atrophy," "marasmus," etc.	419	419																
152	Other causes peculiar to early infancy (total)	92	92																
	Injuries at birth	19	19																
	Other causes peculiar to early infancy[1]	73	73																
153	Lack of care	2	2																
	XII.—Old age	339											1	10	89	125	72	39	3
154	Senility	339											1	10	89	125	72	39	3
	XIII.—External causes	804	58	44	59	36	23	72	145	158	75	56	20	23	14	11	3		7
	Suicide (total)	7							1	3	1	2							
159	By firearms	6							1	3	1	1							
160	By cutting or piercing instruments	1										1							
	Accidental or undefined (total)	645	57	44	59	36	23	69	125	88	43	36	15	18	14	11	3		4
164	Poisoning by food	16	1	2					6	1	2	2	1				1		
165	Other acute poisonings	32	4	6	7	1	3	2	5	1	1				1				1
166	Conflagration	21	1	2	2	3	2	4	3	1	2			1					
167	Burns (conflagration excepted)	234	14	31	45	26	17	41	22	14	4	3	3	5	5	3			1
168	Absorption of deleterious gases (conflagration excepted)	22	18					1	2		1								
169	Accidental drowning	47	2		1	1		7	11	13	4	6			1				1
170	Traumatism by firearms	44			1			9	25	6	1	1				1			
172	Traumatism by fall	36	3	2	1			1	8	5	2	3	3	1	4	3			
173	Traumatism in mines and quarries (total)	1							1										
174	Traumatism in quarries	1							1										
175	Traumatism by machines	15							5	6	3		1						
	Traumatism by other crushing (total)	83	1		2	3			19	24	11	8	4	7	3				1
	Railroad accidents and injuries	56							14	20	8	6	2	3	3				
	Street-car accidents and injuries	1				1													
	Automobile accidents and injuries	10				1			2	4			1	1					1
	Injuries by other vehicles	15	1		2	1			3		3	1	1	3					
	Landslide, other crushing	1										1							
176	Injuries by animals	4						1	2							1			
178	Excessive cold	10							2			2	1	2		1	2		
179	Effects of heat	4	1							1	2								
180	Lightning	28						1	7	8	5	6		1					
186	Other external violence	48	12	1		2	1	2	7	8	5	5	2	1		2			
	Homicide (total)	152	1					3	19	67	31	18	5	5					3
182	By firearms	119						2	15	55	24	15	3	4					1
183	By cutting or piercing instruments	16							1	8	2	3							2
184	By other means	17	1					1	3	4	5		2	1					
	XIV.—Ill-defined diseases	850	251	123	36	14	6	34	43	48	50	38	54	68	44	24	9	5	3
187	Ill-defined organic disease	123		3	2			3	6	15	15	8	16	18	22	10	3	2	
188	Sudden death	36	9	1			1	1	1		2	2	9	4	1	3		2	
189	Not specified or ill-defined (total)	691	242	119	34	14	5	30	36	33	33	28	29	46	21	11	6	1	3
	Ill-defined	545	177	108	32	10	5	25	28	24	25	22	18	36	17	11	5		2
	Not specified or unknown	146	65	11	2	4		5	8	9	8	6	11	10	4		1	1	1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
TENNESSEE (TOTAL).																			
	All causes	30,862	4,874	1,494	724	457	254	865	1,980	3,124	2,821	2,584	2,673	3,272	3,399	1,684	286	75	296
	1.—General diseases	11,373	829	537	308	231	133	489	1,110	1,854	1,457	1,164	975	1,030	780	305	50	3	118
1	Typhoid fever	879	14	11	13	15	9	91	249	199	102	81	40	40	7				8
4	Malaria	441	34	23	25	16	13	51	63	46	36	34	29	32	24	7	2		6
5	Smallpox	5		1				1		1				1		1			
6	Measles	782	147	130	62	59	31	79	89	55	44	35	28	13	7				3
7	Scarlet fever	49	3	8	4	5	5	11	8	1	1	1							2
8	Whooping cough	410	218	88	40	19	11	26	4	2		1					1		
9	Diphtheria and croup	337	72	60	58	48	23	58	8	2	3				3				2
10	Influenza	565	37	8	6	3	3	8	10	16	33	27	41	103	143	102	18		7
13	Cholera nostras	11		1						3	1	1	1	1	3				
14	Dysentery	433	68	94	39	18	3	15	10	9	13	19	17	42	39	29	9	2	7
18	Erysipelas	54	16	2	1	1			3	3	2	5	2	7	9	2			1
19	Other epidemic diseases	9	2			1	3	2		1									
20	Purulent infection and septicemia	54			1	1		1	6	11	9	6	4	7	3	4			1
23	Rabies	4				1		1	1	1									
24	Tetanus	52	12		1	2		11	7	6	3	5	1	2	2				
26	Pellagra	750	4	5	2	3	4	11	35	108	150	150	91	111	45	15	3		13
	Tuberculosis (total)	4,575	111	73	39	35	20	96	550	1,271	832	527	383	331	209	47	3		48
28	Tuberculosis of the lungs	3,930	55	37	22	18	11	51	475	1,153	751	466	337	288	181	40	3		42
29	Acute miliary tuberculosis	149	8	4	2		2	7	27	44	24	11	11	4	3				2
30	Tuberculous meningitis	137	29	23	8	9	4	18	16	10	8	4	2	2	1	2			1
31	Abdominal tuberculosis	223	10	6	3	5	1	8	16	48	32	24	21	30	14	4			1
32	Pott's disease	27			2			1	4	6	6	1	1	3	3				
33	White swellings	16	3					1	1	2	1	1	5		1	1			
34	Tuberculosis of other organs	77	5	3	2	3	2	10	10	6	3	15	4	3	5				1
35	Disseminated tuberculosis	16	1						1	2	2	5	2	1	1				1
36	Rickets	15	5	5	2			1	1	1									
37	Syphilis	282	57	5	4	1	1	6	13	35	56	40	20	22	12	4			6
38	Gonococcus infection	21							3	8	5	4			1				
	Cancer and other malignant tumors (total)	1,075	1	1	2	1	2	3	9	30	106	171	233	237	197	68	6	1	7
39	Of the buccal cavity	34							1			7	9	8	3	5	1		
40	Of the stomach, liver	310					1	2	1	5	26	37	76	79	58	21		1	3
41	Of the peritoneum, intestines, rectum	91						1	1	4	4	12	25	23	18	2			1
42	Of the female genital organs	251							2	12	45	61	61	45	20	3	1		1
43	Of the breast	97								2	13	22	18	15	19	7			1
44	Of the skin	82			1						3	6	10	15	28	17	2		
45	Of other organs or of organs not specified	210	1	1	1	1	1		4	7	15	26	34	52	51	13	2		1
46	Other tumors (tumors of the female genital organs excepted)	12		1						3	1	1	1	2	2		1		
47	Acute articular rheumatism	127				1	2	5	13	11	9	14	21	15	20	12	3		1
48	Chronic rheumatism and gout	35						1		1	2	4	4	4	12	4	2		1
49	Scurvy	3	3																
50	Diabetes	160	2	2	1			3	18	12	14	14	25	35	27	4	2		1
51	Exophthalmic goiter	19							1	3	8	3	1	2					1
52	Addison's disease	3							1	1		1							
53	Leukemia	28	1					3	5	3	5	1	4	5					1
54	Anemia, chlorosis	68	5	7	3						6	8	16	12	8	2			1
55	Other general diseases	73	17	12	5	1	3	5	2	6	6	4	2	2	4	3			1
56	Alcoholism (acute or chronic)	22							1	2	6	5	6	1		1			
57	Chronic lead poisoning	2									2								
58	Other chronic occupation poisonings	1									1								
59	Other chronic poisonings	17								3	1	2	5	3	3				
	II.—Diseases of the nervous system and of the organs of special sense	2,112	147	54	33	21	12	45	89	89	130	207	268	394	404	184	19	2	14
60	Encephalitis	29	4	4	1	1		2	6	2	2	4	3						
61	Meningitis (total)	183	48	23	18	12	6	23	25	9	3	2	4	6	1				3
	Simple meningitis	101	35	6	10	9	1	11	16	2	2	1	2	4					2
	Cerebrospinal meningitis (undefined)	46	9	8	5	1	2	6	4	6	1	1		2					1
	Cerebrospinal fever	36	4	9	3	2	3	6	5	1			2		1				
62	Locomotor ataxia	24									2	3	6	8	4	1			
63	Other diseases of the spinal cord (total)	113	12	6	5	1	3	1	5	6	4	8	10	20	21	11			
	Acute anterior poliomyelitis	28	12	6	4	1	2	1	1	1									
	Other diseases of the spinal cord [1]	85			1		1		4	5	4	8	10	20	21	11			
64	Cerebral hemorrhage, apoplexy	900	7	5	2	3	1	4	14	22	52	105	141	227	216	84	13	1	3
65	Softening of the brain	33						1		1		1	7	5	10	8			
66	Paralysis without specified cause	413	4	3	1			2	2	6	16	27	63	83	122	71	6	1	6
67	General paralysis of the insane	53								4	6	13	6	16	5	3			
68	Other forms of mental alienation	48								6	8	7	11	10	5	1			
69	Epilepsy	111	5	1	1			1	25	24	19	14	7	6	7				1
70	Convulsions (nonpuerperal)	8						5		1	2								
71	Convulsions of infants	63	52	7	2	2													
72	Chorea	4						1				1			1	1			
73	Neuralgia and neuritis	8									2	2		3	1				
74	Other diseases of the nervous system	88	9	3			1	2	6	8	11	15	9	10	10	4			
75	Diseases of the eyes and their annexa	3			1							1	1						
76	Diseases of the ears	31	6	2	2	2	1	3	6		3	4			1				1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	TENNESSEE (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system	2,751	28	9	6	1	7	21	65	110	215	274	389	593	673	301	24	6	29
77	Pericarditis	29	1				2			1	2	2	6	5	5	5			
78	Acute endocarditis	82	3	2	3			2	9	14	16	10	17	5		1			
79	Organic diseases of the heart	2,232	22	7	2	1	3	17	54	79	168	227	319	489	555	237	19	5	28
80	Angina pectoris	108								3	3	14	14	40	28	5	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	221							1	2	9	13	22	40	77	52	4	1	
82	Embolism and thrombosis	44							1	4	10	6	7	8	7	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	15			1					4	6	1		2	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	5					2			1	1			1					
85	Hemorrhage; other diseases of the circulatory system	15	2					2		2		1	4	3					1
	IV.—Diseases of the respiratory system	3,084	551	189	111	65	38	70	170	229	236	240	257	328	372	174	31	3	20
86	Diseases of the nasal fossae	17	12		1									1	2	1			
87	Diseases of the larynx	36	13	6	2	4	2	2	1		1	1	1	2	1				
88	Diseases of the thyroid body	12	1								3	2	4	1	1				
89	Acute bronchitis	109	54	11	8	3	1	4	1	1	4		2	7	6	5	2		
90	Chronic bronchitis	134	2	2		1		1	4	12	10	9	13	17	43	18	2		
91	Bronchopneumonia	722	237	78	50	25	19	22	21	21	21	24	24	50	73	45	7		5
92	Pneumonia (total)	1,823	219	82	46	30	15	37	136	168	172	184	192	223	206	83	14	3	13
	Lobar pneumonia	1,138	88	39	23	16	6	22	87	113	134	133	142	155	116	44	10	2	8
	Pneumonia (undefined)	685	131	43	23	14	9	15	49	55	38	51	50	68	90	39	4	1	5
93	Pleurisy	63	2	2				1	3	13	10	5	9	6	6	4	1		1
94	Pulmonary congestion, pulmonary apoplexy	40	5	4	2	1		1		3	1	1	1	4	5	10	2		
95	Gangrene of the lung	4					1		1					1	1				
96	Asthma	65	1			1				2	9	6	7	10	22	5	1		1
97	Pulmonary emphysema	5									1		1	1	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	54	5	4	2			2	3	9	4	8	3	5	5	2	2		
	V.—Diseases of the digestive system	3,077	750	553	175	59	27	86	131	149	179	175	198	225	234	90	17	6	23
99	Diseases of the mouth and annexa	30	8	4	2	1		2	1	1	1	1	4	3	2				
100	Diseases of the pharynx	43	9	2	4		3	7	6	6		1	1		2	1	1		
101	Diseases of the esophagus	1													1				
102	Ulcer of the stomach	65			1				1	6	9	13	10	11	10	1	1		2
103	Other diseases of the stomach (cancer excepted)	336	81	28	12	4	2	3	15	16	19	24	31	35	39	20	4	1	2
104	Diarrhea and enteritis (under 2 years)	1,116	611	505															
105	Diarrhea and enteritis (2 years and over)	567			145	38	19	31	29	25	24	26	39	67	74	35	6	4	5
106	Ankylostomiasis	5		1		1		1		1		1							
107	Intestinal parasites	13		5	1	3	1	2	1										
108	Appendicitis and typhlitis	220	1		2	2	2	20	51	42	38	25	11	15	6	1	1		3
109	Hernia, intestinal obstruction (total)	215	26	1	3	7		9	13	18	25	21	29	22	25	11		1	4
	Hernia	50	5						2	3	5	5	12	4	8	5			1
	Intestinal obstruction	165	21	1	3	7		9	11	15	20	16	17	18	17	6		1	3
110	Other diseases of the intestines	46	2	1	2			2	1	4	7	7	5	3	6	6			
111	Acute yellow atrophy of the liver	9								3	1		1	2	2				
113	Cirrhosis of the liver	126	1		1			1	2	2	12	21	27	21	32	4	1		1
114	Biliary calculi	67								2	8	12	13	13	14	3			2
115	Other diseases of the liver	135	9	2		2		4	4	9	16	17	21	22	18	8	1		2
116	Diseases of the spleen	9							1		1	1	2	3	1				
117	Simple peritonitis (nonpuerperal)	64	2	4	2	1		3	6	10	16	5	2	7	2		2		2
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10						1		4	2		2	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,072	23	14	5	3	3	12	53	103	176	231	317	406	487	189	23	2	25
119	Acute nephritis	170	5	6	1	1	1	8	17	23	18	23	19	22	21	4			1
120	Bright's disease	1,549	9	7	3	2	2	4	26	45	95	165	261	342	406	142	19	2	19
122	Other diseases of the kidneys and annexa	65	7		1				3	2	9	4	8	5	12	11	1		2
123	Calculi of the urinary passages	11							1	1	1	2	1	3	1				1
124	Diseases of the bladder	52	2							3	2	4	7	8	15	10	1		
125	Diseases of the urethra, urinary abscess, etc.	19							1		3	3	4	2	4		1		1
126	Diseases of the prostate	73								1		1	6	17	25	22	1		
127	Nonvenereal diseases of the male genital organs	2		1											1				
128	Uterine hemorrhage (nonpuerperal)	2								1	1								
129	Uterine tumor (noncancerous)	35								6	11	9	2	6	1				
130	Other diseases of the uterus	45								6	20	12	6	1					
131	Cysts and other tumors of the ovary	9								2	1	3	2		1				
132	Salpingitis and other diseases of the female genital organs	40							5	13	15	5	1						1
	VII.—The puerperal state	418							65	190	127	33							3
134	Accidents of pregnancy	36							1	20	11	4							
135	Puerperal hemorrhage	26								10	10	6							
136	Other accidents of labor	54							6	22	20	6							
137	Puerperal septicemia	172							30	76	56	9							1
138	Puerperal albuminuria and convulsions	122							28	58	27	7							2
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7								4	2	1							
140	Following childbirth (not otherwise defined)	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	TENNESSEE (TOTAL)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	87	12	1	2	1	3	6	2	3	5	6	7	9	13	14	3	.....	.....
142	Gangrene	39	1	.....	1	1	2	4	1	1	2	2	3	5	5	9	2	.....	.....
143	Furuncle	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	2	.....	.....	.....
144	Acute abscess	13	2	.....	.....	.....	1	1	.....	2	2	1	2	1	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	28	9	1	1	.....	.....	1	1	.....	.....	1	2	2	6	3	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	62	2	4	.....	1	1	2	12	11	10	8	5	4	.....	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	50	2	3	.....	1	1	2	11	9	9	5	4	1	.....	2	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	8	.....	1	.....	.....	.....	.....	1	1	1	2	1	1	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....
	X.—Malformations	187	172	2	3	2	1	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	187	172	2	3	2	1	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	18	15	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	96	89	.....	3	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	73	68	1	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,293	1,293	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,119	1,119	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	787	787	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	332	332	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	171	171	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	72	72	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	99	99	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	573	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	17	151	264	85	45	8
154	Senility	573	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	17	151	264	85	45	8
	XIII.—External causes	1,741	99	38	40	58	18	89	242	325	207	158	140	103	100	73	13	2	36
	Suicide (total)	122	.....	.....	.....	.....	.....	.....	10	28	25	19	16	13	10	.....	.....	.....	1
155	By poison	33	.....	.....	.....	.....	.....	.....	4	13	4	5	4	1	2	.....	.....	.....	.....
156	By asphyxia	5	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	17	.....	.....	.....	.....	.....	.....	2	.....	2	3	3	3	3	.....	.....	.....	1
158	By drowning	10	.....	.....	.....	.....	.....	.....	.....	1	3	1	3	1	1	.....	.....	.....	.....
159	By firearms	44	.....	.....	.....	.....	.....	.....	3	10	9	9	5	5	3	.....	.....	.....	.....
160	By cutting or piercing instruments	6	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	2	1	.....	.....	.....	.....
161	By jumping from high places	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
163	Other suicides	5	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,358	93	38	40	58	18	87	201	201	137	102	103	82	87	73	13	2	23
164	Poisoning by food	25	3	1	1	1	.....	3	2	4	1	2	3	2	2	.....	.....	.....	.....
165	Other acute poisonings	32	3	3	7	2	.....	2	1	3	6	1	.....	1	3	.....	.....	.....	.....
166	Conflagration	24	2	3	1	2	.....	1	3	3	1	.....	2	1	2	3	.....	.....	.....
167	Burns (conflagration excepted)	259	18	18	21	38	11	39	26	21	10	9	8	12	11	10	3	2	2
168	Absorption of deleterious gases (conflagration excepted)	46	38	1	.....	.....	.....	1	1	1	2	1	.....	1	.....	.....	.....	.....	.....
169	Accidental drowning	72	2	2	2	2	1	3	32	17	1	3	1	2	2	.....	.....	.....	2
170	Traumatism by firearms	102	2	1	.....	1	1	5	33	27	13	8	4	4	.....	.....	.....	.....	3
171	Traumatism by cutting or piercing instruments	11	.....	1	.....	1	.....	3	1	3	1	.....	.....	1	.....	.....	.....	.....	.....
172	Traumatism by fall	162	2	4	1	5	1	7	12	11	9	6	8	12	36	39	8	.....	1
173	Traumatism in mines and quarries (total)	38	.....	.....	.....	.....	.....	.....	3	8	12	11	3	.....	.....	.....	.....	.....	1
	Traumatism in mines	36	.....	.....	.....	.....	.....	.....	3	8	11	10	3	.....	.....	.....	.....	.....	1
	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	28	.....	.....	.....	.....	.....	.....	4	9	5	4	4	1	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	278	.....	.....	2	3	1	10	46	48	47	34	42	19	12	6	.....	.....	8
	Railroad accidents and injuries	147	.....	.....	1	.....	.....	.....	28	31	25	18	19	9	7	3	.....	.....	6
	Street-car accidents and injuries	9	.....	.....	.....	1	.....	1	.....	.....	3	2	.....	1	1	.....	.....	.....	.....
	Automobile accidents and injuries	69	.....	.....	1	2	1	7	10	13	9	7	13	2	3	.....	.....	.....	1
	Injuries by other vehicles	44	.....	.....	.....	.....	.....	2	8	2	7	5	9	7	1	3	.....	.....	.....
	Landslide, other crushing	9	.....	.....	.....	.....	.....	.....	.....	2	3	2	1	.....	.....	.....	.....	.....	1
176	Injuries by animals	19	1	.....	.....	1	1	.....	6	4	1	1	1	2	1	.....	.....	.....	.....
177	Starvation	4	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
178	Excessive cold	15	.....	.....	.....	.....	.....	1	3	2	2	1	1	1	2	.....	1	.....	1
179	Effects of heat	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....
180	Lightning	11	.....	.....	.....	.....	.....	.....	1	3	2	3	1	.....	.....	1	.....	.....	.....
181	Electricity (lightning excepted)	11	.....	.....	.....	.....	.....	.....	3	6	2	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	27	.....	.....	.....	.....	.....	.....	.....	2	2	1	3	4	5	8	.....	.....	2
186	Other external violence	188	20	3	5	2	2	12	24	28	20	17	19	17	9	6	1	.....	3
	Homicide (total)	261	6	.....	.....	.....	.....	2	31	96	45	37	21	8	3	.....	.....	.....	12
182	By firearms	186	1	.....	.....	.....	.....	2	21	71	35	27	17	5	.....	.....	.....	.....	7
183	By cutting or piercing instruments	37	.....	.....	.....	.....	.....	.....	6	15	5	7	2	.....	.....	.....	.....	.....	2
184	By other means	38	5	.....	.....	.....	.....	.....	4	10	5	3	2	3	3	.....	.....	.....	3
	XIV.—Ill-defined diseases	2,032	968	93	41	15	11	41	39	60	79	88	114	163	185	88	21	6	20
187	Ill-defined organic disease	111	1	1	1	1	1	.....	2	3	7	4	16	24	28	18	2	.....	2
188	Sudden death	151	28	3	.....	1	.....	1	1	5	9	14	14	27	31	12	4	.....	1
189	Not specified or ill-defined (total)	1,770	939	89	40	13	10	40	36	52	63	70	84	112	126	58	15	6	17
	Ill-defined	439	137	32	12	3	4	16	8	15	28	25	32	54	49	15	3	1	5
	Not specified or unknown	1,331	802	57	28	10	6	24	28	37	35	45	52	58	77	43	12	5	12

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	TENNESSEE (WHITE).																	
	All causes	21,460	3,627	1,123	547	339	190	586	1,163	1,745	1,725	1,634	1,763	2,521	2,787	1,366	184	14	146
	I.—General diseases	7,816	606	407	244	174	103	312	622	1,061	951	804	698	828	655	247	37	1	66
1	Typhoid fever	644	8	4	10	8	5	58	187	151	85	61	26	30	6	.....	.....	.....	5
4	Malaria	270	22	17	16	9	10	34	33	22	20	19	18	23	16	4	2	.....	5
5	Smallpox	4	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
6	Measles	648	117	106	53	47	24	60	72	46	40	34	27	12	7	.....	.....	.....	3
7	Scarlet fever	46	2	8	4	5	5	10	7	1	1	1	.....	.....	.....	.....	.....	.....	2
8	Whooping cough	293	160	60	30	13	10	13	3	2	.....	1	.....	.....	.....	.....	1	.....	.....
9	Diphtheria and croup	298	56	55	53	46	20	52	8	1	3	.....	.....	.....	3	.....	.....	.....	1
10	Influenza	430	31	4	3	2	2	1	6	7	15	20	27	85	118	90	15	.....	4
13	Cholera nostras	8	.....	1	.....	.....	.....	.....	.....	2	1	.....	1	1	2	.....	.....	.....	.....
14	Dysentery	320	45	70	34	16	2	12	8	6	7	11	12	27	34	23	9	1	3
18	Erysipelas	49	14	2	1	1	.....	.....	3	2	2	4	2	7	9	1	.....	.....	1
19	Other epidemic diseases	9	2	.....	.....	1	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	36	.....	.....	1	1	.....	.....	4	5	5	5	2	6	3	4	.....	.....	.....
23	Rabies	3	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	35	9	.....	1	2	.....	8	4	4	2	.....	1	2	2	.....	.....	.....	.....
26	Pellagra	450	1	4	2	1	2	7	14	47	88	98	57	81	33	9	1	.....	5
	Tuberculosis (total)	2,862	82	48	23	17	14	34	226	704	562	374	268	268	176	36	2	.....	28
28	Tuberculosis of the lungs	2,460	38	21	11	6	8	8	196	654	510	336	234	230	151	30	2	.....	25
29	Acute miliary tuberculosis	50	6	3	.....	.....	1	.....	7	11	10	3	5	3	1	.....	.....	.....	.....
30	Tuberculous meningitis	106	24	21	6	7	3	13	12	4	6	2	2	2	1	2	.....	.....	1
31	Abdominal tuberculosis	151	9	1	2	3	1	4	5	27	21	14	18	27	14	4	.....	.....	1
32	Pott's disease	23	.....	.....	2	.....	.....	1	2	4	6	1	1	3	3	.....	.....	.....	.....
33	White swellings	10	3	.....	.....	.....	.....	1	.....	1	1	.....	4	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	50	2	2	2	1	1	7	3	2	6	13	3	2	5	.....	.....	.....	1
35	Disseminated tuberculosis	12	.....	.....	.....	.....	.....	.....	1	1	2	5	1	1	1	.....	.....	.....	.....
36	Rickets	12	4	4	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	89	27	3	2	1	.....	2	2	5	14	11	8	8	5	.....	.....	.....	1
38	Gonococcus infection	4	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	868	1	1	2	1	2	3	8	22	69	126	182	203	177	63	2	.....	6
39	Of the buccal cavity	27	.....	.....	.....	.....	.....	.....	1	.....	.....	4	7	7	3	5	.....	.....	.....
40	Of the stomach, liver	265	.....	.....	.....	.....	1	2	1	3	19	29	62	73	53	20	.....	.....	2
41	Of the peritoneum, intestines, rectum	77	.....	.....	.....	.....	.....	1	1	3	4	10	18	20	17	2	.....	.....	1
42	Of the female genital organs	172	.....	.....	.....	.....	.....	.....	1	8	28	37	44	35	17	1	.....	.....	1
43	Of the breast	74	.....	.....	.....	.....	.....	.....	.....	2	7	18	17	8	15	6	.....	.....	1
44	Of the skin	79	.....	.....	1	.....	.....	.....	.....	.....	2	6	8	15	28	17	2	.....	.....
45	Of other organs or of organs not specified	174	1	1	1	1	1	.....	4	6	9	22	26	45	44	12	.....	.....	1
46	Other tumors (tumors of the female genital organs excepted)	5	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....
47	Acute articular rheumatism	74	.....	.....	.....	1	2	4	8	6	5	5	10	13	13	6	1	.....	.....
48	Chronic rheumatism and gout	28	.....	.....	.....	.....	.....	1	.....	1	2	3	4	3	11	1	2	.....	.....
49	Scurvy	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	138	1	2	1	.....	.....	3	17	11	9	9	22	32	26	3	2	.....	.....
51	Exophthalmic goiter	14	.....	.....	.....	.....	.....	.....	1	1	6	3	1	1	.....	.....	.....	.....	1
52	Addison's disease	3	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	26	1	.....	.....	.....	.....	3	5	3	4	.....	4	5	.....	.....	.....	.....	1
54	Anemia, chlorosis	57	4	5	3	.....	.....	.....	.....	.....	1	7	15	12	8	2	.....	.....	.....
55	Other general diseases	58	16	11	4	1	2	3	2	2	3	4	2	2	3	3	.....	.....	.....
56	Alcoholism (acute or chronic)	16	.....	.....	.....	.....	.....	.....	.....	1	4	4	5	1	.....	1	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	14	.....	.....	.....	.....	.....	.....	.....	2	1	2	4	3	2	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,560	115	43	21	20	9	36	63	57	77	122	172	309	345	150	14	.....	7
60	Encephalitis	25	4	4	1	1	.....	2	5	1	2	2	3	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	153	45	19	13	12	4	20	21	6	2	2	3	4	1	.....	.....	.....	1
	Simple meningitis	85	33	4	8	9	1	9	12	1	2	1	1	3	.....	.....	.....	.....	1
	Cerebrospinal meningitis (undefined)	35	8	7	3	1	1	5	4	4	.....	1	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	33	4	8	2	2	2	6	5	1	.....	.....	2	.....	1	.....	.....	.....	.....
62	Locomotor ataxia	15	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	6	2	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	93	10	6	2	1	2	1	4	5	3	7	7	17	20	8	.....	.....	.....
	Acute anterior poliomyelitis	23	10	6	2	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	70	.....	.....	.....	.....	1	.....	3	4	3	7	7	17	20	8	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	666	6	4	2	3	1	2	9	9	27	63	90	188	184	66	10	.....	2
65	Softening of the brain	29	.....	.....	.....	.....	.....	1	.....	1	.....	1	4	5	10	7	.....	.....	.....
66	Paralysis without specified cause	303	3	2	.....	.....	.....	1	2	3	8	16	43	55	104	60	4	.....	2
67	General paralysis of the insane	32	.....	.....	.....	.....	.....	.....	.....	2	4	6	2	10	5	3	.....	.....	.....
68	Other forms of mental alienation	28	.....	.....	.....	.....	.....	.....	.....	4	3	1	7	8	4	1	.....	.....	.....
69	Epilepsy	71	2	1	.....	.....	.....	1	15	19	14	7	3	5	3	.....	.....	.....	1
70	Convulsions (nonpuerperal)	6	.....	.....	.....	.....	.....	3	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	37	32	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	4	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
73	Neuralgia and neuritis	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	3	1	.....	.....	.....	.....
74	Other diseases of the nervous system	64	7	2	.....	.....	1	2	3	6	7	11	5	8	9	3	.....	.....	.....
75	Diseases of the eyes and their annexa	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	26	6	2	1	2	1	2	4	.....	3	3	.....	.....	1	.....	.....	.....	1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	TENNESSEE (WHITE)—Continued.																		
	III.—Diseases of the circulatory system	1,869	24	8	4	1	7	17	40	49	103	127	230	438	551	245	16		9
77	Pericarditis	16					2				1	2	1	5	3	2			
78	Acute endocarditis	42	2	2	1			2	4	8	6	4	8	4		1			
79	Organic diseases of the heart	1,505	20	6	2	1	3	13	34	36	83	102	192	351	451	188	14		9
80	Angina pectoris	88								1	2	7	9	37	27	4	1		
81	Diseases of the arteries, atheroma, aneurism, etc	166							1	1	1	7	13	30	63	49	1		
82	Embolism and thrombosis	35							1	2	8	4	5	8	6	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7			1					1	2	1		1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	2					2												
85	Hemorrhage; other diseases of the circulatory system	8	2					2					2	2					
	IV.—Diseases of the respiratory system	2,054	370	133	70	44	23	50	93	103	108	147	161	254	312	159	20		7
86	Diseases of the nasal fossae	11	7											1	2	1			
87	Diseases of the larynx	28	11	5	1	4	2		1			1	1	1	1				
88	Diseases of the thyroid body	7									1	2	2	1	1				
89	Acute bronchitis	78	42	7	4	2	1	4			1		1	5	5	4	2		
90	Chronic bronchitis	91	2	1					1	3	3	5	6	13	39	17	1		
91	Bronchopneumonia	498	164	58	29	14	13	16	10	9	9	16	17	35	61	41	5		1
92	Pneumonia (total)	1,187	136	54	32	22	7	27	77	79	84	111	122	179	171	75	6		5
	Lobar pneumonia	706	61	21	14	10	4	16	44	51	64	73	87	123	94	37	4		3
	Pneumonia (undefined)	481	75	33	18	12	3	11	33	28	20	38	35	56	77	38	2		2
93	Pleurisy	33	1	2				1	1	6	2	3	6	4	3	3	1		
94	Pulmonary congestion, pulmonary apoplexy	32	1	3	2	1		1		1		1	1	4	5	10	2		
95	Gangrene of the lung	3							1					1	1				
96	Asthma	41	1			1				2	5	2	2	4	17	5	1		1
97	Pulmonary emphysema	4											1	1	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	41	5	3	2			1	2	3	3	6	2	5	5	2	2		
	V.—Diseases of the digestive system	2,296	572	435	139	46	21	65	92	90	106	115	142	177	197	72	11	1	15
99	Diseases of the mouth and annexa	17	4	2	1	1		2			1		2	3	1				
100	Diseases of the pharynx	35	5	2	4		2	7	5	5			1		2	1	1		
101	Diseases of the esophagus	1													1				
102	Ulcer of the stomach	51			1					5	7	12	4	10	10	1			1
103	Other diseases of the stomach (cancer excepted)	225	69	25	9	2	2	2	10	4	8	10	15	23	30	13	2		1
104	Diarrhea and enteritis (under 2 years)	859	465	394															
105	Diarrhea and enteritis (2 years and over)	433			114	30	15	20	23	17	15	15	28	51	65	30	6	1	3
106	Ankylostomiasis	4		1		1		1				1							
107	Intestinal parasites	9		5	1	2			1										
108	Appendicitis and typhlitis	166	1		2	1	2	16	39	30	25	18	10	14	4	1			3
109	Hernia, intestinal obstruction (total)	148	18	1	3	6		8	6	9	14	17	20	16	21	7			2
	Hernia	30	3							1	2	4	7	3	6	3			1
	Intestinal obstruction	118	15	1	3	6		8	6	8	12	13	13	13	15	4			1
110	Other diseases of the intestines	33	1		2			2	1	1	4	3	4	3	6	6			
111	Acute yellow atrophy of the liver	8								3	1		1	1	2				
113	Cirrhosis of the liver	91	1					1			6	10	22	20	27	2	1		1
114	Biliary calculi	60								2	6	11	12	11	13	3			2
115	Other diseases of the liver	104	6	2		2		2	2	4	9	15	19	19	14	8	1		1
116	Diseases of the spleen	6							1		1	1	1	2					
117	Simple peritonitis (nonpuerperal)	40	2	3	2	1		3	4	8	8	2	2	3	1				1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6						1		2	1		1	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,374	17	10	5	2	2	9	34	41	96	131	175	300	383	144	15		10
119	Acute nephritis	88	4	3	1		1	6	11	6	8	9	9	14	14	2			
120	Bright's disease	1,068	7	7	3	2	1	3	17	22	60	96	144	255	321	109	12		9
122	Other diseases of the kidneys and annexa	57	6		1				3	2	6	4	8	5	10	10	1		1
123	Calculi of the urinary passages	10							1	1	1	2	1	3	1				
124	Diseases of the bladder	34								1		3	3	6	14	7			
125	Diseases of the urethra, urinary abscess, etc	7											2	2	2		1		
126	Diseases of the prostate	53								1		1	2	12	20	16	1		
128	Uterine hemorrhage (nonpuerperal)	1								1									
129	Uterine tumor (noncancerous)	9								1	1	3	1	3					
130	Other diseases of the uterus	26								1	13	9	3						
131	Cysts and other tumors of the ovary	5								1		2	1		1				
132	Salpingitis and other diseases of the female genital organs	16							2	4	7	2	1						
	VII.—The puerperal state	280							31	132	94	22							1
134	Accidents of pregnancy	26							1	15	7	3							
135	Puerperal hemorrhage	23								9	10	4							
136	Other accidents of labor	39								16	18	5							
137	Puerperal septicemia	97							11	44	37	5							
138	Puerperal albuminuria and convulsions	89							19	45	20	4							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5								3	1	1							
140	Following childbirth (not otherwise defined)	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	TENNESSEE (WHITE)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	56	11	1	2	1	1	5	1	1	3	2	2	5	10	11			
142	Gangrene	24	1		1	1	1	3	1					4	4	8			
143	Furuncle	6									1	2			1	2			
144	Acute abscess	8	2					1		1	2		1		1				
145	Other diseases of the skin and annexa	18	8	1	1			1					1	1	4	1			
	IX.—Diseases of the bones and of the organs of locomotion	51	2	4			1	2	10	9	7	6	5	3		2			
146	Diseases of the bones (tuberculosis excepted)	43	2	3			1	2	9	7	7	5	4	1		2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5		1					1	1			1	1					
149	Other diseases of the organs of locomotion	3								1		1		1					
	X.—Malformations	172	159	1	3	2	1	4	2										
150	Congenital malformations (stillbirths not included) (total)	172	159	1	3	2	1	4	2										
	Hydrocephalus	15	13			1			1										
	Congenital malformations of the heart	88	82		3			2	1										
	Other congenital malformations	69	64	1		1	1	2											
	XI.—Early infancy	1,010	1,010																
151	Congenital debility, icterus, and sclerema (total)	890	890																
	Premature birth	638	638																
	Congenital debility, "atrophy," "marasmus," etc	252	252																
152	Other causes peculiar to early infancy (total)	119	119																
	Injuries at birth	51	51																
	Other causes peculiar to early infancy [1]	68	68																
153	Lack of care	1	1																
	XII.—Old age	411											2	11	119	212	53	12	2
154	Senility	411											2	11	119	212	53	12	2
	XIII.—External causes	1,171	66	32	30	41	13	60	160	178	135	112	102	78	75	61	10		18
	Suicide (total)	112							9	23	22	19	16	13	9				1
155	By poison	27							3	9	4	5	4	1	1				
156	By asphyxia	5							1	1	3								
157	By hanging or strangulation	17							2		2	3	3	3	3				1
158	By drowning	9								1	2	1	3	1	1				
159	By firearms	41							3	9	7	9	5	5	3				
160	By cutting or piercing instruments	6								1	2			2	1				
161	By jumping from high places	2									1			1					
163	Other suicides	5								2	1	1	1						
	Accidental or undefined (total)	958	61	32	30	41	13	59	141	129	92	73	74	63	66	61	10		13
164	Poisoning by food	18	1		1	1		3	2	2	1	1	3	2	1				
165	Other acute poisonings	21	3	2	4	2		2	1	2	3				2				
166	Conflagration	12		1		1		1	1	2			2		2	2			
167	Burns (conflagration excepted)	163	12	16	15	23	7	24	21	9	4	7	4	8	6	4	2		1
168	Absorption of deleterious gases (conflagration excepted)	32	26	1					1	1	2			1					
169	Accidental drowning	48	1	2	2	2		3	22	10	1	3	1	1					
170	Traumatism by firearms	59	1	1		1	1	2	21	11	7	5	4	4					1
171	Traumatism by cutting or piercing instruments	8		1		1		2	1	1	1			1					
172	Traumatism by fall	138	2	4	1	5	1	5	7	8	8	3	6	11	31	37	8		1
173	Traumatism in mines and quarries (total)	36							2	7	12	11	3						1
	Traumatism in mines	34							2	7	11	10	3						1
	Traumatism in quarries	2									1	1							
174	Traumatism by machines	18							3	7	2	2	2	1	1				
175	Traumatism by other crushing (total)	204			2	3	1	8	30	38	31	24	34	14	9	5			5
	Railroad accidents and injuries	101			1				18	23	15	10	14	8	5	2			5
	Street-car accidents and injuries	4				1						2			1				
	Automobile accidents and injuries	55			1	2	1	6	6	12	7	6	10	2	2				
	Injuries by other vehicles	38						2	6	2	7	4	9	4	1	3			
	Landslide, other crushing	6								1	2	2	1						
176	Injuries by animals	17				1	1		5	4	1	1	1	2	1				
177	Starvation	3		1						1					1				
178	Excessive cold	5						1	2	1									1
179	Effects of heat	2	1											1					
180	Lightning	9							1	3	2	2				1			
181	Electricity (lightning excepted)	6							2	4									
185	Fractures (cause not specified)	22								1	1	1	2	4	5	7			1
186	Other external violence	137	14	3	5	1	2	8	19	17	16	13	12	13	7	5			2
	Homicide (total)	101	5					1	10	26	21	20	12	2					4
182	By firearms	67	1					1	7	13	17	13	11	2					2
183	By cutting or piercing instruments	16							2	8		6							
184	By other means	18	4						1	5	4	1	1						2
	XIV.—Ill-defined diseases	1,340	675	49	29	8	9	26	15	24	45	46	74	118	140	63	8		11
187	Ill-defined organic disease	79		1	1	1	1		1		5	4	11	19	19	13	1		2
188	Sudden death	102	20	2					1	3	4	7	10	20	24	10			1
189	Not specified or ill-defined (total)	1,159	655	46	28	7	8	26	13	21	36	35	53	79	97	40	7		8
	Ill-defined	334	112	20	10	3	3	10	4	8	19	16	23	43	44	14	3		2
	Not specified or unknown	825	543	26	18	4	5	16	9	13	17	19	30	36	53	26	4		6

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	TENNESSEE (COLORED).																		
	All causes	9,402	1,247	371	177	118	64	279	817	1,379	1,096	950	910	751	612	318	102	61	150
	I.—General diseases	3,557	223	130	64	57	30	177	488	793	506	360	277	202	125	58	13	2	52
1	Typhoid fever	235	6	7	3	7	4	33	62	48	17	20	14	10	1				3
4	Malaria	171	12	6	9	7	3	17	30	24	16	15	11	9	8	3			1
5	Smallpox	1								1									
6	Measles	134	30	24	9	12	7	19	17	9	4	1	1	1					
7	Scarlet fever	3	1					1	1										
8	Whooping cough	117	58	28	10	6	1	13	1										
9	Diphtheria and croup	39	16	5	5	2	3	6		1									1
10	Influenza	135	6	4	3	1	1	7	4	9	18	7	14	18	25	12	3		3
13	Cholera nostras	3								1		1			1				
14	Dysentery	113	23	24	5	2	1	3	2	3	6	8	5	15	5	6		1	4
18	Erysipelas	5	2							1		1				1			
20	Purulent infection and septicemia	18						1	2	6	4	1	2	1					1
23	Rabies	1						1											
24	Tetanus	17	3					3	3	2	1	5							
26	Pellagra	300	3	1		2	2	4	21	61	62	52	34	30	12	6	2		8
	Tuberculosis (total)	1,713	29	25	16	18	6	62	324	567	270	153	115	63	33	11	1		20
28	Tuberculosis of the lungs	1,470	17	16	11	12	3	43	279	499	241	130	103	58	30	10	1		17
29	Acute miliary tuberculosis	99	2	1	2		1	7	20	33	14	8	6	1	2				2
30	Tuberculous meningitis	31	5	2	2	2	1	5	4	6	2	2							
31	Abdominal tuberculosis	72	1	5	1	2		4	11	21	11	10	3	3					
32	Pott's disease	4							2	2									
33	White swellings	6							1	1		1	1		1	1			
34	Tuberculosis of other organs	27	3	1		2	1	3	7	4	2	2	1	1					
35	Disseminated tuberculosis	4	1							1			1						1
36	Rickets	3	1	1	1														
37	Syphilis	193	30	2	2		1	4	11	30	42	29	12	14	7	4			5
38	Gonococcus infection	17							2	6	5	3			1				
	Cancer and other malignant tumors (total)	207							1	8	37	45	51	34	20	5	4	1	1
39	Of the buccal cavity	7										3	2	1			1		
40	Of the stomach, liver	45								2	7	8	14	6	5	1		1	1
41	Of the peritoneum, intestines, rectum	14								1		2	7	3	1				
42	Of the female genital organs	79							1	4	17	24	17	10	3	2	1		
43	Of the breast	23									6	4	1	7	4	1			
44	Of the skin	3									1		2						
45	Of other organs or of organs not specified	36								1	6	4	8	7	7	1	2		
46	Other tumors (tumors of the female genital organs excepted)	7								2	1	1	1		1		1		
47	Acute articular rheumatism	53						1	5	5	4	9	11	2	7	6	2		1
48	Chronic rheumatism and gout	7										1		1	1	3			1
50	Diabetes	22	1						1	1	5	5	3	3	1	1			1
51	Exophthalmic goiter	5								2	2			1					
53	Leukemia	2									1	1							
54	Anemia, chlorosis	11	1	2							5	1	1						1
55	Other general diseases	15	1	1	1		1	2		4	3				1				1
56	Alcoholism (acute or chronic)	6							1	1	2	1	1						
57	Chronic lead poisoning	1									1								
59	Other chronic poisonings	3								1			1		1				
	II.—Diseases of the nervous system and of the organs of special sense	552	32	11	12	1	3	9	26	32	53	85	96	85	59	34	5	2	7
60	Encephalitis	4							1	1		2							
61	Meningitis (total)	30	3	4	5		2	3	4	3	1		1	2					2
	Simple meningitis	16	2	2	2			2	4	1			1	1					1
	Cerebrospinal meningitis (undefined)	11	1	1	2		1	1		2	1			1					1
	Cerebrospinal fever	3		1	1		1												
62	Locomotor ataxia	9									1	2	2	2	2				
63	Other diseases of the spinal cord (total)	20	2		3		1		1	1	1	1	3	3	1	3			
	Acute anterior poliomyelitis	5	2		2		1												
	Other diseases of the spinal cord [1]	15			1				1	1	1	1	3	3	1	3			
64	Cerebral hemorrhage, apoplexy	234	1	1				2	5	13	25	42	51	39	32	18	3	1	1
65	Softening of the brain	4											3			1			
66	Paralysis without specified cause	110	1	1	1			1		3	8	11	20	28	18	11	2	1	4
67	General paralysis of the insane	21								2	2	7	4	6					
68	Other forms of mental alienation	20								2	5	6	4	2	1				
69	Epilepsy	40	3		1				10	5	5	7	4	1	4				
70	Convulsions (nonpuerperal)	2						2											
71	Convulsions of infants	26	20	4	1	1													
73	Neuralgia and neuritis	2									1	1							
74	Other diseases of the nervous system	24	2	1					3	2	4	4	4	2	1	1			
75	Diseases of the eyes and their annexa	1										1							
76	Diseases of the ears	5			1			1	2			1							

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	TENNESSEE (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	882	4	1	2	.....	.....	4	25	61	112	147	159	155	122	56	8	6	20
77	Pericarditis	13	1	.....	.....	.....	.....	.....	.....	1	1	.....	5	.....	2	3	.....	.....	.....
78	Acute endocarditis	40	1	.....	2	.....	.....	.....	5	6	10	6	9	1	.....	.....	.....	.....	.....
79	Organic diseases of the heart	727	2	1	.....	.....	.....	4	20	43	85	125	127	138	104	49	5	5	19
80	Angina pectoris	20	.....	.....	.....	.....	.....	.....	.....	2	1	7	5	3	1	1	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	55	.....	.....	.....	.....	.....	.....	.....	1	8	6	9	10	14	3	3	1	.....
82	Embolism and thrombosis	9	.....	.....	.....	.....	.....	.....	.....	2	2	2	2	.....	1	.....	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8	.....	.....	.....	.....	.....	.....	.....	3	4	.....	.....	1	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	7	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	1	.....	.....	.....	.....	1
	IV.—Diseases of the respiratory system	1,030	181	56	41	21	15	20	77	126	128	93	96	74	60	15	11	3	13
86	Diseases of the nasal fossae	6	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	8	2	1	1	.....	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	5	1	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	31	12	4	4	1	.....	.....	1	1	3	.....	1	2	1	1	.....	.....	.....
90	Chronic bronchitis	43	.....	1	.....	1	.....	1	3	9	7	4	7	4	4	1	1	.....	.....
91	Bronchopneumonia	224	73	20	21	11	6	6	11	12	12	8	7	15	12	4	2	.....	4
92	Pneumonia (total)	636	83	28	14	8	8	10	59	89	88	73	70	44	35	8	8	3	8
	Lobar pneumonia	432	27	18	9	6	2	6	43	62	70	60	55	32	22	7	6	2	5
	Pneumonia (undefined)	204	56	10	5	2	6	4	16	27	18	13	15	12	13	1	2	1	3
93	Pleurisy	30	1	.....	.....	.....	.....	.....	2	7	8	2	3	2	3	1	.....	.....	1
94	Pulmonary congestion, pulmonary apoplexy	8	4	1	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
96	Asthma	24	.....	.....	.....	.....	.....	.....	.....	.....	4	4	5	6	5	.....	.....	.....	.....
97	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	13	.....	1	.....	.....	.....	1	1	6	1	2	1	.....	.....	.....	.....	.....	.....
	V.—Diseases of the digestive system	781	178	118	36	13	6	21	39	59	73	60	56	48	37	18	6	5	8
99	Diseases of the mouth and annexa	13	4	2	1	.....	.....	.....	1	1	.....	1	2	.....	1	.....	.....	.....	.....
100	Diseases of the pharynx	8	4	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	14	.....	.....	.....	.....	.....	.....	1	1	2	1	6	1	.....	.....	1	.....	1
103	Other diseases of the stomach (cancer excepted)	111	12	3	3	2	.....	1	5	12	11	14	16	12	9	7	2	1	1
104	Diarrhea and enteritis (under 2 years)	257	146	111	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	134	.....	.....	31	8	4	11	6	8	9	11	11	16	9	5	.....	3	2
106	Ankylostomiasis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	4	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	54	.....	.....	.....	1	.....	4	12	12	13	7	1	1	2	.....	1	.....	.....
109	Hernia, intestinal obstruction (total)	67	8	.....	.....	1	.....	1	7	9	11	4	9	6	4	4	.....	1	2
	Hernia	20	2	.....	.....	.....	.....	.....	2	2	3	1	5	1	2	2	.....	.....	.....
	Intestinal obstruction	47	6	.....	.....	1	.....	1	5	7	8	3	4	5	2	2	.....	1	2
110	Other diseases of the intestines	13	1	1	.....	.....	.....	.....	.....	3	3	4	1	.....	.....	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	35	.....	.....	1	.....	.....	.....	2	2	6	11	5	1	5	2	.....	.....	.....
114	Biliary calculi	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	1	.....	.....	.....	.....
115	Other diseases of the liver	31	3	.....	.....	.....	.....	2	2	5	7	2	2	3	4	.....	.....	.....	1
116	Diseases of the spleen	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	24	.....	1	.....	.....	.....	.....	2	2	8	3	.....	4	1	.....	2	.....	1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	698	6	4	.....	1	1	3	19	62	80	100	142	106	104	45	8	2	15
119	Acute nephritis	82	1	3	.....	1	.....	2	6	17	10	14	10	8	7	2	.....	.....	1
120	Bright's disease	481	2	.....	.....	.....	1	1	9	23	35	69	117	87	85	33	7	2	10
122	Other diseases of the kidneys and annexa	8	1	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	2	1	.....	.....	1
123	Calculi of the urinary passages	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
124	Diseases of the bladder	18	2	.....	.....	.....	.....	.....	.....	2	2	1	4	2	1	3	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	12	.....	.....	.....	.....	.....	.....	1	.....	3	3	2	.....	2	.....	.....	.....	1
126	Diseases of the prostate	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	5	5	6	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	26	.....	.....	.....	.....	.....	.....	.....	5	10	6	1	3	1	.....	.....	.....	.....
130	Other diseases of the uterus	19	.....	.....	.....	.....	.....	.....	.....	5	7	3	3	1	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	24	.....	.....	.....	.....	.....	.....	3	9	8	3	.....	.....	.....	.....	.....	.....	1
	VII.—The puerperal state	138	.....	.....	.....	.....	.....	.....	34	58	33	11	.....	.....	.....	.....	.....	.....	2
134	Accidents of pregnancy	10	.....	.....	.....	.....	.....	.....	.....	5	4	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	15	.....	.....	.....	.....	.....	.....	6	6	2	1	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	75	.....	.....	.....	.....	.....	.....	19	32	19	4	.....	.....	.....	.....	.....	.....	1
138	Puerperal albuminuria and convulsions	33	.....	.....	.....	.....	.....	.....	9	13	7	3	.....	.....	.....	.....	.....	.....	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	TENNESSEE (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	31	1				2	1	1	2	2	4	5	4	3	3	3		
142	Gangrene	15					1	1		1	2	2	3	1	1	1	2		
143	Furuncle	1												1					
144	Acute abscess	5					1			1		1	1	1					
145	Other diseases of the skin and annexa	10	1						1			1	1	1	2	2	1		
	IX.—Diseases of the bones and of the organs of locomotion	11				1			2	2	3	2		1					
146	Diseases of the bones (tuberculosis excepted)	7				1			2	2	2								
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3									1	2							
149	Other diseases of the organs of locomotion	1												1					
	X.—Malformations	15	13	1						1									
150	Congenital malformations (stillbirths not included) (total)	15	13	1						1									
	Hydrocephalus	3	2	1															
	Congenital malformations of the heart	8	7							1									
	Other congenital malformations	4	4																
	XI.—Early infancy	283	283																
151	Congenital debility, icterus, and sclerema (total)	229	229																
	Premature birth	149	149																
	Congenital debility, "atrophy," "marasmus," etc	80	80																
152	Other causes peculiar to early infancy (total)	52	52																
	Injuries at birth	21	21																
	Other causes peculiar to early infancy [1]	31	31																
153	Lack of care	2	2																
	XII.—Old age	162											1	6	32	52	32	33	6
154	Senility	162											1	6	32	52	32	33	6
	XIII.—External causes	570	33	6	10	17	5	29	82	147	72	46	38	25	25	12	3	2	18
	Suicide (total)	10							1	5	3				1				
155	By poison	6							1	4					1				
158	By drowning	1									1								
159	By firearms	3								1	2								
	Accidental or undefined (total)	400	32	6	10	17	5	28	60	72	45	29	29	19	21	12	3	2	10
164	Poisoning by food	7	2	1						2		1			1				
165	Other acute poisonings	11		1	3					1	3	1		1	1				
166	Conflagration	12	2	2	1	1			2	1	1			1		1			
167	Burns (conflagration excepted)	96	6	2	6	15	4	15	5	12	6	2	4	4	5	6	1	2	1
168	Absorption of deleterious gases (conflagration excepted)	14	12					1				1							
169	Accidental drowning	24	1				1		10	7				1	2				2
170	Traumatism by firearms	43	1					3	12	16	6	3							2
171	Traumatism by cutting or piercing instruments	3						1		2									
172	Traumatism by fall	24						2	5	3	1	3	2	1	5	2			
173	Traumatism in mines and quarries (total)	2							1	1									
	Traumatism in mines	2							1	1									
174	Traumatism by machines	10							1	2	3	2	2						
175	Traumatism by other crushing (total)	74						2	16	10	16	10	8	5	3	1			3
	Railroad accidents and injuries	46							10	8	10	8	5	1	2	1			1
	Street-car accidents and injuries	5						1			3			1					
	Automobile accidents and injuries	14						1	4	1	2	1	3		1				1
	Injuries by other vehicles	6							2			1		3					
	Landslide, other crushing	3								1	1								1
176	Injuries by animals	2	1						1										
177	Starvation	1	1																
178	Excessive cold	10							1	1	2	1	1	1	2		1		
179	Effects of heat	4											3	1					
180	Lightning	2										1	1						
181	Electricity (lightning excepted)	5							1	2	2								
185	Fractures (cause not specified)	5								1	1		1			1			1
186	Other external violence	51	6			1		4	5	11	4	4	7	4	2	1	1		1
	Homicide (total)	160	1					1	21	70	24	17	9	6	3				8
182	By firearms	119						1	14	58	18	14	6	3					5
183	By cutting or piercing instruments	21							4	7	5	1	2						2
184	By other means	20	1						3	5	1	2	1	3	3				1
	XIV.—Ill-defined diseases	692	293	44	12	7	2	15	24	36	34	42	40	45	45	25	13	6	9
187	Ill-defined organic disease	32	1						1	3	2		5	5	9	5	1		
188	Sudden death	49	8	1		1		1		2	5	7	4	7	7	2	4		
189	Not specified or ill-defined (total)	611	284	43	12	6	2	14	23	31	27	35	31	33	29	18	8	6	9
	Ill-defined	105	25	12	2		1	6	4	7	9	9	9	11	5	1		1	3
	Not specified or unknown	506	259	31	10	6	1	8	19	24	18	26	22	22	24	17	8	5	6

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	UTAH.																		
	All causes	4,615	946	194	80	70	34	158	266	348	410	372	405	528	453	307	42	1	1
	I.—General diseases	963	94	60	26	26	12	62	69	68	103	102	110	125	82	22	2		
1	Typhoid fever	59		2	1	1	1	5	20	12	8	2	5		2				
5	Smallpox	4	2						1		1								
6	Measles	105	23	31	10	13		12	10	3	1	1	1						
7	Scarlet fever	38	1	9	5	4	3	9	1	4	2								
8	Whooping cough	16	7	5	3	1													
9	Diphtheria and croup	43		3	3	2	4	22	9					1					
10	Influenza	45	17	4	1		1		2	2	1	2	1	5	4	4	1		
13	Cholera nostras	1												1					
14	Dysentery	7	2		1									1	2	1			
18	Erysipelas	22	12	1						1	1		3	1	3				
19	Other epidemic diseases	1				1													
20	Purulent infection and septicemia	7	3					1		1	1	1							
24	Tetanus	1						1											
27	Beriberi	1								1									
	Tuberculosis (total)	192	3	3		2		3	11	32	48	31	29	17	9	4			
28	Tuberculosis of the lungs	150							8	22	40	29	24	14	9	4			
29	Acute miliary tuberculosis	7		1						1	2	1	2						
30	Tuberculous meningitis	13	3	2		1		3	1	2	1								
31	Abdominal tuberculosis	9							1	3	2		1	2					
32	Pott's disease	3							1	1		1							
33	White swellings	1											1						
34	Tuberculosis of other organs	7								3	2		1	1					
35	Disseminated tuberculosis	2				1					1								
36	Rickets	3	1		1							1							
37	Syphilis	31	6							3	9	7	4	2					
38	Gonococcus infection	2									2								
	Cancer and other malignant tumors (total)	237							4	2	12	37	49	72	49	11	1		
39	Of the buccal cavity	9												5	3	1			
40	Of the stomach, liver	116									3	15	29	34	30	5			
41	Of the peritoneum, intestines, rectum	23							2		2	4	2	9	2	2			
42	Of the female genital organs	30								1	2	4	5	12	6				
43	Of the breast	17									2	6	4	3	1	1			
44	Of the skin	9										1	2	1	3	1	1		
45	Of other organs or of organs not specified	33							2	1	3	7	7	8	4	1			
46	Other tumors (tumors of the female genital organs excepted)	2					1							1					
47	Acute articular rheumatism	21		1	1		1	3	4	2	3	1	2	2		1			
48	Chronic rheumatism and gout	7											3	1	3				
50	Diabetes	46	2			1	1	4	4	4	1	4	5	11	8	1			
51	Exophthalmic goiter	8									3	3	1	1					
53	Leukemia	8	1					1			1	1	1	3					
54	Anemia, chlorosis	14						1	1		2	2	3	4	1				
55	Other general diseases	17	14	1		1			1										
56	Alcoholism (acute or chronic)	21							1	1	5	7	3	3	1				
57	Chronic lead poisoning	3									2	1							
59	Other chronic poisonings	1										1							
	II.—Diseases of the nervous system and of the organs of special sense	352	27	7	4	3	3	3	19	11	16	27	50	73	67	37	5		
60	Encephalitis	4	2						1					1					
61	Meningitis (total)	35	11	3	4	1	2	1	4	3	4		1		1				
	Simple meningitis	9	4		3					1					1				
	Cerebrospinal meningitis (undefined)	16	5	1			2		1	2	4		1						
	Cerebrospinal fever	10	2	2	1	1		1	3										
62	Locomotor ataxia	3											1	1	1				
63	Other diseases of the spinal cord (total)	18		1			1		1		1	4	3	3	4				
	Acute anterior poliomyelitis	1		1															
	Other diseases of the spinal cord [1]	17					1		1		1	4	3	3	4				
64	Cerebral hemorrhage, apoplexy	211	2						2	2	4	17	32	59	56	33	4		
66	Paralysis without specified cause	10											2		5	3			
67	General paralysis of the insane	10										1	4	4		1			
68	Other forms of mental alienation	6								1	2		2	1					
69	Epilepsy	12	1			1			4	1	2		1	2					
71	Convulsions of infants	9	9																
72	Chorea	1							1										
74	Other diseases of the nervous system	16	1			1			3	2	2	3	2	2					
75	Diseases of the eyes and their annexa	1							1										
76	Diseases of the ears	16	1	3				2	2	2	1	2	2				1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	UTAH—Continued.																	
	III.—Diseases of the circulatory system	572	7	3	.....	6	5	22	56	34	49	42	67	120	94	62	5	.....	.....
77	Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....
78	Acute endocarditis	29	3	.....	.....	.....	1	3	3	2	4	3	4	4	2	.....	.....	.....	.....
79	Organic diseases of the heart	454	1	3	.....	6	4	18	53	29	41	37	50	97	75	39	1	.....	.....
80	Angina pectoris	13	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	6	1	.....	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	53	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	11	13	22	4	.....	.....
82	Embolism and thrombosis	13	2	.....	.....	.....	.....	1	.....	1	1	.....	3	2	3	.....	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	569	170	48	17	10	3	12	9	33	35	31	39	54	51	48	9	.....	.....
86	Diseases of the nasal fossæ	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	5	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....	.....
89	Acute bronchitis	32	17	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	7	.....	.....	.....
90	Chronic bronchitis	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	5	2	.....	.....
91	Bronchopneumonia	211	110	31	13	4	2	.....	.....	3	3	3	3	8	16	11	4	.....	.....
92	Pneumonia (total)	271	38	15	4	4	.....	12	9	28	27	23	27	40	20	21	3	.....	.....
	Lobar pneumonia	242	28	15	4	4	.....	12	8	24	26	22	25	36	18	17	3	.....	.....
	Pneumonia (undefined)	29	10	.....	.....	.....	.....	.....	1	4	1	1	2	4	2	4	.....	.....	.....
93	Pleurisy	7	1	.....	.....	1	.....	.....	.....	1	.....	1	1	.....	2	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
96	Asthma	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	4	2	.....	.....	.....
97	Pulmonary emphysema	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	9	1	.....	.....	.....	.....	.....	.....	.....	2	1	4	1	.....	.....	.....	.....	.....
	V.—Diseases of the digestive system	518	152	53	16	12	6	25	38	40	35	36	35	27	25	16	2	.....	.....
99	Diseases of the mouth and annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	27	1	2	.....	2	1	5	7	4	3	1	.....	1	.....	.....	.....	.....	.....
101	Diseases of the esophagus	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	24	.....	.....	.....	.....	.....	.....	1	3	3	5	3	5	4	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	18	5	1	.....	2	.....	1	.....	.....	1	1	2	1	1	3	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	174	132	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	48	.....	.....	11	4	2	2	1	1	4	5	7	4	4	1	2	.....	.....
107	Intestinal parasites	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	98	.....	.....	.....	2	2	11	25	25	12	10	8	3	.....	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	45	11	7	3	.....	.....	3	1	1	2	2	1	3	5	6	.....	.....	.....
	Hernia	7	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	2	2	.....	.....	.....
	Intestinal obstruction	38	11	7	2	.....	.....	3	1	1	2	1	1	2	3	4	.....	.....	.....
110	Other diseases of the intestines	10	1	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	3	2	.....	.....	.....
111	Acute yellow atrophy of the liver	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	22	.....	.....	.....	.....	.....	.....	2	1	4	4	5	4	1	1	.....	.....	.....
114	Biliary calculi	11	.....	.....	.....	.....	.....	.....	.....	.....	1	1	6	1	1	1	.....	.....	.....
115	Other diseases of the liver	18	.....	.....	.....	1	.....	1	.....	1	2	3	.....	2	6	2	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	13	1	1	1	.....	.....	1	.....	3	.....	2	1	3	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	378	4	3	.....	.....	.....	9	9	22	36	43	52	77	77	40	6	.....	.....
119	Acute nephritis	34	2	2	.....	.....	.....	5	4	2	5	4	4	2	1	3	.....	.....	.....
120	Bright's disease	282	1	1	.....	.....	.....	4	3	15	22	28	41	65	69	28	5	.....	.....
122	Other diseases of the kidneys and annexa	12	1	.....	.....	.....	.....	.....	.....	2	2	4	1	2	.....	.....	.....	.....	.....
123	Calculi of the urinary passages	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	1	.....	.....	.....
124	Diseases of the bladder	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....
126	Diseases of the prostate	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	5	3	1	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	8	.....	.....	.....	.....	.....	.....	.....	.....	2	4	.....	1	1	.....	.....	.....	.....
130	Other diseases of the uterus	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	1	.....	.....	.....	.....	.....
	VII.—The puerperal state	81	.....	.....	.....	.....	.....	.....	8	30	34	9	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	6	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	15	.....	.....	.....	.....	.....	.....	.....	3	10	2	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	5	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	30	.....	.....	.....	.....	.....	.....	4	13	9	4	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	21	.....	.....	.....	.....	.....	.....	2	7	9	3	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	UTAH—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	12											3		2	6	1		
142	Gangrene	7													1	6			
144	Acute abscess	3											2		1				
145	Other diseases of the skin and annexa	2											1				1		
	IX.—Diseases of the bones and of the organs of locomotion	7						1	2	1	3								
146	Diseases of the bones (tuberculosis excepted)	6							2	1	3								
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1						1											
	X.—Malformations	79	76	1					1	1									
150	Congenital malformations (stillbirths not included) (total)	79	76	1					1	1									
	Hydrocephalus	7	6						1										
	Congenital malformations of the heart	51	49	1						1									
	Other congenital malformations	21	21																
	XI.—Early infancy	373	373																
151	Congenital debility, icterus, and sclerema (total)	298	298																
	Premature birth	259	259																
	Congenital debility, "atrophy," "marasmus," etc	39	39																
152	Other causes peculiar to early infancy (total)	74	74																
	Injuries at birth	40	40																
	Other causes peculiar to early infancy [1]	34	34																
153	Lack of care	1	1																
	XII.—Old age	87												6	13	56	11	1	
154	Senility	87												6	13	56	11	1	
	XIII.—External causes	460	7	14	15	10	5	22	51	102	89	62	29	24	20	10			
	Suicide (total)	46							1	12	10	13	7	1	2				
155	By poison	12							1	4	1	4	2						
156	By asphyxia	1								1									
157	By hanging or strangulation	5								1		3	1						
158	By drowning	2											2						
159	By firearms	19								6	5	5	1	1	1				
160	By cutting or piercing instruments	4									2		1		1				
161	By jumping from high places	1										1							
162	By crushing	1									1								
163	Other suicides	1									1								
	Accidental or undefined (total)	387	7	14	15	10	5	22	47	78	70	46	22	23	18	10			
164	Poisoning by food	15		2		1		2			2	3		3	2				
165	Other acute poisonings	15	2	5	1			2	1	1	2	1							
166	Conflagration	2				1										1			
167	Burns (conflagration excepted)	17			5	3	2	1	1	4	1								
168	Absorption of deleterious gases (conflagration excepted)	8	1			1				2	1	2				1			
169	Accidental drowning	29		5	5	1		4	3	7			1	1	2				
170	Traumatism by firearms	16						1	7	4	2		1	1					
171	Traumatism by cutting or piercing instruments	1							1										
172	Traumatism by fall	46	2	2	1	1	1	2	4	5	2	3	2	7	8	6			
173	Traumatism in mines and quarries (total)	56							1	20	22	11	1	1					
	Traumatism in mines	54							1	20	20	11	1	1					
	Traumatism in quarries	2									2								
174	Traumatism by machines	20							5	3	9	2		1					
175	Traumatism by other crushing (total)	113			3	1	1	9	15	23	18	17	14	5	5	2			
	Railroad accidents and injuries	50							3	14	13	6	8	4	2				
	Street-car accidents and injuries	8						3	2			2			1				
	Automobile accidents and injuries	32					1	4	5	6	4	5	4		2	1			
	Injuries by other vehicles	20			3	1		2	4	3		3	2	1		1			
	Landslide, other crushing	3							1		1	1							
176	Injuries by animals	4				1			1		2								
178	Excessive cold	3											2	1					
180	Lightning	7							1	2	3	1							
181	Electricity (lightning excepted)	11							1	5	2	3							
186	Other external violence	24	2				1	1	6	2	4	3	1	3	1				
	Homicide (total)	27							3	12	9	3							
182	By firearms	17							1	7	6	3							
183	By cutting or piercing instruments	6							2	2	2								
184	By other means	4								3	1								
	XIV.—Ill-defined diseases	164	36	5	2	3		2	4	6	10	20	20	22	22	10	1		1
188	Sudden death	8	1										1	3	2	1			
189	Not specified or ill-defined (total)	156	35	5	2	3		2	4	6	10	20	19	19	20	9	1		1
	Ill-defined	141	27	5	2	3		2	4	5	10	19	19	19	17	7	1		1
	Not specified or unknown	15	8							1		1			3	2			

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VERMONT.																	
	All causes	5,468	642	102	47	24	30	103	173	222	300	337	640	820	1,132	778	108	10	
	1.—General diseases	1,301	71	39	13	11	12	52	70	89	104	118	183	214	198	106	21		
1	Typhoid fever	25			1			4	4	3	5		3	3	2				
6	Measles	78	15	15	3	2	2	7	9	2	7	6	5	4	1				
7	Scarlet fever	19	3	3			1	6	2	3	1								
8	Whooping cough	31	20	5	2		2	2											
9	Diphtheria and croup	29	2	3	2	3	1	9	6		2		1						
10	Influenza	152	8	1	1			2	1	2	2	5	18	20	37	41	14		
13	Cholera nostras	1													1				
14	Dysentery	7	1					1						1	2	2			
18	Erysipelas	16	3						1		1	1	2	3	1	3	1		
19	Other epidemic diseases	4	1	2					1										
20	Purulent infection and septicemia	8	1								1	1		1	3	1			
22	Anthrax	1									1								
24	Tetanus	2											1		1				
25	Mycoses	1											1						
26	Pellagra	5							1	2		1			1				
	Tuberculosis (total)	329	6	9	4	5	5	10	34	65	58	44	35	33	17	3	1		
28	Tuberculosis of the lungs	261	1	1	1			6	28	56	48	43	33	26	15	2	1		
29	Acute miliary tuberculosis	9	1			1		2	1	2	2								
30	Tuberculous meningitis	33	4	7	3	3	3	2	3	5	2			1					
31	Abdominal tuberculosis	14		1		1	2		1	1	3		1	3	1				
32	Pott's disease	2									1			1					
33	White swellings	2								1	1								
34	Tuberculosis of other organs	6							1		1	1	1	1	1				
35	Disseminated tuberculosis	2												1		1			
36	Rickets	2	1				1												
37	Syphilis	9	4								1	4							
38	Gonococcus infection	1									1								
	Cancer and other malignant tumors (total)	393						1	1	2	11	30	86	107	102	48	5		
39	Of the buccal cavity	12											3	1	1	6	1		
40	Of the stomach, liver	137									5	12	22	39	41	18			
41	Of the peritoneum, intestines, rectum	70									2	3	17	27	15	6			
42	Of the female genital organs	61										9	14	18	15	4	1		
43	Of the breast	26									1	2	8	7	7	1			
44	Of the skin	18										1	3	3	6	3	2		
45	Of other organs or of organs not specified	69						1	1	2	3	3	19	12	17	10	1		
46	Other tumors (tumors of the female genital organs excepted)	4	1						1	1						1			
47	Acute articular rheumatism	14						4	1	1		1	2	1	3	1			
48	Chronic rheumatism and gout	5									1	1		2		1			
50	Diabetes	82	1					3	7	5	4	7	11	22	17	5			
51	Exophthalmic goiter	11									1	6	3	1					
52	Addison's disease	4								1	1		2						
53	Leukemia	10				1			1	1	1	3	2	1					
54	Anemia, chlorosis	34						2		1	1	5	8	9	8				
55	Other general diseases	8	4	1				1			2								
56	Alcoholism (acute or chronic)	12									2	3	3	4					
59	Other chronic poisonings	4												2	2				
	II.—Diseases of the nervous system and of the organs of special sense	666	24	6	8	1	2	15	14	13	23	22	99	136	194	96	12	1	
60	Encephalitis	4							1		2				1				
61	Meningitis (total)	29	12	2	2		1	2	2	1	1	2	3	1					
	Simple meningitis	23	9	2	1		1	2	2	1		1	3	1					
	Cerebrospinal meningitis (undefined)	5	3		1						1								
	Cerebrospinal fever	1										1							
62	Locomotor ataxia	14									2		4	4	3	1			
63	Other diseases of the spinal cord (total)	37	1	1	1			7	5	3	1	1	4	5	7	1			
	Acute anterior poliomyelitis	15	1	1	1			5	5	2									
	Other diseases of the spinal cord [1]	22						2		1	1	1	4	5	7	1			
64	Cerebral hemorrhage, apoplexy	479			2				2	3	7	10	78	113	166	85	12	1	
65	Softening of the brain	4											2		2				
66	Paralysis without specified cause	13										1		4	5	3			
67	General paralysis of the insane	18									1	5	1	3	6	2			
68	Other forms of mental alienation	8								1	4		2		1				
69	Epilepsy	26	2	2	1			2	4	3	4	2	2	2	1	1			
71	Convulsions of infants	9	7			1	1												
72	Chorea	1								1									
73	Neuralgia and neuritis	1														1			
74	Other diseases of the nervous system	15	2		1			3					2	4	1	2			
75	Diseases of the eyes and their annexa	1										1							
76	Diseases of the ears	7		1	1			1		1	1		1		1				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis.)

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VERMONT—Continued.																		
	III.—Diseases of the circulatory system	1,078	5		1		3	5	13	12	33	44	120	212	353	258	18	1	
77	Pericarditis	4							1	1		1			1				
78	Acute endocarditis	25	1		1		1	1	2	1	2	2	9		3	2			
79	Organic diseases of the heart	787	4				2	4	10	10	31	32	93	169	247	175	10		
80	Angina pectoris	69										6	6	19	25	12	1		
81	Diseases of the arteries, atheroma, aneurism, etc	175										1	10	19	69	68	7	1	
82	Embolism and thrombosis	17										2	2	5	7	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1													1				
	IV.—Diseases of the respiratory system	713	110	30	7	6	4	6	15	20	33	40	67	91	151	114	17	2	
86	Diseases of the nasal fossae	1										1							
87	Diseases of the larynx	2						1								1			
88	Diseases of the thyroid body	8							1	2		1	1	2	1				
89	Acute bronchitis	54	27	3		3	1						2		9	7	2		
90	Chronic bronchitis	50	1							1	1		5	7	12	20	3		
91	Bronchopneumonia	183	58	18	5	1	1	1	1	3	2	1	12	11	29	35	4	1	
92	Pneumonia (total)	384	24	9	2	2	2	4	12	13	27	35	44	68	95	41	5	1	
	Lobar pneumonia	261	13	7	2	1	1	2	9	11	21	24	33	47	65	24	1		
	Pneumonia (undefined)	123	11	2		1	1	2	3	2	6	11	11	21	30	17	4	1	
93	Pleurisy	8								1	1	1	2	1	1	1			
94	Pulmonary congestion, pulmonary apoplexy	12												1	3	6	2		
95	Gangrene of the lung	2										1	1						
96	Asthma	8							1		1			1	1	2	1		
98	Other diseases of the respiratory system (tuberculosis excepted)	1														1			
	V.—Diseases of the digestive system	388	97	14	10	3	4	8	16	25	28	24	49	42	36	30	2		
99	Diseases of the mouth and annexa	3	1									1	1						
100	Diseases of the pharynx	14	2		1		1	1	1	1	1	3		1	1	1			
101	Diseases of the esophagus	4									1		1	1	1				
102	Ulcer of the stomach	16						1			4	5	1	4	1				
103	Other diseases of the stomach (cancer excepted)	18	2		1								2	3	3	7			
104	Diarrhea and enteritis (under 2 years)	99	85	14															
105	Diarrhea and enteritis (2 years and over)	41			4		1	2	3	1	1	2	3	6	9	8	1		
108	Appendicitis and typhlitis	56	1		2	1		3	7	11	10	2	13	5	1				
109	Hernia, intestinal obstruction (total)	36	2		1		1	1		1	2	1	9	5	6	6	1		
	Hernia	16					1				1	1	3	3	1	5	1		
	Intestinal obstruction	20	2		1			1		1	1		6	2	5	1			
110	Other diseases of the intestines	10			1	2				3	2	1			1				
111	Acute yellow atrophy of the liver	4								2	1		1						
113	Cirrhosis of the liver	36							2	1	1	5	9	9	6	3			
114	Biliary calculi	16							1	2		4	4	2	3				
115	Other diseases of the liver	23	2							2	3		5	5	3	3			
117	Simple peritonitis (nonpuerperal)	10	2				1		2		1			1	1	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2								1	1								
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	466	2	1				2	5	11	23	42	74	84	147	66	7	2	
119	Acute nephritis	30	2	1				2	1	4	4	5	2	4	3	2			
120	Bright's disease	384							2	3	17	30	69	75	130	52	5	1	
122	Other diseases of the kidneys and annexa	4									1	2			1				
123	Calculi of the urinary passages	3							1	1						1			
124	Diseases of the bladder	10											1	1	2	4	1	1	
126	Diseases of the prostate	20												3	10	6	1		
129	Uterine tumor (noncancerous)	7								1	1	3	1	1					
130	Other diseases of the uterus	2							1				1						
131	Cysts and other tumors of the ovary	4										2			1	1			
132	Salpingitis and other diseases of the female genital organs	2								2									
	VII.—The puerperal state	48							4	15	24	5							
134	Accidents of pregnancy	4									2	2							
135	Puerperal hemorrhage	9								3	6								
136	Other accidents of labor	3								1	2								
137	Puerperal septicemia	15							2	6	6	1							
138	Puerperal albuminuria and convulsions	16							2	5	7	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VERMONT—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	24	2								1		3	5	7	3	3		
142	Gangrene	12											1	1	5	2	3		
143	Furuncle	3	1								1			1					
144	Acute abscess	3											1	1	1				
145	Other diseases of the skin and annexa	6	1										1	2	1	1			
	IX.—Diseases of the bones and of the organs of locomotion	7						2	1			2			1	1			
146	Diseases of the bones (tuberculosis excepted)	6						2	1			2			1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1														1			
	X.—Malformations	54	49	1	1		1		2										
150	Congenital malformations (stillbirths not included) (total)	54	49	1	1		1		2										
	Hydrocephalus	4	3	1															
	Congenital malformations of the heart	27	25				1		1										
	Other congenital malformations	23	21		1				1										
	XI.—Early infancy	269	269																
151	Congenital debility, icterus, and sclerema (total)	219	219																
	Premature birth	163	163																
	Congenital debility, "atrophy," "marasmus," etc	56	56																
152	Other causes peculiar to early infancy (total)	48	48																
	Injuries at birth	22	22																
	Other causes peculiar to early infancy[1]	26	26																
153	Lack of care	2	2																
	XII.—Old age	113												2	14	71	22	4	
154	Senility	113												2	14	71	22	4	
	XIII.—External causes	330	8	11	7	3	4	13	33	36	30	40	43	32	31	33	6		
	Suicide (total)	62							2	12	7	10	11	12	6	2			
155	By poison	12							1	1		1	1	7		1			
156	By asphyxia	2								1		1							
157	By hanging or strangulation	14								1	1	2	3	4	2	1			
158	By drowning	7									2	1	2		2				
159	By firearms	22							1	7	3	4	4	1	2				
160	By cutting or piercing instruments	5								2	1	1	1						
	Accidental or undefined (total)	262	8	11	7	2	4	12	30	24	22	29	31	20	25	31	6		
164	Poisoning by food	3		1	1								1						
165	Other acute poisonings	8		4	1		1					2							
166	Conflagration	6						1						2	3				
167	Burns (conflagration excepted)	14		2	2		1		3	1			2	2	1				
168	Absorption of deleterious gases (conflagration excepted)	13	5							1	3	2	2						
169	Accidental drowning	34				2	1	4	9	8	2	3	3	2					
170	Traumatism by firearms	9						1	5	1	1	1							
172	Traumatism by fall	66	1	2				2	1		1	3	3	5	18	25	5		
173	Traumatism in mines and quarries (total)	5									2	1	1	1					
	Traumatism in quarries	5									2	1	1	1					
174	Traumatism by machines	5							3		1		1						
175	Traumatism by other crushing (total)	58		2				3	3	7	6	12	15	4	3	3			
	Railroad accidents and injuries	35		2					3	6	4	7	7	2	1	3			
	Street-car accidents and injuries	1										1							
	Automobile accidents and injuries	14						2		1	1	2	5	2	1				
	Injuries by other vehicles	6						1			1	1	2		1				
	Landslide, other crushing	2										1	1						
176	Injuries by animals	7							2		3	1		1					
177	Starvation	1											1						
178	Excessive cold	4									1			1		1	1		
180	Lightning	3								2				1					
181	Electricity (lightning excepted)	1							1										
186	Other external violence	25	2		3		1	1	3	4	2	4	2	1		2			
	Homicide (total)	6				1		1	1		1	1	1						
182	By firearms	4				1					1	1	1						
184	By other means	2						1	1										
	XIV.—Ill-defined diseases	11	5							1	1		2	2					
188	Sudden death	2	1										1						
189	Not specified or ill-defined (total)	9	4							1	1		1	2					
	Ill-defined	2	2																
	Not specified or unknown	7	2							1	1		1	2					

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (TOTAL).																		
	All causes	31,527	5,941	1,390	617	377	220	702	1,677	2,681	2,532	2,479	2,888	3,759	3,800	1,964	369	83	48
	I.—General diseases	8,858	763	420	214	153	85	310	792	1,374	1,108	916	841	918	682	229	33	9	11
1	Typhoid fever	465	1	6	9	9	6	40	136	116	66	32	22	16	4	1	.....	.....	1
4	Malaria	123	9	5	3	1	3	8	14	13	19	11	14	9	9	4	.....	.....	1
5	Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
6	Measles	347	85	74	39	26	7	34	27	13	10	12	8	10	1	1	.....	.....	.....
7	Scarlet fever	17	.....	4	1	2	3	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	495	250	118	50	25	19	18	12	.....	1	.....	.....	1	1	.....	.....	.....	.....
9	Diphtheria and croup	221	38	38	26	35	20	47	12	2	1	1	1	.....	.....	.....	.....	.....	.....
10	Influenza	464	40	14	8	3	.....	6	12	24	20	17	38	73	104	79	18	8	.....
13	Cholera nostras	7	1	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....
14	Dysentery	376	60	71	26	10	3	15	10	13	13	11	29	27	59	25	3	1	.....
18	Erysipelas	57	16	4	2	1	.....	.....	3	.....	7	4	4	5	6	4	1	.....	.....
19	Other epidemic diseases	4	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	43	.....	.....	.....	.....	.....	3	4	1	7	8	2	9	7	2	.....	.....	.....
22	Anthrax	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	55	29	.....	1	2	.....	5	5	4	3	3	2	1	.....	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
26	Pellagra	302	1	1	2	.....	2	4	15	44	63	59	39	45	20	5	.....	.....	2
	Tuberculosis (total)	3,793	90	67	32	25	17	83	463	1,034	697	471	320	292	161	33	1	.....	7
28	Tuberculosis of the lungs	3,254	48	34	10	10	8	49	388	933	635	422	279	259	143	30	1	.....	5
29	Acute miliary tuberculosis	129	1	2	.....	.....	.....	4	33	34	24	13	9	8	.....	.....	.....	.....	1
30	Tuberculous meningitis	136	34	22	15	7	7	14	13	11	7	5	.....	.....	.....	1	.....	.....	.....
31	Abdominal tuberculosis	155	2	5	5	4	2	8	14	27	17	19	23	16	11	1	.....	.....	1
32	Pott's disease	22	1	.....	.....	2	.....	5	3	5	2	1	1	.....	2	.....	.....	.....	.....
33	White swellings	19	1	.....	.....	.....	.....	1	2	7	.....	3	.....	2	2	1	.....	.....	.....
34	Tuberculosis of other organs	64	3	2	2	2	.....	2	9	12	8	6	8	7	3	.....	.....	.....	.....
35	Disseminated tuberculosis	14	.....	2	.....	.....	.....	.....	1	5	4	2	.....	.....	.....	.....	.....	.....	.....
36	Rickets	19	10	1	4	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	300	93	9	3	3	.....	5	12	48	46	33	17	17	9	4	1	.....	.....
38	Gonococcus infection	21	2	.....	.....	.....	.....	2	3	8	5	.....	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,179	2	.....	2	1	1	8	13	13	90	190	259	306	240	48	6	.....	.....
39	Of the buccal cavity	44	.....	.....	.....	.....	.....	.....	1	.....	4	6	2	14	16	1	.....	.....	.....
40	Of the stomach, liver	393	1	.....	.....	.....	.....	.....	2	5	21	51	92	122	87	11	1	.....	.....
41	Of the peritoneum, intestines, rectum	115	.....	.....	.....	.....	.....	1	.....	2	7	11	23	28	33	10	.....	.....	.....
42	Of the female genital organs	261	.....	.....	.....	.....	.....	.....	2	4	34	70	59	57	26	9	.....	.....	.....
43	Of the breast	115	.....	.....	.....	.....	.....	.....	.....	.....	12	30	30	17	23	2	1	.....	.....
44	Of the skin	56	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	7	15	22	9	2	.....	.....
45	Of other organs or of organs not specified	195	1	.....	2	1	1	7	8	2	11	22	46	53	33	6	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	8	1	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	2	.....	.....	.....
47	Acute articular rheumatism	121	1	1	1	2	2	11	16	12	14	7	14	14	14	10	2	.....	.....
48	Chronic rheumatism and gout	43	.....	.....	.....	.....	.....	.....	.....	1	2	7	7	12	11	3	.....	.....	.....
49	Scurvy	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
50	Diabetes	193	.....	1	.....	1	2	5	15	14	17	19	41	50	22	5	1	.....	.....
51	Exophthalmic goiter	17	.....	.....	.....	.....	.....	.....	.....	2	4	3	4	4	.....	.....	.....	.....	.....
52	Addison's disease	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
53	Leukemia	36	1	.....	1	1	.....	2	6	5	3	7	4	5	1	.....	.....	.....	.....
54	Anemia, chlorosis	59	5	3	.....	1	.....	3	7	1	4	8	9	11	6	1	.....	.....	.....
55	Other general diseases	53	27	1	4	1	.....	4	3	.....	3	2	3	3	1	1	.....	.....	.....
56	Alcoholism (acute or chronic)	20	.....	.....	.....	.....	.....	.....	.....	4	8	3	2	2	1	.....	.....	.....	.....
57	Chronic lead poisoning	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....
59	Other chronic poisonings	6	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	3,196	230	63	49	19	12	60	109	115	170	277	462	641	656	283	41	6	3
60	Encephalitis	27	3	1	1	.....	.....	1	4	3	7	3	2	1	1	.....	.....	.....	.....
61	Meningitis (total)	204	50	33	21	9	6	18	29	16	12	2	3	4	1	.....	.....	.....	.....
	Simple meningitis	94	26	15	12	6	1	7	9	8	5	1	2	2	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	62	11	13	6	1	4	5	10	3	6	.....	1	1	1	.....	.....	.....	.....
	Cerebrospinal fever	48	13	5	3	2	1	6	10	5	1	1	.....	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	33	.....	.....	.....	.....	.....	.....	.....	4	5	4	5	5	9	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	165	18	10	10	2	6	16	8	10	6	11	20	20	17	9	2	.....	.....
	Acute anterior poliomyelitis	68	17	8	10	2	6	15	6	3	.....	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	97	1	2	.....	.....	.....	1	2	7	6	11	20	19	17	9	2	.....	.....
64	Cerebral hemorrhage, apoplexy	1,703	4	1	.....	.....	.....	3	14	25	67	169	329	438	443	183	19	5	3
65	Softening of the brain	53	.....	.....	.....	.....	.....	.....	.....	.....	2	2	7	17	18	5	2	.....	.....
66	Paralysis without specified cause	447	2	2	2	.....	.....	2	4	5	11	28	51	112	138	73	16	1	.....
67	General paralysis of the insane	74	.....	.....	.....	.....	.....	.....	.....	.....	15	11	15	16	8	8	1	.....	.....
68	Other forms of mental alienation	53	.....	.....	.....	.....	.....	.....	3	7	10	4	7	11	9	2	.....	.....	.....
69	Epilepsy	154	11	.....	2	1	.....	10	31	34	24	20	7	10	2	2	.....	.....	.....
70	Convulsions (nonpuerperal)	13	.....	.....	.....	.....	.....	5	4	1	1	2	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	160	132	13	10	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	14	.....	.....	.....	.....	.....	.....	.....	2	3	2	3	3	1	.....	.....	.....	.....
74	Other diseases of the nervous system	66	6	1	.....	1	.....	2	7	6	7	15	11	3	6	.....	1	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	28	4	2	3	1	.....	3	3	2	.....	4	2	1	3	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (TOTAL)—Continued.																		
	VIII.—Diseases of the circulatory system	3,654	35	3	9	5	6	23	80	142	265	360	548	809	901	401	53	7	7
77	Pericarditis	18							1	4	2	1	2	4	2	2			
78	Acute endocarditis	93	6		3	1	2	3	8	13	14	16	17	4	3	2			1
79	Organic diseases of the heart	3,058	21	3	6	4	2	20	64	122	231	304	460	707	754	308	40	7	5
80	Angina pectoris	115								1	4	11	20	32	34	11	2		
81	Diseases of the arteries, atheroma, aneurism, etc.	301							2	1	9	17	33	56	100	71	11		1
82	Embolism and thrombosis	51					1		3	1	5	10	14	5	5	7			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	1											1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	6				1					1							
85	Hemorrhage; other diseases of the circulatory system	7	1						2				2		2				
	IX.—Diseases of the respiratory system	3,396	758	258	88	57	36	85	162	254	258	239	251	328	364	211	36	6	5
86	Diseases of the nasal fossae	47	34	3	1	2	1		1						2	3			
87	Diseases of the larynx	25	7	2	3	1	1	3	2	1	2	1			2				
88	Diseases of the thyroid body	18							1		3	6	2	1	5				
89	Acute bronchitis	157	69	21	5	4	2	3	5	8	3		1	7	19	7	3		
90	Chronic bronchitis	109	4	3	2		1	2	2	4	7	4	11	14	29	23	3		
91	Bronchopneumonia	820	339	119	28	23	13	20	16	22	9	22	21	52	56	65	10	4	1
92	Pneumonia (total)	1,948	288	104	43	26	17	53	125	194	206	173	181	220	207	88	18	2	3
	Lobar pneumonia	1,316	105	52	19	13	12	34	90	147	167	143	145	177	143	52	12	2	3
	Pneumonia (undefined)	632	183	52	24	13	5	19	35	47	39	30	36	43	64	36	6		
93	Pleurisy	79	7	1	2		1	2	4	6	8	13	13	14	6	2			
94	Pulmonary congestion, pulmonary apoplexy	65	5	1	1			2	1	9	5	6	5	6	10	13			1
95	Gangrene of the lung	5								1	1	1	1		1				
96	Asthma	70	2	2	1	1			1	4	5	9	10	11	15	7	2		
97	Pulmonary emphysema	4										1			3				
98	Other diseases of the respiratory system (tuberculosis excepted)	49	3	2	2				4	5	9	3	6	3	9	3			
	X.—Diseases of the digestive system	3,083	1,179	457	145	48	22	65	117	117	131	145	180	205	148	105	14	2	3
99	Diseases of the mouth and annexa	42	18	4			1	3	1	3	1	3	2	3	3				
100	Diseases of the pharynx	38	3	1	1	1	2	6	11	3	4	2	1		2	1			
102	Ulcer of the stomach	78						1	6	8	16	13	16	10	4	3		1	
103	Other diseases of the stomach (cancer excepted)	282	71	17	6	2	2	3	8	11	14	17	28	43	27	29	2		2
104	Diarrhea and enteritis (under 2 years)	1,461	1,039	422															
105	Diarrhea and enteritis (2 years and over)	416			129	34	10	23	10	19	25	22	26	39	42	30	6	1	
106	Ankylostomiasis	3							2	1									
107	Intestinal parasites	23	1	6	3	4	2	4	2		1								
108	Appendicitis and typhlitis	174	1	1	1	2	2	13	47	31	21	24	17	10	3	1			
109	Hernia, intestinal obstruction (total)	207	32	4	2	3	3	5	13	14	14	11	29	37	18	17	4		1
	Hernia	55	7		1					1	3	1	8	17	10	3	3		1
	Intestinal obstruction	152	25	4	1	3	3	5	13	13	11	10	21	20	8	14	1		
110	Other diseases of the intestines	58	8	1	1	1		2	3	2	5	9	8	7	7	4			
111	Acute yellow atrophy of the liver	5							1	2	1				1				
113	Cirrhosis of the liver	124				1		2		3	7	21	27	29	23	11			
114	Biliary calculi	46								2	8	8	9	6	10	2	1		
115	Other diseases of the liver	65	4		1			1	3	5	5	11	9	13	7	5	1		
116	Diseases of the spleen	4			1					1	1				1				
117	Simple peritonitis (nonpuerperal)	52	2	1				2	10	12	7	4	7	5		2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5									1		1	3					
	XI.—Nonvenereal diseases of the genito-urinary system and annexa	2,680	17	20	12	12	5	21	42	112	160	293	407	593	659	279	38	6	4
119	Acute nephritis	213	8	12	6	9	4	11	10	18	25	30	35	23	18	4			
120	Bright's disease	2,173	2	8	4	2	1	9	24	75	105	225	335	509	596	238	30	6	4
122	Other diseases of the kidneys and annexa	60	7		1			1	1	3	2	4	10	16	10	4	1		
123	Calculi of the urinary passages	8				1				1	1	2	1	1		1			
124	Diseases of the bladder	35			1				2		1	1		6	6	15	3		
125	Diseases of the urethra, urinary abscess, etc.	17								1	2	5	3	4	1	1			
126	Diseases of the prostate	81										2	7	29	26	13	4		
127	Nonvenereal diseases of the male genital organs	1														1			
128	Uterine hemorrhage (nonpuerperal)	2									2								
129	Uterine tumor (noncancerous)	28								3	5	11	6	2		1			
130	Other diseases of the uterus	31							1	6	9	6	6	2		1			
131	Cysts and other tumors of the ovary	11							1		1	2	4	1	2				
132	Salpingitis and other diseases of the female genital organs	20							3	5	7	5							
	XII.—The puerperal state	497							67	220	165	44							1
134	Accidents of pregnancy	34							2	14	15	3							
135	Puerperal hemorrhage	38							1	10	17	10							
136	Other accidents of labor	49							2	20	20	7							
137	Puerperal septicemia	191							26	89	62	14							
138	Puerperal albuminuria and convulsions	175							36	82	48	9							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8							1	3	3	1							
140	Following childbirth (not otherwise defined)	2								2									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (TOTAL)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	91	11	3	2	2	1	.....	3	7	4	7	8	15	15	9	2	2	.....
142	Gangrene	45	2	2	1	1	1	.....	1	2	1	2	4	6	12	6	2	2	.....
143	Furuncle	6	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....	.....
144	Acute abscess	16	6	.....	1	.....	.....	.....	1	1	3	1	1	2	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	24	2	1	.....	1	.....	.....	1	3	.....	4	2	6	1	3	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	46	3	2	.....	3	1	4	11	2	6	5	3	3	1	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	40	2	2	.....	3	1	4	10	1	6	4	2	3	1	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	1	.....	.....	.....
149	Other diseases of the organs of locomotion	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	270	240	9	4	2	1	7	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	270	240	9	4	2	1	7	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	28	17	3	1	1	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	118	107	5	.....	1	.....	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	124	116	1	3	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,908	1,908	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,630	1,630	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,068	1,068	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	562	562	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	258	258	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	119	119	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	139	139	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	20	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	671	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	31	161	317	117	39	5
154	Senility	671	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	31	161	317	117	39	5
	XIII.—External causes	1,832	123	77	70	58	45	113	269	291	219	154	111	106	104	68	15	3	6
	Suicide (total)	131	.....	.....	.....	.....	.....	.....	9	27	28	22	14	23	6	2	.....	.....	.....
155	By poison	23	.....	.....	.....	.....	.....	.....	2	10	4	3	2	.....	2	.....	.....	.....	.....
156	By asphyxia	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	21	.....	.....	.....	.....	.....	.....	4	2	2	4	3	3	1	2	.....	.....	.....
158	By drowning	10	.....	.....	.....	.....	.....	.....	1	.....	2	2	.....	4	1	.....	.....	.....	.....
159	By firearms	64	.....	.....	.....	.....	.....	.....	2	14	17	11	8	11	1	.....	.....	.....	.....
160	By cutting or piercing instruments	9	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	4	1	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,517	112	75	70	58	45	112	234	213	148	107	86	75	95	65	15	3	4
164	Poisoning by food	27	6	1	4	2	2	3	2	3	1	1	.....	1	.....	.....	.....	.....	1
165	Other acute poisonings	29	1	7	2	1	3	3	1	3	3	3	1	1	.....	.....	.....	.....	.....
166	Conflagration	46	5	3	6	1	1	9	8	1	.....	1	1	3	1	5	1	.....	.....
167	Burns (conflagration excepted)	293	8	38	45	40	26	39	21	17	9	3	6	9	20	7	3	2	.....
168	Absorption of deleterious gases (conflagration excepted)	63	47	1	.....	1	1	1	1	6	1	3	.....	.....	.....	1	.....	.....	.....
169	Accidental drowning	149	1	4	4	3	.....	18	49	31	19	8	3	5	1	1	1	.....	1
170	Traumatism by firearms	93	1	3	.....	2	4	14	42	11	9	4	2	1	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	187	8	8	2	1	2	3	14	7	9	5	19	17	43	41	7	1	.....
173	Traumatism in mines and quarries (total)	89	.....	.....	.....	.....	.....	.....	14	30	21	18	5	1	.....	.....	.....	.....	.....
	Traumatism in mines	88	.....	.....	.....	.....	.....	.....	14	30	20	18	5	1	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	59	.....	.....	.....	.....	.....	1	18	15	12	6	4	1	2	.....	.....	.....	.....
175	Traumatism by other crushing (total)	264	2	2	1	5	4	13	44	71	41	30	20	17	12	2	.....	.....	.....
	Railroad accidents and injuries	150	.....	1	.....	.....	.....	2	27	47	28	19	10	10	5	1	.....	.....	.....
	Street-car accidents and injuries	20	.....	.....	.....	1	1	1	2	7	.....	2	2	4	.....	.....	.....	.....	.....
	Automobile accidents and injuries	52	2	.....	.....	2	3	3	8	11	8	4	6	2	2	1	.....	.....	.....
	Injuries by other vehicles	34	.....	1	1	2	.....	5	5	4	5	5	.....	1	5	.....	.....	.....	.....
	Landslide, other crushing	8	.....	.....	.....	.....	.....	2	2	2	.....	.....	2	.....	.....	.....	.....	.....	.....
176	Injuries by animals	17	.....	.....	1	.....	.....	4	1	.....	1	2	3	.....	2	3	.....	.....	.....
178	Excessive cold	21	1	.....	.....	.....	.....	.....	.....	.....	3	1	5	2	6	1	1	.....	1
179	Effects of heat	24	7	2	.....	.....	.....	.....	.....	3	.....	2	6	1	2	.....	1	.....	.....
180	Lightning	23	.....	.....	.....	.....	.....	.....	2	3	7	7	1	1	1	.....	.....	.....	1
181	Electricity (lightning excepted)	8	.....	.....	.....	.....	.....	.....	1	3	2	2	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	10	2	.....	.....	.....	.....	.....	1	.....	1	1	1	1	1	2	.....	.....	.....
186	Other external violence	113	23	6	5	2	2	4	15	8	9	9	9	14	4	2	1	.....	.....
	Homicide (total)	184	11	2	.....	.....	.....	1	26	51	43	25	11	8	3	1	.....	.....	2
182	By firearms	121	.....	.....	.....	.....	.....	.....	16	35	36	18	9	4	1	.....	.....	.....	2
183	By cutting or piercing instruments	18	1	.....	.....	.....	.....	.....	6	8	2	.....	.....	1	.....	.....	.....	.....	.....
184	By other means	45	10	2	.....	.....	.....	1	4	8	5	7	2	3	2	1	.....	.....	.....
	XIV.—Ill-defined diseases	1,345	674	78	24	18	6	14	21	44	46	39	76	110	109	60	20	3	3
187	Ill-defined organic disease	70	.....	4	.....	2	.....	.....	2	1	6	3	6	13	19	11	3	.....	.....
188	Sudden death	119	30	4	.....	1	.....	2	4	3	7	5	12	18	22	8	3	.....	.....
189	Not specified or ill-defined (total)	1,156	644	70	24	15	6	12	15	40	33	31	58	79	68	41	14	3	3
	Ill-defined	418	113	50	16	6	1	10	6	22	20	20	43	50	39	15	6	1	.....
	Not specified or unknown	738	531	20	8	9	5	2	9	18	13	11	15	29	29	26	8	2	3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (WHITE).																		
	All causes	18,017	3,370	802	355	213	121	395	741	1,143	1,194	1,215	1,531	2,468	2,805	1,436	203	9	16
	I.—General diseases	4,828	383	245	122	94	48	166	268	532	536	498	519	669	538	180	25	2	3
1	Typhoid fever	236	.....	3	2	5	1	18	53	67	42	19	14	10	2	.....	.....	.....	.....
4	Malaria	42	2	2	2	.....	1	1	7	4	5	4	5	2	2	4	.....	.....	1
5	Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
6	Measles	259	55	56	30	21	4	27	18	10	9	10	8	9	1	1	.....	.....	.....
7	Scarlet fever	15	.....	3	1	2	2	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	213	110	49	23	9	6	8	5	.....	1	.....	.....	1	1	.....	.....	.....	.....
9	Diphtheria and croup	178	25	32	20	30	18	42	8	.....	1	1	1	.....	.....	.....	.....	.....	.....
10	Influenza	295	22	8	4	3	.....	2	5	6	7	11	14	46	87	62	16	2	.....
13	Cholera nostras	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
14	Dysentery	248	31	49	22	6	2	9	7	10	7	7	16	15	43	21	3	.....	.....
18	Erysipelas	49	15	4	2	1	.....	.....	2	.....	5	2	4	5	4	4	1	.....	.....
19	Other epidemic diseases	3	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	32	.....	.....	.....	.....	.....	2	4	.....	5	5	1	7	6	2	.....	.....	.....
24	Tetanus	26	11	.....	1	2	.....	2	3	3	1	1	1	1	.....	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
26	Pellagra	167	1	1	1	.....	2	3	5	6	35	35	29	32	13	3	.....	.....	1
	Tuberculosis (total)	1,699	44	30	13	10	7	20	108	378	318	236	180	202	128	23	1	.....	1
28	Tuberculosis of the lungs	1,437	18	8	1	2	1	9	89	344	289	210	148	181	115	21	1	.....	.....
29	Acute miliary tuberculosis	34	.....	.....	.....	.....	.....	.....	4	9	9	4	5	3	.....	.....	.....	.....	.....
30	Tuberculous meningitis	86	23	18	10	2	6	6	4	6	5	5	.....	.....	.....	1	.....	.....	.....
31	Abdominal tuberculosis	77	1	3	2	3	.....	.....	2	8	6	12	20	11	7	1	.....	.....	1
32	Pott's disease	12	.....	.....	.....	2	.....	2	1	2	2	.....	1	.....	2	.....	.....	.....	.....
33	White swellings	9	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	1	2	.....	.....	.....	.....
34	Tuberculosis of other organs	37	2	1	.....	1	.....	2	5	5	4	3	6	6	2	.....	.....	.....	.....
35	Disseminated tuberculosis	7	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	.....	.....	.....	.....	.....	.....
36	Rickets	4	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	94	33	2	1	.....	.....	1	2	12	12	10	8	9	3	1	.....	.....	.....
38	Gonococcus infection	6	2	.....	.....	.....	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	850	2	.....	.....	.....	1	6	8	10	44	112	179	246	196	43	3	.....	.....
39	Of the buccal cavity	37	.....	.....	.....	.....	.....	.....	1	.....	3	4	1	13	14	1	.....	.....	.....
40	Of the stomach, liver	281	1	.....	.....	.....	.....	.....	.....	.....	3	8	32	63	91	72	11	.....	.....
41	Of the peritoneum, intestines, rectum	91	.....	.....	.....	.....	.....	.....	.....	2	4	8	17	25	26	9	.....	.....	.....
42	Of the female genital organs	164	.....	.....	.....	.....	.....	.....	2	3	15	38	36	45	20	5	.....	.....	.....
43	Of the breast	75	.....	.....	.....	.....	.....	.....	.....	.....	7	18	18	11	18	2	1	.....	.....
44	Of the skin	52	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	15	21	9	2	.....	.....
45	Of other organs or of organs not specified	150	1	.....	.....	.....	1	6	5	2	7	12	39	46	25	6	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	6	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	2	.....	.....	.....
47	Acute articular rheumatism	63	.....	1	.....	2	2	5	8	5	9	4	5	6	10	5	1	.....	.....
48	Chronic rheumatism and gout	30	.....	.....	.....	.....	.....	.....	.....	1	1	5	4	8	9	2	.....	.....	.....
50	Diabetes	157	.....	.....	.....	.....	2	5	13	10	11	13	35	43	21	4	.....	.....	.....
51	Exophthalmic goiter	13	.....	.....	.....	.....	.....	.....	.....	2	3	2	4	2	.....	.....	.....	.....	.....
52	Addison's disease	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
53	Leukemia	26	1	.....	.....	1	.....	2	4	3	3	5	1	5	1	.....	.....	.....	.....
54	Anemia, chlorosis	50	4	3	.....	.....	.....	2	3	1	4	8	8	10	6	1	.....	.....	.....
55	Other general diseases	37	20	1	.....	.....	.....	4	3	.....	2	1	1	3	1	1	.....	.....	.....
56	Alcoholism (acute or chronic)	15	.....	.....	.....	.....	.....	.....	.....	2	8	2	1	2	.....	.....	.....	.....	.....
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
59	Other chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,892	117	42	33	13	9	41	57	49	75	118	226	405	477	202	27	1	.....
60	Encephalitis	14	3	.....	1	.....	.....	.....	1	1	5	1	.....	1	1	.....	.....	.....	.....
61	Meningitis (total)	147	38	24	16	8	4	14	22	7	10	2	.....	1	1	.....	.....	.....	.....
	Simple meningitis	71	20	12	10	6	.....	5	7	5	4	1	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	46	9	10	4	1	3	4	8	1	5	.....	.....	.....	1	.....	.....	.....	.....
	Cerebrospinal fever	30	9	2	2	1	1	5	7	1	1	1	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	19	.....	.....	.....	.....	.....	.....	.....	2	2	2	3	4	6	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	116	15	10	8	2	5	11	5	6	4	4	9	14	14	8	1	.....	.....
	Acute anterior poliomyelitis	54	14	8	8	2	5	10	3	3	.....	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	62	1	2	.....	.....	.....	1	2	3	4	4	9	13	14	8	1	.....	.....
64	Cerebral hemorrhage, apoplexy	1,003	4	1	.....	.....	.....	2	5	7	18	67	156	274	324	133	11	1	.....
65	Softening of the brain	38	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	15	12	3	2	.....	.....
66	Paralysis without specified cause	268	1	1	1	.....	.....	1	1	3	1	10	26	66	94	51	12	.....	.....
67	General paralysis of the insane	46	.....	.....	.....	.....	.....	.....	.....	.....	10	7	8	10	7	4	.....	.....	.....
68	Other forms of mental alienation	34	.....	.....	.....	.....	.....	.....	.....	3	8	1	5	8	8	1	.....	.....	.....
69	Epilepsy	73	4	.....	.....	.....	.....	6	16	14	10	8	4	7	2	2	.....	.....	.....
70	Convulsions (nonpuerperal)	3	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	55	44	4	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	9	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	2	1	.....	.....	.....	.....
74	Other diseases of the nervous system	45	5	1	.....	.....	.....	2	3	4	3	10	9	3	4	.....	1	.....	.....
76	Diseases of the ears	21	3	1	3	.....	.....	3	2	1	.....	4	1	.....	3	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (WHITE)—Continued.																	
	III.—Diseases of the circulatory system	2,152	25	3	6	4	4	14	45	51	84	141	244	529	668	303	27	1	
77	Pericarditis	11							1		1	1	2	3	1	2			
78	Acute endocarditis	46	6		2	1	2	3	3	3	6	7	7	1	3	2			
79	Organic diseases of the heart	1,754	12	3	4	3	1	11	39	46	71	111	197	454	551	230	18	1	2
80	Angina pectoris	92								1	2	6	14	28	30	9	2		
81	Diseases of the arteries, atheroma, aneurism, etc	205							1		3	7	16	37	80	53	7		1
82	Embolism and thrombosis	33					1		1	1	1	8	7	5	2	7			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	1											1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	7	6									1							
85	Hemorrhage; other diseases of the circulatory system	1											1						
	IV.—Diseases of the respiratory system	1,742	345	125	38	26	17	38	78	82	106	101	117	208	271	168	21		1
86	Diseases of the nasal fossae	17	11						1						2	3			
87	Diseases of the larynx	18	5	2	2	1		3	1		2				2				
88	Diseases of the thyroid body	10									1	4	1		4				
89	Acute bronchitis	70	29	9	1	3	2	2						3	13	5	3		
90	Chronic bronchitis	65	2		1		1					2	5	9	24	21			
91	Bronchopneumonia	456	170	55	12	10	7	10	7	14	4	7	13	44	44	54	5		
92	Pneumonia (total)	963	120	58	19	12	7	19	63	59	89	73	80	131	152	68	12		1
	Lobar pneumonia	629	37	35	8	5	5	14	40	40	63	55	62	107	109	40	8		1
	Pneumonia (undefined)	334	83	23	11	7	2	5	23	19	26	18	18	24	43	28	4		
93	Pleurisy	48	1	1	2			2	3	3	5	9	8	9	3	2			
94	Pulmonary congestion, pulmonary apoplexy	40	4					2		3	2	2	3	4	9	11			
95	Gangrene of the lung	3									1		1		1				
96	Asthma	32	2						1	1	1	4	5	5	9	3	1		
97	Pulmonary emphysema	2													2				
98	Other diseases of the respiratory system (tuberculosis excepted)	18	1		1				2	2	1		1	3	6	1			
	V.—Diseases of the digestive system	1,885	664	291	97	31	15	48	65	60	67	82	111	138	114	88	12		2
99	Diseases of the mouth and annexa	20	5	1			1	3	1	3	1	1	1	3					
100	Diseases of the pharynx	30	3	1		1	1	6	10	2	2	1	1		1	1			
102	Ulcer of the stomach	41						1	4	2	6	8	9	5	3	3			
103	Other diseases of the stomach (cancer excepted)	164	40	10	2	2	1	1	5	4	5	7	9	26	22	26	2		2
104	Diarrhea and enteritis (under 2 years)	854	583	271															
105	Diarrhea and enteritis (2 years and over)	271			91	20	7	18	4	9	13	11	12	21	32	27	6		
106	Ankylostomiasis	2							2										
107	Intestinal parasites	10		4		3		1	1		1								
108	Appendicitis and typhlitis	115		1	1	1	2	9	29	17	14	16	15	8	2				
109	Hernia, intestinal obstruction (total)	141	24	3	1	2	3	5	3	11	7	4	22	25	14	14	3		
	Hernia	35	5								1		5	12	8	2	2		
	Intestinal obstruction	106	19	3	1	2	3	5	3	11	6	4	17	13	6	12	1		
110	Other diseases of the intestines	36	5			1		2	1	1	3	6	7	3	5	2			
111	Acute yellow atrophy of the liver	5							1	2	1				1				
113	Cirrhosis of the liver	84				1		1			4	11	15	25	20	7			
114	Biliary calculi	40								2	5	6	9	6	9	2	1		
115	Other diseases of the liver	40	2		1				1	2	1	7	7	11	4	4			
116	Diseases of the spleen	3			1						1				1				
117	Simple peritonitis (nonpuerperal)	26	2					1	3	5	2	4	3	4		2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3									1		1	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,593	13	10	4	9	3	10	23	43	72	127	208	364	484	205	17	1	
119	Acute nephritis	102	4	5	3	6	2	7	5	5	13	13	11	12	12	4			
120	Bright's disease	1,320	2	5		2	1	3	14	31	47	98	180	312	440	172	12	1	
122	Other diseases of the kidneys and annexa	44	7						1	3	2	2	7	11	6	4	1		
123	Calculi of the urinary passages	6				1				1	1	1		1		1			
124	Diseases of the bladder	19			1									2	4	10	2		
125	Diseases of the urethra, urinary abscess, etc	6									1	3	1	1					
126	Diseases of the prostate	58											4	20	21	11	2		
127	Nonvenereal diseases of the male genital organs	1														1			
129	Uterine tumor (noncancerous)	8										4	1	2		1			
130	Other diseases of the uterus	15							1	2	5	2	2	2		1			
131	Cysts and other tumors of the ovary	5									1		2	1	1				
132	Salpingitis and other diseases of the female genital organs	9							2	1	2	4							
	VII.—The puerperal state	270							30	118	95	26							1
134	Accidents of pregnancy	16								5	9	2							
135	Puerperal hemorrhage	24								8	9	7							
136	Other accidents of labor	21								9	8	4							
137	Puerperal septicemia	96							8	41	39	8							
138	Puerperal albuminuria and convulsions	107							21	53	28	4							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5							1	1	2	1							
140	Following childbirth (not otherwise defined)	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	45	7	2	2	1	1	.....	2	3	2	1	3	3	10	7	1	.....	.....
142	Gangrene	20	1	1	1	1	1	.....	.....	1	.....	.....	1	1	7	4	1	.....	.....
143	Furuncle	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....	.....
144	Acute abscess	9	4	.....	1	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	11	2	1	.....	.....	.....	.....	1	.....	.....	1	1	1	1	3	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	29	2	1	.....	2	1	3	8	2	2	2	3	1	1	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	25	1	1	.....	2	1	3	7	1	2	2	2	1	1	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	216	194	7	1	2	.....	5	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	216	194	7	1	2	.....	5	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	18	9	2	1	1	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	103	93	4	.....	1	.....	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	95	92	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,197	1,197	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,026	1,026	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	744	744	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	282	282	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	166	166	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	88	88	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	78	78	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	366	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	17	94	194	55	3	2
154	Senility	366	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	17	94	194	55	3	2
	XIII.—External causes	1,131	65	48	42	29	21	64	153	185	138	106	64	76	76	52	9	1	2
	Suicide (total)	117	.....	.....	.....	.....	.....	.....	8	24	24	19	12	23	5	2	.....	.....	.....
155	By poison	21	.....	.....	.....	.....	.....	.....	2	9	3	3	2	.....	2	.....	.....	.....	.....
156	By asphyxia	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	18	.....	.....	.....	.....	.....	.....	3	1	2	4	2	3	1	2	.....	.....	.....
158	By drowning	8	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	4	.....	.....	.....	.....	.....
159	By firearms	58	.....	.....	.....	.....	.....	.....	2	13	15	9	7	11	1	.....	.....	.....	.....
160	By cutting or piercing instruments	9	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	4	1	.....	.....	.....	.....
163	Other suicides	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	936	61	48	42	29	21	64	135	144	95	73	45	47	70	50	9	1	2
164	Poisoning by food	20	5	1	3	2	2	.....	2	2	.....	1	.....	1	.....	.....	.....	.....	1
165	Other acute poisonings	17	.....	3	1	.....	3	1	1	1	3	2	1	1	.....	.....	.....	.....	.....
166	Conflagration	9	1	1	3	.....	.....	1	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....
167	Burns (conflagration excepted)	153	5	27	26	18	8	23	8	9	6	1	1	4	13	3	1	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	39	29	.....	.....	.....	1	1	1	4	.....	2	.....	.....	.....	1	.....	.....	.....
169	Accidental drowning	80	1	3	2	2	.....	12	29	15	11	5	.....	.....	.....	.....	.....	.....	.....
170	Traumatism by firearms	52	1	1	.....	1	2	9	21	8	3	3	2	1	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	144	1	5	2	1	1	3	8	5	6	4	13	11	37	39	7	1	.....
173	Traumatism in mines and quarries (total)	71	.....	.....	.....	.....	.....	.....	10	25	15	15	5	1	.....	.....	.....	.....	.....
	Traumatism in mines	70	.....	.....	.....	.....	.....	.....	10	25	14	15	5	1	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	36	.....	.....	.....	.....	.....	1	12	7	7	4	3	1	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	193	2	2	1	4	2	8	30	54	30	22	12	14	11	1	.....	.....	.....
	Railroad accidents and injuries	112	.....	1	.....	.....	.....	2	18	38	20	13	5	9	5	1	.....	.....	.....
	Street-car accidents and injuries	13	.....	.....	.....	1	1	1	1	2	.....	2	2	3	.....	.....	.....	.....	.....
	Automobile accidents and injuries	40	2	.....	.....	2	1	2	6	9	7	3	4	2	2	.....	.....	.....	.....
	Injuries by other vehicles	21	.....	1	1	1	.....	1	3	3	3	4	.....	.....	4	.....	.....	.....	.....
	Landslide, other crushing	7	.....	.....	.....	.....	.....	2	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....
176	Injuries by animals	11	.....	.....	.....	.....	.....	2	1	.....	1	2	2	.....	1	2	.....	.....	.....
178	Excessive cold	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....
179	Effects of heat	10	4	1	.....	.....	.....	.....	.....	2	.....	.....	1	.....	2	.....	.....	.....	.....
180	Lightning	15	.....	.....	.....	.....	.....	.....	1	2	6	4	.....	1	.....	.....	.....	.....	1
181	Electricity (lightning excepted)	6	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	8	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	1	1	2	.....	.....	.....
186	Other external violence	66	11	4	4	1	2	3	10	5	4	6	3	8	3	1	1	.....	.....
	Homicide (total)	78	4	.....	.....	.....	.....	.....	10	17	19	14	7	6	1	.....	.....	.....	.....
182	By firearms	56	.....	.....	.....	.....	.....	.....	7	14	15	10	7	3	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	5	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....
184	By other means	17	3	.....	.....	.....	.....	.....	2	2	3	4	.....	2	1	.....	.....	.....	.....
	XIV.—Ill-defined diseases	671	358	28	10	2	2	6	8	15	17	13	35	58	72	36	9	.....	2
187	Ill-defined organic disease	33	.....	1	.....	.....	.....	.....	1	.....	2	1	1	7	14	4	2	.....	.....
188	Sudden death	57	14	.....	.....	.....	.....	.....	2	2	3	1	7	10	12	5	1	.....	.....
189	Not specified or ill-defined (total)	581	344	27	10	2	2	6	5	13	12	11	27	41	46	27	6	.....	2
	Ill-defined	212	57	22	5	1	.....	6	1	12	9	5	21	32	29	9	3	.....	.....
	Not specified or unknown	369	287	5	5	1	2	.....	4	1	3	6	6	9	17	18	3	.....	2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (COLORED).																		
	All causes	13,510	2,571	588	262	164	99	307	936	1,538	1,338	1,264	1,357	1,291	995	528	166	74	32
	I.—General diseases	4,030	380	175	92	59	37	144	524	842	572	418	322	249	144	49	8	7	8
1	Typhoid fever	229	1	3	7	4	5	22	83	49	24	13	8	6	2	1	.....	.....	1
4	Malaria	81	7	3	1	1	2	7	7	9	14	7	9	7	7	.....	.....	.....	.....
6	Measles	88	30	18	9	5	3	7	9	3	1	2	.....	1	.....	.....	.....	.....	.....
7	Scarlet fever	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	282	140	69	27	16	13	10	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	43	13	6	6	5	2	5	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	169	18	6	4	.....	.....	4	7	18	13	6	24	27	17	17	2	6	.....
13	Cholera nostras	5	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
14	Dysentery	128	29	22	4	4	1	6	3	3	6	4	13	12	16	4	.....	1	.....
18	Erysipelas	8	1	.....	.....	.....	.....	.....	1	.....	2	2	.....	.....	2	.....	.....	.....	.....
19	Other epidemic diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	11	.....	.....	.....	.....	.....	1	.....	1	2	3	1	2	1	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	29	18	.....	.....	.....	.....	3	2	1	2	2	1	.....	.....	.....	.....	.....	.....
26	Pellagra	135	.....	.....	1	.....	.....	1	10	38	28	24	10	13	7	2	.....	.....	1
	Tuberculosis (total)	2,094	46	37	19	15	10	63	355	656	379	235	140	90	33	10	.....	.....	6
28	Tuberculosis of the lungs	1,817	30	26	9	8	7	40	299	589	346	212	131	78	28	9	.....	.....	5
29	Acute miliary tuberculosis	95	1	2	.....	.....	.....	4	29	25	15	9	4	5	.....	.....	.....	.....	1
30	Tuberculous meningitis	50	11	4	5	5	1	8	9	5	2	.....	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	78	1	2	3	1	2	8	12	19	11	7	3	5	4	.....	.....	.....	.....
32	Pott's disease	10	1	.....	.....	.....	.....	3	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....
33	White swellings	10	1	.....	.....	.....	.....	.....	.....	5	.....	2	.....	1	.....	1	.....	.....	.....
34	Tuberculosis of other organs	27	1	1	2	1	.....	.....	4	7	4	3	2	1	1	.....	.....	.....	.....
35	Disseminated tuberculosis	7	.....	2	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....
36	Rickets	15	7	1	4	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	206	60	7	2	3	.....	4	10	36	34	23	9	8	6	3	1	.....	.....
38	Gonococcus infection	15	.....	.....	.....	.....	.....	1	3	7	4	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	329	.....	.....	2	1	.....	2	5	3	46	78	80	60	44	5	3	.....	.....
39	Of the buccal cavity	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	2	.....	.....	.....	.....
40	Of the stomach, liver	112	.....	.....	.....	.....	.....	.....	2	2	13	19	29	31	15	.....	1	.....	.....
41	Of the peritoneum, intestines, rectum	24	.....	.....	.....	.....	.....	1	.....	.....	3	3	6	3	7	1	.....	.....	.....
42	Of the female genital organs	97	.....	.....	.....	.....	.....	.....	.....	1	19	32	23	12	6	4	.....	.....	.....
43	Of the breast	40	.....	.....	.....	.....	.....	.....	.....	.....	5	12	12	6	5	.....	.....	.....	.....
44	Of the skin	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....
45	Of other organs or of organs not specified	45	.....	.....	2	1	.....	1	3	.....	4	10	7	7	8	.....	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	58	1	.....	1	.....	.....	6	8	7	5	3	9	8	4	5	1	.....	.....
48	Chronic rheumatism and gout	13	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	4	2	1	.....	.....	.....
49	Scurvy	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
50	Diabetes	36	.....	1	.....	1	.....	.....	2	4	6	6	6	7	1	1	1	.....	.....
51	Exophthalmic goiter	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....
53	Leukemia	10	.....	.....	1	.....	.....	.....	2	2	.....	2	3	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	9	1	.....	.....	1	.....	1	4	.....	.....	.....	1	1	.....	.....	.....	.....	.....
55	Other general diseases	16	7	.....	4	1	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	5	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	1	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,304	113	21	16	6	3	19	52	66	95	159	236	236	179	81	14	5	3
60	Encephalitis	13	.....	1	.....	.....	.....	1	3	2	2	2	2	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	57	12	9	5	1	2	4	7	9	2	.....	3	3	.....	.....	.....	.....	.....
	Simple meningitis	23	6	3	2	.....	1	2	2	3	1	.....	2	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	16	2	3	2	.....	1	1	2	2	1	.....	1	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	18	4	3	1	1	.....	1	3	4	.....	.....	.....	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	14	.....	.....	.....	.....	.....	.....	.....	2	3	2	2	1	3	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	49	3	.....	2	.....	1	5	3	4	2	7	11	6	3	1	1	.....	.....
	Acute anterior poliomyelitis	14	3	.....	2	.....	1	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord[1]	35	.....	.....	.....	.....	.....	.....	.....	4	2	7	11	6	3	1	1	.....	.....
64	Cerebral hemorrhage, apoplexy	700	.....	.....	.....	.....	.....	1	9	18	49	102	173	164	119	50	8	4	3
65	Softening of the brain	15	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	6	2	.....	.....	.....
66	Paralysis without specified cause	179	1	1	1	.....	.....	1	3	2	10	18	25	46	44	22	4	1	.....
67	General paralysis of the insane	28	.....	.....	.....	.....	.....	.....	.....	.....	5	4	7	6	1	4	1	.....	.....
68	Other forms of mental alienation	19	.....	.....	.....	.....	.....	.....	3	4	2	3	2	3	1	1	.....	.....	.....
69	Epilepsy	81	7	.....	2	1	.....	4	15	20	14	12	3	3	.....	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	10	.....	.....	.....	.....	.....	3	3	1	1	2	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	105	88	9	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	21	1	.....	.....	1	.....	.....	4	2	4	5	2	.....	2	.....	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	7	1	1	.....	1	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	1,502	10	.....	3	1	2	9	35	91	181	219	304	280	233	98	26	6	4
77	Pericarditis	7	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	1	1	.....	.....	.....	.....
78	Acute endocarditis	47	.....	.....	1	.....	.....	.....	5	10	8	9	10	3	.....	.....	.....	.....	1
79	Organic diseases of the heart	1,304	9	.....	2	1	1	9	25	76	160	193	263	253	203	78	22	6	3
80	Angina pectoris	23	.....	.....	.....	.....	.....	.....	.....	.....	2	5	6	4	4	2	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	96	.....	.....	.....	.....	.....	.....	1	1	6	10	17	19	20	18	4	.....	.....
82	Embolism and thrombosis	18	.....	.....	.....	.....	.....	.....	2	.....	4	2	7	.....	3	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	6	1	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	2	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	1,658	413	133	50	31	19	47	84	172	152	138	134	120	93	43	15	6	4
86	Diseases of the nasal fossae	30	23	3	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	7	2	.....	1	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	8	.....	.....	.....	.....	.....	.....	1	.....	2	2	1	1	1	.....	.....	.....	.....
89	Acute bronchitis	87	40	12	4	1	.....	1	5	8	3	.....	1	4	6	2	.....	.....	.....
90	Chronic bronchitis	44	2	3	1	.....	.....	2	2	4	7	2	6	5	5	2	3	.....	.....
91	Bronchopneumonia	364	169	64	16	13	6	10	9	8	5	15	8	8	12	11	5	4	1
92	Pneumonia (total)	985	168	46	24	14	10	34	62	135	117	100	101	89	55	20	6	2	2
	Lobar pneumonia	687	68	17	11	8	7	20	50	107	104	88	83	70	34	12	4	2	2
	Pneumonia (undefined)	298	100	29	13	6	3	14	12	28	13	12	18	19	21	8	2	.....	.....
93	Pleurisy	31	6	.....	.....	.....	1	.....	1	3	3	4	5	5	3	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	25	1	1	1	.....	.....	.....	1	6	3	4	2	2	1	2	.....	.....	1
95	Gangrene of the lung	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
96	Asthma	38	.....	2	1	1	.....	.....	.....	3	4	5	5	6	6	4	1	.....	.....
97	Pulmonary emphysema	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	31	2	2	1	.....	.....	.....	2	3	8	3	5	.....	3	2	.....	.....	.....
	V.—Diseases of the digestive system	1,198	515	166	48	17	7	17	52	57	64	63	69	67	34	17	2	2	1
99	Diseases of the mouth and annexa	22	13	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	3	.....	.....	.....	.....
100	Diseases of the pharynx	8	.....	.....	1	.....	1	.....	1	1	2	1	.....	.....	1	.....	.....	.....	.....
102	Ulcer of the stomach	37	.....	.....	.....	.....	.....	.....	2	6	10	5	7	5	1	.....	.....	1	.....
103	Other diseases of the stomach (cancer excepted)	118	31	7	4	.....	1	2	3	7	9	10	19	17	5	3	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	607	456	151	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	145	.....	.....	38	14	3	5	6	10	12	11	14	18	10	3	.....	1	.....
106	Ankylostomiasis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	13	1	2	3	1	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	59	1	.....	.....	1	.....	4	18	14	7	8	2	2	1	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	66	8	1	1	1	.....	.....	10	3	7	7	7	12	4	3	1	.....	1
	Hernia	20	2	.....	1	.....	.....	.....	.....	1	2	1	3	5	2	1	1	.....	1
	Intestinal obstruction	46	6	1	.....	1	.....	.....	10	2	5	6	4	7	2	2	.....	.....	.....
110	Other diseases of the intestines	22	3	1	1	.....	.....	.....	2	1	2	3	1	4	2	2	.....	.....	.....
113	Cirrhosis of the liver	40	.....	.....	.....	.....	.....	1	.....	3	3	10	12	4	3	4	.....	.....	.....
114	Biliary calculi	6	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	1	.....	.....	.....	.....
115	Other diseases of the liver	25	2	.....	.....	.....	.....	1	2	3	4	4	2	2	3	1	1	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	26	.....	1	.....	.....	.....	1	7	7	5	.....	4	1	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,087	4	10	8	3	2	11	19	69	88	166	199	229	175	74	21	5	4
119	Acute nephritis	111	4	7	3	3	2	4	5	13	12	17	24	11	6	.....	.....	.....	.....
120	Bright's disease	853	.....	3	4	.....	.....	6	10	44	58	127	155	197	156	66	18	5	4
122	Other diseases of the kidneys and annexa	16	.....	.....	1	.....	.....	1	.....	.....	.....	2	3	5	4	.....	.....	.....	.....
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	16	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	4	2	5	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc	11	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	3	1	1	.....	.....	.....
126	Diseases of the prostate	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	9	5	2	2	.....	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	20	.....	.....	.....	.....	.....	.....	.....	3	5	7	5	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	16	.....	.....	.....	.....	.....	.....	.....	4	4	4	4	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	6	.....	.....	.....	.....	.....	.....	1	.....	.....	2	2	.....	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	11	.....	.....	.....	.....	.....	.....	1	4	5	1	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	227	.....	.....	.....	.....	.....	.....	37	102	70	18	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	18	.....	.....	.....	.....	.....	.....	2	9	6	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	14	.....	.....	.....	.....	.....	.....	1	2	8	3	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	28	.....	.....	.....	.....	.....	.....	2	11	12	3	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	95	.....	.....	.....	.....	.....	.....	18	48	23	6	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	68	.....	.....	.....	.....	.....	.....	14	29	20	5	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	46	4	1	.....	1	.....	.....	1	4	2	6	5	12	5	2	1	2	.....
142	Gangrene	25	1	1	.....	.....	.....	.....	1	1	1	2	3	5	5	2	1	2	.....
143	Furuncle	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
144	Acute abscess	7	2	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	13	.....	.....	.....	1	.....	.....	.....	3	.....	3	1	5	.....	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	17	1	1	.....	1	.....	1	3	.....	4	3	.....	2	.....	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	15	1	1	.....	1	.....	1	3	.....	4	2	.....	2	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
	X.—Malformations	54	46	2	3	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	54	46	2	3	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	10	8	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	15	14	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	29	24	.....	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	711	711	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	604	604	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	324	324	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	280	280	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	92	92	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	31	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	61	61	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	15	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	305	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14	67	123	62	36	3
154	Senility	305	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14	67	123	62	36	3
	XIII.—External causes	701	58	29	28	29	24	49	116	106	81	48	47	30	28	16	6	2	4
	Suicide (total)	14	.....	.....	.....	.....	.....	.....	1	3	4	3	2	.....	1	.....	.....	.....	.....
155	By poison	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
158	By drowning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
159	By firearms	6	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	.....	.....	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	581	51	27	28	29	24	48	99	69	53	34	41	28	25	15	6	2	2
164	Poisoning by food	7	1	.....	1	.....	.....	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
165	Other acute poisonings	12	1	4	1	1	.....	2	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
166	Conflagration	37	4	2	3	1	1	8	8	.....	.....	1	1	2	1	4	1	.....	.....
167	Burns (conflagration excepted)	140	3	11	19	22	18	16	13	8	3	2	5	5	7	4	2	2	.....
168	Absorption of deleterious gases (conflagration excepted)	24	18	1	.....	1	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
169	Accidental drowning	69	.....	1	2	1	.....	6	20	16	8	3	3	5	1	1	1	.....	1
170	Traumatism by firearms	41	.....	2	.....	1	2	5	21	3	6	1	.....	.....	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	43	7	3	.....	.....	1	.....	6	2	3	1	6	6	6	2	.....	.....	.....
173	Traumatism in mines and quarries (total)	18	.....	.....	.....	.....	.....	.....	4	5	6	3	.....	.....	.....	.....	.....	.....	.....
	Traumatism in mines	18	.....	.....	.....	.....	.....	.....	4	5	6	3	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	23	.....	.....	.....	.....	.....	.....	6	8	5	2	1	.....	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	71	.....	.....	.....	1	2	5	14	17	11	8	8	3	1	1	.....	.....	.....
	Railroad accidents and injuries	38	.....	.....	.....	.....	.....	.....	9	9	8	6	5	1	.....	.....	.....	.....	.....
	Street-car accidents and injuries	7	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	1	.....	.....	.....	.....	.....
	Automobile accidents and injuries	12	.....	.....	.....	.....	2	1	2	2	1	1	2	.....	.....	1	.....	.....	.....
	Injuries by other vehicles	13	.....	.....	.....	1	.....	4	2	1	2	1	.....	1	1	.....	.....	.....	.....
	Landslide, other crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
176	Injuries by animals	6	.....	.....	1	.....	.....	2	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
178	Excessive cold	16	.....	.....	.....	.....	.....	.....	.....	.....	3	1	4	.....	5	1	1	.....	1
179	Effects of heat	14	3	1	.....	.....	.....	.....	.....	1	.....	2	5	1	.....	.....	1	.....	.....
180	Lightning	8	.....	.....	.....	.....	.....	.....	1	1	1	3	1	.....	1	.....	.....	.....	.....
181	Electricity (lightning excepted)	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
186	Other external violence	47	12	2	1	1	.....	1	5	3	5	3	6	6	1	1	.....	.....	.....
	Homicide (total)	106	7	2	.....	.....	.....	1	16	34	24	11	4	2	2	1	.....	.....	2
182	By firearms	65	.....	.....	.....	.....	.....	.....	9	21	21	8	2	1	1	.....	.....	.....	2
183	By cutting or piercing instruments	13	.....	.....	.....	.....	.....	.....	5	7	1	.....	.....	.....	.....	.....	.....	.....	.....
184	By other means	28	7	2	.....	.....	.....	1	2	6	2	3	2	1	1	1	.....	.....	.....
	XIV.—Ill-defined diseases	674	316	50	14	16	4	8	13	29	29	26	41	52	37	24	11	3	1
187	Ill-defined organic disease	37	.....	3	.....	2	.....	.....	1	1	4	2	5	6	5	7	1	.....	.....
188	Sudden death	62	16	4	.....	1	.....	2	2	1	4	4	5	8	10	3	2	.....	.....
189	Not specified or ill-defined (total)	575	300	43	14	13	4	6	10	27	21	20	31	38	22	14	8	3	1
	Ill-defined	206	56	28	11	5	1	4	5	10	11	15	22	18	10	6	3	1	.....
	Not specified or unknown	369	244	15	3	8	3	2	5	17	10	5	9	20	12	8	5	2	1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WASHINGTON.																		
	All causes	12,137	1,625	282	145	117	87	288	591	934	1,198	1,179	1,507	1,645	1,620	774	103	6	36
	I.—General diseases	3,498	225	102	60	49	43	120	265	383	466	427	517	456	290	86	7	.....	2
1	Typhoid fever	121	1	2	1	.....	1	5	31	27	24	20	7	1	1	.....	.....	.....	.....
4	Malaria	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
6	Measles	198	49	47	21	14	7	21	23	4	7	1	1	2	1	.....	.....	.....	.....
7	Scarlet fever	20	1	2	2	1	1	7	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	113	82	19	2	2	4	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	50	1	3	2	6	4	13	13	3	1	3	1	.....	.....	.....	.....	.....	.....
10	Influenza	117	18	4	1	1	2	3	5	2	4	7	11	13	26	19	1	.....	.....
13	Cholera nostras	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	23	7	1	2	.....	3	3	.....	.....	.....	1	.....	1	1	3	1	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
18	Erysipelas	26	9	1	.....	.....	.....	.....	1	1	2	2	3	5	2	.....	.....	.....	.....
19	Other epidemic diseases	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	13	.....	.....	1	.....	.....	.....	3	.....	2	4	.....	1	1	1	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	4	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
27	Beriberi	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,300	21	22	20	20	12	45	157	290	283	177	130	80	35	6	.....	.....	2
28	Tuberculosis of the lungs	1,016	9	1	2	4	2	16	115	252	247	147	110	72	31	6	.....	.....	2
29	Acute miliary tuberculosis	58	1	3	3	.....	.....	3	13	9	13	10	2	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	121	11	16	14	14	9	19	15	7	5	7	4	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	51	.....	.....	1	.....	1	3	5	14	10	3	8	3	3	.....	.....	.....	.....
32	Pott's disease	19	.....	.....	.....	2	.....	2	.....	4	3	3	3	2	.....	.....	.....	.....	.....
33	White swellings	7	.....	.....	.....	.....	.....	.....	3	1	.....	2	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	25	.....	2	.....	.....	.....	2	5	2	5	5	2	2	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
36	Rickets	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	111	17	1	1	2	.....	1	1	10	21	23	21	6	5	2	.....	.....	.....
38	Gonococcus infection	4	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	935	.....	.....	4	1	1	2	3	11	59	131	250	265	160	44	4	.....	.....
39	Of the buccal cavity	32	.....	.....	1	.....	.....	.....	.....	.....	2	5	4	10	8	1	1	.....	.....
40	Of the stomach, liver	405	.....	.....	1	1	.....	1	1	1	7	48	107	139	73	26	.....	.....	.....
41	Of the peritoneum, intestines, rectum	121	.....	.....	.....	.....	.....	.....	1	5	9	18	31	28	24	5	.....	.....	.....
42	Of the female genital organs	127	.....	.....	.....	.....	.....	.....	.....	2	17	28	34	28	17	1	.....	.....	.....
43	Of the breast	66	.....	.....	.....	.....	.....	.....	.....	.....	5	18	23	7	10	3	.....	.....	.....
44	Of the skin	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	9	4	4	1	.....	.....
45	Of other organs or of organs not specified	160	.....	.....	2	.....	1	1	1	3	19	13	46	44	24	4	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....
47	Acute articular rheumatism	39	.....	.....	.....	.....	3	9	5	6	4	4	4	.....	2	2	.....	.....	.....
48	Chronic rheumatism and gout	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	6	1	.....	.....	.....
49	Scurvy	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	198	.....	.....	1	1	3	7	11	14	14	19	32	50	39	6	1	.....	.....
51	Exophthalmic goiter	36	.....	.....	.....	.....	.....	.....	2	2	18	7	7	.....	.....	.....	.....	.....	.....
52	Addison's disease	8	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	1	.....	.....	.....	.....	.....
53	Leukemia	20	1	.....	.....	.....	.....	1	2	3	4	2	4	3	.....	.....	.....	.....	.....
54	Anemia, chlorosis	77	1	.....	.....	.....	.....	.....	1	2	5	12	27	19	9	1	.....	.....	.....
55	Other general diseases	24	10	.....	1	1	1	1	.....	2	2	1	5	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	23	.....	.....	.....	.....	.....	.....	1	1	6	8	2	3	2	.....	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,246	55	12	5	6	4	12	30	33	82	120	203	245	307	118	10	1	3
60	Encephalitis	7	1	.....	.....	.....	.....	.....	.....	2	.....	4	.....	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	50	13	5	3	3	2	3	7	5	3	2	3	.....	1	.....	.....	.....	.....
	Simple meningitis	24	5	3	1	1	2	3	2	2	1	1	2	.....	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	13	5	2	1	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	13	3	.....	1	2	.....	.....	3	1	1	1	1	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	24	.....	.....	.....	.....	.....	.....	.....	.....	2	3	8	8	2	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	60	.....	2	.....	.....	.....	2	3	3	6	3	6	14	20	1	.....	.....	.....
	Acute anterior poliomyelitis	7	.....	2	.....	.....	.....	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	53	.....	.....	.....	.....	.....	.....	3	2	5	2	6	14	20	1	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	728	2	.....	.....	.....	.....	1	2	3	14	46	132	176	244	99	7	1	1
65	Softening of the brain	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4	1	1	.....	.....
66	Paralysis without specified cause	63	.....	.....	.....	.....	.....	1	1	.....	2	4	7	15	20	11	1	.....	1
67	General paralysis of the insane	109	.....	.....	.....	.....	.....	.....	1	2	29	40	18	11	6	1	.....	.....	1
68	Other forms of mental alienation	43	.....	.....	.....	.....	.....	.....	1	4	13	4	11	5	1	3	1	.....	.....
69	Epilepsy	38	2	.....	.....	.....	.....	1	6	8	3	4	6	2	6	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	27	23	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	3	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	5	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....
74	Other diseases of the nervous system	47	4	.....	.....	2	.....	.....	5	3	8	7	12	5	1	.....	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	30	8	1	2	1	1	3	3	2	2	2	.....	3	1	1	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WASHINGTON—Continued.																	
	III.—Diseases of the circulatory system	1,683	15	2	1	5	2	14	47	61	103	161	262	384	406	193	21	1	5
77	Pericarditis	11								1		2	2	4	2				
78	Acute endocarditis	119	2			2	2	1	10	11	11	14	30	7	12	14	2		1
79	Organic diseases of the heart	1,209	5	2	1	2		12	36	44	80	114	180	297	294	125	14		3
80	Angina pectoris	101								1	4	9	16	31	30	9			1
81	Diseases of the arteries, atheroma, aneurism, etc.	186	1							5	19	21	31	62	41	5	1		
82	Embolism and thrombosis	37								2	3	1	12	11	5	3			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4										2	1		1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	10	5			1		1		2				1					
85	Hemorrhage; other diseases of the circulatory system	6	2						1					2		1			
	IV.—Diseases of the respiratory system	1,027	203	72	24	14	6	27	25	49	52	73	111	111	149	91	19		1
86	Diseases of the nasal fossae	5	1								1				1		2		
87	Diseases of the larynx	7		2		2			1	1	1								
88	Diseases of the thyroid body	9			1			1	1			1	2	1	1				
89	Acute bronchitis	27	14	1		1		1		1			2	1	4	2			
90	Chronic bronchitis	35	1	1						1		1	5	5	12	7	2		
91	Bronchopneumonia	292	127	34	13	5	1	9	6	5	3	4	8	19	26	23	9		
92	Pneumonia (total)	573	58	32	7	5	5	13	17	38	44	63	74	75	89	46	6		1
	Lobar pneumonia	525	49	25	6	4	5	9	15	35	40	62	71	70	85	43	5		1
	Pneumonia (undefined)	48	9	7	1	1		4	2	3	4	1	3	5	4	3	1		
93	Pleurisy	25	1	1	3	1		3		1	1	3	6	2	2	1			
94	Pulmonary congestion, pulmonary apoplexy	14	1										3		2	8			
95	Gangrene of the lung	5											1	1	2	1			
96	Asthma	28		1						2	1		7	6	9	2			
98	Other diseases of the respiratory system, (tuberculosis excepted)	7										1	3	1	1	1			
	V.—Diseases of the digestive system	1,054	231	67	23	22	13	40	52	64	87	103	107	105	92	42	4		2
99	Diseases of the mouth and annexa	8								1	1	3	1	2					
100	Diseases of the pharynx	51	4	3	1	2	2	6	12	10	7	3	1						
101	Diseases of the esophagus	1													1				
102	Ulcer of the stomach	53							2	4	8	6	13	11	7	2			
103	Other diseases of the stomach (cancer excepted)	62	21	1	1						3	4	4	8	14	5	1		
104	Diarrhea and enteritis (under 2 years)	244	188	56															
105	Diarrhea and enteritis (2 years and over)	129			19	16	7	8	1	2	11	10	7	14	19	14	1		
107	Intestinal parasites	1											1						
108	Appendicitis and typhlitis	109		2		1	3	22	33	30	23	26	22	6		1			
109	Hernia, intestinal obstruction (total)	115	13	5	1	2		3	2	4	12	16	16	15	14	9	1		2
	Hernia	38	5					1	1		2	5	9	7	5	3			
	Intestinal obstruction	77	8	5	1	2		2	1	4	10	11	7	8	9	6	1		2
110	Other diseases of the intestines	32	2						1	7	4	4	4	3	4	2	1		
111	Acute yellow atrophy of the liver	5									1	1	2		1				
113	Cirrhosis of the liver	69									2	4	19	27	13	4			
114	Biliary calculi	29									3	10	5	7	4				
115	Other diseases of the liver	54	1		1			1	1	2	5	8	9	9	14	3			
116	Diseases of the spleen	1									1								
117	Simple peritonitis (nonpuerperal)	20	2			1	1			2	3	5	1	2	1	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	11								2	3	3	2	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	924	8	3	3	1	1	4	19	45	74	95	146	211	222	82	10		
119	Acute nephritis	46	3	2	2		1	1	3	6	4	4	6	6	5	3			
120	Bright's disease	689	1		1	1		2	8	23	44	67	115	180	182	50	9		
122	Other diseases of the kidneys and annexa	35	4					1	1	1	5	4	2	8	5	4			
123	Calculi of the urinary passages	6											4	2					
124	Diseases of the bladder	8									2					6			
125	Diseases of the urethra, urinary abscess, etc.	5							1			1	1	2					
126	Diseases of the prostate	66										2	10	12	28	13	1		
127	Nonvenereal diseases of the male genital organs	1		1															
129	Uterine tumor (noncancerous)	23								1	5	12	4		1				
130	Other diseases of the uterus	16							2	5	5	2	2						
131	Cysts and other tumors of the ovary	6							1	2	1		1		1				
132	Salpingitis and other diseases of the female genital organs	23							3	7	8	3	1	1					
	VII.—The puerperal state	173							16	81	65	11							
134	Accidents of pregnancy	11								5	5	1							
135	Puerperal hemorrhage	16								7	7	2							
136	Other accidents of labor	9								4	3	2							
137	Puerperal septicemia	80							7	39	31	3							
138	Puerperal albuminuria and convulsions	48							9	21	16	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8								4	3	1							
140	Following childbirth (not otherwise defined)	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WASHINGTON—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	38	7						1	1	2	3	4	8	4	8			
142	Gangrene	18	1								1		2	3	4	7			
143	Furuncle	6							1		1	1	1	2					
144	Acute abscess	5	2									1		1		1			
145	Other diseases of the skin and annexa	9	4							1		1	1	2					
	IX.—Diseases of the bones and of the organs of locomotion	39	1	2	1			5	6	3	4	11	2	3	1				
146	Diseases of the bones (tuberculosis excepted)	33		2	1			5	6	2	4	10	1	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5	1							1		1		2					
149	Other diseases of the organs of locomotion	1											1						
	X.—Malformations	174	160	2	5	2	2	1	2										
150	Congenital malformations (stillbirths not included) (total)	174	160	2	5	2	2	1	2										
	Hydrocephalus	11	7		1		2	1											
	Congenital malformations of the heart	118	115	1	1				1										
	Other congenital malformations	45	38	1	3	2			1										
	XI.—Early infancy	661	661																
151	Congenital debility, icterus, and sclerema (total)	508	508																
	Premature birth	400	400																
	Congenital debility, "atrophy," "marasmus," etc	108	108																
152	Other causes peculiar to early infancy (total)	152	152																
	Injuries at birth	88	88																
	Other causes peculiar to early infancy[1]	64	64																
153	Lack of care	1	1																
	XII.—Old age	224												8	68	119	26	3	
154	Senility	224												8	68	119	26	3	
	XIII.—External causes	1,274	31	16	19	17	16	64	124	210	257	169	142	94	67	28	3		17
	Suicide (total)	188							5	29	55	29	28	21	12	2			7
155	By poison	31							1	11	9	2	4	1	3				
156	By asphyxia	18							1	2	7	5	1	2					
157	By hanging or strangulation	18								2	7	3	1	3	1	1			
158	By drowning	14								1	4	1	2	2	4				
159	By firearms	78							3	12	20	11	14	10	4	1			3
160	By cutting or piercing instruments	18								1	5	3	3	3					3
161	By jumping from high places	6									1	3	2						
162	By crushing	2									1	1							
163	Other suicides	3									1		1						1
	Accidental or undefined (total)	1,015	29	16	19	17	15	60	116	166	186	125	103	70	54	26	3		10
164	Poisoning by food	19	3	1	1	1		1	1	1	1	3	3	2	1				
165	Other acute poisonings	15		2	2				1	2	2	1	2		1				
166	Conflagration	12		1		1			1		2	1	3	2	1				
167	Burns (conflagration excepted)	48	1	4	4	4	3	9	4	6	3	4	2	1	2	1			
168	Absorption of deleterious gases (conflagration excepted)	39	15	1				2	2	2	3	4	4	1	5				
169	Accidental drowning	149		3	4	3	2	17	35	32	29	6	12	1					5
170	Traumatism by firearms	23			1			3	13		2	2	2						
172	Traumatism by fall	128	4	2	1	2	2	3	6	8	15	12	14	15	25	18	1		
173	Traumatism in mines and quarries (total)	31							1	11	11	6	1						1
	Traumatism in mines	31							1	11	11	6	1						1
174	Traumatism by machines	70						1	8	22	17	13	4	3	2				
175	Traumatism by other crushing (total)	318	2		3	3	6	18	32	50	67	46	40	33	12	5	1		
	Railroad accidents and injuries	102			1	1	1		11	14	23	16	17	12	4	1	1		
	Street-car accidents and injuries	26			1			1	2	6	1	1	4	4	3	3			
	Automobile accidents and injuries	117	2		1	1	5	8	16	20	22	13	12	13	3	1			
	Injuries by other vehicles	33				1		8	2	1	9	4	3	3	2				
	Landslide, other crushing	40						1	1	9	12	12	4	1					
176	Injuries by animals	14				1		1	1	1	2	2	4	1	1				
177	Starvation	1												1					
178	Excessive cold	3										1	1	1					
179	Effects of heat	2							2										
181	Electricity (lightning excepted)	10							1	2	4	2	1						
185	Fractures (cause not specified)	1					1												
186	Other external violence	132	4	2	3		1	5	8	29	28	22	10	9	4	2	1		4
	Homicide (total)	71	2				1	4	3	15	16	15	11	3	1				
182	By firearms	52						1	2	11	13	13	9	2	1				
183	By cutting or piercing instruments	6								2	3	1							
184	By other means	13	2				1	3	1	2		1	2	1					
	XIV.—Ill-defined diseases	122	28	4	4	1		1	4	4	6	6	13	20	14	7	3	1	6
187	Ill-defined organic disease	4							1					1	1	1			
188	Sudden death	4										1	2	1					
189	Not specified or ill-defined (total)	114	28	4	4	1		1	3	4	6	5	11	18	13	6	3	1	6
	Ill-defined	35	5	1	1					2	1	2	6	11	5	1			
	Not specified or unknown	79	23	3	3	1		1	3	2	5	3	5	7	8	5	3	1	6

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WISCONSIN.																	
	All causes	29,130	4,597	641	390	240	204	594	1,101	1,926	2,008	2,333	3,160	3,907	4,349	3,017	539	13	111
	I.—General diseases	7,529	420	192	146	102	87	272	467	923	843	784	1,025	1,054	839	313	35	.....	27
1	Typhoid fever	132	.....	2	.....	.....	3	3	20	37	24	19	14	8	1	.....	.....	.....	1
4	Malaria	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Smallpox	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
6	Measles	74	23	22	12	2	2	6	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	251	12	21	33	27	19	72	38	19	4	4	1	1	.....	.....	.....	.....	.....
8	Whooping cough	209	125	42	22	9	4	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	350	14	28	37	35	37	99	61	16	11	7	4	1	.....	.....	.....	.....	.....
10	Influenza	391	51	12	4	1	2	4	9	14	15	23	21	54	78	86	17	.....	.....
13	Cholera nostras	3	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
14	Dysentery	39	7	3	5	.....	.....	1	1	.....	2	1	2	2	7	7	.....	.....	1
18	Erysipelas	116	32	1	.....	.....	.....	.....	2	4	4	5	10	18	22	15	1	.....	2
19	Other epidemic diseases	14	4	4	1	1	.....	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
20	Purulent infection and septicemia	42	3	.....	1	1	.....	1	4	5	5	6	5	5	4	2	.....	.....	.....
22	Anthrax	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
23	Rabies	3	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	22	2	.....	2	.....	.....	6	2	1	2	2	2	3	.....	.....	.....	.....	.....
25	Mycoses	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,485	59	40	18	17	11	40	230	691	560	339	257	133	67	11	2	.....	10
28	Tuberculosis of the lungs	2,082	20	9	5	1	.....	10	177	617	516	303	229	121	56	8	2	.....	8
29	Acute miliary tuberculosis	53	2	.....	.....	.....	.....	1	10	18	8	7	3	1	1	1	.....	.....	1
30	Tuberculous meningitis	172	34	29	9	12	8	23	22	12	8	5	6	2	1	.....	.....	.....	1
31	Abdominal tuberculosis	89	1	1	1	1	1	2	15	27	15	7	8	7	3	.....	.....	.....	.....
32	Pott's disease	22	1	.....	2	1	1	.....	1	5	3	4	3	.....	1	.....	.....	.....	.....
33	White swellings	13	.....	.....	.....	.....	.....	.....	1	4	2	4	1	.....	1	.....	.....	.....	.....
34	Tuberculosis of other organs	42	1	1	.....	2	1	3	4	5	7	5	6	2	3	2	.....	.....	.....
35	Disseminated tuberculosis	12	.....	.....	1	.....	.....	1	.....	3	1	4	1	.....	1	.....	.....	.....	.....
36	Rickets	27	20	4	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
37	Syphilis	132	29	2	.....	.....	.....	.....	6	12	19	24	26	10	2	1	.....	.....	1
38	Gonococcus infection	7	.....	.....	.....	.....	.....	.....	.....	2	4	.....	1	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,110	3	2	3	2	1	3	5	30	80	221	486	609	495	153	10	.....	7
39	Of the buccal cavity	54	.....	1	.....	1	.....	.....	.....	.....	.....	4	6	18	17	6	.....	.....	1
40	Of the stomach, liver	1,023	2	.....	.....	.....	.....	.....	.....	7	16	87	231	328	264	80	5	.....	3
41	Of the peritoneum, intestines, rectum	309	.....	1	.....	.....	.....	.....	.....	5	14	25	78	87	75	21	2	.....	1
42	Of the female genital organs	216	.....	.....	.....	.....	.....	.....	1	5	21	48	56	51	29	4	1	.....	.....
43	Of the breast	141	.....	.....	.....	.....	.....	.....	.....	1	11	31	43	26	20	8	.....	.....	1
44	Of the skin	64	.....	.....	.....	.....	.....	.....	.....	3	.....	3	12	12	20	14	.....	.....	.....
45	Of other organs or of organs not specified	303	1	.....	3	1	1	3	4	9	18	23	60	87	70	20	2	.....	1
46	Other tumors (tumors of the female genital organs excepted)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....
47	Acute articular rheumatism	140	1	.....	1	1	3	11	24	16	16	9	13	23	14	7	.....	.....	1
48	Chronic rheumatism and gout	51	.....	.....	.....	.....	.....	.....	2	2	5	3	2	12	17	6	2	.....	.....
49	Scurvy	4	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	415	.....	1	1	.....	2	13	37	31	24	30	68	99	89	16	2	.....	2
51	Exophthalmic goiter	74	.....	.....	.....	.....	.....	.....	4	13	12	17	10	14	4	.....	.....	.....	.....
52	Addison's disease	11	.....	.....	.....	.....	.....	.....	1	1	1	3	3	2	.....	.....	.....	.....	.....
53	Leukemia	63	2	2	1	2	.....	.....	5	6	8	12	10	9	5	.....	.....	.....	1
54	Anemia, chlorosis	179	3	2	1	.....	.....	2	3	8	15	28	53	33	27	3	1	.....	.....
55	Other general diseases	50	28	4	2	1	1	1	5	1	3	2	1	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	106	.....	.....	.....	.....	.....	.....	.....	9	27	20	30	13	5	1	.....	.....	1
57	Chronic lead poisoning	8	.....	.....	.....	.....	.....	.....	.....	1	.....	4	2	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,987	173	40	27	25	12	45	65	86	125	230	405	561	695	437	51	.....	10
60	Encephalitis	19	3	1	2	2	.....	1	2	1	2	1	2	1	1	.....	.....	.....	.....
61	Meningitis (total)	161	33	17	11	9	3	26	19	16	9	8	5	3	1	1	.....	.....	.....
	Simple meningitis	65	10	3	2	3	2	10	7	10	6	6	2	2	1	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	36	11	5	5	1	.....	6	5	1	2	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	60	12	9	4	5	1	10	7	5	1	2	3	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	60	.....	.....	.....	.....	.....	.....	.....	2	2	14	20	14	7	.....	1	.....	.....
63	Other diseases of the spinal cord (total)	160	4	3	4	3	3	4	6	7	3	12	15	47	36	11	2	.....	.....
	Acute anterior poliomyelitis	26	3	3	4	3	3	3	3	3	.....	.....	1	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	134	1	.....	.....	.....	.....	1	3	4	3	12	14	47	36	11	2	.....	.....
64	Cerebral hemorrhage, apoplexy	1,879	7	3	.....	1	.....	3	4	12	37	106	269	427	574	386	46	.....	4
65	Softening of the brain	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	2	3	4	1	.....	.....
66	Paralysis without specified cause	85	.....	.....	.....	.....	.....	.....	2	.....	1	5	11	8	37	21	.....	.....	.....
67	General paralysis of the insane	132	.....	.....	.....	.....	.....	.....	1	5	23	36	30	19	12	4	.....	.....	2
68	Other forms of mental alienation	85	.....	.....	.....	.....	.....	.....	.....	6	14	15	17	18	11	2	1	.....	1
69	Epilepsy	96	2	2	2	2	2	2	11	21	19	12	10	4	3	2	.....	.....	2
70	Convulsions (nonpuerperal)	5	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	128	111	9	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	14	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	3	3	3	.....	.....	.....
74	Other diseases of the nervous system	103	6	3	4	3	1	2	13	12	11	15	15	12	5	.....	.....	.....	1
75	Diseases of the eyes and their annexa	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
76	Diseases of the ears	42	7	2	.....	1	2	5	5	2	3	4	5	3	1	2	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WISCONSIN—Continued.																		
	III.—Diseases of the circulatory system	4,077	47	8	3	3	6	28	86	98	139	284	514	845	1,149	735	118	1	13
77	Pericarditis	33				1	2	2	3	1	2	1	5	8	8				
78	Acute endocarditis	234	11	2	1	1	2	13	18	19	27	41	66	15	10	7	1		
79	Organic diseases of the heart	2,962	10	4	2	1	2	13	63	68	91	211	367	672	880	496	71	1	10
80	Angina pectoris	167								3	6	13	32	43	53	16			1
81	Diseases of the arteries, atheroma, aneurism, etc	544							1		3	4	22	77	183	206	46		2
82	Embolism and thrombosis	75	3							5	6	7	13	20	12	9			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	24								1	3	3	7	7	2	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	29	22	2					1			1	1	2					
85	Hemorrhage; other diseases of the circulatory system	9	1							1	1	3	1	1	1				
	IV.—Diseases of the respiratory system	3,794	756	209	88	36	20	48	104	143	201	293	330	500	542	452	65		7
86	Diseases of the nasal fossae	6	2					1	2	1									
87	Diseases of the larynx	37	9	2	2	3	3	4	1		4	1		5	2	1			
88	Diseases of the thyroid body	17							2		3	5	4	1	1	1			
89	Acute bronchitis	234	117	19	6	2	2	1				1	7	8	21	43	7		
90	Chronic bronchitis	218	3	1	1			1	3	4	1	3	10	31	71	75	13		1
91	Bronchopneumonia	967	413	107	36	18	4	15	12	9	6	19	22	80	95	114	16		1
92	Pneumonia (total)	2,086	200	69	37	11	8	25	78	114	175	247	258	327	320	188	25		4
	Lobar pneumonia	1,741	153	53	32	11	6	19	72	100	146	222	224	283	267	133	18		2
	Pneumonia (undefined)	345	47	16	5		2	6	6	14	29	25	34	44	53	55	7		2
93	Pleurisy	87	5	9	5	1	1	1	4	8	6	10	12	13	6	5			1
94	Pulmonary congestion, pulmonary apoplexy	42	5	1		1			1	1	2	2	2	8	4	11	4		
95	Gangrene of the lung	7								1		1	4	1					
96	Asthma	61	1	1			1			3	2	2	4	18	19	10			
97	Pulmonary emphysema	8											1	3	2	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	24	1		1		1		1	2	2	2	6	5	1	2			
	V.—Diseases of the digestive system	2,703	833	124	78	35	43	76	121	156	162	186	262	236	248	118	16		9
99	Diseases of the mouth and annexa	22	3		1			1	3	4		2	1	1	6				
100	Diseases of the pharynx	93	11	4	7	6	3	11	14	11	8	4	5	5	3	1			
101	Diseases of the esophagus	3										1				2			
102	Ulcer of the stomach	129	2		1				3	9	13	23	28	23	19	6	1		1
103	Other diseases of the stomach (cancer excepted)	192	97	9	3		1	2	2	3	4	4	10	13	20	20	3		1
104	Diarrhea and enteritis (under 2 years)	765	665	100															
105	Diarrhea and enteritis (2 years and over)	233			55	20	25	17	6	12	9	13	14	17	22	16	4		3
107	Intestinal parasites	1			1														
108	Appendicitis and typhlitis	352	2	2	5	4	8	33	75	77	45	33	42	15	7	3			1
109	Hernia, intestinal obstruction (total)	327	42	6	3	2	5	7	7	23	24	27	34	52	51	39	4		1
	Hernia	94	4					1	1	4	2	8	19	23	19	13			
	Intestinal obstruction	233	38	6	3	2	5	6	6	19	22	19	15	29	32	26	4		1
110	Other diseases of the intestines	51	3	2	1	2		1	1	1	7	4	9	5	11	3	1		
111	Acute yellow atrophy of the liver	10	1						1	1	3		1	1	2				
113	Cirrhosis of the liver	285		1				1		7	17	43	67	60	71	17	1		
114	Biliary calculi	82									8	9	19	18	22	3	1		2
115	Other diseases of the liver	110	4		1	1		2	2	4	10	20	22	22	13	8	1		
116	Diseases of the spleen	5										1	3	1					
117	Simple peritonitis (nonpuerperal)	32	2				1	1	7	3	11	1	4	2					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	11	1							1	3	1	3	1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,108	23	3	7	3	2	16	40	70	93	218	291	434	539	331	31		7
119	Acute nephritis	125	11	2	4	2	1	6	8	9	6	8	14	14	20	18	1		1
120	Bright's disease	1,633	2	1	3	1	1	10	27	38	58	169	249	375	426	247	22		4
122	Other diseases of the kidneys and annexa	50	8						1	1	4	3	8	6	12	5	2		
123	Calculi of the urinary passages	11							1	1	2	1	1	3	2				
124	Diseases of the bladder	66	1										2	13	24	22	4		
125	Diseases of the urethra, urinary abscess, etc	4										1	1	1	1				
126	Diseases of the prostate	113										1	2	19	49	39	2		1
127	Nonvenereal diseases of the male genital organs	1											1						
129	Uterine tumor (noncancerous)	38								1	11	17	5		3				1
130	Other diseases of the uterus	17							2	4	1	4	4	1	1				
131	Cysts and other tumors of the ovary	22							1	6	1	8	3	2	1				
132	Salpingitis and other diseases of the female genital organs	27								10	10	6	1						
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	339							28	153	120	37							1
134	Accidents of pregnancy	37								15	20	2							
135	Puerperal hemorrhage	31								11	17	3							
136	Other accidents of labor	37							4	19	13	1							
137	Puerperal septicemia	125							13	70	32	10							
138	Puerperal albuminuria and convulsions	89							10	32	31	16							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	18							1	5	6	5							1
140	Following childbirth (not otherwise defined)	2								1	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1917—Continued.

[This table excludes the deaths of soldiers and sailors after the United States entered the war.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WISCONSIN—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	120	25	2	.....	1	1	1	4	6	4	5	16	9	15	25	6	.....	.....
142	Gangrene	59	.....	.....	.....	.....	.....	.....	1	.....	1	2	7	5	15	24	4	.....	.....
143	Furuncle	19	10	1	.....	1	.....	.....	1	2	.....	.....	2	2	.....	.....	.....	.....	.....
144	Acute abscess	20	7	.....	.....	.....	1	1	1	2	1	.....	6	1	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	22	8	1	.....	.....	.....	.....	1	2	2	3	1	1	.....	1	2	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	65	4	3	1	3	.....	5	3	8	5	6	9	7	10	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	45	4	2	1	3	.....	4	2	6	3	3	8	6	3	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	12	.....	.....	.....	.....	.....	1	1	2	1	2	.....	.....	4	1	.....	.....	.....
148	Amputations	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	7	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	1	2	.....	.....	.....	.....
	X.—Malformations	320	293	12	6	1	1	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	320	293	12	6	1	1	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	35	26	5	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	169	153	5	2	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	116	109	2	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,885	1,885	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,510	1,510	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,182	1,182	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	328	328	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	374	374	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	190	190	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	184	184	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	932	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	22	173	521	203	11	1
154	Senility	932	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	22	173	521	203	11	1
	XIII.—External causes	2,060	46	45	31	30	32	95	180	274	310	284	288	210	111	81	12	1	30
	Suicide (total)	352	.....	.....	.....	.....	.....	.....	14	37	67	66	79	56	16	11	.....	.....	6
155	By poison	58	.....	.....	.....	.....	.....	.....	5	6	10	8	9	10	5	4	.....	.....	1
156	By asphyxia	17	.....	.....	.....	.....	.....	.....	.....	1	5	2	7	1	.....	1	.....	.....	.....
157	By hanging or strangulation	103	.....	.....	.....	.....	.....	.....	3	12	10	15	26	23	8	4	.....	.....	2
158	By drowning	44	.....	.....	.....	.....	.....	.....	2	4	13	7	8	8	1	1	.....	.....	.....
159	By firearms	100	.....	.....	.....	.....	.....	.....	4	12	23	24	24	9	2	1	.....	.....	1
160	By cutting or piercing instruments	18	.....	.....	.....	.....	.....	.....	.....	1	4	8	4	1	.....	.....	.....	.....	.....
161	By jumping from high places	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
162	By crushing	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	2
163	Other suicides	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,626	40	45	31	30	30	92	165	218	224	199	202	153	93	70	12	1	21
164	Poisoning by food	20	.....	3	.....	1	2	2	1	3	1	.....	3	2	1	.....	1	.....	.....
165	Other acute poisonings	26	2	6	.....	2	.....	.....	.....	2	4	3	4	2	1	.....	.....	.....	.....
166	Conflagration	30	1	1	.....	1	1	3	3	2	4	1	5	5	2	1	.....	.....	.....
167	Burns (conflagration excepted)	129	4	19	14	9	10	9	8	8	9	6	13	7	6	6	1	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	63	18	1	1	.....	1	1	4	10	6	3	1	7	6	3	1	.....	.....
169	Accidental drowning	205	2	8	6	2	2	26	57	31	20	23	18	5	2	1	.....	.....	2
170	Traumatism by firearms	46	.....	.....	.....	1	2	6	17	7	3	4	5	1	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	1	.....	.....	.....
172	Traumatism by fall	267	3	2	2	5	2	6	11	13	27	24	36	37	46	44	6	1	2
173	Traumatism in mines and quarries (total)	14	.....	.....	.....	.....	.....	.....	2	2	3	6	1	.....	.....	.....	.....	.....	.....
	Traumatism in mines	11	.....	.....	.....	.....	.....	.....	2	1	2	5	1	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	54	.....	.....	.....	1	.....	2	6	11	11	5	11	4	2	.....	.....	.....	1
175	Traumatism by other crushing (total)	515	2	2	4	7	6	30	34	85	94	86	69	59	18	8	1	.....	10
	Railroad accidents and injuries	230	.....	2	.....	.....	1	12	8	45	52	42	31	21	5	3	1	.....	7
	Street-car accidents and injuries	45	.....	.....	1	.....	1	2	1	7	13	5	6	6	1	2	.....	.....	.....
	Automobile accidents and injuries	127	1	.....	2	5	3	10	14	21	19	18	11	14	5	3	.....	.....	1
	Injuries by other vehicles	84	1	.....	1	2	1	6	8	6	6	12	18	16	6	.....	.....	.....	1
	Landslide, other crushing	29	.....	.....	.....	.....	.....	.....	3	6	4	9	3	2	1	.....	.....	.....	1
176	Injuries by animals	33	.....	.....	.....	1	1	3	1	5	7	5	4	4	1	.....	.....	.....	1
178	Excessive cold	26	1	.....	.....	.....	.....	.....	.....	2	3	4	9	4	1	.....	.....	.....	2
179	Effects of heat	24	3	1	.....	.....	.....	.....	.....	1	3	4	5	2	1	3	1	.....	.....
180	Lightning	10	.....	.....	.....	.....	.....	.....	1	1	3	2	.....	1	1	.....	.....	.....	1
181	Electricity (lightning excepted)	14	.....	.....	.....	.....	.....	.....	3	7	3	1	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	6	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	1	.....	.....	.....	.....	.....
186	Other external violence	140	4	2	4	.....	3	4	15	27	22	20	16	12	5	3	1	.....	2
	Homicide (total)	82	6	.....	.....	.....	2	3	1	19	19	19	7	1	2	.....	.....	.....	3
182	By firearms	35	.....	.....	.....	.....	.....	1	1	8	9	11	3	.....	1	.....	.....	.....	1
183	By cutting or piercing instruments	8	.....	.....	.....	.....	.....	.....	.....	6	.....	1	1	.....	.....	.....	.....	.....	.....
184	By other means	39	6	.....	.....	.....	2	2	.....	5	10	7	3	1	1	.....	.....	.....	2
	XIV.—Ill-defined diseases	211	92	3	3	1	.....	3	1	9	6	6	19	29	28	3	2	.....	6
187	Ill-defined organic disease	15	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	5	1	1	.....	.....
188	Sudden death	32	10	.....	.....	.....	.....	1	.....	2	1	.....	5	6	6	.....	.....	.....	1
189	Not specified or ill-defined (total)	164	81	3	3	1	.....	2	1	7	4	6	12	19	17	2	1	.....	5
	Ill-defined	60	15	3	2	1	.....	1	1	3	4	4	9	11	6	.....	.....	.....	.....
	Not specified or unknown	104	66	.....	1	.....	.....	1	.....	4	.....	2	3	8	11	2	1	.....	5

[1] Exclusive of injuries at birth.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The cities are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910, are shown by color, except when the deaths for colored numbered less than 500.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BIRMINGHAM, ALA. (TOTAL).																			
	All causes	3,836	548	320	89	73	35	117	289	547	454	419	351	285	204	68	14	7	16
1	Typhoid fever	102	1	3	1	2	.....	5	31	35	19	1	3	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	22	3	2	.....	.....	1	2	1	6	3	1	1	1	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	88	15	21	12	9	4	13	10	2	1	.....	.....	1	.....	.....	.....	.....	.....
6	Scarlet fever	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	56	23	12	7	3	4	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	13	2	2	2	3	.....	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....
9	Influenza	50	9	.....	1	.....	1	1	2	3	7	5	3	5	8	5	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	47	7	8	2	2	.....	1	3	3	2	3	6	4	4	2	.....	.....	.....
13	Tuberculosis of the lungs	328	4	2	2	2	1	7	63	114	65	30	18	12	4	.....	.....	.....	4
14	Tuberculous meningitis	12	4	3	.....	.....	1	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	38	.....	.....	.....	2	.....	1	10	9	4	7	3	1	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	117	.....	.....	.....	.....	.....	1	1	5	18	30	26	27	9	.....	.....	.....	.....
17	Meningitis	9	2	3	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	143	.....	.....	.....	.....	.....	1	1	4	5	29	27	35	28	11	2	.....	.....
19	Organic diseases of the heart	260	2	.....	.....	.....	.....	6	8	14	31	47	47	55	35	13	2	.....	.....
20	Acute bronchitis	7	1	1	2	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
21	Chronic bronchitis	14	.....	.....	1	.....	.....	.....	1	2	1	2	3	2	1	1	.....	.....	.....
22	Pneumonia	395	23	12	2	6	3	10	28	98	72	50	43	20	19	5	3	.....	1
23a	Bronchopneumonia	115	44	23	8	7	2	5	3	2	3	2	3	3	6	3	.....	.....	1
23b	Other diseases of the respiratory system	26	1	1	.....	.....	.....	.....	3	4	5	2	4	4	1	1	.....	.....	.....
24	Diseases of the stomach	45	4	5	.....	2	.....	.....	1	5	6	10	4	6	2	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	407	139	188	34	12	8	12	1	1	3	4	1	2	1	1	.....	.....	.....
26	Appendicitis and typhlitis	64	.....	.....	.....	1	1	5	15	18	11	7	5	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	34	5	.....	1	1	.....	1	3	1	4	5	5	4	3	.....	.....	.....	1
28	Cirrhosis of the liver	18	.....	.....	.....	.....	.....	.....	.....	1	2	6	4	2	2	1	.....	.....	.....
29	Acute nephritis and Bright's disease	209	.....	1	.....	2	1	1	2	20	29	34	46	32	27	8	2	3	1
30	Diseases of the female genital organs	46	.....	.....	.....	.....	.....	.....	2	14	14	11	3	.....	.....	.....	.....	.....	2
31	Puerperal septicemia	29	.....	.....	.....	.....	.....	.....	7	13	5	4	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	42	.....	.....	.....	.....	.....	.....	9	25	8	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	162	160	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	5	2	2	.....
35	Violent deaths (suicide excepted)	289	7	5	5	6	5	18	42	70	54	35	19	11	7	2	.....	.....	3
36	Suicide	24	.....	.....	.....	.....	.....	.....	3	4	3	4	4	4	2	.....	.....	.....	.....
(37)	All other defined diseases	571	80	20	6	8	2	17	32	71	75	87	68	48	39	10	3	2	3
38	Unknown or ill-defined diseases	39	12	8	3	2	1	1	1	2	3	1	3	1	1	.....	.....	.....	.....
BIRMINGHAM, ALA. (WHITE).																			
	All causes	1,434	223	128	29	28	12	45	77	122	127	133	151	184	131	37	4	.....	3
1	Typhoid fever	24	1	.....	.....	1	.....	2	5	10	4	.....	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	6	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	32	6	8	4	4	1	4	2	1	1	.....	.....	1	.....	.....	.....	.....	.....
6	Scarlet fever	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	10	4	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	10	1	2	2	3	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
9	Influenza	15	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	4	5	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	14	1	2	.....	.....	.....	1	.....	.....	.....	2	2	4	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	60	.....	1	.....	.....	.....	.....	9	17	13	6	4	6	4	.....	.....	.....	.....
14	Tuberculous meningitis	6	3	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	81	.....	.....	.....	.....	.....	1	.....	3	11	19	18	22	7	.....	.....	.....	.....
17	Meningitis	4	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	72	.....	.....	.....	.....	.....	1	.....	.....	1	8	13	25	18	6	.....	.....	.....
19	Organic diseases of the heart	106	2	.....	.....	.....	.....	3	4	1	8	11	13	36	20	7	1	.....	.....
20	Acute bronchitis	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
21	Chronic bronchitis	9	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	2	1	1	.....	.....	.....
22	Pneumonia	100	4	3	1	2	1	4	3	10	17	15	16	10	9	3	1	.....	1
23a	Bronchopneumonia	27	13	3	1	2	.....	.....	.....	.....	.....	1	1	1	3	2	.....	.....	.....
23b	Other diseases of the respiratory system	10	.....	1	.....	.....	.....	.....	1	.....	2	.....	2	3	.....	1	.....	.....	.....
24	Diseases of the stomach	15	1	1	.....	.....	.....	.....	1	1	1	4	2	2	2	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	171	53	87	13	3	3	4	1	.....	2	1	1	1	1	1	.....	.....	.....
26	Appendicitis and typhlitis	41	.....	.....	.....	1	1	4	9	12	7	3	3	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	22	3	.....	1	.....	.....	.....	2	1	2	4	2	3	3	.....	.....	.....	1
28	Cirrhosis of the liver	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	82	.....	.....	.....	2	1	.....	.....	5	5	12	20	18	14	5	.....	.....	.....
30	Diseases of the female genital organs	10	.....	.....	.....	.....	.....	.....	.....	1	3	3	2	.....	.....	.....	.....	.....	1
31	Puerperal septicemia	12	.....	.....	.....	.....	.....	.....	2	4	2	4	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	22	.....	.....	.....	.....	.....	.....	6	12	4	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	97	95	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....
35	Violent deaths (suicide excepted)	102	2	4	.....	2	3	8	15	19	15	12	9	6	6	1	.....	.....	.....
36	Suicide	23	.....	.....	.....	.....	.....	.....	2	4	3	4	4	4	2	.....	.....	.....	.....
(37)	All other defined diseases	219	25	9	4	4	1	9	11	18	21	20	33	29	29	5	1	.....	.....
38	Unknown or ill-defined diseases	10	4	1	.....	1	.....	1	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	BIRMINGHAM, ALA. (COLORED).																		
	All causes	2,402	325	192	60	45	23	72	212	425	327	286	200	101	73	31	10	7	13
1	Typhoid fever	78	.....	3	1	1	.....	3	26	25	15	1	2	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	16	1	2	.....	.....	1	1	1	5	3	1	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	56	9	13	8	5	3	9	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	46	19	9	5	3	4	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	3	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	35	8	.....	1	.....	1	1	2	2	6	4	3	1	3	3	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	33	6	6	2	2	.....	.....	3	3	2	1	4	.....	2	2	.....	.....	.....
13	Tuberculosis of the lungs	268	4	1	2	2	1	7	54	97	52	24	14	6	.....	.....	.....	.....	4
14	Tuberculous meningitis	6	1	2	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	34	.....	.....	.....	2	.....	1	9	9	3	6	3	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	36	.....	.....	.....	.....	.....	.....	1	2	7	11	8	5	2	.....	.....	.....	.....
17	Meningitis	5	1	1	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	71	.....	.....	.....	.....	.....	.....	1	4	4	21	14	10	10	5	2	.....	.....
19	Organic diseases of the heart	154	.....	.....	.....	.....	.....	3	4	13	23	36	34	19	15	6	1	.....	.....
20	Acute bronchitis	3	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	5	.....	.....	1	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....
22	Pneumonia	295	19	9	1	4	2	6	25	88	55	35	27	10	10	2	2	.....	.....
23a	Bronchopneumonia	88	31	20	7	5	2	5	3	2	3	1	2	2	3	1	.....	.....	1
23b	Other diseases of the respiratory system	16	1	.....	.....	.....	.....	.....	2	4	3	2	2	1	1	.....	.....	.....	.....
24	Diseases of the stomach	30	3	4	.....	2	.....	.....	.....	4	5	6	2	4	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	236	86	101	21	9	5	8	.....	1	1	3	.....	1	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	23	.....	.....	.....	.....	.....	1	6	6	4	4	2	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	12	2	.....	.....	1	.....	1	1	.....	2	1	3	1	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	11	.....	.....	.....	.....	.....	.....	.....	1	1	5	2	.....	1	1	.....	.....	.....
29	Acute nephritis and Bright's disease	127	.....	1	.....	.....	.....	1	2	15	24	22	26	14	13	3	2	3	1
30	Diseases of the female genital organs	36	.....	.....	.....	.....	.....	.....	2	13	11	8	1	.....	.....	.....	.....	.....	1
31	Puerperal septicemia	17	.....	.....	.....	.....	.....	.....	5	9	3	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	20	.....	.....	.....	.....	.....	.....	3	13	4	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	65	65	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	2	.....
35	Violent deaths (suicide excepted)	187	5	1	5	4	2	10	27	51	39	23	10	5	1	1	.....	.....	3
36	Suicide	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(37)	All other defined diseases	352	55	11	2	4	1	8	21	53	54	67	35	19	10	5	2	2	3
38	Unknown or ill-defined diseases	29	8	7	3	1	1	.....	1	2	2	1	3	.....	.....	.....	.....	.....	.....
	LOS ANGELES, CALIF.																		
	All causes	6,706	594	129	77	51	33	105	223	535	742	802	986	1,082	884	414	47	2	.....
1	Typhoid fever	31	.....	.....	.....	.....	.....	2	3	8	6	3	7	2	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	4	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	33	5	8	7	2	4	4	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	10	.....	.....	4	2	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	19	10	5	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	39	4	4	7	5	2	15	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	30	.....	2	.....	.....	.....	1	1	1	1	2	2	5	13	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	24	8	2	.....	1	.....	.....	.....	.....	1	3	4	2	3	.....	.....	.....	.....
13	Tuberculosis of the lungs	962	7	6	4	3	1	10	75	222	256	165	110	79	21	2	.....	1	.....
14	Tuberculous meningitis	54	6	13	8	6	1	6	2	4	4	2	1	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	58	1	1	2	2	.....	2	8	7	9	9	9	5	3	.....	.....	.....	.....
16	Cancer and other malignant tumors	576	.....	.....	.....	.....	.....	.....	2	7	26	86	165	163	97	29	1	.....	.....
17	Meningitis	31	4	4	1	2	3	1	5	3	3	3	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	389	1	1	.....	.....	.....	.....	1	2	8	33	78	100	115	50	.....	.....	.....
19	Organic diseases of the heart	820	4	1	.....	.....	.....	3	17	29	52	73	110	207	209	105	10	.....	.....
20	Acute bronchitis	24	10	3	2	.....	.....	1	.....	1	.....	1	2	.....	2	1	1	.....	.....
21	Chronic bronchitis	21	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	8	5	2	.....	.....
22	Pneumonia	288	15	10	5	2	1	6	9	16	35	27	42	56	36	24	3	1	.....
23a	Bronchopneumonia	162	63	20	2	4	3	7	2	3	4	5	3	14	16	15	1	.....	.....
23b	Other diseases of the respiratory system	67	1	.....	2	.....	2	.....	6	1	13	7	11	6	8	10	.....	.....	.....
24	Diseases of the stomach	77	6	2	1	.....	.....	.....	1	3	8	12	15	11	14	4	.....	.....	.....
25(37)	Diarrhea and enteritis	199	124	24	18	6	1	2	1	1	6	5	3	4	1	2	1	.....	.....
26	Appendicitis and typhlitis	75	1	.....	.....	2	1	4	8	14	13	16	8	6	1	1	.....	.....	.....
27	Hernia, intestinal obstruction	77	11	.....	1	.....	.....	2	1	3	6	15	14	12	6	6	.....	.....	.....
28	Cirrhosis of the liver	65	.....	.....	.....	.....	.....	.....	.....	2	5	14	16	18	7	3	.....	.....	.....
29	Acute nephritis and Bright's disease	570	4	1	1	.....	1	1	8	9	39	71	118	157	112	44	4	.....	.....
30	Diseases of the female genital organs	59	.....	.....	.....	.....	.....	.....	1	7	23	14	9	2	3	.....	.....	.....	.....
31	Puerperal septicemia	36	.....	.....	.....	.....	.....	.....	1	17	14	4	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	38	.....	.....	.....	.....	.....	.....	1	18	14	5	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	222	215	3	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	68	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	18	32	10	.....	.....
35	Violent deaths (suicide excepted)	454	9	10	6	5	6	13	44	76	76	64	57	41	28	17	2	.....	.....
36	Suicide	163	.....	.....	.....	.....	.....	.....	4	25	41	29	31	21	10	2	.....	.....	.....
(37)	All other defined diseases	959	85	9	3	9	6	18	18	54	77	131	167	158	153	59	12	.....	.....
38	Unknown or ill-defined diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
OAKLAND, CALIF.																			
	All causes	2,190	252	33	21	19	12	31	59	125	218	243	286	291	367	205	28		
1	Typhoid fever	5						1	2			1	1						
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	17	3	6	3	3		2											
6	Scarlet fever	1							1										
7	Whooping cough	7	4	1	2														
8	Diphtheria and croup	5	1			1	2	1											
9	Influenza	13	2								2	1		4	2	1	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	3			1				1		1	1	1	2				
13	Tuberculosis of the lungs	184	3		1				14	34	56	32	20	16	6	2			
14	Tuberculous meningitis	17	3	4		2		3	1	2	1	1							
15	Other forms of tuberculosis	13			1	2			1	2	1	1	4		1				
16	Cancer and other malignant tumors	182					1			1	16	29	44	47	28	16			
17	Meningitis	10	1		2	1	1	1	2		2								
18	Cerebral hemorrhage and softening	153						1			5	14	22	25	59	24	3		
19	Organic diseases of the heart	391	3				1	1	4	9	22	36	53	77	115	61	9		
20	Acute bronchitis	10	4										1	1	1	3			
21	Chronic bronchitis	7										1	2	1		3			
22	Pneumonia	113	15	6	2	1		2	2	8	12	17	16	9	12	11			
23a	Bronchopneumonia	66	22	6	1	4		1	3	1	3	2	4	3	7	8	1		
23b	Other diseases of the respiratory system	16	1		1			1		1	3	2	1	3	1	1	1		
24	Diseases of the stomach	26	1			1				2	4	6	3	4	3	2			
25(37)	Diarrhea and enteritis	60	32	7	3	1	2	2		1	1		2	2	4	2	1		
26	Appendicitis and typhlitis	32					1	2	5	6	6	4	4	3	1				
27	Hernia, intestinal obstruction	28	2		3					3	2	4	3	4	5	1	1		
28	Cirrhosis of the liver	41								1	1	13	9	9	7	1			
29	Acute nephritis and Bright's disease	169	3		1			3	2	3	8	14	32	25	51	25	2		
30	Diseases of the female genital organs	13								3	3	4	2			1			
31	Puerperal septicemia	11							1	4	5	1							
32	Other puerperal affections	15							2	3	9	1							
33	Congenital debility and malformations	108	106					1	1										
34	Senility	8														7	1		
35	Violent deaths (suicide excepted)	127	2	1		1	1	5	7	18	21	27	15	11	8	6	4		
36	Suicide	56							1	11	17	11	8	4	3	1			
(37)	All other defined diseases	275	41	2	1	1	3	4	10	11	18	20	39	41	51	29	4		
38	Unknown or ill-defined diseases																		
SAN FRANCISCO, CALIF.																			
	All causes	7,084	505	108	61	37	44	126	162	493	814	1,010	1,177	1,120	957	411	57	1	1
1	Typhoid fever	22							3	5	6	6	1	1					
2	Typhus fever																		
3	Malaria	2									2								
4	Smallpox	8		1			2	1	1	2	1								
5	Measles	36	7	12	7	3		5	1		1								
6	Scarlet fever	12		3	1	1		3	1	2		1							
7	Whooping cough	28	14	6	4	1	2	1											
8	Diphtheria and croup	72	6	9	11	8	7	22	5	2		1			1				
9	Influenza	13	2								2	1		4	2	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	21	6	1	1		1				1	2	5	1	3				
13	Tuberculosis of the lungs	757	3	3	2	1	2	7	24	164	195	167	115	55	19				
14	Tuberculous meningitis	59	11	12	5	3	6	5	7	4	2	2	2						
15	Other forms of tuberculosis	38	2	3			2	2	2	3	7	5	5	2					
16	Cancer and other malignant tumors	712						2	2	9	60	107	208	191	110	18	5		
17	Meningitis	34	5	4	2	2	2	2	4	4	4	3	1	1					
18	Cerebral hemorrhage and softening	403					1			4	16	48	66	98	109	60	1		
19	Organic diseases of the heart	1,065	1					3	17	21	52	112	178	262	267	130	21	1	
20	Acute bronchitis	34	6	5				1			1	1		3	9	8			
21	Chronic bronchitis	33	1								3		5	9	7	5	3		
22	Pneumonia	408	33	8	4	1	1	9	10	31	51	77	77	47	42	16	1		
23a	Bronchopneumonia	179	37	13	5		5	5	2	8	7	9	14	23	26	20	5		
23b	Other diseases of the respiratory system	67	2	1	2			3	3	4	13	11	10	6	5	7			
24	Diseases of the stomach	56	4	1	1					2	6	13	13	7	5	3	1		
25(37)	Diarrhea and enteritis	129	70	12	2	5	1	4		3	10	10	2	7	1	2			
26	Appendicitis and typhlitis	101				2	3	4	18	20	26	12	11	4	1				
27	Hernia, intestinal obstruction	63	8		1			1	1	4	6	13	11	8	7	3			
28	Cirrhosis of the liver	122									17	24	36	34	9	2			
29	Acute nephritis and Bright's disease	587	2	1	1	2		3	7	19	46	79	122	131	124	48	2		
30	Diseases of the female genital organs	33								4	10	13	3	1	2				
31	Puerperal septicemia	15							1	10	4								
32	Other puerperal affections	45							2	16	25	2							
33	Congenital debility and malformations	187	181	1	1	1		3											
34	Senility	42												1	14	18	9		
35	Violent deaths (suicide excepted)	525	8	4	6	3	7	19	17	66	102	103	77	59	31	19	4		
36	Suicide	191							3	27	50	43	39	21	7	1			
(37)	All other defined diseases	980	96	7	5	4	2	21	31	54	88	145	173	144	156	49	5		
38	Unknown or ill-defined diseases	5		1									3						1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—: Under 1 year.	1 year.	2 years.	3 years.	4 years	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
DENVER, COLO.																			
	All causes	3,215	313	41	31	22	10	46	124	367	424	343	452	472	381	170	17	.....	2
1	Typhoid fever	14	.....	.....	1	1	.....	.....	3	1	2	4	1	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	24	6	7	1	2	.....	5	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	4	.....	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	21	2	1	3	3	3	4	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	33	3	1	.....	.....	.....	.....	.....	2	2	.....	5	5	6	9	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	13	5	.....	1	1	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	597	4	1	.....	.....	.....	1	29	193	200	90	51	20	7	1	.....	.....	.....
14	Tuberculous meningitis	36	3	4	2	1	.....	5	3	9	5	1	3	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	29	1	1	.....	1	.....	.....	2	9	8	3	2	1	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	238	.....	1	.....	.....	.....	1	2	8	16	32	72	63	36	6	1	.....	.....
17	Meningitis	14	1	.....	1	.....	.....	2	2	1	3	1	2	.....	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	177	.....	.....	.....	.....	.....	.....	.....	2	2	8	30	54	52	27	2	.....	.....
19	Organic diseases of the heart	284	1	.....	.....	.....	.....	2	17	12	17	31	33	82	66	20	1	.....	2
20	Acute bronchitis	14	10	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
21	Chronic bronchitis	16	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	3	8	2	.....	.....	.....
22	Pneumonia	224	12	.....	2	1	2	2	4	13	23	31	37	45	34	16	2	.....	.....
23a	Bronchopneumonia	73	27	5	4	2	.....	6	2	2	4	3	3	3	6	6	.....	.....	.....
23b	Other diseases of the respiratory system	35	.....	1	.....	2	.....	.....	2	3	3	4	6	6	6	2	.....	.....	.....
24	Diseases of the stomach	29	4	2	1	.....	.....	.....	.....	4	1	2	5	4	3	1	2	.....	.....
25(37)	Diarrhea and enteritis	65	40	7	5	1	.....	4	.....	1	.....	3	1	2	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	59	1	.....	.....	.....	.....	1	7	10	16	13	3	6	2	.....	.....	.....	.....
27	Hernia, intestinal obstruction	42	2	1	.....	.....	1	.....	1	2	5	6	4	9	9	1	1	.....	.....
28	Cirrhosis of the liver	16	.....	.....	.....	.....	.....	.....	.....	1	1	2	5	3	2	2	.....	.....	.....
29	Acute nephritis and Bright's disease	251	1	1	2	.....	.....	1	8	6	10	19	56	77	53	17	.....	.....	.....
30	Diseases of the female genital organs	22	.....	.....	.....	.....	.....	.....	.....	5	5	9	1	2	.....	.....	.....	.....	.....
31	Puerperal septicemia	22	.....	.....	.....	.....	.....	.....	.....	13	8	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	17	.....	.....	.....	.....	.....	.....	1	7	8	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	135	134	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	53	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	13	34	5	.....	.....
35	Violent deaths (suicide excepted)	136	1	1	4	4	3	3	17	13	23	16	17	14	13	7	.....	.....	.....
36	Suicide	55	.....	.....	.....	.....	.....	.....	2	7	14	11	15	4	1	1	.....	.....	.....
(37)	All other defined diseases	463	54	4	1	3	.....	9	15	39	45	49	100	66	57	18	3	.....	.....
38	Unknown or ill-defined diseases	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
BRIDGEPORT, CONN.																			
	All causes	2,270	445	86	31	23	17	48	75	193	262	280	273	271	173	79	12	1	1
1	Typhoid fever	10	.....	.....	.....	.....	.....	.....	1	4	3	1	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	16	8	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	5	.....	.....	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	4	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	25	1	5	2	4	1	10	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	16	.....	.....	.....	.....	.....	.....	.....	1	2	3	5	1	3	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	10	6	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	192	2	1	1	.....	.....	.....	22	50	49	31	25	7	4	.....	.....	.....	.....
14	Tuberculous meningitis	40	10	7	2	4	6	3	2	3	1	1	.....	.....	.....	.....	.....	.....	1
15	Other forms of tuberculosis	7	.....	.....	.....	1	1	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	126	1	.....	.....	1	.....	.....	1	2	7	19	29	39	20	7	.....	.....	.....
17	Meningitis	22	5	3	1	1	.....	1	5	.....	2	2	.....	1	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	107	1	.....	.....	.....	.....	.....	.....	.....	9	10	21	26	28	11	1	.....	.....
19	Organic diseases of the heart	205	.....	.....	.....	1	.....	3	9	6	19	23	29	48	43	21	2	1	.....
20	Acute bronchitis	13	5	1	.....	.....	.....	.....	.....	.....	1	.....	.....	2	3	.....	1	.....	.....
21	Chronic bronchitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
22	Pneumonia	305	34	15	6	2	1	7	3	30	52	61	39	39	8	7	1	.....	.....
23a	Bronchopneumonia	83	45	13	6	1	.....	2	.....	1	.....	2	1	4	6	2	.....	.....	.....
23b	Other diseases of the respiratory system	15	3	2	.....	.....	.....	.....	.....	1	1	1	2	3	.....	2	.....	.....	.....
24	Diseases of the stomach	19	3	.....	.....	.....	.....	1	.....	2	1	6	1	3	1	1	.....	.....	.....
25(37)	Diarrhea and enteritis	138	107	20	2	2	.....	1	.....	1	1	1	1	1	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	18	1	.....	1	.....	.....	1	2	6	1	2	2	1	.....	1	.....	.....	.....
27	Hernia, intestinal obstruction	19	5	1	.....	.....	.....	.....	1	1	1	1	6	.....	3	.....	.....	.....	.....
28	Cirrhosis of the liver	18	.....	.....	.....	.....	.....	.....	.....	1	3	3	4	5	2	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	195	1	.....	.....	.....	1	1	5	13	33	32	35	44	24	5	1	.....	.....
30	Diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	.....	2	1	4	1	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	10	.....	.....	.....	.....	.....	.....	.....	6	3	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	21	.....	.....	.....	.....	.....	.....	.....	7	10	4	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	136	135	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....
35	Violent deaths (suicide excepted)	191	5	4	6	1	4	10	15	33	26	40	26	11	3	6	1	.....	.....
36	Suicide	17	.....	.....	.....	.....	.....	.....	2	3	4	4	1	1	2	.....	.....	.....	.....
(37)	All other defined diseases	257	61	4	1	4	1	7	5	18	30	23	35	33	18	13	4	.....	.....
38	Unknown or ill-defined diseases	18	5	.....	.....	.....	.....	.....	.....	1	.....	4	5	.....	3	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW HAVEN, CONN.																			
	All causes	2,603	432	114	49	18	14	58	87	143	216	236	348	364	315	135	21	2	1
1	Typhoid fever	16	.....	.....	.....	.....	1	1	3	4	3	1	3	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	34	8	14	6	3	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	15	9	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	26	2	4	6	3	2	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	17	2	1	1	.....	.....	.....	.....	.....	1	2	1	4	4	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	14	5	.....	.....	.....	.....	.....	.....	3	1	1	.....	2	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	192	4	3	1	.....	.....	1	15	42	41	43	25	10	4	2	.....	.....	1
14	Tuberculous meningitis	34	8	8	7	2	1	5	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	21	.....	2	2	.....	.....	2	3	2	5	1	2	.....	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	181	.....	.....	1	.....	.....	.....	1	1	10	29	44	49	35	9	2	.....	.....
17	Meningitis	32	5	2	3	.....	.....	2	8	4	2	3	2	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	157	.....	.....	.....	.....	.....	.....	.....	.....	5	9	27	42	45	24	5	.....	.....
19	Organic diseases of the heart	302	.....	.....	1	.....	.....	4	7	10	19	31	39	87	81	22	1	.....	.....
20	Acute bronchitis	17	8	1	2	.....	.....	2	1	.....	1	.....	.....	1	.....	.....	.....	1	.....
21	Chronic bronchitis	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	1	.....
22	Pneumonia	241	31	22	3	1	1	3	3	12	25	29	39	31	27	13	1	.....	.....
23a	Bronchopneumonia	108	28	22	5	1	2	2	2	1	4	4	6	12	12	6	1	.....	.....
23b	Other diseases of the respiratory system	28	3	2	2	1	.....	.....	.....	1	4	1	4	3	3	3	1	.....	.....
24	Diseases of the stomach	12	1	1	.....	.....	.....	.....	.....	.....	2	3	1	1	2	1	.....	.....	.....
25(37)	Diarrhea and enteritis	111	77	14	6	.....	.....	1	.....	.....	3	2	4	1	1	2	.....	.....	.....
26	Appendicitis and typhlitis	33	.....	.....	.....	2	.....	4	6	5	4	8	2	1	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	22	5	.....	.....	.....	.....	.....	.....	.....	.....	4	5	3	3	2	.....	.....	.....
28	Cirrhosis of the liver	19	.....	.....	.....	.....	.....	.....	.....	.....	2	5	6	3	3	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	179	2	2	.....	.....	.....	1	1	2	20	32	40	39	23	15	2	.....	.....
30	Diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	.....	3	2	1	1	.....	1	.....	.....	.....	.....
31	Puerperal septicemia	11	.....	.....	.....	.....	.....	.....	1	7	3	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	12	.....	.....	.....	.....	.....	.....	1	6	4	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	144	139	2	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	6	2	.....	.....
35	Violent deaths (suicide excepted)	169	4	5	2	4	3	9	14	20	26	15	27	19	13	5	3	.....	.....
36	Suicide	34	.....	.....	.....	.....	.....	.....	.....	6	5	9	6	2	5	1	.....	.....	.....
(37)	All other defined diseases	390	90	4	.....	1	3	12	17	13	21	46	61	51	45	23	3	.....	.....
38	Unknown or ill-defined diseases	4	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
WASHINGTON, D. C. (TOTAL).																			
	All causes	6,605	729	141	61	38	29	102	213	520	695	783	881	950	986	404	67	5	1
1	Typhoid fever	49	1	1	.....	4	.....	1	11	12	9	5	4	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	5	.....	.....	.....	.....	.....	.....	1	2	.....	.....	2	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	9	3	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	9	.....	.....	3	.....	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	17	5	8	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	34	3	3	3	1	4	15	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	86	2	1	.....	1	1	.....	2	3	3	12	14	11	18	14	4	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	20	2	1	1	.....	.....	2	.....	1	2	2	3	3	3	.....	.....	.....	.....
13	Tuberculosis of the lungs	626	1	5	3	1	2	6	68	183	167	97	53	24	15	1	.....	.....	.....
14	Tuberculous meningitis	23	3	7	1	1	2	3	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	39	1	1	.....	.....	.....	5	1	9	8	5	4	4	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	416	.....	.....	.....	.....	.....	.....	1	5	26	71	104	105	81	22	1	.....	.....
17	Meningitis	32	5	2	1	1	1	6	3	2	3	5	2	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	482	1	.....	.....	.....	.....	.....	.....	1	12	58	87	130	130	55	8	.....	.....
19	Organic diseases of the heart	925	3	1	.....	1	1	7	15	29	66	89	139	221	254	88	10	1	.....
20	Acute bronchitis	28	12	3	.....	.....	.....	.....	.....	.....	.....	1	1	3	4	3	1	.....	.....
21	Chronic bronchitis	28	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	4	9	9	4	.....	.....
22	Pneumonia	398	14	7	7	5	1	7	11	36	52	66	64	63	52	11	1	1	.....
23a	Bronchopneumonia	190	61	22	10	2	5	3	5	4	5	11	9	15	20	17	1	.....	.....
23b	Other diseases of the respiratory system	64	1	2	1	1	.....	2	2	6	4	12	12	4	9	8	.....	.....	.....
24	Diseases of the stomach	58	7	1	.....	.....	.....	.....	.....	5	13	9	9	3	7	4	.....	.....	.....
25(37)	Diarrhea and enteritis	291	183	48	6	5	1	1	.....	4	6	6	11	3	15	2	.....	.....	.....
26	Appendicitis and typhlitis	49	.....	.....	1	.....	.....	1	9	12	12	7	3	3	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	54	5	2	1	.....	1	1	.....	4	7	4	6	10	9	3	1	.....	.....
28	Cirrhosis of the liver	42	.....	.....	.....	.....	.....	.....	.....	.....	3	9	11	10	6	2	1	.....	.....
29	Acute nephritis and Bright's disease	661	5	.....	.....	2	.....	4	6	25	52	89	131	137	153	53	4	.....	.....
30	Diseases of the female genital organs	39	1	.....	.....	.....	.....	.....	2	4	12	11	5	1	3	.....	.....	.....	.....
31	Puerperal septicemia	28	.....	.....	.....	.....	.....	.....	1	20	7	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	36	.....	.....	.....	.....	.....	.....	6	15	13	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	293	285	4	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	103	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	29	46	16	3	.....
35	Violent deaths (suicide excepted)	340	5	4	11	6	3	17	30	47	45	47	35	34	34	18	4	.....	.....
36	Suicide	75	.....	.....	.....	.....	.....	.....	4	18	13	16	12	9	2	1	.....	.....	.....
(37)	All other defined diseases	1,051	119	12	8	6	4	17	26	68	153	148	158	143	130	47	11	.....	1
38	Unknown or ill-defined diseases	5	1	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
WASHINGTON, D. C. (WHITE).																			
	All causes	3,986	372	63	35	20	17	62	98	245	300	403	518	646	808	348	49	1	1
1	Typhoid fever	15	1	.....	.....	1	.....	.....	3	2	5	1	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	7	3	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	9	.....	.....	3	.....	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	8	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	26	.....	2	3	.....	4	13	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	52	2	.....	.....	.....	1	.....	1	1	.....	4	5	6	14	14	4	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	14	2	1	1	.....	.....	2	.....	.....	.....	2	2	2	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	278	1	.....	1	.....	.....	1	19	72	73	46	37	14	13	1	.....	.....	.....
14	Tuberculous meningitis	11	2	3	.....	.....	1	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	20	1	1	.....	.....	.....	1	.....	3	5	2	4	3	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	341	.....	.....	.....	.....	.....	.....	1	5	14	45	85	90	78	22	1	.....	.....
17	Meningitis	21	2	2	1	1	1	4	1	2	2	3	1	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	314	1	.....	.....	.....	.....	.....	.....	1	2	27	45	75	108	47	8	.....	.....
19	Organic disease of the heart	615	3	1	.....	1	.....	4	10	14	26	43	67	154	206	80	6	.....	.....
20	Acute bronchitis	13	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	3	1	.....	.....
21	Chronic bronchitis	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	9	7	3	.....	.....
22	Pneumonia	198	7	3	4	3	.....	4	6	15	12	31	28	36	40	9	.....	.....	.....
23a	Bronchopneumonia	86	18	8	3	1	3	1	1	3	2	2	3	9	17	14	1	.....	.....
23b	Other diseases of the respiratory system	42	1	2	1	1	.....	1	1	5	2	2	8	4	8	6	.....	.....	.....
24	Diseases of the stomach	32	5	1	.....	.....	.....	.....	.....	3	2	4	5	1	7	4	.....	.....	.....
25(37)	Diarrhea and enteritis	143	84	23	2	3	.....	1	.....	2	2	4	5	2	13	2	.....	.....	.....
26	Appendicitis and typhlitis	30	.....	.....	1	.....	.....	1	5	7	7	3	2	3	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	37	4	1	1	.....	1	1	.....	2	4	1	3	8	8	2	1	.....	.....
28	Cirrhosis of the liver	37	.....	.....	.....	.....	.....	.....	.....	.....	2	8	10	9	5	2	1	.....	.....
29	Acute nephritis and Bright's disease	381	1	.....	.....	1	.....	2	3	9	17	43	68	80	113	41	3	.....	.....
30	Diseases of the female genital organs	19	1	.....	.....	.....	.....	.....	1	3	4	4	3	.....	3	.....	.....	.....	.....
31	Puerperal septicemia	8	.....	.....	.....	.....	.....	.....	.....	5	3	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	23	.....	.....	.....	.....	.....	.....	3	9	9	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	165	158	4	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	73	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	17	38	10	1	.....
35	Violent deaths (suicide excepted)	231	3	2	6	3	1	9	20	27	29	32	24	24	30	17	4	.....	.....
36	Suicide	66	.....	.....	.....	.....	.....	.....	2	15	11	14	12	9	2	1	.....	.....	.....
(37)	All other defined diseases	644	65	2	6	5	3	13	15	35	66	78	96	104	111	38	6	.....	1
38	Unknown or ill-defined diseases	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
WASHINGTON, D. C. (COLORED).																			
	All causes	2,619	357	78	26	18	12	40	115	275	395	380	363	304	178	56	18	4	.....
1	Typhoid fever	34	.....	1	.....	3	.....	1	8	10	4	4	2	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	9	2	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	8	3	1	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	34	.....	1	.....	1	.....	.....	1	2	3	8	9	5	4	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	6	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	348	.....	5	2	1	2	5	49	111	94	51	16	10	2	.....	.....	.....	.....
14	Tuberculous meningitis	12	1	4	1	1	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	19	.....	.....	.....	.....	.....	4	1	6	3	3	.....	1	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	75	.....	.....	.....	.....	.....	.....	.....	.....	12	26	19	15	3	.....	.....	.....	.....
17	Meningitis	11	3	.....	.....	.....	.....	2	2	.....	1	2	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	168	.....	.....	.....	.....	.....	.....	.....	.....	10	31	42	55	22	8	.....	.....	.....
19	Organic diseases of the heart	310	.....	.....	.....	.....	1	3	5	15	40	46	72	67	48	8	4	1	.....
20	Acute bronchitis	15	9	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
21	Chronic bronchitis	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....
22	Pneumonia	200	7	4	3	2	1	3	5	21	40	35	36	27	12	2	1	1	.....
23a	Bronchopneumonia	104	43	14	7	1	2	2	4	1	3	9	6	6	3	3	.....	.....	.....
23b	Other diseases of the respiratory system	22	.....	.....	.....	.....	.....	1	1	1	2	10	4	.....	1	2	.....	.....	.....
24	Diseases of the stomach	26	2	.....	.....	.....	.....	.....	.....	2	11	5	4	2	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	148	99	25	4	2	1	.....	.....	2	4	2	6	1	2	.....	.....	.....	.....
26	Appendicitis and typhlitis	19	.....	.....	.....	.....	.....	.....	4	5	5	4	1	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	17	1	1	.....	.....	.....	.....	.....	2	3	3	3	2	1	1	.....	.....	.....
28	Cirrhosis of the liver	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	280	4	.....	.....	1	.....	2	3	16	35	46	63	57	40	12	1	.....	.....
30	Diseases of the female genital organs	20	.....	.....	.....	.....	.....	.....	1	1	8	7	2	1	.....	.....	.....	.....	.....
31	Puerperal septicemia	20	.....	.....	.....	.....	.....	.....	1	15	4	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	13	.....	.....	.....	.....	.....	.....	3	6	4	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	128	127	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	12	8	6	2	.....
35	Violent deaths (suicide excepted)	109	2	2	5	3	2	8	10	20	16	15	11	10	4	1	.....	.....	.....
36	Suicide	9	.....	.....	.....	.....	.....	.....	2	3	2	2	.....	.....	.....	.....	.....	.....	.....
(37)	All other defined diseases	407	54	10	2	1	1	4	11	33	87	70	62	39	19	9	5	.....	.....
38	Unknown or ill-defined diseases	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ATLANTA, GA. (TOTAL).																			
	All causes	3,170	439	158	68	34	26	61	146	353	427	363	370	362	240	97	11	5	10
1	Typhoid fever	41			1		2	6	10	11	3	4	3	1					
2	Typhus fever																		
3	Malaria	3								2		1							
4	Smallpox																		
5	Measles	45	6	16	7	3	2	4	2	3	1			1					
6	Scarlet fever	2				1		1											
7	Whooping cough	21	7	7	4	1		2											
8	Diphtheria and croup	16	2	3	2		2	7											
9	Influenza	22	3	1	1				2	2			4	3	4	2			
10	Asiatic cholera																		
11	Cholera nostras	1														1			
12	Other epidemic diseases	34	7	3	3	2		1		4		2	2	1	5	4			
13	Tuberculosis of the lungs	222	2	2	2	2	1	1	29	68	55	29	16	10	4				1
14	Tuberculous meningitis	11	2			1		2	2	1	1	1		1					
15	Other forms of tuberculosis	35		1	1	1	1	3	6	10	6	2	3	1					
16	Cancer and other malignant tumors	145							1	4	19	30	36	35	14	6			
17	Meningitis	18	2	2			1	2	3	5	2			1					
18	Cerebral hemorrhage and softening	172		1					1	4	18	26	39	51	19	10	2		1
19	Organic diseases of the heart	244						2	7	14	35	52	44	46	33	10		1	
20	Acute bronchitis	16	3						1	1	5	4	1		1				
21	Chronic bronchitis	15						1	1	3	1	1		4	2	2			
22	Pneumonia	170	15	9	1	2	1	4	12	21	30	23	22	12	9	8			1
23a	Bronchopneumonia	132	41	14	9	6	5	3	3	12	5	9	9	6	8	1		1	
23b	Other diseases of the respiratory system	43	4	2					3	3	8	7	6	3	4	2	1		
24	Diseases of the stomach	61	5	1			1		1	11	7	10	11	6	6	2			
25(37)	Diarrhea and enteritis	248	114	74	24	6	2	4	3	6	3	5	2	4		1			
26	Appendicitis and typhlitis	49						1	8	14	14	5	4	2	1				
27	Hernia, intestinal obstruction	20	4		2	1			1	2	3	2		2	2	1			
28	Cirrhosis of the liver	11								1		3	3	2	2				
29	Acute nephritis and Bright's disease	312	1	1	5		1	1	3	10	31	43	56	85	53	19	2		1
30	Diseases of the female genital organs	33							1	2	19	9	1	1					
31	Puerperal septicemia	29							3	14	11	1							
32	Other puerperal affections	31							5	14	11	1							
33	Congenital debility and malformations	151	150					1											
34	Senility	18												1	4	9	2	2	
35	Violent deaths (suicide excepted)	206	10	5	2	7	4	9	18	53	26	22	13	11	15	8	2		1
36	Suicide	19							1	3	8	2	3	1		1			
(37)	All other defined diseases	506	48	10	2	1	2	4	17	48	93	66	82	66	52	8	2	1	4
38	Unknown or ill-defined diseases	68	13	6	2		1	2	2	7	12	3	10	5	2	2			1
ATLANTA, GA. (WHITE).																			
	All causes	1,751	246	86	39	12	13	45	64	150	185	171	188	258	203	80	6		5
1	Typhoid fever	25			1		2	4	5	7	1	2	2	1					
2	Typhus fever																		
3	Malaria	2								2									
4	Smallpox																		
5	Measles	27	4	12	4		2	2	1	1	1								
6	Scarlet fever	2				1		1											
7	Whooping cough	9	4	2	2			1											
8	Diphtheria and croup	15	1	3	2		2	7											
9	Influenza	7							1	1				1	2	2			
10	Asiatic cholera																		
11	Cholera nostras	1														1			
12	Other epidemic diseases	22	4	1	2	1		1		1		2	1	1	4	4			
13	Tuberculosis of the lungs	98	1	1					5	22	31	17	11	7	3				
14	Tuberculous meningitis	6	1			1			2	1	1								
15	Other forms of tuberculosis	12				1		2		2	2	2	3						
16	Cancer and other malignant tumors	117								3	15	24	22	34	14	5			
17	Meningitis	7	2	1				1	2					1					
18	Cerebral hemorrhage and softening	102		1					1	2	7	11	16	36	17	9	1		1
19	Organic diseases of the heart	118						2	5	3	12	11	20	32	26	7			
20	Acute bronchitis	2	1												1				
21	Chronic bronchitis	8						1		1		1		2	1	2			
22	Pneumonia	67	7	3		1		3	6	5	8	4	11	8	6	4			1
23a	Bronchopneumonia	36	15		1			2	3	1	2	2	2	3	4	1			
23b	Other diseases of the respiratory system	29	1	2					1	1	5	5	4	3	4	2	1		
24	Diseases of the stomach	22	1							2	2	1	6	2	6	2			
25(37)	Diarrhea and enteritis	148	66	51	17	3	1	4	1	1	1		1	1		1			
26	Appendicitis and typhlitis	38						1	7	12	8	5	3	1	1				
27	Hernia, intestinal obstruction	11	3		1	1					1	1		2	2				
28	Cirrhosis of the liver	7										1	3	1	2				
29	Acute nephritis and Bright's disease	202	1		4		1	1	1	3	13	20	24	67	49	16	1		1
30	Diseases of the female genital organs	11								1	4	5	1						
31	Puerperal septicemia	17							1	7	8	1							
32	Other puerperal affections	18								9	8	1							
33	Congenital debility and malformations	93	92					1											
34	Senility	11												1	3	7			
35	Violent deaths (suicide excepted)	129	6	1	2	3	2	8	10	28	14	14	11	8	13	7	2		
36	Suicide	19							1	3	8	2	3	1		1			
(37)	All other defined diseases	283	26	7	2		2	3	10	27	31	38	41	43	44	7	1		1
38	Unknown or ill-defined diseases	30	10	1	1		1		1	4	2	1	3	2	1	2			1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ATLANTA, GA. (COLORED).																			
	All causes	1,419	193	72	29	22	13	16	82	203	242	192	182	104	37	17	5	5	5
1	Typhoid fever	16						2	5	4	2	2	1						
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox																		
5	Measles	18	2	4	3	3		2	1	2				1					
6	Scarlet fever																		
7	Whooping cough	12	3	5	2	1		1											
8	Diphtheria and croup	1	1																
9	Influenza	15	3	1	1				1	1			4	2	2				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	12	3	2	1	1				3			1		1				
13	Tuberculosis of the lungs	124	1	1	2	2	1	1	24	46	24	12	5	3	1				1
14	Tuberculous meningitis	5	1					2				1		1					
15	Other forms of tuberculosis	23		1	1		1	1	6	8	4			1					
16	Cancer and other malignant tumors	28							1	1	4	6	14	1		1			
17	Meningitis	11		1			1	1	1	5	2								
18	Cerebral hemorrhage and softening	70								2	11	15	23	15	2	1	1		
19	Organic diseases of the heart	126							2	11	23	41	24	14	7	3		1	
20	Acute bronchitis	14	2						1	1	5	4	1						
21	Chronic bronchitis	7							1	2	1			2	1				
22	Pneumonia	103	8	6	1	1	1	1	6	16	22	19	11	4	3	4			
23a	Bronchopneumonia	96	26	14	8	6	5	1		11	3	7	7	3	4			1	
23b	Other diseases of the respiratory system	14	3						2	2	3	2	2						
24	Diseases of the stomach	39	4	1			1		1	9	5	9	5	4					
25(37)	Diarrhea and enteritis	100	48	23	7	3	1		2	5	2	5	1	3					
26	Appendicitis and typhlitis	11							1	2	6		1	1					
27	Hernia, intestinal obstruction	9	1		1				1	2	2	1				1			
28	Cirrhosis of the liver	4								1		2		1					
29	Acute nephritis and Bright's disease	110		1	1				2	7	18	23	32	18	4	3	1		
30	Diseases of the female genital organs	22							1	1	15	4		1					
31	Puerperal septicemia	12							2	7	3								
32	Other puerperal affections	13							5	5	3								
33	Congenital debility and malformations	58	58																
34	Senility	7													1	2	2	2	
35	Violent deaths (suicide excepted)	77	4	4		4	2	1	8	25	12	8	2	3	2	1			1
36	Suicide																		
(37)	All other defined diseases	223	22	3		1		1	7	21	62	28	41	23	8	1	1	1	3
38	Unknown or ill-defined diseases	38	3	5	1			2	1	3	10	2	7	3	1				
CHICAGO, ILL. (TOTAL).																			
	All causes	38,011	6,664	1,961	1,000	595	511	1,245	1,342	3,128	3,799	4,309	4,809	4,238	2,955	1,265	180	6	4
1	Typhoid fever	49						3	10	14	15	5	2						
2	Typhus fever																		
3	Malaria	4								1			1		2				
4	Smallpox	2											1	1					
5	Measles	250	47	101	42	20	18	20	1	1									
6	Scarlet fever	631	22	63	96	72	53	180	74	52	16	2	1						
7	Whooping cough	201	83	76	21	8	3	10											
8	Diphtheria and croup	1,226	58	188	214	153	130	347	97	11	16	5	3	2	1				1
9	Influenza	154	10	7	2	2		1	9	4	16	18	20	19	26	19	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	148	38	6	5	1	2	1	2	13	17	19	16	17	8	2	1		
13	Tuberculosis of the lungs	3,391	26	13	11	4	13	19	225	1,008	908	643	354	124	40	3			
14	Tuberculous meningitis	246	39	48	33	18	23	28	16	21	11	3	4	2					
15	Other forms of tuberculosis	195	5	7	2	4	3	16	22	55	24	29	14	9	3	2			
16	Cancer and other malignant tumors	2,268	3	3	1	1	2	9	14	49	152	403	687	560	313	66	5		
17	Meningitis	332	60	37	34	16	11	40	40	27	35	20	11		1				
18	Cerebral hemorrhage and softening	1,398	4	1	1				3	29	46	147	297	398	314	136	21	1	
19	Organic diseases of the heart	4,166	13	4	2	4	12	63	167	201	356	575	745	909	725	347	42	1	
20	Acute bronchitis	315	183	53	23	8	10		2	2		4	5	4	9	11	1		
21	Chronic bronchitis	135	5	2	4		1		2	3	6	8	16	26	33	22	7		
22	Pneumonia	3,109	256	162	75	45	22	70	83	261	424	501	538	396	196	73	6		1
23a	Bronchopneumonia	1,917	809	414	153	56	43	39	19	27	32	34	61	85	79	61	5		
23b	Other diseases of the respiratory system	303	23	20	10	6	8	8	9	26	26	47	42	26	32	17	3		
24	Diseases of the stomach	171	7	1		1		2	1	20	39	29	37	18	12	4			
25(37)	Diarrhea and enteritis	3,271	2,384	560	117	46	32	21	8	13	15	20	13	15	17	7	3		
26	Appendicitis and typhlitis	406	4	2	5	6	5	25	63	109	75	53	34	18	7				
27	Hernia, intestinal obstruction	331	47	9	7	2	6	7	4	19	32	45	56	49	34	13	1		
28	Cirrhosis of the liver	498			2				3	13	70	134	141	84	47	4			
29	Acute nephritis and Bright's disease	2,863	27	16	13	9	17	36	52	139	217	362	577	681	464	215	35	3	
30	Diseases of the female genital organs	235			1				5	44	75	72	25	8	5				
31	Puerperal septicemia	162							11	84	57	10							
32	Other puerperal affections	187							10	90	74	13							
33	Congenital debility and malformations	1,559	1,527	13	7	4	3	2	3				1	4	12	11	2	1	
34	Senility	31													1	13	17		
35	Violent deaths (suicide excepted)	2,557	49	47	55	40	32	164	172	388	475	414	346	205	113	49	8		
36	Suicide	478							9	107	111	114	74	45	13	4			1
(37)	All other defined diseases	4,818	935	108	64	69	62	133	206	297	458	579	687	533	448	199	39		1
38	Unknown or ill-defined diseases	4						1			1	1			1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CHICAGO, ILL. (WHITE).																			
	All causes	36,105	6,468	1,894	970	584	495	1,204	1,261	2,840	3,443	3,981	4,563	4,079	2,894	1,245	175	5	4
1	Typhoid fever	47						3	10	14	13	5	2						
2	Typhus fever																		
3	Malaria	4								1			1		2				
4	Smallpox																		
5	Measles	244	45	99	42	20	18	18	1	1									
6	Scarlet fever	623	22	62	95	72	52	177	73	51	16	2	1						
7	Whooping cough	194	82	72	20	7	3	10											
8	Diphtheria and croup	1,199	58	183	208	151	128	341	92	11	15	5	3	2	1				1
9	Influenza	144	9	5	2	2		1	8	4	16	16	19	17	26	19			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	141	38	5	5	1	2	1	2	10	16	18	16	16	8	2	1		
13	Tuberculosis of the lungs	3,071	25	12	11	4	11	15	196	912	828	576	330	110	38	3			
14	Tuberculous meningitis	233	36	46	32	17	23	26	15	20	9	3	4	2					
15	Other forms of tuberculosis	172	4	5	2	3	3	15	20	46	21	27	13	8	3	2			
16	Cancer and other malignant tumors	2,207	3	3	1	1	2	9	14	46	146	385	670	548	309	65	5		
17	Meningitis	299	57	35	33	14	10	38	33	22	27	18	11		1				
18	Cerebral hemorrhage and softening	1,337	4	1	1			3	24	42	134	278	385	308	135	21	1		
19	Organic diseases of the heart	3,901	13	3	2	4	12	58	160	188	309	514	686	860	709	342	41		
20	Acute bronchitis	303	174	51	23	8	10		2	2		4	5	4	8	11	1		
21	Chronic bronchitis	134	5	2	4		1		2	3	6	8	16	26	32	22	7		
22	Pneumonia	2,846	245	154	72	44	22	67	76	206	361	456	496	378	191	72	5		1
23a	Bronchopneumonia	1,832	775	397	141	56	39	37	17	24	31	34	60	83	75	58	5		
23b	Other diseases of the respiratory system	284	23	20	10	5	8	8	8	23	23	41	41	25	31	16	2		
24	Diseases of the stomach	163	7	1		1		2	1	19	36	27	36	17	12	4			
25(37)	Diarrhea and enteritis	3,205	2,339	550	115	46	31	20	7	11	14	19	12	15	16	7	3		
26	Appendicitis and typhlitis	392	4	2	5	6	5	24	62	103	73	50	33	18	7				
27	Hernia, intestinal obstruction	315	45	9	7	2	6	7	4	17	28	42	54	47	33	13	1		
28	Cirrhosis of the liver	486			2				3	13	65	130	139	83	47	4			
29	Acute nephritis and Bright's disease	2,739	27	16	12	9	17	35	50	131	201	332	545	658	457	212	34	3	
30	Diseases of the female genital organs	201			1				3	34	64	65	23	7	4				
31	Puerperal septicemia	154							10	78	56	10							
32	Other puerperal affections	181							10	88	70	13							
33	Congenital debility and malformations	1,514	1,484	12	7	4	3	1	3										
34	Senility	31											1	4	12	11	2	1	
35	Violent deaths (suicide excepted)	2,418	46	47	55	38	30	162	162	355	434	396	332	197	110	46	8		
36	Suicide	463							9	99	106	112	74	45	13	4			1
(37)	All other defined diseases	4,624	898	102	62	69	59	128	205	284	416	538	662	524	440	197	39		1
38	Unknown or ill-defined diseases	4						1			1	1			1				
CHICAGO, ILL. (COLORED).																			
	All causes	1,906	196	67	30	11	16	41	81	288	356	328	246	159	61	20	5	1	
1	Typhoid fever	2									2								
2	Typhus fever																		
3	Malaria																		
4	Smallpox	2											1	1					
5	Measles	6	2	2				2											
6	Scarlet fever	8		1	1		1	3	1	1									
7	Whooping cough	7	1	4	1	1													
8	Diphtheria and croup	27		5	6	2	2	6	5		1								
9	Influenza	10	1	2					1			2	1	2			1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7		1						3	1	1		1					
13	Tuberculosis of the lungs	320	1	1			2	4	29	96	80	67	24	14	2				
14	Tuberculous meningitis	13	3	2	1	1		2	1	1	2								
15	Other forms of tuberculosis	23	1	2		1		1	2	9	3	2	1	1					
16	Cancer and other malignant tumors	61								3	6	18	17	12	4	1			
17	Meningitis	33	3	2	1	2	1	2	7	5	3	2							
18	Cerebral hemorrhage and softening	61								5	4	13	19	13	6	1			
19	Organic diseases of the heart	265		1				5	7	13	47	61	59	49	16	5	1	1	
20	Acute bronchitis	12	9	2											1				
21	Chronic bronchitis	1													1				
22	Pneumonia	263	11	8	3	1		3	7	55	63	45	42	18	5	1	1		
23a	Bronchopneumonia	85	34	17	12		4	2	2	3	1		1	2	4	3			
23b	Other diseases of the respiratory system	19				1			1	3	3	6	1	1	1	1	1		
24	Diseases of the stomach	8								1	3	2	1	1					
25(37)	Diarrhea and enteritis	66	45	10	2		1	1	1	2	1	1	1		1				
26	Appendicitis and typhlitis	14						1	1	6	2	3	1						
27	Hernia, intestinal obstruction	16	2							2	4	3	2	2	1				
28	Cirrhosis of the liver	12									5	4	2	1					
29	Acute nephritis and Bright's disease	124			1			1	2	8	16	30	32	23	7	3	1		
30	Diseases of the female genital organs	34							2	10	11	7	2	1	1				
31	Puerperal septicemia	8							1	6	1								
32	Other puerperal affections	6								2	4								
33	Congenital debility and malformations	45	43	1				1											
34	Senility																		
35	Violent deaths (suicide excepted)	139	3			2	2	2	10	33	41	18	14	8	3	3			
36	Suicide	15								8	5	2							
(37)	All other defined diseases	194	37	6	2		3	5	1	13	42	41	25	9	8	2			
38	Unknown or ill-defined diseases																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
INDIANAPOLIS, IND. (TOTAL).																			
	All causes	4,582	567	115	61	43	22	112	228	380	468	539	603	635	560	220	27	1	1
1	Typhoid fever	31					1	3	7	3	8	3	3	2	1				
2	Typhus fever																		
3	Malaria	2						1						1					
4	Smallpox	2									1			1					
5	Measles	56	12	19	8	5	2	5	1	1	1	2							
6	Scarlet fever	11	1		3	1	2	1	2	1									
7	Whooping cough	21	8	5	4	2		2											
8	Diphtheria and croup	112	1	7	15	9	8	42	18	6	2	3	1						
9	Influenza	37	8		1			1		2	3		6	6	6	4			
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	28	4	2		1		1		2	1	5	3	4	3	2			
13	Tuberculosis of the lungs	451	3	6	2	3	2	4	62	115	95	78	38	28	13	2			
14	Tuberculous meningitis	18	3	2	3	1		3	4	1	1								
15	Other forms of tuberculosis	60	2			1		1	6	13	10	9	5	8	4		1		
16	Cancer and other malignant tumors	262						1	2	7	20	53	69	65	38	7			
17	Meningitis	31	6	2	2	1	2	4	2	5		4	2						1
18	Cerebral hemorrhage and softening	269							3	1	11	24	49	79	78	23	1		
19	Organic diseases of the heart	551	1	1		1		5	14	24	43	52	112	129	119	40	9	1	
20	Acute bronchitis	15	5	3		1			2					1	3				
21	Chronic bronchitis	21								1	1		2	8	5	4			
22	Pneumonia	249	12	10	1	3	1	2	8	16	25	44	55	37	24	8	3		
23a	Bronchopneumonia	175	64	20	7	3		4	5	7	6	5	11	9	19	15			
23b	Other diseases of the respiratory system	31	2			2			1		5	6	6	5	2	2			
24	Diseases of the stomach	48	9			1			1	2	7	6	9	7	4	1	1		
25(37)	Diarrhea and enteritis	190	117	27	7	2				2	3	9	4	6	11	2			
26	Appendicitis and typhlitis	82		1			1	5	14	14	22	18	4	3					
27	Hernia, intestinal obstruction	35	4				1	1			5	4	3	8	6	3			
28	Cirrhosis of the liver	45									3	6	10	13	11	2			
29	Acute nephritis and Bright's disease	316	1	1	1			2	11	11	22	45	63	65	72	21	1		
30	Diseases of the female genital organs	56								12	18	17	4	2	3				
31	Puerperal septicemia	29							3	20	6								
32	Other puerperal affections	34							5	10	18	1							
33	Congenital debility and malformations	222	221					1											
34	Senility	10													2	7	1		
35	Violent deaths (suicide excepted)	290	3	4	4	4	2	11	29	49	43	45	28	33	21	14			
36	Suicide	55							4	11	16	5	10	5	4				
(37)	All other defined diseases	736	80	5	3	2		12	24	43	72	95	108	110	111	63	10		
38	Unknown or ill-defined diseases																		
INDIANAPOLIS, IND. (WHITE).																			
	All causes	3,862	490	94	50	34	18	93	180	307	360	416	509	562	521	203	24		1
1	Typhoid fever	27					1	2	6	3	8	2	3	2					
2	Typhus fever																		
3	Malaria	2						1						1					
4	Smallpox	1												1					
5	Measles	51	10	18	6	5	2	5	1	1	1	2							
6	Scarlet fever	10	1		3	1	2	1	1	1									
7	Whooping cough	12	6	3	1	1		1											
8	Diphtheria and croup	98		7	15	8	6	38	14	6	1	2	1						
9	Influenza	35	7		1			1		2	2		6	6	6	4			
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	27	4	2				1		2	1	5	3	4	3	2			
13	Tuberculosis of the lungs	342	1	6	2	2		2	37	90	73	57	36	23	11	2			
14	Tuberculous meningitis	13	3	2	2	1		2	2		1								
15	Other forms of tuberculosis	48	1			1			4	11	8	8	4	6	4		1		
16	Cancer and other malignant tumors	242						1	2	5	17	51	63	58	38	7			
17	Meningitis	22	6	1	2		2	2	1	4		1	2						1
18	Cerebral hemorrhage and softening	235							3	1	8	18	41	69	73	21	1		
19	Organic diseases of the heart	438	1					5	14	18	22	36	82	109	107	37	7		
20	Acute bronchitis	9	2	1					2					1	3				
21	Chronic bronchitis	19								1			2	8	5	3			
22	Pneumonia	193	10	9	1	3	1	2	7	10	15	25	46	32	22	8	2		
23a	Bronchopneumonia	130	53	11	3	2		2	3	5	6	5	7	6	15	12			
23b	Other diseases of the respiratory system	27	2			2			1		5	5	5	4	1	2			
24	Diseases of the stomach	37	5			1			1	2	6	5	6	6	3	1	1		
25(37)	Diarrhea and enteritis	166	104	23	7	1				2	3	8	3	4	9	2			
26	Appendicitis and typhlitis	76		1			1	5	13	14	19	16	4	3					
27	Hernia, intestinal obstruction	32	4				1	1			4	4	3	8	5	2			
28	Cirrhosis of the liver	40									2	5	9	12	11	1			
29	Acute nephritis and Bright's disease	271	1	1	1			2	10	9	18	28	51	58	71	20	1		
30	Diseases of the female genital organs	46								10	14	15	3	2	2				
31	Puerperal septicemia	26							2	18	6								
32	Other puerperal affections	29							4	9	16								
33	Congenital debility and malformations	196	195					1											
34	Senility	10													2	7	1		
35	Violent deaths (suicide excepted)	242	3	4	4	4	2	8	26	37	31	37	24	28	21	13			
36	Suicide	52							4	10	15	4	10	5	4				
(37)	All other defined diseases	657	71	5	2	2		10	22	35	58	77	95	106	105	59	10		
38	Unknown or ill-defined diseases																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
INDIANAPOLIS, IND. (COLORED).																			
	All causes	720	77	21	11	9	4	19	48	73	108	123	94	73	39	17	3	1	
1	Typhoid fever	4						1	1			1			1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox	1									1								
5	Measles	5	2	1	2														
6	Scarlet fever	1							1										
7	Whooping cough	9	2	2	3	1		1											
8	Diphtheria and croup	14	1		1	2	4	4			1	1							
9	Influenza	2	1								1								
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	1				1													
13	Tuberculosis of the lungs	109	2			1	2	2	25	25	22	21	2	5	2				
14	Tuberculous meningitis	5			1			1	2	1									
15	Other forms of tuberculosis	12	1					1	2	2	2	1	1	2					
16	Cancer and other malignant tumors	20								2	3	2	6	7					
17	Meningitis	9		1		1		2	1	1		3							
18	Cerebral hemorrhage and softening	34									3	6	8	10	5	2			
19	Organic diseases of the heart	113		1		1				6	21	16	30	20	12	3	2	1	
20	Acute bronchitis	6	3	2		1													
21	Chronic bronchitis	2									1					1			
22	Pneumonia	56	2	1					1	6	10	19	9	5	2		1		
23a	Bronchopneumonia	45	11	9	4	1		2	2	2			4	3	4	3			
23b	Other diseases of the respiratory system	4										1	1	1	1				
24	Diseases of the stomach	11	4								1	1	3	1	1				
25 (37)	Diarrhea and enteritis	24	13	4		1						1	1	2	2				
26	Appendicitis and typhlitis	6							1		3	2							
27	Hernia, intestinal obstruction	3									1				1	1			
28	Cirrhosis of the liver	5									1	1	1	1		1			
29	Acute nephritis and Bright's disease	45							1	2	4	17	12	7	1	1			
30	Diseases of the female genital organs	10								2	4	2	1		1				
31	Puerperal septicemia	3							1	2									
32	Other puerperal affections	5							1	1	2	1							
33	Congenital debility and malformations	26	26																
34	Senility																		
35	Violent deaths (suicide excepted)	48						3	3	12	12	8	4	5		1			
36	Suicide	3								1	1	1							
(37)	All other defined diseases	79	9		1			2	2	8	14	18	11	4	6	4			
38	Unknown or ill-defined diseases																		
LOUISVILLE, KY. (TOTAL).																			
	All causes	3,919	397	108	74	45	22	71	147	324	393	504	569	563	445	221	31	3	2
1	Typhoid fever	37			1	1		3	9	9	5	3	4	2					
2	Typhus fever																		
3	Malaria	6							1	1	2		2						
4	Smallpox																		
5	Measles	94	19	24	15	13	4	11	4	2	2								
6	Scarlet fever	3				1		1		1									
7	Whooping cough	28	13	5	5	1	1	3											
8	Diphtheria and croup	26		3	6	5	3	7	2										
9	Influenza	35		1				2	2	3	3	4	6	8	3	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	22	4	1	1						1	1	5	1	3	4	1		
13	Tuberculosis of the lungs	372				3		3	33	98	92	62	46	25	9	1			
14	Tuberculous meningitis	26	2	5	3	2	4	1	1	3	3	1		1					
15	Other forms of tuberculosis	32		1	1		1	1	4	4	4	3	8	2	3				
16	Cancer and other malignant tumors	216			1				3	8	14	37	62	61	25	5			
17	Meningitis	28	8	1	3	1		3	2	4	1	2	2	1					
18	Cerebral hemorrhage and softening	201								3	8	32	47	55	35	19		1	1
19	Organic diseases of the heart	463	2	1			1	6	12	20	46	68	79	99	89	36	3	1	
20	Acute bronchitis	24	12	5	1			1						3	2				
21	Chronic bronchitis	36							1	2	1	5	3	2	13	7	2		
22	Pneumonia	299	20	10	8	5	1	4	12	28	31	36	40	49	34	18	3		
23a	Bronchopneumonia	131	43	16	7	5	2	1	2	4	4	6	9	10	15	6	1		
23b	Other diseases of the respiratory system	47	1	2	1				1	3	6	10	6	7	5	4	1		
24	Diseases of the stomach	41	3						3	4	5	10	6	7	2	1			
25 (37)	Diarrhea and enteritis	143	87	28	5					1	5	6	1	7		3			
26	Appendicitis and typhlitis	38					1	3	5	6	9	8	4	1					1
27	Hernia, intestinal obstruction	48	6		1	1	1		2	1	5	4	10	6	10	1			
28	Cirrhosis of the liver	37								1	5	11	11	6	3				
29	Acute nephritis and Bright's disease	400	2			1		1		13	29	65	79	98	86	21	5		
30	Diseases of the female genital organs	29								6	9	8	4	2					
31	Puerperal septicemia	17							4	5	6	2							
32	Other puerperal affections	18								11	6	1							
33	Congenital debility and malformations	131	131																
34	Senility	54												3	10	35	5	1	
35	Violent deaths (suicide excepted)	213	3		9	3	2	10	19	31	36	33	22	23	10	11	1		
36	Suicide	35								8	10	7	4	4	1	1			
(37)	All other defined diseases	587	41	5	6	3	1	10	25	43	45	79	109	79	87	45	9		
38	Unknown or ill-defined diseases	2								1				1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	LOUISVILLE, KY. (WHITE).																		
	All causes	2,853	311	89	47	30	14	56	98	205	233	316	390	447	387	204	25	.....	1
1	Typhoid fever	27	.....	.....	.....	1	.....	2	5	8	4	3	2	2	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	69	12	19	11	9	3	7	4	2	2	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	18	8	4	3	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	24	.....	3	5	4	3	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	19	.....	1	.....	.....	.....	2	2	1	2	.....	1	6	1	3	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	18	3	1	1	.....	.....	.....	.....	.....	.....	1	4	1	3	4	.....	.....	.....
13	Tuberculosis of the lungs	214	.....	.....	.....	.....	.....	.....	17	59	51	37	24	19	6	1	.....	.....	.....
14	Tuberculous meningitis	22	2	5	3	1	2	1	1	2	3	1	.....	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	17	.....	.....	1	.....	.....	1	2	.....	1	2	5	2	3	.....	.....	.....	.....
16	Cancer and other malignant tumors	189	.....	.....	1	.....	.....	.....	3	7	8	30	54	57	24	5	.....	.....	.....
17	Meningitis	20	8	.....	2	1	.....	2	1	3	1	1	.....	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	150	.....	.....	.....	.....	.....	.....	.....	2	4	16	34	42	34	17	.....	.....	1
19	Organic diseases of the heart	326	2	1	.....	.....	.....	4	7	13	23	42	48	82	74	29	1	.....	.....
20	Acute bronchitis	17	7	5	.....	.....	.....	1	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....
21	Chronic bronchitis	25	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	13	7	1	.....	.....
22	Pneumonia	180	16	8	2	4	.....	4	3	13	15	18	20	32	25	17	3	.....	.....
23a	Bronchopneumonia	90	29	12	4	2	2	1	2	2	1	2	7	5	14	6	1	.....	.....
23b	Other diseases of the respiratory system	36	1	2	1	.....	.....	.....	1	2	3	6	6	5	4	4	1	.....	.....
24	Diseases of the stomach	30	2	.....	.....	.....	.....	.....	2	2	4	6	5	6	2	1	.....	.....	.....
25(37)	Diarrhea and enteritis	103	62	24	3	.....	.....	.....	.....	.....	1	5	.....	6	.....	2	.....	.....	.....
26	Appendicitis and typhlitis	32	.....	.....	.....	.....	1	3	5	4	7	7	4	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	40	6	.....	1	1	1	.....	1	1	2	1	10	6	9	1	.....	.....	.....
28	Cirrhosis of the liver	26	.....	.....	.....	.....	.....	.....	.....	1	5	6	7	4	3	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	287	2	.....	.....	1	.....	1	.....	8	11	40	52	74	74	19	5	.....	.....
30	Diseases of the female genital organs	20	.....	.....	.....	.....	.....	.....	.....	4	5	5	4	2	.....	.....	.....	.....	.....
31	Puerperal septicemia	14	.....	.....	.....	.....	.....	.....	2	5	5	2	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	17	.....	.....	.....	.....	.....	.....	.....	10	6	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	118	118	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	7	33	4	.....	.....
35	Violent deaths (suicide excepted)	152	3	.....	3	2	2	6	13	20	23	26	19	16	7	11	1	.....	.....
36	Suicide	35	.....	.....	.....	.....	.....	.....	.....	8	10	7	4	4	1	1	.....	.....	.....
(37)	All other defined diseases	467	30	4	6	3	.....	10	23	26	35	51	79	68	81	43	8	.....	.....
38	Unknown or ill-defined diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	LOUISVILLE, KY. (COLORED).																		
	All causes	1,066	86	19	27	15	8	15	49	119	160	188	179	116	58	17	6	3	1
1	Typhoid fever	10	.....	.....	1	.....	.....	1	4	1	1	.....	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	25	7	5	4	4	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	10	5	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	16	.....	.....	.....	.....	.....	.....	.....	2	1	4	5	2	2	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....
13	Tuberculosis of the lungs	158	.....	.....	.....	3	.....	3	16	39	41	25	22	6	3	.....	.....	.....	.....
14	Tuberculous meningitis	4	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	15	.....	1	.....	.....	1	.....	2	4	3	1	3	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	27	.....	.....	.....	.....	.....	.....	.....	1	6	7	8	4	1	.....	.....	.....	.....
17	Meningitis	8	.....	1	1	.....	.....	1	1	1	.....	1	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	51	.....	.....	.....	.....	.....	.....	.....	1	4	16	13	13	1	2	.....	1	.....
19	Organic diseases of the heart	137	.....	.....	.....	.....	1	2	5	7	23	26	31	17	15	7	2	1	.....
20	Acute bronchitis	7	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
21	Chronic bronchitis	11	.....	.....	.....	.....	.....	.....	.....	2	1	5	2	.....	.....	.....	1	.....	.....
22	Pneumonia	119	4	2	6	1	1	.....	9	15	16	18	20	17	9	1	.....	.....	.....
23a	Bronchopneumonia	41	14	4	3	3	.....	.....	.....	2	3	4	2	5	1	.....	.....	.....	.....
23b	Other diseases of the respiratory system	11	.....	.....	.....	.....	.....	.....	.....	1	3	4	.....	2	1	.....	.....	.....	.....
24	Diseases of the stomach	11	1	.....	.....	.....	.....	.....	1	2	1	4	1	1	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	40	25	4	2	.....	.....	.....	.....	1	4	1	1	1	.....	1	.....	.....	.....
26	Appendicitis and typhlitis	6	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	1
27	Hernia, intestinal obstruction	8	.....	.....	.....	.....	.....	.....	1	.....	3	3	.....	.....	1	.....	.....	.....	.....
28	Cirrhosis of the liver	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	2	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	113	.....	.....	.....	.....	.....	.....	.....	5	18	25	27	24	12	2	.....	.....	.....
30	Diseases of the female genital organs	9	.....	.....	.....	.....	.....	.....	.....	2	4	3	.....	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	3	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	13	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	1	1	.....
35	Violent deaths (suicide excepted)	61	.....	.....	6	1	.....	4	6	11	13	7	3	7	3	.....	.....	.....	.....
36	Suicide	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(37)	All other defined diseases	120	11	1	.....	.....	1	.....	2	17	10	28	30	11	6	2	1	.....	.....
38	Unknown or ill-defined diseases	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW ORLEANS, LA. (TOTAL).																			
	All causes	7,510	866	243	92	68	37	104	309	740	965	1,013	985	952	747	328	50	7	4
1	Typhoid fever	88		1	1		1	6	24	30	18	3	3	1					
2	Typhus fever																		
3	Malaria	13							1	1	4	2	2	2	1				
4	Smallpox																		
5	Measles	62	19	19	12	5	2	1	1	3									
6	Scarlet fever	2			1					1									
7	Whooping cough	22	13	7	1		1												
8	Diphtheria and croup	31	2	12	6	4	1	3	2	1									
9	Influenza	112	8	7	2	2		1	3	8	8	9	16	12	21	11	3	1	
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	47	2	2	1			1	1	3	9	7	6	6	7	2			
13	Tuberculosis of the lungs	1,088	5	6	1	4	5	8	74	287	309	211	117	47	11	3			
14	Tuberculous meningitis	18	2	5	3	4			1	2		1							
15	Other forms of tuberculosis	97	57	3	2	1	1	1	6	12	6	4	1	2	1				
16	Cancer and other malignant tumors	341	1	1				3		6	25	71	90	81	45	15	3		
17	Meningitis	21	3	5	1	2	2			1		3	2	2					
18	Cerebral hemorrhage and softening	362	1						1	5	12	46	78	96	82	35	5	1	
19	Organic diseases of the heart	883	2	1					14	27	71	141	152	191	180	94	8	1	1
20	Acute bronchitis	33	19	4	1	1							1	4	1	2			
21	Chronic bronchitis	28	1	1				1	1	2	2	1	1	6	6	5	1		
22	Pneumonia	394	60	29	13	8	3	12	21	33	46	42	31	44	37	12	2		1
23a	Bronchopneumonia	161	59	28	8	7	4	6	7	7	6	2	11	7	7	1	1		
23b	Other diseases of the respiratory system	50	1	3				2	2	6	6	9	8	9	3		1		
24	Diseases of the stomach	46	2	1	1					4	5	7	16	4	4	2			
25(37)	Diarrhea and enteritis	434	251	87	16	4		4	3	6	17	13	11	9	10	3			
26	Appendicitis and typhlitis	66				1	1	5	14	15	9	10	6	3	2				
27	Hernia, intestinal obstruction	75	7	1				1	3	7	12	14	10	14	4	1	1		
28	Cirrhosis of the liver	113					1			3	12	33	25	25	12	1	1		
29	Acute nephritis and Bright's disease	1,005	3	3	6	3	2	7	15	52	128	159	196	222	145	53	10		1
30	Diseases of the female genital organs	63							2	16	23	15	6	1					
31	Puerperal septicemia	38							5	22	9	2							
32	Other puerperal affections	47							5	18	21	3							
33	Congenital debility and malformations	223	216	3				1	3										
34	Senility	30													10	13	7		
35	Violent deaths (suicide excepted)	413	6	2	13	11	9	22	47	77	63	53	37	31	20	20	2		
36	Suicide	51							1	18	12	7	6	3	3				1
(37)	All other defined diseases	1,051	126	12	3	9	4	19	52	67	132	145	153	130	135	55	5	4	
38	Unknown or ill-defined diseases	2			1	1													
NEW ORLEANS, LA. (WHITE).																			
	All causes	4,369	461	144	52	36	13	54	131	323	466	556	641	655	552	247	35		3
1	Typhoid fever	56			1			4	12	20	14	3	2						
2	Typhus fever																		
3	Malaria	5							1	1			1	2					
4	Smallpox																		
5	Measles	46	13	17	9	3	2	1	1										
6	Scarlet fever	2				1				1									
7	Whooping cough	12	7	4	1														
8	Diphtheria and croup	22		10	5	4	1	2											
9	Influenza	55	4		1				1	4	2	3	6	8	16	8	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	31	1	1	1					2	8	3	4	4	6	1			
13	Tuberculosis of the lungs	538	1	3		1			22	115	153	123	80	32	7	1			
14	Tuberculous meningitis	15	2	5	2	4				1		1							
15	Other forms of tuberculosis	22	9	1					2	3		3	1	2	1				
16	Cancer and other malignant tumors	268	1	1				3		2	19	50	73	68	37	12	2		
17	Meningitis	11	2	1	1	1				1		2	1	2					
18	Cerebral hemorrhage and softening	233							1	4	4	18	51	65	62	26	2		
19	Organic diseases of the heart	527	1	1					6	9	25	61	35	121	137	76	5		
20	Acute bronchitis	16	8	1									1	3	1	2			
21	Chronic bronchitis	19	1	1						2		1		3	6	4	1		
22	Pneumonia	189	24	15	7	1	1	6	8	5	16	26	17	29	22	9	2		1
23a	Bronchopneumonia	77	24	12	5	3	2	2	1	4	1	2	6	6	7	1	1		
23b	Other diseases of the respiratory system	37	1	3				1	1	3	4	6	7	7	3		1		
24	Diseases of the stomach	27	2	1	1					2	3	3	9	2	3	1			
25(37)	Diarrhea and enteritis	239	142	55	8	1		2	2	3	5	8	3	4	4	2			
26	Appendicitis and typhlitis	49				1	1	3	10	11	6	9	4	2	2				
27	Hernia, intestinal obstruction	46	5	1				1	1	3	5	8	7	9	4	1	1		
28	Cirrhosis of the liver	74					1				5	17	18	23	8	1	1		
29	Acute nephritis and Bright's disease	601	2		1	1	2	5	7	19	61	76	129	146	108	37	6		1
30	Diseases of the female genital organs	31							1	6	11	8	4	1					
31	Puerperal septicemia	24							3	14	7								
32	Other puerperal affections	27							1	10	13	3							
33	Congenital debility and malformations	134	129	3					2										
34	Senility	26													7	12	7		
35	Violent deaths (suicide excepted)	223	4		6	9	2	13	20	29	31	34	27	20	14	13	1		
36	Suicide	45							1	15	12	5	5	3	3				1
37)	All other defined diseases	640	78	8	2	5	1	11	27	34	61	83	100	93	94	40	3		
38	Unknown or ill-defined diseases	2			1	1													

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW ORLEANS, LA. (COLORED).																			
	All causes	3,141	405	99	40	32	24	50	178	417	499	457	344	297	195	81	15	7	1
1	Typhoid fever	32	.....	1	.....	.....	1	2	12	10	4	.....	1	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	8	.....	.....	.....	.....	.....	.....	.....	.....	4	2	1	.....	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	16	6	2	3	2	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	10	6	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	9	2	2	1	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	57	4	7	1	2	.....	1	2	4	6	6	10	4	5	3	1	1	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	16	1	1	.....	.....	.....	1	1	1	1	4	2	2	1	1	.....	.....	.....
13	Tuberculosis of the lungs	550	4	3	1	3	5	8	52	172	156	88	37	15	4	2	.....	.....	.....
14	Tuberculous meningitis	3	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	75	48	2	2	1	1	1	4	9	6	1	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	73	.....	.....	.....	.....	.....	.....	.....	4	6	21	17	13	8	3	1	.....	.....
17	Meningitis	10	1	4	.....	1	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	129	1	.....	.....	.....	.....	.....	.....	1	8	28	27	31	20	9	3	1	.....
19	Organic diseases of the heart	356	1	.....	.....	.....	.....	.....	8	18	46	80	67	70	43	18	3	1	1
20	Acute bronchitis	17	11	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
21	Chronic bronchitis	9	.....	.....	.....	.....	.....	1	1	.....	2	.....	1	3	.....	1	.....	.....	.....
22	Pneumonia	205	36	14	6	7	2	6	13	28	30	16	14	15	15	3	.....	.....	.....
23a	Bronchopneumonia	84	35	16	3	4	2	4	6	3	5	.....	5	1	.....	.....	.....	.....	.....
23b	Other diseases of the respiratory system	13	.....	.....	.....	.....	.....	1	1	3	2	3	1	2	.....	.....	.....	.....	.....
24	Diseases of the stomach	19	.....	.....	.....	.....	.....	.....	.....	2	2	4	7	2	1	1	.....	.....	.....
25(37)	Diarrhea and enteritis	195	109	32	8	3	.....	2	1	3	12	5	8	5	6	1	.....	.....	.....
26	Appendicitis and typhlitis	17	.....	.....	.....	.....	.....	2	4	4	3	1	2	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	29	2	.....	.....	.....	.....	.....	2	4	7	6	3	5	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	39	.....	.....	.....	.....	.....	.....	.....	3	7	16	7	2	4	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	404	1	3	5	2	.....	2	8	33	67	83	67	76	37	16	4	.....	.....
30	Diseases of the female genital organs	32	.....	.....	.....	.....	.....	.....	1	10	12	7	2	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	14	.....	.....	.....	.....	.....	.....	2	8	2	2	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	20	.....	.....	.....	.....	.....	.....	4	8	8	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	89	87	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....
35	Violent deaths (suicide excepted)	190	2	2	7	2	7	9	27	48	32	19	10	11	6	7	1	.....	.....
36	Suicide	6	.....	.....	.....	.....	.....	.....	.....	3	.....	2	1	.....	.....	.....	.....	.....	.....
(37)	All other defined diseases	411	48	4	1	4	3	8	25	33	71	62	53	37	41	15	2	4	.....
38	Unknown or ill-defined diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
BALTIMORE, MD. (TOTAL).																			
	All causes	11,355	1,780	358	139	82	84	221	427	908	1,120	1,299	1,480	1,583	1,260	530	66	7	11
1	Typhoid fever	93	.....	1	1	.....	.....	4	25	22	13	15	8	4	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	54	13	20	6	3	7	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
6	Scarlet fever	11	.....	1	1	.....	2	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	36	19	11	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	58	10	11	8	8	8	9	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
9	Influenza	107	10	4	.....	1	.....	1	3	4	7	11	18	17	18	10	3	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	43	7	1	.....	.....	.....	1	1	3	3	7	7	7	5	1	.....	.....	.....
13	Tuberculosis of the lungs	1,258	8	18	9	3	3	21	108	318	305	231	136	69	19	5	.....	.....	5
14	Tuberculous meningitis	67	7	10	8	2	3	11	6	6	4	8	2	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	70	4	7	1	4	3	5	6	14	7	8	5	4	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	643	.....	.....	.....	1	4	3	3	16	39	121	173	156	107	17	3	.....	.....
17	Meningitis	76	10	7	4	1	5	12	11	10	6	5	1	2	2	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	725	.....	1	1	.....	.....	.....	2	10	27	79	152	201	177	71	4	.....	.....
19	Organic diseases of the heart	1,315	1	.....	.....	2	3	9	29	60	104	174	223	313	266	115	15	1	.....
20	Acute bronchitis	84	48	6	1	2	.....	1	.....	.....	2	1	3	6	11	3	.....	.....	.....
21	Chronic bronchitis	46	4	1	.....	.....	.....	.....	1	2	3	2	6	7	10	10	.....	.....	.....
22	Pneumonia	868	69	38	17	9	4	20	26	86	125	132	107	129	71	30	4	1	.....
23a	Bronchopneumonia	576	207	75	31	8	8	14	7	14	20	15	36	42	57	31	7	1	3
23b	Other diseases of the respiratory system	53	6	1	.....	1	1	1	1	2	6	8	7	9	4	6	.....	.....	.....
24	Diseases of the stomach	69	7	2	.....	1	.....	1	1	6	12	7	8	11	11	2	.....	.....	.....
25(37)	Diarrhea and enteritis	733	541	95	17	6	4	6	3	7	12	9	4	9	13	6	.....	.....	1
26	Appendicitis and typhlitis	98	.....	.....	1	.....	3	4	28	21	15	9	12	2	2	1	.....	.....	.....
27	Hernia, intestinal obstruction	100	10	2	.....	.....	2	1	5	6	10	12	16	20	9	7	.....	.....	.....
28	Cirrhosis of the liver	95	.....	.....	.....	.....	.....	.....	1	2	5	14	33	21	16	3	.....	.....	.....
29	Acute nephritis and Bright's disease	1,137	2	3	3	1	2	4	13	42	101	160	241	272	210	79	4	.....	.....
30	Diseases of the female genital organs	43	.....	.....	.....	.....	.....	.....	1	3	22	10	4	1	1	1	.....	.....	.....
31	Puerperal septicemia	46	.....	.....	.....	.....	.....	.....	7	22	14	3	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	58	.....	.....	.....	.....	.....	.....	5	29	21	3	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	575	558	8	3	.....	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	84	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	29	37	8	2	2
35	Violent deaths (suicide excepted)	653	15	16	15	18	13	46	59	94	85	81	89	53	40	22	7	.....	.....
36	Suicide	100	.....	.....	.....	.....	.....	.....	3	25	22	20	14	12	3	1	.....	.....	.....
(37)	All other defined diseases	1,365	218	16	9	8	8	33	67	83	129	152	174	207	176	72	11	2	.....
38	Unknown or ill-defined diseases	12	6	3	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	BALTIMORE, MD. (WHITE).																		
	All causes	8,362	1,308	228	96	60	53	139	259	556	699	848	1,079	1,341	1,140	491	58	3	4
1	Typhoid fever	73	.....	1	.....	.....	.....	2	19	18	10	13	7	3	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	42	11	15	5	3	4	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
6	Scarlet fever	11	.....	1	1	.....	2	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	27	16	8	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	57	10	11	8	8	7	9	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
9	Influenza	79	5	3	.....	1	.....	1	3	1	4	4	14	16	15	10	2	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	32	6	1	.....	.....	.....	.....	1	2	3	5	4	5	4	1	.....	.....	.....
13	Tuberculosis of the lungs	753	3	7	2	.....	1	1	42	182	135	150	101	57	16	4	.....	.....	2
14	Tuberculous meningitis	54	6	8	8	2	2	9	5	3	3	6	2	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	48	3	3	1	3	2	1	3	8	7	8	4	3	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	569	.....	.....	.....	1	1	1	2	10	33	97	153	147	105	17	2	.....	.....
17	Meningitis	47	7	6	4	1	2	7	7	5	3	3	1	.....	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	575	.....	1	1	.....	.....	.....	2	6	14	44	105	173	160	65	4	.....	.....
19	Organic diseases of the heart	973	1	.....	.....	2	2	7	23	34	59	104	137	253	234	104	13	.....	.....
20	Acute bronchitis	58	30	3	1	2	.....	.....	.....	.....	2	1	.....	6	10	3	.....	.....	.....
21	Chronic bronchitis	37	2	.....	.....	.....	.....	.....	.....	.....	1	2	5	7	10	10	.....	.....	.....
22	Pneumonia	523	43	21	9	6	2	10	10	37	52	64	67	108	61	28	4	1	.....
23a	Bronchopneumonia	371	126	35	14	6	6	8	2	8	9	9	22	38	50	30	6	.....	2
23b	Other diseases of the respiratory system	41	6	.....	.....	1	1	1	1	1	3	6	4	9	2	6	.....	.....	.....
24	Diseases of the stomach	51	7	1	.....	1	.....	1	1	3	3	3	6	7	11	2	.....	.....	.....
25(37)	Diarrhea and enteritis	555	414	70	14	4	2	4	2	5	8	6	2	7	11	6	.....	.....	.....
26	Appendicitis and typhlitis	74	.....	.....	1	.....	2	4	19	13	11	7	12	2	2	1	.....	.....	.....
27	Hernia, intestinal obstruction	82	9	1	.....	.....	2	1	3	3	5	8	16	18	9	7	.....	.....	.....
28	Cirrhosis of the liver	88	.....	.....	.....	.....	.....	.....	1	1	5	11	31	21	15	3	.....	.....	.....
29	Acute nephritis and Bright's disease	863	1	1	2	.....	1	3	8	28	64	106	167	220	193	66	3	.....	.....
30	Diseases of the female genital organs	25	.....	.....	.....	.....	.....	.....	.....	3	11	7	2	.....	1	1	.....	.....	.....
31	Puerperal septicemia	31	.....	.....	.....	.....	.....	.....	4	16	9	2	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	52	.....	.....	.....	.....	.....	.....	3	26	20	3	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	441	429	4	3	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	74	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	26	37	6	1	.....
35	Violent deaths (suicide excepted)	494	11	14	13	11	9	32	41	69	62	59	67	44	35	20	7	.....	.....
36	Suicide	96	.....	.....	.....	.....	.....	.....	2	23	21	20	14	12	3	1	.....	.....	.....
(37)	All other defined diseases	1,058	157	12	7	7	4	25	50	51	87	99	136	178	164	69	11	1	.....
38	Unknown or ill-defined diseases	8	5	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
	BALTIMORE, MD. (COLORED).																		
	All causes	2,993	472	130	43	22	31	82	168	352	421	451	401	242	120	39	8	4	7
1	Typhoid fever	20	.....	.....	1	.....	.....	2	6	4	3	2	1	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	12	2	5	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	9	3	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	28	5	1	.....	.....	.....	.....	.....	3	3	7	4	1	3	.....	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	11	1	.....	.....	.....	.....	1	.....	1	.....	2	3	2	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	505	5	11	7	3	2	20	66	136	120	81	35	12	3	1	.....	.....	3
14	Tuberculous meningitis	13	1	2	.....	.....	1	2	1	3	1	2	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	22	1	4	.....	1	1	4	3	6	.....	.....	1	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	74	.....	.....	.....	.....	3	2	1	6	6	24	20	9	2	.....	1	.....	.....
17	Meningitis	29	3	1	.....	.....	3	5	4	5	3	2	.....	2	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	150	.....	.....	.....	.....	.....	.....	.....	4	13	35	47	28	17	6	.....	.....	.....
19	Organic diseases of the heart	342	.....	.....	.....	.....	1	2	6	26	45	70	86	60	32	11	2	1	.....
20	Acute bronchitis	26	18	3	.....	.....	.....	1	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....
21	Chronic bronchitis	9	2	1	.....	.....	.....	.....	1	2	2	.....	1	.....	.....	.....	.....	.....	.....
22	Pneumonia	345	26	17	8	3	2	10	16	49	73	68	40	21	10	2	.....	.....	.....
23a	Bronchopneumonia	205	81	40	17	2	2	6	5	6	11	6	14	4	7	1	1	1	1
23b	Other diseases of the respiratory system	12	.....	1	.....	.....	.....	.....	.....	1	3	2	3	.....	2	.....	.....	.....	.....
24	Diseases of the stomach	18	.....	1	.....	.....	.....	.....	.....	3	4	4	2	4	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	178	127	25	3	2	2	2	1	2	4	3	2	2	2	.....	.....	.....	1
26	Appendicitis and typhlitis	24	.....	.....	.....	.....	1	.....	9	8	4	2	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	18	1	1	.....	.....	.....	.....	2	3	5	4	.....	2	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	7	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	274	1	2	1	1	1	1	5	14	37	54	74	52	17	13	1	.....	.....
30	Diseases of the female genital organs	18	.....	.....	.....	.....	.....	.....	1	.....	11	3	2	1	.....	.....	.....	.....	.....
31	Puerperal septicemia	15	.....	.....	.....	.....	.....	.....	3	6	/ 5	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	6	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility, and malformations	134	129	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	2	1	2
35	Violent deaths (suicide excepted)	159	4	2	2	7	4	14	18	25	23	22	22	9	5	2	.....	.....	.....
36	Suicide	4	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
(37)	All other defined diseases	307	61	4	2	1	4	8	17	32	42	53	38	29	12	3	.....	1	.....
38	Unknown or ill-defined diseases	4	1	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BOSTON, MASS.																			
	All causes	12,704	1,970	446	181	120	105	268	364	845	1,137	1,569	1,715	1,825	1,419	639	90	8	3
1	Typhoid fever	23				2			2	7	4	6	1	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	107	27	50	13	8	2	6		1									
6	Scarlet fever	45	1	6	7	2	14	10	3	2									
7	Whooping cough	38	20	11	1	4		2											
8	Diphtheria and croup	277	27	42	31	33	29	80	15	7	7	5	1						
9	Influenza	36	5	2	3				1			2	2	7	6	7		1	
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	90	25	4				3	1	5	10	11	15	10	4	2			
13	Tuberculosis of the lungs	1,143	25	23	4	6	4	8	64	263	277	240	151	53	23	2			
14	Tuberculous meningitis	99	20	18	13	4	5	11	11	5	5	5	1	1					
15	Other forms of tuberculosis	80	4	4		1	3	5	12	12	17	5	8	7	1	1			
16	Cancer and other malignant tumors	924	3	1	1		1	3	6	14	55	152	253	246	152	34	3		
17	Meningitis	76	21	7	7	6	4	9	7	3	3	5	2	2					
18	Cerebral hemorrhage and softening	689	3					3	3	3	16	63	130	187	172	93	15	1	
19	Organic diseases of the heart	1,689	3	2	2	2	2	10	56	69	109	202	275	405	357	167	28		
20	Acute bronchitis	59	29	7	3	1	2					4		3	2	7	1		
21	Chronic bronchitis	61	2	1				2			2	3	7	15	13	14	1	1	
22	Pneumonia	1,089	111	68	29	15	3	8	14	45	106	161	178	169	120	53	7	1	
23a	Bronchopneumonia	542	204	76	14	2	2	7	4	8	11	23	27	47	70	41	5		1
23b	Other diseases of the respiratory system	85	14	8	2	2	1	3	5	3	15	10	4	10	7	1			1
24	Diseases of the stomach	86	17			1		1	1	4	12	15	15	12	4	4			
25 (37)	Diarrhea and enteritis	521	379	59	19	6	5	2	1	7	8	10	7	11	5	2			
26	Appendicitis and typhlitis	127		1	2	1	1	8	28	23	20	17	20	5	1				
27	Hernia, intestinal obstruction	117	15	1	1			3	6	4	11	13	20	25	15	3			
28	Cirrhosis of the liver	90								2	12	25	26	16	9				
29	Acute nephritis and Bright's disease	789	8	2		1	2	6	9	21	48	124	147	192	162	59	6	2	
30	Diseases of the female genital organs	78								6	29	24	6	11	2				
31	Puerperal septicemia	82							4	47	23	8							
32	Other puerperal affections	98							5	45	40	8							
33	Congenital debility and malformations	626	614	3	2			2	3	1	1								
34	Senility	26												1	11	12	2		
35	Violent deaths (suicide excepted)	795	27	10	11	14	13	45	44	90	96	147	122	93	53	25	4		
36	Suicide	133							2	29	29	26	20	19	8				1
(37)	All other defined diseases	1,953	355	36	16	9	12	31	56	118	170	252	270	275	221	112	18	2	
38	Unknown or ill-defined diseases	31	11	4					1	1	1	3	7	2	1				
CAMBRIDGE, MASS.																			
	All causes	1,605	206	51	23	5	15	32	39	107	157	175	189	266	200	119	20		1
1	Typhoid fever	5						2	1	2									
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	15	5	6	2	2													
6	Scarlet fever	3			1			2											
7	Whooping cough	4	2	2															
8	Diphtheria and croup	16		1	3	3	3	4		1					1				
9	Influenza	8										2	2	1	1	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	9	4		1		1						2		1				
13	Tuberculosis of the lungs	207			1			3	10	49	64	39	26	12	3				
14	Tuberculous meningitis	10	1	4			1		2	2									
15	Other forms of tuberculosis	10			2				1		5		1	1					
16	Cancer and other malignant tumors	154								1	6	28	33	51	25	9	1		
17	Meningitis	2	1						1										
18	Cerebral hemorrhage and softening	108								1	1	7	14	39	30	15	1		
19	Organic diseases of the heart	232	1		1			1	6	6	11	15	32	62	51	40	6		
20	Acute bronchitis	12	6	3			1								1	1			
21	Chronic bronchitis	8										1		1	2	3	1		
22	Pneumonia	112	8	5	2		2	1	2	8	10	12	20	19	14	9			
23a	Bronchopneumonia	58	21	11	3		2	2		1	2	1	1	2	7	3	2		
23b	Other diseases of the respiratory system	11	1	1							2	1	1	1	2	2			
24	Diseases of the stomach	9	2							1	2	1	1			2			
25 (37)	Diarrhea and enteritis	66	49	11	4									1	1				
26	Appendicitis and typhlitis	11							4	2		4	1						
27	Hernia, intestinal obstruction	13		1						2	2	2		1	3	1	1		
28	Cirrhosis of the liver	7									1	3		1	1	1			
29	Acute nephritis and Bright's disease	73	1	1					1	4	8	17	15	12	10	3	1		
30	Diseases of the female genital organs	13	1							1	4	2	1	2	2				
31	Puerperal septicemia	9								4	5								
32	Other puerperal affections	9								4	4	1							
33	Congenital debility and malformations	66	64		1							1							
34	Senility	5													1	2	2		
35	Violent deaths (suicide excepted)	88	6		1		4	11	6	8	13	13	7	8	5	3	2		1
36	Suicide	5										3	1	1					
(37)	All other defined diseases	247	33	5	1		1	6	5	10	17	22	31	51	39	23	3		
38	Unknown or ill-defined diseases																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years	60 to 69 years	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
FALL RIVER, MASS.																			
	All causes	2,116	605	145	60	29	20	53	62	92	116	159	225	243	210	85	12	.....	.....
1	Typhoid fever	22	.....	.....	.....	.....	1	3	2	7	3	2	4	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	71	23	27	6	8	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	22	14	6	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	37	4	3	11	5	1	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	11	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	3	3	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	8	4	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	187	4	2	2	2	2	.....	25	37	41	42	17	11	2	.....	.....	.....	.....
14	Tuberculous meningitis	22	2	4	3	1	3	3	2	1	2	.....	.....	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	9	.....	.....	1	.....	.....	1	4	1	.....	1	.....	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	105	.....	.....	.....	.....	.....	.....	.....	2	8	17	30	19	22	6	1	.....	.....
17	Meningitis	7	1	1	.....	1	.....	.....	1	.....	1	.....	1	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	92	.....	.....	.....	.....	.....	.....	1	.....	1	8	22	25	26	8	1	.....	.....
19	Organic diseases of the heart	232	4	.....	1	.....	1	1	3	7	5	18	44	63	58	25	2	.....	.....
20	Acute bronchitis	22	17	1	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
21	Chronic bronchitis	15	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	6	.....	.....	.....
22	Pneumonia	126	25	9	4	1	2	3	.....	6	12	12	16	21	10	3	2	.....	.....
23a	Bronchopneumonia	139	66	39	14	2	1	1	.....	.....	.....	.....	1	4	7	3	1	.....	.....
23b	Other diseases of the respiratory system	16	1	2	.....	1	.....	.....	.....	1	1	.....	4	1	1	2	2	.....	.....
24	Diseases of the stomach	8	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
25 (37)	Diarrhea and enteritis	294	243	30	7	2	2	1	.....	1	.....	2	2	1	2	1	.....	.....	.....
26	Appendicitis and typhlitis	12	.....	.....	.....	.....	.....	.....	3	1	4	3	1	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	8	2	.....	.....	.....	.....	.....	.....	.....	1	.....	5	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	1	.....	1	.....	.....
29	Acute nephritis and Bright's disease	152	1	2	1	1	1	1	2	6	12	18	21	31	42	12	1	.....	.....
30	Diseases of the female genital organs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	11	.....	.....	.....	.....	.....	.....	1	4	6	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	12	.....	.....	.....	.....	.....	.....	.....	7	4	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	107	105	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....
35	Violent deaths (suicide excepted)	79	10	1	4	1	2	10	11	2	3	10	11	5	7	1	1	.....	.....
36	Suicide	7	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	2	2	.....	.....	.....	.....
(37)	All other defined diseases	236	51	9	3	2	2	9	5	7	11	20	40	43	22	12	.....	.....	.....
38	Unknown or ill-defined diseases	29	21	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
LOWELL, MASS.																			
	All causes	1,940	461	72	48	28	11	43	58	105	152	202	227	241	190	86	14	.....	2
1	Typhoid fever	7	.....	.....	.....	.....	.....	1	.....	3	1	2	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	9	2	4	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	7	3	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	27	2	2	6	5	2	7	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	12	.....	1	.....	1	.....	.....	1	.....	.....	2	3	2	1	.....	1	.....	.....
13	Tuberculosis of the lungs	151	6	2	1	.....	.....	1	13	39	34	39	8	7	1	.....	.....	.....	.....
14	Tuberculous meningitis	23	11	4	1	3	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	16	3	3	.....	2	.....	1	1	3	1	1	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	85	.....	.....	.....	.....	.....	.....	.....	1	9	16	26	16	13	4	.....	.....	.....
17	Meningitis	17	3	1	5	1	.....	3	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	120	.....	.....	.....	.....	.....	.....	.....	.....	2	16	29	32	29	11	1	.....	.....
19	Organic diseases of the heart	195	1	.....	.....	.....	.....	.....	2	5	18	18	37	53	40	17	4	.....	.....
20	Acute bronchitis	36	22	6	3	1	.....	1	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
21	Chronic bronchitis	20	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	4	4	3	.....	.....	.....
22	Pneumonia	111	9	9	3	3	2	2	2	6	23	10	18	10	9	5	.....	.....	.....
23a	Bronchopneumonia	90	33	13	5	4	1	1	1	2	1	4	5	8	7	5	.....	.....	.....
23b	Other diseases of the respiratory system	18	1	.....	1	.....	1	2	1	1	2	2	3	2	1	.....	1	.....	.....
24	Diseases of the stomach	11	2	.....	.....	.....	.....	.....	.....	.....	1	4	2	.....	2	.....	.....	.....	.....
25 (37)	Diarrhea and enteritis	203	172	18	7	1	.....	.....	.....	.....	1	.....	1	2	.....	.....	1	.....	.....
26	Appendicitis and typhlitis	24	.....	.....	1	.....	.....	1	10	4	4	4	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	11	1	.....	.....	.....	1	.....	1	.....	1	2	1	1	3	.....	.....	.....	.....
28	Cirrhosis of the liver	10	.....	.....	.....	.....	.....	.....	.....	.....	2	6	1	1	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	98	1	.....	1	.....	.....	1	4	3	12	22	22	19	9	4	.....	.....	.....
30	Diseases of the female genital organs	10	.....	.....	.....	.....	.....	.....	.....	3	4	2	1	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	7	.....	.....	.....	.....	.....	.....	1	5	1	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	16	.....	.....	.....	.....	.....	.....	1	7	4	4	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	133	133	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	6	.....	.....	.....
35	Violent deaths (suicide excepted)	105	4	2	7	2	2	11	7	9	13	14	15	7	3	7	.....	.....	2
36	Suicide	11	.....	.....	.....	.....	.....	.....	.....	3	.....	3	4	.....	1	.....	.....	.....	.....
(37)	All other defined diseases	337	50	6	5	2	2	8	6	9	15	25	46	72	62	24	5	.....	.....
38	Unknown or ill-defined diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WORCESTER, MASS.																		
	All causes	2,789	501	84	34	17	29	54	75	201	227	270	346	402	360	166	21	1	1
1	Typhoid fever	10						3	1	1	2	1	1	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox	9			1					4		2	1	1					
5	Measles	13	5	8															
6	Scarlet fever	7	1		2	1	2		1										
7	Whooping cough	31	24	4	3														
8	Diphtheria and croup	41	3	3	3	2	8	12	6	2	1		1						
9	Influenza	12		2	1						1	1	1	2	3	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	13	4	1					1	1	1	1	2	1	1				
13	Tuberculosis of the lungs	215	2	2	1				13	63	49	40	20	15	8	2			
14	Tuberculous meningitis	34	8	6	7		5	2	3		3								
15	Other forms of tuberculosis	23	2	1			2	2	3	4	3	2	2	1		1			
16	Cancer and other malignant tumors	169						1			11	25	42	56	26	7	1		
17	Meningitis	10	2	2	1		1	1		1		2							
18	Cerebral hemorrhage and softening	172									2	18	26	55	44	21	6		
19	Organic diseases of the heart	410			1		2	2	7	14	19	42	64	100	104	51	4		
20	Acute bronchitis	28	16	2	1								1	2	3	3			
21	Chronic bronchitis	9											1	2	2	4			
22	Pneumonia	210	28	9		2	2	2	2	13	30	21	29	34	27	10	1		
23a	Bronchopneumonia	107	40	11	5	1	1	1				2	9	10	16	8	3		
23b	Other diseases of the respiratory system	13	2	2				1			1	3		1	2			1	
24	Diseases of the stomach	27	4	2					2	2	6	2	3	1	4	1			
25(37)	Diarrhea and enteritis	173	127	15	3	5	3	3		1	2	2	2	4	5		1		
26	Appendicitis and typhlitis	32		1				5	5	9	3	5	2		1	1			
27	Hernia, intestinal obstruction	18	2	1				1	1	1		5	3		2	1	1		
28	Cirrhosis of the liver	14										2	5	3	4				
29	Acute nephritis and Bright's disease	158				1			1	6	11	21	36	39	28	14			1
30	Diseases of the female genital organs	13							1	2	3	4	3						
31	Puerperal septicemia	30								18	10	2							
32	Other puerperal affections	18								6	10	2							
33	Congenital debility and malformations	159	149	3				4	1	1		1							
34	Senility	10													3	6	1		
35	Violent deaths (suicide excepted)	183	10	2	2	3	2	9	15	33	19	17	26	25	11	7	2		
36	Suicide	23								6	5	4	4	2	2				
(37)	All other defined diseases	393	72	7	3	2	1	5	12	12	35	43	62	46	64	28	1		
38	Unknown or ill-defined diseases	2								1				1					
	DETROIT, MICH.																		
	All causes	11,736	2,714	521	269	167	138	439	415	1,218	1,325	1,076	1,124	1,072	836	365	51	3	3
1	Typhoid fever	110	1	1	2		2	5	20	32	30	10	5	1	1				
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox	1								1									
5	Measles	60	9	26	14	1	3	7											
6	Scarlet fever	147	8	23	23	14	8	36	12	16	3	3		1					
7	Whooping cough	153	94	38	8	7	3	2	1										
8	Diphtheria and croup	413	17	62	56	46	40	136	23	20	7	3	1	1	1				
9	Influenza	37	5			1	2	2	3	3	8	1	2	5	3	1	1		
10	Asiatic cholera																		
11	Cholera nostras	6	4										1		1				
12	Other epidemic diseases	65	28	3	1			2		4	4	9	7	2	4	1			
13	Tuberculosis of the lungs	852	15	6	2	2	1	5	77	280	229	127	69	24	13	1			1
14	Tuberculous meningitis	88	19	9	12	8	6	14	6	6	6	1		1					
15	Other forms of tuberculosis	51	2	2	3	1		1	8	16	7	4	5	2					
16	Cancer and other malignant tumors	478	1					2	5	14	46	85	122	118	64	19	1	1	
17	Meningitis	139	41	15	15	7	2	20	13	15	5	3		2	1				
18	Cerebral hemorrhage and softening	426	1	1				2	4	8	18	50	86	108	96	44	8		
19	Organic diseases of the heart	1,032	11	1		2		22	38	59	105	117	182	227	200	66	2		
20	Acute bronchitis	82	50	11	4				1	2	1			5	4	2	2		
21	Chronic bronchitis	49							1	2	1	3	5	12	14	9	2		
22	Pneumonia	1,100	188	56	31	17	9	19	17	120	205	147	115	101	55	17	2	1	
23a	Bronchopneumonia	546	272	71	29	10	10	14	7	12	11	18	18	27	29	17	1		
23b	Other diseases of the respiratory system	110	11	6	4	3	1	2	3	13	15	15	6	11	11	9			
24	Diseases of the stomach	152	41	9	1		2	3	1	12	17	19	23	11	10	2	1		
25(37)	Diarrhea and enteritis	816	606	119	29	15	8	10	3	3	4	5	3	3	7	1			
26	Appendicitis and typhlitis	171	1			2	2	17	26	44	42	14	13	6	4				
27	Hernia, intestinal obstruction	126	27	2	3		2	4	3	17	11	15	15	18	5	4			
28	Cirrhosis of the liver	107						1		1	12	20	27	25	16	5			
29	Acute nephritis and Bright's disease	519	13	3	2	1	4	7	19	34	48	64	105	107	81	29	2		
30	Diseases of the female genital organs	54							1	14	18	16	2	2	1				
31	Puerperal septicemia	87							9	47	28	3							
32	Other puerperal affections	85							5	44	30	6							
33	Congenital debility and malformations	843	837	4				1	1										
34	Senility	119											1	7	41	56	14		
35	Violent deaths (suicide excepted)	945	43	15	19	19	17	66	64	183	183	120	100	55	30	24	6	1	
36	Suicide	144							3	43	44	22	23	6	3				
(37)	Other defined diseases	1,612	368	37	11	10	16	39	40	153	185	175	186	183	140	58	9		2
38	Unknown or ill-defined diseases	10	1	1		1			1		1	1	2	1	1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
GRAND RAPIDS, MICH.																			
	All causes	1,738	252	75	17	13	7	42	66	90	116	148	183	278	292	141	18		
1	Typhoid fever	17						1	3	6	1	1	4	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	35	9	18			1	5	1	1									
6	Scarlet fever	2						1	1										
7	Whooping cough	12	7	3	1			1											
8	Diphtheria and croup	35	1	6	4	3	3	10	7	1									
9	Influenza	2												1		1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	2							2	3	1		2	1				
13	Tuberculosis of the lungs	105	2			1		1	15	23	26	16	10	6	5				
14	Tuberculous meningitis	15		1	5			3	2	2	1		1						
15	Other forms of tuberculosis	7		2						2	1	2							
16	Cancer and other malignant tumors	123							2		5	25	29	30	25	7			
17	Meningitis	6				1		1	2				2						
18	Cerebral hemorrhage and softening	121	1									8	17	39	40	15	1		
19	Organic diseases of the heart	227	3		1		1	2	5	5	11	20	23	68	68	20			
20	Acute bronchitis	31	22	3		1		1			2			1		1			
21	Chronic bronchitis	10	2											1	6	1			
22	Pneumonia	74	6	7		1		1	2	2	2	14	13	9	11	6			
23a	Bronchopneumonia	42	15	7	2				2	1		3	2	3	4	3			
23b	Other diseases of the respiratory system	19	1	3						3	3	1	1	4	2	1			
24	Diseases of the stomach	25	8	2				1				4	3	4	3				
25(37)	Diarrhea and enteritis	71	43	13		2	1	1		1	1	1		2	5	1			
26	Appendicitis and typhlitis	18		1					5	3	5	2	2						
27	Hernia, intestinal obstruction	19	1						2	2	2		3	4	5				
28	Cirrhosis of the liver	9									1	2	3	1	2				
29	Acute nephritis and Bright's disease	139	2						3	4	5	10	31	36	32	15	1		
30	Diseases of the female genital organs	11								4	2	2	1	2					
31	Puerperal septicemia	5								2	3								
32	Other puerperal affections	17							3	7	7								
33	Congenital debility and malformations	94	94																
34	Senility	84												3	24	44	13		
35	Violent deaths (suicide excepted)	94		1	2	2	1	2	3	12	11	7	16	19	14	4			
36	Suicide	13								2	3	3	2	2	1				
(37)	All other defined diseases	241	33	6	2	2		11	8	4	21	26	20	40	44	21	3		
38	Unknown or ill-defined diseases	4		2						1						1			
MINNEAPOLIS, MINN.																			
	All causes	4,413	620	80	54	36	28	76	178	412	448	472	580	614	505	266	44		
1	Typhoid fever	24						1	2	11	2	3	2	2		1			
2	Typhus fever																		
3	Malaria																		
4	Smallpox	1											1						
5	Measles	11	4	3			1	3											
6	Scarlet fever	11		2				4	1	3	1								
7	Whooping cough	18	12	2	2			1	1										
8	Diphtheria and croup	68	4	3	5	10	7	16	10	3	3	3	2	2					
9	Influenza	21	1		2			1	2		1	1	1	3	5	3	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	19	4							4	2	2	3	2	2				
13	Tuberculosis of the lungs	445	2	4	1	1	1	1	33	141	118	72	42	22	7				
14	Tuberculous meningitis	24	3	5	3	2		2	4	3		1	1						
15	Other forms of tuberculosis	34	1		1	1	2		5	5	9	3	4	1		2			
16	Cancer and other malignant tumors	389	1						4	9	15	79	94	112	56	18	1		
17	Meningitis	109	13	8	5	6	3	10	13	20	11	7	7	6					
18	Cerebral hemorrhage and softening	247							1	1	8	17	49	61	70	36	4		
19	Organic diseases of the heart	402	1					4	13	18	30	34	66	98	93	40	5		
20	Acute bronchitis	6	3	1											1	1			
21	Chronic bronchitis	16												2	6	7	1		
22	Pneumonia	285	16	8	3	1	1	2	5	24	28	35	50	51	41	19	1		
23a	Bronchopneumonia	149	64	15	8	4	1	2		1	2	3	5	11	17	13	3		
23b	Other diseases of the respiratory system	38	2	2			1			6	3	3	4	6	3	6	2		
24	Diseases of the stomach	27	5	1					2	3	6	2	7	7	3	1			
25(37)	Diarrhea and enteritis	115	66	15	11	1	2	1		2	4	4	2	2	2	3			
26	Appendicitis and typhlitis	68		1	2	2		3	13	13	12	11	6	3	1	1			
27	Hernia, intestinal obstruction	46	9	1			1		2	2	4	5	5	11	3	3			
28	Cirrhosis of the liver	29								2	3	4	8	4	8				
29	Acute nephritis and Bright's disease	365		1		2	1	3	5	9	28	30	75	83	75	49	4		
30	Diseases of the female genital organs	29							1	8	8	7	4		1				
31	Puerperal septicemia	14							1	5	8								
32	Other puerperal affections	31								13	15	3							
33	Congenital debility and malformations	298	292	2	3	1													
34	Senility	24											1		5	11	7		
35	Violent deaths (suicide excepted)	275	9	5	4	5	2	10	22	48	40	39	32	26	22	9	2		
36	Suicide	63							1	12	16	11	10	10	2	1			
(37)	All other defined diseases	700	107	1	4		5	12	37	46	71	93	98	89	82	42	13		
38	Unknown or ill-defined diseases	2	1										1						

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ST. PAUL, MINN.																			
	All causes	2,724	379	50	22	28	18	56	111	250	290	292	396	342	301	162	27	.....	.....
1	Typhoid fever	6	.....	.....	.....	.....	.....	.....	.....	4	.....	2	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	13	2	6	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	8	1	.....	1	2	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	41	3	3	3	7	4	11	5	.....	2	1	2	.....	.....	.....	.....	.....	.....
9	Influenza	19	4	.....	.....	1	.....	1	1	1	3	2	2	1	2	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	17	8	.....	.....	.....	.....	.....	.....	.....	3	.....	1	4	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	289	6	4	1	.....	.....	.....	24	83	67	49	37	15	3	.....	.....	.....	.....
14	Tuberculous meningitis	23	3	3	2	1	1	3	3	3	.....	2	1	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	29	.....	1	.....	1	1	.....	2	6	7	5	4	1	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	233	.....	1	.....	1	.....	2	4	4	15	41	71	58	29	7	.....	.....	.....
17	Meningitis	35	5	6	1	1	1	1	10	4	1	3	1	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	142	1	.....	.....	.....	.....	.....	1	.....	4	7	30	39	31	29	.....	.....	.....
19	Organic diseases of the heart	320	.....	.....	.....	.....	.....	1	7	11	23	26	67	76	74	32	3	.....	.....
20	Acute bronchitis	10	4	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	1	1	.....	.....
21	Chronic bronchitis	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	5	1	.....	.....
22	Pneumonia	153	8	3	.....	.....	1	2	.....	15	18	25	33	22	19	7	.....	.....	.....
23*a*	Bronchopneumonia	85	32	8	3	.....	.....	.....	.....	1	3	2	.....	3	15	15	3	.....	.....
23*b*	Other diseases of the respiratory system	18	.....	.....	.....	.....	.....	.....	1	2	3	4	1	3	1	2	1	.....	.....
24	Diseases of the stomach	16	4	.....	.....	.....	.....	1	.....	1	1	1	3	3	1	1	.....	.....	.....
25(37)	Diarrhea and enteritis	78	60	5	2	1	3	.....	.....	.....	.....	1	1	3	2	.....	.....	.....	.....
26	Appendicitis and typhlitis	59	.....	.....	2	.....	2	7	10	10	9	9	8	1	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	24	3	1	.....	1	.....	.....	1	1	2	1	6	4	4	.....	.....	.....	.....
28	Cirrhosis of the liver	22	.....	.....	.....	.....	.....	.....	1	1	2	1	7	2	7	1	.....	.....	.....
29	Acute nephritis and Bright's disease	175	1	.....	.....	.....	1	1	5	7	11	19	31	34	45	17	3	.....	.....
30	Diseases of the female genital organs	18	.....	.....	.....	.....	.....	.....	.....	4	3	8	3	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	15	.....	.....	.....	.....	.....	.....	.....	8	7	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	11	.....	.....	.....	.....	.....	.....	.....	3	7	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	169	168	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	16	3	.....	.....
35	Violent deaths (suicide excepted)	203	5	3	5	5	2	15	11	33	33	24	24	11	17	9	.....	.....	.....
36	Suicide	39	.....	.....	.....	.....	.....	.....	.....	15	10	2	9	2	.....	1	.....	.....	.....
(37)	All other defined diseases	418	56	2	1	6	1	9	23	31	51	56	51	54	47	18	12	.....	.....
38	Unknown or ill-defined diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
KANSAS CITY, MO. (TOTAL).																			
	All Causes	5,008	585	130	76	42	38	108	204	504	626	623	635	635	529	242	28	1	2
1	Typhoid fever	37	.....	.....	.....	.....	1	1	7	8	10	5	1	3	.....	.....	1	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	7	1	1	1	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
4	Smallpox	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	57	4	13	7	3	4	1	7	15	2	.....	1	.....	.....	.....	.....	.....	.....
6	Scarlet fever	34	4	5	5	2	7	1	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	49	23	12	7	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	88	5	10	12	8	9	32	4	6	1	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	37	6	2	1	1	.....	2	.....	.....	4	4	6	3	4	3	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	26	5	.....	.....	1	.....	.....	1	3	.....	2	3	7	3	1	.....	.....	.....
13	Tuberculosis of the lungs	460	6	4	1	.....	.....	2	37	130	134	73	42	21	8	2	.....	.....	.....
14	Tuberculous meningitis	22	5	4	.....	1	2	2	4	1	1	2	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	31	2	2	.....	1	1	2	3	7	8	1	2	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	309	.....	.....	.....	1	.....	1	4	9	22	50	87	78	45	12	.....	.....	.....
17	Meningitis	44	4	3	2	1	1	5	8	4	4	2	7	2	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	188	.....	.....	.....	.....	.....	.....	.....	1	5	19	37	42	61	23	.....	.....	.....
19	Organic diseases of the heart	444	1	.....	.....	1	1	3	12	17	40	68	82	84	93	38	4	.....	.....
20	Acute bronchitis	20	9	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	2	3	2	.....	.....
21	Chronic bronchitis	28	.....	.....	.....	.....	.....	.....	.....	2	.....	4	.....	7	8	6	1	.....	.....
22	Pneumonia	423	28	11	8	4	2	6	10	41	53	66	63	60	48	22	1	.....	.....
23*a*	Bronchopneumonia	163	73	17	7	3	1	2	5	3	9	5	5	10	16	6	1	.....	.....
23*b*	Other diseases of the respiratory system	34	3	.....	1	.....	.....	.....	1	4	4	3	5	4	5	2	2	.....	.....
24	Diseases of the stomach	37	6	.....	.....	1	.....	.....	1	.....	5	7	7	4	3	3	.....	.....	.....
25(37)	Diarrhea and enteritis	175	107	23	10	2	1	5	1	2	5	4	2	5	4	4	.....	.....	.....
26	Appendicitis and typhlitis	74	.....	.....	1	.....	2	5	11	18	13	14	3	3	3	.....	.....	.....	1
27	Hernia, intestinal obstruction	52	10	1	.....	2	.....	1	1	4	4	6	10	7	3	3	.....	.....	.....
28	Cirrhosis of the liver	40	.....	.....	.....	.....	.....	.....	.....	4	4	9	9	8	5	1	.....	.....	.....
29	Acute nephritis and Bright's disease	457	5	.....	1	.....	.....	2	12	15	34	66	75	105	94	45	2	.....	1
30	Diseases of the female genital organs	55	.....	.....	.....	.....	.....	.....	3	17	13	13	5	3	1	.....	.....	.....	.....
31	Puerperal septicemia	35	.....	.....	.....	.....	.....	.....	4	17	11	3	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	35	.....	.....	.....	.....	.....	.....	1	18	11	5	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	187	182	1	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	6	2	.....	.....
35	Violent deaths (suicide excepted)	410	7	6	6	3	3	9	23	73	95	60	54	29	18	21	3	.....	.....
36	Suicide	96	.....	.....	.....	.....	.....	.....	8	19	21	20	11	13	4	.....	.....	.....	.....
(37)	All other defined diseases	834	88	13	5	4	1	20	28	61	108	110	114	134	98	41	8	1	.....
38	Unknown or ill-defined diseases	8	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	1	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

KANSAS CITY, MO. (WHITE).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	All causes	4,216	502	106	66	37	34	96	167	398	449	494	540	578	488	234	25	.....	2
1	Typhoid fever	30	.....	.....	.....	.....	1	1	4	8	8	4	1	3	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	4	1	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	57	4	13	7	3	4	1	7	15	2	.....	1	.....	.....	.....	.....	.....	.....
6	Scarlet fever	31	2	5	5	2	6	1	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	36	19	9	4	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	84	5	10	12	8	9	31	4	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	30	4	2	1	1	.....	1	.....	.....	3	3	4	3	4	3	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	23	4	.....	.....	1	.....	.....	1	3	.....	2	3	6	2	1	.....	.....	.....
13	Tuberculosis of the lungs	316	6	2	.....	.....	.....	1	24	89	80	55	31	18	8	2	.....	.....	.....
14	Tuberculous meningitis	19	4	4	.....	1	1	1	4	1	1	2	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	25	2	1	.....	1	1	.....	2	5	8	1	2	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	290	.....	.....	.....	1	.....	1	4	9	20	44	81	74	44	12	.....	.....	.....
17	Meningitis	38	3	2	2	1	1	4	8	3	3	2	7	1	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	173	.....	.....	.....	.....	.....	.....	.....	.....	4	15	34	39	58	23	.....	.....	.....
19	Organic diseases of the heart	352	1	.....	.....	1	1	3	12	13	24	41	59	74	83	36	4	.....	.....
20	Acute bronchitis	14	5	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	2	3	2	.....	.....
21	Chronic bronchitis	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	6	8	6	1	.....	.....
22	Pneumonia	348	23	8	5	3	2	6	8	30	34	54	54	55	43	22	1	.....	.....
23a	Bronchopneumonia	124	55	12	6	3	.....	2	.....	2	6	3	3	9	16	6	1	.....	.....
23b	Other diseases of the respiratory system	29	3	.....	1	.....	.....	.....	.....	3	3	2	4	4	5	2	2	.....	.....
24	Diseases of the stomach	33	4	.....	.....	1	.....	.....	1	.....	4	7	6	4	3	3	.....	.....	.....
25(37)	Diarrhea and enteritis	147	91	21	10	1	1	4	1	2	3	1	1	4	3	4	.....	.....	1
26	Appendicitis and typhlitis	72	.....	.....	1	.....	2	5	11	16	13	14	3	3	3	.....	.....	.....	.....
27	Hernia, intestinal obstruction	50	10	1	.....	2	.....	1	1	3	3	6	10	7	3	3	.....	.....	.....
28	Cirrhosis of the liver	40	.....	.....	.....	.....	.....	.....	.....	4	4	9	9	8	5	1	.....	.....	.....
29	Acute nephritis and Bright's disease	379	4	.....	1	.....	.....	2	9	14	22	51	62	91	80	41	1	.....	1
30	Diseases of the female genital organs	48	.....	.....	.....	.....	.....	.....	3	15	10	13	3	3	1	.....	.....	.....	.....
31	Puerperal septicemia	32	.....	.....	.....	.....	.....	.....	4	15	10	3	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	31	.....	.....	.....	.....	.....	.....	1	17	8	5	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	179	174	1	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	6	2	.....	.....
35	Violent deaths (suicide excepted)	334	5	5	4	3	3	8	19	55	71	46	46	28	17	21	3	.....	.....
36	Suicide	91	.....	.....	.....	.....	.....	.....	8	17	18	20	11	13	4	.....	.....	.....	.....
(37)	All other defined diseases	715	73	10	5	3	1	17	23	50	83	87	102	122	93	39	7	.....	.....
38	Unknown or ill-defined diseases	7	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	1	.....	.....	.....	.....	.....

KANSAS CITY, MO. (COLORED).

	All causes	792	83	24	10	5	4	12	37	106	177	129	95	57	41	8	3	1	.....
1	Typhoid fever	7	.....	.....	.....	.....	.....	.....	3	.....	2	1	.....	.....	.....	.....	1	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	13	4	3	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	4	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	7	2	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	144	.....	2	1	.....	.....	1	13	41	54	18	11	3	.....	.....	.....	.....	.....
14	Tuberculous meningitis	3	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	6	.....	1	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	19	.....	.....	.....	.....	.....	.....	.....	.....	2	6	6	4	1	.....	.....	.....	.....
17	Meningitis	6	1	1	.....	.....	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	15	.....	.....	.....	.....	.....	.....	.....	1	1	4	3	3	3	.....	.....	.....	.....
19	Organic diseases of the heart	92	.....	.....	.....	.....	.....	.....	.....	4	16	27	23	10	10	2	.....	.....	.....
20	Acute bronchitis	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....
22	Pneumonia	75	5	3	3	1	.....	.....	2	11	19	12	9	5	5	.....	.....	.....	.....
23a	Bronchopneumonia	39	18	5	1	.....	1	.....	5	1	3	2	2	1	.....	.....	.....	.....	.....
23b	Other diseases of the respiratory system	5	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....
24	Diseases of the stomach	4	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	28	16	2	.....	1	.....	1	.....	.....	2	3	1	1	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	78	1	.....	.....	.....	.....	.....	3	1	12	15	13	14	14	4	1	.....	.....
30	Diseases of the female genital organs	7	.....	.....	.....	.....	.....	.....	.....	2	3	.....	2	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	4	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	8	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Violent deaths (suicide excepted)	76	2	1	2	.....	.....	1	4	18	24	14	8	1	1	.....	.....	.....	.....
36	Suicide	5	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....
(37)	All other defined diseases	119	15	3	.....	1	.....	3	5	11	25	23	12	12	5	2	1	1	.....
38	Unknown or ill-defined diseases	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ST. LOUIS, MO. (TOTAL).																			
	All causes	11,584	1,252	363	186	106	82	283	467	954	1,283	1,465	1,619	1,592	1,301	546	76	6	3
1	Typhoid fever	63	.....	.....	2	.....	.....	5	17	21	7	5	5	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	12	.....	.....	.....	.....	2	.....	3	.....	2	3	1	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	140	20	44	28	11	11	12	4	7	.....	3	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	56	2	9	3	6	7	22	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	32	13	10	5	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	223	9	41	31	33	23	66	11	5	4	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	166	23	10	6	3	2	8	7	6	8	10	15	26	26	14	2	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	80	15	5	2	.....	.....	1	1	3	5	10	10	8	13	6	1	.....	.....
13	Tuberculosis of the lungs	1,068	15	6	7	1	1	7	98	274	283	197	121	46	10	2	.....	.....	.....
14	Tuberculous meningitis	64	17	8	4	2	2	7	6	6	5	4	2	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	64	2	2	2	2	.....	5	9	11	9	9	7	4	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	785	.....	.....	.....	.....	.....	3	6	12	68	149	206	202	114	23	2	.....	.....
17	Meningitis	118	17	9	10	4	1	9	14	17	13	14	5	5	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	413	3	1	.....	.....	.....	1	2	6	12	45	93	114	91	40	5	.....	.....
19	Organic diseases of the heart	1,122	1	1	2	2	1	15	46	50	92	158	208	247	211	79	8	1	.....
20	Acute bronchitis	103	37	8	3	.....	1	3	3	2	.....	1	5	4	13	20	3	.....	.....
21	Chronic bronchitis	78	.....	.....	.....	.....	.....	.....	.....	1	1	5	6	8	30	22	4	1	.....
22	Pneumonia	1,010	54	31	17	5	5	22	30	83	142	144	164	160	109	38	5	.....	1
23a	Bronchopneumonia	528	143	72	24	11	6	10	10	5	27	17	26	45	90	37	4	1	.....
23b	Other diseases of the respiratory system	82	4	4	1	3	1	3	3	3	6	4	19	15	10	6	.....	.....	.....
24	Diseases of the stomach	77	5	1	1	1	.....	2	1	9	13	12	13	13	4	2	.....	.....	.....
25(37)	Diarrhea and enteritis	433	282	62	17	5	1	5	4	8	4	9	10	7	12	5	2	.....	.....
26	Appendicitis and typhlitis	143	1	.....	2	1	2	9	34	32	28	16	8	7	3	.....	.....	.....	.....
27	Hernia, intestinal obstruction	122	17	3	1	1	1	4	3	10	8	19	18	20	14	1	2	.....	.....
28	Cirrhosis of the liver	186	.....	.....	.....	.....	.....	.....	2	5	20	40	53	40	17	7	1	.....	1
29	Acute nephritis and Bright's disease	1,306	3	2	2	.....	2	6	15	54	109	182	268	302	247	102	11	1	.....
30	Diseases of the female genital organs	74	.....	.....	.....	.....	.....	.....	1	11	26	32	1	3	.....	.....	.....	.....	.....
31	Puerperal septicemia	65	.....	.....	.....	.....	.....	.....	7	25	26	7	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	51	.....	.....	.....	.....	.....	.....	6	18	25	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	405	401	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	2	.....	.....
35	Violent deaths (suicide excepted)	739	4	9	6	4	7	30	57	129	124	128	97	73	56	12	3	.....	.....
36	Suicide	182	.....	.....	.....	.....	.....	.....	4	38	38	39	37	15	8	2	.....	.....	1
(37)	All other defined diseases	1,584	163	24	10	11	5	25	57	101	176	200	220	226	220	123	21	2	.....
38	Unknown or ill-defined diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
ST. LOUIS, MO. (WHITE).																			
	All causes	9,949	1,090	308	159	87	76	249	366	742	994	1,199	1,404	1,450	1,233	520	70	1	1
1	Typhoid fever	48	.....	.....	2	.....	.....	4	16	12	6	5	2	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	11	.....	.....	.....	.....	2	.....	3	.....	2	2	1	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	123	19	41	25	7	10	10	2	6	.....	3	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	56	2	9	3	6	7	22	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	27	12	8	4	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	201	9	37	29	29	23	63	7	3	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	152	19	8	4	3	2	8	7	6	7	10	13	24	25	14	2	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	72	13	4	1	.....	.....	.....	1	2	5	10	10	8	12	5	1	.....	.....
13	Tuberculosis of the lungs	805	14	3	5	.....	.....	3	62	206	204	151	108	38	9	2	.....	.....	.....
14	Tuberculous meningitis	45	13	7	3	2	2	4	3	3	4	2	1	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	44	1	.....	2	2	.....	1	6	7	6	7	7	3	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	734	.....	.....	.....	.....	.....	3	5	11	56	133	195	195	111	23	2	.....	.....
17	Meningitis	89	16	9	10	3	1	8	9	9	6	11	2	5	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	373	3	1	.....	.....	.....	.....	2	4	9	39	84	101	88	39	3	.....	.....
19	Organic diseases of the heart	932	1	.....	2	2	1	14	44	37	58	114	161	220	199	71	7	1	.....
20	Acute bronchitis	93	33	6	2	.....	1	3	2	2	.....	.....	5	4	13	19	3	.....	.....
21	Chronic bronchitis	73	.....	.....	.....	.....	.....	.....	.....	1	.....	3	5	8	30	22	4	.....	.....
22	Pneumonia	800	39	25	13	3	5	17	20	52	99	112	130	143	102	36	4	.....	.....
23a	Bronchopneumonia	437	111	57	17	7	4	10	8	4	24	12	21	37	85	36	4	.....	.....
23b	Other diseases of the respiratory system	74	3	3	1	3	.....	3	2	3	5	4	17	15	9	6	.....	.....	.....
24	Diseases of the stomach	68	4	.....	1	.....	.....	1	1	8	11	11	12	13	4	2	.....	.....	.....
25(37)	Diarrhea and enteritis	385	251	57	16	4	.....	4	3	8	4	6	10	5	11	4	2	.....	.....
26	Appendicitis and typhlitis	133	1	.....	2	1	2	9	32	32	22	16	7	6	3	.....	.....	.....	.....
27	Hernia, intestinal obstruction	107	17	3	1	1	1	3	2	7	7	14	14	20	14	1	2	.....	.....
28	Cirrhosis of the liver	169	.....	.....	.....	.....	.....	.....	.....	3	17	36	51	37	17	7	1	.....	.....
29	Acute nephritis and Bright's disease	1,128	3	2	2	.....	2	6	11	37	82	144	230	271	230	97	11	.....	.....
30	Diseases of the female genital organs	63	.....	.....	.....	.....	.....	.....	.....	11	21	27	1	3	.....	.....	.....	.....	.....
31	Puerperal septicemia	57	.....	.....	.....	.....	.....	.....	5	21	24	7	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	44	.....	.....	.....	.....	.....	.....	4	16	22	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	362	358	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	2	.....	.....
35	Violent deaths (suicide excepted)	638	4	9	5	3	7	27	50	101	98	116	78	72	53	12	3	.....	.....
36	Suicide	178	.....	.....	.....	.....	.....	.....	4	38	37	38	37	13	8	2	.....	.....	1
(37)	All other defined diseases	1,418	143	18	9	11	5	24	49	90	155	163	201	207	207	117	19	.....	.....
38	Unknown or ill-defined diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ST. LOUIS, MO. (COLORED).																			
	All causes	1,635	162	55	27	19	6	34	101	212	289	266	215	142	68	26	6	5	2
1	Typhoid fever	15						1	1	9	1		3						
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox																		
5	Measles	17	1	3	3	4	1	2	2	1									
6	Scarlet fever																		
7	Whooping cough	5	1	2	1			1											
8	Diphtheria and croup	22		4	2	4		3	4	2	3								
9	Influenza	14	4	2	2						1		2	2	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	2	1	1			1		1					1	1			
13	Tuberculosis of the lungs	263	1	3	2	1	1	4	36	68	79	46	13	8	1				
14	Tuberculous meningitis	19	4	1	1			3	3	3	1	2	1						
15	Other forms of tuberculosis	20	1	2				4	3	4	3	2		1					
16	Cancer and other malignant tumors	51							1	1	12	16	11	7	3				
17	Meningitis	29	1			1		1	5	8	7	3	3						
18	Cerebral hemorrhage and softening	40						1		2	3	6	9	13	3	1	2		
19	Organic diseases of the heart	190		1				1	2	13	34	44	47	27	12	8	1		
20	Acute bronchitis	10	4	2	1				1			1				1			
21	Chronic bronchitis	5									1	2	1				1		
22	Pneumonia	210	15	6	4	2		5	10	31	43	32	34	17	7	2	1		1
23a	Bronchopneumonia	91	32	15	7	4	2		2	1	3	5	5	8	5	1		1	
23b	Other diseases of the respiratory system	8	1	1			1		1		1		2		1				
24	Diseases of the stomach	9	1	1		1		1		1	2	1	1						
25(37)	Diarrhea and enteritis	48	31	5	1	1	1	1	1			3		2	1	1			
26	Appendicitis and typhlitis	10							2		6		1	1					
27	Hernia, intestinal obstruction	15						1	1	3	1	5	4						
28	Cirrhosis of the liver	17							2	2	3	4	2	3					1
29	Acute nephritis and Bright's disease	178							4	17	27	38	38	31	17	5		1	
30	Diseases of the female genital organs	11							1		5	5							
31	Puerperal septicemia	8							2	4	2								
32	Other puerperal affections	7							2	2	3								
33	Congenital debility and malformations	43	43																
34	Senility																		
35	Violent deaths (suicide excepted)	101			1	1		3	7	28	26	12	19	1	3				
36	Suicide	4									1	1		2					
(37)	All other defined diseases	166	20	6	1			1	8	11	21	37	19	19	13	6	2	2	
38	Unknown or ill-defined diseases																		
OMAHA, NEBR.																			
	All causes	2,316	279	65	30	18	15	56	90	187	252	255	325	329	282	118	11		4
1	Typhoid fever	8						1	1	1	4		1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	26	6	10	3		1	4	2										
6	Scarlet fever	10	2	1			1	1	2	1	2								
7	Whooping cough	22	11	6	2			2	1										
8	Diphtheria and croup	18	1		3		5	5	2	1			1						
9	Influenza	17	2		1			1			2	2	1	1	2	5			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	9									1		1	2	5				
13	Tuberculosis of the lungs	100	1				1	2	9	48	34	22	20	15	7	1			
14	Tuberculous meningitis	17	5	4	1		1	2	1	1	2								
15	Other forms of tuberculosis	12			1			1	2	1	3	1	2			1			
16	Cancer and other malignant tumors	174		1					2	5	13	32	43	39	32	6			1
17	Meningitis	23	4	3	1		2	5	2	1	2	2			1				
18	Cerebral hemorrhage and softening	104								3	4	12	19	27	25	14			
19	Organic diseases of the heart	206							10	6	14	21	37	55	42	20	1		
20	Acute bronchitis	4	3										1						
21	Chronic bronchitis	8											1	3	1	3			
22	Pneumonia	228	9	2	4	1		1	8	23	35	31	40	42	23	9			
23a	Bronchopneumonia	132	58	16	4	4	1	6	4		1	1	2	5	18	11	1		
23b	Other diseases of the respiratory system	31	1	2					1	3	5	3	4	3	6	2	1		
24	Diseases of the stomach	19	6							1	2	1	2	4	2	1			
25(37)	Diarrhea and enteritis	53	34	7		3		1		1	1	3	1		2				
26	Appendicitis and typhlitis	54				1	1	5	9	14	7	11	4	1	1				
27	Hernia, intestinal obstruction	47	1	1	2	2	1	1	1	1	7	7	7	6	9	1			
28	Cirrhosis of the liver	16									2	4	5	2	3				
29	Acute nephritis and Bright's disease	159		2			1	1		4	18	18	37	36	32	8	1		1
30	Diseases of the female genital organs	27								4	6	7	10						
31	Puerperal septicemia	24							1	13	10								
32	Other puerperal affections	11							1	5	5								
33	Congenital debility and malformations	106	103		1				1	1									
34	Senility	24													8	13	3		
35	Violent deaths (suicide excepted)	143	3	7	4	3		6	12	20	23	19	13	14	11	7			1
36	Suicide	29								6	10	5	5	3					
(37)	All other defined diseases	391	28	2	3	4		11	18	23	39	53	68	71	51	16	4		
38	Unknown or ill-defined diseases	4	1	1											1				1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
JERSEY CITY, N. J.																			
	All causes	4,528	793	211	76	55	28	84	160	331	418	592	622	549	434	153	21	.....	1
1	Typhoid fever	11	.....	.....	.....	.....	.....	.....	4	5	1	1	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	27	7	9	7	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	9	1	2	1	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	29	10	10	6	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	61	3	10	10	9	8	17	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	34	1	1	1	2	.....	1	.....	.....	2	4	4	3	7	7	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
12	Other epidemic diseases	12	5	1	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	2	.....	.....	.....
13	Tuberculosis of the lungs	421	2	.....	.....	1	.....	1	31	107	102	103	56	15	3	.....	.....	.....	.....
14	Tuberculous meningitis	30	6	5	4	3	1	5	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	18	1	.....	.....	.....	1	1	4	3	2	3	2	.....	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	216	.....	.....	1	.....	.....	.....	1	4	8	48	59	55	35	5	.....	.....	.....
17	Meningitis	45	7	7	6	2	.....	4	6	5	3	1	4	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	226	.....	.....	.....	.....	.....	.....	.....	2	6	23	47	63	64	19	2	.....	.....
19	Organic diseases of the heart	515	.....	1	.....	.....	1	7	13	26	35	66	93	120	104	42	7	.....	.....
20	Acute bronchitis	54	32	6	1	.....	.....	1	1	1	1	1	2	2	4	2	.....	.....	.....
21	Chronic bronchitis	19	1	.....	.....	.....	.....	.....	1	.....	1	2	.....	4	5	4	1	.....	.....
22	Pneumonia	410	33	26	10	6	2	9	13	27	46	69	63	53	44	3	1	.....	.....
23a	Bronchopneumonia	198	89	43	11	4	3	5	1	.....	7	7	3	4	13	8	.....	.....	.....
23b	Other diseases of the respiratory system	51	3	4	.....	1	1	1	3	6	4	7	8	4	6	3	.....	.....	.....
24	Diseases of the stomach	28	3	1	1	.....	1	.....	.....	.....	2	9	3	3	3	2	.....	.....	.....
25(37)	Diarrhea and enteritis	335	237	58	7	5	2	1	4	1	4	4	4	3	2	2	1	.....	.....
26	Appendicitis and typhlitis	31	.....	.....	.....	.....	1	3	3	8	7	5	1	2	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	28	2	1	.....	.....	.....	.....	.....	.....	2	6	7	3	7	.....	.....	.....	.....
28	Cirrhosis of the liver	56	.....	.....	.....	.....	.....	.....	.....	1	6	23	14	9	2	1	.....	.....	.....
29	Acute nephritis and Bright's disease	417	1	4	1	1	.....	2	10	19	44	71	96	97	52	16	3	.....	.....
30	Diseases of the female genital organs	14	.....	.....	.....	.....	.....	.....	.....	2	4	2	2	2	1	1	.....	.....	.....
31	Puerperal septicemia	22	.....	.....	.....	.....	.....	.....	1	11	9	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	39	.....	.....	.....	.....	.....	.....	3	16	17	3	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	238	235	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	6	6	2	.....	.....
35	Violent deaths (suicide excepted)	332	8	5	6	11	6	14	24	56	43	52	47	28	19	7	1	.....	.....
36	Suicide	38	.....	.....	.....	.....	.....	.....	.....	5	7	10	9	4	3	.....	.....	.....	.....
(37)	All other defined diseases	537	100	8	2	6	.....	7	29	23	48	69	95	73	52	22	2	.....	1
38	Unknown or ill-defined diseases	8	1	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
NEWARK, N. J.																			
	All causes	5,946	1,031	237	77	53	33	131	220	438	599	701	790	792	584	234	25	1	.....
1	Typhoid fever	17	.....	.....	.....	.....	.....	1	4	3	2	4	3	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	7	.....	2	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	57	30	20	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	26	1	6	7	3	1	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	43	11	2	3	2	1	3	.....	2	2	4	2	4	5	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	25	10	4	.....	1	.....	1	1	1	1	.....	1	1	3	1	.....	.....	.....
13	Tuberculosis of the lungs	613	4	7	2	3	1	2	52	142	147	125	84	29	12	2	1	.....	.....
14	Tuberculous meningitis	45	16	6	5	2	2	4	3	5	2	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	46	1	2	3	1	2	7	9	6	5	6	3	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	369	.....	.....	2	.....	.....	1	.....	7	29	62	98	102	52	16	.....	.....	.....
17	Meningitis	43	7	4	3	1	1	7	6	6	4	4	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	321	.....	.....	.....	.....	.....	.....	.....	4	12	31	58	103	68	39	6	.....	.....
19	Organic diseases of the heart	663	3	2	.....	.....	1	12	19	26	49	81	121	143	133	65	8	.....	.....
20	Acute bronchitis	91	63	9	1	1	1	1	.....	.....	.....	.....	.....	4	4	5	2	.....	.....
21	Chronic bronchitis	20	.....	3	.....	.....	.....	.....	.....	.....	.....	2	1	2	5	4	3	.....	.....
22	Pneumonia	520	46	27	13	5	4	6	22	54	81	84	79	57	31	10	1	.....	.....
23a	Bronchopneumonia	168	63	38	5	6	6	2	1	4	.....	5	9	8	13	7	.....	1	.....
23b	Other diseases of the respiratory system	66	10	7	3	.....	.....	2	5	.....	5	11	12	6	2	3	.....	.....	.....
24	Diseases of the stomach	48	8	.....	.....	.....	.....	1	.....	10	8	12	4	2	2	1	.....	.....	.....
25(37)	Diarrhea and enteritis	378	282	66	2	3	2	2	3	2	3	5	.....	3	2	3	.....	.....	.....
26	Appendicitis and typhlitis	50	.....	.....	.....	.....	.....	4	9	6	13	7	7	2	2	.....	.....	.....	.....
27	Hernia, intestinal obstruction	30	7	1	.....	.....	.....	.....	.....	3	1	2	4	6	5	1	.....	.....	.....
28	Cirrhosis of the liver	78	.....	.....	.....	.....	.....	.....	.....	1	12	18	23	14	7	3	.....	.....	.....
29	Acute nephritis and Bright's disease	612	3	3	2	.....	.....	1	12	22	57	79	120	153	132	26	2	.....	.....
30	Diseases of the female genital organs	27	.....	.....	.....	.....	.....	.....	.....	5	11	6	3	2	.....	.....	.....	.....	.....
31	Puerperal septicemia	20	.....	.....	.....	.....	.....	.....	1	11	7	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	34	.....	.....	.....	.....	.....	.....	2	15	16	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	325	324	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	4	1	.....	.....
35	Violent deaths (suicide excepted)	406	17	10	10	11	8	30	37	43	55	60	44	45	26	9	1	.....	.....
36	Suicide	64	.....	.....	.....	.....	.....	.....	1	11	18	11	13	9	1	.....	.....	.....	.....
(37)	All other defined diseases	719	125	15	9	10	2	36	31	49	57	81	100	91	76	34	3	.....	.....
38	Unknown or ill-defined diseases	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PATERSON, N. J.																			
	All causes	1,964	263	47	27	10	13	52	61	123	191	216	284	309	246	101	15	.....	6
1	Typhoid fever	17	.....	.....	1	.....	.....	.....	3	4	5	2	1	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	7	1	3	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	10	5	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	17	.....	3	3	3	2	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	6	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....
13	Tuberculosis of the lungs	175	.....	.....	.....	.....	.....	2	11	36	50	31	25	16	4	.....	.....	.....	.....
14	Tuberculous meningitis	5	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	14	1	.....	1	.....	1	3	1	2	3	1	.....	.....	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	132	.....	1	.....	.....	.....	1	3	2	9	21	38	32	19	6	.....	.....	.....
17	Meningitis	5	3	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	102	1	.....	.....	.....	.....	.....	.....	1	1	6	15	30	31	16	1	.....	.....
19	Organic diseases of the heart	276	2	.....	.....	.....	1	3	5	13	22	25	45	81	56	20	3	.....	.....
20	Acute bronchitis	8	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
21	Chronic bronchitis	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	3	.....	.....	.....
22	Pneumonia	193	15	16	10	1	1	6	7	13	14	27	27	33	18	5	.....	.....	.....
23a	Bronchopneumonia	58	30	6	1	1	2	.....	.....	1	2	.....	1	3	5	6	.....	.....	.....
23b	Other diseases of the respiratory system	18	2	.....	1	.....	.....	.....	2	2	.....	3	1	5	1	.....	1	.....	.....
24	Diseases of the stomach	19	4	.....	.....	.....	.....	.....	.....	1	2	4	5	2	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	97	73	9	2	2	.....	.....	.....	1	1	.....	3	2	3	1	.....	.....	.....
26	Appendicitis and typhlitis	31	.....	.....	.....	.....	.....	2	6	11	5	3	2	1	.....	1	.....	.....	.....
27	Hernia, intestinal obstruction	21	3	.....	1	.....	.....	.....	.....	.....	3	.....	3	5	3	3	.....	.....	.....
28	Cirrhosis of the liver	23	.....	.....	.....	.....	.....	.....	.....	.....	2	6	5	6	2	2	.....	.....	.....
29	Acute nephritis and Bright's disease	210	1	2	.....	.....	.....	.....	3	5	10	31	47	35	61	13	2	.....	.....
30	Diseases of the female genital organs	17	.....	.....	.....	.....	.....	.....	.....	1	5	5	5	1	.....	.....	.....	.....	.....
31	Puerperal septicemia	5	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	10	.....	.....	.....	.....	.....	.....	.....	5	4	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	77	77	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	3	.....	.....
35	Violent deaths (suicide excepted)	143	2	2	2	1	4	18	8	10	23	15	19	15	10	7	1	.....	6
36	Suicide	24	.....	.....	.....	.....	.....	.....	3	2	8	6	3	2	.....	.....	.....	.....	.....
(37)	All other defined diseases	220	34	1	3	.....	1	7	7	11	18	25	37	35	25	12	4	.....	.....
38	Unknown or ill-defined diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
ALBANY, N. Y.																			
	All causes	2,039	246	51	27	11	8	27	60	128	166	261	265	338	321	116	14	.....	.....
1	Typhoid fever	13	.....	.....	.....	.....	.....	1	3	5	1	1	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
4	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
5	Measles	32	8	11	9	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	10	.....	2	4	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	19	1	1	.....	.....	.....	.....	.....	.....	.....	3	3	3	6	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	9	3	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	217	2	.....	.....	.....	.....	.....	19	43	46	67	22	15	2	1	.....	.....	.....
14	Tuberculous meningitis	12	1	3	2	.....	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	15	2	1	1	1	.....	2	2	3	1	2	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	160	.....	.....	.....	.....	.....	.....	1	3	8	24	43	40	35	6	.....	.....	.....
17	Meningitis	18	6	.....	1	2	1	2	.....	.....	.....	2	2	1	.....	1	.....	.....	.....
18	Cerebral hemorrhage and softening	143	1	.....	.....	.....	.....	1	.....	1	2	4	15	48	56	13	2	.....	.....
19	Organic diseases of the heart	265	.....	.....	.....	.....	.....	1	4	7	8	25	41	66	76	35	2	.....	.....
20	Acute bronchitis	5	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
21	Chronic bronchitis	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	3	2	.....	.....
22	Pneumonia	129	6	4	1	.....	.....	2	1	7	17	24	22	24	16	5	.....	.....	.....
23a	Bronchopneumonia	59	19	11	1	.....	.....	.....	.....	.....	3	3	7	4	7	4	.....	.....	.....
23b	Other diseases of the respiratory system	22	3	.....	.....	.....	.....	1	.....	2	1	4	2	5	2	2	.....	.....	.....
24	Diseases of the stomach	21	1	2	.....	.....	.....	.....	.....	3	6	2	1	4	1	1	.....	.....	.....
25(37)	Diarrhea and enteritis	61	40	8	2	.....	.....	.....	.....	.....	.....	2	.....	3	5	1	.....	.....	.....
26	Appendicitis and typhlitis	18	.....	.....	.....	.....	.....	2	3	5	1	4	2	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	20	2	.....	.....	.....	.....	.....	1	.....	1	5	2	6	3	.....	.....	.....	.....
28	Cirrhosis of the liver	20	.....	.....	.....	.....	.....	.....	.....	.....	1	6	4	8	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	164	3	.....	.....	.....	1	.....	2	4	13	22	36	40	32	11	.....	.....	.....
30	Diseases of the female genital organs	6	.....	.....	.....	.....	.....	.....	.....	1	.....	5	.....	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	8	.....	.....	.....	.....	.....	.....	1	2	4	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	13	.....	.....	.....	.....	.....	.....	.....	7	5	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	92	90	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....
35	Violent deaths (suicide excepted)	119	1	2	4	1	.....	10	14	20	16	16	11	9	9	5	1	.....	.....
36	Suicide	15	.....	.....	.....	.....	.....	.....	.....	2	4	1	3	2	3	.....	.....	.....	.....
(37)	All other defined diseases	332	54	2	1	2	3	2	8	12	26	34	43	57	59	23	6	.....	.....
38	Unknown or ill-defined diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BUFFALO, N. Y.																			
	All causes	7,649	1,402	231	92	59	44	159	231	657	732	886	1,061	975	713	346	60	1	.....
1	Typhoid fever	48	.....	1	1	.....	1	1	4	20	12	3	2	1	1	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	10	3	3	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	30	1	2	3	6	2	7	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	52	31	17	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	110	9	20	16	20	7	29	4	1	3	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	37	6	1	5	.....	.....	1	2	2	1	4	5	4	3	2	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	40	16	1	.....	.....	.....	1	.....	2	4	5	5	4	1	1	.....	.....	.....
13	Tuberculosis of the lungs	722	2	3	1	2	.....	7	54	225	178	139	80	19	8	4	.....	.....	.....
14	Tuberculous meningitis	54	14	8	6	3	2	8	5	3	2	2	.....	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	29	.....	1	1	.....	.....	2	4	7	6	6	2	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	465	.....	.....	.....	.....	.....	2	1	10	36	90	141	118	51	14	2	.....	.....
17	Meningitis	38	8	6	2	.....	.....	5	7	5	4	1	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	471	.....	.....	.....	.....	.....	1	.....	6	20	61	88	142	104	44	5	.....	.....
19	Organic diseases of the heart	817	2	.....	1	.....	2	10	21	34	38	78	143	209	169	97	13	.....	.....
20	Acute bronchitis	44	20	5	1	.....	.....	1	1	.....	.....	2	4	2	2	5	1	.....	.....
21	Chronic bronchitis	32	.....	.....	.....	.....	.....	.....	.....	1	1	4	6	6	6	6	2	.....	.....
22	Pneumonia	542	57	21	12	3	6	7	11	42	68	82	95	64	44	27	2	1	.....
23a	Bronchopneumonia	314	147	35	7	4	3	6	4	6	8	12	16	20	25	18	3	.....	.....
23b	Other diseases of the respiratory system	71	6	6	.....	1	.....	1	2	7	10	13	10	8	3	1	3	.....	.....
24	Diseases of the stomach	55	16	1	1	.....	1	.....	1	5	1	10	9	5	3	2	.....	.....	.....
25(37)	Diarrhea and enteritis	546	410	72	10	10	3	5	1	3	6	6	7	4	5	3	1	.....	.....
26	Appendicitis and typhlitis	91	.....	1	.....	.....	.....	5	15	20	12	18	13	6	.....	1	.....	.....	.....
27	Hernia, intestinal obstruction	63	14	1	.....	.....	.....	4	.....	6	5	8	8	8	8	1	.....	.....	.....
28	Cirrhosis of the liver	78	.....	.....	.....	.....	.....	.....	.....	1	7	22	24	13	10	1	.....	.....	.....
29	Acute nephritis and Bright's disease	620	6	1	2	2	.....	6	6	26	51	82	130	156	110	37	5	.....	.....
30	Diseases of the female genital organs	44	.....	.....	.....	.....	.....	.....	1	6	18	13	4	2	.....	.....	.....	.....	.....
31	Puerperal septicemia	27	.....	.....	.....	.....	.....	.....	2	13	11	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	39	.....	.....	.....	.....	.....	.....	3	17	17	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	413	407	3	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	8	3	.....	.....
35	Violent deaths (suicide excepted)	549	8	11	9	6	7	34	40	108	90	79	78	34	32	11	2	.....	.....
36	Suicide	50	.....	.....	.....	.....	.....	.....	1	8	13	6	11	7	4	.....	.....	.....	.....
(37)	All other defined diseases	1,133	219	10	8	2	9	13	35	69	110	137	179	141	122	62	17	.....	.....
38	Unknown or ill-defined diseases	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
NEW YORK, N. Y. (TOTAL).																			
	All causes	78,518	12,568	3,093	1,203	802	616	1,707	2,532	5,647	7,923	10,093	11,268	10,248	7,543	2,858	391	22	4
1	Typhoid fever	226	.....	.....	3	1	2	13	45	64	48	37	9	3	1	.....	.....	.....	.....
2	Typhus fever	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
3	Malaria	11	.....	.....	.....	.....	.....	.....	.....	2	1	2	2	3	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	578	153	260	92	29	17	20	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	140	6	21	21	25	19	25	12	9	1	.....	.....	.....	1	.....	.....	.....	.....
7	Whooping cough	500	245	146	52	28	18	10	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	1,158	134	273	187	152	98	249	31	13	13	2	3	2	1	.....	.....	.....	.....
9	Influenza	454	60	39	10	7	2	14	10	30	27	37	51	64	60	35	7	1	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
12	Other epidemic diseases	320	144	25	13	4	2	4	2	7	17	27	35	17	14	6	3	.....	.....
13	Tuberculosis of the lungs	9,152	82	65	24	18	22	68	664	2,111	2,348	1,960	1,205	440	123	16	4	.....	2
14	Tuberculous meningitis	696	142	142	83	53	56	93	47	31	25	17	6	.....	1	.....	.....	.....	.....
15	Other forms of tuberculosis	376	19	22	13	10	11	29	48	61	58	51	33	15	6	.....	.....	.....	.....
16	Cancer and other malignant tumors	4,906	4	6	4	3	2	7	21	101	398	956	1,401	1,204	656	136	7	.....	.....
17	Meningitis	337	93	25	11	19	13	46	40	34	20	18	14	2	2	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	3,362	3	1	.....	2	.....	1	5	27	86	354	786	931	847	283	35	1	.....
19	Organic diseases of the heart	9,568	14	4	12	6	14	119	338	393	668	1,078	1,631	2,337	2,038	809	101	6	.....
20	Acute bronchitis	763	506	86	19	7	5	7	4	3	5	8	17	22	31	36	7	.....	.....
21	Chronic bronchitis	231	7	6	.....	1	1	1	.....	5	4	11	30	45	67	40	13	.....	.....
22	Pneumonia	7,288	662	460	183	84	70	118	210	515	931	1,134	1,178	908	606	200	27	2	.....
23a	Bronchopneumonia	3,266	1,387	579	162	63	24	84	44	48	74	82	150	201	211	129	27	1	.....
23b	Other diseases of the respiratory system	491	47	47	18	10	4	9	13	30	42	75	65	47	43	32	9	.....	.....
24	Diseases of the stomach	373	38	5	2	.....	.....	1	4	34	64	91	54	45	22	10	3	.....	.....
25(37)	Diarrhea and enteritis	3,955	2,940	574	97	53	25	32	10	26	31	43	48	30	21	23	2	.....	.....
26	Appendicitis and typhlitis	677	4	2	11	19	15	67	110	116	119	83	78	30	18	5	.....	.....	.....
27	Hernia, intestinal obstruction	562	69	9	5	5	2	16	12	22	35	79	106	111	63	24	3	1	.....
28	Cirrhosis of the liver	797	.....	.....	.....	.....	.....	2	4	18	90	210	241	159	46	27	.....	.....	.....
29	Acute nephritis and Bright's disease	7,534	27	6	9	6	11	47	82	244	583	1,191	1,648	1,817	1,380	446	34	3	.....
30	Diseases of the female genital organs	328	.....	.....	.....	.....	.....	.....	4	45	91	111	51	15	10	1	.....	.....	.....
31	Puerperal septicemia	297	.....	.....	.....	.....	.....	.....	16	142	120	19	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	418	.....	.....	.....	.....	.....	.....	15	192	179	32	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	3,864	3,797	31	10	3	2	6	12	2	1	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	210	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	10	54	99	38	4	.....
35	Violent deaths (suicide excepted)	4,966	181	131	89	121	113	403	329	569	725	811	660	428	268	123	14	.....	1
36	Suicide	818	.....	.....	.....	.....	.....	.....	28	148	173	171	155	92	46	4	.....	.....	1
(37)	All other defined diseases	9,871	1,801	115	72	73	68	216	368	601	943	1,400	1,606	1,269	906	373	57	3	.....
38	Unknown or ill-defined diseases	21	3	13	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK, N. Y. (WHITE).																	
	All causes	75,516	12,039	2,964	1,153	777	586	1,648	2,404	5,274	7,385	9,632	10,956	10,056	7,414	2,819	387	18	4
1	Typhoid fever	218			3	1	2	13	42	62	46	36	9	3	1				
2	Typhus fever	3									1	2							
3	Malaria	10								1	1	2	2	3	1				
4	Smallpox																		
5	Measles	568	151	254	91	28	17	20	3	3	1								
6	Scarlet fever	138	6	21	21	25	18	25	11	9	1				1				
7	Whooping cough	469	231	133	50	27	17	10	1										
8	Diphtheria and croup	1,136	129	267	186	149	96	247	31	11	13	2	2	2	1				
9	Influenza	439	58	39	10	7	2	14	10	28	25	35	50	59	59	35	7	1	
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	310	142	25	12	4	1	4	1	6	14	27	34	17	14	6	3		
13	Tuberculosis of the lungs	8,594	77	64	20	15	15	57	611	1,954	2,133	1,865	1,165	428	120	14	4		2
14	Tuberculous meningitis	650	138	132	78	50	54	86	45	27	21	14	4		1				
15	Other forms of tuberculosis	358	19	22	12	10	11	27	42	58	53	50	33	15	6				
16	Cancer and other malignant tumors	4,805	4	6	4	3	2	7	21	96	369	928	1,376	1,195	651	136	7		
17	Meningitis	321	90	25	11	19	13	44	37	31	15	18	14	2	2				
18	Cerebral hemorrhage and softening	3,282	3	1		2		1	5	23	77	341	767	916	832	279	34	1	
19	Organic diseases of the heart	9,280	14	4	12	6	13	114	329	376	627	1,017	1,588	2,286	1,996	794	101	3	
20	Acute bronchitis	713	476	74	15	7	5	6	3	3	5	7	17	22	30	36	7		
21	Chronic bronchitis	228	6	6		1		1		5	4	11	29	45	67	40	13		
22	Pneumonia	6,896	635	441	175	80	64	115	195	455	840	1,067	1,129	882	593	196	27	2	
23a	Bronchopneumonia	3,131	1,810	556	149	58	22	82	42	47	71	79	148	201	211	128	26	1	
23b	Other diseases of the respiratory system	479	46	47	18	10	4	8	13	29	41	70	65	44	43	32	9		
24	Diseases of the stomach	364	37	4	2			1	4	33	63	89	53	45	20	10	3		
25(37)	Diarrhea and enteritis	3,793	2,810	554	91	50	25	31	10	26	31	41	48	30	21	23	2		
26	Appendicitis and typhlitis	665	4	2	11	19	15	64	109	114	117	81	77	29	18	5			
27	Hernia, intestinal obstruction	546	67	8	5	5	2	16	11	22	35	77	100	109	62	23	3	1	
28	Cirrhosis of the liver	781						1	4	17	87	204	237	159	46	26			
29	Acute nephritis and Bright's disease	7,272	26	5	8	6	11	47	80	233	547	1,124	1,538	1,774	1,347	439	34	3	
30	Diseases of the female genital organs	296							4	38	79	99	50	15	10	1			
31	Puerperal septicemia	285							13	137	116	19							
32	Other puerperal affections	394							14	181	167	32							
33	Congenital debility and malformations	3,732	3,667	29	10	3	2	6	12	2	1								
34	Senility	206											4	10	53	99	37	3	
35	Violent deaths (suicide excepted)	4,798	178	126	88	120	108	389	313	538	676	787	649	424	265	123	13		1
36	Suicide	806							28	140	171	170	154	92	46	4			1
(37)	All other defined diseases	9,530	1,712	108	70	72	67	212	360	568	886	1,337	1,564	1,248	897	369	57	3	
38	Unknown or ill-defined diseases	19	3	11	1					1	1	1				1			
	NEW YORK, N. Y. (COLORED).																		
	All causes	3,002	529	129	50	25	30	59	128	373	538	461	312	192	129	39	4	4	
1	Typhoid fever	8							3	2	2	1							
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles	10	2	6	1	1													
6	Scarlet fever	2					1		1										
7	Whooping cough	31	14	13	2	1	1												
8	Diphtheria and croup	22	5	6	1	3	2	2		2			1						
9	Influenza	15	2							2	2	2	1	5	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	2		1		1		1	1	3		1						
13	Tuberculosis of the lungs	558	5	1	4	3	7	11	53	157	165	95	40	12	3	2			
14	Tuberculous meningitis	46	4	10	5	3	2	7	2	4	4	3	2						
15	Other forms of tuberculosis	18			1			2	6	3	5	1							
16	Cancer and other malignant tumors	101								5	29	28	25	9	5				
17	Meningitis	16	3					2	3	3	5								
18	Cerebral hemorrhage and softening	80								4	9	13	19	15	15	4	1		
19	Organic diseases of the heart	288					1	5	9	17	41	61	43	51	42	15		3	
20	Acute bronchitis	50	30	12	4			1	1			1			1				
21	Chronic bronchitis	3	1				1						1						
22	Pneumonia	392	27	19	8	4	6	3	15	60	91	67	49	26	13	4			
23a	Bronchopneumonia	135	77	23	13	5	2	2	2	1	3	3	2			1	1		
23b	Other diseases of the respiratory system	12	1					1		1	1	5		3					
24	Diseases of the stomach	9	1	1						1	1	2	1		2				
25(37)	Diarrhea and enteritis	162	130	20	6	3		1				2							
26	Appendicitis and typhlitis	12						3	1	2	2	2	1	1					
27	Hernia, intestinal obstruction	16	2	1					1			2	6	2	1	1			
28	Cirrhosis of the liver	16						1		1	3	6	4		1				
29	Acute nephritis and Bright's disease	262	1	1	1				2	11	36	67	60	43	33	7			
30	Diseases of the female genital organs	32								7	12	12	1						
31	Puerperal septicemia	12							3	5	4								
32	Other puerperal affections	24							1	11	12								
33	Congenital debility and malformations	132	130	2															
34	Senility	4											1		1		1	1	
35	Violent deaths (suicide excepted)	168	3	5	1	1	5	14	16	31	49	24	11	4	3		1		
36	Suicide	12								8	2	1	1						
(37)	All other defined diseases	341	89	7	2	1	1	4	8	33	57	63	42	21	9	4			
38	Unknown or ill-defined diseases	2		2															

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK, N. Y. (BRONX BOROUGH).																		
	All causes	8,466	1,345	277	142	83	65	186	340	687	854	1,001	1,238	1,111	809	284	42	2	
1	Typhoid fever	29			1	1		2	9	7	9								
2	Typhus fever																		
3	Malaria	2												1	1				
4	Smallpox																		
5	Measles	37	14	12	6	1	1	3											
6	Scarlet fever	17	1	3	3	4		4	1	1									
7	Whooping cough	59	28	16	9	3	1	2											
8	Diphtheria and croup	111	10	29	17	16	10	21	4	1	1	1			1				
9	Influenza	44	7	4	1			1	1	2	1	4	5	4	6	5	3		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	47	23	4	3	1					1	2	9	1	2		1		
13	Tuberculosis of the lungs	1,205	4	5	2		2	14	99	290	313	261	141	57	14	3			
14	Tuberculous meningitis	75	16	8	10	5	9	13	8	3	2	1							
15	Other forms of tuberculosis	49	3	5	1	2	2	1	7	7	9	8	2	2					
16	Cancer and other malignant tumors	615	1	1		1	1			15	50	107	193	150	77	18	1		
17	Meningitis	35	12	2	2	1		6	6	3	2	1							
18	Cerebral hemorrhage and softening	385	1	1					1	5	7	35	84	116	98	30	7		
19	Organic diseases of the heart	990	3		2	1	1	11	50	39	58	116	167	233	224	77	7	1	
20	Acute bronchitis	33	21		2	1								3	4		2		
21	Chronic bronchitis	23	1	2									3	8	4	4	1		
22	Pneumonia	706	76	44	23	10	8	10	27	54	39	82	132	85	46	17	3		
23a	Bronchopneumonia	337	165	54	21	4	3	6	4	3	7	4	16	8	26	12	4		
23b	Other diseases of the respiratory system	72	4	5	3	1	2	3	2	3	3	11	14	9	7	3	2		
24	Diseases of the stomach	31	6	1				1	1		6	5	5	3	2	1			
25(37)	Diarrhea and enteritis	318	227	44	12	3	1	1		7	3	4	7	5	2	1	1		
26	Appendicitis and typhlitis	85		1	4	2	2	8	18	18	12	3	11	5	1				
27	Hernia, intestinal obstruction	73	12	2	1	1		1	1	3	4	12	12	13	7	3	1		
28	Cirrhosis of the liver	54							1		8	13	11	13	6	2			
29	Acute nephritis and Bright's disease	817	4		3		2	9	10	29	46	115	189	200	153	53	4		
30	Diseases of the female genital organs	36								4	11	10	7	3	1				
31	Puerperal septicemia	36							1	17	16	2							
32	Other puerperal affections	57								31	21	5							
33	Congenital debility and malformations	449	440	6		2			1										
34	Senility	23												1	6	14	1	1	
35	Violent deaths (suicide excepted)	441	20	16	8	13	12	39	47	61	52	54	42	37	27	12	1		
36	Suicide	96							4	19	22	12	22	9	8				
(37)	All other defined diseases	1,075	245	10	8	10	8	30	37	65	101	132	166	145	86	29	3		
38	Unknown or ill-defined diseases	4	1	2								1							
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).																		
	All causes	26,913	4,276	1,043	390	271	221	583	907	1,966	2,481	3,317	3,751	3,585	2,837	1,127	150	7	1
1	Typhoid fever	77			2		1	6	13	29	15	8	1	1	1				
2	Typhus fever	2									1	1							
3	Malaria	1								1									
4	Smallpox																		
5	Measles	104	23	44	18	5	3	8	2	1									
6	Scarlet fever	33		6	4	6	5	5	4	2					1				
7	Whooping cough	168	87	48	13	8	7	5											
8	Diphtheria and croup	364	28	78	60	46	39	88	14	6	4		1						
9	Influenza	183	18	13	3	1	1	5	4	17	5	18	16	26	32	20	4		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	97	40	4	5	2			1	1	9	10	11	7	3	2	2		
13	Tuberculosis of the lungs	2,864	21	14	6	8	8	18	230	728	713	581	364	120	44	5	3		1
14	Tuberculous meningitis	232	58	42	27	21	15	25	18	10	9	6			1				
15	Other forms of tuberculosis	118	7	8	7	5	1	10	17	15	13	11	14	8	2				
16	Cancer and other malignant tumors	1,665	2	2	2	1	1	2	9	25	121	321	468	426	239	45	1		
17	Meningitis	102	22	9	5	6	7	8	17	14	3	6	5						
18	Cerebral hemorrhage and softening	1,167	1			1			1	5	25	117	262	319	320	107	9		
19	Organic diseases of the heart	3,736	6	1	3	1	7	52	121	158	253	411	615	896	827	342	38	5	
20	Acute bronchitis	291	181	34	4	2	2	2	1	1	3	5	10	8	14	20	4		
21	Chronic bronchitis	110	5	4		1	1	1		4	3	5	14	17	33	18	4		
22	Pneumonia	2,616	235	152	66	29	33	49	77	194	295	402	432	330	239	73	10	1	
23a	Bronchopneumonia	1,237	506	225	62	25	11	43	19	18	27	39	58	77	69	51	7		
23b	Other diseases of the respiratory system	161	11	14	8	5	1	2	4	9	17	17	24	17	16	13	3		
24	Diseases of the stomach	147	11	3					3	15	24	37	16	21	10	5	2		
25(37)	Diarrhea and enteritis	1,441	1,036	232	35	25	11	15	6	10	12	6	18	14	9	11	1		
26	Appendicitis and typhlitis	235	1	1		6	6	26	41	43	42	33	21	8	5	2			
27	Hernia, intestinal obstruction	192	19	2	2	3		8	3	7	8	22	38	42	26	10	2		
28	Cirrhosis of the liver	291						2		8	30	79	88	55	19	10			
29	Acute nephritis and Bright's disease	2,374	12	1	2	2	3	19	30	81	182	362	468	590	455	156	11		
30	Diseases of the female genital organs	116							2	20	23	42	19	3	6	1			
31	Puerperal septicemia	105							6	43	47	9							
32	Other puerperal affections	161							6	67	76	12							
33	Congenital debility and malformations	1,310	1,287	12	3	1	1	1	4	1									
34	Senility	68											1	4	16	29	18		
35	Violent deaths (suicide excepted)	1,661	63	52	29	40	42	111	109	207	217	274	217	150	94	51	5		
36	Suicide	261							9	49	45	57	47	31	20	3			
(37)	All other defined diseases	3,217	594	39	24	21	15	72	136	177	259	426	523	415	336	152	26	2	
38	Unknown or ill-defined diseases	6	2	3												1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).																			
	All causes	26,160	4,158	1,015	379	266	214	572	877	1,867	2,368	3,194	3,666	3,525	2,792	1,114	147	5	1
1	Typhoid fever	76	.....	.....	2	.....	1	6	13	29	15	7	1	1	1	.....	.....	.....	.....
2	Typhus fever	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	103	22	44	18	5	3	8	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	32	.....	6	4	6	4	5	4	2	.....	.....	.....	.....	1	.....	.....	.....	.....
7	Whooping cough	159	81	45	13	8	7	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	360	28	77	60	44	39	88	14	5	4	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	169	16	13	3	1	1	5	4	15	4	16	15	21	31	20	4	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	93	40	4	4	2	.....	.....	.....	1	8	10	10	7	3	2	2	.....	.....
13	Tuberculosis of the lungs	2,731	19	14	6	7	6	15	217	692	673	561	355	114	44	4	3	.....	1
14	Tuberculous meningitis	219	56	39	26	20	15	24	16	9	8	5	.....	.....	1	.....	.....	.....	.....
15	Other forms of tuberculosis	114	7	8	7	5	1	9	16	14	12	11	14	8	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	1,638	2	2	2	1	1	2	9	23	115	312	461	424	238	45	1	.....	.....
17	Meningitis	99	22	9	5	6	7	8	16	13	2	6	5	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	1,146	1	.....	.....	1	.....	.....	1	4	24	115	257	316	313	106	8	.....	.....
19	Organic diseases of the heart	3,643	6	1	3	1	7	51	120	153	244	390	600	880	808	338	38	3	.....
20	Acute bronchitis	282	176	30	4	2	2	2	1	1	3	5	10	8	14	20	4	.....	.....
21	Chronic bronchitis	108	4	4	.....	1	.....	1	.....	4	3	5	14	17	33	18	4	.....	.....
22	Pneumonia	2,511	229	149	64	29	31	49	73	175	276	381	415	323	235	72	10	.....	.....
23a	Bronchopneumonia	1,205	488	220	58	24	11	41	18	18	27	38	58	77	69	51	7	.....	.....
23b	Other diseases of the respiratory system	158	11	14	8	5	1	2	4	8	17	16	24	16	16	13	3	.....	.....
24	Diseases of the stomach	141	11	2	.....	.....	.....	.....	3	15	23	36	15	21	8	5	2	.....	.....
25(37)	Diarrhea and enteritis	1,402	1,001	229	34	25	11	15	6	10	12	6	18	14	9	11	1	.....	.....
26	Appendicitis and typhlitis	232	1	1	.....	6	6	25	40	43	42	32	21	8	5	2	.....	.....	.....
27	Hernia, intestinal obstruction	186	18	1	2	3	.....	8	3	7	8	22	35	41	26	10	2	.....	.....
28	Cirrhosis of the liver	285	.....	.....	.....	.....	.....	1	.....	8	30	76	87	55	19	9	.....	.....	.....
29	Acute nephritis and Bright's disease	2,322	12	1	2	2	3	19	29	77	176	351	459	580	447	153	11	.....	.....
30	Diseases of the female genital organs	108	.....	.....	.....	.....	.....	.....	2	18	20	39	19	3	6	1	.....	.....	.....
31	Puerperal septicemia	100	.....	.....	.....	.....	.....	.....	4	43	44	9	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	154	.....	.....	.....	.....	.....	.....	6	63	73	12	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,289	1,268	10	3	1	1	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	67	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	16	29	17	.....	.....
35	Violent deaths (suicide excepted)	1,616	63	51	28	40	41	110	107	195	205	267	212	148	94	51	4	.....	.....
36	Suicide	259	.....	.....	.....	.....	.....	.....	9	47	45	57	47	31	20	3	.....	.....	.....
(37)	All other defined diseases	3,145	574	38	23	21	15	72	136	173	254	408	512	408	333	150	26	2	.....
38	Unknown or ill-defined diseases	6	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).																			
	All causes	753	118	28	11	5	7	11	30	99	113	123	85	60	45	13	3	2	.....
1	Typhoid fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	9	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	4	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	14	2	.....	.....	.....	.....	.....	.....	2	1	2	1	5	1	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	4	.....	.....	1	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	133	2	.....	.....	1	2	3	13	36	40	20	9	6	.....	1	.....	.....	.....
14	Tuberculous meningitis	13	2	3	1	1	.....	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	4	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	27	.....	.....	.....	.....	.....	.....	.....	2	6	9	7	2	1	.....	.....	.....	.....
17	Meningitis	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	21	.....	.....	.....	.....	.....	.....	.....	1	1	2	5	3	7	1	1	.....	.....
19	Organic diseases of the heart	93	.....	.....	.....	.....	.....	1	1	5	9	21	15	16	19	4	.....	2	.....
20	Acute bronchitis	9	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Pneumonia	105	6	3	2	.....	2	.....	4	19	19	21	17	7	4	1	.....	.....	.....
23a	Bronchopneumonia	32	18	5	4	1	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
23b	Other diseases of the respiratory system	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
24	Diseases of the stomach	6	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	39	35	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	3	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	6	1	1	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	6	.....	.....	.....	.....	.....	1	.....	.....	.....	3	1	.....	.....	1	.....	.....	.....
29	Acute nephritis and Bright's disease	52	.....	.....	.....	.....	.....	.....	1	4	6	11	9	10	8	3	.....	.....	.....
30	Diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	.....	2	3	3	.....	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	5	.....	.....	.....	.....	.....	.....	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	7	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	21	19	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
35	Violent deaths (suicide excepted)	45	.....	1	1	.....	1	1	2	12	12	7	5	2	.....	.....	1	.....	.....
36	Suicide	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
(37)	All other defined diseases	72	20	1	1	.....	.....	.....	.....	4	5	18	11	7	3	2	.....	.....	.....
38	Unknown or ill-defined diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).																		
	All causes	35,781	5,783	1,533	566	377	268	774	1,049	2,495	3,919	4,891	5,309	4,522	3,030	1,098	154	12	1
1	Typhoid fever	96	.....	.....	.....	.....	1	3	16	26	21	22	5	2	.....	.....	.....	.....	.....
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
3	Malaria	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	398	109	188	58	22	11	8	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	64	3	7	12	13	12	9	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	235	104	77	28	15	7	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	583	93	154	92	78	38	104	7	5	7	1	2	2	.....	.....	.....	.....	.....
9	Influenza	201	30	20	6	5	1	8	3	11	20	13	24	29	20	10	.....	1	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
12	Other epidemic diseases	153	76	16	5	.....	2	2	.....	6	5	11	13	8	7	2	.....	.....	.....
13	Tuberculosis of the lungs	4,315	49	43	15	9	11	34	281	907	1,133	947	617	215	45	7	1	.....	1
14	Tuberculous meningitis	346	58	80	45	25	28	48	17	17	14	8	6	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	176	8	7	4	3	7	16	20	32	29	28	16	4	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	2,197	1	3	2	1	.....	5	12	56	197	445	626	518	270	56	5	.....	.....
17	Meningitis	178	51	13	3	11	6	27	15	16	14	11	7	2	2	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	1,383	.....	.....	.....	1	.....	1	3	16	48	169	351	384	294	101	14	1	.....
19	Organic diseases of the heart	3,983	3	2	7	4	6	47	139	162	300	477	719	980	785	310	42	.....	.....
20	Acute bronchitis	403	286	45	13	4	3	4	3	1	2	2	7	10	10	12	1	.....	.....
21	Chronic bronchitis	79	1	.....	.....	.....	.....	.....	.....	.....	1	6	12	15	23	13	8	.....	.....
22	Pneumonia	3,341	299	237	79	39	23	49	88	222	472	553	519	406	261	82	10	2	.....
23a	Bronchopneumonia	1,371	578	242	66	25	8	31	16	22	34	29	60	101	92	53	13	1	.....
23b	Other diseases of the respiratory system	207	25	23	6	3	1	3	5	13	17	38	25	19	17	9	3	.....	.....
24	Diseases of the stomach	157	18	1	.....	.....	.....	.....	.....	16	25	42	28	16	8	3	.....	.....	.....
25(37)	Diarrhea and enteritis	1,817	1,404	244	35	16	9	15	3	8	12	27	19	7	9	9	.....	.....	.....
26	Appendicitis and typhlitis	281	2	.....	4	10	5	25	40	46	49	38	39	14	7	2	.....	.....	.....
27	Hernia, intestinal obstruction	240	29	4	2	1	2	7	8	11	18	39	43	40	26	9	.....	1	.....
28	Cirrhosis of the liver	349	.....	.....	.....	.....	.....	.....	2	9	43	94	105	71	15	10	.....	.....	.....
29	Acute nephritis and Bright's disease	3,551	10	4	3	3	2	16	30	102	298	601	840	840	605	181	13	3	.....
30	Diseases of the female genital organs	146	.....	.....	.....	.....	.....	.....	2	18	50	45	21	8	2	.....	.....	.....	.....
31	Puerperal septicemia	125	.....	.....	.....	.....	.....	.....	8	69	44	4	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	157	.....	.....	.....	.....	.....	.....	6	75	65	11	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,713	1,683	11	6	.....	1	5	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	71	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	20	33	13	2	.....
35	Violent deaths (suicide excepted)	2,382	73	52	43	59	46	213	143	247	389	405	352	199	110	47	4	.....	.....
36	Suicide	370	.....	.....	.....	.....	.....	.....	12	69	93	77	66	42	11	.....	.....	.....	.....
(37)	All other defined diseases	4,700	790	55	32	30	38	91	157	307	517	746	784	587	389	149	27	1	.....
38	Unknown or ill-defined diseases	6	.....	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).																			
	All causes	33,848	5,412	1,442	530	359	248	736	975	2,261	3,547	4,592	5,119	4,422	2,960	1,079	153	12	1
1	Typhoid fever	92	.....	.....	.....	.....	1	3	14	24	21	22	5	2	.....	.....	.....	.....	.....
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
3	Malaria	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	389	108	182	57	21	11	8	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	63	3	7	12	13	12	9	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	215	97	68	26	14	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	570	89	151	91	77	37	103	7	4	7	1	1	2	.....	.....	.....	.....	.....
9	Influenza	200	30	20	6	5	1	8	3	11	19	13	24	29	20	10	.....	1	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
12	Other epidemic diseases	147	74	16	5	.....	1	2	.....	5	3	11	13	8	7	2	.....	.....	.....
13	Tuberculosis of the lungs	3,966	46	42	11	7	7	29	251	809	1,027	885	591	211	42	6	1	.....	1
14	Tuberculous meningitis	314	57	73	41	23	26	42	17	14	11	6	4	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	166	8	7	3	3	7	15	17	30	27	27	16	4	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	2,140	1	3	2	1	.....	5	12	53	181	429	613	512	267	56	5	.....	.....
17	Meningitis	167	48	13	3	11	6	25	15	14	10	11	7	2	2	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	1,335	.....	.....	.....	1	.....	1	3	13	41	159	340	376	288	98	14	1	.....
19	Organic diseases of the heart	3,820	3	2	7	4	5	44	134	152	271	441	697	950	766	302	42	.....	.....
20	Acute bronchitis	364	261	38	9	4	3	3	2	1	2	1	7	10	10	12	1	.....	.....
21	Chronic bronchitis	78	1	.....	.....	.....	.....	.....	.....	.....	1	6	11	15	23	13	8	.....	.....
22	Pneumonia	3,083	279	223	75	35	20	46	79	186	404	509	490	392	252	81	10	2	.....
23a	Bronchopneumonia	1,279	524	226	57	23	6	31	15	21	31	27	59	101	92	53	12	1	.....
23b	Other diseases of the respiratory system	199	24	23	6	3	1	2	5	13	16	34	25	18	17	9	3	.....	.....
24	Diseases of the stomach	155	17	1	.....	.....	.....	.....	.....	16	25	41	28	16	8	3	.....	.....	.....
25(37)	Diarrhea and enteritis	1,702	1,315	227	31	13	9	14	3	8	12	26	19	7	9	9	.....	.....	.....
26	Appendicitis and typhlitis	274	2	.....	4	10	5	24	40	44	48	37	38	13	7	2	.....	.....	.....
27	Hernia, intestinal obstruction	231	28	4	2	1	2	7	7	11	18	37	41	39	25	8	.....	1	.....
28	Cirrhosis of the liver	340	.....	.....	.....	.....	.....	.....	2	8	41	91	102	71	15	10	.....	.....	.....
29	Acute nephritis and Bright's disease	3,371	9	3	2	3	2	16	29	95	269	552	797	816	585	177	13	3	.....
30	Diseases of the female genital organs	125	.....	.....	.....	.....	.....	.....	2	14	42	37	20	8	2	.....	.....	.....	.....
31	Puerperal septicemia	118	.....	.....	.....	.....	.....	.....	7	64	43	4	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	141	.....	.....	.....	.....	.....	.....	5	69	56	11	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,616	1,586	11	6	.....	1	5	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	70	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	20	33	13	2	.....
35	Violent deaths (suicide excepted)	2,278	71	48	43	58	42	203	132	230	358	390	347	198	107	47	4	.....	.....
36	Suicide	360	.....	.....	.....	.....	.....	.....	12	63	91	76	65	42	11	.....	.....	.....	.....
(37)	All other defined diseases	4,468	731	50	31	29	37	88	150	283	470	706	757	577	383	148	27	1	.....
38	Unknown or ill-defined diseases	5	.....	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).																			
	All causes	1,933	371	91	36	18	20	38	74	234	372	299	190	100	70	19	1		
1	Typhoid fever	4							2	2									
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	9	1	6	1	1													
6	Scarlet fever	1							1										
7	Whooping cough	20	7	9	2	1	1												
8	Diphtheria and croup	13	4	3	1	1	1	1		1			1						
9	Influenza	1									1								
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	6	2				1			1	2								
13	Tuberculosis of the lungs	349	3	1	4	2	4	5	30	98	106	62	26	4	3	1			
14	Tuberculous meningitis	32	1	7	4	2	2	6		3	3	2	2						
15	Other forms of tuberculosis	10			1			1	3	2	2	1							
16	Cancer and other malignant tumors	57								3	16	16	13	6	3				
17	Meningitis	11	3					2		2	4								
18	Cerebral hemorrhage and softening	48								3	7	10	11	8	6	3			
19	Organic diseases of the heart	163					1	3	5	10	29	36	22	30	19	8			
20	Acute bronchitis	39	25	7	4			1	1			1							
21	Chronic bronchitis	1											1						
22	Pneumonia	258	20	14	4	4	3	3	9	36	68	44	29	14	9	1			
23a	Bronchopneumonia	92	54	16	9	2	2		1	1	3	2	1				1		
23b	Other diseases of the respiratory system	8	1					1			1	4		1					
24	Diseases of the stomach	2	1									1							
25(37)	Diarrhea and enteritis	115	89	17	4	3		1				1							
26	Appendicitis and typhlitis	7						1		2	1	1	1	1					
27	Hernia, intestinal obstruction	9	1						1			2	2	1	1	1			
28	Cirrhosis of the liver	9								1	2	3	3						
29	Acute nephritis and Bright's disease	180	1	1	1				1	7	29	49	43	24	20	4			
30	Diseases of the female genital organs	21								4	8	8	1						
31	Puerperal septicemia	7							1	5	1								
32	Other puerperal affections	16							1	6	9								
33	Congenital debility and malformations	97	97																
34	Senility	1											1						
35	Violent deaths (suicide excepted)	104	2	4		1	4	10	11	17	31	15	5	1	3				
36	Suicide	10								6	2	1	1						
(37)	All other defined diseases	232	59	5	1	1	1	3	7	24	47	40	27	10	6	1			
38	Unknown or ill-defined diseases	1		1															
NEW YORK, N. Y. (QUEENS BOROUGH).																			
	All causes	5,598	937	195	86	59	45	141	179	372	521	678	757	759	607	232	28	1	1
1	Typhoid fever	17						2	6	1	2	4	2						
2	Typhus fever																		
3	Malaria	3										1	1	1					
4	Smallpox																		
5	Measles	31	6	12	8	1	2	1		1									
6	Scarlet fever	26	2	5	2	2	2	7	1	4	1								
7	Whooping cough	33	22	5	2	2	2												
8	Diphtheria and croup	79	2	10	16	11	8	29	2		1								
9	Influenza	23	4	1		1			2		1	2	6	4	2				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	19	5	1		1		1			2	4	2		2	1			
13	Tuberculosis of the lungs	584	5	1		1	1	2	40	133	148	138	66	39	9	1			
14	Tuberculous meningitis	37	10	12	1	2	2	6	2	1		1							
15	Other forms of tuberculosis	28		2	1		1	2	4	4	6	4	1	1	2				
16	Cancer and other malignant tumors	330								5	22	64	94	84	50	11			
17	Meningitis	20	6	1	1	1		5	2	1	1		2						
18	Cerebral hemorrhage and softening	312	1								5	24	72	80	98	31	1		
19	Organic diseases of the heart	637	2	1				7	23	24	51	57	101	174	136	51	10		
20	Acute bronchitis	31	15	6				1		1		1		1	3	3			
21	Chronic bronchitis	16								1			1	4	6	4			
22	Pneumonia	483	44	21	12	4	4	10	16	35	57	71	77	70	43	17	2		
23a	Bronchopneumonia	256	111	48	9	8	2	4	4	5	5	7	13	10	18	10	2		
23b	Other diseases of the respiratory system	43	6	2	1	1		1	2	4	5	8	2	2	1	7	1		
24	Diseases of the stomach	25	2		2					2	6	3	5	3	1		1		
25(37)	Diarrhea and enteritis	295	213	43	13	5	3	1	1	1	4	4	2	2	1	2			
26	Appendicitis and typhlitis	63	1		3	1	2	7	7	7	16	7	7	3	2				
27	Hernia, intestinal obstruction	43	8	1						1	4	5	9	12	2	1			
28	Cirrhosis of the liver	85							1	1	7	22	31	15	5	3			
29	Acute nephritis and Bright's disease	545	1			1	3	3	9	26	43	34	106	124	108	35	2		
30	Diseases of the female genital organs	24								2	5	12	4	1					
31	Puerperal septicemia	25							1	11	10	3							
32	Other puerperal affections	36							3	15	14	4							
33	Congenital debility and malformations	309	305	1	1				1		1								
34	Senility	35											1	3	11	13	6	1	
35	Violent deaths (suicide excepted)	346	18	10	7	7	8	32	24	34	45	55	36	29	28	11	2		
36	Suicide	69							3	8	13	17	15	5	6	1			1
(37)	All other defined diseases	686	148	9	6	10	5	20	25	44	46	76	101	92	73	30	1		
38	Unknown or ill-defined diseases	4		3	1														

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (RICHMOND BOROUGH).																			
	All causes	1,760	227	45	19	12	17	23	57	127	148	206	213	271	260	117	17	.....	1
1	Typhoid fever	7	.....	.....	.....	.....	.....	.....	1	1	1	3	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	8	1	4	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	5	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	21	1	2	2	1	3	7	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	4	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....
13	Tuberculosis of the lungs	184	3	2	1	.....	.....	.....	14	53	41	33	17	9	11	.....	.....	.....	.....
14	Tuberculous meningitis	6	.....	.....	.....	.....	2	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	5	1	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	99	.....	.....	.....	.....	.....	.....	.....	.....	8	19	20	26	20	6	.....	.....	.....
17	Meningitis	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	115	.....	.....	.....	.....	.....	.....	.....	1	1	9	17	32	37	14	4	.....	.....
19	Organic diseases of the heart	222	.....	.....	.....	.....	.....	2	5	10	6	17	29	54	66	29	4	.....	.....
20	Acute bronchitis	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
21	Chronic bronchitis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
22	Pneumonia	142	8	6	3	2	2	.....	2	10	18	26	18	17	17	11	2	.....	.....
23a	Bronchopneumonia	65	27	10	4	1	.....	.....	1	.....	1	3	3	5	6	3	1	.....	.....
23b	Other diseases of the respiratory system	8	1	3	.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	.....	.....	.....	.....
24	Diseases of the stomach	13	1	.....	.....	.....	.....	.....	.....	1	3	4	.....	2	1	1	.....	.....	.....
25(37)	Diarrhea and enteritis	84	60	11	2	4	1	.....	.....	.....	.....	2	2	2	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	13	.....	.....	.....	.....	.....	1	4	2	.....	2	.....	.....	3	1	.....	.....	.....
27	Hernia, intestinal obstruction	14	1	.....	.....	.....	.....	.....	.....	.....	1	1	4	4	2	1	.....	.....	.....
28	Cirrhosis of the liver	18	.....	.....	.....	.....	.....	.....	.....	.....	2	2	6	5	1	2	.....	.....	.....
29	Acute nephritis and Bright's disease	247	.....	1	1	.....	1	.....	3	6	14	29	45	63	59	21	4	.....	.....
30	Diseases of the female genital organs	6	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	1	.....	.....	.....	.....
31	Puerperal septicemia	6	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	7	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	83	82	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	10	.....	.....	.....
35	Violent deaths (suicide excepted)	136	7	1	2	2	5	8	6	20	22	23	13	13	9	2	2	.....	1
36	Suicide	22	.....	.....	.....	.....	.....	.....	.....	3	.....	8	5	5	1	.....	.....	.....	.....
(37)	All other defined diseases	193	24	2	2	2	2	3	13	8	20	20	32	30	22	13	.....	.....	.....
38	Unknown or ill-defined diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
ROCHESTER, N. Y.																			
	All causes	4,083	584	144	66	46	26	65	92	226	287	422	596	644	573	275	36	1	.....
1	Typhoid fever	8	.....	.....	.....	.....	.....	.....	.....	5	1	.....	.....	1	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	40	12	14	9	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	37	.....	4	6	6	5	10	4	.....	1	.....	1	.....	.....	.....	.....	.....	.....
7	Whooping cough	19	7	8	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
8	Diphtheria and croup	52	4	7	10	8	6	8	4	2	3	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	14	2	1	.....	.....	.....	.....	.....	.....	.....	1	2	3	3	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	13	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	3	3	1	.....	.....	.....
13	Tuberculosis of the lungs	251	5	4	.....	.....	.....	3	13	57	60	46	45	14	2	2	.....	.....	.....
14	Tuberculous meningitis	32	5	6	4	4	3	3	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	34	3	2	.....	.....	1	.....	2	8	3	5	5	2	3	.....	.....	.....	.....
16	Cancer and other malignant tumors	316	.....	.....	.....	.....	.....	.....	1	7	17	50	102	77	54	8	.....	.....	.....
17	Meningitis	13	3	2	3	1	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	303	.....	.....	.....	.....	.....	.....	.....	.....	7	27	48	89	85	42	5	.....	.....
19	Organic diseases of the heart	588	3	1	.....	1	.....	6	8	13	26	40	67	154	163	91	14	1	.....
20	Acute bronchitis	23	13	2	.....	1	.....	.....	1	.....	.....	.....	.....	2	2	2	.....	.....	.....
21	Chronic bronchitis	13	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	3	2	3	1	.....	.....
22	Pneumonia	230	11	14	5	3	1	5	8	11	19	33	45	41	30	4	.....	.....	.....
23a	Bronchopneumonia	165	48	29	6	3	4	2	1	1	4	7	11	17	21	8	3	.....	.....
23b	Other diseases of the respiratory system	36	1	3	2	1	.....	1	1	1	3	7	5	5	3	3	.....	.....	.....
24	Diseases of the stomach	34	6	1	1	.....	.....	.....	1	3	2	5	4	5	3	2	1	.....	.....
25(37)	Diarrhea and enteritis	225	159	30	6	2	.....	1	.....	2	4	7	1	4	6	2	1	.....	.....
26	Appendicitis and typhlitis	42	.....	.....	.....	1	.....	4	8	9	3	7	6	1	3	.....	.....	.....	.....
27	Hernia, intestinal obstruction	32	4	.....	.....	1	.....	.....	.....	1	2	4	3	9	7	1	.....	.....	.....
28	Cirrhosis of the liver	47	.....	.....	.....	.....	.....	.....	.....	1	4	7	13	10	9	3	.....	.....	.....
29	Acute nephritis and Bright's disease	372	2	.....	.....	.....	.....	1	7	10	27	42	71	85	78	45	4	.....	.....
30	Diseases of the female genital organs	28	.....	.....	.....	.....	.....	.....	.....	4	4	15	3	2	.....	.....	.....	.....	.....
31	Puerperal septicemia	18	.....	.....	.....	.....	.....	.....	1	9	6	2	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	20	.....	.....	.....	.....	.....	.....	2	6	11	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	207	204	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Violent deaths (suicide excepted)	214	2	7	11	4	2	8	10	26	19	33	34	22	23	11	2	.....	.....
36	Suicide	34	.....	.....	.....	.....	.....	.....	.....	5	9	6	10	2	1	1	.....	.....	.....
(37)	All other defined diseases	622	85	8	2	6	2	11	15	41	46	75	117	91	73	45	5	.....	.....
38	Unknown or ill-defined diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SYRACUSE, N. Y.																			
	All causes	2,426	430	73	25	23	11	49	53	157	178	235	329	317	350	177	19	.....	.....
1	Typhoid fever	10	1	.....	.....	.....	.....	.....	1	2	4	.....	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	15	7	2	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	12	1	.....	.....	2	.....	5	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	9	3	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	34	4	8	6	4	2	5	1	2	1	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	1	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	7	2	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	142	4	1	.....	.....	.....	.....	8	46	24	21	22	8	8	.....	.....	.....	.....
14	Tuberculous meningitis	27	4	6	1	4	1	3	2	1	2	1	1	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	19	1	1	.....	.....	.....	1	3	5	4	2	1	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	165	1	.....	.....	2	.....	.....	1	1	7	26	54	28	32	13	.....	.....	.....
17	Meningitis	7	.....	.....	1	1	1	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	166	1	.....	.....	.....	.....	.....	1	2	1	10	33	42	45	30	1	.....	.....
19	Organic diseases of the heart	330	2	.....	.....	.....	.....	2	6	6	11	19	56	63	111	47	7	.....	.....
20	Acute bronchitis	18	10	4	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
21	Chronic bronchitis	9	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	3	1	.....	.....	.....
22	Pneumonia	166	12	6	3	2	.....	1	3	15	19	34	20	19	21	11	.....	.....	.....
23a	Bronchopneumonia	78	34	11	2	.....	1	3	.....	1	1	1	2	4	8	9	1	.....	.....
23b	Other diseases of the respiratory system	19	4	1	.....	.....	.....	2	.....	.....	4	.....	1	2	4	1	.....	.....	.....
24	Diseases of the stomach	19	2	1	.....	.....	.....	.....	.....	2	3	4	4	1	2	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	147	118	13	1	1	.....	.....	.....	1	1	1	1	6	4	.....	.....	.....	.....
26	Appendicitis and typhlitis	25	.....	.....	.....	.....	.....	2	7	6	5	1	1	2	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	32	4	1	.....	.....	.....	2	.....	3	1	4	3	1	10	3	.....	.....	.....
28	Cirrhosis of the liver	15	.....	.....	1	.....	.....	.....	.....	.....	1	4	5	3	.....	1	.....	.....	.....
29	Acute nephritis and Bright's disease	188	1	1	.....	.....	.....	2	2	3	12	26	39	48	34	20	.....	.....	.....
30	Diseases of the female genital organs	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....
31	Puerperal septicemia	13	.....	.....	.....	.....	.....	.....	1	7	5	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	16	.....	.....	.....	.....	.....	.....	1	7	5	3	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	142	141	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	7	2	.....	.....
35	Violent deaths (suicide excepted)	179	8	11	6	2	3	11	6	20	23	14	27	18	18	11	1	.....	.....
36	Suicide	23	.....	.....	.....	.....	.....	.....	.....	8	4	3	2	6	.....	.....	.....	.....	.....
(37)	All other defined diseases	363	62	2	3	1	1	5	8	17	35	52	51	55	43	21	7	.....	.....
38	Unknown or ill-defined diseases	5	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
CINCINNATI, OHIO (TOTAL).																			
	All causes	6,827	688	123	58	48	26	90	211	600	747	852	956	1,043	881	433	67	4	.....
1	Typhoid fever	16	.....	.....	.....	.....	.....	1	6	8	.....	.....	.....	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	24	2	12	6	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	15	.....	.....	2	3	5	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	36	16	14	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	51	6	5	5	10	7	14	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	72	7	1	1	2	.....	1	1	3	5	9	8	9	11	13	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	28	4	.....	1	.....	.....	.....	.....	1	1	3	2	5	10	1	.....	.....	.....
13	Tuberculosis of the lungs	877	4	2	2	3	1	4	59	241	223	181	96	46	13	1	1	.....	.....
14	Tuberculous meningitis	38	6	5	4	.....	1	8	6	3	3	2	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	44	4	1	.....	1	.....	2	1	13	9	3	5	2	3	.....	.....	.....	.....
16	Cancer and other malignant tumors	494	.....	.....	.....	1	.....	2	.....	12	33	76	125	139	83	22	1	.....	.....
17	Meningitis	28	7	3	1	.....	.....	3	4	3	4	2	.....	.....	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	436	.....	.....	.....	.....	.....	1	1	3	19	44	78	116	112	55	6	1	.....
19	Organic diseases of the heart	849	1	.....	1	1	.....	8	14	21	64	81	135	211	213	87	12	.....	.....
20	Acute bronchitis	35	12	4	.....	.....	.....	.....	.....	1	.....	2	.....	2	4	8	2	.....	.....
21	Chronic bronchitis	33	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	4	8	13	1	.....	.....
22	Pneumonia	399	19	5	5	2	.....	5	15	38	44	58	70	53	53	29	3	.....	.....
23a	Bronchopneumonia	210	64	22	9	1	2	2	5	2	3	10	15	11	28	27	8	1	.....
23b	Other diseases of the respiratory system	38	.....	2	1	1	.....	.....	1	3	6	6	3	7	4	3	1	.....	.....
24	Diseases of the stomach	51	8	.....	1	2	.....	.....	.....	6	10	4	3	7	8	2	.....	.....	.....
25(37)	Diarrhea and enteritis	209	134	29	5	6	2	.....	2	.....	4	2	4	9	5	4	3	.....	.....
26	Appendicitis and typhlitis	56	.....	.....	.....	.....	.....	2	9	13	9	8	11	3	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	66	11	.....	.....	.....	.....	2	2	11	1	5	11	8	11	4	.....	.....	.....
28	Cirrhosis of the liver	88	.....	.....	.....	.....	.....	.....	.....	3	9	13	22	19	16	5	1	.....	.....
29	Acute nephritis and Bright's disease	667	6	2	.....	.....	.....	.....	8	23	52	82	125	162	140	60	7	.....	.....
30	Diseases of the female genital organs	43	.....	.....	.....	.....	.....	.....	1	6	15	10	8	1	2	.....	.....	.....	.....
31	Puerperal septicemia	50	.....	.....	.....	.....	.....	.....	3	28	17	2	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	26	.....	.....	.....	.....	.....	.....	4	11	7	4	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	257	253	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	5	2	1	.....
35	Violent deaths (suicide excepted)	476	5	6	3	10	5	18	41	72	76	67	59	58	31	21	4	.....	.....
36	Suicide	69	.....	.....	.....	.....	.....	.....	1	12	19	11	16	7	2	1	.....	.....	.....
(37)	All other defined diseases	1,035	119	8	5	4	2	14	21	61	112	165	155	160	122	72	14	1	.....
38	Unknown or ill-defined diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CINCINNATI, OHIO (WHITE).																			
	All causes	5,948	599	98	50	44	22	79	167	455	599	691	854	970	836	424	59	1	
1	Typhoid fever	13						1	6	5				1					
2	Typhus fever																		
3	Malaria	2												2					
4	Smallpox																		
5	Measles	18	1	11	4				1		1								
6	Scarlet fever	14			2	3	5	2	2										
7	Whooping cough	29	13	12	4														
8	Diphtheria and croup	47	5	5	5	10	6	13	3										
9	Influenza	66	7	1	1	2		1	1	3	4	8	6	8	10	13	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	24	3		1			2	43	182	187	143	84	37	8	1	1		
13	Tuberculosis of the lungs	699	4	2	2	2	1	2	43	182	187	143	84	37	8	1	1		
14	Tuberculous meningitis	32	5	5	4		1	8	4	1	2	2							
15	Other forms of tuberculosis	36	4			1		2		9	7	3	5	2	3				
16	Cancer and other malignant tumors	475				1		1		12	31	70	121	136	81	21	1		
17	Meningitis	18	5	3	1			2	3	1	3								
18	Cerebral hemorrhage and softening	403							1	2	14	36	72	110	111	53	4		
19	Organic diseases of the heart	750	1		1	1		7	13	15	48	63	115	194	201	84	7		
20	Acute bronchitis	31	12	3								1		2	3	8	2		
21	Chronic bronchitis	32									1	2	4	4	7	13	1		
22	Pneumonia	304	11	2	4	1		3	5	23	27	40	58	47	52	28	3		
23a	Bronchoneumonia	168	45	11	8	1	2	2	4	1	1	8	13	10	27	27	8		
23b	Other diseases of the respiratory system	31		1	1	1			1	3	4	4	2	6	4	3	1		
24	Diseases of the stomach	47	8		1	2				6	9	2	2	7	8	2			
25(37)	Diarrhea and enteritis	184	117	26	4	6	2		2		2	2	3	9	5	4	2		
26	Appendicitis and typhlitis	52						2	8	12	8	8	10	3	1				
27	Hernia, intestinal obstruction	64	11					2	2	9	1	5	11	8	11	4			
28	Cirrhosis of the liver	85								3	8	13	21	18	16	5	1		
29	Acute nephritis and Bright's disease	601	4	2				8	18	38	68	114	153	129	60	7			
30	Diseases of the female genital organs	34							6	11	8	6	1	2					
31	Puerperal septicemia	49						3	28	16	2								
32	Other puerperal affections	28						2	11	7	3								
33	Congenital debility and malformations	239	235	2	1			1											
34	Senility	8												1		5	2		
35	Violent deaths (suicide excepted)	389	5	5	2	9	4	16	36	43	63	52	52	49	28	21	4		
36	Suicide	68							1	12	18	11	16	7	2	1			
(37)	All other defined diseases	913	103	7	4	4	1	14	18	50	87	134	137	151	118	70	14	1	
38	Unknown or ill-defined diseases																		
CINCINNATI, OHIO (COLORED).																			
	All causes	879	89	25	8	4	4	11	44	145	148	161	102	73	45	9	8	3	
1	Typhoid fever	3								3									
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	6	1	1	2	1				1									
6	Scarlet fever	1								1									
7	Whooping cough	7	3	2	1		1												
8	Diphtheria and croup	4	1				1	1					1						
9	Influenza	6									1	1	2	1	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4	1							1				1	1				
13	Tuberculosis of the lungs	178				1		2	16	59	36	38	12	9	5				
14	Tuberculous meningitis	6	1						2	2	1								
15	Other forms of tuberculosis	8		1					1	4	2								
16	Cancer and other malignant tumors	19						1			2	6	4	3	2	1			
17	Meningitis	10	2					1	1	2	1	2			1				
18	Cerebral hemorrhage and softening	33						1		1	5	8	6	6	1	2	2	1	
19	Organic diseases of the heart	99						1	1	6	16	18	20	17	12	3	5		
20	Acute bronchitis	4		1						1		1			1				
21	Chronic bronchitis	1													1				
22	Pneumonia	95	8	3	1	1		2	10	15	17	18	12	6	1	1			
23a	Bronchopneumonia	42	19	11	1				1	1	2	2	2	1	1			1	
23b	Other diseases of the respiratory system	7		1							2	2	1	1					
24	Diseases of the stomach	4									1	2	1						
25(37)	Diarrhea and enteritis	25	17	3	1						2		1				1		
26	Appendicitis and typhlitis	4							1	1	1		1						
27	Hernia, intestinal obstruction	2								2									
28	Cirrhosis of the liver	3									1		1	1					
29	Acute nephritis and Bright's disease	66	2							5	14	14	11	9	11				
30	Diseases of the female genital organs	9							1		4	2	2						
31	Puerperal septicemia	1									1								
32	Other puerperal affections	3							2			1							
33	Congenital debility and malformations	18	18																
34	Senility	1																1	
35	Violent deaths (suicide excepted)	87		1	1	1	1	2	5	29	13	15	7	9	3				
36	Suicide	1									1								
(37)	All other defined diseases	122	16	1	1		1		3	11	25	31	18	9	4	2			
38	Unknown or ill-defined diseases																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CLEVELAND, OHIO.																			
	All causes	10,833	2,208	476	184	103	85	274	393	919	1,210	1,288	1,209	1,156	903	365	59	1	
1	Typhoid fever	53	1					1	13	16	15	5	1	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox	2	1						1										
5	Measles	52	16	13	6	4	4	3	1	5									
6	Scarlet fever	15	2	2	3	3	1	3	1										
7	Whooping cough	123	58	38	14	6	3	3			1								
8	Diphtheria and croup	154	12	23	23	13	15	50	11	4	2	1							
9	Influenza	83	19	8	3			1	1	3	5	5	5	14	11	6	2		
10	Asiatic cholera																		
11	Cholera nostras	6	3								1				2				
12	Other epidemic diseases	42	6		1			2	3	7	7	8	4	3	1				
13	Tuberculosis of the lungs	1,049	12	10	4	2	2	7	70	306	279	188	107	49	8	5			
14	Tuberculous meningitis	93	18	14	9	6	1	12	14	6	6	5	2						
15	Other forms of tuberculosis	63	4	2	1		1	6	5	10	15	9	4	6					
16	Cancer and other malignant tumors	576	1		1			3	5	9	52	111	148	141	90	13	2		
17	Meningitis	107	16	5	12	10	5	17	9	12	9	8	4						
18	Cerebral hemorrhage and softening	506	4					1	1	4	20	59	96	133	128	53	7		
19	Organic diseases of the heart	890	1	2	1	2	1	3	40	43	70	111	159	189	189	63	10	1	
20	Acute bronchitis	131	68	16	6		3	1	2	1	1	1	5	8	8	9	2		
21	Chronic bronchitis	63		3						1	1	3	3	15	17	15	5		
22	Pneumonia	909	99	43	12	6	6	18	19	80	129	155	135	105	69	30	3		
23a	Bronchopneumonia	468	204	77	21	6	2	13	5	4	13	21	27	28	26	17	4		
23b	Other diseases of the respiratory system	77	5	7	3	4	2	4	2	9	5	6	12	11	7				
24	Diseases of the stomach	92	29	4				2	1	7	11	15	6	9	5	3			
25(37)	Diarrhea and enteritis	892	649	154	29	5	1	7	1	4	7	10	8	4	7	5	1		
26	Appendicitis and typhlitis	95	1		1	2	1	7	19	23	18	17	5			1			
27	Hernia, intestinal obstruction	84	18	5			1	1	2	4	9	10	16	9	7	2			
28	Cirrhosis of the liver	111		1					2	3	11	24	31	22	14	3			
29	Acute nephritis and Bright's disease	606	4	2	3	1	3		20	24	50	76	111	134	126	47	5		
30	Diseases of the female genital organs	45							2	6	17	13	2	5					
31	Puerperal septicemia	68							4	31	29	4							
32	Other puerperal affections	65							1	32	26	6							
33	Congenital debility and malformations	580	569	5		1	2	1			1	1							
34	Senility	27												2	9	13	3		
35	Violent deaths (suicide excepted)	970	20	13	19	24	21	66	69	158	190	188	91	61	34	13	3		
36	Suicide	130							7	31	27	24	18	19	3	1			
(37)	All other defined diseases	1,440	279	22	11	6	8	39	61	77	171	192	191	175	134	63	11		
38	Unknown or ill-defined diseases	166	89	7	2	1	2		2	3	12	13	14	12	6	2	1		
COLUMBUS, OHIO.																			
	All causes	3,383	386	76	33	20	17	56	156	313	350	428	456	479	400	184	26	3	
1	Typhoid fever	17	1					1	1	6	1	4	2	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	67	7	12		3	4	4	19	17	1								
6	Scarlet fever	8		1			1	2	2		1						1		
7	Whooping cough	5	2	1	1			1											
8	Diphtheria and croup	24	1	2	2	2	4	8	3	1			1						
9	Influenza	25	1						1	3	1	3	1	6	6	2		1	
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	4			1						1		1	1	2			
13	Tuberculosis of the lungs	304	5		2		1	2	35	86	77	43	32	12	7	2			
14	Tuberculous meningitis	28	4	5	3	1	1	5	5	2	1	1							
15	Other forms of tuberculosis	39	4						7	8	8	8	4						
16	Cancer and other malignant tumors	228			1					10	19	40	58	73	23	4			
17	Meningitis	23	4	2	1	1	2	3	3	2	2	1	2						
18	Cerebral hemorrhage and softening	232							1	4	5	20	40	64	72	24	2		
19	Organic diseases of the heart	374	1			1		3	10	8	30	63	70	90	73	20	5		
20	Acute bronchitis	9	6	1	1					1									
21	Chronic bronchitis	10										2		2	3	3			
22	Pneumonia	181	8	11	1			2	10	23	22	18	26	31	19	9	1		
23a	Bronchopneumonia	169	36	15	8	2		4	4	2	7	8	15	14	23	27	4		
23b	Other diseases of the respiratory system	33	1	1	1				1		1	5	6	6	8	3			
24	Diseases of the stomach	38	3	1	1	1			1	2	2	6	8	5	3	5			
25(37)	Diarrhea and enteritis	96	66	11	2	2		2		1	1	2	3	1	4	1			
26	Appendicitis and typhlitis	27						1	6	6	4	5	4		1				
27	Hernia, intestinal obstruction	39	6	1	1				1	3	3	5	6	6	4	3			
28	Cirrhosis of the liver	36								1	3	12	6	10	4				
29	Acute nephritis and Bright's disease	181			1				3	10	16	27	35	51	30	8			
30	Diseases of the female genital organs	42							1	9	15	13	2	2					
31	Puerperal septicemia	17								8	7	2							
32	Other puerperal affections	15							1	9	3	2							
33	Congenital debility and malformations	176	174					2											
34	Senility	64											2	2	16	34	8	2	
35	Violent deaths (suicide excepted)	253	1	2	3	3	3	7	21	50	40	39	27	24	27	4	2		
36	Suicide	27								7	7	5	4	2	2				
(37)	All other defined diseases	581	51	8	4	3	1	8	20	33	73	93	102	76	73	33	3		
38	Unknown or ill-defined diseases	5		2				1		1					1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
DAYTON, OHIO.																			
	All causes	2,055	318	45	18	8	8	35	84	164	188	217	269	286	263	141	11	.....	.....
1	Typhoid fever	19	1	.....	.....	.....	.....	1	2	7	2	3	1	2	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	16	6	5	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	6	.....	1	.....	1	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	15	7	5	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	14	.....	1	1	1	2	5	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	16	.....	.....	.....	.....	.....	.....	.....	1	2	4	.....	2	3	3	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	185	2	3	.....	.....	.....	1	21	40	52	23	27	13	3	.....	.....	.....	.....
14	Tuberculous meningitis	11	2	1	1	3	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	13	.....	.....	.....	.....	.....	2	2	2	3	.....	2	1	.....	1	.....	.....	.....
16	Cancer and other malignant tumors	141	.....	.....	.....	.....	.....	1	.....	4	9	18	33	35	32	9	.....	.....	.....
17	Meningitis	13	3	.....	1	.....	.....	2	2	2	2	1	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	161	.....	.....	.....	.....	.....	.....	.....	.....	4	15	27	42	45	26	2	.....	.....
19	Organic diseases of the heart	265	1	1	.....	.....	.....	.....	5	6	13	28	38	64	69	40	.....	.....	.....
20	Acute bronchitis	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	.....	.....
22	Pneumonia	123	12	3	1	.....	.....	2	2	8	12	17	17	23	14	9	3	.....	.....
23a	Bronchopneumonia	87	38	6	4	.....	3	2	.....	.....	3	4	7	6	6	8	.....	.....	.....
23b	Other diseases of the respiratory system	16	1	.....	2	.....	.....	.....	.....	3	1	1	3	1	2	2	.....	.....	.....
24	Diseases of the stomach	32	7	.....	.....	.....	.....	.....	.....	2	5	4	6	5	2	1	.....	.....	.....
25(37)	Diarrhea and enteritis	88	65	7	3	.....	.....	.....	.....	.....	3	2	2	3	2	1	.....	.....	.....
26	Appendicitis and typhlitis	25	.....	.....	.....	.....	.....	1	9	6	3	1	5	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	30	3	1	.....	.....	.....	1	3	2	2	4	8	.....	3	3	.....	.....	.....
28	Cirrhosis of the liver	23	.....	.....	.....	.....	.....	.....	.....	.....	3	4	9	5	2	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	124	1	.....	.....	.....	.....	2	4	7	9	13	19	25	28	15	1	.....	.....
30	Diseases of the female genital organs	16	.....	.....	.....	.....	.....	.....	.....	4	6	4	1	.....	1	.....	.....	.....	.....
31	Puerperal septicemia	12	.....	.....	.....	.....	.....	.....	1	6	5	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	14	.....	.....	.....	.....	.....	.....	1	9	3	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	115	114	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	2	.....	.....
35	Violent deaths (suicide excepted)	149	8	5	1	2	2	6	13	25	18	27	12	11	11	7	1	.....	.....
36	Suicide	21	.....	.....	.....	.....	.....	.....	.....	5	5	3	5	2	1	.....	.....	.....	.....
(37)	All other defined diseases	281	42	3	1	.....	.....	2	12	25	22	36	47	44	37	9	1	.....	.....
38	Unknown or ill-defined diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
TOLEDO, OHIO.																			
	All causes	3,566	542	89	46	25	25	62	120	334	372	408	489	452	367	213	22	.....	.....
1	Typhoid fever	18	.....	.....	.....	.....	.....	.....	4	3	6	3	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	8	4	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	28	2	4	3	4	5	4	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	23	12	6	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	36	1	4	4	5	7	8	1	3	2	.....	.....	1	.....	.....	.....	.....	.....
9	Influenza	24	1	1	1	.....	1	.....	.....	2	2	1	4	3	3	4	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	14	2	.....	.....	.....	.....	.....	.....	2	.....	2	3	1	3	.....	1	.....	.....
13	Tuberculosis of the lungs	367	2	1	3	1	.....	1	31	106	85	63	47	19	6	2	.....	.....	.....
14	Tuberculous meningitis	20	1	6	1	1	1	2	2	2	1	2	.....	.....	1	.....	.....	.....	.....
15	Other forms of tuberculosis	25	.....	.....	1	.....	.....	1	2	8	7	3	3	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	245	.....	.....	.....	1	.....	.....	.....	5	16	43	76	60	32	12	.....	.....	.....
17	Meningitis	15	1	1	.....	3	.....	3	1	.....	2	2	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	216	.....	.....	.....	.....	.....	.....	.....	3	4	15	40	68	57	26	3	.....	.....
19	Organic diseases of the heart	405	.....	1	1	.....	.....	6	11	16	29	48	66	83	98	42	4	.....	.....
20	Acute bronchitis	23	11	3	.....	1	.....	.....	.....	.....	.....	.....	.....	2	2	4	.....	.....	.....
21	Chronic bronchitis	15	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	5	6	.....	.....	.....	.....
22	Pneumonia	192	22	6	3	.....	2	5	4	17	23	22	33	30	17	8	.....	.....	.....
23a	Bronchopneumonia	126	54	11	8	1	3	1	2	1	6	3	8	8	11	8	1	.....	.....
23b	Other diseases of the respiratory system	19	2	4	.....	.....	.....	.....	1	1	1	.....	1	2	4	3	.....	.....	.....
24	Diseases of the stomach	40	5	1	1	.....	1	.....	1	4	3	5	11	4	3	1	.....	.....	.....
25(37)	Diarrhea and enteritis	162	113	24	6	2	.....	3	2	2	.....	3	2	1	2	2	.....	.....	.....
26	Appendicitis and typhlitis	48	.....	.....	1	.....	.....	3	8	13	11	2	5	5	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	27	4	1	1	.....	1	2	.....	1	1	2	4	6	3	1	.....	.....	.....
28	Cirrhosis of the liver	48	.....	.....	.....	.....	.....	.....	1	.....	4	14	14	10	3	2	.....	.....	.....
29	Acute nephritis and Bright's disease	187	1	.....	.....	.....	.....	.....	1	9	6	17	43	48	41	18	3	.....	.....
30	Diseases of the female genital organs	22	.....	.....	.....	.....	.....	.....	.....	3	9	7	3	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	23	.....	.....	.....	.....	.....	.....	4	12	6	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	21	.....	.....	.....	.....	.....	.....	3	12	6	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	215	213	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10	22	3	.....	.....
35	Violent deaths (suicide excepted)	273	3	5	6	3	1	13	21	51	50	44	29	28	10	6	3	.....	.....
36	Suicide	53	.....	.....	.....	.....	.....	.....	4	14	9	10	10	5	1	.....	.....	.....	.....
(37)	All other defined diseases	585	87	7	2	1	3	9	10	41	83	95	81	64	54	45	3	.....	.....
38	Unknown or ill-defined diseases	6	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PORTLAND, OREG.																		
	All causes	2,390	252	46	24	15	16	47	85	169	186	300	355	372	345	165	12	1
1	Typhoid fever	17					1		4	3	1	5	2		1			
2	Typhus fever																	
3	Malaria																	
4	Smallpox																	
5	Measles	18	3	3	2	5		3	2									
6	Scarlet fever	5						4					1					
7	Whooping cough	3	3															
8	Diphtheria and croup	10		2			4	2	2									
9	Influenza	17		1	1			1			1	1	2	2	6	2		
10	Asiatic cholera																	
11	Cholera nostras																	
12	Other epidemic diseases	12	4	2		1	1	1		1				1	1			
13	Tuberculosis of the lungs	154	3	1	1		1		14	46	31	23	18	12	4			
14	Tuberculous meningitis	20	6	2	2			4	2	2	1			1				
15	Other forms of tuberculosis	25			1	1		2	4	5	4	6	1	1				
16	Cancer and other malignant tumors	265							2	8	10	47	77	64	40	17		
17	Meningitis	19	2	1	3	1	1	2	4		1	2		1	1			
18	Cerebral hemorrhage and softening	176	2								4	16	29	46	54	23	2	
19	Organic diseases of the heart	265	1					2	8	6	11	38	43	59	72	24	1	
20	Acute bronchitis	13	5	2									1	2	2	1		
21	Chronic bronchitis	9						1					1	1	1	5		
22	Pneumonia	117	11	4		1	1	4	3	7	10	14	15	24	12	11		
23a	Bronchopneumonia	45	13	5	4		3	1	2	1	1		2	2	8	3		
23b	Other diseases of the respiratory system	31	4				1	1	2		3	6	3	5	2	2	2	
24	Diseases of the stomach	30	5	1						1	3	1	6	4	8		1	
25(37)	Diarrhea and enteritis	60	33	9	4	3		2		1		1	3	2		2		
26	Appendicitis and typhlitis	29					1	2	2	6	4	7	1	4	2			
27	Hernia, intestinal obstruction	24	1						2	1	2	5	4	3	4	1	1	
28	Cirrhosis of the liver	22									1	5	4	8	4			
29	Acute nephritis and Bright's disease	193	2						1	9	13	26	41	47	34	19	1	
30	Diseases of the female genital organs	6								1		5						
31	Puerperal septicemia	9							2	5	2							
32	Other puerperal affections	15								8	7							
33	Congenital debility and malformations	115	114							1								
34	Senility	19												2	3	13	1	
35	Violent deaths (suicide excepted)	170	2	4	3	3		6	14	24	38	24	16	14	15	5	1	1
36	Suicide	33								10	7	5	6	4	1			
(37)	All other defined diseases	441	38	7	3		2	9	15	23	31	62	79	63	70	37	2	
38	Unknown or ill-defined diseases	3		2								1						
PHILADELPHIA, PA. (TOTAL).																		
	All causes	29,649	4,637	1,020	431	292	193	610	955	2,158	2,746	3,513	4,071	4,092	3,302	1,428	193	6	2
1	Typhoid fever	109	1		1	1	2	4	25	38	19	10	3	4	1			
2	Typhus fever																	
3	Malaria	6	1				1			1	1			1			1	
4	Smallpox																	
5	Measles	82	19	25	21	10	5	1		1								
6	Scarlet fever	35		6	5	5	5	12		2								
7	Whooping cough	163	79	55	13	9	2	4	1									
8	Diphtheria and croup	446	31	85	66	70	43	111	26	9	2	2			1			
9	Influenza	249	22	14	5	2	2	11	6	15	15	30	37	41	23	18	8	
10	Asiatic cholera																	
11	Cholera nostras	5	1	2			1						1					
12	Other epidemic diseases	91	24	4	5	2	3	2	1	5	5	12	5	10	8	5		
13	Tuberculosis of the lungs	3,034	39	21	11	6	7	20	236	708	752	631	374	171	50	7	1	
14	Tuberculous meningitis	227	63	49	18	14	8	26	19	15	5	4	4	2				
15	Other forms of tuberculosis	160	15	7	3	4	4	12	16	23	24	21	13	12	2	3	1	
16	Cancer and other malignant tumors	1,728	2		1	2	1	2	11	30	111	293	492	471	236	71	5	
17	Meningitis	350	62	27	29	15	8	50	56	41	23	21	10	6	1	1		
18	Cerebral hemorrhage and softening	1,258	3	1	1	2			2	16	31	105	245	321	363	154	14	
19	Organic diseases of the heart	3,682	21	5	4	4	2	25	107	126	205	374	630	932	827	365	53	2
20	Acute bronchitis	230	139	24	8	4	2	1	2		5	5	8	4	10	15	3	
21	Chronic bronchitis	158	2					3	1	1	5	11	18	42	39	32	4	
22	Pneumonia	2,455	207	91	38	25	12	32	54	220	344	414	407	314	227	65	5	
23a	Bronchopneumonia	1,284	508	166	68	13	16	33	23	20	33	56	63	91	126	59	8	1
23b	Other diseases of the respiratory system	277	27	10	13	2	4	5	10	19	23	32	44	35	40	11	2	
24	Diseases of the stomach	260	61	2	4	3	2	7	4	13	32	40	24	32	26	9	1	
25(37)	Diarrhea and enteritis	1,880	1,331	302	42	26	11	23	7	12	18	17	17	20	29	23	2	
26	Appendicitis and typhlitis	237				1	1	22	37	51	51	36	21	11	4	2		
27	Hernia, intestinal obstruction	262	23	5		4		2	13	12	21	41	50	48	32	9	2	
28	Cirrhosis of the liver	280							2	6	20	59	80	71	32	10		
29	Acute nephritis and Bright's disease	3,302	23	5	4	4	6	26	36	101	233	454	704	741	670	263	30	1	1
30	Diseases of the female genital organs	131							4	29	33	39	17	2	7			
31	Puerperal septicemia	114							9	56	45	4						
32	Other puerperal affections	161							13	78	63	7						
33	Congenital debility and malformations	1,367	1,349	10	3	1	1	2		1								
34	Senility	115												5	30	60	20	
35	Violent deaths (suicide excepted)	1,726	60	43	35	44	30	101	105	240	229	269	212	182	116	50	9	1
36	Suicide	263							8	47	53	56	55	32	11	1		
(37)	All other defined diseases	3,497	518	52	33	19	14	73	120	221	345	469	535	488	389	195	24	2	
38	Unknown or ill-defined diseases	25	6	9					1	1		1	2	3	2			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PHILADELPHIA, PA. (WHITE).																			
	All causes	26,492	4,176	887	384	272	174	548	804	1,696	2,223	3,013	3,709	3,872	3,171	1,377	179	5	2
1	Typhoid fever	100	1	.....	1	1	2	4	23	34	18	8	3	4	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	5	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	73	17	22	20	9	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	35	.....	6	5	5	5	12	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	141	69	49	10	7	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	426	29	81	63	69	43	106	23	7	2	2	.....	.....	1	.....	.....	.....	.....
9	Influenza	221	21	14	5	1	2	11	6	12	10	21	35	39	21	16	7	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	87	23	4	5	2	3	1	1	5	5	11	5	10	7	5	.....	.....	.....
13	Tuberculosis of the lungs	2,525	32	14	6	5	4	14	182	563	619	532	342	159	45	7	1	.....	.....
14	Tuberculous meningitis	193	56	40	17	12	6	21	14	13	4	4	4	2	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	137	14	7	3	4	3	10	13	17	18	19	11	12	2	3	1	.....	.....
16	Cancer and other malignant tumors	1,640	2	.....	1	2	1	2	11	26	96	278	467	455	226	69	4	.....	.....
17	Meningitis	286	55	25	25	12	8	36	44	27	17	19	10	6	1	1	.....	.....	.....
18	Cerebral hemorrhage and softening	1,169	3	1	1	1	.....	.....	2	13	25	91	218	303	354	144	13	.....	.....
19	Organic diseases of the heart	3,360	20	5	4	3	2	24	94	104	167	308	565	866	797	350	49	2	.....
20	Acute bronchitis	198	118	21	6	2	2	1	1	.....	5	5	6	4	9	15	3	.....	.....
21	Chronic bronchitis	149	2	.....	.....	.....	.....	1	1	.....	4	9	17	41	38	32	4	.....	.....
22	Pneumonia	2,035	177	80	36	24	10	29	43	130	232	338	365	291	213	62	5	.....	.....
23a	Bronchopneumonia	1,109	448	125	55	12	14	28	18	13	21	45	55	85	123	58	8	1	.....
23b	Other diseases of the respiratory system	240	23	10	13	2	4	5	6	14	16	27	37	33	38	10	2	.....	.....
24	Diseases of the stomach	210	53	2	3	2	1	7	4	10	18	24	21	29	26	9	1	.....	.....
25(37)	Diarrhea and enteritis	1,721	1,227	272	38	26	9	20	5	10	13	15	15	19	29	21	2	.....	.....
26	Appendicitis and typhlitis	210	.....	.....	.....	1	1	21	31	43	44	34	19	10	4	2	.....	.....	.....
27	Hernia, intestinal obstruction	243	21	5	.....	4	.....	2	12	10	17	36	47	46	32	9	2	.....	.....
28	Cirrhosis of the liver	269	.....	.....	.....	.....	.....	.....	2	6	17	56	78	69	31	10	.....	.....	.....
29	Acute nephritis and Bright's disease	3,007	23	4	4	4	6	26	31	80	189	385	624	703	643	256	27	1	1
30	Diseases of the female genital organs	108	.....	.....	.....	.....	.....	.....	4	21	26	33	16	2	6	.....	.....	.....	.....
31	Puerperal septicemia	99	.....	.....	.....	.....	.....	.....	5	48	42	4	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	143	.....	.....	.....	.....	.....	.....	12	67	59	5	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,255	1,237	10	3	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	114	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	30	59	20	.....	.....
35	Violent deaths (suicide excepted)	1,558	50	40	34	42	29	95	98	193	200	242	191	175	110	49	9	.....	1
36	Suicide	251	.....	.....	.....	.....	.....	.....	8	44	49	55	53	32	10	.....	.....	.....	.....
(37)	All other defined diseases	3,152	448	43	26	19	12	65	108	182	289	406	502	469	372	190	20	1	.....
38	Unknown or ill-defined diseases	20	5	6	.....	.....	.....	.....	1	1	.....	1	2	2	2	.....	.....	.....	.....
PHILADELPHIA, PA. (COLORED).																			
	All causes	3,157	461	133	47	20	19	62	151	462	523	500	362	220	131	51	14	1	.....
1	Typhoid fever	9	.....	.....	.....	.....	.....	.....	2	4	1	2	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	9	2	3	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	22	10	6	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	20	2	4	3	1	.....	5	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	28	1	.....	.....	1	.....	.....	.....	3	5	9	2	2	2	2	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	509	7	7	5	1	3	6	54	145	133	99	32	12	5	.....	.....	.....	.....
14	Tuberculous meningitis	34	7	9	1	2	2	5	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	23	1	.....	.....	.....	1	2	3	6	6	2	2	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	88	.....	.....	.....	.....	.....	.....	.....	4	15	15	25	16	10	2	1	.....	.....
17	Meningitis	64	7	2	4	3	.....	14	12	14	6	2	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	89	.....	.....	.....	1	.....	.....	.....	3	6	14	27	18	9	10	1	.....	.....
19	Organic diseases of the heart	322	1	.....	.....	1	.....	1	13	22	38	66	65	66	30	15	4	.....	.....
20	Acute bronchitis	32	21	3	2	2	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....	.....
21	Chronic bronchitis	9	.....	.....	.....	.....	.....	2	.....	1	1	2	1	1	1	.....	.....	.....	.....
22	Pneumonia	420	30	11	2	1	2	3	11	90	112	76	42	23	14	3	.....	.....	.....
23a	Bronchopneumonia	175	60	41	13	1	2	5	5	7	12	11	8	6	3	1	.....	.....	.....
23b	Other diseases of the respiratory system	37	4	.....	.....	.....	.....	.....	4	5	7	5	7	2	2	1	.....	.....	.....
24	Diseases of the stomach	50	8	.....	1	1	1	.....	.....	3	14	16	3	3	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	159	104	30	4	.....	2	3	2	2	5	2	2	1	.....	2	.....	.....	.....
26	Appendicitis and typhlitis	27	.....	.....	.....	.....	.....	1	6	8	7	2	2	1	.....	.....	.....	.....	.....
27	Hernia, intestinal construction	19	2	.....	.....	.....	.....	.....	1	2	4	5	3	2	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	11	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	2	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	295	.....	1	.....	.....	.....	.....	5	21	44	69	80	38	27	7	3	.....	.....
30	Diseases of the female genital organs	23	.....	.....	.....	.....	.....	.....	.....	8	7	6	1	.....	1	.....	.....	.....	.....
31	Puerperal septicemia	15	.....	.....	.....	.....	.....	.....	4	8	3	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	18	.....	.....	.....	.....	.....	.....	1	11	4	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	112	112	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
35	Violent deaths (suicide excepted)	168	10	3	1	2	1	6	7	47	29	27	21	7	6	1	.....	.....	.....
36	Suicide	12	.....	.....	.....	.....	.....	.....	.....	3	4	1	2	.....	1	1	.....	.....	.....
(37)	All other defined diseases	345	70	9	7	.....	2	8	12	39	56	63	33	19	17	5	4	1	.....
38	Unknown or ill-defined diseases	5	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PITTSBURGH, PA. (TOTAL).																			
	All causes	10,645	1,983	446	179	133	92	228	401	983	1,220	1,273	1,290	1,174	841	361	38	3	
1	Typhoid fever	70			1		4	8	8	24	17	4	4	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	66	21	23	13	5	3	1											
6	Scarlet fever	13	1	2	1	3	1	3	1	1									
7	Whooping cough	60	28	19	7	3	2		1										
8	Diphtheria and croup	140	13	20	24	24	14	30	11	2	1	1							
9	Influenza	93	10	5	2	3		1	4	6	8	4	15	17	9	8	1		
10	Asiatic cholera																		
11	Cholera nostras	8	3																
12	Other epidemic diseases	71	24	2	1	1	1			5	4	3	1	3	1				
13	Tuberculosis of the lungs	753	15	6	4		2	8	68	205	178	135	86	36	10	4			
14	Tuberculous meningitis	98	23	14	15	10	5	11	7	7	5	1							
15	Other forms of tuberculosis	95	5	3	2		3	4	9	21	22	9	9	5	3				
16	Cancer and other malignant tumors	564	1					1	7	16	39	100	136	150	88	25	1		
17	Meningitis	133	20	12	10	7	6	17	20	17	11	4	6	3					
18	Cerebral hemorrhage and softening	430	2						1	9	19	51	81	127	107	29	4		
19	Organic diseases of the heart	823	4	3	1	1	1	10	30	58	64	110	148	180	148	58	6	1	
20	Acute bronchitis	106	47	10	4	2				3	3	4	3	13	9	7	1		
21	Chronic bronchitis	55	1								2	5	7	9	15	12	4		
22	Pneumonia	1,500	94	50	16	11	8	15	48	165	269	267	257	149	113	37	1		
23a	Bronchopneumonia	588	213	68	18	12	5	8	6	15	34	23	37	59	59	28	3		
23b	Other diseases of the respiratory system	132	6	6	2	4	3		2	10	12	22	17	16	11	17	3	1	
24	Diseases of the stomach	67	16	1	2	2			3	4	5	9	8	7	7	3			
25(37)	Diarrhea and enteritis	865	593	160	27	16	5	9	5	6	6	9	7	10	9	3			
26	Appendicitis and typhlitis	100		1	1		1	10	22	20	27	8	3	5	1	1			
27	Hernia, intestinal obstruction	90	14	4	1		4	3	1	8	13	14	11	11	3	3			
28	Cirrhosis of the liver	114					1		1	2	12	30	36	20	11	1			
29	Acute nephritis and Bright's disease	580	7	1	3	2	2	5	9	32	62	94	112	131	86	32	2		
30	Diseases of the female genital organs	47								10	17	12	6	2					
31	Puerperal septicemia	82							4	39	32	7							
32	Other puerperal affections	83							5	34	30	14							
33	Congenital debility and malformations	561	550	4	1	1		4		1									
34	Senility	22													3	13	5	1	
35	Violent deaths (suicide excepted)	871	15	13	16	17	10	53	67	157	153	148	98	65	35	21	3		
36	Suicide	83							3	23	18	18	12	5	3	1			
(37)	All other defined diseases	1,273	253	19	7	9	11	27	58	82	157	166	179	141	102	58	4		
38	Unknown or ill-defined diseases	9	4		1					1		1		1	1				
PITTSBURGH, PA. (WHITE).																			
	All causes	9,742	1,846	401	168	124	83	205	357	851	1,065	1,138	1,178	1,117	823	349	36	1	
1	Typhoid fever	61					3	7	6	21	16	4	3	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	63	20	22	12	5	3	1											
6	Scarlet fever	12	1	2	1	3	1	3	1										
7	Whooping cough	54	27	16	7	2	2												
8	Diphtheria and croup	135	12	20	23	24	12	29	11	2	1	1							
9	Influenza	77	6	5	2	3		1	3	4	5	3	13	16	8	7	1		
10	Asiatic cholera																		
11	Cholera nostras	7	3																
12	Other epidemic diseases	69	23	2	1	1	1			5	3	3	1	2	1				
13	Tuberculosis of the lungs	670	14	4	4		2	6	52	133	155	124	81	35	10	4			
14	Tuberculous meningitis	89	22	13	14	8	5	9	7	5	5	1							
15	Other forms of tuberculosis	80	4	3	2		3	1	8	18	21	6	6	5	3				
16	Cancer and other malignant tumors	545	1					1	6	16	38	95	128	149	85	25	1		
17	Meningitis	126	20	12	10	6	6	16	20	16	10	4	4	2					
18	Cerebral hemorrhage and softening	393	2						1	8	12	42	72	119	107	26	4		
19	Organic diseases of the heart	761	4	3	1	1	1	10	30	54	56	95	135	165	145	56	5		
20	Acute bronchitis	95	40	7	4	2				3	3	4	3	12	9	7	1		
21	Chronic bronchitis	55	1								2	5	7	9	15	12	4		
22	Pneumonia	1,251	80	42	14	8	5	11	36	110	214	224	223	136	112	35	1		
23a	Bronchopneumonia	525	192	58	16	12	4	7	4	11	25	16	33	58	58	28	3		
23b	Other diseases of the respiratory system	128	6	6	2	4	3		2	9	12	21	15	16	11	17	3	1	
24	Diseases of the stomach	67	16	1	2	2			3	4	5	9	8	7	7	3			
25(37)	Diarrhea and enteritis	811	557	148	27	15	4	9	5	5	6	7	7	10	9	2			
26	Appendicitis and typhlitis	94		1	1		1	8	21	19	25	8	3	5	1	1			
27	Hernia, intestinal obstruction	86	14	4	1		4	3	1	8	11	14	9	11	3	3			
28	Cirrhosis of the liver	109					1		1	2	11	29	34	19	11	1			
29	Acute nephritis and Bright's disease	531	6		1	2	2	4	9	30	54	85	102	125	79	30	2		
30	Diseases of the female genital organs	45								10	16	11	6	2					
31	Puerperal septicemia	76							3	37	29	7							
32	Other puerperal affections	79							5	31	30	13							
33	Congenital debility and malformations	534	524	3	1	1		4		1									
34	Senility	21													3	13	5		
35	Violent deaths (suicide excepted)	817	14	13	15	17	9	49	65	145	140	136	95	62	35	20	2		
36	Suicide	79							3	20	17	18	12	5	3	1			
(37)	All other defined diseases	1,188	233	16	6	8	11	26	54	73	143	152	167	137	100	58	4		
38	Unknown or ill-defined diseases	9	4		1					1		1		1	1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PITTSBURGH, PA. (COLORED).																			
	All causes	903	137	45	11	9	9	23	44	132	155	135	112	57	18	12	2	2	.....
1	Typhoid fever	9	.....	.....	.....	.....	1	1	2	3	1	.....	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	6	1	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	5	1	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	16	4	.....	.....	.....	.....	.....	1	2	3	1	2	1	1	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
12	Other epidemic diseases	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	83	1	2	.....	.....	.....	2	16	22	23	11	5	1	.....	.....	.....	.....	.....
14	Tuberculous meningitis	9	1	1	1	2	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	15	1	.....	.....	.....	.....	3	1	3	1	3	3	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	19	.....	.....	.....	.....	.....	.....	1	.....	1	5	8	1	3	.....	.....	.....	.....
17	Meningitis	7	.....	.....	.....	1	.....	1	.....	1	1	.....	2	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	37	.....	.....	.....	.....	.....	.....	.....	1	7	9	9	8	.....	3	.....	.....	.....
19	Organic diseases of the heart	62	.....	.....	.....	.....	.....	.....	.....	4	8	15	13	15	3	2	1	1	.....
20	Acute bronchitis	11	7	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
21	Chronic bronchitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Pneumonia	249	14	8	2	3	3	4	12	55	55	43	34	13	1	2	.....	.....	.....
23a	Bronchopneumonia	63	21	10	2	.....	1	1	2	4	9	7	4	1	1	.....	.....	.....	.....
23b	Other diseases of the respiratory system	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....
24	Diseases of the stomach	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	54	36	12	.....	1	1	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....
26	Appendicitis and typhlitis	6	.....	.....	.....	.....	.....	2	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	49	1	1	2	.....	.....	1	.....	2	8	9	10	6	7	2	.....	.....	.....
30	Diseases of the female genital organs	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	6	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	4	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	27	26	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
35	Violent deaths (suicide excepted)	54	1	.....	1	.....	1	4	2	12	13	12	3	3	.....	1	1	.....	.....
36	Suicide	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
(37)	All other defined diseases	85	20	3	1	1	.....	1	4	9	14	14	12	4	2	.....	.....	.....	.....
38	Unknown or ill-defined diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
SCRANTON, PA.																			
	All causes	2,247	487	100	44	20	24	57	88	156	189	283	279	239	188	83	10	.....	.....
1	Typhoid fever	9	.....	.....	.....	.....	.....	.....	2	1	4	2	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	12	3	6	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	9	1	2	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	8	6	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	40	3	6	9	7	2	10	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	11	3	.....	.....	1	.....	.....	.....	1	.....	1	.....	2	1	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	10	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	2	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	104	2	2	.....	.....	.....	.....	5	26	19	26	13	11	.....	.....	.....	.....	.....
14	Tuberculous meningitis	17	3	5	2	1	1	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	20	4	3	.....	.....	1	.....	1	4	1	3	1	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	110	.....	.....	.....	1	.....	.....	.....	2	12	29	25	21	19	1	.....	.....	.....
17	Meningitis	14	4	4	.....	1	1	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	110	1	.....	.....	.....	.....	.....	.....	.....	1	14	29	22	24	18	1	.....	.....
19	Organic diseases of the heart	219	1	.....	1	.....	.....	5	12	23	19	30	32	43	39	13	1	.....	.....
20	Acute bronchitis	31	18	5	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....
21	Chronic bronchitis	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	3	1	.....	.....	.....
22	Pneumonia	231	24	9	8	2	2	4	8	12	29	39	35	30	19	6	4	.....	.....
23a	Bronchopneumonia	84	39	10	4	1	1	2	1	2	1	3	3	7	6	4	.....	.....	.....
23b	Other diseases of the respiratory system	33	1	4	.....	1	1	.....	1	.....	3	4	10	5	1	2	.....	.....	.....
24	Diseases of the stomach	19	4	.....	.....	.....	.....	2	.....	.....	1	3	2	3	1	3	.....	.....	.....
25(37)	Diarrhea and enteritis	239	168	26	9	1	2	6	.....	3	4	2	4	2	8	3	1	.....	.....
26	Appendicitis and typhlitis	27	.....	.....	.....	.....	.....	4	7	6	3	6	.....	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	19	1	1	.....	.....	.....	1	.....	1	.....	1	6	4	3	1	.....	.....	.....
28	Cirrhosis of the liver	16	.....	.....	.....	.....	.....	.....	.....	.....	5	4	7	.....	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	157	.....	.....	1	.....	.....	2	5	10	14	26	41	33	18	7	.....	.....	.....
30	Diseases of the female genital organs	7	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	1	.....	.....	.....	.....	.....
31	Puerperal septicemia	10	.....	.....	.....	.....	.....	.....	1	3	5	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	17	.....	.....	.....	.....	.....	.....	1	5	10	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	136	134	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
35	Violent deaths (suicide excepted)	217	3	10	2	3	6	10	23	34	29	44	27	12	8	4	2	.....	.....
36	Suicide	6	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	.....	.....	.....	.....	.....
(37)	All other defined diseases	288	61	5	3	.....	3	5	14	16	26	34	39	33	32	16	1	.....	.....
38	Unknown or ill-defined diseases	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PROVIDENCE, R. I.																			
	All causes	3,996	650	141	65	36	22	95	132	282	328	450	546	564	452	197	33	1	2
1	Typhoid fever	16							3	10	3								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	35	5	20	7	3													
6	Scarlet fever	16		2	5	1	1	4	1		1	1							
7	Whooping cough	5	3	2															
8	Diphtheria and croup	80	7	13	7	8	8	29	5	1	2								
9	Influenza	39	2	4	1				1	2	2	1	7	5	9	5			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	7	1						2		2	4		1	1			
13	Tuberculosis of the lungs	364	7	5	7			4	24	96	86	75	34	18	4	3			1
14	Tuberculous meningitis	41	9	12	4	3	2	2	4	2	1	1	1						
15	Other forms of tuberculosis	30	2	3			2	2	5	7	3	2	2	1		1			
16	Cancer and other malignant tumors	273						1	1	5	15	43	70	76	46	15	1		
17	Meningitis	34	11	4	1	3		2	3	3	2	1	3	1					
18	Cerebral hemorrhage and softening	280		1					1	4	7	27	52	85	78	23	1	1	
19	Organic diseases of the heart	384	1					5	9	9	19	40	63	97	88	47	6		
20	Acute bronchitis	28	15	3		1		1				1	1		2	4			
21	Chronic bronchitis	14									1	1	1	2	3	4	2		
22	Pneumonia	310	26	13	5	2	3	6	4	18	24	50	59	50	32	14	4		
23a	Bronchopneumonia	170	52	24	9	4	2	1	4	2	4	9	14	19	17	6	3		
23b	Other diseases of the respiratory system	34	2	1	3			2	2	2	2	5	5	4	3	1	2		
24	Diseases of the stomach	20	2							4	3	3	3	3	1	1			
25(37)	Diarrhea and enteritis	160	122	15	3		1			3	2	2	4	3	4	1			
26	Appendicitis and typhlitis	48			1			7	5	10	9	4	10	1	1				
27	Hernia, intestinal obstruction	40	5		1	1			1	2	3	3	7	9	5	2	1		
28	Cirrhosis of the liver	22								1	1	7	8	1	4				
29	Acute nephritis and Bright's disease	311				1		2	4	11	24	46	63	74	55	28	3		
30	Diseases of the female genital organs	19								1	4	7	4	3					
31	Puerperal septicemia	12							1	6	5								
32	Other puerperal affections	36							1	16	13	6							
33	Congenital debility and malformations	220	220																
34	Senility	16													7	7	2		
35	Violent deaths (suicide excepted)	266	7	10	6	6	3	12	28	23	40	38	38	30	19	6			
36	Suicide	37							3	9	5	7	8	3	2				
(37)	All other defined diseases	589	138	7	4	1		14	22	31	46	67	81	72	69	29	7		1
38	Unknown or ill-defined diseases	29	7	1	1	2		1		2	1	1	4	7	2				
MEMPHIS, TENN. (TOTAL).																			
	All causes	3,019	311	103	62	47	21	69	209	418	438	415	348	274	190	71	12	3	28
1	Typhoid fever	38	1					3	10	7	7	7	2	1					
2	Typhus fever																		
3	Malaria	56	3	2	1			5	8	8	7	6	6	4	3	2			1
4	Smallpox																		
5	Measles	48	7	14	5	7	2	6	2	3	1				1				
6	Scarlet fever	6			1		1		3		1								
7	Whooping cough	35	12	9	5	3	2	4											
8	Diphtheria and croup	25	5	2		9	1	7		1									
9	Influenza	31	1		1			1	1	4	6	5	3	2	4	2			1
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	34	7	2		2	1		1	4	3	4	4	4	2				
13	Tuberculosis of the lungs	370	1	3	2		2	9	63	114	83	48	25	13	3	2			2
14	Tuberculous meningitis	13		2	2	2	1		2	2	2								
15	Other forms of tuberculosis	29					1		5	9	2	8	3						1
16	Cancer and other malignant tumors	115							3	6	15	24	36	18	11	1			1
17	Meningitis	16	2	2	2		1	2	1	2	1		1	2					
18	Cerebral hemorrhage and softening	95	1					1	1	5	6	21	17	19	15	9			
19	Organic diseases of the heart	219	2				1		7	12	30	42	44	38	31	8	1		3
20	Acute bronchitis	11	2		2				1	1	1		1	1	1		1		
21	Chronic bronchitis	13							2	2	1	1		4	3				
22	Pneumonia	207	12	10	5	4		2	12	31	29	33	34	21	11	2	1		
23a	Bronchopneumonia	81	22	14	9	4	2	1	4	5	6	5	1	3	3	2			
23b	Other diseases of the respiratory system	37	2	2	2	1		1	2	7	5	1	2	4	5	1			2
24	Diseases of the stomach	30		1						8	5	5	5	4	1	1			
25(37)	Diarrhea and enteritis	114	49	29	8	5	2		2	1	5	2	4	3	2	2			
26	Appendicitis and typhlitis	49						2	10	13	12	9	1	1					1
27	Hernia, intestinal obstruction	40	3	1		1		2	4	5	8	9	4		3				
28	Cirrhosis of the liver	13										4	3	3	3				
29	Acute nephritis and Bright's disease	252	2	1	1			1	5	14	30	40	55	51	34	15	1		2
30	Diseases of the female genital organs	36							2	11	16	7							
31	Puerperal septicemia	25							5	7	13								
32	Other puerperal affections	19							3	9	6								1
33	Congenital debility and malformations	104	102		1	1													
34	Senility	13													4	4	1	3	1
35	Violent deaths (suicide excepted)	242	9	1	6	5	2	8	23	62	40	32	29	5	11	1	1		7
36	Suicide	22							1	4	9	2	1	3	2				
(37)	All other defined diseases	486	36	5	6	2	1	13	25	58	81	87	56	57	36	17	3		3
38	Unknown or ill-defined diseases	95	30	3	3	1	1	1	1	3	7	13	11	13	1	2	3		2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
MEMPHIS, TENN. (WHITE).																			
	All causes	1,429	168	56	28	29	16	39	62	123	164	192	188	182	124	45	6	.....	7
1	Typhoid fever	23	.....	.....	.....	.....	.....	3	5	3	3	6	2	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	20	1	.....	.....	.....	.....	3	3	2	3	2	3	2	.....	1	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	37	5	10	5	6	2	4	1	2	1	.....	.....	.....	1	.....	.....	.....	.....
6	Scarlet fever	6	.....	1	.....	.....	1	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	18	8	5	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	20	3	1	.....	8	1	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	22	3	2	.....	2	1	.....	.....	2	3	2	3	2	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	113	.....	.....	.....	.....	1	1	4	26	33	23	12	10	.....	2	.....	.....	1
14	Tuberculous meningitis	7	.....	2	1	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	13	.....	.....	.....	.....	1	.....	1	2	2	4	2	.....	.....	.....	.....	.....	1
16	Cancer and other malignant tumors	82	.....	.....	.....	.....	.....	.....	2	4	8	15	25	16	10	1	.....	.....	1
17	Meningitis	10	2	.....	2	.....	.....	2	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	59	1	.....	.....	.....	.....	1	.....	.....	2	9	9	15	14	8	.....	.....	.....
19	Organic diseases of the heart	103	1	.....	.....	.....	1	.....	5	3	9	13	21	23	21	6	.....	.....	.....
20	Acute bronchitis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....
21	Chronic bronchitis	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	3	2	.....	.....	.....	.....
22	Pneumonia	82	3	3	2	1	.....	.....	2	8	6	15	18	17	6	1	.....	.....	.....
23a	Bronchopneumonia	28	10	7	2	1	1	.....	.....	.....	.....	1	1	2	1	2	.....	.....	.....
23b	Other diseases of the respiratory system	19	.....	1	.....	1	.....	1	1	2	2	1	1	3	4	1	.....	.....	1
24	Diseases of the stomach	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	66	29	18	5	3	1	.....	2	.....	2	1	3	1	.....	1	.....	.....	.....
26	Appendicitis and typhlitis	28	.....	.....	.....	.....	.....	1	7	6	5	6	1	1	.....	.....	.....	.....	1
27	Hernia, intestinal obstruction	24	2	1	.....	.....	.....	1	2	2	5	5	4	.....	2	.....	.....	.....	.....
28	Cirrhosis of the liver	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	2	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	115	1	.....	1	.....	.....	.....	1	3	10	15	22	30	21	10	1	.....	.....
30	Diseases of the female genital organs	11	.....	.....	.....	.....	.....	.....	1	1	6	3	.....	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	14	.....	.....	.....	.....	.....	.....	.....	5	9	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	6	.....	.....	.....	.....	.....	.....	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	68	66	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....
35	Violent deaths (suicide excepted)	91	5	1	2	2	1	5	6	11	12	18	16	4	7	.....	.....	.....	1
36	Suicide	20	.....	.....	.....	.....	.....	.....	1	3	9	2	1	3	1	.....	.....	.....	.....
(37)	All other defined diseases	256	23	3	3	2	1	10	11	26	28	46	32	34	24	10	2	.....	1
38	Unknown or ill-defined diseases	36	5	2	1	.....	1	1	1	3	2	3	6	8	.....	1	2	.....	.....
MEMPHIS, TENN. (COLORED).																			
	All causes	1,590	143	47	34	18	5	30	147	295	274	223	160	92	66	26	6	3	21
1	Typhoid fever	15	1	.....	.....	.....	.....	.....	5	4	4	1	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	36	2	2	1	.....	.....	2	5	6	4	4	3	2	3	1	.....	.....	1
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	11	2	4	.....	1	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	17	4	4	3	2	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	5	2	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	27	1	.....	1	.....	.....	1	1	4	6	4	2	2	2	2	.....	.....	1
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	12	4	.....	.....	.....	.....	.....	1	2	.....	2	1	2	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	257	1	3	2	.....	1	8	59	88	50	25	13	3	3	.....	.....	.....	1
14	Tuberculous meningitis	6	.....	.....	1	1	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	16	.....	.....	.....	.....	.....	.....	4	7	.....	4	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	33	.....	.....	.....	.....	.....	.....	1	2	7	9	11	2	1	.....	.....	.....	.....
17	Meningitis	6	.....	2	.....	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	36	.....	.....	.....	.....	.....	.....	1	5	4	12	8	4	1	1	.....	.....	.....
19	Organic diseases of the heart	116	1	.....	.....	.....	.....	.....	2	9	21	29	23	15	10	2	1	.....	3
20	Acute bronchitis	7	2	.....	2	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	7	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	1	1	.....	.....	.....	.....
22	Pneumonia	125	9	7	3	3	.....	2	10	23	23	18	16	4	5	1	1	.....	.....
23a	Bronchopneumonia	53	12	7	7	3	1	1	4	5	6	4	.....	1	2	.....	.....	.....	.....
23b	Other diseases of the respiratory system	18	2	1	2	.....	.....	.....	1	5	3	.....	1	1	1	.....	.....	.....	1
24	Diseases of the stomach	25	.....	1	.....	.....	.....	.....	.....	7	4	5	4	2	1	1	.....	.....	.....
25(37)	Diarrhea and enteritis	48	20	11	3	2	1	.....	1	3	1	1	2	2	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	21	.....	.....	.....	.....	.....	1	3	7	7	3	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	16	1	.....	.....	1	.....	1	2	3	3	4	.....	.....	1	.....	.....	.....	.....
28	Cirrhosis of the liver	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	137	1	1	.....	.....	.....	1	4	11	20	25	33	21	13	5	.....	.....	2
30	Diseases of the female genital organs	25	.....	.....	.....	.....	.....	.....	1	10	10	4	.....	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	11	.....	.....	.....	.....	.....	.....	5	2	4	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	13	.....	.....	.....	.....	.....	.....	3	5	4	.....	.....	.....	.....	.....	.....	.....	1
33	Congenital debility and malformations	36	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	3	1
35	Violent deaths (suicide excepted)	151	4	.....	4	3	1	3	17	51	28	14	13	1	4	1	1	.....	6
36	Suicide	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
(37)	All other defined diseases	230	13	2	3	.....	.....	3	14	32	53	41	24	23	12	7	1	.....	2
38	Unknown or ill-defined diseases	59	25	1	2	1	.....	.....	.....	.....	5	10	5	5	1	1	1	.....	2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NASHVILLE, TENN. (TOTAL).																			
	All causes	1,944	212	79	29	25	6	36	86	210	230	219	250	258	205	79	14	3	3
1	Typhoid fever	27						4	7	6	4	1	4	1					
2	Typhus fever																		
3	Malaria	7							1	1	1	1		3					
4	Smallpox																		
5	Measles	25	5	7	3	3	1	2	2	1	1								
6	Scarlet fever	1	1																
7	Whooping cough	8	4	1	2	1													
8	Diphtheria and croup	3				1	1	1											
9	Influenza	28		2				1		2	4	2	4	7	4	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	16	4	3								3		2	3		1		
13	Tuberculosis of the lungs	209	3	1	1				24	77	43	25	13	12	10				
14	Tuberculous meningitis	7	2	2		1		1		1									
15	Other forms of tuberculosis	24	1	1			1	2	1	8	3	3	2	1		1			
16	Cancer and other malignant tumors	105						1		2	19	20	20	21	18	4			
17	Meningitis	6						1	2	2		1							
18	Cerebral hemorrhage and softening	86		1							6	12	17	25	20	4	1		
19	Organic diseases of the heart	220	2					2	3	9	22	26	48	51	40	15	1		1
20	Acute bronchitis	4	3											1					
21	Chronic bronchitis	10									1			4	5				
22	Pneumonia	128	7	2	2	2		3	4	15	15	15	20	19	14	5	4		1
23a	Bronchopneumonia	63	17	8	4	3		2	2	1	4	1	5	8	4	3	1		
23b	Other diseases of the respiratory system	23	2		1	1		1		3	5	2	3	2	1	1	1		
24	Diseases of the stomach	28	4		1					2	6	4	3	4	2	2			
25(37)	Diarrhea and enteritis	91	37	33	11	1	1		1	1	1		1	2	2				
26	Appendicitis and typhlitis	29						4	3	4	7	7	4						
27	Hernia, intestinal obstruction	25	2						1		4	3	8	3	1	3			
28	Cirrhosis of the liver	21			1					1	5	2	6	4	2				
29	Acute nephritis and Bright's disease	141	1						4	5	9	22	33	28	26	11	2		
30	Diseases of the female genital organs	28								4	16	6	2						
31	Puerperal septicemia	9								4	4	1							
32	Other puerperal affections	14							3	10	1								
33	Congenital debility and malformations	73	72			1													
34	Senility	25												1	7	12	3	2	
35	Violent deaths (suicide excepted)	122	8	3	3	8	1	3	14	24	14	13	14	6	5	5		1	
36	Suicide	4							1	2		1							
(37)	All other defined diseases	308	29	14		3	1	7	12	23	33	45	42	48	40	11			
38	Unknown or ill-defined diseases	26	8	1				1	1	2	2	3	1	5	1				1
NASHVILLE, TENN. (WHITE).																			
	All causes	1,141	129	55	19	16	4	26	42	99	104	122	136	170	153	56	9		1
1	Typhoid fever	18						2	5	4	4	1	2						
2	Typhus fever																		
3	Malaria	5								1	1	1		2					
4	Smallpox																		
5	Measles	21	4	7	3	2	1	1	1	1	1								
6	Scarlet fever	1	1																
7	Whooping cough	3	1		2														
8	Diphtheria and croup	3				1	1	1											
9	Influenza	18								2	1	2	2	6	3	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	4	2								1		1	2		1		
13	Tuberculosis of the lungs	98	3	1					5	33	22	14	6	7	7				
14	Tuberculous meningitis	6	2	2		1		1											
15	Other forms of tuberculosis	13	1	1			1	1		3		3	2	1					
16	Cancer and other malignant tumors	81						1		2	9	12	19	18	17	3			
17	Meningitis	4						1	2			1							
18	Cerebral hemorrhage and softening	52		1							1	8	9	19	11	2	1		
19	Organic diseases of the heart	101	2					2	3	4	4	7	17	23	27	11	1		
20	Acute bronchitis	1												1					
21	Chronic bronchitis	6												2	4				
22	Pneumonia	68	2		1	2		3	2	5	7	7	8	14	11	4	2		
23a	Bronchopneumonia	32	9	5		2		2			2	1	1	4	3	3			
23b	Other diseases of the respiratory system	8			1	1				1	2			1		1	1		
24	Diseases of the stomach	16	3		1					1	4	2	2	2		1			
25(37)	Diarrhea and enteritis	63	26	22	8	1				1	1		1	1	2				
26	Appendicitis and typhlitis	22						3	1	4	5	5	4						
27	Hernia, intestinal obstruction	15									2	3	6	1	1	2			
28	Cirrhosis of the liver	9									1		2	4	2				
29	Acute nephritis and Bright's disease	90	1						3	2	2	14	17	20	22	8	1		
30	Diseases of the female genital organs	12								1	7	2	2						
31	Puerperal septicemia	5								1	3	1							
32	Other puerperal affections	7								6	1								
33	Congenital debility and malformations	49	48			1													
34	Senility	15												1	7	5	2		
35	Violent deaths (suicide excepted)	80	5	2	3	2	1	1	9	14	8	11	12	3	4	5			
36	Suicide	4							1	2		1							
(37)	All other defined diseases	188	11	11		3		7	9	11	16	23	23	36	29	9			
38	Unknown or ill-defined diseases	16	6	1					1			2	1	3	1				1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NASHVILLE, TENN. (COLORED).																			
	All causes	803	83	24	10	9	2	10	44	111	126	97	114	88	52	23	5	3	2
1	Typhoid fever	9						2	2	2			2	1					
2	Typhus fever																		
3	Malaria	2							1					1					
4	Smallpox																		
5	Measles	4	1			1		1	1										
6	Scarlet fever																		
7	Whooping cough	5	3	1		1													
8	Diphtheria and croup																		
9	Influenza	10		2				1			3		2	1	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5		1								2		1	1				
13	Tuberculosis of the lungs	111			1				19	44	21	11	7	5	3				
14	Tuberculous meningitis	1								1									
15	Other forms of tuberculosis	11						1	1	5	3					1			
16	Cancer and other malignant tumors	24									10	8	1	3	1	1			
17	Meningitis	2								2									
18	Cerebral hemorrhage and softening	34									5	4	8	6	9	2			
19	Organic diseases of the heart	119								5	18	19	31	28	13	4			1
20	Acute bronchitis	3	3																
21	Chronic bronchitis	4									1			2	1				
22	Pneumonia	60	5	2	1				2	10	8	8	12	5	3	1	2		1
23a	Bronchopneumonia	31	8	3	4	1			2	1	2		4	4	1		1		
23b	Other diseases of the respiratory system	15	2					1		2	3	2	3	1	1				
24	Diseases of the stomach	12	1							1	2	2	1	2	2	1			
25(37)	Diarrhea and enteritis	28	11	11	3		1		1					1					
26	Appendicitis and typhlitis	7						1	2		2	2							
27	Hernia, intestinal obstruction	10	2						1		2		2	2		1			
28	Cirrhosis of the liver	12			1					1	4	2	4						
29	Acute nephritis and Bright's disease	51							1	3	7	8	16	8	4	3	1		
30	Diseases of the female genital organs	16								3	9	4							
31	Puerperal septicemia	4								3	1								
32	Other puerperal affections	7							3	4									
33	Congenital debility and malformations	24	24																
34	Senility	10														7	1	2	
35	Violent deaths (suicide excepted)	42	3	1		6		2	5	10	6	2	2	3	1			1	
36	Suicide																		
(37)	All other defined diseases	120	18	3			1		3	12	17	22	19	12	11	2			
38	Unknown or ill-defined diseases	10	2					1		2	2	1		2					
RICHMOND, VA. (TOTAL).																			
	All causes	2,932	516	112	31	29	18	42	119	287	290	330	353	373	293	122	17		
1	Typhoid fever	11							2	4	2	2	1						
2	Typhus fever																		
3	Malaria	4								2	1		1						
4	Smallpox																		
5	Measles	6	2	2	1					1									
6	Scarlet fever	1							1										
7	Whooping cough	44	21	16	1	4	1	1											
8	Diphtheria and croup	9		1	3	1	1	3											
9	Influenza	29	1	1					1	2	4	2	5	8	3	2			
10	Asiatic cholera																		
11	Cholera nostras	2							1		1								
12	Other epidemic diseases	20	1	3	1						2	2	2	4	4	1			
13	Tuberculosis of the lungs	258	2	3	1	1		5	26	85	70	36	15	11	2	1			
14	Tuberculous meningitis	25	4	7	2			5	2	2	2	1							
15	Other forms of tuberculosis	20					1	1	1	6	3	4	2	2					
16	Cancer and other malignant tumors	113							2	1	6	29	31	26	16	1	1		
17	Meningitis	9	1		2			1	2	1	1		1						
18	Cerebral hemorrhage and softening	218								5	12	33	43	49	47	27	2		
19	Organic diseases of the heart	336	2			1		1	5	18	33	44	63	81	60	26	2		
20	Acute bronchitis	18	6	1	1			1		2	1			4	1		1		
21	Chronic bronchitis	10									2	1	3	2		2			
22	Pneumonia	180	13	7	1	4	2	4	9	26	33	21	30	13	14	3			
23a	Bronchopneumonia	120	57	27	4	5	2	1	2		2	6	3	5	2	4			
23b	Other diseases of the respiratory system	50		1			1			9	9	9	12	4	4	1			
24	Diseases of the stomach	25	5	1	1			1	1	2	3		6	4			1		
25(37)	Diarrhea and enteritis	142	98	16	4	2	1		1	3	3	5		3	4	2			
26	Appendicitis and typhlitis	34							10	7	4	5	5	3					
27	Hernia, intestinal obstruction	27	6	1		1	1	1	1	1	3	2	1	7	2				
28	Cirrhosis of the liver	22								2	4	6	1	4	5				
29	Acute nephritis and Bright's disease	278	2	1	1	2	1		2	8	14	38	51	65	66	25	2		
30	Diseases of the female genital organs	13							2	1	3	2	5						
31	Puerperal septicemia	17							3	8	5	1							
32	Other puerperal affections	21							4	10	7								
33	Congenital debility and malformations	199	197	2															
34	Senility	31												4	13	11	3		
35	Violent deaths (suicide excepted)	130	18	8	3	3	4	9	16	23	18	10	7	3	7	1			
36	Suicide	15							1	4	2	4	2	2					
(37)	All other defined diseases	460	70	9	2	4	2	6	22	51	39	63	61	68	43	15	5		
38	Unknown or ill-defined diseases	35	10	5	3	1	1	2	2	3	1	4	2	1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
RICHMOND, VA. (WHITE).																			
	All causes	1,566	234	45	16	11	10	22	48	86	124	153	174	268	250	114	11	.....	.....
1	Typhoid fever	4	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	14	7	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	8	.....	1	3	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	14	1	1	.....	.....	.....	.....	.....	.....	1	1	.....	5	3	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	12	1	2	1	.....	.....	.....	.....	.....	.....	1	1	2	3	1	.....	.....	.....
13	Tuberculosis of the lungs	109	1	1	.....	.....	.....	.....	7	28	31	22	8	8	2	1	.....	.....	.....
14	Tuberculous meningitis	16	2	6	2	.....	.....	2	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	11	.....	.....	.....	.....	.....	.....	.....	2	1	4	2	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	82	.....	.....	.....	.....	.....	.....	1	.....	2	17	23	23	14	1	1	.....	.....
17	Meningitis	6	1	.....	1	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	124	.....	.....	.....	.....	.....	.....	.....	.....	1	9	18	30	40	25	1	.....	.....
19	Organic diseases of the heart	199	1	.....	.....	.....	.....	1	4	4	6	18	22	64	53	25	1	.....	.....
20	Acute bronchitis	6	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....
21	Chronic bronchitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
22	Pneumonia	65	2	4	.....	2	1	.....	3	3	10	8	10	8	11	3	.....	.....	.....
23a	Bronchopneumonia	41	15	9	.....	.....	.....	1	1	.....	.....	3	2	4	2	4	.....	.....	.....
23b	Other diseases of the respiratory system	18	.....	.....	.....	.....	.....	.....	.....	2	3	3	4	2	3	1	.....	.....	.....
24	Diseases of the stomach	14	4	1	.....	.....	.....	.....	.....	.....	2	.....	3	3	.....	.....	1	.....	.....
25(37)	Diarrhea and enteritis	61	41	5	3	2	.....	.....	.....	.....	1	2	.....	1	4	2	.....	.....	.....
26	Appendicitis and typhlitis	24	.....	.....	.....	.....	.....	.....	5	4	4	3	5	3	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	20	5	1	.....	1	1	1	.....	1	1	1	1	5	2	.....	.....	.....	.....
28	Cirrhosis of the liver	11	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	4	3	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	187	1	.....	.....	1	1	.....	1	1	11	13	29	49	57	23	.....	.....	.....
30	Diseases of the female genital organs	5	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	7	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	10	.....	.....	.....	.....	.....	.....	4	4	2	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	113	112	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10	10	1	.....	.....
35	Violent deaths (suicide excepted)	72	10	3	2	3	4	7	5	8	9	8	4	2	6	1	.....	.....	.....
36	Suicide	13	.....	.....	.....	.....	.....	.....	1	3	2	3	2	2	.....	.....	.....	.....	.....
(37)	All other defined diseases	265	27	3	1	1	2	4	11	18	27	31	38	48	36	13	5	.....	.....
38	Unknown or ill-defined diseases	6	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
RICHMOND, VA. (COLORED).																			
	All causes	1,366	282	67	15	18	8	20	71	201	166	177	179	105	43	8	6	.....	.....
1	Typhoid fever	7	.....	.....	.....	.....	.....	.....	1	2	1	2	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	5	2	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	30	14	10	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	15	.....	.....	.....	.....	.....	.....	1	2	3	1	5	3	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	8	.....	1	.....	.....	.....	.....	.....	.....	2	1	1	2	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	149	1	2	1	1	.....	5	19	57	39	14	7	3	.....	.....	.....	.....	.....
14	Tuberculous meningitis	9	2	1	.....	.....	.....	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	9	.....	.....	.....	.....	1	1	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	31	.....	.....	.....	.....	.....	.....	1	1	4	12	8	3	2	.....	.....	.....	.....
17	Meningitis	3	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	94	.....	.....	.....	.....	.....	.....	.....	5	11	24	25	19	7	2	1	.....	.....
19	Organic diseases of the heart	137	1	.....	.....	1	.....	.....	1	14	27	26	41	17	7	1	1	.....	.....
20	Acute bronchitis	12	4	1	1	.....	.....	.....	.....	2	1	.....	.....	3	.....	.....	.....	.....	.....
21	Chronic bronchitis	8	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	2	.....	.....	.....	.....	.....
22	Pneumonia	115	11	3	1	2	1	4	6	23	23	13	20	5	3	.....	.....	.....	.....
23a	Bronchopneumonia	79	42	18	4	5	2	.....	1	.....	2	3	1	1	.....	.....	.....	.....	.....
23b	Other diseases of the respiratory system	32	.....	1	.....	.....	1	.....	.....	7	6	6	8	2	1	.....	.....	.....	.....
24	Diseases of the stomach	11	1	.....	1	.....	.....	1	1	2	1	.....	3	1	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	81	57	11	1	.....	1	.....	1	3	2	3	.....	2	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	10	.....	.....	.....	.....	.....	.....	5	3	.....	2	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	7	1	.....	.....	.....	.....	.....	1	.....	2	1	2	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	11	.....	.....	.....	.....	.....	.....	.....	2	2	4	1	2	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	91	1	1	1	1	.....	.....	1	7	3	25	22	16	9	2	2	.....	.....
30	Diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	2	1	1	.....	4	.....	.....	.....	.....	.....	.....
31	Puerperal septicemia	10	.....	.....	.....	.....	.....	.....	2	6	2	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	11	.....	.....	.....	.....	.....	.....	.....	6	5	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	86	85	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	2	.....	.....
35	Violent deaths (suicide excepted)	58	8	5	1	.....	.....	2	11	15	9	2	3	1	1	.....	.....	.....	.....
36	Suicide	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
(37)	All other defined diseases	195	43	6	1	3	.....	2	11	33	12	32	23	20	7	2	.....	.....	.....
38	Unknown or ill-defined diseases	29	9	4	1	1	1	1	2	3	1	4	2	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SEATTLE, WASH.																			
	All causes	2,530	295	40	27	17	12	49	97	198	302	295	398	352	287	138	20	.....	3
1	Typhoid fever	18	.....	.....	.....	.....	.....	.....	3	4	7	4	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	17	5	4	3	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	12	8	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	7	.....	.....	.....	1	2	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	14	1	.....	.....	.....	1	.....	.....	1	.....	2	1	1	7	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	7	3	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....
13	Tuberculosis of the lungs	209	.....	1	1	.....	.....	1	12	48	63	32	29	13	9	.....	.....	.....	.....
14	Tuberculous meningitis	45	4	9	6	4	2	7	4	3	2	3	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	25	.....	1	1	.....	.....	.....	4	6	3	5	3	1	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	237	.....	.....	1	.....	.....	.....	1	5	20	35	74	64	28	8	1	.....	.....
17	Meningitis	7	.....	3	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	136	1	.....	.....	.....	.....	.....	1	.....	1	8	27	36	41	19	2	.....	.....
19	Organic diseases of the heart	287	.....	.....	.....	.....	.....	2	7	12	24	29	61	65	60	25	1	.....	1
20	Acute bronchitis	7	3	1	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
21	Chronic bronchitis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....
22	Pneumonia	121	9	3	.....	2	1	1	5	6	16	16	19	19	15	7	2	.....	.....
23a	Bronchopneumonia	39	14	4	.....	.....	.....	1	.....	3	1	.....	2	3	3	6	2	.....	.....
23b	Other diseases of the respiratory system	24	.....	2	2	.....	.....	3	.....	1	1	2	6	1	3	3	.....	.....	.....
24	Diseases of the stomach	29	6	.....	.....	.....	.....	.....	.....	2	6	3	4	3	4	1	.....	.....	.....
25(37)	Diarrhea and enteritis	41	21	2	2	2	.....	.....	.....	.....	2	5	1	4	.....	2	.....	.....	.....
26	Appendicitis and typhlitis	39	.....	.....	.....	.....	1	2	6	5	8	5	10	2	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	30	3	.....	.....	.....	.....	1	.....	1	2	5	6	7	4	1	.....	.....	.....
28	Cirrhosis of the liver	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	6	4	1	.....	.....	.....
29	Acute nephritis and Bright's disease	155	1	1	2	.....	.....	1	2	4	16	24	24	43	27	7	3	.....	.....
30	Diseases of the female genital organs	20	.....	.....	.....	.....	.....	.....	2	6	5	4	2	.....	1	.....	.....	.....	.....
31	Puerperal septicemia	9	.....	.....	.....	.....	.....	.....	2	5	2	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	21	.....	.....	.....	.....	.....	.....	2	8	10	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	144	140	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	8	19	5	.....	.....
35	Violent deaths (suicide excepted)	205	5	1	3	2	2	16	19	29	43	25	25	15	13	7	.....	.....	.....
36	Suicide	62	.....	.....	.....	.....	.....	.....	3	9	22	12	11	4	.....	.....	.....	.....	1
(37)	All other defined diseases	496	69	3	4	3	2	7	20	38	47	70	82	60	58	29	4	.....	.....
38	Unknown or ill-defined diseases	6	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	1
SPOKANE, WASH.																			
	All causes	1,162	131	20	14	12	9	32	41	105	127	137	170	160	139	57	6	.....	2
1	Typhoid fever	12	.....	.....	.....	.....	.....	.....	4	4	1	1	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	11	1	3	1	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	6	.....	.....	1	3	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	14	6	.....	.....	.....	.....	1	1	1	1	2	.....	2	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
13	Tuberculosis of the lungs	76	.....	.....	.....	.....	.....	1	5	14	24	15	5	11	1	.....	.....	.....	.....
14	Tuberculous meningitis	16	1	.....	1	1	2	3	2	2	.....	3	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	6	.....	.....	.....	.....	.....	.....	1	1	1	1	2	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	125	.....	.....	.....	.....	.....	.....	.....	1	13	17	40	35	16	3	.....	.....	.....
17	Meningitis	7	1	.....	1	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	59	.....	.....	.....	.....	.....	.....	.....	1	1	9	7	12	24	5	.....	.....	.....
19	Organic diseases of the heart	89	.....	.....	.....	.....	.....	1	3	5	4	12	11	21	19	12	1	.....	.....
20	Acute bronchitis	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1	.....	.....	.....
22	Pneumonia	61	5	4	1	.....	2	.....	1	5	3	5	9	9	9	7	1	.....	.....
23a	Bronchopneumonia	32	18	3	3	2	.....	3	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....
23b	Other diseases of the respiratory system	8	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	1	2	1	.....	.....	.....
24	Diseases of the stomach	12	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	5	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	34	15	5	1	1	.....	1	.....	1	3	.....	3	3	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	41	.....	.....	.....	.....	1	8	5	6	9	5	6	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	15	.....	.....	1	1	.....	1	.....	.....	3	3	4	.....	1	1	.....	.....	.....
28	Cirrhosis of the liver	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	1	.....	.....	.....
29	Acute nephritis and Bright's disease	105	1	.....	.....	.....	.....	1	1	7	5	11	18	23	29	7	2	.....	.....
30	Diseases of the female genital organs	10	.....	.....	.....	.....	.....	.....	1	2	4	2	.....	1	.....	.....	.....	.....	.....
31	Puerperal septicemia	15	.....	.....	.....	.....	.....	.....	1	9	3	2	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	10	.....	.....	.....	.....	.....	.....	1	7	1	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	53	53	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	.....
35	Violent deaths (suicide excepted)	68	1	1	1	.....	2	2	3	14	13	9	8	2	6	3	1	.....	2
36	Suicide	17	.....	.....	.....	.....	.....	.....	.....	5	6	3	1	1	1	.....	.....	.....	.....
(37)	All other defined diseases	228	26	2	3	1	1	6	10	16	26	34	44	29	19	10	1	.....	.....
38	Unknown or ill-defined diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1917—Continued.

[See note at head of this table, p. 441.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MILWAUKEE, WIS.																		
	All causes	5,461	1,125	190	101	67	48	142	205	367	438	532	637	682	593	281	49	3	1
1	Typhoid fever	27		1			1		8	3	9	4	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	14	4	6	2	1		1											
6	Scarlet fever	77	3	5	10	8	5	26	15	4	1								
7	Whooping cough	55	31	13	8	2		1											
8	Diphtheria and croup	102	7	7	13	13	13	34	5	3	4	3							
9	Influenza	43	4	2	1			2	1	4	3	5	6	5	6	4			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	25	11	3	1					1		3		3	2	1			
13	Tuberculosis of the lungs	378	8	3				2	45	112	94	52	45	11	5	1			
14	Tuberculous meningitis	42	10	8	2	3	2	9	5	2			1						
15	Other forms of tuberculosis	22		2		1	1	1	1	5	5	3	2		1				
16	Cancer and other malignant tumors	358		1		1				3	9	60	97	108	69	10			
17	Meningitis	37	9	6	3	1	2	5	4	1	2	3				1			
18	Cerebral hemorrhage and softening	244	1	1							11	17	48	78	52	33	3		
19	Organic diseases of the heart	450		1		1		6	19	12	24	40	69	108	117	46	7		
20	Acute bronchitis	79	48	7	4	1	1						1	2	3	12			
21	Chronic bronchitis	44	1					1		2			4	7	16	9	4		
22	Pneumonia	505	52	22	14	6	3	2	10	29	55	82	74	78	56	20	2		
23a	Bronchopneumonia	269	128	44	12	5	2	9	2	2	3	4	4	14	19	14	6		1
23b	Other diseases of the respiratory system	72	9	4	6	1	2	5	4	1	4	5	5	13	6	6	1		
24	Diseases of the stomach	61	25	5				1	3	1	3	4	3	7	5	3	1		
25(37)	Diarrhea and enteritis	293	225	26	10	5	4		3	1	2	4	2	4	5	1	1		
26	Appendicitis and typhlitis	59			1		2	4	6	16	9	10	7	3	1				
27	Hernia, intestinal obstruction	62	7	2		1	1	1	2	4	1	8	12	13	9	1			
28	Cirrhosis of the liver	75		1				1		3	8	16	17	14	14		1		
29	Acute nephritis and Bright's disease	354	4		1	2		3	7	14	19	46	69	79	80	27	3		
30	Diseases of the female genital organs	21								4	6	6	5						
31	Puerperal septicemia	29							4	17	7	1							
32	Other puerperal affections	31							1	14	14	2							
33	Congenital debility and malformations	346	342	2	1	1													
34	Senility	65													15	40	8	2	
35	Violent deaths (suicide excepted)	331	10	5	4	7	5	13	27	51	64	48	44	28	14	8	2	1	
36	Suicide	83							2	6	22	13	21	10	7	2			
(37)	All other defined diseases	807	186	13	8	7	4	15	31	52	59	93	100	97	91	41	10		
38	Unknown or ill-defined diseases	1														1			

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917.

[This table excludes the deaths of soldiers and sailors after the United States entered the war. The cities are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910, are shown by color, except when the deaths for colored numbered less than 500.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY.													
	THE REGISTRATION AREA. (Exclusive of Hawaii.)													
	All causes	1,066,711	108,102	98,469	101,929	93,859	92,329	80,585	81,826	83,229	79,583	80,208	78,267	88,325
1	Typhoid fever	10,089	587	465	462	489	571	656	1,024	1,394	1,587	1,378	929	547
3	Malaria	2,385	96	77	93	123	179	187	286	377	401	314	153	99
5	Measles	10,442	1,039	1,642	2,147	1,981	1,421	861	428	187	107	100	174	355
6	Scarlet fever	3,124	307	341	425	443	386	253	153	102	126	161	184	243
7	Whooping cough	7,837	487	588	672	678	707	658	802	830	717	546	557	595
8	Diphtheria and croup	12,442	1,188	1,004	1,028	947	927	737	656	673	1,005	1,515	1,398	1,364
9	Influenza	12,965	3,400	3,157	2,143	1,172	696	267	120	71	169	304	513	953
13	Tuberculosis of the lungs	96,921	8,967	8,552	9,822	9,188	9,126	7,773	7,850	7,052	6,882	7,012	7,075	7,822
14–15	Other forms of tuberculosis	13,223	1,023	993	1,248	1,235	1,313	1,254	1,220	1,082	1,020	996	879	960
17	Meningitis	6,673	430	458	733	900	843	663	587	474	381	377	381	446
20–21	Bronchitis	12,307	1,942	1,779	1,551	1,176	983	642	454	424	521	751	914	1,170
22	Pneumonia	74,517	13,058	10,885	9,885	7,646	6,420	3,336	1,895	1,592	2,275	4,041	5,645	7,839
(23)	Bronchopneumonia	37,879	6,252	5,607	5,169	3,847	2,966	1,734	1,156	1,048	1,462	2,193	2,577	3,868
25	Diarrhea and enteritis (under 2 years)	48,231	1,853	1,767	2,028	2,220	2,824	3,707	6,587	10,891	8,444	4,192	1,981	1,737
(37)	Diarrhea and enteritis (2 years and over)	11,269	518	505	572	656	876	1,012	1,454	1,965	1,670	907	581	553
(33)	Congenital debility[1]	10,428	871	892	927	848	793	767	859	987	1,121	937	689	737
35	Violent deaths (suicide excepted)	71,398	5,638	5,319	5,402	5,616	5,597	6,131	7,267	7,490	5,526	5,604	5,842	5,966
36	Suicide	9,942	817	758	885	893	945	970	919	834	783	730	769	648
	All other causes	614,639	59,629	53,680	56,737	53,801	54,756	48,977	48,318	45,756	45,386	48,150	47,026	52,423
	REGISTRATION STATES.[2]													
	All causes	979,136	99,579	90,625	93,796	85,930	84,326	73,783	75,007	76,613	73,254	73,436	71,612	81,175
1	Typhoid fever	9,293	547	432	429	457	525	585	933	1,264	1,467	1,293	853	508
3	Malaria	2,117	86	69	82	105	155	171	249	345	358	285	131	81
5	Measles	9,606	967	1,530	1,974	1,814	1,292	790	387	170	102	92	159	329
6	Scarlet fever	2,433	229	239	305	313	290	199	118	86	108	147	163	236
7	Whooping cough	7,352	461	558	644	634	657	597	733	770	676	524	534	564
8	Diphtheria and croup	10,946	1,024	883	906	827	789	629	572	585	912	1,350	1,244	1,225
9	Influenza	12,209	3,235	2,987	2,046	1,111	651	251	112	69	156	283	453	855
13	Tuberculosis of the lungs	88,516	8,157	7,858	8,982	8,405	8,355	7,106	6,976	6,432	6,295	6,371	6,474	7,105
14–15	Other forms of tuberculosis	12,140	922	904	1,156	1,128	1,209	1,143	1,113	1,007	948	910	822	878
17	Meningitis	6,084	391	425	694	828	780	585	533	430	341	335	340	402
20–21	Bronchitis	11,361	1,802	1,649	1,425	1,067	905	597	408	383	485	699	851	1,090
22	Pneumonia	68,241	12,114	10,041	9,043	6,996	5,840	3,039	1,671	1,425	2,073	3,680	5,136	7,183
(23)	Bronchopneumonia	34,672	5,796	5,167	4,718	3,492	2,663	1,552	1,020	948	1,308	2,010	2,376	3,622
25	Diarrhea and enteritis (under 2 years)	42,470	1,551	1,477	1,719	1,768	2,252	3,157	5,961	9,945	7,725	3,748	1,675	1,492
(37)	Diarrhea and enteritis (2 years and over)	10,108	460	452	486	566	757	892	1,332	1,800	1,536	814	525	488
(33)	Congenital debility[1]	9,854	820	854	886	799	745	704	805	939	1,064	888	657	693
35	Violent deaths (suicide excepted)	65,520	5,133	4,855	4,917	5,136	5,126	5,668	6,728	6,993	5,107	5,087	5,328	5,442
36	Suicide	9,053	727	673	806	816	859	889	851	766	700	664	705	597
	All other causes	567,161	55,157	49,572	52,578	49,668	50,476	45,229	44,505	42,256	41,893	44,256	43,186	48,385
	CITIES IN REGISTRATION STATES.[3]													
	All causes	500,281	51,364	45,360	47,840	44,515	42,934	36,682	37,273	39,673	36,929	37,392	37,584	42,735
1	Typhoid fever	3,323	226	179	201	181	210	205	298	406	472	442	294	209
3	Malaria	311	8	9	13	11	24	27	42	53	43	46	16	19
5	Measles	3,347	242	380	587	599	489	387	192	97	48	41	90	195
6	Scarlet fever	1,337	118	129	164	179	177	120	68	47	43	73	83	136
7	Whooping cough	3,089	153	185	233	267	255	238	324	409	354	205	226	240
8	Diphtheria and croup	6,415	595	523	564	555	533	417	358	349	477	676	664	704
9	Influenza	4,138	1,128	889	653	387	218	85	39	27	56	118	185	353
13	Tuberculosis of the lungs	45,591	4,367	4,074	4,553	4,327	4,196	3,629	3,511	3,303	3,281	3,300	3,366	3,684
14–15	Other forms of tuberculosis	6,974	525	543	700	678	685	670	627	575	511	505	458	497
17	Meningitis	3,590	223	232	438	511	501	373	313	243	176	173	196	211
20–21	Bronchitis	5,907	910	819	737	520	495	343	212	203	233	359	469	607
22	Pneumonia	39,102	6,727	5,248	5,019	4,086	3,539	1,872	1,066	987	1,345	2,200	2,957	4,056
(23)	Bronchopneumonia	19,432	3,017	2,624	2,523	1,986	1,574	911	674	627	814	1,170	1,412	2,100
25	Diarrhea and enteritis (under 2 years)	22,980	886	855	991	986	1,052	1,226	3,053	5,762	4,200	2,067	1,003	899
(37)	Diarrhea and enteritis (2 years and over)	4,219	225	238	228	268	271	299	505	744	596	347	253	245
(33)	Congenital debility[1]	4,467	358	393	386	358	340	286	345	429	515	402	326	329
35	Violent deaths (suicide excepted)	34,492	2,775	2,642	2,637	2,660	2,617	2,760	3,446	3,952	2,665	2,644	2,850	2,844
36	Suicide	5,247	477	399	488	507	480	488	457	397	415	354	418	367
	All other causes	286,320	28,404	24,999	26,725	25,449	25,278	22,346	21,743	21,063	20,685	22,270	22,318	25,040
	RURAL PART OF REGISTRATION STATES.													
	All causes	478,855	48,215	45,265	45,956	41,415	41,392	37,101	37,734	36,940	36,325	36,044	34,028	38,440
1	Typhoid fever	5,970	321	253	228	276	315	380	635	858	995	851	559	299
3	Malaria	1,806	78	60	69	94	131	144	207	292	315	239	115	62
5	Measles	6,259	725	1,150	1,387	1,215	803	403	195	73	54	51	69	134
6	Scarlet fever	1,096	111	110	141	134	113	79	50	39	65	74	80	100
7	Whooping cough	4,263	308	373	411	367	402	359	409	361	322	319	308	324
8	Diphtheria and croup	4,531	429	360	342	272	256	212	214	236	435	674	580	521
9	Influenza	8,071	2,107	2,098	1,393	724	433	166	73	42	100	165	268	502
13	Tuberculosis of the lungs	42,925	3,790	3,784	4,429	4,078	4,159	3,477	3,465	3,129	3,014	3,071	3,108	3,421
14–15	Other forms of tuberculosis	5,166	397	361	456	450	524	473	486	432	437	405	364	381
17	Meningitis	2,494	168	193	256	317	279	212	220	187	165	162	144	191
20–21	Bronchitis	5,454	892	830	688	547	410	254	196	180	252	340	382	483
22	Pneumonia	29,139	5,387	4,793	4,024	2,910	2,301	1,167	605	438	728	1,480	2,179	3,127
(23)	Bronchopneumonia	15,240	2,779	2,543	2,195	1,506	1,089	641	346	321	494	840	964	1,522
25	Diarrhea and enteritis (under 2 years)	19,490	665	622	728	782	1,200	1,931	2,908	4,183	3,525	1,681	672	593
(37)	Diarrhea and enteritis (2 years and over)	5,889	235	214	258	298	486	593	827	1,056	940	467	272	243
(33)	Congenital debility[1]	5,387	462	461	500	441	405	418	460	510	549	486	331	364
35	Violent deaths (suicide excepted)	31,028	2,358	2,213	2,280	2,476	2,509	2,908	3,282	3,041	2,442	2,443	2,478	2,598
36	Suicide	3,806	250	274	318	309	379	401	394	369	285	310	287	230
	All other causes	280,841	26,753	24,573	25,853	24,219	25,198	22,883	22,762	21,193	21,208	21,986	20,868	23,345

[1] Excluding premature birth. [2] Includes District of Columbia. [3] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY—Continued.													
	REGISTRATION CITIES[1] IN NON-REGISTRATION STATES.													
	All causes	87,575	8,523	7,844	8,133	7,929	8,003	6,802	6,819	6,616	6,329	6,772	6,655	7,150
1	Typhoid fever	796	40	33	33	32	46	71	91	130	120	85	76	39
3	Malaria	268	10	8	11	18	24	16	37	32	43	29	22	18
5	Measles	836	72	112	173	167	129	71	41	17	5	8	15	26
6	Scarlet fever	691	78	102	120	130	96	54	35	16	18	14	21	7
7	Whooping cough	485	26	30	28	44	50	61	69	60	41	22	23	31
8	Diphtheria and croup	1,496	164	121	122	120	138	108	84	88	93	165	154	139
9	Influenza	756	165	170	97	61	45	16	8	2	13	21	60	98
13	Tuberculosis of the lungs	8,405	810	694	840	783	771	667	674	620	587	641	601	717
14–15	Other forms of tuberculosis	1,033	101	89	92	107	104	111	107	75	72	86	57	82
17	Meningitis	589	39	33	39	72	63	78	54	44	40	42	41	44
20–21	Bronchitis	946	140	130	126	109	78	45	46	41	36	52	63	80
22	Pneumonia	6,276	944	844	842	650	580	297	224	167	202	361	509	656
(23)	Bronchopneumonia	3,207	456	440	451	355	303	182	136	100	154	183	201	246
25	Diarrhea and enteritis (under 2 years)	5,761	302	290	309	452	572	550	626	946	719	444	306	245
(37)	Diarrhea and enteritis (2 years and over)	1,161	58	53	86	90	119	120	122	165	134	93	56	65
(33)	Congenital debility[2]	574	51	38	41	49	48	63	54	48	57	49	32	44
35	Violent deaths (suicide excepted)	5,878	505	464	485	480	471	463	539	497	419	517	514	524
36	Suicide	889	90	85	79	77	86	81	59	68	83	66	64	51
	All other causes	47,478	4,472	4,108	4,159	4,133	4,280	3,748	3,813	3,500	3,493	3,894	3,840	4,038
	ALL REGISTRATION CITIES.[3]													
	All causes	587,856	59,887	53,204	55,973	52,444	50,937	43,484	44,092	46,289	43,258	44,164	44,239	49,885
1	Typhoid fever	4,119	266	212	234	213	256	276	389	536	592	527	370	248
3	Malaria	579	18	17	24	29	48	43	79	85	86	75	38	37
5	Measles	4,183	314	492	760	766	618	458	233	114	53	49	105	221
6	Scarlet fever	2,028	196	231	284	309	273	174	103	63	61	87	104	143
7	Whooping cough	3,574	179	215	261	311	305	299	393	469	395	227	249	271
8	Diphtheria and croup	7,911	759	644	686	675	671	525	442	437	570	841	818	843
9	Influenza	4,894	1,293	1,059	750	448	263	101	47	29	69	139	245	451
13	Tuberculosis of the lungs	53,996	5,177	4,768	5,393	5,110	4,967	4,296	4,185	3,923	3,868	3,941	3,967	4,401
14–15	Other forms of tuberculosis	8,057	626	632	792	785	789	781	734	650	583	591	515	579
17	Meningitis	4,179	262	265	477	583	564	451	367	287	216	215	237	255
20–21	Bronchitis	6,853	1,050	949	863	629	573	388	258	244	269	411	532	687
22	Pneumonia	45,378	7,671	6,092	5,861	4,736	4,119	2,169	1,290	1,154	1,547	2,561	3,466	4,712
(23)	Bronchopneumonia	22,639	3,473	3,064	2,974	2,341	1,877	1,093	810	727	968	1,353	1,613	2,346
25	Diarrhea and enteritis (under 2 years)	28,741	1,188	1,145	1,300	1,438	1,624	1,776	3,679	6,708	4,919	2,511	1,309	1,144
(37)	Diarrhea and enteritis (2 years and over)	5,380	283	291	314	358	390	419	627	909	730	440	309	310
(33)	Congenital debility[2]	5,041	409	431	427	407	388	349	399	477	572	451	358	373
35	Violent deaths (suicide excepted)	40,370	3,280	3,106	3,122	3,140	3,088	3,223	3,985	4,449	3,084	3,161	3,364	3,368
36	Suicide	6,136	567	484	567	584	566	569	516	465	498	420	482	418
	All other causes	333,798	32,876	29,107	30,884	29,582	29,558	26,094	25,556	24,563	24,178	26,164	26,158	29,078
	REGISTRATION STATES.													
	CALIFORNIA.													
	All causes	41,809	4,365	3,641	3,738	3,518	3,322	3,501	3,264	2,984	3,028	3,212	3,376	3,860
1	Typhoid fever	219	29	9	14	8	14	18	23	26	24	21	21	12
3	Malaria	40	.....	.....	.....	1	2	1	4	7	8	7	4	6
5	Measles	193	9	30	34	37	33	28	12	3	1	1	.....	5
6	Scarlet fever	48	8	4	9	4	.....	1	3	2	2	7	5	3
7	Whooping cough	203	10	20	19	18	22	28	17	20	15	14	9	11
8	Diphtheria and croup	205	18	23	15	23	16	12	14	8	17	19	19	21
9	Influenza	285	95	61	26	14	9	6	4	3	9	6	22	30
13	Tuberculosis of the lungs	4,944	516	464	507	465	420	389	400	348	300	327	359	449
14–15	Other forms of tuberculosis	634	64	48	68	64	48	60	48	52	43	58	34	47
17	Meningitis	175	16	18	14	24	7	10	18	12	11	16	14	15
20–21	Bronchitis	342	65	48	31	27	22	19	15	13	17	18	32	35
22	Pneumonia	2,211	347	258	181	177	155	118	71	79	135	142	235	313
(23)	Bronchopneumonia	1,128	208	149	101	86	65	56	39	37	65	77	112	133
25	Diarrhea and enteritis (under 2 years)	1,038	50	47	55	43	69	113	143	122	121	121	83	71
(37)	Diarrhea and enteritis (2 years and over)	358	22	22	24	23	24	37	56	43	37	27	21	22
(33)	Congenital debility[2]	210	17	14	23	15	16	16	22	13	21	15	18	20
35	Violent deaths (suicide excepted)	3,460	267	253	298	278	255	344	370	282	309	272	254	278
36	Suicide	893	86	80	81	85	80	89	81	75	60	59	59	58
	All other causes	25,223	2,538	2,093	2,238	2,126	2,065	2,156	1,924	1,839	1,833	2,005	2,075	2,331
	COLORADO.													
	All causes	10,725	1,179	951	1,006	1,030	879	817	787	788	852	833	727	876
1	Typhoid fever	93	4	2	.....	3	3	6	9	9	13	26	12	6
3	Malaria	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1
5	Measles	143	11	17	41	34	25	10	1	1	.....	1	2	.....
6	Scarlet fever	18	1	3	1	4	1	1	.....	1	1	.....	3	2
7	Whooping cough	58	6	6	3	5	13	8	3	6	3	2	.....	3
8	Diphtheria and croup	53	6	4	5	5	4	2	2	4	4	1	7	9
9	Influenza	143	53	40	14	13	5	4	1	.....	1	3	1	8
13	Tuberculosis of the lungs	1,602	167	131	154	131	150	126	118	127	128	127	106	137
14–15	Other forms of tuberculosis	137	13	8	9	15	9	18	12	11	10	12	9	11
17	Meningitis	52	1	6	5	8	4	3	3	3	1	6	3	9
20–21	Bronchitis	110	18	13	18	10	6	5	7	5	5	8	5	10
22	Pneumonia	808	166	93	110	90	47	32	24	10	22	50	55	109
(23)	Bronchopneumonia	334	85	50	42	29	11	19	9	9	16	17	20	27
25	Diarrhea and enteritis (under 2 years)	325	13	8	13	8	6	15	52	47	32	51	16	14
(37)	Diarrhea and enteritis (2 years and over)	81	3	5	2	3	3	3	6	16	18	11	9	2
(33)	Congenital debility[2]	111	6	15	11	12	5	10	5	4	17	17	2	7
35	Violent deaths (suicide excepted)	892	65	54	55	174	74	81	79	75	59	65	58	53
36	Suicide	123	13	10	6	16	7	12	15	4	6	10	9	15
	All other causes	5,640	548	486	517	470	505	462	441	456	466	426	410	453

[1] A list of these cities will be found on p. 11. [2] Excluding premature birth. [3] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.												
	CONNECTICUT.												
	All causes	20,819	2,319	1,823	2,008	1,819	1,827	1,498	1,555	1,795	1,585	1,515	1,458	1,617
1	Typhoid fever	118	8	2	6	6	6	5	9	18	22	14	10	12
3	Malaria	9	.....	.....	.....	1	1	1	1	2	2	1	.....	.....
5	Measles	129	12	9	11	16	22	23	10	6	3	.....	10	7
6	Scarlet fever	22	3	.....	2	1	2	4	2	1	2	2	.....	3
7	Whooping cough	104	6	5	3	6	2	3	8	16	15	13	10	17
8	Diphtheria and croup	236	21	18	21	14	16	10	14	16	18	31	27	30
9	Influenza	319	124	54	40	27	17	6	4	1	3	8	14	21
13	Tuberculosis of the lungs	1,762	155	156	160	148	160	158	155	136	135	121	144	134
14–15	Other forms of tuberculosis	342	24	26	38	15	52	25	35	31	27	30	12	27
17	Meningitis	247	19	27	34	28	38	20	26	11	16	9	7	12
20–21	Bronchitis	246	39	32	30	20	23	11	11	9	13	16	20	22
22	Pneumonia	1,853	396	235	241	217	181	96	46	33	70	98	101	139
(23)	Bronchopneumonia	795	140	110	109	75	67	37	21	23	33	54	44	82
25	Diarrhea and enteritis (under 2 years)	1,001	27	23	28	33	45	31	124	304	226	99	34	27
(37)	Diarrhea and enteritis (2 years and over)	168	7	10	8	9	10	11	16	34	29	16	8	10
(33)	Congenital debility [1]	199	21	17	24	18	17	16	12	13	21	16	11	13
35	Violent deaths (suicide excepted)	1,499	122	88	108	100	126	114	154	243	115	107	112	110
36	Suicide	218	23	17	20	20	22	23	15	19	17	17	16	9
	All other causes	11,552	1,172	994	1,125	1,065	1,020	904	892	879	818	863	878	942
	INDIANA.													
	All causes	39,736	3,776	3,861	4,075	3,519	3,394	2,840	3,004	3,062	3,013	3,024	2,890	3,278
1	Typhoid fever	495	35	28	22	18	21	24	33	65	98	71	46	34
3	Malaria	35	3	1	4	2	5	1	2	6	6	2	1	2
5	Measles	572	34	81	146	161	93	35	10	1	1	2	2	6
6	Scarlet fever	142	13	16	17	18	25	11	5	2	4	7	11	13
7	Whooping cough	274	18	22	27	29	27	13	28	23	25	17	19	26
8	Diphtheria and croup	449	46	34	30	34	24	22	23	21	33	67	53	62
9	Influenza	606	125	199	122	60	25	12	3	3	6	6	13	32
13	Tuberculosis of the lungs	3,439	305	326	365	333	356	278	239	257	218	252	222	288
14–15	Other forms of tuberculosis	563	36	50	49	54	34	70	34	56	42	56	40	42
17	Meningitis	188	10	7	24	24	17	17	16	16	15	12	18	12
20–21	Bronchitis	425	60	56	67	32	27	23	18	12	22	38	28	42
22	Pneumonia	2,307	386	410	338	204	156	78	55	42	60	138	192	248
(23)	Bronchopneumonia	1,280	192	217	225	130	90	45	34	26	42	71	86	122
25	Diarrhea and enteritis (under 2 years)	1,531	54	52	83	70	63	64	219	353	339	131	48	55
(37)	Diarrhea and enteritis (2 years and over)	437	27	15	15	29	29	29	51	78	80	38	20	26
(33)	Congenital debility [1]	210	17	24	23	15	18	8	12	18	20	21	20	14
35	Violent deaths (suicide excepted)	2,698	192	200	252	202	229	229	275	242	214	212	239	212
36	Suicide	426	27	22	37	33	46	42	46	40	35	37	37	24
	All other causes	23,659	2,196	2,101	2,229	2,071	2,109	1,839	1,901	1,801	1,753	1,846	1,795	2,018
	KANSAS.													
	All causes	20,644	2,267	2,004	2,195	1,838	1,671	1,517	1,682	1,440	1,466	1,440	1,448	1,676
1	Typhoid fever	325	14	5	8	13	10	7	29	45	56	68	50	20
3	Malaria	40	.....	2	3	.....	6	5	4	4	4	7	1	4
5	Measles	250	5	17	56	83	52	18	8	1	3	2	3	2
6	Scarlet fever	57	1	7	9	13	12	2	2	1	1	2	3	4
7	Whooping cough	128	9	15	10	15	8	14	16	9	5	11	7	9
8	Diphtheria and croup	150	15	12	18	8	10	9	7	5	5	16	22	23
9	Influenza	542	170	147	103	44	19	5	2	3	2	1	16	30
13	Tuberculosis of the lungs	881	78	81	103	91	80	78	72	44	57	62	69	66
14–15	Other forms of tuberculosis	159	13	11	19	16	11	12	20	13	12	12	14	6
17	Meningitis	113	4	3	8	22	16	10	15	5	7	5	8	10
20–21	Bronchitis	231	51	36	24	21	13	14	9	2	10	10	19	22
22	Pneumonia	1,308	296	232	222	135	90	39	15	23	21	40	68	127
(23)	Bronchopneumonia	627	139	134	93	68	45	17	13	8	10	21	23	56
25	Diarrhea and enteritis (under 2 years)	677	16	19	36	28	24	43	136	148	113	79	14	21
(37)	Diarrhea and enteritis (2 years and over)	352	8	16	15	16	18	35	64	67	52	36	15	10
(33)	Congenital debility [1]	271	30	20	26	15	22	17	29	22	21	28	20	21
35	Violent deaths (suicide excepted)	1,386	112	118	112	110	120	133	152	94	113	99	115	108
36	Suicide	163	12	15	14	13	16	13	6	14	17	20	13	10
	All other causes	12,984	1,294	1,114	1,316	1,127	1,099	1,046	1,083	932	957	921	968	1,127
	KENTUCKY (TOTAL).													
	All causes	32,723	3,077	3,178	3,260	2,890	2,661	2,390	2,722	2,694	2,394	2,473	2,366	2,618
1	Typhoid fever	833	37	30	25	31	37	45	83	136	146	133	91	39
3	Malaria	136	7	5	9	5	7	15	26	19	13	18	9	3
5	Measles	954	101	188	258	216	83	38	30	8	7	9	4	12
6	Scarlet fever	51	5	4	3	6	.....	4	2	3	5	4	8	7
7	Whooping cough	495	33	38	52	32	24	27	49	48	57	41	57	37
8	Diphtheria and croup	362	35	31	22	19	10	9	6	14	49	67	58	42
9	Influenza	583	101	167	132	43	26	6	8	3	9	18	25	45
13	Tuberculosis of the lungs	4,163	375	369	431	428	397	325	351	272	280	305	306	324
14–15	Other forms of tuberculosis	571	43	35	54	68	59	44	56	50	46	33	44	39
17	Meningitis	301	27	29	29	38	32	25	28	24	25	15	11	18
20–21	Bronchitis	338	64	54	34	33	25	14	12	16	10	25	19	32
22	Pneumonia	1,949	311	360	253	176	123	53	37	34	45	124	137	246
(23)	Bronchopneumonia	884	133	135	126	100	49	36	26	19	37	51	77	95
25	Diarrhea and enteritis (under 2 years)	1,315	38	36	34	38	32	150	308	335	181	90	40	33
(37)	Diarrhea and enteritis (2 years and over)	461	20	12	24	20	20	42	110	81	61	32	22	17
(33)	Congenital debility [1]	319	14	29	28	26	28	21	27	46	35	24	15	26
35	Violent deaths (suicide excepted)	1,928	170	133	155	112	200	160	152	197	153	121	155	220
36	Suicide	195	7	15	14	21	15	21	25	31	16	9	14	7
	All other causes	16,885	1,556	1,508	1,577	1,478	1,494	1,355	1,386	1,358	1,219	1,354	1,224	1,376

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	KENTUCKY (WHITE).													
	All causes	26,893	2,549	2,720	2,694	2,357	2,136	1,936	2,233	2,176	1,946	2,018	1,973	2,155
1	Typhoid fever	673	35	26	15	22	29	30	63	114	120	113	76	30
3	Malaria	96	6	4	6	2	4	10	19	14	7	15	7	2
5	Measles	882	97	182	240	193	75	35	24	8	6	9	3	10
6	Scarlet fever	50	4	4	3	6		4	2	3	5	4	8	7
7	Whooping cough	420	30	33	48	27	20	23	40	43	40	33	49	34
8	Diphtheria and croup	346	33	29	20	19	8	8	5	14	47	67	55	41
9	Influenza	495	84	147	110	38	20	6	5	3	6	15	23	38
13	Tuberculosis of the lungs	3,098	276	298	328	318	300	234	238	200	203	220	236	247
14–15	Other forms of tuberculosis	456	32	31	44	53	51	34	44	37	35	25	35	35
17	Meningitis	264	24	26	23	34	29	22	27	18	22	13	10	16
20–21	Bronchitis	287	57	49	29	23	18	12	9	12	8	24	17	29
22	Pneumonia	1,555	246	297	202	134	90	42	28	28	38	99	149	202
(23)	Bronchopneumonia	730	114	116	105	86	38	26	17	13	33	43	64	75
25	Diarrhea and enteritis (under 2 years)	1,153	33	29	27	36	26	135	274	292	162	75	36	28
(37)	Diarrhea and enteritis (2 years and over)	398	17	11	21	16	15	37	96	73	53	27	19	13
(33)	Congenital debility [1]	293	11	27	28	25	24	20	24	44	28	23	14	25
35	Violent deaths (suicide excepted)	1,495	136	105	117	94	152	134	120	121	116	102	123	175
36	Suicide	189	7	14	14	20	14	20	25	29	16	9	14	7
	All other causes	14,013	1,307	1,292	1,314	1,211	1,223	1,104	1,173	1,110	1,001	1,102	1,035	1,141
	KENTUCKY (COLORED).													
	All causes	5,830	528	458	566	533	525	454	489	518	448	455	393	463
1	Typhoid fever	160	2	4	10	9	8	15	20	22	26	20	15	9
3	Malaria	40	1	1	3	3	3	5	7	5	6	3	2	1
5	Measles	72	4	6	18	23	8	3	6		1		1	2
6	Scarlet fever	1	1											
7	Whooping cough	75	3	5	4	5	4	4	9	5	17	8	8	3
8	Diphtheria and croup	16	2	2	2		2	1	1		2		3	1
9	Influenza	88	17	20	22	5	6		3		3	3	2	7
13	Tuberculosis of the lungs	1,065	99	71	103	110	97	91	113	72	77	85	70	77
14–15	Other forms of tuberculosis	115	11	4	10	15	8	10	12	13	11	8	9	4
17	Meningitis	37	3	3	6	4	3	3	1	6	3	2	1	2
20–21	Bronchitis	51	7	5	5	10	7	2	3	4	2	1	2	3
22	Pneumonia	394	65	63	51	42	33	11	9	6	7	25	38	44
(23)	Bronchopneumonia	154	19	19	21	14	11	10	9	6	4	8	13	20
25	Diarrhea and enteritis (under 2 years)	162	5	7	7	2	6	15	34	43	19	15	4	5
(37)	Diarrhea and enteritis (2 years and over)	63	3	1	3	4	5	5	14	8	8	5	3	4
(33)	Congenital debility [1]	26	3	2		1	4	1	3	2	7	1	1	1
35	Violent deaths (suicide excepted)	433	34	28	38	18	48	26	32	76	37	19	32	45
36	Suicide	6		1		1	1	1		2				
	All other causes	2,872	249	216	263	267	271	251	213	248	218	252	189	235
	MAINE.													
	All causes	11,667	1,218	1,175	1,145	1,001	1,050	841	881	757	830	948	856	965
1	Typhoid fever	82	7	8	10	7	6	9	1	4	6	13	4	7
3	Malaria													
5	Measles	146	4	3	11	25	18	20	14	4	1	7	17	22
6	Scarlet fever	5	2				1					1	1	
7	Whooping cough	45	5	7	8	3	1	3	3	3	4	2	4	2
8	Diphtheria and croup	73	7	3	3	6	4	3	4	6	6	11	11	9
9	Influenza	234	47	61	47	21	14	7	5	1	6	10	5	10
13	Tuberculosis of the lungs	725	57	74	85	51	81	53	71	66	53	38	45	51
14–15	Other forms of tuberculosis	166	14	10	8	19	22	17	22	4	15	16	9	10
17	Meningitis	63	5	3	7	4	4	6	4	5	6	4	5	10
20–21	Bronchitis	179	35	28	30	14	12	6	9	2	11	11	7	14
22	Pneumonia	773	120	133	99	90	80	45	20	10	24	29	54	69
(23)	Bronchopneumonia	436	80	73	54	44	38	18	10	17	18	25	25	34
25	Diarrhea and enteritis (under 2 years)	263	8	8	15	6	17	13	15	33	76	46	12	14
(37)	Diarrhea and enteritis (2 years and over)	85	1	3	3	9	2	5	3	22	15	9	8	5
(33)	Congenital debility [1]	139	13	12	11	13	12	12	17	8	16	7	5	13
35	Violent deaths (suicide excepted)	528	48	44	33	29	29	46	77	39	42	61	41	39
36	Suicide	104	14	4	9	7	7	6	11	16	6	7	11	6
	All other causes	7,621	751	701	712	653	702	572	595	517	525	651	592	650
	MARYLAND (TOTAL).													
	All causes	23,444	2,324	2,055	2,363	2,068	1,900	1,599	1,837	1,999	1,869	1,798	1,652	1,980
1	Typhoid fever	256	16	8	8	15	17	11	23	39	45	36	25	13
3	Malaria	12					1		3	5		2		1
5	Measles	119	7	11	16	21	24	19	4	4	4	1	6	2
6	Scarlet fever	24	1	2	2	3	2	2		2	1	2	4	3
7	Whooping cough	136	14	12	13	8	14	8	14	8	14	13	12	6
8	Diphtheria and croup	137	21	16	7	13	9	7	3	4	8	16	17	16
9	Influenza	235	55	62	47	20	7	1	1	2	3	2	12	23
13	Tuberculosis of the lungs	2,504	241	217	284	258	232	183	163	174	186	191	162	213
14–15	Other forms of tuberculosis	257	13	17	25	30	38	14	15	27	20	22	21	15
17	Meningitis	126	8	11	14	16	22	14	11	3	5	6	8	8
20–21	Bronchitis	343	54	49	50	34	30	14	6	15	14	17	27	33
22	Pneumonia	1,601	262	232	247	187	128	71	45	38	40	87	117	147
(23)	Bronchopneumonia	1,056	149	156	146	125	90	35	40	29	48	56	71	111
25	Diarrhea and enteritis (under 2 years)	1,332	28	19	30	29	18	50	294	400	270	124	42	28
(37)	Diarrhea and enteritis (2 years and over)	242	13	10	9	11	13	14	47	62	21	17	16	9
(33)	Congenital debility [1]	307	19	30	34	22	19	21	21	33	43	31	17	17
35	Violent deaths (suicide excepted)	1,357	107	85	95	99	92	126	133	161	118	121	92	128
36	Suicide	171	14	12	20	17	11	12	16	10	10	17	21	11
	All other causes	13,229	1,302	1,106	1,316	1,160	1,133	997	998	983	1,019	1,037	982	1,196

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MARYLAND (WHITE).													
	All causes	17,192	1,753	1,507	1,710	1,509	1,368	1,118	1,314	1,455	1,406	1,339	1,262	1,451
1	Typhoid fever	185	12	6	5	12	13	6	16	23	33	31	18	10
3	Malaria	4							1	2		1		
5	Measles	93	3	9	10	17	22	15	3	3	3	1	5	2
6	Scarlet fever	22	1	2	1	3	2	2		2	1	1	4	3
7	Whooping cough	81	10	6	5	6	8	5	10	4	9	8	7	3
8	Diphtheria and croup	125	20	14	7	13	7	7	2	4	8	13	16	14
9	Influenza	170	39	47	35	11	5	1		1	3	1	10	17
13	Tuberculosis of the lungs	1,580	158	160	184	151	137	105	103	104	115	119	107	137
14–15	Other forms of tuberculosis	182	11	13	18	24	26	10	10	19	12	13	14	12
17	Meningitis	83	6	9	8	10	13	7	9		5	4	5	7
20–21	Bronchitis	239	40	35	35	25	15	9	6	10	7	15	21	21
22	Pneumonia	1,034	174	148	160	126	76	39	30	25	26	56	81	93
(23)	Bronchopneumonia	690	114	103	94	76	57	20	26	23	29	34	44	70
25	Diarrhea and enteritis (under 2 years)	950	21	11	23	22	11	32	198	288	203	96	28	17
(37)	Diarrhea and enteritis (2 years and over)	181	12	8	7	8	9	8	32	49	18	8	14	8
(33)	Congenital debility [1]	210	13	20	22	12	13	11	14	22	33	24	13	13
35	Violent deaths (suicide excepted)	1,048	88	59	70	82	66	104	98	128	97	94	74	88
36	Suicide	164	12	12	19	17	11	11	16	9	9	17	20	11
	All other causes	10,151	1,019	845	1,007	894	877	726	740	739	795	803	781	925
	MARYLAND (COLORED).													
	All causes	6,252	571	548	653	559	532	481	523	544	463	459	390	529
1	Typhoid fever	71	4	2	3	3	4	5	7	16	12	5	7	3
3	Malaria	8				1			2	3		1		1
5	Measles	26	4	2	6	4	2	4	1	1	1		1	
6	Scarlet fever	2			1							1		
7	Whooping cough	55	4	6	8	2	6	3	4	4	5	5	5	3
8	Diphtheria and croup	12	1	2			2		1			3	1	2
9	Influenza	65	16	15	12	9	2		1	1		1	2	6
13	Tuberculosis of the lungs	924	83	57	100	107	95	78	60	70	71	72	55	76
14–15	Other forms of tuberculosis	75	2	4	7	6	12	4	5	8	8	9	7	3
17	Meningitis	43	2	2	6	6	9	7	2	3		2	3	1
20–21	Bronchitis	104	14	14	15	9	15	5		5	7	2	6	12
22	Pneumonia	567	88	84	87	61	52	32	15	13	14	31	36	54
(23)	Bronchopneumonia	366	35	53	52	49	33	15	14	6	19	22	27	41
25	Diarrhea and enteritis (under 2 years)	382	7	8	7	7	7	18	96	112	67	28	14	11
(37)	Diarrhea and enteritis (2 years and over)	61	1	2	2	3	4	6	15	13	3	9	2	1
(33)	Congenital debility [1]	97	6	10	12	10	6	10	7	11	10	7	4	4
35	Violent deaths (suicide excepted)	309	19	26	25	17	26	22	35	33	21	27	18	40
36	Suicide	7	2		1			1		1	1		1	
	All other causes	3,078	283	261	309	266	256	271	258	244	224	234	201	271
	MASSACHUSETTS.													
	All causes	56,675	6,035	5,396	5,142	5,096	4,950	4,108	3,917	4,409	4,310	4,324	4,170	4,818
1	Typhoid fever	182	12	10	11	18	9	11	13	18	31	24	16	9
3	Malaria	4						1	2				1	
5	Measles	372	33	29	35	39	50	57	27	23	9	9	19	42
6	Scarlet fever	117	8	19	13	18	11	11	4	4	1	4	8	16
7	Whooping cough	236	14	26	21	25	26	23	17	24	20	14	15	11
8	Diphtheria and croup	834	76	74	56	66	85	66	45	50	63	80	83	90
9	Influenza	469	154	95	61	39	30	16	2	3	8	15	13	33
13	Tuberculosis of the lungs	4,664	417	407	475	438	442	372	379	346	328	320	363	377
14–15	Other forms of tuberculosis	767	60	72	67	66	80	57	71	67	64	58	43	62
17	Meningitis	276	21	15	29	28	39	31	29	23	20	7	13	21
20–21	Bronchitis	761	123	122	101	68	71	48	21	25	25	43	46	68
22	Pneumonia	3,991	745	620	494	488	371	183	81	66	114	199	259	371
(23)	Bronchopneumonia	2,397	411	359	284	234	222	127	71	57	94	134	137	267
25	Diarrhea and enteritis (under 2 years)	2,655	102	90	84	97	116	120	263	649	561	316	149	108
(37)	Diarrhea and enteritis (2 years and over)	476	25	17	28	24	19	19	39	96	107	50	24	28
(33)	Congenital debility [1]	485	54	48	31	40	55	27	25	43	52	39	32	39
35	Violent deaths (suicide excepted)	3,166	268	240	202	231	234	264	367	367	238	246	251	258
36	Suicide	491	26	44	44	42	49	44	47	42	50	34	33	36
	All other causes	34,332	3,486	3,109	3,106	3,135	3,041	2,631	2,414	2,506	2,525	2,732	2,665	2,982
	MICHIGAN.													
	All causes	47,121	4,669	4,328	4,645	4,343	4,353	3,624	3,600	3,457	3,391	3,612	3,327	3,772
1	Typhoid fever	389	36	22	30	28	35	29	34	33	34	53	31	24
3	Malaria	8		1		1	1		1	1	1	1		1
5	Measles	275	24	24	40	45	48	33	18	5	1	5	7	25
6	Scarlet fever	344	34	38	55	46	43	43	9	12	10	14	16	24
7	Whooping cough	366	20	17	20	21	25	21	40	60	39	35	27	41
8	Diphtheria and croup	858	59	47	67	72	83	62	55	57	67	117	95	77
9	Influenza	534	127	136	71	50	45	21	8	3	12	12	20	29
13	Tuberculosis of the lungs	2,877	230	282	284	285	273	260	200	218	204	208	205	228
14–15	Other forms of tuberculosis	450	28	31	41	40	55	48	42	32	29	36	29	39
17	Meningitis	310	19	17	30	23	42	43	35	18	21	21	18	23
20–21	Bronchitis	764	117	108	119	90	71	49	21	23	25	39	40	62
22	Pneumonia	2,807	429	352	405	324	295	148	92	67	92	151	189	263
(23)	Bronchopneumonia	1,467	252	211	191	161	141	62	60	26	59	77	85	142
25	Diarrhea and enteritis (under 2 years)	1,733	77	88	94	105	113	92	185	371	303	163	72	70
(37)	Diarrhea and enteritis (2 years and over)	463	32	20	28	34	41	27	47	56	93	37	21	27
(33)	Congenital debility [1]	590	48	59	63	46	45	40	52	41	53	57	45	41
35	Violent deaths (suicide excepted)	3,211	252	216	250	243	287	276	374	312	244	248	253	256
36	Suicide	467	37	31	40	41	38	54	50	40	33	27	39	37
	All other causes	29,208	2,848	2,628	2,817	2,688	2,672	2,316	2,277	2,082	2,071	2,311	2,135	2,363

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MINNESOTA.													
	All causes	23,913	2,549	2,134	2,261	2,183	2,201	1,914	1,875	1,586	1,694	1,788	1,815	1,913
1	Typhoid fever	99	11	9	13	5	8	4	8	8	8	14	6	5
3	Malaria	2						1		1				
5	Measles	129	5	13	14	13	37	28	10		3	1	2	3
6	Scarlet fever	92	9	11	11	8	5	5	7	5	5	8	9	9
7	Whooping cough	95	8	5	6	9	6	7	8	2	11	6	17	10
8	Diphtheria and croup	251	18	12	13	22	21	27	15	24	25	33	19	22
9	Influenza	220	86	51	27	23	12	3	1		2	6		9
13	Tuberculosis of the lungs	2,025	194	180	173	217	219	170	152	142	148	131	158	141
14–15	Other forms of tuberculosis	330	28	26	37	29	38	31	21	33	24	24	18	21
17	Meningitis	258	13	14	33	53	47	29	16	17	10	12	9	5
20–21	Bronchitis	268	48	38	37	15	29	13	17	10	12	16	14	19
22	Pneumonia	1,430	300	187	156	138	157	78	43	25	33	74	88	151
(23)	Bronchopneumonia	787	147	109	129	81	60	31	12	17	25	42	47	87
25	Diarrhea and enteritis (under 2 years)	567	53	41	48	43	33	22	49	62	88	60	31	37
(37)	Diarrhea and enteritis (2 years and over)	215	12	11	10	16	16	18	12	33	45	20	12	10
(33)	Congenital debility [1]	241	27	19	21	19	19	17	17	20	22	25	13	22
35	Violent deaths (suicide excepted)	1,643	116	104	123	115	129	140	226	140	147	152	132	119
36	Suicide	289	23	13	25	26	32	32	33	19	19	25	22	20
	All other causes	14,972	1,451	1,291	1,385	1,351	1,333	1,258	1,228	1,028	1,067	1,139	1,218	1,223
	MISSOURI.													
	All causes	45,625	5,088	4,599	4,775	4,037	3,681	3,270	3,440	3,342	3,343	3,309	3,143	3,598
1	Typhoid fever	698	41	33	27	24	23	21	49	96	126	125	82	46
3	Malaria	356	16	13	16	19	23	33	38	55	51	56	24	12
5	Measles	848	72	159	207	207	127	36	15	8	4	3	3	7
6	Scarlet fever	164	6	21	22	33	26	7	8	1	1	7	17	15
7	Whooping cough	326	33	41	24	38	30	28	34	21	21	16	17	23
8	Diphtheria and croup	594	57	48	74	47	48	21	31	25	43	80	55	65
9	Influenza	815	280	183	147	67	24	16	6	4	3	11	29	45
13	Tuberculosis of the lungs	4,564	483	443	495	396	434	335	358	334	298	308	317	363
14–15	Other forms of tuberculosis	471	40	38	43	31	49	43	43	34	44	40	34	32
17	Meningitis	332	28	31	51	51	50	27	23	16	9	18	16	12
20–21	Bronchitis	553	110	97	79	54	38	17	13	11	16	28	41	49
22	Pneumonia	3,713	793	630	570	395	228	107	68	52	76	160	240	394
(23)	Bronchopneumonia	1,592	316	279	252	148	107	54	32	28	45	76	103	152
25	Diarrhea and enteritis (under 2 years)	1,645	57	48	62	54	55	167	302	368	314	129	55	34
(37)	Diarrhea and enteritis (2 years and over)	600	20	32	20	23	32	58	129	117	87	44	22	16
(33)	Congenital debility [1]	257	30	28	26	20	8	12	19	17	39	21	18	19
35	Violent deaths (suicide excepted)	2,829	216	218	231	206	234	277	264	268	217	223	237	238
36	Suicide	561	40	45	55	49	49	49	50	48	52	46	38	40
	All other causes	24,707	2,450	2,212	2,374	2,175	2,091	1,962	1,958	1,839	1,897	1,918	1,795	2,036
	MONTANA.													
	All causes	6,589	622	545	582	626	576	681	526	427	519	532	441	512
1	Typhoid fever	79	3	11	12	13	8	6	5	2	5	4	7	3
3	Malaria													
5	Measles	46	3	1	14	13	9	4	1					1
6	Scarlet fever	85	8	6	6	7	8	3	5	4	8	6	10	14
7	Whooping cough	43	1	14	4	5	4	5	3	1	3	2	1	
8	Diphtheria and croup	40	3	4	4	3	7	2	3	2	2	2	4	4
9	Influenza	43	9	6	8	9	3	1				2	1	4
13	Tuberculosis of the lungs	486	58	41	42	51	49	38	42	22	26	34	38	45
14–15	Other forms of tuberculosis	63	7	4	5	5	3	11	3	5	4	7	3	6
17	Meningitis	40	3	2	5	5	3	5	2	2	4	2	3	4
20–21	Bronchitis	41	6	5	4	5	3	6		2	2	4	1	3
22	Pneumonia	498	66	52	55	70	55	25	15	12	21	31	40	56
(23)	Bronchopneumonia	192	43	28	29	26	14	5	3	3	6	9	15	11
25	Diarrhea and enteritis (under 2 years)	216	7	12	8	9	18	7	20	15	61	42	7	10
(37)	Diarrhea and enteritis (2 years and over)	64		3	4			2	5	12	18	12	6	2
(33)	Congenital debility [1]	78	6	5	7	7	6	6	7	1	7	12	6	8
35	Violent deaths (suicide excepted)	962	62	53	58	51	57	252	94	68	71	77	57	62
36	Suicide	113	17	9	10	6	8	7	12	13	7	8	9	7
	All other causes	3,500	320	289	307	341	321	296	306	263	274	278	233	272
	NEW HAMPSHIRE.													
	All causes	7,457	863	765	685	672	621	568	507	536	562	532	556	590
1	Typhoid fever	27	3	2	1	2	5		5	3	2	2	2	
3	Malaria													
5	Measles	51	8	7	8	9	6	9		1		2		1
6	Scarlet fever	8	2			2	1				1	1	1	
7	Whooping cough	55	4	9	10	7	8	4	2	1	4	2	3	1
8	Diphtheria and croup	48	5	4	1	2	2	3	3	2	7	2	5	12
9	Influenza	145	40	43	24	13	11	1	2			4	3	4
13	Tuberculosis of the lungs	418	35	35	39	43	43	31	28	37	35	29	31	32
14–15	Other forms of tuberculosis	83	10	9	10	6	6	7	6	8	3	4	5	9
17	Meningitis	36	4	5	4	2	4	4	3	1	1	2	1	5
20–21	Bronchitis	128	16	26	18	9	7	5	3	6	7	10	10	11
22	Pneumonia	521	117	80	64	48	51	25	11	5	13	20	36	51
(23)	Bronchopneumonia	186	41	37	22	15	14	7	7	6		10	11	16
25	Diarrhea and enteritis (under 2 years)	257	15	12	14	11	9	9	11	50	75	34	10	7
(37)	Diarrhea and enteritis (2 years and over)	66	3	4	2	2	7	4	5	15	13	6	4	1
(33)	Congenital debility [1]	104	6	6	6	11	6	14	9	9	7	7	11	12
35	Violent deaths (suicide excepted)	381	21	14	22	30	35	38	49	53	25	29	35	30
36	Suicide	79	7	1	7	9	5	9	8	11	8	5	4	5
	All other causes	4,864	526	471	433	451	401	398	355	328	361	363	384	393

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.												
	NEW JERSEY.												
	All causes	43,801	4,656	3,959	3,942	3,675	3,560	2,996	3,497	3,902	3,303	3,182	3,320	3,809
1	Typhoid fever	199	16	14	9	11	11	11	26	15	34	25	16	11
3	Malaria	6	.....	1	.....	.....	1	.....	1	1	1	.....	.....	1
5	Measles	143	5	2	6	20	28	18	11	6	1	7	13	26
6	Scarlet fever	56	6	3	7	6	6	7	4	3	2	2	2	8
7	Whooping cough	293	7	6	13	17	7	22	42	46	36	30	27	40
8	Diphtheria and croup	447	34	34	33	42	42	22	23	20	29	46	50	72
9	Influenza	417	159	89	54	26	17	9	5	.....	4	8	14	32
13	Tuberculosis of the lungs	4,124	387	352	438	402	343	292	332	315	329	313	289	332
14–15	Other forms of tuberculosis	495	32	34	38	53	55	42	52	44	41	33	31	40
17	Meningitis	258	20	19	17	29	37	24	23	28	11	18	19	13
20–21	Bronchitis	533	86	68	67	48	37	26	15	15	29	37	44	61
22	Pneumonia	3,654	697	491	499	332	309	160	92	84	106	209	284	391
(23)	Bronchopneumonia	1,600	270	215	192	167	112	68	39	66	65	95	126	185
25	Diarrhea and enteritis (under 2 years)	2,507	104	110	85	86	91	93	372	710	450	203	115	88
(37)	Diarrhea and enteritis (2 years and over)	374	10	19	14	27	26	11	46	88	63	28	17	25
(33)	Congenital debility [1]	368	26	30	29	27	25	20	32	41	42	35	29	32
35	Violent deaths (suicide excepted)	3,124	232	219	196	219	213	274	396	431	212	219	261	252
36	Suicide	428	35	38	36	43	38	46	49	26	38	29	22	28
	All other causes	24,775	2,530	2,215	2,209	2,120	2,162	1,851	1,937	1,963	1,810	1,845	1,961	2,172
	NEW YORK.													
	All causes	153,959	16,558	14,257	14,570	13,474	13,341	11,244	11,067	12,398	11,485	11,380	11,478	12,707
1	Typhoid fever	589	41	47	39	37	40	34	46	65	86	63	55	36
3	Malaria	28	1	1	1	2	1	2	6	5	.....	6	.....	3
5	Measles	931	72	93	79	133	153	149	96	38	22	10	21	65
6	Scarlet fever	283	20	19	37	48	38	25	19	9	7	14	17	30
7	Whooping cough	903	38	42	47	50	52	66	87	123	133	82	92	91
8	Diphtheria and croup	1,753	168	162	179	171	143	135	107	89	107	144	171	177
9	Influenza	1,501	428	356	221	125	116	32	14	16	21	46	44	82
13	Tuberculosis of the lungs	14,831	1,379	1,275	1,471	1,407	1,345	1,214	1,172	1,072	1,136	1,102	1,073	1,185
14–15	Other forms of tuberculosis	1,884	129	155	186	189	174	207	163	159	142	124	117	139
17	Meningitis	642	50	41	71	76	66	65	56	48	46	29	51	43
20–21	Bronchitis	1,922	293	267	209	169	162	120	60	70	82	123	155	212
22	Pneumonia	11,994	2,242	1,630	1,387	1,175	1,170	628	325	327	395	679	890	1,146
(23)	Bronchopneumonia	6,091	968	771	707	589	482	347	231	233	361	466	653	
25	Diarrhea and enteritis (under 2 years)	6,042	236	239	274	297	306	259	522	1,619	1,207	583	241	259
(37)	Diarrhea and enteritis (2 years and over)	1,121	56	64	53	68	74	60	116	199	195	100	73	63
(33)	Congenital debility [1]	1,268	111	132	122	107	101	76	86	130	140	116	81	66
35	Violent deaths (suicide excepted)	9,735	716	754	728	746	724	747	1,043	1,369	765	729	739	675
36	Suicide	1,479	123	106	124	142	149	150	141	104	116	115	121	88
	All other causes	90,962	9,487	8,103	8,635	7,943	8,045	6,928	6,777	6,723	6,602	6,954	7,071	7,694
	NORTH CAROLINA (TOTAL).													
	All causes	33,969	2,834	2,872	2,904	2,774	3,344	3,508	2,988	2,744	2,460	2,568	2,300	2,673
1	Typhoid fever	728	16	15	8	23	32	78	139	151	129	63	47	27
3	Malaria	268	6	11	5	10	29	21	30	42	48	42	15	9
5	Measles	1,042	185	265	244	139	97	53	18	8	10	5	4	14
6	Scarlet fever	41	6	4	2	2	3	1	1	4	11	2	3	2
7	Whooping cough	562	33	36	51	54	64	75	77	49	30	35	29	29
8	Diphtheria and croup	315	49	29	23	19	11	11	3	12	33	52	41	32
9	Influenza	403	68	90	61	45	30	13	6	5	2	13	28	42
13	Tuberculosis of the lungs	3,070	270	282	298	299	282	254	226	223	234	215	229	258
14–15	Other forms of tuberculosis	329	15	19	29	26	33	36	33	27	38	26	32	15
17	Meningitis	215	19	11	18	21	32	18	22	16	6	20	17	15
20–21	Bronchitis	229	30	24	25	22	21	14	17	7	24	15	11	19
22	Pneumonia	1,768	249	303	253	182	153	72	50	24	38	92	144	208
(23)	Bronchopneumonia	827	118	109	93	98	57	41	20	37	28	61	62	103
25	Diarrhea and enteritis (under 2 years)	2,364	46	28	35	81	362	641	453	300	201	110	69	38
(37)	Diarrhea and enteritis (2 years and over)	684	22	17	17	33	121	146	103	84	53	40	21	27
(33)	Congenital debility [1]	503	35	32	45	41	38	52	50	57	47	51	28	27
35	Violent deaths (suicide excepted)	1,622	148	149	138	117	121	130	113	115	110	147	162	172
36	Suicide	76	9	4	11	8	5	3	8	7	5	7	6	3
	All other causes	18,923	1,510	1,444	1,548	1,554	1,853	1,849	1,619	1,576	1,413	1,572	1,352	1,633
	NORTH CAROLINA (WHITE).													
	All causes	20,468	1,837	1,811	1,729	1,658	1,988	2,097	1,744	1,644	1,407	1,469	1,388	1,696
1	Typhoid fever	393	9	8	3	14	21	44	73	74	71	28	28	20
3	Malaria	117	4	5	4	3	14	5	13	20	15	20	8	6
5	Measles	785	164	210	181	94	64	32	13	4	4	3	4	12
6	Scarlet fever	37	5	4	2	2	2	1	1	4	10	2	2	2
7	Whooping cough	301	18	26	25	24	36	38	32	30	18	20	14	20
8	Diphtheria and croup	249	39	23	16	14	10	8	2	10	26	41	36	24
9	Influenza	279	53	65	42	30	15	7	5	3	1	12	17	29
13	Tuberculosis of the lungs	1,437	136	137	143	145	132	99	100	106	103	95	104	137
14–15	Other forms of tuberculosis	172	9	14	13	16	19	16	16	15	21	10	14	9
17	Meningitis	169	18	6	14	16	20	15	20	12	5	13	16	14
20–21	Bronchitis	117	19	12	11	13	9	5	10	4	9	9	6	10
22	Pneumonia	935	150	160	115	93	72	41	30	19	11	44	77	123
(23)	Bronchopneumonia	518	82	75	60	45	29	22	13	22	20	41	41	68
25	Diarrhea and enteritis (under 2 years)	1,513	25	18	21	55	229	437	294	192	116	63	38	25
(37)	Diarrhea and enteritis (2 years and over)	505	16	11	11	25	95	116	81	55	37	26	13	19
(33)	Congenital debility [1]	294	18	17	28	25	20	32	29	34	28	27	15	21
35	Violent deaths (suicide excepted)	918	79	77	74	71	77	72	60	74	67	79	92	96
36	Suicide	66	8	3	8	8	4	3	7	7	3	6	6	3
	All other causes	11,663	985	940	958	965	1,120	1,104	945	959	842	930	857	1,058

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	NORTH CAROLINA (COLORED).													
	All causes	13,501	997	1,061	1,175	1,116	1,356	1,411	1,244	1,100	1,053	1,099	912	977
1	Typhoid fever	335	7	7	5	9	11	34	66	77	58	35	19	7
3	Malaria	151	2	6	1	7	15	16	17	22	33	22	7	3
5	Measles	257	21	55	63	45	33	21	5	4	6	2		2
6	Scarlet fever	4	1				1				1		1	
7	Whooping cough	261	15	10	26	30	28	37	45	19	12	15	15	9
8	Diphtheria and croup	66	10	6	7	5	1	3	1	2	7	11	5	8
9	Influenza	124	15	25	19	15	15	6	1	2	1	1	11	13
13	Tuberculosis of the lungs	1,633	134	145	155	154	150	155	126	117	131	120	125	121
14–15	Other forms of tuberculosis	157	6	5	16	10	14	20	17	12	17	16	18	6
17	Meningitis	46	1	5	4	5	12	3	2	4	1	7	1	1
20–21	Bronchitis	112	11	12	14	9	12	9	7	3	15	6	5	9
22	Pneumonia	833	99	143	138	89	81	31	20	5	27	48	67	85
(23)	Bronchopneumonia	309	36	34	33	53	28	19	7	15	8	20	21	35
25	Diarrhea and enteritis (under 2 years)	851	21	10	14	26	133	204	159	108	85	47	31	13
(37)	Diarrhea and enteritis (2 years and over)	179	6	6	6	8	26	30	22	29	16	14	8	8
(33)	Congenital debility[1]	209	17	15	17	16	18	20	21	23	19	24	13	6
35	Violent deaths (suicide excepted)	704	69	72	64	46	44	58	53	41	43	68	70	76
36	Suicide	10	1	1	3		1		1		2	1		
	All other causes	7,260	525	504	590	589	733	745	674	617	571	642	495	575
	OHIO.													
	All causes	76,940	7,349	7,211	7,630	6,789	6,587	5,653	5,569	6,211	5,991	5,961	5,669	6,320
1	Typhoid fever	694	48	26	52	36	57	44	43	60	110	109	58	51
3	Malaria	16			1	2		1	2	3	5		2	
5	Measles	572	48	98	130	134	82	42	15	6	3		3	11
6	Scarlet fever	198	23	18	32	23	20	19	7	5	7	16	10	18
7	Whooping cough	596	31	49	75	46	64	49	43	60	66	39	32	42
8	Diphtheria and croup	746	56	45	65	44	60	55	34	54	63	100	100	70
9	Influenza	962	182	259	190	111	60	16	7	1	14	24	30	68
13	Tuberculosis of the lungs	6,474	564	584	649	594	663	531	504	486	428	481	487	503
14–15	Other forms of tuberculosis	946	76	65	89	93	107	85	86	77	65	71	60	72
17	Meningitis	607	23	33	76	103	90	51	61	43	35	34	24	34
20–21	Bronchitis	854	128	124	113	80	63	42	37	28	32	57	78	72
22	Pneumonia	5,040	788	841	761	515	406	219	118	113	156	289	353	481
(23)	Bronchopneumonia	2,802	435	467	474	265	209	116	65	72	75	174	163	287
25	Diarrhea and enteritis (under 2 years)	3,048	119	106	134	133	93	118	373	899	630	232	115	96
(37)	Diarrhea and enteritis (2 years and over)	629	30	25	36	38	32	36	74	137	108	48	30	35
(33)	Congenital debility[1]	663	48	49	57	49	45	42	42	80	91	70	50	40
35	Violent deaths (suicide excepted)	6,179	460	406	474	493	527	500	620	639	523	541	507	489
36	Suicide	756	60	55	67	68	75	70	70	62	57	53	64	55
	All other causes	45,158	4,230	3,961	4,155	3,962	3,934	3,617	3,368	3,386	3,523	3,623	3,503	3,896
	PENNSYLVANIA.													
	All causes	128,163	12,970	11,789	12,457	11,383	10,770	8,704	9,435	10,552	9,877	9,528	9,609	11,089
1	Typhoid fever	901	73	74	65	63	62	52	64	79	119	116	82	52
3	Malaria	17	2	1	2		2	1	2	2		3	2	
5	Measles	523	44	62	113	93	66	53	23	12	10	8	18	21
6	Scarlet fever	225	26	19	19	20	29	11	16	8	14	20	15	28
7	Whooping cough	891	51	46	71	65	83	60	85	125	97	61	68	79
8	Diphtheria and croup	2,019	200	168	181	145	123	83	125	95	164	281	242	212
9	Influenza	1,506	409	327	253	156	72	31	14	7	27	32	68	110
13	Tuberculosis of the lungs	10,125	961	884	1,000	955	973	767	799	732	736	696	799	823
14–15	Other forms of tuberculosis	1,584	120	105	162	147	155	131	163	110	135	109	124	123
17	Meningitis	1,012	41	59	130	185	142	98	70	81	40	57	44	65
20–21	Bronchitis	1,623	229	256	198	159	138	79	55	53	66	97	133	160
22	Pneumonia	10,273	1,681	1,399	1,379	1,079	887	466	239	218	329	565	821	1,210
(23)	Bronchopneumonia	6,043	964	875	856	632	482	271	178	152	229	364	422	618
25	Diarrhea and enteritis (under 2 years)	8,211	310	311	368	335	311	325	1,057	2,204	1,680	694	301	315
(37)	Diarrhea and enteritis (2 years and over)	1,318	69	67	89	72	84	75	134	279	207	102	71	69
(33)	Congenital debility[1]	1,308	104	94	107	112	82	85	100	146	166	115	105	92
35	Violent deaths (suicide excepted)	10,064	812	780	744	900	753	779	979	1,095	741	743	864	874
36	Suicide	938	78	67	93	89	97	97	65	88	69	50	79	66
	All other causes	69,582	6,796	6,195	6,627	6,176	6,229	5,240	5,267	5,066	5,048	5,415	5,351	6,172
	RHODE ISLAND.													
	All causes	9,510	1,068	936	870	841	836	687	695	715	718	657	676	811
1	Typhoid fever	34	2	2	2	1	1	1	2	6	7	7	1	2
3	Malaria	3					1			1	1			
5	Measles	64	8	11	8	5	7	4	6	5		2	6	2
6	Scarlet fever	29	4	2	1		4	1	2	1	5	3	1	5
7	Whooping cough	49	6	5	4	8	3	2	8	3	4	2	4	
8	Diphtheria and croup	154	20	13	9	9	13	9	6	7	14	16	14	24
9	Influenza	125	31	46	13	14	7	2		1		3	5	3
13	Tuberculosis of the lungs	885	91	75	106	83	77	66	59	51	78	64	62	73
14–15	Other forms of tuberculosis	131	13	3	17	20	5	13	10	13	9	10	12	6
17	Meningitis	61	5	4	10	2	7	7	7	1	2	5	6	5
20–21	Bronchitis	144	31	25	18	14	13	7	1	3		7	10	15
22	Pneumonia	716	134	114	98	79	68	32	11	12	21	36	40	71
(23)	Bronchopneumonia	393	86	59	65	44	33	22	10	3	15	10	18	28
25	Diarrhea and enteritis (under 2 years)	348	6	10	12	7	18	11	50	116	56	35	16	11
(37)	Diarrhea and enteritis (2 years and over)	88	2	7	2	5	5	1	8	17	21	4	5	11
(33)	Congenital debility[1]	183	14	12	8	15	19	10	12	17	25	19	20	12
35	Violent deaths (suicide excepted)	516	42	33	33	44	45	44	51	68	37	26	42	51
36	Suicide	67	6	6	7	7	7	5	7	5	6	2	6	3
	All other causes	5,520	567	509	457	484	503	450	445	385	417	406	408	489

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.												
	SOUTH CAROLINA (TOTAL).												
	All causes	23,503	2,001	1,980	1,987	1,994	2,520	2,141	2,095	1,800	1,760	1,813	1,583	1,829
1	Typhoid fever	523	22	11	13	24	44	70	80	82	66	61	34	16
3	Malaria	563	28	20	14	36	32	53	71	83	106	70	30	20
5	Measles	511	75	103	102	66	64	30	18	11	10	5	6	21
6	Scarlet fever	21	2	1	1	1	1	1	2	3	3	3	1	2
7	Whooping cough	203	10	18	21	13	28	24	31	14	13	11	11	9
8	Diphtheria and croup	158	14	10	13	8	5	6	6	11	16	31	21	17
9	Influenza	302	43	72	66	39	9	6	2	3	7	13	13	29
13	Tuberculosis of the lungs	2,229	180	160	206	209	234	193	216	165	155	166	166	179
14–15	Other forms of tuberculosis	140	15	6	9	11	15	17	8	6	15	9	18	11
17	Meningitis	78	5	8	5	9	9	7	8	4	4	6	2	11
20–21	Bronchitis	100	15	12	5	17	3	3	4	5	3	6	15	12
22	Pneumonia	1,543	286	270	187	149	110	48	27	24	48	73	135	186
(23)	Bronchopneumonia	370	65	61	57	28	27	17	10	8	10	25	24	38
25	Diarrhea and enteritis (under 2 years)	1,305	36	33	50	96	225	227	200	179	111	71	49	28
(37)	Diarrhea and enteritis (2 years and over)	332	10	8	14	28	72	50	36	41	28	19	12	14
(33)	Congenital debility [1]	568	46	45	61	34	55	56	51	48	52	52	25	43
35	Violent deaths (suicide excepted)	1,204	132	115	104	104	97	86	96	70	86	73	116	125
36	Suicide	40	1	9	4	2	1	4	5	3	1	1	4	5
	All other causes	13,313	1,016	1,018	1,055	1,120	1,489	1,243	1,224	1,040	1,026	1,118	901	1,063
	SOUTH CAROLINA (WHITE).													
	All causes	8,731	756	762	739	713	1,014	792	717	633	604	671	594	736
1	Typhoid fever	177	11	5	3	5	12	21	17	25	30	18	18	12
3	Malaria	97	4	1	2	7	3	10	13	17	20	12	3	5
5	Measles	269	47	58	54	33	30	12	7	3	2	2	4	17
6	Scarlet fever	13	2	.....	.....	1	1	1	.....	2	2	2	1	1
7	Whooping cough	29	.....	2	3	2	2	.....	7	2	3	4	2	2
8	Diphtheria and croup	94	6	6	5	5	4	3	4	6	11	19	15	10
9	Influenza	99	14	18	20	15	2	4	1	.....	1	5	6	13
13	Tuberculosis of the lungs	488	40	40	44	51	50	41	41	27	28	37	36	53
14–15	Other forms of tuberculosis	55	6	2	4	3	7	6	3	3	3	6	7	5
17	Meningitis	55	.....	5	2	7	8	5	4	4	4	4	2	10
20–21	Bronchitis	47	7	9	1	6	.....	1	1	.....	1	4	9	8
22	Pneumonia	517	96	80	60	43	45	18	7	7	12	31	48	70
(23)	Bronchopneumonia	177	33	31	27	9	10	7	4	3	5	13	14	21
25	Diarrhea and enteritis (under 2 years)	582	14	14	17	44	98	109	91	88	48	29	21	9
(37)	Diarrhea and enteritis (2 years and over)	158	3	4	7	17	49	19	9	18	14	9	7	2
(33)	Congenital debility [1]	149	12	7	14	7	19	22	13	11	14	13	7	10
35	Violent deaths (suicide excepted)	407	33	36	32	37	34	27	32	23	38	36	30	49
36	Suicide	33	1	8	3	1	1	3	3	3	1	1	3	5
	All other causes	5,285	427	436	441	420	639	483	460	391	367	426	361	434
	SOUTH CAROLINA (COLORED).													
	All causes	14,772	1,245	1,218	1,248	1,281	1,506	1,349	1,378	1,167	1,156	1,142	989	1,093
1	Typhoid fever	346	11	6	10	19	32	49	63	57	36	43	16	4
3	Malaria	466	24	19	12	29	29	43	58	66	86	58	27	15
5	Measles	242	28	45	48	33	34	18	11	8	8	3	2	4
6	Scarlet fever	8	.....	1	1	.....	.....	.....	2	1	1	1	.....	1
7	Whooping cough	174	10	16	18	11	26	24	24	12	10	7	9	7
8	Diphtheria and croup	64	8	4	8	3	1	3	2	5	5	12	6	7
9	Influenza	203	29	54	46	24	7	2	1	3	6	8	7	16
13	Tuberculosis of the lungs	1,741	140	120	162	158	184	152	175	138	127	129	130	126
14–15	Other forms of tuberculosis	85	9	4	5	8	8	11	5	3	12	3	11	6
17	Meningitis	23	5	3	3	2	1	2	4	.....	.....	2	.....	1
20–21	Bronchitis	53	8	3	4	11	3	2	3	5	2	2	6	4
22	Pneumonia	1,026	190	190	127	106	65	30	20	17	36	42	87	116
(23)	Bronchopneumonia	193	32	30	30	19	17	10	6	5	5	12	10	17
25	Diarrhea and enteritis (under 2 years)	723	22	19	33	52	127	118	109	91	63	42	28	19
(37)	Diarrhea and enteritis (2 years and over)	174	7	4	7	11	23	31	27	23	14	10	5	12
(33)	Congenital debility [1]	419	34	38	47	27	36	34	38	37	38	39	18	33
35	Violent deaths (suicide excepted)	797	99	79	72	67	63	59	64	47	48	37	86	76
36	Suicide	7	.....	1	1	1	.....	1	2	.....	.....	.....	1	.....
	All other causes	8,028	589	582	614	700	850	760	764	649	659	692	540	629
	TENNESSEE (TOTAL).													
	All causes	30,862	2,768	2,846	2,861	2,502	2,554	2,625	2,818	2,506	2,327	2,324	2,220	2,511
1	Typhoid fever	879	37	26	19	26	27	42	123	175	171	121	73	39
3	Malaria	441	13	11	19	21	30	25	47	86	91	52	31	15
5	Measles	782	90	165	218	136	68	39	15	7	8	6	10	20
6	Scarlet fever	49	4	.....	4	4	5	.....	3	1	7	9	4	8
7	Whooping cough	410	29	32	34	43	37	32	34	41	24	40	38	26
8	Diphtheria and croup	337	23	31	21	11	13	6	2	11	60	66	48	45
9	Influenza	565	133	148	84	31	27	13	6	2	7	21	28	65
13	Tuberculosis of the lungs	4,079	371	364	448	338	381	356	331	318	264	273	313	322
14–15	Other forms of tuberculosis	496	42	31	42	35	48	50	47	61	44	36	33	27
17	Meningitis	183	11	18	20	25	23	19	12	17	7	10	8	13
20–21	Bronchitis	243	31	24	20	29	18	10	17	13	16	17	29	19
22	Pneumonia	1,823	296	301	250	179	120	48	46	24	52	98	166	243
(23)	Bronchopneumonia	722	93	111	93	86	39	24	19	18	23	53	59	104
25	Diarrhea and enteritis (under 2 years)	1,116	24	20	25	36	71	237	261	195	125	67	33	22
(37)	Diarrhea and enteritis (2 years and over)	567	22	30	19	22	47	115	103	75	54	36	28	16
(33)	Congenital debility [1]	332	34	22	28	23	31	34	47	31	30	18	14	20
35	Violent deaths (suicide excepted)	1,619	164	168	105	122	129	127	125	125	116	144	121	173
36	Suicide	122	4	11	14	9	14	14	16	10	4	12	2	12
	All other causes	16,097	1,347	1,333	1,398	1,326	1,426	1,434	1,564	1,296	1,224	1,245	1,182	1,322

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	TENNESSEE (WHITE).													
	All causes	21,460	1,960	2,012	1,933	1,738	1,772	1,770	1,962	1,713	1,602	1,642	1,559	1,767
1	Typhoid fever	644	25	19	14	20	17	22	92	128	123	96	61	27
3	Malaria	270	9	9	8	12	19	10	29	50	60	37	16	11
5	Measles	648	78	152	174	106	49	31	13	5	7	5	9	19
6	Scarlet fever	46	4		2	4	5		3	1	7	8	4	8
7	Whooping cough	293	22	26	23	31	24	22	24	27	18	27	30	19
8	Diphtheria and croup	298	20	24	17	9	12	6	2	8	54	59	45	42
9	Influenza	430	102	122	64	19	17	11	3	1	4	16	21	50
13	Tuberculosis of the lungs	2,510	251	242	278	192	238	209	193	194	143	170	197	203
14-15	Other forms of tuberculosis	352	31	19	35	19	29	38	33	42	32	30	28	16
17	Meningitis	153	9	14	17	21	19	17	8	16	7	8	8	9
20-21	Bronchitis	169	26	19	14	18	13	7	9	6	13	9	25	10
22	Pneumonia	1,187	191	199	147	122	84	27	35	14	34	65	105	164
(23)	Bronchopneumonia	498	66	77	63	59	23	17	13	12	15	36	42	75
25	Diarrhea and enteritis (under 2 years)	859	21	14	19	23	56	173	204	151	103	54	28	13
(37)	Diarrhea and enteritis (2 years and over)	433	17	22	12	16	40	93	81	57	30	29	22	14
(33)	Congenital debility[1]	252	24	16	22	20	23	24	36	23	23	14	11	16
35	Violent deaths (suicide excepted)	1,059	97	104	73	76	88	82	87	82	73	105	79	113
36	Suicide	112	3	10	14	9	13	13	14	8	4	12	2	10
	All other causes	11,247	964	954	937	962	1,003	968	1,033	888	852	862	826	948
	TENNESSEE (COLORED).													
	All causes	9,402	808	804	928	764	782	855	856	793	725	682	661	744
1	Typhoid fever	235	12	7	5	6	10	20	31	47	48	25	12	12
3	Malaria	171	4	2	11	9	11	15	18	36	31	15	15	4
5	Measles	134	12	13	44	30	19	8	2	2	1	1	1	1
6	Scarlet fever	3			2							1		
7	Whooping cough	117	7	6	11	12	13	10	10	14	6	13	8	7
8	Diphtheria and croup	39	3	7	4	2	1			3	6	7	3	3
9	Influenza	135	31	26	20	12	10	2	3	1	3	5	7	15
13	Tuberculosis of the lungs	1,569	120	122	170	146	143	147	138	124	121	103	116	119
14-15	Other forms of tuberculosis	144	11	12	7	16	19	12	14	19	12	6	5	11
17	Meningitis	30	2	4	3	4	4	2	4	1		2		4
20-21	Bronchitis	74	5	5	6	11	5	3	8	7	3	8	4	9
22	Pneumonia	636	105	102	103	57	36	21	11	10	18	33	61	79
(23)	Bronchopneumonia	224	27	34	30	27	16	7	6	6	8	17	17	29
25	Diarrhea and enteritis (under 2 years)	257	3	6	6	13	15	64	57	44	22	13	5	9
(37)	Diarrhea and enteritis (2 years and over)	134	5	8	7	6	7	22	22	18	24	7	6	2
(33)	Congenital debility[1]	80	10	6	6	3	8	10	11	8	7	4	3	4
35	Violent deaths (suicide excepted)	560	67	64	32	46	41	45	38	43	43	39	42	60
36	Suicide	10	1	1			1	1	2	2				2
	All other causes	4,850	383	379	461	364	423	466	481	408	372	383	356	374
	UTAH.													
	All causes	4,615	536	425	424	393	377	349	325	311	372	349	350	404
1	Typhoid fever	59	4	3		1	2	6	6	3	9	19	3	3
3	Malaria													
5	Measles	105	18	24	29	15	9	4	5					1
6	Scarlet fever	38	6	3	2	6	4	7	5	1		1	1	2
7	Whooping cough	16	3	1	5	3	1			1	1			1
8	Diphtheria and croup	43	2	5			1	2	3	6	6	5	3	10
9	Influenza	45	22	7	5	3	1	2		2		1		2
13	Tuberculosis of the lungs	157	12	23	13	21	14	11	10	7	14	11	11	10
14-15	Other forms of tuberculosis	35	2	2		8	3	1	6	5	4		2	2
17	Meningitis	35		3	3	3	4	4	1	5	6	1	3	2
20-21	Bronchitis	44	14	5	3	4	2	3	2	1	2	2	5	1
22	Pneumonia	271	58	35	33	19	15	15	10	6	17	10	23	30
(23)	Bronchopneumonia	211	64	37	22	11	13	4	5	3	7	12	17	16
25	Diarrhea and enteritis (under 2 years)	174	5	7	6	4	8	4	13	24	49	34	10	10
(37)	Diarrhea and enteritis (2 years and over)	48	3	1	3	1	2	5	4	3	12	6	5	3
(33)	Congenital debility[1]	39	3	4	2	2	4	1	1	4	8	1	6	3
35	Violent deaths (suicide excepted)	414	41	31	36	35	35	34	44	46	29	25	29	29
36	Suicide	46	7	3	1	6	2	7	4	3	1	5	2	5
	All other causes	2,835	272	231	261	251	257	239	206	191	207	216	230	274
	VERMONT.													
	All causes	5,468	587	569	572	494	491	399	396	363	392	375	427	403
1	Typhoid fever	25	1	2	2	4	2	2	3	3	2	2	1	1
3	Malaria													
5	Measles	78	5	11	18	21	12	5	3	2		1		
6	Scarlet fever	19	2	3	4	4	1	1		1			2	1
7	Whooping cough	31	6	2	8	2	4		2		2		2	3
8	Diphtheria and croup	29	1	3	6	1	2	7		3	3	2	1	
9	Influenza	152	34	37	25	15	9	6	2	1	3	2	8	10
13	Tuberculosis of the lungs	270	14	27	25	30	22	22	31	17	19	25	11	27
14-15	Other forms of tuberculosis	59	2	8	3	5	4	5	5	6	3	6	6	6
17	Meningitis	29	3	5	2	1	2	1	5	3	1	2	2	2
20-21	Bronchitis	104	24	12	12	13	6	6	3	3	6	8	7	4
22	Pneumonia	384	60	66	53	41	36	27	3	1	7	24	31	35
(23)	Bronchopneumonia	183	34	33	20	22	18	8	8	1	3	4	12	20
25	Diarrhea and enteritis (under 2 years)	99	5	7	10	3	7	10	5	15	17	12	7	1
(37)	Diarrhea and enteritis (2 years and over)	41	2	1	1	3	5	1	2	7	6	8	3	2
(33)	Congenital debility[1]	56	4		4	8	6	8	5	5	3	4	4	5
35	Violent deaths (suicide excepted)	268	19	21	30	22	21	19	26	28	18	20	22	22
36	Suicide	62	6	4	2	2	7	5	6	9	4	5	6	6
	All other causes	3,579	365	327	347	297	327	266	287	258	295	250	302	258

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.												
	VIRGINIA (TOTAL).												
	All causes	31,527	3,074	2,876	2,931	2,549	2,599	2,592	2,917	2,562	2,257	2,300	2,257	2,613
1	Typhoid fever	465	16	19	11	13	19	28	64	91	80	62	39	23
3	Malaria	123	10	2	7	4	11	9	9	22	18	17	11	3
5	Measles	347	42	63	72	81	40	17	12	7	1	4	3	5
6	Scarlet fever	17	5	3	.....	.....	1	.....	1	.....	.....	5	1	1
7	Whooping cough	495	44	50	54	58	65	39	50	47	20	27	15	26
8	Diphtheria and croup	221	26	26	16	11	5	5	5	8	27	29	39	24
9	Influenza	464	114	114	90	36	21	5	3	2	2	5	19	53
13	Tuberculosis of the lungs	3,383	300	293	332	334	320	284	286	230	226	272	254	252
14-15	Other forms of tuberculosis	410	44	31	42	29	45	42	41	30	23	28	30	25
17	Meningitis	204	22	15	25	19	18	23	17	10	14	7	18	16
20-21	Bronchitis	266	40	32	29	27	19	10	10	15	10	13	17	44
22	Pneumonia	1,948	369	305	289	173	150	72	37	29	42	89	165	228
(23)	Bronchopneumonia	820	165	155	103	71	56	25	18	16	23	31	56	101
25	Diarrhea and enteritis (under 2 years)	1,461	22	18	24	38	62	244	436	278	183	94	35	27
(37)	Diarrhea and enteritis (2 years and over)	416	15	13	21	21	25	65	86	79	32	23	17	19
(33)	Congenital debility [1]	562	40	58	48	54	28	44	66	60	50	48	26	40
35	Violent deaths (suicide excepted)	1,701	127	157	133	127	130	132	129	147	127	142	163	187
36	Suicide	131	4	11	15	11	5	12	11	16	15	10	15	6
	All other causes	18,093	1,669	1,511	1,620	1,442	1,579	1,536	1,636	1,475	1,364	1,394	1,334	1,533
	VIRGINIA (WHITE).													
	All causes	18,017	1,802	1,719	1,653	1,491	1,435	1,391	1,669	1,429	1,316	1,312	1,307	1,493
1	Typhoid fever	236	11	10	5	7	14	10	25	43	45	39	16	11
3	Malaria	42	8	1	2	2	3	.....	2	11	5	4	3	1
5	Measles	259	33	50	53	60	32	10	9	4	1	1	3	3
6	Scarlet fever	15	4	3	.....	.....	1	.....	1	.....	.....	5	1	.....
7	Whooping cough	213	21	20	30	19	25	11	15	24	12	9	9	18
8	Diphtheria and croup	178	23	25	14	5	4	4	4	6	20	25	29	19
9	Influenza	295	78	69	64	21	11	1	3	1	1	2	12	32
13	Tuberculosis of the lungs	1,471	134	147	153	148	133	107	127	98	89	115	107	113
14-15	Other forms of tuberculosis	228	23	15	24	18	27	22	25	11	13	20	17	13
17	Meningitis	147	16	11	14	12	14	16	14	8	13	5	13	11
20-21	Bronchitis	135	22	15	11	17	11	5	5	8	4	7	6	24
22	Pneumonia	963	180	166	135	90	75	33	14	12	21	46	82	109
(23)	Bronchopneumonia	456	91	98	54	33	24	14	10	10	9	22	32	59
25	Diarrhea and enteritis (under 2 years)	854	13	10	16	25	27	127	267	173	121	41	20	14
(37)	Diarrhea and enteritis (2 years and over)	271	7	6	10	11	15	44	61	52	28	18	11	8
(33)	Congenital debility [1]	282	20	34	21	29	7	19	27	34	29	33	11	18
35	Violent deaths (suicide excepted)	1,014	60	91	69	81	81	80	78	83	83	87	116	105
36	Suicide	117	1	10	13	10	4	11	10	16	14	10	12	6
	All other causes	10,841	1,057	938	965	903	927	877	972	835	808	823	807	929
	VIRGINIA (COLORED).													
	All causes	13,510	1,272	1,157	1,278	1,058	1,164	1,201	1,248	1,133	941	988	950	1,120
1	Typhoid fever	229	5	9	6	6	5	18	39	48	35	23	23	12
3	Malaria	81	2	1	5	2	8	9	7	11	13	13	8	2
5	Measles	88	9	13	19	21	8	7	3	3	.....	3	.....	2
6	Scarlet fever	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
7	Whooping cough	282	23	30	24	39	40	28	35	23	8	18	6	8
8	Diphtheria and croup	43	3	1	2	6	1	1	1	2	7	4	10	5
9	Influenza	169	36	45	26	15	10	4	.....	1	1	3	7	21
13	Tuberculosis of the lungs	1,912	166	146	179	186	187	177	159	132	137	157	147	139
14-15	Other forms of tuberculosis	182	21	16	18	11	18	20	16	19	10	8	13	12
17	Meningitis	57	6	4	11	7	4	7	3	2	1	2	5	5
20-21	Bronchitis	131	18	17	18	10	8	5	5	7	6	6	11	20
22	Pneumonia	985	189	139	154	83	75	39	23	17	21	43	83	119
(23)	Bronchopneumonia	364	74	57	49	38	32	11	8	6	14	9	24	42
25	Diarrhea and enteritis (under 2 years)	607	9	8	8	13	35	117	169	105	62	53	15	13
(37)	Diarrhea and enteritis (2 years and over)	145	8	7	11	10	10	21	25	27	4	5	6	11
(33)	Congenital debility [1]	280	20	24	27	25	21	25	39	26	21	15	15	22
35	Violent deaths (suicide excepted)	687	67	66	64	46	49	52	51	64	44	55	47	82
36	Suicide	14	3	1	2	1	1	1	1	.....	1	.....	3	.....
	All other causes	7,252	612	573	655	539	652	659	664	640	556	571	527	604
	WASHINGTON.													
	All causes	12,137	1,166	1,029	1,149	1,096	1,031	944	867	893	901	1,054	961	1,046
1	Typhoid fever	121	2	2	8	9	5	8	9	15	11	19	25	8
3	Malaria	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
5	Measles	198	39	36	53	39	24	5	1	1	.....	.....	.....	.....
6	Scarlet fever	20	2	1	4	3	2	2	1	3	1	.....	.....	1
7	Whooping cough	113	6	12	16	22	14	11	11	5	3	2	4	7
8	Diphtheria and croup	50	5	2	1	1	2	6	5	5	5	6	8	4
9	Influenza	117	35	14	15	12	8	4	4	1	2	2	6	14
13	Tuberculosis of the lungs	1,074	96	101	112	115	103	94	67	77	82	74	67	86
14-15	Other forms of tuberculosis	226	11	27	24	20	14	25	26	18	13	18	10	20
17	Meningitis	50	6	5	8	6	2	4	3	4	5	1	3	3
20-21	Bronchitis	62	7	8	10	4	6	4	3	4	.....	5	7	4
22	Pneumonia	573	90	49	56	64	35	27	20	14	21	41	74	82
(23)	Bronchopneumonia	292	50	39	35	27	13	12	12	10	13	23	23	35
25	Diarrhea and enteritis (under 2 years)	244	22	13	13	9	17	22	13	27	43	45	14	6
(37)	Diarrhea and enteritis (2 years and over)	129	6	3	7	5	6	7	4	21	28	23	11	8
(33)	Congenital debility [1]	108	10	15	12	8	8	8	7	9	3	12	8	8
35	Violent deaths (suicide excepted)	1,086	84	65	89	87	79	106	111	104	98	78	86	99
36	Suicide	188	19	15	12	13	24	18	19	12	12	20	15	9
	All other causes	7,484	676	622	673	652	669	581	551	563	560	685	600	652

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	WISCONSIN.													
	All causes	29,130	2,965	2,827	2,959	2,771	2,714	2,309	2,264	1,872	2,041	2,103	2,017	2,288
1	Typhoid fever	132	10	12	14	14	15	10	2	7	15	13	12	8
3	Malaria	1					1							
5	Measles	74	8	7	10	12	12	13	4	1				7
6	Scarlet fever	251	22	31	40	33	38	28	10	8	8	7	9	17
7	Whooping cough	209	15	20	23	31	23	25	17	13	7	7	14	14
8	Diphtheria and croup	350	37	22	19	28	29	26	28	26	35	26	25	49
9	Influenza	391	90	103	83	43	23	7	1	2	3	9	12	15
13	Tuberculosis of the lungs	2,135	168	176	221	220	214	191	158	165	154	168	141	159
14-15	Other forms of tuberculosis	350	23	27	34	27	41	31	38	23	31	28	26	21
17	Meningitis	161	7	15	17	20	21	17	16	10	12	7	7	12
20-21	Bronchitis	452	59	75	68	45	36	28	21	14	23	24	27	32
22	Pneumonia	2,086	351	301	308	237	230	113	64	41	70	108	119	144
(23)	Bronchopneumonia	967	122	158	169	123	96	41	22	22	27	62	57	68
25	Diarrhea and enteritis (under 2 years)	765	63	68	73	62	57	61	42	62	109	67	46	55
(37)	Diarrhea and enteritis (2 years and over)	233	17	14	13	19	19	14	21	26	47	15	20	8
(33)	Congenital debility [1]	328	34	32	26	39	25	30	27	16	27	24	22	26
35	Violent deaths (suicide excepted)	1,708	117	112	94	116	135	178	205	171	152	138	153	137
36	Suicide	352	23	20	28	26	37	41	28	33	33	29	30	24
	All other causes	18,185	1,799	1,634	1,719	1,676	1,662	1,455	1,560	1,232	1,288	1,371	1,297	1,492
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910.													
	LOS ANGELES, CALIF.													
	All causes	6,706	713	582	612	603	503	558	463	494	460	509	533	676
1	Typhoid fever	31	4	2	3	1	2		2	4	4	6	2	1
3	Malaria	4					1			1	2			
5	Measles	33	1	5	6	13	4	4						
6	Scarlet fever	10		1	2	2			2	1	1			1
7	Whooping cough	19	3	3		3	2	2		1	1	2	1	1
8	Diphtheria and croup	39	2	4	1	2	2	5	1	2	6	5	2	7
9	Influenza	30	8	5	6	2				1			2	6
13	Tuberculosis of the lungs	962	106	85	80	109	73	75	73	74	66	65	64	92
14-15	Other forms of tuberculosis	112	12	7	12	14	9	11	7	10	8	5	8	9
17	Meningitis	31	4	5	3	2	3	3	1		2	1	2	5
20-21	Bronchitis	45	14	5	4	4			2	1	2	1	4	8
22	Pneumonia	288	44	24	30	27	20	17	3	4	18	22	33	46
(23)	Bronchopneumonia	162	27	15	12	13	16	11	4	10	6	10	12	26
25	Diarrhea and enteritis (under 2 years)	148	10	12	5	9	7	17	17	20	14	13	11	13
(37)	Diarrhea and enteritis (2 years and over)	51	3	7	3	2	4	5	7	4	6	2	3	5
(33)	Congenital debility [1]	28	4	1	7	1	1	2	4	1	1		3	3
35	Violent deaths (suicide excepted)	454	42	29	30	34	28	47	43	36	35	49	38	43
36	Suicide	163	21	12	14	16	9	14	14	18	11	14	8	12
	All other causes	4,096	408	360	394	349	322	345	283	306	277	314	340	398
	SAN FRANCISCO, CALIF.													
	All causes	7,084	728	656	646	628	584	570	534	462	561	531	559	625
1	Typhoid fever	22	1	3	1	3	2		2	2		2	4	2
3	Malaria	2								1				1
5	Measles	36	2	11	13	3	1	3	3					
6	Scarlet fever	12	2	1	1			1	1	1		2	2	1
7	Whooping cough	28	2	3	3	2		1		4	3	5	2	3
8	Diphtheria and croup	72	8	12	8	11	7	5	3	3	6	3	4	2
9	Influenza	13	4	2	2	1						3	1	
13	Tuberculosis of the lungs	757	82	80	93	72	60	57	58	43	45	53	45	69
14-15	Other forms of tuberculosis	97	7	7	11	10	8	11	7	7	9	9	4	7
17	Meningitis	34	2	2	2	2	1	3	7	1	4	5	1	4
20-21	Bronchitis	67	10	12	4	8	4	7	2		5	3	5	7
22	Pneumonia	408	51	39	30	38	39	22	22	28	29	21	42	47
(23)	Bronchopneumonia	179	29	26	20	8	11	6	10	3	17	16	13	20
25	Diarrhea and enteritis (under 2 years)	82	4	6	3	8	7	3	12	11	9	6	5	8
(37)	Diarrhea and enteritis (2 years and over)	47	1	3	2	4	4	7	3	5	10	2	2	4
(33)	Congenital debility [1]	6		1	1			1	2				1	
35	Violent deaths (suicide excepted)	525	51	58	44	47	34	40	36	43	41	43	44	44
36	Suicide	191	21	23	16	14	16	23	22	12	14	11	11	8
	All other causes	4,506	451	367	392	397	390	380	344	298	369	347	373	398
	WASHINGTON, D. C. (TOTAL).													
	All causes	6,605	696	594	660	555	516	464	477	508	514	502	520	599
1	Typhoid fever	49	3			4	1	3	2	10	12	9	4	1
3	Malaria	5				1		1			2	1		
5	Measles	9		1	1	1	3			1		1		1
6	Scarlet fever	9		1	2		1	2		1	1		1	
7	Whooping cough	17	1	2	2	1	2		4	1	4			
8	Diphtheria and croup	34	2	3	4	3	1	1			3	4	6	7
9	Influenza	86	21	20	17	12	4		1				4	7
13	Tuberculosis of the lungs	626	53	56	66	63	48	35	57	51	44	58	47	48
14-15	Other forms of tuberculosis	62	5	6	8	7	6	1	7	5	2	4	6	5
17	Meningitis	32	1	1	5	3	2	3	3	4	1	3	2	4
20-21	Bronchitis	56	9	5	6	4	4	1	1	1	3	5	4	13
22	Pneumonia	398	79	62	55	33	34	14	6	12	5	24	30	44
(23)	Bronchopneumonia	190	26	30	29	7	13	7	6	2	9	15	15	31
25	Diarrhea and enteritis (under 2 years)	231	8	4	6	7	6	9	43	60	54	16	11	7
(37)	Diarrhea and enteritis (2 years and over)	60	3	3	5	5	5	2	5	12	6	7	4	3
(33)	Congenital debility [1]	47	3	3	3	1	2	1	5	7	6	3	6	7
35	Violent deaths (suicide excepted)	340	21	25	19	24	16	32	24	44	28	29	32	46
36	Suicide	75	6	6	10	5	13	4	7	6	3	5	8	2
	All other causes	4,279	455	366	422	374	355	348	306	291	331	318	340	373

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.													
	WASHINGTON, D. C. (WHITE).													
	All causes	3,986	432	366	400	338	331	284	257	299	286	308	319	366
1	Typhoid fever	15	.....	.....	.....	1	.....	2	.....	6	2	2	2	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
5	Measles	7	.....	1	1	.....	2	.....	.....	1	.....	1	.....	1
6	Scarlet fever	9	.....	1	2	.....	1	2	.....	1	1	.....	1	.....
7	Whooping cough	8	.....	1	.....	1	2	.....	1	1	2	.....	.....	.....
8	Diphtheria and croup	26	2	3	4	2	1	1	.....	.....	2	3	2	6
9	Influenza	52	15	11	8	7	4	.....	1	.....	.....	.....	3	3
13	Tuberculosis of the lungs	278	16	25	32	28	27	16	17	26	22	25	23	21
14–15	Other forms of tuberculosis	31	2	1	3	5	4	.....	3	2	1	4	3	3
17	Meningitis	21	1	1	2	2	1	2	2	2	1	3	2	2
20–21	Bronchitis	36	5	5	4	2	2	1	1	.....	2	4	3	7
22	Pneumonia	198	42	29	28	15	18	8	2	4	1	13	13	25
(23)	Bronchopneumonia	86	12	14	19	2	6	3	1	.....	3	7	6	13
25	Diarrhea and enteritis (under 2 years)	107	4	2	1	1	2	6	15	33	28	6	6	3
(37)	Diarrhea and enteritis (2 years and over)	36	1	2	2	3	4	.....	2	10	5	4	3	.....
(33)	Congenital debility [1]	31	2	2	2	.....	1	.....	2	6	5	2	4	5
35	Violent deaths (suicide excepted)	231	16	15	12	16	8	23	19	28	18	24	24	28
36	Suicide	66	6	6	9	3	11	4	6	6	2	5	6	2
	All other causes	2,747	308	247	271	250	237	216	185	173	190	205	218	247
	WASHINGTON, D. C. (COLORED).													
	All causes	2,619	264	228	260	217	185	180	220	209	228	194	201	233
1	Typhoid fever	34	3	.....	.....	3	1	1	2	4	10	7	2	1
3	Malaria	4	.....	.....	.....	1	.....	1	.....	.....	1	1	.....	.....
5	Measles	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	9	1	1	2	.....	.....	.....	3	.....	2	.....	.....	.....
8	Diphtheria and croup	8	.....	.....	.....	1	.....	.....	.....	.....	1	1	4	1
9	Influenza	34	6	9	9	5	.....	.....	.....	.....	.....	.....	1	4
13	Tuberculosis of the lungs	348	37	31	34	35	21	19	40	25	22	33	24	27
14–15	Other forms of tuberculosis	31	3	5	5	2	2	1	4	3	1	.....	3	2
17	Meningitis	11	.....	.....	3	1	1	1	1	2	.....	.....	.....	2
20–21	Bronchitis	20	4	.....	2	2	2	.....	.....	1	1	1	1	6
22	Pneumonia	200	37	33	27	18	16	6	4	8	4	11	17	19
(23)	Bronchopneumonia	104	14	16	10	5	7	4	5	2	6	8	9	18
25	Diarrhea and enteritis (under 2 years)	124	4	2	5	6	4	3	28	27	26	10	5	4
(37)	Diarrhea and enteritis (2 years and over)	24	2	1	3	2	1	2	3	2	1	3	1	3
(33)	Congenital debility [1]	16	1	1	1	1	1	1	3	1	1	1	2	2
35	Violent deaths (suicide excepted)	109	5	10	7	8	8	9	5	16	10	5	8	18
36	Suicide	9	.....	.....	1	2	2	.....	1	.....	1	.....	2	.....
	All other causes	1,532	147	119	151	124	118	132	121	118	141	113	122	126
	CHICAGO, ILL. (TOTAL).													
	All causes	38,011	3,908	3,484	3,870	3,649	3,513	2,815	2,711	2,805	2,800	2,901	2,702	2,855
1	Typhoid fever	49	5	3	2	2	4	3	3	6	8	5	6	2
3	Malaria	4	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	1
5	Measles	250	25	27	46	50	41	28	15	6	1	3	5	3
6	Scarlet fever	631	69	98	111	116	85	52	33	15	17	12	16	7
7	Whooping cough	201	12	12	7	13	20	25	32	28	24	11	5	12
8	Diphtheria and croup	1,226	134	94	97	104	122	101	74	79	74	126	109	112
9	Influenza	154	33	35	21	22	12	6	1	1	3	4	4	12
13	Tuberculosis of the lungs	3,391	335	249	339	328	324	268	273	261	218	279	239	278
14–15	Other forms of tuberculosis	441	38	38	32	45	48	45	43	25	31	37	23	36
17	Meningitis	332	19	12	19	44	39	47	32	24	27	30	19	20
20–21	Bronchitis	450	64	63	72	56	42	24	20	15	15	19	29	31
22	Pneumonia	3,109	453	404	479	383	341	160	114	88	95	183	203	206
(23)	Bronchopneumonia	1,917	235	239	287	231	202	114	98	64	106	123	106	112
25	Diarrhea and enteritis (under 2 years)	2,944	196	181	209	190	189	153	209	574	464	264	165	150
(37)	Diarrhea and enteritis (2 years and over)	327	21	19	27	22	25	20	20	52	55	31	17	18
(33)	Congenital debility [1]	148	17	12	13	16	9	16	11	14	12	8	6	14
35	Violent deaths (suicide excepted)	2,557	208	215	211	211	201	226	240	202	198	224	202	219
36	Suicide	478	49	41	45	37	43	52	29	37	43	33	41	28
	All other causes	19,402	1,995	1,742	1,853	1,779	1,766	1,472	1,463	1,314	1,408	1,509	1,507	1,594
	CHICAGO, ILL. (WHITE).													
	All causes	36,105	3,740	3,337	3,689	3,448	3,328	2,659	2,570	2,656	2,676	2,758	2,561	2,683
1	Typhoid fever	47	4	3	2	2	4	3	2	6	8	5	6	2
3	Malaria	4	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	1
5	Measles	244	25	27	46	47	39	27	15	6	1	3	5	3
6	Scarlet fever	623	66	98	110	115	83	51	33	15	17	12	16	7
7	Whooping cough	194	12	11	7	13	20	24	29	27	24	11	5	11
8	Diphtheria and croup	1,199	132	90	94	101	121	99	71	77	72	124	107	111
9	Influenza	144	32	31	21	22	11	5	1	1	3	3	4	10
13	Tuberculosis of the lungs	3,071	308	237	317	296	298	244	248	227	194	245	206	251
14–15	Other forms of tuberculosis	405	37	37	30	42	46	41	41	19	28	32	20	32
17	Meningitis	299	18	12	16	37	33	41	29	23	25	29	19	17
20–21	Bronchitis	437	63	61	70	55	42	22	19	14	15	17	29	30
22	Pneumonia	2,846	422	379	437	352	310	141	100	76	88	167	187	187
(23)	Bronchopneumonia	1,832	230	233	278	219	191	106	95	57	103	118	102	100
25	Diarrhea and enteritis (under 2 years)	2,889	192	178	208	189	187	152	206	560	452	260	158	147
(37)	Diarrhea and enteritis (2 years and over)	316	21	19	26	19	25	19	19	49	54	30	17	18
(33)	Congenital debility [1]	144	16	12	12	16	9	14	11	14	12	8	6	14
35	Violent deaths (suicide excepted)	2,418	196	203	198	198	188	215	230	193	186	216	193	202
36	Suicide	463	48	39	45	37	41	49	27	37	42	32	39	27
	All other causes	18,530	1,918	1,667	1,772	1,688	1,680	1,405	1,393	1,255	1,351	1,446	1,442	1,513

[1] Excluding premature birth

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.													
	CHICAGO, ILL. (COLORED).													
	All causes	1,906	168	147	181	201	185	154	141	149	124	143	141	172
1	Typhoid fever	2	1						1					
3	Malaria													
5	Measles	6				3	2	1						
6	Scarlet fever	8	3		1	1	2	1						
7	Whooping cough	7		1				1	3	1				1
8	Diphtheria and croup	27	2	4	3	3	1	2	3	2	2	2	2	1
9	Influenza	10	1	4			1	1				1		2
13	Tuberculosis of the lungs	320	27	12	22	32	26	24	25	34	24	34	33	27
14-15	Other forms of tuberculosis	36	1	1	2	3	2	4	2	6	3	5	3	4
17	Meningitis	33	1		3	7	6	6	3	1	2	1		3
20-21	Bronchitis	13	1	2	2	1		2	1	1		2		1
22	Pneumonia	263	31	25	42	31	31	19	14	12	7	16	16	19
(23)	Bronchopneumonia	85	5	6	9	12	11	8	3	7	3	5	4	12
25	Diarrhea and enteritis (under 2 years)	55	4	3	1	1	2	1	3	14	12	4	7	3
(37)	Diarrhea and enteritis (2 years and over)	11			1	3		1	1	3	1	1		
(33)	Congenital debility [1]	4	1		1			2						
35	Violent deaths (suicide excepted)	139	12	12	13	13	13	11	10	9	12	8	9	17
36	Suicide	15	1	2			2	3	2		1	1	2	1
	All other causes	872	77	75	81	91	86	67	70	59	57	63	65	81
	NEW ORLEANS, LA. (TOTAL).													
	All causes	7,510	799	751	635	571	619	628	616	570	513	546	582	680
1	Typhoid fever	88	9	3	3	3	5	12	21	15	8	4		5
3	Malaria	13		2			2		1	1	3	1	1	2
5	Measles	62	23	28	8	1	2							
6	Scarlet fever	2	1										1	
7	Whooping cough	22	5	3	1	1		1	1	4	2		3	1
8	Diphtheria and croup	31	2	7	5	6	1	1		2		3	2	2
9	Influenza	112	25	28	7	10	7		2		1	3	6	23
13	Tuberculosis of the lungs	1,088	108	103	123	83	95	91	91	75	72	67	76	104
14-15	Other forms of tuberculosis	115	16	14	11	10	8	10	18	8	5	7	1	7
17	Meningitis	21	2	2	3	3	2	2	1	2	1		1	2
20-21	Bronchitis	61	8	4	5	5	4	6	4	5	2	4	7	7
22	Pneumonia	394	57	67	38	32	23	18	22	8	17	19	40	53
(23)	Bronchopneumonia	161	31	27	20	20	16	8	2	3	6	17	5	6
25	Diarrhea and enteritis (under 2 years)	338	23	33	16	23	50	42	39	43	22	12	15	20
(37)	Diarrhea and enteritis (2 years and over)	96	2	8	7	5	15	13	13	8	7	6	7	5
(33)	Congenital debility [1]	39	6	2	2	2	1	6	2	1	8	6	2	1
35	Violent deaths (suicide excepted)	413	49	24	26	42	26	35	31	32	35	33	38	42
36	Suicide	51	5	4	4	1	6	9	3	3	7	3	3	3
	All other causes	4,403	427	392	356	324	356	374	365	360	317	361	374	397
	NEW ORLEANS, LA. (WHITE).													
	All causes	4,369	451	444	368	338	339	348	338	338	292	326	345	442
1	Typhoid fever	56	7	2	1	3	4	6	12	9	6	3		3
3	Malaria	5									2		1	2
5	Measles	46	17	23	5		1							
6	Scarlet fever	2	1										1	
7	Whooping cough	12	2	1	1			1	1	3	1		1	1
8	Diphtheria and croup	22	2	6	3	4		1				3	2	1
9	Influenza	55	12	10	6	4					1	2	6	14
13	Tuberculosis of the lungs	538	52	51	63	40	48	44	37	37	36	35	36	59
14-15	Other forms of tuberculosis	37	5	3	4	3	3	1	7	2	2	2	1	4
17	Meningitis	11	2	1	2	1				1	1		1	2
20-21	Bronchitis	35	6	3	3	3	1	3	1	3		3	3	6
22	Pneumonia	189	32	36	16	16	13	7	5	1	7	8	19	29
(23)	Bronchopneumonia	77	17	14	4	8	7	5		1	4	11	2	4
25	Diarrhea and enteritis (under 2 years)	197	10	20	10	15	27	24	20	23	14	9	10	15
(37)	Diarrhea and enteritis (2 years and over)	42	1	5	4	2	5	5	7	2	4	2	3	2
(33)	Congenital debility [1]	22	4	1	2		1	3	1	1	6		2	1
35	Violent deaths (suicide excepted)	223	23	15	9	25	16	15	18	20	19	19	21	23
36	Suicide	45	5	2	3	1	6	8	2	3	7	3	3	2
	All other causes	2,755	253	251	232	213	207	225	227	232	182	226	233	274
	NEW ORLEANS, LA. (COLORED).													
	All causes	3,141	348	307	267	233	280	280	278	232	221	220	237	238
1	Typhoid fever	32	2	1	2		1	6	9	6	2	1		2
3	Malaria	8		2			2		1	1	1	1		
5	Measles	16	6	5	3	1	1							
6	Scarlet fever													
7	Whooping cough	10	3	2		1				1	1		2	
8	Diphtheria and croup	9		1	2	2	1			2				1
9	Influenza	57	13	18	1	6	7		2			1		9
13	Tuberculosis of the lungs	550	56	52	60	43	47	47	54	38	36	32	40	45
14-15	Other forms of tuberculosis	78	11	11	7	7	5	9	11	6	3	5		3
17	Meningitis	10		1	1	2	2	2	1	1				
20-21	Bronchitis	26	2	1	2	2	3	3	3	2	2	1	4	1
22	Pneumonia	205	25	31	22	16	10	11	17	7	10	11	21	24
(23)	Bronchopneumonia	84	14	13	16	12	9	3	2	2	2	6	3	2
25	Diarrhea and enteritis (under 2 years)	141	13	13	6	8	23	18	19	20	8	3	5	5
(37)	Diarrhea and enteritis (2 years and over)	54	1	3	3	3	10	8	6	6	3	4	4	3
(33)	Congenital debility [1]	17	2	1		2		3	1		2	6		
35	Violent deaths (suicide excepted)	190	26	9	17	17	10	20	13	12	16	14	17	19
36	Suicide	6		2	1			1	1					1
	All other causes	1,648	174	141	124	111	149	149	138	128	135	135	141	123

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.												
	BALTIMORE, MD. (TOTAL).												
	All causes	11,355	1,147	974	1,134	1,052	906	763	850	923	878	847	853	1,028
1	Typhoid fever	93	7	3	4	8	8	3	6	12	14	14	9	5
3	Malaria	4							1	1		1		1
5	Measles	54	1		7	8	8	13	2	3	4	1	5	2
6	Scarlet fever	11		1	1	1	2	2		1		1		2
7	Whooping cough	36	1	1		1	3	2	5	3	5	4	6	5
8	Diphtheria and croup	58	9	5	3	9	7	2	2	3	4	4	5	5
9	Influenza	107	23	21	21	13	3	1	1	2	2	1	6	13
13	Tuberculosis of the lungs	1,258	129	127	131	117	108	90	75	93	102	102	83	101
14–15	Other forms of tuberculosis	137	8	9	12	12	21	11	7	17	8	10	12	10
17	Meningitis	76	5	6	7	10	14	10	7	2	2	2	6	5
20–21	Bronchitis	130	20	19	17	16	7	5	4	5	6	7	11	13
22	Pneumonia	868	128	109	127	107	70	42	23	27	28	53	66	88
(23)	Bronchopneumonia	576	65	74	72	73	50	21	24	21	32	34	39	71
25	Diarrhea and enteritis (under 2 years)	636	15	10	15	12	4	23	142	169	144	57	26	19
(37)	Diarrhea and enteritis (2 years and over)	97	4	5	1	10	6	7	22	22	4	5	7	4
(33)	Congenital debility [1]	103	5	9	11	7	6	4	10	6	18	10	10	7
35	Violent deaths (suicide excepted)	653	64	40	53	51	37	50	51	76	53	63	50	65
36	Suicide	100	11	7	10	14	6	3	11	4	5	7	14	8
	All other causes	6,358	652	528	642	583	546	474	457	456	447	471	498	604
	BALTIMORE, MD. (WHITE).													
	All causes	8,362	862	711	822	780	666	519	638	671	656	627	646	764
1	Typhoid fever	73	6	2	3	7	7	2	4	7	10	14	7	4
3	Malaria													
5	Measles	42	1		2	7	7	11	2	2	3	1	4	2
6	Scarlet fever	11		1	1	1	2	2		1		1		2
7	Whooping cough	27				1	2	2	5	3	4	3	4	3
8	Diphtheria and croup	57	9	5	3	9	7	2	2	3	4	3	5	5
9	Influenza	79	20	15	16	8	3	1		1	2		5	8
13	Tuberculosis of the lungs	753	84	89	85	64	58	49	48	46	58	57	52	63
14–15	Other forms of tuberculosis	102	7	8	8	11	14	8	6	11	5	6	10	8
17	Meningitis	47	3	4	4	8	7	5	5		2	2	3	4
20–21	Bronchitis	95	17	13	11	12	4	3	4	3	3	6	10	9
22	Pneumonia	523	78	62	72	66	43	24	15	16	20	32	39	56
(23)	Bronchopneumonia	371	51	49	44	42	30	12	17	16	19	19	23	49
25	Diarrhea and enteritis (under 2 years)	484	11	4	10	10	3	20	110	127	112	48	18	11
(37)	Diarrhea and enteritis (2 years and over)	71	4	5		7	4	4	15	16	4	3	6	3
(33)	Congenital debility [1]	82	4	7	6	6	4	3	7	6	14	9	10	6
35	Violent deaths (suicide excepted)	494	49	30	43	39	28	38	35	61	41	47	39	44
36	Suicide	96	9	7	9	14	6	3	11	4	5	7	13	8
	All other causes	4,955	509	410	505	468	437	330	352	348	350	369	398	479
	BALTIMORE, MD. (COLORED).													
	All causes	2,993	285	263	312	272	240	244	212	252	222	220	207	264
1	Typhoid fever	20	1	1	1	1	1	1	2	5	4		2	1
3	Malaria	4							1	1		1		1
5	Measles	12			5	1	1	2		1	1		1	
6	Scarlet fever													
7	Whooping cough	9	1	1			1				1	1	2	2
8	Diphtheria and croup	1										1		
9	Influenza	28	3	6	5	5			1	1		1	1	5
13	Tuberculosis of the lungs	505	45	38	46	53	50	41	27	47	44	45	31	38
14–15	Other forms of tuberculosis	35	1	1	4	1	7	3	1	6	3	4	2	2
17	Meningitis	29	2	2	3	2	7	5	2	2			3	1
20–21	Bronchitis	35	3	6	6	4	3	2		2	3	1	1	4
22	Pneumonia	345	50	47	55	41	27	18	8	11	8	21	27	32
(23)	Bronchopneumonia	205	14	25	28	31	20	9	7	5	13	15	16	22
25	Diarrhea and enteritis (under 2 years)	152	4	6	5	2	1	3	32	42	32	9	8	8
(37)	Diarrhea and enteritis (2 years and over)	26			1	3	2	3	7	6		2	1	1
(33)	Congenital debility [1]	21	1	2	5	1	2	1	3		4	1		1
35	Violent deaths (suicide excepted)	159	15	10	10	12	9	12	16	15	12	16	11	21
36	Suicide	4	2		1								1	
	All other causes	1,403	143	118	137	115	109	144	105	108	97	102	100	125
	BOSTON, MASS.													
	All causes	12,704	1,366	1,204	1,202	1,102	1,133	993	860	892	973	939	945	1,095
1	Typhoid fever	23	2		5		2	1	2	3	5		2	1
3	Malaria													
5	Measles	107	2	1	2	9	20	19	12	11	4	4	7	16
6	Scarlet fever	45	2	8	8	3	4	7	2	2		3	2	4
7	Whooping cough	38	2	1	1	1	2	1	1	10	8	2	5	4
8	Diphtheria and croup	277	23	24	20	22	33	30	15	18	14	21	25	32
9	Influenza	36	9	8	6	4	1					3	1	4
13	Tuberculosis of the lungs	1,143	100	90	119	90	86	102	106	91	84	78	101	96
14–15	Other forms of tuberculosis	179	15	11	18	16	18	23	16	17	15	8	11	11
17	Meningitis	76	6	2	10	5	9	10	9	8	2	3	5	7
20–21	Bronchitis	120	20	16	11	10	13	10	5	6	3	8	6	12
22	Pneumonia	1,089	190	143	130	141	108	52	22	21	37	59	86	100
(23)	Bronchopneumonia	542	59	78	77	46	56	27	18	16	35	30	39	61
25	Diarrhea and enteritis (under 2 years)	438	11	17	17	17	17	24	32	100	105	47	29	22
(37)	Diarrhea and enteritis (2 years and over)	83	3	3	7	4	4	6	6	15	12	9	6	8
(33)	Congenital debility [1]	116	11	12	7	11	10	8	10	11	10	9	6	11
35	Violent deaths (suicide excepted)	795	92	78	53	48	61	62	74	77	70	59	59	62
36	Suicide	133	10	13	16	14	12	14	12	11	15	4	6	6
	All other causes	7,464	809	699	695	661	677	597	518	475	554	592	549	638

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.													
	DETROIT, MICH.													
	All causes	11,736	1,118	976	1,166	1,111	1,140	875	936	991	839	859	816	909
1	Typhoid fever	110	5	7	10	5	4	4	14	12	16	13	11	9
3	Malaria	1				1								
5	Measles	60	3	4	5	7	10	8	3	3	1	2	2	12
6	Scarlet fever	147	20	17	26	24	18	17	4	2	3	4	5	6
7	Whooping cough	153	5	4	8	5	12	5	26	36	20	9	6	17
8	Diphtheria and croup	413	35	26	36	39	42	39	27	31	28	52	31	27
9	Influenza	37	15	5	4	3	1	4				1	1	3
13	Tuberculosis of the lungs	852	61	82	83	95	80	84	54	73	54	69	58	59
14-15	Other forms of tuberculosis	139	7	12	13	12	20	11	16	11	7	12	7	11
17	Meningitis	139	7	6	14	11	25	20	16	11	10	9	2	8
20-21	Bronchitis	131	20	12	19	18	17	8	3	2	4	8	10	10
22	Pneumonia	1,100	131	120	169	138	115	62	44	45	45	63	68	100
(23)	Bronchopneumonia	546	90	61	71	58	56	17	32	13	31	32	35	50
25	Diarrhea and enteritis (under 2 years)	725	23	21	28	38	46	43	98	212	105	63	26	22
(37)	Diarrhea and enteritis (2 years and over)	91	8	4	5	6	9	8	14	16	11	2	4	4
(33)	Congenital debility[1]	143	9	11	11	10	15	7	14	11	12	11	16	16
35	Violent deaths (suicide excepted)	945	83	71	88	88	84	70	111	87	69	58	68	68
36	Suicide	144	13	14	12	14	11	17	13	7	5	7	16	15
	All other causes	5,860	583	499	564	539	575	451	447	419	418	444	449	472
	MINNEAPOLIS, MINN.													
	All causes	4,413	455	381	415	424	389	330	332	323	323	337	362	342
1	Typhoid fever	24	3	2	3			2	1	3	1	3	2	4
3	Malaria													
5	Measles	11		2		2	3	3	1					
6	Scarlet fever	11	1	1	2	3	1	1			1	1		
7	Whooping cough	18		1	1	1		1	1	1	2	1	6	3
8	Diphtheria and croup	68	7	4	9	9	4	6	3	9	3	9	2	3
9	Influenza	21	13	3	2	1					1			1
13	Tuberculosis of the lungs	445	34	42	46	51	45	29	26	33	25	40	42	32
14-15	Other forms of tuberculosis	58	2	3	4	5	4	10	4	5	6	6	4	5
17	Meningitis	109	3	7	20	24	21	14	3	5	3	5	4	
20-21	Bronchitis	22	3	2	1		4	1	4	1	1	1	1	3
22	Pneumonia	285	58	32	39	19	29	14	4	8	9	16	33	24
(23)	Bronchopneumonia	149	19	18	26	21	12	7	2	5	3	6	10	20
25	Diarrhea and enteritis (under 2 years)	81	8	4	5	7	2	4	6	13	21	7	2	2
(37)	Diarrhea and enteritis (2 years and over)	34	2	3	2	2	2	2	2	7	3	4	4	1
(33)	Congenital debility[1]	20	3		2	1	3	2	2	3	6	4	1	2
35	Violent deaths (suicide excepted)	275	25	24	22	24	18	16	36	23	28	17	24	18
36	Suicide	63	4	5	4	4	9	6	7	6	5	5	4	4
	All other causes	2,710	270	228	227	250	232	212	230	201	205	212	223	220
	ST. LOUIS, MO. (TOTAL).													
	All causes	11,584	1,204	1,098	1,191	1,098	1,027	877	893	768	776	848	840	964
1	Typhoid fever	63	4	1	4	2	3	2	6	11	12	7	7	4
3	Malaria	12			1			5	1	2		1	2	
5	Measles	140	6	20	42	32	25	9	4		1		1	
6	Scarlet fever	56	1	5	7	14	11	2	4	1	1	2	4	4
7	Whooping cough	32	2		1	4	1	2	5	3	3	1	5	5
8	Diphtheria and croup	223	18	31	27	19	27	11	22	11	11	17	10	19
9	Influenza	166	55	23	23	19	9	4	2	2	1	2	11	15
13	Tuberculosis of the lungs	1,058	98	112	110	92	106	89	85	71	73	71	70	91
14-15	Other forms of tuberculosis	128	11	8	7	9	15	14	11	8	11	8	10	10
17	Meningitis	118	7	7	17	21	22	14	10	5	1	6	4	4
20-21	Bronchitis	131	28	32	31	24	14	6	4	2	2	6	18	14
22	Pneumonia	1,010	183	133	147	123	84	43	30	17	35	53	64	98
(23)	Bronchopneumonia	528	77	65	90	56	47	19	18	10	17	41	43	45
25	Diarrhea and enteritis (under 2 years)	344	18	22	20	18	16	28	50	79	47	22	16	8
(37)	Diarrhea and enteritis (2 years and over)	89	7	6	5	7	8	12	10	9	9	8	6	2
(33)	Congenital debility[1]	46	1	2	7	1	4	3	3	3	10	3	5	4
35	Violent deaths (suicide excepted)	739	55	57	55	53	62	66	79	85	51	53	59	64
36	Suicide	182	11	16	21	12	14	16	19	19	14	18	11	11
	All other causes	6,459	622	558	576	592	559	532	530	430	477	529	488	566
	ST. LOUIS, MO. (WHITE).													
	All causes	9,949	1,053	964	1,027	944	887	751	756	645	661	716	719	826
1	Typhoid fever	48	4		3	2	3	2	4	10	9	3	5	3
3	Malaria	11			1			4	1	2		1	2	
5	Measles	123	6	20	36	28	22	7	3		1			
6	Scarlet fever	56	1	5	7	14	11	2	4	1	1	2	4	4
7	Whooping cough	27	2		1	4	1	2	5	2	3	1	3	3
8	Diphtheria and croup	201	18	29	24	19	23	8	20	10	10	14	7	19
9	Influenza	152	51	22	19	18	7	4	2	2	1	2	11	13
13	Tuberculosis of the lungs	805	75	88	82	69	77	69	55	57	59	53	53	68
14-15	Other forms of tuberculosis	89	8	4	5	7	9	9	10	5	9	4	11	8
17	Meningitis	89	5	5	11	18	16	10	7	4	1	6	3	3
20-21	Bronchitis	166	27	27	27	22	13	6	4	2	2	5	18	12
22	Pneumonia	800	151	110	117	91	68	34	23	10	29	40	53	74
(23)	Bronchopneumonia	437	68	61	74	46	34	14	14	6	15	31	37	37
25	Diarrhea and enteritis (under 2 years)	308	17	21	19	16	15	23	41	73	40	19	14	7
(37)	Diarrhea and enteritis (2 years and over)	77	5	6	4	7	7	12	8	8	6	8	5	1
(33)	Congenital debility[1]	40	1	2	6		3	2	3	3	9	3	4	4
35	Violent deaths (suicide excepted)	638	49	52	49	47	52	57	69	69	41	40	54	59
36	Suicide	178	11	15	21	12	14	15	19	18	14	18	11	10
	All other causes	5,704	554	497	521	523	512	471	461	363	411	466	424	501

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.													
	ST. LOUIS, MO. (COLORED).													
	All causes	1,635	151	134	164	154	140	126	137	123	115	132	121	138
1	Typhoid fever	15		1	1				2	1	3	4	2	1
3	Malaria	1						1						
5	Measles	17			6	4	3	2	1				1	
6	Scarlet fever													
7	Whooping cough	5							1			2		2
8	Diphtheria and croup	22		2	3		4	3	2	1	1	3	3	
9	Influenza	14	4	1	4	1	2							2
13	Tuberculosis of the lungs	263	23	24	28	23	29	20	30	14	14	18	17	23
14-15	Other forms of tuberculosis	39	3	4	2	2	6	5	1	3	2	4	5	2
17	Meningitis	29	2	2	6	3	6	4	3	1			1	1
20-21	Bronchitis	15	1	5	4	1	1					1		2
22	Pneumonia	210	32	23	30	32	16	9	7	7	6	13	11	24
(23)	Bronchopneumonia	91	9	4	16	10	13	5	4	4	2	10	6	8
25	Diarrhea and enteritis (under 2 years)	36	1	1	1	2	1	5	6	6	7	3	2	1
(37)	Diarrhea and enteritis (2 years and over)	12	2		1		1		2	1	3		1	1
(33)	Congenital debility [1]	6			1	1	1	1			1		1	
35	Violent deaths (suicide excepted)	101	6	5	6	6	10	9	10	16	10	13	5	5
36	Suicide	4		1				1		1				1
	All other causes	755	68	61	55	69	47	61	69	67	66	63	64	65
	JERSEY CITY, N. J.													
	All causes	4,528	511	417	383	420	376	308	320	400	304	338	349	402
1	Typhoid fever	11		2	1	1	1		1	2	1	1	1	
3	Malaria	1								1				
5	Measles	27			2	4		5	2			4	5	5
6	Scarlet fever	9	1			1	2	2	1	2				
7	Whooping cough	29			1	2	1	3	3	5	3	4	4	3
8	Diphtheria and croup	61	3	4	3	11	9	4	1	1	1	7	10	7
9	Influenza	34	12	8	2	3	1					2	1	5
13	Tuberculosis of the lungs	421	54	42	40	46	34	31	22	37	25	34	32	24
14-15	Other forms of tuberculosis	48	2	4	2	4	14	2	5	3	2	3	1	6
17	Meningitis	45	4	4	4	3	8	6	4	4		2	5	1
20-21	Bronchitis	73	10	7	7	5	5	1	3	3	4	8	8	12
22	Pneumonia	410	85	61	42	38	37	15	12	9	14	29	26	42
(23)	Bronchopneumonia	198	22	24	15	23	10	11	6	15	12	12	15	33
25	Diarrhea and enteritis (under 2 years)	295	16	18	14	14	12	16	35	76	47	22	15	10
(37)	Diarrhea and enteritis (2 years and over)	40	2	3	1	4		1	3	11	5	3	5	2
(33)	Congenital debility [1]	38	2	3	2	2	1		5	3	5	8	1	6
35	Violent deaths (suicide excepted)	332	30	20	14	38	21	32	33	48	17	19	36	24
36	Suicide	38	5	6	4	7	5	1	2	2	3	1		2
	All other causes	2,418	263	211	229	214	215	178	182	178	165	179	184	220
	NEWARK, N. J.													
	All causes	5,946	611	574	560	506	510	384	452	510	418	411	487	523
1	Typhoid fever	17			1	1		1		2	6	1	4	1
3	Malaria													
5	Measles	7				1	1	1	1			1		2
6	Scarlet fever	2	1		1									
7	Whooping cough	57	1	1	1	3	2	8	8	8	9	5	3	8
8	Diphtheria and croup	26	1	2	3	1	4	2	2	1	1	3	4	2
9	Influenza	43	11	9	8	4	2	2	1				2	4
13	Tuberculosis of the lungs	613	60	59	54	61	43	25	57	50	52	51	51	50
14-15	Other forms of tuberculosis	91	3	8	6	11	8	10	13	10	4	8	4	6
17	Meningitis	43	2	1	1	2	4	6	8	8	2	2	3	4
20-21	Bronchitis	111	11	15	11	10	7	5	6	4	6	5	11	20
22	Pneumonia	520	103	68	83	49	52	21	21	16	14	22	35	36
(23)	Bronchopneumonia	168	32	21	22	12	8	7	6	6	5	8	14	27
25	Diarrhea and enteritis (under 2 years)	348	15	20	7	8	22	8	46	97	63	28	17	17
(37)	Diarrhea and enteritis (2 years and over)	30	1	2	1	2	2	1	7	6	2	2		4
(33)	Congenital debility [1]	47	3	4	5	3	5	6	5		2	3	2	9
35	Violent deaths (suicide excepted)	406	30	29	37	23	42	37	38	58	24	20	35	33
36	Suicide	64	6	6	10	3	4	7	9	2	3	4	5	5
	All other causes	3,353	331	329	309	312	304	237	224	242	225	248	297	295
	BUFFALO, N. Y.													
	All causes	7,649	718	656	771	635	646	619	535	634	618	568	603	646
1	Typhoid fever	48	4	3	2	5	6	5	4	3	5	1	6	4
3	Malaria													
5	Measles	10	1	2	1			2		2		1		1
6	Scarlet fever	30		1	3	3	6	9	3	1	1	1	1	1
7	Whooping cough	52	4	2	7	1	3	6	5	9	8	1	4	2
8	Diphtheria and croup	110	17	9	9	6	6	4	4	7	6	16	13	13
9	Influenza	37	8	9	7	4	1	1				3	1	3
13	Tuberculosis of the lungs	722	64	54	72	53	59	74	53	57	56	51	57	72
14-15	Other forms of tuberculosis	83	6	3	8	8	5	6	9	10	2	9	10	7
17	Meningitis	38	2		3	4	7	7	4	4	1	3	3	
20-21	Bronchitis	76	10	17	13	4	7	4	2		1	6	5	7
22	Pneumonia	542	73	57	86	68	63	37	12	13	22	30	46	35
(23)	Bronchopneumonia	314	53	34	40	34	28	13	10	11	16	19	29	27
25	Diarrhea and enteritis (under 2 years)	482	16	17	26	19	23	31	20	119	106	51	26	28
(37)	Diarrhea and enteritis (2 years and over)	64	1	1	3	3	6	5	9	11	12	5	5	3
(33)	Congenital debility [1]	23	1		3	1	1	1		3	4	5	3	1
35	Violent deaths (suicide excepted)	549	44	36	40	46	36	46	53	56	55	50	42	45
36	Suicide [1]	50	2	4	7	3	4	8	8	3	2	5	2	2
	All other causes	4,419	412	407	441	373	385	360	339	325	321	311	350	395

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.												
	NEW YORK, N. Y. (TOTAL).												
	All causes	78,518	8,621	7,132	7,346	6,905	6,816	5,591	5,536	6,689	5,625	5,656	5,931	6,670
1	Typhoid fever	226	11	24	12	10	18	12	19	25	33	34	15	13
3	Malaria	11	1						4	2		3		1
5	Measles	578	31	51	50	92	107	101	49	21	12	5	13	46
6	Scarlet fever	140	11	8	23	21	20	9	9	2	2	6	10	19
7	Whooping cough	500	18	18	14	21	21	36	53	82	86	44	57	50
8	Diphtheria and croup	1,158	109	114	128	128	108	98	74	54	62	70	103	110
9	Influenza	454	134	94	60	32	21	11	8	8	7	13	21	42
13	Tuberculosis of the lungs	9,152	895	806	911	830	823	716	723	640	714	673	658	763
14-15	Other forms of tuberculosis	1,072	72	83	116	123	100	125	86	93	79	61	55	79
17	Meningitis	337	30	23	38	41	38	33	26	24	21	14	25	24
20-21	Bronchitis	994	153	122	107	72	84	67	29	35	48	59	89	129
22	Pneumonia	7,288	1,403	914	791	712	703	375	202	230	215	399	573	741
(23)	Bronchopneumonia	3,266	499	384	305	299	259	193	147	144	170	210	281	375
25	Diarrhea and enteritis (under 2 years)	3,514	120	140	142	169	170	155	358	1,065	627	289	131	148
(37)	Diarrhea and enteritis (2 years and over)	441	17	31	18	30	34	24	46	87	66	37	27	24
(33)	Congenital debility[1]	788	65	97	75	60	65	50	59	86	83	64	39	45
35	Violent deaths (suicide excepted)	4,966	358	410	395	395	358	387	487	813	326	318	365	354
36	Suicide	818	74	62	75	77	76	73	71	52	73	64	66	55
	All other causes	42,815	4,620	3,751	4,086	3,793	3,808	3,126	3,086	3,226	2,971	3,293	3,403	3,652
	NEW YORK, N. Y. (WHITE).													
	All causes	75,516	8,299	6,848	7,080	6,648	6,581	5,386	5,306	6,454	5,391	5,432	5,675	6,416
1	Typhoid fever	218	10	24	12	10	18	11	19	25	30	32	14	13
3	Malaria	10	1						3	2		3		1
5	Measles	568	31	51	48	88	105	100	49	21	12	5	12	46
6	Scarlet fever	138	11	6	23	21	20	9	9	2	2	6	10	19
7	Whooping cough	469	16	17	13	21	17	33	49	74	81	43	55	50
8	Diphtheria and croup	1,136	108	111	127	127	102	95	71	53	60	70	102	110
9	Influenza	439	133	90	58	31	22	11	7	8	7	11	20	41
13	Tuberculosis of the lungs	8,594	843	760	858	789	783	686	678	605	656	619	612	705
14-15	Other forms of tuberculosis	1,008	68	75	113	115	98	114	79	92	74	59	50	71
17	Meningitis	321	29	23	37	38	36	32	23	24	21	13	23	22
20-21	Bronchitis	941	147	118	96	69	80	62	26	33	44	55	85	126
22	Pneumonia	6,896	1,309	866	756	675	670	348	189	220	231	386	539	707
(23)	Bronchopneumonia	3,131	483	365	294	285	243	181	141	135	162	205	271	366
25	Diarrhea and enteritis (under 2 years)	3,364	116	130	139	158	161	147	344	1,025	607	275	122	140
(37)	Diarrhea and enteritis (2 years and over)	429	17	31	17	29	34	22	46	82	65	36	27	23
(33)	Congenital debility[1]	763	63	92	74	59	61	50	55	86	82	60	38	43
35	Violent deaths (suicide excepted)	4,798	348	394	377	385	354	370	466	792	315	305	350	342
36	Suicide	806	73	62	73	77	75	72	70	51	72	64	63	54
	All other causes	41,487	4,493	3,633	3,965	3,671	3,702	3,043	2,982	3,124	2,870	3,185	3,282	3,537
	NEW YORK, N. Y. (COLORED).													
	All causes	3,002	322	284	266	257	235	205	230	235	234	224	256	254
1	Typhoid fever	8	1					1			3	2	1	
3	Malaria	1							1					
5	Measles	10			2	4	2	1					1	
6	Scarlet fever	2		2										
7	Whooping cough	31	2	1	1		4	3	4	8	5	1	2	
8	Diphtheria and croup	22	1	3	1	1	6	3	3	1	2		1	
9	Influenza	15	1	4	2	1	2		1			2	1	1
13	Tuberculosis of the lungs	558	52	46	53	41	40	30	45	35	58	54	46	58
14-15	Other forms of tuberculosis	64	4	8	3	8	2	11	7	1	5	2	5	8
17	Meningitis	16	1		1	3	2	1	3			1	2	2
20-21	Bronchitis	53	6	4	11	3	4	5	3	2	4	4	4	3
22	Pneumonia	392	94	48	35	37	33	27	13	10	14	13	34	34
(23)	Bronchopneumonia	135	16	19	11	14	16	12	6	9	8	5	10	9
25	Diarrhea and enteritis (under 2 years)	150	4	10	3	11	9	8	14	40	20	14	9	8
(37)	Diarrhea and enteritis (2 years and over)	12			1	1		2		5	1	1		1
(33)	Congenital debility[1]	25	2	5	1	1	4		4		1	4	1	2
35	Violent deaths (suicide excepted)	168	10	16	18	10	4	17	21	21	11	13	15	12
36	Suicide	12	1		2		1	1	1	1	1		3	1
	All other causes	1,328	127	118	121	122	106	83	104	102	101	108	121	115
	NEW YORK, N. Y. (BRONX BOROUGH).													
	All causes	8,466	897	720	849	701	722	593	651	646	594	675	665	753
1	Typhoid fever	29	4	2			3		1	6	4	4	3	2
3	Malaria	2	1									1		
5	Measles	37		1	4	4	4	9	3	2	3	1	2	4
6	Scarlet fever	17	1		2	2	3	2		1		1	3	2
7	Whooping cough	59	3		2	3	2	3	3	14	10	5	10	4
8	Diphtheria and croup	111	9	11	11	10	11	13	13	7	5	7	8	6
9	Influenza	44	13	6	5	6	1	1	1	1		1	3	6
13	Tuberculosis of the lungs	1,205	108	109	123	102	95	91	99	64	89	104	99	122
14-15	Other forms of tuberculosis	124	8	7	18	11	9	14	13	14	7	9	3	11
17	Meningitis	35	4	5	5	2	2	2	4	4	1	1	4	1
20-21	Bronchitis	56	9	7	7	3	7	1	3	1	4	2		12
22	Pneumonia	706	126	96	86	66	65	35	16	17	20	44	53	82
(23)	Bronchopneumonia	337	54	34	41	26	24	15	13	11	19	21	36	43
25	Diarrhea and enteritis (under 2 years)	271	10	17	19	16	15	10	22	71	44	22	11	14
(37)	Diarrhea and enteritis (2 years and over)	47	2	2	3	7	6	2	6	2	8	6	2	1
(33)	Congenital debility[1]	87	7	10	12	7	8	5	3	8	9	6	7	5
35	Violent deaths (suicide excepted)	441	24	25	47	27	32	28	50	79	30	34	35	30
36	Suicide	96	13	4	7	10	9	6	13	10	7	10	4	3
	All other causes	4,762	501	384	457	399	426	356	388	334	334	396	382	405

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.													
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).													
	All causes	26,913	2,975	2,424	2,413	2,248	2,290	1,878	1,935	2,368	1,964	1,953	2,106	2,359
1	Typhoid fever	77	2	7	7	3	7	4	10	7	10	9	6	5
3	Malaria	1							1					
5	Measles	104	3	4	1	10	12	13	15	9	5	2	6	24
6	Scarlet fever	33	2	3	9	6	6		1			2	1	3
7	Whooping cough	168	5	1	1	5	9	11	23	33	35	13	18	14
8	Diphtheria and croup	364	31	33	37	35	33	29	16	10	25	25	46	44
9	Influenza	183	62	36	21	13	10	4	3	3	4	3	7	17
13	Tuberculosis of the lungs	2,864	303	229	292	248	263	232	237	196	236	213	195	220
14-15	Other forms of tuberculosis	350	26	17	41	51	35	42	21	29	21	22	14	31
17	Meningitis	102	4	6	9	11	14	11	7	8	8	5	9	10
20-21	Bronchitis	401	68	57	47	32	30	22	12	12	15	20	37	49
22	Pneumonia	2,616	513	324	233	249	251	115	76	86	105	162	207	295
(23)	Bronchopneumonia	1,237	175	135	115	117	86	70	63	51	67	96	102	160
25	Diarrhea and enteritis (under 2 years)	1,268	32	49	43	46	54	41	133	441	254	86	45	44
(37)	Diarrhea and enteritis (2 years and over)	173	7	10	4	12	13	8	20	33	35	13	9	9
(33)	Congenital debility [1]	213	12	23	16	16	18	14	16	30	28	20	7	13
35	Violent deaths (suicide excepted)	1,661	126	131	127	131	107	135	173	270	119	99	130	113
36	Suicide	261	17	21	24	21	22	27	28	15	25	24	18	19
	All other causes	14,837	1,587	1,338	1,386	1,242	1,320	1,100	1,080	1,135	972	1,139	1,249	1,289
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).													
	All causes	26,160	2,894	2,351	2,353	2,184	2,224	1,835	1,879	2,310	1,912	1,899	2,035	2,284
1	Typhoid fever	76	2	7	7	3	7	4	10	7	10	9	5	5
3	Malaria													
5	Measles	103	3	4	1	10	12	13	15	9	5	2	5	24
6	Scarlet fever	32	2	2	9	6	6		1			2	1	3
7	Whooping cough	159	5	1	1	5	8	10	21	32	33	12	17	14
8	Diphtheria and croup	360	31	33	37	34	31	29	16	10	25	25	45	44
9	Influenza	169	61	33	19	12	8	4	2	3	4	1	6	16
13	Tuberculosis of the lungs	2,731	289	222	276	238	250	226	229	191	224	198	183	205
14-15	Other forms of tuberculosis	333	25	17	39	49	34	39	21	28	20	21	12	28
17	Meningitis	99	4	6	9	9	14	11	7	8	8	5	9	9
20-21	Bronchitis	390	68	55	45	31	29	21	12	11	15	19	36	48
22	Pneumonia	2,511	485	315	227	238	243	108	74	85	98	160	198	280
(23)	Bronchopneumonia	1,205	173	131	113	117	81	65	62	49	65	95	98	156
25	Diarrhea and enteritis (under 2 years)	1,230	31	45	43	44	51	40	128	429	250	83	45	41
(37)	Diarrhea and enteritis (2 years and over)	172	7	10	4	12	13	8	20	32	35	13	9	9
(33)	Congenital debility [1]	210	12	22	16	16	17	14	16	30	28	19	7	13
35	Violent deaths (suicide excepted)	1,616	121	127	124	129	106	132	168	265	116	96	124	108
36	Suicide	259	17	21	23	21	22	27	28	15	25	24	17	19
	All other causes	14,505	1,558	1,300	1,360	1,210	1,292	1,084	1,049	1,106	951	1,115	1,218	1,262
	NEW YORK, N.Y. (BROOKLYN BOROUGH, COLORED).													
	All causes	753	81	73	60	64	66	43	56	58	52	54	71	75
1	Typhoid fever	1											1	
3	Malaria	1							1					
5	Measles	1											1	
6	Scarlet fever	1		1										
7	Whooping cough	9					1	1	2	1	2	1	1	
8	Diphtheria and croup	4				1	2						1	
9	Influenza	14	1	3	2	1	2		1			2	1	1
13	Tuberculosis of the lungs	133	14	7	16	10	13	6	8	5	12	15	12	15
14-15	Other forms of tuberculosis	17	1		2	2	1	3		1	1	1	2	3
17	Meningitis	3				2								1
20-21	Bronchitis	11		2	2	1	1	1		1		1	1	1
22	Pneumonia	105	28	9	6	11	8	7	2	1	7	2	9	15
(23)	Bronchopneumonia	32	2	4	2		5	5	1	2	2	1	4	4
25	Diarrhea and enteritis (under 2 years)	38	1	4		2	3	1	5	12	4	3		3
(37)	Diarrhea and enteritis (2 years and over)	1								1				
(33)	Congenital debility [1]	3		1			1					1		
35	Violent deaths (suicide excepted)	45	5	4	3	2	1	3	5	5	3	3	6	5
36	Suicide	2			1								1	
	All other causes	332	29	38	26	32	28	16	31	29	21	24	31	27
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).													
	All causes	35,781	3,968	3,315	3,441	3,312	3,163	2,588	2,415	3,023	2,570	2,517	2,583	2,886
1	Typhoid fever	96	5	13	4	5	8	6	6	9	14	16	5	5
3	Malaria	5							2			2		1
5	Measles	398	27	41	41	72	85	73	28	8	4	2	5	12
6	Scarlet fever	64	7	4	9	9	11	5	7	1	1	2	2	6
7	Whooping cough	235	10	16	9	9	7	21	25	32	38	19	26	23
8	Diphtheria and croup	583	58	63	71	72	59	48	41	30	24	31	37	49
9	Influenza	201	51	43	30	11	12	5	4	4	3	9	11	18
13	Tuberculosis of the lungs	4,315	422	395	432	402	386	327	332	329	341	295	305	349
14-15	Other forms of tuberculosis	522	33	49	48	56	47	69	45	43	45	25	31	31
17	Meningitis	178	18	11	23	26	19	18	13	12	10	7	9	12
20-21	Bronchitis	482	65	51	51	36	44	38	13	22	27	31	43	61
22	Pneumonia	3,341	634	406	402	355	331	196	97	112	96	163	268	281
(23)	Bronchopneumonia	1,371	213	165	116	129	128	95	63	67	72	78	112	133
25	Diarrhea and enteritis (under 2 years)	1,648	70	64	69	97	93	88	168	441	273	145	66	74
(37)	Diarrhea and enteritis (2 years and over)	169	8	15	10	11	12	8	14	39	15	16	15	6
(33)	Congenital debility [1]	407	38	55	41	33	32	27	36	39	41	28	18	19
35	Violent deaths (suicide excepted)	2,382	181	203	193	198	183	185	205	383	149	157	164	181
36	Suicide	370	37	32	35	34	36	33	22	20	34	25	32	30
	All other causes	19,014	2,091	1,689	1,857	1,757	1,670	1,346	1,294	1,432	1,383	1,466	1,434	1,595

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.													
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).													
	All causes	33,848	3,756	3,126	3,261	3,146	3,010	2,445	2,271	2,871	2,417	2,381	2,424	2,740
1	Typhoid fever	92	5	13	4	5	8	5	6	9	12	15	5	5
3	Malaria	5							2			2		1
5	Measles	389	27	41	39	68	83	72	28	8	4	2	5	12
6	Scarlet fever	63	7	3	9	9	11	5	7	1	1	2	2	6
7	Whooping cough	215	8	15	8	9	5	19	24	25	35	19	25	23
8	Diphtheria and croup	570	57	60	71	72	56	46	39	29	23	31	37	49
9	Influenza	200	51	42	30	11	12	5	4	4	3	9	11	18
13	Tuberculosis of the lungs	3,966	391	361	397	377	363	306	302	305	303	267	277	317
14–15	Other forms of tuberculosis	480	30	43	47	51	46	61	38	43	42	24	28	27
17	Meningitis	167	17	11	22	25	17	17	10	12	10	7	8	11
20–21	Bronchitis	442	59	49	43	34	41	34	11	21	23	28	40	59
22	Pneumonia	3,083	574	369	378	333	307	179	86	103	89	153	248	264
(23)	Bronchopneumonia	1,279	199	151	108	118	118	89	59	62	67	74	106	128
25	Diarrhea and enteritis (under 2 years)	1,542	67	59	66	89	87	81	160	415	258	134	57	69
(37)	Diarrhea and enteritis (2 years and over)	160	8	15	9	10	12	6	14	35	15	15	15	6
(33)	Congenital debility [1]	389	38	51	40	32	29	27	32	39	40	26	17	18
35	Violent deaths (suicide excepted)	2,278	177	193	178	191	180	174	194	371	142	148	156	174
36	Suicide	360	36	32	34	34	35	32	21	19	33	25	30	29
	All other causes	18,168	2,005	1,618	1,778	1,678	1,600	1,287	1,234	1,370	1,317	1,400	1,357	1,524
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).													
	All causes	1,933	212	189	180	166	153	143	144	152	153	136	159	146
1	Typhoid fever	4						1			2	1		
3	Malaria													
5	Measles	9			2	4	2	1						
6	Scarlet fever	1		1										
7	Whooping cough	20	2	1	1		2	2	1	7	3		1	
8	Diphtheria and croup	13	1	3			3	2	2	1	1			
9	Influenza	1		1										
13	Tuberculosis of the lungs	349	31	34	35	25	23	21	30	24	38	28	28	32
14–15	Other forms of tuberculosis	42	3	6	1	5	1	8	7		3	1	3	4
17	Meningitis	11	1		1	1	2	1	3				1	1
20–21	Bronchitis	40	6	2	8	2	3	4	2	1	4	3	3	2
22	Pneumonia	258	60	37	24	22	24	17	11	9	7	10	20	17
(23)	Bronchopneumonia	92	14	14	8	11	10	6	4	5	5	4	6	5
25	Diarrhea and enteritis (under 2 years)	106	3	5	3	8	6	7	8	26	15	11	9	5
(37)	Diarrhea and enteritis (2 years and over)	9			1	1		2		4		1		
(33)	Congenital debility [1]	18		4	1	1	3		4		1	2	1	1
35	Violent deaths (suicide excepted)	104	4	10	15	7	3	11	11	12	7	9	8	7
36	Suicide	10	1		1		1	1	1	1	1		2	1
	All other causes	846	86	71	79	79	70	59	60	62	66	66	77	71
	NEW YORK, N. Y. (QUEENS BOROUGH).													
	All causes	5,598	594	519	490	490	485	398	405	502	374	373	441	527
1	Typhoid fever	17		1		2		2	2	3	2	4	1	
3	Malaria	3							1	2				
5	Measles	31	1	4	4	5	4	4	2	1				6
6	Scarlet fever	26	1	1	3	4		2	1		1	1	4	8
7	Whooping cough	33		1	2	3	2	1	2	3	3	5	3	8
8	Diphtheria and croup	79	7	4	8	9	4	7	3	6	7	5	10	9
9	Influenza	23	7	8	4	1	1	1						1
13	Tuberculosis of the lungs	584	52	62	52	63	57	49	44	36	37	39	32	61
14–15	Other forms of tuberculosis	65	3	7	9	4	9		4	6	5	5	7	6
17	Meningitis	20	4	1	1	2	3	2	2		2	1	1	1
20–21	Bronchitis	47	9	6	2	1	3	5	1		2	4	7	7
22	Pneumonia	483	93	65	56	35	41	23	12	12	20	23	37	66
(23)	Bronchopneumonia	256	45	40	27	25	16	11	8	12	8	10	24	30
25	Diarrhea and enteritis (under 2 years)	256	7	9	11	8	8	13	23	90	40	26	8	13
(37)	Diarrhea and enteritis (2 years and over)	39		2	1		2	5	6	10	6		1	6
(33)	Congenital debility [1]	59	6	5	3	3	6	2	3	8	3	8	5	7
35	Violent deaths (suicide excepted)	346	20	41	23	24	24	24	40	62	18	21	27	22
36	Suicide	69	4	2	6	11	5	7	7	6	6	3	10	2
	All other causes	3,162	335	260	278	290	300	240	244	245	214	218	264	274
	NEW YORK, N. Y. (RICHMOND BOROUGH).													
	All causes	1,760	187	154	153	154	156	134	130	150	123	138	136	145
1	Typhoid fever	7		1	1						3	1		1
3	Malaria													
5	Measles	8		1		1	2	2	1	1				
6	Scarlet fever													
7	Whooping cough	5				1	1				2			1
8	Diphtheria and croup	21	4	3	1	2	1	1	1	1	2	2	2	2
9	Influenza	3	1	1		1								
13	Tuberculosis of the lungs	184	10	11	12	15	22	17	11	15	11	22	27	11
14–15	Other forms of tuberculosis	11	2	3		1			3	1	1			
17	Meningitis	2											2	
20–21	Bronchitis	8	2	1				1				2	2	
22	Pneumonia	142	37	23	14	7	15	6	1	3	4	7	8	17
(23)	Bronchopneumonia	65	12	10	6	2	5	2		3	4	5	7	9
25	Diarrhea and enteritis (under 2 years)	71	1	1		2		3	12	22	16	10	1	3
(37)	Diarrhea and enteritis (2 years and over)	13		2			1	1		3	2	2		2
(33)	Congenital debility [1]	22	2	4	3	1	1	2	1	1	2	2	2	1
35	Violent deaths (suicide excepted)	136	7	10	5	15	12	15	19	19	10	7	9	8
36	Suicide	22	3	3	3	1	4		1	1	1	2	2	1
	All other causes	1,040	106	80	108	105	92	84	80	80	68	74	74	89

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.												
	CINCINNATI, OHIO (TOTAL).												
	All causes	6,827	732	608	659	598	598	510	520	491	478	512	509	612
1	Typhoid fever	16			4	2			3	1	2	2	1	1
3	Malaria	2								1	1			
5	Measles	24	1		6	8	4	4	1					
6	Scarlet fever	15	3		3	4		1				1	1	2
7	Whooping cough	36		4	3	3		3	4	3	4	3	2	7
8	Diphtheria and croup	51	5	6	5	1	4	3	1	3	6	3	3	6
9	Influenza	72	16	19	10	5	6	1			2	1	3	9
13	Tuberculosis of the lungs	877	78	74	89	91	89	61	69	73	68	47	64	74
14–15	Other forms of tuberculosis	82	9	3	9	5	12	7	8	10	4	6	2	7
17	Meningitis	28	1		3	4	6	4	4	1	1	1	1	2
20–21	Bronchitis	68	14	7	7	5	5	6	4	2	1	6	6	5
22	Pneumonia	399	63	60	54	34	32	23	9	9	15	22	41	37
(23)	Bronchopneumonia	210	37	41	19	19	17	10	10	5	5	17	14	16
25	Diarrhea and enteritis (under 2 years)	163	6	5	3	5	10	7	30	32	29	11	17	8
(37)	Diarrhea and enteritis (2 years and over)	46	3	1		4	2	3	11	9	3	6	1	3
(33)	Congenital debility [1]	14		1		4	1			3	1	3	1	
35	Violent deaths (suicide excepted)	476	30	35	45	45	47	37	46	47	28	39	32	45
36	Suicide	69	9	4	6	8	9	2	7	7	2	4	7	4
	All other causes	4,179	457	348	393	351	354	338	313	285	306	340	308	386
	CINCINNATI, OHIO (WHITE).													
	All causes	5,948	658	548	588	517	499	435	443	427	407	455	451	520
1	Typhoid fever	13			2	2			3	1	1	2	1	1
3	Malaria	2								1	1			
5	Measles	18	1		4	6	3	4						
6	Scarlet fever	14	3		2	4		1				1	1	2
7	Whooping cough	29		4	3	3		3	3	3	3	1	1	5
8	Diphtheria and croup	47	5	6	5	1	2	3	1	2	5	3	3	6
9	Influenza	66	15	19	8	5	5	1			2	1	2	8
13	Tuberculosis of the lungs	699	65	58	79	71	71	48	51	59	49	40	50	58
14–15	Other forms of tuberculosis	68	9	3	7	4	10	7	6	8	4	4	1	5
17	Meningitis	18	1		3	4	2	1	3		1	1	1	1
20–21	Bronchitis	63	13	7	6	5	5	5	3	2	1	6	6	4
22	Pneumonia	304	55	49	46	24	18	16	8	5	10	16	28	29
(23)	Bronchopneumonia	168	29	37	18	16	12	8	6	4	4	14	11	9
25	Diarrhea and enteritis (under 2 years)	143	5	5	2	5	9	6	27	26	27	10	14	7
(37)	Diarrhea and enteritis (2 years and over)	41	1	1		4	1	3	11	8	3	5	1	3
(33)	Congenital debility [1]	10				3				3	1	2	1	
35	Violent deaths (suicide excepted)	389	27	32	38	38	33	29	34	40	19	33	29	37
36	Suicide	68	9	4	6	8	9	2	7	7	2	4	7	3
	All other causes	3,788	420	323	359	314	319	298	280	258	274	312	289	342
	CINCINNATI, OHIO (COLORED).													
	All causes	879	74	60	71	81	99	75	77	64	71	57	58	92
1	Typhoid fever	3			2						1			
3	Malaria													
5	Measles	6			2	2	1		1					
6	Scarlet fever	1			1									
7	Whooping cough	7							1		1	2	1	2
8	Diphtheria and croup	4					2			1	1			
9	Influenza	6	1		2		1						1	1
13	Tuberculosis of the lungs	178	13	16	10	20	18	13	18	14	19	7	14	16
14–15	Other forms of tuberculosis	14			2	1	2		2	2		2	1	2
17	Meningitis	10					4	3	1	1				1
20–21	Bronchitis	5	1		1			1	1					1
22	Pneumonia	95	8	11	8	10	14	7	1	4	5	6	13	8
(23)	Bronchopneumonia	42	8	4	1	3	5	2	4	1	1	3	3	7
25	Diarrhea and enteritis (under 2 years)	20	1		1		1	1	3	6	2	1	3	1
(37)	Diarrhea and enteritis (2 years and over)	[2] 5	2				1			1		1		
(33)	Congenital debility [1]	[2] 4		1		1	1					1		
35	Violent deaths (suicide excepted)	87	3	3	7	7	14	8	12	7	9	6	3	8
36	Suicide	[2] 1												1
	All other causes	391	37	25	34	37	35	40	33	27	32	28	19	44
	CLEVELAND, OHIO.													
	All causes	10,833	1,023	985	1,076	960	912	788	808	1,016	835	810	746	874
1	Typhoid fever	53	4	3	8	1	1	2	4	7	6	9	4	4
3	Malaria													
5	Measles	52	3	4	9	11	12	9	1	1	1			1
6	Scarlet fever	15	1	2	1	2	3	2	1			1		2
7	Whooping cough	123		5	4	5	9	12	14	22	24	14	8	6
8	Diphtheria and croup	154	17	6	12	7	15	9	8	15	16	17	16	16
9	Influenza	83	19	25	16	3	2	3	1		1	4	3	6
13	Tuberculosis of the lungs	1,049	83	87	93	96	119	89	74	93	74	72	75	94
14–15	Other forms of tuberculosis	156	15	10	19	18	10	12	17	9	11	15	9	11
17	Meningitis	107	6	7	18	18	16	10	7	6	6	6	3	4
20–21	Bronchitis	194	28	29	24	18	13	11	10	4	5	9	21	22
22	Pneumonia	909	125	129	141	92	80	51	32	27	29	62	57	84
(23)	Bronchopneumonia	468	58	51	87	38	40	29	20	12	11	28	27	67
25	Diarrhea and enteritis (under 2 years)	803	38	40	47	39	27	30	99	240	134	57	26	26
(37)	Diarrhea and enteritis (2 years and over)	89	6	6	5	4	5	8	7	15	15	9	4	5
(33)	Congenital debility [1]	52	4	10	2	5	2	4	4	8	3	5	1	4
35	Violent deaths (suicide excepted)	970	92	67	74	96	78	74	93	105	78	73	72	68
36	Suicide	130	14	12	12	16	11	10	12	11	9	4	8	11
	All other causes	5,426	510	492	504	491	469	423	404	441	412	425	412	443

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.												
	PHILADELPHIA, PA. (TOTAL).												
	All causes	29,649	3,163	2,849	2,924	2,691	2,573	2,034	2,167	2,281	1,937	2,058	2,264	2,708
1	Typhoid fever	109	8	5	6	2	15	12	6	7	15	20	8	5
3	Malaria	6	1	1					1	2			1	
5	Measles	82	2	5	35	15	7	10	3	3			1	1
6	Scarlet fever	35	5	4	2	2	3	1	4	1		5	2	6
7	Whooping cough	163	3	3	7	11	10	11	22	38	24	10	16	8
8	Diphtheria and croup	446	42	53	51	41	32	31	29	15	13	35	48	56
9	Influenza	249	80	48	34	22	8	6	1	1	2	2	17	28
13	Tuberculosis of the lungs	3,034	302	301	285	272	305	234	239	198	213	210	248	227
14-15	Other forms of tuberculosis	387	25	25	49	30	29	29	47	32	27	28	32	34
17	Meningitis	350	11	17	53	84	54	34	17	26	9	14	14	17
20-21	Bronchitis	388	60	65	45	26	26	23	13	16	19	20	33	42
22	Pneumonia	2,455	435	349	342	238	198	109	51	54	48	122	193	316
(23)	Bronchopneumonia	1,284	220	185	157	124	99	62	47	41	42	72	85	150
25	Diarrhea and enteritis (under 2 years)	1,633	67	76	108	83	55	85	258	379	249	132	65	76
(37)	Diarrhea and enteritis (2 years and over)	247	13	15	20	18	25	20	30	36	27	13	13	17
(33)	Congenital debility [1]	217	16	22	13	15	9	13	20	24	33	18	15	19
35	Violent deaths (suicide excepted)	1,726	146	141	129	137	131	130	159	263	94	108	143	145
36	Suicide	263	31	12	28	30	25	21	15	27	15	17	25	17
	All other causes	16,575	1,696	1,522	1,560	1,541	1,542	1,203	1,205	1,118	1,107	1,232	1,305	1,544
	PHILADELPHIA, PA. (WHITE).													
	All causes	26,492	2,903	2,546	2,580	2,368	2,273	1,819	1,899	2,061	1,741	1,845	2,005	2,452
1	Typhoid fever	100	7	5	5	2	15	9	6	6	14	19	7	5
3	Malaria	5	1						1	2			1	
5	Measles	73	2	5	34	11	5	9	3	2			1	1
6	Scarlet fever	35	5	4	2	2	3	1	4	1		5	2	6
7	Whooping cough	141	3	3	6	11	9	10	17	34	22	6	12	8
8	Diphtheria and croup	426	41	49	49	41	29	28	27	15	12	33	48	54
9	Influenza	221	73	39	29	20	8	5		1	1	2	17	26
13	Tuberculosis of the lungs	2,525	257	248	223	219	261	209	198	160	177	169	205	199
14-15	Other forms of tuberculosis	330	21	23	41	27	23	25	41	28	23	27	25	26
17	Meningitis	286	10	15	38	65	43	30	12	23	9	13	12	16
20-21	Bronchitis	347	56	62	38	22	20	20	12	13	19	18	30	37
22	Pneumonia	2,035	384	290	277	194	152	81	38	44	41	105	156	273
(23)	Bronchopneumonia	1,109	201	161	145	100	88	47	33	33	35	63	73	130
25	Diarrhea and enteritis (under 2 years)	1,499	64	70	101	73	50	81	229	357	231	120	54	69
(37)	Diarrhea and enteritis (2 years and over)	222	13	15	16	16	18	20	30	32	24	10	12	16
(33)	Congenital debility [1]	188	15	19	10	14	9	13	18	19	26	17	11	17
35	Violent deaths (suicide excepted)	1,558	134	128	112	123	118	114	142	240	84	97	129	137
36	Suicide	251	29	12	28	29	25	19	14	26	15	16	21	17
	All other causes	15,141	1,587	1,398	1,426	1,399	1,397	1,098	1,074	1,025	1,008	1,125	1,189	1,415
	PHILADELPHIA, PA. (COLORED).													
	All causes	3,157	260	303	344	323	300	215	268	220	196	213	259	256
1	Typhoid fever	9	1		1			3		1	1	1	1	
3	Malaria	1		1										
5	Measles	9			1	4	2	1		1				
6	Scarlet fever													
7	Whooping cough	22			1		1	1	5	4	2	4	4	
8	Diphtheria and croup	20	1	4	2		3	3	2		1	2		2
9	Influenza	28	7	9	5	2		1	1		1			*2
13	Tuberculosis of the lungs	509	45	53	62	53	44	25	41	38	36	41	43	28
14-15	Other forms of tuberculosis	57	4	2	8	3	6	4	6	4	4	1	7	8
17	Meningitis	64	1	2	15	19	11	4	5	3		1	2	1
20-21	Bronchitis	41	4	3	7	4	6	3	1	3		2	3	5
22	Pneumonia	420	51	59	65	44	46	28	13	10	7	17	37	43
(23)	Bronchopneumonia	175	19	24	12	24	11	15	14	8	7	9	12	20
25	Diarrhea and enteritis (under 2 years)	134	3	6	7	10	5	4	29	22	18	12	11	7
(37)	Diarrhea and enteritis (2 years and over)	25			4	2	7			4	3	3	1	1
(33)	Congenital debility [1]	29	1	3	3	1			2	5	7	1	4	2
35	Violent deaths (suicide excepted)	168	12	13	17	14	13	16	17	23	10	11	14	8
36	Suicide	12	2			1		2	1	1		1	4	
	All other causes	1,434	109	124	134	142	145	105	131	93	99	107	116	129
	PITTSBURGH, PA. (TOTAL).													
	All causes	10,645	1,070	914	1,009	922	827	756	781	868	800	806	872	1,020
1	Typhoid fever	70	8	6	1	2	7	3	8	9	13	8	4	1
3	Malaria													
5	Measles	66	3	8	6	12	7	12	7	2	2		4	3
6	Scarlet fever	13	2				3	1		1	2		3	1
7	Whooping cough	60	4	2	6	1	7	4	6	12	5	5	2	6
8	Diphtheria and croup	140	17	6	11	11	6	4	7	8	18	24	19	9
9	Influenza	93	21	15	13	13	4		2		4	3	4	14
13	Tuberculosis of the lungs	753	78	56	72	73	65	62	49	52	67	44	60	75
14-15	Other forms of tuberculosis	193	20	11	18	23	20	19	14	9	16	11	14	18
17	Meningitis	133	4	10	20	24	19	13	13	10	4	7	4	5
20-21	Bronchitis	161	23	30	18	14	12	9	8	4	7	12	9	15
22	Pneumonia	1,500	211	156	170	131	117	76	51	42	87	98	160	201
(23)	Bronchopneumonia	588	93	66	69	61	31	28	26	14	37	37	64	62
25	Diarrhea and enteritis (under 2 years)	753	15	25	39	28	30	33	117	208	114	65	44	35
(37)	Diarrhea and enteritis (2 years and over)	112	11	8	12	3	4	5	16	18	13	13	7	2
(33)	Congenital debility [1]	61		6	8	6	5	5	6	9	7	2	4	3
35	Violent deaths (suicide excepted)	871	73	69	71	59	65	63	71	93	66	64	73	104
36	Suicide	83	9	7	9	10	6	11	4	2	7	2	7	9
	All other causes	4,995	478	433	466	451	419	408	376	375	331	411	390	457

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.													
	PITTSBURGH, PA. (WHITE).													
	All causes	9,742	989	846	929	845	747	687	712	806	729	731	780	941
1	Typhoid fever	61	8	5	1	2	7	3	4	9	9	8	4	1
3	Malaria													
5	Measles	63	3	8	6	12	6	11	6	2	2		4	3
6	Scarlet fever	12	2				2	1		1	2		3	1
7	Whooping cough	54	4	2	6	1	4	4	6	12	5	4	2	4
8	Diphtheria and croup	135	17	6	11	10	6	4	6	8	17	23	19	8
9	Influenza	77	18	13	11	12	3		2		3	2	1	12
13	Tuberculosis of the lungs	670	70	53	64	66	57	57	42	48	56	37	52	68
14–15	Other forms of tuberculosis	169	19	9	17	21	17	15	11	8	14	10	12	16
17	Meningitis	126	3	19	18	23	19	11	12	10	4	7	4	5
20–21	Bronchitis	150	23	29	18	13	11	8	6	4	7	9	9	13
22	Pneumonia	1,251	176	134	149	103	98	66	40	28	70	80	134	173
(23)	Bronchopneumonia	525	88	60	66	52	24	23	23	13	34	29	56	57
25	Diarrhea and enteritis (under 2 years)	705	15	24	34	27	24	29	109	199	107	62	41	34
(37)	Diarrhea and enteritis (2 years and over)	106	10	7	11	3	4	5	15	17	13	13	6	2
(33)	Congenital debility [1]	57		5	8	6	5	5	6	6	7	2	4	3
35	Violent deaths (suicide excepted)	817	67	67	65	58	62	61	68	85	63	61	63	97
36	Suicide	79	9	7	8	9	6	10	4	2	7	2	6	9
	All other causes	4,685	457	407	436	427	392	374	352	354	309	382	360	435
	PITTSBURGH, PA. (COLORED).													
	All causes	903	81	68	80	77	80	69	69	62	71	75	92	79
1	Typhoid fever	9		1					4		4			
3	Malaria													
5	Measles	3					1	1	1					
6	Scarlet fever	1					1							
7	Whooping cough	6					3					1		2
8	Diphtheria and croup	5				1			1		1	1		1
9	Influenza	16	3	2	2	1	1				1	1	3	2
13	Tuberculosis of the lungs	83	8	3	8	7	8	5	7	4	11	7	8	7
14–15	Other forms of tuberculosis	24	1	2	1	2	3	4	3	1	2	1	2	2
17	Meningitis	7	1		2	1		2	1					
20–21	Bronchitis	11		1		1	1	1	2			3		2
22	Pneumonia	249	35	22	21	28	19	10	11	14	17	18	26	28
(23)	Bronchopneumonia	63	5	6	3	9	7	5	3	1	3	8	8	5
25	Diarrhea and enteritis (under 2 years)	48		1	5	1	6	4	8	9	7	3	3	1
(37)	Diarrhea and enteritis (2 years and over)	6	1	1	1				1	1			1	
(33)	Congenital debility [1]	4		1						3				
35	Violent deaths (suicide excepted)	54	6	2	6	1	3	2	3	8	3	3	10	7
36	Suicide	4			1	1		1					1	
	All other causes	310	21	26	30	24	27	34	24	21	22	29	30	22
	MILWAUKEE, WIS.													
	All causes	5,461	540	526	607	572	483	449	424	336	359	389	390	386
1	Typhoid fever	27	1	6	2	4	4	3	1		2	1	2	1
3	Malaria													
5	Measles	14	2		4	1	4	1	1	1				
6	Scarlet fever	77	4	12	9	11	15	9	4	1	3	3	3	3
7	Whooping cough	55	2	5	6	11	10	10	4	3	2		1	1
8	Diphtheria and croup	102	16	8	4	11	6	9	8	8	13	10	7	2
9	Influenza	43	5	7	9	6	3	1		1	2	2	4	3
13	Tuberculosis of the lungs	378	29	29	31	37	28	30	44	25	38	31	23	33
14–15	Other forms of tuberculosis	64	1	6	7	6	9	4	5	6	5	5	6	4
17	Meningitis	37	2	1	4	6	5	4	1	1	4	4	3	2
20–21	Bronchitis	123	15	24	13	13	9	10	3	7	8	6	11	4
22	Pneumonia	505	87	84	89	62	48	22	15	9	19	18	22	30
(23)	Bronchopneumonia	269	27	38	52	50	25	11	6	5	10	16	11	18
25	Diarrhea and enteritis (under 2 years)	251	16	19	30	23	21	21	7	21	32	20	24	17
(37)	Diarrhea and enteritis (2 years and over)	42	4	4	2	5	3	2	5	5	3	3	5	1
(33)	Congenital debility [1]	64	6	6	3	8	4	3	6	3	2	7	12	4
35	Violent deaths (suicide excepted)	331	21	25	19	25	17	35	39	40	24	28	35	23
36	Suicide	83	7	4	6	8	4	5	4	13	9	7	7	9
	All other causes	2,996	295	248	317	285	268	269	271	187	183	228	214	231

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910.													
	BIRMINGHAM, ALA. (TOTAL).													
	All causes	3,836	257	314	318	302	364	373	382	342	296	277	292	319
1	Typhoid fever	102	3	1		2	4	6	16	23	23	14	8	2
3	Malaria	22	2		3		2		2	2	6	1	1	3
5	Measles	88	3	8	27	20	13	5	4	2	2	2		2
6	Scarlet fever	2	1								1			
7	Whooping cough	56	1	2	3	8	3	6	5	9	5	5	2	7
8	Diphtheria and croup	13	3	3	1	2						1	2	1
9	Influenza	50	5	13	8	2	3	1			1	2	9	6
13	Tuberculosis of the lungs	328	22	32	30	37	33	30	33	22	21	22	22	24
14–15	Other forms of tuberculosis	50	3	5	5	6	5	6	2	3	7	4		4
17	Meningitis	9		1	1	2	1			1		1	1	1
20–21	Bronchitis	21	1	5	3	2	3	1			1	1	3	1
22	Pneumonia	395	34	38	52	37	40	25	20	20	9	18	45	57
(23)	Bronchopneumonia	115	12	16	13	9	8	6	4	6	7	6	12	16
25	Diarrhea and enteritis (under 2 years)	327	8	3	2	9	41	73	79	54	33	15	6	4
(37)	Diarrhea and enteritis (2 years and over)	80	1	2	1	4	8	9	16	20	13	5	1	
(33)	Congenital debility [1]	22	3	2	2	1	2	1	2	3	4	1		1
35	Violent deaths (suicide excepted)	289	14	28	25	20	28	30	18	18	16	36	27	29
36	Suicide	24	5	3	1	3	5	1		1	2	2		1
	All other causes	1,843	136	152	141	138	165	173	181	158	145	141	153	160
	BIRMINGHAM, ALA. (WHITE).													
	All causes	1,434	115	113	125	102	121	136	122	116	108	117	114	145
1	Typhoid fever	24	2			1	1	1	3	6	6	2	2	
3	Malaria	6	1		1		1			1		1		1
5	Measles	32	3	4	12	4	6		1					2
6	Scarlet fever	2	1								1			
7	Whooping cough	10				1		2	3	2	1			1
8	Diphtheria and croup	10	2	2		2						1	2	1
9	Influenza	15	1	5	2	1					1		3	2
13	Tuberculosis of the lungs	60	5	6	7	5	5	5	5	3	1	6	2	10
14–15	Other forms of tuberculosis	10	2	1	1			1	2	1	2			
17	Meningitis	4			1	1				1			1	
20–21	Bronchitis	13		2	3		2	1			1	1	2	1
22	Pneumonia	100	7	8	14	8	5	3	1	6	2	11	13	22
(23)	Bronchopneumonia	27	3	4	4	1	2			2	1	1	5	4
25	Diarrhea and enteritis (under 2 years)	140	5	3	2	6	19	39	25	14	14	7	4	2
(37)	Diarrhea and enteritis (2 years and over)	31	1	1		2	3	5	6	7	3	2	1	
(33)	Congenital debility [1]	9	2	1	1	1	1			1	1			1
35	Violent deaths (suicide excepted)	102	6	8	8	7	11	7	5	6	7	12	10	15
36	Suicide	23	5	3	1	3	4	1		1	2	2		1
	All other causes	816	69	65	68	59	61	71	71	65	65	71	69	82
	BIRMINGHAM, ALA. (COLORED).													
	All causes	2,402	142	201	193	200	243	237	260	226	188	160	178	174
1	Typhoid fever	78	1	1		1	3	5	13	17	17	12	6	2
3	Malaria	16	1		2		1		2	1	6		1	2
5	Measles	56		4	15	16	7	5	3	2	2	2		
6	Scarlet fever													
7	Whooping cough	46	1	2	3	7	3	4	2	7	4	5	2	6
8	Diphtheria and croup	3	1	1	1									
9	Influenza	35	4	8	6	1	3	1				2	6	4
13	Tuberculosis of the lungs	268	17	26	23	32	28	25	28	19	20	16	20	14
14–15	Other forms of tuberculosis	40	1	4	4	6	5	5		2	5	4		4
17	Meningitis	5		1		1	1					1		1
20–21	Bronchitis	8	1	3		2	1						1	
22	Pneumonia	295	27	30	38	29	35	22	19	14	7	7	32	35
(23)	Bronchopneumonia	88	9	12	9	8	6	6	4	4	6	5	7	12
25	Diarrhea and enteritis (under 2 years)	187	3			3	22	34	54	40	19	8	2	2
(37)	Diarrhea and enteritis (2 years and over)	49		1	1	2	5	4	10	13	10	3		
(33)	Congenital debility [1]	13	1	1	1		1	1	2	2	3	1		
35	Violent deaths (suicide excepted)	187	8	20	17	13	17	23	13	12	9	24	17	14
36	Suicide	1					1							
	All other causes	1,027	67	87	73	79	104	102	110	93	80	70	84	78
	OAKLAND, CALIF.													
	All causes	2,190	238	206	208	173	179	175	148	183	151	168	174	187
1	Typhoid fever	5	1		1		1			1	1			
3	Malaria	1										1		
5	Measles	17		6	5		3	2	1					
6	Scarlet fever	1	1											
7	Whooping cough	7		1	2	1		2		1				
8	Diphtheria and croup	5		1		2						1	1	
9	Influenza	13	2	3			3				1		3	1
13	Tuberculosis of the lungs	184	21	17	19	8	14	13	15	11	11	16	18	21
14–15	Other forms of tuberculosis	30	4	2	3	3	2	5	3	1	2	1	2	2
17	Meningitis	10	1		1	1		1	1	2	1	1	1	
20–21	Bronchitis	17	4	3	2	1				1		3		3
22	Pneumonia	113	14	15	11	9	8	7	5	5	10	11	6	12
(23)	Bronchopneumonia	66	15	9	8	8	3	2	1	3	5	4	4	4
25	Diarrhea and enteritis (under 2 years)	39	1	2	2		5	2	5	3	5	6	6	2
(37)	Diarrhea and enteritis (2 years and over)	21	1		2	4	1	2	1	1	3	3	1	2
(33)	Congenital debility [1]	13	2			1	1	1	1	2	1	2		2
35	Violent deaths (suicide excepted)	127	16	17	13	7	7	7	7	12	12	8	9	12
36	Suicide	56	5	4	9	3	6	7	6	3	3	2	5	3
	All other causes	1,465	150	126	130	125	125	124	102	137	96	109	118	123

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	DENVER, COLO.													
	All causes	3,215	375	285	310	291	248	220	228	243	256	236	241	282
1	Typhoid fever	14	2			1	1		2	2	1	4		1
3	Malaria													
5	Measles	24		5	11	7				1				
6	Scarlet fever	4		1						1	1		1	
7	Whooping cough	2							1	1				
8	Diphtheria and croup	21		1	1	3	2	1	2		2		4	5
9	Influenza	33	16	10			2		1			1		3
13	Tuberculosis of the lungs	597	72	47	54	50	56	51	41	43	46	52	42	43
14-15	Other forms of tuberculosis	65	3	4	8	6	5	8	5	3	5	5	6	7
17	Meningitis	14	1	1	2	3		1				1	2	3
20-21	Bronchitis	30	6	2	1	2	2	1	3	2	2	2	2	5
22	Pneumonia	224	36	22	35	28	14	6	8	3	4	17	13	33
(23)	Bronchopneumonia	73	15	11	3	4	3	6	3	4	6	5	9	4
25	Diarrhea and enteritis (under 2 years)	47	4	2	1	1		2	4	9	10	10	2	2
(37)	Diarrhea and enteritis (2 years and over)	18			1			2	3	6	1	1	2	2
(33)	Congenital debility [1]	25	2	3	2	2		4	1		3	5		3
35	Violent deaths (suicide excepted)	136	19	8	9	13	14	10	8	12	15	8	10	10
36	Suicide	55	7	4	2	7	3	4	5	2	3	5	7	6
	All other causes	1,833	192	164	180	164	146	124	141	154	157	120	136	155
	BRIDGEPORT, CONN.													
	All causes	2,270	234	210	242	204	186	167	185	178	163	162	141	148
1	Typhoid fever	10	1						1	2	2	4		
3	Malaria													
5	Measles	16		1	2	5	2	4			1			1
6	Scarlet fever	5	1		1			1	1			1		
7	Whooping cough	4						1		2		1		
8	Diphtheria and croup	25	3	4		4	2	1	3	1	2	1	3	1
9	Influenza	16	6	2	4	1							1	2
13	Tuberculosis of the lungs	192	20	17	21	15	17	12	14	15	15	13	15	13
14-15	Other forms of tuberculosis	47	3	3	5	5	8	1	6	4	4	1	1	6
17	Meningitis	22	2	1	4	2	3	3	3	1		3		
20-21	Bronchitis	14	2	3	1	1	1		1		1		3	1
22	Pneumonia	305	78	47	47	38	27	12	9	4	13	10	12	8
(23)	Bronchopneumonia	83	15	13	14	3	6	3	3	3	2	8	5	8
25	Diarrhea and enteritis (under 2 years)	127	5	2	7	3	8	4	21	41	20	9	3	4
(37)	Diarrhea and enteritis (2 years and over)	11	1	1	2	1		2	1	3				
(33)	Congenital debility [1]	22	2	1	4	1		3	2	4	2			3
35	Violent deaths (suicide excepted)	191	24	9	14	19	15	19	22	22	6	12	15	14
36	Suicide	17	3	1	1	1	4	1	1		2	1	2	
	All other causes	1,163	118	105	115	105	93	100	97	76	93	93	81	87
	NEW HAVEN, CONN.													
	All causes	2,603	266	227	269	233	239	197	173	215	199	174	178	228
1	Typhoid fever	16	3		1	3	3	1		2	2			1
3	Malaria	2								1	1			
5	Measles	34	1	3	3	3	10	7	4				1	2
6	Scarlet fever	1									1			
7	Whooping cough	15	1	1		1			1	4	1	4	1	1
8	Diphtheria and croup	26	4	2	4	3	1	1	2	1	4	2	2	
9	Influenza	17	8	4	2	1		1				1		
13	Tuberculosis of the lungs	192	10	18	25	14	15	18	20	10	14	15	22	11
14-15	Other forms of tuberculosis	55	4	2	4	1	8	6	4	7	5	3	5	6
17	Meningitis	32	3	1	5	4	5	3	5	2			1	3
20 21	Bronchitis	24	8	1	2		1		1	2	3	1	3	2
22	Pneumonia	241	42	27	32	20	16	19	7	9	9	14	15	31
(23)	Bronchopneumonia	108	18	15	18	15	10	6	2	2	3	5	5	9
25	Diarrhea and enteritis (under 2 years)	91	3		1	3	3	2	9	30	24	10	4	2
(37)	Diarrhea and enteritis (2 years and over)	20	1		1			2	3	2	4	2	3	2
(33)	Congenital debility [1]	19		1	2	2	4	2		1	3	1		3
35	Violent deaths (suicide excepted)	169	11	12	9	16	16	13	12	30	11	13	9	17
36	Suicide	34	8	4	5		2	3	4	3		3	1	1
	All other causes	1,507	141	136	155	147	145	113	104	109	114	100	106	137
	ATLANTA, GA. (TOTAL).													
	All causes	3,170	252	301	234	242	313	256	267	258	258	240	265	284
1	Typhoid fever	41			1		1	2	7	11	10	4	3	2
3	Malaria	3					1			1	1			
5	Measles	45	3	17	8	8	3	3	1					2
6	Scarlet fever	2						1		1				
7	Whooping cough	21	1		2	3	2	3	4	2	2		2	
8	Diphtheria and croup	16	3		1						1	5	3	3
9	Influenza	22	3	3	3	1	1		1		3		5	2
13	Tuberculosis of the lungs	222	17	15	17	13	29	23	11	13	23	16	15	30
14-15	Other forms of tuberculosis	46	1	1	2	6	3	6	5	4	4	5	4	5
17	Meningitis	18		1	1	1	2	1		2		2	5	3
20-21	Bronchitis	31	3	6	1	4	2	1	1	3	3	2	2	3
22	Pneumonia	170	19	26	13	10	15	6	3	8	9	7	23	31
(23)	Bronchopneumonia	132	14	16	16	10	11	7	1	7	5	4	20	21
25	Diarrhea and enteritis (under 2 years)	188	6	12	8	6	23	35	32	26	20	9	8	3
(37)	Diarrhea and enteritis (2 years and over)	60	3	5	1	5	5	10	9	8	4	2	3	5
(33)	Congenital debility [1]	32	1	2	1		3	4	3	3	5	3	5	2
35	Violent deaths (suicide excepted)	206	21	25	15	8	17	8	13	15	18	22	21	23
36	Suicide	19	2	1	1	2	1	1	2	1	2	1	1	4
	All other causes	1,896	155	171	143	165	194	145	174	153	148	158	145	145

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	ATLANTA, GA. (WHITE).													
	All causes	1,751	138	172	116	130	162	151	136	151	140	143	151	161
1	Typhoid fever	25						1	4	6	7	3	2	2
3	Malaria	2								1	1			
5	Measles	27	2	13	5	5	1		1					
6	Scarlet fever	2						1		1				
7	Whooping cough	9				2		1	3		1		2	
8	Diphtheria and croup	15	3		1						1	5	3	2
9	Influenza	7	1	2			1		1				2	
13	Tuberculosis of the lungs	98	9	8	7	5	12	13	3	6	10	5	6	14
14–15	Other forms of tuberculosis	18	1	1		3	1		2	2	2	2	1	3
17	Meningitis	7					1			2			3	1
20–21	Bronchitis	10	1	3	1	1	1	1	1	1				
22	Pneumonia	67	4	12	4	2	6	4	1	2	4	4	10	14
(23)	Bronchopneumonia	36	7	6	2	4	1	1		3		1	6	5
25	Diarrhea and enteritis (under 2 years)	117	4	11	5	5	11	23	17	16	10	7	6	2
(37)	Diarrhea and enteritis (2 years and over)	31	2	4		3	2	6	4	2	1	1	2	4
(33)	Congenital debility[1]	18		2	1		1	3	1	3	2	2	2	1
35	Violent deaths (suicide excepted)	129	8	16	10	6	13	5	8	10	12	12	12	17
36	Suicide	19	2	1	1	2	1	1	2	1	2	1	1	4
	All other causes	1,114	94	93	79	92	110	91	88	95	87	100	93	92
	ATLANTA, GA. (COLORED).													
	All causes	1,419	114	129	118	112	151	105	131	107	113	97	114	123
1	Typhoid fever	16			1		1	1	3	5	3	1	1	
3	Malaria	1					1							
5	Measles	18	1	4	3	3	2	3						2
6	Scarlet fever													
7	Whooping cough	12	1		2	1	2	2	1	2	1			
8	Diphtheria and croup	1												1
9	Influenza	15	2	1	3	1					3		3	2
13	Tuberculosis of the lungs	124	8	7	10	8	17	10	8	7	13	11	9	16
14–15	Other forms of tuberculosis	28			2	3	2	6	3	2	2	3	3	2
17	Meningitis	11		1	1	1	1	1				2	2	2
20–21	Bronchitis	21	2	3		3	1			2	3	2	2	3
22	Pneumonia	103	15	14	9	8	9	2	2	6	5	3	13	17
(23)	Bronchopneumonia	96	7	10	14	6	10	6	1	4	5	3	14	16
25	Diarrhea and enteritis (under 2 years)	71	2	1	3	1	12	12	15	10	10	2	2	1
(37)	Diarrhea and enteritis (2 years and over)	29	1	1	1	2	3	4	5	6	3	1	1	1
(33)	Congenital debility[1]	14	1				2	1	2		3	1	3	1
35	Violent deaths (suicide excepted)	77	13	9	5	2	4	3	5	5	6	10	9	6
36	Suicide													
	All other causes	782	61	78	64	73	84	54	86	58	61	58	52	53
	INDIANAPOLIS, IND. (TOTAL).													
	All causes	4,582	402	421	439	433	392	336	361	359	351	353	330	405
1	Typhoid fever	31	2		1	1	1		2	4	9	4	2	5
3	Malaria	2					2							
5	Measles	56	2	7	13	17	11	3	2					1
6	Scarlet fever	11	1			1	5		2			1		1
7	Whooping cough	21		2		2			1	3	7		3	3
8	Diphtheria and croup	112	9	8	6	10	8	5	8	5	15	13	8	17
9	Influenza	37	5	12	6	7	2	2		1				2
13	Tuberculosis of the lungs	451	35	40	47	38	46	37	37	42	33	26	31	39
14–15	Other forms of tuberculosis	78	6	8	5	8	3	9	8	5	4	9	5	8
17	Meningitis	31	2		7	4	4	4		3	2	1	1	3
20–21	Bronchitis	36	3	4	3	2	4		5	1		5	4	5
22	Pneumonia	249	36	38	30	22	23	10	9	6	5	25	12	33
(23)	Bronchopneumonia	175	26	29	27	19	15	6	5	7	11	8	11	11
25	Diarrhea and enteritis (under 2 years)	144	3	2	7	5	6	2	25	36	38	12	3	5
(37)	Diarrhea and enteritis (2 years and over)	46	4		1	4	1	2	9	7	4	6	4	4
(33)	Congenital debility[1]	13	2	1			1	3	2	1	1		1	1
35	Violent deaths (suicide excepted)	290	15	33	15	30	23	27	24	24	24	26	23	26
36	Suicide	55	4	5	5	3	5	6	6	7	8	1	4	1
	All other causes	2,744	247	232	266	260	232	220	216	207	190	216	218	240
	INDIANAPOLIS, IND. (WHITE).													
	All causes	3,862	337	361	377	363	334	283	304	301	284	293	284	341
1	Typhoid fever	27	2		1	1	1		1	1	9	4	2	5
3	Malaria	2					2							
5	Measles	51	2	6	13	14	11	2	2					1
6	Scarlet fever	10	1			1	5		1			1		1
7	Whooping cough	12		1		1			1	2	3		1	3
8	Diphtheria and croup	98	8	8	6	8	6	3	7	5	11	11	8	17
9	Influenza	35	5	12	5	6	2	2		1				2
13	Tuberculosis of the lungs	342	25	34	38	32	33	29	25	31	25	18	23	29
14–15	Other forms of tuberculosis	61	6	5	5	5	3	5	6	5	4	6	5	6
17	Meningitis	22	1		7	2	3	3		3		1	1	1
20–21	Bronchitis	28	3	4	3	1	4		2	1		3	4	3
22	Pneumonia	193	27	30	24	18	19	4	8	4	4	20	6	29
(23)	Bronchopneumonia	130	19	26	19	12	10	4	4	3	9	7	8	9
25	Diarrhea and enteritis (under 2 years)	127	3	1	6	5	6	1	23	33	33	10	3	3
(37)	Diarrhea and enteritis (2 years and over)	39	3		1	2	1	2	9	6	3	5	4	3
(33)	Congenital debility[1]	9	2	1				3	1	1				1
35	Violent deaths (suicide excepted)	242	14	26	14	25	16	25	18	22	19	22	19	22
36	Suicide	52	4	5	5	3	5	6	5	7	7	1	3	1
	All other causes	2,382	212	202	230	227	207	194	191	176	157	184	197	205

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	INDIANAPOLIS, IND. (COLORED).													
	All causes	720	65	60	62	70	58	53	57	58	67	60	46	64
1	Typhoid fever	4							1	3				
3	Malaria													
5	Measles	5		1		3		1						
6	Scarlet fever	1							1					
7	Whooping cough	9		1		1				1	4		2	
8	Diphtheria and croup	14	1			2	2	2	1		4	2		
9	Influenza	2			1	1								
13	Tuberculosis of the lungs	109	10	6	9	6	13	8	12	11	8	8	8	10
14–15	Other forms of tuberculosis	17		3		3		4	2			3		2
17	Meningitis	9	1			2	1	1			2			2
20–21	Bronchitis	8				1			3			2		2
22	Pneumonia	56	9	8	6	4	4	6	1	2	1	5	6	4
(23)	Bronchopneumonia	45	7	3	8	7	5	2	1	4	2	1	3	2
25	Diarrhea and enteritis (under 2 years)	17		1	1			1	2	3	5	2		2
(37)	Diarrhea and enteritis (2 years and over)	7	1			2				1	1	1		1
(33)	Congenital debility [1]	4					1		1		1		1	
35	Violent deaths (suicide excepted)	48	1	7	1	5	7	2	6	2	5	4	4	4
36	Suicide	3							1		1		1	
	All other causes	362	35	30	36	33	25	26	25	31	33	32	21	35
	LOUISVILLE, KY. (TOTAL).													
	All causes	3,919	409	378	395	351	309	262	272	287	259	304	318	375
1	Typhoid fever	37	1	1	1	2	1	3	7	4	4	4	9	
3	Malaria	6			1	1	1		2			1		
5	Measles	94	10	20	31	20	6	3	1			1		2
6	Scarlet fever	3	1			1							1	
7	Whooping cough	28	3	3	5	2	4	2	2	1	2	1	2	1
8	Diphtheria and croup	26	2	6	3	1	2				2	4	3	3
9	Influenza	35	13	3	5	1	1			1	1	2	2	6
13	Tuberculosis of the lungs	372	31	32	39	38	26	28	33	30	19	31	35	30
14–15	Other forms of tuberculosis	58	7	2	6	7	6	5	5	5	4	3	4	4
17	Meningitis	28	4	4		4	3	1	2	4	3		2	1
20–21	Bronchitis	60	15	11	3	3	4	2	2	4	3	2	5	6
22	Pneumonia	299	57	39	36	29	22	7	5	6	6	26	28	38
(23	Bronchopneumonia	131	19	15	20	17	8	5	9	5	2	4	12	15
25	Diarrhea and enteritis (under 2 years)	115	2	5	3	5	2	10	13	34	14	19	4	4
(37)	Diarrhea and enteritis (2 years and over)	28		3	1	3	3		5	6	3	1	1	2
(33	Congenital debility [1]	31	2	1	1	2	2		5	5	6	5		2
35	Violent deaths (suicide excepted)	213	15	26	14	9	13	11	14	16	34	14	17	30
36	Suicide	35	1	1	3	6	5	3	3	4	4	1	2	2
	All other causes	2,320	226	206	223	200	200	182	164	162	152	185	191	229
	LOUISVILLE, KY. (WHITE).													
	All causes	2,853	300	303	278	243	217	182	196	206	179	222	244	283
1	Typhoid fever	27	1	1			1	2	5	3	3	4	7	
3	Malaria	3			1				1			1		
5	Measles	69	7	18	25	11	3	2				1		2
6	Scarlet fever	3	1			1							1	
7	Whooping cough	18	3	2	3		3	1	2	1			2	1
8	Diphtheria and croup	24	2	6	2	1	2				2	4	2	3
9	Influenza	19	5	3	2	1				1			2	5
13	Tuberculosis of the lungs	214	19	24	18	22	16	19	13	16	9	16	25	17
14–15	Other forms of tuberculosis	39	4	2	5	3	3	3	5	4	3	1	4	2
17	Meningitis	20	4	2		3	3		2	3	1		2	
20–21	Bronchitis	42	12	10	1	2	2	1	1	2	3	1	4	3
22	Pneumonia	180	33	23	22	19	6	3	3	5	3	16	21	26
(23)	Bronchopneumonia	90	15	14	17	11	4	3	5	2	2	2	6	9
25	Diarrhea and enteritis (under 2 years)	86	2	4	1	4	1	5	9	27	13	14	3	3
(37)	Diarrhea and enteritis (2 years and over)	17		3	1	2			3	5		1	1	1
(33)	Congenital debility [1]	29	2	1	1	2	2		5	5	4	5		2
35	Violent deaths (suicide excepted)	152	13	19	9	6	11	10	10	12	20	12	11	19
36	Suicide	35	1	1	3	6	5	3	3	4	4	1	2	2
	All other causes	1,786	176	170	167	149	155	130	129	116	112	143	151	188
	LOUISVILLE, KY. (COLORED).													
	All causes	1,066	109	75	117	108	92	80	76	81	80	82	74	92
1	Typhoid fever	10			1	2		1	2	1	1		2	
3	Malaria	3				1	1		1					
5	Measles	25	3	2	6	9	3	1	1					
6	Scarlet fever													
7	Whooping cough	10		1	2	2	1	1			2	1		
8	Diphtheria and croup	2			1								1	
9	Influenza	16	8		3		1				1	2		1
13	Tuberculosis of the lungs	158	12	8	21	16	10	9	20	14	10	15	10	13
14–15	Other forms of tuberculosis	19	3		1	4	3	2		1	1	2		2
17	Meningitis	8		2		1		1		1	2			1
20–21	Bronchitis	18	3	1	2	1	2	1	1	2		1	1	3
22	Pneumonia	119	24	16	14	10	16	4	2	1	3	10	7	12
(23)	Bronchopneumonia	41	4	1	3	6	4	2	4	3		2	6	6
25	Diarrhea and enteritis (under 2 years)	29		1	2	1	1	5	4	7	1	5	1	1
(37)	Diarrhea and enteritis (2 years and over)	11				1	3		2	1	3			1
(33)	Congenital debility [1]	2									2			
35	Violent deaths (suicide excepted)	61	2	7	5	3	2	1	4	4	14	2	6	11
36	Suicide													
	All other causes	534	50	36	56	51	45	52	35	46	40	42	40	41

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	CAMBRIDGE, MASS.													
	All causes	1,605	168	163	144	154	118	124	103	137	103	120	130	141
1	Typhoid fever	5						1	2	1	1			
3	Malaria													
5	Measles	15	1	3	2	1		6						2
6	Scarlet fever	3		1				1					1	
7	Whooping cough	4								1		1	2	
8	Diphtheria and croup	16	3	2		2	3	2			1			3
9	Influenza	8	4		4									
13	Tuberculosis of the lungs	207	17	18	16	18	23	12	9	22	21	11	19	21
14–15	Other forms of tuberculosis	20	1		5	1	2		4	1	3	1	1	1
17	Meningitis	2				2								
20–21	Bronchitis	20	3	4	1	3	1		1	2		1	2	2
22	Pneumonia	112	23	13	18	12	10	8	2	1	2	8	5	10
(23)	Bronchopneumonia	58	15	9	8	3	3	3	1	2	3	2	5	4
25	Diarrhea and enteritis (under 2 years)	60	3	2	2	2	1	1	7	19	9	8	3	3
(37)	Diarrhea and enteritis (2 years and over)	6		1					1	2		1	1	
(33)	Congenital debility [1]	8							1	2	1	1	2	1
35	Violent deaths (suicide excepted)	88	6	8	7	4	8	6	15	8	1	7	9	9
36	Suicide	5		2		1	1						1	
	All other causes	968	92	100	81	105	66	84	60	76	61	79	79	85
	FALL RIVER, MASS.													
	All causes	2,116	229	234	213	193	169	145	134	201	157	139	161	141
1	Typhoid fever	22				1	1	2	1	3	5	7	1	1
3	Malaria													
5	Measles	71	11	17	11	9	10	8	3	1	1			
6	Scarlet fever	3	1	1			1							
7	Whooping cough	22	2	3	3	1	2	2	2	1		1	2	3
8	Diphtheria and croup	37	5	1	2	3		2	1	3	6	2	7	5
9	Influenza	11	3	4	2	1	1							
13	Tuberculosis of the lungs	187	25	17	29	20	19	11	13	8	10	7	15	13
14–15	Other forms of tuberculosis	31	2	6	4	2	3	1	2	1	3	4	2	1
17	Meningitis	7			2	2				1	1		1	
20–21	Bronchitis	37	8	7	5	4	4	2		2	1	2	2	
22	Pneumonia	126	30	28	19	14	7	7	2	1	4	3	5	6
(23)	Bronchopneumonia	139	30	35	22	13	9	8	2	1	3	2	6	8
25	Diarrhea and enteritis (under 2 years)	273	14	16	5	9	11	14	25	74	47	24	23	11
(37)	Diarrhea and enteritis (2 years and over)	21	1	1	1		2	1	3	3	6	2		1
(33)	Congenital debility [1]	13	3	1				1		1	2	1	2	2
35	Violent deaths (suicide excepted)	79	4	8	7	5	2	6	8	10	8	9	7	5
36	Suicide	7		2		1	1		1					2
	All other causes	1,030	90	87	101	108	96	80	71	91	60	75	88	83
	LOWELL, MASS.													
	All causes	1,940	198	192	169	175	187	118	112	179	160	154	123	173
1	Typhoid fever	7	1	3	1	1								1
3	Malaria													
5	Measles	9	6		2			1						
6	Scarlet fever	3			1	2								
7	Whooping cough	7	1	1	1	3						1		
8	Diphtheria and croup	27	5	6	1	3	6	1		1		1	1	2
9	Influenza	3	2	1										
13	Tuberculosis of the lungs	151	20	13	21	20	18	12	2	9	10	6	10	10
14–15	Other forms of tuberculosis	39	4	2	3	5	6	4	4	1	1	2	2	5
17	Meningitis	17			1	3	5	1		1	4		1	1
20–21	Bronchitis	56	11	12	7	5	5	3	2	1	3	2	2	3
22	Pneumonia	111	20	19	16	14	15	3	1	1	4	3	7	8
(23)	Bronchopneumonia	90	14	10	8	8	13	5	1	2	3	7	4	15
25	Diarrhea and enteritis (under 2 years)	190	6	5	7	4	7	6	21	40	49	25	11	9
(37)	Diarrhea and enteritis (2 years and over)	13	2	1	1	1	1		1	3	2			1
(33)	Congenital debility [1]	52	4	8	2	3	8	4	3	4	6	3	2	5
35	Violent deaths (suicide excepted)	105	4	11	4	7	8	9	5	16	4	14	15	8
36	Suicide	11		1	1	1	1	2		2	2	1		
	All other causes	1,049	98	99	92	95	94	67	72	98	72	89	68	105
	WORCESTER, MASS.													
	All causes	2,789	258	251	229	276	262	208	196	250	198	217	213	231
1	Typhoid fever	10						1	1	2	2	1	2	1
3	Malaria													
5	Measles	13	2			3		1	3			1	2	1
6	Scarlet fever	7	1			1	2	1						2
7	Whooping cough	31	3	8	6	7	2	1	2		2			
8	Diphtheria and croup	41	2	2	2	3	3		1	1	6	14	5	2
9	Influenza	12	2	1	5	1	1	1			1			
13	Tuberculosis of the lungs	215	18	17	23	19	28	14	10	22	12	17	18	17
14–15	Other forms of tuberculosis	57	5	8	3	4	8	2	4	7	4	4	2	6
17	Meningitis	10	1				2	1	2			1		3
20–21	Bronchitis	37	4	10	2	5		3	1	2	1	2	5	2
22	Pneumonia	210	27	38	30	31	22	7	3	8	7	7	11	19
(23)	Bronchopneumonia	107	18	9	12	11	23	3	5	3	4	9	4	6
25	Diarrhea and enteritis (under 2 years)	142	6	5	1	6	4	8	26	31	24	18	7	6
(37)	Diarrhea and enteritis (2 years and over)	31	2		1	1			4	13	4	1	4	1
(33)	Congenital debility [1]	23	2	2	3		3	2	2	3	2		2	2
35	Violent deaths (suicide excepted)	183	12	18	9	17	11	14	23	19	18	14	17	11
36	Suicide	23	1	1	2	2	2	2	2	2	2	2	3	2
	All other causes	1,637	152	132	130	165	151	147	107	137	109	126	131	150

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	GRAND RAPIDS, MICH.													
	All causes	1,738	192	146	190	179	186	129	115	108	96	137	110	150
1	Typhoid fever	17	1	2	1	3	1	1	1	1		4	1	1
3	Malaria													
5	Measles	35	1		8	17	7	2						
6	Scarlet fever	2	1		1									
7	Whooping cough	12				1	2	2	2	3		1		1
8	Diphtheria and croup	35	1	1	2	5	1	1	3	2	1	1	9	8
9	Influenza	2	1	1										
13	Tuberculosis of the lungs	105	12	8	6	13	14	9	4	5	6	12	6	10
14–15	Other forms of tuberculosis	22	2	1	1	3	3	2	2	3		2	3	
17	Meningitis	6			2			1	1		1		1	
20–21	Bronchitis	41	6	3	5	4	6	5	3	1		2	1	5
22	Pneumonia	74	19	4	14	7	6	1	2	2	2	2	5	10
(23)	Bronchopneumonia	42	9	1	7	4	9	1	1	2	1	4	1	2
25	Diarrhea and enteritis (under 2 years)	56	7	7	6	7	5	2	2	3	5	3	2	7
(37)	Diarrhea and enteritis (2 years and over)	15	1	1	2		1			1	5	1	1	2
(33)	Congenital debility [1]	12	1	2	3	2	1		1					2
35	Violent deaths (suicide excepted)	94	6	3	9	9	11	7	7	5	8	10	8	11
36	Suicide	13	2	1	2	1		1	1	3		2		
	All other causes	1,155	122	111	121	103	119	94	85	77	67	93	72	91
	ST. PAUL, MINN.													
	All causes	2,724	283	236	262	247	250	227	198	165	196	207	234	219
1	Typhoid fever	6		1	2	1			1			1		
3	Malaria	1						1						
5	Measles	13		2		2	7	2						
6	Scarlet fever	8		1					1		1	2	2	1
7	Whooping cough	5	2			1							1	1
8	Diphtheria and croup	41	1	2	1	4	5	4	4	2	6	4	5	3
9	Influenza	19	7	3	5	2						2		
13	Tuberculosis of the lungs	289	25	25	30	24	36	34	27	10	20	12	26	20
14–15	Other forms of tuberculosis	52	6	6	7	3	5	4	5	5	4	1	4	2
17	Meningitis	35	1		6	5	9	7	1	4		1	1	
20–21	Bronchitis	21	3	4	5	1	4		1	1				2
22	Pneumonia	153	28	20	18	12	17	7	9	2	3	8	9	20
(23)	Bronchopneumonia	85	22	6	11	9	3	2	2		6	8	7	9
25	Diarrhea and enteritis (under 2 years)	65	3	3	4	5	2		6	12	8	9	6	7
(37)	Diarrhea and enteritis (2 years and over)	13	2	1		1	1		1	1	4	1	1	
(33)	Congenital debility [1]	19	2	2	3	1			2	1	3	2	3	
35	Violent deaths (suicide excepted)	200	10	15	17	20	10	25	16	18	17	22	14	16
36	Suicide	39	3	1	4	4	7	7	3	1	2	2	2	3
	All other causes	1,660	168	144	149	152	144	134	119	108	122	132	153	135
	KANSAS CITY, MO. (TOTAL).													
	All causes	5,008	508	486	606	492	410	329	357	355	337	372	346	410
1	Typhoid fever	37		3	1	3		2	3	4	3	7	7	4
3	Malaria	7						2	2	1		2		
5	Measles	57		16	19	19	2	1						
6	Scarlet fever	34	2	5	5	7	7	2	2				1	3
7	Whooping cough	49	2	2	2	4	9	6	7	5	7	3	1	1
8	Diphtheria and croup	88	11		19	9	10	2	2	1	5	13	6	10
9	Influenza	37	6	11	13	1		1				1	2	2
13	Tuberculosis of the lungs	460	54	35	49	36	43	38	37	43	32	30	24	39
14–15	Other forms of tuberculosis	53	5	4	8	2	5	3	6	4	4	7	3	2
17	Meningitis	44	5	7	8	6	12	2	1		1		1	1
20–21	Bronchitis	48	10	5	12	6	1	3	2		1	4	1	3
22	Pneumonia	423	69	63	74	58	28	19	14	8	8	17	24	41
(23)	Bronchopneumonia	163	26	24	22	24	17	5	3	5	5	1	12	19
25	Diarrhea and enteritis (under 2 years)	130	12	5	6	3	4	5	16	33	32	6	4	4
(37)	Diarrhea and enteritis (2 years and over)	45	1	4	2	2	1	1	6	11	8	5	3	1
(33)	Congenital debility [1]	16		3	2	2		1	1	1	2		2	2
35	Violent deaths (suicide excepted)	410	32	25	46	35	26	37	39	38	25	28	38	41
36	Suicide	96	8	7	8	7	8	8	6	7	11	12	6	8
	All other causes	2,811	265	267	310	268	237	191	210	194	193	236	211	229
	KANSAS CITY, MO. (WHITE).													
	All causes	4,216	429	413	524	407	345	269	295	302	285	314	281	352
1	Typhoid fever	30		2		3		2	1	3	3	7	6	3
3	Malaria	4							1	1		2		
5	Measles	57		16	19	19	2	1						
6	Scarlet fever	31	1	4	5	7	7	2	2				1	2
7	Whooping cough	36	1	2	2	3	5	4	5	5	5	2	1	1
8	Diphtheria and croup	84	8		18	9	10	2	2	1	5	13	6	10
9	Influenza	30	5	9	12	1						1	1	1
13	Tuberculosis of the lungs	316	40	21	40	23	27	27	20	28	24	16	17	33
14–15	Other forms of tuberculosis	44	3	4	8	2	4	1	6	3	2	6	3	2
17	Meningitis	38	5	6	6	6	9	2	1		1		1	1
20–21	Bronchitis	38	8	5	10	4	1	3	1		1	3		2
22	Pneumonia	348	59	54	62	48	23	14	10	7	4	14	19	34
(23)	Bronchopneumonia	124	25	19	16	17	11	1	2	4	3		9	17
25	Diarrhea and enteritis (under 2 years)	112	10	3	4	3	2	4	15	29	30	5	3	4
(37)	Diarrhea and enteritis (2 years and over)	35	1	3	2	1			4	11	6	5	1	1
(33)	Congenital debility [1]	16		3	2	2		1	1	1	2		2	2
35	Violent deaths (suicide excepted)	334	26	23	37	25	22	31	30	32	16	25	34	33
36	Suicide	91	5	7	8	6	7	8	6	7	11	12	6	8
	All other causes	2,448	232	232	273	228	215	166	188	170	172	203	171	198

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	KANSAS CITY, MO. (COLORED).													
	All causes	792	79	73	82	85	65	60	62	53	52	58	65	58
1	Typhoid fever	7		1	1				2	1			1	1
3	Malaria	3						2	1					
5	Measles													
6	Scarlet fever	3	1	1										1
7	Whooping cough	13	1			1	4	2	2		2	1		
8	Diphtheria and croup	4	3		1									
9	Influenza	7	1	2	1			1					1	1
13	Tuberculosis of the lungs	144	14	14	9	13	16	11	17	15	8	14	7	6
14–15	Other forms of tuberculosis	9	2				1	2		1	2	1		
17	Meningitis	6		1	2		3							
20–21	Bronchitis	10	2		2	2			1			1	1	1
22	Pneumonia	75	10	9	12	10	5	5	4	1	4	3	5	7
(23)	Bronchopneumonia	39	1	5	6	7	6	4	1	1	2	1	3	2
25	Diarrhea and enteritis (under 2 years)	18	2	2	2		2	1	1	4	2	1	1	
(37)	Diarrhea and enteritis (2 years and over)	10		1		1	1	1	2		2		2	
(33)	Congenital debility [1]													
35	Violent deaths (suicide excepted)	76	6	2	9	10	4	6	9	6	9	3	4	8
36	Suicide	5	3			1	1							
	All other causes	363	33	35	37	40	22	25	22	24	21	33	40	31
	OMAHA, NEBR.													
	All causes	2,316	189	179	287	237	192	181	236	154	151	165	157	208
1	Typhoid fever	8	1	1				1		1	3			1
3	Malaria													
5	Measles	26		2	2	8	8		3	2				1
6	Scarlet fever	10	1		1	5	2						1	
7	Whooping cough	22			3	1	1	4	6	2			2	3
8	Diphtheria and croup	18	1	1	4		1		3		1	3	1	3
9	Influenza	17	5	3	2	1					1		2	3
13	Tuberculosis of the lungs	160	17	14	14	13	15	14	17	7	13	11	9	16
14–15	Other forms of tuberculosis	29			3	5	2	5	2	3	3	2	3	1
17	Meningitis	23	2	3	2	2	1	3	4	1		1	2	2
20–21	Bronchitis	12	2	2	2	3			2			1		
22	Pneumonia	228	28	33	40	18	22	15	8	3	9	18	9	25
(23)	Bronchopneumonia	132	16	25	20	20	9	5	5	5	3	2	11	11
25	Diarrhea and enteritis (under 2 years)	41	3	1	4	3	2	6	10	2	7	1	2	
(37)	Diarrhea and enteritis (2 years and over)	12		1	1	1		2		3		1	1	2
(33)	Congenital debility [1]	12		1	1	2	1		3			1	1	2
35	Violent deaths (suicide excepted)	143	12	8	13	14	12	10	17	13	8	12	16	8
36	Suicide	29	3	1		4	3	4	2	2	4	1	5	
	All other causes	1,394	98	83	155	137	113	112	154	110	99	111	92	130
	PATERSON, N. J.													
	All causes	1,964	198	155	168	182	171	123	142	185	164	129	181	166
1	Typhoid fever	17				1		1	2	3	5	4		1
3	Malaria													
5	Measles	7			2	1	1			1			1	1
6	Scarlet fever	1			1									
7	Whooping cough	10								3	4	1	2	
8	Diphtheria and croup	17		3	1	1	1	1	1	3	1	1	3	1
9	Influenza	5	2	1	1								1	
13	Tuberculosis of the lungs	175	22	9	21	15	13	13	15	16	12	11	15	13
14–15	Other forms of tuberculosis	19	1		2	2	1	3	5	1	1	1	2	
17	Meningitis	5		1	1	1				1				1
20–21	Bronchitis	16	3	2	4		1	1		1	1	1	1	1
22	Pneumonia	193	38	26	17	20	15	15	5	3	8	11	20	15
(23)	Bronchopneumonia	58	11	7	10	8	3	1	1	1	1	4	6	5
25	Diarrhea and enteritis (under 2 years)	82	2	2	1	3	5	2	4	36	11	5	8	3
(37)	Diarrhea and enteritis (2 years and over)	15		1	1	2	2		2	1	4		2	
(33)	Congenital debility [1]	14	1	1		1		2	1	1	3	4		
35	Violent deaths (suicide excepted)	143	11	6	9	8	11	6	18	16	10	6	26	16
36	Suicide	24	2	2	1	4		3	1	2	5	1	2	1
	All other causes	1,163	105	94	96	115	118	75	87	96	98	79	92	108
	ALBANY, N. Y.													
	All causes	2,040	222	197	191	175	198	158	158	127	154	142	147	171
1	Typhoid fever	13	1		2		1	1	1	1	1		4	1
3	Malaria	2							1					1
5	Measles	32	19	4	1		3	1	4					
6	Scarlet fever													
7	Whooping cough	2							1			1		
8	Diphtheria and croup	10	2	1	1	3						2	1	
9	Influenza	19	7	4	2	3	2							1
13	Tuberculosis of the lungs	217	22	11	26	25	19	21	15	15	23	8	15	17
14–15	Other forms of tuberculosis	27		4	2	2	4	1	3	3	2		2	4
17	Meningitis	18	2		2	1	3	1	2		1		5	1
20–21	Bronchitis	17	3	3	3		3	1		1		2		1
22	Pneumonia	129	26	20	14	12	17	3	6	4	3	5	4	15
(23)	Bronchopneumonia	59	6	6	8	8	1	6	2		2	5	7	8
25	Diarrhea and enteritis (under 2 years)	48	1	2	5	1	1	1	7	8	12	6	2	2
(37)	Diarrhea and enteritis (2 years and over)	13	1		2	1		1	3	3		1		1
(33)	Congenital debility [1]	9		1	1	1	1		1	1		1	1	1
35	Violent deaths (suicide excepted)	119	5	9	11	11	12	11	12	9	14	11	3	11
36	Suicide	15			1	3		1	1	3	1	2	1	2
	All other causes	1,291	127	132	110	104	131	109	99	79	95	98	102	105

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	ROCHESTER, N. Y.													
	All causes	4,083	437	354	357	374	383	297	302	304	320	325	312	318
1	Typhoid fever	8		1	1					1	3	1	1	
3	Malaria	1						1						
5	Measles	40	1	2	3	7	7	14	5	1				
6	Scarlet fever	37	2	3	4	10	5	1	2	2	2	3	2	1
7	Whooping cough	19	1			4	1			3	3	2	3	2
8	Diphtheria and croup	52	3	4	4	4	1	2	5	3	5	5	10	6
9	Influenza	14	7	2	1	3	1							
13	Tuberculosis of the lungs	251	30	14	19	26	29	27	21	20	14	21	13	17
14–15	Other forms of tuberculosis	66	2	5	6	6	9	6	4	7	5	5	6	5
17	Meningitis	13			2	4	2	3	1		1			
20–21	Bronchitis	36	4	3	5	3	4	4	2	2	1	1	2	5
22	Pneumonia	230	37	33	18	25	31	10	11	6	11	13	17	18
(23)	Bronchopneumonia	165	27	20	17	18	17	12	8	5	8	11	9	13
25	Diarrhea and enteritis (under 2 years)	189	11	7	13	13	9	8	13	36	36	27	9	7
(37)	Diarrhea and enteritis (2 years and over)	36	1	3	4	2	3	1	2	8	4	2	1	5
(33)	Congenital debility [1]	10	1			1	1		1		1	2	3	
35	Violent deaths (suicide excepted)	214	8	22	16	16	12	21	16	17	25	26	22	13
36	Suicide	34	4	2	2	4	3	4	2	6	2	3	1	1
	All other causes	2,668	298	233	242	228	248	183	209	187	199	203	213	225
	SYRACUSE, N. Y.													
	All causes	2,426	233	217	267	226	198	188	170	188	195	185	168	191
1	Typhoid fever	10		2	1				1	1	2	2		1
3	Malaria													
5	Measles	15	1	1	1	1	1				4		2	4
6	Scarlet fever	12	1		4	4	1	1	1					
7	Whooping cough	9	1		1		1			2		2	1	1
8	Diphtheria and croup	34	4		2	1	2	1		1	2	5	8	8
9	Influenza	8	1	1	4	1					1			
13	Tuberculosis of the lungs	142	15	7	19	25	17	10	9	7	12	4	10	7
14–15	Other forms of tuberculosis	46	4	8	7	7	1	3	6	2	1	4		3
17	Meningitis	7		1	1			1		1			2	1
20–21	Bronchitis	27	5	3	5	2	2	1		2		3	1	3
22	Pneumonia	166	17	18	25	17	16	14	6	6	8	9	9	21
(23)	Bronchopneumonia	78	9	9	16	12	7		1	3	2	3	6	10
25	Diarrhea and enteritis (under 2 years)	131	5	4	10	5	10	4	7	24	33	17	7	5
(37)	Diarrhea and enteritis (2 years and over)	16	4			1	1	1	1	3	2	3		
(33)	Congenital debility [1]	23	1		3		1	1		4	4	6	2	1
35	Violent deaths (suicide excepted)	179	13	12	12	16	19	13	18	24	19	11	13	9
36	Suicide	23	2	2	3	3	2	3	3	1		1	2	1
	All other causes	1,500	150	149	153	131	118	134	117	107	105	115	105	116
	COLUMBUS, OHIO.													
	All causes	3,383	337	357	332	261	304	241	246	257	253	265	256	274
1	Typhoid fever	17	2		1		2	2			3	2	4	1
3	Malaria													
5	Measles	67	9	28	23	5	2							
6	Scarlet fever	8			1	3	1				1	2		
7	Whooping cough	5			1	1							1	2
8	Diphtheria and croup	24	4	1	5	3	2	1	1		1	1	5	
9	Influenza	25	5	6	5	2	1		1			2		3
13	Tuberculosis of the lungs	304	34	30	31	32	27	23	25	21	17	24	20	20
14–15	Other forms of tuberculosis	67	7	5	8	3	6	8	5	5	4	7	4	5
17	Meningitis	23			1	3	5	2	5	2	1			4
20–21	Bronchitis	19	1	2	2	1	3	2	3	1		1	1	2
22	Pneumonia	181	30	37	19	11	15	9	4	4	6	11	12	23
(23)	Bronchopneumonia	169	31	38	26	12	11	4	6	8	3	8	8	14
25	Diarrhea and enteritis (under 2 years)	77	2		3	2	4		10	27	15	7	3	4
(37)	Diarrhea and enteritis (2 years and over)	19	2	1	1	1				3	2	2	2	5
(33)	Congenital debility [1]	54	1	4	4	2	3	2	6	10	10	7	4	1
35	Violent deaths (suicide excepted)	253	20	20	23	6	24	19	29	22	20	23	30	17
36	Suicide	27	2	1		3	2	3	3	1	2	3	5	2
	All other causes	2,044	187	184	178	171	196	166	148	153	168	165	157	171
	DAYTON, OHIO.													
	All causes	2,055	194	193	202	203	158	150	127	162	147	171	180	168
1	Typhoid fever	19	1	1	1	2	3	2		4	2	2		1
3	Malaria													
5	Measles	16			5	6	3	1		1				
6	Scarlet fever	6			2		1						1	2
7	Whooping cough	15		2	3	3	3	1	1		1			1
8	Diphtheria and croup	14	1	1		3	2				3	2	1	1
9	Influenza	16	2	3	4	2	3							2
13	Tuberculosis of the lungs	185	15	24	21	14	15	18	15	11	10	14	10	18
14–15	Other forms of tuberculosis	24	1	1	2	6	3	5	1	2	1	2		
17	Meningitis	13			1	1	1		2	3		1	2	2
20–21	Bronchitis	11	4	1		2	1	1					1	1
22	Pneumonia	123	23	15	13	10	6	7	1	3	5	11	13	16
(23)	Bronchopneumonia	87	17	10	8	10	6	3	4	4	2	5	8	10
25	Diarrhea and enteritis (under 2 years)	72		1	3	2	5	1	5	26	18	9	1	1
(37)	Diarrhea and enteritis (2 years and over)	16			2	2			2	2	3	2	3	
(33)	Congenital debility [1]	6	1		1	1				2	1			
35	Violent deaths (suicide excepted)	149	15	19	10	8	12	12	11	12	13	11	16	10
36	Suicide	21	2	1			3	2	1		5	2	2	3
	All other causes	1,262	112	114	126	131	91	97	84	92	83	110	122	100

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	TOLEDO, OHIO.													
	All causes	3,566	359	282	358	326	326	288	269	266	249	299	271	273
1	Typhoid fever	18	1	2	3	1	1	2	2		1	2	2	1
3	Malaria													
5	Measles	8		2	2	1	2		1					
6	Scarlet fever	28	6	4	7	1	2	4		2	1			1
7	Whooping cough	23	2	2	2	5	4	1	2	1	3		1	
8	Diphtheria and croup	36	2	2	2	2	3	2	3	1	2	5	8	4
9	Influenza	24	3	5	8	5	1		1				1	
13	Tuberculosis of the lungs	367	37	25	30	41	40	30	31	30	24	28	25	26
14–15	Other forms of tuberculosis	45	4	1	3	7	6	5	4	3		3	3	6
17	Meningitis	15			3	1	1	3	1	1	1	2	2	
20–21	Bronchitis	38	9	7	4	5	2	1	2		1	1	1	5
22	Pneumonia	192	34	29	34	28	20	10	1	6	6	10	5	9
(23)	Bronchopneumonia	126	18	21	23	8	13	8	3	3	6	5	8	10
25	Diarrhea and enteritis (under 2 years)	137	9	3	6	10	4	7	11	29	37	9	7	5
(37)	Diarrhea and enteritis (2 years and over)	25	1	3	2	3	3		2	5	3		2	1
(33)	Congenital debility[1]	26	2		2	2	3	3		3	2	5	2	2
35	Violent deaths (suicide excepted)	273	25	19	31	25	18	28	36	25	16	24	14	12
36	Suicide	53	5	4	8	4	4	5	1	1	5	3	8	5
	All other causes	2,132	201	153	188	177	199	179	168	156	141	202	182	186
	PORTLAND, OREG.													
	All causes	2,390	237	173	204	193	208	172	191	152	176	224	246	214
1	Typhoid fever	17	2	2						3	3	2	3	2
3	Malaria													
5	Measles	18	4	2	5	4	1		2					
6	Scarlet fever	5			1	1	2		1					
7	Whooping cough	3			1	1							1	
8	Diphtheria and croup	10		1	3			1		1	2	2		
9	Influenza	17	8		1	1		1				1	4	1
13	Tuberculosis of the lungs	154	8	12	13	17	15	11	10	8	11	16	19	14
14–15	Other forms of tuberculosis	45	6	1	4	3	4	6	6	5	3	3	2	2
17	Meningitis	19	1		1	3	3		2	1	4	2	1	1
20–21	Bronchitis	22	4	2	2	2	1			1		1	5	4
22	Pneumonia	117	25	8	15	7	11	6	4	2	4	6	23	6
(23)	Bronchopneumonia	45	6	1	6	8	3	1	3	1	3		10	3
25	Diarrhea and enteritis (under 2 years)	42	2	1		1	4	2	4	1	8	12	4	3
(37)	Diarrhea and enteritis (2 years and over)	18	2		2	1	1	1	1	3	1	3	2	1
(33)	Congenital debility[1]	16	1		3		1		2	3	1	1	1	3
35	Violent deaths (suicide excepted)	170	18	8	19	13	5	20	17	12	10	15	19	14
36	Suicide	33	4	3	4	4	3	3	4	1	5	1		1
	All other causes	1,639	146	132	124	127	154	120	135	110	121	159	152	159
	SCRANTON, PA.													
	All causes	2,247	231	200	232	203	185	145	211	205	158	169	154	154
1	Typhoid fever	9	1			1			2	1	1	3		
3	Malaria	1						1						
5	Measles	12	1	1	1	3	2	3						1
6	Scarlet fever	9	1	1		1		1	1	1	1			2
7	Whooping cough	8		1	1	1				1		1	2	2
8	Diphtheria and croup	40	3	3	1	4	4		4	1	1	5	8	6
9	Influenza	11	3	3	3	1						1		
13	Tuberculosis of the lungs	104	16	12	11	13	9	4	13	5	3	10	5	3
14–15	Other forms of tuberculosis	37	3	5	5	3	4	4	1	1	5		4	2
17	Meningitis	14	3	1			1	2	3		1	1	2	
20–21	Bronchitis	41	5	8	9	4	4	2	3	1		1	3	1
22	Pneumonia	231	36	28	35	30	23	8	9	6	9	16	15	16
(23)	Bronchopneumonia	84	8	14	9	12	5	3	7	4	3	4	7	8
25	Diarrhea and enteritis (under 2 years)	194	8	6	8	6	10	9	39	55	31	11	9	2
(37)	Diarrhea and enteritis (2 years and over)	45	1	1	2	2	1	4	6	14	5	4	3	2
(33)	Congenital debility[1]	19	1	1	1	2	4	1	2	3	2		2	
35	Violent deaths (suicide excepted)	217	24	17	23	22	11	18	15	23	14	18	20	12
36	Suicide	6			1		1	1			1	1		1
	All other causes	1,165	117	98	122	98	106	84	106	89	81	94	74	96
	PROVIDENCE, R. I.													
	All causes	3,996	431	389	379	371	359	294	300	290	295	260	309	319
1	Typhoid fever	16		1	1	1	1	1		4	4	2		1
3	Malaria													
5	Measles	35	3	4	7	3	3	1	2	3		2	5	2
6	Scarlet fever	16	4	1	1		1		1		5	1	1	1
7	Whooping cough	5				1	1		2	1				
8	Diphtheria and croup	80	13	10	6	5	7	4	5	3	9	4	7	7
9	Influenza	39	6	19	2	4	4	1				2		1
13	Tuberculosis of the lungs	364	34	33	44	42	30	29	28	14	30	21	30	29
14–15	Other forms of tuberculosis	71	7	1	11	6	4	7	7	8	6	4	6	4
17	Meningitis	34	4	3	4	2	4	4	2	1	1	1	4	4
20–21	Bronchitis	42	8	7	5	2	2	1	1	1		3	6	6
22	Pneumonia	310	58	39	38	41	32	15	7	6	11	15	20	28
(23)	Bronchopneumonia	170	37	20	28	17	17	12	5	2	9	4	12	7
25	Diarrhea and enteritis (under 2 years)	137	2	4	8	3	7	5	24	43	16	16	4	5
(37)	Diarrhea and enteritis (2 years and over)	23	2	4		2	1		2	4	5	2	1	
(33)	Congenital debility[1]	59	3	4	3	4	5	3	3	7	8	9	7	3
35	Violent deaths (suicide excepted)	266	21	21	14	24	24	16	24	39	23	18	26	16
36	Suicide	37	3	3	5	3	2	3	5	2	4	1	6	
	All other causes	2,292	226	215	202	211	214	192	182	152	164	155	174	205

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	MEMPHIS, TENN. (TOTAL).													
	All causes	3,019	296	275	272	261	269	220	235	228	201	251	217	294
1	Typhoid fever	38	1	.....	1	1	1	4	6	6	3	4	4	2
3	Malaria	56	1	.....	2	2	3	2	8	17	10	6	2	3
5	Measles	48	8	11	17	9	1	.....	1	.....	.....	.....	.....	1
6	Scarlet fever	6	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	1
7	Whooping cough	35	1	2	6	6	7	3	6	3	.....	1	.....	.....
8	Diphtheria and croup	25	2	3	3	1	1	.....	.....	2	4	4	1	4
9	Influenza	31	5	6	5	2	3	1	.....	.....	.....	1	2	6
13	Tuberculosis of the lungs	370	35	38	34	35	30	25	30	23	31	28	31	30
14–15	Other forms of tuberculosis	42	5	6	3	4	4	6	2	3	1	4	4	.....
17	Meningitis	16	1	2	6	2	3	.....	1	.....	.....	.....	.....	1
20–21	Bronchitis	24	3	1	2	2	1	1	3	3	1	2	1	4
22	Pneumonia	207	37	39	33	15	18	6	6	2	4	5	19	23
(23)	Bronchopneumonia	81	11	16	13	6	8	1	4	2	1	5	5	9
25	Diarrhea and enteritis (under 2 years)	78	6	3	.....	4	3	18	11	18	6	6	2	1
(37)	Diarrhea and enteritis (2 years and over)	36	1	2	2	3	2	7	8	2	2	2	3	2
(33)	Congenital debility [1]	26	3	1	1	3	3	4	5	1	1	3	1	.....
35	Violent deaths (suicide excepted)	242	33	23	16	13	17	20	14	16	19	26	15	30
36	Suicide	22	.....	4	1	4	3	2	3	.....	.....	.....	.....	5
	All other causes	1,636	143	118	126	148	159	120	126	130	113	154	127	172
	MEMPHIS, TENN. (WHITE).													
	All causes	1,429	147	132	127	131	122	97	105	102	94	116	123	133
1	Typhoid fever	23	.....	.....	.....	.....	1	2	3	4	5	2	4	2
3	Malaria	20	.....	.....	.....	.....	1	1	1	8	3	5	.....	1
5	Measles	37	7	10	12	7	1	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	6	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	1
7	Whooping cough	18	1	.....	1	3	3	3	4	2	.....	1	.....	.....
8	Diphtheria and croup	20	2	2	2	1	.....	.....	.....	2	4	3	1	3
9	Influenza	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2
13	Tuberculosis of the lungs	113	16	15	12	5	7	5	6	4	9	9	14	11
14–15	Other forms of tuberculosis	20	4	2	2	1	1	3	2	1	.....	1	3	.....
17	Meningitis	10	1	1	4	2	1	.....	.....	.....	.....	.....	.....	1
20–21	Bronchitis	10	2	1	1	1	.....	1	.....	1	.....	.....	1	2
22	Pneumonia	82	17	13	12	6	9	2	3	1	1	2	7	9
(23)	Bronchopneumonia	28	4	6	6	2	3	.....	1	.....	.....	1	2	3
25	Diarrhea and enteritis (under 2 years)	47	5	3	.....	2	3	9	2	10	5	5	2	1
(37)	Diarrhea and enteritis (2 years and over)	19	1	2	2	2	1	3	3	2	.....	1	1	1
(33)	Congenital debility [1]	17	3	.....	1	2	2	2	4	.....	1	1	1	.....
35	Violent deaths (suicide excepted)	91	13	7	8	4	6	6	6	6	10	12	5	8
36	Suicide	20	.....	4	1	4	3	2	2	.....	.....	.....	.....	4
	All other causes	844	70	66	61	88	78	58	67	61	56	73	82	84
	MEMPHIS, TENN. (COLORED).													
	All causes	1,590	149	143	145	130	147	123	130	126	107	135	94	161
1	Typhoid fever	15	1	.....	1	1	.....	2	3	2	3	2	.....	.....
3	Malaria	36	1	.....	2	2	2	1	7	9	7	1	2	2
5	Measles	11	1	1	5	2	.....	.....	1	.....	.....	.....	.....	1
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	17	.....	2	5	3	4	.....	2	1	.....	.....	.....	.....
8	Diphtheria and croup	5	.....	1	1	.....	1	.....	.....	.....	.....	1	.....	1
9	Influenza	27	4	6	4	2	3	1	.....	.....	.....	1	2	4
13	Tuberculosis of the lungs	257	19	23	22	30	23	20	24	19	22	19	17	19
14–15	Other forms of tuberculosis	22	1	4	1	3	3	3	.....	2	1	3	1	.....
17	Meningitis	6	.....	1	2	.....	2	.....	1	.....	.....	.....	.....	.....
20–21	Bronchitis	14	1	.....	1	1	1	.....	3	2	1	2	.....	2
22	Pneumonia	125	20	26	21	9	9	4	3	1	3	3	12	14
(23)	Bronchopneumonia	53	7	10	7	4	5	1	3	2	1	4	3	6
25	Diarrhea and enteritis (under 2 years)	31	1	.....	.....	2	.....	9	9	8	1	1	.....	.....
(37)	Diarrhea and enteritis (2 years and over)	17	.....	.....	.....	1	1	4	5	.....	2	1	2	1
(33)	Congenital debility [1]	9	.....	1	.....	1	1	2	1	1	.....	2	.....	.....
35	Violent deaths (suicide excepted)	151	20	16	8	9	11	14	8	10	9	14	10	22
36	Suicide	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1
	All other causes	792	73	52	65	60	81	62	59	69	57	81	45	88
	NASHVILLE, TENN. (TOTAL).													
	All causes	1,944	154	195	183	147	158	155	172	145	161	148	151	175
1	Typhoid fever	27	1	.....	.....	1	2	.....	4	7	5	2	2	3
3	Malaria	7	.....	.....	.....	.....	.....	.....	2	1	3	1	.....	.....
5	Measles	25	5	4	5	3	2	2	1	.....	1	.....	.....	2
6	Scarlet fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
7	Whooping cough	8	3	.....	1	.....	1	.....	.....	1	.....	1	.....	1
8	Diphtheria and croup	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1
9	Influenza	28	7	6	1	1	2	1	.....	.....	1	3	1	5
13	Tuberculosis of the lungs	209	18	24	23	15	20	15	13	17	16	17	20	11
14–15	Other forms of tuberculosis	31	2	3	1	2	3	2	2	3	4	3	4	2
17	Meningitis	6	1	.....	1	.....	1	1	.....	.....	.....	1	.....	1
20–21	Bronchitis	14	1	3	1	1	4	.....	.....	1	.....	2	1	.....
22	Pneumonia	128	17	18	16	10	12	4	3	1	4	10	13	20
(23)	Bronchopneumonia	63	9	12	12	7	2	.....	2	1	.....	5	8	5
25	Diarrhea and enteritis (under 2 years)	70	2	2	1	3	3	10	21	11	10	4	2	1
(37)	Diarrhea and enteritis (2 years and over)	21	.....	.....	.....	1	1	6	6	3	3	1	.....	.....
(33)	Congenital debility [1]	21	1	1	3	.....	.....	4	1	6	1	1	2	1
35	Violent deaths (suicide excepted)	122	10	12	4	12	8	6	10	10	14	12	6	18
36	Suicide	4	.....	.....	1	.....	1	.....	1	.....	.....	1	.....	.....
	All other causes	1,156	77	109	113	91	96	104	106	83	99	84	91	103

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	NASHVILLE, TENN. (WHITE).													
	All causes	1,141	92	121	97	82	97	84	111	76	93	90	78	120
1	Typhoid fever	18				1	1		4	6	3	1	1	1
3	Malaria	5							2		2	1		
5	Measles	21	4	4	5	3	2		1					2
6	Scarlet fever	1												1
7	Whooping cough	3	1		1									1
8	Diphtheria and croup	3		1									1	1
9	Influenza	18	4	5	1	1	1	1				2		3
13	Tuberculosis of the lungs	98	10	14	10	7	6	6	5	7	6	12	9	6
14–15	Other forms of tuberculosis	19	2	1	1	2	1	1	1	2	2	2	3	1
17	Meningitis	4					1	1				1		1
20–21	Bronchitis	7	1	1		1	3					1		
22	Pneumonia	68	8	11	8	5	9	1	3	1	2	4	4	12
(23)	Bronchopneumonia	32	5	7	3	4			1	1		3	4	4
25	Diarrhea and enteritis (under 2 years)	48	2	1	1		3	4	19	7	8	1	1	1
(37)	Diarrhea and enteritis (2 years and over)	15					1	4	6	3		1		
(33)	Congenital debility [1]	9	1		1			2		5				
35	Violent deaths (suicide excepted)	80	4	7	3	9	3	4	8	7	11	8	3	13
36	Suicide	4			1		1		1			1		
	All other causes	688	50	69	62	49	65	60	60	37	59	52	52	73
	NASHVILLE, TENN. (COLORED).													
	All causes	803	62	74	86	65	61	71	61	69	68	58	73	55
1	Typhoid fever	9	1				1			1	2	1	1	2
3	Malaria	2								1	1			
5	Measles	4	1					2			1			
6	Scarlet fever													
7	Whooping cough	5	2				1			1		1		
8	Diphtheria and croup													
9	Influenza	10	3	1			1				1	1	1	2
13	Tuberculosis of the lungs	111	8	10	13	8	14	9	8	10	10	5	11	5
14–15	Other forms of tuberculosis	12		2			2	1	1	1	2	1	1	1
17	Meningitis	2	1		1									
20–21	Bronchitis	7		2	1		1			1		1	1	
22	Pneumonia	60	9	7	8	5	3	3			2	6	9	8
(23)	Bronchopneumonia	31	4	5	9	3	2		1			2	4	1
25	Diarrhea and enteritis (under 2 years)	22		1		3		6	2	4	2	3	1	
(37)	Diarrhea and enteritis (2 years and over)	6				1		2			3			
(33)	Congenital debility [1]	12		1	2			2	1	1	1	1	2	1
35	Violent deaths (suicide excepted)	42	6	5	1	3	5	2	2	3	3	4	3	5
36	Suicide													
	All other causes	468	27	40	51	42	31	44	46	46	40	32	39	30
	RICHMOND, VA. (TOTAL).													
	All causes	2,932	337	257	246	246	219	231	265	232	220	211	216	252
1	Typhoid fever	11	1							4	2	2	1	1
3	Malaria	4								3			1	
5	Measles	6			2	2	2							
6	Scarlet fever	1										1		
7	Whooping cough	44	3	6	9	5	2	3	4	4	2	3	1	2
8	Diphtheria and croup	9	3							1	1	2		2
9	Influenza	29	5	7	4	3	2						3	5
13	Tuberculosis of the lungs	258	28	24	24	21	19	24	27	19	15	21	17	19
14–15	Other forms of tuberculosis	45	4	3	2	5	7	2	6	4	6	2	2	2
17	Meningitis	9	1	2	1	2	1	2						
20–21	Bronchitis	28	7	5	5	2	2	1		2		1	1	2
22	Pneumonia	180	38	24	26	14	14	7	6	2	7	5	20	17
(23)	Bronchopneumonia	120	27	16	15	8	12	4	4	3	7	6	9	9
25	Diarrhea and enteritis (under 2 years)	114	3			5	2	14	36	28	16	6	3	1
(37)	Diarrhea and enteritis (2 years and over)	28	1	3	2	2		5	6		2	2	3	2
(33)	Congenital debility [1]	57	4	2	3	5	1	6	6	3	11	7	5	4
35	Violent deaths (suicide excepted)	130	10	8	11	11	10	12	9	15	10	7	14	13
36	Suicide	15	1	2	3	3		2			1	1	2	
	All other causes	1,844	201	155	139	158	145	149	161	144	140	145	134	173
	RICHMOND, VA. (WHITE).													
	All causes	1,566	177	140	124	139	115	103	150	109	120	118	120	151
1	Typhoid fever	4	1							1	1	1		
3	Malaria	3								3				
5	Measles	1					1							
6	Scarlet fever	1										1		
7	Whooping cough	14	1		2	1		1	2	3	1	1	1	1
8	Diphtheria and croup	8	2							1	1	2		2
9	Influenza	14	2	2	2	2							3	3
13	Tuberculosis of the lungs	109	9	17	8	9	10	10	13	7	5	7	9	5
14–15	Other forms of tuberculosis	27	1	2		5	3	1	5	1	4	2	2	1
17	Meningitis	6	1	2	1	1		1						
20–21	Bronchitis	8	4	1		1	2							
22	Pneumonia	65	14	12	6	4	5	2	1		3	3	6	9
(23)	Bronchopneumonia	41	13	5	6	1	3		1		3	2	3	4
25	Diarrhea and enteritis (under 2 years)	46	1			3		5	17	7	8	3	1	1
(37)	Diarrhea and enteritis (2 years and over)	15		1		2		2	4		2	2	1	1
(33)	Congenital debility [1]	25	3	1	1	1		1	2	2	4	5	3	2
35	Violent deaths (suicide excepted)	72	4	5	4	5	7	4	5	9	6	4	11	8
36	Suicide	13		2	3	3		2			1	1	1	
	All other causes	1,094	121	90	91	101	84	74	100	75	81	84	79	114

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1917—Continued.

[See note at head of this table, p. 488.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	RICHMOND, VA. (COLORED).													
	All causes	1,366	160	117	122	107	104	128	115	123	100	93	96	101
1	Typhoid fever	7								3	1	1	1	1
3	Malaria	1											1	
5	Measles	5			2	2	1							
6	Scarlet fever													
7	Whooping cough	30	2	6	7	4	2	2	2	1	1	2		1
8	Diphtheria and croup	1	1											
9	Influenza	15	3	5	2	1	2							2
13	Tuberculosis of the lungs	149	19	7	16	12	9	14	14	12	10	14	8	14
14–15	Other forms of tuberculosis	18	3	1	2		4	1	1	3	2			1
17	Meningitis	3				1	1	1						
20–21	Bronchitis	20	3	4	5	1		1		2		1	1	2
22	Pneumonia	115	24	12	20	10	9	5	5	2	4	2	14	8
(23)	Bronchopneumonia	79	14	11	9	7	9	4	3	3	4	4	6	5
25	Diarrhea and enteritis (under 2 years)	68	2			2	2	9	19	21	8	3	2	
(37)	Diarrhea and enteritis (2 years and over)	13	1	2	2			3	2				2	1
(33)	Congenital debility [1]	32	1	1	2	4	1	5	4	1	7	2	2	2
35	Violent deaths (suicide excepted)	58	6	3	7	6	3	8	4	6	4	3	3	5
36	Suicide	2	1										1	
	All other causes	750	80	65	48	57	61	75	61	69	59	61	55	59
	SEATTLE, WASH.													
	All causes	2,530	229	207	243	216	234	220	163	196	170	222	205	225
1	Typhoid fever	18			2	1	1	2	2	2	2		4	2
3	Malaria	1									1			
5	Measles	17		6	5	5	1							
6	Scarlet fever	1		1										
7	Whooping cough	12	1	1	1	2	3	1		1				2
8	Diphtheria and croup	7						2		1	1	1	2	
9	Influenza	14	1	2	1	5		1	1		1			2
13	Tuberculosis of the lungs	209	24	18	17	24	18	18	11	10	15	15	20	19
14–15	Other forms of tuberculosis	70	4	5	9	7	4	4	10	11	2	7	4	3
17	Meningitis	7			2	2	1	1			1			
20–21	Bronchitis	13	1	1	4	1	2					1	2	1
22	Pneumonia	121	13	11	12	16	7	8	6	4	7	7	15	15
(23)	Bronchopneumonia	39	7	6	2	1	3	2	2		1	5	4	6
25	Diarrhea and enteritis (under 2 years)	23	3	2	1	1	4	1		4	2	2	3	
(37)	Diarrhea and enteritis (2 years and over)	18	2	1	2	1	2	2	1	3	1		1	2
(33)	Congenital debility [1]	20	1	2	3	1	2	2	1	2		4		2
35	Violent deaths (suicide excepted)	205	18	16	21	17	9	26	19	13	16	17	16	17
36	Suicide	62	9	2	5	4	9	5	6	6	2	6	5	3
	All other causes	1,673	145	133	156	128	168	145	104	139	118	157	129	151
	SPOKANE, WASH.													
	All causes	1,162	106	99	104	103	86	88	101	80	85	94	99	117
1	Typhoid fever	12			1	1		2			2	2	3	1
3	Malaria													
5	Measles	11	2	3	4		2							
6	Scarlet fever	2				2								
7	Whooping cough	3							1	1	1			
8	Diphtheria and croup	6	1					2				1	1	1
9	Influenza	14	4	2	1	1	2		1				1	2
13	Tuberculosis of the lungs	76	5	6	8	6	5	6	10	8	4	6	4	8
14–15	Other forms of tuberculosis	22	1	2	5	1	2	3	2	1	1	1	1	2
17	Meningitis	7	1	1	2	2								1
20–21	Bronchitis	6				3		1	1	1				
22	Pneumonia	61	11	9	5	5	3	2	2			7	5	12
(23)	Bronchopneumonia	32	5	4	4	6		1	2		1	2	2	5
25	Diarrhea and enteritis (under 2 years)	20	2	2	4	1	3		1	2	2	2	1	
(37)	Diarrhea and enteritis (2 years and over)	14	1	1		1	1			2	1	3	3	1
(33)	Congenital debility [1]	8		1	2		1			1			1	2
35	Violent deaths (suicide excepted)	68	5	7	1	5	5	4	12	5	3	4	10	7
36	Suicide	17		4	3	3	2	1	1			2		1
	All other causes	783	68	57	64	66	60	66	68	59	70	64	67	74

[1] Excluding premature birth.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917.

[The cities included in this table are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910, are shown by color, except when the deaths for colored at all ages numbered less than 500.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY.															
	THE REGISTRATION AREA (exclusive of Hawaii).															
	All causes	171,024	26,665	8,364	6,344	12,375	53,748	10,911	7,717	6,212	78,588	15,362	12,066	27,487	20,409	17,112
5	Measles	2,363	23	10	.....	10	43	53	59	73	228	152	129	393	599	862
6	Scarlet fever	154	.....	.....	.....	1	1	3	4	1	9	14	8	22	39	62
7	Whooping cough	4,250	.....	2	2	11	15	36	91	186	328	631	476	1,067	841	907
8	Diphtheria and croup	993	5	4	4	10	23	21	23	25	92	84	82	180	207	348
9	Influenza	1,445	3	2	5	23	33	78	71	74	256	224	140	327	271	227
(12)	Dysentery	923	.....	.....	1	10	11	21	21	17	70	83	68	264	207	231
(12)	Erysipelas	824	.....	.....	1	13	14	51	105	108	278	188	99	128	95	36
(37)	Tetanus	329	1	3	5	91	100	172	21	11	304	11	3	4	2	5
13	Tuberculosis of the lungs	1,048	13	5	4	6	28	12	13	14	67	65	79	261	282	294
14	Tuberculous meningitis	1,282	.....	2	1	11	14	13	10	9	46	46	72	303	391	424
15	Other forms of tuberculosis	425	2	3	.....	3	8	9	13	18	48	45	58	106	95	73
(37)	Syphilis	2,242	183	58	62	141	444	195	162	121	922	400	245	382	171	122
17	Meningitis	1,480	2	2	11	38	53	40	41	29	163	126	121	347	414	309
(37)	Convulsions	1,822	77	82	144	330	633	202	114	86	1,035	165	120	259	133	110
19	Organic diseases of the heart	568	10	7	5	30	52	61	36	37	186	84	52	137	57	52
20	Acute bronchitis	3,864	16	14	32	124	186	239	305	224	954	610	418	797	648	437
22	Pneumonia	7,857	35	36	74	194	339	320	355	282	1,296	849	748	1,875	1,576	1,513
(23)	Bronchopneumonia	14,845	32	69	110	360	571	635	671	708	2,585	1,912	1,502	3,506	2,930	2,410
24	Diseases of the stomach	2,162	4	6	26	96	132	127	112	120	491	369	323	552	268	159
25	Diarrhea and enteritis	37,226	31	41	115	496	683	928	1,140	1,112	3,863	3,979	4,046	11,008	8,077	6,253
(33)	Malformations	10,980	2,329	1,112	1,000	1,888	6,329	1,162	646	442	8,579	787	418	663	346	187
(33)	Premature birth	34,704	17,078	4,352	2,403	3,705	27,538	3,107	1,600	946	33,191	929	286	236	43	19
(33,37)	Congenital debility	15,713	2,579	1,106	1,037	2,269	6,991	1,670	1,007	752	10,420	1,626	1,161	1,584	626	296
(37)	Injuries at birth	6,631	3,132	904	760	1,200	5,996	388	117	59	6,560	51	20	.....	.....	.....
35	External causes	2,352	133	67	63	107	370	112	82	100	664	282	210	503	323	370
38	Unknown or ill-defined diseases	5,781	841	356	300	631	2,128	541	335	267	3,271	687	464	816	318	225
	All other causes	8,761	136	121	179	577	1,013	715	563	391	2,682	963	718	1,767	1,450	1,181
	REGISTRATION STATES.[1]															
	All causes	157,487	24,962	7,738	5,885	11,456	50,041	10,102	7,176	5,705	73,024	14,160	11,062	25,236	18,517	15,488
5	Measles	2,194	21	10	.....	9	40	49	55	70	214	143	123	371	546	797
6	Scarlet fever	127	.....	.....	.....	1	1	2	4	.....	7	11	8	20	32	49
7	Whooping cough	4,030	.....	2	2	10	14	35	88	177	314	600	454	1,015	786	861
8	Diphtheria and croup	915	4	4	4	10	22	21	21	25	89	81	76	165	190	314
9	Influenza	1,371	3	2	5	22	32	78	68	70	248	211	131	309	256	216
(12)	Dysentery	847	.....	.....	1	9	10	19	18	16	63	78	63	245	190	208
(12)	Erysipelas	776	.....	.....	1	11	12	48	99	103	262	179	94	117	91	33
(37)	Tetanus	252	.....	1	4	71	76	128	16	7	227	11	3	4	2	5
13	Tuberculosis of the lungs	981	13	5	4	6	28	12	11	13	64	61	76	251	257	272
14	Tuberculous meningitis	1,192	.....	2	1	11	14	11	9	8	42	41	69	279	366	395
15	Other forms of tuberculosis	352	1	1	.....	2	4	4	7	15	30	35	43	89	86	69
(37)	Syphilis	1,984	162	54	55	127	398	177	147	104	826	352	209	336	153	108
17	Meningitis	1,377	2	2	11	37	52	39	40	28	159	117	115	316	382	288
(37)	Convulsions	1,748	72	78	135	317	602	200	106	83	991	159	115	248	129	106
19	Organic diseases of the heart	540	8	6	5	30	49	60	32	34	175	79	48	134	55	49
20	Acute bronchitis	3,555	15	13	30	115	173	227	284	206	890	563	393	741	581	387
22	Pneumonia	7,275	33	33	66	181	313	308	338	261	1,220	799	684	1,734	1,461	1,377
(23)	Bronchopneumonia	13,561	30	62	100	333	525	581	617	651	2,374	1,750	1,363	3,237	2,653	2,184
24	Diseases of the stomach	2,079	4	6	26	92	128	120	108	113	469	354	313	531	259	153
25	Diarrhea and enteritis	32,962	27	34	93	430	584	805	1,003	963	3,355	3,494	3,580	9,840	7,182	5,511
(33)	Malformations	10,236	2,165	1,025	932	1,773	5,895	1,087	612	419	8,013	735	396	608	315	169
(33)	Premature birth	32,390	16,045	4,033	2,244	3,414	25,736	2,878	1,489	870	30,973	876	259	222	41	19
(33,37)	Congenital debility	14,684	2,403	1,009	948	2,103	6,463	1,540	954	695	9,652	1,545	1,106	1,509	591	281
(37)	Injuries at birth	6,092	2,876	825	699	1,095	5,495	367	113	52	6,027	48	17	.....	.....	.....
35	External causes	2,235	126	64	59	101	350	106	81	96	633	269	202	480	302	349
38	Unknown or ill-defined diseases	5,598	825	351	291	607	2,074	521	330	257	3,182	664	446	784	303	219
	All other causes	8,134	127	116	169	539	951	679	526	369	2,525	905	676	1,651	1,308	1,069
	CITIES[2] IN REGISTRATION STATES.															
	All causes	79,683	11,979	3,926	2,953	5,465	24,323	4,657	3,481	2,727	35,188	6,970	5,608	13,318	10,233	8,366
5	Measles	840	1	1	.....	2	4	6	10	11	31	32	24	116	256	381
6	Scarlet fever	62	.....	.....	.....	.....	.....	1	2	.....	3	6	3	13	13	24
7	Whooping cough	1,642	.....	.....	2	4	6	11	18	60	95	205	159	397	383	403
8	Diphtheria and croup	461	.....	.....	1	1	2	3	6	6	17	23	23	74	110	214
9	Influenza	465	.....	.....	1	5	6	13	18	22	59	56	42	105	104	99
(12)	Dysentery	179	.....	.....	1	1	2	2	8	4	16	13	12	56	43	39
(12)	Erysipelas	473	.....	.....	.....	8	8	32	55	70	165	105	56	67	59	21
(37)	Tetanus	90	.....	.....	2	25	27	45	7	3	82	3	2	1	.....	2
13	Tuberculosis of the lungs	488	3	1	2	1	7	4	5	2	18	32	33	133	136	136
14	Tuberculous meningitis	761	.....	.....	.....	6	6	4	3	3	16	18	39	178	236	274
15	Other forms of tuberculosis	199	1	1	.....	1	3	1	3	8	15	19	26	52	43	44
(37)	Syphilis	1,363	121	37	41	92	291	129	100	77	597	248	140	220	92	66
17	Meningitis	725	1	.....	4	10	15	18	18	10	61	52	58	169	214	171
(37)	Convulsions	651	19	32	43	107	201	62	37	32	332	58	54	115	48	44
19	Organic diseases of the heart	231	2	.....	4	7	13	28	18	10	69	39	21	55	27	20
20	Acute bronchitis	2,108	8	5	19	56	88	123	160	124	495	345	236	451	364	217
22	Pneumonia	3,778	14	12	31	81	138	136	158	125	557	348	317	862	846	848
(23)	Bronchopneumonia	7,679	21	34	62	176	293	288	330	329	1,240	885	737	1,905	1,556	1,356
24	Diseases of the stomach	760	1	1	8	23	33	34	41	41	149	133	125	204	94	55
25	Diarrhea and enteritis	18,908	14	17	50	207	288	429	573	543	1,833	2,052	2,090	5,738	4,226	2,969
(33)	Malformations	5,229	1,048	522	466	906	2,942	551	299	217	4,009	389	224	346	175	86
(33)	Premature birth	16,205	7,705	2,130	1,212	1,706	12,753	1,446	781	440	15,420	485	150	122	20	8
(33,37)	Congenital debility	7,101	1,151	510	431	971	3,053	671	419	311	4,464	787	604	785	312	149
(37)	Injuries at birth	3,639	1,679	482	436	689	3,286	218	72	34	3,610	23	6	.....	.....	.....
35	External causes	1,015	59	35	24	38	156	44	32	40	272	113	91	223	145	171
38	Unknown or ill-defined diseases	542	65	41	32	47	185	32	26	19	262	65	47	95	41	32
	All other causes	4,089	66	65	81	295	507	326	282	186	1,301	436	289	836	690	537

[1] Includes District of Columbia.

[2] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY—Continued.															
	RURAL PART OF REGISTRATION STATES.															
	All causes	77,804	12,983	3,812	2,932	5,991	25,718	5,445	3,695	2,978	37,836	7,190	5,454	11,918	8,284	7,122
5	Measles	1,354	20	9	.....	7	36	43	45	59	183	111	99	255	290	416
6	Scarlet fever	65	.....	.....	.....	1	1	1	2	.....	4	5	5	7	19	25
7	Whooping cough	2,388	.....	2	.....	6	8	24	70	117	219	395	295	618	403	458
8	Diphtheria and croup	454	4	4	3	9	20	18	15	19	72	58	53	91	80	100
9	Influenza	906	3	2	4	17	26	65	50	48	189	155	89	204	152	117
(12)	Dysentery	668	.....	.....	.....	8	8	17	10	12	47	65	51	189	147	169
(12)	Erysipelas	303	.....	.....	1	3	4	16	44	33	97	74	38	50	32	12
(37)	Tetanus	162	.....	1	2	46	49	83	9	4	145	8	1	3	2	3
13	Tuberculosis of the lungs	493	10	4	2	5	21	8	6	11	46	29	43	118	121	136
14	Tuberculous meningitis	431	.....	2	1	5	8	7	6	5	26	23	30	101	130	121
15	Other forms of tuberculosis	153	.....	.....	.....	1	1	3	4	7	15	16	17	37	43	25
(37)	Syphilis	621	41	17	14	35	107	48	47	27	229	104	69	116	61	42
17	Meningitis	652	1	2	7	27	37	21	22	18	98	65	57	147	168	117
(37)	Convulsions	1,097	53	46	92	210	401	138	69	51	659	101	61	133	81	62
19	Organic diseases of the heart	303	6	6	1	23	36	32	14	24	106	40	27	79	28	29
20	Acute bronchitis	1,447	7	8	11	59	85	104	124	82	395	218	157	290	217	170
22	Pneumonia	3,497	19	21	35	100	175	172	180	136	663	451	367	872	615	529
(23)	Bronchopneumonia	5,882	9	28	38	157	232	293	287	322	1,134	865	626	1,332	1,097	828
24	Diseases of the stomach	1,319	3	5	18	69	95	86	67	72	320	221	188	327	165	98
25	Diarrhea and enteritis	14,054	13	17	43	223	296	376	430	420	1,522	1,442	1,490	4,102	2,956	2,542
(33)	Malformations	5,007	1,117	503	466	867	2,953	536	313	202	4,004	346	172	262	140	83
(33)	Premature birth	16,185	8,340	1,903	1,032	1,708	12,983	1,432	708	430	15,553	391	109	100	21	11
(33,37)	Congenital debility	7,583	1,252	499	517	1,132	3,400	869	535	384	5,188	758	502	724	279	132
(37)	Injuries at birth	2,453	1,197	343	263	406	2,209	149	41	18	2,417	25	11	.....	.....	.....
35	External causes	1,220	67	29	35	63	194	62	49	56	361	156	111	257	157	178
38	Unknown or ill-defined diseases	5,056	760	310	259	560	1,889	489	304	238	2,920	599	399	689	262	187
	All other causes	4,045	61	51	88	244	444	353	244	183	1,224	469	387	815	618	532
	REGISTRATION CITIES[1] IN NONREGISTRATION STATES.															
	All causes	13,537	1,703	626	459	919	3,707	809	541	507	5,564	1,202	1,004	2,251	1,892	1,624
5	Measles	169	2	.....	.....	1	3	4	4	3	14	9	6	22	53	65
6	Scarlet fever	27	.....	.....	.....	.....	.....	1	.....	1	2	3	.....	2	7	13
7	Whooping cough	220	.....	.....	.....	1	1	1	3	9	14	31	22	52	55	46
8	Diphtheria and croup	78	1	.....	.....	.....	1	.....	2	.....	3	3	6	15	17	34
9	Influenza	74	.....	.....	.....	1	1	.....	3	4	8	13	9	18	15	11
(12)	Dysentery	76	.....	.....	.....	1	1	2	3	1	7	5	5	19	17	23
(12)	Erysipelas	48	.....	.....	.....	2	2	3	6	5	16	9	5	11	4	3
(37)	Tetanus	77	1	2	1	20	24	44	5	4	77	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	67	.....	.....	.....	.....	.....	.....	2	1	3	4	3	10	25	22
14	Tuberculous meningitis	90	.....	.....	.....	.....	.....	2	1	1	4	5	3	24	25	29
15	Other forms of tuberculosis	73	1	2	.....	1	4	5	6	3	18	10	15	17	9	4
(37)	Syphilis	258	21	4	7	14	46	18	15	17	96	48	36	46	18	14
17	Meningitis	103	.....	.....	.....	1	1	1	1	1	4	9	6	31	32	21
(37)	Convulsions	74	5	4	9	13	31	2	8	3	44	6	5	11	4	4
19	Organic diseases of the heart	28	2	1	.....	.....	3	1	4	3	11	5	4	3	2	3
20	Acute bronchitis	309	1	1	2	9	13	12	21	18	64	47	25	56	67	50
22	Pneumonia	582	2	3	8	13	26	12	17	21	76	50	64	141	115	136
(23)	Bronchopneumonia	1,284	2	7	10	27	46	54	54	57	211	162	139	269	277	226
24	Diseases of the stomach	83	.....	.....	.....	4	4	7	4	7	22	15	10	21	9	6
25	Diarrhea and enteritis	4,264	4	7	22	66	99	123	137	149	508	485	466	1,168	895	742
(33)	Malformations	744	164	87	68	115	434	75	34	23	566	52	22	55	31	18
(33)	Premature birth	2,314	1,033	319	159	291	1,802	229	111	76	2,218	53	27	14	2	.....
(33,37)	Congenital debility	1,029	176	97	89	166	528	130	53	57	768	81	55	75	35	15
(37)	Injuries at birth	539	256	79	61	105	501	21	4	7	533	3	3	.....	.....	.....
35	External causes	117	7	3	4	6	20	6	1	4	31	13	8	23	21	21
38	Unknown or ill-defined diseases	183	16	5	9	24	54	20	5	10	89	23	18	32	15	6
	All other causes	627	9	5	10	38	62	36	37	22	157	58	42	116	142	112
	ALL REGISTRATION CITIES.[2]															
	All causes	93,220	13,682	4,552	3,412	6,384	28,030	5,466	4,022	3,234	40,752	8,172	6,612	15,569	12,125	9,990
5	Measles	1,009	3	1	.....	3	7	10	14	14	45	41	30	138	309	446
6	Scarlet fever	89	.....	.....	.....	.....	.....	2	2	1	5	9	3	15	20	37
7	Whooping cough	1,862	.....	.....	2	5	7	12	21	69	109	236	181	449	438	449
8	Diphtheria and croup	539	1	.....	1	1	3	3	8	6	20	26	29	89	127	248
9	Influenza	539	.....	.....	1	6	7	13	21	26	67	69	51	123	119	110
(12)	Dysentery	255	.....	.....	1	2	3	4	11	5	23	18	17	75	60	62
(12)	Erysipelas	521	.....	.....	.....	10	10	35	61	75	181	114	61	78	63	24
(37)	Tetanus	167	1	2	3	45	51	89	12	7	159	3	2	1	.....	2
13	Tuberculosis of the lungs	555	3	1	2	1	7	4	7	3	21	36	36	143	161	158
14	Tuberculous meningitis	851	.....	.....	.....	6	6	6	4	4	20	23	42	202	261	303
15	Other forms of tuberculosis	272	2	3	.....	2	7	6	9	11	33	29	41	69	52	48
(37)	Syphilis	1,621	142	41	48	106	337	147	115	94	693	296	176	266	110	80
17	Meningitis	828	1	.....	4	11	16	19	19	11	65	61	64	200	246	192
(37)	Convulsions	725	24	36	52	120	232	64	45	35	376	64	59	126	52	48
19	Organic diseases of the heart	259	4	1	4	7	16	29	22	13	80	44	25	58	29	23
20	Acute bronchitis	2,417	9	6	21	65	101	135	181	142	559	392	261	507	431	267
22	Pneumonia	4,360	16	15	39	94	164	148	175	146	633	398	381	1,003	961	984
(23)	Bronchopneumonia	8,963	23	41	72	203	339	342	384	386	1,451	1,047	876	2,174	1,833	1,582
24	Diseases of the stomach	843	1	1	8	27	37	41	45	48	171	148	135	225	103	61
25	Diarrhea and enteritis	23,172	18	24	72	273	387	552	710	692	2,341	2,537	2,556	6,906	5,121	3,711
(33)	Malformations	5,973	1,212	609	534	1,021	3,376	626	333	240	4,575	441	246	401	206	104
(33)	Premature birth	18,519	8,738	2,449	1,371	1,997	14,555	1,675	892	516	17,638	538	177	136	22	8
(33,37)	Congenital debility	8,130	1,327	607	520	1,137	3,591	801	472	368	5,232	868	659	860	347	164
(37)	Injuries at birth	4,178	1,935	561	497	794	3,787	239	76	41	4,143	26	9	.....	.....	.....
35	External causes	1,132	66	38	28	44	176	50	33	44	303	126	99	246	166	192
38	Unknown or ill-defined diseases	725	81	46	41	71	239	52	31	29	351	88	65	127	56	38
	All other causes	4,716	75	70	91	333	569	362	319	208	1,458	494	331	952	832	649

[1] A list of these cities will be found on p. 11.

[2] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES.															
	CALIFORNIA.															
	All causes	4,081	718	196	173	318	1,405	243	177	120	1,945	388	296	671	465	316
5	Measles	44								1	1	1	3	8	12	19
6	Scarlet fever															
7	Whooping cough	117		1		1	1	1	2	5	16	10	35	27	24	
8	Diphtheria and croup	14									1		3	2	8	
9	Influenza	32						2	1	1	4	7	3	3	9	6
(12)	Dysentery	28				1	1	1			2	4	3	10	4	5
(12)	Erysipelas	15							4	2	6	4		2	3	
(37)	Tetanus	7				4	4		1		5	1		1		
13	Tuberculosis of the lungs	33	1	1	2		4		1		5			11	12	5
14	Tuberculous meningitis	56		1		1	2	1			3	2	5	16	18	12
15	Other forms of tuberculosis	14						1	1	1	3		1	4	4	2
(37)	Syphilis	78	9	1	2	6	18	4	8	4	34	9	8	13	11	3
17	Meningitis	34			1		1	1	1	2	5	3	3	9	8	6
(37)	Convulsions	22		1	5	8	14			2	16	2	1	2	1	
19	Organic diseases of the heart	20				1	1	1	1		3	3	3	7	4	
20	Acute bronchitis	63	1			2	3	6	1	2	12	8	9	15	12	7
22	Pneumonia	176		2	1	6	9	6	10	5	30	23	15	50	34	24
(23)	Bronchopneumonia	356		1	6	8	15	15	13	19	62	65	43	90	65	31
24	Diseases of the stomach	56			1	4	5		5	2	12	12	8	12	8	4
25	Diarrhea and enteritis	843	1		3	19	23	28	30	20	101	109	108	250	168	107
(33)	Malformations	356	75	38	36	76	225	27	23	12	287	20	16	19	9	5
(33)	Premature birth	868	462	94	59	85	700	84	27	17	828	25	4	10	1	
(33,37)	Congenital debility	364	65	32	27	58	182	33	30	16	261	35	24	32	6	6
(37)	Injuries at birth	174	94	20	19	27	160	7	3	3	173	1				
35	External causes	82	4	3	4	2	13		3	1	17	8	9	20	16	12
38	Unknown or ill-defined diseases	3			1	1	2				2	1				
	All other causes	226	6	2	5	9	22	25	13	8	68	28	20	49	31	30
	COLORADO.															
	All causes	1,578	261	79	69	139	548	99	83	52	782	125	105	248	177	141
5	Measles	30		1			1	1	1	2	5	4	1	1	9	10
6	Scarlet fever	2												1	1	
7	Whooping cough	30		1			1				1	2	2	10	5	10
8	Diphtheria and croup	7								1	1	1		2	2	1
9	Influenza	30						1	4	4	9	6	1	7	3	4
(12)	Dysentery	11						1			1		1	3	5	1
(12)	Erysipelas	12							2	1	3		2	3	3	1
(37)	Tetanus	2				2	2				2					
13	Tuberculosis of the lungs	12	2				2				2	2			5	3
14	Tuberculous meningitis	10						1	1		2	1		3	2	2
15	Other forms of tuberculosis	2														2
(37)	Syphilis	30	1	1		1	3	1	5		9	10	3	5	2	1
17	Meningitis	12												6	3	3
(37)	Convulsions	4			1	2	3				3			1		
19	Organic diseases of the heart	11	1	1	1	1	4				4	2	1	1	1	2
20	Acute bronchitis	44						1	3	3	7	8	8	8	7	6
22	Pneumonia	47	1			2	3	3	1	1	8	11	3	8	7	10
(23)	Bronchopneumonia	195	2	1	1	6	10	8	7	12	37	19	18	57	38	26
24	Diseases of the stomach	25						1	2	1	4	3	8	6	3	1
25	Diarrhea and enteritis	266		1	1	3	5	6	7	5	23	25	30	85	61	42
(33)	Malformations	95	13	9	8	19	49	11	7	4	71	6	2	10	5	1
(33)	Premature birth	410	198	52	36	52	338	34	20	6	398	7	3	1	1	
(33,37)	Congenital debility	168	26	8	11	32	77	20	15	8	120	10	10	18	7	3
(37)	Injuries at birth	39	14	4	6	12	36	1	2		39					
35	External causes	20	1			1	2	2	1	1	6	2	4	2	3	3
38	Unknown or ill-defined diseases	2				2	2				2					
	All other causes	62	2		4	4	10	7	5	3	25	6	8	10	4	9
	CONNECTICUT.															
	All causes	3,514	522	201	106	232	1,061	226	186	130	1,603	321	228	595	427	340
5	Measles	42								2	2	1		4	13	22
6	Scarlet fever	2												1		1
7	Whooping cough	60							1	3	4	11	8	13	14	10
8	Diphtheria and croup	13										1	2		1	9
9	Influenza	32						2	2	2	6	1	5	5	10	5
(12)	Dysentery	12							1		1	2	1	3	1	4
(12)	Erysipelas	24						1	2	2	5	9	1	6	2	1
(37)	Tetanus	8				1	1	5		1	7		1			
13	Tuberculosis of the lungs	27	2			1	3		1		4	1		3	10	9
14	Tuberculous meningitis	49				1	1				1	2	2	13	10	21
15	Other forms of tuberculosis	8								1	1	1	3	1	2	
(37)	Syphilis	27	1	1	1	1	4	2	1	2	9	5	4	4	2	3
17	Meningitis	55	1		1	1	3	1	1		5	6	6	13	17	8
(37)	Convulsions	41		3	3	4	10	4	5	4	23	2	1	8	2	5
19	Organic diseases of the heart	5										1			1	3
20	Acute bronchitis	84				3	3	8	13	3	27	17	8	16	10	6
22	Pneumonia	173		1	2	4	7	7	8	8	30	14	13	53	29	34
(23)	Bronchopneumonia	310		2	2	11	15	15	19	8	57	38	31	75	66	43
24	Diseases of the stomach	34						4	2	2	8	6	6	11	3	
25	Diarrhea and enteritis	840	2	1		11	14	18	36	25	93	97	86	272	170	122
(33)	Malformations	219	48	15	14	31	108	24	16	11	159	17	14	16	9	4
(33)	Premature birth	651	303	110	48	61	522	61	29	22	634	8	3	4	2	
(33,37)	Congenital debility	327	61	24	12	51	148	37	22	16	223	37	22	29	12	4
(37)	Injuries at birth	209	96	38	19	31	184	15	4	1	204	4	1			
35	External causes	41	3	1	1	1	6	2	2	3	13	5	2	9	5	7
38	Unknown or ill-defined diseases	24	3	1		1	5	1	2	5	13	4		6	1	
	All other causes	197	2	4	3	18	27	19	19	9	74	31	8	30	35	19

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	INDIANA.															
	All causes	5,419	988	340	200	396	1,924	389	268	193	2,774	474	363	781	545	482
5	Measles	115				1	1	2	3	2	8	10	5	25	29	38
6	Scarlet fever	11										1	1	1	2	6
7	Whooping cough	150						1	6	8	15	35	15	31	26	28
8	Diphtheria and croup	12												2	2	8
9	Influenza	79						4	5	3	12	16	12	13	12	14
(12)	Dysentery	29						2	3		5	1	3	6	7	7
(12)	Erysipelas	20						4	3	1	8	5	2	2	2	1
(37)	Tetanus	3			1		1	2			3					
13	Tuberculosis of the lungs	35											3	9	8	15
14	Tuberculous meningitis	39				1	1	1			2	2	3	12	11	9
15	Other forms of tuberculosis	15							1	1	2		4	3	5	1
(37)	Syphilis	72	9	1	3	4	17	6	3	4	30	10	7	11	7	7
17	Meningitis	32				1	1			2	3	3	2	10	8	6
(37)	Convulsions	22	2	2	1	6	11	4	3		18	2		1		1
19	Organic diseases of the heart	17	1				1	3		1	5	1	2	6	2	1
20	Acute bronchitis	99	2	1	1	8	12	9	11	3	35	22	2	24	8	8
22	Pneumonia	248	1	3	4	9	17	14	16	10	57	34	26	50	39	42
(23)	Bronchopneumonia	442		7	6	17	30	22	17	28	97	64	59	97	67	58
24	Diseases of the stomach	91		1		6	7	6	5	5	23	15	19	22	5	7
25	Diarrhea and enteritis	1,138	1	2	2	14	19	33	38	35	125	129	123	337	238	186
(33)	Malformations	548	136	76	47	93	352	55	29	26	462	35	16	19	10	6
(33)	Premature birth	1,271	661	165	72	116	1,014	122	69	27	1,232	20	7	11	1	
(33, 37)	Congenital debility	389	74	33	33	61	201	64	29	12	306	31	14	27	9	2
(37)	Injuries at birth	199	93	35	18	31	177	9	6	4	196	3				
35	External causes	93	4	5	4	5	18	4	4	4	30	12	13	18	12	8
38	Unknown or ill-defined diseases	7	1	1	1	1	4		1	1	6			1		
	All other causes	243	3	8	7	22	40	22	16	16	94	23	25	43	35	23
	KANSAS.															
	All causes	2,991	628	170	139	266	1,203	225	134	98	1,658	266	186	397	258	226
5	Measles	42								1	1	3	3	15	8	12
6	Scarlet fever	5											1		2	2
7	Whooping cough	70						1		2	3	18	8	19	9	13
8	Diphtheria and croup	10						1	1		2	2		2	2	2
9	Influenza	54						3	7		10	10	10	9	7	8
(12)	Dysentery	16			1		1	1	1		3		1	7	2	3
(12)	Erysipelas	11			1		1		2	2	5	2	2	1		1
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	5												2	2	1
14	Tuberculous meningitis	6												2	2	2
15	Other forms of tuberculosis	3							1		1				1	1
(37)	Syphilis	22	2	1	1	2	6	3	1	2	12	2	2	5	1	
17	Meningitis	16			1		1	1			2	1	3	5	3	2
(37)	Convulsions	26	1	3	4	5	13	4	3	2	22	3			1	
19	Organic diseases of the heart	11	1			1	2	1			3	1	1	3	1	2
20	Acute bronchitis	38							6	5	11	8	5	6	5	3
22	Pneumonia	168	1	3	3	3	10	15	8	6	39	18	22	45	23	21
(23)	Bronchopneumonia	220		1	2	14	17	6	12	13	48	36	30	43	35	28
24	Diseases of the stomach	60		1	3	3	7	4		11	22	7	6	11	9	5
25	Diarrhea and enteritis	467	2	1	3	10	16	15	19	14	64	46	38	137	94	88
(33)	Malformations	245	69	23	27	45	164	20	12	7	203	15	9	9	7	2
(33)	Premature birth	706	397	92	31	74	594	54	26	15	689	13	2	1		1
(33, 37)	Congenital debility	373	89	21	32	63	205	48	17	9	279	31	19	24	13	7
(37)	Injuries at birth	106	41	10	18	21	90	11	3	1	105		1			
35	External causes	50	3		3	4	10	1	3	1	15	8	7	12	4	4
38	Unknown or ill-defined diseases	87	19	10	5	11	45	10	2	2	59	12	4	5	5	2
	All other causes	173	3	4	4	10	21	25	10	3	59	30	12	34	22	16
	KENTUCKY (TOTAL).															
	All causes	5,371	966	271	200	367	1,804	401	266	198	2,669	447	359	818	547	531
5	Measles	190	7	1			8	9	7	11	35	19	8	32	44	52
6	Scarlet fever	3														3
7	Whooping cough	226				1	1	6	7	14	28	33	35	53	35	42
8	Diphtheria and croup	67	1	1	1		3	4	1	4	12	9	12	13	9	12
9	Influenza	50	2				2	3	5	4	14	11	2	14	7	2
(12)	Dysentery	50				1	1	2			3	1	1	16	9	20
(12)	Erysipelas	22						1	6	2	9	4	3	2	4	
(37)	Tetanus	16		1		4	5	6		1	12	2				2
13	Tuberculosis of the lungs	59	2				2	1	1	1	5	6	3	17	13	15
14	Tuberculous meningitis	60				2	2	2	1	1	6	3	7	11	20	13
15	Other forms of tuberculosis	19						1		2	3		1	6	7	2
(37)	Syphilis	35	2	4	1	2	9	3	2	2	16	6	2	6	4	1
17	Meningitis	102		1	3	1	5	4	4	3	16	10	10	29	23	14
(37)	Convulsions	52	5	1	6	15	27	9	5	1	42	1	1	5		3
19	Organic diseases of the heart	17	2			1	3	1	2		6	1	3	5	1	1
20	Acute bronchitis	77		1	2	5	8	9	4	6	27	8	11	13	12	6
22	Pneumonia	217	2	2	2	3	9	14	13	8	44	29	18	56	38	32
(23)	Bronchopneumonia	320			3	6	9	24	13	19	65	44	31	69	52	59
24	Diseases of the stomach	109			1	5	6	5	13	6	30	15	16	29	13	6
25	Diarrhea and enteritis	808	1		4	10	15	16	21	22	74	74	77	261	154	168
(33)	Malformations	199	56	19	15	41	131	18	14	7	170	11	7	6	4	1
(33)	Premature birth	1,343	692	159	88	136	1,075	123	67	32	1,297	32	6	6	1	1
(33, 37)	Congenital debility	431	65	36	29	58	188	50	37	24	299	45	34	31	15	7
(37)	Injuries at birth	101	48	13	15	13	89	7	4		100		1			
35	External causes	89	6	2	3	4	15	6	3	1	25	7	8	18	16	15
38	Unknown or ill-defined diseases	472	69	28	21	48	166	58	29	21	274	50	37	67	25	19
	All other causes	237	6	2	6	11	25	19	7	6	57	26	25	53	41	35

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	KENTUCKY (WHITE).															
	All causes	4,697	892	231	177	328	1,628	363	230	179	2,400	400	307	683	453	454
5	Measles	167	7				7	9	7	10	33	17	8	29	37	43
6	Scarlet fever	3														3
7	Whooping cough	201				1	1	5	7	14	27	32	31	47	30	34
8	Diphtheria and croup	62	1	1	1		3	4	1	4	12	8	11	12	8	11
9	Influenza	46	2				2	3	5	4	14	10	2	13	6	1
(12)	Dysentery	43						2			2	1		16	8	16
(12)	Erysipelas	20						1	6	2	9	3	2	2	4	
(37)	Tetanus	14				4	4	6		1	11	1				2
13	Tuberculosis of the lungs	46	2				2	1	1	1	5	6	2	13	11	9
14	Tuberculous meningitis	52				2	2	2	1	1	6	3	5	11	16	11
15	Other forms of tuberculosis	17						1		1	2		1	5	7	2
(37)	Syphilis	21	1	2		1	4	2		2	8	5	1	4	2	1
17	Meningitis	93		1	3	1	5	3	3	3	14	9	10	24	22	14
(37)	Convulsions	40	5	1	5	13	24	6	4	1	35	1		3		1
19	Organic diseases of the heart	16	2			1	3	1	2		6	1	3	5		1
20	Acute bronchitis	62		1	1	4	6	8	4	6	24	7	8	6	12	5
22	Pneumonia	173	2	2	2	2	8	13	11	5	37	24	14	40	30	28
(23)	Bronchopneumonia	255			3	6	9	20	10	17	56	39	26	50	33	51
24	Diseases of the stomach	94			1	5	6	4	12	4	26	13	15	27	9	4
25	Diarrhea and enteritis	689	1		3	6	10	12	15	18	55	65	66	225	131	147
(33)	Malformations	185	51	17	14	39	121	18	13	7	159	11	6	5	3	1
(33)	Premature birth	1,211	638	133	79	123	973	112	56	31	1,172	27	5	5	1	1
(33,37)	Congenital debility	392	61	32	26	51	170	46	33	22	271	44	30	27	13	7
(37)	Injuries at birth	96	46	13	13	12	84	7	4		95		1			
35	External causes	75	3	2	3	4	12	6	3	1	22	6	6	15	12	14
38	Unknown or ill-defined diseases	422	64	24	19	45	152	54	25	19	250	45	32	57	21	17
	All other causes	202	6	2	4	8	20	17	7	5	49	22	22	42	37	30
	KENTUCKY (COLORED).															
	All causes	674	74	40	23	39	176	38	36	19	269	47	52	135	94	77
5	Measles	23		1			1			1	2	2		3	7	9
6	Scarlet fever															
7	Whooping cough	25						1			1	1	4	6	5	3
8	Diphtheria and croup	5										1	1	1	1	1
9	Influenza	4										1		1	1	1
(12)	Dysentery	7				1	1				1		1		1	4
(12)	Erysipelas	2										1	1			
(37)	Tetanus	2		1			1				1	1				
13	Tuberculosis of the lungs	13											1	4	2	6
14	Tuberculous meningitis	8											2		4	2
15	Other forms of tuberculosis	2								1	1			1		
(37)	Syphilis	14	1	2	1	1	5	1	2		8	1	1	2	2	
17	Meningitis	9						1	1		2	1		5	1	
(37)	Convulsions	12			1	2	3	3	1		7		1	2		2
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	15			1	1	2	1			3	1	3	7		1
22	Pneumonia	44				1	1	1	2	3	7	5	4	16	8	4
(23)	Bronchopneumonia	65						4	3	2	9	5	5	19	19	8
24	Diseases of the stomach	15						1	1	2	4	2	1	2	4	2
25	Diarrhea and enteritis	119			1	4	5	4	6	4	19	9	11	36	23	21
(33)	Malformations	14	5	2	1	2	10		1		11		1	1	1	
(33)	Premature birth	132	54	26	9	13	102	11	11	1	125	5	1	1		
(33,37)	Congenital debility	39	4	4	3	7	18	4	4	2	28	1	4	4	2	
(37)	Injuries at birth	5	2		2	1	5				5					
35	External causes	14	3				3				3	1	2	3	4	1
38	Unknown or ill-defined diseases	50	5	4	2	3	14	4	4	2	24	5	5	10	4	2
	All other causes	35			2	3	5	2		1	8	4	3	11	4	5
	MAINE.															
	All causes	1,553	172	137	78	117	504	92	78	61	735	159	132	256	158	113
5	Measles	46	1				1		1	1	3	2	2	9	12	18
6	Scarlet fever															
7	Whooping cough	25								2	2	5	3	6	7	2
8	Diphtheria and croup	6						1			1		2	2	1	
9	Influenza	30			2		2	1	1	1	5	7	2	5	5	6
(12)	Dysentery	1												1		
(12)	Erysipelas	5							1	1	2	2			1	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	6										1		2	2	1
14	Tuberculous meningitis	16						1		1	2		2	2	6	4
15	Other forms of tuberculosis	3			1	1					2		1			
(37)	Syphilis	17	2	2	2		6			1	6	4	2	4	1	
17	Meningitis	13									1	1	2	2	5	2
(37)	Convulsions	16		1	2	3	6	2	1	1	10	1	1	2	2	
19	Organic diseases of the heart	9		1			1			1	2		2	4	1	
20	Acute bronchitis	45		1		1	2	4	4	3	13	5	6	9	5	7
22	Pneumonia	91		1	1	1	3	6	7	3	19	8	13	21	14	16
(23)	Bronchopneumonia	144				1	1	3	5	9	18	28	19	41	23	15
24	Diseases of the stomach	29						2			2	5	7	13	2	
25	Diarrhea and enteritis	238		2	2	1	5	4	7	5	21	37	31	74	45	30
(33)	Malformations	75	19	5	11	9	44	5	4	2	55	6	4	8	2	
(33)	Premature birth	309	92	78	33	33	236	22	22	14	294	10	5			
(33,37)	Congenital debility	199	31	23	12	32	98	18	12	10	138	21	15	21	3	1
(37)	Injuries at birth	69	24	16	7	15	62	5	1		68		1			
35	External causes	12			1		1				1	1	1	2	2	5
38	Unknown or ill-defined diseases	67	3	6	4	11	24	5	7	2	38	5	4	12	7	1
	All other causes	81		1	1	9	11	12	5	3	31	10	7	16	12	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MARYLAND (TOTAL).															
	All causes	4,071	624	156	136	212	1,128	220	146	113	1,607	370	304	774	582	434
5	Measles	25								1	1		4	6	6	8
6	Scarlet fever	1														1
7	Whooping cough	77							2		2	11	6	26	16	16
8	Diphtheria and croup	18				1	1				1		1	4	2	10
9	Influenza	15								1	1	1	3	1	5	4
(12)	Dysentery	7								1	1		1	2	2	1
(12)	Erysipelas	8						1			1	2	2	2	1	
(37)	Tetanus	10				3	3	6			9	1				
13	Tuberculosis of the lungs	23										1	3	11	4	4
14	Tuberculous meningitis	13												3	4	6
15	Other forms of tuberculosis	9										1	1	3	3	1
(37)	Syphilis	75	10	3	5	2	20	8	1	2	31	16	7	9	8	4
17	Meningitis	24				1	1		1		2	4	2	6	6	4
(37)	Convulsions	54	4	4	5	10	23	8	3	2	36	4	2	7	4	1
19	Organic diseases of the heart	17			1	1	2	2			4	2	2	7		2
20	Acute bronchitis	118	1			3	4	5	8	6	23	13	15	35	18	14
22	Pneumonia	178	1			1	2	9	11	7	29	13	16	42	45	33
(23)	Bronchopneumonia	412	1	1	2	8	12	11	9	15	47	47	50	117	80	71
24	Diseases of the stomach	37			2	1	3	1	2		6	5	8	5	9	4
25	Diarrhea and enteritis	1,113	2		1	5	8	14	12	18	52	102	103	356	293	207
(33)	Malformations	230	41	34	14	27	116	23	17	5	161	23	8	26	9	3
(33)	Premature birth	742	391	72	60	63	586	61	32	21	700	28	6	6	1	1
(33,37)	Congenital debility	436	76	23	25	53	177	40	31	13	261	52	36	54	23	10
(37)	Injuries at birth	121	75	11	11	13	110	2	4	3	119	2				
35	External causes	35	1	3	2		6	3		1	10	4	3	9	3	6
38	Unknown or ill-defined diseases	124	18	5	5	14	42	14	4	8	68	12	14	18	11	1
	All other causes	149	3		3	6	12	12	9	9	42	26	11	19	29	22
	MARYLAND (WHITE).															
	All causes	2,776	479	118	92	147	836	149	110	70	1,165	240	178	498	395	300
5	Measles	19								1	1		2	3	6	7
6	Scarlet fever	1														1
7	Whooping cough	47							1		1	8	4	10	13	11
8	Diphtheria and croup	15				1	1				1			3	2	9
9	Influenza	8								1	1	1	3		1	2
(12)	Dysentery	5								1	1			1	2	1
(12)	Erysipelas	7						1			1	2	2	1	1	
(37)	Tetanus	5						4			4	1				
13	Tuberculosis of the lungs	8										1	1	2	2	2
14	Tuberculous meningitis	12												3	3	6
15	Other forms of tuberculosis	7										1	1	3	1	1
(37)	Syphilis	36	3	2	2	2	9	2	1		12	11	3	4	4	2
17	Meningitis	21				1	1		1		2	4	2	4	5	4
(37)	Convulsions	33	1	3	4	6	14	5	2	1	22	2	2	4	2	1
19	Organic diseases of the heart	15			1	1	2	2			4	2	2	6		1
20	Acute bronchitis	71	1			2	3	2	6	4	15	9	11	18	11	7
22	Pneumonia	103				1	1	7	6	4	18	11	7	22	26	19
(23)	Bronchopneumonia	241	1	1		5	7	6	9	12	34	24	26	72	40	45
24	Diseases of the stomach	23			1		1		2		3	1	5	4	7	3
25	Diarrhea and enteritis	792	1		1	3	5	12	11	10	38	67	61	247	224	155
(33)	Malformations	179	35	27	9	22	93	17	15	2	127	16	7	21	6	2
(33)	Premature birth	568	313	56	40	44	453	45	24	17	539	19	4	4	1	1
(33,37)	Congenital debility	303	56	19	19	38	132	26	19	5	182	33	26	42	16	4
(37)	Injuries at birth	96	58	7	9	11	85	2	4	3	94	2				
35	External causes	23	1	2	2		5	1		1	7	2	2	6	3	3
38	Unknown or ill-defined diseases	38	7	1	2	6	16	8	1		25	4	3	5		1
	All other causes	100	2		2	4	8	9	8	8	33	19	4	13	19	12
	MARYLAND (COLORED).															
	All causes	1,295	145	38	44	65	292	71	36	43	442	130	126	276	187	134
5	Measles	6											2	3		1
6	Scarlet fever															
7	Whooping cough	30							1		1	3	2	16	3	5
8	Diphtheria and croup	3											1	1		1
9	Influenza	7												1	4	2
(12)	Dysentery	2											1	1		
(12)	Erysipelas	1												1		
(37)	Tetanus	5				3	3	2			5					
13	Tuberculosis of the lungs	15											2	9	2	2
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis	2													2	
(37)	Syphilis	39	7	1	3		11	6		2	19	5	4	5	4	2
17	Meningitis	3												2	1	
(37)	Convulsions	21	3	1	1	4	9	3	1	1	14	2		3	2	
19	Organic diseases of the heart	2												1		1
20	Acute bronchitis	47				1	1	3	2	2	8	4	4	17	7	7
22	Pneumonia	75	1				1	2	5	3	11	2	9	20	19	14
(23)	Bronchopneumonia	171			2	3	5	5		3	13	23	24	45	40	26
24	Diseases of the stomach	14			1	1	2	1			3	4	3	1	2	1
25	Diarrhea and enteritis	321	1			2	3	2	1	8	14	35	42	109	69	52
(33)	Malformations	51	6	7	5	5	23	6	2	3	34	7	1	5	3	1
(33)	Premature birth	174	78	16	20	19	133	16	8	4	161	9	2	2		
(33,37)	Congenital debility	133	20	4	6	15	45	14	12	8	79	19	10	12	7	6
(37)	Injuries at birth	25	17	4	2	2	25				25					
35	External causes	12		1			1	2			3	2	1	3		3
38	Unknown or ill-defined diseases	86	11	4	3	8	26	6	3	8	43	8	11	13	11	
	All other causes	49	1		1	2	4	3	1	1	9	7	7	6	10	10

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MASSACHUSETTS.															
	All causes	9,369	1,328	475	349	633	2,785	504	406	361	4,056	887	713	1,590	1.159	964
5	Measles	106							2	1	3	1	1	13	37	51
6	Scarlet fever	2													1	1
7	Whooping cough	143							3	8	11	12	16	35	37	32
8	Diphtheria and croup	56				1	1			1	2	3	3	10	10	28
9	Influenza	60						2	4	5	11	12	5	10	14	8
(12)	Dysentery	16							1	1	2	3	1	6	1	3
(12)	Erysipelas	80				1	1	4	10	13	28	22	8	11	7	4
(37)	Tetanus	5						2		1	3		2			
13	Tuberculosis of the lungs	66				1	1				1	5	6	20	12	22
14	Tuberculous meningitis	98				2	2	3			5	3	5	20	34	31
15	Other forms of tuberculosis	23								1	1	1	1	4	9	7
(37)	Syphilis	126	7			6	13	15	6	10	44	27	15	21	9	10
17	Meningitis	78			1	2	3	3	2	3	11	6	15	15	13	18
(37)	Convulsions	73	1	3	9	8	21	3	4	2	30	8	7	14	3	11
19	Organic diseases of the heart	33			1	1	2	3	2	2	9	7	4	6	4	3
20	Acute bronchitis	231				1	1	6	22	9	38	33	35	40	51	34
22	Pneumonia	420			3	8	11	5	13	16	45	47	29	110	87	102
(23)	Bronchopneumonia	840	1	1	3	17	22	17	42	29	110	91	78	222	183	156
24	Diseases of the stomach	80	1		1	4	6	3	3	4	16	18	15	15	12	4
25	Diarrhea and enteritis	2.304	1			22	23	40	74	72	209	279	280	710	505	321
(33)	Malformations	679	124	70	57	109	360	65	38	36	499	70	34	49	18	9
(33)	Premature birth	1,781	792	250	145	183	1,370	157	89	76	1,692	50	21	17	1	
(33, 37)	Congenital debility	804	148	51	52	119	370	83	47	27	527	89	66	91	20	11
(37)	Injuries at birth	496	226	76	58	90	450	33	7	3	493	3				
35	External causes	139	6	4	2	6	18	6	3	9	36	21	20	25	12	25
38	Unknown or ill-defined diseases	93	11	8	3	6	28	2	4	4	38	11	7	21	10	6
	All other causes	537	10	12	14	46	82	52	30	28	192	65	39	105	69	67
	MICHIGAN.															
	All causes	7,877	1,338	421	320	606	2,685	554	382	305	3,926	664	542	1,228	861	656
5	Measles	65							1		1	2	2	10	15	35
6	Scarlet fever	21							1		1	4	1	3	9	3
7	Whooping cough	231						3	4	11	18	28	24	59	66	36
8	Diphtheria and croup	28							1		1	5		8	6	8
9	Influenza	55				1	1	5	1	1	8	8	7	11	11	10
(12)	Dysentery	11						1	1		2		1	2	2	4
(12)	Erysipelas	39				1	1	1	3	7	12	11	8	3	5	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	35	1		1		2		1		3	1	4	10	10	7
14	Tuberculous meningitis	38								1	1		1	12	8	16
15	Other forms of tuberculosis	8												2	3	3
(37)	Syphilis	87	7	1	2	11	21	9	9	5	44	8	7	19	7	2
17	Meningitis	71			2	1	3	5	6		14	5	5	12	21	14
(37)	Convulsions	147	6	4	14	23	47	20	6	9	82	12	15	19	10	9
19	Organic diseases of the heart	47				2	2	7	5	3	17	8	6	9	3	4
20	Acute bronchitis	262		1	1	9	11	19	15	14	59	45	23	53	52	30
22	Pneumonia	392	3	1	1	7	12	20	15	14	61	42	44	96	88	61
(23)	Bronchopneumonia	629		3	9	11	23	26	30	40	119	72	69	158	118	93
24	Diseases of the stomach	157	1		1	11	13	8	7	10	38	32	20	35	19	13
25	Diarrhea and enteritis	1,406	2		6	20	28	50	44	55	177	164	161	432	269	203
(33)	Malformations	533	115	64	64	76	319	56	37	13	425	32	25	28	16	7
(33)	Premature birth	1,764	903	231	116	173	1,423	141	78	46	1,688	48	14	12	1	1
(33, 37)	Congenital debility	856	136	59	54	139	388	109	57	48	602	75	53	85	28	13
(37)	Injuries at birth	298	135	43	28	72	278	9	10		297	1				
35	External causes	123	2	2	3	6	13	7	6	5	31	15	6	28	19	24
38	Unknown or ill-defined diseases	84	17	7	9	9	42	10	1	5	58	5	4	12	3	2
	All other causes	489	10	5	9	34	58	47	43	18	166	41	42	110	72	58
	MINNESOTA.															
	All causes	3,694	894	192	167	322	1.575	319	162	135	2,191	294	218	447	292	252
5	Measles	39	2				2	2	1		5	2	1	4	15	12
6	Scarlet fever	3										2				1
7	Whooping cough	61						1	4	5	10	6	13	13	7	12
8	Diphtheria and croup	10						1			1			1	2	6
9	Influenza	33						1	1	1	3	8	1	12	5	4
(12)	Dysentery	11						1			1		2	3	1	4
(12)	Erysipelas	17				1	1	2	2	3	8	1	2	1	4	1
(37)	Tetanus	8				3	3	3	2		8					
13	Tuberculosis of the lungs	17											1	7	5	4
14	Tuberculous meningitis	26											1	6	8	11
15	Other forms of tuberculosis	3												1	1	1
(37)	Syphilis	41	2	1		5	8	3	2	5	18	8	6	3	2	4
17	Meningitis	44				7	7				7	7	4	7	14	5
(37)	Convulsions	61	3	3	3	9	18	5	5	5	33	3	3	13	4	5
19	Organic diseases of the heart	7							1	1	2	2		2		1
20	Acute bronchitis	50	1		2	2	5	2	3	6	16	9	8	8	8	1
22	Pneumonia	122			2	5	7	9	4	6	26	15	13	21	24	23
(23)	Bronchopneumonia	358	1	1	6	14	22	19	12	23	76	53	37	83	60	49
24	Diseases of the stomach	38		1	1	1	3	2	4	1	10	9	4	12		3
* 25	Diarrhea and enteritis	480			2	16	18	31	20	17	86	73	56	137	68	60
(33)	Malformations	338	74	27	31	55	187	39	25	12	263	21	10	23	12	9
(33)	Premature birth	1,047	639	95	59	77	870	89	37	16	1,012	17	9	9		
(33, 37)	Congenital debility	381	65	34	41	54	194	55	24	16	289	32	24	20	10	6
(37)	Injuries at birth	164	86	17	7	37	147	13	1	2	163	1				
35	External causes	59	2	1	2	4	9	3	3	4	19	6	2	16	10	6
38	Unknown or ill-defined diseases	66	15	10	7	15	47	8		3	58	5	2	1		
	All other causes	210	4	2	4	17	27	30	11	9	77	14	19	44	32	24

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION STATES—Continued.															
	MISSOURI.															
	All causes	5,975	1,023	294	232	450	1,999	441	268	229	2,937	524	416	855	647	596
5	Measles	141	1	2		2	5	8	6	6	25	7	8	19	36	46
6	Scarlet fever	9										1	1	2	2	3
7	Whooping cough	175			1	1	2	1	5	15	23	31	27	31	20	43
8	Diphtheria and croup	37							1	3	4	5	2	9	4	13
9	Influenza	97	1		2	1	4	4	3	7	18	16	11	25	13	14
(12)	Dysentery	41				1	1		1	2	4	5	1	12	7	12
(12)	Erysipelas	23						1	4	4	9	4	1	6	3	
(37)	Tetanus	20			2	6	8	8	2	1	19	1				
13	Tuberculosis of the lungs	55		1		1	2	1		1	4	4	2	14	15	16
14	Tuberculous meningitis	49						1	1		2	3	2	16	10	16
15	Other forms of tuberculosis	13										2	3	5	1	2
(37)	Syphilis	78	6	5	3	2	16	9	1	7	33	16	6	12	6	5
17	Meningitis	62						3	1	2	6	5	6	15	16	14
(37)	Convulsions	29	2	3	4	9	18	3	2		23	2		1	1	2
19	Organic diseases of the heart	17		1			1	4	2	1	8	2	3	2	1	1
20	Acute bronchitis	125	2	1	1	1	5	12	12	4	33	20	16	20	17	19
22	Pneumonia	282	2	1	3	6	12	18	12	12	54	38	28	54	58	50
(23)	Bronchopneumonia	519	3	1	3	16	23	31	34	23	111	74	62	101	83	88
24	Diseases of the stomach	62				2	2	6	6	1	15	17	6	13	8	3
25	Diarrhea and enteritis	1,103	2	1	5	21	29	23	34	34	120	120	124	317	238	184
(33)	Malformations	367	84	37	32	72	225	39	19	14	297	21	11	22	12	4
(33)	Premature birth	1,302	710	141	81	128	1,060	120	70	24	1,254	27	6	14	1	
(33,37)	Congenital debility	448	72	38	36	84	230	65	29	27	351	33	25	24	12	3
(37)	Injuries at birth	206	82	34	35	28	179	16	4	5	204	1	1			
35	External causes	67	4	1	1	2	8	5	1	6	20	7	3	16	10	11
38	Unknown or ill-defined diseases	285	44	22	14	45	125	39	17	14	195	17	27	31	7	8
	All other causes	363	8	5	9	22	44	24	21	16	105	45	34	74	66	39
	MONTANA.															
	All causes	1,090	196	60	51	107	414	71	59	35	579	96	67	171	100	77
5	Measles	9							1	1	2			2	2	3
6	Scarlet fever	5											2		1	2
7	Whooping cough	25							2		2	4	1	6	7	5
8	Diphtheria and croup	1														1
9	Influenza	5										1		2	1	1
(12)	Dysentery	3											1	2		
(12)	Erysipelas	7								1	1	2	1	2	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	8								2	2	1	1	2	1	1
14	Tuberculous meningitis	11							1	1	2	1		1	3	4
15	Other forms of tuberculosis															
(37)	Syphilis	12	1				1	1	1		3	1	1	6	1	
17	Meningitis	8												4	4	
(37)	Convulsions	13			3	4	7	2	1		10	1		1	1	
19	Organic diseases of the heart	6		1		1	2		1	1	4	1		1		
20	Acute bronchitis	18		1			1			1	2	4	1	5	4	2
22	Pneumonia	43		1	1	3	5	2	3	2	12	6	8	10	2	5
(23)	Bronchopneumonia	107		2		2	4	7	7	3	21	18	11	23	20	14
24	Diseases of the stomach	11				1	1	1			2	2	3	3	1	
25	Diarrhea and enteritis	180			3	7	10	4	12	6	32	22	16	60	31	19
(33)	Malformations	101	34	12	11	14	71	9	5	2	87	5	2	7		
(33)	Premature birth	241	117	26	18	35	196	14	13	7	230	6	1	4		
(33,37)	Congenital debility	113	18	6	7	19	50	12	6	5	73	11	11	9	5	4
(37)	Injuries at birth	49	20	7	3	13	43	5	1		49					
35	External causes	16	1		1	1	3	1	1	1	6	1		3	3	3
38	Unknown or ill-defined diseases	46	4	3	4	3	14	4	2	1	21	6	3	8	4	4
	All other causes	52	1	1		4	6	9	2	1	18	3	4	10	8	9
	NEW HAMPSHIRE.															
	All causes	1,049	152	66	36	75	329	60	35	37	461	94	102	181	97	114
5	Measles	18								1	1	1	3		3	10
6	Scarlet fever	1						1			1					
7	Whooping cough	36							1		1	3	5	10	5	12
8	Diphtheria and croup	4														4
9	Influenza	18				1	1			2	3	1	7	2	2	3
(12)	Dysentery	2												1	1	
(12)	Erysipelas	1						1			1					
(37)	Tetanus															
13	Tuberculosis of the lungs	6				1	1				1		1	2	1	1
14	Tuberculous meningitis	11											1	5	2	3
15	Other forms of tuberculosis															
(37)	Syphilis	5						1	1	1	3	2				
17	Meningitis	10				1	1				1	1	1		3	4
(37)	Convulsions	7			1	1	2	1			3		1	2		1
19	Organic diseases of the heart	3												1	1	1
20	Acute bronchitis	33								3	3	4	6	12	3	5
22	Pneumonia	39			1		1	1	1	1	4	1	1	17	9	7
(23)	Bronchopneumonia	60				1	1	4	3		8	5	9	12	13	13
24	Diseases of the stomach	17						1	2		3	3	5	6		
25	Diarrhea and enteritis	218			1	2	3	5	3	7	18	16	37	74	42	31
(33)	Malformations	70	13	9	4	11	37	8	3	5	53	8	3	4		2
(33)	Premature birth	247	109	40	15	25	189	23	10	6	228	15	1	3		
(33,37)	Congenital debility	132	10	9	6	17	42	10	9	6	67	25	13	20	5	2
(37)	Injuries at birth	41	17	6	6	9	38	2			40	1				
35	External causes	10			1	1	2				2	3	1	2	2	
38	Unknown or ill-defined diseases	7	1		1	1	3				3	1	2	1		
	All other causes	53	2	2		4	8	2	2	5	17	4	5	7	5	15

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	NEW JERSEY.															
	All causes	7,554	1,010	311	282	525	2,128	470	356	297	3,251	659	563	1,284	963	834
5	Measles	49							3		3	2	4	9	12	19
6	Scarlet fever	5						1			1	1		1	1	1
7	Whooping cough	149							2	4	6	24	19	40	29	31
8	Diphtheria and croup	27												4	9	14
9	Influenza	48						3	2	4	9	3	4	16	12	4
(12)	Dysentery	11							1	1	2		1	4	3	1
(12)	Erysipelas	27				1	1	4	6	4	15	4	3	2	2	1
(37)	Tetanus	12			1	2	3	7			10	1				1
13	Tuberculosis of the lungs	37		1			1		1	1	3	4	7	6	5	12
14	Tuberculous meningitis	66										4	2	15	19	26
15	Other forms of tuberculosis	17										2	2	6	4	3
(37)	Syphilis	71	1	4	2	6	13	9	7	4	33	17	6	12	2	1
17	Meningitis	66				2	2	1	3	2	8	5	3	18	15	17
(37)	Convulsions	58	2		4	8	14	8	3	2	27	8	5	6	7	5
19	Organic diseases of the heart	27				1	1	2	3	3	9	4		11	2	1
20	Acute bronchitis	225			5	8	13	14	23	21	71	31	25	45	28	25
22	Pneumonia	466	2	1	5	13	21	13	31	13	78	40	44	104	87	113
(23)	Bronchopneumonia	676	1	7	5	17	30	34	27	29	120	89	63	147	131	126
24	Diseases of the stomach	76		1		8	9	2	3	5	19	15	11	19	8	4
25	Diarrhea and enteritis	2,083	2	2	5	26	35	48	65	74	222	214	232	611	460	344
(33)	Malformations	574	113	49	62	99	323	76	30	27	456	37	24	28	17	12
(33)	Premature birth	1,434	620	170	107	186	1,083	128	90	47	1,348	60	11	11	3	1
(33, 37)	Congenital debility	593	103	36	39	72	250	61	24	35	370	52	54	76	29	12
(37)	Injuries at birth	292	149	31	34	49	263	27	1	1	292					
35	External causes	91	8	1	3	6	18	1	5	5	29	11	7	20	11	13
38	Unknown or ill-defined diseases	26	4	3	3	5	15	1	1		17	2	1	3	2	1
	All other causes	348	5	5	7	16	33	30	25	15	103	29	35	70	65	46
	NEW YORK.															
	All causes	22,474	3,702	991	793	1,512	6,998	1,214	999	792	10,003	2,002	1,572	3,623	2,891	2,383
5	Measles	238	1				1	1	2		4	6	6	25	81	116
6	Scarlet fever	10							1		1		1	2	1	5
7	Whooping cough	482				2	2	3	3	16	24	68	47	125	102	116
8	Diphtheria and croup	168						1	1	3	5	4	8	21	51	79
9	Influenza	156			1	3	4	8	3	7	22	19	13	33	36	33
(12)	Dysentery	30							1	1	2		2	11	8	7
(12)	Erysipelas	174				1	1	11	20	27	59	39	24	25	20	7
(37)	Tetanus	18				5	5	9	2	1	17					1
13	Tuberculosis of the lungs	121						3	2		5	3	7	27	35	44
14	Tuberculous meningitis	210				3	3			2	5	6	8	40	68	83
15	Other forms of tuberculosis	32								2	2	2	3	9	12	4
(37)	Syphilis	378	38	13	7	27	85	26	28	13	152	74	47	56	25	24
17	Meningitis	153		1		5	6	3	5	1	15	10	10	31	58	29
(37)	Convulsions	129	7	4	12	19	42	10	7	6	65	13	12	21	7	11
19	Organic diseases of the heart	74	1	1	1	2	5	7	4	3	19	14	5	15	9	12
20	Acute bronchitis	738	2	2	5	31	40	50	71	50	211	134	74	151	105	63
22	Pneumonia	958	6	1	5	15	27	29	31	30	117	82	86	198	230	245
(23)	Bronchopneumonia	2,321	3	7	13	43	66	92	115	122	395	264	216	551	468	427
24	Diseases of the stomach	169	1		4	6	11	9	8	12	40	33	28	39	22	7
25	Diarrhea and enteritis	5,074	2	2	14	34	52	96	138	136	422	552	571	1,575	1,152	802
(33)	Malformations	1,472	332	115	99	269	815	154	79	64	1,112	114	66	98	53	29
(33)	Premature birth	4,594	2,259	546	334	473	3,612	389	241	133	4,375	128	45	33	9	4
(33, 37)	Congenital debility	2,093	342	135	115	267	859	168	130	88	1,245	285	186	232	100	45
(37)	Injuries at birth	1,269	655	134	155	217	1,161	59	23	12	1,255	12	2			
35	External causes	298	20	12	6	8	46	11	14	14	85	32	28	64	40	49
38	Unknown or ill-defined diseases	50	13	5	3	11	32	3	4	2	41	3	2	4		
	All other causes	1,065	20	13	19	71	123	72	66	47	308	105	75	237	199	141
	NORTH CAROLINA (TOTAL).															
	All causes	7,601	1,115	330	250	542	2,237	487	298	265	3,287	732	540	1,293	876	873
5	Measles	210	6	1		3	10	8	7	11	36	17	21	42	38	56
6	Scarlet fever	3														3
7	Whooping cough	324		1			1	2	10	16	29	54	41	80	60	60
8	Diphtheria and croup	79			2	3	5	3	3	3	14	8	16	17	14	10
9	Influenza	49		1		3	4	6	5	1	16	1	4	10	11	7
(12)	Dysentery	146				2	2	2	3	5	12	7	12	38	35	42
(12)	Erysipelas	25						1	1	1	3	6	2	6	6	2
(37)	Tetanus	34				10	10	21	1	1	33				1	
13	Tuberculosis of the lungs	28							1	1	2	3	3	2	6	12
14	Tuberculous meningitis	19										2		8	5	4
15	Other forms of tuberculosis	7										2		4	1	
(37)	Syphilis	54				3	3	3	8	3	17	9	7	14	6	1
17	Meningitis	61						1	2	2	5	9	7	13	18	9
(37)	Convulsions	89	3	2	8	20	33	15	6	2	56	5	7	14	7	
19	Organic diseases of the heart	17						1		2	3	2	2	5	4	1
20	Acute bronchitis	77	1		3	2	6	3	6	1	16	11	14	17	10	9
22	Pneumonia	299	2	2	2	16	22	17	6	4	49	35	34	88	42	51
(23)	Bronchopneumonia	369	1	3	2	8	14	16	12	12	54	33	39	92	89	62
24	Diseases of the stomach	116			2		2	6	3	7	18	21	14	37	16	10
25	Diarrhea and enteritis	1,279	1		2	9	12	24	13	24	73	93	102	344	306	361
(33)	Malformations	225	39	20	16	32	107	26	11	9	153	22	8	23	8	11
(33)	Premature birth	1,255	620	143	71	155	989	114	51	29	1,183	35	21	14	1	1
(33, 37)	Congenital debility	639	112	34	44	86	276	56	37	29	398	73	44	75	32	17
(37)	Injuries at birth	125	55	21	13	19	108	13		1	122	2	1			
35	External causes	128	9	2	3	6	20	6	4	7	37	19	10	25	16	21
38	Unknown or ill-defined diseases	1,533	261	97	81	142	581	113	87	79	860	207	101	228	84	53
	All other causes	411	5	3	1	23	32	30	21	15	98	56	11	97	60	70

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	NORTH CAROLINA (WHITE).															
	All causes	4,481	798	209	167	294	1,468	282	174	159	2,083	424	302	687	483	502
5	Measles	132	6	1	.....	2	9	5	6	8	28	10	10	22	25	37
6	Scarlet fever	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
7	Whooping cough	188	.....	1	.....	.....	1	1	9	15	26	34	26	38	31	33
8	Diphtheria and croup	52	.....	.....	1	1	2	3	2	2	9	3	9	13	10	8
9	Influenza	28	.....	.....	.....	2	2	5	3	.....	10	1	2	5	6	4
(12)	Dysentery	59	.....	.....	.....	1	1	.....	.....	1	2	2	4	15	16	20
(12)	Erysipelas	19	.....	.....	.....	.....	.....	.....	1	1	2	5	2	4	4	2
(37)	Tetanus	8	.....	.....	.....	2	2	4	.....	1	7	.....	.....	.....	1	.....
13	Tuberculosis of the lungs	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	1	3	4
14	Tuberculous meningitis	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	4	5	2
15	Other forms of tuberculosis	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	.....	.....
(37)	Syphilis	11	.....	.....	.....	.....	.....	.....	1	.....	1	2	2	5	.....	1
17	Meningitis	50	.....	.....	.....	.....	1	2	2	5	8	6	9	13	9	
(37)	Convulsions	38	.....	2	6	11	19	6	2	2	29	1	3	4	1	.....
19	Organic diseases of the heart	11	.....	.....	.....	.....	.....	1	.....	1	2	2	1	3	2	1
20	Acute bronchitis	33	.....	.....	.....	1	1	1	5	.....	7	5	10	6	4	1
22	Pneumonia	125	.....	2	2	6	10	11	4	2	27	20	14	23	19	22
(23)	Bronchopneumonia	207	1	3	2	3	9	9	9	10	37	18	23	52	44	33
24	Diseases of the stomach	73	.....	.....	1	.....	1	3	2	5	11	13	7	26	9	7
25	Diarrhea and enteritis	781	.....	.....	.....	4	4	14	5	10	33	54	65	197	196	236
(33)	Malformations	187	35	14	14	25	88	21	8	8	125	20	6	20	6	10
(33)	Premature birth	926	497	95	49	94	735	80	36	19	870	28	13	14	1	.....
(33, 37)	Congenital debility	379	71	19	27	48	165	35	18	19	237	48	25	44	15	10
(37)	Injuries at birth	100	43	14	13	14	84	12	.....	1	97	2	1	.....	.....	.....
35	External causes	64	4	.....	2	2	8	3	1	3	15	9	3	15	13	9
38	Unknown or ill-defined diseases	759	138	56	49	65	308	50	46	40	444	105	56	114	28	12
	All other causes	217	3	2	1	13	19	17	14	9	59	27	12	50	31	38
	NORTH CAROLINA (COLORED).															
	All causes	3,120	317	121	83	248	769	205	124	106	1,204	308	238	606	393	371
5	Measles	78	.....	.....	.....	1	1	3	1	3	8	7	11	20	13	19
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	136	.....	.....	.....	.....	.....	1	1	1	3	20	15	42	29	27
8	Diphtheria and croup	27	.....	.....	1	2	3	.....	1	1	5	5	7	4	4	2
9	Influenza	21	.....	1	.....	1	2	1	2	1	6	.....	2	5	5	3
(12)	Dysentery	87	.....	.....	.....	1	1	2	3	4	10	5	8	23	19	22
(12)	Erysipelas	6	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	2	2	.....
(37)	Tetanus	26	.....	.....	.....	8	8	17	1	.....	26	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	15	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	1	3	8
14	Tuberculous meningitis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	2
15	Other forms of tuberculosis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....
(37)	Syphilis	43	.....	.....	.....	3	3	3	7	3	16	7	5	9	6	.....
17	Meningitis	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	5	.....
(37)	Convulsions	51	3	.....	2	9	14	9	4	.....	27	4	4	10	6	.....
19	Organic diseases of the heart	6	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	2	.....
20	Acute bronchitis	44	1	.....	3	1	5	2	1	1	9	6	4	11	6	8
22	Pneumonia	174	2	.....	.....	10	12	6	2	2	22	15	20	65	23	29
(23)	Bronchopneumonia	162	.....	.....	.....	5	5	7	3	2	17	15	16	40	45	29
24	Diseases of the stomach	43	.....	.....	1	.....	1	3	1	2	7	8	7	11	7	3
25	Diarrhea and enteritis	498	1	.....	2	5	8	10	8	14	40	39	37	147	110	125
(33)	Malformations	38	4	6	2	7	19	5	3	1	28	2	2	3	2	1
(33)	Premature birth	329	123	48	22	61	254	34	15	10	313	7	8	.....	.....	1
(33, 37)	Congenital debility	260	41	15	17	38	111	21	19	10	161	25	19	31	17	7
(37)	Injuries at birth	25	12	7	.....	5	24	1	.....	.....	25	.....	.....	.....	.....	.....
35	External causes	64	5	2	1	4	12	3	3	4	22	10	7	10	3	12
38	Unknown or ill-defined diseases	774	123	41	32	77	273	63	41	39	416	102	45	114	56	41
	All other causes	194	2	1	.....	10	13	13	7	6	39	29	18	47	29	32
	OHIO.															
	All causes	11,140	1,749	557	465	890	3,661	756	496	408	5,321	932	680	1,684	1,411	1,112
5	Measles	126	.....	.....	.....	.....	.....	.....	3	6	9	6	11	19	36	45
6	Scarlet fever	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	6
7	Whooping cough	312	.....	.....	.....	1	1	2	3	11	17	54	24	61	76	80
8	Diphtheria and croup	46	.....	.....	.....	.....	.....	.....	2	.....	2	3	4	6	14	17
9	Influenza	84	.....	.....	.....	1	1	8	4	4	17	12	3	20	18	14
(12)	Dysentery	17	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	3	6	2
(12)	Erysipelas	55	.....	.....	.....	2	2	5	5	5	17	15	2	14	5	2
(37)	Tetanus	11	.....	.....	.....	4	4	5	1	.....	10	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	59	1	.....	.....	.....	1	.....	1	.....	2	2	5	17	16	17
14	Tuberculous meningitis	71	.....	.....	.....	.....	.....	.....	1	.....	1	3	1	18	23	25
15	Other forms of tuberculosis	34	.....	.....	.....	.....	.....	.....	.....	3	3	5	4	9	7	6
(37)	Syphilis	141	13	2	6	14	35	15	13	12	75	24	13	16	8	5
17	Meningitis	106	.....	.....	.....	5	5	1	5	.....	11	9	6	26	26	28
(37)	Convulsions	121	3	5	11	34	53	7	8	6	74	14	4	14	9	6
19	Organic diseases of the heart	22	.....	.....	.....	1	1	4	3	.....	8	1	1	8	1	3
20	Acute bronchitis	202	.....	.....	3	9	12	9	12	9	42	27	13	52	42	26
22	Pneumonia	485	1	2	5	14	22	28	26	24	100	50	39	112	104	80
(23)	Bronchopneumonia	991	2	3	8	28	41	44	48	56	189	137	81	205	213	166
24	Diseases of the stomach	186	.....	1	2	6	9	8	6	12	35	22	28	50	29	12
25	Diarrhea and enteritis	2,426	.....	4	6	29	39	55	80	65	239	233	236	701	572	445
(33)	Malformations	900	163	93	95	175	526	106	50	37	719	57	35	37	38	14
(33)	Premature birth	2,295	1,146	284	166	259	1,855	209	86	53	2,203	60	21	8	2	1
(33, 37)	Congenital debility	944	135	57	61	125	378	125	69	54	626	88	72	103	39	16
(37)	Injuries at birth	533	231	74	70	99	474	41	10	6	531	2	.....	.....	.....	.....
35	External causes	163	6	5	4	12	27	7	8	4	46	21	16	40	19	21
38	Unknown or ill-defined diseases	245	40	19	16	28	103	21	14	7	145	18	18	40	12	12
	All other causes	553	8	8	12	44	72	56	38	33	199	55	40	103	93	63

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	PENNSYLVANIA.															
	All causes	24,703	3,188	1,095	855	1,638	6,776	1,533	1,149	944	10,402	2,253	1,823	4,401	3,263	2,561
5	Measles	162		2		2	4	3	3	4	14	5	2	24	41	76
6	Scarlet fever	10				1	1		2		3		1	4		2
7	Whooping cough	502				3	3		9	24	36	67	48	144	94	113
8	Diphtheria and croup	122						2	2	4	8	13	4	21	28	48
9	Influenza	189				4	4	5	9	10	28	31	19	44	38	29
(12)	Dysentery	38						1		1	2	5	3	12	10	6
(12)	Erysipelas	104				2	2	8	9	16	35	25	14	14	12	4
(37)	Tetanus	13				2	2	9	1		12			1		
13	Tuberculosis of the lungs	160	1	1	1		3	4		5	12	13	13	39	43	40
14	Tuberculous meningitis	196		1	1		2		2	2	6	6	15	47	60	62
15	Other forms of tuberculosis	104				1	1	1	4	3	9	14	16	28	12	25
(37)	Syphilis	296	28	7	12	16	63	34	33	16	146	46	26	52	20	6
17	Meningitis	216				6	6	8	4	5	23	11	18	51	58	55
(37)	Convulsions	320	15	18	14	44	91	20	17	21	155	30	30	54	30	21
19	Organic diseases of the heart	100		1	1	8	10	26	4	11	45	18	2	20	12	3
20	Acute bronchitis	608	1		4	15	20	39	44	34	137	90	64	136	106	75
22	Pneumonia	1,231	3	5	11	30	49	43	60	42	194	144	113	305	265	210
(23)	Bronchopneumonia	2,599	8	16	19	64	107	118	118	117	460	320	245	658	513	403
24	Diseases of the stomach	308		1	5	15	21	26	11	15	73	47	49	72	41	26
25	Diarrhea and enteritis	6,726	4	8	12	86	110	194	241	211	756	698	734	1,992	1,483	1,063
(33)	Malformations	1,788	360	180	174	313	1,027	213	122	80	1,442	120	57	94	49	26
(33)	Premature birth	4,332	2,078	541	316	448	3,383	421	198	118	4,120	139	31	32	4	6
(33, 37)	Congenital debility	1,998	275	153	131	296	855	197	124	112	1,288	208	164	225	83	30
(37)	Injuries at birth	852	369	121	103	178	771	47	17	3	838	8	6			
35	External causes	306	13	10	8	14	45	18	7	9	79	30	29	60	44	64
38	Unknown or ill-defined diseases	220	20	9	14	22	65	19	14	13	111	19	24	33	22	11
	All other causes	1,203	13	21	29	68	131	77	94	68	370	146	97	242	191	157
	RHODE ISLAND.															
	All causes	1,644	242	92	62	96	492	94	56	65	707	149	134	272	225	157
5	Measles	21										2	1	6	5	7
6	Scarlet fever															
7	Whooping cough	27						2	1	2	5	1	2	5	11	3
8	Diphtheria and croup	11											1	2	2	6
9	Influenza	10										2	1	1	2	4
(12)	Dysentery	4										2			1	1
(12)	Erysipelas	8							1	1	2	3		2	1	
(37)	Tetanus	2						2			2					
13	Tuberculosis of the lungs	14										1	2	2	6	3
14	Tuberculous meningitis	17											1	2	8	6
15	Other forms of tuberculosis	7		1			1				1	1			2	3
(37)	Syphilis	20	2		1		3	1			4	6	3	2	4	1
17	Meningitis	21						1			1	1	1	5	7	6
(37)	Convulsions	17						1			1	6	2	5	3	
19	Organic diseases of the heart	3				1	1				1				1	1
20	Acute bronchitis	68			1	3	4	9	3	7	23	7	10	10	15	3
22	Pneumonia	86			1		1	1	5	6	13	9	9	18	22	15
(23)	Bronchopneumonia	151	1	1			2	4	10	8	24	16	8	40	34	29
24	Diseases of the stomach	16								1	1	2	2	5	5	1
25	Diarrhea and enteritis	298			1	3	4	6	7	4	21	36	36	101	63	41
(33)	Malformations	96	15	8	8	15	46	14	4	5	69	7	7	6	6	1
(33)	Premature birth	297	136	51	20	31	238	27	7	10	282	9	4	2		
(33, 37)	Congenital debility	233	19	12	13	21	65	13	9	17	104	30	36	38	15	10
(37)	Injuries at birth	127	68	19	14	16	117	8	2		127					
35	External causes	14										3		4	4	3
38	Unknown or ill-defined diseases	11			1		1	1	2		4	1	1	4	1	
	All other causes	65	1		2	6	9	4	5	4	22	4	7	12	7	13
	SOUTH CAROLINA (TOTAL).															
	All causes	5,385	766	295	198	486	1,745	376	235	164	2,520	518	339	824	584	600
5	Measles	131		2			2	7	6	6	21	11	10	29	23	37
6	Scarlet fever	2													1	1
7	Whooping cough	101						2	3	4	9	14	5	35	16	22
8	Diphtheria and croup	49		3	1	2	6	2	1		9	11	8	9	7	5
9	Influenza	72				2	2	5	3	3	13	10	5	23	10	11
(12)	Dysentery	217				2	2	5	4	3	14	30	12	58	50	53
(12)	Erysipelas	10						1	1	2	4	1	2		1	2
(37)	Tetanus	37				12	12	18	2	1	33	3			1	
13	Tuberculosis of the lungs	28	1				1	1			2	2		7	7	10
14	Tuberculous meningitis	13											3	1	5	4
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	83	2	4	1	4	11	5	4	4	24	16	9	15	8	11
17	Meningitis	21	1				1			1	2	3		6	5	5
(37)	Convulsions	107	3	4	2	22	31	19	8	4	62	9	5	12	13	6
19	Organic diseases of the heart	11						1			1	2	2	6		
20	Acute bronchitis	40		1	2	3			4	1	8	6	4	10	8	4
22	Pneumonia	313	3	1	4	5	13	11	13	11	48	39	36	82	51	57
(23)	Bronchopneumonia	197	1	1	2	5	8	9	6	8	31	28	18	47	42	31
24	Diseases of the stomach	116	1		1	8	10	5	6	6	27	15	13	29	16	16
25	Diarrhea and enteritis	769	2	5	4	20	31	17	16	21	85	73	60	201	165	185
(33)	Malformations	104	22	9	7	14	52	9	7	1	69	11	6	8	3	7
(33)	Premature birth	1,436	595	196	122	232	1,145	133	69	39	1,386	34	10	4	2	
(33, 37)	Congenital debility	690	85	33	33	91	242	60	41	23	366	92	62	91	52	27
(37)	Injuries at birth	58	21	15	6	12	54	3		1	58					
35	External causes	80	3	3	2	2	10	7	3	3	23	11	4	21	10	11
38	Unknown or ill-defined diseases	342	24	17	6	29	76	39	21	10	146	48	36	54	24	34
	All other causes	357	3	2	6	22	33	17	17	12	79	49	29	76	63	61

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	SOUTH CAROLINA (WHITE).															
	All causes	1,828	343	90	62	124	619	120	91	56	886	170	111	255	165	241
5	Measles	49		1			1	2	1	2	6	4	3	11	5	20
6	Scarlet fever	1														1
7	Whooping cough	16							1		1	3	1	5		6
8	Diphtheria and croup	15		1		1	2	1			3	3	2	3	1	3
9	Influenza	17							1		1	3	1	8	1	3
(12)	Dysentery	64						1	1	2	4	4	4	17	18	17
(12)	Erysipelas	9						1	1	2	4	1	2		1	1
(37)	Tetanus	10				4	4	4	1	1	10					
13	Tuberculosis of the lungs	6	1				1				1			1	2	2
14	Tuberculous meningitis	9											2	1	3	3
15	Other forms of tuberculosis															
(37)	Syphilis	11						2		1	3	4	1	1	1	1
17	Meningitis	15								1	1	2		5	3	4
(37)	Convulsions	16			1	3	4	1	3	2	10	1		3		2
19	Organic diseases of the heart	5										2	1	2		
20	Acute bronchitis	20							3	1	4	5	2	4	2	3
22	Pneumonia	83			2	2	4	2	5	6	17	12	11	15	10	18
(23)	Bronchopneumonia	89		1	1	3	5	4	4	5	18	18	8	16	14	15
24	Diseases of the stomach	30				2	2		3	2	7	4	6	5	2	6
25	Diarrhea and enteritis	321				4	4	3	5	5	17	28	25	83	73	95
(33)	Malformations	75	18	6	5	7	36	7	6	1	50	10	3	4	1	7
(33)	Premature birth	530	270	55	38	53	416	53	26	13	508	15	4	2	1	
(33, 37)	Congenital debility	196	33	9	8	23	73	22	16	5	116	22	15	26	11	6
(37)	Injuries at birth	39	14	11	4	8	37	2			39					
35	External causes	22			1	1	2	1	1	1	5	3	3	8	2	1
38	Unknown or ill-defined diseases	91	6	6	1	7	20	8	6	5	39	18	11	15	3	5
	All other causes	89	1		1	6	8	6	7	1	22	8	6	20	11	22
	SOUTH CAROLINA (COLORED).															
	All causes	3,557	423	205	136	362	1,126	256	144	108	1,634	348	228	569	419	359
5	Measles	82		1			1	5	5	4	15	7	7	18	18	17
6	Scarlet fever	1													1	
7	Whooping cough	85						2	2	4	8	11	4	30	16	16
8	Diphtheria and croup	34		2	1	1	4	1	1		6	8	6	6	6	2
9	Influenza	55				2	2	5	2	3	12	7	4	15	9	8
(12)	Dysentery	153				2	2	4	3	1	10	26	8	41	32	36
(12)	Erysipelas	1														1
(37)	Tetanus	27				8	8	14	1		23	3			1	
13	Tuberculosis of the lungs	22						1			1	2		6	5	8
14	Tuberculous meningitis	4											1		2	1
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	72	2	4	1	4	11	3	4	3	21	12	8	14	7	10
17	Meningitis	6	1				1				1	1		1	2	1
(37)	Convulsions	91	3	4	1	19	27	18	5	2	52	8	5	9	13	4
19	Organic diseases of the heart	6						1			1		1	4		
20	Acute bronchitis	20			1	2	3		1		4	1	2	6	6	1
22	Pneumonia	230	3	1	2	3	9	9	8	5	31	27	25	67	41	39
(23)	Bronchopneumonia	108			1	2	3	5	2	3	13	10	10	31	28	16
24	Diseases of the stomach	86	1		1	6	8	5	3	4	20	11	7	24	14	10
25	Diarrhea and enteritis	448	2	5	4	16	27	14	11	16	68	45	35	118	92	90
(33)	Malformations	29	4	3	2	7	16	2	1		19	1	3	4	2	
(33)	Premature birth	906	325	141	84	179	729	80	43	26	878	19	6	2	1	
(33, 37)	Congenital debility	494	52	24	25	68	169	38	25	18	250	70	47	65	41	21
(37)	Injuries at birth	19	7	4	2	4	17	1		1	19					
35	External causes	58	3	3	1	1	8	6	2	2	18	8	1	13	8	10
38	Unknown or ill-defined diseases	251	18	11	5	22	56	31	15	5	107	30	25	39	21	29
	All other causes	268	2	2	5	16	25	11	10	11	57	41	23	56	52	39
	TENNESSEE (TOTAL).															
	All causes	4,874	725	242	149	364	1,480	309	260	194	2,243	486	384	741	517	503
5	Measles	147	1	1		1	3	5	6	4	18	18	14	25	26	46
6	Scarlet fever	3													1	2
7	Whooping cough	218						2	10	13	25	30	34	47	26	56
8	Diphtheria and croup	72	2			2	4	4	3	2	13	8	7	17	11	16
9	Influenza	37				3	3	5	2	2	12	4	4	9	2	6
(12)	Dysentery	68				1	1				1	5	5	20	17	20
(12)	Erysipelas	16				1	1		2	1	4	2	4	4	1	1
(37)	Tetanus	12				5	5	5	1		11			1		
13	Tuberculosis of the lungs	63	2	1		1	4	2			6	9	7	13	15	13
14	Tuberculous meningitis	29				1	1	1	2		4		5	5	9	6
15	Other forms of tuberculosis	19										2	3	3	7	4
(37)	Syphilis	57	1	2	1	6	10	5	3	3	21	5	7	15	7	2
17	Meningitis	48				2	2	1	2	2	7	4	6	9	7	15
(37)	Convulsions	52	1	3	5	6	15	9	3	3	30	7	1	3	3	3
19	Organic diseases of the heart	22				3	3	1	1	2	7	4		5	2	4
20	Acute bronchitis	54	1	1		1	3	1	5	2	11	12	5	11	8	7
22	Pneumonia	219	1	4	1	5	11	11	14	5	41	30	19	50	41	38
(23)	Bronchopneumonia	237	1		2	9	12	6	9	11	38	30	28	64	49	28
24	Diseases of the stomach	81				3	3	5	5	3	16	15	9	24	10	7
25	Diarrhea and enteritis	611		1	1	12	14	14	21	21	70	65	56	155	139	126
(33)	Malformations	172	46	18	16	29	109	12	13	7	141	10	3	11	3	4
(33)	Premature birth	787	414	111	41	91	657	52	34	19	762	15	7	3		
(33, 37)	Congenital debility	434	66	41	20	61	188	42	43	34	307	34	24	35	22	12
(37)	Injuries at birth	72	34	8	9	10	61	5	1		67	4	1			
35	External causes	99	13	3	4	3	23	4	4	8	39	14	10	15	12	9
38	Unknown or ill-defined diseases	968	139	45	43	95	322	95	60	47	524	133	103	130	43	35
	All other causes	277	3	3	6	13	25	22	16	5	68	26	22	62	56	43

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	TENNESSEE (WHITE).															
	All causes	3,627	597	173	112	278	1,160	227	218	152	1,757	371	267	521	345	366
5	Measles	117	1	1		1	3	4	5	3	15	16	13	19	17	37
6	Scarlet fever	2														2
7	Whooping cough	160						2	9	13	24	27	25	32	14	38
8	Diphtheria and croup	56	2			2	4	3	3	1	11	6	4	13	8	14
9	Influenza	31				3	3	5	2	2	12	4	3	6	1	5
(12)	Dysentery	45										3	4	13	12	13
(12)	Erysipelas	14				1	1		2	1	4	1	3	4	1	1
(37)	Tetanus	9				4	4	4	1		9					
13	Tuberculosis of the lungs	14	2			1	3	1			4	6	4	10	12	8
14	Tuberculous meningitis	24				1	1		2		3		4	5	7	5
15	Other forms of tuberculosis	14										2	2	2	4	4
(37)	Syphilis	27				6	6	4	2	1	13	3	2	7	1	1
17	Meningitis	45				1	1	1	2	2	6	4	6	8	6	15
(37)	Convulsions	32	1	2	4	3	10	7	1	2	20	5	1	4	1	1
19	Organic diseases of the heart	20				2	2	1	1	2	6	4		4	2	4
20	Acute bronchitis	42	1	1			2	1	5	1	9	9	4	8	6	6
22	Pneumonia	136	1	3	1	4	9	9	9	3	30	16	12	30	29	19
(23)	Bronchopneumonia	164	1			6	7	5	9	10	31	25	17	41	30	20
24	Diseases of the stomach	69				3	3	5	4	2	14	14	8	22	5	6
25	Diarrhea and enteritis	465		1	1	6	8	10	15	13	46	55	43	119	104	98
(33)	Malformations	159	42	14	16	27	99	11	13	7	130	10	3	10	3	3
(33)	Premature birth	638	353	82	28	68	531	43	29	18	621	10	5	2		
(33,37)	Congenital debility	321	51	28	16	47	142	25	34	27	228	29	15	26	16	7
(37)	Injuries at birth	51	24	7	7	9	47	2	1		50	1				
35	External causes	66	9	2	3	3	17	2	2	5	26	10	8	10	6	6
38	Unknown or ill-defined diseases	675	107	29	31	71	238	65	52	34	389	93	67	78	26	22
	All other causes	201	2	3	5	9	19	17	15	5	56	18	14	48	34	31
	TENNESSEE (COLORED).															
	All causes	1,247	128	69	37	86	320	82	42	42	486	115	117	220	172	137
5	Measles	30						1	1	1	3	2	1	6	9	9
6	Scarlet fever	1													1	
7	Whooping cough	58							1		1	3	9	15	12	18
8	Diphtheria and croup	16						1		1	2	2	3	4	3	2
9	Influenza	6											1	3	1	1
(12)	Dysentery	23				1	1				1	2	1	7	5	7
(12)	Erysipelas	2										1	1			
(37)	Tetanus	3				1	1	1			2			1		
13	Tuberculosis of the lungs	19		1			1	1			2	3	3	3	3	5
14	Tuberculous meningitis	5						1			1		1		2	1
15	Other forms of tuberculosis	5											1	1	3	
(37)	Syphilis	30	1	2	1		4	1	1	2	8	2	5	8	6	1
17	Meningitis	3				1	1				1			1	1	
(37)	Convulsions	20		1	1	3	5	2	2	1	10	2		4	2	2
19	Organic diseases of the heart	2				1	1				1			1		
20	Acute bronchitis	12				1	1			1	2	3	1	3	2	1
22	Pneumonia	83		1		1	2	2	5	2	11	14	7	20	12	19
(23)	Bronchopneumonia	73			2	3	5	1		1	7	5	11	23	19	8
24	Diseases of the stomach	12							1	1	2	1	1	2	5	1
25	Diarrhea and enteritis	146				6	6	4	6	8	24	10	13	36	35	28
(33)	Malformations	13	4	4		2	10	1			11			1		1
(33)	Premature birth	149	61	29	13	23	126	9	5	1	141	5	2	1		
(33,37)	Congenital debility	113	15	13	4	14	46	17	9	7	79	5	9	9	6	5
(37)	Injuries at birth	21	10	1	2	1	14	3			17	3	1			
35	External causes	33	4	1	1		6	2	2	3	13	4	2	5	6	3
38	Unknown or ill-defined diseases	293	32	16	12	24	84	30	8	13	135	40	36	52	17	13
	All other causes	76	1		1	4	6	5	1		12	8	8	14	22	12
	UTAH.															
	All causes	946	243	41	32	72	388	65	58	42	553	92	45	100	89	67
5	Measles	23								2	2	4	2	3	5	7
6	Scarlet fever	1													1	
7	Whooping cough	7												4	2	1
8	Diphtheria and croup															
9	Influenza	17				1	1	2	1	1	5	6	1	2	2	1
(12)	Dysentery	2											1		1	
(12)	Erysipelas	12							3		3		3	2	4	
(37)	Tetanus															
13	Tuberculosis of the lungs															3
14	Tuberculous meningitis	3														
15	Other forms of tuberculosis															
(37)	Syphilis	6						2	1		3	2	1			
17	Meningitis	11				1	1				1	1		3	4	2
(37)	Convulsions	9	1	3	1	3	8				8	1				
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	17		2		1	3	2	2	3	10	5	1			1
22	Pneumonia	38			2	1	3	2	5	6	16	5	1	9	4	3
(23)	Bronchopneumonia	110	1			1	2	12	11	8	33	22	9	17	20	9
24	Diseases of the stomach	5										1	1	3		
25	Diarrhea and enteritis	132	1				1		4	5	10	17	11	34	35	25
(33)	Malformations	76	19	4	4	19	46	4	6	4	60	4	6	1	3	2
(33)	Premature birth	259	178	21	12	14	225	16	9	3	253	5			1	
(33,37)	Congenital debility	74	17	2	6	15	40	13	5	3	61	8	1	4		
(37)	Injuries at birth	40	23	4	4	7	38	2			40					
35	External causes	7						1		1	2	1		1		3
38	Unknown or ill-defined diseases	36	2	3	1	4	10	2	7	2	21	4	1	6	3	1
	All other causes	60	1	2	2	4	9	7	4	4	24	6	6	11	4	9

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION STATES—Continued.															
	VERMONT.															
	All causes	642	93	42	31	52	218	49	40	20	327	73	46	103	57	36
5	Measles	15								1	1	3		3	3	5
6	Scarlet fever	3												1		2
7	Whooping cough	20							3	1	4	3	2	6	2	3
8	Diphtheria and croup	2												1	1	
9	Influenza	8										3	1	4		
(12)	Dysentery	1													1	
(12)	Erysipelas	3							1		1	1	1			
(37)	Tetanus															
13	Tuberculosis of the lungs	2											1	1		
14	Tuberculous meningitis	4												1	2	1
15	Other forms of tuberculosis															
(37)	Syphilis	4						1			1	2				1
17	Meningitis	12			1		1		1		2	2	1	1	4	2
(37)	Convulsions	7	1	1		3	5				5		1	1		
19	Organic diseases of the heart	4							1		1		1		1	1
20	Acute bronchitis	27						6	2		8	6	3	5	4	1
22	Pneumonia	24		1			1	1		1	3	3	2	9	3	4
(23)	Bronchopneumonia	58				1	1	1	1	1	4	13	5	15	15	6
24	Diseases of the stomach	2											1	1		
25	Diarrhea and enteritis	85				2	2	3	6	4	15	10	12	33	11	4
(33)	Malformations	49	6	5	6	7	24	2	5	2	33	6	3	3	2	2
(33)	Premature birth	163	65	26	13	16	120	21	9	7	157	6				
(33, 37)	Congenital debility	84	10	3	7	15	35	9	10	1	55	12	9	7		1
(37)	Injuries at birth	22	10	6	1	4	21	1			22					
35	External causes	8								1	1	1	1	2	3	
38	Unknown or ill-defined diseases	5	1		1	1	3				3	1			1	
	All other causes	30			2	3	5	4	1	1	11	1	2	9	4	3
	VIRGINIA (TOTAL).															
	All causes	5,941	905	257	203	444	1,809	420	235	191	2,655	537	439	1,005	720	585
5	Measles	85	2				2	1		3	6	10	8	21	20	20
6	Scarlet fever															
7	Whooping cough	250				2	2	6	5	10	23	32	26	65	49	55
8	Diphtheria and croup	38	1			1	2	2	4	3	11	7	5	8	5	2
9	Influenza	40						1		2	3	5	3	14	8	7
(12)	Dysentery	60				1	1	2			3	7	8	19	12	11
(12)	Erysipelas	16				1	1		5	1	7	3	3	1	2	
(37)	Tetanus	29				7	7	16	3		26	1		1		1
13	Tuberculosis of the lungs	49								1	1	1	4	17	13	13
14	Tuberculous meningitis	34										1	3	8	12	10
15	Other forms of tuberculosis	7										1			4	2
(37)	Syphilis	93	13		2	6	21	6	3		30	14	11	21	9	8
17	Meningitis	50			1		1	4	2	1	8	5	2	7	20	8
(37)	Convulsions	132	6	5	4	19	34	22	8	3	67	14	11	21	12	7
19	Organic diseases of the heart	21	1			1	2	2	1	1	6	3	4	6	2	
20	Acute bronchitis	69	1			3	4	7	1	2	14	8	9	11	17	10
22	Pneumonia	288	2		3	15	20	13	14	8	55	39	30	67	50	47
(23)	Bronchopneumonia	339	1	1		6	8	12	10	6	36	39	39	89	72	64
24	Diseases of the stomach	71				2	2	3	3	4	12	5	8	27	7	12
25	Diarrhea and enteritis	1,039		1	1	14	16	20	18	19	73	80	118	313	249	206
(33)	Malformations	240	54	18	27	34	133	19	10	14	176	19	11	21	9	4
(33)	Premature birth	1,068	520	120	77	116	833	108	45	32	1,018	29	10	6	4	1
(33, 37)	Congenital debility	721	133	43	38	92	306	81	38	34	459	81	41	84	36	20
(37)	Injuries at birth	119	63	18	7	18	106	7	2	3	118	1				
35	External causes	123	11	5	1	8	25	4	2	3	34	17	11	33	18	10
38	Unknown or ill-defined diseases	674	94	43	38	80	255	64	43	29	391	86	48	86	37	26
	All other causes	286	3	3	4	18	28	20	18	12	78	29	26	59	53	41
	VIRGINIA (WHITE).															
	All causes	3,370	617	150	117	259	1,143	243	159	116	1,661	310	230	523	343	303
5	Measles	55	2				2	1		2	5	5	5	14	11	15
6	Scarlet fever															
7	Whooping cough	110				1	1	3	5	4	13	22	9	32	13	21
8	Diphtheria and croup	25	1			1	2	2	4	2	10	3	4	4	3	1
9	Influenza	22						1		2	3	3	2	6	4	4
(12)	Dysentery	31						2			2	3	4	12	5	5
(12)	Erysipelas	15				1	1		4	1	6	3	3	1	2	
(37)	Tetanus	11				3	3	5	1		9	1				1
13	Tuberculosis of the lungs	18										1		7	6	4
14	Tuberculous meningitis	23											1	5	11	6
15	Other forms of tuberculosis	3										1			2	
(37)	Syphilis	33	5		1	2	8	5	2		15	5	2	8	2	1
17	Meningitis	38			1		1	3	2	1	7	5	2	2	15	7
(37)	Convulsions	44	5	3	1	6	15	6	3	2	26	7	2	4	2	3
19	Organic diseases of the heart	12				1	1	1	1		3	2	3	3	1	
20	Acute bronchitis	29				1	1	4	1	1	7	4	3	5	6	4
22	Pneumonia	120	1		1	7	9	7	8	6	30	20	7	25	16	22
(23)	Bronchopneumonia	170		1		4	5	10	9	4	28	23	15	39	41	24
24	Diseases of the stomach	40				1	1	1	3	2	7	3	5	16	3	6
25	Diarrhea and enteritis	583			1	2	3	12	9	8	32	42	64	187	135	123
(33)	Malformations	194	44	15	20	29	108	16	10	12	146	15	9	14	8	2
(33)	Premature birth	744	392	77	48	77	594	67	30	20	711	19	5	5	3	1
(33, 37)	Congenital debility	365	63	17	20	50	150	40	24	21	235	37	25	48	12	8
(37)	Injuries at birth	88	46	14	3	14	77	7	1	2	87	1				
35	External causes	65	5	3		5	13	2	1	2	18	12	9	15	5	6
38	Unknown or ill-defined diseases	358	51	19	19	42	131	36	27	20	214	51	32	40	10	11
	All other causes	174	2	1	2	12	17	12	14	4	47	22	19	31	27	28

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	VIRGINIA (COLORED).															
	All causes	2,571	288	107	86	185	666	177	76	75	994	227	209	482	377	282
5	Measles	30								1	1	5	3	7	9	5
6	Scarlet fever															
7	Whooping cough	140				1	1	3		6	10	10	17	33	36	34
8	Diphtheria and croup	13								1	1	4	1	4	2	1
9	Influenza	18										2	1	8	4	3
(12)	Dysentery	29				1	1				1	4	4	7	7	6
(12)	Erysipelas	1							1		1					
(37)	Tetanus	18				4	4	11	2		17			1		
13	Tuberculosis of the lungs	31								1	1		4	10	7	9
14	Tuberculous meningitis	11										1	2	3	1	4
15	Other forms of tuberculosis	4													2	2
(37)	Syphilis	60	8		1	4	13	1	1		15	9	9	13	7	7
17	Meningitis	12						1			1			5	5	1
(37)	Convulsions	88	1	2	3	13	19	16	5	1	41	7	9	17	10	4
19	Organic diseases of the heart	9	1				1	1		1	3	1	1	3	1	
20	Acute bronchitis	40	1			2	3	3		1	7	4	6	6	11	6
22	Pneumonia	168	1		2	8	11	6	6	2	25	19	23	42	34	25
(23)	Bronchopneumonia	169	1			2	3	2	1	2	8	16	24	50	31	40
24	Diseases of the stomach	31				1	1	2		2	5	2	3	11	4	6
25	Diarrhea and enteritis	456		1		12	13	8	9	11	41	38	54	126	114	83
(33)	Malformations	46	10	3	7	5	25	3		2	30	4	2	7	1	2
(33)	Premature birth	324	128	43	29	39	239	41	15	12	307	10	5	1	1	
(33, 37)	Congenital debility	356	70	26	18	42	156	41	14	13	224	44	16	36	24	12
(37)	Injuries at birth	31	17	4	4	4	29		1	1	31					
35	External causes	58	6	2	1	3	12	2	1	1	16	5	2	18	13	4
38	Unknown or ill-defined diseases	316	43	24	19	38	124	28	16	9	177	35	16	46	27	15
	All other causes	112	1	2	2	6	11	8	4	8	31	7	7	28	26	13
	WASHINGTON.															
	All causes	1,625	339	92	75	164	670	111	86	52	919	135	98	195	148	130
5	Measles	49						2	2	3	7	3	2	9	9	19
6	Scarlet fever	1													1	
7	Whooping cough	82						2	3	1	6	13	11	16	18	18
8	Diphtheria and croup	1												1		
9	Influenza	18		1			1	1	1	1	4		2	5	3	4
(12)	Dysentery	7										1		5	1	
(12)	Erysipelas	9							2		2	2	2	1		2
(37)	Tetanus															
13	Tuberculosis of the lungs	10											1	3	4	2
14	Tuberculous meningitis	11										1		2	4	4
15	Other forms of tuberculosis															
(37)	Syphilis	17	3			1	4	1	3	1	9	1	2	2	1	2
17	Meningitis	13											2	3	5	3
(37)	Convulsions	23	1	1	1	4	7	2	2	3	14		2	3	1	3
19	Organic diseases of the heart	5											2	1	1	1
20	Acute bronchitis	14				1	1			1	2	4	1	4	3	
22	Pneumonia	58	1	1		1	3	2	3	4	12	6	4	11	17	8
(23)	Bronchopneumonia	127			2	6	8	6	7	5	26	28	12	25	18	18
24	Diseases of the stomach	21				1	1	2	1		4	4	4	5	2	2
25	Diarrhea and enteritis	188	1	1		8	10	6	6	6	28	24	24	52	35	25
(33)	Malformations	160	27	24	21	32	104	17	10	1	132	11	1	11	4	1
(33)	Premature birth	400	219	38	28	39	324	36	18	9	387	9	1	3		
(33, 37)	Congenital debility	173	36	13	14	39	102	16	16	7	141	14	7	6	5	
(37)	Injuries at birth	88	41	11	7	17	76	7	2	2	87	1				
35	External causes	31	2			4	6	1		4	11	1	5	5	1	3
38	Unknown or ill-defined diseases	28	6	2	1	4	13	5		1	19	3	2	2	1	1
	All other causes	91	2		1	7	10	5	10	3	28	9	11	20	14	9
	WISCONSIN.															
	All causes	4,597	953	277	200	383	1,813	337	236	194	2,580	415	317	587	374	324
5	Measles	23										3	1	8	6	5
6	Scarlet fever	12										2		5	1	4
7	Whooping cough	125								5	5	25	21	39	19	16
8	Diphtheria and croup	14							1	1	2		1		5	6
9	Influenza	51				2	2	6	4	3	15	9	2	9	9	7
(12)	Dysentery	7							1		1	2		1	2	1
(12)	Erysipelas	32						2	4	6	12	9	2	5	1	3
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	22				1	1		2	1	4	1	2	7	6	2
14	Tuberculous meningitis	34										1	1	10	12	10
15	Other forms of tuberculosis	3	1				1	1			2			1		
(37)	Syphilis	29	2			2	4	1	1	4	10	8	3	7	1	
17	Meningitis	33				1	1	1		1	3	4		10	9	7
(37)	Convulsions	111	5	4	12	26	47	16	6	5	74	11	3	13	4	6
19	Organic diseases of the heart	10				3	3		1	2	6		1	2		1
20	Acute bronchitis	117	2	2		4	8	6	9	6	29	16	17	21	21	13
22	Pneumonia	200	1		2	8	11	8	8	8	35	17	16	47	47	38
(23)	Bronchopneumonia	413	3	2	4	13	22	17	19	26	84	69	47	86	72	55
24	Diseases of the stomach	99			2	4	6	10	11	5	32	11	13	26	11	6
25	Diarrhea and enteritis	665		2	13	24	39	32	28	35	134	92	95	166	94	84
(33)	Malformations	293	60	39	23	49	171	33	16	12	232	23	8	20	7	3
(33)	Premature birth	1,182	644	145	61	93	943	104	53	37	1,137	26	7	7	4	1
(33, 37)	Congenital debility	513	122	41	46	75	284	48	40	20	392	33	34	35	7	12
(37)	Injuries at birth	190	92	27	21	31	171	11	5		187	1	2			
35	External causes	46	3	1		1	5	5	4		14	7	2	9	7	7
38	Unknown or ill-defined diseases	92	15	7	8	18	48	7	8	1	64	10	5	11		2
	All other causes	279	3	7	8	27	45	28	15	16	104	35	34	42	29	35

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910.															
	LOS ANGELES, CALIF.															
	All causes	594	119	30	30	44	223	32	14	20	289	56	40	91	68	50
5	Measles	5													3	2
6	Scarlet fever															
7	Whooping cough	10						1			1		2	3	1	3
8	Diphtheria and croup	4												1	1	2
9	Influenza															
(12)	Dysentery	2						1			1					1
(12)	Erysipelas	5								1	1	1		1	2	
(37)	Tetanus															
13	Tuberculosis of the lungs	7												3	4	
14	Tuberculous meningitis	6												1	3	2
15	Other forms of tuberculosis	1							1		1					
(37)	Syphilis	11	1			1	2		2		4	2	1	2	1	1
17	Meningitis	4								2	2			1		1
(37)	Convulsions	5			1	1	2			1	3			1	1	
19	Organic diseases of the heart	4											1	3		
20	Acute bronchitis	10						1			1	2	3	2	2	
22	Pneumonia	15								2	2	2	2	4	3	2
(23)	Bronchopneumonia	63			3		3	1	1	5	10	11	8	18	10	8
24	Diseases of the stomach	6										4		1	1	
25	Diarrhea and enteritis	124			2	4	6	4	3	6	19	17	12	33	23	20
(33)	Malformations	52	13	4	4	13	34	6		1	41	2	3	4	1	1
(33)	Premature birth	135	80	18	9	14	121	7	1		129	4	1	1		
(33,37)	Congenital debility	48	10	5	3	7	25	3	3		31	4	4	5	1	3
(37)	Injuries at birth	24	12	3	5	3	23	1			24					
35	External causes	9	1		1	1	3				3	2	2	2		
38	Unknown or ill-defined diseases															
	All other causes	44	2		2		4	7	3	2	16	5	1	7	11	4
	SAN FRANCISCO, CALIF.															
	All causes	505	105	28	25	42	200	24	31	9	264	33	27	83	52	46
5	Measles	7								1	1			2	1	3
6	Scarlet fever															
7	Whooping cough	14			1		1		1		2	1	1	2	5	3
8	Diphtheria and croup	6												1		5
9	Influenza	2													1	1
(12)	Dysentery	3											1	2		
(12)	Erysipelas	2							1		1				1	
(37)	Tetanus															
13	Tuberculosis of the lungs	3												1	1	1
14	Tuberculous meningitis	11												4	3	4
15	Other forms of tuberculosis	2														2
(37)	Syphilis	14	2		1	3	6	1			7	2		3	2	
17	Meningitis	5											2	2		1
(37)	Convulsions															
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	6				1	1	3			4	1		1		
22	Pneumonia	33		1		2	3	3	2		8	1	1	9	7	7
(23)	Bronchopneumonia	37			1	1	2			2	4	3	6	10	10	4
24	Diseases of the stomach	4				1	1			1	2		1		1	
25	Diarrhea and enteritis	70						2	4	1	7	12	9	25	11	6
(33)	Malformations	49	11	4	6	10	31	3	4	2	40	2	1	5	1	
(33)	Premature birth	126	63	15	9	10	97	8	12	1	118	5		3		
(33,37)	Congenital debility	33	7	3	3	7	20	2	3	1	26	3	4			
(37)	Injuries at birth	37	21	4	4	4	33	1	2		36	1				
35	External causes	8	1				1		1		2			2	3	1
38	Unknown or ill-defined diseases															
	All other causes	32		1		3	4	1	1		6	2	1	10	5	8
	WASHINGTON, D. C. (TOTAL).															
	All causes	729	122	58	34	48	262	37	22	12	333	68	51	112	84	81
5	Measles	3														3
6	Scarlet fever															
7	Whooping cough	5											1	1	1	2
8	Diphtheria and croup	3												2		1
9	Influenza	2										1			1	
(12)	Dysentery	1													1	
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	3											1		1	1
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	30		1	3		4	3	2		9	4	4	6	1	6
17	Meningitis	5										1			2	2
(37)	Convulsions	6				2	2				2				4	
19	Organic diseases of the heart	3	1				1				1		1	1		
20	Acute bronchitis	12			1		1			1	2	2		4	2	2
22	Pneumonia	14			1		1				1	1	2	1	1	8
(23)	Bronchopneumonia	61						2	1	1	4	8	6	13	14	16
24	Diseases of the stomach	7				1	1				1	4	1	1		
25	Diarrhea and enteritis	183			1	2	3	3	3	3	12	14	23	60	42	32
(33)	Malformations	32	8	5	3	8	24	3			27	4		1		
(33)	Premature birth	206	85	36	15	20	156	15	10	5	186	15	3	1	1	
(33,37)	Congenital debility	74	12	9	4	8	33	7	3	1	44	8	6	13	3	
(37)	Injuries at birth	33	14	6	5	6	31	1		1	33					
35	External causes	5	1				1	1			2	1		1		1
38	Unknown or ill-defined diseases	1	1				1				1					
	All other causes	37		1	1	1	3	2	3		8	3	3	7	9	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	WASHINGTON, D. C. (WHITE).															
	All causes	372	77	25	16	34	152	25	10	1	188	38	23	51	36	36
5	Measles	3														3
6	Scarlet fever															
7	Whooping cough	3											1			2
8	Diphtheria and croup															
9	Influenza	2										1			1	
(12)	Dysentery	1													1	
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	2											1			1
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	10						3	1		4		2	2		2
17	Meningitis	2										1			1	
(37)	Convulsions	2				1	1				1				1	
19	Organic diseases of the heart	3	1				1				1		1	1		
20	Acute bronchitis	3								1	1	1		1		
22	Pneumonia	7			1		1				1	1				5
(23)	Bronchopneumonia	18							1		1	1	2	5	5	4
24	Diseases of the stomach	5				1	1				1	3	1			
25	Diarrhea and enteritis	84				1	1	3	1		5	11	8	26	18	16
(33)	Malformations	28	7	4	3	8	22	2			24	4				
(33)	Premature birth	99	47	13	6	11	77	9	5		91	7	1			
(33, 37)	Congenital debility	45	8	3	2	5	18	5	2		25	3	4	11	2	
(37)	Injuries at birth	27	12	5	3	6	26	1			27					
35	External causes	3	1				1				1			1		1
38	Unknown or ill-defined diseases	1	1				1				1					
	All other causes	21			1	1	2	2			4	3	2	4	6	2
	WASHINGTON, D. C. (COLORED).															
	All causes	357	45	33	18	14	110	12	12	11	145	30	28	61	48	45
5	Measles															
6	Scarlet fever															
7	Whooping cough	2												1	1	
8	Diphtheria and croup	3												2		1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	20		1	3		4		1		5	4	2	4	1	4
17	Meningitis	3													1	2
(37)	Convulsions	4				1	1				1				3	
19	Organic diseases of the heart															
20	Acute bronchitis	9			1		1				1	1		3	2	2
22	Pneumonia	7											2	1	1	3
(23)	Bronchopneumonia	43						2		1	3	7	4	8	9	12
24	Diseases of the stomach	2										1		1		
25	Diarrhea and enteritis	99			1	1	2		2	3	7	3	15	34	24	16
(33)	Malformations	4	1	1			2	1			3			1		
(33)	Premature birth	107	38	23	9	9	79	6	5	5	95	8	2	1	1	
(33, 37)	Congenital debility	29	4	6	2	3	15	2	1	1	19	5	2	2	1	
(37)	Injuries at birth	6	2	1	2		5			1	6					
35	External causes	2						1			1	1				
38	Unknown or ill-defined diseases															
	All other causes	16		1			1		3		4		1	3	3	5
	CHICAGO, ILL. (TOTAL).															
	All causes	6,664	806	312	241	436	1,795	361	297	260	2,713	587	480	1,067	960	857
5	Measles	47										1		6	13	27
6	Scarlet fever	22						1			1	2		2	6	11
7	Whooping cough	83				1	1		2	3	6	9	8	24	17	19
8	Diphtheria and croup	58	1				1		1		2	2	5	11	10	28
9	Influenza	10							2	2	4	1	1		3	1
(12)	Dysentery	6							1		1			1	2	2
(12)	Erysipelas	25				1	1	1	5	3	10	5	2	5	1	2
(37)	Tetanus	3						2	1		3					
13	Tuberculosis of the lungs	26							1	1	2	1	2	2	12	7
14	Tuberculous meningitis	39							1		1	2		9	10	17
15	Other forms of tuberculosis	5											1	1	2	1
(37)	Syphilis	73	5		3	3	11	4	3	6	24	12	16	18	2	1
17	Meningitis	60							1	1	2	4	4	16	19	15
(37)	Convulsions	14	2	1		3	6		2		8	2	1	1	2	
19	Organic diseases of the heart	13	2	1			3		2	2	7	1	2	2		1
20	Acute bronchitis	133	1	1	2	5	9	4	16	11	40	28	15	28	46	26
22	Pneumonia	256		1	2	4	7	4	10	10	31	18	23	49	58	77
(23)	Bronchopneumonia	809	2	5	7	16	30	30	33	39	132	98	79	161	184	155
24	Diseases of the stomach	7				1	1		1		2	1	1	1	1	1
25	Diarrhea and enteritis	2,384	3	3	15	42	63	80	104	108	355	296	264	615	476	378
(33)	Malformations	427	92	53	38	68	251	43	18	10	322	29	14	35	16	11
(33)	Premature birth	952	404	138	74	121	737	102	51	33	923	16	10	3		
33, 37)	Congenital debility	428	99	55	55	84	293	55	19	15	382	20	8	12	4	2
(37)	Injuries at birth	372	188	49	38	72	347	13	3	5	368	2	2			
35	External causes	49	3	2		1	6	3	1	2	12	9	4	7	5	12
38	Unknown or ill-defined diseases															
	All other causes	313	4	3	7	14	28	19	19	9	75	28	18	58	71	63

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	CHICAGO, ILL. (WHITE).															
	All causes	6,468	785	296	234	429	1,744	352	290	247	2,633	569	470	1,029	929	838
5	Measles	45										1		6	12	26
6	Scarlet fever	22						1			1	2		2	6	11
7	Whooping cough	82				1	1		2	3	6	9	8	23	17	19
8	Diphtheria and croup	58	1				1		1		2	2	5	11	10	28
9	Influenza	9							2	2	4		1		3	1
(12)	Dysentery	6							1		1			1	2	2
(12)	Erysipelas	25				1	1	1	5	3	10	5	2	5	1	2
(37)	Tetanus	3						2	1		3					
13	Tuberculosis of the lungs	25							1	1	2	1	2	1	12	7
14	Tuberculous meningitis	36							1		1	2		1	9	8
15	Other forms of tuberculosis	4											1		2	1
(37)	Syphilis	68	3		3	3	9	3	3	6	21	10	15	14	2	1
17	Meningitis	57							1	1	2	4	4	14	18	15
(37)	Convulsions	14	2	1		3	6		2		8	2	1	1	2	
19	Organic diseases of the heart	13	2	1			3		2	2	7	1	2	2		1
20	Acute bronchitis	174	1	1	2	5	9	3	14	8	34	28	15	27	46	24
22	Pneumonia	245		1	2	4	7	4	9	10	30	18	23	47	55	72
(23)	Bronchopneumonia	775	2	5	7	16	30	30	33	36	129	94	74	151	175	152
24	Diseases of the stomach	7				1	1		1		2	1	1	1	1	1
25	Diarrhea and enteritis	2,339	3	3	15	42	63	80	103	104	350	289	260	603	465	372
(33)	Malformations	421	90	52	38	68	248	42	18	10	318	28	14	34	16	11
(33)	Premature birth	919	392	131	71	118	712	101	50	30	893	13	10	3		
(33, 37)	Congenital debility	411	97	49	54	82	282	51	17	15	365	20	8	12	4	2
(37)	Injuries at birth	364	185	48	36	70	339	13	3	5	360	2	2			
35	External causes	46	3	2		1	6	3	1	2	12	9	4	6	3	12
38	Unknown or ill-defined diseases															
	All other causes	305	4	2	6	14	26	18	19	9	72	28	18	56	69	62
	CHICAGO, ILL. (COLORED).															
	All causes	196	21	16	7	7	51	9	7	13	80	18	10	38	31	19
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	1												1		
8	Diphtheria and croup															
9	Influenza	1										1				
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	3													2	1
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	10	2				2	1			3	2	1	4		
17	Meningitis	3												2	1	
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	9						1	2	3	6			1		2
22	Pneumonia	11							1		1			2	3	5
(23)	Bronchopneumonia	34								3	3	4	5	10	9	3
24	Diseases of the stomach															
25	Diarrhea and enteritis	45							1	4	5	7	4	12	11	6
(33)	Malformations	6	2	1			3	1			4	1		1		
(33)	Premature birth	33	12	7	3	3	25	1	1	3	30	3				
(33, 37)	Congenital debility	17	2	6	1	2	11	4	2		17					
(37)	Injuries at birth	8	3	1	2	2	8				8					
35	External causes	3												1	2	
38	Unknown or ill-defined diseases															
	All other causes	8		1	1		2	1			3			2	2	1
	NEW ORLEANS, LA. (TOTAL).															
	All causes	866	96	39	25	44	204	46	31	36	317	103	83	162	120	81
5	Measles	19							1		1		1	1	10	6
6	Scarlet fever															
7	Whooping cough	13								1	1	4			6	2
8	Diphtheria and croup	2										1		1		
9	Influenza	8												4	2	2
(12)	Dysentery	2										2				
(12)	Erysipelas															
(37)	Tetanus	14	1	1	1	4	7	5	2		14					
13	Tuberculosis of the lungs	5												1	3	1
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis	57	1	2		1	4	4	5	3	16	10	13	13	5	
(37)	Syphilis	48	2		1		3		2	4	9	14	9	9	5	2
17	Meningitis	3										1			2	
(37)	Convulsions	5				2	2	1			3	1		1		
19	Organic diseases of the heart	2											1		1	
20	Acute bronchitis	19						1		1	2	6	2	5	2	2
22	Pneumonia	60	1	1	1	1	4	1		1	6	8	13	19	5	9
(23)	Bronchopneumonia	59		1	2	1	4	4	2	2	12	7	4	14	14	8
24	Diseases of the stomach	2								1	1		1			
25	Diarrhea and enteritis	251		2	3	3	8	3	3	9	23	38	23	77	50	40
(33)	Malformations	34	8	4	2	4	18	2	3	2	25	3	2	3	1	
(33)	Premature birth	143	70	21	10	14	115	10	6	5	136	4	2	1		
(33, 37)	Congenital debility	63	7	4	2	10	23	11	5	5	44	3	9	4	3	
(37)	Injuries at birth	18	6	3	3	4	16	2			18					
35	External causes	6											1		3	2
38	Unknown or ill-defined diseases															
	All other causes	31						2	2	2	6	1	2	8	7	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	NEW ORLEANS, LA. (WHITE).															
	All causes	461	61	23	14	28	126	17	17	21	181	51	44	75	64	46
5	Measles	13							1		1		1	1	8	2
6	Scarlet fever															
7	Whooping cough	7								1	1	2			2	2
8	Diphtheria and croup															
9	Influenza	4												3	1	
(12)	Dysentery	1										1				
(12)	Erysipelas															
(37)	Tetanus	4			1	2	3		1		4					
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis	9	1				1			1	2	3	2	2		
(37)	Syphilis	31	1				1		2	1	4	9	6	7	3	2
17	Meningitis	2										1			1	
(37)	Convulsions	4				1	1	1			2	1		1		
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	8								1	1	4	1	1	1	
22	Pneumonia	24		1	1	1	3				3	4	5	5	2	5
(23)	Bronchopneumonia	24		1	1	1	3	3		2	8	2	2	5	5	2
24	Diseases of the stomach	2								1	1		1			
25	Diarrhea and enteritis	142		1		2	3	2	3	5	13	20	15	38	29	27
(33)	Malformations	19	5	3		4	12	1		1	14	1	2	2		
(33)	Premature birth	88	46	11	7	9	73	4	5	3	85	2	1			
(33,37)	Congenital debility	34	4	3	2	5	14	3	4	3	24	1	5	2	2	
(37)	Injuries at birth	14	4	3	2	3	12	2			14					
35	External causes	4													3	1
38	Unknown or ill-defined diseases															
	All other causes	23						1	1	2	4		2	7	5	5
	NEW ORLEANS, LA. (COLORED).															
	All causes	405	35	16	11	16	78	29	14	15	136	52	39	87	56	35
5	Measles	6													2	4
6	Scarlet fever															
7	Whooping cough	6										2			4	
8	Diphtheria and croup	2										1		1		
9	Influenza	4												1	1	2
(12)	Dysentery	1										1				
(12)	Erysipelas															
(37)	Tetanus	10	1	1		2	4	5	1		10					
13	Tuberculosis of the lungs	4												1	2	1
14	Tuberculous meningitis															
15	Other forms of tuberculosis	48		2		1	3	4	5	2	14	7	11	11	5	
(37)	Syphilis	17	1		1		2			3	5	5	3	2	2	
17	Meningitis	1													1	
(37)	Convulsions	1				1	1				1					
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	11						1			1	2	1	4	1	2
22	Pneumonia	36	1				1	1		1	3	4	8	14	3	4
(23)	Bronchopneumonia	35			1		1	1	2		4	5	2	9	9	6
24	Diseases of the stomach															
25	Diarrhea and enteritis	109		1	3	1	5	1		4	10	18	8	39	21	13
(33)	Malformations	15	3	1	2		6	1	3	1	11	2		1	1	
(33)	Premature birth	55	24	10	3	5	42	6	1	2	51	2	1	1		
(33,37)	Congenital debility	29	3	1		5	9	8	1	2	20	2	4	2	1	
(37)	Injuries at birth	4	2		1	1	4				4					
35	External causes	2											1			1
38	Unknown or ill-defined diseases															
	All other causes	8						1	1		2	1		1	2	2
	BALTIMORE, MD. (TOTAL).															
	All causes	1,780	280	73	60	78	491	90	61	44	686	151	121	336	272	214
5	Measles	13												4	3	6
6	Scarlet fever															
7	Whooping cough	19										1	3	3	7	5
8	Diphtheria and croup	10												2	1	7
9	Influenza	10										1	1		4	4
(12)	Dysentery	1												1		
(12)	Erysipelas	6						1			1	2	1	1	1	
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	8											1	4	1	2
14	Tuberculous meningitis	7												1	2	4
15	Other forms of tuberculosis	4										1			2	1
(37)	Syphilis	46	8	3	4	2	17	6	1	2	26	8	4	3	4	1
17	Meningitis	10											1	3	4	2
(37)	Convulsions	11			1	3	4	1	1	1	7	1			2	1
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	48				1	1	1	4	3	9	8	3	16	8	4
22	Pneumonia	69						4	1	2	7	4	6	16	18	18
(23)	Bronchopneumonia	207	1		1	4	6	6	4	7	23	26	23	66	37	32
24	Diseases of the stomach	7											2	2	2	1
25	Diarrhea and enteritis	541	1			1	2	9	9	4	24	45	49	171	143	109
(33)	Malformations	118	18	17	8	10	53	10	7	3	73	13	6	17	7	2
(33)	Premature birth	337	173	39	28	25	265	26	16	10	317	13	3	3	1	
(33,37)	Congenital debility	167	38	8	11	19	76	17	12	4	109	18	12	13	11	4
(37)	Injuries at birth	63	40	3	6	8	57	1	2	3	63					
35	External causes	15	1	2			3	3		1	7	1	1	1	2	3
38	Unknown or ill-defined diseases	6		1		1	2				2	1	2	1		
	All other causes	54			1	3	4	4	4	4	16	8	3	7	12	8

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	BALTIMORE, MD. (WHITE).															
	All causes	1,308	222	55	42	57	376	61	51	28	516	106	81	227	207	171
5	Measles	11												2	3	6
6	Scarlet fever															
7	Whooping cough	16										1	2	1	7	5
8	Diphtheria and croup	10												2	1	7
9	Influenza	5										1	1		1	2
(12)	Dysentery	1												1		
(12)	Erysipelas	5						1			1	2	1		1	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	3													1	2
14	Tuberculous meningitis	6												1	1	4
15	Other forms of tuberculosis	3										1			1	1
(37)	Syphilis	24	2	2	2	2	8	1	1		10	6	2	2	3	1
17	Meningitis	7											1	1	3	2
(37)	Convulsions	9			1	3	4	1	1		6	1			1	1
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	30							3	2	5	7	3	8	6	1
22	Pneumonia	43						2	1	1	4	4	2	8	11	14
(23)	Bronchopneumonia	126	1			2	3	3	4	5	15	12	13	43	20	23
24	Diseases of the stomach	7											2	2	2	1
25	Diarrhea and enteritis	414						7	9	3	19	32	34	120	119	90
(33)	Malformations	91	18	13	6	9	46	6	7		59	8	5	12	6	1
(33)	Premature birth	256	141	29	17	17	204	19	11	8	242	8	2	3	1	
(33, 37)	Congenital debility	125	25	7	10	13	55	14	8	2	79	13	11	12	8	2
(37)	Injuries at birth	53	34	1	5	7	47	1	2	3	53					
35	External causes	11	1	2			3	1		1	5	1			2	3
38	Unknown or ill-defined diseases	5		1		1	2				2	1	1	1		
	All other causes	45			1	3	4	4	4	3	15	8	1	7	9	5
	BALTIMORE, MD. (COLORED).															
	All causes	472	58	18	18	21	115	29	10	16	170	45	40	109	65	43
5	Measles	2												2		
6	Scarlet fever															
7	Whooping cough	3											1	2		
8	Diphtheria and croup															
9	Influenza	5													3	2
(12)	Dysentery															
(12)	Erysipelas	1												1		
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	5											1	4		
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	22	6	1	2		9	5		2	16	2	2	1	1	
17	Meningitis	3												2	1	
(37)	Convulsions	2								1	1				1	
19	Organic diseases of the heart															
20	Acute bronchitis	18				1	1	1	1	1	4	1		8	2	3
22	Pneumonia	26						2		1	3		4	8	7	4
(23)	Bronchopneumonia	81			1	2	3	3		2	8	14	10	23	17	9
24	Diseases of the stomach															
25	Diarrhea and enteritis	127	1			1	2	2		1	5	13	15	51	24	19
(33)	Malformations	27		4	2	1	7	4		3	14	5	1	5	1	1
(33)	Premature birth	81	32	10	11	8	61	7	5	2	75	5	1			
(33, 37)	Congenital debility	42	13	1	1	6	21	3	4	2	30	5	1	1	3	2
(37)	Injuries at birth	10	6	2	1	1	10				10					
35	External causes	4						2			2		1	1		
38	Unknown or ill-defined diseases	1											1			
	All other causes	9								1	1		2		3	3
	BOSTON, MASS.															
	All causes	1,970	267	99	74	142	582	106	70	58	816	182	151	324	255	242
5	Measles	27												2	9	16
6	Scarlet fever	1														1
7	Whooping cough	20										1	3	5	7	4
8	Diphtheria and croup	27				1	1			1	2	1	2	6	2	14
9	Influenza	5						1			1		1	1	1	1
(12)	Dysentery	2										1		1		
(12)	Erysipelas	18							1	3	4	8		4	2	
(37)	Tetanus															
13	Tuberculosis of the lungs	25										2	1	8	7	7
14	Tuberculous meningitis	20						1			1	1	1	3	5	9
15	Other forms of tuberculosis	4												1	1	2
(37)	Syphilis	43	6			5	11	7	3		21	6	3	7	3	3
17	Meningitis	21			1		1	3	1		5		2	5	4	5
(37)	Convulsions	11			2		2		1		3	2		4		2
19	Organic diseases of the heart	3			1		1				1				2	
20	Acute bronchitis	29						2	4	4	10	3	1	2	11	2
22	Pneumonia	111				1	1		2	4	7	14	10	24	21	35
(23)	Bronchopneumonia	204	1			2	3	4	11	5	23	23	13	49	51	45
24	Diseases of the stomach	17	1			1	2				2	6	5	3		1
25	Diarrhea and enteritis	379				3	3	2	3	8	16	40	49	124	96	54
(33)	Malformations	137	25	14	10	26	75	8	9	7	99	10	10	13	3	2
(33)	Premature birth	361	149	53	28	36	266	38	23	12	339	15	3	3	1	
(33, 37)	Congenital debility	180	26	9	8	26	69	14	3	5	91	27	27	24	3	8
(37)	Injuries at birth	130	55	19	14	25	113	14	1	1	129	1				
35	External causes	27				1	1			2	3	8	4	4	3	5
38	Unknown or ill-defined diseases	11			3	1	4	1			5		2	3	1	
	All other causes	157	4	4	7	14	29	11	8	6	54	13	14	28	22	26

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	DETROIT, MICH.															
	All causes	2,714	380	129	95	188	792	169	128	97	1,186	234	181	475	351	287
5	Measles	9							1		1			1	2	5
6	Scarlet fever	8												2	3	3
7	Whooping cough	94						3	2	2	7	11	8	16	30	22
8	Diphtheria and croup	17							1		1	1		5	4	6
9	Influenza	5										1		2		2
(12)	Dysentery	4							1		1			1	2	
(12)	Erysipelas	23				1	1	1	2	4	8	6	5	1	3	
(37)	Tetanus															
13	Tuberculosis of the lungs	15	1				1				1		2	5	5	2
14	Tuberculous meningitis	19											1	6	4	8
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	49	4		1	6	11	7	5	1	24	5	4	9	7	
17	Meningitis	41			1		1	2	4		7	2	1	10	9	12
(37)	Convulsions	35	2		2	3	7	4	1	2	14	2	6	4	5	4
19	Organic diseases of the heart	11				1	1	2	1		4	4		1	2	
20	Acute bronchitis	50				1	1	2	3	3	9	7	5	11	9	9
22	Pneumonia	188	1			4	5	7	7	10	29	19	16	46	46	32
(23)	Bronchopneumonia	272		2	5	8	15	11	13	13	52	26	28	74	47	45
24	Diseases of the stomach	41				2	2	1	2	2	7	13	2	10	4	5
25	Diarrhea and enteritis	606	1		5	9	15	15	18	18	66	66	60	196	121	97
(33)	Malformations	136	31	23	14	18	86	12	8	4	110	6	9	6	4	1
(33)	Premature birth	558	278	75	37	50	440	40	27	18	525	21	4	6	1	1
(33,37)	Congenital debility	225	26	15	14	42	97	37	13	14	161	19	13	19	12	1
(37)	Injuries at birth	93	31	11	11	31	84	4	4		92	1				
35	External causes	43	2	1	1	4	8	1	1		10	9	1	7	7	9
38	Unknown or ill-defined diseases	1						1			1					
	All other causes	169	3	2	4	8	17	19	14	6	56	15	16	36	24	22
	MINNEAPOLIS, MINN.															
	All causes	620	172	27	28	59	286	44	25	21	376	44	33	62	66	39
5	Measles	4													1	3
6	Scarlet fever															
7	Whooping cough	12										1	1	4	4	2
8	Diphtheria and croup	4						1			1					3
9	Influenza	1														1
(12)	Dysentery															
(12)	Erysipelas	4				1	1		1	1	3		1			
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	3													1	2
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	22	1			4	5	3	2	3	13	4	2	1		2
17	Meningitis	13				1	1				1		1	2	8	1
(37)	Convulsions	10	1	1	1	1	4		1		5		2	2		1
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	3						1			1	1			1	
22	Pneumonia	16				1	1	1	1	1	4	3		2	4	3
(23)	Bronchopneumonia	64			2	5	7	3	1	2	13	11	6	14	13	7
24	Diseases of the stomach	5								1	1	1	1	1		1
25	Diarrhea and enteritis	66				3	3	3	3	1	10	9	9	16	14	8
(33)	Malformations	62	14	6	3	8	31	4	4	3	42	6	3	4	6	1
(33)	Premature birth	201	132	11	12	14	169	15	9	2	195	1	3	2		
(33,37)	Congenital debility	49	13	5	5	6	29	3	2	1	35	4	2	3	3	2
(37)	Injuries at birth	32	11		2	14	29	3			32					
35	External causes	9			1		1	1		1	3	1		2	2	1
38	Unknown or ill-defined diseases	1			1		1				1					
	All other causes	35		2	1	1	4	6	1	5	16	2	2	7	7	1
	ST. LOUIS, MO. (TOTAL).															
	All causes	1,252	199	63	50	74	386	74	52	47	559	99	104	194	152	144
5	Measles	20		1			1				1	1	1	1	9	7
6	Scarlet fever	2													1	1
7	Whooping cough	13		1			1	1			2		4	1	1	5
8	Diphtheria and croup	9								1	1	3		2		3
9	Influenza	23								1	1	4	6	5	4	3
(12)	Dysentery	8							1		1	1			3	3
(12)	Erysipelas	6								2	2	1	1	1	1	
(37)	Tetanus	4		2			2		1	1	4					
13	Tuberculosis of the lungs	15						1			1	2		5	2	5
14	Tuberculous meningitis	17												8	3	6
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	33	2	2	2	1	7	5	1	4	17	5	4	3	2	2
17	Meningitis	17								1	1	1	2	4	5	4
(37)	Convulsions	3		1		1	2	1			3					
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	37							5	1	6	9	5	6	8	3
22	Pneumonia	54			1	1	1	3	2	3	9	5	4	8	12	16
(23)	Bronchopneumonia	143	2		1	3	6	10	7	4	27	19	16	27	17	37
24	Diseases of the stomach	5										1	1	2	1	
25	Diarrhea and enteritis	282		1	1	2	4	5	10	13	32	25	37	90	60	38
(33)	Malformations	74	14	8	6	13	41	9	2	1	53	5	3	5	5	3
(33)	Premature birth	281	142	35	23	28	228	24	13	5	270	6	3	1	1	
(33,37)	Congenital debility	95	17	10	5	20	52	10	4	8	74	4	8	5	4	
(37)	Injuries at birth	41	20	5	7	2	34	1	3	1	39	1	1			
35	External causes	4												1	2	1
38	Unknown or ill-defined diseases															
	All other causes	63	2		2	3	7	4	3	1	15	6	7	18	11	6

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	ST. LOUIS, MO. (WHITE).															
	All causes	1,090	172	60	48	69	349	63	48	40	500	87	91	169	128	115
5	Measles	19		1			1				1	1	1	1	8	7
6	Scarlet fever	2													1	1
7	Whooping cough	12			1		1	1			2		3	1	1	5
8	Diphtheria and croup	9								1	1	3		2		3
9	Influenza	19								1	1	3	6	5	2	2
(12)	Dysentery	6							1		1	1			1	3
(12)	Erysipelas	6								2	2	1	1	1	1	
(37)	Tetanus	4			2		2		1	1	4					
13	Tuberculosis of the lungs	14						1			1	2		5	2	4
14	Tuberculous meningitis	13												7	1	5
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	22	1	2	2		5	2		4	11	5	3		2	1
17	Meningitis	16								1	1	1	2	3	5	4
(37)	Convulsions	3		1		1	2	1			3					
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	33							5	1	6	8	5	5	6	3
22	Pneumonia	39				1	1	2	2	3	8	4	3	5	9	10
(23)	Bronchopneumonia	111	2		1	3	6	9	7	4	26	15	14	22	10	24
24	Diseases of the stomach	4										1		2	1	
25	Diarrhea and enteritis	251		1	1	2	4	3	10	9	26	21	34	80	57	33
(33)	Malformations	70	13	8	6	12	39	9	2	1	51	5	2	5	4	3
(33)	Premature birth	248	120	33	22	26	201	21	11	5	238	5	3	1	1	
(33,37)	Congenital debility	83	15	9	4	19	47	9	3	6	65	4	7	4	3	
(37)	Injuries at birth	41	20	5	7	2	34	1	3	1	39	1	1			
35	External causes	4												1	2	1
38	Unknown or ill-defined diseases															
	All other causes	59	1		2	3	6	4	3		13	6	5	18	11	6
	ST. LOUIS, MO. (COLORED).															
	All causes	162	27	3	2	5	37	11	4	7	59	12	13	25	24	29
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	1											1			
8	Diphtheria and croup															
9	Influenza	4										1			2	1
(12)	Dysentery	2													2	
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	4												1	2	1
15	Other forms of tuberculosis	1														1
(37)	Syphilis	11	1			1	2	3	1		6		1	3		1
17	Meningitis	1												1		
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	4										1		1	2	
22	Pneumonia	15						1			1	1	1	3	3	6
(23)	Bronchopneumonia	32						1			1	4	2	5	7	13
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	31						2		4	6	4	3	10	3	5
(33)	Malformations	4	1			1	2				2		1		1	
(33)	Premature birth	33	22	2	1	2	27	3	2		32	1				
(33,37)	Congenital debility	12	2	1	1	1	5	1	1	2	9		1	1	1	
(37)	Injuries at birth															
35	External causes															
38	Unknown or ill-defined diseases															
	All other causes	4	1				1			1	2		2			
	JERSEY CITY, N. J.															
	All causes	793	104	32	33	48	217	52	39	30	338	84	55	110	111	95
5	Measles	7							1		1		1	1	1	3
6	Scarlet fever	1												1		
7	Whooping cough	10								1	1	3		1	3	2
8	Diphtheria and croup	3												2	1	
9	Influenza	1												1		
(12)	Dysentery	1												1		
(12)	Erysipelas	3							1	1	2			1		
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2										1				1
14	Tuberculous meningitis	6													3	3
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	7		1			1	2		1	4	3				
17	Meningitis	7												3	2	2
(37)	Convulsions	7				1	1	1			2	2	2	1		
19	Organic diseases of the heart															
20	Acute bronchitis	32						2		3	5	8	6	3	6	4
22	Pneumonia	38			1		1	1	5		7	3	4	3	9	12
(23)	Bronchopneumonia	89		3		2	5	2	4	3	14	15	9	11	20	20
24	Diseases of the stomach	3				1	1				1	1		1		
25	Diarrhea and enteritis	237	1		1	2	4	11	9	10	34	28	20	58	57	40
(33)	Malformations	57	13	5	6	7	31	8	2	3	44	4	2	5		2
(33)	Premature birth	140	51	19	13	19	102	14	10	4	130	6	2	1	1	
(33,37)	Congenital debility	62	12	2	6	6	26	8	3	3	40	4	5	10	2	1
(37)	Injuries at birth	42	27	2	6	7	42				42					
35	External causes	8								1	1	2		3		2
38	Unknown or ill-defined diseases	1				1	1				1					
	All other causes	27				2	2	2	4		8	3	4	3	6	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	NEWARK, N. J.															
	All causes	1,031	149	42	38	83	312	66	41	39	458	85	94	174	119	101
5	Measles															
6	Scarlet fever															
7	Whooping cough	30								1	1	5	6	5	7	6
8	Diphtheria and croup	1														1
9	Influenza	11								1	1	1	1	3	3	2
(12)	Dysentery															
(12)	Erysipelas	8						3	2		5	2			1	
(37)	Tetanus															
13	Tuberculosis of the lungs	4											1		1	2
14	Tuberculous meningitis	16										2	1	5	3	5
15	Other forms of tuberculosis	1														1
(37)	Syphilis	9				1	1	1	1		3	4	1	1		
17	Meningitis	7											1	2	2	2
(37)	Convulsions															
19	Organic diseases of the heart	3				1	1	1			2			1		
20	Acute bronchitis	63			1	5	6	5	7	5	23	7	7	14	5	7
22	Pneumonia	46				1	1		3		4	2	4	9	11	16
(23)	Bronchopneumonia	63				1	1	5	2	2	10	10	6	14	11	12
24	Diseases of the stomach	8										1	3	4		
25	Diarrhea and enteritis	282			2	3	5	8	8	11	32	26	44	85	62	33
(33)	Malformations	54	8	3	6	15	32	4	3	4	43	3	2	4		2
(33)	Premature birth	223	100	31	15	31	177	19	10	8	214	8	1			
(33, 37)	Congenital debility	86	18	5	8	11	42	11	1	4	58	8	9	8	1	2
(37)	Injuries at birth	45	19	3	5	12	39	5		1	45					
35	External causes	17	3		1		4	1	1		6	2	3	5		1
38	Unknown or ill-defined diseases															
	All other causes	54	1			2	3	3	3	2	11	4	4	14	12	9
	BUFFALO, N. Y.															
	All causes	1,402	224	57	53	97	431	77	79	36	623	132	89	250	166	142
5	Measles	3													1	2
6	Scarlet fever	1														1
7	Whooping cough	31						1		1	2	4	2	7	10	6
8	Diphtheria and croup	9								1	1			1	3	4
9	Influenza	6										2	2		1	1
(12)	Dysentery	3											1	1	1	
(12)	Erysipelas	12						1	4	3	8	2			1	1
(37)	Tetanus															
13	Tuberculosis of the lungs	2												2		
14	Tuberculous meningitis	14										1	1	3	3	6
15	Other forms of tuberculosis															
(37)	Syphilis	30			1	1	2	3	4	1	10	10	4	4	2	
17	Meningitis	8				2	2		1		3	1			2	2
(37)	Convulsions	11	1			5	6			1	7	2		1		1
19	Organic diseases of the heart	2										1		1		
20	Acute bronchitis	20			1		1		2	1	4	5	1	6	3	1
22	Pneumonia	57				2	2	2	5	1	10	5	5	14	11	12
(23)	Bronchopneumonia	147			2		2	7	7	3	19	15	13	42	30	28
24	Diseases of the stomach	16			1		1	1	1	1	4	3	1	4	4	
25	Diarrhea and enteritis	410			1	3	4	8	19	6	37	52	47	135	75	64
(33)	Malformations	93	24	3	5	18	50	15	8	1	74	7		8	4	
(33)	Premature birth	291	149	40	22	31	242	20	14	7	283	4	2	2		
(33, 37)	Congenital debility	71	13	3	5	16	37	9	7	2	55	6	4	4	2	
(37)	Injuries at birth	84	37	9	14	18	78	4	1		83	1				
35	External causes	8							1		1	1			2	4
38	Unknown or ill-defined diseases															
	All other causes	73		2	1	1	4	6	5	7	22	10	6	15	11	9
	NEW YORK, N. Y. (TOTAL).															
	All causes	12,568	1,734	521	414	809	3,478	674	536	436	5,124	1,103	852	2,116	1,812	1,561
5	Measles	153						1	2		3	2	3	18	47	80
6	Scarlet fever	6							1		1				1	4
7	Whooping cough	245						1		5	6	33	17	63	56	70
8	Diphtheria and croup	134							1	2	3	2	7	16	42	64
9	Influenza	60			1	2	3	3		3	9	4	4	11	11	21
(12)	Dysentery	17							1		1		1	5	5	5
(12)	Erysipelas	119				1	1	5	14	18	38	30	16	19	13	3
(37)	Tetanus	9				3	3	4	1	1	9					
13	Tuberculosis of the lungs	82						1	2		3	1	4	16	25	33
14	Tuberculous meningitis	142				2	2			2	4	5	4	26	46	57
15	Other forms of tuberculosis	19								2	2	1	3	5	6	2
(37)	Syphilis	214	28	12	3	20	63	18	17	7	105	32	22	29	15	11
17	Meningitis	93						2	2	1	5	7	6	23	33	19
(37)	Convulsions	44	2	3	2	4	11	2	2	1	16	9	4	7	4	4
19	Organic diseases of the heart	14						1	2		3	2		4	2	3
20	Acute bronchitis	506	1	2	2	16	21	39	48	41	149	84	55	99	70	49
22	Pneumonia	662	3	1	2	9	15	14	19	18	66	54	52	128	177	185
(23)	Bronchopneumonia	1,387	3	4	6	27	40	49	67	78	234	146	119	326	286	276
24	Diseases of the stomach	38				1	1	2	1	3	7	6	2	13	9	1
25	Diarrhea and enteritis	2,940	1	2	6	12	21	57	65	79	222	288	309	923	703	495
(33)	Malformations	668	126	43	51	132	352	71	28	30	481	52	35	52	32	16
(33)	Premature birth	2,341	1,056	278	183	272	1,789	227	138	66	2,220	79	23	15	2	2
(33, 37)	Congenital debility	1,303	200	84	72	156	512	98	72	45	727	188	124	154	74	36
(37)	Injuries at birth	609	292	73	73	111	549	34	14	7	604	4	1			
35	External causes	181	12	11	5	1	29	7	6	6	48	21	9	39	30	34
38	Unknown or ill-defined diseases	3	1				1	1	1		3					
	All other causes	579	9	8	8	40	65	37	32	21	155	53	32	125	123	91

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	NEW YORK, N. Y. (WHITE).															
	All causes	12,039	1,667	494	401	769	3,331	643	520	418	4,912	1,069	810	2,030	1,731	1,487
5	Measles	151						1	2		3	2	3	18	46	79
6	Scarlet fever	6							1		1				1	4
7	Whooping cough	231						1		5	6	33	17	60	52	63
8	Diphtheria and croup	129							1	2	3	2	6	16	40	62
9	Influenza	58			1	2	3	3		3	9	4	4	10	10	21
(12)	Dysentery	17							1		1		1	5	5	5
(12)	Erysipelas	117				1	1	4	14	18	37	30	15	19	13	3
(37)	Tetanus	8				3	3	3	1	1	8					
13	Tuberculosis of the lungs	77						1	2		3	1	3	15	22	33
14	Tuberculous meningitis	138				1	1			2	3	5	4	25	46	55
15	Other forms of tuberculosis	19								2	2	1	3	5	6	2
(37)	Syphilis	199	26	9	2	18	55	18	17	6	96	32	21	28	12	10
17	Meningitis	90						2	2	1	5	6	4	23	33	19
(37)	Convulsions	43	2	3	2	4	11	2	2	1	16	9	3	7	4	4
19	Organic diseases of the heart	14						1	2		3	2		4	2	3
20	Acute bronchitis	476	1	2	2	15	20	38	45	36	139	83	51	96	64	43
22	Pneumonia	635	2	1	2	9	14	13	19	17	63	51	50	120	172	179
(23)	Bronchopneumonia	1,310	3	4	6	25	38	46	63	75	222	141	115	310	265	257
24	Diseases of the stomach	37						2	1	3	6	6	2	13	9	1
25	Diarrhea and enteritis	2,810		2	4	11	17	53	63	79	212	279	291	879	677	472
(33)	Malformations	657	122	43	50	129	344	70	28	30	472	52	35	52	31	15
(33)	Premature birth	2,247	1,017	263	178	260	1,718	216	134	63	2,131	74	23	15	2	2
(33, 37)	Congenital debility	1,244	187	77	68	147	479	94	70	43	686	182	120	150	71	35
(37)	Injuries at birth	595	286	72	73	108	539	32	13	6	590	4	1			
35	External causes	178	12	10	5	1	28	7	6	6	47	21	9	39	29	33
38	Unknown or ill-defined diseases	3	1				1	1	1		3					
	All other causes	550	8	8	8	35	59	35	32	19	145	49	29	121	119	87
	NEW YORK, N. Y. (COLORED).															
	All causes	529	67	27	13	40	147	31	16	18	212	34	42	86	81	74
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	14												3	4	7
8	Diphtheria and croup	5											1		2	2
9	Influenza	2												1	1	
(12)	Dysentery															
(12)	Erysipelas	2						1			1		1			
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	5											1	1	3	
14	Tuberculous meningitis	4				1	1				1			1		2
15	Other forms of tuberculosis															
(37)	Syphilis	15	2	3	1	2	8			1	9		1	1	3	1
17	Meningitis	3										1	2			
(37)	Convulsions	1											1			
19	Organic diseases of the heart															
20	Acute bronchitis	30				1	1	1	3	5	10	1	4	3	6	6
22	Pneumonia	27	1				1	1		1	3	3	2	8	5	6
(23)	Bronchopneumonia	77				2	2	3	4	3	12	5	4	16	21	19
24	Diseases of the stomach	1				1	1				1					
25	Diarrhea and enteritis	130	1		2	1	4	4	2		10	9	18	44	26	23
(33)	Malformations	11	4		1	3	8	1			9				1	1
(33)	Premature birth	94	39	15	5	12	71	11	4	3	89	5				
(33, 37)	Congenital debility	59	13	7	4	9	33	4	2	2	41	6	4	4	3	1
(37)	Injuries at birth	14	6	1		3	10	2	1	1	14					
35	External causes	3		1			1				1				1	1
38	Unknown or ill-defined diseases															
	All other causs	29	1			5	6	2		2	10	4	3	4	4	4
	NEW YORK, N. Y. (BRONX BOROUGH).															
	All causes	1,345	196	71	49	110	426	80	72	55	633	119	87	206	179	121
5	Measles	14							1		1		2	1	7	3
6	Scarlet fever	1													1	
7	Whooping cough	28								1	1	5	1	3	10	8
8	Diphtheria and croup	10										1		1	3	5
9	Influenza	7						1		1	2		2	1	1	1
(12)	Dysentery	5											1	1	2	1
(12)	Erysipelas	16							3	1	4	6	3	1	2	
(37)	Tetanus															
13	Tuberculosis of the lungs	4												2	1	1
14	Tuberculous meningitis	16										3		3	3	7
15	Other forms of tuberculosis	3								1	1			1	1	
(37)	Syphilis	26	5	3		1	9	3	2	2	16	2	1	4	2	1
17	Meningitis	12						1	1		2	1		4	5	
(37)	Convulsions	3							1	1	2				1	
19	Organic diseases of the heart	3												2	1	
20	Acute bronchitis	21				3	3	4	4	3	14	1	1	2	2	1
22	Pneumonia	76				1	1	3	3	3	10	8	9	14	23	12
(23)	Bronchopneumonia	165			1	3	4	5	5	12	26	16	10	43	37	33
24	Diseases of the stomach	6								1	1	3	1	1		
25	Diarrhea and enteritis	227		1		2	3	10	8	8	29	32	26	72	42	26
(33)	Malformations	83	11	2	3	18	34	7	4	5	50	10	8	10	1	4
(33)	Premature birth	270	116	37	19	41	213	20	18	6	257	6	2	5		
(33, 37)	Congenital debility	154	24	8	11	21	64	14	12	4	94	11	16	18	13	2
(37)	Injuries at birth	102	38	16	13	18	85	7	6	1	99	2	1			
35	External causes	20	2	2			4			2	6	5			4	5
38	Unknown or ill-defined diseases	1						1			1					
	All other causes	72		2	2	2	6	4	4	3	17	7	3	17	17	11

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).															
	All causes	4,276	577	182	171	281	1,211	237	177	133	1,758	372	265	724	616	541
5	Measles	23							1		1	1		3	8	10
6	Scarlet fever															
7	Whooping cough	87								2	2	18	10	24	13	20
8	Diphtheria and croup	28							1		1			5	11	11
9	Influenza	18				1	1	1		2	4	3	1	4	1	5
(12)	Dysentery	4												2	1	1
(12)	Erysipelas	32				1	1	1	5	3	10	8	3	5	5	1
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	21						1			1		1	4	6	9
14	Tuberculous meningitis	58				1	1			1	2	1	1	8	21	25
15	Other forms of tuberculosis	7											1	3	2	1
(37)	Syphilis	69	9	2	1	8	20	7	4	3	34	11	6	8	5	5
17	Meningitis	22								1	1	3		5	7	6
(37)	Convulsions	27	1	3	2		6		1		7	6	4	5	2	3
19	Organic diseases of the heart	6						1	1		2	1		1		2
20	Acute bronchitis	181			2	4	6	12	12	15	45	32	22	38	25	19
22	Pneumonia	235		1	1	2	4	4	9	6	23	19	16	48	56	73
(23)	Bronchopneumonia	506	1	1	3	14	19	21	20	31	91	52	44	120	92	107
24	Diseases of the stomach	11							1		1	2	1	4	2	1
25	Diarrhea and enteritis	1,036		1	1	4	6	16	29	23	74	101	88	312	280	181
(33)	Malformations	253	46	24	21	47	138	28	9	14	189	19	7	18	14	6
(33)	Premature birth	821	355	105	76	96	632	86	48	17	783	23	8	5		2
(33, 37)	Congenital debility	396	75	25	32	51	183	32	19	9	243	41	33	42	26	11
(37)	Injuries at birth	179	84	16	27	34	161	11	5	1	178	1				
35	External causes	63	1	2	2		5		2	2	9	9	7	12	14	12
38	Unknown or ill-defined diseases	2	1				1		1		2					
	All other causes	189	4	2	3	17	26	15	9	3	53	21	12	48	25	30
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).															
	All causes	4,158	565	178	168	273	1,184	229	177	133	1,723	367	252	699	601	516
5	Measles	22							1		1	1		3	7	10
6	Scarlet fever															
7	Whooping cough	81								2	2	18	10	22	12	17
8	Diphtheria and croup	28							1		1			5	11	11
9	Influenza	16				1	1	1		2	4	3	1	3		5
(12)	Dysentery	4												2	1	1
(12)	Erysipelas	32				1	1	1	5	3	10	8	3	5	5	1
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	19						1			1		1	4	4	9
14	Tuberculous meningitis	56				1	1			1	2	1	1	7	21	24
15	Other forms of tuberculosis	7											1	3	2	1
(37)	Syphilis	65	8	1		7	16	7	4	3	30	11	6	8	5	5
17	Meningitis	22								1	1	3		5	7	6
(37)	Convulsions	26	1	3	2		6		1		7	6	3	5	2	3
19	Organic diseases of the heart	6						1	1		2	1		1		2
20	Acute bronchitis	176			2	4	6	12	12	15	45	32	21	36	25	17
22	Pneumonia	229		1	1	2	4	4	9	6	23	19	15	46	55	71
(23)	Bronchopneumonia	488	1	1	3	14	19	20	20	31	90	51	43	116	88	100
24	Diseases of the stomach	11							1		1	2	1	4	2	1
25	Diarrhea and enteritis	1,001		1	1	4	6	14	29	23	72	99	82	301	275	172
(33)	Malformations	248	45	24	20	45	134	27	9	14	184	19	7	18	14	6
(33)	Premature birth	810	349	103	75	96	623	84	48	17	772	23	8	5		2
(33, 37)	Congenital debility	390	74	24	32	49	179	32	19	9	239	39	33	42	26	11
(37)	Injuries at birth	175	81	16	27	34	158	10	5	1	174	1				
35	External causes	63	1	2	2		5		2	2	9	9	7	12	14	12
38	Unknown or ill-defined diseases	2	1				1		1		2					
	All other causes	179	4	2	3	14	23	14	9	3	49	21	9	46	25	29
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).															
	All causes	118	12	4	3	8	27	8			35	5	13	25	15	25
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	6												2	1	3
8	Diphtheria and croup															
9	Influenza	2												1	1	
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2													2	
14	Tuberculous meningitis	2												1		1
15	Other forms of tuberculosis															
(37)	Syphilis	4	1	1	1	1	4				4					
17	Meningitis															
(37)	Convulsions	1											1			
19	Organic diseases of the heart															
20	Acute bronchitis	5											1	2		2
22	Pneumonia	6											1	2	1	2
(23)	Bronchopneumonia	18						1			1	1	1	4	4	7
24	Diseases of the stomach															
25	Diarrhea and enteritis	35						2			2	2	6	11	5	9
(33)	Malformations	5	1		1	2	4	1			5					
(33)	Premature birth	11	6	2	1		9	2			11					
(33, 37)	Congenital debility	6	1	1		2	4				4	2				
(37)	Injuries at birth	4	3				3	1			4					
35	External causes															
38	Unknown or ill-defined diseases															
	All other causes	10				3	3	1			4		3	2		1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).															
	All causes	5,783	752	215	158	350	1,475	296	246	205	2,222	510	424	1,006	844	777
5	Measles	109						1			1	1	1	14	30	62
6	Scarlet fever	3														3
7	Whooping cough	104						1		1	2	8	4	25	27	38
8	Diphtheria and croup	93								1	1	1	7	10	28	46
9	Influenza	30			1	1	2	1			3	1	1	5	7	13
(12)	Dysentery	7							1		1			1	2	3
(12)	Erysipelas	67						4	6	14	24	15	8	12	6	2
(37)	Tetanus	3				2	2	1			3					
13	Tuberculosis of the lungs	49							2		2		3	9	16	19
14	Tuberculous meningitis	58				1	1			1	2		3	13	16	24
15	Other forms of tuberculosis	8								1	1	1	1	1	3	1
(37)	Syphilis	111	13	7	2	10	32	8	10	2	52	19	13	15	7	5
17	Meningitis	51						1	1		2	3	5	9	19	13
(37)	Convulsions	9	1			3	4	2			6	1		1	1	
19	Organic diseases of the heart	3										1		1	1	
20	Acute bronchitis	286	1	2		8	11	21	29	22	83	48	31	53	42	29
22	Pneumonia	299	2		1	4	7	6	5	9	27	21	24	63	79	85
(23)	Bronchopneumonia	578	2	2	2	6	12	18	37	32	99	56	51	136	124	112
24	Diseases of the stomach	18				1	1	2		1	4	1		7	6	
25	Diarrhea and enteritis	1,404	1		5	6	12	22	27	34	95	132	168	451	310	248
(33)	Malformations	257	55	13	20	53	141	26	11	9	187	16	14	21	15	4
(33)	Premature birth	1,019	461	103	74	116	754	104	63	36	957	44	11	5	2	
(33,37)	Congenital debility	644	88	45	24	71	228	46	32	27	333	115	63	86	28	19
(37)	Injuries at birth	242	118	33	23	47	221	15	2	3	241	1				
35	External causes	73	7	6	3	1	17	5	4	2	28	5	2	17	10	11
38	Unknown or ill-defined diseases															
	All other causes	258	3	4	3	20	30	12	16	10	68	20	14	51	65	40
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).															
	All causes	5,412	702	196	149	319	1,366	279	232	188	2,065	483	396	950	786	732
5	Measles	108						1			1	1	1	14	30	61
6	Scarlet fever	3														3
7	Whooping cough	97						1		1	2	8	4	24	25	34
8	Diphtheria and croup	89								1	1	1	6	10	27	44
9	Influenza	30			1	1	2	1			3	1	1	5	7	13
(12)	Dysentery	7							1		1			1	2	3
(12)	Erysipelas	65						3	6	14	23	15	7	12	6	2
(37)	Tetanus	2				2	2				2					
13	Tuberculosis of the lungs	46							2		2		2	8	15	19
14	Tuberculous meningitis	57								1	1		3	13	16	24
15	Other forms of tuberculosis	8								1	1	1	1	1	3	1
(37)	Syphilis	101	12	5	2	9	28	8	10	2	48	19	12	14	4	4
17	Meningitis	48						1	1		2	2	3	9	19	13
(37)	Convulsions	9	1			3	4	2			6	1		1	1	
19	Organic diseases of the heart	3										1		1	1	
20	Acute bronchitis	261	1	2		7	10	20	26	17	73	47	28	52	36	25
22	Pneumonia	279	1		1	4	6	5	5	8	24	18	23	57	76	81
(23)	Bronchopneumonia	524	2	2	2	4	10	16	33	29	88	52	49	124	109	102
24	Diseases of the stomach	17						2		1	3	1		7	6	
25	Diarrhea and enteritis	1,315			3	5	8	20	25	34	87	126	156	422	290	234
(33)	Malformations	251	52	13	20	52	137	26	11	9	183	16	14	21	14	3
(33)	Premature birth	946	430	93	71	105	699	98	59	33	889	39	11	5	2	
(33,37)	Congenital debility	601	79	40	20	64	203	44	31	25	303	112	59	83	26	18
(37)	Injuries at birth	233	115	32	23	44	214	14	2	2	232	1				
35	External causes	71	7	5	3	1	16	5	4	2	27	5	2	17	10	10
38	Unknown or ill-defined diseases															
	All other causes	241	2	4	3	18	27	12	16	8	63	16	14	49	61	38
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).															
	All causes	371	50	19	9	31	109	17	14	17	157	27	28	56	58	45
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	7												1	2	4
8	Diphtheria and croup	4											1		1	2
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2						1			1		1			
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	3											1	1	1	
14	Tuberculous meningitis	1				1	1									
15	Other forms of tuberculosis															
(37)	Syphilis	10	1	2		1	4				4		1	1	3	1
17	Meningitis	3										1	2			
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	25				1	1	1	3	5	10	1	3	1	6	4
22	Pneumonia	20	1				1	1		1	3	3	1	6	3	4
(23)	Bronchopneumonia	54				2	2	2	4	3	11	4	2	12	15	10
24	Diseases of the stomach	1				1	1				1					
25	Diarrhea and enteritis	89	1		2	1	4	2	2		8	6	12	29	20	14
(33)	Malformations	6	3			1	4				4				1	1
(33)	Premature birth	73	31	10	3	11	55	6	4	3	68	5				
(33,37)	Congenital debility	43	9	5	4	7	25	2	1	2	30	3	4	3	2	1
(37)	Injuries at birth	9	3	1		3	7	1		1	9					
35	External causes	2		1			1				1					1
38	Unknown or ill-defined diseases															
	All other causes	17	1			2	3			2	5	4		2	4	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	NEW YORK, N. Y. (QUEENS BOROUGH).															
	All causes	937	166	47	32	62	307	45	31	35	418	85	55	141	138	100
5	Measles	6													2	4
6	Scarlet fever	2							1		1					1
7	Whooping cough	22								1	1	2	2	8	6	3
8	Diphtheria and croup	2														2
9	Influenza	4												1	1	2
(12)	Dysentery	1												1		
(12)	Erysipelas	4										1	2	1		
(37)	Tetanus	4						2	1	1	4					
13	Tuberculosis of the lungs	5										1		1		3
14	Tuberculous meningitis	10										1		2	6	1
15	Other forms of tuberculosis															
(37)	Syphilis	6				1	1		1		2		2	1	1	
17	Meningitis	6											1	4	1	
(37)	Convulsions	4				1	1				1	2		1		
19	Organic diseases of the heart	2							1		1					1
20	Acute bronchitis	15				1	1	2	3	1	7	2	1	5		
22	Pneumonia	44	1			2	3	1	2		6	6	3	3	15	11
(23)	Bronchopneumonia	111		1		4	5	4	4	2	15	16	11	21	25	23
24	Diseases of the stomach	2								1	1				1	
25	Diarrhea and enteritis	213						8		11	19	21	21	68	55	29
(33)	Malformations	62	10	4	5	14	33	5	4	2	44	7	4	3	2	2
(33)	Premature birth	184	97	31	14	16	158	11	5	6	180	3	1			
(33,37)	Congenital debility	83	9	5	4	12	30	5	6	3	44	17	5	7	7	3
(37)	Injuries at birth	74	46	6	9	10	71		1	2	74					
35	External causes	18	1				1	2			3	2		6	2	5
38	Unknown or ill-defined diseases															
	All other causes	53	2			1	3	5	2	5	15	4	2	8	14	10
	NEW YORK, N. Y. (RICHMOND BOROUGH).															
	All causes	227	43	6	4	6	59	16	10	8	93	17	21	39	35	22
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	4												3		1
8	Diphtheria and croup	1								1	1					
9	Influenza	1													1	
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	3													2	1
14	Tuberculous meningitis															
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	2	1				1				1			1		
17	Meningitis	2												1	1	
(37)	Convulsions	1														1
19	Organic diseases of the heart															
20	Acute bronchitis	3										1		1	1	
22	Pneumonia	8													4	4
(23)	Bronchopneumonia	27						1	1	1	3	6	3	6	8	1
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	60						1	1	3	5	2	6	20	16	11
(33)	Malformations	13	4		2		6	5			11		2			
(33)	Premature birth	47	27	2		3	32	6	4	1	43	3	1			
(33,37)	Congenital debility	26	4	1	1	1	7	1	3	2	13	4	7	1		1
(37)	Injuries at birth	12	6	2	1	2	11	1			12					
35	External causes	7	1	1			2				2			4		1
38	Unknown or ill-defined diseases															
	All other causes	7						1	1		2	1	1	1	2	
	CINCINNATI, OHIO (TOTAL).															
	All causes	688	137	39	38	49	263	35	29	19	346	65	43	106	61	67
5	Measles	2												1		1
6	Scarlet fever															
7	Whooping cough	16						1			1	5		3	3	4
8	Diphtheria and croup	6							1		1	1			1	3
9	Influenza	7										2		3	1	1
(12)	Dysentery	1													1	
(12)	Erysipelas	2												2		
(37)	Tetanus															
13	Tuberculosis of the lungs	4												2		2
14	Tuberculous meningitis	6							1		1			1	1	3
15	Other forms of tuberculosis	4												1		3
(37)	Syphilis	22	5		1	2	8	1	1	3	13	5	2	2		
17	Meningitis	7												2	2	3
(37)	Convulsions	2											1	1		
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	12										3	1	2	4	2
22	Pneumonia	19						1	1		2		1	6	5	5
(23)	Bronchopneumonia	64			4		4		1	3	8	8	8	17	10	13
24	Diseases of the stomach	8										2	2	4		
25	Diarrhea and enteritis	134				1	1	2	8	2	13	19	15	39	24	24
(33)	Malformations	68	12	4	11	11	38	4	5		47	8	5	5	3	
(33)	Premature birth	171	86	28	9	16	139	17	2	6	164	3	3		1	
(33,37)	Congenital debility	33	7	4	3	3	17	3	3	2	25	2	2	3	1	
(37)	Injuries at birth	54	26	3	7	12	48	4	2		54					
35	External causes	5	1			1	2				2	1		2		
38	Unknown or ill-defined diseases															
	All other causes	40			3	3	6	2	3	3	14	6	3	10	4	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	CINCINNATI, OHIO (WHITE).															
	All causes	599	125	38	36	44	243	29	26	16	314	56	39	87	55	48
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	13						1			1	4		2	3	3
8	Diphtheria and croup	5										1			1	3
9	Influenza	7										2		3	1	1
(12)	Dysentery	1													1	
(12)	Erysipelas	2												2		
(37)	Tetanus															
13	Tuberculosis of the lungs	4												2		2
14	Tuberculous meningitis	5							1		1				1	3
15	Other forms of tuberculosis	4												1		3
(37)	Syphilis	18	3			1	4	1	1	3	9	5	2	2		
17	Meningitis	5												2	1	2
(37)	Convulsions	1											1			
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	12										3	1	2	4	2
22	Pneumonia	11						1	1		2			3	4	2
(23)	Bronchopneumonia	45			4		4		1	3	8	5	6	11	9	6
24	Diseases of the stomach	8										3	2	4		
25	Diarrhea and enteritis	117						2	6	2	10	18	15	35	22	17
(33)	Malformations	66	12	4	10	10	36	4	5		45	8	5	5	3	
(33)	Premature birth	159	81	27	9	14	131	15	2	6	154	2	2		1	
(33, 37)	Congenital debility	27	6	4	3	3	16	3	3		22		2	2	1	
(37)	Injuries at birth	47	22	3	7	12	44	1	2		47					
35	External causes	5	1			1	2				2	1		2		
38	Unknown or ill-defined diseases															
	All other causes	35			3	3	6	1	3	2	12	5	3	9	3	3
	CINCINNATI, OHIO (COLORED).															
	All causes	89	12	1	2	5	20	6	3	3	32	9	4	19	6	19
5	Measles	1												1		
6	Scarlet fever															
7	Whooping cough	3										1		1		1
8	Diphtheria and croup	1							1		1					
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis															
(37)	Syphilis	4	2		1	1	4				4					
17	Meningitis	2													1	1
(37)	Convulsions	1												1		
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia	8											1	3	1	3
(23)	Bronchopneumonia	19										3	2	6	1	7
24	Diseases of the stomach															
25	Diarrhea and enteritis	17				1	1		2		3	1		4	2	7
(33)	Malformations	2			1	1	2				2					
(33)	Premature birth	12	5	1		2	8	2			10	1	1			
(33, 37)	Congenital debility	6	1				1			2	3	2		1		
(37)	Injuries at birth	7	4				4	3			7					
35	External causes															
38	Unknown or ill-defined diseases															
	All other causes	5						1		1	2	1		1	1	
	CLEVELAND, OHIO.															
	All causes	2,208	287	107	86	142	622	124	96	68	910	181	123	376	330	288
5	Measles	16												3	5	8
6	Scarlet fever	2												1	1	
7	Whooping cough	58								2	2	8	2	17	14	15
8	Diphtheria and croup	12										1	1	4	2	4
9	Influenza	19							1	1	2	1	2	5	6	3
(12)	Dysentery															
(12)	Erysipelas	4						1			1			1	1	1
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	12										1		2	3	6
14	Tuberculous meningitis	18												5	8	5
15	Other forms of tuberculosis	4								1	1		1	2		
(37)	Syphilis	27	2	2	1	1	6	2	5	1	14	5	2	4	1	1
17	Meningitis	16						1	1		2	1		4	3	6
(37)	Convulsions	16	1	1	1	5	8	1	1		10	1		1	1	3
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	68			1	2	3	3	4	5	15	8	2	19	13	11
22	Pneumonia	99				2	2	6	3	4	15	9	8	21	19	27
(23)	Bronchopneumonia	204		1	1	4	6	7	12	9	34	23	13	45	45	44
24	Diseases of the stomach	29			1		1			3	4	4	5	8	7	1
25	Diarrhea and enteritis	649				10	10	13	16	16	55	65	61	185	157	126
(33)	Malformations	118	14	11	13	28	66	11	7	6	90	6	3	7	9	3
(33)	Premature birth	399	182	55	37	49	323	30	17	7	377	16	5	1		
(33, 37)	Congenital debility	94	12	9	7	11	39	16	10	6	71	12	5	3	1	2
(37)	Injuries at birth	127	61	18	17	21	117	8	2		127					
35	External causes	20	1				1	1	1		3	3	2	4	1	7
38	Unknown or ill-defined diseases	89	10	7	5	3	25	8	6	2	41	9	8	15	8	8
	All other causes	106	4	3	2	5	14	16	10	5	45	8	2	19	25	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	PHILADELPHIA, PA. (TOTAL).															
	All causes	4,637	492	223	165	285	1,165	278	220	136	1,799	427	344	879	688	500
5	Measles	19										1		1	8	9
6	Scarlet fever															
7	Whooping cough	79							3	2	5	8	6	24	16	20
8	Diphtheria and croup	31						1	1		2	2	2	6	7	12
9	Influenza	22				1	1		3		4	1	1	3	5	8
(12)	Dysentery	3											1	2		
(12)	Erysipelas	13						1	1	2	4	1	3	2	3	
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	39										2	1	15	16	5
14	Tuberculous meningitis	63										1	4	15	20	23
15	Other forms of tuberculosis	15										1	1	6	2	5
(37)	Syphilis	76	11	1	3	4	19	6	10	6	41	11	10	12		2
17	Meningitis	62						2			2	5	4	19	22	10
(37)	Convulsions	32	3	2	1	3	9	3	3	1	16	2	3	8	2	1
19	Organic diseases of the heart	21			1	1	2	5	2	1	10	4	1	4	2	
20	Acute bronchitis	139			2	2	4	10	9	6	29	20	16	34	25	15
22	Pneumonia	207			4	2	6	10	10	7	33	21	15	50	48	40
(23)	Bronchopneumonia	508	3	4	5	12	24	20	25	19	88	59	38	135	102	86
24	Diseases of the stomach	61				1	1	4	2	2	9	6	11	21	6	8
25	Diarrhea and enteritis	1,331		3	3	18	24	37	38	33	132	157	155	374	312	201
(33)	Malformations	352	60	26	33	64	183	45	26	10	264	35	16	22	9	6
(33)	Premature birth	780	320	122	62	91	595	88	37	22	742	19	6	11		2
(33, 37)	Congenital debility	344	33	31	22	42	128	23	23	14	188	47	30	49	23	7
(37)	Injuries at birth	154	60	29	22	30	141	8	4	1	154					
35	External causes	60		1	2	1	4	3	2	2	11	4	7	15	13	10
38	Unknown or ill-defined diseases	6		1			1				1		1		2	2
	All other causes	219	2	3	5	13	23	12	20	8	63	20	12	51	45	28
	PHILADELPHIA, PA. (WHITE).															
	All causes	4,176	447	204	151	260	1,062	261	188	126	1,637	392	309	793	603	442
5	Measles	17										1		1	8	7
6	Scarlet fever															
7	Whooping cough	69							2	2	4	7	6	21	14	17
8	Diphtheria and croup	29						1	1		2	1	1	6	7	12
9	Influenza	21				1	1		3		4	1	1	3	5	7
(12)	Dysentery	3											1	2		
(12)	Erysipelas	13						1	1	2	4	1	3	2	3	
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	32										2	1	11	13	5
14	Tuberculous meningitis	56										1	4	14	16	21
15	Other forms of tuberculosis	14										1	1	6	2	4
(37)	Syphilis	53	6	1		2	9	4	7	4	24	8	10	10		1
17	Meningitis	55						2			2	4	3	18	19	9
(37)	Convulsions	28	3	2	1	2	8	3	3	1	15	2	2	8	1	
19	Organic diseases of the heart	20			1	1	2	5	2	1	10	4	1	3	2	
20	Acute bronchitis	118			2	2	4	10	7	5	26	19	13	31	18	11
22	Pneumonia	177			3	2	5	10	9	6	30	19	12	40	41	35
(23)	Bronchopneumonia	448	3	4	4	10	21	20	21	19	81	55	35	117	85	75
24	Diseases of the stomach	53				1	1	4	2	2	9	6	10	17	4	7
25	Diarrhea and enteritis	1,227		2	3	16	21	34	35	31	121	147	144	347	284	184
(33)	Malformations	333	56	24	32	63	175	43	24	10	252	33	14	20	9	5
(33)	Premature birth	716	292	113	59	84	548	82	28	22	680	19	5	10		2
(33, 37)	Congenital debility	296	28	24	20	37	109	20	20	11	160	40	27	44	20	5
(37)	Injuries at birth	146	57	29	21	27	134	8	3	1	146					
35	External causes	50		1		1	2	3	2	2	9	3	5	13	11	9
38	Unknown or ill-defined diseases	5		1			1				1		1		1	2
	All other causes	196	2	3	5	11	21	11	17	7	56	18	9	49	40	24
	PHILADELPHIA, PA. (COLORED).															
	All causes	461	45	19	14	25	103	17	32	10	162	35	35	86	85	58
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	10							1		1	1		3	2	3
8	Diphtheria and croup	2										1	1			
9	Influenza	1														1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	7												4	3	
14	Tuberculous meningitis	7												1	4	2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	23	5		3	2	10	2	3	2	17	3		2		1
17	Meningitis	7										1	1	1	3	1
(37)	Convulsions	4				1	1				1		1		1	1
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	21							2	1	3	1	3	3	7	4
22	Pneumonia	30			1		1		1	1	3	2	3	10	7	5
(23)	Bronchopneumonia	60			1	2	3		4		7	4	3	18	17	11
24	Diseases of the stomach	8											1	4	2	1
25	Diarrhea and enteritis	104		1		2	3	3	3	2	11	10	11	27	28	17
(33)	Malformations	19	4	2	1	1	8	2	2		12	2	2	2		1
(33)	Premature birth	64	28	9	3	7	47	6	9		62		1	1		
(33, 37)	Congenital debility	48	5	7	2	5	19	3	3	3	28	7	3	5	3	2
(37)	Injuries at birth	8	3		1	3	7		1		8					
35	External causes	10			2		2				2	1	2	2	2	1
38	Unknown or ill-defined diseases	1													1	
	All other causes	23				2	2	1	3	1	7	2	3	2	5	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	PITTSBURGH, PA. (TOTAL).															
	All causes	1,983	272	70	66	112	520	94	94	63	771	158	148	367	274	265
5	Measles	21				1	1				1	1		2	5	12
6	Scarlet fever	1												1		
7	Whooping cough	28				1	1			2	3		6	6	3	10
8	Diphtheria and croup	13										1		3	2	7
9	Influenza	10								1	1	1		2	2	4
(12)	Dysentery	5												1	2	2
(12)	Erysipelas	12							1	3	4	3		1	2	2
(37)	Tetanus															
13	Tuberculosis of the lungs	15	1				1				1	2	1	3	4	4
14	Tuberculous meningitis	23										1	4	6	3	9
15	Other forms of tuberculosis	5										1	1			3
(37)	Syphilis	48	2	1	4	2	9	5	5	4	23	4	6	7	7	1
17	Meningitis	20								1	1	1	2	6	3	7
(37)	Convulsions	10	1	1	1	1	4	1			5	2	1	2		
19	Organic diseases of the heart	4								1	1			2	1	
20	Acute bronchitis	47				1	1	2	2	1	6	6	5	14	9	7
22	Pneumonia	94				3	3	1			4	7	9	20	30	24
(23)	Bronchopneumonia	213		1		4	5	15	12	3	35	20	24	53	52	29
24	Diseases of the stomach	16		1			1			2	3	4	1	2	3	3
25	Diarrhea and enteritis	593				6	6	16	17	15	54	53	63	187	125	111
(33)	Malformations	121	18	4	13	18	53	12	18	8	91	10	8	8	1	3
(33)	Premature birth	368	180	45	29	32	286	23	23	10	342	16	2	6	1	1
(33,37)	Congenital debility	126	29	11	10	19	69	12	7	5	93	11	9	11	2	
(37)	Injuries at birth	78	39	5	8	21	73	3	2		78					
35	External causes	15	1				1				1	1	2	4	1	6
38	Unknown or ill-defined diseases	4						1			1			2		1
	All other causes	93	1	1	1	3	6	4	6	7	23	13	4	18	16	19
	PITTSBURGH, PA. (WHITE).															
	All causes	1,846	253	68	63	107	491	89	85	60	725	145	139	340	256	241
5	Measles	20				1	1				1	1		2	5	11
6	Scarlet fever	1												1		
7	Whooping cough	27				1	1			2	3		5	6	3	10
8	Diphtheria and croup	12										1		2	2	7
9	Influenza	6												2	1	3
(12)	Dysentery	5												1	2	2
(12)	Erysipelas	12							1	3	4	3		1	2	2
(37)	Tetanus															
13	Tuberculosis of the lungs	14	1				1				1	2	1	2	4	4
14	Tuberculous meningitis	22										1	4	6	3	8
15	Other forms of tuberculosis	4										1				3
(37)	Syphilis	41		1	3	1	5	5	3	4	17	4	6	7	6	1
17	Meningitis	20								1	1	1	2	6	3	7
(37)	Convulsions	9	1	1	1	1	4	1			5	1	1	2		
19	Organic diseases of the heart	4								1	1			2	1	
20	Acute bronchitis	40				1	1	2		1	4	5	5	13	8	5
22	Pneumonia	80				3	3	1			4	7	7	19	26	17
(23)	Bronchopneumonia	192		1		4	5	14	11	3	33	18	23	45	47	26
24	Diseases of the stomach	16		1			1			2	3	4	1	2	3	3
25	Diarrhea and enteritis	557				6	6	14	16	15	51	48	59	177	120	102
(33)	Malformations	114	15	4	12	17	48	12	17	7	84	10	8	8	1	3
(33)	Premature birth	353	173	43	29	31	276	23	22	9	330	15	2	5		1
(33,37)	Congenital debility	117	27	11	9	18	65	10	6	5	86	10	9	10	2	
(37)	Injuries at birth	72	34	5	8	20	67	3	2		72					
35	External causes	14	1				1				1	1	2	3	1	6
38	Unknown or ill-defined diseases	4						1			1			2		1
	All other causes	90	1	1	1	3	6	4	6	7	23	12	4	16	16	19
	PITTSBURGH, PA. (COLORED).															
	All causes	137	19	2	3	5	29	5	9	3	46	13	9	27	18	24
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	1											1			
8	Diphtheria and croup	1												1		
9	Influenza	4								1	1	1			1	1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	7	2		1	1	4		2		6				1	
17	Meningitis															
(37)	Convulsions	1										1				
19	Organic diseases of the heart															
20	Acute bronchitis	7							2		2	1		1	1	2
22	Pneumonia	14											2	1	4	7
(23)	Bronchopneumonia	21						1	1		2	2	1	8	5	3
24	Diseases of the stomach															
25	Diarrhea and enteritis	36						2	1		3	5	4	10	5	9
(33)	Malformations	7	3		1	1	5		1	1	7					
(33)	Premature birth	15	7	2		1	10		1	1	12	1		1	1	
(33,37)	Congenital debility	9	2		1	1	4	2	1		7	1		1		
(37)	Injuries at birth	6	5			1	6				6					
35	External causes	1												1		
38	Unknown or ill-defined diseases															
	All other causes	3										1		2		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR MORE IN 1910—Continued.															
	MILWAUKEE, WIS.															
	All causes	1,125	197	55	43	85	380	65	52	43	540	88	94	184	115	104
5	Measles	4												2	2	
6	Scarlet fever	3												2		1
7	Whooping cough	31								2	2	1	6	12	5	5
8	Diphtheria and croup	7											1		3	3
9	Influenza	4											1		2	1
(12)	Dysentery	1														1
(12)	Erysipelas	9						1	2	1	4	3	1			1
(37)	Tetanus															
13	Tuberculosis of the lungs	8												5	2	1
14	Tuberculous meningitis	10											1	4	2	3
15	Other forms of tuberculosis															
(37)	Syphilis	10	1			2	3				3	4		3		
17	Meningitis	9								1	1			2	4	2
(37)	Convulsions	12		1		5	6	2	1		9	1		2		
19	Organic diseases of the heart															
20	Acute bronchitis	48	1			1	2	1	5	3	11	7	6	9	12	3
22	Pneumonia	52	1		1	3	5	1	2		8	2	4	14	9	15
(23)	Bronchopneumonia	128	3		1	3	7	5	3	3	18	17	13	26	26	28
24	Diseases of the stomach	25				1	1	3	5	1	10	2	4	6	3	
25	Diarrhea and enteritis	225			4	5	9	9	10	14	42	26	33	63	32	29
(33)	Malformations	46	9	5	1	8	23	4	3	2	32	5	2	4	2	1
(33)	Premature birth	232	123	31	18	18	190	19	10	5	224	4	2	2		
(33, 37)	Congenital debility	114	30	5	8	24	67	8	5	6	86	3	9	13	1	2
(37)	Injuries at birth	60	28	9	8	9	54	4	1		59		1			
35	External causes	10	1	1			2	1			3	3		1	3	
38	Unknown or ill-defined diseases															
	All other causes	77		3	2	6	11	7	5	5	28	10	10	14	7	8
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910.															
	BIRMINGHAM, ALA. (TOTAL).															
	All causes	548	90	17	22	34	163	30	12	18	223	50	38	83	91	63
5	Measles	15							1		1	1	1	4	5	3
6	Scarlet fever															
7	Whooping cough	23								2	2	4	2	4	8	3
8	Diphtheria and croup	2											1		1	
9	Influenza	9										3	2	3	1	
(12)	Dysentery	5						1			1		1	1		2
(12)	Erysipelas	1												1		
(37)	Tetanus	2						1		1	2					
13	Tuberculosis of the lungs	4													2	2
14	Tuberculous meningitis	4						1			1			2	1	
15	Other forms of tuberculosis															
(37)	Syphilis	29	6	2	1	2	11	3	1	1	16	4	1	3	2	3
17	Meningitis	2											1	1		
(37)	Convulsions	10			2	3	5		2		7		1	1	1	
19	Organic diseases of the heart	2										2				
20	Acute bronchitis	1							1		1					
22	Pneumonia	23		1			1			1	2	1	1	7	7	5
(23)	Bronchopneumonia	44			1	1	2		1	1	4	9	4	13	10	4
24	Diseases of the stomach	4										1	1	1		1
25	Diarrhea and enteritis	139				1	1		1	2	4	14	11	33	42	35
(33)	Malformations	20	3	3		4	10	4	1	2	17	2			1	
(33)	Premature birth	118	68	5	12	10	95	11	3	4	113	1	2	2		
(33, 37)	Congenital debility	37	5	3		7	15	5	1	1	22	5	4	2	3	1
(37)	Injuries at birth	15	4	3	5	2	14				14		1			
35	External causes	7	1			1	2	1			3		2	1	1	
38	Unknown or ill-defined diseases	12	2		1	1	4	2		3	9	2				1
	All other causes	20	1			2	3	1			4	1	2	4	6	3
	BIRMINGHAM, ALA. (WHITE).															
	All causes	223	54	9	10	15	88	11	6	6	111	22	15	28	34	13
5	Measles	6							1		1	1		2	2	
6	Scarlet fever															
7	Whooping cough	4								1	1	2				1
8	Diphtheria and croup	1													1	
9	Influenza	1										1				
(12)	Dysentery															
(12)	Erysipelas	1												1		
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	3												2	1	
15	Other forms of tuberculosis															
(37)	Syphilis	5	1				1	1	1		3	1			1	
17	Meningitis	1											1			
(37)	Convulsions	2			1		1				1		1			
19	Organic diseases of the heart	2										2				
20	Acute bronchitis	1							1		1					
22	Pneumonia	4		1			1				1		1	1		1
(23)	Bronchopneumonia	13							1		1	3	2	4	3	
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	53								1	1	7	5	12	19	9
(33)	Malformations	13	2	2		2	6	3	1		10	2			1	
(33)	Premature birth	73	46	3	5	7	61	5	1	3	70		1	2		
(33, 37)	Congenital debility	13	1	2		4	7			1	8	1		2	2	
(37)	Injuries at birth	9	3	1	3	1	8				8		1			
35	External causes	2						1			1		1			
38	Unknown or ill-defined diseases	4	1		1		2				2	2				
	All other causes	11				1	1	1			2		1	2	4	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	BIRMINGHAM, ALA. (COLORED).															
	All causes	325	36	8	12	19	75	19	6	12	112	28	23	55	57	50
5	Measles	9											1	2	3	3
6	Scarlet fever															
7	Whooping cough	19								1	1	2	2	4	8	2
8	Diphtheria and croup	1											1			
9	Influenza	8										2	2	3	1	
(12)	Dysentery	5						1			1		1	1		2
(12)	Erysipelas															
(37)	Tetanus	2						1		1	2					
13	Tuberculosis of the lungs	4													2	2
14	Tuberculous meningitis	1						1			1					
15	Other forms of tuberculosis															
(37)	Syphilis	24	5	2	1	2	10	2		1	13	3	1	3	1	3
17	Meningitis	1												1		
(37)	Convulsions	8			1	3	4		2		6			1	1	
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia	19								1	1	1		6	7	4
(23)	Bronchopneumonia	31			1	1	2			1	3	6	2	9	7	4
24	Diseases of the stomach	3										1		1		1
25	Diarrhea and enteritis	86				1	1		1	1	3	7	6	21	23	26
(33)	Malformations	7	1	1		2	4	1		2	7					
(33)	Premature birth	45	22	2	7	3	34	6	2	1	43	1	1			
(33, 37)	Congenital debility	24	4	1		3	8	5	1		14	4	4		1	1
(37)	Injuries at birth	6	1	2	2	1	6				6					
35	External causes	5	1			1	2				2		1	1	1	
38	Unknown or ill-defined diseases	8	1			1	2	2		3	7					1
	All other causes	9	1			1	2				2	1	1	2	2	1
	OAKLAND, CALIF.															
	All causes	252	43	19	7	17	86	8	17	11	122	33	19	37	29	12
5	Measles	3													2	1
6	Scarlet fever															
7	Whooping cough	4										2		1	1	
8	Diphtheria and croup	1														1
9	Influenza	2														
(12)	Dysentery	2										1		1		
(12)	Erysipelas	1										1	1			
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	3												1	2	
14	Tuberculous meningitis	3											1		1	1
15	Other forms of tuberculosis															
(37)	Syphilis	14	1				1		1	2	4	1	4	2	3	
17	Meningitis	1													1	
(37)	Convulsions															
19	Organic diseases of the heart	3										2			1	
20	Acute bronchitis	4							1		1			2		1
22	Pneumonia	15								1	1	1		8	4	1
(23)	Bronchopneumonia	22		1			1		5	1	7	3	2	3	5	2
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	32				1	1		1	2	4	7	3	9	6	3
(33)	Malformations	41	5	5	4	6	20	1	2	3	26	7	4	2	1	1
(33)	Premature birth	52	26	8	1	6	41	3	4	1	49	1	1	1		
(33, 37)	Congenital debility	24	3	5	2	2	12	2	2		16	4	2	2		
(37)	Injuries at birth	9	7			1	8	1			9					
35	External causes	2												1	1	
38	Unknown or ill-defined diseases															
	All other causes	12	1			1	2	1		1	4	2	1	4		1
	DENVER, COLO.															
	All causes	313	44	20	14	41	119	11	12	10	152	23	25	46	37	30
5	Measles	6										1			3	2
6	Scarlet fever															
7	Whooping cough	1											1			
8	Diphtheria and croup	2												1	1	
9	Influenza	3								1	1			1		1
(12)	Dysentery	1													1	
(12)	Erysipelas	4								1	1		1		1	1
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	4										2			1	1
14	Tuberculous meningitis	3										1			1	1
15	Other forms of tuberculosis	1														1
(37)	Syphilis	16				1	1				1	7	2	4	1	1
17	Meningitis	1													1	
(37)	Convulsions															
19	Organic diseases of the heart	1			1		1				1					
20	Acute bronchitis	10								1	1	1	2	3	2	1
22	Pneumonia	12				1	1				1	2	1	2	2	4
(23)	Bronchopneumonia	27				2	2	1		3	6	2	2	8	6	3
24	Diseases of the stomach	4							1		1		2	1		
25	Diarrhea and enteritis	40						1			1	2	3	16	11	7
(33)	Malformations	17	3	2	1	2	8	1	1		10			3	3	1
(33)	Premature birth	92	34	15	8	19	76	6	4	2	88	2	2			
(33, 37)	Congenital debility	41	5	1	3	10	19		3	2	24	3	6	4	3	1
(37)	Injuries at birth	11	2	2	1	4	9	1	1		11					
35	External causes	1											1			
38	Unknown or ill-defined diseases															
	All other causes	14				1	1	1	2		4		2	3		5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	BRIDGEPORT, CONN.															
	All causes	445	56	27	25	25	133	24	19	25	201	40	30	71	64	39
5	Measles	8								1	1				2	5
6	Scarlet fever															
7	Whooping cough	1										1				
8	Diphtheria and croup	1										1				
9	Influenza															
(12)	Dysentery	3										1		1		1
(12)	Erysipelas	1												1		
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	10												3	3	4
15	Other forms of tuberculosis															
(37)	Syphilis	4			1		1	1			2	1	1			
17	Meningitis	5						1	1		2			2		1
(37)	Convulsions	4			1		1	1	1		3	1				
19	Organic diseases of the heart															
20	Acute bronchitis	5							2	1	3	1		1		
22	Pneumonia	34			1	2	3	1	1		5	2	1	9	8	9
(23)	Bronchopneumonia	45				2	2	4	1	4	11	4	7	10	9	4
24	Diseases of the stomach	3								1	1	1		1		
25	Diarrhea and enteritis	107				1	1	3	4	5	13	15	11	27	31	10
(33)	Malformations	30	6	5	1	3	15	3	1	3	22		1	6		1
(33)	Premature birth	83	40	12	12	4	68	6	3	5	82		1			
(33, 37)	Congenital debility	38	6	1	2	4	13	3	3	2	21	7	3	4	3	
(37)	Injuries at birth	20	4	4	7	4	19		1		20					
35	External causes	5		1		1	2			1	3			1		1
38	Unknown or ill-defined diseases	5		1		1	2			1	3	1		1		
	All other causes	30		3		3	6		1	1	8	4	5	4	7	2
	NEW HAVEN, CONN.															
	All causes	432	36	56	8	42	142	47	27	7	223	45	21	49	49	45
5	Measles	8												1	3	4
6	Scarlet fever															
7	Whooping cough	9										4			3	2
8	Diphtheria and croup	2														2
9	Influenza	2						1			1		1			
(12)	Dysentery	1														1
(12)	Erysipelas	4							2		2	1			1	
(37)	Tetanus															
13	Tuberculosis of the lungs	4													4	
14	Tuberculous meningitis	8				1	1				1	1	1		1	4
15	Other forms of tuberculosis															
(37)	Syphilis	8		1		1	2				2	1	1	1	1	2
17	Meningitis	5										1			3	1
(37)	Convulsions	4												2		2
19	Organic diseases of the heart															
20	Acute bronchitis	8						1	2		3	3	1			1
22	Pneumonia	31				1	1	2	1	1	5	3	3	11	4	5
(23)	Bronchopneumonia	28				3	3	3	2		8	3	1	5	6	5
24	Diseases of the stomach	1						1			1					
25	Diarrhea and enteritis	77				1	1	2	4	1	8	14	8	22	14	11
(33)	Malformations	25		3	1	6	10	3	3	1	17	5	2		1	
(33)	Premature birth	95	17	36	3	11	67	18	7		92	3				
(33, 37)	Congenital debility	47	8	9	4	11	32	3		2	37	1	3	3	3	
(37)	Injuries at birth	31	10	7		4	21	8	1		30	1				
35	External causes	4								1	1				2	1
38	Unknown or ill-defined diseases	1								1	1					
	All other causes	29	1			3	4	5	5		14	4		4	3	4
	ATLANTA, GA. (TOTAL).															
	All causes	439	56	32	17	30	135	26	11	16	188	30	33	75	56	57
5	Measles	6								2	2			1	1	2
6	Scarlet fever															
7	Whooping cough	7										1		2	2	2
8	Diphtheria and croup	2												1	1	
9	Influenza	3										2				1
(12)	Dysentery	5										1		1	2	1
(12)	Erysipelas	2						1			1	1				
(37)	Tetanus															
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	2														2
15	Other forms of tuberculosis															
(37)	Syphilis	7							1		1	2	1	1		2
17	Meningitis	2											1		1	
(37)	Convulsions	2			1		1				1		1			
19	Organic diseases of the heart															
20	Acute bronchitis	3												1	1	1
22	Pneumonia	15				2	2	1			3	1	1	6	1	3
(23)	Bronchopneumonia	41				1	1	5	2	2	10	2	4	8	8	9
24	Diseases of the stomach	5				1	1		1		2		1	1	1	
25	Diarrhea and enteritis	114			1		1	1	3	3	8	5	12	33	25	31
(33)	Malformations	14	1	3		2	6	4	1		11	1	2			
(33)	Premature birth	104	45	22	5	9	81	11	2	3	97	4	1	2		
(33, 37)	Congenital debility	46	4	3	5	8	20	1	1	4	26	4	4	7	5	
(37)	Injuries at birth	10	4	3	1	2	10				10					
35	External causes	10	1				1	2			3			4	3	
38	Unknown or ill-defined diseases	13	1	1	4	1	7				7	3	1	2		
	All other causes	24				4	4			2	6	3	4	5	4	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	ATLANTA, GA. (WHITE).															
	All causes	246	35	20	13	11	79	15	2	8	104	14	22	44	30	32
5	Measles	4								1	1			1	1	1
6	Scarlet fever															
7	Whooping cough	4										1		2		1
8	Diphtheria and croup	1													1	
9	Influenza															
(12)	Dysentery	3												1	2	
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis															
(37)	Syphilis	3							1		1					2
17	Meningitis	2											1		1	
(37)	Convulsions	2			1		1				1		1			
19	Organic diseases of the heart															
20	Acute bronchitis	1														1
22	Pneumonia	7						1			1		1	4		1
(23)	Bronchopneumonia	15				1	1	3			4		2		4	5
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	60								2	2	3	7	24	13	17
(33)	Malformations	12	1	2		1	4	4	1		9	1	2			
(33)	Premature birth	62	29	14	5	4	52	5		1	58	2	1	1		
(33, 37)	Congenital debility	25	4	1	2	2	9	1		2	12	3	2	5	3	
(37)	Injuries at birth	5		2	1	2	5				5					
35	External causes	6						1			1			3	2	
38	Unknown or ill-defined diseases	10	1	1	4	1	7				7	2		1		
	All other causes	14								2	2	1	4	2	3	2
	ATLANTA, GA. (COLORED).															
	All causes	193	21	12	4	19	56	11	9	8	84	16	11	31	26	25
5	Measles	2								1	1					1
6	Scarlet fever															
7	Whooping cough	3													2	1
8	Diphtheria and croup	1												1		
9	Influenza	3										2				1
(12)	Dysentery	2										1				1
(12)	Erysipelas	1						1			1					
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis															
(37)	Syphilis	4										2	1	1		
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	2												1	1	
22	Pneumonia	8				2	2				2	1		2	1	2
(23	Bronchopneumonia	26						2	2	2	6	2	2	8	4	4
24	Diseases of the stomach	4				1	1		1		2			1	1	
25	Diarrhea and enteritis	48			1		1	1	3	1	6	2	5	9	12	14
(33	Malformations	2		1		1	2				2					
(33)	Premature birth	42	16	8		5	29	6	2	2	39	2		1		
(33, 37	Congenital debility	21		2	3	6	11		1	2	14	1	2	2	2	
(37)	Injuries at birth	5	4	1			5				5					
35	External causes	4	1				1	1			2			1	1	
38	Unknown or ill-defined diseases	3										1	1	1		
	All other causes	10				4	4				4	2		3	1	
	INDIANAPOLIS, IND. (TOTAL).															
	All causes	567	110	48	19	37	214	32	23	18	287	40	36	96	62	46
5	Measles	12										1		4	3	4
6	Scarlet fever	1												1		
7	Whooping cough	8										1		1	4	2
8	Diphtheria and croup	1														1
9	Influenza	8						1	1		2	1		3	1	1
(12)	Dysentery															
(12)	Erysipelas	4						1			1		1		1	1
(37)	Tetanus															
13	Tuberculosis of the lungs	3												1		2
14	Tuberculous meningitis	3						1			1			1		1
15	Other forms of tuberculosis	2								1	1			1		
(37)	Syphilis	10			1	1	2			2	4	2	1		1	2
17	Meningitis	6								1	1			1	2	2
(37)	Convulsions	3				1	1		1		2	1				
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	5						1	1		2	1		2		
22	Pneumonia	12							1		1		1	5	2	3
(23)	Bronchopneumonia	64		2	1	2	5	3	1	3	12	6	9	19	11	7
24	Diseases of the stomach	9							1		1	1	3	3		1
25	Diarrhea and enteritis	117						2	1	1	4	13	12	43	27	18
(33)	Malformations	65	19	11	6	10	46	5	2	2	55	4	3		2	1
(33)	Premature birth	143	71	21	6	12	110	11	11	7	139	2	2			
(33, 37)	Congenital debility	52	15	9	4	9	37	4	1	1	43	4		3	2	
(37)	Injuries at birth	9	4	2	1	1	8		1		9					
35	External causes	3										1	1	1		
38	Unknown or ill-defined diseases															
	All other causes	26	1	3		1	5	3	1		9	2	3	7	5	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	INDIANAPOLIS, IND. (WHITE).															
	All causes	490	95	44	18	35	192	26	20	13	251	32	36	79	53	39
5	Measles	10										1		2	3	4
6	Scarlet fever	1												1		
7	Whooping cough	6										1			3	2
8	Diphtheria and croup															
9	Influenza	7							1		1	1		3	1	1
(12)	Dysentery															
(12)	Erysipelas	4						1			1		1		1	1
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	3						1			1			1		1
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	9			1		1			2	3	2	1		1	2
17	Meningitis	6								1	1			1	2	2
(37)	Convulsions	3				1	1		1		2	1				
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	2						1			1	1				
22	Pneumonia	10							1		1		1	5	1	2
(23)	Bronchopneumonia	53		2	1	2	5	3	1	3	12	5	9	14	8	5
24	Diseases of the stomach	5											3	2		
25	Diarrhea and enteritis	104						1			1	11	12	39	24	17
(33)	Malformations	63	17	11	6	10	44	5	2	2	53	4	3		2	1
(33)	Premature birth	123	59	18	6	12	95	9	11	5	120	1	2			
(33,37)	Congenital debility	42	14	8	3	8	33	3	1		37	1		3	1	
(37)	Injuries at birth	9	4	2	1	1	8		1		9					
35	External causes	3										1	1	1		
38	Unknown or ill-defined diseases															
	All other causes	24	1	3		1	5	2	1		8	2	3	6	5	
	INDIANAPOLIS, IND. (COLORED).															
	All causes	77	15	4	1	2	22	6	3	5	36	8		17	9	7
5	Measles	2												2		
6	Scarlet fever															
7	Whooping cough	2												1	1	
8	Diphtheria and croup	1														1
9	Influenza	1						1			1					
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis															
15	Other forms of tuberculosis	1								1	1					
(37)	Syphilis	1				1	1				1					
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	3							1		1			2		
22	Pneumonia	2													1	1
(23)	Bronchopneumonia	11										1		5	3	2
24	Diseases of the stomach	4							1		1	1		1		1
25	Diarrhea and enteritis	13						1	1	1	3	2		4	3	1
(33)	Malformations	2	2				2				2					
(33)	Premature birth	20	12	3			15	2		2	19	1				
(33,37)	Congenital debility	10	1	1	1	1	4	1		1	6	3			1	
(37)	Injuries at birth															
35	External causes															
38	Unknown or ill-defined diseases															
	All other causes	2						1			1			1		
	LOUISVILLE, KY. (TOTAL).															
	All causes	397	65	17	8	19	109	19	20	16	164	30	31	72	47	53
5	Measles	19	1				1		1	1	3	1	1	2	4	8
6	Scarlet fever															
7	Whooping cough	13												4	3	6
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	3				1	1				1			2		
(12)	Erysipelas															
(37)	Tetanus	2						1			1					1
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2												2		
15	Other forms of tuberculosis															
(37)	Syphilis	11	1			1	2	2			4	3		1	3	
17	Meningitis	8												3	2	3
(37)	Convulsions	2						1			1			1		
19	Organic diseases of the heart	2							1		1	1				
20	Acute bronchitis	12						3		1	4	1	2	4	1	
22	Pneumonia	20							1	2	3	1	3	4	3	6
(23)	Bronchopneumonia	43						1	2	3	6	5	4	11	7	10
24	Diseases of the stomach	3											1	1		1
25	Diarrhea and enteritis	87			1		1	3	7	3	14	8	10	25	19	11
(33)	Malformations	21	6	1	2	8	17		1	1	19		2			
(33)	Premature birth	79	48	11	2	6	67	2	2	3	74	3		2		
(33,37)	Congenital debility	41	6	4	1	1	12	5	4	2	23	4	4	5	3	2
(37)	Injuries at birth	7	2	1	2	2	7				7					
35	External causes	3	1				1				1			1		1
38	Unknown or ill-defined diseases															
	All other causes	19						1	1		2	3	4	4	2	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	LOUISVILLE, KY. (WHITE).															
	All causes	311	58	13	8	15	94	13	15	13	135	26	26	49	34	41
5	Measles	12	1				1		1	1	3	1	1	1	1	5
6	Scarlet fever															
7	Whooping cough	8												3	2	3
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	2												2		
(12)	Erysipelas															
(37)	Tetanus	2						1			1					1
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2												2		
15	Other forms of tuberculosis															
(37)	Syphilis	8				1	1	1			2	3		1	2	
17	Meningitis	8												3	2	3
(37)	Convulsions	1						1			1					
19	Organic diseases of the heart	2							1		1	1				
20	Acute bronchitis	7						2		1	3	1	1	1	1	
22	Pneumonia	16							1		1	1	3	3	2	6
(23)	Bronchopneumonia	29						1	2	2	5	4	3	5	4	8
24	Diseases of the stomach	2											1	1		
25	Diarrhea and enteritis	62			1		1		4	3	8	6	7	17	15	9
(33)	Malformations	18	5	1	2	6	14		1	1	16		2			
(33)	Premature birth	71	44	8	2	6	60	2	1	3	66	3		2		
(33, 37)	Congenital debility	35	5	3	1	1	10	4	3	2	19	4	4	3	3	2
(37)	Injuries at birth	6	2	1	2	1	6				6					
35	External causes	3	1				1				1			1		1
38	Unknown or ill-defined diseases															
	All other causes	17						1	1		2	2	4	4	2	3
	LOUISVILLE, KY. (COLORED).															
	All causes	86	7	4		4	15	6	5	3	29	4	5	23	13	12
5	Measles	7												1	3	3
6	Scarlet fever															
7	Whooping cough	5												1	1	3
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	1				1	1				1					
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	3	1				1	1			2				1	
17	Meningitis															
(37)	Convulsions	1												1		
19	Organic diseases of the heart															
20	Acute bronchitis	5						1			1		1	3		
22	Pneumonia	4								2	2			1	1	
(23)	Bronchopneumonia	14								1	1	1	1	6	3	2
24	Diseases of the stomach	1														1
25	Diarrhea and enteritis	25						3	3		6	2	3	8	4	2
(33)	Malformations	3	1			2	3				3					
(33)	Premature birth	8	4	3			7		1		8					
(33, 37)	Congenital debility	6	1	1			2	1	1		4			2		
(37)	Injuries at birth	1				1	1				1					
35	External causes															
38	Unknown or ill-defined diseases															
	All other causes	2										1				1
	CAMBRIDGE, MASS.															
	All causes	206	34	6	9	8	57	6	12	6	81	15	13	40	33	24
5	Measles	5													1	4
6	Scarlet fever															
7	Whooping cough	2												1	1	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	4								1	1	1				2
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis															
(37)	Syphilis	1													1	
17	Meningitis	1										1				
(37)	Convulsions	4			1	1	2				2		1		1	
19	Organic diseases of the heart	1										1				
20	Acute bronchitis	6											1	3		2
22	Pneumonia	8												3	4	1
(23)	Bronchopneumonia	21							2	1	3	2	1	8	3	4
24	Diseases of the stomach	2												1	1	
25	Diarrhea and enteritis	49							1	1	2	4	7	13	14	9
(33)	Malformations	18	5		2		7	2	2		11	1	2	2	2	
(33)	Premature birth	38	19	5	4	4	32		3	2	37	1				
(33, 37)	Congenital debility	14	2		1	1	4	1	1	1	7	2	1	2	2	
(37)	Injuries at birth	11	8	1	1	1	11				11					
35	External causes	6												4	1	
38	Unknown or ill-defined diseases															1
	All other causes	14				1	1	3	3		7	2		2	2	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	FALL RIVER, MASS.															
	All causes	605	58	16	15	18	107	22	25	23	177	49	58	119	99	103
5	Measles	23								1	1			3	6	13
6	Scarlet fever															
7	Whooping cough	14								1	1	2	1	3	1	6
8	Diphtheria and croup	4											1		1	2
9	Influenza	2										1			1	
(12)	Dysentery	2										1			1	
(12)	Erysipelas	1												1		
(37)	Tetanus															
13	Tuberculosis of the lungs	4											1			3
14	Tuberculous meningitis	2												2		
15	Other forms of tuberculosis															
(37)	Syphilis	2												1	1	
17	Meningitis	1								1	1					
(37)	Convulsions	6						1	1		2	1	2	1		
19	Organic diseases of the heart	4							1		1		1	1		1
20	Acute bronchitis	17							1	1	2	2	1	2	7	3
22	Pneumonia	25							1		1		1	7	6	10
(23)	Bronchopneumonia	66							4		4	8	2	22	12	18
24	Diseases of the stomach	4						1			1	1	1			1
25	Diarrhea and enteritis	243						5	9	8	22	19	37	70	56	39
(33)	Malformations	28	6	1	4	6	17	3	2	1	23	1	3	1		
(33)	Premature birth	64	31	4	7	7	49	7	1	4	61	2	1			
(33, 37)	Congenital debility	21	4	2	2	2	10	4	2		16	2	2	1		
(37)	Injuries at birth	21	12	4	2	2	20	1			21					
35	External causes	10	1	1			2		2		4	2	2			2
38	Unknown or ill-defined diseases	21	4	4			8		1	3	12	2	1	1	3	2
	All other causes	20				1	1			3	4	5	1	3	4	3
	LOWELL, MASS.															
	All causes	461	46	16	10	24	96	26	21	15	158	45	48	88	68	54
5	Measles	2													2	
6	Scarlet fever															
7	Whooping cough	3											1		1	1
8	Diphtheria and croup	2												1		1
9	Influenza	2							1		1				1	
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	6										1		4		1
14	Tuberculous meningitis	11				1	1				1			3	4	3
15	Other forms of tuberculosis	3												2	1	
(37)	Syphilis	2						1			1		1			
17	Meningitis	3												1		2
(37)	Convulsions	3										1				2
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	22							2		2	3	5	2	6	4
22	Pneumonia	9											1	1	4	3
(23)	Bronchopneumonia	33						1	1	3	5	5	4	10	5	4
24	Diseases of the stomach	2												1	1	
25	Diarrhea and enteritis	172				2	2	2	6	4	14	19	29	47	36	27
(33)	Malformations	25	6	4	1	4	15	3		2	20	3		2		
(33)	Premature birth	56	27	3	4	6	40	7	6	1	54	2				
(33, 37)	Congenital debility	72	10	8	4	9	31	11	5	3	50	10	4	5	3	
(37)	Injuries at birth	6	3	1	1		5				5	1				
35	External causes	4				1	1				1		2			1
38	Unknown or ill-defined diseases															
	All other causes	22				1	1	1		2	4		1	9	3	5
	WORCESTER, MASS.															
	All causes	501	83	20	19	34	156	25	20	17	218	42	41	92	64	44
5	Measles	5							1		1	1			1	2
6	Scarlet fever	1													1	
7	Whooping cough	24							1	2	3	2	2	5	7	5
8	Diphtheria and croup	3													2	1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	4								1	1		1	1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	2										1	1			
14	Tuberculous meningitis	8												2	3	3
15	Other forms of tuberculosis	2													1	1
(37)	Syphilis	1										1				
17	Meningitis	2											1		1	
(37)	Convulsions	3			1		1				1		1	1		
19	Organic diseases of the heart															
20	Acute bronchitis	16							2		2	2	4	4	2	2
22	Pneumonia	28			1	1	2	1	1		4	2	3	11	4	4
(23)	Bronchopneumonia	40				3	3		5	1	9	5	7	10	5	4
24	Diseases of the stomach	4							2		2		1	1		
25	Diarrhea and enteritis	127				1	1	3	2	6	12	15	14	40	31	15
(33)	Malformations	26	7	2	3	2	14	3	2	1	20	2		2	1	1
(33)	Premature birth	100	48	13	7	11	79	11	2	2	94	4		2		
(33, 37)	Congenital debility	38	9	2	3	9	23	1	1	1	26	3	4	5		
(37)	Injuries at birth	29	18	2	3	4	27	2			29					
35	External causes	10	1				1				1	2	1	1	2	3
38	Unknown or ill-defined diseases															
	All other causes	28		1	1	3	5	4	1	3	13	2	1	7	2	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	GRAND RAPIDS, MICH.															
	All causes	252	43	10	12	17	82	11	9	15	117	23	18	46	21	27
5	Measles	9												1	4	4
6	Scarlet fever															
7	Whooping cough	7										1		2	3	1
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2								1	1		1			
(37)	Tetanus															
13	Tuberculosis of the lungs	2											1	1		
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	2								1	1					1
17	Meningitis															
(37)	Convulsions	2											2			
19	Organic diseases of the heart	3				1	1				1		1	1		
20	Acute bronchitis	22			1		1		1	1	3	6		6	3	4
22	Pneumonia	6											1	3	1	1
(23)	Bronchopneumonia	15							1		1		2	7	1	4
24	Diseases of the stomach	8							2	1	3	1	2	1		1
25	Diarrhea and enteritis	43			1	2	3	1	1	4	9	6	6	12	4	6
(33)	Malformations	19	3	1	4	4	12	2			14	3		1	1	
(33)	Premature birth	63	35	7	3	5	50	2	3	4	59	2	2			
(33, 37)	Congenital debility	24	3	2	3	3	11	3	1	3	18	3		3		
(37)	Injuries at birth	3	2			1	3				3					
35	External causes															
38	Unknown or ill-defined diseases															
	All other causes	21				1	1	3			4	1		8	4	4
	ST. PAUL, MINN.															
	All causes	379	86	20	14	35	155	34	12	10	211	22	34	59	31	22
5	Measles	2													2	
6	Scarlet fever	1										1				
7	Whooping cough	4											1	1		2
8	Diphtheria and croup	3													2	1
9	Influenza	4										1		1	1	1
(12)	Dysentery	5											2	2	1	
(12)	Erysipelas	3						1			1				2	
(37)	Tetanus															
13	Tuberculosis of the lungs	6												2	2	2
14	Tuberculous meningitis	3											1		2	
15	Other forms of tuberculosis															
(37)	Syphilis	3										1		2		
17	Meningitis	5										1	1		2	1
(37)	Convulsions	9				3	3		1		4		1	4		
19	Organic diseases of the heart															
20	Acute bronchitis	4										3			1	
22	Pneumonia	8											2	1	2	3
(23)	Bronchopneumonia	32			1	2	3			5	8	2	2	9	6	5
24	Diseases of the stomach	4							2		2	1		1		
25	Diarrhea and enteritis	60				3	3	2	1	2	8	5	12	24	6	5
(33)	Malformations	41	6	6	1	11	24	7	2	1	34	2	2	3		
(33)	Premature birth	108	63	9	6	6	84	16	4		104	1	1	2		
(33, 37)	Congenital debility	33	7	1	4	5	17	4		1	22	4	6	1		
(37)	Injuries at birth	22	10	2	2	5	19	3			22					
35	External causes	5		1			1				1		1	1	1	1
38	Unknown or ill-defined diseases	1		1			1				1					
	All other causes	13						1	2	1	4		2	5	1	1
	KANSAS CITY, MO. (TOTAL).															
	All causes	585	86	32	25	32	175	37	24	23	259	65	56	93	66	46
5	Measles	4													3	1
6	Scarlet fever	4										1	1	2		
7	Whooping cough	23							1	2	3	4	3	4	3	6
8	Diphtheria and croup	5										1	1	1		2
9	Influenza	6								1	1	2		2	1	
(12)	Dysentery	1								1	1					
(12)	Erysipelas	4								1	1	1		1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	6		1			1				1	1	1		2	1
14	Tuberculous meningitis	5										1		1	1	2
15	Other forms of tuberculosis	2												2		
(37)	Syphilis	17	1	1		1	3	2		1	6	5	1	5		
17	Meningitis	4											1		2	1
(37)	Convulsions															
19	Organic diseases of the heart	1						1			1					
20	Acute bronchitis	9								1	1	1	2	2	1	2
22	Pneumonia	28						2	2	1	5	1	5	4	6	7
(23)	Bronchopneumonia	73	1			3	4	1	2	3	10	6	10	23	16	8
24	Diseases of the stomach	6							1		1	1	2	1	1	
25	Diarrhea and enteritis	107				2	2		3	1	6	20	16	28	21	16
(33)	Malformations	50	9	8	5	5	27	7	2	4	40	5	1	3	1	
(33)	Premature birth	115	55	15	7	10	87	13	7	1	108	3	1	3		
(33, 37)	Congenital debility	35	11	2	6	2	21	3	1	3	28	3	3	1		
(37)	Injuries at birth	29	7	5	7	6	25	2		1	28		1			
35	External causes	7				1	1	1		1	3			3	1	
38	Unknown or ill-defined diseases															
	All other causes	44	2			2	4	5	5	1	15	9	7	7	6	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	KANSAS CITY, MO. (WHITE).															
	All causes	502	80	29	22	28	159	33	22	21	235	58	48	71	53	37
5	Measles	4													3	1
6	Scarlet fever	2										1	1			
7	Whooping cough	19							1	2	3	4	3	3	2	4
8	Diphtheria and croup	5										1	1	1		2
9	Influenza	4								1	1	1		1	1	
(12)	Dysentery															
(12)	Erysipelas	4								1	1	1		1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	6		1			1				1	1	1		2	1
14	Tuberculous meningitis	4												1	1	2
15	Other forms of tuberculosis	2												2		
(37)	Syphilis	13		1		1	2	1		1	4	5		4		
17	Meningitis	3													2	1
(37)	Convulsions															
19	Organic diseases of the heart	1						1			1					
20	Acute bronchitis	5								1	1	1	1		1	1
22	Pneumonia	23						2	2		4	1	4	4	4	6
(23)	Bronchopneumonia	55	1			2	3	1	2	3	9	6	7	15	13	5
24	Diseases of the stomach	4							1		1	1	2			
25	Diarrhea and enteritis	91				2	2		2	1	5	17	15	24	16	14
(33)	Malformations	49	9	8	5	5	27	6	2	4	39	5	1	3	1	
(33)	Premature birth	108	52	14	6	9	81	12	7	1	101	3	1	3		
33, 37)	Congenital debility	30	9	1	5	1	16	3	1	3	23	3	3	1		
(37)	Injuries at birth	26	7	4	6	5	22	2		1	25		1			
35	External causes	5				1	1			1	2			2	1	
38	Unknown or ill-defined diseases															
	All other causes	39	2			2	4	5	4	1	14	7	7	6	5	
	KANSAS CITY, MO. (COLORED).															
	All causes	83	6	3	3	4	16	4	2	2	24	7	8	22	13	9
5	Measles															
6	Scarlet fever	2												2		
7	Whooping cough	4												1	1	2
8	Diphtheria and croup															
9	Influenza	2										1		1		
(12)	Dysentery	1								1	1					
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1										1				
15	Other forms of tuberculosis															
(37)	Syphilis	4	1				1	1			2		1	1		
17	Meningitis	1											1			
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	4											1	2		1
22	Pneumonia	5								1	1		1		2	1
(23)	Bronchopneumonia	18				1	1				1		3	8	3	3
24	Diseases of the stomach	2												1	1	
25	Diarrhea and enteritis	16							1		1	3	1	4	5	2
(33)	Malformations	1						1			1					
(33)	Premature birth	7	3	1	1	1	6	1			7					
(33, 37)	Congenital debility	5	2	1	1	1	5				5					
(37)	Injuries at birth	3		1	1	1	3				3					
35	External causes	2						1			1			1		
38	Unknown or ill-defined diseases															
	All other causes	5							1		1	2		1	1	
	OMAHA, NEBR.															
	All causes	279	30	13	13	28	84	20	11	16	131	29	17	44	28	30
5	Measles	6										1	1		1	3
6	Scarlet fever	2								1	1					1
7	Whooping cough	11								1	1	2		2	4	2
8	Diphtheria and croup	1														1
9	Influenza	2											1	1		
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1							1		1					
14	Tuberculous meningitis	5								1	1		1	1	1	1
15	Other forms of tuberculosis															
(37)	Syphilis	4				1	1				1			2	1	
17	Meningitis	4										1		1	1	1
(37)	Convulsions	2												1		1
19	Organic diseases of the heart															
20	Acute bronchitis	3													3	
22	Pneumonia	9							1		1	2	2		2	2
(23)	Bronchopneumonia	58				1	1	3	1	3	8	14	6	13	9	8
24	Diseases of the stomach	6								1	1	2		3		
25	Diarrhea and enteritis	34				1	1	1	2	4	8	2	5	13		6
(33)	Malformations	24	5	1	5	4	15	3		1	19	1			4	
(33)	Premature birth	67	23	9	5	17	54	6	4		64	2		1		
(33, 37)	Congenital debility	20		2	2	3	7	4	2	3	16	1	1	2		
(37)	Injuries at birth	4	2		1		3	1			4					
35	External causes	3												2		1
38	Unknown or ill-defined diseases	1		1			1				1					
	All other causes	12				1	1	2		1	4	1		2	2	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	PATERSON, N. J.															
	All causes	263	31	7	11	23	72	12	15	8	107	30	17	41	38	30
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	5										1			2	2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1													1	
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	1											1			
(37)	Syphilis															
17	Meningitis	3							1		1	1				1
(37)	Convulsions	3						1		1	2		1			
19	Organic diseases of the heart	2								1	1	1				
20	Acute bronchitis	7				1	1		1	1	3	1		1	2	
22	Pneumonia	15	1				1				1	2	1	4	5	2
(23)	Bronchopneumonia	30						1	3		4	3	1	7	8	7
24	Diseases of the stomach	4				1	1			1	2			1	1	
25	Diarrhea and enteritis	73			1	2	3	4	2	1	10	10	8	19	15	11
(33)	Malformations	14	2		3	4	9		2		11	2	1			
(33)	Premature birth	49	19	2	4	11	36	3	5		44	5				
(33, 37)	Congenital debility	23	2	3	1	3	9	1	1	2	13	3	3	4		
(37)	Injuries at birth	10	5	2	2		9	1			10					
35	External causes	2													1	1
38	Unknown or ill-defined diseases															
	All other causes	19	2			1	3	1		1	5	1	1	5	3	4
	ALBANY, N. Y.															
	All causes	246	61	10	11	24	106	12	5	3	126	15	18	32	33	22
5	Measles	8											1	1	2	4
6	Scarlet fever															
7	Whooping cough	1													1	
8	Diphtheria and croup															
9	Influenza	1													1	
(12)	Dysentery	1												1		
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs	2						1			1		1			
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis	2												2		
(37)	Syphilis	8										3	2	1		2
17	Meningitis	6				1	1				1	1		1	2	1
(37)	Convulsions	3				1	1				1	1	1			
19	Organic diseases of the heart															
20	Acute bronchitis	2										1			1	
22	Pneumonia	6												2	2	2
(23)	Bronchopneumonia	19				2	2	2			4		2	6	4	3
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	40			1		1	1	1		3	5	5	8	13	6
(33)	Malformations	25	13	3	2	4	22	2			24					1
(33)	Premature birth	56	33	5	4	5	47	1	2	1	51		3	2		
(33, 37)	Congenital debility	17	1	2	1	3	7	4	2		13	2		1	1	
(37)	Injuries at birth	21	14		2	3	19	1			20		1			
35	External causes	1				1	1				1					
38	Unknown or ill-defined diseases															
	All other causes	24			1	4	5			1	6	2	2	6	5	3
	ROCHESTER, N. Y.															
	All causes	584	115	27	27	44	213	37	18	14	282	38	48	87	71	58
5	Measles	12													4	8
6	Scarlet fever															
7	Whooping cough	7										2	2	1	1	1
8	Diphtheria and croup	4												1	2	1
9	Influenza	2													1	1
(12)	Dysentery															
(12)	Erysipelas	2						1			1				1	
(37)	Tetanus															
13	Tuberculosis of the lungs	5												2	1	2
14	Tuberculous meningitis	5											1		1	3
15	Other forms of tuberculosis	3												1	1	1
(37)	Syphilis	11								1	1	2	2	5		1
17	Meningitis	3													3	
(37)	Convulsions	2											2			
19	Organic diseases of the heart	3										1		1		1
20	Acute bronchitis	13						1	2		3	4	1	3		2
22	Pneumonia	11							1		1	1	1	2	2	4
(23)	Bronchopneumonia	48				1	1	3	1	2	7	6	9	8	13	5
24	Diseases of the stomach	6							1	1	2		4			
25	Diarrhea and enteritis	159						5	3	3	11	16	21	53	36	22
(33)	Malformations	38	6	3	3	9	21	2	3	2	28		1	4	2	3
(33)	Premature birth	156	79	17	16	11	123	21	5	3	152	3	1			
(33, 37)	Congenital debility	25	11	2		5	18	2		2	22	1	1	1		
(37)	Injuries at birth	47	19	5	7	13	44	2	1		47					
35	External causes	2											1	1		
38	Unknown or ill-defined diseases															
	All other causes	20			1	5	6		1		7	2	1	4	3	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	SYRACUSE, N. Y.															
	All causes	430	69	20	10	30	129	21	16	24	190	42	46	57	52	43
5	Measles	7													4	3
6	Scarlet fever	1												1		
7	Whooping cough	3													1	2
8	Diphtheria and croup	4											1	1	1	1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2											1		1	
(37)	Tetanus															
13	Tuberculosis of the lungs	4						1			1				2	1
14	Tuberculous meningitis	4											1	1		2
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	11						1			1	2	2	3	1	2
17	Meningitis															
(37)	Convulsions	1												1		
19	Organic diseases of the heart	2	1				1				1			1		
20	Acute bronchitis	10				1	1		1	2	4	3	1		1	1
22	Pneumonia	12				1	1			1	2		2		4	4
(23)	Bronchopneumonia	34						1	3	2	6	5	6	8	6	3
24	Diseases of the stomach	2								1	1	1				
25	Diarrhea and enteritis	118			1	1	2	4	4	3	13	17	18	29	23	13
(33)	Malformations	26	3	4	2	5	14	2		4	20	3	1	2		
(33)	Premature birth	92	47	12	2	9	70	6	4	2	82	3	5	1	1	
(33, 37)	Congenital debility	32	5		1	3	9	3	2	4	18	5	3	4	1	1
(37)	Injuries at birth	27	11	4	3	7	25	1		1	27					
35	External causes	8								2	2		2	3		1
38	Unknown or ill-defined diseases	3	1			1	2		1		3					
	All other causes	26	1		1	2	4	2	1	2	9	3	3	2	5	4
	COLUMBUS, OHIO.															
	All causes	386	74	24	9	36	143	19	18	17	197	27	24	49	61	28
5	Measles	7										1		1	3	2
6	Scarlet fever															
7	Whooping cough	2										1				1
8	Diphtheria and croup	1													1	
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas	4						1		1	2	1				1
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	5												3	2	
14	Tuberculous meningitis	4											1	2	1	
15	Other forms of tuberculosis	4								1	1				3	
(37)	Syphilis	4	1			1	2				2	1		1		
17	Meningitis	4							1		1				1	2
(37)	Convulsions	11		1		4	5	1		1	7		1	1	1	1
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	6							1	1	2			1	2	1
22	Pneumonia	8				1	1			1	2	1		2	3	
(23)	Bronchopneumonia	36			1	1	2		2	2	6	4	4	5	11	6
24	Diseases of the stomach	3								1	1				1	1
25	Diarrhea and enteritis	66				1	1	1	2	1	5	7	6	19	20	9
(33)	Malformations	23	5	1		7	13	2	2	2	19		1		2	1
(33)	Premature birth	97	55	14	4	10	83	3	6	2	94	1	2			
(33, 37)	Congenital debility	66	11	4	2	2	19	8	3	3	33	7	8	11	5	2
(37)	Injuries at birth	12	2	4	2	3	11				11	1				
35	External causes	1										1				
38	Unknown or ill-defined diseases															
	All other causes	19				6	6	2		1	9	2		2	5	1
	DAYTON, OHIO.															
	All causes	318	59	17	14	21	111	21	18	11	161	25	11	55	42	24
5	Measles	6							1		1				2	3
6	Scarlet fever															
7	Whooping cough	7										2		1	2	2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	2														2
15	Other forms of tuberculosis															
(37)	Syphilis	6			1		1			1	2			2	1	1
17	Meningitis	3											1	1	1	
(37)	Convulsions	1			1		1				1					
19	Organic diseases of the heart	1														1
20	Acute bronchitis	4							2		2	1		1		
22	Pneumonia	12		1			1		1		2	4		5		1
(23)	Bronchopneumonia	38				1	1	1	1	2	5	5	2	11	12	3
24	Diseases of the stomach	7							1		1	1	2	1	2	
25	Diarrhea and enteritis	65				1	1	4	5		10	7	3	22	13	10
(33)	Malformations	31	11	4	1	2	18	4	1	1	24	2	1	3	1	
(33)	Premature birth	77	39	9	6	7	61	5	5	4	75	2				
(33, 37)	Congenital debility	13	4		1	3	8	3	1	1	13					
(37)	Injuries at birth	18	5	2	3	6	16	2			18					
35	External causes	8		1			1	1		2	4			3	1	
38	Unknown or ill-defined diseases															
	All other causes	17			1	1	2	1			3	1	2	4	6	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	TOLEDO, OHIO,															
	All causes	542	118	9	17	29	173	47	24	19	263	57	37	75	60	50
5	Measles	4										1	1	1		1
6	Scarlet fever	2												1		1
7	Whooping cough	12								2	2	1	3	1	3	2
8	Diphtheria and croup	1													1	
9	Influenza	1														1
(12)	Dysentery	2											1	1		
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	19	1		2	2	5	2	2	2	11	2	3	1	1	1
17	Meningitis	1													1	
(37)	Convulsions	7	1		1	2	4	1			5	1			1	
19	Organic diseases of the heart															
20	Acute bronchitis	11				1	1		2		3	1	1		4	2
22	Pneumonia	22							1	2	3	2	2	3	5	7
(23)	Bronchopneumonia	54			1	1	2	3		2	7	15	6	12	8	6
24	Diseases of the stomach	5												3	1	1
25	Diarrhea and enteritis	113						1	6	2	9	12	12	39	24	17
(33)	Malformations	51	10	1	6	7	24	11	3	2	40	7	1	2		1
(33)	Premature birth	136	84	5	6	10	105	16	3	3	127	7	2			
(33, 37)	Congenital debility	44	10	1		5	16	7	3	1	27	6	2	5	3	1
(37)	Injuries at birth	19	11	2	1	1	15	1	1	2	19					
35	External causes	3											1		1	1
38	Unknown or ill-defined diseases															
	All other causes	32	1				1	5	3	1	10	2	2	6	5	7
	PORTLAND, OREG.															
	All causes	252	51	17	13	15	96	19	13	12	140	21	8	35	28	20
5	Measles	3												2		1
6	Scarlet fever															
7	Whooping cough	3											1	1	1	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	4								1	1	1	1			1
(37)	Tetanus															
13	Tuberculosis of the lungs	3													1	2
14	Tuberculous meningitis	6												3	2	1
15	Other forms of tuberculosis															
(37)	Syphilis	3						1	1		2			1		
17	Meningitis	2						1			1				1	
(37)	Convulsions	3				1	1				1			1		1
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	5						1	1		2	1			1	1
22	Pneumonia	11			1		1	1	1		3			2	2	4
(23)	Bronchopneumonia	13							2	1	3		2	2	3	3
24	Diseases of the stomach	5						2		1	3	2				
25	Diarrhea and enteritis	33				2	2	2	1	1	6	3	4	11	6	3
(33)	Malformations	25	4	5	4	1	14		1		15	3		4	2	1
(33)	Premature birth	73	39	8	4	6	57	6	5	4	72	1				
(33, 37)	Congenital debility	22	7	2	2	1	12	2		2	16	4		2		
(37)	Injuries at birth	10	1	2	2	3	8	1		1	10					
35	External causes	2				1	1				1			1		
38	Unknown or ill-defined diseases															
	All other causes	25						2	1	1	4	6		5	8	2
	SCRANTON, PA.															
	All causes	487	72	20	18	41	151	25	27	11	214	39	37	90	62	45
5	Measles	3												2		1
6	Scarlet fever	1							1		1					
7	Whooping cough	6								1	1	2	1	1	1	
8	Diphtheria and croup	3											1		2	
9	Influenza	3				1	1				1			2		
(12)	Dysentery	1												1		
(12)	Erysipelas	2				1	1				1		1			
(37)	Tetanus															
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	3											1		1	1
15	Other forms of tuberculosis	4				1	1				1		1	1		1
(37)	Syphilis	5	1				1		1		2	2			1	
17	Meningitis	4												2		2
(37)	Convulsions	6	1			1	2	1		1	4				1	1
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	18										2	5	5	3	3
22	Pneumonia	24						1	2	1	4	4	1	6	5	4
(23)	Bronchopneumonia	39				1	1	3	4	2	10	5	3	10	5	6
24	Diseases of the stomach	4			1		1	1			2		1	1		
25	Diarrhea and enteritis	168			3	3	6	6	12	3	27	14	18	53	37	19
(33)	Malformations	18	2	2	1	6	11	2	1		14	2		1	1	
(33)	Premature birth	96	51	15	9	9	84	9	2	1	96					
(33, 37)	Congenital debility	30	8	2	2	7	19		1	1	21	3	3	1		2
(37)	Injuries at birth	20	8	1	2	8	19		1		20					
35	External causes	3						1			1	1	1			
38	Unknown or ill-defined diseases															
	All other causes	23	1			3	4	1	2	1	8	4		3	4	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	PROVIDENCE, R. I.															
	All causes	650	122	37	18	39	216	31	25	22	294	54	47	100	88	67
5	Measles	5										1		1	1	2
6	Scarlet fever															
7	Whooping cough	3												2	1	
8	Diphtheria and croup	7											1	1	2	3
9	Influenza	2												1		1
(22)	Dysentery	1													1	
(12)	Erysipelas	5							1	1	2	1		2		
(37)	Tetanus															
13	Tuberculosis of the lungs	7										1		2	2	2
14	Tuberculous meningitis	9											1	2	4	2
15	Other forms of tuberculosis	2										1				1
(37)	Syphilis	6										3		1	2	
17	Meningitis	11						1			1	1	1	2	4	2
(37)	Convulsions	7										2	1	3	1	
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	15				1	1	2	1	1	5	2	2	2	3	1
22	Pneumonia	26							2	1	3	2	2	4	9	6
(23)	Bronchopneumonia	52						2	5	3	10	7	5	11	13	6
24	Diseases of the stomach	2													1	1
25	Diarrhea and enteritis	122				2	2	1	4	1	8	13	14	38	28	21
(33)	Malformations	34	7	3	2	6	18	4	1	1	24	3	2	1	3	1
(33)	Premature birth	127	67	17	6	12	102	10	3	7	122	4		1		
(33,37)	Congenital debility	32	6	6	2	8	22	3	2	4	31	9	14	16	5	7
(37)	Injuries at birth	73	42	11	7	8	68	4	1		73					
35	External causes	7										1		2	2	2
38	Unknown or ill-defined diseases	7						1	2		3	1		2	1	
	All other causes	37			1	2	3	3	3	3	12	2	4	6	4	9
	MEMPHIS, TENN. (TOTAL).															
	All causes	311	39	18	13	22	92	23	19	8	142	39	22	54	26	28
5	Measles	7						1			1	2		2		2
6	Scarlet fever															
7	Whooping cough	12										1	2	2	1	6
8	Diphtheria and croup	5												3	1	1
9	Influenza	1											1			
(12)	Dysentery	4										1		1	1	1
(12)	Erysipelas	2								1	1				1	
(37)	Tetanus															
13	Tuberculosis of the lungs	1										1				
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	7	1				1	1			2	2	1	2		
17	Meningitis	2							1		1			1		
(37)	Convulsions	4		1			1				1			1	1	1
19	Organic diseases of the heart	2				1	1				1					1
20	Acute bronchitis	2										1			1	
22	Pneumonia	12	1				1		1	1	3	3	1	3	1	1
(23)	Bronchopneumonia	22			1		1		1	1	3	4	2	8	2	3
24	Diseases of the stomach															
25	Diarrhea and enteritis	49						5	4	3	12	8	6	13	7	3
(33)	Malformations	18	4	3	4	3	14		2		16	1				1
(33)	Premature birth	58	31	9	4	10	54	3	1		58					
(33, 37)	Congenital debility	37		2	2	4	8	5	6	1	20	4	4	6	2	1
(37)	Injuries at birth	2				1	1	1			2					
35	External causes	9		2	1		3		1	1	5			1	2	1
38	Unknown or ill-defined diseases	30	1		1	2	4	5			9	8	3	6	3	1
	All other causes	25	1	1		1	3	2	2		7	3	2	5	3	5
	MEMPHIS, TENN. (WHITE).															
	All causes	168	27	8	8	12	55	13	13	6	87	21	10	21	13	16
5	Measles	5						1			1	1		2		1
6	Scarlet fever															
7	Whooping cough	8										1	2	1	1	3
8	Diphtheria and croup	3												1	1	1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2								1	1				1	
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	6						1			1	2	1	2		
17	Meningitis	2							1		1			1		
(37)	Convulsions	1														1
19	Organic diseases of the heart	1														1
20	Acute bronchitis															
22	Pneumonia	3	1				1				1	1			1	
(23)	Bronchopneumonia	10							1	1	2	4	1		1	2
24	Diseases of the stomach															
25	Diarrhea and enteritis	29						3	1	2	6	6	3	8	4	2
(33)	Malformations	16	4	1	4	3	12		2		14	1				1
(33)	Premture birth	33	21	3	2	3	29	3	1		33					
(33, 37)	Congenital debility	25		2	1	3	6	2	5	1	14	4	1	4	2	
(37)	Injuries at birth	1				1	1				1					
35	External aauses	5		1	1		2			1	3				1	1
38	Unknown cr ill-defined diseases	5				2	2	2			4	1				
	All other causes	13	1	1			2	1	2		5		2	2	1	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	MEMPHIS, TENN. (COLORED).															
	All causes	143	12	10	5	10	37	10	6	2	55	18	12	33	13	12
5	Measles	2										1				1
6	Scarlet fever															
7	Whooping cough	4												1		3
8	Diphtheria and croup	2												2		
9	Influenza	1											1			
(12)	Dysentery	4										1		1	1	1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1										1				
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	1	1				1				1					
17	Meningitis															
(37)	Convulsions	3		1			1				1			1	1	
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	2										1			1	
22	Pneumonia	9							1	1	2	2	1	3		1
(23)	Bronchopneumonia	12			1		1				1		1	8	1	1
24	Diseases of the stomach															
25	Diarrhea and enteritis	20						2	3	1	6	2	3	5	3	1
(33)	Malformations	2		2			2				2					
(33)	Premature birth	25	10	6	2	7	25				25					
(33, 37)	Congenital debility	12			1	1	2	3	1		6		3	2		1
(37)	Injuries at birth	1						1			1					
35	External causes	4		1			1		1		2			1	1	
38	Unknown or ill-defined diseases	25	1		1		2	3			5	7	3	6	3	1
	All other causes	12				1	1	1			2	3		3	2	2
	NASHVILLE, TENN. (TOTAL).															
	All causes	212	30	5	8	18	67	15	5	7	94	23	11	39	22	23
5	Measles	5											1	4		
6	Scarlet fever	1														1
7	Whooping cough	4												3		1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	4										1	1	1		1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	3										1		1	1	
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis	1														
(37)	Syphilis	9				1	1	1	1	1	4		2	2	1	1
17	Meningitis															
(37)	Convulsions	5			1	1	2		1		3	1				1
19	Organic diseases of the heart	2										1		1		
20	Acute bronchitis	3										1	1	1		
22	Pneumonia	7						1			1	1			3	2
(23)	Bronchopneumonia	17				1	1		1		2	3	1	6	5	
24	Diseases of the stomach	4										1	1	1		1
25	Diarrhea and enteritis	37				1	1	1			2	4	2	10	9	10
(33)	Malformations	10	3	1	2	2	8				8			2		
(33)	Premature birth	41	21	2	2	5	30	6	1	1	38	1	1	1		
(33, 37)	Congenital debility	29	7	2	1	4	14	4	1	2	21		1	3	1	3
(37)	Injuries at birth	4	1			1	2				2	2				
35	External causes	8	2				2	1		1	4	2		1		1
38	Unknown or ill-defined diseases	8	1		1	2	4			1	5	3				
	All other causes	8	1		1		2	1		1	4	1		1	1	1
	NASHVILLE, TENN. (WHITE).															
	All causes	129	22	3	5	8	38	8	3	5	54	17	5	27	13	13
5	Measles	4											1	3		
6	Scarlet fever	1														
7	Whooping cough	1														1
8	Diphtheria and croup													1		
9	Influenza															
(12)	Dysentery	4										1	1	1		1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	3														
14	Tuberculous meningitis	2										1		1	1	
15	Other forms of tuberculosis	1												1	1	
(37)	Syphilis	5				1	1	1	1		3		1	1		1
17	Meningitis															
(37)	Convulsions	1										1				
19	Organic diseases of the heart	2										1		1		
20	Acute bronchitis															
22	Pneumonia	2										1			1	
(23)	Bronchopneumonia	9										3		2	3	
24	Diseases of the stomach	3							1		1					
25	Diarrhea and enteritis	26										1	1	1		
(33)	Malformations	10	3	1	2	2	8					4	1	9	6	6
(33)	Premature birth	29	16	2	1	2	21	4	1	1	8			2		
(33, 37)	Congenital debility	10	1		1	1	3	2		1	27	1		1		
(37)	Injuries at birth	1	1				1				6			2		2
35	External causes	5									1					
38	Unknown or ill-defined diseases	6	1		1	2	4			1	1	2		1		1
	All other causes	4						1		1	2				1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	NASHVILLE, TENN. (COLORED).															
	All causes	83	14	2	3	10	29	7	2	2	40	6	6	12	9	10
5	Measles	1												1		
6	Scarlet fever															
7	Whooping cough	3												2		1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	4								1	1		1	1	1	
17	Meningitis															
(37)	Convulsions	4			1	1	2		1		3					1
19	Organic diseases of the heart															
20	Acute bronchitis	3										1	1	1		
22	Pneumonia	5						1			1				2	2
(23)	Bronchopneumonia	8				1	1				1		1	4	2	
24	Diseases of the stomach	1														1
25	Diarrhea and enteritis	11				1	1	1			2		1	1	3	4
(33)	Malformations															
(33)	Premature birth	12	5		1	3	9	2			11		1			
(33, 37)	Congenital debility	19	6	2		3	11	2	1	1	15		1	1	1	1
(37)	Injuries at birth	3				1	1				1	2				
35	External causes	3	2				2	1			3					
38	Unknown or ill-defined diseases	2										2				
	All other causes	4	1		1		2				2	1		1		
	RICHMOND, VA. (TOTAL).															
	All causes	516	81	17	17	28	143	24	15	16	198	49	38	100	75	56
5	Measles	2												1	1	
6	Scarlet fever															
7	Whooping cough	21										3	2	4	4	8
8	Diphtheria and croup															
9	Influenza	1											1			
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2													2	
14	Tuberculous meningitis	4											1		3	
15	Other forms of tuberculosis															
(37)	Syphilis	26	3			1	4	1	1		6	5	3	5	7	
17	Meningitis	1						1			1					
(37)	Convulsions	11				1	1	1			2	1	1	4		3
19	Organic diseases of the heart	2						1			1	1				
20	Acute bronchitis	6										1	1	3		1
22	Pneumonia	13										1	4	3	1	4
(23)	Bronchopneumonia	57						1	1	3	5	10	6	12	15	9
24	Diseases of the stomach	5							1		1		1	3		
25	Diarrhea and enteritis	98						1	1	1	3	7	2	35	28	23
(33)	Malformations	17	3	2	1	1	7	2			9	2	1	3	2	
(33)	Premature birth	123	62	9	10	16	97	9	4	6	116	3	4			
(33, 37)	Congenital debility	65	5	5	3	6	19	3	4	4	30	7	4	13	7	4
(37)	Injuries at birth	8	5	1	2		8				8					
35	External causes	18	3			2	5	1			6	3	1	6	2	
38	Unknown or ill-defined diseases	10			1		1		1		2	1	3	2	1	1
	All other causes	24				1	1	2	2	2	7	3	3	6	2	3
	RICHMOND, VA. (WHITE).															
	All causes	234	43	12	12	17	84	13	7	7	111	20	16	38	26	23
5	Measles															
6	Scarlet fever															
7	Whooping cough	7										2	1	2		2
8	Diphtheria and croup															
9	Influenza	1											1			
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis															
(37)	Syphilis	7	1				1	1			2	1	1	2	1	
17	Meningitis	1						1			1					
(37)	Convulsions	1												1		
19	Organic diseases of the heart	1						1			1					
20	Acute bronchitis	2										1				1
22	Pneumonia	2														2
(23)	Bronchopneumonia	15						1		2	3	3	2	1	5	1
24	Diseases of the stomach	4							1		1		1	2		
25	Diarrhea and enteritis	41										1	2	13	10	15
(33)	Malformations	15	2	2	1	1	6	2			8	2	1	2	2	
(33)	Premature birth	72	35	7	6	12	60	4	1	2	67	2	3			
(33, 37)	Congenital debility	30	1	3	3	1	8		3	2	13	2	2	9	3	1
(37)	Injuries at birth	6	4		2		6				6					
35	External causes	10				2	2	1			3	2	1	3	1	
38	Unknown or ill-defined diseases	1										1				
	All other causes	14				1	1	2	2	1	6	2	1	3	1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917—Continued.

[See note at head of this table, p. 523.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	RICHMOND, VA. (COLORED).															
	All causes	282	38	5	5	11	59	11	8	9	87	29	22	62	49	33
5	Measles	2												1	1	
6	Scarlet fever															
7	Whooping cough	14										1	1	2	4	6
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	2											1		1	
15	Other forms of tuberculosis															
(37)	Syphilis	19	2			1	3		1		4	4	2	3	6	
17	Meningitis															
(37)	Convulsions	10				1	1	1			2	1	1	3		3
19	Organic diseases of the heart	1										1				
20	Acute bronchitis	4											1	3		
22	Pneumonia	11										1	4	3	1	2
(23)	Bronchopneumonia	42							1	1	2	7	4	11	10	8
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	57						1	1	1	3	6		22	18	8
(33)	Malformations	2	1				1				1			1		
(33)	Premature birth	51	27	2	4	4	37	5	3	4	49	1	1			
(33,37)	Congenital debility	35	4	2		5	11	3	1	2	17	5	2	4	4	3
(37)	Injuries at birth	2	1	1			2				2					
35	External causes	8	3				3				3	1		3	1	
38	Unknown or ill-defined diseases	9			1		1		1		2		3	2	1	1
	All other causes	10								1	1	1	2	3	1	2
	SEATTLE, WASH.															
	All causes	295	68	26	17	38	149	18	17	6	190	24	16	24	25	16
5	Measles	5												2		3
6	Scarlet fever															
7	Whooping cough	8										1	1	1	2	3
8	Diphtheria and croup															
9	Influenza	1														1
(12)	Dysentery															
(12)	Erysipelas	3							1		1		1			1
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	4												1	3	
15	Other forms of tuberculosis															
(37)	Syphilis	9	2			1	3	1	1		5	1	1	1	1	
17	Meningitis															
(37)	Convulsions	3		1		1	2				2					1
19	Organic diseases of the heart															
20	Acute bronchitis	3										2		1		
22	Pneumonia	9							1	1	2	1			5	1
(23)	Bronchopneumonia	14							1		1	3	3	2	2	3
24	Diseases of the stomach	6						1			1		1	3		1
25	Diarrhea and enteritis	21				1	1	1			2	2	5	4	7	1
(33)	Malformations	36	8	8	4	6	26	3	2		31	2		2	1	
(33)	Premature birth	84	39	10	4	12	65	7	4	1	77	5		2		
(33,37)	Congenital debility	36	7	5	4	8	24	1	3	2	30	3	2	1		
(37)	Injuries at birth	30	11	2	5	7	25	3	1	1	30					
35	External causes	5	1				1				1		2	2		
38	Unknown or ill-defined diseases	2				1	1				1			1		
	All other causes	16				1	1	1	3	1	6	4		1	4	1
	SPOKANE, WASH.															
	All causes	131	30	7	5	13	55	7	11	6	79	12	3	11	18	8
5	Measles	1								1	1					
6	Scarlet fever															
7	Whooping cough	1										1				
8	Diphtheria and croup															
9	Influenza	6												2	1	3
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis															
(37)	Syphilis	1							1		1					
17	Meningitis	1													1	
(37)	Convulsions															
19	Organic idseases of the heart															
20	Acute bronchitis															
22	Pneumonia	5											1	2		2
(23)	Bronchopneumonia	18				1	1	2	1		4	3	1	3	7	
24	Diseases of the stomach															
25	Diarrhea and enteritis	15		1		1	2	1	2	2	7		1	4	2	1
(33)	Malformations	13	4	1	2	2	9	1	1		11	1			1	
(33)	Premature birth	31	21	1	2	2	26	1	2	2	31					
(33,37)	Congenital debility	18	3	2		4	9	1	3	1	14	4				
(37)	Injuries at birth	6	2	2			4	1			5	1				
35	External causes	1										1				
38	Unknown or ill-defined diseases															
	All other causes	13			1	3	4		1		5	1			6	1

SUPPLEMENT

HAWAII

SOLDIERS, SAILORS, AND MARINES

PORTO RICO

HAWAII.

The Territory of Hawaii was added to the registration area for deaths for 1917. The number of deaths is 3,710 and the population as estimated by the United States Bureau of the Census is 219,580, making the death rate 16.9 per 1,000 population in 1917 as against a rate of 18.4 in 1916. The deaths are compiled showing race, age, cause of death and month of death by sex.

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII, BY RACE AND COUNTY, ACCORDING TO THE CENSUS OF 1910.

RACE.	POPULATION APR. 15, 1910.						
	Hawaii Territory.	Honolulu city.	Honolulu County (exclusive of Honolulu city).	Hawaii County.	Kalawao County.	Kauai County.	Maui County.
Total	191,909	52,183	29,845	55,382	785	23,952	29,762
Caucasian	44,048	15,992	5,620	12,104	81	4,663	5,588
Chinese	21,674	9,574	4,150	2,995	46	2,312	2,597
Japanese	79,675	12,093	15,035	27,237	26	12,541	12,743
Hawaiian	26,041	7,910	2,657	7,156	520	2,208	5,590
All others	20,471	6,614	2,383	5,890	112	2,228	3,244

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE: 1917.

RACE.	NUMBER OF DEATHS (EXCLUSIVE OF STILLBIRTHS) DURING THE YEAR 1917.						
	Hawaii Territory.	Honolulu city.	Honolulu County (exclusive of Honolulu city).	Hawaii County.	Kalawao County.	Kauai County.	Maui County.
Total	3,710	1,353	436	930	84	360	547
Caucasian	523	241	36	121	5	39	81
Chinese	309	177	22	50	3	26	31
Japanese	1,299	351	202	407	3	145	191
Hawaiian	899	347	95	175	56	65	161
All others	680	237	81	177	17	85	83

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY MONTH OF DEATH: 1917.

AREA AND SEX.	Total.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Total for the territory	3,710	296	308	334	321	307	304	318	268	281	301	342	330
Male	2,266	169	198	202	181	184	206	208	155	171	181	201	210
Female	1,444	127	110	132	140	123	98	110	113	110	120	141	120
Honolulu city M.	840	56	74	83	69	70	83	84	59	64	65	70	63
Honolulu city F.	513	48	39	60	45	47	36	27	43	48	34	46	40
Honolulu County (exclusive of Honolulu city) M.	260	20	32	27	17	14	18	24	16	26	22	21	23
Honolulu County (exclusive of Honolulu city) F.	176	18	14	16	16	14	9	15	12	14	14	20	14
Hawaii County M.	555	48	38	45	44	45	58	49	39	38	44	47	60
Hawaii County F.	375	29	18	33	32	30	30	33	37	21	39	36	37
Kalawao County M.	51	5	.....	2	5	6	4	2	6	3	6	9	3
Kalawao County F.	33	3	2	.....	4	1	2	5	3	1	6	3	3
Kauai County M.	235	17	24	22	22	14	16	20	12	16	20	30	22
Kauai County F.	125	10	13	5	15	9	6	13	8	12	15	7	12
Maui County M.	325	23	30	23	24	35	27	29	23	24	24	24	39
Maui County F.	222	19	24	18	28	22	15	17	10	14	12	29	14

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY CAUSE OF DEATH: 1917.

[Numbers under causes of death correspond to those of the abridged International List (see p. 20).]

AREA.	DEATHS FROM—										
	All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13
Total for the territory	3,710	54	----	----	1	----	30	16	44	7	404
Honolulu city	1,353	26	----	----	1	----	9	10	14	1	200
Honolulu County (exclusive of Honolulu city)	436	10	----	----	----	----	9	1	9	1	28
Hawaii County	930	11	----	----	----	----	----	4	15	3	97
Kalawao County	84	----	----	----	----	----	----	----	1	----	----
Kauai County	360	3	----	----	----	----	8	1	----	1	29
Maui County	547	4	----	----	----	----	4	----	5	1	50

AREA.	DEATHS FROM—										
	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer and other malignant tumors. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)
Total for the territory	29	38	6	125	17	29	157	171	119	403	43
Honolulu city	20	16	2	65	11	14	62	61	42	126	18
Honolulu County (exclusive of Honolulu city)	----	2	----	11	1	3	15	9	7	62	2
Hawaii County	7	9	2	23	2	6	40	59	36	93	10
Kalawao County	----	1	----	----	----	----	1	3	----	----	----
Kauai County	1	3	1	12	----	3	19	13	20	49	3
Maui County	1	7	1	14	3	3	20	26	14	73	10

AREA.	DEATHS FROM—											
	Diarrhea and enteritis (under 2 years). 25	Appendicitis and typhlitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal septicemia. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (suicide excepted). 35	Suicide. 36	All other defined diseases. (37)	Unknown or ill-defined diseases. 38
Total for the territory	503	30	28	30	168	16	36	222	225	44	712	3
Honolulu city	107	15	10	15	77	4	15	67	78	15	251	1
Honolulu County (exclusive of Honolulu city)	59	1	4	3	16	1	5	35	46	10	86	----
Hawaii County	153	7	10	3	34	7	8	60	48	9	173	1
Kalawao County	4	----	----	----	----	----	----	3	1	----	70	----
Kauai County	83	2	1	2	11	----	8	18	22	5	42	----
Maui County	97	5	3	7	30	4	----	39	30	5	90	1

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND AGE OF DECEDENT: 1917.

RACE.	All ages.	DEATHS AT AGE OF—												
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.
Total for the territory	3,710	1,250	150	60	41	35	1,536	90	69	96	182	165	166	199
Caucasian	523	148	26	9	2	7	192	9	7	10	22	13	18	28
Chinese	309	48	7	2	3	1	61	8	5	3	10	5	7	6
Japanese	1,299	585	66	28	21	15	715	37	20	30	46	59	53	71
Hawaiian	899	183	23	8	5	8	227	24	27	32	42	42	43	55
All others	680	286	28	13	10	4	341	12	10	21	62	46	45	39

RACE.	DEATHS AT AGE OF—													Deaths at unknown age.
	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
Total for the territory	197	181	180	129	165	111	74	65	56	22	9	8	6	4
Caucasian	21	24	23	16	34	33	22	20	16	8	3	1	2	1
Chinese	34	23	26	29	37	25	12	11	6	.....	.....	.....	.....	1
Japanese	80	58	66	30	26	4	1	2	.....	.....	.....	.....	.....	1
Hawaiian	39	52	49	45	57	41	36	28	31	12	5	7	4	1
All others	23	24	16	9	11	8	3	4	3	2	1	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1917.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	RACE.				
			Caucasian.	Chinese.	Japanese.	Hawaiian.	All others.
	All causes	3,710	523	309	1,299	899	680
	I.—General diseases	1,065	127	110	317	320	191
1	Typhoid fever	54	1	2	24	16	11
6	Measles	1	.....	1	.....	.....	.....
8	Whooping cough	30	9	3	3	8	7
9	Diphtheria and croup	16	3	5	6	.....	2
10	Influenza	44	5	4	18	13	4
14	Dysentery	15	2	2	2	8	1
15	Plague	5	1	.....	3	1	.....
17	Leprosy	70	3	3	3	48	13
18	Erysipelas	7	3	.....	2	1	1
19	Other epidemic diseases	8	1	.....	5	1	1
20	Purulent infection and septicemia	5	.....	.....	1	4	.....
24	Tetanus	12	3	2	4	1	2
26	Pellagra	2	1	.....	.....	1	.....
27	Beriberi	79	.....	1	68	.....	10
	Tuberculosis (total)	471	47	56	116	147	105
28	Tuberculosis of the lungs	401	41	53	93	126	88
29	Acute miliary tuberculosis	3	.....	.....	.....	1	2
30	Tuberculous meningitis	29	5	3	13	3	5
31	Abdominal tuberculosis	25	1	.....	8	10	6
32	Pott's disease	7	.....	.....	2	4	1
33	White swellings	1	.....	.....	.....	.....	1
34	Tuberculosis of other organs	3	.....	.....	.....	1	2
35	Disseminated tuberculosis	2	.....	.....	.....	2	.....
37	Syphilis	68	7	6	23	16	16
38	Gonococcus infection	1	.....	.....	1	.....	.....
	Cancer and other malignant tumors (total)	125	31	16	30	36	12
39	Of the buccal cavity	4	2	.....	.....	1	1
40	Of the stomach, liver	71	10	11	23	17	10
41	Of the peritoneum, intestines, rectum	10	3	.....	2	4	1
42	Of the female genital organs	11	6	.....	1	4	.....
43	Of the breast	5	3	1	.....	1	.....
44	Of the skin	6	2	1	1	2	.....
45	Of other organs or of organs not specified	18	5	3	3	7	.....
47	Acute articular rheumatism	6	.....	1	3	2	.....
49	Scurvy	2	2	.....	.....	.....	.....
50	Diabetes	17	3	1	1	10	2
51	Exophthalmic goiter	1	1	.....	.....	.....	.....
53	Leukemia	1	.....	.....	.....	.....	1
54	Anemia, chlorosis	7	2	.....	3	1	1
55	Other general diseases	5	1	1	1	1	1
56	Alcoholism (acute or chronic)	7	1	.....	.....	5	1
59	Other chronic poisonings	6	.....	6	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	244	44	27	75	74	24
61	Meningitis (total)	29	3	4	16	4	2
	Simple meningitis	20	2	3	11	2	2
	Cerebrospinal meningitis (undefined)	4	.....	.....	4	.....	.....
	Cerebrospinal fever	5	1	1	1	2	.....
62	Locomotor ataxia	2	1	.....	.....	1	.....
63	Other diseases of the spinal cord (total)	11	4	.....	5	2	.....
	Other diseases of the spinal cord [1]	11	4	.....	5	2	.....
64	Cerebral hemorrhage, apoplexy	156	31	21	39	50	15
65	Softening of the brain	1	1	.....	.....	.....	.....
66	Paralysis without specified cause	12	1	.....	2	8	1
67	General paralysis of the insane	2	1	.....	1	.....	.....
68	Other forms of mental alienation	3	.....	.....	1	1	1
69	Epilepsy	4	.....	1	1	1	1
70	Convulsions (nonpuerperal)	1	.....	.....	1	.....	.....
71	Convulsions of infants	9	.....	.....	4	2	3
73	Neuralgia and neuritis	1	.....	.....	.....	1	.....
74	Other diseases of the nervous system	3	.....	1	2	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	1	.....	.....
76	Diseases of the ears	9	2	.....	2	4	1
	III.—Diseases of the circulatory system	249	60	19	44	95	31
77	Pericarditis	4	1	1	1	1	.....
78	Acute endocarditis	20	5	1	5	6	3
79	Organic diseases of the heart	171	43	15	31	58	24
80	Angina pectoris	6	1	.....	3	1	1
81	Diseases of the arteries, atheroma, aneurism, etc.	39	6	*2	1	27	3
82	Embolism and thrombosis	4	2	.....	1	1	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	1	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	.....	.....	1	1	.....
85	Hemorrhage; other diseases of the circulatory system	2	1	.....	1	.....	.....
	IV.—Diseases of the respiratory system	565	61	41	204	148	111
86	Diseases of the nasal fossae	1	.....	.....	1	.....	.....
87	Diseases of the larynx	1	.....	1	.....	.....	.....
89	Acute bronchitis	92	5	6	46	18	17
90	Chronic bronchitis	27	3	4	10	7	3
91	Bronchopneumonia	273	30	16	105	60	62

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1917—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	RACE. Caucasian.	Chinese.	Japanese.	Hawaiian.	All others.
	IV.—Diseases of the respiratory system—Continued.						
92	Pneumonia (total)	130	16	9	26	54	25
	Lobar pneumonia	125	16	9	23	53	24
	Pneumonia (undefined)	5	----	----	3	1	1
93	Pleurisy	26	3	1	14	5	3
94	Pulmonary congestion, pulmonary apoplexy	1	1	----	----	----	----
95	Gangrene of the lung	4	1	----	2	1	----
96	Asthma	6	1	3	----	2	----
97	Pulmonary emphysema	2	1	----	----	1	----
98	Other diseases of the respiratory system (tuberculosis excepted)	2	----	1	----	----	1
	V.—Diseases of the digestive system	750	91	40	330	128	161
100	Diseases of the pharynx	7	----	1	4	1	1
102	Ulcer of the stomach	16	1	6	5	2	2
103	Other diseases of the stomach (cancer excepted)	31	3	1	15	1	11
104	Diarrhea and enteritis (under 2 years)	503	66	16	218	81	122
105	Diarrhea and enteritis (2 years and over)	76	9	3	31	20	13
108	Appendicitis and typhlitis	30	2	2	20	2	4
109	Hernia, intestinal obstruction (total)	28	5	5	13	4	1
	Hernia	7	1	2	2	2	----
	Intestinal obstruction	21	4	3	11	2	1
110	Other diseases of the intestines	5	----	----	3	2	----
111	Acute yellow atrophy of the liver	1	----	----	1	----	----
113	Cirrhosis of the liver	30	2	2	10	12	4
114	Billiary calculi	6	2	----	3	1	----
115	Other diseases of the liver	11	1	3	4	2	1
117	Simple peritonitis (nonpuerperal)	5	----	----	3	----	2
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	----	1	----	----	----
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	202	37	34	59	52	20
119	Acute nephritis	28	4	3	14	4	3
120	Bright's disease	140	29	27	32	39	13
122	Other diseases of the kidneys and annexa	4	----	1	1	1	1
123	Calculi of the urinary passages	2	----	1	1	----	----
124	Diseases of the bladder	1	1	----	----	----	----
126	Diseases of the prostate	2	1	----	----	1	----
127	Nonvenereal diseases of the male genital organs	1	----	----	----	----	1
129	Uterine tumor (noncancerous)	1	----	----	----	----	1
130	Other diseases of the uterus	6	1	1	3	1	----
131	Cysts and other tumors of the ovary	5	----	----	1	3	1
132	Salpingitis and other diseases of the female genital organs	11	1	1	6	3	----
133	Nonpuerperal diseases of the breast (cancer excepted)	1	----	----	1	----	----
	VII.—The puerperal state	52	9	3	28	2	10
134	Accidents of pregnancy	10	1	1	6	----	2
135	Puerperal hemorrhage	13	4	1	4	1	3
136	Other accidents of labor	2	----	----	1	----	1
137	Puerperal septicemia	16	1	----	13	1	1
138	Puerperal albuminuria and convulsions	10	3	1	4	----	2
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1	----	----	----	----	1
	VIII.—Diseases of the skin and of the cellular tissue	17	2	----	8	6	1
142	Gangrene	1	----	----	----	1	----
143	Furuncle	3	----	----	2	1	----
144	Acute abscess	11	1	----	6	3	1
145	Other diseases of the skin and annexa	2	1	----	----	1	----

Detailed List No.	CAUSE OF DEATH.	All deaths.	RACE. Caucasian.	Chinese.	Japanese.	Hawaiian.	All others.
	IX.—Diseases of the bones and of the organs of locomotion	13	3	1	3	2	4
146	Diseases of the bones (tuberculosis excepted)	10	2	1	3	1	3
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	1	----	----	1	1
	X.—Malformations	32	4	4	17	----	7
150	Congenital malformations (stillbirths not included) (total)	32	4	4	17	----	7
	Hydrocephalus	5	1	1	2	----	1
	Congenital malformations of the heart	23	3	3	11	----	6
	Other congenital malformations	4	----	----	4	----	----
	XI.—Early infancy	233	29	7	107	30	60
151	Congenital debility, icterus, and sclerema (total)	190	22	7	92	23	46
	Premature birth	135	17	5	71	17	25
	Congenital debility, "atrophy," "marasmus," etc	55	5	2	21	6	21
152	Other causes peculiar to early infancy (total)	40	7	----	13	6	14
	Injuries at birth	16	5	----	4	3	4
	Other causes peculiar to early infancy [1]	24	2	----	9	3	10
153	Lack of care	3	----	----	2	1	----
	XII.—Old age	16	3	2	----	9	2
154	Senility	16	3	2	----	9	2
	XIII.—External causes	269	53	21	107	31	57
	Suicide (total)	44	10	8	18	3	5
155	By poison	10	1	1	6	1	1
157	By hanging or strangulation	15	3	5	5	1	1
158	By drowning	2	1	----	1	----	----
159	By firearms	13	4	2	4	1	2
160	By cutting or piercing instruments	4	1	----	2	----	1
	Accidental or undefined (total)	200	41	10	81	25	43
164	Poisoning by food	3	1	----	----	2	----
165	Other acute poisonings	6	1	----	2	----	3
167	Burns (conflagration excepted)	12	7	1	3	1	----
168	Absorption of deleterious gases (conflagration excepted)	7	1	1	1	3	1
169	Accidental drowning	43	8	1	22	3	9
170	Traumatism by firearms	3	1	----	2	----	----
172	Traumatism by fall	29	6	----	9	8	6
173	Traumatism in mines and quarries (total)	2	----	----	----	----	2
	Traumatism in quarries	2	----	----	----	----	2
174	Traumatism by machines	12	5	----	5	1	1
175	Traumatism by other crushing (total)	54	9	5	26	4	10
	Railroad accidents and injuries	18	3	----	8	4	3
	Street-car accidents and injuries	1	----	----	1	----	----
	Automobile accidents and injuries	21	2	3	10	----	6
	Injuries by other vehicles	9	4	1	3	----	1
	Landslide, other crushing	5	----	1	4	----	----
176	Injuries by animals	3	----	----	1	1	1
181	Electricity (lightning excepted)	3	1	1	1	----	----
185	Fractures (cause not specified)	1	----	----	----	----	1
186	Other external violence	22	1	1	9	2	9
	Homicide (total)	25	2	3	8	3	9
182	By firearms	12	1	1	5	2	3
183	By cutting or piercing instruments	7	----	1	2	----	4
184	By other means	6	1	1	1	1	2
	XIV.—Ill-defined diseases	3	----	----	----	2	1
189	Not specified or ill-defined (total)	3	----	----	----	2	1
	Not specified or unknown	3	----	----	----	2	1

[1] Exclusive of injuries at birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,

Detailed Int. List No.	CAUSE OF DEATH.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	All causes	3,710	1,250	150	60	41	35	1,536	90	69	96	182	165
	Males	2,266	730	85	25	18	22	880	45	32	50	93	90
	Females	1,444	520	65	35	23	13	656	45	37	46	89	75
	I.—General diseases	1,065	147	24	9	8	12	200	40	35	55	105	77
	Males	667	93	15	5	2	10	125	18	16	26	57	45
	Females	398	54	9	4	6	2	75	22	19	29	48	32
1	Typhoid fever	M 36							2	1	3	12	9
		F 18				1		1	2	1	2	4	5
6	Measles	M 1	1					1					
8	Whooping cough	M 18	12	5			1	18					
		F 12	8	2			1	11	1				
9	Diphtheria and croup	M 8	1	2	2		1	6	2				
		F 8	1	4	2			7	1				
10	Influenza	M 30	9	1				10	3	1		2	
		F 14	3	2			1	6	4	1			1
14	Dysentery	M 12	2					2				1	
		F 3		1				1					
15	Plague	M 4											1
		F 1											1
17	Leprosy	M 43								2		7	3
		F 27								3	7	1	5
18	Erysipelas	M 3	1					1					
		F 4	4					4					
19	Other epidemic diseases	M 4	1		1			2	1	1			
		F 4			1			1			1	1	
20	Purulent infection and septicemia	M 3										1	
		F 2											
24	Tetanus	M 8				1		4			1		1
		F 4	1					1	1			1	1
26	Pellagra	M 1											
		F 1											
27	Beriberi	M 52	33	1		1		35			3	3	1
		F 27	21					21			2		
	Tuberculosis (total)	M 290	5	6	2		7	20	8	8	18	29	26
		F 181	5		1	4		10	11	14	13	40	16
28	Tuberculosis of the lungs	M 250		2			2	4	4	3	16	25	25
		F 151				1		1	8	11	12	35	16
29	Acute miliary tuberculosis	M 2		1				1					
		F 1	1					1					
30	Tuberculous meningitis	M 19	5	2	2		4	13	2	2	1	1	
		F 10	4		1	2		7	1				
31	Abdominal tuberculosis	M 12		1			1	2	1	3		1	1
		F 13				1		1	2	2	1	3	
32	Pott's disease	M 4										1	
		F 3								1		1	
33	White swellings	M 1									1		
34	Tuberculosis of other organs	M 2							1			1	
		F 1											
35	Disseminated tuberculosis	F 2										1	
37	Syphilis	M 48	23			1		24	1	2		1	2
		F 20	8					8	1				2
38	Gonococcus infection	F 1									1		
	Cancer and other malignant tumors (total)	M 79							1		1		1
		F 46									1		
39	Of the buccal cavity	M 4											
40	Of the stomach, liver	M 53											1
		F 18											
41	Of the peritoneum, intestines, rectum	M 5											
		F 5											
42	Of the female genital organs	F 11											
43	Of the breast	F 5											
44	Of the skin	M 2							1				
		F 4									1		
45	Of other organs or of organs not specified	M 15									1		
		F 3											
47	Acute articular rheumatism	M 2											
		F 4	1					1			1	1	
49	Scurvy	M 1	1					1					
		F 1	1					1					
50	Diabetes	M 8										1	
		F 9											
51	Exophthalmic goiter	F 1											
53	Leukemia	F 1									1		
54	Anemia, chlorosis	M 3								1			
		F 4							1				
55	Other general diseases	M 3	1					1					1
		F 2	1			1		2					
56	Alcoholism (acute or chronic)	M 4											
		F 3											1
59	Other chronic poisonings	M 6											

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
166	199	197	181	180	129	165	111	74	65	56	22	9	8	6	4	
107	117	131	126	132	100	123	76	50	49	30	18	7	4	2	4	
59	82	66	55	48	29	42	35	24	16	26	4	2	4	4		
70	86	90	69	78	49	45	33	16	9	4	2	1			1	
46	55	58	47	56	36	35	22	13	7	1	2	1			1	
24	31	32	22	22	13	10	11	3	2	3						
7	1	1														1
1				1		1										6
																8
																9
1	1	1		2	1	2	1	4	1							10
							2									
	1			2		3		2			1					14
				1			1									15
1	2															17
5	12	4	2	4			2		1		1					18
2	2	2	2	1	1					1						19
			1		1											
		1														20
	1		1													24
		2			2											26
																27
						1										
						1										
2	4	1	3													
3	1															
25	24	29	27	27	16	16	13	1	3							
17	20	15	9	6	5	1	2	1	1							
22	24	27	24	27	16	16	13	1	3							28
16	16	12	9	6	4	1	2	1	1							29
			1													30
	2															31
1		2	1													
1	1	2														
2			1													32
		1														33
																34
	1															35
					1											
1	2	2	3	5	2	1	1					1				37
	3	3	2				1									38
3	6	13	8	14	13	10	4	3	2							
1	4	9	5	8	4	4	5	2	1	2						
		2				1		1								39
2	5	8	5	10	9	8	2	1	2							40
	1	3	2	4	2	2	2	1		1						
	1	1		2			1									41
		2			2			1								
1	2	4	1	2					1							42
				2		1	2									43
1																44
	1		1							1						
		2	3	2	4	1	1	1								45
			1			1	1									
					1			1								47
				1												49
																50
	1	1	1		1		1	1		1						
	1	1		3	1	3										
			1													51
																53
1															1	54
		1	1	1												
			1													55
		2				2										56
			2													
		2		2	1			1								59

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,

Detailed Int. List No.	CAUSE OF DEATH.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	II.—Diseases of the nervous system and of the organs of special sense	244	19	5	5	3	1	33	7	8	3	3	4
	Males	163	15	2	2	1	1	21	4	2	2	1	1
	Females	81	4	3	3	2		12	3	6	1	2	3
61	Meningitis (total) M	18	6	1	1		1	9	2		1	1	1
	Meningitis (total) F	11	2	2	2	1		7	1	2	1		
	Simple meningitis M	12	5	1	1		1	8	2		1		1
	Simple meningitis F	8	2		2	1		5		2	1		
	Cerebrospinal meningitis (undefined) M	2	1					1					
	Cerebrospinal meningitis (undefined) F	2		2				2					
	Cerebrospinal fever M	4										1	
	Cerebrospinal fever F	1							1				
62	Locomotor ataxia M	1											
	Locomotor ataxia F	1											
63	Other diseases of the spinal cord (total) M	6	1					1					
	Other diseases of the spinal cord (total) F	5								1			1
	Other diseases of the spinal cord [1] M	6	1					1					
	Other diseases of the spinal cord [1] F	5								1			1
64	Cerebral hemorrhage, apoplexy M	112											
	Cerebral hemorrhage, apoplexy F	44										2	
65	Softening of the brain M	1											
66	Paralysis without specified cause M	6								1			
	Paralysis without specified cause F	6											1
67	General paralysis of the insane M	2											
68	Other forms of mental alienation M	1											
	Other forms of mental alienation F	2											
69	Epilepsy M	2									1		
	Epilepsy F	2								1			1
70	Convulsions (nonpuerperal) F	1							1				
71	Convulsions of infants M	7	4	1	1	1		7					
	Convulsions of infants F	2	1			1		2					
73	Neuralgia and neuritis F	1											
74	Other diseases of the nervous system M	3	3					3					
75	Diseases of the eyes and their annexa F	1		1				1					
76	Diseases of the ears M	4	1					1	2	1			
	Diseases of the ears F	5	1		1			2	1	2			
	III.—Diseases of the circulatory system	249	7			2	3	12	2	5	4	10	6
	Males	137	3			1	1	5		3	2	2	3
	Females	112	4			1	2	7	2	2	2	8	3
77	Pericarditis M	2											
	Pericarditis F	2	1					1				1	
78	Acute endocarditis M	9	1					1		1			1
	Acute endocarditis F	11	2					2				2	
79	Organic diseases of the heart M	95	2			1	1	4		2	1	2	2
	Organic diseases of the heart F	76					2	2	1	2	2	5	3
80	Angina pectoris M	5											
	Angina pectoris F	1											
81	Diseases of the arteries, atheroma, aneurism, etc. M	22											
	Diseases of the arteries, atheroma, aneurism, etc. F	17											
82	Embolism and thrombosis M	2									1		
	Embolism and thrombosis F	2							1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) M	1											
84	Diseases of the lymphatic system (lymphangitis, etc.) M	1											
	Diseases of the lymphatic system (lymphangitis, etc.) F	1	1					1					
85	Hemorrhage, other diseases of the circulatory system. F	2				1		1					
	IV.—Diseases of the respiratory system	565	303	46	16	9	10	384	13	5	6	9	11
	Males	334	169	29	10	3	7	218	6		4	6	6
	Females	231	134	17	6	6	3	166	7	5	2	3	5
86	Diseases of the nasal fossae F	1											
87	Diseases of the larynx M	1			1			1					
89	Acute bronchitis M	44	39				2	41	2				
	Acute bronchitis F	48	38	6	1		1	46		1			
90	Chronic bronchitis M	13	3	1			1	5					
	Chronic bronchitis F	14	5	1				6					
91	Bronchopneumonia M	159	107	24	4	2	3	140	1				2
	Bronchopneumonia F	114	78	9	4	5	2	98	4	1			1
92	Pneumonia (total) M	84	16	3	4	1	1	25	1		1	5	2
	Pneumonia (total) F	46	12	1	1	1		15	2	3	2	3	3
	Lobar pneumonia M	81	15	3	4	1	1	24	1		1	5	2
	Lobar pneumonia F	44	10	1	1	1		13	2	3	2	3	3
	Pneumonia (undefined) M	3	1					1					
	Pneumonia (undefined) F	2	2					2					
93	Pleurisy M	21	4	1	1			6	2		3	1	1
	Pleurisy F	5	1					1	1				1
94	Pulmonary congestion, pulmonary apoplexy. M	1											
95	Gangrene of the lung M	4											1
96	Asthma M	4											
	Asthma F	2											
97	Pulmonary emphysema M	2											
98	Other diseases of the respiratory system (tuberculosis excepted). M	1											
	Other diseases of the respiratory system (tuberculosis excepted). F	1											

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
8	12	9	27	25	18	29	21	8	11	11	4	2	1			
6	9	7	18	18	10	22	16	4	9	8	3	2				
2	3	2	9	7	8	7	5	4	2	3	1		1			
1	1			1						1						61
1																
	1			1						1						
							1									62
			1													
		1	3						1							63
	1					1	1									
		1	3						1							
	1					1										
3	8	4	14	17	9	22	14	4	7	6	2	2				64
1	2		7	6	8	6	4	4	2	1	1					
		1														65
		1			1				1	1	1					66
		2		1						1			1			
1							1									67
			1													68
1			1													
1																69
																70
																71
										1						73
																74
																75
																76
9	13	6	26	22	13	28	21	17	20	19	8	3	4	1		
5	4	1	13	15	11	17	14	11	12	7	7	2	3			
4	9	5	13	7	2	11	7	6	8	12	1	1	1	1		
			1		1											77
1			1	1		1				1		1				78
1	2	1	1	1						1						
2	2	1	9	11	7	14	10	9	3	3	6	1	1			79
3	7	4	11	5	2	7	3	6	4	7	1		1			
	2			2	1											80
				1												
1			1	1	1	2	4	2	4	3	1		2			81
			1			3	4		3	4		1		1		
					1											82
						1										
			1													83
1																84
									1							85
8	11	21	13	12	12	24	10	9	8	6	1	1	1			
4	4	16	10	5	11	18	5	6	8	4	1	1	1			
4	7	5	3	7	1	6	5	3		2						
				1												86
																87
						1										
						1										89
1				1		2	1		1	1	1					90
		1		2			4	1								
		4		1	3	2	2	3	1							91
	2		1	3		1		1		2						
3	3	8	9	1	5	10	2	2	5	2						92
4	5	2	1	1	1	3		1								
3	3	8	9	1	5	10	2	2	4	1						
4	5	2	1	1	1	3		1								
									1	1						
	1	3	1		2			1								93
		1	1													
												1				94
		1		1					1							95
				1		2				1						
						1	1									96
						1							1			97
					1											98
		1														

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,

Detailed Int. List No.	CAUSE OF DEATH.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	V.—Diseases of the digestive system	750	489	53	27	11	5	585	6	7	3	9	11
	Males	445	284	28	6	5	2	325	2	4	2	4	6
	Females	305	205	25	21	6	3	260	4	3	1	5	5
100	Diseases of the pharynx M	4				1		1		1			
	F	3	2					2					
102	Ulcer of the stomach M	14											1
	F	2											
103	Other diseases of the stomach (cancer excepted). M	21	15		1			16					
	F	10	9					9					
104	Diarrhea and enteritis (under 2 years) M	291	264	27				291					
	F	212	189	23				212					
105	Diarrhea and enteritis (2 years and over) M	33			5	4	1	10	1	1	1	2	1
	F	43			20	5	3	28	2			1	1
108	Appendicitis and typhlitis M	17							1	2	1	2	1
	F	13							2	2	1	2	2
109	Hernia, intestinal obstruction (total) M	18	3	1				4					2
	F	10	5	2		1		8					1
	Hernia M	7	1					1					
	Intestinal obstruction M	11	2	1				3					2
	F	10	5	2		1		8					1
110	Other diseases of the intestines M	4	1					1					1
	F	1											
111	Acute yellow atrophy of the liver M	1											
113	Cirrhosis of the liver M	25	1				1	2					
	F	5											
114	Biliary calculi M	4											
	F	2										1	
115	Other diseases of the liver M	10											
	F	1											
117	Simple peritonitis (nonpuerperal) M	2											
	F	3			1			1		1		1	
118	Other diseases of the digestive system (cancer and tuberculosis excepted). M	1											
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	202	6	4	1	3		14	4	1	5	7	15
	Males	118	3	3		2		8	3	1	1	1	5
	Females	84	3	1	1	1		6	1		4	6	10
119	Acute nephritis M	15	1	3		2		6	1				1
	F	13	1		1	1		3	1		1	1	1
120	Bright's disease M	95							1	1	1	1	4
	F	45	2	1				3			1	2	2
122	Other diseases of the kidneys and annexa M	3	1					1					
	F	1											
123	Calculi of the urinary passages M	2							1				
124	Diseases of the bladder F	1											
126	Diseases of the prostate M	2											
127	Nonvenereal diseases of the male genital organs. M	1	1					1					
129	Uterine tumor (noncancerous) F	1											
130	Other diseases of the uterus. F	6									1	1	2
131	Cysts and other tumors of the ovary F	5											1
132	Salpingitis and other diseases of the female genital organs. F	11										2	4
133	Nonpuerperal diseases of the breast (cancer excepted). F	1									1		
	VII.—The puerperal state	52									4	12	10
134	Accidents of pregnancy F	10										5	1
135	Puerperal hemorrhage F	13										2	3
136	Other accidents of labor F	2											1
137	Puerperal septicemia F	16									2	1	4
138	Puerperal albuminuria and convulsions F	10									2	4	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death. F	1											
	VIII.—Diseases of the skin and of the cellular tissue.	17	6					6		2			
	Males	10	5					5		2			
	Females	7	1					1					
142	Gangrene F	1											
143	Furuncle M	2											
	F	1											
144	Acute abscess M	8	5					5		2			
	F	3											
145	Other diseases of the skin and annexa F	2	1					1					
	IX.—Diseases of the bones and of the organs of locomotion.	13	1		1		1	3	3		1		1
	Males	10	1		1			2	3		1		
	Females	3					1	1					1
146	Diseases of the bones (tuberculosis excepted). M	7			1			1	2				
	F	3					1	1					1
147	Diseases of the joints (tuberculosis and rheumatism excepted). M	3	1					1	1		1		

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
15	17	18	20	13	8	13	5	3	5	6	2	1	1	1	1	
14	11	12	17	11	7	13	4	2	3	4	2	1			1	
1	6	6	3	2	1		1	1	2	2			1	1		
1			1													100
					1											
	2	1	5	1	1	1	1		1							102
1	1															
3					1	1										103
																104
3	1	2	2	1	1	2	1		1	2	1					105
	1	1	1	1			1	1	1	2			1	1		
3	3	1	1	1											1	108
	2	1		1												
		1	1	1	3	2		1	1	2						109
	1															
					2			1	1	2						
		1	1	1	1	2										
	1															
	1		1													110
		1														
		1														111
1	1	5	2	5		4	2	1			1	1				113
		2	2						1							
			2		1	1										114
		1														
2	3		2	1		2										115
	1															
1		1														117
				1												118
11	18	18	10	18	21	15	14	15	7	4	3			2		
1	7	11	8	15	17	12	8	10	5	2	2			1		
10	11	7	2	3	4	3	6	5	2	2	1			1		
	2	3		1	1											119
2	2	1	1													
1	5	8	8	11	16	12	8	9	4	2	2			1		120
4	6	3		2	4	3	5	5	2	1	1			1		
				1				1								122
1																
				1												123
							1									124
				1					1							126
																127
				1												129
	1	1														130
1		1	1							1						131
2	2	1														132
																133
9	12	5														
	2	2														134
5	3															135
		1														136
2	5	2														137
2	1															138
	1															139
1		4	2			1	1									
		2					1									
1		2	2			1										
		1														142
		2														
1																143
							1									144
			2			1										
		1														145
					2		1	1	1							
					2		1		1							
								1								
					2		1		1							146
								1								
																147

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,

Detailed Int. List No.	CAUSE OF DEATH.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	X.—Malformations	32	30	1		1		32					
	Males	14	12	1		1		14					
	Females	18	18					18					
150	Congenital malformations (stillbirths not included) (total). M	14	12	1		1		14					
	F	18	18					18					
	Hydrocephalus M	3	1	1		1		3					
	Hydrocephalus F	2	2					2					
	Congenital malformations of the heart M	10	10					10					
	Congenital malformations of the heart F	13	13					13					
	Other congenital malformations M	1	1					1					
	Other congenital malformations F	3	3					3					
	XI.—Early infancy	233	233					233					
	Males	140	140					140					
	Females	93	93					93					
151	Congenital debility, icterus, and sclerema (total). M	114	114					114					
	F	76	76					76					
	Premature birth M	78	78					78					
	Premature birth F	57	57					57					
	Congenital debility, "atrophy," "marasmus," etc. M	36	36					36					
	Congenital debility, "atrophy," "marasmus," etc. F	19	19					19					
152	Other causes peculiar to early infancy (total). M	25	25					25					
	Other causes peculiar to early infancy (total). F	15	15					15					
	Injuries at birth M	10	10					10					
	Injuries at birth F	6	6					6					
	Other causes peculiar to early infancy [1] M	15	15					15					
	Other causes peculiar to early infancy [1] F	9	9					9					
153	Lack of care M	1	1					1					
	Lack of care F	2	2					2					
	XII.—Old age	16											
	Males	10											
	Females	6											
154	Senility M	10											
	Senility F	6											
	XIII.—External causes	269	9	17	1	4	3	34	15	6	15	27	29
	Males	216	5	7	1	3	1	17	9	4	12	22	23
	Females	53	4	10		1	2	17	6	2	3	5	6
	Suicide (total) M	32										3	4
	Suicide (total) F	12									2	1	2
155	By poison M	5										1	1
	By poison F	5									2	1	1
157	By hanging or strangulation M	10											
	By hanging or strangulation F	5											
158	By drowning M	1											
	By drowning F	1										2	2
159	By firearms M	12											1
	By firearms F	1											
160	By cutting or piercing instruments M	4											1
	Accidental or undefined (total) M	166	5	7	1	3	1	17	7	2	12	18	16
	Accidental or undefined (total) F	34	4	10		1	2	17	6	1	1	1	2
164	Poisoning by food M	2											
	Poisoning by food F	1									1		
165	Other acute poisonings M	5	1	1		1		3					
	Other acute poisonings F	1											1
167	Burns (conflagration excepted) M	9		1		1		2					
	Burns (conflagration excepted) F	3	1	1				2					
168	Absorption of deleterious gases (conflagration excepted). M	5	2					2				1	
	Absorption of deleterious gases (conflagration excepted). F	2	2					2					
169	Accidental drowning M	30		3		1	1	5	5				7
	Accidental drowning F	13		3				8	1	1		1	1
170	Traumatism by firearms M	1									1		
	Traumatism by firearms F	2		1				1	1				
172	Traumatism by fall M	26	2	1	1	1		4				5	
	Traumatism by fall F	3	1					2	1				
173	Traumatism in mines and quarries (total) M	2											
	Traumatism in quarries M	2											
174	Traumatism by machines M	12										4	1
175	Traumatism by other crushing (total). M	46		1				1	2	2	9	5	4
	Traumatism by other crushing (total). F	8					2	2	3				
	Railroad accidents and injuries M	14									2	4	1
	Railroad accidents and injuries F	4							2				
	Street-car accidents and injuries F	1											
	Automobile accidents and injuries M	20							2	1	4	1	2
	Automobile accidents and injuries F	1							1				
	Injuries by other vehicles M	8		1				1		1	3		1
	Injuries by other vehicles F	1					1	1					
	Landslide, other crushing M	4											
	Landslide, other crushing F	1					1	1					
176	Injuries by animals M	3											1
181	Electricity (lightning excepted) M	3									1		1
185	Fractures (cause not specified) M	1											
186	Other external violence M	21									1	3	2
	Other external violence F	1											

[1] Exclusive of injuries at birth.

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
																150
																151
																152
																153
							1	2	3	5	1	1	1	2		
							1	1	3	3	1			1		
								1		2		1	1	1		
							1	1	3	3	1			1		
								1		2		1	1	1		154
35	30	26	14	12	6	9	4	3	1	1	1				1	
31	27	24	13	12	6	6	4	3	1	1					1	
4	3	2	1			3					1					
7	3	4	3	3	1	1	1	1							1	
2	2	1				2										
1	1					1										155
1																
2		3	1	1	1		1								1	157
	2	1				2										
				1												158
1																
2	1	1	2	1				1								159
2	1															160
23	23	17	9	8	3	5	3	1	1	1						
1	1	1	1			1					1					
1								1								164
		1	1													165
1	3			2						1						
	1															167
1			1													
																168
3	3	3	2			1	1									
			1													169
																170
3	2	6	1	1	1	1	1		1							
																172
1	1															173
1	1															
	1	3	2		1											174
6	5	3	2	3	1	2	1									
1		1									1					175
3	3			1												
1											1					
		1														
1		1	2	2	1	2	1									
	1	1														
2	1	1														
1		1														176
1																181
				1												185
5	8			1		1										
						1										186

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,

Detailed Int. List No.	CAUSE OF DEATH.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	XIII.—External causes—Continued.												
	Homicide (total) M	18							2	2		1	3
	Homicide (total) F	7								1		3	2
182	By firearms M	9							1	1		1	1
182	By firearms F	3								1			1
183	By cutting or piercing instruments M	5							1				2
183	By cutting or piercing instruments F	2										2	
184	By other means M	4								1			
184	By other means F	2										1	1
	XIV.—Ill-defined diseases	3											1
	Males	2											1
	Females	1											
189	Not specified or ill-defined (total) M	2											1
189	Not specified or ill-defined (total) F	1											
	Not specified or unknown M	2											1
	Not specified or unknown F	1											

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1917—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1	1	3	1	1	2			1								
1																
1		3	1													182
1																
				1	1											183
	1				1			1								184
						1									1	
															1	
						1										
															1	189
						1										
						1									1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM IMPORTANT CAUSES, BY MONTHS: 1917.

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All causes	3,710	296	308	334	321	307	304	318	268	281	301	342	330
1	Typhoid fever	54	4	7	3	5	2	4	2	3	2	9	7	6
3	Malaria													
5	Measles	1										1		
6	Scarlet fever													
7	Whooping cough	30	1	3	2	2	1	2	4	1	4	2	6	2
8	Diphtheria and croup	16	2	1		1	2	2	3	1	1		1	2
9	Influenza	44	2	1	8	6	3	6	2	1		2	3	10
13	Tuberculosis of the lungs	404	31	36	31	34	34	38	45	31	29	29	31	35
14–15	Other forms of tuberculosis	67	5	2	5	7	5	6	9	5	5	9	5	4
17	Meningitis	29	3	3	1	1	2	1	2	3	3	4	2	4
20–21	Bronchitis	119	9	11	9	6	14	7	10	10	6	11	14	12
22	Pneumonia	130	10	19	13	13	8	9	13	7	9	6	5	18
(23)	Bronchopneumonia	273	14	27	20	24	28	22	25	11	19	25	32	26
25	Diarrhea and enteritis (under 2 years)	503	42	44	62	35	35	30	37	41	31	44	51	51
(37)	Diarrhea and enteritis (2 years and over)	76	8	8	6	7	7	9	1	7	4	4	5	10
(33)	Congenital debility [1]	55	5	2	8	5	8	5	5	4	3	3	3	4
35	Violent deaths (suicide excepted)	225	21	18	15	12	13	16	24	13	28	17	21	27
36	Suicide	44	5	2	6	6	2		3	3	3	3	5	6
	All other causes	1,640	134	124	145	157	143	147	133	127	134	132	151	113

[1] Exclusive of premature birth.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1917.

Abridged Int. List No.	CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	All causes	1,250	84	29	37	72	222	70	42	46	380	249	148	250	141	82
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	20							1		1	2	4	8	5	
8	Diphtheria and croup	2												1	1	
9	Influenza	12				1	1		1		2	4	2	1	2	1
(12)	Dysentery	2										1			1	
(12)	Erysipelas	5										3	2			
(37)	Tetanus	4				2	2	1	1		4					
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	9										1	1	3	3	1
15	Other forms of tuberculosis															
(37)	Syphilis	31	3		2	3	8	2	5	1	16	4	5	6		
17	Meningitis	8						1			1			4	3	
(37)	Convulsions	5			1		1			1	2	3				
19	Organic diseases of the heart	2												1		1
20	Acute bronchitis	77				5	5	6	1	3	15	19	14	14	10	5
22	Pneumonia	28				2	2	2		1	5	5	3	5	5	5
(23)	Bronchopneumonia	185			1	4	5	7	3	8	23	33	25	52	28	24
24	Diseases of the stomach	24				1	1	3	4	3	11	7	2	4		
25	Diarrhea and enteritis	453		2	5	13	20	17	14	15	66	104	66	118	65	34
(33)	Malformations	30	6	4	2	5	17	1	1	2	21	3	1	3	2	
(33)	Premature birth	135	53	18	15	19	105	13	4		122	6	4	2	1	
(33, 37)	Congenital debility	82	9	4	10	13	36	10	2	7	55	11	4	8	3	1
(37)	Injuries at birth	16	13	1		1	15	1			16					
35	External causes	9										3	1	3	1	1
38	Unknown or ill-defined diseases															
	All other causes	109			1	3	4	6	5	5	20	40	14	17	11	7

SOLDIERS, SAILORS, AND MARINES.

The deaths include only those reported to the Bureau of the Census by state and municipal registration offices, after the declaration of war (Apr. 6, 1917).

TABLE 1.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA AND REGISTRATION STATES, BY COLOR AND AGE OF DECEDENT: 1917.

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—													Deaths at unknown age.
		10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	
SUMMARY.																
The registration area (total)	2,221	2	366	961	507	156	86	50	41	13	17	4	3	.....	1	14
White	2,072	2	349	894	468	149	77	47	39	12	17	4	3	.....	1	10
Colored	149	.....	17	67	39	7	9	3	2	1	.....	.....	.....	.....	.....	4
Registration states[1] (total)	2,103	2	351	906	484	145	79	48	38	13	15	4	3	.....	1	14
White	1,959	2	334	841	447	138	71	45	36	12	15	4	3	.....	1	10
Colored	144	.....	17	65	37	7	8	3	2	1	.....	.....	.....	.....	.....	4
Cities in registration states[1] (total)	849	1	181	315	155	53	50	37	23	9	13	4	3	.....	1	4
White	805	1	173	301	146	51	43	35	23	8	13	4	3	.....	1	3
Colored	44	.....	8	14	9	2	7	2	.....	1	.....	.....	.....	.....	.....	1
Rural part of registration states (total)	1,254	1	170	591	329	92	29	11	15	4	2	.....	.....	.....	.....	10
White	1,154	1	161	540	301	87	28	10	13	4	2	.....	.....	.....	.....	7
Colored	100	.....	9	51	28	5	1	1	2	.....	.....	.....	.....	.....	.....	3
Registration cities in nonregistration states (total)	118	.....	15	55	23	11	7	2	3	.....	2	.....	.....	.....	.....	.....
White	113	.....	15	53	21	11	6	2	3	.....	2	.....	.....	.....	.....	.....
Colored	5	.....	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
All registration cities[1] (total)	967	1	196	370	178	64	57	39	26	9	15	4	3	.....	1	4
White	918	1	188	354	167	62	49	37	26	8	15	4	3	.....	1	3
Colored	49	.....	8	16	11	2	8	2	.....	1	.....	.....	.....	.....	.....	1
REGISTRATION STATES.																
California (total)	211	.....	39	68	45	23	12	10	7	3	3	.....	.....	.....	.....	1
White	208	.....	39	68	44	23	11	10	6	3	3	.....	.....	.....	.....	1
Colored	3	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Colorado (total)	38	.....	5	14	5	4	4	1	4	.....	.....	.....	.....	.....	.....	.....
White	35	.....	5	13	5	3	4	1	3	.....	.....	.....	.....	.....	.....	.....
Colored	3	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Connecticut (total)	17	.....	5	7	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
White	17	.....	5	7	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Indiana (total)	29	.....	5	13	5	2	1	1	.....	1	.....	.....	.....	.....	.....	1
White	29	.....	5	13	5	2	1	1	.....	1	.....	.....	.....	.....	.....	1
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Kansas (total)	198	.....	8	112	66	7	.....	2	1	.....	.....	.....	.....	.....	.....	2
White	188	.....	8	104	64	7	.....	2	1	.....	.....	.....	.....	.....	.....	2
Colored	10	.....	.....	8	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Kentucky (total)	89	.....	17	37	28	3	2	1	.....	.....	.....	.....	.....	.....	.....	1
White	89	.....	17	37	28	3	2	1	.....	.....	.....	.....	.....	.....	.....	1
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Maine (total)	32	.....	20	6	4	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
White	32	.....	20	6	4	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Maryland (total)	41	.....	4	14	8	7	3	.....	1	1	.....	.....	1	.....	.....	2
White	29	.....	4	7	4	7	3	.....	1	1	.....	.....	1	.....	.....	1
Colored	12	.....	.....	7	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Massachusetts (total)	92	.....	19	25	28	5	4	3	2	2	1	1	.....	.....	.....	2
White	91	.....	19	25	28	4	4	3	2	2	1	1	.....	.....	.....	2
Colored	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Michigan (total)	37	.....	3	16	13	3	.....	.....	.....	.....	1	1	.....	.....	.....	.....
White	36	.....	3	16	12	3	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Colored	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Minnesota (total)	18	.....	5	5	5	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
White	18	.....	5	5	5	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Missouri (total)	51	.....	13	22	8	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....
White	51	.....	13	22	8	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Montana (total)	7	.....	1	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
White	7	.....	1	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Hampshire (total)	5	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White	5	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Jersey (total)	79	.....	16	35	18	7	1	2	.....	.....	.....	.....	.....	.....	.....	.....
White	69	.....	15	30	15	6	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Colored	10	.....	1	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New York (total)	245	1	45	102	38	18	15	9	8	3	4	.....	1	.....	.....	1
White	234	1	41	99	37	18	15	7	8	3	4	.....	1	.....	.....	.....
Colored	11	.....	4	3	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1

[1] Including District of Columbia.

TABLE 1.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA AND REGISTRATION STATES, BY COLOR AND AGE OF DECEDENT: 1917—Continued.

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—													Deaths at unknown age.
		10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	
REGISTRATION STATES—continued.																
North Carolina (total)	39	.....	5	16	12	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....
White	37	.....	5	15	12	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Colored	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ohio (total)	81	.....	10	31	26	10	1	1	1	.....	1	.....	.....	.....	.....	.....
White	73	.....	10	29	21	9	1	1	1	.....	1	.....	.....	.....	.....	.....
Colored	8	.....	.....	2	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pennsylvania (total)	99	.....	19	38	22	7	3	1	6	.....	1	1	.....	.....	1	.....
White	98	.....	19	38	21	7	3	1	6	.....	1	1	.....	.....	1	.....
Colored	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rhode Island (total)	56	.....	35	16	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....
White	55	.....	35	16	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Colored	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
South Carolina (total)	286	.....	31	168	68	14	2	1	.....	.....	.....	.....	.....	.....	.....	2
White	278	.....	31	162	67	14	2	1	.....	.....	.....	.....	.....	.....	.....	1
Colored	8	.....	.....	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Tennessee (total)	13	.....	3	6	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
White	10	.....	3	4	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	3	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Utah (total)	17	.....	3	9	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
White	17	.....	3	9	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Vermont (total)	14	.....	4	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White	14	.....	4	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Virginia (total)	147	.....	15	70	39	7	6	5	1	2	.....	.....	.....	.....	.....	2
White	87	.....	8	42	22	5	3	4	1	1	.....	.....	.....	.....	.....	1
Colored	60	.....	7	28	17	2	3	1	.....	1	.....	.....	.....	.....	.....	1
Washington (total)	72	1	8	31	17	8	3	2	1	.....	1	.....	.....	.....	.....	.....
White	71	1	7	31	17	8	3	2	1	.....	1	.....	.....	.....	.....	.....
Colored	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Wisconsin (total)	8	.....	1	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White	8	.....	1	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 2.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA AND REGISTRATION STATES, BY IMPORTANT CAUSES OF DEATH: 1917.

[Numbers under causes of death correspond to those of the abridged International List (see p. 20).]

AREA.	All causes.	DEATHS FROM—															
		Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.	Diabetes.	Meningitis.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	(37)	17
SUMMARY.																	
The registration area	2,221	24	2	.....	303	17	.....	11	9	3	126	8	7	3	23	16	217
Registration states[1]	2,103	21	2	.....	300	17	.....	9	9	3	120	7	6	3	21	13	213
Cities in registration states[1]	849	11	.....	.....	44	9	.....	4	4	2	39	5	2	3	16	3	56
Rural part of registration states	1,254	10	2	.....	256	8	.....	5	5	1	81	2	4	.....	5	10	157
Registration cities in nonregistration states	118	3	.....	.....	3	.....	.....	2	.....	.....	6	1	1	.....	2	3	4
All registration cities[1]	967	14	.....	.....	47	9	.....	6	4	2	45	6	3	3	18	6	60
REGISTRATION STATES.																	
California	211	.....	.....	.....	34	12	.....	2	.....	.....	16	.....	1	.....	7	1	15
Colorado	38	.....	.....	.....	1	.....	.....	.....	.....	.....	20	1	.....	.....	.....	.....	.....
Connecticut	17	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	3
Indiana	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	2
Kansas	198	3	.....	.....	44	.....	.....	1	.....	1	6	1	.....	.....	1	.....	50
Kentucky	89	3	.....	.....	6	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	6
Maine	32	.....	.....	.....	6	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	6
Maryland	41	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	5
Massachusetts	92	1	.....	.....	5	.....	.....	1	.....	.....	6	.....	.....	.....	1	.....	5
Michigan	37	.....	.....	.....	.....	1	.....	1	.....	.....	3	.....	.....	.....	.....	.....	3
Minnesota	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	.....
Missouri	51	3	.....	.....	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
Montana	7	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Hampshire	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Jersey	79	2	.....	.....	1	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	.....	2
New York	245	2	.....	.....	7	.....	.....	2	1	2	12	1	.....	.....	4	1	11
North Carolina	39	1	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	2
Ohio	81	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	1	8
Pennsylvania	99	1	.....	.....	1	.....	.....	.....	.....	.....	6	.....	.....	.....	2	1	9
Rhode Island	56	.....	.....	.....	10	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	3
South Carolina	286	.....	.....	.....	150	.....	.....	.....	2	.....	5	.....	1	.....	.....	1	49
Tennessee	13	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Utah	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3
Vermont	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
Virginia	147	1	.....	.....	11	.....	.....	.....	1	.....	19	.....	1	.....	1	2	13
Washington	72	1	2	.....	2	1	.....	.....	1	.....	4	.....	.....	.....	1	2	10
Wisconsin	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....

[1] Including District of Columbia.

TABLE 2.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA AND REGISTRATION STATES, BY IMPORTANT CAUSES OF DEATHS: 1917—Continued.

[Numbers under causes of death correspond to those of the abridged International List (see p. 20).]

AREA.	DEATHS FROM—												
	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Appendicitis and typhlitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Violent deaths (suicide excepted). 35	Suicide. 36	All other defined diseases. (37)	Unknown or ill-defined diseases. 38
SUMMARY.													
The registration area	14	33	4	425	37	55	14	2	40	499	114	208	7
Registration states[1]	14	31	3	395	37	52	14	2	38	462	104	203	4
Cities in registration states[1]	6	18	2	164	22	32	7	1	27	212	57	102	1
Rural part of registration states	8	13	1	231	15	20	7	1	11	250	47	101	3
Registration cities in nonregistration states		2	1	30		3			2	37	10	5	3
All registration cities[1]	6	20	3	194	22	35	7	1	29	249	67	107	4
REGISTRATION STATES.													
California	3	5		28	6	7	2		7	34	13	18	
Colorado		1		5		1				8	1		
Connecticut				2		1			1	7	1		
Indiana	1			4	1				1	14		3	
Kansas				53	8	6	1			11	2	9	1
Kentucky	1			33	3	1	2		3	17	4	5	
Maine				7					2	4	1	3	
Maryland		2	1	6		1				16	4	4	
Massachusetts	1			15	1	1	1		3	32	5	14	
Michigan		1		1		3			2	11	4	7	
Minnesota		1		1	1					7	2	2	
Missouri				6	1	1			2	13	6	6	
Montana				3						3			
New Hampshire										5			
New Jersey			1	14		2			1	35	7	7	1
New York	2	8		51	3	9	3		6	84	11	25	
North Carolina				17	1					7	2	4	1
Ohio		1		19		4		1		29	6	7	1
Pennsylvania	2	3		15	1	3			2	37	10	6	
Rhode Island				12	2	2				7	2	16	
South Carolina	1	5		38	3		1		2	16	3	9	
Tennessee			1							8	1		
Utah		1		4		4				1	1	2	
Vermont				6						3	1	1	
Virginia	1	3		32	1	5	2			28	6	20	
Washington	1			12	1	1	1	1	1	5	7	18	
Wisconsin				1						4			

[1] Including District of Columbia.

TABLE 3.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA, FROM EACH CAUSE AND CLASS OF CAUSES: 1917.

Detailed List No.	CAUSE OF DEATH.	Number of deaths.
	All causes	2,221
	I.—General diseases	623
1	Typhoid fever	24
4	Malaria	2
6	Measles	303
7	Scarlet fever	17
9	Diphtheria and croup	11
10	Influenza	9
14	Dysentery	2
18	Erysipelas	3
19	Other epidemic diseases	20
20	Purulent infection and septicemia	10
22	Anthrax	1
	Tuberculosis (total)	141
28	Tuberculosis of the lungs	106
29	Acute miliary tuberculosis	20
30	Tuberculous meningitis	8
31	Abdominal tuberculosis	4
32	Pott's disease	1
34	Tuberculosis of other organs	1
35	Disseminated tuberculosis	1
37	Syphilis	16
	Cancer and other malignant tumors (total)	23
39	Of the buccal cavity	1
40	Of the stomach, liver	7
41	Of the peritoneum, intestines, rectum	7
45	Of other organs or of organs not specified	8
47	Acute articular rheumatism	2
48	Chronic rheumatism and gout	1
50	Diabetes	16
53	Leukemia	3
54	Anemia, chlorosis	1
55	Other general diseases	3
56	Alcoholism (acute or chronic)	15
	II.—Diseases of the nervous system and of the organs of special sense	270
60	Encephalitis	2
61	Meningitis (total)	217
	Simple meningitis	6
	Cerebrospinal meningitis (undefined)	4
	Cerebrospinal fever	207
63	Other diseases of the spinal cord (total)	3
	Other diseases of the spinal cord[1]	3
64	Cerebral hemorrhage, apoplexy	14
67	General paralysis of the insane	3
68	Other forms of mental alienation	6
69	Epilepsy	11
72	Chorea	1
74	Other diseases of the nervous system	4
75	Diseases of the eyes and their annexa	1
76	Diseases of the ears	8
	III.—Diseases of the circulatory system	57
77	Pericarditis	1
78	Acute endocarditis	7
79	Organic diseases of the heart	33
80	Angina pectoris	4
81	Diseases of the arteries, atheroma, aneurism, etc	5
82	Embolism and thrombosis	5
84	Diseases of the lymphatic system (lymphangitis, etc.)	2
	IV.—Diseases of the respiratory system	466
89	Acute bronchitis	2
90	Chronic bronchitis	2
91	Bronchopneumonia	68
92	Pneumonia (total)	357
	Lobar pneumonia	330
	Pneumonia (undefined)	27
93	Pleurisy	32
94	Pulmonary congestion, pulmonary apoplexy	3
95	Gangrene of the lung	1
97	Pulmonary emphysema	1
	V.—Diseases of the digestive system	120
99	Diseases of the mouth and annexa	2
100	Diseases of the pharynx	14
102	Ulcer of the stomach	8
103	Other diseases of the stomach (cancer excepted)	1
105	Diarrhea and enteritis (2 years and over)	4
106	Ankylostomiasis	1
108	Appendicitis and typhlitis	55
109	Hernia, intestinal obstruction (total)	14
	Hernia	9
	Intestinal obstruction	5
110	Other diseases of the intestines	2
111	Acute yellow atrophy of the liver	2
113	Cirrhosis of the liver	2
114	Biliary calculi	2
115	Other diseases of the liver	7
117	Simple peritonitis (nonpuerperal)	3
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	46
119	Acute nephritis	11
120	Bright's disease	29
122	Other diseases of the kidneys and annexa	4
123	Calculi of the urinary passages	1
124	Diseases of the bladder	1
	VIII.—Diseases of the skin and of the cellular tissue	9
143	Furuncle	2
144	Acute abscess	3
145	Other diseases of the skin and annexa	4
	IX.—Diseases of the bones and of the organs of locomotion	10
146	Diseases of the bones (tuberculosis excepted)	8
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2
	XIII.—External causes	613
	Suicide (total)	114
155	By poison	15
156	By asphyxia	6
157	By hanging or strangulation	5
158	By drowning	1
159	By firearms	66
160	By cutting or piercing instruments	15
161	By jumping from high places	2
162	By crushing	3
163	Other suicides	1
	Accidental or undefined (total)	472
165	Other acute poisonings	14
166	Conflagration	5
167	Burns (conflagration excepted)	1
168	Absorption of deleterious gases (conflagration excepted)	9
169	Accidental drowning	88
170	Traumatism by firearms	62
172	Traumatism by fall	26
174	Traumatism by machines	4
175	Traumatism by other crushing (total)	221
	Railroad accidents and injuries	123
	Street-car accidents and injuries	18
	Automobile accidents and injuries	47
	Injuries by other vehicles	24
	Landslide, other crushing	9
176	Injuries by animals	2
179	Effects of heat	1
180	Lightning	9
181	Electricity (lightning excepted)	3
185	Fractures (cause not specified)	6
186	Other external violence	21
	Homicide (total)	27
182	By firearms	21
183	By cutting or piercing instruments	2
184	By other means	4
	XIV.—Ill-defined diseases	7
188	Sudden death	2
189	Not specified or ill-defined (total)	5
	Ill-defined	2
	Not specified or unknown	3

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

PORTO RICO.

Although Porto Rico is not yet in the registration area, the vital statistics of the territory is of such general interest that a few mortality figures from the official report are shown, together with rates based upon the population as estimated by the United States Bureau of the Census. It is hoped that this territory may soon be added to the registration area, after which it will be possible to compile uniform mortality tables.

The population on January 1, 1917, as estimated by the United States Bureau of the Census, is 1,223,981. The following tables are compiled from the report of the Governor of Porto Rico for 1917.

TABLE 1.—DEATHS IN PORTO RICO, BY AGE, NATIVITY AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1917.

YEAR ENDING JUNE 30, 1917.	All deaths.[1]	NUMBER OF DEATHS BY— Age (years).														Nativity.									
		Under 1	1	2 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 and over.	Unknown.	Porto Rico.	United States.	Spain.	France.	England.	Germany.	China.	West Indies.	Other countries.	Unknown.
1916.																									
July	2,781	735	367	283	125	69	115	131	163	226	165	134	107	89	72	....	2,766	3	7	2	....	....	....	2	1	....
August	2,643	689	402	279	102	61	109	97	152	178	139	121	123	116	75	....	2,629	3	6	....	1	....	....	1	3	....
September	2,478	564	323	300	124	52	94	119	140	189	145	150	104	99	75	....	2,459	2	9	3	....	....	....	3	2	....
October	2,733	646	351	333	140	59	90	121	148	200	132	162	138	89	74	....	2,728	....	2	....	....	1	....	1	1	....
November	2,571	608	335	259	124	51	95	119	161	180	167	159	140	95	78	....	2,564	....	5	....	....	....	....	1	1	....
December	2,881	678	311	292	133	67	120	109	161	226	196	187	171	129	101	....	2,873	1	3	1	....	....	....	1	2	....
Total	16,087	3,920	2,089	1,746	748	359	623	696	925	1,199	994	913	783	617	475	....	16,019	9	32	6	1	1	....	9	10	....
1917.																									
January	3,089	697	313	295	133	72	119	160	163	253	231	202	185	149	117	....	3,071	3	10	....	....	....	....	....	5	....
February	2,753	643	304	292	126	56	112	139	148	233	178	183	143	113	83	....	2,738	....	9	2	....	....	....	2	2	....
March	3,075	744	375	369	146	73	110	150	129	230	184	171	156	140	98	....	3,066	1	5	....	....	....	....	2	1	....
April	3,008	706	345	336	149	61	120	153	157	239	182	193	152	111	104	....	2,994	....	10	....	....	....	....	2	2	....
May	3,356	797	403	406	186	77	121	220	170	247	206	180	145	112	86	....	3,345	2	5	....	....	....	....	4	....	....
June	3,571	903	556	470	190	64	102	172	162	234	189	167	155	111	96	....	3,556	2	10	....	....	....	....	2	1	....
Total	18,852	4,490	2,296	2,168	930	403	684	994	929	1,436	1,170	1,096	936	736	584	....	18,770	8	49	2	....	....	....	12	11	....
Total, 1916–1917	34,939	8,410	4,385	3,914	1,678	762	1,307	1,690	1,854	2,635	2,164	2,009	1,719	1,353	1,059	....	34,789	17	81	8	1	1	....	21	21	....

[1] Exclusive of stillbirths.

TABLE 2.—DEATHS IN PORTO RICO AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1917.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH. 1916 July.	August.	September.	October.	November.	December.	1917 January.	February.	March.	April.	May.	June.
	All causes[2]	34,939	2,854.5	2,781	2,643	2,478	2,733	2,571	2,881	3,089	2,753	3,075	3,008	3,356	3,571
	I.—General diseases	10,073	823.0	769	736	694	772	695	864	908	827	927	910	982	989
1	Typhoid fever	171	14.0	10	21	15	13	9	14	12	12	8	15	29	13
2	Typhus fever														
3	Relapsing fever	8	0.7					3					2	3	
4	Malaria (exclusive of)	1,877	153.4	141	152	167	193	164	180	186	155	122	142	145	130
4a	Cachectic fever	62	5.1	7	3	5	4	5	3	7	1	16	2	6	3
5	Smallpox	4	0.3	1		1								2	
6	Measles	615	50.2							12	74	136	106	120	167
7	Scarlet fever														
8	Whooping cough	329	26.9	26	35	28	22	23	40	34	17	23	26	31	24
9	Diphtheria and croup	41	3.3	5	6	5	3	4	4	2	3	2	3	4	
10	Influenza	142	11.6	6	4	6	10	12	15	45	27	3	4	3	7
11	Miliary fever	1	0.1						1						
12	Asiatic cholera														
13	Cholera nostras	4	0.3				1								3
14	Dysentery (exclusive of)	223	18.2	18	29	14	13	11	15	15	17	13	21	23	34
14a	Epidemic dysentery														
15	Plague														
16	Yellow fever														
17	Leprosy	2	0.2							1				1	
18	Erysipelas	24	2.0	1	6		2	1	5	4	1		2	1	1
19	Other epidemic diseases	8	0.7				1		2		1	1	1		2

[1] Population upon which the death rates are based, estimated by the Bureau of the Census, as of Jan. 1, 1917.

[2] Exclusive of stillbirths.

TABLE 2.—DEATHS IN PORTO RICO AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1917—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH. 1916 July.	August.	September.	October.	November.	December.	1917 January.	February.	March.	April.	May.	June.
	I.—General diseases—Continued.														
20	Purulent infection and septicemia	155	12.7	13	6	13	17	12	11	8	12	18	15	14	16
21	Glanders														
22	Anthrax	2	0.2		1							1			
23	Rabies														
24	Tetanus	132	10.8	18	5	9	11	10	5	13	15	12	9	20	5
25	Mycoses	1	0.1					1							
26	Pellagra	4	0.3					1		1					2
27	Beriberi														
	Tuberculosis (total)	2,579	210.7	240	205	160	200	170	209	236	195	249	247	241	227
28	Tuberculosis of the lungs	2,393	195.5	223	187	149	187	161	198	228	187	227	229	218	199
29	Acute miliary tuberculosis	4	0.3		1						2	1			
30	Tuberculous meningitis	14	1.1	2	1	1	2			1	1		3		3
31	Abdominal tuberculosis	117	9.6	12	8	6	6	6	8	4	4	16	12	19	16
32	Pott's disease	5	0.4		1		2							1	1
33	White swellings	1	0.1						1						
34	Tuberculosis of other organs	36	2.9	2	6	3	3	3	1	3	1	3	2	3	6
35	Disseminated tuberculosis	9	0.7	1	1	1			1			2	1		2
36	Rickets	1,787	146.0	150	137	128	148	132	153	136	128	150	175	164	186
37	Syphilis (exclusive of)	93	7.6	10	9	7	3	4	16	8	8	8	4	8	8
37a	Cutaneous syphilis														
38	Gonococcus infection	5	0.4	1							1	3			
	Cancer and other malignant tumors (total)	395	32.3	27	29	28	40	27	42	34	42	35	32	29	30
39	Of the buccal cavity	28	2.3		2		4	4	2	4	4	4	1	1	2
40	Of the stomach, liver	87	7.1	5	8	3	9	5	13	7	6	9	14	1	7
41	Of the peritoneum, intestines, rectum	15	1.2	2	1			1			1	4		3	3
42	Of the female genital organs	148	12.1	10	6	14	16	8	11	11	15	14	13	19	11
43	Of the breast	12	1.0	1		1	1	3	1		2	1	1	1	
44	Of the skin	12	1.0	2		1	2		1	2	3				1
45	Of other organs or of organs not specified	93	7.6	7	12	9	8	6	14	10	11	3	3	4	6
46	Other tumors (tumors of the female genital organs excepted)	13	1.1	2	3	1	1	2		1	2			1	
47	Acute articular rheumatism	57	4.7	6	2	3	4	3	3	8	5	4	5	10	4
48	Chronic rheumatism and gout	4	0.3	1	1				1		1				
49	Scurvy	10	0.8	2		2		1	1		1	1			2
50	Diabetes	28	2.3	3	4		1	1	1	1	2	2	4	3	6
51	Exophthalmic goiter	2	0.2		1									1	
52	Addison's disease														
53	Leukemia	18	1.5			2	4			1	1		2	5	3
54	Anemia, chlorosis	1,242	101.5	81	77	94	77	97	140	141	103	115	89	115	113
55	Other general diseases	16	1.3			2	2				3	4	1	3	1
56	Alcoholism (acute or chronic)	17	1.4			3	1	2	3	2		1	3		2
57	Chronic lead poisoning														
58	Other chronic occupation poisonings	1	0.1			1									
59	Other chronic poisonings	1	0.1				1								
	II.—Diseases of the nervous system and of the organs of special sense	1,037	84.7	100	84	96	82	73	69	72	82	110	83	98	88
60	Encephalitis	27	2.2	4	4	2	3	1		2	3	2	1	5	
61	Meningitis (total)	341	27.9	41	25	28	17	24	19	22	31	41	28	38	27
	Simple meningitis	338	27.6	41	25	28	17	24	18	20	31	41	28	38	27
	Cerebrospinal fever	3	0.2						1	2					
62	Locomotor ataxia	12	1.0	3	1	1	1	2		1	1		1		1
63	Other diseases of the spinal cord	40	3.3	4	3	4	4	1	2	3	6	3	4	4	2
64	Cerebral hemorrhage, apoplexy	259	21.2	22	23	24	21	19	20	17	21	27	19	22	24
65	Softening of the brain	12	1.0				5	2	1			1		1	2
66	Paralysis without specified cause	118	9.6	7	8	9	6	10	12	13	8	14	8	9	14
67	General paralysis of the insane	1	0.1	1											
68	Other forms of mental alienation	57	4.7	4	6	3	4	3	2	8	2	6	6	6	7
69	Epilepsy	46	3.8	2	2	7	6	2	5		3	4	3	7	5
70	Convulsions (nonpuerperal)	6	0.5			1	2					3			
71	Convulsions of infants	74	6.0	7	9	10	9	7	5	3	3	5	7	3	6
72	Chorea	5	0.4			2			1				1	1	
73	Neuralgia and neuritis	5	0.4						1		1	1	2		
74	Other diseases of the nervous system	24	2.0	2	2	3	4	2		2	3	2	3	1	
75	Diseases of the eyes and their annexa	3	0.2	1		2									
76	Diseases of the ears	7	0.6	2	1				1	1		1		1	
	III.—Diseases of the circulatory system	1,743	142.4	108	107	119	151	131	154	163	143	158	153	196	160
77	Pericarditis	20	1.6	2		1	2	3	3	2	1	1	1	3	1
78	Acute endocarditis	177	14.5	16	8	11	13	18	14	11	15	21	13	20	17
79	Organic diseases of the heart	930	76.0	51	58	58	83	59	85	95	72	78	89	108	94
80	Angina pectoris	68	5.6	6	4	4	5	3	5	7	8	5	9	5	7
81	Diseases of the arteries, atheroma, aneurism, etc	498	40.7	30	30	39	46	43	45	45	41	49	39	57	34
82	Embolism and thrombosis	19	1.6	1	3	3	1	3	1	3	2	1		1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	0.1									1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	0.1			1									
85	Hemorrhage; other diseases of the circulatory system	29	2.4	2	4	2	1	2	1		4	2	2	2	7

[1] Population upon which the death rates are based, estimated by the Bureau of the Census, as of Jan. 1, 1917.

TABLE 2.—DEATHS IN PORTO RICO AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1917—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH. 1916 July.	August.	September.	October.	November.	December.	1917 January.	February.	March.	April.	May.	June.
	IV.—Diseases of the respiratory system	4,232	345.8	286	282	284	316	289	372	447	382	435	351	372	416
86	Diseases of the nasal fossae	1	0.1												
87	Diseases of the larynx	25	2.0	4	1	1	2	5			2	3	2	4	1
88	Diseases of the thyroid body														
89	Acute bronchitis	1,515	123.8	101	106	92	129	104	140	144	135	140	128	142	154
90	Chronic bronchitis	402	32.8	24	26	24	28	25	40	49	38	37	41	45	25
91	Bronchopneumonia	1,198	97.9	77	79	95	92	76	90	112	98	147	100	88	144
92	Pneumonia	837	68.4	61	58	51	50	62	70	113	87	85	62	65	73
93	Pleurisy	53	4.3	1	1	4	3	2	3	5	5	3	6	11	9
94	Pulmonary congestion, pulmonary apoplexy	40	3.3	3	2	1	1	2	11	5	3	2	3	7	
95	Gangrene of the lung	4	0.3				1		1		1	1			
96	Asthma	112	9.2	15	7	11	4	11	12	13	6	13	7	6	7
97	Pulmonary emphysema	18	1.5		2	2	1	1	2	3	1	1	2	1	2
98	Other diseases of the respiratory system (tuberculosis excepted)	27	2.2			3	5	1	3	3	6	3		2	1
	V.—Diseases of the digestive system	9,468	773.5	859	798	691	751	708	703	723	613	719	767	947	1,189
99	Diseases of the mouth and annexa (exclusive of)	26	2.1	4	2	5	1		1	1		6		4	2
99a	Parotiditis	1	0.1												
100	Diseases of the pharynx	21	1.7	1	5		3	2		1	1	2	3	2	1
101	Diseases of the esophagus	5	0.4						1	1			1	1	1
102	Ulcer of the stomach	52	4.2	5	3	1	7	4	6	4	4	4	6	4	4
103	Other diseases of the stomach (cancer excepted)	89	7.3	11	2	10	6	8	7	1	12	6	7	14	5
104	Diarrhea and enteritis (under 2 years)	4,374	357.4	414	436	294	312	345	310	318	279	348	330	399	589
105	Diarrhea and enteritis (2 years and over) (exclusive of)	2,792	228.1	231	204	208	225	205	214	205	166	213	240	302	379
105a	Diarrhea and enteritis due to alcoholism	10	0.8	3				5		1					1
106	Ankylostomiasis	816	66.7	69	44	71	70	52	68	83	71	61	77	72	78
107	Intestinal parasites	430	35.1	34	41	35	45	35	36	26	25	22	35	43	53
108	Appendicitis and typhlitis	24	2.0	3	3	2	5			1	1	1	1	6	1
109	Hernia, intestinal obstruction	109	8.9	11	6	7	15	8	10	16	3	7	9	6	11
110	Other diseases of the intestines	218	17.8	27	20	20	18	12	14	12	14	12	15	28	26
111	Acute yellow atrophy of the liver	24	2.0	2	1	2	2		1	6	1	1	4	2	2
112	Hydatid tumor of the liver														
113	Cirrhosis of the liver (exclusive of)	262	21.4	26	16	17	19	17	23	31	24	24	19	28	18
113a	Cirrhosis of the liver due to alcoholism	2	0.2										1		1
114	Biliary calculi	18	1.5	1	2	2	2		1		1	1	3	4	1
115	Other diseases of the liver	97	7.9	3	6	7	12	7	7	7	9	4	12	12	11
116	Diseases of the spleen	7	0.6	1		2	1			1				2	
117	Simple peritonitis (nonpuerperal)	75	6.1	11	6	8	8	7	4	6	2	7	4	8	4
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	16	1.3	2	1					2				10	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,020	165.0	147	124	150	165	166	160	180	177	195	194	193	169
119	Acute nephritis	1,294	105.7	75	86	79	97	105	99	123	115	135	137	132	111
120	Bright's disease	588	48.0	52	33	57	52	50	47	44	50	53	47	53	50
121	Chyluria	2	0.2											2	
122	Other diseases of the kidneys and annexa	46	3.8	9	1	3	8	2	2	2	4	5	4	2	4
123	Calculi of the urinary passages	6	0.5		1	1	2		1		1				
124	Diseases of the bladder	10	0.8	3		2		1		2			1		1
125	Diseases of the urethra, urinary abscess, etc.	5	0.4	1				1			1	2			
126	Diseases of the prostate	2	0.2		1					1					
127	Nonvenereal diseases of the male genital organs	1	0.1							1					
128	Uterine hemorrhage (nonpuerperal)	19	1.6			3	2	1	5	2	2		2	2	
129	Uterine tumor (noncancerous)														
130	Other diseases of the uterus	31	2.5	5	2	2	1	5	6	2	2		2	2	2
131	Cysts and other tumors of the ovary	2	0.2	1		1									
132	Salpingitis and other diseases of the female genital organs	14	1.1	1		2	3	1		3	2		1		1
133	Nonpuerperal diseases of the breast (cancer excepted)														
	VII.—The puerperal state	471	38.5	41	25	30	36	38	48	49	36	37	47	49	35
134	Accidents of pregnancy	24	2.0	3	3	1	2	3	3		1	2	3	2	1
135	Puerperal hemorrhage	56	4.6	3	1	3	6	9	4	3	7	5	4	4	7
136	Other accidents of labor	53	4.3	4			1		7	5	3	5	6	6	16
137	Puerperal septicemia	252	20.6	22	17	17	19	18	28	33	18	19	29	27	5
138	Puerperal albuminuria and convulsions	49	4.0	5	3	5	3	5	3	8	4	2	4	6	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5	0.4	3								1		1	
140	Following childbirth (not otherwise defined)	32	2.6	1	1	4	5	3	3		3	3	1	3	5
141	Puerperal diseases of the breast														

[1] Population upon which the death rates are based, estimated by the Bureau of the Census, as of Jan. 1, 1917.

TABLE 2.—DEATHS IN PORTO RICO AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1917—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH.											
				1916						1917					
				July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
	VIII.—Diseases of the skin and of the cellular tissue	98	8.0	3	8	7	9	6	7	11	11	9	12	6	9
142	Gangrene	61	5.0	3	.....	7	6	3	7	7	5	6	7	6	4
143	Furuncle	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
144	Acute abscess	5	0.4	.....	.....	.....	2	.....	.....	1	.....	.....	1	.....	1
145	Other diseases of the skin and annexa	32	2.6	.....	8	.....	1	3	.....	3	6	3	4	.....	4
	IX.—Diseases of the bones and of the organs of locomotion	11	0.9	1	1	1	1	1	.....	.....	1	1	3	1	.....
146	Diseases of the bones (tuberculosis excepted)	10	0.8	.....	1	1	1	1	.....	.....	1	1	3	1	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	0.1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	93	7.6	5	11	3	6	4	10	11	10	6	9	12	6
150	Congenital malformations (stillbirths not included)	93	7.6	5	11	3	6	4	10	11	10	6	9	12	6
	XI.—Early infancy	2,412	197.1	196	170	175	210	183	206	223	192	202	201	240	214
151	Congenital debility, icterus, and sclerema	1,382	112.9	125	92	93	110	104	116	128	111	117	119	145	122
152	Other causes peculiar to early infancy (exclusive of)	204	16.7	15	13	17	20	15	18	27	15	19	13	20	12
152a	Infantile tetanus	677	55.3	46	55	56	68	48	59	58	52	55	59	57	64
153	Lack of care	149	12.2	10	10	9	12	16	13	10	14	11	10	18	16
	XII.—Old age	1,857	151.7	137	140	127	124	147	185	183	165	163	165	154	167
154	Senility	1,857	151.7	137	140	127	124	147	185	183	165	163	165	154	167
	XIII.—External causes	436	35.6	44	47	29	32	32	28	37	40	38	49	26	34
	Suicide (total)	52	4.2	7	3	3	6	6	6	3	4	5	3	1	5
155	By poison	2	0.2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
156	By asphyxia	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	38	3.1	5	2	3	4	6	5	1	4	4	3	1	.....
158	By drowning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159	By firearms	4	0.3	1	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
160	By cutting or piercing instruments	2	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
161	By jumping from high places	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	By crushing	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	6	0.5	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	3
	Accidental or undefined (total)	364	29.7	36	42	24	25	26	22	32	35	32	44	21	25
164	Poisoning by food	9	0.7	.....	.....	.....	.....	2	.....	2	.....	1	3	1	.....
165	Other acute poisonings	33	2.7	6	4	2	1	1	2	6	2	3	2	3	1
166	Conflagration	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
167	Burns (conflagration excepted)	81	6.6	7	3	2	4	6	7	7	13	17	9	2	4
168	Absorption of deleterious gases (conflagration excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
169	Accidental drowning	79	6.5	5	19	7	7	6	3	6	1	5	7	7	6
170	Traumatism by firearms	43	3.5	5	3	4	3	4	2	4	3	3	4	4	4
171	Traumatism by cutting or piercing instruments	11	0.9	1	1	.....	1	.....	1	2	3	.....	1	.....	1
172	Traumatism by fall	4	0.3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
173	Traumatism in mines and quarries	2	0.2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
174	Traumatism by machines	3	0.2	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
175	Traumatism by other crushing	12	1.0	.....	3	.....	.....	.....	.....	.....	2	1	4	.....	2
176	Injuries by animals	1	0.1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
177	Starvation	3	0.2	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
178	Excessive cold	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
179	Effects of heat	7	0.6	1	1	.....	2	.....	.....	1	1	.....	.....	.....	1
180	Lightning	2	0.2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	10	0.8	1	.....	1	1	.....	.....	.....	1	1	5	.....	.....
185	Fractures (cause not specified)	39	3.2	4	4	4	5	2	4	.....	4	1	7	.....	4
186	Other external violence	25	2.0	2	2	3	1	4	3	2	3	.....	1	2	2
	Homicide (total)	20	1.6	1	2	2	1	.....	.....	2	1	1	2	4	4
182	By firearms	15	1.2	.....	1	2	1	.....	.....	2	1	.....	2	4	2
183	By cutting or piercing instruments	5	0.4	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	2
184	By other means	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	988	80.7	85	110	72	78	98	75	82	74	75	64	80	95
187	Ill-defined organic disease	161	13.2	9	12	12	6	14	14	17	8	17	17	16	19
188	Sudden death	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
189	Not specified or ill-defined	827	67.6	76	98	60	72	84	61	65	66	58	47	64	76

[1] Population upon which the death rates are based, estimated by the Bureau of the Census, as of Jan. 1, 1917.

INDEX.

Abdominal tuberculosis, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Abscess, acute, deaths from, 96; by age, 288, 320; by color, 300, 312; by sex, 288; in cities and rural districts, 262.
—— death rate, 138.
Absorption of deleterious gases (conflagration excepted), deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Accidental or undefined causes, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 140.
Accidents and injuries, automobile, railroad and street-car, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 140.
Addison's disease, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Age, deaths by, 11, 172, 198, 282, 318, 441.
Alcoholism (acute or chronic), deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Amputations, deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Anemia, chlorosis, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Aneurism. *See* Arteries, diseases of, etc.
Angina pectoris, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Ankylostomiasis, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Anthrax, deaths from, 43 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Apoplexy. *See* Cerebral hemorrhage, etc.
Appendicitis and typhlitis, deaths from, 95; by age, 288, 319; by color, 232, 300, 312; by sex, 288; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99, 128.
Arteries, diseases of, atheroma, aneurism, etc., deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Asiatic cholera, deaths from, 94; by age and sex, 282; by color, 294, 306; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 126.
Asthma, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Atheroma. *See* Arteries, diseases of, etc.
Atrophy. *See* Congenital debilty, etc.
Australian Commonwealth, death rates of, 18.
Austria, death rates of, 18.
Automobile accidents and injuries, 62. *See also* Accidents, etc.

Belgium, death rates of, 18.
Beriberi, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Biliary calculi, deaths from, 95; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 128.
Bladder, diseases of, deaths from, 96; by age, 288, 319; by color 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 130.
Bones, diseases of (tuberculosis excepted), deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Bones and organs of locomotion, diseases of, deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Breast, nonpuerperal diseases of (cancer excepted), deaths from, 96; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 130.
Breast, puerperal diseases of, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.
Bright's disease and nephritis, deaths from, 96; by age, 288, 319; by color, 233, 300, 312; by sex, 288; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 60, 99, 130.
Bronchitis (acute and chronic), deaths from, 95; by age, 286, 319; by color, 233, 298, 310; by days, weeks, and months, 523; by month of death, 488; by sex, 286; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99, 128.
Broncho-pneumonia, deaths from, 95; by age, 286, 319; by color, 298, 310; by days, weeks, and months, 523; by month of death, 488; by sex, 286; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 128.
Bulgaria, death rates of, 18.
Burns (conflagration excepted), deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.

Calculi of the urinary passages, deaths from, 96; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rual districts, 261.
—— death rate, 130.
Cancer and other malignant tumors, deaths from, 50, 94; by age, 284, 318; by color, 233, 296, 308; by sex, 284; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
Cancer and other malignant tumors, death rate, 21, 50, 98, 126.
Cause of death, 20, 94; by age, 282, 318; by color, 232, 294, 306; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 21, 94, 98, 126.
Cellular tissue, diseases of. *See* Skin, etc.
Cerebral hemorrhage, apoplexy, deaths from 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 21, 128.
Cerebral hemorrhage and softening, deaths from, by color, 233; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99. *See also* Softening of the brain.
Cerebrospinal fever, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Cerebrospinal meningitis (undefined), deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Ceylon, death rates of, 18.
Childbirth, deaths following, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.
Chile, death rates of, 18.
Chinese population, deaths of, by age, 198; by sex, 11, 198.
Chlorosis. *See* Anemia, etc.
Cholera. *See* Asiatic cholera.
Cholera nostras, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 126.
Chorea, deaths from, 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Chyluria, deaths from, 96; by age, 288; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 130.
Circulatory system, diseases of, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128. *See also* Hemorrhage, etc.
Cirrhosis of the liver, deaths from, 95; by age, 288, 319; by color, 233, 300, 312; by sex, 288; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99, 128.
Cities in registration states, deaths in, 77; by age, 172, 198; by cause, 232, 260; by color, 162, 172, 198, 232; by days, weeks, and months, 523; by month of death, 153, 488; by nativity, 162, 198; by sex, 198; population of, 77.
—— death rate, 77, 98, 126. *See also* Registration cities.
Cities of 100,000 population or over in 1910, deaths in, by age, 198, 441; by cause, 441; by color, nativity, and sex, 198; by days, weeks, and months, 523; by month of death, 488.

Cities of 100,000 population or over in 1910, death rate of, 13.
Cities with considerable colored population, death rate of, 14.
Cold, excessive, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Color, deaths by, 11, 162, 172, 198, 232.
—— death rate, 98.
Colored population, deaths of, 77, 162; by age, 172, 198, 306; by cause, 232, 306; by sex, 11, 172, 306; in cities and rural districts, 80.
—— death rate, 77, 98.
Conflagration, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Congenital debility, deaths from, by days, weeks, and months, 523; by month of death, 488.
Congenital debility, "atrophy," "marasmus," etc., deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Congenital debility, icterus, and sclerema, deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Congenital debility and malformations, deaths from, by color, 233; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99.
Congenital malformations (stillbirths not included), deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Congenital malformations of the heart, deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Convulsions (nonpuerperal), deaths from, 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Convulsions (puerperal). *See* Puerperal albuminuria, etc.
Convulsions of infants, deaths from, 95; by age, 284, 318; by color, 296, 308; by days, weeks, and months, 523; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Croup. *See* Diphtheria, etc.
Crushing. *See* Landslide, etc.
Cysts and other tumors of the ovary, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.

Death rates, 12, 77, 80; by cause, 21, 94, 98, 126; by color, 98; in cities and rural districts, 77, 126; in foreign countries, 18.
Deaths, by age, 12, 172, 198, 282, 318; by cause, 94, 232, 260, 282, 318; by color, 11, 98, 162, 172, 198, 232; by days, weeks, and months, 523; by month of death, 153, 488; by nativity, 11, 162, 198; by sex, 11, 198, 282; in cities and rural districts, 77, 260; in each city of 100,000 population or over in 1910, 441.
Denmark, death rates of, 18.
Diabetes, deaths from, 94; by age, 284; 318; by color, 233, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 99, 126.
Diarrhea and enteritis (under 2 years), deaths from, 57, 95; by age, 286, 319; by color, 233, 298, 310; by days, weeks, and months, 523; by month of death, 488; by sex, 286; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
Diarrhea and enteritis (under 2 years), death rate, 21, 57, 99, 128.
Diarrhea and enteritis (2 years and over), deaths from, 95; by age, 286, 319; by color, 298, 310; by month of death, 488; by sex, 286; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 128.
Digestive system, diseases of, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Diphtheria and croup, deaths from, 38, 94; by age, 282, 318; by color, 232, 294, 306; by days, weeks, and months, 523; by month of death, 488; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 21, 98, 126.
Disseminated tuberculosis, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Drowning, accidental, deaths from, 97; by age, 292, 320; by color, 304, 316; in cities and rural districts, 262.
—— death rate, 132.
Dysentery, deaths from, 94; by age, 282, 318; by color, 294, 306; by days, weeks, and months, 523; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.

Ears, diseases of, deaths from, 95; by age, 286, 318; by color, 298, 310; by sex, 286; in cities and rural districts, 260.
—— death rate, 128.
Electricity (lightning excepted), deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Embolism and thrombosis, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Embolus. *See* Puerperal phlegmasia alba dolens, etc.
Encephalitis, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Endocarditis, acute, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 21, 128.
England and Wales, death rates of, 18.
Enteritis. *See* Diarrhea, etc.
Epidemic diseases, deaths from, 42, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 126.
Epilepsy, deaths from, 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Erysipelas, deaths from, 94; by age, 282, 318; by color, 232, 294, 306; by days, weeks, and months, 523; by sex, 282; in cities and rural districts, 260.
—— death rate, 98, 126.
Esophagus, diseases of, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Exophthalmic goiter, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
External causes, deaths from, 96; by age, 290, 320; by color, 302, 314; by days, weeks, and months, 523; by sex, 290; in cities and rural districts, 262.
External causes, death rate, 130.
Eyes and their annexa, diseases of, deaths from, 95; by age, 286, 318; by color, 298, 310; by sex, 286; in cities and rural districts, 260.
—— death rate, 128.

Female genital organs, diseases of. *See* Salpingitis, etc.
Finland, death rates of, 18.
Foreign countries, death rates of, 18.
Foreign-born white population, deaths of, 162; by age, 198; by sex, 11, 198.
Fractures, deaths from 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
France, death rates of, 18.
Furuncle, deaths from, 96; by age, 288, 320; by color, 300, 312; by sex, 288; in cities and rural districts, 262.
—— death rate, 130.

Gangrene, deaths from, 96; by age, 288, 320; by color, 300, 312; by sex, 288; in cities and rural districts, 262.
—— death rate, 130.
Gangrene of the lung, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
General diseases, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Genito-urinary system and annexa, nonvenereal diseases of, deaths from, 96; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 130.
German Empire, death rates of, 18.
Glanders, deaths from, 43, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Goiter. *See* Exophthalmic goiter.
Gonococcus infection, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Gout. *See* Rheumatism, chronic, etc.

Hawaii, deaths in, and death rates of, 570.
Heart, organic diseases of, deaths from, 53, 95; by age, 286, 319; by color, 233, 298, 310; by days, weeks, and months, 523; by sex, 286; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 53, 99, 28.
Heat, effects of, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Hemorrhage, other diseases of the circulatory system, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Hemorrhoids. *See* Veins, etc., diseases of, etc.
Hernia, deaths from, 95; by age, 288, 319; by color, 233, 300, 312; by sex, 288; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99, 128.
Homicide, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Hungary, death rates of, 18.
Hydatid tumor of the liver, deaths from, 95; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 128.

Hydrocephalus, deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.

Icterus. *See* Congenital debility, etc.
Ill-defined diseases, deaths from, 97; by age, 292, 320; by color, 233, 304, 316; by days, weeks, and months, 523; by sex, 292; in cities and rural districts, 262; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99, 132.
Indian population, deaths of, by age, 198; by sex, 11, 198.
Infancy, early, deaths in, 64, 96; by age, 290, 320; by color, 302, 314; by days, weeks, and months, 523; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Infantile paralysis. *See* Poliomyelitis, etc.
Influenza, deaths from, 40, 94; by age, 282, 318; by color, 232, 294, 306; by days, weeks, and months, 523; by month of death, 488; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 40, 98, 126.
Injuries. *See* Accidents, etc.
Injuries at birth, deaths from, 96; by age, 290, 320; by color, 302, 314; by days, weeks, and months, 523; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Injuries by animals, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Intestinal obstruction, deaths from, 95; by age, 288, 319; by color, 233, 300, 312; by sex, 288; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99, 128.
Intestinal parasites, deaths from, 95; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 128.
Intestines, diseases of, deaths from, 95; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 128.
Ireland, death rates of, 18.
Italy, death rates of, 18.

Jamaica, death rates of, 18.
Japan, death rates of, 18.
Japanese population, deaths of, by age, 198; by sex, 11, 198.
Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.

Kidneys and annexa, diseases of, deaths from, 96; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 130.

Lack of care, deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Landslide, other crushing, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Larynx, diseases of, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Lead poisoning, chronic, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
Lead poisoning, death rate, 126.
Leprosy, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Leukemia, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Lightning, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Liver, diseases of, deaths from, 95; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 128. *See also* Cirrhosis of the liver *and* Hydatid tumor of the liver.
Lobar pneumonia, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Locomotor ataxia, deaths from, 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Lymphangitis. *See* Lymphatic system, diseases of, etc.
Lymphatic system, diseases of (lymphangitis, etc.), deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.

Malaria, deaths from, 26, 94; by age, 282, 318; by color, 232, 294, 306; by month of death, 488; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 26, 98, 126.
Male genital organs, nonvenereal diseases of, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.
Malformations, deaths from, 96; by age, 290, 320; by color, 302, 314; by days, weeks, and months, 523; by sex, 290; in cities and rural districts, 262.
—— death rate, 130. *See also* Congenital debility, etc.
Marasmus. *See* Congenital debility, etc.
Marines. *See* Soldiers, sailors, and marines.
Measles, deaths from, 29, 94; by age, 282, 318; by color, 232, 294, 306; by days, weeks, and months, 523; by month of death, 488; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 21, 29, 98, 126.
Meningitis, deaths from, 94; by age, 284, 318; by color, 233, 296, 308; by days, weeks, and months, 523; by month of death, 488; by sex, 284; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99, 126.
Mental alienation, deaths from, 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Miliary fever, deaths from, 94; by age and sex, 282; by color, 294, 306; in cities and rural districts, 260.
—— death rate, 126.
Miliary tuberculosis, acute, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Mouth and annexa, diseases of, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Mycoses, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.

Nasal fossae, diseases of, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Native white population, deaths of, 162; by age, 198; by sex, 11, 198.
Nativity, deaths by, 11, 162, 198.
Negro population, deaths of, 162; by age, 198; by sex, 11, 198.
Nephritis. *See* Bright's disease, etc.
Nervous system and organs of special sense, diseases of, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Netherlands, death rates of, 18.
Neuralgia and neuritis, deaths from, 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Neuritis. *See* Neuralgia, etc.
New Zealand, death rates of, 18.
Nonresidents, deaths of, 18.
Norway, death rates of, 18.

Occupation poisonings, chronic, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Old age, deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Ontario, Province of, death rates of, 18.
Organs of locomotion, diseases of. *See* Bones, etc.
Organs of special sense, diseases of. *See* Nervous system, etc.

Paralysis of the insane, deaths from, 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Paralysis without specified cause, deaths from, 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Parent nativity, deaths by, 11, 162, 198.
Pellagra, deaths from, 45, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Pericarditis, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Peritonitis, simple (nonpuerperal), deaths from, 95; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 128.
Pharynx, diseases of, deaths from, 95; by age, 286, 312; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Phlebitis. *See* Veins, diseases of, etc.
Plague, deaths from, 94; by age, 282; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Pleurisy, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Pneumonia, deaths from, 54, 95; by age, 286, 319; by color, 233, 298, 310; by days, weeks, and months, 523; by month of death, 488; by sex, 286; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.

Pneumonia, death rate, 21, 54, 99, 128.
Pneumonia (undefined), deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Poisoning by food, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Poisonings, acute, deaths from 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Poisonings, chronic, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Poliomyelitis, acute anterior (infantile paralysis), deaths from 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Population, of registration area and its main subdivisions, 77; of registration cities and rural part of registration states, 80.
Porto Rico, deaths in, and death rates of, 585.
Pott's disease, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Pregnancy, accidents of, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.
Premature birth, deaths from, 96; by color, 302, 314; by days, weeks, and months, 523; by sex, 290; in cities and rural districts, 262.
—— death rate, 130.
Prostate, diseases of, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.
Prussia, death rates of, 18.
Puerperal albuminuria and convulsions, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.
Puerperal fever, deaths from, by color, 233; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99.
Puerperal hemorrhage, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.
Puerperal phlegmasia alba dolens, embolus, sudden death, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.
Puerperal septicemia, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.
Pulmonary apoplexy. *See* Pulmonary congestion, etc.
Pulmonary congestion, pulmonary apoplexy, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities, and rural districts, 261.
—— death rate, 128.
Pulmonary emphysema, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Purulent infection and septicemia, deaths from, 94; by age, 282, 318; by color 294, 306; by sex, 282, in cities and rural districts, 260.
—— death rate, 126.

Rabies, deaths from, 44, 94; by age 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Railroad accidents and injuries. *See* Accidents, etc.
Registration area, deaths in, 9, 77; by age, 11, 12, 172, 198, 282, 318; by cause, 94, 260, 282, 318; by color, 11, 162, 172, 198, 232, 306; by days, weeks and months, 523; by month of death, 153, 488; by nativity, 11, 162, 198; by sex, 11, 198, 260; population of, 10; states included in, 11.
—— death rate, 12, 77, 98.
Registration cities, deaths in, 77; by age, 172, 202; by cause, 232, 260; by color, 77, 172, 202, 232; by days, weeks, and months, 523; by month of death, 153, 488; by nativity, 162, 202; by sex, 202; population of, 77.
—— death rate, 12, 77, 98.
Registration cities in nonregistration states, deaths in, 77; by age, 172, 202; by cause, 232, 260; by color, 172, 202, 232; by days, weeks, and months, 523; by month of death, 153, 489; by nativity, 162, 202; by sex, 202; population of, 77.
—— death rate, 13, 77, 98.
Registration states, deaths in, 77; by age, 174, 198, 318; by cause, 232, 260, 321; by color, 172, 198, 204, 232; by days, weeks, and months, 523; by month of death, 153, 488; by nativity, 162, 204; by sex, 204; population of, 77.
—— death rate, 13, 77, 98, 126.
Relapsing fever, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Respiratory system, diseases of, deaths from, 95; by age, 286, 319; by color, 233, 298, 310; by sex, 286; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99, 128.
Rheumatism, acute articular, deaths from, 94; by age, 284, 318; by color, 232, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Rheumatism, chronic, and gout, deaths from, 94; by age, 284, 318; by color, 232, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 98, 126.
Rickets, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Roumania, death rates of, 18.
Rural part of registration states, deaths in, 77, 83; by age, 172, 200; by cause, 232, 260; by color, 83, 162, 172, 200, 232; by days, weeks, and months, 524; by month of death, 153, 488; by nativity, 162, 200; by sex, 200; population of, 77.
—— death rate, 12, 77, 98, 126.
Russia (European), death rates of, 18.

Sailors. *See* Soldiers, sailors, and marines.
Salpingitis and other diseases of the female genital organs, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 130.
Scarlet fever, deaths from, 33, 94; by age, 282, 318; by color, 232, 294, 306; by days, weeks, and months, 523; by month of death, 488; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 33, 98, 126.
Sclerema. *See* Congenital debility, etc.
Scotland, death rates of, 18.
Scurvy, deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Senility, deaths from, 96; by age, 290, 320; by color, 302, 314; by sex, 290; in cities and rural districts, 262; in each city of 100,000 population or over in 1910, 441.
—— death rate, 130.
Septicemia. *See* Puerperal septicemia *and* Purulent infection, etc.
Serbia, death rates of, 18.
Sex, deaths by, 11, 198, 282.
Skin and cellular tissue, diseases of, deaths from, 96; by age, 288, 320; by color, 300, 312; by sex, 288; in cities and rural districts, 262.
—— death rate, 130.
Smallpox, deaths from, 28, 94; by age, 282, 318; by color, 232, 294, 306; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 28, 98, 126.
Softening of the brain, deaths from, 95; by age, 284, 318; by color, 296, 308; by sex, 284, in cities and rural districts, 260.
—— death rate, 128. *See also* Cerebral hemorrhage, etc.
Soldiers, sailors, and marines, deaths of, 64; by cause, 590, 592; by age, 589; by color, 589.
Spain, death rates of, 18.
Spinal cord, diseases of, deaths from, 95; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 128.
Spleen, diseases of, deaths from, 95; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 128.
Starvation, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
States. *See* Registration states.
Stomach, diseases of (cancer excepted), deaths from, 95; by age, 286, 319; by color, 298, 310; by days, weeks, and months, 523; by sex, 286; in cities and rural districts, 261; in each city of 100,000 population or over in 1910, 441.
—— death rate, 128.
Street-car accidents and injuries. *See* Accidents, etc.
Sudden deaths, number of, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132. *See also* Puerperal phlegmasia alba dolens, etc.
Suicide, deaths from, 61, 96; by age, 290 320; by color, 233, 302, 314; by month of death, 488; by sex, 290; in cities and rural districts, 262; in each city of 100,000 population or over in 1910, 441.
—— death rate, 61, 99, 130.
Sweden, death rates of, 18.
Switzerland, death rates of, 18.
Syphilis, deaths from, 94; by age, 282, 318; by color, 294, 306; by days, weeks, and months, 523; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.

Tetanus, deaths from, 94; by age, 282, 318; by color, 294, 306; by days, weeks, and months, 523; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Thrombosis. *See* Embolism, etc.
Thyroid body, diseases of, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.

Traumatism, deaths from, 97; by age, 292, 320; by color, 304, 316; by sex, 292; in cities and rural districts, 262.
—— death rate, 132.
Tuberculosis, deaths from, 46, 94; by age, 282, 318; by color, 232, 294, 306; by days, weeks, and months, 523; by month of death, 488; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 21, 46, 98, 126.
Tuberculosis of the lungs, deaths from, 49, 94; by age, 282, 318; by color, 232, 294, 306; by days, weeks, and months, 523; by month of death, 488; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 49, 98, 126.
Tuberculous meningitis, deaths from, 94; by age, 282, 318; by color, 232, 294, 306; by days, weeks, and months, 523; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 98, 126.
Tumors (tumors of the female genital organs excepted), deaths from, 94; by age, 284, 318; by color, 296, 308; by sex, 284; in cities and rural districts, 260.
—— death rate, 126.
Tumors, malignant. *See* Cancer, etc.
Typhlitis. *See* Appendicitis, etc.
Typhoid fever, deaths from, 23, 94; by age, 282, 318; by color, 232, 294, 306; by month of death, 488; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 21, 24, 98, 126.
Typhus fever, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 126.

Ulcer of the stomach, deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Undefined causes, deaths from. *See* Accidental, etc., causes.
Urethra, diseases of, urinary abscess, etc., deaths from, 96; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 130.
Urinary abscess. *See* Urethra, etc.
Uterine hemorrhage (nonpuerperal), deaths from, 96; by age, 288, 319; by color, 300, 312, in cities and rural districts, 261.
—— death rate, 130.
Uterine tumor (noncancerous), deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
—— death rate, 130.
Uterus, diseases of, deaths from, 96; by age, 288, 319; by color, 300, 312; in cities and rural districts, 261.
——death rate, 130.

Varices. *See* Veins, diseases of, etc.
Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), deaths from, 95; by age, 286, 319; by color, 298, 310; by sex, 286; in cities and rural districts, 261.
—— death rate, 128.
Violent deaths (excluding suicide), number of, 61; by age, 292, 320; by color, 233, 304, 316; by month of death, 488; by sex, 292; in cities and rural districts, 262; in each city of 100,000 population or over in 1910, 441.
—— death rate, 99.

Wales. *See* England, etc.
White population, deaths of, 77, 162; by age, 172, 198, 294; by cause, 232, 294; by nativity, 162, 198; by sex, 11, 198, 294; in cities and rural districts, 80.
—— death rate, 77, 98. *See also* Foreign-born white population *and* Native white population.
White swellings, deaths from, 94; by age, 282, 318; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.
Whooping cough, deaths from, 35, 94; by age, 282, 318; by color, 232, 294, 306; by days, weeks, and months, 523; by month of death, 488; by sex, 282; in cities and rural districts, 260; in each city of 100,000 population or over in 1910, 441.
—— death rate, 35, 98, 126.

Yellow atrophy of the liver, acute, deaths from, 95; by age, 288, 319; by color, 300, 312; by sex, 288; in cities and rural districts, 261.
—— death rate, 128.
Yellow fever, deaths from, 94; by age, 282; by color, 294, 306; by sex, 282; in cities and rural districts, 260.
—— death rate, 126.

○