DEPARTMENT OF COMMERCE

WILLIAM F. WHITING, SECRETARY

BUREAU OF THE CENSUS

W. M. STEUART, *Director*

MORTALITY STATISTICS

1926

TWENTY-SEVENTH ANNUAL REPORT

PART I

SUMMARY AND RATE TABLES AND GENERAL TABLES FOR THE DEATH REGISTRATION AREA IN CONTINENTAL UNITED STATES, WITH SUPPLEMENTAL STATISTICS FOR HAWAII AND THE VIRGIN ISLANDS

PRICE $2.00 (Buckram)

Sold only by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C.

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON
1929

LETTER OF TRANSMITTAL

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., August 27, 1928.

SIR:

I transmit herewith Part I of the annual report on Mortality Statistics for 1926; this volume includes only rate tables and general tables; the text will be presented in Part II, which will also include the text for Birth, Stillbirth, and Infant Mortality Statistics, 1926.

This is the twenty-seventh compilation of mortality statistics prepared by the Bureau of the Census. It is based on data from transcripts of death certificates received from the registration area for deaths, which included the Territory of Hawaii, the Virgin Islands, and, in continental United States, 41 States, the District of Columbia, and 25 cities in nonregistration States. Arizona was added to the area in 1926.

The total number of deaths returned from this part of continental United States, which contained an estimated population of 105,167,000, or 89.8 per cent of the total, was 1,285,927, corresponding to a death rate of 12.2 per 1,000 population. Populations were estimated by the geographer's division of the Bureau of the Census.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by John B. Mitchell, supervising special agent, and Clyde D. Williams, expert chief of division.

Acknowledgment is made of the efficient service rendered in the preparation of this report by John O. Spain and Miss Maud E. Linder.

Respectfully,

W. M. STEUART,
Director of the Census.

Hon. WILLIAM F. WHITING,
Secretary of Commerce.

CONTENTS

SUMMARY AND RATE TABLES

Page

TABLE I A.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, by color, in urban and rural districts: 1926 2
Estimated population and death rates, by color, for registration area and its main subdivisions, and for urban and rural districts of each registration State.

TABLE I B.—Population, total deaths, deaths of residents, and death rates per 1,000 population, in each city and the rural part of each county: 1926 4

TABLE II.—Deaths (exclusive of stillbirths), and death rates per 100,000 population, from each cause, in the registration area in continental United States: 1925 and 1926 26

NOTE.—In the report on Mortality Statistics, 1922, and in previous annual reports there appeared tables which gave death rates per 100,000 population from important causes in each registration State and in each registration city, and from each cause in urban and rural districts of each State. Although these tables have been omitted from the present report, any of the data desired may be obtained from the manuscript figures in the Bureau of the Census.

GENERAL TABLES

TABLE 1.—Deaths (exclusive of stillbirths), by months: 1926 30
Deaths in the registration area and in urban and rural districts of each registration State. [Similar data for cities which have not been shown since 1922 are retained in manuscript.]

TABLE 2.—Deaths (exclusive of stillbirths), by color, and by general and parent nativity of white: 1926 32
Deaths of white, Negroes, Japanese, and other colored, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]

TABLE 3.—Deaths (exclusive of stillbirths), by age and color: 1926 34
Deaths of white and colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]

TABLE 4.—Deaths (exclusive of stillbirths), by age, sex, color, and nativity of white: 1926 40
Deaths of white, Negroes, Indians, Chinese, Japanese, and other colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, each registration State, and the total registration States of 1920.

TABLE 5.—Deaths (exclusive of stillbirths) from important causes, by color: 1926 58
Deaths from 33 causes, in the registration area, and each registration city, and by color for urban and rural districts of each registration State.

TABLE 6.—Deaths (exclusive of stillbirths) from each cause, in urban and rural districts: 1926 88

TABLE 7.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States (including District of Columbia): 1926 110
Causes of death by single years under 5 and by 5-year age periods.

TABLE 7A.—Deaths (exclusive of stillbirths) of Negroes, Indians, Chinese, Japanese, and other colored, from each cause by sex, in the registration States (including District of Columbia): 1926 134

TABLE 8.—Deaths (exclusive of stillbirths) from each cause, by age, in the registration area and each registration State: 1926 137
Causes of death by single years under 5 and by 5 and 10 year age periods.

TABLE 9.—Deaths (exclusive of stillbirths) from important causes, by age, in large cities: 1926 285
Deaths by single years under 5 and by 5 and 10 year age periods, in cities of 100,000 population or more on January 1, 1920.

TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, in each registration State: 1926 318

TABLE 10A.—Deaths (exclusive of stillbirths) from important causes, by months, in large cities: 1926 336
Deaths in cities of 100,000 population or more on January 1, 1920.

TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, in registration States and large cities not in the birth registration area: 1926 369
Deaths in cities of 100,000 population or more on January 1, 1920.

SUPPLEMENT

HAWAII 380

VIRGIN ISLANDS 389

APPENDIX

TABLE 1.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1926 394

TABLE 2.—Deaths (exclusive of stillbirths), and crude and adjusted death rates per 100,000 population, from certain causes, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1926 420

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1926

[Rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. "Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA AND COLOR	Estimated population, July 1, 1926	DEATHS: 1926	
		Number	Rate per 1,000 population
The registration area in continental United States	105,167,000	1,285,927	12.2
White	95,952,000	1,113,104	11.6
Colored	9,215,000	172,823	18.8
Registration States [1]	103,284,000	1,257,256	12.2
White	94,465,000	1,093,850	11.6
Colored	8,819,000	163,406	18.5
Cities in registration States [1]	48,620,300	649,819	13.4
White	45,546,700	576,242	12.7
Colored	3,073,600	73,577	23.2
Rural part of registration States	54,663,900	607,437	11.1
White	48,918,700	517,608	10.6
Colored	5,745,200	89,829	15.6
Registration cities in nonregistration States [2]	1,883,300	28,671	15.2
White	1,487,300	19,254	12.9
Colored	396,000	9,417	23.8
All registration cities [1]	50,503,600	678,490	13.4
White	47,034,000	595,496	12.7
Colored	3,469,600	82,994	23.9
ALABAMA			
Total	2,526,000	29,692	11.8
White	1,631,700	15,416	9.4
Colored	894,300	14,276	16.0
Urban	446,600	8,364	18.7
White	272,900	4,165	15.3
Colored	173,700	4,199	24.2
Rural	2,079,400	21,328	10.3
White	1,358,800	11,251	8.3
Colored	720,600	10,077	14.0
ARIZONA			
Total	445,000	5,572	12.5
White	393,600	4,791	12.2
Colored	51,400	781	15.2
Urban	69,600	2,137	30.7
White	67,000	1,962	29.3
Colored	2,600	175	67.3
Rural	375,400	3,435	9.2
White	326,600	2,829	8.7
Colored	48,800	606	12.4
CALIFORNIA			
Total	4,316,000	58,914	13.7
White	4,116,800	55,875	13.6
Colored	199,200	3,039	14.9
Urban	2,459,100	34,727	14.1
White	2,358,400	32,974	14.0
Colored	100,700	1,753	17.4
Rural	1,856,900	24,187	13.0
White	1,758,400	22,901	13.1
Colored	98,500	1,286	12.5
COLORADO			
Total	1,059,000	12,273	11.6
White	1,043,300	11,929	11.4
Colored	15,700	344	21.9
Urban	395,200	5,614	14.2
White	385,300	5,432	14.1
Colored	9,900	182	18.4
Rural	663,800	6,659	10.0
White	658,000	6,497	9.9
Colored	5,800	162	27.9
CONNECTICUT			
Total	1,606,000	18,318	11.4
White	1,579,500	17,820	11.3
Colored	26,500	498	18.8
Urban	1,190,700	13,972	11.7
White	1,168,200	13,545	11.6
Colored	22,500	427	19.0
Rural	415,300	4,346	10.5
White	411,300	4,275	10.4
Colored	4,000	71	17.8
DELAWARE			
Total	240,000	3,447	14.4
White	210,600	2,753	13.1
Colored	29,400	694	23.6
Urban	124,200	1,615	13.0
White	112,300	1,360	12.1
Colored	11,900	255	21.4
Rural	115,800	1,832	15.8
White	98,300	1,393	14.2
Colored	17,500	439	25.1
FLORIDA			
Total	1,317,000	20,044	15.2
White	899,300	12,173	13.5
Colored	417,700	7,871	18.8
Urban	453,200	7,055	15.6
White	336,500	4,205	12.5
Colored	116,700	2,850	24.4
Rural	863,800	12,989	15.0
White	562,800	7,968	14.2
Colored	301,000	5,021	16.7
IDAHO			
Total	522,000	3,871	7.4
White	516,100	3,701	7.2
Colored	5,900	170	28.8
Urban	42,100	534	12.7
White	41,200	510	12.4
Colored	900	24	26.7
Rural	479,900	3,337	7.0
White	474,900	3,191	6.7
Colored	5,000	146	29.2
ILLINOIS			
Total	7,203,000	85,331	11.8
White	6,954,000	79,565	11.4
Colored	249,000	5,766	23.2
Urban	4,329,500	53,183	12.3
White	4,126,400	48,528	11.8
Colored	203,100	4,655	22.9
Rural	2,873,500	32,148	11.2
White	2,827,600	31,037	11.0
Colored	45,900	1,111	24.2
INDIANA			
Total	3,124,000	40,016	12.8
White	3,025,900	37,838	12.5
Colored	98,100	2,178	22.2
Urban	1,373,600	17,970	13.1
White	1,289,200	16,143	12.5
Colored	84,400	1,827	21.6
Rural	1,750,400	22,046	12.6
White	1,736,700	21,695	12.5
Colored	13,700	351	25.6
IOWA			
Total	2,423,000	25,466	10.5
White	2,402,600	25,120	10.5
Colored	20,400	346	17.0
Urban	665,700	8,831	13.3
White	649,800	8,588	13.2
Colored	15,900	243	15.3
Rural	1,757,300	16,635	9.5
White	1,752,800	16,532	9.4
Colored	4,500	103	22.9
KANSAS			
Total	1,821,000	19,100	10.5
White	1,749,600	17,872	10.2
Colored	71,400	1,228	17.2
Urban	482,600	6,244	12.9
White	433,700	5,407	12.5
Colored	48,900	837	17.1
Rural	1,338,400	12,856	9.6
White	1,315,900	12,465	9.5
Colored	22,500	391	17.4
KENTUCKY			
Total	2,524,000	29,952	11.9
White	2,310,100	25,145	10.9
Colored	213,900	4,807	22.5
Urban	532,300	8,421	15.8
White	455,600	6,485	14.2
Colored	76,700	1,936	25.2
Rural	1,991,700	21,531	10.8
White	1,854,500	18,660	10.1
Colored	137,200	2,871	20.9
LOUISIANA			
Total	1,919,000	24,230	12.6
White	1,228,000	12,272	10.0
Colored	691,000	11,958	17.3
Urban	563,400	10,551	18.7
White	399,300	5,932	14.9
Colored	164,100	4,619	28.1
Rural	1,355,600	13,679	10.1
White	828,700	6,340	7.7
Colored	526,900	7,339	13.9
MAINE			
Total	790,000	11,355	14.4
White	787,800	11,319	14.4
Colored	2,200	36	16.4
Urban	235,000	3,695	15.7
White	234,100	3,680	15.7
Colored	900	15	16.7
Rural	555,000	7,660	13.8
White	553,700	7,639	13.8
Colored	1,300	21	16.2
MARYLAND			
Total	1,580,000	22,649	14.3
White	1,325,000	17,170	13.0
Colored	255,000	5,479	21.5
Urban	899,300	13,593	15.1
White	773,300	10,458	13.5
Colored	126,000	3,135	24.9
Rural	680,700	9,056	13.3
White	551,700	6,712	12.2
Colored	129,000	2,344	18.2
MASSACHUSETTS			
Total	4,197,000	52,638	12.5
White	4,143,200	51,620	12.5
Colored	53,800	1,018	18.9
Urban	3,377,700	42,505	12.6
White	3,331,100	41,612	12.5
Colored	46,600	893	19.2
Rural	819,300	10,133	12.4
White	812,100	10,008	12.3
Colored	7,200	125	17.4
MICHIGAN			
Total	4,396,000	54,084	12.3
White	4,272,600	51,183	12.0
Colored	123,400	2,901	23.5
Urban	2,434,000	30,464	12.5
White	2,325,700	28,137	12.1
Colored	108,300	2,327	21.5
Rural	1,962,000	23,620	12.0
White	1,946,900	23,046	11.8
Colored	15,100	574	38.0
MINNESOTA			
Total	2,651,000	25,803	9.7
White	2,631,700	25,370	9.6
Colored	19,300	433	22.4
Urban	924,300	11,428	12.4
White	914,400	11,269	12.3
Colored	9,900	159	16.1
Rural	1,726,700	14,375	8.3
White	1,717,300	14,101	8.2
Colored	9,400	274	29.1

See footnotes at end of table.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1926—Continued

[See note at head of this table, p. 2]

AREA AND COLOR	Estimated population, July 1, 1926	DEATHS: 1926	
		Number	Rate per 1,000 population
MISSISSIPPI			
Total	[3] 1,790,618	23,766	13.3
White	853,962	9,191	10.8
Colored	936,656	14,575	15.6
Urban	154,900	3,803	24.6
White	90,000	1,694	18.8
Colored	64,900	2,109	32.5
Rural	1,635,700	19,963	12.2
White	764,000	7,497	9.8
Colored	871,700	12,466	14.3
MISSOURI			
Total	3,498,000	42,752	12.2
White	3,301,600	37,942	11.5
Colored	196,400	4,810	24.5
Urban	1,486,300	20,952	14.1
White	1,346,200	17,689	13.1
Colored	140,100	3,263	23.3
Rural	2,011,700	21,800	10.8
White	1,955,400	20,253	10.4
Colored	56,300	1,547	27.5
MONTANA			
Total	695,000	5,395	7.8
White	681,000	4,967	7.3
Colored	14,000	428	30.6
Urban	129,900	1,750	13.5
White	128,400	1,703	13.3
Colored	1,500	47	31.3
Rural	565,100	3,645	6.5
White	552,600	3,264	5.9
Colored	12,500	381	30.5
NEBRASKA			
Total	1,385,000	12,648	9.1
White	1,363,100	12,245	9.0
Colored	21,900	403	18.4
Urban	321,600	4,162	12.9
White	305,900	3,897	12.7
Colored	15,700	265	16.9
Rural	1,063,400	8,486	8.0
White	1,057,200	8,348	7.9
Colored	6,200	138	22.3
NEW HAMPSHIRE			
Total	454,000	6,703	14.8
White	453,000	6,697	14.8
Colored	1,000	6	6.0
Urban	207,100	2,876	13.9
White	206,600	2,871	13.9
Colored	500	5	10.0
Rural	246,900	3,827	15.5
White	246,400	3,826	15.5
Colored	500	1	2.0
NEW JERSEY			
Total	3,680,000	44,876	12.2
White	3,538,300	41,404	11.7
Colored	141,700	3,472	24.5
Urban	2,321,100	27,997	12.1
White	2,226,500	25,563	11.5
Colored	94,600	2,434	25.7
Rural	1,358,900	16,879	12.4
White	1,311,800	15,841	12.1
Colored	47,100	1,038	22.0
NEW YORK			
Total	11,304,000	151,345	13.4
White	11,042,100	145,115	13.1
Colored	261,900	6,230	23.8
Urban	8,611,700	114,888	13.3
White	8,409,500	109,298	13.0
Colored	202,200	5,590	27.6
Rural	2,692,300	36,457	13.5
White	2,632,600	35,817	13.6
Colored	59,700	640	10.7
NORTH CAROLINA			
Total	2,858,000	34,562	12.1
White	2,023,600	20,957	10.4
Colored	834,400	13,605	16.3
Urban	435,800	7,353	16.9
White	292,600	4,041	13.8
Colored	143,200	3,312	23.1
Rural	2,422,200	27,209	11.2
White	1,731,000	16,916	9.8
Colored	691,200	10,293	14.9
NORTH DAKOTA			
Total	[4] 641,192	5,313	8.3
White	635,707	5,105	8.0
Colored	5,485	208	37.9
Urban	53,700	796	14.8
White	53,600	795	14.8
Colored	100	1	10.0
Rural	587,500	4,517	7.7
White	582,100	4,310	7.4
Colored	5,400	207	38.3
OHIO			
Total	6,600,000	78,695	11.9
White	6,348,900	72,940	11.5
Colored	251,100	5,755	22.9
Urban	3,790,500	45,628	12.0
White	3,598,300	41,006	11.4
Colored	192,200	4,622	24.0
Rural	2,809,500	33,067	11.8
White	2,750,600	31,934	11.6
Colored	58,900	1,133	19.2
OREGON			
Total	877,000	9,857	11.2
White	866,200	9,551	11.0
Colored	10,800	306	28.3
Urban	335,400	4,402	13.1
White	331,400	4,281	12.9
Colored	4,000	121	30.3
Rural	541,600	5,455	10.1
White	534,800	5,270	9.9
Colored	6,800	185	27.2
PENNSYLVANIA			
Total	9,614,000	120,537	12.5
White	9,250,100	112,465	12.2
Colored	363,900	8,072	22.2
Urban	4,901,300	66,265	13.5
White	4,622,700	59,852	12.9
Colored	278,600	6,413	23.0
Rural	4,712,700	54,272	11.5
White	4,627,400	52,613	11.4
Colored	85,300	1,659	19.4
RHODE ISLAND			
Total	693,000	8,791	12.7
White	681,200	8,560	12.6
Colored	11,800	231	19.6
Urban	574,600	7,373	12.8
White	564,400	7,176	12.7
Colored	10,200	197	19.3
Rural	118,400	1,418	12.0
White	116,800	1,384	11.8
Colored	1,600	34	21.3
SOUTH CAROLINA			
Total	1,826,000	23,403	12.8
White	936,400	9,219	9.8
Colored	889,600	14,184	15.9
Urban	194,900	4,283	22.0
White	120,100	1,926	16.0
Colored	74,800	2,357	31.5
Rural	1,631,100	19,120	11.7
White	816,300	7,293	8.9
Colored	814,800	11,827	14.5
TENNESSEE			
Total	2,468,000	31,395	12.7
White	2,034,000	22,163	10.9
Colored	434,000	9,232	21.3
Urban	519,500	10,213	19.7
White	378,400	5,848	15.5
Colored	141,100	4,365	30.9
Rural	1,948,500	21,182	10.9
White	1,655,600	16,315	9.9
Colored	292,900	4,867	16.6
UTAH			
Total	514,000	5,136	10.0
White	505,600	4,981	9.9
Colored	8,400	155	18.5
Urban	182,300	2,384	13.1
White	180,200	2,321	12.9
Colored	2,100	63	30.0
Rural	331,700	2,752	8.3
White	325,400	2,660	8.2
Colored	6,300	92	14.6
VERMONT			
Total	[3] 352,428	5,215	14.8
White	351,817	5,207	14.8
Colored	611	8	13.1
Urban	50,200	807	16.1
White	50,100	804	16.0
Colored	100	3	30.0
Rural	302,200	4,408	14.6
White	301,700	4,403	14.6
Colored	500	5	10.0
VIRGINIA			
Total	2,519,000	30,818	12.2
White	1,810,800	18,866	10.4
Colored	708,200	11,952	16.9
Urban	672,300	9,236	13.7
White	458,500	5,087	11.1
Colored	213,800	4,149	19.4
Rural	1,846,700	21,582	11.7
White	1,352,300	13,779	10.2
Colored	494,400	7,803	15.8
WASHINGTON			
Total	1,538,000	15,670	10.2
White	1,498,000	14,950	10.0
Colored	40,000	720	18.0
Urban	719,100	8,195	11.4
White	699,400	7,922	11.3
Colored	19,700	273	13.9
Rural	818,900	7,475	9.1
White	798,600	7,028	8.8
Colored	20,300	447	22.0
WEST VIRGINIA			
Total	1,669,000	18,143	10.9
White	1,564,100	16,252	10.4
Colored	104,900	1,891	18.0
Urban	305,300	4,718	15.5
White	285,600	4,228	14.8
Colored	19,700	490	24.9
Rural	1,363,700	13,425	9.8
White	1,278,500	12,024	9.4
Colored	85,200	1,401	16.4
WISCONSIN			
Total	2,885,000	30,191	10.5
White	2,868,100	29,736	10.4
Colored	16,900	455	26.9
Urban	1,091,400	13,109	12.0
White	1,085,300	12,941	11.9
Colored	6,100	168	27.5
Rural	1,793,600	17,082	9.5
White	1,782,800	16,795	9.4
Colored	10,800	287	26.6
WYOMING			
Total	236,000	1,902	8.1
White	232,600	1,822	7.8
Colored	3,400	80	23.5
Urban	35,300	338	9.6
White	34,800	324	9.3
Colored	500	14	28.0
Rural	200,700	1,564	7.8
White	197,800	1,498	7.6
Colored	2,900	66	22.8

[1] Including District of Columbia.
[2] These cities are shown under the various States (indicated by footnote 2) in Table I B.
[3] Population Jan. 1, 1920; decrease between 1910 and 1920; no estimate made.
[4] Population State census, 1925; decrease between 1920 and 1925; no estimate made.

NOTE.—The population of the registration area in 1926 constituted 89.8 per cent of the total population of continental United States.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926

[Minor areas which are designated by asterisks (*) contain State insane asylums, State hospitals, etc. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. White and colored are shown separately for areas when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920]

AREA AND COLOR	1926 Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
ALABAMA CITIES					
Anniston	21,000	378	18.0	363	17.3
White	14,400	230	16.0	221	15.3
Colored	6,600	148	22.4	142	21.5
Bessemer	22,600	463	20.5	468	20.7
White	9,900	187	18.9	185	18.7
Colored	12,700	276	21.7	283	22.3
Birmingham	210,600	3,718	17.7	3,390	16.1
White	127,900	1,731	13.5	1,499	11.7
Colored	82,700	1,987	24.0	1,891	22.9
Dothan*	14,900	285	19.1	209	14.0
White	8,900	199	22.4	136	15.3
Colored	6,000	86	14.3	73	12.2
Florence	13,100	197	15.0	160	12.2
White	10,400	135	13.0	103	9.9
Colored	2,700	62	23.0	57	21.1
Gadsden	20,100	249	12.4	216	10.7
White	14,700	182	12.4	154	10.5
Colored	5,400	67	12.4	62	11.5
Mobile	66,800	1,106	16.6	991	14.8
White	42,300	571	13.5	482	11.4
Colored	24,500	535	21.8	509	20.8
Montgomery	47,000	988	21.0	852	18.1
White	26,900	432	16.1	326	12.1
Colored	20,100	556	27.7	526	26.2
Selma*	17,200	462	26.9	333	19.4
White	8,600	179	20.8	104	12.1
Colored	8,600	283	32.9	229	26.6
Tuscaloosa*	13,300	518	38.9	490	36.8
White	8,900	319	35.8	299	33.6
Colored	4,400	199	45.2	191	43.4
ARIZONA CITIES					
Phoenix*	42,100	1,215	28.9	940	22.3
Tucson*	27,500	922	33.5	860	31.3
ARKANSAS CITIES [2]					
Fort Smith*	32,100	504	15.7	379	11.8
White	29,100	425	14.6	303	10.4
Colored	3,000	79	26.3	76	25.3
Hot Springs*	[3] 11,695	424	36.3	256	21.9
White	8,883	338	38.1	187	21.1
Colored	2,812	86	30.6	69	24.5
Little Rock*	75,900	1,720	22.7	1,399	18.4
White	57,100	1,046	18.3	825	14.4
Colored	18,800	674	35.9	574	30.5
North Little Rock	16,000	189	11.8	225	14.1
White	10,700	57	5.3	87	8.1
Colored	5,300	132	24.9	138	26.0
CALIFORNIA CITIES					
Alameda	32,400	360	11.1	348	10.7
Bakersfield	25,600	308	12.0	296	11.6
Berkeley	67,800	671	9.9	640	9.4
Eureka	13,600	271	19.9	280	20.6
Fresno	60,200	515	8.6	527	8.8
Glendale*	25,600	601	23.5	596	23.3
Long Beach	97,700	1,220	12.5	1,136	11.6
Los Angeles [4]	(5)	12,222	(5)	12,319	(5)
White	(5)	11,530	(5)	11,625	(5)
Colored	(5)	692	(5)	694	(5)
Oakland	260,500	2,802	10.8	2,762	10.6
White	245,500	2,673	10.9	2,636	10.7
Colored	15,000	129	8.6	126	8.4
Pasadena	58,400	880	15.1	879	[6] 15.1
Pomona	15,700	247	15.7	248	15.8
Richmond	23,600	152	6.4	167	7.1
Riverside	(5)	451	(5)	407	(5)
Sacramento	73,400	1,373	18.7	1,334	18.2
San Bernardino*	23,600	536	22.7	506	21.4
San Diego	110,400	1,849	16.7	1,696	15.4
San Francisco	566,800	7,662	13.5	7,582	13.4
White	550,300	7,257	13.2	7,190	13.1
Colored	16,500	405	24.5	392	23.8
San Jose	44,200	570	12.9	570	12.9
Santa Ana	20,600	281	13.6	287	13.9
CALIFORNIA CITIES—continued					
Santa Barbara	24,800	336	13.5	327	13.2
Santa Cruz	[3] 10,917	235	21.5	228	20.9
Santa Monica	20,200	384	19.0	386	19.1
Stockton*	48,600	614	12.6	611	[6] 12.6
Vallejo	27,600	187	6.8	190	6.9
COLORADO CITIES					
Boulder	12,000	149	12.4	137	11.4
Colorado Springs*	[3] 30,105	597	19.8	506	16.8
Denver	285,400	3,963	13.9	3,644	12.8
Greeley	12,800	201	15.7	143	11.2
Pueblo	43,900	548	12.5	501	11.4
Trinidad	11,000	156	14.2	145	13.2
CONNECTICUT CITIES					
Ansonia	19,300	170	8.8	238	12.3
Bridgeport	(5)	1,692	(5)	1,595	(5)
Bristol	25,400	262	10.3	270	10.6
Danbury town	[2] 22,325	400	17.9	348	15.6
Derby	12,700	176	13.9	108	8.5
East Hartford town	14,000	103	7.4	165	11.8
Enfield town	13,100	113	8.6	107	8.2
Fairfield town	15,100	120	7.9	138	9.1
Greenwich town	25,900	254	9.8	217	8.4
Hartford	164,200	2,129	13.0	1,763	10.7
Manchester town	21,500	166	7.7	159	7.4
Meriden	36,600	476	13.0	483	13.2
Middletown*	23,100	531	23.0	456	19.7
Milford town	14,100	134	9.5	153	10.9
Naugatuck	16,600	92	5.5	131	7.9
New Britain	69,600	637	9.2	671	9.6
New Haven	181,900	2,212	12.2	1,991	10.9
New London	29,700	416	14.0	352	11.9
Norwalk	30,100	458	15.2	431	14.3
Norwich town*	30,700	524	17.1	424	13.8
Orange town	20,200	272	13.5	343	17.0
Stamford town	47,600	625	13.1	622	13.1
Stonington town	11,000	138	12.5	141	12.8
Stratford town	16,800	131	7.8	185	11.0
Torrington town	26,500	240	9.1	252	9.5
Wallingford town	12,600	123	9.8	147	11.7
Waterbury	(5)	1,194	(5)	1,123	(5)
Windham town	14,600	184	12.6	170	11.6
DELAWARE CITIES					
Wilmington	124,200	1,615	13.0	1,623	13.1
White	112,300	1,360	12.1	1,359	[6] 12.1
Colored	11,900	255	21.4	264	22.2
DISTRICT OF COLUMBIA					
Washington	528,000	7,388	14.0	6,994	13.2
White	403,800	4,583	11.3	4,317	10.7
Colored	124,200	2,805	22.6	2,677	21.6
FLORIDA CITIES					
Jacksonville	137,100	2,258	16.5	1,989	14.5
White	87,300	1,038	11.9	864	9.9
Colored	49,800	1,220	24.5	1,125	22.6
Key West	[7] 13,701	226	16.5	229	16.7
White	11,268	162	14.4	166	14.7
Colored	2,433	64	26.3	63	25.9
Miami	129,100	1,740	13.5	1,644	12.7
White	102,000	1,085	10.6	1,021	10.0
Colored	27,100	655	24.2	623	23.0
Pensacola	[7] 25,305	520	20.5	488	19.3
White	16,981	307	18.1	279	16.4
Colored	8,324	213	25.6	209	25.1
St. Petersburg	45,800	679	14.8	433	9.5
White	36,700	516	14.1	283	7.7
Colored	9,100	163	17.9	150	16.5
Tampa	102,200	1,632	16.0	1,364	13.3
White	82,300	1,097	13.3	901	10.9
Colored	19,900	535	26.9	463	23.3
GEORGIA CITIES [2]					
Albany	13,800	273	19.8	258	18.7
White	6,800	85	12.5	79	11.6
Colored	7,000	188	26.9	179	25.6
Athens	16,400	263	16.0	244	14.9
White	10,100	131	13.0	113	11.2
Colored	6,300	132	21.0	131	20.8
Atlanta	244,100	3,907	16.0	3,772	15.5
White	171,300	1,901	11.1	1,785	10.4
Colored	72,800	2,006	27.6	1,987	27.3
Augusta*	55,700	1,232	22.1	1,110	19.9
White	32,600	579	17.8	504	15.5
Colored	23,100	653	28.3	606	26.2
Brunswick	17,200	194	11.3	188	10.9
White	9,100	78	8.6	72	7.9
Colored	8,100	116	14.3	116	14.3
Columbus	45,000	696	15.5	669	14.9
White	33,100	383	11.6	362	10.9
Colored	11,900	313	26.3	307	25.8
La Grange	24,700	248	10.0	241	9.8
White	18,400	124	6.7	120	6.5
Colored	6,300	124	19.7	121	19.2
Macon	59,200	1,132	19.1	1,081	18.3
White	33,700	454	13.5	429	12.7
Colored	25,500	678	26.6	652	25.6
Savannah*	96,400	1,628	16.9	1,484	15.4
White	52,800	549	10.4	466	8.8
Colored	43,600	1,079	24.7	1,018	23.3
Waycross	20,500	282	13.8	227	11.1
White	8,400	135	16.1	99	11.8
Colored	12,100	147	12.1	128	10.6
IDAHO CITIES					
Boise	23,200	322	13.9	254	10.9
Pocatello	18,900	212	11.2	172	9.1
ILLINOIS CITIES					
Alton	27,200	397	14.6	351	12.9
Aurora	45,900	594	12.9	557	12.1
Belleville	27,400	372	13.6	319	11.6
Berwyn	19,700	172	8.7	204	10.4
Bloomington	30,700	432	14.1	378	12.3
Blue Island	13,500	207	15.3	195	14.4
Cairo	15,600	296	19.0	244	15.6
White	10,900	175	16.1	130	11.9
Colored	4,700	121	25.7	114	24.3
Canton	11,000	195	17.7	171	15.5
Centralia	14,400	158	11.0	144	10.0
Champaign	18,500	218	11.8	217	11.7
Chicago	3,047,900	35,625	11.7	35,635	[6] 11.7
White	2,891,000	31,943	11.0	31,929	[6] 11.0
Colored	156,900	3,682	23.5	3,706	23.6
Chicago Heights	22,600	238	10.5	247	10.9
Cicero	65,400	360	5.5	469	7.2
Danville	37,600	620	16.5	495	13.2
Decatur	55,000	755	13.7	636	11.6
East St. Louis	72,300	924	12.8	916	12.7
White	63,800	727	11.4	711	11.1
Colored	8,500	197	23.2	205	24.1
Elgin*	34,000	757	22.3	706	20.8
Evanston	45,100	623	13.8	580	12.9
Forest Park	13,600	135	9.9	175	12.9
Freeport	20,900	359	17.2	276	13.2
Galesburg	25,000	404	16.2	356	14.2
Granite City	18,600	257	13.8	257	13.8
Herrin	13,700	170	12.4	152	11.1
Jacksonville*	16,000	635	39.7	517	32.3
Joliet	41,000	593	14.5	569	13.9
Kankakee	18,800	294	15.6	245	13.0
Kewanee	20,100	237	11.8	214	10.6
La Salle	14,600	185	12.7	161	11.0
Lincoln*	12,500	255	20.4	218	17.4
Mattoon	15,000	211	14.1	194	12.9
Maywood	14,600	139	9.5	204	14.0
Moline	34,500	359	10.4	326	9.4

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
ILLINOIS CITIES—continued					
Murphysboro	12,900	150	11.6	132	10.2
White	11,500	121	10.5	104	9.0
Colored	1,400	29	20.7	28	20.0
Oak Park	53,500	824	15.4	587	11.0
Ottawa	11,800	205	17.4	194	16.4
Pekin	13,600	151	11.1	152	11.2
Peoria	82,500	1,108	13.4	990	12.0
Quincy	39,200	606	15.5	535	13.6
Rockford	78,700	835	10.6	822	10.4
Rock Island	41,000	404	9.9	369	9.0
Springfield	64,700	1,094	16.9	912	14.1
Streator	15,100	220	14.6	191	12.6
Urbana	11,500	132	11.5	130	11.3
Waukegan	22,300	278	12.5	261	11.7
INDIANA CITIES					
Anderson	34,600	434	12.5	431	[6]12.5
Bloomington	12,800	215	16.8	220	17.2
Clinton	14,100	107	7.6	120	8.5
Crawfordsville	10,600	167	15.8	172	16.2
East Chicago	47,300	456	9.6	489	10.3
Elkhart	27,600	359	13.0	351	12.7
Elwood	[3] 10,890	138	12.7	147	13.5
Evansville	95,100	1,259	13.2	1,202	12.6
Fort Wayne	100,500	1,251	12.4	1,127	11.2
Frankfort	13,300	161	12.1	166	12.5
Gary	80,800	1,068	13.2	1,039	12.9
Hammond	52,300	598	11.4	568	10.9
Huntington	16,300	168	10.3	180	11.0
Indianapolis	366,600	5,146	14.0	4,923	13.4
White	323,100	4,331	13.4	4,100	12.7
Colored	43,500	815	18.7	823	18.9
Jeffersonville	[3] 10,098	181	17.9	179	17.7
White	8,683	153	17.6	151	17.4
Colored	1,415	28	19.8	28	19.8
Kokomo	38,000	398	10.5	377	9.9
Lafayette	24,000	544	22.7	450	18.8
La Porte	18,000	225	12.5	222	12.3
Logansport	23,400	274	11.7	255	10.9
Marion	26,700	336	12.6	333	12.5
Michigan City	20,300	296	14.6	284	14.0
Mishawaka	16,900	288	17.0	290	17.2
Muncie	44,700	515	11.5	508	11.4
New Albany	[3] 22,992	368	16.0	360	15.7
New Castle	17,400	203	11.7	207	11.9
Peru	12,700	188	14.8	202	15.9
Richmond	31,000	358	11.5	376	12.1
South Bend	81,700	992	12.1	996	12.2
Terre Haute	71,900	922	12.8	857	11.9
Vincennes	18,500	280	15.1	266	14.4
Whiting	12,500	75	6.0	95	7.6
IOWA CITIES					
Boone	12,900	162	12.6	156	12.1
Burlington	27,100	387	14.3	344	12.7
Cedar Rapids	53,100	552	10.4	500	9.4
Clinton	27,100	369	13.6	355	13.1
Council Bluffs	40,900	525	12.8	447	10.9
Davenport	[7] 52,469	745	14.2	684	13.0
Des Moines	145,900	1,716	11.8	1,508	10.3
Dubuque	41,600	619	14.9	535	12.9
Fort Dodge	22,400	283	12.6	237	10.6
Fort Madison	[7] 11,229	181	16.1	163	14.5
Iowa City*	16,500	438	26.5	195	11.8
Keokuk	14,500	263	18.1	223	15.4
Marshalltown	17,200	299	17.4	262	15.2
Mason City	23,500	277	11.8	235	10.0
Muscatine	17,000	234	13.8	210	12.4
Ottumwa	27,400	376	13.7	334	12.2
Sioux City	78,000	970	12.4	812	10.4
Waterloo	36,900	435	11.8	437	[6]11.8
KANSAS CITIES					
Arkansas City	14,700	186	12.7	175	11.9
Atchison	15,600	187	12.0	186	11.9
White	12,800	154	12.0	151	11.8
Colored	2,800	33	11.8	35	12.5
Chanute	[7] 9,829	162	16.5	146	14.9
Coffeyville	16,900	169	10.0	166	9.8
White	13,700	141	10.3	137	10.0
Colored	3,200	28	8.8	29	9.1
El Dorado	[7] 9,500	132	13.9	118	12.4
Emporia	12,500	199	15.9	160	12.8
Fort Scott	12,000	226	18.8	181	15.1
Hutchinson	26,700	268	10.0	234	8.8
Independence	[7] 10,900	155	14.2	141	12.9
Kansas City	116,900	1,590	13.6	1,404	12.0
White	96,400	1,210	12.6	1,057	11.0
Colored	20,500	380	18.5	347	16.9
Lawrence	[7] 12,341	184	14.9	179	14.5
White	11,016	154	14.0	149	13.5
Colored	1,325	30	22.6	30	22.6
Leavenworth	21,900	245	11.2	235	10.7
White	18,400	205	11.1	198	10.8
Colored	3,500	40	11.4	37	10.6
Parsons	[7] 14,839	242	16.3	233	15.7
Pittsburg	19,500	139	7.1	143	7.3
Salina	16,500	195	11.8	158	9.6
Topeka	59,500	809	13.6	731	12.3
Wichita	92,500	1,156	12.5	954	10.3
KENTUCKY CITIES [9]					
Ashland	25,200	338	13.4	------	------
Covington	58,500	974	16.6	------	------
Henderson	12,600	235	18.7	------	------
White	9,700	163	16.8	------	------
Colored	2,900	72	24.8	------	------
Lexington*	47,500	962	20.3	------	------
White	33,600	612	18.2	------	------
Colored	13,900	350	25.2	------	------
Louisville	310,900	4,734	15.2	------	------
White	263,500	3,567	13.5	------	------
Colored	47,400	1,167	24.6	------	------
Newport	[3] 29,317	319	10.9	------	------
Owensboro	22,200	368	16.6	------	------
White	19,400	302	15.6	------	------
Colored	2,800	66	23.6	------	------
Paducah	26,100	491	18.8	------	------
White	20,800	320	15.4	------	------
Colored	5,300	171	32.3	------	------
LOUISIANA CITIES					
Alexandria	21,200	354	16.7	301	14.2
White	12,300	208	16.9	149	12.1
Colored	8,900	146	16.4	152	17.1
Baton Rouge	28,500	260	9.1	304	10.7
White	18,600	111	6.0	124	6.7
Colored	9,900	149	15.1	180	18.2
Lake Charles	(5)	227	(5)	201	(5)
White	(5)	128	(5)	96	(5)
Colored	(5)	99	(5)	105	(5)
Monroe	14,600	459	31.4	425	29.1
White	8,800	260	29.5	229	26.0
Colored	5,800	199	34.3	196	33.8
New Orleans	419,500	7,933	18.9	6,997	16.7
White	310,400	4,656	15.0	4,143	13.3
Colored	109,100	3,277	30.0	2,854	26.2
Shreveport*	65,400	1,318	20.2	802	12.3
White	39,500	569	14.4	348	8.8
Colored	25,900	749	28.9	454	17.5
MAINE CITIES					
Auburn	18,300	200	10.9	144	7.9
Augusta*	14,700	340	23.1	275	18.7
Bangor*	26,800	558	20.8	358	13.4
Bath	(5)	166	(5)	106	(5)
Biddeford	18,600	277	14.9	161	8.7
MAINE CITIES—CON.					
Lewiston*	35,500	619	17.4	321	9.0
Portland	76,400	1,154	15.1	679	8.9
Sanford town	11,800	168	14.2	79	6.7
Waterville	14,600	213	14.6	128	8.8
MARYLAND CITIES					
Annapolis	13,100	172	13.1	172	13.1
White	10,300	101	9.8	102	9.9
Colored	2,800	71	25.4	70	25.0
Baltimore	807,700	12,210	15.1	11,379	14.1
White	688,700	9,220	13.4	8,525	12.4
Colored	119,000	2,990	25.1	2,854	24.0
Cumberland	34,400	510	14.8	492	14.3
Frederick	12,100	255	21.1	258	21.3
White	11,000	231	21.0	232	21.1
Colored	1,100	24	21.8	26	23.6
Hagerstown	32,000	446	13.9	456	14.3
MASSACHUSETTS CITIES					
Adams town	13,700	114	8.3	116	8.5
Amesbury town	11,500	119	10.3	150	13.0
Arlington town	26,400	244	9.2	276	10.5
Attleboro	20,800	257	12.4	223	10.7
Belmont town	16,300	137	8.4	171	10.5
Beverly	22,700	278	12.2	269	11.9
Boston	787,100	11,720	14.9	10,434	13.3
White	768,600	11,264	14.7	9,990	13.0
Colored	18,500	456	24.6	444	24.0
Braintree town	13,800	158	11.4	160	11.6
Brockton	[7] 65,343	762	11.7	698	10.7
Brookline town	43,900	485	11.0	494	11.3
Cambridge	122,000	1,481	12.1	1,519	12.5
Chelsea	48,200	614	12.7	672	13.9
Chicopee	43,200	360	8.3	435	10.1
Clinton town	14,500	187	12.9	159	11.0
Danvers town*	12,000	308	25.7	329	27.4
Dedham town	14,700	84	5.7	120	8.2
Easthampton town	11,700	113	9.7	144	12.3
Everett	42,500	367	8.6	496	11.7
Fall River	131,000	1,707	13.0	1,654	12.6
Fitchburg	44,200	493	11.2	485	11.0
Framingham town	22,000	295	13.4	262	11.9
Gardner town	19,100	270	14.1	253	13.2
Gloucester	23,500	312	13.3	315	13.4
Greenfield town	[7] 15,246	184	12.1	171	11.2
Haverhill	[7] 49,232	647	13.1	655	13.3
Holyoke	60,400	780	12.9	694	11.5
Lawrence	[7] 93,527	939	10.0	975	10.4
Leominster	22,700	263	11.6	270	11.9
Lowell	[7] 110,296	1,549	14.0	1,561	14.2
Lynn	104,000	1,178	11.3	1,263	12.1
Malden	52,400	558	10.6	609	11.6
Marlborough	16,500	194	11.8	186	11.3
Medford	49,700	476	9.6	542	10.9
Melrose	20,600	232	11.3	232	11.3
Methuen	21,900	170	7.8	198	9.0
Milford town	15,100	184	12.2	155	10.3
Natick town	13,300	158	11.9	147	11.1
New Bedford	[7] 119,539	1,500	12.5	1,505	12.6
Newburyport	15,700	248	15.8	222	14.1
Newton	54,700	559	10.2	561	10.3
North Adams	22,800	309	13.6	295	12.9
Northampton*	24,700	512	20.7	427	17.3
Northbridge town	[7] 10,051	92	9.2	96	9.6
Norwood town	14,500	123	8.5	127	8.8
Peabody	19,900	220	11.1	224	11.3
Pittsfield	48,100	672	14.0	566	11.8
Plymouth town	13,200	173	13.1	157	11.9
Quincy	63,000	534	8.5	568	9.0
Revere	34,300	202	5.9	305	8.9
Salem	42,900	586	13.7	568	13.2
Saugus town	13,200	110	8.3	144	10.9
Somerville	100,400	1,081	10.8	1,278	12.7

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths: Number	1926 Total deaths: Rate per 1,000 population	1926 Deaths of residents [1]: Number	1926 Deaths of residents [1]: Rate per 1,000 population
MASSACHUSETTS CITIES—continued					
Southbridge town	15,800	135	8.5	178	11.3
Springfield	145,000	1,820	12.6	1,652	11.4
Taunton*	39,800	638	16.0	674	16.9
Wakefield town	16,200	128	7.9	180	11.1
Waltham	35,700	406	11.4	429	12.0
Watertown town	26,400	192	7.3	267	10.1
Webster town	13,400	111	8.3	147	11.0
Westfield	19,500	222	11.4	262	13.4
West Springfield town	15,800	122	7.7	108	6.8
Weymouth town	17,800	195	11.0	218	12.2
Winchester town	11,800	163	13.8	152	12.9
Winthrop town	16,300	157	9.6	208	12.8
Woburn	18,800	217	11.5	239	12.7
Worcester	193,400	2,701	14.0	2,479	12.8
MICHIGAN CITIES					
Adrian	12,600	232	18.4	237	18.8
Alpena	[3] 11,101	176	15.9	174	15.7
Ann Arbor*	22,700	953	42.0	414	18.2
Battle Creek	43,500	624	14.3	549	12.6
Bay City	49,200	629	12.8	621	12.6
Benton Harbor	14,300	214	15.0	196	13.7
Detroit	1,290,100	16,229	12.6	16,259	[6]12.6
White	1,200,200	14,323	11.9	14,287	[6]11.9
Colored	89,900	1,906	21.2	1,972	21.9
Escanaba	[3] 13,103	226	17.2	195	14.9
Flint	136,500	1,295	9.5	1,279	9.4
Grand Rapids	156,300	1,773	11.3	1,741	11.1
Hamtramck	87,800	417	4.7	477	5.4
Highland Park	77,000	625	8.1	635	8.2
Holland	13,300	129	9.7	139	10.5
Ironwood	17,700	143	8.1	152	8.6
Ishpeming	[3] 10,500	151	14.4	167	15.9
Jackson	59,700	753	12.6	706	11.8
Kalamazoo*	54,500	978	17.9	867	15.9
Lansing	73,200	766	10.5	732	10.0
Marquette	13,500	202	15.0	196	14.5
Monroe	14,700	187	12.7	195	13.3
Muskegon	44,300	582	13.1	560	12.6
Owosso	14,500	226	15.6	208	14.3
Pontiac*	51,600	610	11.8	612	11.9
Port Huron	30,700	451	14.7	457	14.9
Saginaw	73,300	1,083	14.8	1,081	14.7
Sault Ste. Marie	[3] 12,096	178	14.7	168	13.9
Traverse City*	[3] 10,925	330	30.2	330	30.2
Wyandotte	25,300	302	11.9	311	12.3
MINNESOTA CITIES					
Austin	12,200	121	9.9	108	8.9
Duluth	112,600	1,195	10.6	1,049	9.3
Faribault*	12,500	212	17.0	196	15.7
Hibbing	18,400	137	7.4	143	7.8
Mankato	13,900	202	14.5	154	11.1
Minneapolis	433,600	5,002	11.5	4,524	10.4
Rochester*	17,700	900	50.8	294	16.6
St. Cloud	19,400	222	11.4	193	9.9
St. Paul	248,100	3,052	12.3	2,761	11.1
Virginia	16,400	130	7.9	130	7.9
Winona	19,500	255	13.1	241	12.4
MISSISSIPPI CITIES					
Biloxi	12,900	233	18.1	228	17.7
White	11,100	178	16.0	173	15.6
Colored	1,800	55	30.6	55	30.6
Columbus	11,500	225	19.6	225	19.6
White	5,200	74	14.2	74	14.2
Colored	6,300	151	24.0	151	24.0
Greenville	15,400	408	26.5	362	23.5
White	6,300	128	20.3	97	15.4
Colored	9,100	280	30.8	265	29.1
Hattiesburg	14,200	307	21.6	296	20.8
White	8,900	165	18.5	154	17.3
Colored	5,300	142	26.8	142	26.8
MISSISSIPPI CITIES—continued					
Jackson*	28,900	663	22.9	523	18.1
White	17,200	295	17.2	217	12.6
Colored	11,700	368	31.5	306	26.2
Laurel	16,200	321	19.8	265	16.4
White	9,700	181	18.7	147	15.2
Colored	6,500	140	21.5	118	18.2
Meridian*	24,500	606	24.7	555	22.7
White	16,400	329	20.1	302	18.4
Colored	8,100	277	34.2	253	31.2
Natchez	13,200	358	27.1	334	25.3
White	6,300	135	21.4	115	18.3
Colored	6,900	223	32.3	219	31.7
Vicksburg*	[3] 18,072	682	37.7	553	30.6
White	8,920	209	23.4	190	21.3
Colored	9,152	473	51.7	363	39.7
MISSOURI CITIES					
Cape Girardeau	14,400	238	16.5	215	14.9
Carthage	10,500	152	14.5	158	15.0
Columbia	10,700	209	19.5	203	19.0
White	9,000	154	17.1	148	16.4
Colored	1,700	55	32.4	55	32.4
Hannibal	20,000	327	16.4	301	15.0
Independence	12,900	206	16.0	215	16.7
Jefferson City	16,100	222	13.8	212	13.2
White	14,100	193	13.7	182	12.9
Colored	2,000	29	14.5	30	15.0
Joplin	[3] 29,902	511	17.1	474	15.9
Kansas City	375,300	5,137	13.7	4,906	13.1
White	339,600	4,236	12.5	3,982	11.7
Colored	35,700	901	25.2	924	25.9
Moberly	14,100	199	14.1	183	13.0
St. Joseph*	78,400	1,226	15.6	1,027	13.1
St. Louis	830,400	11,540	13.9	11,038	13.3
White	742,900	9,569	12.9	9,057	12.2
Colored	87,500	1,971	22.5	1,981	22.6
Sedalia	23,000	279	12.1	277	12.0
Springfield	50,600	706	14.0	612	12.1
MONTANA CITIES					
Anaconda	12,700	149	11.7	151	11.9
Billings	18,500	198	10.7	196	10.6
Butte	43,100	673	15.6	693	16.1
Great Falls	30,900	302	9.8	302	9.8
Helena	[3] 12,037	179	14.9	183	15.2
Missoula	[3] 12,668	249	19.7	244	19.3
NEBRASKA CITIES					
Grand Island	15,900	232	14.6	191	12.0
Hastings	13,200	217	16.4	181	13.7
Lincoln	62,700	801	12.8	619	9.9
North Platte	14,300	118	8.3	111	7.8
Omaha	215,500	2,794	13.0	2,443	11.3
White	201,500	2,559	12.7	2,209	11.0
Colored	14,000	235	16.8	234	16.7
NEW HAMPSHIRE CITIES					
Berlin	19,000	171	9.0	173	9.1
Concord*	22,600	557	24.6	546	24.2
Dover	[3] 13,029	230	17.7	224	17.2
Keene	12,000	200	16.7	169	14.1
Laconia*	11,400	176	15.4	157	13.8
Manchester	84,000	961	11.4	1,000	11.9
Nashua	30,000	387	12.9	367	12.2
Portsmouth	15,100	194	12.8	206	13.6
NEW JERSEY CITIES					
Asbury Park	13,900	178	12.8	228	16.4
White	10,500	136	13.0	157	15.0
Colored	3,400	42	12.4	71	20.9
Atlantic City*	53,800	1,225	22.8	918	17.1
White	42,000	917	21.8	603	14.4
Colored	11,800	308	26.1	315	26.7
Bayonne	91,000	732	8.0	776	8.5
Belleville*	19,500	223	11.4	190	9.7
Bloomfield	26,700	211	7.9	315	11.8
Bridgeton	14,400	279	19.4	214	14.9
Camden	130,900	1,768	13.5	1,476	11.3
NEW JERSEY CITIES—continued					
Carteret	15,100	95	6.3	120	7.9
Clifton	36,200	224	6.2	319	8.8
East Orange	61,700	451	7.3	651	10.6
Elizabeth	(5)	1,308	(6)	1,192	(6)
Englewood*	12,800	278	21.7	166	13.0
Garfield	25,500	160	6.3	229	9.0
Gloucester	14,700	128	8.7	183	12.4
Hackensack	20,100	417	20.7	277	13.8
Harrison	16,500	132	8.0	194	11.8
Hoboken	[3] 68,166	898	13.2	827	12.1
Irvington	34,600	371	10.7	399	11.5
Jersey City	318,400	3,802	11.9	3,758	[6]11.9
Kearny	32,100	300	9.3	320	10.0
Long Branch*	13,700	462	33.7	253	18.5
Millville	16,200	195	12.0	194	[6]12.0
Montclair	33,700	302	9.0	395	11.7
White	29,500	264	8.9	338	11.5
Colored	4,200	38	9.0	57	13.6
Morristown*	12,600	375	29.8	200	15.9
Newark	459,400	5,464	11.9	5,427	11.8
White	437,000	4,791	11.0	4,734	10.8
Colored	22,400	673	30.0	693	30.9
New Brunswick	38,900	572	14.7	402	10.3
Orange*	35,800	631	17.6	317	8.9
White	31,300	561	17.9	263	8.4
Colored	4,500	70	15.6	54	12.0
Passaic	69,900	725	10.4	502	7.2
Paterson	142,800	1,830	12.8	1,639	11.5
Perth Amboy	48,100	486	10.1	481	10.0
Phillipsburg	18,900	247	13.1	225	11.9
Plainfield	32,500	467	14.4	403	12.4
Rahway	12,200	174	14.3	180	14.8
Summit	12,000	192	16.0	127	10.6
Trenton	134,300	1,890	14.1	1,732	12.9
Union City	63,600	468	7.4	665	10.5
West New York	40,900	223	5.5	336	8.2
West Orange	18,600	114	6.1	174	9.4
NEW MEXICO CITIES [2]					
Albuquerque*	21,600	534	24.7	297	13.8
NEW YORK CITIES					
Albany	118,700	1,989	16.8	1,739	14.7
Amsterdam	35,600	438	12.3	407	11.4
Auburn	[7] 35,677	525	14.7	446	12.5
Batavia	16,000	317	19.8	232	14.5
Beacon*	11,700	203	17.4	192	16.4
Binghamton*	72,900	1,225	16.8	1,179	16.2
Buffalo	544,300	7,779	14.3	7,204	13.2
Cohoes	23,400	319	13.6	334	14.3
Corning	[7] 15,722	246	15.6	226	14.4
Cortland	14,000	260	18.6	188	13.4
Dunkirk	20,000	238	11.9	219	11.0
Elmira	49,000	810	16.5	718	14.7
Fulton	[7] 12,571	170	13.5	175	13.9
Geneva	16,200	226	14.0	202	12.5
Glens Falls	18,100	350	19.3	283	15.6
Gloversville	22,100	407	18.4	361	16.3
Herkimer	11,000	132	12.0	141	12.8
Hornell	15,900	218	13.7	225	14.2
Hudson	11,800	281	23.8	232	19.7
Ilion	10,500	129	12.3	124	11.8
Ithaca	19,300	355	18.4	311	16.1
Jamestown	44,300	574	13.0	533	12.0
Johnstown	[7] 10,712	153	14.3	187	17.5
Kingston	28,400	526	18.5	444	15.6
Lackawanna*	20,700	373	18.0	331	16.0
Little Falls	[7] 12,428	157	12.6	160	12.9
Lockport	21,700	305	14.1	310	14.3
Middletown*	20,800	436	21.0	389	18.7
Mount Vernon	51,900	546	10.5	568	10.9
Newburgh	30,400	502	16.5	421	13.8
New Rochelle	45,800	465	10.2	489	10.7

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
NEW YORK CITIES—continued					
New York	5,924,000	76,065	12.8	76,148	12.9
Bronx Borough	900,200	9,244	10.3	9,177	10.2
Brooklyn Borough	2,240,200	26,930	12.0	27,356	12.2
White	2,203,100	25,891	11.8	26,313	11.9
Colored	37,100	1,039	28.0	1,043	28.1
Manhattan Borough	1,877,200	30,068	16.0	29,809	15.9
White	1,782,500	26,751	15.0	26,500	14.9
Colored	94,700	3,317	35.0	3,309	34.9
Queens Borough	763,800	7,833	10.3	7,810	10.2
Richmond Borough	142,600	1,990	14.0	1,996	[6]14.0
Niagara Falls	58,300	687	11.8	685	11.7
North Tonawanda	17,700	211	11.9	206	11.6
Ogdensburg *	17,500	506	28.9	422	24.1
Olean	21,400	333	15.6	251	11.7
Oneida	10,700	181	16.9	156	14.6
Oneonta	12,200	184	15.1	151	12.4
Ossining	13,200	188	14.2	186	14.1
Oswego	[7] 22,369	329	14.7	348	15.6
Peekskill	18,400	213	11.6	202	11.0
Plattsburg	11,700	256	21.9	182	15.6
Port Chester	19,800	265	13.4	254	12.8
Port Jervis	10,600	182	17.2	150	14.2
Poughkeepsie	35,800	606	16.9	525	14.7
Rensselaer	11,500	118	10.3	170	14.8
Rochester	320,800	4,103	12.8	3,908	12.2
Rome *	31,100	550	17.7	405	13.0
Saratoga Springs	14,000	298	21.3	255	18.2
Schenectady	93,000	1,087	11.7	1,007	10.8
Syracuse	185,400	2,513	13.6	2,268	12.2
Tonawanda	11,500	110	9.6	174	15.1
Troy	72,300	1,304	18.0	1,184	16.4
Utica *	102,500	1,681	16.4	1,593	15.5
Watertown	33,100	551	16.6	459	13.9
Watervliet	16,200	173	10.7	217	13.4
White Plains	28,700	325	11.3	302	10.5
Yonkers	116,300	1,215	10.4	1,262	10.9
NORTH CAROLINA CITIES					
Asheville *	32,000	817	25.5	708	22.1
White	24,400	567	23.2	461	18.9
Colored	7,600	250	32.9	247	32.5
Charlotte	54,600	922	16.9	806	14.8
White	38,000	516	13.6	432	11.4
Colored	16,600	406	24.5	374	22.5
Durham	(5)	699	(5)	615	(5)
White	(5)	353	(5)	318	(5)
Colored	(5)	346	(5)	297	(5)
Gastonia	17,600	253	14.4	247	14.0
White	14,600	177	12.1	173	11.8
Colored	3,000	76	25.3	74	24.7
Goldsboro *	14,800	261	17.6	254	17.2
White	8,300	114	13.7	105	12.7
Colored	6,500	147	22.6	149	22.9
Greensboro	48,700	696	14.3	551	11.3
White	36,500	439	12.0	320	8.8
Colored	12,200	257	21.1	231	18.9
High Point	24,300	375	15.4	359	14.8
White	20,200	284	14.1	269	13.3
Colored	4,100	91	22.2	90	22.0
New Bern	12,200	303	24.8	283	23.2
White	5,600	85	15.2	65	11.6
Colored	6,600	218	33.0	218	33.0
Raleigh *	31,000	693	22.4	598	19.3
White	20,700	401	19.4	346	16.7
Colored	10,300	292	28.3	252	24.5
Rocky Mount	15,600	326	20.9	274	17.6
White	10,000	166	16.6	128	12.8
Colored	5,600	160	28.6	146	26.1
Salisbury	18,400	248	13.5	244	13.3
White	14,100	171	12.1	166	11.8
Colored	4,300	77	17.9	78	18.1
Wilmington	37,700	549	14.6	462	12.3
White	23,700	272	11.5	205	8.6
Colored	14,000	277	19.8	257	18.4
NORTH CAROLINA CITIES—continued					
Wilson	13,200	266	20.2	269	20.4
White	6,500	119	18.3	121	18.6
Colored	6,700	147	21.9	148	22.1
Winston-Salem	71,800	945	13.2	850	11.8
White	40,100	377	9.4	304	7.6
Colored	31,700	568	17.9	546	17.2
NORTH DAKOTA CITIES					
Fargo	25,600	341	13.3	243	9.5
Grand Forks	15,400	206	13.4	170	11.0
Minot	12,700	249	19.6	201	15.8
OHIO CITIES					
Akron	(5)	2,060	(5)	2,043	(5)
Alliance	25,600	299	11.7	275	10.7
Ashtabula	25,500	333	13.1	317	12.4
Barberton	24,100	233	9.7	229	9.5
Bellaire	16,500	181	11.0	188	11.4
Bucyrus	12,000	129	10.8	126	10.5
Cambridge	14,200	204	14.4	193	13.6
Campbell [10]	16,600	108	6.5	122	7.3
Canton	109,800	1,141	10.4	1,093	10.0
Chillicothe	16,800	262	15.6	257	15.3
Cincinnati	410,800	7,104	17.3	6,698	16.3
White	374,700	6,079	16.2	5,701	15.2
Colored	36,100	1,025	28.4	997	27.6
Cleveland	960,500	10,640	11.1	10,364	10.8
White	907,900	9,296	10.2	9,021	9.9
Colored	52,600	1,344	25.6	1,343	25.5
Cleveland Heights	23,500	234	10.0	247	10.5
Columbus	285,500	3,968	13.9	3,644	12.8
White	256,400	3,425	13.4	3,110	12.1
Colored	29,100	543	18.7	534	18.4
Coshocton	11,700	176	15.0	177	15.1
Cuyahoga Falls	14,300	108	7.6	117	8.2
Dayton	176,600	2,162	12.2	2,025	11.5
East Cleveland	39,400	249	6.3	246	6.2
East Liverpool	22,100	377	17.1	318	14.4
Elyria	24,400	291	11.9	288	11.8
Findlay	18,500	287	15.5	276	14.9
Fremont	14,200	151	10.6	159	11.2
Hamilton	42,800	597	13.9	570	13.3
Ironton	15,800	268	17.0	246	15.6
Kenmore	20,500	89	4.3	107	5.2
Lakewood	59,500	469	7.9	490	8.2
Lancaster	16,500	202	12.2	199	12.1
Lima	47,700	533	11.2	484	10.1
Lorain	43,100	432	10.0	413	9.6
Mansfield	32,500	439	13.5	444	13.7
Marietta	15,300	226	14.8	209	13.7
Marion	33,400	383	11.5	380	11.4
Martins Ferry	15,800	207	13.1	194	12.3
Massillon	26,700	262	9.8	253	9.5
Middletown	31,900	339	10.6	328	10.3
Newark	30,600	383	12.5	372	12.2
New Philadelphia	12,200	139	11.4	142	11.6
Niles	17,100	122	7.1	143	8.4
Norwood	30,800	233	7.6	267	8.7
Piqua	16,200	272	16.8	240	14.8
Portsmouth	39,800	609	15.3	564	14.2
Salem	11,200	190	17.0	151	13.5
Sandusky	24,800	336	13.5	319	12.9
Springfield	70,200	882	12.6	870	12.4
White	61,700	702	11.4	694	11.2
Colored	8,500	180	21.2	176	20.7
Steubenville	32,600	504	15.5	394	12.1
Tiffin	15,800	231	14.6	234	14.8
Toledo	295,200	3,733	12.6	3,520	11.9
Warren	36,100	499	13.8	433	12.0
Youngstown	164,700	1,770	10.7	1,659	10.1
Zanesville	30,600	582	19.0	517	16.9
OKLAHOMA CITIES [2]					
Oklahoma City	(5)	1,186	(5)	1,020	(5)
OREGON CITIES					
Astoria	17,000	147	8.6	113	6.6
Eugene*	11,500	278	24.2	205	17.8
Portland	(5)	3,377	(5)	3,056	(5)
Salem	20,100	303	29.9	167	23.1
State institutions		297		297	
PENNSYLVANIA CITIES					
Allentown	94,600	1,428	15.1	1,432	[6]15.1
Altoona	67,000	880	13.1	892	13.3
Ambridge	17,800	141	7.9	145	8.1
Beaver Falls	13,200	223	16.9	222	16.8
Berwick	14,300	157	11.0	161	11.3
Bethlehem	64,400	537	8.3	540	8.4
Braddock	21,900	330	15.1	317	14.5
Bradford	15,800	241	15.3	260	16.5
Bristol	13,000	123	9.5	128	9.8
Butler	25,500	188	7.4	196	7.7
Canonsburg	14,000	126	9.0	126	9.0
Carbondale	19,700	313	15.9	318	16.1
Carlisle	11,500	200	17.4	200	17.4
Carnegie	12,500	113	9.0	117	9.4
Carrick	13,400	90	6.7	97	7.2
Chambersburg	14,100	223	15.8	227	16.1
Charleroi	12,800	94	7.3	97	7.6
Chester	70,400	810	11.5	815	11.6
White	61,700	604	9.8	609	9.9
Colored	8,700	206	23.7	206	23.7
Coatesville	16,800	129	7.7	133	7.9
White	14,700	109	7.4	111	7.6
Colored	2,100	20	9.5	22	10.5
Columbia	[3] 10,836	159	14.7	161	14.9
Connellsville	14,400	170	11.8	174	12.1
Dickson City	12,200	93	7.6	104	8.5
Donora	17,600	76	4.3	77	4.4
Du Bois	14,400	162	11.3	150	10.4
Dunmore	22,000	271	12.3	285	13.0
Duquesne	21,200	184	8.7	186	8.8
Easton	37,400	645	17.2	638	17.1
Erie	(5)	1,509	(5)	1,524	(5)
Farrell	19,200	131	6.8	145	7.6
Greensburg	16,200	280	17.3	282	17.4
Harrisburg	84,600	1,366	16.1	1,252	14.8
Hazleton	36,800	455	12.4	463	12.6
Homestead	21,600	234	10.8	227	10.5
Jeannette	15,900	128	8.1	131	8.2
Johnstown	72,200	1,034	14.3	954	13.2
Lancaster	57,100	1,006	17.6	1,011	17.7
Lebanon	25,300	394	15.6	399	15.8
McKeesport	49,500	723	14.6	731	14.8
McKees Rocks	18,300	135	7.4	142	7.8
Mahanoy City	[3] 15,599	166	10.6	170	10.9
Meadville	15,800	299	18.9	297	18.8
Monessen	21,800	134	6.1	136	6.2
Mount Carmel	[3] 17,469	183	10.5	188	10.8
Nanticoke	25,100	351	14.0	357	14.2
New Castle	50,700	616	12.1	628	12.4
New Kensington	14,900	206	13.8	208	14.0
Norristown*	35,300	797	22.6	803	22.7
North Braddock	17,000	125	7.4	128	7.5
Oil City	23,600	256	10.8	250	10.6
Old Forge	12,800	115	9.0	117	9.1
Olyphant	11,400	96	8.4	101	8.9
Philadelphia	2,007,700	27,667	13.8	28,132	14.0
White	1,838,600	23,644	12.9	24,072	13.1
Colored	169,100	4,023	23.8	4,060	24.0
Phoenixville	[3] 10,484	178	17.0	180	17.2
Pittsburgh	637,100	9,001	14.1	9,113	14.3
White	590,700	8,023	13.6	8,109	13.7
Colored	46,400	978	21.1	1,004	21.6
Pittston	20,000	195	9.8	222	11.1
Plymouth	[3] 16,500	168	10.2	198	12.0
Pottstown	18,700	274	14.7	280	15.0
Pottsville	23,000	516	22.4	514	22.3
Punxsutawney	11,200	169	15.1	169	15.1
Reading	113,600	1,440	12.7	1,443	[6]12.7
Scranton	143,100	1,885	13.2	1,813	12.7
Shamokin	21,800	222	10.2	231	10.6
Sharon	25,500	369	14.5	358	14.0

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	Total deaths Rate per 1,000 population	Deaths of residents [1] Number	Deaths of residents [1] Rate per 1,000 population
PENNSYLVANIA CITIES—continued					
Shenandoah	[3] 24,726	249	10.1	254	10.3
Steelton	[3] 13,428	161	12.0	191	14.2
White	11,447	113	9.9	133	11.6
Colored	1,981	48	24.2	58	29.3
Sunbury	17,000	198	11.6	200	11.8
Swissvale	13,300	101	7.6	107	8.0
Tamaqua	14,300	119	8.3	119	8.3
Uniontown	[8] 19,192	371	19.3	378	19.7
Warren	15,300	224	14.6	236	15.4
Washington	23,300	421	18.1	423	18.2
West Chester*	[3] 11,717	337	28.8	321	27.4
White	9,879	266	26.9	254	25.7
Colored	1,838	71	38.6	67	36.5
Wilkes-Barre	78,300	1,242	15.9	997	12.7
Wilkinsburg	28,000	359	12.8	362	12.9
Williamsport	43.100	667	15.5	673	15.6
Woodlawn	20,000	137	6.9	138	[6] 6.9
York	49,400	750	15.2	769	15.6
RHODE ISLAND CITIES					
Bristol town	13,000	153	11.8	182	14.0
Central Falls	25,700	287	11.2	311	12.1
Cranston	35,600	305	20.1	302	[6]20.1
State institutions		412		412	
Cumberland town	10,300	117	11.4	135	13.1
East Providence town	27,100	313	11.5	339	12.5
Newport	[7] 27,757	374	13.5	364	13.1
Pawtucket	71,000	869	12.2	908	12.8
Providence	274,800	3,544	12.9	3,249	11.8
Warwick town	19,400	202	10.4	205	10.6
West Warwick town	18,800	198	10.5	194	10.3
Woonsocket	51,100	599	11.7	601	11.8
SOUTH CAROLINA CITIES [9]					
Anderson	11,200	404	36.1	------	------
White	8,400	269	32.0	------	------
Colored	2,800	135	48.2	------	------
Charleston	74,100	1,402	18.9	------	------
White	40,800	463	11.3	------	------
Colored	33,300	939	28.2	------	------
Columbia*	41,800	1,128	27.0	------	------
White	26,900	571	21.2	------	------
Colored	14,900	557	37.4	------	------
Florence	13,600	409	30.1	------	------
White	8,100	162	20.0	------	------
Colored	5,500	247	44.9	------	------
Greenville	28,100	412	14.7	------	------
White	18,600	183	9.8	------	------
Colored	9,500	229	24.1	------	------
Spartanburg	26,100	528	20.2	------	------
White	17,300	278	16.1	------	------
Colored	8,800	250	28.4	------	------
SOUTH DAKOTA CITIES [2]					
Sioux Falls	31,200	311	10.0	257	8.2
TENNESSEE CITIES					
Chattanooga*	72,200	1,907	26.4	1,919	26.6
White	53,300	1,009	18.9	1,022	19.2
Colored	18,900	898	47.5	897	[6]47.5
Jackson	20,100	329	16.4	337	16.8
White	13.700	183	13.4	188	13.7
Colored	6,400	146	22.8	149	23.3
Johnson City*	14,700	327	22.2	327	22.2
White	13,100	291	22.2	291	22.2
Colored	1,600	36	22.5	36	22.5
Knoxville	98,800	1,423	14.4	1,328	13.4
White	86,700	1,062	12.2	977	11.3
Colored	12,100	361	29.8	351	29.0
TENNESSEE CITIES—continued					
Memphis	176,700	3,529	20.0	2,961	16.8
White	113,600	1,737	15.3	1,330	11.7
Colored	63,100	1,792	28.4	1,631	25.8
Nashville	137,000	2,698	19.7	2,376	17.3
White	98,000	1,566	16.0	1,305	13.3
Colored	39,000	1,132	29.0	1,071	27.5
TEXAS CITIES [2]					
Beaumont	52,500	600	11.4	512	9.8
White	35,500	350	9.9	271	7.6
Colored	17,000	250	14.7	241	14.2
Dallas	202,900	2,730	13.5	2,334	11.5
White	176,200	2,104	11.9	1,753	9.9
Colored	26,700	626	23.4	581	21.8
El Paso	109,200	1,762	16.1	1,489	13.6
Fort Worth	159,200	1,551	9.7	1,477	9.3
White	139,900	1,260	9.0	1,188	8.5
Colored	19,300	291	15.1	289	15.0
Galveston	49,100	776	15.8	726	14.8
White	37,900	540	14.2	493	13.0
Colored	11,200	236	21.1	233	20.8
Houston	(5)	2,881	(5)	2,733	(5)
White	(5)	1,929	(5)	1,808	(5)
Colored	(5)	952	(5)	925	(5)
San Antonio	204,700	3,015	14.7	2,848	13.9
White	187,600	2,761	14.7	2,596	13.8
Colored	17,100	254	14.9	252	14.7
Waco	44,800	633	14.1	544	12.1
White	36,400	455	12.5	372	10.2
Colored	8,400	178	21.2	172	20.5
UTAH CITIES					
Ogden	37,600	490	13.0	429	11.4
Provo	11,300	191	16.9	189	16.7
Salt Lake City	133,400	1,703	12.8	1,299	9.7
VERMONT CITIES					
Barre	[3] 10,008	166	16.6	180	18.0
Burlington	24,300	384	15.8	310	12.8
Rutland	15,900	257	16.2	233	14.7
VIRGINIA CITIES					
Alexandria	18,500	287	15.5	288	15.6
White	14,800	194	13.1	187	12.6
Colored	3,700	93	25.1	101	27.3
Charlottesville	11,300	127	11.2	135	11.9
White	8,600	86	10.0	89	10.3
Colored	2,700	41	15.2	46	17.0
Danville	23,200	334	14.4	293	12.6
White	17,900	213	11.9	180	10.1
Colored	5,300	121	22.8	113	21.3
Lynchburg	38,500	628	16.3	540	14.0
White	29,400	379	12.9	310	10.5
Colored	9,100	249	27.4	230	25.3
Newport News	48,800	398	8.2	401	[6] 8.2
White	28,800	157	5.5	158	[6] 5.5
Colored	20,000	241	12.1	243	[6]12.1
Norfolk	174,100	1,867	10.7	1,773	10.2
White	111,100	849	7.6	779	7.0
Colored	63,000	1,018	16.2	994	15.8
Petersburg	36,400	593	16.3	517	14.2
White	21,100	246	11.7	193	9.1
Colored	15,300	347	22.7	324	21.2
Portsmouth	59,900	693	11.6	693	11.2
White	32,500	261	8.0	267	8.2
Colored	27,400	432	15.8	426	15.5
Richmond	189,100	3,035	16.0	2,778	14.7
White	133,700	1,711	12.8	1,509	11.3
Colored	55,400	1,324	23.9	1,269	22.9
Roanoke	61,900	965	15.6	846	13.7
White	51,300	719	14.0	607	11.8
Colored	10,600	246	23.2	239	22.5
Staunton *	10,600	309	29.2	310	[6]29.2
White	9,300	272	29.2	273	29.4
Colored	1,300	37	28.5	37	28.5
WASHINGTON CITIES					
Aberdeen	16,300	235	14.4	191	11.7
Bellingham	26,300	368	14.0	312	11.9
Everett	29,600	380	12.8	321	10.8
Hoquiam	11,300	108	9.6	123	10.9
Seattle	(5)	3,564	(5)	3,350	(5)
White	(5)	3,392	(5)	3,178	(5)
Colored	(5)	172	(5)	172	(5)
Spokane	109,000	1,514	13.9	1,258	11.5
Tacoma	105,800	1,284	12.1	1,129	10.7
Vancouver	14,900	159	10.7	152	10.2
Walla Walla	[3] 15,503	233	15.0	197	12.7
Yakima	23,100	350	15.2	257	11.1
WEST VIRGINIA CITIES					
Bluefield	19,800	281	14.2	211	10.7
White	14,900	214	14.4	157	10.5
Colored	4,900	67	13.7	54	11.0
Charleston	50,700	851	16.8	578	11.4
White	45,200	712	15.8	465	10.3
Colored	5,500	139	25.3	113	20.5
Clarksburg	30,900	380	12.3	299	9.7
Fairmont	21,500	332	15.4	285	13.3
Huntington *	65,100	906	13.9	843	12.9
Martinsburg	13,700	231	16.9	223	16.3
Morgantown	14,100	224	15.9	207	14.7
Moundsville	11,800	156	13.2	158	13.4
Parkersburg	21,500	409	19.0	364	16.9
Wheeling *	[3] 56,208	948	16.9	778	13.8
WISCONSIN CITIES					
Appleton	21,400	300	14.0	244	11.4
Ashland *	[3] 11,334	218	19.2	140	12.4
Beloit	25,400	268	10.6	267	10.5
Eau Claire *	22,600	372	16.5	268	11.9
Fond du Lac	26,500	394	14.9	335	12.6
Green Bay	34,900	600	17.2	442	12.7
Janesville	21,200	254	12.0	225	10.6
Kenosha	52,700	416	7.9	409	7.8
La Crosse *	30,400	615	20.2	413	13.6
Madison	47,600	746	15.7	529	11.1
Manitowoc	22,600	266	11.8	242	10.7
Marinette	[3] 13,610	183	13.4	162	11.9
Milwaukee	517,100	5,730	11.1	5,560	10.8
Oshkosh	33,200	496	14.9	434	13.1
Racine	69,400	660	9.5	643	9.3
Sheboygan	34,000	365	10.7	357	10.5
Stevens Point	13,200	172	13.0	171	[6]13.0
Superior	[3] 39,671	417	10.5	392	9.9
Waukesha	15,100	205	13.6	196	13.0
Wausau	20,300	278	13.7	227	11.2
West Allis	19,200	154	8.0	200	10.4
WYOMING CITIES					
Casper	(5)	191	(5)	184	(5)
Cheyenne	15,700	147	9.4	153	9.7
ALABAMA COUNTIES (RURAL) [11]					
Autauga	[3] 18,908	215	11.4	225	11.9
White	8,212	68	8.3	76	9.3
Colored	10,696	147	13.7	149	13.9
Baldwin	22,400	259	11.6	286	12.8
White	17,900	177	9.9	201	11.2
Colored	4,500	82	18.2	85	18.9
Barbour	[3] 32,067	403	12.6	389	12.1
White	12,646	177	14.0	165	13.0
Colored	19,421	226	11.6	224	11.5
Bibb	23,400	198	8.5	223	9.5
White	15,500	123	7.9	145	9.2
Colored	7,900	75	9.5	78	9.9
Blount	28,300	160	5.7	176	6.2
Bullock	[3] 25,333	290	11.4	299	11.8
White	4,682	52	11.1	56	12.0
Colored	20,651	238	11.5	243	11.8
Butler	29,900	375	12.5	386	12.9
White	15,800	164	10.4	176	11.1
Colored	14,100	211	15.0	210	14.9

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	Total deaths Rate per 1,000 population	Deaths of residents [1] Number	Deaths of residents [1] Rate per 1,000 population
ALABAMA COUNTIES (RURAL)—continued					
Calhoun	32,700	343	10.5	359	11.0
White	26,300	284	10.8	294	11.2
Colored	6,400	59	9.2	65	10.2
Chambers	44,600	462	10.4	461	10.3
White	24,200	229	9.5	232	9.6
Colored	20,400	233	11.4	229	11.2
Cherokee	21,300	168	7.9	169	[6] 7.9
Chilton	[3] 22,770	226	9.9	241	10.6
White	18,807	168	8.9	179	9.5
Colored	3,963	58	14.6	62	15.6
Choctaw	22,300	181	8.1	189	8.5
White	10,900	78	7.2	81	7.4
Colored	11,400	103	9.0	108	9.5
Clarke	[3] 26,409	260	9.8	269	10.2
White	12,502	107	8.6	113	9.0
Colored	13,907	153	11.0	156	11.2
Clay	23,700	156	6.6	158	6.7
White	20,200	128	6.3	130	6.4
Colored	3,500	28	8.0	28	8.0
Cleburne	[3] 13,360	90	6.7	89	[6] 6.7
Coffee	32,700	258	7.9	267	8.2
White	26,100	190	7.3	198	7.6
Colored	6,600	68	10.3	69	10.5
Colbert	36,300	325	8.8	332	9.0
White	24,500	191	7.8	196	8.0
Colored	12,300	134	10.9	136	11.1
Conecuh	26,700	286	10.7	297	11.1
White	14,900	128	8.6	136	9.1
Colored	11,800	158	13.4	161	13.6
Coosa	[3] 14,339	115	7.7	119	8.0
White	9,033	63	7.0	68	7.5
Colored	5,306	52	9.0	51	8.8
Covington	42,100	406	9.6	413	9.8
White	34,200	311	9.1	318	9.3
Colored	7,900	95	12.0	95	12.0
Crenshaw	[3] 23,017	215	9.3	234	10.2
White	15,901	133	8.4	147	9.2
Colored	7,116	82	11.5	87	12.2
Cullman	36,200	294	8.1	303	8.4
Dale	23,400	214	9.1	229	9.8
White	18,900	150	7.9	164	8.7
Colored	4,500	64	14.2	65	14.4
Dallas	38,400	400	10.4	446	11.6
White	5,500	39	7.1	62	11.3
Colored	32,900	361	11.0	384	11.7
De Kalb	38,600	232	6.0	241	6.2
Elmore	[3] 28,085	350	12.5	387	13.8
White	16,141	154	9.5	187	11.6
Colored	11,944	196	16.4	200	16.7
Escambia	24,900	255	10.2	258	10.4
White	17,700	161	9.1	164	9.3
Colored	7,200	94	13.1	94	13.1
Etowah	32,600	263	8.1	285	8.7
White	30,000	219	7.3	236	7.9
Colored	2,600	44	16.9	49	18.8
Fayette	19,800	105	5.3	118	6.0
White	16,900	84	5.0	97	5.7
Colored	2,900	21	7.2	21	7.2
Franklin	23,800	208	8.7	210	8.8
Geneva	31,400	227	7.2	244	7.8
White	26,900	189	7.0	203	7.5
Colored	4,500	38	8.4	41	9.1
Greene	[3] 18,133	263	14.5	264	14.6
White	3,090	31	10.0	31	10.0
Colored	15,043	232	15.4	233	15.5
Hale	[3] 24,289	330	13.6	336	13.8
White	6,392	61	9.5	64	10.0
Colored	17,897	269	15.0	272	15.2
Henry	22,000	223	10.1	241	11.0
White	11,300	97	8.6	112	9.9
Colored	10,700	126	11.8	129	12.1
Houston	25,700	234	9.1	255	9.9
White	20,800	172	8.3	188	9.0
Colored	4,900	62	12.7	67	13.7
Jackson	37,800	277	7.3	283	7.5
ALABAMA COUNTIES (RURAL)—continued					
Jefferson	132,800	1,690	12.7	1,837	13.8
White	71,300	765	10.7	853	12.0
Colored	61,500	925	15.0	984	16.0
Lamar	18,600	136	7.3	141	7.6
White	16,000	110	6.9	115	7.2
Colored	2,600	26	10.0	26	10.0
Lauderdale	32,200	212	6.6	228	7.1
White	26,100	178	6.8	190	7.3
Colored	6,100	34	5.6	38	6.2
Lawrence	25,900	227	8.8	232	9.0
White	19,300	136	7.0	139	7.2
Colored	6,600	91	13.8	93	14.1
Lee	[3] 32,821	449	13.7	463	14.1
White	14,037	182	13.0	194	13.8
Colored	18,784	267	14.2	269	14.3
Limestone	24,300	246	10.1	255	10.3
White	25,100	237	9.4	245	9.8
Colored	9,200	109	11.8	110	12.0
Lowndes	[3] 25,406	289	11.4	305	12.0
White	3,390	27	8.0	36	10.6
Colored	22,016	262	11.9	269	12.2
Macon*	[3] 23,561	512	21.7	502	21.3
White	3,947	64	16.2	65	16.5
Colored	19,614	448	22.8	437	22.3
Madison	54,100	907	16.8	910	[6] 16.8
White	37,600	526	14.0	527	[6] 14.0
Colored	16,500	381	23.1	383	23.2
Marengo	[3] 36,065	407	11.3	414	11.5
White	9,953	83	8.3	84	8.4
Colored	26,112	324	12.4	330	12.6
Marion	25,000	134	5.4	144	5.8
Marshall	35,400	252	7.1	266	7.5
Mobile	46,200	647	14.0	703	15.2
White	27,700	243	8.8	287	10.4
Colored	18,500	404	21.8	416	22.5
Monroe	30,000	282	9.4	296	9.9
White	14,100	120	8.5	132	9.4
Colored	15,900	162	10.2	164	10.3
Montgomery	[3] 33,853	370	10.9	390	11.5
White	5,482	78	14.2	92	16.8
Colored	28,371	292	10.3	298	10.5
Morgan	44,500	495	11.1	484	10.9
White	37,100	347	9.4	341	9.2
Colored	7,400	148	20.0	143	19.3
Perry	[3] 25,373	301	11.9	322	12.7
White	7,114	61	8.6	72	10.1
Colored	18,259	240	13.1	250	13.7
Pickens	25,600	287	11.2	291	11.4
White	13,600	128	9.4	129	9.5
Colored	12,000	159	13.3	162	13.5
Pike	32,200	366	11.4	365	11.3
White	17,100	174	10.2	173	10.1
Colored	15,100	192	12.7	192	12.7
Randolph	28,700	222	7.7	232	8.1
White	22,600	139	6.2	146	6.5
Colored	6,100	83	13.6	86	14.1
Russell	28,500	342	12.0	351	12.3
White	7,000	69	9.9	74	10.6
Colored	21,500	273	12.7	277	12.9
St. Clair	25,200	269	10.7	285	11.3
White	20,200	203	10.0	214	10.6
Colored	5,000	66	13.2	71	14.2
Shelby	27,200	264	9.7	290	10.7
White	20,500	154	7.5	176	8.6
Colored	6,700	110	16.4	114	17.0
Sumter	[3] 25,569	336	13.1	341	13.3
White	5,738	56	9.8	62	10.8
Colored	19,831	280	14.1	279	[6] 14.1
Talladega	43,100	496	11.5	502	11.6
White	26,200	385	14.7	388	14.8
Colored	16,900	111	6.6	114	6.7
Tallapoosa	[3] 29,744	353	11.9	346	11.6
White	19,674	219	11.1	213	10.8
Colored	10,070	134	13.3	133	13.2
ALABAMA COUNTIES (RURAL)—continued					
Tuscaloosa	44,500	354	8.0	379	8.5
White	28,600	195	6.8	213	7.4
Colored	15,900	159	10.0	166	10.4
Walker	59,700	533	8.9	562	9.4
White	50,400	426	8.5	448	8.9
Colored	9,300	107	11.5	114	12.3
Washington	[3] 14,279	138	9.7	141	9.9
White	8,413	60	7.1	61	7.3
Colored	5,866	78	13.3	80	13.6
Wilcox	[3] 31,080	338	10.9	360	11.6
White	6,068	60	9.9	69	11.4
Colored	25,012	278	11.1	291	11.6
Winston	15,400	108	7.0	117	7.6
ARIZONA COUNTIES (RURAL) [11]					
Apache	15,900	75	4.7	76	4.8
White	6,800	32	4.7	34	5.0
Colored	9,100	43	4.7	42	4.6
Cochise	54,400	493	9.1	486	8.9
Coconino	11,200	142	12.7	139	12.4
White	8,000	117	14.6	113	14.1
Colored	3,200	25	7.8	26	8.1
Gila	31,900	487	15.3	486	15.2
Graham	[12]	85	[12]	87	[12]
Greenlee	[12]	91	[12]	94	[12]
Maricopa	84,400	586	6.9	680	8.1
Mohave	6,300	92	14.6	80	12.7
White	5,400	69	12.8	58	10.7
Colored	900	23	25.6	22	24.4
Navajo	19,200	186	9.7	184	9.6
White	9,900	64	6.5	63	6.4
Colored	9,300	122	13.1	121	13.0
Pima	15,100	119	7.9	154	10.2
White	10,100	52	5.1	81	8.0
Colored	5,000	67	13.4	73	14.6
Pinal	20,900	285	13.6	291	13.9
White	17,600	198	11.3	199	11.3
Colored	3,300	87	26.4	92	27.9
Santa Cruz	16,700	101	6.0	101	6.0
White	11,100	91	8.2	91	8.2
Colored	5,600	10	1.8	10	1.8
Yavapai*	29,400	446	15.2	436	14.8
Yuma	19,700	247	12.5	242	12.3
CALIFORNIA COUNTIES (RURAL) [11]					
Alameda*	49,100	1,138	23.2	1,152	23.5
Alpine	[3] 243	1	4.1	1	4.1
White	141	1	7.1	1	7.1
Colored	102				
Amador	[3] 7,793	96	12.3	109	14.0
Butte	31,900	475	14.9	470	14.7
Calaveras	[3] 6,183	77	12.5	85	13.7
Colusa	10,300	116	11.3	125	12.1
Contra Costa	45,200	421	9.3	454	10.0
Del Norte	3,000	42	14.0	40	13.3
White	2,300	37	16.1	35	15.2
Colored	700	5	7.1	5	7.1
Eldorado	[3] 6,426	118	18.4	123	19.1
Fresno	104,100	987	9.5	996	9.6
Glenn	15,000	108	7.2	109	7.3
Humboldt	26,200	178	6.8	178	6.8
Imperial	63,400	558	8.8	572	9.0
White	55,300	503	9.1	517	9.3
Colored	8,100	55	6.8	55	6.8
Inyo	7,100	68	9.6	66	9.3
White	6,400	58	9.1	56	8.8
Colored	700	10	14.3	10	14.3
Kern	40,700	490	12.0	498	12.2
Kings	25,900	236	9.1	239	9.2
Lake	[3] 5,402	39	7.2	41	7.6
Lassen	11,000	120	10.9	117	10.6
Los Angeles	[5]	5,213	[4]	5,273	[5]
Madera	14,800	190	12.8	178	12.0
Marin	28,800	361	12.5	365	12.7
Mariposa	[3] 2,775	45	16.2	45	16.2
Mendocino	24,200	348	14.4	356	14.7

See footnotes at end of table.

TABLE I. B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926			
		Total deaths		Deaths of residents [1]	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
CALIFORNIA COUNTIES (RURAL)—con.					
Merced	30,900	285	9.2	294	9.5
Modoc	[3] 5,425	50	9.2	53	9.8
Mono	[3] 960	3	3.1	4	4.2
White	694	2	2.9	3	4.3
Colored	266	1	3.8	1	3.8
Monterey	30,500	406	13.3	407	13.3
Napa *	21,300	591	27.7	589	[6] 27.7
Nevada	[3] 10,850	170	15.7	184	17.0
Orange	58,800	744	12.7	747	[6] 12.7
Placer	18,800	396	21.1	296	15.7
White	16,300	363	22.3	271	16.6
Colored	2,500	33	13.2	25	10.0
Plumas	6,000	83	13.8	90	15.0
Riverside	38,600	459	11.9	503	13.0
Sacramento	33,200	249	7.5	297	8.9
White	25,800	198	7.7	229	8.9
Colored	7,400	51	6.9	68	9.2
San Benito	9,600	137	14.3	137	14.3
San Bernardino *	61,000	1,043	17.1	1,065	17.5
San Diego	35,700	504	14.1	515	14.4
San Joaquin	50,800	1,010	19.9	1,014	20.0
White	44,700	899	20.1	902	20.2
Colored	6,100	111	18.2	112	18.4
San Luis Obispo	23,600	336	14.2	338	14.3
San Mateo	43,600	583	13.4	599	13.7
Santa Barbara	25,200	254	10.1	261	10.4
Santa Clara *	67,900	1,287	19.0	1,264	18.6
Santa Cruz	15,500	221	14.3	232	15.0
Shasta	[3] 13,361	174	13.0	180	13.5
Sierra	[3] 1,783	28	15.7	29	16.3
Siskiyou	[3] 18,545	253	13.6	266	14.3
Solano	21,700	150	6.9	153	7.1
Sonoma	54,600	811	14.9	816	[5] 14.9
Stanislaus	57,600	513	8.9	511	[6] 8.9
Sutter	12,700	120	9.4	134	10.6
Tehama	13,900	142	10.2	150	10.8
Trinity	[3] 2,551	33	12.9	37	14.5
Tulare	74,800	643	8.6	646	[6] 8.6
Tuolumne	[3] 7,768	141	18.2	141	18.2
Ventura	35,700	520	14.6	526	14.7
Yolo	19,200	243	12.7	241	12.6
Yuba	10,600	180	17.0	193	18.2
COLORADO COUNTIES (RURAL) [11]					
Adams *	18,100	333	18.4	349	19.3
Alamosa	(12)	126	(12)	126	(12)
Arapahoe	16,100	184	11.4	199	12.4
Archuleta	3,800	28	7.4	28	7.4
Baca	12,900	20	1.6	25	1.9
Bent *	12,800	120	9.4	120	9.4
Boulder	20,900	257	12.3	281	13.4
Chaffee *	7,800	148	19.0	149	19.1
Cheyenne	3,800	21	5.5	26	6.8
Clear Creek	[3] 2,891	43	14.9	51	17.6
Conejos	(12)	20	(12)	21	(12)
Costilla	(12)	2	(12)	2	(12)
Crowley	(12)	58	(12)	60	(12)
Custer	2,300	16	7.0	16	7.0
Delta	[3] 13,668	172	12.6	176	12.9
Dolores	1,600	15	9.4	15	9.4
Douglas	3,700	16	4.3	24	6.5
Eagle	3,700	21	5.7	23	6.2
Elbert	8,100	201	24.8	213	26.3
El Paso *	14,400	29	2.0	41	2.8
Fremont	[3] 17,883	271	15.2	277	15.5
Garfield	[3] 9,304	96	10.3	97	10.4
Gilpin	[3] 1,364	27	19.8	29	21.3
Grand	3,200	28	8.8	38	11.9
Gunnison	[3] 5,590	63	11.3	66	11.8
Hinsdale	[3] 538	6	11.2	6	11.2
Huerfano	19,300	227	11.8	234	12.1
Jackson	1,600	4	2.5	4	2.5
Jefferson *	14,500	249	17.2	284	19.6
Kiowa	4,300	7	1.6	10	2.3
COLORADO COUNTIES (RURAL)—continued					
Kit Carson	9,900	54	5.5	67	6.8
Lake	[3] 6,630	171	25.8	169	25.5
La Plata	11,500	182	15.8	183	15.9
Larimer	29,600	316	10.7	329	11.1
Las Animas	31,500	312	9.9	328	10.4
Lincoln	9,800	48	4.9	59	6.0
Logan	24,400	148	6.1	157	6.4
Mesa	22,300	294	13.2	300	13.5
Mineral	779	9	11.6	10	12.8
Moffat	(12)	31	(12)	31	(12)
Montezuma	7,100	99	13.9	100	14.1
Montrose	12,900	111	8.6	116	9.0
Morgan	20,500	164	8.0	167	8.1
Otero	(12)	286	(12)	294	(12)
Ouray	[3] 2,620	25	9.5	25	9.5
Park	[3] 1,977	12	6.1	13	6.6
Phillips	7,100	56	7.9	59	8.3
Pitkin	[3] 2,707	27	10.0	28	10.3
Prowers	16,707	128	7.7	129	[6] 7.7
Pueblo*	17,400	425	24.4	447	25.7
Rio Blanco	3,700	10	2.7	10	2.7
Rio Grande	8,700	128	14.7	133	15.3
Routt	(12)	99	(12)	102	(12)
Saguache	5,000	28	5.6	28	5.6
San Juan	[3] 1,700	19	11.2	19	11.2
San Miguel	5,700	55	9.6	56	9.8
Sedgwick	5,000	39	7.8	43	8.6
Summit	[3] 1,724	27	15.7	31	18.0
Teller	[3] 6,696	65	9.7	69	10.3
Washington	14,700	51	3.5	55	3.7
Weld	51,200	336	6.6	417	8.1
Yuma	17,500	96	5.5	100	5.7
CONNECTICUT COUNTIES (RURAL) [11]					
Fairfield	(5)	605	(5)	676	(5)
Hartford	85,700	880	10.3	1,130	13.2
Litchfield	53,800	634	11.8	697	13.0
Middlesex	25,700	271	10.5	388	15.1
New Haven	49,200	482	9.8	625	12.7
New London	42,200	646	15.3	733	17.4
Tolland	27,700	320	11.6	353	12.7
Windham	41,200	508	12.3	557	13.5
DELAWARE COUNTIES (RURAL) [11]					
Kent	[3] 31,023	488	15.7	496	16.0
White	24,269	359	14.8	366	15.1
Colored	6,754	129	19.1	130	19.2
New Castle *	40,800	724	17.7	691	16.9
White	35,900	556	15.5	537	15.0
Colored	4,900	168	34.3	154	31.4
Sussex	[3] 43,741	620	14.2	643	14.7
White	36,479	478	13.1	498	13.7
Colored	7,262	142	19.6	145	20.0
FLORIDA COUNTIES (RURAL) [11]					
Alachua	(12)	427	(12)	421	(12)
White	(12)	188	(12)	186	(12)
Colored	(12)	239	(12)	235	(12)
Baker	[7] 5,561	53	9.5	63	11.3
White	4,108	31	7.5	40	9.7
Colored	1,453	22	15.1	23	15.8
Bay	12,000	123	10.3	129	10.7
White	8,800	87	9.9	91	10.3
Colored	3,200	36	11.3	38	11.9
Bradford	(12)	88	(12)	94	(12)
White	(12)	62	(12)	68	(12)
Colored	(12)	26	(12)	26	(12)
Brevard	14,000	210	15.0	221	15.8
White	9,200	113	12.3	120	13.0
Colored	4,800	97	20.2	101	21.0
Broward	16,700	425	25.4	326	19.5
White	11,000	276	25.1	193	17.5
Colored	5,700	149	26.1	133	23.3
FLORIDA COUNTIES (RURAL)—continued					
Calhoun	(12)	58	(12)	66	(12)
White	(12)	47	(12)	54	(12)
Colored	(12)	11	(12)	12	(12)
Charlotte	(12)	51	(12)	56	(12)
White	(12)	34	(12)	40	(12)
Colored	(12)	17	(12)	16	(12)
Citrus	5,400	57	10.6	60	11.1
White	3,500	33	9.4	32	9.1
Colored	1,900	24	12.6	28	14.7
Clay	[7] 4,855	82	16.9	87	17.9
White	3,555	56	15.8	61	17.2
Colored	1,300	26	20.0	26	20.0
Collier	(12)	13	(12)	14	(12)
White	(12)	13	(12)	14	(12)
Colored	(12)				
Columbia	15,900	225	14.2	230	14.5
White	8,800	122	13.9	121	13.8
Colored	7,100	103	14.5	109	15.4
Dade	(5)	336	(5)	434	(5)
White	(5)	264	(5)	321	(5)
Colored	(5)	72	(5)	103	(5)
De Soto	(12)	145	(12)	118	(12)
White	(12)	103	(12)	82	(12)
Colored	(12)	42	(12)	36	(12)
Dixie	(12)	22	(12)	23	(12)
White	(12)	14	(12)	15	(12)
Colored	(12)	8	(12)	8	(12)
Duval	19,500	317	16.3	380	19.5
White	13,000	194	14.9	238	18.3
Colored	6,500	123	18.9	142	21.8
Escambia	[7] 18,152	164	9.0	167	9.2
White	14,027	111	7.9	114	8.1
Colored	4,125	53	12.8	53	12.8
Flagler	[7] 2,203	19	8.6	19	8.6
White	1,408	7	5.0	8	5.7
Colored	795	12	15.1	11	13.8
Franklin	[7] 5,239	63	12.0	66	12.6
White	3,050	29	9.5	31	10.2
Colored	2,189	34	15.5	35	16.0
Gadsden *	25,300	724	28.6	710	28.1
White	10,800	322	29.8	312	28.9
Colored	14,500	402	27.7	398	27.4
Gilchrist	(12)	27	(12)	25	(12)
White	(12)	23	(12)	22	(12)
Colored	(12)	4	(12)	3	(12)
Glades	(12)	128	(12)	130	(12)
White	(12)	93	(12)	97	(12)
Colored	(12)	35	(12)	33	(12)
Gulf	(12)	32	(12)	32	(12)
White	(12)	21	(12)	21	(12)
Colored	(12)	11	(12)	11	(12)
Hamilton	9,900	104	10.5	107	10.8
White	5,700	51	8.9	53	9.3
Colored	4,200	53	12.6	54	12.9
Hardee	(12)	109	(12)	126	(12)
White	(12)	94	(12)	108	(12)
Colored	(12)	15	(12)	18	(12)
Hendry	(12)	18	(12)	20	(12)
White	(12)	15	(12)	16	(12)
Colored	(12)	3	(12)	4	(12)
Hernando	4,800	67	14.0	71	14.8
White	3,500	46	13.1	48	13.7
Colored	1,300	21	16.2	23	17.7
Highlands	(12)	95	(12)	100	(12)
White	(12)	62	(12)	65	(12)
Colored	(12)	33	(12)	35	(12)
Hillsborough	43,300	476	11.0	464	10.7
White	36,300	339	9.3	331	9.1
Colored	7,000	137	19.6	133	19.0
Holmes	[7] 12,422	77	6.2	83	6.7
Indian River	(12)	66	(12)	62	(12)
White	(12)	35	(12)	32	(12)
Colored	(12)	31	(12)	30	(12)

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	1926 Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
FLORIDA COUNTIES (RURAL)—continued					
Jackson	33,600	306	9.1	316	9.4
White	19,200	167	8.7	177	9.2
Colored	14,400	139	9.7	139	9.7
Jefferson	[7] 13,827	196	14.2	199	14.4
White	4,076	45	11.0	45	11.0
Colored	9,751	151	15.5	154	15.8
Lafayette	(12)	22	(12)	20	(12
White	(12)	19	(12)	17	(12)
Colored	(12)	3	(12)	3	(12)
Lake	20,500	262	12.8	274	13.4
White	15,400	164	10.6	176	11.4
Colored	5,100	98	19.2	98	19.2
Lee	(12)	187	(12)	166	(12)
White	(12)	131	(12)	117	(12)
Colored	(12)	56	(12)	49	(12)
Leon	20,600	232	11.3	[6] 233	[6] 11.3
White	[7] 7,600	74	9.7	71	9.3
Colored	13,000	158	12.2	162	12.5
Levy	10,800	118	10.9	127	11.8
White	6,800	59	8.7	64	9.4
Colored	4,000	59	14.8	63	15.8
Liberty	[7] 4,849	30	6.2	41	8.5
White	2,925	16	5.5	19	6.5
Colored	1,924	14	7.3	22	11.4
Madison	[7] 15,549	197	12.7	199	12.8
White	7,273	88	12.1	87	12.0
Colored	8,276	109	13.2	112	13.5
Manatee	(12)	317	(12)	307	(12)
White	(12)	205	(12)	196	(12)
Colored	(12)	112	(12)	111	(12)
Marion	28,000	456	16.3	439	15.7
White	14,600	206	14.1	197	13.5
Colored	13,400	250	18.7	242	18.1
Martin	(12)	69	(12)	67	(12)
White	(12)	39	(12)	38	(12)
Colored	(12)	30	(12)	29	(12)
Monroe	[7] 559	1	1.8	6	10.7
White	410	1	2.4	4	9.8
Colored	149	----	----	2	13.4
Nassau	[7] 9,643	95	9.9	107	11.1
White	5,374	31	5.8	38	7.1
Colored	4,269	64	15.0	69	16.2
Okaloosa	9,900	91	9.2	92	9.3
White	9,000	78	8.7	79	8.8
Colored	900	13	14.4	13	14.4
Okeechobee	4,700	14	3.0	18	3.8
White	3,200	9	2.8	12	3.8
Colored	1,500	5	3.3	6	4.0
Orange	43,300	812	18.8	649	15.0
White	32,700	588	18.0	424	13.0
Colored	10,600	224	21.1	225	21.2
Osceola	11,700	150	12.8	169	14.4
White	8,400	120	14.3	136	16.2
Colored	3,300	30	9.1	33	10.0
Palm Beach	(12)	738	(12)	716	(12)
White	(12)	423	(12)	404	(12)
Colored	(12)	315	(12)	312	(12)
Pasco	12,300	157	12.8	157	12.8
White	9,700	120	12.4	118	12.2
Colored	2,600	37	14.2	39	15.0
Pinellas	12,200	232	19.0	215	17.6
White	4,800	169	35.2	151	31.5
Colored	7,400	63	8.5	64	8.6
Polk	70,700	935	13.2	898	12.7
White	54,700	676	12.4	636	11.6
Colored	16,000	259	16.2	[4] 262	16.4
Putnam	17,700	270	15.3	239	13.5
White	9,700	133	13.7	131	13.5
Colored	8,000	137	17.1	108	13.5
St. Johns	17,300	308	17.8	265	15.3
White	10,100	190	18.8	160	15.8
Colored	7,200	118	16.4	105	14.6
FLORIDA COUNTIES (RURAL)—continued					
St. Lucie	(12)	103	(12)	101	(12)
White	(12)	71	(12)	71	(12)
Colored	(12)	32	(12)	30	(12)
Santa Rosa	14,800	114	7.7	117	7.9
White	12,100	89	7.4	91	7.5
Colored	2,700	25	9.3	26	9.6
Sarasota	(12)	197	(12)	129	(12)
White	(12)	130	(12)	81	(12)
Colored	(12)	67	(12)	48	(12)
Seminole	15,700	257	16.4	249	15.9
White	9,100	113	12.4	112	12.3
Colored	6,600	144	21.8	137	20.8
Sumter	7,900	125	15.8	132	16.7
White	5,700	85	14.9	89	15.6
Colored	2,200	40	18.2	43	19.5
Suwannee	[7] 16,205	186	11.5	196	12.1
White	10,046	107	10.7	113	11.2
Colored	6,159	79	12.8	83	13.5
Taylor	13,600	113	8.3	115	8.5
White	7,900	64	8.1	66	8.4
Colored	5,700	49	8.6	49	8.6
Union	(12)	66	(12)	67	(12)
White	(12)	42	(12)	43	(12)
Colored	(12)	24	(12)	24	(12)
Volusia	44,700	577	12.9	543	12.1
White	29,600	415	14.0	383	12.9
Colored	15,100	162	10.7	160	10.6
Wakulla	6,000	41	6.8	42	7.0
White	3,300	21	6.4	23	7.0
Colored	2,700	20	7.4	19	7.0
Walton	14,100	114	8.1	122	8.7
White	11,400	79	6.9	87	7.6
Colored	2,700	35	13.0	35	13.0
Washington	[7] 10,420	100	9.6	103	9.9
White	8,092	56	6.9	56	6.9
Colored	2,328	44	18.9	47	20.2
IDAHO COUNTIES (RURAL) [11]					
Ada	16,100	84	5.2	119	7.4
Adams	(12)	20	(12)	26	(12)
Bannock	(12)	95	(12)	108	(12)
Bear Lake	9,500	46	4.8	47	4.9
Benewah	(12)	61	(12)	66	(12)
Bingham	(12)	185	(12)	209	(12)
Blaine	(12)	44	(12)	47	(12)
Boise	(12)	8	(12)	12	(12)
Bonner	(12)	157	(12)	167	(12)
Bonneville	(12)	202	(12)	154	(12)
Boundary	(12)	46	(12)	47	(12)
Butte	(12)	10	(12)	11	(12)
Camas	(12)	4	(12)	6	(12)
Canyon	(12)	236	(12)	237	(12)
Caribou	(12)	31	(12)	24	(12)
Cassia	(12)	79	(12)	83	(12)
Clark	(12)	8	(12)	10	(12)
Clearwater	(12)	94	(12)	92	(12)
Custer	3,900	34	8.7	39	10.0
Elmore	5,300	33	6.2	41	7.7
Franklin	(12)	65	(12)	67	(12)
Fremont	(12)	62	(12)	79	(12)
Gem	(12)	55	(12)	60	(12)
Gooding	(12)	40	(12)	42	(12)
Idaho	(12)	83	(12)	87	(12)
Jefferson	(12)	41	(12)	57	(12)
Jerome	(12)	13	(12)	21	(12)
Kootenai	(12)	182	(12)	200	(12)
Latah	[3] 18,092	171	9.5	185	10.2
Lemhi	5,400	50	9.3	53	9.8
Lewis	(12)	48	(12)	49	(12)
Lincoln	(12)	16	(12)	19	(12)
Madison	(12)	75	(12)	75	(12)
Minidoka	(12)	58	(12)	63	(12)
IDAHO COUNTIES (RURAL)—continued					
Nez Perce	(12)	194	(12)	166	(12)
Oneida	(12)	42	(12)	49	(12)
Owyhee	5,100	17	3.3	24	4.7
Payette	(12)	51	(12)	63	(12)
Power	(12)	49	(12)	58	(12)
Shoshone	14,400	188	13.1	196	13.6
Teton	(12)	20	(12)	26	(12)
Twin Falls	38,300	244	6.4	237	6.2
Valley	(12)	22	(12)	26	(12)
Washington	(12)	74	(12)	83	(11)
ILLINOIS COUNTIES (RURAL) [11]					
Adams	[3] 22,988	319	13.9	367	16.0
Alexander	9,200	137	14.9	142	15.4
White	8,400	84	10.0	90	10.7
Colored	800	53	66.3	52	65.0
Bond	[3] 16,045	153	9.5	172	10.7
Boone	[3] 15,322	208	13.6	205	13.4
Brown	[3] 9,336	110	11.8	117	12.5
Bureau	[3] 42,648	425	10.0	439	10.3
Calhoun	[3] 8,245	63	7.6	67	8.1
Carroll	20,200	170	8.4	191	9.5
Cass	18,200	168	9.2	211	11.6
Champaign	30,400	297	9.8	310	10.2
Christian	41,000	503	12.3	494	12.0
Clark	[3] 21,165	205	9.7	228	10.8
Clay	[3] 17,684	185	10.5	190	10.7
Clinton	23,000	245	10.7	247	[6] 10.7
Coles	20,500	285	13.9	288	14.0
Cook *	190,500	3,632	19.1	3,604	18.9
Crawford	[3] 22,771	229	10.1	230	[6] 10.1
Cumberland	[3] 12,858	120	9.3	129	10.0
De Kalb	[3] 31,339	366	11.7	356	11.4
De Witt	19,500	207	10.6	217	11.1
Douglas	19,600	188	9.6	199	10.2
Du Page	47,900	663	13.8	689	14.4
Edgar	[3] 25,769	319	12.4	325	12.6
Edwards	[3] 9,431	116	12.3	123	13.0
Effingham	[3] 19,556	265	13.6	245	12.5
Fayette	[3] 26,187	303	11.6	304	[6] 11.6
Ford	[3] 16,466	193	11.7	211	12.8
Franklin	78,300	643	8.2	672	8.6
Fulton	[3] 37,163	337	9.1	390	10.5
Gallatin	[3] 12,856	136	10.6	136	10.6
Greene	23,200	240	10.3	261	11.3
Grundy	[3] 18,580	197	10.6	203	10.9
Hamilton	[3] 15,920	161	10.1	166	10.4
Hancock	[3] 28,523	276	9.7	304	10.7
Hardin	7,900	56	7.1	55	7.0
Henderson	9,800	77	7.9	84	8.6
Henry	27,400	262	9.6	297	10.8
Iroquois	[3] 34,841	359	10.3	372	10.7
Jackson	25,500	322	12.6	326	12.8
Jasper	[3] 16,064	135	8.4	151	9.4
Jefferson	[3] 28,480	365	12.8	361	12.7
Jersey	[3] 12,682	141	11.1	143	11.3
Jo Daviess	[3] 21,917	223	10.2	261	11.9
Johnson	[3] 12,022	135	11.2	141	11.7
Kane	25,000	463	18.5	479	19.2
Kankakee *	28,900	593	20.5	624	21.6
Kendall	[3] 10,074	115	11.4	134	13.3
Knox	22,100	239	10.8	277	12.5
Lake	64,900	636	9.8	655	10.1
La Salle	53,300	510	9.6	552	10.4
Lawrence	[3] 21,380	241	11.3	255	11.9
Lee	28,200	463	16.4	464	16.5
Livingston	[3] 39,070	396	10.1	420	10.7
Logan	[3] 17,062	116	6.8	154	9.0
McDonough	27,200	380	14.0	353	13.0
McHenry	33,600	369	11.0	389	11.6
McLean	40,800	435	10.7	457	11.2
Macon	17,500	185	10.6	216	12.3

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	Total deaths Rate per 1,000 population	Deaths of residents [1] Number [2]	Deaths of residents [1] Rate per 1,000 population
ILLINOIS COUNTIES (RURAL)—continued					
Macoupin	61,700	439	7.1	549	8.9
Madison *	72,500	960	13.2	1,050	14.5
Marion	24,700	284	11.5	303	12.3
Marshall	[3] 14,760	116	7.9	130	8.8
Mason	[3] 16,634	176	10.6	201	12.1
Massac	[3] 13,559	182	13.4	182	13.4
White	11,502	142	12.3	142	12.3
Colored	2,057	40	19.4	40	19.4
Menard	[3] 11,694	108	9.2	130	11.1
Mercer	[3] 18,800	177	9.4	198	10.5
Monroe	[3] 12,839	129	10.0	137	10.7
Montgomery	45,500	495	10.9	422	9.3
Morgan	[3] 17,567	164	9.3	194	11.0
Moultrie	15,000	160	10.7	181	12.1
Ogle	[3] 26,830	283	10.5	286	10.7
Peoria *	36,900	593	16.1	623	16.9
Perry	23,400	276	11.8	265	11.3
Piatt	[3] 15,714	127	8.1	158	10.1
Pike	[3] 26,866	312	11.6	346	12.9
Pope	[3] 9,625	105	10.9	112	11.6
Pulaski	[3] 14,629	216	14.8	224	15.3
White	9,659	114	11.8	121	12.5
Colored	4,970	102	20.5	103	20.7
Putnam	7,600	43	5.7	58	7.6
Randolph	[3] 29,109	343	11.8	370	12.7
Richland	[3] 14,044	239	17.0	203	14.5
Rock Island *	31,500	392	12.4	435	13.8
St. Clair	48,000	496	10.3	560	11.7
Saline	43,800	426	9.7	429	9.8
Sangamon	41,700	387	9.3	445	10.7
Schuyler	[3] 13,285	122	9.2	141	10.6
Scott	[3] 9,489	98	10.3	117	12.3
Shelby	[3] 29,601	306	10.3	324	10.9
Stark	[3] 9,693	80	8.3	92	9.5
Stephenson	17,500	170	9.7	210	12.0
Tazewell	28,000	251	9.0	280	10.0
Union *	[3] 20,249	463	22.9	453	22.4
Vermilion	54,000	494	11.7	570	13.1
National Military Home		138		138	
Wabash	[3] 14,034	165	11.8	174	12.4
Warren	[3] 21,488	269	12.5	276	12.8
Washington	[3] 18,035	170	9.4	166	9.2
Wayne	[3] 22,772	189	8.3	206	9.0
White	[3] 20,081	237	11.8	242	12.1
Whiteside	37,300	410	11.0	437	11.7
Will	57,600	706	12.3	715	12.4
Williamson	58,100	518	8.9	548	9.4
Winnebago	30,800	289	9.4	319	10.4
Woodford	[3] 19,340	165	8.5	190	9.8
INDIANA COUNTIES (RURAL) [11]					
Adams	[3] 20,503	210	10.2	215	10.5
Allen	27,800	295	10.6	301	10.8
Bartholomew	[3] 23,887	322	13.5	321	13.4
Benton	[3] 12,206	92	7.5	111	9.1
Blackford	[3] 14,084	176	12.5	184	13.1
Boone	[3] 23,575	285	12.1	293	12.4
Brown	[3] 7,019	60	8.5	62	8.8
Carroll	[3] 16,315	207	12.7	227	13.9
Cass *	16,200	270	16.7	279	17.2
Clark	[3] 19,283	217	11.3	227	11.8
Clay	[3] 29,447	359	12.2	370	12.6
Clinton	15,100	186	12.3	195	12.9
Crawford	[3] 11,201	128	11.4	129	11.5
Daviess	[3] 26,856	291	10.8	292	10.9
Dearborn	[3] 20,033	257	12.8	271	13.5
Decatur	[3] 17,813	260	14.6	262	14.7
De Kalb	26,000	365	14.0	375	14.4
Delaware	15,000	226	15.1	239	15.9
INDIANA COUNTIES (RURAL)—continued					
Dubois	20,000	191	9.6	193	9.7
Elkhart	33,700	430	12.8	[6] 433	[6] 12.8
Fayette	19,000	256	13.5	253	13.3
Floyd	7,900	78	9.9	80	10.1
Fountain	[3] 18,823	266	14.1	299	15.9
Franklin	[3] 14,806	202	13.6	213	14.4
Fulton	[3] 16,478	201	12.2	205	12.4
Gibson	[3] 29,201	392	13.4	403	13.8
Grant	[3] 24,653	372	15.1	379	15.4
Greene	[3] 36,770	335	9.1	354	9.6
Hamilton	[3] 24,222	330	13.6	346	14.3
Hancock	[3] 17,210	241	14.0	263	15.3
Harrison	[3] 18,656	190	10.2	192	10.3
Hendricks	[3] 20,291	250	12.3	280	13.8
Henry	20,600	267	13.0	273	13.3
Howard	13,200	163	12.3	180	13.6
Huntington	17,200	197	11.5	210	12.2
Jackson	[3] 24,228	313	12.9	321	13.2
Jasper	14,600	139	9.5	137	9.4
Jay	[3] 23,318	292	12.5	296	12.7
Jefferson *	20,900	407	19.5	408	[6] 19.5
Jennings	[3] 13,280	155	11.7	160	12.0
Johnson	21,000	305	14.5	335	16.0
Knox	32,400	298	9.2	314	9.7
Kosciusko	[3] 27,120	364	13.4	374	13.8
Lagrange	[3] 14,009	162	11.6	167	11.9
Lake	18,700	280	15.0	327	17.5
La Porte	15,300	160	10.5	173	11.3
Lawrence	[3] 28,228	427	15.1	435	15.4
Madison	26,300	320	12.2	334	12.7
Marion	38,000	566	14.9	523	13.8
Marshall	[3] 23,744	288	12.1	290	12.2
Martin	[3] 11,865	136	11.5	139	11.7
Miami	[3] 15,968	201	12.6	211	13.2
Monroe	12,500	152	12.2	154	12.3
Montgomery	[3] 17,890	212	11.9	224	12.5
Morgan	[3] 20,010	292	14.6	303	15.1
Newton	[3] 10,144	99	9.8	114	11.2
Noble	[3] 22,470	306	13.6	314	14.0
Ohio	[3] 4,024	44	10.9	49	12.2
Orange	[3] 16,974	224	13.2	222	13.1
Owen	[3] 12,760	146	11.4	159	12.5
Parke	[3] 18,875	243	12.9	253	13.4
Perry	[3] 16,692	187	11.2	191	11.4
Pike	[3] 18,684	220	11.8	229	12.3
Porter	[3] 20,256	243	12.0	253	12.5
Posey	[3] 19,334	222	11.5	233	12.1
Pulaski	[3] 12,385	123	9.9	131	10.6
Putnam	[3] 19,880	225	11.3	234	11.8
Randolph	[3] 26,484	321	12.1	333	12.6
Ripley	[3] 18,694	212	11.3	220	11.8
Rush	[3] 19,241	231	12.0	239	12.4
St. Joseph	17,400	271	15.6	268	15.4
Scott	[3] 7,424	81	10.9	84	11.3
Shelby	[3] 25,982	369	14.2	378	14.5
Spencer	[3] 18,400	204	11.1	214	11.6
Starke	[3] 10,278	121	11.8	131	12.7
Steuben	[3] 13,360	153	11.5	169	12.6
Sullivan	[3] 31,630	362	11.4	374	11.8
Switzerland	[3] 9,311	134	14.4	134	14.4
Tippecanoe *	20,700	285	13.8	305	14.7
Tipton	[3] 16,152	193	11.9	205	12.7
Union	[3] 6,021	77	12.8	83	13.8
Vanderburg *	7,100	300	42.3	301	42.4
Vermilion	19,400	172	8.9	181	9.3
Vigo	36,500	365	10.0	383	10.5
Wabash	27,400	314	11.5	327	11.9
Warren	[3] 9,699	103	10.6	116	12.0
Warrick	[3] 19,862	224	11.3	232	11.7
Washington	[3] 16,645	212	12.7	214	12.9
Wayne *	20,100	464	23.1	461	22.9
Wells	[3] 20,509	231	11.3	236	11.5
White	[3] 17,351	155	8.9	167	9.6
Whitley	[3] 15,660	174	11.1	187	11.9
IOWA COUNTIES (RURAL) [11]					
Adair	[7] 13,719	129	9.4	134	9.8
Adams	[7] 10,277	86	8.4	91	8.9
Allamakee	[7] 16,632	183	11.0	199	12.0
Appanoose	[7] 28,644	276	9.6	270	9.4
Audubon	[7] 12,055	94	7.8	106	8.8
Benton	[7] 23,189	218	9.4	256	11.0
Black Hawk	20,500	215	10.5	222	10.8
Boone	[7] 16,555	160	9.7	183	11.1
Bremer	16,800	174	10.4	166	9.9
Buchanan *	[7] 18,231	317	17.4	313	17.2
Buena Vista	[7] 18,543	167	9.0	179	9.7
Butler	18,000	142	7.9	150	8.3
Calhoun	[7] 17,771	122	6.9	128	7.2
Carroll	21,900	233	10.6	231	10.5
Cass	[7] 19,111	207	10.8	210	11.0
Cedar	[7] 16,869	145	8.6	165	9.8
Cerro Gordo	14,700	116	7.9	138	9.4
Cherokee *	[7] 16,616	232	14.0	230	13.8
Chickasaw	[7] 15,109	132	8.7	139	9.2
Clarke	[7] 10,045	123	12.2	127	12.6
Clay	[7] 15,483	139	9.0	148	9.6
Clayton	[7] 24,406	237	9.7	255	10.4
Clinton	18,800	132	7.0	164	8.7
Crawford	[7] 20,351	173	8.5	186	9.1
Dallas	25,400	242	9.5	263	10.4
Davis	[7] 12,074	99	8.2	103	8.5
Decatur	[7] 15,375	162	10.5	173	11.3
Delaware	[7] 17,927	192	10.7	197	11.0
Des Moines	11,500	105	9.1	135	11.7
Dickinson	10,900	84	7.7	100	9.2
Dubuque	18,600	128	6.9	159	8.5
Emmet	13,000	123	9.5	118	9.1
Fayette	29,500	276	9.4	291	9.9
Floyd	[7] 17,859	162	9.1	166	9.3
Franklin	16,000	133	8.3	131	8.2
Fremont	[7] 15,001	132	8.8	152	10.1
Greene	[7] 16,094	109	6.8	132	8.2
Grundy	[7] 14,025	92	6.6	103	7.3
Guthrie	[7] 17,007	154	9.1	181	10.6
Hamilton	21,000	210	10.0	217	10.3
Hancock	[7] 14,527	108	7.4	121	8.3
Hardin	[7] 22,320	213	9.5	224	10.0
Harrison	[7] 23,695	202	8.5	237	10.0
Henry *	[7] 17,174	312	18.2	329	19.2
Howard	[7] 13,311	137	10.3	142	10.7
Humboldt	[7] 12,701	70	5.5	77	6.1
Ida	[7] 11,618	105	9.0	107	9.2
Iowa	[7] 18,009	173	9.6	179	9.9
Jackson	[7] 19,353	193	10.0	206	10.6
Jasper	28,900	303	10.5	324	11.2
Jefferson	[7] 16,385	193	11.8	196	12.0
Johnson	14,400	188	13.1	143	9.9
Jones	[7] 17,818	188	10.6	186	10.4
Keokuk	[7] 20,025	182	9.1	195	9.7
Kossuth	25,100	175	7.0	189	7.5
Lee	[7] 12,859	114	8.9	133	10.3
Linn	28,900	275	9.5	317	11.0
Louisa	[7] 11,732	135	11.5	136	11.6
Lucas	[7] 15,570	145	9.3	151	9.7
Lyon	15,500	114	7.4	125	8.1
Madison	[7] 14,668	132	9.0	145	9.9
Mahaska	26,800	286	10.7	296	11.0
Marion	[7] 24,694	265	10.7	293	11.9
Marshall	16,000	226	14.1	251	15.7
Mills	[7] 13,664	145	10.6	156	11.4
Mitchell	14,500	123	8.5	130	9.0
Monona	[7] 16,750	143	8.5	155	9.3
Monroe	[7] 20,431	228	11.2	241	11.8
Montgomery	[7] 16,572	172	10.4	182	11.0
Muscatine	12,100	131	10.8	152	12.6
O'Brien	[7] 18,276	170	9.3	174	9.5
Osceola	[7] 10,031	66	6.6	71	7.1

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
IOWA COUNTIES (RURAL)—continued					
Page *	[7] 23,371	332	14.2	338	14.5
Palo Alto	[7] 15,135	104	6.9	105	[6] 6.9
Plymouth	23,800	197	8.3	199	8.4
Pocahontas	[7] 15,270	132	8.6	142	9.3
Polk	27,800	207	7.4	255	9.2
Pottawattamie	25,600	202	7.9	230	9.0
Poweshiek	[7] 18,188	182	10.0	187	10.3
Ringgold	[7] 12,035	117	9.7	127	10.6
Sac	[7] 17,262	145	8.4	156	9.0
Scott	[7] 17,407	121	7.0	148	8.5
Shelby	16,200	125	7.7	136	8.4
Sioux	26,800	207	7.7	218	8.1
Story	30,700	293	9.5	300	9.8
Tama	22,100	201	9.1	209	9.5
Taylor	[7] 15,224	157	10.3	172	11.3
Union	[7] 17,055	199	11.7	200	[6] 11.7
Van Buren	[7] 13,646	127	9.3	135	9.9
Wapello	16,800	106	6.3	122	7.3
Warren	[7] 17,509	158	9.0	172	9.8
Washington	[7] 19,370	194	10.0	207	10.7
Wayne	[7] 14,660	134	9.1	145	9.9
Webster	18,500	121	6.5	146	7.9
Winnebago	[7] 13,332	97	7.3	104	7.8
Winneshiek	[7] 21,503	216	10.0	229	10.6
Woodbury	21,200	139	6.6	165	7.8
Worth	[7] 11,332	93	8.2	103	9.1
Wright	20,400	162	7.9	174	8.5
KANSAS COUNTIES (RURAL) [11]					
Allen	23,500	261	11.1	270	11.5
Anderson	13,300	134	10.1	148	11.1
Atchison	10,400	83	8.0	99	9.5
Barber	[7] 9,467	54	5.7	66	7.0
Barton	20,600	175	8.5	164	8.0
Bourbon	12,200	97	8.0	126	10.3
Brown	21,300	213	10.0	235	11.0
Butler	[7] 25,816	162	6.3	214	8.3
Chase	[7] 6,891	59	8.6	66	9.6
Chautauqua	[7] 10,417	110	10.6	118	11.3
Cherokee	34,100	390	11.4	409	12.0
Cheyenne	6,400	25	3.9	27	4.2
Clark	[7] 4,716	23	4.9	26	5.5
Clay	15,300	133	8.7	132	8.6
Cloud	18,100	229	12.7	223	12.3
Coffey	15,200	117	7.7	131	8.6
Comanche	[7] 4,936	24	4.9	29	5.9
Cowley	28,900	301	10.4	288	10.0
Crawford	[7] 40,551	387	9.5	381	9.4
Decatur	8,600	53	6.2	58	6.7
Dickinson	[7] 25,067	251	10.0	256	10.2
Doniphan	[7] 13,420	108	8.0	128	9.5
Douglas	[7] 11,465	104	9.1	112	9.8
Edwards	[7] 7,022	59	8.4	65	9.3
Elk	9,100	70	7.7	73	8.0
Ellis	15,800	156	9.9	117	7.4
Ellsworth	[7] 10,058	78	7.8	86	8.6
Finney	8,500	95	11.2	79	9.3
Ford	15,500	217	14.0	195	12.6
Franklin	[7] 20,580	235	11.4	244	11.9
Geary	[7] 13,244	122	9.2	124	9.4
Gove	5,700	41	7.2	44	7.7
Graham	8,100	54	6.7	65	8.0
Grant	2,100	11	5.2	11	5.2
Gray	5,200	38	7.3	48	9.2
Greeley	1,500	7	4.7	10	6.7
Greenwood	19,500	199	10.2	225	11.5
Hamilton	[7] 2,512	21	8.4	21	8.4
Harper	[7] 12,886	127	9.9	138	10.7
Harvey	[7] 20,505	296	14.4	229	11.2
Haskell	2,200	10	4.5	15	6.8
Hodgeman	[7] 3,611	36	10.0	37	10.2

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
KANSAS COUNTIES (RURAL)—continued					
Jackson	[7] 15,016	142	9.5	154	10.3
Jefferson	[7] 14,412	117	8.1	130	9.0
Jewell	[7] 15,697	133	8.5	138	8.8
Johnson	22,700	203	8.9	235	10.4
Kearny	2,900	26	9.0	30	10.3
Kingman	[7] 11,573	108	9.3	117	10.1
Kiowa	[7] 6,006	41	6.8	46	7.7
Labette*	[7] 17,140	229	13.4	226	13.2
Lane	3,100	17	5.5	20	6.5
Leavenworth	20,200	164	17.4	186	18.5
National Military Home		188		188	
Lincoln	10,100	54	5.3	58	5.7
Linn	13,900	118	8.5	128	9.2
Logan	4,100	16	3.9	22	5.4
Lyon	14,300	94	6.6	117	8.2
McPherson	[7] 21,055	207	9.8	213	10.1
Marion	[7] 22,190	194	8.7	216	9.7
Marshall	23,200	206	8.9	220	9.5
Meade	5,600	44	7.9	52	9.3
Miami *	[7] 18,287	296	16.2	308	16.8
Mitchell	[7] 12,702	128	10.1	129	10.2
Montgomery	22,500	231	10.3	246	10.9
Morris	[7] 11,147	108	9.7	115	10.3
Morton	3,500	31	8.9	30	8.6
Nemaha	[7] 18,295	160	8.7	163	8.9
Neosho	[7] 12,338	134	10.4	142	11.1
Ness	7,700	54	7.0	61	7.9
Norton	[7] 11,421	129	11.3	118	10.3
Osage	21,300	166	7.8	186	8.7
Osborne	[7] 12,317	93	7.6	100	8.1
Ottawa	[7] 10,482	98	9.3	104	9.9
Pawnee	[7] 9,219	139	15.1	143	15.5
Phillips	12,600	119	9.4	127	10.1
Pottawatomie	[7] 15,331	125	8.2	138	9.0
Pratt	[7] 12,771	125	9.8	121	9.5
Rawlins	7,500	70	9.3	73	9.7
Reno	20,400	162	7.9	191	9.4
Republic	[7] 15,405	127	8.2	130	8.4
Rice	[7] 14,187	161	11.3	160	[6] 11.3
Riley	[7] 19,719	169	8.6	167	8.5
Rooks	10,100	78	7.7	81	8.0
Rush	8,900	65	7.3	68	7.6
Russell	11,500	56	4.9	67	5.8
Saline	9,200	64	7.0	83	9.0
Scott	3,600	32	8.9	27	7.5
Sedgwick	22,000	122	5.5	176	8.0
Seward	[7] 5,990	94	15.7	59	9.8
Shawnee	18,500	377	20.4	364	19.7
Sheridan	6,200	37	6.0	39	6.3
Sherman	6,400	60	9.4	63	9.8
Smith	[7] 14,130	129	9.1	133	9.4
Stafford	[7] 10,988	99	9.0	110	10.0
Stanton	1,600	4	2.5	6	3.8
Stevens	4,300	14	3.3	27	6.3
Sumner	[7] 28,385	299	10.5	300	10.6
Thomas	7,200	49	6.8	58	8.1
Trego	6,500	42	6.5	47	7.2
Wabaunsee	[7] 10,710	96	9.0	103	9.6
Wallace	2,600	21	8.1	27	10.4
Washington	[7] 17,463	139	8.0	152	8.7
Wichita	2,300	16	7.0	21	9.1
Wilson	[7] 19,581	207	10.6	213	10.9
Woodson	[7] 8,799	94	10.7	108	12.3
Wyandotte	17,200	171	9.9	201	11.7
White	15,500	137	8.8	164	10.6
Colored	1,700	34	20.0	37	21.8
KENTUCKY COUNTIES (RURAL) [9,11]					
Adair	17,800	146	8.2	------	------
Allen	18,000	182	10.1	------	------
Anderson *	[3] 9,982	93	9.3	------	------
Ballard	[3] 12,045	119	9.9	------	------
White	10,659	93	8.7	------	------
Colored	1,386	26	18.8	------	------

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
KENTUCKY COUNTIES (RURAL)—continued					
Barren	25,400	348	13.7	------	------
White	22,300	285	12.8	------	------
Colored	3,100	63	20.3	------	------
Bath	[3] 11,996	144	12.0	------	------
Bell	37,700	356	9.4	------	------
Boone	9,700	132	13.6	------	------
Bourbon	19,100	283	14.8	------	------
White	14,700	203	13.8	------	------
Colored	4,400	80	18.2	------	------
Boyd	8,000	184	23.0	------	------
Boyle	15,200	222	14.6	------	------
White	12,700	153	12.0	------	------
Colored	2,500	69	27.6	------	------
Bracken	[3] 10,210	137	13.4	------	------
Breathitt	22,700	103	4.5	------	------
Breckinridge	[3] 19,652	207	10.5	------	------
Bullitt	[3] 9,328	108	11.6	------	------
Butler	[3] 15,197	101	6.6	------	------
Caldwell	[3] 13,975	140	10.0	------	------
White	12,067	116	9.6	------	------
Colored	1,908	24	12.6	------	------
Calloway	21,400	194	9.1	------	------
Campbell	34,200	456	13.3	------	------
Carlisle	[3] 8,231	78	9.5	------	------
Carroll	8,500	110	12.9	------	------
Carter	22,800	223	9.8	------	------
Casey	18,400	163	8.9	------	------
Christian *	[3] 35,883	744	20.7	------	------
White	22,971	489	21.3	------	------
Colored	12,912	255	19.7	------	------
Clark	[3] 17,901	293	16.4	------	------
White	14,209	217	15.3	------	------
Colored	3,692	76	20.6	------	------
Clay	21,100	103	4.9	------	------
Clinton	8,900	53	6.0	------	------
Crittenden	[3] 13,125	114	8.7	------	------
Cumberland	11,200	68	6.1	------	------
Daviess	[3] 18,533	187	10.1	------	------
Edmonson	11,200	100	8.9	------	------
Elliott	[3] 8,887	61	6.9	------	------
Estill	17,800	97	5.4	------	------
Fayette	11,800	150	12.7	------	------
White	9,600	99	10.3	------	------
Colored	2,200	51	23.2	------	------
Fleming	[3] 15,614	204	13.1	------	------
Floyd	33,300	203	6.1	------	------
Franklin	[3] 19,357	292	15.1	------	------
White	16,495	245	14.9	------	------
Colored	2,862	47	16.4	------	------
Fulton	15,900	210	13.2	------	------
White	12,800	141	11.0	------	------
Colored	3,100	69	22.3	------	------
Gallatin	[3] 4,664	64	13.7	------	------
Garrard	12,900	120	9.3	------	------
White	11,200	98	8.8	------	------
Colored	1,700	22	12.9	------	------
Grant	[3] 10,435	127	12.2	------	------
Graves	[3] 32,483	339	10.4	------	------
Grayson	[3] 19,927	149	7.5	------	------
Green	[3] 11,391	77	6.8	------	------
Greenup	21,100	241	11.4	------	------
Hancock	[3] 6,945	90	13.0	------	------
Hardin	25,400	213	8.4	------	------
Harlan	45,600	627	13.8	------	------
Harrison	[3] 15,798	194	12.3	------	------
Hart	18,800	131	7.0	------	------
Henderson	[3] 15,009	168	11.2	------	------
White	12,216	130	10.6	------	------
Colored	2,793	38	13.6	------	------
Henry	[3] 13,411	185	13.8	------	------
White	11,923	160	13.4	------	------
Colored	1,488	25	16.8	------	------
Hickman	[3] 10,244	111	10.8	------	------
White	8,996	87	9.7	------	------
Colored	1,248	24	19.2	------	------

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths: Number	1926 Total deaths: Rate per 1,000 population	1926 Deaths of residents [1]: Number	1926 Deaths of residents [1]: Rate per 1,000 population
KENTUCKY COUNTIES (RURAL)—continued					
Hopkins	[3] 34,133	505	14.8	----	----
White	28,096	381	13.6	----	----
Colored	6,037	124	20.5	----	----
Jackson	12,300	32	2.6	----	----
Jefferson *	42,000	669	15.9	----	----
Jessamine	[3] 12,205	137	11.2	----	----
White	9,928	92	9.3	----	----
Colored	2,277	45	19.8	----	----
Johnson	21,100	216	10.2	----	----
Kenton	17,000	240	14.1	----	----
Knott	12,200	62	5.1	----	----
Knox	25,500	318	12.5	----	----
Larue	[3] 10,004	103	10.3	----	----
Laurel	[3] 19,814	133	6.7	----	----
Lawrence	[3] 17,643	151	8.6	----	----
Lee	13,500	59	4.4	----	----
Leslie	10,800	72	6.7	----	----
Letcher	33,700	218	6.5	----	----
Lewis	[3] 15,829	168	10.6	----	----
Lincoln	[3] 16,481	226	13.7	----	----
White	14,290	184	12.9	----	----
Colored	2,191	42	19.2	----	----
Livingston	[2] 9,732	81	8.3	----	----
Logan	[3] 23,633	267	11.3	----	----
White	19,329	201	10.4	----	----
Colored	4,304	66	15.3	----	----
Lyon	[3] 8,795	45	5.1	----	----
White	7,611	33	4.3	----	----
Colored	1,184	12	10.1	----	----
McCracken	12,600	147	11.7	----	----
White	11,500	136	11.8	----	----
Colored	1,100	11	10.0	----	----
McCreary	(12)	56	(12)	----	----
McLean	[3] 12,502	143	11.4	----	----
Madison	[3] 26,284	266	10.1	----	----
White	21,373	179	8.4	----	----
Colored	4,911	87	17.7	----	----
Magoffin	14,000	85	6.1	----	----
Marion	[3] 15,527	191	12.3	----	----
White	13,826	167	12.1	----	----
Colored	1,701	24	14.1	----	----
Marshall	[3] 15,215	134	8.8	----	----
Martin	7,900	59	7.5	----	----
Mason	[3] 17,760	256	14.4	----	----
White	15,207	206	13.5	----	----
Colored	2,553	50	19.6	----	----
Meade	[3] 9,442	96	10.2	----	----
Menifee	[3] 5,779	46	8.0	----	----
Mercer	15,300	132	8.6	----	----
White	13,700	104	7.6	----	----
Colored	1,600	28	17.5	----	----
Metcalfe	[3] 10,075	88	8.7	----	----
Monroe	14,600	134	9.2	----	----
Montgomery	[3] 12,245	172	14.0	----	----
White	9,728	104	10.7	----	----
Colored	2,517	68	27.0	----	----
Morgan	16,700	114	6.8	----	----
Muhlenberg	36,500	448	12.3	----	----
Nelson	[3] 16,137	204	12.6	----	----
White	14,068	164	11.7	----	----
Colored	2,069	40	19.3	----	----
Nicholas	[3] 9,894	118	11.9	----	----
Ohio	[3] 26,473	256	9.7	----	----
Oldham	8,000	111	13.9	----	----
White	7,000	97	13.9	----	----
Colored	1,000	14	14.0	----	----
Owen	[3] 12,554	124	9.9	----	----
Owsley	[3] 7,820	57	7.3	----	----
Pendleton	[3] 11,719	108	9.2	----	----
Perry	35,900	292	8.1	----	----
Pike	61,400	652	10.6	----	----
Powell	7,100	41	5.8	----	----
Pulaski	(12)	334	(12)	----	----
Robertson	[3] 3,871	45	11.6	----	----
Rockcastle	16,000	87	5.4	----	----
Rowan	9,500	107	11.3	----	----
Russell	12,500	75	6.0	----	----
Scott	[3] 15,318	176	11.5	----	----
White	12,259	121	9.9	----	----
Colored	3,059	55	18.0	----	----
Shelby	18,900	219	11.6	----	----
White	16,100	174	10.8	----	----
Colored	2,800	45	16.1	----	----
Simpson	[3] 11,150	146	13.1	----	----
White	9,241	110	11.9	----	----
Colored	1,909	36	18.9	----	----
Spencer	7,900	79	10.0	----	----
Taylor	12,400	139	11.2	----	----
White	11,200	118	10.5	----	----
Colored	1,200	21	17.5	----	----
Todd	[3] 15,694	180	11.5	----	----
White	11,214	126	11.2	----	----
Colored	4,480	54	12.1	----	----
Trigg	[3] 14,208	164	11.5	----	----
White	11,261	132	11.7	----	----
Colored	2,947	32	10.9	----	----
Trimble	[3] 6,011	62	10.3	----	----
Union	[3] 18,040	207	11.5	----	----
White	15,847	159	10.0	----	----
Colored	2,193	48	21.9	----	----
Warren	31,000	432	13.9	----	----
White	26,900	335	12.5	----	----
Colored	4,100	97	23.7	----	----
Washington	15,300	98	6.4	----	----
White	13,700	89	6.5	----	----
Colored	1,600	9	5.6	----	----
Wayne	(12)	114	(12)	----	----
Webster	[3] 20,762	230	11.1	----	----
White	17,839	196	11.0	----	----
Colored	2,923	34	11.6	----	----
Whitley	(12)	287	(12)	----	----
Wolfe	[3] 8,783	38	4.3	----	----
Woodford	[3] 11,784	136	11.5	----	----
White	8,751	94	10.7	----	----
Colored	3,033	42	13.8	----	----
LOUISIANA PARISHES (RURAL) [11]					
Acadia	36,800	365	9.9	383	10.4
White	28,600	239	8.4	249	8.7
Colored	8,200	126	15.4	134	16.3
Allen	(12)	132	(12)	159	(12)
White	(12)	87	(12)	103	(12)
Colored	(12)	45	(12)	56	(12)
Ascension	[3] 22,155	197	8.9	217	9.8
White	12,664	82	6.5	95	7.5
Colored	9,491	115	12.1	122	12.9
Assumption	[3] 17,912	212	11.8	224	12.5
White	10,424	90	8.6	98	9.4
Colored	7,488	122	16.3	126	16.8
Avoyelles	36,100	294	8.1	326	9.0
White	26,800	167	6.2	191	7.1
Colored	9,300	127	13.7	135	14.5
Beauregard	(12)	131	(12)	146	(12)
White	(12)	91	(12)	97	(12)
Colored	(12)	40	(12)	49	(12)
Bienville	[3] 20,977	248	11.8	270	12.9
White	12,358	130	10.5	138	11.2
Colored	8,619	118	13.7	132	15.3
Bossier	22,600	165	7.3	221	9.8
White	7,600	49	6.4	69	9.1
Colored	15,000	116	7.7	152	10.1
Caddo	34,600	503	14.5	637	18.4
White	21,600	130	6.0	180	8.3
Colored	13,000	373	28.7	457	35.2
Calcasieu	(12)	172	(12)	196	(12)
White	(12)	110	(12)	132	(12)
Colored	(12)	62	(12)	64	(12)
Caldwell	10,100	90	8.9	100	9.9
White	7,500	56	7.5	65	8.7
Colored	2,600	34	13.1	35	13.5
Cameron	[3] 3,952	27	6.8	31	7.8
White	3,366	24	7.1	28	8.3
Colored	586	3	5.1	3	5.1
LOUISIANA PARISHES (RURAL)—continued					
Catahoula	11,500	82	7.1	89	7.7
White	6,500	40	6.2	44	6.8
Colored	5,000	42	8.4	45	9.0
Claiborne	29,800	299	10.0	308	10.3
White	15,100	147	9.7	151	10.0
Colored	14,700	152	10.3	157	10.7
Concordia	[3] 12,466	152	12.2	156	12.5
White	2,643	27	10.2	29	11.0
Colored	9,823	125	12.7	127	12.9
De Soto	30,500	300	9.8	340	11.1
White	12,600	87	6.9	101	8.0
Colored	17,900	213	11.9	239	13.4
East Baton Rouge	22,700	573	25.2	490	21.9
White	8,300	222	26.7	173	20.8
Colored	14,400	351	24.4	323	22.4
East Carroll	[3] 11,231	130	11.6	139	12.4
White	1,527	16	10.5	20	13.1
Colored	9,704	114	11.7	119	12.3
East Feliciana *	[3] 17,487	248	14.2	270	15.4
White	5,481	94	17.2	102	18.6
Colored	12,006	154	12.8	168	14.0
Evangeline	(12)	92	(12)	100	(12)
White	(12)	66	(12)	72	(12)
Colored	(12)	26	(12)	28	(12)
Franklin	32,200	239	7.4	259	8.0
White	17,800	107	6.0	122	6.9
Colored	14,400	132	9.2	137	9.5
Grant	[3] 14,403	158	11.0	183	12.7
White	10,356	79	7.6	95	9.2
Colored	4,047	79	19.5	88	21.7
Iberia	[3] 26,855	340	12.7	358	13.3
White	15,943	186	11.7	195	12.2
Colored	10,912	154	14.1	163	14.9
Iberville	[3] 26,806	365	13.6	375	14.0
White	11,425	113	9.9	117	10.2
Colored	15,381	252	16.4	258	16.8
Jackson	14,900	116	7.8	131	8.8
White	10,900	75	6.9	82	7.5
Colored	4,000	41	10.3	49	12.3
Jefferson	23,800	264	11.1	368	15.5
White	18,400	163	8.9	242	13.2
Colored	5,400	101	18.7	126	23.3
Jefferson Davis	(12)	165	(12)	183	(12)
White	(12)	96	(12)	110	(12)
Colored	(12)	69	(12)	73	(12)
Lafayette	32,300	304	9.4	312	9.7
White	21,400	139	6.5	141	6.6
Colored	10,900	165	15.1	171	15.7
Lafourche	[3] 30,344	332	10.9	370	12.2
White	24,450	219	9.0	250	10.2
Colored	5,894	113	19.2	120	20.4
La Salle	10,200	105	10.3	124	12.2
White	8,900	80	9.0	96	10.8
Colored	1,300	25	19.2	28	21.5
Lincoln	[3] 16,962	182	10.7	200	11.8
White	10,651	106	10.0	116	10.9
Colored	6,311	76	12.0	84	13.3
Livingston	12,300	109	8.9	130	10.6
White	10,500	90	8.6	106	10.1
Colored	1,800	19	10.6	24	13.3
Madison	10,900	114	10.5	129	11.8
White	2,100	18	8.6	24	11.4
Colored	8,800	96	10.9	105	11.9
Morehouse	19,700	275	14.0	298	15.1
White	7,100	62	8.7	73	10.3
Colored	12,600	213	16.9	225	17.9
Natchitoches	40,000	432	10.8	468	11.7
White	19,100	161	8.4	178	9.3
Colored	20,900	271	13.0	290	13.9
Ouachita	18,700	247	13.2	270	14.4
White	10,800	123	11.4	135	12.5
Colored	7,900	124	15.7	135	17.1

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents[1] Number	1926 Deaths of residents[1] Rate per 1,000 population
LOUISIANA PARISHES (RURAL)—continued					
Plaquemines	[3] 10,194	80	7.8	90	8.8
White	4,789	28	5.4	31	6.5
Colored	5,405	54	10.0	59	10.9
Pointe Coupee	[3] 24,697	252	10.2	277	11.2
White	9,715	69	7.1	79	8.1
Colored	14,982	183	12.2	198	13.2
Rapides*	48,200	532	11.0	568	11.8
White	29,800	260	8.7	280	9.4
Colored	18,400	272	14.8	288	15.7
Red River	17,900	121	6.8	140	7.8
White	9,400	49	5.2	60	6.4
Colored	8,500	72	8.5	80	9.4
Richland	24,300	242	10.0	259	10.7
White	11,200	74	6.6	80	7.1
Colored	13,100	168	12.8	179	13.7
Sabine	21,300	156	7.3	171	8.0
White	16,800	114	6.8	124	7.4
Colored	4,500	42	9.3	47	10.4
St. Bernard	[3] 4,968	75	15.1	93	18.7
White	3,370	45	13.4	58	17.2
Colored	1,598	30	18.8	35	21.9
St. Charles	[3] 8,586	85	9.9	104	12.1
White	4,239	36	8.5	44	10.4
Colored	4,347	49	11.3	60	13.8
St. Helena	[3] 8,427	43	5.1	45	5.3
White	4,198	21	5.0	22	5.2
Colored	4,229	22	5.2	23	5.4
St. James	[3] 21,228	203	9.6	229	10.8
White	9,624	64	6.7	75	7.8
Colored	11,604	139	12.0	154	13.3
St. John the Baptist	[3] 11,896	144	12.1	169	14.2
White	5,478	44	8.0	52	9.5
Colored	6,418	100	15.6	117	18.2
St. Landry	(12)	566	(12)	588	(12)
White	(12)	212	(12)	222	(12)
Colored	(12)	354	(12)	366	(12)
St. Martin	[3] 21,990	170	7.7	179	8.1
White	14,088	89	6.3	95	6.7
Colored	7,902	81	10.3	84	10.6
St. Mary	[3] 30,754	379	12.3	411	13.4
White	15,493	125	8.1	138	8.9
Colored	15,261	254	16.6	273	17.9
St. Tammany	21,800	218	10.0	262	12.0
White	13,500	136	10.1	158	11.7
Colored	8,300	82	9.9	104	12.5
Tangipahoa	33,000	334	10.1	403	12.2
White	24,200	196	8.1	234	9.7
Colored	8,800	138	15.7	169	19.2
Tensas	[3] 12,085	170	14.1	178	14.7
White	1,769	30	17.0	33	18.7
Colored	10,316	140	13.6	145	14.1
Terrebonne	[3] 26,974	315	11.7	353	13.1
White	17,586	169	9.6	199	11.3
Colored	9,388	146	15.6	154	16.4
Union	[3] 19,621	172	8.8	182	9.3
White	13,507	99	7.3	105	7.8
Colored	6,114	73	11.9	77	12.6
Vermilion	26,500	269	10.2	272	10.3
White	21,900	212	9.7	214	9.8
Colored	4,600	57	12.4	58	12.6
Vernon	22,600	147	6.5	171	7.6
White	16,500	107	6.5	114	6.9
Colored	6,100	40	6.6	57	9.3
Washington	27,700	266	9.6	267	[6] 9.6
White	19,000	167	8.8	161	8.5
Colored	8,700	99	11.4	106	12.2
Webster	28,400	224	7.9	267	9.4
White	16,000	95	5.9	119	7.4
Colored	12,400	129	10.4	148	11.9
West Baton Rouge	[3] 11,092	126	11.4	138	12.4
White	3,607	30	8.3	33	9.1
Colored	7,485	96	12.8	105	14.0
LOUISIANA PARISHES (RURAL)—continued					
West Carroll	10,600	55	5.2	62	5.8
White	8,500	30	3.5	35	4.1
Colored	2,100	25	11.9	27	12.9
West Feliciana	[3] 12,303	106	8.6	119	9.7
White	2,116	16	7.6	19	9.0
Colored	10,187	90	8.8	100	9.8
Winn	[3] 16,119	70	4.3	83	5.1
White	12,732	54	4.2	62	4.9
Colored	3,387	16	4.7	21	6.2
MAINE COUNTIES (RURAL)[11]					
Androscoggin	16,000	229	14.3	224	14.0
Aroostook	86,500	990	11.4	886	10.2
Cumberland	56,300	817	14.5	754	13.4
Franklin	20,300	255	12.6	250	12.3
Hancock	[3] 30,361	435	14.3	457	15.1
Kennebec	35,200	536	17.2	497	16.1
National Military Home		71		71	
Knox	[3] 26,245	498	19.0	412	15.7
Lincoln	[3] 15,976	255	16.0	308	19.3
Oxford	38,700	531	13.7	460	11.9
Penobscot	62,500	741	11.9	775	12.4
Piscataquis	21,000	228	10.9	223	10.6
Sagadahoc	(5)	97	(5)	136	(5)
Somerset	37,800	488	12.9	468	12.4
Waldo	[3] 21,328	357	16.7	376	17.6
Washington	[3] 41,709	523	12.5	523	12.5
York	41,700	609	14.6	546	13.1
MARYLAND COUNTIES (RURAL)[11]					
Allegany	40,600	457	11.3	460	[6] 11.3
Anne Arundel*	36,900	519	14.1	585	15.9
White	25,400	251	9.9	306	12.0
Colored	11,500	268	23.3	279	24.3
Baltimore	82,500	1,183	14.3	1,395	16.9
White	71,600	1,049	14.7	1,200	16.8
Colored	10,900	134	12.3	195	17.9
Calvert	[3] 9,744	130	13.3	132	13.5
White	4,955	45	9.1	45	9.1
Colored	4,789	85	17.7	87	18.2
Caroline	[3] 18,652	237	12.7	245	13.1
White	14,207	165	11.6	173	12.2
Colored	4,445	72	16.2	72	16.2
Carroll	34,500	602	17.4	583	16.9
Cecil	[3] 23,612	422	17.9	439	18.6
White	20,703	362	17.5	377	18.2
Colored	2,909	60	20.6	62	21.3
Charles	18,600	185	9.9	224	12.0
White	10,600	76	7.2	98	9.2
Colored	8,000	109	13.6	126	15.8
Dorchester*	[3] 27,895	461	16.5	474	17.0
White	19,175	312	16.3	321	16.7
Colored	8,720	149	17.1	153	17.5
Frederick	[3] 40,441	543	13.4	506	12.5
Garrett	[3] 19,678	209	10.6	211	10.7
Harford	30,200	398	13.2	443	14.7
White	25,900	310	12.0	350	13.5
Colored	4,300	88	20.5	93	21.6
Howard	[3] 15,826	202	12.8	243	15.4
White	12,316	151	12.3	183	14.9
Colored	3,510	51	14.5	60	17.1
Kent	[3] 15,026	209	13.9	222	14.8
White	9,780	117	12.0	128	13.1
Colored	5,246	92	17.5	94	17.9
Montgomery	36,800	513	13.9	577	15.7
White	29,200	382	13.1	429	14.7
Colored	7,600	131	17.2	148	19.5
Prince Georges	48,200	567	11.8	699	14.5
White	35,700	371	10.4	461	12.9
Colored	12,500	196	15.7	238	19.0
Queen Annes	[3] 16,001	182	11.4	190	11.9
White	10,846	111	10.2	117	10.8
Colored	5,155	71	13.8	73	14.2
MARYLAND COUNTIES (RURAL)—continued					
St. Marys	[3] 16,112	228	14.2	252	15.6
White	9,674	124	12.8	140	14.5
Colored	6,438	104	16.2	112	17.4
Somerset	[3] 24,602	335	13.6	348	14.1
White	15,713	179	11.4	186	11.8
Colored	8,889	156	17.5	162	18.2
Talbot	[3] 18,306	282	15.4	286	15.6
White	12,138	163	13.4	163	13.4
Colored	6,168	119	19.3	123	19.9
Washington	34,400	424	12.3	432	12.6
Wicomico	29,100	476	16.4	453	15.6
White	22,600	324	14.3	306	13.5
Colored	6,500	152	23.4	147	22.6
Worcester	22,600	292	12.9	303	13.4
White	15,300	174	11.4	183	12.0
Colored	7,300	118	16.2	120	16.4
MASSACHUSETTS COUNTIES (RURAL)[11]					
Barnstable	30,500	520	17.0	540	17.7
Berkshire	38,600	394	10.2	493	12.8
Bristol	78,600	816	10.4	918	11.7
Dukes	5,000	98	19.6	80	16.0
Essex	70,200	927	13.2	975	13.9
Franklin	34,500	377	10.9	415	12.0
Hampden	49,600	598	12.1	699	14.1
Hampshire	40,000	366	9.2	447	11.2
Middlesex*	124,000	1,766	14.2	1,631	13.2
Nantucket	3,200	60	18.8	58	18.1
Norfolk	104,600	1,140	10.9	1,350	12.9
Plymouth	87,500	1,135	13.0	1,235	14.1
Worcester	169,600	1,936	11.4	2,122	12.5
MICHIGAN COUNTIES (RURAL)[11]					
Alcona	6,000	50	8.3	51	8.5
Alger	11,500	96	8.3	104	9.0
Allegan	[3] 37,540	473	12.6	495	13.2
Alpena	[3] 6,768	51	7.5	51	7.5
Antrim	[3] 11,543	114	9.9	122	10.6
Arenac	[3] 9,460	75	7.9	77	8.1
Baraga	8,700	82	9.4	97	11.1
Barry	[3] 21,383	256	12.0	263	12.3
Bay	21,200	182	8.6	189	8.9
Benzie	[3] 6,947	96	13.8	103	14.8
Berrien	54,400	657	12.1	687	12.6
Branch	[3] 23,997	368	15.3	384	16.0
Calhoun	40,300	550	13.6	543	13.5
Cass	[3] 20,395	297	14.6	306	15.0
Charlevoix	[3] 15,788	161	10.2	168	10.6
Cheboygan	[3] 13,991	156	11.2	167	11.9
Chippewa	12,900	97	7.5	109	8.4
Clare	[3] 8,250	69	8.4	79	9.6
Clinton	[3] 23,110	294	12.7	310	13.4
Crawford	4,100	47	11.5	46	11.2
Delta	18,300	159	8.7	185	10.1
Dickinson	[3] 19,456	309	15.9	322	16.6
Eaton	[3] 29,377	402	13.7	428	14.6
Emmet	[3] 15,639	219	14.0	208	13.3
Genesee	30,100	430	14.3	473	15.7
Gladwin	9,100	48	5.3	54	5.9
Gogebic	22,100	209	9.5	200	9.0
Grand Traverse	[3] 8,593	85	9.9	92	10.7
Gratiot	37,300	401	10.8	415	11.1
Hillsdale	[3] 28,161	393	14.0	405	14.4
Houghton	[3] 71,930	662	9.2	647	9.0
Huron	[3] 32,786	348	10.6	353	10.8
Ingham	27,300	390	14.3	424	15.5
Ionia	[3] 33,087	469	14.2	495	15.0
Iosco	[3] 8,199	103	12.6	106	12.9
Iron	26,800	178	6.6	190	7.1
Isabella	[3] 22,610	239	10.6	247	10.9
Jackson	25,600	347	13.6	384	15.0
Kalamazoo	24,000	311	13.0	343	14.3
Kalkaska	[3] 5,577	57	10.2	65	11.7
Kent	42,700	872	20.4	880	20.6
Keweenaw	[3] 6,322	49	7.8	50	7.9

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths		1926 Deaths of residents [1]	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MICHIGAN COUNTIES (RURAL)—continued					
Lake	[3] 4,437	40	9.0	44	9.9
Lapeer *	[3] 25,782	453	17.6	469	18.2
Leelanau	[3] 9,061	77	8.5	78	8.6
Lenawee	[3] 35,167	470	13.4	504	14.3
Livingston *	[3] 17,522	291	16.6	284	16.2
Luce *	7,600	155	20.4	150	19.7
Mackinac	[3] 8,026	107	13.3	107	13.3
Macomb	41,800	709	17.0	739	17.7
Manistee	[3] 20,899	251	12.0	257	12.3
Marquette	[3] 21,786	248	11.4	248	11.4
Mason	[3] 19,831	254	12.8	263	13.3
Mecosta	[3] 17,765	230	12.9	234	13.2
Menominee	[2] 23,778	289	12.2	272	11.4
Midland	19,400	196	10.1	206	10.6
Missaukee	[3] 9,004	85	9.4	90	10.0
Monroe	25,200	327	13.0	341	13.5
Montcalm	[3] 30,441	408	13.4	414	13.6
Montmorency	4,300	40	9.3	41	9.5
Muskegon	32,600	318	9.8	345	10.6
Newaygo	[3] 17,878	223	12.8	229	13.2
Oakland	65,500	1,121	17.1	1,211	18.5
Oceana	[3] 15,601	202	12.9	210	13.5
Ogemaw	[3] 7,786	73	9.4	76	9.8
Ontonagon	15,000	118	7.9	127	8.5
Osceola	[3] 15,221	178	11.7	183	12.0
Oscoda	[3] 1,783	16	9.0	17	9.5
Otsego	[3] 6,043	43	7.1	50	8.3
Ottawa	35,900	401	11.2	415	11.6
Presque Isle	12,700	113	8.9	126	9.9
Roscommon	[3] 2,032	31	15.3	35	17.2
Saginaw	34,300	371	10.8	389	11.3
St. Clair	31,100	435	14.0	442	14.2
St. Joseph	27,700	376	13.6	398	14.4
Sanilac	[3] 31,237	340	10.9	347	11.1
Schoolcraft	10,800	88	8.1	93	8.6
Shiawassee	23,200	281	12.1	300	12.9
Tuscola	[3] 33,320	449	13.5	460	13.8
Van Buren	[3] 30,715	425	13.8	463	15.1
Washtenaw	30,000	465	15.5	506	16.9
Wayne *	130,000	1,811	13.9	1,736	13.4
Wexford	[3] 18,207	261	14.3	268	14.7
MINNESOTA COUNTIES (RURAL) [11]					
Aitkin	18,200	113	6.2	126	6.9
Anoka *	17,700	197	11.1	209	11.8
Becker	25,500	267	10.5	262	10.3
Beltrami	(12)	255	(12)	234	(12)
Benton	13,600	90	6.6	99	7.3
Big Stone	10,000	115	11.5	95	9.5
Blue Earth	19,000	139	7.3	175	9.2
Brown	24,000	271	11.3	249	10.4
Carlton	20,600	157	7.6	191	9.3
Carver	[3] 16,946	156	9.2	177	10.4
Cass	18,800	178	9.5	178	9.5
Chippewa	17,200	140	8.1	136	7.9
Chisago	15,100	145	9.6	177	11.7
Clay	23,200	182	7.8	191	8.2
Clearwater	9,700	67	6.9	69	7.1
Cook	2,200	15	6.8	23	10.5
White	2,000	11	5.5	18	9.0
Colored	200	4	20.0	5	25.0
Cottonwood	15,900	128	8.1	122	7.7
Crow Wing	29,700	252	8.5	243	8.2
Dakota	31,500	331	10.5	378	12.0
Dodge	12,900	124	9.6	140	10.9
Douglas	20,000	196	9.8	199	10.0
Faribault	21,700	199	9.2	210	9.7
Fillmore	[3] 25,330	227	9.0	255	10.1
Freeborn	26,300	255	9.7	265	10.1
Goodhue	[3] 30,799	371	12.0	360	11.7
Grant	10,200	94	9.2	101	9.9
Hennepin	36,700	509	13.9	492	13.4
Houston	[3] 14,013	129	9.2	146	10.4
MINNESOTA COUNTIES (RURAL)—con.					
Hubbard	10,300	82	8.0	95	9.2
Isanti	13,700	100	7.3	118	8.6
Itasca	28,300	213	7.5	224	7.9
Jackson	16,900	133	7.9	139	8.2
Kanabec	10,800	67	6.2	72	6.7
Kandiyohi	24,100	232	9.6	232	9.6
Kittson	11,300	70	6.2	74	6.5
Koochiching	18,300	121	6.6	118	6.4
Lac qui Parle	15,600	102	6.5	116	7.4
Lake	8,400	75	8.9	71	8.5
Lake of the Woods	(12)	40	(12)	37	(12)
Le Sueur	[3] 17,870	160	9.0	183	10.2
Lincoln	12,200	97	8.0	99	8.1
Lyon	20,900	157	7.5	154	7.4
McLeod	21,600	152	7.0	160	7.4
Mahnomen	8,200	58	7.1	65	7.9
White	6,900	30	4.3	35	5.1
Colored	1,300	28	21.5	30	23.1
Marshall	21,500	140	6.5	145	6.7
Martin	23,500	195	8.3	205	8.7
Meeker	18,800	158	8.4	165	8.8
Mille Lacs	16,500	154	9.3	163	9.9
Morrison	27,000	230	8.5	250	9.3
Mower	16,000	125	7.8	140	8.8
Murray	14,900	107	7.2	110	7.4
Nicollet*	15,600	243	15.6	250	16.0
Nobles	19,700	136	6.9	130	6.6
Norman	15,800	123	7.8	134	8.5
Olmsted	14,000	114	8.1	143	10.2
Otter Tail*	54,000	617	11.4	597	11.1
Pennington	13,900	78	5.6	77	5.5
Pine	24,600	150	6.1	173	7.0
Pipestone	13,700	96	7.0	102	7.4
Polk	37,800	342	9.0	337	8.9
Pope	14,200	116	8.2	121	8.5
Ramsey	10,400	102	9.8	141	13.6
Red Lake	7,700	57	7.4	64	8.3
Redwood	22,600	159	7.0	175	7.7
Renville	24,000	160	6.7	189	7.9
Rice	17,400	166	9.5	186	10.7
Rock	11,500	88	7.7	89	[6] 7.7
Roseau	14,600	116	7.9	123	8.4
St. Louis	87,900	609	6.9	703	8.0
Scott	[3] 14,245	117	8.2	134	9.4
Sherburne	9,700	88	9.1	100	10.3
Sibley	15,700	102	6.5	120	7.6
Stearns	44,800	323	7.2	360	8.0
Steele	19,300	157	8.1	169	8.8
Stevens	10,800	88	8.1	99	9.2
Swift	16,500	147	8.9	150	9.1
Todd	27,800	174	6.3	185	6.7
Traverse	[3] 7,943	54	6.8	60	7.6
Wabasha	[3] 17,919	178	9.9	185	10.3
Wadena	12,100	130	10.7	128	10.6
Waseca	14,600	134	9.2	137	9.4
Washington	[3] 23,761	259	10.9	287	12.1
Watonwan	13,200	109	8.3	110	[6] 8.3
Wilkin	10,900	74	6.8	67	6.1
Winona	14,300	103	7.2	117	8.2
Wright	29,100	261	9.0	288	9.9
Yellow Medicine	17,300	135	7.8	135	7.8
MISSISSIPPI COUNTIES (RURAL) [11]					
Adams	[3] 9,000	262	29.1	262	29.1
White	(5)	71	(5)	71	(5)
Colored	(5)	191	(5)	191	(5)
Alcorn	23,500	252	10.7	255	10.9
White	19,500	196	10.1	199	10.2
Colored	4,000	56	14.0	56	14.0
Amite	[3] 18,960	163	8.6	165	8.7
White	9,617	70	7.3	72	7.5
Colored	9,343	93	10.0	93	10.0
Attala	[3] 24,831	287	11.6	301	12.1
White	14,663	166	11.3	178	12.1
Colored	10,168	121	11.9	123	12.1
MISSISSIPPI COUNTIES (RURAL)—con.					
Benton	[3] 9,851	105	10.7	107	10.9
White	5,231	39	7.5	41	7.8
Colored	4,620	66	14.3	66	14.3
Bolivar	63,500	895	14.1	948	14.9
White	12,700	140	11.0	159	12.5
Colored	50,800	755	14.9	789	15.5
Calhoun	[3] 16,823	134	8.0	136	8.1
White	13,936	103	7.4	105	7.5
Colored	2,887	31	10.7	31	10.7
Carroll	[3] 20,324	192	9.4	194	9.5
White	8,970	81	9.0	82	9.1
Colored	11,354	111	9.8	112	9.9
Chickasaw	[3] 22,212	331	14.9	334	15.0
White	11,155	142	12.7	144	12.9
Colored	11,057	189	17.1	190	17.2
Choctaw	[3] 12,491	108	8.6	109	8.7
White	8,940	79	8.8	80	8.9
Colored	3,551	29	8.2	29	8.2
Claiborne	[3] 13,019	141	10.8	143	11.0
White	3,425	38	11.1	40	11.7
Colored	9,594	103	10.7	103	10.7
Clarke	[3] 17,927	196	10.9	211	11.8
White	10,700	81	7.6	93	8.7
Colored	7,227	115	15.9	118	16.3
Clay	[3] 17,490	244	14.0	246	14.1
White	7,003	74	10.6	76	10.9
Colored	10,487	170	16.2	170	16.2
Coahoma	46,400	708	15.3	736	15.9
White	7,900	93	11.8	105	13.3
Colored	38,500	615	16.0	631	16.4
Copiah	[3] 28,672	288	10.0	303	10.6
White	13,567	114	8.4	121	8.9
Colored	15,105	174	11.5	182	12.0
Covington	[3] 14,869	138	9.3	151	10.2
White	10,593	91	8.6	101	9.5
Colored	4,276	47	11.0	50	11.7
De Soto	25,200	327	13.0	337	13.4
White	6,200	58	9.4	63	10.2
Colored	19,000	269	14.2	274	14.4
Forrest	7,400	46	6.2	52	7.0
White	5,700	28	4.9	33	5.8
Colored	1,700	18	10.6	19	11.2
Franklin	[3] 14,156	120	8.5	124	8.8
White	8,539	51	6.0	55	6.4
Colored	5,617	69	12.3	69	12.3
George	[2] 5,564	55	9.9	60	10.8
White	4,645	37	8.0	42	9.0
Colored	919	18	19.6	18	19.6
Greene	13,400	86	6.4	88	6.6
White	9,800	54	5.5	55	5.6
Colored	3,600	32	8.9	33	9.2
Grenada	[3] 13,607	258	19.0	260	19.1
White	5,160	93	18.0	95	18.4
Colored	8,447	165	19.5	165	19.5
Hancock	[3] 10,380	129	12.4	139	13.4
White	7,679	88	11.5	93	12.1
Colored	2,701	41	15.2	46	17.0
Harrison	(12)	423	(12)	427	(12)
White	(12)	284	(12)	283	(12)
Colored	(12)	139	(12)	144	(12)
Hinds	[3] 28,210	745	26.4	766	27.2
White	4,179	151	36.1	162	38.8
Colored	24,031	594	24.7	604	25.1
Holmes	(12)	557	(12)	574	(12)
White	(12)	101	(12)	109	(12)
Colored	(12)	456	(12)	465	(12)
Humphreys	(12)	305	(12)	317	(12)
White	(12)	56	(12)	64	(12)
Colored	(12)	249	(12)	253	(12)
Issaquena	[3] 7,618	104	13.7	107	14.0
White	702	5	7.1	5	7.1
Colored	6,916	99	14.3	102	14.7

See footnotes at end of table.

TABLE I. B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
MISSISSIPPI COUNTIES (RURAL)—con.					
Itawamba	16,400	200	12.2	200	12.2
Jackson	21,700	172	7.9	191	8.8
White	17,300	109	6.3	125	7.2
Colored	4,400	63	14.3	66	15.0
Jasper	18,500	175	9.5	185	10.0
White	9,800	77	7.9	83	8.5
Colored	8,700	98	11.3	102	11.7
Jefferson	[3] 15,946	171	10.7	173	10.8
White	3,987	32	8.0	32	8.0
Colored	11,959	139	11.6	141	11.8
Jefferson Davis	[3] 12,755	127	10.0	128	[6] 10.0
White	6,004	42	7.0	43	7.2
Colored	6,751	85	12.6	85	12.6
Jones	18,700	143	7.6	159	8.5
White	15,600	109	7.0	122	7.8
Colored	3,100	34	11.0	37	11.9
Kemper	[3] 19,619	258	13.2	262	13.4
White	8,417	89	10.6	89	10.6
Colored	11,202	169	15.1	173	15.4
Lafayette	[3] 19,243	232	12.1	234	12.2
White	11,279	113	10.0	113	10.0
Colored	7,964	119	14.9	121	15.2
Lamar	13,600	107	7.9	113	8.3
White	10,600	61	5.8	66	6.2
Colored	3,000	46	15.3	47	15.7
Lauderdale	[3] 21,400	184	8.6	192	9.0
White	10,700	72	6.7	74	6.9
Colored	10,700	112	10.5	118	11.0
Lawrence	[3] 12,663	74	5.8	79	6.2
White	7,678	38	4.9	41	5.3
Colored	4,985	36	7.2	38	7.6
Leake	[3] 16,973	122	7.2	134	7.9
White	11,021	69	6.3	80	7.3
Colored	5,952	53	8.9	54	9.1
Lee	30,100	323	10.7	324	10.8
White	21,000	185	8.8	187	8.9
Colored	9,100	138	15.2	137	15.1
Leflore	37,900	491	13.0	508	13.4
White	9,900	113	11.4	121	12.2
Colored	28,000	378	13.5	387	13.8
Lincoln	[3] 24,652	294	11.9	298	12.1
White	15,677	165	10.5	167	10.7
Colored	8,975	129	14.4	131	14.6
Lowndes	[3] 16,100	107	6.6	107	6.6
White	4,500	20	4.4	20	4.4
Colored	11,600	87	7.5	87	7.5
Madison	[3] 29,292	444	15.2	455	15.5
White	6,446	68	10.5	73	11.3
Colored	22,846	376	16.5	382	16.7
Marion	(12)	195	(12)	200	(12)
White	(12)	110	(12)	114	(12)
Colored	(12)	85	(12)	86	(12)
Marshall	[3] 26,105	317	12.1	330	12.6
White	7,264	69	9.5	75	10.3
Colored	18,841	248	13.2	255	13.5
Monroe	[3] 32,613	384	11.8	391	12.0
White	17,260	193	11.2	197	11.4
Colored	15,353	191	12.4	194	12.6
Montgomery	[3] 13,805	205	14.8	205	14.8
White	8,072	90	11.1	90	11.1
Colored	5,733	115	20.1	115	20.1
Neshoba	20,200	136	6.7	143	7.1
White	16,800	90	5.4	96	5.7
Colored	3,400	46	13.5	47	13.8
Newton	[3] 20,727	194	9.4	205	9.9
White	13,663	98	7.2	104	7.6
Colored	7,064	96	13.6	101	14.3
Noxubee	[3] 23,710	291	12.3	293	12.4
White	4,906	54	11.0	56	11.4
Colored	18,804	237	12.6	237	12.6
Oktibbeha	[3] 16,872	203	12.0	205	12.2
White	6,320	59	8.7	61	8.9
Colored	10,052	144	14.3	144	14.3
Panola	[3] 27,845	408	14.7	419	15.0
White	10,093	98	9.7	103	10.2
Colored	17,752	310	17.5	316	17.8
MISSISSIPPI COUNTIES (RURAL)—con.					
Pearl River	18,700	136	7.3	140	7.5
White	13,300	95	7.1	98	7.4
Colored	5,400	41	7.6	42	7.8
Perry	9,900	76	7.7	80	8.1
White	6,600	43	6.5	44	6.7
Colored	3,300	33	10.0	36	10.9
Pike	(12)	345	(12)	356	(12)
White	(12)	178	(12)	186	(12)
Colored	(12)	167	(12)	170	(12)
Pontotoc	20,100	174	8.7	176	8.8
White	16,100	130	8.1	131	[6] 8.1
Colored	4,000	44	11.0	45	11.3
Prentiss	18,100	165	9.1	165	9.1
White	15,900	139	8.7	139	8.7
Colored	2,200	26	11.8	26	11.8
Quitman	25,400	330	13.0	337	13.3
White	6,200	78	12.6	81	13.1
Colored	19,200	252	13.1	256	13.3
Rankin	[3] 20,272	227	11.2	236	11.6
White	8,969	73	8.1	75	8.4
Colored	11,303	154	13.6	161	14.2
Scott	[3] 16,420	171	10.4	182	11.1
White	10,230	84	8.2	91	8.9
Colored	6,190	87	14.1	91	14.7
Sharkey	(12)	194	(12)	208	(12)
White	(12)	22	(12)	24	(12)
Colored	(12)	172	(12)	184	(12)
Simpson	18,700	239	12.8	237	12.7
White	12,700	153	12.0	149	11.7
Colored	6,000	86	14.3	88	14.7
Smith	[3] 16,178	121	7.5	130	8.0
White	13,584	105	7.7	112	8.2
Colored	2,594	16	6.2	18	6.9
Stone	(12)	48	(12)	50	(12)
White	(12)	30	(12)	31	(12)
Colored	(12)	18	(12)	19	(12)
Sunflower	(12)	668	(12)	693	(12)
White	(12)	112	(12)	125	(12)
Colored	(12)	556	(12)	568	(12)
Tallahatchie	40,600	494	12.2	504	12.4
White	11,700	120	10.3	124	10.6
Colored	28,900	374	12.9	380	13.1
Tate	[3] 19,636	232	11.8	241	12.3
White	8,066	77	9.5	86	10.7
Colored	11,570	155	13.4	155	13.4
Tippah	15,900	161	10.1	166	10.4
White	13,800	114	8.3	119	8.6
Colored	2,100	47	22.4	47	22.4
Tishomingo	16,400	126	7.7	128	7.8
Tunica	21,600	372	17.2	388	18.0
White	2,400	35	14.6	40	16.7
Colored	19,200	337	17.6	348	18.1
Union	20,700	205	9.9	205	9.9
White	16,500	153	9.3	153	9.3
Colored	4,200	52	12.4	52	12.4
Walthall	(12)	101	(12)	104	(12)
White	(12)	57	(12)	60	(12)
Colored	(12)	44	(12)	44	(12)
Warren	[3] 15,290	86	5.6	116	7.6
White	3,125	5	1.6	9	2.9
Colored	12,165	81	6.7	107	8.8
Washington	(12)	363	(12)	394	(12)
White	(12)	22	(12)	38	(12)
Colored	(12)	341	(12)	356	(12)
Wayne	16,000	135	8.4	142	8.9
White	10,800	73	6.8	78	7.2
Colored	5,200	62	11.9	64	12.3
Webster	[3] 12,644	130	10.3	131	10.4
White	10,285	99	9.6	99	9.6
Colored	2,359	31	13.1	32	13.6
Wilkinson	[3] 15,319	152	9.9	155	10.1
White	4,005	31	7.7	32	8.0
Colored	11,314	121	10.7	123	10.9
Winston	18,300	176	9.4	183	9.7
White	12,600	117	9.3	124	9.8
Colored	6,200	59	9.5	59	9.5
MISSISSIPPI COUNTIES (RURAL)—con.					
Yalobusha	[3] 18,738	210	11.2	213	11.4
White	10,271	103	10.0	106	10.3
Colored	8,467	107	12.6	107	12.6
Yazoo	(12)	570	(12)	575	(12)
White	(12)	136	(12)	137	(12)
Colored	(12)	434	(12)	438	(12)
MISSOURI COUNTIES (RURAL) [11]					
Adair	[3] 21,404	242	11.3	211	9.9
Andrew	[3] 14,075	152	10.8	136	9.7
Atchison	[3] 13,008	114	8.8	125	9.6
Audrain	[3] 20,589	293	14.2	298	14.5
Barry	[3] 23,473	176	7.5	182	7.8
Barton	17,000	151	8.9	159	9.4
Bates	[3] 23,933	265	11.1	270	11.3
Benton	[3] 12,989	97	7.5	98	[6] 7.5
Bollinger	[3] 13,909	92	6.6	95	6.8
Boone	[3] 18,972	175	9.2	184	9.7
Buchanan	15,700	163	10.4	188	12.0
Butler	26,400	330	12.5	337	12.8
Caldwell	[3] 13,849	130	9.4	140	10.1
Callaway *	[3] 23,007	369	16.0	334	14.5
White	19,776	276	14.0	250	12.6
Colored	3,231	93	28.8	84	26.0
Camden	[3] 10,474	44	4.2	43	4.1
Cape Girardeau	16,900	189	11.2	204	12.1
Carroll	[3] 20,480	202	9.9	210	10.3
Carter	8,800	32	3.6	37	4.2
Cass	[3] 21,536	204	9.5	217	10.1
Cedar	[3] 13,933	120	8.6	125	9.0
Chariton	[3] 21,769	241	11.1	259	11.9
Christian	[3] 15,252	107	7.0	113	7.4
Clark	[3] 11,874	103	8.7	118	9.9
Clay	20,600	337	16.4	334	16.2
Clinton	[3] 14,461	132	9.1	149	10.3
Cole	10,400	75	7.2	85	8.2
Cooper	[3] 19,308	238	12.3	242	12.5
White	16,904	191	11.3	194	11.5
Colored	2,404	47	19.6	48	20.0
Crawford	[3] 12,355	101	8.2	110	8.9
Dade	[3] 14,173	131	9.2	142	10.0
Dallas	[3] 12,033	78	6.5	85	7.1
Daviess	[3] 16,641	178	10.7	184	11.1
De Kalb	[3] 11,694	113	9.7	117	10.0
Dent	[3] 12,318	98	8.0	103	8.4
Douglas	[3] 15,436	75	4.9	75	4.9
Dunklin	34,400	436	12.7	463	13.5
Franklin	[3] 28,427	345	12.1	365	12.8
Gasconade	[3] 12,381	126	10.2	134	10.8
Gentry	[3] 15,634	152	9.7	162	10.4
Greene	21,400	237	11.1	272	12.7
Grundy	18,100	177	9.8	178	[6] 9.8
Harrison	[3] 19,719	171	8.7	195	9.9
Henry	[3] 25,116	250	10.0	265	10.6
Hickory	[3] 7,033	38	5.4	40	5.7
Holt	[3] 14,084	127	9.0	141	10.0
Howard	[3] 13,997	147	10.5	151	10.8
White	11,831	108	9.1	113	9.6
Colored	2,166	39	18.0	38	17.5
Howell	21,100	200	9.5	209	9.9
Iron	10,100	88	8.7	92	9.1
Jackson	36,100	414	11.5	448	12.4
Jasper	[3] 35,539	436	12.3	455	12.8
Jefferson	[3] 26,555	297	11.2	326	12.3
Johnson	[3] 24,899	257	10.3	266	10.7
Knox	[3] 10,783	102	9.5	110	10.2
Laclede	[3] 16,857	179	10.6	194	11.5
Lafayette	[3] 30,006	283	9.4	295	9.8
Lawrence	[3] 24,211	316	13.1	309	12.8
Lewis	[3] 13,465	140	10.4	151	11.2
Lincoln	[3] 15,956	170	10.7	184	11.5
Linn	[3] 24,778	283	11.4	294	11.9

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths: Number	Total deaths: Rate per 1,000 population	Deaths of residents [1]: Number	Deaths of residents [1]: Rate per 1,000 population
MISSOURI COUNTIES (RURAL)—continued					
Livingston	[3] 18,857	203	10.8	207	11.0
McDonald	15,500	78	5.0	85	5.5
Macon	[3] 27,518	240	8.7	254	9.2
Madison	[3] 10,721	100	9.3	102	9.5
Maries	[3] 9,500	72	7.6	75	7.9
Marion	[3] 10,226	116	11.3	130	12.7
Mercer	[3] 11,281	101	9.0	103	9.1
Miller	[3] 15,567	132	8.5	135	8.7
Mississippi	[3] 12,860	248	19.3	260	20.2
White	11,549	142	12.3	153	13.2
Colored	1,311	106	80.9	107	81.6
Moniteau	[3] 13,532	114	8.4	122	9.0
Monroe	[3] 16,414	162	9.9	174	10.6
Montgomery	[3] 15,233	138	9.1	158	10.4
Morgan	[3] 12,015	101	8.4	105	8.7
New Madrid	29,000	299	10.3	319	11.0
Newton	[3] 24,886	285	11.5	286 [6]	11.5
Nodaway	[3] 27,744	283	10.2	291	10.5
Oregon	[3] 12,889	97	7.5	104	8.1
Osage	[3] 13,559	107	7.9	115	8.5
Ozark	[3] 11,125	39	3.5	40	3.6
Pemiscot	31,400	325	10.4	341	10.9
White	25,900	215	8.3	226	8.7
Colored	5,500	110	20.0	115	20.9
Perry	[3] 14,434	130	9.0	142	9.8
Pettis	14,100	104	7.4	111	7.9
Phelps	[3] 14,941	221	14.8	228	15.3
Pike	[3] 20,345	233	11.5	255	12.5
White	17,739	185	10.4	204	11.5
Colored	2,606	48	18.4	51	19.6
Platte	[3] 13,996	118	8.4	132	9.4
Polk	[3] 20,351	184	9.0	205	10.1
Pulaski	[3] 10,490	94	9.0	102	9.7
Putnam	[3] 13,115	124	9.5	136	10.4
Ralls	[3] 10,412	91	8.7	96	9.2
Randolph	14,500	166	11.4	180	12.4
Ray	[3] 20,508	246	12.0	260	12.7
Reynolds	10,400	43	4.1	45	4.3
Ripley	[3] 12,061	107	8.9	112	9.3
St. Charles	[3] 22,828	267	11.7	270	11.8
St. Clair	[3] 15,341	128	8.3	135	8.8
St. Francois	[3] 31,403	417	13.3	400	12.7
St. Louis *	113,000	1,867	16.5	1,919	17.0
Ste. Genevieve	[3] 9,809	109	11.1	120	12.2
Saline	[3] 28,826	347	12.0	357	12.4
White	25,699	287	11.2	297	11.6
Colored	3,127	60	19.2	60	19.2
Schuyler	[3] 8,383	71	8.5	78	9.3
Scotland	[3] 10,700	75	7.0	79	7.4
Scott	24,100	285	11.8	306	12.7
Shannon	12,100	96	7.9	100	8.3
Shelby	[3] 13,617	178	13.1	185	13.6
Stoddard	31,100	284	9.1	296	9.5
Stone	12,200	89	7.3	90	7.4
Sullivan	[3] 17,781	136	7.6	152	8.5
Taney	[3] 8,178	79	9.7	83	10.1
Texas	[3] 20,548	191	9.3	204	9.9
Vernon	[3] 26,069	429	16.5	368	14.1
Warren	[3] 8,490	85	10.0	95	11.2
Washington	14,100	148	10.5	151	10.7
Wayne	[3] 13,012	116	8.9	122	9.4
Webster	[3] 16,609	175	10.5	185	11.1
Worth	[3] 7,642	60	7.9	72	9.4
Wright	[3] 17,733	149	8.4	159	9.0
MONTANA COUNTIES (RURAL) [11]					
Beaverhead	8,000	66	8.3	66	8.3
Big Horn	(12)	84	(12)	84	(12)
White	(12)	29	(12)	29	(12)
Colored	(12)	55	(12)	55	(12)
Blaine	(12)	96	(12)	99	(12)
White	(12)	38	(12)	41	(12)
Colored	(12)	58	(12)	58	(12)
Broadwater	[3] 3,289	21	6.5	22	6.8
Carbon	(12)	83	(12)	88	(12)
Carter	(12)	18	(12)	18	(12)
Cascade	(12)	66	(12)	68	(12)
Chouteau	(12)	43	(12)	45	(12)
Custer	(12)	118	(12)	116	(12)
Daniels	(12)	48	(12)	51	(12)
Dawson	(12)	99	(12)	103	(12)
Deer Lodge*	4,200	185	44.0	169	40.2
Fallon	(12)	27	(12)	27	(12)
Fergus	(12)	184	(12)	183	(12)
Flathead	(12)	204	(12)	210	(12)
Gallatin	17,100	144	8.4	145	8.5
Garfield	(12)	22	(12)	24	(12)
Glacier	(12)	69	(12)	73	(12)
White	(12)	6	(12)	9	(12)
Colored	(12)	63	(12)	64	(12)
Golden Valley	(12)	6	(12)	6	(12)
Granite	5,000	37	7.4	40	8.0
Hill	(12)	133	(12)	133	(12)
Jefferson	[3] 5,203	40	7.7	41	7.9
Judith Basin	(12)	18	(12)	22	(12)
Lake	(12)	85	(12)	86	(12)
Lewis and Clark	[3] 6,623	45	6.8	48	7.2
Liberty	(12)	15	(12)	16	(12)
Lincoln	10,600	48	4.5	57	5.4
McCone	(12)	20	(12)	21	(12)
Madison	7,700	56	7.3	57	7.4
Meagher	(12)	19	(12)	21	(12)
Mineral	(12)	21	(12)	22	(12)
Missoula	(12)	50	(12)	53	(12)
White	(12)	47	(12)	50	(12)
Colored	(12)	3	(12)	3	(12)
Musselshell	(12)	55	(12)	58	(12)
Park	11,700	110	9.4	110	9.4
Petroleum	(12)	11	(12)	13	(12)
Phillips	(12)	46	(12)	48	(12)
Pondera	(12)	58	(12)	60	(12)
Powder River	(12)	13	(12)	15	(12)
Powell	7,600	64	8.4	66	8.7
Prairie	(12)	18	(12)	18	(12)
Ravalli	[3] 10,098	92	9.1	93	9.2
Richland	(12)	60	(12)	61	(12)
Roosevelt	(12)	113	(12)	115	(12)
White	(12)	52	(12)	54	(12)
Colored	(12)	61	(12)	61	(12)
Rosebud	(12)	87	(12)	91	(12)
Sanders	5,700	48	8.4	53	9.3
Sheridan	(12)	69	(12)	73	(12)
Silver Bow	19,500	231	11.8	232	11.9
Stillwater	(12)	52	(12)	53	(12)
Sweet Grass	(12)	37	(12)	37	(12)
Teton	(12)	42	(12)	45	(12)
Toole	(12)	52	(12)	55	(12)
Treasure	(12)	11	(12)	11	(12)
Valley	(12)	78	(12)	86	(12)
Wheatland	(12)	21	(12)	22	(12)
Wibaux	(12)	18	(12)	18	(12)
Yellowstone	(12)	89	(12)	95	(12)
NEBRASKA COUNTIES (RURAL) [11]					
Adams*	10,600	176	16.6	193	18.2
Antelope	16,100	110	6.8	126	7.8
Arthur	(12)	4	(12)	5	(12)
Banner	[3] 1,435	5	3.5	5	3.5
Blaine	1,800	10	5.6	14	7.8
Boone	14,800	97	6.6	113	7.6
Box Butte	9,900	92	9.3	81	8.2
Boyd	[3] 8,243	77	9.3	79	9.6
Brown	7,200	54	7.5	54	7.5
Buffalo*	25,000	280	11.2	244	9.8
Burt	[3] 12,559	120	9.6	124	9.9
Butler	[3] 14,606	109	7.5	121	8.3
Cass	[3] 18,029	134	7.4	173	9.6
Cedar	16,900	104	6.2	119	7.0
Chase	5,800	37	6.4	39	6.7
Cherry	12,600	66	5.2	70	5.6
Cheyenne	11,000	50	4.5	53	4.8
Clay	[3] 14,486	123	8.5	127	8.8
Colfax	11,600	74	6.4	86	7.4
Cuming	[3] 13,769	139	10.1	145	10.5
Custer	26,900	193	7.2	208	7.7
Dakota	8,400	47	5.6	72	8.6
Dawes	11,400	80	7.0	87	7.6
Dawson	16,000	137	8.6	142	8.9
Deuel	4,300	20	4.7	23	5.3
Dixon	12,000	75	6.3	101	8.4
Dodge	23,900	235	9.8	240	10.0
Douglas	13,100	79	6.0	107	8.2
Dundy	5,400	52	9.6	55	10.2
Fillmore	[3] 13,671	118	8.6	129	9.4
Franklin	[3] 10,067	81	8.0	88	8.7
Frontier	[3] 8,540	44	5.2	53	6.2
Furnas	[3] 11,657	132	11.3	138	11.8
Gage	[3] 29,721	300	10.1	296	10.0
Garden	(12)	31	(12)	38	(12)
Garfield	3,500	27	7.7	32	9.1
Gosper	[3] 4,669	30	6.4	30	6.4
Grant	1,700	5	2.9	6	3.5
Greeley	9,100	59	6.5	72	7.9
Hall	10,100	96	9.5	106	10.5
Hamilton	[3] 13,237	113	8.5	119	9.0
Harlan	[3] 9,220	103	11.2	111	12.0
Hayes	3,500	28	8.0	28	8.0
Hitchcock	6,500	55	8.5	54	8.3
Holt	18,200	105	5.8	112	6.2
Hooker	1,600	4	2.5	5	3.1
Howard	[3] 10,739	86	8.0	91	8.5
Jefferson	[3] 16,140	129	8.0	127	7.9
Johnson	[3] 8,940	69	7.7	77	8.6
Kearney	[3] 8,583	63	7.3	62	7.2
Keith	6,400	29	4.5	34	5.3
Keyapaha	3,700	15	4.1	21	5.7
Kimball	6,200	38	6.1	36	5.8
Knox	19,300	143	7.4	151	7.8
Lancaster*	31,300	282	9.0	335	10.7
Lincoln	14,300	80	5.6	85	5.9
Logan	1,600	13	8.1	15	9.4
Loup	[3] 1,946	8	4.1	11	5.7
McPherson	(12)	5	(12)	7	(12)
Madison*	24,800	275	11.1	233	9.4
Merrick	11,000	95	8.6	97	8.8
Morrill	12,200	64	5.2	68	5.6
Nance	[3] 8,712	68	7.8	76	8.7
Nemaha	[3] 12,547	91	7.3	101	8.0
Nuckolls	13,400	112	8.4	120	9.0
Otoe	19,600	180	9.2	199	10.2
Pawnee	[3] 9,578	90	9.4	94	9.8
Perkins	4,900	26	5.3	26	5.3
Phelps	[3] 9,900	92	9.3	95	9.6
Pierce	11,100	74	6.7	80	7.2
Platte	19,800	195	9.8	181	9.1
Polk	10,800	91	8.4	95	8.8
Redwillow	11,700	115	9.8	115	9.8
Richardson	20,000	180	9.0	188	9.4
Rock	3,800	23	6.1	29	7.6
Saline	[3] 16,514	117	7.1	154	9.3
Sarpy	9,400	62	6.6	78	8.3
Saunders	[3] 20,589	154	7.5	193	9.4
Scotts Bluff	29,000	216	7.4	209	7.2
Seward	[3] 15,867	143	9.0	150	9.5
Sheridan	11,200	78	7.0	84	7.5
Sherman	9,300	63	6.8	66	7.1
Sioux	[3] 4,528	18	4.0	18	4.0
Stanton	7,900	48	6.1	54	6.8
Thayer	[3] 13,976	117	8.4	128	9.2
Thomas	2,200	7	3.2	9	4.1
Thurston	10,200	122	12.0	130	12.7
White	8,800	51	5.8	60	6.8
Colored	1,400	71	50.7	70	50.0
Valley	10,100	72	7.1	75	7.4
Washington	[3] 12,180	88	7.2	105	8.6
Wayne	[3] 9,725	69	7.1	73	7.5
Webster	[3] 10,922	85	7.8	93	8.5
Wheeler	2,700	17	6.3	19	7.0
York	[3] 17,146	169	9.9	174	10.1

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths: Number	1926 Total deaths: Rate per 1,000 population	1926 Deaths of residents [1]: Number	1926 Deaths of residents [1]: Rate per 1,000 population
NEW HAMPSHIRE COUNTIES (RURAL) [11]					
Belknap	[3] 9,778	134	13.7	159	16.3
Carroll	[3] 15,017	269	17.9	279	18.6
Cheshire	19,200	247	12.9	284	14.8
Coos	20,700	232	11.2	251	12.1
Grafton	[3] 40,572	708	17.5	662	16.3
Hillsborough	27,800	528	19.0	458	16.5
Merrimack	[3] 29,170	474	16.2	498	17.1
Rockingham	37,600	578	15.4	641	17.0
Strafford	[3] 25,517	327	12.8	359	14.1
Sullivan	22,000	330	15.0	302	13.7
NEW JERSEY COUNTIES (RURAL) [11]					
Atlantic	38,200	692	18.1	692	18.1
Bergen	201,000	1,926	9.6	2,373	11.8
Burlington	92,000	1,192	13.0	1,246	13.5
Camden	77,400	1,117	14.4	1,224	15.8
Cape May	[3] 19,460	413	21.2	366	18.8
Cumberland	34,900	537	15.4	534	15.3
Essex *	55,300	1,210	21.9	1,013	18.3
Gloucester	55,500	735	13.2	765	13.8
Hudson *	60,000	1,174	19.6	1,030	17.2
Hunterdon	[3] 32,885	457	13.9	495	15.1
Mercer	48,500	693	14.3	668	13.8
Middlesex	92,300	878	9.5	1,110	12.0
Monmouth	84,100	1,275	15.2	1,363	16.2
Morris *	75,400	1,165	15.5	1,345	17.8
Ocean	22,700	485	21.4	437	19.3
Passaic	39,200	379	9.7	503	12.8
Salem	43,000	424	9.9	458	10.7
White	38,600	366	9.5	398	10.3
Colored	4,400	58	13.2	60	13.6
Somerset	54,100	665	12.3	731	13.5
Sussex	[3] 24,905	385	15.5	394	15.8
Union	(5)	699	(5)	835	(5)
Warren	27,400	378	13.8	405	14.8
NEW YORK COUNTIES (RURAL) [11]					
Albany	41,000	448	10.9	529	12.9
Allegany	[7] 36,815	565	15.3	610	16.6
Broome	66,500	859	12.9	832	12.5
Cattaraugus	52,900	738	14.0	760	14.4
Cayuga	29,700	439	14.8	508	17.1
Chautauqua	66,400	820	12.3	882	13.3
Chemung	24,600	304	12.4	374	15.2
Chenango	35,700	620	17.4	630	17.6
Clinton	34,900	436	12.5	498	14.3
Columbia	31,700	429	13.5	454	14.3
Cortland	17,300	243	14.0	287	16.6
Delaware	43,600	649	14.9	667	15.3
Dutchess *	53,000	1,174	22.2	1,214	22.9
Erie	128,900	1,425	11.1	1,715	13.3
Essex	32,100	573	17.9	494	15.4
Franklin *	46,400	792	17.1	648	14.0
Fulton	13,400	193	14.4	208	15.5
Genesee	28,500	312	10.9	392	13.8
Greene	28,700	455	15.9	485	16.9
Hamilton	4,300	50	11.6	59	13.7
Herkimer	33,200	446	13.4	483	14.5
Jefferson	53,400	682	12.8	764	14.3
Lewis	24,900	296	11.9	326	13.1
Livingston	39,800	630	15.8	676	17.0
Madison	30,400	452	14.9	508	16.7
Monroe	79,400	865	10.9	930	11.7
Montgomery	26,500	368	13.9	411	15.5
Nassau	223,900	2,199	9.8	2,257	10.1
Niagara	38,700	452	11.7	472	12.2
Oneida	65,600	768	11.7	949	14.5
NEW YORK COUNTIES (RURAL)—continued					
Onondaga	86,700	982	11.3	1,164	13.4
Ontario	39,600	699	17.7	632	16.0
Orange	65,000	858	13.2	909	14.0
Orleans	31,100	395	12.7	416	13.4
Oswego	36,600	551	15.1	578	15.8
Otsego	35,400	616	17.4	664	18.8
Putnam	12,800	172	13.4	193	15.1
Rensselaer	35,700	496	13.9	538	15.1
Rockland	58,700	739	12.6	716	12.2
St. Lawrence	75,000	986	13.1	1,058	14.1
Saratoga	52,700	620	11.8	699	13.3
Schenectady	25,200	214	8.5	252	10.0
Schoharie	21,600	365	16.9	415	19.2
Schuyler	13,500	203	15.0	210	15.6
Seneca *	25,500	615	24.1	624	24.5
Steuben	50,900	861	16.9	876	17.2
Suffolk *	149,800	2,417	16.1	2,392	16.0
Sullivan*	41,600	646	15.5	534	12.8
Tioga	26,500	379	14.3	401	15.1
Tompkins	21,100	294	13.9	335	15.9
Ulster	56,300	706	12.5	803	14.3
Warren	16,400	235	14.3	263	16.0
Washington	47,000	671	14.3	722	15.4
Wayne	52,400	711	13.6	762	14.5
Westchester	148,000	1,536	10.4	1,534	[6] 10.4
Wyoming	30,900	479	15.5	490	15.9
Yates	17,900	329	18.4	343	19.2
NORTH CAROLINA COUNTIES (RURAL) [11]					
Alamance	35,400	389	11.0	403	11.4
White	27,700	279	10.1	286	10.3
Colored	7,700	110	14.3	117	15.2
Alexander	12,600	132	10.5	133	10.6
Alleghany	[3] 7,403	50	6.8	51	6.9
Anson	30,300	312	10.3	310	10.2
White	14,400	125	8.7	123	8.5
Colored	15,900	187	11.8	187	11.8
Ashe	22,300	171	7.7	175	7.8
Avery	(12)	96	(12)	98	(12)
Beaufort	31,100	469	15.1	453	14.6
White	19,600	226	11.5	206	10.5
Colored	11,500	243	21.1	247	21.5
Bertie	24,600	333	13.5	348	14.1
White	10,900	144	13.2	156	14.3
Colored	13,700	189	13.8	192	14.0
Bladen	20,900	262	12.5	295	14.1
White	13,000	143	11.0	170	13.1
Colored	7,900	119	15.1	125	15.8
Brunswick	15,200	160	10.5	164	10.8
White	9,800	99	10.1	102	10.4
Colored	5,400	61	11.3	62	11.5
Buncombe	41,800	647	15.5	633	15.1
Burke *	24,600	347	14.1	337	13.7
White	21,800	317	14.5	306	14.0
Colored	2,800	30	10.7	31	11.1
Cabarrus	38,700	416	10.7	427	11.0
White	32,200	298	9.3	312	9.7
Colored	6,500	118	18.2	115	17.7
Caldwell	(12)	219	(12)	221	(12)
Camden	[3] 5,382	84	15.6	97	18.0
White	3,257	37	11.4	41	12.6
Colored	2,125	47	22.1	56	26.4
Carteret	16,500	152	9.2	156	9.5
White	14,000	112	8.0	117	8.4
Colored	2,500	40	16.0	39	15.6
Caswell	16,400	173	10.5	177	10.8
White	8,400	76	9.0	81	9.6
Colored	8,000	97	12.1	96	12.0
Catawba	37,800	369	9.8	375	9.9
White	34,200	307	9.0	311	9.1
Colored	3,600	62	17.2	64	17.8
NORTH CAROLINA COUNTIES (RURAL)—continued					
Chatham	24,600	274	11.1	298	12.1
White	16,700	170	10.2	184	11.0
Colored	7,900	104	13.2	114	14.4
Cherokee	16,000	119	7.4	119	7.4
Chowan	[3] 10,649	172	16.2	177	16.6
White	5,350	56	10.5	60	11.2
Colored	5,299	116	21.9	117	22.1
Clay	5,100	51	10.0	49	9.6
Cleveland	37,500	418	11.1	421	11.2
White	31,300	311	9.9	314	10.0
Colored	6,200	107	17.3	107	17.3
Columbus	31,500	359	11.4	377	12.0
White	21,400	205	9.6	220	10.3
Colored	10,100	154	15.2	157	15.5
Craven	19,200	215	11.2	212	11.0
White	10,000	67	6.7	70	7.0
Colored	9,200	148	16.1	142	15.4
Cumberland	(12)	595	(12)	599	(12)
White	(12)	363	(12)	365	(12)
Colored	(12)	232	(12)	234	(12)
Currituck	[3] 7,268	93	12.8	96	13.2
White	4,630	58	12.5	60	13.0
Colored	2,638	35	13.3	36	13.6
Dare	5,300	56	10.6	61	11.5
Davidson	39,100	434	11.1	437	11.2
White	35,600	354	9.9	353	[6] 9.9
Colored	3,500	80	22.9	84	24.0
Davie	13,700	160	11.7	167	12.2
White	11,900	118	9.9	123	10.3
Colored	1,800	42	23.3	44	24.4
Duplin	33,400	368	11.0	395	11.8
White	21,100	221	10.5	242	11.5
Colored	12,300	147	12.0	153	12.4
Durham	(5)	105	(5)	122	(5)
White	(5)	58	(5)	65	(5)
Colored	(5)	47	(5)	57	(5)
Edgecombe	34,200	517	15.1	521	15.2
White	13,300	155	11.7	161	12.1
Colored	20,900	362	17.3	360	17.2
Forsyth	25,500	346	13.6	406	15.9
White	23,000	267	11.6	308	13.4
Colored	2,500	79	31.6	98	39.2
Franklin	28,000	355	12.7	370	13.2
White	15,900	163	10.3	172	10.8
Colored	12,100	192	15.9	198	16.4
Gaston	43,100	480	11.1	509	11.8
White	36,400	363	10.0	393	10.8
Colored	6,700	117	17.5	116	17.3
Gates	10,600	80	7.5	84	7.9
White	5,300	35	6.6	38	7.2
Colored	5,300	45	8.5	46	8.7
Graham	5,000	20	4.0	20	4.0
Granville	28,000	306	10.9	307	11.0
White	15,000	125	8.3	125	8.3
Colored	13,000	181	13.9	182	14.0
Greene	18,300	172	9.4	173	9.5
White	8,700	67	7.7	67	7.7
Colored	9,600	105	10.9	106	11.0
Guilford	18,800	387	20.6	452	24.0
White	16,500	281	17.0	328	19.9
Colored	2,300	106	46.1	124	53.9
Halifax	47,900	577	12.0	585	12.2
White	20,900	191	9.1	194	9.3
Colored	27,000	386	14.3	391	14.5
Harnett	32,400	346	10.7	340	10.5
White	23,600	220	9.3	220	9.3
Colored	8,800	126	14.3	120	13.6
Haywood	25,200	198	7.9	206	8.2
Henderson	19,600	293	14.9	283	14.4
Hertford	16,900	190	11.2	202	12.0
White	6,300	71	11.3	78	12.4
Colored	10,600	119	11.2	124	11.7
Hoke	(12)	174	(12)	150	(12)
White	(12)	53	(12)	50	(12)
Colored	(12)	121	(12)	100	(12)

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
NORTH CAROLINA COUNTIES (RURAL)—continued					
Hyde	[3] 8,386	85	10.1	89	10.6
White	5,120	52	10.2	56	10.9
Colored	3,266	33	10.1	33	10.1
Iredell	40,400	500	12.4	494	12.2
White	33,100	357	10.8	352	10.6
Colored	7,300	143	19.6	142	19.5
Jackson	13,700	135	9.9	134	9.8
Johnston	54,100	595	11.0	607	11.2
White	41,700	432	10.4	440	10.6
Colored	12,400	163	13.1	167	13.5
Jones	10,700	77	7.2	84	7.9
White	6,000	35	5.8	39	6.5
Colored	4,700	42	8.9	45	9.6
Lee	14,800	215	14.5	231	15.6
White	10,600	144	13.6	154	14.5
Colored	4,200	71	16.9	77	18.3
Lenoir	34,100	502	14.7	490	14.4
White	19,100	259	13.6	259	13.6
Colored	15,000	243	16.2	231	15.4
Lincoln	18,400	164	8.9	159	8.6
White	16,500	134	8.1	131	7.9
Colored	1,900	30	15.8	28	14.7
McDowell	18,900	174	9.2	174	9.2
White	17,000	150	8.8	150	8.8
Colored	1,900	24	12.6	24	12.6
Macon	13,400	123	9.2	118	8.8
Madison	[3] 20,083	159	7.9	173	8.6
Martin	22,900	269	11.7	280	12.2
White	12,500	128	10.2	138	11.0
Colored	10,400	141	13.6	142	13.7
Mecklenburg	35,200	386	11.0	443	12.6
White	24,400	232	9.5	262	10.7
Colored	10,800	154	14.3	181	16.8
Mitchell	(12)	95	(12)	100	(12)
Montgomery	[3] 14,607	174	11.9	179	12.3
White	11,322	114	10.1	119	10.5
Colored	3,285	60	18.3	60	18.3
Moore	24,300	230	9.5	233	9.6
White	17,400	154	8.9	149	8.6
Colored	6,900	76	11.0	84	12.2
Nash	38,200	355	9.3	380	9.9
White	20,700	156	7.5	179	8.6
Colored	17,500	199	11.4	201	11.5
New Hanover	8,700	101	11.6	93	10.7
White	5,400	56	10.4	52	9.6
Colored	3,300	45	13.6	41	12.4
Northampton	23,800	302	12.7	306	12.9
White	9,400	93	9.9	95	10.1
Colored	14,400	209	14.5	211	14.7
Onslow	15,100	180	11.9	184	12.2
White	10,500	125	11.9	127	12.1
Colored	4,600	55	12.0	57	12.4
Orange	19,800	226	11.4	263	13.3
White	13,700	150	10.9	162	11.8
Colored	6,100	76	12.5	101	16.6
Pamlico	[3] 9,060	96	10.6	104	11.5
White	5,846	49	8.4	57	9.8
Colored	3,214	47	14.6	47	14.6
Pasquotank	18,300	321	17.5	321	17.5
White	10,800	123	11.4	126	11.7
Colored	7,500	198	26.4	195	26.0
Pender	[3] 14,788	154	10.4	177	12.0
White	7,470	59	7.9	64	8.6
Colored	7,318	95	13.0	113	15.4
Perquimans	11,200	127	11.3	134	12.0
White	5,800	62	10.7	68	11.7
Colored	5,400	65	12.0	66	12.2
Person	20,100	252	12.5	252	12.5
White	11,400	141	12.4	143	12.5
Colored	8,700	111	12.8	109	12.5
Pitt	51,700	616	11.9	642	12.4
White	25,400	279	11.0	291	11.5
Colored	26,300	337	12.8	351	13.3
NORTH CAROLINA COUNTIES (RURAL)—continued					
Polk	9,600	111	11.6	90	9.4
White	7,900	88	11.1	72	9.1
Colored	1,700	23	13.5	18	10.6
Randolph	31,800	372	11.7	406	12.8
White	28,100	322	11.5	355	12.6
Colored	3,700	50	13.5	51	13.8
Richmond	29,500	360	12.2	356	12.1
White	18,100	217	12.0	214	11.8
Colored	11,400	143	12.5	[6] 142	[6] 12.5
Robeson	(12)	722	(12)	728	(12)
White	(12)	295	(12)	299	(12)
Colored	(12)	427	(12)	429	(12)
Rockingham	49,300	459	9.3	482	9.8
White	38,500	327	8.5	343	8.9
Colored	10,800	132	12.2	139	12.9
Rowan	30,000	349	11.6	349	11.6
White	25,000	227	9.1	[8] 228	[8] 9.1
Colored	5,000	122	24.4	121	24.2
Rutherford	33,500	353	10.5	357	10.7
White	28,900	283	9.8	286	9.9
Colored	4,600	70	15.2	71	15.4
Sampson	40,000	462	11.6	467	11.7
White	26,200	261	10.0	268	10.2
Colored	13,800	201	14.6	199	14.4
Scotland	15,800	230	14.6	232	14.7
White	5,600	86	15.4	88	15.7
Colored	10,200	144	14.1	144	14.1
Stanly	32,500	300	9.2	302	9.3
White	27,900	253	9.1	253	9.1
Colored	4,600	47	10.2	49	10.7
Stokes	20,900	169	8.1	185	8.9
White	18,800	144	7.7	160	8.5
Colored	2,100	25	11.9	25	11.9
Surry	34,300	386	11.3	394	11.5
Swain	15,100	154	10.2	161	10.7
Transylvania	10,700	54	5.0	55	5.1
Tyrrell	[3] 4,849	67	13.8	71	14.6
White	3,373	39	11.6	42	12.5
Colored	1,476	28	19.0	29	19.6
Union	37,900	389	10.3	[6] 390	[6] 10.3
White	29,600	255	8.6	257	8.7
Colored	8,300	134	16.1	133	16.0
Vance	25,100	338	13.5	336	13.3
White	14,800	169	11.4	170	11.5
Colored	10,300	169	16.4	165	16.0
Wake	52,100	564	10.8	629	12.1
White	31,000	286	9.2	327	10.5
Colored	21,100	278	13.2	302	14.3
Warren	22,500	285	12.7	292	13.0
White	8,300	79	9.5	84	10.1
Colored	14,200	206	14.5	208	14.6
Washington	11,700	184	15.7	187	16.0
White	6,100	73	12.0	75	12.3
Colored	5,600	111	19.8	112	20.0
Watauga	(12)	98	(12)	93	(12)
Wayne*	34,200	577	16.9	577	16.9
White	19,400	217	11.2	226	11.6
Colored	14,800	360	24.3	351	23.7
Wilkes	34,200	367	10.7	369	10.8
Wilson	29,300	373	12.7	384	13.1
White	17,100	176	10.3	183	10.7
Colored	12,200	197	16.1	201	16.5
Yadkin	17,000	159	9.4	169	9.9
Yancey	17,100	73	4.3	79	4.6
NORTH DAKOTA COUNTIES (RURAL) [11]					
Adams	[7] 5,494	31	5.6	33	6.0
Barnes	[7] 18,480	127	6.9	141	7.6
Benson	13,300	99	7.4	108	8.1
Billings	[7] 2,919	11	3.8	12	4.1
Bottineau	[7] 13,957	111	8.0	113	8.1
Bowman	[7] 4,527	16	3.5	17	3.8
NORTH DAKOTA COUNTIES (RURAL)—continued					
Burke	[7] 9,309	55	5.9	59	6.3
Burleigh*	17,400	294	16.9	171	9.8
Cass	19,100	117	6.1	155	8.1
Cavalier	[7] 14,189	87	6.1	90	6.3
Dickey	[7] 10,213	43	4.2	44	4.3
Divide	[7] 9,464	49	5.2	51	5.4
Dunn	9,600	46	4.8	51	5.3
Eddy	[7] 6,117	63	10.3	64	10.5
Emmons	11,600	72	6.2	88	7.6
Foster	[7] 5,840	43	7.4	52	8.9
Golden Valley	[7] 4,332	41	9.5	43	9.9
Grand Forks	14,400	130	9.0	148	10.3
Grant	[7] 9,474	75	7.9	79	8.3
Griggs	[7] 6,920	46	6.6	52	7.5
Hettinger	[7] 7,672	51	6.6	56	7.3
Kidder	[7] 7,588	44	5.8	52	6.9
La Moure	[7] 11,454	65	5.7	70	6.1
Logan	7,900	52	6.6	56	7.1
McHenry	[7] 15,048	102	6.8	113	7.5
McIntosh	9,300	65	7.0	69	7.4
McKenzie	[7] 8,724	55	6.3	57	6.5
McLean	[7] 16,171	128	7.9	146	9.0
Mercer	9,500	66	6.9	81	8.5
Morton	18,900	158	8.4	181	9.6
Mountrail	12,900	73	5.7	80	6.2
Nelson	[7] 10,133	61	6.0	64	6.3
Oliver	[7] 4,202	19	4.5	24	5.7
Pembina	[7] 14,315	112	7.8	116	8.1
Pierce	[7] 8,642	91	10.5	92	10.6
Ramsey	15,900	129	8.1	132	8.3
Ransom	[7] 10,875	69	6.3	80	7.4
Renville	[7] 7,330	29	4.0	35	4.8
Richland	[7] 20,822	137	6.6	162	7.8
Rolette	[7] 9,031	112	12.4	105	11.6
White	7,936	75	9.5	68	8.6
Colored	1,095	37	33.8	37	33.8
Sargent	[7] 9,250	55	5.9	64	6.9
Sheridan	[7] 7,135	42	5.9	47	6.6
Sioux	3,400	75	22.1	76	22.4
White	2,400	15	6.3	15	6.3
Colored	1,000	60	60.0	61	61.0
Slope	[7] 4,001	17	4.2	17	4.2
Stark	14,300	140	9.8	152	10.6
Steele	[7] 7,145	46	6.4	49	6.9
Stutsman	24,600	272	11.1	278	11.3
Towner	[7] 8,054	57	7.1	61	7.6
Traill	12,300	95	7.7	110	8.9
Walsh	19,300	195	10.1	204	10.6
Ward	16,700	107	6.4	117	7.0
Wells	[7] 12,936	101	7.8	109	8.4
Williams	[7] 17,704	141	8.0	153	8.6
OHIO COUNTIES (RURAL) [11]					
Adams	[3] 22,403	296	13.2	310	13.8
Allen	28,300	344	12.2	357	12.6
Ashland	25,700	358	13.9	357	[6] 13.9
Ashtabula	44,100	617	14.0	640	14.5
Athens	52,200	602	11.5	616	11.8
Auglaize	[3] 29,527	307	10.4	324	11.0
Belmont	71,800	719	10.0	778	10.8
Brown	[3] 22,621	328	14.5	343	15.2
Butler	23,500	287	12.2	337	14.3
Carroll	16,100	175	10.9	184	11.4
Champaign	[3] 25,071	361	14.4	379	15.1
Clark	20,100	288	14.3	311	15.5
Clermont	[3] 28,291	394	13.9	428	15.1
Clinton	[3] 23,036	345	15.0	362	15.7
Columbiana	54,200	532	9.8	622	11.5
Coshocton	[3] 17,895	235	13.1	244	13.6
Crawford	25,400	311	12.2	319	12.6
Cuyahoga	65,500	1,047	16.0	1,150	17.6

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	Total deaths Rate per 1,000 population	Deaths of residents [1] Number	Deaths of residents [1] Rate per 1,000 population
OHIO COUNTIES (RURAL)—continued					
Darke	[3] 42,911	505	11.8	510	11.9
Defiance	24,600	293	11.9	303	12.3
Delaware	[3] 26,013	366	14.1	381	14.6
Erie *	16,000	320	20.0	336	21.0
Fairfield	24,800	264	10.6	289	11.7
Fayette	[3] 21,518	277	12.9	287	13.3
Franklin	40,200	699	17.4	745	18.5
Fulton	[3] 23,445	261	11.1	285	12.2
Gallia *	[3] 23,311	438	18.8	432	18.5
Geauga	15,300	184	12.0	200	13.1
Greene	32,200	426	13.2	455	14.1
White	28,600	342	12.0	364	12.7
Colored	3,600	84	23.3	91	25.3
Guernsey	32,900	298	9.1	320	9.7
Hamilton	74,100	762	10.3	936	12.6
Hancock	20,300	196	9.7	205	10.1
Hardin	[3] 29,167	398	13.6	403	13.8
Harrison	20,000	235	11.8	255	12.8
Henry	[3] 23,362	270	11.6	280	12.0
Highland	[3] 27,610	378	13.7	391	14.2
Hocking	[3] 23,291	267	11.5	281	12.1
Holmes	[3] 16,965	187	11.0	195	11.5
Huron	[3] 32,424	471	14.5	479	14.8
Jackson	[3] 27,342	343	12.5	368	13.5
Jefferson	53,100	521	9.8	618	11.6
Knox	[3] 29,580	453	15.3	455	15.4
Lake	32,500	431	13.3	452	13.9
Lawrence	23,800	339	14.2	357	15.0
Licking	26,400	348	13.2	390	14.8
Logan	30,100	400	13.3	415	13.8
Lorain	32,900	391	11.9	429	13.0
Lucas	36,100	339	9.4	370	10.2
Madison	[3] 19,662	258	13.1	280	14.2
Mahoning	52,000	521	10.0	569	10.9
Marion	14,000	173	12.4	177	12.6
Medina	27,700	353	12.7	364	13.1
Meigs	26,600	333	12.5	348	13.1
Mercer	[3] 26,872	251	9.3	264	9.8
Miami	34,500	450	13.0	475	13.8
Monroe	[3] 20,660	204	9.9	218	10.6
Montgomery *	63,600	833	17.8	876	18.5
National Military Home		300		300	
Morgan	[3] 14,555	178	12.2	177	[6]12.2
Morrow	[3] 15,570	202	13.0	212	13.6
Muskingum	27,700	360	13.0	399	14.4
Noble	[3] 17,849	164	9.2	177	9.9
Ottawa	[3] 22,193	224	10.1	258	11.6
Paulding	[3] 18,736	160	8.5	173	9.2
Perry	36,600	335	9.2	362	9.9
Pickaway	[3] 25,788	328	12.7	329	12.8
Pike	[3] 14,151	181	12.8	190	13.4
Portage	40,300	512	12.7	534	13.3
Preble	[3] 23,238	266	11.4	287	12.4
Putnam	[3] 27,751	256	9.2	280	10.1
Richland	27,700	406	14.7	418	15.1
Ross	25,800	336	13.0	341	13.2
Sandusky	24,200	302	12.5	306	12.6
Scioto	32,700	426	13.0	448	13.7
Seneca	27,900	383	13.7	413	14.8
Shelby	26,800	284	10.6	310	11.6
Stark *	51,400	764	14.9	817	15.9
Summit	(5)	481	(5)	473	(5)
Trumbull	51,600	539	10.4	627	12.2
Tuscarawas	55,800	781	14.0	791	14.2
Union	[3] 20,918	246	11.8	256	12.2
Van Wert	[3] 28,210	305	10.8	308	10.9
Vinton	[3] 12,075	106	8.8	114	9.4
Warren	26,500	337	12.7	370	14.0
Washington	[3] 27,749	354	12.8	388	14.0
Wayne	43,500	559	12.9	565	13.0
Williams	[3] 24,627	279	11.3	291	11.8
Wood	[3] 44,892	516	11.5	559	12.5
Wyandot	[3] 19,481	215	11.0	229	11.8

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	Total deaths Rate per 1,000 population	Deaths of residents [1] Number	Deaths of residents [1] Rate per 1,000 population
OREGON COUNTIES (RURAL) [11]					
Baker	[3] 17,929	186	10.4	183	10.2
Benton	15,800	147	9.3	137	8.7
Clackamas	42,900	429	10.0	438	10.2
Clatsop	10,700	90	8.4	100	9.3
Columbia	16,200	128	7.9	161	9.9
Coos	25,100	276	11.0	272	10.8
Crook	(12)	43	(12)	42	(12)
Curry	3,700	19	5.1	21	5.7
Deschutes	(12)	126	(12)	126	(12)
Douglas	22,400	234	10.4	242	10.8
Gilliam	4,100	30	7.3	30	7.3
Grant	[3] 5,496	41	7.5	47	8.6
Harney	[3] 3,992	39	9.8	42	10.5
Hood River	8,500	104	12.2	109	12.8
Jackson	[3] 20,405	298	14.6	296	14.5
Jefferson	(12)	23	(12)	26	(12)
White	(12)	9	(12)	12	(12)
Colored	(12)	14	(12)	14	(12)
Josephine	[3] 7,655	126	16.5	127	16.6
Klamath	13,300	263	19.8	248	18.6
Lake	[3] 3,991	44	11.0	44	11.0
Lane	26,300	232	8.8	294	11.2
Lincoln	6,400	74	11.6	92	14.4
Linn	25,800	260	10.1	258	10.0
Malheur	12,400	77	6.2	61	4.9
Marion	32,000	270	8.4	357	11.2
Morrow	6,500	44	6.8	55	8.5
Multnomah	(5)	334	(5)	384	(5)
Polk	14,700	141	9.6	160	10.9
Sherman	[3] 3,826	22	5.8	32	8.4
Tillamook	10,500	127	12.1	129	12.3
Umatilla *	29,700	300	10.1	325	10.9
Union	16,900	190	11.2	173	10.2
Wallowa	10,700	68	6.4	76	7.1
Wasco	[3] 13,648	186	13.6	148	10.8
Washington	29,600	242	8.2	279	9.4
Wheeler	3,000	11	3.7	17	5.7
Yamhill	22,000	231	10.5	256	11.6
PENNSYLVANIA COUNTIES (RURAL) [11]					
Adams	34,800	427	12.3	432	12.4
Allegheny	444,000	5,188	11.7	5,151	11.6
Armstrong	80,700	739	9.2	746	[6] 9.2
Beaver	82,900	984	11.9	1,005	12.1
Bedford	[3] 38,277	436	11.4	442	11.5
Berks *	99,100	1,530	15.4	1,416	14.3
Blair	74,400	833	11.2	837	11.3
Bradford	[3] 53,166	887	16.7	870	16.4
Bucks	73,500	990	13.5	1,037	14.1
Butler	54,800	716	13.1	717	[6]13.1
Cambria	146,900	1,426	9.7	1,472	10.0
Cameron	[3] 6,297	45	7.1	49	7.8
Carbon	69,100	752	10.9	755	[6]10.9
Centre	44,900	608	13.5	609	13.6
Chester	80,100	1,075	13.4	1,097	13.7
Clarion	[3] 36,170	354	9.8	361	10.0
Clearfield	95,200	840	8.8	848	8.9
Clinton	34,900	434	12.4	436	12.5
Columbia	[3] 34,049	458	13.5	464	13.6
Crawford	[3] 44,867	696	15.5	703	15.7
Cumberland	49,800	644	12.9	664	13.3
Dauphin	66,500	1,006	15.1	1,054	15.8
Delaware	139,600	1,681	12.0	1,705	12.2
Elk	[3] 34,981	386	11.0	395	11.3
Erie	(5)	673	(5)	691	(5)
Fayette	168,300	1,678	10.0	1,699	10.1
Forest	[3] 7,477	49	6.6	50	6.7
Franklin	49,800	655	13.2	659	[6]13.2
Fulton	[3] 9,617	118	12.3	120	12.5
Greene	32,100	481	15.0	488	15.2
Huntingdon	40,900	485	11.9	485	11.9
Indiana	90,800	971	10.7	978	10.8
Jefferson	[3] 50,904	477	9.4	492	9.7
Juniata	[3] 14,464	191	13.2	196	13.6
Lackawanna	83,000	1,102	13.3	1,141	13.7
Lancaster	110,400	1,493	13.5	1,501	13.6

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	Total deaths Rate per 1,000 population	Deaths of residents [1] Number	Deaths of residents [1] Rate per 1,000 population
PENNSYLVANIA COUNTIES (RURAL)—con.					
Lawrence	45,200	449	9.9	458	10.1
Lebanon	40,300	520	12.9	524	13.0
Lehigh *	61,600	998	16.2	1,000	[6]16.2
Luzerne	246,300	2,558	10.4	2,751	11.2
Lycoming	41,500	530	12.8	541	13.0
McKean	33,800	385	11.4	410	12.1
Mercer	59,900	771	12.9	780	13.0
Mifflin	33,900	493	14.5	495	14.6
Monroe	25,200	348	13.8	355	14.1
Montgomery	165,300	2,158	13.1	2,178	13.2
Montour *	[3] 14,080	463	32.9	453	32.2
Northampton	80,500	939	11.7	953	11.8
Northumberland	72,900	841	11.5	833	11.4
Perry	[3] 22,875	288	12.6	311	13.6
Pike	[3] 6,818	104	15.3	119	17.5
Potter	[3] 21,089	228	10.8	241	11.4
Schuylkill	146,800	2,001	13.6	2,015	13.7
Snyder	17,300	210	12.1	212	12.3
Somerset	91,700	841	9.2	877	9.6
Sullivan	[3] 9,520	92	9.7	95	10.0
Susquehanna	[3] 34,763	430	12.4	467	13.4
Tioga	[3] 37,118	503	13.6	531	14.3
Union	[3] 15,850	190	12.0	195	12.3
Venango	37,500	555	14.8	563	15.0
Warren *	25,000	514	20.6	520	20.8
Washington	151,600	1,358	9.0	1,372	9.1
Wayne	[3] 27,435	380	13.9	392	14.3
Westmoreland	233,100	2,204	9.5	2,225	[6] 9.5
Wyoming	[3] 14,101	207	14.7	222	15.7
York	100,600	1,206	12.0	1,194	11.9
RHODE ISLAND COUNTIES (RURAL) [11]					
Bristol	13,200	131	9.9	157	11.9
Kent	11,300	130	11.5	193	17.1
Newport	[7] 13,808	158	11.4	174	12.6
Providence	52,900	598	11.3	654	12.4
Washington	30,900	401	13.0	403	[6] 13.0
SOUTH CAROLINA COUNTIES (RURAL) [9,11]					
Abbeville	(12)	289	(12)		
White	(12)	132	(12)		
Colored	(12)	157	(12)		
Aiken	48,100	589	12.2		
White	23,300	264	11.3		
Colored	24,800	325	13.1		
Allendale	(12)	187	(12)		
White	(12)	30	(12)		
Colored	(12)	157	(12)		
Anderson	69,700	542	7.8		
White	46,200	344	7.4		
Colored	23,500	198	8.4		
Bamberg	22,600	275	12.2		
White	7,200	52	7.2		
Colored	15,400	223	14.5		
Barnwell	(12)	245	(12)		
White	(12)	49	(12)		
Colored	(12)	196	(12)		
Beaufort	(12)	462	(12)		
White	(12)	32	(12)		
Colored	(12)	430	(12)		
Berkeley	[3] 22,558	432	19.2		
White	6,199	64	10.3		
Colored	16,359	368	22.5		
Calhoun	19,600	274	14.0		
White	7,000	43	6.1		
Colored	12,600	231	18.3		
Charleston	47,200	667	14.1		
White	10,600	79	7.5		
Colored	36,600	588	16.1		
Cherokee	28,500	395	13.9		
White	19,800	264	13.3		
Colored	8,700	131	15.1		
Chester	36,000	398	11.1		
White	16,600	155	9.3		
Colored	19,400	243	12.5		

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
SOUTH CAROLINA COUNTIES (RURAL)—continued					
Chesterfield	35,800	398	11.1		
White	21,700	198	9.1		
Colored	14,100	200	14.2		
Clarendon	36,700	442	12.0		
White	10,400	69	6.6		
Colored	26,300	373	14.2		
Colleton	[3] 29,897	303	10.1		
White	12,529	98	7.8		
Colored	17,368	205	11.8		
Darlington	41,200	557	13.5		
White	18,400	183	9.9		
Colored	22,800	374	16.4		
Dillon	27,100	310	11.4		
White	13,000	118	9.1		
Colored	14,100	192	13.6		
Dorchester	20,500	231	11.3		
White	8,800	77	8.8		
Colored	11,700	154	13.2		
Edgefield	(12)	253	(12)		
White	(12)	61	(12)		
Colored	(12)	192	(12)		
Fairfield	[3] 27,159	245	9.0		
White	6,487	60	9.2		
Colored	20,672	185	8.9		
Florence	46,700	521	11.2		
White	24,200	199	8.2		
Colored	22,500	322	14.3		
Georgetown	[3] 21,716	437	20.1		
White	7,254	74	10.2		
Colored	14,462	363	25.1		
Greenville	73,900	851	11.5		
White	58,200	688	11.8		
Colored	15,700	163	10.4		
Greenwood	(12)	461	(12)		
White	(12)	205	(12)		
Colored	(12)	256	(12)		
Hampton	(12)	268	(12)		
White	(12)	61	(12)		
Colored	(12)	207	(12)		
Horry	35,500	370	10.4		
White	27,100	224	8.3		
Colored	8,400	146	17.4		
Jasper	(12)	137	(12)		
White	(12)	20	(12)		
Colored	(12)	117	(12)		
Kershaw	30,900	329	10.6		
White	13,500	95	7.0		
Colored	17,400	234	13.4		
Lancaster	30,000	327	10.9		
White	16,900	161	9.5		
Colored	13,100	166	12.7		
Laurens	43,200	502	11.6		
White	21,600	236	10.9		
Colored	21,600	266	12.3		
Lee	27,800	426	15.3		
White	9,300	99	10.6		
Colored	18,500	327	17.7		
Lexington	38,100	404	10.6		
White	26,300	218	8.3		
Colored	11,800	186	15.8		
McCormick	(12)	135	(12)		
White	(12)	34	(12)		
Colored	(12)	101	(12)		
Marion	25,800	333	12.9		
White	11,400	140	12.3		
Colored	14,400	193	13.4		
Marlboro	34,500	487	14.1		
White	14,400	176	12.2		
Colored	20,100	311	15.5		
Newberry	36,200	356	9.8		
White	16,500	138	8.4		
Colored	19,700	218	11.1		
SOUTH CAROLINA COUNTIES (RURAL)—continued					
Oconee	32,000	349	10.9		
White	25,900	262	10.1		
Colored	6,100	87	14.3		
Orangeburg	70,900	912	12.9		
White	24,200	197	8.1		
Colored	46,700	715	15.3		
Pickens	30,300	260	8.6		
White	25,700	179	7.0		
Colored	4,600	81	17.6		
Richland	51,700	548	10.6		
White	25,400	126	5.0		
Colored	26,300	422	16.0		
Saluda	22,900	150	6.6		
White	10,900	67	6.1		
Colored	12,000	83	6.9		
Spartanburg	75,400	794	10.5		
White	56,100	520	9.3		
Colored	19,300	274	14.2		
Sumter	46,100	769	16.7		
White	14,000	169	12.1		
Colored	32,100	600	18.7		
Union	30,700	317	10.3		
White	17,500	172	9.8		
Colored	13,200	145	11.0		
Williamsburg	39,200	505	12.9		
White	12,200	122	10.0		
Colored	27,000	383	14.2		
York	52,400	678	12.9		
White	28,800	335	11.6		
Colored	23,600	343	14.5		
TENNESSEE COUNTIES (RURAL) [11]					
Anderson	18,700	176	9.4	180	9.6
Bedford	[3] 21,737	277	12.7	285	13.1
White	17,378	211	12.1	217	12.5
Colored	4,359	66	15.1	68	15.6
Benton	[3] 12,046	104	8.6	106	8.8
Bledsoe	7,800	64	8.2	64	8.2
Blount	34,200	311	9.1	318	9.3
Bradley	20,200	306	15.1	305	[6]15.1
Campbell	28,900	106	3.7	119	4.1
Cannon	[3] 10,241	106	10.4	106	10.4
Carroll	24,600	239	9.7	244	9.9
White	20,400	186	9.1	191	9.4
Colored	4,200	53	12.6	53	12.6
Carter	22,600	277	12.3	281	12.4
Cheatham	[3] 10,039	138	13.7	143	14.2
White	8,912	118	13.2	123	13.8
Colored	1,127	20	17.7	20	17.7
Chester	10,100	111	11.0	115	11.4
White	8,500	89	10.5	92	10.8
Colored	1,600	22	13.8	23	14.4
Claiborne	[3] 23,286	136	5.8	143	6.1
Clay	9,300	64	6.9	65	7.0
Cocke	21,700	260	12.0	261	[6]12.0
Coffee	18,500	198	10.7	204	11.0
Crockett	18,300	208	11.4	211	11.5
White	14,700	156	10.6	158	10.7
Colored	3,600	52	14.4	53	14.7
Cumberland	10,600	60	5.7	61	5.8
Davidson*	43,100	915	21.2	1,005	23.3
White	39,000	667	17.1	735	18.8
Colored	4,100	248	60.5	270	65.9
Decatur	10,300	67	6.5	69	6.7
De Kalb	[3] 15,370	194	12.6	197	12.8
Dickson	[3]19,342	226	11.7	236	12.2
White	16,995	195	11.5	203	11.9
Colored	2,347	31	13.2	33	14.1
Dyer	31,500	366	11.6	367	11.7
White	26,200	274	10.5	275	[6]10.5
Colored	5,300	92	17.4	92	17.4
TENNESSEE COUNTIES (RURAL)—con.					
Fayette	32,300	360	11.1	374	11.6
White	8,300	80	9.6	91	11.0
Colored	24,000	280	11.7	283	11.8
Fentress	12,400	52	4.2	53	4.3
Franklin	20,700	257	12.4	260	12.6
White	18,300	212	11.6	215	11.7
Colored	2,400	45	18.8	45	18.8
Gibson	44,600	434	9.7	441	9.9
White	34,800	294	8.4	301	8.6
Colored	9,800	140	14.3	140	14.3
Giles	[3] 30,948	375	12.1	381	12.3
White	21,516	228	10.6	233	10.8
Colored	9,432	147	15.6	148	15.7
Grainger	[3] 13,369	97	7.3	99	7.4
Greene	34,000	351	10.3	354	10.4
Grundy	10,700	50	4.7	54	5.0
Hamblen	16,000	218	13.6	218	13.6
White	14,400	196	13.6	196	13.6
Colored	1,600	22	13.8	22	13.8
Hamilton	58,100	556	9.6	563	9.7
White	49,500	496	10.0	500	10.1
Colored	8,500	60	7.1	63	7.4
Hancock	[3] 10,454	74	7.1	74	7.1
Hardeman	[3] 22,278	248	11.1	257	11.5
White	13,028	137	10.5	145	11.1
Colored	9,250	111	12.0	112	12.1
Hardin	[3] 17,291	103	6.0	108	6.2
White	15,359	89	5.8	92	6.0
Colored	1,932	14	7.2	16	8.3
Hawkins	[3] 22,918	142	6.2	147	6.4
Haywood	[3] 25,386	355	14.0	360	14.2
White	8,427	93	11.0	98	11.6
Colored	16,959	262	15.4	262	15.4
Henderson	19,400	171	8.8	176	9.1
Henry	28,300	295	10.4	300	10.6
White	23,000	223	9.7	227	9.9
Colored	5,300	72	13.6	73	13.8
Hickman	[3] 16,216	114	7.0	117	7.2
White	14,288	99	6.9	101	7.1
Colored	1,928	15	7.8	16	8.3
Houston	[3] 6,212	38	6.1	40	6.4
White	5,525	32	5.8	34	6.2
Colored	687	6	8.7	6	8.7
Humphreys	[3] 13,482	106	7.9	117	8.7
Jackson	[3] 14,955	136	9.1	138	9.2
Jefferson	[3] 17,677	180	10.2	183	10.4
Johnson	[3] 12,230	127	10.4	129	10.5
Knox	26,700	472	17.7	504	18.9
Lake	9,300	86	9.2	91	9.8
White	6,400	51	8.0	54	8.4
Colored	2,900	35	12.1	37	12.8
Lauderdale	21,800	293	13.4	304	13.9
White	13,200	126	9.5	135	10.2
Colored	8,600	167	19.4	169	19.7
Lawrence	27,600	204	7.4	209	7.6
Lewis	[3] 5,707	56	9.8	57	10.0
White	5,021	48	9.6	49	9.8
Colored	686	8	11.7	8	11.7
Lincoln	[3] 25,786	303	11.8	312	12.1
White	20,928	234	11.2	242	11.6
Colored	4,858	69	14.2	70	14.4
Loudon	18,100	218	12.0	219	12.1
McMinn	27,900	276	9.9	287	10.3
McNairy	19,700	137	7.0	139	7.1
Macon	15,200	156	10.3	160	10.5
Madison	26,700	305	11.4	309	11.6
White	15,200	163	10.7	167	11.0
Colored	11,500	142	12.3	142	12.3
Marion	[3] 17,402	205	11.8	208	12.0
Marshall	17,700	245	13.8	251	14.2
White	14,800	195	13.2	200	13.5
Colored	2,900	50	17.2	51	17.6

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
TENNESSEE COUNTIES (RURAL)—con.					
Maury	[3] 35,403	520	14.7	529	14.9
White	23,453	312	13.3	320	13.6
Colored	11,950	208	17.4	209	17.5
Meigs	[3] 6,077	27	4.4	28	4.6
Monroe	23,000	213	9.3	216	9.4
Montgomery	[3] 32,265	457	14.2	458	[6] 14.2
White	20,333	267	13.1	266	[6] 13.1
Colored	11,932	190	15.9	192	16.1
Moore	[3] 4,491	53	11.8	54	12.0
Morgan	14,500	97	6.7	99	6.8
Obion	[3] 28,393	359	12.6	368	13.0
White	24,289	263	10.8	272	11.2
Colored	4,104	96	23.4	96	23.4
Overton	18,800	158	8.4	163	8.7
Perry	[3] 7,765	68	8.8	69	8.9
Pickett	5,300	28	5.3	29	5.5
Polk	14,300	151	10.6	153	10.7
Putnam	23,700	203	8.6	217	9.2
Rhea	[3] 13,812	158	11.4	162	11.7
Roane	25,800	390	15.1	397	15.4
Robertson	25,700	362	14.1	380	14.8
White	20,700	276	13.3	289	14.0
Colored	5,000	86	17.2	91	18.2
Rutherford	[3] 33,059	450	13.6	474	14.3
White	23,273	283	12.2	303	13.0
Colored	9,786	167	17.1	171	17.5
Scott	13,700	51	3.7	52	3.8
Sequatchie	[3] 3,632	37	10.2	38	10.5
Sevier	22,400	207	9.2	213	9.5
Shelby	67,800	1,084	16.0	1,148	16.9
White	27,000	335	12.4	381	14.1
Colored	40,800	749	18.4	767	18.8
Smith	[3] 17,134	176	10.3	182	10.6
Stewart	[3] 14,664	151	10.3	152	10.4
Sullivan	41,700	428	10.3	442	10.6
Sumner	29,100	354	12.2	378	13.0
White	24,800	274	11.0	296	11.9
Colored	4,300	80	18.6	82	19.1
Tipton	30,800	247	8.0	258	8.4
White	17,800	144	8.1	153	8.6
Colored	13,000	103	7.9	105	8.1
Trousdale	6,100	88	14.4	91	14.9
White	4,400	54	12.3	56	12.7
Colored	1,700	34	20.0	35	20.6
Unicoi	12,100	114	9.4	117	9.7
Union	11,800	93	7.9	97	8.2
Van Buren	[3] 2,624	30	11.4	30	11.4
Warren	17,800	271	15.2	272	15.3
Washington	22,700	282	12.4	285	12.6
Wayne	13,400	88	6.6	89	[6] 6.6
Weakley	[3] 31,053	305	9.8	310	10.0
White	15,900	168	10.6	170	10.7
Williamson	[3] 23,409	271	11.6	286	12.2
White	16,863	186	11.0	197	11.7
Colored	6,546	85	13.0	89	13.6
Wilson	26,800	339	12.6	347	12.9
White	21,500	247	11.5	253	11.8
Colored	5,300	92	17.4	94	17.7
UTAH COUNTIES (RURAL) [11]					
Beaver	5,400	42	7.8	45	8.3
Box Elder	22,100	127	5.7	155	7.0
Cache	29,600	268	9.1	261	8.8
Carbon	20,100	191	9.5	199	9.9
Daggett	[12]				
Davis	12,300	116	9.4	141	11.5
Duchesne	[12]	58	[12]	59	[12]
Emery	7,900	55	7.0	59	7.5
Garfield	5,500	30	5.5	31	5.6
Grand	2,000	12	6.0	18	9.0
Iron	7,000	69	9.9	72	10.3
Juab	[3] 9,871	89	9.0	104	10.5
Kane	2,300	8	3.5	9	3.9
Millard	12,000	75	6.3	81	6.8
Morgan	2,600	20	7.7	23	8.8
Piute	3,500	9	2.6	12	3.4
Rich	1,900	16	8.4	23	12.1
Salt Lake	44,500	449	10.1	609	13.7
San Juan	4,100	12	2.9	12	2.9
White	3,400	11	3.2	11	3.2
Colored	700	1	1.4	1	1.4
Sanpete	18,000	160	8.9	185	10.3
Sevier	12,300	109	8.9	107	8.7
Summit	[3] 7,862	143	18.2	152	19.3
Tooele	8,000	59	7.4	80	10.0
Uintah	[12]	100	[12]	105	[12]
White	[12]	70	[12]	75	[12]
Colored	[12]	30	[12]	30	[12]
Utah	31,400	339	10.8	358	11.4
Wasatch	[12]	48	[12]	50	[12]
Washington	7,900	52	6.6	51	6.5
Wayne	2,300	10	4.3	13	5.7
Weber	11,400	86	7.5	94	8.2
VERMONT COUNTIES (RURAL) [11]					
Addison	[3] 18,666	280	15.0	307	16.4
Bennington	21,700	314	14.5	328	15.1
Caledonia	[3] 25,762	442	17.2	447	17.4
Chittenden	20,300	293	14.4	310	15.3
Essex	[3] 7,364	65	8.8	72	9.8
Franklin	30,100	385	12.8	396	13.2
Grand Isle	3,800	43	11.3	49	12.9
Lamoille	[3] 11,858	148	12.5	171	14.4
Orange	[3] 17,279	269	15.6	290	16.8
Orleans	24,300	286	11.8	305	12.6
Rutland	[3] 30,313	394	13.0	438	14.4
Washington *	[3] 28,913	524	18.1	492	17.0
Windham *	[3] 26,373	488	18.5	497	18.8
Windsor	39,200	477	12.2	549	14.0
VIRGINIA COUNTIES (RURAL) [11]					
Accomac	[3] 34,795	440	12.6	457	13.1
White	21,581	236	10.9	247	11.4
Colored	13,214	204	15.4	210	15.9
Albemarle	[3] 26,005	479	18.4	391	15.0
White	18,436	328	17.8	254	13.8
Colored	7,569	151	19.9	137	18.1
Alleghany	16,100	146	9.1	163	10.1
White	13,900	107	7.7	122	8.8
Colored	2,200	39	17.7	41	18.6
Amelia	10,500	114	10.9	120	11.4
White	5,100	38	7.5	41	8.0
Colored	5,400	76	14.1	79	14.6
Amherst	20,300	254	12.5	274	13.5
White	13,400	150	11.2	166	12.4
Colored	6,900	104	15.1	108	15.7
Appomattox	9,500	110	11.6	115	12.1
White	6,800	63	9.3	68	10.0
Colored	2,700	47	17.4	47	17.4
Arlington	[5]	231	[5]	283	[5]
White	[5]	169	[5]	214	[5]
Colored	[5]	62	[5]	69	[5]
Augusta	36,200	387	10.7	408	11.3
White	32,200	325	10.1	341	10.6
Colored	4,000	62	15.5	67	16.8
Bath	[3] 6,389	75	11.7	78	12.2
White	5,458	60	11.0	62	11.4
Colored	931	15	16.1	16	17.2
Bedford	31,400	330	10.5	346	11.0
White	23,700	229	9.7	244	10.3
Colored	7,700	101	13.1	102	13.2
Bland	5,900	43	7.3	43	7.3
Botetourt	[3] 16,557	176	10.6	186	11.2
White	13,586	142	10.5	152	11.2
Colored	2,971	34	11.4	34	11.4
Bristol (city)	7,100	170	23.9	151	21.3
White	6,000	141	23.5	123	20.5
Colored	1,100	29	26.4	28	25.5
Brunswick	22,200	245	11.0	255	11.5
White	9,800	99	10.1	101	10.3
Colored	12,400	146	11.8	154	12.4
VIRGINIA COUNTIES (RURAL)—continued					
Buchanan	17,500	171	9.8	175	10.0
Buckingham	[3] 14,885	191	12.8	199	13.4
White	8,038	79	9.8	85	10.6
Colored	6,847	112	16.4	114	16.6
Buena Vista (city)	4,400	53	12.0	57	13.0
Campbell	21,100	247	11.7	295	14.0
White	14,300	140	9.8	176	12.3
Colored	6,800	107	15.7	119	17.5
Caroline	[3] 15,954	183	11.5	194	12.2
White	7,877	86	10.9	94	11.9
Colored	8,077	97	12.0	100	12.4
Carroll	21,400	193	9.0	200	9.3
Charles City	[3] 4,793	67	14.0	74	15.4
White	1,086	16	14.7	19	17.5
Colored	3,707	51	13.8	55	14.8
Charlotte	18,700	189	10.1	204	10.9
White	11,700	85	7.3	97	8.3
Colored	7,000	104	14.9	107	15.3
Chesterfield	22,300	249	11.2	289	13.0
White	14,700	164	11.2	196	13.3
Colored	7,600	85	11.2	93	12.2
Clarke	[3] 7,165	84	11.7	87	12.1
White	5,422	58	10.7	61	11.3
Colored	1,743	26	14.9	26	14.9
Clifton Forge* (city)	6,400	108	16.9	72	11.3
White	5,500	84	15.3	58	10.5
Colored	900	24	26.7	14	15.6
Craig	[3] 4,100	45	11.0	49	12.0
Culpeper	[3] 13,292	132	9.9	140	10.5
White	8,598	83	9.7	87	10.1
Colored	4,694	49	10.4	53	11.3
Cumberland	[3] 9,111	107	11.7	109	12.0
White	3,357	44	13.1	45	13.4
Colored	5,754	63	10.9	64	11.1
Dickenson	16,400	111	6.8	115	7.0
Dinwiddie *	18,800	425	22.6	450	23.9
White	7,000	75	10.7	87	12.4
Colored	11,800	350	29.7	363	30.8
Elizabeth City *		340		328	
White	26,600	152	20.6	138	20.1
Colored	18,300	188	18.5	190	17.8
National Military Home	8,300	207	25.1	207	25.3
White		187		187	
Colored		20		20	
Essex	[3] 8,542	89	10.4	98	11.5
White	3,644	30	8.2	36	9.9
Colored	4,898	59	12.0	62	12.7
Fairfax	23,400	234	10.0	291	12.4
White	19,000	172	9.1	211	11.1
Colored	4,400	62	14.1	80	18.2
Fauquier	[3] 21,869	258	11.8	275	12.6
White	14,934	173	11.6	186	12.5
Colored	6,935	85	12.3	89	12.8
Floyd	[3] 13,115	107	8.2	119	9.1
Fluvanna	8,700	87	10.0	92	10.6
White	5,200	44	8.5	46	8.8
Colored	3,500	43	12.3	46	13.1
Franklin	[3] 26,283	227	8.6	244	9.3
White	21,671	160	7.4	175	8.1
Colored	4,612	67	14.5	69	15.0
Frederick	[3] 12,461	124	10.0	137	11.0
Fredericksburg (city)	5,900	153	25.9	144	24.4
White	4,900	119	24.3	112	22.9
Colored	1,000	34	34.0	32	32.0
Giles	12,100	137	11.3	139	11.5
Gloucester	[3] 11,894	120	10.1	125	10.5
White	6,313	52	8.2	57	9.0
Colored	5,581	68	12.2	68	12.2

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	Total deaths Rate per 1,000 population	Deaths of residents [1] Number	Deaths of residents [1] Rate per 1,000 population
VIRGINIA COUNTIES (RURAL)—continued					
Goochland	[3] 8,863	111	12.5	121	13.7
White	4,080	45	11.0	51	12.5
Colored	4,783	66	13.8	70	14.6
Grayson	[3] 19,816	225	11.4	226	[6] 11.4
Greene	[3] 6,369	79	12.4	87	13.7
White	5,270	61	11.6	68	12.9
Colored	1,099	18	16.4	19	17.3
Greensville	[3] 11,606	137	11.8	141	12.1
White	4,779	44	9.2	47	9.8
Colored	6,827	93	13.6	94	13.8
Halifax	42,300	479	11.3	493	11.7
White	22,200	205	9.2	213	9.6
Colored	20,100	274	13.6	280	13.9
Hanover	18,700	254	13.6	252	13.5
White	11,400	120	10.5	122	10.7
Colored	7,300	134	18.4	130	17.8
Harrisonburg (city)	6,500	152	23.4	149	22.9
White	5,900	130	22.0	127	21.5
Colored	600	22	36.7	22	36.7
Henrico	25,700	313	12.2	335	13.0
White	17,600	207	11.8	221	12.6
Colored	8,100	106	13.1	114	14.1
Henry	21,400	272	12.7	271	[6] 12.7
White	14,000	169	12.1	168	12.0
Colored	7,400	103	13.9	103	13.9
Highland	[3] 4,931	52	10.5	54	11.0
Isle of Wight	[3] 14,433	171	11.8	178	12.3
White	7,283	75	10.3	78	10.7
Colored	7,150	96	13.4	100	14.0
James City *	[3] 6,138	140	22.8	137	22.3
White	3,417	99	29.0	95	27.8
Colored	2,721	41	15.1	42	15.4
King and Queen	[3] 9,161	95	10.4	106	11.6
White	4,105	34	8.3	40	9.7
Colored	5,056	61	12.1	66	13.1
King George	[3] 5,762	67	11.6	74	12.8
White	3,470	40	11.5	47	13.5
Colored	2,292	27	11.8	27	11.8
King William	8,900	113	12.7	116	13.0
White	4,200	46	11.0	49	11.7
Colored	4,700	67	14.3	67	14.3
Lancaster	9,800	126	12.9	133	13.6
White	4,800	45	9.4	46	9.6
Colored	5,000	81	16.2	87	17.4
Lee	26,300	288	11.0	297	11.3
Loudoun	[3] 20,577	280	13.6	289	14.0
White	15,765	216	13.7	224	14.2
Colored	4,812	64	13.3	65	13.5
Louisa	17,400	180	10.3	201	11.6
White	9,700	89	9.2	100	10.3
Colored	7,700	91	11.8	101	13.1
Lunenburg	16,900	152	9.0	161	9.5
White	9,600	70	7.3	77	8.0
Colored	7,300	82	11.2	84	11.5
Madison	[3] 9,595	83	8.7	90	9.4
White	6,727	48	7.1	53	7.9
Colored	2,868	35	12.2	37	12.9
Mathews	[3] 8,447	97	11.5	103	12.2
White	6,084	66	10.8	71	11.7
Colored	2,363	31	13.1	32	13.5
Mecklenburg	32,700	395	12.1	416	12.7
White	16,000	156	9.8	167	10.4
Colored	16,700	239	14.3	249	14.9
Middlesex	[3] 8,157	103	12.6	113	13.9
White	4,040	46	11.4	55	13.6
Colored	4,117	57	13.8	58	14.1
Montgomery	19,500	236	12.1	246	12.6
White	17,600	202	11.5	211	12.0
Colored	1,900	34	17.9	35	18.4
Nansemond	20,600	317	15.4	316	15.3
White	7,500	80	10.7	87	11.6
Colored	13,100	237	18.1	229	17.5
Nelson	17,600	197	11.2	220	12.5
White	12,700	130	10.2	148	11.7
Colored	4,900	67	13.7	72	14.7
VIRGINIA COUNTIES (RURAL)—continued					
New Kent	[3] 4,541	64	14.1	74	16.3
White	1,879	23	12.2	26	13.8
Colored	2,662	41	15.4	48	18.0
Norfolk	43,100	474	11.0	509	11.8
White	29,700	183	6.2	201	6.8
Colored	13,400	291	21.7	308	23.0
Northampton	18,600	200	10.8	219	11.8
White	8,900	72	8.1	86	9.7
Colored	9,700	128	13.2	133	13.7
Northumberland	12,000	128	10.7	136	11.3
White	6,700	60	9.0	66	9.9
Colored	5,300	68	12.8	70	13.2
Nottoway	14,600	255	17.5	203	13.9
White	8,600	80	9.3	86	10.0
Colored	6,000	175	29.2	117	19.5
Orange	[3] 13,320	146	11.0	160	12.0
White	8,455	83	9.8	93	11.0
Colored	4,865	63	12.9	67	13.8
Page	15,200	173	11.4	168	11.1
Patrick	[3] 16,850	158	9.4	160	9.5
Pittsylvania	60,400	555	9.2	569	9.4
White	40,500	297	7.3	315	7.8
Colored	19,900	258	13.0	254	12.8
Powhatan	6,900	66	9.6	71	10.3
White	2,700	25	9.3	28	10.4
Colored	4,200	41	9.8	43	10.2
Prince Edward	15,100	192	12.7	206	13.6
White	7,100	64	9.0	72	10.1
Colored	8,000	128	16.0	134	16.8
Prince George [13]	18,600	200	10.8	222	11.9
White	12,700	109	8.6	131	10.3
Colored	5,900	91	15.4	91	15.4
Prince William	14,800	151	10.2	166	11.2
White	12,000	127	10.6	139	11.6
Colored	2,800	24	8.6	27	9.6
Princess Anne*	15,000	282	18.8	277	18.5
White	8,200	104	12.7	101	12.3
Colored	6,800	178	26.2	176	25.9
Pulaski	[3] 17,111	214	12.5	222	13.0
White	14,686	178	12.1	184	12.5
Colored	2,425	36	14.8	38	15.7
Radford (city)	4,900	68	13.9	73	14.9
White	4,500	53	11.8	56	12.4
Colored	400	15	37.5	17	42.5
Rappahannock	8,100	75	9.3	79	9.8
White	5,900	58	9.8	62	10.5
Colored	2,200	17	7.7	17	7.7
Richmond	7,400	80	10.8	83	11.2
White	4,600	50	10.9	52	11.3
Colored	2,800	30	10.7	31	11.1
Roanoke	23,900	316	13.2	330	13.8
White	21,800	262	12.0	271	12.4
Colored	2,100	54	25.7	59	28.1
Rockbridge	[3] 20,626	265	12.8	269	13.0
White	17,954	218	12.1	218	12.1
Colored	2,672	47	17.6	51	19.1
Rockingham	30,100	312	10.4	316	10.5
Russell	29,000	258	8.9	257	[6] 8.9
Scott	25,400	230	9.1	244	9.6
Shenandoah	[3] 20,808	245	11.8	254	12.2
Smyth	23,300	286	12.3	290	12.4
Southampton	28,400	331	11.7	342	12.0
White	10,900	110	10.1	116	10.6
Colored	17,500	221	12.6	226	12.9
Spotsylvania	11,000	99	9.0	100	9.1
White	7,600	63	8.3	64	8.4
Colored	3,400	36	10.6	36	10.6
Stafford	8,100	106	13.1	107	13.2
White	6,700	77	11.5	79	11.8
Colored	1,400	29	20.7	28	20.0
Suffolk (city)	10,400	222	21.3	202	19.4
White	6,300	82	13.0	63	10.0
Colored	4,100	140	34.1	139	33.9
VIRGINIA COUNTIES (RURAL)—continued					
Surry	[3] 9,305	134	14.4	144	15.5
White	3,612	47	13.0	50	13.8
Colored	5,693	87	15.3	94	16.5
Sussex	[3] 12,334	189	14.7	209	16.3
White	4,405	53	12.0	66	15.0
Colored	8,429	136	16.1	143	17.0
Tazewell	29,800	351	11.8	369	12.4
White	26,800	313	11.7	323	12.1
Colored	3,000	38	12.7	46	15.3
Warren	9,000	91	10.1	96	10.7
White	7,900	70	8.9	74	9.4
Colored	1,100	21	19.1	22	20.0
Warwick	13,500	84	6.2	87	6.4
White	10,200	37	3.6	41	4.0
Colored	3,300	47	14.2	46	13.9
Washington	[3] 32,376	421	13.0	427	13.2
Westmoreland	10,900	158	14.5	166	15.2
White	5,600	59	10.5	63	11.3
Colored	5,300	99	18.7	103	19.4
Winchester (city)	7,900	168	21.3	151	19.1
White	7,000	144	20.6	127	18.1
Colored	900	24	26.7	24	26.7
Wise	54,800	574	10.5	562	10.3
Wythe	[3] 20,217	223	11.0	232	11.5
York	8,200	86	10.5	91	11.1
White	5,000	44	8.8	48	9.6
Colored	3,200	42	13.1	43	13.4
WASHINGTON COUNTIES (RURAL) [11]					
Adams	[3] 9,623	44	4.6	60	6.2
Asotin	7,000	72	10.3	82	11.7
Benton	12,900	82	6.4	102	7.9
Chelan	24,800	296	11.9	267	10.8
Clallam	14,500	162	11.2	162	11.2
Clarke	22,400	171	7.6	212	9.5
Columbia	[3] 6,093	40	6.6	46	7.5
Cowlitz	[3] 11,791	205	17.4	212	18.0
Douglas	9,500	45	4.7	55	5.8
Ferry	5,400	54	10.0	61	11.3
White	4,600	30	6.5	37	8.0
Colored	800	24	30.0	24	30.0
Franklin	6,400	64	10.0	60	9.4
Garfield	[3] 3,875	25	6.5	32	8.3
Grant	[3] 7,771	33	4.2	38	4.9
Grays Harbor	23,300	195	8.4	244	10.5
Island	6,000	41	6.8	52	8.7
Jefferson	[3] 6,557	98	14.9	82	12.5
King	(5)	790	(5)	928	(5)
Kitsap	43,600	301	6.9	330	7.6
Kittitas	[3] 17,737	158	8.9	159	9.0
Klickitat	[3] 9,268	81	8.7	99	10.7
Lewis	40,000	391	9.8	406	10.2
Lincoln	[3] 15,141	89	5.9	123	8.1
Mason	[3] 4,919	72	14.6	70	14.2
Okanogan	19,900	158	7.9	176	8.8
Pacific	16,500	109	6.6	120	7.3
Pend Oreille	(12)	72	(12)	78	(12)
Pierce *	53,900	673	12.5	763	14.2
San Juan	3,600	22	6.1	26	7.2
Skagit *	36,100	482	13.4	502	13.9
Skamania	[3] 2,357	20	8.5	23	9.8
Snohomish	43,800	462	10.5	506	11.6
Spokane *	33,600	456	13.6	498	14.8
Stevens	(12)	202	(12)	227	(12)
Thurston	25,600	271	10.6	288	11.2
Wahkiakum	3,600	25	6.9	41	11.4
Walla Walla	[3] 12,036	138	11.5	149	12.4
Whatcom	25,000	202	8.1	263	10.5
Whitman	[3] 31,323	253	8.1	288	9.2
Yakima	55,300	421	7.6	493	8.9

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926 Total deaths Number	1926 Total deaths Rate per 1,000 population	1926 Deaths of residents [1] Number	1926 Deaths of residents [1] Rate per 1,000 population
WEST VIRGINIA COUNTIES (RURAL) [11]					
Barbour	19,500	202	10.4	212	10.9
Berkeley	12,600	148	11.7	150	11.9
Boone	18,700	166	8.9	195	10.4
Braxton	24,600	195	7.9	217	8.8
Brooke	20,200	203	10.0	246	12.2
Cabell	13,400	161	12.0	168	12.5
Calhoun	[3] 10,268	70	6.8	80	7.8
Clay	12,300	113	9.2	124	10.1
Doddridge	[3] 11,976	86	7.2	89	7.4
Fayette	66,100	726	11.0	774	11.7
White	56,200	562	10.0	595	10.6
Colored	9,900	164	16.6	179	18.1
Gilmer	[3] 10,668	75	7.0	81	7.6
Grant	9,800	63	6.4	66	6.7
Greenbrier	27,200	324	11.9	327	12.0
Hampshire	11,700	137	11.7	144	12.3
Hancock	26,300	199	7.6	239	9.1
Hardy	9,900	78	7.9	79	8.0
Harrison	61,600	523	8.5	570	9.3
Jackson	[3] 18,658	131	7.0	142	7.6
Jefferson	[3] 15,729	214	13.6	218	13.9
White	12,711	171	13.5	175	13.8
Colored	3,018	43	14.2	43	14.2
Kanawha	94,500	664	7.0	792	8.4
Lewis *	21,900	364	16.6	375	17.1
Lincoln	[3] 19,378	97	5.0	111	5.7
Logan	58,800	618	10.5	650	11.1
White	51,200	509	9.9	533	10.4
Colored	7,600	109	14.3	117	15.4
McDowell	82,400	1,017	12.3	1,038	12.6
White	61,700	657	10.6	674	10.9
Colored	20,700	360	17.4	364	17.6
Marion	41,000	385	9.4	425	10.4
Marshall	22,700	282	12.4	299	13.2
Mason	[3] 21,459	261	12.2	272	12.7
Mercer	37,200	359	9.7	386	10.4
White	35,400	298	8.4	319	9.0
Colored	1,800	61	33.9	67	37.2
Mineral	22,000	239	10.9	245	11.1
Mingo	31,000	336	10.8	343	11.1
Monongalia	25,700	364	14.2	367	14.3
Monroe	13,200	138	10.5	141	10.7
Morgan	8,700	100	11.5	108	12.4
Nicholas	22,700	192	8.5	191	8.4
Ohio	10,300	126	12.2	140	13.6
Pendleton	9,900	56	5.7	60	6.1
Pleasants	[3] 7,379	72	9.8	74	10.0
Pocahontas	15,200	167	11.0	159	10.5
Preston	29,100	350	12.0	362	12.4
Putnam	[3] 17,531	134	7.6	149	8.5
Raleigh	53,800	698	13.0	706	13.1
White	44,500	546	12.3	552	12.4
Colored	9,300	152	16.3	154	16.6
Randolph	27,300	282	10.3	277	10.1
Ritchie	[3] 16,506	166	10.1	177	10.7
Roane *	[3] 20,129	293	14.6	289	14.4
Summers	19,500	193	9.9	204	10.5
Taylor	20,200	245	12.1	249	12.3
Tucker	[3] 16,791	140	8.3	150	8.9
WEST VIRGINIA COUNTIES (RURAL)—con.					
Tyler	[3] 14,186	153	10.8	163	11.5
Upshur	18,700	191	10.2	192	10.3
Wayne	27,300	187	6.8	197	7.2
Webster	12,800	74	5.8	81	6.3
Wetzel	[3] 23,069	250	10.8	261	11.3
Wirt	[3] 7,536	60	8.0	64	8.5
Wood	23,700	212	8.9	223	9.4
Wyoming	18,400	146	7.9	148	8.0
White	15,800	113	7.2	114	[6] 7.2
Colored	2,600	33	12.7	34	13.1
WISCONSIN COUNTIES (RURAL) [11]					
Adams	9,700	98	9.9	99	10.2
Ashland	15,000	96	6.4	138	9.2
Barron	37,700	316	8.4	314	8.3
Bayfield	18,000	127	7.1	136	7.6
Brown	32,200	238	7.4	299	9.3
Buffalo	[3] 15,615	109	7.0	127	8.1
Burnett	11,900	90	7.6	97	8.2
Calumet	17,600	165	9.4	177	10.1
Chippewa	39,400	448	11.4	407	10.3
Clark	38,500	239	6.2	473	12.3
Columbia	[3] 30,468	360	11.8	375	12.3
Crawford	17,100	145	8.5	171	10.0
Dane	49,900	543	10.9	631	12.6
Dodge	51,300	470	9.2	497	9.7
Door	19,300	175	9.1	182	9.4
Douglas	11,600	87	7.5	106	9.1
Dunn	28,100	254	9.0	280	10.0
Eau Claire	15,200	93	6.1	125	8.2
Florence	3,800	43	11.3	48	12.6
Fond du Lac	32,600	285	8.7	330	10.1
Forest	11,900	87	7.3	100	8.4
Grant	39,100	401	10.3	430	11.0
Green	[3] 21,568	230	10.7	254	11.8
Green Lake	[3] 14,875	164	11.0	179	12.0
Iowa	[3] 21,504	226	10.5	238	11.1
Iron	11,600	79	6.8	98	8.4
Jackson	18,200	147	8.1	169	9.3
Jefferson	35,500	461	13.0	480	13.5
Juneau	[3] 19,209	209	10.9	219	11.4
Kenosha	10,900	110	10.1	125	11.5
Kewaunee	[3] 16,091	147	9.1	173	10.8
La Crosse	14,200	134	9.4	156	11.0
Lafayette	[3] 20,002	208	10.4	226	11.3
Langlade	24,400	228	9.3	228	9.3
Lincoln	22,400	222	9.9	232	10.4
Manitowoc	33,500	309	9.2	339	10.1
Marathon	51,800	317	6.1	353	6.8
Marinette	21,100	141	6.7	181	8.6
Marquette	[3] 10,443	98	9.4	107	10.2
Milwaukee *	74,300	1,428	19.2	1,440	19.4
Monroe	[3] 28,666	318	11.1	334	11.7
Oconto	28,100	264	9.4	290	10.3
Oneida	15,700	198	12.6	202	12.9
Outagamie	37,700	338	9.0	394	10.5
Ozaukee	[3] 16,335	139	8.5	159	9.7
Pepin	[3] 7,481	75	10.0	85	11.4
Pierce	[3] 21,663	203	9.4	230	10.6
Polk	30,600	258	8.4	287	9.4
WISCONSIN COUNTIES (RURAL)—continued					
Portage	22,300	176	7.9	179	8.0
Price	21,700	126	5.8	142	6.5
Racine	24,000	229	9.5	250	10.4
Richland	20,500	173	8.4	178	8.7
Rock	26,700	291	10.9	330	12.4
Rusk	19,900	134	6.7	147	7.4
St. Croix	26,200	226	8.6	259	9.9
Sauk	[3] 32,548	345	10.6	367	11.3
Sawyer	9,600	84	8.8	102	10.6
White	8,900	52	5.8	67	7.5
Colored	700	32	45.7	35	50.0
Shawano	35,400	314	8.9	353	10.0
Sheboygan	29,300	276	9.4	288	9.8
Taylor	21,000	160	7.6	169	8.0
Trempealeau	25,600	216	8.4	250	9.8
Vernon	30,000	258	8.6	326	10.9
Vilas	[3] 5,649	69	12.2	78	13.8
Walworth	[3] 29,327	341	11.6	359	12.2
Washburn	13,500	67	5.0	90	6.7
Washington	27,000	264	9.8	276	10.2
Waukesha *	31,200	437	14.0	438	[6] 14.0
Waupaca	35,100	414	11.8	435	12.4
Waushara	[3] 16,712	144	8.6	155	9.3
Winnebago *	31,900	467	14.6	478	15.0
Wood	37,400	353	9.4	335	9.0
WYOMING COUNTIES (RURAL) [11]					
Albany	[3] 9,283	96	10.3	92	9.9
Big Horn	(12)	73	(12)	80	(12)
Campbell	(12)	36	(12)	41	(12)
Carbon	[3] 9,525	94	9.9	100	10.5
Converse	(12)	56	(12)	59	(12)
Crook	(12)	26	(12)	26	(12)
Fremont	(12)	103	(12)	103	(12)
White	(12)	67	(12)	67	(12)
Colored	(12)	36	(12)	36	(12)
Goshen	(12)	67	(12)	75	(12)
Hot Springs	(12)	86	(12)	87	(12)
Johnson	5,400	39	7.2	45	8.3
Laramie	(12)	36	(12)	39	(12)
Lincoln	(12)	101	(12)	110	(12)
Natrona	(5)	76	(5)	82	(5)
Niobrara	(12)	27	(12)	29	(12)
Park	(12)	73	(12)	73	(12)
Platte	(12)	55	(12)	56	(12)
Sheridan	19,400	183	9.4	177	9.1
Sublette	(12)	9	(12)	11	(12)
Sweetwater	15,000	133	12.2	188	12.5
Teton	(12)	13	(12)	13	(12)
Uinta	(12)	73	(12)	78	(12)
Washakie	(12)	25	(12)	26	(12)
Weston	(12)	28	(12)	30	(12)
Yellowstone National Park (part of)	[3] 165	6	(14)	3	(14)

[1] "Residents" excludes transferable nonresidents and includes residents who died elsewhere in registration area.
[2] Nonregistration State; cities shown are those with satisfactory registration of deaths.
[3] Population, Jan. 1, 1920; decrease between 1910 and 1920; no estimate made.
[4] Venice annexed.
[5] Estimate of population unsatisfactory.
[6] Rate not affected by difference between total deaths and deaths of residents.
[7] Population, State census, 1925; decrease between 1920 and 1925; no estimate made.
[8] Population, Jan. 1, 1920 including annexation since 1920; decrease between 1910 and 1920; no estimate made.
[9] Reliable data for nonresidents not available.
[10] Name changed from East Youngstown, April, 1926.
[11] Exclusive of municipalities of 10,000 inhabitants or more in 1920.
[12] Population not estimated; county formed from, or involved in the formation of, other counties.
[13] Including Hopewell city.
[14] Rate not computed.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925 AND 1926

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1926	1925	1926	1925
	All causes (exclusive of stillbirths)	1,285,927	1,219,019	1,222.7	1,182.3
	I.—Epidemic, endemic, and infectious diseases	194,962	174,354	185.4	169.1
1	Typhoid and paratyphoid fever	6,826	8,287	6.5	8.0
	Typhoid fever	6,747	8,213	6.4	8.0
	Paratyphoid fever	79	74	0.1	0.1
2	Typhus fever	7	8	(1)	(1)
3	Relapsing fever (spirillum obermeieri)				
4	Malta fever				
5	Malaria	2,006	2,132	1.9	2.1
6	Smallpox	377	709	0.4	0.7
7	Measles	8,607	2,404	8.2	2.3
8	Scarlet fever	2,662	2,762	2.5	2.7
9	Whooping cough	9,317	6,948	8.9	6.7
10	Diphtheria	7,856	8,058	7.5	7.8
11	Influenza	42,809	30,538	40.7	29.6
	With pulmonary complications specified	27,372	18,344	26.0	17.8
	Without pulmonary complications specified	15,437	12,194	14.7	11.8
12	Miliary fever				
13	Mumps	103	142	0.1	0.1
14	Asiatic cholera				
15	Cholera nostras	148	192	0.1	0.2
16	Dysentery	2,921	3,257	2.8	3.2
	Amebic	239	235	0.2	0.2
	Bacillary	429	445	0.4	0.4
	Unspecified or due to other causes	2,253	2,577	2.1	2.5
17	Plague	1	1	(1)	(1)
	Bubonic	1	1	(1)	(1)
	Pneumonic				
	Septicemic				
	Unspecified				
18	Yellow fever				
19	Spirochetal hemorrhagic jaundice	48	52	(1)	0.1
20	Leprosy	24	30	(1)	(1)
21	Erysipelas	2,680	2,455	2.5	2.4
22	Acute anterior poliomyelitis	851	1,519	0.8	1.5
23	Lethargic encephalitis	1,499	1,630	1.4	1.6
24	Meningococcus meningitis	1,413	1,095	1.3	1.1
25	Other epidemic and endemic diseases	301	253	0.3	0.2
	Chicken pox	147	151	0.1	0.1
	German measles	46	18	(1)	(1)
	Others under this title	108	84	0.1	0.1
26	Glanders	2	2	(1)	(1)
27	Anthrax	14	22	(1)	(1)
28	Rabies	86	83	0.1	0.1
29	Tetanus	1,377	1,503	1.3	1.5
30	Mycoses	235	201	0.2	0.2
	Tuberculosis (all forms)	91,568	89,268	87.1	86.6
31	Of the respiratory system	80,375	78,103	76.4	75.7
32	Of the meninges, central nervous system	3,788	3,746	3.6	3.6
33	Of the intestines and peritoneum	3,069	3,078	2.9	3.0
34	Of the vertebral column	956	947	0.9	0.9
35	Of the joints	377	357	0.4	0.3
36	Of other organs	1,244	1,294	1.2	1.3
	Of the skin and subcutaneous cellular tissue	51	45	(1)	(1)
	Of the bones (vertebral column excepted)	199	205	0.2	0.2
	Of the lymphatic system (mesenteric and retroperitoneal glands excepted)	253	282	0.2	0.3
	Of the genito-urinary system	656	641	0.6	0.6
	Of other organs other than the above	85	121	0.1	0.1
37	Disseminated tuberculosis	1,759	1,743	1.7	1.7
	Acute	1,456	1,391	1.4	1.3
	Chronic or unspecified	303	352	0.3	0.3
38	Syphilis	8,965	8,647	8.5	8.4
39	Soft chancre	10	9	(1)	(1)
40	Gonococcus infection	1,056	955	1.0	0.9
41	Purulent infection, septicemia	1,173	1,178	1.1	1.1
42	Other infectious diseases	20	14	(1)	(1)
	II.—General diseases not included in Class I	151,136	143,179	143.7	138.9
	Cancer and other malignant tumors	99,833	95,504	94.9	92.6
43	Cancer of the buccal cavity	3,196	3,242	3.0	3.1
	Lip	564	553	0.5	0.5
	Tongue	859	866	0.8	0.8
	Mouth	354	341	0.3	0.3
	Jaw	1,011	1,111	1.0	1.1
	Others of this class	408	371	0.4	0.4
44	Cancer of the stomach, liver	35,694	34,874	33.9	33.8
	Pharynx	971	992	0.9	1.0
	Esophagus	1,766	1,659	1.7	1.6
	Stomach	23,322	22,665	22.2	22.0
	Liver and gall bladder	9,635	9,558	9.2	9.3

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1926	1925	1926	1925
	II.—General diseases not included in Class I—Continued				
	Cancer and other malignant tumors—Con.				
45	Cancer of the peritoneum, intestines, rectum	14,435	13,671	13.7	13.3
	Mesentery and peritoneum	908	820	0.9	0.8
	Intestines (except rectum)	9,217	8,740	8.8	8.5
	Rectum and anus	4,253	4,041	4.0	3.9
	Others of this class	57	70	0.1	0.1
46	Cancer of the female genital organs	14,394	14,051	13.7	13.6
	Ovary and Fallopian tube	1,318	1,218	1.3	1.2
	Uterus	12,634	12,377	12.0	12.0
	Vagina and vulva	396	398	0.4	0.4
	Others of this class	46	58	(1)	0.1
47	Cancer of the breast	9,190	8,511	8.7	8.3
48	Cancer of the skin	2,802	2,624	2.7	2.5
49	Cancer of other or unspecified organs	20,122	18,531	19.1	18.0
	Larynx	809	774	0.8	0.8
	Lung and pleura	1,892	1,728	1.8	1.7
	Pancreas	2,147	1,902	2.0	1.8
	Kidneys and suprarenals	1,269	1,258	1.2	1.2
	Prostate	3,427	3,068	3.3	3.0
	Bladder	3,183	3,008	3.0	2.9
	Brain	528	423	0.5	0.4
	Bones (except jaw)	1,209	1,149	1.1	1.1
	Testes	225	227	0.2	0.2
	Scrotum	33	16	(1)	(1)
	Others of this class	5,400	4,978	5.1	4.8
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	771	685	0.7	0.7
51	Acute rheumatic fever	2,881	2,766	2.7	2.7
52	Chronic rheumatism, osteoarthritis, gout	1,338	1,327	1.3	1.3
53	Scurvy	53	58	0.1	0.1
54	Pellagra	3,854	3,344	3.7	3.2
55	Beriberi	6	7	(1)	(1)
56	Rickets	596	573	0.6	0.6
57	Diabetes mellitus	18,881	17,385	18.0	16.9
58	Anemia, chlorosis	6,624	6,649	6.3	6.4
	Pernicious anemia	5,959	5,949	5.7	5.8
	Other anemias and chlorosis	665	700	0.6	0.7
59	Diseases of the pituitary gland	113	100	0.1	0.1
60	Diseases of the thyroid gland	4,843	4,135	4.6	4.0
	Exophthalmic goiter	4,161	3,476	4.0	3.4
	Other diseases of the thyroid gland	682	659	0.6	0.6
61	Diseases of the parathyroid glands	111	110	0.1	0.1
62	Diseases of the thymus gland	1,280	1,086	1.2	1.1
63	Diseases of the adrenals (Addison's disease)	391	407	0.4	0.4
64	Diseases of the spleen	167	131	0.2	0.1
65	Leukemia and Hodgkin's disease	2,806	2,649	2.7	2.6
	Leukemia	1,906	1,801	1.8	1.7
	Hodgkin's disease	900	848	0.9	0.8
66	Alcoholism (acute or chronic)	4,109	3,694	3.9	3.6
67	Chronic poisoning by mineral substances	175	180	0.2	0.2
	Chronic lead poisoning	144	142	0.1	0.1
	Others under this title	31	38	(1)	(1)
68	Chronic poisoning by organic substances	213	205	0.2	0.2
69	Other general diseases	2,091	2,184	2.0	2.1
	III.—Diseases of the nervous system and of the organs of special sense	127,391	123,847	121.1	120.1
70	Encephalitis	1,316	1,239	1.3	1.2
71	Meningitis	3,219	3,415	3.1	3.3
	Simple meningitis	2,520	2,696	2.4	2.6
	Nonepidemic cerebrospinal meningitis	699	719	0.7	0.7
72	Tabes dorsalis (locomotor ataxia)	1,601	1,656	1.5	1.6
73	Other diseases of the spinal cord	3,403	3,238	3.2	3.1
74	Cerebral hemorrhage, apoplexy	90,167	86,319	85.7	83.7
	Cerebral hemorrhage	86,261	82,651	82.0	80.2
	Cerebral embolism and thrombosis	3,906	3,668	3.7	3.6
75	Paralysis without specified cause	5,732	5,920	5.5	5.7
	Hemiplegia	2,045	2,042	1.9	2.0
	Others under this title	3,687	3,878	3.5	3.8
76	General paralysis of the insane	5,900	6,029	5.6	5.8
77	Other forms of mental alienation	1,636	1,693	1.6	1.6
78	Epilepsy	3,261	3,189	3.1	3.1
79	Convulsions (nonpuerperal; 5 years and over)	131	147	0.1	0.1
80	Infantile convulsions (under 5 years of age)	1,597	1,833	1.5	1.8
81	Chorea	80	90	0.1	0.1
82	Neuralgia and neuritis	300	312	0.3	0.3
83	Softening of the brain	665	745	0.6	0.7
84	Other diseases of the nervous system	4,596	4,599	4.4	4.5
85	Diseases of the eye and annexa	93	91	0.1	0.1
86	Diseases of the ear and of the mastoid process	3,694	3,332	3.5	3.2
	Diseases of the ear	2,113	2,004	2.0	1.9
	Diseases of the mastoid process	1,581	1,328	1.5	1.3

See footnotes at end of table.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925 AND 1926—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1926	1925	1926	1925
	IV.—Diseases of the circulatory system	237,010	217,567	225.4	211.0
87	Pericarditis	915	875	0.9	0.8
88	Endocarditis and myocarditis (acute)	8,337	7,999	7.9	7.8
89	Angina pectoris	15,221	13,680	14.5	13.3
90	Other diseases of the heart	184,897	168,672	175.8	163.6
91	Diseases of the arteries	23,698	23,090	22.5	22.4
	Aneurysm	1,989	1,914	1.9	1.9
	Arteriosclerosis	21,247	20,774	20.2	20.1
	Other diseases of the arteries	462	402	0.4	0.4
92	Embolism and thrombosis (not cerebral)	2,781	2,098	2.6	2.0
93	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	585	586	0.6	0.6
94	Diseases of the lymphatic system (lymphangitis, etc.)	196	201	0.2	0.2
95	Hemorrhage without specified cause	138	132	0.1	0.1
96	Other diseases of the circulatory system	242	234	0.2	0.2
	V.—Diseases of the respiratory system	123,960	111,977	117.9	108.6
97	Diseases of the nasal fossae and their annexa	933	914	0.9	0.9
	Diseases of the nasal fossae	313	366	0.3	0.4
	Others under this title	620	548	0.6	0.5
98	Diseases of the larynx	478	519	0.5	0.5
99	Bronchitis	6,961	6,670	6.6	6.5
	Acute	2,795	2,589	2.7	2.5
	Chronic	2,391	2,414	2.3	2.3
	Unspecified (under 5 years of age)	655	643	0.6	0.6
	Unspecified (5 years and over)	1,120	1,024	1.1	1.0
100	Broncho-pneumonia	46,148	39,820	43.9	38.6
	Broncho-pneumonia	45,157	38,896	42.9	37.7
	Capillary bronchitis	991	924	0.9	0.9
101	Pneumonia	61,649	56,612	58.6	54.9
	Lobar	56,699	51,407	53.9	49.9
	Unspecified	4,950	5,205	4.7	5.0
102	Pleurisy	2,780	2,636	2.6	2.6
103	Congestion and hemorrhagic infarct of the lung	1,427	1,372	1.4	1.3
104	Gangrene of the lung	189	215	0.2	0.2
105	Asthma	2,051	1,920	2.0	1.9
106	Pulmonary emphysema	158	141	0.2	0.1
107	Other diseases of the respiratory system (tuberculosis excepted)	1,186	1,158	1.1	1.1
	Chronic intestinal pneumonia, including occupational diseases of the respiratory system	269	241	0.3	0.2
	Diseases of the mediastinum	37	33	(1)	(1)
	Others under this title	880	884	0.8	0.9
	VI.—Diseases of the digestive system	100,266	104,297	95.3	101.2
108	Diseases of the mouth and annexa	797	768	0.8	0.7
109	Diseases of the pharynx and tonsils (including adenoid vegetations)	3,947	3,681	3.8	3.6
	Adenoid vegetations	6	9	(1)	(1)
	Others under this title	3,941	3,672	3.7	3.6
110	Diseases of the esophagus	131	116	0.1	0.1
111	Ulcer of the stomach and duodenum	6,424	6,133	6.1	5.9
	Ulcer of the stomach	4,566	4,384	4.3	4.3
	Ulcer of the duodenum	1,858	1,749	1.8	1.7
112	Other diseases of the stomach (cancer excepted)	5,444	5,832	5.2	5.7
113	Diarrhea and enteritis (under 2 years of age)	28,374	32,450	27.0	31.5
114	Diarrhea and enteritis (2 years and over)	6,922	8,062	6.6	7.8
115	Ancylostomiasis	26	24	(1)	(1)
116	Diseases due to other intestinal parasites	95	118	0.1	0.1
	Cestodes (hydatids of the liver excepted)	5	10	(1)	(1)
	Trematodes	3	17	(1)	(1)
	Nematodes (other than ancylostoma)	20	23	(1)	(1)
	Coccidia		2		(1)
	Other parasites specified	1	4	(1)	(1)
	Parasites not specified	66	62	0.1	0.1
117	Appendicitis and typhlitis	15,751	15,618	15.0	15.1
118	Hernia, intestinal obstruction	11,734	11,168	11.2	10.8
	Hernia	4,138	3,938	3.9	3.8
	Intestinal obstruction	7,596	7,230	7.2	7.0
119	Other diseases of the intestines	1,213	1,251	1.2	1.2
120	Acute yellow atrophy of the liver	515	469	0.6	0.5
121	Hydatid tumor of the liver	25	29	(1)	(1)
122	Cirrhosis of the liver	7,591	7,549	7.2	7.3
	Specified as alcoholic	452	480	0.4	0.5
	Not specified as alcoholic	7,139	7,069	6.8	6.9
123	Biliary calculi	4,148	4,148	3.9	4.0
124	Other diseases of the liver	4,745	4,596	4.5	4.5
125	Diseases of the pancreas	631	624	0.6	0.6
126	Peritonitis without specified cause	1,752	1,661	1.7	1.6
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1		(1)	

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1926	1925	1926	1925
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	119,978	115,231	114.1	111.8
128	Acute nephritis (including unspecified under 10 years of age)	5,427	5,733	5.2	5.6
129	Chronic nephritis (including unspecified 10 years and over)	97,905	93,587	93.1	90.8
130	Chyluria	1	1	(1)	(1)
131	Other diseases of the kidneys and annexa	2,979	2,892	2.8	2.8
132	Calculi of the urinary passages	823	834	0.8	0.8
133	Diseases of the bladder	974	990	0.9	1.0
134	Diseases of the urethra, urinary abscess, etc.	421	402	0.4	0.4
	Stricture of the urethra	263	268	0.3	0.3
	Others under this title	158	134	0.2	0.1
135	Diseases of the prostate	5,600	5,200	5.3	5.0
136	Nonvenereal diseases of the male genital organs	128	104	0.1	0.1
137	Cysts and other benign tumors of the ovary	851	811	0.8	0.8
138	Salpingitis and pelvic abscess (female)	1,864	1,779	1.8	1.7
139	Benign tumors of the uterus	2,068	2,044	2.0	2.0
140	Nonpuerperal uterine hemorrhage	54	49	0.1	(1)
141	Other diseases of the female genital organs	855	774	0.8	0.8
142	Nonpuerperal diseases of the breast (cancer excepted)	28	31	(1)	(1)
	VIII.—The puerperal state	15,058	15,315	14.3	14.9
143	Accidents of pregnancy	1,538	1,404	1.5	1.4
	Abortion	804	692	0.8	0.7
	Ectopic gestation	511	485	0.5	0.5
	Others under this title	223	227	0.2	0.2
144	Puerperal hemorrhage	1,563	1,466	1.5	1.4
145	Other accidents of labor	1,731	1,714	1.6	1.7
	Cesarean section	326	328	0.3	0.3
	Other surgical operations and instrumental delivery	175	169	0.2	0.2
	Others under this title	1,230	1,217	1.2	1.2
146	Puerperal septicemia	5,518	5,697	5.2	5.5
147	Puerperal phlegmasia alba dolens, embolus, sudden death	613	662	0.6	0.6
148	Puerperal albuminuria and convulsions	4,036	4,292	3.8	4.2
149	Following childbirth (not otherwise defined)	56	73	0.1	0.1
150	Puerperal diseases of the breast	3	7	(1)	(1)
	IX.—Diseases of the skin and of the cellular tissue	3,390	3,343	3.2	3.2
151	Gangrene	1,366	1,319	1.3	1.3
152	Furuncle	568	569	0.5	0.6
153	Acute abscess	705	673	0.7	0.7
154	Other diseases of the skin and annexa	751	782	0.7	0.8
	X.—Diseases of the bones and of the organs of locomotion	1,429	1,358	1.4	1.3
155	Diseases of the bones (tuberculosis excepted)	1,142	1,075	1.1	1.1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	224	215	0.2	0.2
157	Amputations	3	2	(1)	(1)
158	Other diseases of the organs of locomotion	60	66	0.1	0.1
	XI.—Malformations	13,990	14,226	13.3	13.8
159	Congenital malformations (stillbirths not included)	13,990	14,226	13.3	13.8
	Congenital hydrocephalus	1,394	1,533	1.3	1.5
	Congenital malformations of the heart	8,073	8,147	7.7	7.9
	Others under this title	4,523	4,546	4.3	4.4
	XII.—Early infancy	61,249	61,932	58.2	60.1
160	Congenital debility, icterus, sclerema	7,344	7,871	7.0	7.6
161	Premature birth, injury at birth	49,198	48,972	46.8	47.5
	Premature birth	38,990	38,588	37.1	37.4
	Injury at birth	10,208	10,384	9.7	10.1
162	Other diseases peculiar to early infancy	4,609	4,962	4.4	4.8
163	Lack of care	98	127	0.1	0.1
	XIII.—Old age	12,065	12,326	11.5	12.0
164	Senility	12,065	12,326	11.5	12.0

See footnotes at end of table.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925 AND 1926—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1926	1925	1926	1925
	XIV.—External causes	105,335	102,162	100.2	99.1
	Suicide	13,410	12,495	12.8	12.1
165	By solid or liquid poisons (corrosive substances excepted)	796	716	0.8	0.7
	Arsenic	156	(2)	0.1	(2)
	Hydrocyanic acid	79	(2)	0.1	(2)
	Opium, morphin, laudanum	27	(2)	(1)	(2)
	Strychnin	235	(2)	0.2	(2)
	Others under this title	299	(2)	0.3	(2)
166	By corrosive substances	1,451	1,278	1.4	1.2
	Corrosive sublimate	369	(2)	0.4	(2)
	Carbolic acid	634	(2)	0.6	(2)
	Lysol	307	(2)	0.3	(2)
	Others under this title	141	(2)	0.1	(2)
167	By poisonous gas	1,940	1,743	1.8	1.7
168	By hanging or strangulation	2,385	2,276	2.3	2.2
169	By drowning	717	715	0.7	0.7
170	By firearms	4,616	4,333	4.4	4.2
171	By cutting or piercing instruments	861	821	0.8	0.8
172	By jumping from high places	362	358	0.3	0.3
173	By crushing	135	128	0.1	0.1
174	Other suicides	147	127	0.1	0.1
	Homicide	9,210	8,893	8.8	8.6
197	By firearms	6,377	6,216	6.1	6.0
198	By cutting or piercing instruments	1,322	1,224	1.3	1.2
199	By other means	1,511	1,453	1.4	1.4
200	(Infanticide—murder of infants less than 1 year of age)[3]	(159)	(158)	(0.2)	(0.2)
	Accidental or undefined	82,715	80,774	78.7	78.3
175	Poisoning by food	830	888	0.8	0.9
	Botulism	47	64	(1)	0.1
	Other food poisoning	783	824	0.7	0.8
176	Poisoning by venomous animals	107	78	0.1	0.1
177	Other acute accidental poisonings (gas excepted)	1,575	1,596	1.5	1.5
	Wood or denatured alcohol	221	182	0.2	0.2
	Carbolic acid	37	46	(1)	(1)
	Opium, morphin, laudanum	35	46	(1)	(1)
	Strychnin	178	206	0.2	0.2
	Other poisons or kind not stated	1,104	1,116	1.0	1.1
178	Conflagration	1,558	1,408	1.5	1.4
179	Burns (conflagration excepted)	6,487	6,375	6.2	6.2
	Molten metal	19	22	(1)	(1)
	Playing with fire, matches, etc	359	416	0.3	0.4
	Fall into fire	180	179	0.2	0.2
	Scalds	1,271	1,291	1.2	1.3
	Others under this title	4,658	4,467	4.4	4.3
180	Mechanical suffocation	1,279	1,123	1.2	1.1
181	Absorption of irrespirable, irritating, or poisonous gas	2,836	2,439	2.7	2.4
182	Drowning	6,661	6,456	6.3	6.3
	XIV.—External causes—Continued				
	Accidental or undefined—Continued.				
	Traumatism—				
183	By firearms (wounds of war excepted)	2,593	2,570	2.5	2.5
184	By cutting or piercing instruments	702	732	0.7	0.7
185	By fall	14,681	13,864	14.0	13.4
	Fall down stairs	1,979	1,707	1.9	1.7
	Fall in ships, docks, etc	126	130	0.1	0.1
	Fall in building operations	780	751	0.7	0.7
	Others under this title	11,796	11,276	11.2	10.9
186	In mines and quarries	2,952	2,733	2.8	2.7
	Mines	2,825	2,643	2.7	2.6
	Quarries	127	90	0.1	0.1
187	By machines	2,224	2,339	2.1	2.3
	Agricultural machinery	273	275	0.3	0.3
	Elevator	437	459	0.4	0.4
	Crane	270	286	0.3	0.3
	Others under this title	1,244	1,319	1.2	1.3
188	By other crushing (vehicles, railways, landslides, etc.)	29,768	28,440	28.3	27.6
	Railroad accidents	7,026	6,778	6.7	6.6
	Collision with automobiles	1,556	1,266	1.5	1.2
	Other railroad accidents	5,470	5,512	5.2	5.3
	Street-car accidents	1,621	1,630	1.5	1.6
	Collision with automobiles	464	498	0.4	0.5
	Other street-car accidents	1,157	1,132	1.1	1.1
	Automobile accidents[4]	18,871	17,571	17.9	17.0
	Airplane and balloon accidents	160	165	0.2	0.2
	Motor-cycle accidents	220	267	0.2	0.3
	Injuries by other vehicles	1,127	1,286	1.1	1.2
	Landslide, other crushing	743	743	0.7	0.7
189	Injuries by animals (not poisoning)	541	629	0.5	0.6
190	Wounds of war	3	5	(1)	(1)
192	Starvation (deprivation of food or water)	14	11	(1)	(1)
193	Excessive cold	256	239	0.2	0.2
194	Excessive heat	646	1,355	0.6	1.3
195	Lightning	364	442	0.3	0.4
196	Other accidental electric shocks	1,037	995	1.0	1.0
201	Fracture (cause not specified)	690	640	0.7	0.6
202	Other external violence	4,909	5,401	4.7	5.2
	Foreign body in digestive or respiratory tract	603	682	0.6	0.7
	Others under this title	4,306	4,719	4.1	4.6
203	Violent deaths of unknown causation	2	16	(1)	(1)
	XV.—Ill-defined diseases	18,708	17,905	17.8	17.4
204	Sudden death	2,013	1,868	1.9	1.8
205	Not specified or ill-defined	16,695	16,037	15.9	15.6
	Ill-defined	4,461	5,041	4.2	4.9
	Not specified or unknown	12,234	10,996	11.6	10.7

[1] Less than one-tenth of 1 per 100,000 population.
[2] Not separately tabulated.
[3] The figures for infanticide are included in those for homicide.
[4] Excludes collision with railroad trains and street cars.

NOTE.—The population for 1926, which is shown in Table 1 A, constituted 89.8 per cent of the total population of continental United States; in 1925 the population of the area constituted 89.4 per cent of the total.

GENERAL TABLES

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1926

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
The registration area in continental United States	1,285,927	118,987	109,659	139,821	122,748	109,121	97,014	97,948	91,880	91,752	98,828	99,640	108,529
Registration States [1]	1,257,256	116,264	106,871	137,162	120,353	106,812	94,628	95,602	89,716	89,657	96,669	97,323	106,199
Cities in registration States [1]	649,819	60,704	56,343	72,947	62,553	55,530	48,382	47,755	45,082	45,121	49,594	50,111	55,697
Rural part of registration States	607,437	55,560	50,528	64,215	57,800	51,282	46,246	47,847	44,634	44,536	47,075	47,212	50,502
Registration cities in nonregistration States [2]	28,671	2,723	2,788	2,659	2,395	2,309	2,386	2,346	2,164	2,095	2,159	2,317	2,330
All registration cities [1]	678,490	63,427	59,131	75,606	64,948	57,839	50,768	50,101	47,246	47,216	51,753	52,428	58,027
Alabama	29,692	2,846	2,680	3,308	2,605	2,336	2,358	2,541	2,211	2,102	2,259	2,238	2,208
Urban	8,364	783	752	907	741	699	681	686	631	539	653	638	654
Rural	21,328	2,063	1,928	2,401	1,864	1,637	1,677	1,855	1,580	1,563	1,606	1,600	1,554
Arizona	5,572	486	534	585	478	514	471	460	394	365	398	425	462
Urban	2,137	192	227	237	184	188	164	159	146	130	146	173	191
Rural	3,435	294	307	348	294	326	307	301	248	235	252	252	271
California	58,914	5,954	5,189	5,182	4,849	4,705	4,661	4,509	4,386	4,196	4,612	4,988	5,733
Urban	34,727	3,503	3,116	3,082	2,922	2,740	2,648	2,619	2,594	2,456	2,716	2,939	3,392
Rural	24,187	2,451	2,073	2,100	1,927	1,965	2,013	1,890	1,792	1,740	1,896	1,999	2,341
Colorado	12,273	1,101	1,104	1,297	1,003	997	807	884	965	1,053	1,005	938	1,119
Urban	5,614	521	524	550	457	444	394	397	412	448	481	453	533
Rural	6,659	580	580	747	546	553	413	487	553	605	524	485	586
Connecticut	18,318	1,674	1,519	2,051	1,944	1,568	1,347	1,336	1,309	1,255	1,373	1,332	1,610
Urban	13,972	1,301	1,150	1,585	1,507	1,186	1,019	1,035	961	961	1,046	977	1,244
Rural	4,346	373	369	466	437	382	328	301	348	294	327	355	366
Delaware	3,447	349	378	412	339	261	241	243	223	216	254	263	268
Urban	1,615	156	201	205	163	122	111	113	91	97	117	118	121
Rural	1,832	193	177	207	176	139	130	130	132	119	137	145	147
Florida	20,044	1,891	1,813	2,041	1,689	1,640	1,498	1,459	1,468	1,664	1,576	1,631	1,674
Urban	7,055	716	682	728	616	612	550	501	500	538	512	554	546
Rural	12,989	1,175	1,131	1,313	1,073	1,028	948	958	968	1,126	1,064	1,077	1,128
Idaho	3,871	385	365	336	325	310	311	288	280	267	337	308	359
Urban	534	51	50	52	38	44	42	42	32	49	44	46	44
Rural	3,337	334	315	284	287	266	269	246	248	218	293	262	315
Illinois	85,331	7,850	7,080	9,876	8,183	7,393	6,162	6,345	6,100	6,086	6,493	6,585	7,178
Urban	53,183	4,792	4,474	6,399	5,025	4,598	3,824	3,898	3,703	3,763	4,070	4,071	4,566
Rural	32,148	3,058	2,606	3,477	3,158	2,795	2,338	2,447	2,397	2,323	2,423	2,514	2,612
Indiana	40,016	3,630	3,292	4,373	3,958	3,374	2,984	2,946	2,961	2,952	3,186	3,053	3,307
Urban	17,970	1,608	1,447	1,899	1,749	1,566	1,357	1,301	1,378	1,288	1,462	1,405	1,510
Rural	22,046	2,022	1,845	2,474	2,209	1,808	1,627	1,645	1,583	1,664	1,724	1,648	1,797
Iowa	25,466	2,248	2,130	2,716	2,612	2,246	1,846	1,876	1,719	1,865	1,927	1,980	2,301
Urban	8,831	834	734	932	846	780	649	649	582	634	691	685	815
Rural	16,635	1,414	1,396	1,784	1,766	1,466	1,197	1,227	1,137	1,231	1,236	1,295	1,486
Kansas	19,100	1,721	1,675	1,956	1,697	1,600	1,365	1,514	1,439	1,436	1,479	1,524	1,694
Urban	6,244	557	543	637	532	523	468	523	484	461	474	538	504
Rural	12,856	1,164	1,132	1,319	1,165	1,077	897	991	955	975	1,005	986	1,190
Kentucky	29,952	2,718	2,326	3,188	2,879	2,299	2,101	2,538	2,331	2,449	2,512	2,388	2,223
Urban	8,421	777	582	940	824	690	600	716	630	667	645	661	689
Rural	21,531	1,941	1,744	2,248	2,055	1,609	1,501	1,822	1,701	1,782	1,867	1,727	1,534
Louisiana	24,230	2,450	2,374	2,395	1,872	1,955	1,848	1,812	1,895	1,724	1,898	2,112	1,895
Urban	10,551	1,115	1,125	989	787	868	800	748	816	737	807	906	853
Rural	13,679	1,335	1,249	1,406	1,085	1,087	1,048	1,064	1,079	987	1,091	1,206	1,042
Maine	11,355	983	992	1,059	1,244	1,043	885	912	739	755	892	872	979
Urban	3,695	295	354	369	397	331	300	263	248	268	263	277	330
Rural	7,660	688	638	690	847	712	585	649	491	487	629	595	649
Maryland	22,649	2,408	2,312	2,241	1,965	1,833	1,624	1,663	1,673	1,624	1,681	1,682	1,943
Urban	13,593	1,484	1,458	1,322	1,171	1,140	969	982	964	945	978	1,022	1,158
Rural	9,056	924	854	919	794	693	655	681	709	679	703	660	785
Massachusetts	52,638	5,044	4,219	6,007	5,777	4,600	3,908	3,672	3,438	3,578	3,997	3,924	4,474
Urban	42,505	4,057	3,400	4,952	4,651	3,703	3,101	2,924	2,718	2,867	3,262	3,231	3,639
Rural	10,133	987	819	1,055	1,126	897	807	748	720	711	735	693	835
Michigan	54,084	4,671	4,263	6,131	5,572	4,959	4,267	4,041	3,660	3,864	4,102	4,074	4,480
Urban	30,464	2,610	2,476	3,688	3,203	2,799	2,405	2,153	1,951	2,136	2,300	2,229	2,514
Rural	23,620	2,061	1,787	2,443	2,369	2,160	1,862	1,888	1,709	1,728	1,802	1,845	1,966
Minnesota	25,803	2,182	2,027	2,385	2,637	2,358	2,096	2,015	1,879	1,810	2,045	2,037	2,332
Urban	11,428	1,003	886	1,058	1,144	1,034	910	932	838	823	911	910	979
Rural	14,375	1,179	1,141	1,327	1,493	1,324	1,186	1,083	1,041	987	1,134	1,127	1,353
Mississippi	23,766	2,047	2,110	2,461	1,934	1,858	1,880	2,083	1,916	1,799	1,881	2,001	1,796
Urban	3,803	349	362	393	301	297	312	321	321	250	283	318	296
Rural	19,963	1,698	1,748	2,068	1,633	1,561	1,568	1,762	1,595	1,549	1,598	1,683	1,500
Missouri	42,752	4,011	3,461	4,456	4,077	3,642	2,981	3,341	3,239	3,071	3,322	3,382	3,769
Urban	20,952	1,902	1,664	2,180	2,038	1,822	1,464	1,641	1,564	1,467	1,644	1,678	1,888
Rural	21,800	2,109	1,797	2,276	2,039	1,820	1,517	1,700	1,675	1,604	1,678	1,704	1,881
Montana	5,395	450	473	585	482	441	431	399	398	414	436	416	470
Urban	1,750	146	161	188	139	135	141	108	103	155	144	161	169
Rural	3,645	304	312	397	343	306	290	291	295	259	292	255	301

[1] Including District of Columbia.

[2] These cities are shown under the various States (indicated by footnote 2) in Table I B.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1926—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Nebraska	12,648	1,144	1,051	1,288	1,268	1,116	969	973	885	939	928	982	1,105
Urban	4,162	384	338	403	408	360	318	327	302	330	303	342	347
Rural	8,486	760	713	885	860	756	651	646	583	609	625	640	758
New Hampshire	6,703	615	570	646	734	576	505	560	444	448	495	517	593
Urban	2,876	262	248	284	310	237	223	217	179	200	217	215	284
Rural	3,827	353	322	362	424	339	282	343	265	248	278	302	309
New Jersey	44,876	4,320	4,131	5,472	4,252	3,725	3,210	3,250	3,067	3,020	3,229	3,316	3,884
Urban	27,997	2,725	2,594	3,437	2,713	2,354	1,969	1,935	1,945	1,884	2,022	2,045	2,374
Rural	16,879	1,595	1,537	2,035	1,539	1,371	1,241	1,315	1,122	1,136	1,207	1,271	1,510
New York	151,345	14,001	13,073	19,012	14,774	12,968	11,260	10,778	9,948	10,173	11,337	11,241	12,780
Urban	114,888	10,705	10,154	14,745	11,230	9,765	8,474	7,910	7,350	7,559	8,583	8,530	9,883
Rural	36,457	3,296	2,919	4,267	3,544	3,203	2,786	2,868	2,598	2,614	2,754	2,711	2,897
North Carolina	34,562	3,126	2,756	3,802	2,904	2,974	3,037	3,165	2,627	2,306	2,549	2,670	2,646
Urban	7,353	667	588	744	595	640	585	660	593	524	574	595	588
Rural	27,209	2,459	2,168	3,058	2,309	2,334	2,452	2,505	2,034	1,782	1,975	2,075	2,058
North Dakota	5,313	444	447	591	569	477	394	397	368	382	409	425	410
Urban	796	62	62	100	80	60	64	63	61	59	65	64	56
Rural	4,517	382	385	491	489	417	330	334	307	323	344	361	354
Ohio	78,695	7,052	6,044	8,031	8,369	6,893	5,959	5,801	5,697	5,790	6,129	6,220	6,710
Urban	45,628	4,064	3,597	4,694	4,782	4,025	3,382	3,433	3,374	3,294	3,522	3,582	3,879
Rural	33,067	2,988	2,447	3,337	3,587	2,868	2,577	2,368	2,323	2,496	2,607	2,638	2,831
Oregon	9,857	911	826	875	869	762	778	770	748	734	808	858	918
Urban	4,402	402	387	381	387	327	366	343	348	295	367	385	414
Rural	5,455	509	439	494	482	435	412	427	400	439	441	473	504
Pennsylvania	120,537	11,378	10,498	14,088	12,214	10,552	8,560	8,557	7,964	8,253	9,140	9,083	10,250
Urban	66,265	6,346	6,001	8,037	6,467	5,668	4,704	4,688	4,296	4,433	5,012	4,988	5,625
Rural	54,272	5,032	4,497	6,051	5,747	4,884	3,856	3,869	3,668	3,820	4,128	4,095	4,625
Rhode Island	8,791	873	734	1,103	976	757	674	610	585	562	603	634	680
Urban	7,373	735	613	921	800	631	574	505	487	484	532	535	556
Rural	1,418	138	121	182	176	126	100	105	98	78	71	99	124
South Carolina	23,403	1,995	1,893	2,284	2,002	2,092	2,129	2,105	1,842	1,749	1,912	1,670	1,730
Urban	4,283	370	378	397	375	355	364	354	306	341	358	322	363
Rural	19,120	1,625	1,515	1,887	1,627	1,737	1,765	1,751	1,536	1,408	1,554	1,348	1,367
Tennessee	31,395	2,838	2,811	3,369	2,720	2,368	2,358	2,851	2,391	2,326	2,477	2,536	2,350
Urban	10,213	949	893	1,022	806	799	834	970	786	763	814	809	768
Rural	21,182	1,889	1,918	2,347	1,914	1,569	1,524	1,881	1,605	1,563	1,663	1,727	1,582
Utah	5,136	544	535	399	394	427	377	343	385	363	405	468	496
Urban	2,384	272	239	170	192	215	175	162	177	173	194	204	211
Rural	2,752	272	296	229	202	212	202	181	208	190	211	264	285
Vermont	5,215	538	395	549	597	463	433	368	339	326	383	385	439
Urban	807	82	60	90	93	74	68	63	52	44	67	52	62
Rural	4,408	456	335	459	504	389	365	305	287	282	316	333	377
Virginia	30,818	2,768	2,762	3,429	2,688	2,368	2,262	2,507	2,288	2,261	2,399	2,379	2,707
Urban	9,236	821	886	940	758	700	715	781	732	674	709	760	760
Rural	21,582	1,947	1,876	2,489	1,930	1,668	1,547	1,726	1,556	1,587	1,690	1,619	1,947
Washington	15,670	1,349	1,307	1,496	1,235	1,328	1,229	1,239	1,213	1,226	1,275	1,320	1,453
Urban	8,195	712	677	777	644	706	650	646	628	636	658	690	771
Rural	7,475	637	630	719	591	622	579	593	585	590	617	630	682
West Virginia	18,143	1,635	1,309	1,854	1,756	1,459	1,188	1,383	1,498	1,504	1,674	1,449	1,434
Urban	4,718	402	360	494	470	402	324	383	365	351	414	372	381
Rural	13,425	1,233	949	1,360	1,286	1,057	864	1,000	1,133	1,153	1,260	1,077	1,053
Wisconsin	30,191	2,708	2,430	2,930	3,174	2,762	2,471	2,377	2,137	2,119	2,139	2,339	2,605
Urban	13,109	1,176	1,052	1,256	1,396	1,220	1,070	1,039	888	902	946	1,016	1,148
Rural	17,082	1,532	1,378	1,674	1,778	1,542	1,401	1,338	1,249	1,217	1,193	1,323	1,457
Wyoming	1,902	149	162	183	152	169	170	159	152	155	152	135	164
Urban	338	39	27	43	27	27	21	33	31	20	27	22	21
Rural	1,564	110	135	140	125	142	149	126	121	135	125	113	143

NOTE.—Populations are shown in Table 1 A. Similar data for cities, which have not been shown since 1922, are held in manuscript.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1926

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE							COLORED					
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chinese	Japanese	Other colored
			Total	Both parents native	One or both parents foreign born	Parentage unknown								
The registration area in continental United States	1,285,927	1,113,104	842,726	500,114	226,979	115,633	252,942	17,436	172,823	166,685	3,438	1,317	1,224	159
Registration States [1]	1,257,256	1,093,850	826,751	490,607	224,139	112,005	250,313	16,786	163,406	157,284	3,433	1,312	1,219	158
Cities in registration States [1]	649,819	576,242	397,982	202,157	147,921	47,904	170,008	8,252	73,577	71,610	256	965	665	81
Rural part of registration States	607,437	517,608	428,769	288,450	76,218	64,101	80,305	8,534	89,829	85,674	3,177	347	554	77
Registration cities in nonregistration States [2]	28,671	19,254	15,975	9,507	2,840	3,628	2,629	650	9,417	9,401	5	5	5	1
All registration cities [1]	678,490	595,496	413,957	211,664	150,761	51,532	172,637	8,902	82,994	81,011	261	970	670	82
Alabama	29,692	15,416	14,906	13,851	356	699	317	193	14,276	14,269	4	3		
Urban	8,364	4,165	3,905	3,489	238	178	206	54	4,199	4,196		3		
Rural	21,328	11,251	11,001	10,362	118	521	111	139	10,077	10,073	4			
Arizona	5,572	4,791	3,366	1,413	1,221	732	1,132	293	781	159	588	17	15	2
Urban	2,137	1,962	1,424	636	419	369	406	132	175	92	63	11	8	1
Rural	3,435	2,829	1,942	777	802	363	726	161	606	67	525	6	7	1
California	58,914	55,875	38,647	16,844	12,300	9,503	16,006	1,222	3,039	1,121	317	706	809	86
Urban	34,727	32,974	22,512	9,760	7,498	5,254	9,765	697	1,753	796	32	447	439	39
Rural	24,187	22,901	16,135	7,084	4,802	4,249	6,241	525	1,286	325	285	259	370	47
Colorado	12,273	11,929	9,399	5,046	2,126	2,227	2,175	355	344	270	36	6	29	3
Urban	5,614	5,432	4,204	2,162	1,028	1,014	1,092	136	182	171	2	5	3	1
Rural	6,659	6,497	5,195	2,884	1,098	1,213	1,083	219	162	99	34	1	26	2
Connecticut	18,318	17,820	11,660	5,337	5,000	1,323	5,963	197	498	486	3	6	2	1
Urban	13,972	13,545	8,586	3,677	4,042	867	4,817	142	427	419	1	4	2	1
Rural	4,346	4,275	3,074	1,660	958	456	1,146	55	71	67	2	2		
Delaware	3,447	2,753	2,361	1,690	414	257	348	44	694	694				
Urban	1,615	1,360	1,107	679	319	109	245	8	255	255				
Rural	1,832	1,393	1,254	1,011	95	148	103	36	439	439				
Florida	20,044	12,173	10,393	6,833	1,031	2,529	1,187	593	7,871	7,861	5	3	2	
Urban	7,055	4,205	3,392	2,204	552	636	668	145	2,850	2,845	2	1	2	
Rural	12,989	7,968	7,001	4,629	479	1,893	519	448	5,021	5,016	3	2		
Idaho	3,871	3,701	2,958	1,663	638	657	614	129	170	15	132	7	16	
Urban	534	510	420	214	98	108	81	9	24	8	6	3	7	
Rural	3,337	3,191	2,538	1,449	540	549	533	120	146	7	126	4	9	
Illinois	85,331	79,565	54,150	27,252	18,982	7,916	24,107	1,308	5,766	5,696	2	60	5	3
Urban	53,183	48,528	29,634	12,298	13,534	3,802	17,994	900	4,655	4,589	2	56	5	3
Rural	32,148	31,037	24,516	14,954	5,448	4,114	6,113	408	1,111	1,107		4		
Indiana	40,016	37,838	34,088	23,465	4,956	5,667	3,363	387	2,178	2,173	2	2	1	
Urban	17,970	16,143	13,793	8,779	2,746	2,268	2,158	192	1,827	1,825		1	1	
Rural	22,046	21,695	20,295	14,686	2,210	3,399	1,205	195	351	348	2	1		
Iowa	25,466	25,120	19,544	11,035	5,176	3,333	5,235	341	346	328	14	3		1
Urban	8,831	8,588	6,767	3,574	1,958	1,235	1,684	137	243	235	5	3		
Rural	16,635	16,532	12,777	7,461	3,218	2,098	3,551	204	103	93	9			1
Kansas	19,100	17,872	15,203	9,010	2,372	3,821	2,371	298	1,228	1,209	16	1		2
Urban	6,244	5,407	4,695	2,753	789	1,153	624	88	837	835		1		1
Rural	12,856	12,465	10,508	6,257	1,583	2,668	1,747	210	391	374	16			1
Kentucky	29,952	25,145	23,898	19,361	1,592	2,945	942	305	4,807	4,806		1		
Urban	8,421	6,485	5,784	3,854	1,082	848	630	71	1,936	1,936				
Rural	21,531	18,660	18,114	15,507	510	2,097	312	234	2,871	2,870		1		
Louisiana	24,230	12,272	10,753	7,079	1,604	2,070	1,129	390	11,958	11,930	14	7	4	3
Urban	10,551	5,932	4,897	2,828	1,330	739	906	129	4,619	4,611		5	2	1
Rural	13,679	6,340	5,856	4,251	274	1,331	223	261	7,339	7,319	14	2	2	2
Maine	11,355	11,319	9,422	6,912	1,889	621	1,818	79	36	24	9	2		1
Urban	3,695	3,680	2,805	1,786	831	188	844	31	15	11	3	1		
Rural	7,660	7,639	6,617	5,126	1,058	433	974	48	21	13	6	1		1
Maryland	22,649	17,170	14,676	10,133	2,947	1,596	2,327	167	5,479	5,467		10	1	1
Urban	13,593	10,458	8,475	5,257	2,287	931	1,890	93	3,135	3,123		10	1	1
Rural	9,056	6,712	6,201	4,876	660	665	437	74	2,344	2,344				
Massachusetts	52,638	51,620	32,914	15,260	14,673	2,981	18,438	268	1,018	959	12	44	3	
Urban	42,505	41,612	25,712	11,175	12,358	2,179	15,682	218	893	842	5	43	3	
Rural	10,133	10,008	7,202	4,085	2,315	802	2,756	50	125	117	7	1		
Michigan	54,084	51,183	35,410	17,447	12,625	5,338	14,682	1,091	2,901	2,711	174	13	1	2
Urban	30,464	28,137	18,810	8,515	7,777	2,518	8,714	613	2,327	2,293	19	12	1	2
Rural	23,620	23,046	16,600	8,932	4,848	2,820	5,968	478	574	418	155	1		
Minnesota	25,803	25,370	14,827	6,680	6,837	1,310	10,325	218	433	168	260	4	1	
Urban	11,428	11,269	6,967	3,038	3,330	599	4,205	97	159	138	16	4	1	
Rural	14,375	14,101	7,860	3,642	3,507	711	6,120	121	274	30	244			
Mississippi	23,766	9,191	8,630	6,513	245	1,872	186	375	14,575	14,546	21	8		
Urban	3,803	1,694	1,580	1,131	112	337	70	44	2,109	2,103	1	5		
Rural	19,963	7,497	7,050	5,382	133	1,535	116	331	12,466	12,443	20	3		

[1] Including District of Columbia.

[2] These cities are shown under the various States (indicated by footnote 2) in Table I B.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1926—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE							COLORED					
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chinese	Japanese	Other colored
			Total	Both parents native	One or both parents foreign born	Parentage unknown								
Missouri	42,752	37,942	32,429	19,550	5,810	7,069	4,554	959	4,810	4,797	3	9	1	------
Urban	20,952	17,689	14,054	7,362	3,841	2,851	3,211	424	3,263	3,253	2	8	------	------
Rural	21,800	20,253	18,375	12,188	1,969	4,218	1,343	535	1,547	1,544	1	1	1	------
Montana	5,395	4,967	3,342	1,628	1,078	636	1,434	191	428	35	371	16	6	------
Urban	1,750	1,703	1,060	448	407	205	596	47	47	24	9	12	2	------
Rural	3,645	3,264	2,282	1,180	671	431	838	144	381	11	362	4	4	------
Nebraska	12,648	12,245	9,075	5,391	2,315	1,369	3,012	158	403	293	103	------	6	1
Urban	4,162	3,897	2,793	1,541	848	404	1,015	89	265	259	2	------	3	1
Rural	8,486	8,348	6,282	3,850	1,467	965	1,997	69	138	34	101	------	3	------
New Hampshire	6,703	6,697	5,045	2,812	1,119	1,114	1,433	219	6	6	------	------	------	------
Urban	2,876	2,871	2,008	966	676	366	802	61	5	5	------	------	------	------
Rural	3,827	3,826	3,037	1,846	443	748	631	158	1	1	------	------	------	------
New Jersey	44,876	41,404	27,774	15,129	11,127	1,518	13,318	312	3,472	3,451	1	19	1	------
Urban	27,997	25,563	16,165	7,632	7,739	794	9,216	182	2,434	2,419	------	15	------	------
Rural	16,879	15,841	11,609	7,497	3,388	724	4,102	130	1,038	1,032	1	4	1	------
New York	151,345	145,115	93,338	43,830	42,536	6,972	50,429	1,348	6,230	5,944	84	156	32	14
Urban	114,888	109,298	64,658	26,587	34,507	3,564	43,611	1,029	5,590	5,382	15	151	29	13
Rural	36,457	35,817	28,680	17,243	8,029	3,408	6,818	319	640	562	69	5	3	1
North Carolina	34,562	20,957	20,544	17,587	219	2,738	148	265	13,605	13,396	208	1	------	------
Urban	7,353	4,041	3,924	3,251	115	558	72	45	3,312	3,311	------	1	------	------
Rural	27,209	16,916	16,620	14,336	104	2,180	76	220	10,293	10,085	208	------	------	------
North Dakota	5,313	5,105	3,161	1,392	1,509	260	1,847	97	208	6	199	1	1	1
Urban	796	795	522	247	213	62	249	24	1	------	1	------	------	------
Rural	4,517	4,310	2,639	1,145	1,296	198	1,598	73	207	6	198	1	1	1
Ohio	78,695	72,940	59,515	36,624	14,861	8,030	12,274	1,151	5,755	5,737	4	12	1	1
Urban	45,628	41,006	31,153	17,226	10,267	3,660	9,327	526	4,622	4,607	2	12	1	------
Rural	33,067	31,934	28,362	19,398	4,594	4,370	2,947	625	1,133	1,130	2	------	------	1
Oregon	9,857	9,551	7,299	3,905	1,565	1,829	1,958	294	306	45	139	73	40	9
Urban	4,402	4,281	3,092	1,582	801	709	1,065	124	121	30	11	55	22	3
Rural	5,455	5,270	4,207	2,323	764	1,120	893	170	185	15	128	18	18	6
Pennsylvania	120,537	112,465	86,479	54,057	25,129	7,293	24,718	1,268	8,072	8,012	9	44	3	4
Urban	66,265	59,852	42,999	23,849	15,472	3,678	16,136	717	6,413	6,358	7	41	3	4
Rural	54,272	52,613	43,480	30,208	9,657	3,615	8,582	551	1,659	1,654	2	3	------	------
Rhode Island	8,791	8,560	5,394	2,604	2,517	273	3,094	72	231	225	2	3	1	------
Urban	7,373	7,176	4,427	2,003	2,207	217	2,688	61	197	195	------	2	------	------
Rural	1,418	1,384	967	601	310	56	406	11	34	30	2	1	1	------
South Carolina	23,403	9,219	9,021	7,634	221	1,166	117	81	14,184	14,180	3	1	------	------
Urban	4,283	1,926	1,812	1,352	123	337	83	31	2,357	2,357	------	------	------	------
Rural	19,120	7,293	7,209	6,282	98	829	34	50	11,827	11,823	3	1	------	------
Tennessee	31,395	22,163	21,508	17,093	486	3,929	345	310	9,232	9,223	5	4	------	------
Urban	10,213	5,848	5,511	4,053	319	1,139	240	97	4,365	4,363	------	2	------	------
Rural	21,182	16,315	15,997	13,040	167	2,790	105	213	4,867	4,860	5	2	------	------
Utah	5,136	4,981	3,601	2,090	1,209	302	1,313	67	155	35	67	7	46	------
Urban	2,384	2,321	1,616	869	588	159	667	38	63	29	1	6	27	------
Rural	2,752	2,660	1,985	1,221	621	143	646	29	92	6	66	1	19	------
Vermont	5,215	5,207	4,312	2,760	960	592	842	53	8	7	1	------	------	------
Urban	807	804	621	343	195	83	174	9	3	3	------	------	------	------
Rural	4,408	4,403	3,691	2,417	765	509	668	44	5	4	1	------	------	------
Virginia	30,818	18,866	18,130	15,100	675	2,355	490	246	11,952	11,935	15	------	------	2
Urban	9,236	5,087	4,754	3,777	361	616	255	78	4,149	4,148	1	------	------	------
Rural	21,582	13,779	13,376	11,323	314	1,739	235	168	7,803	7,787	14	------	------	2
Washington	15,670	14,950	10,320	5,643	2,839	1,838	4,151	479	720	145	335	46	174	20
Urban	8,195	7,922	5,323	2,911	1,639	773	2,362	237	273	103	25	36	100	9
Rural	7,475	7,028	4,997	2,732	1,200	1,065	1,789	242	447	42	310	10	74	11
West Virginia	18,143	16,252	15,169	11,923	1,178	2,068	873	210	1,891	1,891	------	------	------	------
Urban	4,718	4,228	3,781	2,742	500	539	379	68	490	490	------	------	------	------
Rural	13,425	12,024	11,388	9,181	678	1,529	494	142	1,401	1,401	------	------	------	------
Wisconsin	30,191	29,736	18,941	8,213	8,821	1,907	10,374	421	455	219	236	------	------	------
Urban	13,109	12,941	8,235	3,401	4,055	779	4,525	181	168	148	20	------	------	------
Rural	17,082	16,795	10,706	4,812	4,766	1,128	5,849	240	287	71	216	------	------	------
Wyoming	1,902	1,822	1,402	725	331	346	309	111	80	18	36	8	17	1
Urban	338	324	258	113	70	75	39	27	14	11	------	------	2	1
Rural	1,564	1,498	1,144	612	261	271	270	84	66	7	36	8	15	------

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. I, Tables 5 and 24, and Thirteenth Census of the United States, 1910: Vol. I, Ch. II, Tables 18 and 45. Similar data for cities, which have not been shown since 1922, are held in manuscript.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

	AREA AND COLOR	All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	The registration area in continental United States—White	1,113,104	137,383	52,734	20,147	14,620	22,803	29,400	30,611	34,097
	Colored	172,823	25,960	10,747	3,136	3,032	7,397	10,670	10,790	9,704
2	Registration States [1]—White	1,093,850	134,575	51,642	19,781	14,350	22,258	28,602	29,719	33,219
	Colored	163,406	24,836	10,282	2,998	2,913	6,995	9,995	10,121	9,072
3	Cities in registration States [1]—White	576,242	67,383	26,764	10,982	7,343	11,075	15,479	17,118	19,632
	Colored	73,577	10,235	4,501	1,140	1,067	2,666	4,577	5,289	4,974
4	Rural part of registration States—White	517,608	67,192	24,878	8,799	7,007	11,183	13,123	12,601	13,587
	Colored	89,829	14,601	5,781	1,858	1,846	4,329	5,418	4,832	4,098
5	Registration cities in nonregistration States [2]—White	19,254	2,808	1,092	366	270	545	798	892	878
	Colored	9,417	1,124	465	138	119	402	675	669	632
6	All registration cities [1]—White	595,496	70,191	27,856	11,348	7,613	11,620	16,277	18,010	20,510
	Colored	82,994	11,359	4,966	1,278	1,186	3,068	5,252	5,958	5,606
7	Alabama—White	15,416	2,550	1,211	312	247	456	559	508	500
	Colored	14,276	1,990	769	228	261	720	960	892	775
8	Urban—White	4,165	552	260	91	65	140	175	172	171
	Colored	4,199	560	237	43	67	201	329	310	259
9	Rural—White	11,251	1,998	951	221	182	316	384	336	329
	Colored	10,077	1,430	532	185	194	519	631	582	516
10	Arizona—White	4,791	872	345	78	65	149	242	325	362
	Colored	781	145	94	39	38	54	49	39	42
11	Urban—White	1,962	227	83	24	24	64	129	163	208
	Colored	175	21	13	7	1	11	12	18	15
12	Rural—White	2,829	645	262	54	41	85	113	162	154
	Colored	606	124	81	32	37	43	37	21	27
13	California—White	55,875	4,822	1,763	824	645	1,104	1,640	1,886	1,930
	Colored	3,039	380	208	81	43	91	143	150	153
14	Urban—White	32,974	2,548	932	468	343	573	957	1,080	1,105
	Colored	1,753	216	126	43	19	50	90	85	97
15	Rural—White	22,901	2,274	831	356	302	531	683	806	825
	Colored	1,286	164	82	38	24	41	53	65	56
16	Colorado—White	11,929	1,622	581	254	218	303	411	519	562
	Colored	344	24	21	6	8	17	14	26	26
17	Urban—White	5,432	590	203	100	84	118	174	241	242
	Colored	182	11	6	3	2	8	11	17	6
18	Rural—White	6,497	1,032	378	154	134	185	237	278	320
	Colored	162	13	15	3	6	9	3	9	20
19	Connecticut—White	17,820	2,047	734	315	252	296	391	387	549
	Colored	498	55	33	10	5	15	25	37	36
20	Urban—White	13,545	1,665	618	262	196	227	279	310	442
	Colored	427	45	31	9	5	11	21	28	34
21	Rural—White	4,275	382	116	53	56	69	112	77	107
	Colored	71	10	2	1		4	4	9	2
22	Delaware—White	2,753	291	137	58	31	47	57	71	72
	Colored	694	101	40	17	12	27	34	32	28
23	Urban—White	1,360	153	93	38	15	28	29	39	44
	Colored	255	30	16	5	5	9	12	11	12
24	Rural—White	1,393	138	44	20	16	19	28	32	28
	Colored	439	71	24	12	7	18	22	21	16
25	Florida—White	12,173	1,539	674	258	190	333	482	493	477
	Colored	7,871	1,063	356	134	123	356	626	663	545
26	Urban—White	4,205	550	213	72	53	101	184	195	184
	Colored	2,850	419	129	42	38	135	252	298	223
27	Rural—White	7,968	989	461	186	137	232	298	298	293
	Colored	5,021	644	227	92	85	221	374	365	322
28	Idaho—White	3,701	552	202	105	85	80	109	89	110
	Colored	170	35	17	4	8	10	7	7	7
29	Urban—White	510	59	23	17	11	4	13	15	19
	Colored	24	4	3		1	2		1	
30	Rural—White	3,191	493	179	88	74	76	96	74	91
	Colored	146	31	14	4	7	8	7	6	7
31	Illinois—White	79,565	8,650	3,029	1,424	1,083	1,526	2,092	2,296	2,766
	Colored	5,766	644	323	103	81	192	351	429	447
32	Urban—White	48,528	5,378	1,839	967	666	925	1,370	1,605	1,916
	Colored	4,655	545	286	89	63	159	288	370	353
33	Rural—White	31,037	3,272	1,190	457	417	601	722	691	850
	Colored	1,111	99	37	14	18	33	63	59	94
34	Indiana—White	37,838	4,241	1,751	639	496	713	980	944	944
	Colored	2,178	302	155	28	30	73	113	130	133
35	Urban—White	16,143	1,986	844	349	216	341	491	506	496
	Colored	1,827	272	144	24	26	65	86	104	116
36	Rural—White	21,695	2,255	907	290	280	372	489	438	448
	Colored	351	30	11	4	4	8	27	26	17
37	Iowa—White	25,120	2,648	839	413	309	386	483	550	580
	Colored	346	35	17	9	10	15	18	16	20
38	Urban—White	8,588	948	303	164	113	171	180	263	261
	Colored	243	25	12	6	4	10	16	10	16
39	Rural—White	16,532	1,700	536	249	196	215	303	287	319
	Colored	103	10	5	3	6	5	2	6	4
40	Kansas—White	17,872	2,140	705	290	248	350	430	426	416
	Colored	1,228	153	43	13	18	43	54	47	66
41	Urban—White	5,407	636	227	83	62	120	158	170	155
	Colored	837	105	31	10	14	27	37	35	45
42	Rural—White	12,465	1,504	478	207	186	230	272	256	261
	Colored	391	48	12	3	4	16	17	12	21

[1] Including District of Columbia.

BIRTHS), BY AGE AND COLOR: 1926

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
40,768	45,671	52,696	62,400	72,200	84,708	100,604	99,208	91,643	68,178	36,862	12,311	2,701	511	848	1
11,065	10,954	11,542	12,083	8,924	8,593	7,091	6,610	4,978	4,009	2,234	1,274	575	768	687	
39,820	44,706	51,651	61,211	71,052	83,463	99,168	97,971	90,492	67,488	36,499	12,199	2,662	495	827	2
10,279	10,143	10,730	11,236	8,396	8,157	6,819	6,338	4,822	3,897	2,160	1,252	557	742	666	
24,084	27,492	31,989	37,686	42,759	48,460	52,515	47,085	39,693	27,929	14,624	4,751	1,066	175	158	3
5,699	5,777	5,855	5,777	4,101	3,734	2,642	2,063	1,431	917	498	274	129	130	101	
15,736	17,214	19,662	23,525	28,293	35,003	46,653	50,886	50,799	39,559	21,875	7,448	1,596	320	669	4
4,580	4,366	4,875	5,459	4,295	4,423	4,177	4,275	3,391	2,980	1,662	978	428	612	565	
948	965	1,045	1,189	1,148	1,245	1,436	1,237	1,151	690	363	112	39	16	21	5
786	811	812	847	528	436	272	272	156	112	74	22	18	26	21	
25,032	28,457	33,034	38,875	43,907	49,705	53,951	48,322	40,844	28,619	14,987	4,863	1,105	191	179	6
6,485	6,588	6,667	6,624	4,629	4,170	2,914	2,335	1,587	1,029	572	296	147	156	122	
545	557	652	710	702	821	1,204	1,276	1,197	749	394	130	39	8	89	7
839	767	989	982	702	604	550	632	486	451	232	149	75	117	106	
164	194	224	255	260	272	351	307	228	159	73	35	3		14	8
330	293	385	352	228	154	112	108	80	55	29	21	13	13	16	
381	363	428	455	442	549	853	969	969	590	321	95	36	8	75	9
509	474	600	630	474	450	438	524	406	396	203	128	62	104	90	
310	279	258	235	221	212	239	200	173	101	61	19	13	10	22	10
37	34	31	32	22	26	26	17	11	16	5	6	2	6	10	
161	135	114	101	91	99	101	78	70	32	27	9	4	6	12	11
13	10	10	10	6	6	4	4	3	6	1	1		1	2	
149	144	144	134	130	113	138	122	103	69	34	10	9	4	10	12
24	24	21	22	16	20	22	13	8	10	4	5	2	5	8	
2,474	2,783	3,215	3,526	4,036	4,717	5,239	4,866	4,510	3,278	1,809	648	130	25	5	13
214	213	201	213	176	208	161	162	104	73	40	16	2	7		
1,484	1,698	1,995	2,245	2,582	2,923	3,196	2,875	2,632	1,832	1,041	371	76	14	4	14
140	140	113	139	102	130	87	86	45	20	15	7	2	1		
990	1,085	1,220	1,281	1,454	1,794	2,043	1,991	1,878	1,446	768	277	54	11	1	15
74	73	88	74	74	78	74	76	59	53	25	9		6		
517	526	561	661	730	771	945	943	787	618	280	84	19	7	10	16
25	26	22	27	25	23	15	16	7	7	4	2	1	1	1	
233	268	273	321	358	418	502	450	357	305	137	45	9	3	1	17
13	13	15	20	14	10	10	9	4	3	2	2	1	1	1	
284	258	288	340	372	353	443	493	430	313	143	39	10	4	9	18
12	13	7	7	11	13	5	7	3	4	2					
656	713	880	1,131	1,289	1,536	1,666	1,586	1,436	1,087	572	227	44	13	13	19
33	21	31	34	31	30	27	26	20	20	8				1	
540	582	716	919	1,026	1,217	1,240	1,103	949	722	359	136	26	6	5	20
29	21	24	29	27	28	26	21	15	16	6				1	
116	131	164	212	263	319	426	483	487	365	213	91	18	7	8	21
4		7	5	4	2	1	5	5	4	2					
79	85	108	159	176	213	276	290	270	196	98	31	5	1	2	22
35	30	44	49	57	54	28	41	22	16	16	4	2	2	3	
42	43	63	95	101	117	128	125	96	68	32	9	2			23
12	22	23	22	28	16	6	13	5	6		1		1		
37	42	45	64	75	96	148	165	174	128	66	22	3	1	2	24
23	8	21	27	29	38	22	28	17	10	16	3	2	1	3	
539	539	648	715	778	772	990	880	808	598	299	95	21	4	41	25
663	566	604	573	314	323	231	218	126	126	94	40	22	38	67	
202	183	253	293	304	273	335	280	229	174	85	32	7	2	1	26
269	238	221	202	115	78	63	43	26	17	17	6	9	6	4	
337	356	395	422	474	499	655	600	579	424	214	63	14	2	40	27
394	328	383	371	199	245	168	175	100	109	77	34	13	32	63	
129	153	165	208	195	266	323	323	267	177	107	41	4	4	7	28
6	5	8	4	5	10	10	8	10	6	1	1		1		
10	26	22	33	39	39	55	33	37	35	16	3	1			29
1	2	4		1	1	1	1	2							
119	127	143	175	156	227	268	290	230	142	91	38	3	4	7	30
5	3	4	4	4	9	9	7	8	6	1	1		1		
3,294	3,721	4,083	4,822	5,587	6,511	7,318	6,897	6,106	4,688	2,557	862	214	34	5	31
490	454	485	444	333	291	199	181	128	80	59	28	9	15		
2,313	2,624	2,955	3,411	3,699	4,218	4,323	3,665	2,980	2,099	1,118	353	87	15	2	32
405	380	404	366	270	229	142	116	83	41	38	18	8	8		
981	1,097	1,128	1,411	1,888	2,293	2,995	3,232	3,126	2,589	1,439	509	127	19	3	33
85	74	81	84	63	62	57	65	45	39	21	10	1	7		
1,172	1,279	1,420	1,884	2,223	2,729	3,731	3,815	3,791	2,874	1,581	508	93	11	19	34
144	154	189	142	123	123	95	72	71	40	30	21	3	2	5	
595	691	788	965	1,047	1,235	1,463	1,363	1,240	865	469	166	21	1	5	35
136	140	164	125	101	101	69	49	44	25	19	13	3	1		
577	588	632	919	1,176	1,494	2,268	2,452	2,551	2,009	1,112	342	72	10	14	36
8	14	25	17	22	22	26	23	27	15	11	8		1	5	
645	762	909	1,226	1,553	1,827	2,458	2,640	2,631	2,331	1,333	500	85	11	1	37
14	18	26	26	19	26	24	16	17	5	10	4	1			
312	349	406	493	624	691	783	782	712	578	319	117	16	3		38
11	15	20	22	12	18	19	11	8	3	5					
333	413	503	733	929	1,136	1,675	1,858	1,919	1,753	1,014	383	69	8	1	39
3	3	6	4	7	8	5	5	9	2	5	4	1			
504	543	644	779	967	1,174	1,645	1,792	1,977	1,616	864	306	50	6		40
76	59	100	94	66	72	72	73	71	49	31	14	6	6	2	
197	197	238	284	324	389	508	507	484	385	193	79	10	1		41
51	44	76	66	44	56	50	49	45	21	12	9	4	5	1	
307	346	406	495	643	785	1,137	1,285	1,493	1,231	671	227	40	5		42
25	15	24	28	22	16	22	24	26	28	19	5	2	1	1	

[2] These cities are shown under the various States (indicated by footnote 2) in Table 1 B.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

	AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	Kentucky	White	25,145	4,020	2,090	534	357	717	908	722	749
		Colored	4,807	554	216	61	81	174	235	258	238
2	Urban	White	6,485	842	379	111	62	144	216	191	183
		Colored	1,936	206	70	19	22	57	91	113	120
3	Rural	White	18,660	3,178	1,711	423	295	573	692	531	566
		Colored	2,871	348	146	42	59	117	144	145	118
4	Louisiana	White	12,272	1,705	668	262	185	353	409	416	475
		Colored	11,958	1,739	567	205	217	540	800	742	687
5	Urban	White	5,932	541	248	116	83	129	193	202	264
		Colored	4,619	521	175	67	74	184	300	338	310
6	Rural	White	6,340	1,164	420	146	102	224	216	214	211
		Colored	7,339	1,218	392	138	143	356	500	404	327
7	Maine	White	11,319	1,313	385	133	127	181	210	201	251
		Colored	36	1						4	1
8	Urban	White	3,680	429	156	54	49	68	66	81	94
		Colored	15	1						3	1
9	Rural	White	7,639	884	229	79	78	113	144	120	157
		Colored	21							1	
10	Maryland	White	17,170	1,943	850	280	201	276	422	442	441
		Colored	5,479	920	325	80	86	199	253	281	273
11	Urban	White	10,458	1,115	531	182	107	143	240	288	300
		Colored	3,135	444	183	48	39	99	127	193	193
12	Rural	White	6,712	828	319	98	94	133	182	154	141
		Colored	2,344	476	142	32	47	100	126	88	80
13	Massachusetts	White	51,620	5,972	2,294	818	514	850	1,043	1,183	1,332
		Colored	1,018	130	73	13	16	17	53	38	59
14	Urban	White	41,612	5,186	2,013	703	430	691	826	945	1,094
		Colored	893	117	63	12	13	16	42	32	48
15	Rural	White	10,008	786	281	115	84	159	217	238	238
		Colored	125	13	10	1	3	1	11	6	11
16	Michigan	White	51,183	7,251	2,642	1,220	710	1,116	1,491	1,461	1,690
		Colored	2,901	372	217	74	46	98	202	301	288
17	Urban	White	28,137	4,584	1,832	791	417	617	934	998	1,141
		Colored	2,327	310	183	61	35	75	171	264	254
18	Rural	White	23,046	2,667	810	429	293	499	557	463	549
		Colored	574	62	34	13	11	23	31	37	34
19	Minnesota	White	25,370	2,946	869	468	370	521	663	697	759
		Colored	433	73	49	10	16	19	25	19	14
20	Urban	White	11,269	1,152	369	221	154	220	298	329	414
		Colored	159	16	9	1	6	5	8	9	8
21	Rural	White	14,101	1,794	500	247	216	301	365	368	345
		Colored	274	57	40	9	10	14	17	10	6
22	Mississippi	White	9,191	1,460	614	195	147	281	284	306	275
		Colored	14,575	2,098	854	305	297	785	1,015	908	646
23	Urban	White	1,694	167	91	36	32	53	55	80	66
		Colored	2,109	187	88	24	28	102	168	169	104
24	Rural	White	7,497	1,293	523	159	115	228	229	226	209
		Colored	12,466	1,911	766	281	269	683	847	739	542
25	Missouri	White	37,942	4,170	1,804	625	480	781	981	952	1,012
		Colored	4,810	551	242	79	82	163	259	274	270
26	Urban	White	17,689	1,797	802	301	227	318	509	510	557
		Colored	3,263	353	155	45	34	89	175	202	204
27	Rural	White	20,253	2,373	1,002	324	253	463	472	442	455
		Colored	1,547	198	87	34	48	74	84	72	66
28	Montana	White	4,967	665	202	99	91	137	130	136	173
		Colored	428	92	46	23	17	14	15	17	10
29	Urban	White	1,703	194	44	21	32	50	39	49	58
		Colored	47	2	1	2	1			1	1
30	Rural	White	3,264	471	158	78	59	87	91	87	115
		Colored	381	90	45	21	16	14	15	16	9
31	Nebraska	White	12,245	1,626	430	221	188	238	324	251	297
		Colored	403	47	28	9	9	19	22	27	21
32	Urban	White	3,897	449	125	72	51	73	128	106	113
		Colored	265	16	12	5	4	11	16	22	17
33	Rural	White	8,348	1,177	305	149	137	165	196	145	184
		Colored	138	31	16	4	5	8	6	5	4
34	New Hampshire	White	6,697	686	223	98	55	97	102	134	136
		Colored	6							1	1
35	Urban	White	2,871	367	128	53	25	48	45	63	64
		Colored	5								1
36	Rural	White	3,826	319	95	45	30	49	57	71	72
		Colored	1							1	
37	New Jersey	White	41,404	4,522	2,074	787	500	748	921	1,055	1,268
		Colored	3,472	554	262	53	43	131	190	212	189
38	Urban	White	25,563	3,072	1,441	543	323	463	578	697	869
		Colored	2,434	413	206	36	32	92	131	145	143
39	Rural	White	15,841	1,450	633	244	177	285	343	358	399
		Colored	1,038	141	56	17	11	39	59	67	46
40	New York	White	145,115	14,696	5,912	2,310	1,674	2,464	3,436	3,839	4,464
		Colored	6,230	1,025	451	79	79	199	377	444	454
41	Urban	White	109,298	11,866	5,049	1,901	1,332	1,884	2,687	3,070	3,632
		Colored	5,590	952	412	72	68	166	342	413	420
42	Rural	White	35,817	2,830	863	409	342	580	749	769	832
		Colored	640	73	39	7	11	33	25	31	34
43	North Carolina	White	20,957	4,022	1,503	407	294	539	634	628	666
		Colored	13,605	2,747	1,104	291	252	643	912	758	585
44	Urban	White	4,041	696	231	90	72	122	178	183	152
		Colored	3,812	607	236	63	61	182	283	259	203
45	Rural	White	16,916	3,326	1,272	317	222	417	456	445	514
		Colored	10,293	2,140	868	228	191	461	629	499	382

BIRTHS), BY AGE AND COLOR: 1926—Continued

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
790	855	918	1,041	1,229	1,507	1,872	2,036	1,965	1,593	886	253	49	16	38	1
263	304	309	395	331	329	273	235	200	156	84	41	25	24	21	
233	274	296	358	441	470	617	547	517	369	171	50	12	1	1	2
141	151	159	199	149	152	83	71	53	35	18	10	6	5	6	
557	581	622	683	788	1,037	1,255	1,489	1,448	1,224	715	203	37	15	37	3
122	153	150	196	182	177	190	164	147	121	66	31	19	19	15	
513	549	604	735	787	798	963	967	851	582	301	78	28	8	35	4
768	747	812	830	599	528	521	475	386	319	187	146	64	71	58	
270	300	354	411	486	477	536	466	381	282	140	31	10	3	9	5
373	405	390	406	249	208	190	146	101	79	36	26	14	7	20	
243	249	250	324	301	321	427	501	470	300	161	47	18	5	26	6
395	342	422	424	350	320	331	329	285	240	151	120	50	64	38	
269	307	392	495	641	844	1,109	1,331	1,295	973	587	218	48	8	1	7
3	3	1	3	1	2	4	2	4	4	2			1		
115	129	171	211	234	302	366	372	338	237	145	46	15	2		8
1	2	1	1			1		2	2						
154	178	221	284	407	542	743	959	957	736	442	172	33	6	1	9
2	1		2	1	2	3	2	2	2	2			1		
595	716	734	1,006	1,149	1,426	1,729	1,678	1,498	1,002	542	171	41	7	21	10
301	418	375	421	342	315	259	228	158	113	59	25	18	7	23	
402	509	504	719	761	921	1,044	985	785	531	278	85	22	6		11
219	313	269	273	203	185	138	82	59	38	14	8	6	2		
193	207	230	287	388	505	685	693	713	471	264	86	19	1	21	12
82	105	106	148	139	130	121	146	99	75	45	17	12	5	23	
1,701	1,999	2,537	3,031	3,829	4,495	4,918	4,903	4,347	3,206	1,818	643	147	25	15	13
60	67	82	67	84	55	63	62	43	22	8	2	1	2	1	
1,442	1,664	2,123	2,560	3,179	3,684	3,917	3,758	3,261	2,293	1,294	422	104	16	7	14
55	64	71	60	79	47	58	47	39	17	8	2	1	2		
259	335	414	471	650	811	1,001	1,145	1,086	913	524	221	43	9	8	15
5	3	11	7	5	8	5	15	4	5					1	
1,971	2,087	2,284	2,474	2,949	3,444	4,290	4,317	4,150	3,204	1,711	538	103	21	59	16
295	228	205	154	107	77	74	47	47	35	15	2	4	6	7	
1,348	1,392	1,427	1,487	1,685	1,830	2,069	1,920	1,583	1,190	632	196	34	7	23	17
242	189	162	125	84	54	47	21	23	14	7	1	1	2	2	
623	695	857	987	1,264	1,614	2,221	2,397	2,567	2,014	1,079	342	69	14	36	18
53	39	43	29	23	23	27	26	24	21	8	1	3	4	5	
955	1,061	1,149	1,351	1,523	1,969	2,433	2,294	2,101	1,731	1,015	363	109	18	5	19
18	24	17	23	24	15	27	18	16	7	7	3	4	5		
515	588	611	731	785	998	1,168	953	751	584	279	104	39	5	1	20
9	17	14	10	14	8	11	8	2		1		3			
440	473	538	620	738	971	1,265	1,341	1,350	1,147	736	259	70	13	4	21
9	7	3	13	10	7	16	10	14	7	6	3	1	5		
339	322	375	377	415	478	745	862	714	548	269	86	20	5	74	22
791	779	784	914	655	687	628	627	516	519	269	167	61	122	148	
77	88	98	85	97	110	134	158	108	89	47	16	2		5	23
165	147	174	181	111	122	74	70	47	49	30	20	7	16	26	
262	234	277	292	318	368	611	704	606	459	222	70	18	5	69	24
626	632	610	733	544	565	554	557	469	470	239	147	54	106	122	
1,193	1,444	1,643	2,009	2,481	2,934	3,521	3,540	3,469	2,753	1,480	476	93	26	75	25
353	343	389	357	312	302	206	187	179	101	63	37	15	19	27	
685	845	942	1,167	1,376	1,604	1,652	1,494	1,287	957	479	129	32	9	10	26
273	282	306	269	237	206	135	106	80	53	25	15	5	9	5	
508	599	701	842	1,105	1,330	1,869	2,046	2,182	1,796	1,001	347	61	17	65	27
80	61	83	88	75	96	71	81	99	48	38	22	10	10	22	
247	277	296	326	333	409	431	368	290	208	103	36	8	1	1	28
9	15	13	18	22	19	22	23	24	14	8	3		1	3	
96	99	133	133	136	159	145	139	75	63	25	11	1	1		29
5	2	3	8	3	4	6	2	5		1					
151	178	163	193	197	250	286	229	215	145	78	25	7		1	30
4	13	10	10	19	15	16	21	19	14	7	3		1	3	
375	434	445	564	689	869	1,110	1,170	1,235	998	547	177	44	5	8	31
30	26	27	26	21	15	21	16	19	8	4	4		2	2	
169	199	185	220	290	325	335	322	314	244	132	33	11	1		32
25	21	23	21	17	12	11	11	13	5	1			1	1	
206	235	260	344	399	544	775	848	921	754	415	144	33	4	8	33
5	5	4	5	4	3	10	5	6	3	3	4		1	1	
145	194	226	324	456	534	681	768	713	581	341	141	28	4	30	34
				1					2		1				
66	101	104	145	221	246	264	292	245	226	103	47	10		8	35
				1					2		1				
79	93	122	179	235	288	417	476	468	355	238	94	18	4	22	36
1,729	1,842	2,260	2,743	3,096	3,487	3,864	3,483	3,045	2,289	1,217	377	84	11	2	37
233	256	250	262	214	178	153	96	88	56	29	13	4	4	2	
1,166	1,244	1,500	1,811	2,048	2,179	2,289	1,909	1,553	1,104	558	173	38	4	1	38
177	188	185	182	141	117	92	61	42	29	15	5	1	1		
563	598	760	932	1,048	1,308	1,575	1,574	1,492	1,185	659	204	46	7	1	39
56	68	65	80	73	61	61	35	46	27	14	8	3	3	2	
5,671	6,630	8,170	9,867	11,064	12,948	14,099	12,791	11,051	7,914	4,296	1,371	323	58	67	40
506	478	464	429	308	291	185	165	125	95	36	18	7	10	5	
4,629	5,494	6,769	8,065	8,872	10,178	10,330	8,689	6,985	4,581	2,321	726	183	32	23	41
471	442	419	384	278	249	151	131	95	69	31	15	3	7		
1,042	1,136	1,401	1,802	2,192	2,770	3,769	4,102	4,066	3,333	1,975	645	140	26	44	42
35	36	45	45	30	42	34	34	30	26	5	3	4	3	5	
754	777	754	865	988	1,157	1,543	1,793	1,702	1,075	540	191	43	16	66	43
659	609	654	700	571	602	571	602	466	356	205	113	61	79	65	
204	202	194	212	252	243	273	290	221	140	58	20	5		3	44
193	200	193	189	153	145	125	82	45	43	22	12	5	4	7	
550	575	560	653	736	914	1,270	1,503	1,481	935	482	171	38	16	63	45
466	409	461	511	418	457	446	520	421	313	183	101	56	75	58	

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

	AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	North Dakota	White	5,105	984	279	136	132	150	141	132	169
		Colored	208	48	28	9	16	8	7	5	2
2	Urban	White	795	124	45	25	18	25	33	24	31
		Colored	1								
3	Rural	White	4,310	860	234	111	114	125	108	108	108
		Colored	207	48	28	9	16	8	7	5	2
4	Ohio	White	72,940	8,587	3,186	1,339	934	1,309	1,773	1,879	2,109
		Colored	5,755	820	415	93	82	194	363	447	430
5	Urban	White	41,006	5,128	1,946	823	555	770	1,159	1,263	1,424
		Colored	4,622	701	365	78	66	146	308	363	381
6	Rural	White	31,934	3,459	1,240	516	379	539	614	616	685
		Colored	1,133	119	50	15	16	48	55	84	49
7	Oregon	White	9,551	723	249	172	143	214	262	298	277
		Colored	306	51	23	9	7	16	13	16	18
8	Urban	White	4,281	226	83	69	57	76	97	141	153
		Colored	121	11	4		6	2	5	6	6
9	Rural	White	5,270	497	166	103	86	128	165	157	124
		Colored	185	40	19	9	1	14	8	10	12
10	Pennsylvania	White	112,465	15,784	5,853	2,092	1,446	2,112	2,646	2,706	3,354
		Colored	8,072	1,338	612	131	117	275	448	564	555
11	Urban	White	59,852	7,490	3,141	1,201	750	1,147	1,522	1,569	2,021
		Colored	6,413	1,065	498	111	91	207	363	457	445
12	Rural	White	52,613	8,294	2,712	891	696	965	1,124	1,137	1,333
		Colored	1,659	273	114	20	26	68	85	107	110
13	Rhode Island	White	8,560	1,077	427	154	90	127	168	176	211
		Colored	231	37	12	8	1	3	7	11	11
14	Urban	White	7,176	934	382	130	79	92	127	136	172
		Colored	197	30	10	7	1	2	4	8	7
15	Rural	White	1,384	143	45	24	11	35	41	40	39
		Colored	34	7	2	1		1	3	3	4
16	South Carolina	White	9,219	1,724	671	152	117	264	237	252	275
		Colored	14,184	2,751	1,100	303	282	706	880	797	635
17	Urban	White	1,926	259	113	27	33	65	64	64	80
		Colored	2,357	334	145	32	47	98	161	197	168
18	Rural	White	7,293	1,465	558	125	84	199	173	188	195
		Colored	11,827	2,417	955	271	235	608	699	600	467
19	Tennessee	White	22,163	3,355	1,760	449	332	677	767	742	733
		Colored	9,232	1,112	505	184	205	490	654	628	547
20	Urban	White	5,848	792	407	128	90	174	216	243	229
		Colored	4,365	524	232	71	79	202	321	369	291
21	Rural	White	16,315	2,563	1,353	321	242	503	551	499	504
		Colored	4,867	588	273	113	126	288	333	259	256
22	Utah	White	4,981	954	318	149	116	144	154	160	151
		Colored	155	32	29	8	3	4	5	4	4
23	Urban	White	2,321	323	124	66	56	54	69	75	78
		Colored	63	9	7	1	1	1	2	2	2
24	Rural	White	2,660	631	194	83	60	90	85	85	73
		Colored	92	23	22	7	2	3	3	2	2
25	Vermont	White	5,207	514	140	72	65	101	91	84	112
		Colored	8								
26	Urban	White	804	89	36	15	17	20	19	16	20
		Colored	3								
27	Rural	White	4,403	425	104	57	48	81	72	68	92
		Colored	5								
28	Virginia	White	18,866	2,900	1,100	337	270	450	498	485	487
		Colored	11,952	1,936	679	198	226	489	516	512	529
29	Urban	White	5,087	671	237	88	54	115	166	149	142
		Colored	4,149	667	225	57	73	143	198	220	234
30	Rural	White	13,779	2,229	863	249	216	335	332	336	345
		Colored	7,803	1,269	454	141	153	346	318	292	295
31	Washington	White	14,950	1,236	411	317	247	408	492	418	490
		Colored	720	116	62	30	25	26	33	46	36
32	Urban	White	7,922	635	229	176	123	203	242	198	261
		Colored	273	39	15	10	4	4	6	16	12
33	Rural	White	7,028	601	182	141	124	205	250	220	229
		Colored	447	77	47	20	21	22	27	30	24
34	West Virginia	White	16,252	3,266	1,424	380	243	514	654	547	516
		Colored	1,891	329	127	23	27	79	131	158	132
35	Urban	White	4,228	670	266	105	60	143	185	187	157
		Colored	490	80	26	8	7	14	22	31	33
36	Rural	White	12,024	2,596	1,158	275	183	371	469	360	359
		Colored	1,401	249	101	15	20	65	109	127	99
37	Wisconsin	White	29,736	3,780	1,046	501	385	637	736	731	888
		Colored	455	65	38	18	11	12	42	20	28
38	Urban	White	12,941	1,821	518	228	174	277	358	370	469
		Colored	168	24	11	2	1	2	16	12	13
39	Rural	White	16,795	1,959	528	273	211	360	378	361	419
		Colored	287	41	27	16	10	10	26	8	15
40	Wyoming	White	1,822	313	102	39	40	51	65	75	85
		Colored	80	20	7	3	4		1	4	2
41	Urban	White	324	65	15	6	5	11	7	15	15
		Colored	14	2	1					1	
42	Rural	White	1,498	248	87	33	35	40	58	60	70
		Colored	66	18	6	3	4		1	3	2

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Vol. III, Table 8, and Thirteenth Census of the United States, 1910: Vol. I, Ch, IV, Tables 43, 49, 50, 53, and 54. Similar data for cities, which have not been shown since 1922, are held in manuscript.

BIRTHS), BY AGE AND COLOR: 1926— Continued

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
211	209	207	219	246	343	426	408	309	234	137	43	15	4	1	1
6	4	10	7	7	7	7	15	12	4	4	2				
45	37	44	40	41	62	61	49	49	24	11	3	3	1		2
	1														
166	172	163	179	205	281	365	359	260	210	126	40	12	3	1	3
6	3	10	7	7	7	7	15	12	4	4	2				
2,444	2,907	3,175	3,788	4,656	5,395	6,768	7,065	6,780	5,023	2,766	858	169	26	4	4
431	413	381	409	263	262	211	184	132	104	59	33	12	13	4	
1,671	1,977	2,106	2,473	2,836	3,124	3,677	3,486	3,035	2,013	1,109	357	68	6		5
373	357	323	342	197	195	142	106	71	48	29	19	4	7	1	
773	930	1,089	1,315	1,820	2,271	3,091	3,579	3,745	3,010	1,657	501	101	20	4	6
58	56	58	67	66	67	69	78	61	56	30	14	8	6	3	
319	418	468	546	656	819	1,061	947	827	642	362	113	21	6	8	7
11	16	8	15	10	13	26	19	15	9	4	5		2		
177	230	236	273	336	411	489	407	346	267	145	36	11	1	4	8
5	7	7	10	8	11	15	10	4	2		1		1		
142	188	232	273	320	408	572	540	481	375	217	77	10	5	4	9
6	9	1	5	2	2	11	9	11	7	4	4		1		
4,087	4,640	5,589	6,663	7,587	8,914	9,874	9,636	8,716	6,255	3,212	1,045	212	35	7	10
584	609	602	597	396	388	259	227	158	103	57	29	10	13		
2,452	2,816	3,362	3,981	4,513	5,172	5,364	4,798	3,931	2,714	1,367	428	95	15	3	11
477	504	497	473	317	312	191	169	109	61	35	16	9	6		
1,635	1,824	2,227	2,682	3,074	3,742	4,510	4,838	4,785	3,541	1,845	617	117	20	4	12
107	105	105	124	79	76	68	58	49	42	22	13	1	7		
268	333	460	514	660	724	814	768	719	483	263	99	21	1	3	13
7	10	14	13	17	22	20	15	13	4	4	2				
224	297	403	432	568	614	683	634	580	378	215	78	14	1	3	14
5	10	13	12	16	19	19	14	12	4	3	1				
44	36	57	82	92	110	131	134	139	105	48	21	7			15
2		1	1	1	3	1	1	1		1	1				
328	325	393	401	535	495	786	791	698	488	218	48	14	2	5	16
779	778	765	916	607	672	559	531	343	355	185	115	38	75	32	
88	86	117	99	145	127	162	134	118	97	42	3	2		1	17
186	195	164	226	125	108	61	40	34	16	8	5	2	3	2	
240	239	276	302	390	368	624	657	580	391	176	45	12	2	4	18
593	583	601	690	482	564	498	491	309	339	177	110	36	72	30	
779	804	943	991	1,156	1,255	1,700	1,890	1,696	1,247	577	210	60	12	28	19
579	543	628	643	483	473	400	365	280	219	117	67	40	41	29	
267	276	316	319	418	372	428	422	352	231	118	40	7		3	20
337	313	365	344	233	228	158	110	76	49	28	16	6	10	3	
512	528	627	672	738	883	1,272	1,468	1,344	1,016	459	170	53	12	25	21
242	230	263	299	250	245	242	255	204	170	89	51	34	31	26	
211	193	222	233	247	289	358	344	315	221	132	58	6	1	5	22
9	8	8	8	5	5	4	5	3	4	2	3			2	
113	91	129	133	143	154	192	183	142	106	59	26	3		2	23
4	6	5	6	4	4	2	1	2	1	1	1			1	
98	102	93	100	104	135	166	161	173	115	73	32	3	1	3	24
5	2	3	2	1	1	2	4	1	3	1	2			1	
121	154	201	240	341	424	493	569	621	463	294	91	13	2	1	25
1	1		2			1	1		1		1				
24	35	45	49	62	62	76	80	63	49	18	7	2			26
1			1				1								
97	119	156	191	279	362	417	489	558	414	276	84	11	2	1	27
	1		1			1			1		1				
564	617	733	819	991	1,164	1,672	1,747	1,768	1,277	692	220	43	16	16	28
616	691	789	957	825	782	641	518	372	297	162	99	50	31	37	
179	201	265	301	318	380	498	463	395	257	164	36	3	4	1	29
295	349	351	373	303	261	168	122	55	32	11	6	5		1	
385	416	468	518	673	784	1,174	1,284	1,373	1,020	528	184	40	12	15	30
321	342	438	584	522	521	473	396	317	265	151	93	45	31	36	
593	673	783	929	1,059	1,222	1,489	1,418	1,249	842	457	171	22	5	19	31
38	54	45	33	29	36	23	28	19	10	13	8	4	4	2	
313	373	473	558	611	686	813	713	617	393	205	84	12		4	32
23	28	24	21	16	21	11	11	6	3	1		1		1	
280	300	310	371	448	536	676	705	632	449	252	87	10	5	15	33
15	26	21	12	13	15	12	17	13	7	12	8	3	4	1	
537	601	619	713	668	802	1,009	1,147	1,083	886	445	150	41	7		34
129	119	116	121	86	75	64	54	43	37	19	12	7	3		
181	199	219	232	232	238	274	299	242	204	97	29	8	1		35
33	36	31	37	26	31	23	13	18	10	6	3	2			
356	402	400	481	436	564	735	848	841	682	348	121	33	6		36
96	83	85	84	60	44	41	41	25	27	13	9	5	3		
969	1,107	1,199	1,486	1,699	2,280	2,794	2,889	2,818	2,056	1,128	465	117	12	13	37
33	34	15	36	18	14	19	13	12	11	7	3	1	4	1	
495	540	568	733	834	1,031	1,192	1,118	987	690	364	130	37	5	2	
14	15	7	18	9	8	4	1	5	2	2			2		38
474	567	631	753	865	1,249	1,602	1,771	1,831	1,366	764	335	80	7	11	39
19	19	8	18	9	6	15	12	7	9	5	3	1	2	1	
113	103	97	88	98	103	120	126	109	44	34	8	2	1	6	40
5	5	4	1	7	4	3	2	3	3					2	
20	28	16	16	17	24	20	20	13	5	5			1		41
1	1	3		2	1		1		1						
93	75	81	72	81	79	100	106	96	39	29	8	2		6	42
4	4	1	1	5	3	3	1	3	2					2	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES																		
All ages	692,506	593,421	447,412	395,314	141,002	111,940	13,093	4,343	87,122	79,563	1,762	1,676	1,169	148	807	417	139	20
Under 1 year	92,685	70,658	77,965	59,043	92	79	132	72	13,881	10,982	383	320	53	43	170	111	9	8
1 to 4 years	34,050	29,431	28,036	24,059	233	202	106	98	5,329	4,761	215	208	28	15	101	84	2	4
5 to 9 years	12,851	10,432	10,942	8,728	213	153	67	44	1,505	1,391	84	78	5	11	34	26	1	1
10 to 14 years	9,776	7,876	7,995	6,055	246	221	62	41	1,375	1,459	79	81	6	3	13	14	----	2
15 to 19 years	15,269	14,931	11,137	10,006	746	717	123	74	3,145	4,001	93	114	12	5	9	14	4	----
20 to 24 years	19,806	20,264	12,642	12,914	1,863	1,608	281	92	4,876	5,530	83	93	28	8	16	19	17	----
25 to 29 years	20,216	21,185	11,821	13,141	2,744	2,364	419	122	5,056	5,456	63	67	50	8	35	25	28	2
30 to 34 years	22,827	20,974	12,867	12,987	4,465	3,118	544	116	4,782	4,668	58	47	62	9	28	29	21	----
35 to 39 years	27,935	23,898	14,418	14,041	7,025	4,277	825	182	5,463	5,302	46	56	72	7	62	32	24	1
40 to 44 years	32,037	24,588	16,742	14,366	8,613	4,842	926	182	5,539	5,114	54	57	75	7	79	19	9	1
45 to 49 years	36,657	27,581	19,258	15,889	10,055	6,156	1,119	219	6,017	5,247	54	45	63	10	79	15	12	----
50 to 54 years	42,443	32,040	23,188	19,207	11,165	7,279	1,319	242	6,525	5,241	53	50	113	5	76	16	4	----
55 to 59 years	46,202	34,922	27,109	21,535	12,959	9,196	1,138	263	4,799	3,872	57	48	88	2	48	6	4	----
60 to 64 years	52,086	41,215	30,308	25,184	15,746	11,852	1,289	329	4,520	3,780	49	63	135	2	37	4	2	1
65 to 69 years	59,497	48,198	37,868	31,738	16,384	12,854	1,360	400	3,664	3,128	78	72	132	5	10	1	1	----
70 to 74 years	56,945	48,873	36,967	32,224	15,187	13,172	1,135	523	3,450	2,886	89	64	111	3	5	1	1	----
75 to 79 years	50,166	46,455	32,009	30,338	14,465	13,411	936	484	2,597	2,154	81	65	76	3	2	----	----	----
80 to 84 years	35,092	37,095	21,527	23,859	10,789	10,966	634	403	2,054	1,800	53	66	33	1	2	----	----	----
85 to 89 years	17,548	21,548	10,566	13,829	5,580	6,401	255	231	1,089	1,057	39	29	19	1	----	----	----	----
90 to 94 years	5,674	7,911	3,192	4,763	1,825	2,336	88	107	543	686	23	19	3	----	----	----	----	----
95 to 99 years	1,280	1,996	560	1,054	458	582	24	23	233	330	5	7	----	----	----	----	----	----
100 years and over	492	787	96	177	90	122	10	16	280	451	14	21	2	----	----	----	----	----
Unknown	972	563	199	177	59	32	301	80	400	267	9	6	3	----	1	1	----	----
REGISTRATION STATES OF 1920 [1]																		
All ages	627,894	539,403	406,127	360,118	133,495	106,491	11,515	3,897	73,439	67,159	1,278	1,182	1,134	139	771	399	135	18
Under 1 year	82,748	62,876	70,130	52,923	82	71	119	65	11,941	9,434	254	235	52	39	161	101	9	8
1 to 4 years	30,306	26,157	25,134	21,539	207	179	96	85	4,600	4,107	143	148	26	13	98	83	2	3
5 to 9 years	11,613	9,388	9,960	7,913	200	140	65	40	1,289	1,208	60	49	5	11	33	26	1	1
10 to 14 years	8,719	7,059	7,198	5,507	227	203	59	35	1,165	1,254	51	43	6	3	13	13	----	1
15 to 19 years	13,468	13,113	9,990	8,993	677	640	108	64	2,605	3,323	64	74	11	5	9	14	4	----
20 to 24 years	17,349	17,822	11,239	11,569	1,732	1,490	237	82	4,015	4,594	65	61	28	8	16	18	17	----
25 to 29 years	17,835	18,658	10,513	11,723	2,583	2,208	360	106	4,224	4,536	45	52	49	8	34	23	27	2
30 to 34 years	20,335	18,684	11,528	11,620	4,227	2,983	473	96	3,967	3,912	35	37	61	8	24	28	20	----
35 to 39 years	25,197	21,376	13,031	12,634	6,689	4,086	725	165	4,566	4,414	33	38	71	7	58	31	24	1
40 to 44 years	29,130	22,103	15,219	12,958	8,248	4,629	824	164	4,641	4,280	42	46	75	6	72	19	9	1
45 to 49 years	33,302	24,988	17,512	14,457	9,661	5,928	991	195	4,953	4,350	36	33	62	10	77	15	10	----
50 to 54 years	38,639	29,236	21,098	17,577	10,749	6,999	1,169	220	5,393	4,383	40	37	111	5	75	15	4	----
55 to 59 years	42,593	32,324	24,858	19,937	12,495	8,838	1,008	233	4,051	3,276	46	32	86	2	45	6	4	----
60 to 64 years	48,195	38,299	27,907	23,309	15,055	11,366	1,148	304	3,880	3,272	38	41	128	2	37	4	2	1
65 to 69 years	54,819	44,705	34,700	29,246	15,562	12,330	1,188	363	3,172	2,707	61	53	125	5	10	1	1	----
70 to 74 years	52,171	45,274	33,819	29,778	14,268	12,523	992	471	2,900	2,455	76	43	110	3	5	1	1	----
75 to 79 years	45,898	43,065	29,248	28,027	13,506	12,700	802	440	2,199	1,850	69	46	72	2	2	----	----	----
80 to 84 years	32,082	34,259	19,706	22,003	9,998	10,324	568	367	1,737	1,509	41	55	31	1	1	----	----	----
85 to 89 years	15,987	19,890	9,666	12,758	5,133	6,000	220	211	914	897	35	23	19	1	----	----	----	----
90 to 94 years	5,143	7,243	2,919	4,387	1,653	2,176	76	97	472	570	20	13	3	----	----	----	----	----
95 to 99 years	1,138	1,797	504	959	417	541	22	20	190	272	5	5	----	----	----	----	----	----
100 years and over	422	643	88	156	79	106	8	13	232	352	13	16	2	----	----	----	----	----
Unknown	805	444	160	145	47	31	257	61	333	204	6	2	1	----	1	1	----	----
REGISTRATION STATES [2]																		
All ages	677,032	580,224	438,716	388,035	139,548	110,765	12,588	4,198	82,312	74,972	1,760	1,673	1,166	146	803	416	139	19
Under 1 year	90,523	68,888	76,401	57,815	87	75	127	70	13,294	10,449	382	319	53	41	170	111	9	8
1 to 4 years	33,182	28,742	27,438	23,596	216	189	106	97	5,076	4,551	215	207	28	15	101	84	2	3
5 to 9 years	12,567	10,212	10,738	8,581	206	149	65	42	1,434	1,324	84	78	5	11	34	26	1	1
10 to 14 years	9,550	7,713	7,841	5,957	236	214	62	40	1,313	1,402	79	81	6	3	13	14	----	2
15 to 19 years	14,857	14,396	10,921	9,756	715	676	118	72	2,985	3,759	93	114	12	5	9	14	4	----
20 to 24 years	19,112	19,485	12,324	12,580	1,802	1,541	268	87	4,574	5,158	83	93	28	8	16	18	17	----
25 to 29 years	19,533	20,307	11,493	12,739	2,686	2,290	398	113	4,781	5,063	62	67	50	8	35	25	28	2
30 to 34 years	22,059	20,232	12,499	12,611	4,404	3,071	527	107	4,462	4,358	58	47	61	9	27	29	21	----
35 to 39 years	27,033	23,066	14,027	13,674	6,944	4,203	797	175	5,061	4,918	46	56	72	7	62	32	24	1
40 to 44 years	31,092	23,757	16,325	14,016	8,538	4,755	897	175	5,116	4,728	54	56	75	7	78	19	9	1
45 to 49 years	35,577	26,804	18,765	15,565	9,967	6,079	1,068	207	5,570	4,883	54	45	63	10	78	15	12	----
50 to 54 years	41,244	31,203	22,642	18,833	11,062	7,190	1,253	231	6,041	4,878	53	50	113	5	76	16	4	----
55 to 59 years	45,191	34,257	26,547	21,196	12,839	9,125	1,095	250	4,513	3,630	57	48	88	2	48	6	4	----
60 to 64 years	51,080	40,540	29,743	24,842	15,588	11,729	1,242	319	4,285	3,580	49	63	134	2	37	4	2	1
65 to 69 years	58,516	47,471	37,250	31,212	16,231	12,786	1,301	388	3,514	3,007	78	72	131	5	10	1	1	----
70 to 74 years	56,084	48,225	36,440	31,795	15,043	13,095	1,090	508	3,305	2,759	89	64	111	3	5	1	1	----
75 to 79 years	49,446	45,868	31,547	29,930	14,332	13,315	897	471	2,511	2,084	81	65	76	3	2	----	----	----
80 to 84 years	34,713	36,672	21,299	23,576	10,708	10,891	618	396	2,001	1,742	53	66	33	1	1	----	----	----
85 to 89 years	17,366	21,293	10,472	13,660	5,539	6,354	246	228	1,051	1,021	39	29	19	1	----	----	----	----
90 to 94 years	5,624	7,827	3,163	4,715	1,812	2,319	85	105	538	669	23	19	3	----	----	----	----	----
95 to 99 years	1,254	1,965	553	1,043	449	571	23	23	224	321	5	7	----	----	----	----	----	----
100 years and over	481	756	94	173	89	116	9	14	273	432	14	21	2	----	----	----	----	----
Unknown	948	545	194	170	55	32	296	80	390	256	9	6	3	----	1	1	----	----

[1] These States are shown in Table A, Part II.

[2] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CITIES IN REGISTRATION STATES [1]																		
All ages	346,678	303,141	208,778	189,204	92,334	77,674	6,420	1,832	37,649	33,961	141	115	845	120	439	226	72	9
Under 1 year	44,218	33,400	38,393	28,766	61	47	81	35	5,523	4,444	26	14	42	35	88	56	4	3
1 to 4 years	16,812	14,453	14,229	12,169	155	132	42	37	2,290	2,047	9	9	24	13	62	45	1	1
5 to 9 years	6,748	5,374	5,962	4,706	158	107	31	18	563	514	11	4	4	9	18	15	1	1
10 to 14 years	4,612	3,798	3,921	3,078	160	152	20	12	494	539	6	6	5	2	6	8	-----	1
15 to 19 years	6,764	6,977	5,101	4,936	482	483	42	31	1,113	1,507	8	12	9	3	7	5	2	----
20 to 24 years	9,635	10,421	6,040	6,815	1,273	1,195	121	35	2,152	2,346	8	8	25	7	10	15	6	----
25 to 29 years	10,995	11,412	6,094	7,095	1,906	1,757	207	59	2,700	2,476	11	5	41	5	19	14	17	1
30 to 34 years	12,902	11,704	6,833	6,920	3,166	2,386	281	46	2,543	2,323	4	6	51	8	14	15	10	----
35 to 39 years	16,435	13,348	7,924	7,454	4,943	3,198	464	101	2,991	2,561	4	7	61	7	34	20	14	----
40 to 44 years	19,179	14,090	9,226	7,712	6,170	3,706	575	103	3,096	2,543	5	9	62	6	41	10	4	1
45 to 49 years	21,900	15,944	10,654	8,562	7,288	4,679	679	127	3,164	2,555	11	7	54	7	44	7	6	----
50 to 54 years	24,826	18,637	12,587	10,362	8,182	5,654	775	126	3,132	2,481	3	2	103	5	42	7	2	----
55 to 59 years	26,563	20,297	14,178	11,318	9,471	7,026	639	127	2,182	1,815	5	5	62	2	23	4	3	----
60 to 64 years	28,694	23,500	14,854	12,771	11,119	8,842	708	166	1,890	1,712	7	3	96	2	19	3	1	1
65 to 69 years	29,719	25,438	16,732	14,852	10,921	9,186	665	159	1,309	1,232	5	5	82	3	5	1	-----	----
70 to 74 years	25,180	23,968	14,293	13,824	9,413	8,910	442	203	958	1,027	5	1	64	2	4	1	1	----
75 to 79 years	20,029	21,095	10,873	11,763	8,162	8,407	310	178	643	738	2	6	38	3	1	-----	-----	----
80 to 84 years	12,819	16,027	6,681	8,895	5,536	6,493	170	154	413	482	5	3	13	-----	1	-----	-----	----
85 to 89 years	6,075	9,047	3,087	5,038	2,691	3,674	67	67	220	266	2	1	8	1	-----	-----	-----	----
90 to 94 years	1,849	3,176	906	1,721	810	1,258	22	34	111	162	-----	1	-----	-----	-----	-----	-----	----
95 to 99 years	412	783	153	378	208	317	6	4	45	83	-----	1	-----	-----	-----	-----	-----	----
100 years and over	118	187	25	49	43	54	1	3	45	81	3	-----	1	-----	-----	-----	-----	----
Unknown	194	65	32	20	16	11	72	7	72	27	1	-----	-----	-----	1	-----	-----	----
RURAL PART OF REGISTRATION STATES [2]																		
All ages	330,354	277,083	229,938	198,831	47,214	33,091	6,168	2,366	44,663	41,011	1,619	1,558	321	26	364	190	67	10
Under 1 year	46,305	35,488	38,008	29,049	26	28	46	35	7,771	6,005	356	305	11	6	82	55	5	5
1 to 4 years	16,370	14,289	13,209	11,427	61	57	64	60	2,786	2,504	206	198	4	2	39	39	1	2
5 to 9 years	5,819	4,838	4,776	3,875	48	42	34	24	871	810	73	74	1	2	16	11	-----	----
10 to 14 years	4,038	3,915	3,920	2,879	76	62	42	28	819	863	73	75	1	1	7	6	-----	1
15 to 19 years	8,093	7,419	5,820	4,820	233	193	76	41	1,872	2,252	85	102	3	2	2	9	2	----
20 to 24 years	9,477	9,064	6,284	5,765	529	346	147	52	2,422	2,812	75	85	3	1	6	3	11	----
25 to 29 years	8,538	8,895	5,399	5,644	780	533	191	54	2,081	2,587	51	62	9	3	16	11	11	1
30 to 34 years	9,157	8,528	5,666	5,691	1,238	685	246	61	1,919	2,035	54	41	10	1	13	14	11	----
35 to 39 years	10,598	9,718	6,103	6,220	2,001	1,005	333	74	2,070	2,357	42	49	11	-----	28	12	10	1
40 to 44 years	11,913	9,667	7,099	6,304	2,368	1,049	322	72	2,020	2,185	49	47	13	1	37	9	5	----
45 to 49 years	13,677	10,860	8,111	7,003	2,679	1,400	389	80	2,406	2,328	43	38	9	3	34	8	6	----
50 to 54 years	16,418	12,566	10,055	8,471	2,880	1,536	478	105	2,909	2,397	50	48	10	-----	34	9	2	----
55 to 59 years	18,628	13,960	12,369	9,878	3,368	2,099	456	123	2,331	1,815	52	43	26	-----	25	2	1	----
60 to 64 years	22,386	17,040	14,889	12,071	4,469	2,887	534	153	2,395	1,868	42	60	38	-----	18	1	1	----
65 to 69 years	28,797	22,033	20,518	16,360	5,310	3,600	636	229	2,205	1,775	73	67	49	2	5	-----	1	----
70 to 74 years	30,904	24,257	22,147	17,971	5,630	4,135	648	305	2,347	1,732	84	63	47	1	1	-----	-----	----
75 to 79 years	29,417	24,773	20,674	18,167	6,170	4,908	587	293	1,868	1,346	79	59	38	-----	1	-----	-----	----
80 to 84 years	21,894	20,645	14,618	14,681	5,172	4,398	448	242	1,588	1,260	48	63	20	1	-----	-----	-----	----
85 to 89 years	11,291	12,246	7,385	8,622	2,848	2,680	179	161	831	755	37	28	11	-----	-----	-----	-----	----
90 to 94 years	3,775	4,651	2,257	2,994	1,002	1,061	63	71	427	507	23	18	3	-----	-----	-----	-----	----
95 to 99 years	842	1,182	400	665	241	254	17	19	179	238	5	6	-----	-----	-----	-----	-----	----
100 years and over	363	569	69	124	46	62	8	11	228	351	11	21	1	-----	-----	-----	-----	----
Unknown	754	480	162	150	39	21	224	73	318	229	8	6	3	-----	-----	1	-----	----
REGISTRATION CITIES IN NON-REGISTRATION STATES [3]																		
All ages	15,474	13,197	8,696	7,279	1,454	1,175	505	145	4,810	4,591	2	3	3	2	4	1	-----	1
Under 1 year	2,162	1,770	1,564	1,228	5	4	5	2	587	533	1	1	-----	2	-----	-----	-----	----
1 to 4 years	868	689	598	463	17	13	-----	1	253	210	-----	1	-----	-----	-----	-----	-----	1
5 to 9 years	284	220	204	147	7	4	2	2	71	67	-----	-----	-----	-----	-----	-----	-----	----
10 to 14 years	226	163	154	98	10	7	-----	1	62	57	-----	-----	-----	-----	-----	-----	-----	----
15 to 19 years	412	535	216	250	31	41	5	2	160	242	-----	-----	-----	-----	-----	-----	-----	----
20 to 24 years	694	779	318	334	61	67	13	5	302	372	-----	-----	-----	-----	-----	1	-----	----
25 to 29 years	683	878	328	402	58	74	21	9	275	393	1	-----	-----	-----	-----	-----	-----	----
30 to 34 years	768	742	368	376	61	47	17	9	320	310	-----	-----	1	-----	1	-----	-----	----
35 to 39 years	902	832	391	367	81	74	28	7	402	384	-----	-----	-----	-----	-----	-----	-----	----
40 to 44 years	945	831	417	350	75	87	29	7	423	386	-----	1	-----	-----	1	-----	-----	----
45 to 49 years	1,080	777	493	324	88	77	51	12	447	364	-----	-----	-----	-----	1	-----	-----	----
50 to 54 years	1,199	837	546	374	103	89	66	11	484	363	-----	-----	-----	-----	-----	-----	-----	----
55 to 59 years	1,011	665	562	339	120	71	43	13	286	242	-----	-----	-----	-----	-----	-----	-----	----
60 to 64 years	1,006	675	565	342	158	123	47	10	235	200	-----	-----	1	-----	-----	-----	-----	----
65 to 69 years	981	727	618	526	153	68	59	12	150	121	-----	-----	1	-----	-----	-----	-----	----
70 to 74 years	861	648	527	429	144	77	45	15	145	127	-----	-----	-----	-----	-----	-----	-----	----
75 to 79 years	720	587	462	408	133	96	39	13	86	70	-----	-----	-----	-----	-----	-----	-----	----
80 to 84 years	379	423	228	283	81	75	16	7	53	58	-----	-----	-----	-----	1	-----	-----	----
85 to 89 years	182	255	94	169	41	47	9	3	38	36	-----	-----	-----	-----	-----	-----	-----	----
90 to 94 years	50	84	29	48	13	17	3	2	5	17	-----	-----	-----	-----	-----	-----	-----	----
95 to 99 years	26	31	7	11	9	11	1	-----	9	9	-----	-----	-----	-----	-----	-----	-----	----
100 years and over	11	31	2	4	1	6	1	2	7	19	-----	-----	-----	-----	-----	-----	-----	----
Unknown	24	18	5	7	4	-----	5	-----	10	11	-----	-----	-----	-----	-----	-----	-----	----

[1] Including District of Columbia and municipalities of 10,000 inhabitants or more in 1920.
[2] "Rural" embraces the area outside of cities of 10,000 inhabitants or more in 1920.
[3] These cities are shown under the various States (indicated by footnote 2) in Table I B.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL REGISTRATION CITIES [1]																		
All ages	362,152	316,338	217,474	196,483	93,788	78,849	6,925	1,977	42,459	38,552	143	118	848	122	443	227	72	10
Under 1 year	46,380	35,170	39,957	29,994	66	51	86	37	6,110	4,977	27	15	42	37	88	56	4	3
1 to 4 years	17,680	15,142	14,827	12,632	172	145	42	38	2,543	2,257	9	10	24	13	62	45	1	2
5 to 9 years	7,032	5,594	6,166	4,853	165	111	33	20	634	581	11	4	4	9	18	15	1	1
10 to 14 years	4,838	3,961	4,075	3,176	170	159	20	13	556	596	6	6	5	2	6	8	----	1
15 to 19 years	7,176	7,512	5,317	5,186	513	524	47	33	1,273	1,749	8	12	9	3	7	5	2	----
20 to 24 years	10,329	11,200	6,358	7,149	1,334	1,262	134	40	2,454	2,718	8	8	25	7	10	16	6	----
25 to 29 years	11,678	12,290	6,422	7,497	1,964	1,831	228	68	2,975	2,869	12	5	41	5	19	14	17	1
30 to 34 years	13,670	12,446	7,201	7,296	3,227	2,433	298	55	2,863	2,633	4	6	52	8	15	15	10	----
35 to 39 years	17,337	14,180	8,315	7,821	5,024	3,272	492	108	3,393	2,945	4	7	61	7	34	20	14	----
40 to 44 years	20,124	14,921	9,643	8,062	6,245	3,793	604	110	3,519	2,929	5	10	62	6	42	10	4	1
45 to 49 years	22,980	16,721	11,147	8,886	7,376	4,756	730	139	3,611	2,919	11	7	54	7	45	7	6	----
50 to 54 years	26,025	19,474	13,133	10,736	8,285	5,743	841	137	3,616	2,844	3	2	103	5	42	7	2	----
55 to 59 years	27,574	20,962	14,740	11,657	9,591	7,097	682	140	2,468	2,057	5	5	62	2	28	4	3	----
60 to 64 years	29,700	24,175	15,419	13,113	11,277	8,965	755	176	2,125	1,912	7	3	97	2	19	3	1	1
65 to 69 years	30,700	26,165	17,350	15,378	11,074	9,254	724	171	1,459	1,353	5	5	83	3	5	1	----	----
70 to 74 years	26,041	24,616	14,820	14,253	9,557	8,987	487	218	1,103	1,154	5	1	64	2	4	1	1	----
75 to 79 years	20,749	21,682	11,335	12,171	8,295	8,503	349	191	729	808	2	6	38	3	1	----	----	----
80 to 84 years	13,198	16,450	6,909	9,178	5,617	6,568	186	161	466	540	5	3	13	----	2	----	----	----
85 to 89 years	6,257	9,302	3,181	5,207	2,732	3,721	76	70	258	302	2	1	8	1	----	----	----	----
90 to 94 years	1,899	3,260	935	1,769	823	1,275	25	36	116	179	----	1	----	----	----	----	----	----
95 to 99 years	438	814	160	389	217	328	7	4	54	92	----	1	----	----	----	----	----	----
100 years and over	129	218	27	53	44	60	2	5	52	100	3	----	1	----	----	----	----	----
Unknown	218	83	37	27	20	11	77	7	82	38	1	----	----	----	1	----	----	----
REGISTRATION STATES																		
ALABAMA																		
All ages	15,713	13,979	7,948	6,958	208	109	121	72	7,432	6,837	2	2	2	1	----	----	----	----
Under 1 year	2,600	1,940	1,440	1,108	----	----	2	----	1,157	831	1	1	----	----	----	----	----	----
1 to 4 years	1,037	943	643	564	----	----	1	3	393	376	----	----	----	----	----	----	----	----
5 to 9 years	297	243	170	142	----	----	----	----	127	101	----	----	----	----	----	----	----	----
10 to 14 years	286	222	152	94	----	----	1	----	133	128	----	----	----	----	----	----	----	----
15 to 19 years	593	583	261	191	----	2	1	1	331	389	----	----	----	----	----	----	----	----
20 to 24 years	737	782	269	283	1	2	2	2	465	495	----	----	----	----	----	----	----	----
25 to 29 years	670	730	225	275	1	3	4	----	440	452	----	----	----	----	----	----	----	----
30 to 34 years	622	653	227	262	3	3	4	1	388	387	----	----	----	----	----	----	----	----
35 to 39 years	656	728	259	268	8	2	7	1	381	457	----	----	1	----	----	----	----	----
40 to 44 years	628	696	254	286	8	4	4	1	362	405	----	----	----	----	----	----	----	----
45 to 49 years	882	759	351	284	13	1	1	2	517	472	----	----	----	----	----	----	----	----
50 to 54 years	956	736	399	281	16	8	5	1	536	446	----	----	----	----	----	----	----	----
55 to 59 years	799	605	391	277	14	13	7	----	387	315	----	----	----	----	----	----	----	----
60 to 64 years	787	638	423	357	15	12	10	4	338	265	1	----	----	----	----	----	----	----
65 to 69 years	998	756	658	486	30	11	13	6	297	253	----	----	----	----	----	----	----	----
70 to 74 years	1,056	852	650	555	37	14	10	10	359	273	----	----	----	----	----	----	----	----
75 to 79 years	919	764	599	526	31	17	12	12	276	208	----	----	1	1	----	----	----	----
80 to 84 years	587	613	326	384	17	9	9	4	235	216	----	----	----	----	----	----	----	----
85 to 89 years	301	325	167	204	9	6	3	5	122	110	----	----	----	----	----	----	----	----
90 to 94 years	111	168	46	79	3	1	1	----	61	87	----	1	----	----	----	----	----	----
95 to 99 years	46	68	14	24	1	----	----	----	31	44	----	----	----	----	----	----	----	----
100 years and over	43	82	2	5	----	----	----	1	41	76	----	----	----	----	----	----	----	----
Unknown	102	93	22	23	1	1	24	18	55	51	----	----	----	----	----	----	----	----
ARIZONA																		
All ages	3,380	2,192	1,969	1,397	720	412	266	27	106	53	292	296	14	3	11	4	2	----
Under 1 year	520	497	428	438	3	2	1	----	9	8	77	46	1	1	1	2	----	----
1 to 4 years	240	199	181	145	6	8	4	1	3	2	45	40	1	2	----	1	----	----
5 to 9 years	65	52	44	29	2	1	----	2	3	1	16	19	----	----	----	----	----	----
10 to 14 years	46	57	26	24	7	8	----	----	----	2	13	23	----	----	----	----	----	----
15 to 19 years	104	99	53	50	22	19	4	1	2	----	22	29	1	----	----	----	----	----
20 to 24 years	152	139	93	88	26	22	12	1	9	4	12	24	----	----	----	----	----	----
25 to 29 years	218	146	141	85	42	42	13	2	11	6	11	11	----	----	----	----	----	----
30 to 34 years	263	141	157	81	64	41	16	3	9	7	14	8	----	----	2	1	1	----
35 to 39 years	237	110	111	66	80	28	23	2	11	3	9	11	----	----	3	----	----	----
40 to 44 years	225	88	102	52	70	24	29	2	11	4	10	6	----	----	3	----	----	----
45 to 49 years	195	94	89	57	62	22	26	2	7	6	10	7	----	----	----	----	1	----
50 to 54 years	191	76	93	45	55	20	21	1	12	2	8	8	2	----	----	----	----	----
55 to 59 years	167	76	85	40	49	29	18	----	4	1	7	6	2	----	2	----	----	----
60 to 64 years	158	80	75	44	49	23	21	----	7	1	4	12	2	----	----	----	----	----
65 to 69 years	173	92	93	48	44	30	22	2	----	2	11	10	3	----	----	----	----	----
70 to 74 years	144	73	77	37	39	22	21	4	3	----	3	10	1	----	----	----	----	----
75 to 79 years	118	66	55	35	45	22	15	1	----	1	3	7	----	----	----	----	----	----
80 to 84 years	72	45	33	18	20	21	7	2	3	----	8	4	1	----	----	----	----	----
85 to 89 years	41	25	16	9	21	13	2	----	----	----	2	3	----	----	----	----	----	----
90 to 94 years	13	12	4	2	4	7	2	----	----	1	3	2	----	----	----	----	----	----
95 to 99 years	8	7	3	1	4	4	1	----	----	----	----	2	----	----	----	----	----	----
100 years and over	6	10	1	1	4	4	----	----	----	1	1	4	----	----	----	----	----	----
Unknown	24	8	9	2	2	----	8	1	2	1	3	4	----	----	----	----	----	----

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
CALIFORNIA																		
All ages	34,432	24,482	21,535	17,112	9,879	6,127	1,033	189	608	513	175	142	611	95	515	294	76	10
Under 1 year	2,957	2,245	2,722	2,069	14	16	1		47	40	21	16	33	26	116	76	3	2
1 to 4 years	1,053	918	911	796	24	28	1	3	16	10	15	9	14	9	70	61	2	2
5 to 9 years	520	385	452	334	22	13	3		8	4	9	5	2	8	23	21	1	
10 to 14 years	371	317	309	265	34	30	5	2	4	3	7	5	4	3	8	8		1
15 to 19 years	664	531	499	383	114	100	4	4	23	18	14	12	3	4	5	10	2	
20 to 24 years	992	791	625	589	263	138	20	5	45	35	8	4	10	4	12	16	9	
25 to 29 years	1,146	890	698	611	307	220	41	9	37	24	7	7	22	5	18	12	16	2
30 to 34 years	1,179	904	713	610	345	221	35	6	35	40	4	2	27	4	11	21	9	
35 to 39 years	1,659	1,029	897	689	553	249	79	7	53	45	6	8	26	3	30	27	15	1
40 to 44 years	1,881	1,115	1,008	776	643	262	86	8	59	45	6	5	28	3	44	15	7	1
45 to 49 years	2,156	1,260	1,183	849	716	329	118	20	53	37	14	5	19	9	47	11	6	
50 to 54 years	2,313	1,426	1,357	963	652	391	154	9	44	42	4	8	43	4	57	9	2	
55 to 59 years	2,599	1,613	1,520	1,074	849	481	100	12	45	30	4	10	49	2	30	4	2	
60 to 64 years	3,037	1,888	1,712	1,260	1,055	556	121	13	42	48	5	6	73	2	28	2	1	1
65 to 69 years	3,279	2,121	1,988	1,426	1,069	635	95	26	31	28	7	4	80	2	9			
70 to 74 years	2,930	2,098	1,702	1,366	1,022	680	78	18	27	24	14	6	81	3	5	1	1	
75 to 79 years	2,592	2,022	1,491	1,246	971	733	53	16	14	18	9	7	53	2	1			
80 to 84 years	1,807	1,544	1,059	942	678	556	23	20	12	11	7	14	27	1	1			
85 to 89 years	923	926	491	599	391	312	12	4	7	4	7	6	15	1				
90 to 94 years	300	364	174	216	115	137	1	5	5	5	3	1	2					
95 to 99 years	55	77	22	42	32	32		2	1	1								
100 years and over	14	18	1	7	9	8				1	4	2						
Unknown	5		1		1		3											
COLORADO																		
All ages	7,004	5,269	5,205	4,194	1,322	853	276	79	156	114	16	20	6		20	9	3	
Under 1 year	926	720	909	708	1	1	1	2	9	6	1	1			5	2		
1 to 4 years	329	273	313	267			1		7	2	3	2			5	2		
5 to 9 years	148	112	143	107	1	2	1		1	1		1	1		1	1		
10 to 14 years	127	99	119	91	2	2	4		1	4	1	2						
15 to 19 years	167	153	151	133	6	7	5	1	4	5	1	6				1		
20 to 24 years	228	197	188	168	22	21	11	1	6	7	1							
25 to 29 years	284	261	205	231	43	20	18	2	15	5	1	2	1			1	1	
30 to 34 years	340	248	251	211	57	26	12	5	19	5	1	1						
35 to 39 years	348	194	236	149	79	31	17	5	16	9								
40 to 44 years	343	209	226	153	83	40	19	5	11	10	1				3	1		
45 to 49 years	349	234	221	174	102	45	15	4	6	11					3		2	
50 to 54 years	382	306	267	221	90	64	12	7	11	12		1	1		1	1		
55 to 59 years	453	302	306	223	104	65	27	5	12	9	2				2			
60 to 64 years	466	328	297	226	126	89	26	7	15	4		2	2					
65 to 69 years	562	398	382	278	145	106	29	5	6	8		1						
70 to 74 years	561	398	358	270	157	110	36	12	8	6	2							
75 to 79 years	439	355	284	263	135	84	18	3		5	2							
80 to 84 years	325	300	203	199	106	91	12	7	3	2		1	1					
85 to 89 years	154	130	105	84	41	40	5	5	3	1								
90 to 94 years	47	39	34	31	10	6	1	2	2									
95 to 99 years	14	6	7	2	7	3				1								
100 years and over	4	4		3	4					1								
Unknown	8	3		2	1		6	1	1									
CONNECTICUT																		
All ages	9,619	8,699	6,036	5,624	3,167	2,796	141	56	266	220	2	1	4	2	2		1	
Under 1 year	1,200	902	1,163	872	4	2	5	1	28	27								
1 to 4 years	395	372	367	356	8	3			20	13								
5 to 9 years	174	151	165	137	3	8	1	1	5	5								
10 to 14 years	150	107	135	99	11	4	1	2	3	2								
15 to 19 years	151	160	129	123	16	28			6	9								
20 to 24 years	207	209	155	154	41	41			11	14								
25 to 29 years	207	217	138	140	45	64			23	12				1			1	
30 to 34 years	320	265	188	159	115	91	1		20	15			1					
35 to 39 years	380	309	173	155	182	143	3		20	11	1		1					
40 to 44 years	405	329	180	148	214	166	3	2	7	12			1	1				
45 to 49 years	509	402	228	220	253	163	14	2	14	17								
50 to 54 years	681	484	342	271	303	196	16	3	19	14					1			
55 to 59 years	759	561	357	272	363	276	18	3	20	10			1					
60 to 64 years	866	700	415	383	415	302	16	5	20	10								
65 to 69 years	918	775	520	429	366	327	18	6	14	13								
70 to 74 years	786	826	470	474	295	332	5	10	16	10								
75 to 79 years	717	739	433	440	261	277	15	10	6	12	1				1			
80 to 84 years	479	628	292	401	167	210	11	6	9	10		1						
85 to 89 years	211	369	125	253	81	110	1	2	4	4								
90 to 94 years	74	153	56	106	16	45	2	2										
95 to 99 years	12	32	4	28	7	3	1	1										
100 years and over	6	7	5	4	1	3												
Unknown	12	2	1			2	10		1									

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
DELAWARE																		
All ages	1,804	1,643	1,225	1,136	192	156	27	17	360	334								
Under 1 year	228	164	162	129					66	35								
1 to 4 years	93	84	73	63			1		19	21								
5 to 9 years	45	30	37	19			2		6	11								
10 to 14 years	18	25	15	16					3	9								
15 to 19 years	40	34	26	20	1				13	14								
20 to 24 years	41	50	20	28	4	1	2	2	15	19								
25 to 29 years	43	60	26	33	6	5		1	11	21								
30 to 34 years	49	51	29	30	7	4	2		11	17								
35 to 39 years	65	49	40	25	7	7			18	17								
40 to 44 years	60	55	36	35	10	4			14	16								
45 to 49 years	76	76	38	42	15	10	1	2	22	22								
50 to 54 years	130	78	66	52	25	11	4	1	35	14								
55 to 59 years	124	109	69	66	21	19	1		33	24								
60 to 64 years	146	121	94	82	18	16	3		31	23								
65 to 69 years	159	145	119	115	23	15	2	2	15	13								
70 to 74 years	172	159	131	117	21	16	2	3	18	23								
75 to 79 years	150	142	121	107	14	20	3	5	12	10								
80 to 84 years	99	113	72	87	17	16	3	1	7	9								
85 to 89 years	45	69	37	50	1	9	1		6	10								
90 to 94 years	15	20	13	17		1			2	2								
95 to 99 years	3	4	1	2		2			2									
100 years and over	1	2			1					2								
Unknown	2	3		1	1				1	2								
DISTRICT OF COLUMBIA																		
All ages	3,859	3,529	1,938	1,809	341	274	140	81	1,430	1,362	3		6	3	1			
Under 1 year	427	331	226	173			8		192	157			1	1				
1 to 4 years	147	133	61	72		1	6	5	79	54			1	1				
5 to 9 years	49	43	29	27			6	3	14	12				1				
10 to 14 years	28	29	12	13	1		1	1	14	15								
15 to 19 years	55	82	26	27		2	1	2	28	51								
20 to 24 years	113	134	40	33	4	4	1	2	68	95								
25 to 29 years	142	132	48	48	11	3	5	2	77	79	1							
30 to 34 years	168	147	59	58	7	7	5		96	82			1					
35 to 39 years	212	139	86	47	7	8	13	4	106	80								
40 to 44 years	220	182	83	60	23	14	6	2	108	106								
45 to 49 years	278	187	130	67	9	11	10	5	127	104	1		1					
50 to 54 years	334	242	158	101	23	19	10	6	142	116					1			
55 to 59 years	308	237	165	124	33	23	15	7	95	83								
60 to 64 years	316	269	155	139	42	30	15	5	103	95			1					
65 to 69 years	302	297	185	188	42	24	16	7	58	78			1					
70 to 74 years	257	276	164	187	30	23	7	6	56	60								
75 to 79 years	218	260	132	180	40	30	11	12	35	38								
80 to 84 years	174	223	114	144	43	44	3	9	14	26								
85 to 89 years	76	119	49	89	16	16	1	3	10	11								
90 to 94 years	21	42	11	23	6	10			4	9								
95 to 99 years	11	18	5	9	4	3			2	6								
100 years and over	3	7				2			2	5	1							
Unknown																		
FLORIDA																		
All ages	11,808	8,236	6,048	4,345	779	408	456	137	4,517	3,344	4	1	3		1	1		
Under 1 year	1,478	1,124	885	649			3	2	588	472	1		1			1		
1 to 4 years	577	453	369	296		1	7	1	201	155								
5 to 9 years	227	165	151	100	2	2	3		71	63								
10 to 14 years	172	141	100	81		2	3	4	69	54								
15 to 19 years	350	339	169	148	5	3	6	2	169	186	1							
20 to 24 years	619	489	256	183	17	5	18	3	327	298	1							
25 to 29 years	660	496	241	181	27	13	23	8	368	294					1			
30 to 34 years	578	444	221	194	20	12	23	7	313	231	1							
35 to 39 years	707	495	257	200	32	17	26	7	392	271								
40 to 44 years	672	433	263	173	36	18	39	10	333	232			1					
45 to 49 years	778	474	314	208	62	26	32	6	370	234								
50 to 54 years	825	463	356	202	68	35	43	11	358	215								
55 to 59 years	685	407	379	234	77	38	41	9	188	126								
60 to 64 years	704	391	372	231	96	28	35	10	200	122			1					
65 to 69 years	782	439	490	295	103	46	46	10	143	88								
70 to 74 years	647	451	419	293	74	54	31	9	123	95								
75 to 79 years	543	391	368	285	71	44	26	14	78	48								
80 to 84 years	434	290	282	200	56	27	23	10	73	52		1						
85 to 89 years	192	201	115	129	22	24	6	3	49	45								
90 to 94 years	58	77	26	47	6	10	4	2	22	18								
95 to 99 years	19	24	6	9	3	2	1		9	13								
100 years and over	24	18	2	1	1				21	17								
Unknown	77	31	7	6	1	1	17	9	52	15								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
IDAHO																		
All ages	2,289	1,582	1,687	1,271	397	217	118	11	7	8	63	69	6	1	11	5		
Under 1 year	326	261	305	245	1	1					14	12			6	3		
1 to 4 years	117	102	110	92						1	6	9			1			
5 to 9 years	64	45	61	41	1	2					2	2						
10 to 14 years	53	40	48	36	1						4	3				1		
15 to 19 years	53	37	43	32	3	1	1		1	1	5	3						
20 to 24 years	61	55	53	47	3	4	2				3	4						
25 to 29 years	53	43	45	38	2	2	2				4	3						
30 to 34 years	70	47	51	41	8	3	6	1			5	1		1				
35 to 39 years	68	67	46	56	17	6	3	1	1		1	3				1		
40 to 44 years	91	67	55	61	27	4	6		1	1	1	1			1			
45 to 49 years	98	75	63	61	23	11	7		2	1	2	2			1			
50 to 54 years	140	72	95	53	33	16	11					3			1			
55 to 59 years	130	70	90	56	25	12	12		1		1	2			1			
60 to 64 years	178	98	104	71	52	22	17			1	3	4	2					
65 to 69 years	211	122	140	79	50	36	16	2		1	4	4	1					
70 to 74 years	216	115	149	82	50	28	13	1	1	1	3	3						
75 to 79 years	167	110	114	72	38	33	10			1	2	4	3					
80 to 84 years	97	86	59	60	29	20	6	3			3	3						
85 to 89 years	58	50	36	34	20	13	2	2				1						
90 to 94 years	24	18	14	14	10	3						1						
95 to 99 years	3	1	2		1			1										
100 years and over	4	1	2		1		1					1						
Unknown	7		2		2		3											
ILLINOIS																		
All ages	46,584	38,747	28,852	25,298	13,480	10,627	1,038	270	3,149	2,547	1	1	57	3	5		2	1
Under 1 year	5,354	3,940	4,940	3,639	7	5	40	19	363	274		1	3	1	1			1
1 to 4 years	1,768	1,584	1,579	1,423	10	6	7	4	172	151								
5 to 9 years	840	687	767	632	15	9		1	58	45								
10 to 14 years	645	519	592	457	17	16	1		34	46			1					
15 to 19 years	841	877	694	711	57	60	3	1	87	105								
20 to 24 years	1,186	1,257	858	945	126	143	15	5	184	164			3					
25 to 29 years	1,343	1,382	824	996	245	200	26	5	244	181			2		2			
30 to 34 years	1,706	1,507	964	979	451	323	40	9	248	195			3	1				
35 to 39 years	2,165	1,619	1,096	997	730	396	61	14	272	211			5	1			1	
40 to 44 years	2,404	1,771	1,186	1,046	863	515	99	12	247	198			9					
45 to 49 years	2,735	1,833	1,324	1,030	1,014	591	111	13	283	199			1		1		1	
50 to 54 years	3,038	2,228	1,547	1,361	1,092	672	127	23	259	172			13					
55 to 59 years	3,410	2,510	1,874	1,466	1,248	873	108	18	176	153			4					
60 to 64 years	3,848	2,954	2,014	1,654	1,554	1,150	114	25	159	125	1		6					
65 to 69 years	4,253	3,264	2,480	1,924	1,580	1,220	96	18	95	102			1		1			
70 to 74 years	3,761	3,317	2,205	1,959	1,375	1,231	87	40	89	87			5					
75 to 79 years	3,172	3,062	1,757	1,765	1,284	1,221	57	22	73	54			1					
80 to 84 years	2,379	2,389	1,251	1,239	1,049	1,092	32	25	47	33								
85 to 89 years	1,207	1,409	629	753	532	621	9	13	37	22								
90 to 94 years	416	474	217	248	184	209	2	2	13	15								
95 to 99 years	89	134	48	64	39	63			2	7								
100 years and over	20	29	5	10	7	10	1	1	7	8								
Unknown	4	1	1		1	1	2											
INDIANA																		
All ages	20,798	19,218	17,459	16,629	1,893	1,470	267	120	1,175	998	1	1	2		1			
Under 1 year	2,613	1,930	2,437	1,798		1	3	2	173	129								
1 to 4 years	1,014	892	926	808	2	6	5	4	81	74								
5 to 9 years	373	294	357	281	1				15	13								
10 to 14 years	301	225	282	209	3		2		14	16								
15 to 19 years	385	401	336	353	11	9	3	1	35	38								
20 to 24 years	530	563	433	481	34	25	6	1	56	56					1			
25 to 29 years	493	581	377	501	35	21	8	2	73	57								
30 to 34 years	496	581	371	490	43	28	11	1	71	62								
35 to 39 years	653	663	468	542	104	45	11	2	70	74								
40 to 44 years	750	683	551	555	94	58	16	5	89	65								
45 to 49 years	878	731	645	594	106	53	16	6	111	78								
50 to 54 years	1,057	969	810	833	138	74	25	4	83	58			1					
55 to 59 years	1,275	1,071	1,076	922	117	91	13	4	69	54								
60 to 64 years	1,510	1,342	1,257	1,172	165	105	20	10	68	55								
65 to 69 years	2,012	1,814	1,740	1,624	182	135	35	15	55	40								
70 to 74 years	2,063	1,824	1,790	1,600	214	167	27	17	32	39		1						
75 to 79 years	1,988	1,874	1,691	1,617	247	201	19	16	30	40	1							
80 to 84 years	1,423	1,491	1,156	1,225	231	230	16	16	20	20								
85 to 89 years	692	919	551	739	116	153	11	11	13	16			1					
90 to 94 years	229	300	172	232	40	56	5	3	12	9								
95 to 99 years	39	57	25	45	10	11	2		2	1								
100 years and over	5	8	4	5		1	1			2								
Unknown	19	5	4	3			12		3	2								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
IOWA																		
All ages	13,610	11,856	10,270	9,274	2,901	2,334	252	89	182	146	4	10	1	2				1
Under 1 year	1,558	1,125	1,541	1,103			2	2	15	18		1		1				
1 to 4 years	467	389	455	379		2	2	1	10	7								
5 to 9 years	223	199	218	193	1	1			3	3	1	2						
10 to 14 years	187	132	182	123	1	2		1	3	3	1	2						1
15 to 19 years	215	186	201	172	5	5	3		6	7		2						
20 to 24 years	233	268	214	247	11	9	2		6	12								
25 to 29 years	250	316	219	286	21	18	4	2	5	10			1					
30 to 34 years	276	324	226	300	26	17	9	2	13	5	2							
35 to 39 years	316	343	256	309	41	25	13	1	6	7		1						
40 to 44 years	412	368	344	321	50	36	7	4	11	5		1		1				
45 to 49 years	468	467	368	405	67	49	18	2	15	11								
50 to 54 years	623	629	501	531	88	82	20	4	14	12								
55 to 59 years	863	709	672	555	150	138	29	9	12	7								
60 to 64 years	994	859	731	635	234	204	15	8	14	11		1						
65 to 69 years	1,385	1,097	1,003	837	335	241	33	9	14	10								
70 to 74 years	1,483	1,173	1,016	821	417	333	38	15	12	4								
75 to 79 years	1,471	1,177	905	773	524	391	30	8	12	5								
80 to 84 years	1,240	1,096	714	683	510	400	12	12	4	1								
85 to 89 years	660	683	369	420	275	254	11	4	5	5								
90 to 94 years	241	263	115	147	120	109	4	5	2	2								
95 to 99 years	40	46	20	30	20	15				1								
100 years and over	4	7		4	4	3												
Unknown	1				1													
KANSAS																		
All ages	10,436	8,664	8,187	7,016	1,372	999	212	86	653	556	10	6	1				1	1
Under 1 year	1,292	1,001	1,196	939	1		3	1	90	57	2	3						1
1 to 4 years	398	350	371	330	1	1	1	1	24	18	1							
5 to 9 years	171	132	164	123		3			7	6								
10 to 14 years	147	119	131	110	4	1	2		10	8								
15 to 19 years	214	179	186	147	8	6	2	1	18	23		2						
20 to 24 years	218	266	186	223	8	7	5	1	18	35	1							
25 to 29 years	215	258	173	215	14	14	7	3	21	26								
30 to 34 years	244	238	183	198	15	11	9		37	28		1						
35 to 39 years	268	312	208	236	17	28	8	7	35	41								
40 to 44 years	307	295	251	238	24	22	4	4	28	31								
45 to 49 years	405	339	299	264	40	23	14	4	52	48								
50 to 54 years	491	382	376	317	47	23	14	2	51	40	1		1				1	
55 to 59 years	530	503	417	410	66	56	14	4	33	33								
60 to 64 years	704	542	541	419	102	85	19	8	42	30								
65 to 69 years	989	728	752	591	172	100	22	8	42	29	1							
70 to 74 years	1,049	816	812	607	175	157	29	12	31	40	2							
75 to 79 years	1,177	871	836	653	268	175	29	16	44	27								
80 to 84 years	947	718	654	543	239	153	19	8	35	14								
85 to 89 years	479	416	331	311	120	92	6	4	20	9	2							
90 to 94 years	160	160	105	116	44	36	3	2	8	6								
95 to 99 years	23	33	13	24	5	6	2		3	3								
100 years and over	6	6	2	2	2				2	4								
Unknown	2								2									
KENTUCKY																		
All ages	15,916	14,036	12,683	11,215	493	449	196	109	2,543	2,263			1					
Under 1 year	2,583	1,991	2,285	1,734			1		297	257								
1 to 4 years	1,241	1,065	1,133	952			2	3	106	110								
5 to 9 years	331	264	299	235					32	29								
10 to 14 years	228	210	186	169			1	1	41	40								
15 to 19 years	435	456	358	353	2		4		71	103								
20 to 24 years	566	577	434	456	7	3	5	3	120	115								
25 to 29 years	456	524	326	386	4	1	2	3	124	134								
30 to 34 years	508	479	369	361	4	2	11	2	124	114								
35 to 39 years	531	522	377	386	12	3	9	3	133	130								
40 to 44 years	594	565	417	411	11	2	12	2	154	150								
45 to 49 years	635	592	445	433	12	8	11	9	167	142								
50 to 54 years	757	679	508	480	19	13	15	6	215	180								
55 to 59 years	892	668	674	516	19	11	4	5	195	136								
60 to 64 years	1,047	789	811	612	35	23	19	7	182	147								
65 to 69 years	1,165	980	931	806	58	50	20	7	156	117								
70 to 74 years	1,219	1,052	1,004	860	73	72	14	13	128	107								
75 to 79 years	1,143	1,022	906	834	98	87	27	13	111	88			1					
80 to 84 years	907	842	721	674	77	90	17	14	92	64								
85 to 89 years	465	505	378	396	38	59	6	9	43	41								
90 to 94 years	130	164	89	120	20	19	3	2	18	23								
95 to 99 years	29	45	15	22	3	5		4	11	14								
100 years and over	13	27	4	9	1	1		1	8	16								
Unknown	41	18	13	10			13	2	15	6								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
LOUISIANA																		
All ages	12,903	11,327	5,847	4,906	677	452	265	125	6,096	5,834	6	8	6	1	3	1	3	
Under 1 year	1,963	1,481	949	745	1	1	6	3	1,003	731	4	1						
1 to 4 years	648	587	343	311			9	5	295	270	1							
5 to 9 years	258	209	148	106		1	5	2	105	101								
10 to 14 years	234	168	118	66		1			115	101					1			
15 to 19 years	446	447	183	155	1	2	5	7	257	282		1						
20 to 24 years	576	633	178	209	9	3	6	4	382	417							1	
25 to 29 years	564	594	194	192	14	7	7	2	346	392	1			1	1		1	
30 to 34 years	539	573	224	215	18	5	6	7	291	344		1				1		
35 to 39 years	658	623	259	194	19	16	17	8	363	405								
40 to 44 years	658	638	269	224	29	8	16	3	344	401		2						
45 to 49 years	786	630	312	210	43	19	17	3	411	397		1	2		1			
50 to 54 years	879	686	363	284	37	18	28	5	449	379			2					
55 to 59 years	805	581	429	269	51	18	17	3	308	290		1						
60 to 64 years	772	554	364	283	82	35	24	10	301	225		1					1	
65 to 69 years	812	672	439	362	83	44	25	10	265	256								
70 to 74 years	800	642	411	357	101	62	20	16	268	207								
75 to 79 years	635	602	332	340	70	75	22	12	210	175			1					
80 to 84 years	450	451	202	208	78	73	8	13	162	157								
85 to 89 years	195	293	84	129	29	48	5	6	77	110								
90 to 94 years	99	125	29	27	9	11	1	1	60	86								
95 to 99 years	39	53	10	12	2	4			27	37								
100 years and over	29	50		2		1	3	2	26	45								
Unknown	58	35	7	6	1		18	3	31	26			1					
MAINE																		
All ages	5,968	5,387	4,954	4,468	928	890	60	19	15	9	8	1	2				1	
Under 1 year	759	555	755	554	3	1			1									
1 to 4 years	216	169	210	167	6	2												
5 to 9 years	73	60	67	59	6	1												
10 to 14 years	80	47	72	44	8	3												
15 to 19 years	108	73	95	70	12	3	1											
20 to 24 years	94	116	83	102	11	14												
25 to 29 years	84	121	66	97	13	23	2		2	1							1	
30 to 34 years	105	147	82	121	21	26	1		1									
35 to 39 years	132	140	91	102	32	38	6		3									
40 to 44 years	175	135	123	101	49	33		1			2		1					
45 to 49 years	217	176	150	131	62	44	5					1						
50 to 54 years	270	228	218	163	46	64	4		1	1	1							
55 to 59 years	355	287	249	210	95	77	10						1					
60 to 64 years	477	369	369	287	102	80	4	2	1		1							
65 to 69 years	610	503	502	395	101	105	4	2	1	1	2							
70 to 74 years	686	647	561	517	114	127	10	2		1	1							
75 to 79 years	709	590	595	487	109	93	3	8	2	2								
80 to 84 years	464	513	375	432	81	78	6	1	2	2								
85 to 89 years	249	340	209	283	36	54	3	2	1	1								
90 to 94 years	86	132	68	114	18	17		1										
95 to 99 years	15	33	12	28	3	5												
100 years and over	3	6	2	4		2					1							
Unknown	1						1											
MARYLAND																		
All ages	12,076	10,573	7,765	6,911	1,287	1,040	127	40	2,886	2,581			9	1	1		1	
Under 1 year	1,600	1,263	1,088	853			2		510	410								
1 to 4 years	623	552	452	392	1	1	1	3	169	156								
5 to 9 years	211	149	162	117			1		48	32								
10 to 14 years	152	135	108	89	1	2	1		42	44								
15 to 19 years	231	244	145	122	6	1		2	80	119								
20 to 24 years	339	336	207	178	23	12	2		106	146							1	
25 to 29 years	381	342	211	196	22	11	1	1	147	133				1				
30 to 34 years	398	318	207	171	45	12	6		137	135			1					
35 to 39 years	533	363	288	217	61	24	5		176	122			2		1			
40 to 44 years	639	495	343	259	63	42	8	1	225	193								
45 to 49 years	636	473	355	230	89	51	8	1	184	191								
50 to 54 years	798	629	451	366	100	80	8	1	238	182			1					
55 to 59 years	860	631	537	412	109	76	12	3	201	140			1					
60 to 64 years	960	781	587	517	178	116	25	3	168	145			2					
65 to 69 years	1,081	907	781	657	152	123	11	5	136	122			1					
70 to 74 years	974	932	693	695	152	118	9	11	120	108								
75 to 79 years	804	852	578	621	131	155	10	3	85	73								
80 to 84 years	512	603	374	441	79	103	3	2	56	57								
85 to 89 years	226	375	148	271	47	74	1	1	29	29			1					
90 to 94 years	62	134	37	77	17	36	1	3	7	18								
95 to 99 years	20	39	9	26	4	1	1		6	12								
100 years and over	5	9	1	1	4	1				7								
Unknown	33	11	3	3	3	1	11		16	7								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
MASSACHUSETTS																		
All ages	26,830	25,808	16,870	16,044	9,223	9,215	169	99	515	444	9	3	41	3	3	----	----	----
Under 1 year	3,360	2,742	3,274	2,678	6	10	2	2	76	52	1	----	1	----	----	----	----	----
1 to 4 years	1,300	1,067	1,240	1,020	15	17	----	2	42	27	1	----	2	1	----	----	----	----
5 to 9 years	457	374	442	349	11	16	----	----	4	9	----	----	----	----	----	----	----	----
10 to 14 years	284	246	260	216	18	20	----	----	5	10	----	----	1	----	----	----	----	----
15 to 19 years	463	404	408	337	51	54	----	----	1	13	----	----	2	----	1	----	----	----
20 to 24 years	507	589	386	420	94	140	3	----	21	29	----	----	3	----	----	----	----	----
25 to 29 years	556	665	391	451	139	193	8	1	18	20	----	----	----	----	----	----	----	----
30 to 34 years	679	712	395	433	246	251	6	1	30	27	----	----	2	----	----	----	----	----
35 to 39 years	969	792	458	430	463	336	11	3	31	21	----	1	6	1	----	----	----	----
40 to 44 years	1,147	919	526	488	572	396	17	----	29	34	----	----	2	1	1	----	----	----
45 to 49 years	1,434	1,185	706	566	665	579	15	6	42	34	2	----	4	----	----	----	----	----
50 to 54 years	1,737	1,361	843	683	837	639	18	11	34	27	----	1	5	----	----	----	----	----
55 to 59 years	2,129	1,784	1,064	860	998	884	13	10	49	30	----	----	4	----	1	----	----	----
60 to 64 years	2,362	2,188	1,165	1,040	1,148	1,114	19	9	27	25	1	----	2	----	----	----	----	----
65 to 69 years	2,587	2,394	1,418	1,234	1,107	1,134	17	8	39	18	2	----	4	----	----	----	----	----
70 to 74 years	2,450	2,515	1,383	1,396	1,025	1,068	14	17	24	33	1	1	3	----	----	----	----	----
75 to 79 years	2,083	2,307	1,183	1,249	871	1,021	10	13	18	24	1	----	----	----	----	----	----	----
80 to 84 years	1,363	1,865	765	1,106	577	743	5	10	16	6	----	----	----	----	----	----	----	----
85 to 89 years	687	1,139	399	721	283	410	1	4	4	4	----	----	----	----	----	----	----	----
90 to 94 years	210	435	134	294	74	140	----	1	2	----	----	----	----	----	----	----	----	----
95 to 99 years	43	105	25	59	17	45	----	1	1	----	----	----	----	----	----	----	----	----
100 years and over	8	19	3	14	4	4	----	----	1	1	----	----	----	----	----	----	----	----
Unknown	15	1	2	----	2	1	10	----	1	----	----	----	----	----	----	----	----	----
MICHIGAN																		
All ages	29,775	24,309	18,909	16,501	8,337	6,345	835	256	1,594	1,117	85	89	12	1	1	----	2	----
Under 1 year	4,316	3,307	4,088	3,140	10	10	2	1	200	139	15	16	1	1	----	----	----	----
1 to 4 years	1,511	1,348	1,365	1,192	41	37	3	4	94	108	8	7	----	----	----	----	----	----
5 to 9 years	691	603	623	545	23	21	4	4	37	30	4	3	----	----	----	----	----	----
10 to 14 years	412	344	369	289	23	20	4	5	14	27	2	3	----	----	----	----	----	----
15 to 19 years	627	587	529	458	48	69	5	7	40	47	5	6	----	----	----	----	----	----
20 to 24 years	914	779	628	570	142	118	27	6	111	80	6	5	----	----	----	----	----	----
25 to 29 years	960	802	532	531	217	138	34	9	173	119	1	5	2	----	----	----	1	----
30 to 34 years	1,101	877	568	547	324	202	39	10	164	116	3	2	3	----	----	----	----	----
35 to 39 years	1,297	969	595	597	443	244	77	15	181	106	1	7	----	----	----	----	----	----
40 to 44 years	1,429	886	663	569	538	228	78	11	147	76	1	2	----	----	1	----	1	----
45 to 49 years	1,444	1,045	707	622	523	340	81	11	130	67	2	5	1	----	----	----	----	----
50 to 54 years	1,526	1,102	834	680	512	358	78	12	98	52	3	----	1	----	----	----	----	----
55 to 59 years	1,761	1,295	951	811	697	426	47	17	64	41	1	----	1	----	----	----	----	----
60 to 64 years	1,978	1,543	1,062	897	805	589	69	22	38	31	1	4	3	----	----	----	----	----
65 to 69 years	2,461	1,903	1,449	1,152	889	701	77	22	40	22	6	6	----	----	----	----	----	----
70 to 74 years	2,350	2,014	1,354	1,175	898	783	72	35	21	18	5	3	----	----	----	----	----	----
75 to 79 years	2,262	1,935	1,235	1,100	951	784	52	28	17	19	7	4	----	----	----	----	----	----
80 to 84 years	1,605	1,634	840	904	708	692	40	20	13	11	4	7	----	----	----	----	----	----
85 to 89 years	793	933	381	521	386	399	16	8	6	4	4	1	----	----	----	----	----	----
90 to 94 years	236	304	109	158	121	140	5	5	----	1	1	----	----	----	----	----	----	----
95 to 99 years	40	67	14	32	22	32	1	2	2	----	1	1	----	----	----	----	----	----
100 years and over	14	13	1	3	8	8	1	----	1	1	3	1	----	----	----	----	----	----
Unknown	47	19	12	8	8	6	23	2	3	2	1	1	----	----	----	----	----	----
MINNESOTA																		
All ages	14,362	11,441	8,067	6,760	5,868	4,457	189	29	101	67	132	128	4	----	1	----	----	----
Under 1 year	1,740	1,279	1,702	1,240	1	3	----	----	9	9	27	27	1	----	----	----	----	----
1 to 4 years	469	449	448	418	----	3	----	----	2	5	19	23	----	----	----	----	----	----
5 to 9 years	273	205	265	194	4	5	----	----	----	1	4	5	----	----	----	----	----	----
10 to 14 years	209	177	191	171	4	3	1	----	2	1	11	2	----	----	----	----	----	----
15 to 19 years	278	262	255	242	13	8	2	1	2	2	6	9	----	----	----	----	----	----
20 to 24 years	337	351	300	307	24	30	2	----	3	4	8	10	----	----	----	----	----	----
25 to 29 years	336	380	290	329	31	41	5	1	7	4	3	5	----	----	----	----	----	----
30 to 34 years	390	383	294	327	82	49	7	----	6	5	1	2	----	----	----	----	----	----
35 to 39 years	514	459	350	346	139	103	14	3	6	4	5	3	----	----	----	----	----	----
40 to 44 years	636	449	383	303	231	137	7	----	12	4	3	5	----	----	----	----	----	----
45 to 49 years	647	519	358	321	264	189	15	2	8	6	1	1	1	----	----	----	----	----
50 to 54 years	795	579	419	352	341	221	17	1	9	3	8	2	----	----	1	----	----	----
55 to 59 years	923	624	483	341	404	275	18	2	11	4	7	2	----	----	----	----	----	----
60 to 64 years	1,184	800	512	418	633	378	28	----	9	1	2	3	----	----	----	----	----	----
65 to 69 years	1,476	984	617	427	819	542	24	4	6	5	8	6	2	----	----	----	----	----
70 to 74 years	1,340	972	491	366	818	591	23	5	5	6	3	4	----	----	----	----	----	----
75 to 79 years	1,193	924	349	264	823	648	13	4	1	1	7	7	----	----	----	----	----	----
80 to 84 years	897	841	207	217	679	618	7	3	----	----	4	3	----	----	----	----	----	----
85 to 89 years	498	524	104	122	386	396	4	3	----	2	4	1	----	----	----	----	----	----
90 to 94 years	160	206	30	37	128	167	1	----	----	----	1	2	----	----	----	----	----	----
95 to 99 years	58	55	16	14	39	40	----	----	3	----	----	1	----	----	----	----	----	----
100 years and over	6	17	2	3	4	9	----	----	----	----	----	5	----	----	----	----	----	----
Unknown	3	2	1	1	1	1	1	----	----	----	----	----	----	----	----	----	----	----

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
MISSISSIPPI																		
All ages	12,360	11,406	4,653	3,977	119	67	217	158	7,354	7,192	10	11	7	1				
Under 1 year	1,999	1,559	818	633	1		4	4	1,173	920	3	2						
1 to 4 years	747	721	303	297	1		6	7	437	417								
5 to 9 years	247	253	90	101			2	2	155	150								
10 to 14 years	245	199	90	51			4	2	151	146								
15 to 19 years	508	558	160	103		2	7	4	340	444	1							
20 to 24 years	623	676	139	130	5	1	4	5	475	539				1				
25 to 29 years	524	690	140	153	2	1	7	3	375	531		2						
30 to 34 years	415	506	124	138	1	2	5	5	285	361								
35 to 39 years	520	610	157	160	3	2	10	7	349	441			1					
40 to 44 years	527	574	174	135	4	1	5	3	344	433		2						
45 to 49 years	577	582	195	150	8	6	13	6	361	419	2	1	1					
50 to 54 years	683	608	197	152	8	2	10	8	465	446			3					
55 to 59 years	603	467	224	169	9	3	8	2	362	293								
60 to 64 years	680	485	259	186	13	4	12	4	395	290		1	1					
65 to 69 years	784	589	375	306	17	7	26	14	366	261		1						
70 to 74 years	829	660	434	349	11	8	36	24	348	278		1						
75 to 79 years	676	554	357	300	13	9	16	19	288	226	1		1					
80 to 84 years	572	495	244	254	14	11	15	10	299	220								
85 to 89 years	268	270	109	128	7	5	9	11	143	126								
90 to 94 years	123	130	32	44	4	2	2	2	84	82	1							
95 to 99 years	32	49	8	9		1	1	1	22	38	1							
100 years and over	48	79	2	3					45	75	1	1						
Unknown	130	92	22	21	1		15	15	92	56								
MISSOURI																		
All ages	23,333	19,419	17,482	14,947	2,623	1,931	652	307	2,566	2,231	2	1	7	2	1			
Under 1 year	2,692	2,029	2,368	1,798	1		1	2	322	228				1				
1 to 4 years	1,120	926	982	812	2		4	4	132	110								
5 to 9 years	373	331	329	290	3		1	2	39	39			1					
10 to 14 years	318	244	279	194	2		2	3	35	47								
15 to 19 years	466	478	381	378	8	6	7	1	69	92			1	1				
20 to 24 years	603	637	460	474	20	12	9	6	114	145								
25 to 29 years	560	666	384	499	26	23	16	4	133	140			1					
30 to 34 years	648	634	456	467	45	20	19	5	128	141		1						
35 to 39 years	775	771	508	556	59	37	17	16	190	162			1					
40 to 44 years	1,025	762	708	557	94	45	30	10	192	150					1			
45 to 49 years	1,182	850	788	631	123	55	32	14	239	150								
50 to 54 years	1,345	1,021	941	747	156	93	51	21	196	160	1							
55 to 59 years	1,637	1,156	1,180	883	204	126	63	25	190	122								
60 to 64 years	1,875	1,361	1,341	1,021	305	168	72	27	156	145			1					
65 to 69 years	2,161	1,566	1,629	1,261	324	188	90	29	116	88			2					
70 to 74 years	2,094	1,633	1,582	1,254	344	259	70	31	98	89								
75 to 79 years	1,927	1,721	1,402	1,289	369	311	59	39	97	82								
80 to 84 years	1,432	1,422	1,052	1,033	278	309	55	26	47	54								
85 to 89 years	730	813	511	555	171	206	18	19	30	33								
90 to 94 years	236	277	144	186	70	56	7	13	15	22								
95 to 99 years	41	67	23	43	10	13	3	1	5	10								
100 years and over	26	19	11	4	6	4	1		8	11								
Unknown	67	35	23	15	3		25	9	15	11	1							
MONTANA																		
All ages	3,306	2,089	1,941	1,401	970	464	169	22	16	19	189	182	16		5	1		
Under 1 year	413	344	371	293		1				2	41	48			1			
1 to 4 years	128	120	106	93	2	1					20	26						
5 to 9 years	67	55	55	43	1					1	11	11						
10 to 14 years	70	38	58	32	1						11	6						
15 to 19 years	86	65	74	55	4	3	1				7	7						
20 to 24 years	72	73	53	59	6	5	5	2			8	7						
25 to 29 years	71	82	52	63	9	9	2	1	2		6	9						
30 to 34 years	102	81	59	60	30	15	8	1	1	1	4	4						
35 to 39 years	154	102	82	72	60	23	7	3	2	2	2	2	1					
40 to 44 years	135	107	99	68	72	29	7	2		1	6	7			1			
45 to 49 years	206	103	94	73	90	22	16	1	1	2	4	5	1					
50 to 54 years	223	121	104	68	96	43	13	2	1	1	4	6	4		1	1		
55 to 59 years	247	108	127	59	82	39	24	2	2	1	9	7	2		1			
60 to 64 years	285	143	125	80	124	52	26	2		2	7	7	2		1			
65 to 69 years	306	147	148	84	122	50	26	1	2	3	7	9	1					
70 to 74 years	250	141	113	71	101	63	18	2	3	2	14	3	1					
75 to 79 years	211	103	104	47	83	49	7		1	1	13	6	3					
80 to 84 years	131	91	68	53	49	31	7				7	7						
85 to 89 years	73	38	40	18	27	16	1	1			4	3	1					
90 to 94 years	19	20	7	8	8	10	1	2	1		2							
95 to 99 years	3	5	1	2	2	3												
100 years and over	1	1	1									1						
Unknown	3	1			1						2	1						

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
NEBRASKA																		
All ages	6,895	5,753	4,853	4,222	1,697	1,315	124	34	166	127	51	52			3	3	1	
Under 1 year	970	703	946	680					11	8	13	15						
1 to 4 years	240	218	225	203	2				4	9	9	4				2		
5 to 9 years	132	98	125	94	1	1			3	1	3	2						
10 to 14 years	107	90	104	84					2	2	1	4						
15 to 19 years	139	118	130	104	1	1	1	1	4	9	3	3						
20 to 24 years	167	179	144	161	6	9	3	1	10	6	3	2					1	
25 to 29 years	130	148	98	129	12	7	4	1	13	9	2	1			1	1		
30 to 34 years	154	164	124	137	14	16	5	1	9	8	2	2						
35 to 39 years	203	202	145	161	33	31	5		19	10	1							
40 to 44 years	221	239	161	191	42	35	4	1	12	12	1				1			
45 to 49 years	256	216	177	164	58	37	6	3	14	10		2			1			
50 to 54 years	300	290	215	221	57	56	13	2	14	8	1	3						
55 to 59 years	395	315	250	217	122	88	11	1	12	7		2						
60 to 64 years	513	371	345	236	150	123	10	5	8	4		3						
65 to 69 years	657	474	394	308	234	156	16	2	9	5	4	3						
70 to 74 years	680	506	410	319	244	175	18	4	5	6	3	2						
75 to 79 years	694	560	371	326	292	226	15	5	13	3	3							
80 to 84 years	534	472	282	263	238	199	11	5	2	4	1	1						
85 to 89 years	293	258	149	160	141	94	1	2	1	1	1	1						
90 to 94 years	86	95	48	49	38	42				2		2						
95 to 99 years	19	25	10	11	9	14												
100 years and over	1	6		1	1	3				2								
Unknown	4	6		3	2	2	1		1	1								
NEW HAMPSHIRE																		
All ages	3,450	3,253	2,611	2,434	705	728	128	91	6									
Under 1 year	401	285	400	284	1	1												
1 to 4 years	129	94	121	93	5	1	3											
5 to 9 years	68	30	65	29	2		1	1										
10 to 14 years	35	20	33	15		3	2	2										
15 to 19 years	54	43	52	36	2	4		3										
20 to 24 years	53	49	39	38	12	8	2	3										
25 to 29 years	59	76	48	68	8	7	2	1	1									
30 to 34 years	61	76	44	61	14	15	2		1									
35 to 39 years	61	84	45	62	14	20	2	2										
40 to 44 years	98	96	61	68	35	25	2	3										
45 to 49 years	117	109	70	73	37	34	10	2										
50 to 54 years	171	153	119	94	44	56	8	3										
55 to 59 years	257	200	168	119	80	72	8	9	1									
60 to 64 years	272	262	180	151	88	108	4	3										
65 to 69 years	352	329	243	251	89	71	20	7										
70 to 74 years	410	358	302	243	98	99	12	16										
75 to 79 years	367	346	267	257	81	84	19	5										
80 to 84 years	251	332	184	252	55	70	10	10	2									
85 to 89 years	150	191	119	150	25	34	6	7										
90 to 94 years	51	91	42	76	6	7	2	8	1									
95 to 99 years	10	18	4	13	6	4		1										
100 years and over	1	3	1			2		1										
Unknown	22	8	4	1	5	3	13	4										
NEW JERSEY																		
All ages	23,797	21,079	14,539	13,235	7,238	6,080	249	63	1,751	1,700		1	19		1			
Under 1 year	2,893	2,183	2,605	1,914	3				285	269								
1 to 4 years	1,230	1,106	1,091	972	6	5			133	129								
5 to 9 years	435	405	404	366	7	9		1	24	29								
10 to 14 years	311	232	279	201	6	10	3	1	23	20								
15 to 19 years	440	439	354	330	34	29	1		51	80								
20 to 24 years	528	583	362	406	74	76	3		89	101								
25 to 29 years	612	655	365	428	137	123	2		105	104			3					
30 to 34 years	775	682	414	380	252	213	9		100	89								
35 to 39 years	1,113	849	508	447	456	297	14	7	134	98			1					
40 to 44 years	1,222	876	522	424	530	332	29	5	140	115					1			
45 to 49 years	1,477	1,033	670	573	635	347	33	2	136	111			3					
50 to 54 years	1,732	1,273	848	683	718	459	30	5	133	126			3					
55 to 59 years	1,879	1,431	944	736	788	593	32	3	114	99			1					
60 to 64 years	1,992	1,673	1,027	888	850	694	25	3	87	88			3					
65 to 69 years	2,102	1,915	1,142	1,077	859	759	20	7	78	72			3					
70 to 74 years	1,809	1,770	1,067	1,033	678	676	20	9	42	52			2					
75 to 79 years	1,511	1,622	904	907	557	658	12	7	38	50								
80 to 84 years	1,042	1,303	608	796	401	464	10	10	23	33								
85 to 89 years	527	719	325	464	189	235	4		9	20								
90 to 94 years	138	252	87	166	47	75		2	4	9								
95 to 99 years	21	67	12	42	8	21		1	1	3								
100 years and over	5	10	1	2	3	5			1	2		1						
Unknown	3	1					2		1	1								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
NEW YORK																		
All ages	80,501	70,844	49,237	44,101	26,852	23,577	1,065	283	3,115	2,829	43	41	145	11	30	2	14	
Under 1 year	8,936	6,785	8,339	6,318	10	7	14	8	563	441	9	5	1	5		1		
1 to 4 years	3,507	2,856	3,223	2,618	35	32	2	2	242	196	2	6	3	2				
5 to 9 years	1,376	1,013	1,282	961	41	24	2		51	26		2						
10 to 14 years	939	814	859	725	42	47	1		37	39		3						
15 to 19 years	1,358	1,305	1,129	1,063	140	127	3	2	81	111	2	2	3					
20 to 24 years	1,942	1,871	1,305	1,302	437	378	11	3	179	187	1		6	1	1		2	
25 to 29 years	2,176	2,107	1,270	1,334	623	572	36	4	225	196	2		14		3	1	3	
30 to 34 years	2,701	2,217	1,433	1,269	967	742	49	4	224	198	1	3	16	1	7		4	
35 to 39 years	3,472	2,705	1,621	1,492	1,465	991	93	9	267	210	2	3	15		7		2	
40 to 44 years	4,198	2,910	2,024	1,559	1,801	1,108	116	22	236	216		4	18	1	2		1	
45 to 49 years	5,015	3,619	2,416	1,857	2,228	1,527	120	22	232	212	3		12	1	4			
50 to 54 years	5,986	4,310	3,004	2,247	2,586	1,857	154	19	213	184	3	3	24		2			
55 to 59 years	6,391	4,981	3,263	2,697	2,830	2,139	116	19	158	124	5	2	15		2		2	
60 to 64 years	7,061	6,178	3,527	3,122	3,271	2,888	110	30	139	134	3	4	9		2			
65 to 69 years	7,549	6,735	4,154	3,746	3,210	2,861	98	30	78	97	3	1	6					
70 to 74 years	6,509	6,447	3,865	3,716	2,531	2,609	41	29	68	93	1		3					
75 to 79 years	5,363	5,813	3,083	3,259	2,192	2,459	33	25	53	69	2	1						
80 to 84 years	3,533	4,476	2,027	2,616	1,441	1,784	21	25	42	49	2	2						
85 to 89 years	1,765	2,567	1,038	1,552	703	982	11	10	13	23								
90 to 94 years	530	859	301	509	218	328	4	11	6	11	1							
95 to 99 years	122	208	56	114	65	87	1			7								
100 years and over	23	45	9	16	10	19		4	3	6	1							
Unknown	49	23	9	9	6	9	29	5	5									
NORTH CAROLINA																		
All ages	17,800	16,762	10,752	9,792	91	57	156	109	6,692	6,704	108	100	1					
Under 1 year	3,878	2,891	2,294	1,723			3	2	1,545	1,140	36	26						
1 to 4 years	1,402	1,205	816	671			6	10	568	503	12	21						
5 to 9 years	360	338	211	192		1	3		141	145	5							
10 to 14 years	283	263	165	126			1	2	115	133	2	2						
15 to 19 years	538	644	263	266	1	1	6	2	264	371	4	4						
20 to 24 years	655	891	275	349	3	3	4		369	535	4	4						
25 to 29 years	610	776	281	331	4	2	7	3	315	439	3	1						
30 to 34 years	574	677	303	338	10	4	6	5	254	325	1	5						
35 to 39 years	590	823	313	424	7		5	5	263	388	2	6						
40 to 44 years	650	736	362	398	4	3	6	4	275	327	3	4						
45 to 49 years	704	704	390	345	3	6	7	3	303	347		3	1					
50 to 54 years	807	758	439	396	6	6	12	6	349	346	1	4						
55 to 59 years	867	692	556	409	5	5	10	3	292	275	4							
60 to 64 years	933	826	626	503	7	6	9	6	289	310	2	1						
65 to 69 years	1,144	970	819	688	12	5	10	9	296	267	7	1						
70 to 74 years	1,332	1,063	958	776	13	9	19	18	335	253	7	7						
75 to 79 years	1,160	1,008	869	796	6	1	16	14	261	192	8	5						
80 to 84 years	671	760	460	592	6	1	12	4	189	161	4	2						
85 to 89 years	360	385	243	284	2	2	3	6	111	91	1	2						
90 to 94 years	130	174	66	120	1	2	1	1	60	50	2	1						
95 to 99 years	48	56	15	25	1		2		30	30		1						
100 years and over	37	58	5	10			1		31	48								
Unknown	67	64	23	30			7	6	37	28								
NORTH DAKOTA																		
All ages	2,973	2,340	1,733	1,428	1,054	793	75	22	6		102	97	1		1		1	
Under 1 year	598	434	569	414	1						28	20						
1 to 4 years	157	150	137	140	2						17	10			1			
5 to 9 years	76	69	71	60	1	4					4	5						
10 to 14 years	83	65	75	55		1	1				7	9						
15 to 19 years	73	85	70	75	1	3		1			2	6						
20 to 24 years	73	75	58	66	11	5	1				3	4						
25 to 29 years	65	72	47	64	11	6	3	1	1		2	1					1	
30 to 34 years	72	69	50	60	15	9	5				2							
35 to 39 years	113	104	65	78	37	24	7		1		3	2						
40 to 44 years	116	97	64	66	44	29	5	1	2		1	1						
45 to 49 years	125	92	63	43	50	46	5		1		6	3						
50 to 54 years	134	92	62	48	62	39	5	3			5	2						
55 to 59 years	142	111	71	40	63	65	6	1			2	5						
60 to 64 years	204	146	65	55	128	84	9	2			2	5						
65 to 69 years	263	170	91	58	155	105	14	3			2	4	1					
70 to 74 years	263	160	86	40	168	112	2		1		6	8						
75 to 79 years	188	133	48	29	123	94	10	5			7	5						
80 to 84 years	127	111	25	20	99	84	2	4			1	3						
85 to 89 years	77	64	14	11	61	50		1			2	2						
90 to 94 years	18	27	2	5	16	20						2						
95 to 99 years	4	11		1	4	10												
100 years and over	1	3			1	3												
Unknown	1				1													

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES Continued																		
OHIO																		
All ages	41,369	37,326	30,630	28,885	6,657	5,617	915	236	3,152	2,585	2	2	11	1	1	------	1	----
Under 1 year	5,358	4,049	4,913	3,662	6	2	2	2	437	382	------	------	------	1	------	------	------	----
1 to 4 years	1,987	1,664	1,714	1,456	2	7	3	4	217	197	------	------	------	-----	1	------	------	----
5 to 9 years	819	613	740	573	18	1	6	1	54	38	------	------	1	-----	------	------	------	----
10 to 14 years	546	470	501	411	13	9	------	------	32	50	------	------	------	-----	------	------	------	----
15 to 19 years	766	737	644	604	24	28	6	3	92	102	------	------	------	-----	------	------	------	----
20 to 24 years	1,073	1,063	755	829	87	77	19	6	211	151	------	------	1	-----	------	------	------	----
25 to 29 years	1,128	1,198	714	869	137	121	32	6	244	202	------	------	1	-----	------	------	------	----
30 to 34 years	1,315	1,224	796	839	214	190	65	5	240	190	------	------	------	-----	------	------	------	----
35 to 39 years	1,538	1,337	892	924	324	221	74	9	244	183	------	------	4	-----	------	------	------	----
40 to 44 years	1,861	1,459	1,106	1,035	460	244	54	8	241	172	------	------	------	-----	------	------	------	----
45 to 49 years	1,992	1,564	1,238	1,126	475	270	61	5	215	163	1	------	2	-----	------	------	------	----
50 to 54 years	2,319	1,878	1,488	1,392	516	305	79	8	235	173	------	------	1	-----	------	------	------	----
55 to 59 years	2,635	2,284	1,861	1,764	543	387	84	17	147	116	------	------	------	-----	------	------	------	----
60 to 64 years	3,039	2,618	2,184	1,974	640	513	66	18	147	113	1	------	1	-----	------	------	------	----
65 to 69 years	3,746	3,233	2,820	2,501	736	595	82	34	107	102	------	1	------	-----	------	------	1	----
70 to 74 years	3,832	3,417	2,946	2,644	713	671	66	25	107	77	------	------	------	-----	------	------	------	----
75 to 79 years	3,462	3,450	2,543	2,626	771	734	74	32	74	58	------	------	------	-----	------	------	------	----
80 to 84 years	2,387	2,740	1,673	2,037	556	633	99	25	59	45	------	------	------	-----	------	------	------	----
85 to 89 years	1,168	1,657	820	1,175	292	428	33	18	23	36	------	------	------	-----	------	------	------	----
90 to 94 years	354	537	235	362	102	144	7	8	10	23	------	------	------	-----	------	------	------	----
95 to 99 years	72	109	34	72	28	34	1	------	9	3	------	------	------	-----	------	------	------	----
100 years and over	16	23	12	9	------	3	------	2	4	8	------	1	------	-----	------	------	------	----
Unknown	6	2	1	1	------	------	2	------	3	1	------	------	------	-----	------	------	------	----
OREGON																		
All ages	5,820	4,037	4,128	3,171	1,239	719	248	46	27	18	80	59	66	7	26	14	6	3
Under 1 year	455	319	424	297	1	1	------	------	3	------	13	14	2	1	9	3	3	3
1 to 4 years	143	129	125	116	4	3	1	------	------	------	11	6	1	-----	1	4	------	----
5 to 9 years	99	82	89	75	3	3	------	2	------	------	7	2	------	-----	------	------	------	----
10 to 14 years	88	62	81	57	2	1	2	------	------	------	2	2	------	-----	1	2	------	----
15 to 19 years	134	96	113	85	7	4	5	------	1	------	6	6	1	-----	------	1	1	----
20 to 24 years	158	117	122	106	23	5	4	2	1	------	3	3	3	1	1	------	1	----
25 to 29 years	164	150	128	123	19	17	8	3	3	2	4	2	------	-----	2	3	------	----
30 to 34 years	167	128	119	113	27	11	7	------	4	1	7	3	1	-----	2	------	------	----
35 to 39 years	192	138	131	108	42	25	11	2	2	2	3	------	------	1	2	------	1	----
40 to 44 years	268	166	180	132	59	26	18	3	5	2	2	3	3	-----	1	------	------	----
45 to 49 yreas	287	189	196	149	69	34	17	3	------	3	------	------	3	-----	2	------	------	----
50 to 54 years	346	215	233	172	84	36	21	------	3	3	1	2	2	1	2	1	------	----
55 to 59 years	398	268	282	205	88	55	20	6	2	1	1	1	2	-----	3	------	------	----
60 to 64 years	529	303	347	223	140	74	31	4	------	2	2	------	9	-----	------	------	------	----
65 to 69 years	659	428	422	319	176	98	41	5	2	1	4	2	14	3	------	------	------	----
70 to 74 years	591	375	393	271	157	96	25	5	1	------	4	3	11	-----	------	------	------	----
75 to 79 years	489	353	330	246	134	99	15	3	------	------	3	5	7	-----	------	------	------	----
80 to 84 years	376	275	254	193	104	73	12	6	------	------	3	3	3	-----	------	------	------	----
85 to 89 years	190	176	113	133	69	41	5	1	------	------	2	1	1	-----	------	------	------	----
90 to 94 years	64	54	35	36	24	15	2	1	------	1	2	1	1	-----	------	------	------	----
95 to 99 years	10	11	5	10	5	1	------	------	------	------	------	------	------	-----	------	------	------	----
100 years and over	6	2	4	1	------	1	------	------	------	------	------	------	2	-----	------	------	------	----
Unknown	7	1	2	1	2	------	3	------	------	------	------	------	------	-----	------	------	------	----
PENNSYLVANIA																		
All ages	64,699	55,838	45,028	41,451	14,321	10,397	930	338	4,365	3,647	8	1	41	3	3	------	3	1
Under 1 year	9,781	7,341	9,025	6,732	7	4	7	9	740	595	1	------	1	1	------	------	------	----
1 to 4 years	3,446	3,019	3,127	2,691	17	14	1	3	298	310	------	------	3	-----	------	------	------	1
5 to 9 years	1,229	994	1,149	914	13	11	------	5	67	64	------	------	------	-----	------	------	------	----
10 to 14 years	927	636	844	566	18	13	3	2	62	55	------	------	------	-----	------	------	------	----
15 to 19 years	1,191	1,196	1,012	980	61	50	6	3	112	163	------	------	------	-----	------	------	------	----
20 to 24 years	1,538	1,556	1,163	1,209	133	122	15	4	225	221	------	------	2	-----	------	------	------	----
25 to 29 years	1,651	1,619	1,021	1,105	288	256	28	8	311	250	2	------	1	-----	------	------	------	----
30 to 34 years	2,125	1,784	1,169	1,187	607	349	34	8	307	238	1	------	5	2	------	------	2	----
35 to 39 years	2,645	2,026	1,262	1,244	956	542	72	11	349	229	------	------	2	-----	3	------	1	----
40 to 44 years	3,149	2,100	1,559	1,282	1,160	558	66	15	360	244	------	1	4	-----	------	------	------	----
45 to 49 years	3,622	2,569	1,825	1,588	1,347	713	98	18	343	250	1	------	8	-----	------	------	------	----
50 to 54 years	4,175	3,085	2,296	2,071	1,427	746	106	17	342	251	------	------	4	-----	------	------	------	----
55 to 59 years	4,517	3,466	2,670	2,254	1,537	1,016	83	27	225	169	1	------	1	-----	------	------	------	----
60 to 64 years	5,117	4,185	3,135	2,794	1,666	1,183	102	34	209	174	------	------	5	-----	------	------	------	----
65 to 69 years	5,423	4,710	3,690	3,418	1,489	1,141	100	36	140	115	------	------	4	-----	------	------	------	----
70 to 74 years	5,118	4,745	3,624	3,499	1,289	1,103	88	33	117	110	------	------	------	-----	------	------	------	----
75 to 79 years	4,366	4,508	3,150	3,329	1,074	1,051	73	39	68	89	------	------	1	-----	------	------	------	----
80 to 84 years	2,808	3,550	1,994	2,593	740	875	24	29	48	53	2	------	------	-----	------	------	------	----
85 to 89 years	1,404	1,865	997	1,380	367	427	13	28	27	30	------	------	------	-----	------	------	------	----
90 to 94 years	379	695	275	496	87	171	8	8	9	20	------	------	------	-----	------	------	------	----
95 to 99 years	67	155	34	103	30	43	2	------	1	9	------	------	------	-----	------	------	------	----
100 years and over	15	33	3	15	7	9	------	1	5	8	------	------	------	-----	------	------	------	----
Unknown	6	1	4	1	1	------	1	------	------	------	------	------	------	-----	------	------	------	----

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
RHODE ISLAND																		
All ages	4,430	4,361	2,721	2,673	1,550	1,544	49	23	106	119	1	1	3			1		
Under 1 year	617	497	596	478		1	2		19	18								
1 to 4 years	245	194	233	186	3	4	1		7	4			1					
5 to 9 years	87	75	75	71	8				4	4								
10 to 14 years	48	43	45	41	2	1	1			1								
15 to 19 years	76	54	65	46	11	5				3								
20 to 24 years	73	102	53	75	16	22	2		2	5								
25 to 29 years	83	104	52	73	24	25	2		4	6			1					
30 to 34 years	113	109	65	70	40	35	1		7	4								
35 to 39 years	144	131	77	77	60	52	2		4	1	1					1		
40 to 44 years	191	152	93	77	87	72	3	1	7	2			1					
45 to 49 years	252	222	115	93	126	120	4	2	7	7								
50 to 54 years	282	245	143	137	126	99	6	3	7	6								
55 to 59 years	367	310	151	148	203	152	5	1	8	9								
60 to 64 years	381	365	164	175	205	172	5	3	7	14		1						
65 to 69 years	404	430	204	206	184	216	4		12	8								
70 to 74 years	385	398	194	200	182	186	3	3	6	9								
75 to 79 years	337	395	190	209	141	173	3	3	3	10								
80 to 84 years	211	276	127	159	82	110	2	3		4								
85 to 89 years	88	179	50	93	35	77	2	1	1	3								
90 to 94 years	36	65	23	43	12	20		1	1	1								
95 to 99 years	9	12	6	10	3	1		1										
100 years and over		1		1														
Unknown	1	2				1	1	1										
SOUTH CAROLINA																		
All ages	11,963	11,440	4,805	4,216	78	39	51	30	7,027	7,153	1	2	1					
Under 1 year	2,462	2,013	963	761					1,497	1,252	1		1					
1 to 4 years	955	816	366	304	1				588	511		1						
5 to 9 years	223	232	72	79			1		150	153								
10 to 14 years	214	185	77	40					137	145								
15 to 19 years	444	526	146	116			1	1	297	409								
20 to 24 years	454	643	104	132			1		349	511								
25 to 29 years	393	656	105	144	2		1		285	512								
30 to 34 years	377	533	116	155	1	1	1	1	259	376								
35 to 39 years	429	678	127	194	2		2	3	298	481								
40 to 44 years	544	559	164	153	3	2	1	2	376	402								
45 to 49 years	600	558	216	166	3	4	1	3	380	384		1						
50 to 54 years	710	607	220	173	3	2		3	487	429								
55 to 59 years	657	485	310	206	9	4	6		332	275								
60 to 64 years	671	496	274	193	14	4	8	2	375	297								
65 to 69 years	765	580	444	322	11	2	5	2	305	254								
70 to 74 years	731	591	411	353	8	6	8	5	304	227								
75 to 79 years	575	466	371	309	7	3	7	1	190	153								
80 to 84 years	421	422	211	248	10	10	5	4	195	160								
85 to 89 years	198	205	83	126	4	1	2	2	109	76								
90 to 94 years	64	99	17	30				1	47	68								
95 to 99 years	24	28	6	7			1		17	21								
100 years and over	34	43		2					34	41								
Unknown	18	19	2	3					16	16								
TENNESSEE																		
All ages	16,463	14,932	11,308	10,200	218	127	190	120	4,739	4,484	4	1	4					
Under 1 year	2,514	1,953	1,904	1,447			3	1	607	504		1						
1 to 4 years	1,180	1,085	919	838				3	261	244								
5 to 9 years	326	307	232	213		1	1	2	93	91								
10 to 14 years	279	258	186	142		1	2	1	91	114								
15 to 19 years	598	569	363	308			3	3	232	258								
20 to 24 years	661	760	369	389		2	4	3	288	366								
25 to 29 years	617	753	304	421	3	2	8	4	302	326								
30 to 34 years	624	656	339	377	6	2	6	3	272	274	1							
35 to 39 years	605	753	324	436	7	4	6	2	268	311								
40 to 44 years	685	662	391	384	10	3	11	5	273	270								
45 to 49 years	830	741	473	433	10	7	14	6	333	295								
50 to 54 years	871	763	500	462	9	5	8	7	354	289								
55 to 59 years	891	748	605	508	16	13	10	4	259	223			1					
60 to 64 years	947	781	653	549	17	11	17	8	258	213	1		1					
65 to 69 years	1,166	934	892	740	27	11	23	7	223	176			1					
70 to 74 years	1,264	991	1,000	805	30	16	25	14	208	156	1							
75 to 79 years	1,091	885	875	740	32	14	22	13	161	118			1					
80 to 84 years	767	699	603	563	36	14	15	16	113	106								
85 to 89 years	326	368	254	284	9	16	4	10	59	58								
90 to 94 years	129	148	87	110	5	3	2	3	35	32								
95 to 99 years	42	58	22	31		1	2	4	17	22	1							
100 years and over	19	34	3	8	1				15	26								
Unknown	31	26	10	12		1	4	1	17	12								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
UTAH																		
All ages	2,856	2,280	1,974	1,627	728	585	58	9	26	9	34	33	7		29	17		
Under 1 year	560	426	542	411	1				3		6	10	1		7	5		
1 to 4 years	192	155	174	140	3	1				1	7	7	1		7	6		
5 to 9 years	99	58	95	52	1			1			2	4			1	1		
10 to 14 years	66	53	65	50		1				1	1					1		
15 to 19 years	93	55	90	51	2	1						3			1			
20 to 24 years	89	70	77	63	8	5	1				3	1				1		
25 to 29 years	84	80	71	72	10	6	1		1		1	1				1		
30 to 34 years	85	70	58	64	17	6	6		2		2							
35 to 39 years	117	103	59	88	45	14	5		2		1				5	1		
40 to 44 years	120	81	72	68	36	12	5		5		1	1			1			
45 to 49 years	133	97	82	71	39	21	7	2	1	2	1	1			3			
50 to 54 years	131	110	79	84	45	23	1	1	3	2	1				2			
55 to 59 years	146	106	96	71	42	34	4		2	1			1		1			
60 to 64 years	164	130	97	74	54	53	9	2	1	1	1		1		1			
65 to 69 years	210	152	106	82	93	68	7	2	1		2		1					
70 to 74 years	195	154	101	68	84	85	6		1		2	1	1					
75 to 79 years	176	142	61	48	111	94	1		1		1		1					
80 to 84 years	98	127	29	33	66	90	2	1		1	1	2						
85 to 89 years	63	71	13	25	48	46			1		1							
90 to 94 years	23	38	4	12	17	24	1		1			2						
95 to 99 years	5	1			5	1												
100 years and over	1		1															
Unknown	6	1	2		1		2		1							1		
VERMONT																		
All ages	2,789	2,426	2,295	2,017	460	382	28	25	5	2	1							
Under 1 year	296	218	296	216		2												
1 to 4 years	82	58	78	58	4													
5 to 9 years	35	37	35	35		1		1										
10 to 14 years	36	29	33	24	3	5												
15 to 19 years	49	52	47	50	2	2												
20 to 24 years	51	40	44	29	7	10		1										
25 to 29 years	43	41	40	38	3	3												
30 to 34 years	58	54	52	46	6	7		1										
35 to 39 years	66	56	47	46	18	9	1			1								
40 to 44 years	89	66	72	54	16	8		4	1									
45 to 49 years	101	100	74	85	26	15	1											
50 to 54 years	141	101	89	73	46	26	4	2	2									
55 to 59 years	182	159	139	132	42	26	1	1										
60 to 64 years	242	182	190	148	47	33	5	1										
65 to 69 years	275	219	217	186	53	32	4	1			1							
70 to 74 years	317	253	261	222	54	30	2			1								
75 to 79 years	303	318	254	241	44	73	5	4										
80 to 84 years	244	220	187	167	54	47	2	6	1									
85 to 89 years	130	164	105	123	23	40	2	1										
90 to 94 years	48	44	35	33	11	10	1	1	1									
95 to 99 years	1	12		10	1	2												
100 years and over		2		1		1												
Unknown		1						1										
VIRGINIA																		
All ages	16,083	14,735	9,574	8,556	304	186	166	80	6,029	5,906	8	7					2	
Under 1 year	2,742	2,094	1,674	1,220		1	3	2	1,065	869		2						
1 to 4 years	980	799	592	499	1		5	3	380	295	2	2						
5 to 9 years	296	239	201	134			1	1	94	104								
10 to 14 years	264	232	155	114			1		108	118								
15 to 19 years	456	483	224	217	4		4	1	223	265	1							
20 to 24 years	469	545	243	243	6	1	3	2	216	299	1							
25 to 29 years	438	559	226	238	6	4	4	7	202	310								
30 to 34 years	479	537	216	250	7	6	8		248	281								
35 to 39 years	548	632	251	286	12	6	7	2	275	337	1	1					2	
40 to 44 years	679	629	314	269	16	6	10	2	339	352								
45 to 49 years	770	752	360	341	16	8	5	3	389	400								
50 to 54 years	983	793	428	339	22	16	13	1	519	437	1							
55 to 59 years	1,009	807	537	404	27	8	10	5	435	390								
60 to 64 years	1,010	936	582	517	25	25	10	5	393	389								
65 to 69 years	1,214	1,099	836	753	35	25	15	8	328	313								
70 to 74 years	1,237	1,028	907	763	32	20	17	8	281	236		1						
75 to 79 years	1,120	1,020	859	826	34	19	16	14	210	160	1	1						
80 to 84 years	779	795	572	628	36	14	17	10	153	143	1							
85 to 89 years	394	460	293	352	15	19	9	4	77	85								
90 to 94 years	135	184	83	121	7	6	3		42	57								
95 to 99 years	35	58	16	23	1	2	1		17	33								
100 years and over	19	28	2	12	1			1	16	15								
Unknown	27	26	3	7	1		4	1	19	18								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	F.	F.
REGISTRATION STATES—Continued																		
WASHINGTON																		
All ages	9,265	6,405	5,819	4,501	2,649	1,502	367	112	87	58	166	169	41	5	118	56	18	2
Under 1 year	775	577	708	524	1	1		2	5	2	31	33	5	1	22	13	3	1
1 to 4 years	256	217	197	173	7	1	20	13			18	22			14	8		
5 to 9 years	206	141	158	118	9	2	20	10	2		9	5		2	8	3		1
10 to 14 years	156	116	129	90	5	7	10	6		2	9	9			3	2		
15 to 19 years	247	187	199	153	16	16	15	9	2		11	7	1		2	2	1	
20 to 24 years	297	228	222	181	36	25	20	8	3	4	13	8		1	1	1	2	
25 to 29 years	258	206	184	156	44	18	6	10	5	3	9	15	1		6	4	3	
30 to 34 years	294	232	180	184	78	27	14	7	7	3	5	5	1		4	6	5	
35 to 39 years	372	259	220	193	107	50	16	7	6	3	5	3	6	1	10	2	2	
40 to 44 years	425	302	226	222	142	61	19	3	9	7	7	6	7		15	3		
45 to 49 years	504	324	274	230	169	80	28	2	12	5	3	3	2		15	4	1	
50 to 54 years	568	394	340	270	175	107	33	4	8	6	2	4	2		7	3	1	
55 to 59 years	684	404	391	258	247	133	27	3	8	4	4	4	2		5	2		
60 to 64 years	801	457	426	297	318	142	34	5	6	5	7	6	5		5	2		
65 to 69 years	942	570	560	361	336	193	35	4	4	4	3	7	4			1		
70 to 74 years	908	538	550	326	319	195	22	6	7	2	7	9	3					
75 to 79 years	744	524	425	323	294	187	16	4	1	4	6	6	2					
80 to 84 years	461	391	248	249	197	133	12	3	2	2	2	4						
85 to 89 years	239	231	121	142	108	76	4	6		1	6	6						
90 to 94 years	88	91	50	48	32	40	1				5	3						
95 to 99 years	16	10	9	2	5	6				1	2	1						
100 years and over	3	6	1	1	1	2					1	3						
Unknown	21		1		3		15				1				1			
WEST VIRGINIA																		
All ages	9,999	8,144	8,158	7,011	568	305	144	66	1,129	762								
Under 1 year	1,991	1,604	1,818	1,444		1	2	1	171	158								
1 to 4 years	802	749	728	686	1		3	6	70	57								
5 to 9 years	207	196	194	184	1	1			12	11								
10 to 14 years	148	122	135	104			1	3	12	15								
15 to 19 years	319	274	275	227	4	4		4	40	39								
20 to 24 years	469	316	367	256	14	5	10	2	78	53								
25 to 29 years	399	306	275	235	18	10	7	2	99	59								
30 to 34 years	368	280	228	220	47	11	8	2	85	47								
35 to 39 years	373	293	215	226	55	27	10	4	93	36								
40 to 44 years	419	301	252	245	66	23	13	2	88	31								
45 to 49 years	441	294	283	231	68	16	17	4	73	43								
50 to 54 years	503	331	362	276	47	18	8	2	86	35								
55 to 59 years	423	331	324	271	32	25	10	6	57	29								
60 to 64 years	478	399	385	355	37	13	11	1	45	30								
65 to 69 years	587	486	507	426	42	23	8	3	30	34								
70 to 74 years	674	527	596	452	42	43	8	6	28	26								
75 to 79 years	609	517	531	448	43	45	11	5	24	19								
80 to 84 years	481	442	420	395	29	28	10	4	22	15								
85 to 89 years	223	241	192	217	16	10	5	5	10	9								
90 to 94 years	70	92	61	79	4	2	2	2	3	9								
95 to 99 years	14	34	9	28	2			2	3	4								
100 years and over	1	9	1	6						3								
Unknown																		
WISCONSIN																		
All ages	16,541	13,650	10,198	8,743	5,757	4,617	322	99	146	73	118	118						
Under 1 year	2,210	1,635	2,163	1,612	2		3		14	9	28	14						
1 to 4 years	605	479	581	456	4	4		1	6	6	14	12						
5 to 9 years	295	224	282	208	5	5	1		1	2	6	9						
10 to 14 years	229	167	216	159	7	1	1	1	1	1	4	5						
15 to 19 years	370	279	355	261	9	9	1	2	3	1	2	6						
20 to 24 years	376	402	333	348	24	24	4	3	11	10	4	17						
25 to 29 years	364	387	290	341	53	38	7	2	12	4	2	2						
30 to 34 years	470	446	348	381	91	52	14	2	16	6	1	5						
35 to 39 years	562	440	383	352	139	74	19	2	19	8	2	4						
40 to 44 years	673	468	423	343	194	114	28	5	19	2	9	4						
45 to 49 years	714	500	444	348	227	141	35	4	7	3	1	4						
50 to 54 years	853	669	500	467	295	184	34	6	16	9	8	3						
55 to 59 years	963	754	554	488	370	256	28	3	3	4	8	3						
60 to 64 years	1,306	988	698	558	565	417	36	6	4	5	3	2						
65 to 69 years	1,512	1,301	812	734	664	545	29	10	3	1	4	11						
70 to 74 years	1,635	1,267	753	627	838	626	32	13	3		9	1						
75 to 79 years	1,501	1,329	543	497	926	809	25	18	4	1	3	4						
80 to 84 years	1,099	968	316	312	770	640	9	9	1		3	7						
85 to 89 years	529	606	147	159	373	438	5	6	1	1	3	2						
90 to 94 years	207	261	44	75	156	181	5	4			2	1						
95 to 99 years	52	66	11	14	41	50		1				1						
100 years and over	6	10		2	3	7			2		1	1						
Unknown	10	4	2	1	1	2	6	1			1							

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
WYOMING																		
All ages	1,174	728	824	578	205	104	97	14	11	7	19	17	8		9	8	1	
Under 1 year	182	151	170	140			1	2	1		8	4			2	5		
1 to 4 years	56	53	50	51				1		1	4		1		1			
5 to 9 years	22	20	20	19							1	1			1			
10 to 14 years	28	16	25	14				1			3	1						
15 to 19 years	32	19	28	16	3	2	1	1										
20 to 24 years	38	28	31	24	4	4	2		1									
25 to 29 years	43	36	28	33	8	1	5		1							1	2	
30 to 34 years	53	34	32	27	14	4	6	2				1			1			
35 to 39 years	73	45	44	37	17	5	9	1	2	1		1			1			
40 to 44 years	71	37	35	27	25	6	9	1		2		1			2			
45 to 49 years	66	35	36	27	23	6	3	2	2				1				1	
50 to 54 years	58	31	32	22	12	8	14									1		
55 to 59 years	74	31	56	20	11	5	5	1	1	2	1	3						
60 to 64 years	86	21	53	16	18	5	11		1		1		2					
65 to 69 years	80	43	58	32	13	10	7		1			1	1					
70 to 74 years	77	51	47	30	22	20	6	1	1		1							
75 to 79 years	76	36	47	20	22	13	7					3						
80 to 84 years	27	20	16	13	6	5	4			1		1	1					
85 to 89 years	19	15	12	7	4	8	3											
90 to 94 years	4	4	2	2	2	1		1										
95 to 99 years	1	1	1			1												
100 years and over		1		1														
Unknown	8		1		1		4						2					

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920; Vol. II, Ch. III, Tables 13 and 14, and Thirteenth Census of the United States, 1910: Vol. 1, Ch. IV, Tables 43 and 44.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

"Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
1	The registration area in continental United States	White	1,113,104	4,800	926	336	8,002	2,587	7,678	7,209	35,656	2,552	1,298	61,236	3,168	5,569	94,211	3,652
		Colored	172,823	2,026	1,080	41	605	75	1,639	647	7,153	128	115	19,139	620	1,836	5,622	567
2	Registration States [2]	White	1,093,850	4,681	890	336	7,983	2,565	7,546	7,076	34,806	2,533	1,274	59,570	3,107	5,485	92,819	3,613
		Colored	163,406	1,917	1,035	40	596	73	1,582	618	6,721	121	111	18,235	610	1,733	5,357	537
3	Cities in registration States [2]	White	576,242	1,504	112	232	4,275	1,270	3,162	4,017	12,694	1,369	775	28,325	2,083	2,865	53,818	1,814
		Colored	73,577	401	127	17	351	38	658	273	2,389	76	62	7,833	412	993	2,850	275
4	Rural part of registration States	White	517,608	3,177	778	104	3,708	1,295	4,384	3,059	22,112	1,164	499	31,245	1,024	2,620	39,001	1,799
		Colored	89,829	1,516	908	23	245	35	924	345	4,332	45	49	10,402	198	740	2,507	262
5	Registration cities in non-registration States	White	19,254	119	36		19	22	132	133	850	19	24	1,666	61	84	1,392	39
		Colored	9,417	109	45	1	9	2	57	29	432	7	4	904	10	103	265	30
6	All registration cities [2]	White	595,496	1,623	148	232	4,294	1,292	3,294	4,150	13,544	1,388	799	29,991	2,144	2,949	55,210	1,853
		Colored	82,994	510	172	18	360	40	715	302	2,821	83	66	8,737	422	1,096	3,115	305
7	Alabama	White	15,416	207	95	3	111	16	178	173	878	39	10	771	30	58	813	45
		Colored	14,276	169	122	2	23		124	47	707	7	5	1,390	17	114	358	54
8	Urban	White	4,165	34	7		26	3	44	27	182	8	3	133	13	16	269	6
		Colored	4,199	29	20	1	9		43	10	244	3	4	352	11	43	116	14
9	Rural	White	11,251	173	88	3	85	13	134	146	696	31	7	638	17	42	544	39
		Colored	10,077	140	102	1	14		81	37	463	4	1	1,038	6	71	242	40
10	Arizona	White	4,791	27	1	6	4	10	44	18	195	7	6	1,174	26	31	193	10
		Colored	781	4			4		2	3	56	2	1	204	15	12	5	2
11	Urban	White	1,962	9	1	5		1	12	4	53	2	1	755	17	15	84	1
		Colored	175	1						1	5			64	3		2	1
12	Rural	White	2,829	18		1	4	9	32	14	142	5	5	419	9	16	109	9
		Colored	606	3			4		2	2	51	2	1	140	12	12	3	1
13	California	White	55,875	103	14	224	118	45	163	288	1,015	59	105	4,629	187	380	5,514	110
		Colored	3,039	18		11	8	4	9	10	71	4	11	507	53	62	146	5
14	Urban	White	32,974	52	6	197	46	25	73	178	432	32	76	2,311	119	223	3,712	69
		Colored	1,753	10		7	6	2	2	4	34	4	11	254	39	46	93	3
15	Rural	White	22,901	51	8	27	72	20	90	110	583	27	29	2,318	68	157	1,802	41
		Colored	1,286	8		4	2	2	7	6	37			253	14	16	53	2
16	Colorado	White	11,929	61		1	13	22	175	94	579	37	11	1,360	28	51	849	36
		Colored	344	1					7	3	14			83	2	3	20	2
17	Urban	White	5,432	18			2	11	52	34	218	20	7	655	18	24	429	19
		Colored	182								7			39	1	1	11	2
18	Rural	White	6,497	43		1	11	11	123	60	361	17	4	705	10	27	420	17
		Colored	162	1					7	3	7			44	1	2	9	
19	Connecticut	White	17,820	30	1		197	36	79	86	471	46	13	991	67	80	1,641	57
		Colored	498		1		6		6	1	15			71	2	11	27	
20	Urban	White	13,545	26	1		143	28	63	75	369	39	12	628	59	69	1,285	47
		Colored	427		1		5		4	1	14			55	2	10	24	
21	Rural	White	4,275	4			54	8	16	11	102	7	1	363	8	11	356	10
		Colored	71				1		2		1			16		1	3	
22	Delaware	White	2,753	9			44	5	15	16	85	4	1	157	13	10	214	7
		Colored	694	5	1		8		6	2	29			76	2	4	23	
23	Urban	White	1,360	4			25	3	12	15	35	4		61	12	8	104	4
		Colored	255				6		2	1	12			16	2	1	11	
24	Rural	White	1,393	5			19	2	3	1	50		1	96	1	2	110	3
		Colored	439	5	1		2		4	1	17			60		3	12	
25	Florida	White	12,173	102	106	2	19	14	28	102	388	11	16	460	17	44	730	23
		Colored	7,871	88	124	5	9	1	31	20	324	2	3	633	7	39	159	16
26	Urban	White	4,205	46	12	2	6	4	14	35	96	4	7	198	10	19	302	5
		Colored	2,850	24	22	1	2		10	6	127		2	267	3	18	51	2
27	Rural	White	7,968	56	94		13	10	14	67	292	7	9	262	7	25	428	18
		Colored	5,021	64	102	4	7	1	21	14	197	2	1	366	4	21	108	14
28	Idaho	White	3,701	21	1	1	3	19	42	23	196	14	22	109	5	8	251	14
		Colored	170	1				1			26			44	7	7	3	
29	Urban	White	510	2	1			1	8	3	15	1	4	14	1	2	49	1
		Colored	24	1				1			1			1		2	2	
30	Rural	White	3,191	19		1	3	18	34	20	181	13	18	95	4	6	202	13
		Colored	146								25			43	7	5	1	
31	Illinois	White	79,565	216	43	4	335	235	337	397	1,915	192	53	4,082	156	314	7,279	305
		Colored	5,766	18	5	4	18	4	37	18	105	5	8	821	42	82	237	33
32	Urban	White	48,528	73	4	1	135	136	162	278	864	123	39	2,260	120	186	4,716	183
		Colored	4,655	9	1	2	14	4	30	17	76	5	6	641	40	66	191	26
33	Rural	White	31,037	143	39	3	200	99	175	119	1,051	69	14	1,822	36	128	2,563	122
		Colored	1,111	9	4	2	4		7	1	29		2	180	2	16	46	7
34	Indiana	White	37,838	199	10	7	428	101	381	177	1,648	112	19	1,912	128	252	3,186	120
		Colored	2,178	14	2	1	20		38	8	78	1	2	249	13	42	70	10
35	Urban	White	16,143	69	4		212	40	173	91	516	46	10	680	65	107	1,433	52
		Colored	1,827	12	2	1	19		32	8	63	1	2	179	9	35	58	9
36	Rural	White	21,695	130	6	7	216	61	208	86	1,132	66	9	1,232	63	145	1,753	68
		Colored	351	2			1		6		15			70	4	7	12	1
37	Iowa	White	25,120	50	4	2	63	46	157	111	1,109	59	17	716	33	105	2,583	101
		Colored	346	2					6		9			58	1	5	10	2
38	Urban	White	8,588	15	1		24	13	54	50	274	19	5	279	19	49	905	39
		Colored	243	2					4		6			37	1	5	8	2
39	Rural	White	16,532	35	3	2	39	33	103	61	835	40	12	437	14	56	1,678	62
		Colored	103						2		3			21			2	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
17,725	82,045	188,678	6,195	90,704	23,895	14,301	10,402	6,957	89,532	4,565	7,780	66,955	12,997	5,028	17,371	1,486	442	54,424	9,192	163,550	1
1,156	8,787	20,692	766	17,093	4,479	1,450	1,332	634	13,800	953	1,760	8,284	413	4,182	1,500	70	22	7,400	9,516	27,241	
17,523	81,027	186,683	6,124	89,377	23,140	13,889	10,145	6,846	88,078	4,462	7,612	65,752	12,680	4,845	16,997	1,471	433	53,569	8,859	160,054	2
1,081	8,202	19,505	709	16,239	4,252	1,335	1,222	594	12,902	895	1,685	7,859	402	3,895	1,422	69	21	7,027	9,302	25,502	
10,386	37,120	102,893	3,095	51,130	10,626	9,685	6,470	4,043	47,579	2,742	4,107	34,337	7,330	2,738	10,278	480	310	26,958	1,383	84,237	3
623	3,670	9,948	377	9,544	1,763	869	762	312	6,074	453	608	3,671	254	2,266	793	25	14	2,908	1,223	10,665	
7,137	43,907	83,790	3,029	38,247	12,514	4,204	3,675	2,803	40,499	1,720	3,505	31,415	5,350	2,107	6,719	991	123	26,611	7,476	75,817	4
458	4,532	9,557	332	6,695	2,489	466	460	282	6,828	442	1,077	4,188	148	1,629	629	44	7	4,119	8,079	14,837	
202	1,018	1,995	71	1,327	755	412	257	111	1,454	103	168	1,203	317	183	374	15	9	855	333	3,496	5
75	585	1,187	57	854	227	115	110	40	898	58	75	425	11	287	78	1	1	373	214	1,739	
10,588	38,138	104,888	3,166	52,457	11,381	10,097	6,727	4,154	49,033	2,845	4,275	35,540	7,647	2,921	10,652	495	319	27,813	1,716	87,733	6
698	4,255	11,135	434	10,398	1,990	984	872	352	6,972	511	683	4,096	265	2,553	871	26	15	3,281	1,437	12,404	
131	765	1,648	65	1,266	630	187	151	48	1,188	91	196	1,128	122	135	221	21	4	821	751	2,420	7
70	626	1,458	30	1,161	277	97	96	35	976	88	176	529	14	373	98	4	------	718	1,859	2,452	
45	200	489	15	342	127	108	70	22	341	30	55	290	50	43	96	12	3	233	95	728	8
20	231	456	10	443	76	55	52	10	295	42	46	195	5	177	37	2	------	192	350	601	
86	565	1,159	50	924	503	79	81	26	847	61	141	838	72	92	125	9	1	588	656	1,692	9
50	395	1,002	20	713	201	42	44	25	681	46	130	334	9	196	61	2	------	526	1,509	1,851	
36	111	368	25	390	305	54	24	19	178	28	51	268	47	57	108	3	------	285	104	578	10
1	13	40	6	73	53	5	2	3	15	2	5	35	4	6	8	------	------	27	89	84	
13	44	156	14	144	83	23	7	8	56	8	14	76	15	11	29	1	------	67	4	229	11
------	5	14	3	10	12	4	------	1	6	------	2	3	------	3	3	------	------	4	6	22	
23	67	212	11	246	222	31	17	11	122	20	37	192	32	46	79	2	------	218	100	349	12
1	8	26	3	63	41	1	2	2	9	2	3	32	4	3	5	------	------	23	83	62	
842	4,043	10,523	252	3,369	963	661	596	494	4,104	166	269	2,421	1,074	316	1,390	116	57	2,712	97	8,466	13
35	122	398	16	241	75	25	34	16	180	9	24	169	54	57	84	8	5	137	13	418	
559	2,349	6,372	138	1,962	387	453	415	335	2,645	94	176	1,405	722	178	696	29	45	1,335	34	5,094	14
25	70	230	6	149	43	20	22	10	125	4	15	100	35	34	40	1	2	61	1	245	
283	1,694	4,151	114	1,407	576	208	181	159	1,459	72	93	1,016	352	138	684	87	12	1,377	63	3,372	15
10	52	168	10	92	32	5	12	6	55	5	9	69	19	23	44	7	3	76	12	173	
138	779	1,458	46	1,005	307	272	128	51	748	64	72	696	154	66	172	15	2	674	23	1,742	16
4	14	53	------	38	5	4	2	------	16	------	1	9	2	4	3	------	------	8	2	44	
64	364	756	16	445	99	135	61	19	363	26	32	270	94	20	70	3	1	200	5	882	17
4	7	36	------	22	3	1	------	------	13	------	1	3	2	2	1	------	------	3	1	22	
74	415	702	30	560	208	137	67	32	385	38	40	426	60	46	102	12	1	474	18	860	18
------	7	17	------	16	2	3	2	------	3	------	------	6	------	2	2	------	------	5	1	22	
350	1,430	3,442	123	1,577	252	191	161	98	1,465	57	107	1,094	213	40	301	9	8	790	50	2,267	19
7	25	80	1	52	14	7	2	------	42	2	2	24	3	4	6	------	1	8	1	77	
265	1,027	2,495	80	1,299	199	171	140	81	1,070	51	90	910	157	32	241	6	7	625	32	1,723	20
7	19	69	1	47	13	7	2	------	38	2	2	19	3	3	3	------	1	7	1	67	
85	403	947	43	278	53	20	21	17	395	6	17	184	56	8	60	3	1	165	18	544	21
------	6	11	------	5	1	------	------	------	4	------	------	5	------	1	3	------	------	1	------	10	
44	273	455	7	244	55	19	24	11	347	9	22	121	18	10	41	14	1	114	3	341	22
6	63	107	4	72	28	7	4	3	50	6	2	43	1	10	9	2	------	26	5	90	
20	102	222	4	143	26	16	19	7	160	6	15	56	15	8	24	------	1	62	------	167	23
5	20	46	2	27	9	5	3	2	15	2	------	11	1	4	5	------	------	12	------	35	
24	171	233	3	101	29	3	5	4	187	3	7	65	3	2	17	14	------	52	3	174	24
1	43	61	2	45	19	2	1	1	35	4	2	32	------	6	4	2	------	14	5	55	
142	761	1,541	44	620	348	167	124	57	1,074	59	166	842	167	184	400	32	1	1,090	273	2,019	25
37	448	682	34	523	200	72	72	27	611	68	79	400	11	474	115	3	1	592	410	1,551	
61	245	559	10	236	150	88	49	30	402	21	48	282	60	72	127	2	1	300	56	646	26
15	165	242	20	232	99	31	33	12	208	25	22	175	4	224	47	------	1	175	49	536	
81	516	982	34	384	198	79	75	27	672	38	118	560	107	112	273	30	------	790	217	1,373	27
22	283	440	14	291	101	41	39	15	403	43	57	225	7	250	68	3	------	417	361	1,015	
45	269	494	13	273	71	75	43	22	241	22	29	279	48	15	73	4	4	263	38	651	28
1	7	7	------	9	3	------	2	------	7	------	2	11	1	------	4	------	------	3	3	21	
5	44	73	1	24	7	11	11	2	30	5	1	31	6	1	11	------	1	24	1	119	29
------	------	1	------	1	------	------	1	------	------	------	2	1	------	------	------	------	------	1	1	8	
40	225	421	12	249	64	64	32	20	211	17	28	248	42	14	62	4	3	239	37	532	30
1	7	6	------	8	3	------	1	------	7	------	------	10	1	------	4	------	------	2	2	13	
1,527	5,082	14,724	545	5,805	1,654	1,182	754	649	7,986	310	499	4,591	1,045	535	1,254	196	60	3,824	194	11,286	31
53	236	910	38	672	108	60	44	17	591	37	25	239	22	216	84	3	2	215	14	743	
1,023	2,527	9,126	315	3,758	931	908	544	427	5,106	220	336	2,915	674	373	923	63	46	2,357	47	6,629	32
46	184	732	26	595	84	57	38	15	490	31	22	196	20	189	75	------	2	165	8	552	
504	2,555	5,598	230	2,047	723	274	210	222	2,880	90	163	1,676	371	162	331	133	14	1,467	147	4,657	33
7	52	178	12	77	24	3	6	2	101	6	3	43	2	27	9	3	------	50	6	191	
579	3,226	6,273	147	2,707	856	392	333	259	3,449	166	213	2,008	428	119	527	125	43	1,688	34	5,586	34
15	91	315	18	299	55	24	26	16	162	11	17	98	9	62	20	2	------	84	5	301	
271	1,157	2,501	58	1,239	410	265	189	128	1,351	91	119	913	197	75	309	55	21	769	19	2,508	35
13	67	266	17	279	51	23	23	15	141	9	16	89	7	62	17	2	------	71	3	226	
308	2,069	3,772	89	1,468	446	127	144	131	2,098	75	94	1,095	231	44	218	70	22	919	15	3,078	36
2	24	49	1	20	4	1	3	1	21	2	1	9	2	------	3	------	------	13	2	75	
486	2,501	3,922	114	1,781	258	383	303	137	1,687	95	178	1,438	363	52	262	39	7	1,141	145	4,672	37
2	15	48	3	30	1	2	5	------	32	2	1	18	4	5	2	------	------	14	1	68	
156	720	1,257	34	657	95	206	142	44	555	45	71	493	127	29	102	16	5	405	26	1,657	38
1	6	34	3	25	------	2	4	------	21	2	1	13	4	4	2	------	------	7	------	49	
330	1,781	2,665	80	1,124	163	177	161	93	1,132	50	107	945	236	23	160	23	2	736	119	3,015	39
1	9	14	------	5	1	------	1	------	11	------	------	5	------	1	------	------	------	7	1	19	

[1] Including District of Columbia.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
1	Kansas	White	17,872	73	12	2	87	33	113	48	802	40	9	530	15	54	1,613	70
		Colored	1,228	12	2		3		7	1	49			120	2	19	67	5
2	Urban	White	5,407	27	4		26	15	28	22	194	10	5	185	7	11	529	23
		Colored	837	6	1		1		5	1	32			72	2	15	52	3
3	Rural	White	12,465	46	8	2	61	18	85	26	608	30	4	345	8	43	1,084	47
		Colored	391	6	1		2		2		17			48		4	15	2
4	Kentucky	White	25,145	403	42	5	446	55	338	273	1,120	57	50	2,099	95	260	1,424	80
		Colored	4,807	82	15		25	2	40	17	234	3	7	558	28	55	208	25
5	Urban	White	6,485	35	5		120	12	56	21	185	16	7	369	35	48	474	18
		Colored	1,936	13	4		9		10	5	72	1	1	180	14	21	96	12
6	Rural	White	18,660	368	37	5	326	43	282	252	935	41	43	1,730	60	212	950	62
		Colored	2,871	69	11		16	2	30	12	162	2	6	378	14	34	112	13
7	Louisiana	White	12,272	141	89	6	3	9	101	106	716	8	15	678	9	46	828	31
		Colored	11,958	188	116	4	7	3	95	41	563	2	7	1,193	9	30	431	27
8	Urban	White	5,932	33	12	1	1	6	24	34	237	3	9	354	7	25	488	16
		Colored	4,619	30	12	1	3	1	16	16	186	1	1	438	6	46	191	12
9	Rural	White	6,340	108	77	5	2	3	77	72	479	5	6	324	2	21	340	15
		Colored	7,339	158	104	3	4	2	79	25	377	1	6	755	3	34	240	15
10	Maine	White	11,319	21	1		68	21	88	20	474	17	5	458	41	55	1,057	51
		Colored	36											4		2	2	
11	Urban	White	3,680	6			49	3	26	7	108	6	3	128	20	16	352	14
		Colored	15											2		1	1	
12	Rural	White	7,639	15	1		19	18	62	13	366	11	2	330	21	39	705	37
		Colored	21											2		1	1	
13	Maryland	White	17,170	76	2		181	20	126	87	410	29	22	1,046	41	56	1,466	46
		Colored	5,479	44			39	1	57	11	113	1	5	576	19	62	232	19
14	Urban	White	10,458	35	2		97	14	63	55	227	12	18	524	33	37	993	30
		Colored	3,135	18			20		31	7	49	1	4	294	14	37	143	14
15	Rural	White	6,712	41			84	6	63	32	183	17	4	522	8	19	473	16
		Colored	2,344	26			19	1	26	4	64		1	282	5	25	84	5
16	Massachusetts	White	51,620	56	2		395	124	403	248	841	98	57	2,833	232	269	5,257	124
		Colored	1,018	3			6	1	9	2	9	2	2	143	7	19	56	4
17	Urban	White	41,612	47	1		338	106	322	228	617	77	53	2,050	205	214	4,239	96
		Colored	893	3			3	1	7	2	9	2	2	107	7	17	52	3
18	Rural	White	10,008	9	1		57	18	81	20	224	21	4	783	27	55	1,018	28
		Colored	125				3		2					26		2	4	1
19	Michigan	White	51,183	111	3	3	580	241	344	662	1,319	194	72	2,231	159	225	3,947	221
		Colored	2,901	6	1		37	2	23	16	60	14	4	373	18	47	79	17
20	Urban	White	28,137	61	1		414	156	205	523	607	120	42	1,231	112	133	2,155	102
		Colored	2,327	5	1		33	2	16	12	46	12	4	299	17	40	58	12
21	Rural	White	23,046	50	2	3	166	85	139	139	712	74	30	1,000	47	92	1,792	119
		Colored	574	1			4		7	4	14	2		74	1	7	21	5
22	Minnesota	White	25,370	27			167	151	156	155	586	64	21	1,317	91	151	2,736	77
		Colored	433	1			8	2	7	2	8	1		89	12	9	13	2
23	Urban	White	11,269	10			74	51	51	109	173	35	9	456	35	69	1,396	24
		Colored	159	1			1	1		2	1			22	2	3	9	2
24	Rural	White	14,101	17			93	100	105	46	413	29	12	861	56	82	1,340	53
		Colored	274				7	1	7		7	1		67	10	6	4	
25	Mississippi	White	9,191	103	141		48	5	83	74	634	19	5	392	5	36	531	24
		Colored	14,575	289	286	4	21	1	182	55	873	6	5	1,417	15	96	441	28
26	Urban	White	1,694	18	10		1	1	3	10	97	3	1	53	1	6	114	3
		Colored	2,109	33	22				10	6	119	1		148	1	24	83	6
27	Rural	White	7,497	85	131		47	4	80	64	537	16	4	339	4	30	417	21
		Colored	12,466	256	264	4	21	1	172	49	754	5	5	1,269	14	72	358	22
28	Missouri	White	37,942	299	106	1	263	157	282	224	1,468	80	39	2,017	72	179	3,337	105
		Colored	4,810	61	39		16	6	47	14	141	4	1	593	9	67	195	22
29	Urban	White	17,689	53	6		131	97	96	129	373	37	19	635	40	70	1,769	38
		Colored	3,263	13	7		11	4	28	12	62	4	1	377	8	44	140	20
30	Rural	White	20,253	246	100	1	132	60	186	95	1,095	43	20	1,382	32	109	1,568	67
		Colored	1,547	48	32		5	2	19	2	79			216	1	23	55	2
31	Montana	White	4,967	13		1	14	25	40	18	218	16	20	234	12	25	391	19
		Colored	428	1			7		5		23	1		85	10	11	10	
32	Urban	White	1,703	3		1	1	2	1	5	50	2	10	65	3	7	163	8
		Colored	47								1			3		1	3	
33	Rural	White	3,264	10			13	23	39	13	168	14	10	169	9	18	228	11
		Colored	381	1			7		5		22	1		82	10	10	7	
34	Nebraska	White	12,245	22	2	8	20	26	105	35	550	28	17	300	15	49	1,179	37
		Colored	403	1			3	1	6		12			68	6	9	20	1
35	Urban	White	3,897	11		7	15	10	24	17	92	6	6	110	10	25	441	10
		Colored	265	1			3	1	3		4			46	4	5	16	
36	Rural	White	8,348	11	2	1	5	16	81	18	458	22	11	190	5	24	738	27
		Colored	138						3		8			22	2	4	4	1
37	New Hampshire	White	6,697	11			39	30	36	18	260	17	9	254	20	45	604	25
		Colored	6														1	
38	Urban	White	2,871	4			24	15	16	6	102	7	5	98	13	23	262	11
		Colored	5														1	
39	Rural	White	3,826	7			15	15	20	12	158	10	4	156	7	22	342	14
		Colored	1															
40	New Jersey	White	41,404	93	2		416	78	160	309	815	115	57	2,345	120	182	3,681	150
		Colored	3,472	9			31	4	31	12	77	7	1	374	26	42	133	13
41	Urban	White	25,563	70	1		276	50	90	214	454	80	46	1,091	93	115	2,328	101
		Colored	2,434	6			25	4	23	7	57	6	1	199	24	35	100	10
42	Rural	White	15,841	23	1		140	28	70	95	361	35	11	1,254	27	67	1,353	49
		Colored	1,038	3			6		8	5	20	1		175	2	7	33	3

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
310	1,771	2,709	107	1,015	324	302	203	104	1,439	98	135	1,079	201	67	232	43	2	899	132	3,199	1
20	94	174	9	84	34	13	19	9	107	7	5	57	8	36	9	1	------	41	11	203	
98	472	754	28	318	108	122	80	33	427	39	45	321	66	32	79	10	------	276	17	996	2
15	56	112	7	59	32	10	14	6	83	4	3	31	6	30	8	1	------	28	7	135	
212	1,299	1,955	79	697	216	180	123	71	1,012	59	90	758	135	35	153	33	2	623	115	2,203	3
5	38	62	2	25	2	3	5	3	24	3	2	26	2	6	1	------	------	13	4	68	
238	1,514	2,970	117	1,982	1,076	265	163	111	1,818	116	194	1,659	206	225	245	17	2	1,277	459	3,924	4
25	245	725	52	429	114	22	33	11	455	13	31	170	18	141	32	------	------	181	54	757	
87	504	956	29	523	204	116	61	42	524	32	39	429	73	42	102	3	2	279	13	1,024	5
10	99	344	33	222	33	10	19	3	193	6	8	68	9	74	15	------	------	56	5	291	
151	1,010	1,834	88	1,459	872	149	102	69	1,294	84	155	1,230	133	183	143	14	------	998	446	2,900	6
15	146	381	19	207	81	12	14	8	262	7	23	102	9	67	17	------	------	125	49	466	
150	616	1,777	53	911	335	192	120	111	1,117	75	156	747	127	128	194	8	1	669	206	1,793	7
70	552	1,671	57	973	327	101	93	78	1,009	63	151	481	15	275	77	3	1	535	535	2,125	
93	312	1,062	15	365	110	132	76	66	624	43	55	279	88	69	98	4	1	308	12	870	8
40	205	789	20	441	118	66	56	37	441	23	53	186	9	125	41	1	1	189	16	802	
57	304	715	38	546	225	60	44	45	493	32	101	468	39	59	96	4	------	361	194	923	9
30	347	882	37	532	209	35	37	41	568	40	98	295	6	150	36	2	------	346	519	1,323	
188	1,088	1,993	85	832	163	121	80	40	918	24	86	697	112	8	99	3	1	434	126	1,844	10
	5	7		3			1		1					1	1	------	------	3	------	6	
62	296	628	18	311	52	60	32	12	274	14	39	214	30	3	48	------	1	162	28	658	11
	1	2		2										1	1	------	------	1	------	3	
126	792	1,365	67	521	111	61	48	28	644	10	47	483	82	5	51	3	------	272	98	1,186	12
	4	5		1			1		1							------	------	2	------	3	
330	1,441	2,918	115	1,608	374	137	159	85	1,901	46	78	940	180	44	251	7	1	760	73	2,114	13
33	341	725	35	725	193	25	48	11	579	20	46	330	15	64	61	1	------	226	69	753	
223	806	1,811	64	1,091	180	120	125	62	1,102	34	56	556	114	28	169	2	1	462	9	1,303	14
19	199	454	10	498	84	19	34	6	318	13	27	174	7	40	43	------	------	134	4	415	
107	635	1,107	51	517	194	17	34	23	799	12	22	384	66	16	82	5	------	298	64	811	15
14	142	271	25	227	109	6	14	5	261	7	19	156	8	24	18	1	------	92	65	338	
833	4,025	10,700	304	4,766	796	523	424	233	3,656	179	352	3,115	457	78	675	9	8	2,001	88	7,459	16
11	67	165	10	140	16	7	13	5	57	2	3	49	8	6	7	------	------	31	3	155	
685	3,031	8,417	229	3,963	715	492	387	191	2,996	162	316	2,708	370	69	576	3	8	1,624	66	6,011	17
10	59	145	7	134	14	7	12	5	56	2	3	42	8	6	6	------	------	26	3	133	
148	994	2,283	75	803	81	31	37	42	660	17	36	407	87	9	99	6	------	377	22	1,448	18
1	8	20	3	6	2	------	1	------	1	------	------	7	------	------	1	------	------	5	------	22	
737	4,231	8,555	436	3,964	984	677	534	330	2,979	285	346	3,666	566	290	1,079	86	33	2,441	202	8,450	19
16	122	388	22	517	41	50	29	12	119	12	21	121	13	171	33	------	3	100	6	408	
412	1,730	4,152	229	2,543	668	486	361	164	1,511	210	228	2,282	331	239	717	43	16	1,251	43	4,659	20
14	86	260	16	467	34	47	28	9	88	9	16	97	13	163	25	------	3	75	3	317	
325	2,501	4,403	207	1,421	316	191	173	166	1,468	75	118	1,384	235	51	362	43	17	1,190	159	3,791	21
2	36	128	6	50	7	3	1	3	31	3	5	24	------	8	8	------	------	25	3	91	
438	1,871	4,197	136	1,844	236	402	261	164	1,515	111	186	1,716	357	53	323	23	10	1,222	124	4,482	22
3	12	45	------	54	11	4	1	2	11	4	------	28	------	3	3	------	------	15	12	71	
195	723	1,809	38	874	71	222	133	81	552	64	90	698	172	24	166	5	10	475	10	2,365	23
2	9	26	------	18	3	4	1	2	5	2	------	5	------	------	1	------	------	7	1	29	
243	1,148	2,388	98	970	165	180	128	83	963	47	96	1,018	185	29	157	18	------	747	114	2,117	24
1	3	19	------	36	8	------	------	------	6	2	------	23	------	3	2	------	------	8	11	42	
105	539	915	33	676	243	141	99	43	826	49	113	623	53	103	139	11	1	467	519	1,393	25
73	593	1,179	19	992	275	130	133	59	1,165	68	170	388	17	356	76	5	------	636	2,144	2,378	
30	85	169	5	111	32	48	28	14	184	14	19	89	12	17	37	3	1	126	44	305	26
11	115	208	3	139	32	41	52	8	190	10	17	48	2	67	14	------	------	110	209	380	
75	454	746	28	565	211	93	71	29	642	35	94	534	41	86	102	8	------	341	475	1,088	27
62	478	971	16	853	243	89	81	51	975	58	153	340	15	289	62	5	------	526	1,935	1,998	
579	2,632	5,626	222	3,220	863	544	358	308	3,755	175	214	1,881	518	228	452	46	10	1,673	354	5,655	28
33	195	677	27	638	103	46	44	31	567	20	31	159	10	177	41	------	------	156	41	599	
293	948	2,854	91	1,716	365	375	214	187	1,888	97	81	813	289	164	288	14	10	757	28	2,724	29
19	105	490	15	501	45	30	31	25	456	14	17	107	7	139	30	------	------	105	2	394	
286	1,684	2,772	131	1,504	498	169	144	121	1,867	78	133	1,068	229	64	164	32	------	916	326	2,931	30
14	90	187	12	137	58	16	13	6	111	6	14	52	3	38	11	------	------	51	39	205	
73	334	662	23	439	66	100	55	43	315	37	39	356	90	40	90	8	------	354	48	749	31
3	9	33	6	62	7	2	3	------	11	1	2	18	2	5	3	------	------	22	55	31	
23	101	240	10	163	20	52	18	18	109	16	13	118	36	12	30	1	------	90	6	306	33
1	2	12	------	5	1	------	------	------	4	------	------	1	1	2	------	------	------	4	1	5	
50	233	422	13	276	46	48	37	25	206	21	26	238	54	28	60	7	------	264	42	443	33
2	7	21	6	57	6	2	3	------	7	1	2	17	1	3	3	------	------	18	54	26	
234	1,037	1,909	51	852	176	267	151	68	852	79	104	952	173	26	150	22	1	557	79	2,112	34
6	12	32	2	55	8	3	3	2	28	2	3	13	2	10	4	------	------	15	3	73	
57	260	609	8	306	54	109	60	16	251	38	31	265	57	11	51	3	1	187	7	732	35
5	8	25	------	33	1	2	2	1	22	2	1	5	2	9	2	------	------	11	2	49	
177	777	1,300	43	546	122	158	91	52	601	41	73	687	116	15	99	19	------	370	72	1,380	36
1	4	7	2	22	7	1	1	1	6	------	2	8	------	1	2	------	------	4	1	24	
115	688	1,229	78	561	63	56	57	42	522	16	50	371	59	3	68	4	1	251	43	1,052	37
	1	1												1						2	
57	264	449	34	254	38	30	35	13	224	6	30	204	25	1	32	------	------	110	34	445	38
	1	1																		2	
58	424	780	44	307	25	26	22	29	298	10	20	167	34	2	36	4	1	141	9	607	39
														1							
747	3,307	8,153	272	3,940	733	513	361	308	3,789	144	235	2,221	475	112	741	53	9	1,974	46	4,748	40
25	227	463	33	573	82	56	25	19	297	13	25	220	7	54	51	3	------	149	3	387	
479	1,782	4,776	180	2,634	506	440	281	195	2,238	112	184	1,533	305	80	516	26	7	1,274	19	2,987	41
21	137	304	24	447	60	51	19	12	193	10	20	162	4	45	42	------	------	83	3	300	
268	1,525	3,377	92	1,306	227	73	80	113	1,551	32	51	688	170	32	225	27	2	700	27	1,761	42
4	90	159	9	126	22	5	6	7	104	3	5	58	3	9	9	3	------	66	------	87	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

"Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
1	New York	White	145,115	284	9	1	1,013	196	589	714	2,696	334	141	8,069	480	597	13,364	474
		Colored	6,230	14			58	4	47	24	86	10	7	868	55	84	271	20
2	Urban	White	109,298	193	6	1	889	135	409	634	1,665	251	133	5,756	409	449	10,229	359
		Colored	5,590	12			56	3	41	23	66	10	6	762	47	78	246	17
3	Rural	White	35,817	91	3		124	61	180	80	1,031	83	8	2,313	71	148	3,135	115
		Colored	640	2			2	1	6	1	20		1	106	8	6	25	3
4	North Carolina	White	20,957	134	44	10	53	29	154	190	1,005	46	21	1,175	39	83	1,045	71
		Colored	13,605	143	58	4	43	6	144	72	614	9	8	1,346	30	121	360	44
5	Urban	White	4,041	15	4	2	3	6	20	32	168	6	5	273	15	23	245	6
		Colored	3,312	19	7		9		38	11	169	2	2	322	12	34	93	12
6	Rural	White	16,916	119	40	8	50	23	134	188	837	40	16	902	24	60	800	65
		Colored	10,293	124	51	4	34	6	106	61	445	7	6	1,024	18	87	267	32
7	North Dakota	White	5,105	17			32	65	71	31	185	15	13	196	14	28	430	29
		Colored	208	1			3		4		9	1		46	4	6	4	1
8	Urban	White	795	4			2	5	2	4	23	4	4	21	3	5	73	4
		Colored	1															
9	Rural	White	4,310	13			30	60	69	27	162	11	9	175	11	23	357	25
		Colored	207	1			3		4		9	1		46	4	6	4	1
10	Ohio	White	72,940	268	11		787	182	543	471	2,345	195	33	3,493	189	410	6,255	259
		Colored	5,755	22	1		65	6	92	21	182	5	4	833	39	104	202	15
11	Urban	White	41,006	115	2		381	116	296	345	1,033	129	25	1,892	139	247	3,629	138
		Colored	4,622	15	1		54	4	80	19	130	5	4	603	34	97	160	12
12	Rural	White	31,934	153	9		406	66	247	126	1,312	66	8	1,601	50	163	2,626	121
		Colored	1,133	7			11	2	12	2	52			225	5	7	42	3
13	Oregon	White	9,551	36	1	7	8	22	45	59	217	18	60	406	31	52	989	29
		Colored	306		1			4	5		3	1	3	42	1	10	13	
14	Urban	White	4,281	13		2	5	5	5	27	54	9	17	178	18	36	507	8
		Colored	121											13	1	3	10	
15	Rural	White	5,270	23	1	5	3	17	40	32	163	9	43	228	13	16	482	21
		Colored	185		1			4	5		3	1	3	29		7	3	
16	Pennsylvania	White	112,465	339	5		1,018	266	821	755	3,967	257	80	5,398	322	562	8,860	414
		Colored	8,072	18			40	6	106	45	263	12	4	962	41	114	312	29
17	Urban	White	59,852	168	2		447	109	340	454	1,651	126	46	2,634	208	291	5,091	220
		Colored	6,413	15			28	5	74	44	194	9	2	667	39	85	263	24
18	Rural	White	52,613	171	3		571	157	481	301	2,316	131	34	2,764	114	271	3,769	194
		Colored	1,659	3			12	1	32	1	69	3	2	295	2	29	49	5
19	Rhode Island	White	8,560	11			136	4	120	43	230	25	10	375	35	54	873	37
		Colored	231				1		5		4			28	2	5	11	1
20	Urban	White	7,176	9			118	3	111	39	194	24	8	221	25	40	727	32
		Colored	197				1		3		2			16	2	4	11	1
21	Rural	White	1,384	2			18	1	9	4	36	1	2	154	10	14	146	5
		Colored	34						2		2			12		1		
22	South Carolina	White	9,219	150	30	2	7	8	70	108	461	17	5	360	11	27	434	19
		Colored	14,184	361	190	2	5	3	80	61	665	3	4	1,186	12	66	323	38
23	Urban	White	1,926	35		1	2	2	11	21	71	6	1	62	9	11	109	1
		Colored	2,357	37	9	1		1	5	10	92			204	5	18	64	4
24	Rural	White	7,293	115	30	1	5	6	59	87	390	11	4	298	2	16	325	18
		Colored	11,827	324	181	1	5	2	75	51	573	3	4	982	7	48	259	34
25	Tennessee	White	22,163	426	103	3	264	39	283	246	1,327	38	30	1,992	72	193	1,175	69
		Colored	9,232	196	53	1	36	4	106	47	531	3	6	1,220	22	150	289	38
26	Urban	White	5,848	64	17		46	15	57	41	237	12	15	334	24	43	433	9
		Colored	4,365	62	13	1	15		55	24	216	1	3	395	15	84	161	22
27	Rural	White	16,315	362	86	3	218	24	226	205	1,090	26	15	1,658	48	150	742	60
		Colored	4,867	134	40		21	4	51	23	315	2	3	825	7	66	128	16
28	Utah	White	4,981	25		3	31	4	125	67	237	24	13	135	9	12	365	17
		Colored	155				3		5	1	7	1	1	16		1	4	
29	Urban	White	2,321	4		1	9	2	40	29	86	10	8	85	6	8	202	7
		Colored	63								2	1	1	5		1	3	
30	Rural	White	2,660	21		2	22	2	85	38	151	14	5	50	3	4	163	10
		Colored	92				3		5	1	5			11			1	
31	Vermont	White	5,207	6	1		11	18	32	14	268	10	5	225	29	27	470	12
		Colored	8											1			1	
32	Urban	White	804	1	1			7	2	1	22	1	2	55	12	7	64	1
		Colored	3														1	
33	Rural	White	4,403	5			11	11	30	13	246	9	3	170	17	20	406	11
		Colored	5											1				
34	Virginia	White	18,866	162	8		78	31	168	178	924	44	17	1,150	39	105	1,177	66
		Colored	11,952	104	17	1	22	1	150	50	594	8	4	1,209	37	113	371	49
35	Urban	White	5,087	17			17	5	37	31	197	11	5	211	13	21	419	10
		Colored	4,149	12	3	1	5		53	16	216	3	2	338	21	46	125	19
36	Rural	White	13,779	145	8		61	26	131	147	727	33	12	939	26	84	758	56
		Colored	7,803	92	14		17	1	97	34	378	5	2	871	16	67	246	30
37	Washington	White	14,950	47		30	9	25	78	91	375	40	106	789	57	106	1,597	46
		Colored	720	2		1	1	1	8		27		3	145	17	13	29	2
38	Urban	White	7,922	26		11	5	13	28	47	158	21	84	275	38	54	964	24
		Colored	273	1		1		1	1		6		3	31	9	4	18	2
39	Rural	White	7,028	21		19	4	12	50	44	217	19	22	514	19	52	633	22
		Colored	447	1			1		7		21			114	8	9	11	
40	West Virginia	White	16,252	243		3	286	58	260	155	675	30	20	932	34	98	867	60
		Colored	1,891	34			10		36	6	74	3	5	179	10	25	51	4
41	Urban	White	4,228	47			64	9	38	32	146	10	4	220	11	29	267	11
		Colored	490	7			4		14	1	16	1		33	2	7	19	2
42	Rural	White	12,024	196		3	222	49	222	123	529	20	16	712	23	69	600	49
		Colored	1,401	27			6		22	5	58	2	5	146	8	18	32	2

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204,205		
2,844	9,701	31,521	872	14,149	2,007	1,718	1,298	1,014	12,397	430	739	7,457	1,586	455	2,130	133	40	6,686	118	18,859	1
69	190	930	17	1,051	96	61	40	24	422	41	50	416	31	91	48	------	------	273	8	824	
2,319	5,992	23,414	586	11,589	1,637	1,560	1,055	826	9,323	377	610	5,924	1,217	413	1,700	41	30	5,070	49	14,048	2
62	157	823	14	985	88	59	38	22	386	40	50	387	28	83	41	------	------	235	8	717	
525	3,709	8,107	286	2,560	370	158	243	188	3,074	53	129	1,533	369	42	430	92	10	1,616	69	4,811	3
7	33	107	3	66	8	2	2	2	36	1	------	29	3	8	7	------	------	38	------	107	
188	1,433	2,525	69	1,579	879	237	135	64	1,796	81	323	1,733	143	106	333	44	4	856	1,208	3,122	4
77	835	1,344	45	1,098	563	90	94	29	1,083	87	235	760	16	181	122	5	------	515	1,400	2,024	
38	243	430	9	218	108	111	50	12	359	15	85	389	35	26	106	10	4	195	62	713	5
25	213	355	15	320	134	47	42	7	246	31	58	184	5	88	46	3	------	127	137	499	
150	1,190	2,095	60	1,361	771	126	85	52	1,437	66	238	1,344	108	80	227	34	------	661	1,146	2,409	6
52	622	989	30	778	429	43	52	22	837	56	177	576	11	93	76	2	------	388	1,263	1,525	
107	334	674	19	424	85	138	51	18	227	29	35	478	60	11	69	11	------	234	96	879	7
3	1	7	4	23	------	3	------	------	3	------	------	16	1	1	1	------	------	3	31	32	
15	44	93	1	59	7	52	13	2	23	8	4	84	11	------	12	------	------	31	9	173	8
																		1			
92	290	581	18	365	78	86	38	16	204	21	31	394	49	11	57	11	------	203	87	706	9
3	1	7	4	23	------	3	------	------	3	------	------	16	1	1	1	------	------	2	31	32	
1,175	6,728	12,238	359	5,461	1,399	899	723	477	5,137	309	448	4,287	854	352	1,253	175	67	3,680	201	11,277	10
45	302	763	18	759	114	48	44	19	374	31	43	314	19	194	64	11	6	229	19	748	
700	3,127	6,518	188	3,226	884	736	506	281	2,839	229	305	2,596	528	242	891	76	43	2,103	49	6,452	11
35	212	573	11	678	108	45	38	13	294	31	36	259	17	177	55	9	2	191	10	605	
475	3,601	5,720	171	2,235	515	163	217	196	2,298	80	143	1,691	326	110	362	99	24	1,577	152	4,825	12
10	90	190	7	81	6	3	6	6	80	------	7	55	2	17	9	2	4	38	9	143	
172	881	1,668	21	588	71	132	84	46	694	33	52	439	175	32	182	8	3	601	32	1,657	13
3	8	28	5	42	7	3	2	3	12	------	2	21	4	6	5	------	------	17	3	52	
85	350	717	9	271	15	70	42	16	319	18	21	152	82	14	65	2	3	189	3	954	14
3	5	14	1	12	1	2	------	2	10	------	1	6	1	4	1	------	------	6	------	25	
87	531	951	12	317	56	62	42	30	375	15	31	287	93	18	117	6	------	412	29	703	15
------	3	14	4	30	6	1	2	1	2	------	1	15	3	2	4	------	------	11	3	27	
1,825	8,223	19,670	729	11,336	2,844	1,183	1,034	835	9,750	480	739	6,947	1,163	339	1,652	66	31	6,045	551	13,959	16
60	307	1,118	46	1,460	181	61	56	17	556	46	59	440	25	186	82	2	------	330	61	1,027	
1,092	3,683	10,843	375	6,381	1,318	905	663	441	5,525	318	435	3,396	664	203	997	18	23	3,085	221	7,479	17
55	232	867	43	1,256	150	55	50	13	458	39	52	350	22	150	63	1	------	259	43	806	
733	4,540	8,827	354	4,955	1,526	278	371	394	4,225	162	304	3,551	499	136	655	48	8	2,960	330	6,480	18
5	75	251	3	204	31	6	6	4	98	7	7	90	3	36	19	1	------	71	18	221	
157	761	1,522	56	739	103	98	67	47	803	23	56	551	75	21	127	1	2	315	38	1,045	19
3	28	42	------	27	4	1	1	------	15	1	1	14	------	------	------	------	------	8	------	29	
136	622	1,267	41	628	92	97	57	42	713	22	50	474	60	18	114	1	2	264	33	892	20
3	26	37	------	24	3	1	1	------	13	------	1	12	------	------	------	------	------	8	------	28	
21	139	255	15	111	11	1	10	5	90	1	6	77	15	3	13	------	------	51	5	153	21
------	2	5	------	3	1	------	------	------	2	1	------	2	------	------	------	------	------	------	------	1	
94	652	1,183	21	678	424	82	55	20	951	27	135	803	50	48	119	6	3	398	278	1,483	22
72	726	1,544	28	930	519	73	52	25	1,228	92	237	941	9	179	73	6	------	501	1,177	2,773	
23	131	261	2	130	68	34	24	5	205	12	21	136	13	16	46	1	3	90	13	350	23
18	192	302	3	163	83	23	24	5	251	17	30	154	1	58	20	------	------	72	26	465	
71	521	922	19	548	356	48	31	15	746	15	114	667	37	32	73	5	------	308	265	1,133	24
54	534	1,242	25	767	436	50	28	20	977	75	207	787	8	121	53	6	------	429	1,151	2,308	
174	1,043	2,185	73	1,824	777	247	142	59	1,365	114	183	1,235	161	158	259	14	------	925	1,342	3,623	25
40	411	944	41	798	197	100	73	42	601	64	61	252	15	274	53	2	1	334	704	1,523	
58	296	658	18	460	175	155	70	16	375	40	55	368	64	54	131	3	------	303	174	1,028	26
25	214	467	26	438	93	67	45	19	308	36	30	142	7	182	36	2	1	167	238	755	
116	747	1,527	55	1,364	602	92	72	43	990	74	128	867	97	104	128	11	------	622	1,168	2,595	27
15	197	477	15	360	104	33	28	23	293	28	31	110	8	92	17	------	------	167	466	768	
65	256	653	28	442	60	121	52	16	348	21	43	475	39	19	79	6	------	356	101	734	28
------	6	11	------	22	3	3	2	1	3	------	------	5	2	1	1	------	------	14	27	15	
28	125	299	12	183	18	67	29	7	175	8	25	178	21	7	41	------	------	123	49	429	29
------	5	8	------	7	1	3	2	------	2	------	------	2	------	1	------	------	------	7	3	9	
37	131	354	16	259	42	54	23	9	173	13	18	297	18	12	38	6	------	233	52	305	30
----	1	3	------	15	2	------	------	1	1	------	------	3	2	------	1	------	------	7	24	6	
77	484	968	45	434	44	61	54	20	422	16	32	298	48	8	45	4	------	223	17	779	31
------	1	1	------	1	------	------	------	------	2	------	------	------	------	------	------	------	------	------	------	1	
14	50	137	7	60	5	23	14	------	76	3	5	54	5	2	15	------	------	39	1	118	32
------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	1	
63	434	831	38	374	39	38	40	20	346	13	27	244	43	6	30	4	------	184	16	661	33
------	1	1	------	1	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	
224	1,284	2,733	83	1,242	528	178	124	47	1,762	94	193	1,469	153	97	227	15	4	906	516	2,840	34
100	954	1,581	52	946	356	78	84	51	1,061	50	124	743	16	122	76	5	------	492	472	1,859	
82	329	836	24	312	127	85	53	17	509	44	51	385	54	24	88	3	4	241	36	789	35
44	351	574	17	421	156	38	42	31	368	30	34	256	7	51	32	3	------	161	77	596	
142	955	1,897	59	930	401	93	71	30	1,253	50	142	1,084	99	73	139	12	------	665	480	2,051	36
56	603	1,007	35	525	200	40	42	20	693	20	90	487	9	71	44	2	------	331	395	1,263	
260	1,151	2,437	59	901	101	242	162	62	1,013	68	101	715	283	40	329	20	3	985	64	2,558	37
4	30	58	3	79	15	6	2	5	23	2	9	33	10	13	13	------	------	36	33	97	
154	578	1,323	28	493	42	174	98	38	549	49	60	385	177	17	166	7	3	410	12	1,411	38
2	14	36	------	30	3	3	2	4	13	------	2	14	8	6	6	------	------	12	------	41	
106	573	1,114	31	408	59	68	64	24	464	19	41	330	106	23	163	13	------	575	52	1,147	39
2	16	22	3	49	12	3	------	1	10	2	7	19	2	7	7	------	------	24	33	56	
170	880	1,693	46	1,215	1,153	173	144	49	999	109	164	1,459	113	121	214	11	1	1,312	15	2,490	40
12	85	191	5	172	91	20	11	6	127	15	22	128	4	33	17	------	------	226	1	238	
57	242	445	8	293	201	92	54	19	277	54	45	352	43	28	88	1	1	308	4	728	41
5	21	58	3	44	25	8	6	3	35	2	3	25	2	16	5	------	------	42	1	80	
113	638	1,248	38	922	952	81	90	30	722	55	119	1,107	70	93	126	10	------	1,004	11	1,762	42
7	64	133	2	128	66	12	5	3	92	13	19	103	2	67	12	------	------	184	------	158	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
1	Wisconsin	White	29,736	42		1	152	81	172	158	1,012	75	41	1,511	112	147	3,056	107
		Colored	455				2		3	1	25	2		99	5	6	14	5
2	Urban	White	12,941	21			71	26	66	87	329	35	17	556	70	70	1,387	53
		Colored	168				1		2		15	2		26	3		5	3
3	Rural	White	16,795	21		1	81	55	106	71	683	40	24	955	42	77	1,669	54
		Colored	287				1		1	1	10			73	2	6	9	2
4	Wyoming	White	1,822	7			6	8	16	12	112	1	4	48	1	5	104	6
		Colored	80	1				2		1	4			5	2	1	4	
5	Urban	White	324	1				4	3	1	12			8			27	1
		Colored	14							1	1				1	1	2	
6	Rural	White	1,498	6			6	4	13	11	100	1	4	40	1	5	77	5
		Colored	66	1				2			3			5	1		2	
	ALABAMA																	
7	Anniston	White	230	2			7	1	1	2	17		1	9		1	8	
		Colored	148	4	2		2			2	3			16			5	
8	Bessemer	White	187	2					2	3	7			5	1	1	12	
		Colored	276		1		2		7	2	19			25		5	7	1
9	Birmingham	White	1,731	9	2		16	1	30	5	83	5	1	47	10	7	119	2
		Colored	1,987	9	4		5		29	1	110		3	159	10	23	37	5
10	Dothan *	White	199	4	4				1	4	4			2			8	1
		Colored	86	1	1	1					2	1		7	1		4	2
11	Florence	White	135	3					1	2	11			9			1	
		Colored	62								10			3			3	
12	Gadsden	White	182	1			2		4	3	4	1		9		4	14	
		Colored	67						3	1	1		1	6		1	2	
13	Mobile	White	571	4						3	12	1	1	19	1	2	51	
		Colored	535	2	1				3	3	22	2		51		3	17	3
14	Montgomery	White	432	4			1	1	2	3	23			7			32	3
		Colored	556	7	6					1	47			41		4	17	3
15	Selma *	White	179	4	1				2	2	10			3	1		12	
		Colored	283	4	4						22			23		6	15	
16	Tuscaloosa	White	319	1					1		11	1		23		1	12	
		Colored	199	2	1				1		8			21		1	9	
	ARIZONA																	
17	Phoenix *		1,215	6					2	4	39	1		433	9	7	50	2
18	Tucson *		922	4	1	5		1	10	1	19	1	1	386	11	8	36	
	ARKANSAS [2]																	
19	Fort Smith *	White	425	5	1		2		1	2	6	1	1	41		2	33	3
		Colored	79	1	2						3			6		1	2	
20	Hot Springs *	White	338	2	5						15			15		1	23	1
		Colored	86		1						4			9			6	
21	Little Rock *	White	1,046	7	2		2	1	6	3	19	1	1	92		4	79	2
		Colored	674	9	6				5	1	21			85	1	8	16	2
22	North Little Rock	White	57	1			2	2	1		3			3			5	
		Colored	132	3	3						5			19		3	9	
	CALIFORNIA																	
23	Alameda		360						1	1	8			10	2	3	51	
24	Bakersfield		308	1	1		1		2		8	1	1	28		1	13	
25	Berkeley		671							3	12			21	2	4	86	1
26	Eureka		271							1	7		1	16	2	4	24	
27	Fresno		515	2			3			1	16	4		32	5	8	50	2
28	Glendale *		601	1		1		2	1	1	6		1	24	4	3	74	
29	Long Beach		1,220	1	1	3		1	5	4	14	2		41	6	4	123	2
30	Los Angeles [3]	White	11,530	10	2	171	10	10	25	78	102	11	29	1,083	39	97	1,268	20
		Colored	692	4		7		2			5	1	4	105	12	24	36	2
31	Oakland	White	2,673	2	2		5		12	17	35		6	97	8	10	313	9
		Colored	129				1			1	2			10	3	1	5	
32	Pasadena		880			4				3	7			40	5	4	123	4
33	Pomona		247					1	3	2	6	2		15	1		25	
34	Richmond		152								7						9	2
35	Riverside		451	2		1				4	3			57	5	3	37	3
36	Sacramento		1,373	8		1	2	1	1	16	29		14	94	8	5	135	3
37	San Bernardino *		536	8			6	1	5	5	6	1	2	93	5	5	45	
38	San Diego		1,849	2		3			5	11	34	2	5	166	3	10	185	3
39	San Francisco	White	7,257	14		12	17	6	7	29	88	7	10	431	34	53	892	16
		Colored	405	1			3		1	1	7		1	73	7	12	31	
40	San Jose		570				2		1	1	15			36		3	52	4
41	Santa Ana		281	1						2	5	1		8		5	36	
42	Santa Barbara		336				1	1	4	1	10		3	15	1	1	46	
43	Santa Cruz		235								6			6		3	33	
44	Santa Monica		384	1							1		1	11	1	2	43	
45	Stockton *		614	4		1	1	1	2		22	4	9	39	5	3	52	1
46	Vallejo		187					1			5			14		1	18	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
483	2,435	4,842	193	2,247	441	432	273	199	2,024	100	226	2,115	399	66	377	40	7	1,337	53	4,780	1
5	15	35	2	76	5	1	------	1	18	1	5	21	3	7	7	3	------	19	10	59	
215	855	1,948	91	1,045	220	253	144	96	875	52	123	1,048	182	27	201	13	5	561	10	2,189	2
4	4	17	------	33	2	1	------	------	5	------	2	5	1	4	1	------	------	9	------	23	
268	1,580	2,894	102	1,202	221	179	129	103	1,149	48	103	1,067	217	39	176	27	2	776	43	2,591	3
1	11	18	2	43	3	------	------	1	13	1	3	16	2	3	6	3	------	10	10	36	
25	105	210	7	131	31	57	29	12	76	14	27	151	45	28	56	3	1	156	16	312	4
------	------	7	------	9	2	------	2	1	5	------	------	2	1	4	------	------	------	5	14	8	
8	18	32	2	21	10	15	8	2	9	2	3	35	9	4	11	------	------	15	1	62	5
------	------	1	------	1	------	------	1	------	2	------	------	------	------	1	------	------	------	1	------	1	
17	87	178	5	110	21	42	21	10	67	12	24	116	36	24	45	3	1	141	15	250	6
------	------	6	------	8	2	------	1	1	3	------	------	2	1	3	------	------	------	4	14	7	
1	9	14	1	26	14	5	4	------	25	1	4	23	1	3	2	3	------	5	5	35	7
------	8	10	------	19	8	1	1	------	15	3	1	8	------	5	1	1	------	6	12	15	
3	7	16	------	17	11	5	4	------	15	1	3	18	1	2	5	------	------	17	5	24	8
1	11	28	1	37	8	4	1	1	18	1	2	17	------	10	1	------	------	14	19	33	
23	79	203	10	143	50	32	24	12	115	11	24	138	32	19	38	3	1	99	66	272	9
10	103	205	2	237	27	18	23	7	94	24	22	108	2	107	19	1	------	84	263	236	
2	11	15	------	16	4	9	6	1	13	5	7	10	3	2	7	2	------	7	8	43	10
1	3	7	------	12	------	5	1	------	4	2	1	------	------	5	4	------	------	2	5	14	
3	5	15	1	8	7	8	3	------	10	2	2	9	2	1	7	------	------	7	------	18	11
------	3	7	2	4	1	1	1	------	4	------	------	2	------	2	------	------	------	5	2	12	
2	10	16	1	10	3	11	4	------	12	1	3	16	1	------	4	------	1	16	2	27	12
------	4	5	1	9	1	------	------	------	7	------	------	------	1	------	2	------	------	7	5	10	
5	20	90	------	30	18	13	8	4	87	1	4	35	1	4	8	------	------	36	2	111	13
4	26	61	2	46	15	4	5	1	82	2	8	25	1	15	3	------	------	36	9	83	
4	30	63	------	27	13	12	8	3	41	5	3	17	3	10	17	------	------	21	------	79	14
2	43	74	1	45	11	11	12	------	46	3	6	13	1	17	4	------	------	12	15	114	
2	12	32	------	9	3	8	6	1	10	2	3	11	3	1	4	2	------	7	1	27	15
2	17	38	------	11	2	8	3	------	19	3	4	11	------	8	2	------	------	14	10	57	
------	17	25	2	56	4	5	3	1	13	1	2	13	3	1	4	2	1	18	6	92	16
------	13	21	1	28	3	3	5	1	6	4	2	11	------	8	1	------	------	12	10	27	
7	24	128	8	73	40	16	3	6	41	5	12	49	9	12	21	1	------	47	1	159	17
6	25	42	9	81	55	11	4	3	21	3	4	30	6	2	11	------	------	24	9	92	18
6	18	46	1	22	17	31	5	------	26	5	7	27	13	7	7	------	------	25	3	61	19
2	5	16	------	8	1	1	1	------	7	1	------	3	------	4	1	------	------	3	------	11	
4	10	45	------	18	9	4	4	3	55	3	3	10	8	2	2	------	------	16	1	79	20
1	4	15	------	4	------	------	------	2	12	------	------	2	------	1	------	------	------	3	------	22	
16	44	113	------	39	15	37	16	2	102	7	11	33	14	3	18	------	------	45	2	310	21
4	27	85	------	51	11	15	10	3	64	4	3	12	1	21	4	------	------	17	2	186	
------	3	4	------	1	2	------	1	1	2	------	1	4	------	1	------	------	------	2	1	17	22
------	10	18	------	4	5	------	3	------	10	1	------	5	------	2	------	------	------	8	2	22	
6	42	72	1	14	1	6	5	3	34	------	1	17	8	1	7	1	------	23	1	41	23
4	12	23	2	21	30	7	8	2	18	3	5	20	8	4	15	1	------	10	3	55	24
10	72	168	5	29	5	4	13	4	62	4	7	26	6	4	15	------	1	13	------	94	25
5	23	47	1	14	3	1	1	1	22	2	4	21	7	1	5	------	------	10	------	48	26
4	32	76	1	29	12	12	8	2	43	1	4	33	6	4	14	------	------	23	------	88	27
14	58	127	2	17	4	9	5	8	54	4	4	26	7	2	5	------	2	22	------	113	28
16	100	266	11	49	9	23	13	17	127	2	3	53	17	5	36	------	------	51	------	215	29
196	701	1,975	49	654	156	130	149	122	872	40	72	547	275	71	265	7	17	465	20	1,792	30
13	29	86	------	41	24	8	8	1	60	1	5	42	9	14	21	------	2	19	1	106	
67	234	614	13	172	33	40	37	29	190	7	6	118	60	9	50	6	7	88	------	377	31
2	7	30	1	12	------	3	1	------	9	------	------	9	1	3	1	------	------	8	------	19	
10	74	189	11	54	5	9	11	2	75	1	3	29	13	------	16	1	------	32	1	154	32
4	24	50	1	14	5	1	------	------	18	1	3	8	1	2	6	------	------	13	------	41	33
2	11	34	------	17	1	1	------	3	10	------	2	13	4	2	6	1	------	11	------	16	34
5	37	91	2	18	22	9	4	4	26	1	1	20	3	3	10	4	2	14	2	58	35
14	87	247	3	108	20	30	17	9	120	6	7	64	33	16	19	1	1	55	1	198	36
7	25	78	1	31	26	6	5	2	22	2	9	26	4	2	11	------	------	22	------	75	37
33	153	311	7	114	23	29	21	22	117	1	9	55	48	7	45	------	4	80	1	340	38
118	442	1,584	23	515	24	103	101	83	646	13	33	223	187	41	120	2	6	303	2	1,072	39
5	19	62	2	35	2	2	5	5	29	1	2	21	13	5	8	------	------	13	------	39	
11	48	104	5	32	6	6	2	6	62	2	2	34	9	4	14	3	2	17	------	87	40
6	24	45	1	10	2	3	3	3	38	------	2	14	4	1	4	------	1	13	------	49	41
7	25	62	1	21	5	3	7	4	14	2	------	14	10	2	4	1	1	21	------	49	42
4	38	57	------	7	1	5	2	2	12	------	------	12	4	------	5	------	------	8	------	30	43
12	44	89	1	12	6	7	1	1	34	1	------	21	10	2	7	1	1	18	------	56	44
6	44	85	------	54	5	11	9	7	41	3	6	33	6	7	18	1	------	33	2	99	45
3	14	30	------	17	------	5	1	3	15	------	1	6	4	------	9	------	------	11	1	28	46

[2] Nonregistration State; cities shown are those with satisfactory registration of deaths.

[3] Venice annexed to Los Angeles in 1926.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	COLORADO																	
1	Boulder		149								6	1		23			13	
2	Colorado Springs*		597					1	3	2	11	3		155	2	8	49	2
3	Denver		3,963	10				10	28	31	163	9	4	448	15	13	323	14
4	Greeley		201	5						1	12	1		10		1	13	3
5	Pueblo		548	2			2		12		27	5	2	43	2	3	40	1
6	Trinidad		156	1					9		6	1	1	15			2	1
	CONNECTICUT																	
7	Ansonia		170				2		4	12	7	1		11	1		11	1
8	Bridgeport		1,692	1			26	6	11	12	72	7	1	74	6	15	158	3
9	Bristol		262					1	4	2	6			9	2		26	
10	Danbury town		400	1			3			1	11	3	2	19	1	3	42	1
11	Derby		176				2			1	4			1			16	
12	East Hartford town		103				1			1		1		4		1	5	
13	Enfield town		113				1			1	4			2	2	1	9	2
14	Fairfield town		120	1			1	4	1	1	4	2		12	1	1	8	1
15	Greenwich town		254				1	1	1		9		2	16		1	21	1
16	Hartford		2,129	5			17	3	7	12	24	3	4	69	8	13	234	4
17	Manchester town		166				3			1	1			6	1		23	1
18	Meriden		476	2			6	3	1	1	16	1		22	2	3	43	2
19	Middletown*		531				2		1	6	8			26		2	30	
20	Milford town		134				1				1			4		1	11	
21	Naugatuck		92						1		1	1		2			12	
22	New Britain		637	3			3		8	1	22	1		33	5	1	57	2
23	New Haven		2,212	4	1		8	5	11	5	46	8	1	66	14	14	218	16
24	New London		416	3			6	1	1	1	9	1		14	2		40	2
25	Norwalk		458				3	1			20			19		3	49	2
26	Norwich town*		524	1	1		9		4	1	15			98	3	4	48	
27	Orange town		272				1				7			68	1	1	21	
28	Stamford town		625	1			21		4	8	26	2		24	2	4	58	
29	Stonington town		138				3		2		4			3			13	
30	Stratford town		131				3	1		2	7	1		5		2	12	2
31	Torrington town		240	2			3		4	2	14			11	3	1	23	2
32	Wallingford town		123							2	2	1		3			10	
33	Waterbury		1,194	2			20		2	3	39	6	2	51	6	7	95	5
34	Windham town		184				2	2			4			11	1	1	16	
	DELAWARE																	
35	Wilmington	White	1,360	4			25	3	12	15	35	4		61	12	8	104	4
		Colored	255				6		2	1	12			16	2	1	11	
	DISTRICT OF COLUMBIA																	
36	Washington	White	4,583	10	1		30	5	25	22	78	2	4	221	16	14	454	10
		Colored	2,805	4	1		8	3	16	6	37	1		321	11	15	152	4
	FLORIDA																	
37	Jacksonville	White	1,038	7	1	1	3	2	6	8	20	2	1	44	5	4	69	2
		Colored	1,220	2	4				5	3	44		1	151	1	7	25	
38	Key West	White	162	2					4		6			12		1	14	
		Colored	64		1						5			4		2	1	
39	Miami	White	1,085	12	4		2	1	1	11	14	2	2	47	1	5	68	1
		Colored	655	7	6	1			1	2	45		1	42	1	3	9	1
40	Pensacola	White	307	7	2	1			2	4	21			14		1	16	
		Colored	213	4	5				1	1	16			10			5	
41	St. Petersburg	White	516	2	1					2	4		2	24	1	4	63	1
		Colored	163	2	2		1		1		5			13	1	2	3	
42	Tampa	White	1,097	16	4		1	1	1	10	31		2	57	3	4	72	1
		Colored	535	9	4		1		2		12			47		4	8	1
	GEORGIA[2]																	
43	Albany	White	85								2			2			5	1
		Colored	188	3	5						11			17		1	5	1
44	Athens	White	131	1	1						6			5			9	
		Colored	132	1	1						6			17		1	5	2
45	Atlanta	White	1,901	16	2		4	3	9	23	70	2	4	78	3	11	167	4
		Colored	2,006	33	3		5		17	8	68	3	3	131	5	30	56	6
46	Augusta*	White	579	2	5				4	10	16	1		24	1	3	43	1
		Colored	653	13	5	1		1	4	4	35		1	56		9	27	3
47	Brunswick	White	78		1						1			2			1	1
		Colored	116		1						3			14		1	1	
48	Columbus	White	383	2	2		3		3		9	1		21		3	23	
		Colored	313	1			2		5		10			23		1	5	1
49	La Grange	White	124	1			1		1		8			6		2	9	1
		Colored	124	6							11	1		14			2	1
50	Macon	White	454	5					2	1	14	1	1	21		1	21	1
		Colored	678	10	3				1		27			51		9	16	3
51	Savannah*	White	549	1	1					1	18		1	20	1		50	
		Colored	1,079	2	1					1	33			123	2	3	17	2
52	Waycross	White	135	1	1					4	5			3			5	1
		Colored	147						4		5			22		3	5	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204,205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
4	11	37	------	7	2	7	1	2	5	1	------	4	------	1	1	------	------	4	------	19	1
9	41	66	2	34	3	10	5	3	30	2	1	30	6	------	8	------	------	16	------	95	2
47	260	584	10	335	56	98	48	11	277	19	26	191	74	13	48	2	1	142	6	647	3
4	17	23	------	13	6	8	2	------	11	2	3	12	2	------	4	1	------	16	------	31	4
3	31	58	3	57	18	9	5	3	37	2	3	28	10	8	10	------	------	25	------	99	5
1	11	24	1	21	17	4	------	------	16	------	------	8	4	------	------	------	------	------	------	13	6
4	22	31	5	13	5	------	------	2	4	------	------	12	3	------	------	------	------	2	------	17	7
34	104	323	4	159	19	19	17	15	107	9	8	109	24	7	31	2	1	82	15	211	8
4	21	32	1	31	9	1	4	3	21	3	------	33	4	1	6	1	------	6	4	27	9
10	25	72	3	22	3	1	6	1	40	2	3	21	5	2	4	------	------	25	1	67	10
2	13	30	1	24	2	4	1	1	8	1	2	17	2	------	5	------	------	14	2	23	11
1	5	31	1	12	1	------	1	------	8	------	------	6	2	1	------	------	------	7	------	14	12
4	10	27	3	6	4	------	1	1	4	------	1	13	------	------	------	------	------	1	------	16	13
1	8	24	1	9	5	------	------	1	3	------	------	5	1	------	------	------	1	4	------	20	14
3	20	43	1	16	------	4	3	1	21	3	4	17	------	------	7	------	------	19	------	39	15
31	118	420	10	195	47	39	24	10	182	1	12	161	20	8	46	1	------	114	------	287	16
5	8	38	1	17	2	2	1	1	14	------	1	6	------	------	1	------	1	11	------	21	17
7	40	72	4	56	7	3	5	------	43	2	3	25	5	1	15	------	------	13	1	72	18
6	37	119	------	77	5	4	4	3	33	------	4	23	9	2	10	1	------	27	1	91	19
2	18	34	1	12	1	------	1	1	17	------	------	8	4	------	2	------	------	5	2	8	20
------	10	21	2	11	1	------	------	1	7	------	1	6	------	------	1	------	------	1	------	13	21
12	40	101	5	62	19	11	9	6	38	1	6	68	8	1	9	------	------	44	2	59	22
60	172	391	15	245	19	40	24	11	177	8	17	115	32	2	42	------	1	81	1	342	23
11	29	96	2	30	4	3	8	2	37	------	2	31	5	2	8	------	------	20	------	46	24
9	65	82	2	48	8	1	2	------	34	------	1	33	6	2	11	------	2	15	------	40	25
12	37	70	------	29	11	10	2	3	39	5	4	29	3	------	4	------	------	17	------	65	26
2	28	52	3	18	2	1	------	1	23	------	------	17	2	1	1	------	------	9	------	13	27
15	43	116	1	61	7	10	2	3	59	5	10	40	13	1	9	------	1	29	------	50	28
4	17	42	3	11	------	------	------	------	8	------	------	5	1	------	------	------	------	5	------	17	29
2	13	33	1	10	------	------	1	2	7	------	1	6	------	1	------	------	------	6	------	13	30
1	16	39	3	23	1	2	3	2	19	1	1	15	1	------	5	------	------	15	------	28	31
1	21	20	1	15	------	------	3	------	22	------	------	1	2	1	1	1	------	4	2	10	32
25	92	176	2	123	28	15	17	10	117	12	11	98	8	2	18	------	1	48	2	151	33
4	14	29	5	11	2	8	3	------	16	------	------	9	------	------	8	------	------	8	------	30	34
20	102	222	4	143	26	16	19	7	160	6	15	56	15	8	24	------	1	62	------	167	35
5	20	46	2	27	9	5	3	2	15	2	------	11	1	4	5	------	------	12	------	35	
86	342	980	31	340	62	68	52	26	445	13	26	231	80	10	69	------	------	173	2	655	36
39	168	518	21	331	69	25	25	14	281	15	15	144	6	42	29	------	1	83	4	396	
20	57	142	1	70	35	20	21	7	118	10	13	60	13	21	27	------	------	53	7	168	37
5	90	117	18	102	30	10	18	7	96	14	7	49	2	84	11	------	------	53	27	237	
2	9	25	------	6	10	------	2	3	19	------	2	10	4	1	1	------	------	11	1	17	38
------	3	13	------	2	2	------	------	------	11	------	------	2	------	3	------	------	------	8	------	7	
15	62	116	2	49	37	24	12	3	69	8	16	93	17	23	50	1	1	115	15	186	39
4	32	32	2	58	37	11	9	------	23	3	7	59	2	84	12	------	1	48	10	102	
2	24	29	3	18	17	14	1	2	31	1	1	18	1	2	2	1	------	26	2	44	40
4	13	15	------	16	7	------	2	------	26	1	------	15	------	2	4	------	------	19	2	45	
10	45	112	1	17	3	10	5	5	55	------	4	30	2	1	9	------	------	29	4	70	41
1	1	17	------	13	------	3	2	------	12	3	2	9	------	6	5	------	------	16	4	39	
12	48	135	3	76	48	20	8	10	110	2	12	71	23	24	38	------	------	66	27	161	42
1	26	48	------	41	23	7	2	5	40	4	6	41	------	45	15	------	------	31	6	106	
3	3	9	------	3	2	3	1	------	12	1	2	11	------	2	1	------	------	7	------	15	43
------	5	24	------	13	8	2	------	2	23	1	------	13	------	4	------	------	------	6	4	40	
2	15	15	1	5	2	1	4	------	14	------	2	9	3	1	1	------	------	12	------	22	44
3	9	25	2	5	2	2	------	------	11	1	2	7	------	3	1	------	------	6	4	16	
19	134	215	6	127	42	36	25	12	215	12	18	156	33	10	51	3	1	97	12	281	45
15	154	289	24	189	59	16	24	9	178	15	22	121	3	65	17	------	------	92	28	318	
6	48	76	------	41	21	12	5	1	56	3	------	31	6	6	25	------	------	27	1	104	46
3	43	87	4	64	17	11	8	2	53	4	3	24	------	18	7	------	------	23	1	122	
1	7	16	------	6	5	------	2	1	6	------	1	4	1	------	3	------	------	------	------	19	47
2	16	16	------	3	2	4	1	2	9	------	2	12	------	1	------	------	------	6	4	16	
3	24	45	1	37	8	6	3	2	33	1	10	30	4	5	7	------	------	16	5	76	48
3	26	30	------	29	13	5	3	------	28	1	3	11	1	5	3	------	------	17	6	81	
1	5	12	------	19	2	1	------	3	15	1	------	15	------	------	1	------	------	1	------	19	49
------	5	17	------	8	5	1	1	------	14	1	3	4	------	3	2	------	------	5	2	18	
1	33	45	2	51	19	8	1	2	64	1	5	29	4	2	11	3	------	26	7	72	50
2	55	71	6	75	27	4	8	2	87	3	7	35	1	14	11	1	------	28	9	112	
9	52	81	1	30	13	7	10	4	57	2	3	46	12	4	10	------	1	23	2	89	51
11	71	194	7	107	30	16	13	4	114	5	14	52	------	31	6	------	------	38	------	182	
------	6	8	------	10	8	3	2	------	21	2	1	9	------	4	7	2	------	11	2	19	52
2	9	8	1	14	7	1	4	------	21	1	1	4	------	1	------	------	------	8	3	23	

[1] Nonregistration State; cities shown are t hose with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	IDAHO																
1	Boise	322						5	3	9		2	12	1		39	1
2	Pocatello	212	3	1			2	3	1	7	1	2	3		4	12	
	ILLINOIS																
3	Alton	397				2	4	1		29	4		15		4	27	1
4	Aurora	594	1			10	4	1	2	8	1	1	13	1	4	61	2
5	Belleville	372	1			1	2		2				13	1	1	35	1
6	Berwyn	172					2	1	2	2			8		2	16	
7	Bloomington	432						5	1	9	2		13		3	54	
8	Blue Island	207				2		1		1			3		2	16	
9	Cairo—White	175	1					1	1	2	2		6			16	1
	Colored	121	3	1				1		8			20			4	1
10	Canton	195					1	1	2	7	1		9			15	
11	Centralia	158				3	1		2	4			12			15	
12	Champaign	218						1		5			10		1	9	2
13	Chicago—White	31,943	20			52	78	64	211	469	73	26	1,699	86	119	3,130	130
	Colored	3,682	4		2	9	3	22	16	38	4	4	541	38	51	143	21
14	Chicago Heights	238				3	4	3	1	6	1		8		2	12	
15	Cicero	360				1	2		1	9	2		24		1	37	
16	Danville	620	8				2	7	1	26			25	1	2	66	2
17	Decatur	755	1				1	9	1	9	1		28	2	4	85	4
18	East St. Louis—White	727				12	9	3	16	22		3	26		1	56	2
	Colored	197	1			2		2		9			22		5	7	
19	Elgin*	757	2			1	2	2		10	4	1	21	3	2	66	1
20	Evanston	623				1	2	3	1	1	4	1	10	2	5	50	1
21	Forest Park	135							1	5			3			12	
22	Freeport	359				4		4		4	1		6		1	37	
23	Galesburg	404	1		1			1	3	15	3	1	12		1	38	
24	Granite City	257	1	2		7	7	2		5		2	11		1	11	
25	Herrin	170	3			1	1	2		4			12		2	8	
26	Jacksonville*	635	6			1				4	2		33			47	1
27	Joliet	593	4				1	4	3	24			16	6	4	68	2
28	Kankakee	294				4		4	1	10	1		6	2		31	1
29	Kewanee	237				4		6		11	1		4		1	20	3
30	La Salle	185	2			2		6		7	1		11		1	19	1
31	Lincoln*	255	1			1		4		13	4		24		2	21	1
32	Mattoon	211	2			4		5		6			10		1	14	1
33	Maywood	139		1			1		2	1			7			16	
34	Moline	359	1			1	2		1	7	1		14	2	1	27	
35	Murphysboro—White	121	2			6	2	1		3	1	1	5		1	11	
	Colored	29				1						1	5				
36	Oak Park	824	1				2	2	4	8	2	1	8	8		90	2
37	Ottawa	205								4			14		1	16	1
38	Pekin	151						4	1				2		1	17	1
39	Peoria	1,108	3	1		4	4	2	6	33	2		33	1	5	118	2
40	Quincy	606	4			3		4	3	11	1		28		2	63	4
41	Rockford	835	3			3	1	1	1	21	4	2	28	3	5	82	7
42	Rock Island	404	1				1	1	5	8	2		20	1	2	49	1
43	Springfield	1,094	4			2	1	10	3	44	3		41	3	5	109	8
44	Streator	220				1				5		1	8		1	23	
45	Urbana	132								2			8		3	20	
46	Waukegan	278	1			1		1	1	11			6		2	20	4
	INDIANA																
47	Anderson	434	2			13	1	8	1	22	1	1	22		4	44	2
48	Bloomington	215				18		3	1	15	1		7	3	1	12	
49	Clinton	107								2			12	1		6	
50	Crawfordsville	167				1		2	1	10			5			13	1
51	East Chicago	456				6		4	5	15	2		26	2	6	15	
52	Elkhart	359	3			1	2	5	1	8	2	1	12	1	2	29	1
53	Elwood	138	2			2		3		3			6		1	14	1
54	Evansville	1,259	9			15	15	20	4	48	7		60	4	11	107	2
55	Fort Wayne	1,251	9			12	2	4	10	39	5		54	6	14	141	2
56	Frankfort	161				2		3		13			8		4	15	2
57	Gary	1,068	3	1		8	2	13	6	40	3	3	47	3	4	54	5
58	Hammond	598	6			1	1	2	4	22	3	1	21	5	4	55	4
59	Huntington	168	1				1	6		5			5		1	13	1
60	Indianapolis—White	4,331	12	2		75	8	32	22	90	11	4	186	18	32	378	13
	Colored	815	7	1	1	15		14	6	16	1	1	89	7	17	25	2
61	Jeffersonville—White	153	1			6		3		6			3			13	
	Colored	28				1		1		1			1		3		
62	Kokomo	398	4	1		4	1	6	2	16	2		21	4	9	37	
63	Lafayette	544	2			5	2	2	7	8			17	2	5	45	2
64	La Porte	225	2			1	1	2	3	7			9			22	1
65	Logansport	274	1						2	10	1		8		1	29	4
66	Marion	336	1					4		11	1		13	4	1	25	1
67	Michigan City	296				3		1	1	6			14		2	23	

[1]Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204,205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
3	35	40	1	16	4	6	7	1	16	3	-------	18	3	-------	9	-------	1	13	1	74	1
2	9	34	-------	9	3	5	5	1	14	2	3	14	3	1	2	-------	-------	12	1	53	2
5	47	34	4	24	14	4	2	2	41	1	6	35	4	1	10	4	1	24	1	46	3
8	42	102	2	46	9	21	7	4	48	2	5	41	8	3	10	-------	-------	28	1	98	4
13	33	45	13	12	9	11	6	5	42	8	-------	19	5	1	8	-------	-------	23	-------	62	5
3	10	41	1	6	3	-------	3	1	33	1	-------	11	5	-------	2	1	-------	3	-------	15	6
15	42	85	1	22	5	6	4	3	38	2	3	26	4	-------	8	-------	-------	11	-------	70	7
2	8	32	-------	13	9	6	3	2	19	1	5	15	-------	1	10	3	2	21	-------	30	8
2	17	11	-------	16	3	7	4	1	11	3	-------	10	2	2	12	1	-------	12	1	30	9
-------	5	13	3	12	3	1	2	-------	23	-------	-------	-------	-------	-------	1	-------	-------	2	-------	18	10
5	15	39	1	10	1	5	-------	2	30	-------	-------	10	2	2	2	-------	-------	9	-------	26	11
2	13	9	2	5	1	4	3	2	13	3	4	13	2	1	3	-------	-------	13	-------	28	12
6	19	44	1	15	5	6	4	1	17	1	2	12	4	3	2	4	-------	12	-------	32	
745	1,353	6,398	226	2,635	583	542	323	299	3,649	125	199	1,875	481	266	633	19	27	1,544	7	3,857	13
34	134	608	19	497	53	43	32	13	406	25	13	152	16	149	60	-------	2	127	1	402	
2	15	27	-------	21	16	6	5	1	17	3	4	16	3	12	6	2	1	17	-------	24	14
4	7	108	3	29	12	2	-------	2	41	1	-------	17	8	8	2	-------	-------	5	-------	34	15
16	27	94	2	52	13	16	16	5	47	5	7	40	5	1	9	2	2	28	2	91	16
16	57	119	2	39	21	10	13	3	70	5	6	54	4	2	17	-------	3	34	6	129	17
8	50	95	5	58	31	10	10	10	67	5	9	43	13	15	16	1	-------	51	4	76	18
1	10	18	1	30	14	4	-------	-------	8	3	1	17	1	13	1	-------	-------	9	3	15	
8	51	95	2	46	5	16	3	2	37	-------	6	29	11	4	10	1	-------	14	-------	302	19
13	45	130	1	41	7	9	10	4	58	3	2	60	7	5	21	1	-------	42	-------	83	20
4	7	46	-------	14	1	-------	-------	-------	15	-------	-------	1	2	-------	-------	-------	-------	5	1	18	21
9	33	55	-------	24	12	15	4	1	33	3	3	20	2	-------	4	-------	-------	13	-------	71	22
5	30	67	-------	30	5	11	5	2	50	1	5	29	3	-------	5	1	1	15	-------	63	23
4	9	15	2	20	16	6	5	3	28	2	4	24	6	7	4	2	1	16	-------	34	24
-------	6	11	-------	9	4	4	1	-------	12	1	1	17	2	16	1	-------	-------	22	3	27	25
5	42	121	2	51	3	11	9	1	60	-------	6	13	2	-------	2	-------	-------	17	-------	196	26
6	30	76	6	41	14	15	7	4	55	3	6	41	7	3	24	1	2	44	1	75	27
3	14	51	1	27	7	9	9	-------	26	1	4	18	2	1	6	1	-------	15	-------	39	28
1	27	32	3	30	7	6	2	1	19	2	2	18	1	1	2	-------	-------	8	-------	25	29
4	12	21	-------	16	2	4	2	1	14	1	-------	15	-------	1	4	1	-------	15	-------	22	30
2	13	35	1	26	9	6	1	2	18	3	-------	10	4	1	3	2	-------	10	1	37	31
4	5	24	2	10	8	7	2	1	34	3	1	10	2	2	3	-------	-------	10	1	39	32
4	8	42	1	14	1	-------	1	-------	8	-------	-------	8	1	-------	1	1	-------	4	1	16	33
6	32	68	4	29	6	11	3	-------	22	1	4	25	7	1	5	1	-------	18	-------	59	34
1	10	9	1	5	2	2	3	2	8	1	-------	9	-------	2	1	-------	-------	13	-------	19	35
1	-------	2	-------	-------	1	-------	-------	-------	-------	1	-------	3	-------	1	1	-------	-------	2	2	8	
20	40	154	1	53	5	32	7	6	92	4	10	79	4	5	19	4	-------	30	1	130	36
2	15	49	-------	11	8	2	1	3	25	4	2	4	3	1	3	2	-------	11	1	22	37
3	19	28	-------	9	1	2	1	2	4	1	1	11	-------	1	4	-------	-------	8	1	29	38
13	89	197	3	72	19	11	11	19	73	2	7	61	16	10	16	1	-------	52	2	220	39
15	64	128	10	35	11	14	6	6	41	2	6	30	7	3	6	1	-------	20	2	76	40
15	47	124	10	55	16	15	14	8	78	6	12	64	16	2	13	-------	1	45	1	132	41
10	41	83	-------	20	4	8	4	2	23	1	2	9	7	1	8	-------	-------	9	4	77	42
16	75	162	4	66	19	29	22	13	96	9	7	53	9	10	13	4	1	56	6	191	43
4	21	43	1	14	6	9	6	2	19	1	2	14	2	-------	3	1	-------	10	1	22	44
2	8	30	-------	5	2	2	1	-------	8	-------	-------	9	2	1	-------	-------	1	5	-------	23	45
2	14	38	-------	38	9	5	5	1	20	1	1	21	2	3	4	1	3	20	-------	43	46
6	21	63	4	32	10	7	8	4	27	2	2	26	7	2	10	-------	-------	21	-------	61	47
4	11	17	1	12	13	5	2	-------	25	-------	2	14	1	2	4	-------	-------	18	-------	23	48
-------	4	15	-------	12	4	-------	1	2	9	-------	2	10	2	2	4	-------	-------	10	-------	9	49
3	15	35	2	9	1	3	1	-------	12	2	2	4	2	1	5	3	-------	9	-------	25	50
3	12	47	1	88	45	1	2	12	17	1	1	47	5	8	6	1	1	37	1	39	51
11	36	55	3	26	4	9	4	1	41	4	4	17	3	1	6	2	2	19	-------	43	52
3	9	18	1	10	1	1	2	1	19	1	1	12	-------	-------	2	1	-------	7	-------	17	53
21	91	163	12	102	21	31	20	15	117	4	6	60	15	8	21	-------	1	58	-------	191	54
20	90	139	4	85	23	22	17	6	143	9	11	66	17	7	30	-------	1	47	7	209	55
2	19	26	-------	10	4	5	1	1	8	1	2	7	2	2	1	2	-------	8	-------	13	56
7	37	102	10	174	34	21	16	9	46	13	11	76	12	25	25	11	1	95	4	147	57
9	24	69	3	53	25	14	5	7	45	2	4	48	6	7	22	6	3	44	-------	73	58
4	19	34	-------	9	3	2	2	-------	15	-------	1	11	4	-------	3	1	-------	7	-------	20	59
80	329	757	13	329	95	60	46	34	366	21	25	185	48	13	75	10	10	139	-------	813	60
6	32	145	3	111	25	10	8	9	65	3	9	29	3	19	8	1	-------	29	-------	98	
1	14	25	2	5	8	2	2	1	19	-------	-------	7	1	2	-------	-------	-------	6	2	24	61
1	1	7	-------	2	-------	-------	1	-------	5	-------	-------	1	-------	-------	-------	-------	-------	2	-------	1	
4	17	62	1	31	19	5	7	6	35	4	3	21	4	-------	4	-------	-------	18	-------	50	62
13	49	119	-------	37	10	8	9	3	30	4	4	32	4	1	8	1	-------	23	-------	92	63
7	18	48	-------	11	7	1	2	-------	18	2	2	11	4	-------	5	1	-------	6	1	33	64
4	33	23	-------	12	-------	13	3	2	48	1	4	11	2	1	4	-------	-------	14	1	42	65
1	36	67	1	21	5	6	2	4	25	1	-------	12	3	1	4	4	-------	21	-------	61	66
5	13	55	1	18	8	3	2	2	20	2	4	23	7	1	6	2	-------	21	-------	53	67

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	INDIANA—continued																
1	Mishawaka	288	2			8	1	15	3	15			8		2	31	
2	Muncie	515	3					2	3	22			32		7	44	2
3	New Albany	368	3			7		9	2	25			23	1	1	33	2
4	New Castle	203	2			8	1		1	8			11			16	2
5	Peru	188								8		1	2		1	15	3
6	Richmond	358	1			2	2	4	1	17	1		23			36	2
7	South Bend	992	1			7		28	5	26	4		53	9	7	97	
8	Terre Haute	922	1	1		8		7	4	37	2		40	1	1	83	4
9	Vincennes	280	3						3	8			17	3	1	18	2
10	Whiting	75				2		2	1				4			3	
	IOWA																
11	Boone	162							4	5			7	1		13	
12	Burlington	387	1			1			2	17	2		10	1	2	44	1
13	Cedar Rapids	552	1			8			1	17	4		7	1	4	55	1
14	Clinton	369					1	2		6	3		10	1	2	45	3
15	Council Bluffs	525				2		8		15	1		18	1	3	47	3
16	Davenport	745	1	1		2	2	4	6	12		1	43		2	76	1
17	Des Moines	1,716	4			5	3	12	12	61	5		72	2	12	189	10
18	Dubuque	619	2				1	1	11	12		1	30	2	3	81	3
19	Fort Dodge	283						8	2	8	1		12			24	
20	Fort Madison	181	1			1			2	18			8		1	26	1
21	Iowa City*	438					1		4	3		1	7	1	13	49	2
22	Keokuk	263	2					3		8	1		8		1	22	1
23	Marshalltown	299				2	1	4		21	1	1	5	2	2	23	
24	Mason City	277						4	1	7	1		3	1	2	20	
25	Muscatine	234						1	1	14			11	1		21	3
26	Ottumwa	376				1			1	11			18	1	2	38	2
27	Sioux City	970	2				4	10	3	28		1	26	2	3	96	9
28	Waterloo	435	3			2		1		17			21	3	2	44	1
	KANSAS																
29	Arkansas City	186					1		1	10			5			18	
30	Atchison—White	154	3					1		7			5			21	1
	Colored	33								4			2			3	
31	Chanute	162					1	1	1	3	2		5			10	
32	Coffeyville—White	141		1		2	3	1	6	6			3			10	1
	Colored	28	1							1			4		1		
33	El Dorado	132	2			1		4		6			4			13	
34	Emporia	199	3			1		1	1	13			6			17	
35	Fort Scott	226	6	2		1	1	4	2	7	1	1	6			16	1
36	Hutchinson	268	1					1		5			7	1		23	1
37	Independence	155	1							7	1		7		2	10	
38	Kansas City—White	1,210	2			13	4	8	4	30	4	1	76	3	5	108	6
	Colored	380	3			1		2	1	12			38	1	9	23	
39	Lawrence—White	154	3					1		8			3			13	4
	Colored	30								2			4		1		2
40	Leavenworth—White	205					1		1	10			3			33	
	Colored	40								4					1	4	
41	Parsons	242					1			14			12		2	20	1
42	Pittsburg	139		1		2		1		7			6			16	1
43	Salina	195					1			5			6		2	21	
44	Topeka	809	5	1			1	2	4	21		2	19	1	2	91	2
45	Wichita	1,156	3			6	1	6	2	44	2	1	36	3	1	111	6
	KENTUCKY																
46	Ashland	338	5			9	2	3	4	10	1	1	20	3	5	18	2
47	Covington	974	1			10	2	8	3	23	1	2	67	8	7	70	2
48	Henderson—White	163	1	1		7		8	2	6	2		11	1	2	8	2
	Colored	72						1		6			3		2		
49	Lexington*—White	612	5			7	1	2	1	9	2		39	3	2	31	2
	Colored	350				1		2		4			39	6	3	17	
50	Louisville—White	3,567	13	3		80	7	23	5	87	7	3	178	17	23	285	5
	Colored	1,167	6	1		4		2	5	54		1	99	6	12	58	11
51	Newport	319	4			5		4		23			23	1	1	19	2
52	Owensboro—White	302	6			1		4	5	14	2		24	1	6	26	2
	Colored	66	5			1		1		3	1		6			6	
53	Paducah—White	320	1	1		2		4	1	14	1	1	20	2	2	24	1
	Colored	171	1	3		2		4		4			20	1	4	8	1
	LOUISIANA																
54	Alexandria—White	208	1	2	1			1	2	15			3	1		15	
	Colored	146	4	3				1	1	9	1		7		2	3	
55	Baton Rouge—White	111							1	11			6			8	
	Colored	149								7			15		2	5	
56	Lake Charles—White	128	1					1	1	7	1	1	2		1	7	
	Colored	99		1						9			12			1	
57	Monroe—White	260	6	6					4	10			5		1	17	2
	Colored	199	1	1				2		11			17			9	
58	New Orleans—White	4,656	18	1		1	6	22	21	176	2	6	318	6	20	403	13
	Colored	3,277	18	3	1	3	1	13	11	131			326	3	32	151	10
59	Shreveport*—White	569	7	3					5	18		2	20		3	38	1
	Colored	749	7	4					4	19		1	61	3	10	22	2

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

[Subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204,205		
1	18	36	------	18	8	2	1	------	16	2	2	27	1	3	10	3	------	18	------	37	1
6	45	74	2	50	12	7	4	2	43	1	5	22	4	4	6	------	------	17	2	94	2
7	16	61	4	17	6	5	9	1	25	2	5	30	3	1	6	1	------	8	1	54	3
------	13	22	------	22	11	2	2	2	10	3	2	20	2	1	5	------	------	7	1	29	4
7	21	38	------	14	1	5	3	------	14	------	------	14	1	------	4	1	------	7	------	28	5
6	36	70	3	20	6	4	2	1	38	------	1	20	5	3	3	------	------	10	------	41	6
18	71	143	3	100	18	13	10	5	63	8	9	69	19	10	9	3	1	49	1	133	7
18	57	178	1	50	15	13	15	10	104	5	7	39	14	9	21	2	1	39	1	134	8
5	15	41	------	18	11	8	2	2	18	2	4	24	2	3	8	------	------	22	------	40	9
1	2	13	------	10	8	------	1	1	6	------	------	7	1	------	1	1	------	4	------	7	10
2	17	23	1	10	3	2	3	------	20	------	3	12	1	------	1	1	------	4	------	29	11
6	37	67	2	16	2	8	13	4	24	2	------	22	8	2	4	------	------	15	2	72	12
7	67	100	3	24	3	9	12	5	41	1	3	29	10	2	4	------	1	33	------	99	13
6	34	73	2	20	1	7	4	2	28	2	2	14	4	3	4	1	------	25	1	63	14
11	47	71	------	54	8	12	6	2	31	3	4	31	9	5	5	4	1	22	1	100	15
15	74	133	3	72	1	11	13	4	55	3	6	33	19	2	6	1	------	34	------	109	16
28	110	237	8	156	25	32	25	9	86	9	13	94	20	5	30	1	2	72	4	363	17
16	66	87	7	49	10	13	4	2	30	2	5	30	10	------	7	------	------	29	6	99	18
3	19	31	------	23	3	12	12	4	16	1	4	27	6	------	4	------	------	18	3	42	19
3	10	23	1	16	3	6	1	------	11	1	------	9	1	1	------	1	------	6	1	29	20
10	15	58	------	36	1	4	4	1	26	3	2	27	1	1	4	------	------	18	------	146	21
6	28	37	3	20	1	9	8	1	15	1	6	12	4	1	1	------	------	12	2	50	22
8	23	40	1	23	8	6	3	1	30	4	5	15	3	2	------	------	------	12	------	53	23
2	21	46	1	14	3	6	3	3	14	1	6	22	------	1	5	1	------	20	------	69	24
2	29	30	------	11	3	6	3	------	23	------	1	11	3	------	2	3	1	9	------	45	25
5	31	52	1	20	5	20	7	2	33	4	1	23	8	1	4	------	------	17	1	67	26
18	56	128	2	72	13	32	20	4	53	9	6	71	23	4	16	3	------	47	3	206	27
9	42	55	2	46	2	13	5	------	40	1	5	24	1	3	7	------	------	19	2	65	28
4	19	20	1	4	5	5	7	1	20	------	3	8	4	1	5	------	------	7	1	36	29
4	8	26	------	9	1	6	2	1	18	1	1	7	2	1	2	------	------	8	------	19	30
1	------	3	------	2	1	1	1	------	4	------	------	2	2	1	------	------	------	1	------	5	
4	21	19	2	5	5	7	6	------	6	1	1	8	1	1	2	------	------	7	4	39	31
4	7	16	1	6	9	4	------	------	13	1	1	7	2	1	3	------	------	8	1	24	32
1	2	5	------	5	2	------	1	------	------	------	------	1	------	------	------	------	------	------	------	4	
2	6	12	------	10	6	3	3	------	17	1	------	12	------	1	2	------	------	7	------	20	33
2	17	24	------	6	2	6	1	2	20	2	3	12	2	------	2	2	------	13	1	40	34
6	14	29	1	13	2	7	4	1	25	3	1	10	2	1	4	------	------	10	------	45	35
6	18	43	------	12	4	9	7	------	26	1	1	14	3	2	4	1	------	20	2	56	36
2	23	20	1	2	4	7	5	------	7	3	1	9	1	------	3	------	------	8	------	31	37
26	89	162	8	96	32	14	18	11	101	5	9	67	18	14	7	------	------	58	------	211	38
6	16	45	1	31	22	5	6	4	40	1	1	9	1	20	1	------	------	14	2	65	
2	20	20	------	8	2	5	1	------	8	1	3	8	1	2	3	------	------	7	1	30	39
------	2	4	------	1	------	------	2	------	2	------	1	1	------	------	------	------	------	------	3	5	
3	26	33	3	9	1	1	2	3	12	2	1	8	3	------	1	------	------	9	------	40	40
1	5	11	------	2	2	------	------	------	2	------	------	2	------	------	------	------	------	2	------	4	
------	24	34	1	17	5	3	3	2	20	1	3	9	2	1	------	1	------	10	------	56	41
4	13	11	2	6	2	2	1	1	18	1	1	13	------	1	2	1	------	6	2	18	42
6	13	33	2	13	3	6	2	------	8	4	4	15	3	1	1	4	------	10	1	31	43
13	57	141	4	50	14	11	9	8	62	7	9	52	8	8	16	------	------	42	1	146	44
16	128	155	8	70	16	30	13	5	81	8	4	78	17	6	29	2	------	57	5	206	45
3	14	26	1	29	13	6	2	3	21	3	5	41	2	3	11	------	------	16	------	56	46
16	95	142	4	81	21	18	11	7	95	3	6	62	2	9	15	------	------	44	3	136	47
------	12	19	------	9	2	3	7	3	12	1	------	11	1	1	4	------	------	10	------	17	48
------	4	14	1	8	------	------	------	------	9	------	------	5	------	2	1	------	------	3	------	13	
5	59	99	------	53	13	13	4	2	46	4	3	36	8	4	9	2	------	30	3	115	49
1	19	72	1	38	4	6	3	2	27	1	2	7	2	4	2	------	------	14	2	71	
56	250	562	19	299	124	51	35	20	292	16	20	223	53	27	52	1	2	135	3	591	50
6	64	208	29	137	22	4	13	1	119	3	6	44	4	58	12	------	------	29	1	148	
1	41	61	2	26	10	------	------	3	20	1	1	17	3	------	2	------	------	8	1	40	51
3	20	30	1	15	10	9	------	2	23	3	2	21	2	2	3	------	------	18	------	47	52
------	2	11	------	4	1	------	------	------	11	------	------	4	2	2	------	------	------	1	------	5	
3	19	30	2	24	12	16	4	2	27	2	2	22	2	2	6	------	------	20	4	47	53
3	4	26	2	22	5	------	1	------	15	1	------	4	1	2	------	------	------	7	1	29	
6	2	18	1	9	6	16	3	------	18	2	4	13	4	4	10	------	------	16	------	35	54
1	3	18	------	9	4	4	2	------	20	1	2	9	1	2	1	------	------	8	------	30	
------	14	18	------	5	1	1	------	2	20	------	------	2	------	------	------	------	------	4	------	18	
2	15	33	------	7	2	------	------	2	18	------	------	9	------	4	1	------	------	4	1	22	55
1	5	17	------	3	2	7	4	------	8	------	4	15	1	1	4	------	------	8	5	21	
1	4	14	------	9	1	1	------	------	7	2	------	2	------	------	1	------	------	7	5	22	56
4	14	14	3	12	3	12	6	------	11	4	3	26	2	5	7	2	------	27	------	54	
------	10	22	------	14	1	3	7	1	20	------	3	6	------	9	4	------	------	17	1	40	57
70	252	926	11	313	88	79	49	55	529	29	38	193	71	49	61	1	1	212	1	615	
28	156	584	17	349	105	36	28	26	321	16	32	141	7	89	24	1	1	127	------	486	58
12	25	69	------	23	10	17	14	9	38	8	6	30	10	10	16	1	------	41	6	127	
18	17	118	3	53	5	22	19	8	55	4	16	19	1	21	10	------	------	26	9	202	59

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	MAINE																
1	Auburn	200				6		2		2	1		5	1		17	
2	Augusta *	340								10			16		1	25	1
3	Bangor *	558	2					1	1	14	1		37	5	2	41	
4	Bath	166	1			1	1	1		3	1	1				20	
5	Biddeford	277	1			7			1	13			9			20	
6	Lewiston	619				23	1	7	3	25		1	14	3	4	60	1
7	Portland	1,154	1			9		12	1	20	2	1	35	6	6	129	11
8	Sanford town	168	1			3	1	3		9	1		5	2	2	23	
9	Waterville	213							1	12			9	3	2	18	1
	MARYLAND																
10	Annapolis—White	101						1		2			1			10	
	Colored	71						1		1			5	1		2	1
11	Baltimore—White	9,220	25	2		87	10	44	52	197	10	17	490	32	32	907	28
	Colored	2,990	17			20		27	7	46	1	4	284	13	37	142	12
12	Cumberland	510	5			3	2	7	3	14	1		15	1	1	37	1
13	Frederick—White	231	1			3		4		4			4		2	17	1
	Colored	24														1	
14	Hagerstown	446	5			4	2	10		12	1	1	19		2	25	1
	MASSACHUSETTS																
15	Adams town	114				1		1		2			3		1	9	
16	Amesbury town	119					1	3		4				1	1	11	
17	Arlington town	244				1	2	3		3			9		1	24	
18	Attleboro	257				3		8		6			45		1	22	1
19	Belmont town	137						2		2	1		8			15	
20	Beverly	278						2	1	5			5		2	32	3
21	Boston—White	11,264	13			65	40	105	53	68	27	25	635	56	43	1,158	16
	Colored	456	1				1	4	2	1	1	1	52	3	9	32	2
22	Braintree town	158				1	2			2			33			14	
23	Brockton	762				2	2	2	1	10	2		20	3	2	98	4
24	Brookline town	485						1		7	3		17		4	81	1
25	Cambridge	1,481	6			4	2	21	1	10	1	2	99	3	9	162	5
26	Chelsea	614	1			1	1	2	2	12	3	1	50	3	3	79	1
27	Chicopee	360				14		6	6	13			27	3	1	35	1
28	Clinton town	187				2	1	2				1	2			16	
29	Danvers town *	308								2	1		28	1		16	
30	Dedham town	84							1	3	1		2			10	
31	Easthampton town	113				2	2	1			2		6	1		9	1
32	Everett	367				3		3		3	1		22			45	2
33	Fall River	1,707	1			37	1	18	19	26	1	3	118	10	16	168	1
34	Fitchburg	493	1			10	1	5	5	9		2	28	2	2	53	2
35	Framingham town	295	1			2		1		16	1		11	1	3	29	
36	Gardner town	270	3			3	1	2		6			20	1	1	19	
37	Gloucester	312				1		3		11			12	1		37	
38	Greenfield town	184	1					4	1	3	1		11	1		20	
39	Haverhill	647				2	2	2	3	13			17	2	1	66	3
40	Holyoke	780	1			6			14	10	3		43	9	9	69	5
41	Lawrence	939				2	2	3	7	10		1	34	4	6	100	4
42	Leominster	263				21			5	5		1	4	1	2	28	1
43	Lowell	1,549	4			10	3	3	6	8	1		73	16	12	113	4
44	Lynn	1,178	4			7	3	9	12	20	2	1	37	3	7	122	2
45	Malden	558				4	3	11	6	8	1	2	16	2	3	64	1
46	Marlborough	194				1		4		4			8	1	1	16	
47	Medford	476	1			2	1	7	2	10	2		18	1	2	68	1
48	Melrose	232	1			1	1	1		5		1	7	1		30	
49	Methuen	170							1	5			11		2	20	1
50	Milford town	184								2			11	1	2	13	
51	Natick town	158						4	1	10			3		3	14	1
52	New Bedford	1,500	1			24	5	13	18	50	3	2	96	20	7	97	5
53	Newburyport	248	1			1	1	1		3			1	2	3	25	
54	Newton	559	3	1		2	2		1	12		1	17	1	5	73	1
55	North Adams	309				2		1		5			9	1	3	31	2
56	Northampton *	512	1			3	1	1	1	11	1	1	62	3	2	48	
57	Northbridge town	92							1	3			5			10	
58	Norwood town	123				1				4	1		2	1	2	8	
59	Peabody	220				3		5				1	6	1	1	16	
60	Pittsfield	672				2			2	21	2	1	30	8	2	76	1
61	Plymouth town	173				3		2		14			4		3	19	
62	Quincy	534				1	3	3	3	8			25	1	3	56	1
63	Revere	202						3		2	1		4			25	1
64	Salem	586				3		5	16	17		1	10	1	6	64	2
65	Saugus town	110				6		2		3	1	1	3			12	
66	Somerville	1,081	1			8	4	4	10	21	3	1	34		3	105	3
67	Southbridge town	135				4				6			5			17	
68	Springfield	1,820	1			30	3	10	7	27	3	3	71	11	11	178	4
69	Taunton *	638				8		7	1	20	2		30	2	3	55	3
70	Wakefield town	128					2	1		3			7	1	1	11	
71	Waltham	406	1			2	3	9	1	7	1		12	6	3	38	4
72	Watertown town	192					1			2			5		1	18	
73	Webster town	111				4				1			6			18	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204,205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
1	33	40	2	16			1		22		2	13	2		1			4	4	25	1
6	42	60	1	48	2	1	3	1	25	3	2	19	2	1				8	1	62	2
11	51	73		54	3	7	2	2	18	3	3	21	5	1	8		1	30	9	147	3
2	11	34	2	9	2	4		2	25		1	5	1					10		29	4
7	19	54		20	8	6	1		13	2	3	28	3		2			12		48	5
11	40	85	5	50	13	15	9	3	50	2	7	51	5		9			26	4	92	6
18	67	228	7	100	14	18	13	3	88	3	11	45	8	1	24			56	7	212	7
4	12	25		7	8	3	1		11		1	19	1		1			6	3	16	8
2	22	33	1	9	2	6	2	1	22	1	4	13	3	1	4			11		30	9
1	11	16	1	6	1	1	2		10			8	1		5			7	2	15	10
1	4	8	3	8	2	1			5	1	1	1			1			9	1	14	
203	720	1,623	57	993	149	97	106	56	960	30	40	467	104	23	138	2	1	388	2	1,128	
17	192	437	4	486	80	18	32	6	304	11	25	170	6	39	40			123	2	388	11
10	23	75	2	39	17	16	8	2	58	2	12	43	3	3	10			29	1	67	12
2	26	35	3	13	1	6	6	1	25	1	5	14	3		11			14		29	13
	1	2	3				1		3			2	1		1			1		8	
8	28	69	1	44	14		4	3	55	2		25	3	3	6			25	5	69	14
1	7	15		7	3	1	1		14	1		12	2		1		1	9		22	15
1	15	27	1	17	2		1		8			6	1					7		12	16
6	20	65		18	2	5	1		20	2		16	4		4			7		31	17
5	15	37		18	2	4	1		23	1	3	13	2		8			4		35	18
1	15	46	2	9					12						1			7		16	19
4	22	79	1	25	1	1	4	1	24		3	12	3		2			13	1	32	20
197	618	2,244	42	1,182	231	152	130	69	632	54	87	748	103	26	146		4	471	22	1,802	
6	32	68	1	78	6	2	10	2	24	1	1	25	3	5	3			14		66	21
2	13	34		13			1	1	15			5	1		1			8		12	22
26	54	158	8	49	4	12	14	8	54	5	4	53	5	3	13			37	1	108	23
10	44	144	2	31		1	2	1	31	1		6	5		4			17		72	24
16	120	310	7	131	24	22	13	7	84	7	10	112	11	3	19			59		201	25
6	33	155	3	65	4	6	3	4	27	4	2	27	4	1	12			21	3	75	26
5	20	66	3	35	16		2	4	19		2	34	2		1			11		34	27
5	14	40		31	2	4		1	9		2	13			4			5	5	28	28
4	33	45	2	30					12			2	5		2			7		118	29
3	7	24	1	6	3		1		6			1	1					3	1	10	30
4	9	27	1	13	4		1	1	6		1	10	1					3		8	31
8	28	84	2	43	3	3	4		27		2	23	1	2	4			13	1	40	32
38	95	283	12	125	74	21	14	6	200	3	7	123	11	4	19			69		184	33
5	31	105	1	47	7	8	2	2	36	3	4	34	6		4	1		17	1	59	34
5	26	46	1	40	3	1	3	2	23		3	21	3	1	8			15		29	35
2	26	51	2	19	7	3	4	1	25	1	3	19	2		3			8		38	36
7	29	69	5	31	5	3	4		23	1	4	17	2		4			15		28	37
6	14	25	2	14	2	2	5		20		1	11	2		3			7		28	38
14	43	153	1	50	3	9	4	4	42	6	8	35	8		7			31	3	115	39
15	39	124	3	75	33	12	5	5	67	2	8	60	9	2	17			33	1	101	40
17	87	178	10	84	30	15	9	1	66	8	10	75	14	4	17			30	3	108	41
3	22	53	4	25	1	1	1		20	1	1	15	4	1	6			10		27	42
15	106	335	18	144	50	21	10	13	64	1	20	119	9	2	22	1		55	7	284	43
21	89	249	11	101	11	19	11	5	104	9	10	71	14	2	13			49		160	44
10	32	104	2	65	3	7	5	3	37	2	4	26	4		8			21	1	103	45
3	24	35		9		7	2		12	1	1	17	1		9			7	3	28	46
7	33	115		31	14	1	1	4	36	1	3	27	4	2	7			21		54	47
3	23	56	1	9	1	4	3		19	1	1	14	2		6			8		33	48
3	17	30		16	2	2	3		11	2	2	13	1		1			7		20	49
1	21	21	3	27			4	2	10		3	16	1		2			12		32	50
	19	37		11	1	2			9			14	2		5			7		15	51
19	121	270	17	180	32	15	14	8	92	5	7	113	10	2	11		1	46	3	193	52
3	29	64	1	16		1	7	1	18		3	15	1		1			14		36	53
4	53	146	1	57	2	5	1		24	2	4	33	3		6			18	3	78	54
4	29	57	1	20	5	5	6	1	46	1	2	16	1		5			12		44	55
9	45	109	2	20	5	4	2	1	59	1	2	23	6		3			18	1	67	56
2	7	24	1	8	2	1			3		1	8	1					5		10	57
1	9	28	1	4	2		2		8	1	1	13	1		7			7	1	18	58
4	18	34	3	29	5	2	2		7	2	3	17	4	1	6			1		39	59
13	60	127	1	52	8	8	7	5	63	1	4	31	10	2	9			3		103	60
7	12	38	1	5		1	2	1	13		3	4			6			8		27	61
7	42	127	2	48	7	10	3	2	39	1	5	36	6	1	9		1	19	2	63	62
3	25	57	1	28	3		1		10		1	6	1	1	3			5	1	20	63
8	40	157	5	56	7	8	6	2	21	1	4	34	3		7			21		81	64
1	8	19	2	10	3				10			10	1		1			4		13	65
16	94	239	7	104	17	4	7	3	80	1	8	62	10		14			33		185	66
2	17	25	2	13	2				13	2		9			2			1	1	14	67
30	149	343	5	144	15	32	14	6	188	9	14	138	17	3	38		1	67	2	246	68
5	50	129	4	78	11	4	4	2	32	1	5	33	2		8			20		119	69
2	24	19	1	11					10			8	1		1			3		22	70
3	34	83	1	47	9	8	4	1	21	1	2	29	7	2	3			14		50	71
3	22	42	1	26				2	21			8	4		1			4		31	72
2	12	19	1	11				1	6			8	2		1			6		13	73

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	MASSACHUSETTS—continued																
1	Westfield	222	1			7		3		2	1		15	1		20	2
2	West Springfield town	122				1	1	1		6			1			5	2
3	Weymouth town	195					2			3			6		4	17	1
4	Winchester town	163					1	1	1	1			7	2		19	
5	Winthrop town	157				1	1								1	18	
6	Woburn	217						1	2	14			7	1	2	23	
7	Worcester	2,701	1			17	5	13	17	26	5	2	132	18	16	272	4
	MICHIGAN																
8	Adrian	232	2			4	1	1	1	3	1		11		1	22	
9	Alpena	176	1			1				3			3		2	15	
10	Ann Arbor*	953	1			5	1	1	2	9	3	1	28	5	20	160	2
11	Battle Creek	624	2			4			3	16	2	1	8	1	4	72	2
12	Bay City	629	2			1		3	4	30			21	4	3	62	3
13	Benton Harbor	214	2				1	1	1	6			6	1	1	22	
14	Detroit—White	14,323	25	1		285	98	78	438	268	65	23	771	66	67	987	61
	Colored	1,906	4	1		28	1	10	12	31	12	4	264	14	32	39	11
15	Escanaba	226				1		1		10	1				2	19	1
16	Flint	1,295	1			13	11	27	3	41	8		40	6	5	88	7
17	Grand Rapids	1,773	2			8	3	23	5	36	11	3	53	5	3	159	6
18	Hamtramck	417				8	3	5	13	12	1		27	2	2	12	4
19	Highland Park	625	1			9	3	4		12	2	4	18	3	3	42	2
20	Holland	129				3			1	2			6			13	1
21	Ironwood	143				1		6		2	1	4	9			6	
22	Ishpeming	151					1		2				10		1	10	3
23	Jackson	753				7	3	6	7	36	3		34	1	2	63	2
24	Kalamazoo*	978	1			3	4	4	4	28	7		33	2	4	68	
25	Lansing	766	1			5	3	16	5	21	3		14	1	5	63	2
26	Marquette	202					1	1		2	1		8	3	4	12	
27	Monroe	187				15		2		2			6			22	
28	Muskegon	582				4	2	7	4	14	1	2	9	3	1	55	
29	Owosso	226	1			1		2	2	2	2	1	7	1		15	
30	Pontiac*	610	2			13	8	4	13	12	4	1	33	2	2	34	3
31	Port Huron	451	2				7	4		10	1	1	16	3		31	3
32	Saginaw	1,083	15			21	5	3	3	23		1	42	4	6	70	
33	Sault Ste. Marie	178	1					9		8			8			18	
34	Traverse City*	330				1			3	6	3		30		3	18	
35	Wyandotte	302				6	2	3	9	8			15	2		16	1
	MINNESOTA																
36	Austin	121				1				2					1	9	3
37	Duluth	1,195				7	9	12	4	8	4	2	53	5	10	133	4
38	Faribault*	212					1	1	4	14	1		26	2	4	16	
39	Hibbing	137				2	1	4	2	2	1		4	1	1	10	
40	Mankato	202							2	5			5		1	33	
41	Minneapolis	5,002	6			42	26	24	74	59	13	1	189	17	22	622	7
42	Rochester*	900	1				2			6	2		13	1	6	204	2
43	St. Cloud	222				1			3	8		2	5	1		22	
44	St. Paul	3,052	3			21	11	8	22	60	14	4	165	7	22	328	9
45	Virginia	130				1	1	2		4			6	2	2	6	
46	Winona	255	1				1			6			12	1	3	22	1
	MISSISSIPPI																
47	Biloxi—White	178							2	20	1		8		1	7	
	Colored	55							1	3			4			6	1
48	Columbus—White	74	1						1	4			1			5	
	Colored	151	2	2				1		14			18			6	
49	Greenville—White	128	1	3		1		1		2			1			8	
	Colored	280	5	4						8			15		1	13	
50	Hattiesburg—White	165	2	2					1	17			4		2	17	
	Colored	142	1	2				3	1	5			10		2	3	
51	Jackson*—White	295	2	1			1			14			8		2	25	1
	Colored	368	4	5				4		38			22		4	6	4
52	Laurel—White	181	4						3	6			5			12	1
	Colored	140	3	1				1	1	2			10		2	5	
53	Meridian*—White	329	2	1				1	3	23	1		12			13	1
	Colored	277	10	3					1	25			22		5	4	1
54	Natchez—White	135	5							5	1	1	6	1	1	12	
	Colored	223	4	4						13			20		3	10	
55	Vicksburg*—White	209	1	3				1		6			8			15	
	Colored	473	4	1				1	2	11	1		27	1	7	30	
	MISSOURI																
56	Cape Girardeau	238	7	1			4			6			20		1	18	
57	Carthage	152	2							12			11		2	8	
58	Columbia—White	154	4				2		1	12	2	1	5	1		17	
	Colored	55	1							1			5		1		
59	Hannibal	327	2				3	4	3	10	1		16		2	27	1
60	Independence	206	5			1	1	2		13		1	8		1	18	2

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204,205		
5	19	31	1	20	2	2	2	-------	28	-------	2	10	1	1	4	1	------	13	-------	28	1
1	13	31	1	14	1	-------	-------	-------	18	-------	1	3	3	1	1	-------	------	3	-------	14	2
2	19	56	1	14	3	1	2	-------	22	1	3	7	1	-------	3	-------	------	8	-------	19	3
3	13	29	2	13	-------	1	3	-------	4	1	3	17	3	1	5	-------	------	9	-------	24	4
5	17	32	-------	13	-------	2	-------	2	26	-------	2	7	2	-------	2	-------	------	8	1	17	5
5	35	24	2	15	1	-------	3	-------	17	1	2	16	1	-------	7	-------	------	10	-------	23	6
41	179	466	16	317	33	34	28	11	282	14	27	191	23	2	32	-------	------	102	1	374	7
1	21	44	3	7	5	7	2	4	15	1	------	15	1	1	5	-------	------	12	1	40	8
2	17	34	4	5	4	3	1	2	8	2	5	15	1	-------	3	-------	------	8	2	35	9
19	24	119	6	58	7	14	19	7	48	4	10	44	8	1	22	-------	2	27	1	275	10
7	66	89	7	32	10	12	3	4	28	3	6	40	19	2	16	5	------	34	2	124	11
9	43	115	4	30	10	10	9	2	44	4	7	42	9	2	15	1	------	35	2	103	12
3	19	33	-------	17	-------	3	4	2	15	1	2	6	1	1	15	-------	------	14	-------	37	13
189	730	1,890	124	1,573	387	240	187	89	695	124	105	1,224	186	178	379	10	12	619	13	2,136	14
11	70	210	13	362	31	40	27	8	64	7	14	81	12	150	20	-------	2	58	3	260	
4	22	40	8	10	-------	5	3	3	23	2	1	16	3	2	2	-------	------	17	2	28	15
14	81	165	5	139	54	28	12	3	63	11	12	133	13	9	30	9	------	73	3	188	16
35	151	336	13	106	44	29	22	10	141	5	15	101	17	2	32	1	1	66	1	328	17
3	11	65	5	63	21	1	3	7	17	2	4	61	8	2	-------	-------	------	9	1	45	18
8	23	87	4	50	8	17	14	1	29	9	12	68	7	18	38	2	1	35	-------	91	19
5	13	21	3	1	4	1	4	1	6	1	2	14	1	-------	3	-------	------	2	-------	21	20
4	10	23	4	7	5	2	1	1	2	-------	1	18	3	1	-------	-------	------	8	1	23	21
6	13	24	1	11	2	2	1	4	5	1	1	16	3	-------	2	-------	------	7	-------	25	22
14	65	130	6	39	12	13	9	1	53	4	5	54	7	4	21	2	1	34	-------	115	23
17	86	186	2	53	16	16	10	4	57	3	7	51	9	1	20	4	------	35	2	241	24
12	68	122	5	42	17	17	8	5	55	5	5	67	5	-------	24	-------	------	34	3	133	25
4	14	31	5	12	4	6	3	-------	21	1	2	13	-------	-------	1	-------	------	14	1	38	26
1	9	25	-------	14	5	1	2	-------	9	-------	1	18	1	2	9	1	------	18	-------	24	27
13	45	97	4	69	8	9	5	2	28	5	8	56	9	8	16	-------	------	20	2	76	28
7	23	37	-------	15	1	3	7	-------	12	5	3	11	-------	1	3	1	------	17	1	45	29
4	51	61	4	41	13	8	3	2	32	6	5	47	4	10	20	-------	------	20	1	147	30
10	32	90	7	31	2	6	3	3	40	2	2	36	2	1	13	-------	------	21	-------	72	31
18	57	207	6	165	21	24	17	7	51	7	4	79	8	2	14	-------	------	43	2	158	32
3	13	28	1	9	-------	5	3	-------	10	2	3	14	2	1	5	-------	------	6	-------	29	33
3	22	67	1	27	-------	4	3	-------	15	1	------	8	2	1	4	-------	------	10	-------	98	34
-------	17	36	-------	22	11	7	4	1	13	1	2	31	3	2	10	7	------	30	2	41	35
4	5	28	-------	10	3	1	4	2	9	2	3	8	-------	-------	1	1	------	6	-------	18	36
18	83	189	5	93	8	31	14	10	40	5	11	86	28	1	26	2	1	50	1	242	37
4	9	24	1	16	-------	6	2	-------	12	-------	2	9	1	-------	3	-------	------	4	-------	50	38
2	6	17	1	9	3	1	3	4	7	4	4	19	3	-------	3	-------	------	9	-------	14	39
2	8	22	-------	12	2	7	5	1	18	-------	2	8	3	1	8	-------	------	11	-------	46	40
90	328	818	10	435	34	90	48	28	251	32	41	312	91	9	69	1	5	219	3	986	41
4	31	87	2	40	-------	18	14	9	28	2	3	26	5	-------	6	-------	------	21	2	365	42
2	11	34	-------	10	6	4	6	1	11	4	1	32	1	-------	3	1	------	11	1	41	43
64	211	539	18	228	14	60	33	25	160	16	23	184	38	13	46	-------	4	137	1	564	44
2	10	20	1	19	3	4	3	1	6	1	-------	8	1	-------	1	-------	------	10	-------	16	45
5	30	57	-------	20	1	4	2	2	15	-------	-------	11	1	-------	1	-------	------	4	3	52	46
2	8	23	1	15	15	1	-------	2	18	-------	-------	20	-------	-------	3	-------	------	13	3	15	47
-------	1	10	1	6	1	1	-------	-------	5	-------	1	4	-------	-------	-------	-------	------	3	1	6	
1	2	7	-------	5	-------	2	1	1	7	1	------	2	4	2	1	-------	------	11	2	13	48
-------	12	17	-------	10	6	3	2	2	5	-------	1	8	-------	1	2	-------	------	10	4	25	
1	7	7	-------	14	2	5	5	-------	12	2	3	10	-------	-------	1	1	------	16	4	21	49
2	29	24	-------	14	3	7	7	2	31	-------	-------	3	-------	17	2	-------	------	14	39	40	
4	9	8	1	16	3	4	2	-------	23	-------	2	5	-------	2	4	-------	------	15	3	19	50
-------	9	10	-------	10	4	1	2	-------	17	-------	2	3	-------	3	-------	-------	------	10	21	23	
7	12	31	1	9	3	13	7	2	20	4	2	16	3	4	10	2	------	21	9	65	51
2	18	32	-------	16	3	12	11	3	20	1	6	10	-------	9	4	-------	------	23	42	69	
4	8	12	-------	11	3	10	2	2	23	3	4	13	-------	4	6	-------	1	11	2	31	52
-------	5	7	-------	14	1	4	2	-------	16	3	1	4	-------	6	1	-------	------	11	6	34	
4	22	35	1	15	2	8	4	3	36	3	2	16	2	2	4	-------	------	18	9	86	53
2	15	24	-------	22	5	3	6	-------	23	3	2	5	2	9	2	-------	------	13	18	52	
1	10	23	-------	10	1	2	3	-------	12	-------	1	1	1	1	2	-------	------	6	2	27	54
2	7	27	-------	7	2	2	2	-------	25	2	3	6	-------	2	-------	-------	------	5	37	40	
6	7	23	1	16	3	3	4	4	33	1	5	6	2	2	6	-------	------	15	10	28	55
3	19	57	2	40	7	8	20	1	48	1	1	5	-------	20	3	-------	------	21	41	91	
2	7	18	-------	21	10	13	4	1	22	3	2	19	1	-------	2	-------	------	16	4	36	56
3	6	26	1	5	6	2	1	1	27	-------	1	6	1	-------	2	-------	------	7	-------	22	57
1	16	13	-------	17	2	6	3	1	14	1	1	5	3	-------	1	-------	------	4	-------	21	58
-------	2	13	-------	13	2	-------	-------	-------	3	1	------	1	-------	1	1	-------	------	2	1	7	
5	25	48	4	20	3	4	8	7	40	2	4	10	4	2	3	-------	------	19	2	48	59
2	22	25	-------	19	4	1	4	1	16	1	2	15	1	1	3	-------	------	14	-------	23	60

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	MISSOURI—continued																
1	Jefferson City—White	193	3					2	1	2			8			18	1
	Colored	29				1		1					6			3	
2	Joplin	511	2	2			1	1	6	22	1		40		7	31	1
3	Kansas City—White	4,236	11	1		41	18	20	15	115	7	1	175	12	22	409	7
	Colored	901	2			1		6		24	2		135	2	8	34	10
4	Moberly	199				1	2	1	1	7		2	6		3	19	
5	St. Joseph*	1,226	1			2	3	1	4	35	5	1	47	3	6	93	3
6	St. Louis—White	9,569	12	2		83	62	56	95	110	16	13	286	19	27	1,053	22
	Colored	1,971	7	6		9	4	18	12	24	2	1	204	5	28	91	8
7	Sedalia	279	3				1	2		14	1		8		3	22	1
8	Springfield	706	4	1		3		10	3	28	4		32	6	3	48	2
	MONTANA																
9	Anaconda	149								4	1	2	4	1	1	15	2
10	Billings	198	1							5	1		3		3	15	1
11	Butte	673			1		1		1	25		3	45	1	2	48	3
12	Great Falls	302				1		1	1	7		1	7	1	2	39	1
13	Helena	179								3		1	6			15	
14	Missoula	249	2				1		3	7		3	3			34	1
	NEBRASKA																
15	Grand Island	232					1	3	2	7		1	9		1	30	1
16	Hastings	217	7					4		6			9	1	4	22	1
17	Lincoln	801	1					2	1	19	3	1	13	3	4	95	2
18	North Platte	118	1					1		7			3		1	6	
19	Omaha—White	2,559	2		7	15	9	14	14	53	3	4	84	6	15	291	6
	Colored	235	1			3	1	3		4			38	4	5	13	
	NEW HAMPSHIRE																
20	Berlin	171	2			6	1		2	8		1	5	2	3	9	
21	Concord*	557				2		2		9	5		32	1	5	48	3
22	Dover	230					1	1		5			6	1	1	21	1
23	Keene	200				1	1			13			4	1	1	22	
24	Laconia*	176						3		7			2	2	2	22	
25	Manchester	961	2			13	8	7	3	40	1	3	29	5	9	84	6
26	Nashua	387					1	1	1	13	1		15	1	2	34	1
27	Portsmouth	194				2	3	2		7		1	5			23	
	NEW JERSEY																
28	Asbury Park—White	136				4				1			4			12	1
	Colored	42					1						4			2	
29	Atlantic City*—White	917	7			4		3	13	15	1	3	17	1	5	73	3
	Colored	308	2			8		8	1	6			12		2	17	1
30	Bayonne	732	2			23	2	2	5	27	3	1	36	4	5	63	4
31	Belleville*	223				23	7	5	26	1	9	3	6	2	1	9	
32	Bloomfield	211				4		3	1	5			9		1	18	1
33	Bridgeton	279				2	2	1		7			4	1		33	1
34	Camden	1,768	6			18	11	15	33	36	9	4	55	4	9	117	2
35	Carteret	95				5			2	5	1		5		1	5	
36	Clifton	224	1				3	2		7	1		20	1		21	1
37	East Orange	451	1			4	1	1	1	16	1		17		1	56	1
38	Elizabeth	1,308	5			22	4	5	17	21	2	2	42	10	9	114	11
39	Englewood*	278				3				1	1		7	1	1	28	3
40	Garfield	160				3			9	5	1		13			11	1
41	Gloucester	128					1			2	2		6			11	1
42	Hackensack	417	1			4		1	1	5	3		5	1	1	34	2
43	Harrison	132				1				8			8			10	2
44	Hoboken	898	1			3	1	3	9	7	6	4	41	4	2	56	2
45	Irvington	371	1			4		1		7	1	1	20	1	1	62	2
46	Jersey City	3,802	6			37	1	21	32	65	11	7	229	13	23	314	10
47	Kearny	300	1			2	2		2	3	1		9			23	
48	Long Branch*	462	3			6				6	1	2	15	3	5	38	
49	Millville	195	1			6	1		3	4			7		2	17	1
50	Montclair—White	264				3			2	3	2	1	7	3	3	23	1
	Colored	38						1					9			3	
51	Morristown*	375				2	2		1	5	2	1	15	4	1	33	1
52	Newark—White	4,791	7			58	1	8	10	41	3	3	204	20	18	488	20
	Colored	673	1			5	1	4		9	2		66	6	9	30	2
53	New Brunswick	572	4			3		1		14	1	1	29	2	6	50	1
54	Orange*—White	561	2			9	1			9		4	19	3	4	59	2
	Colored	70				1				2			3	1	1	2	
55	Passaic	725	3				1	1	18	22	1	2	40	4	6	59	8
56	Paterson	1,830	3			7	4	2	9	41	7	2	103	8	12	180	6
57	Perth Amboy	486	4				3	6	9	13	3	1	16	5	2	48	2
58	Phillipsburg	247				1		2	4	12			9	2	1	14	1
59	Plainfield	467	1	1		2		6	2	7	1	1	12	3	1	57	1
60	Rahway	174	1				1	1	2	2	1	1	2		2	10	3
61	Summit	192	1			1				3	1	1	7		5	21	1
62	Trenton	1,890	9			12	3	5	2	42	8	2	110	9	8	128	6
63	Union City	468				2		5	3	14			27			49	3
64	West New York	223	2			7			4	6			17	1	1	19	2
65	West Orange	114				2				6			4		1	11	1

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204,205		
3	11	23	-------	28	3	5	4	1	10	6	-------	9	2	-------	7	-------	-------	12	-------	34	1
-------	3	6	-------	3	-------	-------	1	-------	3	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	1	
4	38	68	1	45	21	15	4	4	39	1	2	25	4	3	10	2	1	25	8	77	2
59	244	578	13	364	100	83	49	50	431	21	31	214	70	60	68	-------	1	211	4	731	3
4	30	115	1	136	13	11	9	12	108	2	4	27	-------	56	14	-------	-------	20	-------	115	
3	18	23	2	11	1	10	4	1	25	-------	1	4	-------	2	2	-------	-------	7	3	40	4
22	106	192	3	88	14	44	23	6	86	10	7	56	13	11	18	1	-------	55	-------	267	5
175	398	1,767	69	1,062	183	161	98	114	1,105	43	28	404	176	76	160	7	8	358	5	1,316	6
12	48	311	10	320	23	17	18	11	302	9	10	69	5	79	12	-------	-------	68	-------	228	
4	24	32	-------	11	7	6	3	-------	63	2	-------	11	4	6	5	3	-------	13	2	28	7
13	55	86	2	54	18	27	12	2	50	9	5	45	12	6	10	1	-------	30	1	124	8
3	10	20	1	13	4	1	-------	1	4	2	1	11	1	2	2	1	-------	10	5	27	9
2	10	19	2	9	6	11	2	2	8	4	2	26	6	3	3	-------	-------	12	1	41	10
9	37	90	2	85	5	23	9	10	51	6	1	34	15	5	14	-------	-------	46	-------	101	11
3	10	38	3	25	3	5	4	1	24	1	4	27	7	3	7	-------	-------	10	1	65	12
1	19	38	2	21	1	7	-------	1	11	1	3	7	4	-------	2	-------	-------	5	-------	31	13
6	17	47	-------	15	2	5	3	3	15	2	2	14	4	1	2	-------	-------	11	-------	46	14
3	20	27	-------	13	5	6	1	-------	17	2	2	19	4	-------	2	-------	-------	10	1	45	15
1	20	35	-------	10	4	5	5	1	16	-------	2	20	4	-------	1	-------	-------	7	1	31	16
14	68	113	3	53	10	32	11	3	71	10	6	53	8	1	15	1	-------	38	1	146	17
4	8	20	-------	6	2	8	4	-------	10	1	2	7	1	3	2	-------	-------	5	1	15	18
35	145	416	5	225	34	58	39	12	139	25	19	167	41	7	32	2	1	128	4	502	19
5	7	23	-------	32	-------	2	2	1	20	2	1	4	1	9	1	-------	-------	10	1	42	
2	14	26	-------	12	2	3	3	-------	4	-------	2	24	1	-------	3	-------	-------	13	1	22	20
8	46	95	5	88	3	7	6	1	32	-------	9	20	8	-------	3	-------	-------	21	1	97	21
7	26	47	2	20	1	-------	2	1	27	3	-------	10	1	-------	1	-------	-------	9	-------	36	22
1	28	31	3	19	-------	1	2	1	26	-------	2	8	-------	1	2	-------	-------	5	-------	27	23
4	17	27	2	8	2	2	1	1	13	-------	-------	10	-------	-------	-------	-------	-------	14	-------	37	24
18	87	129	19	64	19	6	14	9	61	3	11	80	7	-------	12	-------	-------	31	30	151	25
11	27	64	3	30	8	7	6	-------	39	-------	4	33	5	-------	7	-------	-------	11	2	60	26
6	20	31	-------	13	3	4	1	-------	22	-------	2	19	3	-------	4	-------	-------	6	-------	17	27
3	19	39	1	4	2	-------	-------	1	15	-------	-------	8	1	-------	3	1	-------	5	1	11	28
1	3	12	1	6	-------	-------	-------	-------	1	-------	-------	1	-------	-------	1	-------	-------	1	1	7	
19	50	206	4	54	12	14	14	11	119	8	4	39	26	3	35	1	-------	44	-------	109	29
3	24	46	9	44	3	1	3	2	29	1	2	13	-------	6	6	-------	-------	11	-------	48	
6	48	132	8	106	13	5	14	3	34	4	4	72	2	1	9	-------	-------	30	1	63	30
2	20	33	1	20	3	-------	-------	1	16	-------	1	6	1	1	1	-------	-------	4	-------	21	31
3	19	48	-------	20	6	-------	-------	4	28	-------	2	13	-------	1	-------	-------	-------	4	-------	21	32
5	28	49	3	18	8	6	4	-------	30	1	4	11	1	3	6	-------	-------	17	-------	34	33
29	117	260	13	241	60	34	15	5	157	15	12	101	14	11	59	14	1	96	-------	195	34
1	4	7	1	13	8	-------	2	1	5	-------	-------	6	2	2	-------	-------	-------	15	-------	4	35
3	11	44	1	18	4	-------	1	2	22	-------	2	22	7	2	2	-------	-------	7	-------	19	36
8	54	127	3	29	3	3	3	4	46	-------	-------	6	5	-------	3	-------	-------	7	-------	50	37
28	87	194	3	167	26	15	7	9	101	5	7	97	15	5	21	-------	1	87	6	163	38
5	19	43	1	26	7	8	5	2	22	-------	-------	23	1	-------	9	-------	-------	16	-------	46	39
3	8	32	2	13	6	-------	-------	2	13	1	1	19	3	-------	3	-------	-------	4	-------	7	40
2	13	20	1	14	3	-------	2	2	21	-------	1	9	1	-------	-------	-------	-------	3	-------	13	41
8	25	70	2	47	3	19	5	8	31	5	4	22	5	2	16	3	-------	23	3	58	42
-------	5	23	1	21	9	-------	-------	-------	11	-------	-------	13	2	-------	2	-------	-------	7	-------	9	43
18	63	209	13	118	9	23	9	6	58	7	5	37	8	2	7	-------	1	61	-------	105	44
12	30	52	2	23	6	13	4	4	34	1	5	15	3	-------	14	1	-------	8	1	42	45
66	226	777	36	508	99	63	45	27	307	17	36	201	34	4	41	-------	-------	193	1	352	46
4	36	78	2	30	3	2	7	3	24	-------	2	15	3	-------	9	1	-------	12	-------	26	47
12	24	81	-------	32	6	17	5	4	37	4	5	24	5	9	16	-------	-------	31	-------	71	48
8	19	27	1	13	3	4	1	-------	22	-------	2	14	2	-------	4	-------	-------	2	-------	31	49
4	31	72	5	18	4	2	1	3	33	-------	-------	7	2	1	2	-------	-------	5	-------	26	50
1	3	2	-------	4	-------	1	-------	-------	9	-------	-------	1	1	-------	-------	-------	-------	1	-------	2	
9	32	50	-------	34	-------	4	4	2	50	2	3	34	3	1	9	-------	-------	12	-------	59	51
101	301	898	33	487	124	106	48	42	436	14	39	314	66	25	97	1	3	213	2	560	52
5	35	64	6	139	27	22	2	2	50	4	7	52	1	12	12	-------	-------	26	1	71	
10	51	65	2	63	7	20	9	3	28	5	6	40	6	4	24	1	-------	29	-------	87	53
8	36	87	4	45	10	14	10	5	50	2	7	51	7	1	8	-------	-------	27	-------	77	54
-------	2	12	-------	11	-------	3	1	1	5	-------	-------	12	-------	2	2	-------	-------	1	-------	8	
7	34	114	6	74	5	22	12	6	40	4	8	47	9	3	32	1	-------	40	-------	96	55
40	134	337	9	156	17	27	24	16	163	8	13	103	26	6	34	1	1	97	3	231	56
5	39	73	1	39	22	4	4	6	33	-------	2	34	4	3	11	-------	-------	27	-------	67	57
4	11	33	1	37	2	1	2	1	31	1	-------	11	5	1	7	-------	-------	22	1	30	58
6	31	71	4	47	2	8	7	-------	47	3	5	35	2	1	9	-------	-------	32	-------	62	59
1	21	33	2	22	2	1	2	-------	11	-------	3	9	3	1	3	-------	-------	14	1	19	60
3	9	33	2	18	1	5	2	1	17	3	-------	6	1	2	4	-------	-------	12	-------	32	61
29	133	336	7	224	28	22	24	9	161	7	9	115	26	9	33	1	-------	95	-------	278	62
12	42	111	12	45	7	1	2	7	52	-------	3	21	4	-------	3	-------	-------	9	-------	34	63
4	13	53	1	26	3	1	-------	1	18	-------	-------	11	2	1	-------	-------	-------	5	-------	25	64
2	9	27	-------	7	3	-------	-------	1	14	-------	-------	5	-------	-------	1	-------	-------	2	-------	18	65

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	NEW MEXICO [2]																
1	Albuquerque*	534	2				2	2	1	11		1	226	2	3	18	1
	NEW YORK																
2	Albany	1,989		1		9	2	8	4	47	2	1	129	2	10	201	4
3	Amsterdam	438	2			2		2	1	16	1		19	3	4	44	
4	Auburn	525								14	1	1	20	3	4	43	5
5	Batavia	317	2				2	2	1	13			11			37	
6	Beacon*	203		1		2	1	2		9	1		13		2	18	
7	Binghamton*	1,225		1		2	5	14	10	33	2	2	36	3	5	96	2
8	Buffalo	7,779	27			8	9	29	31	80	16	9	462	32	31	676	23
9	Cohoes	319							1	8	1		7	1		25	1
10	Corning	246	1				2	1	1	6			8		1	25	1
11	Cortland	260				2			1	4	1		3			34	1
12	Dunkirk	238	1					1		13			9	2	1	22	1
13	Elmira	810	3			5	1	3	2	29	3	1	19	2		72	
14	Fulton	170				1		1		5			3	1	2	21	
15	Geneva	226				1		2		10	1		3			21	
16	Glens Falls	350	1					2		10			6		1	35	2
17	Gloversville	407						1	1	19	1		2		1	40	1
18	Herkimer	132				1		2		2			6		4	7	
19	Hornell	218	1			1				9			6	1		22	
20	Hudson	281	2				3		1	6	1	1	8	2	3	29	
21	Ilion	129								3			4		2	15	
22	Ithaca	355				6	1	6	1	18	2	1	4	2	1	34	
23	Jamestown	574	1				1		2	10	1		21	1	1	59	2
24	Johnstown	153							1	10	1		4			15	
25	Kingston	526	4			6	1	1	1	12		2	41		4	44	2
26	Lackawanna*	373	11			1		5	2	7		1	11	3	1	13	
27	Little Falls	157	1					2	1	8			6		2	16	1
28	Lockport	305	1				1	3	1	6			3			30	
29	Middletown*	436	1					1		6	1		35	1	1	37	
30	Mount Vernon	546	2			9	1	1	6	11			18		2	56	2
31	Newburgh	502				1			8	3	1		28	3	2	37	
32	New Rochelle	465				3		1		13		2	8	3		28	
33	New York—White	71,319	106	2	1	753	81	207	460	916	177	107	4,236	274	295	6,852	258
	Colored	4,746	8			54	2	28	22	45	10	6	652	42	65	210	16
34	Bronx Borough	9,244	16		1	105	15	14	48	133	21	15	592	35	49	983	31
35	Brooklyn Borough—White	25,891	38	1		251	28	93	241	408	64	34	1,326	103	90	2,333	123
	Colored	1,039	4			8	2	7	9	18	1	2	118	2	10	44	6
36	Manhattan Borough—White	26,751	39			323	23	66	120	247	71	45	1,806	109	128	2,604	60
	Colored	3,317	4			39		19	13	21	8	4	487	36	50	139	9
37	Queens Borough	7,833	8			62	14	34	43	112	18	13	429	23	23	767	40
38	Richmond Borough	1,990	5	1		19	1	2	8	22	4		130	8	10	192	5
39	Niagara Falls	687				1	1	11	4	27	3		22	5	1	37	1
40	North Tonawanda	211				1				6			11	1		11	
41	Ogdensburg*	506	2							5	1		19	1	1	28	
42	Olean	333					1	2		9			7		2	25	1
43	Oneida	181						4		4			1		2	18	1
44	Oneonta	184				1				6		1	6			12	
45	Ossining	188				1	1	2		6		1	5		2	17	
46	Oswego	329				1	1	4		3	2		6	1	1	23	
47	Peekskill	213				3		3		6			3		1	22	
48	Plattsburg	256	1					1	1	3		1	12	1	3	27	
49	Port Chester	265	2			2		2		4			9	2	2	15	3
50	Port Jervis	182								8			4			13	2
51	Poughkeepsie	606				14	1	3	1	6			21	8	3	54	
52	Rensselaer	118								1			2			13	1
53	Rochester	4,103	13			17	3	24	32	71	12	1	144	22	22	399	9
54	Rome*	550				2		4	1	13	1		53		1	31	4
55	Saratoga Springs	298					3			1		1	12		1	27	
56	Schenectady	1,087	1			3		3	2	13	3		22	2	4	102	7
57	Syracuse	2,513	3			4		28	3	23	4		70	8	13	223	7
58	Tonawanda	110							1	7			7			8	
59	Troy	1,304	4			1	3	5	2	28	1		46	10	6	113	3
60	Utica*	1,681	2			8	1	23	33	34	4		73	4	8	151	3
61	Watertown	551		1		1		4	1	12	2		22	2	3	50	2
62	Watervliet	173						1	1	12			6	3		14	
63	White Plains	325	2			3	2			5			12	1	1	29	2
64	Yonkers	1,215				15	8	1	16	17	4		82	4	5	99	8
	NORTH CAROLINA																
65	Asheville—White	567	2		1			4	3	10		1	137	7	7	25	
	Colored	250						1	2	18			25	5	3	9	1
66	Charlotte—White	516	1	1			2	4	3	18	1		22	1	2	43	
	Colored	406	3			1		1	2	28			39	1	4	13	2
67	Durham—White	353	2					1	1	15	1		23	3	2	23	
	Colored	346	2					4	2	12	1		37	1	3	10	4

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204,205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
3	10	23	2	25	19	9	8	3	33	3	3	17	5	1	8	------	------	14	17	62	1
55	124	458	8	147	11	26	32	14	174	14	9	97	8	10	41	------	------	70	1	270	2
5	30	79	2	30	6	8	5	3	50	------	4	38	6	1	4	1	------	16	1	55	3
9	44	131	9	31	9	4	7	2	39	4	1	24	4	------	3	1	------	28	1	83	4
5	22	45	1	31	5	5	6	2	13	2	3	18	2	1	6	------	------	18	1	63	5
4	19	44	------	12	1	2	2	2	13	------	------	4	2	1	4	------	------	10	------	34	6
11	82	249	5	117	11	17	14	5	111	1	4	66	9	1	14	------	------	46	------	251	7
165	490	1,520	75	696	212	112	67	52	736	29	51	541	81	32	135	5	6	314	------	1,027	8
3	23	95	------	30	9	3	3	------	24	1	7	27	2	1	4	1	------	14	------	28	9
4	21	41	------	13	1	5	5	1	22	2	4	16	2	------	6	------	------	11	------	46	10
5	25	41	4	16	2	8	7	1	12	------	6	14	------	2	5	------	------	14	------	52	11
2	18	43	1	12	3	2	4	2	22	1	1	21	2	------	8	------	------	4	------	42	12
21	58	132	3	82	6	15	9	2	96	7	5	58	4	2	14	1	------	35	1	119	13
5	10	39	------	6	5	5	3	------	15	------	------	16	1	------	2	------	------	11	------	18	14
7	26	36	5	18	1	4	1	2	18	2	2	12	2	1	2	------	------	14	------	35	15
9	27	79	2	26	4	5	7	------	34	3	1	11	1	------	9	------	------	23	------	52	16
9	36	101	4	35	1	8	4	4	51	4	5	13	6	------	7	------	------	13	------	40	17
1	17	31	------	5	2	2	------	2	14	1	1	8	------	------	1	------	------	7	------	18	18
3	14	50	------	11	------	3	3	------	25	3	1	13	4	------	2	------	------	8	------	38	19
5	22	36	8	16	1	4	3	2	30	1	3	28	3	2	4	------	------	11	------	46	20
3	12	26	------	11	------	2	5	1	9	1	1	6	2	------	------	------	1	3	------	22	21
6	36	70	------	22	2	5	3	2	26	2	3	22	3	1	6	------	------	15	1	54	22
5	50	127	5	40	6	12	9	2	35	2	2	32	2	1	13	------	------	30	------	102	23
2	12	30	------	21	1	------	1	------	20	------	------	6	2	------	------	------	------	4	------	23	24
13	56	106	1	29	4	10	9	1	37	1	4	26	2	------	12	------	------	26	------	71	25
4	5	38	4	46	25	6	5	5	15	2	2	51	1	5	14	6	1	35	------	48	26
3	11	20	2	9	1	6	4	------	8	------	1	10	2	1	7	------	------	8	1	26	27
7	22	88	------	16	2	7	2	1	13	------	2	15	3	3	7	------	------	19	------	53	28
14	40	107	2	27	1	1	9	2	47	2	4	15	4	------	4	------	------	13	------	61	29
9	34	125	2	45	8	7	6	10	39	------	2	36	7	2	7	------	1	19	5	74	30
5	61	99	2	28	3	7	4	5	50	------	4	26	6	1	12	------	------	19	1	86	31
10	23	94	3	76	2	7	3	2	44	------	2	32	8	1	11	------	1	25	------	63	32
1,590	3,139	15,527	320	8,453	1,023	991	619	581	6,016	216	357	3,546	866	320	1,047	8	14	3,416	8	8,537	33
53	119	704	9	866	74	55	30	16	325	33	44	340	23	64	35	------	------	197	6	593	
199	346	2,239	37	1,058	112	174	106	53	633	35	46	499	123	29	119	------	------	313	------	1,065	34
631	1,166	5,934	118	3,154	428	348	183	206	2,309	85	129	1,377	214	91	333	4	10	1,082	6	2,950	35
14	21	166	2	197	27	11	6	3	69	6	14	76	7	7	5	------	------	48	1	128	
556	1,076	5,267	125	3,220	376	315	236	241	2,092	65	114	1,117	425	175	466	2	2	1,637	------	3,605	36
33	89	468	7	605	41	37	22	11	226	25	29	244	12	53	28	------	------	130	4	424	
171	452	1,718	32	883	89	140	76	66	777	29	61	458	98	26	102	2	1	282	1	783	37
39	108	439	8	202	24	21	20	17	235	4	8	115	10	5	29	------	1	121	2	175	38
9	35	104	4	85	28	4	6	7	52	5	6	71	6	5	9	3	------	49	------	86	39
4	15	32	4	20	9	7	6	------	13	------	3	22	2	1	2	4	------	16	1	20	40
5	23	127	3	50	11	6	7	3	27	3	2	29	4	1	4	------	------	14	1	129	41
9	28	58	1	24	3	10	1	3	34	7	4	31	4	1	8	1	------	19	1	39	42
2	12	51	3	17	2	4	1	------	9	1	1	6	1	------	------	------	------	8	------	33	43
2	16	29	3	13	5	2	3	1	17	------	2	10	4	------	2	------	------	12	------	37	44
3	19	33	------	17	3	1	1	1	13	------	1	6	------	2	8	------	------	22	------	23	45
6	46	92	2	14	4	------	4	1	38	3	1	22	1	2	4	------	------	11	------	36	46
6	23	47	5	13	7	3	1	------	18	1	2	9	1	------	7	------	------	6	1	25	47
7	16	48	1	11	6	5	10	------	12	1	2	18	1	------	8	------	------	22	------	38	48
3	19	46	1	31	1	9	4	2	27	------	3	16	3	1	9	------	------	13	1	35	49
3	20	38	1	3	2	6	3	4	14	------	2	9	3	------	6	------	------	11	1	29	50
13	64	120	4	57	10	14	10	3	29	3	3	36	8	2	9	------	------	34	------	76	51
4	18	24	1	13	3	------	------	3	9	------	------	6	------	1	1	------	------	4	------	14	52
80	338	802	29	364	57	58	52	28	369	17	22	214	45	10	65	6	3	150	3	622	53
8	40	117	4	45	8	7	5	5	63	------	2	30	6	1	8	------	------	28	------	63	54
4	20	82	2	18	4	2	4	2	46	1	1	12	1	2	2	------	------	17	------	33	55
18	86	236	11	88	10	27	11	10	87	4	12	73	9	1	22	1	2	49	8	160	56
48	189	602	21	222	24	36	21	16	166	13	11	159	24	7	44	1	------	108	1	414	57
1	6	33	------	7	2	------	------	------	10	------	------	10	1	------	------	1	------	5	------	11	58
21	99	323	6	90	14	9	8	10	146	4	10	72	15	2	20	------	------	56	1	176	59
26	108	355	7	138	36	29	22	9	148	6	16	85	15	2	19	------	1	49	1	265	60
7	49	119	1	24	5	9	6	2	23	5	10	49	3	------	7	1	------	33	------	98	61
3	17	37	2	14	1	------	1	3	21	------	------	9	------	------	2	------	------	6	------	20	62
7	27	66	3	22	2	4	3	1	36	3	1	22	7	------	10	------	------	16	4	34	63
30	88	205	4	151	26	13	12	10	99	6	7	97	11	2	19	------	------	51	6	119	64
2	28	63	------	23	11	18	8	1	26	3	11	35	5	5	14	1	1	33	6	76	65
1	21	34	------	22	4	2	2	------	19	2	3	11	1	13	3	------	------	4	2	42	
6	30	67	1	30	19	11	4	2	42	1	12	61	3	1	14	1	1	22	3	87	66
1	37	42	1	52	8	6	6	------	18	2	7	14	------	10	2	------	------	18	13	75	
4	25	32	1	15	9	11	1	------	43	2	6	45	1	1	4	------	1	22	6	53	67
2	15	33	1	37	5	13	5	------	19	5	12	25	2	8	6	------	------	12	19	51	

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	NORTH CAROLINA—continued																
1	Gastonia—White	177							1	7			5		2	9	
	Colored	76	1					2	1	4			9		1	1	
2	Goldsboro *—White	114					1		1	2	1		8		1	5	
	Colored	147	1					1		10			19	1	2	6	
3	Greensboro—White	439	3			2	1	2	2	23			10	1	2	28	2
	Colored	257	2			5		5		25			18		1	9	
4	High Point—White	284						1	7	20			14	1	1	16	
	Colored	91	2					1		6		1	8			2	1
5	New Bern—White	85		1					2	2						8	2
	Colored	218		4				4		6			22		2	8	
6	Raleigh *—White	401					1	2		15			18		2	26	
	Colored	292	2	2				5	2	12			18		6	10	1
7	Rocky Mount—White	166	2	1	1	1			2	2			9		1	6	
	Colored	160				2		3		2			17		1	6	1
8	Salisbury—White	171						1		16			7		1	10	1
	Colored	77						2		3			15				
9	Wilmington—White	272	1				1	3	4	10	1		8			20	1
	Colored	277	2					3	2	13			12	1	3	8	
10	Wilson—White	119	2	1						10		1	6			5	
	Colored	147		1				6		5		1	18	1	2	5	2
11	Winston-Salem—White	377	2					2	6	18	2	3	6	2	2	21	
	Colored	568	4			1				25	1		65	2	6	6	
	NORTH DAKOTA																
12	Fargo	341						1	3	8	2	1	8	1	2	24	1
13	Grand Forks	206	4			1	2	1		7	1		5	2	1	28	1
14	Minot	249				1	3		1	8	1	3	8		2	21	2
	OHIO																
15	Akron	2,060	4	1		31	11	30	9	60	9	1	91	9	14	126	7
16	Alliance	299				2	6	3	3	15			19	2	4	29	2
17	Ashtabula	333	4			2	4	7	3	11			10	5	1	21	
18	Barberton	233	3			1		6	14	11	1		17	1		16	1
19	Bellaire	181	1					8	1	4	1		7		2	18	1
20	Bucyrus	129				1		1		3			5		2	19	2
21	Cambridge	204	2			3		1	2	9			11	1	4	23	1
22	Campbell [2]	108				2	1	2		1			9			6	2
23	Canton	1,141	4			18		10	3	31	5	1	42	3	7	86	7
24	Chillicothe	262	2			5	1	1	2	3	2		9		3	30	
25	Cincinnati—White	6,079	7	1		41	8	34	19	157	27	1	277	29	30	563	16
	Colored	1,025	4			3		11		37	2	1	157	4	22	38	
26	Cleveland—White	9,296	12			91	34	73	178	185	34	3	530	34	57	848	39
	Colored	1,344	4			18	1	32	13	41	3	2	187	15	31	35	5
27	Cleveland Heights	234								3			5	1	1	36	
28	Columbus—White	3,425	3			37	5	9	30	46	9	2	151	13	19	303	8
	Colored	543	2			12		1	1	8			63	3	8	23	2
29	Coshocton	176	8			1				7			5	2	1	23	1
30	Cuyahoga Falls	108				1	1	1		1			3		1	9	
31	Dayton	2,162	4			23	2	14	14	43	3	4	105	12	26	195	2
32	East Cleveland	249					3	3	1	7			10	1	1	33	2
33	East Liverpool	377	2			3	2	5	3	10			19		3	26	2
34	Elyria	291	4			1	1	2		13	1		10	1	1	31	
35	Findlay	287						2		4			18		2	33	1
36	Fremont	151				1		3		10			6		2	24	
37	Hamilton	597	3			3	2	7	5	25	2	2	28	2	4	56	5
38	Ironton	268	3			4	1	5	2	9	2		18	2	1	13	2
39	Kenmore	89				2	2			3		1	3			7	
40	Lakewood	469	2			5		5	2	12	1		9		3	65	2
41	Lancaster	202				3				9			8	1	1	18	2
42	Lima	533	3			2	2		2	12	3		18	1	5	38	4
43	Lorain	432	3			4		5	1	24			27		2	33	1
44	Mansfield	439	2				3	2		18	1		17	1	1	23	3
45	Marietta	226				4	1	2		7	1	1	8	1	5	21	
46	Marion	383	2			5		3	1	20	1		21		2	33	
47	Martins Ferry	207				2		1		8		1	6	1	1	21	
48	Massillon	262	4			6		1		13		1	9		1	16	
49	Middletown	339				6		14	4	11	1	1	27	4	7	19	1
50	Newark	383				8	1	2		20			19	1		40	1
51	New Philadelphia	139				1				3	1		3		2	13	1
52	Niles	122				1	1	3		2			4		1	6	
53	Norwood	233								6	1		12		1	23	
54	Piqua	272	3				1		1	5		1	10	2	2	30	1
55	Portsmouth	609	5			20		9	11	26	1		34	1	6	28	3
56	Salem	190	3			3				7	1		7	1	1	14	
57	Sandusky	336	6				1	1	2	4			15		3	26	
58	Springfield—White	702	1			10		2	4	19			22	1	3	67	
	Colored	180		1		5	1	4	1	11			10	1	2	8	
59	Steubenville	504	2				3	1		23	2		14		2	27	1
60	Tiffin	231								4			6		1	25	
61	Toledo	3,733	14			21	9	16	25	77	10	3	263	10	27	307	12
62	Warren	499	2			6	2	1	4	7	1		21	3	8	36	1
63	Youngstown	1,770	1			14	8	28	2	36	7	3	71	3	8	127	7
64	Zanesville	582	1			3	2	5	1	22	1		24	1	2	55	2

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
1	10	10	------	14	10	7	3	------	20	1	5	20	1	------	2	5	------	6	12	26	1
1	5	11	------	4	3	------	1	------	3	------	1	2	------	2	------	------	------	4	9	11	
1	12	17	1	6	2	3	1	------	10	------	3	8	------	1	4	1	------	6	------	19	2
2	5	12	1	9	13	2	2	1	7	1	------	8	------	2	2	------	------	3	3	34	
7	29	43	2	21	9	15	4	2	30	1	11	49	3	3	14	------	1	29	1	89	3
2	7	31	------	18	10	8	2	2	20	1	8	15	------	7	9	------	------	9	------	43	
4	22	31	------	12	12	13	6	------	11	1	3	40	2	3	9	------	------	5	11	39	4
------	2	9	------	6	4	------	2	------	6	2	2	9	------	2	2	------	------	5	9	10	
1	4	11	1	7	1	1	1	1	18	------	1	8	------	------	------	------	------	4	------	11	5
1	22	34	1	18	8	1	2	------	21	1	4	18	1	8	3	------	------	7	6	16	
4	20	55	------	20	4	9	10	2	37	1	12	18	9	4	6	------	------	18	1	107	6
5	18	37	2	15	5	6	4	2	13	2	4	20	------	10	7	------	------	19	2	63	
1	4	11	------	4	4	6	1	1	20	------	3	21	2	------	9	2	------	12	1	39	7
5	9	12	5	10	13	4	1	------	16	4	5	9	1	5	2	3	------	9	1	14	
3	9	20	------	11	2	6	4	------	17	1	1	13	2	------	9	------	------	5	3	29	8
------	5	6	1	9	1	1	1	------	4	------	1	2	------	1	1	------	------	5	5	14	
2	17	22	2	20	6	4	2	2	33	1	4	31	------	5	8	------	------	14	------	50	9
2	41	28	1	29	8	2	4	------	32	5	5	17	------	6	2	------	------	11	------	40	
2	3	8	------	5	6	1	2	------	17	1	6	7	1	2	1	------	------	7	5	20	10
------	4	6	1	13	9	2	3	------	6	2	1	2	------	3	1	------	------	8	25	20	
------	30	40	1	30	13	6	3	1	35	2	7	33	6	1	12	------	------	12	13	68	11
3	22	60	1	78	43	------	7	2	62	4	5	32	------	11	6	------	------	13	43	66	
7	21	42	------	22	3	10	5	2	7	2	4	46	5	------	4	------	------	16	6	88	12
1	17	29	------	17	1	11	3	------	6	1	------	20	3	------	4	------	------	4	3	33	13
7	6	22	1	20	3	31	5	------	10	5	------	18	3	------	4	------	------	12	------	52	14
32	122	324	6	188	45	36	30	11	103	15	12	185	34	21	62	3	------	97	1	330	15
5	19	31	1	22	2	7	4	1	11	------	2	15	3	1	7	3	------	26	1	53	16
4	33	52	1	25	------	7	5	2	21	2	1	22	5	3	5	------	1	23	------	53	17
3	18	27	1	20	5	3	2	2	11	4	2	15	2	5	5	3	------	6	------	28	18
6	19	15	------	21	2	5	------	3	7	------	------	11	1	4	2	------	------	16	------	26	19
------	12	24	1	5	4	1	1	------	7	------	------	11	------	------	------	------	------	13	1	16	20
1	20	22	------	11	2	12	2	------	17	2	3	16	4	------	4	------	------	7	2	22	21
------	3	12	------	19	10	------	------	1	5	1	------	12	1	1	------	------	------	7	------	13	22
15	104	151	2	118	33	25	12	5	50	7	12	106	13	15	28	2	2	60	------	164	23
8	20	48	2	12	2	3	1	------	20	2	------	11	2	2	5	------	------	17	1	48	24
131	489	1,082	28	420	157	90	85	51	634	38	37	280	76	32	100	5	4	277	1	852	25
4	46	131	2	128	17	12	11	2	98	10	5	60	3	43	9	3	1	34	2	125	
156	547	1,428	53	947	143	145	105	62	602	48	61	642	141	66	244	10	10	400	12	1,356	26
6	54	145	5	214	24	9	7	4	74	8	9	80	4	54	21	------	1	36	3	199	
4	34	50	2	20	------	------	------	2	19	------	------	2	8	------	1	------	------	5	------	41	27
51	218	554	7	200	79	93	43	16	225	17	35	184	46	13	67	3	------	144	4	791	28
9	30	94	------	54	15	3	8	2	31	1	7	27	3	8	3	------	------	27	1	97	
3	16	32	------	7	2	2	1	------	5	------	1	9	1	3	4	2	------	11	2	27	29
2	13	22	1	10	2	------	------	2	12	------	------	7	2	------	------	------	------	4	------	14	30
45	153	383	6	178	50	41	29	14	136	13	9	121	18	11	52	3	13	121	3	316	31
5	37	52	------	9	1	------	------	4	26	------	------	4	1	1	------	------	------	10	------	38	32
5	33	55	1	37	8	9	5	2	24	1	3	33	2	3	7	1	------	21	1	51	33
7	28	45	2	15	3	6	2	2	22	------	5	19	2	3	9	3	------	16	1	36	34
5	34	77	------	11	3	3	4	1	13	------	4	22	1	------	5	------	------	11	------	33	35
3	14	28	------	15	3	1	2	------	10	------	------	4	2	1	2	------	------	2	3	15	36
6	43	103	1	30	27	8	10	7	35	2	3	38	7	2	12	2	------	40	------	77	37
6	22	29	------	13	7	5	1	1	18	1	4	26	------	1	5	3	------	23	2	39	38
------	5	14	1	12	3	------	1	------	10	1	1	9	3	2	------	------	------	2	------	7	39
7	47	106	3	41	5	4	4	3	38	------	4	15	2	------	7	2	2	12	------	61	40
6	26	32	------	14	3	2	3	2	14	------	1	13	3	------	4	------	------	7	------	30	41
13	44	76	2	25	6	20	3	7	33	6	5	33	5	2	14	6	2	36	------	105	42
6	15	54	1	34	28	4	1	2	27	------	6	32	7	10	14	------	1	40	3	47	43
7	52	82	4	24	6	7	4	8	41	3	1	23	6	2	9	1	1	30	------	57	44
7	24	29	------	17	6	2	1	3	9	------	4	13	4	1	3	1	------	12	------	39	45
5	28	73	------	26	10	2	10	2	13	2	4	30	1	1	5	------	1	22	1	59	46
2	18	18	------	22	10	6	------	1	11	2	------	8	5	6	6	------	------	22	1	28	47
5	14	49	1	14	6	4	4	1	23	2	2	17	6	------	7	2	1	19	------	34	48
5	21	33	1	27	18	4	6	6	17	4	4	27	1	6	11	1	------	10	------	42	49
3	35	58	3	32	2	4	2	4	31	1	1	19	6	------	8	------	------	21	------	61	50
1	21	20	2	4	------	------	1	1	12	------	1	10	1	------	1	------	------	6	2	32	51
------	8	27	------	13	7	------	1	1	5	2	4	13	2	------	------	------	1	6	------	14	52
6	22	68	3	13	2	------	------	4	18	2	------	4	2	------	2	1	------	8	------	35	53
4	20	35	2	17	2	13	6	------	23	5	1	16	4	------	4	1	1	15	------	47	54
11	32	61	3	48	29	6	6	4	40	4	5	54	7	5	16	1	------	48	------	85	55
3	12	29	2	9	2	8	4	2	22	4	1	11	3	------	6	1	------	4	3	27	56
6	40	73	8	12	3	10	4	------	22	------	1	17	6	1	4	------	------	19	------	52	57
9	91	98	3	40	16	16	8	6	71	2	3	29	6	2	14	3	2	38	3	115	58
2	11	16	2	32	9	2	------	------	16	2	2	9	------	4	2	------	------	7	------	20	
5	27	59	4	47	12	6	5	2	22	5	7	45	10	17	13	1	------	60	1	81	59
6	29	50	1	11	2	4	3	2	13	------	3	12	2	------	2	------	------	16	1	38	60
56	283	547	20	278	88	57	52	22	228	12	32	215	39	33	74	9	1	186	1	706	61
5	52	57	1	53	13	15	6	------	20	5	7	36	8	7	9	8	------	37	------	68	62
27	125	223	10	254	47	46	26	12	67	15	21	146	17	27	42	1	------	120	------	229	63
6	56	88	------	36	11	13	13	2	51	9	5	37	7	------	10	------	------	37	2	80	64

[1] Name changed from East Youngstown in 1926.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
	OKLAHOMA [2]																
1	Oklahoma City	1,186	6					2	5	42	1		44	3	5	117	1
	OREGON																
2	Astoria	147	1							1		1	4	1	2	17	
3	Eugene *	278	2					1	2	3	1	3	7	1	2	26	
4	Portland	3,377	8		1	5	5	4	25	44	7	12	109	17	32	443	7
5	Salem (exclusive of)	303	1		1					5	1	1	13		1	25	
6	State institutions	297	1							1			58		2	6	1
	PENNSYLVANIA																
7	Allentown	1,428	5			12	4	3	8	17	4	2	86	10	10	95	3
8	Altoona	880	3			7		9	13	16	4		14	1	4	57	5
9	Ambridge	141				2	1	2	1	10			6	1	1	4	
10	Beaver Falls	223	3			3		1	1	13	1		7			21	1
11	Berwick	157				4		5		6	2		6	1	1	14	1
12	Bethlehem	537				27	1	1	7	20			30	2	4	34	1
13	Braddock	330	2			1		7	5	13			16	1	3	11	1
14	Bradford	241					1		1	8			6	2	2	23	1
15	Bristol	123				6				9			6			5	
16	Butler	188				1	1	1	3	10			8	1	2	12	1
17	Canonsburg	126				3	1	1	3	12			9	1	1	6	
18	Carbondale	313	1							6	1		8			26	
19	Carlisle	200						2		10			11		1	23	2
20	Carnegie	113							1	15	1		12	1	1	7	
21	Carrick	90				1	1	3		10			6			4	2
22	Chambersburg	223	1					8		16			14		2	13	
23	Charleroi	94				1	3			2	1		5		1	5	2
24	Chester—White	604	2			5	1	2	3	13	1		26	1	5	42	1
	Colored	206	1			1		2	1	11			18	2		9	4
25	Coatesville—White	109				3		4	3	3			9		1	10	1
	Colored	20											4			1	
26	Columbia	159	2						1	6	2		2	1	1	16	3
27	Connellsville	170	3			2		5		8	1		8			17	
28	Dickson City	93							5	4			5			2	
29	Donora	76								6	1		7			7	
30	Du Bois	162				2	1			9			4		1	16	
31	Dunmore	271				8	1	2		7	2		12	1	1	17	2
32	Duquesne	184				2	1	4		16	2		12	1	2	12	
33	Easton	645				3		4		15	2	1	19	5	3	67	3
34	Erie	1,509	1			12	4	18	10	78	6		78	5	11	124	4
35	Farrell	131				1		2	4	21	1		12	1	4	6	1
36	Greensburg	280	3			2			1	16			8	4	2	26	2
37	Harrisburg	1,366	9			5		7	2	25		1	35	3	7	126	4
38	Hazleton	455				1		1	1	9	1		20	3	1	31	1
39	Homestead	234	2			3	1	3	3	8			14			15	1
40	Jeannette	128						2	1	8			3			6	
41	Johnstown	1,034	5			25		13	8	36	2	3	36	16	6	47	2
42	Lancaster	1,006	17			3			3	7	1	1	31	3	7	97	4
43	Lebanon	394	4			1		3		11	1	3	11	1	2	32	2
44	McKeesport	723	4			9	3		5	22	2		19	1	2	55	4
45	McKees Rocks	135		1				1		7			7		2	7	1
46	Mahanoy City	166				4			1	5			3			13	2
47	Meadville	299				2		3		10	1		6	1		30	4
48	Monessen	134				1		1	1	16	1		8			11	
49	Mount Carmel	183				2	1		1	6			13	1		10	2
50	Nanticoke	351				4		1	2	5			12		1	19	3
51	New Castle	616	3			13	2	8	2	21		1	23	3	4	38	1
52	New Kensington	206	3					2		10		2	9	1	1	12	1
53	Norristown *	797	5			7	1		1	23	3	1	41	2	1	47	3
54	North Braddock	125	1			1		1	2	3			2			6	
55	Oil City	256	1			1	1	1	2	13			7		2	21	1
56	Old Forge	115				2		3		3	1		4	1		5	
57	Olyphant	96					1		1	4			4			4	2
58	Philadelphia—White	23,644	33			147	41	66	240	442	46	15	1,212	56	96	2,243	81
	Colored	4,023	6			18	1	36	36	89	6	1	480	26	54	172	12
59	Phoenixville	178	1					1	1	8	1	1	6	2		9	1
60	Pittsburgh—White	8,023	18			27	16	101	59	216	14	11	333	33	50	678	33
	Colored	978	3			2	3	21	5	27	2		75	9	20	45	3
61	Pittston	195				1			1	10			7	1	1	12	
62	Plymouth	168				1		5	1	7			8			11	2
63	Pottstown	274	1			2		3	2	17			4	2	4	16	3
64	Pottsville	516	2			2	5	1	7	12			18	1	4	41	1
65	Punxsutawney	169				2	1	2		16	1		5		1	13	1
66	Reading	1,440	3			3	1	7	3	49	2	1	60	10	4	131	3
67	Scranton	1,885	6	1		22	2	6	10	51	3		111	9	8	160	6
68	Shamokin	222				5		3	2	18			10			8	3
69	Sharon	369				3	2	3	1	30			14	2	3	28	2
70	Shenandoah	249	1						6	12			5			12	
71	Steelton—White	113					1		1	3			8			14	
	Colored	48					1	1	1	8			3		1	1	1
27	Sunbury	198				1		2	1	2			6	2	2	19	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204,205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
14	69	150	5	102	28	35	17	7	69	6	8	61	17	20	25			54	23	250	1
5	16	35		4		7			8		1	7		1		2		8	1	25	2
4	28	31		22		9	6	1	23	3	3	15	5	2	8			19		51	3
71	259	573	8	225	12	46	32	17	258	15	17	123	75	14	52		3	145	1	712	4
7	28	60		17	4	10	4		30			12	1		6			20	1	55	5
1	24	32	2	15					10		1	1	2	1				3		136	6
44	161	189	8	125	22	16	20	14	103	8	16	84	21	5	23		2	96		212	7
23	44	149	2	90	22	19	12	5	93	9	4	53	5		26			45	2	144	8
2	4	13	1	31	8		2		4	1		16	4	3	3			11		10	9
6	18	20	3	28	7	4	3	3	16	1		9	3	3	4			14		30	10
2	16	21		18	2	2	1		12		2	13	2					3	1	22	11
4	60	72	3	80	20	1		6	35			35	8		1			31	1	53	12
4	10	41	1	66	16	5	3	5	22	1		20	1	5	14			23	6	27	13
9	25	47	2	15	3	4	2	1	17	2	2	10	5		2			16		35	14
	12	27		14	2	1	1		2	1		7			2			8		19	15
5	18	32		15	2	2			18			17	1					7		27	16
	3	16	1	16	5	6	2		4	2		10	1	1	5			6		11	17
9	24	24	2	47	6	8	3	4	26	5	3	27		1	8	1		31		42	18
4	17	34	2	14	2	1	1	2	27		1	15	2	2	4			10		13	19
3	5	17		14	4			2	5			9		1	1			3	3	8	20
	15	15	1	8	1			1	9		1	6			1			1		4	21
2	17	39	1	11	2	4	2	1	21	1	4	11	1		5			15	1	31	22
1	4	19		8	4		1		7		1	13						6		10	23
10	36	96	3	51	26	7	7	3	58	4	5	42	5	5	12			51		81	24
2	11	39		30	7	1	2		14	1	2	9		8	2			6		23	
1	3	24	2	6	2				16			1	3					4		13	25
		1		4	1				1			4						2		2	
3	22	29	2	9	2	5	2		23	1	3	4		1	4			10		5	26
3	12	23	2	23	3	1		1	6			11	1		9			9	1	21	27
	2	20		9	9		1		4		1	11	1					9		10	28
	4	6	1	12	6				2		1	12						3		8	29
1	6	26	1	9	5	4	4		14		1	13			6			14	1	24	30
4	17	45	3	44	13		2		14	2	3	19	1	1				20		30	31
1	9	16	1	30	7			4	3			23	3	3	1			11	3	17	32
19	45	90	1	55	4	17	13	4	48	10	6	34	10	5	20			43		99	33
25	116	276	3	116	44	25	10	14	99	6	11	95	25	3	37	2	2	75	1	173	34
1	6	9	2	14	17				7	1	1	8						2	1	9	35
4	13	29		28	4	7	6		12	4	4	13	4	2	12			27	9	38	36
38	91	274	7	131	9	25	16	15	133	6	13	71	10	3	30	1	3	69		197	37
8	30	82	4	24	13	11	6	3	43	8	6	33	3	3	14	3		32	1	59	38
	7	17		47	6	2		4	16	3	3	24	5	4	5		1	18	3	19	39
2	13	28	1	9	1			1	7		1	13			3			3	17	9	40
12	50	104	5	132	32	27	13	5	83	10	11	77	10	7	26	1		93	1	136	41
14	76	203	3	83	18	22	17	8	97	5	12	45	11	2	10		1	54		151	42
9	45	71	2	33	10	9	7	4	41	3	3	11	2		12	1		14		46	43
7	34	78	5	117	21	16	12	9	60	8	8	39	4	8	24			46	8	93	44
	4	12		31	7		1	2	7	2		15	1					6	3	18	45
1	6	26	1	35	7			1	14	1	1	13	2	1	2			7	2	18	46
7	22	47	2	21	4	6	3	9	23	2	1	11	3	1	3			17	1	59	47
	9	18	3	12	4			2	9	1		15						5	1	16	48
5	7	31	4	36	11			2	15			10	2		1			10		13	49
4	12	48	5	44	10	8	5	4	21	2	7	24	2		13			53		42	50
9	48	93	4	65	16	16	4	1	46	2	3	37	10	5	13			17	6	102	51
1	9	21		21	6	4	3		9		3	17	2	3	11	1		17	1	36	52
13	46	161	4	86	15	6	13	6	65	2	3	43	5	1	14			31		148	53
3	6	21		23	12				9			13						8	2	12	54
12	22	46		15	5	4	1		17	3	6	18	3		4			13		37	55
	4	13	2	27	4			1	5	1		20	3					5	1	10	56
	2	13	1	10	12		2	2	4			10	3	1				6		14	57
439	1,290	5,167	170	2,519	377	307	262	172	2,640	104	128	1,060	281	70	296	2	7	918	20	2,697	58
35	140	592	32	750	79	36	35	5	307	24	36	211	12	91	33			148	2	518	
7	11	16	1	18	6	3	2		21	1	3	14	1	1	1	3		13		25	59
112	476	1,136	60	989	204	134	72	57	607	51	66	508	86	43	155		4	427	115	1,132	60
7	37	100	2	231	35	4	2	5	66	7	7	53	5	23	8	1		38	25	107	
3	14	22	1	55	6	1	4	4	11	1		14		3	2			10		11	61
3	5	19	1	15	10		1	2	21		1	18	2		2			15		18	62
5	19	44		31	6	4	1	1	24	1	1	14	3		9			20	1	36	63
5	33	80	1	35	13	9	2	3	63	6	4	37	7	4	20		1	41	1	57	64
3	4	28		6	3	9	4	1	15		3	13	4		4			13		17	65
39	89	290	5	122	33	21	14	13	148	3	12	81	20	6	19			76	5	167	66
36	116	332	13	201	45	34	22	10	126	4	22	129	12	3	32			118	1	234	67
7	16	48	1	19	18		3	2	8			18			1			8	1	23	68
5	23	47	1	41	7	14	5	1	22	2	6	27	5	2	8			20	1	44	69
1	18	39	2	53	11			4	18			20	1		1			13	1	31	70
3	8	24		22	4			1	12			4	1		1			2		4	71
	4	3		11	1				3			4						2		3	
5	11	34	2	15	3	2	5	1	34	1		13			2		1	14		20	72

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	PENNSYLVANIA—continued																
1	Swissvale	101					1	3		1			4		3	7	
2	Tamaqua	119				7				4			4		1	10	
3	Uniontown	371	8			1	1	2		9	2		14	1	1	34	2
4	Warren	224				2		2		8			7			13	
5	Washington	421				5	2	1	3	37	1		18	1	1	32	2
6	West Chester*—White	266	7			1				4			7	2		34	
	Colored	71				1		1		1		1	3			4	
7	Wilkes-Barre	1,242	2			18		4	3	51	4		44	5	11	96	2
8	Wilkinsburg	359	3				1	2	1	8		1	10	4	3	16	
9	Williamsport	667	2			1	1	2	1	14	7		14	2	5	70	5
10	Woodlawn	137	1			1	1	3	4	6			5		1	6	
11	York	750	5			9	2		2	27	1	2	24	1	2	55	2
	RHODE ISLAND																
12	Bristol town	153							1	16			4	1		10	2
13	Central Falls	287	2			6		7		10	1	2	9	1	4	28	3
14	Cranston (exclusive of)	305				5		9		12			7	1		33	1
15	State institutions	412								7	5		16		2	38	1
16	Cumberland town	117				2		7	1	5		1	3		2	9	2
17	East Providence town	313				8		5	1	9	2		8	1	1	34	1
18	Newport	374	1			6		1	1	7		1	13		2	38	2
19	Pawtucket	869	2			16	2	12	5	23	6		21	4		89	3
20	Providence	3,544	2			69	1	50	22	63	9	3	113	13	19	370	17
21	Warwick town	202						4	1	10			14		3	17	
22	West Warwick town	198				5		3	5	6			8	1	1	25	
23	Woonsocket	599	2			2		16	2	28	1	1	21	5	3	47	1
	SOUTH CAROLINA																
24	Anderson—White	269	10		1			3	6	13	1		6		2	11	
	Colored	135	10				1	1		3			7		1	2	1
25	Charleston—White	463	4			1		2	4	22			16	1	2	32	1
	Colored	939	7	5				2		21			65	4	7	25	1
26	Columbia*—White	571	13			1	1	1	2	10	4		20	2	3	28	
	Colored	557	12	3					5	31			54	1	2	15	2
27	Florence—White	162	5														
	Colored	247	3	1					1	11		1	1	3	2	6	
28	Greenville—White	183	2							9			27		3	9	
	Colored	229							4	4			6	1		23	
29	Spartanburg—White	278	1				1	2	2	12			26		2	6	
	Colored	250	5		1			5	4	11	1		13	2	2	9	
	SOUTH DAKOTA [2]								3	16			25		3	7	
30	Sioux Falls	311					3	1		4			13	2	4	41	1
	TENNESSEE																
31	Chattanooga*—White	1,009	6	2		10	2	23	4	36	1	1	74	7	16	72	3
	Colored	898	8	2	1	7		24	1	39		1	90	2	13	21	7
32	Jackson—White	183	1				2	2	1	6			8		1	18	1
	Colored	146	6	2				2		5			11		1	4	
33	Johnson City*—White	291	1			2	2	5	2	21		4	24	1	6	15	
	Colored	36	1					1		5	1		8			2	
34	Knoxville—White	1,062	16			7	1	4	10	44	4	1	64	8	4	70	1
	Colored	361	4			1		2		21			51	1	11	10	1
35	Memphis—White	1,737	16	14		9	7	7	12	42	1	6	67	4	8	138	1
	Colored	1,792	18	8		5		9	8	79		1	143	9	36	80	10
36	Nashville—White	1,566	24	1		18	1	16	12	88	6	3	97	4	8	120	3
	Colored	1,132	25	1		2		17	15	67		1	92	3	23	44	4
	TEXAS [2]																
37	Beaumont—White	350							4	19		1	12		3	36	
	Colored	250	3	4		1		1	2	21			30		2	6	1
38	Dallas—White	2,104	12	6			6	12	24	115	2	2	99	6	7	162	6
	Colored	626	7	2		1		11	2	39	1		55	1	6	20	1
39	El Paso	1,762	13	1			3	32	4	122	3	3	405	18	14	73	3
40	Fort Worth—White	1,260	13	1			1	7	12	88	1	1	41		3	81	3
	Colored	291	3					3	1	14			31		7	6	2
41	Galveston—White	540	3				1	2	1	17	2		25	2	5	43	
	Colored	236								4			18		7	7	3
42	Houston—White	1,929	9	3				14	23	89			123	8	1	142	2
	Colored	952	10	8				4	8	60			89		6	28	1
43	San Antonio—White	2,761	12	4		5	1	30	11	139	4	8	367	16	11	161	6
	Colored	254	4						1	24			29		2	12	
44	Waco—White	455	5					4	5	29			19		3	51	
	Colored	178						1		11	1		24		1	8	1
	UTAH																
45	Ogden	490	1			1		15	9	30	1	2	10			43	1
46	Provo	191			1			2		7			1		1	13	
47	Salt Lake City	1,703	3			8	2	23	20	51	10	7	79	6	8	149	6
	VERMONT																
48	Barre	166								7			30	5	2	14	
49	Burlington	384	1				7		1	8	1	2	13	7	3	29	
50	Rutland	257		1				2		7			12		2	22	1

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145, 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
	6	29	1	15	1			2	7	1		3	2	1	1			2	1	10	1
3	10	23		11	3				11			6	1					6	1	13	2
5	23	45		37	5	16	6		22	7	6	14	5	4	12	1		33		55	3
5	15	43	2	14	2	6	4	1	8		3	19	1	1	7	1		14		46	4
4	18	51	1	38	19	6	9	2	24	2	7	33	5	2	14		1	24	1	57	5
2	17	31	1	20	6	7	5		34	5	7	17	5	1	1			20	1	31	6
3	2	8		15	2		2		7	2		1	2	1				1		14	
28	51	216	9	113	24	26	21	11	109	7	11	82	9	3	13			125	3	141	7
4	32	55	2	48	3	10	2	3	25	3	3	19	8	2	13			21	3	54	8
15	52	113	3	66	15	6	11	1	42	4	4	36	7		5			39	4	120	9
1	2	14		21	8		1		8			23	1	2	3			9		16	10
25	75	150	6	64	13	9	11	2	74	2	4	42	12	2	10	1		18		98	11
5	13	24	1	19	7		1	4	12			8	1	1				10	1	12	12
6	25	37	5	21	5	3	3	2	34	1	3	30		1	3			7	1	27	13
11	34	56	2	25	3			2	46	1	2	12	3	1	2			14		23	14
4	43	115	1	16			3	2	28		1	4	2		1			3		120	15
1	17	25	1	9	2			1	3		1	9	1		1			3	3	8	16
2	25	70	3	33	6		1	1	37		1	24	1	1	4			11		23	17
11	41	98	2	26		3			26		1	17	3	1	4			15		54	18
17	72	159	3	64	6	15	12	3	97	4	6	80	7	1	17			34	3	79	19
67	302	580	14	338	35	71	31	13	362	16	26	210	35	10	61	1	2	150	22	447	20
2	24	35	2	14		1	1	3	21		1	16	2		4			3		24	21
2	14	23	3	21	4	1	1	4	11		4	19	1	1	4			2	1	28	22
11	38	82	4	66	27	4	5	7	49		5	57	4	1	13			20	2	75	23
7	10	34		15	26	5	1		34	2	4	14	1	1	2	1		10	6	43	24
1	12	14	1	9	9		1		17	2	4			4	1			10	3	21	
8	34	79		42	6	3	7	5	46		2	43	2	6	11		3	23		58	
9	101	136	1	91	38	4	8	2	103	5	8	84	1	17	5			26	2	161	25
3	50	70	2	45	14	7	2		72	4	3	31	3	3	12			24	2	139	
1	42	58	1	21	11	7	4	2	46	3	7	30		10	5			15	5	164	26
2	5	21		8	11	4	1		9	2	4	12	1	3	6			13	1	29	27
2	8	24		10	8	5	4	1	27	2	4	14		9	4			13	11	49	
	10	22		8	6	6	5		18	1	3	12	5	3	9			9	2	24	
1	15	33		13	9	4	4		29	3	3	16		10	4			4	3	28	28
3	22	35		12	5	9	8		26	3	5	24	1		6			11	2	57	
4	14	37		19	8	3	3		29	2	4	10		8	1			4	2	42	29
8	19	37	1	20	3	12	5	2	25	1	2	22	4		5			13	1	62	30
9	47	103	6	76	26	20	12	1	54	9	14	63	8	10	17	1		54	56	166	31
4	35	83	9	106	21	4	8	3	58	3	6	18		38	7	1		39	102	137	
3	11	11	2	17	5	12	1		22	2	2	9	2		5			9	11	19	
	5	7	1	21	2	3	1		17	2	3			4	2			9	13	25	32
2	14	34		24	17	3	4		19	2		24	7	4	5			12	2	35	
	3	2	1	1						1								2		8	33
8	59	118	1	70	49	23	14	3	69	5	8	64	9	8	31	1		53	37	198	34
4	23	41	5	33	9	5	2		22			19	2	10	4			12	2	66	
17	81	205	3	135	30	63	23	7	130	16	19	109	25	19	41	1		99	29	353	35
12	82	183	5	153	35	40	25	7	119	15	16	69	4	102	16	1	1	61	85	355	
19	84	187	6	138	48	34	16	5	81	6	12	99	13	13	32			76	39	257	36
5	66	151	5	124	26	15	9	9	92	15	5	36	1	28	7			44	36	164	
3	11	37	1	11	5	12	9	4	24		4	26	7	6	12		1	24	9	69	37
1	16	18		20	6	6	2	2	17	1	2	17		6				14	11	40	
25	137	220	5	168	50	48	23	9	125	12	12	181	53	24	49	2	1	100	3	398	38
6	39	52	5	65	3	11	10	1	58	7	3	41	1	40	12			20	1	105	
8	37	114	16	90	166	16	24	12	85	9	9	108	23	13	19			54	7	258	39
13	93	153	5	87	29	33	23	5	79	5	9	77	24	11	28	1	3	61	18	251	40
1	9	43		39	7	1	5	1	26		3	11		9	2			13	3	51	
8	41	75	1	30	7	9	12	7	56	2	8	20	13	6	6	1		31	1	105	41
3	9	22	1	26	2	3	2	1	28		1	7		6	2			8		76	
23	93	201	7	131	40	42	23	15	136	10	19	111	39	32	33	1		101	129	329	42
11	44	86	2	79	9	5	11	7	80	10	4	22	1	36	7		1	38	123	162	
22	92	225	15	251	241	40	29	14	135	16	22	156	29	27	38	2	2	75	82	473	
	10	31	5	19	4	4	1	1	27			7	1	5	2			7	6	52	43
6	25	52	1	26	5	11	7	2	23	3	9	20	7	4	8			27	7	96	
3	8	18		9	6	3	1	1	17		1	5		4				6	5	44	44
3	34	60	1	43	2	20	11	1	25	2	2	49	5	1	4			30	5	79	45
2	13	17	1	11	1	2	2		11	1	1	9	2		4			12	3	74	46
23	83	230	10	136	16	48	18	6	141	5	22	122	14	7	33			88	44	285	47
2	6	14	3	9	2	4	1		10	1	1	16	2		5			4	1	27	48
7	19	81	3	29		12	8		39	1		21		1	9			22		60	49
5	25	42	1	22	3	7	5		28	1	4	17	3	1	1			13		32	50

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes o

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	VIRGINIA																	
1	Alexandria	White	194	1			3		1	1	4			9		1	15	
		Colored	93	2			2		1		4			5		1	2	2
2	Charlottesville	White	86						1		2			7		1	9	
		Colored	41								1			4		1	1	
3	Danville	White	213	3					6	5	11	1		10			8	
		Colored	121			1			5		3			8		1	2	
4	Lynchburg	White	379	3			2	1	6	1	9			14	1	3	19	2
		Colored	249	1	1				2	2	15	1		15	1	1	14	1
5	Newport News	White	157					1			10			8		3	14	
		Colored	241	1						1	14		1	24	2	1	6	1
6	Norfolk	White	849	2					6	3	22	2	1	24	3	4	71	2
		Colored	1,018	4			2		25	2	27	1		106	6	7	34	10
7	Petersburg	White	246							2	6		1	15	1	1	21	
		Colored	347	2	1						31			22	3	6	10	2
8	Portsmouth	White	261						2	2	6	1	1	14			17	
		Colored	432	1	1		1		8	1	35			24		6	6	2
9	Richmond	White	1,711	1			1	3	4	15	66	2		58	6	7	181	6
		Colored	1,324	1					10	10	65	1	1	107	8	18	42	1
10	Roanoke	White	719	7			11		11	2	51	3	2	30	2		49	
		Colored	246						2		18			19	1	3	7	
11	Staunton*	White	272								10	2		22		1	15	
		Colored	37								3			4		1	1	
	WASHINGTON																	
12	Aberdeen		235	1					1	3	4		3	12		1	21	
13	Bellingham		368						2		11		1	9	3	5	48	3
14	Everett		380	1					2	6	5			19	2	2	30	3
15	Hoquiam		108	1					2				1	1			9	
16	Seattle	White	3,392	6		8	2	2	5	8	66	5	24	142	22	28	463	10
		Colored	172	1		1		1			5		1	28	7	2	10	1
17	Spokane		1,514	8			2	7	1	8	35	11	51	32	4	8	169	4
18	Tacoma		1,284	5		3	1	4	10	20	22	2	3	42	6	10	160	3
19	Vancouver		159								4	1		9	1	1	15	1
20	Walla Walla		233						5	1	2	2	1	6	1	1	25	
21	Yakima		350	4					1	1	10		2	6	1		32	1
	WEST VIRGINIA																	
22	Bluefield	White	214	4			2	2	4	4	7	1		3	1	3	10	1
		Colored	67	2			1				3			4			1	
23	Charleston	White	712	9			5		3	2	22	1		37	1	7	41	
		Colored	139	1			1		7		4			9		1	5	2
24	Clarksburg		380	4			4	1	2	4	17	3	1	21	2		23	
25	Fairmont		332	3					3	1	8			18	1	5	15	1
26	Huntington*		906	11			17		11	12	34	2	2	78	3	8	42	3
27	Martinsburg		231					3	5	4	15	1		9		2	18	1
28	Morgantown		224	8			4	1	3	2	11		1	12	1	2	20	
29	Moundsville		156				4	1	5		8	1		14		1	11	
30	Parkersburg		409	7			10	1	4		11	1		22	3	3	23	1
31	Wheeling*		948	5			20		5	4	22	1		26	1	4	77	4
	WISCONSIN																	
32	Appleton		300	3			2		1		18			12		1	37	2
33	Ashland*		218	2			1	1		1	3			8	3	1	28	3
34	Beloit		268				4	2		3	11			8	1	2	23	2
35	Eau Claire*		372				2	2	3		5	2		32	3	1	55	
36	Fond du Lac		394					1		7	10	7		10	3	4	49	4
37	Green Bay		600	4			6	3		2	26	2	1	13	8	5	73	1
38	Janesville		254							1	20	1	3	10		1	32	1
39	Kenosha		416	1					6	1	15	2		12	1	1	39	2
40	La Crosse*		615					1	3		5		2	22	2	3	94	1
41	Madison		746	1			13	3	2	2	13		1	34	5	4	100	3
42	Manitowoc		266				2				4	1		7	1	1	21	1
43	Marinette		183				1				9	1		9	1		19	
44	Milwaukee		5,730	7			23	5	25	53	113	16	9	299	34	30	549	24
45	Oshkosh		496				1	2	4	2	11			18		3	59	2
46	Racine		660				8	5	17	2	29	2		25		3	68	2
47	Sheboygan		365	1					1	1	17	1		18	2	1	38	
48	Stevens Point		172	1			2			3	1	1		3			13	1
49	Superior		417				4			3	7		1	17	3	4	27	
50	Waukesha		205						2	1	9	1		4	1	3	25	4
51	Wausau		278	1			3		1		15			5	5	2	28	2
52	West Allis		154					1	3	5	3			16			15	1
	WYOMING																	
53	Casper		191	1				3	1		3			5			18	
54	Cheyenne		147					1	2	2	10			3	1	1	11	1

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90, 93	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
3	11	26		9	3		1	1	31	2	3	20	2	2	3			11		31	1
4	8	17	2	5	1		2	2	8		1	8		2	3			5	2	4	
2	9	11		5		1		1	15		1	4		1				4	2	10	2
	5	13	1	1					8			3								3	
6	20	34		8	8	3	3		12	2	3	22	1	1	5	1		11	3	26	3
	8	31	1	8	2	3	1		9	3	1	5	1	1	1			6	1	19	
7	25	62		24	11	6	2	3	30	2	5	40	6	2	6			17	4	66	4
2	19	42		19	5	3	1	2	30	2	4	11	1	8	3			6	1	36	
2	5	33		6	5			1	21		2	13	1		1			9	2	20	5
2	22	31	1	31	12	1	3	1	19	1	4	16						7	7	32	
14	57	176	4	53	13	11	12	2	79	6	10	43	12	5	18		1	61		132	6
10	88	174	5	82	37	11	12	4	85	9	6	54	4	15	7	1		46		144	
5	18	28	1	7	9	9	2	2	40	3	3	19	1	2	10			12		28	7
7	26	35		40	15	4	3	8	48	1	4	17		4	2			9	1	46	
6	32	28		12	7	2	2		45	3	1	19	1	1	3			15		42	8
7	59	41	1	42	23	3	7	5	25	2	5	31		2	2			18	7	67	
27	114	307	16	103	33	32	17	4	167	14	12	124	24	7	26	2	3	54	16	259	9
11	102	155	6	167	45	12	11	8	105	11	8	92	1	12	11	2		50	54	197	
10	29	83	2	46	34	16	13	3	37	9	9	67	1	2	14			38	9	129	10
	9	33		22	15	1	2	1	24	1		17		7	3			12	4	45	
1	9	48	1	39	4	5	1		32	3	2	14	5	1	2			9		46	11
1	5	2		4	1				7		1	2						2		3	
6	9	42		16	2	5	3		7	1	3	19	7	1	7			37		24	12
10	31	53	1	15	3	8	8		17	2	1	21	10		10			24	1	71	13
8	21	55		11	1	7	2	5	40	2	6	19	12	4	11	1		27	4	74	14
2	10	15	1	14	4		1	1	6		2	7	4		3			8		16	15
58	240	661	14	196	8	68	42	17	199	16	23	142	87	8	67	3	1	146	2	603	16
2	10	29		17				2	5		2	8	7	2	2			6		23	
29	100	178	7	117	7	36	21	6	135	14	10	77	29	2	27	3		70	2	304	17
24	114	223	4	77	7	30	13	10	89	10	7	68	21	5	22		2	60	2	205	18
5	19	22		16	1	5		1	15		2	5	5		4			9		18	19
5	22	34		14	2	8	2		22	2	2	5	1		7			16		47	20
7	16	47	1	30	10	10	8		27	2	4	28	2	1	12			19	1	67	21
3	4	13	1	11	21	4	5		5	2	2	17	3	4	7			19	1	50	22
1	4	2		8	4	1	2		5		1	2			1			9		16	
10	28	69		42	43	18	12	4	41	11	16	56	11	11	11	1		76	1	123	23
2	3	20	1	10	6	2	1	1	15	1		9		3	2			9		24	
2	21	39		32	5	10	4	1	16	4	4	29	7	4	11			30		79	24
1	24	39		15	18	10	3	3	13	7	6	23	5	5	12			42	1	50	25
13	56	88	3	65	53	24	11	2	54	12	4	91	9	10	18			32	2	136	26
3	16	27		14	8	4		1	15	3		31	1		3			10		37	27
4	18	22		13	6	4		1	8	1	3	21	2	1	4			18		33	28
1	6	13		11	8		3	1	18		1	8		1	2			13		25	29
5	30	42	2	30	24	8	6		27	2	6	22	3	2	4		1	24		85	30
17	53	129	4	86	30	15	13	8	95	13	5	68	4	3	18			68		150	31
3	12	40	1	13	2	17	5	1	21		4	16	4		4			16	1	64	32
2	7	22	2	8	1	9	2	1	13		2	17	2	1	4			21		53	33
6	15	39	2	16	1	6	3		9		8	34	1		5			17		50	34
7	32	51		30	1	5	5		17	1	1	32	1		3	1		13		67	35
2	32	64	3	26	6	9	1		36	3	5	35	4		3			21		49	36
8	47	83	2	40	11	15	5	3	40	7	8	42	5		6			22	1	111	37
4	16	21	1	16	1	5	3	3	18	2	2	15	3		5			13	2	55	38
2	24	65	5	31	10	4	1	5	29	1	4	49	8	2	7	2	2	13	1	71	39
10	38	92	1	45	2	14	11	2	47		6	40	6	1	8	1		25		133	40
15	32	99	3	71	4	15	11	1	44	3	7	51	4	2	12	1		31		159	41
5	27	31	2	22	5	12	4	3	21	1		30	3	1	4			11		46	42
4	18	29		10	5	3	3	2	14	1	4	12	2					7		29	43
118	361	904	49	587	124	99	55	45	401	23	49	436	97	21	101	3	2	231	1	836	44
6	40	107	1	33	3	8	5	2	25	1	4	25	5		5			20	2	102	45
5	60	94	2	42	19	4	7	10	40	1	5	57	7	1	10	5		34		96	46
4	28	64	4	13	6	8	3	2	29		4	45	5		2			8	1	59	47
3	21	15	1	7	2	2	3	3	16	1	2	20	3		7			7		34	48
7	15	63	5	28	3	9	7	4	24	2	4	33	16	2	7			36	1	85	49
6	17	32		13		2		2	16	2	1	20	2		6			6		30	50
	11	35	4	14	9	8	8	5	12	3	4	28			3		1	8		63	51
2	6	15	3	13	7		2	2	8		1	16	5					10		20	52
4	8	16		12	6	6	6	1	6	1	2	22	8	5	10			11		36	53
4	10	17	2	10	4	9	3	1	5	1	1	13	1		1			5	1	27	54

NOTE.—Populations are shown in Tables I A and I B.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area in continental United States	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	ALABAMA				ARIZONA	
			Total [1]	Urban [1]	Rural			Urban		Rural		Urban	Rural
								White	Colored	White	Colored		
	All causes	1,285,927	1,257,256	649,819	607,437	28,671	678,490	4,165	4,199	11,251	10,077	2,137	3,435
	I.—Epidemic, endemic, and infectious diseases	194,962	189,259	85,876	103,383	5,703	91,579	571	928	2,218	2,274	975	951
1	Typhoid and paratyphoid fever	6,826	6,598	1,905	4,693	228	2,133	34	20	173	140	10	21
2	Typhus fever	7	6	5	1	1	6			1			
5	Malaria	2,006	1,925	239	1,686	81	320	7	20	88	102	1	
6	Smallpox	377	376	249	127	1	250		1	3	1	5	1
7	Measles	8,607	8,579	4,626	3,953	28	4,654	26	9	86	14		8
8	Scarlet fever	2,662	2,638	1,308	1,330	24	1,332	3		13		1	9
9	Whooping cough	9,317	9,128	3,820	5,308	189	4,009	44	43	134	81	12	34
10	Diphtheria	7,856	7,694	4,290	3,404	162	4,452	27	10	146	37	5	16
11a	Influenza (with pulmonary complications)	27,372	26,504	10,465	16,039	868	11,333	124	157	449	244	29	117
11b	Influenza (other and unspecified)	15,437	15,023	4,618	10,405	414	5,032	58	87	247	219	29	76
13	Mumps	103	102	41	61	1	42	1		1	1		
15	Cholera nostras	148	145	29	116	3	32			2	2		
16	Dysentery	2,921	2,801	684	2,117	120	804	5	11	50	43	10	8
17	Plague	1	1	1			1						
19	Spirochetal hemorrhagic jaundice	48	47	21	26	1	22						
20	Leprosy	24	23	2	21	1	3						
21	Erysipelas	2,680	2,654	1,445	1,209	26	1,471	8	3	31	4	2	7
22	Acute anterior poliomyelitis	851	823	336	487	28	364	2	1	9	10		4
23	Lethargic encephalitis	1,499	1,472	957	515	27	984	8	2	4	2		3
24	Meningococcus meningitis	1,413	1,385	837	548	28	865	3	4	7	1	1	6
25	Other epidemic and endemic diseases	301	299	128	171	2	130	1		1	2		
26	Glanders	2	2	1	1		1						
27	Anthrax	14	14	8	6		8						
28	Rabies	86	82	30	52	4	34			2	1		1
29	Tetanus	1,377	1,304	678	626	73	751	7	8	19	22	4	1
30	Mycoses	235	234	99	135	1	100			1	2		
	Tuberculosis (all forms)	91,568	88,740	42,511	46,229	2,828	45,339	162	406	697	1,115	854	608
31	Of the respiratory system	80,375	77,805	36,158	41,647	2,570	38,728	133	352	638	1,038	819	559
32	Of the meninges, central nervous system	3,788	3,717	2,495	1,222	71	2,566	13	11	17	6	20	21
33	Of the intestines, peritoneum	3,069	2,993	1,438	1,555	76	1,514	8	19	23	30	6	14
34	Of the vertebral column	956	935	526	409	21	547	2	3	5	7	1	3
35	Of the joints	377	365	177	188	12	189		2	1	2	1	1
36	Of other organs	1,244	1,221	626	595	23	649	2	2	7	18	2	6
37a	Disseminated (acute)	1,456	1,413	937	476	43	980	4	15	5	14	5	3
37b	Disseminated (chronic or unspecified)	303	291	154	137	12	166		2	1			1
38	Syphilis	8,965	8,515	5,235	3,280	450	5,685	33	119	30	203	8	28
39	Soft chancre	10	8	4	4	2	6		2				
40	Gonococcus infection	1,056	993	712	281	63	775	8	15	2	13	2	3
41	Purulent infection, septicemia	1,173	1,124	584	540	49	633	10	1	23	15	2	
42	Other infectious diseases	20	20	8	12		8						
	II.—General diseases not included in Class I	151,136	148,346	85,103	63,243	2,790	87,893	424	237	967	625	125	174
	Cancer and other malignant tumors	99,833	98,176	56,668	41,508	1,657	58,325	269	116	544	242	86	112
43	Of the buccal cavity	3,196	3,144	1,758	1,386	52	1,810	5	1	26	5	2	5
44	Of the stomach, liver	35,694	35,212	19,102	16,110	482	19,584	68	29	177	65	24	47
45	Of the peritoneum, intestines, rectum	14,435	14,267	8,821	5,446	168	8,989	30	15	44	25	11	12
46	Of the female genital organs	14,394	14,053	8,445	5,608	341	8,786	63	42	96	86	16	16
47	Of the breast	9,190	9,041	5,410	3,631	149	5,559	15	13	39	21	6	5
48	Of the skin	2,802	2,743	1,073	1,670	59	1,132	13	1	48	6	2	5
49	Of other or unspecified organs	20,122	19,716	12,059	7,657	406	12,465	75	15	114	34	25	22
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	771	749	451	298	22	473	4	6	5	5		
51	Acute rheumatic fever	2,881	2,833	1,565	1,268	48	1,613	4	12	26	37	1	3
52	Chronic rheumatism, osteoarthritis, gout	1,338	1,317	524	793	21	545	2	2	13	3	1	7
53	Scurvy	53	53	23	30		23						
54	Pellagra	3,854	3,501	821	2,680	353	1,174	38	51	168	245	6	3
55	Beriberi	6	6	4	2		4			1			
56	Rickets	596	580	321	259	16	337		4	5	4		
57	Diabetes mellitus	18,881	18,604	11,009	7,595	277	11,286	45	20	86	50	13	24
58	Anemia, chlorosis	6,624	6,531	3,387	3,144	93	3,480	15	1	21	3	8	5
59	Diseases of the pituitary gland	113	110	85	25	3	88						
60a	Exophthalmic goiter	4,161	4,122	2,737	1,385	39	2,776	8	3	12	5		2
60b	Other diseases of the thyroid gland	682	669	368	301	13	381			5	5	1	
61	Diseases of the parathyroid glands	111	108	64	44	3	67		2	2			2
62	Diseases of the thymus gland	1,280	1,255	874	381	25	899	2		4	1	1	3
63	Diseases of the adrenals (Addison's disease)	391	383	218	165	8	226			1		1	
64	Diseases of the spleen	167	165	103	62	2	105		1	2	2		
65a	Leukemia	1,906	1,854	1,234	620	52	1,286	12	2	12	1		1
65b	Hodgkin's disease	900	883	533	350	17	550	1	3	5	3	2	
66	Alcoholism (acute or chronic)	4,109	4,034	2,744	1,290	75	2,819	9	7	17	13	2	9
67a	Chronic lead poisoning	144	143	94	49	1	95			1			
67b	Other chronic mineral poisoning	31	29	17	12	2	19			1			
68	Chronic poisoning by organic substances	213	207	142	65	6	148	1		3			1
69	Other general diseases	2,091	2,034	1,117	917	57	1,174	14	7	33	6	3	2
	III.—Diseases of the nervous system and of the organs of special sense	127,391	124,931	57,246	67,685	2,460	59,706	342	295	974	792	114	132
70	Encephalitis	1,316	1,263	687	576	53	740	11	2	13	8	2	
71a	Simple meningitis	2,520	2,449	1,412	1,037	71	1,483	13	9	34	13	4	13
71b	Nonepidemic cerebrospinal meningitis	699	687	309	378	12	321			7	3		4
72	Tabes dorsalis (locomotor ataxia)	1,601	1,568	817	751	33	850	3	3	10	3	1	2
73	Other diseases of the spinal cord	3,403	3,337	1,586	1,751	66	1,652	8	4	23	11	5	4
74a	Cerebral hemorrhage	86,261	84,730	38,283	46,447	1,531	39,814	190	226	556	393	48	73
74b	Cerebral embolism and thrombosis	3,906	3,850	2,279	1,571	56	2,335	8	5	7	2	1	1
75	Paralysis without specified cause	5,732	5,538	1,498	4,040	194	1,692	16	22	212	205	13	10
76	General paralysis of the insane	5,900	5,785	2,593	3,192	115	2,708	16	3	8	32	18	2
77	Other forms of mental alienation	1,636	1,602	663	939	34	697	15	4	9	20	4	
78	Epilepsy	3,261	3,214	1,076	2,138	47	1,123	21	7	24	41	1	6
79	Convulsions (nonpuerperal; 5 years and over)	131	129	41	88	2	43		3	1	6		
80	Infantile convulsions (under 5 years)	1,597	1,562	493	1,069	35	528	5	2	11	30	2	7
81	Chorea	80	80	33	47		33						
82	Neuralgia and neuritis	300	291	121	170	9	130			2	2	1	1

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1926

1920; the remainder of the State is included in "rural"]

CALIFORNIA		COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				IDAHO		ILLINOIS		List No.
										Urban		Rural						
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	
34,727	24,187	5,614	6,659	13,972	4,346	1,615	1,832	4,583	2,805	4,205	2,850	7,968	5,021	534	3,337	53,183	32,148	
4,749	4,245	1,168	1,502	1,742	628	247	286	464	467	547	639	1,009	1,075	71	527	5,897	4,487	
62	59	18	44	26	4	4	10	10	4	46	24	56	64	3	19	82	152	1
										1						1		2
6	8			2			1	1	1	12	22	94	102	1		5	43	5
204	31		1							2	1		4		1	3	5	6
52	74	2	11	148	55	31	21	30	8	6	2	13	7		3	149	204	7
27	22	11	11	28	8	3	2	5	3	4		10	1	2	18	140	99	8
75	97	52	130	67	18	14	7	25	16	14	10	14	21	8	34	192	182	9
182	116	34	63	76	11	16	2	22	6	35	6	67	14	3	20	295	120	10
325	417	141	222	288	69	31	43	60	25	64	67	166	104	11	140	655	607	11a
141	203	84	146	95	34	16	24	18	12	32	60	126	93	5	66	285	473	11b
3	3		1							2	1	1	1			1	4	13
	1		1								1	1		1		1	5	15
32	53	3	12	8	1	1	3	3	2	15	17	39	30	1	5	20	47	16
																		17
				3			1					1				2	1	19
1																		20
36	27	20	17	39	7	4		2	1	4		7	2	1	13	128	69	21
17	19	2	6	4	1			2	1	1	1	8	2			10	18	22
38	26	12	5	22	4	4	1	5	1	7		7		1	7	38	38	23
87	29	7	4	12	1		1	4		7	2	9	1	4	18	45	16	24
2	4	1	2	2						2	1	2	6	1	9	7	10	25
																1		26
1																		27
4	1									1		1					3	28
27	17	3	1	14	1	5		5	2	12	43	20	26			47	33	29
6	5	1		3				1					4			8	5	30
2,992	2,826	738	789	823	399	100	162	251	347	227	288	294	391	20	160	3,313	2,184	
2,565	2,571	694	749	683	379	77	156	221	321	198	267	262	366	15	138	2,901	2,002	31
158	82	19	11	61	8	14	1	16	11	10	3	7	4	1	11	160	38	32
99	74	8	10	34	4		3	3	7	5	8	9	10	2	6	105	67	33
26	12	1	3	12	5	1	1	5	1	3	1	2	4		2	38	19	34
8	6	2	1	2		1		1			1	4	1			13	10	35
50	33	4	10	15		3		3		7	2	4	3	2	2	43	30	36
71	39	8	4	13	2			2	7	3	6	6	2		1	48	17	37a
15	9	2	1	3	1	4	1			1			1			5	1	37b
377	183	31	31	66	12	16	5	14	33	37	80	47	186	5	10	382	127	38
																		39
25	8	5	5	3	1	1	2	1	2	3	9	4	7		2	62	17	40
26	15	3		12	2	1	1	5	3	13	4	22	9	4	1	25	24	41
1	1			1											1		1	42
5,211	2,570	670	624	1,920	521	165	174	644	235	456	120	719	252	80	324	7,509	3,833	
3,805	1,855	440	429	1,309	359	115	122	454	152	302	51	428	108	51	203	4,907	2,609	
127	69	8	16	42	10	1	3	13	9	14	3	14	4		5	132	132	43
1,217	723	146	189	431	121	37	38	161	66	92	11	129	28	15	85	1,877	1,003	44
602	257	51	53	233	43	21	13	70	7	37	4	60	7	2	32	657	366	45
588	241	70	57	179	47	22	20	57	34	52	19	71	39	7	28	702	287	46
432	151	57	27	135	55	13	16	40	15	26	3	34	9	9	12	440	236	47
75	64	11	14	34	12		7	7		12		27		2	9	77	129	48
764	350	97	73	255	71	21	25	106	21	69	11	93	21	16	32	1,022	456	49
25	17	6	3	9	2		3	10	4	2	1	9	5		3	35	8	50
34	26	12	16	33	3	4	1	4	4	3	2	5	10		9	178	78	51
38	17	9	1	14	7		2	6		2		13	4	1	4	31	51	52
1	2	1		1	1												2	53
31	14	1		1				1	6	9	25	38	59			13	4	54
																		55
8	9	4	1	7	4	1	2		3	1	5	4	1	1	2	51	9	56
584	293	68	74	272	85	25	25	86	39	61	15	81	22	5	41	1,069	511	57
224	101	39	27	75	25	6	3	21	3	14	4	39	6		10	297	221	58
5		2	1	1				2								4	3	59
91	37	16	24	22	3	3	3	13	4	5		12	3	12	11	371	103	60a
24	12	4	6	6				3		2	1	5	2	1	2	37	11	60b
3	3			2		1	2											61
47	21	11	1	19	6	2	2	3		2		5	2	1	6	62	16	62
14	12	5	4	5	4			4		1		2			2	14	13	63
6	2		1	3				1	1				1	1	1	5	3	64
87	28	24	5	34	3			17	2	10	1	8	2	1	3	93	37	65a
38	12	3	9	13	5	1		2	1	3	1	4		1	1	33	23	65b
66	73	10	14	58	9	5	7	9	5	26	10	33	20	2	18	240	96	66
6	2	1	1	2				1	1	1					1	8	2	67a
1	1			1							1		1					67b
11	7	3			1			2		2		2				4		68
62	26	11	7	33	4	2	2	5	10	10	3	31	6	3	7	57	33	69
3,268	2,684	493	586	1,368	531	156	268	468	271	327	240	753	446	60	345	3,927	3,774	
50	23	4	4	19	4	1	2	5	2	2		15	5	3	5	41	18	70
81	41	10	10	36	8	7	4	16	6	12	3	13	2		3	91	30	71a
13	15	3	3	10	2	2	1	1	1	4	6	4	5		3	14	7	71b
57	54	9	4	17	4	3	4	2	7			9	1		5	68	69	72
97	64	17	20	43	10	2	9	15	9	10	10	22	12	1	13	141	120	73
2,243	1,655	343	402	970	392	119	207	321	160	236	160	505	279	40	222	2,486	2,471	74a
153	78	26	20	69	16	3	7	20	8	7	5	9	3	4	9	212	124	74b
90	88	6	28	13	11	4	7	3	10	20	30	93	82	2	13	37	75	75
61	360	16	39	33	30		13	38	45	1	3	9	8		26	226	364	76
17	58	4	1	16	4		1	4	2		2	4	2		2	39	102	77
48	75	9	15	29	12		5	6	7	4	5	16	19	1	12	96	139	78
1	2		1	1	1					1	1	2			2		2	79
9	10	2	3	16	5	3	1		2		11	12	15		6	18	11	80
1			1	4	1		1						1		1	4	6	81
4	2	1	2	1	2				1			1	1		2	11	9	82

[1] These cities are shown under the various States (indicated by footnote 2) in Table I B.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area in continental United States	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	ALABAMA				ARIZONA	
			Total [1]	Urban [1]	Rural			Urban		Rural		Urban	Rural
								White	Colored	White	Colored		
	III.—Diseases of the nervous system and of the organs of special sense—Con.												
83	Softening of the brain	665	649	228	421	16	244	2		2			1
84	Other diseases of the nervous system	4,596	4,511	2,472	2,039	85	2,557	11	1	38	18	10	5
85	Diseases of the eye and annexa	93	90	48	42	3	51	1		1			
86a	Diseases of the ear	2,113	2,066	1,402	664	47	1,449	7	3	11	5	2	1
86b	Diseases of the mastoid process	1,581	1,530	1,205	325	51	1,256	15	1	5		2	2
	IV.—Diseases of the circulatory system	237,010	233,400	126,822	106,578	3,610	130,432	560	490	1,255	1,061	182	270
87	Pericarditis	915	893	420	473	22	442	1	2	9	3	1	2
88	Endocarditis and myocarditis (acute)	8,337	8,079	5,245	2,834	258	5,503	26	31	23	40	22	16
89	Angina pectoris	15,221	14,993	7,693	7,300	228	7,921	60	10	86	28	19	20
90	Other diseases of the heart	184,897	182,223	99,483	82,740	2,674	102,157	402	413	1,041	931	128	200
91a	Aneurysm	1,989	1,906	1,239	667	83	1,322	3	11	9	8	3	5
91b,c	Other diseases of the arteries	21,709	21,448	10,465	10,983	261	10,726	53	18	60	27	6	23
92	Embolism and thrombosis (not cerebral)	2,781	2,721	1,737	984	60	1,797	10	1	10	4	1	3
93	Diseases of the veins	585	575	355	220	10	365	4	1	3	2	1	1
94	Diseases of the lymphatic system	196	193	115	78	3	118		2	1			
95	Hemorrhage without specified cause	138	133	41	92	5	46		1	3	6	1	
96	Other diseases of the circulatory system	242	236	29	207	6	35	1		10	12		
	V.—Diseases of the respiratory system	123,960	121,436	68,930	52,506	2,524	71,454	395	478	1,037	788	205	360
97a	Diseases of the nasal fossae	313	308	53	255	5	58			3	9	2	1
97b	Diseases of the nasal fossae annexa	620	605	439	166	15	454	2	1	3	1	2	2
98	Diseases of the larynx	478	469	205	264	9	214	2	1	8	3		2
99a	Acute bronchitis	2,795	2,747	1,558	1,189	48	1,606	2	4	8	3	4	3
99b	Chronic bronchitis	2,391	2,348	1,119	1,229	43	1,162	5		16	2	6	3
99c	Bronchitis (unspecified, under 5 years)	655	646	293	353	9	302	3	1	8	9	4	5
99d	Bronchitis (unspecified, 5 years and over)	1,120	1,092	502	590	28	530	5	5	18	6	3	3
100a	Broncho-pneumonia	45,157	44,382	26,227	18,155	775	27,002	124	116	338	182	72	140
100b	Capillary bronchitis	991	979	551	428	12	563			7	2	1	4
101a	Lobar pneumonia	56,699	55,492	32,774	22,718	1,207	33,981	202	317	454	332	64	99
101b	Pneumonia (unspecified)	4,950	4,763	1,122	3,641	187	1,309	16	15	125	197	17	66
102	Pleurisy	2,780	2,742	1,822	920	38	1,860	15	11	16	15	6	7
103	Congestion and hemorrhagic infarct of the lung	1,427	1,376	630	746	51	681	6	2	8	7	2	1
104	Gangrene of the lung	189	186	109	77	3	112						1
105	Asthma	2,051	1,997	911	1,086	54	965	7	4	19	13	20	9
106	Pulmonary emphysema	158	155	76	79	3	79						1
107	Other diseases of the respiratory system (tuberculosis excepted)	1,186	1,149	539	610	37	576	6	1	6	7	2	13
	VI.—Diseases of the digestive system	100,266	97,130	53,567	43,563	3,136	56,703	490	317	1,040	564	190	452
108	Diseases of the mouth and annexa	797	771	404	367	26	430	4	3	12	7	1	3
109a	Adenoid vegetations	6	6	5	1		5						
109b	Other diseases of the pharynx, tonsils	3,941	3,838	2,275	1,563	103	2,378	11	4	27	14	5	13
110	Diseases of the esophagus	131	123	67	56	8	75	1	1	1		1	
111a	Ulcer of the stomach	4,566	4,461	2,761	1,700	105	2,866	18	14	19	14	5	9
111b	Ulcer of the duodenum	1,858	1,817	1,352	465	41	1,393	13	4	2	1		3
112	Other diseases of the stomach (cancer excepted)	5,444	5,245	1,635	3,610	199	1,834	13	45	78	113	5	42
113	Diarrhea and enteritis (under 2 years)	28,374	27,392	12,389	15,003	982	13,371	127	76	503	201	95	263
114	Diarrhea and enteritis (2 years and over)	6,922	6,653	2,452	4,201	269	2,721	44	27	129	54	20	36
115	Ancylostomiasis	26	25	4	21	1	5	1		3			
116	Diseases due to other intestinal parasites	95	95	20	75		20		1		1		
117	Appendicitis and typhlitis	15,751	15,224	10,554	4,670	527	11,081	108	55	79	42	27	32
118a	Hernia	4,138	4,054	2,795	1,259	84	2,879	13	13	17	11	3	6
118b	Intestinal obstruction	7,596	7,313	4,437	2,876	283	4,720	57	39	64	33	4	13
119	Other diseases of the intestines	1,213	1,174	654	520	39	693	8	5	12	7	3	2
120	Acute yellow atrophy of the liver	515	504	317	187	11	328	1	4	6	1		
121	Hydatid tumor of the liver	25	24	14	10	1	15						
122	Cirrhosis of the liver	7,591	7,440	4,355	3,085	151	4,506	22	10	26	25	9	13
123	Biliary calculi	4,148	4,085	2,864	1,221	63	2,927	7	1	13	7	6	3
124	Other diseases of the liver	4,745	4,591	2,750	1,841	154	2,904	29	7	32	24	1	10
125	Diseases of the pancreas	631	612	460	152	19	479		2	1		1	1
126	Peritonitis without specified cause	1,752	1,682	1,002	680	70	1,072	13	6	16	9	4	3
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	1	1			1						
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	119,978	117,060	63,938	53,122	2,918	66,856	425	375	938	806	76	159
128	Acute nephritis (including unspecified under 10 years)	5,427	5,174	2,546	2,628	253	2,799	28	38	50	71	9	14
129	Chronic nephritis (including unspecified 10 years and over)	97,905	95,806	51,107	44,699	2,099	53,206	313	257	797	610	53	117
130	Chyluria	1	1	1			1						
131	Other diseases of the kidneys and annexa	2,979	2,861	1,655	1,206	118	1,773	19	9	27	38	2	4
132	Calculi of the urinary passages	823	800	582	218	23	605	3	1	7			1
133	Diseases of the bladder	974	943	362	581	31	393	2	2	13	12	3	4
134	Diseases of the urethra, etc	421	390	284	106	31	315	1	4		6	1	3
135	Diseases of the prostate	5,600	5,480	3,222	2,258	120	3,342	23	15	29	30	4	10
136	Nonvenereal diseases of the male genital organs	128	126	87	39	2	89	2	4				
137	Cysts, other benign tumors of the ovary	851	823	606	217	28	634	6	5	1	5		2
138	Salpingitis and pelvic abscess (female)	1,864	1,767	1,372	395	97	1,469	17	16	4	11	2	1
139	Benign tumors of the uterus	2,068	1,995	1,535	460	73	1,608	10	20	7	10	1	1
140	Nonpuerperal uterine hemorrhage	54	50	23	27	4	27	1			1		1
141	Other diseases of the female genital organs	855	817	539	278	38	577		4	2	12	1	1
142	Nonpuerperal diseases of the breast (cancer excepted)	28	27	17	10	1	18			1			
	VIII.—The puerperal state	15,058	14,654	7,910	6,744	404	8,314	85	88	202	176	24	62
143	Accidents of pregnancy	1,538	1,509	832	677	29	861	5	4	23	15		5
144	Puerperal hemorrhage	1,563	1,527	790	737	36	826	6	5	22	15	3	11
145	Other accidents of labor	1,731	1,687	856	831	44	900	4	8	25	35	2	3
146	Puerperal septicemia	5,518	5,357	3,195	2,162	161	3,356	30	42	61	46	8	22
147	Puerperal phlegmasia alba dolens, embolus, etc	613	607	343	264	6	349	3		3		1	5
148	Puerperal albuminuria and convulsions	4,036	3,910	1,864	2,046	126	1,990	36	29	68	65	10	15
149	Following childbirth (undefined)	56	54	27	27	2	29	1					1
150	Puerperal diseases of the breast	3	3	3			3						

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

CALIFORNIA		COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				IDAHO		ILLINOIS		List No.
										Urban		Rural						
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	
23	13	2		7	1			1		2		2	1		1	13	12	83
173	93	29	17	52	23	7	3	22	5	16	3	27	6	5	9	216	154	84
3	3	2	1	2									1		1	1	1	85
91	33	8	9	15	3	3	2	10	3	6	1	5	2	1	6	137	48	86a
53	17	2	6	15	2	2	1	4	3	6		5	1	3	4	76	12	86b
7,454	4,957	921	827	2,835	1,108	286	337	1,109	575	604	260	1,092	480	82	488	10,733	6,618	
25	19	6	8	7	5			2	1	1	2	6	6	2	4	36	37	87
247	155	36	27	116	34	10	8	42	75	34	27	28	16	2	21	470	182	88
597	407	110	63	184	74	14	26	60	3	73	11	111	20	9	31	478	441	89
5,733	3,738	640	621	2,257	845	244	260	876	439	451	202	837	398	61	371	8,874	5,116	90
159	50	22	8	11	3	4		9	16	4	12	14	4	3	7	86	40	91a
502	512	84	84	212	136	9	39	101	39	27	6	71	17	2	41	677	740	91b,c
163	68	18	13	35	11	4	3	14		8		14	1	1	10	69	43	92
16	6	5	1	9				4	1	1		3	3		3	34	14	93
5	1			3		1			1	1		1	1	1		7	2	94
5			1							2		2	4				2	95
2	1		1	1			1	1		2		5	10	1		2	1	96
2,558	1,794	548	678	1,524	346	189	163	404	371	287	274	483	338	34	295	5,049	2,607	
1	3			1	1			1				2	6		1	3	6	97a
29	10	9	5	6		1		4	1	6	1	4			2	35	10	97b
5	7	1	5	7		1	1	2		2		2	1		3	9	11	98
49	41	9	11	37	25	2	1	12	12	2	12	11	8		2	183	65	99a
57	61	5	15	23	10	1	2	13	6	5	6	13	1		4	75	111	99b
11	4		1	3	4					2	1	2	1			42	21	99c
27	18	2	3	18	4	3	2	6	3	1	1	8	4	1	6	41	45	99d
1,005	676	190	267	518	117	69	52	157	173	117	59	140	75	10	109	1,672	891	100a
26	10	7	7	7	6			4	8	4	6	2	2		1	41	31	100b
1,046	746	259	269	801	154	96	85	166	143	103	135	153	119	15	126	2,620	1,163	101a
34	67	11	33	20	6	5	9	13	7	12	32	89	95		21	20	39	101b
109	44	13	11	33	5	6	1	11	12	9	7	13	6	2	5	160	62	102
57	32	7	6	15	7	1	2	5	1	13	3	14	2		5	40	63	103
9	1		2	2				2		1		2		1	2	11	5	104
49	40	26	20	20	3	3	7	7	1	6	4	21	6	4	7	69	51	105
5	2	1	1	3	1				1		2	1	1			3	10	106
39	32	8	22	10	3	1	1	1	3	4	5	6	11	1	1	25	23	107
2,771	1,775	509	673	1,002	201	142	98	336	210	488	311	712	395	58	315	4,561	2,436	
13	10	7	5	2	1		3	3	2	8	4	7	4	1	4	35	17	108
																		109a
109	55	27	21	45	7	6	3	12	7	8	6	39	13	4	20	224	96	109b
2	5		2	4						2	1	2	1			4	1	110
212	92	32	39	54	9	6	3	12	3	27	17	26	11	6	32	281	103	111a
103	27	21	7	30	3	4		11	4	13	1	8	3		6	100	24	111b
84	105	12	46	29	14	8	7	3	11	27	56	79	97	2	13	43	111	112
430	608	102	210	212	54	35	48	62	69	150	99	198	101	7	67	1,015	747	113
124	137	18	36	49	27	11	9	19	27	34	17	67	35	3	21	178	306	114
			1							1		6	3					115
1	1			1						1		2	2			1	1	116
473	213	136	140	178	20	21	5	68	25	38	31	79	41	11	64	965	277	117
144	60	21	25	57	10	10	2	14	6	11	6	14	14	6	9	250	64	118a
293	133	40	44	85	11	12	4	38	19	38	27	61	25	6	24	332	152	118b
28	22	3	7	13	6	1		6	6	3	7	10	5	2	5	38	19	119
17	9			5	3					3	1	4	1			28	11	120
2																2	1	121
345	165	19	32	81	17	9	5	26	14	30	12	27	15	2	20	442	224	122
149	53	27	17	93	12	6	3	19	3	6	3	24	3	4	12	338	117	123
168	50	33	30	39	4	6	4	34	5	27	15	39	10	3	15	187	124	124
34	11	4	5	8	1	1		2	2	1		1			1	36	9	125
40	19	7	6	17	2	6	2	7	7	10	8	19	11	1	2	61	32	126
																1		127
3,398	1,762	484	447	1,275	428	195	234	503	321	484	254	776	476	45	262	6,551	3,287	
102	68	16	36	48	9	11	11	9	38	21	38	50	50	2	20	182	106	128
2,668	1,446	360	352	1,060	390	164	211	436	243	381	170	622	353	28	198	5,414	2,875	129
																		130
101	53	16	5	22	5	4	3	11	5	15	4	28	17	3	4	148	50	131
38	12	7	3	7	2			6		6		3	1		4	65	15	132
22	17	3	4	9	7	3	1	4	1	2	7	15	13		3	29	27	133
8	3		2	5		2		1	1	2	11	1	7	1	1	15	5	134
214	110	43	23	54	5	3	4	20	7	30	5	32	13	7	20	289	128	135
5				3						2	1	2	1			8		136
70	10	8	2	7	1	1		2	2	3		2	1			65	11	137
70	15	13	6	20	1	1		4	16	10	13	11	7	1	5	132	22	138
81	26	12	7	27	8	4	3	8	7	8	5	7	5	3	5	148	31	139
			1	1						2						1	4	140
18	2	6	6	11		2	1	2	1	2		3	8		2	53	12	141
1				1												2	1	142
289	179	59	78	145	23	23	16	39	30	69	47	156	100	8	45	609	262	
44	19	5	8	14	3	3	5	3	1	10	2	10	7	1	5	64	29	143
24	18	7	4	16	2	3		4	3	9	5	17	7		6	60	26	144
36	22	7	9	17	5		1	8	1	4	1	31	18	1	1	74	18	145
98	77	26	38	53	6	8	7	13	15	21	25	38	43	5	17	251	96	146
12	8	2	4	5	1			3		1	4	5	3		7	23	11	147
75	35	12	15	39	6	8	3	7	10	24	10	54	22	1	9	137	82	148
				1		1		1				1						149
																		150

[2] These cities are shown under the various States (indicated by footnote 2) in Table I B.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area in continental United States	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	ALABAMA				ARIZONA	
			Total [1]	Urban [1]	Rural			Urban		Rural		Urban	Rural
								White	Colored	White	Colored		
	IX.—Diseases of the skin and of the cellular tissue	3,390	3,298	1,677	1,621	92	1,769	14	7	21	24	1	8
151	Gangrene	1,366	1,347	523	824	19	542	1	5	9	9	1	2
152	Furuncle	568	543	320	223	25	345	5		6	3		1
153	Acute abscess	705	678	451	227	27	478	8	2	2	7		3
154	Other diseases of the skin and annexa	751	730	383	347	21	404			4	5		2
	X.—Diseases of the bones and of the organs of locomotion	1,429	1,378	931	447	51	982	9	2	7	3	3	2
155	Diseases of the bones (tuberculosis excepted)	1,142	1,109	758	351	33	791	8	1	7	3	3	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	224	207	144	63	17	161		1				1
157	Amputations	3	3	3			3						
158	Other diseases of the organs of locomotion	60	59	26	33	1	27	1					
	XI.—Malformations	13,990	13,779	7,373	6,406	211	7,584	50	11	103	26	8	36
159a	Congenital hydrocephalus	1,394	1,371	801	570	23	824	6	2	10	4		1
159b	Congenital malformations of the heart	8,073	7,964	4,048	3,916	109	4,157	26	6	49	9	6	21
159c	Other congenital malformations	4,523	4,444	2,524	1,920	79	2,603	18	3	44	13	2	14
	XII.—Early infancy	61,249	59,832	30,635	29,197	1,417	32,052	240	184	735	308	71	188
160	Congenital debility, icterus, sclerema	7,344	7,176	2,711	4,465	168	2,879	16	23	94	58	17	47
161a	Premature birth	38,990	38,041	19,415	18,626	949	20,364	176	131	552	202	48	106
161b	Injury at birth	10,208	10,001	6,065	3,936	207	6,272	39	14	57	26	5	16
162	Other diseases peculiar to early infancy	4,609	4,519	2,418	2,101	90	2,508	9	16	32	21	1	19
163	Lack of care	98	95	26	69	3	29				1		
164	XIII.—Old age (senility)	12,065	11,761	2,851	8,910	304	3,155	28	24	211	327	20	46
	XIV.—External causes	105,335	102,831	54,354	48,477	2,504	56,858	437	413	887	794	133	1412
	Suicide	13,410	13,082	7,584	5,498	328	7,912	50	5	72	9	15	36
165	By poisons (gas or corrosives excepted)	796	772	439	333	24	463	2		5		2	1
166	By corrosive substances	1,451	1,355	954	401	96	1,050	14	1	7		2	5
167	By poisonous gas	1,940	1,919	1,743	176	21	1,764	2				2	
168	By hanging or strangulation	2,385	2,371	1,073	1,298	14	1,087	2		6	1	1	3
169	By drowning	717	712	348	364	5	353			3		1	
170	By firearms	4,616	4,469	2,078	2,391	147	2,225	27	3	47	7	4	25
171	By cutting or piercing instruments	861	847	509	338	14	523	2		3		2	1
172	By jumping from high places	362	358	317	41	4	321		1				
173	By crushing	135	133	78	55	2	80					1	
174	By other means	147	146	45	101	1	46	1		1	1		1
	Homicide	9,210	8,740	5,004	3,736	470	5,474	43	177	92	196	14	49
197	By firearms	6,377	6,035	3,277	2,758	342	3,619	30	135	70	132	11	36
198	By cutting or piercing instruments	1,322	1,239	812	427	83	895	4	31	8	41		8
199	By other means	1,511	1,466	915	551	45	960	9	11	14	23	3	5
	Accidental or undefined	82,715	81,009	41,766	39,243	1,706	43,472	344	231	723	589	104	327
175	Poisoning by food	830	778	280	498	52	332	11	4	21	12		4
176	Poisoning by venomous animals	107	103	27	76	4	31	1		2	3		11
177	Other acute poisonings (gas excepted)	1,575	1,526	801	725	49	850	9	4	15	8	3	5
178	Conflagration	1,558	1,531	620	911	27	647	3	2	6	11	3	4
179	Burns (conflagration excepted)	6,487	6,296	3,475	2,821	191	3,666	34	48	95	126	7	23
180	Mechanical suffocation	1,279	1,248	445	803	31	476	5	4	22	20	1	6
181	Absorption of irrespirable, irritating, or poisonous gas	2,836	2,826	2,420	406	10	2,430	1	1	1	1		1
182	Drowning	6,661	6,602	2,312	4,290	59	2,371	11	13	47	55	6	22
183	Traumatism by firearms (except in war)	2,593	2,497	823	1,674	96	919	9	23	44	49	8	13
184	Traumatism by cutting or piercing instruments	702	679	387	292	23	410	3	3	5			1
185	Traumatism by fall	14,681	14,441	8,548	5,893	240	8,788	51	7	103	25	11	27
186a	Traumatism in mines	2,825	2,821	582	2,239	4	586	17	19	50	77	1	37
186b	Traumatism in quarries	127	127	40	87		40	1		2	2		
187	Traumatism by machines	2,224	2,163	1,219	944	61	1,280	9	5	25	12	4	9
188a	Railroad accidents	7,026	6,911	2,837	4,024	115	3,002	37	26	46	58	8	23
	Collision with automobiles	1,556	1,540	505	1,035	16	521	12	2	9	2	1	2
	Other railroad accidents	5,470	5,371	2,332	2,989	99	2,481	25	24	37	56	7	21
188b	Street-car accidents	1,621	1,583	1,253	330	38	1,291	8	3	3			
	Collision with automobiles	464	454	324	130	10	334	3		1			
	Other street-car accidents	1,157	1,129	929	200	28	957	5	3	2			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	18,871	18,419	11,071	7,348	452	11,523	96	37	125	61	32	84
188d	Airplane and balloon accidents	160	152	46	106	8	54	3		1		1	1
188e,f	Injuries by other vehicles	1,347	1,319	604	715	28	632	4	1	14	5	1	7
188g	Landslide, other crushing	743	728	299	429	15	314	2	4	4	2		5
189	Injuries by animals (not poisoning)	541	530	125	405	11	136	2	4	13	5		3
190	Wounds of war	3	3	2	1		2						
192	Starvation (deprivation of food or water)	14	13	2	11	1	3			1			
193	Excessive cold	256	254	87	167	2	89			1			3
194	Excessive heat	646	638	347	291	8	355	1	3	1	7	5	11
195	Lightning	364	364	32	332		32	1		9	7	1	8
196	Other accidental electric shocks	1,037	1,006	436	570	31	467	4	2	9	4	3	7
201	Fracture (cause not specified)	690	657	315	342	33	348	2	2	4	4	4	2
202	Other external violence	4,909	4,792	2,279	2,513	117	2,396	19	16	54	35	5	10
203	Violent deaths of unknown causation	2	2	2			2						
	XV.—Ill-defined diseases	18,708	18,161	2,606	15,555	547	3,153	95	350	656	1,509	10	183
204	Sudden death	2,013	1,993	287	1,706	20	307	4	3	50	70	1	8
205a	Ill-defined	4,461	4,080	718	3,312	431	1,149	17	55	105	205		73
205b	Not specified or unknown	12,234	12,138	1,601	10,537	96	1,697	74	292	501	1,234	9	102

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

CALIFORNIA		COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				IDAHO		ILLINOIS		List No.
										Urban		Rural						
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	
78	44	9	16	39	17	4	4	7	4	10	11	28	15	1	6	112	76	
23	14	4	12	11	14	3	1	1	3	1	5	8	7		4	29	38	151
17	8		2	5		1	1			2	3	11	2	1		32	13	152
20	10	1		14			2	4		4	1	3	5			30	6	153
18	12	4	2	9	3			2	1	3	2	6	1		2	21	19	154
51	23	6	7	19	2			6	3	3	1	10	1	1	1	66	28	
42	21	5	6	16	2			6	3	3	1	7	1	1	1	55	22	155
7	2			3								3				9	3	156
2		1	1													2	3	157
330	217	47	68	167	38	12	13	50	13	55	10	104	16	9	53	712	336	158
36	19	3	4	27	4	3	2	6	2	5	1	7	3	1	2	50	33	159a
179	137	24	45	81	23	8	7	26	5	25	5	54	6	6	38	432	220	159b
115	61	20	19	59	11	1	4	18	6	25	4	43	7	2	13	230	83	159c
1,175	868	226	364	762	151	55	84	181	131	227	165	456	209	23	205	2,399	1,383	
106	155	16	50	67	18	2	17	9	7	25	45	61	54	2	24	129	100	160
754	541	151	232	429	90	40	49	112	101	147	101	296	119	12	129	1,399	847	161a
210	104	36	43	193	20	7	9	46	14	44	11	67	20	3	39	685	377	161b
102	64	23	36	73	22	6	9	13	9	11	7	32	15	6	13	184	59	162
3	4		3		1			1			1		1			2		163
182	172	72	66	56	36	9	33	38	9	30	18	141	112	16	61	116	299	164
3,178	2,822	396	704	1,085	298	132	114	332	161	562	451	1,312	745	44	371	4,887	2,569	
757	371	96	60	160	56	16	3	80	6	60	4	107	7	6	43	694	373	
81	37	11	9	6				5		4		11	1		3	25	11	165
63	15	11	7	12	1		1	7	1	8		5		2	2	90	43	166
222	22	19		45	6	8		22	2	5		3				184	13	167
70	60	11	5	33	26	1	1	5	1	1		6			9	110	82	168
27	25	3	1	10	5			3		3	1	7			1	23	32	169
220	166	33	33	26	14	5	1	32	1	34	2	61	2	4	19	188	155	170
45	35	8	5	18	1	1		1		3		9	2		6	43	18	171
20	2			8	2	1		5	1	1						25	4	172
4	4			1	1											3	9	173
5	5			1						1	1	5	2		3	3	6	174
212	161	22	48	35	9	12	8	10	42	72	224	112	250	1	14	562	189	
134	115	16	31	11	2	6	5	7	27	49	164	93	168	1	11	389	139	197
21	20	2	4	7	1	4	1		10	12	51	3	60		2	72	16	198
57	26	4	13	17	6	2	2	3	5	11	9	16	22		1	101	34	199
2,209	2,290	278	596	890	233	104	103	242	113	430	223	1,093	438	37	314	3,631	2,007	
17	18	3	5	6	2		2	4	1	15	8	17	2	1	1	9	18	175
3	9									3		5				3	1	176
72	40	14	13	9	3	1	3	6	4	13	1	19	10	1	8	70	28	177
18	48	1	8	12	5			2	1	11	9	6	4		5	81	42	178
137	99	24	16	78	9	12	5	23	13	25	25	35	47	3	16	231	90	179
22	26	8	9	17	7		1	2	2	6	3	4	5		8	22	36	180
81	29	12	8	63	5	8		23	14	4		7	1			192	30	181
129	274	7	63	51	39	7	15	11	7	65	27	247	107	1	58	151	194	182
29	75	2	36	15	5	1	3	2	3	11	15	64	57	2	15	69	69	183
18	11	6	5	8	1		2		2	4	5	6	3		4	35	8	184
476	273	55	69	211	41	25	9	59	16	41	10	68	13	6	33	653	338	185
4	42	3	64	1								1	4		17	40	128	186a
4	1											1	1			1	2	186b
57	78	14	15	16	1	1		9	3	7	7	21	10	2	8	103	32	187
110	210	16	89	36	15	7	30	5	1	13	16	95	54	3	18	345	382	188a
30	94	3	12	6	3		16			2		30	3		4	63	136	
80	116	13	77	30	12	7	14	5	1	11	16	65	51	3	14	282	246	
101	40	12	1	22	4	2		8	3	4	3	4		1	3	172	30	188b
47	15	1	1	8	1	1				1	1			1	3	48	14	
54	25	11		14	3	1		8	2	3	2	4				124	16	
736	728	71	104	244	63	29	21	69	29	127	47	273	68	11	66	998	340	188c
10	15	2		1				2				8	1		1	4	14	188d
33	27	7	16	19	4	2	3	3	1	4	1	6	5	1	9	47	39	188e,f
21	33	2	15	10		1		3	2	9	3	13	9		7	25	13	188g
	14	1	10	4	3		1	2		1		4	1	1	5	9	14	189
	3			1														190
	3	2	2	8	3		1								1		1	192
4	42		1	5	3	3		1	4	1	1	2	1		2	12	8	193
	1		14									6	3		3	21	19	194
18	36	3	9	8	4	1		1	1	16		38	4	2	3	3	15	195
10	3		1	2	2	1	2		2	13	3	21	11		2	37	26	196
99	112	13	23	43	14	3	5	7	4	37	39	122	67	2	21	16	7	201
																281	83	202
35	75	6	19	33	18		8	2	4	56	49	217	361	2	39	1		203
1	6	1	2	10	1		1			4	1	27	32		7	55	153	
10	36		10	12	9		5	1	2	29	35	85	117	2	13	2	11	204
24	33	5	7	11	8		2	1	2	23	13	105	212		19	9	67	205a
																44	75	205b

[2] These cities are shown under the various States (indicated by footnote 2) in Table I B.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	INDIANA		IOWA		KANSAS		KENTUCKY				LOUISIANA			
								Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	All causes	17,970	22,046	8,831	16,635	6,244	12,856	6,485	1,936	18,660	2,871	5,932	4,619	6,340	7,339
	I.—Epidemic, endemic, and infectious diseases	2,631	3,727	1,000	1,842	797	1,516	997	390	4,736	803	868	1,030	1,320	1,876
1	Typhoid and paratyphoid fever	81	132	17	35	33	52	35	13	368	69	33	30	108	158
2	Typhus fever														
5	Malaria	6	6	1	3	5	9	5	4	37	11	12	12	77	104
6	Smallpox	1	7		2		2			5		1	1	5	3
7	Measles	231	217	24	39	27	63	120	9	326	16	1	3	2	4
8	Scarlet fever	40	61	13	33	15	18	12		43	2	6	1	3	2
9	Whooping cough	205	214	58	105	33	87	56	10	282	30	24	16	77	79
10	Diphtheria	99	86	50	61	23	26	21	5	252	12	34	16	72	25
11a	Influenza (with pulmonary complications)	358	670	167	417	144	355	118	55	560	101	172	133	341	213
11b	Influenza (other and unspecified)	221	477	113	421	82	270	67	17	375	61	65	53	138	164
13	Mumps		2	1						1			1		
15	Cholera nostras	1	1	1	4	1	2	2		14				1	6
16	Dysentery	23	85	15	29	11	27	26	4	234	18	16	15	47	52
17	Plague												1		
19	Spirochetal hemorrhagic jaundice	1	2				4			1					
20	Leprosy													13	7
21	Erysipelas	47	66	19	40	10	30	16	1	41	2	3	1	5	1
22	Acute anterior poliomyelitis	5	12	4	8	5	9	6	2	26	2	2	2	6	3
23	Lethargic encephalitis	18	17	16	10	6	10	7	1	10		7	3	2	1
24	Meningococcus meningitis	12	9	5	12	5	4	7	1	43	6	9	1	6	6
25	Other epidemic and endemic diseases	5	5	2	4	2	2			5	1			3	
26	Glanders														
27	Anthrax													2	
28	Rabies		2			1	2		1	7	1			1	
29	Tetanus	27	21	17	23	13	30	5	5	21	6	11	25	15	52
30	Mycoses	5	4	1	2	4	3	3	1	6		5	1		1
	Tuberculosis (all forms)	1,075	1,521	390	528	292	448	452	215	2,002	426	386	490	347	792
31	Of the respiratory system	859	1,302	316	458	257	393	369	180	1,730	378	354	438	324	755
32	Of the meninges, central nervous system	74	67	20	14	9	8	35	14	60	14	7	6	2	3
33	Of the intestines, peritoneum	72	69	16	24	13	22	23	9	136	21	8	18	6	15
34	Of the vertebral column	18	16	7	5	1	5	5	1	12	1	8	7	2	3
35	Of the joints	2	14	4	3		1	1	1	7	2		1	2	1
36	Of other organs	16	24	11	10	2	10	7	4	31	4	2	3	4	6
37a	Disseminated (acute)	23	16	14	11	9	5	7	4	18	6	4	16	5	8
37b	Disseminated (chronic or unspecified)	11	13	2	3	1	4	5	2	8		3	1	2	1
38	Syphilis	135	86	54	47	65	43	22	42	52	30	65	197	37	188
39	Soft chancre						1								
40	Gonococcus infection	22	5	10	5	11	9	8	2	6	4	8	26	1	11
41	Purulent infection, septicemia	13	18	21	13	8	10	9	2	17	5	8	2	11	4
42	Other infectious diseases		1	1	1	1				2					
	II.—General diseases not included in Class I	2,253	2,501	1,400	2,498	881	1,616	700	145	1,443	174	683	344	517	465
	Cancer and other malignant tumors	1,491	1,765	913	1,680	581	1,099	474	96	950	112	488	191	340	240
43	Of the buccal cavity	43	46	31	41	16	39	6	2	33	4	22	1	10	10
44	Of the stomach, liver	514	728	282	725	203	430	172	37	331	29	148	65	132	86
45	Of the peritoneum, intestines, rectum	216	241	155	233	77	152	83	12	127	16	59	25	30	12
46	Of the female genital organs	269	207	127	151	92	119	86	19	146	38	80	56	59	73
47	Of the breast	120	165	99	119	41	104	33	9	81	8	38	12	21	18
48	Of the skin	42	103	16	51	20	40	12	3	77	1	9	4	25	3
49	Of other or unspecified organs	287	275	203	360	132	215	82	14	155	16	132	28	63	38
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	8	10	12	20	3	9	4	3	1		1	1	3	6
51	Acute rheumatic fever	46	41	26	33	15	28	13	10	38	11	10	9	10	9
52	Chronic rheumatism, osteoarthritis, gout	15	28	15	29	11	21	5	2	24	2	6	3	5	6
53	Scurvy				1		1								
54	Pellagra	1	4	1	4	3	10	8	2	121	13	16	73	37	142
55	Beriberi												1		
56	Rickets	6	6	2		3	4	3	3	9	1		3	3	3
57	Diabetes mellitus	284	310	157	331	113	217	87	10	151	15	93	40	57	30
58	Anemia, chlorosis	88	126	93	217	56	105	40	4	63	4	14		16	3
59	Diseases of the pituitary gland	2	1	1	2	1				1			1	2	
60a	Exophthalmic goiter	152	100	64	54	33	38	20	4	15	2	11	3	4	2
60b	Other diseases of the thyroid gland	19	9	6	12	3	6	3	1	3	1			2	1
61	Diseases of the parathyroid glands	1			1	1		1						2	1
62	Diseases of the thymus gland	19	10	15	10	10	9	5	1	8		6	4	3	2
63	Diseases of the adrenals (Addison's disease)	7	9	3	11	4	5	1		2	1	1			
64	Diseases of the spleen	1	2	3	1	1	3	2		4	1	6	4		
65a	Leukemia	31	31	28	28	14	17	5		11	1	9	1	5	2
65b	Hodgkin's disease	11	5	8	16	5	9	4		5	1	3	1	1	
66	Alcoholism (acute or chronic)	43	14	33	18	13	19	16	6	14	2	12	2	11	9
67a	Chronic lead poisoning		1	1	1	2				1		3			
67b	Other chronic mineral poisoning	1			1								1		
68	Chronic posioning by organic substances	1			1	1	4	6		2					
69	Other general diseases	26	29	19	27	8	12	3	3	20	7	4	6	16	9
	III.—Diseases of the nervous system and of the organs of special sense	1,677	2,789	980	2,399	709	1,781	700	164	1,649	278	444	290	465	514
70	Encephalitis	29	27	18	25	7	18	11	1	28		13	6	7	4
71a	Simple meningitis	42	37	22	26	13	10	14	9	62	15	15	7	8	6
71b	Nonepidemic cerebrospinal meningitis	8	11	2	5	1	5	2	2	27		1		5	2
72	Tabes dorsalis (locomotor ataxia)	17	35	8	9	19	14	9		21	1	9	5	9	7
73	Other diseases of the spinal cord	43	75	37	68	19	64	19	4	55	6	12	9	9	6
74a	Cerebral hemorrhage	1,171	2,016	693	1,698	496	1,273	486	96	981	144	292	198	287	330
74b	Cerebral embolism and thrombosis	47	47	29	74	29	44	15	1	14	1	12	7	13	16
75	Paralysis without specified cause	53	125	22	87	11	63	32	16	185	37	12	16	41	37
76	General paralysis of the insane	105	150	16	89	19	59	29	12	55	40	10	14	16	24
77	Other forms of mental alienation	13	35	9	53	6	63	18	1	24	3	18	9	9	10
78	Epilepsy	24	68	13	71	31	40	15	7	52	9	6	3	23	26
79	Convulsions (nonpuerperal; 5 years and over)		1		4	1	2	2		3	1			1	3
80	Infantile convulsions (under 5 years)	11	19	7	24	6	15	3	7	18	5	1	1	9	30
81	Chorea	1	6	1		1	2			3		1			
82	Neuralgia and neuritis	2	4	5	8	3	2	2		8	3	1		1	2

CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
3,695	7,660	10,458	3,135	6,712	2,344	42,505	10,133	30,464	23,620	11,428	14,375	1,694	2,109	7,497	12,466	20,952	21,800	
413	958	1,267	616	1,038	506	4,767	1,386	4,536	2,856	1,290	2,069	244	433	1,456	3,299	2,644	4,264	
6	15	35	18	41	26	50	9	66	51	11	17	18	33	85	256	66	294	1
		1																2
	1	2				1	1	2	2			10	22	131	264	13	132	5
									3						4		1	6
49	19	97	20	84	19	341	60	447	170	75	100	1		47	21	142	137	7
3	18	14		6	1	107	18	158	85	52	101	1		4	1	101	62	8
26	62	63	31	63	26	329	83	221	146	51	112	3	10	80	172	124	205	9
7	13	55	7	32	4	230	20	535	143	111	46	10	6	64	49	141	97	10
66	215	162	40	119	38	487	141	433	396	90	250	57	78	345	442	287	636	11a
42	151	65	9	64	26	139	83	220	330	84	170	40	41	192	312	148	538	11b
1				2		1	1	3	2		4			2	3	3	2	13
2					2	1		3	2		2			2	1	1	8	15
3	6	28	5	22	11	10	2	15	21	2	15	6	7	53	84	45	143	16
																		17
						1		2			2			1		2	1	19
																		20
6	11	12	1	17		79	21	132	76	35	30	3	1	16	5	41	43	21
	7	6	1	4	2	41	3	17	14	2	10			18	9	5	15	22
2	4	21	4	5		68	8	41	25	33	44	5		2	1	25	11	23
3	2	18	4	4	1	55	4	46	30	9	12	1		4	5	20	20	24
	2	1			1	12		15	5	2	8	1				4	3	25
																	1	26
						1												27
								2						3		1	1	28
3	5	18	5	6	2	20	2	21	14	11	16	9	10	6	24	14	36	29
		2		1		2	1	6	3	5	1				3	2	4	30
167	393	594	345	549	312	2,600	903	1,832	1,221	587	1,082	60	173	373	1,355	1,174	1,763	
130	332	524	294	522	282	2,157	819	1,530	1,074	478	928	53	148	339	1,269	1,012	1,598	31
20	21	33	14	8	5	212	27	129	48	37	66	1	1	4	14	48	33	32
7	14	9	9	7	17	88	20	60	38	29	33	2	20	19	33	41	62	33
2	9	7	6	1	4	30	10	19	19	15	13			2	7	13	12	34
1	2	3		2		14	3	10	8	2	4	1	1	2	11	7	10	35
6	9	9	4	5		44	11	24	16	16	22	1	2	6	13	20	25	36
1	3	7	17	3	3	50	13	51	14	9	14	1	1	1	8	30	15	37a
	3	2	1	1	1	5		9	4	1	2	1				3	8	37b
15	19	56	108	8	34	147	19	240	78	107	29	8	38	14	246	204	88	38
																		39
7	4	8	17			20		30	5	14	3	3	9	4	29	57	6	40
5	11	9	1	11	1	24	6	49	34	9	15	8	5	10	13	23	16	41
						1	1									1	1	42
504	1,001	1,438	240	674	136	6,066	1,342	3,687	2,899	2,094	2,004	182	164	701	898	2,723	2,323	
353	706	993	148	473	84	4,291	1,022	2,213	1,813	1,405	1,344	114	83	417	358	1,909	1,623	
12	27	36	6	19	1	144	41	68	74	48	45	3		18	3	67	56	43
108	264	307	56	190	29	1,334	307	766	743	476	625	39	26	118	105	615	656	44
82	141	137	16	64	5	842	189	297	243	206	153	12	9	43	29	234	193	45
58	84	140	31	54	25	561	124	352	227	153	113	24	26	85	136	308	198	46
30	57	86	17	44	4	487	126	193	133	119	89	6	8	27	28	156	132	47
5	15	13	1	20	2	64	37	47	61	20	34	6	2	33	3	56	77	48
58	118	274	21	82	18	859	198	490	332	383	285	24	12	93	54	473	311	49
1	6	8		3		30	8	13	10	21	7	2		3	3	16	14	50
11	13	21	13	7	4	68	10	92	63	12	32	2	6	14	18	46	40	51
3	24	9	1	9	1	31	19	22	61	14	21	1		7	4	12	29	52
				1		2		2	2		1			2	2			53
4	5	2	2	1		8	3	5	2	2		12	53	95	403	16	13	54
																		55
2	4	2	9	3	9	13	4	16	16	1	8		1	3	3	1	5	56
62	126	223	19	107	14	695	149	426	327	197	244	30	11	75	62	312	300	57
31	47	32	4	25	4	225	45	238	257	125	175	5	3	11	4	91	115	58
		4				6		2		3		1		2		4		59
	4	41	4	8	3	48	6	218	118	140	39	3	3	3	6	110	57	60a
1	5	4	1	1		12	2	34	23	8	10			1	2	14	8	60b
		2	2	1		5	1	4	3					1	1	1		61
	6	4	1	1	2	81	12	79	43	15	12	1		4		20	8	62
2	3	2		2		16	2	8	7	13	4		1	2		1	5	63
1		1				1		12	2	3	1	1			1		3	64
6	15	20	2	3		82	7	50	26	34	27	2	2	8	2	48	25	65a
4	10	10		2		54	8	15	15	15	10	1	1	6	1	11	10	65b
7	13	54	33	22	11	244	25	158	53	66	40	1		8	8	83	30	66
	4		1			8	2	3	2	1					1	4	5	67a
						1			2	1						1		67b
3		3				3		19	7					2		6	3	68
13	10	3		5	4	142	17	58	47	18	29	6		37	19	17	30	69
423	972	1,053	259	867	234	4,124	1,318	2,747	3,344	1,086	1,529	124	150	632	781	1,699	2,415	
2	6	15	2	3	2	35	7	49	26	9	10	4	2	7	9	18	19	70
10	13	19	9	8	3	86	10	73	27	25	22	4	1	17	9	42	35	71a
1	3	6		5	2	25	2	19	12	1	3		2	4	6	4	21	71b
8	16	14		5		50	21	27	46	16	11	1		3	5	38	23	72
9	23	24	2	11	2	111	36	44	77	32	39	4	4	11	10	65	99	73
277	754	759	198	588	139	2,928	959	1,746	2,416	670	1,093	80	114	441	470	1,002	1,717	74a
18	37	42	1	29	3	148	38	66	103	57	51	4	1	9	5	35	37	74b
16	27	39	15	73	28	69	28	99	136	8	39	6	9	58	116	48	116	75
24	5	17	18	60	19	164	60	155	154	67	39	1	2	7	49	166	91	76
8	9	5	5	6	3	19	7	43	24	13	5	1	1	8	3	14	27	77
9	17	6	3	22	13	65	87	47	98	26	48	4	6	12	47	47	72	78
		1		1		6		1	3		4		1	2	4	1	1	79
4	9	7		12	15	32	6	51	53	7	46	1		9	23	2	22	80
						2		1	1	1	2			1		1		81
	2	1			1	4	2	7	6	6	7	2		2		6	7	82

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	INDIANA		IOWA		KANSAS		KENTUCKY				LOUISIANA			
								Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	III.—Diseases of the nervous system and of the organs of special sense—Con.														
83	Softening of the brain	6	30	4	18	3	20	3	2	15	1	8		4	1
84	Other diseases of the nervous system	53	72	39	101	21	61	23	4	63	7	17	7	14	5
85	Diseases of the eye and annexa				1					3		1	1	1	
86a	Diseases of the ear	27	18	21	23	15	21	9	1	21	3	5	7	8	3
86b	Diseases of the mastoid process	25	13	34	15	8	5	8	1	11	2	10			2
	IV.—Diseases of the circulatory system	3,224	4,470	1,474	3,169	979	2,352	1,121	367	2,098	416	1,162	848	765	964
87	Pericarditis	18	19	8	13	6	17	2	7	12	2		2	5	13
88	Endocarditis and myocarditis (acute)	176	93	46	62	27	55	50	27	55	15	44	51	27	28
89	Angina pectoris	236	377	115	270	59	166	57	19	110	11	108	39	61	27
90	Other diseases of the heart	2,337	3,332	1,122	2,334	774	1,779	847	291	1,657	353	910	697	622	814
91a	Aneurysm	30	20	10	20	7	29	12	6	14	5	20	26	2	13
91b,c	Other diseases of the arteries	373	592	123	402	86	251	142	13	219	30	65	21	36	59
92	Embolism and thrombosis (not cerebral)	44	25	32	51	20	43	9	1	17		13	5	3	3
93	Diseases of the veins	7	8	10	11		7	2		4		1	3	1	4
94	Diseases of the lymphatic system	2	3	5	1		2		1	2		1	2	1	1
95	Hemorrhage without specified cause	1	1	1	1		1		2	4			1	5	
96	Other diseases of the circulatory system			2	4		2			4			1	2	2
	V.—Diseases of the respiratory system	1,717	1,704	806	1,356	454	895	614	272	1,683	247	425	492	632	612
97a	Diseases of the nasal fossae	2		2	4	3	10			8		2	2	4	1
97b	Diseases of the nasal fossae annexa	11	7	12	8	1	8	2	1	3		4	2	2	
98	Diseases of the larynx	6	9	6	15	4		1	2	20	1	2	1	3	1
99a	Acute bronchitis	32	24	11	23	14	19	9	12	14	6	3	6	15	9
99b	Chronic bronchitis	23	45	17	37	13	40	13	3	35	6	11	8	9	6
99c	Bronchitis (unspecified, under 5 years)	3	2	4	4	2	6	4	3	12	2	1	2	11	9
99d	Bronchitis (unspecified, 5 years and over)	17	19	5	16	6	16	3	15	27	5		4	3	13
100a	Broncho-pneumonia	664	589	336	470	162	316	231	76	535	84	173	194	203	144
100b	Capillary bronchitis	9	15	5	19	3	9	1	4	23	1	1	2	8	14
101a	Lobar pneumonia	803	801	314	585	198	370	276	134	684	104	174	231	250	281
101b	Pneumonia (unspecified)	42	83	27	55	14	27	15	8	217	18	17	14	85	93
102	Pleurisy	36	24	23	31	11	15	16	4	19	1	15	12	14	11
103	Congestion and hemorrhagic infarct of the lung	27	33	15	40	10	18	22	2	25	1	8	4	11	8
104	Gangrene of the lung	2	2	3	3	2	3	1	2			1		1	2
105	Asthma	28	36	16	29	9	24	14	4	42	9	5	7	7	12
106	Pulmonary emphysema	2	6		2		2	1		1		1	1	1	1
107	Other diseases of the respiratory system (tuberculosis excepted)	10	9	10	15	2	12	5	2	18	9	7	2	5	7
	VI.—Diseases of the digestive system	1,751	1,507	871	1,099	653	1,100	631	118	1,844	212	560	390	593	541
108	Diseases of the mouth and annexa	12	8	9	12	6	6	7	2	23	2	4	2	7	7
109a	Adenoid vegetations							1							
109b	Other diseases of the pharynx, tonsils	84	52	35	49	26	36	22	2	46	5	12	14	16	12
110	Diseases of the esophagus	3	4	1	2	2	4	1	1	1			1	3	
111a	Ulcer of the stomach	66	68	56	52	32	58	14	9	58	12	24	11	17	17
111b	Ulcer of the duodenum	28	18	22	23	15	16	8	1	16	1	16	7	5	2
112	Other diseases of the stomach (cancer excepted)	69	132	27	68	23	90	17	18	159	28	11	24	62	87
113	Diarrhea and enteritis (under 2 years)	461	450	95	164	140	218	204	33	872	81	110	118	225	209
114	Diarrhea and enteritis (2 years and over)	106	156	37	118	39	103	41	5	205	34	21	22	58	51
115	Ancylostomiasis											1			
116	Diseases due to other intestinal parasites		1					1		8	2	1		1	3
117	Appendicitis and typhlitis	288	128	208	177	132	183	116	10	149	12	132	66	60	35
118a	Hernia	64	42	51	48	26	42	15	6	26	3	37	16	7	11
118b	Intestinal obstruction	148	105	95	114	68	86	46	13	76	11	39	40	37	26
119	Other diseases of the intestines	20	19	15	19	11	30	8	2	15	2	7	9	9	9
120	Acute yellow atrophy of the liver	10	11	4	3	4	6	2		6		2	2	2	1
121	Hydatid tumor of the liver	1				1				1					
122	Cirrhosis of the liver	143	132	44	93	39	74	42	3	69	8	66	37	45	41
123	Biliary calculi	83	47	60	51	32	48	34	1	33	1	22	4	4	5
124	Other diseases of the liver	108	96	80	83	43	75	34	4	56	6	44	13	27	17
125	Diseases of the pancreas	11	5	7	7	5	8	6	1	3		2		1	
126	Peritonitis without specified cause	46	33	25	16	9	17	12	7	22	4	9	4	7	8
127	Other diseases of the digestive system (cancer and tuberculosis excepted)														
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,760	2,343	806	1,357	657	1,228	604	222	1,450	294	762	545	554	628
128	Acute nephritis (including unspecified under 10 years)	90	88	28	54	26	47	34	24	95	20	41	39	46	84
129	Chronic nephritis (including unspecified 10 years and over)	1,402	2,031	548	1,089	484	989	490	169	1,199	242	583	402	447	484
130	Chyluria														
131	Other diseases of the kidneys and annexa	53	37	24	27	15	34	17	2	36	4	33	12	19	13
132	Calculi of the urinary passages	10	5	9	7	5	5	7		6	1	11	4	2	2
133	Diseases of the bladder	7	26	6	26	7	16	5	1	24	5	3	3	7	6
134	Diseases of the urethra, etc	10	3	3	2	5	1	3	2		1	3	8	1	4
135	Diseases of the prostate	53	98	114	107	62	92	22	7	53	11	34	14	22	21
136	Nonvenereal diseases of the male genital organs		2		4				2	1		1	3	1	
137	Cysts, other benign tumors of the ovary	15	13	9	6	6	11	5		5	1	7	3	1	
138	Salpingitis and pelvic abscess (female)	64	16	17	11	21	10	9	5	16	3	22	31	1	5
139	Benign tumors of the uterus	40	14	35	15	20	16	5	8	7	4	10	22	5	2
140	Nonpuerperal uterine hemorrhage				1	1		1		1		1			1
141	Other diseases of the female genital organs	15	10	13	8	5	7	6	2	7	2	13	4	2	6
142	Nonpuerperal diseases of the breast (cancer excepted)	1													
	VIII.—The puerperal state	235	172	119	157	91	154	71	14	239	30	98	76	133	138
143	Accidents of pregnancy	26	17	13	18	11	14	9	1	30	1	9	8	7	11
144	Puerperal hemorrhage	25	17	7	19	9	16	3		19	2	15	8	19	15
145	Other accidents of labor	26	19	13	16	4	19	2	4	30	6	5	4	21	19
146	Puerperal septicemia	100	77	47	50	43	62	32	6	84	7	43	23	32	40
147	Puerperal phlegmasia alba dolens, embolus, etc	6	6	3	12	4	12	2	1	6		3	1	4	3
148	Puerperal albuminuria and convulsions	52	35	36	39	20	30	22	2	70	14	23	32	50	50
149	Following childbirth (undefined)		1		3		1	1							
150	Puerperal diseases of the breast														

CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
2	5	5		18		14	5	4	18	5	7	1		4	3	16	20	83
15	29	56	2	21	3	208	38	113	94	74	64	4	3	19	12	67	60	84
	1			1		4		1	1		1		1		1		5	85
8	13	24	4	2	1	87	8	91	32	49	34	2	1	9	4	52	25	86a
12	3	13		2		67	4	110	17	20	4	5	2	9	5	75	18	86b
773	1,700	1,989	483	1,246	320	10,219	2,944	5,069	5,216	2,180	2,758	201	227	861	1,098	3,781	3,452	
	3	4	1	2	1	19	3	17	24	9	3			1	5	26	35	87
17	18	66	18	30	9	292	53	289	123	69	75	6	10	21	41	164	74	88
111	213	175	13	93	12	671	251	253	321	114	167	15	4	61	21	152	237	89
502	1,136	1,566	422	982	249	7,580	1,996	3,853	4,063	1,643	2,162	148	194	663	904	3,002	2,613	90
3	3	5	5	2	2	55	10	29	34	30	13	3	5	9	7	101	32	91a
125	300	139	20	123	43	1,389	586	525	567	253	290	28	9	84	98	282	413	91b,c
14	22	26	3	10	3	164	41	67	60	48	32		5	5	3	39	27	92
1	3	4	1	3		37	4	22	10	11	11	1		1	2	13	11	93
		2				6		11	9	2	1					1	3	94
	2	2				2		1	4	1	1			4	4	1	3	95
				1	1	4		2	1		3			12	13		4	96
354	629	1,221	525	629	267	4,599	941	3,521	1,847	1,036	1,214	134	156	628	931	2,438	1,891	
	4		1		2	4	3	3	4	3	6			3	6	3	3	97a
1		8	1	1		16		22	4	13	5	4	1		1	15	6	97b
1		2	1	2		18	1	15	8	5	4			2	4	4	7	98
10	35	20	5	22	16	122	34	126	89	13	25	1	1	6	2	45	35	99a
2	22	38	1	11	5	67	23	53	64	12	48	3	1	6	4	57	70	99b
1	5	2	3	10	3	13	6	34	27	1	10			5	5		13	99c
5	5	4	1	8	1	34	15	32	33	12	15	1	1	11	5	4	25	99d
173	206	570	229	240	116	2,180	400	1,316	608	410	411	33	33	175	178	930	685	100a
4	5	2	7	9	1	31	13	17	18	1	6			3	5	8	21	100b
128	274	515	261	259	94	1,864	378	1,607	747	464	549	76	96	321	548	1,277	885	101a
8	37	4	1	9	16	22	18	70	98	17	40	2	10	66	122	2	50	101b
5	9	27	6	14	4	124	12	96	43	43	25	8	2	13	13	43	20	102
10	9	11	1	16	2	27	13	29	32	9	30	3	1	5	6	6	12	103
			1	1	1	3	1	7	2	6	1				3	8	2	104
4	9	10	5	13	3	34	11	55	45	18	32	2	5	7	19	21	36	105
		2				6	1	5	6	1	1						1	106
2	9	6	1	14	3	34	12	34	19	8	6	1	5	5	10	15	20	107
285	415	741	203	416	189	2,858	350	2,780	1,513	1,031	932	200	199	651	703	1,866	1,703	
1	5	8	1	4		10	4	11	17	8	4	1	1	5	7	9	12	108
								1										109a
14	13	30	10	13	6	115	17	191	96	75	50	4	6	16	21	67	36	109b
	1					3		2	3	5	1			2	3		1	110
11	18	40	4	8	6	166	25	154	103	71	41	7	4	16	14	88	79	111a
11	6	12	3	3		77	8	67	21	63	14	6		5		42	15	111b
21	57	28	18	32	20	41	22	120	106	18	44	5	19	53	66	36	163	112
52	111	180	84	194	109	729	83	702	323	74	173	32	32	211	243	410	556	113
15	24	22	11	44	16	112	20	93	115	40	55	13	14	89	81	86	173	114
											1	1						115
	1			1	1		1	1	1		3	1		1		1	3	116
60	61	120	19	17	6	499	31	533	194	226	180	48	41	93	89	405	185	117
16	21	60	13	11	2	177	21	121	63	58	53	6	15	14	26	96	47	118a
16	28	65	21	23	12	222	17	268	111	76	75	22	37	57	55	149	110	118b
5	5	13	1	7	1	34	6	23	20	20	13		5	8	10	25	25	119
1	2	2	1	2	1	26	3	14	8	7	6			1	2	13	8	120
						1											1	121
12	28	62	6	23	5	196	42	173	169	83	83	14	8	29	51	212	127	122
33	20	39	1	9		206	15	93	44	113	49	9		10	4	113	52	123
9	6	42	5	14	1	158	29	126	90	52	59	21	9	34	17	83	75	124
3	1	6	2	1		29	1	28	5	11	5		1			13	8	125
5	7	12	3	10	3	57	5	59	24	31	23	10	7	7	14	18	27	126
																		127
350	716	1,255	352	828	276	3,629	715	2,041	1,748	860	1,155	216	263	726	1,114	2,730	2,215	
21	31	28	29	42	35	117	17	108	82	30	29	16	30	36	80	90	75	128
253	614	1,074	289	757	226	2,935	644	1,491	1,417	527	940	168	160	606	895	2,254	1,903	129
										1								130
12	13	32	6	9	1	107	19	91	42	54	26	6	5	21	27	50	30	131
6	2	13	1	1		39	1	23	5	16	9	2		1	1	23	19	132
5	6	5	1	3	3	17	3	20	28	6	11	1	4	6	18	13	23	133
1		1	2	1	1	15	1	11	5				7	2	10	12		134
22	29	73	10	8	6	210	21	119	110	141	103	6	16	34	34	119	115	135
	1	1				7		6	5	1	2		2	1	1	3	2	136
2	3	2			1	25		23	13	14	4	5	1	1	3	23	10	137
9	2	6	4	3	1	50	1	62	12	20	12	5	15	3	21	63	12	138
12	11	17	8	4	2	68	7	57	14	35	14	2	18	6	17	65	15	139
1						1			1	2	1		1	2			2	140
6	4	3	2			37		30	14	12	4	5	4	7	7	15	9	141
						1	1			1								142
53	57	90	40	34	26	483	53	463	201	156	145	33	27	129	211	209	231	
3	9	13	3	5	1	54	8	55	23	19	18	3	2	12	14	23	31	143
7	7	11	8	5	6	51	3	39	21	12	10	2	2	25	16	14	19	144
7	12	7	7	1	3	93	11	43	21	9	17	3	4	11	27	19	12	145
14	10	34	13	12	7	164	17	219	78	66	49	14	10	35	58	111	84	146
5	4	3	1	1	2	34	1	19	12	12	10	1		3	1	3	9	147
17	15	22	8	9	7	85	13	86	44	36	39	10	9	43	93	37	75	148
				1		2		1	2	2	2				2	2	1	149
								1										150

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	INDIANA		IOWA		KANSAS		KENTUCKY				LOUISIANA			
								Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	IX.—Diseases of the skin and of the cellular tissue	48	60	26	56	12	31	19	5	39	7	12	13	21	19
151	Gangrene	12	34	10	28	5	16	12	2	16	4	4	4	6	9
152	Furuncle	16	6	2	9	2	3	3	1	6		1	1	8	3
153	Acute abscess	14	5	7	4	2	3		2	5	1	4	5	5	1
154	Other diseases of the skin and annexa	6	15	7	15	3	9	4		12	2	3	3	2	6
	X.—Diseases of the bones and of the organs of locomotion	8	7	14	19	9	21	9	1	17	2	16	5	8	2
155	Diseases of the bones (tuberculosis excepted)	7	5	11	16	6	16	9		9	2	15	3	8	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1	2	1	1	3	3		1	2			2		
157	Amputations														
158	Other diseases of the organs of locomotion			2	2		2			6		1			1
	XI.—Malformations	208	252	114	229	96	166	52	4	156	11	52	20	80	36
159a	Congenital hydrocephalus	17	14	13	33	12	7	3	2	11	1	6	3	7	8
159b	Congenital malformations of the heart	125	175	61	113	48	120	35	2	78	6	26	7	55	18
159c	Other congenital malformations	66	63	40	83	36	39	14		67	4	20	10	18	10
	XII.—Early infancy	794	852	392	721	256	618	377	64	1,074	91	227	166	388	259
160	Congenital debility, icterus, sclerema	70	114	47	92	21	72	43	15	192	12	8	10	54	54
161a	Premature birth	522	549	268	438	174	419	256	39	674	66	152	110	249	161
161b	Injury at birth	132	101	55	130	51	90	53	6	118	5	56	27	63	22
162	Other diseases peculiar to early infancy	70	87	22	60	9	37	25	4	85	8	11	19	21	19
163	Lack of care		1		1	1				5				1	3
164	XIII.—Old age (senility)	57	123	102	425	90	256	76	11	315	39	43	18	111	226
	XIV.—External causes	1,585	1,522	701	1,188	536	1,003	501	154	1,471	218	568	366	559	540
	Suicide	204	233	131	236	72	137	73	9	133	9	88	9	39	6
165	By poisons (gas or corrosives excepted)	16	15	8	21	7	6	3		9	1	5	2	2	
166	By corrosive substances	44	37	16	15	10	11	12	1	9	3	12	3	4	2
167	By poisonous gas	19	5	27	10	3	1	5				19			
168	By hanging or strangulation	27	46	27	81	6	36	9	2	25	2	5		3	1
169	By drowning	16	14	2	13	1	7	6	1	3		2	2	3	1
170	By firearms	66	95	41	79	38	69	31	4	80	3	36	2	23	1
171	By cutting or piercing instruments	11	11	6	12	5	4	3		6		8		3	1
172	By jumping from high places	3	1	1	1		1	3							
173	By crushing	2	4	3	1		2	1	1					1	
174	By other means		5		3	2				1		1			
	Homicide	137	44	33	24	62	41	42	74	183	67	69	125	59	150
197	By firearms	94	34	26	18	48	29	33	61	168	56	39	82	46	107
198	By cutting or piercing instruments	23	2	4	2	4	3	4	10	7	9	7	39	4	29
199	By other means	20	8	3	4	10	9	5	3	8	2	23	4	9	14
	Accidental or undefined	1,244	1,245	537	928	402	825	386	71	1,155	142	411	232	461	384
175	Poisoning by food	7	15	2	7	9	12	5		21	2	3	3	11	17
176	Poisoning by venomous animals	1	1		2	1	5			2				1	1
177	Other acute poisonings (gas excepted)	24	26	10	18	11	18	12	3	18	1	10	14	16	16
178	Conflagration	16	11	8	13	5	19	3	3	27	7	10	3	21	6
179	Burns (conflagration excepted)	88	55	41	53	37	55	31	14	122	20	43	42	35	45
180	Mechanical suffocation	17	22	7	17	9	23	5		34	3	1		4	8
181	Absorption of irrespirable, irritating, or poisonous gas	23	9	24	10	3	10	6		6		10	4	3	
182	Drowning	53	113	34	59	9	55	15	2	88	7	36	22	78	88
183	Traumatism by firearms (except in war)	32	35	15	29	10	41	17	5	52	10	25	16	27	30
184	Traumatism by cutting or piercing instruments	8	15	8	7	4	5	4	2	14		5	1	7	3
185	Traumatism by fall	242	283	125	264	105	155	94	7	188	13	71	28	42	34
186a	Traumatism in mines	21	68	6	15		20	3	1	158	20			1	
186b	Traumatism in quarries		4	3						2					
187	Traumatism by machines	33	27	16	26	16	26	4	2	22	3	14	7	12	8
188a	Railroad accidents	167	147	60	109	30	79	36	2	117	25	29	15	34	32
	Collision with automobiles	57	70	16	23	11	33	3		14		4	1	4	2
	Other railroad accidents	110	77	44	86	19	46	33	2	103	25	25	14	30	30
188b	Street-car accidents	41	36	8	3	8	6	10	1	2		7	3		
	Collision with automobiles	21	22	5	2		2	2				1	1		
	Other street-car accidents	20	14	3	1	8	4	8	1	2		6	2		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	326	221	104	160	87	154	102	15	143	17	98	41	96	36
188d	Airplane and balloon accidents	1	3	2	1	2	5			1		1		1	
188e,f	Injuries by other vehicles	10	21	12	21	6	32	5		14	1	5	3	5	5
188g	Landslide, other crushing	9	4	2	11	3	5	3	2	7	1	4	4		4
189	Injuries by animals (not poisoning)	11	9	3	22	3	10			8			2	3	
190	Wounds of war														
192	Starvation (deprivation of food or water)														
193	Excessive cold		7	2	2	1	5	1		3	5		1	1	2
194	Excessive heat	3	11	4	4	5	7	4	2	9	1	4	3	1	2
195	Lightning		11		5	3	6			14	1	1		4	6
196	Other accidental electric shocks	18	23	9	13	5	16	2		12		8	1	9	4
201	Fracture (cause not specified)	8	5	2	5		1	1		7		4	1	3	1
202	Other external violence	85	63	30	52	30	55	23	10	64	5	22	18	46	36
203	Violent deaths of unknown causation														
	XV.—Ill-defined diseases	22	17	26	120	24	119	13	5	446	49	12	16	194	519
204	Sudden death		1	6	26	4	16			53	8	6	7	38	66
205a	Ill-defined	14	11	11	40	14	37	6	1	179	12	6	8	39	98
205b	Not specified or unknown	8	5	9	54	6	66	7	4	214	29		1	117	355

CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
7	32	28	8	21	7	114	21	77	74	55	45	9	13	17	13	37	60	
1	21	8	6	12	4	22	9	34	48	18	18	2	6	4	8	7	28	151
1	4	6		3		38	6	9	4	11	5	1	1	3		10	12	152
1	4	7	1	1	1	33	1	16	8	9	7	4	3	4	5	6	4	153
4	3	7	1	5	2	21	5	18	14	17	15	2	3	6		14	16	154
8	3	13	3	5	1	54	9	57	15	20	9	2	6	7	5	30	9	
6	3	12	2	4	1	43	7	42	12	18	7	2	6	6	5	26	7	155
2		1	1			8	1	13	2	2	1			1		3	1	156
								1										157
				1		3	1	1	1		1					1	1	158
34	83	111	29	69	18	635	114	434	305	146	203	19	5	53	20	196	198	
5	9	17	1	7	2	70	14	49	29	23	18			10	1	19	22	159a
17	51	71	26	41	12	356	75	227	181	49	101	10	3	22	6	108	122	159b
12	23	23	2	21	4	209	25	158	95	74	84	9	2	21	13	69	54	159c
180	400	445	145	315	138	2,115	300	1,945	1,103	557	838	70	43	481	320	724	922	
24	69	37	7	43	30	172	34	220	192	27	105	9	16	76	60	41	111	160
102	252	275	96	193	81	1,297	188	1,286	673	395	526	34	23	324	208	500	615	161a
37	55	85	22	43	10	435	49	318	146	94	141	24	2	56	25	128	117	161b
17	24	48	19	35	13	210	29	119	90	41	65	3	2	25	26	54	78	162
			1	1	4	1		2	2		1				1	1	1	163
36	181	22	4	39	18	77	34	185	398	46	200	20	21	102	241	42	244	164
247	415	776	224	467	143	2,696	584	2,876	1,939	860	1,149	196	193	578	897	1,803	1,508	
30	82	114	7	66	8	378	87	344	235	172	185	12	2	41	15	296	232	
	2	2		6		20	5	25	18	6	12			2		31	16	165
		15		2		24	2	74	21	14	10	3		5	1	58	29	166
4		33			1	133	9	67	8	36	2					50	5	167
5	33	10		12	1	51	28	55	60	30	63	1		1		21	40	168
1	7	5	2	7		28	11	11	17	18	6			1	1	14	12	169
11	36	37	5	32	4	69	23	68	90	49	70	7	2	20	10	96	117	170
6	2	6		5	1	38	5	27	16	9	14	1		4	2	16	7	171
2	1	4		1		11		13		10				2		5	1	172
1		1				4	1	3	5		3			1		4		173
	1	1		1	1		3	1			5			5	1	1	5	174
4	5	28	40	16	24	75	9	402	59	24	32	17	67	86	289	303	102	
1	3	16	25	10	17	34	5	271	33	15	26	11	51	71	224	202	78	197
1			9	3	3	9		78	7	1	2	3	13	9	37	54	6	198
2	2	12	6	3	4	32	4	53	19	8	4	3	3	6	28	47	18	199
213	328	634	177	385	111	2,243	488	2,130	1,645	664	932	167	124	451	593	1,204	1,174	
2	2	5	4	2	2	1	2	14	22	1	4	6	6	9	10	9	32	175
		1		1		2	1	1	2					2	2			176
6	7	14	4	11	1	40	4	28	33	11	18	2	2	8	16	32	22	177
4	11	11	3	6	5	32	15	45	61	6	26	1		9	21	13	20	178
17	23	61	26	23	6	185	27	156	73	30	52	16	24	51	117	91	79	179
2	6	11	1	13	5	47	12	30	27	11	14		1	11	24	10	19	180
4	1	56	3	3	2	149	7	72	16	53	18	1			2	56	10	181
21	61	33	20	52	23	138	86	85	201	32	125	11	13	27	39	39	110	182
2	10	11	7	11	6	19	8	31	42	16	49	12	17	38	96	31	49	183
2	6	4	2			14	3	20	14	7	12	2	2	2	8	10	13	184
55	77	128	23	63	7	605	116	369	269	166	161	18	3	50	27	280	245	185
		2		11				4	89	4	10				1	3	17	186a
	1	1		1		5		1	1		1					3	1	186b
6	8	19	11	10	3	62	1	70	43	20	37	10	7	13	11	32	27	187
7	14	35	1	41	14	93	29	148	131	44	85	21	5	41	38	91	122	188a
	3	2		5	1	3	6	43	43	5	18	3		8	5	14	32	
7	11	33	1	36	13	90	23	105	88	39	67	18	5	33	33	77	90	
6		11	7	2	3	53	4	87	34	16	3	1				33	2	188b
1		1				8		19	17	10		1				10		
5		10	7	2	3	45	4	68	17	6	3					23	2	
49	51	169	43	82	18	582	100	742	370	167	159	37	14	102	62	318	175	188c
							2	2	5		3	1		1		1	3	188d
7	5	11	2	3	1	43	15	28	23	9	34	1	4	5	8	21	34	188e,f
1	3	1		2		8	1	14	12	5	16	2	3	2	7	7	10	188g
3	6			5		2	2	4	23	5	18	1		3	7	6	24	189
																		190
																		192
	1	2			3	6	1	2	14	4	4				1	2	3	193
1		8	7	2	1	26	9	13	6	4	4		2		4	22	9	194
	1					2	1		6		7			10	17	2	22	195
	3	6	2	8		14	7	27	22	8	9	2	1	4	1	15	17	196
	2	2		3	2	8	1	34	25	4	2	10	3	15	5	14	14	201
18	29	32	11	30	9	106	34	103	81	41	61	12	17	48	69	63	95	202
						1												203
28	98	9	4	64	65	69	22	46	162	11	125	44	209	475	1,935	30	365	
9	25	2		11	8	13	9	3	30	2	30	3	3	68	145	1	36	204
8	33	3	4	19	16	41	10	31	63	5	37	10	10	57	145	13	82	205a
11	40	4		34	41	15	3	12	69	4	58	31	196	350	1,645	16	247	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	All causes	1,750	3,645	4,162	8,486	2,876	3,827	27,997	16,879	114,888	36,457	4,041	3,312	16,916	10,293
	I.—Epidemic, endemic, and infectious diseases	181	681	486	976	341	451	3,305	2,466	13,354	4,640	654	728	2,638	2,213
1	Typhoid and paratyphoid fever	3	11	12	11	4	7	76	26	205	93	15	19	119	124
2	Typhus fever							1		1					
5	Malaria				2			1	1	6	3	4	7	40	51
6	Smallpox	1		7	1					1		2		8	4
7	Measles	1	20	18	5	24	15	301	146	945	126	3	9	50	34
8	Scarlet fever	2	23	11	16	15	15	54	28	138	62	6		23	6
9	Whooping cough	1	44	27	84	16	20	113	78	450	186	20	38	134	106
10	Diphtheria	5	13	17	18	6	12	221	100	657	81	32	11	168	61
11a	Influenza (with pulmonary complications)	41	125	61	219	73	92	385	262	1,257	686	122	118	575	295
11b	Influenza (other and unspecified)	10	65	35	247	29	66	126	119	474	365	46	51	262	150
13	Mumps		2			1	1	1	3	9	2		1	4	
15	Cholera nostras		1		1			2	2		3		3	11	5
16	Dysentery	1	4	3	17	2		8	6	33	12	19	8	88	71
17	Plague														
19	Spirochetal hemorrhagic jaundice		1	1	1	2	1			4	3				
20	Leprosy														
21	Erysipelas	2	15	6	22	7	10	86	36	261	83	6	2	40	7
22	Acute anterior poliomyelitis	1	4	3	15		2	9	8	84	58	7	4	29	12
23	Lethargic encephalitis	2	3	5	11	2	3	48	15	229	34	5	2	14	1
24	Meningococcus meningitis	10	10	6	11	5	4	47	11	139	9	5	2	16	6
25	Other epidemic and endemic diseases	2	14		1	2	2	4		16	9	2	1	3	
26	Glanders														
27	Anthrax														
28	Rabies							1							
29	Tetanus							3	4	1	1	2		5	
30	Mycoses	1	2	5	5		1	24	18	60	11	8	10	15	6
	Tuberculosis (all forms)		1	1			1	1	3	17	1	1			9
31	Of the respiratory system	79	298	200	247	134	185	1,557	1,532	7,501	2,652	311	368	986	1,129
32	Of the meninges, central nervous system	68	251	156	212	98	156	1,290	1,429	6,518	2,419	273	322	902	1,024
33	Of the intestines, peritoneum	3	19	14	7	13	7	117	29	456	79	15	12	24	18
34	Of the vertebral column	4	14	11	18	12	13	50	30	155	60	8	22	26	38
35	Of the joints	1	3	2	4	7	4	17	12	75	33	3	2	9	11
36	Of other organs		2	3		2		3	4	25	7	2	4	3	6
37a	Disseminated (acute)		3	5	4	2	1	25	15	98	30	4	1	11	18
37b	Disseminated (chronic or unspecified)	3	3	8	1		3	50	12	158	21	6	5	11	14
38	Syphilis		3	1	1		1	5	1	16	3				
39	Soft chancre	14	17	53	29	11	8	177	59	734	124	28	61	27	120
40	Gonococcus infection														
41	Purulent infection, septicemia	1	2	11	7		1	35	1	60	11	3	8	4	12
42	Other infectious diseases	4	5	4	6	8	5	24	7	70	25	7	5	26	4
			1						1	1				1	
	II.—General diseases not included in Class I	256	360	665	1,095	402	476	3,553	1,936	15,712	4,465	413	209	1,456	551
	Cancer and other malignant tumors	166	235	457	742	263	342	2,428	1,386	10,475	3,160	245	93	800	267
43	Of the buccal cavity	7	6	16	24	5	12	62	49	344	93	8		23	6
44	Of the stomach, liver	60	98	146	324	78	118	867	541	3,495	1,093	76	25	302	89
45	Of the peritoneum, intestines, rectum	23	35	64	113	69	61	399	206	1,822	500	27	14	67	13
46	Of the female genital organs	28	27	70	64	33	43	307	195	1,309	411	52	32	126	82
47	Of the breast	12	19	52	70	32	37	241	123	1,035	355	19	8	62	28
48	Of the skin	5	8	9	20	7	11	40	45	176	95	15		55	4
49	Of other or unspecified organs	31	42	100	127	44	60	512	227	2,294	613	48	14	165	45
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1	1	5	8	3	1	14	10	107	16	1		6	8
51	Acute rheumatic fever	5	7	6	15	7	6	89	36	290	65	3	12	41	28
52	Chronic rheumatism, osteoarthritis, gout	3	4	4	13	4	8	22	16	86	53	3		24	4
53	Scurvy							3	1	3	1		1	1	
54	Pellagra			1		1		2		20	8	49	41	232	133
55	Beriberi									2					1
56	Rickets	2			3		2	13	6	56	5		8	10	8
57	Diabetes mellitus	24	52	62	178	57	58	500	272	2,381	532	38	25	150	52
58	Anemia, chlorosis	8	16	40	65	29	24	123	65	472	254	17	9	45	4
59	Diseases of the pituitary gland				1	1		2	1	19	1	1	1	2	
60a	Exophthalmic goiter	19	10	38	15	2	5	51	23	262	66	13	6	17	6
60b	Other diseases of the thyroid gland	1	2	3	7		1	11	7	50	15	2		13	1
61	Diseases of the parathyroid glands			2				2		15	3	1		3	2
62	Diseases of the thymus gland	2	1	4	4	3	2	27	14	121	35	6	1	9	1
63	Diseases of the adrenals (Addison's disease)	1		2	4	6	1	10	2	31	12	2		4	
64	Diseases of the spleen	1	1	3				1	1	15	1	1		5	
65a	Leukemia	6	1	12	15	3	2	55	19	240	51	3	1	21	3
65b	Hodgkin's disease	3	3	2	6	5	3	18	11	105	34	3	1	10	2
66	Alcoholism (acute or chronic)	10	17	13	6	5	9	124	47	675	113	12	8	19	12
67a	Chronic lead poisoning		1	1			3	7	1	12	3			1	1
67b	Other chronic mineral poisoning			1				1	1	4					
68	Chronic poisoning by organic substances							4	1	53	5			3	
69	Other general diseases	4	9	9	13	13	9	46	16	218	32	13	2	40	18
	III.—Diseases of the nervous system and of the organs of special sense	149	324	366	1,051	347	529	2,441	2,084	8,991	4,751	391	283	1,742	946
70	Encephalitis	4	3	5	12	2	5	43	14	70	20	14	2	30	12
71a	Simple meningitis	6	7	6	8	11	12	57	25	221	46	10	5	43	22
71b	Nonepidemic cerebrospinal meningitis	4	2		3	2	2	26	7	42	11	3	2	21	4
72	Tabes dorsalis (locomotor ataxia)	3	3	9	7	3	8	26	25	149	54	3	2	12	2
73	Other diseases of the spinal cord	5	8	16	43	9	11	53	49	255	125	8	2	37	15
74a	Cerebral hemorrhage	98	229	227	739	243	395	1,815	1,548	5,618	3,543	232	212	1,157	614
74b	Cerebral embolism and thrombosis	5	11	40	38	19	28	98	56	508	151	7	1	22	6
75	Paralysis without specified cause	4	9	12	41	8	25	46	45	201	101	14	24	206	116
76	General paralysis of the insane	3	17	3	41	15		44	124	503	243	6	1	15	24
77	Other forms or mental alienation	1	4		12	3	3	18	20	169	22	22	1	31	20
78	Epilepsy		10	4	34	11	9	30	60	186	147	17	8	45	58
79	Convulsions (nonpuerperal; 5 years and over)			1					3	1	1	2	2	4	7
80	Infantile convulsions (under 5 years)	1	6	2	15	4	8	26	24	45	35	3	9	25	19
81	Chorea							1		4	2		1	2	
82	Neuralgia and neuritis	1			2		2	5	2	16	10			2	
83	Softening of the brain			1	4	3	1	6	11	23	48	4		11	2

CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

NORTH DAKOTA		OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				List No.
										Urban		Rural		Urban		Rural		
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	
796	4,517	45,628	33,067	4,402	5,455	66,265	54,272	7,373	1,418	1,926	2,357	7,293	11,827	5,848	4,365	16,315	4,867	
91	698	6,447	4,875	464	707	8,407	8,177	900	273	276	480	1,163	2,635	1,025	1,043	4,406	1,616	
4	14	130	160	13	23	183	174	9	2	35	37	115	324	64	62	362	134	1
																		2
		3	9		2	2	3				9	30	181	17	13	86	40	5
				2	5					1	1	1	1		1	3		6
2	33	435	417	5	3	475	583	119	18	2		5	5	46	15	218	21	7
5	60	120	68	5	21	114	158	3	1	2	1	6	2	15		24	4	8
2	73	376	259	5	45	414	513	114	11	11	5	59	75	57	55	226	51	9
4	27	364	128	27	32	498	302	39	4	21	10	87	51	41	24	205	23	10
12	95	790	758	36	83	1,375	1,610	141	24	52	67	260	265	155	151	691	185	11a
11	76	373	606	18	83	470	775	55	14	19	25	130	308	82	65	399	130	11b
2		3	2	1	1	1	1	1					2			2		13
	1	3				1	9					5	2	1		5	2	15
1	5	42	60	3	11	36	36	13		15	15	80	143	40	27	156	35	16
																		17
						3	1									1		19
					1													20
4	12	134	66	9	10	135	134	24	1	6		11	3	12	1	26	2	21
2	3	29	20	1	2	19	25	6	1	2		11	6	3	1	20	5	22
2	12	77	61	6	4	89	30	10		2	1	8		5	1	17	1	23
4	9	29	8	17	46	48	36	8	2	1		4	4	15	3	15	3	24
	2	9	5	2	7	14	8	1		1		1		3	1	7	1	25
																		26
	1	1	1		1	3		1										27
		5	1			6	2			1		2		2		8	1	28
	1	40	29		4	65	38	5		2	4	6	14	4	5	19	6	29
1		1	6	2		12	3					1	37	1	2	7	2	30
29	265	3,017	2,051	249	293	3,924	3,475	308	191	82	227	316	1,037	401	494	1,856	898	
21	221	2,500	1,826	191	257	3,301	3,059	237	166	62	204	298	982	334	395	1,658	825	31
3	15	173	55	19	13	247	116	27	10	9	5	2	7	24	15	48	7	32
3	13	120	84	13	5	147	126	14	6	1	8	6	22	18	34	91	35	33
	7	46	20	7	2	76	52	5	4	1		3	2	4	6	11	7	34
		19	8	1	2	14	15		2	2			5	2	2	5	1	35
2	3	48	30	11	6	52	49	10	1	3	1	3	6	8	6	20	7	36
	3	93	20	6	3	73	41	9	2	3	8	2	11	10	34	17	14	37a
	3	18	8	1	5	14	17	6		1	1	2	2	1	2	6	2	37b
4	5	382	130	53	26	401	200	34	2	14	73	22	143	46	103	31	60	38
			1			1					1		1					39
	3	47	9	3	2	75	19	4		2	3	2	17	7	16	3	4	40
2	1	37	20	7	2	43	42	5	2	5	1	1	14	7	3	19	8	41
														1				42
111	580	5,010	3,921	767	694	7,959	5,626	1,064	193	220	181	711	667	695	293	1,400	281	
73	361	3,789	2,668	517	485	5,354	3,818	738	146	109	64	325	259	433	161	742	128	
1	9	116	88	15	5	182	124	24	7	5	2	19	10	10	8	23	4	43
32	195	1,296	1,058	194	219	1,860	1,528	234	48	22	16	83	77	118	34	268	38	44
16	28	560	338	76	64	781	518	143	25	4	8	36	20	66	15	70	10	45
5	22	626	352	66	52	846	505	111	14	30	20	54	72	99	61	109	47	46
2	19	332	245	53	32	493	337	75	19	8	5	36	23	43	21	79	7	47
1	6	70	116	9	17	88	136	13	2	7		26	7	12	1	61	4	48
16	82	789	471	104	96	1,104	670	138	31	33	13	71	50	85	21	132	18	49
	3	35	16	4	7	26	16	2	1			5	4	2	2	7	3	50
2	18	114	73	5	11	195	130	23	5	1	4	8	31	7	20	36	11	51
2	8	36	51	3	10	49	69	10				10	3	2	2	24	5	52
	1	1	2			4	1						2		1			53
		9		1	1	7		1		62	82	175	244	78	34	334	84	54
						1												55
	3	14	15	6		39	24	3			1	5	13	3	7	2	5	56
15	95	735	485	88	87	1,147	738	139	21	23	18	71	54	58	25	116	15	57
7	32	263	197	38	29	237	251	48	11	5	2	25	9	31	7	51	8	58
		3	1			10	1	3						1		3		59
3	11	378	172	46	23	212	134	11	2	5	1	12	7	23	7	14	9	60a
1	3	35	24	2		25	22	5		1		4	4	3	4	9		60b
		1	2			14	1					2	1			1		61
3	4	102	25	6	1	105	34	3	1	2	1	9	1	3	1	3		62
1	2	20	10	1	4	11	10	4				1		1	1	3		63
1	1	10	3	1	1	8	5				1	1	1	1		2		64
	9	61	39	22	7	100	52	7		5		10	5	12	5	11		65a
	6	47	23	6	9	45	29	8	2			4	2	4	3	6	2	65b
2	10	162	63	14	11	278	203	45	4	5	1	8	6	18	6	8	5	66
		12	4	2		6	6				1			1		1		67a
		1	2				1								2		2	67b
		3	2		2	2	3	2				2		3		3		68
1	13	79	44	5	6	84	78	12		2	5	34	21	11	5	24	4	69
68	455	4,548	4,653	532	663	5,481	6,210	824	167	190	283	751	956	460	312	1,294	362	
3	8	42	19	3	4	70	52	6		2	2	10	9	11	2	27	6	70
4	7	109	46	7	15	155	118	19	8	5	7	16	12	12	2	26	5	71a
1	5	23	12	2	4	28	18	3		1	1	9	4	6	3	27	3	71b
1	1	78	74	7		82	83	13	3	2		5	2	3		8	1	72
2	12	107	94	22	12	164	154	19	3	3	7	22	16	12	18	41	18	73
39	281	3,195	3,563	319	514	3,646	4,417	602	130	129	187	507	531	280	209	722	196	74a
5	8	127	92	30	17	253	159	45	8	2	3	10	1	9	4	13		74b
1	6	48	115	20	34	133	145	15	3	10	17	115	257	20	40	200	57	75
	8	303	154	37	20	272	353	24		7	22	4	5	10	4	33	21	76
	18	44	38	20	6	39	41	5		3	7	3	7	5	2	21	9	77
3	19	49	143	12	6	91	175	8	2	6	21	13	33	10	8	50	10	78
		2	4	1		5	2	2			1	1	6	1		2	1	79
1	48	36	43	2	2	82	164	14	1	1	1	11	51		1	20	14	80
		3	2			2	6							1		2	2	81
	2	4	14		1	14	21	2		1				2		6	1	82
	2	17	36	6	3	16	39	1	3		2	4	2	7	1	12	1	83

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	III.—Diseases of the nervous system and of the organs of special sense—Con.														
84	Other diseases of the nervous system	8	6	23	39	8	19	65	54	482	132	15	1	37	16
85	Diseases of the eye and annexa				1			3	1	10	3			1	
86a	Diseases of the ear	5	7	11	8	4	1	43	7	265	36	8	7	28	7
86b	Diseases of the mastoid process	1	2	6	4	2		36	9	223	21	23	3	13	2
	IV.—Diseases of the circulatory system	285	500	741	1,466	571	969	5,449	3,877	27,003	9,615	478	367	2,270	1,066
87	Pericarditis	1	2	5	7		4	15	7	42	22	2	5	8	4
88	Endocarditis and myocarditis (acute)	17	27	25	46	24	13	269	149	717	198	22	28	42	32
89	Angina pectoris	14	31	47	141	70	126	326	264	1,564	611	65	15	156	28
90	Other diseases of the heart	220	383	557	1,113	356	637	4,470	3,116	21,914	7,383	341	307	1,889	925
91a	Aneurysm	5	7	7	9	4	3	31	17	178	54	5	2	14	10
91b,c	Other diseases of the arteries	13	39	68	118	101	176	252	288	2,127	1,225	25	4	111	45
92	Embolism and thrombosis (not cerebral)	10	7	25	25	11	7	68	23	405	105	12	3	11	3
93	Diseases of the veins	4	2	6	3	1	1	9	10	34	12	1		5	
94	Diseases of the lymphatic system		1	1	2	2	1	6	2	19	3	1	2	2	1
95	Hemorrhage without specified cause	1	1		1	2		2	1	1		1	1	1	2
96	Other diseases of the circulatory system				1		1	1		2	2	3		31	16
	V.—Diseases of the respiratory system	199	380	384	699	311	369	3,502	1,623	13,897	3,114	202	369	1,537	885
97a	Diseases of the nasal fossae		1	1	2			1	1	6	4	2	1	10	27
97b	Diseases of the nasal fossae annexa	1	3	5	8	1		12	3	71	11	7	3	11	3
98	Diseases of the larynx	1	1	3	10	2	1	11	7	34	12			8	4
99a	Acute bronchitis	4	8	1	19	17	16	98	45	287	132	3	9	21	11
99b	Chronic bronchitis	4	8	5	16	8	18	64	39	197	95	4	2	20	4
99c	Bronchitis (unspecified, under 5 years)		1	1	4	1	2	20	8	34	20	2	2	11	10
99d	Bronchitis (unspecified, 5 years and over)	2	2	1	6	8	8	22	9	82	42		2	8	5
100a	Broncho-pneumonia	63	142	149	220	127	128	1,159	551	5,418	1,111	84	112	578	293
100b	Capillary bronchitis		1	1	4	1	4	24	15	207	46		4	9	5
101a	Lobar pneumonia	99	153	181	320	116	155	1,864	845	6,769	1,405	121	179	628	345
101b	Pneumonia (unspecified)	6	37	8	24	10	20	34	21	180	64	13	25	146	135
102	Pleurisy	4	4	8	17	9	4	94	29	361	68	8	11	24	10
103	Congestion and hemorrhagic infarct of the lung	2	3	10	19	4	1	25	19	66	30	3	1	24	5
104	Gangrene of the lung			1	2			5	3	15	5		1	5	
105	Asthma	4	7	7	17	4	9	46	19	91	42	11	14	20	13
106	Pulmonary emphysema				5			2	2	14	6				
107	Other diseases of the respiratory system (tuberculosis excepted)	9	9	2	6	3	3	21	7	65	21	4	3	14	15
	VI.—Diseases of the digestive system	192	265	413	727	183	197	2,266	848	7,860	1,714	426	332	1,478	784
108	Diseases of the mouth and annexa	2	4	1	7	1	2	17	10	68	12	6	2	7	6
109a	Adenoid vegetations									1					
109b	Other diseases of the pharynx, tonsils	12	11	24	42	15	8	75	33	307	65	17	13	37	34
110	Diseases of the esophagus	1		1				2		13	4				
111a	Ulcer of the stomach	7	5	20	36	7	13	137	34	451	128	15	8	35	13
111b	Ulcer of the duodenum	6	2	11	6	2	2	57	12	213	32	8	1	8	2
112	Other diseases of the stomach (cancer excepted)	1	14	10	32	13	24	53	59	103	123	13	32	96	60
113	Diarrhea and enteritis (under 2 years)	21	52	55	129	38	25	566	249	1,725	378	108	134	771	429
114	Diarrhea and enteritis (2 years and over)	7	17	15	61	10	9	97	63	251	149	34	24	167	81
115	Ancylostomiasis													2	2
116	Diseases due to other intestinal parasites							1	1	4			1		3
117	Appendicitis and typhlitis	52	50	111	159	30	26	491	78	1,619	160	111	47	126	43
118a	Hernia	5	8	26	23	10	5	135	37	563	93	8	8	19	12
118b	Intestinal obstruction	13	32	36	69	25	17	165	49	530	152	42	34	66	40
119	Other diseases of the intestines	2	4	13	13	2	7	21	7	99	19	4	1	17	9
120	Acute yellow atrophy of the liver	1	1	3	2	3	4	9	6	61	11	3	1	3	2
121	Hydatid tumor of the liver						1	1		3	3				
122	Cirrhosis of the liver	18	25	17	53	13	29	207	120	848	190	12	7	52	22
123	Biliary calculi	12	15	33	35	4	13	111	34	372	52	14	3	16	1
124	Other diseases of the liver	25	11	26	42	6	6	69	34	404	94	19	4	42	13
125	Diseases of the pancreas	2	1	3	4	2	1	20	6	93	14	1	1	2	
126	Peritonitis without specified cause	5	13	8	14	2	5	32	16	132	35	11	11	12	12
127	Other diseases of the digestive system (cancer and tuberculosis excepted)														
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	142	248	373	726	257	331	2,823	1,773	11,085	3,365	440	320	1,593	937
128	Acute nephritis (including unspecified under 10 years)	14	9	9	31	12	22	153	72	254	122	32	38	81	85
129	Chronic nephritis (including unspecified 10 years and over)	99	204	264	576	212	276	2,278	1,583	9,455	2,988	327	208	1,356	752
130	Chyluria														
131	Other diseases of the kidneys and annexa	6	5	18	21	3	4	50	27	237	47	16	8	60	32
132	Calculi of the urinary passages	3		8	1	4		25	6	102	11	7	1	9	1
133	Diseases of the bladder	1	1	1	9	4	5	11	9	30	23	5	6	15	7
134	Diseases of the urethra, etc					2	1	15	2	37	7	3	4		3
135	Diseases of the prostate	10	12	34	59	7	16	121	48	409	107	23	15	44	15
136	Nonvenereal diseases of the male genital organs		1	2	1			3		11		1	1	1	
137	Cysts, other benign tumors of the ovary	1	2	7	5	1	1	29	8	90	16	2	2	6	3
138	Salpingitis and pelvic abscess (female)	4	5	11	7	4	2	48	6	166	16	7	15	7	12
139	Benign tumors of the uterus	3	7	16	12	5	2	70	8	232	22	14	14	5	14
140	Nonpuerperal uterine hemorrhage										1		1	1	2
141	Other diseases of the female genital organs	1	2	3	4	3	2	20	4	59	4	3	7	8	11
142	Nonpuerperal diseases of the breast (cancer excepted)									3	1				
	VIII.—The puerperal state	29	50	72	116	36	30	326	91	1,077	183	100	89	304	233
143	Accidents of pregnancy	7	5	9	11	3	4	35	9	113	25	10	12	34	11
144	Puerperal hemorrhage	1	5	2	10	6	2	45	9	141	20	10	2	32	26
145	Other accidents of labor	3	8	8	14	2	2	40	10	139	23	14	5	44	24
146	Puerperal septicemia	16	22	40	41	6	10	122	35	417	54	15	31	66	56
147	Puerperal phlegmasia alba dolens, embolus, etc			2	12	8	2	13	4	61	18	1		5	11
148	Puerperal albuminuria and convulsions	2	10	11	27	10	10	69	23	203	43	50	38	121	105
149	Following childbirth (undefined)				1	1		2	1	1			1	2	
150	Puerperal diseases of the breast									2					

CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

NORTH DAKOTA		OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				List No.
										Urban		Rural		Urban		Rural		
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	
2	16	161	142	25	17	184	160	30	6	4	3	15	18	41	10	60	13	84
		3	2			6	4	1			1		1	2				85
3	9	100	44	11	6	124	67	6		7		4	1	14	7	17	3	86a
3	5	97	16	8	2	115	32	9		7	1	2		14	1	7	1	86b
108	647	8,120	6,905	937	1,059	12,794	10,212	1,493	291	313	355	989	1,357	722	501	1,645	504	
	3	25	26	4	6	80	37	5	2	1		2	19		5	18	4	87
5	34	361	143	40	18	838	399	61	7	12	15	11	47	35	21	42	18	88
10	45	474	466	61	96	594	634	105	32	38	24	81	41	61	10	115	25	89
78	506	6,231	5,275	626	845	10,198	8,008	1,133	219	210	263	828	1,135	562	431	1,352	430	90
1	5	88	39	18	7	101	55	3		2	7	6	6	7	15	7	3	91a
9	41	815	867	128	69	826	948	156	23	46	42	46	62	38	11	91	15	91b,c
3	7	92	59	55	16	103	88	27	8	4	2	4	4	15	2	13	2	92
1	3	26	21	5	1	37	15	3				1	1	2	2			93
1	1	5	2		1	14	18						2	1		2	2	94
	1	2	5			3	9				1	2	7	1	3	2	3	95
	1	1	2				1				1	8	33		1	3	2	96
64	454	4,421	2,703	332	400	8,623	5,988	742	135	138	172	610	920	516	493	1,527	402	
	1	4	3		1	3	6	1				3	73			8	3	97a
1	2	29	5	6	2	42	12	2		1				5	1	2	2	97b
	6	16	12		3	17	24	4	1			3	2	2	2	10	3	98
	7	89	58	3	5	179	161	21	8		2	8	7	4	5	13	6	99a
1	7	64	72	6	6	152	107	9	2	1		6	5	7	7	27	6	99b
	5	20	14	1	4	43	35	2	2	1		3	7	2	2	2		99c
	3	26	34		1	44	54	9	3		1	2	6	5	12	13	3	99d
25	192	1,799	1,084	117	155	3,214	2,220	221	38	47	75	153	159	217	172	531	102	100a
	2	20	31			64	30	3				3	2		1	4	2	100b
34	181	2,066	1,148	159	171	4,179	2,704	420	69	73	81	304	296	233	256	715	221	101a
	13	19	53	7	21	180	205	8	7	10	7	88	310	10	9	114	35	101b
	10	118	55	12	7	189	105	18	3	2	3	7	7	16	9	13	3	102
	8	31	30	8	5	85	80	11	2	2	1	12		5	2	16	1	103
		5	5	2	1	10	7							2	1	2	1	104
2	17	71	71	6	16	127	113	6			1	14	22	7	9	44	9	105
		5	7	1		10	13						2		1			106
1		39	21	4	2	85	112	7		1	1	4	22	1	4	13	5	107
129	377	4,000	1,995	323	352	5,358	3,829	437	50	182	199	628	983	660	423	1,378	340	
3	4	38	20	2	2	42	25	2			2	2	6	4	4	13	4	108
		1				1							1					109a
7	26	177	91	17	24	184	125	8	4	8	4	15	22	29	17	32	9	109b
		5	2			6	3							1		5		110
12	15	194	96	26	25	192	113	25	1	5	13	13	15	18	14	26	8	111a
5	6	88	31	20	5	128	52	11	2	1		2	1	15	4	12	3	111b
1	22	117	188	12	22	227	247	11	11	6	8	52	258	16	60	112	57	112
7	78	992	521	16	62	1,468	1,557	95	12	68	83	356	436	175	93	602	104	113
3	18	167	212	15	21	217	260	19	2	10	28	46	85	48	53	255	42	114
												1				2		115
	2										2	1	19		1	4	2	116
52	89	781	166	72	63	960	284	98	1	34	23	48	50	155	67	92	33	117
4	9	176	70	19	14	309	119	27	3	9	4	6	5	15	7	22	1	118a
9	29	368	153	23	30	404	258	31	7	15	20	25	23	55	38	50	27	118b
2	2	38	26	2	5	63	34	6		5	2	1	9	10	10	10	5	119
	1	25	14	4	3	32	18	1	1	2				4	2	4	2	120
		1	1	1		1	1					1						121
2	16	294	202	18	31	454	398	42	5	5	5	15	20	16	19	43	23	122
15	36	238	67	20	12	239	105	33	4	3	1	9	3	38	7	23	3	123
4	14	188	95	43	22	293	152	18	4	6	1	27	22	46	14	47	10	124
2	5	29	6	7	3	38	14	3	1	2		2		4		3		125
1	5	83	34	6	8	100	64	7	1	3	3	6	8	11	13	21	7	126
																		127
51	258	3,874	2,683	421	451	6,865	4,723	801	102	235	290	807	1,125	490	421	1,117	346	
	19	157	114	11	11	280	224	31	4	12	17	29	84	23	46	84	29	128
23	188	2,976	2,264	318	366	5,703	4,099	695	88	193	234	717	893	352	262	906	264	129
																		130
8	13	104	56	15	11	145	67	11	1	8	7	25	78	21	7	33	8	131
1	5	33	13	3	6	45	16	2		4		8	3	8	1	3	3	132
	6	25	43	1	3	32	34	3	2		1	3	11	6	9	14	6	133
	1	19	7	2	1	32	5	1			4	1	2	3	8	1	4	134
8	16	189	120	45	34	285	167	22	2	9	5	12	16	34	25	50	16	135
	1	5	3	2		7	4					1	1	1				136
		55	12	5	2	48	27	8				1	1	6	5	5	2	137
1	3	117	19	9	9	110	27	14		6	9	2	4	15	26	5	4	138
7		139	14	7	2	120	37	5	2	2	6	4	11	13	30	7	7	139
		4	1			3		1					1		1	2		140
3	6	51	16	3	6	51	15	7	3	1	7	4	20	8	1	6	3	141
			1			4	1	1								1		142
12	52	601	230	40	47	844	480	73	8	33	47	129	282	95	66	202	59	
	6	57	28	5	7	86	51	9		1	7	12	15	13	3	22	5	143
1	8	49	24	5	9	87	72	11	1	3	3	21	12	2	2	21	3	144
1	2	74	25	4	4	78	47	9	2	1		23	68	9	4	16	8	145
8	21	260	80	18	15	357	169	22	2	12	17	15	75	40	36	74	28	146
	4	29	12			36	21	8	1	1		3	2	4		3		147
2	11	131	60	7	12	197	117	12	2	15	20	55	109	27	20	66	15	148
		1	1	1		3	3	2					1		1			149
																		150

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	IX.—Diseases of the skin and of the cellular tissue	1	8	12	35	8	12	80	42	252	94	9	11	41	25
151	Gangrene	1	4	4	21	5	9	26	25	37	53	3	4	11	14
152	Furuncle			3	4	2	1	13	5	58	8	1		9	2
153	Acute abscess		2	3	6	1	1	21	7	82	17	4	7	10	6
154	Other diseases of the skin and annexa		2	2	4		1	20	5	75	16	1		11	3
	X.—Diseases of the bones and of the organs of locomotion	2	4	9	5	2	1	57	11	152	23	15	4	14	7
155	Diseases of the bones (tuberculosis excepted)	1	3	6	4		1	47	8	120	18	11	4	11	3
156	Diseases of the joints (tuberculosis and rheumatism excepted)		1	3	1	2		6	2	29	4	3		3	2
157	Amputations							1							
158	Other diseases of the organs of locomotion	1						3	1	3	1	1			2
	XI.—Malformations	22	50	67	154	32	34	367	175	1,248	355	45	12	189	46
159a	Congenital hydrocephalus	1	5	9	13	1	2	38	17	163	37	2	2	11	11
159b	Congenital malformations of the heart	11	36	39	92	16	22	168	120	617	220	28	5	111	17
159c	Other congenital malformations	10	9	19	49	15	10	161	38	408	98	15	5	67	18
	XII.—Early infancy	97	205	203	541	172	133	1,328	571	5,063	1,207	344	172	1,155	530
160	Congenital debility, icterus, sclerema	7	25	15	78	20	20	123	65	429	140	23	24	194	116
161a	Premature birth	67	133	136	351	104	81	819	340	2,961	728	256	117	797	330
161b	Injury at birth	16	26	41	72	39	17	262	103	1,192	245	54	17	112	43
162	Other diseases peculiar to early infancy	7	21	11	40	9	15	123	62	477	92	11	11	50	31
163	Lack of care							1	1	4	2		3	2	10
164	XIII.—Old age (senility)	12	36	28	196	12	67	96	109	279	247	26	10	243	237
	XIV.—External causes	176	438	334	626	168	219	2,382	1,246	8,858	2,615	376	269	1,110	570
	Suicide	37	55	59	116	25	34	309	173	1,245	372	35	5	108	11
165	By poisons (gas or corrosives excepted)	4	4	9	12		4	21	5	57	27			3	
166	By corrosive substances	6	2	8	6			30	8	104	12	7		12	
167	By poisonous gas	4		13	4	5		87	29	430	23	3		1	
168	By hanging or strangulation	5	8	4	35	9	6	65	54	195	123	9		12	1
169	By drowning		2		4	2	5	14	17	56	44			3	4
170	By firearms	14	33	21	48	6	16	50	42	175	106	13	5	61	6
171	By cutting or piercing instruments	3	4	2	6	2	3	23	11	78	25	1		9	
172	By jumping from high places							18	5	119	6			2	
173	By crushing			2	1	1		1	2	26	2	1			
174	By other means	1	2							5	4	1		5	
	Homicide	14	31	20	16	1	3	125	41	496	50	26	88	80	93
197	By firearms	7	21	17	11		2	63	23	258	23	18	61	59	71
198	By cutting or piercing instruments	1	3	2	1			22	3	75	7	2	17	7	11
199	By other means	6	7	1	4	1	1	40	15	163	20	6	10	14	11
	Accidental or undefined	125	352	255	494	142	182	1,948	1,032	7,117	2,193	315	176	922	466
175	Poisoning by food	1	2		8	1	1	12	6	17	7	3	3	23	14
176	Poisoning by venomous animals		1		1			2	1	1	1			2	2
177	Other acute poisonings (gas excepted)	2	5	5	13	8	5	35	14	116	30	7	1	19	20
178	Conflagration	1	10	3	7	7	4	27	28	119	97	5	2	15	16
179	Burns (conflagration excepted)	7	10	13	27	15	6	169	51	499	76	26	32	96	98
180	Mechanical suffocation	2	3	4	13		2	18	20	57	34	5	8	30	24
181	Absorption of irrespirable, irritating, or poisonous gas	2	6	17	7	2	1	131	38	935	44	6		3	
182	Drowning		45	4	35	12	36	141	184	575	363	4	2	62	39
183	Traumatism by firearms (except in war)	5	22	11	17	2	5	17	22	50	53	15	11	41	39
184	Traumatism by cutting or piercing instruments		8	3	8	1	5	12	4	63	11		2	5	3
185	Traumatism by fall	22	25	85	106	42	44	393	154	1,524	401	51	11	146	25
186a	Traumatism in mines	21	27						5	3	4			6	2
186b	Traumatism in quarries		1					1	1	2	6		1	3	1
187	Traumatism by machines	3	9	5	22	4	4	41	22	203	32	6	5	22	8
188a	Railroad accidents	6	41	20	39	6	10	178	122	259	283	25	19	70	21
	Collision with automobiles	1	7	3	19		4	26	30	41	92	10	3	34	2
	Other railroad accidents	5	34	17	20	6	6	152	92	218	191	15	16	36	19
188b	Street-car accidents		1	4			1	19	10	264	25	8	3		
	Collision with automobiles			1			1	7	2	30	10	4			
	Other street-car accidents		1	3				12	8	234	15	4	3		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	30	63	53	101	32	36	558	234	1,741	437	106	46	227	76
188d	Airplane and balloon accidents								1		9			2	
188e,f	Injuries by other vehicles	5	12	6	18	4	4	29	8	100	30	6	2	12	5
188g	Landslide, other crushing		5		6		2	11	8	44	13	1		7	3
189	Injuries by animals (not poisoning)	2	5	3	14		4	3	5	14	17			5	3
190	Wounds of war	1								1					
192	Starvation (deprivation of food or water)									1	1				1
193	Excessive cold	1	5	1		1		5	10	11	12	1		2	5
194	Excessive heat	1	1	1	6			24	10	56	11	2	1	11	9
195	Lightning		5		9		2	3	4	1	9	1		9	8
196	Other accidental electric shocks	3	7	2	8	2	2	17	11	50	36	9	3	13	4
201	Fracture (cause not specified)		3	1	2			12	1	79	50	5	3	13	1
202	Other external violence	10	30	14	27	3	8	90	58	332	101	23	21	78	39
203	Violent deaths of unknown causation														
	XV.—Ill-defined diseases	7	96	9	73	34	9	22	27	57	69	62	137	1,146	1,263
204	Sudden death	1	10		16	14	4			7	11	9	13	200	112
205a	Ill-defined	1	19	4	31	15	3	22	22	26	32	8	24	180	142
205b	Not specified or unknown	5	67	5	26	5	2		5	24	26	45	100	766	1,009

CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

NORTH DAKOTA		OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				List No.
										Urban		Rural		Urban		Rural		
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	
6	15	118	109	17	11	175	180	19	2	8	10	17	18	23	11	43	7	
1	7	36	66	10	7	67	100	10		3	5	3	3	5	6	12	6	151
		18	10	1	3	25	23	4				6	2	3		10		152
3	4	34	6	2		51	25	4		4	2	4	7	7	2	7		153
2	4	30	27	4	1	32	32	1	2	1	3	4	6	8	3	14	1	154
4	10	68	16	8	1	95	54	5		5	3	3	2	12	10	11	6	
4	9	56	13	6		80	42	4		5	2	3	1	11	5	6	6	155
	1	11	2	2	1	14	8							1	5	4		156
											1							157
		1	1			1	4	1					1			1		158
23	62	488	384	30	58	783	837	81	16	22	3	94	47	51		105	5	
7	4	44	17	5	2	84	53	5	1	2	2	10	17	7		10	1	159a
5	34	307	266	12	45	488	575	36	8	12	1	43	14	28		60	2	159b
11	24	137	101	13	11	211	209	40	7	8		41	16	16		35	2	159c
61	348	2,367	1,362	128	244	2,963	2,804	405	63	114	151	573	740	317	142	762	105	
3	53	195	217	5	29	272	356	51	9	9	48	76	173	33	24	143	32	160
45	229	1,572	859	75	153	1,955	1,802	218	33	75	74	403	504	211	94	504	57	161a
9	43	464	197	33	41	492	426	109	14	24	12	54	29	46	15	76	6	161b
4	23	136	87	15	21	243	213	27	7	6	15	40	32	27	9	38	10	162
			2			1	7				2		2			1		163
4	107	273	500	33	70	169	368	29	22	8	6	98	327	53	17	295	84	164
55	336	4,334	2,570	367	666	5,485	4,436	467	82	169	151	455	617	555	395	962	284	
11	50	545	328	83	96	686	502	60	15	13	1	37	8	64	7	97	8	
1	2	23	12	3	8	24	16	4	1	1				6		5		165
4	8	117	26	6	3	67	29	7		1		1		23	4	17	1	166
		18	2	17		150	24	20						2				167
	17	85	75	14	18	112	145	9	4		1	2	1		1	11		168
	2	25	20	13	7	26	28	4					2			3		169
3	19	197	158	18	48	231	214	13	6	7		30	4	32	2	49	6	170
3	2	47	25	9	5	37	26	2	4	2		3	1			8	1	171
		15	1	2	1	30	8			1				1				172
		10	3		2	2	4									1		173
		8	6	1	4	7	8	1		1		1				3		174
	12	419	127	18	20	353	172	18	3	16	58	32	121	54	182	104	92	
	6	257	88	14	17	240	119	10	3	12	43	25	91	43	124	77	75	197
	2	72	10	1		47	17	3		1	12	1	15	6	48	12	12	198
	4	90	29	3	3	66	36	5		3	3	6	15	5	10	15	5	199
44	274	3,370	2,115	266	550	4,446	3,762	389	64	140	92	386	488	437	206	761	184	
1	7	23	23	2	8	21	29	2		2	1	11	14	6	4	10	5	175
		3					4				1	1	1		1	2		176
	6	71	28	1	13	50	62	5	1	6	1	12	19	9	4	14	5	177
2	11	27	44	3	9	67	78	9	2	4		3	19	8	10	13	10	178
3	19	292	96	11	19	497	262	43	2	16	23	59	128	24	43	75	31	179
1	8	44	42	2	3	28	49	4	2	2		15	18	4	1	12	4	180
1	9	79	27	1	1	267	41	29	2	4			1	3		2		181
4	21	120	180	18	90	165	256	32	20	2	5	31	44	10	4	47	23	182
	10	59	69	5	26	65	90	2		5	16	25	39	17	22	47	19	183
2	9	30	12	2	4	43	19	2	1		1	3	2	8	6	4	4	184
8	20	787	412	59	63	898	630	84	9	23	6	56	23	95	15	145	9	185
	2	25	62		1	286	609						1	10		42	2	186a
		2	5		1	6	17		1		1		3	2		3		186b
1	15	112	45	15	30	150	84	6	2	2	2	11	14	10	5	14	1	187
1	20	316	308	17	31	337	427	9	5	11	3	28	29	47	28	62	20	188a
	11	85	101	2	6	19	49	1		1		5	6	3	2	11		
1	9	231	207	15	25	318	378	8	5	10	3	23	23	44	26	51	20	
		101	51	6		117	40	13	1	6	1	1	1	6	2	1		188b
		45	28	3		23	8	2		3					1			
		56	23	3		94	32	11	1	3	1	1	1	6	1	1		
12	58	946	371	66	121	1,060	674	114	13	46	20	73	53	131	36	128	17	188c
1			3	1	5	4	8							1				188d
	15	32	34	3	14	65	59	7		2		8	6	7	5	20	5	188e,f
	1	16	14	8	14	22	25					4	2	2	6	4	1	188g
1	14	7	23	1	8	11	14				1	2	4	3		8	1	189
																		190
																1		192
	2	8	5		2	10	15	1					2	1		1	2	193
1	2	25	16	1		48	30	3		1			8	2	2		3	194
	2	3	23		3	4	16				1	4	6	2		13	5	195
	4	46	48	2	8	43	46	3	2	2		12	5	7		16	1	196
	1	23	53	2	4	13	6			1	1	1		3	1	9		201
5	18	173	121	40	72	169	172	21	1	5	8	26	46	19	11	68	16	202
																		203
9	118	59	161	3	32	264	348	33	5	13	26	265	1,151	174	238	1,168	466	
2	8	4	19		5	32	80	9	2	2	2	36	55	42	40	129	56	204
2	25	26	50	3	15	24	106	9	2	5	14	91	469	23	31	166	48	205a
5	85	29	92		12	208	162	15	1	6	10	138	627	109	167	873	362	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	UTAH		VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING	
						Urban		Rural									
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
	All causes	2,384	2,752	807	4,408	5,087	4,149	13,779	7,803	8,195	7,475	4,718	13,425	13,109	17,082	338	1,564
	I.—Epidemic, endemic, and infectious diseases	332	444	124	551	659	844	2,563	1,801	981	1,244	779	2,662	1,548	2,408	39	241
1	Typhoid and paratyphoid fever	4	21	1	5	17	12	145	92	27	22	54	223	21	21	1	7
2	Typhus fever																
5	Malaria			1			3	8	14								
6	Smallpox	1	2				1			12	19		3		1		
7	Measles	9	25		11	17	5	61	17	5	5	68	228	72	82		6
8	Scarlet fever	2	2	7	11	5		26	1	14	12	9	49	26	55	4	6
9	Whooping cough	40	90	2	30	37	53	131	97	29	57	52	244	68	107	3	13
10	Diphtheria	29	39	1	13	31	16	147	34	47	44	33	128	87	72	2	11
11a	Influenza (with pulmonary complications)	61	105	14	159	142	171	513	261	99	133	99	386	209	379	10	61
11b	Influenza (other and unspecified)	27	51	8	87	55	45	214	117	65	105	63	201	135	314	3	42
13	Mumps				1		1				3	1	3	1	3		
15	Cholera nostras					2		6		2			2		4		
16	Dysentery	3	5	1	1	21	15	136	54	3	8	5	31	10	14	1	4
17	Plague																
19	Spirochetal hemorrhagic jaundice		1								2				1		
20	Leprosy																
21	Erysipelas	11	14	1	9	11	3	33	5	21	19	11	22	37	40		1
22	Acute anterior poliomyelitis	3	2	1	3	8	2	13	4	4	3	2	7	6	8		1
23	Lethargic encephalitis	7	3	1	1	8	2	5	4	27	14	2	2	29	25		
24	Meningococcus meningitis	9	5	2	3	5	2	12	2	87	22	4	21	17	24		4
25	Other epidemic and endemic diseases	1	3			1		1	1		2		2	3	4	4	23
26	Glanders																
27	Anthrax								1								
28	Rabies								1						1		
29	Tetanus	3			1	13	13	7	8	6	1	9	6	10	8		1
30	Mycoses							1	11			1	4	3	2		
	Tuberculosis (all forms)	105	68	74	208	245	405	1,049	954	411	716	302	976	725	1,155	10	52
31	Of the respiratory system	90	61	55	171	211	338	939	871	306	628	253	858	582	1,028	8	45
32	Of the meninges, central nervous system	6	3	12	17	13	21	26	16	47	27	13	31	73	44	1	2
33	Of the intestines, peritoneum	6	1	4	8	5	17	40	34	21	27	21	40	15	28	1	4
34	Of the vertebral column	2		1	4	6	5	10	2	11	5	2	5	14	15		
35	Of the joints		1	1	1	2	6	4	10	5	5	1	4	4	5		
36	Of other organs	1	2		4	4	4	20	7	13	13	7	17	15	16		
37a	Disseminated (acute)			1	3	3	13	5	13	7	8	5	18	16	14		1
37b	Disseminated (chronic or unspecified)					1	1	5	1	1	3		3	6	5		
38	Syphilis	13	6	6	6	27	79	45	111	107	50	45	104	65	68	1	7
39	Soft chancre								1								
40	Gonococcus infection		2	3	1	4	15	3	5	9	2	10	10	8	4		1
41	Purulent infection, septicemia	4		1	1	10	1	7	6	6	5	9	10	16	16		1
42	Other infectious diseases																
	II.—General diseases not included in Class I	316	254	99	554	638	236	1,158	422	1,461	921	485	970	2,110	2,438	48	139
	Cancer and other malignant tumors	205	164	65	406	419	125	758	246	982	644	286	632	1,392	1,678	29	79
43	Of the buccal cavity	6	2	3	13	9	1	28	2	27	21	4	15	39	46	2	1
44	Of the stomach, liver	73	82	22	135	105	31	268	87	337	248	112	283	542	787	10	38
45	Of the peritoneum, intestines, rectum	29	13	8	77	54	12	74	21	175	93	33	58	219	213	2	10
46	Of the female genital organs	26	9	9	49	76	36	109	61	139	80	62	136	164	155	5	7
47	Of the breast	8	10	5	39	52	23	80	22	86	50	27	52	117	118	3	8
48	Of the skin	5	6	1	13	19	3	39	5	11	27	2	17	22	45	3	2
49	Of other or unspecified organs	58	42	17	80	104	19	160	48	207	125	46	71	289	314	4	13
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5	3	1	2	5	1	7	6	4	2	5	1	3	2		
51	Acute rheumatic fever	3	9		6	6	16	34	21	18	16	12	38	35	34	1	4
52	Chronic rheumatism, osteoarthritis, gout	4	1	1	5	4	3	22	9	8	6	1	13	21	22		1
53	Scurvy				1		2	1	1					1	3		
54	Pellagra			2	1	18	19	46	33			4	3				2
55	Beriberi																
56	Rickets		1		1	1	4	6	8	1	3		8	13	7		2
57	Diabetes mellitus	28	37	14	63	82	44	142	56	156	108	62	120	219	269	8	17
58	Anemia, chlorosis	20	7	5	35	27	3	45	5	74	43	36	35	129	203	1	7
59	Diseases of the pituitary gland					1	1			1		1	2	1	1		
60a	Exophthalmic goiter	20	10	1	10	15	4	19	2	82	34	23	36	111	71	2	3
60b	Other diseases of the thyroid gland	2	1	1	1	2	3	9	4	9	8		9	23	22		1
61	Diseases of the parathyroid glands					2		2	1			1	1	1	5		
62	Diseases of the thymus gland	5	3	1	4	6	1	2	1	31	9	3	5	26	16		
63	Diseases of the adrenals (Addison's disease)	1			2	3	2	2		7	2	2	5	9	10		
64	Diseases of the spleen				1		1	1		3	2	1	3	1	3		
65a	Leukemia	5	2	1	1	12	3	16	3	20	8	8	8	36	29		
65b	Hodgkin's disease	1	1	1	2	3	1	7	4	12	3	4	4	16	14		2
66	Alcoholism (acute or chronic)	8	5	2	9	12	2	14	11	39	24	26	25	51	40	6	15
67a	Chronic lead poisoning	2	1	2				1		1	1	2		2	1		
67b	Other chronic mineral poisoning																
68	Chronic poisoning by organic substances	2			2	3		4		2			5	3			
69	Other general diseases	5	9	2	2	17	1	20	11	11	8	8	17	17	8	1	6
	III.—Diseases of the nervous system and of the organs of special sense	217	179	64	566	461	445	1,437	888	779	940	431	1,203	1,199	2,146	26	136
70	Encephalitis	7	3	1	2	8	4	14	2	6	5	8	13	8	7	1	4
71a	Simple meningitis	7	4	3	7	16	3	43	17	24	8	20	47	24	13		3
71b	Nonepidemic cerebrospinal meningitis	2	2		2	1	1	22	7		4	7	16	23	25		1
72	Tabes dorsalis (locomotor ataxia)	2	1	1	15	4	4	15	2	10	8	8	9	16	20		2
73	Other diseases of the spinal cord	6	3	1	18	15	5	37	23	13	26	9	41	34	43	1	1
74a	Cerebral hemorrhage	116	125	48	404	308	344	915	589	559	553	255	684	837	1,545	17	85
74b	Cerebral embolism and thrombosis	13	7	2	27	13	6	26	13	31	25	6	13	18	41	1	2
75	Paralysis without specified cause	3	3		5	20	28	141	108	21	30	42	191	33	60	1	7
76	General paralysis of the insane	13	2	1	15	12	10	27	13	5	106	7	29	11	117	1	13
77	Other forms of mental alienation	12	2		6	3	3	22	16	4	68	2	33	10	45		
78	Epilepsy	8	4	1	23	8	5	49	40	15	35	14	32	15	68		4
79	Convulsions (nonpuerperal; 5 years and over)				1		1	3	2			2	2		2		
80	Infantile convulsions (under 5 years)	1	9		10	4	17	24	35	2	5	9	28	22	44		2
81	Chorea				1	1		1						2	3		
82	Neuralgia and neuritis	1	1	1	2	1	2	8	1	4	2	4	7	5	7		
83	Softening of the brain	1			4	8	1	14	1	2	11	2	5	4	5		
84	Other diseases of the nervous system	17	9		21	25	6	42	9	39	45	12	25	54	75	1	7

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	UTAH		VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING	
						Urban		Rural									
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
	III.—Diseases of the nervous system and of the organs of special sense—Con.																
85	Diseases of the eye and annexa							2	4	2		2		1			
86a	Diseases of the ear	7	2	4	2	8	4	18	1	25	7	9	21	40	14		4
86b	Diseases of the mastoid process	1	2	1	1	6	1	14	5	17	2	13	7	42	12	3	1
	IV.—Diseases of the circulatory system	340	377	158	1,010	908	616	2,098	1,086	1,524	1,316	589	1,525	2,224	3,270	38	202
87	Pericarditis	1	2	1	3	3	1	9	5	4	4	2	11	13	10		1
88	Endocarditis and myocarditis (acute)	13	17	4	13	28	40	31	22	37	27	24	52	117	104	2	13
89	Angina pectoris	21	22	18	92	89	28	148	40	133	110	41	89	111	184	5	18
90	Other diseases of the heart	272	316	114	724	716	505	1,709	940	1,185	995	436	1,229	1,724	2,614	26	152
91a	Aneurysm	4	5		3	12	13	15	6	19	13	7	4	20	15		1
91b,c	Other diseases of the arteries	18	9	18	161	44	20	155	66	112	152	63	119	195	300	5	14
92	Embolism and thrombosis (not cerebral)	6	5	2	10	14	3	16	2	26	11	12	12	23	20		1
93	Diseases of the veins	3	1		2	2	4	4	1	7	1	3	4	16	15		1
94	Diseases of the lymphatic system	1		1			1	2			1	1		5	5		1
95	Hemorrhage without specified cause	1			2				2	1			3		2		
96	Other diseases of the circulatory system						1	9	2		2		2		1		
	V.—Diseases of the respiratory system	222	326	72	440	377	475	1,062	624	603	548	364	1,175	1,282	1,457	30	133
97a	Diseases of the nasal fossae	1	1					2	14		2		2		1		
97b	Diseases of the nasal fossae annexa	3	3			10	2	4		12	4	3	4	9	4	2	1
98	Diseases of the larynx	1	3		2	1	1	8	4	6	3		1	6	15		1
99a	Acute bronchitis	7	4		13	11	10	12	11	6	13	6	17	37	40	1	2
99b	Chronic bronchitis	5	6	2	14	8	4	27	9	16	12	2	12	27	40		2
99c	Bronchitis (unspecified, under 5 years)		4	2	1		2	6	10	1	5	1	6	15	8	1	
99d	Bronchitis (unspecified, 5 years and over)		2	3	10	5	1	14	5	5	4	2	5	12	16		1
100a	Broncho-pneumonia	86	142	27	138	127	159	411	198	211	175	141	485	474	547	11	55
100b	Capillary bronchitis		2		7	1	6	5	3	1	4	1	2	17	5	1	
101a	Lobar pneumonia	98	102	31	209	174	249	419	247	297	254	146	336	554	611	10	50
101b	Pneumonia (unspecified)	6	28	2	21	10	7	95	77	14	24	49	227	33	82		13
102	Pleurisy	7	5	2	4	8	12	21	12	16	9	3	18	47	29		3
103	Congestion and hemorrhagic infarct of the lung	1	7	1	6	8	4	15	11	6	9	3	17	12	16	2	2
104	Gangrene of the lung				1	2	1	1		1	4		2	1	3		
105	Asthma	3	9		7	5	10	14	12	6	16	4	36	19	28	1	1
106	Pulmonary emphysema				3		4				1	1		4	1		
107	Other diseases of the respiratory system (tuberculosis excepted)	4	8	2	4	7	3	8	11	5	9	2	5	15	11	1	2
	VI.—Diseases of the digestive system	229	195	67	246	436	397	960	550	687	403	575	1,580	1,214	1,090	57	156
108	Diseases of the mouth and annexa	3	6			1	3	7	4	8	3	5	2	14	22	1	3
109a	Adenoid vegetations																
109b	Other diseases of the pharynx, tonsils	18	14	3	7	29	13	45	19	41	23	18	30	61	46	3	9
110	Diseases of the esophagus				1			1		3	1		1		1		
111a	Ulcer of the stomach	18	4	3	18	12	18	30	21	47	25	14	21	59	50	2	6
111b	Ulcer of the duodenum	8	2	2	5	16	1	6	4	29	5	6	3	37	25	1	
112	Other diseases of the stomach (cancer excepted)	6	8	1	24	11	24	79	85	19	22	15	40	43	70		11
113	Diarrhea and enteritis (under 2 years)	19	44	5	39	127	156	401	200	45	71	226	1,018	222	224	10	23
114	Diarrhea and enteritis (2 years and over)	9	10		18	30	29	119	56	33	32	45	176	57	93	3	10
115	Ancylostomiasis																
116	Diseases due to other intestinal parasites							2	5			1	2				
117	Appendicitis and typhlitis	70	54	23	38	35	38	93	40	177	71	100	93	254	179	15	42
118a	Hernia	11	6	4	10	17	10	25	18	33	21	16	16	48	39		9
118b	Intestinal obstruction	20	17	10	30	36	32	46	24	67	43	44	79	96	90	9	13
119	Other diseases of the intestines			2	3	8	9	8	10	11	10	3	12	19	14	1	2
120	Acute yellow atrophy of the liver	1			1	3	2	3	3	3		4	3	6	8		
121	Hydatid tumor of the liver																
122	Cirrhosis of the liver	7	10		20	17	31	30	20	42	25	22	33	96	104	2	11
123	Biliary calculi	14	4	12	22	13	5	13	6	54	17	22	19	95	47	1	9
124	Other diseases of the liver	15	13		7	19	10	34	21	55	23	24	16	72	61	4	4
125	Diseases of the pancreas	2		1		4	2	2	2	7	2	3	3	18	6		
126	Peritonitis without specified cause	8	3	1	3	8	14	16	12	13	9	7	13	17	11	5	4
127	Other diseases of the digestive system (cancer and tuberculosis excepted)																
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	229	195	87	385	599	442	1,378	780	741	543	403	893	1,095	1,352	16	89
128	Acute nephritis (including unspecified under 10 years)	7	8	6	15	28	43	59	51	26	21	15	45	39	59		4
129	Chronic nephritis (including unspecified 10 years and over)	170	166	71	332	481	325	1,194	642	536	453	297	769	841	1,103	11	66
130	Chyluria																
131	Other diseases of the kidneys and annexa	8		1	3	26	12	28	29	30	16	9	11	27	35		4
132	Calculi of the urinary passages	4	2		4	10		1		5	4	3	3	11	4		
133	Diseases of the bladder	1	3		2	4	3	20	4	6	3	2	9	19	20	1	2
134	Diseases of the urethra, etc				1	2	5	6	3	6	1	3		3			
135	Diseases of the prostate	22	8	3	16	29	17	44	26	65	27	37	34	71	94	1	7
136	Nonvenereal diseases of the male genital organs						1	1		1	1			1	1		
137	Cysts, other benign tumors of the ovary	1	1	2		2	2	4	1	8	3	7	1	15	9	1	
138	Salpingitis and pelvic abscess (female)	9	4		2	5	18	7	10	21	4	14	9	24	14	1	5
139	Benign tumors of the uterus	3	1	4	8	10	12	4	13	25	6	9	3	33	8		
140	Nonpuerperal uterine hemorrhage							1					2				
141	Other diseases of the female genital organs	4	1		2	2	4	8	1	11	3	7	7	10	5	1	1
142	Nonpuerperal diseases of the breast (cancer excepted)		1					1		1	1			1			
	VIII.—The puerperal state	33	31	8	40	95	64	192	110	111	69	104	206	177	155	5	36
143	Accidents of pregnancy	6	5		2	7	6	21	7	13	8	3	10	18	27	1	4
144	Puerperal hemorrhage	6	3	1	5	9	1	27	13	13	11	12	25	20	26		5
145	Other accidents of labor	3	3	1	4	7	5	27	22	7	6	8	24	21	10		2
146	Puerperal septicemia	8	13	3	13	44	30	50	20	49	21	56	68	52	49	2	12
147	Puerperal phlegmasia alba dolens, embolus, etc	2			2	1		6	3	6	9	2	4	16	7	1	2
148	Puerperal albuminuria and convulsions	7	7	3	14	27	22	60	45	23	13	22	74	50	36	1	11
149	Following childbirth (undefined)	1						1			1	1	1				
150	Puerpearl diseases of the breast																

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	UTAH		VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING	
						Urban		Rural									
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
	IX.—Diseases of the skin and of the cellular tissue	8	4		14	11	14	47	20	21	15	11	14	71	63	1	3
151	Gangrene	2	2		8	5	6	24	14	6	6	3	6	38	37		3
152	Furuncle				3	3		4	1	6	4	4	3	10	6		
153	Acute abscess	4	2		1	2	4	11		4		2	4	9	10	1	
154	Other diseases of the skin and annexa	2			2	1	4	8	5	5	5	2	1	14	10		
	X.—Diseases of the bones and of the organs of locomotion	1	2		3	10	2	13	4	15	6	6	13	21	11		4
155	Diseases of the bones (tuberculosis excepted)		2		3	7	1	9	2	12	4	6	11	18	9		3
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1				3	1	3	2	2	1		2	3	2		1
157	Amputations																
158	Other diseases of the organs of locomotion							1		1	1						
	XI.—Malformations	32	45	13	47	56	24	166	34	97	72	68	195	175	212	5	21
159a	Congenital hydrocephalus	6	3	1	4	6	1	12	6	9	6	7	20	17	26		
159b	Congenital malformations of the heart	16	32	10	37	27	21	85	8	49	52	46	113	103	122	3	17
159c	Other congenital malformations	10	10	2	6	23	2	69	20	39	14	15	62	55	64	2	4
	XII.—Early infancy	148	255	41	197	329	232	918	453	302	277	309	1,015	878	871	30	97
160	Congenital debility, icterus, sclerema	4	15	4	28	29	42	160	147	22	37	26	232	70	123	2	9
161a	Premature birth	108	186	22	124	233	139	602	239	193	175	220	612	562	542	24	63
161b	Injury at birth	30	39	12	30	56	20	109	27	68	47	52	90	166	122	4	19
162	Other diseases peculiar to early infancy	6	15	3	13	11	29	46	39	14	18	11	74	80	84		6
163	Lack of care				2		2	1	1				7				
164	XIII.—Old age (senility)	25	52	12	72	58	27	319	179	49	116	55	395	101	295	1	20
	XIV.—External causes	200	317	61	267	414	254	988	457	812	920	534	1,568	1,004	1,261	41	258
	Suicide	21	20	5	43	54	7	99	9	185	108	45	72	183	219	9	37
165	By poisons (gas or corrosives excepted)	2	2		1	4		5	1	8	12	4	4	6	12	1	4
166	By corrosive substances	5		1	2	4	1	5	1	23	6	10	8	29	17		
167	By poisonous gas	1		1	2	10		1		55				20	5		
168	By hanging or strangulation	1	3		14	5	2	19	1	22	17	2	9	48	82		10
169	By drowning			1	4	4		6	1	5	17	1	4	17	14		
170	By firearms	7	11	1	20	24	2	55	5	43	46	21	36	45	68	7	22
171	By cutting or piercing instruments	3				2	2	7		16	4	6	4	12	17		
172	By jumping from high places	1	1	1		1				9	1	1		4			
173	By crushing									3	3		2	2	2	1	1
174	By other means	1	3					1		1	2		5		2		
	Homicide	8	12	2	6	24	51	73	71	23	30	44	160	31	42	5	27
197	By firearms	5	6	1	2	17	33	56	56	16	22	28	132	17	24	4	22
198	By cutting or piercing instruments	2	3			1	15	7	7		3	9	13	3	3		3
199	By other means	1	3	1	4	6	3	10	8	7	5	7	15	11	15	1	2
	Accidental or undefined	171	285	54	218	336	196	816	377	604	782	445	1,336	790	1,000	27	194
175	Poisoning by food	1	2			1	3	17	9	7	7	7	8	6	12		3
176	Poisoning by venomous animals	1						4		1	1	1	2		1		1
177	Other acute poisonings (gas excepted)	3	5		3	8	5	17	10	21	8	3	13	10	14		4
178	Conflagration		1				8	16	38	1	16	1	35	9	21	1	1
179	Burns (conflagration excepted)	7	13	4	9	30	31	82	75	30	19	49	105	49	56		10
180	Mechanical suffocation		3	2	6	6	3	12	15	4	16	3	73	2	10	1	3
181	Absorption of irrespirable, irritating, or poisonous gas	2	2	1	3	14	4	4	1	18	5	11	10	29	17	1	2
182	Drowning	5	25	1	23	17	14	60	29	41	138	16	61	69	132	2	13
183	Traumatism by firearms (except in war)	10	8	1	6	13	11	42	22	10	22	8	35	13	41		11
184	Traumatism by cutting or piercing instruments	5	2		2	2	4	7	3	8	4	6	7	7	10	1	
185	Traumatism by fall	32	16	17	68	79	14	131	25	116	68	57	86	187	224	3	14
186a	Traumatism in mines	11	28					62	5	5	11	92	516		3		21
186b	Traumatism in quarries	1		1	6		1	7	5		2	3	4		1		
187	Traumatism by machines	5	2		8	11	8	21	10	29	43	12	19	17	13	1	5
188a	Railroad accidents	15	21	4	21	17	14	73	21	27	55	38	113	80	104	3	22
	Collision with automobiles		6		4	3	3	12	2	7	13	1	10	13	30		3
	Other railroad accidents	15	15	4	17	14	11	61	19	20	42	37	103	67	74	3	19
188b	Street-car accidents	2	3	2		5	5	3		18		10	4	30	7		1
	Collision with automobiles					4				3		1		5	2		1
	Other street-car accidents	2	3	2		1	5	3		15		9	4	25	5		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	41	39	15	30	88	32	139	44	172	170	93	138	202	182	11	45
188d	Airplane and balloon accidents	1				4		9		1	3			1			
188e,f	Injuries by other vehicles	2	6	3	4	5	3	19	16	8	14	3	10	15	27		7
188g	Landslide, other crushing	2	44		1	1	3	8	2	18	60	5	10	9	9	1	
189	Injuries by animals (not poisoning)	1	3		5			13	2	4	6	4	8	6	21		7
190	Wounds of war												1				
192	Starvation (deprivation of food or water)		1						1								
193	Excessive cold		1				2	2	3		2		2	2	15		4
194	Excessive heat	3			1	1	11	8	6	1	1	1	3	5	5		
195	Lightning	1			4			3	13		1	2	2		9	1	5
196	Other accidental electric shocks	1	2		4	8	2	7		6	9	5	22	11	15		1
201	Fracture (cause not specified)	9	29	1		5	4	13	1	3	5	1		2	1		1
202	Other external violence	10	29	2	14	21	14	37	21	55	96	14	49	29	50	1	13
203	Violent deaths of unknown causation																
	XV.—Ill-defined diseases	52	76	1	16	36	77	480	395	12	85	5	11	10	53	1	29
204	Sudden death		4		2	7	12	103	49	2	10	1	3	2	6		1
205a	Ill-defined	47	38		6	14	53	111	115	6	17	2	1	2	9		11
205b	Not specified or unknown	5	34	1	8	15	12	266	231	4	58	2	7	6	38	1	17

NOTE.—Populations are shown in Table I A.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	All causes	1,257,256	159,411	31,609	14,144	9,153	7,018	221,335	22,779	17,263	29,253	38,597
	Both sexes—White	1,093,850	134,575	26,909	11,877	7,750	6,106	186,217	19,781	14,350	22,258	28,602
	Both sexes—Colored	163,406	24,836	5,700	2,267	1,403	912	35,118	2,998	2,913	6,995	9,995
	Males—White	590,852	76,615	13,966	6,294	4,233	3,267	104,375	11,009	8,139	11,754	14,394
	Males—Colored	86,180	13,908	3,013	1,234	712	463	19,330	1,558	1,411	3,103	4,718
	Females—White	502,998	57,960	11,943	5,583	3,517	2,839	81,842	8,772	6,211	10,504	14,208
	Females—Colored	77,226	10,928	2,687	1,033	691	449	15,788	1,440	1,502	3,892	5,277
	I.—Epidemic, endemic, and infectious diseases:											
	Males—White	79,996	8,396	4,845	2,505	1,670	1,275	18,691	3,382	1,753	2,990	4,383
	Males—Colored	19,675	2,067	926	435	269	185	3,882	592	554	1,384	2,076
	Females—White	70,533	7,026	4,321	2,260	1,411	1,169	16,187	3,181	1,842	4,213	5,875
	Females—Colored	19,055	1,771	860	406	265	168	3,470	569	793	2,075	2,685
1	Typhoid and paratyphoid fever:											
	Males—White	2,682	14	17	28	12	30	101	135	220	462	408
	Males—Colored	982	10	7	8	7	11	43	81	96	184	192
	Females—White	1,999	9	9	26	25	21	90	163	227	344	272
	Females—Colored	935	5	12	14	9	11	51	78	151	203	153
2	Typhus fever:											
	Males—White	6										
5	Malaria:											
	Males—White	453	47	19	17	14	14	111	33	20	22	13
	Males—Colored	507	60	31	19	23	7	140	48	19	37	33
	Females—White	437	43	19	17	11	9	99	36	24	18	31
	Females—Colored	528	47	28	19	17	7	118	35	31	51	55
6	Smallpox:											
	Males—White	216	14	4	5	4	1	28	9	5	7	16
	Males—Colored	22	2	1	1			4		1	3	4
	Females—White	120	7	1	1	1	2	12	4	2	12	8
	Females—Colored	18	4	1				5				2
7	Measles:											
	Males—White	4,191	1,087	1,311	553	285	169	3,405	436	90	77	47
	Males—Colored	295	99	89	34	17	7	246	23	4	10	5
	Females—White	3,792	909	1,103	451	234	173	2,870	407	112	79	51
	Females—Colored	301	74	88	34	22	7	225	33	11	11	7
8	Scarlet fever:											
	Males—White	1,277	63	142	149	144	130	628	348	103	59	36
	Males—Colored	39	3	2	6	2	6	19	11	4	3	
	Females—White	1,288	46	103	123	113	112	497	356	128	76	72
	Females—Colored	34	8		2	3	2	15	12	3	1	2
9	Whooping cough:											
	Males—White	3,479	2,062	841	266	127	67	3,363	90	13	5	2
	Males—Colored	736	376	213	76	33	14	712	23	1		
	Females—White	4,067	2,170	1,061	400	167	98	3,896	137	15	3	1
	Females—Colored	846	419	252	87	34	23	815	25	3	1	
10	Diphtheria:											
	Males—White	3,698	277	527	557	495	421	2,277	976	230	49	29
	Males—Colored	297	44	42	54	40	30	210	56	14	5	2
	Females—White	3,378	195	429	453	393	373	1,843	992	222	65	46
	Females—Colored	321	50	29	33	49	26	187	73	26	8	5
11a	Influenza (with pulmonary complications):											
	Males—White	11,471	1,747	730	297	147	95	3,016	236	141	321	267
	Males—Colored	2,177	404	162	72	28	24	690	40	44	85	130
	Females—White	10,828	1,243	564	222	125	101	2,255	227	126	209	214
	Females—Colored	2,028	287	122	64	26	23	522	43	42	99	117
11b	Influenza (other and unspecified):											
	Males—White	6,102	861	271	140	88	66	1,426	194	134	173	125
	Males—Colored	1,209	228	58	31	19	9	345	22	39	44	54
	Females—White	6,405	634	227	112	72	56	1,101	176	118	138	138
	Females—Colored	1,307	206	49	26	15	5	301	35	28	52	62
13	Mumps:											
	Males—White	45	9	5	2	4	2	22	6	1	5	
	Males—Colored	8	1					1	2	2		3
	Females—White	44	4	3	2	3	1	13	7	2	1	1
	Females—Colored	5	2	1			1	4		1		
15	Cholera nostras:											
	Males—White	61	17	6	1	2	2	28	2	1		1
	Males—Colored	13	2					2	1			
	Females—White	53	9	3	1	2	3	18	2	1		
	Females—Colored	18	4	3	1		1	9				
16	Dysentery:											
	Males—White	1,071	269	185	58	30	19	561	31	15	8	9
	Males—Colored	349	114	78	17	6	4	219	10		5	4
	Females—White	1,006	206	126	50	18	10	410	19	5	9	15
	Females—Colored	375	106	63	14	7	2	192	4	3	8	14
17	Plague:											
	Males—Colored	1										
19	Spirochetal hemorrhagic jaundice:											
	Males—White	23	6			1		7	1			2
	Males—Colored	2										
	Females—White	20	5					5	3	1		1
	Females—Colored	2	1		1			2				
20	Leprosy:											
	Males—White	14									1	1
	Males—Colored	6										1
	Females—White	2										
	Females—Colored	1										
21	Erysipelas:											
	Males—White	1,354	375	26	17	9	3	430	12	19	14	17
	Males—Colored	74	24			3		27			1	1
	Females—White	1,179	364	43	9	4	6	426	9	11	14	23
	Females—Colored	47	21		1			22	2			1
22	Acute anterior poliomyelitis:											
	Males—White	413	41	50	32	29	31	183	76	54	44	17
	Males—Colored	53	10	5	7	4	5	31	10	3	3	3
	Females—White	320	31	41	36	21	18	147	61	50	28	9
	Females—Colored	37	12	7	1	2	3	25	6	2		2
23	Lethargic encephalitis:											
	Males—White	696	20	35	14	13	16	98	33	28	51	45
	Males—Colored	36		1	1	2	2	6	1	1	3	6
	Females—White	704	13	24	19	13	8	77	34	38	43	37
	Females—Colored	36	3	1	1	1		6	2	2	2	6

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
39,840	42,291	50,099	54,849	62,381	72,447	79,448	91,620	105,987	104,309	95,314	71,385	38,659	13,451	3,219	1,237	1,493	
29,719	33,219	39,820	44,706	51,651	61,211	71,052	83,463	99,168	97,971	90,492	67,488	36,499	12,199	2,662	495	827	
10,121	9,072	10,279	10,143	10,730	11,236	8,396	8,157	6,819	6,338	4,822	3,897	2,160	1,252	557	742	666	
14,577	17,430	21,768	25,760	29,800	34,957	40,481	46,573	54,782	52,573	46,776	32,625	16,257	5,060	1,025	192	545	
4,956	4,629	5,265	5,332	5,777	6,287	4,710	4,507	3,734	3,511	2,670	2,088	1,109	564	229	289	403	
15,142	15,789	18,052	18,946	21,851	26,254	30,571	36,890	44,386	45,398	43,716	34,863	20,242	7,139	1,637	303	282	
5,165	4,443	5,014	4,811	4,953	4,949	3,686	3,650	3,085	2,827	2,152	1,809	1,051	688	328	453	263	
4,545	4,855	5,413	5,314	5,034	4,712	4,070	3,669	3,449	2,747	2,316	1,520	774	244	54	11	70	
1,914	1,607	1,611	1,358	1,149	1,038	697	563	398	301	219	138	84	30	16	13	56	
5,536	4,646	4,079	3,269	2,908	2,532	2,438	2,420	2,787	2,632	2,546	1,839	1,092	360	86	14	51	
2,226	1,564	1,285	1,022	807	660	426	399	283	227	163	145	86	50	26	35	59	
267	190	185	174	136	134	84	81	47	38	14	3					3	1
105	54	54	48	38	35	14	16	10	6	2	1					3	
190	140	118	96	92	70	65	43	43	27	10	5	1				3	
103	46	35	32	28	15	16	13	2	3	1		1				4	
1	1				1	1	1			1							2
17	12	16	17	16	27	24	22	34	29	21	11	4	1			3	5
14	17	27	32	26	28	10	17	21	10	5	7	9	2		2	3	
19	13	21	25	20	18	18	18	12	25	16	8	8	2	1		5	
35	26	22	27	27	19	14	20	10	15	6	5	4	4	1	1	2	
12	11	11	23	24	20	16	10	10	7	2	2	3					6
	3	1	3	1	1				1								
13	8	8	12	14	3	7	3	5	1	3	2		2			1	
1	1	2	2		1	2	1	1									
22	13	8	13	19	7	13	13	5	8	11	1	1				2	7
1		2	1			1	1			1							
36	50	38	33	29	16	23	16	12	7	7	3	2				1	
6	1	1		3			2									1	
30	29	17	7	9	7	2	1			1							8
		1	1														
40	48	28	19	7	6	2	7	2									
		1															
		1	1					1		1	1					1	
3		3				2		2	2	1						2	9
	1							1									
32	19	19	17	13	8	10	5	4	4	3	1					2	10
2	4	1	2						1								
37	35	37	21	19	14	11	16	5	7	5	2	1					
6	5	3	3	2	2			1									
283	334	531	580	589	603	621	621	772	807	802	560	279	79	14	5	10	11a
108	107	128	139	135	132	108	64	67	70	50	43	21	8	4	2	2	
320	464	484	449	394	461	527	623	822	921	1,009	722	432	136	25	4	4	
129	111	130	106	121	125	93	96	79	64	51	40	18	16	7	9	10	
114	111	158	197	205	218	260	280	392	468	557	581	329	128	36	6	10	11b
45	35	41	56	61	61	76	64	55	58	54	45	28	11	7	5	3	
157	186	182	216	198	211	220	304	419	573	682	675	461	179	54	9	8	
61	46	62	79	63	65	67	71	48	66	49	51	37	22	15	20	7	
2	1		2	1		1	1		3								13
1	6	2		4		1	1	3		1	1						
			2	1			1	3	8	4	7	2	1				15
1		1	1		1		2			4							
	1		1	1			2	10	5	3	6	1	2				
1				2	1	4						1					
10	14	12	19	20	21	21	33	55	55	82	52	35	17	1			16
7		4	5	6	13	12	12	9	8	11	10	6	2	3	3		
11	12	17	16	14	22	31	39	66	70	100	82	48	18	1	1		
10	3	3	11	7	13	14	22	11	13	13	17	9	2	3	3		
1																	17
3	1	1	2	1		1		2	1	1							19
				1	1												
1		1	2	3		2		1									
	3	1	1	1	1	1	2	1		1							20
1				1		2	1										
			1			1											
34	36	40	67	50	87	83	88	111	93	84	57	22	9	1			21
3		7	8	7	5	2	4	4	1	1		1	1			1	
20	31	40	30	48	69	61	61	81	75	65	61	41	10	2		1	
1	3	3	2		5	2	2	2	1				1				
6	4	3	3	7	4	4	2	3	3								22
		1	1	1													
8	3	6		3	2	1	1				1						
		1		1													
39	31	48	53	48	52	54	46	34	17	13	4	2					23
7	2	4	2	1	2		1										
55	38	56	48	58	67	50	38	35	12	11	7						
2	2	2	5	3	1			3									

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Epidemic, endemic, and infectious diseases—Continued.											
24	Meningococcus meningitis:											
	Males—White	784	147	78	29	39	30	323	91	64	88	59
	Colored	75	12	8	3	6	1	30	6	5	14	4
	Females—White	490	100	63	32	21	20	236	72	43	23	25
	Colored	36	8	6	2	1	3	20	2	4	4	
25	Other epidemic and endemic diseases:											
	Males—White	154	39	21	8	3	7	78	13	5		2
	Colored	11	2	1	1			4	3			
	Females—White	120	36	16	14	4	6	76	12	6		2
	Colored	14	4				2	6		1	1	2
26	Glanders:											
	Males—White	1										
	Females—White	1							1			
27	Anthrax:											
	Males—White	8										2
	Colored	2										
	Females—White	4									1	
28	Rabies:											
	Males—White	52			1	2	4	7	9	13	2	3
	Colored	4				1		1	1	1		
	Females—White	25			1		3	4	8	4	2	
	Colored	1										
29	Tetanus:											
	Males—White	716	49	5	8	17	17	96	137	171	64	33
	Colored	238	72	3	2	2	2	81	26	30	20	8
	Females—White	240	48	5	14	4	7	78	40	25	7	13
	Colored	110	52		1	1	2	56	9	6	5	6
30	Mycoses:											
	Males—White	98	21	1		1		23	4	1	2	6
	Colored	52	37	6				43				1
	Females—White	56	19					19			1	
	Colored	28	20	5			1	26				1
	Tuberculosis (all forms):											
	Males—White	36,710	614	512	297	189	134	1,746	463	383	1,472	3,149
	Colored	10,214	142	179	96	69	53	539	211	277	927	1,507
	Females—White	31,452	482	448	259	169	134	1,492	378	641	3,032	4,709
	Colored	10,364	129	158	93	72	45	497	203	460	1,541	2,043
31	Of the respiratory system—											
	Males—White	32,200	185	136	81	32	17	451	132	201	1,254	2,858
	Colored	8,954	69	86	45	37	26	263	132	196	825	1,346
	Females—White	27,370	138	125	72	43	31	409	116	456	2,736	4,347
	Colored	9,261	66	75	49	42	18	250	136	381	1,423	1,922
32	Of the meninges, central nervous system—											
	Males—White	1,684	305	280	163	116	73	937	214	86	66	70
	Colored	337	53	54	34	20	20	181	42	23	17	19
	Females—White	1,423	265	248	143	84	70	810	153	82	96	69
	Colored	273	37	45	27	23	21	153	30	22	18	7
33	Of the intestines, peritoneum—											
	Males—White	1,031	44	42	19	9	15	129	36	35	58	77
	Colored	351	5	7	6	1	4	23	18	23	37	51
	Females—White	1,202	29	26	11	13	5	84	35	40	88	132
	Colored	409	8	9	5	3	2	27	15	28	47	68
34	Of the vertebral column—											
	Males—White	450	7	3	2	11	13	36	37	25	30	34
	Colored	106		1	3	2		6	2	8	9	17
	Females—White	325	4	2	5	6	10	27	21	24	22	17
	Colored	54		1	1			2	5	8	6	2
35	Of the joints—											
	Males—White	182	2	1	2	2	3	10	9	13	9	11
	Colored	51				1		1	1	4	2	9
	Females—White	99	3	1	2		1	7	7	6	7	2
	Colored	33	4		1			5	3	1	2	4
36	Of other organs—											
	Males—White	581	22	15	7	3	6	53	14	10	22	45
	Colored	116	2	2	1	2		7	8	12	11	12
	Females—White	444	14	14	6	6	4	44	17	10	15	32
	Colored	80	1	2	1	1		5	2	4	7	10
37a	Disseminated (acute)—											
	Males—White	464	45	30	20	12	6	113	18	10	28	38
	Colored	265	12	26	7	5	3	53	7	9	21	45
	Females—White	477	26	29	19	14	13	101	25	21	64	92
	Colored	207	13	23	5	2	4	47	12	12	37	28
37b	Disseminated (chronic or unspecified)—											
	Males—White	118	4	5	3	4	1	17	3	3	5	16
	Colored	34	1	3		1		5	1	2	5	8
	Females—White	112	3	3	1	3		10	4	2	4	18
	Colored	27		3	4	1		8		4	1	2
38	Syphilis:											
	Males—White	3,554	528	43	16	7	4	598	14	17	30	67
	Colored	2,121	411	39	6	5	8	469	16	11	34	103
	Females—White	1,546	387	22	8	4	5	426	14	18	38	62
	Colored	1,294	300	35	11	4	4	354	7	15	51	124
39	Soft chancre:											
	Males—White	1							1			
	Colored	3										
	Females—White	2										
	Colored	2										
40	Gonococcus infection:											
	Males—White	90	12		1		1	14		1	1	7
	Colored	77	8					8			2	9
	Females—White	520	13	1		1		15		4	45	102
	Colored	306	6		1	1		8		2	30	75
41	Purulent infection, septicemia:											
	Males—White	568	77	15	9	7	11	119	31	24	31	20
	Colored	70	6	1	1	2	2	12	1	2	4	5
	Females—White	425	52	10	10	6	3	81	23	19	25	42
	Colored	61	3			1		4		2	7	8
42	Other infectious diseases:											
	Males—White	8		1		1	1	3	1		2	
	Colored	2										1
	Females—White	10	1					1				1

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
31	20	27	17	19	14	11	7	4	4	2	2					1	24
2	2	2	4	4	1		1										
16	11	12	8	12	13	7	7	3	1	1							
	3	2			1												
4		2	4	6	8	10	5	11	3	2	1						25
			1	1		1		1									
3	4	4	3	2		2	1	4	1								
					1	1			1				1				
			1														26
		2	1		1	1		1									27
1	1																
1			1	1													
2	2	2	3	1	1	4	1		1			1					28
											1						
1	3	2	1														
					1												
17	27	30	22	22	20	18	15	20	13	9		2					29
7	6	15	10	8	10	7	2	2	4							2	
11	16	4	9	9	8	7	5	4	2	1		1					
3	3	4	4	6	3	4		1									
5	6	4	5	16	5	8	5	2	4	2							30
1	2	1	1		1	1		1									
5	2	5	3	5	4	2	3	4	1	1		1					
			1														
3,487	3,782	3,975	3,715	3,376	3,011	2,379	2,086	1,705	1,018	630	214	79	5	1		34	
1,437	1,139	1,095	819	639	540	357	271	164	107	64	21	12	4	1	1	32	
4,397	3,365	2,781	2,057	1,769	1,394	1,281	1,146	1,178	863	606	244	83	10	2		24	
1,690	1,122	830	606	446	336	171	154	109	49	32	26	14	3		2	30	
3,239	3,509	3,699	3,490	3,149	2,784	2,209	1,916	1,542	929	562	176	65	5	1		29	31
1,321	1,081	1,017	758	577	488	323	256	147	98	60	21	11	4		1	29	
4,095	3,130	2,534	1,868	1,585	1,243	1,141	1,019	1,075	759	540	214	72	7	1		23	
1,478	1,041	757	539	414	309	156	135	100	43	32	23	14	1		2	25	
51	59	54	36	36	28	13	10	9	8	2	1	1				3	32
17	9	8	5	7	4	2	1	1				1					
57	31	42	21	20	13	10	11	4	3		1						
11	8	9	7	3	2		1									2	
66	65	75	68	72	74	58	68	65	36	30	13	5				1	33
85	40	27	21	16	27	15	5	6	4	1				1		1	
116	87	81	87	87	68	72	64	52	58	31	14	5	1				
55	44	37	31	14	9	12	10	3	1 5		1		1			2	
39	43	35	21	31	26	22	26	17	9	14	4					1	34
13	18	8	6	10	4		3	2									
23	26	29	18	29	18	17	12	14	12	11	3	2					
6	4	4	6	2	7	1		1									
9	12	5	9	16	11	14	14	13	11	7	5	4					35
7	6	7	4	3	2	2	2		1								
4	3	10	5	6	5	5	5	5	8	11		2	1				
2	2	3	5	1			2	2			1						
32	51	60	55	37	56	30	36	38	16	10	13	3					36
8	13	4	6	8	4	9	2	5	4	2						1	
42	37	54	34	27	22	23	27	19	17	11	9	2		1		1	
11	8	9	6	8	2	1	3	1	1				1			1	
44	35	33	31	30	26	24	12	10	5	4	2	1					37
35	19	22	17	16	11	5	2	2		1							
48	40	23	16	9	18	6	3	5	3	1	2						
23	14	9	10	3	6	1	2	2			1						
7	8	14	5	5	6	9	4	11	4	1							37b
1	3	2	2	2		1		1								1	
12	11	8	8	6	7	7	5	4	3	1	1		1				
4	1	2	2	1	1		1										
99	173	278	333	414	417	396	301	198	134	58	13	9	2			3	38
157	175	217	211	206	192	102	97	55	29	26	8	4	2			7	
73	104	130	137	150	131	98	63	57	25	9	6	3	1			1	
121	134	140	108	85	64	32	18	12	13	10	2	1				3	
2	1																39
							1					1					
	1				1												
6	6	17	2	7	8	7	6	4	1	1				1		1	40
8	6	5	5	9	9	2	5	5	2			1				1	
93	77	77	64	35	5	1	2										
52	54	39	28	12	2	2										2	
22	29	25	31	33	37	40	36	30	28	14	10	6	2				41
3	3	4	3	4	6	2	5	4	4	1	2	2		1		2	
25	28	23	16	21	17	18	18	18	14	15	13	7		1		1	
5	2	5	8	1	4	3		3	2	1	4	1	1				
1			2														42
	1		1		1		2	1			1	1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—General diseases not included in Class I:											
	Males—White	62,469	1,541	287	191	164	137	2,320	566	545	621	606
	Colored	3,833	211	57	25	19	18	330	50	47	70	104
	Females—White	75,578	1,157	229	170	135	122	1,813	461	532	656	798
	Colored	6,466	134	42	26	18	11	231	58	62	127	255
	Cancer and other malignant tumors:											
	Males—White	41,679	25	42	48	52	33	200	126	98	148	214
	Colored	1,858		2	5	4	2	13	11	5	8	28
	Females—White	51,140	25	31	34	30	31	151	81	82	130	223
	Colored	3,499	3	7	8	5	2	25	10	7	19	34
43	Of the buccal cavity—											
	Males—White	2,493	1			1	1	3	4	5	1	2
	Colored	89								1	1	
	Females—White	515		1	1		1	3	3	3	3	
	Colored	47		1	1			2	2		2	1
44	Of the stomach, liver—											
	Males—White	18,401	6	3	1	2	1	13	11	5	13	36
	Colored	946		2	2			4			2	4
	Females—White	15,106	2	1	2	2		7	8	6	6	25
	Colored	759		1		1	1	3		1	4	4
45	Of the peritoneum, intestines, rectum—											
	Males—White	6,322	2	5	4	6	10	27	19	13	25	32
	Colored	232					1	1	2			8
	Females—White	7,434	1		1		2	4	2	6	14	50
	Colored	279		1	1			2			2	2
46	Of the female genital organs—											
	Females—White	12,499		3			1	4	3	13	22	57
	Colored	1,554									2	16
47	Of the breast—											
	Males—White	106	1					1				
	Colored	4										
	Females—White	8,442								1	2	8
	Colored	489									1	3
48	Of the skin—											
	Males—White	1,661	1		2	2		5	2	2	3	5
	Colored	37				1		1	1	1		1
	Females—White	1,007	3			2	1	6		1	4	1
	Colored	38	1					1				1
49	Of other or unspecified organs—											
	Males—White	12,696	14	34	41	41	21	151	90	73	106	139
	Colored	550			3	3	1	7	8	3	5	15
	Females—White	6,137	19	26	30	26	26	127	65	52	79	82
	Colored	333	2	4	6	4	1	17	8	6	8	7
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):											
	Males—White	332	9	7	2	3	1	22	5	5	8	15
	Colored	28		1				1			1	3
	Females—White	346	10	1	4	3	2	20	6	3	4	8
	Colored	43	1					1		1		2
51	Acute rheumatic fever:											
	Males—White	1,113	9	3	15	23	25	75	161	160	92	55
	Colored	210	1	2	2	3	5	13	10	20	12	8
	Females—White	1,263	4	4	11	20	35	74	144	166	105	82
	Colored	247		1	2		1	4	17	24	12	20
52	Chronic rheumatism, osteoarthritis, gout:											
	Males—White	456				1		1	1	4	5	11
	Colored	31								1		1
	Females—White	781				1		1	2	5	4	3
	Colored	49	1					1		1	1	2
53	Scurvy:											
	Males—White	22	10	1	1		1	13	2		1	1
	Colored	7	3	1				4	1		2	
	Females—White	20	12	5				17	1		1	
	Colored	4	3			1		4				
54	Pellagra:											
	Males—White	648	2	3	1		4	10	6	3	5	8
	Colored	425				1	3	4	14	10	10	17
	Females—White	1,076	2	2	6	1	1	12	5	4	21	41
	Colored	1,352	1	4		4	3	12	17	9	69	155
55	Beriberi:											
	Males—White	1										1
	Colored	4										
	Females—White	1										
56	Rickets:											
	Males—White	217	146	42	11	7	5	211	5			
	Colored	102	56	28	8	5	3	100	2			
	Females—White	190	126	39	15	4	2	186	4			
	Colored	71	40	22	7	1		70		1		
57	Diabetes mellitus:											
	Males—White	7,289	10	18	16	19	22	85	89	151	182	124
	Colored	455	1	1	2	1	2	7	1	6	14	11
	Females—White	10,234	9	10	13	17	14	63	86	145	161	137
	Colored	626			1	1		2	4	7	8	14
58	Anemia, chlorosis:											
	Males—White	2,920	54	31	11	6	7	109	26	26	24	36
	Colored	67	10				1	11	2	1	3	1
	Females—White	3,460	41	17	10	7	5	80	18	29	44	55
	Colored	84	4	1			1	6		2	9	6
59	Diseases of the pituitary gland:											
	Males—White	49	1	1	1			3		1	6	
	Colored	3										
	Females—White	57		1		1		2	3	2	3	1
	Colored	1								6		
60a	Exophthalmic goiter:											
	Males—White	539	1			1		2	3	3	11	11
	Colored	20										2
	Females—White	3,417		1		1		2	2	18	81	148
	Colored	146					1	1		1	2	5
60b	Other diseases of the thyroid gland:											
	Males—White	134	12	9	5	4	2	32	7	4	6	4
	Colored	8								1	1	
	Females—White	485	16	13	12	5	2	48	8	7	11	14
	Colored	42	1	1	1			3		2		2

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
838	1,191	1,899	2,730	3,837	5,386	7,044	8,218	9,230	7,703	5,606	2,798	1,030	222	34	3	42	
123	182	221	243	369	465	381	338	316	263	141	95	56	15	9	3	12	
1,069	1,716	2,956	4,340	6,001	7,762	8,889	9,720	10,072	8,096	5,696	3,215	1,343	331	66	11	35	
383	402	641	675	805	740	562	473	369	281	166	114	63	22	6	8	23	
314	509	869	1,488	2,335	3,574	5,002	6,024	6,957	5,974	4,479	2,280	855	190	23	3	17	
25	69	76	123	204	278	242	229	204	166	79	52	27	5	5	2	7	
427	967	1,929	3,073	4,405	5,676	6,270	6,657	7,025	5,791	4,298	2,521	1,061	287	56	10	20	
95	182	335	414	524	484	376	322	242	182	105	74	38	10	1	6	14	
9	19	32	86	133	225	321	382	385	342	261	165	81	31	5	-------	1	
-------	4	7	10	11	16	8	8	12	4	2	2	1	1	-------	-------	1	43
4	7	12	15	20	39	52	56	66	78	61	52	28	10	2	1	-------	
-------	3	4	6	3	4	4	4	6	1	3	-------	2	-------	-------	-------	-------	
52	130	313	615	1,055	1,687	2,337	2,906	3,274	2,729	1,968	883	300	60	6	2	6	
5	33	31	58	113	161	152	109	100	92	34	26	16	1	2	-------	3	44
53	139	270	485	852	1,298	1,700	2,193	2,573	2,277	1,781	990	353	71	12	1	6	
15	20	42	74	79	108	94	100	67	64	38	23	11	5	-------	2	5	
64	125	166	271	371	550	802	912	1,000	886	655	307	77	14	4	-------	2	
7	8	11	15	33	31	26	30	22	20	8	5	3	1	-------	-------	1	45
48	119	212	342	468	699	948	1,000	1,124	966	779	422	179	41	7	1	3	
15	20	29	24	37	41	30	24	20	19	9	4	-------	-------	-------	-------	1	
188	405	835	1,222	1,517	1,767	1,648	1,440	1,360	959	593	304	123	25	3	2	9	46
49	107	188	216	273	212	159	124	82	63	25	17	11	1	1	1	7	
1	1	1	4	3	15	6	10	20	11	18	8	7	-------	-------	-------	-------	
-------	-------	-------	2	2	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	47
39	157	370	690	1,016	1,201	1,156	1,045	938	770	482	339	157	58	10	1	2	
5	20	46	68	89	75	52	34	33	16	11	18	11	4	-------	3	-------	
7	12	18	32	45	84	133	144	249	255	259	234	124	41	4	-------	3	
-------	2	2	2	3	3	2	5	3	2	5	2	-------	-------	1	-------	1	48
9	10	11	28	34	61	59	90	111	125	146	150	97	44	16	4	-------	
-------	1	4	3	4	5	3	4	6	2	2	2	-------	-------	-------	-------	-------	
181	222	339	480	728	1,013	1,403	1,670	2,029	1,751	1,318	683	266	44	4	1	5	
13	22	25	36	42	67	54	77	67	48	30	17	7	2	2	2	1	49
86	130	219	291	498	611	707	833	853	616	456	264	124	38	6	-------	-------	
11	11	22	23	39	39	34	32	28	17	17	10	3	-------	-------	-------	1	
10	21	19	16	28	23	31	29	28	34	23	10	5	-------	-------	-------	-------	
-------	2	2	1	2	7	4	3	-------	1	-------	1	-------	-------	-------	-------	-------	
9	12	22	22	22	23	28	40	38	27	24	23	13	1	1	-------	-------	50
2	3	5	4	4	4	6	1	1	3	2	2	1	1	-------	-------	-------	
53	33	35	49	48	58	55	53	52	55	34	35	10	-------	-------	-------	-------	
14	11	10	8	15	20	12	11	10	7	7	9	4	6	2	-------	1	
62	62	65	59	54	55	54	58	54	60	55	37	15	2	-------	-------	-------	51
17	14	17	17	20	16	17	13	15	9	8	2	3	1	1	-------	-------	
6	9	16	22	30	35	29	44	58	55	59	41	20	8	2	-------	-------	
-------	3	-------	2	1	2	4	2	3	2	4	4	-------	2	-------	-------	-------	
5	9	17	18	29	41	60	75	109	127	115	101	48	11	-------	1	-------	52
3	-------	-------	4	3	5	3	7	4	5	4	1	2	3	-------	-------	-------	
-------	-------	-------	1	1	-------	-------	2	-------	1	-------	-------	-------	-------	-------	-------	-------	
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	
-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	53
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	
17	23	25	42	53	61	71	75	91	85	53	12	3	1	1	-------	3	
25	28	26	25	34	45	32	35	38	35	20	14	10	-------	2	1	-------	54
66	73	123	114	125	106	92	65	87	71	40	16	6	-------	-------	-------	9	
203	125	175	121	124	91	68	54	40	31	21	18	5	4	4	1	5	
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	
1	-------	-------	1	1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	55
-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	
-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	56
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	
124	118	167	228	355	582	801	1,047	1,184	962	649	314	105	11	2	-------	9	
12	17	33	32	48	53	54	38	40	39	24	10	13	2	-------	-------	1	
118	146	175	257	443	850	1,330	1,776	1,799	1,402	819	363	141	15	7	-------	1	57
13	22	35	64	87	102	72	61	60	34	18	9	9	2	-------	-------	3	
37	52	85	127	178	281	381	443	486	338	191	71	18	6	2	-------	3	
4	3	3	3	5	9	5	3	7	3	2	2	-------	-------	-------	-------	-------	
54	81	141	207	280	374	415	504	510	356	178	87	35	8	2	-------	2	58
8	10	10	7	6	5	3	3	3	4	-------	-------	1	1	-------	-------	-------	
3	1	1	8	10	6	4	2	3	1	-------	-------	-------	-------	-------	-------	-------	
-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	
6	2	7	4	7	6	3	2	2	-------	2	1	-------	-------	-------	-------	-------	59
-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	
34	33	63	56	69	70	68	51	40	16	9	-------	-------	-------	-------	-------	-------	
3	3	4	1	2	1	2	2	-------	-------	-------	-------	-------	-------	-------	-------	-------	
180	197	268	373	416	409	414	357	295	145	85	21	4	-------	-------	-------	2	60a
12	18	20	24	16	16	8	6	3	6	4	3	1	-------	-------	-------	-------	
8	4	8	3	7	10	8	12	8	6	1	6	-------	-------	-------	-------	-------	
1	-------	-------	-------	2	-------	2	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	
13	22	25	31	50	48	50	51	36	30	25	13	2	-------	-------	-------	1	60b
5	3	3	-------	2	6	3	4	-------	2	2	4	1	-------	-------	-------	-------	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—General diseases not included in Class I—Continued.											
61	Diseases of the parathyroid glands:											
	Males—White	55	42	5	2			49	2		1	
	Colored	8	2	1	4	1		8				
	Females—White	39	30	5				35	3			
	Colored	6	4					4			1	
62	Diseases of the thymus gland:											
	Males—White	683	572	43	18	9	4	646	11	9	9	3
	Colored	60	43	9	2	2		56	1	1		1
	Females—White	478	404	25	15	4	4	452	11	4	3	2
	Colored	34	25	1	2		1	29	3	1	1	
63	Diseases of the adrenals (Addison's disease):											
	Males—White	161							1		4	6
	Colored	4										1
	Females—White	211					1	1		1	8	8
	Colored	7									1	1
64	Diseases of the spleen:											
	Males—White	75	2	2	2			6	5	1	7	3
	Colored	11	1					1	1		2	1
	Females—White	68	2	3	1			6	2	4	6	2
	Colored	11	1					1				
65a	Leukemia:											
	Males—White	1,013	22	28	33	24	17	124	63	44	48	30
	Colored	37	1		1	1	1	4	1		5	5
	Females—White	773	17	17	23	23	13	93	38	32	37	33
	Colored	31	1	1	1	3		6	2	4	1	
65b	Hodgkin's disease:											
	Males—White	566	4	4	4	2	3	17	26	17	33	26
	Colored	24	1					1	2		1	1
	Females—White	273	5	8	4	1	2	20	9	7	10	20
	Colored	20	1					1	2	1		4
66	Alcoholism (acute or chronic):											
	Males—White	3,304							1		12	44
	Colored	315									11	21
	Females—White	332							1	1	4	4
	Colored	83										9
67a	Chronic lead poisoning:											
	Males—White	123		1	1			2				1
	Colored	12										
	Females—White	8			1			1				
67b	Other chronic mineral poisoning:											
	Males—White	16										2
	Colored	3										1
	Females—White	3										
	Colored	7		1			1	2				
68	Chronic poisoning by organic substances:											
	Males—White	118										1
	Colored	12										
	Females—White	66									1	2
	Colored	11										
69	Other general diseases:											
	Males—White	956	620	47	20	13	13	713	26	19	19	10
	Colored	129	92	12	1	1	1	107	4			2
	Females—White	857	454	47	21	17	10	549	37	18	22	15
	Colored	92	48	3	4	3	1	59	3	1	3	1
	III.—Diseases of the nervous system and of the organs of special sense:											
	Males—White	59,462	1,656	464	244	188	160	2,712	695	500	635	589
	Colored	6,521	313	44	31	24	23	435	70	53	99	135
	Females—White	52,637	1,137	443	209	156	120	2,065	591	458	416	484
	Colored	6,311	231	45	24	22	17	339	58	51	89	108
70	Encephalitis:											
	Males—White	607	58	41	14	18	11	142	39	32	38	34
	Colored	56	3	2	1	1	1	8	7	1	9	5
	Females—White	548	50	41	13	8	9	121	41	31	29	26
	Colored	52	5	2	3		1	11	4	4	4	
71a	Simple meningitis:											
	Males—White	1,262	303	105	73	46	39	566	112	63	64	51
	Colored	162	49	9	9	4	7	78	11	12	7	4
	Females—White	907	234	86	63	43	19	445	102	56	35	30
	Colored	118	34	13	8	8	5	68	10	6	5	8
71b	Nonepidemic cerebrospinal meningitis:											
	Males—White	348	91	48	19	23	15	196	35	29	21	12
	Colored	55	18	4	4	2	3	31	4	3		3
	Females—White	255	68	46	16	16	4	150	37	15	13	4
	Colored	29	5	2	1	2		10	1	2	4	4
72	Tabes dorsalis (locomotor ataxia):											
	Males—White	1,122								1		
	Colored	87		1				1				
	Females—White	338								1	1	1
	Colored	21								1		
73	Other diseases of the spinal cord:											
	Males—White	1,585	16	11	4	10	4	45	21	15	64	24
	Colored	131	2	1			1	4	3	4	1	6
	Females—White	1,496	16	7	5	6	5	39	19	16	32	28
	Colored	125	4		2			6	6	2	2	6
74a	Cerebral hemorrhage:											
	Males—White	39,109	75	12	12	4	3	106	16	16	45	62
	Colored	3,771	14			4	2	20	3	5	11	26
	Females—White	37,632	46	16	10	8	3	83	13	24	39	69
	Colored	4,218	5	1	2	3	1	12	7	4	14	25
74b	Cerebral embolism and thrombosis:											
	Males—White	1,855	20	8	5	3	3	39	15	14	16	23
	Colored	93	1			1		2		1		2
	Females—White	1,808	11	6	2	2	7	28	17	18	13	27
	Colored	94	2				2	4	1	1	1	3
75	Paralysis without specified cause:											
	Males—White	2,101	9	1	5			15	4	4	10	6
	Colored	653	7			1		8	6		6	5
	Females—White	2,051	6	5	1	1	1	14	5	3	2	9
	Colored	733	4	1			1	6	5	2	6	7

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
1		1	1														61
						1					1						
3			1	1													62
1	1	1	2														
6	15	15	18	22	11	12	9	17	11	10	3		1				63
1			1								1						
12	13	19	24	21	25	27	22	13	8	4	5						
	1		1		2				1								
4	4	10	4	6	2	6	4	4	2	6	1						64
1			1	1	2				1								
6	6	6	7	3	5	3	3	2	4	3							
3	1	2		2	1	1											
37	60	61	64	73	89	83	86	68	45	28	7	2	1				65a
3	6	2		2	3	1	1	2	1		1						
34	48	56	48	57	61	62	59	53	39	16	3	3	1				
3	2	6	3	2	1	1											
38	40	47	47	43	47	65	50	34	18	16	1			1			65b
4	4	3	1	2	4	1											
26	17	14	17	17	28	24	23	20	14	3	3		1				
3		4	1	1	1	1			1								
107	228	429	519	538	492	396	256	165	73	24	10	3				7	66
29	31	52	42	44	34	17	10	9	7	3	1	1				3	
20	40	61	63	53	34	36	5	5	1	2	1	1					
12	15	20	12	10	3		2										
4	6	12	10	18	19	13	12	15	6	3		2					67a
	1	4		3		2		1	1								
		1	1		1	1	2			1							
1	1		2	4	2	1	1		1	1							67b
					1	1											
			2								1						
1	1				1	2											
17	23	20	12	11	10	5	3	5	4	4	2					1	68
	2	3	1	2	1	1	2										
11	11	7	6	4	3	5	2	2	1	5	2	3	1				
	2	5	1	2	1												
14	11	15	12	7	14	13	15	15	16	16	5	7	4	3		2	69
	2	1	1	1	4	1	2	2		1		1					
19	9	17	12	15	17	14	18	22	20	21	17	11	4				
3	2	4	2	2	1	1		1	3	2		2			1	1	
595	1,035	1,511	2,128	2,769	3,681	4,785	6,156	8,011	8,243	7,486	4,938	2,267	553	103	18	52	
166	224	358	498	613	834	637	595	518	454	342	230	120	56	22	20	42	
560	706	1,044	1,484	2,153	2,932	3,886	5,072	6,593	7,248	7,232	5,613	2,996	870	176	32	26	
122	196	316	453	584	798	620	620	502	512	370	261	126	77	42	42	25	
14	46	45	47	25	35	24	24	25	16	15	5	1					70
3	6	3	3	3	2	1	1	2	1	1							
29	31	35	40	31	31	25	23	21	12	7	9	2	2	1		1	
4	3	5	2	3	4	1	4		2	1							
47	45	41	55	44	53	40	19	30	13	11	5	2				1	71a
8	6	11	7	8	2	1	2	2	1	1						1	
34	30	20	28	24	24	19	16	16	9	6	7	4	2				
3	1	4	3	2	4		2		2								
11	10	8	4	2	6		5	2	6				1				71b
2	2	2	3		3	2											
6	4	2	9	3	4	1	3		1	1	1	1					
1		4	1	1	1												
5	12	32	67	105	146	192	180	172	109	70	22	9					72
1	6	7	9	13	17	8	11	7	4	2	1						
4	7	13	22	46	29	43	51	41	42	25	10	2					
2	1	2	4	4	2	1		1	1	2							
23	53	62	76	101	114	159	165	207	195	141	76	34	4	3	1	2	73
6	6	9	8	12	20	10	13	9	7	3	6	1	1			2	
29	41	52	73	80	129	133	178	181	180	140	75	50	19	1		1	
3	6	4	11	8	15	13	14	7	7	6	4	4			1		
95	192	353	675	1,327	2,150	3,292	4,635	6,383	6,795	6,219	4,199	1,922	484	89	16	38	74a
49	84	174	274	380	577	449	421	374	327	256	152	93	36	16	16	28	
95	147	349	700	1,302	2,031	2,934	4,047	5,418	6,010	6,117	4,784	2,554	730	140	28	18	
49	109	196	309	426	610	498	479	398	386	279	186	100	52	34	33	12	
23	36	40	56	92	109	179	201	259	265	253	143	71	19	1		1	74b
6	6	4	7	7	11	13	8	8	6	4	7	1					
26	45	49	59	64	106	139	178	215	238	229	198	106	39	14			
2	5	5	10	12	17	8	8	4	6	3	2	1				1	
4	15	21	23	37	82	126	232	328	379	384	268	130	24	5	1	3	75
10	11	18	35	29	83	63	73	73	87	55	43	21	15	4	3	5	
4	11	26	30	55	81	111	193	254	349	362	304	170	47	14	2	5	
4	12	27	38	54	79	65	86	70	86	61	59	20	23	6	7	10	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Diseases of the nervous system and of the organs of special sense—Continued.											
76	General paralysis of the insane:											
	Males—White	3,756								4	9	22
	Colored	648								1		11
	Females—White	1,150							1	3	10	12
	Colored	231								1	3	5
77	Other forms of mental alienation:											
	Males—White	625									24	40
	Colored	70									5	11
	Females—White	787								1	12	39
	Colored	120								1	9	20
78	Epilepsy:											
	Males—White	1,499	39	9	12	10	12	82	51	83	127	161
	Colored	315	17	3	2	1	1	24	13	16	42	50
	Females—White	1,225	25	15	18	7	13	78	49	87	103	123
	Colored	175	8	2	3	3	1	17	7	18	25	22
79	Convulsions (nonpuerperal; 5 years and over):											
	Males—White	38							11	1	3	2
	Colored	18							4	1	4	1
	Females—White	48							12	4	5	7
	Colored	25							4	1	5	2
80	Infantile convulsions (under 5 years):											
	Males—White	713	605	64	26	10	8	713				
	Colored	190	160	15	7	5	3	190				
	Females—White	503	389	69	24	13	8	503				
	Colored	156	133	15	4	3	1	156				
81	Chorea:											
	Males—White	26			1		3	4	2	3	2	1
	Colored	2	1		1			2				
	Females—White	48			1		1	2	3	18	5	7
	Colored	4							1	1	1	1
82	Neuralgia and neuritis:											
	Males—White	109	1					1	2	1	1	1
	Colored	6										
	Females—White	165	1			2		3	1		1	3
	Colored	11							1			1
83	Softening of the brain:											
	Males—White	312										
	Colored	14										
	Females—White	311										
	Colored	12										
84	Other diseases of the nervous system:											
	Males—White	2,367	75	31	20	25	14	165	93	59	60	66
	Colored	123	11	1	2	1	2	17	4	5	10	7
	Females—White	1,922	61	29	20	14	13	137	67	45	48	53
	Colored	99	1	2		2	2	7	4	4	5	2
85	Diseases of the eye and annexa:											
	Males—White	44	5	2	4	5	2	18	1	4		
	Colored	7	2			1		3		2		
	Females—White	34	2	1	2	1	1	7	2	2	2	
	Colored	5	2				1	3				
86a	Diseases of the ear:											
	Males—White	1,127	253	74	28	20	23	398	150	95	88	40
	Colored	80	21	4	4	2	1	32	12	1	1	3
	Females—White	808	157	74	16	22	22	291	104	68	31	28
	Colored	51	19	4	1		1	25	4	1	2	2
86b	Diseases of the mastoid process:											
	Males—White	857	106	58	21	14	23	222	143	76	63	44
	Colored	40	7	4	1	1	2	15	3	1	3	1
	Females—White	601	71	48	18	13	14	164	118	66	35	18
	Colored	32	9	3		1	1	14	3	2	3	
	IV.—Diseases of the circulatory system:											
	Males—White	115,209	493	106	86	65	89	839	613	750	914	896
	Colored	11,307	47	17	21	8	11	104	59	68	119	189
	Females—White	96,909	342	91	93	81	88	695	638	853	925	1,003
	Colored	9,975	38	14	10	10	7	79	63	77	155	273
87	Pericarditis:											
	Males—White	421	12	3		1	3	19	13	13	13	12
	Colored	93	1		2		1	4	1		3	3
	Females—White	322	3	3	3	4	2	15	12	18	12	12
	Colored	57			1	1		2	1	1	1	2
88	Endocarditis and myocarditis (acute):											
	Males—White	3,636	191	43	27	19	29	309	146	148	159	173
	Colored	540	15	8	6	1	3	33	5	12	20	34
	Females—White	3,333	123	28	30	30	26	237	169	183	197	214
	Colored	570	13	3	1	4	2	23	11	10	41	37
89	Angina pectoris:											
	Males—White	9,905	1					1		1	4	10
	Colored	327								1		5
	Females—White	4,461	1					1	2		7	9
	Colored	300									3	6
90	Other diseases of the heart:											
	Males—White	86,597	230	48	49	39	55	421	439	579	718	670
	Colored	9,327	26	7	11	6	7	57	52	53	92	139
	Females—White	78,008	177	52	57	43	57	386	442	638	685	737
	Colored	8,291	22	10	8	5	5	50	51	64	101	217
91a	Aneurysm:											
	Males—White	1,169							3	1	3	6
	Colored	268									1	5
	Females—White	368									2	2
	Colored	101								1		1
91b,c	Other diseases of the arteries:											
	Males—White	11,372									1	2
	Colored	603										
	Females—White	8,965								1		2
	Colored	508										3
92	Embolism and thrombosis (not cerebral):											
	Males—White	1,662	23	3	3	1		30	5	3	10	13
	Colored	57			1			1			1	2
	Females—White	964	15	1				16	6	4	14	18
	Colored	38		1				1			4	3

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
64	240	518	691	619	543	371	296	184	96	60	22	12	2	1		2	
23	50	82	119	116	83	56	46	30	9	6	8	2	1			5	76
32	83	132	157	150	147	142	69	83	48	45	24	10	1	1			
17	21	33	30	37	32	13	13	9	7	3	2						
40	48	56	67	58	56	48	52	46	36	30	11	11	2				
9	5	13	2	6	3	5	2	3	2	1	2	1					77
62	56	83	87	101	69	74	47	62	38	29	20	6		1			
14	7	13	16	11	8	4	1	5	5	2	3		1				
124	140	117	115	90	104	84	54	49	38	41	27	8		1		3	
35	27	21	17	23	12	11	8	3	3	4	2	1	2			1	78
107	106	104	86	84	57	55	37	44	45	30	18	8	3			1	
14	13	10	11	11	5	8	3	4	4	2		1					
4	3	3	1		2	1	3	2	1		1						
2					1	2		1		1	1						79
2	3	5	2	2	1	2			2						1		
3	4	3	3														
																	80
1		1	1	4	1	2		1	2	1							
1		1	2		1	1			2	2	1	2					81
1	4	8	6	6	9	12	12	12	14	10	6	2	1				
				1	3			1			1						82
4	4	6	4	12	14	15	17	14	19	21	10	8	9				
	1			2	3				1							2	
	2	2	1	1	7	13	27	47	55	68	55	25	8	1			
				1	1	2	2		2	2	3				1		83
	1	2	2	6	9	11	23	35	54	70	56	29	9	3	1		
				1	5		1			2			1	2			
77	109	124	163	180	186	182	198	215	202	164	82	33	6	2		1	
7	10	7	3	12	8	9	5	4	3	6	4		1	1			84
70	92	111	126	137	143	140	145	181	174	129	82	32	9	1			
4	9	7	12	8	9	6	8	3	3	3	4				1		
1	2	2	1		2		3	1		3	3	2	1				
							2										85
		1			2	2		2	4	2	4	4					
		1								1							
33	41	44	43	43	42	33	27	22	10	5	8	3	1			1	
3		5	8	2	4	4	1	1	2					1			86a
30	29	35	36	27	29	23	27	14	12	12	6	6					
	2	2	2	4	2	2	1	1	1								
28	37	34	36	35	34	27	23	26	11	11	5	2					
2	5	2	3		4	1											86b
25	16	18	21	29	25	16	18	12	9	5	4	2					
2	2		1		2	1			1		1						
992	1,428	2,227	3,443	5,141	7,228	9,862	12,697	16,309	16,729	15,364	11,571	5,840	1,865	363	63	75	
289	442	643	871	1,259	1,370	1,111	1,087	946	982	714	527	266	128	41	35	57	
1,154	1,335	1,965	2,457	3,394	4,840	6,280	9,108	12,080	13,755	14,202	12,018	7,057	2,469	545	94	42	
363	446	673	848	1,018	1,099	847	924	774	747	555	465	238	156	66	67	42	
13	18	10	16	20	25	36	43	51	37	40	30	8	3			1	
7	9	3	10	10	8	7	9	2	10	1	3	1	1	1			87
12	9	15	13	20	15	17	20	27	33	32	20	16	4				
1	6	6	4	4	9	5	4	2	3	2	3				1		
199	232	341	420	149	189	200	225	195	199	174	105	47	16	6	2	2	
39	56	86	98	35	31	28	20	20	11	5	4	1	1		1		88
253	229	263	349	130	112	162	163	178	164	146	109	47	22	4	1	1	
74	63	73	115	27	21	23	15	13	7	7	8		1	1			
26	74	170	360	639	940	1,208	1,433	1,753	1,461	1,034	567	175	40	3	1	5	
12	17	22	24	47	50	38	38	19	14	20	10	4	3	2		1	89
22	32	78	95	154	267	413	617	781	758	632	379	163	39	8	1	3	
14	18	22	32	38	39	36	25	20	23	10	9	3	2				
710	1,029	1,550	2,352	3,915	5,436	7,533	9,721	12,539	12,823	11,729	8,636	4,205	1,251	249	38	54	
212	333	481	667	1,067	1,187	961	926	826	837	596	409	219	102	31	27	53	90
814	1,001	1,527	1,904	2,911	4,163	5,232	7,646	10,079	11,273	11,618	9,443	5,311	1,719	386	59	34	
259	333	547	664	898	959	746	818	652	642	467	373	190	122	49	54	35	
10	31	52	91	121	163	187	185	148	87	51	20	6	2	1		1	
15	19	34	44	52	37	21	21	8	5	5		1					91a
5	7	13	14	25	38	37	39	56	58	36	24	10	2				
4	9	10	17	9	14	12	5	10	4	3		1				1	
4	15	32	78	132	255	465	830	1,349	1,897	2,176	2,110	1,352	540	102	21	11	
1	1	4	17	33	46	44	56	58	94	81	96	37	19	7	7	2	91b,c
1	6	13	25	72	150	282	459	812	1,302	1,608	1,926	1,459	669	143	31	4	
3	5	5	8	26	35	20	41	70	66	60	63	41	29	16	12	5	
19	21	53	98	140	180	188	199	233	194	134	86	41	11	2	1	1	
	4	7	8	5	5	4	7	5	4	2	1	1					92
33	28	33	33	49	55	97	116	106	119	103	77	43	9	3	2		
1	4		1	6	6	1	3	2		2	1	1	2				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IV.—Diseases of the circulatory system—Con.											
93	Diseases of the veins:											
	Males—White	222	3		2		1	6		3	1	4
	Colored	19	1	1				2			1	
	Females—White	317	1				1	2	2	1	2	6
	Colored	17										2
94	Diseases of the lymphatic system:											
	Males—White	94	28	5	4	4	1	42	4	1	4	2
	Colored	14	3	1	1			5	1		1	1
	Females—White	72	17	6	2	4	2	31	3	5	3	1
	Colored	13	1					1		1	2	1
95	Hemorrhage without specified cause:											
	Males—White	50	5	3	1	1		10	3	1	1	3
	Colored	17	1			1		2		2		
	Females—White	42	5	1	1			7	1	3	3	2
	Colored	24	2					2			2	1
96	Other diseases of the circulatory system:											
	Males—White	81		1				1				1
	Colored	42										
	Females—White	57							1			
	Colored	56									1	
	V.—Diseases of the respiratory system:											
	Males—White	57,263	11,890	3,798	1,337	680	434	18,139	1,017	602	955	1,045
	Colored	10,378	2,585	895	336	153	72	4,041	213	123	347	521
	Females—White	46,128	8,931	3,080	1,184	577	364	14,136	820	523	618	692
	Colored	7,667	1,988	760	252	126	63	3,189	152	136	259	361
97a	Diseases of the nasal fossae:											
	Males—White	85	32		1			36		1	6	1
	Colored	75	53	8	5			66	2			3
	Females—White	72	23	3			1	27	1		2	
	Colored	76	47	6	1	1	1	56		1		2
97b	Diseases of the nasal fossae annexa:											
	Males—White	369	9	3	3	2	2	19	15	20	37	45
	Colored	31	2					2	2	3	4	4
	Females—White	192	8	4	1		4	17	12	18	9	13
	Colored	13		1				1		1	1	2
98	Diseases of the larynx:											
	Males—White	240	57	34	23	21	15	150	22	3	1	4
	Colored	33	6	4		3	1	14	3			
	Females—White	180	46	23	16	16	12	113	21	2	4	1
	Colored	16	8	1	1		1	11	2	1		1
99a	Acute bronchitis:											
	Males—White	1,223	504	77	31	13	10	635	13	6	3	1
	Colofed	143	72	18	9	2		101	3	1	3	4
	Females—White	1,222	379	72	16	5	10	482	16	4	5	4
	Colored	159	78	15	9	1	1	104	1	1	3	6
99b	Chronic bronchitis:											
	Males—White	1,129	26	9	2	2	2	41	6	3	3	5
	Colored	71	1	3	2			6	1		1	2
	Females—White	1,071	25	13	6			44	5	3	4	5
	Colored	77	2	4	1	1	1	9		2	2	1
99c,d	Bronchitis (unspecified):											
	Males—White	710	240	29	11	4	4	288	9	3	1	
	Colored	113	45	13	2	2	1	63		2	2	2
	Females—White	769	189	29	16	1	2	237	5	1		1
	Colored	146	40	13	3	1	1	58	2	1	3	5
100a	Broncho-pneumonia:											
	Males—White	20,179	7,700	2,204	681	311	190	11,086	334	153	151	138
	Colored	3,210	1,472	536	184	76	37	2,305	81	20	40	54
	Females—White	18,346	5,842	1,837	642	294	153	8,768	309	118	120	125
	Colored	2,647	1,126	449	138	69	28	1,810	52	28	45	46
100b	Capillary bronchitis:											
	Males—White	441	246	59	19	7	5	336	5		1	1
	Colored	84	54	14	3	4		75	1	1		
	Females—White	394	185	55	18	5	5	268	3	2		
	Colored	60	30	9	5	2	1	47			1	3
101a	Lobar pneumonia:											
	Males—White	27,063	2,373	1,108	440	256	158	4,335	488	327	651	736
	Colored	5,291	555	217	90	51	24	937	84	75	236	393
	Females—White	19,696	1,737	850	361	208	152	3,308	358	309	401	447
	Colored	3,442	397	199	64	34	25	719	76	78	159	227
101b	Pneumonia (unspecified):											
	Males—White	1,798	465	132	57	27	19	700	56	38	36	37
	Colored	833	288	72	31	12	8	411	25	13	44	36
	Females—White	1,460	346	98	53	16	8	521	30	28	22	29
	Colored	672	239	56	25	13	3	336	19	16	36	38
102	Pleurisy:											
	Males—White	1,526	125	110	56	31	23	345	46	38	47	50
	Colored	173	17	5	8	1		31	3	7	12	13
	Females—White	917	71	70	46	26	13	226	48	28	30	44
	Colored	126	8	2	4	1		15		2	5	16
103	Congestion and hemorrhagic infarct of the lung:											
	Males—White	612	73	13	3	4	1	94	7	2	4	2
	Colored	39	4	1				5	4			
	Females—White	683	57	8	3	2	2	72	1	1	6	3
	Colored	42	7	2	1	1	1	12				2
104	Gangrene of the lung:											
	Males—White	127			1		2	3		1	5	4
	Colored	14									1	1
	Females—White	37		2				2	1		1	3
	Colored	8										1
105	Asthma:											
	Males—White	955	12	9	3		3	27	11		2	5
	Colored	146	5	3	1	1	1	11	2		1	1
	Females—White	782	5	9	4	2	2	22	3	1	3	6
	Colored	114	2	3		1		6		2	2	1
106	Pulmonary emphysema:											
	Males—White	95	5					5				
	Colored	11				1		1				1
	Females—White	42	2					2			2	
	Colored	7										

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
3	8	12	15	15	26	30	38	26	14	11	8	2					
	1			3	1	3	2	2		1	2	1					
11	18	16	18	25	32	33	39	31	32	17	25	4	3				93
	2	2	1		5	1	2				2						
5		4	5	3	3	3	6	3	4	2	2	1					
3	1						2										
1	1	1	5	5		5		3	1	3	3			1			94
	1	1	2	1	1		1				1						
3		1	3	4	3	5	4	6	1	1		1					
	1	4		3	1	1		2		1							
	4	6	1	1	1	1		3	2	1	2	2	2				95
3	2	2	1	3	2	1	3		1	1							
		2	5	3	8	7	13	6	12	12	7	2	2				
		2	3	4	4	4	6	4	7	2	2	1	2			1	
2				2	7	1	9	4	13	6	10	2					96
4	3	5	3	6	8	2	7	5	1	3	5	2				1	
1,091	1,578	2,146	2,683	2,893	3,001	3,117	3,372	3,702	3,586	3,434	2,684	1,500	534	124	20	40	
566	564	639	629	576	552	349	339	236	214	166	134	68	26	20	21	34	
907	1,082	1,293	1,323	1,404	1,613	1,920	2,413	3,192	3,575	3,842	3,456	2,251	830	187	30	21	
426	351	369	336	374	333	262	255	208	193	169	115	80	36	26	24	13	
1	5	1	3		1	3	2	4	2	5	3	6	2	3			
	1		1					1				1					
2	1	3	1	1	2	3	2		3	6	4	8	4	2			97a
3	2			3	1	2	2						1	1	2		
19	26	35	35	25	20	22	21	16	6	5	1	1	1				
3	4	3	3		2				1								
20	16	18	7	15	13	12	9	9		3	1						97b
1	2	1		1			1	1				1					
2	2	4	6	8	6	7	6	5	3	6	3	1	1				
1	1	2	2	1	2		2		3	2							
1	3	3	6	2	5	3	2	1	5		5	3					98
					1												
2	7	9	11	9	25	29	27	42	57	93	114	82	42	13	2	1	
2	1	4	5	5	4	2	3	1	2				1	1			
6	7	3	6	10	20	26	12	63	90	122	138	126	62	15	5		99a
7	1	3	4	4	2	3	5	2	2	5			2	3	1		
7	10	12	27	47	46	55	90	118	171	166	167	107	34	12	2		
4	3	2	3	3	7	7	7	6	3	3	4	7	1	1			
7	4	8	8	16	34	32	60	94	149	209	198	131	47	13			99b
5	3	3	5	9	7	1	6	5	4	7	5	1	2				
2	6	10	11	11	17	12	22	34	35	61	81	70	30	4		3	
1	1	3	2	8	7	5	2	1		5	3	3	1	1	1		
3	4	4	7	9	10	11	18	43	62	85	107	92	49	19	2		99c,d
8	1	4	5	5	3	6	5	8	8	9	3	5	3	1	3		
161	225	360	429	495	491	608	723	904	1,025	1,120	963	553	200	44	10	6	
55	55	62	69	73	72	45	72	39	51	38	38	12	7	6	8	8	
157	214	255	293	278	379	435	648	941	1,181	1,419	1,386	877	347	74	14	8	100a
65	54	52	44	66	53	55	57	46	50	43	29	16	14	8	10	4	
		3	5	3	2	8	8	11	14	19	17	4	4				
		1	1	2	2				1								
2	1	1	2	2	5	3	6	10	15	18	28	19	9				100b
	2	1	1			1		1	1	1	1						
766	1,104	1,492	1,853	1,959	2,030	1,968	2,068	2,173	1,849	1,577	1,023	471	142	23	4	24	
437	431	487	474	420	391	240	208	158	111	88	50	28	8	8	11	16	
614	725	870	868	908	1,004	1,220	1,470	1,732	1,735	1,579	1,202	707	190	36	3	10	101a
277	241	247	230	241	237	161	148	111	99	73	48	43	7	9	5	6	
32	52	52	74	62	65	66	64	88	100	102	90	56	17	7	1	3	
27	30	30	28	29	30	18	19	15	25	15	19	7	4	1	1	6	
29	34	32	33	38	33	54	39	82	87	127	119	80	32	7	1	3	101b
31	21	30	18	19	13	15	14	10	11	19	13	5	4	3	1		
58	66	80	106	94	119	106	117	80	74	52	28	15	5				
16	11	18	16	12	6	10	5	2	5	4	1	1					
35	41	49	29	42	30	39	38	62	54	44	44	22	10	1	1		102
15	11	11	13	7	8	4	5	5	4	3	1		1				
4	7	6	12	12	10	19	8	29	58	79	110	89	46	13	1		
1	2	1	1	2	5	2	1	1	1	3	4	2	1	1		2	
5	6	3	5	10	11	7	21	29	47	100	144	126	64	18	4		103
	2	2	2	4	1	2		1	3		4	6	1				
8	9	13	10	12	12	10	19	5	9	3	1	3					
2		2	2		3	1	1					1					
2	1	6	5	3	2	3		4	2	2							104
1	3	1	1					1									
3	20	19	42	70	75	106	110	126	116	109	69	33	5	4		3	
5	10	12	13	10	13	13	13	5	10	7	12	5	2	1			
6	16	20	37	56	48	49	69	97	123	104	63	44	14	1			105
6	6	9	6	10	4	11	5	15	10	5	8	2	1	1	2	2	
3	2	5	3	3	8	10	13	9	13	11	3	3	4				
1	3		1	2	1							1					
1			1	2	3	4	3	1	6	5	7	3	1	1			106
		1			1		2				2	1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	V.—Diseases of the respiratory system—Con.											
107	Other diseases of the respiratory system (tuberculosis excepted):											
	Males—White	711	23	8	6	2		39	5	7	7	16
	Males—Colored	111	11	1	1			13	2	1	3	7
	Females—White	265	16	7	2	2		27	7	8	9	11
	Females—Colored	62	4			1		5		3	2	10
	VI.—Diseases of the digestive system:											
	Males—White	46,929	11,763	3,136	971	602	415	16,887	1,303	1,065	1,121	1,232
	Males—Colored	6,185	2,028	667	161	77	45	2,978	117	104	161	213
	Females—White	38,461	8,958	2,660	875	460	351	13,304	1,146	864	886	969
	Females—Colored	5,555	1,603	580	151	72	32	2,438	149	122	163	231
108	Diseases of the mouth and annexa:											
	Males—White	400	37	5	5	1	3	51	20	5	15	15
	Males—Colored	55	6	3				9	1	1	1	3
	Females—White	274	32	8	5	2	3	50	14	4	11	8
	Females—Colored	42	3		1			4	3		1	8
109a	Adenoid vegetations:											
	Males—White	2					1	1		1		
	Males—Colored	1		1				1				
	Females—White	3				1		1	2			
109b	Other diseases of the pharynx, tonsils:											
	Males—White	1,762	153	105	67	80	53	458	245	113	75	139
	Males—Colored	157	12	10	10	6	5	43	21	4	8	14
	Females—White	1,689	84	77	62	59	77	359	241	147	143	114
	Females—Colored	230	16	7	7	8	3	41	34	23	14	19
110	Diseases of the esophagus:											
	Males—White	77	4		1		1	6		1	2	
	Males—Colored	4	1	1				2				
	Females—White	36	1	1	1			3	1		2	
	Females—Colored	6										
111a	Ulcer of the stomach:											
	Males—White	2,966	7	3	1	2	2	15	6	3	26	73
	Males—Colored	226	1					1		1	3	12
	Females—White	1,110	7	3	1	1	1	13	7	3	12	23
	Females—Colored	159							1	1	2	6
111b	Ulcer of the duodenum:											
	Males—White	1,346	3			1		4		1	11	43
	Males—Colored	64							1		2	5
	Females—White	381	1					1	1	1	2	13
	Females—Colored	26										1
112	Other diseases of the stomach (cancer excepted):											
	Males—White	2,092	492	79	53	14	15	653	24	9	17	20
	Males—Colored	640	152	20	8	8	3	191	12	8	14	29
	Females—White	1,750	414	73	39	11	15	552	18	12	10	24
	Females—Colored	763	114	30	11	8	2	165	14	5	16	25
113	Diarrhea and enteritis (under 2 years):											
	Males—White	12,914	10,211	2,703				12,914				
	Males—Colored	2,326	1,731	595				2,326				
	Females—White	10,226	7,885	2,341				10,226				
	Females—Colored	1,926	1,407	519				1,926				
114	Diarrhea and enteritis (2 years and over):											
	Males—White	2,759			633	283	140	1,056	198	51	34	25
	Males—Colored	473			122	46	19	187	30	9	10	16
	Females—White	2,877			607	230	117	954	179	41	31	38
	Females—Colored	544			125	47	16	188	42	10	12	27
115	Ancylostomiasis:											
	Males—White	6		1	1	1		3	1	2		
	Males—Colored	3				1		1		1		
	Females—White	14	2		1	1		4	2	1	3	2
	Females—Colored	2							1			
116	Diseases due to other intestinal parasites:											
	Males—White	26	1	2	5	4	1	13	6			1
	Males—Colored	26	4	5	6	3	3	21	3	1		
	Females—White	23		5	3	5	1	14	4			
	Females—Colored	20	2	4	4	1	3	14	3	1		
117	Appendicitis and typhlitis:											
	Males—White	8,352	24	50	97	125	136	432	591	735	779	711
	Males—Colored	761	4	3	3	4	8	22	32	62	78	78
	Females—White	5,537	17	30	67	91	80	285	513	544	513	435
	Females—Colored	574	1	3		3	3	10	34	58	72	66
118a	Hernia:											
	Males—White	2,095	74	16	6	4	4	104	5	5	18	20
	Males—Colored	247	26	4				30	1	1	6	7
	Females—White	1,628	16	1		1		18	6	4	4	6
	Females—Colored	84	2	4		1		7	1	2	1	1
118b	Intestinal obstruction:											
	Males—White	3,215	583	110	59	50	28	830	113	74	72	74
	Males—Colored	431	65	14	9	3	4	95	13	12	21	23
	Females—White	3,207	376	76	52	30	16	550	61	40	59	104
	Females—Colored	460	43	6	3	2	3	57	5	11	16	32
119	Other diseases of the intestines:											
	Males—White	593	44	22	7	5	3	81	22	8	8	12
	Males—Colored	71	9			3	1	13			3	2
	Females—White	422	29	6	5	7	4	51	5	6	3	19
	Females—Colored	88	5	1				6	1		3	11
120	Acute yellow atrophy of the liver:											
	Males—White	167	5		2			7	1		3	14
	Males—Colored	18	1					1			1	3
	Females—White	297	7	2	1		1	11	3	3	17	25
	Females—Colored	22	2					2			1	2
121	Hydatid tumor of the liver:											
	Males—White	18										2
	Females—White	6										
122	Cirrhosis of the liver:											
	Males—White	4,446	8	5	2	1	1	17	7	5	14	15
	Males—Colored	380		3				3		1	3	7
	Females—White	2,400	6	2	1		1	10	8	5	10	10
	Females—Colored	214		1			1	2	2	2	1	3
123	Biliary calculi:											
	Males—White	1,048									1	5
	Males—Colored	31									1	
	Females—White	2,927									6	34
	Females—Colored	79									1	1

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
23	37	45	56	83	74	88	74	58	54	26	11	6	1	1			
11	11	12	8	9	7	6	6	7	1	1	3		1			2	107
17	9	18	15	12	14	19	16	24	16	19	10	13	1				
7	2	4	7	5	2	1	5	2	1	4	1					1	
1,241	1,555	1,803	2,289	2,477	2,640	2,742	2,676	2,547	2,029	1,640	1,004	468	158	21	1	30	
227	229	269	304	343	322	247	192	154	115	84	50	26	16	4	9	21	
1,099	1,322	1,513	1,611	1,843	2,033	2,143	2,147	2,031	1,902	1,618	1,136	608	220	45	7	14	
297	239	306	293	297	245	206	177	130	87	63	46	26	16	8	7	9	
17	23	19	34	29	32	38	37	19	16	17	8	3	2				
6	2	4	2	6	5	3	1	3	3	1	2	2					108
13	21	13	20	23	24	15	17	7	13	9	6	4	2				
5		5	3	3	2	3	3	1		1							
																	109a
111	101	92	71	68	69	58	49	45	23	25	10	7	2	1			
14	17	5	6	5	10	4	1	1	1		1	1				1	109b
99	99	77	68	63	60	54	33	42	31	21	23	9	5			1	
22	18	16	7	9	12	1	7	3	1	1	2						
2	1	2	3	4	7	6	10	13	5	5	6	3	1				
			1		1												110
	2	2	2	3		1	5	1	3	2	7	2					
	1		3	1	1												
111	199	263	300	358	318	331	261	271	199	140	53	27	8	1		3	
14	17	24	34	24	34	23	12	11	10	4	1	1					111a
39	55	56	70	104	116	101	115	127	104	82	51	24	8				
21	17	18	18	19	14	13	12	8	4	4	1						
69	92	142	168	154	151	161	116	106	59	44	18	2	4			1	
8	10	7	9	6	5	6	1			1	2		1				111b
13	29	38	27	36	35	47	36	35	29	20	12	5	1				
1	2	1	6	2	7	3	1	1	1								
23	31	46	92	103	122	121	143	174	169	140	124	53	23	4		1	
12	27	46	48	59	50	31	43	14	19	21	4	6	2	1		3	112
31	24	27	53	51	67	66	88	115	143	157	145	104	43	17	1	2	
33	35	50	58	73	70	52	49	34	26	23	17	8	4	2	1	3	
																	113
48	46	56	72	88	88	104	93	154	156	176	163	100	33	7		11	
7	12	15	18	24	32	18	15	18	24	11	9	4	6	1	4	3	114
38	66	57	52	79	98	94	105	139	240	228	221	138	60	16	2	1	
25	12	25	17	26	30	25	24	23	17	12	9	5	5	2	6	2	
																	115
		1			1												
				1		1											
2	1	1	1	1													
											1						116
		1	1			1	1	1									
1													1				
613	667	598	674	605	580	457	384	249	145	84	33	6	3			6	
88	74	71	71	58	37	34	25	15	2	5		1	2			6	117
396	401	404	391	359	354	295	234	199	105	59	33	12	2			3	
78	52	60	45	34	20	21	14	6	3							1	
25	43	65	91	127	144	213	220	275	246	234	149	86	17	5		3	
16	15	12	13	32	19	21	19	17	14	9	6	3	1		4	1	118a
12	35	47	69	137	155	189	243	212	192	140	96	46	15	1		1	
2	5	3	7	7	10	11	9	9	1	4	2		1	1			
77	96	103	146	178	207	189	254	217	221	171	125	49	12	2	1	4	
23	18	34	30	39	30	26	21	15	10	6	8	3	1	1		2	118b
129	148	198	181	197	185	226	203	198	222	227	150	87	30	6	2	4	
42	41	51	59	39	23	22	14	15	14	6	4	4	1	2		2	
14	18	33	37	37	38	50	52	43	44	36	27	17	15			1	
	5	9	7	8	5	7	2	1	4		2	2		1			119
13	13	22	26	22	29	25	32	26	26	44	35	17	5	2	1		
7	9	10	10	11	4	5	4	2	2		2	1					
7	5	14	17	9	15	11	15	10	9	17	9	4					
3	1	1	3	1	2				1							1	120
29	40	22	27	24	17	17	18	10	6	12	9	4	3				
3	5	4	3	1			1										
1	1	2	5	2				1		1		3					121
	1					1			2	2							
29	77	164	283	404	504	637	648	595	472	337	170	58	10				
15	14	18	39	50	53	45	33	38	22	21	11	1	3		1	2	122
32	76	98	150	190	201	288	284	291	276	264	131	60	14	2			
11	10	20	23	30	21	27	17	15	9	7	5	4	4			1	
16	32	47	87	95	136	127	145	145	95	63	30	13	10	1			
1	1	5	1	3	8		3	6	1			1					123
84	114	197	240	294	367	384	390	306	242	139	76	37	16	1			
4	4	12	7	12	7	12	6	7	2		1	2		1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the digestive system—Con.											
124	Other diseases of the liver:											
	Males—White	1,717	31	15	8	6	11	71	19	8	22	31
	Males—Colored	151	6	4	1	1	1	13		2	5	4
	Females—White	2,558	29	5	8	4	7	53	22	8	16	45
	Females—Colored	165	5	2		2		9	4	2	7	9
125	Diseases of the pancreas:											
	Males—White	270	1	1	1			3		4	3	7
	Males—Colored	20		1				1				1
	Females—White	307	1	1		1		3	2	1	8	11
	Females—Colored	15										
126	Peritonitis without specified cause:											
	Males—White	658	85	19	23	25	16	168	45	40	21	25
	Males—Colored	100	10	3	2	2	1	18	3	1	5	9
	Females—White	788	51	29	22	16	28	146	57	44	36	58
	Females—Colored	136	3	3			1	7	4	7	16	20
127	Other diseases of the digestive system (cancer and tuberculosis excepted):											
	Females—White	1										
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:											
	Males—White	54,276	359	85	87	69	57	657	217	199	345	397
	Males—Colored	7,982	51	21	16	16	5	109	36	35	50	106
	Females—White	47,591	222	119	91	62	54	548	218	256	455	706
	Females—Colored	7,211	45	26	19	15	9	114	34	42	147	246
128	Acute nephritis (including unspecified under 10 years):											
	Males—White	2,167	182	44	51	39	40	356	126	59	86	81
	Males—Colored	615	25	11	12	11	5	64	19	13	17	23
	Females—White	1,742	106	47	55	35	34	277	107	66	72	82
	Females—Colored	650	24	16	16	12	5	73	23	19	26	42
129	Chronic nephritis (including unspecified 10 years and over):											
	Males—White	44,366	7	7	13	18	13	58	75	124	231	263
	Males—Colored	6,408	2	2	1	2		7	11	21	28	66
	Females—White	39,803	5	11	8	15	12	51	84	164	252	338
	Females—Colored	5,229	2	1			2	5	6	16	59	102
130	Chyluria:											
	Females—White	1										
131	Other diseases of the kidneys and annexa:											
	Males—White	1,266	115	29	22	11	4	181	13	11	22	35
	Males—Colored	218	15	7	3	3		28	6		4	10
	Females—White	1,193	95	60	28	11	8	202	23	13	25	30
	Females—Colored	184	16	9	3	3	2	33	5	2	9	8
132	Calculi of the urinary passages:											
	Males—White	492	1					1	2	3	5	9
	Males—Colored	22								1		
	Females—White	275	1					1		2	1	10
	Females—Colored	11	2					2				1
133	Diseases of the bladder:											
	Males—White	612	9	1	1	1		12	1	2	1	1
	Males—Colored	116	3					3				
	Females—White	181	2			1		3	1	1		
	Females—Colored	34	1					1			2	1
134	Diseases of the urethra, etc.:											
	Males—White	232										2
	Males—Colored	135		1				1			1	3
	Females—White	20							1	1		
	Females—Colored	3										
135	Diseases of the prostate:											
	Males—White	5,043										4
	Males—Colored	437										
136	Nonvenereal diseases of the male genital organs:											
	Males—White	95	42	4				46				2
	Males—Colored	31	6					6				4
137	Cysts, other benign tumors of the ovary:											
	Females—White	741								1	15	38
	Females—Colored	82									2	5
138	Salpingitis and pelvic abscess (female):											
	Females—White	1,344		1				1	2	6	71	159
	Females—Colored	423								2	31	56
139	Benign tumors of the uterus:											
	Females—White	1,554									2	9
	Females—Colored	441										13
140	Nonpuerperal uterine hemorrhage:											
	Females—White	39									4	4
	Females—Colored	11									3	1
141	Other diseases of the female genital organs:											
	Females—White	674								2	12	35
	Females—Colored	143								3	15	17
142	Nonpuerperal diseases of the breast(cancer excepted):											
	Males—White	3	3					3				
	Females—White	24	13					13			1	1
	VIII.—The puerperal state:											
	Females—White	12,074								16	1,130	2,383
	Females—Colored	2,580								23	532	591
143	Accidents of pregnancy:											
	Females—White	1,317									75	185
	Females—Colored	192								1	19	42
144	Puerperal hemorrhage:											
	Females—White	1,323								1	55	189
	Females—Colored	204								1	17	23
145	Other accidents of labor:											
	Females—White	1,339								1	71	220
	Females—Colored	348								1	66	71
146	Puerperal septicemia:											
	Females—White	4,462								10	446	1,034
	Females—Colored	895								5	199	235

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued.

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
53	73	100	138	148	158	173	180	180	135	116	65	31	16				
11	9	7	14	17	15	24	11	8	4	4	1	1				1	
86	123	159	160	190	259	259	294	276	224	186	129	54	14		1		124
17	11	13	14	18	20	9	13	5	6	3	3	2					
10	23	20	28	24	39	32	32	21	9	10	4	1					
1	3	1	4	5		2	1	1									
17	22	36	29	40	30	35	20	24	16	8	1	1	2			1	125
4	3	3	2		1	1	1										
13	26	36	42	43	32	34	37	29	26	24	10	5	2				
8	4	10	4	6	15	3	4	6		1	2					1	
68	53	58	45	31	35	44	29	22	28	18	11	4				1	126
21	14	15	11	11	3	1	2	1	1	2							
					1												127
495	790	1,095	1,648	2,266	3,346	4,390	5,745	7,708	8,195	7,913	5,446	2,567	677	125	24	31	
183	232	369	564	677	967	812	898	761	761	585	428	209	88	38	35	39	
954	1,259	1,819	2,305	2,790	3,226	3,769	4,596	5,884	6,049	5,723	4,042	2,140	643	155	18	36	
386	489	662	706	730	760	526	528	530	434	334	249	123	83	32	26	30	
74	95	117	158	128	131	150	145	115	110	101	78	46	8	1		2	
30	37	56	56	60	61	48	40	24	23	19	4	6	5	2	3	5	
62	92	109	110	114	97	96	81	95	90	84	58	31	13	5	1		128
48	60	60	73	63	49	28	27	21	17	8	3	3	2	1		4	
353	608	869	1,346	1,967	2,957	3,827	4,891	6,461	6,814	6,499	4,324	2,011	541	103	20	24	
122	157	269	458	557	823	674	741	645	644	488	366	174	69	33	30	25	
440	618	996	1,381	1,901	2,600	3,342	4,197	5,518	5,755	5,444	3,861	2,058	606	147	17	33	129
168	225	376	441	541	645	457	480	482	402	311	237	115	80	30	26	25	
								1									130
41	47	50	59	63	80	97	102	104	111	127	66	39	14	2		2	
10	12	16	14	13	16	22	14	9	13	13	7	6	2	1		2	
47	58	74	78	81	87	76	103	77	69	74	43	17	10	3		3	131
10	14	13	16	14	16	6	7	11	8	5	4	2		1			
11	23	25	42	40	46	46	62	52	52	43	23	4	3				
	2	4	2	1	1	2	4	4				1					
16	22	22	35	18	28	30	26	22	12	19	7	4					132
1	2			1		1		1	1	1							
5	2	5	9	17	12	23	37	54	77	101	140	78	30	4		1	
3	6	4	3	8	12	9	15	10	13	13	9	2	4		1	1	
3	3	5	4	10	12	13	13	15	22	26	27	16	7				133
6	2	1	1	1	4	3	2	1	1	4	2	2					
5	9	14	21	23	35	20	22	25	23	16	12	3	2				
11	15	13	19	18	16	7	20	3	2	2	2	1				1	
2	2	3	1	2			3	2	2		1						134
1			1		1												
4	4	12	11	24	80	224	476	893	1,004	1,023	799	385	79	15	4	2	
3	3	1	9	19	37	47	63	65	66	50	40	19	8	2	1	4	135
2	2	3	2	4	5	3	10	4	4	3	4	1					
4		6	3	1	1	3	1	1								1	136
52	73	71	83	78	82	58	59	45	30	30	19	4	3				
7	14	16	18	5	5	4	1	1	3			1					137
209	207	236	192	126	52	30	15	15	9	7	3	3	1				
89	90	65	46	27	9	7										1	138
52	109	216	329	366	207	66	58	48	40	29	14	7	2				
37	67	115	90	58	23	12	7	11	2	4	2						139
3	2	5	11	5	1	1	1	1	1								
4		2		1													140
66	73	81	80	86	60	57	40	45	19	10	8						
15	15	14	20	19	8	8	4	2		1	1		1				141
2		1	1	3							1		1				142
2,663	2,534	2,238	969	126	4											11	
468	410	381	127	36	2											10	
328	330	273	108	16												2	143
50	40	28	8	4													
254	305	325	171	21	1											1	
42	49	43	21	6	1											1	144
274	300	310	149	11												3	
58	56	65	23	5												3	145
1,040	903	723	264	36	2											4	
174	131	113	27	10	1												146

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—The puerperal state—Continued.											
147	Puerperal phlegmasia alba dolens, embolus, etc.:											
	Females—White	551								1	28	97
	Colored	56									9	14
148	Puerperal albuminuria and convulsions:											
	Females—White	3,030								3	450	643
	Colored	880								15	222	205
149	Following childbirth (undefined):											
	Females—White	49									3	15
	Colored	5										1
150	Puerperal diseases of the breast:											
	Females—White	3									2	
	IX.—Diseases of the skin and of the cellular tissue:											
	Males—White	1,690	246	20	6	12	5	289	20	28	46	37
	Colored	191	19	6	1			26	5		7	7
	Females—White	1,240	200	20	12	2	5	239	25	25	29	25
	Colored	177	12	2	1			15	4	2	3	8
151	Gangrene:											
	Males—White	681	4	3	1	3	3	14	5	2	3	8
	Colored	88	1	1				2	3			3
	Females—White	497	10	4	3	1	3	21	3	1	5	
	Colored	81							1		1	1
152	Furuncle:											
	Males—White	329	29	2		1		32	5	12	16	9
	Colored	9		1				1				1
	Females—White	190	39	4	1			44	4	11	11	9
	Colored	15	2					2			1	
153	Acute abscess:											
	Males—White	342	70	5	4	6	1	86	5	9	16	13
	Colored	58	8	2	1			11	2		7	3
	Females—White	241	50	8	8		1	67	14	7	10	8
	Colored	37	3	1				4	3	1	1	5
154	Other diseases of the skin and annexa:											
	Males—White	338	143	10	1	2	1	157	5	5	11	7
	Colored	36	10	2				12				
	Females—White	312	101	4		1	1	107	4	6	3	8
	Colored	44	7	1	1			9		1		2
	X.—Diseases of the bones and of the organs of locomotion:											
	Males—White	801	37	21	22	21	29	130	95	99	60	26
	Colored	72	4		2	2		8	8	6	4	6
	Females—White	456	25	8	21	10	14	78	67	60	15	14
	Colored	49	2	2		1	2	7	5	5	1	1
155	Diseases of the bones (tuberculosis excepted):											
	Males—White	654	23	16	20	19	29	107	86	89	53	21
	Colored	55	2		2	2		6	7	6	3	3
	Females—White	365	17	7	20	10	12	66	62	58	11	10
	Colored	35	2	2			2	6	3	5		1
156	Diseases of the joints (tuberculosis and rheumatism excepted):											
	Males—White	118	11	5	2	2		20	8	9	4	4
	Colored	15	2					2	1		1	3
	Females—White	63	8		1		2	11	4	2	3	4
	Colored	11				1		1	1		1	
157	Amputations:											
	Males—White	1										
	Colored	1										
	Females—White	1										
158	Other diseases of the organs of locomotion:											
	Males—White	28	3					3	1	1	3	1
	Colored	1										
	Females—White	27		1				1	1		1	
	Colored	3							1			
	XI.—Malformations:											
	Males—White	7,260	6,693	199	61	39	27	7,019	89	53	34	27
	Colored	429	365	25	9	5	1	405	9	3	10	
	Females—White	5,788	5,308	178	62	53	33	5,634	73	26	29	10
	Colored	302	256	13	3	7	1	280	12	6	3	
159a	Congenital hydrocephalus:											
	Males—White	644	494	51	15	18	8	586	23	20	5	7
	Colored	65	37	11	5	1	1	55	4	1	4	
	Females—White	625	516	42	15	13	9	595	16	3	7	3
	Colored	37	22	2	2	3	1	30	3	2	2	
159b	Congenital malformations of the heart:											
	Males—White	4,352	4,072	96	28	15	11	4,222	51	23	22	15
	Colored	221	201	8	2	3		214	2	1	4	
	Females—White	3,238	2,970	99	35	31	13	3,148	48	15	17	3
	Colored	153	136	6	1	2		145	6	2		
159c	Other congenital malformations:											
	Males—White	2,264	2,127	52	18	6	8	2,211	15	10	7	5
	Colored	143	127	6	2	1		136	3	1	2	
	Females—White	1,925	1,822	37	12	9	11	1,891	9	8	5	4
	Colored	112	98	5		2		105	3	2	1	
	XII.—Early infancy:											
	Males—White	30,518	30,518					30,518				
	Colored	4,012	4,012					4,012				
	Females—White	22,186	22,186					22,186				
	Colored	3,116	3,116					3,116				
160	Congenital debility, icterus, sclerema:											
	Males—White	3,419	3,419					3,419				
	Colored	777	777					777				
	Females—White	2,439	2,439					2,439				
	Colored	541	541					541				
161a	Premature birth:											
	Males—White	19,073	19,073					19,073				
	Colored	2,457	2,457					2,457				
	Females—White	14,432	14,432					14,432				
	Colored	2,079	2,079					2,079				

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
132	128	121	38	6													147
10	10	10	3														
626	553	485	233	35	1											1	148
132	123	121	45	11												6	
8	15	1	6	1													149
2	1	1															
1																	150
36	47	53	74	78	78	80	78	125	143	162	157	101	45	8	4	1	
4	5	10	10	13	19	6	18	8	11	12	11	10	4	3	2		
37	37	33	25	34	45	54	54	87	87	125	131	88	42	14	3	1	
5	3	11	10	15	15	7	10	16	13	14	9	10	3	3	1		
3	8	9	15	16	17	21	26	60	95	117	122	88	41	7	4		151
	1	3	3	4	11	2	6	5	8	10	9	9	4	3	2		
5	3	6	5	5	13	14	23	46	57	88	94	65	30	12	1		
2	1	2	3	2	7	4	6	9	10	10	8	7	3	3	1		
15	18	18	29	25	28	22	22	29	22	13	10	3	1				152
			1	1	1	1	3										
7	12	9	6	8	11	15	6	9	7	8	8	3	2				
	1	3	1	3		1	1	1			1						
15	15	19	23	22	21	24	19	20	12	15	5	1	2				153
4	3	6	5	5	5	1	2	1	1	1	1						
13	11	13	8	12	12	14	15	12	5	7	8	4	1				
2	1	3	3	6	4	1		1	1			1					
3	6	7	7	15	12	13	11	16	14	17	20	9	1	1		1	154
	1	1	1	3	2	2	7	2	2	1	1	1					
12	11	5	6	9	9	11	10	20	18	22	21	16	9	2	2	1	
1		3	3	4	4	1	3	5	2	4		2					
24	37	49	29	25	41	35	45	27	37	28	12	1	1				
6	2	6	6	2	2	1	10	3	2								
13	14	13	18	13	24	18	24	24	26	14	11	8	2				
3	4		2	4	3		3	5	1	1	1	1		1	1		
19	33	36	21	23	32	25	36	19	25	20	8		1				155
6	2	4	4	1	1		9	2	1								
11	12	6	14	8	19	13	18	17	15	9	10	5	1				
2	4		2	2	2		1	4			1	1		1			
4	3	12	8	2	9	7	4	8	7	7	1	1					156
		2	1	1	1	1	1	1									
2	2	6	3	3	3	3	3	3	6	3	1	1					
1				2	1		2	1	1								
		1															157
									1								
										1							
1	1					3	5		5	1	3						158
			1														
		1	1	2	2	2	3	4	5	1		2	1				
										1					1		
17	6	1	6	4	2		1	1									
1		1															
7	2	2	1	2	2												
1																	
2				1													159a
1																	
	1																
9	4	1	2	3													159b
3		2	1	1													
6	2		4		2		1	1									159c
		1															
4	1			1	2												
1																	
																	160
																	161a

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XII.—Early infancy—Continued.											
161b	Injury at birth:											
	Males—White	5,736	5,736					5,756				
	Colored	405	405					405				
	Females—White	3,628	3,628					3,628				
	Colored	232	232					232				
162	Other diseases peculiar to early infancy:											
	Males—White	2,253	2,253					2,253				
	Colored	352	352					352				
	Females—White	1,665	1,665					1,665				
	Colored	249	249					249				
163	Lack of care:											
	Males—White	37	37					37				
	Colored	21	21					21				
	Females—White	22	22					22				
	Colored	15	15					15				
164	XIII.—Old age (senility):											
	Males—White	4,029										
	Colored	1,037										
	Females—White	5,513										
	Colored	1,182										
	XIV.—External causes:											
	Males—White	65,799	1,114	846	739	703	619	4,021	2,979	2,507	3,994	5,105
	Colored	9,734	217	148	121	98	79	666	321	357	770	1,266
	Females—White	24,196	904	663	562	547	503	3,179	1,502	728	1,085	1,188
	Colored	3,102	186	113	85	113	115	612	250	121	208	353
	Suicide:											
	Males—White	9,610								26	178	458
	Colored	284								2	4	30
	Females—White	3,070								14	193	309
	Colored	118								2	10	17
165	By poisons (gas or corrosives excepted)—											
	Males—White	456									14	33
	Colored	8										1
	Females—White	293								1	27	42
	Colored	15									1	
166	By corrosive substances—											
	Males—White	606									9	45
	Colored	15									2	2
	Females—White	698								6	82	124
	Colored	36								1	2	9
167	By poisonous gas—											
	Males—White	1,257									13	53
	Colored	19										2
	Females—White	634									16	45
	Colored	9									1	
168	By hanging or strangulation—											
	Males—White	1,860								11	28	48
	Colored	38										3
	Females—White	461								1	5	14
	Colored	12										3
169	By drowning—											
	Males—White	443								2	8	11
	Colored	24										1
	Females—White	231									5	12
	Colored	14									1	1
170	By firearms—											
	Males—White	3,891								12	100	237
	Colored	123								2	2	16
	Females—White	432								6	52	55
	Colored	23								1	4	3
171	By cutting or piercing instruments—											
	Males—White	710									1	12
	Colored	25										2
	Females—White	111										1
	Colored	1										
172	By jumping from high places—											
	Males—White	206									1	15
	Colored	20										1
	Females—White	130									1	8
	Colored	2										
173	By crushing—											
	Males—White	101									1	3
	Colored	5										1
	Females—White	25									1	7
	Colored	2										
174	By other means—											
	Males—White	80								1	3	1
	Colored	7										1
	Females—White	55									4	1
	Colored	4									1	1
	Homicide:											
	Males—White	3,876	82	7	6	9	4	108	19	29	215	486
	Colored	3,181	14	2	1	2	1	20	11	20	204	557
	Females—White	969	56	3	8	5	6	78	25	23	76	145
	Colored	714	4	4			1	9	2	9	87	190
197	By firearms—											
	Males—White	2,843	1	1	1	5		8	5	19	166	397
	Colored	2,324			1	2	1	4	10	15	147	404
	Females—White	429	2	1	2		2	7	7	11	36	47
	Colored	439							1	6	53	109
198	By cutting or piercing instruments—											
	Males—White	363	3	1			1	5	3	3	24	48
	Colored	607	1	1				2		3	41	118
	Females—White	83			2	1	1	4	6	6	3	5
	Colored	186	1	2			1	4		1	24	57
199	By other means—											
	Males—White	670	78	5	5	4	3	95	11	7	25	41
	Colored	250	13	1				14	1	2	16	35
	Females—White	457	54	2	4	4	3	67	12	6	37	93
	Colored	89	3	2				5	1	2	10	24

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
																	161b
																	162
																	163
					3	9	39	95	391	704	1,082	982	536	147	37	4	164
					6	5	18	36	113	125	279	170	124	52	105	4	
						12	54	137	411	835	1,506	1,380	845	258	72	3	
					3	15	20	41	118	132	215	199	163	85	188	3	
4,643	4,836	5,447	5,291	5,109	4,621	4,110	3,582	3,164	2,365	1,764	1,208	634	201	43	11	164	
1,371	1,043	1,021	713	617	496	307	233	157	105	83	54	32	15	4	9	94	
1,098	1,081	1,021	1,068	1,086	1,160	1,030	1,131	1,270	1,412	1,662	1,724	1,166	484	85	14	22	
325	229	204	150	116	108	77	66	71	54	43	39	29	22	7	8	10	
570	710	918	1,084	1,055	1,081	963	869	718	497	286	121	47	6	1		22	
36	38	33	29	32	22	22	13	11	5	2	2	1				2	
325	325	322	318	302	294	220	174	121	75	43	24	7	2	1		1	
17	24	12	11	9	7	5	1	1		1	1						
29	43	39	50	54	41	45	38	33	15	14	5	2				1	165
1	2	3		1													
40	26	34	31	24	25	13	12	7	7	3	1						
4	5	1	1	1	1	1											
39	73	86	80	54	68	49	42	20	19	19	2	1					166
3	1	2	3	1				1									
104	93	91	51	38	44	21	14	14	7	7	1		1				
4	10	6	1	3													
69	104	113	133	139	153	161	127	89	60	23	15	5					167
2	3	2		2	2	5	1										
57	73	67	76	82	55	55	51	27	12	9	6	2				1	
1	1		1	1	1	1	1	1									
96	103	146	197	204	230	212	181	158	113	74	38	11	3	1		6	168
	3	4	6	5	5	2	3	2	1		2	1				1	
22	39	40	46	54	77	57	41	27	20	11	5	2					
2	2	2	1		1	1											
20	22	30	51	48	55	42	53	42	29	17	7	4				2	169
1	2	5	5	2	3	1	1	3									
11	21	21	23	24	26	26	25	14	16	4	2			1			
1	3	1	2	1	1	1				1	1						
261	293	389	432	416	407	348	326	291	209	112	36	12	1			9	170
14	20	15	7	14	8	11	5	3	4	1						1	
61	50	33	58	41	31	25	8	4	2	2	3	1					
4		2	4	2	2	1											
27	37	70	86	99	88	72	74	60	41	18	13	9	1			2	171
8	2		4	2	2	3		2									
5	7	15	8	20	14	8	11	12	4	4	2						
					1												
12	24	24	27	21	13	21	15	12	6	7	4	3				1	172
6	3	2	2	2	2		2										
18	13	11	18	15	12	12	7	7	1	1	3	2	1				
	1			1													
12	7	13	19	11	13	8	6	5	1	1	1						173
	1		1	2													
1	1	5	4	1			1	2	1	1							
1	1																
5	4	8	9	9	13	5	7	8	4	1			1			1	174
1	1		1	1			1			1							
6	2	5	3	3	10	3	4	7	5	1	1						
	1		1														
536	583	577	390	308	218	173	96	68	37	12	4	1	1			15	
683	514	458	251	191	123	54	28	19	6	7	3					32	
147	125	90	84	64	39	16	18	14	10	6	4		1	1		3	
181	87	66	35	22	8	7	4	1	2			1				3	
435	478	444	298	212	138	117	58	37	18	3	2					8	197
506	378	340	175	146	88	41	25	15	3	4	1					22	
69	67	55	43	42	20	6	7	6	4	1						1	
120	59	41	23	15	4	5	2									1	
52	51	59	38	32	20	12	6	3	2	3						2	198
135	101	86	56	29	16	9	1	4		2						4	
7	16	11	11	3	2	2	2	1		2	1		1				
43	23	17	8	4	1		1		1							2	
49	54	74	54	64	60	44	32	28	17	6	2	1	1			5	199
42	35	32	20	16	19	4	2		3	1	2					6	
71	42	24	30	19	17	8	9	7	6	3	3			1		2	
18	5	8	4	3	3	2	1	1	1			1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—External causes—Continued.											
	Accidental or undefined:											
	Males—White	52,313	1,032	839	733	694	615	3,913	2,960	2,452	3,601	4,161
	Colored	6,269	203	146	123	96	78	646	310	335	562	679
	Females—White	20,157	848	660	554	542	497	3,101	1,477	691	816	734
	Colored	2,270	182	109	85	113	114	603	248	110	111	146
175	Poisoning by food—											
	Males—White	317	35	23	12	14	8	92	24	10	13	9
	Colored	76	7	6	4	2	1	20	5	3	1	7
	Females—White	284	37	17	17	9	12	92	22	11	5	14
	Colored	101	10	5	4	2	4	25	9	5	3	6
176	Poisoning by venomous animals—											
	Males—White	52	9	2		1	1	13	7	4	3	1
	Colored	7	1	1				2	1			
	Females—White	35	5	3	2	2	3	15	2	1		
	Colored	9	3	1				4	2	1		
177	Other acute poisonings (gas excepted)—											
	Males—White	799	32	115	67	28	8	250	13	8	6	27
	Colored	114	4	28	19	3	4	58	9	1	3	3
	Females—White	533	25	106	60	25	15	231	15	2	22	42
	Colored	80	3	20	9	3	5	40	5	4	1	6
178	Conflagration—											
	Males—White	773	32	26	26	40	27	151	48	21	24	31
	Colored	183	11	12	10	7	9	49	19	5	7	6
	Females—White	475	26	28	20	30	28	132	64	26	21	24
	Colored	100	5	7	3	7	5	27	14	3	2	9
179	Burns (conflagration excepted)—											
	Males—White	2,286	104	268	262	179	107	920	167	76	76	99
	Colored	531	25	54	62	55	31	227	36	24	29	29
	Females—White	2,713	84	198	218	256	197	953	370	104	83	78
	Colored	766	29	49	53	78	77	286	139	35	25	27
180	Mechanical suffocation—											
	Males—White	661	398	12	2	1	2	415	14	16	17	25
	Colored	120	82	4				86	2	1	1	3
	Females—White	383	341	10	2		2	355	4	2	1	3
	Colored	84	79	2				81	1		1	
181	Absorption of irrespirable, irritating, or poisonous gas—											
	Males—White	1,894	18	9	5	6	3	41	13	13	47	97
	Colored	98	3			1		4		2	1	5
	Females—White	792	20	12	3	3	1	39	19	8	23	39
	Colored	42		1				1		2	1	4
182	Drowning—											
	Males—White	4,987	19	114	95	64	55	347	469	562	704	500
	Colored	777	1	9	6	5	4	25	51	103	139	106
	Females—White	748	18	78	42	30	22	190	68	109	123	54
	Colored	90	1	3	1	3	2	10	6	14	13	10
183	Traumatism by firearms (except in war)—											
	Males—White	1,700	4	6	11	9	17	47	101	266	353	212
	Colored	468	1	3	3	2	4	13	38	56	96	74
	Females—White	209	2	1	9	10	10	32	30	33	26	14
	Colored	120			3	5	2	10	9	14	18	23
184	Traumatism by cutting or piercing instruments—											
	Males—White	454	10	7	3	12	7	39	27	23	21	18
	Colored	49	1	2	1			4	3		3	8
	Females—White	144	3	4	4	3	3	17	8	7	9	1
	Colored	32								1	1	1
185	Traumatism by fall—											
	Males—White	7,149	60	80	57	37	44	278	202	172	175	259
	Colored	436	17	14	4	3	3	41	21	15	14	16
	Females—White	6,650	49	52	47	19	17	184	67	43	32	25
	Colored	206	11	10	2	3	2	28	7	4	7	8
186a	Traumatism in mines—											
	Males—White	2,502			1			1	2	3	150	334
	Colored	316									21	56
	Females—White	2								1		
	Colored	1			1			1				
186b	Traumatism in quarries—											
	Males—White	111							2		10	9
	Colored	16									2	2
187	Traumatism by machines—											
	Males—White	1,878	2	4	13	5	4	28	21	47	158	207
	Colored	216								6	32	25
	Females—White	62		2	2	2	2	8	6	2	8	3
	Colored	7									1	2
188a	Railroad accidents—											
	Males—White	5,420	13	15	13	16	9	66	103	158	381	510
	Colored	626	1	1			1	3	9	11	57	99
	Females—White	308	6	10	11	9	11	47	47	34	84	72
	Colored	57	1			1		2	2	6	2	5
	Collision with automobiles—											
	Males—White	1,049	11	5	6	8	2	32	20	25	96	125
	Colored	52							1		3	8
	Females—White	422	5	3	5	6	6	25	16	20	53	43
	Colored	17	1					1		3	2	
	Other railroad accidents—											
	Males—White	4,371	2	10	7	8	7	34	83	133	285	385
	Colored	574	1	1			1	3	8	11	54	91
	Females—White	386	1	7	6	3	5	22	31	14	31	29
	Colored	40				1		1	2	3		5
188b	Street-car accidents—											
	Males—White	1,151	2	5	8	11	14	40	36	30	61	73
	Colored	70		1		1		2		2		7
	Females—White	329		4	7	8	1	20	15	12	18	19
	Colored	33					3	3	4			2
	Collision with automobiles—											
	Males—White	333	2	1		3	1	7	5	13	29	45
	Colored	18										2
	Females—White	100		2	1	3		6	4	6	12	10
	Colored	3										
	Other street-car accidents—											
	Males—White	818		4	8	8	13	33	31	17	32	28
	Colored	52		1		1		2		2		5
	Females—White	229		2	6	5	1	14	11	6	6	9
	Colored	30					3	3	4			2

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
3,537	3,543	3,952	3,817	3,746	3,322	2,974	2,617	2,378	1,831	1,466	1,083	586	194	42	11	127	
652	401	530	433	394	351	231	192	127	94	74	49	31	15	4	9	60	
626	631	609	666	720	827	794	939	1,135	1,327	1,613	1,696	1,159	481	83	14	18	
127	118	126	104	85	93	65	61	69	52	42	38	28	22	7	8	7	
5	9	16	13	17	27	15	15	19	10	11	4	5	2			1	
7	1	3	4	6	11	1	6					1					175
11	11	10	13	10	15	13	14	11	14	11	5	2					
7	6	6	9	7	7	3	2	5	1								
3		3	3	1	6	2	1	1	1	1	2						
1		1		1			1										176
2	3	2	2	1	4	2	1										
				1							1						
29	34	58	74	66	76	58	40	30	13	6	8	1	1			1	
9	7	5	3	5	2	2		2		3	1					1	177
44	43	35	23	26	11	15	9	6	4	3	1	1					
11	4	2	2		2	1	1	1									
44	35	51	45	58	41	52	44	37	32	27	18	7	2			5	
8	10	6	7	9	8	7	11	10	5	7	4	1	1		1	2	178
17	14	20	18	23	24	11	17	14	15	19	12	3				1	
5	3	6	3	4	2	1	3	4	2	4	2	6					
103	109	119	102	103	83	54	58	64	48	51	32	16	3	1		2	
28	26	15	15	14	15	12	7	12	11	11	7	3	4	2	2	2	179
97	98	84	85	88	78	71	78	121	94	97	81	38	12	2		1	
24	22	27	17	15	21	24	9	20	18	12	12	12	13	2	3	3	
23	29	23	26	23	19	13	11	4	2	1							
4	7	4	2	3	3	1		2		1							180
4	3	3	2	2	1			1			2						
		1															
142	135	153	190	197	177	177	177	126	86	67	34	14	4	1		3	
9	14	13	16	10	6	4	5	2	3	2		1				1	181
38	34	40	52	56	63	69	73	66	60	52	39	17	4	1			
2	7	2	5	5	5	1	4		2	1							
335	294	363	324	286	236	181	141	104	51	24	21	6	2			37	
86	41	72	47	27	23	20	13	4	3	1	2	1	1		1	11	182
30	26	31	34	20	16	17	7	5	5	4	1	4				4	
4	6	6	3	5	4	3	1		1	3	1						
112	102	107	90	72	82	62	38	25	13	8	8					2	
54	26	40	22	19	10	6	3	4	3	1						3	183
18	14	9	10	5	7	5	3	1								2	
17	13	9	3		1			1	1					1			
21	17	29	28	30	35	42	34	47	21	10	7	2	1			2	
3	2	2	9	6	1	3		1	2	1		1					184
8	4	9	6	10	12	5	15	5	7	11	7	3					
3	2	4	4	3	2	3	2	2	2	1		1					
251	311	448	453	478	482	451	468	472	529	535	587	391	161	31	10	5	
31	42	29	40	44	28	30	24	10	9	14	8	10	3	1	4	2	185
37	50	59	79	98	178	188	315	511	757	1,137	1,365	1,000	435	74	12	4	
	13	11	13	9	13	7	13	11	12	15	13	6	9	3	3	1	
314	313	348	337	254	183	140	79	28	11	1						4	
59	33	39	39	23	25	11	5	5									186a
			1														
12	13	11	10	13	6	15	5	4	1								186b
1	2	2		2	2	1	1	1									
188	199	191	172	177	137	108	90	73	47	23	6	4				2	
38	22	22	10	25	15	8	4	4	3	1	1						187
5	3	3	2	3	9	3	3	2	1		1						
2		1				1											
492	523	533	522	504	387	364	304	258	142	102	29	17	2	2		21	
74	79	75	46	41	43	22	15	7	9	8	3	4				21	188a
58	52	44	70	64	63	51	35	35	25	19	4	3			1		
5	6	4	7	3	5	1	3	1		2	3						
111	114	102	92	88	68	59	34	47	17	14	1		1	1		2	
5	8	8	7	3	5				1							3	
41	35	29	41	34	27	19	14	14	7	4							
3	1	1	2		1		2				1						
381	409	431	430	416	319	305	270	211	125	88	28	17	1	1		19	
69	71	67	39	38	38	22	15	7	8	8	3	4				18	
17	17	15	29	30	36	32	21	21	18	15	4	3			1		
2	5	3	5	3	4	1	1	1		2	2						
72	85	85	91	106	113	107	74	51	57	33	28	7		1		1	
8	6	6	10	6	5	6	5	2	2		1	1				1	188b
15	19	10	20	24	33	16	26	23	29	17	10	3					
2	2	7	1	2	4	2	2	1		1							
31	29	35	28	35	28	17	13	8	6	3	1						
4	1	4	3	3	1												
9	11	3	6	5	8	1	7	5	4	1	2						
		3															
41	56	50	63	71	85	90	61	43	51	30	27	7		1		1	
4	5	2	7	3	4	6	5	2	2		1	1				1	
6	8	7	14	19	25	15	19	18	25	16	8	3					
2	2	4	1	2	4	2	2	1		1							

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR		All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—External causes—Continued.												
	Accidental or undefined—Continued.												
188c	Automobile accidents (excluding collision with railroad trains and street cars)—												
	Males	White	12,543	46	29	98	201	250	624	1,429	682	917	1,080
		Colored	1,085	2	1	6	12	20	41	83	66	82	127
	Females	White	4,454	47	56	63	97	140	403	644	220	309	303
		Colored	337		4	6	8	8	26	35	15	27	33
188d	Airplane and balloon accidents—												
	Males	White	145									10	48
		Colored	2										2
	Females	White	4								2		
		Colored	1										
188e, f	Injuries by other vehicles—												
	Males	White	1,078	5	7	10	11	15	48	70	82	82	87
		Colored	92				2		2	4	7	1	7
	Females	White	135	3	7	5	9	5	29	18	14	8	5
		Colored	14			1	1		2	2	1		1
188g	Landslide, other crushing—												
	Males	White	605	3	1	5	6	5	20	13	16	40	46
		Colored	75					1	1	2		1	8
	Females	White	45	1		1	1	3	6	6	3	2	3
		Colored	3				1		1			1	
189	Injuries by animals (not poisoning)—												
	Males	White	436	2	7	7	13	8	37	28	39	15	14
		Colored	36			1			1	6	4	5	1
	Females	White	55	1	1	2	4	5	13	8	2		
		Colored	3		1			1	2	1			
190	Wounds of war—												
	Males	White	3										
192	Starvation (deprivation of food or water)—												
	Males	White	9										
		Colored	1		1				1				
	Females	White	2	1					1				
		Colored	1					1	1				
193	Excessive cold—												
	Males	White	183	2					2		1	1	2
		Colored	38	1					1			1	3
	Females	White	22	1		1			2				
		Colored	11	1			1		2	1			
194	Excessive heat—												
	Males	White	357	37	7	1	1	2	48	2		5	7
		Colored	93	8	1	1			10			2	1
	Females	White	162	33	5	1	1	1	41	1	1	3	1
		Colored	26	3					3			1	3
195	Lightning—												
	Males	White	234	3		1	1	1	6	7	25	36	30
		Colored	59							4	3	13	8
	Females	White	53	1			2		3	4	8	10	1
		Colored	18					1	1	4	2	3	1
196	Other accidental electric shocks—												
	Males	White	920		3		2		5	14	33	88	183
		Colored	48								1	2	6
	Females	White	34	2				2	4	3	3	5	4
		Colored	4	1					1		2		
201	Fracture (cause not specified)—												
	Males	White	337	2	1			2	5	7	7	11	17
		Colored	55								3	8	2
	Females	White	256	2	1	1	1		5	1	1	2	3
		Colored	9	1					1			1	
202	Other external violence—												
	Males	White	3,329	194	98	36	36	26	390	141	158	197	236
		Colored	582	38	8	6	3		55	17	22	41	68
	Females	White	766	140	65	36	21	17	279	55	42	22	26
		Colored	115	34	6	2		3	45	7	1	3	5
203	Violent deaths of unknown causation—												
	Females	White	2										
	XV.—Ill-defined diseases:												
	Males	White	5,151	1,909	159	45	20	20	2,153	33	38	39	51
		Colored	4,824	1,989	207	73	41	24	2,334	78	61	82	95
	Females	White	3,708	1,564	131	44	23	16	1,778	50	28	47	61
		Colored	4,478	1,546	230	56	42	24	1,898	86	62	130	165
204	Sudden death:												
	Males	White	782	126	8	1	1		136	3	5	7	11
		Colored	386	59	7	4	1		71	5	2	7	11
	Females	White	498	96	5	2	1		104	2	4	12	10
		Colored	327	45	4	2	2		53	4	1	4	11
205a	Ill-defined:												
	Males	White	1,408	246	86	19	4	5	360	11	15	8	10
		Colored	858	182	66	18	14	3	283	12	12	16	18
	Females	White	928	221	61	20	9	4	315	13	10	12	20
		Colored	836	165	83	13	10	7	278	19	17	25	27
205b	Not specified or unknown:												
	Males	White	2,961	1,537	65	25	15	15	1,657	19	18	24	30
		Colored	3,580	1,748	134	51	26	21	1,980	61	47	59	66
	Females	White	2,282	1,247	65	22	13	12	1,359	35	14	23	31
		Colored	3,315	1,336	143	41	30	17	1,567	63	44	101	127

NOTE.—For populations, see reference on Table 4.

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
803	772	822	760	801	760	650	643	630	514	370	185	66	11	4		20	
122	86	99	76	72	65	39	45	34	22	9	8	2	2			5	188c
208	194	211	205	226	269	265	270	260	211	152	76	19	5	1		3	
35	27	25	25	18	17	11	15	14	5	1	5	2				1	
32	23	13	11	3			1	2				1				1	
																	188d
1				1													
	1																
49	53	39	56	67	59	89	70	93	65	42	19	8					
4	5	6	4	3	15	5	7	9	5	3	3	2					188e,f
1	9	5	1	9	1	7	7	6	8	6	1						
1				1	1	2	3										
57	59	63	70	64	44	40	31	22	9	7	2	1				1	
11	7	12	9	6	8	3	2	1		1	1					2	188g
	4	2	3	4	2	2	2	2	3		1						
								1									
12	14	29	24	20	35	33	37	39	25	19	13	2				1	
2	3	1	3		2	2		2	1	3							189
2	2	3		6	2	5	1	3	2	1	4	1					
1	2																190
	2		1		2			2	1	1							
																	192
					1												
7	2	13	11	26	18	17	21	21	11	11	11	6	1			1	
3	2	4		2	2	2	4		1	3	6	3	1				193
1	2	1		1	1	1	2	2	1	3	3	2					
1						1	1		2	1					2		
17	16	25	34	41	29	28	25	21	19	21	10	6	2			1	
4	7	9	8	9	12	8	7	8	2	2	3	1					194
1	9	8	4	4	6	11	8	14	13	10	16	5	5	1			
	2	3		2	3	2	2	3	1							1	
18	15	15	18	22	13	10	9	7	1	2							
4	8	4	1	3	4	5							1			1	195
3	5	3	4	2	2	2	2	3	1								
1	1	1	2	1												1	
156	132	101	78	42	27	29	14	9	3	2						4	
6	9	9	4	5		3	1	1	1								196
2	4		2		3	2		2									
1																	
13	23	25	24	29	34	25	24	28	11	18	21	13	1	1			
7	4	4	6	6	5	2	3	1	1					1	1	1	201
1	1	3	5	6	2	9	15	13	39	41	50	41	14	4			
	1	2	1	1					2								
226	222	269	250	246	211	212	163	161	108	73	38	13	1	1	1	12	
69	42	48	52	47	41	28	23	5	11	3	1		2			7	202
21	27	14	25	31	24	24	36	29	37	30	17	17	6		1	3	
6	2	9	9	8	6	2		5	3	1	1	1		1			
1									1								203
60	72	124	125	167	218	237	295	414	405	359	205	93	24	3		36	
106	99	117	141	159	216	157	216	201	190	199	142	68	62	20	37	44	
45	55	76	76	97	81	132	151	229	205	221	172	113	43	20	8	20	
160	110	166	189	167	183	138	175	156	160	142	150	70	60	26	46	39	
5	13	21	31	39	39	56	63	97	102	90	46	12	1	1		4	
9	10	17	22	32	44	30	27	28	13	25	13	8	5	2	3	2	204
5	9	15	21	22	15	32	32	55	56	44	36	15	5	3		1	
13	12	22	19	27	26	24	29	16	21	11	8	7	10	2	3	4	
15	22	37	40	60	66	94	128	170	144	112	70	36	4			6	
16	24	37	35	42	57	42	59	58	43	47	25	9	7	2	4	10	205a
20	18	23	26	41	29	42	54	80	67	62	45	36	10		3	2	
29	34	35	42	51	43	34	52	41	28	32	21	10	5	1	5	7	
40	37	66	54	68	113	87	104	147	159	157	89	45	19	2		26	
81	65	63	84	85	115	85	130	115	134	127	104	51	50	16	30	32	205b
20	28	38	29	34	37	58	65	94	82	115	91	62	28	17	5	17	
118	64	109	128	89	114	80	94	99	111	99	121	53	45	23	38	28	

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	All causes	157,284	3,433	1,312	1,219	158
	Males	82,312	1,760	1,166	803	139
	Females	74,972	1,673	146	416	19
	I.—Epidemic, endemic, and infectious diseases:					
	Males	18,469	596	304	236	70
	Females	18,240	631	39	140	5
1	Typhoid and paratyphoid fever M	957	10	3	9	3
	Typhoid and paratyphoid fever F	927	3		5	
5	Malaria M	503	3			1
	Malaria F	527	1			
6	Smallpox M	20	1		1	
	Smallpox F	14	3	1		
7	Measles M	273	16	3	3	
	Measles F	281	17	1	2	
8	Scarlet fever M	33	1	2	3	
	Scarlet fever F	24	6	1	3	
9	Whooping cough M	714	14	1	7	
	Whooping cough F	807	28	2	9	
10	Diphtheria M	289	2	1	5	
	Diphtheria F	310	6	1	4	
11a	Influenza (with pulmonary complications) M	2,094	59	8	16	
	Influenza (with pulmonary complications) F	1,958	55	4	10	1
11b	Influenza (other and unspecified) M	1,156	42	5	6	
	Influenza (other and unspecified) F	1,260	41		6	
13	Mumps M	8				
	Mumps F	5				
15	Cholera nostras M	13				
	Cholera nostras F	18				
16	Dysentery M	339	7	1	2	
	Dysentery F	368	7			
17	Plague M				1	
19	Spirochetal hemorrhagic jaundice M	2				
	Spirochetal hemorrhagic jaundice F	2				
20	Leprosy M	4				2
	Leprosy F	1				
21	Erysipelas M	69	3	2		
	Erysipelas F	40	3	2	2	
22	Acute anterior poliomyelitis M	51	2			
	Acute anterior poliomyelitis F	34	2		1	
23	Lethargic encephalitis M	34	1	1		
	Lethargic encephalitis F	31			5	
24	Meningococcus meningitis M	60	3	3	7	2
	Meningococcus meningitis F	34	1		1	
25	Other epidemic and endemic diseases M	7	3			1
	Other epidemic and endemic diseases F	14				
27	Anthrax M	2				
28	Rabies M	4				
	Rabies F	1				
29	Tetanus M	234	2		2	
	Tetanus F	108	2			
30	Mycoses M	51		1		
	Mycoses F	28				
	Tuberculosis (all forms) M	9,343	410	241	163	57
	Tuberculosis (all forms) F	9,811	438	25	86	4
31	Of the respiratory system M	8,229	339	217	118	51
	Of the respiratory system F	8,838	371	17	53	2
32	Of the meninges, central nervous system M	264	32	9	30	2
	Of the meninges, central nervous system F	220	35	2	15	1
33	Of the intestines, peritoneum M	324	16	1	7	3
	Of the intestines, peritoneum F	381	20	2	6	
34	Of the vertebral column M	100	1	3	2	
	Of the vertebral column F	53	1			
35	Of the joints M	46	3	2		
	Of the joints F	29	2	1	1	
36	Of other organs M	94	15	4	3	
	Of other organs F	69	7	1	3	
37a	Disseminated (acute) M	255	2	4	3	1
	Disseminated (acute) F	197	1	1	7	1
37b	Disseminated (chronic or unspecified) M	31	2	1		
	Disseminated (chronic or unspecified) F	24	1	1	1	
38	Syphilis M	2,061	15	30	11	4
	Syphilis F	1,273	14	2	5	
39	Soft chancre M	3				
	Soft chancre F	2				
40	Gonococcus infection M	76	1			
	Gonococcus infection F	303	3			
41	Purulent infection, septicemia M	68	1	1		
	Purulent infection, septicemia F	59	1		1	
42	Other infectious diseases M	1		1		

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	II.—General diseases not included in Class I:					
	Males	3,609	54	117	47	6
	Females	6,353	78	8	27	
	Cancer and other malignant tumors M	1,720	25	75	35	3
	Cancer and other malignant tumors F	3,433	48	4	14	
43	Of the buccal cavity M	89				
	Of the buccal cavity F	44	2		1	
44	Of the stomach, liver M	855	14	48	28	1
	Of the stomach, liver F	732	23	1	3	
45	Of the peritoneum, intestines, rectum M	223	3	3	2	1
	Of the peritoneum, intestines, rectum F	275	3		1	
46	Of the female genital organs F	1,538	5	2	9	
47	Of the breast M	4				
	Of the breast F	485	4			
48	Of the skin M	33	2	2		
	Of the skin F	36	2			
49	Of other or unspecified organs M	516	6	22	5	1
	Of other or unspecified organs F	323	9	1		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) M	27			1	
	Tumors, benign and unqualified (tumors of the female genital organs excepted) F	42	1			
51	Acute rheumatic fever M	202	5	3		
	Acute rheumatic fever F	241	5		1	
52	Chronic rheumatism, osteoarthritis, gout M	31				
	Chronic rheumatism, osteoarthritis, gout F	47	2			
53	Scurvy M	7				
	Scurvy F	4				
54	Pellagra M	423	1	1		
	Pellagra F	1,348	4			
55	Beriberi M	2		2		
56	Rickets M	98	2	1	1	
	Rickets F	70	1			
57	Diabetes mellitus M	425	4	21	5	
	Diabetes mellitus F	618	8			
58	Anemia, chlorosis M	60	3	1	2	1
	Anemia, chlorosis F	79	4		1	
59	Diseases of the pituitary gland M	3				
	Diseases of the pituitary gland F	1				
60a	Exophthalmic goiter M	20				
	Exophthalmic goiter F	145	1			
60b	Other diseases of the thyroid gland M	8				
	Other diseases of the thyroid gland F	38	1	1	2	
61	Diseases of the parathyroid glands M	8				
	Diseases of the parathyroid glands F	6				
62	Diseases of the thymus gland M	57		2	1	
	Diseases of the thymus gland F	30		2	2	
63	Diseases of the adrenals (Addison's disease) M	4				
	Diseases of the adrenals (Addison's disease) F	7				
64	Diseases of the spleen M	11				
	Diseases of the spleen F	11				
65a	Leukemia M	33		4		
	Leukemia F	31				
65b	Hodgkin's disease M	22		1		1
	Hodgkin's disease F	19			1	
66	Alcoholism (acute or chronic) M	301	11	1	1	1
	Alcoholism (acute or chronic) F	81	1		1	
67a	Chronic lead poisoning M	12				
67b	Other chronic mineral poisoning M	3				
	Other chronic mineral poisoning F	7				
68	Chronic poisoning by organic substances M	8		4		
	Chronic poisoning by organic substances F	11				
69	Other general diseases M	124	3	1	1	
	Other general diseases F	84	2	1	5	
	III.—Diseases of the nervous system and of the organs of special sense:					
	Males	6,316	89	70	42	4
	Females	6,219	70	4	18	
70	Encephalitis M	53	1	1	1	
	Encephalitis F	50	2			
71a	Simple meningitis M	150	2	1	9	
	Simple meningitis F	109	5		4	
71b	Nonepidemic cerebrospinal meningitis M	52	3			
	Nonepidemic cerebrospinal meningitis F	28		1		
72	Tabes dorsalis (locomotor ataxia) M	84	2	1		
	Tabes dorsalis (locomotor ataxia) F	21				
73	Other diseases of the spinal cord M	129	1	1		
	Other diseases of the spinal cord F	123	1		1	
74a	Cerebral hemorrhage M	3,662	45	45	16	3
	Cerebral hemorrhage F	4,171	35	3	9	

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	III.—Diseases of the nervous system and of the organs of special sense—Continued.					
74b	Cerebral embolism and thrombosis M	84	2	5	2	------
	F	92	2	------	------	------
75	Paralysis without specified cause M	641	9	3	------	------
	F	729	3	------	1	------
76	General paralysis of the insane M	626	6	9	6	1
	F	228	2	------	1	------
77	Other forms of mental alienation M	69	------	1	------	------
	F	117	2	------	1	------
78	Epilepsy M	311	4	------	------	------
	F	173	2	------	------	------
79	Convulsions (nonpuerperal; 5 years and over) M	18	------	------	------	------
	F	24	1	------	------	------
80	Infantile convulsions (under 5 years) M	180	8	------	2	------
	F	148	8	------	------	------
81	Chorea M	2	------	------	------	------
	F	4	------	------	------	------
82	Neuralgia and neuritis M	6	------	------	------	------
	F	10	1	------	------	------
83	Softening of the brain M	14	------	------	------	------
	F	12	------	------	------	------
84	Other diseases of the nervous system M	122	------	------	1	------
	F	98	1	------	------	------
85	Diseases of the eye and annexa M	7	------	------	------	------
	F	4	1	------	------	------
86a	Diseases of the ear M	70	4	2	4	------
	F	49	2	------	------	------
86b	Diseases of the mastoid process M	36	2	1	1	------
	F	29	2	------	1	------
	IV.—Diseases of the circulatory system: Males	10,878	126	234	60	9
	Females	9,829	110	16	19	1
87	Pericarditis M	90	1	2	------	------
	F	54	1	------	2	------
88	Endocarditis and myocarditis (acute) M	517	6	10	5	2
	F	560	7	2	1	------
89	Angina pectoris M	318	4	2	1	2
	F	294	5	------	1	------
90	Other diseases of the heart M	8,978	103	193	50	3
	F	8,176	85	14	15	1
91a	Aneurysm M	263	1	3	1	------
	F	101	------	------	------	------
91b,c	Other diseases of the arteries M	576	7	17	2	1
	F	497	11	------	------	------
92	Embolism and thrombosis (not cerebral) M	51	1	4	------	1
	F	37	1	------	------	------
93	Diseases of the veins M	14	2	2	1	------
	F	17	------	------	------	------
94	Diseases of the lymphatic system M	13	1	------	------	------
	F	13	------	------	------	------
95	Hemorrhage without specified cause M	16	------	1	------	------
	F	24	------	------	------	------
96	Other diseases of the circulatory system M	42	------	------	------	------
	F	56	------	------	------	------
	V.—Diseases of the respiratory system: Males	9,909	272	108	75	14
	Females	7,384	219	23	36	5
97a	Diseases of the nasal fossae M	74	1	------	------	------
	F	75	1	------	------	------
97b	Diseases of the nasal fossae annexa M	29	1	1	------	------
	F	13	------	------	------	------
98	Diseases of the larynx M	31	1	------	1	------
	F	16	------	------	------	------
99a	Acute bronchitis M	137	4	2	------	------
	F	151	8	------	------	------
99b	Chronic bronchitis M	66	2	3	------	------
	F	70	4	1	2	------
99c,d	Bronchitis (unspecified) M	108	4	1	------	------
	F	138	8	------	------	------
100a	Broncho-pneumonia M	3,060	80	32	33	5
	F	2,540	84	10	11	2
100b	Capillary bronchitis M	83	------	1	------	------
	F	60	------	------	------	------
101a	Lobar pneumonia M	5,090	105	55	33	8
	F	3,341	66	9	23	3
101b	Pneumonia (unspecified) M	761	65	4	2	1
	F	629	42	1	------	------
102	Pleurisy M	163	4	2	4	------
	F	123	1	2	------	------
103	Congestion and hemorrhagic infarct of the lung M	37	2	------	------	------
	F	42	------	------	------	------
104	Gangrene of the lung M	14	------	------	------	------
	F	7	1	------	------	------

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	V.—Diseases of the respiratory system—Contd.					
105	Asthma M	139	------	5	2	------
	F	112	2	------	------	------
106	Pulmonary emphysema M	11	------	------	------	------
	F	7	------	------	------	------
107	Other diseases of the respiratory system (tuberculosis excepted) M	106	3	2	------	------
	F	60	2	------	------	------
	VI.—Diseases of the digestive system: Males	5,908	124	62	85	6
	Females	5,356	124	14	60	1
108	Diseases of the mouth and annexa M	52	------	2	1	------
	F	41	1	------	------	------
109a	Adenoid vegetations M	1	------	------	------	------
109b	Other diseases of the pharynx, tonsils M	151	3	2	------	1
	F	222	1	------	7	------
110	Diseases of the esophagus M	4	------	------	------	------
	F	6	------	------	------	------
111a	Ulcer of the stomach M	210	2	5	7	2
	F	156	3	------	------	------
111b	Ulcer of the duodenum M	60	------	2	1	1
	F	25	------	------	1	------
112	Other diseases of the stomach (cancer excepted) M	623	6	5	6	------
	F	751	10	2	------	------
113	Diarrhea and enteritis (under 2 years) M	2,223	67	7	28	1
	F	1,827	62	8	28	1
114	Diarrhea and enteritis (2 years and over) M	454	9	------	10	------
	F	518	15	2	9	------
115	Ancylostomiasis M	3	------	------	------	------
	F	2	------	------	------	------
116	Diseases due to other intestinal parasites M	25	1	------	------	------
	F	20	------	------	------	------
117	Appendicitis and typhlitis M	729	15	7	9	1
	F	563	5	1	5	------
118a	Hernia M	238	2	5	2	------
	F	81	2	------	1	------
118b	Intestinal obstruction M	412	5	6	8	------
	F	447	6	1	6	------
119	Other diseases of the intestines M	64	3	------	4	------
	F	88	------	------	------	------
120	Acute yellow atrophy of the liver M	18	------	------	------	------
	F	21	------	------	1	------
122	Cirrhosis of the liver M	361	2	14	3	------
	F	208	6	------	------	------
123	Biliary calculi M	24	3	2	2	------
	F	71	7	------	1	------
124	Other diseases of the liver M	144	3	1	3	------
	F	161	4	------	------	------
125	Diseases of the pancreas M	16	------	4	------	------
	F	15	------	------	------	------
126	Peritonitis without specified cause M	96	3	------	1	------
	F	133	2	------	1	------
	VII.—Nonvenereal diseases of the genito-urinary system and annexa: Males	7,791	68	94	27	2
	Females	7,129	53	13	16	------
128	Acute nephritis (including unspecified under 10 years) M	606	5	3	1	------
	F	642	4	1	3	------
129	Chronic nephritis (including unspecified 10 years and over) M	6,253	50	80	23	2
	F	5,177	37	9	6	------
131	Other diseases of the kidneys and annexa M	211	2	3	2	------
	F	177	4	------	3	------
132	Calculi of the urinary passages M	18	1	2	1	------
	F	11	------	------	------	------
133	Diseases of the bladder M	112	3	1	------	------
	F	34	------	------	------	------
134	Diseases of the urethra, etc. M	134	------	1	------	------
	F	3	------	------	------	------
135	Diseases of the prostate M	426	7	4	------	------
136	Nonvenereal diseases of the male genital organs M	31	------	------	------	------
137	Cysts, other benign tumors of the ovary F	78	2	1	1	------
138	Salpingitis and pelvic abscess (female) F	417	3	1	2	------
139	Benign tumors of the uterus F	439	1	------	1	------
140	Nonpuerperal uterine hemorrhage F	11	------	------	------	------
141	Other diseases of the female genital organs F	140	2	1	------	------

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	VIII.—The puerperal state	2,506	45	6	20	3
143	Accidents of pregnancy—F	186	2	1	2	1
144	Puerperal hemorrhage—F	194	4	1	4	1
145	Other accidents of labor—F	338	6	1	3	
146	Puerperal septicemia—F	874	14	3	4	
147	Puerperal phlegmasia alba dolens, embolus, etc.—F	48	7		1	
148	Puerperal albuminuria and convulsions—F	861	12		6	1
149	Following childbirth (undefined)—F	5				
	IX.—Diseases of the skin and of the cellular tissue:					
	Males	180	7	2	1	1
	Females	173	4			
151	Gangrene—M	84	4			
	F	80	1			
152	Furuncle—M	7	2			
	F	14	1			
153	Acute abscess—M	54	1	2	1	
	F	35	2			
154	Other diseases of the skin and annexa—M	35				1
	F	44				
	X.—Diseases of the bones and of the organs of locomotion:					
	Males	67	1	4		
	Females	49				
155	Diseases of the bones (tuberculosis excepted)—M	52	1	2		
	F	35				
156	Diseases of the joints (tuberculosis and rheumatism excepted)—M	13		2		
	F	11				
157	Amputations—M	1				
158	Other diseases of the organs of locomotion—M	1				
	F	3				
	XI.—Malformations:					
	Males	398	9	5	17	
	Females	279	11		11	1
159a	Congenital hydrocephalus—M	64			1	
	F	33	3		1	
159b	Congenital malformations of the heart—M	204	3	4	10	
	F	144	3		5	1
159c	Other congenital malformations—M	130	6	1	6	
	F	102	5		5	
	XII.—Early infancy:					
	Males	3,849	84	14	59	6
	Females	3,001	67	14	32	2
160	Congenital debility, icterus, sclerema—M	744	21	2	9	1
	F	515	22	3	1	
161a	Premature birth—M	2,370	44	6	34	3
	F	2,010	33	11	23	2
161b	Injury at birth—M	382	8	3	11	1
	F	223	7		2	
162	Other diseases peculiar to early infancy—M	333	10	3	5	1
	F	238	5		6	
163	Lack of care—M	20	1			
	F	15				
164	XIII.—Old age (senility):					
	Males	990	34	13		
	Females	1,125	57			
	XIV.—External causes:					
	Males	9,272	156	134	151	21
	Females	3,010	45	9	37	1
	Suicide—M	225	6	27	25	1
	F	103	1	3	11	
165	By poisons (gas or corrosives excepted)—M	7			1	
	F	10	1		4	
166	By corrosive substances—M	15				
	F	35			1	
167	By poisonous gas—M	12		4	3	
	F	8			1	
168	By hanging or strangulation—M	20		8	9	1
	F	6		3	3	
169	By drowning—M	20		1	3	
	F	14				
170	By firearms—M	109	4	7	3	
	F	22			1	
171	By cutting or piercing instruments—M	15	1	5	4	
	F				1	
172	By jumping from high places—M	17		1	2	
	F	2				
173	By crushing—M	5				
	F	2				
174	By other means—M	5	1	1		
	F	4				
	XIV.—External causes—Con.					
	Homicide—M	3,117	18	33	12	1
	F	705	4	1	4	
197	By firearms—M	2,274	13	28	8	1
	F	433	3	1	2	
198	By cutting or piercing instruments—M	602	1	1	3	
	F	186				
199	By other means—M	241	4	4	1	
	F	86	1		2	
	Accidental or undefined—M	5,930	132	74	114	19
	F	2,202	40	5	22	1
175	Poisoning by food—M	72	2		2	
	F	95	3		2	1
176	Poisoning by venomous animals—M	7				
	F	7	2			
177	Other acute poisoning (gas excepted)—M	108	6			
	F	78	1		1	
178	Conflagration—M	172	7		2	2
	F	98	2			
179	Burns (conflagration excepted)—M	518	3	5	3	2
	F	753	8		5	
180	Mechanical suffocation—M	115	2	1	2	
	F	83	1			
181	Absorption of irrespirable, irritating, or poisonous gas—M	83	2	8		5
	F	41		1		
182	Drowning—M	731	13	9	21	3
	F	85	1		4	
183	Traumatism by firearms (except in war)—M	461	6		1	
	F	119	1			
184	Traumatism by cutting or piercing instruments—M	49				
	F	31	1			
185	Traumatism by fall—M	392	21	10	11	2
	F	200	5	1		
186a	Traumatism in mines—M	312	1	1	2	
	F	1				
186b	Traumatism in quarries—M	16				
187	Traumatism by machines—M	210	2	2	2	
	F	7				
188a	Railroad accidents—M	606	4	3	13	
	F	55	1		1	
	Collision with automobiles—M	48			4	
	F	16			1	
	Other railroad accidents—M	558	4	3	9	
	F	39	1			
188b	Street-car accidents—M	64		1	4	1
	F	32		1		
	Collision with automobiles—M	15			3	
	F	3				
	Other street-car accidents—M	49		1	1	1
	F	29		1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)—M	988	27	26	41	3
	F	318	11	1	7	
188d	Airplane and balloon accidents—M		1	1		
	F	1				
188e,f	Injuries by other vehicles—M	84	4	2	2	
	F	13	1			
188g	Landslide, other crushing—M	69	4		2	
	F	3				
189	Injuries by animals (not poisoning)—M	32	3	1		
	F	2			1	
192	Starvation (deprivation of food or water)—M	1				
	F	1				
193	Excessive cold—M	36	2			
	F	11				
194	Excessive heat—M	90	1	1	1	
	F	25			1	
195	Lightning—M	54	4		1	
	F	18				
196	Other accidental electric shocks—M	46		1	1	
	F	4				
201	Fracture (cause not specified)—M	54	1			
	F	9				
202	Other external violence—M	560	16	2	3	1
	F	112	2	1		
	XV.—Ill-defined diseases:					
	Males	4,676	140	5	3	
	Females	4,319	159			
204	Sudden death—M	377	7	1	1	
	F	325	2			
205a	Ill-defined—M	838	17	1	2	
	F	826	10			
205b	Not specified or unknown—M	3,461	116	3		
	F	3,168	147			

NOTE.—For populations, see reference on Table 4.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES																		
	All causes	1,285,927	163,343	32,436	14,485	9,371	7,189	23,283	17,652	30,200	40,070	41,401	43,801	108,458	138,721	174,425	213,513	226,044	1,535
	I.—Epidemic, endemic, and infectious diseases	194,962	19,844	11,198	5,723	3,696	2,847	7,889	5,073	11,016	15,586	14,825	13,175	24,182	19,466	15,025	13,112	12,054	246
1	Typhoid and paratyphoid fever	6,826	38	48	81	56	77	477	717	1,229	1,064	699	448	766	561	335	179	38	13
2	Typhus fever	7										1	1		2	2		1	
5	Malaria	2,006	199	97	73	68	38	155	94	131	142	94	74	200	194	149	160	125	13
6	Smallpox	377	27	7	7	5	3	13	8	22	30	26	23	62	64	40	25	14	1
7	Measles	8,607	2,182	2,596	1,076	561	356	901	218	177	110	65	64	96	74	69	32	26	4
8	Scarlet fever	2,662	120	252	283	262	252	735	239	139	111	71	78	75	30	12	2	1	
9	Whooping cough	9,317	5,139	2,412	845	365	207	282	32	9	3	3	1	5		2	6	3	3
10	Diphtheria	7,856	584	1,054	1,123	1,005	869	2,125	496	128	84	84	63	104	59	42	22	12	2
11a	Influenza (with pulmonary complications)	27,372	3,829	1,643	679	340	250	565	361	741	761	886	1,052	2,640	2,665	2,826	3,688	4,418	28
11b	Influenza (other and unspecified)	15,437	1,983	634	322	201	138	442	324	413	394	391	395	1,025	1,136	1,382	2,132	4,097	28
13	Mumps	103	16	9	4	7	4	15	6	6	4	3	7	4	5	5	6	2	
15	Cholera nostras	148	32	12	3	4	6	6	3		1	2	1	6	6	9	26	31	
16	Dysentery	2,921	733	468	145	62	35	65	23	30	43	41	31	91	128	192	300	534	
17	Plague	1										1							
19	Spirochetal hemorrhagic jaundice	48	12		1	1		4	1		3	5	1	6	6	3	4	1	
20	Leprosy	24								1	2	1	3	4	3	8	1	1	
21	Erysipelas	2,680	791	69	27	16	9	23	32	30	44	58	70	200	273	305	373	358	2
22	Acute anterior poliomyelitis	851	97	108	78	58	61	158	113	76	32	14	7	15	18	9	6	1	
23	Lethargic encephalitis	1,499	38	62	36	30	27	70	71	100	95	106	73	224	235	190	105	37	
24	Meningococcus meningitis	1,413	275	160	66	67	55	172	118	130	90	51	39	73	65	33	13	5	1
25	Other epidemic and endemic diseases	301	81	38	24	7	15	23	13	1	6	7	4	14	18	20	21	4	
26	Glanders	2						1						1					
27	Anthrax	14								1	2	2	1	4	2	1	1		
28	Rabies	86			2	3	7	19	19	4	3	3	6	8	4	5	1	2	
29	Tetanus	1,377	239	13	25	27	29	230	245	97	63	42	54	104	89	59	46	13	2
30	Mycoses	235	97	12		1	1	4	1	3	8	11	10	20	31	20	12	4	
	Tuberculosis (all forms)	91,563	1,396	1,329	763	509	367	1,286	1,820	7,224	11,829	11,450	9,823	16,420	11,846	8,005	5,295	2,080	126
31	Of the respiratory system	80,375	472	434	251	160	92	530	1,285	6,472	10,864	10,644	9,104	15,166	10,860	7,304	4,791	1,835	111
32	Of the meninges, central nervous system	3,788	675	642	378	245	185	448	214	201	171	137	108	183	116	48	26	6	5
33	Of the intestines, peritoneum	3,069	86	85	43	26	26	110	128	235	334	289	244	442	374	308	231	103	5
34	Of the vertebral column	956	11	8	11	20	23	67	65	68	77	84	92	129	128	81	55	36	1
35	Of the joints	377	9	2	5	3	4	20	25	21	28	24	25	49	46	44	40	32	
36	Of other organs	1,244	39	33	15	13	10	41	37	56	102	94	112	234	168	133	102	52	3
37a	Disseminated (acute)	1,456	96	111	52	33	26	62	55	156	207	151	114	171	124	59	27	12	
37b	Disseminated (chronic or unspecified)	303	8	14	8	9	1	8	11	15	46	27	24	46	30	28	23	4	1
38	Syphilis	8,965	1,756	145	42	22	22	53	63	159	383	480	615	1,644	1,724	1,146	538	157	16
39	Soft chancre	10						1				2	3		2	1		1	
40	Gonococcus infection	1,056	40	1	2	2	1	2	7	86	200	167	159	248	95	27	12	3	4
41	Purulent infection, septicemia	1,173	139	28	21	16	17	56	49	77	77	58	68	120	130	126	105	83	3
42	Other infectious diseases	20	1	1		1	1	1		2	2	1	1	3	1	2	1	2	
	II.—General diseases not included in Class I	151,136	3,100	631	425	340	295	1,155	1,199	1,503	1,825	2,505	3,608	14,119	25,942	36,198	36,856	21,318	117
	Cancer and other malignant tumors	99,833	53	84	99	92	72	230	194	311	513	894	1,780	8,547	17,838	25,490	26,899	16,675	62
43	Of the buccal cavity	3,196	1	2	2	1	2	9	9	8	3	13	33	178	461	844	909	719	2
44	Of the stomach, liver	35,694	8	7	5	6	2	19	12	25	71	129	329	1,936	5,462	9,715	11,304	6,644	20
45	Of the peritoneum, intestines, rectum	14,435	3	6	6	6	13	23	19	41	93	138	285	1,088	2,259	3,811	4,095	2,542	7
46	Of the female genital organs	14,394		3			1	3	13	26	79	247	527	2,560	3,854	3,427	2,518	1,118	18
47	Of the breast	9,190	1						1	3	11	43	184	1,209	2,433	2,343	1,813	1,142	2
48	Of the skin	2,802	5		3	5	1	3	4	7	8	17	25	100	247	447	770	1,155	5
49	Of other or unspecified organs	20,122	35	66	83	74	53	173	136	201	248	302	397	1,476	3,122	4,903	5,490	3,355	8
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	771	21	9	6	7	3	11	9	14	30	21	38	94	117	147	134	110	
51	Acute rheumatic fever	2,881	14	10	30	46	66	334	372	223	168	148	121	274	291	280	267	236	1
52	Chronic rheumatism, osteoarthritis, gout	1,338	1			2		3	11	11	19	14	22	82	149	228	368	428	
53	Scurvy	53	28	7	1	1	1	4		4	1			2	1	2	1		
54	Pellagra	3,854	5	9	7	6	11	44	27	108	239	338	277	722	723	560	521	239	18
55	Beriberi	6									1	1		1	2	1			
56	Rickets	596	378	133	43	18	10	11	1		1			1					
57	Diabetes mellitus	18,881	20	31	33	38	39	186	313	369	293	274	310	1,014	2,564	5,247	5,600	2,536	14
58	Anemia, chlorosis	6,624	110	49	21	13	14	46	58	83	100	106	153	595	1,162	1,778	1,722	609	5
59	Diseases of the pituitary gland	113	1	2	1	1		3	9	10	1	9	4	23	29	11	6	3	
60a	Exophthalmic goiter	4,161	1	1		2	1	5	22	94	167	235	253	819	1,010	912	509	128	2
60b	Other diseases of the thyroid gland	682	29	24	18	9	4	16	14	18	21	28	30	72	127	131	85	55	1
61	Diseases of the parathyroid glands	111	79	11	7	1		5		2	1	1		2		1		1	
62	Diseases of the thymus gland	1,280	1,064	80	38	15	9	27	15	13	6	5	1	6	1				
63	Diseases of the adrenals (Addison's disease)	391					1	1	1	14	16	19	30	80	81	72	51	25	
64	Diseases of the spleen	167	6	5	3			8	5	15	6	14	11	30	23	17	14	10	
65a	Leukemia	1,906	41	49	60	51	32	108	82	92	70	79	120	244	304	296	213	65	
65b	Hodgkin's disease	900	11	12	8	3	5	39	26	46	52	73	66	137	144	164	89	25	
66	Alcoholism (acute or chronic)	4,109						2	1	30	84	172	320	1,217	1,227	738	261	47	10
67a	Chronic lead poisoning	144		1	2						1	4	7	29	41	30	23	6	
67b	Other chronic mineral poisoning	31		1			1				3	2	3	4	8	6	1	2	
68	Chronic poisoning by organic substances	213								1	3	30	38	56	36	19	12	17	1
69	Other general diseases	2,091	1,238	113	48	35	26	72	39	45	29	38	24	68	64	68	80	101	3
	III.—Diseases of the nervous system and of the organs of special sense	127,391	3,423	1,026	522	406	326	1,449	1,085	1,278	1,364	1,504	2,236	8,061	14,854	22,812	32,529	34,368	148
70	Encephalitis	1,316	120	86	33	29	24	93	70	84	72	54	87	185	138	109	85	46	1
71a	Simple meningitis	2,520	636	223	157	103	71	240	142	114	96	97	85	175	166	101	74	38	2
71b	Nonepidemic cerebrospinal meningitis	699	187	101	40	44	22	78	49	33	24	21	16	34	20	11	9	4	
72	Tabes dorsalis (locomotor ataxia)	1,601		1					3	2	1	13	27	163	372	491	383	145	
73	Other diseases of the spinal cord	3,403	42	23	11	17	10	49	39	101	64	66	109	300	494	700	796	577	5
74a	Cerebral hemorrhage	86,261	141	32	25	20	9	40	49	116	195	305	561	3,199	9,142	17,083	26,419	28,827	98
74b	Cerebral embolism and thrombosis	3,906	35	14	7	6	12	33	34	30	55	60	96	238	424	744	1,011	1,105	2
75	Paralysis without specified cause	5,732	26	7	6	3	2	20	9	27	31	27	53	226	541	987	1,677	2,067	23

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
76	General paralysis of the insane	5,900						1	9	24	50	140	407	1,790	1,763	1,024	476	209	7
77	Other forms of mental alienation	1,636							2	50	114	128	120	348	318	235	199	122	
78	Epilepsy	3,261	89	29	35	21	27	123	207	302	364	284	291	490	392	262	190	150	5
79	Convulsions (nonpuerperal; 5 years and over)	131						32	7	18	12	11	10	17	6	8	6	4	
80	Infantile convulsions (under 5 years)	1,597	1,313	168	63	33	20												
81	Chorea	80	1		3		4	6	22	8	9	2		5	6	3	5	6	
82	Neuralgia and neuritis	300	2			2		4	1	3	5	7	10	24	52	57	63	68	2
83	Softening of the brain	665											3	7	32	81	200	342	
84	Other diseases of the nervous system	4,596	150	63	44	44	33	175	114	124	131	161	224	562	698	702	803	566	2
85	Diseases of the eye and annexa	93	12	3	6	8	4	3	8	2		1	2	5	4	7	8	20	
86a	Diseases of the ear	2,113	463	161	51	44	48	275	170	127	75	67	75	176	156	118	64	42	1
86b	Diseases of the mastoid process	1,581	206	115	41	32	40	277	150	107	66	60	60	117	130	89	61	30	
	IV.—Diseases of the circulatory system	237,010	935	231	216	166	199	1,384	1,767	2,158	2,432	2,889	3,776	13,573	26,059	42,598	63,068	75,339	220
87	Pericarditis	915	16	6	6	6	6	27	33	29	32	33	42	81	115	149	167	166	1
88	Endocarditis and myocarditis (acute)	8,337	348	84	65	54	64	337	357	430	473	587	614	1,338	719	850	798	716	3
89	Angina pectoris	15,221	2					2	2	16	32	74	146	827	2,214	3,870	4,894	3,132	10
90	Other diseases of the heart	184,897	462	118	130	95	124	989	1,347	1,621	1,812	2,059	2,768	9,978	21,110	34,098	50,224	57,783	179
91a	Aneurysm	1,989						3	2	7	15	37	73	296	485	523	382	164	2
91b,c	Other diseases of the arteries	21,709							1	1	7	9	28	188	769	2,243	5,746	12,695	22
92	Embolism and thrombosis (not cerebral)	2,781	40	5	4	1		11	7	30	36	54	61	242	462	630	673	524	1
93	Diseases of the veins	585	5	1	2		2	2	4	6	13	14	31	65	110	149	105	76	
94	Diseases of the lymphatic system	196	49	12	7	8	3	8	8	11	5	9	3	18	13	18	11	13	
95	Hemorrhage without specified cause	138	13	4	2	2		4	6	6	6	7	7	19	19	17	15	11	
96	Other diseases of the circulatory system	242		1				1		1	1	6	3	21	43	51	53	59	2
	V.—Diseases of the respiratory system	123,960	25,922	8,710	3,187	1,573	954	2,260	1,415	2,246	2,756	3,085	3,669	9,667	11,008	12,251	15,098	20,048	111
97a	Diseases of the nasal fossae	313	155	20	7	1	2	3	2	8	7	6	9	9	8	15	11	50	
97b	Diseases of the nasal fossae annexa	620	19	8	4	2	6	29	43	53	68	45	51	103	77	66	33	13	
98	Diseases of the larynx	478	118	63	40	40	29	49	7	5	8	4	7	24	26	20	17	21	
99a	Acute bronchitis	2,795	1,048	134	66	22	21	34	12	20	19	18	18	47	82	109	262	832	1
99b	Chronic bronchitis	2,391	55	31	11	3	3	12	8	11	16	24	20	72	174	261	553	1,137	
99c,d	Bronchitis (unspecified)	1,775	522	85	32	8	8	16	7	6	8	16	15	49	77	86	192	645	3
100a	Broncho-pneumonia	45,157	16,424	5,118	1,679	768	416	794	323	364	386	457	556	1,594	1,954	2,685	4,296	7,316	27
100b	Capillary bronchitis	991	521	139	45	18	11	10	3	3	4	2	3	15	16	27	53	121	
101a	Lobar pneumonia	56,699	5,220	2,440	988	561	369	1,034	806	1,483	1,885	2,153	2,562	6,687	7,359	7,613	8,059	7,422	58
101b	Pneumonia (unspecified)	4,950	1,386	368	174	74	40	132	103	144	151	126	146	314	301	299	428	752	12
102	Pleurisy	2,780	221	188	116	59	37	100	75	97	127	126	134	327	322	328	288	235	
103	Congestion and hemorrhagic infarct of the lung	1,427	145	24	7	7	4	12	3	11	7	10	17	35	57	61	175	850	2
104	Gangrene of the lung	189		2	1		2	1	1	9	9	13	13	41	32	34	21	10	
105	Asthma	2,051	24	24	8	4	6	17	3	8	13	20	52	169	292	390	515	501	5
106	Pulmonary emphysema	158	7			1		1		2	1	5	5	11	20	33	29	43	
107	Other diseases of the respiratory system (tuberculosis excepted)	1,186	57	16	9	5		16	19	22	47	60	61	170	211	224	166	100	3
	VI.—Diseases of the digestive system	100,266	25,166	7,313	2,219	1,239	881	2,794	2,215	2,436	2,754	3,007	3,492	8,745	10,512	10,824	9,180	7,410	79
108	Diseases of the mouth and annexa	797	81	16	11	3	6	40	11	29	38	43	48	102	126	121	62	60	
109a	Adenoid vegetations	6		1		1	1	2	1										
109b	Other diseases of the pharynx, tonsils	3,941	269	204	149	157	148	564	293	246	291	249	239	355	303	212	150	110	2
110	Diseases of the esophagus	131	7	3	2		2	1	1	4		2	4	14	17	22	22	30	
111a	Ulcer of the stomach	4,566	15	6	2	3	3	14	8	45	117	192	299	807	1,008	881	753	410	3
111b	Ulcer of the duodenum	1,858	4			1		2	2	16	63	95	138	408	401	383	234	110	1
112	Other diseases of the stomach (cancer excepted)	5,444	1,191	208	113	42	36	70	36	60	103	106	127	450	633	622	718	918	11
113	Diarrhea and enteritis (under 2 years)	28,374	21,965	6,409															
114	Diarrhea and enteritis (2 years and over)	6,922			1,537	619	304	462	120	91	112	130	142	334	487	509	807	1,251	17
115	Ancylostomiasis	26	2	1	2	3		4	4	3	2			1	2	2			
116	Diseases due to other intestinal parasites	95	7	16	18	13	8	16	2		1	3	1	4	1	2	1	2	
117	Appendicitis and typhlitis	15,751	46	87	168	227	231	1,198	1,433	1,509	1,337	1,239	1,243	2,405	2,110	1,520	738	243	17
118a	Hernia	4,138	120	26	6	6	4	13	13	30	34	56	102	317	647	947	979	832	6
118b	Intestinal obstruction	7,596	1,111	211	126	88	58	198	140	180	249	288	328	858	933	986	921	909	12
119	Other diseases of the intestines	1,213	90	29	13	15	9	29	15	18	46	36	48	165	159	178	150	212	1
120	Acute yellow atrophy of the liver	515	15	2	4		1	4	3	23	47	42	52	91	73	63	36	58	1
121	Hydatid tumor of the liver	25									2	1	2	7	2	2	3	6	
122	Cirrhosis of the liver	7,591	14	11	3	2	3	18	15	29	37	91	185	820	1,491	2,013	1,740	1,116	3
123	Biliary calculi	4,148								9	42	105	155	605	936	1,084	814	398	
124	Other diseases of the liver	4,745	74	26	17	13	20	46	20	53	91	178	224	636	853	992	864	636	2
125	Diseases of the pancreas	631	2	3	1	1		2	5	11	20	33	53	127	145	127	72	28	1
126	Peritonitis without specified cause	1,752	153	54	47	45	47	111	93	80	122	118	102	239	184	158	116	81	2
127	Other diseases of the disgetive system (cancer and tuberculosis excepted)	1													1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	119,978	691	266	220	165	126	518	545	1,026	1,541	2,136	2,912	9,559	15,291	21,774	30,877	32,191	140
128	Acute nephritis (including unspecified under 10 years)	5,427	343	129	140	99	85	281	162	206	243	227	301	780	746	650	528	496	11
129	Chronic nephritis (including unspecified 10 years and over)	97,905	16	21	22	36	27	179	331	584	795	1,138	1,686	6,370	12,395	19,023	27,174	27,998	110
130	Chyluria	1															1		
131	Other diseases of the kidneys and annexa	2,979	248	109	57	28	14	50	27	62	91	117	139	344	385	437	416	447	8
132	Calculi of the urinary passages	823	4					2	6	6	21	29	51	137	140	174	145	108	
133	Diseases of the bladder	974	15	1	1	2		3	3	3	3	18	13	34	82	119	201	474	2
134	Diseases of the urethra, etc	421		1				1	1	1	6	23	31	83	98	77	58	40	1
135	Diseases of the prostate	5,600									4	7	7	36	175	836	2,061	2,468	
136	Nonvenereal diseases of the male genital organs	128	49	4							6	7	2	14	11	17	9	8	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE; IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.																		
137	Cysts, other benign tumors of the ovary	851							1	18	45	61	92	192	176	127	82	57	
138	Salpingitis and pelvic abscess (female)	1,864		1				2	8	109	239	322	310	563	218	52	25	14	1
139	Benign tumors of the uterus	2,068								2	25	92	185	778	674	149	105	58	
140	Nonpuerperal uterine hemorrhage	54							1	7	5	7	2	21	7	2	2		
141	Other diseases of the female genital organs	855							5	27	57	86	93	205	181	110	70	21	
142	Nonpuerperal diseases of the breast (cancer excepted)	28	16							1	1	2		2	3	1		2	
	VIII.—The puerperal state	15,058							40	1,727	3,063	3,225	3,012	3,801	169				21
143	Accidents of pregnancy	1,538							2	98	233	385	375	423	20				2
144	Puerperal hemorrhage	1,563							2	76	219	303	360	572	29				2
145	Other accidents of labor	1,731							2	142	296	347	361	561	16				6
146	Puerperal septicemia	5,518							15	669	1,316	1,250	1,060	1,155	49				4
147	Puerperal phlegmasia alba dolens, embolus, etc	613							1	39	113	143	139	172	6				
148	Puerperal albuminuria and convulsions	4,036							18	698	870	785	700	910	48				7
149	Following childbirth (undefined)	56								3	16	11	17	8	1				
150	Puerperal diseases of the breast	3								2		1							
	IX.—Diseases of the skin and of the cellular tissue	3,390	488	53	21	14	10	55	57	90	80	86	95	237	314	315	498	975	2
151	Gangrene	1,366	15	9	4	4	6	12	3	9	13	10	13	46	76	105	294	747	
152	Furuncle	568	73	7	1	1		10	24	30	20	25	31	72	83	72	69	50	
153	Acute abscess	705	133	18	13	6	2	24	18	37	30	35	32	84	93	78	55	47	
154	Other diseases of the skin and annexa	751	267	19	3	3	2	9	12	14	17	16	19	35	62	60	80	131	2
	X.—Diseases of the bones and of the organs of locomotion	1,429	68	33	46	36	46	180	177	81	51	49	57	127	120	143	131	84	
155	Diseases of the bones (tuberculosis excepted)	1,142	44	27	43	32	44	161	163	68	37	39	51	90	92	107	86	58	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	224	21	5	3	4	2	16	13	9	13	9	5	33	24	23	30	14	
157	Amputations	3												1			1	1	
158	Other diseases of the organs of locomotion	60	3	1				3	1	4	1	1	1	3	4	13	14	11	
	XI.—Malformations	13,990	12,813	419	138	105	62	186	89	80	38	27	9	12	10	1	1		
159a	Congenital hydrocephalus	1,394	1,088	106	37	35	19	48	27	19	10	3	1		1				
159b	Congenital malformations of the heart	8,073	7,479	213	66	52	24	108	41	46	18	12	4	6	4				
159c	Other congenital malformations	4,523	4,246	100	35	18	19	30	21	15	10	12	4	6	5	1	1		
	XII.—Early infancy	61,249	61,249																
160	Congenital debility, icterus, sclerema	7,344	7,344																
161a	Premature birth	38,990	38,990																
161b	Injury at birth	10,208	10,208																
162	Other diseases peculiar to early infancy	4,609	4,609																
163	Lack of care	98	98																
164	XIII.—Old age (senility)	12,065													14	187	1,388	10,461	15
	XIV.—External causes	105,335	2,490	1,802	1,541	1,505	1,357	5,162	3,798	6,249	8,194	7,678	7,405	15,305	13,595	10,724	8,762	9,472	296
	Suicide	13,410							46	404	850	982	1,129	2,808	2,855	2,310	1,454	547	25
165	By poisons (gas or corrosives excepted)	796							1	45	82	75	77	163	152	111	63	26	1
166	By corrosive substances	1,451							7	108	196	165	190	343	213	134	64	31	
167	By poisonous gas	1,940								30	100	132	183	399	439	405	191	60	1
168	By hanging or strangulation	2,385							12	34	69	121	147	446	578	500	323	148	7
169	By drowning	717							2	14	25	33	48	139	161	150	106	37	2
170	By firearms	4,616							23	160	324	353	376	975	953	747	526	169	10
171	By cutting or piercing instruments	861								1	15	41	49	187	229	168	122	47	2
172	By jumping from high places	362								2	24	36	41	87	67	57	26	21	1
173	By crushing	135								2	11	14	10	42	27	17	9	3	
174	By other means	147							1	8	4	12	8	27	36	21	24	5	1
	Homicide	9,210	159	16	16	16	12	60	85	619	1,463	1,630	1,384	2,065	1,016	408	164	42	55
197	By firearms	6,377	4	2	5	7	3	25	55	425	1,021	1,193	1,036	1,505	697	269	86	11	33
198	By cutting or piercing instruments	1,322	6	4	2	1	3	9	13	100	243	252	206	304	113	35	12	10	9
199	By other means	1,511	149	10	9	8	6	26	17	94	199	185	142	256	206	104	66	21	13
	Accidental or undefined	82,715	2,331	1,786	1,525	1,489	1,345	5,102	3,667	5,226	5,881	5,066	4,892	10,432	9,724	8,006	7,144	8,883	216
175	Poisoning by food	830	95	55	38	29	29	62	30	25	39	32	32	76	109	73	63	42	1
176	Poisoning by venomous animals	107	18	7	2	3	4	12	6	3	2	6	3	12	15	8	2	4	
177	Other acute poisonings (gas excepted)	1,575	67	272	157	62	34	42	17	36	84	98	92	212	190	129	56	25	2
178	Conflagration	1,558	75	73	60	85	69	147	56	54	71	74	63	160	173	152	122	115	9
179	Burns (conflagration excepted)	6,487	249	580	613	582	429	730	244	219	242	263	264	472	436	327	399	430	8
180	Mechanical suffocation	1,279	927	28	4	1	4	21	19	20	31	32	39	62	53	25	9	4	
181	Absorption of irrespirable, irritating, or poisonous gas	2,836	41	22	8	10	4	32	25	73	147	192	190	471	520	513	346	238	4
182	Drowning	6,661	39	207	145	102	84	603	799	987	676	457	371	885	621	385	175	73	52
183	Traumatism by firearms (except in war)	2,593	8	10	26	28	33	185	377	513	340	211	162	300	204	121	50	18	7
184	Traumatism by cutting or piercing instruments	702	14	14	8	16	10	39	33	34	30	35	27	97	101	109	88	45	2
185	Traumatism by fall	14,681	139	160	112	63	69	307	237	239	318	328	424	1,156	1,353	1,515	2,352	5,896	13
186a	Traumatism in mines	2,825			2			2	4	171	390	373	346	766	486	236	44	1	4
186b	Traumatism in quarries	127						2		12	11	13	15	23	23	22	6		
187	Traumatism by machines	2,224	2	6	15	7	6	27	55	207	244	241	234	410	378	221	132	36	3
188a	Railroad accidents	7,026	21	26	24	26	21	163	212	536	706	649	671	1,318	1,125	801	485	200	42
	Collision with automobiles	1,556	17	8	11	14	8	37	48	154	182	163	160	283	228	128	88	22	5
	Other railroad accidents	5,470	4	18	13	12	13	126	164	382	524	486	511	1,035	897	673	397	178	37

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																			
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188b	Street-car accidents	1,621	2	10	15	22	20	57	45	83	102	98	112	237	298	244	168	106	2
	Collision with automobiles	464	2	3	1	6	1	9	19	42	57	44	41	87	83	39	23	7	
	Other street-car accidents	1,157		7	14	16	19	48	26	41	45	54	71	150	215	205	145	99	2
188c	Automobile accidents (excluding collision with railroad trains and street cars)	18,871	99	90	175	335	426	2,233	1,014	1,374	1,585	1,202	1,105	2,278	2,281	1,977	1,734	933	30
188d	Airplane and balloon accidents	160							2	10	54	34	26	25	4	1	2	1	1
188e,f	Injuries by other vehicles	1,347	8	14	17	23	21	98	106	95	101	58	67	112	161	194	187	85	
188g	Landslide, other crushing	743	4	1	6	8	9	22	19	46	61	69	72	162	130	80	38	13	3
189	Injuries by animals (not poisoning)	541	3	10	10	17	15	45	47	20	15	18	20	60	66	78	73	43	1
190	Wounds of war	3										1	2						
192	Starvation (deprivation of food or water)	14	1	1			1							2	2	3		3	1
193	Excessive cold	256	5		1	1		1	1	2	5	12	6	29	51	49	38	54	1
194	Excessive heat	646	81	13	3	2	3	3	1	11	13	23	34	92	109	93	81	82	2
195	Lightning	364	4		1	3	2	19	38	62	40	26	29	48	47	28	12	3	2
196	Other accidental electric shocks	1,037	3	3		2	2	17	43	99	201	170	149	198	78	50	16	2	4
201	Fracture (cause not specified)	690	6	3	1	1	2	10	11	26	25	21	30	73	85	78	98	219	1
202	Other external violence	4,909	420	181	82	61	48	223	226	269	348	329	305	696	624	497	364	214	22
203	Violent deaths of unknown causation	2										1					1		
	XV.—Ill-defined diseases	18,708	7,154	754	222	126	86	251	192	310	386	385	355	1,070	1,367	1,573	2,013	2,324	140
204	Sudden death	2,013	330	24	9	5		14	12	30	43	32	44	171	247	296	391	354	11
205a	Ill-defined	4,461	907	317	74	37	20	59	57	72	87	91	115	319	457	566	677	530	26
205b	Not specified or unknown	12,234	5,917	413	139	84	66	178	123	208	256	262	196	580	663	711	945	1,390	103
ALABAMA																			
	All causes—White	15,416	2,550	635	278	162	136	312	247	456	559	508	500	1,102	1,362	1,523	2,480	2,517	89
	All causes—Colored	14,276	1,990	435	160	111	63	228	261	720	960	892	775	1,606	1,971	1,306	1,182	1,510	106
	I.—Epidemic, endemic, and infectious diseases—White	2,789	309	174	118	64	55	94	64	121	158	161	152	291	234	206	306	259	23
	I.—Epidemic, endemic, and infectious diseases—Colored	3,202	305	133	53	33	24	71	97	285	410	324	260	413	337	194	126	112	25
1	Typhoid and paratyphoid fever—W	207	3	1	2			8	20	36	36	23	10	29	15	8	11	2	3
	Typhoid and paratyphoid fever—C	169	1	2	1		3	9	22	42	33	12	5	15	12	8	3	1	
2	Typhus fever—W	1																1	
5	Malaria—W	95	8	2	4	2	4	2	4	8	5	6	3	11	8	8	8	8	4
	Malaria—C	122	8	6	3	4		10	6	7	14	8	3	12	11	14	10	6	
6	Smallpox—W	3									1				1			1	
	Smallpox—C	2									2								
7	Measles—W	111	15	28	14	9	6	10	1	3	4	2	4	4	1	6	2	2	
	Measles—C	23	4	6		2		3		2	3			1		2			
8	Scarlet fever—W	16	2	2	4		1	4	1	2									
9	Whooping cough—W	178	104	38	24	2	4	6											
	Whooping cough—C	124	53	42	13	7	5	4											
10	Diphtheria—W	173	14	38	40	29	23	25	3					1					
	Diphtheria—C	47	10	4	4	5	6	9	2	3	1	3							
11a	Influenza (with pulmonary complications)—W	573	67	29	10	6	5	13	8	18	19	24	26	77	47	48	98	75	3
	Influenza (with pulmonary complications)—C	401	58	21	14	3	1	8	9	22	25	19	30	47	57	37	22	24	4
11b	Influenza (other and unspecified)—W	305	31	7	7	7	5	7	7	2	4	5	6	15	19	31	45	104	3
	Influenza (other and unspecified)—C	306	46	8	8	3	3	6	8	8	13	10	9	30	33	29	38	48	6
13	Mumps—W	2						1								1			
15	Cholera nostras—W	2															2		
	Cholera nostras—C	2														2			
16	Dysentery—W	55	6	7	4	1	1				1	2	2	3	2	3	13	10	
	Dysentery—C	54	10	10			1		1		1	3	2	2	4	7	6	7	
21	Erysipelas—W	39	12	1	2	1				2	2	1	3	1	1	3	4	5	1
	Erysipelas—C	7	4			1						1	1						
22	Acute anterior poliomyelitis—W	11	2	1	2	3	1	1		1									
	Acute anterior poliomyelitis—C	11	4	1	1	1	2		1					1					
23	Lethargic encephalitis—W	12	2	1			1		1	2			1		2	1	1		
	Lethargic encephalitis—C	4					1				1	1		1					
24	Meningococcus meningitis—W	10	2	3		1	1		2	1									
	Meningococcus meningitis—C	5	1	1				1	1	1									
25	Other epidemic and endemic diseases—W	2	1					1											
	Other epidemic and endemic diseases—C	2	1		1														
28	Rabies—W	2						2											
	Rabies—C	1													1				
29	Tetanus—W	26	3	1	1			4	5	3	1	1		3	2	1	1		
	Tetanus—C	30	13	1		1		1	2	3		1	1	3	2	1			1
30	Mycoses—W	1	1																
	Mycoses—C	2	1	1															
	Tuberculosis (all forms)—W	859	13	13	4	3	1	5	8	38	79	94	90	137	121	84	116	45	8
	Tuberculosis (all forms)—C	1,521	15	18	7	4	2	16	40	180	280	233	174	246	172	75	30	21	8
31	Of the respiratory system—W	771	6	5	2	1		2	6	36	72	86	83	130	113	77	104	42	6
	Of the respiratory system—C	1,390	10	9	6	3		13	27	171	266	218	164	229	156	67	24	20	7
32	Of the meninges, central nervous system—W	30	6	5	1	1		2	1		1	6	1	1	2	1	1		1
	Of the meninges, central nervous system—C	17	2	4	1		1	2	2	1	1				2			1	
33	Of the intestines, peritoneum—W	31		1						1	2	1	3	3	5	3	9	3	
	Of the intestines, peritoneum—C	49		2					5	2	9	8	4	7	5	3	3		1
34	Of the vertebral column—W	7	1				1				1		1	1		1	1		
	Of the vertebral column—C	10				1				1		3	1	2	1		1		
35	Of the joints—W	1								1									
	Of the joints—C	4												2	1	1			
36	Of other organs—W	9				1		1			1		1	1	1	2			1
	Of other organs—C	20		1					3	1	2	1	1	4	2	3	2		
37a	Disseminated (acute)—W	9		2	1				1		2	1	1	1					
	Disseminated (acute)—C	29	3	2			1	1	2	4	2	2	4	2	5	1			
37b	Disseminated (chronic or unspecified)—W	1															1		
	Disseminated (chronic or unspecified)—C	2							1			1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
38	Syphilis	W	63	22	1						2		2	5	6	12	9	3	1	
		C	322	74	12	1	1		4	5	13	27	28	30	49	40	18	14	2	4
39	Soft chancre	C	2											1		1				
40	Gonococcus infection	W	10								1	4	1	2	2					
		C	28								3	8	5	3	6	2		1		
41	Purulent infection, septicemia	W	33	1	1			2	5	4	2	2			2	3	3	2	5	1
		C	16	1			1				1	2		1		2	1	2	3	2
	II.—General diseases not included in Class I	White	1,391	33	12	8	2	7	23	16	27	24	35	47	146	230	259	307	206	9
		Colored	362	21	3	2	1	1	6	9	19	43	47	65	166	197	118	98	60	6
	Cancer and other malignant tumors	W	813		1	1	2	2	8	1	9	3	12	22	88	140	159	209	152	4
		C	358		1				2		1	5	5	20	78	108	63	45	24	6
43	Of the buccal cavity	W	31						1		1		2	1	2	5	5	8	6	
		C	6												1	3	2			
44	Of the stomach, liver	W	245						1			1	1	6	18	42	54	68	53	1
		C	94		1							2		5	9	29	22	13	11	2
45	Of the peritoneum, intestines, rectum	W	74						1				2	5	7	11	17	19	11	1
		C	40						1			2	1	1	13	12	4	4	1	1
46	Of the female genital organs	W	159									1	3	4	27	44	34	31	13	2
		C	128										3	10	37	42	16	13	4	3
47	Of the breast	W	54											1	15	9	11	14	4	
		C	34												11	10	5	4	4	
48	Of the skin	W	61							1				1	1	6	4	16	32	
		C	7									1		1	1	1	2		1	
49	Of other or unspecified organs	W	189		1	1	2	2	5		8	1	4	4	18	23	34	53	33	
		C	49						1		1		1	3	6	11	12	11	3	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	9									1	1		1	3		2	1	
		C	11											2	2	4	2		1	
51	Acute rheumatic fever	W	30						6	3	1	1	1	1	3	2	4	4	4	
		C	49			1		1	2	3	4	1	1	5	4	8	8	5	6	
52	Chronic rheumatism, osteoarthritis, gout	W	15											3	2	2	1	3	4	
		C	5							1		1			1		1	1		
54	Pellagra	W	206							1	5	5	14	12	26	43	41	34	23	2
		C	296						1	3	7	24	34	30	63	59	27	31	17	
55	Beriberi	W	1														1			
56	Rickets	W	5	3		1			1											
		C	8	6	2															
57	Diabetes mellitus	W	131	1		1		2	3	1	6	6	1	2	7	15	33	41	12	
		C	70							1	3	3	2	3	4	15	15	14	10	
58	Anemia, chlorosis	W	36	1					2	3	1	2	1	2	4	6	5	6	2	1
		C	4	2							2									
60a	Exophthalmic goiter	W	20									3	1	1	3	6	4	1		1
		C	8										1	4	1	1	1			
60b	Other diseases of the thyroid gland	W	5							1		1					1		2	
		C	5									1	1			1			2	
61	Diseases of the parathyroid glands	W	2	1	1															
		C	2	2																
62	Diseases of the thymus gland	W	6	6																
		C	1	1																
63	Diseases of the adrenals (Addison's disease)	W	1												1					
64	Diseases of the spleen	W	2												1		1			
		C	3								1	1			1					
65a	Leukemia	W	24		1	2		1	1	4		1	2	1	3	2	3	3		
		C	3				1			1							1			
65b	Hodgkin's disease	W	6						1	1	2		1	1						
		C	6									2	1		3					
66	Alcoholism (acute or chronic)	W	26								3	1			6	8	5	2		1
		C	20								1	5	2	1	9	1		1		
67a	Chronic lead poisoning	W	1										1							
67b	Other chronic mineral poisoning	W	1													1				
68	Chronic poisoning by organic substances	W	4											1	1	1			1	
69	Other general diseases	W	47	21	9	3		2	1	1				1		1	1	2	5	
		C	13	10		1			1									1		
	III.—Diseases of the nervous system and of the organs of special sense	White	1,316	49	11	9	6	4	18	15	16	30	16	10	74	153	220	344	337	4
		Colored	1,087	43	6	6	4	5	12	16	29	21	26	36	110	241	191	164	168	9
70	Encephalitis	W	24	2	1	1	1	1	1	3		1	1		9	1	1		1	
		C	10		1	1		1		1	4				1			1		
71a	Simple meningitis	W	47	16	1	3	2	1	6	1	4	2	2		1	4	3	1		
		C	22	6	1	1	1		2		3	1	1	1	2		1	2		
71b	Nonepidemic cerebrospinal meningitis	W	7	2	1				1	1	2									
		C	3	1						1		1								
72	Tabes dorsalis (locomotor ataxia)	W	13												4	2		4	3	
		C	6							1				1		2	1	1		
73	Other diseases of the spinal cord	W	31					1		1					2	4	6	9	8	
		C	15	1		1						1		1	2	5	2	1	1	
74a	Cerebral hemorrhage	W	746	5						2	1	3	2	3	32	98	140	237	220	3
		C	619	2	1		2		2	2	4	6	10	19	69	173	131	94	100	4
74b	Cerebral embolism and thrombosis	W	15			1	1		1			2				1	5	3	1	
		C	7										1	2		2	1		1	
75	Paralysis without specified cause	W	228	1	1						1	1		2	5	22	36	71	88	
		C	227	1					1	2	5	1	3	4	13	26	51	58	58	4
76	General paralysis of the insane	W	24											2	4	6	3	5	4	
		C	35										3	4	9	15	1	1	1	1
77	Other forms of mental alienation	W	24								1	2	2		4	3	5	3	4	
		C	24								3	3	1	1	5	4	1	3	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Contd.																			
78	Epilepsy	W	45			2			2	1	3	13	3	1	5	5	5	3	1	1
		C	48	1			1	1	2	7	7	5	5	2	5	8	1		3	
79	Convulsions (nonpuerperal, 5 years and over)	W	1									1								
		C	9						5	1	1		2							
80	Infantile convulsions (under 5 years)	W	16	15				1												
		C	32	28	3	1														
82	Neuralgia and neuritis	W	2														1		1	
		C	2													1		1		
83	Softening of the brain	W	4														2	2		
84	Other diseases of the nervous system	W	49	3	1				1	2	4	2	3	1	6	6	9	6	5	
		C	19	1		1		2			2	1		1	3	4	1	2	1	
85	Diseases of the eye and annexa	W	2										1						1	
86a	Diseases of the ear	W	18	3	3	2	2		3	1		2			1		1			
		C	8	1		1		1		1		2			1	1				
86b	Diseases of the mastoid process	W	20	2	3				3	3		1	2	1	1	1	3			
		C	1	1																
	IV.—Diseases of the circulatory system	White	1,815	7	1	3	4	3	15	11	17	23	18	27	82	189	291	548	566	10
		Colored	1,551	11		4	1	1	10	12	18	41	43	59	184	361	288	240	267	11
87	Pericarditis	W	10							1			1				2	3	3	
		C	5			1							1				2		1	
88	Endocarditis and myocarditis (acute)	W	49	1	1			1	2	3	5	5	4	5	5	4	4	3	6	
		C	71	2		1			4	3	3	8	5	13	19	7	6			
89	Angina pectoris	W	146										1	1	4	25	43	48	24	
		C	38									1	2	1	3	10	8	6	7	
90	Other diseases of the heart	W	1,443	5		3	3	2	12	7	12	16	10	17	66	143	219	455	463	10
		C	1,344	8		1		1	6	9	14	30	32	38	156	320	259	220	239	11
91a	Aneurysm	W	12									1		2		3	1	3	2	
		C	19									2		3	4	8	1	1		
91b,c	Other diseases of the arteries	W	113											1	3	8	13	29	59	
		C	45											2	1	9	6	9	18	
92	Embolism and thrombosis (not cerebral)	W	20	1					1				2		2	1	5	3	5	
		C	5								1			1		1	1	1		
93	Diseases of the veins	W	7											1	2	1	2	1		
		C	3	1												1			1	
94	Diseases of the lymphatic system	W	1				1													
		C	2			1								1						
95	Hemorrhage without specified cause	W	3									1				2				
		C	7				1								1		3	2		
96	Other diseases of the circulatory system	W	11													2	2	3	4	
		C	12										3			5	2	1	1	
	V.—Diseases of the respiratory system	White	1,432	261	89	29	25	11	27	32	43	53	40	47	100	121	117	207	226	
		Colored	1,266	252	80	39	16	7	29	25	64	93	90	64	135	157	80	60	73	
97a	Diseases of the nasal fossae	W	3	2															1	
		C	9	8															1	
97b	Diseases of the nasal fossae annexa	W	5								2		1			1			1	
		C	2		1							1								
98	Diseases of the larynx	W	10	2	2	4		2												
		C	4						1			1			1		1			
99a	Acute bronchitis	W	10	4	1							1				1		1	2	
		C	7	2	2	2				1										
99b	Chronic bronchitis	W	21	1					1						2		1	6	10	
		C	2													1			1	
99c,d	Bronchitis (unspecified)	W	34	7	3	1								1	1		1	7	13	
		C	21	6	2		1	1				2		1	1	1	1	1	5	
100a	Broncho-pneumonia	W	462	153	49	15	12	4	8	2	9	4	4	7	15	20	23	64	70	3
		C	298	113	45	18	10	1	11	3	4	6	7	8	12	21	9	17	13	
100b	Capillary bronchitis	W	7	3	1										1			1	1	
		C	2	2																
101a	Lobar pneumonia	W	656	55	20	3	8	5	11	18	23	39	26	28	65	83	74	102	95	1
		C	649	55	21	10	4	3	10	13	40	64	67	41	104	110	49	30	27	1
101b	Pneumonia (unspecified)	W	141	28	11	5	2		4	12	4	6	4	6	8	5	10	17	19	
		C	212	61	9	9	1	2	6	5	17	13	12	10	13	13	14	8	18	1
102	Pleurisy	W	31	2	1		3		2		4	2	2	1	3	1		4	6	
		C	26	2				1	1	2	3	4	3	1	3	4	1	1	1	
103	Congestion and hemorrhagic infarct of the lung	W	14	2							1		1	1		2	1	2	4	
		C	9	2										1		3	1	1	1	
105	Asthma	W	26	1								1	1	3	1	7	5	3	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	17											2	1	4	3	2	5	
		C	12	1	1	1			1				1		4	1	2			
		C	8	1						1		2	1	1			1		1	
	VI.—Diseases of the digestive system	White	1,530	415	280	63	33	22	43	32	42	36	33	36	99	95	80	119	96	6
		Colored	881	211	110	16	9	4	20	15	32	37	42	28	85	109	72	51	39	1
108	Diseases of the mouth and annexa	W	16	3		1						1	1	1	3	2	1	2	1	
		C	10	1								2	3			2	1		1	
109b	Other diseases of the pharynx, tonsils	W	38	2		1	5	2	7	5	3		3	2	2		3	1	2	
		C	18	3	1					1	1		3	1	3	2	2	1		
110	Diseases of the esophagus	W	2													1		1		
		C	1											1						
111a	Ulcer of the stomach	W	37						1		2	4	4	2	8	9	3	3	1	
		C	28									1	2	2	5	7	8	3		
111b	Ulcer of the duodenum	W	15									2		4	2	2	4		1	
		C	5									2			2	1				
112	Other diseases of the stomach (cancer excepted)	W	91	16	2	3		2					1	1	12	15	5	17	17	
		C	158	20	3	2	2	1	5	1	9	8		7	21	31	19	18	11	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																			
	VI.—Diseases of the digestive system—Continued.																			
113	Diarrhea and enteritis (under 2 years)	W	630	362	268															
		C	277	176	101															
114	Diarrhea and enteritis (2 years and over)	W	173			53	20	11	6	2		1	1	4	5	5	3	27	33	2
		C	81			13	7	3	9	2		5	2	3	5	12	5	5	10	
115	Ancylostomiasis	W	4				1		1		2									
116	Diseases due to other intestinal parasites	C	2		2															
117	Appendicitis and typhlitis	W	187				1	2	17	19	27	18	13	9	27	19	18	12	3	2
		C	97	2					1	9	11	12	15	4	17	13	8	2	2	1
118a	Hernia	W	30	1			1		1			2		1	2	2	7	9	4	
		C	24	1							3	1			1	9	4	2	3	
118b	Intestinal obstruction	W	121	26	6	3	3	2	4	3	3	5	4	6	11	10	8	14	11	2
		C	72	6	2				3	2	3	5	7	6	11	12	7	4	4	
119	Other diseases of the intestines	W	20	3	1				2	1		1	1	1	2		1	2	5	
		C	12	1									1	1	4	1	2	2		
120	Acute yellow atrophy of the liver	W	7		1						1		1		1		1	2		
		C	5								1		1	1	1	1				
122	Cirrhosis of the liver	W	48								1	1			5	14	10	14	3	
		C	35		1								3	1	3	6	7	10	4	
123	Biliary calculi	W	20										1	1	4	4	1	5	4	
		C	8												1	2	2	2	1	
124	Other diseases of the liver	W	61	1		1	1	1		1	2		1	3	11	9	11	8	11	
		C	31			1					3	1	1		5	8	7	2	3	
125	Diseases of the pancreas	W	1												1					
		C	2											1	1					
126	Peritonitis without specified cause	W	29	1	2	1	1	2	4	1	1	1	2	1	3	3	4	2		
		C	15	1					2		1		4		5	2				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,363	8	11	6	2	4	3	8	15	21	22	33	83	137	201	413	383	13
		Colored	1,181	8	6	6	3	1	7	9	22	22	36	55	190	248	166	205	189	8
128	Acute nephritis (including unspecified under 10 years)	W	78	6	5	3	1	3	3	3		5	1	3	5	8	7	14	11	
		C	109	3	2	5	3	1	6	1	4	5	6	7	20	18	12	10	6	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,110			1		1		4	12	10	15	21	58	114	178	361	325	10
		C	867							6	7	14	20	26	126	201	136	166	159	6
131	Other diseases of the kidneys and annexa	W	46	2	5	2	1			1	1	3	2	1	2	3	5	8	10	
		C	47	4	3	1			1	1	3	1		1	7	7	7	6	5	
132	Calculi of the urinary passages	W	10												2	2	3	1	2	
		C	1														1			
133	Diseases of the bladder	W	15														2	6	6	1
		C	14											1		2	1	3	7	
134	Diseases of the urethra, etc	W	1																1	
		C	10		1									2	3	2	1	1		
135	Diseases of the prostate	W	52													1	5	19	25	2
		C	45											1	2	6	6	17	11	2
136	Nonvenereal diseases of the male genital organs	W	2		1											1				
		C	4	1								1			1		1			
137	Cysts, other benign tumors of the ovary	W	7											2		2	1	1	1	
		C	10									1		2	6	1				
138	Salpingitis and pelvic abscess (female)	W	21								1	3	4	4	7			1	1	
		C	27								3		6	8	8	2				
139	Benign tumors of the uterus	W	17								1			1	7	5		2	1	
		C	30										3	6	15	4		1	1	
140	Nonpuerperal uterine hemorrhage	W	1											1						
		C	1										1							
141	Other diseases of the female genital organs	W	2												2					
		C	16							1	5			1	2	5	1	1		
142	Nonpuerperal diseases of the breast (cancer excepted)	W	1													1				
	VIII.—The puerperal state	White	287							3	33	66	60	53	64	6				2
		Colored	264							3	75	58	34	38	53	3				
143	Accidents of pregnancy	W	28								2	6	5	6	8	1				
		C	19								5	5	1	6	2					
144	Puerperal hemorrhage	W	28									4	2	8	13	1				
		C	20								1	2	4	4	8	1				
145	Other accidents of labor	W	29								3	3	8	7	7					1
		C	43								10	8	5	5	14	1				
146	Puerperal septicemia	W	91							1	7	28	22	16	13	3				1
		C	88								30	18	12	14	13	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	W	6								1	2	1	2						
148	Puerperal albuminuria and convulsions	W	104							2	20	23	21	14	23	1				
		C	94							3	29	25	12	9	16					
149	Following childbirth (undefined)	W	1										1							
	IX.—Diseases of the skin and of the cellular tissue	White	35	4	1			1	2	1	2	2	2	2	3	2	3	4	6	
		Colored	31	4		1			1		2	2		1	5	1	2	2	10	
151	Gangrene	W	10					1				1			1		1	2	4	
		C	14									1			2	1	1	1	8	
152	Furuncle	W	11	1						1	1	1		1	2	1	1	1	1	
		C	3											1	1		1			
153	Acute abscess	W	10	2					2		1		2	1			1	1		
		C	9	3		1			1		2	1			1					
154	Other diseases of the skin and annexa	W	4	1	1											1			1	
		C	5	1											1			1	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																		
	X.—Diseases of the bones and of the organs of locomotion—White	16				1	3	1	3	3		2	1				2		
	X.—Diseases of the bones and of the organs of locomotion—Colored	5			2				1	1					1				
155	Diseases of the bones (tuberculosis excepted)—W	15				1	3	1	3	3		2	1				1		
155	Diseases of the bones (tuberculosis excepted)—C	4			2				1	1									
156	Diseases of the joints (tuberculosis and rheumatism excepted)—C	1													1				
158	Other diseases of the organs of locomotion—W	1															1		
	XI.—Malformations—White	153	136	3	1	2	2	6	1	1		1							
	XI.—Malformations—Colored	37	32	1		1			1	2									
159a	Congenital hydrocephalus—W	16	13			1				1	1								
159a	Congenital hydrocephalus—C	6	4	1		1													
159b	Congenital malformations of the heart—W	75	66	2		1	1	5											
159b	Congenital malformations of the heart—C	15	13						1	1									
159c	Other congenital malformations—W	62	57	1	1		1	1					1						
159c	Other congenital malformations—C	16	15							1									
	XII.—Early infancy—White	975	975																
	XII.—Early infancy—Colored	492	492																
160	Congenital debility, icterus, sclerema—W	110	110																
160	Congenital debility, icterus, sclerema—C	81	81																
161a	Premature birth—W	728	728																
161a	Premature birth—C	333	333																
161b	Injury at birth—W	96	96																
161b	Injury at birth—C	40	40																
162	Other diseases peculiar to early infancy—W	41	41																
162	Other diseases peculiar to early infancy—C	37	37																
163	Lack of care—C	1	1																
164	XIII.—Old age (senility)—White	239														1	27	211	
164	XIII.—Old age (senility)—Colored	351													1	8	44	298	
	XIV.—External causes—White	1,324	61	43	33	18	18	71	55	125	132	112	83	137	147	87	87	104	11
	XIV.—External causes—Colored	1,207	41	25	19	27	14	44	48	127	177	176	103	132	132	43	29	47	23
	Suicide—W	122								13	12	12	15	20	20	18	8	4	
	Suicide—C	14							1	3	1	2	1	1	2	1	1	1	
165	By poisons (gas or corrosives excepted)—W	7								1	1				1	1	2	1	
166	By corrosive substances—W	21								3	5	3	3	2	3	1	1		
166	By corrosive substances—C	1								1									
167	By poisonous gas—W	2												1	1				
168	By hanging or strangulation—W	8											2	1	1	2		2	
168	By hanging or strangulation—C	1									1								
169	By drowning—W	3										1			1	1			
170	By firearms—W	74								9	5	8	10	15	12	10	4	1	
170	By firearms—C	10							1	1		1	1	1	2	1	1	1	
171	By cutting or piercing instruments—W	5									1			1	1	2			
172	By jumping from high places—C	1										1							
174	By other means—W	2														1	1		
174	By other means—C	1								1									
	Homicide—W	135	3							13	26	20	11	23	20	12	7		
	Homicide—C	373	1	1			2	2	3	36	93	79	49	47	41	9	1	2	7
197	By firearms—W	100								10	21	16	8	19	14	9	3		
197	By firearms—C	267					1	2	2	20	64	61	36	38	29	8		1	5
198	By cutting or piercing instruments—W	12								2	3	2	1	2	2				
198	By cutting or piercing instruments—C	72		1			1		1	11	23	12	11	6	3	1			2
199	By other means—W	23	3							1	2	2	2	2	4	3	4		
199	By other means—C	34	1							5	6	6	2	3	9		1	1	
	Accidental or undefined—W	1,067	58	43	33	18	18	71	55	99	94	80	57	94	107	57	72	100	11
	Accidental or undefined—C	820	40	24	19	27	12	42	44	88	83	95	53	84	89	33	27	44	16
175	Poisoning by food—W	32	8	4	5	1		2					1	2	4	1	3	1	
175	Poisoning by food—C	16	2		2			2	2		1	1			3	3			
176	Poisoning by venomous animals—W	3				1									1	1			
176	Poisoning by venomous animals—C	3						1							1			1	
177	Other acute poisonings (gas excepted)—W	24	2	3	4	1	1				3	1		5		2	2		
177	Other acute poisonings (gas excepted)—C	12	1	3		2	2	1	2					1					
178	Conflagration—W	9				1		2			1	1			2		2		
178	Conflagration—C	13				1	2	1			1			1		1	3	3	
179	Burns (conflagration excepted)—W	129	14	15	13	9	9	20	3	6	3	3	2	9	7		7	7	2
179	Burns (conflagration excepted)—C	174	7	20	13	20	7	15	9	5	7	8	11	10	7	3	9	22	1
180	Mechanical suffocation—W	27	25					1			1								
180	Mechanical suffocation—C	24	22								1					1			
181	Absorption of irrespirable, irritating, or poisonous gas—W	2									1	1							
181	Absorption of irrespirable, irritating, or poisonous gas—C	2							1										1
182	Drowning—W	58	1	6	2	1	2	5	4	11	4	7	6	4	2	1	2		
182	Drowning—C	68				1		1	10	18	6	8	3	9	3	4		2	3
183	Traumatism by firearms (except in war)—W	53		1	1	2		3	11	11	7	1	3	5	6	1			1
183	Traumatism by firearms (except in war)—C	72			2	2		2	9	12	16	10	5	6	6		2		
184	Traumatism by cutting or piercing instruments—W	8		1		1		1						1	1	2	1		
184	Traumatism by cutting or piercing instruments—C	3												1	1	1			
185	Traumatism by fall—W	154	2	6	4			3	5	2	4	3	3	6	14	7	19	75	1
185	Traumatism by fall—C	32	1			1		2		1		3	3	5	3	3	2	6	2
186a	Traumatism in mines—W	67								9	7	18	6	14	10	3			
186a	Traumatism in mines—C	96								8	18	20	10	16	20	3	1		
186b	Traumatism in quarries—W	3								2				1					
186b	Traumatism in quarries—C	2									1		1						
187	Traumatism by machines—W	34	1						3	5	10	2	3	4	3	1	2		
187	Traumatism by machines—C	17								6	1	4	2		2	1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ALABAMA—Continued																				
	XIV.—External causes—Contd.																			
	Accidental or undefined—Continued.																			
188a	Railroad accidents	W	83					1	4	1	5	15	10	7	12	7	10	9	1	1
		C	84						1	1	15	11	15	8	10	11	4	3	2	3
	Collision with automobiles	W	21						2	1	1	3	3	3	1	3	2	2		
		C	4								1		1	1		1				
	Other railroad accidents	W	62					1	2		4	12	7	4	11	4	8	7	1	1
		C	80						1	1	14	11	14	7	10	10	4	3	2	3
188b	Street-car accidents	W	11		1					2	2			2	1	1	1		1	
		C	3												1	1				1
	Collision with automobiles	W	4							1	1				1	1				
	Other street-car accidents	W	7		1					1	1			2			1		1	
		C	3												1	1				1
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	221	3	1	1		2	22	18	30	24	19	13	15	31	19	13	5	5
		C	98	1				1	9	5	11	11	14	3	15	15	4	5	2	2
188d	Airplane and balloon accidents	W	4									2	1						1	
188e,f	Injuries by other vehicles	W	18					2	1	2	2	1				2	3	5		
		C	6									2	1	1		2				
188g	Landslide, other crushing	W	6								1				1	3	1			
		C	6						1						2	2	1			
189	Injuries by animals (not poisoning)	W	15					1	2	3	1		1	1	3	1		1	1	
		C	9						2	1			1	1	1		2		1	
192	Starvation (deprivation of food or water)	W	1											1						
193	Excessive cold	W	1																1	
194	Excessive heat	W	2									1	1							
		C	10									1				4		1	3	1
195	Lightning	W	10						1		3	1		1	1	2	1			
		C	7						1	1	1	2	1		1					
196	Other accidental electric shocks	W	13								1	3	5	1	2					1
		C	6								2	1	1	1		1				
201	Fracture (cause not specified)	W	6														1	1	4	
		C	6							1			1	2	1			1		
202	Other external violence	W	73	2	5	3	1		4	3	8	6	6	7	8	10	2	5	3	
		C	51	6	1	2			3	2	9	3	7	2	4	7	2		1	2
	XV.—Ill-defined diseases	White	751	292	10	8	5	6	9	7	11	13	7	8	23	48	58	116	123	7
		Colored	1,859	570	71	12	16	6	28	25	44	56	74	66	133	183	144	163	247	21
204	Sudden death	W	54	8	1		1					1		1	2	5	7	16	12	
		C	73	5		1			2			2	2	2	8	14	11	12	13	1
205a	Ill-defined	W	122	11	2	2			2	1	2	3	1	3	6	15	17	36	21	
		C	260	40	20	1	4	1	2	4	7	6	8	10	17	41	27	34	32	6
205b	Not specified or unknown	W	575	273	7	6	4	6	7	6	9	9	6	4	15	28	34	64	90	7
		C	1,526	525	51	10	12	5	24	21	37	48	64	54	108	128	106	117	202	14
ARIZONA																				
	All causes		5,572	1,017	253	92	62	32	117	103	203	291	364	404	660	556	481	482	423	32
	I.—Epidemic, endemic, and infectious diseases		1,926	145	68	29	25	11	52	46	113	184	244	252	331	207	106	68	38	7
1	Typhoid and paratyphoid fever		31	2	1		1	1	6	2	5	3	2		5	2	1			
5	Malaria		1		1															
6	Smallpox		6			1	2		1						1					1
7	Measles		8	1	4	2		1												
8	Scarlet fever		10	1		1	2		3			1		1	1					
9	Whooping cough		46	21	13	5	4		1	2										
10	Diphtheria		21	3	1	3	2	1	5	3		1	1		1					
11a	Influenza (with pulmonary complications)		146	48	18	3	4	2	2	2	5	2	4	3	10	10	9	15	9	
11b	Influenza (other and unspecified)		105	23	10	4	4	1	5	5	1	2	2	2	5	4	7	10	19	1
16	Dysentery		18	8	4		1					1			1			2	1	
21	Erysipelas		9	6												1	1	1		
22	Acute anterior poliomyelitis		4	1		1			1	1										
23	Lethargic encephalitis		3								1					1	1			
24	Meningococcus meningitis		7		1	1		1	2		1				1					
28	Rabies		1						1											
29	Tetanus		5	2		1			1					1						
	Tuberculosis (all forms)		1,462	19	14	7	4	4	24	31	97	172	235	243	298	182	86	36	7	3
31	Of the respiratory system		1,378	7	5	3	2		14	23	90	170	228	240	293	175	85	33	7	3
32	Of the meninges, central nervous system		41	9	7	3	2	3	6	3				1	2	1	4			
33	Of the intestines, peritoneum		20	3	1			1	2	4	2	2	1			2	1	1		
34	Of the vertebral column		4			1								1	1	1				
35	Of the joints		2								1							1		
36	Of other organs		8						2		2		1		2			1		
37a	Disseminated (acute)		8							1	2		4		1					
37b	Disseminated (chronic or unspecified)		1		1															
38	Syphilis		36	10	1		1				2			2	7	6	1	3	2	1
40	Gonococcus infection		5									2			1	1				1
41	Purulent infection, septicemia		2								1							1		
	II.—General diseases not included in Class I		299	9	1	1	1		1	3	5	6	4	12	29	64	77	54	30	2
	Cancer and other malignant tumors		198		1		1			1	1	3	3	9	18	45	52	40	22	2
43	Of the buccal cavity		7												1		1	1	4	
44	Of the stomach, liver		71										1	3	4	16	24	15	8	
45	Of the peritoneum, intestines; rectum		23											1	3	8	6	5		
46	Of the female genital organs		32										1	4	5	11	8	1	1	1
47	Of the breast		11													3	5	2	1	
48	Of the skin		7													1	2		4	
49	Of other or unspecified organs		47		1		1			1	1	3	1	1	5	6	6	16	4	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ARIZONA—Continued																		
	II.—General diseases not included in Class I—Contd.																		
51	Acute rheumatic fever	4								1	1			1		1			
52	Chronic rheumatism, osteoarthritis, gout	8							1					1	2	2	1	1	
54	Pellagra	9												1	3	3	2		
57	Diabetes mellitus	37						1		2	2			5	5	6	10	6	
58	Anemia, chlorosis	13			1							1	1	1	3	5	1		
60a	Exophthalmic goiter	2											1			1			
60b	Other diseases of the thyroid gland	1													1				
61	Diseases of the parathyroid glands	2	2																
62	Diseases of the thymus gland	4	3										1						
63	Diseases of the adrenals (Addison's disease)	1														1			
65a	Leukemia	1							1										
65b	Hodgkin's disease	2														2			
66	Alcoholism (acute or chronic)	11												1	5	4		1	
68	Chronic poisoning by organic substances	1												1					
69	Other general diseases	5	4							1									
	III.—Diseases of the nervous system and of the organs of special sense	246	14	5	3	2	2	3	5	8	4	7	4	22	28	36	55	47	1
70	Encephalitis	2										1					1		
71a	Simple meningitis	17	7	2	1	1			2	1			1	1		1			
71b	Nonepidemic cerebrospinal meningitis	4	1	1					1			1							
72	Tabes dorsalis (locomotor ataxia)	3												1	1			1	
73	Other diseases of the spinal cord	9								2				2		1	1	3	
74a	Cerebral hemorrhage	121				1				1	2			7	12	25	44	29	
74b	Cerebral embolism and thrombosis	2														1	1		
75	Paralysis without specified cause	23							1			1			6	4	4	7	
76	General paralysis of the insane	20									1	2	3	5	4	1	1	2	1
77	Other forms of mental alienation	4								1				1	1	1			
78	Epilepsy	7						1		3				1	1			1	
80	Infantile convulsions (under 5 years)	9	6	1	2														
82	Neuralgia and neuritis	2													1			1	
83	Softening of the brain	1																1	
84	Other diseases of the nervous system	15					1	1			1	1		3	2	1	3	2	
86a	Diseases of the ear	3		1					1					1					
86b	Diseases of the mastoid process	4					1	1				1				1			
	IV.—Diseases of the circulatory system	452	1	2			1	5	8	3	6	10	18	48	53	93	109	91	4
87	Pericarditis	3						1							1	1			
88	Endocarditis and myocarditis (acute)	38	1					1	6	2			7	10	5	1	1	4	
89	Angina pectoris	39										1	1	4	6	9	11	7	
90	Other diseases of the heart	328		1			1	3	2	1	6	8	10	30	39	75	83	65	4
91a	Aneurysm	8												2	1	4		1	
91b,c	Other diseases of the arteries	29												1		3	12	13	
92	Embolism and thrombosis (not cerebral)	4										1		1			1	1	
93	Diseases of the veins	2													1		1		
95	Hemorrhage without specified cause	1		1															
	V.—Diseases of the respiratory system	565	157	49	23	12	6	15	8	13	10	8	21	42	39	45	53	58	6
97a	Diseases of the nasal fossae	3																3	
97b	Diseases of the nasal fossae annexa	4											2	1	1				
98	Diseases of the larynx	2				1												1	
99a	Acute bronchitis	7	4	1														2	
99b	Chronic bronchitis	9		1				1			1		1	3				2	
99c, d	Bronchitis (unspecified)	15	6	2	1			1								1		4	
100a	Broncho-pneumonia	212	95	22	11	4	2	5	1	2	2	1	3	11	6	9	14	22	2
100b	Capillary bronchitis	5	4	1															
101a	Lobar pneumonia	163	25	7	3	2	2	5	4	10	6	3	6	17	18	21	20	13	1
101b	Pneumonia (unspecified)	83	21	14	7	4	2	2	2		1	1		1	2	7	7	10	2
102	Pleurisy	13			1	1			1			1	3	1	3	2			
103	Congestion and hemorrhagic infarct of the lung	3		1									1			1			
104	Gangrene of the lung	1													1				
105	Asthma	29						1		1		1	4	3	3	3	11	1	1
106	Pulmonary emphysema	1	1																
107	Other diseases of the respiratory system (tuberculosis excepted)	15	1									1	1	5	5	1	1		
	VI.—Diseases of the digestive system	642	297	96	17	14	5	11	14	8	11	11	13	32	43	25	18	26	1
108	Diseases of the mouth and annexa	4	1	1								1			1				
109b	Other diseases of the pharynx, tonsils	18	3			1	1	2	4		1	1	2	2			1		
110	Diseases of the esophagus	1																1	
111a	Ulcer of the stomach	14										2	1	4	2	2	1	2	
111b	Ulcer of the duodenum	3												3					
112	Other diseases of the stomach (cancer excepted)	47	17	5	3	2		2	1		1			3	4	3	2	4	
113	Diarrhea and enteritis (under 2 years)	358	271	87															
114	Diarrhea and enteritis (2 years and over)	56			12	10	2	3	3			1	3	2	4	3	5	8	
117	Appendicitis and typhlitis	59				1	1	3	6	6	7	4	2	8	13	6	1	1	
118a	Hernia	9	1	1										1	1	1	3	1	
118b	Intestinal obstruction	17	1	1	1					2		2	2	2	4	1		1	
119	Other diseases of the intestines	5	1		1								1				1		1
122	Cirrhosis of the liver	22									1			2	8	5	1	5	
123	Biliary calculi	9											1	2	3	1	1	1	
124	Other diseases of the liver	11		1									1	3	2	1	2	1	
125	Diseases of the pancreas	2									1					1			
126	Peritonitis without specified cause	7	2				1	1							1	1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ARIZONA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	235	3	2		1		2	3	2	2	3	9	30	35	38	57	48	
128	Acute nephritis (including unspecified under 10 years)	23	1	1		1		1	2				1	4	5	2	3	2	
129	Chronic nephritis (including unspecified 10 years and over)	170		1				1	1	1	1	3	5	20	23	30	43	41	
131	Other diseases of the kidneys and annexa	6	2										1		1	2			
132	Calculi of the urinary passages	1								1									
133	Diseases of the bladder	7													3	2	1	1	
134	Diseases of the urethra, etc	4												1	1	1		1	
135	Diseases of the prostate	14												1		1	9	3	
137	Cysts, other benign tumors of the ovary	2											1		1				
138	Salpingitis and pelvic abscess (female)	3											1	1	1				
139	Benign tumors of the uterus	2												1			1		
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	2									1			1					
	VIII.—The puerperal state	86								14	18	13	13	27					1
143	Accidents of pregnancy	5									1	1		3					
144	Puerperal hemorrhage	14								2	2	2		7					1
145	Other accidents of labor	5								2				3					
146	Puerperal septicemia	30								5	5	6	7	7					
147	Puerperal phlegmasia alba dolens, embolus, etc	6								1		1		4					
148	Puerperal albuminuria and convulsions	25								4	10	2	6	3					
149	Following childbirth (undefined)	1										1							
	IX.—Diseases of the skin and of the cellular tissue	9	4		1					1		1						2	
151	Gangrene	3										1						2	
152	Furuncle	1								1									
153	Acute abscess	3	2		1														
154	Other diseases of the skin and annexa	2	2																
	X.—Diseases of the bones and of the organs of locomotion	5	1					1		3									
155	Diseases of the bones (tuberculosis excepted)	4						1		3									
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1																
	XI.—Malformations	44	43					1											
159a	Congenital hydrocephalus	1	1																
159b	Congenital malformations of the heart	27	26					1											
159c	Other congenital malformations	16	16																
	XII.—Early infancy	259	259																
160	Congenital debility, icterus, sclerema	64	64																
161a	Premature birth	154	154																
161b	Injury at birth	21	21																
162	Other diseases peculiar to early infancy	20	20																
164	XIII.—Old age (senility)	66														5	14	46	1
	XIV.—External causes	545	24	15	12	4	6	20	14	30	44	60	56	88	71	40	36	18	7
	Suicide	51								1	4	6	1	11	12	5	7	2	2
165	By poisons (gas or corrosives excepted)	3										2	1						
166	By corrosive substances	7									2	1		1	2	1			
167	By poisonous gas	2												1					1
168	By hanging or strangulation	4													1	1	1	1	
169	By drowning	1														1			
170	By firearms	29									1	3		8	8	2	6	1	
171	By cutting or piercing instruments	3									1			1					1
173	By crushing	1													1				
174	By other means	1								1									
	Homicide	63	2		1					1	5	10	15	14	8		3	2	2
197	By firearms	47	1		1					1	4	6	12	11	7		2		2
198	By cutting or piercing instruments	8										4	2	2					
199	By other means	8	1								1		1	1	1		1	2	
	Accidental or undefined	431	22	15	11	4	6	20	14	28	35	44	40	63	51	35	26	14	3
175	Poisoning by food	4						1							1		1	1	
176	Poisoning by venomous animals	11	3	3	1		1	2	1										
177	Other acute poisonings (gas excepted)	8		1	2			1					1		2			1	
178	Conflagration	7											1	1	3		2		
179	Burns (conflagration excepted)	30	2	1	2	3	1	3	2	2	2	1	2	3	3		2	1	
180	Mechanical suffocation	7	6											1					
181	Absorption of irrespirable, irritating, or poisonous gas	1													1				
182	Drowning	28	3	6	4	1	1	1	1	1	2	1		2	2	2	1		
183	Traumatism by firearms (except in war)	21			1			1	2	5	3	4		4		1			
184	Traumatism by cutting or piercing instruments	1												1					
185	Traumatism by fall	38	3	1				3	2	1	3	2	1	4	3	5	4	6	
186a	Traumatism in mines	38								2	6	8	4	12	2	2			2
187	Traumatism by machines	13		1							2	2	4	2	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ARIZONA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188a	Railroad accidents	31								4	5	5	4	5	1	4	2	1	
	Collision with automobiles	3														3			
	Other railroad accidents	28								4	5	5	4	5	1	1	2	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	116		2	1		3	5	4	7	9	9	15	19	20	12	9	1	
188d	Airplane and balloon accidents	2								1			1						
188e,f	Injuries by other vehicles	8						1		2				1		2	1	1	
188g	Landslide, other crushing	5							1			1	2		1				
189	Injuries by animals (not poisoning)	3						1							1			1	
193	Excessive cold	3													1	2			
194	Excessive heat	16	3							1		2	1	3	4	1	1		
195	Lightning	9								1	1	3	1	1	1	1			
196	Other accidental electric shocks	10	1						1		1	2	1	2	1				1
201	Fracture (cause not specified)	6								1			1		1	1	1		
202	Other external violence	15	1					1			1	4	1	2	1	2	2		
	XV.—Ill-defined diseases	193	60	15	6	3	1	6	2	3	6	3	6	11	16	16	18	19	2
204	Sudden death	9	4													3	1	1	
205a	Ill-defined	73	12	9	3	2					1		2	8	9	9	11	7	
205b	Not specified or unknown	111	44	6	3	1	1	6	2	3	5	3	4	3	7	4	6	11	2
	CALIFORNIA																		
	All causes	58,914	5,202	897	480	330	264	905	688	1,195	1,783	2,036	2,083	5,684	7,155	9,137	10,428	10,642	5
	I.—Epidemic, endemic, and infectious diseases	8,994	492	297	189	120	108	334	227	478	751	836	745	1,518	1,170	834	540	355[6]	
1	Typhoid and paratyphoid fever	121	2	2	1	1	2	4	16	16	20	10	3	25	7	8	3	1	
5	Malaria	14	1	1						1		3	2	2	2		1	1	
6	Smallpox	235	9	2	4	1	3	4	2	13	19	22	16	47	45	31	14	3	
7	Measles	126	38	32	18	6	7	12	4	4	2		1	1				1	
8	Scarlet fever	49		3	6	4	5	17	5	1		3	2	1		2			
9	Whooping cough	172	93	46	17	7	4	5											
10	Diphtheria	298	11	31	36	33	29	96	26	4	3	4	5	7	5	5	2	1	
11a	Influenza (with pulmonary complications)	742	94	32	17	5	9	22	10	10	11	28	29	80	99	79	97	120	
11b	Influenza (other and unspecified)	344	42	15	8	7	5	11	9	12	9	8	14	35	21	38	40	70	
13	Mumps	6	1			1	1	1						1	1				
15	Cholera nostras	1	1																
16	Dysentery	85	21	15	5	3		5	1		1	1	2	8	7	2	5	9	
20	Leprosy	1												1					
21	Erysipelas	63	19	3	1			2	1	1		3	1	5	7	7	6	7	
22	Acute anterior poliomyelitis	36	3	8	3	3	1	8	4	4	1	1							
23	Lethargic encephalitis	64	4	3	3	1		1	4	5	3	1	3	14	8	8	4	2	
24	Meningococcus meningitis	116	20	6	4	5	6	13	7	14	13	7	3	10	6	2			
25	Other epidemic and endemic diseases	6	3				1		1			1							
27	Anthrax	1												1					
28	Rabies	5			1		1		3										
29	Tetanus	44	4		1	1	2	12	6	1	1	2	1	6	3	2	1	1	
30	Mycoses	11	2								2			1	3	2	1		
	Tuberculosis (all forms)	5,818	70	92	62	40	31	111	124	382	643	711	618	1,161	823	549	290	111	
31	Of the respiratory system	5,136	26	29	19	17	12	38	90	342	588	666	577	1,091	761	516	265	99	
32	Of the meninges, central nervous system	240	26	37	29	14	14	39	16	12	12	11	2	14	9	1	3	1	
33	Of the intestines, peritoneum	173	2	7	1	2	2	11	9	14	23	14	12	26	23	17	7	3	
34	Of the vertebral column	38				1	1	4	3	2	3	1	1	5	7	4	3	3	
35	Of the joints	14						3	2			1		2	3		1	2	
36	Of other organs	83		2	3		1	2		1	7	12	13	12	13	8	6	3	
37a	Disseminated (acute)	110	14	15	9	4	1	12	4	11	9	5	8	8	5	1	4		
37b	Disseminated (chronic or unspecified)	24	2	2	1	2		2			1	1	5	3	2	2	1		
38	Syphilis	560	50	5	1	1		6	2	5	14	24	36	100	122	98	70	26	
40	Gonococcus infection	33	1								7	6	7	9	3				
41	Purulent infection, septicemia	41	3	1	1	1	1	4	2	4	2		2	3	8	1	6	2	
42	Other infectious diseases	2								1		1							
	II.—General diseases not included in Class I	7,781	124	22	26	14	12	46	38	41	63	101	139	683	1,351	1,949	1,986	1,185	1
	Cancer and other malignant tumors	5,660	4	7	7	1	5	9	9	6	21	46	91	481	1,047	1,476	1,507	943	
43	Of the buccal cavity	196						1				1	3	11	38	36	52	54	
44	Of the stomach, liver	1,940	1	1					1		3	5	19	102	295	555	619	339	
45	Of the peritoneum, intestines, rectum	859			3		1	1		1	4	6	18	74	142	215	243	151	
46	Of the female genital organs	829					1	2			2	9	28	122	209	218	165	73	
47	Of the breast	583										1	5	88	175	153	91	70	
48	Of the skin	139	1									3	1	4	7	25	45	53	
49	Of other or unspecified organs	1,114	2	6	4	1	3	5	8	5	12	21	17	80	181	274	292	203	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	42	1			1		1				1	3	7	6	8	6	4	
51	Acute rheumatic fever	60			1		2	4	5	9	6	5	1	3	4	8	8	4	
52	Chronic rheumatism, osteoarthritis, gout	55							1		1		1	3	6	5	18	20	
53	Scurvy	3	1											1		1			
54	Pellagra	45						1				1	3	12	9	9	7	3	
56	Rickets	17	14	3															
57	Diabetes mellitus	877	1			2	1	11	10	12	12	8	11	45	115	247	266	135	1
58	Anemia, chlorosis	325	3	1	4	1		3	1	3	2	5	6	23	50	92	97	34	
59	Diseases of the pituitary gland	5										1		1		2	1		
60a	Exophthalmic goiter	128							1	1	4	4	7	20	33	26	25	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
60b	Other diseases of the thyroid gland	36	3	3	1	3			1			1		3	3	4	7	7	
61	Diseases of the parathyroid glands	6	4		2														
62	Diseases of the thymus gland	68	44	3	6	1		4	3	4	1	2							
63	Diseases of the adrenals (Addison's disease)	26										1	1	10	4	5	1	4	
64	Diseases of the spleen	8						1		1		1		1	1	2		1	
65a	Leukemia	115	6	3	3	3	2	7	6	3	2	7	3	13	16	20	18	3	
65b	Hodgkin's disease	50	1		1			4			4	8	1	8	10	4	6	3	
66	Alcoholism (acute or chronic)	139									1	6	8	44	40	29	9	2	
67a	Chronic lead poisoning	8													1	3	2	2	
67b	Other chronic mineral poisoning	2									1			1					
68	Chronic poisoning by organic substances	18										3	1	3	5	4	1	1	
69	Other general diseases	88	42	2	1	2	2	1	1	2	4	1	2	4	1	4	7	12	
	III.—Diseases of the nervous system and of the organs of special sense	5,952	92	37	28	17	15	63	47	57	54	71	95	442	705	1,159	1,476	1,593	1
70	Encephalitis	73	8	4	1	1	1	3	3	2	10	1	7	9	7	10	4	2	
71a	Simple meningitis	122	17	7	11	3	4	11	11	8	5	8	7	10	11	3	4	2	
71b	Nonepidemic cerebrospinal meningitis	28	5	5	2	3	1	2		5		1	1		1	1		1	
72	Tabes dorsalis (locomotor ataxia)	111											1	13	31	42	15	9	
73	Other diseases of the spinal cord	161	1	2		1	1	1	1	4	1	1	4	13	27	34	45	25	
74a	Cerebral hemorrhage	3,898	3					5	2	5	8	14	16	127	368	839	1,175	1,336	
74b	Cerebral embolism and thrombosis	231						1		2	2	1	3	10	31	38	75	68	
75	Paralysis without specified cause	178						1			3		1	4	15	31	52	71	
76	General paralysis of the insane	421								2	1	6	25	157	122	76	24	8	
77	Other forms of mental alienation	75								1	4	5	2	28	10	10	7	8	
78	Epilepsy	123	2		4		2	4	7	10	12	12	10	21	12	11	10	5	1
79	Convulsions (nonpuerperal; 5 years and over)	3							1			1					1		
80	Infantile convulsions (under 5 years)	19	12	4	2	1													
81	Chorea	1												1					
82	Neuralgia and neuritis	6												1		2		3	
83	Softening of the brain	36													4	9	8	15	
84	Other diseases of the nervous system	266	5	2	3	3	1	8	7	7	2	13	9	30	54	41	47	34	
85	Diseases of the eye and annexa	6	1						1								1	3	
86a	Diseases of the ear	124	30	10	4	4	3	15	7	10	4	5	5	14	6	7			
86b	Diseases of the mastoid process	70	8	3	1	1	2	12	7	1	2	3	4	4	6	5	8	3	
	IV.—Diseases of the circulatory system	12,411	26	13	8	5	7	34	41	78	96	128	163	659	1,302	2,396	3,376	4,079	
87	Pericarditis	44		1		1			1		1	1	5	5	7	7	12	3	
88	Endocarditis and myocarditis (acute)	402	10	3	3	2	2	10	10	17	20	24	26	108	32	46	43	46	
89	Angina pectoris	1,004										4	7	59	139	267	334	194	
90	Other diseases of the heart	9,471	13	8	5	2	5	23	30	60	69	91	113	431	977	1,795	2,631	3,218	
91a	Aneurysm	209									2	3	5	22	56	64	42	15	
91b,c	Other diseases of the arteries	1,014								1	1			13	50	143	251	555	
92	Embolism and thrombosis (not cerebral)	231	2	1							2	3	7	13	34	66	58	45	
93	Diseases of the veins	22									1	1		5	5	5	4	1	
94	Diseases of the lymphatic system	6	1					1				1		2	1				
95	Hemorrhage without specified cause	5												1	1	1	1	1	
96	Other diseases of the circulatory system	3														2		1	
	V.—Diseases of the respiratory system	4,352	806	216	76	45	29	84	57	72	76	105	120	357	430	476	578	825	
97a	Diseases of the nasal fossae	4	1										1		1			1	
97b	Diseases of the nasal fossae annexa	39							4	1	6	4	4	10	6	1	2	1	
98	Diseases of the larynx	12	1	1		1	2				1	1		1	2	1	1		
99a	Acute bronchitis	90	27	4	2			2			1			4	4	4	12	30	
99b	Chronic bronchitis	118	3	2										4	10	17	26	56	
99c,d	Bronchitis (unspecified)	60	13	2										2	1	2	14	26	
100a	Broncho-pneumonia	1,681	561	123	46	27	15	29	20	16	17	24	31	80	89	117	173	313	
100b	Capillary bronchitis	36	12	5	1			1							1		3	13	
101a	Lobar pneumonia	1,792	149	59	19	12	10	41	28	43	42	59	68	205	252	265	277	263	
101b	Pneumonia (unspecified)	101	27	8	3	2	1		2	1	1	4	1	5	8	4	16	18	
102	Pleurisy	153	10	9	4	2	1	5	2	6	6	10	10	22	19	23	13	11	
103	Congestion and hemorrhagic infarct of the lung	89	1					1						1	1	7	13	65	
104	Gangrene of the lung	10		1							1			3	3	2			
105	Asthma	89		1	1			2		2		1	2	10	17	17	17	19	
106	Pulmonary emphysema	7												1	1	3	2		
107	Other diseases of the respiratory system (tuberculosis excepted)	71	1	1		1		3	1	3	1	2	3	9	15	13	9	9	
	VI.—Diseases of the digestive system	4,546	974	196	78	50	36	109	66	74	126	125	147	490	591	598	514	372	
108	Diseases of the mouth and annexa	23	1	1					1		2	1	3	3	4	4	2	1	
109b	Other diseases of the pharynx, tonsils	164	6	7	8	5	5	25	7	13	21	6	10	20	13	9	8	1	
110	Diseases of the esophagus	7						1						1	3	1		1	
111a	Ulcer of the stomach	304	2	1				1		1	6	7	16	70	56	67	37	40	
111b	Ulcer of the duodenum	130								1	2	4	11	26	40	23	14	9	
112	Other diseases of the stomach (cancer excepted)	189	32	6	5	3		1	2	2	3	5	2	8	26	21	33	40	
113	Diarrhea and enteritis (under 2 years)	1,038	870	168															
114	Diarrhea and enteritis (2 years and over)	261			51	26	18	23	3	1	6	3	10	17	21	17	24	41	
116	Diseases due to other intestinal parasites	2														2			
117	Appendicitis and typhlitis	686	3	2	4	12	7	40	40	43	40	54	42	133	132	73	45	16	
118a	Hernia	204	12							1	3	2	7	9	31	40	55	44	
118b	Intestinal obstruction	426	40	5	5	1	5	9	8	7	21	18	18	57	71	61	53	47	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
119	Other diseases of the intestines	50	3	3	2	1		1	1		2	1	1	8	2	7	8	10	
120	Acute yellow atrophy of the liver	26								1	4	2	3	3	4	3		6	
121	Hydatid tumor of the liver	2													1		1		
122	Cirrhosis of the liver	510				1					2	5	5	63	93	145	124	72	
123	Biliary calculi	202									2	5	2	29	34	57	51	22	
124	Other diseases of the liver	218		1	1			2		3	7	7	7	26	44	56	47	17	
125	Diseases of the pancreas	45							1		1		5	11	12	5	7	3	
126	Peritonitis without specified cause	59	5	2	2	1	1	6	3	1	4	5	5	6	4	7	5	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	5,160	30	4	5		5	21	20	43	52	82	130	420	657	982	1,339	1,365	
128	Acute nephritis (including unspecified under 10 years)	170	11	1	4	1	3	8	9	9	9	5	11	24	27	17	13	18	
129	Chronic nephritis (including unspecified 10 years and over)	4,114	1			2	2	12	10	24	23	43	72	287	527	848	1,121	1,142	
131	Other diseases of the kidneys and annexa	154	15	3	1	2		1		2	3	6	5	15	19	23	22	37	
132	Calculi of the urinary passages	50									1	1	3	6	10	12	9	8	
133	Diseases of the bladder	39											1	2	4	6	4	22	
134	Diseases of the urethra, etc	11											1	2	1	2	5		
135	Diseases of the prostate	324										1		5	5	38	150	125	
136	Nonvenereal diseases of the male genital organs	5	3										1		1				
137	Cysts, other benign tumors of the ovary	80							1		5	4	5	19	15	18	7	6	
138	Salpingitis and pelvic abscess (female)	85								5	8	15	16	24	10	4	3		
139	Benign tumors of the uterus	107									1	2	11	34	37	13	3	6	
141	Other diseases of the female genital organs	20								3	1	5	4	2	1	1	2	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1									1								
	VIII.—The puerperal state	468								40	101	122	101	99	5				
143	Accidents of pregnancy	63								5	7	22	11	17	1				
144	Puerperal hemorrhage	42								3	9	8	7	13	2				
145	Other accidents of labor	58									12	14	15	16	1				
146	Puerperal septicemia	175								18	42	40	43	31	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	20									3	7	5	5					
148	Puerperal albuminuria and convulsions	110								14	28	31	20	17					
	IX.—Diseases of the skin and of the cellular tissue	122	10	2	1	1			5	5	5	4	6	12	7	18	21	25	
151	Gangrene	37								1				2	3	4	10	17	
152	Furuncle	25			1				4	1	2	2	2	3	3	3	2	2	
153	Acute abscess	30	1	1		1			1	2	3	1	3	4		7	5	1	
154	Other diseases of the skin and annexa	30	9	1						1		1	1	3	1	4	4	5	
	X.—Diseases of the bones and of the organs of locomotion	74	3	2		2	4	10	6	9	5	3	3	5	8	9	4	1	
155	Diseases of the bones (tuberculosis excepted)	63	2	2		2	4	9	5	7	5	2	3	4	6	9	3		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9						1	1	2		1		1	1		1	1	
158	Other diseases of the organs of locomotion	2	1												1				
	XI.—Malformations	547	488	14	6	5	4	12	3	6		3	2	2	1		1		
159a	Congenital hydrocephalus	55	40	4	1	2	3	3		2									
159b	Congenital malformations of the heart	316	284	9	5	3	1	8		3				2	1				
159c	Other congenital malformations	176	164	1				1	3	1		3	2				1		
	XII.—Early infancy	2,043	2,043																
160	Congenital debility, icterus, sclerema	261	261																
161a	Premature birth	1,295	1,295																
161b	Injury at birth	314	314																
162	Other diseases peculiar to early infancy	166	166																
163	Lack of care	7	7																
164	XIII.—Old age (senility)	354														7	46	301	
	XIV.—External causes	6,000	91	86	59	64	42	191	175	292	452	455	428	981	912	702	531	536	3
	Suicide	1,128							1	20	60	79	86	233	267	196	135	51	
165	By poisons (gas or corrosives excepted)	118								6	7	15	7	29	24	21	8	1	
166	By corrosive substances	78								4	8	10	10	20	16	4	5	1	
167	By poisonous gas	244								3	12	15	21	45	57	56	25	10	
168	By hanging or strangulation	130							1	1	5	4	10	23	33	21	21	11	
169	By drowning	52									1	3	4	12	11	9	9	3	
170	By firearms	386								6	26	25	27	76	98	56	53	19	
171	By cutting or piercing instruments	80										5	4	16	21	20	9	5	
172	By jumping from high places	22									1	2	1	7	4	3	3	1	
173	By crushing	8											1	2	1	4			
174	By other means	10											1	3	2	2	2		
	Homicide	373	6	1	2	3	4	6	9	14	48	64	40	94	40	29	6	6	1
197	By firearms	249							5	9	33	54	33	66	26	16	5	2	
198	By cutting or piercing instruments	41	1					1	1	1	8	5	5	12	3	3		1	
199	By other means	83	5	1	2	3	4	5	3	4	7	5	2	16	11	10	1	3	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined	4,499	85	85	57	61	38	185	165	258	344	312	302	654	605	477	390	479	2
175	Poisoning by food	35	3	1		2		2	1	2	3	2	1	3	3	8	2	2	
176	Poisoning by venomous animals	12	1				1	2	1				1	4	1			1	
177	Other acute poisonings (gas excepted)	112		15	6	3	1	2		2	4	7	8	24	20	14	6		
178	Conflagration	66	7	5	2	3		3			3	1	1	11	9	11	7	3	
179	Burns (conflagration excepted)	236	10	13	19	17	7	9	14	10	16	9	7	23	34	13	18	17	
180	Mechanical suffocation	48	20	1			1			3	4	3	7	2	5	2			
181	Absorption of irrespirable, irritating, or poisonous gas	110						3	1	1	8	14	9	21	20	12	8	13	
182	Drowning	403	3	17	15	6	2	28	43	48	36	30	18	57	53	24	12	9	2
183	Traumatism by firearms (except in war)	104		2			1	7	19	17	11	9	6	11	9	10	1	1	
184	Traumatism by cutting or piercing instruments	29				2		3	2	2	1	1	2	6	5	2	2	1	
185	Traumatism by fall	749	2	6	3	1	2	12	8	18	24	27	32	85	60	78	100	291	
186a	Traumatism in mines	46									3	6	11	10	14		2		
186b	Traumatism in quarries	5											1	2		2			
187	Traumatism by machines	135						2		7	15	23	20	32	18	15	3		
188a	Railroad accidents	320	1	2	1	1	2	10	8	15	27	23	27	62	73	42	15	11	
	Collision with automobiles	124	1	1	1		2	3	5	7	7	9	13	22	31	14	6	2	
	Other railroad accidents	196		1		1		7	3	8	20	14	14	40	42	28	9	9	
188b	Street-car accidents	141		1		3		6	2	4	8	9	11	16	29	24	15	13	
	Collision with automobiles	62						1	2	3	8	4	7	14	13	7	3		
	Other street-car accidents	79		1		3		5		1		5	4	2	16	17	12	13	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,464	8	13	8	14	18	89	49	107	129	108	101	213	186	168	153	100	
188d	Airplane and balloon accidents	25							2	2	10	2	2	5	2				
188e,f	Injuries by other vehicles	60				2	1		3	3	7	7	3	7	3	9	13	2	
188g	Landslide, other crushing	54				2		1		4	7	4	6	8	8	7	5	2	
189	Injuries by animals (not poisoning)	14		1	1		1				2				2	2	4	1	
192	Starvation (deprivation of food or water)	3													1		1	1	
193	Excessive cold	3														3			
194	Excessive heat	46	16			2		1			1	2	1	2	7	4	5	5	
195	Lightning	1												1					
196	Other accidental electric shocks	54	1						2	3	11	6	8	11	8	2	2		
201	Fracture (cause not specified)	13		1										6		4	1	1	
202	Other external violence	211	13	7	2	3	1	5	10	10	14	19	19	32	35	21	15	5	
	XV.—Ill-defined diseases	110	23	8	4	2	2	1	3		2	1	4	16	16	7	16	5	
204	Sudden death	7	6														1		
205a	Ill-defined	46	8	5	4		1							6	6	6	7	3	
205b	Not specified or unknown	57	9	3		2	1	1	3		2	1	4	10	10	1	8	2	
	COLORADO																		
	All causes	12,273	1,646	296	135	97	74	260	226	320	425	545	588	1,094	1,271	1,549	1,919	1,817	11
	I.—Epidemic, endemic, and infectious diseases	2,670	266	111	54	41	28	94	57	114	195	301	316	378	266	198	135	113	3
1	Typhoid and paratyphoid fever	62		3	1		1	11	7	11	8	8	3	6	2	1			
6	Smallpox	1													1				
7	Measles	13	4	2	2		1			1	1				1		1		
8	Scarlet fever	22	1		1	3	5	7	2	1	1				1				
9	Whooping cough	182	98	47	14	12	1	7	2							1			
10	Diphtheria	97	5	2	12	13	7	35	7	8	1		3	3			1		
11a	Influenza (with pulmonary complications)	363	79	33	13	5	5	11	14	5	5	10	8	30	33	33	38	41	
11b	Influenza (other and unspecified)	230	39	12	3	2	4	13	6	9	5	7	3	9	20	18	34	46	
13	Mumps	1							1										
15	Cholera nostras	1	1																
16	Dysentery	15	2	2	2					1	1					1	3	3	
21	Erysipelas	37	8	1					1		1	2	2	3	3	6	4	6	
22	Acute anterior poliomyelitis	8	1	1	1	1		1							1	1	1		
23	Lethargic encephalitis	17			1	1	1			2		2		1	1	5	3		
24	Meningococcus meningitis	11	1	1			1		3		1		2	1				1	
25	Other epidemic and endemic diseases	3	2									1							
29	Tetanus	4							1				1	1	1				
30	Mycoses	1													1				
	Tuberculosis (all forms)	1,527	9	7	4	3	2	8	11	71	168	267	289	311	191	121	46	16	3
31	Of the respiratory system	1,443	1	1				1	7	65	163	263	276	305	182	117	45	14	3
32	Of the meninges, central nervous system	30	3	4	3	2	2	5	1	3	2		1	3	1				
33	Of the intestines, peritoneum	18		1				1	1		1	1	6	3	3	1			
34	Of the vertebral column	4								1			2			1			
35	Of the joints	3											1				1	1	
36	Of other organs	14	2					1	1	1		1	2		4	2			
37a	Disseminated (acute)	12	3	1	1				1	1	2	1			1			1	
37b	Disseminated (chronic or unspecified)	3				1							1	1					
38	Syphilis	62	15			1		1	1	1	3	1	3	12	9	11	4		
40	Gonococcus infection	10	1							4		2	2	1					
41	Purulent infection, septicemia	3							1			1			1				
	II.—General diseases not included in Class I	1,294	24	6	3	3	2	13	15	20	9	22	30	111	235	288	327	186	
	Cancer and other malignant tumors	869		1	1			2	3	4	2	8	13	70	173	200	241	151	
43	Of the buccal cavity	24										1		1	3	8	5	6	
44	Of the stomach, liver	335								1	2	3	4	20	56	80	111	58	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	II.—General diseases not included in Class I—Contd.																		
	Cancer and other malignant tumors—Continued.																		
45	Of the peritoneum, intestines, rectum	104							1	2			1	5	12	30	31	22	
46	Of the female genital organs	127											4	24	42	22	24	11	
47	Of the breast	84											2	7	29	25	13	8	
48	Of the skin	25												1	5	3	8	8	
49	Of other or unspecified organs	170		1	1			2	2	1		4	2	12	26	32	49	38	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	9			1								2	2		1	2	1	
51	Acute rheumatic fever	28				1	1	4	4	4		2		1	2	5	3	1	
52	Chronic rheumatism, osteoarthritis, gout	10													3	2	5		
53	Scurvy	1								1									
54	Pellagra	1												1					
56	Rickets	5	4		1														
57	Diabetes mellitus	142		1			1	4	3	6	3	4	3	3	14	35	40	25	
58	Anemia, chlorosis	66	2	1						1				7	12	21	20	2	
59	Diseases of the pituitary gland	3								1				1	1				
60a	Exophthalmic goiter	40									3	3	1	10	15	5	3		
60b	Other diseases of the thyroid gland	10		1									1	1	2	3	2		
62	Diseases of the thymus gland	12	11						1										
63	Diseases of the adrenals (Addison's disease)	9										1	1	3	2		1	1	
64	Diseases of the spleen	1												1					
65a	Leukemia	29		1			1	3	2	1	1	1	2	4	5	4	4		
65b	Hodgkin's disease	12				1				1		2	4	2	2				
66	Alcoholism (acute or chronic)	24										1	2	6	5	8	1	1	
67a	Chronic lead poisoning	2														1	1		
68	Chronic poisoning by organic substances	3											2	1					
69	Other general diseases	18	7	1		1		2	1							2	4		
	III.—Diseases of the nervous system and of the organs of special sense	1,079	18	8	4	5	3	8	9	12	4	13	13	60	105	216	294	307	
70	Encephalitis	8		2								1		2	2	1			
71a	Simple meningitis	20	2	1	1	2	1	1	1	2		1	1	3	2	1	1		
71b	Nonepidemic cerebrospinal meningitis	6	3		1		1								1				
72	Tabes dorsalis (locomotor ataxia)	13												3	1	5	4		
73	Other diseases of the spinal cord	37	2			1		1		3			2	2	4	9	4	9	
74a	Cerebral hemorrhage	745	2			1				2	1	5	3	22	60	159	242	248	
74b	Cerebral embolism and thrombosis	46	2						1		1		2		1	6	9	24	
75	Paralysis without specified cause	34												2	1	7	11	13	
76	General paralysis of the insane	55											2	16	16	15	5	1	
77	Other forms of mental alienation	5												1	1	2	1		
78	Epilepsy	24			1				3	5	1	2		4	3		3	2	
79	Convulsions (nonpuerperal; 5 years and over)	1													1				
80	Infantile convulsions (under 5 years)	5	4			1													
81	Chorea	1										1							
82	Neuralgia and neuritis	3										1				2			
83	Softening of the brain	2															1	1	
84	Other diseases of the nervous system	46	1	1	1			3	1			2	1	4	7	8	10	7	
85	Diseases of the eye and annexa	3											1		1			1	
86a	Diseases of the ear	17	1	4			1	2	2		1		1	1	2	1	1		
86b	Diseases of the mastoid process	8	1					1	1						2		2	1	
	IV.—Diseases of the circulatory system	1,748	9	1	2	1	4	30	30	31	19	26	34	98	187	302	479	493	2
87	Pericarditis	14							2	1		1		3	2	4	1		
88	Endocarditis and myocarditis (acute)	63	4			1	1	5	7	3	3	6	3	9	3	5	4	9	
89	Angina pectoris	173											1	8	25	52	59	28	
90	Other diseases of the heart	1,261	5	1	2		2	24	20	27	16	17	28	70	135	206	356	350	2
91a	Aneurysm	30											2	5	11	7	4	1	
91b,c	Other diseases of the arteries	168												1	2	17	50	98	
92	Embolism and thrombosis (not cerebral)	31							1			2		1	9	9	3	6	
93	Diseases of the veins	6					1							1		1	2	1	
95	Hemorrhage without specified cause	1						1											
96	Other diseases of the circulatory system	1														1			
	V.—Diseases of the respiratory system	1,226	302	63	21	15	12	16	22	17	19	16	31	79	104	126	195	186	2
97b	Diseases of the nasal fossae annexa	14							1		2		2	4	1	2	1	1	
98	Diseases of the larynx	6	2	2				1	1										
99a	Acute bronchitis	20	8	2	1			1		1						1		6	
99b	Chronic bronchitis	20										1		2	2	2	8	5	
99c,d	Bronchitis (unspecified)	6	1										1					4	
100a	Broncho-pneumonia	457	214	28	16	9	6	5	5	2	3	1	3	10	15	22	45	73	
100b	Capillary bronchitis	14	11													1	1	1	
101a	Lobar pneumonia	528	57	28	3	6	2	8	11	13	12	8	19	49	60	72	111	68	1
101b	Pneumonia (unspecified)	44	8	2			1	1	2	1		1	1		5	2	8	11	1
102	Pleurisy	24	1	1			2		1		1	2	3	4	1	3	5		
103	Congestion and hemorrhagic infarct of the lung	13					1				1	1				1	2	7	
104	Gangrene of the lung	2												1				1	
105	Asthma	46										1	1	1	12	12	11	8	
106	Pulmonary emphysema	2												1				1	
107	Other diseases of the respiratory system (tuberculosis excepted)	30			1				1			1	1	7	8	8	3		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	VI.—Diseases of the digestive system	1,182	291	74	31	14	12	34	42	31	34	35	42	103	125	135	117	62	
108	Diseases of the mouth and annexa	12	1					1				1		4	1	3	1		
109b	Other diseases of the pharynx, tonsils	48	3	2	2	5	2	8	11	4	2		1	3	1	3	1		
110	Diseases of the esophagus	2	1													1			
111a	Ulcer of the stomach	71	1								1	2	3	11	15	17	17	4	
111b	Ulcer of the duodenum	28											1	4	6	9	6	2	
112	Other diseases of the stomach (cancer excepted)	58	15	4	2	1		1	1	1	1	1	1	3	5	5	10	7	
113	Diarrhea and enteritis (under 2 years)	312	251	61															
114	Diarrhea and enteritis (2 years and over)	54			18	4	3	1	1					2	5	4	8	8	
115	Ancylostomiasis	1							1										
117	Appendicitis and typhlitis	276	2	5	2	6	21	24	22	25	23	20	43	37	28	16	2		
118a	Hernia	46	1							1	2	1	8	3	10	8	12		
118b	Intestinal obstruction	84	13	3	1	1	1		3	2	1		7	5	16	12	11	8	
119	Other diseases of the intestines	10	3	1										1	1	2	1	1	
122	Cirrhosis of the liver	51							1	1		2		2	7	13	17	8	
123	Biliary calculi	44									2	1	2	5	10	13	9	2	
124	Other diseases of the liver	63		1							1	2	5	9	15	15	9	6	
125	Diseases of the pancreas	9		1	1								1	1	1		3	1	
126	Peritonitis without specified cause	13	2		1	1		2		1		1		2	2			1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	931	8	1	3	2		9	8	7	10	19	19	71	95	164	252	263	
128	Acute nephritis (including unspecified under 10 years)	52	3	1	2	1		6	3		3	1		8	4	10	4	6	
129	Chronic nephritis (including unspecified 10 years and over)	712				1		3	4	6	4	7	10	42	69	125	214	227	
131	Other diseases of the kidneys and annexa	21	4		1							4		1	2	5	1	3	
132	Calculi of the urinary passages	10	1										1		1	4	3		
133	Diseases of the bladder	7													1	1	3	2	
134	Diseases of the urethra, etc	2										1					1		
135	Diseases of the prostate	66												1	7	14	21	23	
137	Cysts, other benign tumors of the ovary	10									1	1	2	2	1		3		
138	Salpingitis and pelvic abscess (female)	19								1	2	2	5	5	3	1			
139	Benign tumors of the uterus	19										1		9	4	2	1	2	
140	Nonpuerperal uterine hemorrhage	1													1				
141	Other diseases of the female genital organs	12							1			2	1	3	2	2	1		
	VIII.—The puerperal state	137								16	31	32	32	24	2				
143	Accidents of pregnancy	13									1	5	4	2	1				
144	Puerperal hemorrhage	11									3	1	5	2					
145	Other accidents of labor	16								1	4	3	3	5					
146	Puerperal septicemia	64								10	18	13	13	10					
147	Puerperal phlegmasia alba dolens, embolus, etc	6									1	2	1	2					
148	Puerperal albuminuria and convulsions	27								5	4	8	6	3	1				
	IX.—Diseases of the skin and of the cellular tissue	25	2		1					1				1	5	3	5	7	
151	Gangrene	16			1									1	1	3	4	6	
152	Furuncle	2													2				
153	Acute abscess	1	1																
154	Other diseases of the skin and annexa	6	1							1					2		1	1	
	X.—Diseases of the bones and of the organs of locomotion	13					1	1	2				1	1	3	1	2	1	
155	Diseases of the bones (tuberculosis excepted)	11					1	1	2				1	1	3	1	1		
158	Other diseases of the organs of locomotion	2															1	1	
	XI.—Malformations	115	101	3	1	2	2	3	1		1	1							
159a	Congenital hydrocephalus	7	3	1		1	1	1											
159b	Congenital malformations of the heart	69	62	2	1	1	1		1		1								
159c	Other congenital malformations	39	36					2				1							
	XII.—Early infancy	590	590																
160	Congenital debility, icterus, sclerema	66	66																
161a	Premature birth	383	383																
161b	Injury at birth	79	79																
162	Other diseases peculiar to early infancy	59	59																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	138														3	20	114	1
	XIV.—External causes	1,100	25	28	15	14	10	52	39	71	102	79	70	168	140	111	90	33	3
	Suicide	156								3	9	17	14	26	33	33	16	5	
165	By poisons (gas or corrosives excepted)	20									1	1	2	6	5	3	2		
166	By corrosive substances	18									2	6	2	3	2	3			
167	By poisonous gas	19								1		2	1	3	5	4	2	1	
168	By hanging or strangulation	16									1	1	1	2	2	5	3	1	
169	By drowning	4										1		1	1			1	
170	By firearms	66								2	5	6	7	11	15	12	7	1	
171	By cutting or piercing instruments	13											1		3	6	2	1	
	Homicide	70	2	1						2	7	13	7	19	7	6	4		2
197	By firearms	47								2	6	7	5	17	5	2	1		2
198	By cutting or piercing instruments	6										1	1	1		1	2		
199	By other means	17	2	1							1	5	1	1	2	3	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined	874	23	27	15	14	10	52	39	66	86	49	49	123	100	72	70	78	1
175	Poisoning by food	8	2	1										2	2		1		
177	Other acute poisonings (gas excepted)	27		5	1	1	1		1		5	1	2	1	5	2		2	
178	Conflagration	9				1		1	1						1	4	1		
179	Burns (conflagration excepted)	40	3	2	6	2	1	6	3			1	4	3	2	4	1	2	
180	Mechanical suffocation	17	6					1					2	3	4	1			
181	Absorption of irrespirable, irritating, or poisonous gas	20				1				1	2	3		3	3	3	2	2	
182	Drowning	70		12	4		2	11	5	10	9	3		5	6	2	1		
183	Traumatism by firearms (except in war)	38	1		1	1		5	7	5	9	2	2	3	1		1		
184	Traumatism by cutting or piercing instruments	11	1	1		1	2	1					1		1		2	1	
185	Traumatism by fall	124	4			1		3	2	2	8	1	2	7	10	11	25	48	
186a	Traumatism in mines	67						1		2	8	7	8	19	16	5	1		
187	Traumatism by machines	29						1		3	6	3	2	8	3	1	1		1
188a	Railroad accidents	105	1	2	1		1	4	7	14	13	6	9	18	15	9	4	1	
	Collision with automobiles	15	1						2	3	3	1		2	1	1	1		
	Other railroad accidents	90		2	1		1	4	5	11	10	5	9	16	14	8	3	1	
188b	Street-car accidents	13						1	1	1	1	1			2	2	2	2	
	Collision with automobiles	2									1					1			
	Other street-car accidents	11						1	1	1		1			2	1	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	175	1	2		4	1	12	4	20	12	12	10	28	20	19	18	12	
188d	Airplane and balloon accidents	2									2								
188e,f	Injuries by other vehicles	23						1	1	1	2	2		2	1	5	6	2	
188g	Landslide, other crushing	17					1	2		1		2	1	6	1	2	1		
189	Injuries by animals (not poisoning)	11				2			2	1			2	2	2				
193	Excessive cold	4										1					1	2	
194	Excessive heat	1											1						
195	Lightning	14							1	3	3	2		2	2	1			
196	Other accidental electric shocks	12								1	3	1	2	4	1				
201	Fracture (cause not specified)	1									1								
202	Other external violence	36	4	2	2		1	2	4	1	2	1	1	7	2	1	2	4	
	XV.—Ill-defined diseases	25	10	1					1		1	1			4	2	3	2	
204	Sudden death	3													1	1	1		
205a	Ill-defined	10	3	1											1	1	2	2	
205b	Not specified or unknown	12	7						1		1	1			2				
	CONNECTICUT																		
	All causes	18,318	2,102	379	174	123	91	325	257	311	416	424	585	1,423	2,076	2,886	3,305	3,427	14
	I.—Epidemic, endemic, and infectious diseases	2,370	230	174	68	42	31	99	60	117	176	178	171	299	240	218	155	111	1
1	Typhoid and paratyphoid fever	30				1		1	4	7	2	3	2	5		4	1		
5	Malaria	2														1		1	
7	Measles	203	56	74	23	13	9	20	2	2	2				1		1		
8	Scarlet fever	36		3	3	2	4	15	4	1	2		1			1			
9	Whooping cough	85	44	32	4	1	1	3											
10	Diphtheria	87	7	12	8	9	8	29	8	1	1		1		1	1	1		
11a	Influenza (with pulmonary complications)	357	38	21	10	8	2	5	2	7	9	8	16	30	37	56	57	51	
11b	Influenza (other and unspecified)	129	19	5	3		1	2	6	2	1	4	4	19	10	12	11	30	
16	Dysentery	9	3	1		1			1							1	1	1	
19	Spirochetal hemorrhagic jaundice	3				1			1					1					
21	Erysipelas	46	16	1						1	1	1	1	3	8	5	5	4	
22	Acute anterior poliomyelitis	5	1	2	1		1												
23	Lethargic encephalitis	26	1		1	1	1	1	2	3		3	1	7	1	4			
24	Meningococcus meningitis	13	1	1	2	1	1	1	1			1		3			1		
25	Other epidemic and endemic diseases	2						1	1										
29	Tetanus	15	1					3	7	1					2			1	
30	Mycoses	3	1											1				1	
	Tuberculosis (all forms)	1,222	29	22	12	4	3	17	20	89	154	157	138	217	157	117	71	15	
31	Of the respiratory system	1,062	7	5	2	1		3	10	79	143	149	125	202	146	112	66	12	
32	Of the meninges, central nervous system	69	17	12	9	2	2	9	4	3	5	1	3		1			1	
33	Of the intestines, peritoneum	38	3	3					3	5	1	4	5	4	6	3		1	
34	Of the vertebral column	17				1		4	1			2	2	4		1	1	1	
35	Of the joints	2											1		1				
36	Of other organs	15						1	1			1	1	5	1	1	4		
37a	Disseminated (acute)	15	2	2			1		1	2	4		1	2					
37b	Disseminated (chronic or unspecified)	4			1						1				2				
38	Syphilis	78	12							1	2	1	3	12	22	14	4	6	1
40	Gonococcus infection	4								2	2								
41	Purulent infection, septicemia	14	1		1			1	1				4	1	1	1	2	1	
42	Other infectious diseases	1														1			
	II.—General diseases not included in Class I	2,441	66	13	4	5	1	22	27	14	22	16	54	207	420	628	596	344	2
	Cancer and other malignant tumors	1,668		1		2	1	3	3	3	6	8	30	127	310	463	450	259	2
43	Of the buccal cavity	52						1					1	2	7	21	10	10	
44	Of the stomach, liver	552						1			1	2	3	27	96	164	173	83	2
45	Of the peritoneum, intestines, rectum	276							1		1	1	8	19	49	78	72	47	
46	Of the female genital organs	226										1	5	32	50	75	41	22	
47	Of the breast	190									1		7	21	57	41	33	30	
48	Of the skin	46												2	3	10	15	16	
49	Of other or unspecified organs	326		1		2	1	1	2	3	3	4	6	24	48	74	106	51	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	II—General diseases not included in Class I—Continued.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	11				1		1							3	3		3	
51	Acute rheumatic fever	36	1			1		8	9	4	3	1	2	2	2	1		2	
52	Chronic rheumatism, osteoarthritis, gout	21									1			1	1	6	7	5	
53	Scurvy	2	1														1		
54	Pellagra	1												1					
56	Rickets	11	8	2	1														
57	Diabetes mellitus	357	1	1	1				8	4	3	3	6	20	47	98	105	60	
58	Anemia, chlorosis	100	3	1					2	2	1	1	1	12	22	25	23	7	
59	Diseases of the pituitary gland	1												1					
60a	Exophthalmic goiter	25									3		2	7	4	5	2	2	
60b	Other diseases of the thyroid gland	6		1				1			1				3				
61	Diseases of the parathyroid glands	2	1	1															
62	Diseases of the thymus gland	25	22	1					1	1									
63	Diseases of the adrenals (Addison's disease)	9									1		1	2	3	1	1		
64	Diseases of the spleen	3										1	1				1		
65a	Leukemia	37	1	1	2	1		5	2		1	1	2	7	2	6	5	1	
65b	Hodgkin's disease	18						1	1					5	3	6		2	
66	Alcoholism (acute or chronic)	67									2	1	8	21	19	13	1	2	
67a	Chronic lead poisoning	2		1										1					
67b	Other chronic mineral poisoning	1											1						
68	Chronic poisoning by organic substances	1																1	
69	Other general diseases	37	28	3				3	1						1	1			
	III.—Diseases of the nervous system and of the organs of special sense	1,899	49	11	12	3	5	18	20	16	23	18	27	103	206	345	488	554	1
70	Encephalitis	23	2	1	1			3	1		1	1		3	7	1	2		
71a	Simple meningitis	44	12	5	5	1	2	3	3		1	3		5	1		2	1	
71b	Nonepidemic cerebrospinal meningitis	12	5	1				2	1			1					1	1	
72	Tabes dorsalis (locomotor ataxia)	21												2	7	3	7	2	
73	Other diseases of the spinal cord	53								2	5		2	5	7	18	9	5	
74a	Cerebral hemorrhage	1,362	1	1					2	2	2	1	6	28	138	269	426	485	1
74b	Cerebral embolism and thrombosis	85		1	1				1		2	1	4	6	5	14	18	32	
75	Paralysis without specified cause	24													2	6	4	12	
76	General paralysis of the insane	63									2	2	4	20	19	11	4	1	
77	Other forms of mental alienation	20								2	3	1	4	3	3	4			
78	Epilepsy	41	1		1			3	4	2	2	4	3	12	1	2	3	3	
79	Convulsions (nonpuerperal; 5 years and over)	2						1				1							
80	Intantile convulsions (under 5 years)	21	19		2														
81	Chorea	5							1		2			1		1			
82	Neuralgia and neuritis	3				1								1	1				
83	Softening of the brain	8													1		2	5	
84	Other diseases of the nervous system	75	3		2		1	2	2	1	1	3	4	12	13	15	9	7	
85	Diseases of the eye and annexa	2		1		1													
86a	Diseases of the ear	18	3	1				2	2	4				3	1	1	1		
86b	Diseases of the mastoid process	17	3				2	2	3	3	2			2					
	IV.—Diseases of the circulatory system	3,943	12	3	3	4	2	28	34	32	25	41	64	178	402	769	1,079	1,266	1
87	Pericarditis	12	1						1		3			1		2	1	3	
88	Endocarditis and myocarditis (acute)	150	7	1	1	2		6	4	4	4	10	15	38	12	14	20	12	
89	Angina pectoris	258											3	10	40	59	93	53	
90	Other diseases of the heart	3,102	3	1	2	2	2	21	29	26	17	30	43	122	330	638	859	976	1
91a	Aneurysm	14											1	1	3	2	2	5	
91b,c	Other diseases of the arteries	348										1		2	6	44	84	211	
92	Embolism and thrombosis (not cerebral)	46						1		2	1		1	2	8	10	17	4	
93	Diseases of the veins	9											1	2	2		2	2	
94	Diseases of the lymphatic system	3	1	1													1		
96	Other diseases of the circulatory system	1													1				
	V.—Diseases of the respiratory system	1,870	305	98	40	17	15	27	19	35	30	32	47	176	202	242	280	305	
97a	Diseases of the nasal fossae	2	1															1	
97b	Diseases of the nasal fossae annexa	6							2	1				2	1				
98	Diseases of the larynx	7	2		2	1									1	1			
99a	Acute bronchitis	62	32	1	2	1								1	1	2	5	17	
99b	Chronic bronchitis	33	2					1			1			1	1	4	8	15	
99c,d	Bronchitis (unspecified)	29	5	2								1			2		4	15	
100a	Broncho-pneumonia	635	187	59	24	8	5	10	3	9	7	9	7	32	35	42	86	112	
100b	Capillary bronchitis	13	8	1	1			1										2	
101a	Lobar pneumonia	955	58	31	9	7	9	12	13	21	20	20	31	127	143	175	160	119	
101b	Pneumonia (unspecified)	26	5	1	2								2	2	5		4	5	
102	Pleurisy	38	2	2			1	1		2	1	1	3	5	6	7	4	3	
103	Congestion and hemorrhagic infarct of the lung	22	3	1				1		2				1		1	3	10	
104	Gangrene of the lung	2										1				1			
105	Asthma	23						1					2	2	6	5	3	4	
106	Pulmonary emphysema	4													1	1	1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	13							1		1		2	3		3	2	1	
	VI.—Diseases of the digestive system	1,203	266	43	27	15	14	43	34	16	23	21	49	113	161	162	122	94	
108	Diseases of the mouth and annexa	3						1					1					1	
109b	Other diseases of the pharynx, tonsils	52	4	3	2	2	3	6	4	4	2	3	4	3	8	1	3		
110	Diseases of the esophagus	4					1									1	1	1	
111a	Ulcer of the stomach	63	1								1		7	13	20	13	4	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
111b	Ulcer of the duodenum	33												10	8	7	5	3	
112	Other diseases of the stomach (cancer excepted)	43	5	4	1	1							2	4	4	3	9	10	
113	Diarrhea and enteritis (under 2 years)	266	234	32															
114	Diarrhea and enteritis (2 years and over)	76			17	7	2	2	1	2	2		3	5	5	8	8	14	
116	Diseases due to other intestinal parasites	1			1														
117	Appendicitis and typhlitis	198			6	4	5	28	25	7	13	7	10	28	34	19	10	2	
118a	Hernia	67										1	3	2	12	19	17	13	
118b	Intestinal obstruction	96	18	3			1	2	1	1	1	2	4	11	11	14	15	12	
119	Other diseases of the intestines	19	2			1	1	1	1					2	4	2	2	3	
120	Acute yellow atrophy of the liver	8							1		1		1	3				2	
122	Cirrhosis of the liver	98								1		2	4	10	24	33	16	8	
123	Biliary calculi	105										3	6	14	19	27	23	13	
124	Other diseases of the liver	43	1				1		1			1	1	5	9	9	7	8	
125	Diseases of the pancreas	9									1	1	1	1	1	3	1		
126	Peritonitis without specified cause	19	1	1				3		1	2	1	2	2	2	3	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,703	8	3	2	3	1	4	14	5	13	21	34	120	229	327	417	501	1
128	Acute nephritis (including unspecified under 10 years)	57	2	1	2	1		2	2	1	1	6	4	5	9	10	7	4	
129	Chronic nephritis (including unspecified 10 years and over)	1,450		2		2	1	2	11	3	7	10	24	81	189	293	375	449	1
131	Other diseases of the kidneys and annexa	27	3						1	1	2		2	3	3	3	6	3	
132	Calculi of the urinary passages	9											1	1	2	4	1		
133	Diseases of the bladder	16												1	1	1	1	12	
134	Diseases of the urethra, etc	5											1	1			2	1	
135	Diseases of the prostate	59													2	12	20	25	
136	Nonvenereal diseases of the male genital organs	3	2														1		
137	Cysts, other benign tumors of the ovary	8											1	2	2	1	2		
138	Salpingitis and pelvic abscess (female)	21									1	2		10	6	1	1		
139	Benign tumors of the uterus	35									1	1	1	11	11	2	1	7	
140	Nonpuerperal uterine hemorrhage	1									1								
141	Other diseases of the female genital organs	11										2		5	4				
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	168							1	11	25	39	45	45	2				
143	Accidents of pregnancy	17								1	1	2	7	6					
144	Puerperal hemorrhage	18								1	1	6	6	4					
145	Other accidents of labor	22							1	1	2	3	4	11					
146	Puerperal septicemia	59								2	15	14	16	11	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	6									1	3	2						
148	Puerperal albuminuria and convulsions	45								6	5	11	9	13	1				
149	Following childbirth (undefined)	1											1						
	IX.—Diseases of the skin and of the cellular tissue	56	6	1						1	1		2	6	3	5	14	17	
151	Gangrene	25	1													1	11	12	
152	Furuncle	5												1	1	3			
153	Acute abscess	14	1	1						1	1			4	1	1		4	
154	Other diseases of the skin and annexa	12	4										2	1	1		3	1	
	X.—Diseases of the bones and of the organs of locomotion	21	1		1	1		2	2	2				5		3	3	1	
155	Diseases of the bones (tuberculosis excepted)	18	1			1		2	2	2				4		3	2	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3			1									1			1		
	XI.—Malformations	205	186	7	4	3		2	2					1					
159a	Congenital hydrocephalus	31	29	1		1													
159b	Congenital malformations of the heart	104	92	4	3	1		2	2										
159c	Other congenital malformations	70	65	2	1	1								1					
	XII.—Early infancy	913	913																
160	Congenital debility, icterus, sclerema	85	85																
161a	Premature birth	519	519																
161b	Injury at birth	213	213																
162	Other diseases peculiar to early infancy	95	95																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	92															12	80	
	XIV.—External causes	1,383	41	23	13	29	22	79	42	62	78	57	92	166	207	179	132	154	7
	Suicide	216								6	9	11	16	36	52	45	24	16	1
165	By poisons (gas or corrosives excepted)	6									1		2		1	1	1		
166	By corrosive substances	13								2	1	1	2	3	3		1		
167	By poisonous gas	51								1	1	3	5	6	11	15	8	1	
168	By hanging or strangulation	59								1	1	3	2	11	17	13	7	4	
169	By drowning	15								1		2	1	4	2	3		2	
170	By firearms	40								1	1	1	3	7	9	11	3	3	1
171	By cutting or piercing instruments	19									2	1		2	5	1	4	4	
172	By jumping from high places	10									1		1	3	3	1		1	
173	By crushing	2									1				1				
174	By other means	1																1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	XIV.—External causes—Contd.																		
	Homicide	44	10					1			3	3	10	9	7	1			
197	By firearms	13									1	1	4	5	1	1			
198	By cutting or piercing instruments	8	1					1			1		3		2				
199	By other means	23	9								1	2	3	4	4				
	Accidental or undefined	1,123	31	23	13	29	22	78	42	56	66	43	66	121	148	133	108	138	6
175	Poisoning by food	8				1		1		1				1	2	1		1	
177	Other acute poisonings (gas excepted)	12		3			1						1	1	2	2	1	1	
178	Conflagration	17	1		1	1	1	2	1		1	1	1	3	2	1	1		
179	Burns (conflagration excepted)	87	4	10	6	12	8	6		3	2	2	2	10	3	7	8	4	
180	Mechanical suffocation	24	16	1					3				3	1					
181	Absorption of irrespirable, irritating, or poisonous gas	68	3	2		1		4		4	3	3	2	2	16	13	6	9	
182	Drowning	90		2		2		20	9	14	6	6	4	11	5	7		1	3
183	Traumatism by firearms (except in war)	20			1	3	1	2	2	4	5			1	1				
184	Traumatism by cutting or piercing instruments	9	1											4	2	2			
185	Traumatism by fall	252		1	2	1	2	3	5	2	3	2	11	20	28	30	42	100	
186a	Traumatism in mines	1											1						
187	Traumatism by machines	17							1	1	3		3	4	2	2	1		
188a	Railroad accidents	51				1		2	1	4	4		5	7	8	9	7	2	1
	Collision with automobiles	9								1	3		1		1	3			
	Other railroad accidents	42				1		2	1	3	1		4	7	7	6	7	2	1
188b	Street-car accidents	26							2	1	1	1	3	4	2	7	3	2	
	Collision with automobiles	9								1	1	1	2	2			1	1	
	Other street-car accidents	17							2				1	2	2	7	2	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	307		2	3	6	5	34	14	15	24	21	19	37	58	31	27	10	1
188d	Airplane and balloon accidents	1											1						
188e,f	Injuries by other vehicles	23	1	1			1	1	2	3	3		3		2	5	1		
188g	Landslide, other crushing	10								1	1			3	2	2	1		
189	Injuries by animals (not poisoning)	7					1					1			3		1	1	
192	Starvation (deprivation of food or water)	1											1						
193	Excessive cold	11							1					3	3	2		2	
194	Excessive heat	8											2		1	3	2		
196	Other accidental electric shocks	12						1			4	4	1			2			
201	Fracture (cause not specified)	4								1			1					2	
202	Other external violence	57	5	1		1	2	2	1	2	6	2	2	9	6	7	7	3	1
	XV.—Ill-defined diseases	51	19	3		1		1	2			1		4	4	8	7		1
204	Sudden death	11	5											2	1	2	1		
205a	Ill-defined	21	3	3		1		1	2			1		1	1	3	4		1
205b	Not specified or unknown	19	11											1	2	3	2		
	DELAWARE																		
	All causes	3,447	392	100	34	28	15	75	43	74	91	103	100	229	360	500	635	663	5
	I.—Epidemic, endemic, and infectious diseases	533	63	45	15	9	6	20	8	28	36	43	29	55	45	53	43	33	2
1	Typhoid and paratyphoid fever	14							2	2	1	1	3	2		3			
5	Malaria	1										1							
7	Measles	52	17	18	4		2	9			1			1					
8	Scarlet fever	5	1		1					2	1								
9	Whooping cough	21	14	5	2														
10	Diphtheria	18		3		4	2	4			3			1	1				
11a	Influenza (with pulmonary complications)	74	6	9	1	3		1	1	2	2	4	5	5	6	9	8	12	
11b	Influenza (other and unspecified)	40	3	1	1		1	1		1	1			1		8	11	11	
16	Dysentery	4	3															1	
19	Spirochetal hemorrhagic jaundice	1	1																
21	Erysipelas	4	2		1						1								
23	Lethargic encephalitis	5		1				1						1		2			
24	Meningococcus meningitis	1									1								
29	Tetanus	5						1		1	1	1			1				
	Tuberculosis (all forms)	262	11	7	5	2	1	3	5	19	22	35	18	41	36	27	20	8	2
31	Of the respiratory system	233	4	1	1			2	5	19	21	33	17	41	34	27	18	8	2
32	Of the meninges, central nervous system	15	6	4	1	2	1	1											
33	Of the intestines, peritoneum	3			1						1	1							
34	Of the vertebral column	2			1										1				
35	Of the joints	1											1						
36	Of other organs	3		1								1					1		
37b	Disseminated (chronic or unspecified)	5	1	1	1										1		1		
38	Syphilis	21	5	1							2	1	1	3	1	3	3	1	
40	Gonococcus infection	3								1			2						
41	Purulent infection, septicemia	2														1	1		
	II.—General diseases not included in Class I	339	11	2		1	1	1		2	4	3	8	26	61	83	88	48	
	Cancer and other malignant tumors	237									2	3	5	18	42	61	69	37	
43	Of the buccal cavity	4														1	1	2	
44	Of the stomach, liver	75												2	11	24	22	16	
45	Of the peritoneum, intestines, rectum	34										1	1	5	5	8	10	4	
46	Of the female genital organs	42										1	2	3	14	12	8	2	
47	Of the breast	29									1			6	6	6	8	2	
48	Of the skin	7															3	4	
49	Of other or unspecified organs	46									1	1	2	2	6	10	17	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	II.—General diseases not included in Class I—Continued.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3								1	1			1		1	2		
51	Acute rheumatic fever	5													1		1	1	
52	Chronic rheumatism, osteoarthritis, gout	2														1		1	
56	Rickets	3	2	1															
57	Diabetes mellitus	50					1			1				6	7	14	13	8	
58	Anemia, chlorosis	9											3		2	2	1	1	
60a	Exophthalmic goiter	6												1	3		1	1	
61	Diseases of the parathyroid glands	3	2	1															
62	Diseases of the thymus gland	4	4																
65b	Hodgkin's disease	1						1											
66	Alcoholism (acute or chronic)	12									1				6	5			
69	Other general diseases	4	3			1													
	III.—Diseases of the nervous system and of the organs of special sense	424	7	1	2	1	1	2	4	3		3	4	18	47	66	133	131	1
70	Encephalitis	3							1							1		1	
71a	Simple meningitis	11	1	1	1	1	1						1	4			1		
71b	Nonepidemic cerebrospinal meningitis	3	1							1							1		
72	Tabes dorsalis (locomotor ataxia)	7												1	2	2		2	
73	Other diseases of the spinal cord	11												1	1	5	4		
74a	Cerebral hemorrhage	326	1							1		3		5	33	48	115	120	
74b	Cerebral embolism and thrombosis	10													3	1	4	1	1
75	Paralysis without specified cause	11														3	5	3	
76	General paralysis of the insane	13											2	4	3	2	1	1	
77	Other forms of mental alienation	1												1					
78	Epilepsy	5							1				1	2		1			
80	Infantile convulsions (under 5 years)	4	4																
81	Chorea	1																1	
84	Other diseases of the nervous system	10							1						4	2	1	2	
86a	Diseases of the ear	5		1				1	1	1						1			
86b	Diseases of the mastoid process	3						1							1		1		
	IV.—Diseases of the circulatory system	623	6			1		7	2	6	5	4	9	29	66	129	167	192	
88	Endocarditis and myocarditis (acute)	18	1			1		2		2				5	1	4	1	1	
89	Angina pectoris	40											1	4	5	12	9	9	
90	Other diseases of the heart	504	3					5	2	4	5	4	8	19	59	101	143	151	
91a	Aneurysm	4												1		1	1	1	
91b,c	Other diseases of the arteries	48													1	8	11	28	
92	Embolism and thrombosis (not cerebral)	7	1													2	2	2	
94	Diseases of the lymphatic system	1	1																
96	Other diseases of the circulatory system	1														1			
	V.—Diseases of the respiratory system	352	56	34	8	6	5	10	6	4	10	5	7	27	30	42	45	57	
97b	Diseases of the nasal fossae annexa	1															1		
98	Diseases of the larynx	2													1	1			
99a	Acute bronchitis	3	1	1														1	
99b	Chronic bronchitis	3																3	
99c,d	Bronchitis (unspecified)	5									1				1	1	1	1	
100a	Broncho-pneumonia	121	38	17	5	2	3	6	4		2		1	4	5	4	10	20	
101a	Lobar pneumonia	181	15	15	3	2	1	2	1	3	6	4	4	19	19	32	30	25	
101b	Pneumonia (unspecified)	14	2			2		1			1	1	1	2	1		1	2	
102	Pleurisy	7		1						1			1	1	2	1			
103	Congestion and hemorrhagic infarct of the lung	3					1											2	
105	Asthma	10						1						1	1	3	1	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	2							1								1		
	VI.—Diseases of the digestive system	240	79	13	3	4	2	9	6	6	2	10	11	12	26	22	16	19	
108	Diseases of the mouth and annexa	3	1												2				
109b	Other diseases of the pharynx, tonsils	9	1	1				2			1	2			2				
111a	Ulcer of the stomach	9										1	2	2	1	1	2		
111b	Ulcer of the duodenum	4										1			1	1	1		
112	Other diseases of the stomach (cancer excepted)	15	1		1		1	2					1	1	2	2	1	3	
113	Diarrhea and enteritis (under 2 years)	83	72	11															
114	Diarrhea and enteritis (2 years and over)	20			1	3								2	4	4	2	4	
117	Appendicitis and typhlitis	26						2	2	6	1	3	4	3	4	1			
118a	Hernia	12										1			3	2	4	2	
118b	Intestinal obstruction	16	3	1	1			1				2	1	1		4	1	1	
119	Other diseases of the intestines	1														1			
122	Cirrhosis of the liver	14													3	4	3	4	
123	Biliary calculi	9												1	3	1	1	3	
124	Other diseases of the liver	10					1						3	1	1	1	1	2	
125	Diseases of the pancreas	1				1													
126	Peritonitis without specified cause	8	1					2	4					1					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	429	2		1			2	6	3	3	3	7	17	59	79	113	133	1
128	Acute nephritis (including unspecified under 10 years)	22	2		1			1	1	2			1	3	5	1	2	3	
129	Chronic nephritis (including unspecified 10 years and over)	375						1	4		2	1	5	9	49	73	105	125	1
131	Other diseases of the kidneys and annexa	7										1		1	1		3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.																		
133	Diseases of the bladder	4												1		1	1	1	
134	Diseases of the urethra, etc	2									1					1			
135	Diseases of the prostate	7														2	1	3	
137	Cysts, other benign tumors of the ovary	1											1		1				
138	Salpingitis and pelvic abscess (female)	1													1				
139	Benign tumors of the uterus	7										1		3	1	1	1		
141	Other diseases of the female genital organs	3							1	1					1				
	VIII.—The puerperal state	39								6	9	10	8	6					
143	Accidents of pregnancy	8								1	1	3	1	2					
144	Puerperal hemorrhage	3									1		1	1					
145	Other accidents of labor	1												1					
146	Puerperal septicemia	15								3	3	3	4	2					
148	Puerperal albuminuria and convulsions	11								2	4	4	1						
149	Following childbirth (undefined)	1											1						
	IX.—Diseases of the skin and of the cellular tissue	8			1						1					1	1	4	
151	Gangrene	4																4	
152	Furuncle	2									1					1			
153	Acute abscess	2			1												1		
	XI.—Malformations	25	23	1				1											
159a	Congenital hydrocephalus	5	4					1											
159b	Congenital malformations of the heart	15	15																
159c	Other congenital malformations	5	4	1															
	XII.—Early infancy	139	139																
160	Congenital debility, icterus, sclerema	19	19																
161a	Premature birth	89	89																
161b	Injury at birth	16	16																
162	Other diseases peculiar to early infancy	15	15																
164	XIII.—Old age (senility)	42														1	7	34	
	XIV.—External causes	246	5	2	4	6		22	11	16	21	21	17	39	25	24	20	12	1
	Suicide	19										3	1	4	7	1	3		
166	By corrosive substances	1													1				
167	By poisonous gas	8												2	4	1	1		
168	By hanging or strangulation	2													1		1		
170	By firearms	6										2	1	2			1		
171	By cutting or piercing instruments	1													1				
172	By jumping from high places	1										1							
	Homicide	20		1						1	5	2	3	5	1	1	1		
197	By firearms	11								1	4	1		2	1	1	1		
198	By cutting or piercing instruments	5									1		3	1					
199	By other means	4		1								1		2					
	Accidental or undefined	207	5	1	4	6		22	11	15	16	16	13	30	17	22	16	12	1
175	Poisoning by food	2							1					1					
177	Other acute poisonings (gas excepted)	4	1	1	2														
179	Burns (conflagration excepted)	17	1		1	4		3				1	1	1	1	2	2		
180	Mechanical suffocation	1	1																
181	Absorption of irrespirable, irritating, or poisonous gas	8							1					3	1	2	1		
182	Drowning	22			1			5	2	3	1	3	2	2	3				
183	Traumatism by firearms (except in war)	4						1	1	1				1					
184	Traumatism by cutting or piercing instruments	2				1													1
185	Traumatism by fall	34	1						1		1	2	2	3	1	5	7	11	
187	Traumatism by machines	1								1									
188a	Railroad accidents	37						2	3	3	5	4	3	7	3	5	2		
	Collision with automobiles	16						2	3	1	4	1		3		2			
	Other railroad accidents	21								2	1	3	3	4	3	3	2		
188b	Street-car accidents	2								1				1					
	Collision with automobiles	1												1					
	Other street-car accidents	1								1									
188c	Automobile accidents (excluding collision with railroad trains and street cars)	50						10	1	4	6	4	2	10	4	6	3		
188e,f	Injuries by other vehicles	5				1				1		1			1		1		
188g	Landslide, other crushing	1							1										
189	Injuries by animals (not poisoning)	1						1											
193	Excessive cold	1														1			
194	Excessive heat	3	1											1	1				
196	Other accidental electric shocks	1											1						
201	Fracture (cause not specified)	3											2			1			
202	Other external violence	8								1	3	1			2			1	
	XV.—Ill-defined diseases	8	1	2				1				1			1		2		
204	Sudden death	1													1				
205a	Ill-defined	5		2				1				1					1		
205b	Not specified or unknown	2	1														1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DISTRICT OF COLUMBIA																				
	All causes	White	4,583	407	59	38	27	21	65	28	58	84	117	136	353	549	753	879	1,009	
		Colored	2,805	351	73	26	22	14	27	29	79	163	157	179	400	492	377	253	163	
	I.—Epidemic, endemic and infectious diseases	White	464	44	15	20	6	4	21	7	18	27	36	25	69	64	52	34	22	
		Colored	467	32	17	4	9	8	9	10	38	75	61	61	69	38	22	10	4	
1	Typhoid and paratyphoid fever	W	10									1			6		3			
		C	4									2		1		1				
5	Malaria	W	1												1					
		C	1												1					
7	Measles	W	30	8	6	8	1	1	5					1						
		C	8	3	2		1	1	1											
8	Scarlet fever	W	5		1	1		1	2											
		C	3	1		1			1											
9	Whooping cough	W	25	15	5	3	2													
		C	16	8	4	1		3												
10	Diphtheria	W	22	3	1	1	2	2	6	1	1	2		1	1		1			
		C	6	2	1			1	1	1										
11a	Influenza (with pulmonary complications)	W	60	5							1		1	2	7	7	14	9	14	
		C	25		2		1				2			3	3	4	6	3	1	
11b	Influenza (other and unspecified)	W	18	2		1	1		1	1				1	2	4	1	1	3	
		C	12	4	1						1				1	2	3			
16	Dysentery	W	3	2					1											
		C	2	1				1												
21	Erysipelas	W	2	1									1							
		C	1															1		
22	Acute anterior poliomyelitis	W	2		1					1										
		C	1				1													
23	Lethargic encephalitis	W	5			1									1		1	2		
		C	1												1					
24	Meningococcus meningitis	W	4	1					2		1									
29	Tetanus	W	5	1						2	2									
		C	2									1					1			
30	Mycoses	W	1														1			
	Tuberculosis (all forms)	W	251	2	1	5			4	1	13	22	34	18	47	49	30	20	5	
		C	347	1	6	2	6	2	6	9	33	72	59	52	55	29	8	5	2	
31	Of the respiratory system	W	221			1			1		13	21	29	17	42	45	28	19	5	
		C	321		1		2		5	6	29	70	58	52	55	28	8	5	2	
32	Of the meninges, central nervous system	W	16	1	1	3			3			1	4			2	1			
		C	11		3	2	3	1			1	1								
33	Of the intestines, peritoneum	W	3											1	2					
		C	7							2	2	1	1			1				
34	Of the vertebral column	W	5							1			1		1	1	1			
		C	1							1										
35	Of the joints	W	1												1					
36	Of other organs	W	3												1	1		1		
37a	Disseminated (acute)	W	2	1		1					1									
		C	7	1	2		1	1	1											
38	Syphilis	W	14	4								1		1	3	3		2		
		C	33	12	1						1		1	3	8	2	3	1	1	
40	Gonococcus infection	W	1									1								
		C	2																	
41	Purulent infection, septicemia	W	5							1				2						
		C	3								1		1	1	1	1	1			
	II.—General diseases not included in Class I	White	644	6	1		2	4	4	4	8	4	11	15	55	104	162	163	101	
		Colored	235	12	1	1	1		1		2	4	6	11	38	68	58	23	9	
	Cancer and other malignant tumors	W	454		1				1	1	3	2	6	7	37	76	112	126	82	
		C	152			1					1	2	2	5	26	47	43	18	7	
43	Of the buccal cavity	W	13												1		5	5	2	
		C	9											1	3	3		2		
44	Of the stomach, liver	W	161										1	2	7	29	39	53	30	
		C	66											1	9	18	24	10	4	
45	Of the peritoneum, intestines, rectum	W	70		1								1	2	11	7	19	16	13	
		C	7												1	4	1	1		
46	Of the female genital organs	W	57											1	8	14	12	15	7	
		C	34									1	1	1	10	10	9	1	1	
47	Of the breast	W	40								1				4	8	11	9	7	
		C	15											2	2	6	4	1		
48	Of the skin	W	7														2	2	3	
49	Of other or unspecified organs	W	106						1	1	2	2	4	2	6	18	24	26	20	
		C	21			1					1	1	1		1	6	5	3	2	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	10											1	2	3	3	1		
		C	4									1			1		1	1		
51	Acute rheumatic fever	W	4								1		1			1	1			
		C	4						1				1	1		1				
52	Chronic rheumatism, osteoarthritis, gout	W	6													3	2		1	
54	Pellagra	W	1										1							
		C	6										1	1	2	1	1			
56	Rickets	C	3	2	1															
57	Diabetes mellitus	W	86					1	3	1	1				4	3	8	25	25	15
		C	39								1	1		1	4	15	13	2	2	
58	Anemia, chlorosis	W	21	1				1		1	1	1			2		5	6	3	
		C	3												1			2		
59	Diseases of the pituitary gland	W	2							1			1							
60a	Exophthalmic goiter	W	13									1			4	2	4	2		
		C	4										1	2		1				
60b	Other diseases of the thyroid gland	W	3								1				1		1			
62	Diseases of the thymus gland	W	3	1				2												
63	Diseases of the adrenals (Addison's disease)	W	4										1	1			2			
64	Diseases of the spleen	W	1											1						
		C	1													1				
65a	Leukemia	W	17				1				1			1	1	4	6	3		
		C	2				1							1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DISTRICT OF COLUMBIA—Continued																			
	II.—General diseases not included in Class I—Continued.																			
65b	Hodgkin's disease	W	2												2					
		C	1												1					
66	Alcoholism (acute or chronic)	W	9										1		1	6	1			
		C	5										1		2	2				
67a	Chronic lead poisoning	W	1													1				
		C	1												1					
68	Chronic poisoning by organic substances	W	2												2					
69	Other general diseases	W	5	4			1													
		C	10	10																
	III.—Diseases of the nervous system and of the organs of special sense	White	468	4	5	3	2	3	4	2	3	3	9	14	29	49	81	119	138	
		Colored	271	5	2	1	1		1	2	2	7	3	11	39	71	58	44	24	
70	Encephalitis	W	5			1					1	1	1			1				
		C	2										1	1						
71a	Simple meningitis	W	16		3	1	2		1		1			1	3	2	1		1	
		C	6	2	1					1		1				1				
71b	Nonepidemic cerebrospinal meningitis	W	1					1												
		C	1			1														
72	Tabes dorsalis (locomotor ataxia)	W	2													1			1	
		C	7												1	6				
73	Other diseases of the spinal cord	W	15						1						1	4	3	5	1	
		C	9									3			1	3	1		1	
74a	Cerebral hemorrhage	W	321										1	1	5	25	65	105	119	
		C	160											4	16	46	37	38	19	
74b	Cerebral embolism and thrombosis	W	20	1				1					1		1	1	2	4	9	
		C	8										1		2	2	1	2		
75	Paralysis without specified cause	W	3														1	1	1	
		C	10												1	1	4	1	3	
76	General paralysis of the insane	W	38							1			2	6	13	10	5	1		
		C	45									1	1	4	15	9	12	2	1	
77	Other forms of mental alienation	W	4									1			1					
		C	2									1			1					
78	Epilepsy	W	6						1				2	2		1				
		C	7						1		1	1			2		2			
80	Infantile convulsions (under 5 years)	C	2	2																
82	Neuralgia and neuritis	C	1											1						
83	Softening of the brain	W	1																1	
84	Other diseases of the nervous system	W	22		1	1			1			1	1	2	4	2	3	3	3	
		C	5							1				1		1	1			
86a	Diseases of the ear	W	10	2	1								1		1	2	1		2	
		C	3	1			1									1				
86b	Diseases of the mastoid process	W	4	1				1		1	1									
		C	3		1						1					1				
	IV.—Diseases of the circulatory system	White	1,109	1			1	2	4	3	5	2	6	12	50	109	222	285	407	
		Colored	575			1			3	2	7	11	15	26	103	158	101	90	58	
87	Pericarditis	W	2													1	1			
		C	1											1						
88	Endocarditis and myocarditis (acute)	W	42					1			1	1	2	3	21	3	4	4	2	
		C	75			1					4	3	5	13	44	1	2	2		
89	Angina pectoris	W	60												3	10	17	20	10	
		C	3													3				
90	Other diseases of the heart	W	876	1			1		4	3	4	1	3	9	24	88	182	231	325	
		C	439						3	2	3	8	9	12	52	147	90	72	41	
91a	Aneurysm	W	9												1	3	2	3		
		C	16												6	5	2	2	1	
91b,c	Other diseases of the arteries	W	101													2	11	22	66	
		C	39												1	1	7	14	16	
92	Embolism and thrombosis (not cerebral)	W	14										1		1	1	4	4	3	
93	Diseases of the veins	W	4					1								1	1	1		
		C	1													1				
94	Diseases of the lymphatic system	C	1										1							
96	Other diseases of the circulatory system	W	1																1	
	V.—Diseases of the respiratory system	White	404	57	19	4	3	3	6	3	2	7	10	13	37	41	59	57	83	
		Colored	371	86	43	16	6		5	1	7	18	12	22	47	47	30	17	14	
97a	Diseases of the nasal fossae	W	1												1					
97b	Diseases of the nasal fossae annexa	W	4	1									1		1		1			
		C	1											1						
98	Diseases of the larynx	W	2	1	1															
99a	Acute bronchitis	W	12	2				1						1			2	2	4	
		C	12	4	2	1									1		3	1		
99b	Chronic bronchitis	W	13										1				1	5	6	
		C	6													2	3		1	
99c,d	Bronchitis (unspecified)	W	6														2	1	3	
		C	3									1						1	1	
100a	Broncho-pneumonia	W	157	37	15	2	1		4	1			2	5	9	11	12	17	41	
		C	173	70	33	10	5		3	1	1	3	2	3	9	8	12	6	7	
100b	Capillary bronchitis	W	4	2															2	
		C	8	5	2	1														
101a	Lobar pneumonia	W	166	9	1	2	2	1	2	2	1	6	6	6	22	26	33	29	18	
		C	143	5	5	3	1		2		4	6	10	16	34	36	11	7	3	
101b	Pneumonia (unspecified)	W	13	4											1	2	3	3		
		C	7	2	1						1	2		1						
102	Pleurisy	W	11	1	1			1			1	1			2		2		2	
		C	12			1					1	3		1	3		1	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DISTRICT OF COLUMBIA—Continued																		
	V.—Diseases of the respiratory system—Continued.																		
103	Congestion and hemorrhagic infarct of the lung	W 5														1		4	
		C 1																1	
104	Gangrene of the lung	W 2											1		1				
105	Asthma	W 7												1	1	2		3	
		C 1															1		
106	Pulmonary emphysema	C 1									1								
107	Other diseases of the respiratory system (tuberculosis excepted)	W 1		1															
		C 3									2				1				
	VI.—Diseases of the digestive system	White 336	62	12	8	6	1	7	2	3	6	11	14	24	61	56	35	28	
		Colored 210	69	8	2	2	3	3	4	5	13	16	11	18	23	18	10	5	
108	Diseases of the mouth and annexa	W 3												1	1			1	
		C 2											1	1					
109b	Other diseases of the pharynx, tonsils	W 12	2		1			1		1		3		1	2	1			
		C 7								1		2	2	1				1	
111a	Ulcer of the stomach	W 12												3		4	1	4	
		C 3									1					1	1		
111b	Ulcer of the duodenum	W 11										1		2	3	3	1	1	
		C 4												4					
112	Other diseases of the stomach (cancer excepted)	W 3	1			1						1							
		C 11	2										1	2	4	1		1	
113	Diarrhea and enteritis (under 2 years)	W 62	51	11															
		C 69	63	6															
114	Diarrhea and enteritis (2 years and over)	W 19			6	2								1	2	2	2	4	
		C 27			2	1	2				2	4	1	5	4	3	2	1	
117	Appendicitis and typhlitis	W 68		1	1	3	1	3	2	2	6	3	11	5	17	8	5		
		C 25						3	3	1	4	6	3	1	2	2			
118a	Hernia	W 14												2	3	2	4	3	
		C 6													1	3	2		
118b	Intestinal obstruction	W 38	7					1				1		5	6	8	5	5	
		C 19	1	2			1		1	1	2	1	1	2	1	4	1	1	
119	Other diseases of the intestines	W 6	1									1		1		1	2		
		C 6				1					1			1	1	1	1		
122	Cirrhosis of the liver	W 26												1	9	9	6	1	
		C 14									2	2		1	6		2	1	
123	Biliary calculi	W 19													8	7	3	1	
		C 3								1					1		1		
124	Other diseases of the liver	W 34						2					2	1	8	9	6	6	
		C 5	1										1		2	1			
125	Diseases of the pancreas	W 2											1			1			
		C 2										1	1						
126	Peritonitis without specified cause	W 7										1		1	2	1		2	
		C 7	2							1	1				1	2			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White 503	1	1					1	3	6	6	10	33	69	83	145	145	
		Colored 321				1	1		1	5	7	11	17	53	73	68	48	36	
128	Acute nephritis (including unspecified under 10 years)	W 9	1										1	2	2	1	1	1	
		C 38					1		1	2	4	4	3	10	5	3	4	1	
129	Chronic nephritis (including unspecified 10 years and over)	W 436							1	3	5	5	7	25	58	69	133	130	
		C 243								2		6	8	33	61	58	42	33	
131	Other diseases of the kidneys and annexa	W 11		1								1			1	5	3		
		C 5				1									2	1	1		
132	Calculi of the urinary passages	W 6												2	1	1	1	1	
133	Diseases of the bladder	W 4														1		3	
		C 1														1			
134	Diseases of the urethra, etc.	W 1													1				
		C 1														1			
135	Diseases of the prostate	W 20												1		2	7	10	
		C 7													1	3	1	2	
137	Cysts, other benign tumors of the ovary	W 2													2				
		C 2											1	1					
138	Salpingitis and pelvic abscess (female)	W 4									1		2			1			
		C 16								1	2	1	4	5	2	1			
139	Benign tumors of the uterus	W 8												2	4	2			
		C 7											2	4	1				
141	Other diseases of the female genital organs	W 2												1		1			
		C 1									1								
	VIII.—The puerperal state	White 39								1	6	7	12	13					
		Colored 30							1	5	4	8	7	5					
143	Accidents of pregnancy	W 3									1	2							
		C 1										1							
144	Puerperal hemorrhage	W 4									1		1	2					
		C 3								1			1	1					
145	Other accidents of labor	W 8										1	5	2					
		C 1												1					
146	Puerperal septicemia	W 13									3	2	4	4					
		C 15							1	1	3	5	3	2					
147	Puerperal phlegmasia alba dolens, embolus, etc.	W 3											2	1					
148	Puerperal albuminuria and convulsions	W 7								1		2		4					
		C 10								3	1	2	3	1					
149	Following childbirth (undefined)	W 1									1								
	IX.—Diseases of the skin and of the cellular tissue	White 7	1					2			1					1		2	
		Colored 4		1											1		1	1	
151	Gangrene	W 1						1											
		C 3													1		1	1	
153	Acute abscess	W 4						1			1					1		1	
154	Other diseases of the skin and annexa	W 2	1															1	
		C 1		1															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DISTRICT OF COLUMBIA—Continued																				
	X.—Diseases of the bones and of the organs of locomotion	White	6	1	1											1		1	2	
		Colored	3												1		2			
155	Diseases of the bones (tuberculosis excepted)	W	6	1	1											1		1	2	
		C	3												1		2			
	XI.—Malformations	White	50	46	2							1			1					
		Colored	13	11		1									1					
159a	Congenital hydrocephalus	W	6	4	2															
		C	2	2																
159b	Congenital malformations of the heart	W	26	26																
		C	5	5																
159c	Other congenital malformations	W	18	16								1			1					
		C	6	4		1									1					
	XII.—Early infancy	White	181	181																
		Colored	131	131																
160	Congenital debility, icterus, sclerema	W	9	9																
		C	7	7																
161a	Premature birth	W	112	112																
		C	101	101																
161b	Injury at birth	W	46	46																
		C	14	14																
162	Other diseases peculiar to early infancy	W	13	13																
		C	9	9																
163	Lack of care	W	1	1																
164	XIII.—Old age (senility)	White	38															5	33	
		Colored	9														2	1	6	
	XIV.—External causes	White	332	3	3	3	7	4	16	6	15	21	21	21	42	51	37	35	47	
		Colored	161	3	1		2	2	5	8	8	24	25	13	26	13	17	9	5	
	Suicide	W	80								3	6	8	8	13	23	14	4	1	
		C	6										2	1	1		1	1		
165	By poisons (gas or corrosives excepted)	W	5										1			2	2			
166	By corrosive substances	W	7								1	2	1	3						
		C	1												1					
167	By poisonous gas	W	22										2	3	4	6	5	1	1	
		C	2											1			1			
168	By hanging or strangulation	W	5										1		2	2				
		C	1																	
169	By drowning	W	3										1		1			1		
170	By firearms	W	32								2	3	1	2	5	11	6	2		
		C	1										1							
171	By cutting or piercing instruments	W	1													1				
172	By jumping from high places	W	5									1	1		1	1	1			
		C	1										1							
	Homicide	W	10								1	1	2	1	4			1		
		C	42								3	10	13	4	6	4	2			
197	By firearms	W	7								1	1	2	1	2					
		C	27								2	7	8	3	5	1	1			
198	By cutting or piercing instruments	C	10								1	2	5	1		1				
199	By other means	W	3												2			1		
		C	5									1			1	2	1			
	Accidental or undefined	W	242	3	3	3	7	4	16	6	11	14	11	12	25	28	23	30	46	
		C	113	3	1		2	2	5	8	5	14	10	8	19	9	14	8	5	
175	Poisoning by food	W	4									1			1	1			1	
		C	1												1					
177	Other acute poisonings (gas excepted)	W	6								2	1			3					
		C	4			1							1	2						
178	Conflagration	W	2						1						1					
		C	1		1															
179	Burns (conflagration excepted)	W	23	1	1	2	2		2	1			1	1	1	3		6	2	
		C	13	1			1	1	1	2	2	1		1	1			2		
180	Mechanical suffocation	W	2	2																
		C	2										1		1					
181	Absorption of irrespirable, irritating, or poisonous gas	W	23				1					1	1	1	2	4	4	3	6	
		C	14							1		3	1		3	1	3	1	1	
182	Drowning	W	11						1	1	2	3		1		1	1		1	
		C	7						1	1	1	2				1			1	
183	Traumatism by firearms (except in war)	W	2								1	1								
		C	3						1					1			1			
184	Traumatism by cutting or piercing instruments	C	2	1									1							
185	Traumatism by fall	W	59		1	1						2	1	1	4	5	6	9	29	
		C	16									2	2	2	4	1	2	1	2	
187	Traumatism by machines	W	9							1	2		2			3		1		
		C	3										1			1	1			
188a	Railroad accidents	W	5						1						1		1	1	1	
		C	1											1						
188b	Street-car accidents	W	8							1		1			1	1	2		2	
		C	3												2		1			
	Collision with automobiles	C	1												1					
	Other street-car accidents	W	8							1		1			1	1	2		2	
		C	2												1		1			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	69		1		3	4	8		4	4	5	4	7	8	8	9	4	
		C	29					1	2	4	1	6	1		3	3	3	4	1	
188d	Airplane and balloon accidents	W	2											2						
188e,f	Injuries by other vehicles	W	3												1	1		1		
		C	1										1							
188g	Landslide, other crushing	W	3										1	1	1					
		C	2										1				1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DISTRICT OF COLUMBIA—Continued																			
	XIV.—External causes—Contd.																		
	Accidental or undefined—Con.																		
189	Injuries by animals (not poisoning) W	2												1	1				
194	Excessive heat W	1														1			
	C	4											1	2		1			
196	Other accidental electric shocks W	1											1						
	C	1														1			
201	Fracture (cause not specified) C	2							1						1				
202	Other external violence W	7				1		3	2					1					
	C	4	1											2	1				
	XV.—Ill-defined diseases White	2						1										1	
	Colored	4	2													1		1	
205a	Ill-defined W	1						1											
	C	2														1		1	
205b	Not specified or unknown W	1																1	
	C	2	2																
FLORIDA																			
	All causes White	12,173	1,539	329	143	117	85	258	190	333	482	493	477	1,078	1,363	1,550	1,870	1,825	41
	Colored	7,871	1,063	216	67	43	30	134	123	356	626	663	545	1,229	1,177	637	449	446	67
	I.—Epidemic, endemic, and infectious diseases White	1,556	122	80	35	34	28	73	38	68	81	114	94	169	197	155	146	120	2
	Colored	1,714	169	55	15	13	9	43	43	140	216	217	162	270	183	76	50	44	9
1	Typhoid and paratyphoid fever W	102	1	1			2	6	7	18	6	14	11	9	15	7	4	1	
	C	88	3	1	2		1	11	6	12	16	13	9	7	4	1	1		1
2	Typhus fever W	1													1				
5	Malaria W	106	5	2	5	3	3	9	6	7	4	7	4	7	6	16	15	6	1
	C	124	15	6		1		8	5	10	13	4	6	19	14	9	9	4	1
6	Smallpox W	2								1						1			
	C	5	1							1			2				1		
7	Measles W	19	1	9	2		1	4								1		1	
	C	9	6	2					1										
8	Scarlet fever W	14	1	1	1	1	2	3	2	1	2								
	C	1						1											
9	Whooping cough W	28	17	6	2	2		1											
	C	31	17	12	1			1											
10	Diphtheria W	102	5	20	16	18	12	22	3		1	1	3	1					
	C	20	4	5	3	4	2	1						1					
11a	Influenza (with pulmonary complications) W	230	22	11	1	2	1	3	3	10	7	13	10	29	25	28	32	33	
	C	171	18	4	5	4	2	4	3	11	16	16	12	20	28	8	8	11	1
11b	Influenza (other and unspecified) W	158	16	5	1	1	4	3	2	4		5	2	13	15	13	28	45	1
	C	153	23	6	1	2	1	6	3	4	11	9	12	19	18	13	11	14	
13	Mumps W	3				1		1									1		
	C	2							1		1								
15	Cholera nostras W	1															1		
	C	1														1			
16	Dysentery W	54	13	13	1			1		1	1	1	2	1	3	2	7	8	
	C	47	14	5				1		1	1	6		4	3	6	3	3	
19	Spirochetal hemorrhagic jaundice W	1						1											
21	Erysipelas W	11	2							1		1		1	2	1	1	2	
	C	2												2					
22	Acute anterior poliomyelitis W	9	3	2				3	1										
	C	3				1			1		1								
23	Lethargic encephalitis W	14						3			1		1	1	4	3	1		
24	Meningococcus meningitis W	16	3	2	1		2	2	2		3			1					
	C	3					1		1		1								
25	Other epidemic and endemic diseases W	4	1		1										1		1		
	C	7	2						1		1				1	1		1	
28	Rabies W	2											1	1					
29	Tetanus W	32	7	2		1		4	2	3	1	2	2	4	1	1	2		
	C	69	24				1	7	8	4	5	3	2	5	5	1	3		1
30	Mycoses C	4	4																
	Tuberculosis (all forms) W	521	3	5	3	5		5	10	20	42	62	47	81	101	69	47	21	
	C	679	3	6	2	1	1	3	13	85	112	139	88	133	57	20	8	5	3
31	Of the respiratory system W	460				2		3	6	18	37	58	43	74	90	65	45	19	
	C	633	1	3	1	1	1	3	13	81	105	128	85	126	51	20	7	4	3
32	Of the meninges, central nervous system W	17	2	5	1	3		1	1		1				1	2			
	C	7	1	3						1		1		1					
33	Of the intestines, peritoneum W	14			1				1	1		2		2	3	1	1	2	
	C	18									3	6	1	2	4		1	1	
34	Of the vertebral column W	5									1	1	1		2				
	C	5			1					2	1				1				
35	Of the joints W	4			1					1				2					
	C	2									1	1							
36	Of other organs W	11							2		2		1	2	3	1			
	C	5	1							1	1			1	1				
37a	Disseminated (acute) W	9	1					1			1	1	2	1	1		1		
	C	8									1	3	1	3					
37b	Disseminated (chronic or unspecified) W	1													1				
	C	1											1						
38	Syphilis W	84	19	1						1	3	3	6	16	21	8	5	1	
	C	266	34	8	1					8	32	23	30	54	50	15	5	5	1
40	Gonococcus infection W	7	1								5	1							
	C	16								1	5	3	1	2	3				1
41	Purulent infection, septicemia W	35	2		1		1	2		1	5	4	5	4	2	5	1	2	
	C	13	1						1	2	1	1		4		1	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	II.—General diseases not included in Class I	White	1,175	31	8	6	1	3	16	5	8	15	35	41	119	202	246	266	167	6
		Colored	372	9	2		1		3	8	14	23	30	24	80	84	50	26	16	2
	Cancer and other malignant tumors	W	730			2	1		1	1		5	11	23	73	126	173	176	136	2
		C	159						1	2	3	6	9	5	33	43	31	14	10	2
43	Of the buccal cavity	W	28								1	1			4	6	6	8	4	
		C	7											1		1		1	2	
44	Of the stomach, liver	W	221						1	1		1	2	4	12	32	63	72	33	
		C	39							1	1	2	1	2	7	9	8	4	3	1
45	Of the peritoneum, intestines, rectum	W	97									1	1	4	15	14	17	19	24	2
		C	11										3		2	1	4		1	
46	Of the female genital organs	W	123										4	3	21	33	30	20	12	
		C	58									1	5	2	17	17	10	4	2	
47	Of the breast	W	60											3	4	16	17	10	10	
		C	12												3	5	3		1	
48	Of the skin	W	39										1		2	4	6	8	18	
49	Of other or unspecified organs	W	162			2	1					3	3	9	15	21	34	39	35	
		C	32						1	1	1	2			4	10	6	5	1	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	11						1				1	1	1	2	1	3	1	
		C	6	1							1	1		1			2			
51	Acute rheumatic fever	W	8						1	1	1		2	1				2		
		C	12							2		1		1	4	2	2			
52	Chronic rheumatism, osteoarthritis, gout	W	15													2	2	6	5	
		C	4	1											1	1		1		
54	Pellagra	W	47							1			3	1	7	10	11	9	4	1
		C	84						1	2	4	7	11	10	26	13	4	4	2	
56	Rickets	W	5	4					1											
		C	6	5	1															
57	Diabetes mellitus	W	142		1			1	8	2	1	5	5	3	5	23	34	39	14	1
		C	37							1	2		2	1	7	11	6	5	2	
58	Anemia, chlorosis	W	53	1	1						1	2	2	2	7	10	7	18	2	
		C	10								2		1	1	2	1	1		1	
60a	Exophthalmic goiter	W	17										1	4	5	4	2	1		
		C	3									1				2				
60b	Other diseases of the thyroid gland	W	7	1					2						1			2	1	
		C	3										1	1			1			
62	Diseases of the thymus gland	W	7	6		1														
		C	2	2																
63	Diseases of the adrenals (Addison's disease)	W	3								1			1		1				
64	Diseases of the spleen	C	1															1		
65a	Leukemia	W	18	1	1			1	1		2	1	1	1		3	5	1		
		C	3									1	2							
65b	Hodgkin's disease	W	7						1				1		2	1	2			
		C	1													1				
66	Alcoholism (acute or chronic)	W	59								1	2	6	2	17	17	8	5		1
		C	30								1	6	3	3	7	7	2	1		
67a	Chronic lead poisoning	W	1															1		
67b	Other chronic mineral poisoning	C	2											1		1				
68	Chronic poisoning by organic substances	W	4											2	1	1				
69	Other general diseases	W	41	18	5	3		1			1		2			2	1	3	4	1
		C	9		1		1		1	1	1		1			1	1		1	
	III.—Diseases of the nervous system and of the organs of special sense	White	1,080	36	9	5	4	3	4	13	7	16	10	15	84	133	214	281	243	3
		Colored	686	32	1	3	1	3	9	1	5	17	7	24	141	191	112	80	53	6
70	Encephalitis	W	17	3		1	1				2	1			5		2	1	1	
		C	5	1										1		2		1		
71a	Simple meningitis	W	25	10	1		1			3		3	1	1	2	1		1	1	
		C	5	1				2	1						1					
71b	Nonepidemic cerebrospinal meningitis	W	8	2	2		1		1		1		1							
		C	11	3					1		1			1	5					
72	Tabes dorsalis (locomotor ataxia)	W	9													4	2	2	1	
		C	1													1				
73	Other diseases of the spinal cord	W	32	1	1					1		3	1	1	4	2	5	5	8	
		C	22	1	1				1				1	1	3	4	7	2	1	
74a	Cerebral hemorrhage	W	741	3	1	1	1	2	1	1	1	3	2	6	43	97	163	224	190	2
		C	439				1				1	9	6	17	99	136	71	57	38	4
74b	Cerebral embolism and thrombosis	W	16								1	1			1	2	4	4	3	
		C	8												1	2	3	2		
75	Paralysis without specified cause	W	113	1									1	3	5	16	23	31	32	1
		C	112								1	1		2	21	32	27	16	11	1
76	General paralysis of the insane	W	10												3	2	4		1	
		C	11												3	4	2	1	1	
77	Other forms of mental alienation	W	4												3	1				
		C	4												3	1				
78	Epilepsy	W	20	2						3		2		1	7		4	1		
		C	24			2			2	1	1	4		2	4	4	1		2	1
79	Convulsions (nonpuerperal; 5 years and over)	W	3									1			1		1			
		C	1									1								
80	Infantile convulsions (under 5 years)	W	12	9	1	1		1												
		C	26	25				1												
81	Chorea	C	1								1									
82	Neuralgia and neuritis	W	1																1	
		C	1						1											
83	Softening of the brain	W	4													1		1	2	
		C	1															1		
84	Other diseases of the nervous system	W	43	2		1			1	2	2	1	3	3	8	4	4	9	3	
		C	9	1		1			1			1				5				
85	Diseases of the eye and annexa	C	1														1			
86a	Diseases of the ear	W	11	3	2				1	2			1				1	1		
		C	3						1			1			1					
86b	Diseases of the mastoid process	W	11		1	1				1		1			2	3	1	1		
		C	1						1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
FLORIDA—Continued																				
	IV.—Diseases of the circulatory system	White	1,696	4	3	1	1	4	8	12	13	29	28	28	100	216	321	453	471	4
		Colored	740	3	2	2	1	1	5	8	9	18	32	36	131	206	123	90	63	10
87	Pericarditis	W	7	1									1			1	1	2	1	
		C	8												1	5		1	1	
88	Endocarditis and myocarditis (acute)	W	62	1	1			2	1	3	4	5	8	3	13	6	4	5	6	
		C	43		1	1				1	1	1	7	5	19	4	2	1		
89	Angina pectoris	W	184											3	14	22	40	72	33	
		C	31									1	2	3	8	5	7	4	1	
90	Other diseases of the heart	W	1,288	1	1		1	2	7	9	8	21	17	19	66	172	256	340	364	4
		C	600	3	1	1	1	1	5	6	8	16	21	25	92	177	107	73	54	9
91a	Aneurysm	W	18											1	3	4	5	5		
		C	16										1		7	4	2	1	1	
91b,c	Other diseases of the arteries	W	98													7	11	24	56	
		C	23												2	5	3	9	4	
92	Embolism and thrombosis (not cerebral)	W	22	1	1						1	1	1	2	3	2	1	3	6	
		C	1												1					
93	Diseases of the veins	W	4													2	1	1		
		C	3											1			1		1	
94	Diseases of the lymphatic system	W	2												1				1	
		C	1																1	
95	Hemorrhage without specified cause	W	4			1						2	1							
		C	4							1				2		1				
96	Other diseases of the circulatory system	W	7														2	1	4	
		C	10										1		1	5	1	1		1
	V.—Diseases of the respiratory system	White	770	154	43	28	16	5	15	12	21	21	18	23	60	70	78	80	125	1
		Colored	612	141	59	20	11	5	9	10	29	50	55	37	69	61	26	10	19	1
97a	Diseases of the nasal fossae	W	2	1													1			
		C	6	4	1													1		
97b	Diseases of the nasal fossae annexa	W	10							1	1	1	1	1	1	2	1	1		
		C	1													1				
98	Diseases of the larynx	W	4	1		1				1					1					
		C	1	1																
99a	Acute bronchitis	W	13	3		1											2	1	6	
		C	20	5	1	1	1				2		3	1	3	2	1			
99b	Chronic bronchitis	W	18	2												2	1	3	10	
		C	7			1				1			1	1	2	1				
99c,d	Bronchitis (unspecified)	W	13	4											1		1	2	5	
		C	7	2								1			1	2			1	
100a	Broncho-pneumonia	W	257	93	26	15	5	2	8		2	2	1	4	12	14	17	17	39	
		C	134	44	26	5	4	1	5	2	3	7	8	4	9	5	8	1	1	1
100b	Capillary bronchitis	W	6	3			2												1	
		C	8	5	2											1				
101a	Lobar pneumonia	W	256	20	7	8	7	1	4	5	12	14	12	9	30	30	35	33	28	1
		C	254	33	17	6	4	2	3	6	19	29	25	22	36	30	10	5	7	
101b	Pneumonia (unspecified)	W	101	21	9	2	1	1	1	4	4	3	3	6	6	9	8	11	12	
		C	127	44	9	6	1	1	1	1	3	10	12	4	13	11	2	2	7	
102	Pleurisy	W	22	3	1		1	1	1	1		1	1	2	2	3	2	3		
		C	13	2			1				1	2	1	1	2	2	1			
103	Congestion and hemorrhagic infarct of the lung	W	27	3							1				1	4		2	16	
		C	5					1						1	1				2	
104	Gangrene of the lung	W	3												2				1	
105	Asthma	W	27						1					1	2	4	7	7	5	
		C	10		2						1		1			2	3		1	
106	Pulmonary emphysema	W	1														1			
		C	3											1		2				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	10			1					1				2	2	2		2	
		C	16	1	1	1						1	4	2	2	2	1	1		
	VI.—Diseases of the digestive system	White	1,200	263	133	28	30	5	39	22	19	43	42	41	100	120	111	110	92	2
		Colored	706	171	67	15	5	1	15	6	26	34	42	39	102	91	49	25	12	6
108	Diseases of the mouth and annexa	W	15		1						1	1		1	3	2	4	2		
		C	8						1			2	1			3	1			
109b	Other diseases of the pharynx, tonsils	W	47	1	1	1	2	2	8	2	3	6	2	3	6	2	2	3	3	
		C	19	2		2			5			2	1		3	3	1			
110	Diseases of the esophagus	W	4								1					1	1	1		
		C	2												1	1				
111a	Ulcer of the stomach	W	53								1	3	2	4	15	6	6	9	6	1
		C	28								1	1	6	2	7	6	4		1	
111b	Ulcer of the duodenum	W	21									4	1	1		8	5		2	
		C	4									1	2		1					
112	Other diseases of the stomach (cancer excepted)	W	106	11	5	1		1	3	1	2	2	2	1	14	19	10	16	18	
		C	153	13	5		2		2	2	6	6	8	17	28	30	23	5	3	3
113	Diarrhea and enteritis (under 2 years)	W	348	231	117															
		C	200	142	58															
114	Diarrhea and enteritis (2 years and over)	W	101			18	17	1	5	3		1	5	1	5	7	8	13	16	1
		C	52			11	1	1	3		4	3	1	2	6	3	7	6	3	1
115	Ancylostomiasis	W	7		1	1	1		1	1	1	1								
		C	3				1		1							1				
116	Diseases due to other intestinal parasites	W	3	1			2													
		C	2	1		1														
117	Appendicitis and typhlitis	W	167		2	2	3		16	12	8	19	19	13	20	31	12	6	4	
		C	72		1		1		2	3	9	7	13	8	16	6	3	1		2
118a	Hernia	W	25	1							1				2	4	7	6	4	
		C	20	2	2						1		1	3	1	3	4	2	1	
118b	Intestinal obstruction	W	99	14	4	3	2		1	1	1	4	5	7	9	13	9	11	15	
		C	52	9	1	1			1	1	3	7	2	3	9	8	3	4		
119	Other diseases of the intestines	W	13				1							2	1		2	2	5	
		C	12									1		1	6	3		1		
120	Acute yellow atrophy of the liver	W	7	1										1	1	2	1		1	
		C	2												2					
122	Cirrhosis of the liver	W	57						1				1		6	13	17	13	6	
		C	27										1		11	9		4	2	
123	Biliary calculi	W	30										2	1	5	2	9	9	2	
		C	6								1	1			1	2			1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
124	Other diseases of the liver	W 66	1	1	1			2				3	5	8	5	18	17	5	
		C 25	2							1	3	2	5	9	3				
125	Diseases of the pancreas	W 2													2				
126	Peritonitis without specified cause	W 29	2	1	1	2	1	2	2		2		1	5	3		2	5	
		C 19								1	2	3	1	5	4		2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White 1,260	11	7	3		3	11	7	12	13	19	27	81	175	232	327	329	3
		Colored 730	6	3	3	3	2	2	3	8	15	31	46	144	186	110	98	66	4
128	Acute nephritis (including unspecified under 10 years)	W 71	6	4	1		3	5	2	4		4	4	11	11	6	5	5	
		C 38	3	2	3	3	1		1	1	3	8	6	22	18	9	5	3	
129	Chronic nephritis (including unspecified 10 years and over)	W 1,003		1	1			4	3	7	8	10	10	44	140	203	291	278	3
		C 523						1	2	3	7	14	24	101	152	85	78	54	2
131	Other diseases of the kidneys and annexa	W 43	5	2	1			2				1	4	4	8	8	5	3	
		C 21	1	1			1	1		1	1		1	4	3		4	3	
132	Calculi of the urinary passages	W 9									1		2	2	2		1	1	
		C 1															1		
133	Diseases of the bladder	W 17							2						2	2	2	9	
		C 20	2									1		4	3	5	2	2	1
134	Diseases of the urethra, etc	W 3									1						1	1	
		C 18										2	1	4	2	5	2	1	1
135	Diseases of the prostate	W 62													3	9	19	31	
		C 18												1	4	6	5	2	
136	Nonvenereal diseases of the male genital organs	W 4										1		1	1		1		
		C 2												1			1		
137	Cysts, other benign tumors of the ovary	W 5												1	1	1	1	1	
		C 1											1						
138	Salpingitis and pelvic abscess (female)	W 21								1	2	1	2	11	2	2			
		C 20								2	3	5	6	2	2				
139	Benign tumors of the uterus	W 15										1	3	5	5		1		
		C 10										1	5	3	1				
140	Nonpuerperal uterine hemorrhage	W 2										1		1					
141	Other diseases of the female genital organs	W 5									1		2	1		1			
		C 8								1	1		2	2	1			1	
	VIII.—The puerperal state	White 225								43	50	38	46	46	2				
		Colored 147							1	25	41	30	19	29	1				1
143	Accidents of pregnancy	W 20								4	4	3	4	5					
		C 9								1		4	2	2					
144	Puerperal hemorrhage	W 26								4	4	5	5	8					
		C 12								1		4		7					
145	Other accidents of labor	W 35								3	10	6	5	10	1				
		C 19							1	2	4	3	4	4					1
146	Puerperal septicemia	W 59								12	11	13	15	8					
		C 68								13	25	13	9	7	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	W 6								1		1	2	2					
		C 7									1	1	1	4					
148	Puerperal albuminuria and convulsions	W 78								19	20	10	15	13	1				
		C 32								8	11	5	3	5					
149	Following childbirth (undefined)	W 1									1								
	IX.—Diseases of the skin and of the cellular tissue	White 38	4			1			2	1	2	1	1	3	4	1	10	8	
		Colored 26	1									1	2	3	9	3	3	4	
151	Gangrene	W 9							1					1	1	1	3	2	
		C 12											1	1	5	1	1	3	
152	Furuncle	W 13								1		1		1	2		3	5	
		C 5												1	2	1	1		
153	Acute abscess	W 7	1			1			1		2		1	1					
		C 6	1									1	1	1		1	1		
154	Other diseases of the skin and annexa	W 9	3												1		4	1	
		C 3													2			1	
	X.—Diseases of the bones and of the organs of locomotion	White 13				1		4	1	2					1	1	1	2	
		Colored 2										1		1					
155	Diseases of the bones (tuberculosis excepted)	W 10				1		2	1	2					1	1		2	
		C 2										1		1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W 3						2									1		
	XI.—Malformations	White 159	144	4		3	3	1	1	3									
		Colored 26	22	2			1	1											
159a	Congenital hydrocephalus	W 12	10				2												
		C 4	2	1			1												
159b	Congenital malformations of the heart	W 79	70	1		3	1		1	3									
		C 11	11																
159c	Other congenital malformations	W 68	64	3				1											
		C 11	9	1				1											
	XII.—Early infancy	White 683	683																
		Colored 374	374																
160	Congenital debility, icterus, sclerema	W 86	86																
		C 99	99																
161a	Premature birth	W 443	443																
		C 220	220																
161b	Injury at birth	W 111	111																
		C 31	31																
162	Other diseases peculiar to early infancy	W 43	43																
		C 22	22																
163	Lack of care	C 2	2																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																		
164	XIII.—Old age (senility) White	171														5	25	140	1
	Colored	130													1	3	14	112	
	XIV.—External causes White	1,874	27	33	33	25	30	83	70	133	206	181	148	303	217	160	116	94	15
	Colored	1,196	24	8	6	6	5	42	36	93	198	201	145	211	115	41	18	23	24
	Suicide W	167								8	18	18	19	39	22	23	18	2	
	C	11									3	1	3	1	2	1			
165	By poisons (gas or corrosives excepted) W	15								1	3	1	4	2	1		3		
	C	1											1						
166	By corrosive substances W	13								3		3	3	2		1		1	
167	By poisonous gas W	8									1		1	2		4			
168	By hanging or strangulation W	7								1				1	3	2			
169	By drowning W	10									1	1		2		4	3		
	C	1																	
170	By firearms W	95								2	13	11	10	24	15	10	10		
	C	4									1		1	1		1			
171	By cutting or piercing instruments W	12									1	1	1	4	2	1	1	1	
	C	2										1			1				
172	By jumping from high places W	1										1							
174	By other means W	6								1				2	1	1	1		
	C	3									1		1		1				
	Homicide W	184	1	1					2	16	21	23	32	43	25	14	3	3	
	C	474						1	1	37	102	106	73	103	29	6	6	1	9
197	By firearms W	142							2	14	16	18	24	34	22	8	3	1	
	C	332						1		27	67	77	53	68	23	5	5		6
198	By cutting or piercing instruments W	15								1		1	5	4	1	2		1	
	C	111								8	29	23	14	31	3	1	1		1
199	By other means W	27	1	1						1	5	4	3	5	2	4		1	
	C	31							1	2	6	6	6	4	3			1	2
	Accidental or undefined W	1,523	26	32	33	25	30	83	68	109	167	140	97	221	170	123	95	89	15
	C	711	24	8	6	6	5	41	35	56	93	94	69	107	84	34	12	22	15
175	Poisoning by food W	32	3	2	1	1	3	1	1	1	1	1	2	2	4	6		3	
	C	10		1				1	1		2				5				
176	Poisoning by venomous animals W	8							2		1			2	2	1			
177	Other acute poisonings (gas excepted) W	32		5	7	1		1		2		3	2	6	2	3			
	C	11	1	2	3						2	1			1			1	
178	Conflagration W	17	1		1					2	1	3	1	3	2		1	2	
	C	13				1		2		1	1	3	2	1	1				1
179	Burns (conflagration excepted) W	60	3	4	6	3	3	12		2	4	3	2	5	6	1	3	3	
	C	72	3	3	1	2	2	16	3	1	11	5	3	4	6	1	3	8	
180	Mechanical suffocation W	10	7	1						1							1		
	C	8	5						1				1				1		
181	Absorption of irrespirable, irritating, or poisonous gas W	11			1					1	1	2	1	1		1	1	2	
	C	1										1							
182	Drowning W	312	2	6	9	7	5	16	33	22	30	29	19	45	46	18	17	3	5
	C	134	2					5	14	16	28	20	7	19	10	7	1	1	4
183	Traumatism by firearms (except in war) W	75				1	1	6	6	9	13	8	6	12	6	5	1		1
	C	72	1					4	5	11	12	17	5	10	3	1			3
184	Traumatism by cutting or piercing instruments W	10						1		2		2		2		1	2		
	C	8								1	1	3	1	1		1			
185	Traumatism by fall W	109			1		1	3		3	7	5	3	17	7	10	6	46	
	C	23	2	1				1		3		1	2	4	3	1	1	4	
186a	Traumatism in mines W	1									1								
	C	4								1				3					
186b	Traumatism in quarries W	1												1					
	C	1												1					
187	Traumatism by machines W	28						1	2	4	3	5		5	2	3	2		1
	C	17								2	2	1	2	2	7	1			
188a	Railroad accidents W	108	1	1		3	1	2	1	8	11	8	8	25	16	12	6	3	2
	C	70		1				2	1	4	10	8	13	20	6	1			4
	Collision with automobiles W	32	1			3	1		1	2	4	1	3	6	6	2	2		
	C	3									1								
	Other railroad accidents W	76		1				2		6	7	7	5	19	10	10	4	3	2
	C	67		1				2	1	4	9	8	13	20	6	1			2
188b	Street-car accidents W	8					1			1	2	1	1				2		
	C	3												2	1				
	Collision with automobiles W	1																	
	C	1											1	1					
	Other street-car accidents W	7					1			1	2	1					2		
	C	2												1	1				
188c	Automobile accidents (excluding collision with railroad trains and street cars) W	400	1	2	7	7	12	29	14	25	52	39	20	53	49	43	30	16	1
	C	115			1	2	2	7	6	6	16	15	19	19	10	6	4	1	1
188d	Airplane and balloon accidents W	8									4	2	1	1					
	C	1											1						
188e,f	Injuries by other vehicles W	10							1		3		2	1			2	1	
	C	6						1					1	3				1	
188g	Landslide, other crushing W	22				1		1	1	1	4	3	4	3	3	1			
	C	12								1	1	1	1	3					
189	Injuries by animals (not poisoning) W	5				1		1	1		1					1		1	1
	C	1																	
194	Excessive heat W	3													1				
	C	2												1			1		
195	Lightning W	6													1	1			
	C	3								4				1	1				
196	Other accidental electric shocks W	54		1				1		2	16	13	6	11	1	1	1		1
	C	4												2	2				
201	Fracture (cause not specified) W	34						1		1	2		2	6	5	2	8	7	
	C	14	1						1	3		1	1	1	4	1		1	
202	Other external violence W	159	8	10			3	7	6	18	10	13	16	19	17	14	11	3	4
	C	106	9		1	1	1	2	3	6	7	16	10	12	20	12	2	3	1
	XV.—Ill-defined diseases White	273	60	9	4	1	1	4	7	3	6	7	13	13	26	26	55	34	4
	Colored	410	111	17	3	2	3	5	7	7	14	16	11	48	49	44	35	34	4
204	Sudden death W	31	2						1	1	1	2		2	3	2	10	7	
	C	33	3								1	2		8	8	5	2	2	2
205a	Ill-defined W	114	4	3	2	1	1	2	3		3	3	8	4	15	17	30	16	2
	C	152	14	9	1	1	1	1	6	1	4	6	8	20	23	27	18	12	
205b	Not specified or unknown W	128	54	6	2			2	3	2	2	2	5	7	8	7	15	11	2
	C	225	94	8	2	1	2	4	1	6	9	8	3	20	18	12	15	20	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO																		
	All causes	3,871	587	93	63	36	27	109	93	90	116	96	117	293	385	476	664	619	7
	I.—Epidemic, endemic, and infectious diseases	598	86	36	21	16	6	26	30	26	40	24	34	54	57	51	51	40	
1	Typhoid and paratyphoid fever	22	1	1				4	3	4	1		2	1	2	3			
5	Malaria	1											1						
6	Smallpox	1													1				
7	Measles	3			1					1				1					
8	Scarlet fever	20	3	1	2	3	1	3	3	2	1	1							
9	Whooping cough	42	22	13	4	2	1												
10	Diphtheria	23	2	4	3	1	1	4	7								1		
11a	Influenza (with pulmonary complications)	151	30	8	6	4	1	5	3	2	3	4	4	15	18	12	18	18	
11b	Influenza (other and unspecified)	71	13	3	1	1		3	3	1	2	1	1	8	1	7	12	14	
15	Cholera nostras	1	1																
16	Dysentery	6	2	1	1									1				1	
21	Erysipelas	14	7										1		2	1	3		
23	Lethargic encephalitis	8				1				1	2			1	2		1		
24	Meningococcus meningitis	22	2	1				2	3	1	7	1		1	3		1		
25	Other epidemic and endemic diseases	10									1				1	5	2	1	
	Tuberculosis (all forms)	180	2	4	3	3	1	5	6	14	22	16	23	21	24	19	13	4	
31	Of the respiratory system	153		2	2	1		3	6	11	20	16	21	19	20	18	10	4	
32	Of the meninges, central nervous system	12	1	1	1	2	1	2		2				1	1				
33	Of the intestines, peritoneum	8	1	1						1			1	1	1	1	1		
34	Of the vertebral column	2									1		1						
36	Of other organs	4									1				1		2		
37a	Disseminated (acute)	1													1				
38	Syphilis	15	1								1		2	3	2	4		2	
40	Gonococcus infection	2												1	1				
41	Purulent infection, septicemia	5				1			2			1		1					
42	Other infectious diseases	1					1												
	II.—General diseases not included in Class I	404	17	2	3		1	5	4	6	7	3	7	33	75	91	87	63	
	Cancer and other malignant tumors	254			3			1	1	3	1		3	22	47	64	61	48	
43	Of the buccal cavity	5												1		2	1	1	
44	Of the stomach, liver	100											1	4	13	25	35	22	
45	Of the peritoneum, intestines, rectum	34							1					4	3	10	6	10	
46	Of the female genital organs	35												6	13	8	4	4	
47	Of the breast	21												2	8	5	4	2	
48	Of the skin	11											1	1	1	3	1	4	
49	Of other or unspecified organs	48			3			1		3	1		1	4	9	11	10	5	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3	1								1						1		
51	Acute rheumatic fever	9						1	2	1	2			1	1			1	
52	Chronic rheumatism, osteoarthritis, gout	5													1		2	2	
56	Rickets	3	2	1															
57	Diabetes mellitus	46						2	1	2	2	1	2	1	5	9	12	9	
58	Anemia, chlorosis	10					1							1	4	3		1	
60a	Exophthalmic goiter	23						1				1		2	9	7	3		
60b	Other diseases of the thyroid gland	3												2			1		
62	Diseases of the thymus gland	7	7																
63	Diseases of the adrenals (Addison's disease)	2												1			1		
64	Diseases of the spleen	2											1		1				
65a	Leukemia	4														3	1		
65b	Hodgkin's disease	2														2			
66	Alcoholism (acute or chronic)	20										1	1	3	7	3	4	1	
67a	Chronic lead poisoning	1															1		
69	Other general diseases	10	7	1							1							1	
	III.—Diseases of the nervous system and of the organs of special sense	405	14	3	2	1	3	6	6	8	6	3	5	18	37	75	115	102	1
70	Encephalitis	8		1				1	1	1	2			1		1			
71a	Simple meningitis	3						1							1		1		
71b	Nonepidemic cerebrospinal meningitis	3			1	1			1										
72	Tabes dorsalis (locomotor ataxia)	5														3	1	1	
73	Other diseases of the spinal cord	14					1							2	3	3	4	1	
74a	Cerebral hemorrhage	262	3							1	3			5	19	48	94	89	
74b	Cerebral embolism and thrombosis	13	2								1			1	3	3	2	1	
75	Paralysis without specified cause	15			1					1					1	4	2	6	
76	General paralysis of the insane	26										1	2	4	2	8	8		1
77	Other forms of mental alienation	2												1	1				
78	Epilepsy	13					1		1	3		2		2	1	1	1	1	
79	Convulsions (nonpuerperal; 5 years and over)	2											1		1				
80	Infantile convulsions (under 5 years)	6	5	1															
81	Chorea	1							1										
82	Neuralgia and neuritis	2	1															1	
83	Softening of the brain	1																1	
84	Other diseases of the nervous system	14	1						1	1			1	2	2	3	2	1	
85	Diseases of the eye and annexa	1								1									
86a	Diseases of the ear	7	2	1				2					1		1				
86b	Diseases of the mastoid process	7					1	2	1						2	1			
	IV.—Diseases of the circulatory system	570	3		2	1	4	11	7	7	10	5	13	31	49	101	190	135	1
87	Pericarditis	6					1	1					1	1		1		1	
88	Endocarditis and myocarditis (acute)	23					1	1	1	1	2	1	3	6	2	1	1	3	
89	Angina pectoris	40												2	6	7	17	8	
90	Other diseases of the heart	432	1		2	1	2	8	6	6	8	4	8	17	36	84	150	98	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	IV.—Diseases of the circulatory system—Continued.																		
91a	Aneurysm	10											1	2	3	1	3		
91b,c	Other diseases of the arteries	43												1	2	4	15	21	
92	Embolism and thrombosis (not cerebral)	11	1					1						2		1	3	3	
93	Diseases of the veins	3														2	1		
94	Diseases of the lymphatic system	1	1																
96	Other diseases of the circulatory system	1																1	
	V.—Diseases of the respiratory system	329	85	19	9	2	4	5	8	4	5	8	4	19	22	29	49	57	
97a	Diseases of the nasal fossae	1								1									
97b	Diseases of the nasal fossae annexa	2							2										
98	Diseases of the larynx	3	1	1			1												
99a	Acute bronchitis	2																2	
99b	Chronic bronchitis	4													1			3	
99c,d	Bronchitis (unspecified)	7												1	1		2	3	
100a	Broncho-pneumonia	119	54	13	6	1	1	2	1		2	3	1	3	2	8	9	13	
100b	Capillary bronchitis	1	1																
101a	Lobar pneumonia	141	19	4	2	1	1	2	3	3	3	4	3	14	13	17	25	27	
101b	Pneumonia (unspecified)	21	9	1	1				1						2		4	3	
102	Pleurisy	7						1				1		1	2		2		
103	Congestion and hemorrhagic infarct of the lung	5	1						1								1	2	
104	Gangrene of the lung	3					1								1		1		
105	Asthma	11														3	4	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	2														1	1		
	VI.—Diseases of the digestive system	373	75	22	9	7	2	18	13	6	9	9	17	31	48	39	38	29	1
108	Diseases of the mouth and annexa	5												2	1	1	1		
109b	Other diseases of the pharynx, tonsils	24	5	1		2		2	1	1	3	1	2	2	2			2	
111a	Ulcer of the stomach	38		1									5	3	13	6	7	2	1
111b	Ulcer of the duodenum	6												1	2	1	1	1	
112	Other diseases of the stomach (cancer excepted)	15	4	1	1			1							1	1	5	1	
113	Diarrhea and enteritis (under 2 years)	74	57	17															
114	Diarrhea and enteritis (2 years and over)	24			6	1	2	2					1		1	3	3	5	
117	Appendicitis and typhlitis	75	1		1	2		8	10	4	5	5	5	9	12	9	3	1	
118a	Hernia	15	2	1										1	4	2	4	1	
118b	Intestinal obstruction	30	5	1	1	2		4	1				2		4	4	3	3	
119	Other diseases of the intestines	7	1					1						2	1		1	1	
122	Cirrhosis of the liver	22										1	1	2	2	4	4	8	
123	Biliary calculi	16									1			3	2	5	3	2	
124	Other diseases of the liver	18								1		1	1	5	2	3	3	2	
125	Diseases of the pancreas	1										1							
126	Peritonitis without specified cause	3							1					1	1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	307	3		3			1	3	1	7	4	4	32	25	42	87	95	
128	Acute nephritis (including unspecified under 10 years)	22	1		2				2		3			3	1	1	6	3	
129	Chronic nephritis (including unspecified 10 years and over)	226			1			1	1		4	4	2	18	18	35	67	75	
131	Other diseases of the kidneys and annexa	7	2											1	1		1	2	
132	Calculi of the urinary passages	4												2	1	1			
133	Diseases of the bladder	3														1		2	
134	Diseases of the urethra, etc	2															1	1	
135	Diseases of the prostate	27													1	3	12	11	
138	Salpingitis and pelvic abscess (female)	6								1			1	4					
139	Benign tumors of the uterus	8												4	3	1			
141	Other diseases of the female genital organs	2											1					1	
	VIII.—The puerperal state	53								4	9	10	8	22					
143	Accidents of pregnancy	6								1			2	3					
144	Puerperal hemorrhage	6										1		5					
145	Other accidents of labor	2									1	1							
146	Puerperal septicemia	22								3	7	4	3	5					
147	Puerperal phlegmasia alba dolens, embolus, etc	7									1	2	1	3					
148	Puerperal albuminuria and convulsions	10										2	2	6					
	IX.—Diseases of the skin and of the cellular tissue	7	2										1		1		2	1	
151	Gangrene	4													1		2	1	
152	Furuncle	1											1						
154	Other diseases of the skin and annexa	2	2																
	X.—Diseases of the bones and of the organs of locomotion	2												1		1			
155	Diseases of the bones (tuberculosis excepted)	2												1		1			
	XI.—Malformations	62	57			1		1	1	1				1					
159a	Congenital hydrocephalus	3	1					1	1										
159b	Congenital malformations of the heart	44	42			1				1									
159c	Other congenital malformations	15	14											1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	XII.—Early infancy	228	228																
160	Congenital debility, icterus, sclerema	26	26																
161a	Premature birth	141	141																
161b	Injury at birth	42	42																
162	Other diseases peculiar to early infancy	19	19																
164	XIII.—Old age (senility)	77														4	11	62	
	XIV.—External causes	415	8	11	13	8	7	36	20	26	23	30	24	48	66	41	24	27	3
	Suicide	49							1		4	8	3	5	11	9	7	1	
165	By poisons (gas or corrosives excepted)	3									1				1		1		
166	By corrosive substances	4										2	2						
168	By hanging or strangulation	9									2			1	2	3	1		
169	By drowning	1														1			
170	By firearms	23									1	4	1	2	5	4	5	1	
171	By cutting or piercing instruments	6										2		1	3				
174	By other means	3							1					1		1			
	Homicide	15						1				2	1	4	5	1	1		
197	By firearms	12						1				2	1	3	3	1	1		
198	By cutting or piercing instruments	2												1	1				
199	By other means	1													1				
	Accidental or undefined	351	8	11	13	8	7	35	19	26	19	20	20	39	50	31	16	26	3
175	Poisoning by food	2				1									1				
177	Other acute poisonings (gas excepted)	9		4	2					1					2				
178	Conflagration	5	2					1						1		1			
179	Burns (conflagration excepted)	19		1	2	1	1	4		1		1	2	1			3	2	
180	Mechanical suffocation	8	4											1	3				
182	Drowning	59	1	6	5	3	1	10	6	6	4	4	1	3	2	3	2	2	
183	Traumatism by firearms (except in war)	17						2	2	4	2	1		2	2	2			
184	Traumatism by cutting or piercing instruments	4								1	1				1			1	
185	Traumatism by fall	39			1			4	3				1	4	3	4	4	15	
188a	Traumatism in mines	17								1		6	3	5	1	1			
187	Traumatism by machines	10			1				2		1	1	1	1	2	1			
188a	Railroad accidents	21				1		1		2	3		2	5	2	4			1
	Collision with automobiles	4								1	2			1					
	Other railroad accidents	17				1		1		1	1		2	4	2	4			1
188b	Street-car accidents	4						1						2		1			
	Collision with automobiles	4						1						2		1			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	77			1	1	2	9	3	5	6	3	6	7	19	7	3	3	2
188d	Airplane and balloon accidents	1										1							
188e,f	Injuries by other vehicles	10							2	1			1	1	1	1	2	1	
188g	Landslide, other crushing	7				1	2			1				1		2			
189	Injuries by animals (not poisoning)	6						1		1					3		1		
192	Starvation (deprivation of food or water)	1													1				
193	Excessive cold	2	1													1			
194	Excessive heat	3												1			1	1	
195	Lightning	3								2				1					
196	Other accidental electric shocks	4									1	2		1					
202	Other external violence	23			1		1	2	1		1	1	3	2	7	3		1	
	XV.—Ill-defined diseases	41	9		1				1	1				3	5	2	10	8	1
204	Sudden death	7								1					1	1	3		1
205a	Ill-defined	15	1		1				1					2	3	1	4	2	
205b	Not specified or unknown	19	8											1	1		3	6	
	ILLINOIS																		
	All causes	85,331	9,294	1,625	768	545	414	1,527	1,164	1,718	2,443	2,725	3,213	7,959	9,834	12,722	14,595	14,780	5
	I.—Epidemic, endemic, and infectious diseases	10,384	791	497	268	196	150	427	275	636	869	832	803	1,433	1,116	826	681	584	
1	Typhoid and paratyphoid fever	234		1	1	5	1	13	24	45	31	26	14	22	29	12	9	1	
2	Typhus fever	1														1			
5	Malaria	48	1		2	3	1	5	2	1	2		1	5	2	11	9	3	
6	Smallpox	8		1									1	2	1		1	2	
7	Measles	353	80	98	46	23	15	46	13	7	6	5	3	2	9				
8	Scarlet fever	239	9	23	29	20	20	65	22	17	8	9	9	4	2	1	1		
9	Whooping cough	374	189	107	40	15	10	11	1		1								
10	Diphtheria	415	19	53	46	48	55	132	26	4	8	1	3	7	8	4	1		
11a	Influenza (with pulmonary complications)	1,262	143	66	28	22	11	26	21	32	23	41	49	139	121	147	177	216	
11b	Influenza (other and unspecified)	758	85	45	16	14	6	24	17	20	18	20	34	47	56	66	102	188	
13	Mumps	5	2	1				1							1				
15	Cholera nostras	6		1													2	3	
16	Dysentery	67	5	6	1	1	1	1		1	2	4	2	6	5	10	9	13	
19	Spirochetal hemorrhagic jaundice	3										2		1					
21	Erysipelas	197	46	2	4	1		1	2	1	11	5	8	18	21	30	23	24	
22	Acute anterior poliomyelitis	28	7	1	3	3	1	5	3	2				1		1	1		
23	Lethargic encephalitis	76		2	2		1	3	3	4	5	7	5	21	13	4	5	1	
24	Meningococcus	61	13	6	1	2	2	4	5	6	8	3	1	4	4	1	1		
25	Other epidemic and endemic diseases	17	2	4		2	2	2			1		2	1				1	
26	Glanders	1												1					
28	Rabies	3				1	1								1				
29	Tetanus	80	6		2	1	2	15	22	3	2	2	3	5	5	5	5	2	
30	Mycoses	13	4									2	2	2		1	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Continued.																		
	Tuberculosis (all forms)	5,497	65	69	42	35	18	66	107	483	710	674	616	1,029	707	452	307	117	-----
31	Of the respiratory system	4,903	25	37	15	13	6	24	74	437	656	640	565	953	658	408	289	103	-----
32	Of the meninges, central nervous system	198	34	25	17	16	8	20	12	17	13	6	7	19	2	1	1	-----	-----
33	Of the intestines, peritoneum	172	1	2	3	2	-----	7	13	13	29	11	15	24	18	20	8	6	-----
34	Of the vertebral column	57	-----	-----	2	-----	2	5	4	3	1	6	8	7	9	6	3	1	-----
35	Of the joints	23	-----	-----	-----	-----	-----	2	-----	-----	-----	1	6	2	3	6	2	1	-----
36	Of other organs	73	1	-----	2	1	-----	4	3	1	5	3	8	19	10	7	3	6	-----
37a	Disseminated (acute)	65	4	4	3	3	2	4	1	12	6	5	6	5	7	2	1	-----	-----
37b	Disseminated (chronic or unspecified)	6	-----	1	-----	-----	-----	-----	-----	-----	-----	2	1	-----	-----	2	-----	-----	-----
38	Syphilis	509	105	11	3	1	3	2	5	2	18	16	35	91	122	69	21	5	-----
40	Gonococcus infection	79	3	-----	1	-----	-----	-----	-----	5	14	14	12	20	5	4	1	-----	-----
41	Purulent infection, septicemia	49	7	-----	1	-----	-----	3	2	3	1	1	3	5	4	7	4	8	-----
42	Other infectious diseases	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	II.—General diseases not included in Class I	11,342	159	33	23	25	24	91	80	109	124	157	285	1,098	1,974	2,855	2,762	1,543	-----
	Cancer and other malignant tumors	7,516	2	4	4	7	5	15	8	15	34	56	149	661	1,375	1,983	1,993	1,205	-----
43	Of the buccal cavity	264	-----	-----	-----	-----	-----	1	-----	1	-----	3	1	18	38	71	79	52	-----
44	Of the stomach, liver	2,880	-----	1	-----	-----	-----	-----	-----	1	4	12	31	166	462	810	903	490	-----
45	Of the peritoneum, intestines, rectum	1,023	-----	-----	-----	1	2	1	1	1	7	12	21	69	174	265	288	181	-----
46	Of the female genital organs	989	-----	-----	-----	-----	-----	1	-----	-----	6	14	39	205	262	243	154	65	-----
47	Of the breast	676	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	21	93	183	178	120	79	-----
48	Of the skin	206	-----	-----	-----	-----	-----	-----	-----	-----	1	1	2	5	19	25	56	97	-----
49	Of other or unspecified organs	1,478	2	3	4	6	3	12	7	12	16	12	34	105	237	391	393	241	-----
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	43	-----	-----	-----	-----	-----	3	2	1	1	2	2	6	5	8	7	6	-----
51	Acute rheumatic fever	256	-----	2	1	5	10	35	29	22	14	9	13	25	31	31	19	10	-----
52	Chronic rheumatism, osteoarthritis, gout	82	-----	-----	-----	-----	-----	-----	1	1	1	3	1	7	9	4	24	31	-----
53	Scurvy	2	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
54	Pellagra	17	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	3	5	4	1	2	1	-----
56	Rickets	60	36	14	3	4	1	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
57	Diabetes mellitus	1,580	-----	2	7	1	3	15	26	30	29	28	21	82	212	459	452	213	-----
58	Anemia, chlorosis	518	4	2	1	1	2	5	2	3	6	11	12	53	89	142	142	43	-----
59	Diseases of the pituitary gland	7	1	-----	-----	-----	-----	-----	1	1	-----	-----	-----	2	1	-----	1	-----	-----
60a	Exophthalmic goiter	474	-----	-----	-----	-----	-----	-----	2	16	26	17	27	96	93	121	62	14	-----
60b	Other diseases of the thyroid gland	48	1	-----	1	1	-----	-----	-----	1	2	3	2	4	15	9	6	3	-----
62	Diseases of the thymus gland	78	65	5	3	1	-----	2	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
63	Diseases of the adrenals (Addison's disease)	27	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	5	9	3	4	3	-----
64	Diseases of the spleen	8	-----	-----	-----	-----	-----	-----	-----	1	-----	2	1	2	1	1	-----	-----	-----
65a	Leukemia	130	1	1	2	2	2	9	5	9	6	6	7	22	13	24	16	5	-----
65b	Hodgkin's disease	56	1	1	-----	-----	-----	1	3	2	2	6	6	8	10	12	3	1	-----
66	Alcoholism (acute or chronic)	336	-----	-----	-----	-----	-----	1	-----	2	1	9	32	112	101	54	19	5	-----
67a	Chronic lead poisoning	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	2	-----	2	3	-----	-----
68	Chronic poisoning by organic substances	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	2	-----	-----	1	-----
69	Other general diseases	90	47	2	-----	3	1	4	1	3	1	3	4	5	4	1	9	2	-----
	III.—Diseases of the nervous system and of the organs of special sense	7,701	110	55	29	21	22	108	66	74	81	95	204	596	926	1,471	1,916	1,926	1
70	Encephalitis	59	5	7	1	1	1	4	3	5	2	1	5	11	7	2	2	2	-----
71a	Simple meningitis	121	19	8	9	6	3	10	6	6	7	5	10	8	8	7	5	4	-----
71b	Nonepidemic cerebrospinal meningitis	21	5	2	-----	1	1	6	1	2	1	-----	-----	-----	1	-----	1	-----	-----
72	Tabes dorsalis (locomotor ataxia)	137	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	3	17	33	37	28	18	-----
73	Other diseases of the spinal cord	261	1	3	3	1	1	3	3	5	2	5	9	26	31	56	68	44	-----
74a	Cerebral hemorrhage	4,957	7	1	3	1	1	3	3	5	7	12	31	153	477	1,071	1,558	1,624	-----
74b	Cerebral embolism and thrombosis	336	2	-----	1	1	-----	4	3	-----	5	3	10	29	33	75	72	98	-----
75	Paralysis without specified cause	112	-----	-----	-----	-----	-----	-----	1	-----	-----	1	1	8	4	18	30	49	-----
76	General paralysis of the insane	590	-----	-----	-----	-----	-----	-----	1	1	7	12	51	176	188	97	35	22	-----
77	Other forms of mental alienation	141	-----	-----	-----	-----	-----	-----	-----	3	11	15	11	41	32	18	9	1	-----
78	Epilepsy	235	6	6	1	4	1	11	11	18	21	17	31	35	36	15	14	7	1
79	Convulsions (nonpuerperal; 5 years and over)	2	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
80	Infantile convulsions (under 5 years)	29	23	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
81	Chorea	10	1	-----	-----	-----	1	2	2	2	-----	-----	-----	-----	-----	-----	-----	2	-----
82	Neuralgia and neuritis	20	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	4	2	1	-----	4	8	-----
83	Softening of the brain	25	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	5	7	11	-----
84	Other diseases of the nervous system	370	4	6	3	2	4	15	6	7	12	14	24	58	53	55	75	32	-----
85	Diseases of the eye and annexa	2	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
86a	Diseases of the ear	185	33	11	6	3	6	27	16	11	4	6	9	23	14	9	4	3	-----
86b	Diseases of the mastoid process	88	3	5	2	1	3	20	10	9	2	3	5	8	7	6	4	-----	-----
	IV.—Diseases of the circulatory system	17,351	80	19	25	24	14	144	144	166	206	206	300	1,120	1,935	3,202	4,434	5,332	-----
87	Pericarditis	73	2	-----	-----	-----	-----	2	-----	3	2	2	4	5	9	14	11	19	-----
88	Endocarditis and myocarditis (acute)	652	43	4	7	11	6	29	27	39	34	38	27	138	39	67	77	66	-----
89	Angina pectoris	919	-----	-----	-----	-----	-----	1	-----	3	4	7	11	47	116	238	280	212	-----
90	Other diseases of the heart	13,990	28	15	17	13	8	110	114	121	161	153	249	890	1,658	2,623	3,616	4,214	-----
91a	Aneurysm	126	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	5	14	32	37	26	11	-----
91b,c	Other diseases of the arteries	1,417	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	12	56	184	394	769	-----
92	Embolism and thrombosis (not cerebral)	112	2	-----	-----	-----	-----	1	1	-----	2	3	-----	5	15	25	25	33	-----
93	Diseases of the veins	48	1	-----	1	-----	-----	-----	2	-----	2	1	3	6	8	12	5	7	-----
94	Diseases of the lymphatic system	9	2	-----	-----	-----	-----	1	-----	-----	-----	-----	1	3	1	1	-----	-----	-----
95	Hemorrhage without specified cause	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
96	Other diseases of the circulatory system	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	1	-----

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	V.—Diseases of the respiratory system	7,656	1,510	494	197	92	64	164	97	108	155	203	298	733	725	784	878	1,153	1
97a	Diseases of the nasal fossae	9	2	1										2		1	1	2	
97b	Diseases of the nasal fossae annexa	45	1	1				3	2	4	3	4	8	5	3	8	1	2	
98	Diseases of the larynx	20	9	3	1	1	1	1					1	1		1	1		
99a	Acute bronchitis	248	114	21	11	2	4	5	2	1		3	2	5	4	8	18	48	
99b	Chronic bronchitis	186	3	3	1			1			1	2	2	6	11	22	48	86	
99c,d	Bronchitis (unspecified)	149	56	3	4			1				3	2	3	7	9	13	48	
100a	Broncho-pneumonia	2,563	1,004	305	102	56	31	64	16	22	20	30	43	100	97	137	178	358	
100b	Capillary bronchitis	72	35	12	4	2	2	1						2	1	4	4	5	
101a	Lobar pneumonia	3,783	246	126	66	25	23	78	64	69	117	143	217	553	553	529	514	459	1
101b	Pneumonia (unspecified)	59	13	5	1	1	1	1	4	2	1	2	3	3	1	5	7	9	
102	Pleurisy	222	19	11	7	5	2	9	7	9	8	11	15	31	27	18	29	14	
103	Congestion and hemorrhagic infarct of the lung	103	6	1								1		1	1	1	17	75	
104	Gangrene of the lung	16												3	4	6	2	1	
105	Asthma	120	1	1								2	4	11	6	22	36	37	
106	Pulmonary emphysema	13	1											1	2	3	1	5	
107	Other diseases of the respiratory system (tuberculosis excepted)	48		1					2	1	5	2	1	6	8	10	8	4	
	VI.—Diseases of the digestive system	6,997	1,603	384	128	89	61	209	160	135	219	265	292	663	757	802	655	575	
108	Diseases of the mouth and annexa	52	2	1			2	2	2	2	3	2	2	10	9	9	1	5	
109b	Other diseases of the pharynx, tonsils	320	21	20	11	13	9	33	28	12	26	34	23	26	28	19	9	8	
110	Diseases of the esophagus	5										1				2	1	1	
111a	Ulcer of the stomach	384	1	1	1		1	1		3	6	17	33	69	81	77	60	33	
111b	Ulcer of the duodenum	124						1			7	3	3	27	24	32	22	5	
112	Other diseases of the stomach (cancer excepted)	154	38	3	3	2	2		1			3	4	5	11	11	23	48	
113	Diarrhea and enteritis (under 2 years)	1,762	1,427	335															
114	Diarrhea and enteritis (2 years and over)	484			91	43	19	31	7	5	6	8	9	22	36	34	63	110	
116	Diseases due to other intestinal parasites	2			1									1					
117	Appendicitis and typhlitis	1,242	3	3	11	24	21	119	101	94	120	102	111	196	154	119	50	14	
118a	Hernia	314	9	1		1		2	2	3	3	2	7	28	47	78	70	61	
118b	Intestinal obstruction	484	81	13	7	4	4	13	9	8	18	20	21	53	42	58	56	77	
119	Other diseases of the intestines	57	3	1		1		1	3		2	3	1	6	8	9	6	11	
120	Acute yellow atrophy of the liver	39	2								3	7	5	8	5	3	4	2	
121	Hydatid tumor of the liver	3										1					1	1	
122	Cirrhosis of the liver	666							2	1	3	11	26	75	122	171	149	106	
123	Biliary calculi	455								4	5	21	20	78	117	115	63	32	
124	Other diseases of the liver	311	7	2		1	1	3	1	2	9	13	18	31	52	55	63	53	
125	Diseases of the pancreas	45							1		3	9	4	9	10	2	5	2	
126	Peritonitis without specified cause	93	9	4	3		2	3	3	1	5	8	5	17	10	8	9	6	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1													1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	9,838	67	18	16	15	8	41	51	63	116	165	212	798	1,266	1,842	2,535	2,624	1
128	Acute nephritis (including unspecified under 10 years)	288	32	7	9	7	4	14	18	8	11	9	8	39	27	36	29	30	
129	Chronic nephritis (including unspecified 10 years and over)	8,289	1	2	2	6	4	23	28	39	66	97	139	540	1,070	1,637	2,279	2,355	1
131	Other diseases of the kidneys and annexa	198	26	8	5	2		4	3	3	3	4	9	24	25	31	19	32	
132	Calculi of the urinary passages	80	1						1	1	2	5	3	17	13	13	13	11	
133	Diseases of the bladder	56	1									1	2	4	7	7	16	18	
134	Diseases of the urethra, etc	20										1	1	6	2	3	4	3	
135	Diseases of the prostate	417									1		1	1	11	80	156	167	
136	Nonvenereal diseases of the male genital organs	8	3	1							1			1	1	1			
137	Cysts, other benign tumors of the ovary	76								2	8	4	8	25	13	10	5	1	
138	Salpingitis and pelvic abscess (female)	154								8	18	29	18	58	19	2	1	1	
139	Benign tumors of the uterus	179									4	7	18	73	54	12	5	6	
140	Nonpuerperal uterine hemorrhage	5								1				1	2		1		
141	Other diseases of the female genital organs	65							1	1	2	8	5	9	22	10	7		
142	Nonpuerperal diseases of the breast (cancer excepted)	3	3																
	VIII.—The puerperal state	871								75	163	216	208	202	7				
143	Accidents of pregnancy	93								5	9	26	30	23					
144	Puerperal hemorrhage	86								6	13	16	25	25	1				
145	Other accidents of labor	92								1	18	20	25	28					
146	Puerperal septicemia	347								36	76	93	74	65	3				
147	Puerperal phlegmasia alba dolens, embolus, etc	34								2	8	6	8	9	1				
148	Puerperal albuminuria and convulsions	219								25	39	55	46	52	2				
	IX.—Diseases of the skin and of the cellular tissue	188	34	1	1		1	3	4	3	7	10	7	12	21	9	22	53	
151	Gangrene	67			1					1	1	2	1	3	6	5	8	39	
152	Furuncle	45	10	1					1		1	2	4	4	8	2	9	3	
153	Acute abscess	36	6				1	1	2	1	4	3	2	5	5	2	2	2	
154	Other diseases of the skin and annexa	40	18					2	1	1	1	3			2		3	9	
	X.—Diseases of the bones and of the organs of locomotion	94	5	1	3	2	2	13	16	6	2	3	4	7	4	12	9	5	
155	Diseases of the bones (tuberculosis excepted)	77	3	1	3	2	2	11	14	6	2	3	4	5	3	9	6	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	12	2					1	2			1		2	1	1	2	1	
158	Other diseases of the organs of locomotion	5						1								2	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	XI.—Malformations	1,048	977	26	2	4	8	13	5	5	4	1		1	2				
159a	Congenital hydrocephalus	83	72	4		1	1	3	1		1								
159b	Congenital malformations of the heart	652	610	16	2	3	3	10	3	3		1		1					
159c	Other congenital malformations	313	295	6			4		1	2	3				2				
	XII.—Early infancy	3,782	3,782																
160	Congenital debility, icterus, sclerema	229	229																
161a	Premature birth	2,246	2,246																
161b	Injury at birth	1,062	1,062																
162	Other diseases peculiar to early infancy	243	243																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	415														1	39	375	
	XIV.—External causes	7,456	139	91	73	74	60	312	266	336	492	567	592	1,279	1,072	886	631	584	2
	Suicide	1,067							3	26	59	75	89	254	226	175	120	40	
165	By poisons (gas or corrosives excepted)	36								3	4	4	3	8	4	3	7		
166	By corrosive substances	133							1	6	13	11	15	40	20	15	8	4	
167	By poisonous gas	197								3	13	14	19	45	39	36	23	5	
168	By hanging or strangulation	192								1	4	10	8	41	53	33	31	11	
169	By drowning	55								1	2	2	5	11	10	13	8	3	
170	By firearms	343							2	12	20	28	33	80	70	56	30	12	
171	By cutting or piercing instruments	61									1	2	3	15	17	10	10	3	
172	By jumping from high places	29										2	3	9	8	6		1	
173	By crushing	12									2	2		2	2	2	1	1	
174	By other means	9												3	3	1	2		
	Homicide	751	28		2	1	1	3	7	39	98	142	117	181	82	35	14	1	
197	By firearms	528			1		1	2	5	22	71	115	95	131	57	21	7		
198	By cutting or piercing instruments	88								2	13	15	13	32	9	3	1		
199	By other means	135	28		1	1		1	2	15	14	12	9	18	16	11	6	1	
	Accidental or undefined	5,638	111	91	71	73	59	309	256	271	335	350	386	844	764	676	497	543	2
175	Poisoning by food	27	4	3	1	1		2			2	1		1	4	2	5	1	
176	Poisoning by venomous animals	4							2			1						1	
177	Other acute poisonings (gas excepted)	98	3	11	6	2		3		2	7	9	11	12	17	11	3	1	
178	Conflagration	123	5	4	7	2	4	11	3	5	12	8	7	23	12	12	2	5	1
179	Burns (conflagration excepted)	321	10	33	23	31	16	36	16	9	15	12	16	40	17	16	15	16	
180	Mechanical suffocation	58	43	1				3	1	1	1	1	2	2	2	1			
181	Absorption of irrespirable, irritating, or poisonous gas	222	1			1	1	3	2	4	9	15	13	49	38	35	28	23	
182	Drowning	345	1	12	2	1	3	30	53	44	25	16	19	56	37	33	10	3	
183	Traumatism by firearms (except in war)	138		1	1	1	1	14	19	19	15	12	12	24	10	6	3		
184	Traumatism by cutting or piercing instruments	43				1		1	1	1	4	3		7	7	10	6	2	
185	Traumatism by fall	991	11	8	9	4	3	16	16	13	27	27	36	108	105	114	148	346	
186a	Traumatism in mines	168								4	13	24	18	48	30	25	6		
186b	Traumatism in quarries	3								1			1	1					
187	Traumatism by machines	135		1	1			1	4	12	14	10	17	28	21	11	12	3	
188a	Railroad accidents	727	1	2	1	2		12	22	44	61	77	86	136	120	93	49	20	1
	Collision with automobiles	199	1	1	1	2		3	4	17	24	28	25	36	32	17	7	1	
	Other railroad accidents	528		1				9	18	27	37	49	61	100	88	76	42	19	1
188b	Street-car accidents	202			1	2	1	4	5	13	16	7	17	36	35	29	21	15	
	Collision with automobiles	62				1		1	5	9	10	5	4	11	7	6	2	1	
	Other street-car accidents	140			1	1	1	3		4	6	2	13	25	28	23	19	14	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,338	2	4	9	20	25	149	86	60	80	84	82	154	188	181	139	75	
188d	Airplane and balloon accidents	18								1	4	5	5	3					
188e,f	Injuries by other vehicles	86			2	1	1	3	9	9	2	1	5	12	20	15	3	3	
188g	Landslide, other crushing	38			1		2			1			5	10	6	7	2	4	
189	Injuries by animals (not poisoning)	23				2		1	2			1		5	1	4	4	3	
192	Starvation (deprivation of food or water)	1															1		
193	Excessive cold	20									1	2	1	1	4	6	3	2	
194	Excessive heat	40	6	1								1	2	5	9	8	4	4	
195	Lightning	18							2	5	1	1	2	3	2		2		
196	Other accidental electric shocks	63								8	8	8	10	15	5	7	2		
201	Fracture (cause not specified)	23	1						1			1	1	3	4	6	4	2	
202	Other external violence	364	23	10	7	2	2	20	12	15	18	23	18	62	70	44	24	14	
203	Violent deaths of unknown causation	1															1		
	XV.—Ill-defined diseases	208	37	6	3	3		2		2	5	5	8	17	29	32	33	26	
204	Sudden death	13											1	1	1	4	5	1	
205a	Ill-defined	76	12	5	3			1				1	2	4	12	10	11	15	
205b	Not specified or unknown	119	25	1		3		1		2	5	4	5	12	16	18	17	10	
	INDIANA																		
	All causes	40,016	4,543	969	450	275	212	667	526	786	1,093	1,074	1,077	2,749	3,635	5,198	7,713	9,025	24
	I.—Epidemic, endemic, and infectious diseases	6,358	691	410	214	129	100	238	176	281	440	380	292	639	533	532	623	677	3
1	Typhoid and paratyphoid fever	213	1	1	4	5	1	10	29	31	41	22	17	11	19	11	7	3	
5	Malaria	12	1					2			1		1	1	2		3	1	
6	Smallpox	8	1	1	1				1		1	1				1	1		
7	Measles	448	101	106	60	31	20	52	23	8	9	6	10	9	3	7	1	2	
8	Scarlet fever	101		12	11	12	8	24	8	4	12	2	2	4	1		1		
9	Whooping cough	419	215	118	45	16	9	14	1					1					
10	Diphtheria	185	8	19	22	29	22	42	19	1	6	3	4	6	2	1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
11a	Influenza (with pulmonary complications)	1,028	131	59	28	12	13	24	10	16	19	25	35	85	71	104	150	245	1
11b	Influenza (other and unspecified)	698	71	35	12	7	6	17	17	13	27	14	20	42	50	54	111	202	
13	Mumps	2						1								1			
15	Cholera nostras	2	1	1															
16	Dysentery	108	18	8	3	1	1					1	1	2	3	6	24	40	
19	Spirochetal hemorrhagic jaundice	3	1										1				1		
21	Erysipelas	113	22	4		1			1	2		1	4	10	8	15	27	18	
22	Acute anterior poliomyelitis	17	6		1	1		2	3	1	1	1		1					
23	Lethargic encephalitis	35		1	1			1	1	3	1	4		9	4	5	3	2	
24	Meningococcus meningitis	21	3	2	1	1	3	2	1	2	1	1			2		1	1	
25	Other epidemic and endemic diseases	10	3			2		3					1				1		
28	Rabies	2						1								1			
29	Tetanus	48	4		3		2	6	6	2	6	2		6	2	3	3	3	
30	Mycoses	9	3										1		2	2		1	
	Tuberculosis (all forms)	2,596	56	39	21	9	14	34	53	187	303	280	184	412	317	274	262	149	2
31	Of the respiratory system	2,161	21	9	5	2	1	14	31	156	273	257	161	350	284	237	234	125	1
32	Of the meninges, central nervous system	141	28	21	12	4	8	13	8	8	5	5	4	14	4	5	1	1	
33	Of the intestines, peritoneum	141	4	3	4		2	2	7	8	12	11	5	24	16	17	16	10	
34	Of the vertebral column	34						2	2	4	2	3	2	5	3	1	6	4	
35	Of the joints	16								1				3	4	1	3	4	
36	Of other organs	40	1				2	1	1	1	2	3	6	9	5	6	2	1	
37a	Disseminated (acute)	39	2	5		3		1	2	5	6	1	5	2	1	3		3	
37b	Disseminated (chronic or unspecified)	24		1			1	1	2	4	3		1	5		4		1	1
38	Syphilis	221	39	5	1	1		1	3	5	7	9	9	33	42	38	23	5	
40	Gonococcus infection	27	1							5	5	5	2	7	1	1			
41	Purulent infection, septicemia	31	5				1	2		1		3			4	7	4	4	
42	Other infectious diseases	1														1			
	II.—General diseases not included in Class I	4,754	70	12	10	10	5	32	35	53	58	80	91	349	740	1,098	1,294	815	2
	Cancer and other malignant tumors	3,256	2	3	5			4	4	10	18	35	54	214	502	795	944	664	2
43	Of the buccal cavity	89										1	1	2	10	17	32	25	1
44	Of the stomach, liver	1,242			1						2	7	11	64	155	294	406	301	1
45	Of the peritoneum, intestines, rectum	457								2	2	6	9	18	73	124	135	88	
46	Of the female genital organs	476							1	2	2	9	17	69	115	119	102	40	
47	Of the breast	285										2	5	30	67	68	71	42	
48	Of the skin	145									1			3	12	26	35	68	
49	Of other or unspecified organs	562	2	3	4			4	3	6	11	10	11	28	70	147	163	100	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	18	1					1	1		1				2	4	2	6	
51	Acute rheumatic fever	87	1			3	1	12	10	5	8	5	3	10	5	5	14	5	
52	Chronic rheumatism, osteoarthritis, gout	43						2		1		1		2	6	8	13	10	
54	Pellagra	5												2	1	1	1		
56	Rickets	12	8	2			2												
57	Diabetes mellitus	594			1		1	3	10	23	11	17	10	23	67	137	204	87	
58	Anemia, chlorosis	214	1					1	1	1	3	2	4	15	44	64	59	19	
59	Diseases of the pituitary gland	3				1				1						1			
60a	Exophthalmic goiter	252				1			3	6	10	9	13	49	69	50	32	10	
60b	Other diseases of the thyroid gland	28	2	1	1	1	1			1	1	1	2	3	6	3	4	1	
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	29	20	3	1	3		2											
63	Diseases of the adrenals (Addison's disease)	16								1	2		1		2	4	3	3	
64	Diseases of the spleen	3	1											1				1	
65a	Leukemia	62	3	1	2			5	2	3	1	3		6	14	10	11	1	
65b	Hodgkin's disease	16		2				1	1		1		2	2	3	3	1		
66	Alcoholism (acute or chronic)	57									1	4	2	18	17	12	3		
67a	Chronic lead poisoning	1												1					
67b	Other chronic mineral poisoning	1												1					
68	Chronic poisoning by organic substances	1												1					
69	Other general diseases	55	30			1		1	3	1	1	3		1	2	1	3	8	
	III.—Diseases of the nervous system and of the organs of special sense	4,466	68	19	8	10	4	46	26	28	41	44	62	243	415	750	1,270	1,429	3
70	Encephalitis	56	4	3			1	7	1	4	2	1	4	6	10	5	6	2	
71a	Simple meningitis	79	10	2	6	6	1	11	2	5	5	4	4	6	4	4	3	6	
71b	Nonepidemic cerebrospinal meningitis	19	6	3	1	2		2	1		1						3		
72	Tabes dorsalis (locomotor ataxia)	52											1	4	17	11	15	4	
73	Other diseases of the spinal cord	118	1	2				1	2		1	2	3	7	16	27	28	28	
74a	Cerebral hemorrhage	3,187	1	1				3		2	7	14	14	83	243	567	1,035	1,214	3
74b	Cerebral embolism and thrombosis	94	2					1	2		1	2	1	5	7	25	21	27	
75	Paralysis without specified cause	178	1								1		1	2	9	29	64	71	
76	General paralysis of the insane	255									2	4	18	76	62	46	27	20	
77	Other forms of mental alienation	48								1	1	2	4	8	10	6	9	7	
78	Epilepsy	92	2	1			1	1	7	7	7	10	11	19	12	6	4	4	
79	Convulsions (nonpuerperal; 5 years and over)	1															1		
80	Infantile convulsions (under 5 years)	30	27	2	1														
81	Chorea	7						1			1			2	2			1	
82	Neuralgia and neuritis	6													1	3	2		
83	Softening of the brain	36												1	1	2	12	20	
84	Other diseases of the nervous system	125	6	1				8	1	2	7	3	1	11	14	14	34	23	
86a	Diseases of the ear	45	7	1				7	6	3	2	1		9	4	2	2	1	
86b	Diseases of the mastoid process	38	1	3		2	1	4	4	4	3	1		4	3	3	4	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	IV.—Diseases of the circulatory system	7,694	31	5	5	3	9	44	55	48	51	59	91	320	635	1,218	2,173	2,943	4
87	Pericarditis	37					1	2	1	4		1	1	3	7	7	6	4	
88	Endocarditis and myocarditis (acute)	269	11	2		1	1	19	9	8	9	18	19	46	30	37	33	26	
89	Angina pectoris	613						1		2	1	3	1	24	74	143	227	136	1
90	Other diseases of the heart	5,669	17	3	5	2	6	21	44	34	40	34	64	223	479	924	1,643	2,127	3
91a	Aneurysm	50										2	1	7	11	11	9	9	
91b,c	Other diseases of the arteries	965											2	8	22	78	229	626	
92	Embolism and thrombosis (not cerebral)	69	1					1				1	1	7	11	12	21	14	
93	Diseases of the veins	15									1		2	2	1	5	3	1	
94	Diseases of the lymphatic system	5	2				1									1	1		
95	Hemorrhage without specified cause	2							1								1		
	V.—Diseases of the respiratory system	3,421	688	222	83	40	30	61	39	46	60	59	78	208	227	297	500	782	1
97a	Diseases of the nasal fossae	2	2																
97b	Diseases of the nasal fossae annexa	18	1	1				2			4	1	1	3	2	2	1		
98	Diseases of the larynx	15	2	2	1	2	2	2		1						1	1	1	
99a	Acute bronchitis	56	19	4	1		1					2	1	1	2	2	6	17	
99b	Chronic bronchitis	68	2	1										2	4	4	20	35	
99c,d	Bronchitis (unspecified)	41	4	1				2		1			1			4	7	21	
100a	Broncho-pneumonia	1,253	454	135	50	14	13	21	9	10	9	7	11	29	39	69	120	263	
100b	Capillary bronchitis	24	12	3	1			1						1	1		2	3	
101a	Lobar pneumonia	1,604	157	65	23	22	12	30	23	27	38	45	55	144	157	187	288	331	
101b	Pneumonia (unspecified)	125	27	6	3			2	2	3	3	1	5	9	7	5	21	30	1
102	Pleurisy	60	2	3	1	1	2		4	3	2	1	1	10	4	13	7	6	
103	Congestion and hemorrhagic infarct of the lung	60	4	1		1		1	1				1	1	1		7	42	
104	Gangrene of the lung	4			1						1		1			1			
105	Asthma	64	1		1						3		1	4	7	6	15	26	
106	Pulmonary emphysema	8	1									2				1	2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	19			1					1				4	3	2	3	5	
	VI.—Diseases of the digestive system	3,258	812	231	79	41	28	94	59	78	85	99	97	246	282	348	339	340	
108	Diseases of the mouth and annexa	20	1						1	2		1	1	2	2	7	3		
109b	Other diseases of the pharynx, tonsils	136	5	6	2	8	2	23	8	6	14	15	5	15	4	9	7	7	
110	Diseases of the esophagus	7											1		1	1	1	3	
111a	Ulcer of the stomach	134						2		1	2	6	6	23	23	30	21	20	
111b	Ulcer of the duodenum	46	1								4	2	3	11	7	12	3	3	
112	Other diseases of the stomach (cancer excepted)	201	58	6	3	1	2	1	2	1	1	2	6	13	12	26	25	42	
113	Diarrhea and enteritis (under 2 years)	911	707	204															
114	Diarrhea and enteritis (2 years and over)	262			61	20	9	17	3	1	1	4	3	6	23	20	39	55	
116	Diseases due to other intestinal parasites	1			1														
117	Appendicitis and typhlitis	416	1	2	3	5	6	33	33	48	40	36	39	56	43	45	19	7	
118a	Hernia	106	1			1				2		3	2	11	15	13	29	29	
118b	Intestinal obstruction	253	31	8	6	5	5	5	7	7	7	10	8	20	25	35	29	45	
119	Other diseases of the intestines	39									2	3	2	3	5	4	6	14	
120	Acute yellow atrophy of the liver	21			1					1	1	1	1	2	1	2	4	7	
121	Hydatid tumor of the liver	1													1				
122	Cirrhosis of the liver	275	1	2				1	1	1	1	3	2	31	46	54	79	53	
123	Biliary calculi	130									5	3		19	25	35	30	13	
124	Other diseases of the liver	204	4	1		1	1	6		4	1	4	11	25	34	43	32	37	
125	Diseases of the pancreas	16										1	3	1	3	4	3	1	
126	Peritonitis without specified cause	79	2	2	2		3	6	4	4	6	5	4	8	12	8	9	4	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,103	21	7	7	4	2	21	17	30	33	63	82	219	401	634	1,121	1,439	2
128	Acute nephritis (including unspecified under 10 years)	178	13	3	3	3		13	4	9	6	10	7	21	24	21	11	30	
129	Chronic nephritis (including unspecified 10 years and over)	3,433	1		1	1	2	7	11	11	16	25	41	130	319	562	1,024	1,280	2
131	Other diseases of the kidneys and annexa	90	5	4	3			1	2	3	2	4	2	8	13	16	11	16	
132	Calculi of the urinary passages	15											1	2		5	4	3	
133	Diseases of the bladder	33	1												2	1	6	23	
134	Diseases of the urethra, etc	13												1	6	1	1	4	
135	Diseases of the prostate	151										1			1	18	53	78	
136	Nonvenereal diseases of the male genital organs	2															1	1	
137	Cysts, other benign tumors of the ovary	28										1	5	6	7	4	2	3	
138	Salpingitis and pelvic abscess (female)	80								5	5	19	19	22	5	2	3		
139	Benign tumors of the uterus	54									2	1	4	23	17	1	5	1	
141	Other diseases of the female genital organs	25								2	2	2	3	6	7	3			
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	407								36	88	89	80	111	3				
143	Accidents of pregnancy	43								3	11	11	7	11					
144	Puerperal hemorrhage	42								1	7	9	11	14					
145	Other accidents of labor	45								2	9	10	8	16					
146	Puerperal septicemia	177								14	48	36	40	37	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	12								2	3	2	1	3	1				
148	Puerperal albuminuria and convulsions	87								14	10	21	12	30					
149	Following childbirth (undefined)	1											1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	108	6	1		1				6	5		6	6	11	10	17	39	
151	Gangrene	46											1		1	3	10	31	
152	Furuncle	22	2			1				3	2		2	2	5	2	2	1	
153	Acute abscess	19	2							2	2		3	1	4	2	1	2	
154	Other diseases of the skin and annexa	21	2	1						1	1			3	1	3	4	5	
	X.—Diseases of the bones and of the organs of locomotion	15	1					1	3	1		1	2	2	2		1	1	
155	Diseases of the bones (tuberculosis excepted)	12	1					1	3	1		1	2		1		1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3												2	1				
	XI.—Malformations	460	436	9	1	2	2	3	3	3	1								
159a	Congenital hydrocephalus	31	26	1				1	1	2									
159b	Congenital malformations of the heart	300	284	6	1	2	1	2	2	1	1								
159c	Other congenital malformations	129	126	2			1												
	XII.—Early infancy	1,646	1,646																
160	Congenital debility, icterus, sclerema	184	184																
161a	Premature birth	1,071	1,071																
161b	Injury at birth	233	233																
162	Other diseases peculiar to early infancy	157	157																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	180														3	20	157	
	XIV.—External causes	3,107	62	47	40	35	31	127	113	176	229	200	195	404	383	306	348	402	9
	Suicide	437							3	15	26	28	33	95	84	81	55	14	3
165	By poisons (gas or corrosives excepted)	31								1	6	5	1	7	6	3	1		1
166	By corrosive substances	81							2	8	11	7	11	19	11	5	4	3	
167	By poisonous gas	24								3	1		1	4	6	5	3	1	
168	By hanging or strangulation	73							1	1	2	4	5	14	14	19	9	3	1
169	By drowning	30											2	8	3	8	7	1	1
170	By firearms	161								2	6	7	9	35	36	34	27	5	
171	By cutting or piercing instruments	22										3	4	3	6	4	2		
172	By jumping from high places	4										1		2		1			
173	By crushing	6										1		2	1	2			
174	By other means	5												1	1		2	1	
	Homicide	181	3	1	1			1	1	10	23	37	25	44	25	5	4	1	
197	By firearms	128			1					7	17	27	19	33	18	4	1	1	
198	By cutting or piercing instruments	25									4	5	5	5	5	1			
199	By other means	28	3	1				1	1	3	2	5	1	6	2		3		
	Accidental or undefined	2,489	59	46	39	35	31	126	109	151	180	135	137	265	274	220	289	387	6
175	Poisoning by food	22	2			2		1	1	2	1	1	2		3	3	2	2	
176	Poisoning by venomous animals	2	1												1				
177	Other acute poisonings (gas excepted)	50	3	9	11	6	1	1			1	2	4	6	2	1	2	1	
178	Conflagration	27	3	2	1						1	2	2	5	1	4	4	2	
179	Burns (conflagration excepted)	143	3	10	7	9	9	15	7	4	5	8	10	14	14	11	7	10	
180	Mechanical suffocation	39	26		1	1			2		2	3		3	1				
181	Absorption of irrespirable, irritating, or poisonous gas	32	1	1		1				1	1	2	2	2	2	7	6	6	
182	Drowning	166	1	7	7	2	2	15	27	41	12	11	8	10	10	6	3	1	3
183	Traumatism by firearms (except in war)	67			1	1	2	3	12	10	9	2	3	7	8	2	5	2	
184	Traumatism by cutting or piercing instruments	23		1		1		1	2	1			2	1	5	3	2	4	
185	Traumatism by fall	525	3	2	1	1		5	7	6	3	6	15	27	30	28	109	282	
186a	Traumatism in mines	89								1	12	8	14	23	19	8	3	1	
186b	Traumatism in quarries	4												1		2	1		
187	Traumatism by machines	60	1				1		1	4	7	7	3	13	7	11	5		
188a	Railroad accidents	314	1			1	1	8	8	28	41	26	23	55	47	31	32	11	1
	Collision with automobiles	127	1			1		1	2	18	18	15	11	23	12	10	10	5	
	Other railroad accidents	187					1	7	6	10	23	11	12	32	35	21	22	6	1
188b	Street-car accidents	77						2	7	6	7	3	4	8	13	12	13	2	
	Collision with automobiles	43							5	5	5	3	2	5	9	2	6	1	
	Other street-car accidents	34						2	2	1	2		2	3	4	10	7	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	547	3	3	5	7	12	64	21	39	55	31	25	59	68	54	62	38	1
188d	Airplane and balloon accidents	4									2	1	1						
188e,f	Injuries by other vehicles	31				1	1	1	1	3	3	2	2	2	2	4	7	2	
188g	Landslide, other crushing	13						1		1	1		2	3	1	2	2		
189	Injuries by animals (not poisoning)	20			1			1	4			2		3	3	3	1	2	
193	Excessive cold	7	1											1	1		2	2	
194	Excessive heat	14			1									1	2	2	5	3	
195	Lightning	11			1			1	1		1		1	2	1	1	1	1	
196	Other accidental electric shocks	41				1	1		1	1	7	9	9	5	4	3			
201	Fracture (cause not specified)	13		1								1			3	2	1	5	
202	Other external violence	148	10	10	2	1	1	7	7	3	9	8	5	14	26	20	14	10	1
	XV.—Ill-defined diseases	39	11	6	3		1				2		1	2	3	2	7	1	
204	Sudden death	1															1		
205a	Ill-defined	25	6	5	2		1				1		1		1	2	5	1	
205b	Not specified or unknown	13	5	1	1						1			2	2		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA																		
	All causes	25,466	2,683	372	225	141	118	422	319	401	501	566	600	1,439	2,187	3,425	5,138	6,928	1
	I. Epidemic, endemic, and infectious diseases	2,842	341	128	93	52	49	136	70	89	142	156	148	248	248	247	300	395	
1	Typhoid and paratyphoid fever	52					1	2	5	5	8	7	3	9	4	4	4		
5	Malaria	4										1		1	1			1	
6	Smallpox	2						1								1			
7	Measles	63	23	11	2	3	2	10	5	2	3				2				
8	Scarlet fever	46	4	1	7	4	4	13	4	2	4	1		1	1				
9	Whooping cough	163	93	33	12	7	8	7				1					1	1	
10	Diphtheria	111	4	5	5	16	13	39	13	2	3	1	4	4		2			
11a	Influenza (with pulmonary complications)	584	79	34	25	6	4	17	6	12	10	13	21	37	48	54	80	138	
11b	Influenza (other and unspecified)	534	71	24	15	7	8	12	6	8	15	10	9	24	32	36	76	181	
13	Mumps	1	1																
15	Cholera nostras	5	1	1										1				2	
16	Dysentery	44	12	2	4	1	3	1		1	1				2	1	4	12	
21	Erysipelas	59	10	3	3	1	1	2	1		2	1		3	3	5	11	8	
22	Acute anterior poliomyelitis	12	1		1		1	4		2					1	2			
23	Lethargic encephalitis	26	1	3		1		1	2		2	2		5	2	4	2	1	
24	Meningococcus meningitis	17	3	2	2			3	2	2	1			1		1			
25	Other epidemic and endemic diseases	6	1	1	1			1	1				1						
29	Tetanus	40	2	1	3	1		11	8	1	1	1	4	1	1	1	2	2	
30	Mycoses	3											1	1				1	
	Tuberculosis (all forms)	918	19	3	12	3	4	9	15	46	82	110	100	132	120	109	110	44	
31	Of the respiratory system	774	5		5			4	11	41	65	98	92	116	103	97	100	37	
32	Of the meninges, central nervous system	34	7	3	4	2	2	2		1	2	2	3	2	4				
33	Of the intestines, peritoneum	40	4						1	1	3	4	2	7	7	5	4	2	
34	Of the vertebral column	12				1		2	2	1		1	1	2	1			1	
35	Of the joints	7					1				1	1					3	1	
36	Of other organs	21	1		1					1	3	3	1	2	2	3	2	2	
37a	Disseminated (acute)	25	2		2		1	1	1	1	6		1	3	3	3		1	
37b	Disseminated (chronic or unspecified)	5									2	1				1	1		
38	Syphilis	101	13	1					1	2	4	3	1	19	22	23	10	2	
40	Gonococcus infection	15								3	5	1	1	4	1				
41	Purulent infection, septicemia	34	3	2	1	2		3	1	1	1	4	3	5	3	4		1	
42	Other infectious diseases	2		1														1	
	II.—General diseases not included in Class I	3,898	50	11	7	8	4	24	32	31	29	46	55	255	539	867	1,166	774	
	Cancer and other malignant tumors	2,593	1	2			1	3	9	5	6	18	25	142	352	611	814	604	
43	Of the buccal cavity	72						1							6	19	22	24	
44	Of the stomach, liver	1,007							3		2	2	4	28	92	239	382	255	
45	Of the peritoneum, intestines, rectum	388								2		1	6	33	45	82	120	99	
46	Of the female genital organs	278							1		1	5	4	38	74	80	58	17	
47	Of the breast	218										3	3	20	60	61	42	29	
48	Of the skin	67												1	7	7	21	31	
49	Of other or unspecified organs	563	1	2			1	2	5	3	3	7	8	22	68	123	169	149	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	32		1		1			1		1	1	1	2	4	7	7	6	
51	Acute rheumatic fever	59			1	1	2	4	5	3	1	4	2	4	9	7	9	7	
52	Chronic rheumatism, osteoarthritis, gout	44								2				2	4	6	10	20	
53	Scurvy	1								1									
54	Pellagra	5					1			1					1		2		
56	Rickets	2	2																
57	Diabetes mellitus	488	1	1	2	2		8	6	9	7	7	8	24	50	110	170	83	
58	Anemia, chlorosis	310	2	1		2			5	4	4	1	2	21	45	74	113	36	
59	Diseases of the pituitary gland	3											1	1	1				
60a	Exophthalmic goiter	118							1	4	4	5	7	18	33	22	21	3	
60b	Other diseases of the thyroid gland	18	1		1			2	1	1				4	3	1	2	2	
61	Diseases of the parathyroid glands	1														1			
62	Diseases of the thymus gland	25	23	1								1							
63	Diseases of the adrenals (Addison's disease)	14									1	3			5	2	3		
64	Diseases of the spleen	4												2				2	
65a	Leukemia	56	1	1		1		4	1		3	3	2	10	10	7	11	2	
65b	Hodgkin's disease	24		1		1					1	3	3	4	7	2		2	
66	Alcoholism (acute or chronic)	51								1			4	18	12	13	2	1	
67a	Chronic lead poisoning	2													2				
67b	Other chronic mineral poisoning	1												1					
68	Chronic poisoning by organic substances	1												1					
69	Other general diseases	46	19	3	3			3	3		1			1	1	4	2	6	
	III.—Diseases of the nervous system and of the organs of special sense	3,379	74	19	6	10	7	37	28	23	26	24	39	134	293	564	925	1,170	
70	Encephalitis	43	4	2		1	1	2	3	3		1	2	7	8	3	2	4	
71a	Simple meningitis	48	11	3	1	2		8	5	1	2	2	3	4	4	1	1		
71b	Nonepidemic cerebrospinal meningitis	7	1	1		1		1	1	1						1			
72	Tabes dorsalis (locomotor ataxia)	17												1	2	9	2	3	
73	Other diseases of the spinal cord	105	1	1		1		1		2		1	3	10	8	19	31	27	
74a	Cerebral hemorrhage	2,391	2	1	1	2	2	1	1	1	5	2	6	38	177	417	741	994	
74b	Cerebral embolism and thrombosis	103	1						2		3	2	3	3	11	17	27	34	
75	Paralysis without specified cause	109	4		1					2				1	4	18	32	47	
76	General paralysis of the insane	105								2	1		3	32	31	21	11	4	
77	Other forms of mental alienation	62								2	1	4	4	8	15	13	12	3	
78	Epilepsy	84	3	3		1	1	2	5	3	7	6	9	8	12	6	10	8	
79	Convulsions (nonpuerperal; 5 years and over	4						1						1		1		1	
80	Infantile convulsions (under 5 years)	31	27	3			1												
81	Chorea	1								1									
82	Neuralgia and neuritis	13													1	1	3	8	
83	Softening of the brain	22														3	3	16	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
84	Other diseases of the nervous system	140	2		1	1		5	6	2	5	2	3	13	12	29	39	20	
85	Diseases of the eye and annexa	1												1					
86a	Diseases of the ear	44	6	1				9	2	3		3	2	4	5	3	6		
86b	Diseases of the mastoid process	49	12	4	2	1	2	7	3		2	1	1	3	3	2	5	1	
	IV.—Diseases of the circulatory system	4,643	19	4		4	2	21	24	34	27	39	36	122	323	699	1,329	1,960	
87	Pericarditis	21						1	1	1	2		1	1	1	2	4	7	
88	Endocarditis and myocarditis (acute)	108	6			3		7	6	9	2	12	5	22	4	12	10	10	
89	Angina pectoris	385										3	2	9	32	92	141	106	
90	Other diseases of the heart	3,456	6	2		1	2	13	15	24	22	17	26	85	249	524	1,008	1,462	
91a	Aneurysm	30										1		1	5	9	10	4	
91b,c	Other diseases of the arteries	525												3	13	39	127	343	
92	Embolism and thrombosis (not cerebral)	83	5									4	1	1	13	15	23	21	
93	Diseases of the veins	21									1	2			4	4	5	5	
94	Diseases of the lymphatic system	6	2	1					2						1				
95	Hemorrhage without specified cause	2											1					1	
96	Other diseases of the circulatory system	6		1											1	2	1	1	
	V.—Diseases of the respiratory system	2,162	374	92	37	16	14	34	24	30	28	50	38	102	105	197	344	677	
97a	Diseases of the nasal fossae	6	2												1			3	
97b	Diseases of the nasal fossae annexa	20	1	1				1		2	5	2		2	2	2	2		
98	Diseases of the larynx	21	5	3	2	2	1	2	1	1							1	3	
99a	Acute bronchitis	34	9	2												2	1	20	
99b	Chronic bronchitis	54										1		1	1	3	13	35	
99c,d	Bronchitis (unspecified)	29	3	2	2		1							1		2	3	15	
100a	Broncho-pneumonia	806	244	54	24	8	4	6	9	7	6	11	3	24	15	39	99	253	
100b	Capillary bronchitis	24	16				1											7	
101a	Lobar pneumonia	899	75	24	6	5	5	20	12	15	13	27	27	60	74	125	178	233	
101b	Pneumonia (unspecified)	82	9	2		1	1	2	2	1	1	1	4	3	5	5	10	35	
102	Pleurisy	54	4	1	3		1	2		2	2	3	2	7	3	9	6	9	
103	Congestion and hemorrhagic infarct of the lung	55	3									1					10	41	
104	Gangrene of the lung	6								1					1	2	1	1	
105	Asthma	45	2	1							1		1	2	2	5	13	18	
106	Pulmonary emphysema	2										1						1	
107	Other diseases of the respiratory system (tuberculosis excepted)	25	1	2				1		1		3	1	1	2	3	7	3	
	VI.—Diseases of the digestive system	1,970	270	71	47	28	14	71	46	52	61	69	74	159	207	255	269	277	
108	Diseases of the mouth and annexa	21	2					2		3	1	1	2	2	4	3	1		
109b	Other diseases of the pharynx, tonsils	34	5	3		4	2	15	8	3	9	7	5	3	4	7	4	5	
110	Diseases of the esophagus	3		1										1				1	
111a	Ulcer of the stomach	108				1				1	3	2	5	13	19	22	24	18	
111b	Ulcer of the duodenum	45			1					1		1	1	8	7	15	4	7	
112	Other diseases of the stomach (cancer excepted)	95	25	2							1	2	1	6	6	8	11	33	
113	Diarrhea and enteritis (under 2 years)	259	205	54															
114	Diarrhea and enteritis (2 years and over)	155			33	13	4	11			3	2	4	8	9	13	15	40	
117	Appendicitis and typhlitis	335	2	3	9	7	5	35	30	32	31	37	28	53	47	38	20	8	
118a	Hernia	99	1	1				1					4	1	13	23	22	33	
118b	Intestinal obstruction	209	27	5		2		5	2	5	5	7	9	21	29	24	36	32	
119	Other diseases of the intestines	34		1				1			1	2	1	3	5	4	7	9	
120	Acute yellow atrophy of the liver	7									2	1	1	2		1			
122	Cirrhosis of the liver	137	1										1	10	13	32	47	33	
123	Biliary calculi	111								1	2	2	4	9	24	16	29	24	
124	Other diseases of the liver	163		1						4	2	4	6	11	18	40	45	32	
125	Diseases of the pancreas	14								2		1	1	3	3	3	1		
126	Peritonitis without specified cause	41	2	2	3	1	2	1	6		1		1	5	6	6	3	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,163	9	6	2	3	2	6	16	14	18	24	41	108	215	340	530	829	
128	Acute nephritis (including unspecified under 10 years)	82	4	5	1	1	1	3	3	1	3	2	6	7	11	12	12	10	
129	Chronic nephritis (including unspecified 10 years and over)	1,637					1	2	12	11	8	9	18	58	163	274	432	649	
131	Other diseases of the kidneys and annexa	51	4	1	1	2		1	1			2	2	5	4	9	8	11	
132	Calculi of the urinary passages	16												2	2	1	3	8	
133	Diseases of the bladder	32														5	3	24	
134	Diseases of the urethra, etc	5												1	1	1		2	
135	Diseases of the prostate	221												1	2	30	66	122	
136	Nonvenereal diseases of the male genital organs	4	1													1	1	1	
137	Cysts, other benign tumors of the ovary	15									4	1	1	3	2	1	2	1	
138	Salpingitis and pelvic abscess (female)	28								1	1	6	6	9	4		1		
139	Benign tumors of the uterus	50									1	3	3	18	21	2	1	1	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	21								1	1	1	5	3	5	4	1		
	VIII.—The puerperal state	276								26	53	64	51	81	1				
143	Accidents of pregnancy	31								2	5	7	9	8					
144	Puerperal hemorrhage	26									1	5	3	17					
145	Other accidents of labor	29								2	3	6	4	14					
146	Puerperal septicemia	97								11	25	19	18	24					
147	Puerperal phlegmasia alba dolens, embolus, etc	15								1	2	2	5	5					
148	Puerperal albuminuria and convulsions	75								10	17	24	11	12	1				
149	Following childbirth (undefined)	3										1	1	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	82	16						1	4				1	7	5	7	41	
151	Gangrene	38	1												1	3	2	31	
152	Furuncle	11	1						1	1				1	3			4	
153	Acute abscess	11	4							1					2	2	1	1	
154	Other diseases of the skin and annexa	22	10							2					1		4	5	
	X.—Diseases of the bones and of the organs of locomotion	33	2		1			1	9		2	1		1	6	4	3	3	
155	Diseases of the bones (tuberculosis excepted)	27	1		1			1	9		1	1		1	4	4	3	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2													1			1	
158	Other diseases of the organs of locomotion	4	1								1				1			1	
	XI.—Malformations	343	320	8	4	3	2	1	3	1		1							
159a	Congenital hydrocephalus	46	40	1		1	1	1	1	1									
159b	Congenital malformations of the heart	174	160	5	4	2			2			1							
159c	Other congenital malformations	123	120	2			1												
	XII.—Early infancy	1,113	1,113																
160	Congenital debility, icterus, sclerema	139	139																
161a	Premature birth	706	706																
161b	Injury at birth	185	185																
162	Other diseases peculiar to early infancy	82	82																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	527														7	48	472	
	XIV.—External causes	1,889	43	29	28	17	24	91	66	97	114	91	113	220	228	221	199	307	1
	Suicide	367							1	6	28	28	26	67	80	66	45	19	1
165	By poisons (gas or corrosives excepted)	29								1	3	1	5	6	5	5	1	2	
166	By corrosive substances	31									4	3	3	5	6	4	4	2	
167	By poisonous gas	37									3	8	3	5	7	5	5	1	
168	By hanging or strangulation	108							1	1	3	8	2	16	25	23	20	8	1
169	By drowning	15										1		2	6	4	2		
170	By firearms	120								4	14	5	11	28	23	19	10	6	
171	By cutting or piercing instruments	18									1	1		3	6	5	2		
172	By jumping from high places	2														1	1		
173	By crushing	4											2		2				
174	By other means	3										1		2					
	Homicide	57	1			1		1	1	5	6	5	9	20	3	2	2	1	
197	By firearms	44	1							5	5	4	9	16	1	2	1		
198	By cutting or piercing instruments	6				1			1		1			3					
199	By other means	7						1				1		1	2		1	1	
	Accidental or undefined	1,465	42	29	28	16	24	90	64	86	80	58	78	133	145	153	152	287	
175	Poisoning by food	9						1	3					1	2	1	1		
176	Poisoning by venomous animals	2													1		1		
177	Other acute poisonings (gas excepted)	28	3	4	4	1		4		1		2		4	3	1	1		
178	Conflagration	21	1		1	1	1	5	1	1	1	2	1	1		3		2	
179	Burns (conflagration excepted)	94	2	7	9	2	8	10	3	4	4	3	2	6	8	10	9	7	
180	Mechanical suffocation	24	20					1	1		1					1			
181	Absorption of irrespirable, irritating, or poisonous gas	34		1						3	1		1	8	6	2	4	8	
182	Drowning	93		5	4	3	1	16	14	15	8	5	2	5	6	5	2	2	
183	Traumatism by firearms (except in war)	44					1	2	3	12	7	4	3	2	3	6	1		
184	Traumatism by cutting or piercing instruments	15		1					1	2	1			1	3	3	3		
185	Traumatism by fall	389	5	3	2		1	2	7	2	3	3	5	9	23	39	58	227	
186a	Traumatism in mines	21								1		3	5	4	5	3			
186b	Traumatism in quarries	3												1	1	1			
187	Traumatism by machines	42			2		1	1	2	3	2	3	3	6	6	8	3	2	
188a	Railroad accidents	169			1		1	5	3	11	16	10	19	33	28	18	16	8	
	Collision with automobiles	39			1		1	3	1	4	3	2	5	8	5	2	3	1	
	Other railroad accidents	130						2	2	7	13	8	14	25	23	16	13	7	
188b	Street-car accidents	11								4		1	2		1	1	1	1	
	Collision with automobiles	7								3		1			1	1		1	
	Other street-car accidents	4								1			2				1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	264	5	2	3	4	4	30	17	19	23	10	12	28	35	31	23	18	
188d	Airplane and balloon accidents	3									1	2							
188e,f	Injuries by other vehicles	33		1		1	1	3	1	2	2	1	3	3	4	4	4	3	
188g	Landslide, other crushing	13				1						3	1	1	3	1	3		
189	Injuries by animals (not poisoning)	25		1		3	3	3	2	1			2	2	3	2	3		
193	Excessive cold	4											1		1	1		1	
194	Excessive heat	8	1											1	1	1	2	2	
195	Lightning	5								1		1	1	1		1			
196	Other accidental electric shocks	22						1		2	5	2	6	6					
201	Fracture (cause not specified)	7											1	2			1	3	
202	Other external violence	82	5	4	2		2	6	6	2	5	3	8	8	2	10	16	3	
	XV.—Ill-defined diseases	146	52	4							1	1	5	8	15	19	18	23	
204	Sudden death	32	8										1	4	2	6	4	7	
205a	Ill-defined	51	7	3							1	1	2	2	10	10	9	6	
205b	Not specified or unknown	63	37	1									2	2	3	3	5	10	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS																		
	All causes	19,100	2,293	365	173	126	84	303	266	393	484	473	482	1,182	1,617	2,279	3,582	4,996	2
	I.—Epidemic, endemic, and infectious diseases	2,313	292	107	68	43	24	90	56	104	140	141	132	240	197	153	241	285	
1	Typhoid and paratyphoid fever	85			2		1	3	9	14	9	11	9	12	5	6	3	1	
5	Malaria	14		1	1					2			1	1	5		2	1	
6	Smallpox	2						1							1				
7	Measles	90	21	26	7	1	3	17	4	3	2		2	2	1	1			
8	Scarlet fever	33	3	3	3	5	5	5	1	2	2	1		2	1				
9	Whooping cough	120	73	22	10	8	4	3											
10	Diphtheria	49	4	4	9	8	1	11	6	1	1	2				2			
11a	Influenza (with pulmonary complications)	499	85	22	14	7	5	11	5	12	10	11	18	41	27	33	81	117	
11b	Influenza (other and unspecified)	352	47	9	9	8	1	11	5	9	11	8	8	22	16	21	55	112	
15	Cholera nostras	3		1				1										1	
16	Dysentery	38	8	5	2	1	1	2		1						4	1	13	
19	Spirochetal hemorrhagic jaundice	4						1				1				1	1		
21	Erysipelas	40	11								1	1	1	4	7	1	7	7	
22	Acute anterior poliomyelitis	14	1	2		1		3	3		1		1	1	1				
23	Lethargic encephalitis	16	1			1						1	2	4	4	2	1		
24	Meningococcus meningitis	9	3	2	2				1				1						
25	Other epidemic and endemic diseases	4	1				1	1									1		
28	Rabies	3					1		1		1								
29	Tetanus	43	3		3			13	7	3	2	1	4		3	1	3		
30	Mycoses	7										3	1		1	1	1		
	Tuberculosis (all forms)	740	8	8	4	3	1	6	14	54	90	91	76	124	91	67	74	29	
31	Of the respiratory system	650	3	3	3	1	1	3	12	52	81	86	71	107	82	58	63	24	
32	Of the meninges, central nervous system	17	5	4	1	1			1		1	1	1	2					
33	Of the intestines, peritoneum	35						3		1	1	1	3	7	5	6	5	3	
34	Of the vertebral column	6				1				1				1	1		1	1	
35	Of the joints	1									1								
36	Of other organs	12							1		1	1		2	1	2	3	1	
37a	Disseminated (acute)	14		1							5	2		3	2		1		
37b	Disseminated (chronic or unspecified)	5											1	2		1	1		
38	Syphilis	108	21	1	1			1		2	5	5	6	18	29	10	7	2	
39	Soft chancre	1														1			
40	Gonococcus infection	20									3	4	1	5	4	1	1	1	
41	Purulent infection, septicemia	18	2	1	1					1	2	1	1	3	1	1	3	1	
42	Other infectious diseases	1												1					
	II.—General diseases not included in Class I	2,497	34	10	4	11	8	21	27	26	23	27	40	192	353	540	649	532	
	Cancer and other malignant tumors	1,680	2	3	2	2		3	8	7	6	13	22	121	236	368	479	408	
43	Of the buccal cavity	55											2	1	5	8	21	18	
44	Of the stomach, liver	633							1	1		3	3	27	67	144	211	176	
45	Of the peritoneum, intestines, rectum	229	1					1		1			1	20	27	61	62	55	
46	Of the female genital organs	211							1		2	2	9	29	54	51	38	25	
47	Of the breast	145	1									3	3	20	31	36	32	19	
48	Of the skin	60							1					2	3	9	14	31	
49	Of other or unspecified organs	347		3	2	2		2	5	5	4	5	4	22	49	59	101	84	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	12											1	2		1	3	5	
51	Acute rheumatic fever	43		1			2	3	7	7	2			2	5	2	4	8	
52	Chronic rheumatism, osteoarthritis, gout	32				1				1			2	2	2	3	8	13	
53	Scurvy	1					1												
54	Pellagra	13						1	2					1	1	3	1	4	
56	Rickets	7	4	1	1	1													
57	Diabetes mellitus	330	1	2		3	3	7	8	3	2	6	4	14	41	89	82	65	
58	Anemia, chlorosis	161	2			2		1		2	3	4	1	11	28	45	43	19	
59	Diseases of the pituitary gland	1													1				
60a	Exophthalmic goiter	71							1	2	3	2	2	18	17	17	7	2	
60b	Other diseases of the thyroid gland	9		2		1	1				1					1	2	1	
61	Diseases of the parathyroid glands	1						1											
62	Diseases of the thymus gland	19	17	1				1											
63	Diseases of the adrenals (Addison's disease)	9												3	2	1	3		
64	Diseases of the spleen	4									1				1		2		
65a	Leukemia	31						2		1	1	1	2	6	3	4	6	5	
65b	Hodgkin's disease	14		1				1							3	6	3		
66	Alcoholism (acute or chronic)	32								1	2	1	3	9	10	1	5		
67a	Chronic lead poisoning	2												1		1			
68	Chronic poisoning by organic substances	5									1		2	2					
69	Other general diseases	20	8			1	1	1	1	2	1				1			4	
	III.—Diseases of the nervous system and of the organs of special sense	2,490	45	15	3	2	1	25	19	18	23	31	27	112	226	342	662	939	
70	Encephalitis	25		3				2		2	1	2	3	4	3	1	1	3	
71a	Simple meningitis	23	7	3				3	3	1			1	4	1				
71b	Nonepidemic cerebrospinal meningitis	6	1	1		1		2	1										
72	Tabes dorsalis (locomotor ataxia)	33										1		1	9	9	10	3	
73	Other diseases of the spinal cord	83	1					1		1	2	1	1	7	10	16	18	25	
74a	Cerebral hemorrhage	1,769	2	1	1			1	1	2	2	4	6	36	136	242	541	794	
74b	Cerebral embolism and thrombosis	73	1	1					2	1	2	3	1	7	2	14	16	23	
75	Paralysis without specified cause	74		1					1		1			2	4	10	19	36	
76	General paralysis of the insane	78										1	2	16	22	19	11	7	
77	Other forms of mental alienation	69									7	8	5	12	12	9	10	6	
78	Epilepsy	71	2	1				3	2	7	7	8	3	11	14	3	4	6	
79	Convulsions (nonpuerperal; 5 years and over)	3								1		2							
80	Infantile convulsions (under 5 years)	21	19	2															
81	Chorea	3							2						1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
82	Neuralgia and neuritis	5												2		1	1	1	
83	Softening of the brain	23													1	2	10	10	
84	Other diseases of the nervous system	82	6		2			2	1			1	3	3	10	15	17	22	
86a	Diseases of the ear	36	4	2		1	1	8	4	1		1	2	5	1		3	3	
86b	Diseases of the mastoid process	13	2					3	2	2				2		1	1		
	IV.—Diseases of the circulatory system	3,331	14	1	6	1		9	13	27	36	26	29	115	231	503	926	1,394	
87	Pericarditis	23			1				2			2			2	3	5	8	
88	Endocarditis and myocarditis (acute)	82	7		1			3	5	6	9	2	6	8	8	4	11	12	
89	Angina pectoris	225										1		11	28	54	66	65	
90	Other diseases of the heart	2,553	7	1	4	1		5	6	20	23	19	22	82	172	394	718	1,079	
91a	Aneurysm	36											1	4	9	4	12	6	
91b,c	Other diseases of the arteries	337												2	4	30	91	210	
92	Embolism and thrombosis (not cerebral)	63						1			4	2		7	7	11	20	11	
93	Diseases of the veins	7												1	1	1	3	1	
94	Diseases of the lymphatic system	2								1								1	
95	Hemorrhage without specified cause	1														1			
96	Other diseases of the circulatory system	2														1		1	
	V.—Diseases of the respiratory system	1,349	311	80	21	18	10	31	18	28	31	21	20	70	73	94	191	332	
97a	Diseases of the nasal fossae	13	5				1			1	1							5	
97b	Diseases of the nasal fossae annexa	9								2	3			2	1		1		
98	Diseases of the larynx	4	2	1											1				
99a	Acute bronchitis	33	10	1				1		1		1			1	2	5	11	
99b	Chronic bronchitis	53	1		1			1					1		2	5	13	29	
99c,d	Bronchitis (unspecified)	30	7	1					1					1	1		4	15	
100a	Broncho-pneumonia	478	184	44	13	10	4	8	7	4	5	8	2	7	15	14	47	106	
100b	Capillary bronchitis	12	7	2	1		1											1	
101a	Lobar pneumonia	568	75	27	6	7	3	20	7	19	15	12	16	53	45	59	94	110	
101b	Pneumonia (unspecified)	41	13	1		1	1		1	1	4			2	1	4	2	10	
102	Pleurisy	26	1	2					2		2			2	1	4	8	4	
103	Congestion and hemorrhagic infarct of the lung	28	5													1	3	19	
104	Gangrene of the lung	5						1			1				1		2		
105	Asthma	33	1											2	3	3	9	15	
106	Pulmonary emphysema	2																2	
107	Other diseases of the respiratory system (tuberculosis excepted)	14		1									1	1	1	2	3	5	
	VI.—Diseases of the digestive system	1,753	361	102	43	28	17	51	53	48	49	31	59	122	165	187	202	235	
108	Diseases of the mouth and annexa	12									2		1		2	1	4	2	
109b	Other diseases of the pharynx, tonsils	62	2	1	3	1	2	13	4	2	3	3	6	6	3	5	3	5	
110	Diseases of the esophagus	6	1							1					1		2	1	
111a	Ulcer of the stomach	90									1	1	6	6	15	20	28	13	
111b	Ulcer of the duodenum	31								1			1	11	4	8	5	1	
112	Other diseases of the stomach (cancer excepted)	113	32	3	1					2	2			2	5	11	21	34	
113	Diarrhea and enteritis (under 2 years)	358	273	85															
114	Diarrhea and enteritis (2 years and over)	142			33	15	7	10	3	4	1		1	6	9	8	9	36	
117	Appendicitis and typhlitis	315	1	4	2	6	5	18	42	29	29	17	30	42	44	25	15	6	
118a	Hernia	68	3	1	1	1							3		6	14	17	22	
118b	Intestinal obstruction	154	32	5	2	2	2	4	3	3	3	4	3	13	12	25	13	28	
119	Other diseases of the intestines	41	5	2		2	1	4		1				3	2	5	3	13	
120	Acute yellow atrophy of the liver	10	1										2		1		2	4	
121	Hydatid tumor of the liver	1									1								
122	Cirrhosis of the liver	113	1								2	1	2	7	19	25	30	26	
123	Biliary calculi	80										3	2	10	19	20	16	10	
124	Other diseases of the liver	118	4		1					2	3	1	1	14	18	16	28	30	
125	Diseases of the pancreas	13	2											1	4	3	1	2	
126	Peritonitis without specified cause	26	4	1		1		2	1	3	2	1	1	1	1	1	5	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,885	7	2	3	1	3	9	4	11	25	36	48	96	173	278	508	680	1
128	Acute nephritis (including unspecified under 10 years)	73	5	2	2		3	3	2		2		6	6	10	11	8	13	
129	Chronic nephritis (including unspecified 10 years and over)	1,473						6	2	9	14	22	22	61	134	228	420	554	1
131	Other diseases of the kidneys and annexa	49	2		1	1						2		6	9	10	9	9	
132	Calculi of the urinary passages	10											1	1	1	2	3	2	
133	Diseases of the bladder	23											1				6	16	
134	Diseases of the urethra, etc	6											1	1	2	1	1		
135	Diseases of the prostate	154													3	13	53	85	
137	Cysts, other benign tumors of the ovary	17									4	3	4	1	1	2	1	1	
138	Salpingitis and pelvic abscess (female)	31								2	3	6	9	7	3		1		
139	Benign tumors of the uterus	36										1	3	12	8	7	5		
140	Nonpuerperal uterine hemorrhage	1													1				
141	Other diseases of the female genital organs	12									2	2	1	1	1	4	1		
	VIII.—The puerperal state	245								32	53	63	31	61	5				
143	Accidents of pregnancy	25								2	5	10	3	5					
144	Puerperal hemorrhage	25								3	1	7	4	9	1				
145	Other accidents of labor	23								1	3	3	3	12	1				
146	Puerperal septicemia	105								17	29	27	10	19	3				
147	Puerperal phlegmasia alba dolens, embolus, etc	16								3	4	1	4	4					
148	Puerperal albuminuria and convulsions	50								6	10	15	7	12					
149	Following childbirth (undefined)	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	43	5					1	1	3	1		1	5	2	1	8	15	
151	Gangrene	21	1							1				1	1		5	12	
152	Furuncle	5								1				3			1		
153	Acute abscess	5							1	1				1		1	1		
154	Other diseases of the skin and annexa	12	4					1			1		1		1		1	3	
	X.—Diseases of the bones and of the organs of locomotion	30			1			6	6		1	1	1	2	3	1	5	3	
155	Diseases of the bones (tuberculosis excepted)	22						6	6		1	1	1	1	3		3		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	6			1									1			1	3	
158	Other diseases of the organs of locomotion	2														1	1		
	XI.—Malformations	262	246	5	1	3	1		5	1									
159a	Congenital hydrocephalus	19	15	1		1			2										
159b	Congenital malformations of the heart	168	158	4	1	2	1		1	1									
159c	Other congenital malformations	75	73						2										
	XII.—Early infancy	874	874																
160	Congenital debility, icterus, sclerema	93	93																
161a	Premature birth	593	593																
161b	Injury at birth	141	141																
162	Other diseases peculiar to early infancy	46	46																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	346														5	20	321	
	XIV.—External causes	1,539	55	39	23	19	19	59	63	93	101	94	93	160	180	159	148	233	1
	Suicide	209								6	12	18	16	29	52	33	29	14	
165	By poisons (gas or corrosives excepted)	13									1	1	2	1	2	3	2	1	
166	By corrosive substances	21								3	2	3	2	3	3	4	1		
167	By poisonous gas	4										1			2		1		
168	By hanging or strangulation	42									1	4	2	10	9	6	6	4	
169	By drowning	8									1			2	1	1	1	2	
170	By firearms	107								3	5	9	10	11	32	18	13	6	
171	By cutting or piercing instruments	9													3	1	4	1	
172	By jumping from high places	1												1					
173	By crushing	2									1			1					
174	By other means	2									1						1		
	Homicide	103	1					3		7	15	9	16	26	18	3	1	3	1
197	By firearms	77						3		7	11	9	10	18	16	1	1		1
198	By cutting or piercing instruments	7											1	4	1			1	
199	By other means	19	1								4		5	4	1	2		2	
	Accidental or undefined	1,227	54	39	23	19	19	56	63	80	74	67	61	105	110	123	118	216	
175	Poisoning by food	21	7			1	1				1	1			4	2	3	1	
176	Poisoning by venomous animals	6	1		1		1						1	1	1				
177	Other acute poisonings (gas excepted)	29	2	7	3	3	1					1	2	5		4	1		
178	Conflagration	24		3	1	3	2			1	2	1		2	4	1		4	
179	Burns (conflagration excepted)	92		5	7	4	5	8	4	3	6	8	5	5	7	4	10	11	
180	Mechanical suffocation	32	24						1	1		1	1	1	3				
181	Absorption of irrespirable, irritating, or poisonous gas	13	1							1	1	1		3		1	2	3	
182	Drowning	64	2	10	2	1	1	6	13	12	4	4		2	2	2	1	2	
183	Traumatism by firearms (except in war)	51	1	1			2	5	6	9	5	2	5	1	7	3	1	3	
184	Traumatism by cutting or piercing instruments	9						2	1				1	1	1		2	1	
185	Traumatism by fall	260	3	2		1		4	4	4	2	5	2	7	11	24	45	146	
186a	Traumatism in mines	20									1	3	3	6	2	4	1		
187	Traumatism by machines	42			1			2		2	2	9	6	7	9	4			
188a	Railroad accidents	109			1			2	6	10	17	9	11	11	17	12	8	5	
	Collision with automobiles	44			1				4	6	6	5	5	4	4	3	4	2	
	Other railroad accidents	65						2	2	4	11	4	6	7	13	9	4	3	
188b	Street-car accidents	14								2	2		1	1	3	1	2	2	
	Collision with automobiles	2								1	1								
	Other street-car accidents	12								1	1		1	1	3	1	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars	241	5	3	1	3	3	18	16	20	17	9	10	39	20	38	24	15	
188d	Airplane and balloon accidents	7								1		3	2			1			
188e,f	Injuries by other vehicles	38			1	1	1	4	5		2	1	1		5	8	4	5	
188g	Landslide, other crushing	8						1		1		1	2	2				1	
189	Injuries by animals (not poisoning)	13		1	2	1			1			1			2	1	2	2	
193	Excessive cold	6						1				1	1		1		1	1	
194	Excessive heat	12	2								1			1	2	1	1	4	
195	Lightning	9								1	1	1		1	2	1	2		
196	Other accidental electric shocks	21						1		2	4	4	2	2	2	4			
201	Fracture (cause not specified)	1																1	
202	Other external violence	85	6	7	3	1	2	2	6	10	6	1	5	7	5	7	8	9	
	XV.—Ill-defined diseases	143	49	4			1	1	1	2	1	2	1	7	9	16	22	27	
204	Sudden death	20	1							1			1	2	1	5	4	5	
205a	Ill-defined	51	7	2					1	1				2	4	8	12	14	
205b	Not specified or unknown	72	41	2			1	1			1	2		3	4	3	6	8	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY																			
	All causes	White	25,145	4,020	1,168	467	266	189	534	357	717	908	722	749	1,645	1,959	2,736	3,908	4,762	38
		Colored	4,807	554	121	43	30	22	61	81	174	235	258	238	567	704	660	508	530	21
	I.—Epidemic, endemic, and infectious diseases	White	5,733	623	462	223	133	102	229	145	304	409	348	291	540	445	452	487	537	3
		Colored	1,193	97	46	18	14	11	31	38	100	116	113	92	166	120	114	61	52	4
1	Typhoid and paratyphoid fever	W	403	1	4	4	4	8	32	54	68	59	34	29	45	32	19	4	5	1
		C	82		1				7	9	16	12	12	5	9	3	5	2	1	
5	Malaria	W	42	2	5	1	4		5	2		2		1	5	1	6	3	5	
		C	15	1					1	1	1	2		1	4		2		2	
6	Smallpox	W	5												1	1	2	1		
7	Measles	W	446	83	115	53	27	13	43	20	17	13	9	5	14	12	14	5	3	
		C	25	13	1	4	2	1	1		1	1				1				
8	Scarlet fever	W	55	1	7	4	6	9	12	8	4	2			1				1	
		C	2						1			1								
9	Whooping cough	W	338	164	97	34	22	6	13	1	1									
		C	40	16	14	6	1	2	1											
10	Diphtheria	W	273	42	47	55	32	38	49	7			1		1	1				
		C	17	5	1	2	4	1	3	1										
11a	Influenza (with pulmonary complications)	W	678	92	44	17	10	3	13	11	23	8	19	17	49	38	73	110	151	
		C	156	14	12	2	2	2	1	1	3	10	14	3	13	23	20	19	16	1
11b	Influenza (other and unspecified)	W	442	50	19	7	4	6	12	2	7	12	9	11	14	27	43	71	148	
		C	78	12	2		1		2	1	3	1	2	2	11	7	10	12	11	1
13	Mumps	W	1			1														
15	Cholera nostras	W	16	1	2		1					1		1	1			5	4	
16	Dysentery	W	260	56	53	20	4	4	12	5	6	3	3	4	6	4	13	19	48	
		C	22	6	1		1						1		1		5	2	5	
19	Spirochetal hemorrhagic jaundice	W	1													1				
21	Erysipelas	W	57	13	4		1			1	1		1		5	4	3	10	14	
		C	3												1		1		1	
22	Acute anterior poliomyelitis	W	32	6	7	3	3	3	6	1		2						1		
		C	4		1				1							1	1			
23	Lethargic encephalitis	W	17							2		1	1	1	3	4	2	1	2	
		C	1								1									
24	Meningococcus meningitis	W	50	24	9	2	3	1	4	1	1	1	1		1	1	1			
		C	7	2	2	1			1		1									
25	Other epidemic and endemic diseases	W	5	2			1	1										1		
		C	1	1																
28	Rabies	W	7				1				1			1	3		1			
		C	2							1									1	
29	Tetanus	W	26	4	1		2	1	5	6		1	1		2	2	1			
		C	11	2					1	2	2	1			1	1		1		
30	Mycoses	W	9	5										1		2			1	
		C	1												1					
	Tuberculosis (all forms)	W	2,454	60	45	21	7	9	22	24	172	293	263	213	369	298	262	247	147	2
		C	641	10	11	2	3	5	11	22	72	84	78	70	108	73	54	23	14	1
31	Of the respiratory system	W	2,099	28	19	10	2	5	9	19	150	278	236	195	337	257	221	209	122	2
		C	558	4	8	2	1	1	7	16	62	78	67	64	99	67	49	21	11	1
32	Of the meninges, central nervous system	W	95	20	15	6	2	2	10	3	6	3	3	3	7	6	5	3	1	
		C	28	6	1		2	4	3		2		4	4	1		1			
33	Of the intestines, peritoneum	W	159	5	5	4	1				5	5	17	8	16	21	23	30	19	
		C	30		2				1	2	5		3	2	6	4	3	1	1	
34	Of the vertebral column	W	17	1		1	1		1	2		1		1		5	4			
		C	2							2										
35	Of the joints	W	8					1			1	1			1	1	2		1	
		C	3								1	1	1							
36	Of other organs	W	38	6	3		1		1		6	1	2	1	2	5	4	4	2	
		C	8							1		2	1		2				2	
37a	Disseminated (acute)	W	25		2			1	1		4	2	3	4	2	2	2	1	1	
		C	10								2	2	2			2	1	1		
37b	Disseminated (chronic or unspecified)	W	13		1							2	2	1	4	1	1		1	
		C	2							1		1								
38	Syphilis	W	74	16	3	1						4	3	3	9	13	11	7	4	
		C	72	15		1						1	4	9	16	9	14	2		1
40	Gonococcus infection	W	14									5	2		6	1				
		C	6									1	1	2	1	1				
41	Purulent infection, septicemia	W	26	1			1		1		3	2	1	4	5	2	1	2	3	
		C	7									2	1			1	2		1	
42	Other infectious diseases	W	2													1			1	
	II.—General diseases not included in Class I	White	2,143	40	17	7	3	3	14	11	27	33	34	69	198	334	480	543	326	4
		Colored	319	9	3		2	1		4	3	6	7	14	44	76	67	54	28	1
	Cancer and other malignant tumors	W	1,424	1	4	1	1	1	3		6	12	10	35	136	225	338	401	248	2
		C	208				1				2	2	3	7	34	49	53	42	15	
43	Of the buccal cavity	W	39											1	1	3	11	15	8	
		C	6								1				2		1	2		
44	Of the stomach, liver	W	503		1				1			4		5	30	63	137	162	99	1
		C	66				1						1	2	4	13	26	14	5	
45	Of the peritoneum, intestines, rectum	W	210								1		1	4	24	33	46	65	36	
		C	28									1	1		4	12	5	5		
46	Of the female genital organs	W	232		1							3	4	10	43	66	48	41	16	
		C	57										1	4	14	12	11	12	3	
47	Of the breast	W	114										3	5	20	26	25	22	13	
		C	17												5	4	4		4	
48	Of the skin	W	89				1				1	1		1	4	8	17	28	27	1
		C	4											1		1		1	1	
49	Of other or unspecified organs	W	237	1	2	1		1	2		4	4	2	9	14	26	54	68	49	
		C	30								1	1			5	7	6	8	2	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	5								1	1					1		2	
		C	3												1	2				
51	Acute rheumatic fever	W	51						3	3	2	4		2	6	8	12	11		
		C	21							3		1	1	2	7	1	2	3		
52	Chronic rheumatism, osteoarthritis, gout	W	29										1	1	3	8	7	7		
		C	4												2			1		
54	Pellagra	W	129		2	1	1		2		3	1	8	11	15	30	25	19	6	1
		C	15									1		2	2	5	1	3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	II.—General diseases not included in Class I—Contd.																			
56	Rickets	W	12	8	2	1		1												
		C	4	2	2															
57	Diabetes mellitus	W	238		1		1	1	1	7	11	3	4	8	14	27	59	66	35	
		C	25							1				1		4	9	4	5	1
58	Anemia, chlorosis	W	103	4	4				4			2		1	14	13	27	23	11	
		C	8	1							1			1	1	1	1	2		
59	Diseases of the pituitary gland	W	1						1											
60a	Exophthalmic goiter	W	35								1		5	3	4	11	5	5		1
		C	6					1							2	2	1			
60b	Other diseases of the thyroid gland	W	6		1								1				1		3	
		C	2													1	1			
61	Diseases of the parathyroid glands	W	1	1																
62	Diseases of the thymus gland	W	13	13																
		C	1	1																
63	Diseases of the adrenals (Addison's disease)	W	3												1	1			1	
		C	1																1	
64	Diseases of the spleen	W	6								1	1			1	1		2		
		C	1										1							
65a	Leukemia	W	16		1	2						1		2		5	2	2	1	
		C	1				1													
65b	Hodgkin's disease	W	9		1	1					1		2			2	1	1		
		C	1										1							
66	Alcoholism (acute or chronic)	W	30									3	1	4	8	7	3	3	1	
		C	8										1	1	3	2			1	
67a	Chronic lead poisoning	W	1												1					
68	Chronic poisoning by organic substances	W	8										2	2	2	2				
69	Other general diseases	W	23	13	1	1				1	1	1				1	2	2		
		C	10	5	1							1				1		1	1	
	III.—Diseases of the nervous system and of the organs of special sense	White	2,349	82	26	15	8	11	24	22	21	31	26	34	110	219	397	642	676	5
		Colored	442	21	4	1	2		2	2	4	5	10	12	35	96	98	66	82	2
70	Encephalitis	W	39	1	4	1	1	1	1	6		2	3	2	7	2	5	2	1	
		C	1													1				
71a	Simple meningitis	W	76	29	6	5	4	2	3	4	3	3	2	1	2	6	2	4		
		C	24	7	4		1		1	2		1			2	4		1	1	
71b	Nonepidemic cerebrospinal meningitis	W	29	9	6	2	1	3	6	1		1								
		C	2	1					1											
72	Tabes dorsalis (locomotor ataxia)	W	30											1	3	7	7	8	4	
		C	1													1				
73	Other diseases of the spinal cord	W	74	1						1	3	2	1		3	9	16	22	16	
		C	10												1	3	1	2	3	
74a	Cerebral hemorrhage	W	1,467	3	1	2				2	3	8	8	9	40	118	301	484	485	3
		C	240										3	2	17	59	62	41	55	1
74b	Cerebral embolism and thrombosis	W	29						1			1	1		2	4	7	7	6	
		C	2												1		1			
75	Paralysis without specified cause	W	217			1			1			2			5	12	21	63	112	
		C	53								1	1	1	1	2	12	10	10	14	1
76	General paralysis of the insane	W	84							1			3	5	19	19	15	14	8	
		C	52										2	5	6	13	16	7	3	
77	Other forms of mental alienation	W	42								2		3	2	7	14	3	10	1	
		C	4								1		1			1		1		
78	Epilepsy	W	67	6	1			1	1	2	5	7	2	8	8	13	3	5	4	1
		C	16								2	2	2	1	2	1	2	3	1	
79	Convulsions (nonpuerperal; 5 years and over)	W	5								1	1				1		1	1	
		C	1											1						
80	Infantile convulsions (under 5 years)	W	21	18	2		1													
		C	12	11		1														
81	Chorea	W	3							1	1							1		
82	Neuralgia and neuritis	W	10														4	2	4	
		C	3									1						1	1	
83	Softening of the brain	W	18											1	1	1	1	2	12	
		C	3														2		1	
84	Other diseases of the nervous system	W	86	4	2	1	1	1	5		1	3	2	4	9	10	9	16	18	
		C	11	1										2	1	1	3		3	
85	Diseases of the eye and annexa	W	3					1											2	
86a	Diseases of the ear	W	30	8	4	1		2	3	2	1	1		1	2	1	1	1	1	1
		C	4	1									1		2					
86b	Diseases of the mastoid process	W	19	3		2			3	2	1		1		2	2	2		1	
		C	3				1								1		1			
	IV.—Diseases of the circulatory system	White	3,219	15	2	5	5	2	26	27	25	34	23	41	146	271	532	918	1,141	6
		Colored	783	1	1		1			9	6	10	18	31	102	169	166	145	119	5
87	Pericarditis	W	14											1		2	3	4	4	
		C	9											1	1	1	3	2	1	
88	Endocarditis and myocarditis (acute)	W	105	4		2			6	3	1	8	3	5	25	12	17	12	7	
		C	42				1			2	2	1	3	5	13	4	7		4	
89	Angina pectoris	W	167										1	3	5	17	43	58	40	
		C	30									2		3	5	10	8		2	
90	Other diseases of the heart	W	2,504	10	1	3	4	2	20	23	23	24	16	30	110	223	437	724	850	4
		C	644	1	1					6	4	7	15	22	78	147	142	122	94	5
91a	Aneurysm	W	26										1	1	2	8	6	6	2	
		C	11							1					2	4	2	2		
91b,c	Other diseases of the arteries	W	361													5	20	103	231	2
		C	43												2	1	3	19	18	
92	Embolism and thrombosis (not cerebral)	W	26								1	1	1	1	2	2	5	6	7	
		C	1														1			
93	Diseases of the veins	W	6									1			1	1	1	2		
94	Diseases of the lymphatic system	W	2	1	1															
		C	1													1				
95	Hemorrhage without specified cause	W	4				1			1			1					1		
		C	2												1	1				
96	Other diseases of the circulatory system	W	4												1	1		2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																		
	V.—Diseases of the respiratory system—White	2,297	468	192	85	46	18	63	31	28	41	30	48	98	123	178	330	512	6
	V.—Diseases of the respiratory system—Colored	519	121	32	12	6	2	7	9	9	17	24	20	53	69	50	39	45	4
97a	Diseases of the nasal fossae—W	8	5							1		1						1	
97b	Diseases of the nasal fossae annexa—W	5						2	1	1						1			
	Diseases of the nasal fossae annexa—C	1											1						
98	Diseases of the larynx—W	21	6	2	2	2	1	3								1	1	3	
	Diseases of the larynx—C	3	1													1		1	
99a	Acute bronchitis—W	23	4	1					1	1							5	11	
	Acute bronchitis—C	18	3	3				2			3	1		1	3			2	
99b	Chronic bronchitis—W	48	1						1						1	2	10	33	
	Chronic bronchitis—C	9							1					3	1	2	1	1	
99c,d	Bronchitis (unspecified)—W	46	14	1			1	1						1		3	6	18	1
	Bronchitis (unspecified)—C	25	4		1				1	1		2		3	4	3	1	5	
100a	Broncho-pneumonia—W	766	257	98	34	23	7	18	6	6	6	3	8	12	18	23	72	173	2
	Broncho-pneumonia—C	160	71	18	6	4	2	1	3		3	4	1	6	11	9	7	13	1
100b	Capillary bronchitis—W	24	13	3		1		1								1	2	3	
	Capillary bronchitis—C	5	4											1					
101a	Lobar pneumonia—W	960	105	58	26	18	2	26	17	16	24	23	36	65	79	119	173	171	2
	Lobar pneumonia—C	238	33	7	3	2		3	3	4	8	14	15	30	44	29	26	16	1
101b	Pneumonia (unspecified)—W	232	56	26	19		4	11	3	3	8	1	2	9	11	8	31	40	
	Pneumonia (unspecified)—C	26	5	4	2			1		2	2	1	2	2	2			1	2
102	Pleurisy—W	35		2	3	1	1		2		2			3	6	4	5	6	
	Pleurisy—C	5								1		1		2		1			
103	Congestion and hemorrhagic infarct of the lung—W	47	5	1	1							1		2		2	6	29	
	Congestion and hemorrhagic infarct of the lung—C	3									1						1	1	
104	Gangrene of the lung—W	1					1												
	Gangrene of the lung—C	2								1			1						
105	Asthma—W	56	2			1	1						1	5	5	8	14	18	1
	Asthma—C	13												3	1	4	2	3	
106	Pulmonary emphysema—W	2																2	
107	Other diseases of the respiratory system (tuberculosis excepted)—W	23						1			1	1	1	1	3	6	5	4	
	Other diseases of the respiratory system (tuberculosis excepted)—C	11							1			1		2	3	1	1	2	
	VI.—Diseases of the digestive system—White	2,475	781	401	81	28	18	80	41	60	60	40	38	107	173	170	190	201	6
	VI.—Diseases of the digestive system—Colored	330	104	29	7	1	1	7	9	7	9	13	10	28	31	34	19	20	1
108	Diseases of the mouth and annexa—W	30	2	3				2		1	3	2	1	1	5	3	3	4	
	Diseases of the mouth and annexa—C	4	1									1			1	1			
109a	Adenoid vegetations—W	1						1											
109b	Other diseases of the pharynx, tonsils—W	68	7	4	3		4	12	2	7	5	1	2	5	5	4	6	1	
	Other diseases of the pharynx, tonsils—C	7		1					3	1			1			1			
110	Diseases of the esophagus—W	2														1		1	
	Diseases of the esophagus—C	1												1					
111a	Ulcer of the stomach—W	72				1			1		1	2	2	10	18	12	17	8	
	Ulcer of the stomach—C	21							1		1	2	3	3	5	4		2	
111b	Ulcer of the duodenum—W	24									3	2	2	2	3	6	5	1	
	Ulcer of the duodenum—C	2												1		1			
112	Other diseases of the stomach (cancer excepted)—W	176	40	10	6	3	1	2		1	3	3	1	6	12	16	34	38	
	Other diseases of the stomach (cancer excepted)—C	46	13	1						1		1		5	7	8	4	6	
113	Diarrhea and enteritis (under 2 years)—W	1,076	701	375															
	Diarrhea and enteritis (under 2 years)—C	114	88	26															
114	Diarrhea and enteritis (2 years and over)—W	246			64	16	6	24	1	3	2		1	6	7	13	35	65	3
	Diarrhea and enteritis (2 years and over)—C	39			5	1	1	3	2	1	1	1		2	3	7	11	1	
116	Diseases due to other intestinal parasites—W	9		1	1		1	5				1							
	Diseases due to other intestinal parasites—C	2		1				1											
117	Appendicitis and typhlitis—W	265	1	1	1	3	4	22	24	41	30	16	14	33	35	23	9	7	1
	Appendicitis and typhlitis—C	22						3		1	3	4	1	7	1	2			
118a	Hernia—W	41	1										3	3	8	7	8	11	
	Hernia—C	9							1			1		1	2	1		3	
118b	Intestinal obstruction—W	122	18	4	3	3		5	5	3	4	5	4	8	14	10	20	14	2
	Intestinal obstruction—C	24	2		1				2	1	2	2	1	3	6	1		3	
119	Other diseases of the intestines—W	23	1	2		1		1	1		3				3	3	4	4	
	Other diseases of the intestines—C	4									1		1			2			
120	Acute yellow atrophy of the liver—W	8	3								2	1		1	1				
121	Hydatid tumor of the liver—W	1														1			
122	Cirrhosis of the liver—W	111	2							2			2	8	24	33	21	19	
	Cirrhosis of the liver—C	11								1				1	1	4	1	3	
123	Biliary calculi—W	67										3		8	19	16	11	10	
	Biliary calculi—C	2													1	1			
124	Other diseases of the liver—W	90	3		1	1	1	2	2	1	2	2	5	9	16	15	13	17	
	Other diseases of the liver—C	10											1	3	1	1	2	2	
125	Diseases of the pancreas—W	9							1					1	2	3	2		
	Diseases of the pancreas—C	1													1				
126	Peritonitis without specified cause—W	34	2	1	2		1	4	4	1	2	2	1	6	1	4	2	1	
	Peritonitis without specified cause—C	11			1					1	1	1	2	1	2		1		1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—White	2,054	19	5	3	5	6	7	12	22	25	23	30	106	202	300	547	741	1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Colored	516	1	1	1	1	1	1	1	5	10	19	16	55	82	106	103	111	2
128	Acute nephritis (including unspecified under 10 years)—W	129	11	4	2	4	6	5	3	7	6	1	4	13	19	16	13	14	1
	Acute nephritis (including unspecified under 10 years)—C	44	1		1	1	1	1	1	2	1	3	3	9	8	5	6	1	
129	Chronic nephritis (including unspecified 10 years and over)—W	1,689	3	1				1	6	8	9	14	18	73	165	256	489	646	
	Chronic nephritis (including unspecified 10 years and over)—C	411								1	6	13	11	35	64	87	90	103	1
131	Other diseases of the kidneys and annexa—W	53	5							3	1	1		3	6	10	9	15	
	Other diseases of the kidneys and annexa—C	6		1										2		1	1	1	
132	Calculi of the urinary passages—W	13							1				1	4		1	4	2	
	Calculi of the urinary passages—C	1														1			
133	Diseases of the bladder—W	29			1	1		1	1						1	3	7	14	
	Diseases of the bladder—C	6													1	1	3	1	
134	Diseases of the urethra, etc.—W	3											1		1		1		
	Diseases of the urethra, etc.—C	3										1				2			
135	Diseases of the prostate—W	75													1	7	21	46	
	Diseases of the prostate—C	18													5	5	2	5	1
136	Nonvenereal diseases of the male genital organs—W	1																1	
	Nonvenereal diseases of the male genital organs—C	2									1					1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.																		
137	Cysts, other benign tumors of the ovary	W 10										1		3	1	2	1	2	
		C 1													1				
138	Salpingitis and pelvic abscess (female)	W 25							1	1	7	3	4	6	2	1			
		C 8								1	2	2		2	1				
139	Benign tumors of the uterus	W 12										1	1	1	3	4	1	1	
		C 12											2	5	2	2	1		
140	Nonpuerperal uterine hemorrhage	W 2								1				1					
141	Other diseases of the female genital organs	W 13								2	2	2	1	2	3		1		
		C 4								1				2		1			
	VIII.—The puerperal state	White 310								56	71	57	49	75	2				
		Colored 44								11	9	7	8	8	1				
143	Accidents of pregnancy	W 39								1	5	8	6	18	1				
		C 2										1	1						
144	Puerperal hemorrhage	W 22								2	2	6	3	9					
		C 2										1		1					
145	Other accidents of labor	W 32								6	6	4	7	9					
		C 10								3	3	2	1	1					
146	Puerperal septicemia	W 116								15	36	26	21	18					
		C 13								5	1	2	4	1					
147	Puerperal phlegmasia alba dolens, embolus, etc.	W 8									1	2	2	3					
		C 1										1							
148	Puerperal albuminuria and convulsions	W 92								32	21	11	9	18	1				
		C 16								3	5		2	5	1				
149	Following childbirth (undefined)	W 1											1						
	IX.—Diseases of the skin and of the cellular tissue	White 58	8			2		1		2	3	1	3	1	1	8	8	20	
		Colored 12	1					1		1				1	3		3	2	
151	Gangrene	W 28				1					1		1			4	5	16	
		C 6													1		3	2	
152	Furuncle	W 9	1							1	1	1	1			3	1		
		C 1													1				
153	Acute abscess	W 5	1					1		1						1		1	
		C 3						1		1				1					
154	Other diseases of the skin and annexa	W 16	6			1					1		1	1	1		2	3	
		C 2	1												1				
	X.—Diseases of the bones and of the organs of locomotion	White 26	1	1	2	1	1	4	3	2					1		7	3	
		Colored 3									2				1				
155	Diseases of the bones (tuberculosis excepted)	W 18	1		2	1	1	3	3	1					1		2	3	
		C 2									1				1				
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W 2		1						1									
		C 1									1								
158	Other diseases of the organs of locomotion	W 6						1									5		
	XI.—Malformations	White 208	192	7		1		5	2	1									
		Colored 15	14		1														
159a	Congenital hydrocephalus	W 14	10	3					1										
		C 3	2		1														
159b	Congenital malformations of the heart	W 113	108	2				2	1										
		C 8	8																
159c	Other congenital malformations	W 81	74	2		1		3		1									
		C 4	4																
	XII.—Early infancy	White 1,451	1,451																
		Colored 155	155																
160	Congenital debility, icterus, sclerema	W 235	235																
		C 27	27																
161a	Premature birth	W 930	930																
		C 105	105																
161b	Injury at birth	W 171	171																
		C 11	11																
162	Other diseases peculiar to early infancy	W 110	110																
		C 12	12																
163	Lack of care	W 5	5																
164	XIII.—Old age (senility)	White 391														6	34	349	2
		Colored 50														2	5	43	
	XIV.—External causes	White 1,972	76	38	40	31	25	77	62	166	198	136	140	252	174	185	160	207	5
		Colored 372	4	3	2	3	6	11	9	27	51	46	34	74	50	21	9	20	2
	Suicide	W 206							3	9	16	13	11	42	37	44	26	5	
		C 18									1	2	5	5	4			1	
165	By poisons (gas or corrosives excepted)	W 12								1	1		1	1	3	5			
		C 1										1							
166	By corrosive substances	W 21								3	3	1		6	3	2	2	1	
		C 4											2	2					
167	By poisonous gas	W 5												2	1	1		1	
168	By hanging or strangulation	W 34							2		1	1	3	7	5	8	6	1	
		C 4										1		1	1			1	
169	By drowning	W 9									1	1		3	1	2	1		
		C 1												1					
170	By firearms	W 111							1	5	10	9	7	20	21	21	15	2	
		C 7									1		2	1	3				
171	By cutting or piercing instruments	W 9										1		1	2	4	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KENTUCKY—Continued																				
	XIV.—External causes—Contd.																			
	Suicide—Continued																			
172	By jumping from high places	W	3												1	1	1			
173	By crushing	W	1												1					
		C	1											1						
174	By other means	W	1															1		
	Homicide	W	225	1	1				2	2	11	37	27	36	58	23	17	9		1
		C	141						1	1	15	24	32	18	36	10	4			
197	By firearms	W	201	1					2	1	10	34	24	33	54	20	15	6		1
		C	117						1		12	19	30	13	30	9	3			
198	By cutting or piercing instruments	W	11							1	1	2	1	1	2	1	1	1		
		C	19							1	2	4	2	4	5	1				
199	By other means	W	13		1							1	2	2	2	2	1	2		
		C	5								1	1		1	1		1			
	Accidental or undefined	W	1,541	75	37	40	31	25	75	57	146	145	96	93	152	114	124	125	202	4
		C	213	4	3	2	3	6	10	8	12	26	12	11	33	36	17	9	19	2
175	Poisoning by food	W	26	4	4	3	1	1	2		1	2		2	4	2				
		C	2		1											1				
176	Poisoning by venomous animals	W	2	1															1	
177	Other acute poisonings (gas excepted)	W	30	2	4	6					2	1	2		4	4	3	2		
		C	4					1		1			1				1			
178	Conflagration	W	30	4	2		2	3	3	2	1		2	1	3		5	2		
		C	10		1				1		1	3			1		1	1	1	
179	Burns (conflagration excepted)	W	153	10	12	21	17	10	12	7	7	7	5	4	9	6	4	11	11	
		C	34		1	2	2	4	3	1		3	1	1	3	2	4	3	4	
180	Mechanical suffocation	W	39	34				1			1				2	1				
		C	3	2														1		
181	Absorption of irrespirable, irritating, or poisonous gas	W	12							1	1	1	2	1	2		3	1		
182	Drowning	W	103		7	2	3		4	11	25	17	10	3	11	6	2	1	1	
		C	9						1	2	1	3		1		1				
183	Traumatism by firearms (except in war)	W	69	1		1		1	5	4	15	11	3	9	7	4	5	2	1	
		C	15							1	4	3	2		2	2	1			
184	Traumatism by cutting or piercing instruments	W	18			1		2	3		1					1	4	5	1	
		C	2												2					
185	Traumatism by fall	W	282	6	4	2	1	1	11	6	5	6	3	7	9	16	20	44	141	
		C	20						1			1		1		5	1	1	9	1
186a	Traumatism in mines	W	161						1	2	26	41	22	17	24	19	6	1		2
		C	21									2	4		8	4	2	1		
186b	Traumatism in quarries	W	2											1			1			
187	Traumatism by machines	W	26						2	4	3	3	4	2	3	1	2	2		
		C	5							1		1				2		1		
188a	Railroad accidents	W	153							5	24	16	13	16	23	16	21	12	7	
		C	27								3	4	3	4	5	3	3		1	1
	Collision with automobiles	W	17								2	1	2		5	4	1	1	1	
	Other railroad accidents	W	136							5	22	15	11	16	18	12	20	11	6	
		C	27								3	4	3	4	5	3	3		1	1
188b	Street-car accidents	W	12			1						2	2			2	2	1	2	
		C	1														1			
	Collision with automobiles	W	2									2								
	Other street-car accidents	W	10			1							2			2	2	1	2	
		C	1														1			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	245	4	2	2	3	4	21	9	20	24	18	21	33	19	24	25	15	1
		C	32				1	1	3	2	3	5		2	5	7	2	1		
188d	Airplane and balloon accidents	W	1									1								
188e,f	Injuries by other vehicles	W	19						2		2	2	2		1	2	3	2	3	
		C	1													1				
188g	Landslide, other crushing	W	10						1		1	1	2			1	3	1		
		C	3										1		1				1	
189	Injuries by animals (not poisoning)	W	8	1					1	1						1	3		1	
193	Excessive cold	W	4									1				1		1	1	
		C	5	1											2				2	
194	Excessive heat	W	13								1	1			2	1	3	2	3	
		C	3												1	1	1			
195	Lightning	W	14	1			1	1		1	2			2	2	2	1	1		
		C	1													1				
196	Other accidental electric shocks	W	14							2	1	3	2	1	3	1	1			
201	Fracture (cause not specified)	W	8															2	6	
202	Other external violence	W	87	7	2	1	3	1	7	2	7	5	4	6	10	8	8	7	8	1
		C	15	1					1			1		2	3	6			1	
	XV.—Ill-defined diseases	White	459	264	17	6	3	3	4	1	3	3	4	6	12	14	28	42	49	
		Colored	54	26	2	1			1		1		1	1	1	6	2	4	8	
204	Sudden death	W	53	17		1					2			3	2	6	5	8	9	
		C	8	2									1			2		1	2	
205a	Ill-defined	W	185	68	14	3	1	1	3	1		3	2	2	6	5	20	31	25	
		C	13	3					1							2	2	2	3	
205b	Not specified or unknown	W	221	179	3	2	2	2	1		1		2	1	4	3	3	3	15	
		C	33	21	2	1					1			1	1	2		1	3	
LOUISIANA																				
	All causes	White	12,272	1,705	342	161	97	68	262	185	353	409	416	475	1,062	1,339	1,585	1,930	1,848	35
		Colored	11,958	1,739	305	136	78	48	205	217	540	800	742	637	1,515	1,642	1,127	996	1,173	58
	I.—Epidemic, endemic, and infectious diseases	White	2,188	261	130	71	39	21	80	47	101	129	135	140	261	247	168	177	176	5
		Colored	2,906	333	97	44	35	12	84	90	249	365	319	228	422	293	153	88	84	10
1	Typhoid and paratyphoid fever	W	141	1	3	4		1	9	13	28	19	17	9	16	11	6	2	1	1
		C	188	1	3	3	1	2	17	19	36	39	20	8	19	13	3	2	1	1
5	Malaria	W	89	10	1	3	4	2	6	7	1	4	6	2	12	5	10	10	6	
		C	116	6	8	8	4		13	2	11	11	6	7	10	10	5	6	9	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
6	Smallpox	W	6	1					1			1			1	1			1	
		C	4	1	1							1		1						
7	Measles	W	3		2			1												
		C	7	4	1		1			1										
8	Scarlet fever	W	9	1					6		1	1								
		C	3						2	1										
9	Whooping cough	W	101	59	25	7	3	3	3	1										
		C	95	51	21	8	4	1	7	1	1							1		
10	Diphtheria	W	106	11	37	15	13	4	23	1						1			1	
		C	41	6	8	5	12		4	3	1	2								
11a	Influenza (with pulmonary complications)	W	513	97	33	21	8	2	13	5	19	18	17	23	43	50	28	64	71	1
		C	346	62	22	5	4	4	6	14	12	20	25	19	40	40	31	20	22	
11b	Influenza (other and unspecified)	W	203	23	7	8	2	4	4	5	12	3	2	7	12	11	12	30	61	
		C	217	35	9	4	4	2	6	10	6	7	10	7	28	26	15	18	30	
13	Mumps	C	1							1										
15	Cholera nostras	W	1														1			
		C	6		1				1						1	1			2	
16	Dysentery	W	63	5	12	3	1	1	1				1		3	6	10	11	9	
		C	67	16	12	1	1		3			3	3	1	2	6	8	5	6	
17	Plague	C	1										1							
20	Leprosy	W	13								1	1		1	2	2	4	1	1	
		C	7									1	1			1	4			
21	Erysipelas	W	8	5						1									2	
		C	2								1									1
22	Acute anterior poliomyelitis	W	8	1			1		2	2	2									
		C	5			1			3		1									
23	Lethargic encephalitis	W	9		2										1	3	2	1		
		C	4			1						2			1					
24	Meningococcus meningitis	W	15		1	1	3	1	1	2	1	1	1	2	1					
		C	7						1		5			1						
25	Other epidemic and endemic diseases	W	3	1	1	1														
27	Anthrax	W	2									1						1		
28	Rabies	W	1						1											
29	Tetanus	W	26	11				1	3	4	2	1			1	1	2			
		C	77	43		2	1	1	7	5	6	1	2		3	2	3	1		
30	Mycoses	W	5	2								1				1	1			
		C	2	1																
	Tuberculosis (all forms)	W	733	8	1	4	3		4	4	32	70	85	88	143	138	79	49	22	3
		C	1,282	6	4	3	2	1	14	28	156	241	219	143	240	139	52	19	9	6
31	Of the respiratory system	W	678	2		1	1		2	4	30	64	78	83	139	129	75	47	20	3
		C	1,193	3	3		2		8	23	146	230	206	136	225	132	47	18	9	5
32	Of the meninges, central nervous system	W	9	4	1	2	1						1							
		C	9	2		2		1			2	1			1					
33	Of the intestines, peritoneum	W	14								1	3	1	1	1	5	1	1		
		C	33	1	1				1	4	2	5	3	4	5	4	3			
34	Of the vertebral column	W	10	1			1		1			1	1	1		1	2		1	
		C	10						1		1	1	3		2	1	1			
35	Of the joints	W	2													1	1			
		C	2						1				1							
36	Of other organs	W	6	1		1									1	1		1	1	
		C	9						2	1	1	1	2				1			1
37a	Disseminated (acute)	W	9								1	2	3	1	2					
		C	24						1		4	3	4	3	7	2				
37b	Disseminated (chronic or unspecified)	W	5						1				1	1	1	1				
		C	2			1												1		
38	Syphilis	W	102	22	3	3	1	1		1		5	3	8	20	17	10	8		
		C	385	99	7	2		1		4	9	30	32	34	67	51	29	14	5	1
40	Gonococcus infection	W	9							1		2	3		3					
		C	37	2						1	3	6		6	10	5	2	1		1
41	Purulent infection, septicemia	W	19	3	2	1			3		2	1			3		3		1	
		C	6			1	1				1	1		1				1		
	II.—General diseases not included in Class I	White	1,200	25	6	4	4	4	9	9	16	18	17	27	121	221	265	281	171	2
		Colored	809	14	5	3	1	4	9	8	18	41	48	51	130	182	138	82	71	4
	Cancer and other malignant tumors	W	828		1	1	2	3	1	1	5	6	7	14	83	161	206	208	129	
		C	431		1	1		2		2	4	6	9	26	76	119	90	52	41	2
43	Of the buccal cavity	W	32											1	3	5	8	6	9	
		C	11							1					1	2	2	2	3	
44	Of the stomach, liver	W	280				1				1	1	1		10	40	88	90	48	
		C	151			1							4	5	17	46	40	22	16	
45	Of the peritoneum, intestines, rectum	W	89					1						3	11	19	26	19	10	
		C	37		1			1			1	2	2	4	3	10	8	3	2	
46	Of the female genital organs	W	139							1			2	5	20	42	29	25	15	
		C	129									2	2	12	40	34	20	14	3	2
47	Of the breast	W	59									1		2	14	15	11	11	5	
		C	30								1	1		2	4	13	6	1	2	
48	Of the skin	W	34								1		1			8	5	7	12	
		C	7							1					1	3		1	1	
49	Of other or unspecified organs	W	195		1	1	1	2	1		3	4	3	3	25	32	39	50	30	
		C	66					1			2	1	1	3	10	11	14	9	14	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	4											1	1		1	1		
		C	7										1		2		2		2	
51	Acute rheumatic fever	W	20						2	5		2			1	3	2	2	3	
		C	18			1		1	1	1		1	1	1	1	1	5	1	3	
52	Chronic rheumatism, osteoarthritis, gout	W	11														2	4	5	
		C	9														1	1	4	
54	Pellagra	W	53	1	1	1			1		2	2	1	1	10	10	6	8	8	1
		C	215				1		4	3	10	27	32	19	34	39	22	9	14	1
55	Beriberi	C	1													1				
56	Rickets	W	3	3																
		C	6	2	3				1											
57	Diabetes mellitus	W	150	1				1			4	4	4	4	10	20	35	44	23	
		C	70							1	2		1	2	10	18	14	16	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	II.—General diseases not included in Class I—Continued.																			
58	Anemia, chlorosis	W	30			1					2	2		2	1	10	4	7	1	
		C	3										1				2			
59	Diseases of the pituitary gland	W	2							1						1	1			
		C	1																	
60a	Exophthalmic goiter	W	15							1	1	1	1		4	3	3	1		
		C	5										1		3	1				
60b	Other diseases of the thyroid gland	W	2							1						1				
		C	1													1				
61	Diseases of the parathyroid glands	W	2	2																
		C	1								1									
62	Diseases of the thymus gland	W	9	8								1								
		C	6	4					2											
63	Diseases of the adrenals (Addison's disease)	W	1														1			
64	Diseases of the spleen	W	6	1	1										3	1				
		C	4	1											1	1	1			
65a	Leukemia	W	14		2				4				1			4	1	2		
		C	3								1				1	1				
65b	Hodgkin's disease	W	4	1					1		1			1						
		C	1												1					
66	Alcoholism (acute or chronic)	W	23								1		1	3	5	7	2	4		
		C	11									6	1	2			1			1
67a	Chronic lead poisoning	W	3										1		1	1				
67b	Other chronic mineral poisoning	C	1					1												
69	Other general diseases	W	20	8	1	1	2			1			1	1	1		1		2	1
		C	15	7	1	1			1						1			3	1	
	III.—Diseases of the nervous system and of the organs of special sense	White	909	39	5	3	2	3	5	10	17	19	13	19	57	127	163	217	207	3
		Colored	804	42	7		2	2	11	10	12	17	18	28	90	176	129	124	128	8
70	Encephalitis	W	20	3	1					1	2	1		3	4	2	2	1		
		C	10		1					1	1					3	2	1		
71a	Simple meningitis	W	23	12	2	2		1		1	1	1	1	1	1					
		C	13	3	1		1			1	1	1	1		2	1				1
71b	Nonepidemic cerebrospinal meningitis	W	6	2			2				1		1							
		C	2		1					1										
72	Tabes dorsalis (locomotor ataxia)	W	18							1			1		2	7	4	3		
		C	12		1								1	1	1	5	2		1	
73	Other diseases of the spinal cord	W	21	1	1							1	3	2		1	4	4	4	
		C	15	1					1	1	1	1	1	1	3	2	1	1	1	
74a	Cerebral hemorrhage	W	579	2					1		1	4	2	6	23	86	116	167	169	2
		C	528	4			1		1	2		1	7	11	54	129	107	97	111	3
74b	Cerebral embolism and thrombosis	W	25								1		2		2	1	3	11	5	
		C	23	1					1			1	1	1	3	8	2	2	3	
75	Paralysis without specified cause	W	53							1	1				2	4	9	19	17	
		C	53	1					3			3		1	5	10	7	14	9	
76	General paralysis of the insane	W	26									1		1	4	11	7	2		
		C	38									1	2	4	11	11	2	4	1	2
77	Other forms of mental alienation	W	27								1	1	1	3	9	6	3	2	1	
		C	19							1	3	2	2	2	6		2	1		
78	Epilepsy	W	29	2		1		1		3	4	2	3	1	6	1	5			
		C	29	1						3	3	5	2	4	4	1	3	2	1	
79	Convulsions (nonpuerperal; 5 years and over)	W	1								1									
		C	3								1									
80	Infantile convulsions (under 5 years)	W	10	10										2						
		C	31	28	2			1												
81	Chorea	W	1									1								
82	Neuralgia and neuritis	W	2													2				
		C	2																	2
83	Softening of the brain	W	12														2	6	4	
		C	1																1	
84	Other diseases of the nervous system	W	31					1	1	1	1	1		2	4	4	7	2	6	1
		C	12	1					1		2	1	1	1	1	3		1		
85	Diseases of the eye and annexa	W	2														1		1	
		C	1					1												
86a	Diseases of the ear	W	13	7	1				1	1	1	1				1				
		C	10	1	1				4							2	1	1		
86b	Diseases of the mastoid process	W	10						2	1	1	3	2			1				
		C	2	1												1				
	IV.—Diseases of the circulatory system	White	1,927	12	1	3			12	9	6	15	25	26	93	222	410	540	549	4
		Colored	1,812	3	1	3	1		9	12	22	38	50	60	269	416	311	308	307	2
87	Pericarditis	W	5	1														3		1
		C	15									1	1		1	4	5	1	2	
88	Endocarditis and myocarditis (acute)	W	71	6	1				4	5		4	9	7	13	4	7	5	6	
		C	79	2	1	1			1	2	5	6	8	9	27	11	3	2	1	
89	Angina pectoris	W	169										2	2	7	28	54	52	24	
		C	66										3		11	19	19	6	8	
90	Other diseases of the heart	W	1,582	4		1			7	2	4	9	13	15	67	175	320	455	457	3
		C	1,511	1		2	1		8	9	14	30	36	47	211	357	270	280	243	2
91a	Aneurysm	W	22						1	1				2	1	6	10		1	
		C	39										2	2	12	11	7	4	1	
91b,c	Other diseases of the arteries	W	101										1			4	14	23	59	
		C	80													4	7	12	51	
92	Embolism and thrombosis (not cerebral)	W	16	1							1	2		1	4	7	5	12	51	
		C	8								1			1	1	5				
93	Diseases of the veins	W	2												1	1				
		C	7								1	1			2	2			1	
94	Diseases of the lymphatic system	W	2			2														
		C	3								1						2			
95	Hemorrhage without specified cause	W	5							1	1				2			1		
		C	1							1										
96	Other diseases of the circulatory system	W	2														1	1		
		C	3															3		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOUISIANA—Continued																				
	V.—Diseases of the respiratory system	White	1,057	230	62	30	15	12	31	19	35	19	36	32	86	96	105	109	137	3
		Colored	1,104	279	67	38	14	4	20	21	45	69	57	51	119	105	61	65	84	5
97a	Diseases of the nasal fossae	W	6	1						1				1			1		2	
		C	3	2								1								
97b	Diseases of the nasal fossae annexa	W	6	1	1			1			1			1			1			
		C	2										1		1					
98	Diseases of the larynx	W	5	3	1								1							
		C	2	2																
99a	Acute bronchitis	W	18	10		1			1		1					1			4	
		C	15	11		2											1		1	
99b	Chronic bronchitis	W	20		2								1		1	2	3	6	5	
		C	14	1							1	1				3	2	3	3	
99c,d	Bronchitis (unspecified)	W	15	9	2		1												3	
		C	28	10	1								2			3	1	4	7	
100a	Broncho-pneumonia	W	376	135	32	16	9	7	13	4	7	2	7	5	11	23	23	33	47	2
		C	338	154	36	18	9	1	5	1	5	12	11	8	15	14	15	17	17	
100b	Capillary bronchitis	W	9	7	1	1														
		C	16	6	4	2			1						1	1		1		
101a	Lobar pneumonia	W	424	32	16	3	5	3	13	8	20	13	21	16	57	50	62	55	50	
		C	512	52	16	11	4	3	10	16	28	43	30	37	79	73	36	34	37	3
101b	Pneumonia (unspecified)	W	102	23	5	5		1	4	5	3	3	3	3	11	12	6	5	12	1
		C	107	36	8	4			3	3	9	9	2	4	9	6	2	4	8	
102	Pleurisy	W	29	4		4				1	2	1	1	2	5	2	4	1	2	
		C	23	2	1	1			1	1	1	3	4	1	4		1	1	2	
103	Congestion and hemorrhagic infarct of the lung	W	19	3												2	2	3	9	
		C	12	2	1										1	1	1	1	4	1
104	Gangrene of the lung	W	2								1		1							
		C	2										1		1					
105	Asthma	W	12		2											1	2	4	3	
		C	19	1			1						3	1	4	1	2		5	1
106	Pulmonary emphysema	W	2														1	1		
		C	2										1			1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	12	2									1	4	1	3		1		
		C	9								1		2		4	2				
	VI.—Diseases of the digestive system	White	1,153	283	90	28	16	12	46	29	40	37	34	45	102	119	111	88	71	2
		Colored	931	299	73	22	13	9	13	16	30	34	41	44	91	101	58	46	39	2
108	Diseases of the mouth and annexa	W	11						1		1	2		1	2	1		2	1	
		C	9	2					1		2	1			1	1	1			
109b	Other diseases of the pharynx, tonsils	W	28	1	1	3		1	8	1	4	1		2	2	2	1		1	
		C	26			2	3	1	1	1	2	4	2	2		5	1	1	1	
110	Diseases of the esophagus	W	3															1	2	
		C	1													1				
111a	Ulcer of the stomach	W	41			1			1		1			5	11	6	5	6	5	
		C	28										2	3	9	8	3	3		
111b	Ulcer of the duodenum	W	21										1	3	5	5	4	2	1	
		C	9						1					2	1	4			1	
112	Other diseases of the stomach (cancer excepted)	W	73	14	1	1		2	3		1	1	5		6	4	13	12	10	
		C	111	15	3	2	2		1	1	1	2	7	5	18	20	14	9	10	1
113	Diarrhea and enteritis (under 2 years)	W	335	251	84															
		C	327	261	66															
114	Diarrhea and enteritis (2 years and over)	W	79			18	9	3	5	1	2	2	1	2		2	10	9	14	1
		C	73			16	5	6	4		2	4	3	2	4	9	5	6	6	1
115	Ancylostomiasis	W	1			1														
116	Diseases due to other intestinal parasites	W	2		1				1											
		C	3	1	1				1											
117	Appendicitis and typhlitis	W	192	3			3	3	17	25	26	20	15	14	24	24	11	6	1	
		C	101	1	1		1		2	9	12	12	12	9	23	9	4	2	4	
118a	Hernia	W	44			1							1	2	4	9	7	12	7	1
		C	27	2								1	2	1	2	4	6	4	5	
118b	Intestinal obstruction	W	76	11	2	2	3	1	4	2	3	3	3	6	11	8	7	5	5	
		C	66	12		2	1	1	2	3	4	2	4	7	12	7	6		3	
119	Other diseases of the intestines	W	16	1	1		1	1				2	2	1		1	2	2	2	
		C	18	2							2	2		3	4	3		1	1	
120	Acute yellow atrophy of the liver	W	4													1	1		2	
		C	3									1	1		1					
122	Cirrhosis of the liver	W	111	1					2				3	3	17	28	24	22	11	
		C	78		1			1		1	1	2	6	4	10	21	11	15	5	
123	Biliary calculi	W	26										1	1	4	6	7	4	3	
		C	9											1	3	1	2	1	1	
124	Other diseases of the liver	W	71						2			5	1	5	13	21	15	4	5	
		C	30	2						1	2	1	1	4	3	7	4	4	2	
125	Diseases of the pancreas	W	3									1			1				1	
126	Peritonitis without specified cause	W	16	1		1		1	2		2		1		2	1	4	1		
		C	12	1	1		1				2	3	1	1		1	1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,316	14	6	4	3	1	7	5	8	15	27	36	114	170	234	375	296	1
		Colored	1,173	18	3	2	1	1	7	8	22	30	45	63	180	233	185	187	182	6
128	Acute nephritis (including unspecified under 10 years)	W	87	7	3	3	2	1	6	3	3	5	5	5	8	4	11	13	8	
		C	123	12	3	2		1	6	5	4	6	7	9	26	19	6	8	5	4
129	Chronic nephritis (including unspecified 10 years and over)	W	1,030							2	4	7	6	18	78	139	198	320	257	1
		C	886	1			1		1	2	13	15	27	39	104	192	164	167	158	2
131	Other diseases of the kidneys and annexa	W	52	6	3	1	1		1				5	3	6	5	9	4	8	
		C	25	3							1	1	2		9	5	2	1	1	
132	Calculi of the urinary passages	W	13										1	1	2	6		3		
		C	6	1									1	1		2	1			
133	Diseases of the bladder	W	10														1	4	5	
		C	9	1								1	1			1	1	2	2	
134	Diseases of the urethra, etc.	W	4												1	1		2		
		C	12								1			2	2	4	1		2	
135	Diseases of the prostate	W	56													3	9	26	18	
		C	35											1		5	6	9	14	
136	Nonvenereal diseases of the male genital organs	W	2	1														1		
		C	3												2		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
137	Cysts, other benign tumors of the ovary	W 8										2		2	3		1		
		C 3											1	1		1			
138	Salpingitis and pelvic abscess (female)	W 23								1	3	4	3	9	3				
		C 36							1	3	3	5	5	17	2				
139	Benign tumors of the uterus	W 15										1	3	4	4	3			
		C 24									2	2	5	12	3				
140	Nonpuerperal uterine hemorrhage	W 1										1							
		C 1																	
141	Other diseases of the female genital organs	W 15												1					
		C 10									2	2	3	4	2	3	1		
														6		2			
	VIII.—The puerperal state	White 231								27	57	46	46	50	3				2
		Colored 214							3	39	59	37	28	42	5				1
143	Accidents of pregnancy	W 16								2	3	4	2	5					
		C 19								1	6	5	3	2	2				
144	Puerperal hemorrhage	W 34								3	6	8	6	10					1
		C 23								2	4	5	3	7	2				
145	Other accidents of labor	W 26								2	6	1	7	8	1				1
		C 23								4	6	3	4	5					1
146	Puerperal septicemia	W 75								7	17	19	18	13	1				
		C 63								11	17	14	8	13					
147	Puerperal phlegmasia alba dolens, embolus, etc.	W 7								1	1	1	2	2					
		C 4								1	2	1							
148	Puerperal albuminuria and convulsions	W 73								12	24	13	11	12	1				
		C 82							3	20	24	9	10	15	1				
	IX.—Diseases of the skin and of the cellular tissue	White 33	3	1			2	1	1	1	1	2	2	5	3	1	6	4	
		Colored 32	1		1			1			2	2		2	4	7	5	7		
151	Gangrene	W 10					1								1	1	3	4	
		C 13						1						1	1	3	3	4	
152	Furuncle	W 9						1	1		1		2	1		3			
		C 4									1			1		1		1	
153	Acute abscess	W 9	3	1								1		2	2				
		C 6									1	2			2	1			
154	Other diseases of the skin and annexa	W 5					1			1		1		2					
		C 9	1		1										1	2	2	2	
	X.—Diseases of the bones and of the organs of locomotion	White 24		1	1		2	6	4	1				1	1	1	4	2	
		Colored 7						2		1		1		1			1	1	
155	Diseases of the bones (tuberculosis excepted)	W 23		1	1		2	6	4	1				1	1	1	4	1	
		C 4						1				1		1			1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	C 2						1		1									
158	Other diseases of the organs of locomotion	W 1																1	
		C 1																1	
	XI.—Malformations	White 132	119	9	1			2	1										
		Colored 56	48	2	1	1		3	1										
159a	Congenital hydrocephalus	W 13	9	1				2	1										
		C 11	5	2		1		2	1										
159b	Congenital malformations of the heart	W 81	73	7	1														
		C 25	24		1														
159c	Other congenital malformations	W 38	37	1															
		C 20	19					1											
	XII.—Early infancy	White 615	615																
		Colored 425	425																
160	Congenital debility, icterus, sclerema	W 62	62																
		C 64	64																
161a	Premature birth	W 401	401																
		C 271	271																
161b	Injury at birth	W 119	119																
		C 49	49																
162	Other diseases peculiar to early infancy	W 32	32																
		C 38	38																
163	Lack of care	W 1	1																
		C 3	3																
164	XIII.—Old age (senility)	White 154														6	21	127	
		Colored 244														5	39	200	
	XIV.—External causes	White 1,127	27	21	16	18	10	61	46	99	99	77	100	164	118	101	78	81	11
		Colored 906	28	31	13	7	12	37	43	89	128	111	75	135	91	44	22	29	11
	Suicide	W 127								7	9	8	14	26	22	23	12	5	1
		C 15								1		1	3	6	3				1
165	By poisons (gas or corrosives excepted)	W 7								1		1	1	3	1				
		C 2											1		1				
166	By corrosive substances	W 16								3	3	2	1	2	2	2		1	
		C 5								1				4					
167	By poisonous gas	W 19									4	1	3	2	1	6		2	
168	By hanging or strangulation	W 8										1	2	1		2	2		
		C 1											1						
169	By drowning	W 5												2	2			1	
		C 3											1	1	1				
170	By firearms	W 59								3	2	2	7	12	12	11	8	1	1
		C 3												1	1				1
171	By cutting or piercing instruments	W 11										1		2	4	2	2		
		C 1										1							
173	By crushing	W 1												1					
174	By other means	W 1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	XIV.—External causes—Con.																			
	Homicide	W	128	3					1	1	11	15	14	23	31	18	6	3		2
		C	275				1		1		23	60	54	37	53	31	11		1	3
197	By firearms	W	85								7	12	7	17	21	13	4	3		1
		C	189				1		1		15	43	29	28	37	24	10			1
198	By cutting or piercing instruments	W	11							1	2	1		3	3		1			
		C	68								8	13	20	8	12	5				2
199	By other means	W	32	3					1		2	2	7	3	7	5	1			1
		C	18									4	5	1	4	2	1		1	
	Accidental or undefined	W	872	24	21	16	18	10	60	45	81	75	55	63	107	78	72	63	76	8
		C	616	28	31	13	6	12	36	43	65	68	56	35	76	57	33	22	28	7
175	Poisoning by food	W	14	4	3		2		1			1			1		1	1		
		C	20	6	1	1				1		1	4	1	4		1			
176	Poisoning by venomous animals	W	1													1				
		C	1						1											
177	Other acute poisonings (gas excepted)	W	26		5	3	3		1		2	6	1	1	3		1			
		C	30		14	4		1	1		1		2	4	2			1		
178	Conflagration	W	31	2				1		3	2	1	3		3	6	3	2	3	2
		C	9	1		1					1		1	1	1			1	2	
179	Burns (conflagration excepted)	W	78	3	4	8	6	4	7	4	4	6	3	9	6	4	3	3	4	
		C	87	4	8	6	5	5	10	5	5	3	6	3	4	6	6	2	8	1
180	Mechanical suffocation	W	5	4									1							
		C	8	6	2															
181	Absorption of irrespirable, irritating, or poisonous gas	W	13	1							1		4	2	1	2	2			
		C	4										1	1		1	1			
182	Drowning	W	114	2	3	1	2	1	7	16	20	13	6	6	12	11	5	4	2	3
		C	110		1		1	2	5	19	28	17	7	2	13	5	3	2	2	3
183	Traumatism by firearms (except in war)	W	52						3	8	10	6	3	4	9	5	3	1		
		C	46					1	6	5	9	7	5	3	5	3	1	1		
184	Traumatism by cutting or piercing instruments	W	12		1	1			2	2		1			2	2	1			
		C	4							1	1	1			1					
185	Traumatism by fall	W	113	3	2				5	2	2	4	4	3	9	3	11	15	50	
		C	62	8	4	1		2		3	3	1	5	4	6	9	7	2	7	
186a	Traumatism in mines	W	1											1						
187	Traumatism by machines	W	26						1		3	4	3	5	7	1	2			
		C	15								3	1	2		5	2		2		
188a	Railroad accidents	W	63							3	3	6	3	4	17	15	2	9		1
		C	47						1		4	12	6	3	6	6	1	2	3	3
	Collision with automobiles	W	8								1	1	1		1	2		1		1
		C	3									3								
	Other railroad accidents	W	55							3	2	5	2	4	16	13	2	8		
		C	44						1		4	9	6	3	6	6	1	2	3	3
188b	Street-car accidents	W	7													1	4	1	1	
		C	3									1			1	1				
	Collision with automobiles	W	1													1				
		C	1																	
	Other street-car accidents	W	6												1		4	1	1	
		C	2									1				1				
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	194	1	2	3	2	3	26	3	17	15	13	17	19	16	26	20	11	
		C	77					1	6	7	6	9	7	4	10	11	7	5	4	
188d	Airplane and balloon accidents	W	2												2					
188e,f	Injuries by other vehicles	W	10				1		1		1	1			1	2	2	1		
		C	8						1			1	1			3	1	1		
188g	Landslide, other crushing	W	4								1				2		1			
		C	8									1	1	1	3	2				
189	Injuries by animals (not poisoning)	W	3						2		1									
		C	2						1						1					
193	Excessive cold	W	1									1								
		C	3	1												1			1	
194	Excessive heat	W	5									1				2	1			1
		C	5											1		1	3			
195	Lightning	W	5							1	2			1		1				
		C	6						1		1	2			1	1				
196	Other accidental electric shocks	W	17								3	3	5	3	2	1				
		C	5									1	1	1	1	1				
201	Fracture (cause not specified)	W	7											1		1		3	2	
		C	2								1		1							
202	Other external violence	W	68	4	1		2	1	4	3	9	6	6	6	11	4	4	3	3	1
		C	54	2	1				3	2	2	10	6	6	12	4	2	3	1	
	XV.—Ill-defined diseases	White	206	77	10			1	2	5	2		4	2	8	12	20	34	27	2
		Colored	535	249	19	9	3	4	9	5	13	17	13	9	34	36	36	29	41	9
204	Sudden death	W	44	9						2					4	6	7	11	4	1
		C	73	20	3					1		1	2		7	7	14	7	9	2
205a	Ill-defined	W	45	9	7			1		1	2		2		3	2	4	6	7	1
		C	106	25	10	6	2	1	3	2	5	3	2	5	9	10	8	5	9	1
205b	Not specified or unknown	W	117	59	3				2	2			2	2	1	4	9	17	16	
		C	356	204	6	3	1	3	6	2	8	13	9	4	18	19	14	17	23	6
	MAINE																			
	All causes		11,355	1,314	203	82	63	37	133	127	181	210	205	252	582	891	1,488	2,446	3,140	1
	I.—Epidemic, endemic, and infectious diseases		1,371	167	80	34	22	11	46	38	61	93	78	77	128	115	117	139	165	
1	Typhoid and paratyphoid fever		21						2	1	4	3	3		4	2	1	1		
5	Malaria		1																1	
7	Measles		68	26	23	4	3	2	6	1				1		1			1	
8	Scarlet fever		21	1		3	1	1	5	4	2			2	1	1				
9	Whooping cough		88	51	21	6	7		2									1		
10	Diphtheria		20	2	1	2	2	2	6		1	1		1				1	1	
11a	Influenza (with pulmonary complications)		281	17	16	8	3	1	1		4	1	4	5	20	32	36	61	72	
11b	Influenza (other and unspecified)		193	38	5	2	3	1	8	5	3	4	1	1	8	16	17	18	63	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
13	Mumps	1					1												
15	Cholera nostras	2			1													1	
16	Dysentery	9	4	2								1					1	1	
21	Erysipelas	17	2	1	1					2						1	6	4	
22	Acute anterior poliomyelitis	7			2				2	2							1		
23	Lethargic encephalitis	6		1				2						1	1		1		
24	Meningococcus meningitis	5	1	1					2	1									
25	Other epidemic and endemic diseases	2	2																
29	Tetanus	8						4	3	1									
	Tuberculosis (all forms)	560	11	9	5	2	3	9	20	39	81	69	64	80	54	53	42	19	
31	Of the respiratory system	462	3	1		1	1	4	12	31	71	62	58	70	46	47	36	19	
32	Of the meninges, central nervous system	41	6	7	4	1	2	5	5	4	4	1	1			1			
33	Of the intestines, peritoneum	21	1						1	1	2	3	1	4	5	2	1		
34	Of the vertebral column	11							1	2	2	1			2	1	2		
35	Of the joints	3	1						1		1								
36	Of other organs	15		1								2	1	6	1	1	3		
37a	Disseminated (acute)	4			1						1		2						
37b	Disseminated (chronic or unspecified)	3								1			1			1			
38	Syphilis	34	9					1		1				9	4	5	3	2	
40	Gonococcus infection	11	1							1	2		2	4	1				
41	Purulent infection, septicemia	16	2			1					1		1	1	3	3	4		
	II.—General diseases not included in Class I	1,505	30	4		2	3	5	8	14	9	20	29	101	194	338	441	307	
	Cancer and other malignant tumors	1,059				1				1	2	12	18	64	137	232	340	252	
43	Of the buccal cavity	39										1		1	2	7	14	14	
44	Of the stomach, liver	372										2	2	15	47	72	133	101	
45	Of the peritoneum, intestines, rectum	223										1	5	14	23	50	79	51	
46	Of the female genital organs	142										7	5	18	34	31	32	15	
47	Of the breast	87											2	1	15	27	25	17	
48	Of the skin	20											1			2	4	13	
49	Of other or unspecified organs	176				1				1	2	1	3	15	16	43	53	41	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	7														2	2	3	
51	Acute rheumatic fever	24					2	3		2	2	1	2	6		2	3	1	
52	Chronic rheumatism, osteoarthritis, gout	27							1						4	4	6	12	
54	Pellagra	9													3	5	1		
56	Rickets	6	3	3															
57	Diabetes mellitus	188	1					2	6	5	2	2	3	8	21	56	59	23	
58	Anemia, chlorosis	78	2						1				2	10	12	23	19	9	
60a	Exophthalmic goiter	4												1	2		1		
60b	Other diseases of the thyroid gland	6								1					1	2	1	1	
62	Diseases of the thymus gland	6	6																
63	Diseases of the adrenals (Addison's disease)	5									2			1			1	1	
64	Diseases of the spleen	1														1			
65a	Leukemia	21					1			1	1	1	2	3	3	5	2	2	
65b	Hodgkin's disease	14								2		1		4	2	1	3	1	
66	Alcoholism (acute or chronic)	20								1		3	1	3	8	2	2		
67a	Chronic lead poisoning	4													1	1	1	1	
68	Chronic poisoning by organic substances	3												1		1		1	
69	Other general diseases	23	18	1		1				1			1			1			
	III.—Diseases of the nervous system and of the organs of special sense	1,395	30	9	3		2	8	10	3	7	7	9	50	94	214	428	521	
70	Encephalitis	8							1			1	1	2		1		2	
71a	Simple meningitis	23	8	5				3			2	2		2	1				
71b	Nonepidemic cerebrospinal meningitis	4	2		1		1												
72	Tabes dorsalis (locomotor ataxia)	24												2	4	8	6	4	
73	Other diseases of the spinal cord	32					1				1	1	1	3	4	3	13	5	
74a	Cerebral hemorrhage	1,031										1	1	17	61	150	361	440	
74b	Cerebral embolism and thrombosis	55												3	1	7	15	29	
75	Paralysis without specified cause	43			1									1	1	8	13	19	
76	General paralysis of the insane	29							1			1		10	6	10		1	
77	Other forms of mental alienation	17												3	3	5	3	3	
78	Epilepsy	26	3					1	2	1	1	1	2	1	4	4	2	4	
80	Infantile convulsions (under 5 years)	13	10	2	1														
82	Neuralgia and neuritis	2									1							1	
83	Softening of the brain	7													1	2	2	2	
84	Other diseases of the nervous system	44	2					1	2		2		2	4	4	8	10	9	
85	Diseases of the eye and annexa	1							1										
86a	Diseases of the ear	21	2	2				1	2	1			2	2	2	4	1	2	
86b	Diseases of the mastoid process	15	3					2	1	1					2	4	2		
	IV.—Diseases of the circulatory system	2,473	15	5	2	1	1	2	9	8	12	14	15	56	157	353	751	1,072	
87	Pericarditis	3														1		2	
88	Endocarditis and myocarditis (acute)	35	2			1		1	2	2	3	3		5	2	5	5	4	
89	Angina pectoris	324											1	6	37	61	132	87	
90	Other diseases of the heart	1,638	9	5	1		1	1	7	5	8	10	13	42	106	251	496	683	
91a	Aneurysm	6												1	3	2			
91b,c	Other diseases of the arteries	425													4	21	108	292	
92	Embolism and thrombosis (not cerebral)	36	3							1	1	1		1	5	11	10	3	
93	Diseases of the veins	4											1	1		1		1	
95	Hemorrhage without specified cause	2	1		1														

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	V.—Diseases of the respiratory system	983	144	59	16	9	2	4	10	12	16	13	16	46	65	113	173	285	
97a	Diseases of the nasal fossae	4	1													1		2	
97b	Diseases of the nasal fossae annexa	1								1									
98	Diseases of the larynx	1		1															
99a	Acute bronchitis	45	7	2					1			1			1	3	9	21	
99b	Chronic bronchitis	24	2													1	6	15	
99c,d	Bronchitis (unspecified)	16	5	1											1		1	8	
100a	Broncho-pneumonia	379	82	32	4	2	2	2	3	1	1		6	10	19	32	66	117	
100b	Capillary bronchitis	9	3	4													1	1	
101a	Lobar pneumonia	402	29	16	12	6		2	4	8	11	9	9	33	36	69	78	80	
101b	Pneumonia (unspecified)	45	12	1						2	2	2	1		3	1	3	18	
102	Pleurisy	14	1	1					1		1	1		1	1	1	4	2	
103	Congestion and hemorrhagic infarct of the lung	19	2	1											1			15	
105	Asthma	13									1			1	2	3	2	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	11				1			1					1	1	2	3	2	
	VI.—Diseases of the digestive system	700	167	29	10	10	8	19	17	28	6	14	34	48	69	76	93	72	
108	Diseases of the mouth and annexa	6	1	1		1								1		1	1		
109b	Other diseases of the pharynx, tonsils	27	2	1	1	1		1		4	1	3	3	4	1	1	4		
110	Diseases of the esophagus	1																1	
111a	Ulcer of the stomach	29							1	1	1	1	3	5	4	4	4	5	
111b	Ulcer of the duodenum	17										1	2	2	3	1	4	4	
112	Other diseases of the stomach (cancer excepted)	78	19	6	2									4	12	10	12	13	
113	Diarrhea and enteritis (under 2 years)	163	143	20															
114	Diarrhea and enteritis (2 years and over)	39			3	4	4	4	1				2	1	4	1	5	10	
116	Diseases due to other intestinal parasites	1				1													
117	Appendicitis and typhlitis	121		1	3	2	3	10	13	18	2	4	16	15	13	6	13	2	
118a	Hernia	37								1		1		2	3	11	10	9	
118b	Intestinal obstruction	44	2		1	1			1	1	1			3	5	12	7	10	
119	Other diseases of the intestines	10						1						2	3	2		2	
120	Acute yellow atrophy of the liver	3										1			1			1	
122	Cirrhosis of the liver	40						1		2			1	1	6	7	13	9	
123	Biliary calculi	53										1	6	6	8	15	16	1	
124	Other diseases of the liver	15											1	1	3	4	2	4	
125	Diseases of the pancreas	4												1	2			1	
126	Peritonitis without specified cause	12					1	2	1	1	1	2			1	1	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,066	10	1	2	3	1	5	3	5	7	12	17	53	119	163	300	365	
128	Acute nephritis (including unspecified under 10 years)	52	7	1	1	3	1	2			1	3	2	7	11	6	3	4	
129	Chronic nephritis (including unspecified 10 years and over)	867	1						3	4	5	6	7	34	76	139	273	319	
131	Other diseases of the kidneys and annexa	25	1		1			2				1	1	3	2	6	3	5	
132	Calculi of the urinary passages	8											1		4	1	1	1	
133	Diseases of the bladder	11						1						2		3	1	4	
134	Diseases of the urethra, etc	1																1	
135	Diseases of the prostate	51											1			4	17	29	
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	5											1		2	1		1	
138	Salpingitis and pelvic abscess (female)	11								1	1	1	2	3	3				
139	Benign tumors of the uterus	23										1	1	4	16			1	
140	Nonpuerperal uterine hemorrhage	1														1			
141	Other diseases of the female genital organs	10											1		5	2	2		
	VIII.—The puerperal state	110								5	26	26	30	23					
143	Accidents of pregnancy	12								1	1	3	3	4					
144	Puerperal hemorrhage	14									2	3	4	5					
145	Other accidents of labor	19								2	5	4	6	2					
146	Puerperal septicemia	24									6	5	7	6					
147	Puerperal phlegmasia alba dolens, embolus, etc	9									1	3	3	2					
148	Puerperal albuminuria and convulsions	32								2	11	8	7	4					
	IX.—Diseases of the skin and of the cellular tissue	39	4						1	1	1			1	6	2	5	18	
151	Gangrene	22													2	1	1	18	
152	Furuncle	5	1											1	1		2		
153	Acute abscess	5	1						1	1					1		1		
154	Other diseases of the skin and annexa	7	2								1				2	1	1		
	X.—Diseases of the bones and of the organs of locomotion	11	1		1					1	2					3	1	2	
155	Diseases of the bones (tuberculosis excepted)	9	1		1					1	1					2	1	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2									1					1			
	XI.—Malformations	117	108	2	2	1	1			2	1								
159a	Congenital hydrocephalus	14	13								1								
159b	Congenital malformations of the heart	68	61	1	2	1	1			2									
159c	Other congenital malformations	35	34	1															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	XII.—Early infancy	580	580																
160	Congenital debility, icterus, sclerema	93	93																
161a	Premature birth	354	354																
161b	Injury at birth	92	92																
162	Other diseases peculiar to early infancy	41	41																
164	XIII.—Old age (senility)	217															15	202	
	XIV.—External causes	662	9	12	10	13	8	44	31	41	29	21	24	74	65	94	77	109	1
	Suicide	112							1	2	3	3	3	18	23	22	21	15	1
165	By poisons (gas or corrosives excepted)	2												1		1			
167	By poisonous gas	4											1		1		2		
168	By hanging or strangulation	38							1			2		7	7	7	6	7	1
169	By drowning	8												1	1	3	2	1	
170	By firearms	47								2	3	1	1	7	10	8	10	5	
171	By cutting or piercing instruments	8												1	4	2	1		
172	By jumping from high places	3												1		1		1	
173	By crushing	1											1						
174	By other means	1																1	
	Homicide	9	1					1			2	1			2	1	1		
197	By firearms	4									1				1	1	1		
198	By cutting or piercing instruments	1										1							
199	By other means	4	1					1			1				1				
	Accidental or undefined	541	8	12	10	13	8	43	30	39	24	17	21	56	40	71	55	94	
175	Poisoning by food	4		1	1										1	1			
177	Other acute poisonings (gas excepted)	13		3							1			1	1	4	3		
178	Conflagration	15				1	1	2	1			1	1		3	1	2	2	
179	Burns (conflagration excepted)	40	1	3	5	4	1	1	2	3	2	2	1		2	7	2	4	
180	Mechanical suffocation	8	2	1					1					2		1	1		
181	Absorption of irrespirable, irritating, or poisonous gas	5										1	1		1	1	1		
182	Drowning	82		1	2	1		9	12	16	9	2	3	17	4	4	1	1	
183	Traumatism by firearms (except in war)	12						1	3	3		1	1	2	1				
184	Traumatism by cutting or piercing instruments	8							1					2	1	2		2	
185	Traumatism by fall	132	1	1			1	1	6	1	1			4	5	16	25	70	
186b	Traumatism in quarries	1								1									
187	Traumatism by machines	14				1				2	2	2	1		1	4	1		
188a	Railroad accidents	21			1	1			1	1	2		1	6	3	3	1	1	
	Collision with automobiles	3									1				2				
	Other railroad accidents	18			1	1			1	1	1		1	6	1	3	1	1	
188b	Street-car accidents	6			1			1						2		1		1	
	Collision with automobiles	1														1			
	Other street-car accidents	5			1			1						2				1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	100	1			4	1	23	2	9	2	3	8	11	10	11	8	7	
188e,f	Injuries by other vehicles	12					2	1			2			1		3	2	1	
188g	Landslide, other crushing	4										1	1			1	1		
189	Injuries by animals (not poisoning)	9					1	1			1	1			1	3	1		
193	Excessive cold	1																1	
194	Excessive heat	1	1																
195	Lightning	1													1				
196	Other accidental electric shocks	3									1			1			1		
201	Fracture (cause not specified)	2																2	
202	Other external violence	47	2	2		1	1	3	1	3	1	3	3	7	5	8	5	2	
	XV.—Ill-defined diseases	126	49	2	2	2					1		1	2	7	15	23	22	
204	Sudden death	34	11	1							1		1	1	4	3	7	5	
205a	Ill-defined	41	8	1	1									1	2	8	7	13	
205b	Not specified or unknown	51	30		1	2									1	4	9	4	
	MARYLAND																		
	All causes—White	17,170	1,943	421	191	121	117	280	201	276	422	442	441	1,311	1,740	2,575	3,407	3,261	21
	All causes—Colored	5,479	920	190	80	26	29	80	86	199	253	281	273	719	796	657	487	380	23
	I.—Epidemic, endemic, and infectious diseases—White	2,305	238	162	79	45	41	84	55	92	167	153	115	315	252	206	195	105	1
	I.—Epidemic, endemic, and infectious diseases—Colored	1,122	111	57	34	7	13	39	43	107	137	119	83	154	116	59	26	17	
1	Typhoid and paratyphoid fever—W	76			1			2	9	11	16	5	3	12	9	6	2		
	Typhoid and paratyphoid fever—C	44			1		2	2	7	10	3	8	1	5	4		1		
2	Typhus fever—W	1														1			
5	Malaria—W	2									2								
7	Measles—W	181	42	52	29	17	10	20	4	1	2	1		2		1			
	Measles—C	39	14	8	11	1		4				1							
8	Scarlet fever—W	20	1	2	1	4	2	5	1			2	1		1				
	Scarlet fever—C	1						1											
9	Whooping cough—W	126	66	35	12	5	3	3	1	1									
	Whooping cough—C	57	26	21	7	1	2												
10	Diphtheria—W	87	9	14	15	7	8	25	5	2	2								
	Diphtheria—C	11	3		3			3	1				1						
11a	Influenza (with pulmonary complications)—W	281	31	13	6	3	4	9	2	2	10	12	3	30	28	33	56	39	
	Influenza (with pulmonary complications)—C	78	11	3	1	1	1	2	3	3	7	3	5	7	11	11	4	5	
11b	Influenza (other and unspecified)—W	129	18	4	2		1	2	4	4	1	1		12	10	13	24	33	
	Influenza (other and unspecified)—C	35	7	1				2		1	3	3	4		3	4	2	5	
13	Mumps—W	2								1							1		
15	Cholera nostras—C	2														1		1	
16	Dysentery—W	50	20	10	2	3	1	2	2			1		1	2	1	1	2	
	Dysentery—C	16	6	2	1						1					1	2	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
21	Erysipelas	W	29	4							3	1	1		4	1	4	5	6	
		C	1														1			
22	Acute anterior poliomyelitis	W	10	1	1	1	1	4	1		1									
		C	3	1		1		1												
23	Lethargic encephalitis	W	26		1				1	2	1	2	1		4	9	3	2		
		C	4						1	1			1		1					
24	Meningococcus meningitis	W	22	7	5	1	1	1	1	2	1		1	1	1					
		C	5	1	2				1		1									
25	Other epidemic and endemic diseases	W	1	1																
		C	1								1									
29	Tetanus	W	24		1				4	1	4	1	1	3	2	1	2	3	1	
		C	7					1	2	2					2					
30	Mycoses	W	3						1							2				
	Tuberculosis (all forms)	W	1,143	18	24	8	4	6	8	20	58	124	126	101	234	177	123	89	22	1
		C	657	12	17	8	3	4	19	28	89	112	94	60	100	66	31	11	3	
31	Of the respiratory system	W	1,046	3	12	2	1		1	14	56	118	123	99	224	170	115	86	21	1
		C	576	8	8	4	1	3	12	22	78	106	88	51	95	57	30	10	3	
32	Of the meninges, central nervous system	W	41	9	9	5	2	4	3	2	2	1			2	2				
		C	19	4	4	3	1	1	1	2	1		1	1						
33	Of the intestines, peritoneum	W	16		1	1		1	2	1		2	1	1	2	2	2			
		C	26						5	2	4	2	2	5	3	3				
34	Of the vertebral column	W	8							1			1	1	3	2				
		C	10							2	2			2	1	2		1		
35	Of the joints	W	5	2													2		1	
36	Of other organs	W	14	2					1			1			3	1	4	2		
		C	4		1				1					1	1					
37a	Disseminated (acute)	W	10	1	2		1	1	1	2		1	1							
		C	20		4	1	1				3	4	2			4	1			
37b	Disseminated (chronic or unspecified)	W	3	1								1						1		
		C	2								1		1							
38	Syphilis	W	64	16		1		1		1	1	2	1	2	10	10	11	7	1	
		C	142	29	3	1	1	2	2	1	2	8	6	10	33	29	10	5		
40	Gonococcus infection	W	8	1							1	2			2		2			
		C	17	1								3	3	2	5	3				
41	Purulent infection, septicemia	W	20	3						1		1	1			3	6	4	1	
		C	2												1			1		
	II.—General diseases not included in Class I	White	2,112	21	5	6	2	4	19	18	18	26	36	47	167	330	563	560	290	
		Colored	376	18	9	3	2		1	2	7	5	14	22	80	89	56	48	19	1
	Cancer and other malignant tumors	W	1,466	3	2	2	1		11	9	6	9	15	27	107	231	384	427	232	
		C	232	1	1	2	1				3	1	5	15	42	69	41	35	15	1
43	Of the buccal cavity	W	55						1						1	8	16	15	14	
		C	7								1				3		2	1		
44	Of the stomach, liver	W	497	1									1	5	22	62	147	168	91	
		C	85		1									1	10	32	22	13	5	1
45	Of the peritoneum, intestines, rectum	W	201		1				1		1	2	3	2	20	18	42	71	40	
		C	21										1	1	7	5	2	2	3	
46	Of the female genital organs	W	194							1		1	5	10	30	57	40	36	14	
		C	56								2	1	1	8	13	15	9	5	2	
47	Of the breast	W	130											1	12	22	37	35	23	
		C	21											2	3	7	3	5	1	
48	Of the skin	W	33			1								1	1	6	6	10	8	
		C	3	1			1								1					
49	Of other or unspecified organs	W	356	2	1	1	1		9	8	5	6	6	8	21	58	96	92	42	
		C	39			2							3	3	5	10	3	9	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	11											1		2	3	3	2	
51	Acute rheumatic fever	W	28			1	1	1	4	5	4	3	3		4	1	1			
		C	17						1		3	1		2	4		4	1	1	
52	Chronic rheumatism, osteoarthritis, gout	W	18												1	3	4	3	7	
		C	2													1	1			
53	Scurvy	W	1	1																
54	Pellagra	W	3												1	1	1			
		C	2												2					
56	Rickets	W	5	4	1															
		C	18	9	7	1	1													
57	Diabetes mellitus	W	330			1		1	2		2	6	5	6	12	36	117	98	44	
		C	33							1			2	3	5	9	3	9	1	
58	Anemia, chlorosis	W	57			1		1		1	1	3	1	1	3	12	18	12	3	
		C	8	1										1	3	1	1	1		
59	Diseases of the pituitary gland	W	4								1					1	2			
60a	Exophthalmic goiter	W	49								1	2	4	1	9	16	11	4	1	
		C	7												2	1	3		1	
60b	Other diseases of the thyroid gland	W	5							1			1			1	2			
		C	1													1				
61	Diseases of the parathyroid glands	W	3	2					1											
		C	2	2																
62	Diseases of the thymus gland	W	5	3	1	1														
		C	3	1	1					1										
63	Diseases of the adrenals (Addison's disease)	W	4												1	2	1			
64	Diseases of the spleen	W	1														1			
65a	Leukemia	W	23		1			1	1	2	1	1	2	1	3	3	2	4	1	
		C	2												1	1				
65b	Hodgkin's disease	W	12								1	1	2	1	3		1	3		
66	Alcoholism (acute or chronic)	W	76								1	1	2	8	23	21	15	5		
		C	44								1	3	7	1	20	6	3	2	1	
67a	Chronic lead poisoning	C	1												1					
68	Chronic poisoning by organic substances	W	3										1	1				1		
69	Other general diseases	W	8	8																
		C	4	4																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	White	1,920	38	14	7	6	6	21	14	15	13	19	38	91	182	334	561	559	2
		Colored	493	22	2	2	3		2	1	3	11	13	9	66	108	107	75	66	3
70	Encephalitis	W	18	2		1			2	1	3		1	1	2	2	2	1		
		C	4				1				1		1			1				
71a	Simple meningitis	W	27	8	3	1	2	1	3	1	3		1	1	2		1			
		C	12	5			1		2						2	2				
71b	Nonepidemic cerebrospinal meningitis	W	11	3	1					3	2			1		1				
		C	2	1												1				
72	Tabes dorsalis (locomotor ataxia)	W	19										1		3	5	4	6		
73	Other diseases of the spinal cord	W	35	1									1	2	2	5	7	13	4	
		C	4									1			1	1		1		
74a	Cerebral hemorrhage	W	1,347								1	5	2	6	37	101	277	460	456	2
		C	337			1						1	3	2	40	85	92	62	50	1
74b	Cerebral embolism and thrombosis	W	71	1			1			1		1		4	3	12	10	22	16	
		C	4									2					1		1	
75	Paralysis without specified cause	W	112											1	1	6	16	37	51	
		C	43										1	1	1	8	7	11	12	2
76	General paralysis of the insane	W	77									1	5	7	23	28	7	3	3	
		C	37										4	5	16	6	3	1	2	
77	Other forms of mental alienation	W	11											2	2	3	3	1		
		C	8								1	1	2		2	1			1	
78	Epilepsy	W	28	1		1		1	2	3	2	2	4	3	5	1		3		
		C	16	1		1	1				1	6	1		1	2	2			
79	Convulsions (nonpuerperal; 5 years and over)	W	2									1					1			
80	Infantile convulsions (under 5 years)	W	19	11	4	2		2												
		C	15	14	1															
82	Neuralgia and neuritis	W	1							1										
		C	1													1				
83	Softening of the brain	W	23													1		5	17	
84	Other diseases of the nervous system	W	77	3		1	1		8	3	3	1	2	5	11	14	5	10	10	
		C	5							1				1	2		1			
85	Diseases of the eye and annexa	W	1																1	
86a	Diseases of the ear	W	26	7	4	1	1	2	1	1		1	2	4		2				
		C	5	1	1								1		1		1			
86b	Diseases of the mastoid process	W	15	1	2		1		5		1	1		1		1	1		1	
	IV.—Diseases of the circulatory system	White	3,235	16	4	3	4	3	21	29	27	36	33	28	147	308	574	916	1,084	2
		Colored	803	1		1	1			3	6	9	15	33	124	166	185	126	124	9
87	Pericarditis	W	6						2			1					1		2	
		C	2											2						
88	Endocarditis and myocarditis (acute)	W	96	2	1	3	3		5	4	7	9	10	5	14	8	11	6	8	
		C	27			1						1	1	6	8	3	5	1	1	
89	Angina pectoris	W	268											2	15	44	78	82	47	
		C	25											2	6	5	4	3	4	1
90	Other diseases of the heart	W	2,548	12	3		1	3	14	25	20	25	22	20	112	236	450	752	852	1
		C	671	1			1			3	6	7	14	22	107	148	165	105	85	7
91a	Aneurysm	W	7													2		3	2	
		C	7											1	3		1	2		
91b,c	Other diseases of the arteries	W	262												1	10	22	60	168	1
		C	63													9	9	13	31	1
92	Embolism and thrombosis (not cerebral)	W	36	1								1	1		5	7	6	10	5	
		C	6													1	1	2	2	
93	Diseases of the veins	W	7													1	6			
		C	1									1								
94	Diseases of the lymphatic system	W	2	1														1		
95	Hemorrhage without specified cause	W	2											1				1		
96	Other diseases of the circulatory system	W	1															1		
		C	1																1	
	V.—Diseases of the respiratory system	White	1,850	290	133	52	28	28	31	17	25	25	34	48	154	162	211	292	319	1
		Colored	792	205	83	26	6	6	9	9	25	27	38	46	109	84	62	31	24	2
97a	Diseases of the nasal fossae	C	3	2										1						
97b	Diseases of the nasal fossae annexa	W	9									1			4	3	1			
		C	1													1				
98	Diseases of the larynx	W	4	1					1								1	1		
		C	1						1											
99a	Acute bronchitis	W	42	13	2		1									1	3	1	21	
		C	21	11	4	1						1				1	1		2	
99b	Chronic bronchitis	W	49							1			1	2		2	4	15	24	
		C	6	1	1									1		1	1	1		
99c,d	Bronchitis (unspecified)	W	24	9	1	1		1								1	1	3	7	
		C	8	3	3												1		1	
100a	Broncho-pneumonia	W	810	216	88	30	17	13	11	4	4	5	6	13	36	57	64	109	137	
		C	345	128	50	19		6	4	5	9	4	10	16	15	24	26	16	12	1
100b	Capillary bronchitis	W	11	5	1	3	1											1		
		C	8	4	3	1														
101a	Lobar pneumonia	W	774	34	36	12	8	9	15	12	19	17	25	30	109	90	119	140	98	1
		C	355	48	18	5	5		4	4	14	19	24	26	86	55	30	11	5	1
101b	Pneumonia (unspecified)	W	13	5		2		1				1				1	1	1	1	
		C	17	8	3		1					1	1		1			1	1	
102	Pleurisy	W	41	3	5	4	1	3	3		2	1		2		4	4	4	5	
		C	10								2	2	2	1	2	1				
103	Congestion and hemorrhagic infarct of the lung	W	27	2									1				1	3	20	
		C	3		1												1	1		
104	Gangrene of the lung	W	1												1					
		C	2										1		1					
105	Asthma	W	23					1	1						1	1	6	7	6	
		C	8												3	1	1	1	2	
106	Pulmonary emphysema	W	2														2			
107	Other diseases of the respiratory system (tuberculosis excepted)	W	20	2									1	1	3	2	4	7		
		C	4											1	1		1		1	

OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AND EACH REGISTRATION STATE: 1926—Continued

ll aths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
						MARYLAND—Continued											
7	344	62	19	13	16	27	15	22	29	26	31	89	110	132	131	91	
2	177	30	7	2	2	6	6	6	10	12	14	35	30	26	19	10	
	1		1					1			1	3	2	3			
		1															
	4	2	3		3	9	3	4		2		4	2	3	1	3	
	3		1		1	1	2	1	2			3		1	1		
								1	2	3	1	5	16	9	7	4	
										1	1	2	3	1	1	1	
										2	2	2	4	3	2		
										1				2			
	7	3						1	1		3	9	9	8	12	7	
	3	2	1			2			2			7	9	7	2	3	
	323	51															
	166	27															
			10	10	4	2	1		2	2	1	3	2	3	5	21	
			5		1		1	2			1	7	2	3	2	3	
			1														
	1																
		1	3	1	6	7	8	10	15	7	10	17	24	12	11	5	
				1		2	3	1	2	3	4	3	2	3	1		
	1	1							2	1	1	4	7	18	22	14	
	1								1	1	1	1	3	4	3		
	4	3		2	1	7	2	3	2	2	3	13	11	9	15	11	
	2							1	2	2	1	9	6	1	7	2	
	4				1	1			1		1	2		3	5	2	
											1		1				
								1				2		1			
	1								1								
						1		1		2	4	6	11	28	22	10	
						1					1	1	3	3	1	1	
										1	1	6	10	13	14	3	
												1					
	1								2	1	3	7	8	12	14	8	
				1				1		2	1			1			
										1		3	2	1			
											1	1					
		1		1		1			2	2		3	2	6	1	3	
										2	2		1		1		
	3	1		1	8	7	7	17	33	24	120	232	399	602	621	2	
	1	2		1	2	5	6	11	18	26	69	137	122	130	91	5	
				1	6	2	1	4	7	1	11	8	8	7	7	1	
		2		1		3	2	5	3	3	10	14	10	5	3		
					1	4	5	9	17	17	92	205	361	545	574	1	
					2	2	3	5	11	19	53	115	101	119	81	4	
		1			1	1		2	5	2	7	4	5	6	5		
									1			1	1		3	1	
									1		2	4	3	2	2		
													1				
												1	2		5		
												1	1		2		
											1		1				
												1	2				
													1	16	37	27	
													1	7	6	2	
													1		1		
												1					
												3					
							1		1	1	1	1					
										1		5	8	2	4	1	
										2	3	3	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AREA AND EACH REGISTRATION STATE: 1926—C

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
							MARYLAND—Continued						
	X.—Diseases of the bones and of the organs of locomotion	White	18	3	1	------	1	------	2	1	------	1	
		Colored	4	1	------	------	------	------	1	------	------	------	
155	Diseases of the bones (tuberculosis excepted)	W	16	2	------	------	1	------	2	1	------	1	
		C	3	1	------	------	------	------	1	------	------	------	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	1	1	------	------	------	------	------	------	------	------	
		C	1	------	------	------	------	------	------	------	------	------	
158	Other diseases of the organs of locomotion	W	1	------	1	------	------	------	------	------	------	------	
	XI.—Malformations	White	180	169	5	------	1	1	2	------	2	------	
		Colored	47	45	------	1	------	------	------	1	------	------	
159a	Congenital hydrocephalus	W	24	20	3	------	------	------	------	------	1	------	
		C	3	2	------	1	------	------	------	------	------	------	
159b	Congenital malformations of the heart	W	112	106	2	------	1	1	1	------	1	------	
		C	38	37	------	------	------	------	------	1	------	------	
159c	Other congenital malformations	W	44	43	------	------	------	------	1	------	------	------	
		C	6	6	------	------	------	------	------	------	------	------	
	XII.—Early infancy	White	760	760	------	------	------	------	------	------	------	------	
		Colored	283	283	------	------	------	------	------	------	------	------	
160	Congenital debility, icterus, sclerema	W	80	80	------	------	------	------	------	------	------	------	
		C	37	37	------	------	------	------	------	------	------	------	
161a	Premature birth	W	468	468	------	------	------	------	------	------	------	------	
		C	177	177	------	------	------	------	------	------	------	------	
161b	Injury at birth	W	128	128	------	------	------	------	------	------	------	------	
		C	32	32	------	------	------	------	------	------	------	------	
162	Other diseases peculiar to early infancy	W	83	83	------	------	------	------	------	------	------	------	
		C	32	32	------	------	------	------	------	------	------	------	
163	Lack of care	W	1	1	------	------	------	------	------	------	------	------	
		C	5	5	------	------	------	------	------	------	------	------	
164	XIII.—Old age (senility)	White	61	------	------	------	------	------	------	------	------	------	
		Colored	22	------	------	------	------	------	------	------	------	------	
	XIV.—External causes	White	1,243	30	29	21	21	17	65	44	54		
		Colored	367	12	3	3	5	6	20	14	26		
	Suicide	W	180	------	------	------	------	------	------	------	------		
		C	15	------	------	------	------	------	------	------	------		
165	By poisons (gas or corrosives excepted)	W	8	------	------	------	------	------	------	------			
166	By corrosive substances	W	17	------	------	------	------	------	------	------			
167	By poisonous gas	W	33	------	------	------	------	------	------	------			
		C	1	------	------	------	------	------	------	------			
168	By hanging or strangulation	W	22	------	------	------	------	------	------	------			
		C	1	------	------	------	------	------	------	------			
169	By drowning	W	12	------	------	------	------	------	------	------			
		C	2	------	------	------	------	------	------	------			
170	By firearms	W	69	------	------	------	------	------	------	------			
		C	9	------	------	------	------	------	------	------			
171	By cutting or piercing instruments	W	11	------	------	------	------	------	------	------			
		C	1	------	------	------	------	------	------	------			
172	By jumping from high places	W	5	------	------	------	------	------	------	------			
173	By crushing	W	1	------	------	------	------	------	------	------			
174	By other means	W	2	------	------	------	------	------	------	------			
		C	1	------	------	------	------	------	------	------			
	Homicide	W	44	1	------	------	1	------	------	------			
		C	64	1	------	------	------	------	------	------			
197	By firearms	W	26	---	------	------	1	------	------	------			
		C	42	------	------	------	------	------	------	------			
198	By cutting or piercing instruments	W	3	------	------	------	------	------	------	------			
		C	12	------	------	------	------	------	------	------			
1		W	15	1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188a	Railroad accidents W	76		1	1		1	2	2	4	6	7	4	14	15	9	3	5	2
	C	15								1	1	3		5	2	2			1
	Collision with automobiles W	7					1							2	3	1			
	C	1												1					
	Other railroad accidents W	69		1	1			2	2	4	6	7	4	12	12	8	3	5	2
	C	14								1	1	3		4	2	2			1
188b	Street-car accidents W	13									1			1	3	1	4	3	
	C	10					1				1		1	1	2	3		1	
	Collision with automobiles W	1														1			
	Other street-car accidents W	12									1			1	3	1	3	3	
	C	10					1				1		1	1	2	3		1	
188c	Automobile accidents (excluding collision with railroad trains and street cars) W	251		1	4	3	3	31	12	11	24	24	15	30	26	22	32	12	1
	C	61			1		1	3	5	6	6	6	2	7	15	3	6		
188e,f	Injuries by other vehicles W	14			1		1	1		3		2		2	1	2	1		
	C	3						1								1		1	
188g	Landslide, other crushing W	3						1						1		1			
189	Injuries by animals (not poisoning) W	5								1							4		
193	Excessive cold W	2													2				
	C	3													1	2			
194	Excessive heat W	10	1									1	1	2	2	1	1	1	
	C	8	1									1		2	3	1			
196	Other accidental electric shocks W	14						1		2	3	2	3	3					
	C	2									1				1				
201	Fracture (cause not specified) W	5							1					1	1		2		
	C	2									1				1				
202	Other external violence W	62	6	3	1	3	2	8	5	6	3	2	2	6	6	3	3	1	2
	C	20	1					2	1		2		2	4	3	4	1		
	XV.—Ill-defined diseases White	73	24	2	3								3	5	3	13	7	9	4
	Colored	69	40	5	1		1		2		2	1		3	4	4	4	2	
204	Sudden death W	13	3		1								2			3	1	2	1
	C	8	3	1							1					1	1	1	
205a	Ill-defined W	22	3	2	1									3		5	4	4	
	C	20	7	2					1					2	4	2	2		
205b	Not specified or unknown W	38	18		1								1	2	3	5	2	3	3
	C	41	30	2	1		1		1		1	1		1		1	1	1	
	MASSACHUSETTS																		
	All causes	52,638	6,102	1,216	517	338	296	831	530	867	1,096	1,221	1,391	3,827	5,717	8,463	9,946	10,264	16
	I.—Epidemic, endemic, and infectious diseases	6,153	615	491	200	126	115	274	104	303	442	455	405	808	705	504	344	260	2
1	Typhoid and paratyphoid fever	59			1	1		3	3	10	7	3	6	12	8	4		1	
5	Malaria	2													1			1	
7	Measles	401	106	163	46	28	16	27	6	2	1			1	1	3	1		
8	Scarlet fever	125	4	12	15	15	14	41	6	2	5	3	2	4	2				
9	Whooping cough	412	222	122	32	11	10	12	1					2					
10	Diphtheria	250	11	35	28	35	32	77	12	3	1	7	1	4	3		1		
11a	Influenza (with pulmonary complications)	628	62	31	13	3	3	17	3	13	12	14	14	63	77	79	100	124	
11b	Influenza (other and unspecified)	222	18	10	3	4	3	7	3	3	6	9	7	15	22	24	28	59	1
13	Mumps	2		1										1					
15	Cholera nostras	1						1											
16	Dysentery	12	8				1							1				2	
19	Spirochetal hemorrhagic jaundice	1										1							
21	Erysipelas	100	30						2	1	1		3	8	17	9	8	21	
22	Acute anterior poliomyelitis	44	2	6	5		3	12	3	7	2	2		1	1				
23	Lethargic encephalitis	76	2	6	3	1	2	4	4	4	3	6	1	8	12	14	4	2	
24	Meningococcus meningitis	59	11	10	4		2	6	6	6		1	1	3	6	3			
25	Other epidemic and endemic diseases	12	4	3	1	1	1	1	1										
27	Anthrax	1												1					
29	Tetanus	22	4			2		4	2	4			2	2	2				
30	Mycoses	3												1	1	1			
	Tuberculosis (all forms)	3,503	85	89	49	24	27	59	49	246	396	399	352	649	509	333	189	47	1
31	Of the respiratory system	2,976	20	17	12	6	5	13	32	219	355	368	335	606	468	301	175	43	1
32	Of the meninges, central nervous system	239	48	56	27	13	15	30	6	6	10	9	4	7	5		3		
33	Of the intestines, peritoneum	108	10	10	3	2	4	8	2	4	16	13	3	12	14	7			
34	Of the vertebral column	40		1				5	2	4	3	2	1	5	6	6	5		
35	Of the joints	17			1				2	2	1	1	1	1	4	4			
36	Of other organs	55	2		2		1	1		3	6	3	4	10	9	8	4	2	
37a	Disseminated (acute)	63	5	5	3	3	2	2	5	8	4	3	4	6	3	6	2	2	
37b	Disseminated (chronic or unspecified)	5			1						1			2		1			
38	Syphilis	166	39	3			1	1	3		3	7	14	21	36	30	7	1	
40	Gonococcus infection	20	1							2	4	3		5	3	2			
41	Purulent infection, septicemia	30	6					2			1		2	6	4	3	4	2	
42	Other infectious diseases	2				1											1		
	II.—General diseases not included in Class I	7,408	221	27	20	15	11	30	37	51	60	73	145	586	1,187	1,980	1,895	1,069	1
	Cancer and other malignant tumors	5,313	2	1	6	3	2	8	6	11	20	30	84	406	876	1,507	1,472	879	
43	Of the buccal cavity	185			1			1	2		1		2	4	18	66	59	31	
44	Of the stomach, liver	1,641						1			3	5	22	94	238	477	497	304	
45	Of the peritoneum, intestines, rectum	1,031					1	1	1	2	6	6	14	60	152	290	304	194	
46	Of the female genital organs	685								1	1	8	12	102	184	179	141	57	
47	Of the breast	613										2	7	63	125	180	150	86	
48	Of the skin	101			1							1	1	4	9	26	27	32	
49	Of other or unspecified organs	1,057	2	1	4	3	1	5	3	8	9	8	26	79	150	289	294	175	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	II.—General diseases not included in Class I—Contd.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	38	1	1	1				1	1	1		2	4	6	7	5	8	
51	Acute rheumatic fever	78	1			2	1	9	10	11	7	6	5	8	8	3	3	4	
52	Chronic rheumatism, osteoarthritis, gout	50									1		2	2	1	14	9	21	
53	Scurvy	2	2																
54	Pellagra	11									1	1	1	3	1	1	2	1	
56	Rickets	17	7	9	1														
57	Diabetes mellitus	844	2	1		2	1	5	7	12	12	5	10	34	97	253	274	129	
58	Anemia, chlorosis	270	1		1	2				3	4	2	10	22	54	81	72	18	
59	Diseases of the pituitary gland	6										1		1	1	2	1		
60a	Exophthalmic goiter	54						1	1	3	1	3	3	9	16	9	6	2	
60b	Other diseases of the thyroid gland	14	1	1								1		2	3	1	3	2	
61	Diseases of the parathyroid glands	6	4	2															
62	Diseases of the thymus gland	93	75	7	3	1	1	2	1					3					
63	Diseases of the adrenals (Addison's disease)	18								1	1	2		6	2	3	2	1	
64	Diseases of the spleen	1												1					
65a	Leukemia	89	2		6	3	4		5	5	4	4	3	8	20	17	7	1	
65b	Hodgkin's disease	62					1		3	2	1	6	6	6	19	9	8	1	
66	Alcoholism (acute or chronic)	269									4	11	19	61	78	67	28		1
67a	Chronic lead poisoning	10												4		4	2		
67b	Other chronic mineral poisoning	1													1				
68	Chronic poisoning by organic substances	3													2				
69	Other general diseases	159	123	5	2	2	1	5	3	2	3	1		5	2	2	1	2	
	III.—Diseases of the nervous system and of the organs of special sense	5,442	106	41	34	21	19	67	44	52	50	60	65	264	596	1,033	1,435	1,554	1
70	Encephalitis	42	7	7	3	3	1	1	3		2	2	2	6	4		1		
71a	Simple meningitis	96	32	8	6	5	3	10	8	2	4	3	1	5	7	2			
71b	Nonepidemic cerebrospinal meningitis	27	8	2	4	3		4	1	2			1	1	1				
72	Tabes dorsalis (locomotor ataxia)	71							1			1		3	11	26	23	6	
73	Other diseases of the spinal cord	147	2	1	1	2	2	5		8	1	4	6	17	25	33	31	9	
74a	Cerebral hemorrhage	3,887	3	1	1		1	1	2	2	4	5	13	86	363	802	1,235	1,367	1
74b	Cerebral embolism and thrombosis	186	1	1			2		2			3	2	10	19	36	38	72	
75	Paralysis without specified cause	97			1							1		3	2	19	39	32	
76	General paralysis of the insane	224							2	2	1	7	8	55	76	43	18	12	
77	Other forms of mental alienation	26								2	1	1	2	9	3	2	4	2	
78	Epilepsy	152		1		1	3	5	9	11	18	16	13	19	23	16	8	9	
79	Convulsions (nonpuerperal; 5 years and over)	6						3	1			1				1			
80	Infantile convulsions (under 5 years)	38	28	5	3		2												
81	Chorea	2					1		1										
82	Neuralgia and neuritis	6				1						1		1	1	1		1	
83	Softening of the brain	19											1	1		3	5	9	
84	Other diseases of the nervous system	246	6	3	4	4	1	8	4	5	10	9	13	35	43	40	29	32	
85	Diseases of the eye and annexa	4			1				1						1	1			
86a	Diseases of the ear	95	11	9	6	2	1	14	4	11	6	3		10	11	3	2	2	
86b	Diseases of the mastoid process	71	8	3	4		2	16	5	7	3	3	3	3	6	5	2	1	
	IV.—Diseases of the circulatory system	13,163	27	9	6	5	12	51	88	99	88	130	148	564	1,215	2,484	3,645	4,591	1
87	Pericarditis	22		1			1	1	3	1	1			2	3	2	6	1	
88	Endocarditis and myocarditis (acute)	345	13	3	2	2	8	15	13	26	23	25	29	64	27	33	27	35	
89	Angina pectoris	922								1		1	3	23	121	236	314	223	
90	Other diseases of the heart	9,576	10	5	3	3	3	35	71	69	62	101	109	428	965	1,900	2,695	3,116	1
91a	Aneurysm	65							1		1		1	6	15	26	9	7	
91b,c	Other diseases of the arteries	1,975										1	1	8	50	214	539	1,162	
92	Embolism and thrombosis (not cerebral)	205	1									2	2	23	25	58	52	42	
93	Diseases of the veins	41	1						1	1			3	9	8	12	2	4	
94	Diseases of the lymphatic system	6	2		1					1	1			1					
95	Hemorrhage without specified cause	2																	
96	Other diseases of the circulatory system	4													1	1	1	1	
	V.—Diseases of the respiratory system	5,540	1,063	417	135	56	36	95	48	58	80	92	138	398	515	624	780	1,004	1
97a	Diseases of the nasal fossae	7								2		1	1				1	2	
97b	Diseases of the nasal fossae annexa	16								1	5	1	1	3	3	1	1		
98	Diseases of the larynx	19	4	1	3	2		2						2	2	2		1	
99a	Acute bronchitis	156	63	14	1	1	1	1					1	1	3	4	21	45	
99b	Chronic bronchitis	90	4	1	1			1		1	1			3	5	11	14	48	
99c,d	Bronchitis (unspecified)	68	15	4				1							3	5	6	33	1
100a	Broncho-pneumonia	2,580	797	288	80	33	18	41	16	9	15	12	25	102	129	211	309	495	
100b	Capillary bronchitis	44	19	6	3		1	1								2	5	7	
101a	Lobar pneumonia	2,242	123	88	41	15	13	37	23	37	51	67	101	263	334	348	385	316	
101b	Pneumonia (unspecified)	40	5	4	1				1	1	1			1	5	3	7	11	
102	Pleurisy	136	18	10	5	5	3	9	5	5	4	7	5	10	12	14	13	11	
103	Congestion and hemorrhagic infarct of the lung	40	6	1					1	1						3	2	26	
104	Gangrene of the lung	4									1	1			1	1			
105	Asthma	45	3					1			1		1	7	12	6	8	6	
106	Pulmonary emphysema	7	1							1						1	3	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	46	5					1	2		1	3	3	6	6	12	5	2	
	VI.—Diseases of the digestive system	3,208	808	123	51	48	29	71	58	80	78	81	104	268	408	476	303	222	
108	Diseases of the mouth and annexa	14	3		1			1		1			1	2	2	1	2		
109b	Other diseases of the pharynx, tonsils	132	13	4	12	10	7	10	5	3	14	7	7	9	9	10	7	5	
110	Diseases of the esophagus	3														1		2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
111a	Ulcer of the stomach	191								1	7	9	10	27	48	50	26	13	
111b	Ulcer of the duodenum	85	1								2	2	9	18	22	23	5	3	
112	Other diseases of the stomach (cancer excepted)	63	21	3	2		1	2	1			3		6	2	6	10	6	
113	Diarrhea and enteritis (under 2 years)	812	713	99															
114	Diarrhea and enteritis (2 years and over)	132			24	15	6	8	3	3		5	3	7	14	11	10	23	
116	Diseases due to other intestinal parasites	1				1													
117	Appendicitis and typhlitis	530	4	6	7	15	12	42	41	58	38	29	34	70	74	60	27	13	
118a	Hernia	198	3	3					2	2	2	1		9	37	52	45	42	
118b	Intestinal obstruction	239	39	4	2	1	2	2	2	4	5	5	6	25	30	42	28	42	
119	Other diseases of the intestines	40	1	1				2		1		3	1	7	8	10	3	3	
120	Acute yellow atrophy of the liver	29			1						1	2	2	7	9	4	1	2	
121	Hydatid tumor of the liver	1												1					
122	Cirrhosis of the liver	238								1		5	6	27	49	74	53	23	
123	Biliary calculi	221									2	3	9	20	54	73	40	20	
124	Other diseases of the liver	187	2			1		2	1	3	4	6	8	19	36	47	37	21	
125	Diseases of the pancreas	30											5	6	7	8	3	1	
126	Peritonitis without specified cause	62	8	3	2	5	1	2	3	3	3	1	3	8	7	4	6	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,344	28	8	5	2	7	22	14	35	42	60	95	332	601	936	1,125	1,031	1
128	Acute nephritis (including unspecified under 10 years)	134	6	4	2	1	4	12	4	5	5	6	6	21	24	21	10	3	
129	Chronic nephritis (including unspecified 10 years and over)	3,579		1			1	8	10	24	23	38	64	220	481	830	971	907	1
131	Other diseases of the kidneys and annexa	126	17	3	3	1	2			2	1	5	8	15	16	20	18	15	
132	Calculi of the urinary passages	40						1			4		2	7	6	7	9	4	
133	Diseases of the bladder	20											1		3	1	5	10	
134	Diseases of the urethra, etc	16												6	4	3	2	1	
135	Diseases of the prostate	231													13	33	102	83	
136	Nonvenereal diseases of the male genital organs	7	3											2	1			1	
137	Cysts, other benign tumors of the ovary	25								1	2	2	1	4	5	5	3	2	
138	Salpingitis and pelvic abscess (female)	51						1		3	5	5	6	20	9	1	1		
139	Benign tumors of the uterus	75										3	4	30	30	4	1	3	
140	Nonpuerperal uterine hemorrhage	1									1								
141	Other diseases of the female genital organs	37									1	1	3	7	9	11	3	2	
142	Nonpuerperal diseases of the breast (cancer excepted)	2	2																
	VIII.—The puerperal state	536								26	97	124	126	159	4				
143	Accidents of pregnancy	62								3	10	14	18	15	2				
144	Puerperal hemorrhage	54									9	10	20	15					
145	Other accidents of labor	104								1	18	30	20	35					
146	Puerperal septicemia	181								14	36	42	36	51	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	35								1	4	4	13	13					
148	Puerperal albuminuria and convulsions	98								7	18	24	19	30					
149	Following childbirth (undefined)	2									2								
	X.—Diseases of the skin and of the cellular tissue	135	35	4	1	1			6	3	2	7	4	6	13	10	15	28	
151	Gangrene	31	1			1			1			2		1	1	2	8	14	
152	Furuncle	44	8	1					2	1	1	3	3	3	5	5	3	9	
153	Acute abscess	34	13		1				1	2	1	2	1	2	7	2	1	1	
154	Other diseases of the skin and annexa	26	13	3					2							1	3	4	
	X.—Diseases of the bones and of the organs of locomotion	63	1	3	2	1		3	9	3	1	3	3	5	7	9	8	5	
155	Diseases of the bones (tuberculosis excepted)	50		3	2	1		3	8	3		1	2	4	6	5	7	5	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9	1						1		1	1		1	1	3			
158	Other diseases of the organs of locomotion	4										1	1			1	1		
	XI.—Malformations	749	688	24	8	7		6	7	4	2	1		1	1				
159a	Congenital hydrocephalus	84	71	4	5			1	1		1	1							
159b	Congenital malformations of the heart	431	395	13	2	4		4	6	4	1			1	1				
159c	Other congenital malformations	234	222	7	1	3		1											
	XII.—Early infancy	2,415	2,415																
160	Congenital debility, icterus, sclerema	206	206																
161a	Premature birth	1,485	1,485																
161b	Injury at birth	484	484																
162	Other diseases peculiar to early infancy	239	239																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	111														2	9	100	
	XIV.—External causes	3,280	77	63	53	54	67	212	113	152	151	133	157	430	448	396	375	392	7
	Suicide	465								17	23	32	27	101	108	80	49	27	1
165	By poisons (gas or corrosives excepted)	25								2		3	1	9	6	1	2	1	
166	By corrosive substances	26								1	7	4	1	5	5	3			
167	By poisonous gas	142								5	5	11	7	25	37	28	14	10	
168	By hanging or strangulation	79									2	6	9	18	13	13	13	5	
169	By drowning	39								3	3	2		10	8	8	4	1	
170	By firearms	92								5	4	2	9	19	24	15	7	6	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	XIV.—External causes—Contd.																		
	Suicide—Continued.																		
171	By cutting or piercing instruments	43							1	2			11	11	10	8			
172	By jumping from high places	11									2		2	2	1	1	3		
173	By crushing	5									1		2	2					
174	By other means	3									1				1		1		
	Homicide	84	6		1			1	5	4	7	6	15	18	11	10			
197	By firearms	39							3	2	2	1	8	11	6	6			
198	By cutting or piercing instruments	9						1	2	1	1		2	2					
199	By other means	36	6		1				1	4	5	5	5	5	4				
	Accidental or undefined	2,731	71	63	52	54	67	211	108	131	121	95	115	311	329	306	326	365	6
175	Poisoning by food	3							1				1	1					
176	Poisoning by venomous animals	3								1				1		1			
177	Other acute poisonings (gas excepted)	44	2	5	2	1		2			2	3		12	6	7	1		1
178	Conflagration	47		2		1		6	1	3	3			4	5	11	7	4	
179	Burns (conflagration excepted)	212	4	24	19	17	26	18	11	2	7	9	10	12	11	12	13	17	
180	Mechanical suffocation	59	36	2				1	1		3	1	1	4	4	4	2		
181	Absorption of irrespirable, irritating, or poisonous gas	156	5	2		1	1	3		3	4	5	8	22	26	35	22	18	1
182	Drowning	224		6	10	5	3	25	24	33	18	10	12	41	14	14	6		3
183	Traumatism by firearms (except in war)	27					1	1	1	10	3	3	1	4	2			1	
184	Traumatism by cutting or piercing instruments	17							1	4		1	3	1	2	2	2	1	
185	Traumatism by fall	721	3	8	7	3	3	9	7	7	12	12	14	54	90	87	143	262	
186b	Traumatism in quarries	5												2		3			
187	Traumatism by machines	63				1			1	4	4	2	7	11	13	9	9	2	
188a	Railroad accidents	122			1	1		3	8	9	4	5	8	26	21	21	11	4	
	Collision with automobiles	9										1	1	4	1		1	1	
	Other railroad accidents	113			1	1		3	8	9	4	4	7	22	20	21	10	3	
188b	Street-car accidents	57		1	3	2	3	4		1		3	2	8	13	7	8	2	
	Collision with automobiles	8								1		1	1		4	1			
	Other street-car accidents	49		1	3	2	3	4				2	1	8	9	6	8	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	682	2	6	7	19	27	129	41	41	46	30	32	68	73	56	67	38	
188d	Airplane and balloon accidents	2										1	1						
188e,f	Injuries by other vehicles	58		1		2	1	5	4	3	6	1	4	4	11	4	8	4	
188g	Landslide, other crushing	9									1			2	4		2		
189	Injuries by animals (not poisoning)	4													2	2			
193	Excessive cold	7												2	1	3		1	
194	Excessive heat	35	5	1									1	6	5	6	5	6	
195	Lightning	3								2					1				
196	Other accidental electric shocks	21							3	2	3	2	2	4	3	1	1		
201	Fracture (cause not specified)	9												2	1	5	1		
202	Other external violence	140	14	5	3	1	2	5	4	6	5	6	8	21	20	16	18	5	1
203	Violent deaths of unknown causation	1										1							
	XV.—Ill-defined diseases	91	18	6	2	2			2	1	3	2	1	6	17	9	12	8	2
204	Sudden death	22	5						1		2	1	1		6		3	3	
205a	Ill-defined	51	10	5	2				1		1	1		3	9	7	6	5	1
205b	Not specified or unknown	18	3	1		2				1				3	2	2	3		1
	MICHIGAN																		
	All causes	54,084	7,623	1,341	675	469	374	1,294	756	1,214	1,693	1,762	1,978	4,581	5,117	6,577	8,728	9,836	66
	I.—Epidemic, endemic, and infectious diseases	7,392	853	510	289	193	176	543	210	405	562	526	507	847	588	428	360	385	10
1	Typhoid and paratyphoid fever	117		2		1	2	3	8	16	17	14	7	17	16	10	3	1	
5	Malaria	4						1			1			1		1			
6	Smallpox	3						1		1								1	
7	Measles	617	165	177	79	46	39	68	10	11	5	2	6	4	1	4			
8	Scarlet fever	243	8	26	29	29	19	60	18	15	9	5	8	11	4	2			
9	Whooping cough	367	226	84	30	11	4	9	1					1					1
10	Diphtheria	678	35	57	78	62	81	262	52	11	3	10	5	4	9	6	2	1	
11a	Influenza (with pulmonary complications)	829	114	49	14	8	4	17	9	23	21	35	48	94	84	78	95	136	
11b	Influenza (other and unspecified)	550	73	19	12	2	4	20	9	22	13	14	11	44	43	35	68	161	
13	Mumps	5	1					2					2						
15	Cholera nostras	5	3												1			1	
16	Dysentery	36	14	6							2		2	1		1	2	8	
19	Spirochetal hemorrhagic jaundice	2	1		1														
21	Erysipelas	208	58	9	1		1	1	2		1	6	9	18	22	22	31	27	
22	Acute anterior poliomyelitis	31	3	6	2	4		7	4		1	1	2				1		
23	Lethargic encephalitis	66		4	1		1	5	2	4	3	7	2	9	11	11	5	1	
24	Meningococcus meningitis	76	10	8	3	2	3	16	9	10	2	4	2	4	1	1	1		
25	Other epidemic and endemic diseases	20	7	5	2	1		3	1		1								
28	Rabies	2						1						1					
29	Tetanus	35	2		1			8	5	1	1	2	3	4	3	1	3	1	
30	Mycoses	9	3							1		1		1	2	1			
	Tuberculosis (all forms)	3,053	55	54	35	26	17	55	76	279	461	397	372	543	305	209	124	36	9
31	Of the respiratory system	2,604	9	22	13	8	3	16	45	249	422	366	341	500	265	189	112	36	8
32	Of the meninges, central nervous system	177	33	16	18	13	11	23	20	12	9	2	5	8	5	2			
33	Of the intestines, peritoneum	98	2	2	1	1		6	3	7	14	12	14	13	15	7	1		
34	Of the vertebral column	38		3	1		1	2	3	1		6	4	3	5	4	4		1
35	Of the joints	18	1	1				3		1	1		1	3	2	1	4		
36	Of other organs	40	1	1		1		3	1	5	4	2	4	7	5	4	2		
37a	Disseminated (acute)	65	9	8	2	2	2	2	3	3	9	8	3	7	5	2			
37b	Disseminated (chronic or unspecified)	13		1		1			1	1	2	1		2	3		1		
38	Syphilis	318	63	1	1			1	1	5	13	15	19	70	69	40	18	2	
40	Gonococcus infection	35	1							1	6	9	4	11	3				
41	Purulent infection, septicemia	83	11	3		1	1	3	3	5	2	4	5	9	14	6	7	9	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	II.—General diseases not included in Class I	6,586	218	28	16	19	15	58	62	57	87	109	160	651	1,038	1,506	1,607	918	7
	Cancer and other malignant tumors	4,026	3	3	3	5	1	10	8	12	27	35	77	351	682	977	1,139	692	1
43	Of the buccal cavity	142		1					1				1	7	15	33	51	33	
44	Of the stomach, liver	1,509	1		1					1	6	6	12	85	193	386	523	294	1
45	Of the peritoneum, intestines, rectum	540		1					1	2	4	7	12	41	80	140	152	100	
46	Of the female genital organs	579								2	2	9	29	111	163	120	100	43	
47	Of the breast	326											5	44	94	72	69	42	
48	Of the skin	108								1		2	2	3	10	21	27	42	
49	Of other or unspecified organs	822	2	1	2	5	1	10	6	6	15	11	16	60	127	205	217	138	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	23	1		1		1		1		2	1		4	2	6	1	3	
51	Acute rheumatic fever	155	1	1	4	3	4	21	16	5	10	11	6	15	16	13	11	18	
52	Chronic rheumatism, osteoarthritis, gout	83									1		2	5	6	16	30	23	
53	Scurvy	4	3								1								
54	Pellagra	7									1	2				3		1	
56	Rickets	32	22	7		2		1											
57	Diabetes mellitus	753	2		2	5	3	8	23	14	17	13	11	52	101	178	211	111	2
58	Anemia, chlorosis	495	6	2	1			1	6	3	6	8	7	42	87	144	132	48	2
59	Diseases of the pituitary gland	2													2				
60a	Exophthalmic goiter	336								9	12	16	19	65	79	87	43	6	
60b	Other diseases of the thyroid gland	57			1			2		4			3	7	9	17	9	4	1
61	Diseases of the parathyroid glands	7	6		1														
62	Diseases of the thymus gland	122	103	10	1	1	1	4	2										
63	Diseases of the adrenals (Addison's disease)	15								2	1		3	1	1	5	2		
64	Diseases of the spleen	14							1	1		2		4	1	2	2	1	
65a	Leukemia	76	2	3	2	3	2	3	2	4		1	5	6	17	15	9	2	
65b	Hodgkin's disease	30						2	1		2	1	4	5	1	9	3	2	
66	Alcoholism (acute or chronic)	211									5	10	18	82	56	28	9	2	1
67a	Chronic lead poisoning	5												1	2	2			
67b	Other chronic mineral poisoning	2													1			1	
68	Chronic poisoning by organic substances	26								1		7	4	8	3		1	2	
69	Other general diseases	105	69	2			3	6	2	2	2	2	1	3	2	4	5	2	
	III.—Diseases of the nervous system and of the organs of special sense	6,091	231	55	21	25	19	80	45	56	58	61	105	380	577	965	1,621	1,783	9
70	Encephalitis	75	7	5	2	3	2	10	5	8	2		5	8	4	5	5	3	1
71a	Simple meningitis	100	23	11	6	7	5	8	4	6	4	5	1	9	5	5		1	
71b	Nonepidemic cerebrospinal meningitis	31	8	4		1	2	6	3	1	2		2	1	1				
72	Tabes dorsalis (locomotor ataxia)	73										1	3	9	14	19	16	11	
73	Other diseases of the spinal cord	121	4			2		3	2	3	1		2	12	8	20	33	31	
74a	Cerebral hemorrhage	4,162	9		2			2	1	4	6	16	27	149	340	730	1,342	1,526	8
74b	Cerebral embolism and thrombosis	169	4				1	2			4	1	3	10	15	25	52	52	
75	Paralysis without specified cause	235	1		1			2				1	1	8	15	40	71	95	
76	General paralysis of the insane	309									1	7	24	105	96	41	25	10	
77	Other forms of mental alienation	67							1	2	1	7	8	17	6	14	8	3	
78	Epilepsy	145	7				1	5	8	11	21	9	8	20	23	12	9	11	
79	Convulsions (nonpuerperal; 5 years and over)	4						1	1		1			1					
80	Infantile convulsions (under 5 years)	104	91	8	2	1	2												
81	Chorea	2						1										1	
82	Neuralgia and neuritis	13									1				4	1	4	3	
83	Softening of the brain	22														1	6	15	
84	Other diseases of the nervous system	207	7	3	2	3		5	8	10	7	5	12	18	29	37	44	17	
85	Diseases of the eye and annexa	2				1											1		
86a	Diseases of the ear	123	44	13	4	5	2	12	6	5	1	3	3	5	8	7	4	1	
86b	Diseases of the mastoid process	127	26	11	2	2	4	23	6	6	6	6	6	8	9	8	1	3	
	IV.—Diseases of the circulatory system	10,285	53	13	13	11	12	71	79	93	107	141	184	613	973	1,632	2,730	3,540	20
87	Pericarditis	41			2	1		2	2	3		3	1	4	3	3	6	11	
88	Endocarditis and myocarditis (acute)	412	16	5	5	3	5	23	18	21	27	28	33	95	26	33	44	28	2
89	Angina pectoris	574								1	1	3	7	24	75	131	194	138	
90	Other diseases of the heart	7,916	32	6	4	4	7	43	57	64	76	97	134	453	818	1,301	2,133	2,671	16
91a	Aneurysm	63								1		1	1	6	12	20	13	9	
91b,c	Other diseases of the arteries	1,092											2	7	20	107	297	657	2
92	Embolism and thrombosis (not cerebral)	127	1	1	2			2	1	2	1	6	3	17	15	23	36	17	
93	Diseases of the veins	32									1	2	3	3	4	9	6	4	
94	Diseases of the lymphatic system	20	4	1		3		1		1	1	1		2		3	1	2	
95	Hemorrhage without specified cause	5							1					1		1		2	
96	Other diseases of the circulatory system	3												1		1		1	
	V.—Diseases of the respiratory system	5,368	1,225	404	162	67	49	113	53	99	151	148	185	510	442	470	563	721	6
97a	Diseases of the nasal fossae	7	1										1	2				3	
97b	Diseases of the nasal fossae annexa	26			1			2	2	1	1		1	7	6	3	2		
98	Diseases of the larynx	23	6	2	2		4	3					2	1		1		2	
99a	Acute bronchitis	215	73	15	6	3	4	2		1	1		1	2	5	6	25	71	
99b	Chronic bronchitis	117	2	3	1	1		1			1		1	5	10	11	28	53	
99c,d	Bronchitis (unspecified)	126	46	10	3	1	1	5	1	1				5	4	3	13	33	
100a	Broncho-pneumonia	1,924	807	242	90	36	19	36	12	21	14	15	18	65	61	102	155	230	1
100b	Capillary bronchitis	35	18	10							1					1		5	
101a	Lobar pneumonia	2,354	203	104	41	22	17	41	33	65	117	119	141	371	300	276	266	233	5
101b	Pneumonia (unspecified)	168	37	11	8	3	2	10	3	6	5	2	7	15	13	13	13	20	
102	Pleurisy	139	16	4	6	1	2	9	2	4	7	6	8	18	11	15	12	18	
103	Congestion and hemorrhagic infarct of the lung	61	8		2			3					1	4	3	1	10	29	
104	Gangrene of the lung	9		1								1		1	2	3	1		
105	Asthma	100	1	2	2						1	1	2	5	20	22	27	17	
106	Pulmonary emphysema	11	1										1			4	3	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	53	6					1			3	4	1	9	7	9	8	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	VI.—Diseases of the digestive system	4,293	1,087	186	78	59	37	130	124	130	128	161	177	385	424	452	393	338	4
108	Diseases of the mouth and annexa	28	5		1				1			2	1	2	5	9	2		
109a	Adenoid vegetations	1				1													
109b	Other diseases of the pharynx, tonsils	287	21	14	16	9	16	46	24	22	17	16	12	30	19	10	12	3	
110	Diseases of the esophagus	5								1				1			2	1	
111a	Ulcer of the stomach	257	1				1			3	8	17	23	34	54	42	45	29	
111b	Ulcer of the duodenum	88									2	8	9	18	19	20	5	7	
112	Other diseases of the stomach (cancer excepted)	226	74	6	6	1	1	5	3	3	5	4	5	11	21	20	26	35	
113	Diarrhea and enteritis (under 2 years)	1,025	881	144															
114	Diarrhea and enteritis (2 years and over)	208			39	27	10	13	4	3	3	7	4	7	15	14	20	42	
116	Diseases due to other intestinal parasites	2			1				1										
117	Appendicitis and typhlitis	727		1	2	13	7	50	74	74	61	68	56	131	74	77	29	9	1
118a	Hernia	184	7	1				1				4	5	16	22	31	46	50	1
118b	Intestinal obstruction	379	71	15	8	4		4	8	10	18	13	20	28	42	45	46	45	2
119	Other diseases of the intestines	43	5	1	1	1		2		2	2	1	1	5	6	3	5	8	
120	Acute yellow atrophy of the liver	22	1					2		3	2	2	3	2		4	3		
122	Cirrhosis of the liver	342							1	1		4	8	38	55	97	83	55	
123	Biliary calculi	137									1	1	11	24	29	37	21	13	
124	Other diseases of the liver	216	9	1	1			2	3	2	3	7	11	22	44	32	42	37	
125	Diseases of the pancreas	33							1			1	2	8	11	5	3	2	
126	Peritonitis without specified cause	83	12	3	3	3	2	5	4	6	6	6		8	8	6	3	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,789	35	17	12	4	4	18	18	33	65	77	102	282	422	628	955	1,116	1
128	Acute nephritis (including unspecified under 10 years)	190	16	6	6	2	3	10	5	4	8	10	11	25	21	24	20	19	
129	Chronic nephritis (including unspecified 10 years and over)	2,908	1	3	3	1		5	13	19	28	37	52	169	308	531	806	931	1
131	Other diseases of the kidneys and annexa	133	13	7	3		1	3		4	9	4	4	18	11	19	20	17	
132	Calculi of the urinary passages	28										1	3	8	4	5	2	5	
133	Diseases of the bladder	48	1			1						1		1	3	3	11	27	
134	Diseases of the urethra, etc	16										2		2	7	3	2		
135	Diseases of the prostate	229												1	9	24	82	113	
136	Nonvenereal diseases of the male genital organs	11	4	1							1	1			1	3			
137	Cysts, other benign tumors of the ovary	36								2	1	3	4	9	10	4	1	2	
138	Salpingitis and pelvic abscess (female)	74								4	12	10	11	22	9	4	2		
139	Benign tumors of the uterus	71									1	5	12	17	27	3	4	2	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	44									5	3	5	9	12	5	5		
	VIII.—The puerperal state	664							1	54	130	158	150	162	8				1
143	Accidents of pregnancy	78								3	16	21	18	19	1				
144	Puerperal hemorrhage	60								5	8	10	18	19					
145	Other accidents of labor	64								5	8	15	19	14	2				1
146	Puerperal septicemia	297							1	19	65	81	61	69	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	31								3	6	6	3	8					
148	Puerperal albuminuria and convulsions	130								18	26	24	26	32	4				
149	Following childbirth (undefined)	3									1	1		1					
150	Puerperal diseases of the breast	1								1									
	IX.—Diseases of the skin and of the cellular tissue	151	22	3	1				3	1	2	5	4	13	8	6	23	60	
151	Gangrene	82	2	1								1	1	3	2	3	17	52	
152	Furuncle	13	4						1			1		6			1		
153	Acute abscess	24	5	2	1				1	1	1	1	2	1	5	1	1	2	
154	Other diseases of the skin and annexa	32	11						1		1	2	1	3	1	2	4	6	
	X.—Diseases of the bones and of the organs of locomotion	72	4	4	2	1	3	9	13	3	1	2	7	8	3	4	4	4	
155	Diseases of the bones (tuberculosis excepted)	54	2	3	2	1	3	8	11	2	1	1	7	3	2	2	3	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	15	2	1				1	2	1		1		4	1	1	1		
157	Amputations	1																1	
158	Other diseases of the organs of locomotion	2												1		1			
	XI.—Malformations	739	685	18	10	2	2	11		1	6	2		1	1				
159a	Congenital hydrocephalus	78	67	3	2	2	1	3											
159b	Congenital malformations of the heart	408	376	9	6		1	6		1	5	2		1	1				
159c	Other congenital malformations	253	242	6	2			2			1								
	XII.—Early infancy	3,048	3,048																
160	Congenital debility, icterus, sclerema	412	412																
161a	Premature birth	1,959	1,959																
161b	Injury at birth	464	464																
162	Other diseases peculiar to early infancy	209	209																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	583													1	5	56	520	1
	XIV.—External causes	4,815	102	98	71	85	57	258	145	278	396	368	393	718	587	447	378	427	7
	Suicide	579							2	21	45	53	59	114	123	88	49	25	
165	By poisons (gas or corrosives excepted)	43								5	3	3	5	8	12	3	4		
166	By corrosive substances	95								5	15	7	16	22	18	8	2	2	
167	By poisonous gas	75								1	9	8	10	12	12	14	4	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	XIV.—External causes—Contd.																		
	Suicide—Continued.																		
168	By hanging or strangulation	115								3	2	6	7	27	34	21	12	3	
169	By drowning	28								2		3	3	7	6	4	1	2	
170	By firearms	158							2	5	13	21	13	23	28	25	17	11	
171	By cutting or piercing instruments	43									1	2	3	11	10	8	6	2	
172	By jumping from high places	13									1		1	4	2	4	1		
173	By crushing	8									1	2	1		1	1	2		
174	By other means	1										1							
	Homicide	461	1	1	2	1	1	2	1	23	76	105	92	96	39	15	3	1	2
197	By firearms	304							1	15	48	74	61	71	24	8	1		1
198	By cutting or piercing instruments	85								5	20	19	18	13	7	2			1
199	By other means	72	1	1	2	1	1	2		3	8	12	13	12	8	5	2	1	
	Accidental or undefined	3,775	101	97	69	84	56	256	142	234	275	210	242	508	425	344	326	401	5
175	Poisoning by food	36	4	3	2	1	1	2		2	1	2		4	7	4	2	1	
176	Poisoning by venomous animals	3						1				1			1				
177	Other acute poisonings (gas excepted)	61	4	14	5	5		2		1		2	2	8	8	4	5	1	
178	Conflagration	106	4	9	3	11	8	10	6	5	4	2	6	10	14	6	2	6	
179	Burns (conflagration excepted)	229	10	[1]22	31	22	12	23	7	4	8	7	15	17	21	9	6	15	
180	Mechanical suffocation	57	45	2							1	1	2	3	1	1		1	
181	Absorption of irrespirable, irritating, or poisonous gas	38	1	2				1	1	7	6	6	9	17	18	7	4	9	
182	Drowning	286		10	3	7	3	34	30	53	29	20	12	49	17	11	6	1	1
183	Traumatism by firearms (except in war)	73			1		1	7	10	12	12	5	6	7	7	4	1		
184	Traumatism by cutting or piercing instruments	34	2	1		1		1		1		3	4	5	6	3	5	2	
185	Traumatism by fall	638	6	9	6	2	4	5	10	8	19	21	18	55	53	71	98	252	1
186a	Traumatism in mines	93								1	11	9	11	34	18	7	2		
186b	Traumatism in quarries	2													1		1		
187	Traumatism by machines	113			1	1		2	3	9	14	16	12	16	18	12	6	3	
188a	Railroad accidents	279	2	4	1	4	1	5	13	27	23	26	27	52	34	33	18	8	1
	Collision with automobiles	86	1	3		3	1	3	4	13	8	9	6	13	9	9	4		
	Other railroad accidents	193	1	1	1	1		2	9	14	15	17	21	39	25	24	14	8	1
188b	Street-car accidents	121		1	1		2	7	2	8	6	8	16	18	22	14	11	5	
	Collision with automobiles	36						1	2	5	2	5	6	6	7	2			
	Other street-car accidents	85		1	1		2	6		3	4	3	10	12	15	12	11	5	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,112	6	10	7	23	24	141	48	77	105	61	73	130	133	104	120	49	1
188d	Airplane and balloon accidents	7									4		1	1	1				
188e,f	Injuries by other vehicles	51		1		1		1	1	2	6	2	4	6	6	10	8	3	
188g	Landslide, other crushing	26						1	1	2	1	3	3	9	2	2	2		
189	Injuries by animals (not poisoning)	27			1	1		1	1	3		1	1	4	2	4	6	2	
193	Excessive cold	16	1									2		2	1	4	1	5	
194	Excessive heat	19	1										1	4	2	4	2	5	
195	Lightning	6								1	1			3		1			
196	Other accidental electric shocks	49						2		4	9	5	8	12	5	2	1		1
201	Fracture (cause not specified)	59	2					2		2	3		2	8	5	8	4	23	
202	Other external violence	184	13	9	7	5		8	9	5	12	7	9	34	22	19	15	10	
	XV.—Ill-defined diseases	208	60	5		3		3	3	4		4	4	11	15	34	38	24	
204	Sudden death	33	8					1						2	4	5	9	4	
205a	Ill-defined	94	11	4		1		1	1	2		2	3	7	10	21	24	7	
205b	Not specified or unknown	81	41	1		2		1	2	2		2	1	2	1	8	5	13	
	MINNESOTA																		
	All causes	25,803	3,019	411	219	154	134	478	386	540	688	716	773	2,058	2,540	3,531	4,772	5,379	5
	I.—Epidemic, endemic, and infectious diseases	3,359	319	167	87	63	58	195	115	174	261	248	220	420	313	281	214	223	1
1	Typhoid and paratyphoid fever	28						1	1	2	2	4	3	4	6	3	2		
7	Measles	175	41	44	19	9	9	30	6	6	4	1	1	2		2	1		
8	Scarlet fever	153	5	15	19	14	11	38	20	8	9	6	2	3	3				
9	Whooping cough	163	106	29	13	4	3	8											
10	Diphtheria	157	8	11	7	17	17	53	18	8	3	2	2	8	2		1		
11a	Influenza (with pulmonary complications)	340	39	14	8	2	1	8	7	10	8	5	8	26	29	28	56	90	1
11b	Influenza (other and unspecified)	254	28	10	4	3		11	11	7	5	4	7	18	15	24	24	83	
13	Mumps	4		1		1						1					1		
15	Cholera nostras	2	1															1	
16	Dysentery	17	5	1										1	1	5	1	3	
19	Spirochetal hemorrhagic jaundice	2	1											1					
21	Erysipelas	65	26	3	1				3				1	5	4	7	5	10	
22	Acute anterior poliomyelitis	12		1			2	3	3	1	2								
23	Lethargic encephalitis	77	3	5	1	2	2	3	3	5	5	7	8	14	8	9	2		
24	Meningococcus meningitis	21	5	5			1	3		2			1		1	3			
25	Other epidemic and endemic diseases	10	4		1		1	2	1							1			
29	Tetanus	27	1			2		7	4	1	1		1	3	3	2	2		
30	Mycoses	6						1			1		1	2			1		
	Tuberculosis (all forms)	1,669	28	27	11	9	11	26	34	120	214	208	170	305	204	167	104	31	
31	Of the respiratory system	1,406	8	4		1	4	12	16	108	190	189	155	277	179	150	87	26	
32	Of the meninges, central nervous system	103	17	19	8	7	5	10	8	6	2	4	4	5	6	1		1	
33	Of the intestines, peritoneum	62	2	1		1	1	2	2	5	9	3	2	11	9	6	7	1	
34	Of the vertebral column	28						2	2			6	3	7	2	3	2	1	
35	Of the joints	6							4			1			1				
36	Of other organs	38		1						1	4	2	4	3	7	7	7	2	
37a	Disseminated (acute)	23	1	3	2		1		2		7	3	2	2					
37b	Disseminated (chronic or unspecified)	3									2						1		
38	Syphilis	136	13		2				2	2	2	6	10	27	31	28	11	2	
40	Gonococcus infection	17	1							1	3	4	4	1	2		1		
41	Purulent infection, septicemia	24	4	1	1			1	2	1	2		1		4	2	2	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	II.—General diseases not included in Class I	4,098	77	14	10	11	6	44	33	38	44	49	75	367	644	977	1,088	621	
	Cancer and other malignant tumors	2,749	2	4	3	4	1	16	7	8	17	18	37	215	438	698	792	489	
43	Of the buccal cavity	93						1	1			1		7	10	20	31	22	
44	Of the stomach, liver	1,101						2		1	1	2	5	52	151	284	387	216	
45	Of the peritoneum, intestines, rectum	359						1			3		4	22	47	120	103	59	
46	Of the female genital organs	266		2						1	2	4	7	38	72	68	40	32	
47	Of the breast	208									1	1	4	35	51	52	45	19	
48	Of the skin	54										1		3	4	10	13	23	
49	Of other or unspecified organs	668	2	2	3	4	1	12	6	6	10	9	17	58	103	144	173	118	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	28	1		1					1			1	3	7	5	5	4	
51	Acute rheumatic fever	44	1				3	11	8	2	3	1	1	1	4	6	2	1	
52	Chronic rheumatism, osteoarthritis, gout	35												3	2	6	7	17	
53	Scurvy	1	1																
54	Pellagra	2													1	1			
56	Rickets	9	7	1	1														
57	Diabetes mellitus	441		2	2	1	2	7	11	15	9	8	5	21	39	107	147	65	
58	Anemia, chlorosis	300	2			1		2		4	1	2	6	24	57	82	86	33	
59	Diseases of the pituitary gland	3		1										1	1				
60a	Exophthalmic goiter	179						1	2	3	6	8	10	45	39	37	24	4	
60b	Other diseases of the thyroid gland	18	1	1						1	2	1		2	3	3	3	1	
62	Diseases of the thymus gland	27	24	2				1											
63	Diseases of the adrenals (Addison's disease)	17						1		1		1	4	3	3		3	1	
64	Diseases of the spleen	4	1	1												1		1	
65a	Leukemia	61			3	4		2	4	1	2	4	5	10	6	9	8	3	
65b	Hodgkin's disease	25		1				1		1	2	1	2	3	7	3	3	1	
66	Alcoholism (acute or chronic)	106									2	4	4	35	36	17	7	1	
67a	Chronic lead poisoning	1													1				
67b	Other chronic mineral poisoning	1														1			
69	Other general diseases	47	37	1		1		2	1	1			1	1		1	1		
	III.—Diseases of the nervous system and of the organs of special sense	2,615	87	22	12	11	7	23	31	21	22	32	54	170	261	405	718	738	1
70	Encephalitis	19	3	2	1				1	2	2	2	1	2		3			
71a	Simple meningitis	47	8	3	4	4	3	3	1	3		1	2	7	5		3		
71b	Nonepidemic cerebrospinal meningitis	4	1						1				1		1				
72	Tabes dorsalis (locomotor ataxia)	27											1	2	3	10	7	4	
73	Other diseases of the spinal cord	71	1	1	1			1		1	1		3	12	13	13	17	7	
74a	Cerebral hemorrhage	1,763	5						1	2	2	3	7	54	147	311	598	632	1
74b	Cerebral embolism and thrombosis	108							2		2	2	3		10	17	40	32	
75	Paralysis without specified cause	47						1	1	1				1	2	4	11	26	
76	General paralysis of the insane	106								1	1	2	11	45	26	12	8		
77	Other forms of mental alienation	18										2	2		9	3	2		
78	Epilepsy	74		2	1	1		2	5	4	11	6	10	13	5	4	4	6	
79	Convulsions (nonpuerperal; 5 years and over)	4						1		1				2					
80	Infantile convulsions (under 5 years)	53	40	7	2	4													
81	Chorea	3							1		1							1	
82	Neuralgia and neuritis	13												1	3	6		3	
83	Softening of the brain	12												1		2	4	5	
84	Other diseases of the nervous system	138	7	2		1	1	3	3		2	9	5	23	31	16	19	16	
85	Diseases of the eye and annexa	1																1	
86a	Diseases of the ear	83	18	4	1		1	10	13	4		5	5	6	5	4	4	3	
86b	Diseases of the mastoid process	24	4	1	2	1	2	2	2	2			3	1	1		1	2	
	IV.—Diseases of the circulatory system	4,938	14	4	1		2	20	37	45	36	53	61	222	421	819	1,351	1,851	1
87	Pericarditis	12								1			1	1	2	4	2	1	
88	Endocarditis and myocarditis (acute)	144	3	1	1			5	5	8	8	8	11	26	18	15	21	14	
89	Angina pectoris	281	1								1	1	1	12	30	56	110	69	
90	Other diseases of the heart	3,805	8	3			2	15	32	35	26	41	44	168	339	656	1,054	1,382	
91a	Aneurysm	43										1		2	6	18	12	4	
91b,c	Other diseases of the arteries	543											2	10	14	40	117	359	1
92	Embolism and thrombosis (not cerebral)	80	1							1	1	1	1	3	7	21	28	16	
93	Diseases of the veins	22										1	1		4	6	6	4	
94	Diseases of the lymphatic system	3													1	1		1	
95	Hemorrhage without specified cause	2	1															1	
96	Other diseases of the circulatory system	3														2	1		
	V.—Diseases of the respiratory system	2,250	428	93	31	17	19	40	24	37	34	41	42	135	165	219	347	578	
97a	Diseases of the nasal fossae	9	5	1								1	1					1	
97b	Diseases of the nasal fossae annexa	18	3						1	3	1		2	1	3	3	1		
98	Diseases of the larynx	9	2		1		1	3							2				
99a	Acute bronchitis	38	3	4				1						1		3	7	19	
99b	Chronic bronchitis	60	1		1			1		1	1				2	7	15	31	
99c,d	Bronchitis (unspecified)	38	10	1								1			1	2	3	20	
100a	Broncho-pneumonia	821	282	54	22	7	8	10	1	6	10	5	6	20	36	42	100	212	
100b	Capillary bronchitis	7	4			1						1						1	
101a	Lobar pneumonia	1,013	85	28	5	8	9	19	19	24	19	29	29	101	99	129	188	222	
101b	Pneumonia (unspecified)	57	17	3	1					1			1	2	2	6	8	16	
102	Pleurisy	68	6	1	1	1	1	5	3	2	3	3		5	12	10	8	7	
103	Congestion and hemorrhagic infarct of the lung	39	5											1		2	1	30	
104	Gangrene of the lung	7										1	1	1	1	2	1		
105	Asthma	50	1	1				1					1	1	5	10	13	17	
106	Pulmonary emphysema	2													1			1	
107	Other diseases of the respiratory system (tuberculosis excepted)	14	4										1	2	1	3	2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	VI.—Diseases of the digestive system	1,963	288	58	32	25	11	62	50	62	63	71	87	223	234	262	249	185	1
108	Diseases of the mouth and annexa	12	1					1				1	1	2	4	2			
109b	Other diseases of the pharynx, tonsils	125	15	6	3	5	4	15	8	11	11	10	9	7	11	3	5	2	
110	Diseases of the esophagus	6												2	1	1	1	1	
111a	Ulcer of the stomach	112								2	4	5	5	23	20	27	18	8	
111b	Ulcer of the duodenum	77	1							1	3	4	5	17	16	18	7	4	1
112	Other diseases of the stomach (cancer excepted)	62	14	3	2						1	2		4	4	5	11	16	
113	Diarrhea and enteritis (under 2 years)	247	210	37															
114	Diarrhea and enteritis (2 years and over)	95			12	10	2	6	3	2	3	3	3	3	12	2	11	23	
115	Ancylostomiasis	1														1			
116	Diseases due to other intestinal parasites	3					1							2					
117	Appendicitis and typhlitis	406		2	9	7	3	29	34	40	30	27	32	62	60	38	24	9	
118a	Hernia	111	1										2	12	12	28	24	32	
118b	Intestinal obstruction	151	32	4	3	2	1	5	2	1	4	5	5	18	10	17	23	19	
119	Other diseases of the intestines	33	2	1								1		6	1	8	9	5	
120	Acute yellow atrophy of the liver	13								1	1	2	2		4	1		2	
122	Cirrhosis of the liver	166	2							2			2	18	27	43	46	26	
123	Biliary calculi	162									1	4	7	23	33	37	40	17	
124	Other diseases of the liver	111	1		1					1	1	5	9	15	14	21	22	21	
125	Diseases of the pancreas	16											2	2	3	5	4		
126	Peritonitis without specified cause	54	9	5	2	1		6	3	1	4	2	3	7	2	5	4		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,015	12	1	2	4	2	8	6	22	20	30	32	137	220	303	534	682	
128	Acute nephritis (including unspecified under 10 years)	59	3			2	1	2	1	6	4	3	1	8	9	7	4	8	
129	Chronic nephritis (including unspecified 10 years and over)	1,467			2		1	5	5	12	7	15	21	73	164	221	415	526	
130	Chyluria	1															1		
131	Other diseases of the kidneys and annexa	80	7	1		2		1			6	3	1	7	10	18	16	8	
132	Calculi of the urinary passages	25										2	1	2	5	7	3	5	
133	Diseases of the bladder	17														6	3	8	
135	Diseases of the prostate	244													2	36	85	121	
136	Nonvenereal diseases of the male genital organs	3	1											1			1		
137	Cysts, other benign tumors of the ovary	18									1		2	7	4	2		2	
138	Salpingitis and pelvic abscess (female)	32								3	1	5	2	10	8	1		2	
139	Benign tumors of the uterus	49										2	3	21	17	2	2	2	
140	Nonpuerperal uterine hemorrhage	3								1				1		1			
141	Other diseases of the female genital organs	16									1		1	7	1	2	4		
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	301								20	60	71	65	77	8				
143	Accidents of pregnancy	37									5	13	8	9	2				
144	Puerperal hemorrhage	22									7	6	4	5					
145	Other accidents of labor	26									8	4	7	7					
146	Puerperal septicemia	115								10	21	26	26	30	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	22								1	4	7	3	7					
148	Puerperal albuminuria and convulsions	75								9	14	14	16	19	3				
149	Following childbirth (undefined)	4									1	1	1		1				
	IX.—Diseases of the skin and of the cellular tissue	100	19	1	1		1	2				3	2	8	6	13	15	29	
151	Gangrene	36	1									1		2	2	3	7	20	
152	Furuncle	16	3										1	1	2	3	4	2	
153	Acute abscess	16	2	1	1							1		3	1	3	2	2	
154	Other diseases of the skin and annexa	32	13				1	2				1	1	2	1	4	2	5	
	X.—Diseases of the bones and of the organs of locomotion	29	1		1		2	5	6	3	1	1			1	2	3	3	
155	Diseases of the bones (tuberculosis excepted)	25			1		2	5	5	3	1	1			1	1	2	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3	1						1								1		
158	Other diseases of the organs of locomotion	1														1			
	XI.—Malformations	349	297	14	10	4	5	5	2	4	5	2		1					
159a	Congenital hydrocephalus	41	29	4	3	3			1		1								
159b	Congenital malformations of the heart	150	127	9	3	1	1	5		1	1	1		1					
159c	Other congenital malformations	158	141	1	4		4		1	3	3	1							
	XII.—Early infancy	1,395	1,395																
160	Congenital debility, icterus, sclerema	132	132																
161a	Premature birth	921	921																
161b	Injury at birth	235	235																
162	Other diseases peculiar to early infancy	106	106																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	246														5	22	218	1
	XIV.—External causes	2,009	32	35	30	19	21	72	82	114	140	114	135	287	254	231	211	232	
	Suicide	357							1	12	19	22	32	75	71	60	43	22	
165	By poisons (gas or corrosives excepted)	18								1	3	2	2	5	1	1	1	2	
166	By corrosive substances	24								2	1	4	2	5	3	3	2	2	
167	By poisonous gas	38								1	1	1	6	12	10	5	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	XIV.—External causes—Contd.																		
	Suicide—Continued.																		
168	By hanging or strangulation	93								3	1	5	6	14	22	18	15	9	
169	By drowning	24								1	1	1	4	5	3	5	3	1	
170	By firearms	119							1	3	12	6	6	24	23	22	18	4	
171	By cutting or piercing instruments	23										1	3	4	5	5	2	3	
172	By jumping from high places	10								1		1	2	4	2				
173	By crushing	3												1	1		1		
174	By other means	5											1	1	1	1			
	Homicide	56						1	1	2	6	2	15	13	9	4	3		
197	By firearms	41							1		5	2	11	10	7	4	1		
198	By cutting or piercing instruments	3											1	1	1				
199	By other means	12						1		2	1		3	2	1		2		
	Accidental or undefined	1,596	32	35	30	19	21	71	80	100	115	90	88	199	174	167	165	210	
175	Poisoning by food	5		1						2	1							1	
177	Other acute poisonings (gas excepted)	29	2	7	2		1			1	2	1	2	2	8	1			
178	Conflagration	32	4		2	3	2	4	1			2	1	3	5	2	3		
179	Burns (conflagration excepted)	82	2	11	8	5	4	5	3	1	5	4	7	3	8	3	7	6	
180	Mechanical suffocation	25	11	1					2	3		2	1	1	2	1		1	
181	Absorption of irrespirable, irritating, or poisonous gas	71								1	6	5	6	12	11	12	9	9	
182	Drowning	157		4	6	1	2	15	17	19	28	7	9	27	10	9	2	1	
183	Traumatism by firearms (except in war)	65				1		3	10	16	4	7	6	6	5	5	2		
184	Traumatism by cutting or piercing instruments	19			1	1				1	1	1		5	3	4	1	1	
185	Traumatism by fall	327	1	1	3			5	5	4	3	3	7	24	18	39	64	150	
186a	Traumatism in mines	14									1	2	3	7			1		
186b	Traumatism in quarries	1													1				
187	Traumatism by machines	57			2			2		7	5	4	2	11	12	4	8		
188a	Railroad accidents	129				2	1	2	2	13	13	10	9	19	23	12	16	7	
	Collision with automobiles	23				1		1		2	4	1	2	4	4	1	3		
	Other railroad accidents	106				1	1	1	2	11	9	9	7	15	19	11	13	7	
188b	Street-car accidents	19								1	3	4	3	2	3	1	1	1	
	Collision with automobiles	10								1	2	4		1	2				
	Other street-car accidents	9									1		3	1	1	1	1	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	326		2	1	3	8	25	28	25	30	21	17	47	37	45	24	13	
188d	Airplane and balloon accidents	3									1			2					
188e,f	Injuries by other vehicles	43				1		1	3		5	3	1	5	5	8	10	1	
188g	Landslide, other crushing	21							2	2		3	2	3	3	6			
189	Injuries by animals (not poisoning)	23		1	1			2	2				1	2	1	3	5	5	
193	Excessive cold	8													3	1	1	3	
194	Excessive heat	8	2										2		2		2		
195	Lightning	7	1							1		1		1	3				
196	Other accidental electric shocks	17					1		1		3	2	3	6	1				
201	Fracture (cause not specified)	6					1									1	1	3	
202	Other external violence	102	9	7	4	2	1	7	4	3	4	8	6	11	10	10	8	8	
	XV.—Ill-defined diseases	136	50	2	2			2			2	1		11	13	14	20	19	
204	Sudden death	32	8											2	6	6	6	4	
205a	Ill-defined	42	6	1	2			1			1			4	5	5	10	7	
205b	Not specified or unknown	62	36	1				1			1	1		5	2	3	4	8	
	MISSISSIPPI																		
	All causes—White	9,191	1,460	265	177	89	83	195	147	281	284	306	275	661	752	893	1,607	1,642	74
	All causes—Colored	14,575	2,098	419	181	163	91	305	297	785	1,015	908	646	1,570	1,698	1,342	1,255	1,654	148
	I.—Epidemic, endemic, and infectious diseases—White	1,700	197	84	55	31	34	75	46	82	90	99	79	158	131	123	184	220	12
	I.—Epidemic, endemic, and infectious diseases—Colored	3,732	424	136	67	71	34	114	137	369	493	377	238	435	331	184	131	165	26
1	Typhoid and paratyphoid fever—W	103		1			2	6	4	21	15	8	13	12	6	4	5	5	1
	Typhoid and paratyphoid fever—C	289	3	1	1	3	5	23	32	54	59	41	12	24	20	7	1		3
5	Malaria—W	141	18	6	5	4	6	21	6	10	7	5	2	9	10	5	14	13	
	Malaria—C	286	31	17	9	25	8	24	17	26	20	10	10	23	26	9	17	12	2
6	Smallpox—C	4	1											3					
7	Measles—W	48	10	7	3		2	4	3	1	2	1		5	4	1	1	4	
	Measles—C	21	5	4		3	1	2	1	1		1	1					1	1
8	Scarlet fever—W	5				1	2	2											
	Scarlet fever—C	1			1														
9	Whooping cough—W	83	57	12	10	2		1		1									
	Whooping cough—C	182	117	37	15	7	3	3											
10	Diphtheria—W	74	9	11	16	10	11	12	1				1	1		1			1
	Diphtheria—C	55	9	4	8	7	6	13	6			1		1					
11a	Influenza (with pulmonary complications)—W	402	40	23	12	6	6	11	7	10	13	16	17	45	25	45	54	69	3
	Influenza (with pulmonary complications)—C	520	33	26	19	5	4	15	11	28	37	28	20	64	71	35	31	41	2
11b	Influenza (other and unspecified)—W	232	29	10	1	3	2	6	6	4	4	2	3	11	10	18	41	80	2
	Influenza (other and unspecified)—C	353	62	14	5	6	1	7	9	16	17	11	4	22	37	48	27	67	
13	Mumps—W	2						1				1							
	Mumps—C	3					1		1		1								
15	Cholera nostras—W	2						1										1	
	Cholera nostras—C	1		1															
16	Dysentery—W	59	10	8	4	3		1	1				1			4	11	16	
	Dysentery—C	91	27	13		3	1	3	2	2	1	1		2	12	5	3	16	
19	Spirochetal hemorrhagic jaundice—W	1									1								
21	Erysipelas—W	19	6	1						1	1				1	1	6	2	
	Erysipelas—C	6						1			1	1		1			1	1	
22	Acute anterior poliomyelitis—W	18	3	2	1			2	2	6	1	1							
	Acute anterior poliomyelitis—C	9	4	2					1	2									
23	Lethargic encephalitis—W	7						1				3		1				2	
	Lethargic encephalitis—C	1								1									
24	Meningococcus meningitis—W	5	2			1										1			1
	Meningococcus meningitis—C	5	1	1	1	1	1												

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Continued.																			
25	Other epidemic and endemic diseases	W	1															1		
28	Rabies	W	3											2					1	
29	Tetanus	W	15	2		1			2	8		1				1				
		C	34	12			1		3	5	2	1		1	5	3	1			
30	Mycoses	C	3	2	1															
	Tuberculosis (all forms)	W	433	6	3	1	1	2	4	5	26	42	58	36	65	66	39	49	26	4
		C	1,528	13	7	7	6	3	16	45	218	332	252	154	229	120	58	35	18	15
31	Of the respiratory system	W	392	3	3		1	1		3	23	41	56	35	62	59	35	45	21	4
		C	1,417	8	3	7	3		11	38	208	308	240	144	215	115	53	33	18	13
32	Of the meninges, central nervous system	W	5	1		1			1				1		1					
		C	15	1	2		2	3		2	2	1	1			1				
33	Of the intestines, peritoneum	W	21						2		2	1	1	1		6	3	3	2	
		C	53	1			1		1	2	6	12	5	6	10	2	4	2		1
34	Of the vertebral column	W	2							1									1	
		C	7						3			2			1	1				
35	Of the joints	W	3								1				1		1			
		C	12	2					1		1	2	2	2	1		1			
36	Of other organs	W	7	1				1	1	1					1			1	1	
		C	15		1					3	1	4	1	2	1	1				1
37a	Disseminated (acute)	W	2	1															1	
		C	9	1	1							3	3		1					
37b	Disseminated (chronic or unspecified)	W	1													1				
38	Syphilis	W	22	3		1		1				2		1	6	5	2	1		
		C	284	52	7	1	3		4	5	11	18	23	29	53	37	19	13	7	2
40	Gonococcus infection	W	7								1	1		2	1	1	1			
		C	38							1	6	5	8	6	5	2	2	2		1
41	Purulent infection, septicemia	W	18	2						3	1		4	1	2	2	1	1	1	
		C	18	2	1		1			1	2	1		1	3	3		1	2	
	II.—General diseases not included in Class I	White	883	23	9	11	5	3	11	8	15	15	19	20	83	126	156	232	138	9
		Colored	1,062	8	9	2	9	7	18	11	38	61	73	64	179	216	154	119	88	6
	Cancer and other malignant tumors	W	531	1		1	1	1	3	1	4	9	7	9	51	85	102	155	98	3
		C	441		1	1	1		1	1	5	2	10	19	89	113	84	64	48	2
43	Of the buccal cavity	W	21										1	1	2	4	3	3	7	
		C	3													1			2	
44	Of the stomach, liver	W	157				1		1			1	1		9	13	38	57	35	1
		C	131								2		1	4	15	37	27	26	19	
45	Of the peritoneum, intestines, rectum	W	55			1						3	1	3	5	7	9	18	8	
		C	38			1			1		1			4	7	10	4	7	3	
46	Of the female genital organs	W	109										2	3	18	23	24	24	13	2
		C	162										6	10	51	42	29	17	6	1
47	Of the breast	W	33												5	17	4	6	1	
		C	36										1		9	13	5	4	4	
48	Of the skin	W	39													5	6	9	19	
		C	5												1	1			2	1
49	Of other or unspecified organs	W	117	1				1	2	1	4	5	2	2	12	16	18	38	15	
		C	66		1		1			1	2	2	2	1	6	9	19	10	12	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	5			1						1			1			1	1	
		C	3												1	1		1		
51	Acute rheumatic fever	W	16					1	2	2			1	1		3	3		3	
		C	24				1		2	3	2		3		2	5	2	1	3	
52	Chronic rheumatism, osteoarthritis, gout	W	8							1				1		1		3	2	
		C	4												1		3			
53	Scurvy	W	2	1	1															
		C	2	1			1													
54	Pellagra	W	107								1	2	4	6	14	23	19	25	10	3
		C	456		1		4	5	10	6	27	54	55	36	68	75	48	39	26	2
56	Rickets	W	3	3																
		C	4	3				1												
57	Diabetes mellitus	W	105				1		1	3	4	1	2		10	4	22	35	19	3
		C	73		1				3	1	2	2		3	11	14	15	13	8	
58	Anemia, chlorosis	W	16						1		1		1			3	3	6	1	
		C	7									1	2			2	2			
59	Diseases of the pituitary gland	W	3										2			1				
60a	Exophthalmic goiter	W	6										1	1	1	1		1		
		C	9									2	2	1	3			1		
60b	Other diseases of the thyroid gland	W	1			1														
		C	2								1		1							
61	Diseases of the parathyroid glands	W	1		1															
		C	1	1																
62	Diseases of the thymus gland	W	5	5																
63	Diseases of the adrenals (Addison's disease)	W	2													2				
		C	1													1				
64	Diseases of the spleen	W	1															1		
		C	1													1				
65a	Leukemia	W	10		1				1		3				2	1		2		
		C	4		1						1			1		1				
65b	Hodgkin's disease	W	7							1	1			1	1		2	1		
		C	2													2				
66	Alcoholism (acute or chronic)	W	9									2	1	1	1	1	1	2		
		C	8											3	3	1				1
67a	Chronic lead poisoning	C	1															1		
68	Chronic poisoning by organic substances	W	2														1	1		
69	Other general diseases	W	43	13	6	8	3	1	3		1				2	1	2		3	
		C	19	3	5	1	2	1	2					1	1				2	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	White	756	29	6	4	6	5	8	4	6	8	12	10	42	85	116	211	200	4
		Colored	931	39	7	2	1	2	9	7	25	25	29	26	100	187	159	144	160	9
70	Encephalitis	W	11	2	2								1	2	1	1		2		
		C	11	2	1				2		1		1		2	1			1	
71a	Simple meningitis	W	21	10		1	2	2	2						2	1	1			
		C	10	2	1	1			2	1		2				1				
71b	Nonepidemic cerebrospinal meningitis	W	4	3	1															
		C	8	2		1			1	1		2			1					
72	Tabes dorsalis (locomotor ataxia)	W	4													1	2	1		
		C	5												2	2			1	
73	Other diseases of the spinal cord	W	15								1		1	1	1	2	3	4	2	
		C	14	1								1			4	3	4		1	
74a	Cerebral hemorrhage	W	521	2	1	1	2		1			2	5	4	18	59	101	161	160	4
		C	584	2				1		1	6	6	9	12	63	144	117	104	112	7
74b	Cerebral embolism and thrombosis	W	13						1			1			1	3		5	2	
		C	6									1		1		3	1			
75	Paralysis without specified cause	W	64												2	8	5	22	27	
		C	125	1	1						2	1	2	2	9	14	23	30	38	2
76	General paralysis of the insane	W	8										1		2	1		2	2	
		C	51								1	1	4	3	11	13	12	5	1	
77	Other forms of mental alienation	W	9										1	1	4				3	
		C	4									2		1				1		
78	Epilepsy	W	16				1				1	1	3	1	4	2		3		
		C	53	6				1	3	2	11	7	10	5	2	3	1	2		
79	Convulsions (nonpuerperal; 5 years and over)	W	2							1		1								
		C	5						1		1	1	1					1		
80	Infantile convulsions (under 5 years)	W	10	8	1	1														
		C	23	19	3		1													
81	Chorea	W	1												1					
82	Neuralgia and neuritis	W	4															3	1	
83	Softening of the brain	W	5														1	2	2	
		C	3													1			2	
84	Other diseases of the nervous system	W	23	1				1				1		1	4	5	3	6	1	
		C	15	1							1	1	1	2	3		1	1	4	
85	Diseases of the eye and annexa	C	2							1					1					
86a	Diseases of the ear	W	11	2				1	1	2	2	2			1					
		C	5	1	1										1	2				
86b	Diseases of the mastoid process	W	14	1	1	1	1	1	3	1	2				1	2				
		C	7	2						1	2		1		1					
	IV.—Diseases of the circulatory system	White	1,062	3		2	1		6	5	5	7	8	17	43	85	171	345	354	10
		Colored	1,325	5	2	1		1	4	6	18	34	45	41	158	235	250	240	267	18
87	Pericarditis	W	1																1	
		C	5												1			3	1	
88	Endocarditis and myocarditis (acute)	W	27						2	1	1	1	2	1	4	3	4	4	3	1
		C	51							4	4	1	9	4	15	5	3	2	4	
89	Angina pectoris	W	76										1	2	4	7	19	27	15	1
		C	25										1		2	9	7	3	3	
90	Other diseases of the heart	W	811	3		2	1		4	4	3	6	5	12	27	71	130	269	267	7
		C	1,098	4	1	1		1	4	2	11	31	35	35	128	206	222	200	201	16
91a	Aneurysm	W	12												3	1	4	3		1
		C	12								1				4	3	3		1	
91b,c	Other diseases of the arteries	W	112													2	12	35	63	
		C	107												4	8	10	30	53	2
92	Embolism and thrombosis (not cerebral)	W	5											1	1	1		1	1	
		C	8								1	2		1	2	1			1	
93	Diseases of the veins	W	2														1	1		
		C	2		1											1				
95	Hemorrhage without specified cause	W	4								1			1	1			1		
		C	4	1							1					1		1		
96	Other diseases of the circulatory system	W	12												3		1	4	4	
		C	13											1	2	1	5	1	3	
	V.—Diseases of the respiratory system	White	762	149	39	22	11	9	13	9	31	20	24	27	63	56	60	117	105	7
		Colored	1,087	212	69	30	16	9	27	24	65	74	64	49	101	102	86	65	85	9
97a	Diseases of the nasal fossae	W	3	1														1	1	
		C	6	2		2										1			1	
97b	Diseases of the nasal fossae annexa	W	4									1			2	1				
		C	2								2									
98	Diseases of the larynx	W	2			1	1													
		C	4	1			1											2		
99a	Acute bronchitis	W	7	3	1											1			2	
		C	3	2									1							
99b	Chronic bronchitis	W	9															2	7	
		C	5												2		1	1	1	
99c,d	Bronchitis (unspecified)	W	17	4		1								1				2	9	
		C	11	3	1		1								1		2	1	2	
100a	Broncho-pneumonia	W	208	91	15	7	5	2	3	4	4	1	2	3	3	6	8	23	30	1
		C	211	92	22	11	5	4	3	2	9	8	6	7	6	10	4	8	12	2
100b	Capillary bronchitis	W	3		2														1	
		C	5	3	2															
101a	Lobar pneumonia	W	397	31	14	7	3	3	7	4	25	13	21	18	48	44	44	66	43	6
		C	644	66	26	12	8	3	20	17	46	54	50	37	74	74	66	39	46	6
101b	Pneumonia (unspecified)	W	68	18	7	4	1	3	2		1	1	1	2	7	2	3	12	4	
		C	132	41	17	3	1	2	2	4	8	9	3		9	7	7	8	10	1
102	Pleurisy	W	21			1	1	1	1	1		2		1	2		3	7	1	
		C	15			2				1		1	2	2	2		1	1	3	
103	Congestion and hemorrhagic infarct of the lung	W	8	1							1					1	1	1	3	
		C	7											1		1	1		4	
104	Gangrene of the lung	C	3													2	1			
105	Asthma	W	9											1		1	1	3	3	
		C	24		1				1						4	4	3	5	6	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	6			1						2		1	1				1	
		C	15	2					1			2	2	2	3	3				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	VI.—Diseases of the digestive system	White	851	202	90	51	20	9	27	26	28	22	29	22	50	71	49	79	70	6
		Colored	902	211	107	29	18	6	29	27	33	30	39	26	76	96	69	50	48	8
108	Diseases of the mouth and annexa	W	6	1	1								1	1	1		1			
		C	8	1										1			1	3	2	
109b	Other diseases of the pharynx, tonsils	W	20	3	2	1	2		2	2			2	2	1			1	1	1
		C	27		2	2		2	5	5		3	2	3	1	2				
110	Diseases of the esophagus	W	2											1				1		
		C	3	1	1										1					
111a	Ulcer of the stomach	W	23						1						3	5	4	6	4	
		C	18											2	2	4	6	3	1	
111b	Ulcer of the duodenum	W	11										2		2	2	1	1	3	
112	Other diseases of the stomach (cancer excepted)	W	58	15	2	3	1	2	1		1	1			2	9	7	6	8	
		C	85	10	1		2		2	1		3	2	1	11	21	10	9	12	
113	Diarrhea and enteritis (under 2 years)	W	243	160	83															
		C	275	177	98															
114	Diarrhea and enteritis (2 years and over)	W	102			43	12	3	4			1			1	5	5	12	14	2
		C	95			26	16	2	4	1	2	4	3	3	5	7	7	7	8	
115	Ancylostomiasis	W	1												1					
116	Diseases due to other intestinal parasites	W	2						2											
117	Appendicitis and typhlitis	W	141	1	1	2	2	1	6	24	20	11	17	7	21	16	4	3	5	
		C	130		1			1	8	15	23	13	14	6	21	14	10		1	3
118a	Hernia	W	20	1		1					1		1		1	3	3	3	5	1
		C	41	6					1				2	1	5	14	3	6	2	1
118b	Intestinal obstruction	W	79	19	1	1	3	1	8		3	4	1	1	5	12	6	4	8	2
		C	92	11	1	1		1	4	3	4	4	6	4	15	11	11	10	5	1
119	Other diseases of the intestines	W	8												1		1		6	
		C	15	2	1				1				1		2	3	3	1	1	
120	Acute yellow atrophy of the liver	W	1																1	
		C	2												1	1				
122	Cirrhosis of the liver	W	43											2	1	6	11	17	6	
		C	59						1		1	2	3	3	5	8	13	8	13	2
123	Biliary calculi	W	19										2	3	3	1	3	6	1	
		C	4													2	2			
124	Other diseases of the liver	W	55						2		1	3	2	2	6	11	3	17	8	
		C	26	1	1				1	1			3	1	4	6	3	2	2	1
125	Diseases of the pancreas	C	1															1		
126	Peritonitis without specified cause	W	17	2				2	1		2	2	1	3	1	1		2		
		C	21	2	1				2	1	3	1	3	1	3	3			1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	942	7	6	1	1		10	5	9	10	13	13	57	88	126	295	297	4
		Colored	1,377	1	4	3	6	1	6	5	24	31	44	43	175	272	225	246	269	22
128	Acute nephritis (including unspecified under 10 years)	W	52	2	3	1	1		7		2	2	3	1	4	5	5	7	9	
		C	110		3	1	6		5	2	7	8	5	5	21	16	11	8	8	4
129	Chronic nephritis (including unspecified 10 years and over)	W	774		1				3	4	3	4	5	8	39	71	112	260	262	2
		C	1,055	1	1	1				3	9	14	19	27	115	223	178	215	234	15
131	Other diseases of the kidneys and annexa	W	27	4	2				1	1	2		1		2	3	1	5	4	2
		C	32			1		1	1		1	1	4		5	7	5	2	3	1
132	Calculi of the urinary passages	W	3													1	1	1		
		C	1									1								
133	Diseases of the bladder	W	7										1			1	1		4	
		C	22											1		3	7	3	8	
134	Diseases of the urethra, etc	W	2															1	1	
		C	17										2	1	2	6	5		1	
135	Diseases of the prostate	W	40														4	19	17	
		C	50												1	5	15	14	14	1
136	Nonvenereal diseases of the male genital organs	W	1	1																
		C	3										1		2					
137	Cysts, other benign tumors of the ovary	W	6										1	1	2	1	1			
		C	4												3			1		
138	Salpingitis and pelvic abscess (female)	W	8								1	2	1	1	2	1				
		C	36								7	6	7	3	8	3	1			1
139	Benign tumors of the uterus	W	8											2	1	3		2		
		C	35										3	4	15	8	1	3	1	
140	Nonpuerperal uterine hemorrhage	W	2												1	1				
		C	1										1							
141	Other diseases of the female genital organs	W	12								1	2	1		6	1	1			
		C	11									1	2	2	3	1	2			
	VIII.—The puerperal state	White	162							1	18	31	38	29	41	1				3
		Colored	238							2	55	44	40	27	57	9				4
143	Accidents of pregnancy	W	15								2	1	3	3	4					2
		C	16								2	3	4	2	4	1				
144	Puerperal hemorrhage	W	27								2	2	6	7	9	1				
		C	18									1	2	7	7	1				
145	Other accidents of labor	W	14									3	5	2	4					
		C	31								2	5	8	4	10	1				1
146	Puerperal septicemia	W	49							1	5	11	6	12	13					1
		C	68							1	21	17	12	4	10	3				
147	Puerperal phlegmasia alba dolens, embolus, etc	W	4									2	1	1						
		C	1												1					
148	Puerperal albuminuria and convulsions	W	53								9	12	17	4	11					
		C	102							1	30	18	13	9	25	3				3
149	Following childbirth (undefined)	C	2										1	1						
	IX.—Diseases of the skin and of the cellular tissue	White	26	8	1	1			2		1	1	2			4	2		4	
		Colored	26									3	1			8	1	7	6	
151	Gangrene	W	6		1	1										1			3	
		C	14									1	1			2		6	4	
152	Furuncle	W	4	2									1				1			
		C	1													1				
153	Acute abscess	W	8	1					2			1	1			2	1			
		C	8									1				4		1	2	
154	Other diseases of the skin and annexa	W	8	5							1					1			1	
		C	3									1				1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																		
	X.—Diseases of the bones and of the organs of locomotion—White	9	1	1	1			2	2								2		
	X.—Diseases of the bones and of the organs of locomotion—Colored	11	1			1			1		1	1	1	2		3			
155	Diseases of the bones (tuberculosis excepted)—W	8		1	1			2	2								2		
155	Diseases of the bones (tuberculosis excepted)—C	11	1			1			1		1	1	1	2		3			
156	Diseases of the joints (tuberculosis and rheumatism excepted)—W	1	1																
	XI.—Malformations—White	72	63	3	3	1			1	1									
	XI.—Malformations—Colored	25	18	1	1	1		2		2									
159a	Congenital hydrocephalus—W	10	6		2	1			1										
159a	Congenital hydrocephalus—C	1								1									
159b	Congenital malformations of the heart—W	32	31	1															
159b	Congenital malformations of the heart—C	9	6			1		1		1									
159c	Other congenital malformations—W	30	26	2	1					1									
159c	Other congenital malformations—C	15	12	1	1			1											
	XII.—Early infancy—White	551	551																
	XII.—Early infancy—Colored	363	363																
160	Congenital debility, icterus, sclerema—W	85	85																
160	Congenital debility, icterus, sclerema—C	76	76																
161a	Premature birth—W	358	358																
161a	Premature birth—C	231	231																
161b	Injury at birth—W	80	80																
161b	Injury at birth—C	27	27																
162	Other diseases peculiar to early infancy—W	28	28																
162	Other diseases peculiar to early infancy—C	28	28																
163	Lack of care—C	1	1																
164	XIII.—Old age (senility)—White	122														1	13	108	
164	XIII.—Old age (senility)—Colored	262														5	25	230	2
	XIV.—External causes—White	774	29	11	18	11	19	36	38	79	73	57	52	101	79	45	50	72	4
	XIV.—External causes—Colored	1,090	44	25	28	21	23	58	51	100	161	126	84	161	87	44	29	33	15
	Suicide—W	53								4	5	4	3	14	13	5	1	4	
	Suicide—C	17								3	4	3		2	2	2	1		
165	By poisons (gas or corrosives excepted)—W	2														2			
166	By corrosive substances—W	8								1	2			1	4				
166	By corrosive substances—C	1									1								
168	By hanging or strangulation—W	2													1	1			
169	By drowning—W	1																1	
169	By drowning—C	1													1				
170	By firearms—W	27								2	2	3	3	10	2	2	1	2	
170	By firearms—C	12								3	3	1		2	1	1	1		
171	By cutting or piercing instruments—W	5												2	2			1	
171	By cutting or piercing instruments—C	2										2							
172	By jumping from high places—W	2									1				1				
173	By crushing—W	1										1							
174	By other means—W	5								1				1	3				
174	By other means—C	1														1			
	Homicide—W	103	1		1		1	1	1	6	10	16	11	33	12	7	2	1	
	Homicide—C	356						1	2	31	82	69	46	73	28	10	5	1	8
197	By firearms—W	82								4	8	14	9	30	8	6	2	1	
197	By firearms—C	275						1	2	21	65	48	41	56	24	7	4		6
198	By cutting or piercing instruments—W	12	1		1		1	1		1		2	1	1	3				
198	By cutting or piercing instruments—C	50								7	9	13	4	11	3	1	1	1	
199	By other means—W	9							1	1	2		1	2	1	1			
199	By other means—C	31								3	8	8	1	6	1	2			2
	Accidental or undefined—W	618	28	11	17	11	18	35	37	69	58	37	38	54	54	33	47	67	4
	Accidental or undefined—C	717	44	25	28	21	23	57	49	66	75	54	38	86	57	32	23	32	7
175	Poisoning by food—W	15		1	2			4						1	3		1	2	1
175	Poisoning by food—C	16	2	2	2					1	2	1	1	2	3				
176	Poisoning by venomous animals—W	2								2									
176	Poisoning by venomous animals—C	2	1					1											
177	Other acute poisonings (gas excepted)—W	10		1				1		1			1	1	1	1	2	1	
177	Other acute poisonings (gas excepted)—C	18		4	3	1	2				1	3		2	1			1	
178	Conflagration—W	10	2			1		1				1	1		1		2		1
178	Conflagration—C	21	1	2	2	1	1	4			1	1	1			2	1	4	
179	Burns (conflagration excepted)—W	67	5	4	7	7	7	9	3	5	2	2	1	2	1	1	7	4	
179	Burns (conflagration excepted)—C	141	11	9	19	13	14	22	5	7	3		3	5	5	7	8	9	1
180	Mechanical suffocation—W	11	10								1								
180	Mechanical suffocation—C	25	21					1			1		1	1					
181	Absorption of irrespirable, irritating, or poisonous gas—W	1								1									
181	Absorption of irrespirable, irritating, or poisonous gas—C	2							1				1						
182	Drowning—W	38	1	1	1				5	12	1	3	2	4	4	4			
182	Drowning—C	52		2		2	1	4	9	7	3	8	2	8	3	2	1		
183	Traumatism by firearms (except in war)—W	50			3			2	8	12	9	2	7	1	4		1		1
183	Traumatism by firearms (except in war)—C	113			1	1	1	10	18	25	20	12	9	13	1			2	
184	Traumatism by cutting or piercing instruments—W	4								1	1						2		
184	Traumatism by cutting or piercing instruments—C	10						1					1	3		3	1	1	
185	Traumatism by fall—W	68	3		1		2	2	4		1	3	3	3	1	2	9	34	
185	Traumatism by fall—C	30	1	3				2	3		1		1	2	4	6	2	5	
186a	Traumatism in mines—C	1												1					
187	Traumatism by machines—W	23								3	2	1	4	4	7	1	1		
187	Traumatism by machines—C	18							1	3	2	3		3	5	1			
188a	Railroad accidents—W	62						1	2	6	11	8	8	10	10	5	1		
188a	Railroad accidents—C	43				1			2	2	6	7	6	7	5	2	3	1	1
	Collision with automobiles—W	11									2	1	1	2	4	1			
	Collision with automobiles—C	5									1	2			1	1			
	Other railroad accidents—W	51						1	2	6	9	7	7	8	6	4	1		
	Other railroad accidents—C	38				1			2	2	5	5	6	7	4	1	3	1	1
188b	Street-car accidents—W	1							1										
	Collision with automobiles—W	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MISSISSIPPI—Continued																				
	XIV.—External causes—Contd.																			
	Accidental or undefined—Continued.																			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	139			3	3	9	11	6	20	16	7	9	13	17	12	7	5	1
		C	76					2	5	5	4	14	10	2	13	11	2	1	6	1
188d	Airplane and balloon accidents	W	2										1		1					
188e,f	Injuries by other vehicles	W	6		1					2					1	1			1	
		C	12			1	1				1				1	3	2	2	1	
188g	Landslide, other crushing	W	4												3		1			
		C	10									3		3		2	2			
189	Injuries by animals (not poisoning)	W	4		1					1			1					1		
		C	7					1	1	1	1	1			1				1	
193	Excessive cold	C	1									1								
194	Excessive heat	C	6											1	3	1		1		
195	Lightning	W	10						2		1	3				1	2	1		
		C	17						2	1	5	3	1	1	2	1	1			
196	Other accidental electric shocks	W	6								1	1	1	1	2					
		C	2									1			1					
201	Fracture (cause not specified)	W	25								1	1			1			6	16	
		C	8								2		1	1	2	1			1	
202	Other external violence	W	60	7	2				2	5	3	9	7	1	7	3	4	6	4	
		C	86	7	3		1	1	4	3	8	12	7	4	16	11	2	3		4
	XV.—Ill-defined diseases	White	519	198	15	8	2	4	5	2	6	7	5	6	23	26	44	79	74	15
		Colored	2,144	772	59	18	19	8	38	26	56	58	69	47	126	155	162	199	303	29
204	Sudden death	W	71	9	1						2	1	1	2	4	7	11	20	13	
		C	148	13	2	2			2		4	5	5	8	14	26	20	22	25	
205a	Ill-defined	W	67	11	2	1		1		1	1			1	4	4	9	19	13	
		C	155	17	6	2	1	1	2	3	5	3	4	6	16	21	20	20	25	3
205b	Not specified or unknown	W	381	178	12	7	2	3	5	1	3	6	4	3	15	15	24	40	48	15
		C	1,841	742	51	14	18	7	34	23	47	50	60	33	96	108	122	157	253	26
MISSOURI																				
	All causes		42,752	4,721	1,068	507	277	194	704	562	944	1,240	1,226	1,282	3,333	4,398	6,029	7,454	8,711	102
	I.—Epidemic, endemic, and infectious diseases		6,908	658	396	211	129	91	279	194	362	509	451	374	747	673	594	583	634	23
1	Typhoid and paratyphoid fever		360	2	1	6	3	6	44	34	57	63	24	24	34	27	17	12	5	1
5	Malaria		145	16	8	10	1	3	14	12	9	7	4	3	13	19	9	10	5	2
6	Smallpox		1														1			
7	Measles		279	67	79	27	21	10	30	9	9	6	3	3	6	3	4			2
8	Scarlet fever		163	2	20	22	19	13	46	17	8	7	2	2	5					
9	Whooping cough		329	181	89	33	5	6	12	1	2									
10	Diphtheria		238	16	47	42	37	21	47	9	6	2	1	3	3	2	2			
11a	Influenza (with pulmonary complications)		923	108	46	27	10	10	12	14	16	22	26	32	76	75	101	140	204	4
11b	Influenza (other and unspecified)		686	66	20	7	7	6	18	10	19	16	12	13	29	54	71	110	226	2
13	Mumps		5	2	1		1									1				
15	Cholera nostras		9				1								2		1	4	1	
16	Dysentery		188	47	30	14	5	1	1	2		2			4	7	7	21	47	
19	Spirochetal hemorrhagic jaundice		3	1												2				
21	Erysipelas		84	26					1		1		2	1	5	9	11	9	19	
22	Acute anterior poliomyelitis		20	1	4	3	2	1	3	4	2									
23	Lethargic encephalitis		36		1				1	2	2	2	2	1	6	6	4	4	5	
24	Meningococcus meningitis		40	12	4		2	1	6	4		5	1	1	2	1	1			
25	Other epidemic and endemic diseases		7	1	1	2		1	1						1					
26	Glanders		1						1											
28	Rabies		2						1		1									
29	Tetanus		50	8	1	1		3	7	15	3	2	3	1		2	2	1	1	
30	Mycoses		6	1						1					1	2	1			
	Tuberculosis (all forms)		2,937	37	37	15	14	6	32	56	212	359	351	260	490	396	306	241	114	11
31	Of the respiratory system		2,610	13	17	7	6	4	12	42	192	333	322	248	444	361	276	225	99	9
32	Of the meninges, central nervous system		81	18	15	7	6	1	8	3	6	2	1	2	6	1	4			1
33	Of the intestines, peritoneum		103	3	1				4	6	7	8	13	1	17	15	14	10	3	1
34	Of the vertebral column		25					1	3	1	1	4	2	3	3	3			4	
35	Of the joints		17			1						1	2	2	3	1	1	2	4	
36	Of other organs		45	2	2		1		1	1	2	4	3	2	6	7	7	3	4	
37a	Disseminated (acute)		45	1	2		1		3	3	4	6	7	2	10	4	2			
37b	Disseminated (chronic or unspecified)		11						1			1	1		1	4	2	1		
38	Syphilis		292	55	3			1	2	2	7	6	12	20	51	51	49	27	5	1
40	Gonococcus infection		63	1			1				6	7	7	7	18	10	4	2		
41	Purulent infection, septicemia		39	7	4	2		2		2	1	3	1	3	1	6	3	2	2	
42	Other infectious diseases		2	1							1									
	II.—General diseases not included in Class I		5,046	58	16	8	5	4	31	32	50	52	88	107	457	838	1,194	1,251	850	5
	Cancer and other malignant tumors		3,532	1	6	2	1	2	8	7	12	24	45	59	300	608	876	911	666	4
43	Of the buccal cavity		123		1									2	8	20	30	33	29	
44	Of the stomach, liver		1,271		1						1		4	8	52	179	327	415	283	1
45	Of the peritoneum, intestines, rectum		427							1	1	5	5	7	37	74	111	113	71	
46	Of the female genital organs		506							1	1	5	15	19	106	133	123	70	33	
47	Of the breast		288							1			2	5	41	73	69	46	51	
48	Of the skin		133	1								1	2	1	2	9	19	36	61	1
49	Of other or unspecified organs		784		4	2	1	2	6	4	9	13	17	17	54	120	197	198	138	2
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)		30	1	2						2	1	2	1	5	2	3	6	5	
51	Acute rheumatic fever		86				2	1	6	11	7	6	2	2	11	13	4	16	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	II.—General diseases not included in Class I—Continued.																		
52	Chronic rheumatism, osteoarthritis, gout	41									1	1		2	4	7	10	16	
54	Pellagra	29										2		10	5	7	3	2	
56	Rickets	6	5		1														
57	Diabetes mellitus	612	1	1	1			3	10	16	11	7	12	25	64	159	194	107	1
58	Anemia, chlorosis	206	2					1	1	3	2	1	6	17	37	57	55	24	
59	Diseases of the pituitary gland	4											1	2	1				
60a	Exophthalmic goiter	167				1			1		3	16	6	40	39	35	21	5	
60b	Other diseases of the thyroid gland	22	2	1		1		1				1		2	3	5	5	1	
61	Diseases of the parathyroid glands	1										1							
62	Diseases of the thymus gland	28	24	1			1			1		1							
63	Diseases of the adrenals (Addison's disease)	6											2	2		1	1		
64	Diseases of the spleen	3						1							2				
65a	Leukemia	73	1	3	3			5	1	7	2		8	10	14	5	8	6	
65b	Hodgkin's disease	21						1			1	3	1	2	3	4	5	1	
66	Alcoholism (acute or chronic)	113						1		2	1	2	8	25	37	23	12	2	
67a	Chronic lead poisoning	9			1										3	1	2	2	
67b	Other chronic mineral poisoning	1														1			
68	Chronic poisoning by organic substances	9										3		3		1		2	
69	Other general diseases	47	21	2				4	1			1	1	1	3	5	2	6	
	III.—Diseases of the nervous system and of the organs of special sense	4,114	99	35	14	17	5	48	47	45	46	46	65	254	406	741	1,017	1,214	15
70	Encephalitis	37	4	2	2			1	2		2	2	2	4	4	4	5	3	
71a	Simple meningitis	77	16	7	4	6	2	1	8	4	2	3	3	6	6	5	1	2	1
71b	Nonepidemic cerebrospinal meningitis	25	8	3		2		5	3	1	1				1		1		
72	Tabes dorsalis (locomotor ataxia)	61								1		1		7	11	22	15	4	
73	Other diseases of the spinal cord	164	2		1	1		2	5	2	2	3	7	8	15	27	43	45	1
74a	Cerebral hemorrhage	2,719	4	2					2	4	5	8	14	104	229	535	800	1,003	9
74b	Cerebral embolism and thrombosis	72	1	1				1	2	3	3	2	2	1	9	16	10	20	1
75	Paralysis without specified cause	164	2						1	1		1		2	5	30	52	67	3
76	General paralysis of the insane	257							1	2	1	3	15	63	78	54	30	10	
77	Other forms of mental alienation	41								1	4	1	2	9	10	6	5	3	
78	Epilepsy	119				1		1	6	12	14	9	9	23	13	14	9	8	
79	Convulsions (nonpuerperal; 5 years and over)	2						1				1							
80	Infantile convulsions (under 5 years)	24	17	5	1	1													
81	Chorea	1							1										
82	Neuralgia and neuritis	13											1	1	1	3	2	5	
83	Softening of the brain	36												1		6	13	16	
84	Other diseases of the nervous system	127	3	1	2	1		7	3	2	5	3	5	15	16	13	29	22	
85	Diseases of the eye and annexa	5				2			1									2	
86a	Diseases of the ear	77	25	4	1		1	11	7	5	4	3	2	6	3	3	1	1	
86b	Diseases of the mastoid process	93	17	10	3	3	2	18	5	7	3	6	3	4	5	3	1	3	
	IV.—Diseases of the circulatory system	7,233	17	5	1	3	7	32	48	54	66	71	115	370	761	1,266	1,916	2,488	13
87	Pericarditis	61	1					2	3	2	1		1	8	5	16	12	10	
88	Endocarditis and myocarditis (acute)	238	2	3			2	4	9	8	10	13	12	27	14	44	40	50	
89	Angina pectoris	389								1	1	1	7	17	56	74	118	114	
90	Other diseases of the heart	5,615	13	2	1	3	5	26	35	39	50	51	85	283	632	1,020	1,533	1,827	10
91a	Aneurysm	133										2	6	28	30	35	22	10	
91b,c	Other diseases of the arteries	695									1			1	16	56	166	452	3
92	Embolism and thrombosis (not cerebral)	66								.4	2	2	3	3	6	14	17	15	
93	Diseases of the veins	24										1	1	2	2	4	6	8	
94	Diseases of the lymphatic system	4	1						1		1				1	1			
95	Hemorrhage without specified cause	4										1		1		1	1		
96	Other diseases of the circulatory system	4														1	1	2	
	V.—Diseases of the respiratory system	4,329	818	236	122	44	33	72	32	66	65	89	114	271	351	461	618	925	12
97a	Diseases of the nasal fossae	6	2							1				1			1	1	
97b	Diseases of the nasal fossae annexa	21							1	2		3	2	4	4	2	3		
98	Diseases of the larynx	11	3	1	1	1		2							2			1	
99a	Acute bronchitis	80	23	7	1			3	1	1	1		1	2		4	6	30	
99b	Chronic bronchitis	127	2	2	1	1						1		1	11	7	24	77	
99c,d	Bronchitis (unspecified)	42	10	1	2								1		3		6	18	1
100a	Broncho-pneumonia	1,615	561	148	66	22	21	29	13	11	8	8	21	47	56	91	162	351	
100b	Capillary bronchitis	29	14	4	1	2							2	1			1	4	
101a	Lobar pneumonia	2,162	177	66	42	16	9	35	16	49	53	70	79	201	257	323	372	388	9
101b	Pneumonia (unspecified)	52	16	3		1		1			1	1		2	1	4	6	15	1
102	Pleurisy	63	5	2	6	1	1	2	1	1	2	4	3	4	7	9	8	7	
103	Congestion and hemorrhagic infarct of the lung	18	5		1											2	3	7	
104	Gangrene of the lung	10											2	2	1	1	2	2	
105	Asthma	57		1			2			1			1	3	5	8	17	19	
106	Pulmonary emphysema	1																1	
107	Other diseases of the respiratory system (tuberculosis excepted)	35		1	1							2	2	3	4	10	7	4	1
	VI.—Diseases of the digestive system	3,569	805	304	88	32	23	87	73	78	98	88	122	300	350	413	355	348	5
108	Diseases of the mouth and annexa	21	4		2	1		1		1	1			2	3	3	1	2	
109b	Other diseases of the pharynx, tonsils	103	4	15	6	2		11	9	7	7	4	6	11	7	6	3	5	
110	Diseases of the esophagus	1	1																
111a	Ulcer of the stomach	167						2	1	1	1	2	13	27	38	33	26	23	
111b	Ulcer of the duodenum	57										3	4	9	12	12	12	5	
112	Other diseases of the stomach (cancer excepted)	199	46	6	2		1	4	2	2	3	3	5	9	13	18	32	51	2
113	Diarrhea and enteritis (under 2 years)	966	692	274															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
114	Diarrhea and enteritis (2 years and over)	259			68	21	14	9	6	1	2	3	1	10	9	16	33	66	
116	Diseases due to other intestinal parasites	4		2	1										1				
117	Appendicitis and typhlitis	590			5	1	5	42	52	52	57	51	51	84	84	70	27	8	1
118a	Hernia	143	3				1	2			5	4	5	16	18	30	31	27	1
118b	Intestinal obstruction	259	39	6	3	3	1	9	3	7	8	6	9	30	30	31	43	30	1
119	Other diseases of the intestines	50	3			2	1	1		1	3		1	7	6	8	7	10	
120	Acute yellow atrophy of the liver	21	1								1	2	2	2	3	3	5	2	
121	Hydatid tumor of the liver	1												1					
122	Cirrhosis of the liver	339	1		1			1		2	1		8	33	58	100	71	63	
123	Biliary calculi	165									3	5	4	31	34	39	30	19	
124	Other diseases of the liver	158	5					1			1	5	9	20	23	35	27	32	
125	Diseases of the pancreas	21									3		2	5	6	2	3		
126	Peritonitis without specified cause	45	6	1		2		4		4	2		2	3	5	7	4	5	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,945	17	4	7	8	1	16	13	31	50	82	107	319	574	868	1,297	1,540	11
128	Acute nephritis (including unspecified under 10 years)	165	8	1	4	5	1	5	3	4	5	9	8	17	22	28	18	27	
129	Chronic nephritis (including unspecified 10 years and over)	4,157	1		2	2		8	7	22	28	42	66	224	475	765	1,160	1,345	10
131	Other diseases of the kidneys and annexa	80	7	3	1	1		2	2		2	3	7	5	8	14	17	8	
132	Calculi of the urinary passages	42							1		1	1		4	8	10	8	9	
133	Diseases of the bladder	36												2	1	3	8	22	
134	Diseases of the urethra, etc	12											2	2	3	1	3	1	
135	Diseases of the prostate	234									1			1	6	31	72	123	
136	Nonvenereal diseases of the male genital organs	5	1											3					1
137	Cysts, other benign tumors of the ovary	33								2	1	9	3	5	5	3	3	2	
138	Salpingitis and pelvic abscess (female)	75						1		3	10	11	13	25	8	3	1		
139	Benign tumors of the uterus	80									1	4	7	26	32	7	3		
140	Nonpuerperal uterine hemorrhage	2									1			1					
141	Other diseases of the female genital organs	24										3	1	4	6	3	4	3	
	VIII.—The puerperal state	440								55	103	80	80	116	4				2
143	Accidents of pregnancy	54								5	10	11	9	19					
144	Puerperal hemorrhage	33								1	8	5	9	10					
145	Other accidents of labor	31									8	5	7	11					
146	Puerperal septicemia	195								25	47	45	37	39	1				1
147	Puerperal phlegmasia alba dolens, embolus, etc	12									4	2	3	3					
148	Puerperal albuminuria and convulsions	112								24	25	12	15	32	3				1
149	Following childbirth (undefined)	3									1			2					
	IX.—Diseases of the skin and of the cellular tissue	97	12	3	1	1		1	3	2	4	1	1	4	7	13	13	31	
151	Gangrene	35		2		1				2				1	1	6	5	17	
152	Furuncle	22	1	1				1	1		1			3	2	5	4	3	
153	Acute abscess	10			1				1		1	1			2		1	3	
154	Other diseases of the skin and annexa	30	11						1		2		1		2	2	3	8	
	X.—Diseases of the bones and of the organs of locomotion	39	1		3		3	5	6	2	1	1	4	6		6	1		
155	Diseases of the bones (tuberculosis excepted)	33	1		3		3	4	6	2	1	1	3	5		4			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4						1					1	1		1			
158	Other diseases of the organs of locomotion	2														1	1		
	XI.—Malformations	394	367	14	7	2		1		1	1	1							
159a	Congenital hydrocephalus	41	29	6	3	2		1											
159b	Congenital malformations of the heart	230	222	5	1						1	1							
159c	Other congenital malformations	123	116	3	3					1									
	XII.—Early infancy	1,646	1,646																
160	Congenital debility, icterus, sclerema	152	152																
161a	Premature birth	1,115	1,115																
161b	Injury at birth	245	245																
162	Other diseases peculiar to early infancy	132	132																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	286														3	24	259	
	XIV.—External causes	3,311	74	46	43	34	26	130	109	193	242	220	190	473	415	419	323	360	14
	Suicide	528							2	15	33	27	32	123	102	104	70	19	1
165	By poisons (gas or corrosives excepted)	47								6	5	4	1	6	15	7	2	1	
166	By corrosive substances	87								3	12	4	5	27	13	15	7	1	
167	By poisonous gas	55									1		5	17	15	8	7	2	
168	By hanging or strangulation	61										3	5	9	12	21	8	3	
169	By drowning	26										1	2	5	5	3	9		1
170	By firearms	213							2	6	14	14	12	50	34	44	28	9	
171	By cutting or piercing instruments	23											1	6	6	3	5	2	
172	By jumping from high places	6										1			1	1	2	1	
173	By crushing	4									1		1	2					
174	By other means	6												1	1	2	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	XIV.—External causes—Contd.																		
	Homicide	405	5	1					3	28	57	63	59	102	54	20	6	4	3
197	By firearms	280							2	20	38	45	50	72	34	15	3	1	
198	By cutting or piercing instruments	60							1	4	9	11	4	17	10	2	1	1	
199	By other means	65	5	1						4	10	7	5	13	10	3	2	2	3
	Accidental or undefined	2,378	69	45	43	34	26	130	104	150	152	130	99	248	259	295	247	337	10
175	Poisoning by food	41	3		1	1	1	3	2	3	1	2	2	3	3	8	6	2	
177	Other acute poisonings (gas excepted)	54	4	7	5		2	1		2	4	4	3	6	6	7	2	1	
178	Conflagration	33	3	2	1	4		1	2	4	2	1	1	2	3	5	1	1	
179	Burns (conflagration excepted)	170	8	19	18	18	3	20	2	5	5	12	3	14	12	11	13	7	
180	Mechanical suffocation	29	21							1		2		4	1				
181	Absorption of irrespirable, irritating, or poisonous gas	66	1		2		1	1			5	4	1	7	12	17	13	2	
182	Drowning	149	3	4	4	1	2	14	19	29	19	3	6	12	14	13	1	5	
183	Traumatism by firearms (except in war)	80		1		1	2	4	12	12	17	5	3	9	5	6	2	1	
184	Traumatism by cutting or piercing instruments	23							1					4	4	6	4	4	
185	Traumatism by fall	525	8	6	3	3	1	11	9	6	6	11	10	34	35	57	86	237	2
186a	Traumatism in mines	20									1	2	3	3	4	6	1		
188b	Traumatism in quarries	4										1		2		1			
187	Traumatism by machines	59				2			1	6	5	4	3	10	9	9	8	2	
188a	Railroad accidents	213						4	7	19	16	22	18	33	29	30	22	9	4
	Collision with automobiles	46						1	1	6	6	4	7	8		7	6		
	Other railroad accidents	167						3	6	13	10	18	11	25	29	23	16	9	4
188b	Street-car accidents	35	1				1			1	3	4	1	4	7	4	4	4	1
	Collision with automobiles	10	1							1	2	2		1	2	1			
	Other street-car accidents	25					1				1	2	1	3	5	3	4	4	1
188c	Automobile accidents (excluding collision with railroad trains and street cars)	493	3	3	3	2	8	54	28	36	38	33	25	55	63	65	45	31	1
188d	Airplane and balloon accidents	4								1	1	2							
188e,f	Injuries by other vehicles	55			2			5	6	1	2	2	3	7	6	10	7	4	
188g	Landslide, other crushing	17					2		1		1	2	1	3	2	3	2		
189	Injuries by animals (not poisoning)	30			1	1		3	4			1		3	5	7	2	3	
193	Excessive cold	5										1	1	1			1		1
194	Excessive heat	31	2							1		1		5	5	8	5	4	
195	Lightning	24							1	5	6	1	3	3	4		1		
196	Other accidental electric shocks	32				1		2	2	3	8	5	1	4	4	2			
201	Fracture (cause not specified)	28											1	1	8	4	4	10	
202	Other external violence	158	12	3	3		3	7	7	15	12	5	10	19	18	16	17	10	1
	XV.—Ill-defined diseases	395	149	9	2	2	1	2	5	5	3	8	3	16	19	51	56	62	2
204	Sudden death	37	3									2		2	1	7	9	12	1
205a	Ill-defined	95	12	4	1		1		3	1	3	2		3	6	18	23	18	
205b	Not specified or unknown	263	134	5	1	2		2	2	4		4	3	11	12	26	24	32	1
	MONTANA																		
	All causes	5,395	757	111	60	48	29	122	108	151	145	153	183	548	653	783	844	696	4
	I.—Epidemic, endemic, and infectious diseases	862	96	38	24	23	13	44	29	52	39	41	37	123	122	73	65	43	
1	Typhoid and paratyphoid fever	14						1	1	5	2			1	2	1	1		
6	Smallpox	1				1													
7	Measles	21	6	4	2	2		4	1			1			1				
8	Scarlet fever	25	1	2	3	1		9	2	2	2	2	1						
9	Whooping cough	45	27	13	2	2			1										
10	Diphtheria	18	2	2	1	2	2	5	1	2	1								
11a	Influenza (with pulmonary complications)	166	27	4	4	3	5	4	4	5	3	4	7	18	22	14	21	21	
11b	Influenza (other and unspecified)	75	18	1	2	2	2	4	1	3	2	2		3	10	5	9	11	
13	Mumps	2								1	1								
15	Cholera nostras	1				1													
16	Dysentery	5	4													1			
19	Spirochetal hemorrhagic jaundice	1															1		
21	Erysipelas	17	5	1			1							2	1	2	4	1	
22	Acute anterior poliomyelitis	5			2		1			2									
23	Lethargic encephalitis	5						1	1	1			1		1				
24	Meningococcus meningitis	20	1	2	1	2	1		3	5	1	2		1	1				
25	Other epidemic and endemic diseases	16			1			1				1		3	4	3	3		
29	Tetanus	3	1							2									
30	Mycoses	1													1				
	Tuberculosis (all forms)	377	3	9	6	7	1	14	14	23	25	24	26	79	72	43	21	10	
31	Of the respiratory system	319		6	2	4		8	12	18	20	21	18	73	68	39	21	9	
32	Of the meninges, central nervous system	22	3	1	3	2		5	1		1	1	3		1	1			
33	Of the intestines, peritoneum	18		2	1				1	3	1	2		3	3	2			
34	Of the vertebral column	4					1				2		1						
35	Of the joints	2						1										1	
36	Of other organs	3											1	2					
37a	Disseminated (acute)	6								1			3	1		1			
37b	Disseminated (chronic or unspecified)	3				1				1	1								
38	Syphilis	31									1	5	1	12	6	3	3		
40	Gonococcus infection	3											1	1			1		
41	Purulent infection, septicemia	9	1					1		1	1			2	1	1	1		
42	Other infectious diseases	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	II.—General diseases not included in Class I	616	14		1	2	1	4	7	9	10	15	10	62	120	150	147	64	
	Cancer and other malignant tumors	401						1		2	3	4	3	40	79	101	113	55	
43	Of the buccal cavity	13													4	5	3	1	
44	Of the stomach, liver	158										1		9	26	53	43	26	
45	Of the peritoneum, intestines, rectum	58						1		1			2	6	8	12	17	11	
46	Of the female genital organs	55											1	11	16	9	14	4	
47	Of the breast	31										1		7	11	5	5	2	
48	Of the skin	13								1					2		5	5	
49	Of other or unspecified organs	73									3	2		7	12	17	26	6	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2													2				
51	Acute rheumatic fever	12					1		2	1	1	2			2	2	1		
52	Chronic rheumatism, osteoarthritis, gout	7									1		1	1	1	1	1	1	
56	Rickets	2	1			1													
57	Diabetes mellitus	76							3	4	1	2	1	3	13	21	22	6	
58	Anemia, chlorosis	24	2										1	4	4	11	2		
60a	Exophthalmic goiter	29									2	5	1	6	11	2	2		
60b	Other diseases of the thyroid gland	3									1						2		
62	Diseases of the thymus gland	3	3																
63	Diseases of the adrenals (Addison's disease)	1							1										
64	Diseases of the spleen	2								1							1		
65a	Leukemia	7				1		1		1			1	2	1				
65b	Hodgkin's disease	6						1				1		1	1	2			
66	Alcoholism (acute or chronic)	27									1	1	2	5	5	10	2	1	
67a	Chronic lead poisoning	1																1	
69	Other general diseases	13	8		1			1	1						1		1		
	III.—Diseases of the nervous system and of the organs of special sense	473	17	4	2	2	1	5	6	6	2	4	11	34	47	98	124	110	
70	Encephalitis	7						2	1	1		2		1					
71a	Simple meningitis	13	3	3	1			1	1	1			1	1		1			
71b	Nonepidemic cerebrospinal meningitis	6				2	1	1	1	1									
72	Tabes dorsalis (locomotor ataxia)	6											1			4	1		
73	Other diseases of the spinal cord	13								1		1		1	1	2	6	1	
74a	Cerebral hemorrhage	327	2		1				1			1	1	15	30	77	105	94	
74b	Cerebral embolism and thrombosis	16	1											1	3	4	1	6	
75	Paralysis without specified cause	13													1	3	6	3	
76	General paralysis of the insane	20											2	6	5	2	3	2	
77	Other forms of mental alienation	5											1	1	2		1		
78	Epilepsy	10	1										2	2	3	1	1		
80	Infantile convulsions (under 5 years)	7	7																
82	Neuralgia and neuritis	1																1	
84	Other diseases of the nervous system	14						1					1	4	1	4		3	
86a	Diseases of the ear	12	3						2	1	2		2	1	1				
86b	Diseases of the mastoid process	3		1						1				1					
	IV.—Diseases of the circulatory system	785	6				1	6	8	7	9	8	17	38	84	178	223	200	
87	Pericarditis	3										1			1		1		
88	Endocarditis and myocarditis (acute)	44	3				1	1	2	1	4	2	3	9	3	3	8	4	
89	Angina pectoris	45												2	6	16	13	8	
90	Other diseases of the heart	603	3					5	6	6	5	5	13	24	66	140	171	159	
91a	Aneurysm	12												1	2	3	5	1	
91b,c	Other diseases of the arteries	52												1	1	11	13	26	
92	Embolism and thrombosis (not cerebral)	17												1	3	3	8	2	
93	Diseases of the veins	6											1		1	1	3		
94	Diseases of the lymphatic system	1														1			
95	Hemorrhage without specified cause	2													1		1		
	V.—Diseases of the respiratory system	579	125	34	10	6	2	19	8	12	5	13	17	43	65	64	87	68	1
97a	Diseases of the nasal fossae	1															1		
97b	Diseases of the nasal fossae annexa	4			1			1						1	1				
98	Diseases of the larynx	2	1					1											
99a	Acute bronchitis	12	5												1		2	4	
99b	Chronic bronchitis	12							1				1		2	2	3	3	
99c,d	Bronchitis (unspecified)	5		1												1	1	2	
100a	Broncho-pneumonia	205	89	24	5	5	2	7	3	1		2		9	12	9	14	23	
100b	Capillary bronchitis	1			1														
101a	Lobar pneumonia	252	12	6	1	1		7	3	11	4	9	15	28	37	40	52	26	
101b	Pneumonia (unspecified)	43	17	3	2			3			1	1	1	1	4	1	4	4	1
102	Pleurisy	8							1			1			3	2	1		
103	Congestion and hemorrhagic infarct of the lung	5															1	4	
105	Asthma	11	1											2		2	5	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	18												2	5	7	3	1	
	VI.—Diseases of the digestive system	457	81	15	12	6	5	17	20	15	16	14	20	53	67	54	35	27	
108	Diseases of the mouth and annexa	6	2											2		2			
109b	Other diseases of the pharynx, tonsils	23		1	2	1	2	1	3	2	1	2		3	3	2			
110	Diseases of the esophagus	1													1				
111a	Ulcer of the stomach	12									1		1	1	6	1	1	1	
111b	Ulcer of the duodenum	8											1	1	5	1			
112	Other diseases of the stomach (cancer excepted)	15	5	1			1								1	2		5	
113	Diarrhea and enteritis (under 2 years)	73	62	11															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
114	Diarrhea and enteritis (2 years and over)	24			7	2	1	2	3		1		1	1	1	1	3	1	
117	Appendicitis and typhlitis	102	2		2	1		11	10	11	10	7	10	16	12	4	5	1	
118a	Hernia	13										1		2	4	2	2	2	
118b	Intestinal obstruction	45	8	1	1	1	1	1	3	1	2	1	2	7	7	6	3		
119	Other diseases of the intestines	6											1	1	1	2		1	
120	Acute yellow atrophy of the liver	2											1			1			
122	Cirrhosis of the liver	43										1	1	4	7	10	13	7	
123	Biliary calculi	27									1	1		3	11	5	5	1	
124	Other diseases of the liver	36		1									1	8	6	13	2	5	
125	Diseases of the pancreas	3								1				1	1				
126	Peritonitis without specified cause	18	2			1		2	1			1	1	3	1	2	1	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	390	4		1	1			3	5	8	12	11	36	43	71	95	100	
128	Acute nephritis (including unspecified under 10 years)	23	3			1				2	1	4	3	2	2	2	1	2	
129	Chronic nephritis (including unspecified 10 years and over)	303							3	3	6	5	5	20	33	61	83	84	
131	Other diseases of the kidneys and annexa	11	1		1									4		2	1	2	
132	Calculi of the urinary passages	3											1	1		1			
133	Diseases of the bladder	2														1		1	
135	Diseases of the prostate	22										1			1	3	7	10	
136	Nonvenereal diseases of the male genital organs	1														1			
137	Cysts, other benign tumors of the ovary	3											1				2		
138	Salpingitis and pelvic abscess (female)	9									1	2	1	4	1				
139	Benign tumors of the uterus	10												3	6		1		
141	Other diseases of the female genital organs	3												2				1	
	VIII.—The puerperal state	79								7	14	11	17	30					
143	Accidents of pregnancy	12										4	3	5					
144	Puerperal hemorrhage	6									1			5					
145	Other accidents of labor	11								2	3		2	4					
146	Puerperal septicemia	38								5	8	6	6	13					
148	Puerperal albuminuria and convulsions	12									2	1	6	3					
	IX.—Diseases of the skin and of the cellular tissue	9	1					1		1				1		1	2	2	
151	Gangrene	5								1						1	1	2	
153	Acute abscess	2						1									1		
154	Other diseases of the skin and annexa	2	1											1					
	X.—Diseases of the bones and of the organs of locomotion	6						2			1				1	2			
155	Diseases of the bones (tuberculosis excepted)	4						2			1					1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1													1				
158	Other diseases of the organs of locomotion	1														1			
	XI.—Malformations	72	65	2	1	1			1	1	1								
159a	Congenital hydrocephalus	6	4							1	1								
159b	Congenital malformations of the heart	47	43	2	1	1													
159c	Other congenital malformations	19	18						1										
	XII.—Early infancy	302	302																
160	Congenital debility, icterus, sclerema	32	32																
161a	Premature birth	200	200																
161b	Injury at birth	42	42																
162	Other diseases peculiar to early infancy	28	28																
164	XIII.—Old age (senility)	48															9	39	
	XIV.—External causes	614	14	16	8	6	5	21	24	35	38	34	43	119	102	76	45	26	2
	Suicide	92								1	3	7	3	21	21	24	7	5	
165	By poisons (gas or corrosives excepted)	8										1		2	1	2	1	1	
166	By corrosive substances	8									1	1		1	1	4			
167	By poisonous gas	4											1	1	1			1	
168	By hanging or strangulation	13												3	4	5	1		
169	By drowning	2											1			1			
170	By firearms	47								1	2	4	1	13	12	9	3	2	
171	By cutting or piercing instruments	7										1			2	2	2		
174	By other means	3												1		1		1	
	Homicide	45	1							2	3	2	5	17	7	4	4		
197	By firearms	28								2	2		3	11	4	4	2		
198	By cutting or piercing instruments	4									1	1		1			1		
199	By other means	13	1									1	2	5	3		1		
	Accidental or undefined	477	13	16	8	6	5	21	24	32	32	25	35	81	74	48	34	21	2
175	Poisoning by food	3	1										1					1	
176	Poisoning by venomous animals	1						1											
177	Other acute poisonings (gas excepted)	7		2								1		1		1	2		
178	Conflagration	11				1					1				4		4	1	
179	Burns (conflagration excepted)	17		1	4			3	1		1	2		1	1	1	2		
180	Mechanical suffocation	5	4									1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	XIV.—External causes—Continued.																		
181	Absorption of irrespirable, irritating, or poisonous gas	8	2								2		1	1	1		1		
182	Drowning	45		4	1	2	1	4	3	5	3	3	4	1	6	1	1	1	
183	Traumatism by firearms (except in war)	27		2				2	3	5	3	1	2	3	3	1	1	1	
184	Traumatism by cutting or piercing instruments	8					1				2		1	1	1		1	1	
185	Traumatism by fall	47		1				2	2	2	1	1		5	10	6	7	10	
186a	Traumatism in mines	48								3	4	2	9	16	9	5			
186b	Traumatism in quarries	1										1							
187	Traumatism by machines	12					1					1	1	2	5	1	1		
188a	Railroad accidents	47		2				2		5	7	1	3	14	3	7	3		
	Collision with automobiles	8						1		1	1	1		4					
	Other railroad accidents	39		2				1		4	6		3	10	3	7	3		
188b	Street-car accidents	1												1					
188c	Automobile accidents (excluding collision with railroad trains and street cars)	93	1	1	1	2	1	4	1	8	6	7	5	21	18	13	2	1	1
188e,f	Injuries by other vehicles	17						2	1	1				3	3	3	2	2	
188g	Landslide, other crushing	5										1		1	1	2			
189	Injuries by animals (not poisoning)	7		2	1								2	1				1	
190	Wounds of war	1											1						
193	Excessive cold	6												2	1		2	1	
194	Excessive heat	2													1	1			
195	Lightning	5											2			1	1		1
196	Other accidental electric shocks	10							2		1	1		3	3				
201	Fracture (cause not specified)	3							1					1			1		
202	Other external violence	40	5	1	1	1	1	1	5	3	1	2	3	3	4	5	3	1	
	XV.—Ill-defined diseases	103	32	2	1	1	1	3	2	1	2	1		9	2	16	12	17	1
204	Sudden death	11	3							1				1	1	2	3		
205a	Ill-defined	20	1											4		5	4	6	
205b	Not specified or unknown	72	28	2	1	1	1	3	2		2	1		4	1	9	5	11	1
	NEBRASKA																		
	All causes	12,648	1,673	225	112	66	55	230	197	257	346	278	318	865	1,062	1,594	2,317	3,043	10
	I.—Epidemic, endemic, and infectious diseases	1,462	206	83	43	23	16	63	40	58	91	76	76	133	119	123	122	189	1
1	Typhoid and paratyphoid fever	23							3	4	3	2	1	6	1	3			
5	Malaria	2					1								1				
6	Smallpox	8	3							2	1			1			1		
7	Measles	23	5	7	2	2		5			1	1							
8	Scarlet fever	27	3	2	1	2	3	7	2	1	1		1	2	1	1			
9	Whooping cough	111	57	31	14	1	1	5	1									1	
10	Diphtheria	35		1	3	4	3	12	5	1	2			3	1				
11a	Influenza (with pulmonary complications)	280	50	17	8	4	2	9	4	9	7	6	7	10	12	25	44	66	
11b	Influenza (other and unspecified)	282	48	10	7	5	1	9	7	2	9	6	6	13	13	22	33	91	
15	Cholera nostras	1	1																
16	Dysentery	20	2	1									1	1	1	2	2	10	
19	Spirochetal hemorrhagic jaundice	2													2				
21	Erysipelas	28	6							1	2			1	5	4	2	7	
22	Acute anterior poliomyelitis	18	2	2	1	1	1	3	4	2	1				1				
23	Lethargic encephalitis	16		1					2		1		2	1	1	5	3		
24	Meningococcus meningitis	17	4	2	2	1	1	2	1		1		1	1	1				
25	Other epidemic and endemic diseases	1	1																
29	Tetanus	10	1		2			3					2		1		1		
30	Mycoses	1													1				
	Tuberculosis (all forms)	447	10	9	3	3	2	5	11	32	51	53	44	74	58	46	33	13	
31	Of the respiratory system	368	6	2	1	1		2	7	27	39	47	41	66	50	40	28	11	
32	Of the meninges, central nervous system	21	3	6	1	2	2	1	1	2	3								
33	Of the intestines, peritoneum	29						1	2	2	4	3	2	5	5	2	2	1	
34	Of the vertebral column	6									2	2	1			1			
35	Of the joints	3													1		1	1	
36	Of other organs	9	1	1				1	1						1	1	2		
37a	Disseminated (acute)	9			1					1	2			3	1	1			
37b	Disseminated (chronic or unspecified)	2										1				1			
38	Syphilis	82	13					1		1	4	2	8	17	17	14	3	1	1
40	Gonococcus infection	18								2	5	5	1	3	1	1			
41	Purulent infection, septicemia	10					1	2		1	2	1	2		1				
	II.—General diseases not included in Class I	1,760	24	8	3	2	3	18	19	23	23	20	33	125	257	400	475	326	1
	Cancer and other malignant tumors	1,199		1	1	1		4	2	8	6	8	17	85	174	295	342	255	
43	Of the buccal cavity	40											1	3	5	5	11	15	
44	Of the stomach, liver	470						1			1		2	9	48	109	179	121	
45	Of the peritoneum, intestines, rectum	177							1	1			1	11	24	57	45	37	
46	Of the female genital organs	134									3	2	2	17	40	36	21	13	
47	Of the breast	122										2	6	23	34	31	17	9	
48	Of the skin	29				1								2		5	9	12	
49	Of other or unspecified organs	227		1	1			3	1	7	2	4	5	20	23	52	60	48	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	13	2	1										1	3	4	1	1	
51	Acute rheumatic fever	21					1	3	8	1		1		2			3	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	II.—General diseases not included in Class I—Contd.																		
52	Chronic rheumatism, osteoarthritis, gout	17											1		1	1	6	8	
54	Pellagra	1												1					
56	Rickets	3	2	1															
57	Diabetes mellitus	240			1	1		2	6	9	5		3	10	24	54	77	47	1
58	Anemia, chlorosis	105	3	1				1		1	2	3	4	9	24	20	26	11	
59	Diseases of the pituitary gland	1													1				
60a	Exophthalmic goiter	53						1		1	2	3	4	9	16	10	7		
60b	Other diseases of the thyroid gland	10		1				3	1				2		2		1		
61	Diseases of the parathyroid glands	2	2																
62	Diseases of the thymus gland	8	5	2							1								
63	Diseases of the adrenals (Addison's disease)	6					1				1			1		2	1		
64	Diseases of the spleen	3						1			1						1		
65a	Leukemia	27	1		1			1		2	4	1	1		4	6	5	1	
65b	Hodgkin's disease	8							1		1	1			1	2	2		
66	Alcoholism (acute or chronic)	19								1		3	1	7	5	2			
67a	Chronic lead poisoning	1														1			
67b	Other chronic mineral poisoning	1													1				
69	Other general diseases	22	9	1			1	2	1						1	3	3	1	
	III.—Diseases of the nervous system and of the organs of special sense	1,417	36	5	2	1	4	12	13	15	12	10	16	66	104	240	365	515	1
70	Encephalitis	17	3	1				3		2	2			3		1	2		
71a	Simple meningitis	14	3	1	1				1		1	1		2	1	1	1	1	
71b	Nonepidemic cerebrospinal meningitis	3	1					1						1					
72	Tabes dorsalis (locomotor ataxia)	16												2	2	5	5	2	
73	Other diseases of the spinal cord	59		1						2		1		8	7	14	15	11	
74a	Cerebral hemorrhage	966	2					1	2	1		2	3	24	54	161	279	436	1
74b	Cerebral embolism and thrombosis	78	1							1	1	1	2	1	7	19	20	25	
75	Paralysis without specified cause	53							1					4	3	7	14	24	
76	General paralysis of the insane	44											3	9	13	11	8		
77	Other forms of mental alienation	12									1				3	4	3	1	
78	Epilepsy	38							3	4	7	3	2	5	2	6	3	3	
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	17	16				1												
82	Neuralgia and neuritis	2														1	1		
83	Softening of the brain	5															3	2	
84	Other diseases of the nervous system	62	4			1	1	3	1	4		2	4	6	10	5	11	10	
85	Diseases of the eye and annexa	1			1														
86a	Diseases of the ear	19	5	1			1	1	3					2		2	4		
86b	Diseases of the mastoid process	10	1	1			1	2	2	1					1		1		
	IV.—Diseases of the circulatory system	2,207	11	2	1	2	4	18	10	18	13	25	21	102	192	324	628	833	3
87	Pericarditis	12						2		2			1	2	1	2	2		
88	Endocarditis and myocarditis (acute)	71	4				1	5	4	4	3	6	3	8	5	8	10	10	
89	Angina pectoris	188												9	22	32	68	57	
90	Other diseases of the heart	1,670	7	2	1		3	11	6	12	8	18	17	72	138	260	476	636	3
91a	Aneurysm	16												4	3	5	3	1	
91b,c	Other diseases of the arteries	186													8	11	50	117	
92	Embolism and thrombosis(not cerebral)	50				1					1			5	12	5	15	11	
93	Diseases of the veins	9									1			1	3	1	2	1	
94	Diseases of the lymphatic system	3				1						1		1					
95	Hemorrhage without specified cause	1															1		
96	Other diseases of the circulatory system	1															1		
	V.—Diseases of the respiratory system	1,083	203	48	15	14	7	22	12	19	21	26	18	64	61	93	150	310	
97a	Diseases of the nasal fossae	3	2													1			
97b	Diseases of the nasal fossae annexa	13						2		1	2	2		2		2	2		
98	Diseases of the larynx	13	4	1	2	1	1	2		1	1								
99a	Acute bronchitis	20	8						1								1	10	
99b	Chronic bronchitis	21	1													4	2	14	
99c,d	Bronchitis (unspecified)	12	5					1								1		5	
100a	Broncho-pneumonia	369	114	33	7	6	1	6	3	6	3	2	3	12	11	18	46	98	
100b	Capillary bronchitis	5	2	1			1										1		
101a	Lobar pneumonia	501	52	9	6	4	4	9	7	9	11	19	12	43	43	54	85	134	
101b	Pneumonia (unspecified)	32	11			1			1		2			1	1	2	2	11	
102	Pleurisy	25		3		2		2		1	2	1	1	3	3	4	1	2	
103	Congestion and hemorrhagic infarct of the lung	29	2												1		3	23	
104	Gangrene of the lung	3												1			2		
105	Asthma	24		1						1				1	2	2	6	9	
106	Pulmonary emphysema	5	1													1		3	
107	Other diseases of the respiratory system (tuberculosis excepted)	8	1									2		1			3	1	
	VI.—Diseases of the digestive system	1,140	186	49	23	12	13	51	40	29	48	36	40	121	106	144	110	132	
108	Diseases of the mouth and annexa	8	1				1								3		1	2	
109b	Other diseases of the pharynx, tonsils	66	9	2	2	1	1	9	11	1	3	3	4	4	5	6	2	3	
110	Diseases of the esophagus	1										1							
111a	Ulcer of the stomach	56								1	1	2	2	8	6	14	12	10	
111b	Ulcer of the duodenum	17									1	2	1	6	1	1	5		
112	Other diseases of the stomach (cancer excepted)	42	11		1						1	1	1	2	2	5	6	12	
113	Diarrhea and enteritis (under 2 years)	184	145	39															
114	Diarrhea and enteritis (2 years and over)	76			15	6	4	9				1	2	3	3	2	8	23	
117	Appendicitis and typhlitis	270	2	2	3	2	4	26	22	23	32	16	21	47	38	26	5	1	
118a	Hernia	49			1				1			1	1	5	9	8	11	12	
118b	Intestinal obstruction	105	16	3	1	2	2	2	2	1	4	5	2	11	9	17	12	16	
119	Other diseases of the intestines	26	1	1		1			2	1	2			7	1		3	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
120	Acute yellow atrophy of the liver	5										2		2				1	
122	Cirrhosis of the liver	70									1	1		4	8	21	19	16	
123	Biliary calculi	68											5	10	9	24	10	10	
124	Other diseases of the liver	68						1			2	1	1	10	12	12	14	15	
125	Diseases of the pancreas	7														6	1		
126	Peritonitis without specified cause	22	1	2			1	4	2	2	1			2		2	1	4	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,099	7	1	2	1		7	8	16	18	13	7	62	98	172	319	366	2
128	Acute nephritis (including unspecified under 10 years)	40	3			1		2	2	1	1		1	6	4	4	4	11	
129	Chronic nephritis (including unspecified 10 years and over)	840			1			5	4	12	12	5	4	35	64	141	271	285	1
131	Other diseases of the kidneys and annexa	39	2		1				2	1	1	2		3	4	7	6	9	1
132	Calculi of the urinary passages	9												1	2	3	2	1	
133	Diseases of the bladder	10	1												2		1	6	
135	Diseases of the prostate	93													1	12	30	50	
136	Nonvenereal diseases of the male genital organs	3	1	1													1		
137	Cysts, other benign tumors of the ovary	12								1		1		4	2	4			
138	Salpingitis and pelvic abscess (female)	18								1	4	4	2	3	4				
139	Benign tumors of the uterus	28												8	14		2	4	
141	Other diseases of the female genital organs	7										1		2	1	1	2		
	VIII.—The puerperal state	188							1	14	37	21	43	70	2				
143	Accidents of pregnancy	20								2	4	1	5	7	1				
144	Puerperal hemorrhage	12										1	2	9					
145	Other accidents of labor	22								2	2	1	9	8					
146	Puerperal septicemia	81							1	8	18	14	13	27					
147	Puerperal phlegmasia alba dolens, embolus, etc	14								1	4		1	7	1				
148	Puerperal albuminuria and convulsions	38								1	9	4	13	11					
149	Following childbirth (undefined)	1												1					
	IX.—Diseases of the skin and of the cellular tissue	47	4		1			1		3		2			2	7	8	19	
151	Gangrene	25						1								1	6	17	
152	Furuncle	7	1							1		1			1	2	1		
153	Acute abscess	9	1		1					2		1				3		1	
154	Other diseases of the skin and annexa	6	2												1	1	1	1	
	X.—Diseases of the bones and of the organs of locomotion	14	1		1				3		2			3			2	2	
155	Diseases of the bones (tuberculosis excepted)	10			1				3		2			2			1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4	1											1			1	1	
	XI.—Malformations	221	203	7	5	1		1	1	1		1	1						
159a	Congenital hydrocephalus	22	18		3	1													
159b	Congenital malformations of the heart	131	119	5	2			1	1	1		1	1						
159c	Other congenital malformations	68	66	2															
	XII.—Early infancy	744	744																
160	Congenital debility, icterus, sclerema	93	93																
161a	Premature birth	487	487																
161b	Injury at birth	113	113																
162	Other diseases peculiar to early infancy	51	51																
164	XIII.—Old age (senility)	224														3	23	198	
	XIV.—External causes	960	25	22	16	10	8	37	50	61	79	48	59	115	115	82	91	140	2
	Suicide	175							2	7	18	12	19	40	30	20	19	8	
165	By poisons (gas or corrosives excepted)	21								2	5	2	1	7	1	1	2		
166	By corrosive substances	14							1		1	1	2	6	2		1		
167	By poisonous gas	17									3	1	3	3	3	4			
168	By hanging or strangulation	39							1	1	2	2	4	5	7	7	5	5	
169	By drowning	4									1			1	1		1		
170	By firearms	69								4	5	5	9	16	14	5	8	3	
171	By cutting or piercing instruments	8										1		2	1	2	2		
173	By crushing	3									1				1	1			
	Homicide	36								4	11	3	7	6	3	1	1		
197	By firearms	28								3	9	2	5	5	2	1	1		
198	By cutting or piercing instruments	3											2	1					
199	By other means	5								1	2	1			1				
	Accidental or undefined	749	25	22	16	10	8	37	48	50	50	33	33	69	82	61	71	132	2
175	Poisoning by food	8	1		1	1		1	1			1			1		1		
176	Poisoning by venomous animals	1														1			
177	Other acute poisonings (gas excepted)	18	2	4										3	3	4	1	1	
178	Conflagration	10			1					1	1	1			3		1	2	
179	Burns (conflagration excepted)	40	2	5	3			2	5	2	3	4		4	2	4	2	2	
180	Mechanical suffocation	17	10				1		1			1			1	2		1	
181	Absorption of irrespirable, irritating, or poisonous gas	24										2	3	1	7	4	4	3	
182	Drowning	39		6	4	1		3	8	4	6		3	1	2			1	
183	Traumatism by firearms (except in war)	28						1	9	4	5	1	3	1	2	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
184	Traumatism by cutting or piercing instruments	11						2						2	3	2		2	
185	Traumatism by fall	191	2	1	2		1	5	5	6	5	1	2	6	10	7	37	100	1
187	Traumatism by machines	27		1				1	1	1	2	2	2	8	4	2	3		
188a	Railroad accidents	59	1		1	1		2		6	5	4	7	13	10	6	3		
	Collision with automobiles	22	1		1	1		2		1	1	1	2	4	5	2	1		
	Other railroad accidents	37								5	4	3	5	9	5	4	2		
188b	Street-car accidents	4			1	1									1			1	
	Collision with automobiles	1				1													
	Other street-car accidents	3			1										1			1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	154		1		3	3	15	12	19	16	6	5	16	23	14	10	10	1
188e,f	Injuries by other vehicles	24		1	1	1	2	3	3	2	2	2	2	1		1	2	1	
188g	Landslide, other crushing	6	1								1	2		1		1			
189	Injuries by animals (not poisoning)	17		1		1		1	1			2	3	2	3	1	1	1	
193	Excessive cold	1												1					
194	Excessive heat	7	1												1		2	3	
195	Lightning	9								2	1	1		4		1			
196	Other accidental electric shocks	10							1	2	1		2	2	2				
201	Fracture (cause not specified)	3										2						1	
202	Other external violence	41	5	2	3		1	1	1	1	2	1	1	3	4	9	4	3	
	XV.—Ill-defined diseases	82	23								2		4	4	6	6	24	13	
204	Sudden death	16	2								1		1	1	1	1	7	2	
205a	Ill-defined	35	3										1	2	4	5	15	5	
205b	Not specified or unknown	31	18								1		2	1	1		2	6	
	NEW HAMPSHIRE																		
	All causes	6,703	686	107	39	35	42	98	55	97	102	135	137	339	550	991	1,449	1,811	30
	I.—Epidemic, endemic, and infectious diseases	792	98	38	16	6	19	43	9	30	39	47	47	84	79	75	79	82	1
1	Typhoid and paratyphoid fever	11					1		2	2	2	3					1		
7	Measles	39	18	7	3	1	3	3					1		1	1	1		
8	Scarlet fever	30	1	4	4	1	4	12	2	1		1							
9	Whooping cough	36	25	5	1		3	2											
10	Diphtheria	18		3	1	2	3	6					1	2					
11a	Influenza (with pulmonary complications)	165	23	5	2			4		6	3	3	4	14	17	26	32	26	
11b	Influenza (other and unspecified)	95	9	6	1		2	1		3	1	3	1	6	2	5	19	36	
13	Mumps	2			1			1											
16	Dysentery	2												1			1		
19	Spirochetal hemorrhagic jaundice	3	2												1				
21	Erysipelas	17	5					1					1		3	2	3	2	
22	Acute anterior poliomyelitis	2		1				1											
23	Lethargic encephalitis	5							1		1				1	1	1		
24	Meningococcus meningitis	9	3					1	1			1			1	1		1	
25	Other epidemic and endemic diseases	4	2					1	1										
29	Tetanus	1						1											
30	Mycoses	1												1					
	Tuberculosis (all forms)	319	7	7	3	2	3	8	2	17	31	34	38	56	44	35	16	15	1
31	Of the respiratory system	254	1	1	2			2	1	15	27	30	31	47	39	29	14	14	1
32	Of the meninges, central nervous system	20	4	5	1	1		2	1	1	1	1		2	1				
33	Of the intestines, peritoneum	25	1	1			2	1			2	2	4	3	1	5	2	1	
34	Of the vertebral column	11	1					3		1	1		1	2	2				
35	Of the joints	2					1									1			
36	Of other organs	3											2		1				
37a	Disseminated (acute)	3				1						1		1					
37b	Disseminated (chronic or unspecified)	1												1					
38	Syphilis	19	3								1	1		2	8	3	1		
40	Gonococcus infection	1										1							
41	Purulent infection, septicemia	13						1		1			1	2	1	1	4	2	
	II.—General diseases not included in Class I	878	23	2		2	2	2	2	7	5	11	11	54	121	199	250	182	5
	Cancer and other malignant tumors	605		1					1	3		5		38	80	143	185	145	4
43	Of the buccal cavity	17														6	5	6	
44	Of the stomach, liver	191										1		8	20	42	70	49	1
45	Of the peritoneum, intestines, rectum	130										1		7	19	36	40	27	
46	Of the female genital organs	76										1		12	15	19	17	11	1
47	Of the breast	69								1				7	12	20	13	16	
48	Of the skin	18												1	1	1	5	10	
49	Of other or unspecified organs	104		1					1	2		2		3	13	19	35	26	2
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4												1	2		1		
51	Acute rheumatic fever	13					2	1	1	1	1			1	1		4	1	
52	Chronic rheumatism, osteoarthritis, gout	12												1	1		3	7	
54	Pellagra	1											1						
56	Rickets	2	2																
57	Diabetes mellitus	115								2		3	8	4	14	33	38	12	1
58	Anemia, chlorosis	53	2								1	3		5	7	12	10	13	
59	Diseases of the pituitary gland	1													1				
60a	Exophthalmic goiter	7								1					3	2		1	
60b	Other diseases of the thyroid gland	1														1			
62	Diseases of the thymus gland	5	3	1		1													
63	Diseases of the adrenals (Addison's disease)	7											1	1		3	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	II.—General diseases not included in Class I—Contd.																		
65a	Leukemia	5						1			2				2		1	1	
65b	Hodgkin's disease	8									2				2	2	2		
66	Alcoholism (acute or chronic)	14									1		1	1	5	3	2	1	
67a	Chronic lead poisoning	3												1	2				
69	Other general diseases	22	16			1								1	1		2	1	
	III.—Diseases of the nervous system and of the organs of special sense	876	22	11	1	1	1	5	3	5	3	4	10	31	71	143	244	317	4
70	Encephalitis	7	1	1										2	2	1			
71a	Simple meningitis	23	8	3	1	1	1	1			1	1		1		2	2	1	
71b	Nonepidemic cerebrospinal meningitis	4	1	1				1						1					
72	Tabes dorsalis (locomotor ataxia)	11											1		3	3	3	1	
73	Other diseases of the spinal cord	20											2	2	6	3	3	4	
74a	Cerebral hemorrhage	638	1						1			1	1	11	42	113	193	271	4
74b	Cerebral embolism and thrombosis	47						1				1	1	2	2	4	18	18	
75	Paralysis without specified cause	33												1	5	5	13	9	
76	General paralysis of the insane	15												8	4	2		1	
77	Other forms of mental alienation	6													2	1	2	1	
78	Epilepsy	20	1					1	1	4	2	1	4	1		1	4		
80	Infantile convulsions (under 5 years)	12	8	4															
82	Neuralgia and neuritis	2													1		1		
83	Softening of the brain	4																4	
84	Other diseases of the nervous system	27	1	1				1	1				1	2	2	7	4	7	
86a	Diseases of the ear	5	1	1						1						1	1		
86b	Diseases of the mastoid process	2													2				
	IV.—Diseases of the circulatory system	1,540	7			1	2	12	8	9	2	7	6	32	100	260	446	643	5
87	Pericarditis	4													1		1	2	
88	Endocarditis and myocarditis (acute)	37	2					5	2	2	1	1		4	2	6	3	9	
89	Angina pectoris	196										1	3	4	21	56	67	42	2
90	Other diseases of the heart	993	3				2	6	5	7	1	4	3	21	67	175	312	384	3
91a	Aneurysm	7													2	3		2	
91b,c	Other diseases of the arteries	277												1	5	14	60	197	
92	Embolism and thrombosis (not cerebral)	18	1									1		2	1	5	1	7	
93	Diseases of the veins	2														1	1		
94	Diseases of the lymphatic system	3	1			1			1										
95	Hemorrhage without specified cause	2						1							1				
96	Other diseases of the circulatory system	1															1		
	V.—Diseases of the respiratory system	680	87	33	7	5	3	6	3	7	4	10	12	34	39	89	139	200	2
97b	Diseases of the nasal fossae annexa	1							1										
98	Diseases of the larynx	3	1			1												1	
99a	Acute bronchitis	33	8	3	1								1		1	1	6	11	1
99b	Chronic bronchitis	26	1									1			1	3	9	11	
99c,d	Bronchitis (unspecified)	19	2	1								1				1	4	10	
100a	Broncho-pneumonia	255	51	18	2	1	3	2	1	2		1	1	9	7	23	48	85	1
100b	Capillary bronchitis	5	3											1			1		
101a	Lobar pneumonia	271	16	9	3	2		3	1	4	4	7	9	16	26	53	54	64	
101b	Pneumonia (unspecified)	30	4	1	1					1				4	1	3	3	12	
102	Pleurisy	13				1		1					1	1	1	2	5	1	
103	Congestion and hemorrhagic infarct of the lung	5													1		1	3	
105	Asthma	13	1											2	1	2	6	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	6		1										1		1	2	1	
	VI.—Diseases of the digestive system	380	58	19	3	8	5	15	9	7	4	11	9	26	43	52	60	51	
108	Diseases of the mouth and annexa	3								1						2			
109b	Other diseases of the pharynx, tonsils	23	1	2	1	2		7	3	2			1	1	1	1		1	
111a	Ulcer of the stomach	20										2	1	2	4	4	5	2	
111b	Ulcer of the duodenum	4														1	1	2	
112	Other diseases of the stomach (cancer excepted)	37	4	1	1						1	1		3	5	4	6	11	
113	Diarrhea and enteritis (under 2 years)	63	49	14															
114	Diarrhea and enteritis (2 years and over)	19			1	3	2	1							4	1	5	2	
117	Appendicitis and typhlitis	56				2	3	6	5	4	1	5	1	8	4	8	7	2	
118a	Hernia	15	1										1	1	2	5	3	2	
118b	Intestinal obstruction	42	2	1		1		1			2	2	2	7	6	3	7	8	
119	Other diseases of the intestines	9	1									1				1	4	2	
120	Acute yellow atrophy of the liver	7							1				3			1		2	
121	Hydatid tumor of the liver	1															1		
122	Cirrhosis of the liver	42												2	8	8	13	11	
123	Biliary calculi	17													4	5	5	3	
124	Other diseases of the liver	12												1	3	4	3	1	
125	Diseases of the pancreas	3														3			
126	Peritonitis without specified cause	7		1										1	2	1		2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	588	3	1		2		2		6	6	7	7	28	50	114	170	186	6
128	Acute nephritis (including unspecified under 10 years)	34	2			2		2		2	1	1		1	2	8	6	7	
129	Chronic nephritis (including unspecified 10 years and over)	488		1						1	5	3	6	22	40	97	151	156	6
131	Other diseases of the kidneys and annexa	7								2		1				1	2	1	
132	Calculi of the urinary passages	4														2	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.																		
133	Diseases of the bladder	9	1														2	6	
134	Diseases of the urethra, etc	3													2	1			
135	Diseases of the prostate	23														3	8	12	
137	Cysts, other benign tumors of the ovary	2													1			1	
138	Salpingitis and pelvic abscess (female)	6								1			1	1	1	1		1	
139	Benign tumors of the uterus	7										1		1	3	1		1	
141	Other diseases of the female genital organs	5										1		3	1				
	VIII.—The puerperal state	66								8	12	16	14	16					
143	Accidents of pregnancy	7								1		1	2	3					
144	Puerperal hemorrhage	8									1	1	4	2					
145	Other accidents of labor	4									1	1		2					
146	Puerperal septicemia	16								3	1	6	3	3					
147	Puerperal phlegmasia alba dolens, embolus, etc	10								1	5	2		2					
148	Puerperal albuminuria and convulsions	20								3	4	5	4	4					
149	Following childbirth (undefined)	1											1						
	IX.—Diseases of the skin and of the cellular tissue	20	2											1	1	3	4	9	
151	Gangrene	14														2	3	9	
152	Furuncle	3	1											1	1				
153	Acute abscess	2	1													1			
154	Other diseases of the skin and annexa	1															1		
	X.—Diseases of the bones and of the organs of locomotion	3	1						1									1	
155	Diseases of the bones (tuberculosis excepted)	1							1										
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2	1															1	
	XI.—Malformations	66	65		1														
159a	Congenital hydrocephalus	3	3																
159b	Congenital malformations of the heart	38	37		1														
159c	Other congenital malformations	25	25																
	XII.—Early infancy	305	305																
160	Congenital debility, icterus, sclerema	40	40																
161a	Premature birth	185	185																
161b	Injury at birth	56	56																
162	Other diseases peculiar to early infancy	24	24																
164	XIII.—Old age (senility)	79														3	6	70	
	XIV.—External causes	387	8	3	10	10	10	13	20	18	26	22	21	31	40	37	46	65	7
	Suicide	59							1	1		1	3	11	14	14	8	6	
165	By poisons (gas or corrosives excepted)	4											1			2	1		
167	By poisonous gas	5												1	1		2	1	
168	By hanging or strangulation	15								1			1	4	1	5	1	2	
169	By drowning	7							1					1	3	1	1		
170	By firearms	22										1	1	5	6	5	2	2	
171	By cutting or piercing instruments	5													3	1	1		
173	By crushing	1																1	
	Homicide	4									1	1		1	1				
197	By firearms	2										1		1					
199	By other means	2									1				1				
	Accidental or undefined	324	8	3	10	10	10	13	19	17	25	20	18	19	25	23	38	59	7
175	Poisoning by food	2														1		1	
177	Other acute poisonings (gas excepted)	13	2		2				1	1	2	2	1	1			1		
178	Conflagration	11			1	1	3				1		1	1	1	1	1	1	
179	Burns (conflagration excepted)	21	1	1	1	6	1		1	1		2		3	2	1	1		
180	Mechanical suffocation	2	2																
181	Absorption of irrespirable, irritating, or poisonous gas	3													1			2	
182	Drowning	48		1	2	1	3	6	6	7	6	2	3	2	3	2	1		3
183	Traumatism by firearms (except in war)	7							2	3	1	1							
184	Traumatism by cutting or piercing instruments	6										1				2	1	1	1
185	Traumatism by fall	86		1	1	1			1		1		3	1	6	4	21	46	
187	Traumatism by machines	8									4		2		2				
188a	Railroad accidents	16			1							1	3	3	1	1	4	2	
	Collision with automobiles	4										1	1				2		
	Other railroad accidents	12			1								2	3	1	1	2	2	
188b	Street-car accidents	1																1	
	Collision with automobiles	1																1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	68			2		2	6	6	4	8	8	2	9	6	5	5	2	3
188e,f	Injuries by other vehicles	8				1		1	1	1	1		1			1		1	
188g	Landslide, other crushing	2									1	1							
189	Injuries by animals (not poisoning)	4														2	2		
193	Excessive cold	1														1			
195	Lightning	2							1			1							
196	Other accidental electric shocks	4									1	1		1			1		
202	Other external violence	11	3				1		2			1		1	1	1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	XV.—Ill-defined diseases	43	7		1						1			2	6	16	5	5	
204	Sudden death	18	1								1			1	3	5	4	3	
205a	Ill-defined	18	1		1									1	3	10	1	1	
205b	Not specified or unknown	7	5													1		1	
	NEW JERSEY																		
	All causes	44,876	5,076	1,178	504	361	293	840	543	879	1,111	1,267	1,457	4,060	5,515	6,975	7,596	7,217	4
	I.—Epidemic, endemic, and infectious diseases	5,771	504	411	185	138	118	254	110	274	454	406	376	859	694	464	310	214	
1	Typhoid and paratyphoid fever	102			1		3	4	6	15	16	13	11	15	12	4	2		
2	Typhus fever	1										1							
5	Malaria	2									1		1						
7	Measles	447	116	190	49	27	20	40			1	1				1	1	1	
8	Scarlet fever	82	1	12	9	11	9	23	5	1	2	1	2	4	2				
9	Whooping cough	191	100	47	22	10	4	7	1										
10	Diphtheria	321	21	46	38	44	41	99	15	3	3	1	1	5	1		2	1	
11a	Influenza (with pulmonary complications)	647	75	37	15	7	10	10	4	11	10	28	29	68	89	76	82	96	
11b	Influenza (other and unspecified)	245	22	7	4	4	3	7	5	6	6	6	6	31	20	23	40	55	
13	Mumps	4				2	1						1						
15	Cholera nostras	4	1		1		1								1				
16	Dysentery	14	3	1	3	1		1						1	1	2	1		
21	Erysipelas	122	37	4	1	1		2			2	2	2	9	13	17	14	18	
22	Acute anterior poliomyelitis	17	1	1	2	3	2	3	2	1				1	1				
23	Lethargic encephalitis	63		5	1	2		2	3	3	6		3	9	17	5	6	1	
24	Meningococcus meningitis	58	16	7	4	5	1	7	6	3	1	1	1	2	2	2			
25	Other epidemic and endemic diseases	4	3	1															
27	Anthrax	1														1			
28	Rabies	7					1	2	1	1		1		1					
29	Tetanus	42	3		2	4	1	9	3			1	2	4	7	4	2		
30	Mycoses	4	1									1		1			1		
	Tuberculosis (all forms)	3,089	48	49	32	19	18	42	50	222	391	327	295	647	471	298	140	40	
31	Of the respiratory system	2,719	10	8	7	3	4	13	33	207	362	306	277	596	444	282	132	35	
32	Of the meninges, central nervous system	146	30	32	18	10	11	15	6	4	6	3	3	5	2		1		
33	Of the intestines, peritoneum	80	3	3	3	1		3	3	4	10	10	6	14	9	7	2	2	
34	Of the vertebral column	29				1		2	4	1	3	2	2	7	5	1		1	
35	Of the joints	7				1			1						1	1	1	2	
36	Of other organs	40	2	1	1	1	2	3	2	1	4	2	2	10	5	3	1		
37a	Disseminated (acute)	62	3	4	3	1	1	6	1	5	6	4	5	13	4	4	2		
37b	Disseminated (chronic or unspecified)	6		1		1									2	1		1	
38	Syphilis	236	46	4	2			1	2	2	3	11	13	53	53	27	17	2	
40	Gonococcus infection	36	2							2	9	7	7	6	2	1			
41	Purulent infection, septicemia	31	8		1			3	1	1	3	4	1	2	1	4	2		
42	Other infectious diseases	1											1						
	II.—General diseases not included in Class I	5,489	108	25	14	12	9	44	42	42	37	66	117	495	1,034	1,479	1,338	627	
	Cancer and other malignant tumors	3,814	1	2	2	3	5	7	4	12	16	23	56	339	757	1,081	978	528	
43	Of the buccal cavity	111												7	17	43	28	16	
44	Of the stomach, liver	1,408			1			1			1	3	8	80	261	432	414	207	
45	Of the peritoneum, intestines, rectum	605		1			1	1		2	6	3	11	44	99	169	175	93	
46	Of the female genital organs	502								2		5	18	87	151	130	78	31	
47	Of the breast	364									2	3	6	58	106	95	53	41	
48	Of the skin	85	1								1		2	5	5	17	24	30	
49	Of other or unspecified organs	739		1	1	3	4	5	4	8	6	9	11	58	118	195	206	110	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	24	1	2						1				4	2	6	7	1	
51	Acute rheumatic fever	125	1		2	3		16	19	9	10	9	8	12	11	11	8	6	
52	Chronic rheumatism, osteoarthritis, gout	38							1					3	5	3	13	13	
53	Scurvy	4	3	1															
54	Pellagra	2												1	1				
56	Rickets	19	15	1	2		1												
57	Diabetes mellitus	772		2		1	1	5	5	11	4	7	8	30	121	267	252	58	
58	Anemia, chlorosis	188	3	3			2	3	3	3	1	1	2	23	31	51	46	16	
59	Diseases of the pituitary gland	3												2			1		
60a	Exophthalmic goiter	74										10	11	15	19	13	5	1	
60b	Other diseases of the thyroid gland	18	1	2	2				1		1		1	1	4	3	2		
61	Diseases of the parathyroid glands	2	1	1															
62	Diseases of the thymus gland	41	39		1	1													
63	Diseases of the adrenals (Addison's disease)	12												3	4	4	1		
64	Diseases of the spleen	2						1					1						
65a	Leukemia	74	2	7	4	2		6	7	2	1	3	6	10	7	10	7		
65b	Hodgkin's disease	29	1	2	1			3	1	3	3	2	3	5	2	1		2	
66	Alcoholism (acute or chronic)	171									1	9	16	43	60	26	15	1	
67a	Chronic lead poisoning	8											1	1	6				
67b	Other chronic mineral poisoning	2														1		1	
68	Chronic poisoning by organic substances	5										1	1	1		1	1		
69	Other general diseases	62	40	2		2		3	1	1		1	3	2	4	1	2		
	III.—Diseases of the nervous system and of the organs of special sense	4,525	99	48	12	7	13	46	40	38	29	45	68	248	559	850	1,159	1,264	
70	Encephalitis	57	6	4			2	5	3	5	4	4	2	8	5	4	4	1	
71a	Simple meningitis	82	16	11	4	2	2	13	5	1		3	3	3	11	2	4	2	
71b	Nonepidemic cerebrospinal meningitis	33	9	7		3	1	1	3	2	1	3	2	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Contd.																		
72	Tabes dorsalis (locomotor ataxia)	51												4	8	19	15	5	
73	Other diseases of the spinal cord	102						1	1	5	3	2	3	14	15	18	22	18	
74a	Cerebral hemorrhage	3,363	4	1	2				1	7	5	6	22	102	389	691	1,001	1,132	
74b	Cerebral embolism and thrombosis	154	1	2			1	1		3	1	1	7	8	23	28	41	37	
75	Paralysis without specified cause	91		1									1	4	6	13	31	35	
76	General paralysis of the insane	168						1		1	1	1	9	55	52	33	11	4	
77	Other forms of mental alienation	38								1	1	7	5	10	4	8	2		
78	Epilepsy	90	4	1	2		3	4	10	4	5	14	7	14	13	5	3	1	
79	Convulsions (nonpuerperal; 5 years and over)	3						1					1			1			
80	Infantile convulsions (under 5 years)	50	40	6	2	1	1												
81	Chorea	1								1									
82	Neuralgia and neuritis	7												1	2		2	2	
83	Softening of the brain	17													1	2	6	8	
84	Other diseases of the nervous system	119	3	5			1	2	5	3	4	3	6	13	22	21	13	18	
85	Diseases of the eye and annexa	4	1	1												1	1		
86a	Diseases of the ear	50	11	2		1	1	8	6	3	2	1		4	4	4	2	1	
86b	Diseases of the mastoid process	45	4	7	2		1	9	6	2	2			7	4		1		
	IV.—Diseases of the circulatory system	9,326	46	8	9	9	10	80	83	113	94	121	158	614	1,128	1,853	2,315	2,684	1
87	Pericarditis	22					1		1		1		2		5	4	2	6	
88	Endocarditis and myocarditis (acute)	418	27	2	2	1	5	19	20	19	30	28	34	90	33	43	38	27	
89	Angina pectoris	590										3	2	35	86	166	184	114	
90	Other diseases of the heart	7,586	11	6	7	8	4	59	61	94	62	87	115	459	951	1,542	1,903	2,217	
91a	Aneurysm	48										2	3	9	10	11	10	3	
91b,c	Other diseases of the arteries	540											1	4	23	60	154	297	1
92	Embolism and thrombosis (not cerebral)	91	2					1	1					11	17	22	21	16	
93	Diseases of the veins	19										1	1	3	2	5	3	4	
94	Diseases of the lymphatic system	8	4					1						2	1				
95	Hemorrhage without specified cause	3	2								1								
96	Other diseases of the circulatory system	1												1					
	V.—Diseases of the respiratory system	5,125	1,000	440	153	77	48	80	43	85	89	130	162	471	526	536	653	631	1
97a	Diseases of the nasal fossae	2														1		1	
97b	Diseases of the nasal fossae annexa	15	2					1	1		3	2		1	2	2		1	
98	Diseases of the larynx	18	4			2		2	1	1			1	2	1	2	1	1	
99a	Acute bronchitis	143	56	5	8	2	3				1			3	7	11	13	34	
99b	Chronic bronchitis	103	4	1	1						2	1		2	10	21	24	37	
99c,d	Bronchitis (unspecified)	59	21	5	1	1		1					1	4	3	1	7	14	
100a	Broncho-pneumonia	1,710	611	252	75	28	19	31	8	17	10	19	21	68	77	103	151	220	
100b	Capillary bronchitis	39	17	7	3		1			1				1		1	6	2	
101a	Lobar pneumonia	2,709	255	149	56	39	23	38	26	57	67	104	131	359	376	351	403	274	1
101b	Pneumonia (unspecified)	55	15	3	2			2	3			2	2	6	2	4	5	9	
102	Pleurisy	123	10	14	7	4	2	5	4	5	4	1	4	14	21	8	14	6	
103	Congestion and hemorrhagic infarct of the lung	44	3	3		1					1			1	2	3	8	22	
104	Gangrene of the lung	8								2				1	1	3	1		
105	Asthma	65	1	1									1	3	14	21	17	7	
106	Pulmonary emphysema	4													2	1		1	
107	Other diseases of the respiratory system (tuberculosis excepted)	28	1							2	1	1	1	6	8	3	3	2	
	VI.—Diseases of the digestive system	3,114	776	147	53	36	27	92	66	71	69	91	117	323	397	416	270	163	
108	Diseases of the mouth and annexa	27	2							1		1	3	7	5	7		1	
109b	Other diseases of the pharynx, tonsils	108	3	5	1	7	4	18	7	7	8		11	8	11	10	7	1	
110	Diseases of the esophagus	2														2			
111a	Ulcer of the stomach	171								1	1	4	10	40	44	35	27	9	
111b	Ulcer of the duodenum	69									6	5	3	14	21	11	7	2	
112	Other diseases of the stomach (cancer excepted)	112	23	5	2		2	2	2	1	1	2	2	11	10	17	16	16	
113	Diarrhea and enteritis (under 2 years)	815	700	115															
114	Diarrhea and enteritis (2 years and over)	160			31	15	9	16	5	4	4	4	5	8	15	9	15	20	
116	Diseases due to other intestinal parasites	2	1			1													
117	Appendicitis and typhlitis	569	1	4	7	8	8	44	46	49	36	49	52	95	77	61	28	4	
118a	Hernia	172	3	1	1			1			1		5	21	30	36	44	29	
118b	Intestinal obstruction	214	33	10	6	4	1	4	3	2	5	8	6	20	37	31	15	29	
119	Other diseases of the intestines	28	5		1					1				2	3	9	2	5	
120	Acute yellow atrophy of the liver	15									3	1		2	2	6		1	
121	Hydatid tumor of the liver	1												1					
122	Cirrhosis of the liver	327						1				3	9	48	69	99	68	30	
123	Biliary calculi	145								1		3	7	22	42	39	22	9	
124	Other diseases of the liver	103	1	4		1		1	1		3	3	1	15	16	33	17	7	
125	Diseases of the pancreas	26		1				1				2	1	6	9	6			
126	Peritonitis without specified cause	48	4	2	4		3	4	2	4	1	6	2	3	6	5	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,596	23	12	7	7	9	22	20	31	47	77	111	353	620	950	1,164	1,143	
128	Acute nephritis (including unspecified under 10 years)	225	14	6	6	3	8	10	7	10	8	12	18	30	32	28	18	15	
129	Chronic nephritis (including unspecified 10 years and over)	3,861				2		11	12	18	28	40	58	236	512	849	1,054	1,041	
131	Other diseases of the kidneys and annexa	77	6	6	1	2	1	1		1	3	3	4	6	12	9	13	9	
132	Calculi of the urinary passages	31										2	1	5	5	6	9	3	
133	Diseases of the bladder	20	1									1		1	5	2	4	6	
134	Diseases of the urethra, etc	17											2	2	3	6	4		
135	Diseases of the prostate	169													6	42	54	67	
136	Nonvenereal diseases of the male genital organs	3	2												1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.																		
137	Cysts, other benign tumors of the ovary	37									2	3	3	11	10	4	3	1	
138	Salpingitis and pelvic abscess (female)	54							1	1	3	11	15	18	3		1	1	
139	Benign tumors of the uterus	78									1	4	8	38	23	2	2		
141	Other diseases of the female genital organs	24								1	2	1	2	6	8	2	2		
	VIII.—The puerperal state	417								27	82	102	90	112	4				
143	Accidents of pregnancy	44								1	5	11	13	13	1				
144	Puerperal hemorrhage	54								2	10	9	12	20	1				
145	Other accidents of labor	50								4	6	8	7	24	1				
146	Puerperal septicemia	157								7	40	44	31	34	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	17									3	8	3	3					
148	Puerperal albuminuria and convulsions	92								12	17	21	24	18					
149	Following childbirth (undefined)	3								1	1	1							
	IX.—Diseases of the skin and of the cellular tissue	122	29	3		1	1	2		2	2	4	2	6	6	12	20	32	
151	Gangrene	51	1	2			1			1	1			3	1	4	13	24	
152	Furuncle	18	5	1							1	2		1	1		4	3	
153	Acute abscess	28	10			1		1		1		1	1	2	4	5	1	1	
154	Other diseases of the skin and annexa	25	13					1				1	1			3	2	4	
	X.—Diseases of the bones and of the organs of locomotion	68	3	3	1	1	3	5	5	4	2	3	4	14	7	6	4	3	
155	Diseases of the bones (tuberculosis excepted)	55	3	3	1	1	3	5	5	3	1	3	4	9	4	5	3	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	8									1			4	2		1		
157	Amputations	1												1					
158	Other diseases of the organs of locomotion	4								1					1	1		1	
	XI.—Malformations	542	491	19	3	7	2	6	7	3			1	1	1	1			
159a	Congenital hydrocephalus	55	45	5		3		1	1										
159b	Congenital malformations of the heart	288	259	12	2	2	2	4	5	1			1						
159c	Other congenital malformations	199	187	2	1	2		1	1	2				1	1	1			
	XII.—Early infancy	1,899	1,899																
160	Congenital debility, icterus, sclerema	188	188																
161a	Premature birth	1,159	1,159																
161b	Injury at birth	365	365																
162	Other diseases peculiar to early infancy	185	185																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	205														3	30	172	
	XIV.—External causes	3,628	70	60	64	66	53	209	127	189	206	222	251	560	534	401	330	284	2
	Suicide	482							2	6	15	28	40	116	124	83	52	16	
165	By poisons (gas or corrosives excepted)	26								1	2	4	1	11	2	3	1	1	
166	By corrosive substances	38								1	4	3	5	12	4	5	2	2	
167	By poisonous gas	116								2	1	3	13	17	35	24	19	2	
168	By hanging or strangulation	119							1	1		7	6	26	34	28	14	2	
169	By drowning	31											2	10	10	7	2		
170	By firearms	92							1	1	6	5	7	23	23	9	11	6	
171	By cutting or piercing instruments	34										2	3	11	13	3	1	1	
172	By jumping from high places	23									2	3	3	5	3	4	1	2	
173	By crushing	3										1		1			1		
	Homicide	166	7		1		1	2	2	5	22	29	24	35	22	9	7		
197	By firearms	86			1				1	3	13	15	16	18	13	5	1		
198	By cutting or piercing instruments	25					1			1	2	5	3	9	2	1	1		
199	By other means	55	7					2	1	1	7	9	5	8	7	3	5		
	Accidental or undefined	2,980	63	60	63	66	52	207	123	178	169	165	187	409	388	309	271	268	2
175	Poisoning by food	18		1	2	1	2	1		1	1			3	1	4		1	
176	Poisoning by venomous animals	3	1	1											1				
177	Other acute poisonings (gas excepted)	49		4	4	1	2	1	1		1	5	3	10	8	7		2	
178	Conflagration	55	1	3	3	5	1	5	1		6	3	3	7	6	5	3	3	
179	Burns (conflagration excepted)	220	6	27	25	23	16	22	3	6	5	8	6	17	15	14	15	12	
180	Mechanical suffocation	38	23	4	1			1		1		1	2	2	2	1			
181	Absorption of irrespirable, irritating, or poisonous gas	169	3	1	1	2		4	3	5	15	6	10	24	35	29	19	12	
182	Drowning	325	2	1	4	4	5	28	32	41	20	18	31	54	37	25	18	3	2
183	Traumatism by firearms (except in war)	39			1	1		5	4	8	3	1	4	7	1	2	2		
184	Traumatism by cutting or piercing instruments	16	1	1					1	1		1		3	5	1	2		
185	Traumatism by fall	547	2	7	11	4	4	12	10	12	16	12	19	55	65	61	84	173	
186a	Traumatism in mines	5										1		3	1				
186b	Traumatism in quarries	2											1		1				
187	Traumatism by machines	63						1	1	6	7	7	13	10	9	6	2	1	
188a	Railroad accidents	300	3		2	1	7	13	20	21	34	31	61	49	34	17	7		
	Collision with automobiles	56	2		1		3	4	3	6	8	8	9	11	1				
	Other railroad accidents	244	1		1	1	4	9	17	15	26	23	52	38	33	17	7		
188b	Street-car accidents	29						1	2	1	2	1	6	7	4	3	2		
	Collision with automobiles	9						1			1		2	3	1	1			
	Other street-car accidents	20								2	1	1	1	4	4	3	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	792	1	1	9	19	18	112	44	56	54	39	43	102	94	80	87	33	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188d	Airplane and balloon accidents	1									1								
188e,f	Injuries by other vehicles	37	2	1		1	2	3		4		2	3	8	6	2	3		
188g	Landslide, other crushing	19							1	1		2	2	2	8	1	2		
189	Injuries by animals (not poisoning)	8					1	1				1		1		1	3		
193	Excessive cold	15										1		1	4	2	4	3	
194	Excessive heat	34	6	2						1		1	1	2	10	6	1	4	
195	Lightning	7				1		1	3	1						1			
196	Other accidental electric shocks	28								4	4	6	6	5	2	1			
201	Fracture (cause not specified)	13										2	2	2	1	3		3	
202	Other external violence	148	12	6	2	2		3	5	8	14	12	6	24	20	19	6	9	
	XV.—Ill-defined diseases	49	28	2	3									4	5	4	3		
205a	Ill-defined	44	25	2	3									3	5	3	3		
205b	Not specified or unknown	5	3											1		1			
	NEW YORK																		
	All causes	151,345	15,721	3,240	1,387	964	772	2,389	1,753	2,663	3,813	4,283	4,918	13,285	18,930	24,611	27,240	25,304	72
	I.—Epidemic, endemic, and infectious diseases	17,994	1,472	1,083	542	367	279	622	360	938	1,411	1,444	1,308	2,638	2,183	1,598	1,034	709	6
1	Typhoid and paratyphoid fever	298	1		2		2	7	14	51	40	30	19	53	43	27	9		
2	Typhus fever	1											1						
5	Malaria	9				1								2	1	1	3	1	
6	Smallpox	1						1											
7	Measles	1,071	266	385	160	80	44	90	12	5	7	3	5	3	3	2	3	3	
8	Scarlet fever	200	6	25	19	15	21	41	18	13	7	9	12	9	3	2			
9	Whooping cough	636	342	174	52	32	17	16									3		
10	Diphtheria	738	47	122	119	87	82	197	43	6	1	6	3	13	5	5	2		
11a	Influenza (with pulmonary complications)	1,943	203	120	35	33	19	31	19	51	60	39	88	191	220	245	292	296	1
11b	Influenza (other and unspecified)	839	87	23	14	12	9	37	24	20	14	25	29	64	63	84	109	225	
13	Mumps	11	1	1	1			1		1			1	1	2		1	1	
15	Cholera nostras	3	2															1	
16	Dysentery	45	8	6	1		3	2	1	1	1	2		1	6	4	4	5	
19	Spirochetal hemorrhagic jaundice	7	2					1			2			1		1			
20	Leprosy	1											1						
21	Erysipelas	344	125	8	3		3	3	3	2	5	7	12	24	30	43	46	30	
22	Acute anterior poliomyelitis	142	7	8	13	8	9	25	30	14	12	5		5	4	2			
23	Lethargic encephalitis	263	6	8	10	4	9	11	14	20	17	27	13	38	36	35	12	3	
24	Meningococcus meningitis	148	36	16	4	10	4	20	8	11	6	9	5	5	8	5	1		
25	Other epidemic and endemic diseases	25	10	3	3		3	2	1			1		2					
28	Rabies	2							1					1					
29	Tetanus	71	3		1		3	6	11	5	7	4	7	10	8	3	3		
30	Mycoses	18	4			1		1		1		1		2	5	3			
	Tuberculosis (all forms)	10,153	150	166	100	77	50	124	153	720	1,197	1,220	1,045	1,991	1,551	988	485	131	5
31	Of the respiratory system	8,937	38	40	22	19	10	35	100	646	1,100	1,134	986	1,868	1,461	921	439	114	4
32	Of the meninges, central nervous system	535	79	100	58	45	31	67	29	20	28	24	17	19	10	5	2		1
33	Of the intestines, peritoneum	215	10	6	6	1	4	5	6	23	24	20	12	32	20	28	14	4	
34	Of the vertebral column	108		1	2	4	1	8	11	7	8	9	6	15	15	12	7	2	
35	Of the joints	32	1	1	2	1	1	1	3	1	2	1	2	5	3	3	5		
36	Of other organs	128	3	1		2	1	1	2	8	11	9	12	28	18	12	13	7	
37a	Disseminated (acute)	179	19	15	8	4	2	7	1	15	22	21	10	20	21	6	5	3	
37b	Disseminated (chronic or unspecified)	19		2	2	1			1		2	2		4	3	1		1	
38	Syphilis	858	144	13	3	4		2	2	12	19	37	53	190	181	133	56	9	
40	Gonococcus infection	71	5						1	2	9	16	11	21	5	1			
41	Purulent infection, septicemia	95	17	5	2	3	1	4	5	3	6	3	3	11	9	14	5	4	
42	Other infectious diseases	1									1								
	II.—General diseases not included in Class I	20,177	417	60	46	42	29	117	145	153	176	280	461	1,892	3,782	5,400	4,811	2,359	7
	Cancer and other malignant tumors	13,635	10	8	8	13	7	22	21	35	64	110	229	1,161	2,639	3,849	3,580	1,875	4
43	Of the buccal cavity	437	1						2			1	3	22	85	135	115	73	
44	Of the stomach, liver	4,588	2					1	2	5	6	16	40	271	789	1,434	1,353	667	2
45	Of the peritoneum, intestines, rectum	2,322		1			1	2	5	4	22	28	39	172	376	666	654	351	1
46	Of the female genital organs	1,720							3	3	12	26	52	293	469	424	298	140	
47	Of the breast	1,390									2	2	38	174	381	365	281	146	1
48	Of the skin	271				1		2				1	1	15	28	45	75	103	
49	Of other or unspecified organs	2,907	7	7	8	12	6	17	9	23	22	36	56	214	511	780	804	395	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	123	3			1		2		3	4	6	9	13	21	25	25	11	
51	Acute rheumatic fever	355	1	1	4	8	6	48	62	32	17	22	16	38	31	27	24	18	
52	Chronic rheumatism, osteoarthritis, gout	139						1			1	1	1	7	28	26	34	40	
53	Scurvy	4	2					1						1					
54	Pellagra	28										2	2	11	5	6	2		
55	Beriberi	2										1		1					
56	Rickets	61	41	12	4	3	1												
57	Diabetes mellitus	2,913	4	3	4	1	4	16	30	28	33	27	33	136	457	955	871	311	
58	Anemia, chlorosis	726	20	6	1	1	1	4	4	10	8	14	16	77	142	199	157	65	1
59	Diseases of the pituitary gland	20						1	1	2		1	1	4	9		1		
60a	Exophthalmic goiter	328							3	8	12	29	21	61	81	72	30	11	
60b	Other diseases of the thyroid gland	65	4		4		1		2	2		3	3	8	11	14	8	5	
61	Diseases of the parathyroid glands	18	17	1															
62	Diseases of the thymus gland	156	120	14	6	1		3	3	3	3			3					
63	Diseases of the adrenals (Addison's disease)	43								1	1	2	4	8	9	9	7	2	
64	Diseases of the spleen	16			1				1	1		3	3	3	2	1	1		
65a	Leukemia	291	7	7	9	11	3	12	11	16	14	8	32	40	47	43	24	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	II.—General diseases not included in Class I—Continued.																		
65b	Hodgkin's disease	139	2	1		1	1	3	5	8	10	9	11	25	24	26	10	3	
66	Alcoholism (acute or chronic)	788								1	4	25	62	268	253	137	32	4	2
67a	Chronic lead poisoning	15											1	1	7	4	2		
67b	Other chronic mineral poisoning	4									1	1			1		1		
68	Chronic poisoning by organic substances	58									2	11	14	18	8	3		2	
69	Other general diseases	250	186	7	5	2	5	4	2	3	2	5	3	8	7	4	2	5	
	III.—Diseases of the nervous system and of the organs of special sense	13,742	296	102	44	45	37	177	128	130	162	177	254	861	1,731	2,638	3,511	3,445	4
70	Encephalitis	90	9	3	2	3	1	3	7	3	9	1	9	14	13	6	6	1	
71a	Simple meningitis	267	58	15	10	6	7	28	14	17	15	13	11	25	23	15	8	2	
71b	Nonepidemic cerebrospinal meningitis	53	10	11	2	2		7	3	1	2	1	2	5	3	2	1	1	
72	Tabes dorsalis (locomotor ataxia)	203										1	3	16	51	68	51	13	
73	Other diseases of the spinal cord	380	4	2		2	2	5	3	14	7	5	14	33	63	78	94	54	
74a	Cerebral hemorrhage	9,161	24	4	2	4		3	4	4	12	26	47	261	973	1,931	2,878	2,984	4
74b	Cerebral embolism and thrombosis	659	5	5	1	1	3	10	5	8	9	12	15	43	87	128	172	155	
75	Paralysis without specified cause	302	2								2		2	6	23	71	96	100	
76	General paralysis of the insane	746								4	5	15	45	241	245	136	45	10	
77	Other forms of mental alienation	191								8	32	26	19	39	38	12	13	4	
78	Epilepsy	333	5	1	5	2	2	11	27	25	28	32	32	57	45	30	18	13	
79	Convulsions (nonpuerperal; 5 years and over)	2												1	1				
80	Infantile convulsions (under 5 years)	80	67	8	3	1	1												
81	Chorea	6			1				3						1	1			
82	Neuralgia and neuritis	26											1	3	9	5	2	6	
83	Softening of the brain	71												1	2	14	21	33	
84	Other diseases of the nervous system	614	21	13	7	7	8	33	13	17	16	24	29	81	101	105	86	53	
85	Diseases of the eye and annexa	13	5	1			1							1	1	1	2	1	
86a	Diseases of the ear	301	60	21	6	8	8	37	27	15	14	12	12	19	23	21	9	9	
86b	Diseases of the mastoid process	244	26	18	5	9	4	40	22	14	11	9	13	15	29	14	9	6	
	IV.—Diseases of the circulatory system	36,618	123	28	24	17	23	191	326	347	344	387	530	1,984	4,295	7,173	9,841	10,973	12
87	Pericarditis	64	2	1	1			2	2	1	2	4	3	5	8	8	14	11	
88	Endocarditis and myocarditis (acute)	915	54	15	8	5	6	31	59	58	54	67	75	185	79	66	80	73	
89	Angina pectoris	2,175									2	10	23	168	442	589	587	352	2
90	Other diseases of the heart	29,297	59	10	14	11	17	152	261	281	281	293	399	1,500	3,414	5,844	8,067	8,685	9
91a	Aneurysm	232						2			1	5	10	37	51	66	38	22	
91b,c	Other diseases of the arteries	3,352							1		1	2	5	43	172	453	937	1,737	1
92	Embolism and thrombosis (not cerebral)	510	2		1			1	2	4	2	4	12	41	114	132	108	87	
93	Diseases of the veins	46	1							1	1		3	3	11	14	9	3	
94	Diseases of the lymphatic system	22	5	2		1		2	1	2		2		1	2	1	1	2	
95	Hemorrhage without specified cause	1													1				
96	Other diseases of the circulatory system	4						1						1	1			1	
	V.—Diseases of the respiratory system	17,011	3,289	1,346	414	218	117	245	144	233	341	416	562	1,579	1,862	1,992	2,022	2,226	5
97a	Diseases of the nasal fossae	10	2							2			1		1		1	3	
97b	Diseases of the nasal fossae annexa	82	2		1			4	3	5	9	8	9	11	13	13	2	2	
98	Diseases of the larynx	46	10	7	4	3	3	3						5	7	1	3		
99a	Acute bronchitis	419	159	17	9	4	2	3	3	1		2	2	8	17	18	34	140	
99b	Chronic bronchitis	292	8	5	2		1	3	2	3	2	1	3	8	26	33	75	120	
99c,d	Bronchitis (unspecified)	178	49	3	2			1	1		1			5	11	10	19	76	
100a	Broncho-pneumonia	6,529	2,247	814	234	108	53	91	29	42	56	70	109	288	364	478	680	866	
100b	Capillary bronchitis	253	151	36	10	5	3	2			1	1		3	4	6	8	23	
101a	Lobar pneumonia	8,174	553	401	121	88	51	118	94	165	249	305	397	1,137	1,286	1,298	1,074	833	4
101b	Pneumonia (unspecified)	244	45	19	9	1	1	8	2	1	4	5	11	26	22	34	19	37	
102	Pleurisy	429	52	37	20	9	3	10	10	11	15	16	19	45	61	49	40	32	
103	Congestion and hemorrhagic infarct of the lung	96	6	3						2		1	2	3	4	5	10	60	
104	Gangrene of the lung	20									1	3	1	7	4	3	1		
105	Asthma	133	1	2	1			2					2	13	22	27	37	26	
106	Pulmonary emphysema	20	1											3	1	4	6	5	
107	Other diseases of the respiratory system (tuberculosis excepted)	86	3	2	1					1	3	4	6	17	19	13	13	3	1
	VI.—Diseases of the digestive system	9,574	2,037	386	136	95	93	267	210	178	249	269	392	1,030	1,329	1,311	1,000	590	2
108	Diseases of the mouth and annexa	80	7	1	2		1	3	1	1	1	4	4	12	18	13	6	6	
109a	Adenoid vegetations	1					1												
109b	Other diseases of the pharynx, tonsils	372	25	28	16	18	16	39	25	15	25	24	24	44	38	16	8	11	
110	Diseases of the esophagus	17							1	1			1	3	2	4	4	1	
111a	Ulcer of the stomach	579	2						2	4	15	20	36	120	142	107	98	33	
111b	Ulcer of the duodenum	245								4	6	13	18	56	65	50	24	9	
112	Other diseases of the stomach (cancer excepted)	226	40	10	5			1	1	1	5	3	3	15	33	24	40	45	
113	Diarrhea and enteritis (under 2 years)	2,103	1,813	290															
114	Diarrhea and enteritis (2 years and over)	400			56	27	22	38	12	10	10	9	9	44	38	36	38	51	
116	Diseases due to other intestinal parasites	4									1	1	1				1		
117	Appendicitis and typhlitis	1,779	4	19	36	35	43	147	144	111	132	113	139	265	279	179	109	23	1
118a	Hernia	656	12	4			1		2	3	3	8	19	49	109	173	164	109	
118b	Intestinal obstruction	682	104	18	12	3	2	20	11	10	13	15	30	67	85	107	103	82	
119	Other diseases of the intestines	118	6	1		1	1	1			3	4	6	15	25	30	13	12	
120	Acute yellow atrophy of the liver	72		1						6	4	5	2	21	13	10	3	7	
121	Hydatid tumor of the liver	6											1	2				3	
122	Cirrhosis of the liver	1,038		2				3	2	1	5	10	34	124	249	296	204	108	
123	Biliary calculi	424									4	11	22	60	102	109	89	27	
124	Other diseases of the liver	498	3		1	1		5	1	5	6	19	29	79	98	117	81	53	
125	Diseases of the pancreas	107							1	2	4	5	7	27	22	23	10	5	1
126	Peritonitis without specified cause	167	21	12	8	10	6	10	7	4	12	5	7	27	11	17	5	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	14,450	49	17	20	12	11	45	49	116	149	211	348	1,207	1,953	3,031	3,798	3,429	5
128	Acute nephritis (including unspecified under 10 years)	376	21	4	9	6	7	22	6	20	19	10	29	58	62	50	31	22	
129	Chronic nephritis (including unspecified 10 years and over)	12,443		2	3	3	3	13	39	79	95	139	216	875	1,662	2,749	3,432	3,128	5
131	Other diseases of the kidneys and annexa	284	19	10	8	3	1	9	3	3	5	7	20	36	40	52	33	35	
132	Calculi of the urinary passages	113						1			5	5	11	22	21	24	11	13	
133	Diseases of the bladder	53									1			3	7	6	10	26	
134	Diseases of the urethra, etc	44									1		1	14	11	6	9	2	
135	Diseases of the prostate	516									1	1	1	4	10	79	232	188	
136	Nonvenereal diseases of the male genital organs	11	6								1				2	1	1		
137	Cysts, other benign tumors of the ovary	106								2	2	5	8	23	23	20	14	9	
138	Salpingitis and pelvic abscess (female)	182		1					1	11	18	29	39	55	15	9	2	2	
139	Benign tumors of the uterus	254										10	12	104	86	22	18	2	
140	Nonpuerperal uterine hemorrhage	1													1				
141	Other diseases of the female genital organs	63								1	1	5	11	13	12	13	5	2	
142	Nonpuerperal diseases of the breast (cancer excepted)	4	3												1				
	VIII.—The puerperal state	1,260							2	74	230	306	294	344	9				1
143	Accidents of pregnancy	138								4	13	41	42	37	1				
144	Puerperal hemorrhage	161								6	25	36	39	54	1				
145	Other accidents of labor	162								6	21	39	42	51	3				
146	Puerperal septicemia	471							1	34	105	111	103	113	3				1
147	Puerperal phlegmasia alba dolens, embolus, etc	79							1	1	16	21	17	23					
148	Puerperal albuminuria and convulsions	246								22	50	57	50	66	1				
149	Following childbirth (undefined)	1											1						
150	Puerperal diseases of the breast	2								1		1							
	IX.—Diseases of the skin and of the cellular tissue	346	74	3	2	1	1	6	5	8	9	6	14	33	32	29	49	74	
151	Gangrene	90						1		1	1			1	6	8	25	47	
152	Furuncle	66	12	2				2	3	5	1	1	4	10	10	7	7	2	
153	Acute abscess	99	27	1	2		1	2	1	2	2	3	6	15	7	10	8	12	
154	Other diseases of the skin and annexa	91	35			1		1	1		5	2	4	7	9	4	9	13	
	X.—Diseases of the bones and of the organs of locomotion	175	13	4	7	8	8	20	17	7	11	4	10	16	16	18	6	10	
155	Diseases of the bones (tuberculosis excepted)	138	10	4	7	6	6	20	14	6	9	3	8	11	10	13	5	6	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	33	3			2	2		3	1	2	1	2	4	5	4	1	3	
157	Amputations																		
158	Other diseases of the organs of locomotion	4												1	1	1		1	
	XI.—Malformations	1,603	1,440	64	24	11	10	29	7	5	6	4	2		1				
159a	Congenital hydrocephalus	200	157	17	6	2	5	6	3		1	1	1		1				
159b	Congenital malformations of the heart	837	758	28	12	5	2	18	2	5	5	1	1						
159c	Other congenital malformations	566	525	19	6	4	3	5	2			2							
	XII.—Early infancy	6,270	6,270																
160	Congenital debility, icterus, sclerema	569	569																
161a	Premature birth	3,689	3,689																
161b	Injury at birth	1,437	1,437																
162	Other diseases peculiar to early infancy	569	569																
163	Lack of care	6	6																
164	XIII.—Old age (senility)	526														3	65	458	
	XIV.—External causes	11,473	199	144	128	147	164	669	360	473	723	775	741	1,692	1,728	1,408	1,081	1,014	27
	Suicide	1,617							4	33	95	136	148	327	355	297	155	62	5
165	By poisons (gas or corrosives excepted)	84								2	9	9	3	17	17	16	5	6	
166	By corrosive substances	116								7	14	21	17	27	15	10	2	3	
167	By poisonous gas	453								8	25	37	45	103	97	95	37	6	
168	By hanging or strangulation	318							2	6	12	19	24	50	87	58	38	21	1
169	By drowning	100								2	3	6	9	15	23	25	14	3	
170	By firearms	281							2	7	20	22	24	55	60	47	31	10	3
171	By cutting or piercing instruments	103										4	7	23	27	21	13	8	
172	By jumping from high places	125									8	14	17	24	23	21	12	5	1
173	By crushing	28									4	2	2	12	4	3	1		
174	By other means	9								1		2		1	2	1	2		
	Homicide	546	11	3	2	3		8	4	31	85	100	82	114	66	24	11		2
197	By firearms	281				2		1	1	15	46	60	53	64	27	9	3		
198	By cutting or piercing instruments	82		1				2	1	2	12	16	12	24	10	2			
199	By other means	183	11	2	2	1		5	2	14	27	24	17	26	29	13	8		2
	Accidental or undefined	9,310	188	141	126	144	164	661	352	409	543	539	511	1,251	1,307	1,087	915	952	20
175	Poisoning by food	24	1		1			2	1	1	4	1	2	2	4	2	3		
176	Poisoning by venomous animals	2	1									1							
177	Other acute poisonings (gas excepted)	146	7	17	7	6	2	3	3	2	8	11	11	25	24	12	6	2	
178	Conflagration	216	10	9	10	7	12	17	10	9	6	8	10	19	34	15	17	23	
179	Burns (conflagration excepted)	575	16	52	53	48	34	62	18	11	20	17	25	55	52	46	31	35	
180	Mechanical suffocation	91	64	3				1			3	5	3	5	3	4			
181	Absorption of irrespirable, irritating, or poisonous gas	979	13	5	2			8	5	19	45	56	69	153	187	193	153	70	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
182	Drowning	938	7	11	6	7	10	73	73	87	103	82	69	172	118	76	34	2	8
183	Traumatism by firearms (except in war)	103			1	2	2	5	12	23	9	8	5	13	14	6	2	1	
184	Traumatism by cutting or piercing instruments	74	3	1	2	2	1	5	2	2	2	3	2	11	10	16	9	3	
185	Traumatism by fall	1,925	4	19	16	11	21	79	30	29	48	53	67	190	253	209	286	609	1
186a	Traumatism in mines	7									2	1	1	2	1				
186b	Traumatism in quarries	8									1		2	1	3		1		
187	Traumatism by machines	235			1			1	5	19	23	27	22	57	40	23	13	4	
188a	Railroad accidents	542	1	1	3	1	2	13	13	26	44	56	48	109	94	76	44	7	4
	Collision with automobiles	133	1		2		1	3		10	12	19	10	29	22	18	4	1	1
	Other railroad accidents	409		1	1	1	1	10	13	16	32	37	38	80	72	58	40	6	3
188b	Street-car accidents	289		2	1	3	3	9	7	14	15	23	19	43	63	44	29	14	
	Collision with automobiles	40				1			1	5	7	7	2	3	11	1	2		
	Other street-car accidents	249		2	1	2	3	9	6	9	8	16	17	40	52	43	27	14	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	2,178	6	3	16	51	67	350	139	128	140	125	95	242	267	245	197	105	2
188d	Airplane and balloon accidents	9									5	1		2					1
188e,f	Injuries by other vehicles	130	1	1	2	1	3	15	8	7	10	2	12	11	13	20	18	6	
188g	Landslide, other crushing	57					1				5	4	5	13	18	2	4		
189	Injuries by animals (not poisoning)	31	1						1		1		2	3	6	7	5	5	
190	Wounds of war	1											1						
192	Starvation (deprivation of food or water)	2													1		1		
193	Excessive cold	23				1				1		1		3	4	4	3	6	
194	Excessive heat	67	17	2	1		1	1			1	1	3	15	7	9	5	4	
195	Lightning	10						2	1	1			1	3	1	1			
196	Other accidental electric shocks	86	1					2	4	8	15	21	10	11	10	2	2		
201	Fracture (cause not specified)	129					1	1	1		1	2	3	15	22	24	21	37	1
202	Other external violence	433	35	15	4	4	4	12	19	17	32	30	24	76	58	51	31	19	2
	XV.—Ill-defined diseases	126	42	3		1		1		1	2	4	2	9	9	10	22	17	3
204	Sudden death	18	3									1	1	2	1	3	3	4	
205a	Ill-defined	58	5	3		1		1		1	2	3	1	3	7	3	17	9	2
205b	Not specified or unknown	50	34											4	1	4	2	4	1
	NORTH CAROLINA																		
	All causes—White	20,957	4,022	832	325	193	153	407	294	539	634	628	666	1,531	1,619	2,145	3,336	3,567	66
	All causes—Colored	13,605	2,747	642	247	127	88	291	252	643	912	758	585	1,268	1,354	1,173	1,173	1,280	65
	I.—Epidemic, endemic, and infectious diseases—White	3,292	362	201	104	71	48	122	79	155	201	239	248	374	264	225	278	312	9
	I.—Epidemic, endemic, and infectious diseases—Colored	2,941	332	158	80	42	26	100	113	270	424	318	209	329	214	134	100	80	12
1	Typhoid and paratyphoid fever—W	134			1			7	14	29	18	19	7	17	6	10	5	1	
	Typhoid and paratyphoid fever—C	143	1		1	1	1	18	27	26	30	11	6	7	11	3			
5	Malaria—W	44	8	1	3	1	1	3	4	2	3	1	1	3	4	5	3	1	
	Malaria—C	58	14	3	3			6		4	5	3	3	2	5	4		5	1
6	Smallpox—W	10	1							2				1		1	1	4	
	Smallpox—C	4			1				1						2				
7	Measles—W	53	12	15	8	2	2	5	4	1	2					1	1		
	Measles—C	43	13	6	2	2	2	6	4	5	2				1				
8	Scarlet fever—W	29	5	2	3	6	4	7	1				1						
	Scarlet fever—C	6	1	1	1	1		1						1					
9	Whooping cough—W	154	88	38	9	7	3	8	1										
	Whooping cough—C	144	72	47	9	7	3	6											
10	Diphtheria—W	190	15	34	41	32	23	37	3	1	2						1	1	
	Diphtheria—C	72	11	6	14	13	8	16	2	1	1								
11a	Influenza (with pulmonary complications)—W	697	104	47	15	10	6	17	5	25	14	22	24	61	64	62	108	111	2
	Influenza (with pulmonary complications)—C	413	80	35	14	4	4	15	13	21	25	25	17	41	41	25	25	27	1
11b	Influenza (other and unspecified)—W	308	45	14	5	2	2	5	5	8	6	3	2	17	18	20	47	107	2
	Influenza (other and unspecified)—C	201	41	15	9	6	1	3	3	11	8	9	1	11	9	24	25	25	
13	Mumps—W	4	1		1			1									1		
	Mumps—C	1						1											
15	Cholera nostras—W	11	4	1		1											2	3	
	Cholera nostras—C	8	3		1							2			1	1			
16	Dysentery—W	107	24	16	6	1		2	3		1			4	7	9	13	21	
	Dysentery—C	79	23	16	9	1				2	4	1		1	1	5	5	11	
21	Erysipelas—W	46	10	2				2	1	1		2	1	8	1	6	2	10	
	Erysipelas—C	9	4					1						3			1		
22	Acute anterior poliomyelitis—W	36	4	8	3	3	3	10	4									1	
	Acute anterior poliomyelitis—C	16	6	3	1		2	3			1								
23	Lethargic encephalitis—W	19		1	1					2		2	3	2	4	2	1	1	
	Lethargic encephalitis—C	3									1			1	1				
24	Meningococcus meningitis—W	21	5	2			1	3	1	2	1	1	2	2				1	
	Meningococcus meningitis—C	8	3			1		1		1	1	1							
25	Other epidemic and endemic diseases—W	5	2	1					1		1								
	Other epidemic and endemic diseases—C	1					1												
28	Rabies—W	7				1		2	3			1							
29	Tetanus—W	23	4	1		1		2	13	1				1					
	Tetanus—C	16	7					3	3			1	1	1					
30	Mycoses—W	1															1		
	Mycoses—C	9	7	2															
	Tuberculosis (all forms)—W	1,297	14	15	7	4	2	9	14	71	148	179	202	244	152	103	88	40	5
	Tuberculosis (all forms)—C	1,497	12	18	12	5	3	18	57	187	317	245	161	224	117	63	39	9	10
31	Of the respiratory system—W	1,175	5	5	2			4	7	64	134	175	195	226	141	96	81	35	5
	Of the respiratory system—C	1,346	9	12	7	4	3	13	41	169	295	219	149	211	104	56	37	8	9
32	Of the meninges, central nervous system—W	39	6	7	4	3	1	4	1		1		4	5	3				
	Of the meninges, central nervous system—C	30	3	5	5	1		4	7	1	1	1		1					1
33	Of the intestines, peritoneum—W	34							2	2	2	2	2	9	3	5	4	3	
	Of the intestines, peritoneum—C	60		1					4	8	11	16	8	2	4	5	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
	Tuberculosis (all forms)—Continued.																			
34	Of the vertebral column	W	12	2		1	1			2		3			1	1	1			
		C	13						1	2	1	1	3	1	3	1				
35	Of the joints	W	5							1						2			2	
		C	10							1	2	3	1		2		1			
36	Of other organs	W	15		2						2	2	2		3	2		2		
		C	19							1	2	1	2	2	2	7		1	1	
37a	Disseminated (acute)	W	17	1	1			1	1	1	3	6		1			1	1		
		C	19							1	4	5	3	1	3	1	1			
38	Syphilis	W	55	15	2				1		3	4	6	2	9	5	2	2	4	
		C	181	32	6	3		1	2	3	8	21	19	18	30	22	9	4	3	
	Gonococcus infection	W	7								2		1	2	2					
		C	20	1			1				1	7	1	2	6	1				
41	Purulent infection, septicemia	W	33	1	1	1		1	1	2	5	1	2	1	2	3	4	2	6	
		C	9	1							3	1			1	2		1		
42	Other infectious diseases	W	1												1					
	II.—General diseases not included in Class I	White	1,869	57	22	11	6	14	22	15	27	32	46	54	203	316	341	414	282	7
		Colored	760	27	8	7	3	4	6	12	17	30	37	40	126	159	118	111	51	4
	Cancer and other malignant tumors	W	1,045		4	3	1	7	6	1	12	5	12	13	100	193	213	267	204	4
		C	360		1	2	1		1	2		5	6	16	55	99	76	70	25	1
43	Of the buccal cavity	W	31					1								4	8	6	12	
		C	6												1		3	1		1
44	Of the stomach, liver	W	378				1	1			2		1		28	70	83	109	82	1
		C	114										1	1	18	26	33	27	8	
45	Of the peritoneum, intestines rectum	W	94					2	1		1		1	6	10	13	17	30	13	
		C	27										1	1	8	3	6	7	1	
46	Of the female genital organs	W	178								2	2	6	4	30	50	34	32	15	3
		C	114									1	3	9	22	38	23	14	4	
47	Of the breast	W	81											1	10	23	22	13	12	
		C	36											2	5	18	4	5	2	
48	Of the skin	W	70								1				2	4	9	24	30	
		C	4													1		2	1	
49	Of other or unspecified organs	W	213		4	3		3	5	1	6	3	4	2	20	29	40	53	40	
		C	59		1	2	1		1	2		4	1	3	1	13	7	14	9	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	7											1	1	1		3	1	
		C	8											1	2		3	2		
51	Acute rheumatic fever	W	44			1	1	1	5	5	1	1	1	3	4	3	9	4	5	
		C	40		1			4	2	5	3	2	1		2	5	2	5	7	1
52	Chronic rheumatism, osteoarthritis, gout	W	27				1					1	3	1	2	1	3	6	9	
		C	4														1		3	
53	Scurvy	W	1						1											
		C	1	1																
54	Pellagra	W	281		1				1			7	10	19	51	63	43	66	17	3
		C	174		1				2	2	7	17	23	13	44	25	15	20	5	
55	Beriberi	C	1													1				
56	Rickets	W	10	8	2															
		C	16	9	3	2	2													
57	Diabetes mellitus	W	188		1	1		1	1	2	5	8	5	6	15	25	37	48	33	
		C	77							1	3	2		1	10	22	17	11	8	2
58	Anemia, chlorosis	W	62	3	1	1		1	2	1	1	2	5	3	3	8	16	11	4	
		C	13	4							1			1	6				1	
59	Diseases of the pituitary gland	W	3						1				1				1			
		C	1							1										
60a	Exophthalmic goiter	W	30									2	2	1	8	7	5	3	2	
		C	12								1	1	4		2	2	1	1		
60b	Other diseases of the thyroid gland	W	15	1	1	2				1	2	1	1	1	1	2	1	1		
		C	1																1	
61	Diseases of the parathyroid glands	W	4	4																
		C	2			2														
62	Diseases of the thymus gland	W	15	15																
		C	2	1	1															
63	Diseases of the adrenals (Addison's disease)	W	6																	
64	Diseases of the spleen	W	6								1				3	1	1			
65a	Leukemia	W	24	2	1	1					2					1	1			
		C	4		2		1	3	4	1	1	1	1	1	2	2	2	2	1	
65b	Hodgkin's disease	W	13							1				2		1				
		C	3							1	1	3			3		4		1	
66	Alcoholism (acute or chronic)	W	31											1				1		
		C	20								1	3	4	5	10	8	3	1		
67a	Chronic lead poisoning	W	1										3	4	4	2	2	1		
		C	1														1			
68	Chronic poisoning by organic substances	W	3														1			
69	Other general diseases	W	53	24	9	2	2	1	1	3	1	1	1		1	1		2	4	
		C	20	12	1	1			1					1	1	2			1	
	III.—Diseases of the nervous system and of the organs of special sense	White	2,133	98	21	15	12	7	37	20	25	16	25	21	123	205	356	606	536	10
		Colored	1,229	58	10	7	1	4	8	5	20	32	27	34	121	246	266	201	179	10
70	Encephalitis	W	44	7	1	2	1		5	2		2	2	2	6	4	5	3	2	
		C	14	2	1				1		1	1		1	2	2	3			
71a	Simple meningitis	W	53	15	6	6	4	1	6	3	3	1	1	1	2	1	2	1		
		C	27	8	4	4		1	2	1	4	1	1		1					
71b	Nonepidemic cerebrospinal meningitis	W	24	11	2	2	1	3	3	1			1							
		C	6	2		1	1					1			1					
72	Tabes dorsalis (locomotor ataxia)	W	15												1	2	4	7	1	
		C	4												2		2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
73	Other diseases of the spinal cord	W	45	1					1		4	1	2		3	7	9	7	9	1
		C	17									1	1	2	2	2	1	2	5	1
74a	Cerebral hemorrhage	W	1,389	2					2		1	3	4	6	61	146	265	481	414	4
		C	826	3				1	1		2	6	14	23	85	191	207	163	124	6
74b	Cerebral embolism and thrombosis	W	29	1			1		1					1	1	4	5	6	8	1	
		C	7														1	4	1	1	
75	Paralysis without specified cause	W	220		1		1		1		1				1	9	7	36	74	84	5
		C	140	3				1			1	1	2	1	14	26	25	28	36	2
76	General paralysis of the insane	W	21											1	4	4	6	4	2	
		C	25									1	1		3	4	8	3	4	1
77	Other forms of mental alienation	W	53								3	3	5	3	10	10	9	6	4	
		C	21									2		1	3	8	3	2	2	
78	Epilepsy	W	62	3	1		1		3	8	3	3	6	4	12	6	3	5	4	
		C	66	9	1					2	7	15	6	4	4	7	8		3	
79	Convulsions (nonpuerperal; 5 years and over)	W	6						1		1	1		1	2					
		C	9						1		2	1	2	1	1		1			
80	Infantile convulsions (under 5 years)	W	28	24	1	2		1												
		C	28	25	2	1														
81	Chorea	W	2													2				
		C	1									1								
82	Neuralgia and neuritis	W	2														2			
83	Softening of the brain	W	15															5	10	
		C	2													1			1	
84	Other diseases of the nervous system	W	52	2	2	1	2		4	4	4	2	3	1	5	6	7	4	5	
		C	17						1	2	3	1		1	1	2	3	1	2	
85	Diseases of the eye and annexa	W	1					1												
86a	Diseases of the ear	W	36	16	3		1		6	1	2				2	2	2	1		
		C	14	4	1	1		1	1						1	2	1	1	1	
86b	Diseases of the mastoid process	W	36	16	4	2		1	4	1	3				2	3				
		C	5	2	1				1						1					
	IV.—Diseases of the circulatory system	White	2,748	16	7	2	1	2	12	22	27	23	22	44	127	214	462	840	918	9
		Colored	1,433	4	3			1	11	12	31	52	49	55	162	250	248	280	268	7
87	Pericarditis	W	10							1	3					1	1	3	1	
		C	9						1			1	1	1			3	2		
88	Endocarditis and myocarditis (acute)	W	64	2	2				3	13	2	3	3	7	17	2	4	5	1	
		C	60	1	1				3		6	5	9	5	17	7	3	2	1	
89	Angina pectoris	W	221											5	16	22	56	86	35	1
		C	43								1		1	4	6	14	6	7	4	
90	Other diseases of the heart	W	2,230	14	4	2	1	2	9	8	22	18	15	29	88	165	369	676	800	8
		C	1,232	2	2			1	7	11	23	42	37	42	134	220	220	247	238	6
91a	Aneurysm	W	19											2	2	4	4	7		1
		C	12										1		2	2	3	3	1	
91b, c	Other diseases of the arteries	W	136												2	9	12	50	63	
		C	49									1			1	3	11	14	18	1
92	Embolism and thrombosis (not cerebral)	W	23									1	1		1	6	7	4	3	
		C	6								1	1		1		3				
93	Diseases of the veins	W	6									1	2	1			1		1	
94	Diseases of the lymphatic system	W	3										1			1			1	
		C	3							1		1		1						
95	Hemorrhage without specified cause	W	2		1										1					
		C	3	1								1			1					
96	Other diseases of the circulatory system	W	34													4	8	9	13	
		C	16											1	1	1	2	5	6	
	V.—Diseases of the respiratory system	White	1,799	474	157	61	33	25	44	26	48	38	36	40	113	106	133	190	272	3
		Colored	1,254	402	120	50	24	14	36	30	59	64	54	48	96	70	61	55	65	6
97a	Diseases of the nasal fossae	W	12	6	1				1									1	3	
		C	28	24	3							1								
97b	Diseases of the nasal fossae annexa	W	18		1		1		2	2	3		1	1	2		4	1		
		C	6	1						1				1	1			1	1	
98	Diseases of the larynx	W	8	1		1	2		3					1						
		C	4		3		1													
99a	Acute bronchitis	W	24	12	6			1										2	3	
		C	20	15	1	2						1				1				
99b	Chronic bronchitis	W	24	2											2	4	4	3	9	
		C	6								1	1	1	1				1		
99c, d	Bronchitis (unspecified)	W	21	12				1					1		1	1		2	3	
		C	19	7	3	2			1	1	1			1	1				2	
100a	Broncho-pneumonia	W	662	298	90	29	16	9	19	3	6	3	4	2	12	14	23	40	94	
		C	405	199	68	29	10	9	12	5	4	7	5	2	4	11	8	7	23	2
100b	Capillary bronchitis	W	9	5		2												1	1	
		C	9	5	1							1					1	1		
101a	Lobar pneumonia	W	749	32	41	19	7	11	14	16	31	29	25	26	71	65	75	114	120	3
		C	524	80	27	10	5	4	16	18	39	40	37	36	66	46	37	36	24	3
101b	Pneumonia (unspecified)	W	159	51	11	8	3	1	4	3	7	3	1	5	11	4	15	15	17	
		C	160	67	12	5	7		6	3	11	3	6	1	12	4	8	5	10	
102	Pleurisy	W	32	1	6	1	2	2			1	1	2	1	5	3	4	2	1	
		C	21		1	1						5	2	2	5	1	2	1	1	
103	Congestion and hemorrhagic infarct of the lung	W	27	3	1		1		1			1				2		2	16	
		C	6	1		1			1					1		1				1
104	Gangrene of the lung	W	5												3	1			1	
		C	1											1						
105	Asthma	W	31	1								1		3	3	10	5	6	2	
		C	27		1			1			1	1	2	1	5	4	4	3	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	18			1	1			2			2	1	3	2	3	1	2	
		C	18	3			1			2	2	4	1	1	1	2	1			
	VI.—Diseases of the digestive system	White	1,904	624	341	91	25	22	54	50	53	41	36	39	100	101	120	112	91	4
		Colored	1,116	422	200	39	14	6	35	16	26	41	40	27	65	70	44	39	31	1
108	Diseases of the mouth and annexa	W	13	3					3					1		1	4	1		
		C	8	1								1	1		2	1	1	1		
109b	Other diseases of the pharynx, tonsils	W	54	3	3	3	3	3	9	3	3	3	4	1	4	3	1	2	6	
		C	47	4	1	1	3	1	12	1	2	5	5	5	3	2	1			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NORTH CAROLINA—Continued																				
	VI.—Diseases of the digestive system—Continued.																			
111a	Ulcer of the stomach	W	50		1						4	3	2	2	8	12	9	4	4	1
		C	21								2	1	1	1	7	4	3	2		
111b	Ulcer of the duodenum	W	16									1	1	3	4	2	2	3		
		C	3														1		2	
112	Other diseases of the stomach (cancer excepted)	W	109	32	5	5	1	2	2			1	2	5	4	6	17	12	13	2
		C	92	27	5	2	1	1	1		2	2	6	3	9	14	9	6	4	
113	Diarrhea and enteritis (under 2 years)	W	879	555	324															
		C	563	379	184															
114	Diarrhea and enteritis (2 years and over)	W	201			78	15	11	12	2	1	2	2	4	6	4	12	24	27	1
		C	105			33	10	1	13	2	1	7	4	2		8	5	8	11	
115	Ancylostomiasis	W	2						1	1										
		C	2							1						1				
116	Diseases due to other intestinal parasites	C	4		2	2														
117	Appendicitis and typhlitis	W	237		2	1	4	2	19	34	30	24	19	15	34	17	23	10	3	
		C	90		1			3	7	11	10	10	8	6	14	10	7	3		
118a	Hernia	W	27	2				1			1				2	3	5	5	8	
		C	20	1	2							1	1		3	2	3	3	4	
118b	Intestinal obstruction	W	108	20	5	2	1	2	4	7	9	3	2	1	11	9	13	11	8	
		C	74	9	1	1			2		5	7	7	5	12	14	3	4	4	
119	Other diseases of the intestines	W	21	5			1					1				7	2	2	3	
		C	10	1							1		1		2		2	1	2	
120	Acute yellow atrophy of the liver	W	6								2			1	1	1		1		
		C	3									1		1	1					
122	Cirrhosis of the liver	W	64		1									2	8	11	15	15	12	
		C	29		1								2	2	3	7	5	6	3	
123	Biliary calculi	W	30											1	6	7	9	5	2	
		C	4												1	1		2		
124	Other diseases of the liver	W	61	3		1			1		1	1	2	2	7	12	10	16	5	
		C	17		3						1	1		1	3	3	4	1		
125	Diseases of the pancreas	W	3						1		1						1			
		C	1																	
126	Peritonitis without specified cause	W	23	1		1		1	2	3	1	2	1	2	4	3		2		
		C	23							1	2	5	4	1	4	3		2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	2,033	16	7	6	7	4	12	11	22	34	25	39	147	205	323	586	584	5
		Colored	1,257	5	10	8	4	3	14	3	27	39	49	51	158	203	193	249	231	10
128	Acute nephritis (including unspecified under 10 years)	W	113	7	2	5	4	4	10	1	5	4	3	7	17	6	10	16	12	
		C	123	4	8	6	3	2	9	1	8	8	4	13	20	18	6	8	4	1
129	Chronic nephritis (including unspecified 10 years and over)	W	1,683						1	9	12	22	15	23	97	175	292	524	509	4
		C	960					1	4	2	12	19	21	20	107	167	171	220	207	9
131	Other diseases of the kidneys and annexa	W	76	8	5	1	3			1	3	5	2	1	8	8	7	11	12	1
		C	40	1	2	2	1		1		1	4	2	5	2	4	4	5	6	
132	Calculi of the urinary passages	W	16								1			3	3	2	3	2	2	
		C	2											1	1					
133	Diseases of the bladder	W	20													1	2	4	13	
		C	13								1		4				2	3	3	
134	Diseases of the urethra, etc	W	3						1						1				1	
		C	7												2		1			
135	Diseases of the prostate	W	67											1	2	3	1	5	25	34
		C	30												2	1	5	25	34	
136	Nonvenereal diseases of the male genital organs	W	2	1									1			3	3	13	10	
		C	1														1			
137	Cysts, other benign tumors of the ovary	W	8											1	2	3	1	1		
		C	5									1	1	1	1		1			
138	Salpingitis and pelvic abscess (female)	W	14									3	3	1	4	3				
		C	27								2	4	5	3	8	3	2			
139	Benign tumors of the uterus	W	19											3	8	5	1	2		
		C	28										5	3	14	4	1		1	
140	Nonpuerperal uterine hemorrhage	W	1												1					
		C	3																	
141	Other diseases of the female genital organs	W	11								1	1	1							
		C	18								1		2		4	1	1	1	1	
		C	18								2	2	5	4	3	1	1			
	VIII.—The puerperal state	White	404								46	87	74	73	121	3				
		Colored	322							3	67	80	60	47	60	3				2
143	Accidents of pregnancy	W	44								2	8	11	9	14					
		C	23								3	5	6	3	6					
144	Puerperal hemorrhage	W	42								5	5	6	8	17	1				
		C	28								2	3	8	7	7	1				
145	Other accidents of labor	W	58								5	9	5	15	24					
		C	29								4	5	4	4	12					
146	Puerperal septicemia	W	81								7	22	19	14	19					
		C	87							2	19	24	18	13	11					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	6									2	2	1	1					
		C	11								4	4	2		1					
148	Puerperal albuminuria and convulsions	W	171								26	41	30	26	46	2				
		C	143							1	35	39	21	20	23	2				2
149	Following childbirth (undefined)	W	2								1		1							
		C	1										1							
	IX.—Diseases of the skin and of the cellular tissue	White	50	8	1				4	3	2	2	4	1	4	5	1	5	9	1
		Colored	36	3	4					1	2				6	4	4	2	10	
151	Gangrene	W	14						2			2		1	1	1	1	1	5	
		C	18		1										1	2	4	2	8	
152	Furuncle	W	10	2						1	1		3			2		1		
		C	2												2					
153	Acute abscess	W	14	3					1	1			1		3	2		2	1	
		C	13	1	3					1	2				3	2			1	
154	Other diseases of the skin and annexa	W	12	3	1				1	1	1							1	3	1
		C	3	2															1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																		
	X.—Diseases of the bones and of the organs of locomotion—White	29	1		1			5	7	1	1	1		3	3	3	3		
	X.—Diseases of the bones and of the organs of locomotion—Colored	11		1				3	2			2	1				1	1	
155	Diseases of the bones (tuberculosis excepted)—W	22	1		1			4	7	1		1		2	3	1	1		
	Diseases of the bones (tuberculosis excepted)—C	7		1				1	2			2	1						
156	Diseases of the joints (tuberculosis and rheumatism excepted)—W	6						1			1			1		1	2		
	Diseases of the joints (tuberculosis and rheumatism excepted)—C	2						1									1		
158	Other diseases of the organs of locomotion—W	1														1			
	Other diseases of the organs of locomotion—C	2						1										1	
	XI.—Malformations—White	234	213	4	1	1	3	7	1	3	1								
	XI.—Malformations—Colored	58	44	5				6	1	2									
159a	Congenital hydrocephalus—W	13	6	3		1		1	1	1									
	Congenital hydrocephalus—C	13	9	1					1	2									
159b	Congenital malformations of the heart—W	139	129				1	6		2	1								
	Congenital malformations of the heart—C	22	17	2				3											
159c	Other congenital malformations—W	82	78	1	1		2												
	Other congenital malformations—C	23	18	2				3											
	XII.—Early infancy—White	1,499	1,499																
	XII.—Early infancy—Colored	702	702																
160	Congenital debility, icterus, sclerema—W	217	217																
	Congenital debility, icterus, sclerema—C	140	140																
161a	Premature birth—W	1,053	1,053																
	Premature birth—C	447	447																
161b	Injury at birth—W	166	166																
	Injury at birth—C	60	60																
162	Other diseases peculiar to early infancy—W	61	61																
	Other diseases peculiar to early infancy—C	42	42																
163	Lack of care—W	2	2																
	Lack of care—C	13	13																
164	XIII.—Old age (senility)—White	269														3	35	229	2
	XIII.—Old age (senility)—Colored	247													2	6	37	201	1
	XIV.—External causes—White	1,486	78	33	24	33	25	80	52	118	143	106	90	167	147	104	130	147	9
	XIV.—External causes—Colored	839	62	27	29	26	24	51	39	92	115	96	60	78	56	26	31	23	4
	Suicide—W	143							2	7	12	9	12	33	30	19	14	4	1
	Suicide—C	16									2	3		2	3	5	1		
165	By poisons (gas or corrosives excepted)—W	3											1		1			1	
166	By corrosive substances—W	19								3	5	1	1	3	1	3	1	1	
167	By poisonous gas—W	4												3	1				
168	By hanging or strangulation—W	21							1	1		2	4	5	4	4			
	By hanging or strangulation—C	1														1			
169	By drowning—W	3															3		
	By drowning—C	4												1	2		1		
170	By firearms—W	74							1	3	7	4	5	18	18	8	8	2	
	By firearms—C	11									2	3		1	1	4			
171	By cutting or piercing instruments—W	10										1	1	4	1	1	1		1
172	By jumping from high places—W	2													1	1			
173	By crushing—W	1															1		
174	By other means—W	6										1			3	2			
	Homicide—W	106	7						1	10	17	8	13	24	12	9	3		2
	Homicide—C	181	1	1				1	1	26	37	40	22	28	18	3	1	1	1
197	By firearms—W	77								8	13	8	11	19	10	6	1		1
	By firearms—C	132						1	1	16	27	30	12	23	16	3	1	1	1
198	By cutting or piercing instruments—W	9								1	2		1	1	1	1	1		1
	By cutting or piercing instruments—C	28		1						6	5	7	5	3	1				
199	By other means—W	20	7						1	1	2		1	4	1	2	1		
	By other means—C	21	1							4	5	3	5	2	1				
	Accidental or undefined—W	1,237	71	33	24	33	25	80	49	101	114	89	65	110	105	76	113	143	6
	Accidental or undefined—C	642	61	26	29	26	24	50	38	66	76	53	38	48	35	18	29	22	3
175	Poisoning by food—W	26	5	2	2	3	1	2			1	1		1	1	2	5		
	Poisoning by food—C	17	1		1	1	2	2			1	1	2	2	2		1	1	
176	Poisoning by venomous animals—W	2	2																
	Poisoning by venomous animals—C	2	2																
177	Other acute poisonings (gas excepted)—W	26	1	2	5	1	3		1			2		3	5	2	1		
	Other acute poisonings (gas excepted)—C	21	2	4	7			3		1	1	1	1					1	
178	Conflagration—W	20	1		2		1	2		2	3			4	2		1	1	1
	Conflagration—C	18	1	2	1	3		1		1	1	1	1	1		3	2		
179	Burns (conflagration excepted)—W	122	5	15	7	17	8	14	7	6	4	5	3	2	6	3	9	11	
	Burns (conflagration excepted)—C	130	5	14	14	19	17	23	9	6	6	3	3		2		3	5	1
180	Mechanical suffocation—W	35	33	1									1						
	Mechanical suffocation—C	32	31	1															
181	Absorption of irrespirable, irritating, or poisonous gas—W	9									1	4	1		2		1		
182	Drowning—W	66		3		1	1	7	7	13	11	6	3	7	4	1	1	1	
	Drowning—C	41			1		1	4	6	14	5	2	3	2	3				
183	Traumatism by firearms (except in war)—W	56			1		2	2	10	15	4	3	3	6	4	3	2		1
	Traumatism by firearms (except in war)—C	50		2	1	1		3	6	12	9	3	2	4	5	1	1		
184	Traumatism by cutting or piercing instruments—W	5	1									1				1	1	1	
	Traumatism by cutting or piercing instruments—C	5						1		1	2						1		
185	Traumatism by fall—W	197	2	2	2	2	1	3	3	5	1	5	2	9	12	11	36	101	
	Traumatism by fall—C	36	2	1	1			5	1		3	3	1	3	1	2	5	8	
186a	Traumatism in mines—W	6								1	3		1		1				
	Traumatism in mines—C	2								1		1							
186b	Traumatism in quarries—W	3									1	1				1			
	Traumatism in quarries—C	2																	
187	Traumatism by machines—W	28							1	2	3	3	1	8	4		2		
	Traumatism by machines—C	13							2	1		3	2	2	2		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NORTH CAROLINA—Continued																				
	XIV.—External causes—Contd.																			
	Accidental or undefined—Continued.																			
188a	Railroad accidents	W	95						1	1	12	16	8	9	16	7	12	9	3	1
		C	40						1		3	10	8	7	5	3	1		1	1
	Collision with automobiles	W	44							1	6	7	3	6	8	4	4	5		
		C	5										1	1	2	1				
	Other railroad accidents	W	51						1		6	9	5	3	8	3	8	4	3	1
		C	35						1		3	10	7	6	3	2	1		1	1
188b	Street-car accidents	W	8						1				2	1	1	2	1			
		C	3									2					1			
	Collision with automobiles	W	4						1				1	1		1				
	Other street-car accidents	W	4										1		1	1	1			
		C	3									2					1			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	333	4	1	2	5	5	38	12	30	43	31	21	42	37	19	31	11	1
		C	122			2	1	3	4	7	17	25	14	8	17	11	5	5	3	
188d	Airplane and balloon accidents	W	2									2								
188e,f	Injuries by other vehicles	W	18	1						2		3	2		1	1	2	4	2	
		C	7							3						1		2	1	
188g	Landslide, other crushing	W	8	1					3		1					1			1	1
		C	3				1						1							1
189	Injuries by animals (not poisoning)	W	5							1	1						2			
		C	3				1		1		2									
192	Starvation (deprivation of food or water)	C	1					1												
193	Excessive cold	W	3			1										1		1		
		C	5								1		1				1		2	
194	Excessive heat	W	13					1				2	1		2	3		1	3	
		C	10									1		1	2	1	2	3		
195	Lightning	W	10								1	1	1	2	1	1	2	1		
		C	8						2		2	2	2							
196	Other accidental electric shocks	W	22								5	3	5	3	4	1		1		
		C	7							2			2	2	1					
201	Fracture (cause not specified)	W	18							1	1	3	2	1	1	1	2	2	4	
		C	4								1				1	1		1		
202	Other external violence	W	101	15	7	2	3	2	7	3	6	9	6	10	9	5	8	4	4	1
		C	60	17	2	1				2	3	8	7	4	7	3	2	4		
	XV.—Ill-defined diseases	White	1,208	576	38	9	4	3	8	8	12	15	14	17	49	50	74	137	187	7
		Colored	1,400	686	96	27	13	6	21	15	30	35	26	13	67	77	73	67	140	8
204	Sudden death	W	209	27	2						2	3	2	5	19	16	23	55	54	1
		C	125	26	2	1	3		2	1	3	3	3	1	11	24	15	9	21	
205a	Ill-defined	W	188	65	13		1		1	3	1	3	2	3	8	9	15	24	40	
		C	166	31	21	5		1	2	2	6	2	2	3	10	17	21	17	23	3
205b	Not specified or unknown	W	311	484	23	9	3	3	7	5	9	9	10	9	22	25	36	58	93	6
		C	1,109	629	73	21	10	5	17	12	21	30	21	9	46	36	37	41	96	5
NORTH DAKOTA																				
	All causes		5,313	1,032	128	76	56	47	145	148	158	148	137	141	430	443	603	856	764	1
	I.—Epidemic, endemic, and infectious diseases		789	122	45	28	18	27	46	33	46	49	44	38	93	59	48	39	54	
1	Typhoid and paratyphoid fever		18						2	2	4	1	1	2	3	3				
7	Measles		35	12	6	3	1	4	3	1	3				2					
8	Scarlet fever		65	5	3	6	4	10	17	10	1	1	1	2	4	1				
9	Whooping cough		75	50	12	9	1	1	2											
10	Diphtheria		31	1	3	1	3	5	9	5			2	2						
11a	Influenza (with pulmonary complications)		107	16	4	4		1	1		2	3	6	8	12	7	12	12	19	
11b	Influenza (other and unspecified)		87	10	7	4	3	2	2	2	3	2	1	2	11	5	6	7	20	
13	Mumps		2											2						
15	Cholera nostras		1	1																
16	Dysentery		6	1	1											1		1	2	
21	Erysipelas		16	8		1							1			1	3	1	1	
22	Acute anterior poliomyelitis		5					1	1		2	1								
23	Lethargic encephalitis		14							2		3		2	1	3	2	1		
24	Meningococcus meningitis		13	4	1		2		2		1				1	2				
25	Other epidemic and endemic diseases		2	1	1															
27	Anthrax		1														1			
29	Tetanus		1								1									
30	Mycoses		1														1			
	Tuberculosis (all forms)		294	9	7		4	2	7	11	29	36	32	18	58	33	21	15	12	
31	Of the respiratory system		242				3	1	4	9	27	30	27	18	52	24	21	14	12	
32	Of the meninges, central nervous system		18	5	7		1	1	2			1				1				
33	Of the intestines, peritoneum		16	4						1		1	2		3	5				
34	Of the vertebral column		7						1		1	1	1		1	2				
36	Of other organs		5							1			2		1			1		
37a	Disseminated (acute)		3								1	1				1				
37b	Disseminated (chronic or unspecified)		3									2			1					
38	Syphilis		9	3				1				1				2	1	1		
40	Gonococcus infection		3									1			1	1				
41	Purulent infection, septicemia		3	1													1	1		
	II.—General diseases not included in Class I		691	21	4	3	5	3	9	13	11	8	11	13	58	96	162	181	93	
	Cancer and other malignant tumors		434	1	1	1	2		2		4	2	2	7	32	62	120	129	69	
43	Of the buccal cavity		10												1	1	2	2	4	
44	Of the stomach, liver		227						1					4	9	27	65	83	38	
45	Of the peritoneum, intestines, rectum		44	1			1								6	8	12	6	10	
46	Of the female genital organs		27								1	1			7	2	11	3	2	
47	Of the breast		21										2	1	4	7	5	2		
48	Of the skin		7												1	1	1	1	3	
49	Of other or unspecified organs		98		1	1	1		1		3	1		2	4	16	24	32	12	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3														1		2	
51	Acute rheumatic fever	20			2			3	6	1			1		1	1	2	3	
52	Chronic rheumatism, osteoarthritis, gout	10							1					1	1	5	2		
53	Scurvy	1	1																
56	Rickets	3	2	1															
57	Diabetes mellitus	110				3	1	2	3	4	1	2	1	10	18	21	31	13	
58	Anemia, chlorosis	39		1				1	1			2	1	4	4	6	14	5	
60a	Exophthalmic goiter	14									3			4	3	3		1	
60b	Other diseases of the thyroid gland	4	1											1	1	1			
62	Diseases of the thymus gland	7	5	1			1												
63	Diseases of the adrenals (Addison's disease)	3								1					1	1			
64	Diseases of the spleen	2												1		1			
65a	Leukemia	9	1					1	1			1		1	2	1	1		
65b	Hodgkin's disease	6									2	1	1	1		1			
66	Alcoholism (acute or chronic)	12										3	2	3	3		1		
69	Other general diseases	14	10				1		1	1							1		
	III.—Diseases of the nervous system and of the organs of special sense	523	51	12	4	4	3	9	7	7	2	5	8	43	55	82	135	96	
70	Encephalitis	11	1	1				3	1	2		1	1	1					
71a	Simple meningitis	11	5	2						1					2		1		
71b	Nonepidemic cerebrospinal meningitis	6	2	1			1			1				1					
72	Tabes dorsalis (locomotor ataxia)	2														1	1		
73	Other diseases of the spinal cord	14				2								2	1	5	4		
74a	Cerebral hemorrhage	320											1	19	40	62	112	86	
74b	Cerebral embolism and thrombosis	13										1	1	1	1	4	3	2	
75	Paralysis without specified cause	7						1									5	1	
76	General paralysis of the insane	8											1	4	2	1			
77	Other forms of mental alienation	18											1	5	3	3	4	2	
78	Epilepsy	22	1			1	1		2	2	2	1	3	4	2	1	1	1	
80	Infantile convulsions (under 5 years)	49	40	6	2		1												
82	Neuralgia and neuritis	2												1			1		
83	Softening of the brain	2																2	
84	Other diseases of the nervous system	18	1		1			1		1				5	3	2	2	2	
86a	Diseases of the ear	12	1	2	1			3	2						1	2			
86b	Diseases of the mastoid process	8			1			1	2			2				1	1		
	IV.—Diseases of the circulatory system	755	6	4	1	1		6	18	13	6	11	6	38	64	145	220	216	
87	Pericarditis	3		1							1							1	
88	Endocarditis and myocarditis (acute)	39	1	1				1	3	7	2		2	10	3	4	3	2	
89	Angina pectoris	55												4	3	18	22	8	
90	Other diseases of the heart	584	3	1	1	1		5	15	6	3	10	4	20	52	115	179	169	
91a	Aneurysm	6													2	2	1	1	
91b,c	Other diseases of the arteries	50													4	4	10	32	
92	Embolism and thrombosis (not cerebral)	10	1									1		2		1	3	2	
93	Diseases of the veins	4												2			1	1	
94	Diseases of the lymphatic system	2	1	1															
95	Hemorrhage without specified cause	1														1			
96	Other diseases of the circulatory system	1															1		
	V.—Diseases of the respiratory system	518	149	29	14	11	5	17	10	20	16	10	6	29	22	31	72	77	
97a	Diseases of the nasal fossae	1	1																
97b	Diseases of the nasal fossae annexa	3										1				2			
98	Diseases of the larynx	6	3				2	1											
99a	Acute bronchitis	7	5	1											1				
99b	Chronic bronchitis	8												1		1	4	2	
99c,d	Bronchitis (unspecified)	8	3	2													1	2	
100a	Broncho-pneumonia	217	108	17	4	9	1	7	8	4	3	3		6	5	6	12	24	
100b	Capillary bronchitis	2	1													1			
101a	Lobar pneumonia	215	17	8	8	2	2	8	2	16	10	6	6	21	13	18	47	31	
101b	Pneumonia (unspecified)	13	7								1						1	4	
102	Pleurisy	10	3	1	1			1			2							2	
103	Congestion and hemorrhagic infarct of the lung	8	1												1		1	5	
105	Asthma	19			1										2	3	6	7	
107	Other diseases of the respiratory system (tuberculosis excepted)	1												1					
	VI.—Diseases of the digestive system	506	108	14	12	7	4	24	22	23	23	18	23	55	59	42	50	22	
108	Diseases of the mouth and annexa	7	2								1	1	1	1		1			
109b	Other diseases of the pharynx, tonsils	33	2	2	1		2	6	5	1	3		2	3	2		4		
111a	Ulcer of the stomach	27						1			1	3	3	5	7	1	4	2	
111b	Ulcer of the duodenum	11									1		2	4		1	3		
112	Other diseases of the stomach (cancer excepted)	23	12	1					1					2	1	2	3	1	
113	Diarrhea and enteritis (under 2 years)	85	78	7															
114	Diarrhea and enteritis (2 years and over)	21			2	3	1	1			1			1	3	2	6	1	
116	Diseases due to other intestinal parasites	2			1									1					
117	Appendicitis and typhlitis	141			8	4	1	15	14	20	13	7	7	21	18	8	2	3	
118a	Hernia	13	1							1			1	2		4	2	2	
118b	Intestinal obstruction	38	12	3				1			2	1	1	2	3	4	5	4	
119	Other diseases of the intestines	4													1	1	2		
120	Acute yellow atrophy of the liver	1	1																
122	Cirrhosis of the liver	18							1			1		1		6	5	4	
123	Biliary calculi	51								1	1	3	3	6	15	9	9	4	
124	Other diseases of the liver	18		1					1				1	2	7	2	3	1	
125	Diseases of the pancreas	7										2	1	3	1				
126	Peritonitis without specified cause	6											1	1	1	1	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	309	8	2		1		2	8	3	5	7	10	15	30	49	85	83	1
128	Acute nephritis (including unspecified under 10 years)	19	4			1		1	1	1			2	1		2	1	5	
129	Chronic nephritis (including unspecified 10 years and over)	211							6	2	1	4	3	11	25	34	66	59	
131	Other diseases of the kidneys and annexa	21	3	2				1			1	1	2		1	2	4	3	1
132	Calculi of the urinary passages	6							1							2	3		
133	Diseases of the bladder	6														1	1	4	
134	Diseases of the urethra, etc	1														1			
135	Diseases of the prostate	24														4	8	12	
136	Nonvenereal diseases of the male genital organs	1	1																
138	Salpingitis and pelvic abscess (female)	4									3		1						
139	Benign tumors of the uterus	7											1	2	2	2			
141	Other diseases of the female genital organs	9										2	1	1	2	1	2		
	VIII.—The puerperal state	64								5	11	8	14	23	3				
143	Accidents of pregnancy	6										2	1	3					
144	Puerperal hemorrhage	9									2	1	3	3					
145	Other accidents of labor	3											2	1					
146	Puerperal septicemia	29								4	6		7	10	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	4									1	1		1	1				
148	Puerperal albuminuria and convulsions	13								1	2	4	1	5					
	IX.—Diseases of the skin and of the cellular tissue	21	3							1	1	2		3	3		5	3	
151	Gangrene	8													1		4	3	
153	Acute abscess	7								1		2		3			1		
154	Other diseases of the skin and annexa	6	3								1				2				
	X.—Diseases of the bones and of the organs of locomotion	14	1		3			2	1	2		1				2	2		
155	Diseases of the bones (tuberculosis excepted)	13	1		3			2	1	2		1				1	2		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1														1			
	XI.—Malformations	85	75	5	1			3	1										
159a	Congenital hydrocephalus	11	7	2	1			1											
159b	Congenital malformations of the heart	39	36	1				2											
159c	Other congenital malformations	35	32	2					1										
	XII.—Early infancy	409	409																
160	Congenital debility, icterus, sclerema	56	56																
161a	Premature birth	274	274																
161b	Injury at birth	52	52																
162	Other diseases peculiar to early infancy	27	27																
164	XIII.—Old age (senility)	111															17	94	
	XIV.—External causes	391	20	7	7	9	5	24	30	25	25	19	22	68	46	34	30	20	
	Suicide	61									7	4	6	17	13	6	6	2	
165	By poisons (gas or corrosives excepted)	3									1		1		1				
166	By corrosive substances	12										1	3	4	2		1	1	
168	By hanging or strangulation	17										1	1	7	4	3		1	
169	By drowning	2													1		1		
170	By firearms	22									6	2	1	5	3	3	2		
171	By cutting or piercing instruments	5												1	2		2		
	Homicide	12	1			1					1		1	5	1	1	1		
197	By firearms	6				1								3	1	1			
198	By cutting or piercing instruments	2												1					
199	By other means	4	1								1			1			1		
	Accidental or undefined	318	19	7	7	8	5	24	30	25	17	15	15	46	32	27	23	18	
175	Poisoning by food	8	2			1		1						1			2	1	
177	Other acute poisonings (gas excepted)	6		2									1	1		1		1	
178	Conflagration	13		1	1		2				2			1	1	3	1	1	
179	Burns (conflagration excepted)	22	2	1	3	2	1	2		2		1	1	1	3		1	2	
180	Mechanical suffocation	9	5				1			1				2					
181	Absorption of irrespirable, irritating, or poisonous gas	10									2	3		2		2		1	
182	Drowning	25	1	1	1	1		5	6	4	2		1	2	1				
183	Traumatism by firearms (except in war)	10							3	3	1			2			1		
184	Traumatism by cutting or piercing instruments	11						1	1	1		3		2	1	1	1		
185	Traumatism by fall	28	2	1	1			1	7				1	1	2	2	4	6	
186a	Traumatism in mines	2												1		1			
187	Traumatism by machines	16			1			3	3	1	2	1		3	1	1			
188a	Railroad accidents	21						3	1	3			3	4	5	1	1		
	Collision with automobiles	11							1	2			1	3	3	1			
	Other railroad accidents	10						3		1			2	1	2		1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	70	2			2	1	4	2	5	5	4	6	14	10	7	5	3	
188e,f	Injuries by other vehicles	16						1	4	1		1	1	1	2	2	1	2	
188g	Landslide, other crushing	1								1									
189	Injuries by animals (not poisoning)	15						2	2	1	2			2	1	3	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
193	Excessive cold	2														1	1		
194	Excessive heat	3												1	1			1	
195	Lightning	2							1			1							
196	Other accidental electric shocks	4								1	1				1	1			
201	Fracture (cause not specified)	1											1						
202	Other external violence	23	5	1		2		1		1		1		5	3	1	3		
	XV.—Ill-defined diseases	127	59	6	3			3	5	2	2	1	1	5	6	8	20	6	
204	Sudden death	10	2					1					1	1		1	3	1	
205a	Ill-defined	27	5	3								1		2	3	4	8	1	
205b	Not specified or unknown	90	52	3	3			2	5	2	2			2	3	3	9	4	
	OHIO																		
	All causes	78,695	9,407	1,785	825	551	440	1,432	1,016	1,503	2,136	2,326	2,539	6,195	7,753	10,576	14,228	15,975	8
	I.—Epidemic, endemic, and infectious diseases	11,322	1,145	697	372	262	193	515	293	542	825	822	723	1,366	1,036	845	862	824	
1	Typhoid and paratyphoid fever	290			6	4	2	24	22	47	46	28	18	36	18	21	18		
5	Malaria	12	1								1			1	3	1	1	4	
7	Measles	852	190	237	121	70	31	102	24	19	12	9	9	9	8	3	5	3	
8	Scarlet fever	188	9	9	20	22	21	48	22	13	6	3	8	6	1				
9	Whooping cough	635	350	152	66	28	14	22	2			1							
10	Diphtheria	492	19	52	63	74	52	141	43	20	3	10	4	4	2	4		1	
11a	Influenza (with pulmonary complications)	1,548	199	70	24	13	15	22	22	24	38	34	63	161	141	158	236	328	
11b	Influenza (other and unspecified)	979	105	48	18	10	14	21	17	24	21	33	24	72	61	87	151	273	
13	Mumps	5		1					1				1			1		1	
15	Cholera nostras	3	1					1							1				
16	Dysentery	102	30	11	2	1	2	1			1	1	1	1	5	6	18	22	
21	Erysipelas	200	53	8	3	2			2		3	4	4	20	23	23	30	25	
22	Acute anterior poliomyelitis	49	7	4	2	4	3	7	10	6			4		1		1		
23	Lethargic encephalitis	138	4	6	2	2	2	5	4	11	5	7	5	17	26	22	15	5	
24	Meningococcus meningitis	37	6	2	4	3	3	7	3	2	4			1	1		1		
25	Other epidemic and endemic diseases	14	3	3	3			1						1	3				
27	Anthrax	2									1	1							
28	Rabies	6						1	1		1		1		1	1			
29	Tetanus	69	2	1	1		1	18	16	6	4	1	3	5	5	3	3		
30	Mycoses	7	4												1		2		
	Tuberculosis (all forms)	5,068	60	89	34	28	31	86	100	356	652	642	530	920	608	433	342	157	
31	Of the respiratory system	4,326	20	21	10	6	7	34	71	312	580	582	473	836	542	387	301	144	
32	Of the meninges, central nervous system	228	28	48	15	12	17	31	12	12	11	11	6	13	8	2	2		
33	Of the intestines, peritoneum	204	1	8	3	5	1	11	6	14	26	17	18	28	21	18	20	7	
34	Of the vertebral column	66	1				1	2	3	8	8	3	10	8	10	6	5	1	
35	Of the joints	27							3			4	3	2	4	4	5	2	
36	Of other organs	78	2	1	1	1	2	2		3	3	7	8	21	10	9	6	2	
37a	Disseminated (acute)	113	7	10	5	4	3	6	3	6	18	15	8	12	11	4	1		
37b	Disseminated (chronic or unspecified)	26	1	1					2	1	6	3	4		2	3	2	1	
38	Syphilis	512	86	3	1		1	6	3	5	14	34	30	96	119	76	33	5	
39	Soft chancre	1						1											
40	Gonococcus infection	56	2							7	6	11	13	12	4		1		
41	Purulent infection, septicemia	57	14	1	2	1	1	1	1	2	7	3	5	4	4	6	5		
	II.—General diseases not included in Class I	9,831	217	29	25	18	15	71	70	71	108	161	200	834	1,556	2,384	2,583	1,489	
	Cancer and other malignant tumors	6,457	3	3	4	7	6	14	13	17	25	61	96	498	1,038	1,631	1,856	1,185	
43	Of the buccal cavity	204							1				1	14	28	46	59	55	
44	Of the stomach, liver	2,354				1			2	2	3	5	15	113	309	610	795	499	
45	Of the peritoneum, intestines, rectum	898	1			2		2	3	3	4	6	14	61	154	224	270	154	
46	Of the female genital organs	978								2	6	21	37	153	231	261	196	71	
47	Of the breast	577										3	5	66	128	160	119	96	
48	Of the skin	186								1			2	5	10	28	58	82	
49	Of other or unspecified organs	1,260	2	3	4	4	6	12	7	9	12	26	22	86	178	302	359	228	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	51	1			1			1	2	2	1	4	10	5	7	11	6	
51	Acute rheumatic fever	187	1		2	3	5	23	25	6	11	11	3	15	23	16	23	20	
52	Chronic rheumatism, osteoarthritis, gout	87									2	1		6	6	14	29	29	
53	Scurvy	3	1	2															
54	Pellagra	9										3	2	3		1			
56	Rickets	29	18	8	2			1											
57	Diabetes mellitus	1,220	1	2	2	2	2	16	16	15	17	22	23	63	159	330	386	164	
58	Anemia, chlorosis	460	3	2	1	1	1	3	3	6	8	6	10	35	66	137	136	42	
59	Diseases of the pituitary gland	4							2			1		1					
60a	Exophthalmic goiter	550							1	11	20	22	27	96	134	130	90	19	
60b	Other diseases of the thyroid gland	59	1	1							4	3	1	7	13	16	7	6	
61	Diseases of the parathyroid glands	3	2					1											
62	Diseases of the thymus gland	127	111	7	6	2		1											
63	Diseases of the adrenals (Addison's disease)	30									2	2	1	6	10	4	3	2	
64	Diseases of the spleen	13						1	1	3		1	1	3	2	1			
65a	Leukemia	100		1	4	2		6	5	3	1	4	4	18	15	23	10	4	
65b	Hodgkin's disease	70			1			2	1	6	8	6	2	8	9	16	8	3	
66	Alcoholism (acute or chronic)	225									5	12	25	53	64	49	15	2	
67a	Chronic lead poisoning	16										1		4	3	5	3		
67b	Other chronic mineral poisoning	3									1			1	1				
68	Chronic poisoning by organic substances	5												2	2	1			
69	Other general diseases	123	75	3	3		1	3	2	2	2	4	1	5	6	3	6	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	9,201	179	58	24	23	15	100	68	58	74	92	147	492	924	1,629	2,524	2,794	
70	Encephalitis	61	2	2		1	3	5	5	3	3	3	2	9	6	8	5	4	
71a	Simple meningitis	155	35	19	8	8	2	20	4	6	6	5	10	8	13	4	6	1	
71b	Nonepidemic cerebrospinal meningitis	35	9	5	2	1	1	5	4		1	2		2	1	1		1	
72	Tabes dorsalis (locomotor ataxia)	152										2	3	15	29	48	47	8	
73	Other diseases of the spinal cord	201	2	1	1	1		3	5	6	4	3	9	13	33	40	47	33	
74a	Cerebral hemorrhage	6,758	9	4			1	3	3	6	6	17	36	199	575	1,252	2,166	2,481	
74b	Cerebral embolism and thrombosis	219	1		1	1		1	3	3	2	4	6	12	20	44	52	69	
75	Paralysis without specified cause	163						1		1	2		3	6	9	23	41	77	
76	General paralysis of the insane	457								1	5	15	31	143	125	87	35	15	
77	Other forms of mental alienation	82								1	3	7	5	10	18	17	15	6	
78	Epilepsy	192		2	2	2	1	9	8	10	22	13	22	20	27	30	15	9	
79	Convulsions (nonpuerperal; 5 years and over)	6						2	1					1		1		1	
80	Infantile convulsions (under 5 years)	79	69	6	2	2													
81	Chorea	5							1		2					1	1		
82	Neuralgia and neuritis	18										1		1	4	3	9		
83	Softening of the brain	53													3	3	15	32	
84	Other diseases of the nervous system	303	8	5	3	3	1	8	7	6	6	9	13	33	42	46	63	50	
85	Diseases of the eye and annexa	5				1			2	1								1	
86a	Diseases of the ear	144	37	6	3	3	6	23	11	5	5	3	4	9	12	10	4	3	
86b	Diseases of the mastoid process	113	7	8	2			20	14	9	7	8	3	11	7	11	3	3	
	IV.—Diseases of the circulatory system	15,025	28	20	15	9	11	70	99	112	143	145	223	756	1,423	2,446	4,129	5,392	4
87	Pericarditis	51	1	1					2		1	2	3	5	7	4	11	14	
88	Endocarditis and myocarditis (acute)	504	10	7	6	3	5	15	16	26	28	26	33	115	58	62	53	41	
89	Angina pectoris	940								1	5	5	7	41	121	233	328	199	
90	Other diseases of the heart	11,506	15	7	7	6	6	53	80	80	103	110	172	548	1,131	1,949	3,254	3,981	4
91a	Aneurysm	127								1	3		1	19	29	30	33	11	
91b,c	Other diseases of the arteries	1,682									1		1	9	43	128	396	1,104	
92	Embolism and thrombosis (not cerebral)	151	1	2	1				1	2	2		3	14	21	27	43	34	
93	Diseases of the veins	47	1					1				1	3	5	11	11	9	5	
94	Diseases of the lymphatic system	7		2	1					1		1					1	1	
95	Hemorrhage without specified cause	7		1				1		1					1	1		2	
96	Other diseases of the circulatory system	3													1	1	1		
	V.—Diseases of the respiratory system	7,124	1,560	510	177	80	55	120	66	90	117	166	217	477	529	601	910	1,449	
97a	Diseases of the nasal fossae	7	3	1										1		1		1	
97b	Diseases of the nasal fossae annexa	34	2	1				1	5	5	2	3	4	7	2		2		
98	Diseases of the larynx	28	6	1	4	2	1	2	1					4	2		2	3	
99a	Acute bronchitis	147	35	16	2	1		3	1			1	1	3	5	3	21	55	
99b	Chronic bronchitis	136		2								2	2	4	13	15	22	76	
99c,d	Bronchitis (unspecified)	94	29	1	2	1	1								1	6	12	41	
100a	Broncho-pneumonia	2,883	1,079	335	87	45	29	55	14	16	18	20	30	87	88	137	276	567	
100b	Capillary bronchitis	51	22	5	2				1						3	2	5	11	
101a	Lobar pneumonia	3,214	337	125	67	24	23	45	34	64	86	118	159	333	363	371	492	573	
101b	Pneumonia (unspecified)	72	18	6	2		1	5	1		1	2	4	2	3	4	8	15	
102	Pleurisy	173	15	15	11	6		6	7	4	6	12	10	18	14	28	10	11	
103	Congestion and hemorrhagic infarct of the lung	61	9	1						1				1	2	1	11	35	
104	Gangrene of the lung	10												2	2	2	4		
105	Asthma	142	2	1				2			1	3	3	8	22	17	34	49	
106	Pulmonary emphysema	12										1	1		3	2	1	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	60	3			1		1	2		3	4	3	7	6	12	10	8	
	VI.—Diseases of the digestive system	5,995	1,423	341	103	61	50	164	125	143	151	173	221	544	632	656	654	554	
108	Diseases of the mouth and annexa	58	7	2		1		2			2	2	4	6	11	7	6	8	
109a	Adenoid vegetations	1						1											
109b	Other diseases of the pharynx, tonsils	268	11	16	10	13	6	44	25	26	13	18	11	22	22	14	9	8	
110	Diseases of the esophagus	7	1											1	2	2		1	
111a	Ulcer of the stomach	290	1	1						2	4	13	20	50	66	54	55	24	
111b	Ulcer of the duodenum	119								2	2	5	9	28	20	20	23	10	
112	Other diseases of the stomach (cancer excepted)	305	80	8	8	2	2	2		4	1	4	3	19	20	33	43	76	
113	Diarrhea and enteritis (under 2 years)	1,513	1,222	291															
114	Diarrhea and enteritis (2 years and over)	379			65	24	17	31	2	8	2	4	6	17	26	26	55	96	
117	Appendicitis and typhlitis	947		6	6	12	15	60	81	79	79	70	93	157	138	90	52	9	
118a	Hernia	246	11		1		1		1		2	3	6	16	39	56	61	49	
118b	Intestinal obstruction	521	59	12	8	6	2	12	7	10	18	20	22	57	68	71	75	74	
119	Other diseases of the intestines	64	3	2	1			3	1	4	2	1	2	9	7	8	13	8	
120	Acute yellow atrophy of the liver	39	1		1			1		2	5	2	4	9	4	5	2	3	
121	Hydatid tumor of the liver	2									1			1					
122	Cirrhosis of the liver	496	4					1	1	1	2	4	9	47	79	115	124	109	
123	Biliary calculi	305									2	4	8	44	70	88	64	25	
124	Other diseases of the liver	283	7	3		1	4	1	1	2	7	12	11	42	44	48	57	43	
125	Diseases of the pancreas	35									2	1	2	4	6	11	6	3	
126	Peritonitis without specified cause	117	16		3	2	3	6	6	3	7	10	11	15	10	8	9	8	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	6,557	39	9	6	5	2	25	28	46	78	111	144	521	723	1,221	1,749	1,849	1
128	Acute nephritis (including unspecified under 10 years)	271	18	3	5	2		15	6	16	8	14	14	39	37	35	33	26	
129	Chronic nephritis (including unspecified 10 years and over)	5,240	2	2	1	2	2	7	19	19	43	43	68	301	544	1,057	1,523	1,606	1
131	Other diseases of the kidneys and annexa	160	11	4		1		3	2	3	4	9	7	17	30	23	29	17	
132	Calculi of the urinary passages	46								1		2	1	6	5	16	8	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
133	Diseases of the bladder	68	2							1			1	1	4	4	17	38	
134	Diseases of the urethra, etc	26									1	1		4	6	6	5	3	
135	Diseases of the prostate	309									1	1		2	9	40	115	141	
136	Nonvenereal diseases of the male genital organs	8	5												1	1		1	
137	Cysts, other benign tumors of the ovary	67								2	1	4	8	16	10	15	5	6	
138	Salpingitis and pelvic abscess (female)	136							1	4	12	25	21	44	22	5	2		
139	Benign tumors of the uterus	153									2	7	14	68	43	10	6	3	
140	Nonpuerperal uterine hemorrhage	5										2		2	1				
141	Other diseases of the female genital organs	67									6	3	10	21	11	9	6	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	831								80	166	195	181	200	9				
143	Accidents of pregnancy	85								5	12	29	20	18	1				
144	Puerperal hemorrhage	73								1	12	14	18	24	4				
145	Other accidents of labor	99								8	19	19	26	27					
146	Puerperal septicemia	340								37	77	82	58	83	3				
147	Puerperal phlegmasia alba dolens, embolus, etc	41								2	7	14	9	9					
148	Puerperal albuminuria and convulsions	191								27	38	37	49	39	1				
149	Following childbirth (undefined)	2									1		1						
	IX.—Diseases of the skin and of the cellular tissue	227	26	5		1	1	2	5	3	2	7	7	8	21	20	36	83	
151	Gangrene	102	1				1		1					5	6	3	23	62	
152	Furuncle	28						2	3	2	1	1	4		5	3	4	3	
153	Acute abscess	40	9	2		1			1		1	3	1	3	7	5	5	2	
154	Other diseases of the skin and annexa	57	16	3						1		3	2		3	9	4	16	
	X.—Diseases of the bones and of the organs of locomotion	84	4	1	1	2	2	14	6	3	2	7		11	8	8	11	4	
155	Diseases of the bones (tuberculosis excepted)	69	1	1	1	2	2	13	6	3	2	5		8	8	7	6	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	13	2					1				2		3		1	4		
158	Other diseases of the organs of locomotion	2	1														1		
	XI.—Malformations	872	819	18	9	4	3	11	5	1		1	1						
159a	Congenital hydrocephalus	61	53	2	1			3	2										
159b	Congenital malformations of the heart	573	540	13	4	4	3	4	2	1		1	1						
159c	Other congenital malformations	238	226	3	4			4	1										
	XII.—Early infancy	3,729	3,729																
160	Congenital debility, icterus, sclerema	412	412																
161a	Premature birth	2,431	2,431																
161b	Injury at birth	661	661																
162	Other diseases peculiar to early infancy	223	223																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	773														8	70	695	
	XIV.—External causes	6,904	150	87	89	84	91	338	251	353	469	445	471	980	883	736	672	802	3
	Suicide	873							3	20	57	56	90	180	182	143	110	32	
165	By poisons (gas or corrosives excepted)	35									3	3	11	6	7	1	3	1	
166	By corrosive substances	143							1	9	23	11	22	35	25	8	8	1	
167	By poisonous gas	20									1	1	1	5	2	7	3		
168	By hanging or strangulation	160							1	1	7	5	6	29	48	31	20	12	
169	By drowning	45									3	1	3	7	12	8	7	4	
170	By firearms	355							1	8	17	29	35	78	68	64	47	8	
171	By cutting or piercing instruments	72										3	6	12	11	20	16	4	
172	By jumping from high places	16									2	1	4	3	1	2	2	1	
173	By crushing	13								1		1	1	4	3	1	1	1	
174	By other means	14								1	1	1	1	1	5	1	3		
	Homicide	546	7	2	1	1		6	7	21	74	104	92	125	68	29	6	3	
197	By firearms	345		2				2	5	15	40	71	68	81	45	13	2	1	
198	By cutting or piercing instruments	82			1			1		3	18	17	14	20	2	5		1	
199	By other means	119	7			1		3	2	3	16	16	10	24	21	11	4	1	
	Accidental or undefined	5,485	143	85	88	83	91	332	241	312	338	285	289	675	633	564	556	767	3
175	Poisoning by food	46	2		1	1	1	3	3		1	4	2	4	10	4	5	5	
176	Poisoning by venomous animals	3					1								1		1		
177	Other acute poisonings (gas excepted)	99	3	19	12	6	1	2	3	2	3	3	6	13	13	8	4	1	
178	Conflagration	71	3	3	3	3	5	4	2	2		5	1	9	9	7	5	10	
179	Burns (conflagration excepted)	388	11	27	25	31	28	31	15	13	14	24	19	34	38	22	33	23	
180	Mechanical suffocation	86	62	1	1				1	1	5	3	3	3	4		1	1	
181	Absorption of irrespirable, irritating, or poisonous gas	106	1				1	2	4	4	7	7	4	29	16	18	10	3	
182	Drowning	300		4	5	7	6	43	43	53	38	15	10	33	17	17	5	4	
183	Traumatism by firearms (except in war)	128	1		1	2	4	1	18	24	15	8	6	28	9	9	2		
184	Traumatism by cutting or piercing instruments	42	2	1	2	1	1	1	2		3	4		5	6	5	4	5	
185	Traumatism by fall	1,199	7	9	9	5		15	11	13	26	24	31	79	96	130	205	539	
186a	Traumatism in mines	87								3	5	8	11	27	17	12	4		
186b	Traumatism in quarries	7						1		2	2	1				1			
187	Traumatism by machines	157					1	1	4	8	19	10	17	29	30	20	13	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188a	Railroad accidents	624	4	2	4	1	2	16	22	46	57	56	60	120	110	70	39	12	3
	Collision with automobiles	186	3		3	1	1	4	9	22	25	18	17	35	24	13	11		
	Other railroad accidents	438	1	2	1		1	12	13	24	32	38	43	85	86	57	28	12	3
188b	Street-car accidents	152	1	1	3	2	2	8	3	10	14	11	5	21	30	23	10	8	
	Collision with automobiles	73	1	1		2	1	4		4	10	6	4	13	13	8	4	2	
	Other street-car accidents	79			3		1	4	3	6	4	5	1	8	17	15	6	6	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,317	8	4	13	15	31	184	70	91	101	63	75	154	148	140	138	82	
188d	Airplane and balloon accidents	3										2		1					
188e,f	Injuries by other vehicles	66	1	1	2			4	3	5	4	2	1	2	6	11	16	8	
188g	Landslide, other crushing	30							4	1	1	2	2	10	4	5	1		
189	Injuries by animals (not poisoning)	30				1	2	3	4	2	1			6	3	4	4		
193	Excessive cold	13												1	4	2	4	2	
194	Excessive heat	41	3	2			1			3		4	2	4	5	6	8	3	
195	Lightning	26						1	9	3	3	1	1	1	4	3			
196	Other accidental electric shocks	94						1	7	6	12	16	17	22	7	5	1		
201	Fracture (cause not specified)	76			1	1		1	1	1	1	1	2	2	8	6	13	38	
202	Other external violence	294	34	11	6	7	4	10	12	19	6	11	14	38	38	36	30	18	
	XV.—Ill-defined diseases	220	88	10	4	2	2	2		1	1	1	4	6	9	22	28	40	
204	Sudden death	23	4											1	2	6	5	5	
205a	Ill-defined	76	14	8	3	2	1	1				1	2	4	4	8	13	15	
205b	Not specified or unknown	121	70	2	1		1	1		1	1		2	1	3	8	10	20	
	OREGON																		
	All causes	9,857	774	102	78	47	45	181	150	230	275	314	295	764	1,037	1,498	2,053	2,006	8
	I.—Epidemic, endemic, and infectious diseases	1,171	89	27	36	17	16	59	48	76	97	84	79	141	138	108	95	60	1
1	Typhoid and paratyphoid fever	36			1		2	1	1	3	4	5	6	6	4	2	1		
5	Malaria	2								1					1				
6	Smallpox	7	2						1				1				2	1	
7	Measles	8		2			1	2	1			1	1						
8	Scarlet fever	26	3	2	1		1	8	4	4		1		2					
9	Whooping cough	50	34	7	5	1	2		1										
10	Diphtheria	59	2	3	10	9	3	18	8	4		1		1					
11a	Influenza (with pulmonary complications)	119	8	1	6		1	2	2	4	4	4	7	12	11	20	22	15	
11b	Influenza (other and unspecified)	101	12	4	1	2		5		5	2	2	2	5	8	6	22	25	
13	Mumps	2							1	1									
16	Dysentery	14	5		1						1			1		1	1	4	
20	Leprosy	1											1						
21	Erysipelas	19	5							3					4		4	3	
22	Acute anterior poliomyelitis	3			1		1		1										
23	Lethargic encephalitis	10		1						1	1		1		5	1			
24	Meningococcus meningitis	63	2	3	4		3	13	9	11	7	1		3	5	2			
25	Other epidemic and endemic diseases	9						1	1					1	2	1	3		
27	Anthrax	1								1									
29	Tetanus	4							1	1	1			1					
30	Mycoses	2										1					1		
	Tuberculosis (all forms)	542	9	4	5	5	2	9	17	34	76	65	54	93	75	53	31	9	1
31	Of the respiratory system	448	2		1		1	3	11	28	68	55	45	83	66	50	25	9	1
32	Of the meninges, central nervous system	32	7	3	2	4		6	2	1	2	2		2	1				
33	Of the intestines, peritoneum	18		1	2				1	1	2	2	3		3		3		
34	Of the vertebral column	9							1		2	1	1	2	1	1			
35	Of the joints	3								1		1			1				
36	Of other organs	17								1	1	4	3	5		1	2		
37a	Disseminated (acute)	9				1	1		1				1		3	1	1		
37b	Disseminated (chronic or unspecified)	6							1	2	1		1	1					
38	Syphilis	79	6							2		2	5	13	21	20	7	3	
40	Gonococcus infection	5								1		1	1	1	1				
41	Purulent infection, septicemia	9	1		1						1			2	1	2	1		
	II.—General diseases not included in Class I	1,461	19	6	2	5	5	9	10	15	12	15	26	92	235	373	421	214	2
	Cancer and other malignant tumors	1,002	1		1	2		2	2	2	4	5	13	58	174	248	317	172	1
43	Of the buccal cavity	20												3	5	3	6	3	
44	Of the stomach, liver	413						1			3		6	14	58	91	157	83	
45	Of the peritoneum, intestines, rectum	140										1	2	10	21	50	36	20	
46	Of the female genital organs	118										1	2	15	34	29	21	16	
47	Of the breast	85											1	8	31	22	15	8	
48	Of the skin	26										1			1	4	9	10	1
49	Of other or unspecified organs	200	1		1	2		1	2	2	1	2	2	8	24	49	73	32	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	11	1				1								1	4	3	1	
51	Acute rheumatic fever	16			1		1	1	2	2		1	1			2	4	1	
52	Chronic rheumatism, osteoarthritis, gout	13							1						1	3	6	2	
54	Pellagra	2																	
56	Rickets	6		3			1	2						1	1				
57	Diabetes mellitus	175							1	3	4	2	3	9	17	60	49	26	1
58	Anemia, chlorosis	67	3	2						1				3	12	21	21	4	
60a	Exophthalmic goiter	69								1	2	3	4	6	17	18	13	5	
60b	Other diseases of the thyroid gland	2													1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	II.—General diseases not included in Class I—Continued.																		
62	Diseases of the thymus gland	7	6							1									
63	Diseases of the adrenals (Addison's disease)	5												2		1	2		
64	Diseases of the spleen	2		1					1										
65a	Leukemia	29				3	2	3	1	3	1	2	2	3	2	6	1		
65b	Hodgkin's disease	15						1	1	1		1		3	4	3	1		
66	Alcoholism (acute or chronic)	25									1	1	3	6	5	6	2	1	
67a	Chronic lead poisoning	2												1			1		
68	Chronic poisoning by organic substances	2															1	1	
69	Other general diseases	11	8						1	1								1	
	III.—Diseases of the nervous system and of the organs of special sense	1,195	12	5	3	3	1	7	8	12	5	13	17	62	112	213	342	379	1
70	Encephalitis	7									1	1	1		1	2	1		
71a	Simple meningitis	22	2		2			3		1				1	5	4	3	1	
71b	Nonepidemic cerebrospinal meningitis	6	2	1		1										2			
72	Tabes dorsalis (locomotor ataxia)	7											1	1	1	2	1	1	
73	Other diseases of the spinal cord	34	1	1				1		2		3		3	4	5	6	8	
74a	Cerebral hemorrhage	833	1							3		1	4	17	65	147	277	317	1
74b	Cerebral embolism and thrombosis	47	1				1			1			1	2	1	7	20	13	
75	Paralysis without specified cause	54										1	1		2	9	17	24	
76	General paralysis of the insane	57											5	19	16	11	5	1	
77	Other forms of mental alienation	26									1	1		3	6	10	2	3	
78	Epilepsy	18						1	2	2		3	1	5	2		2		
79	Convulsions (nonpuerperal; 5 years and over)	1									1								
80	Infantile convulsions (under 5 years)	4	4																
82	Neuralgia and neuritis	1															1		
83	Softening of the brain	9											1		1	1	2	4	
84	Other diseases of the nervous system	42		2		2			1	1	1	3	1	6	7	8	4	6	
86a	Diseases of the ear	17	1	1				1	2	1	1		1	4	1	2	1	1	
86b	Diseases of the mastoid process	10			1			1	3	1				1		3			
	IV.—Diseases of the circulatory system	1,996	4	1	5	1	1	7	12	17	14	28	23	85	170	372	591	663	2
87	Pericarditis	10			1	1					1					2	1	4	
88	Endocarditis and myocarditis (acute)	58	1		1			2	2	4	1	7	7	9	3	6	5	10	
89	Angina pectoris	157												6	12	50	56	33	
90	Other diseases of the heart	1,471	3	1	3		1	5	9	13	12	19	13	61	119	282	445	483	2
91a	Aneurysm	25										2	1	3	8	4	5	2	
91b,c	Other diseases of the arteries	197												2	6	14	60	115	
92	Embolism and thrombosis (not cerebral)	71											2	3	20	13	19	14	
93	Diseases of the veins	6												1	2	1		2	
94	Diseases of the lymphatic system	1							1										
	V.—Diseases of the respiratory system	732	99	27	18	5	9	15	14	10	17	17	18	49	62	85	123	164	
97a	Diseases of the nasal fossae	1														1			
97b	Diseases of the nasal fossae annexa	8						1	1		2				1	1	2		
98	Diseases of the larynx	3			1	1										1			
99a	Acute bronchitis	8	1														4	3	
99b	Chronic bronchitis	12					1					1				1		9	
99c,d	Bronchitis (unspecified)	6	3	1		1								1					
100a	Broncho-pneumonia	272	59	17	10		3	5	4	2	2	3	3	15	12	23	42	72	
101a	Lobar pneumonia	330	29	8	6	1	5	8	9	7	9	11	11	27	39	45	60	55	
101b	Pneumonia (unspecified)	28	4	1	1	1					3		2	1	3	2	3	7	
102	Pleurisy	19	2			1						1		4	1	5	4	1	
103	Congestion and hemorrhagic infarct of the lung	13	1					1					1		1		2	7	
104	Gangrene of the lung	3								1		1			1				
105	Asthma	22													2	5	6	9	
106	Pulmonary emphysema	1																1	
107	Other diseases of the respiratory system (tuberculosis excepted)	6									1		1	1	2	1			
	VI.—Diseases of the digestive system	675	69	24	10	5	5	26	18	19	20	26	31	73	94	96	106	53	
108	Diseases of the mouth and annexa	4									1	1	1			1			
109b	Other diseases of the pharynx, tonsils	41	1	1	1	1	1	6	4	3	2	2	2	6	4	5	2		
111a	Ulcer of the stomach	51						1						4	17	13	12	4	
111b	Ulcer of the duodenum	25											1	4	5	4	8	3	
112	Other diseases of the stomach (cancer excepted)	34	5	1	1				1	1	1	3	1	3	4	3	4	6	
113	Diarrhea and enteritis (under 2 years)	78	59	19															
114	Diarrhea and enteritis (2 years and over)	36			5	3		2				3	2	4	1	3	7	6	
117	Appendicitis and typhlitis	135	1		1	1	2	13	12	12	8	10	15	19	15	18	7	1	
118a	Hernia	33	1									1			8	5	9	9	
118b	Intestinal obstruction	53	2	1	2		1	3		1	2	3	2	6	7	8	10	5	
119	Other diseases of the intestines	7													2		2	3	
120	Acute yellow atrophy of the liver	7									1		1		2	1	1	1	
121	Hydatid tumor of the liver	1											1						
122	Cirrhosis of the liver	49											2	6	10	10	14	7	
123	Biliary calculi	32										1		7	6	8	8	2	
124	Other diseases of the liver	65						1	1	1	2	1	2	9	10	14	18	6	
125	Diseases of the pancreas	10									1			3	2	2	2		
126	Peritonitis without specified cause	14		2			1			1	2	1	1	2	1	1	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	872	6					1	2	8	13	16	12	61	85	145	252	271	
128	Acute nephritis (including unspecified under 10 years)	22	3						1	1	1	1		4	3	1	2	5	
129	Chronic nephritis (including unspecified 10 years and over)	684						1		7	6	7	7	38	63	122	212	221	
131	Other diseases of the kidneys and annexa	26	2						1		2	1	2	5	5	3	2	3	
132	Calculi of the urinary passages	9												1	5	2	1		
133	Diseases of the bladder	4															1	3	
134	Diseases of the urethra, etc	3												1	1	1			
135	Diseases of the prostate	79														12	28	39	
136	Nonvenereal diseases of the male genital organs	2	1												1				
137	Cysts, other benign tumors of the ovary	7										2		1	1	2	1		
138	Salpingitis and pelvic abscess (female)	18									4	3	2	6	2		1		
139	Benign tumors of the uterus	9												4	2		3		
141	Other diseases of the female genital organs	9										2	1	1	2	2	1		
	VIII.—The puerperal state	87								9	13	24	18	19	4				
143	Accidents of pregnancy	12								3	1	3	2	3					
144	Puerperal hemorrhage	14								2	3	3	3	2	1				
145	Other accidents of labor	8								1	1	2	2	1	1				
146	Puerperal septicemia	33								1	5	9	8	9	1				
148	Puerperal albuminuria and convulsions	19								2	3	7	2	4	1				
149	Following childbirth (undefined)	1											1						
	IX.—Diseases of the skin and of the cellular tissue	28	1					1	1					2	2	2	4	15	
151	Gangrene	17													2		2	13	
152	Furuncle	4							1					1		1	1		
153	Acute abscess	2						1						1					
154	Other diseases of the skin and annexa	5	1													1	1	2	
	X.—Diseases of the bones and of the organs of locomotion	9							2	2			1	1		2	1		
155	Diseases of the bones (tuberculosis excepted)	6							1	2			1	1		1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3							1							1	1		
	XI.—Malformations	88	79	1		1	1	1	3		2								
159a	Congenital hydrocephalus	7	5				1				1								
159b	Congenital malformations of the heart	57	52	1				1	2		1								
159c	Other congenital malformations	24	22			1			1										
	XII.—Early infancy	372	372																
160	Congenital debility, icterus, sclerema	34	34																
161a	Premature birth	228	228																
161b	Injury at birth	74	74																
162	Other diseases peculiar to early infancy	36	36																
164	XIII.—Old age (senility)	103														1	8	94	
	XIV.—External causes	1,033	16	9	4	10	6	54	32	62	80	91	70	178	133	95	100	92	1
	Suicide	179							1	3	8	9	8	49	37	25	28	11	
165	By poisons (gas or corrosives excepted)	11									3	2			2	1	2	1	
166	By corrosive substances	9								1		1	1	4	1	1			
167	By poisonous gas	17										1	2	5	5	1	2	1	
168	By hanging or strangulation	32									1	2		9	7	5	6	2	
169	By drowning	20												5	9	4	1	1	
170	By firearms	66							1	2	3	2	3	19	7	11	13	5	
171	By cutting or piercing instruments	14												5	5	1	2	1	
172	By jumping from high places	3									1		1		1				
173	By crushing	2										1		1					
174	By other means	5											1	1		1	2		
	Homicide	38							1	2	2	7	6	7	8	3	2		
197	By firearms	31							1	2	2	5	5	6	5	3	2		
198	By cutting or piercing instruments	1											1						
199	By other means	6										2		1	3				
	Accidental or undefined	816	16	9	4	10	6	54	30	57	70	75	56	122	88	67	70	81	1
175	Poisoning by food	10						1	1		1			4	1	1	1		
177	Other acute poisonings (gas excepted)	14		2	1			1		1	1	1		2	3	1	1		
178	Conflagration	12	2	1							1			2			3	3	
179	Burns (conflagration excepted)	30		4	1	1	2	4	2			3	1	3	2	2	1	4	
180	Mechanical suffocation	5	3											2					
181	Absorption of irrespirable, irritating, or poisonous gas	2												1	1				
182	Drowning	108		2	2	4	1	9	11	14	17	11	8	10	13	4	1	1	
183	Traumatism by firearms (except in war)	31						1	6	5	6	2	1	4	4	1	1		
184	Traumatism by cutting or piercing instruments	6						1		1		1		1	1	1			
185	Traumatism by fall	122	1					3	2	5	2	6	5	9	10	8	23	47	1
186a	Traumatism in mines	1											1						
186b	Traumatism in quarries	1											1						
187	Traumatism by machines	45								5	6	5	5	13	3	6	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188a	Railroad accidents	48						2		2	2	9	3	11	7	5	4	3	
	Collision with automobiles	8						1		1				2	1		3		
	Other railroad accidents	40						1		1	2	9	3	9	6	5	1	3	
188b	Street-car accidents	6										1		4	1				
	Collision with automobiles	3										1		2					
	Other street-car accidents	3												2	1				
188c	Automobile accidents (excluding collision with railroad trains and street cars)	187	3			4	3	24	5	12	11	21	12	21	22	18	20	11	
188d	Airplane and balloon accidents	6									2	2					2		
188e,f	Injuries by other vehicles	17							1		5		2	2		1	4	2	
188g	Landslide, other crushing	22			1			1		2	3	1	3	4	6	2			
189	Injuries by animals (not poisoning)	9									1		2		1	3	1	1	
193	Excessive cold	2										1			1				
194	Excessive heat	1																1	
195	Lightning	3								1			1	1					
196	Other accidental electric shocks	10								2	2	1	2	2				1	
201	Fracture (cause not specified)	6																6	
202	Other external violence	112	7					7	2	7	10	10	10	26	12	14	6	1	
	XV.—Ill-defined diseases	35	8	2			1	1			2			1	2	6	10	1	1
204	Sudden death	5	1								1				1		1	1	
205a	Ill-defined	18		2				1						1	1	5	8		
205b	Not specified or unknown	12	7				1				1					1	1		1
	PENNSYLVANIA																		
	All causes	120,537	17,122	3,426	1,422	921	696	2,223	1,563	2,387	3,094	3,270	3,909	9,920	13,451	17,285	19,996	19,845	7
	I.—Epidemic, endemic, and infectious diseases	16,584	2,067	1,194	562	362	271	718	384	806	1,115	1,016	1,025	1,926	1,727	1,378	1,074	956	3
1	Typhoid and paratyphoid fever	357	1	1	3	3	4	19	38	46	46	34	28	57	48	18	10	1	
5	Malaria	5									1			1	1		1	1	
7	Measles	1,058	323	344	138	64	38	94	24	11	5	5	2	4	3	2	1		
8	Scarlet fever	272	15	30	18	24	30	81	25	12	11	6	8	6	4	2			
9	Whooping cough	927	515	246	73	37	24	25	2		2			1		1		1	
10	Diphtheria	800	56	111	124	94	93	220	41	10	10	12	5	11	5	5	1	1	1
11a	Influenza (with pulmonary complications)	2,985	517	222	67	39	21	54	28	64	64	78	97	280	276	346	402	430	
11b	Influenza (other and unspecified)	1,245	162	62	30	19	10	36	31	31	24	26	31	88	91	116	178	310	
13	Mumps	2									1						1		
15	Cholera nostras	10	1	1			1		1								4	2	
16	Dysentery	72	27	4	1	5	1	2			1	1	1	3	4	3	8	11	
19	Spirochetal hemorrhagic jaundice	4	2											1		1			
21	Erysipelas	269	98	5	2	2	1		5	2	2	6	7	11	29	33	35	31	
22	Acute anterior poliomyelitis	44	1	9	4	3	3	8	5	6	2			2	1				
23	Lethargic encephalitis	119	5	3	4	4	3	10	4	13	7	6	6	14	17	12	8	3	
24	Meningococcus meningitis	84	17	14	3	5	4	10	5	6	4	3	2	1	5	3	2		
25	Other epidemic and endemic diseases	22	8	11	1			1				1							
27	Anthrax	3										1		1	1				
28	Rabies	8					1	3	2					1		1			
29	Tetanus	103	6		1	5	2	25	22	7	8	3	4	8	4	8			
30	Mycoses	15	3					1				1	2	2	3	3			
	Tuberculosis (all forms)	7,399	146	114	87	55	35	118	142	581	889	793	777	1,304	1,094	723	390	149	2
31	Of the respiratory system	6,360	50	38	35	16	6	49	90	494	815	727	700	1,190	999	664	352	133	2
32	Of the meninges, central nervous system	363	76	57	45	26	15	39	26	19	12	11	10	12	9	4	2		
33	Of the intestines, peritoneum	273	11	9	2	6	4	7	13	30	30	20	26	40	32	19	22	2	
34	Of the vertebral column	128	2		1	3	10	8	6	12	6	10	20	17	14	8	4	7	
35	Of the joints	29						4	1	4	2	2	2	3	6	4	1		
36	Of other organs	101	3	3		2		6	2	2	6	7	6	22	16	14	5	7	
37a	Disseminated (acute)	114	4	6	3	1		4	4	18	13	12	12	14	14	7	2		
37b	Disseminated (chronic or unspecified)	31		1	1	1		1		2	5	4	1	6	4	3	2		
38	Syphilis	601	141	14	5	2		5	5	9	15	24	37	96	121	93	26	8	
39	Soft chancre	1																1	
40	Gonococcus infection	94	8	1					2	4	16	13	12	24	11	1	1	1	
41	Purulent infection, septicemia	85	15	2	1	1		6	2	4	7	3	6	10	9	7	6	6	
	II.—General diseases not included in Class I	13,585	301	62	34	26	30	117	132	120	134	178	300	1,263	2,437	3,479	3,170	1,802	
	Cancer and other malignant tumors	9,172	6	4	8	10	8	22	27	29	49	77	149	786	1,701	2,477	2,371	1,448	
43	Of the buccal cavity	306				1	1		1	1		1	3	9	51	91	82	65	
44	Of the stomach, liver	3,388	2		1			1	1	4	7	12	29	182	562	957	1,023	607	
45	Of the peritoneum, intestines, rectum	1,299			1	1	1	4	2	6	8	14	23	100	213	352	354	220	
46	Of the female genital organs	1,351							3	1	9	17	50	236	360	330	239	106	
47	Of the breast	830									1	6	16	103	215	236	163	90	
48	Of the skin	224				1	1	1			1		3	12	16	42	51	96	
49	Of other or unspecified organs	1,774	4	4	6	7	5	16	20	17	23	27	25	144	284	469	459	264	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	42	2	1					1		2	2	1	4	8	7	7	7	
51	Acute rheumatic fever	325	4	2	3	5	8	46	44	30	17	18	19	38	26	33	19	13	
52	Chronic rheumatism, osteoarthritis, gout	118								2		1	1	5	15	26	33	35	
53	Scurvy	5	2	1				1								1			
54	Pellagra	7										1		1		3	2		
55	Beriberi	1									1								
56	Rickets	63	39	16	5	1		2											
57	Diabetes mellitus	1,885		3		4	2	18	43	28	22	20	31	98	288	577	528	223	
58	Anemia, chlorosis	488	11	8	1	1	2	3	7	1	9	8	17	48	96	123	112	41	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	II.—General diseases not included in Class I—Contd.																		
59	Diseases of the pituitary gland	11								2	1	1		2	2	1		2	
60a	Exophthalmic goiter	346		1					2	8	14	21	30	82	83	68	28	9	
60b	Other diseases of the thyroid gland	47	8	2	1		1	3		3		1	4	5	4	8	5	2	
61	Diseases of the parathyroid glands	15	9	3				1						2					
62	Diseases of the thymus gland	139	113	9	6	2	3	3	1	1					1				
63	Diseases of the adrenals (Addison's disease)	21									1	2	1	4	5	5	2	1	
64	Diseases of the spleen	13			1			1		1	1			3	3	1	1	1	
65a	Leukemia	152	7	1	6	2	2	7	3	9	8	9	9	19	24	27	15	4	
65b	Hodgkin's disease	74		2	1		2	7	2	2	2	4	4	10	14	19	4	1	
66	Alcoholism (acute or chronic)	481							1		3	8	32	144	154	93	37	9	
67a	Chronic lead poisoning	12			1							1		3	4	2	1		
67b	Other chronic mineral poisoning	1										1							
68	Chronic poisoning by organic substances	5												1		3		1	
69	Other general diseases	162	100	9	1	1	2	3	1	4	4	3	1	9	6	8	4	6	
	III.—Diseases of the nervous system and of the organs of special sense	11,691	414	118	57	38	33	126	71	115	111	106	202	691	1,299	2,082	3,049	3,178	1
70	Encephalitis	122	13	8	4	3		8	5	6	4	2	12	18	10	13	11	5	
71a	Simple meningitis	273	85	29	17	7	13	26	13	10	7	8	9	17	12	11	5	4	
71b	Nonepidemic cerebrospinal meningitis	46	13	8	3	6	1	2	1	2	2	2	1	3	1		1		
72	Tabes dorsalis (locomotor ataxia)	165										1	3	15	38	52	42	14	
73	Other diseases of the spinal cord	318	3			1		4	2	10	5	8	8	29	51	74	70	53	
74a	Cerebral hemorrhage	8,063	9	5	3	1			3	8	15	16	47	249	785	1,580	2,544	2,797	1
74b	Cerebral embolism and thrombosis	412	3	3	2		3	3		4	4	2	9	26	45	96	109	103	
75	Paralysis without specified cause	278	2							1	1	2	2	6	26	46	101	91	
76	General paralysis of the insane	625							1	3	7	17	51	195	205	89	42	15	
77	Other forms of mental alienation	80								2	7	6	6	13	16	13	16	1	
78	Epilepsy	266	5		4		3	15	17	32	32	19	17	41	34	20	12	15	
79	Convulsions (nonpuerperal; 5 years and over)	7						2		1			1	1	1		1		
80	Infantile convulsions (under 5 years)	246	193	33	13	6	1												
81	Chorea	8					1	1	4								2		
82	Neuralgia and neuritis	35						1		1			2	5	4	8	11	3	
83	Softening of the brain	55													2	9	14	30	
84	Other diseases of the nervous system	344	20	4	1	4	2	9	3	10	12	12	19	47	48	55	59	39	
85	Diseases of the eye and annexa	10	2			1							1	2		1	2	1	
86a	Diseases of the ear	191	43	16	6	6	6	26	9	13	7	7	9	13	10	11	4	5	
86b	Diseases of the mastoid process	147	23	12	4	3	3	29	13	12	8	4	5	11	11	4	3	2	
	IV.—Diseases of the circulatory system	23,006	158	27	26	16	20	182	198	236	266	301	381	1,352	2,635	4,247	6,129	6,831	1
87	Pericarditis	117	4			1		3	2	3	6	7	9	14	20	15	18	15	
88	Endocarditis and myocarditis (acute)	1,237	64	15	10	9	9	53	47	43	62	80	72	243	140	159	133	98	
89	Angina pectoris	1,228	1						1	2	1	3	7	44	160	348	401	260	
90	Other diseases of the heart	18,206	75	10	14	6	10	125	148	185	190	205	274	987	2,170	3,472	5,009	5,325	1
91a	Aneurysm	156								1	3	3	6	22	38	39	35	9	
91b,c	Other diseases of the arteries	1,774											2	13	55	154	473	1,077	
92	Embolism and thrombosis (not cerebral)	191	4							1	4	2	9	16	33	40	47	35	
93	Diseases of the veins	52			1							1	1	5	13	14	9	8	
94	Diseases of the lymphatic system	32	10	2	1		1	1						5	3	5	3	1	
95	Hemorrhage without specified cause	12								1			1	3	3	1	1	2	
96	Other diseases of the circulatory system	1																1	
	V.—Diseases of the respiratory system	14,611	3,525	1,225	366	189	93	236	120	201	235	312	396	1,102	1,445	1,579	1,639	1,948	
97a	Diseases of the nasal fossae	9	3	2											1		1	2	
97b	Diseases of the nasal fossae annexa	54	2	1	1		2	5	4	6	3	4	2	7	7	7	3		
98	Diseases of the larynx	41	14	8	1	3	3	3		1	1		1	2	1	2	1		
99a	Acute bronchitis	340	158	26	6	1	3	2		3	1		4	4	9	10	22	91	
99b	Chronic bronchitis	259	2	2	1		1			2	1	2	2	5	19	31	74	117	
99c,d	Bronchitis (unspecified)	176	60	12	5	1			2					4	7	8	15	62	
100a	Broncho-pneumonia	5,434	2,194	701	188	91	38	80	30	24	35	52	53	189	266	348	463	682	
100b	Capillary bronchitis	94	45	10	5	2	1		2		1			2	2	6	5	13	
101a	Lobar pneumonia	6,883	875	392	128	78	43	121	72	148	175	227	295	771	967	976	869	746	
101b	Pneumonia (unspecified)	385	120	29	14	5		10	3	1	2	8	10	30	27	25	34	67	
102	Pleurisy	294	22	35	16	6	1	13	6	9	11	8	10	39	36	28	29	25	
103	Congestion and hemorrhagic infarct of the lung	165	26	5	1	2	1				3	3	4	7	8	10	19	76	
104	Gangrene of the lung	17								1		1	4	3	3	1	2	2	
105	Asthma	240	2	1				1		1		2	6	19	32	63	68	45	
106	Pulmonary emphysema	23								1				2	5	2	6	7	
107	Other diseases of the respiratory system (tuberculosis excepted)	197	2	1				1	1	4	2	5	5	18	55	62	28	13	
	VI.—Diseases of the digestive system	9,187	2,865	512	156	95	71	195	185	194	198	242	322	758	924	1,040	829	600	1
108	Diseases of the mouth and annexa	67	10		1		1	6	3	3	3	3	6	6	6	9	7	3	
109a	Adenoid vegetations	1							1										
109b	Other diseases of the pharynx, tonsils	309	22	17	6	8	13	40	22	19	16	23	27	31	27	20	10	8	
110	Diseases of the esophagus	9			1									1	1		2	4	
111a	Ulcer of the stomach	305	2	1		1				4	11	13	27	43	65	66	49	23	
111b	Ulcer of the duodenum	180							2	3	5	12	21	44	36	28	22	7	
112	Other diseases of the stomach (cancer excepted)	474	90	19	8	4	2	5	3	2	8	7	10	46	58	66	71	75	
113	Diarrhea and enteritis (under 2 years)	3,025	2,585	440															
114	Diarrhea and enteritis (2 years and over)	477			103	45	23	27	7	8	6	12	14	24	31	36	58	83	
117	Appendicitis and typhlitis	1,244	6	4	12	16	18	85	119	128	96	92	108	202	173	116	46	22	1
118a	Hernia	428	14	2		2		1	2	2	1	4	10	33	71	115	107	64	
118b	Intestinal obstruction	662	101	17	16	13	6	15	13	9	15	18	24	68	70	100	95	82	
119	Other diseases of the intestines	97	10	4	2			2		1	3	5	6	17	13	10	9	15	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
120	Acute yellow atrophy of the liver	50	2				1	1			7	4	9	5	6	9	1	5	
121	Hydatid tumor of the liver	2																2	
122	Cirrhosis of the liver	352	1	2	2			3	1	2	4	4	16	71	177	254	190	125	
123	Biliary calculi	344									3	10	12	59	74	88	66	32	
124	Other diseases of the liver	445	8	3	4		2	3	1	4	9	23	18	69	85	94	79	43	
125	Diseases of the pancreas	52		1						1	1	4	3	10	10	14	7	1	
126	Peritonitis without specified cause	164	14	2	1	6	5	7	11	8	10	8	11	29	21	15	10	6	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	11,588	59	18	19	14	17	48	58	95	138	148	270	861	1,454	2,209	3,111	3,069	
128	Acute nephritis (including unspecified under 10 years)	504	31	12	15	5	8	30	21	20	18	12	28	73	65	61	62	43	
129	Chronic nephritis (including unspecified 10 years and over)	9,802	1		1	8	5	16	33	52	78	85	177	614	1,206	1,990	2,806	2,730	
131	Other diseases of the kidneys and annexa	212	15	6	3	1	4	2	2	6	5	3	12	30	29	27	38	29	
132	Calculi of the urinary passages	61								2	3	3	3	8	8	12	14	8	
133	Diseases of the bladder	66	2									1	1	3	6	11	14	28	
134	Diseases of the urethra, etc	37									1	3	5	4	12	4	3	5	
135	Diseases of the prostate	452											1	2	12	74	156	207	
136	Nonvenereal diseases of the male genital organs	11	6								1	1	1			2			
137	Cysts, other benign tumors of the ovary	75									4	8	6	14	20	11	5	7	
138	Salpingitis and pelvic abscess (female)	137							1	12	22	18	19	35	23	2	1	4	
139	Benign tumors of the uterus	157								1	1	4	10	62	59	9	6	5	
140	Nonpuerperal uterine hemorrhage	3								1			1	1					
141	Other diseases of the female genital organs	66							1	1	5	9	6	15	14	6	6	3	
142	Nonpuerperal diseases of the breast (cancer excepted)	5	4									1							
	VIII.—The puerperal state	1,324							2	140	248	285	301	335	13				
143	Accidents of pregnancy	137								7	24	22	48	34	2				
144	Puerperal hemorrhage	159								6	17	34	32	67	3				
145	Other accidents of labor	125								6	19	24	28	48					
146	Puerperal septicemia	526							2	68	113	124	112	103	4				
147	Puerperal phlegmasia alba dolens, embolus, etc	57								3	4	17	18	15					
148	Puerperal albuminuria and convulsions	314								49	69	63	62	67	4				
149	Following childbirth (undefined)	6								1	2	1	1	1					
	IX.—Diseases of the skin and of the cellular tissue	355	60	4	1	3	1	6	6	8	4	1	9	20	35	42	58	97	
151	Gangrene	167	3		1	1	1	1			1	1	3	7	8	13	42	85	
152	Furuncle	48	8	1				1	2	4			2	4	8	9	6	3	
153	Acute abscess	76	19	3		2		4	2	3	1		4	7	12	12	5	2	
154	Other diseases of the skin and annexa	64	30						2	1	2			2	7	8	5	7	
	X.—Diseases of the bones and of the organs of locomotion	149	12	2	5	4	4	19	16	6	2	2	7	12	18	17	13	10	
155	Diseases of the bones (tuberculosis excepted)	122	8	1	4	3	4	19	16	6	2	2	6	9	13	13	9	7	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	22	4	1	1	1							1	3	5	3	2	1	
158	Other diseases of the organs of locomotion	5														1	2	2	
	XI.—Malformations	1,620	1,514	45	13	13	5	15	5	3	2	5							
159a	Congenital hydrocephalus	137	103	14	4	4	1	5	3	1	1	1							
159b	Congenital malformations of the heart	1,063	1,010	24	7	6	2	10	1	1	1	1							
159c	Other congenital malformations	420	401	7	2	3	2		1	1		3							
	XII.—Early infancy	5,767	5,767																
160	Congenital debility, icterus, sclerema	628	628																
161a	Premature birth	3,757	3,757																
161b	Injury at birth	918	918																
162	Other diseases peculiar to early infancy	456	456																
163	Lack of care	8	8																
164	XIII.—Old age (senility)	537													1	8	72	456	
	XIV.—External causes	9,921	198	182	176	160	151	553	380	457	628	661	683	1,552	1,397	1,131	775	836	1
	Suicide	1,188							5	31	77	93	99	250	262	211	118	41	1
165	By poisons (gas or corrosives excepted)	40							1	1	2	1	4	9	12	7	1	2	
166	By corrosive substances	96							1	5	12	12	14	22	17	10	1	2	
167	By poisonous gas	174								1	11	12	13	31	42	41	18	5	
168	By hanging or strangulation	257								4	9	13	18	51	62	57	30	12	1
169	By drowning	54									6	2	3	10	9	12	9	3	
170	By firearms	445							3	20	33	46	35	97	84	67	47	13	
171	By cutting or piercing instruments	63									1	1	5	15	18	13	8	2	
172	By jumping from high places	38									3	3	6	10	9	4	1	2	
173	By crushing	6										1		3	2				
174	By other means	15										2	1	2	7		3		
	Homicide	525	21	1	1	2		2	5	25	64	99	84	141	55	17	7	1	
197	By firearms	359				1			4	17	46	77	63	103	34	11	3		
198	By cutting or piercing instruments	64	1	1				1		2	7	10	12	20	9			1	
199	By other means	102	20		1	1		1	1	6	11	12	9	18	12	6	4		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined	8,208	177	181	175	158	151	551	370	401	487	469	500	1,161	1,080	903	650	794	
175	Poisoning by food	50	3	2	3		6	5	5	1	4		2	4	3	5	3	4	
176	Poisoning by venomous animals	4		1				1							1	1			
177	Other acute poisonings (gas excepted)	112	8	29	8	4	2	1	1	1	5	6	5	16	11	9	3	3	
178	Conflagration	145	5	6	5	7	6	22	7	4	4	10	4	15	12	19	14	5	
179	Burns (conflagration excepted)	759	27	67	84	62	56	99	20	21	19	29	23	75	47	39	44	47	
180	Mechanical suffocation	77	51	4				2	1	1	2		5	7	2	1	1		
181	Absorption of irrespirable, irritating, or poisonous gas	308	3	4	2	1		1	2	9	11	21	24	52	67	63	26	22	
182	Drowning	421	5	12	13	8	8	39	69	58	27	27	21	49	47	23	7	8	
183	Traumatism by firearms (except in war)	155			2	1		11	29	25	14	16	10	16	19	8	2	2	
184	Traumatism by cutting or piercing instruments	62	1	1		2	1	2	5	3	2	5	4	4	11	11	7	3	
185	Traumatism by fall	1,528	15	22	10	8	6	25	22	20	22	28	45	137	162	199	241	566	
186a	Traumatism in mines	895			1				1	42	87	91	103	281	182	94	13		
186b	Traumatism in quarries	23						1		3	1	2	1	5	4	4	2		
187	Traumatism by machines	234		2	1	1	2	2	3	28	19	26	21	39	55	20	12	3	
188a	Railroad accidents	764	1	4	5	2	1	20	24	31	67	63	67	154	140	113	53	19	
	Collision with automobiles	68	1	1	1	1		2	2	6	7	12	7	12	8	2	3	3	
	Other railroad accidents	696		3	4	1	1	18	22	25	60	51	60	142	132	111	50	16	
188b	Street-car accidents	157		3	2	5	3	6	4	3	8	8	10	24	29	25	18	9	
	Collision with automobiles	31		2							5	2	6	9	2	3	2		
	Other street-car accidents	126		1	2	5	3	6	4	3	3	6	4	15	27	22	16	9	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,734	12	6	32	50	56	280	122	108	135	86	107	175	195	181	128	61	
188d	Airplane and balloon accidents	12									6	3	1	1	1				
188e,f	Injuries by other vehicles	124	2	2		4	1	8	21	16	5	4	5	6	15	17	14	4	
188g	Landslide, other crushing	47	1	1	1			2	1	3	3	3	4	13	8	4	2	1	
189	Injuries by animals (not poisoning)	25	1					1	2		1			4	1	6	7	2	
193	Excessive cold	25										1		6	6	6	4	2	
194	Excessive heat	78	8	4					1	1	1	4	6	14	7	8	11	13	
195	Lightning	20				1		3	3	1	2	2	1	2	2	2		1	
196	Other accidental electric shocks	89		2				3	2	9	22	13	10	16	3	7	2		
201	Fracture (cause not specified)	19									3		2	4	5	1	4		
202	Other external violence	341	34	9	6	2	3	17	25	13	17	21	19	42	45	37	32	19	
	XV.—Ill-defined diseases	612	182	37	7	1		8	6	6	13	13	13	48	66	73	77	62	
204	Sudden death	112	17	4				1	1	2	3			9	11	20	19	25	
205a	Ill-defined	130	21	22	1	1		1	2	1	1	1	5	8	12	15	25	14	
205b	Not specified or unknown	370	144	11	6			6	3	3	9	12	8	31	43	38	33	23	
	RHODE ISLAND																		
	All causes	8,791	1,114	245	87	69	38	162	91	130	175	187	222	618	1,001	1,423	1,617	1,609	3
	I.—Epidemic, endemic, and infectious diseases	1,173	182	131	42	42	17	52	18	47	77	57	66	109	107	84	73	68	1
1	Typhoid and paratyphoid fever	11				1	1	2	1	1	3			1	1				
7	Measles	137	40	56	13	14	4	8	2										
8	Scarlet fever	4			1		2				1								
9	Whooping cough	125	66	35	12	4	3	5											
10	Diphtheria	43	1	9	4	13	2	13	1										
11a	Influenza (with pulmonary complications)	165	26	11	1	2	2	5	3	3	2		6	9	14	19	32	30	
11b	Influenza (other and unspecified)	69	7	3	2			2	1				2	5	5	7	10	25	
13	Mumps	1								1									
16	Dysentery	13	1										1		1	3	2	5	
21	Erysipelas	25	4				1					1		2	2	6	7	2	
22	Acute anterior poliomyelitis	7		1		1	1		2	1				1					
23	Lethargic encephalitis	10				1		1	1			1		2	2	2			
24	Meningococcus meningitis	10	4	1	2			1		2									
25	Other epidemic and endemic diseases	1		1															
27	Anthrax	1												1					
29	Tetanus	5	2						2						1				
	Tuberculosis (all forms)	499	20	14	7	6	1	14	5	38	70	52	54	82	71	41	18	6	
31	Of the respiratory system	403	5	2	1			7	2	35	67	42	50	73	66	33	15	5	
32	Of the meninges, central nervous system	37	8	8	4	4		3	1	2		3	1	1	1	1			
33	Of the intestines, peritoneum	20	3	3	1		1					4	2	1		3	1	1	
34	Of the vertebral column	9				1				1	1			3		2	1		
35	Of the joints	2						1						1					
36	Of other organs	11	2	1								1	1	3	2	1			
37a	Disseminated (acute)	11	1		1			2	2		1	2			1		1		
37b	Disseminated (chronic or unspecified)	6	1			1		1			1				1	1			
38	Syphilis	36	9					1			1	1	2	3	11	5	2		1
40	Gonococcus infection	4											1	3					
41	Purulent infection, septicemia	7	2							1		2					2		
	II.—General diseases not included in Class I	1,257	17	10	2	1		8	8	3	9	14	19	115	224	333	304	190	
	Cancer and other malignant tumors	884		2	1	1				1	1	6	10	70	164	245	234	149	
43	Of the buccal cavity	31											1	2	4	14	3	7	
44	Of the stomach, liver	282										1	4	23	35	83	87	49	
45	Of the peritoneum, intestines, rectum	168									1		2	6	25	52	46	36	
46	Of the female genital organs	125										2	1	22	35	28	22	15	
47	Of the breast	94										2		9	20	24	20	19	
48	Of the skin	15											1		3	3	5	3	
49	Of other or unspecified organs	169		2	1	1				1		1	1	8	42	41	51	20	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	II.—General diseases not included in Class I—Contd.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3											1			1	1		
51	Acute rheumatic fever	28						5	4		5	2		4	3	2	2	1	
52	Chronic rheumatism, osteoarthritis, gout	10												1	1	3	2	3	
54	Pellagra	1												1					
56	Rickets	3	2	1															
57	Diabetes mellitus	160						2	2	1	1	1	4	9	21	41	50	28	
58	Anemia, chlorosis	59	1	1					1		1			6	12	20	10	7	
59	Diseases of the pituitary gland	3		1	1										1				
60a	Exophthalmic goiter	13												4	3	4	2		
60b	Other diseases of the thyroid gland	5	1	1											1	2			
62	Diseases of the thymus gland	4	2	2															
63	Diseases of the adrenals (Addison's disease)	4										1			2	1			
65a	Leukemia	7		2							1		1	2		1			
65b	Hodgkin's disease	10						1	1			3	1	1		2		1	
66	Alcoholism (acute or chronic)	49										1	2	15	16	11	3	1	
68	Chronic poisoning by organic substances	2												2					
69	Other general diseases	12	11							1									
	III.—Diseases of the nervous system and of the organs of special sense	991	23	11	5	5		9	8	6	9	7	5	48	115	220	274	245	1
70	Encephalitis	6		1		1						1		1	1	1			
71a	Simple meningitis	27	7	3	3	2		4	2	2	1	1					2		
71b	Nonepidemic cerebrospinal meningitis	3	2						1										
72	Tabes dorsalis (locomotor ataxia)	16												2	7	6	1		
73	Other diseases of the spinal cord	22								1	1		2	2	3	7	5		1
74a	Cerebral hemorrhage	732									1	2		23	78	180	232	216	
74b	Cerebral embolism and thrombosis	53							2	1		1		2	5	7	21	14	
75	Paralysis without specified cause	18												1	2	5	4	6	
76	General paralysis of the insane	24									1		2	9	8	2	1	1	
77	Other forms of mental alienation	5									1			2	1	1			
78	Epilepsy	10		1				1		1	3		1			2	1		
79	Convulsions (nonpuerperal; 5 years and over)	2						1							1				
80	Infantile convulsions (under 5 years)	15	9	4	1	1													
82	Neuralgia and neuritis	2												1	1				
83	Softening of the brain	4																	
84	Other diseases of the nervous system	36	3	1		1		2	2		1	1		2	7	1		3	
85	Diseases of the eye and annexa	1			1											6	5	5	
86a	Diseases of the ear	6	2	1						1		1			1				
86b	Diseases of the mastoid process	9						1	1					3		2	2		
	IV.—Diseases of the circulatory system	1,784	5	3		1	1	7	13	13	9	18	23	84	188	331	511	577	
87	Pericarditis	7					1		1						1	2	1	1	
88	Endocarditis and myocarditis (acute)	68	4	2		1		2	2	2		4	5	9	6	14	12	5	
89	Angina pectoris	137										1		12	23	23	49	29	
90	Other diseases of the heart	1,352		1				5	10	11	9	10	17	56	148	269	395	421	
91a	Aneurysm	3													2		1		
91b,c	Other diseases of the arteries	179											1	1	3	14	45	115	
92	Embolism and thrombosis (not cerebral)	35	1									3		6	4	7	8	6	
93	Diseases of the veins	3													1	2			
	V.—Diseases of the respiratory system	877	183	60	27	6	3	19	7	10	16	13	18	61	86	108	114	146	
97a	Diseases of the nasal fossae	1														1			
97b	Diseases of the nasal fossae annexa	2									1					1			
98	Diseases of the larynx	5	1	1	1	1								1					
99a	Acute bronchitis	29	21												1		4	3	
99b	Chronic bronchitis	11														2	3	6	
99c,d	Bronchitis (unspecified)	16	3		1								1		2		2	7	
100a	Broncho-pneumonia	259	80	26	7	4	1	8	4	1	1	1		8	8	18	29	63	
100b	Capillary bronchitis	3	3																
101a	Lobar pneumonia	489	71	29	18	1	1	9	2	8	13	11	15	43	66	81	67	54	
101b	Pneumonia (unspecified)	15	2	2									1	2	1		5	2	
102	Pleurisy	21	2	1			1	1				1	1	4	3	3	3	1	
103	Congestion and hemorrhagic infarct of the lung	13		1				1		1					1		1	8	
105	Asthma	6												1	1	2		2	
107	Other diseases of the respiratory system (tuberculosis excepted)	7							1		1			2	3				
	VI.—Diseases of the digestive system	496	109	16	2	1	1	13	16	13	10	13	24	49	80	66	40	43	
108	Diseases of the mouth and annexa	2													2				
109b	Other diseases of the pharynx, tonsils	12	1					2		2	1			4	1			1	
111a	Ulcer of the stomach	26							1		1	1	4	4	6	3	4	2	
111b	Ulcer of the duodenum	13										1	1	3	3	3	2		
112	Other diseases of the stomach (cancer excepted)	22	6	1									1	2		1	3	8	
113	Diarrhea and enteritis (under 2 years)	107	96	11															
114	Diarrhea and enteritis (2 years and over)	21			2	1		1				1	1		6	2	3	4	
117	Appendicitis and typhlitis	99	1	1				6	12	10	7	6	8	19	14	8	4	3	
118a	Hernia	30	1											2	7	9	4	7	
118b	Intestinal obstruction	38	3	3				3	1	1	1	2	1	1	5	8	7	2	
119	Other diseases of the intestines	6													1	1	2	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
120	Acute yellow atrophy of the liver	2												2					
122	Cirrhosis of the liver	47							1				2	3	14	13	7	7	
123	Biliary calculi	37										1	3	6	13	10	3	1	
124	Other diseases of the liver	22										1	2	3	5	5		6	
125	Diseases of the pancreas	4													2	1	1		
126	Peritonitis without specified cause	8	1				1	1	1				1		1	2			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	903	2		1	3	2	4	3	4	11	12	14	65	122	196	245	219	
128	Acute nephritis (including unspecified under 10 years)	35	2		1	3	2	1	1	1	2	2	2	5	2	2	4	5	
129	Chronic nephritis (including unspecified 10 years and over)	783						2	2	3	7	10	10	45	102	181	218	203	
131	Other diseases of the kidneys and annexa	12						1						2	3	3	2	1	
132	Calculi of the urinary passages	2												2					
133	Diseases of the bladder	5															2	3	
134	Diseases of the urethra, etc	1																1	
135	Diseases of the prostate	24														4	14	6	
137	Cysts, other benign tumors of the ovary	8									1		1		3	1	2		
138	Salpingitis and pelvic abscess (female)	14									1		1	6	3	2	1		
139	Benign tumors of the uterus	7												1	4	2			
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	10												3	4	1	2		
142	Nonpuerperal diseases of the breast (cancer excepted)	1													1				
	VIII.—The puerperal state	81								5	10	20	22	22	2				
143	Accidents of pregnancy	9										2	4	3					
144	Puerperal hemorrhage	12										5	3	3	1				
145	Other accidents of labor	11								2	3	1	4	1					
146	Puerperal septicemia	24								3	4	7	4	6					
147	Puerperal phlegmasia alba dolens, embolus, etc	9										2	1	5	1				
148	Puerperal albuminuria and convulsions	14									2	3	5	4					
149	Following childbirth (undefined)	2									1		1						
	IX.—Diseases of the skin and of the cellular tissue	21	1							2				1		3	5	9	
151	Gangrene	10															4	6	
152	Furuncle	4	1											1		1		1	
153	Acute abscess	4								2						1	1		
154	Other diseases of the skin and annexa	3														1		2	
	X.—Diseases of the bones and of the organs of locomotion	5				1			1	1		1			1				
155	Diseases of the bones (tuberculosis excepted)	4				1			1			1			1				
158	Other diseases of the organs of locomotion	1								1									
	XI.—Malformations	97	92	2		1				1		1							
159a	Congenital hydrocephalus	6	5			1													
159b	Congenital malformations of the heart	44	40	2						1		1							
159c	Other congenital malformations	47	47																
	XII.—Early infancy	468	468																
160	Congenital debility, icterus, sclerema	60	60																
161a	Premature birth	251	251																
161b	Injury at birth	123	123																
162	Other diseases peculiar to early infancy	34	34																
164	XIII.—Old age (senility)	51														1	1	49	
	XIV.—External causes	549	15	9	7	8	14	50	17	25	24	31	31	61	72	78	45	61	1
	Suicide	75								3		6	10	14	16	17	5	4	
165	By poisons (gas or corrosives excepted)	5										1		1	1	1	1		
166	By corrosive substances	7								1		1	2	2		1			
167	By poisonous gas	20										1	3	2	4	8	1	1	
168	By hanging or strangulation	13								1			2	4	4	2			
169	By drowning	4										1			2	1			
170	By firearms	19								1		2	2	5	1	2	3	3	
171	By cutting or piercing instruments	6											1		3	2			
174	By other means	1													1				
	Homicide	21	1					1			4	2	5	4	2	2			
197	By firearms	13									4	2	2	2	1	2			
198	By cutting or piercing instruments	3						1					1		1				
199	By other means	5	1										2	2					
	Accidental or undefined	453	14	9	7	8	14	49	17	22	20	23	16	43	54	59	40	57	1
175	Poisoning by food	2						1							1				
177	Other acute poisonings (gas excepted)	6	1				1					1		1	1	1			
178	Conflagration	11				1		1		1			1			2	2	3	
179	Burns (conflagration excepted)	45	3	3	3	2	7	8	1		1	3	2	1	2	2	3	4	
180	Mechanical suffocation	6	4								1		1						
181	Absorption of irrespirable, irritating, or poisonous gas	31	1	1					2	1		2		7	4	5	3	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
182	Drowning	52		1			1	10	6	10	3	4		6	5	2	2	1	1
183	Traumatism by firearms (except in war)	2						1			1								
184	Traumatism by cutting or piercing instruments	3														1	2		
185	Traumatism by fall	93					1	1	1	2	1	3	2	10	11	14	18	29	
186b	Traumatism in quarries	1									1								
187	Traumatism by machines	8										1	1		4	1		1	
188a	Railroad accidents	14						1				3		3	4	3			
	Collision with automobiles	1													1				
	Other railroad accidents	13						1				3		3	3	3			
188b	Street-car accidents	14							1				1	1	3	4	2	2	
	Collision with automobiles	2											1		1				
	Other street-car accidents	12							1					1	2	4	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	127	1		4	5	4	23	4	6	7	6	6	12	14	18	6	11	
188e,f	Injuries by other vehicles	7						3			1			1		1		1	
193	Excessive cold	1													1				
194	Excessive heat	3	1	1												1			
196	Other accidental electric shocks	5							2		1		1		1				
202	Other external violence	22	3	3						2	3		1	1	3	4	2		
	XV.—Ill-defined diseases	38	17	3	1									3	4	3	5	2	
204	Sudden death	11	6											1	1	1	1	1	
205a	Ill-defined	11	3		1									1	1	1	3	1	
205b	Not specified or unknown	16	8	3										1	2	1	1		
	SOUTH CAROLINA																		
	All causes—White	9,219	1,724	376	150	90	55	152	117	264	237	252	275	653	794	1,030	1,577	1,468	5
	All causes—Colored	14,184	2,751	639	230	121	110	303	282	706	860	797	635	1,557	1,681	1,279	1,090	1,111	32
	I.—Epidemic, endemic, and infectious diseases—White	1,439	213	101	51	30	19	61	23	83	78	76	78	154	123	95	132	121	1
	I.—Epidemic, endemic, and infectious diseases—Colored	3,115	420	164	80	32	36	80	123	329	394	297	220	357	250	161	83	81	8
1	Typhoid and paratyphoid fever—W	150	2		2	2		9	12	41	17	10	14	18	14	5	4		
	Typhoid and paratyphoid fever—C	361	5	7	6	4	4	19	48	90	71	25	14	34	18	9	6		1
5	Malaria—W	30	5	2	1			5	2		1	3		2	4	1	3	1	
	Malaria—C	190	27	15	8	5	5	9	8	16	13	13	9	19	19	10	6	7	1
6	Smallpox—W	2	1											1					
	Smallpox—C	2	1								1								
7	Measles—W	7	3		1			1		1		1							
	Measles—C	5	1	1	1			2											
8	Scarlet fever—W	8			2	1		4				1							
	Scarlet fever—C	3					1	1	1										
9	Whooping cough—W	70	42	16	7	2	1	1											1
	Whooping cough—C	80	47	19	7	5		1	1										
10	Diphtheria—W	108	14	23	27	15	10	13	1	2			1		1			1	
	Diphtheria—C	61	17	9	11	3	7	11	1				1				1		
11a	Influenza (with pulmonary complications)—W	312	57	29	3	4	4	8		15	6	10	13	27	23	25	34	54	
	Influenza (with pulmonary complications)—C	332	48	20	14	4	7	7	6	23	23	16	17	46	46	27	16	12	
11b	Influenza (other and unspecified)—W	149	29	3	5	1	1	7	2	1	1	2	8	5	9	13	25	37	
	Influenza (other and unspecified)—C	333	82	19	10	4	2	6	10	14	17	13	11	30	31	29	21	32	2
13	Mumps—C	2	1	1															
15	Cholera nostras—W	5	1				1										1	2	
	Cholera nostras—C	2													1			1	
16	Dysentery—W	95	29	16	1	1		2		1	1	1		3	2	3	20	15	
	Dysentery—C	158	56	48	11	1		2		5	3			3	3	6	3	17	
21	Erysipelas—W	17	4	1		1		1	1						3	3	2	1	
	Erysipelas—C	3	1		1											1			
22	Acute anterior poliomyelitis—W	13	2	4	2	2	1	2											
	Acute anterior poliomyelitis—C	6	1		1	1	1	2											
23	Lethargic encephalitis—W	10	3	1				1		2	1				1	1			
	Lethargic encephalitis—C	1				1													
24	Meningococcus meningitis—W	5	1					2	1			1							
	Meningococcus meningitis—C	4	1		1				1					1					
25	Other epidemic and endemic diseases—W	2					1							1					
28	Rabies—W	3						1	1							1			
29	Tetanus—W	8	3							2			1		1	1			
	Tetanus—C	18	10					1	1	2				1	2	1			
30	Mycoses—W	1													1				
	Mycoses—C	37	29	6			1				1								
	Tuberculosis (all forms)—W	398	5	5		1		3	3	16	46	44	39	90	58	41	37	10	
	Tuberculosis (all forms)—C	1,264	10	17	7	3	4	16	43	168	244	204	145	192	106	67	25	9	4
31	Of the respiratory system—W	360	2	1				2	2	13	41	43	37	85	54	37	35	8	
	Of the respiratory system—C	1,186	7	9	6	3	4	15	39	159	230	202	132	182	100	64	23	8	3
32	Of the meninges, central nervous system—W	11	3	3		1		1					1	2					
	Of the meninges, central nervous system—C	12	2	5					1	1	1				1				1
33	Of the intestines, peritoneum—W	7											1	1	1	3	1		
	Of the intestines, peritoneum—C	30		2	1				2	3	4	1	7	4	3	2	1		
34	Of the vertebral column—W	4		1						2					1				
	Of the vertebral column—C	2									1			1					
35	Of the joints—W	2							1									1	
	Of the joints—C	5	1					1						1			1	1	
36	Of other organs—W	6								1	1	1		1	1			1	
	Of other organs—C	7							1	1	1	1	1		1	1			
37a	Disseminated (acute)—W	5									3				1	1			
	Disseminated (acute)—C	19		1						4	5		4	4	1				
37b	Disseminated (chronic or unspecified)—W	3									1						1		
	Disseminated (chronic or unspecified)—C	3									2		1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
38	Syphilis	W	36	11	1				1			2	1	2	6	5	1	6		
		C	216	82	2	3		3	2	3	7	16	20	18	24	23	8	4	1	
39	Soft chancre	C	2										2							
40	Gonococcus infection	W	4	1							1	1	1							
		C	20								4	4	2	5	5					
41	Purulent infection, septicemia	W	6								1	2	1		1	1				
		C	15	1				1	1			1	2		2	1	3	1	2	
	II.—General diseases not included in Class I	White	931	43	10	7	2	4	8	7	18	13	22	37	118	156	168	197	121	
		Colored	848	24	13	8	3	4	23	10	28	44	69	43	145	164	118	88	62	2
	Cancer and other malignant tumors	W	434	1		2	1	1	1	1	1	1	6	18	49	84	80	113	75	
		C	323			3	1	1	5	1	1	6	8	16	61	84	64	44	28	
43	Of the buccal cavity	W	24												3	4	2	11	4	
		C	12			1			1						2	2	3	3		
44	Of the stomach, liver	W	105	1								1		1	5	17	23	35	22	
		C	93								1	1	1	5	17	26	19	17	6	
45	Of the peritoneum, intestines, rectum	W	40					1					1	5	4	5	10	8	6	
		C	28										1	1	3	7	6	8	2	
46	Of the female genital organs	W	84										1	5	20	26	11	16	5	
		C	92									1	5	6	18	32	16	7	7	
47	Of the breast	W	44										1	1	4	12	11	8	7	
		C	28											3	13	3	1	2	6	
48	Of the skin	W	33										1		2	5	3	8	14	
		C	7												2	1	3	1		
49	Of other or unspecified organs	W	104			2	1		1	1	1		2	6	11	15	20	27	17	
		C	63			2	1	1	4	1		4	1	1	6	13	16	6	7	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	5													2	2		1	
		C	4												1	1	1		1	
51	Acute rheumatic fever	W	9						1	2	1				2		1	2		
		C	35	1			1		1	5	1	2	3	1	2	6	7	2	3	
52	Chronic rheumatism, osteoarthritis, gout	W	10												1	2	1	4	2	
		C	3								1					1		1		
53	Scurvy	C	2		1				1											
54	Pellagra	W	237	3	1	1		2	2		4	7	8	11	49	40	36	47	26	
		C	326	1	2			1	13	2	18	30	47	20	60	48	34	25	23	2
56	Rickets	W	5	3		2														
		C	14	5	3	5		1												
57	Diabetes mellitus	W	94			1				1	4		5	3	5	13	28	21	13	
		C	72						1		3	4	3		14	19	9	14	5	
58	Anemia, chlorosis	W	30	3	1					2	2	4		1	3	4	2	7	1	
		C	11		1				2	1	1	1	2		2		1			
60a	Exophthalmic goiter	W	17								1	1	1	2	3	3	5	1		
		C	8										2	2	1	1	1	1		
60b	Other diseases of the thyroid gland	W	5													1	3		1	
		C	4							1						1			2	
61	Diseases of the parathyroid glands	W	2	2																
		C	1				1													
62	Diseases of the thymus gland	W	11	11																
		C	2	2																
63	Diseases of the adrenals (Addison's disease)	W	1								1									
64	Diseases of the spleen	W	1								1									
		C	2										2							
65a	Leukemia	W	15		1			1	1	1	1			1	2	2	5			
		C	5										1	1	3					
65b	Hodgkin's disease	W	4	1					1		1						1			
		C	2									1		1						
66	Alcoholism (acute or chronic)	W	13										1	1	3	5	3			
		C	7								2			2		1	1	1		
67a	Chronic lead poisoning	C	1													1				
68	Chronic poisoning by organic substances	W	2															1	1	
69	Other general diseases	W	36	19	7	1	1		2		1		1		1		1	1	1	
		C	26	15	6			1			1		1		1	1				
	III.—Diseases of the nervous system and of the organs of special sense	White	941	26	10	9	7	3	6	6	13	11	12	12	45	89	207	272	212	1
		Colored	1,239	56	9	8	1	2	14	13	25	26	26	49	163	279	240	203	123	2
70	Encephalitis	W	12		1		3	1	1		1				1		2	1	1	
		C	11	1					2	1	2	1	1	2		1				
71a	Simple meningitis	W	21	4		5			1	2		2	3			2	1	1		
		C	19	3	2	1		2	3	4	1		1	1		1				
71b	Nonepidemic cerebrospinal meningitis	W	10	2	2	1	2	1		1	1									
		C	5	1		1									2	1				
72	Tabes dorsalis (locomotor ataxia)	W	7													2	1	1	3	
		C	2													1	1			
73	Other diseases of the spinal cord	W	25	1							1	1				1	10	6	5	
		C	23						1	2	1	1	2	2	4	4	3	3		
74a	Cerebral hemorrhage	W	636	3	1	2						2	2	4	33	70	158	210	150	1
		C	718	1							2	6	13	23	107	202	164	130	68	2
74b	Cerebral embolism and thrombosis	W	12									1	1	2	1		1	1	5	
		C	4										1		2		1			
75	Paralysis without specified cause	W	125	1									1		5	4	25	46	43	
		C	274	3					3		2	2	2	7	25	53	61	62	54	
76	General paralysis of the insane	W	11										1		1	5	2	1	1	
		C	27							1		2		2	9	8	3	2		
77	Other forms of mental alienation	W	6									1	1	1				2	1	
		C	14								2	2	1		3	2	1	2	1	
78	Epilepsy	W	19	1	1						5	2	2	2		4	2			
		C	54	2	1	1			3	3	11	11	2	11	6	1	1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued																			
79	Convulsions (nonpuerperal; 5 years and over)	W	1								1									
		C	7						1	1	2				3					
80	Infantile convulsions (under 5 years)	W	12	10	1		1													
		C	52	41	6	4	1													
82	Neuralgia and neuritis	W	1						1											
83	Softening of the brain	W	4															2	2	
		C	4													3	1			
84	Other diseases of the nervous system	W	19		2				1		3	1		2	3	1	4	1	1	
		C	21	1					1	1	2	1	3	1	2	2	4	3		
85	Diseases of the eye and annexa	C	2	2																
86a	Diseases of the ear	W	11	4			1	1		2	1		1		1					
		C	1			1														
86b	Diseases of the mastoid process	W	9		2	1			2	1		1		1			1			
		C	1	1																
	IV.—Diseases of the circulatory system	White	1,302	10	2	1	1	1	3	4	8	13	20	22	74	147	205	421	370	
		Colored	1,712	6	4	4	2	3	11	11	35	54	85	72	245	391	281	257	246	5
87	Pericarditis	W	3													1	1		1	
		C	19								1	1			8	4	3	1	1	
88	Endocarditis and myocarditis (acute)	W	23	2						1	2	1	3	2	1	1	2	3	5	
		C	62	1	1				1		6	7	8	4	22	7	3	2		
89	Angina pectoris	W	119									2	1		10	27	23	42	14	
		C	65								1	5	3	9	12	18	7	4	6	
90	Other diseases of the heart	W	1,038	6	2	1	1	1	3	3	5	10	15	20	58	106	164	334	309	
		C	1,398	5	3	4	2	3	9	11	25	40	71	54	191	327	236	218	195	4
91a	Aneurysm	W	8												2	2	1	3		
		C	13										1	2	2	4	2	1	1	
91b,c	Other diseases of the arteries	W	92												1	7	10	36	38	
		C	104									1			2	19	22	26	34	
92	Embolism and thrombosis (not cerebral)	W	8	1							1		1			2	1	1	1	
		C	6											1	1	1		1	2	
93	Diseases of the veins	W	1																1	
		C	1																1	
94	Diseases of the lymphatic system	C	2						1							1				
95	Hemorrhage without specified cause	W	2	1											1					
		C	8								1		1	1	1	2	2			
96	Other diseases of the circulatory system	W	8												1	1	3	2	1	
		C	34								1		1	1	6	8	6	4	6	1
	V.—Diseases of the respiratory system	White	748	185	53	20	19	2	14	20	17	15	18	19	42	50	61	87	125	1
		Colored	1,092	354	108	37	23	11	40	23	43	58	60	38	82	71	65	43	36	
97a	Diseases of the nasal fossae	W	3	3																
		C	73	41	7	3	1	1	2	1		3	3	2	1	3	4		1	
97b	Diseases of the nasal fossae annexa	W	1												1					
98	Diseases of the larynx	W	3	1	1											1				
		C	2	1									1							
99a	Acute bronchitis	W	8	6														1	1	
		C	9	6	1		1								1					
99b	Chronic bronchitis	W	7														1	1	5	
		C	5										1		1		2		1	
99c,d	Bronchitis (unspecified)	W	6	3	1														2	
		C	14	4	1	1		1			1		1	1	2			1	1	
100a	Broncho-pneumonia	W	200	91	24	1	5		3	4	2	1	3		6	8	13	12	26	1
		C	234	102	46	19	11	2	9	3	4	3	8	2	9	4	5	3	4	
100b	Capillary bronchitis	W	3	2	1															
		C	2	1	1															
101a	Lobar pneumonia	W	377	54	15	16	10	1	9	14	10	11	12	13	29	33	34	57	59	
		C	377	61	28	7	3	5	16	11	22	37	28	18	41	35	32	21	12	
101b	Pneumonia (unspecified)	W	98	22	8	2	3	1	2	2	4	1	2	4	3	3	7	11	23	
		C	317	131	23	6	7	2	12	5	15	12	12	14	25	18	18	6	11	
102	Pleurisy	W	9			1	1				1	2			2	1			1	
		C	10	2						1	1		3			1	1		1	
103	Congestion and hemorrhagic infarct of the lung	W	14	3												1	1	2	7	
		C	1													1				
105	Asthma	W	14		1										2	1	3	4	2	1
		C	23	1	1	1				2						6	1	10	1	
106	Pulmonary emphysema	C	2														1		1	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	5		2								1				1	1		
		C	23	4					1		3	3	1	2	3	1	2	3		
	VI.—Diseases of the digestive system	White	810	299	158	37	11	9	17	19	14	15	13	13	31	46	53	35	40	
		Colored	1,182	448	208	46	16	14	31	22	22	46	35	24	83	75	54	30	23	5
108	Diseases of the mouth and annexa	W	2													2				
		C	8	1	1							1	1		2	1			1	
109a	Adenoid vegetations	C	1		1															
109b	Other diseases of the pharynx, tonsils	W	23			2	2	2	5	1	1	2	2		2	1	1	2		
		C	26	6	3	1	1		3	1		4	2	1	3			1		
111a	Ulcer of the stomach	W	18	1								1	3			3	4	3	3	
		C	28							1		4	4	2	8	7	1	1		
111b	Ulcer of the duodenum	W	3												1		1		1	
		C	1												1					
112	Other diseases of the stomach (cancer excepted)	W	58	12	5	4					2	3	1		6	3	10	5	7	
		C	266	89	21	6	3	2	6	2	2	13	9	6	24	33	26	15	9	
113	Diarrhea and enteritis (under 2 years)	W	424	277	147															
		C	519	343	176															
114	Diarrhea and enteritis (2 years and over)	W	56			25	7	4	3				1	1	2	2	1	1	9	
		C	113			34	9	2	10	3	2	6	2	2	8	11	7	7	7	3
115	Ancylostomiasis	W	1	1																
116	Diseases due to other intestinal parasites	W	1						1											
		C	21	1	2	4	3	6	3	1									1	
117	Appendicitis and typhlitis	W	82			2		1	7	14	10	6	3	7	9	11	7	4	1	
		C	73	1					3	9	11	9	8	7	13	5	4	2		1
118a	Hernia	W	15	1								1			1	1	5	2	4	
		C	9	1	2				1		2		1		1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	VI.—Diseases of the digestive system—Continued.																			
118b	Intestinal obstruction	W	40	5	2	4	2	1	1	2	1		2	1		7	5	2	3	
		C	43	5	2	1		2	1	1	4	3	4	1	7	3	6	1	1	1
119	Other diseases of the intestines	W	6		1										1	1	1	1	1	
		C	11					1				1		1	5	1	1		1	
120	Acute yellow atrophy of the liver	W	2											1		1				
121	Hydatid tumor of the liver	W	1												1					
122	Cirrhosis of the liver	W	20		1										1	4	6	6	2	
		C	25							1			2	1	8	6	5		2	
123	Biliary calculi	W	12												1	3	2	4	2	
		C	4													2			1	
124	Other diseases of the liver	W	33	1	1			1				1	1	2	4	4	8	4	6	
		C	23	1				1	3	2		2	1	2		4	4	3		
125	Diseases of the pancreas	W	4													1	1	1	1	
126	Peritonitis without specified cause	W	9	1	1					2		1		1		2	1			
		C	11						1	1	1	3	1	1	1	2				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,042	3	3	3		2	5	3	6	15	14	17	68	114	175	331	282	1
		Colored	1,415	14	11	2	3		9	8	24	46	66	67	229	288	230	240	176	2
128	Acute nephritis (including unspecified under 10 years)	W	41	2	2	2		1	4	1	1	4			5	7	6	3	3	
		C	101	5	4	1	2		5	3	3	8	9	12	18	14	10	6	1	
129	Chronic nephritis (including unspecified 10 years and over)	W	910					1	1	1	3	6	11	9	52	95	160	310	260	1
		C	1,127		2				2	3	14	25	41	42	184	243	200	214	155	2
131	Other diseases of the kidneys and annexa	W	33		1	1					1	3		3	5	6	5	2	6	
		C	85	8	5	1	1		2	1	4	2	5	5	8	17	8	9	9	
132	Calculi of the urinary passages	W	12									1	1	2	1	1		5	1	
		C	3	1											1	1				
133	Diseases of the bladder	W	3	1													1	1		
		C	12											1	1	2	2	2	4	
134	Diseases of the urethra, etc.	W	1														1			
		C	6										2	1		2	1			
135	Diseases of the prostate	W	21														1	10	10	
		C	21											1			5	9	6	
136	Nonvenereal diseases of the male genital organs	W	1										1						1	
		C	1																	
137	Cysts, other benign tumors of the ovary	W	1													1				
		C	1								1									
138	Salpingitis and pelvic abscess (female)	W	8							1	1	1	2	1	1	1				
		C	13							1		4	4	1	3					
139	Benign tumors of the uterus	W	6											1	2	3				
		C	17									1	1	2	8	4	1			
140	Nonpuerperal uterine hemorrhage	C	1								1									
141	Other diseases of the female genital organs	W	5											1	2		1		1	
		C	27								1	6	3	2	6	5	3		1	
	VIII.—The puerperal state	White	162								29	32	27	26	47	1				
		Colored	329							4	81	69	57	47	64	6				1
143	Accidents of pregnancy	W	13								1	1	3	1	7					
		C	22								1	3	6	5	7					
144	Puerperal hemorrhage	W	24									3	5	11	5					
		C	15								3	2	3	4	3					
145	Other accidents of labor	W	24								5	3	5	1	10					
		C	68								16	14	13	10	13	2				
146	Puerperal septicemia	W	27								6	7	3	2	8	1				
		C	92							1	28	24	15	8	14	2				
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	4									1	1	2						
		C	2											1	1					
148	Puerperal albuminuria and convulsions	W	70								17	17	10	9	17					
		C	129							3	33	26	20	19	25	2				1
149	Following childbirth (undefined)	C	1												1					
	IX.—Diseases of the skin and of the cellular tissue	White	25	4					1		1	2		3	2	2	2	3	5	
		Colored	28	1	1				2	1		1			6	6	5	3	2	
151	Gangrene	W	6											1			1		4	
		C	8						1		1				2	3			1	
152	Furuncle	W	6	1							1				2			1	1	
		C	2	1													1			
153	Acute abscess	W	8	1					1			2		2		1		1		
		C	9						1	1					2	3	1	1		
154	Other diseases of the skin and annexa	W	5	2												1	1	1		
		C	9		1										2		3	2	1	
	X.—Diseases of the bones and of the organs of locomotion	White	8			2		2	1						1	1	1			
		Colored	5							3					1			1		
155	Diseases of the bones (tuberculosis excepted)	W	8			2		2	1						1	1	1			
		C	3							3										
157	Amputations	C	1															1		
158	Other diseases of the organs of locomotion	C	1												1					
	XI.—Malformations	White	116	106	4		1	2	1	1			1							
		Colored	50	34	3	2	3		1	2	5									
159a	Congenital hydrocephalus	W	12	6	3		1		1	1										
		C	19	8	3	2	1		1	1	3									
159b	Congenital malformations of the heart	W	55	54				1												
		C	15	13						1	1									
159c	Other congenital malformations	W	49	46	1			1					1							
		C	16	13			2				1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																		
	XII.—Early infancy—White	687	687																
	XII.—Early infancy—Colored	891	891																
160	Congenital debility, icterus, sclerema—W	85	85																
	Congenital debility, icterus, sclerema—C	221	221																
161a	Premature birth—W	478	478																
	Premature birth—C	578	578																
161b	Injury at birth—W	78	78																
	Injury at birth—C	41	41																
162	Other diseases peculiar to early infancy—W	46	46																
	Other diseases peculiar to early infancy—C	47	47																
163	Lack of care—C	4	4																
164	XIII.—Old age (senility)—White	106														1	14	91	
	XIII.—Old age (senility)—Colored	333													2	10	43	278	
	XIV.—External causes—White	624	32	25	19	17	11	31	31	68	39	45	46	59	52	41	48	60	
	XIV.—External causes—Colored	768	22	29	24	24	27	65	45	87	77	75	51	95	67	36	25	17	2
	Suicide—W	50								4	4	6	6	7	9	5	9		
	Suicide—C	9								1	2	1		3	1	1			
165	By poisons (gas or corrosives excepted)—W	1														1			
166	By corrosive substances—W	2										1	1						
168	By hanging or strangulation—W	2												1		1			
	By hanging or strangulation—C	2									1				1				
169	By drowning—C	2								1				1					
170	By firearms—W	37								3	3	5	5	4	7	3	7		
	By firearms—C	4										1		2		1			
171	By cutting or piercing instruments—W	5												1	2		2		
	By cutting or piercing instruments—C	1									1								
172	By jumping from high places—W	1									1								
174	By other means—W	2								1				1					
	By other means—C	48								3	6	7	9	10	9	2	1	1	
	Homicide—W	179	3			1		1	4	18	32	34	25	33	21	5	1		1
	Homicide—C	37								1	4	5	9	9	8	1			
197	By firearms—W	134				1		1	3	13	21	26	18	27	19	4			1
198	By cutting or piercing instruments—W	2								2									
	By cutting or piercing instruments—C	27							1	5	6	5	4	4	1	1			
199	By other means—W	9									2	2		1	1	1	1		
	By other means—C	18	3								5	3	3	2	1		1		
	Accidental or undefined—W	526	32	25	19	17	11	31	31	61	29	32	31	42	34	34	38	59	
	Accidental or undefined—C	580	19	29	24	23	27	64	41	68	43	40	26	59	45	30	24	17	1
175	Poisoning by food—W	13	3	6		1							1	1	1				
	Poisoning by food—C	15	1	3				1				1		1	2	4	2		
176	Poisoning by venomous animals—W	1												1					
	Poisoning by venomous animals—C	2													1	1			
177	Other acute poisonings (gas excepted)—W	18	2	3	4	2	1				2			2	2				
	Other acute poisonings (gas excepted)—C	20		6	4		1	1	1	2	1	3	1						
	Other acute poisonings (gas excepted)—W	7		1			1		1	2				1				1	
178	Conflagration—C	19	1	2	3		3	4					1		1	1	3		
	Conflagration—W	75	7	9	10	9	3	12	2	1	2	3	2	1	2	2	3	7	
179	Burns (conflagration excepted)—C	151	2	9	14	18	15	32	7	12	6	3	3	10	5	5	6	3	1
	Mechanical suffocation—W	17	15					1						1					
180	Mechanical suffocation—C	18	10					1					1	3	3				
181	Absorption of irrespirable, irritating, or poisonous gas—W	4								1		1	1			1			
	Absorption of irrespirable, irritating, or poisonous gas—C	1													1				
	Drowning—W	33					1	3	3	9	2	3	5	3	1	3			
182	Drowning—C	49		1				4	9	8	5	4	4	7	4	3			
183	Traumatism by firearms (except in war)—W	30			2		1		5	10			1	3	4	2	1	1	
	Traumatism by firearms (except in war)—C	55			2	1	2	10	10	10	2	8	2	5	2		1		
184	Traumatism by cutting or piercing instruments—W	3							1							1		1	
	Traumatism by cutting or piercing instruments—C	3		1										1		1			
	Traumatism by fall—W	79	1	2			2		1	1		1	1	2	4	4	22	38	
185	Traumatism by fall—C	29	1	4		2	1	2		1	2	3	1	1	1	3	3	4	
186a	Traumatism in mines—C	1								1									
186b	Traumatism in quarries—C	4								1		1			1	1			
187	Traumatism by machines—W	13						1	1	2	2	2	1	2	1			1	
	Traumatism by machines—C	16							1	5	3		3	2	1			1	
188a	Railroad accidents—W	39							1	5	4	5	3	10	6	2	1	2	
	Railroad accidents—C	32					1	1	2	6	4	2	3	6	4	1		2	
	Collision with automobiles—W	6								1	1			1	1	1	1		
	Collision with automobiles—C	6								2			1	1	1			1	
	Other railroad accidents—W	33							1	4	3	5	3	9	5	1		2	
	Other railroad accidents—C	26					1	1	2	4	4	2	2	5	3	1		1	
188b	Street-car accidents—W	7							1	2			1	1	1	1			
	Street-car accidents—C	2														1			
	Collision with automobiles—W	3							1				1	1	1				
	Other street-car accidents—W	4								2			1			1			
	Other street-car accidents—C	2											1			1			
188c	Automobile accidents (excluding collision with railroad trains and street cars)—W	119		2	1	3	2	11	9	19	9	9	9	8	8	13	8	8	
	Automobile accidents (excluding collision with railroad trains and street cars)—C	73		1	1	2	2	2	6	13	10	8	5	11	6		5	1	
188e,f	Injuries by other vehicles—W	10			1				1	2	1	2	1	1		1			
	Injuries by other vehicles—C	6									1	1				1	1	2	
188g	Landslide, other crushing—W	4						1	1		1						1		
	Landslide, other crushing—C	2					1							1					
189	Injuries by animals (not poisoning)—W	2				1								1					
	Injuries by animals (not poisoning)—C	5						1	2	1							1		
193	Excessive cold—C	2																2	
194	Excessive heat—W	1												1					
	Excessive heat—C	8								1		1			4		1	1	
195	Lightning—W	4	2								1			1					
	Lightning—C	7					1	1	1	4									
196	Other accidental electric shocks—W	14							1	4	4	2	1	2					
	Other accidental electric shocks—C	5							1		1			2		1			
201	Fracture (cause not specified)—W	2										2							
	Fracture (cause not specified)—C	1												1					
202	Other external violence—W	31	2	2	1	1		2	3	3	1	2	4		4	4	2		
	Other external violence—C	54	4	2				4	1	3	8	5	1	8	9	7	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																		
	XV.—Ill-defined diseases White	278	116	10	1	2		4	3	7	4	4	2	12	13	21	37	41	1
	XV.—Ill-defined diseases Colored	1,177	481	89	19	14	13	27	17	27	45	27	24	87	82	79	74	67	5
204	Sudden death W	38	8			1				2				6		4	12	5	
	Sudden death C	57	5	3	1						6	2	1	8	7	8	8	8	
205a	Ill-defined W	96	23	8				1	2	3	2	2	2	5	6	11	10	21	
	Ill-defined C	483	133	49	7	13	5	15	9	10	21	15	15	39	41	43	36	29	3
205b	Not specified or unknown W	144	85	2	1	1		3	1	2	2	2		1	7	6	15	15	1
	Not specified or unknown C	637	343	37	11	1	8	12	8	17	18	10	8	40	34	28	30	30	2
	TENNESSEE																		
	All causes White	22,163	3,355	934	437	224	165	449	332	677	767	742	733	1,583	1,934	2,411	3,590	3,802	28
	All causes Colored	9,232	1,112	261	127	76	41	184	205	490	654	628	547	1,122	1,271	956	765	764	29
	I.—Epidemic, endemic, and infectious diseases White	5,431	526	328	201	107	85	208	128	274	360	323	313	504	458	473	598	536	9
	I.—Epidemic, endemic, and infectious diseases Colored	2,659	235	101	46	30	15	101	115	261	331	281	227	327	231	156	113	86	3
1	Typhoid and paratyphoid fever W	426	4	2	6	3	4	40	47	84	64	37	38	36	24	18	17	2	
	Typhoid and paratyphoid fever C	196		2	3	2		25	31	30	32	27	11	15	8	8	2		
5	Malaria W	103	16	9	3	2	2	5	5	1	5		3	8	9	7	15	12	1
	Malaria C	53	3	2	1		1	3	5	8	6	2	1	6	4	5	6		
6	Smallpox W	3	1												1		1		
	Smallpox C	1												1					
7	Measles W	264	55	54	32	13	10	28	10	20	1	3	2	11	12	9	3		1
	Measles C	36	11	12	1	2		5	2	1	1			1					
8	Scarlet fever W	39	1	8	5	3	3	13	2	3			1						
	Scarlet fever C	4	1		1		1	1											
9	Whooping cough W	283	141	36	29	12	6	4	5										
	Whooping cough C	106	55	27	12	6	2	3	1										
10	Diphtheria W	246	26	33	60	38	32	51	5	1									
	Diphtheria C	47	8	3	5	6	3	11	7	3				1					
11a	Influenza (with pulmonary complications) W	846	96	43	16	13	9	18	12	22	22	16	33	61	74	97	140	174	
	Influenza (with pulmonary complications) C	336	46	21	10	6	3	8	5	19	29	20	13	38	39	30	30	18	1
11b	Influenza (other and unspecified) W	481	51	13	7	1	2	5	7	8	9	6	11	13	33	46	86	180	3
	Influenza (other and unspecified) C	195	23	1	3			1	5	11	10	12	6	18	25	18	23	39	
13	Mumps W	2	2																
15	Cholera nostras W	6	2	1												1	1	1	
	Cholera nostras C	2	1															1	
16	Dysentery W	196	37	40	13	7	2	6	1	1		1	1	6	6	9	28	38	
	Dysentery C	62	17	12	4	1	1	2		1				5	1	9	6	3	
19	Spirochetal hemorrhagic jaundice W	1																1	
21	Erysipelas W	38	10	2	1			1	1		2		2	4	4	5	5	1	
	Erysipelas C	3	1												1	1			
22	Acute anterior poliomyelitis W	23	3	4	4		3	5	2	1					1				
	Acute anterior poliomyelitis C	6	3	1					1						1				
23	Lethargic encephalitis W	22	1		1	1	1		2	1	2		1	2	3	2	4	1	
	Lethargic encephalitis C	2								1	1								
24	Meningococcus meningitis W	30	7	3	5	1		5	1	2		2	1	1	1		1		
	Meningococcus meningitis C	6	2	1					1	2									
25	Other epidemic and endemic diseases W	10	3	1	3		1	2											
	Other epidemic and endemic diseases C	2						1			1								
28	Rabies W	10			1		2		4	1	1	1							
	Rabies C	1						1											
29	Tetanus W	23	7	1	1	2	1	2	1	3	1				2		2		
	Tetanus C	11	3					1	1	2			1		2		1		
30	Mycoses W	8	6											1		1			
	Mycoses C	4	1										1		1		1		
	Tuberculosis (all forms) W	2,257	40	27	14	10	6	22	22	124	244	253	213	342	273	262	281	120	4
	Tuberculosis (all forms) C	1,392	25	16	6	5	3	39	53	178	238	197	174	209	124	71	38	14	2
31	Of the respiratory system W	1,992	14	12	6	2	1	11	16	114	227	242	201	311	248	232	247	105	3
	Of the respiratory system C	1,220	17	9	5	3	3	26	41	159	213	176	158	183	113	65	34	13	2
32	Of the meninges, central nervous system W	72	17	12	6	7	2	6	1	3		1	1	5	5	4	2		
	Of the meninges, central nervous system C	22	3	2		1		6	4	1		1	1	3					
33	Of the intestines, peritoneum W	109	3			1	1	2	1	4	8	5	7	9	14	17	23	13	1
	Of the intestines, peritoneum C	69	2	1				5	4	10	12	3	9	12	3	5	2	1	
34	Of the vertebral column W	15	1				1	1		1		1		1	3	4	2		
	Of the vertebral column C	13		1							2	3		3	4				
35	Of the joints W	7						1	2		1						2	1	
	Of the joints C	3										1		1	1				
36	Of other organs W	28	1	1	1			1		1	3	2	2	7	2	5	1	1	
	Of other organs C	13							1	1	1	2	4		1	1	2		
37a	Disseminated (acute) W	27	3	2	1		1		2	1	5	2	2	7	1				
	Disseminated (acute) C	48	3	3	1	1		1	3	7	9	11	2	5	2				
37b	Disseminated (chronic or unspecified) W	7	1											2			4		
	Disseminated (chronic or unspecified) C	4						1			1			2					
38	Syphilis W	77	15	1				1			3	1	6	15	11	11	10	3	
	Syphilis C	163	33	3		2			2	3	7	20	16	28	23	13	5	8	
40	Gonococcus infection W	10					1				4	2		2	1				
	Gonococcus infection C	20	2							1	5	3	4	3	1		1		
41	Purulent infection, septicemia W	26	2			1			1	2	1	1	1	2	3	5	4	3	
	Purulent infection, septicemia C	11					1		1	1	1			2	1	1	1	2	
42	Other infectious diseases W	1									1								
	II.—General diseases not included in Class I White	2,095	25	18	10	8	5	15	25	40	46	51	73	222	370	434	472	278	3
	II.—General diseases not included in Class I Colored	574	18	6				2	6	12	22	24	38	98	138	96	75	36	3
	Cancer and other malignant tumors W	1,175		2	1	3	1	4	4	6	12	14	30	101	222	266	308	200	1
	Cancer and other malignant tumors C	289	1							4	3	7	16	49	96	52	46	12	3
43	Of the buccal cavity W	33												3	6	8	8	8	
	Of the buccal cavity C	12												3	3	3			
44	Of the stomach, liver W	386						3			4	3	5	20	72	82	119	78	
	Of the stomach, liver C	72								1		2	7	7	20	16	16	1	2
45	Of the peritoneum, intestines, rectum W	136					1	1	1	3	1	2	6	8	14	34	41	23	1
	Of the peritoneum, intestines, rectum C	25										3	1	3	7	4	6	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	II.—General diseases not included in Class I.—Con.																			
	Cancer and other malignant tumors—Continued.																			
46	Of the female genital organs	W	208							1		1	5	11	41	54	48	33	14	
		C	108									2	1	5	25	41	19	9	5	1
47	Of the breast	W	122										1	3	15	25	36	32	10	
		C	28												7	18	1		2	
48	Of the skin	W	73								1			1	4	4	10	23	30	
		C	5									1				1	1	1	1	
49	Of other or unspecified organs	W	217		2	1	3			2	2	6	3	4	10	47	48	52	37	
		C	39	1							3		1	3	4	6	8	11	2	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	9		1										1	1	5		1	
		C	5									1				3		1		
51	Acute rheumatic fever	W	43	1					3	3	3	2	2	2	2	4	5	6	10	
		C	31						1	2	1	2	2	3	4	3	5	2	6	
52	Chronic rheumatism, osteoarthritis, gout	W	26								2	1			2	2	6	8	5	
		C	7														1	3	3	
53	Scurvy	C	1	1																
54	Pellagra	W	412			4		2	1	4	10	16	24	22	69	80	71	79	29	1
		C	118								4	12	5	14	29	14	19	12	9	
56	Rickets	W	5	3	2															
		C	12	7	5															
57	Diabetes mellitus	W	174				2	1	4	10	9	1	4	3	14	24	39	39	24	
		C	40							1			2	1	7	9	10	7	3	
58	Anemia, chlorosis	W	82	4	3						4	4	3	1	6	11	20	23	3	
		C	15	1						2		2	1	2	1	3		3		
59	Diseases of the pituitary gland	W	4								1					1	1	1		
60a	Exophthalmic goiter	W	37						1		1	4	1	6	6	9	4	2	3	
		C	16									1	2		4	3	3	1	2	
60b	Other diseases of the thyroid gland	W	12				1					1		2	1	3	4			
		C	4							1			1			1			1	
61	Diseases of the parathyroid glands	W	1								1									
62	Diseases of the thymus gland	W	6	6																
		C	1	1																
63	Diseases of the adrenals (Addison's disease)	W	4											1			3			
		C	1									1								
64	Diseases of the spleen	W	3		1							1			1					
65a	Leukemia	W	23	1	1	3	1	1		2		1	2		2	3	5	1		
		C	5										1	1	1	2				
65b	Hodgkin's disease	W	10						1	1	1			1	2	1	2	1		
		C	5	1					1						1		2			
66	Alcoholism (acute or chronic)	W	26									1		4	13	5	1	2		
		C	11								3		2		2	3	1			
67a	Chronic lead poisoning	W	2									1					1			
67b	Other chronic mineral poisoning	C	4		1											1	2			
68	Chronic poisoning by organic substances	W	6											1	1	2			1	1
69	Other general diseases	W	35	10	8	2	1		1	1	2	1	1		1	2	1	2	2	
		C	9	6									1	1			1			
	III.—Diseases of the nervous system and of the organs of special sense	White	1,754	53	23	19	10	3	24	20	26	20	28	38	100	180	266	490	453	1
		Colored	674	21	7	2	3		6	6	10	10	12	22	75	158	133	106	97	6
70	Encephalitis	W	38	4	3	4		2	3	1	3	1	3	3	2	6		3		
		C	8						1	1	2	1		2	1					
71a	Simple meningitis	W	38	9	6	2	3		4		2	1	1	1	1	2	2	1	3	
		C	7	3	1		1			1								1		
71b	Nonepidemic cerebrospinal meningitis	W	33	7	2	6	2		4	2	2	3	1		1	1	2			
		C	6	2	1					1		1				1				
72	Tabes dorsalis (locomotor ataxia)	W	11												3	2	2	2	2	
		C	1														1			
73	Other diseases of the spinal cord	W	53						1	1	3	2	1	2	1	8	9	14	11	
		C	36			1					1	1		1	3	11	9	5	3	1
74a	Cerebral hemorrhage	W	1,002	5			1		1	2	4	1	8	9	36	95	200	342	298	
		C	405	1					1	1	3	2	6	10	42	106	97	72	60	4
74b	Cerebral embolism and thrombosis	W	22												3	6	3	5	5	
		C	4										1		2		1			
75	Paralysis without specified cause	W	220		1			1				1			1	2	16	22	76	99	1
		C	97						1			1			3	9	18	17	22	25	1
76	General paralysis of the insane	W	43												2	15	10	7	7	2	
		C	25									1			1	8	10	1	2	2	
77	Other forms of mental alienation	W	26								1		1	5	7	5	1		6	
		C	11								1	1	1		3	1	1		3	
78	Epilepsy	W	60	2		2			4	4	4	5	8	6	13	2	2	6	2	
		C	18		1				1	1	3	2	3		4	2		1		
79	Convulsions (nonpuerperal; 5 years and over)	W	3						1					1				1		
		C	1																1	
80	Infantile convulsions (under 5 years)	W	20	14	4	1	1													
		C	15	12	2		1													
81	Chorea	W	3							2	1									
		C	2			1			1											
82	Neuralgia and neuritis	W	8												2	1	3		2	
		C	1													1				
83	Softening of the brain	W	19													2	1	8	8	
		C	2													1			1	
84	Other diseases of the nervous system	W	101	3		2	1		2	2	3	4	3	8	8	16	11	23	15	
		C	23		1				1	1			1	3	3	5	5	1	2	
85	Diseases of the eye and annexa	W	2			1										1				
86a	Diseases of the ear	W	31	7	5	1	2		1	2	1	2	1		3	3	1	2		
		C	10	3	1									1		2	1	2		
86b	Diseases of the mastoid process	W	21	2	2				3	4	2		1		3	4				
		C	2				1							1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	IV.—Diseases of the circulatory system	White	2,367	9	1	5	2	3	13	15	28	31	34	27	117	210	399	714	756	3
		Colored	1,005	1	1	1		1	8	5	16	14	35	54	130	241	192	155	146	5
87	Pericarditis	W	18													2	6	6	4	
		C	9												1	1	1	4	2	
88	Endocarditis and myocarditis (acute)	W	77	4		3	1		5	2	8	5	12	1	18	5	7	3	3	
		C	39					1			3	2	4	6	9	7	4	2	1	
89	Angina pectoris	W	176									2		2	13	26	43	52	37	1
		C	35								1		2	1	8	5	7	9	2	
90	Other diseases of the heart	W	1,914	3	1	1	1	3	7	13	18	21	19	22	83	163	318	605	635	1
		C	861			1			8	5	11	12	27	45	101	212	173	133	129	4
91a	Aneurysm	W	14										1			5	2	4	2	
		C	18										2	1	7	5	2			1
91b,c	Other diseases of the arteries	W	129													1	16	42	70	
		C	26											1	1	7	2	5	10	
92	Embolism and thrombosis (not cerebral)	W	28	1							1	1	1	2	3	5	7	2	4	1
		C	4								1				1		1	1		
93	Diseases of the veins	W	2						1							1				
		C	2													1		1		
94	Diseases of the lymphatic system	W	3			1					1								1	
		C	2	1	1															
95	Hemorrhage without specified cause	W	3	1								1	1							
		C	6												1	2	1		2	
96	Other diseases of the circulatory system	W	3									1				2				
		C	3												1	1	1			
	V.—Diseases of the respiratory system	White	2,043	384	135	57	30	20	36	28	38	43	44	46	108	155	196	310	411	2
		Colored	895	144	54	24	12	7	17	19	43	51	62	40	97	116	76	54	77	2
97a	Diseases of the nasal fossae	W	8	3	1	1													3	
		C	3	2	1															
97b	Diseases of the nasal fossae annexa	W	7									1		1	3			1	1	
		C	3								1		1		1					
98	Diseases of the larynx	W	12	3	4		1		2							1	1			
		C	5	1	1			1	2											
99a	Acute bronchitis	W	17	5	2													1	9	
		C	11	4	1						1	1	1		1		1		1	
99b	Chronic bronchitis	W	34	2												4	5	5	18	
		C	13						1		1		3		1	2	2		3	
99c,d	Bronchitis (unspecified)	W	22	4												2	1	2	13	
		C	17	2							1	2	2		2	4	2	1	1	
100a	Broncho-pneumonia	W	748	229	84	35	9	10	13	11	9	7	7	6	24	23	41	84	156	
		C	274	80	32	14	6	2	7	4	10	11	6	6	20	16	21	15	22	2
100b	Capillary bronchitis	W	4	1															3	
		C	3	1			1				1									
101a	Lobar pneumonia	W	948	94	31	18	19	8	18	15	26	31	29	35	73	101	124	180	144	2
		C	477	36	18	6	3	3	6	14	25	31	49	30	60	79	44	32	41	
101b	Pneumonia (unspecified)	W	124	34	8	1	1	1	3	2	3	2	4	2	5	9	6	14	29	
		C	44	16	1	4	1	1		1	3	4		1	2	4	1	2	3	
102	Pleurisy	W	29	1	2	2		1					3	1		5	3	4	7	
		C	12	2								1			2	4	1		2	
103	Congestion and hemorrhagic infarct of the lung	W	21	5	1											1	3	1	10	
		C	3						1						1			1		
104	Gangrene of the lung	W	4									1			1	1	1			
		C	2									1				1				
105	Asthma	W	51		2										1	6	10	14	18	
		C	18				1							2	4	4	2	2	3	
106	Pulmonary emphysema	C	1												1					
107	Other diseases of the respiratory system (tuberculosis excepted)	W	14	3								1	1	1	1	2	1	4		
		C	9											1	2	2	2	1	1	
	VI.—Diseases of the digestive system	White	2,038	503	348	89	33	25	55	45	51	57	43	44	125	137	153	171	159	
		Colored	763	163	62	25	9	4	14	20	35	43	43	28	93	99	68	24	32	1
108	Diseases of the mouth and annexa	W	17	2					2			1	1	1	3	1	1	2	3	
		C	8	1	1								1		2	1	1		1	
109b	Other diseases of the pharynx, tonsils	W	61	5	4	5		5	5	7	4	4	2	3	4	5	4	2	2	
		C	26	1		1	1		4		2	1	2	5		5	2		2	
110	Diseases of the esophagus	W	6	1													1	3	1	
111a	Ulcer of the stomach	W	44	1			1				1	1	1	1	9	10	5	11	3	
		C	22										3		4	7	5	1	2	
111b	Ulcer of the duodenum	W	27									2	2	2	7	5	4	3	2	
		C	7									1	1	1	1	3				
112	Other diseases of the stomach (cancer excepted)	W	128	27	9	3	1	2	3		2	2	2	3	5	9	8	20	32	
		C	117	13	2	2		1	1	1	3	8	2	4	25	22	23	3	7	
113	Diarrhea and enteritis (under 2 years)	W	777	451	326															
		C	197	139	58															
114	Diarrhea and enteritis (2 years and over)	W	303			74	25	16	22	5	2	1	2	3	5	13	28	42	65	
		C	95			21	7	1	4	4	4	4	4	3	7	13	6	7	10	
115	Ancylostomiasis	W	2	1								1								
116	Diseases due to other intestinal parasites	W	4		1		2		1											
		C	3			1							1						1	
117	Appendicitis and typhlitis	W	247		1	1	3	1	18	28	36	36	21	20	26	26	12	12	6	
		C	100					1	4	12	21	10	11	7	17	8	6	3		
118a	Hernia	W	37	1							1				6	3	7	9	10	
		C	8										1	1	2	2		1	1	
118b	Intestinal obstruction	W	105	11	7	3	1		3	3	2		3	3	16	14	14	15	10	
		C	65	7	1				1	1	3	4	10	1	16	12	5	3	1	
119	Other diseases of the intestines	W	20	1						1		1			2	3	6	2	4	
		C	15	1								3		2	2	2	3		2	
120	Acute yellow atrophy of the liver	W	8									2			3	1	1	1		
		C	4										1	1	2					
122	Cirrhosis of the liver	W	59											1	4	12	18	14	10	
		C	42									3		1	7	12	10	5	3	1
123	Biliary calculi	W	61									1		1	14	15	20	8	2	
		C	10										1		2	3	2	1	1	
124	Other diseases of the liver	W	93			2						2	7	3	16	16	16	23	8	
		C	24				1					3	4	1	4	6	4		1	
125	Diseases of the pancreas	W	7								1			1	3		1	1		
126	Peritonitis without specified cause	W	32	2		1		1	1	1	2	3	2	2	2	4	7	3	1	
		C	20	1				1		2	2	6	1	1	2	3	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Conitnued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—White	1,607	13	6	8	4	2	9	7	22	16	23	37	99	153	243	467	493	5
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Colored	767	2	1	2	3		2	1	6	23	34	29	123	161	146	119	113	2
128	Acute nephritis (including unspecified under 10 years)—W	107	10	2	3	3	1	5	1	4	2	3	3	11	14	12	10	23	
	Acute nephritis (including unspecified under 10 years)—C	75	2		2	3		2	1	2	3	4	3	15	15	13	4	6	
129	Chronic nephritis (including unspecified 10 years and over)—W	1,258			2	1		4	4	11	5	10	22	64	120	208	403	399	5
	Chronic nephritis (including unspecified 10 years and over)—C	526								3	11	12	13	67	123	112	99	84	2
131	Other diseases of the kidneys and annexa—W	54	3	4	3		1		1	2	2		2	4	8	2	8	14	
	Other diseases of the kidneys and annexa—C	15		1							2	1	1	1	1	2	4	2	
132	Calculi of the urinary passages—W	11									1	1		3	1	3	1	1	
	Calculi of the urinary passages—C	4											1	1			1	1	
133	Diseases of the bladder—W	20												1		1	5	13	
	Diseases of the bladder—C	15										2		1	4	4	1	3	
134	Diseases of the urethra, etc—W	4							1						1	1	1		
	Diseases of the urethra, etc—C	12										3	1	5	2	1			
135	Diseases of the prostate—W	84													1	10	33	40	
	Diseases of the prostate—C	41										1		4	1	10	8	17	
136	Nonvenereal diseases of the male genital organs—W	1														1			
137	Cysts, other benign tumors of the ovary—W	11								1	1	1	1	2	1	1	2	1	
	Cysts, other benign tumors of the ovary—C	7											1	3	2		1		
138	Salpingitis and pelvic abscess (female)—W	20								3	3	4	4	2	3	1			
	Salpingitis and pelvic abscess (female)—C	30								1	5	8	5	9	2				
139	Benign tumors of the uterus—W	20										1	4	7	1	2	4	1	
	Benign tumors of the uterus—C	37									2	3	4	15	10	3			
140	Nonpuerperal hemorrhage—W	2									1			1					
	Nonpuerperal hemorrhage—C	1												1					
141	Other diseases of the female genital organs—W	14									1	3	1	4	3	1		1	
	Other diseases of the female genital organs—C	4												1	1	1	1		
142	Nonpuerperal diseases of the breast (cancer excepted)—W	1								1									
	VIII.—The puerperal state—White	297							2	41	53	72	40	86	3				
	VIII.—The puerperal state—Colored	125							1	28	34	22	17	20	3				
143	Accidents of pregnancy—W	35								2	4	12	3	14					
	Accidents of pregnancy—C	8								1	2	2	3						
144	Puerperal hemorrhage—W	23								2	2	5	3	11					
	Puerperal hemorrhage—C	5									1	1	1	1	1				
145	Other accidents of labor—W	25								3	3	8	4	7					
	Other accidents of labor—C	12								3	3	2	1	3					
146	Puerperal septicemia—W	114							1	15	27	28	17	25	1				
	Puerperal septicemia—C	64								14	17	9	9	14	1				
147	Puerperal phlegmasia alba dolens, embolus, etc—W	7								2		2	1	2					
148	Puerperal albuminuria and convulsions—W	93							1	17	17	17	12	27	2				
	Puerperal albuminuria and convulsions—C	35							1	10	10	8	3	2	1				
149	Following childbirth (undefined)—C	1									1								
	IX.—Diseases of the skin and of the cellular tissue—White	66	10	3	2			2	1	1	2	2		3	6	8	8	17	1
	IX.—Diseases of the skin and of the cellular tissue—Colored	18						1		1		1		3	2	3	1	6	
151	Gangrene—W	17	1													1	3	12	
	Gangrene—C	12						1				1		2		1	1	6	
152	Furuncle—W	13									2	1			3	5	1	1	
153	Acute abscess—W	14	1		1			1				1		2	2	2	2	2	
	Acute abscess—C	2								1				1					
154	Other diseases of the skin and annexa—W	22	8	3	1			1	1	1				1	1		2	2	1
	Other diseases of the skin and annexa—C	4													2	2			
	X.—Diseases of the bones and of the organs of locomotion—White	23		1	1			2	2	3	1	1		1	3		6	2	
	X.—Diseases of the bones and of the organs of locomotion—Colored	16						1		2	1	1	2	2	2	1	2	2	
155	Diseases of the bones (tuberculosis excepted)—W	17		1	1			2	2	2		1			3		3	2	
	Diseases of the bones (tuberculosis excepted)—C	11						1		1		1	2	2			2	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)—W	5									1			1			3		
	Diseases of the joints (tuberculosis and rheumatism excepted)—C	5								1	1				2	1			
158	Other diseases of the organs of locomotion—W	1								1									
	XI.—Malformations—White	156	142	5	3	2		2		2									
	XI.—Malformations—Colored	5	5																
159a	Congenital hydrocephalus—W	17	13	2	1	1													
	Congenital hydrocephalus—C	1	1																
159b	Congenital malformations of the heart—W	88	79	2	2	1		2		2									
	Congenital malformations of the heart—C	2	2																
159c	Other congenital malformations—W	51	50	1															
	Other congenital malformations—C	2	2																
	XII.—Early infancy—White	1,079	1,079																
	XII.—Early infancy—Colored	247	247																
160	Congenital debility, icterus, sclerema—W	176	176																
	Congenital debility, icterus, sclerema—C	56	56																
161a	Premature birth—W	715	715																
	Premature birth—C	151	151																
161b	Injury at birth—W	122	122																
	Injury at birth—C	21	21																
162	Other diseases peculiar to early infancy—W	65	65																
	Other diseases peculiar to early infancy—C	19	19																
163	Lack of care—W	1	1																
164	XIII.—Old age (senility)—White	348														2	49	297	
	XIII.—Old age (senility)—Colored	101														2	21	77	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																		
	XIV.—External causes White	1,517	38	19	31	23	17	67	54	133	126	111	101	181	186	134	122	170	4
	XIV.—External causes Colored	679	8	9	10	11	12	19	25	63	111	88	72	107	65	30	30	15	4
	Suicide W	161								18	10	16	14	27	34	21	13	7	1
	Suicide C	15							1	2	1	3	1	3	2	2			
165	By poisons (gas or corrosives excepted) W	11								2			1	2	1	3	1	1	
166	By corrosive substances W	40								8	6	6	5	5	5	3	2		
	By corrosive substances C	5							1	2		1	1						
167	By poisonous gas W	2												1		1			
168	By hanging or strangulation W	11											2	2	3	4			
	By hanging or strangulation C	1														1			
169	By drowning W	3								1		1			1				
170	By firearms W	81								5	3	9	4	17	22	8	9	3	1
	By firearms C	8									1	1		3	2	1			
171	By cutting or piercing instruments W	8											1		1	2	1	3	
	By cutting or piercing instruments C	1										1							
172	By jumping from high places W	1													1				
173	By crushing W	1								1									
174	By other means W	3								1	1		1						
	Homicide W	158	1						1	11	20	24	25	33	24	13	6		
	Homicide C	274							4	29	65	57	36	51	23	6	2		1
197	By firearms W	120								9	16	14	21	27	19	10	4		
	By firearms C	199							3	25	45	45	25	36	13	5	2		
198	By cutting or piercing instruments W	18							1	1	1	7	3	4			1		
	By cutting or piercing instruments C	60							1	3	17	10	9	11	8				1
199	By other means W	20	1							1	3	3	1	2	5	3	1		
	By other means C	15								1	3	2	2	4	2	1			
	Accidental or undefined W	1,198	37	19	31	23	17	67	53	104	96	71	62	121	128	100	103	163	3
	Accidental or undefined C	390	8	9	10	11	12	19	20	32	45	28	35	53	40	22	28	15	3
175	Poisoning by food W	16	3		2			1					2	1	1	1	3	2	
	Poisoning by food C	9				1					1	1	2	4					
176	Poisoning by venomous animals W	2	1	1															
	Poisoning by venomous animals C	1											1						
177	Other acute poisonings (gas excepted) W	23	1		3	1		1		1	2	1	2	3	3	3	2		
	Other acute poisonings (gas excepted) C	9		1	2			1			2	1			1	1			
178	Conflagration W	21		2	2	2		3		1	1			2	4	1	2	1	
	Conflagration C	20		1		1		1	2	2	2	1	1	2	5	1	1		
179	Burns (conflagration excepted) W	99	3	9	13	14	5	14	5	2	5	3	2	6	3	2	5	8	
	Burns (conflagration excepted) C	74	2	4	6	7	10	11	1	1	2		3	6	2	5	8	6	
180	Mechanical suffocation W	16	11					1	1						2	1			
	Mechanical suffocation C	5	5																
181	Absorption of irrespirable, irritating, or poisonous gas W	5										1		1		2			1
182	Drowning W	57				1	2	2	4	20	5	3	3	6	7	3	1		
	Drowning C	27			1		1	1	3	7	5		2	1	3	1	1	1	
183	Traumatism by firearms (except in war) W	64	1			1		3	5	16	8	6	3	8	7	4	2		
	Traumatism by firearms (except in war) C	41				1			2	5	8	5	3	12	2	1	2		
184	Traumatism by cutting or piercing instruments W	12	1	1	1	1	1	1	1		1				1	1	2		
	Traumatism by cutting or piercing instruments C	10						1			1	1	1	1	1	1	2	1	
185	Traumatism by fall W	240	3	2	1	1	2	5	4	3	7	4	4	8	20	16	38	121	1
	Traumatism by fall C	24			1					3		1	4	4	5	2	3	1	
186a	Traumatism in mines W	52								3	9	8	4	13	6	7	2		
	Traumatism in mines C	2													1	1			
186b	Traumatism in quarries W	5									1	1		1	1	1			
187	Traumatism by machines W	24						2	1		3	2	2	5	7		1	1	
	Traumatism by machines C	6								1	1	3				1			
188a	Railroad accidents W	109	1				1	1	5	15	9	7	8	16	21	15	7	2	1
	Railroad accidents C	48							3	5	12	2	7	7	4	2	2	3	1
	Collision with automobiles W	14	1						1	2	2			3	3	2			
	Collision with automobiles C	2											2						
	Other railroad accidents W	95					1	1	4	13	7	7	8	13	18	13	7	2	1
	Other railroad accidents C	46							3	5	12	2	5	7	4	2	2	3	1
188b	Street-car accidents W	7									1		1		2	2	1		
	Street-car accidents C	2											1	1					
	Collision with automobiles C	1												1					
	Other street-car accidents W	7									1		1		2	2	1		
	Other street-car accidents C	1											1						
188c	Automobile accidents (excluding collision with railroad trains and street cars) W	259	2	2	6	1	5	17	15	32	30	23	19	28	24	23	21	11	
	Automobile accidents (excluding collision with railroad trains and street cars) C	53		1		1		3	4	4	5	6	6	8	9	2	3		1
188d	Airplane and balloon accidents W	1									1								
188e,f	Injuries by other vehicles W	27						5	3	1	3	1	1		1	5	3	4	
	Injuries by other vehicles C	10				1			3		1				1	2	1	1	
188g	Landslide, other crushing W	6						1						1	3	1			
	Landslide, other crushing C	7									2	3		1			1		
189	Injuries by animals (not poisoning) W	11			1			1	1			1		2	2	2		1	
	Injuries by animals (not poisoning) C	1											1						
192	Starvation (deprivation of food or water) W	1	1																
193	Excessive cold W	2																2	
	Excessive cold C	2																2	
194	Excessive heat W	2												1	1				
	Excessive heat C	5	1								1			2			1		
195	Lightning W	15							3		2	1		4	4	1			
	Lightning C	5											1	1	1	1			1
196	Other accidental electric shocks W	23								3	4	5	4	5		1	1		
	Other accidental electric shocks C	1											1						
201	Fracture (cause not specified) W	12							1						2		4	5	
	Fracture (cause not specified) C	1															1		
202	Other external violence W	87	9	2	2	1	1	9	4	7	4	4	7	10	6	8	8	5	
	Other external violence C	27		2				1	2	4	2	3	2	3	5	1	2		
	XV.—Ill-defined diseases White	1,342	573	47	11	5	5	16	5	18	12	10	14	37	73	103	183	230	
	XV.—Ill-defined diseases Colored	704	268	20	17	8	2	13	7	13	14	25	18	47	55	53	65	77	2
204	Sudden death W	171	22	3	1			2	2	3	2	1	2	8	19	22	44	40	
	Sudden death C	96	9		1			2		1	2	4	6	15	21	18	9	8	
205a	Ill-defined W	189	49	4	3	2	1	2		4	2	4	3	4	13	26	34	38	
	Ill-defined C	79	14	7	2	1		2	1	3	1	3	1	9	4	8	13	10	
205b	Not specified or unknown W	982	502	40	7	3	4	12	3	11	8	5	9	25	41	55	105	152	
	Not specified or unknown C	529	245	13	14	7	2	9	6	9	11	18	11	23	30	27	43	59	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH																		
	All causes	5,136	986	173	86	55	33	157	119	148	159	164	155	421	471	546	711	745	7
	I.—Epidemic, endemic, and infectious diseases	776	174	82	37	20	10	51	25	27	21	37	27	69	63	49	47	37	
1	Typhoid and paratyphoid fever	25						1	2	5	4	2	1	2	4	4			
6	Smallpox	3	2	1															
7	Measles	34	12	10	1	1		7	2	1									
8	Scarlet fever	4			1			2		1									
9	Whooping cough	130	74	37	13	3	2	1											
10	Diphtheria	68	2	9	9	6	2	24	9	2	1	2		1	1				
11a	Influenza (with pulmonary complications)	166	44	15	6	5	3	7	4	5	1	3	3	14	9	14	20	13	
11b	Influenza (other and unspecified)	78	12	7	2	1	2	2	1	2	2	6	1	2	7	6	9	16	
16	Dysentery	8	3		1	1		1				1				1			
19	Spirochetal hemorrhagic jaundice	1						1											
21	Erysipelas	25	10	1		2								1	4		3	4	
22	Acute anterior poliomyelitis	5						1	1	1		1			1				
23	Lethargic encephalitis	10						2			1	1	1	3		1		1	
24	Meningococcus meningitis	14	3			1		1			1	1	1	4	1	1			
25	Other epidemic and endemic diseases	4	1		1				1								1		
29	Tetanus	3							1		1		1						
	Tuberculosis (all forms)	173	5	2	3		1	1	4	10	9	18	15	40	32	19	12	2	
31	Of the respiratory system	151	1	1	1			1	4	7	9	18	13	38	29	18	10	1	
32	Of the meninges, central nervous system	9	2	1	2					3			1						
33	Of the intestines, peritoneum	7	1											2	1	1	2		
34	Of the vertebral column	2					1											1	
35	Of the joints	1													1				
36	Of other organs	3	1										1		1				
38	Syphilis	19	5									1	2	2	3	3	2	1	
40	Gonococcus infection	2									1		1						
41	Purulent infection, septicemia	4	1									1	1		1				
	II.—General diseases not included in Class I	570	18		5	4		6	3	6	9	10	14	65	86	116	153	75	
	Cancer and other malignant tumors	369			2				1		1	2	7	33	64	88	113	58	
43	Of the buccal cavity	8												1		3	3	1	
44	Of the stomach, liver	155										1	2	11	23	39	54	25	
45	Of the peritoneum, intestines, rectum	42											2	3	11	10	13	3	
46	Of the female genital organs	35											2	7	9	7	7	3	
47	Of the breast	18												4	8	2	4		
48	Of the skin	11													1	2	3	5	
49	Of other or unspecified organs	100			2				1		1	1	1	7	12	25	29	21	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	8											1	2			3	2	
51	Acute rheumatic fever	12				2		3	1	3	2			1					
52	Chronic rheumatism, osteoarthritis, gout	5									1						1	3	
56	Rickets	1						1											
57	Diabetes mellitus	65			2				1	2	3	2		7	6	9	26	7	
58	Anemia, chlorosis	27						1				1		2	4	8	7	4	
60a	Exophthalmic goiter	30										1	3	11	7	5	2	1	
60b	Other diseases of the thyroid gland	3												1		2			
62	Diseases of the thymus gland	8	7		1														
63	Diseases of the adrenals (Addison's disease)	1												1					
65a	Leukemia	7		1				1			1		1	2	1				
65b	Hodgkin's disease	2										1		1					
66	Alcoholism (acute or chronic)	13									1	3		4	2	3			
67a	Chronic lead poisoning	3													2		1		
68	Chronic poisoning by organic substances	2											2						
69	Other general diseases	14	11		1					1						1			
	III.—Diseases of the nervous system and of the organs of special sense	396	18	4	3	1	3	6	5	11	6	4	10	21	40	62	102	100	
70	Encephalitis	10	1		1		1	1		1				3				2	
71a	Simple meningitis	11	4	1		1									2	3			
71b	Nonepidemic cerebrospinal meningitis	4	1	1						1						1			
72	Tabes dorsalis (locomotor ataxia)	3													2	1			
73	Other diseases of the spinal cord	9			1					1			1		3	1	2		
74a	Cerebral hemorrhage	241	1		1					3	2	1	3	5	19	42	80	84	
74b	Cerebral embolism and thrombosis	20						1	1				1	2	2	2	5	6	
75	Paralysis without specified cause	6														1	4	1	
76	General paralysis of the insane	15										1	2	2	3	5	2		
77	Other forms of mental alienation	14											1	3	2	3	2	3	
78	Epilepsy	12								2	2	1	1	3			2	1	
80	Infantile convulsions (under 5 years)	10	9				1												
82	Neuralgia and neuritis	2														1	1		
83	Softening of the brain	1															1		
84	Other diseases of the nervous system	26	1	1			1	2	2	1	2		1	2	5	2	3	3	
86a	Diseases of the ear	9		1				1	1	2		1		1	2				
86b	Diseases of the mastoid process	3	1					1	1										
	IV.—Diseases of the circulatory system	717	10	2	1	4	4	13	21	24	20	17	14	44	73	127	154	186	3
87	Pericarditis	3				1					1	1							
88	Endocarditis and myocarditis (acute)	30	4					1	1	2	2	2	1	2	2	2	4	7	
89	Angina pectoris	43									1				7	10	21	4	
90	Other diseases of the heart	588	5	2	1	3	4	12	20	20	15	13	12	40	58	106	114	160	3
91a	Aneurysm	9								1					3	4	1		
91b,c	Other diseases of the arteries	27														4	10	13	
92	Embolism and thrombosis (not cerebral)	11								1	1	1		1	2	1	2	2	
93	Diseases of the veins	4											1		1		2		
94	Diseases of the lymphatic system	1	1																
95	Hemorrhage, without specified cause	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	V.—Diseases of the respiratory system	548	165	37	23	8	4	14	8	6	11	6	17	34	40	36	50	87	2
97a	Diseases of the nasal fossae	2												1		1			
97b	Diseases of the nasal fossae annexa	6	1			1			1	1			1	1					
98	Diseases of the larynx	4	2	1	1														
99a	Acute bronchitis	11	5					2						1				3	
99b	Chronic bronchitis	11		1										1	1	1	3	4	
99c,d	Bronchitis (unspecified)	6	3		1													2	
100a	Broncho-pneumonia	228	115	21	6	5	1	4	1		1	2	2	1	9	6	19	33	2
100b	Capillary bronchitis	2	2																
101a	Lobar pneumonia	200	22	12	11	2	2	5	4	4	10	4	11	22	20	19	22	30	
101b	Pneumonia (unspecified)	34	11	1	4			2		1				1	3	1	2	8	
102	Pleurisy	12	1	1			1		1				1		3	2	1	1	
103	Congestion and hemorrhagic infarct of the lung	8	2					1					1					4	
105	Asthma	12							1					1	1	4	3	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	12	1										1	5	3	2			
	VI.—Diseases of the digestive system	424	79	17	8	8	3	24	21	27	14	23	17	36	54	49	28	15	1
108	Diseases of the mouth and annexa	9	1					1	1		1		1		2	2			
109b	Other diseases of the pharynx, tonsils	32	6	1	2	1	2	5	2	3	1	2	1	1	4			1	
111a	Ulcer of the stomach	22										1		3	9	8	1		
111b	Ulcer of the duodenum	10												1	1	5	2	1	
112	Other diseases of the stomach (cancer excepted)	14	5	1											2	2	1	3	
113	Diarrhea and enteritis (under 2 years)	63	54	9															
114	Diarrhea and enteritis (2 years and over)	19			5	2		2	1				2	2	1	2	1		1
117	Appendicitis and typhlitis	124	3	2	1	3		16	17	19	9	11	5	12	12	8	4	2	
118a	Hernia	17									1		1	3	3	4	2	3	
118b	Intestinal obstruction	37	10	4						1	1	2	4	5	4	1	3	2	
120	Acute yellow atrophy of the liver	1														1			
122	Cirrhosis of the liver	17								1	1			2	4	4	5		
123	Biliary calculi	18										2		2	6	4	3	1	
124	Other diseases of the liver	28				1				1		1	2	4	4	7	6	2	
125	Diseases of the pancreas	2								1				1					
126	Peritonitis without specified cause	11				1	1			1		4	1		2	1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	424	1	1	1		1	2	2	10	7	14	8	34	45	64	114	120	
128	Acute nephritis (including unspecified under 10 years)	15	1	1	1			1	1	2	1			3	1		1	2	
129	Chronic nephritis (including unspecified 10 years and over)	336						1	1	8	4	10	6	20	39	55	92	100	
131	Other diseases of the kidneys and annexa	8					1							1		3	1	2	
132	Calculi of the urinary passages	6												1			5		
133	Diseases of the bladder	4														1		3	
135	Diseases of the prostate	30													2	3	13	12	
137	Cysts, other benign tumors of the ovary	2										1					1		
138	Salpingitis and pelvic abscess (female)	13									1	2	2	6		2			
139	Benign tumors of the uterus	4												3	1				
141	Other diseases of the female genital organs	5									1	1			2		1		
142	Nonpuerperal diseases of the breast (cancer excepted)	1																1	
	VIII.—The puerperal state	64								3	16	15	12	18					
143	Accidents of pregnancy	11								1	1	2	2	5					
144	Puerperal hemorrhage	9									1	1	3	4					
145	Other accidents of labor	6									2		2	2					
146	Puerperal septicemia	21								1	6	7	3	4					
147	Puerperal phlegmasia alba dolens, embolus, etc	2											1	1					
148	Puerperal albuminuria and convulsions	14								1	5	5	1	2					
149	Following childbirth (undefined)	1									1								
	IX.—Diseases of the skin and of the cellular tissue	12	1				1					3		1	2	1	1	2	
151	Gangrene	4					1										1	2	
153	Acute abscess	6										2		1	2	1			
154	Other diseases of the skin and annexa	2	1									1							
	X.—Diseases of the bones and of the organs of locomotion	3					1	2											
155	Diseases of the bones (tuberculosis excepted)	2					1	1											
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1						1											
	XI.—Malformations	77	67	4	1	1		1	2		1								
159a	Congenital hydrocephalus	9	7	1		1													
159b	Congenital malformations of the heart	48	46					1	1										
159c	Other congenital malformations	20	14	3	1				1		1								
	XII.—Early infancy	403	403																
160	Congenital debility, icterus, sclerema	19	19																
161a	Premature birth	294	294																
161b	Injury at birth	69	69																
162	Other diseases peculiar to early infancy	21	21																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
164	XIII.—Old age (senility)	77														1	11	65	
	XIV.—External causes	517	18	21	6	9	6	33	31	34	51	32	33	86	58	27	33	38	1
	Suicide	41									4	4	4	9	8	5	3	3	1
165	By poisons (gas or corrosives excepted)	4									1	1	2						
166	By corrosive substances	5									1	1		2			1		
167	By poisonous gas	1													1				
168	By hanging or strangulation	4													1	2		1	
170	By firearms	18									2		1	5	5	1	2	1	1
171	By cutting or piercing instruments	3											1	1		1			
172	By jumping from high places	2												1				1	
174	By other means	4										2			1	1			
	Homicide	20	2							3	3	2	4	3	2			1	
197	By firearms	11								1	3	1	3	2	1				
198	By cutting or piercing instruments	5								1		1	1	1	1				
199	By other means	4	2							1								1	
	Accidental or undefined	456	16	21	6	9	6	33	31	31	44	26	25	74	48	22	30	34	
175	Poisoning by food	3	1	2															
176	Poisoning by venomous animals	1		1															
177	Other acute poisonings (gas excepted)	8		3	1			1			2			1					
178	Conflagration	1															1		
179	Burns (conflagration excepted)	20	3	3	3		1	5	1	1			2				1		
180	Mechanical suffocation	3	1					2											
181	Absorption of irrespirable, irritating, or poisonous gas	4									1		1	1			1		
182	Drowning	30		7	1	2	1	3	4	5	2	1	1	1	1	1			
183	Traumatism by firearms (except in war)	18						2	7		4			3	2				
184	Traumatism by cutting or piercing instruments	7		1						3	1		1				1		
185	Traumatism by fall	48	2	1		1		2	2	3	2	1	1	2	4	5	6	16	
186a	Traumatism in mines	39									6	6	6	14	5	2			
186b	Traumatism in quarries	1											1						
187	Traumatism by machines	7			1					1	1		1	3					
188a	Railroad accidents	36	1					1	1	3	6	4	2	6	6	2	2	2	
	Collision with automobiles	6	1							1	1			1	1		1		
	Other railroad accidents	30						1	1	2	5	4	2	5	5	2	1	2	
188b	Street-car accidents	5				1			1							2	1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	80	2	1		2	3	8	5	8	7	1	1	15	10	5	6	6	
188d	Airplane and balloon accidents	1								1									
188e,f	Injuries by other vehicles	8						2	1	1				1			2	1	
188g	Landslide, other crushing	46	1			1		1	3	3	3	6	6	11	8	2	1		
189	Injuries by animals (not poisoning)	4						2						1	1				
192	Starvation (deprivation of food or water)	1												1					
193	Excessive cold	1												1					
194	Excessive heat	3												1	1			1	
195	Lightning	1													1				
196	Other accidental electric shocks	3							1		1			1					
201	Fracture (cause not specified)	38	1					3	1	2	4	2	1	3	5	2	7	7	
202	Other external violence	39	4	2		2	1	1	4		4	5	1	8	4	1	1	1	
	XV.—Ill-defined diseases	128	32	5	1			5	1		3	3	3	13	10	14	18	20	
204	Sudden death	4	1														2	1	
205a	Ill-defined	85	20	2				2	1		2	2	2	9	8	12	10	15	
205b	Not specified or unknown	39	11	3	1			3			1	1	1	4	2	2	6	4	
	VERMONT																		
	All causes	5,215	514	73	27	22	18	72	65	101	91	84	112	277	443	765	1,064	1,486	1
	I.—Epidemic, endemic, and infectious diseases	675	57	27	13	9	8	24	11	27	27	32	32	76	72	76	86	97	1
1	Typhoid and paratyphoid fever	6						1					2	2		1			
5	Malaria	1													1				
7	Measles	11	3	2	2				1				1		1	1			
8	Scarlet fever	18		3		1	2	6		2		3	1						
9	Whooping cough	32	23	4	3	1		1											
10	Diphtheria	14		1	2		3	6	2										
11a	Influenza (with pulmonary complications)	173	10	6	1	2	1	2	1	1	5	2	4	14	16	21	43	44	
11b	Influenza (other and unspecified)	95	6	2	2	1		2		3		1	1	7	5	7	16	41	1
13	Mumps	1						1											
16	Dysentery	2	1						1										
21	Erysipelas	10	2										1		1		2	4	
22	Acute anterior poliomyelitis	4				1						1		1	1				
23	Lethargic encephalitis	2													1			1	
24	Meningococcus meningitis	5	1	3				1											
29	Tetanus	1	1																
	Tuberculosis (all forms)	282	8	6	1	3	2	4	6	20	21	25	20	50	42	42	25	7	
31	Of the respiratory system	226		1					3	15	18	23	15	42	41	38	25	5	
32	Of the meninges, central nervous system	29	7	5	1	3	2	3	2	1			1	3	1				
33	Of the intestines, peritoneum	12	1						1	3			4	2		1			
34	Of the vertebral column	5						1				1		1		1		1	
35	Of the joints	2														1		1	
36	Of other organs	4									1			2		1			
37a	Disseminated (acute)	4								1	2	1							
38	Syphilis	12	2		1					1			1	1	3	3			
40	Gonococcus infection	4			1						1		1	1					
41	Purulent infection, septicemia	2													1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
	II.—General diseases not included in Class I	653	9		3			7	6	4	10	6	13	27	89	159	168	152	
	Cancer and other malignant tumors	471						1	1	1	4	2	7	18	68	117	130	122	
43	Of the buccal cavity	16											1	1	1	1	5	7	
44	Of the stomach, liver	157											1	6	20	36	51	43	
45	Of the peritoneum, intestines, rectum	85									2			2	9	23	25	24	
46	Of the female genital organs	58								1			2	6	14	17	12	6	
47	Of the breast	44													13	13	12	6	
48	Of the skin	14														1	3	10	
49	Of other or unspecified organs	97						1	1		2	2	3	3	11	26	22	26	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3															2	1	
51	Acute rheumatic fever	6						1	1	1							2	1	
52	Chronic rheumatism, osteoarthritis, gout	6													1	2	1	2	
53	Scurvy	1	1																
54	Pellagra	3													1	1	1		
56	Rickets	1			1														
57	Diabetes mellitus	77						4	2	1	3	2	2	2	7	17	20	17	
58	Anemia, chlorosis	40			2				1		1		2	1	3	13	9	8	
60a	Exophthalmic goiter	11									1		1	1	3	4	1		
60b	Other diseases of the thyroid gland	2						1			1								
62	Diseases of the thymus gland	5	5																
63	Diseases of the adrenals (Addison's disease)	2											1			1			
64	Diseases of the spleen	1																1	
65a	Leukemia	2							1	1									
65b	Hodgkin's disease	3										1		1	1				
66	Alcoholism (acute or chronic)	11										1		2	4	3	1		
67a	Chronic lead poisoning	2												2					
68	Chronic poisoning by organic substances	2													1	1			
69	Other general diseases	4	3														1		
	III.—Diseases of the nervous system and of the organs of special sense	630	11	4	1	1		9	5	9	6	3	6	23	50	113	168	221	
70	Encephalitis	3								1	1					1			
71a	Simple meningitis	10	1	1				2	2			1			1	1	1		
71b	Nonepidemic cerebrospinal meningitis	2						1					1						
72	Tabes dorsalis (locomotor ataxia)	16												1		9	6		
73	Other diseases of the spinal cord	19								2			1	1	3	4	4	4	
74a	Cerebral hemorrhage	452						1		1	1			7	30	85	135	192	
74b	Cerebral embolism and thrombosis	29													2	4	9	14	
75	Paralysis without specified cause	5													1			4	
76	General paralysis of the insane	16											1	7	3	1	2	2	
77	Other forms of mental alienation	6									1			2	1	2			
78	Epilepsy	24	1	1		1		2	1	3	3	1	3	3	2	2	1		
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	10	8	1	1														
81	Chorea	1								1									
82	Neuralgia and neuritis	3													2			1	
83	Softening of the brain	4															4		
84	Other diseases of the nervous system	21						1	1					1	4	4	6	4	
86a	Diseases of the ear	6	1	1				1		1		1		1					
86b	Diseases of the mastoid process	2							1						1				
	IV.—Diseases of the circulatory system	1,168	3	1	1	1		2	5	5	8	7	5	32	73	182	332	511	
87	Pericarditis	4										1					3		
88	Endocarditis and myocarditis (acute)	17	1	1				1			2			5	2	1	1	3	
89	Angina pectoris	110											1	3	12	24	38	32	
90	Other diseases of the heart	838	1		1				5	5	6	5	3	22	55	136	251	348	
91a	Aneurysm	3													1	1		1	
91b,c	Other diseases of the arteries	179										1	1	2	1	15	36	123	
92	Embolism and thrombosis (not cerebral)	12													1	4	3	4	
93	Diseases of the veins	2													1	1			
94	Diseases of the lymphatic system	1				1													
95	Hemorrhage without specified cause	2	1					1											
	V.—Diseases of the respiratory system	512	69	22	3	4	2	8	3	6	4	9	14	27	34	67	87	153	
98	Diseases of the larynx	2	1	1															
99a	Acute bronchitis	13	2					1				1					3	6	
99b	Chronic bronchitis	16															5	11	
99c,d	Bronchitis (unspecified)	16	3										1			1	2	9	
100a	Broncho-pneumonia	165	37	15	2	3		4	2				3	6	7	13	21	52	
100b	Capillary bronchitis	7	4	1													1	1	
101a	Lobar pneumonia	240	16	5		1	2	2	1	6	3	8	8	20	23	46	40	59	
101b	Pneumonia (unspecified)	23	4		1			1							2	1	8	6	
102	Pleurisy	6											1		1	1	3		
103	Congestion and hemorrhagic infarct of the lung	7														1	1	5	
104	Gangrene of the lung	1																1	
105	Asthma	7											1	1			2	3	
106	Pulmonary emphysema	3													1	2			
107	Other diseases of the respiratory system (tuberculosis excepted)	6	2								1					2	1		
	VI.—Diseases of the digestive system	313	55	9	3	4	1	7	16	11	5	6	7	17	28	49	47	48	
109b	Other diseases of the pharynx, tonsils	10	1				1		1	4				1	1		1		
110	Diseases of the esophagus	1																1	
111a	Ulcer of the stomach	21						1					2	2	2	9	3	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
111b	Ulcer of the duodenum	7													1	2	4		
112	Other diseases of the stomach (cancer excepted)	25	8	3	1	1									1	1	3	7	
113	Diarrhea and enteritis (under 2 years)	44	39	5															
114	Diarrhea and enteritis (2 years and over)	18			2	2		1	2		1			2	1	1	5	1	
117	Appendicitis and typhlitis	61						5	13	6	3	5	1	4	7	9	3	5	
118a	Hernia	14													3	1	4	6	
118b	Intestinal obstruction	40	6	1						1	1		2	3	2	7	10	7	
119	Other diseases of the intestines	5	1										1			1		2	
120	Acute yellow atrophy of the liver	1															1		
122	Cirrhosis of the liver	20												1	2	8	6	3	
123	Biliary calculi	34											1	3	7	9	5	9	
124	Other diseases of the liver	7				1										1	2	3	
125	Diseases of the pancreas	1													1				
126	Peritonitis without specified cause	4										1		1				2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	472	2	1		1	2	2	6	4	3	2	7	24	54	81	126	157	
128	Acute nephritis (including unspecified under 10 years)	21	2			1	2	2	2	1	1			5	2	1	1	1	
129	Chronic nephritis (including unspecified 10 years and over)	403							4	3	1	1	4	14	44	74	112	146	
131	Other diseases of the kidneys and annexa	4		1												1	1	1	
132	Calculi of the urinary passages	4														3	1		
133	Diseases of the bladder	2															2		
134	Diseases of the urethra, etc.	1													1				
135	Diseases of the prostate	19														2	9	8	
137	Cysts, other benign tumors of the ovary	2									1		1						
138	Salpingitis and pelvic abscess (female)	2											1	1					
139	Benign tumors of the uterus	12										1	1	2	7			1	
141	Other diseases of the female genital organs	2												2					
	VIII.—The puerperal state	48								3	10	8	10	15	2				
143	Accidents of pregnancy	2											2						
144	Puerperal hemorrhage	6											1	5					
145	Other accidents of labor	5									1	1		2	1				
146	Puerperal septicemia	16									4	4	2	6					
147	Puerperal phlegmasia alba dolens, embolus, etc.	2									1		1						
148	Puerperal albuminuria and convulsions	17								3	4	3	4	2	1				
	IX.—Diseases of the skin and of the cellular tissue	14	1	1						1				1		2		8	
151	Gangrene	8														1		7	
152	Furuncle	3								1				1		1			
153	Acute abscess	1		1															
154	Other diseases of the skin and annexa	2	1															1	
	X.—Diseases of the bones and of the organs of locomotion	3						1			1					1			
155	Diseases of the bones (tuberculosis excepted)	3						1			1					1			
	XI.—Malformations	60	56	2				2											
159a	Congenital hydrocephalus	5	2	1				2											
159b	Congenital malformations of the heart	47	46	1															
159c	Other congenital malformations	8	8																
	XII.—Early infancy	238	238																
160	Congenital debility, icterus, sclerema	32	32																
161a	Premature birth	146	146																
161b	Injury at birth	42	42																
162	Other diseases peculiar to early infancy	16	16																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	84															12	72	
	XIV.—External causes	328	8	2	3	2	5	9	13	31	17	11	18	34	40	35	35	65	
	Suicide	48							1	4	3	2	2	5	8	12	5	6	
165	By poisons (gas or corrosives excepted)	1														1			
166	By corrosive substances	3								1	1		1						
167	By poisonous gas	3												1	1			1	
168	By hanging or strangulation	14								1				1	3	4	2	3	
169	By drowning	5							1	1					2	1			
170	By firearms	21								1	2	2	1	3	2	6	3	1	
172	By jumping from high places	1																1	
	Homicide	8						1				1	2	2	1	1			
197	By firearms	3						1				1		1					
199	By other means	5											2	1	1				
	Accidental or undefined	272	8	2	3	2	5	8	12	27	14	8	14	27	31	22	30	59	
177	Other acute poisonings (gas excepted)	3				1									1		1		
179	Burns (conflagration excepted)	13	1	1	1	1		1	2				2	1	2			1	
180	Mechanical suffocation	8	5							1				1	1				
181	Absorption of irrespirable, irritating, or poisonous gas	4											1	1	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
182	Drowning	24			1		1	1	4	3	5		3	3	3				
183	Traumatism by firearms (except in war)	7						1		3	1	1		1					
184	Traumatism by cutting or piercing instruments	2							1								1		
185	Traumatism by fall	85		1	1		1			3			1	4	3	3	18	50	
186b	Traumatism in quarries	7										1		2	2	2			
187	Traumatism by machines	8									1	2	2	1	1	1			
188a	Railroad accidents	25					1			4	2	2	2	5	4	2	3		
	Collision with automobiles	4								1	1	1	1						
	Other railroad accidents	21					1			3	1	1	1	5	4	2	3		
188b	Street-car accidents	2												1		1			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	45						3	3	9	2	2	1	4	8	6	5	2	
188e,f	Injuries by other vehicles	7								2			1		1	2		1	
188g	Landslide, other crushing	1												1					
189	Injuries by animals (not poisoning)	5					2	1									1	1	
194	Excessive heat	1						1											
195	Lightning	4							1	2							1		
196	Other accidental electric shocks	4									1		1	1	1				
201	Fracture (cause not specified)	1														1			
202	Other external violence	16	2						1		2			1	2	4		4	
	XV.—Ill-defined diseases	17	5	4				1						1	1		3	2	
204	Sudden death	2	1														1		
205a	Ill-defined	6	3				1							1				1	
205b	Not specified or unknown	9	4	1											1		2	1	
	VIRGINIA																		
	All causes—White	18,866	2,900	557	277	141	125	337	270	450	498	485	487	1,181	1,552	2,155	3,419	4,016	16
	All causes—Colored	11,952	1,936	364	156	100	59	198	226	489	516	512	529	1,307	1,746	1,607	1,159	1,011	37
	I.—Epidemic, endemic, and infectious diseases—White	3,222	331	205	119	57	63	109	75	147	176	181	166	315	289	278	371	337	3
	I.—Epidemic, endemic, and infectious diseases—Colored	2,645	284	130	56	36	25	74	102	241	291	244	216	345	253	182	103	60	3
1	Typhoid and paratyphoid fever—W	162		1	3	1	1	7	19	32	25	13	12	16	15	9	5	3	
	Typhoid and paratyphoid fever—C	104			1	2	1	6	18	26	7	14	8	5	9	5	1	1	
5	Malaria—W	8								1		1		1	2	2	1		
	Malaria—C	17		1	2	1				1	1	1	2	4	3	1			
6	Smallpox—C	1														1			
7	Measles—W	78	18	17	10	4	3	5	4	7	2	1	2	3				2	
	Measles—C	22	5	4	2	1		4		5						1			
8	Scarlet fever—W	31	2	2	4	3	4	9	1	1	2	2	1						
	Scarlet fever—C	1			1														
9	Whooping cough—W	168	90	45	15	6	4	5		2									1
	Whooping cough—C	150	72	46	16	5	4	5	1				1						
10	Diphtheria—W	178	18	27	34	26	26	40	4	1		1					1		
	Diphtheria—C	50	3	6	6	6	5	16	4	1			2		1				
11a	Influenza (with pulmonary complications)—W	655	82	45	22	6	7	11	11	18	12	23	23	51	50	65	114	115	
	Influenza (with pulmonary complications)—C	432	82	32	11	6	8	5	10	14	13	15	21	54	56	46	30	29	
11b	Influenza (other and unspecified)—W	269	30	8	9	2	3	4	8	6	8	5	4	4	11	24	51	91	1
	Influenza (other and unspecified)—C	162	25	7	5	2		5	4	7	4	4	5	15	17	33	15	13	1
13	Mumps—C	1						1											
15	Cholera nostras—W	8	2				2										3	1	
16	Dysentery—W	157	36	34	10	6	3	5		3	1		3		3	6	7	40	
	Dysentery—C	69	19	11	3	2	1			2	2	2		3	4	8	5	7	
21	Erysipelas—W	44	11	1				2	1		1	2	1	3	8	1	9	4	
	Erysipelas—C	8	4												2	2			
22	Acute anterior poliomyelitis—W	21	1	5	4	1	3	4	2	1									
	Acute anterior poliomyelitis—C	6		1			1	3			1								
23	Lethargic encephalitis—W	13		1				1	1		1		2	1	5		1		
	Lethargic encephalitis—C	6				1	1				2			1			1		
24	Meningococcus meningitis—W	17	3	2				1	3	1	1			2	1	2	1		
	Meningococcus meningitis—C	4		3				1											
25	Other epidemic and endemic diseases—W	2			1											1			
	Other epidemic and endemic diseases—C	1															1		
27	Anthrax—C	1											1						
28	Rabies—C	1				1													
29	Tetanus—W	20	1				1	5	3	1	3	1			1	1	2	1	
	Tetanus—C	21	7	2				1	3	1	1	1		2	2	1			
30	Mycoses—W	1												1					
	Mycoses—C	11	10	1															
	Tuberculosis (all forms)—W	1,294	23	14	7	2	4	8	15	64	116	130	115	216	181	155	166	77	1
	Tuberculosis (all forms)—C	1,359	22	11	9	8	1	27	61	175	237	190	163	214	119	69	43	8	2
31	Of the respiratory system—W	1,150	6	5		1		2	11	57	104	119	105	203	167	143	159	67	1
	Of the respiratory system—C	1,209	13	4	3	3	1	17	50	154	219	179	152	192	111	63	39	7	2
32	Of the meninges, central nervous system—W	39	13	6	4	1	2	4	2	2	2	1		1	1				
	Of the meninges, central nervous system—C	37	6	5	6	3		4	4	4	2	1	1		1				
33	Of the intestines, peritoneum—W	45	2		1			1	1	2	3	3	3	7	8	7	4	3	
	Of the intestines, peritoneum—C	51						2	3	8	6	3	6	13	5	1	3	1	
34	Of the vertebral column—W	16					2	1	1	1	2	1	1		2	2		3	
	Of the vertebral column—C	7							1	2	1	1	1	1					
35	Of the joints—W	6									1					2	1	2	
	Of the joints—C	16	1			1		1			4		1	5	1	2			
36	Of other organs—W	24	1	3	2					2	2	2	4	2	2		2	2	
	Of other organs—C	11				1		1	2	1	1	1		1		3			
37a	Disseminated (acute)—W	8									1	3		3	1				
	Disseminated (acute)—C	26	2	1				2	1	6	4	4	2	2	1		1		
37b	Disseminated (chronic or unspecified)—W	6	1								1	1	2			1			
	Disseminated (chronic or unspecified)—C	2		1								1							
38	Syphilis—W	72	14	2			1		2	4	2	1	2	14	8	12	8	2	
	Syphilis—C	190	34	5		1	3		1	7	14	13	11	40	38	15	6	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
39	Soft chancre	C	1											1						
40	Gonococcus infection	W	7								2	1	1	1	1	1				
		C	20	1							2	8	4	1	4					
41	Purulent infection, septicemia	W	17		1			1	2	1	3	1			2	3		2	1	
		C	7									1			3	2		1		
	II.—General diseases not included in Class I	White	1,796	38	9	10	8	4	26	12	24	16	21	30	142	285	404	474	291	2
		Colored	658	17	5	4	1	2	6	12	9	9	30	25	100	155	142	92	46	3
42	Cancer and other malignant tumors	W	1,177	1		1	2	2	7	2	3	3	9	19	89	188	273	349	227	2
		C	371		1		1	1	3	2		3	9	12	58	94	96	63	25	3
43	Of the buccal cavity	W	37								1				1	2	7	18	8	
		C	3												1		2			
44	Of the stomach, liver	W	373						1			1		3	15	43	99	132	79	
		C	118		1			1					2	2	13	27	34	23	13	2
45	Of the peritoneum, intestines, rectum	W	128									2	1	3	6	14	30	42	30	
		C	33									1	1	2	2	9	12	3	2	1
46	Of the female genital organs	W	185										3	6	32	43	46	35	20	
		C	97										4	5	22	34	18	11	3	
47	Of the breast	W	132										1	2	13	34	28	28	25	1
		C	45											1	14	11	8	9	2	
48	Of the skin	W	58										1		1	8	8	18	22	
		C	8												1	2	4	1		
49	Of other or unspecified organs	W	264	1		1	2	2	6	2	2		3	5	21	44	55	76	43	1
		C	67				1		3	2		2	2	2	5	11	18	16	5	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	12	2		1	1	1	1						1	1	2	1	1	
		C	7							1						2	2		2	
51	Acute rheumatic fever	W	40			1	1		8	1	4		1		2	5	5	5	7	
		C	37		1	1				4	1	1	2		1	8	6	6		
52	Chronic rheumatism, osteoarthritis, gout	W	26											1	2	1	7	9	6	
		C	12							1			1		2	1	2	3	2	
53	Scurvy	W	1		1															
		C	3	1							2									
54	Pellagra	W	64						2			3	4	2	10	12	11	17	3	
		C	52								2		13	5	10	7	13	1	1	
56	Rickets	W	7	5	1	1														
		C	12	8	2	1				1										
57	Diabetes mellitus	W	224				1		2	8	4	1	3	1	13	33	67	59	32	
		C	100	1		1				2	2	3	2	5	17	26	17	17	7	
58	Anemia, chlorosis	W	72	1	3	2	1	1		1	3	1		1	8	10	16	14	10	
		C	8											1	1	3	1	1	1	
59	Diseases of the pituitary gland	W	1																	
		C	1											1		1				
60a	Exophthalmic goiter	W	34								1	1	1	2	3	8	11	7		
		C	6												3	3				
60b	Other diseases of the thyroid gland	W	11		2										1	1	3	1	3	
		C	7							1					2	2	1		1	
61	Diseases of the parathyroid glands	W	4	3					1											
		C	1			1														
62	Diseases of the thymus gland	W	8	8																
		C	2	1	1															
63	Diseases of the adrenals (Addison's disease)	W	5								1					3		1		
		C	2								1		1							
64	Diseases of the spleen	W	1														1			
		C	1													1				
65a	Leukemia	W	28		1	2			2		3	3			3	8	1	4	1	
		C	6	1				1	1						1	1			1	
65b	Hodgkin's disease	W	10			1					3				1	2	1	2		
		C	5	1					2			1			1					
66	Alcoholism (acute or chronic)	W	26									4	2	2	5	10	2	1		
		C	13										2	1	2	5	2	1		
67a	Chronic lead poisoning	W	1												1					
68	Chronic poisoning by organic substances	W	7											2		1	1	2	1	
69	Other general diseases	W	37	18	1	1	2		3		2		1		3	1	3	2		
		C	12	4							1	1			2	2	2			
	III.—Diseases of the nervous system and of the organs of special sense	White	1,898	68	21	11	6	5	26	23	24	23	16	27	92	168	314	528	545	1
		Colored	1,333	56	8	5	9	3	10	12	16	11	18	25	135	318	321	218	164	4
70	Encephalitis	W	22		4		1		3	2	1			3	3	2		3		
		C	6					1		1					2	1	1			
71a	Simple meningitis	W	59	18	2	7	1	2	7	4	3	3	2	2	3		1	4		
		C	20	6		2	1	1	2	3	1	1	2				1			
71b	Nonepidemic cerebrospinal meningitis	W	23	8	4	1			4		2	2	1	1						
		C	8	1	2		1			1	2				1					
72	Tabes dorsalis (locomotor ataxia)	W	19												5	1	7	3	3	
		C	6											1	1	3	1			
73	Other diseases of the spinal cord	W	52	1		1		1	2	2	2				4	8	11	13	7	
		C	28	1					3			1	1	2		6	7	5	2	
74a	Cerebral hemorrhage	W	1,223	1	1					2	5	7	1	6	41	113	230	407	408	1
		C	933	2			1		1	1	1	2	4	15	96	246	262	176	123	3
74b	Cerebral embolism and thrombosis	W	39							1				1	3	3	9	11	11	
		C	19											1	3	6	4	3	2	
75	Paralysis without specified cause	W	161	1					2						3	3	25	48	79	
		C	136				1								10	29	32	31	33	
76	General paralysis of the insane	W	39									1		2	7	10	9	5	5	
		C	23									1	1	1	5	9	4	1		1
77	Other forms of mental alienation	W	25									1		1	4	8	4	5	2	
		C	19								1	2	4		4	4	3	1		
78	Epilepsy	W	57	3	1					5	6	7	5	6	8	7	4	3	2	
		C	45	3		1			2	5	7	3	5	2	5	9	2		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
79	Convulsions (nonpuerperal; 5 years and over)	W	3								1			1	1					
		C	3								2				1					
80	Infantile convulsions (under 5 years)	W	28	21	3	1	2	1												
		C	52	41	5	2	3	1												
81	Chorea	W	2			1							1							
82	Neuralgia and neuritis	W	9														2	2	5	
		C	3													3				
83	Softening of the brain	W	22													1		10	11	
		C	2														1		1	
84	Other diseases of the nervous system	W	67	4	1				2	2	4	2	5	2	6	7	11	13	8	
		C	15	1	1		1				1	1	1	1	5	1	2			
85	Diseases of the eye and annexa	W	2																2	
		C	4				1			1									1	
86a	Diseases of the ear	W	26	8	2		1		3	2			1		4	3			2	
		C	5						2					1	2					
86b	Diseases of the mastoid process	W	20	3	3		1	1	3	3				2		2	1	1		
		C	6	1							1			1		1		1	1	
	IV.—Diseases of the circulatory system	White	3,006	15	1	1	2	2	16	27	21	14	31	27	114	269	455	900	1,110	1
		Colored	1,702	3	2	3	2		8	11	17	30	26	55	210	397	377	299	253	9
87	Pericarditis	W	12						1	2		1						3	5	
		C	6									1					1	1	3	
88	Endocarditis and myocarditis (acute)	W	59	1	1				4	1	3	5	4	2	17	6	6	5	4	
		C	62	2	1	1			2	1	2	4	4	6	30	2	2	4	1	
89	Angina pectoris	W	237										3	1	11	35	73	68	46	
		C	68							1			3	2	11	21	20	7	3	
90	Other diseases of the heart	W	2,425	12		1	2	2	10	24	17	8	22	22	79	211	334	757	923	1
		C	1,445	1	1	2	2		6	9	14	24	16	42	162	345	331	261	221	8
91a	Aneurysm	W	27												3	4	9	7	4	
		C	19									1	1	3	4	8	1	1		
91b,c	Other diseases of the arteries	W	199											1	2	4	20	49	123	
		C	86										1	1		18	17	23	25	1
92	Embolism and thrombosis (not cerebral)	W	30						1				1		1	5	11	8	3	
		C	5											1	2		2			
93	Diseases of the veins	W	6								1			1			2	2		
		C	5												1	1	3			
94	Diseases of the lymphatic system	W	2	2																
		C	1								1									
95	Hemorrhage without specified cause	C	2										1			1				
96	Other diseases of the circulatory system	W	9										1		1	4		1	2	
		C	3													1		2		
	V.—Diseases of the respiratory system	White	1,439	282	101	46	16	8	27	28	29	27	33	29	79	81	122	223	305	3
		Colored	1,099	274	85	36	20	10	21	17	49	38	38	40	106	126	111	71	52	5
97a	Diseases of the nasal fossae	W	2	2																
		C	14	13		1														
97b	Diseases of the nasal fossae annexa	W	14					1	1	2				1	3	2	2		2	
		C	2												1					
98	Diseases of the larynx	W	9		3		3					1							2	
		C	5	1		1						1			1	1		1		
99a	Acute bronchitis	W	23	4	1					1								3	14	
		C	21	8	2	1			1			2			1	2	2	1	1	
99b	Chronic bronchitis	W	35	4			1									3	2	5	20	
		C	13		1								1	1		5		3	2	
99c,d	Bronchitis (unspecified)	W	25	5	1				1						1			4	13	
		C	18	10	2										1	1	2	1	1	
100a	Broncho-pneumonia	W	538	188	68	31	5	4	6	4	3	4	4	4	6	11	24	61	114	1
		C	357	162	53	21	7	5	8	2	7	2	2	4	12	22	22	16	12	
100b	Capillary bronchitis	W	6	2	1	1													2	
		C	9	4	1	1	1							1					1	
101a	Lobar pneumonia	W	593	36	18	9	4	2	16	17	22	17	24	19	57	57	81	127	87	
		C	496	41	16	11	8	3	11	13	33	26	31	29	71	74	69	34	23	3
101b	Pneumonia (unspecified)	W	105	38	7	3	1		3	4	2	1	2	1	3	3	4	8	24	1
		C	84	31	9		3	2	1	1	5	2	2	1	4	10	5	4	4	
102	Pleurisy	W	29	1	1	1	1	1			1	2	1	2	3	2	4	5	4	
		C	24		1					1	2	3	1		4	6	4	2		
103	Congestion and hemorrhagic infarct of the lung	W	23	2		1	1									1	1	1	16	
		C	15	3											3	4	1		4	
104	Gangrene of the lung	W	3									1			2					
		C	1												1					
105	Asthma	W	19										1		1	2	3	7	4	1
		C	22									1		1	4	1	5	6	3	1
106	Pulmonary emphysema	C	4				1							2	1					
107	Other diseases of the respiratory system (tuberculosis excepted)	W	15		1						1	1	1	2	3		1	2	3	
		C	14	1							2	1	1	1	2		1	3	1	1
	VI.—Diseases of the digestive system	White	1,396	436	147	49	20	18	36	24	36	36	30	29	74	89	122	109	139	2
		Colored	947	312	84	26	11	2	24	16	37	26	28	33	76	109	89	52	20	2
108	Diseases of the mouth and annexa	W	8										1	1		1	3	1	1	
		C	7	1		1			1			1	1		1		1			
109b	Other diseases of the pharynx, tonsils	W	74	4	4	1	1	3	9	3	5	10	4	4	5	6	6	6	3	
		C	32		2	1		1	4	5	5	2	2	3	2	2	2	1		
110	Diseases of the esophagus	W	1														1			
111a	Ulcer of the stomach	W	42						1			2	2	3	3	6	4	12	9	
		C	39								1	5	4		10	9	3	6	1	
111b	Ulcer of the duodenum	W	22								1	3	3	1	6	4	1	1	2	
		C	5								1	1			2		1			
112	Other diseases of the stomach (cancer excepted)	W	90	21	2	3	1	1	1			1		1	3	14	9	12	21	
		C	109	20	2	1	2		2	2	3		1	7	13	24	17	9	5	1
113	Diarrhea and enteritis (under 2 years)	W	528	394	134															
		C	356	280	76															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	VI.—Diseases of the digestive system—Continued.																			
114	Diarrhea and enteritis (2 years and over)	W	149			40	13	5	7	6				3		5	12	21	36	1
		C	85			20	6	1	7		3	3	2	2	5	13	12	9	2	
116	Diseases due to other intestinal parasites	W	2		1		1													
		C	5	1	1	1	1		1											
117	Appendicitis and typhlitis	W	178		2	1	1	7	12	11	24	14	10	7	26	17	29	9	7	1
		C	78		1				7	7	12	7	6	7	12	9	9	1		
118a	Hernia	W	42	1							1	1			1	5	10	9	14	
		C	28	3						1			1		2	7	7	4	3	
118b	Intestinal obstruction	W	82	14	3	2	1		2	1	2	3	2	3	10	5	12	10	12	
		C	56	4	1	2	1		2		2	2	3	4	8	8	13	4	2	
119	Other diseases of the intestines	W	16							1				1	3	2	1	5	3	
		C	19	2							2	2	1	2	1	6	2	1		
120	Acute yellow atrophy of the liver	W	6								1					2	1	1	1	
		C	5	1							1	1					1			1
122	Cirrhosis of the liver	W	47									1	2		6	8	14	9	7	
		C	51								1			4	8	14	8	12	4	
123	Biliary calculi	W	26										1	1	4	6	3	5	6	
		C	11											1	3	4	2	1		
124	Other diseases of the liver	W	53					2					4	3	6	6	11	6	15	
		C	31				1				2		2		5	6	8	4	3	
125	Diseases of the pancreas	W	6								1					2	2	1		
		C	4													1	1			
126	Peritonitis without specified cause	W	24	2	1	2	2		4	2	1	1	1	1	1		3	1	2	
		C	26		1					1	4	2	4	2	4	6	2			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,977	11	9	8	1	3	7	5	14	16	27	29	86	178	314	589	680	
		Colored	1,222	11		2	1	1	5	8	5	20	35	44	151	260	288	219	169	3
128	Acute nephritis (including unspecified under 10 years)	W	87	6	3	6	1	2	3	3	5	4	4	3	11	8	14	9	5	
		C	94	6		2		1	4	4		4	5	6	18	23	15	3	3	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,675						2	2	5	6	14	22	56	146	284	534	604	
		C	967	2						4	5	5	23	22	105	208	243	198	149	3
131	Other diseases of the kidneys and annexa	W	54	4	6	2		1	2		1	2	3	1	6	6	6	3	11	
		C	41	3			1		1			3		5	9	2	7	4	6	
132	Calculi of the urinary passages	W	11										1		1	4	2	2	1	
133	Diseases of the bladder	W	24										1	1		1	1	5	15	
		C	7										1		1	1	1	3		
134	Diseases of the urethra, etc	W	8										1				3	2	2	
		C	8											1	3	1	3			
135	Diseases of the prostate	W	73														3	33	37	
		C	43												1	7	15	9	11	
136	Nonvenereal diseases of the male genital organs	W	1	1																
		C	1										1							
137	Cysts, other benign tumors of the ovary	W	6									1			2	1			2	
		C	3											2		1				
138	Salpingitis and pelvic abscess (female)	W	12								1	2	1	2	5	1				
		C	28									7	3	6	7	5				
139	Benign tumors of the uterus	W	14												4	7	1		2	
		C	25									1	2	2	6	8	4	2		
140	Nonpuerperal uterine hemorrhage	W	1								1									
141	Other diseases of the female genital organs	W	10								1	1	2		1	4		1		
		C	5												1	4				
142	Nonpuerperal diseases of the breast (cancer excepted)	W	1																1	
	VIII.—The puerperal state	White	287							2	36	52	44	57	88	8				
		Colored	174							3	38	27	30	32	44					
143	Accidents of pregnancy	W	28								1	4	4	9	10					
		C	13							1	1	2	4	1	4					
144	Puerperal hemorrhage	W	36									4	4	5	21	2				
		C	14								1	1	1	8	3					
145	Other accidents of labor	W	34								4	2	7	6	15					
		C	27								7	3	6	4	7					
146	Puerperal septicemia	W	94							2	8	23	17	22	18	4				
		C	50								16	13	8	5	8					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	7									2	3	1	1					
		C	3								1			2						
148	Puerperal albuminuria and convulsions	W	87								23	17	9	13	23	2				
		C	67							2	12	8	11	12	22					
149	Following childbirth (undefined)	W	1											1						
	IX.—Diseases of the skin and of the cellular tissue	White	58	7					3		2	2	1	1	7	4	3	3	25	
		Colored	34	4	1				1		1	1		1	5	5	4	4	7	
151	Gangrene	W	29	1							1			1	1	2	2	1	20	
		C	20	1					1			1		1	2	1	3	3	7	
152	Furuncle	W	7						1		1	1			3				1	
		C	1	1																
153	Acute abscess	W	13	2					2			1			3	1	1	1	2	
		C	4	1							1				1	1				
154	Other diseases of the skin and annexa	W	9	4									1			1		1	2	
		C	9	1	1										2	3	1	1		
	X.—Diseases of the bones and of the organs of locomotion	White	23			1	2	1	8	2	1			1		2	2	2	1	
		Colored	6									1	1	1		1	1		1	
155	Diseases of the bones (tuberculosis excepted)	W	16			1	2	1	6	1	1					2	2			
		C	3											1		1		1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	6						2					1				2	1	
		C	3									1	1				1			
158	Other diseases of the organs of locomotion	W	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																		
	XI.—Malformations—White	222	194	14		1		3	6	2					2				
	XI.—Malformations—Colored	58	44	5		1		5	2	1									
159a	Congenital hydrocephalus—W	18	16	2															
	Congenital hydrocephalus—C	7	4	1				2											
159b	Congenital malformations of the heart—W	112	94	8				2	5	2					1				
	Congenital malformations of the heart—C	29	23	1		1		3		1									
159c	Other congenital malformations—W	92	84	4		1		1	1						1				
	Other congenital malformations—C	22	17	3					2										
	XII.—Early infancy—White	1,247	1,247																
	XII.—Early infancy—Colored	685	685																
160	Congenital debility, icterus, sclerema—W	189	189																
	Congenital debility, icterus, sclerema—C	189	189																
161a	Premature birth—W	835	835																
	Premature birth—C	378	378																
161b	Injury at birth—W	165	165																
	Injury at birth—C	47	47																
162	Other diseases peculiar to early infancy—W	57	57																
	Other diseases peculiar to early infancy—C	68	68																
163	Lack of care—W	1	1																
	Lack of care—C	3	3																
164	XIII.—Old-age (senility)—White	377													1	4	30	342	
	XIII.—Old-age (senility)—Colored	206													1	9	31	164	1
	XIV.—External causes—White	1,402	45	39	28	26	16	75	62	112	127	97	84	161	149	92	129	158	2
	XIV.—External causes—Colored	711	43	20	15	16	15	41	38	65	56	57	51	102	80	44	35	30	3
	Suicide—W	153								7	14	13	9	28	39	21	18	4	
	Suicide—C	16							1		3	1	2	2	2	2	2	1	
165	By poisons (gas or corrosives excepted)—W	9								1	2		1		3		2		
	By poisons (gas or corrosives excepted)—C	1											1						
166	By corrosive substances—W	9									3			3	1	1	1		
	By corrosive substances—C	2										1			1				
167	By poisonous gas—W	11									1	1	1	3	5				
168	By hanging or strangulation—W	24								2		5	1	4	4	5	3		
	By hanging or strangulation—C	3									1			1				1	
169	By drowning—W	10										1	1		3	3	1	1	
	By drowning—C	1															1		
170	By firearms—W	79								4	7	6	5	16	20	11	9	1	
	By firearms—C	7							1		1		1	1		2	1		
171	By cutting or piercing instruments—W	9									1			1	3	1	1	2	
	By cutting or piercing instruments—C	2									1				1				
172	By jumping from high places—W	1												1					
174	By other means—W	1															1		
	Homicide—W	97	4							8	11	15	11	20	11	7	8	1	1
	Homicide—C	122	1					2	3	11	20	24	16	30	11	2		2	
197	By firearms—W	73								8	8	12	10	17	8	4	4	1	1
	By firearms—C	89						1	2	7	17	20	9	24	7	1		1	
198	By cutting or piercing instruments—W	8									2	1	1	2	1	1			
	By cutting or piercing instruments—C	22								4	3	3	3	4	4	1			
199	By other means—W	16	4								1	2		1	2	2	4		
	By other means—C	11	1					1	1			1	4	2				1	
	Accidental or undefined—W	1,152	41	39	28	26	16	75	62	97	102	69	64	113	99	64	103	153	1
	Accidental or undefined—C	573	42	20	15	16	15	39	34	54	33	32	33	70	67	40	33	27	3
175	Poisoning by food—W	18	5	4	1			1	1			1		1	1		1	2	
	Poisoning by food—C	12	2	1				2	1	1	1	1		1	2				
176	Poisoning by venomous animals—W	4	2					1						1					
177	Other acute poisonings (gas excepted)—W	25	2	6	3	2		1	1	1	2	1	1	1	2	2			
	Other acute poisonings (gas excepted)—C	15	1	8	1		1	1					1	1					1
178	Conflagration—W	16	1	2	1	2	1	1					1	1	1	1	2	2	
	Conflagration—C	46	6	2		3	3	6	4	1	1	1	1	2	3	4	3	5	1
179	Burns (conflagration excepted)—W	112	5	17	13	14	5	15	4	5	5	4	1	1	5	2	5	11	
	Burns (conflagration excepted)—C	106	7	6	10	11	9	12	4	5	5	2	3	4	7	6	8	7	
180	Mechanical suffocation—W	18	16					1			1								
	Mechanical suffocation—C	18	13							1		2		1	1				
181	Absorption of irrespirable, irritating, or poisonous gas—W	18									3	2	3	3	1	1	4	1	
	Absorption of irrespirable, irritating, or poisonous gas—C	5	1									1		2	1				
182	Drowning—W	77		2		2	1	5	16	11	11	4	10	5	4	2	3		1
	Drowning—C	43			1			2	6	10	3	5		9	2	2	1	2	
183	Traumatism by firearms (except in war)—W	55					1	8	12	12	4	2	4	6	2	4			
	Traumatism by firearms (except in war)—C	33				1	1	4	5	9	3	4	2	2		2			
184	Traumatism by cutting or piercing instruments—W	9						2	1					1	1	2	1	1	
	Traumatism by cutting or piercing instruments—C	7								1				2	2		2		
185	Traumatism by fall—W	210	2	3	2	2		5	4	4	6	6	4	8	17	10	41	96	
	Traumatism by fall—C	39	4	1			1	4	2	1	1		2	5	4	3	3	8	
186a	Traumatism in mines—W	62								7	19	9	7	12	6	2			
	Traumatism in mines—C	5									1	1	1	1	1				
186b	Traumatism in quarries—W	7								1	2	1			3				
	Traumatism in quarries—C	6									1				3	1	1		
187	Traumatism by machines—W	32		1	1				1	4	3	1	3	2	7	4	4	1	
	Traumatism by machines—C	18								6	1	3	2	2	2	2			
188a	Railroad accidents—W	90					1	2	5	12	9	8	8	13	15	8	5	4	
	Railroad accidents—C	35							1	3	5	3	4	4	10	2	1	1	1
	Collision with automobiles—W	15							1	1	1	2	4	3	2		1		
	Collision with automobiles—C	5												2	2				1
	Other railroad accidents—W	75					1	2	4	11	8	6	4	10	13	8	4	4	
	Other railroad accidents—C	30							1	3	5	3	4	2	8	2	1	1	
188b	Street-car accidents—W	8						1				1	2	1		2	1		
	Street-car accidents—C	5									1		1				2	1	
	Collision with automobiles—W	4											2	1		1			
	Other street-car accidents—W	4						1				1				1	1		
	Other street-car accidents—C	5									1		1				2	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)—W	227	2	1	2	2	7	25	8	25	27	14	10	36	17	14	21	16	
	Automobile accidents (excluding collision with railroad trains and street cars)—C	76				1		4	5	10	7	5	4	16	10	8	5	1	
188d	Airplane and balloon accidents—W	13								2	1	4	3	3					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188e,f	Injuries by other vehicles W	24		1	1			2	1	1	2			2	3	1	8	2	
	C	19						3	1			1		2	7	4	1		
188g	Landslide, other crushing W	9			2			1					1	2		2		1	
	C	5								1		1	1		2				
189	Injuries by animals (not poisoning) W	13						1	1	2	1			1	3	1	2	1	
	C	2															1	1	
192	Starvation (deprivation of food or water) C	1		1															
193	Excessive cold W	2												1	1				
	C	5											2	1		1		1	
194	Excessive heat W	9								2			1	1		1	1	3	
	C	17	1		1								3	5	4	2	1		
195	Lightning W	3										1			1	1			
	C	13						1	2	2			4	1	2	1			
196	Other accidental electric shocks W	15							1	5	1	3	2	1	1	1			
	C	2											1		1				
201	Fracture (cause not specified) W	18								1		1	1	1	3		2	9	
	C	5							1	1	1			2					
202	Other external violence W	58	6	2	2	2		3	6	2	5	6	2	9	5	3	2	3	
	C	35	7	1	2				2	2	2	2	1	7	3	2	4		
	XV.—Ill-defined diseases White	516	226	11	4	2	5	1	4	2	9	4	7	23	27	45	61	83	2
	Colored	472	203	24	9	3	1	3	5	10	6	5	6	33	41	39	35	45	4
204	Sudden death W	110	16	1				1	2	1	3	1	1	11	9	20	23	21	
	C	61	9						1	2	1		2	6	14	11	7	7	1
205a	Ill-defined W	125	25	5	1	2					1	2	3	9	10	17	23	26	1
	C	168	50	13	4			1	1	3	5	3	4	17	17	17	18	14	1
205b	Not specified or unknown W	281	185	5	3		5		2	1	5	1	3	3	8	8	15	36	1
	C	243	144	11	5	3	1	2	3	5		2		10	10	11	10	24	2
	WASHINGTON																		
	All causes	15,670	1,352	208	122	83	60	347	272	434	525	464	526	1,358	1,790	2,346	2,958	2,804	21
	I.—Epidemic, endemic, and infectious diseases	2,225	171	69	47	25	22	135	86	161	194	148	154	299	256	179	148	129	2
1	Typhoid and paratyphoid fever	49						5	5	9	10	6	4	4	5	1			
6	Smallpox	31	2			1		2	3	2	3	2	2	2	9		2	1	
7	Measles	10	1	3			1	4		1									
8	Scarlet fever	26	2	2		1	1	12		2	3	1	1	1					
9	Whooping cough	86	55	15	7	1	2	5		1									
10	Diphtheria	91	1	5	6	4	6	44	15	6		1	1	1			1		
11a	Influenza (with pulmonary complications)	232	36	13	9	1	2	6	4	5	5	4	7	26	18	18	31	47	
11b	Influenza (other and unspecified)	170	20	8	7	3	1	7	3	6	3	4	3	10	14	15	22	43	1
13	Mumps	3	1							1						1			
15	Cholera nostras	2	1												1				
16	Dysentery	11	3			1	1						1				1	4	
19	Spirochetal hemorrhagic jaundice	2	1											1					
21	Erysipelas	40	10	2					1				2	4	5	6	4	6	
22	Acute anterior poliomyelitis	7	1					1	2	3									
23	Lethargic encephalitis	41		1		1		3	4	3	7	6	2	4	5	3	1	1	
24	Meningococcus meningitis	109	6	3	7	4	3	12	13	20	13	3	7	9	8	1			
25	Other epidemic and endemic diseases	2						1								1			
29	Tetanus	7						1	1	1				2		1	1		
	Tuberculosis (all forms)	1,127	18	16	11	8	5	32	33	98	138	114	111	205	144	101	67	25	1
31	Of the respiratory system	934	7	3	4	2	2	9	22	83	118	105	104	184	125	87	58	20	1
32	Of the meninges, central nervous system	74	8	7	7	5	3	15	6	7	2	4		4	4	1	1		
33	Of the intestines, peritoneum	48		2				4	2	4	8	4	3	4	7	6	2	2	
34	Of the vertebral column	16	1			1		1	1	1		1		3	4	2	1		
35	Of the joints	10									2			4	1	1	1	1	
36	Of other organs	26	1	2				2	1		5		2	4	3	2	2	2	
37a	Disseminated (acute)	15	1	2				1	1	3	2		2	1		1	1		
37b	Disseminated (chronic or unspecified)	4									1			1		1	1		
38	Syphilis	157	10	1					1	2	8	5	8	29	44	30	17	2	
40	Gonococcus infection	11							1		3	1	3	1	1	1			
41	Purulent infection, septicemia	11	3							1	1	1	2		2		1		
	II.—General diseases not included in Class I	2,382	52	6	7	7	5	14	25	19	20	37	39	205	418	565	626	337	
	Cancer and other malignant tumors	1,626		1	3	2	2	5	6	3	5	10	25	134	287	409	463	271	
43	Of the buccal cavity	48											1	2	4	15	15	11	
44	Of the stomach, liver	585									1		6	26	87	165	197	103	
45	Of the peritoneum, intestines, rectum	268								1	1	1	3	21	36	66	87	52	
46	Of the female genital organs	219								2		2	7	41	58	48	43	18	
47	Of the breast	136											3	13	48	27	31	14	
48	Of the skin	38											1	1	7	4	12	13	
49	Of other or unspecified organs	332		1	3	2	2	5	6		3	7	4	30	47	84	78	60	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6									1				3		1	1	
51	Acute rheumatic fever	34		1	1		1	4	5	2	3	1	1	6	3	1	2	3	
52	Chronic rheumatism, osteoarthritis, gout	14							1					2		2	6	3	
56	Rickets	4	2	1	1														
57	Diabetes mellitus	264				2	1		7	7	4	7	4	14	30	61	85	42	
58	Anemia, chlorosis	117	1					1	1		1	3	2	8	22	29	43	6	
59	Diseases of the pituitary gland	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	II.—General diseases not included in Class I—Continued.																		
60a	Exophthalmic goiter	116							1	5	3	5	2	15	35	34	10	6	
60b	Other diseases of the thyroid gland	17			1	1			1			3		4	5	2			
62	Diseases of the thymus gland	40	34	2	1	1		1	1										
63	Diseases of the adrenals (Addison's disease)	9												3	3	1	2		
64	Diseases of the spleen	5	2									1	1			1			
65a	Leukemia	28		1		1	1	2	1	1	1	2	1	5	5	3	3	1	
65b	Hodgkin's disease	15	1									2	1	3	1	3	4		
66	Alcoholism (acute or chronic)	63							1	2	2	1	10	21	19	5	2		
67a	Chronic lead poisoning	2												2					
68	Chronic poisoning by organic substances	2												1				1	
69	Other general diseases	19	12					1				1	1		1		2	1	
	III.—Diseases of the nervous system and of the organs of special sense	1,719	17	14	5	5	4	23	21	15	20	20	42	117	169	303	485	458	1
70	Encephalitis	11	1	2				2		1			2	1		1		1	
71a	Simple meningitis	32	4	3	1	2		6	4		2		1	2	1	3	1	2	
71b	Nonepidemic cerebrospinal meningitis	4		2	1					1									
72	Tabes dorsalis (locomotor ataxia)	18												1	5	3	6	3	
73	Other diseases of the spinal cord	39				1		1	2	1	3	1	3	3	7	4	9	4	
74a	Cerebral hemorrhage	1,112						1	2			2	6	36	92	221	383	368	1
74b	Cerebral embolism and thrombosis	56							2	1	1	1	1	2	3	10	18	17	
75	Paralysis without specified cause	51						1			1		1		2	9	17	20	
76	General paralysis of the insane	111										2	11	37	35	13	10	3	
77	Other forms of mental alienation	72								1	1	4	4	11	7	11	15	18	
78	Epilepsy	50		2	1	1	1	3	3	5	8	6	3	4	3	5	3	2	
80	Infantile convulsions (under 5 years)	7	5	1	1														
82	Neuralgia and neuritis	6								1					1	1	2	1	
83	Softening of the brain	13														1	3	9	
84	Other diseases of the nervous system	84	1			1	1	1	3	2	1	3	9	12	10	16	15	9	
85	Diseases of the eye and annexa	2						1										1	
86a	Diseases of the ear	32	4	2	1		1	3	3	2	2	1	1	6	1	4	1		
86b	Diseases of the mastoid process	19	2	2			1	4	2		1			2	2	1	2		
	IV.—Diseases of the circulatory system	2,840	7	1		1	1	14	19	25	32	21	33	145	277	506	854	900	4
87	Pericarditis	8						2	2			1	1		1		1		
88	Endocarditis and myocarditis (acute)	64	2					4	6	3	11	4	5	14	3	1	5	6	
89	Angina pectoris	243											1	16	28	66	83	49	
90	Other diseases of the heart	2,180	4	1		1	1	8	10	21	21	16	25	106	229	396	658	683	
91a	Aneurysm	32								1				4	4	13	7	3	
91b,c	Other diseases of the arteries	264											1	1	6	20	86	146	4
92	Embolism and thrombosis (not cerebral)	37												4	3	8	10	12	
93	Diseases of the veins	8							1						3	2	1	1	
94	Diseases of the lymphatic system	1	1																
95	Hemorrhage without specified cause	1															1		
96	Other diseases of the circulatory system	2															2		
	V.—Diseases of the respiratory system	1,151	203	50	19	13	7	22	22	29	15	12	29	64	115	144	170	237	
97a	Diseases of the nasal fossae	2		1														1	
97b	Diseases of the nasal fossae annexa	16							2	2		1		5	5			1	
98	Diseases of the larynx	9		1			1	4	1		1			1					
99a	Acute bronchitis	19	1		1			1							2	4	5	5	
99b	Chronic bronchitis	28													1	6	8	13	
99c,d	Bronchitis (unspecified)	15	4	2											2	1	2	4	
100a	Broncho-pneumonia	386	135	27	11	8	3	3	7	1	2	3	6	12	21	30	43	74	
100b	Capillary bronchitis	5	4	1															
101a	Lobar pneumonia	551	46	11	6	4	3	11	9	26	11	6	22	34	70	91	94	107	
101b	Pneumonia (unspecified)	38	11	6	1	1		1	1			1		3	4	2	2	5	
102	Pleurisy	26	1	1				2	2		1	1		3	4	1	3	6	
103	Congestion and hemorrhagic infarct of the lung	15	1														1	13	
104	Gangrene of the lung	5												3		1	1		
105	Asthma	22												1	3	4	8	6	
106	Pulmonary emphysema	1														1			
107	Other diseases of the respiratory system (tuberculosis excepted)	14											1	2	3	3	3	2	
	VI.—Diseases of the digestive system	1,090	113	36	27	14	11	49	31	36	35	47	41	111	143	167	151	77	1
108	Diseases of the mouth and annexa	11						1		1			2	2	2		2	1	
109b	Other diseases of the pharynx, tonsils	64	2	2		6		17	3	7	9	4	2	3	2	4	2	1	
110	Diseases of the esophagus	4													1	1	1	1	
111a	Ulcer of the stomach	72	1					1		1		2	3	7	21	14	17	5	
111b	Ulcer of the duodenum	34										2	1	10	8	9	4		
112	Other diseases of the stomach (cancer excepted)	41	10		2		1				2			1	3	5	9	8	
113	Diarrhea and enteritis (under 2 years)	116	86	30															
114	Diarrhea and enteritis (2 years and over)	65			16	4	4	7			1		1	3	6	8	6	9	
117	Appendicitis and typhlitis	248		1	4	3	5	19	22	19	18	24	21	30	31	36	11	3	1
118a	Hernia	54	1					1		1		2		1	3	14	21	10	
118b	Intestinal obstruction	110	9	2	2			2	3	5	2	8	6	13	22	16	10	10	
119	Other diseases of the intestines	21		1	2				1		1		1	2	3	3	2	5	
120	Acute yellow atrophy of the liver	3								1				2					
122	Cirrhosis of the liver	67											1	9	11	14	26	6	
123	Biliary calculi	71									1	2		11	8	21	21	7	
124	Other diseases of the liver	78	1								1	1	3	13	18	18	14	9	
125	Diseases of the pancreas	9								1		1		1	1	2	2	1	
126	Peritonitis without specified cause	22	3		1	1	1	1	2			1		3	3	2	3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,284	13	1	1			6	4	19	17	18	30	93	147	230	342	362	1
128	Acute nephritis (including unspecified under 10 years)	47	7					2	2	2	2	3	1	3	6	10	3	6	
129	Chronic nephritis (including unspecified 10 years and over)	989						3	2	11	10	8	15	61	105	189	297	287	1
131	Other diseases of the kidneys and annexa	46	6	1	1			1		3		2	3	2	9	3	5	10	
132	Calculi of the urinary passages	9												2	1	3	2	1	
133	Diseases of the bladder	9													1	1	1	6	
134	Diseases of the urethra, etc	7													1	2	2	2	
135	Diseases of the prostate	92													4	14	29	45	
136	Nonvenereal diseases of the male genital organs	2														1		1	
137	Cysts, other benign tumors of the ovary	11								1	1		2		3	3		1	
138	Salpingitis and pelvic abscess (female)	25								2	3	3	4	8	5				
139	Benign tumors of the uterus	31											4	12	10	2	1	2	
141	Other diseases of the female genital organs	14									1	2	1	3	2	2	2	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	2												2					
	VIII.—The puerperal state	180								19	37	47	32	42	3				
143	Accidents of pregnancy	21									1	5	7	7	1				
144	Puerperal hemorrhage	24								1	2	6	3	11	1				
145	Other accidents of labor	13								2	2	3	2	4					
146	Puerperal septicemia	70								12	22	19	10	7					
147	Puerperal phlegmasia alba dolens, embolus, etc	15								1	2	4	4	3	1				
148	Puerperal albuminuria and convulsions	36								3	8	10	6	9					
149	Following childbirth (undefined)	1												1					
	IX.—Diseases of the skin and of the cellular tissue	36	3						1			1	2	6	6	2	5	10	
151	Gangrene	12															5	7	
152	Furuncle	10							1			1	1	2	3	2			
153	Acute abscess	4												3	1				
154	Other diseases of the skin and annexa	10	3										1	1	2			3	
	X.—Diseases of the bones and of the organs of locomotion	21					1	2	1	1				3	3	5	3	2	
155	Diseases of the bones (tuberculosis excepted)	16					1	2	1					2	3	4	2	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3												1			1	1	
158	Other diseases of the organs of locomotion	2								1						1			
	XI.—Malformations	169	153	5	2	1	1	3		2	1				1				
159a	Congenital hydrocephalus	15	10	2			1	1			1								
159b	Congenital malformations of the heart	101	94	2	1	1		2		1									
159c	Other congenital malformations	53	49	1	1					1					1				
	XII.—Early infancy	579	579																
160	Congenital debility, icterus, sclerema	59	59																
161a	Premature birth	373	373																
161b	Injury at birth	115	115																
162	Other diseases peculiar to early infancy	32	32																
164	XIII.—Old age (senility)	165													1	4	24	136	
	XIV.—External causes	1,732	20	24	14	17	8	77	59	108	154	111	123	270	245	223	134	135	10
	Suicide	293								8	23	20	22	56	55	68	29	10	2
165	By poisons (gas or corrosives excepted)	20								2	3	2	2	5		4	1	1	
166	By corrosive substances	29								1	6	3	4	7	5	3			
167	By poisonous gas	55									5	4	7	12	11	8	7	1	
168	By hanging or strangulation	39									1	2	1	5	7	16	4	2	1
169	By drowning	22											2	3	7	5	1	4	
170	By firearms	89								4	7	8	4	17	16	24	8	1	
171	By cutting or piercing instruments	20												3	5	7	5		
172	By jumping from high places	10								1	1		2	1	1	1	2	1	
173	By crushing	6										1		2	2		1		
174	By other means	3												1	1				1
	Homicide	53						1	1	3	6	6	7	11	9	6	2	1	
197	By firearms	38						1			3	5	6	9	7	5	2		
198	By cutting or piercing instruments	3										1	1	1					
199	By other means	12							1	3	3			1	2	1		1	
	Accidental or undefined	1,386	20	24	14	17	8	76	58	97	125	85	94	203	181	149	103	124	8
175	Poisoning by food	14			2		1	2	1	1				1	1	2	1	2	
176	Poisoning by venomous animals	2										1		1					
177	Other acute poisonings (gas excepted)	29		1		1	1				2	1	2	6	9	3	2	1	
178	Conflagration	17				2		2			1		1	4	2	3	1	1	
179	Burns (conflagration excepted)	49	1	4	5	5		6	2	2	1	1	5	4	5	5	2	1	
180	Mechanical suffocation	20	14					1	1		1				1	2			
181	Absorption of irrespirable, irritating, or poisonous gas	23									1	1	2	4	9	4		2	
182	Drowning	179		9	2	3	1	19	15	31	19	12	9	24	15	7	6	2	5
183	Traumatism by firearms (except in war)	32				1	1	1	6	8	5		2	3	1	2	2		
184	Traumatism by cutting or piercing instruments	12						2		1	1			3	2	2		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
185	Traumatism by fall	184		4				1	3	5	6		7	16	19	21	30	71	1
186a	Traumatism in mines	16									3	1	2	7	3				
186b	Traumatism in quarries	2											1		1				
187	Traumatism by machines	72			1					3	11	8	10	13	10	11	2	3	
188a	Railroad accidents	82		1	1					7	10	4	5	19	14	8	6	6	1
	Collision with automobiles	20		1						2			2	6	3	1	2	3	
	Other railroad accidents	62			1					5	10	4	3	13	11	7	4	3	1
188b	Street-car accidents	18						1			1			3	4	3	3	3	
	Collision with automobiles	3									1			1	1				
	Other street-car accidents	15						1						2	3	3	3	3	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	342		1	2	3	4	32	18	26	31	24	23	40	42	43	32	20	1
188d	Airplane and balloon accidents	4											2	2					
188e,f	Injuries by other vehicles	22						1	1	5	2	2		2	1	4	3	1	
188g	Landslide, other crushing	78			1				2	3	9	7	10	20	15	8	3		
189	Injuries by animals (not poisoning)	10						2	2		1			2	1		1	1	
193	Excessive cold	2															1	1	
194	Excessive heat	2													2				
195	Lightning	1													1				
196	Other accidental electric shocks	15						1	1	1	1	2	4	4				1	
201	Fracture (cause not specified)	8								1				2		1		4	
202	Other external violence	151	5	4		2		5	6	3	19	21	9	23	23	20	8	3	
	XV.—Ill-defined diseases	97	21	2				2	3			2	1	3	6	18	16	21	2
204	Sudden death	12	2													3	5	2	
205a	Ill-defined	23	4	1				1	1			2		1	1	3	4	5	
205b	Not specified or unknown	62	15	1				1	2				1	2	5	12	7	14	2
	WEST VIRGINIA																		
	All causes	18,143	3,595	867	347	188	149	403	270	593	785	705	648	1,386	1,569	1,631	2,274	2,733	
	I.—Epidemic, endemic, and infectious diseases	3,441	473	270	138	83	61	150	100	211	287	227	184	336	253	221	207	240	
1	Typhoid and paratyphoid fever	277	1	1	5	3	5	19	29	58	43	33	13	22	22	14	9		
6	Smallpox	3		1				1						1					
7	Measles	296	69	81	43	17	12	32	6	8	5	5	3	7	3		4	1	
8	Scarlet fever	58	8	4	7	7	2	18	9	1	2								
9	Whooping cough	296	157	74	29	13	12	9	1			1							
10	Diphtheria	161	27	25	14	20	18	26	15	3	6	1		1	4		1		
11a	Influenza (with pulmonary complications)	485	86	42	20	5	2	9	5	16	9	19	20	39	33	43	52	85	
11b	Influenza (other and unspecified)	264	29	8	3	5	2	7	1	11	3	7	9	14	17	18	38	92	
13	Mumps	4	2					1				1							
15	Cholera nostras	2															1	1	
16	Dysentery	36	1	2	4	1		3	2		3				4	3	2	11	
21	Erysipelas	33	14	1							1	3		1	1	2	6	4	
22	Acute anterior poliomyelitis	9	3	2	1	1		1			1								
23	Lethargic encephalitis	4										2			1	1			
24	Meningococcus meningitis	25	7	7	1	4	2		3		1								
25	Other epidemic and endemic diseases	2	2																
29	Tetanus	15				1	2	5	2	1		1		3					
30	Mycoses	5	2	1							1				1				
	Tuberculosis (all forms)	1,278	23	17	10	6	4	16	26	108	202	137	131	217	134	119	86	42	
31	Of the respiratory system	1,111	8	6	4	2	1	7	18	98	185	131	119	192	122	108	73	37	
32	Of the meninges, central nervous system	44	13	6	4	1	1	5	1	2	4	2	2	2	1				
33	Of the intestines, peritoneum	61	1	1	2	2		2	1	3	4	2	2	17	7	8	5	4	
34	Of the vertebral column	7				1			1	1	1		2				1		
35	Of the joints	5												1		1	2	1	
36	Of other organs	24	1	4				1	2	1	2		2	4	1	1	5		
37a	Disseminated (acute)	23					2	1	1	3	6	2	3	1	3	1			
37b	Disseminated (chronic or unspecified)	3							2				1						
38	Syphilis	149	40	4	1			2		3	5	11	5	22	30	16	7	3	
40	Gonococcus infection	20									2	5	3	7	2	1			
41	Purulent infection, septicemia	19	2					1	1	2	3	1		2	1	4	1	1	
	II.—General diseases not included in Class I	1,455	33	6	5	5	3	17	14	32	17	25	42	156	270	272	339	219	
	Cancer and other malignant tumors	918	2	2		2		3		4	5	12	18	87	182	182	254	165	
43	Of the buccal cavity	19											1	2	4	5		7	
44	Of the stomach, liver	395									1	1	3	26	71	80	131	82	
45	Of the peritoneum, intestines, rectum	91				1					1	3	1	4	12	21	29	19	
46	Of the female genital organs	198								1	1	4	7	37	54	39	35	20	
47	Of the breast	79									1	1		7	28	14	17	11	
48	Of the skin	19												1		3	6	9	
49	Of other or unspecified organs	117	2	2		1		3		3	1	3	6	10	13	20	36	17	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6						1				1		1	1			2	
51	Acute rheumatic fever	50						5	5	6	4	1	4	3	6	4	4	8	
52	Chronic rheumatism, osteoarthritis, gout	14									1				3	2	2	6	
54	Pellagra	7											1	3	1	1	1		
56	Rickets	8	5	2		1													
57	Diabetes mellitus	182	1				2	4	4	12	6	4	5	13	24	38	44	25	
58	Anemia, chlorosis	71	2	1	1				2			1	2	9	14	16	15	8	
59	Diseases of the pituitary gland	3												1	1			1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WEST VIRGINIA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
60a	Exophthalmic goiter	59								3		4	3	14	11	12	11	1	
60b	Other diseases of the thyroid gland	9		1	2							1	1	1	2	1			
61	Diseases of the parathyroid glands	2	1															1	
62	Diseases of the thymus gland	8	8																
63	Diseases of the adrenals (Addison's disease)	7								1			2	2			1	1	
64	Diseases of the spleen	4						1		1			1				1		
65a	Leukemia	16				2	1	1	1				1	2	5	2	1		
65b	Hodgkin's disease	8													4	2	2		
66	Alcoholism (acute or chronic)	51								2	1	1	3	18	14	9	3		
67a	Chronic lead poisoning	2											1		1				
68	Chronic poisoning by organic substances	5												1	1	3			
69	Other general diseases	25	14		2			2	2	3				1				1	
	III.—Diseases of the nervous system and of the organs of special sense	1,634	82	16	14	2	5	27	14	26	24	27	27	85	172	257	408	448	
70	Encephalitis	21	2	2	1	1	1	1		1	2	2		3	4	1			
71a	Simple meningitis	67	31	5	7			8	1	3	1	1		3	2	5			
71b	Nonepidemic cerebrospinal meningitis	23	6	6	2		1	1	2			1	1	1	1	1			
72	Tabes dorsalis (locomotor ataxia)	17										1		1	4	3	6	2	
73	Other diseases of the spinal cord	50						1		1	1	4		3		13	17	10	
74a	Cerebral hemorrhage	939	1					1		4	2	6	9	38	106	178	293	301	
74b	Cerebral embolism and thrombosis	19						2	1			1		3	2	2	4	4	
75	Paralysis without specified cause	233	1							2		1	2	4	18	31	62	112	
76	General paralysis of the insane	36										4		7	11	4	6	4	
77	Other forms of mental alienation	35								1	2		4	7	8	4	4	5	
78	Epilepsy	46					1	2	4	6	7	3	5	7	5	4	1	1	
79	Convulsions (nonpuerperal; 5 years and over)	4						2			1					1			
80	Infantile convulsions (under 5 years)	37	35		2														
82	Neuralgia and neuritis	11									1	1		1	2	2	2	2	
83	Softening of the brain	7												1	1	2	2	3	
84	Other diseases of the nervous system	37	1	1				1	1	2	1	2	1	3	5	6	10	3	
85	Diseases of the eye and annexa	2			1			1											
86a	Diseases of the ear	30	5	2	1	1		4	4	3	4		1	2	1	1	1		
86b	Diseases of the mastoid process	20					2	3	1	3	2		4	2	2			1	
	IV.—Diseases of the circulatory system	2,114	10	4	3	2		14	14	20	35	33	38	127	258	342	569	641	
87	Pericarditis	13	2	1		1				1		1		2				5	
88	Endocarditis and myocarditis (acute)	76		1	1	1		5	4	7	10	7	8	22	4	4	1	1	
89	Angina pectoris	130											2	9	15	33	39	32	
90	Other diseases of the heart	1,665	5	1	2		4	9	10	12	24	23	28	86	225	283	461	492	
91a	Aneurysm	11										1		1	4	3	1	1	
91b,c	Other diseases of the arteries	182										1		2	5	13	59	102	
92	Embolism and thrombosis (not cerebral)	24	1								1			5	5	4	3	5	
93	Diseases of the veins	7														2	3	2	
94	Diseases of the lymphatic system	1	1																
95	Hemorrhage without specified cause	3	1	1													1		
96	Other diseases of the circulatory system	2															1	1	
	V.—Diseases of the respiratory system	1,539	421	127	65	25	18	35	22	33	36	37	32	79	97	94	164	254	
97a	Diseases of the nasal fossae	2																2	
97b	Diseases of the nasal fossae annexa	7						1		1	1	1	1	1			1		
98	Diseases of the larynx	1	1																
99a	Acute bronchitis	23	15	1			1									2	2	2	
99b	Chronic bronchitis	14							1					2		1	3	7	
99c,d	Bronchitis (unspecified)	14	7											1		1		5	
100a	Broncho-pneumonia	626	260	74	37	13	7	14	5	4	1	5	10	12	13	20	51	100	
100b	Capillary bronchitis	3	2															1	
101a	Lobar pneumonia	482	57	20	20	2	6	8	9	18	25	21	14	36	61	45	64	76	
101b	Pneumonia (unspecified)	276	76	29	7	9	3	10	6	8	8	9	5	14	11	15	25	41	
102	Pleurisy	21	1	3				1	1	2				3	1	2	5	2	
103	Congestion and hemorrhagic infarct of the lung	20	2			1							1	1	2	1	4	8	
104	Gangrene of the lung	2										1				1			
105	Asthma	40			1		1				1			6	7	6	9	9	
106	Pulmonary emphysema	1												1					
107	Other diseases of the respiratory system (tuberculosis excepted)	7						1					1	2	2			1	
	VI.—Diseases of the digestive system	2,155	894	389	76	31	27	44	36	32	46	41	41	91	131	90	94	92	
108	Diseases of the mouth and annexa	7	1	1				2				2	1						
109b	Other diseases of the pharynx, tonsils	48	4	3			1	.8	3		9	3	3	6	4	3		1	
110	Diseases of the esophagus	1														1			
111a	Ulcer of the stomach	35	1								4	3	1	6	7	6	2	5	
111b	Ulcer of the duodenum	9	1										1	1	3	1	2		
112	Other diseases of the stomach (cancer excepted)	55	2	1			1	1	1		1		3	2	10	4	14	15	
113	Diarrhea and enteritis (under 2 years)	1,244	865	379															
114	Diarrhea and enteritis (2 years and over)	221			72	27	18	10	2	4	1	3	4	8	14	10	19	29	
116	Diseases due to other intestinal parasites	3		1	1	1													
117	Appendicitis and typhlitis	193			2		4	14	27	23	25	18	14	20	25	9	11	1	
118a	Hernia	32	1										1	4	9	4	5	8	
118b	Intestinal obstruction	123	16	3	1	3		4	2	3	3	6	8	22	19	12	9	12	
119	Other diseases of the intestines	15	2	1			1	1			1	1		1	2			5	
120	Acute yellow atrophy of the liver	7										2		1	1		1	2	
122	Cirrhosis of the liver	55					1			1	1			7	11	11	15	8	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WEST VIRGINIA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
123	Biliary calculi	41									1		1	5	11	13	7	3	
124	Other diseases of the liver	40	1				1	1				3	1	2	9	13	7	2	
125	Diseases of the pancreas	6											2	1	2	1			
126	Peritonitis without specified cause	20						3	1	1			1	5	4	2	2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,296	3	4	7	5	3	5	4	9	17	29	40	97	151	213	355	354	
128	Acute nephritis (including unspecified under 10 years)	60	3	2	4	4	3	2		2	7		6	9	7	2	6	3	
129	Chronic nephritis (including unspecified 10 years and over)	1,066		1		1		2	4	6	7	18	20	65	126	196	311	309	
131	Other diseases of the kidneys and annexa	20		1	3			1				1	2	3		4	1	4	
132	Calculi of the urinary passages	6											1	2		1	2		
133	Diseases of the bladder	11										1	1	1			3	5	
134	Diseases of the urethra, etc	3													2		1		
135	Diseases of the prostate	71													3	7	28	33	
137	Cysts, other benign tumors of the ovary	8										1	1	2	2		2		
138	Salpingitis and pelvic abscess (female)	23								1	3	7	4	3	4	1			
139	Benign tumors of the uterus	12										1	1	4	5	1			
140	Nonpuerperal uterine hemorrhage	2												1			1		
141	Other diseases of the female genital organs	14											4	7	2	1			
	VIII.—The puerperal state	310							2	45	63	56	59	81	4				
143	Accidents of pregnancy	13									1	5	4	2	1				
144	Puerperal hemorrhage	37							1	1	6	5	7	17					
145	Other accidents of labor	32									8	6	5	13					
146	Puerperal septicemia	124								19	30	26	26	23					
147	Puerperal phlegmasia alba dolens, embolus, etc	6									1		1	4					
148	Puerperal albuminuria and convulsions	96							1	25	16	14	15	22	3				
149	Following childbirth (undefined)	2									1		1						
	IX.—Diseases of the skin and of the cellular tissue	25	2		1			2	2	1	1		1	2	1	3	2	7	
151	Gangrene	9						1							1		2	5	
152	Furuncle	7	1					1		1				1		2		1	
153	Acute abscess	6	1		1				1		1			1		1			
154	Other diseases of the skin and annexa	3							1				1					1	
	X.—Diseases of the bones and of the organs of locomotion	19	2	1		2	1	4	3		1			1	2			2	
155	Diseases of the bones (tuberculosis excepted)	17	1	1		2	1	4	3					1	2			2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2	1								1								
	XI.—Malformations	263	247	9	1		1	1	2	1		1							
159a	Congenital hydrocephalus	27	22	1			1	1	1	1									
159b	Congenital malformations of the heart	159	155	3								1							
159c	Other congenital malformations	77	70	5	1				1										
	XII.—Early infancy	1,324	1,324																
160	Congenital debility, icterus, sclerema	258	258																
161a	Premature birth	832	832																
161b	Injury at birth	142	142																
162	Other diseases peculiar to early infancy	85	85																
163	Lack of care	7	7																
164	XIII.—Old age (senility)	450														4	57	389	
	XIV.—External causes	2,102	97	41	37	33	26	104	57	179	257	229	184	329	230	133	79	87	
	Suicide	117								7	13	12	8	25	23	19	7	3	
165	By poisons (gas or corrosives excepted)	8									2	1		3	1		1		
166	By corrosive substances	18								3	4	6	2	1	2				
168	By hanging or strangulation	11									1			2	4	3	1		
169	By drowning	5											1		1	2		1	
170	By firearms	57								4	6	3	4	14	10	11	3	2	
171	By cutting or piercing instruments	10										1		2	3	2	2		
172	By jumping from high places	1										1							
173	By crushing	2												2					
174	By other means	5											1	1	2	1			
	Homicide	204	6							16	28	34	36	44	23	12	4	1	
197	By firearms	160								12	21	27	31	38	18	10	3		
198	By cutting or piercing instruments	22	1							2	4	5	4	2	3			1	
199	By other means	22	5							2	3	2	1	4	2	2	1		
	Accidental or undefined	1,781	91	41	37	33	26	104	57	156	216	183	140	260	184	102	68	83	
175	Poisoning by food	15				1	2	1		1		2		4	2	1		1	
176	Poisoning by venomous animals	3	1					1								1			
177	Other acute poisonings (gas excepted)	16	1	2	4	1	1	3				1	1		1			1	
178	Conflagration	36	2	5	3	5	3	9	1		1	2	1		3	1			
179	Burns (conflagration excepted)	154	2	24	16	19	11	26	5	6	3	11	4	7	3	4	6	7	
180	Mechanical suffocation	76	73					1	1	1									
181	Absorption of irrespirable, irritating, or poisonous gas	21								1	1	2	3	5	5	3	1		
82	Drowning	77	1	1	3		2	6	12	16	8	6	3	7	8	2	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WEST VIRGINIA—Continued																		
	XIV—External causes—Contd.																		
	Accidental or undefined—Continued.																		
183	Traumatism by firearms (except in war)	43			1		1	7	10	14	2	2		1	3	2			
184	Traumatism by cutting or piercing instruments	13							1	1			1	2	1	1	3	3	
185	Traumatism by fall	143	2	3	2	3	1	6	4	7		6	2	10	10	14	18	55	
186a	Traumatism in mines	608			1					51	121	96	77	139	83	35	5		
186b	Traumatism in quarries	7								1		3	2	1					
187	Traumatism by machines	31			1				2	4	5	2	2	6	4	2	2	1	
188a	Railroad accidents	151	1					10	6	13	24	17	13	25	22	7	7	6	
	Collision with automobiles	11						1			3	2	2	1	1	1			
	Other railroad accidents	140	1					9	6	13	21	15	11	24	21	6	7	6	
188b	Street-car accidents	14						3	1	1	1	2		1	2	1	2		
	Collision with automobiles	1														1			
	Other street-car accidents	13						3	1	1	1	2		1	2		2		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	231	1		4	3	5	23	11	28	27	21	18	34	20	15	14	7	
188e,f	Injuries by other vehicles	13		1				2	1	1	3	1	1	1	1			1	
188g	Landslide, other crushing	15						1		2	2	1	1	5		2	1		
189	Injuries by animals (not poisoning)	12									1	1		1	4	3	2		
190	Wounds of war	1										1							
193	Excessive cold	2									1				1				
194	Excessive heat	4										1	1				2		
195	Lightning	4									2			1			1		
196	Other accidental electric shocks	27							1	4	9	2	4	3	2	2			
201	Fracture (cause not specified)	1									1								
202	Other external violence	63	7	5	2	1		5	1	4	4	3	6	7	9	6	3		
	XV.—Ill-defined diseases	16	7							4	1			2		2			
204	Sudden death	4								2	1					1			
205a	Ill-defined	3								2						1			
205b	Not specified or unknown	9	7											2					
	WISCONSIN																		
	All causes	30,191	3,845	524	254	179	127	519	396	649	778	751	916	2,143	2,736	4,011	5,715	6,634	14
	I.—Epidemic, endemic, and infectious diseases	3,956	384	185	98	68	46	176	102	232	314	290	282	480	363	332	289	315	
1	Typhoid and paratyphoid fever	42		1				1	2	4	9	5	3	7	4	4	2		
6	Smallpox	1										1							
7	Measles	154	35	45	14	6	8	25	6	6	4	2				2		1	
8	Scarlet fever	81	5	4	7	13	4	23	5	6	4	3	5	1		1			
9	Whooping cough	175	117	36	7	9	1	5											
10	Diphtheria	159	8	18	19	15	13	39	19	3	7	2	3	5	2	3	1	2	
11a	Influenza (with pulmonary complications)	588	82	31	15	2	3	10	6	15	21	18	18	69	55	59	74	110	
11b	Influenza (other and unspecified)	449	49	11	12	6	1	19	11	18	16	18	9	25	23	36	64	131	
13	Mumps	4		2		1								1					
15	Cholera nostras	4	1	1			1		1										
16	Dysentery	24	10	3	1		3							1			1	5	
19	Spirochetal hemorrhagic jaundice	1															1		
21	Erysipelas	77	21		2	1	1	2		1		1	1	7	4	8	14	14	
22	Acute anterior poliomyelitis	14			2			5	3	1		1			1		1		
23	Lethargic encephalitis	54	3	3	1	2		4	1	2	4	2	5	6	6	9	4	2	
24	Meningococcus meningitis	41	6	7	1	4	2	6	1	2	1	1		4	2	2	1	1	
25	Other epidemic and endemic diseases	7	4	1			1	1											
28	Rabies	1															1		
29	Tetanus	18	1					2	4	4	1			1	2	3			
30	Mycoses	5								1	2	1				1			
	Tuberculosis (all forms)	1,880	26	22	16	9	7	32	39	167	240	227	222	321	223	174	114	41	
31	Of the respiratory system	1,610	9	9	5	2		12	29	141	221	207	201	294	196	150	96	38	
32	Of the meninges, central nervous system	117	17	11	9	6	4	17	5	13	9	2	7	6	3	5	3		
33	Of the intestines, peritoneum	43					2	2	1	6	2	8	3	3	7	5	3	1	
34	Of the vertebral column	29						1	1	1	1	2	7	4	4	4	4		
35	Of the joints	9							2	1				1		2	3		
36	Of other organs	31									1	3	2	8	8	5	2	2	
37a	Disseminated (acute)	30		2	2	1	1		1	3	3	5	2	3	4	2	1		
37b	Disseminated (chronic or unspecified)	11								2	3			2	1	1	2		
38	Syphilis	133	14							1	1	6	13	24	36	26	5	7	
40	Gonococcus infection	12	1								2	1	3	3	2				
41	Purulent infection, septicemia	32	1		1		1	2	4	1	2	1		5	3	4	6	1	
	II.—General diseases not included in Class I	4,548	75	15	17	7	8	24	42	45	57	54	95	329	664	1,058	1,297	760	1
	Cancer and other malignant tumors	3,070	1		3			4	7	7	17	22	37	190	474	751	955	602	
43	Of the buccal cavity	85									1		2	3	7	23	27	22	
44	Of the stomach, liver	1,329						1			3	6	7	55	175	352	439	291	
45	Of the peritoneum, intestines, rectum	432								1		3	5	16	63	106	141	97	
46	Of the female genital organs	319									1	4	12	48	78	90	61	25	
47	Of the breast	235											2	31	65	49	63	25	
48	Of the skin	67	1						1					2	5	8	21	29	
49	Of other or unspecified organs	603			3			3	6	6	12	9	9	35	81	123	203	113	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5									1	1		1			1	1	
51	Acute rheumatic fever	69			2	1	3	5	10	9	3	4	3	6	5	5	3	5	
52	Chronic rheumatism, osteoarthritis, gout	43											1	4	4	7	10	17	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	II.—General diseases not included in Class I—Continued.																		
53	Scurvy	4	3												1				
56	Rickets	20	11	4	3	1	1												
57	Diabetes mellitus	488	1	4	4	1		6	11	13	9	5	10	21	43	110	167	83	
58	Anemia, chlorosis	332	1	2	2		1	3	4	5	7	3	7	20	50	99	92	35	1
59	Diseases of the pituitary gland	2							1						1				
60a	Exophthalmic goiter	182	1						2	5	12	11	16	32	32	43	23	5	
60b	Other diseases of the thyroid gland	45									2	1	5	4	12	11	8	2	
61	Diseases of the parathyroid glands	6	6																
62	Diseases of the thymus gland	42	39	2					1										
63	Diseases of the adrenals (Addison's disease)	19									1	1	2	4	3	4	2	2	
64	Diseases of the spleen	4						1	1						1		1		
65a	Leukemia	65	1		1	4	2	3	5	3	2	2	3	10	7	8	10	4	
65b	Hodgkin's disease	30	1	1	1		1			3	1		2	5		5	10		
66	Alcoholism (acute or chronic)	91									1	4	6	30	29	14	5	2	
67a	Chronic lead poisoning	3											1		1		1		
68	Chronic poisoning by organic substances	3											1				2		
69	Other general diseases	25	10	2	1			2			1		1	2	1	1	2	2	
	III.—Diseases of the nervous system and of the organs of special sense	3,345	94	33	13	9	10	45	32	38	32	35	40	162	315	551	899	1,034	3
70	Encephalitis	15	3					2		2		1	2	1	1	1	1	1	
71a	Simple meningitis	37	6	6	1	1	4	1	3		3	1	1	3	3	2		2	
71b	Nonepidemic cerebrospinal meningitis	48	8	9	4	2	2	5	5	2	1	3	1	4	2				
72	Tabes dorsalis (locomotor ataxia)	36											1	4	10	14	5	2	
73	Other diseases of the spinal cord	77		1				2	2	2		2	2	8	15	14	16	13	
74a	Cerebral hemorrhage	2,382	2	1					1	2	7	7	10	48	188	436	756	921	3
74b	Cerebral embolism and thrombosis	59							1			1		5	3	10	16	23	
75	Paralysis without specified cause	93		1				1			1		2	3	3	12	33	37	
76	General paralysis of the insane	128								2	2	3	5	38	39	22	13	4	
77	Other forms of mental alienation	55								1	2	2	1	8	13	12	8	8	
78	Epilepsy	83	2		2	2		5	2	13	7	7	5	16	8	7	4	3	
79	Convulsions (nonpuerperal; 5 years and over)	2						1						1					
80	Infantile convulsions (under 5 years)	66	57	7	1	1													
81	Chorea	5					1		2		1						1		
82	Neuralgia and neuritis	12						1			1	1			1	3	3	2	
83	Softening of the brain	9														1	5	3	
84	Other diseases of the nervous system	129	2		2	1	1	3	5	3	4	5	6	13	22	15	33	14	
85	Diseases of the eye and annexa	1			1														
86a	Diseases of the ear	54	10	5		1		13	4	7	1		1	2	5	2	2	1	
86b	Diseases of the mastoid process	54	4	3	2	1	2	11	7	4	2	2	3	8	2		3		
	IV.—Diseases of the circulatory system	5,494	13	5	2	4	6	34	34	53	32	47	69	215	428	853	1,560	2,136	3
87	Pericarditis	23	1				1	2	1	2			2	2	1	3	5	3	
88	Endocarditis and myocarditis (acute)	221	5	4	1	2	2	12	13	13	8	18	18	33	15	24	20	28	
89	Angina pectoris	295											3	13	43	63	107	66	
90	Other diseases of the heart	4,338	3	1	1	2	2	20	20	36	22	25	44	140	341	695	1,283	1,701	2
91a	Aneurysm	35											1	3	7	11	10	3	
91b,c	Other diseases of the arteries	495											1	6	11	35	118	323	1
92	Embolism and thrombosis (not cerebral)	43	1							1	1	2		7	7	8	9	7	
93	Diseases of the veins	31										1		5	3	12	6	4	
94	Diseases of the lymphatic system	10	2				1			1	1	1				1	2	1	
95	Hemorrhage without specified cause	2	1											1					
96	Other diseases of the circulatory system	1														1			
	V.—Diseases of the respiratory system	2,739	581	137	51	21	13	42	23	32	54	44	66	168	180	250	411	665	1
97a	Diseases of the nasal fossae	1															1		
97b	Diseases of the nasal fossae annexa	13	1				2		2		5					2	1		
98	Diseases of the larynx	21	3	5	3	4	1	1				1				1	1	1	
99a	Acute bronchitis	77	23	3	1	3					1			1	1	1	8	35	
99b	Chronic bronchitis	67	2	1									1	2	2	5	21	33	
99c,d	Bronchitis (unspecified)	51	18	4	1									1			8	19	
100a	Broncho-pneumonia	1,021	355	67	23	7	3	10	6	8	9	8	8	33	34	61	124	264	1
100b	Capillary bronchitis	22	12	2										1	1		2	4	
101a	Lobar pneumonia	1,165	137	43	15	4	6	24	11	18	32	29	44	109	115	149	204	225	
101b	Pneumonia (unspecified)	115	25	5	5	1		2		2	1	3	5	5	7	7	12	35	
102	Pleurisy	76	1	6	3	1	1	3	3	3	4	2	6	9	8	15	6	5	
103	Congestion and hemorrhagic infarct of the lung	28	2											1			4	21	
104	Gangrene of the lung	4							1		1					2			
105	Asthma	47		1		1		1				1		1	7	5	12	18	
106	Pulmonary emphysema	5														1	3	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	26	2					1		1	1		2	5	5	1	4	4	
	VI.—Diseases of the digestive system	2,304	476	90	30	26	13	78	59	64	49	68	66	225	247	283	277	252	1
108	Diseases of the mouth and annexa	36	1		1		1	3		5		1		5	3	3	5	8	
109b	Other diseases of the pharynx, tonsils	107	15	3	3	3	3	17	4	5	9	7	7	8	8	6	6	3	
110	Diseases of the esophagus	1			1														
111a	Ulcer of the stomach	109								1	3	5	4	24	25	14	24	9	
111b	Ulcer of the duodenum	62									1	3	4	15	9	13	12	5	
112	Other diseases of the stomach (cancer excepted)	113	44	5	1	1		1	1					5	2	11	16	26	
113	Diarrhea and enteritis (under 2 years)	446	376	70															
114	Diarrhea and enteritis (2 years and over)	150			17	13	3	14	3	2	1	4	1	9	5	15	22	41	
117	Appendicitis and typhlitis	433	2	5	4	7	4	35	44	44	26	27	24	66	58	49	27	11	
118a	Hernia	87	1	1						1	2			5	10	21	22	24	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
118b	Intestinal obstruction	186	30	4	1	1		5	1	3	2	7	5	17	25	17	33	35	
119	Other diseases of the intestines	33	4	2	1			1	1				1	3	5	5	2	8	
120	Acute yellow atrophy of the liver	14							1			1	3	1	2		3	3	
122	Cirrhosis of the liver	200					1			2		2	5	24	38	49	47	32	
123	Biliary calculi	142									1	3	3	14	25	41	32	23	
124	Other diseases of the liver	133	1				1	1	1	1	2	5	3	19	24	34	21	20	
125	Diseases of the pancreas	24									1		3	5	8	3	2	2	
126	Peritonitis without specified cause	28	2		1	1		1	3		1	3	3	5		2	3	2	1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,447	20	4	4	5	4	14	17	25	32	37	58	147	220	402	671	785	2
128	Acute nephritis (including unspecified under 10 years)	98	10	2	3	2	2	10	5	4	6	2	6	15	8	6	7	10	
129	Chronic nephritis (including unspecified 10 years and over)	1,944				2	2	4	10	15	18	16	34	100	176	347	583	635	2
131	Other diseases of the kidneys and annexa	62	8	1	1	1				2	1	3	2	5	4	9	9	16	
132	Calculi of the urinary passages	15							2				2	2	4	3	1	1	
133	Diseases of the bladder	39	1	1						1		1	1	2		4	9	19	
134	Diseases of the urethra, etc	3													1	1		1	
135	Diseases of the prostate	165												2		18	50	95	
136	Nonvenereal diseases of the male genital organs	2	1															1	
137	Cysts, other benign tumors of the ovary	24								2			4	4	4	2	4	4	
138	Salpingitis and pelvic abscess (female)	38								1	6	11	5	6	4	2	1	2	
139	Benign tumors of the uterus	41									1	2	2	6	17	7	6		
141	Other diseases of the female genital organs	15										1	2	5	2	3	1	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1										1							
	VIII.—The puerperal state	332							1	20	77	65	63	103	3				
143	Accidents of pregnancy	45								3	10	6	12	14					
144	Puerperal hemorrhage	46							1	1	8	10	5	19	2				
145	Other accidents of labor	31									6	8	4	13					
146	Puerperal septicemia	101								7	24	20	19	31					
147	Puerperal phlegmasia alba dolens, embolus, etc	23								2	6	5	4	6					
148	Puerperal albuminuria and convulsions	86								7	23	16	19	20	1				
	IX.—Diseases of the skin and of the cellular tissue	134	13	1	1	1		1		3	2	3	5	5	9	20	24	46	
151	Gangrene	75		1				1				1	1	3	8	18	42		
152	Furuncle	16	2								1	1	2	2	4	2			
153	Acute abscess	19	1		1					1	1	2	1	1	3	6	2		
154	Other diseases of the skin and annexa	24	10			1				2			1	1	1	2	2	4	
	X.—Diseases of the bones and of the organs of locomotion	32	1	2	1	1	1	5	4	4	1		3	3		1	4	1	
155	Diseases of the bones (tuberculosis excepted)	27	1	1	1	1	1	4	4	2	1		3	2		1	4	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	5		1				1		2				1					
	XI.—Malformations	387	368	8	2	3		3	1	2									
159a	Congenital hydrocephalus	43	36	3	1	1		1		1									
159b	Congenital malformations of the heart	225	216	4	1	2		1		1									
159c	Other congenital malformations	119	116	1				1	1										
	XII.—Early infancy	1,749	1,749																
160	Congenital debility, icterus, sclerema	193	193																
161a	Premature birth	1,104	1,104																
161b	Injury at birth	288	288																
162	Other diseases peculiar to early infancy	164	164																
164	XIII.—Old age (senility)	396															38	358	
	XIV.—External causes	2,265	31	38	33	34	24	95	81	131	128	108	168	301	305	261	244	280	3
	Suicide	402							1	13	21	11	45	83	88	75	44	21	
165	By poisons (gas or corrosives excepted)	18									3		3	2	4	4	1	1	
166	By corrosive substances	46								2	3	3	10	10	9	4	3	2	
167	By poisonous gas	25								1	1	1	2	9	4	6	1		
168	By hanging or strangulation	130								1	6		12	18	27	34	23	9	
169	By drowning	31								1		1	3	4	8	6	7	1	
170	By firearms	113							1	8	7	5	15	24	24	16	7	6	
171	By cutting or piercing instruments	29										1		12	10	3	1	2	
172	By jumping from high places	4									1			2		1			
173	By crushing	4												2	1	1			
174	By other means	2													1		1		
	Homicide	73	4							7	10	6	12	12	14	6	1		1
197	By firearms	41								5	4	5	11	5	8	2			1
198	By cutting or piercing instruments	6									2	1		1		2			
199	By other means	26	4							2	4		1	6	6	2	1		
	Accidental or undefined	1,790	27	38	33	34	24	95	80	111	97	91	111	206	203	180	199	259	2
175	Poisoning by food	18	2			2	2	5						2	3		1	1	
176	Poisoning by venomous animals	1											1						
177	Other acute poisonings (gas excepted)	24		10	2	1	1				1	1	1	1	5	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
178	Conflagration	30				2	2	4	4	1		2	4	3	2	2	2	2	
179	Burns (conflagration excepted)	105	4	9	11	10	4	4	5	10	2	3	7	8	5	5	9	9	
180	Mechanical suffocation	12	5	1						1		2	1	1			1		
181	Absorption of irrespirable, irritating, or poisonous gas	46	1	1						2	1	4	3	11	8	9	3	3	
182	Drowning	201	1	7	8	2	2	18	22	27	15	15	11	28	17	15	11	1	1
183	Traumatism by firearms (except in war)	54					1	4	12	12	4	6	1	2	7	2	1	2	
184	Traumatism by cutting or piercing instruments	17					1	1	1					1	3	4	6		
185	Traumatism by fall	411	4	1	1	1		4	3	5	8	4	10	21	30	47	70	202	
186a	Traumatism in mines	3								1		1			1				
186b	Traumatism in quarries	1											1						
187	Traumatism by machines	30				1				4	4	2	4	5	3	4	2	1	
188a	Railroad accidents	184	1	3		1	1	4	4	12	11	16	24	41	32	15	14	5	
	Collision with automobiles	43	1	1				1	1	4	3	4	9	10	5	2	1	1	
	Other railroad accidents	141		2		1	1	3	3	8	8	12	15	31	27	13	13	4	
188b	Street-car accidents	37			1	1	1		2	1	2	3	3	9	5	4	4	1	
	Collision with automobiles	7			1	1				1			1	2			1		
	Other street-car accidents	30					1		2		2	3	2	7	5	4	3	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	384	3	3	5	9	8	42	16	24	27	20	26	41	46	46	48	20	
188d	Airplane and balloon accidents	1								1									
188e,f	Injuries by other vehicles	42		1	2	1		3	1		3	2	2	3	7	7	9	1	
188g	Landslide, other crushing	18			1					2	4	3		2	4	1		1	
189	Injuries by animals (not poisoning)	27				2	1	1	1	1	1		1	4	4	6	3	1	1
193	Excessive cold	17													4	5	6	2	
194	Excessive heat	10	1												1	2	2	4	
195	Lightning	9							3			1	3	1		1			
196	Other accidental electric shocks	26						1	1	3	7	3	2	7	1	1			
201	Fracture (cause not specified)	3								1		1			1				
202	Other external violence	79	5	2	2	1		4	5	3	7	2	6	15	14	3	7	3	
	XV.—Ill-defined diseases	63	40	6	2		2	2					1	5	2		1	2	
204	Sudden death	8	8																
205a	Ill-defined	11	4	3	1			1							1			1	
205b	Not specified or unknown	44	28	3	1		2	1					1	5	1		1	1	
	WYOMING																		
	All causes	1,902	333	46	27	20	16	42	44	51	66	79	87	226	190	212	251	204	8
	I.—Epidemic, endemic, and infectious diseases	280	43	19	10	7	4	17	10	10	11	22	16	32	26	19	18	16	
1	Typhoid and paratyphoid fever	8	1			1						2		2	2				
7	Measles	6	1	3		1								1					
8	Scarlet fever	10	2		1	1		2	2			1	1						
9	Whooping cough	16	10	5					1										
10	Diphtheria	13			1	2	2	5	2				1						
11a	Influenza (with pulmonary complications)	71	11	7	5		2	4	1	3	1	6	2	6	6	5	7	5	
11b	Influenza (other and unspecified)	45	13	2	2			3	1	2			2	6	3	1	1	9	
16	Dysentery	5	3	1										1					
21	Erysipelas	1								1									
22	Acute anterior poliomyelitis	1				1													
24	Meningococcus meningitis	4				1		3											
25	Other epidemic and endemic diseases	27	1									2		4	6	7	6	1	
29	Tetanus	1									1								
	Tuberculosis (all forms)	62		1	1				2	4	8	10	9	10	7	5	4	1	
31	Of the respiratory system	53							2	4	6	9	8	9	6	4	4	1	
32	Of the meninges, central nervous system	3		1	1							1							
33	Of the intestines, peritoneum	5									1		1	1	1	1			
37a	Disseminated (acute)	1									1								
38	Syphilis	8	1								1		1	2	2	1			
40	Gonococcus infection	1										1							
41	Purulent infection, septicemia	1							1										
	II.—General diseases not included in Class I	187	8			1		2	3	2	1		4	28	31	32	51	22	2
	Cancer and other malignant tumors	108							1				3	13	15	23	37	16	
43	Of the buccal cavity	3													1	1		1	
44	Of the stomach, liver	48											1	2	5	14	18	8	
45	Of the peritoneum, intestines, rectum	12											1	3	3	3	2		
46	Of the female genital organs	12											1	2	4		4	1	
47	Of the breast	11												4	2		3	2	
48	Of the skin	5														2	1	2	
49	Of other or unspecified organs	17							1					2		3	9	2	
51	Acute rheumatic fever	5				1		1	1				1				1		
52	Chronic rheumatism, osteoarthritis, gout	1												1					
54	Pellagra	2												1	1				
56	Rickets	2	2																
57	Diabetes mellitus	25							1	2	1			2	3	4	8	4	
58	Anemia, chlorosis	8						1						2	2		2	1	
60a	Exophthalmic goiter	5												1	3	1			
60b	Other diseases of the thyroid gland	1												1					
65b	Hodgkin's disease	2													1	1			
66	Alcoholism (acute or chronic)	21												7	6	2	3	1	2
69	Other general diseases	7	6													1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense	162	5	2			1	5	2		2	1	6	20	18	26	43	30	1
70	Encephalitis	5		1										2	2				
71a	Simple meningitis	3	2					1											
71b	Nonepidemic cerebrospinal meningitis	1												1					
72	Tabes dorsalis (locomotor ataxia)	2													1	1			
73	Other diseases of the spinal cord	2						1						1					
74a	Cerebral hemorrhage	102						1						5	9	23	38	25	1
74b	Cerebral embolism and thrombosis	3	1										1				1		
75	Paralysis without specified cause	8											1		1		2	4	
76	General paralysis of the insane	14											1	7	2	2	2		
78	Epilepsy	4									1		2	1					
80	Infantile convulsions (under 5 years)	2	2																
84	Other diseases of the nervous system	8					1	1					1	3	1			1	
86a	Diseases of the ear	4							1		1				2				
86b	Diseases of the mastoid process	4		1				1	1			1							
	IV.—Diseases of the circulatory system	240	10		2			3	6	3	6	8	3	23	21	47	55	52	1
87	Pericarditis	1							1										
88	Endocarditis and myocarditis (acute)	15	3		1				1			2	1	4	1	2			
89	Angina pectoris	23												3	1	8	5	6	
90	Other diseases of the heart	178	6		1			3	4	3	6	5	2	15	19	33	46	35	
91a	Aneurysm	1														1			
91b,c	Other diseases of the arteries	19												1		3	3	11	1
92	Embolism and thrombosis (not cerebral)	1										1							
93	Diseases of the veins	1															1		
94	Diseases of the lymphatic system	1	1																
	V.—Diseases of the respiratory system	163	59	9	4	2	3	4	1	2		2	5	10	19	11	9	23	
97b	Diseases of the nasal fossae annexa	3								1				1	1				
98	Diseases of the larynx	1					1												
99a	Acute bronchitis	3	1					1										1	
99b	Chronic bronchitis	2														1		1	
99c,d	Bronchitis (unspecified)	2	1														1		
100a	Broncho-pneumonia	66	39	3	3		1	1				1		2	3	1		12	
100b	Capillary bronchitis	1													1				
101a	Lobar pneumonia	60	12	3	1	2		2	1	1		1	4	5	11	6	4	7	
101b	Pneumonia (unspecified)	13	5	3			1						1		1	1		1	
102	Pleurisy	3												1	1	1			
103	Congestion and hemorrhagic infarct of the lung	4														1	2	1	
105	Asthma	2												1			1		
107	Other diseases of the respiratory system (tuberculosis excepted)	3	1												1		1		
	VI.—Diseases of the digestive system	213	41	7	5	3	6	3	4	10	11	8	13	28	20	25	17	11	1
108	Diseases of the mouth and annexa	4								1					1	1		1	
109b	Other diseases of the pharynx, tonsils	12	1	1		1	2			1			3	1	2				
111a	Ulcer of the stomach	8								1				2		4		1	
111b	Ulcer of the duodenum	1													1				
112	Other diseases of the stomach (cancer excepted)	11	5													3	2	1	
113	Diarrhea and enteritis (under 2 years)	33	29	4															
114	Diarrhea and enteritis (2 years and over)	13			4	1	1					1				2	4		
117	Appendicitis and typhlitis	57				1	1	2	2	5	8	5	6	14	5	4	2	2	
118a	Hernia	9		1				1		1					1	1	4		
118b	Intestinal obstruction	22	5	1			1		1	1		1	2	4	1	1	1	2	1
119	Other diseases of the intestines	3			1											2			
122	Cirrhosis of the liver	13											1	2	1	3	3	3	
123	Biliary calculi	10												1	6	2		1	
124	Other diseases of the liver	8					1				1			2	1	2	1		
126	Peritonitis without specified cause	9	1						1		2	1	1	2	1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	105	1	2		1		1	1	1	1	3	2	9	10	23	35	15	
128	Acute nephritis (including unspecified under 10 years)	4		1		1		1	1										
129	Chronic nephritis (including unspecified 10 years and over)	77								1		1	1	5	8	20	27	14	
131	Other diseases of the kidneys and annexa	4	1	1											1	1			
133	Diseases of the bladder	3													1		1	1	
135	Diseases of the prostate	8														2	6		
137	Cysts, other benign tumors of the ovary	1															1		
138	Salpingitis and pelvic abscess (female)	6									1	1	1	3					
141	Other diseases of the female genital organs	2										1		1					
	VIII.—The puerperal state	41								3	14	9	7	7	1				
143	Accidents of pregnancy	5									4	1							
144	Puerperal hemorrhage	5									1	1	2	1					
145	Other accidents of labor	2									1			1					
146	Puerperal septicemia	14								1	4	2	4	2	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	3								1		1		1					
148	Puerperal albuminuria and convulsions	12								1	4	4	1	2					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	4													1		1	2	
151	Gangrene	3															1	2	
153	Acute abscess	1													1				
	X.—Diseases of the bones and of the organs of locomotion	4		1		1											1	1	
155	Diseases of the bones (tuberculosis excepted)	3				1											1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1		1															
	XI.—Malformations	26	25			1													
159b	Congenital malformations of the heart	20	19			1													
159c	Other congenital malformations	6	6																
	XII.—Early infancy	127	127																
160	Congenital debility, icterus, sclerema	11	11																
161a	Premature birth	87	87																
161b	Injury at birth	23	23																
162	Other diseases peculiar to early infancy	6	6																
164	XIII.—Old age (senility)	21															7	14	
	XIV.—External causes	299	8	5	6	3	2	6	16	20	20	26	31	68	42	22	9	12	3
	Suicide	46							1	2	3	3	6	16	6	4	4	1	
165	By poisons (gas or corrosives excepted)	5										1	1	2	1				
168	By hanging or strangulation	10								1	1	1		4	2		1		
170	By firearms	29							1	1	2	1	5	9	2	4	3	1	
173	By crushing	2												1	1				
	Homicide	32					1	1	2	2	2	4	4	13	1				2
197	By firearms	26					1	1	2	2	1	4	3	11	1				
198	By cutting or piercing instruments	3									1		1	1					
199	By other means	3												1					2
	Accidental or undefined	221	8	5	6	3	1	5	13	16	15	19	21	39	35	18	5	11	1
175	Poisoning by food	3	2												1				
176	Poisoning by venomous animals	1				1													
177	Other acute poisonings (gas excepted)	4		1	1							1	1						
178	Conflagration	2											1	1					
179	Burns (conflagration excepted)	10			1					1	1	1	2	1	2			1	
180	Mechanical suffocation	4	3												1				
181	Absorption of irrespirable, irritating, or poisonous gas	3										1	1	1					
182	Drowning	15		2	3	2		1	1	2				1	1	2			
183	Traumatism by firearms (except in war)	11							4	2	1			2		2			
184	Traumatism by cutting or piercing instruments	1						1											
185	Traumatism by fall	17									1	1	1	3	4	1	2	4	
186a	Traumatism in mines	21							1	1	3	2	3	9	2				
187	Traumatism by machines	6								1	1	1	1	1	1				
188a	Railroad accidents	25								2	2	2	6	6	3	3			1
	Collision with automobiles	3								2					1				
	Other railroad accidents	22									2	2	6	6	2	3			1
188b	Street-car accidents	1											1						
	Collision with automobiles	1											1						
188c	Automobile accidents (excluding collision with railroad trains and street cars)	56	1				1	2	1	5	2	8	4	10	11	9	1	1	
188e,f	Injuries by other vehicles	7						1	1	1	1			1	2				
188g	Landslide, other crushing	1													1				
189	Injuries by animals (not poisoning)	7		1	1				1					1				3	
193	Excessive cold	4													1		1	2	
195	Lightning	6							1	1	1	1			2				
196	Other accidental electric shocks	1												1					
201	Fracture (cause not specified)	1												1					
202	Other external violence	14	2	1					3		2	1			3	1	1		
	XV.—Ill-defined diseases	30	6	1		1		1	1					1	1	7	5	6	
204	Sudden death	1															1		
205a	Ill-defined	11												1	1	4	2	3	
205b	Not specified or unknown	18	6	1		1		1	1							3	2	3	

NOTE.—For populations, see reference on Table 4.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on January 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BIRMINGHAM, ALA. (WHITE), all causes	1,731	239	72	19	16	5	35	24	57	81	74	79	144	210	211	240	223	2
Typhoid and paratyphoid fever (1)	9						1		1	3			3		1			
Measles (7)	16	2	3	1	2	1	4	1				1			1			
Scarlet fever (8)	1	1																
Whooping cough (9)	30	18	6	4	1		1											
Diphtheria (10)	5	1	2		1			1										
Influenza (11)	83	8	1	3	1		2	2	4	2	3	3	13	8	10	14	9	
Meningococcus meningitis (24)	1							1										
Tuberculosis of the respiratory system (31)	47		1						3	5	6	8	7	6	5	3	3	
Other forms of tuberculosis (32-37)	17		5	1			1				5	2		1	2			
Cancer and other malignant tumors (43-49)	119		1				1		1	1	4	4	15	24	27	27	14	
Diabetes mellitus (57)	23						2		3	1			1	4	6	5	1	
Cerebral hemorrhage and softening (74, 83)	79											1	5	14	19	17	23	
Other [organic] diseases of the heart (90)	174			1			2	2	2	1	1	6	7	18	32	50	51	1
Bronchitis (99)	10	2	1										1			1	5	
Broncho-pneumonia (100)	35	9	4	3		1				1		1		1	3	5	7	
Pneumonia (101)	108	8	7		2		1	3	4	5	4	3	12	16	11	12	20	
Diarrhea and enteritis (113, 114)	72	23	27	2	6		2					1	2	2		4	3	
Appendicitis and typhlitis (117)	32						4	1	3	4	3	3	4	5	4	1		
Hernia, intestinal obstruction (118)	24	2					2		2	1	1	2	3	4	4	2	1	
Cirrhosis of the liver (122)	12									1			1	4	2	3	1	
Nephritis (128, 129)	115							1	1	2	3	3	11	17	19	31	27	
Diseases of the female genital organs (137-141)	14											5	5	3	1			
Puerperal septicemia (146)	11								1	5	3	2						
Other puerperal causes (143-145, 147-150)	24								3	8	8	4	1					
Suicide (165-174)	32								3	5	3	3	8	8	2			
Homicide (197-200)	19	1							4	2	3	3	3	1	2			
Automobile accidents [1] (188c)	38						4	3	3	5	2	2	4	5	5	5		
Automobile and railroad-train collision (part 188a)	3										1	1		1				
Automobile and street-car collision (part 188b)	1													1				
Other external causes (inclusions, see Table 5)	99	2	5			1	2	4	8	13	10	5	11	12	5	8	13	
All other causes	478	162	9	4	3	2	6	5	11	16	14	16	27	55	50	52	45	1
BIRMINGHAM, ALA. (COLORED), all causes	1,987	298	74	30	25	12	28	36	81	167	162	138	295	300	152	94	88	7
Typhoid and paratyphoid fever (1)	9		1					1	1	4	1		1					
Measles (7)	5		1		2		1			1								
Scarlet fever (8)																		
Whooping cough (9)	29	11	13	2	2	1												
Diphtheria (10)	1					1												
Influenza (11)	110	16	4	3	3	1	2	2	2	9	6	11	16	14	8	8	4	1
Meningococcus meningitis (24)	3	1					1		1									
Tuberculosis of the respiratory system (31)	159		1	2	2		2	7	21	28	29	19	30	16	1	1		
Other forms of tuberculosis (32-37)	33	1	4	1		2	1	5	1	2	6	1	4	5				
Cancer and other malignant tumors (43-49)	37									2	1	4	10	12	6	2		
Diabetes mellitus (57)	10									1		1	2	2	2	1	1	
Cerebral hemorrhage and softening (74, 83)	103							1			1	5	13	35	16	14	18	
Other [organic] diseases of the heart (90)	192	1				1		1	1	6	8	6	21	68	40	21	15	3
Bronchitis (99)	2		1												1			
Broncho-pneumonia (100)	61	22	12	6	1		1			2	4	1	4	4	2	2		
Pneumonia (101)	176	16	10	6	3			7	9	19	16	17	32	22	7	7	5	
Diarrhea and enteritis (113, 114)	36	19	8	1		1	2			2			2		1			
Appendicitis and typhlitis (117)	18							4	3	2	2		5	2				
Hernia, intestinal obstruction (118)	23	3						1	1	1	3	3	6	3	1	1		
Cirrhosis of the liver (122)	7										2		2		1	2		
Nephritis (128, 129)	94	1			1		2				4	5	28	20	14	7	12	
Diseases of the female genital organs (137-141)	22								1		4	5	9	2	1			
Puerperal septicemia (146)	24								11	6	2	3	2					
Other puerperal causes (143-145, 147-150)	22								6	6	1	4	5					
Suicide (165-174)	2										2							
Homicide (197-200)	107								5	33	30	13	20	5	1			
Automobile accidents [1] (188c)	19						3		1	4	3		3	4		1		
Automobile and railroad-train collision (part 188a)	1										1							
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	84	2	3	6	6	3	4	2	6	9	7	5	9	14		5	1	2
All other causes	598	205	16	3	5	2	9	5	11	30	29	35	71	72	50	22	32	1
LOS ANGELES, CALIF. (WHITE), all causes	11,530	997	165	100	58	44	168	131	253	425	442	485	1,174	1,504	1,808	1,946	1,829	1
Typhoid and paratyphoid fever (1)	10						1		2	3			1	1	1	1		
Measles (7)	10	2	2	1	2	1			2									
Scarlet fever (8)	10		1	2	1	1	1	2			1	1						
Whooping cough (9)	25	13	7	2	2		1											
Diphtheria (10)	78	4	12	9	7	2	28	7	1		2		2	1	2	1		
Influenza (11)	102	10	5	3	1		5	3	2	1	5	7	11	11	8	9	21	
Meningococcus meningitis (24)	29	5	1	1	1	2	2	3	4	6		1	1	2				
Tuberculosis of the respiratory system (31)	1,083	10	7	8	3	2	9	20	76	156	139	127	224	133	100	50	19	
Other forms of tuberculosis (32-37)	136	13	17	10	6	2	14	2	6	14	6	9	14	10	7	5	1	
Cancer and other malignant tumors (43-49)	1,268		1	3			2	4	3	9	16	23	117	262	338	315	175	
Diabetes mellitus (57)	196				1		2		5	2	1	3	12	31	57	57	25	
Cerebral hemorrhage and softening (74, 83)	701						1		1	4	4	3	32	80	154	200	222	
Other [organic] diseases of the heart (90)	1,646	3	3	1		2	2	5	7	20	23	30	81	205	296	451	517	
Bronchitis (99)	49	11	5	1						1			2	3	4	10	12	
Broncho-pneumonia (100)	340	123	34	8	3	6	5	5	3	6	3	6	12	14	27	32	53	
Pneumonia (101)	314	22	10	6	4	1	5	4	12	5	12	11	45	40	51	46	40	
Diarrhea and enteritis (113, 114)	203	137	19	7	6	1		2	1			2	8	3	2	3	12	
Appendicitis and typhlitis (117)	130	1		1	1	2	3	11	7	12	12	9	25	21	14	8	3	
Hernia, intestinal obstruction (118)	149	8		2			1	1	3	8	5	4	21	25	24	28	19	
Cirrhosis of the liver (122)	122										1	2	15	18	37	29	20	
Nephritis (128, 129)	872	3					7	3	6	6	13	23	73	127	180	209	222	
Diseases of the female genital organs (137-141)	84								5	5	11	11	20	12	10	9	1	
Puerperal septicemia (146)	40								2	8	9	17	3	1				
Other puerperal causes (143-145, 147-150)	72								5	13	23	16	15					
Suicide (165-174)	275								4	15	25	25	60	65	41	30	10	
Homicide (197-200)	71	3		1	1	2	3		4	8	12	13	13	3	6		1	1
Automobile accidents [1] (188c)	265		2	1	1	5	22	9	17	21	12	19	29	39	31	34	23	
Automobile and railroad-train collision (part 188a)	7								1	1	1	1	1	2				
Automobile and street-car collision (part 188b)	17							2		2	2	3	3	3	1	1		
Other external causes (inclusions, see Table 5)	465	8	6	12	7	1	13	20	22	33	32	26	57	54	41	43	90	
All other causes	2,761	621	33	21	11	14	41	28	52	66	72	93	277	338	376	375	343	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOS ANGELES, CALIF. (COLORED), all causes	692	86	21	8	6	5	12	6	22	42	40	44	123	100	101	47	29	
Typhoid and paratyphoid fever (1)	4			1					1				1	1				
Measles (7)																		
Scarlet fever (8)	2					1			1									
Whooping cough (9)																		
Diphtheria (10)																		
Influenza (11)	5	1										2	1		1			
Meningococcus meningitis (24)	4	1							1		1	1						
Tuberculosis of the respiratory system (31)	105			1		1	1	2	9	17	17	12	24	12	6	2	1	
Other forms of tuberculosis (32–37)	36	2	9	1	2		1	2	1	7	2	4	1	4				
Cancer and other malignant tumors (43–49)	36						1						9	10	8	7	1	
Diabetes mellitus (57)	13											1	5	6	1			
Cerebral hemorrhage and softening (74, 83)	29										1		2	9	10	5	2	
Other [organic] diseases of the heart (90)	71				1		1			3		4	8	13	20	14	7	
Bronchitis (99)																		
Broncho-pneumonia (100)	15	8	2										3		2			
Pneumonia (101)	26	1	1				1		1	1	2	1	4	5	8	1		
Diarrhea and enteritis (113, 114)	29	19	5	3		1								1				
Appendicitis and typhlitis (117)	8									1	2		2	2		1		
Hernia, intestinal obstruction (118)	8	1									1	2	1	1	1	1		
Cirrhosis of the liver (122)	1												1					
Nephritis (128, 129)	60							1				1	13	11	19	3	12	
Diseases of the female genital organs (137–141)	8											1	7					
Puerperal septicemia (146)	1											1						
Other puerperal causes (143–145, 147–150)	5								1	3			1					
Suicide (165–174)	9									1	2	3	3					
Homicide (197–200)	14								1	2	3		5	2		1		
Automobile accidents [1] (188c)	21				1	1	1		1	2	3	1	2	2	4	3		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2												2					
Other external causes (inclusions, see Table 5)	19		2		1		1	1	1	1	1	1	5		3	1	1	
All other causes	161	53	2	2	1	1	5		4	4	5	9	23	21	18	8	5	
OAKLAND, CALIF., all causes	2,802	277	49	18	20	17	39	32	44	60	55	67	205	348	491	522	558	
Typhoid and paratyphoid fever (1)	2								1	1								
Measles (7)	6	1		2	1	2												
Scarlet fever (8)																		
Whooping cough (9)	12	7	3		1	1												
Diphtheria (10)	18	2	2	2	3	3	4	2										
Influenza (11)	37	5	2				1		1	1	1		4	5	5	5	7	
Meningococcus meningitis (24)	6	4	1			1												
Tuberculosis of the respiratory system (31)	107	3	5		1	1	3	1	7	11	17	11	18	11	10	4	4	
Other forms of tuberculosis (32–37)	22	1	2	2	1	1	4	2	1	2		2		2	1	1		
Cancer and other malignant tumors (43–49)	318	1				1	1		1		1	3	22	62	92	83	51	
Diabetes mellitus (57)	69	1				1	2	2		2		1	3	11	20	19	7	
Cerebral hemorrhage and softening (74, 83)	241								1		1	3	10	25	50	60	91	
Other [organic] diseases of the heart (90)	579		1		1		3		6	4	5	6	28	66	129	149	181	
Bronchitis (99)	14	2	1										2	1	1	2	5	
Broncho-pneumonia (100)	102	40	10	3	3		2	1			1	1	2	5	4	9	21	
Pneumonia (101)	82	11	4				3	1	2	4	2	3	12	14	13	8	5	
Diarrhea and enteritis (113, 114)	42	29	4	1	1		1			1			2		1	2		
Appendicitis and typhlitis (117)	43				1		1	2	2	1	3	4	5	9	8	4	3	
Hernia, intestinal obstruction (118)	38	5		1				2	1	1	1	2	6	4	7	6	2	
Cirrhosis of the liver (122)	29												1	8	9	7	4	
Nephritis (128, 129)	199	1			2	1		1	1	1	1	3	14	27	46	55	46	
Diseases of the female genital organs (137–141)	16								1	1	3	1	3	4	1	1	1	
Puerperal septicemia (146)	7								2	1	2	1	1					
Other puerperal causes (143–145, 147–150)	6								1	3	2							
Suicide (165–174)	61							1	1	3	2	8	10	17	11	5	3	
Homicide (197–200)	12							1		4	1	1	2	2	1			
Automobile accidents [1] (188c)	51		1		1		2	1	2	3	3	5	6	7	6	6	8	
Automobile and railroad-train collision (part 188a)	6												2	2			2	
Automobile and street-car collision (part 188b)	7									1			1	3	1	1		
Other external causes (inclusions, see Table 5)	96	3	3		2	1	3	6	1	10	3	6	12	9	8	9	20	
All other causes	574	161	10	7	2	4	9	9	12	5	6	6	39	54	67	86	97	
SAN FRANCISCO, CALIF., all causes	7,662	415	74	50	27	27	102	74	96	193	277	274	912	1,184	1,470	1,414	1,071	2
Typhoid and paratyphoid fever (1)	15								1	3	2		7	1	1			
Measles (7)	20	6	8	3		2	1											
Scarlet fever (8)	6				1	1	2					1			1			
Whooping cough (9)	8	5	3															
Diphtheria (10)	30		1	5	5	3	12	1	2						1			
Influenza (11)	95	7	2	1	1	1	1	2	2	1	2	7	15	20	15	6	12	
Meningococcus meningitis (24)	11	1			1	2			1	1	2		1	1	1			
Tuberculosis of the respiratory system (31)	504		3	1	1		1	8	20	51	68	52	116	79	69	29	6	
Other forms of tuberculosis (32–37)	106	2	9	8	3	6	7	6	11	9	13	3	12	10	4	2	1	
Cancer and other malignant tumors (43–49)	923	1	3	1			1			6	6	18	98	202	280	224	83	
Diabetes mellitus (57)	123						1	1		1			7	14	40	39	20	
Cerebral hemorrhage and softening (74, 83)	461						1	1		3	3	1	20	64	124	144	100	
Other [organic] diseases of the heart (90)	1,489					1	3	6	5	4	18	12	101	215	325	392	407	
Bronchitis (99)	25	2											1	1	2	7	12	
Broncho-pneumonia (100)	272	73	18	6	1	1	7	1	1	2	7	11	21	25	22	33	43	
Pneumonia (101)	278	11	4	2	3		6	5	6	8	14	16	31	51	54	36	31	
Diarrhea and enteritis (113, 114)	39	21	5	3			1			1	1	1	1	3	1		1	
Appendicitis and typhlitis (117)	105			1	1		6	4	4	8	9	9	28	17	12	5	1	
Hernia, intestinal obstruction (118)	106	6							1	4	7	5	11	22	20	19	11	
Cirrhosis of the liver (122)	88									2		1	17	25	23	15	5	
Nephritis (128, 129)	675	1			1	1	2	5	7	5	9	16	58	99	138	186	147	
Diseases of the female genital organs (137–141)	43							1		1	1	6	13	9	8	2	2	
Puerperal septicemia (146)	14								2	4	2	3	3					
Other puerperal causes (143–145, 147–150)	35								1	5	8	11	8	2				
Suicide (165–174)	200								1	10	21	9	45	47	37	26	4	
Homicide (197–200)	46	1		1		1	1	2		3	8	4	16	3	6			
Automobile accidents [1] (188c)	128			1	1	2	13	7	10	5	5	5	21	20	12	18	8	
Automobile and railroad-train collision (part 188a)	2											1				1		
Automobile and street-car collision (part 188b)	6						1		1	1		1	1		1			
Other external causes (inclusions, see Table 5)	316	2	3	1	1		4	3	6	15	17	25	60	59	56	25	37	2
All other causes	1,493	276	15	16	7	6	31	21	14	40	54	56	200	195	217	205	140	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DENVER, COLO., all causes	3,963	385	66	37	30	20	74	56	85	120	161	166	382	457	583	718	623	
Typhoid and paratyphoid fever (1)	10		1	1						2	4	1		1				
Measles (7)																		
Scarlet fever (8)	10	1			3	4		1						1				
Whooping cough (9)	28	11	10	1	3	3												
Diphtheria (10)	31	4	1	3	8	3	8	1					1	1		1		
Influenza (11)	163	27	11	5	2	1	4	2	3	4	5	3	14	18	17	24	23	
Meningococcus meningitis (24)	4	1										1	1				1	
Tuberculosis of the respiratory system (31)	448							1	21	48	68	74	119	60	43	13	1	
Other forms of tuberculosis (32–37)	28	2	2	2	2	1	4	1	3			5		3	1	1	1	
Cancer and other malignant tumors (43–49)	323		1					2		1	3	7	24	67	75	89	54	
Diabetes mellitus (57)	47						1	1	2	1	1			5	13	14	9	
Cerebral hemorrhage and softening (74, 83)	260									2		1	9	22	53	78	95	
Other [organic] diseases of the heart (90)	481	1		2			7	10	11	4	7	12	26	55	77	152	117	
Bronchitis (99)	10	2							1					1	1	1	4	
Broncho-pneumonia (100)	134	47	9	4	2	2	1	1		1		1	3	5	12	19	27	
Pneumonia (101)	201	15	8	1		1	4	5	1	4	4	4	18	24	34	47	31	
Diarrhea and enteritis (113, 114)	65	48	8	2									1		1		5	
Appendicitis and typhlitis (117)	98			3	1	1	4	4	5	8	9	6	14	18	16	8	1	
Hernia, intestinal obstruction (118)	48	3	1	1				1			1	1	8	8	9	8	7	
Cirrhosis of the liver (122)	11												2	1	2	4	2	
Nephritis (128, 129)	277	1			1		2	2	3	2	3	1	24	29	49	85	75	
Diseases of the female genital organs (137–141)	30								1	3	3	4	8	3	4	3	1	
Puerperal septicemia (146)	19								5	3	6	4	1					
Other puerperal causes (143–145, 147–150)	26								1	6	6	5	8					
Suicide (165–174)	74								2	4	10	8	13	10	17	7	3	
Homicide (197–200)	13									4	2	1	4		2			
Automobile accidents [1] (188c)	48			2	1	4	1	3	3	3	3	2	4	7	6	4	8	
Automobile and railroad-train collision (part 188a)	2						1									1		
Automobile and street-car collision (part 188b)	1									1								
Other external causes (inclusions, see Table 5)	142	2	4	3	2	3	8	5	5	8	6	4	16	15	9	27	25	
All other causes	931	220	10	9	7	4	20	18	17	11	20	20	64	104	142	132	133	
BRIDGEPORT, CONN., all causes	1,692	223	44	22	9	10	39	17	28	41	30	54	156	242	328	233	216	
Typhoid and paratyphoid fever (1)	1												1					
Measles (7)	26	9	8	3		2	3			1								
Scarlet fever (8)	6		1	1			3					1						
Whooping cough (9)	11	7	4															
Diphtheria (10)	12	1	4	2	2		3											
Influenza (11)	72	8	3	3	1	1	3		1	6		6	11	7	11	8	3	
Meningococcus meningitis (24)	1												1					
Tuberculosis of the respiratory system (31)	74	1							7	11	8	5	13	18	7	3	1	
Other forms of tuberculosis (32–37)	21	4	2				3	2			2	1	2	2	2	1		
Cancer and other malignant tumors (43–49)	158		1							2		4	10	38	50	33	20	
Diabetes mellitus (57)	34			1				1				2	1	2	15	7	5	
Cerebral hemorrhage and softening (74, 83)	104												3	21	25	31	24	
Other [organic] diseases of the heart (90)	289			1			1		2	3	1	2	13	44	78	62	82	
Bronchitis (99)	4	1	1													1	1	
Broncho-pneumonia (100)	62	22	5	4		1			2	1	2		3	1	6	7	8	
Pneumonia (101)	97	13	3			2	2	1	1	2	3	6	15	14	12	16	7	
Diarrhea and enteritis (113, 114)	24	15	4	1											2		2	
Appendicitis and typhlitis (117)	19			1		1	2	2	1	1		1	3	3	3	1		
Hernia, intestinal obstruction (118)	17	5										1	1	3	2	5		
Cirrhosis of the liver (122)	15												5	4	6			
Nephritis (128, 129)	107							2		1	1	1	13	15	30	23	21	
Diseases of the female genital organs (137–141)	9										1		5	2	1			
Puerperal septicemia (146)	9								1	2	1	3	2					
Other puerperal causes (143–145, 147–150)	8								1	1		4	2					
Suicide (165–174)	24										2	1	7	5	7	1	1	
Homicide (197–200)	7						1			2			3	1				
Automobile accidents [1] (188c)	31					1	3	1	3	2	1	1		11	4	3	1	
Automobile and railroad-train collision (part 188a)	2									2								
Automobile and street-car collision (part 188b)	1											1						
Other external causes (inclusions, see Table 5)	82	1	4	1	5	1	6	1	4		3	5	8	13	13	4	13	
All other causes	365	136	4	4	1	1	9	7	5	4	5	9	34	38	54	27	27	
HARTFORD, CONN., all causes	2,129	301	43	15	17	13	34	34	41	42	41	73	191	286	373	350	275	
Typhoid and paratyphoid fever (1)	5							2	1				1		1			
Measles (7)	17	4	9	2	1		1											
Scarlet fever (8)	3			1			1			1								
Whooping cough (9)	7	4	3															
Diphtheria (10)	12	1	2		1		5	2				1						
Influenza (11)	24	7	1		2	1	1	1		1			1	3	2	1	3	
Meningococcus meningitis (24)	4	1	1		1		1											
Tuberculosis of the respiratory system (31)	69	1	1						7	11	10	6	12	6	7	8		
Other forms of tuberculosis (32–37)	21	1	1	5			1		1	2		1	5	3	1			
Cancer and other malignant tumors (43–49)	234				1			1			1	7	24	52	79	50	19	
Diabetes mellitus (57)	31		1							1		1	3	3	10	7	5	
Cerebral hemorrhage and softening (74, 83)	118		1					1	1		1	1	3	13	23	37	37	
Other [organic] diseases of the heart (90)	370					1	1	3	4	5	5	7	17	39	89	105	94	
Bronchitis (99)	10	3													1		6	
Broncho-pneumonia (100)	83	30	8	3	1	2	1				2		9	9	5	7	6	
Pneumonia (101)	112	12	2	1		1		2	6	1	2	1	12	20	28	16	8	
Diarrhea and enteritis (113, 114)	51	43	4	1					1			1					1	
Appendicitis and typhlitis (117)	39			1	1	1	1	3		2	1	2	8	12	5	2		
Hernia, intestinal obstruction (118)	24	3									1	1	1	5	9	4		
Cirrhosis of the liver (122)	10												2		7	1		
Nephritis (128, 129)	182	1					1	3		2	4	6	10	38	38	41	38	
Diseases of the female genital organs (137–141)	21									1	2	1	9	5	1	2		
Puerperal septicemia (146)	1											1						
Other puerperal causes (143–145, 147–150)	12								4	1	3	2	2					
Suicide (165–174)	20								1	1		3	3	6	4	2		
Homicide (197–200)	8	2										3	1	2				
Automobile accidents [1] (188c)	46			2	1	7	3	2	3	1	1	5	10	5	5	1		
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	114	5	1		3	3	4	3	2	6	1	11	14	15	14	13	19	
All other causes	480	183	8	1	4	3	9	10	11	4	7	16	49	45	43	49	38	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW HAVEN, CONN., all causes	2,212	200	46	28	15	9	48	41	29	41	57	60	177	320	379	411	351	
Typhoid and paratyphoid fever (1)	4							1	1	1	1							
Measles (7)	8	1	3	2	1			1										
Scarlet fever (8)	5						3	1		1								
Whooping cough (9)	11	2	7	1			1											
Diphtheria (10)	5				1	2	2											
Influenza (11)	46	6	8	2	2	1	1	3	1				3	3	6	5	5	
Meningococcus meningitis (24)	1			1														
Tuberculosis of the respiratory system (31)	66		1				1	1	6	10	14	3	10	13	4	3		
Other forms of tuberculosis (32–37)	28	2	3	1		1	3	1	3	3	2	2	2	3	1	1		
Cancer and other malignant tumors (43–49)	218							1		1	1	4	15	44	65	58	29	
Diabetes mellitus (57)	60									1			4	10	15	20	10	
Cerebral hemorrhage and softening (74, 83)	172										1	1	5	18	43	55	49	
Other [organic] diseases of the heart (90)	335				1		3	5	3	2	1	7	17	42	80	81	93	
Bronchitis (99)	15	6			1		1						1	1		2	3	
Broncho-pneumonia (100)	93	18	8	4		1	1		1		3	2	5	10	8	15	17	
Pneumonia (101)	152	11	3	3	1	1	3	1	1	4	2	1	19	33	17	33	19	
Diarrhea and enteritis (113, 114)	25	19		1								1			1	2	1	
Appendicitis and typhlitis (117)	40			3	1		7	5	2	2	4	1	6	3	3	3		
Hernia, intestinal obstruction (118)	24		2									2	3	3	6	3	5	
Cirrhosis of the liver (122)	11										1			3	5	2		
Nephritis (128, 129)	177		2					1	1		2	6	11	32	37	39	46	
Diseases of the female genital organs (137–141)	10										2		6	2				
Puerperal septicemia (146)	8									3	1	2	1	1				
Other puerperal causes (143–145, 147–150)	17								1		6	4	6					
Suicide (165–174)	32								1	1	1	2	3	8	8	3	5	
Homicide (197–200)	2												1		1			
Automobile accidents [1] (188c)	42			1	1	1	3			1	5	1	5	11	8	4	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1																1	
Other external causes (inclusions, see Table 5)	81	2	4	2	2	1	6	4	5	1	1	4	9	9	9	12	10	
All other causes	523	133	5	7	5	2	13	14	3	10	9	17	45	71	62	70	57	
WILMINGTON, DEL., all causes	1,615	183	60	23	16	10	43	20	37	41	50	56	119	203	262	272	220	
Typhoid and paratyphoid fever (1)	4								1			2			1			
Measles (7)	31	9	13	2		1	6											
Scarlet fever (8)	3	1		1					1									
Whooping cough (9)	14	8	4	2														
Diphtheria (10)	16		3		4	2	4			2				1				
Influenza (11)	47	4	6	1	1		2	1		1	3	3	2	4	6	7	6	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	77	3	1	1				1	5	6	9	6	16	12	10	5	2	
Other forms of tuberculosis (32–37)	23	7	5	2	2	1	1				1	1		2		1		
Cancer and other malignant tumors (43–49)	115									2	3	2	10	25	31	32	10	
Diabetes mellitus (57)	25								1				3	4	9	5	3	
Cerebral hemorrhage and softening (74, 83)	122	1							1		3		2	18	24	38	35	
Other [organic] diseases of the heart (90)	244						1	1	4	5	3	6	12	37	50	65	60	
Bronchitis (99)	6		1											1	1		3	
Broncho-pneumonia (100)	69	19	10	3		3	3	4		1		1	3	3	2	6	11	
Pneumonia (101)	101	10	8	3	1	1	2	1		2	2	4	10	15	19	15	8	
Diarrhea and enteritis (113, 114)	46	32	3	1	3								1	4	1	1		
Appendicitis and typhlitis (117)	21						2	2	4	1	2	4	2	3	1			
Hernia, intestinal obstruction (118)	22	1	1	1			1				2			3	6	4	3	
Cirrhosis of the liver (122)	9													2	3	2	2	
Nephritis (128, 129)	175	2		1				2	1		1	2	7	28	39	48	44	
Diseases of the female genital organs (137–141)	8								1		1	1	1	2	1	1		
Puerperal septicemia (146)	8								3	2		2	1					
Other puerperal causes (143–145, 147–150)	15								1	3	5	3	3					
Suicide (165–174)	16										3	1	3	5	1	3		
Homicide (197–200)	12									3	1	2	3	1	1	1		
Automobile accidents [1] (188c)	29						6		2	3	2	1	9	3	2	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	74	2		3	3		6	3	6	3	4	6	9	4	10	12	3	
All other causes	282	84	5	2	2	2	9	5	6	7	5	9	21	26	44	25	30	
WASHINGTON, D. C. (WHITE), all causes	4,583	407	59	38	27	21	65	28	58	84	117	136	353	549	753	879	1,009	
Typhoid and paratyphoid fever (1)	10									1			6		3			
Measles (7)	30	8	6	8	1	1	5					1						
Scarlet fever (8)	5		1	1		1	2											
Whooping cough (9)	25	15	5	3	2													
Diphtheria (10)	22	3	1	1	2	2	6	1	1	2		1	1		1			
Influenza (11)	78	7		1	1		1	1	1		1	3	9	11	15	10	17	
Meningococcus meningitis (24)	4	1					2		1									
Tuberculosis of the respiratory system (31)	221			1			1		13	21	29	17	42	45	28	19	5	
Other forms of tuberculosis (32–37)	30	2	1	4			3	1		1	5	1	5	4	2	1		
Cancer and other malignant tumors (43–49)	454		1				1	1	3	2	6	7	37	76	112	126	82	
Diabetes mellitus (57)	86					1	3	1	1			4	3	8	25	25	15	
Cerebral hemorrhage and softening (74, 83)	342	1				1					2	1	6	26	67	109	129	
Other [organic] diseases of the heart (90)	876	1			1		4	3	4	1	3	9	24	88	182	231	325	
Bronchitis (99)	31	2				1					1	1			5	8	13	
Broncho-pneumonia (100)	161	39	15	2	1		4	1			2	5	9	11	12	17	43	
Pneumonia (101)	179	13	1	2	2	1	2	2	1	6	6	6	23	28	36	32	18	
Diarrhea and enteritis (113, 114)	81	51	11	6	2								1	2	2	2	4	
Appendicitis and typhlitis (117)	68		1	1	3	1	3	2	2	6	3	11	5	17	8	5		
Hernia, intestinal obstruction (118)	52	7					1				1		7	9	10	9	8	
Cirrhosis of the liver (122)	26												1	9	9	6	1	
Nephritis (128, 129)	445	1						1	3	5	5	8	27	60	70	134	131	
Diseases of the female genital organs (137–141)	16									1		2	3	6	4			
Puerperal septicemia (146)	13									3	2	4	4					
Other puerperal causes (143–145, 147–150)	26								1	3	5	8	9					
Suicide (165–174)	80								3	6	8	8	13	23	14	4	1	
Homicide (197–200)	10								1	1	2	1	4			1		
Automobile accidents [1] (188c)	69		1		3	4	8		4	4	5	4	7	8	8	9	4	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	173	3	2	3	4		8	6	7	10	6	8	18	20	15	21	42	
All other causes	970	253	13	5	5	8	11	8	12	11	25	26	89	98	125	110	171	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WASHINGTON, D. C. (COLORED), all causes	2,805	351	73	26	22	14	27	29	79	163	157	179	400	492	377	253	163	
Typhoid and paratyphoid fever (1)	4									2		1		1				
Measles (7)	8	3	2		1	1	1											
Scarlet fever (8)	3	1		1			1											
Whooping cough (9)	16	8	4	1		3												
Diphtheria (10)	6	2	1			1	1	1										
Influenza (11)	37	4	3		1				3			3	4	6	9	3	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	321		1		2		5	6	29	70	58	52	55	28	8	5	2	
Other forms of tuberculosis (32–37)	26	1	5	2	4	2	1	3	4	2	1			1				
Cancer and other malignant tumors (43–49)	152			1					1	2	2	5	26	47	43	18	7	
Diabetes mellitus (57)	39								1	1		1	4	15	13	2	2	
Cerebral hemorrhage and softening (74, 83)	168										1	4	18	48	38	40	19	
Other [organic] diseases of the heart (90)	439						3	2	3	8	9	12	52	147	90	72	41	
Bronchitis (99)	21	4	2	1						1			1	2	6	2	2	
Broncho-pneumonia (100)	181	75	35	11	5		3	1	1	3	2	3	9	8	12	6	7	
Pneumonia (101)	150	7	6	3	1		2		5	8	10	17	34	36	11	7	3	
Diarrhea and enteritis (113, 114)	96	63	6	2	1	2				2	4	1	5	4	3	2	1	
Appendicitis and typhlitis (117)	25						3	3	1	4	6	3	1	2	2			
Hernia, intestinal obstruction (118)	25	1	2			1		1	1	2	1	1	2	2	7	3	1	
Cirrhosis of the liver (122)	14									2	2		1	6		2	1	
Nephritis (128, 129)	281					1		1	4	4	10	11	43	66	61	46	34	
Diseases of the female genital organs (137–141)	26								1	3	1	6	10	4	1			
Puerperal septicemia (146)	15							1	1	3	5	3	2					
Other puerperal causes (143–145, 147–150)	15								4	1	3	4	3					
Suicide (165–174)	6										2	1	1		1	1		
Homicide (197–200)	42								3	10	13	4	6	4	2			
Automobile accidents [1] (188c)	29					1	2	4	1	6	1		3	3	3	4	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	83	3	1		2	1	3	4	4	8	9	8	15	6	11	4	4	
All other causes	576	179	5	4	5	1	2	2	12	21	17	39	104	56	56	36	37	
ATLANTA, GA. (WHITE), all causes	1,901	262	45	20	17	7	38	33	32	69	82	73	189	239	242	299	254	
Typhoid and paratyphoid fever (1)	16						1	3	2	2	5		1	1	1			
Measles (7)	4	3	1															
Scarlet fever (8)	3			1			2											
Whooping cough (9)	9	4	2	1			2											
Diphtheria (10)	23	1	6	6	4	1	4				1							
Influenza (11)	70	11	2	1	1				1	2	2	5	9	6	5	10	15	
Meningococcus meningitis (24)	4	2										2						
Tuberculosis of the respiratory system (31)	78	2						2	4	11	8	8	18	10	5	8	2	
Other forms of tuberculosis (32–37)	14						1	1		2	1	1	3	2	1	1	1	
Cancer and other malignant tumors (43–49)	167							1		2	2	9	24	35	39	36	19	
Diabetes mellitus (57)	19												1	1	5	11	1	
Cerebral hemorrhage and softening (74, 83)	134	1					1			1	1		8	17	39	37	29	
Other [organic] diseases of the heart (90)	180	2					2	3	3	2	2	2	13	29	33	53	36	
Bronchitis (99)	6	1									1		1			1	2	
Broncho-pneumonia (100)	57	20	9	2	2	1		1						5	4	3	10	
Pneumonia (101)	70	6	1	3	1		4	1	2	3	5	4	8	7	8	9	8	
Diarrhea and enteritis (113, 114)	51	28	14	2				1					1			3	2	
Appendicitis and typhlitis (117)	36							2	2	5	6	6	9	2	2	2		
Hernia, intestinal obstruction (118)	25	1					1	1	1	1	1	2	4	6	2	3	2	
Cirrhosis of the liver (122)	12				1						1		3	3	4			
Nephritis (128, 129)	215									1	1	4	8	32	28	66	75	
Diseases of the female genital organs (137–141)	16							1			2	1	6	1	4	1		
Puerperal septicemia (146)	12								1	4	3	2	2					
Other puerperal causes (143–145, 147–150)	18								1	3	6	4	4					
Suicide (165–174)	33								3	4	4	3	8	7	4			
Homicide (197–200)	10							1		2	1	1	2	2	1			
Automobile accidents [1] (188c)	51				1		8	7	2	4	7	2	4	4	6	5	1	
Automobile and railroad-train collision (part 188a)	3									1		1		1				
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	97	7	3	1	4	4	5	4	4	5	10	5	8	8	5	9	15	
All other causes	467	173	7	3	3	1	7	4	6	14	12	11	43	60	46	41	36	
ATLANTA, GA. (COLORED), all causes	2,006	281	91	25	22	12	33	29	89	133	130	110	349	350	214	94	44	
Typhoid and paratyphoid fever (1)	33						3	4	8	6	5	3	3	1				
Measles (7)	5	2	1		1		1											
Scarlet fever (8)																		
Whooping cough (9)	17	9	5	1	2													
Diphtheria (10)	8		2	1	2	2			1									
Influenza (11)	68	5	4	3			2		1	3	4	2	13	14	10	4	3	
Meningococcus meningitis (24)	3	1	1						1									
Tuberculosis of the respiratory system (31)	131		2	1	1		3	6	23	21	25	12	14	12	9		2	
Other forms of tuberculosis (32–37)	35		2				4	1	5	6	5	1	7	4				
Cancer and other malignant tumors (43–49)	55								1		3	4	18	13	10	3	3	
Diabetes mellitus (57)	15									1			4	5	5			
Cerebral hemorrhage and softening (74, 83)	154								1	3	6	4	29	60	29	14	8	
Other [organic] diseases of the heart (90)	267	2					2		1	6	11	10	69	84	53	22	7	
Bronchitis (99)	24	4	1						3	4	2	2	3	4	1			
Broncho-pneumonia (100)	70	30	15	7	2	1	3	1	1	3	1		3	3				
Pneumonia (101)	119	17	7	4	1	1	1	3	3	7	8	6	24	18	13	3	3	
Diarrhea and enteritis (113, 114)	70	31	28	1		1			1		1		1	2	2	1	1	
Appendicitis and typhlitis (117)	16						1		2	4	2	2	3		2			
Hernia, intestinal obstruction (118)	24	3							2	3		5	6	2	3			
Cirrhosis of the liver (122)	9								1	1			3	2	1		1	
Nephritis (128, 129)	178	1	3	1		1		1	1	2	11	10	37	49	33	22	6	
Diseases of the female genital organs (137–141)	21									5	3	2	5	3		3		
Puerperal septicemia (146)	15								6	3	3	2	1					
Other puerperal causes (143–145, 147–150)	22								5	5	3	4	5					
Suicide (165–174)	3									1	1		1					
Homicide (197–200)	65	1						2	8	13	7	9	18	6	1			
Automobile accidents [1] (188c)	17				1		1	2	1	1		1	6	2		2		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	92	6	5	5	5	6	5	4	3	8	10	6	8	11	6	1	3	
All other causes	470	169	15	1	7		7	5	10	27	19	25	68	55	36	19	7	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CHICAGO, ILL. (WHITE), all causes	31,943	3,591	543	282	211	187	652	434	605	897	1,096	1,368	3,524	4,486	5,382	5,057	3,626	2
Typhoid and paratyphoid fever (1)	20						1	1	4	3	3	2	2	3	1			
Measles (7)	52	16	18	4	3	2	8			1								
Scarlet fever (8)	78	2	8	9	10	5	23	9	6	2		1	2			1		
Whooping cough (9)	64	29	18	8	4	3	2											
Diphtheria (10)	211	13	25	22	26	25	73	13	2	4		1	4	2		1		
Influenza (11)	469	64	38	13	15	5	7	9	14	16	20	31	59	46	52	49	31	
Meningococcus meningitis (24)	26	8	4		1		1	2	2	3	2		1	1		1		
Tuberculosis of the respiratory system (31)	1,699	10	9	5	1	2	5	20	150	233	225	212	380	248	121	69	9	
Other forms of tuberculosis (32–37)	205	16	11	12	10	6	15	15	16	17	12	16	25	15	13	3	3	
Cancer and other malignant tumors (43–49)	3,130	1	3		5	2	8	4	7	14	25	70	312	676	897	782	324	
Diabetes mellitus (57)	745		1	2			7	8	12	11	15	8	37	123	240	206	75	
Cerebral hemorrhage and softening (74, 83)	1,353	1	1	1		1	3	1	2	5	3	9	58	169	359	387	353	
Other [organic] diseases of the heart (90)	5,829	6	10	10	9	8	64	73	64	84	80	140	479	862	1,263	1,408	1,269	1
Bronchitis (99)	226	105	20	10	2	2	4	1			3	4	7	9	12	20	27	
Broncho-pneumonia (100)	996	443	124	49	26	16	33	4	8	5	16	24	52	48	53	56	39	
Pneumonia (101)	1,639	95	49	29	13	9	31	21	28	49	69	103	297	298	250	196	101	1
Diarrhea and enteritis (113, 114)	657	502	81	24	6	4	9	2	2		1	4	4	7	4	4	3	
Appendicitis and typhlitis (117)	542	2	1	9	11	11	47	43	34	45	42	47	97	76	50	24	3	
Hernia, intestinal obstruction (118)	323	44	6	5		2	6	3	5	9	8	9	37	41	67	47	34	
Cirrhosis of the liver (122)	299							1	1	1	9	16	44	58	89	56	24	
Nephritis (128, 129)	3,649	27	4	6	7	3	19	21	27	31	63	74	298	553	819	951	745	1
Diseases of the female genital organs (137–141)	200								2	11	22	18	70	53	16	6	2	
Puerperal septicemia (146)	125								11	25	37	29	21	2				
Other puerperal causes (143–145, 147–150)	199								8	28	48	63	51	1				
Suicide (165–174)	481							1	8	22	34	42	140	113	66	47	8	
Homicide (197–200)	266	20		1			1	2	11	40	45	43	58	30	14	1		
Automobile accidents [1] (188c)	633	1		6	8	20	93	48	23	25	33	39	59	90	87	66	35	
Automobile and railroad-train collision (part 188a)	19								1	3	4	3	6	2				
Automobile and street-car collision (part 188b)	27							1	4	4	5	3	4	3	3			
Other external causes (inclusions, see Table 5)	1,544	31	31	18	20	20	56	47	47	75	92	107	286	259	203	135	117	
All other causes	6,237	2,155	81	39	34	41	136	84	106	131	180	250	634	698	703	541	424	
CHICAGO, ILL. (COLORED), all causes	3,682	414	128	62	33	11	65	49	131	239	314	293	656	623	370	171	123	
Typhoid and paratyphoid fever (1)	4									2			1	1				
Measles (7)	9	2	2	3			1						1					
Scarlet fever (8)	3				1		1						1					
Whooping cough (9)	22	10	7	4			1											
Diphtheria (10)	16	1	2	1	4	1	4	1			1			1				
Influenza (11)	38	4	4	1			2	1		3	1	3	9	7	1		2	
Meningococcus meningitis (24)	4									1			1	2				
Tuberculosis of the respiratory system (31)	541	5	12	7	6	2	8	14	69	95	95	63	79	57	22	1	6	
Other forms of tuberculosis (32–37)	89	4	7	8	2	1	9	4	11	14	4	10	14	1				
Cancer and other malignant tumors (43–49)	143										1	11	28	50	42	10	1	
Diabetes mellitus (57)	34			1		1			1		1	2	11	14		3		
Cerebral hemorrhage and softening (74, 83)	134	1			2					3	4	6	27	32	33	15	11	
Other [organic] diseases of the heart (90)	574	1		3			3	1	3	10	23	27	135	173	101	51	43	
Bronchitis (99)	19	10	1	1							2		1	3		1		
Broncho-pneumonia (100)	224	103	53	17	6	2	7	3	2	3	5	3	6	7	3	2	2	
Pneumonia (101)	273	12	13	2	2		2	2	7	20	32	33	66	51	22	7	2	
Diarrhea and enteritis (113, 114)	63	44	9	5	1					1		1	1				1	
Appendicitis and typhlitis (117)	43						1	1	1	7	7	5	13	5	2	1		
Hernia, intestinal obstruction (118)	32	7								2	3	4	4	3	5	2	2	
Cirrhosis of the liver (122)	13												4	4	5			
Nephritis (128, 129)	406	1	2		1			3	3	5	12	21	64	107	93	54	40	
Diseases of the female genital organs (137–141)	59							1	4	8	8	11	21	4	1	1		
Puerperal septicemia (146)	25								3	5	6	8	3					
Other puerperal causes (143–145, 147–150)	13								3	4	3	1	2					
Suicide (165–174)	16							1	2	2	2	2	2	3				
Homicide (197–200)	149	1		1				3	6	19	45	27	33	14				
Automobile accidents [1] (188c)	60				2		7	4	2	4	10	7	8	7	7	2		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2												2					
Other external causes (inclusions, see Table 5)	127	4	6	3	3	2	6	4	5	12	13	14	27	13	11	1	3	
All other causes	547	204	10	5	3	2	13	6	9	19	36	34	92	65	19	20	10	
INDIANAPOLIS, IND. (WHITE), all causes	4,331	421	97	54	32	24	86	46	76	121	134	128	330	501	666	836	778	1
Typhoid and paratyphoid fever (1)	12						2	2	1	2	3	1		1				
Measles (7)	75	18	24	6	7	4	8	4	1		1	1				1		
Scarlet fever (8)	8		2		1		1	1		2				1				
Whooping cough (9)	32	19	6	5	1	1												
Diphtheria (10)	22	2	2	2	1	3	5	3	1		1		1	1				
Influenza (11)	90	13	7	4			2	2	3	4	1	7	4	8	9	9	17	
Meningococcus meningitis (24)	4	1												2			1	
Tuberculosis of the respiratory system (31)	186	1					1	2	7	29	24	14	31	35	18	20	4	
Other forms of tuberculosis (32–37)	50	1	4	6	2	1	3	2	2	7	3	3	7	2	2	3	2	
Cancer and other malignant tumors (43–49)	378	1						1	1		8	12	28	73	110	91	53	
Diabetes mellitus (57)	80								2		2	2	1	11	24	34	4	
Cerebral hemorrhage and softening (74, 83)	329								1		3	1	16	37	75	113	83	
Other [organic] diseases of the heart (90)	670		1		1	1	3	5	4	8	3	10	26	56	133	210	209	
Bronchitis (99)	13	1	1				1						1	1	1	2	5	
Broncho-pneumonia (100)	148	43	13	13	2	2	3		4	1	1	1	5	4	6	22	28	
Pneumonia (101)	181	15	6	4	5	1	1		3	3	10	5	14	20	27	37	30	
Diarrhea and enteritis (113, 114)	119	79	16	4		1	2				1	1	1	3	1	7	3	
Appendicitis and typhlitis (117)	60						3	4	7	5	6	7	12	6	6	3	1	
Hernia, intestinal obstruction (118)	46	1	1	2	1	1	1		1		3		4	9	9	7	6	
Cirrhosis of the liver (122)	34	1							1	1			3	6	7	10	5	
Nephritis (128, 129)	366	1					2	1	2	3	4	3	24	44	77	95	110	
Diseases of the female genital organs (137–141)	34								2	4	7	4	8	6	1	2		
Puerperal septicemia (146)	21									5	6	2	7	1				
Other puerperal causes (143–145, 147–150)	25								1	1	7	7	9					
Suicide (165–174)	48								4	4	2	5	13	8	6	5		1
Homicide (197–200)	13										2	3	6	2				
Automobile accidents [1] (188c)	75		1	1	1	2	11	3	6	10	3	2	2	13	5	9	6	
Automobile and railroad-train collision (part 188a)	10								1	1	1		1	2	1	3		
Automobile and street-car collision (part 188b)	10									1	2	1		4		2		
Other external causes (inclusions, see Table 5)	139	2	4	3	1	2	7	5	6	8	7	5	9	16	18	20	26	
All other causes	1,053	222	9	4	9	5	30	11	15	22	23	31	97	129	130	131	185	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
INDIANAPOLIS, IND. (COLORED), all causes	815	106	31	18	10	3	12	11	28	30	46	52	127	144	100	59	38	
Typhoid and paratyphoid fever (1)	7		1	1	1		1		2			1						
Measles (7)	15	7	2	5	1													
Scarlet fever (8)																		
Whooping cough (9)	14	5	4	2	1		2											
Diphtheria (10)	6	1	1	1				1		1		1						
Influenza (11)	16	4	1	1					1		1		1	2	3	2		
Meningococcus meningitis (24)	1					1												
Tuberculosis of the respiratory system (31)	89						3	2	7	14	8	12	20	14	6	2	1	
Other forms of tuberculosis (32–37)	24	1	1			1	1	4	3	1	2	1	4	4	1			
Cancer and other malignant tumors (43–49)	25			1							1		3	7	7	4	2	
Diabetes mellitus (57)	6													3	1	2		
Cerebral hemorrhage and softening (74, 83)	32									1	1		4	12	6	6	2	
Other [organic] diseases of the heart (90)	112								1	1	1	6	20	35	24	9	15	
Bronchitis (99)	3										2			1				
Broncho-pneumonia (100)	51	22	11	5					1			1	2	4	2	3		
Pneumonia (101)	60	4	2		1	1	1		3	3	6	4	21	7	2	3	2	
Diarrhea and enteritis (113, 114)	28	19	6	1									1		1			
Appendicitis and typhlitis (117)	10						1				2	2	3	2				
Hernia, intestinal obstruction (118)	8										2		2		3	1		
Cirrhosis of the liver (122)	9												3	3	2	1		
Nephritis (128, 129)	65			1	1					1	2	2	9	16	17	10	6	
Diseases of the female genital organs (137–141)	10								1		1	4	3	1				
Puerperal septicemia (146)	3								1	1	1							
Other puerperal causes (143–145, 147–150)	9								3			2	4					
Suicide (165–174)	3												1	2				
Homicide (197–200)	19									4	8	5	2					
Automobile accidents [1] (188c)	8						2	1			1	1	1		2			
Automobile and railroad-train collision (part 188a)	1										1							
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	29	2	1		3			2	1		1	1	5	5	4	3	1	
All other causes	152	41	1		2		1	1	4	3	5	9	18	26	19	13	9	
DES MOINES, IOWA, all causes	1,716	202	23	18	12	11	35	21	24	36	59	62	136	185	245	309	338	
Typhoid and paratyphoid fever (1)	4							2					1	1				
Measles (7)	5	1	1				3											
Scarlet fever (8)	3			1		1	1											
Whooping cough (9)	12	8	2		1		1											
Diphtheria (10)	12		1		2	3	3	2				1						
Influenza (11)	61	7	1	4			1		3	1	2		7	7	3	9	16	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	72	1							5	5	9	11	12	15	8	4	2	
Other forms of tuberculosis (32–37)	14	1			1	1				4	2		1	2	2			
Cancer and other malignant tumors (43–49)	189									1	3	5	14	28	50	60	28	
Diabetes mellitus (57)	28							1				1		2	9	12	3	
Cerebral hemorrhage and softening (74, 83)	110											1	1	16	26	30	36	
Other [organic] diseases of the heart (90)	208	2					1	3	3	2	2	2	12	19	43	55	64	
Bronchitis (99)	8	1											1		1		5	
Broncho-pneumonia (100)	78	25	7	1			1	1			1		3		5	6	28	
Pneumonia (101)	78	7	1				1		2		7	4	8	1	9	20	18	
Diarrhea and enteritis (113, 114)	32	23	2	2	1		1					1				2		
Appendicitis and typhlitis (117)	32				2		3	4	1	1	2	3	6	6	2	1	1	
Hernia, intestinal obstruction (118)	25	2	1						1	2	1	2		4	6	3	3	
Cirrhosis of the liver (122)	9	1											1	1	2	4		
Nephritis (128, 129)	86	1		1			1	1		1	1	1	3	15	16	21	24	
Diseases of the female genital organs (137–141)	23										3	3	3	13	1			
Puerperal septicemia (146)	9									2	3	2	2					
Other puerperal causes (143–145, 147–150)	13									6	5	1	1					
Suicide (165–174)	20									1	4	1	4	4	3	1	2	
Homicide (197–200)	5										1	3			1			
Automobile accidents [1] (188c)	30	1				1	7	1	1			2	2	3	5	2	5	
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)	2								1								1	
Other external causes (inclusions, see Table 5)	72	1	2	1		1	3		3	3	6	6	9	8	7	6	16	
All other causes	475	120	5	8	5	4	9	6	3	7	7	12	45	39	46	73	86	
KANSAS CITY, KANS., all causes	1,590	209	33	14	10	12	23	20	46	60	56	66	148	227	223	236	207	
Typhoid and paratyphoid fever (1)	5							2	2		1							
Measles (7)	14	5	4	1			4											
Scarlet fever (8)	4				1	2				1								
Whooping cough (9)	10	6	2	1	1													
Diphtheria (10)	5						5											
Influenza (11)	42	8	2					1	1	1	3	3	5	2	6	4	6	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	114		2			1	1	4	13	19	13	10	20	15	6	9	1	
Other forms of tuberculosis (32–37)	18	1		1	1		1			2	1	1	9	1				
Cancer and other malignant tumors (43–49)	131		1					3			1	2	12	38	27	34	13	
Diabetes mellitus (57)	32						1	1					2	7	10	7	4	
Cerebral hemorrhage and softening (74, 83)	105										3		5	14	25	29	29	
Other [organic] diseases of the heart (90)	187	1							3	2	2	3	11	22	45	57	41	
Bronchitis (99)	9	2							1			1			1	2	2	
Broncho-pneumonia (100)	47	20	1	2		2	2				1		3	1	2	6	7	
Pneumonia (101)	80	13	3	1	1			1	5	3	3	4	14	8	9	11	4	
Diarrhea and enteritis (113, 114)	65	39	15	3	2	1							1	2	1	1		
Appendicitis and typhlitis (117)	19							2	1	1		6	2	3	1	2	1	
Hernia, intestinal obstruction (118)	24	6						1	1	1		3		4	5		3	
Cirrhosis of the liver (122)	15									1			2	3	6	2	1	
Nephritis (128, 129)	141			2			1		2	3	3	4	15	23	26	26	36	
Diseases of the female genital organs (137–141)	15								1		1	4	4	3	1	1		
Puerperal septicemia (146)	6								2	1	2			1				
Other puerperal causes (143–145, 147–150)	10								3	1	2	2	2					
Suicide (165–174)	19									1	2	2	3	6	4	1		
Homicide (197–200)	34								2	7	6	5	9	4	1			
Automobile accidents [1] (188c)	8			1	1				1		1	1			1	2		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	72	3	1	1	1	1	3	1	3	3	3	3	4	16	7	4	18	
All other causes	358	104	2	1	2	5	5	4	5	13	8	12	25	54	39	38	41	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOUISVILLE, KY. (WHITE), all causes	3,567	457	125	45	23	13	56	32	75	120	97	101	273	372	514	624	640	
Typhoid and paratyphoid fever (1)	13							1	1	4	2	1	2	2				
Measles (7)	80	12	24	10	7	2	12	3	2	3		1	2		2			
Scarlet fever (8)	7	1					3	2	1									
Whooping cough (9)	23	7	8	4	2		2											
Diphtheria (10)	5				1	1	2	1										
Influenza (11)	87	15	4	2	2		2	2	3	3	3	3	6	6	14	9	13	
Meningococcus meningitis (24)	3	1	1											1				
Tuberculosis of the respiratory system (31)	178	3	1		1				11	35	23	16	27	22	21	14	4	
Other forms of tuberculosis (32–37)	40	5	3	1			1		3	3	3	4	4	4	6	2	1	
Cancer and other malignant tumors (43–49)	285		1						1	4	2	10	31	44	77	71	44	
Diabetes mellitus (57)	56		1						1	1	2	2	2	10	15	14	8	
Cerebral hemorrhage and softening (74, 83)	250	1		1			1			1	1		8	27	64	89	57	
Other [organic] diseases of the heart (90)	495	3		1			2	3	3	5	4	8	26	63	95	144	138	
Bronchitis (99)	19	4														4	11	
Broncho-pneumonia (100)	137	50	21	3	4	3	1	1	1	1	1		5	4	8	12	22	
Pneumonia (101)	162	13	11		2		6	1	4	2	4	9	12	16	24	34	24	
Diarrhea and enteritis (113, 114)	146	91	33	9	1	1	1						2	1	1	4	2	
Appendicitis and typhlitis (117)	51						3	5	11	6	3	1	5	12	5			
Hernia, intestinal obstruction (118)	35	2	1				1		1	1	1	1	4	7	5	5	6	
Cirrhosis of the liver (122)	20								1				3	2	10	2	2	
Nephritis (128, 129)	292	1	1		2			1	1	4	6	4	21	39	49	79	84	
Diseases of the female genital organs (137–141)	15							1	1	2	1	1	4	2	2		1	
Puerperal septicemia (146)	16								2	4	5	1	4					
Other puerperal causes (143–145, 147–150)	20								4	3	3	3	7					
Suicide (165–174)	53								3	5	6	1	13	8	12	2	3	
Homicide (197–200)	27									3	3	5	7	3	4	2		
Automobile accidents [1] (188c)	52			1		1	3	3	2	3	1	2	8	6	7	9	6	
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)	2									2								
Other external causes (inclusions, see Table 5)	135	2	2	6			3	1	5	7	6	9	19	11	15	19	30	
All other causes	862	246	13	7	1	5	13	7	13	18	17	19	51	81	78	109	184	
LOUISVILLE, KY. (COLORED), all causes	1,167	129	23	8	7	6	10	12	31	61	70	71	184	232	163	90	70	
Typhoid and paratyphoid fever (1)	6								1	1	1	1		1	1			
Measles (7)	4		1		1				1					1				
Scarlet fever (8)																		
Whooping cough (9)	2	2																
Diphtheria (10)	5	1		2	2													
Influenza (11)	54	6	3	1		1	1			3	6	2	8	10	7	5	1	
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	99		2		1			2	12	9	10	11	23	16	8	3	2	
Other forms of tuberculosis (32–37)	18	1	2			2		2	1	4	1	1		2	1	1		
Cancer and other malignant tumors (43–49)	58								1	2	1	2	7	18	15	7	5	
Diabetes mellitus (57)	6														1	2	3	
Cerebral hemorrhage and softening (74, 83)	64												7	23	17	6	11	
Other [organic] diseases of the heart (90)	182		1					1		3	5	12	37	47	39	25	12	
Bronchitis (99)	29	3	3	1			2	1		1	2		5	3	3	1	4	
Broncho-pneumonia (100)	57	30	5	1	1	1				1	1	1	4	6	3	2	1	
Pneumonia (101)	80	7	1	1				2	3	6	7	9	12	17	7	7	1	
Diarrhea and enteritis (113, 114)	24	17	5						1					1				
Appendicitis and typhlitis (117)	4						2					2						
Hernia, intestinal obstruction (118)	13	1										3		2	5	1	1	
Cirrhosis of the liver (122)	1														1			
Nephritis (128, 129)	119				1					3	8	4	17	26	30	19	11	
Diseases of the female genital organs (137–141)	8								2				4	1	1			
Puerperal septicemia (146)	3											1	1					
Other puerperal causes (143–145, 147–150)	6									3	2	1						
Suicide (165–174)	4												1	3				
Homicide (197–200)	58						1	1	5	11	11	9	17	3				
Automobile accidents [1] (188c)	12						1		1	3		1	2	3	1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	29					2	1	1	1	2	2	2	2	9	4		3	
All other causes	221	61		2	1		1	2	2	9	7	14	35	36	24	12	15	
NEW ORLEANS, LA. (WHITE), all causes	4,656	411	88	42	26	16	67	52	82	137	151	202	447	615	797	844	673	6
Typhoid and paratyphoid fever (1)	18		1						3	4	3	2	3	2				
Measles (7)	1		1															
Scarlet fever (8)	6	1					4			1								
Whooping cough (9)	22	14	5	3														
Diphtheria (10)	21		8	3	2	2	5	1										
Influenza (11)	176	43	15	5	3	1	3	2	4	2	3	5	11	11	11	28	29	
Meningococcus meningitis (24)	6		1	1				1			1	1	1					
Tuberculosis of the respiratory system (31)	318			1			1		19	33	24	37	64	69	40	24	6	
Other forms of tuberculosis (32–37)	26	4	1	1			1			1	3	5	3	3	3	1		
Cancer and other malignant tumors (43–49)	403		1	1	1				1	1	5	9	41	83	115	99	46	
Diabetes mellitus (57)	70					1			1	1	1	3	5	11	19	17	11	
Cerebral hemorrhage and softening (74, 83)	252									1		1	14	41	53	78	63	1
Other [organic] diseases of the heart (90)	799	1					4	1	1	3	6	9	33	101	187	235	217	1
Bronchitis (99)	11			1							1		1	2	3	3		
Broncho-pneumonia (100)	159	40	13	9	3	3	6	3	4	1	2	4	6	14	15	17	9	
Pneumonia (101)	154	12	6	1	2		1	2		6	7	7	25	19	28	18	20	
Diarrhea and enteritis (113, 114)	102	70	18	4	2	1									3	1	3	
Appendicitis and typhlitis (117)	79				1		4	11	14	7	3	7	7	10	11	4		
Hernia, intestinal obstruction (118)	49	1	1	1	1	1	1		1	1		3	8	9	9	9	3	
Cirrhosis of the liver (122)	55	1					1				2	1	11	17	14	6	2	
Nephritis (128, 129)	529	1	1	2	2	1	1	1	1	6	5	12	46	76	108	155	111	
Diseases of the female genital organs (137–141)	35								1	3	5	8	9	5	4			
Puerperal septicemia (146)	29								3	4	10	7	5					
Other puerperal causes (143–145, 147–150)	38								1	9	10	7	11					
Suicide (165–174)	71								1	7	7	6	17	12	13	4	14	
Homicide (197–200)	49	3					1		4	6	9	10	8	5	3			
Automobile accidents [1] (188c)	61			1		2	8		2	3	2	1	6	5	12	13	6	
Automobile and railroad-train collision (part 188a)	1										1							
Automobile and street-car collision (part 188b)	1													1				
Other external causes (inclusions, see Table 5)	212	1	3	2	3		10	11	13	15	12	18	33	13	22	25	28	3
All other causes	903	219	13	6	6	4	16	19	8	22	29	39	80	107	125	107	102	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW ORLEANS, LA. (COLORED), all causes	3,277	397	73	29	17	4	45	52	117	186	226	210	563	578	349	246	172	13
Typhoid and paratyphoid fever (1)	18						3		4	5	2	1	3					
Measles (7)	3	1			1		1											
Scarlet fever (8)	1						1											
Whooping cough (9)	13	9	4															
Diphtheria (10)	11		2	1	6		1	1										
Influenza (11)	131	18	9	1	2		3	4		8	6	11	16	14	19	10	10	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	326		1		1		3	7	38	47	57	42	73	44	10	2	1	
Other forms of tuberculosis (32–37)	35	1		2			4	3	2	3	3	3	8	3	3			
Cancer and other malignant tumors (43–49)	151									3	3	9	40	45	34	10	7	
Diabetes mellitus (57)	28								1		1	1	6	7	7	4	1	
Cerebral hemorrhage and softening (74, 83)	156						1			1	3	2	22	48	31	25	23	
Other [organic] diseases of the heart (90)	507						1	2	2	6	15	16	95	152	89	79	50	
Bronchitis (99)	17	6		1					1		1			5	2		1	
Broncho-pneumonia (100)	158	68	16	8	5		2	1	2	1	6	6	9	9	8	9	8	
Pneumonia (101)	191	18	9	9	1		4	5	13	14	11	9	31	23	11	19	13	1
Diarrhea and enteritis (113, 114)	118	84	21	1		1	1			1		1	2	3	1	2		
Appendicitis and typhlitis (117)	36						1	5	3	3	5	4	9	4		1	1	
Hernia, intestinal obstruction (118)	28	2					1		2	1	4	2	3	4	5	3	1	
Cirrhosis of the liver (122)	26		1					1		1		2	4	7	5	5		
Nephritis (128, 129)	321	3					2	3	6	6	16	24	54	77	59	44	25	2
Diseases of the female genital organs (137–141)	37								2	4	4	8	16	2	1			
Puerperal septicemia (146)	16								2	6	4	1	3					
Other puerperal causes (143–145, 147–150)	32								2	9	7	4	9	1				
Suicide (165–174)	7											1	3	2				1
Homicide (197–200)	89								11	17	21	6	22	11	1			
Automobile accidents [1] (188c)	24						1	1	1	4	3	2	3	4	3	1	1	
Automobile and railroad-train collision (part 188a)	1									1								
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	127		6	5	1	2	4	9	10	9	12	12	20	14	8	7	3	5
All other causes	668	187	4	1		1	12	9	15	36	42	43	111	99	52	25	27	4
BALTIMORE, MD. (WHITE), all causes	9,220	932	225	92	68	70	155	99	119	201	246	261	809	1,124	1,513	1,822	1,484	
Typhoid and paratyphoid fever (1)	25							1	3	4	2		9	3	3			
Measles (7)	87	22	26	15	8	5	9	1					1					
Scarlet fever (8)	10		1		3		4				1			1				
Whooping cough (9)	44	21	15	4	2	1	1											
Diphtheria (10)	52	7	12	9	5	5	12	1		1								
Influenza (11)	197	23	8	2	2	3	8	2	3	9	8	2	30	23	21	27	26	
Meningococcus meningitis (24)	17	5	3	1	1	1	1	2			1	1	1					
Tuberculosis of the respiratory system (31)	490	2	10	2			1	5	15	49	56	45	105	94	56	39	11	
Other forms of tuberculosis (32–37)	64	11	9	4	3	3	4	3	2	4	3	1	5	7	2	3		
Cancer and other malignant tumors (43–49)	907	2	2	1	1		8	7	6	7	9	19	72	158	243	249	123	
Diabetes mellitus (57)	203						2			3	1	3	7	25	73	61	28	
Cerebral hemorrhage and softening (74, 83)	720				1			1	1	4	1	5	32	66	154	260	195	
Other [organic] diseases of the heart (90)	1,425	6	1			1	7	17	14	12	14	14	74	161	282	409	413	
Bronchitis (99)	57	4						1			1	1		2	4	15	29	
Broncho-pneumonia (100)	514	121	45	19	10	7	8	2	3	3	4	11	29	45	47	74	86	
Pneumonia (101)	479	28	26	6	4	7	8	5	11	9	18	23	76	66	75	70	47	
Diarrhea and enteritis (113, 114)	166	128	21	3	3	1	1				2	1	2		1		3	
Appendicitis and typhlitis (117)	97		1	1	1	5	4	6	5	9	5	7	11	19	10	9	4	
Hernia, intestinal obstruction (118)	106	3	3		1		2	1	2	4	2	4	14	15	20	22	13	
Cirrhosis of the liver (122)	56						1				2	2	6	8	20	14	3	
Nephritis (128, 129)	960	1	1				1	3	4	8	15	15	64	137	206	264	241	
Diseases of the female genital organs (137–141)	22								1		2	3	6	4	3	3		
Puerperal septicemia (146)	30								4	7	6	6	7					
Other puerperal causes (143–145, 147–150)	40									11	8	9	12					
Suicide (165–174)	104								3	5	5	12	18	22	26	10	3	
Homicide (197–200)	23	1			1	1			1	1	3	6	4	1	2	2		
Automobile accidents [1] (188c)	138			2		3	18	9	3	10	10	2	20	15	13	22	11	
Automobile and railroad-train collision (part 188a)	2												2					
Automobile and street-car collision (part 188b)	1															1		
Other external causes (inclusions, see Table 5)	388	12	17	10	10	9	18	8	5	11	28	29	56	56	47	36	36	
All other causes	1,796	535	24	13	12	18	37	24	33	30	39	40	146	196	205	232	212	
BALTIMORE, MD. (COLORED), all causes	2,990	427	98	44	15	15	46	37	93	119	185	185	523	524	365	204	110	
Typhoid and paratyphoid fever (1)	17					1	1	2	3	1	5		2	2				
Measles (7)	20	5	6	5	1		2				1							
Scarlet fever (8)																		
Whooping cough (9)	27	9	12	4	1	1												
Diphtheria (10)	7	1		2			2	1										
Influenza (11)	46	3	2		1	1	2	1	3	4	3	4	6	7	6	2	1	
Meningococcus meningitis (24)	4	1	1				1		1									
Tuberculosis of the respiratory system (31)	284	7	6	2	1	1	9	7	35	43	52	32	49	25	11	4		
Other forms of tuberculosis (32–37)	50	4	7	3	2		3	2	5	3	6	4	3	7		1		
Cancer and other malignant tumors (43–49)	142			1	1				2		5	9	33	45	26	15	5	
Diabetes mellitus (57)	17							1				2	3	6	2	3		
Cerebral hemorrhage and softening (74, 83)	192			1						2	1	2	27	59	54	30	16	
Other [organic] diseases of the heart (90)	407							1	5	5	11	13	87	104	100	49	32	
Bronchitis (99)	4	3												1				
Broncho-pneumonia (100)	233	77	31	14		3	3	3	5	3	9	14	12	18	22	13	6	
Pneumonia (101)	253	30	13	5	3		1	1	8	11	21	21	72	40	17	7	3	
Diarrhea and enteritis (113, 114)	90	69	11	1		1						1	6	1				
Appendicitis and typhlitis (117)	18				1			3	1	1	3	4	1	1	2	1		
Hernia, intestinal obstruction (118)	32	2								3	3		8	7	4	5		
Cirrhosis of the liver (122)	6						1					1	1	2	1			
Nephritis (128, 129)	304					1	1	2	2	6	9	15	50	91	56	45	26	
Diseases of the female genital organs (137–141)	14								1		3	3	3	3	1			
Puerperal septicemia (146)	11								1	4	4	2						
Other puerperal causes (143–145, 147–150)	25								6	4	4	6	5					
Suicide (165–174)	6										1	1	1	1	1	1		
Homicide (197–200)	39								2	4	12	7	12	1		1		
Automobile accidents [1] (188c)	40			1		1	2	5	4	1	4	1	7	9	2	3		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	123	7	2	1	2	3	10	2	4	9	5	8	26	20	17	4	3	
All other causes	579	209	7	4	2	2	8	6	5	15	23	34	109	74	43	20	18	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BOSTON, MASS., all causes	11,720	1,573	304	131	88	72	186	119	197	268	291	351	1,012	1,542	2,070	1,974	1,542	
Typhoid and paratyphoid fever (1)	14							2	2	1	1	2	2	2	2			
Measles (7)	65	14	24	13	6	2	5			1								
Scarlet fever (8)	41	3	5	5	7	5	10	2		1	2	1						
Whooping cough (9)	109	59	33	7	4	2	3	1										
Diphtheria (10)	55	5	12	6	9	5	8	4	1		2	1	1	1				
Influenza (11)	69	7	5		1	1	2	2	2	1	3	4	5	6	8	12	10	
Meningococcus meningitis (24)	26	3	5	2		1	5	2	3				2	1	2			
Tuberculosis of the respiratory system (31)	687	9	10	7	1	2	6	6	50	70	62	68	134	127	77	52	6	
Other forms of tuberculosis (32–37)	111	13	15	6	3	5	7		7	14	6	7	15	6	7			
Cancer and other malignant tumors (43–49)	1,190	1		2		1	4	2	2	5	4	20	97	209	385	318	140	
Diabetes mellitus (57)	203		1				1		3	6	2	4	7	29	55	68	27	
Cerebral hemorrhage and softening (74, 83)	650	1		1		2					2	5	25	87	158	181	188	
Other [organic] diseases of the heart (90)	2,118	1		2	2		10	20	25	17	28	21	120	258	510	560	544	
Bronchitis (99)	43	10	2				1							3	5	5	17	
Broncho-pneumonia (100)	662	217	73	21	9	8	10	5	2	4	1	2	32	38	71	89	80	
Pneumonia (101)	598	34	29	13	6	1	4	7	5	12	19	26	74	102	96	102	68	
Diarrhea and enteritis (113, 114)	260	218	19	4	3	1		1	1		1	2	3	1	2	2	2	
Appendicitis and typhlitis (117)	154	2	4	1	5	3	11	14	12	15	12	12	20	21	15	4	3	
Hernia, intestinal obstruction (118)	140	17	4			1			2	2	3	4	14	24	32	20	17	
Cirrhosis of the liver (122)	71										2		11	19	23	13	3	
Nephritis (128, 129)	656	2	1		1	2	4	2	11	6	7	22	47	96	159	156	140	
Diseases of the female genital organs (137–141)	68						1		1	4	6	5	22	19	6	2	2	
Puerperal septicemia (146)	55								6	11	18	6	13	1				
Other puerperal causes (143–145, 147–150)	88								2	14	20	26	26					
Suicide (165–174)	106								2	5	9	6	25	25	19	11	4	
Homicide (197–200)	31	2							2	3	3	5	11	2	3			
Automobile accidents [1] (188c)	149		1		3	4	24	8	8	4	5	7	15	22	16	23	9	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	4										1			3				
Other external causes (inclusions, see Table 5)	455	17	12	6	8	9	13	10	14	19	15	18	75	82	70	68	49	
All other causes	2,812	938	49	35	20	17	57	31	34	53	57	77	216	358	349	288	233	
CAMBRIDGE, MASS., all causes	1,481	199	31	10	6	4	24	16	33	40	36	47	112	171	245	267	240	
Typhoid and paratyphoid fever (1)	6						1		2	2			1					
Measles (7)	4		3				1											
Scarlet fever (8)	2			2														
Whooping cough (9)	21	7	10	2	2													
Diphtheria (10)	1						1											
Influenza (11)	10	3	2											2	1	1	1	
Meningococcus meningitis (24)	2							2										
Tuberculosis of the respiratory system (31)	99	1		1				3	11	10	12	12	20	13	5	8	3	
Other forms of tuberculosis (32–37)	12			2	1			1		1			3		4			
Cancer and other malignant tumors (43–49)	162				1					1	1	2	11	28	47	48	23	
Diabetes mellitus (57)	16													3	5	5	3	
Cerebral hemorrhage and softening (74, 83)	120											1	3	14	30	39	33	
Other [organic] diseases of the heart (90)	278	1					3	2	2	1	2	5	15	30	60	82	75	
Bronchitis (99)	7		1									1					5	
Broncho-pneumonia (100)	61	26	8				2		1				2	3	4	5	10	
Pneumonia (101)	70	7		2			1		3	1	4	2	9	16	9	9	7	
Diarrhea and enteritis (113, 114)	26	22	2				1		1									
Appendicitis and typhlitis (117)	22						1	3	4	3		3	2	2	4			
Hernia, intestinal obstruction (118)	13	1											2	3	4	2	1	
Cirrhosis of the liver (122)	7											1	3	2	1			
Nephritis (128, 129)	84									2	1		9	16	21	20	15	
Diseases of the female genital organs (137–141)	6											1	2		3			
Puerperal septicemia (146)	7									2	1	2	2					
Other puerperal causes (143–145, 147–150)	10									4	2	3	1					
Suicide (165–174)	11								1	1	3	1	1	2	2			
Homicide (197–200)	3	1										1	1					
Automobile accidents [1] (188c)	19					1	5		2	1		1	1	1	1	2	4	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	59	6	3	1		2	3		4	4	1	5	5	7	4	4	10	
All other causes	343	124	2		2	1	5	5	2	7	9	6	19	29	40	42	50	
FALL RIVER, MASS., all causes	1,707	277	63	24	25	18	32	13	24	41	34	46	108	195	289	294	223	1
Typhoid and paratyphoid fever (1)	1												1					
Measles (7)	37	10	13	5	5	3		1										
Scarlet fever (8)	1						1											
Whooping cough (9)	18	9	7	1		1												
Diphtheria (10)	19	1	5	2	5	1	5											
Influenza (11)	26	5	1				2						1	1	6	5	1	4
Meningococcus meningitis (24)	3	1	1												1			
Tuberculosis of the respiratory system (31)	118	1	1		1			2	14	17	12	15	23	14	12	5	1	
Other forms of tuberculosis (32–37)	26	3	6	2	2	1	3	1		2	2	1		1		2		
Cancer and other malignant tumors (43–49)	168						1			1	1	1	12	37	53	42	20	
Diabetes mellitus (57)	38	1					1		1		1	1		7	17	8	1	
Cerebral hemorrhage and softening (74, 83)	95		1						1	1	1	1	3	12	16	32	27	
Other [organic] diseases of the heart (90)	226	1						3	1	3	3	3	10	26	50	71	55	
Bronchitis (99)	12	5											1			1	5	
Broncho-pneumonia (100)	70	29	9	2	3	2	1						1	1	5	5	12	
Pneumonia (101)	55	7	3	2	1	2	2	1		1			7	6	6	11	6	
Diarrhea and enteritis (113, 114)	87	62	12	1	1		1							3	1	3	3	
Appendicitis and typhlitis (117)	21			1	1	2	2	1	2	1	2	1	3	4		1		
Hernia, intestinal obstruction (118)	14	2				1								2	4	2	3	
Cirrhosis of the liver (122)	6											1			3		2	
Nephritis (128, 129)	200		1				1			1	1	3	12	26	61	51	43	
Diseases of the female genital organs (137–141)	5											2	3					
Puerperal septicemia (146)	3										1	1	1					
Other puerperal causes (143–145, 147–150)	7									2		2	2		1			
Suicide (165–174)	11								1	1		1	1	5	1		1	
Homicide (197–200)	4	1								1		1			1			
Automobile accidents [1] (188c)	19			1	2	1	5	1		1		1	2	1	2	1	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	69	2		3	3	3	4		1	3	4	2	7	6	10	15	5	1
All other causes	348	137	3	4	1	1	3	3	3	6	6	8	18	37	41	43	34	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOWELL, MASS., all causes	1,549	220	42	16	16	6	38	15	15	24	43	35	106	202	277	249	245	
Typhoid and paratyphoid fever (1)	4									2	1		1					
Measles (7)	10	5	3	2														
Scarlet fever (8)	3			1			2											
Whooping cough (9)	3			1			1						1					
Diphtheria (10)	6			1	1		4											
Influenza (11)	8	1					1			1		1	1	1	1		1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	73								3	6	9	8	18	20	6	3		
Other forms of tuberculosis (32–37)	28	3	5	1	2	1	2	1	1	1	1		3	4	2	1		
Cancer and other malignant tumors (43–49)	113								1			3	8	26	27	32	16	
Diabetes mellitus (57)	15												2	3	4	5	1	
Cerebral hemorrhage and softening (74, 83)	106	1									1		1	16	22	35	30	
Other [organic] diseases of the heart (90)	301	1					1	1	2	1	4	2	12	45	89	67	76	
Bronchitis (99)	18	5	1				2						1	2	1	2	4	
Broncho-pneumonia (100)	110	33	16	2	3	1	2	1		1	4	1	5	3	12	12	14	
Pneumonia (101)	34	1	2	1			2		1	1	2		1	10	4	4	5	
Diarrhea and enteritis (113, 114)	57	43	7	4	2		1											
Appendicitis and typhlitis (117)	21				2		3	2	4	2	1		2		4		1	
Hernia, intestinal obstruction (118)	10							1					1	2	2	3	1	
Cirrhosis of the liver (122)	13											1		8	3		1	
Nephritis (128, 129)	64		1				1		1	1	3	3	6	16	15	12	5	
Diseases of the female genital organs (137–141)	6										3	2	1					
Puerperal septicemia (146)	1									1								
Other puerperal causes (143–145, 147–150)	20										7	4	7	1	1			
Suicide (165–174)	9												1	5	2	1		
Homicide (197–200)	2														2			
Automobile accidents [1] (188c)	22					2	6			1	2	3	3		2	1	2	
Automobile and railroad-train collision (part 188a)	1											1						
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	55	1	1		2		3	3			2	1	9	10	11	5	7	
All other causes	436	126	6	3	4	2	7	6	2	6	3	5	22	30	67	66	81	
NEW BEDFORD, MASS., all causes	1,500	283	78	25	14	13	30	21	34	34	41	28	89	142	211	229	228	
Typhoid and paratyphoid fever (1)	1											1						
Measles (7)	24	7	14		1	1	1											
Scarlet fever (8)	5		1				2		1	1								
Whooping cough (9)	13	9	3	1														
Diphtheria (10)	18	1	1	2	5	3	6											
Influenza (11)	50	11	5	1			2	1		1	1		6	3	9	6	4	
Meningococcus meningitis (24)	2		2															
Tuberculosis of the respiratory system (31)	96	2	2			1	2	4	15	12	12	7	16	9	8	4	2	
Other forms of tuberculosis (32–37)	27	5	7	2	1	1	4		1	3			1	1	1			
Cancer and other malignant tumors (43–49)	97										1	1	10	20	29	25	11	
Diabetes mellitus (57)	19							1					1	2	8	4	3	
Cerebral hemorrhage and softening (74, 83)	121										1		5	9	30	38	38	
Other [organic] diseases of the heart (90)	244						2		3		4	5	4	36	45	70	75	
Bronchitis (99)	17	7	2	1										1		2	4	
Broncho-pneumonia (100)	143	68	26	5	3	1	2		1		1		7	3	6	11	9	
Pneumonia (101)	37	3	5		1			1	1		3	1	7	4	5	2	4	
Diarrhea and enteritis (113, 114)	35	29	3	1	1											1		
Appendicitis and typhlitis (117)	15					1		1		2			6	3	1	1		
Hernia, intestinal obstruction (118)	14	1		1				1					1	1	5		4	
Cirrhosis of the liver (122)	8												1	1	2	3	1	
Nephritis (128, 129)	92		1	1		1			1		3	1	5	14	23	26	16	
Diseases of the female genital organs (137–141)	4								1	1			1	1				
Puerperal septicemia (146)	5								1	1	1	1	1					
Other puerperal causes (143–145, 147–150)	7									2	2	2	1					
Suicide (165–174)	10										1	1		2	3	2	1	
Homicide (197–200)	2										1			1				
Automobile accidents [1] (188c)	11			1		1	1	1		1	1	1	1	1	1	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1								1									
Other external causes (inclusions, see Table 5)	46	5	1		1	3	1	5	2		1	2	4	6	6	4	5	
All other causes	336	135	5	9	1		7	6	6	10	8	5	11	24	29	29	51	
SPRINGFIELD, MASS., all causes	1,820	229	43	27	15	16	36	17	33	38	36	60	160	213	306	310	280	1
Typhoid and paratyphoid fever (1)	1												1					
Measles (7)	30	7	12	4	4		3											
Scarlet fever (8)	3		1		1								1					
Whooping cough (9)	10	4	4	1		1												
Diphtheria (10)	7	1		2	1	1	2											
Influenza (11)	27	2		1					2		1	1	3	4	5	1	7	
Meningococcus meningitis (24)	3			1					1					1				
Tuberculosis of the respiratory system (31)	71			1			1	1	2	8	7	12	13	12	10	4		
Other forms of tuberculosis (32–37)	22	7	3	1	2	1		1		1	1		1	2		2		
Cancer and other malignant tumors (43–49)	178			1		1	1		1		1	4	11	37	50	50	21	
Diabetes mellitus (57)	30							1				1	3	5	5	13	2	
Cerebral hemorrhage and softening (74, 83)	149	1									1	1	5	14	33	44	50	
Other [organic] diseases of the heart (90)	280	1				1	5		4	4	2	5	20	37	63	58	79	1
Bronchitis (99)	5	1								1						2	1	
Broncho-pneumonia (100)	74	23	12	3	1	1	3	1		1		2	5	4	7	5	6	
Pneumonia (101)	70	1	4	2		2	1	1	2	1	1	4	11	12	11	9	8	
Diarrhea and enteritis (113, 114)	20	14	1	1	1		1										2	
Appendicitis and typhlitis (117)	32	1		1		2	1	4	6		1	4	4	4	1	2	1	
Hernia, intestinal obstruction (118)	14	1									1	1	2	2	3	1	3	
Cirrhosis of the liver (122)	6													3	1	2		
Nephritis (128, 129)	188						2			1	3	5	14	19	48	48	48	
Diseases of the female genital organs (137–141)	3												1	2				
Puerperal septicemia (146)	9									3	4	1	1					
Other puerperal causes (143–145, 147–150)	14									2	4	2	6					
Suicide (165–174)	17								1	3	1	4	2	2	2	1	1	
Homicide (197–200)	3												1	2				
Automobile accidents [1] (188c)	38		2		1	1	8	1	2	2		2	5	3	5	2	4	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1													1				
Other external causes (inclusions, see Table 5)	67	1	2	1		1	1	2	2	1	2	3	8	10	13	13	7	
All other causes	448	164	2	7	4	4	7	5	10	10	6	8	42	37	49	53	40	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WORCESTER, MASS., all causes	2,701	322	66	21	19	16	51	30	42	54	46	70	228	334	426	500	476	
Typhoid and paratyphoid fever (1)	1														1			
Measles (7)	17	2	7	1	2		1	1	1						2			
Scarlet fever (8)	5			2		1	2											
Whooping cough (9)	13	12	1															
Diphtheria (10)	17		1	3	3	1	5	1		1	1			1				
Influenza (11)	26		1	1					2	1	1		3	4	4	4	5	
Meningococcus meningitis (24)	2	1											1					
Tuberculosis of the respiratory system (31)	132	1						1	8	21	9	14	29	20	22	5	2	
Other forms of tuberculosis (32–37)	34	4	7	1	2	2	6	2	1		1		3	3	1	1		
Cancer and other malignant tumors (43–49)	272									3	2	4	27	51	74	81	30	
Diabetes mellitus (57)	41					1	2						1	6	7	20	4	
Cerebral hemorrhage and softening (74, 83)	179												3	16	39	53	68	
Other [organic] diseases of the heart (90)	417						2	3	2	3	8	8	24	40	72	113	142	
Bronchitis (99)	16	10	1										1			2	2	
Broncho-pneumonia (100)	170	37	22	3	3	1	2		2			2	7	10	18	23	40	
Pneumonia (101)	147	7	7	3	2	1	2	1	1	1	4	12	19	23	21	25	18	
Diarrhea and enteritis (113, 114)	39	27	6	1		2								1	1		1	
Appendicitis and typhlitis (117)	34			1	1	1	4	3	4	1		3	6	6	3	1		
Hernia, intestinal obstruction (118)	28	2	1						1	1		1	2	5	5	4	6	
Cirrhosis of the liver (122)	11												1	3	6		1	
Nephritis (128, 129)	282					1	1	1	1	3	3		18	49	63	75	67	
Diseases of the female genital organs (137–141)	19									1		1	4	9	3		1	
Puerperal septicemia (146)	14									1	2	3	8					
Other puerperal causes (143–145, 147–150)	27								1	5	4	8	9					
Suicide (165–174)	23									1	2	1	5	8	3	2	1	
Homicide (197–200)	2							1					1					
Automobile accidents[1] (188c)	32		1			1	5	4	5	5	1	2	1	3	2	1	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	102	1	3	1	3	1	7	4	4	3	4	2	15	14	8	16	16	
All other causes	599	218	8	4	3	3	12	8	9	3	4	9	41	61	71	74	71	
DETROIT, MICH., (WHITE), all causes	14,323	2,618	516	273	195	172	491	236	301	535	598	685	1,604	1,550	1,643	1,615	1,284	7
Typhoid and paratyphoid fever (1)	25		2						2	3	6	2	6	4				
Measles (7)	285	84	87	35	22	19	24	3	2	4		4	1					
Scarlet fever (8)	98	3	13	14	12	10	20	9	4	7	4	1	1					
Whooping cough (9)	78	39	27	5	2	2	2											1
Diphtheria (10)	438	23	34	49	44	59	179	33	4	2	2	3		3	2	1		
Influenza (11)	268	44	20	7	2	3	7	7	5	10	12	14	29	31	27	19	31	
Meningococcus meningitis (24)	23	5	1	1	1		2	3	4		3	1	1	1				
Tuberculosis of the respiratory system (31)	771	8	6	5	3	1	6	8	60	117	108	106	158	92	63	25	3	2
Other forms of tuberculosis (32–37)	133	15	15	11	9	5	16	8	8	12	6	5	14	4	4	1		
Cancer and other malignant tumors (43–49)	987	2	2	1	4	1	2	4	4	8	14	28	136	220	237	229	95	
Diabetes mellitus (57)	189				1		1	3	2	4	3	6	15	32	54	54	14	
Cerebral hemorrhage and softening (74, 83)	730	7				1	1		2	3	7	12	51	86	161	227	172	
Other [organic] diseases of the heart (90)	1,668	8	3	1	2	1	16	16	14	28	31	45	165	263	322	386	366	1
Bronchitis (99)	124	29	9	3	4		3	1	1			1	3	5	4	17	44	
Broncho-pneumonia (100)	738	371	100	45	16	6	8	5	5	5	6	9	24	20	27	42	48	1
Pneumonia (101)	835	82	44	18	13	8	15	10	23	39	37	53	167	106	91	83	46	
Diarrhea and enteritis (113, 114)	425	336	51	11	3	3	4		1		2	1	1	3	3	4	2	
Appendicitis and typhlitis (117)	240			1	3		15	18	23	24	27	21	54	28	22	4		
Hernia, intestinal obstruction (118)	187	38	4	2			2		5	7	8	13	19	23	31	19	16	
Cirrhosis of the liver (122)	89								1			3	17	17	24	15	12	
Nephritis (128, 129)	695	4	3	2	3		4	9	9	14	18	20	68	98	144	167	132	
Diseases of the female genital organs (137–141)	60									5	4	11	19	14	3	4		
Puerperal septicemia (146)	124								5	28	37	30	24					
Other puerperal causes (143–145, 147–150)	105								9	24	23	24	25					
Suicide (165–174)	186								2	18	25	21	48	38	27	4	3	
Homicide (197–200)	178					1	1		15	30	34	34	39	15	7	2		
Automobile accidents[1] (188c)	379	1		2	15	13	59	20	18	29	18	21	42	53	39	39	10	
Automobile and railroad-train collision (part 188a)	10	1				1				1	1	2	3		1			
Automobile and street-car collision (part 188b)	12						1	1			3	3	2	1	1			
Other external causes (inclusions, see Table 5)	619	23	23	23	12	13	25	18	18	43	42	51	118	81	54	29	45	1
All other causes	3,624	1,495	72	37	24	25	78	60	55	70	117	140	354	312	295	244	245	1
DETROIT, MICH., (COLORED), all causes	1,906	257	93	36	13	14	51	30	61	148	235	217	351	227	99	42	32	
Typhoid and paratyphoid fever (1)	4							2	1	1								
Measles (7)	28	5	13	3		1	4	1			1							
Scarlet fever (8)	1						1											
Whooping cough (9)	10	3	5	1	1													
Diphtheria (10)	12	3	4	1		1	3											
Influenza (11)	31	2	3						3	1	3	7	5	5	2			
Meningococcus meningitis (24)	4		1				1		2									
Tuberculosis of the respiratory system (31)	264		5	4	3	2	5	6	22	46	59	46	51	8	6	1		
Other forms of tuberculosis (32–37)	46	6	4	4	1	1	2	4	2	4	5	5	6	2				
Cancer and other malignant tumors (43–49)	39			1				1			1	1	12	10	7	5	1	
Diabetes mellitus (57)	11							1		1			2	6			1	
Cerebral hemorrhage and softening (74, 83)	70	1									3	7	13	19	12	8	7	
Other [organic] diseases of the heart (90)	182	1	1				2	2	2	1	15	25	48	43	23	8	11	
Bronchitis (99)	13	6	2			1			1	1					1	1		
Broncho-pneumonia (100)	129	69	26	7	2	2	7		3	1	2	2	5	1	1		1	
Pneumonia (101)	233	18	10	3	1	1	5	2	7	22	28	30	51	47	6	1	1	
Diarrhea and enteritis (113, 114)	30	26	5			1	1				1		2	2	1			
Appendicitis and typhlitis (117)	40						2	4	3	4	6	3	9	7	2			
Hernia, intestinal obstruction (118)	27	3	4		1			1		2	1	4	5	4	2			
Cirrhosis of the liver (122)	8										2		1	3	1		1	
Nephritis (128, 129)	64						1			3	2	5	16	15	13	8	1	
Diseases of the female genital organs (137–141)	26									3	7	7	9					
Puerperal septicemia (146)	7										2	2	3					
Other puerperal causes (143–145, 147 150)	14								2	2	5	4	1					
Suicide (165–174)	12									2		5	5					
Homicide (197–200)	150								3	31	47	30	28	9	2			
Automobile accidents[1] (188c)	20			2	1		4	1	1	2	2	1	4	1	1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2											1	1					
Other external causes (inclusions, see Table 5)	58	2	4	3	1	2	3			2	4	8	12	10	4	1	2	
All other causes	362	112	6	7	2	2	10	5	9	19	38	25	62	35	15	9	6	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
GRAND RAPIDS, MICH., all causes	1,773	235	31	20	13	6	37	28	28	39	40	47	117	152	260	343	377	
Typhoid and paratyphoid fever (1)	2										1		1					
Measles (7)	8	1	2	1	1		3											
Scarlet fever (8)	3			1			1					1						
Whooping cough (9)	23	13	3	4	2		1											
Diphtheria (10)	5			3							1		1					
Influenza (11)	36	9	1	1			2					2	4	4	3	2	8	
Meningococcus meningitis (24)	3			1			1				1							
Tuberculosis of the respiratory system (31)	53				1				5	8	8	5	6	9	4	4	3	
Other forms of tuberculosis (32–37)	8	1	1		1		1	2		2								
Cancer and other malignant tumors (43–49)	159						1			1	1	3	10	25	47	43	28	
Diabetes mellitus (57)	35						1	2		1		1	2	5	9	10	4	
Cerebral hemorrhage and softening (74, 83)	151	2		1								1	5	10	29	47	56	
Other [organic] diseases of the heart (90)	291						1	2	2	1	8		17	16	49	83	112	
Bronchitis (99)	13	4														2	7	
Broncho-pneumonia (100)	57	24	10	1		1	1		1		1		1	5	5	3	4	
Pneumonia (101)	49	3	3		2	1		1	1	2		2	7	6	7	6	8	
Diarrhea and enteritis (113, 114)	50	41	3		2										2	1	1	
Appendicitis and typhlitis (117)	29					1	3	3		1	3	4	4	2	4	2	2	
Hernia, intestinal obstruction (118)	22	4	1					1				1			2	8	5	
Cirrhosis of the liver (122)	10													1	4	2	3	
Nephritis (128, 129)	141	2								2	1	4	5	18	25	45	39	
Diseases of the female genital organs (137–141)	8										1		4	2	1			
Puerperal septicemia (146)	5								1	1	2	1						
Other puerperal causes (143–145, 147–150)	15									4	2	4	4	1				
Suicide (165–174)	17									2	1	3	3	1	5	1	1	
Homicide (197–200)	2										1		1					
Automobile accidents [1] (188c)	32		1				3	4	3	1	3	1	3	5	4	3	1	
Automobile and railroad-train collision (part 188a)	1								1									
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	66	2		2	1		4	3	4	1	3	6	8	10	8	6	8	
All other causes	478	129	6	5	3	3	14	10	10	12	2	8	30	32	52	75	87	
MINNEAPOLIS, MINN., all causes	5,002	518	83	44	26	29	104	61	90	117	134	187	453	560	774	967	854	1
Typhoid and paratyphoid fever (1)	6										1	1	2	2				
Measles (7)	42	9	13	5	2	3	9			1								
Scarlet fever (8)	26	1	3	4	2	1	8	3	2	1				1				
Whooping cough (9)	24	13	4	3		1	3											
Diphtheria (10)	74	2	5	2	8	8	28	7	4	1	1	2	5	1				
Influenza (11)	59	12	1	3	1	1	3	2		1	1	2	5	6	6	8	7	
Meningococcus meningitis (24)	1					1												
Tuberculosis of the respiratory system (31)	189						2	1	9	15	32	29	37	23	23	12	6	
Other forms of tuberculosis (32–37)	39	2	5	2	2		2	2	2	1	5	1	5	2	5	3		
Cancer and other malignant tumors (43–49)	622	2	1	1	1	1	5	2	2	6	2	13	58	109	159	165	95	
Diabetes mellitus (57)	90		1	2			3	1	2			1	3	7	18	34	18	
Cerebral hemorrhage and softening (74, 83)	328									2	1	3	12	30	67	119	94	
Other [organic] diseases of the heart (90)	746	2					1	6	15	9	6	11	37	88	143	207	221	
Bronchitis (99)	10	1												1		1	7	
Broncho-pneumonia (100)	205	73	10	5		1	1		2	3	2	2	3	17	10	33	43	
Pneumonia (101)	230	14	13	1			5	5	3	3	8	11	28	18	38	45	38	
Diarrhea and enteritis (113, 114)	47	27	7		1				1		1			5	1	2	2	
Appendicitis and typhlitis (117)	90		1	2	2	1	2	5	6	10	4	8	19	17	9	1	3	
Hernia, intestinal obstruction (118)	48	5		1		1				2	2		8	5	8	8	8	
Cirrhosis of the liver (122)	28	1							1			1	1	5	10	6	3	
Nephritis (128, 129)	251			1			2		3	2	3	2	13	28	45	75	77	
Diseases of the female genital organs (137–141)	30								1	1		4	12	4	5	2	1	
Puerperal septicemia (146)	32								5	5	5	11	5	1				
Other puerperal causes (143–145, 147–150)	41								2	7	10	11	10	1				
Suicide (165–174)	91							1	4	5	2	9	25	18	16	5	6	
Homicide (197–200)	9									2		4	1	1	1			
Automobile accidents [1] (188c)	69					4	7	5	1	4	4	4	9	3	14	10	4	
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)	5								1	1	1			2				
Other external causes (inclusions, see Table 5)	219	4	3	2	1	2	4	6	7	12	10	12	25	22	27	36	46	
All other causes	1,350	350	16	10	6	4	19	15	17	23	33	45	129	143	169	195	175	1
ST. PAUL, MINN., all causes	3,052	318	46	21	18	11	42	32	47	78	114	122	308	359	499	604	433	
Typhoid and paratyphoid fever (1)	3									1		1		1				
Measles (7)	21	6	6	2	2	1	3		1									
Scarlet fever (8)	11			3	3		3		1	1								
Whooping cough (9)	8	2	3	2	1													
Diphtheria (10)	22	4	2	1	3	2	6	1					1	1		1		
Influenza (11)	60	4	2				1		2	1			4	5	6	14	21	
Meningococcus meningitis (24)	4	1	1						1						1			
Tuberculosis of the respiratory system (31)	165						1		13	22	26	17	31	25	18	9	3	
Other forms of tuberculosis (32–37)	29	1	2	1		2	1	2	1	3	6	3	2		4	1		
Cancer and other malignant tumors (43–49)	328						1	1		1	5	9	36	58	89	92	36	
Diabetes mellitus (57)	64								1	1	4	2	5	8	14	22	7	
Cerebral hemorrhage and softening (74, 83)	211	1										1	9	17	45	88	50	
Other [organic] diseases of the heart (90)	481						1	5		5	13	14	31	55	101	139	117	
Bronchitis (99)	18	1	1												6	2	8	
Broncho-pneumonia (100)	105	33	8		1		1			1		1	7	6	7	13	27	
Pneumonia (101)	123	5	1		1		1	2	3	5	2	4	15	18	17	31	18	
Diarrhea and enteritis (113, 114)	21	11	3	1	1					1			1	1		2		
Appendicitis and typhlitis (117)	60			2			4	4	3	7	5	5	10	9	5	4	2	
Hernia, intestinal obstruction (118)	33	6	1									2	6	5	7	4	2	
Cirrhosis of the liver (122)	25											1	3	6	8	4	3	
Nephritis (128, 129)	160					1				1	3	6	11	27	29	39	43	
Diseases of the female genital organs (137–141)	26								1	1	3	2	10	7		1	1	
Puerperal septicemia (146)	16								1	4	3	3	5					
Other puerperal causes (143–145, 147–150)	23								2	5	5	3	8					
Suicide (165–174)	38									1	5	5	6	9	5	5	2	
Homicide (197–200)	13								1		2	3	3	2	2			
Automobile accidents [1] (188c)	46					2	4	2	1	5	4	3	8	5	7	4	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	4									1	2		1					
Other external causes (inclusions, see Table 5)	137	8	2	3	2	1	1	8	4	4	9	8	17	18	23	17	12	
All other causes	797	235	14	6	4	2	14	7	11	7	17	29	72	76	105	112	80	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KANSAS CITY, MO. (WHITE), all causes	4,236	478	105	44	24	17	73	54	93	121	161	149	385	487	650	711	684	
Typhoid and paratyphoid fever (1)	11								1	4	1	1	2	1	1			
Measles (7)	41	9	9	3	4	5	6		2	2					1			
Scarlet fever (8)	18			2	1	2	6	2	3	2								
Whooping cough (9)	20	10	8	1		1												
Diphtheria (10)	15		5	2	2	1	3	1					1					
Influenza (11)	115	15	6	2	1		3	3		3	3	8	11	10	17	10	23	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	175	3	3					4	12	20	27	19	27	28	19	11	2	
Other forms of tuberculosis (32–37)	34	1	2	1			1	2	5	1	3	3	6	4	1	2	2	
Cancer and other malignant tumors (43–49)	409	1		1			2	1	1	2	5	7	34	96	101	99	59	
Diabetes mellitus (57)	59	1						1	1	2		2	2	6	17	19	8	
Cerebral hemorrhage and softening (74, 83)	244						1			2	1		15	19	55	76	75	
Other [organic] diseases of the heart (90)	495	1		1			1	3	6	5	9	12	31	64	78	130	154	
Bronchitis (99)	13	1	1						1					1			9	
Broncho-pneumonia (100)	172	53	16	8	1	2	3	3	1		1		12	4	12	20	36	
Pneumonia (101)	192	13	7	2	1	2	2	2	5	9	9	7	27	20	34	25	27	
Diarrhea and enteritis (113, 114)	123	70	30	4	1	1	2					1	4	2	3	1	4	
Appendicitis and typhlitis (117)	83						5	7	8	6	10	7	18	9	11	1	1	
Hernia, intestinal obstruction (118)	49	6		1			2				2	1	8	5	10	9	5	
Cirrhosis of the liver (122)	50	1										3	5	6	15	11	9	
Nephritis (128, 129)	431	1							2	4	7	11	24	52	81	112	137	
Diseases of the female genital organs (137–141)	40								2	4	9	7	9	3	3	2	1	
Puerperal septicemia (146)	21								4	6	9	1	1					
Other puerperal causes (143–145, 147–150)	31								4	8	5	5	8	1				
Suicide (165–174)	70							1	3	6	7	6	14	14	11	8		
Homicide (197–200)	60	2						1	4	6	10	7	17	5	5	2	1	
Automobile accidents [1] (188c)	68			1			11	5	5	2	3	2	9	8	10	10	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1									1								
Other external causes (inclusions, see Table 5)	211	9	5	8	6	1	12	4	10	12	17	5	26	23	24	28	21	
All other causes	984	280	13	7	7	2	13	14	13	14	23	34	74	106	141	135	108	
KANSAS CITY, MO. (COLORED), all causes	901	100	14	6	4	6	10	8	29	42	51	60	163	177	139	52	38	2
Typhoid and paratyphoid fever (1)	2									1			1					
Measles (7)	1												1					
Scarlet fever (8)																		
Whooping cough (9)	6	2	2	1		1												
Diphtheria (10)																		
Influenza (11)	24	6				2		1	1	2	2	4	1	5				
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	135	1	1	1	1	1	2	3	17	21	16	15	28	15	10	3		
Other forms of tuberculosis (32–37)	10				1					1	3		3	2				
Cancer and other malignant tumors (43–49)	34						1					1	4	6	11	6	5	
Diabetes mellitus (57)	4													2	1		1	
Cerebral hemorrhage and softening (74, 83)	30	1										1	5	8	7	4	4	
Other [organic] diseases of the heart (90)	108	1					2			1	2	5	17	32	25	12	9	2
Bronchitis (99)	1	1																
Broncho-pneumonia (100)	64	38	11	2		2	2			1			3	1	3	1		
Pneumonia (101)	72	5					1		1	2	3	3	15	21	13	6	2	
Diarrhea and enteritis (113, 114)	19	13		1	2								1		1		1	
Appendicitis and typhlitis (117)	11							1	1	1		2	3	1	2			
Hernia, intestinal obstruction (118)	9												2	4	2	1		
Cirrhosis of the liver (122)	12												3	6	3			
Nephritis (128, 129)	108						1			2	4	3	23	27	26	13	9	
Diseases of the female genital organs (137–141)	10										1	3	1	4	1			
Puerperal septicemia (146)	2								1			1						
Other puerperal causes (143–145, 147–150)	4									1	1		2					
Suicide (165–174)																		
Homicide (197–200)	56								2	3	8	10	21	9	3			
Automobile accidents [1] (188c)	14									1	3		2	3	5			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	20	1					1	1	2	2	1	1	3	2	3		3	
All other causes	145	31		1				2	4	3	7	11	24	29	23	6	4	
ST. LOUIS, MO. (WHITE), all causes	9,569	934	226	106	69	43	173	102	144	247	239	287	840	1,232	1,775	1,719	1,430	3
Typhoid and paratyphoid fever (1)	12				1		1		2	1	2	2	1	1		1		
Measles (7)	83	15	34	9	7	3	10	1		1	1	1						
Scarlet fever (8)	62		9	10	8	3	16	5	3	3	1	1	3					1
Whooping cough (9)	56	26	22	4	1	1	2											
Diphtheria (10)	95	8	22	15	10	10	19	2	1	1		3	2	2				
Influenza (11)	110	18	4	5	1	1	1	2	4	5	2	5	15	8	17	12	10	
Meningococcus meningitis (24)	13	3					3	1		2	1	1	1	1				
Tuberculosis of the respiratory system (31)	286	1	4	3			1		15	43	33	30	42	55	37	18	4	
Other forms of tuberculosis (32–37)	46	6	6	2	3	1	1			6	6	2	5	2	4	1	1	
Cancer and other malignant tumors (43–49)	1,053		1		1	1	2	3	4	8	16	21	103	211	313	254	114	1
Diabetes mellitus (57)	175							2	2	1	3	1	7	21	54	58	26	
Cerebral hemorrhage and softening (74, 83)	398	2						2	3	4	1	3	23	50	102	105	103	
Other [organic] diseases of the heart (90)	1,611				1	1	15	9	9	16	13	28	91	207	347	445	429	
Bronchitis (99)	69	6	3	1			2						1	4	5	13	34	
Broncho-pneumonia (100)	432	136	31	18	7	1	8	3	4	4	2	9	17	24	32	56	80	
Pneumonia (101)	630	42	23	11	9	4	8	4	19	16	16	18	61	86	124	106	83	
Diarrhea and enteritis (113, 114)	209	156	27	5	4	2		1		1			1	1	3	3	5	
Appendicitis and typhlitis (117)	161			2	1	1	8	14	11	18	15	12	22	25	23	7	2	
Hernia, intestinal obstruction (118)	98	11	1				5		1	3	2	3	13	13	17	17	12	
Cirrhosis of the liver (122)	114			1					1	1		3	13	19	46	19	11	
Nephritis (128, 129)	1,105	2			1		3	5	11	9	13	16	54	144	260	330	257	
Diseases of the female genital organs (137–141)	69						1			1	5	10	28	15	6	3		
Puerperal septicemia (146)	43								3	14	12	7	7					
Other puerperal causes (143–145, 147–150)	28								1	7	3	6	11					
Suicide (165–174)	176							1	2	9	5	11	43	44	35	20	6	
Homicide (197–200)	76	1						1	9	18	9	10	12	11	5			
Automobile accidents [1] (188c)	160	1	1	1	1	5	25	12	4	9	8	6	18	22	18	18	11	
Automobile and railroad-train collision (part 188a)	7						1				1	3	1		1			
Automobile and street-car collision (part 188b)	8	1							1	1	2		1	1	1			
Other external causes (inclusions, see Table 5)	358	9	6	5	2	2	11	5	7	11	17	12	45	56	66	46	58	
All other causes	1,826	490	32	14	11	7	30	29	27	34	50	63	199	209	259	187	184	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ST. LOUIS, MO. (COLORED), all causes	1,971	212	55	28	20	7	33	24	51	110	129	129	340	357	250	130	96	
Typhoid and paratyphoid fever (1)	7						2		3		1		1					
Measles (7)	9	1	3	2	2						1							
Scarlet fever (8)	4					2	2											
Whooping cough (9)	18	11	3	4														
Diphtheria (10)	12		1	2	3	2	3	1										
Influenza (11)	24	2						1	1	2	2		4	3	5	2	2	
Meningococcus meningitis (24)	1												1					
Tuberculosis of the respiratory system (31)	204		2	1	3		3	7	22	35	36	22	45	20	5	3		
Other forms of tuberculosis (32–37)	33	2	2				3	1	2	5	6	2	7	3				
Cancer and other malignant tumors (43–49)	91									2	2	5	22	27	22	8	3	
Diabetes mellitus (57)	12									1	1	2	3	3	2			
Cerebral hemorrhage and softening (74, 83)	48										1	2	6	14	13	7	5	
Other [organic] diseases of the heart (90)	291						1		4	4	3	8	51	76	69	44	31	
Bronchitis (99)	10	4		1			1	1					1				2	
Broncho-pneumonia (100)	139	72	27	8	5		2	2				3	3	6	5	4	2	
Pneumonia (101)	181	15	6	5	2		4	2	5	7	18	15	34	30	18	10	10	
Diarrhea and enteritis (113, 114)	27	16	7	1		1								1			1	
Appendicitis and typhlitis (117)	17							1		3	2	2	5	3	1			
Hernia, intestinal obstruction (118)	18	1								6		1	4	3	3			
Cirrhosis of the liver (122)	11											1	1	5	3		1	
Nephritis (128, 129)	302								2	7	13	15	52	78	75	34	26	
Diseases of the female genital organs (137–141)	18									1	3	1	8	4	1			
Puerperal septicemia (146)	9									4	1	1	3					
Other puerperal causes (143–145, 147–150)	10									5	1	2	2					
Suicide (165–174)	5								1		1	2	1					
Homicide (197–200)	79							1	4	16	19	14	14	8	1	2		
Automobile accidents [1] (188c)	12				1		3			1	1	1	1	2	1		1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	68	2	2	4	2	1	4	1	4	2	5	5	13	11	8	1	3	
All other causes	311	86	2		2	1	5	6	3	9	12	25	58	60	18	15	9	
OMAHA, NEBR., all causes	2,794	295	48	19	12	13	58	33	55	100	92	106	302	331	452	454	423	1
Typhoid and paratyphoid fever (1)	3							1					2					
Measles (7)	18	3	6	1	2		5			1								
Scarlet fever (8)	10	1					3	1	1			1	2	1				
Whooping cough (9)	17	7	4	4			2											
Diphtheria (10)	14			1	1	3	8	1										
Influenza (11)	57	17		1	1			1	1	3	1	1	4	3	5	3	16	
Meningococcus meningitis (24)	4					1				1		1	1					
Tuberculosis of the respiratory system (31)	122	1	1				1	4	6	12	15	21	29	13	11	6	2	
Other forms of tuberculosis (32–37)	30	1	4		1	1	3		1	6	3		4	2	2	1	1	
Cancer and other malignant tumors (43–49)	304						2	1	2	1	3	6	28	53	100	71	37	
Diabetes mellitus (57)	40			1				1		1			3	8	11	10	4	1
Cerebral hemorrhage and softening (74, 83)	152									1		1	9	9	41	52	39	
Other [organic] diseases of the heart (90)	396		1			1	4	2	4	3	7	3	26	46	72	115	112	
Bronchitis (99)	5	1													2	1	1	
Broncho-pneumonia (100)	115	28	7	1	1		2		3		2		8	6	8	23	26	
Pneumonia (101)	142	11	1	1		1			1	4	8	5	22	22	20	18	28	
Diarrhea and enteritis (113, 114)	45	29	5	3	1									1		3	3	
Appendicitis and typhlitis (117)	60		1	1		1	5	3	2	5	6	7	12	10	6	1		
Hernia, intestinal obstruction (118)	41	3	1	1			1	1		1	1	1	7	4	11	6	3	
Cirrhosis of the liver (122)	13												1	2	7	1	2	
Nephritis (128, 129)	159						1	2	5	5	2	4	13	18	34	43	32	
Diseases of the female genital organs (137–141)	28								1	4	1	1	10	9	1		1	
Puerperal septicemia (146)	27							1	1	6	4	5	10					
Other puerperal causes (143–145, 147–150)	20								3	5		7	5					
Suicide (165–174)	42								3	2	3	5	11	10	5	2	1	
Homicide (197–200)	16									6		4	5			1		
Automobile accidents [1] (188c)	33				1		6		5	1	3	2	3	5	1	2	4	
Automobile and railroad-train collision (part 188a)	2									1				1				
Automobile and street-car collision (part 188b)	1				1													
Other external causes (inclusions, see Table 5)	138	6	2	1		1	3	5	5	5	7	10	13	18	16	17	29	
All other causes	740	187	15	3	3	4	12	9	11	26	26	21	74	90	99	78	82	
CAMDEN, N. J., all causes	1,768	264	68	31	27	17	83	24	41	42	55	57	173	209	224	257	196	
Typhoid and paratyphoid fever (1)	6						1			1	2	1	1					
Measles (7)	18	3	8	3	1	1	2											
Scarlet fever (8)	11		1	2	1	1	5				1							
Whooping cough (9)	15	6	5		2	1	1											
Diphtheria (10)	33	2	1	6	6	1	16	1										
Influenza (11)	36	6				1	3			1	1	5	5	5	3	3	3	
Meningococcus meningitis (24)	4	2			1									1				
Tuberculosis of the respiratory system (31)	55				1		2	2	4	6	2	4	12	14	7	1		
Other forms of tuberculosis (32–37)	13	1				1	1	2		1	2		1	1	1	1	1	
Cancer and other malignant tumors (43–49)	117				1						1		12	26	26	37	14	
Diabetes mellitus (57)	29						1		2	1				4	11	9	1	
Cerebral hemorrhage and softening (74, 83)	117		1						1			1	5	22	25	34	28	
Other [organic] diseases of the heart (90)	223			1		1	7	1	5	4	4	6	16	27	37	52	62	
Bronchitis (99)	13	6		1										1		2	3	
Broncho-pneumonia (100)	104	41	25	7		1	3				2		2	4	5	5	9	
Pneumonia (101)	137	21	6	1	1		3	1	4	5	2	2	19	26	14	21	11	
Diarrhea and enteritis (113, 114)	71	52	8	1	3		2						1	1	1	2		
Appendicitis and typhlitis (117)	34			2			6	6	2	3	2	1	5	5	2			
Hernia, intestinal obstruction (118)	15	1			1								4	3	1	2	3	
Cirrhosis of the liver (122)	5												1	1		2	1	
Nephritis (128, 129)	157		1	1	1	3					2	4	15	17	42	35	36	
Diseases of the female genital organs (137–141)	11								1		2	3	3	2				
Puerperal septicemia (146)	15									5	3	5	2					
Other puerperal causes (143–145, 147–150)	12								2	2	2	1	5					
Suicide (165–174)	14									1		1	5	4		2	1	
Homicide (197–200)	11								2	2	2	1	3			1		
Automobile accidents [1] (188c)	59				1		9	3	4	2	4	4	3	8	5	14	2	
Automobile and railroad-train collision (part 188a)	14						2	2		1	4	2	2	1				
Automobile and street-car collision (part 188b)	1														1			
Other external causes (inclusions, see Table 5)	96	2	5	1	5	2	9	2	4	2	11	7	14	8	11	5	8	
All other causes	322	121	7	5	2	4	10	4	10	5	6	9	37	28	32	29	13	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
JERSEY CITY, N. J., all causes	3,802	463	127	50	33	31	68	34	76	88	137	149	466	503	636	555	386	
Typhoid and paratyphoid fever (1)	6					1		1	1	1	2							
Measles (7)	37	10	21	2		2	1								1			
Scarlet fever (8)	1				1													
Whooping cough (9)	21	9	9	2		1												
Diphtheria (10)	32	4	9	5	5	3	5	1										
Influenza (11)	65	6	4	1		2	1	1	2	1	5	2	10	10	7	8	5	
Meningococcus meningitis (24)	7	2				1	1	1				1	1					
Tuberculosis of the respiratory system (31)	229	1	1	2	1			4	15	29	26	22	49	40	29	7	3	
Other forms of tuberculosis (32–37)	36	3	4	2	2	1	3	1	2	2		2	7	3	4			
Cancer and other malignant tumors (43–49)	314			1		1			3	1	2	7	27	88	89	74	21	
Diabetes mellitus (57)	66										1		5	14	22	22	2	
Cerebral hemorrhage and softening (74, 83)	226									1		4	10	33	54	63	61	
Other [organic] diseases of the heart (90)	720	2		2	1	1	7	4	11	10	15	13	86	100	172	149	147	
Bronchitis (99)	36	7	2				1					1	2	2	7	4	10	
Broncho-pneumonia (100)	200	68	32	12	5	4	4	2	3	2	5	2	11	6	10	15	19	
Pneumonia (101)	308	18	16	8	4	3	4	2	9	7	11	22	64	34	43	46	17	
Diarrhea and enteritis (113, 114)	114	87	12	3	1	3	1	1			1			2	1	1	1	
Appendicitis and typhlitis (117)	63					1	4	3	5	3	8	10	14	5	8	2		
Hernia, intestinal obstruction (118)	45	4			2					2	1	4	6	5	8	7	6	
Cirrhosis of the liver (122)	27										1	1	4	5	10	4	2	
Nephritis (128, 129)	307	1					1		1	2	7	1	31	54	83	85	41	
Diseases of the female genital organs (137–141)	29									3	4	3	13	6				
Puerperal septicemia (146)	17								2	2	6	3	3	1				
Other puerperal causes (143–145, 147–150)	36								3	5	7	11	9	1				
Suicide (165–174)	34									2	1	2	11	8	5	3	2	
Homicide (197–200)	4			1						1			2					
Automobile accidents [1] (188c)	41				1	1	13	2			1	1	6	3	7	5	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	193	6	6	6	6	2	9	2	8	6	8	21	39	26	25	13	10	
All other causes	588	235	11	3	4	4	13	9	11	8	25	16	56	57	51	47	38	
NEWARK, N. J., all causes	5,464	737	193	65	41	42	94	59	105	136	184	211	560	684	909	859	584	1
Typhoid and paratyphoid fever (1)	8						1	1		1		3	1			1		
Measles (7)	63	17	32	7	3	2	2											
Scarlet fever (8)	2				1	1												
Whooping cough (9)	12	7	3	2														
Diphtheria (10)	10	1	2			2	3	1					1					
Influenza (11)	50	3	2	4	1		2			1	4	2	10	7	1	10	3	
Meningococcus meningitis (24)	3	1					1								1			
Tuberculosis of the respiratory system (31)	270	1		2		2	1	2	23	33	20	29	65	41	34	12	5	
Other forms of tuberculosis (32–37)	53	5	9	2	1	4	2	3	4	5	2	4	5	5	2			
Cancer and other malignant tumors (43–49)	518					2	1		3	3	6	12	68	95	166	119	43	
Diabetes mellitus (57)	106				1	1	1		1	1	1	1	4	19	35	35	6	
Cerebral hemorrhage and softening (74, 83)	336					1			2	1		2	15	57	63	98	97	
Other [organic] diseases of the heart (90)	817			2	1	1	3	5	6	5	13	20	58	108	190	220	185	
Bronchitis (99)	39	14	3	2									2	3	4	4	7	
Broncho-pneumonia (100)	252	108	47	12	2	4	2		2	3	2	5	11	11	12	15	16	
Pneumonia (101)	374	27	26	9	5	6	6	4	9	11	24	22	61	53	55	39	17	
Diarrhea and enteritis (113, 114)	164	125	26	5	2		1	1			1		1	2				
Appendicitis and typhlitis (117)	128	1	1		2	2	9	9	13	8	17	12	19	11	18	6		
Hernia, intestinal obstruction (118)	50	4	3	1			1		1	1	1	1	3	6	12	9	7	
Cirrhosis of the liver (122)	44										1		6	7	18	10	2	
Nephritis (128, 129)	486	1	3	3	2	2	3	1	4	6	10	13	38	71	111	125	93	
Diseases of the female genital organs (137–141)	31							1		1	1	4	15	3	4	2		
Puerperal septicemia (146)	18								1	6	4	4	3					
Other puerperal causes (143–145, 147–150)	46								4	4	14	11	13					
Suicide (165–174)	67								1	2	3	4	18	18	12	6	3	
Homicide (197–200)	37									3	8	10	8	3	1	4		
Automobile accidents [1] (188c)	109			3	6	3	14	4	8	8	4	5	11	13	12	15	3	
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)	3												2	1				
Other external causes (inclusions, see Table 5)	239	5	9	4	6	4	9	9	9	13	12	7	29	40	28	25	29	1
All other causes	1,128	417	27	7	8	5	32	18	14	20	36	40	92	110	130	104	68	
PATERSON, N. J., all causes	1,830	187	29	21	10	9	31	20	36	51	46	59	164	270	357	307	233	
Typhoid and paratyphoid fever (1)	3									1				1	1			
Measles (7)	7	1	2	2	2													
Scarlet fever (8)	4				1	1	1						1					
Whooping cough (9)	2		2															
Diphtheria (10)	9	1	1	1	1	1	3									1		
Influenza (11)	41	3	3	1	1	1							1	4	4	4	11	8
Meningococcus meningitis (24)	2	1	1															
Tuberculosis of the respiratory system (31)	103						1		2	11	7	10	22	25	17	8		
Other forms of tuberculosis (32–37)	20	4	2	1	1		1		2	1	2		4			1	1	
Cancer and other malignant tumors (43–49)	180						1		1	2	1	3	18	48	50	39	17	
Diabetes mellitus (57)	40							1	1		2	2	3	4	18	9		
Cerebral hemorrhage and softening (74, 83)	134											1	4	18	33	46	32	
Other [organic] diseases of the heart (90)	314		1				5	4	8	6	3	3	17	42	82	71	72	
Bronchitis (99)	9	3														4	2	
Broncho-pneumonia (100)	67	27	5	5		2			2		1		1	6	11	5	2	
Pneumonia (101)	89	4	5	4				1		2	6	3	10	20	18	11	5	
Diarrhea and enteritis (113, 114)	20	16	1	1								1		1				
Appendicitis and typhlitis (117)	27		1	1	1		3		4	2	2	2	2	5	4			
Hernia, intestinal obstruction (118)	24	3					1	1					3	6	6	1	3	
Cirrhosis of the liver (122)	16											2	4	2	7	1		
Nephritis (128, 129)	163	2				1	2	3	3	1		3	11	24	41	40	32	
Diseases of the female genital organs (137–141)	7											1	1	4	1			
Puerperal septicemia (146)	8									2		3	3					
Other puerperal causes (143–145, 147–150)	13								1	3	4	4	1					
Suicide (165–174)	26								1		5	1	4	5	5	4	1	
Homicide (197–200)	6									1	1	1	1	1	1			
Automobile accidents [1] (188c)	34						5	2	6	2	2	2	5	4	2	3	1	
Automobile and railroad-train collision (part 188a)	1									1								
Automobile and street-car collision (part 188b)	1															1		
Other external causes (inclusions, see Table 5)	97	3	3	3	1	1	5	4	4	4	5	2	12	10	13	15	12	
All other causes	363	119	3	2	2	1	3	4	1	12	5	14	33	40	43	36	45	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
TRENTON, N. J., all causes	1,890	228	42	19	12	8	32	26	40	81	59	72	193	242	300	294	242	
Typhoid and paratyphoid fever (1)	9						1		1	1	1		3	2				
Measles (7)	12	5	3		1	1	2											
Scarlet fever (8)	3		1				2											
Whooping cough (9)	5	3	1	1														
Diphtheria (10)	2						1					1						
Influenza (11)	42	4	3	1			2	1	1	3	2	1	5	9	4	4	2	
Meningococcus meningitis (24)	2				1		1											
Tuberculosis of the respiratory system (31)	110	1							12	27	13	11	22	12	11	1		
Other forms of tuberculosis (32–37)	17	1		2	3	1				3	3		2		2			
Cancer and other malignant tumors (43–49)	128		1						1	1	3	4	13	25	35	28	17	
Diabetes mellitus (57)	29											1	3	4	9	9	3	
Cerebral hemorrhage and softening (74, 83)	133											2	4	19	37	36	35	
Other [organic] diseases of the heart (90)	289		2				2	2	2	4	4	4	24	30	65	68	82	
Bronchitis (99)	7	3	1							1			1		1			
Broncho-pneumonia (100)	75	25	10	3	2		1		1			1	4	6	5	10	7	
Pneumonia (101)	149	20	6	4	1	1	2	2	5	8	6	10	13	20	17	24	10	
Diarrhea and enteritis (113, 114)	37	27	1		1			1		2	1		2	1			1	
Appendicitis and typhlitis (117)	22				1		3	3	1	3	1	2	2	4		2		
Hernia, intestinal obstruction (118)	24	3	1								2	4	3	4	3	4		
Cirrhosis of the liver (122)	9												2	3	3	1		
Nephritis (128, 129)	161						2	1	1	6	3	2	14	23	36	38	35	
Diseases of the female genital organs (137–141)	15								1	1	2	3	6	2				
Puerperal septicemia (146)	7								1		2	2	2					
Other puerperal causes (143–145, 147–150)	9								2	2			5					
Suicide (165–174)	26							1		1	1	5	3	8	5	2		
Homicide (197–200)	9					1			1	2	2	1	1	1				
Automobile accidents [1] (188c)	33					2	3	2		5	2		4	4	6	4	1	
Automobile and railroad-train collision (part 188a)	1									1								
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	95	5	2	5			1	5	5	5	3	8	15	17	11	9	4	
All other causes	430	131	10	3	2	2	9	8	5	5	8	10	40	48	50	54	45	
ALBANY, N. Y., all causes	1,989	152	21	10	4	11	21	20	25	42	52	55	166	278	356	379	397	
Typhoid and paratyphoid fever (1)																		
Measles (7)	9	4	3	1		1												
Scarlet fever (8)	2					2												
Whooping cough (9)	8	5	2			1												
Diphtheria (10)	4	1		2			1											
Influenza (11)	47	5				1		2			2	4	2	9	5	11	6	
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	129		2			1	1	1	5	13	12	8	22	24	26	12	2	
Other forms of tuberculosis (32–37)	12			1						1	2		2	4	1	1		
Cancer and other malignant tumors (43–49)	201								2		2	1	14	46	52	52	32	
Diabetes mellitus (57)	55							2	2	2	1	1	5	8	15	14	5	
Cerebral hemorrhage and softening (74, 83)	124						1	1		1	1	1	8	13	29	26	43	
Other [organic] diseases of the heart (90)	425							3	2	4	2	5	20	37	87	116	149	
Bronchitis (99)	8														1	3	4	
Broncho-pneumonia (100)	55	13	3	2					1	1		2	1	3	8	8	13	
Pneumonia (101)	92	5	3				2		1	3	2	3	12	22	16	9	14	
Diarrhea and enteritis (113, 114)	15	11					1							2	1			
Appendicitis and typhlitis (117)	26				1	1	3	2	1			6	6	2	4			
Hernia, intestinal obstruction (118)	32	2							1			1	1	3	12	6	6	
Cirrhosis of the liver (122)	14											1	1	5	4	1	2	
Nephritis (128, 129)	174			1				1	1	1	4	2	16	26	38	41	43	
Diseases of the female genital organs (137–141)	7									1		1	4	1				
Puerperal septicemia (146)	14								1	3	2	5	3					
Other puerperal causes (143–145, 147–150)	9									1	4	1	3					
Suicide (165–174)	8											2	2	1	2		1	
Homicide (197–200)	10									2	2		1	2		3		
Automobile accidents [1] (188c)	41		1		1		3	4		3	2	1	5	6	8	6	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	70				1	1	2		4	2	4	2	7	12	3	9	23	
All other causes	397	106	7	3	1	3	6	4	4	4	10	8	31	52	44	61	53	
BUFFALO, N. Y., all causes	7,779	1,037	136	45	46	28	126	78	152	222	244	324	804	990	1,322	1,233	992	
Typhoid and paratyphoid fever (1)	27						1		1	5	3	2	5	7	3			
Measles (7)	8	3	1	1			2	1										
Scarlet fever (8)	9						6				1	1	1					
Whooping cough (9)	29	16	8	1	2	2												
Diphtheria (10)	31		2	6	5	3	6	8			1							
Influenza (11)	80	9	4		1	2	2		2	4	3	8	8	6	15	10	6	
Meningococcus meningitis (24)	9	2			2		1	2		1	1							
Tuberculosis of the respiratory system (31)	462	2				1		3	45	76	67	60	100	57	37	12	2	
Other forms of tuberculosis (32–37)	63	10	8	4	5		5	1	2	8	6	4	5	1	2	1	1	
Cancer and other malignant tumors (43–49)	676	1	1				2	1	5	2	6	20	56	142	198	179	63	
Diabetes mellitus (57)	165							2	1	2	1	3	5	20	54	58	19	
Cerebral hemorrhage and softening (74, 83)	490	4							1	1	4	2	16	65	114	156	127	
Other [organic] diseases of the heart (90)	1,351	4		1			10	10	12	17	19	15	84	165	312	349	353	
Bronchitis (99)	75	32	4	2				1			1	1	3	8	6	9	8	
Broncho-pneumonia (100)	288	114	33	7	2	2	5	1	1	3	4	10	20	14	17	26	29	
Pneumonia (101)	408	24	16	2	5	1	6	7	13	14	28	23	72	71	57	39	30	
Diarrhea and enteritis (113, 114)	242	184	28	3	3	1	6		2	1	1	1	4	3	1	3	1	
Appendicitis and typhlitis (117)	112			1	1	4	8	7	10	10	7	11	17	16	14	6		
Hernia, intestinal obstruction (118)	67	7	2									3	8	11	21	9	6	
Cirrhosis of the liver (122)	52									1		2	8	14	16	8	3	
Nephritis (128, 129)	736	2		1	1		5	2	4	6	5	24	75	110	173	177	151	
Diseases of the female genital organs (137–141)	43									3	2	7	16	4	3	6	2	
Puerperal septicemia (146)	29								1	7	4	9	8					
Other puerperal causes (143–145, 147–150)	51								4	6	14	13	14					
Suicide (165–174)	81							1	3	6	4	8	19	16	13	9	2	
Homicide (197–200)	32	1							3	5	4	7	8	3	1			
Automobile accidents [1] (188c)	135		1		1	3	26	3	8	7	5	5	15	24	17	14	6	
Automobile and railroad-train collision (part 188a)	5												3	2				
Automobile and street-car collision (part 188b)	6				1						1			4				
Other external causes (inclusions, see Table 5)	314	7	5	6	11	4	13	8	8	17	17	24	45	51	38	28	32	
All other causes	1,703	615	23	10	6	5	22	20	26	20	35	61	189	176	210	134	151	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (WHITE), all causes	71,319	7,658	1,927	803	567	426	1,322	899	1,266	1,862	2,160	2,533	7,000	10,327	12,795	11,833	7,936	5
Typhoid and paratyphoid fever (1)	106			1		2	4	9	16	18	11	6	18	14	6	1		
Measles (7)	753	177	297	119	61	31	57	3	1	3		1	2	1				
Scarlet fever (8)	81	2	19	11	9	9	19	3		2	1	4	1		1			
Whooping cough (9)	207	103	59	22	11	7	5											
Diphtheria (10)	460	31	91	81	60	52	115	15	1		3	1	6	2	1	1		
Influenza (11)	916	109	73	25	26	13	30	12	21	24	26	41	106	110	118	101	81	
Meningococcus meningitis (24)	107	29	13	4	5	4	16	3	8	4	5	3	3	5	5			
Tuberculosis of the respiratory system (31)	4,236	18	17	8	8	4	17	43	304	501	514	435	874	770	483	197	43	
Other forms of tuberculosis (32–37)	569	61	66	35	23	23	48	23	34	48	32	28	62	41	27	12	6	
Cancer and other malignant tumors (43–49)	6,852	6	6	3	10	6	11	17	19	40	63	119	673	1,529	2,115	1,603	631	1
Diabetes mellitus (57)	1,590	3	1	3		1	8	9	16	11	11	15	74	278	571	471	118	
Cerebral hemorrhage and softening (74, 83)	3,139	13	5	2	4	3	9	5	8	15	19	30	148	449	799	965	665	
Other [organic] diseases of the heart (90)	14,120	17	7	9	7	8	99	181	182	176	190	264	872	2,031	3,268	3,783	3,026	
Bronchitis (99)	320	83	7	6	2	2	1	2	1	2	2	2	8	29	22	54	97	
Broncho-pneumonia (100)	3,884	1,458	552	157	78	33	55	13	28	36	45	69	164	212	286	362	336	
Pneumonia (101)	4,569	361	294	95	62	34	78	49	83	134	152	218	644	776	747	523	318	1
Diarrhea and enteritis (113, 114)	1,140	894	129	14	12	3	10	3	4	5	4	4	15	12	11	11	9	
Appendicitis and typhlitis (117)	991	1	14	23	26	20	70	82	57	70	72	80	154	170	97	46	9	
Hernia, intestinal obstruction (118)	619	57	11	6	1	3	11	5	3	9	8	26	58	97	138	125	61	
Cirrhosis of the liver (122)	581		1				1	1	1	2	7	15	82	152	176	105	38	
Nephritis (128, 129)	6,016	4	1	7	3	4	21	25	55	73	80	130	481	899	1,417	1,416	1,200	
Diseases of the female genital organs (137–141)	277		1					1	3	8	19	31	101	65	33	12	3	
Puerperal septicemia (146)	216							1	12	49	54	45	52	2				1
Other puerperal causes (143–145, 147–150)	357								9	55	96	92	101	4				
Suicide (165–174)	866							1	16	71	90	91	180	181	146	67	22	1
Homicide (197–200)	320	4	2	2	2		3	2	18	44	62	53	70	35	17	6		
Automobile accidents [1] (188c)	1,047			6	35	39	217	86	43	41	55	31	105	126	125	88	50	
Automobile and railroad-train collision (part 188a)	8						2		2	1			3					
Automobile and street-car collision (part 188b)	14							1	2		2	1	2	5		1		
Other external causes (inclusions, see Table 5)	3,416	71	65	50	39	47	158	84	107	149	187	213	568	588	489	362	234	
All other causes	13,542	4,156	196	114	83	78	257	220	212	271	350	480	1,373	1,744	1,697	1,321	989	1
NEW YORK, N. Y. (COLORED), all causes	4,746	822	204	76	48	33	64	64	141	287	350	349	785	696	438	224	165	
Typhoid and paratyphoid fever (1)	8								1	2		1	2		1	1		
Measles (7)	54	14	21	8	6		3			2								
Scarlet fever (8)	2	1						1										
Whooping cough (9)	28	10	13	2	2	1												
Diphtheria (10)	22	1	5	4	4	3	3		1				1					
Influenza (11)	45	15	2	1		1	2		2	7	1	1	2	4	2	3	2	
Meningococcus meningitis (24)	6	2			1					1		1		1				
Tuberculosis of the respiratory system (31)	652	5	11	7	5	3	10	14	56	108	109	89	124	86	19	5	1	
Other forms of tuberculosis (32–37)	107	9	10	10	5	4	5	5	8	11	10	7	13	7	2		1	
Cancer and other malignant tumors (43–49)	210			1			1			4	9	11	44	67	36	22	15	
Diabetes mellitus (57)	53			1						3	1	2	10	15	15	6		
Cerebral hemorrhage and softening (74, 83)	119										3	4	25	29	29	18	11	
Other [organic] diseases of the heart (90)	661	2				1	6	8	17	10	14	28	126	172	127	86	64	
Bronchitis (99)	9	4							1			1			2	1		
Broncho-pneumonia (100)	375	206	86	21	8	4	3	1	1	3	5	5	8	12	4	4	4	
Pneumonia (101)	491	46	28	9	5	4	2	5	15	36	45	57	114	65	35	17	8	
Diarrhea and enteritis (113, 114)	79	69	5	2		1	1						1					
Appendicitis and typhlitis (117)	55	1				1	2	6	8	6	5	9	7	4	5	1		
Hernia, intestinal obstruction (118)	30	4	2		1		1	1			2	4	5	4	3	2	1	
Cirrhosis of the liver (122)	16										1	1	3	5	6			
Nephritis (128, 129)	325	1					1	4	1	5	10	15	64	86	79	27	32	
Diseases of the female genital organs (137–141)	56								2	4	14	9	22	5				
Puerperal septicemia (146)	33								1	10	9	6	7					
Other puerperal causes (143–145, 147–150)	44								5	9	9	9	11	1				
Suicide (165–174)	23										5	2	7	2	5	1	1	
Homicide (197–200)	64	1							7	16	18	8	10	4				
Automobile accidents [1] (188c)	35			2		2	6	4	1		2	5	5	4	3	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	197	10	5	2	3	4	8	11	9	17	25	23	37	26	11	3	3	
All other causes	947	421	16	6	8	4	10	4	5	33	53	51	137	97	54	26	22	
NEW YORK, N. Y. (BRONX BOROUGH), all causes	9,244	947	235	103	79	58	189	140	188	281	332	337	894	1,259	1,666	1,581	955	
Typhoid and paratyphoid fever (1)	16							3	6	2		1	2	2				
Measles (7)	105	13	36	28	8	5	13					1	1					
Scarlet fever (8)	15		5	2	1		6				1							
Whooping cough (9)	14	6	6	1	1													
Diphtheria (10)	48	4	8	8	6	5	12	1					2	1	1			
Influenza (11)	133	16	8	2	2	2	3	5	4	1	8	8	14	13	18	15	14	
Meningococcus meningitis (24)	15	2	1	1	2	1	2	1	1		2	1			1			
Tuberculosis of the respiratory system (31)	592	1	1		2		5	6	56	82	86	63	115	97	56	18	4	
Other forms of tuberculosis (32–37)	84	8	12	5	5	1	4	4	3	8	5	7	9	4	5	2	2	
Cancer and other malignant tumors (43–49)	983		1	1	3	2		3	4	6	7	18	91	230	288	253	76	
Diabetes mellitus (57)	199					1	2	1				3	12	32	73	61	14	
Cerebral hemorrhage and softening (74, 83)	346	3	1		1	1	2		1	4	3	3	14	44	97	108	64	
Other [organic] diseases of the heart (90)	2,046			1			13	33	28	30	36	35	141	285	481	555	408	
Bronchitis (99)	37	11	1	1		1							1	6	3	7	6	
Broncho-pneumonia (100)	481	168	57	18	13	4	8		2	5	4	5	21	25	46	57	48	
Pneumonia (101)	577	44	36	8	8	7	9	8	12	14	23	25	85	98	89	66	45	
Diarrhea and enteritis (113, 114)	131	92	20	2	4			1		2	1		2	1		3	3	
Appendicitis and typhlitis (117)	174		2	5	5	4	17	16	14	20	18	11	19	23	13	6	1	
Hernia, intestinal obstruction (118)	106	10	2	2			6			2	2	4	13	9	22	24	10	
Cirrhosis of the liver (122)	53										1		7	10	16	16	3	
Nephritis (128, 129)	633				1		4	2	7	18	15	13	48	84	151	177	113	
Diseases of the female genital organs (137–141)	45							1	1	1	4	5	20	9	3	1		
Puerperal septicemia (146)	35								1	9	9	9	6	1				
Other puerperal causes (143–145, 147–150)	46									8	10	14	14					
Suicide (165–174)	123								3	9	16	17	27	19	18	9	5	
Homicide (197–200)	29		1		1				5	2	6	1	9	2	1	1		
Automobile accidents [1] (188c)	119			2	1	6	22	7	4	7	7	4	15	17	14	9	4	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	313	7	12	4	2	11	24	11	10	16	16	22	42	50	43	22	21	
All other causes	1,746	562	25	12	13	7	37	37	26	35	52	67	164	197	227	171	114	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	25,891	3,074	783	360	230	177	506	350	488	678	731	880	2,360	3,504	4,550	4,277	2,941	2
Typhoid and paratyphoid fever (1)	38					1	3	1	5	9	6	2	2	7	2			
Measles (7)	251	59	106	39	17	8	18	1	1	1				1				
Scarlet fever (8)	28	1	5	3	4	3	6	2		2		2						
Whooping cough (9)	93	49	22	7	4	6	5											
Diphtheria (10)	241	17	43	49	30	31	62	6					1	1		1		
Influenza (11)	408	54	39	14	13	6	17	4	8	15	8	17	47	49	53	35	29	
Meningococcus meningitis (24)	34	6	4	1	2	2	9	1	2	1	2	1		2	1			
Tuberculosis of the respiratory system (31)	1,326	6	6	4	3	2	5	13	99	160	169	140	283	216	154	56	10	
Other forms of tuberculosis (32–37)	193	22	21	16	9	9	15	8	14	21	12	8	14	13	7	4		
Cancer and other malignant tumors (43–49)	2,333	1	2	2	3	1	4	6	9	20	20	42	216	516	720	546	225	
Diabetes mellitus (57)	631			2			4	2	9	7	5	6	31	113	224	190	38	
Cerebral hemorrhage and softening (74, 83)	1,166	7	2	2	3	1	4	2	3	5	5	8	52	168	294	370	240	
Other [organic] diseases of the heart (90)	5,474	11	6	2	6	2	34	79	68	62	71	108	328	792	1,278	1,429	1,198	
Bronchitis (99)	118	39		3	1				1		1	1	3	11	10	17	31	
Broncho-pneumonia (100)	1,591	624	249	75	33	15	25	8	16	15	17	40	57	81	115	116	105	
Pneumonia (101)	1,563	135	103	36	25	13	33	17	36	47	51	71	232	239	235	173	116	1
Diarrhea and enteritis (113, 114)	467	373	55	7	4		3	2	2	2	2	2	5	3	2	2	3	
Appendicitis and typhlitis (117)	348		7	12	9	8	26	27	23	18	24	31	50	58	35	19	1	
Hernia, intestinal obstruction (118)	183	15	2	2			2	2	2	2	2	8	16	31	43	39	17	
Cirrhosis of the liver (122)	206		1				1	1	1	1	3	4	30	55	58	38	13	
Nephritis (128, 129)	2,309	2	1	4	1	3	5	13	26	23	31	62	173	339	538	620	468	
Diseases of the female genital organs (137–141)	95									1	9	12	31	22	16	3	1	
Puerperal septicemia (146)	85								7	22	18	20	18					
Other puerperal causes (143–145, 147–150)	129								6	26	30	27	37	3				
Suicide (165–174)	214							1	4	19	27	18	48	41	39	12	5	
Homicide (197–200)	91	2		2			1	1	2	10	19	14	20	11	7	2		
Automobile accidents [1] (188c)	333			2	17	14	72	36	16	19	12	11	27	32	39	22	14	
Automobile and railroad-train collision (part 188a)	4								2				2					
Automobile and street-car collision (part 188b)	10								1		2	1		5		1		
Other external causes (inclusions, see Table 5)	1,082	25	32	29	16	15	53	32	38	51	55	74	180	162	135	113	72	
All other causes	4,847	1,626	77	47	30	37	99	85	87	119	130	150	457	533	545	469	355	1
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	1,039	208	50	14	11	5	16	16	23	60	62	64	156	134	103	73	44	
Typhoid and paratyphoid fever (1)	4									1		1	1		1			
Measles (7)	8	1	5	2														
Scarlet fever (8)	2	1						1										
Whooping cough (9)	7	2	4	1														
Diphtheria (10)	9		2	2	3	1	1											
Influenza (11)	18	8					2		1	3		1	1				2	
Meningococcus meningitis (24)	2	1								1								
Tuberculosis of the respiratory system (31)	118	1	3		1		1	4	11	22	18	17	21	12	6	1		
Other forms of tuberculosis (32–37)	12		1				1			3			5	2				
Cancer and other malignant tumors (43–49)	44										3	3	9	10	6	9	4	
Diabetes mellitus (57)	14									1			2	6	3	2		
Cerebral hemorrage and softening (74, 83)	21												3	4	8	2	4	
Other [organic] diseases of the heart (90)	159						3	4	4	1	4	8	27	38	31	26	13	
Bronchitis (99)	2	2																
Broncho-pneumonia (100)	88	48	22	6	1		1				2	1	1	4	1	1		
Pneumonia (101)	109	17	5	1	3		1	1	1	10	9	10	23	12	8	6	2	
Diarrhea and enteritis (113, 114)	29	25	2	1		1												
Appendicitis and typhlitis (117)	11					1	1	2	1	1	1	1	1		1	1		
Hernia, intestinal obstruction (118)	6	1	1		1							1		1	1			
Cirrhosis of the liver (122)	3												2	1				
Nephritis (128, 129)	69	1								2	2	1	8	10	23	10	12	
Diseases of the female genital organs (137–141)	10									2	1	2	3	2				
Puerperal septicemia (146)	6								1		1	1	3					
Other puerperal causes (143–145, 147–150)	14								1	4	2	4	2	1				
Suicide (165–174)	7											1	3	1	1	1		
Homicide (197–200)	7								1	1	4	1						
Automobile accidents [1] (188c)	5						1					1	1	1		1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	48	6	1	1	1	1		3	1	3	3	6	11	5	3	1	2	
All other causes	207	94	4		1	1	4	1	1	5	12	4	29	24	10	12	5	
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes	26,751	2,592	694	260	193	136	437	302	416	683	798	984	2,946	4,325	4,917	4,278	2,788	2
Typhoid and paratyphoid fever (1)	39			1		1		3	4	4	5	1	11	5	3	1		
Measles (7)	323	83	132	42	30	12	21	1		2								
Scarlet fever (8)	23	1	5	4	3	5	3					1	1					
Whooping cough (9)	66	30	19	11	5	1												
Diphtheria (10)	120	9	33	18	16	11	22	4	1		3		3					
Influenza (11)	247	21	20	4	5	3	8	3	6	6	6	6	29	36	35	32	27	
Meningococcus meningitis (24)	45	17	6	2	1		5	1	3	3	1		2	2	2			
Tuberculosis of the respiratory system (31)	1,806	9	9	3	2		6	21	112	195	135	170	382	362	231	98	21	
Other forms of tuberculosis (32–37)	237	27	27	11	6	10	25	12	13	16	14	10	33	18	8	4	3	
Cancer and other malignant tumors (43–49)	2,604	4	2		2	3	5	7	5	12	21	45	282	595	817	571	233	
Diabetes mellitus (57)	556	2	1	1			1	3	3	4	3	5	28	99	202	157	47	
Cerebral hemorrhage and softening (74, 83)	1,076	2	2			1	2	3	3	4	8	15	70	165	278	312	211	
Other [organic] diseases of the heart (90)	4,760	3	1	4	1	4	34	43	60	55	59	92	289	740	1,111	1,274	990	
Bronchitis (99)	125	24	5	2	1	1		1		1	1	1	3	9	4	25	47	
Broncho-pneumonia (100)	1,360	484	191	53	26	7	15	2	8	13	16	14	69	87	98	142	135	
Pneumonia (101)	1,860	137	119	40	18	9	22	20	29	59	60	90	257	344	323	211	122	
Diarrhea and enteritis (113, 114)	420	339	37	4	3	1	6		1	1	1	1	6	4	8	5	3	
Appendicitis and typhlitis (117)	315	1	3	6	10	7	15	28	11	19	20	24	62	56	34	15	4	
Hernia, intestinal obstruction (118)	236	25	2	1	1	2		1	1	3	2	12	25	44	52	42	23	
Cirrhosis of the liver (122)	241									1	3	10	40	68	71	33	15	
Nephritis (128, 129)	2,092	2		3	1		4	8	16	25	24	40	189	349	499	548	384	
Diseases of the female genital organs (137–141)	93		1						1	3	6	10	37	22	8	4	1	
Puerperal septicemia (146)	65							1	4	14	16	9	19	1				1
Other puerperal causes (143–145, 147–150)	114								2	13	33	35	30	1				
Suicide (165–174)	425								4	32	38	48	91	95	73	32	11	1
Homicide (197–200)	173	2	1		1		2		10	29	32	29	37	18	9	3		
Automobile accidents [1] (188c)	466			3	15	15	96	34	18	8	30	11	41	62	59	45	29	
Automobile and railroad-train collision (part 188a)	2									1			1					
Automobile and street-car collision (part 188b)	2							1					1					
Other external causes (inclusions, see Table 5)	1,637	23	14	14	12	16	63	29	38	64	90	97	289	331	256	193	108	
All other causes	5,223	1,347	64	33	34	27	82	76	63	96	121	208	619	812	736	531	374	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	3,317	565	135	52	31	26	42	40	103	206	267	263	563	507	294	128	95	
Typhoid and paratyphoid fever (1)	4								1	1			1			1		
Measles (7)	39	11	13	6	5		2			2								
Scarlet fever (8)																		
Whooping cough (9)	19	7	8	1	2	1												
Diphtheria (10)	13	1	3	2	1	2	2		1				1					
Influenza (11)	21	5	1			1			1	4			1	4	1	3		
Meningococcus meningitis (24)	4	1			1							1		1				
Tuberculosis of the respiratory system (31)	487	4	8	6	3	3	8	7	37	79	83	70	92	71	12	4		
Other forms of tuberculosis (32–37)	86	9	8	9	5	4	4	3	8	6	9	6	8	5	2			
Cancer and other malignant tumors (43–49)	139			1			1			2	5	6	31	50	28	9	6	
Diabetes mellitus (57)	33			1						2	1	1	7	7	11	3		
Cerebral hemorrhage and softening (74, 83)	89										3	4	19	22	21	14	6	
Other [organic] diseases of the heart (90)	435	2				1	2	4	12	8	9	19	91	121	73	50	43	
Bronchitis (99)	7	2							1			1			2	1		
Broncho-pneumonia (100)	256	146	59	11	5	4	1	1		2	3	3	6	6	3	3	3	
Pneumonia (101)	349	26	21	6	2	4	1	3	13	24	35	45	81	49	26	9	4	
Diarrhea and enteritis (113, 114)	44	40	1	1			1						1					
Appendicitis and typhlitis (117)	37	1					1	3	5	4	4	8	4	3	4			
Hernia, intestinal obstruction (118)	22	3	1				1	1			2	2	5	3	2	2		
Cirrhosis of the liver (122)	11										1	1	1	3	5			
Nephritis (128, 129)	226						1	3		2	7	11	51	71	50	14	16	
Diseases of the female genital organs (137–141)	43								2	2	11	7	18	3				
Puerperal septicemia (146)	25									10	7	5	3					
Other puerperal causes (143–145, 147–150)	29								4	4	7	5	9					
Suicide (165–174)	12										5		3	1	2		1	
Homicide (197–200)	53	1							5	14	14	6	9	4				
Automobile accidents [1] (188c)	28			1		2	5	4	1		2	4	3	3	3			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	130	4	2	1	2	1	6	8	8	14	19	17	21	16	8	2	1	
All other causes	676	302	10	6	5	3	6	3	4	26	40	41	97	64	41	13	15	
NEW YORK, N. Y. (QUEENS BOROUGH), all causes	7,833	894	192	71	60	46	162	95	153	199	268	282	689	1,056	1,351	1,345	969	1
Typhoid and paratyphoid fever (1)	8							1	1	2		2	1					
Measles (7)	62	17	19	7	6	6	5	1					1					
Scarlet fever (8)	14		4	2	1	1	3	1				1			1			
Whooping cough (9)	34	18	12	3	1													
Diphtheria (10)	43		6	5	8	4	16	3				1						
Influenza (11)	112	18	7	4	5	1			2	2	2	7	13	11	13	17	10	
Meningococcus meningitis (24)	13	4	2			1			2			1	1	1	1			
Tuberculosis of the respiratory system (31)	429		1	1	2	2	2	6	39	59	63	46	83	74	31	15	5	
Other forms of tuberculosis (32–37)	46	3	5	4	2	2	3		4	3	2	2	3	5	5	2	1	
Cancer and other malignant tumors (43–49)	767	1	1		2		2		1	4	14	13	74	158	234	184	78	1
Diabetes mellitus (57)	171	1					1	3	3		3	2	2	29	60	53	14	
Cerebral hemorrhage and softening (74, 83)	452	1					1		1	2	2	2	13	59	110	143	118	
Other [organic] diseases of the heart (90)	1,499	3		2		1	15	23	22	27	23	26	98	189	337	407	326	
Bronchitis (99)	32	6	1				1	1		1			1	3	3	5	10	
Broncho-pneumonia (100)	416	170	47	11	5	6	7	3	2	3	8	10	16	21	25	41	41	
Pneumonia (101)	467	42	31	8	9	5	9	3	5	13	16	26	57	79	83	60	21	
Diarrhea and enteritis (113, 114)	101	73	16	1	1		1					1	2	4	1	1		
Appendicitis and typhlitis (117)	140		2		2	1	12	11	11	12	10	12	21	28	12	3	3	
Hernia, intestinal obstruction (118)	76	6	5	1		1	3	1		2	1	2	2	12	15	16	9	
Cirrhosis of the liver (122)	66											1	5	16	24	14	6	
Nephritis (128, 129)	777					1	5	3	6	8	7	14	62	103	176	216	176	
Diseases of the female genital organs (137–141)	39									2	2	4	10	12	4	4	1	
Puerperal septicemia (146)	29									4	11	7	7					
Other puerperal causes (143–145, 147–150)	61									7	21	15	18					
Suicide (165–174)	98								4	9	9	8	15	24	17	11	1	
Homicide (197–200)	26							1	2	4	5	7	4	3				
Automobile accidents [1] (188c)	102				2	3	23	5	5	5	5	2	18	12	10	9	3	
Automobile and railroad-train collision (part 188a)	2						2											
Automobile and street-car collision (part 188b)	1								1									
Other external causes (inclusions, see Table 5)	282	13	8	2	8	5	15	9	12	13	24	18	46	32	32	19	26	
All other causes	1,468	518	25	20	6	6	36	20	30	17	40	52	116	181	156	125	120	
NEW YORK, N. Y. (RICHMOND BOROUGH), all causes	1,990	200	42	19	11	11	34	20	36	42	52	72	177	238	352	375	309	
Typhoid and paratyphoid fever (1)	5						1	1		1			2					
Measles (7)	19	7	7	3	1		1											
Scarlet fever (8)	1						1											
Whooping cough (9)	2	1	1															
Diphtheria (10)	8	1	1	1		1	3	1										
Influenza (11)	22	2		2	1	1	2		1		3	3	3	1		2	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	130	2		1					6	12	19	18	22	24	12	10	4	
Other forms of tuberculosis (32–37)	18	1	2		1	1	1	1		2		2	3	1	2		1	
Cancer and other malignant tumors (43–49)	192							1			2	3	14	37	58	53	24	
Diabetes mellitus (57)	39								1				2	7	13	11	5	
Cerebral hemorrhage and softening (74, 83)	108										1	2	2	16	20	34	33	
Other [organic] diseases of the heart (90)	408					1	4	3	5	3	2	4	24	38	84	128	112	
Bronchitis (99)	8	3													2		3	
Broncho-pneumonia (100)	67	24	13	4	3	1	1		1	1		1	2		2	6	8	
Pneumonia (101)	135	6	7	5	2		5	2	2	3	3	8	23	20	18	15	16	
Diarrhea and enteritis (113,114)	27	21	3			2			1									
Appendicitis and typhlitis (117)	21							1		2		2	4	6	3	3		
Hernia, intestinal obstruction (118)	20	1						1			1	1	2	1	6	4	3	
Cirrhosis of the liver (122)	17													4	8	4	1	
Nephritis (128, 129)	235						3		1		4	4	14	29	59	58	63	
Diseases of the female genital organs (137–141)	8								1	1			4		2			
Puerperal septicemia (146)	4										1		3					
Other puerperal causes (143–145, 147–150)	8								1	2	2	1	2					
Suicide (165–174)	10								1	2		1		2	1	3		
Homicide (197–200)	5											3	1	1				
Automobile accidents [1] (188c)	29					1	4	4		2	1	3	5	3	3	3		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	121	3	1	1	1	2	5	3	9	5	5	7	16	18	23	15	7	
All other causes	322	128	7	2	2	1	3	2	6	6	8	9	28	30	36	26	28	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ROCHESTER, N. Y., all causes	4,103	414	84	35	20	27	58	40	58	108	87	100	343	512	677	805	733	2
Typhoid and paratyphoid fever (1)	13	1							2	1	1		5	1	2			
Measles (7)	17	4	6		2	2	3											
Scarlet fever (8)	3			1		1				1								
Whooping cough (9)	24	14	6	2		1										1		
Diphtheria (10)	32	2	4	5	2	4	8	4	1		1	1						
Influenza (11)	71	6	7		2		3	1	4	1	1	4	7	8	4	13	10	
Meningococcus meningitis (24)	1											1						
Tuberculosis of the respiratory system (31)	144	1	1					2	5	16	13	11	33	33	23	4	2	
Other forms of tuberculosis (32–37)	44	3	4	4	3	2	3	3	3	2	4	1	4	3	2	3		
Cancer and other malignant tumors (43–49)	399				1				1	4	3	7	29	73	113	113	55	
Diabetes mellitus (57)	80				1				2			1	4	19	19	24	10	
Cerebral hemorrhage and softening (74, 83)	338	5											8	37	81	101	106	
Other [organic] diseases of the heart (90)	718	3					4	8	6	8	8	2	28	73	141	208	229	
Bronchitis (99)	29	10		1								1		2	2	3	10	
Broncho-pneumonia (100)	155	39	23	1	1	2		1	1	1	1	1	5	14	5	23	37	
Pneumonia (101)	209	12	10	2	1	2	1	1	8	5	9	8	36	33	32	28	21	
Diarrhea and enteritis (113, 114)	70	51	6	2								1	1		3	3	3	
Appendicitis and typhlitis (117)	58			2		4	4	2	2	10	5	3	8	8	5	5		
Hernia, intestinal obstruction (118)	52	3							1			2	7	11	14	10	4	
Cirrhosis of the liver (122)	28											2	2	3	8	10	3	
Nephritis (128, 129)	369		1		1	1		1	3	5	5	7	26	50	71	101	97	
Diseases of the female genital organs (137–141)	17									2		4	4	4	2	1		
Puerperal septicemia (146)	17									7	3	1	6					
Other puerperal causes (143–145, 147–150)	22								1	4	2	4	11					
Suicide (165–174)	45									1	3	3	12	8	13	4	1	
Homicide (197–200)	10	1			1		2			3			2	1				
Automobile accidents [1] (188c)	65			2	1	1	4	3	6	5	1	4	7	9	10	7	5	
Automobile and railroad-train collision (part 188a)	6										2		1	2	1			
Automobile and street-car collision (part 188b)	3									2						1		
Other external causes (inclusions, see Table 5)	150	3	5		2	2	7	3	6	10	6	9	13	18	19	22	25	
All other causes	914	256	11	13	2	5	19	11	6	20	19	22	84	102	107	120	115	2
SYRACUSE, N. Y., all causes	2,513	277	51	24	12	13	43	32	31	41	54	62	223	281	458	478	433	
Typhoid and paratyphoid fever (1)	3										1			2				
Measles (7)	4	1	1	1			1											
Scarlet fever (8)																		
Whooping cough (9)	28	16	9	2	1													
Diphtheria (10)	3	1		1	1													
Influenza (11)	23	2	2	1				1	3	1	1	2	3		3	3	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	70	1	2						8	4	4	9	18	11	6	6	1	
Other forms of tuberculosis (32–37)	21	1	3	1	1	1	3	1	1	1	2	2	2		1	1		
Cancer and other malignant tumors (43–49)	223										1	3	21	40	74	58	26	
Diabetes mellitus (57)	48					2	1						1	3	18	13	10	
Cerebral hemorrhage and softening (74, 83)	189										1	1	5	17	48	68	49	
Other [organic] diseases of the heart (90)	555		1	1		1	6	2	1	3	6	35	58	104	159	178		
Bronchitis (99)	21	8	1			1							1	1	2	2	4	
Broncho-pneumonia (100)	82	24	7	5	1		1		1			4	5	4	8	6	16	
Pneumonia (101)	140	6	6	1	1	1	1	1	4	4	5	23	24	28	17	18		
Diarrhea and enteritis (113, 114)	32	21	3	2	1	1	1	1						1	1			
Appendicitis and typhlitis (117)	36					1	6	3		2		3	6	3	7	4	1	
Hernia, intestinal obstruction (118)	21	2							2			2		3	5	3	4	
Cirrhosis of the liver (122)	16											1		6	5	1	3	
Nephritis (128, 129)	166						1				5	3	12	25	44	46	30	
Diseases of the female genital organs (137–141)	15											1	6	3	4	1		
Puerperal septicemia (146)	13								1	1	5	3	3					
Other puerperal causes (143–145, 147–150)	11								1	1	2	1	6					
Suicide (165–174)	24								1		3	2	3	4	8	1	2	
Homicide (197–200)	7									2	2			3				
Automobile accidents [1] (188c)	44					2	7	2	3	5	4		6	3	5	6	1	
Automobile and railroad-train collision (part 188a)	1											1						
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	108	4	2	2	1	1	2	8	2	4	7	3	14	16	11	15	16	
All other causes	609	190	15	6	6	3	18	8	6	14	9	10	53	54	76	68	73	
YONKERS, N. Y., all causes	1,215	170	30	18	9	14	29	17	32	34	35	44	106	165	195	180	137	
Typhoid and paratyphoid fever (1)																		
Measles (7)	15	4	6	4		1												
Scarlet fever (8)	8		1	1		1	3			2								
Whooping cough (9)	1	1																
Diphtheria (10)	16		3	1	2	1	7	1						1				
Influenza (11)	17	1	2			1	1	1			1	1	3	1	4		1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	82	2		3		1		1	7	11	11	8	17	10	10	1		
Other forms of tuberculosis (32–37)	9			2		2	1					1	2		1			
Cancer and other malignant tumors (43–49)	99			1						1		2	9	19	27	26	14	
Diabetes mellitus (57)	30								1			1	2	7	8	8	3	
Cerebral hemorrhage and softening (74, 83)	88							1			1	1	3	14	17	27	24	
Other [organic] diseases of the heart (90)	187						1	2	6	6		3	10	28	37	45	49	
Bronchitis (99)	4															2	2	
Broncho-pneumonia (100)	51	27	6	1	1		1						1	1	4	3	6	
Pneumonia (101)	100	4	3	1	1		2	3	3		5	8	18	16	22	8	6	
Diarrhea and enteritis (113, 114)	28	20	6			1	1											
Appendicitis and typhlitis (117)	13					1	2		2	1			1	3	2	1		
Hernia, intestinal obstruction (118)	12	2							1	1	2			2		3	1	
Cirhosis of the liver (122)	10											1	2	2	2	3		
Nephritis (128, 129)	99					1		1	1	2	2	2	4	22	25	25	14	
Diseases of the female genital organs (137–141)	2													1		1		
Puerperal septicemia (146)	6								2			1	3					
Other puerperal causes (143–145, 147–150)	7									1	2	2	2					
Suicide (165–174)	11										2	2	3	4				
Homicide (197–200)	2											2						
Automobile accidents [1] (188c)	19					1	3	1		1	4	1	2	3	2	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	51	1	2	2	1			2	3	1		2	10	11	6	4	6	
All other causes	248	108	1	2	4	3	7	4	6	7	5	6	14	20	28	22	11	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
AKRON, OHIO, all causes	2,060	392	60	33	29	20	62	34	39	83	100	95	181	207	219	295	211	--
Typhoid and paratyphoid fever (1)	4						1	1				1	1					
Measles (7)	31	8	4	5	6		3	1	1	1	1					1		
Scarlet fever (8)	11	1	1		2	3	4											
Whooping cough (9)	30	16	5	3	2	3	1											
Diphtheria (10)	9	2			1	1	3	1					1					
Influenza (11)	60	10	2	2	2	1		2	2		3	3	7	8	7	7	4	
Meningococcus meningitis (24)	1								1							1		
Tuberculosis of the respiratory system (31)	91			1			1	1	6	16	19	13	14	9	7	4		
Other forms of tuberculosis (32–37)	23	2	2		2	1	1		3	3	2	3	3		1			
Cancer and other malignant tumors (43–49)	126					1				2		1	10	29	30	34	19	
Diabetes mellitus (57)	32						1			2	4	1	2	3	11	8		
Cerebral hemorrhage and softening (74, 83)	122										1	2	4	15	20	44	36	
Other [organic] diseases of the heart (90)	298						2	5	5	6	4	11	21	42	48	79	75	
Bronchitis (99)	6	4														1	1	
Broncho-pneumonia (100)	99	57	13	5	2	1	2	2			1		3	2	2	2	7	
Pneumonia (101)	89	14	7	5	3		6		3	1	7	5	7	9	10	8	4	
Diarrhea and enteritis (113, 114)	56	41	4	3	1	1							1	1	1	3		
Appendicitis and typhlitis (117)	36		2		1	1	4	4	4	6	2	2	5	4		1		
Hernia, intestinal obstruction (118)	30	3				1	2			1	3	1	5	5	5	3	1	
Cirrhosis of the liver (122)	11													4	2	5		
Nephritis (128, 129)	103	1					1	3		3			5	8	9	20	34	19
Diseases of the female genital organs (137–141)	26									1	3	2	7	7	5	1		
Puerperal septicemia (146)	15								1	6	5	2	1					
Other puerperal causes (143–145, 147–150)	12									2	4	2	4					
Suicide (165–174)	34								1	1	4	6	11	6	2	3		
Homicide (197–200)	21	1								3	4	5	6	2				
Automobile accidents [1] (188c)	62	1		1	1	2	14		2	5	5	5	4	7	5	7	3	
Automobile and railroad-train collision (part 188a)	3			1								2						
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	97	2	6	3	2	1	5	3	4	10	8	5	15	11	2	8	12	
All other causes	522	229	14	4	4	3	11	11	7	13	20	18	41	34	41	42	30	
CINCINNATI, OHIO (WHITE), all causes	6,079	623	97	54	40	27	86	50	91	147	169	164	480	649	970	1,281	1,151	
Typhoid and paratyphoid fever (1)	7						1		1	2	1		2					
Measles (7)	41	16	12	7	4	1	1											
Scarlet fever (8)	8		1	2	1		2			1	1							
Whooping cough (9)	34	21	6	4	2		1											
Diphtheria (10)	19	2	2	1	3	3	4	1	1		2							
Influenza (11)	157	13	4	3	1	1	3	1	1	7	7	8	13	12	23	25	35	
Meningococcus meningitis (24)	1					1												
Tuberculosis of the respiratory system (31)	277		1		1	1	1	2	23	29	32	33	59	39	31	20	5	
Other forms of tuberculosis (32–37)	59	5	7	3	4	4	7	1	1	4	2	2	7	7	2	3		
Cancer and other malignant tumors (43–49)	563			1	1		2	1		3	8	5	46	98	133	170	95	
Diabetes mellitus (57)	131							1	2	2	1	1	4	16	44	36	24	
Cerebral hemorrhage and softening (74, 83)	489								1		1	2	14	62	111	154	144	
Other [organic] diseases of the heart (90)	966						2	3	6	8	8	11	45	90	200	291	302	
Bronchitis (99)	28	3	2	1										1		3	18	
Broncho-pneumonia (100)	150	46	19	1	2	2	3	1			1	1	6	3	7	27	31	
Pneumonia (101)	270	24	9	7	3	1	6	2	5	2	6	12	17	24	34	67	51	
Diarrhea and enteritis (113, 114)	180	136	21	5	2		1						2	4		5	4	
Appendicitis and typhlitis (117)	90				1	2	2	4	8	7	3	9	14	17	16	7		
Hernia, intestinal obstruction (118)	85	7		2			2			2	4	2	7	13	19	17	10	
Cirrhosis of the liver (122)	51											1	2	9	12	19	8	
Nephritis (128, 129)	634	2			1		1	3	2	4	8	2	35	54	118	214	190	
Diseases of the female genital organs (137–141)	42										4	3	20	11	4			
Puerperal septicemia (146)	38								4	11	10	5	8					
Other puerperal causes (143–145, 147–150)	37								3	5	10	8	11					
Suicide (165–174)	76							1	1	7	1	7	17	12	16	11	3	
Homicide (197–200)	32								2	5	6	3	10	4	2			
Automobile accidents [1] (188c)	100		1		4	4	15	2	6	8	3	2	11	11	14	11	8	
Automobile and railroad-train collision (part 188a)	5										1	1	3					
Automobile and street-car collision (part 188b)	4											1			2	1		
Other external causes (inclusions, see Table 5)	277	5	3	7	5	4	10	12	9	14	11	12	27	32	33	44	49	
All other causes	1,228	343	9	10	5	3	22	15	15	26	38	33	100	130	149	156	174	
CINCINNATI, OHIO (COLORED), all causes	1,025	141	42	16	10	4	11	12	33	74	75	73	155	161	110	59	49	
Typhoid and paratyphoid fever (1)	4						1			1	1				1			
Measles (7)	3	1	1	1														
Scarlet fever (8)																		
Whooping cough (9)	11	6	4	1														
Diphtheria (10)																		
Influenza (11)	37	5	4	1					1	2	3	3	7	7	1	1	2	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	157	1	1		1		2	7	18	32	30	16	28	13	7	1		
Other forms of tuberculosis (32–37)	26		3	1	1		1		1	9	2	1	2	5				
Cancer and other malignant tumors (43–49)	38								1	1	1		4	10	12	6	3	
Diabetes mellitus (57)	4												1	1	1		1	
Cerebral hemorrhage and softening (74, 83)	46					1							10	11	14	5	5	
Other [organic] diseases of the heart (90)	120							1		3	4	7	11	33	29	19	13	
Bronchitis (99)	2										1			1				
Broncho-pneumonia (100)	45	15	13	2	3		1				3			2	2	4		
Pneumonia (101)	83	16	5	5			3		4	6	1	8	11	11	4	6	3	
Diarrhea and enteritis (113, 114)	20	15	2		1								1	1				
Appendicitis and typhlitis (117)	12								1	1		2	2	4	2			
Hernia, intestinal obstruction (118)	11	3	1						1		1		3	2				
Cirrhosis of the liver (122)	2												1	1				
Nephritis (128, 129)	98	1					1			1	3	5	21	28	17	6	15	
Diseases of the female genital organs (137–141)	9											1	5	1	2			
Puerperal septicemia (146)	10									2	3	3	2					
Other puerperal causes (143–145, 147–150)	5								1	1		2	1					
Suicide (165–174)	3									1	1		1					
Homicide (197–200)	43							1	1	10	9	10	8	3	1			
Automobile accidents [1] (188c)	9					1	2				1	1	2	1		1		
Automobile and railroad-train collision (part 188a)	3							2			1							
Automobile and street-car collision (part 188b)	1									1								
Other external causes (inclusions, see Table 5)	34		1	1	4	1			2	1	1	2	7	7	3	1	3	
All other causes	188	77	7	4		1		1	2	2	9	12	27	19	14	9	4	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CLEVELAND, OHIO (WHITE), all causes	9,296	1,203	276	136	100	72	243	143	188	243	329	406	1,047	1,191	1,345	1,365	1,009	
Typhoid and paratyphoid fever (1)	12			2				1	4	2	2				1			
Measles (7)	91	16	37	22	8	2	5	1										
Scarlet fever (8)	34	1	2	3	4	5	10	2	3	1		2	1					
Whooping cough (9)	73	35	21	7	4	1	3	1			1							
Diphtheria (10)	178	9	19	23	33	16	56	15	4	1	1		1					
Influenza (11)	185	18	8	2	2		6	7	7	5	3	13	33	20	16	20	25	
Meningococcus meningitis (24)	3		1	1			1											
Tuberculosis of the respiratory system (31)	530		3	2	1		3	5	32	71	68	63	135	74	45	21	7	
Other forms of tuberculosis (32–37)	91	4	7	7	2	4	7	5	6	4	7	6	16	8	5	2	1	
Cancer and other malignant tumors (43–49)	848	2	1	2	2		1	2	6	7	12	21	91	169	244	195	93	
Diabetes mellitus (57)	156						2	2	2	3	1	3	11	22	47	45	18	
Cerebral hemorrhage and softening (74, 83)	547	2	2				1	1	1		4	4	19	73	116	173	151	
Other [organic] diseases of the heart (90)	1,229			2		2	12	15	21	16	16	32	98	180	257	317	261	
Bronchitis (99)	53	14	6		1		1							5	2	8	16	
Broncho-pneumonia (100)	456	168	73	16	12	7	7	2	1	1	5	9	20	23	21	49	42	
Pneumonia (101)	491	38	23	10	4	6	4	7	10	7	24	29	66	77	62	71	53	
Diarrhea and enteritis (113, 114)	170	115	28	2	3		3		1	1		1	3	5	4	2	2	
Appendicitis and typhlitis (117)	145			1	2	4	9	10	9	9	17	24	24	19	11	4	2	
Hernia, intestinal obstruction (118)	105	15		3	1				1	6	1	4	9	11	28	18	8	
Cirrhosis of the liver (122)	62	1											13	13	12	16	7	
Nephritis (128, 129)	602	3		1			2	2	6	5	10	15	57	88	143	157	113	
Diseases of the female genital organs (137–141)	52									1	4	6	27	9	4		1	
Puerperal septicemia (146)	48								3	9	14	10	11	1				
Other puerperal causes (143–145, 147–150)	61								2	11	18	14	14	2				
Suicide (165–174)	141							1	5	13	13	20	27	33	15	10	4	
Homicide (197–200)	66						1	1	7	12	15	7	11	7	3	2		
Automobile accidents [1] (188c)	244	1		3	2	9	41	14	10	14	10	16	22	39	32	26	5	
Automobile and railroad-train collision (part 188a)	10										1	1	2	4	2			
Automobile and street-car collision (part 188b)	10								1	1		3	3	1	1			
Other external causes (inclusions, see Table 5)	400	9	8	12	6	10	18	15	17	8	24	24	71	53	45	37	43	
All other causes	2,203	752	37	15	13	6	50	34	29	35	58	79	262	255	229	192	157	
CLEVELAND, OHIO (COLORED), all causes	1,344	193	63	29	15	15	25	15	42	88	112	145	247	185	92	52	26	
Typhoid and paratyphoid fever (1)	4								1	1	2							
Measles (7)	18	2	10	3	1	1				1								
Scarlet fever (8)	1						1											
Whooping cough (9)	32	15	11	5			1											
Diphtheria (10)	13	1	1	4	2	2	2	1										
Influenza (11)	41	7	1	2	3		1		1	1	2	7	11	1	3	1		
Meningococcus meningitis (24)	2	1				1												
Tuberculosis of the respiratory system (31)	187	1	3	1	1	2	2	1	17	37	37	26	39	15	5			
Other forms of tuberculosis (32–37)	46	2	7	4	1	5	5	1	2	6	3	2	5	2		1		
Cancer and other malignant tumors (43–49)	35										1	2	5	16	1	8	2	
Diabetes mellitus (57)	6				1						1		2	1		1		
Cerebral hemorrhage and softening (74, 83)	54	1						1			1	6	8	12	11	10	4	
Other [organic] diseases of the heart (90)	120				1			3	3	1	2	13	27	30	22	12	6	
Bronchitis (99)	5	1		1											2	1		
Broncho-pneumonia (100)	87	38	9	6	1	2	4			1	2	6	6	4	4	2	2	
Pneumonia (101)	127	5	8	1		1	1	1	3	9	10	22	31	25	8	2		
Diarrhea and enteritis (113, 114)	30	16	8	1			1				2		1		1			
Appendicitis and typhlitis (117)	9							1			1	2	3	1	1			
Hernia, intestinal obstruction (118)	7	1									1		4	1				
Cirrhosis of the liver (122)	4											1	1	1		1		
Nephritis (128, 129)	74	1							1	1	1	8	18	15	12	7	10	
Diseases of the female genital organs (137–141)	19								1	1	4	5	6	1	1			
Puerperal septicemia (146)	8								3	1	2		2					
Other puerperal causes (143–145, 147–150)	9								2	2	2	1	2					
Suicide (165–174)	4									2		2						
Homicide (197–200)	54								1	7	13	14	15	3	1			
Automobile accidents [1] (188c)	21				1		2	1	2	1	1	1	7	4	1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1										1							
Other external causes (inclusions, see Table 5)	36	1	2		1		1	1		4	3	5	4	10	2	2		
All other causes	290	100	3	1	2	1	4	4	5	12	20	22	50	43	17	4	2	
COLUMBUS, OHIO, all causes	3,968	424	79	36	30	22	74	61	97	153	141	143	387	489	549	688	595	
Typhoid and paratyphoid fever (1)	5								2	1	1					1		
Measles (7)	49	11	15	5	4	1	11	2										
Scarlet fever (8)	5					1	2	1	1									
Whooping cough (9)	10	6	3	1														
Diphtheria (10)	31		3	2	7	2	6	4	4	1	2							
Influenza (11)	54	4	1			2				3	3	1	10	5	10	7	8	
Meningococcus meningitis (24)	2	1					1											
Tuberculosis of the respiratory system (31)	214	1	1		1		5	7	16	33	28	23	42	14	22	13	8	
Other forms of tuberculosis (32–37)	43	5	3			1	1	2	7	3	6	6	2	2	3	2		
Cancer and other malignant tumors (43–49)	326										3	7	31	55	95	98	37	
Diabetes mellitus (57)	60							1	1	2	2	2	3	6	20	20	3	
Cerebral hemorrhage and softening (74, 83)	248	3			1				1			3	14	27	47	85	67	
Other [organic] diseases of the heart (90)	571		2		1	2	5	4	5	7	13	7	50	93	93	152	137	
Bronchitis (99)	7														2	1	4	
Broncho-pneumonia (100)	147	41	20	7	5	3	6	2	1	2	1		5	3	5	14	32	
Pneumonia (101)	107	5	3	3	1		2	3	2	4	5	3	13	18	13	12	20	
Diarrhea and enteritis (113, 114)	104	83	11	2		1	1	1						1	1	2	1	
Appendicitis and typhlitis (117)	96			1		1	3	7	7	8	11	8	16	22	8	4		
Hernia, intestinal obstruction (118)	51	4	1	1			2	2	2	1	1	2	8	7	5	11	4	
Cirrhosis of the liver (122)	18										1			5	5	5	2	
Nephritis (128, 129)	256	1	1					2	3	6	4	3	23	36	56	70	51	
Diseases of the female genital organs (137–141)	50								2	6	3	8	17	8	3	2	1	
Puerperal septicemia (146)	18								3	3	4	4	4					
Other puerperal causes (143–145, 147–150)	42								5	9	5	11	12					
Suicide (165–174)	49							1	1	6	5	6	8	7	5	9	1	
Homicide (197–200)	21	1						1		4	6	3	2	4				
Automobile accidents [1] (188c)	70		1	1			6	3	6	7	1	2	8	7	8	13	7	
Automobile and railroad-train collision (part 188a)	3										2					1		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	171	10	5	3	3	4	6	5	4	9	9	8	18	20	16	22	29	
All other causes	1,140	248	10	10	6	4	17	13	24	38	25	36	101	149	132	144	183	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DAYTON, OHIO, all causes	2,162	264	47	22	18	19	44	26	48	67	75	69	176	223	348	391	325	
Typhoid and paratyphoid fever (1)	4			1	1				1					1				
Measles (7)	23	3	6	4	2	3	3	1									1	
Scarlet fever (8)	2					1	1											
Whooping cough (9)	14	6	4	2	1		1											
Diphtheria (10)	14		2	2	4	1	2	1	2									
Influenza (11)	43	6	5	1		1		2	1		2	1	6	2	5	7	4	
Meningococcus meningitis (24)	4						1		1				1			1		
Tuberculosis of the respiratory system (31)	105					1			9	15	13	11	23	15	11	6	1	
Other forms of tuberculosis (32–37)	38	2	4	1			4	4	2	3	5	3	7	1	2			
Cancer and other malignant tumors (43–49)	195				1						2	4	16	29	55	52	36	
Diabetes mellitus (57)	45						2		1				3	7	13	12	7	
Cerebral hemorrhage and softening (74, 83)	153		1						1			1	1	4	11	33	46	55	
Other [organic] diseases of the heart (90)	351		2		1		1	2	1	7	8	3	15	37	75	103	96	
Bronchitis (99)	6	1		1													4	
Broncho-pneumonia (100)	92	39	11	3				1		3	1	1	2	3	7	9	12	
Pneumonia (101)	86	4	1	3	1	1	1	1	1	8	2	9	13	11	14	10	6	
Diarrhea and enteritis (113, 114)	56	43	7	1								1					4	
Appendicitis and typhlitis (117)	41				2		4	2	4	5	4	3	2	4	7	4		
Hernia, intestinal obstruction (118)	29	3								1	1	3	4	5	2	5	5	
Cirrhosis of the liver (122)	14												1	3	5	3	2	
Nephritis (128, 129)	136	1			1			1	1	1		2	8	13	38	41	29	
Diseases of the female genital organs (137–141)	19								1	2	3	2	6	4	1			
Puerperal septicemia (146)	13								3	3	4	2	1					
Other puerperal causes (143–145, 147–150)	9								1		3	4	1					
Suicide (165–174)	18											1	3	2	9	3		
Homicide (197–200)	11						1	1		2	1		3	3				
Automobile accidents[1] (188c)	52			1		2	6	2	3	2	3	3	5	5	7	11	2	
Automobile and railroad-train collision (part 188a)	3										1		1		1			
Automobile and street-car collision (part 188b)	13	1	1		2	1	2			2			2	1	1			
Other external causes (inclusions, see Table 5)	121	9		1	2	6	5	3	7	4	6	6	14	17	8	17	16	
All other causes	452	146	3	1		2	10	5	8	9	15	9	35	49	54	61	45	
TOLEDO, OHIO, all causes	3,733	448	66	26	24	24	53	48	53	122	116	142	390	456	564	640	560	1
Typhoid and paratyphoid fever (1)	14						1	2	1	3			6		1			
Measles (7)	21	6	8	3	3							1						
Scarlet fever (8)	9	2		3	1		2						1					
Whooping cough (9)	16	10	4	1		1												
Diphtheria (10)	25		4	3	2	5	3	4	1		1				2			
Influenza (11)	77	12	4	1		1	2	1		2	2	5	9	7	8	15	8	
Meningococcus meningitis (24)	3				1	1		1										
Tuberculosis of the respiratory system (31)	263	2	3	1		1	1	2	14	30	31	26	66	40	23	14	9	
Other forms of tuberculosis (32–37)	37	3	2		1	2	3	4		2	3	3	3	3	5	2	1	
Cancer and other malignant tumors (43–49)	307		1						1	2	3	11	32	66	80	83	28	
Diabetes mellitus (57)	56	1	1				1	1			1	3	3	11	13	18	3	
Cerebral hemorrhage and softening (74, 83)	283								1	1	1	2	17	28	53	97	83	
Other [organic] diseases of the heart (90)	494							1	3	7	5	8	27	82	117	131	113	
Bronchitis (99)	20	3	2													6	9	
Broncho-pneumonia (100)	137	48	12	3	1	1	2	1	1	2	1	3	3	5	11	13	30	
Pneumonia (101)	141	15	7	1	2	1		1		5	6	11	21	17	14	22	18	
Diarrhea and enteritis (113, 114)	99	79	9			1	1					1	1	1	3		3	
Appendicitis and typhlitis (117)	57						2	9	3	6	6	8	11	6	2	3	1	
Hernia, intestinal obstruction (118)	52	5					1					3	6	12	12	6	7	
Cirrhosis of the liver (122)	22									1		2	4	3	4	5	3	
Nephritis (128, 129)	228		1				1		1	2	7	1	20	29	62	55	49	
Diseases of the female genital organs (137–141)	33							1		2	6	2	6	7	7	2		
Puerperal septicemia (146)	12								2	6	1	1	2					
Other puerperal causes (143–145, 147–150)	32								4	9	8	6	5					
Suicide (165–174)	39									2	2	5	13	9	6	1	1	
Homicide (197–200)	33								1	5	4	9	6	4	2	2		
Automobile accidents[1] (188c)	74	1		1	1	3	7	3	4	6	2	4	14	12	5	7	4	
Automobile and railroad-train collision (part 188a)	9			1		1	1			1	2		3	1				
Automobile and street-car collision (part 188b)	1													1				
Other external causes (inclusions, see Table 5)	186	9	2	2	6	2	11	5	3	11	6	7	20	21	29	21	31	
All other causes	953	252	6	6	6	4	14	12	13	17	18	20	91	92	105	137	159	1
YOUNGSTOWN, OHIO, all causes	1,770	332	50	23	17	10	26	40	33	56	72	100	210	208	208	209	176	
Typhoid and paratyphoid fever (1)	1														1			
Measles (7)	14	5	4	1	3	1												
Scarlet fever (8)	8	1		1	1		1	1	1	2								
Whooping cough (9)	28	17	5	2	2	2												
Diphtheria (10)	2		1						1									
Influenza (11)	36	3	2	1			1		1	2	1	4	7	4	2	5	3	
Meningococcus meningitis (24)	3	1								1				1				
Tuberculosis of the respiratory system (31)	71	1						3	8	7	14	5	17	8	5	2	1	
Other forms of tuberculosis (32–37)	11		1	1			1				1	2	1	2	1	1		
Cancer and other malignant tumors (43–49)	127						1				2	3	15	27	34	26	19	
Diabetes mellitus (57)	27					1				1		2	2	3	11	6	1	
Cerebral hemorrhage and softening (74, 83)	125								1			2	4	16	29	40	33	
Other [organic] diseases of the heart (90)	197			1		1	2	5		3	4	1	22	34	36	47	41	
Bronchitis (99)	10	2					1	1					1		2		3	
Broncho-pneumonia (100)	122	70	14	2	2							2	5	4	4	6	13	
Pneumonia (101)	132	20	6	3	1		1	3	2	8	8	12	22	18	9	11	8	
Diarrhea and enteritis (113, 114)	55	40	7	3	1		1						1				2	
Appendicitis and typhlitis (117)	46			1	2		2	3	1	3	5	4	12	6	4	2	1	
Hernia, intestinal obstruction (118)	26	3	1		1		1	1				1	2	3	5	7	1	
Cirrhosis of the liver (122)	12												4		5	1	2	
Nephritis (128, 129)	67							2	1	2	1	4	2	15	12	15	13	
Diseases of the female genital organs (137–141)	29								1	1	4	6	6	7	2	1	1	
Puerperal septicemia (146)	15								3	1	2	5	4					
Other puerperal causes (143–145, 147–150)	21									3	4	9	5					
Suicide (165–174)	17								3		3	2		4	4	1		
Homicide (197–200)	27										9	6	10	2				
Automobile accidents[1] (188c)	42			1			5	2	1	7	2	3	3	8	4	6		
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	120	4	5	5	1	3	4	7	4	9	6	13	22	13	8	8	8	
All other causes	378	165	4	1	3	2	5	12	5	6	6	14	43	32	30	24	26	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PORTLAND, OREG., all causes	3,377	189	23	18	12	10	59	47	61	70	119	124	321	411	605	713	595	
Typhoid and paratyphoid fever (1)	8									1	2	2	1	1	1			
Measles (7)	5		1			1	2	1										
Scarlet fever (8)	5		1				2		2									
Whooping cough (9)	4	3						1										
Diphtheria (10)	25	1	1	6	3		8	3	2		1							
Influenza (11)	44	3		2		1	1	1	1	1	1	4	7	4	8	7	3	
Meningococcus meningitis (24)	12	1					4		3		1		1	1	1			
Tuberculosis of the respiratory system (31)	109							2	12	14	14	14	19	17	10	5	2	
Other forms of tuberculosis (32–37)	49	3	3	2	3		4	2	2	5	7	2	5	4	3	4		
Cancer and other malignant tumors (43–49)	443			1			2	1		2	4	8	34	80	115	139	57	
Diabetes mellitus (57)	71								1	2	2	2	6	8	27	14	9	
Cerebral hemorrhage and softening (74, 83)	259					1					1	2	8	23	39	91	94	
Other [organic] diseases of the heart (90)	492		1	1			3	4	5	8	11	7	24	45	99	146	138	
Bronchitis (99)	8	1														2	5	
Broncho-pneumonia (100)	96	11	4	3		1	1	1	1	1	1	2	8	5	12	20	25	
Pneumonia (101)	129	6	1	2		1	2	5		6	2	8	13	23	22	23	15	
Diarrhea and enteritis (113, 114)	24	10	2				2				1	1	2	1	2	2	1	
Appendicitis and typhlitis (117)	46	1				2	6	3		2	3	7	5	7	8	2		
Hernia, intestinal obstruction (118)	32	1					2				1	1	3	6	5	7	6	
Cirrhosis of the liver (122)	17												4	3	5	3	2	
Nephritis (128, 129)	258	2						1	2	1	3	4	25	30	48	70	72	
Diseases of the female genital organs (137–141)	22									1	4	1	9	3	1	3		
Puerperal septicemia (146)	15								1	2	5	5	2					
Other puerperal causes (143–145, 147–150)	17								1	2	5	6	3					
Suicide (165–174)	75								1		3	5	23	20	10	10	3	
Homicide (197–200)	14									2	3	4	1	3	1			
Automobile accidents [1] (188c)	52	1			2	1	6	3	5	1	3	4	6	2	5	9	4	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	3										1		2					
Other external causes (inclusions, see Table 5)	145	4					6	3	5	7	18	9	29	17	9	14	24	
All other causes	898	141	9	1	4	2	8	16	17	12	22	26	81	108	174	142	135	
PHILADELPHIA, PA. (WHITE), all causes	23,644	2,354	580	255	178	122	410	233	384	513	599	732	1,951	3,057	4,286	4,354	3,634	2
Typhoid and paratyphoid fever (1)	33						1	1	4	7	2	2	8	5	2		1	
Measles (7)	147	37	45	29	15	7	14											
Scarlet fever (8)	41	1	7	4	3	4	11	5		1		3	2					
Whooping cough (9)	66	31	20	7	3	2	3											
Diphtheria (10)	240	15	41	44	27	26	71	6	2	1	5		1	1				
Influenza (11)	442	61	44	5	7	1	20	4	9	4	4	9	39	38	65	66	66	
Meningococcus meningitis (24)	15	2	4		1				1			1	1	1	2	1		
Tuberculosis of the respiratory system (31)	1,212	8	6	5	1		5	12	66	148	124	130	238	227	160	61	20	1
Other forms of tuberculosis (32–37)	152	17	13	11	4	1	12	3	12	4	15	16	19	14	5	5	1	
Cancer and other malignant tumors (43–49)	2,243	3	1	2	2	1	6	6	6	13	21	36	133	463	676	568	256	
Diabetes mellitus (57)	439						2	6	7	3	1	5	26	69	147	131	42	
Cerebral hemorrhage and softening (74, 83)	1,290	2	1	1				1	1	5	3	9	51	151	319	404	342	
Other [organic] diseases of the heart (90)	4,621	9	2	1		6	29	22	47	37	53	71	226	604	1,012	1,317	1,184	1
Bronchitis (99)	170	33	6	2			1		1	1		1	3	4	18	30	70	
Broncho-pneumonia (100)	1,182	394	147	31	15	18	18	8	5	7	7	13	55	79	117	115	153	
Pneumonia (101)	1,337	123	95	35	17	9	23	13	25	28	32	51	151	191	219	185	140	
Diarrhea and enteritis (113, 114)	448	322	55	11	10	2	4	1	1	1	2	2	6	4	8	10	9	
Appendicitis and typhlitis (117)	307	1		4	6	2	13	29	28	25	29	28	59	34	32	11	6	
Hernia, intestinal obstruction (118)	262	23	4	4	3	1	5	1	4	3	5	11	26	35	56	48	33	
Cirrhosis of the liver (122)	172			1							1	3	20	33	59	32	23	
Nephritis (128, 129)	2,640	6		1	5	4	4	10	12	25	31	40	170	330	579	734	689	
Diseases of the female genital organs (137–141)	98								2	8	6	12	28	27	11	1	3	
Puerperal septicemia (146)	104								13	18	26	27	19	1				
Other puerperal causes (143–145, 147–150)	128								15	9	36	34	34					
Suicide (165–174)	281								6	20	30	17	50	58	59	29	12	
Homicide (197–200)	70			1	1		2	1	4	12	14	9	17	9				
Automobile accidents [1] (188c)	296		1	10	13	9	48	29	5	14	12	16	18	38	40	28	15	
Automobile and railroad-train collision (part 188a)	2										1			1				
Automobile and street-car collision (part 188b)	7									1	1	1	2		1	1		
Other external causes (inclusions, see Table 5)	918	23	23	15	14	14	33	22	29	28	42	55	118	147	162	101	92	
All other causes	4,281	1,243	65	31	31	15	85	53	79	89	96	130	381	493	537	476	477	
PHILADELPHIA, PA. (COLORED), all causes	4,023	653	163	60	53	23	72	61	139	222	289	272	617	612	420	231	136	
Typhoid and paratyphoid fever (1)	6								4	1			1					
Measles (7)	18	10	5	1	1		1											
Scarlet fever (8)	1						1											
Whooping cough (9)	36	19	10	2	1	1	3											
Diphtheria (10)	36	2	4	8	3	4	11	3				1						
Influenza (11)	89	13	4		2	1	2		4	3	7	2	17	11	14	4	5	
Meningococcus meningitis (24)	1											1						
Tuberculosis of the respiratory system (31)	480	15	13	5	2		4	13	55	87	80	47	77	60	19	2	1	
Other forms of tuberculosis (32–37)	80	6	6	3	5	3	3	7	9	2	7	8	10	7	3	1		
Cancer and other malignant tumors (43–49)	172				1		1			4	9	8	37	53	37	14	8	
Diabetes mellitus (57)	35							1			2	1	5	12	11	2	1	
Cerebral hemorrhage and softening (74, 83)	140			1						1	1	2	23	33	38	27	14	
Other [organic] diseases of the heart (90)	504	2					1	5	5	15	21	23	71	146	103	75	37	
Bronchitis (99)	32	12	8	1	1	1			1			1		4		2	1	
Broncho-pneumonia (100)	347	155	64	16	19	1	5	2	3	5	8	8	17	18	11	6	9	
Pneumonia (101)	403	57	24	9	6	1	6	6	12	21	37	37	68	55	40	20	4	
Diarrhea and enteritis (113, 114)	91	68	11	3	1		1			2			1	3		1		
Appendicitis and typhlitis (117)	36				1	2	1	5	3	1	3	3	10	5	2			
Hernia, intestinal obstruction (118)	35	1			1	1		1	2	1	2	3	13	4	5	1		
Cirrhosis of the liver (122)	5											3		1	1			
Nephritis (128, 129)	307						1	2	4	8	9	21	60	69	58	47	28	
Diseases of the female genital organs (137–141)	33							1	2	5	8	5	5	7				
Puerperal septicemia (146)	24								5	8	5	5	1					
Other puerperal causes (143–145, 147–150)	36								4	11	5	11	5					
Suicide (165–174)	12									1	2	3	1	3	2			
Homicide (197–200)	91	1							3	15	24	14	24	9	1			
Automobile accidents [1] (188c)	33			1		3	6	3	3	1	1	4	4	3	2	1	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	148	8	2	4	6	3	11	6	4	5	7	13	37	22	15	2	3	
All other causes	792	284	12	6	3	2	14	6	16	25	51	48	130	87	58	26	24	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PITTSBURGH, PA. (WHITE), all causes	8,023	1,070	219	84	64	69	162	113	176	235	224	353	866	1,073	1,262	1,199	854	
Typhoid and paratyphoid fever (1)	18							3	1	4	2	1	5	2				
Measles (7)	27	8	7	7	1	1	2			1								
Scarlet fever (8)	16		2	1		4	4	2		1			1		1			
Whooping cough (9)	101	55	25	7	7	3	2			1					1			
Diphtheria (10)	59	5	8	10	11	8	14	2						1				
Influenza (11)	216	27	10	4	4	1	4	4	6	5	6	11	29	29	26	30	20	
Meningococcus meningitis (24)	11	3	1	1		2	2		2									
Tuberculosis of the respiratory system (31)	333	1	3	5	1		2	4	30	34	36	38	76	56	30	12	5	
Other forms of tuberculosis (32–37)	83	5	2	2	3	4	4	4	4	8	4	11	14	10	5	3		
Cancer and other malignant tumors (43–49)	678			2			3	3	3	6	6	15	72	121	223	144	80	
Diabetes mellitus (57)	112					1	1		3	1		2	6	18	37	26	17	
Cerebral hemorrhage and softening (74, 83)	476	4	1	1				1	1	2		6	20	67	93	168	112	
Other [organic] diseases of the heart (90)	959		1	1	1	4	15	19	12	17	17	17	73	141	207	222	212	
Bronchitis (99)	60	17	5	2					1				3	4	1	16	11	
Broncho-pneumonia (100)	321	92	35	9	7	4	1	2	2	1	4	7	19	25	36	35	42	
Pneumonia (101)	668	62	29	9	3	5	14	4	20	13	23	36	104	111	110	81	44	
Diarrhea and enteritis (113, 114)	232	168	36	3	3	3			1			3	2	6	2	1	4	
Appendicitis and typhlitis (117)	134				2	1	11	4	15	11	8	16	21	22	14	8	1	
Hernia, intestinal obstruction (118)	72	5	1	2		1	1	3		1		3	6	9	19	13	8	
Cirrhosis of the liver (122)	57								2				6	16	14	14	5	
Nephritis (128, 129)	607			1		1	1	6	3	9	9	20	61	91	128	165	112	
Diseases of the female genital organs (137–141)	39								1	3	4	5	13	10	2	1		
Puerperal septicemia (146)	51								5	10	13	13	9	1				
Other puerperal causes (143–145, 147–150)	66								1	19	12	13	20	1				
Suicide (165–174)	86								2	8	9	11	22	16	10	6	2	
Homicide (197–200)	43	2							4	6	3	10	12	4	1	1		
Automobile accidents [1] (188c)	155	2	1	3	3	4	25	9	7	13	6	9	15	25	18	10	5	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	4												1	2		1		
Other external causes (inclusions, see Table 5)	427	7	10	7	6	12	17	21	17	23	23	31	69	67	44	37	36	
All other causes	1,912	607	42	7	12	10	39	22	33	38	39	75	187	218	240	205	138	
PITTSBURGH, PA. (COLORED), all causes	978	164	47	20	8	8	15	14	30	52	64	78	164	164	87	38	25	
Typhoid and paratyphoid fever (1)	3									1		1	1					
Measles (7)	2		2															
Scarlet fever (8)	3			1					1	1								
Whooping cough (9)	21	10	5	3	1	2												
Diphtheria (10)	5	1		1	1	1							1					
Influenza (11)	27	5	2						1	1	2	2	8	5			1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	75					1		3	16	16	5	10	10	10	3	1		
Other forms of tuberculosis (32–37)	29	2	1	3	2		2	1	3	4	2	2	1	3	2	1		
Cancer and other malignant tumors (43–49)	45										2	4	12	14	9	2	2	
Diabetes mellitus (57)	7											2	1		3		1	
Cerebral hemorrhage and softening (74, 83)	37											1	7	10	9	5	5	
Other [organic] diseases of the heart (90)	87	1				1	1			3	2	8	15	24	15	11	6	
Bronchitis (99)	2	1			1													
Broncho-pneumonia (100)	74	32	16	5			2	2			2		4	4	5	2		
Pneumonia (101)	157	8	8		1		1	1	4	8	26	20	37	36	3	3	1	
Diarrhea and enteritis (113, 114)	38	28	7	1		1		1										
Appendicitis and typhlitis (117)	4							1		1		1		1				
Hernia, intestinal obstruction (118)	2						1							1				
Cirrhosis of the liver (122)	5												1	2	2			
Nephritis (128, 129)	66							2				5	15	17	15	7	5	
Diseases of the female genital organs (137–141)	4								1			1	2					
Puerperal septicemia (146)	7								1	4	1	1						
Other puerperal causes (143–145, 147–150)	7									1	1	2	3					
Suicide (165–174)	5										1		3		1			
Homicide (197–100)	23		1					1	1		6	4	7	3				
Automobile accidents [1] (188c)	8					1	2				1	1	1		1	1		
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	38	2	1	3	1			1	1	1	4	3	4	13	3	1		
All other causes	196	74	4	3	1	1	6	1	1	11	9	10	30	21	16	4	4	
READING, PA., all causes	1,440	171	23	21	9	4	32	18	27	27	34	50	110	154	241	283	236	
Typhoid and paratyphoid fever (1)	3							1				1		1				
Measles (7)	3	2		1														
Scarlet fever (8)	1					1												
Whooping cough (9)	7	5	1	1														
Diphtheria (10)	3	1	1				1											
Influenza (11)	49	14		1	1		2	2				3	3	4	6	5	8	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	60			1			1		7	7	7	6	12	8	5	5	1	
Other forms of tuberculosis (32–37)	14	2		4	1		2		1		2			1	1			
Cancer and other malignant tumors (43–49)	131					1		1		1			13	21	45	30	19	
Diabetes mellitus (57)	39										1	2	1	6	12	12	5	
Cerebral hemorrhage and softening (74, 83)	89								1				1	7	20	25	35	
Other [organic] diseases of the heart (90)	263							2	4	3	1	4	12	28	53	83	73	
Bronchitis (99)	5	3													1		1	
Broncho-pneumonia (100)	56	19	6	4	1		1			2		1	2	2	4	7	7	
Pneumonia (101)	66	4	3		2		2	1	1	1	2	4	9	4	14	11	8	
Diarrhea and enteritis (113, 114)	36	28	5			1	1				1							
Appendicitis and typhlitis (117)	21	1		1			3	1	3		3	3	1	2	3			
Hernia, intestinal obstruction (118)	14	3			1									3	2	3	2	
Cirrhosis of the liver (122)	13											2		3	2	5	1	
Nephritis (128, 129)	148	1					3	1	1	1	3	1	10	22	25	48	32	
Diseases of the female genital organs (137–141)	5												3	1		1		
Puerperal septicemia (146)	3							1		1		1						
Other puerperal causes (143–145, 147–150)	12								2	1	1	4	4					
Suicide (165–174)	20									1	4	1	6	3	3	1	1	
Homicide (197–200)	6									1	2	2	1					
Automobile accidents [1] (188c)	19						3	4	2		1	2	1		3	3		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	76		1	1	2		7	1	3	4	1	5	11	9	13	9	9	
All other causes	277	87	6	7	1	1	6	3	2	4	5	8	20	29	29	35	34	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SCRANTON, PA., all causes	1,885	240	44	21	11	13	35	29	49	62	64	74	194	279	334	269	167	
Typhoid and paratyphoid fever (1)	6							2	2			1				1		
Measles (7)	22	2	11	4	1	2	2											
Scarlet fever (8)	2	1				1												
Whooping cough (9)	6	3	1	1		1												
Diphtheria (10)	10		2	1	1	1	4	1										
Influenza (11)	51	3	2	3			1	2	1		2	3	8	5	10	9	2	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	111	2	1				1	2	9	16	18	5	22	25	8	2		
Other forms of tuberculosis (32–37)	17	1	1		1		4		5	1	1	2	1					
Cancer and other malignant tumors (43–49)	160							1	2	1	2	6	21	34	45	42	6	
Diabetes mellitus (57)	36								1	1	2		1	2	13	13	3	
Cerebral hemorrhage and softening (74, 83)	116											1	2	18	27	33	35	
Other [organic] diseases of the heart (90)	290		1				1	6	8	7	5	7	26	51	79	63	36	
Bronchitis (99)	13	1											1	1	3	1	6	
Broncho-pneumonia (100)	85	26	11	1	2		2			1			3	10	10	10	9	
Pneumonia (101)	116	7	4	1		1	1	1	4	5	7	7	13	23	18	12	12	
Diarrhea and enteritis (113, 114)	54	41	4	3	1			1							3		1	
Appendicitis and typhlitis (117)	34		1			2	3	1	4	3	2	4	4	6	2	2		
Hernia, intestinal obstruction (118)	22	3									2	1	3	6	1	4	2	
Cirrhosis of the liver (122)	10												3	3	3	1		
Nephritis (128, 129)	126						1			1	3	4	13	16	33	36	19	
Diseases of the female genital organs (137–141)	14								1	1	2	1	4	5				
Puerperal septicemia (146)	4									1	1		2					
Other puerperal causes (143–145, 147–150)	22								2	4	4	6	5	1				
Suicide (165–174)	12										1	1	1	2	4	2	1	
Homicide (197–200)	3											1	2					
Automobile accidents [1] (188c)	32			1	1		6	4	3	4	2		4	2	4	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	118	1	2	3	1	3	5	1	3	9	6	9	17	26	15	7	10	
All other causes	393	149	3	3	3	2	4	7	4	7	4	15	38	43	56	30	25	
PROVIDENCE, R. I., all causes	3,544	416	115	48	28	22	62	41	43	63	81	89	281	462	606	589	598	
Typhoid and paratyphoid fever (1)	2									2								
Measles (7)	69	16	32	9	6	4	2											
Scarlet fever (8)	1			1														
Whooping cough (9)	50	28	12	3	2	3	2											
Diphtheria (10)	22	1	6	2	5	1	7											
Influenza (11)	63	9	3	1	2							3	4	6	11	11	13	
Meningococcus meningitis (24)	3	2	1															
Tuberculosis of the respiratory system (31)	113	3	2	1			3	1	11	15	13	9	23	18	10	3	1	
Other forms of tuberculosis (32–37)	32	7	4	3	2	1	2				2	1	3	2	5			
Cancer and other malignant tumors (43–49)	370		2								2	4	30	73	104	90	65	
Diabetes mellitus (57)	67							2	1	1		1	4	11	18	18	11	
Cerebral hemorrhage and softening (74, 83)	302							2	1	1	2		9	39	70	87	91	
Other [organic] diseases of the heart (90)	502		1				2	5	5	3	2	6	21	65	110	134	148	
Bronchitis (99)	14	7													1	2	4	
Broncho-pneumonia (100)	131	37	17	4	3	1	3	3	1				4	5	12	11	30	
Pneumonia (101)	207	18	10	9			3	1	2	8	4	6	23	29	45	23	26	
Diarrhea and enteritis (113, 114)	46	30	5	2	1		1				1	1		2	1		2	
Appendicitis and typhlitis (117)	71	1	1				3	8	5	5	5	7	12	12	6	4	2	
Hernia, intestinal obstruction (118)	31		2					1	1		1		2	6	9	4	5	
Cirrhosis of the liver (122)	13											1	2	2	3	3	2	
Nephritis (128, 129)	362	1		1	1	1	3	2	1	2	8	6	31	42	73	96	94	
Diseases of the female genital organs (137–141)	23									1		1	8	7	2	4		
Puerperal septicemia (146)	16								2	3	4	2	5					
Other puerperal causes (143–145, 147–150)	26									4	8	8	6					
Suicide (165–174)	35								1		4	4	6	7	8	3	2	
Homicide (197–200)	10	1								1		4	1	2	1			
Automobile accidents [1] (188c)	61			3		2	10	2	1	4	3	4	7	9	7	1	8	
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)	2											1		1				
Other external causes (inclusions, see Table 5)	150	3	4	3	3	7	12	5	4	4	6	4	16	21	24	13	21	
All other causes	749	252	13	6	3	2	9	9	7	9	16	16	64	102	86	82	73	
MEMPHIS, TENN. (WHITE), all causes	1,737	199	36	28	17	7	41	34	55	46	65	77	196	231	246	243	216	
Typhoid and paratyphoid fever (1)	16						2		5	3		1	3	1		1		
Measles (7)	9	3	2		1	1	2											
Scarlet fever (8)	7		1	1	2		2		1									
Whooping cough (9)	7	4	2	1														
Diphtheria (10)	12	1	2	3	2	2	2											
Influenza (11)	42	8	1	1	1			2		1	1	4	7	3	5	4	4	
Meningococcus meningitis (24)	6	1		1	1				2		1							
Tuberculosis of the respiratory system (31)	67		2						2	2	9	4	16	16	9	4	3	
Other forms of tuberculosis (32–37)	12	1	2	1	1		1			1	1	1	1	1	1			
Cancer and other malignant tumors (43–49)	138				1				1	1		7	17	39	31	25	16	
Diabetes mellitus (57)	17				1			2					2	3	5	1	3	
Cerebral hemorrhage and softening (74, 83)	81										2	1	5	11	16	24	22	
Other [organic] diseases of the heart (90)	172				1			1		2		4	13	21	26	56	48	
Bronchitis (99)	3	1															2	
Broncho-pneumonia (100)	58	20	5	3		2	3	1	1	1		3			6	6	7	
Pneumonia (101)	77	8	1		2		3	1	2	2	2	2	10	12	10	14	8	
Diarrhea and enteritis (113, 114)	38	24	6	2	1		1							1	1		2	
Appendicitis and typhlitis (117)	63			1			6	9	8	4	6	6	8	5	6	4		
Hernia, intestinal obstruction (118)	23	1	1				1	1					6	4	2	5	2	
Cirrhosis of the liver (122)	7													2	2	3		
Nephritis (128, 129)	130						1	2	2		2	4	11	14	34	24	36	
Diseases of the female genital organs (137–141)	19									2	1	5	5	2	2	2		
Puerperal septicemia (146)	16								2	5	5	1	3					
Other puerperal causes (143–145, 147–150)	19								6	2	6	2	3					
Suicide (165–174)	25								2	2	3	2	7	7		1	1	
Homicide (197–200)	19								2	3	5	2	6	1				
Automobile accidents [1] (188c)	41		1	2			1	1	6	3	4	2	4	7	4	2	4	
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	99	2		1	1		2	5	5	2	5	5	9	16	17	14	15	
All other causes	513	125	10	11	2	2	14	9	8	10	12	21	60	64	69	53	43	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MEMPHIS, TENN. (COLORED), all causes	1,792	217	31	21	9	7	21	33	92	142	160	129	297	303	166	94	70	
Typhoid and paratyphoid fever (1)	18						1	2	2	2	6	3	2					
Measles (7)	5	2	3															
Scarlet fever (8)																		
Whooping cough (9)	9	7		1	1													
Diphtheria (10)	8	5				2	1											
Influenza (11)	79	6	2	3	1	1			6	12	6	3	12	10	5	2	10	
Meningococcus meningitis (24)	1							1										
Tuberculosis of the respiratory system (31)	143	2	2			1	1	4	14	30	24	19	20	16	7	3		
Other forms of tuberculosis (32–37)	45	5	5	1	2		2	3	5	3	6	3	5	4	1			
Cancer and other malignant tumors (43–49)	80	1							1	1	2	6	15	32	7	13	2	
Diabetes mellitus (57)	12										1	1	2	5	3			
Cerebral hemorrhage and softening (74, 83)	82								2		3	4	14	22	20	10	7	
Other [organic] diseases of the heart (90)	169						2	2	4	2	10	11	25	54	31	18	10	
Bronchitis (99)	5	3								1	1							
Broncho-pneumonia (100)	53	19	6	3	2				2	4			4	5	1	3	4	
Pneumonia (101)	100	9	3	1	1			2	6	8	13	6	9	20	13	5	4	
Diarrhea and enteritis (113, 114)	57	31	4	5			2	1		1	1	1	2	4	2	2	1	
Appendicitis and typhlitis (117)	40						3	4	8	2	7	4	8	3	1			
Hernia, intestinal obstruction (118)	25	1							1	2	2	1	10	7		1		
Cirrhosis of the liver (122)	7									1		1	2	2	1			
Nephritis (128, 129)	119						1	1	1	3	5	6	27	30	23	10	12	
Diseases of the female genital organs (137–141)	36								1	3	4	7	13	7	1			
Puerperal septicemia (146)	15								3	4	2	3	3					
Other puerperal causes (143–145, 147–150)	16								4	1	5	2	4					
Suicide (165–174)	4									1	1	1	1					
Homicide (197–200)	102							3	8	26	21	11	23	7	2	1		
Automobile accidents [1] (188c)	16						2		1	3	3	3	1	2	1			
Automobile and railroad-train collision (part 188a)	1											1						
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	61	2	2	2	2		3	5	9	7	1	10	7	7	4			
All other causes	483	126	4	5		1	6	7	18	23	30	31	84	66	40	22	20	
NASHVILLE, TENN. (WHITE), all causes	1,566	217	58	28	14	13	30	19	36	64	56	52	133	153	221	255	217	
Typhoid and paratyphoid fever (1)	24						4	1	2	4	4	2	5			2		
Measles (7)	18	5	4	1	3	3			2									
Scarlet fever (8)	1						1											
Whooping cough (9)	16	7	5	2	1	1												
Diphtheria (10)	12		1	1	2	4	4											
Influenza (11)	88	14	3	2				1		4	2	3	5	10	14	10	20	
Meningococcus meningitis (24)	3	1					2											
Tuberculosis of the respiratory system (31)	97	1		1	1				4	13	12	8	16	13	14	8	6	
Other forms of tuberculosis (32–37)	12		2					1	1		2		5		1			
Cancer and other malignant tumors (43–49)	120		1						1		3	4	20	24	29	24	14	
Diabetes mellitus (57)	19								1				3	2	6	5	2	
Cerebral hemorrhage and softening (74, 83)	84									1	1	1	3	8	14	33	23	
Other [organic] diseases of the heart (90)	159	1					1			3	5	2	4	10	34	50	49	
Bronchitis (99)	6	1													1	2	2	
Broncho-pneumonia (100)	60	24	6	3	1	1	1	1		1	1		2		5	4	10	
Pneumonia (101)	78	5	3	3	4		2		3	3	2	4	4	13	11	15	6	
Diarrhea and enteritis (113, 114)	56	30	18	3		1							1	1		1	1	
Appendicitis and typhlitis (117)	34				1		1	5	3	6	2	2	4	5	3	2		
Hernia, intestinal obstruction (118)	16	1									1	1	2	1	6	2	2	
Cirrhosis of the liver (122)	5												1	1	2		1	
Nephritis (128, 129)	81											2	5	11	14	33	16	
Diseases of the female genital organs (137–141)	8									2		1	2	2	1			
Puerperal septicemia (146)	6								2	1	2	1						
Other puerperal causes (143–145, 147–150)	12								1	1	2	5	2	1				
Suicide (165–174)	13								1	3			3	1	4	1		
Homicide (197–200)	13								1	2	2	2	4	2				
Automobile accidents [1] (188c)	32						4	2	1	4	5	2	3	3	4	4		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	76	2	3	5	1		3		5	4	2	4	9	8	7	8	15	
All other causes	417	125	12	7		3	7	8	8	12	8	8	30	37	51	51	50	
NASHVILLE, TENN. (COLORED), all causes	1,132	120	31	16	11	8	26	24	38	69	81	69	142	190	155	92	59	1
Typhoid and paratyphoid fever (1)	25			1	1		3	2	3	5	6	3			1			
Measles (7)	2	1	1															
Scarlet fever (8)																		
Whooping cough (9)	17	5	4	3	3	1	1											
Diphtheria (10)	15		1	3	2		4	5										
Influenza (11)	67	6	5		2	1	1	1		6	4	3	10	9	11	4	4	
Meningococcus meningitis (24)	1								1									
Tuberculosis of the respiratory system (31)	92	3				1	1	3	9	16	16	15	16	6	5		1	
Other forms of tuberculosis (32–37)	26						2	1	3	4	6	3	3	2	1	1		
Cancer and other malignant tumors (43–49)	44								1	1	1	3	9	15	6	6	2	
Diabetes mellitus (57)	5										1		1		2	1		
Cerebral hemorrhage and softening (74, 83)	66										2		6	18	18	13	9	
Other [organic] diseases of the heart (90)	140						2	1	2	2	6	6	20	39	37	20	5	
Bronchitis (99)	5	1											1	2	1			
Broncho-pneumonia (100)	53	17	7	4		1	2	2	1			1	4	3	5	1	5	
Pneumonia (101)	71	4	1	1				2	1	4	8	8	15	11	10	3	3	
Diarrhea and enteritis (113, 114)	36	21	5	2			2		1		1			2	1	1		
Appendicitis and typhlitis (117)	15							4	2	2	2		3	1	1			
Hernia, intestinal obstruction (118)	9	1										1	3	3		1		
Cirrhosis of the liver (122)	9												3	1	3	2		
Nephritis (128, 129)	92								2	1	4	3	8	29	21	17	7	
Diseases of the female genital organs (137–141)	14									1	4	1	4	3	1			
Puerperal septicemia (146)	15								1	3	3	3	5					
Other puerperal causes (143–145, 147–150)	5								2	2		1						
Suicide (165–174)	1														1			
Homicide (197–200)	28								3	7	5	1	8	2	2			
Automobile accidents [1] (188c)	7				1			1		1	1		1	1				1
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	44	1	2			4	3	1	2	5	1	3	4	7	3	5	3	
All other causes	228	60	5	2	2		5	1	4	9	10	14	18	36	25	17	20	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DALLAS, TEX., all causes	2,730	440	61	27	24	21	56	33	80	138	137	159	308	331	295	334	286	
Typhoid and paratyphoid fever (1)	19			1		1	3	1	3	5	2	1	2					
Measles (7)	1		1															
Scarlet fever (8)	6		4				1			1								
Whooping cough (9)	23	16	4	1	1	1												
Diphtheria (10)	26	1	3	6	6	4	3	2			1							
Influenza (11)	154	35	3	2	2	1	5	4	2	6	11	11	10	17	14	15	16	
Meningococcus meningitis (24)	2		1								1							
Tuberculosis of the respiratory system (31)	154	2						3	11	26	19	16	25	32	10	8	2	
Other forms of tuberculosis (32–37)	20	2	4		1				2	3	1	4	1		1		1	
Cancer and other malignant tumors (43–49)	182			1		2	1		1	2	5	7	18	40	39	38	28	
Diabetes mellitus (57)	31						1				1	2	2	3	10	8	4	
Cerebral hemorrhage and softening (74, 83)	176	1							1		4	2	17	35	35	40	41	
Other [organic] diseases of the heart (90)	209				1				2	3	2	6	27	36	34	53	45	
Bronchitis (99)	10	2								1				3	1	1	2	
Broncho-pneumonia (100)	92	43	5	1	1		2		1	5	2	3	4	8	3	6	8	
Pneumonia (101)	141	28	6	6	2	1	6	2	3	5	7	15	21	12	9	7	11	
Diarrhea and enteritis (113, 114)	63	43	10	1	2						1	1				1	4	
Appendicitis and typhlitis (117)	59						2	4	8	5	6	6	10	8	8	2		
Hernia, intestinal obstruction (118)	33	3	2			1	1		2	1	3	5	5	2	4	2	2	
Cirrhosis of the liver (122)	10							1					2	3	1	2	1	
Nephritis (128, 129)	183		1						2	3	5	9	18	36	38	40	31	
Diseases of the female genital organs (137–141)	36								2	9	7	7	7	2	1	1		
Puerperal septicemia (146)	19								1	7	3	4	4					
Other puerperal causes (143–145, 147–150)	15								2		5	3	5					
Suicide (165–174)	54								6	9	4	4	20	4	3	4		
Homicide (197–200)	64								7	11	7	16	19	4				
Automobile accidents [1] (188c)	61	2		1	2	1	5	3	5	4	3	2	7	9	5	5	7	
Automobile and railroad-train collision (part 188a)	2									2								
Automobile and street-car collision (part 188b)	1													1				
Other external causes (inclusions, see Table 5)	120	2	3	4	4	2	9	4	7	9	6	6	15	12	7	14	16	
All other causes	764	260	14	3	2	7	17	9	12	21	31	29	69	64	72	87	67	
FORT WORTH, TEX., all causes	1,551	202	37	20	14	15	33	16	40	70	82	63	166	209	173	198	207	6
Typhoid and paratyphoid fever (1)	16			1			3			5		3		4				
Measles (7)																		
Scarlet fever (8)	1		1															
Whooping cough (9)	10	3	4	2		1												
Diphtheria (10)	13			1	2	5	4				1							
Influenza (11)	102	15	5	4	3	1	1		2	6	2	5	4	14	8	12	20	
Meningococcus meningitis (24)	1										1							
Tuberculosis of the respiratory system (31)	72	2	1					2	5	10	12	8	13	11	2	4	2	
Other forms of tuberculosis (32–37)	10						1			2	1	2	2	2				
Cancer and other malignant tumors (43–49)	87			1						1	4	2	15	14	18	20	11	1
Diabetes mellitus (57)	14		1				1	1						2	4	4	1	
Cerebral hemorrhage and softening (74, 83)	102		2							3	2		4	16	14	33	28	
Other [organic] diseases of the heart (90)	156							1	3	1	3	5	15	27	23	32	46	
Bronchitis (99)	5													1		1	3	
Broncho-pneumonia (100)	40	17	4	1			1				1		2	2	3	3	5	1
Pneumonia (101)	86	14	5	1	1		2	2	1	8	7	1	7	15	11	5	6	
Diarrhea and enteritis (113, 114)	48	28	8	3	2	1	1					1	1		1	2		
Appendicitis and typhlitis (117)	34				1		2	1	6	1	6	3	7	5	2			
Hernia, intestinal obstruction (118)	28	8		1	1		1	2	1	1	1	2	2	2	3	3		
Cirrhosis of the liver (122)	6										1	1		2	1	1		
Nephritis (128, 129)	105	1			1		1			1	2	5	10	24	12	29	18	1
Diseases of the female genital organs (137–141)	8								1			2	3	2				
Puerperal septicemia (146)	5									4		1						
Other puerperal causes (143–145, 147–150)	12								3	3	2		4					
Suicide (165–174)	24								1	3	2	3	3	6	5	1		
Homicide (197–200)	20								1	2	6	2	6	2			1	
Automobile accidents [1] (188c)	30				1		1		2	3	3	4	6	4	2	3	1	
Automobile and railroad-train collision (part 188a)	1															1		
Automobile and street-car collision (part 188b)	3												2	1				
Other external causes (inclusions, see Table 5)	74	7	1				3	3	7	6	8	2	9	6	8	4	8	2
All other causes	438	107	6	4	2	7	11	4	7	10	17	11	51	47	56	40	57	1
HOUSTON, TEX. (WHITE), all causes	1,929	229	65	17	15	13	48	22	57	85	68	83	189	224	259	292	261	2
Typhoid and paratyphoid fever (1)	9		1		1	1		1	2	2			1					
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	14	7	7															
Diphtheria (10)	23	6	4	3	2	2	4				1		1					
Influenza (11)	89	8	10	1	3	1	1		2	2	2	2	9	8	9	14	17	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	123	1		1			1	3	6	18	10	10	19	18	20	14	2	
Other forms of tuberculosis (32–37)	9	2	2	1	1		2			1								
Cancer and other malignant tumors (43–49)	142					1				1	1	5	22	23	27	35	27	
Diabetes mellitus (57)	23						1		2	1					6	10	3	
Cerebral hemorrhage and softening (74, 83)	93								1		2	3	3	14	20	25	25	
Other [organic] diseases of the heart (90)	178							1	2	3	1	2	11	28	30	45	54	1
Bronchitis (99)	7									1				2	2		2	
Broncho-pneumonia (100)	39	9	5	3	1	1	1				2	1	1	1	3	5	6	
Pneumonia (101)	92	13	7	1	1		2	3	2	5	1	5	10	16	6	6	13	1
Diarrhea and enteritis (113, 114)	57	24	16	2	1	1	2	1				1	1	1	2	4	1	
Appendicitis and typhlitis (117)	42				2		3	1	5	2	8	2	9	5	5			
Hernia, intestinal obstruction (118)	23	1				1				2	1	1	4	2	5	1	5	
Cirrhosis of the liver (122)	15						1						3	2	4	4	1	
Nephritis (128, 129)	136		1				1		2	2	1	1	9	15	25	39	40	
Diseases of the female genital organs (137–141)	14									1	2	2	5	2	1	1		
Puerperal septicemia (146)	10								1	2	2	3	2					
Other puerperal causes (143–145, 147–150)	19									4	5	4	6					
Suicide (165–174)	39								1	3	4	3	6	9	7	5	1	
Homicide (197–200)	32	1							1	8	5	3	6	4		4		
Automobile accidents [1] (188c)	33				1		4	2	2	4	3	2	3	3	5	4		
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	101	1		2	1	3	9	3	12	10	6	11	16	7	7	5	8	
All other causes	566	156	12	3	1	2	16	7	16	13	11	22	41	64	75	71	56	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
HOUSTON, TEX., (COLORED), all causes	952	107	19	8	6	3	15	9	37	72	83	71	188	166	83	49	35	1
Typhoid and paratyphoid fever (1)	10		1				2	1	2		1	3						
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	4	4																
Diphtheria (10)	8		1	1			2			2	2							
Influenza (11)	60	9	4	1			2		3	2	12	1	10	6	7		2	1
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	89	2						1	12	18	19	7	19	10	1			
Other forms of tuberculosis (32-37)	6								1	1	1		2	1				
Cancer and other malignant tumors (43-49)	28		1							1	1	3	6	9	2	4	1	
Diabetes mellitus (57)	11											2		7	1	1		
Cerebral hemorrhage and softening (74, 83)	44									1		2	6	16	11	3	5	
Other [organic] diseases of the heart (90)	76									3	4	6	15	29	7	8	4	
Bronchitis (99)	2		1	1														
Broncho-pneumonia (100)	12	9			2								1					
Pneumonia (101)	67	7	4	1	1	3			2	11	2	4	12	9	7	4		
Diarrhea and enteritis (113, 114)	13	8	1	1							1		1				1	
Appendicitis and typhlitis (117)	5											2	2				1	
Hernia, intestinal obstruction (118)	11	1								1	2	1	3	3				
Cirrhosis of the liver (122)	7											2	3	2				
Nephritis (128, 129)	80						1	1		4	3	3	18	14	16	13	7	
Diseases of the female genital organs (137-141)	20								1	3	2	3	10	1				
Puerperal septicemia (146)	10								3	1	2	3	1					
Other puerperal causes (143-145, 147-150)	4										2	1	1					
Suicide (165-174)	1									1								
Homicide (197-200)	36						1		1	8	12	8	5	1				
Automobile accidents [1] (188c)	7				1		1		1			1	2			1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	38	2					1	1	3	6	4	3	10	4	3	1		
All other causes	302	65	6	3	2		5	5	8	9	13	16	60	54	28	14	14	
SAN ANTONIO, TEX., all causes	3,015	606	145	52	22	19	56	51	113	148	168	132	288	307	345	295	268	
Typhoid and paratyphoid fever (1)	16						1	3	2	1	2	2	4		1			
Measles (7)	5	2	1	2														
Scarlet fever (8)	1						1											
Whooping cough (9)	30	20	3	3	1	2	1											
Diphtheria (10)	12	2	2		3		5											
Influenza (11)	163	35	21	10	3	2	7	3	6	3	8	2	10	12	13	14	14	
Meningococcus meningitis (24)	8	2	3				1					1				1		
Tuberculosis of the respiratory system (31)	396		1		2		2	10	53	68	74	48	66	40	20	9	3	
Other forms of tuberculosis (32-37)	29	3	3	6	1		2	1		4	2	1	2	3		1		
Cancer and other malignant tumors (43-49)	173		1					1		2	4	3	28	31	41	37	25	
Diabetes mellitus (57)	22							1				1		4	5	8	3	
Cerebral hemorrhage and softening (74, 83)	102		1	1					1			4	10	13	27	26	19	
Other [organic] diseases of the heart (90)	213			1					3	1	4	8	10	42	51	48	45	
Bronchitis (99)	20	5	2						1	1		3		1	1		6	
Broncho-pneumonia (100)	96	41	14	5	1	3	3	2	2	3	1		1	1	7	5	7	
Pneumonia (101)	174	35	23	7	2		7		3	5	12	6	17	13	14	10	20	
Diarrhea and enteritis (113, 114)	297	198	47	7	2	3	3	5		2	1	1	1	3	12	9	3	
Appendicitis and typhlitis (117)	44						2	2	4	4	2	6	4	11	7	2		
Hernia, intestinal obstruction (118)	30	6	2						1	1	2		7	2	8		1	
Cirrhosis of the liver (122)	15					2		1			1		3	3	2	1	2	
Nephritis (128, 129)	162	1	3	1			1	1		3	4	7	20	28	32	36	25	
Diseases of the female genital organs (137–141)	7									2	1			2	1	1		
Puerperal septicemia (146)	16								3	3	3	2	5					
Other puerperal causes (143–145, 147–150)	22								4	2	7	6	3					
Suicide (165–174)	30									3	1	3	8	5	7	3		
Homicide (197–200)	32						1		4	4	6	4	8	4		1		
Automobile accidents [1] (188c)	40	2		1	1		2	6	4	3	5	1	2	4	5	4		
Automobile and railroad-train collision (part 188a)	2									1	1							
Automobile and street-car collision (part 188b)	2												1	1				
Other external causes (inclusions, see Table 5)	82	1	2	3	1	2	3	7	5	11	6	4	6	7	10	7	7	
All other causes	774	253	16	5	5	5	14	8	17	21	21	19	72	77	81	72	88	
SALT LAKE CITY, UTAH, all causes	1,703	217	42	28	12	7	46	43	42	51	57	55	158	195	214	278	258	
Typhoid and paratyphoid fever (1)	3										1			1	1			
Measles (7)	8	2	2	1			3											
Scarlet fever (8)	2						2											
Whooping cough (9)	23	11	6	3	2		1											
Diphtheria (10)	20		3	4	1		7	3	1				1					
Influenza (11)	51	6	5	3	1	1	2		2	1	2	1	4	4	5	7	7	
Meningococcus meningitis (24)	7	1								1		1	2	1	1			
Tuberculosis of the respiratory system (31)	79			1				3	3	3	5	8	23	17	8	7	1	
Other forms of tuberculosis (32-37)	14	2	1	1		1			2			1	2	1	1	2		
Cancer and other malignant tumors (43-49)	149			2				1				2	16	28	38	42	20	
Diabetes mellitus (57)	23									2			1	1	5	12	2	
Cerebral hemorrhage and softening (74, 83)	83						1	1					2	9	12	29	29	
Other [organic] diseases of the heart (90)	204	1	1		1		5	7	5	4	3	2	9	27	33	50	56	
Bronchitis (99)	10	3					1						1			1	4	
Broncho-pneumonia (100)	57	20	8	1				1				1		3	4	9	10	
Pneumonia (101)	79	4	4	2	1	1	2			6	3	4	6	12	10	12	12	
Diarrhea and enteritis (113, 114)	19	13	3	1			1								1			
Appendicitis and typhlitis (117)	48			1	1		7	7	6	3	6		6	3	3	3	2	
Hernia, intestinal obstruction (118)	18	4	2						1	1	1		4	3		2		
Cirrhosis of the liver (122)	6												2	2		2		
Nephritis (128, 129)	141		1	1					4	3	4	2	10	14	27	32	43	
Diseases of the female genital organs (137–141)	12									1	2		3	2	2	2		
Puerperal septicemia (146)	5									1	3		1					
Other puerperal causes (143–145, 147–150)	22								1	5	5	5	6					
Suicide (165–174)	14									1	2	2	5	2		1	1	
Homicide (197–200)	7								2	2	1	1	1					
Automobile accidents [1] (188c)	33					2	3	3	3	4		1	4	5		4	4	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	88	5	2	1	2		1	7	5	8	7	6	16	8	5	4	11	
All other causes	478	145	4	6	3	2	10	10	7	5	12	18	33	52	58	57	56	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NORFOLK, VA. (WHITE), all causes	849	77	17	7	----	3	12	13	23	22	26	34	72	117	130	163	133	----
Typhoid and paratyphoid fever (1)	2	----	----	----	----	----	1	----	----	----	----	----	1	----	----	----	----	----
Measles (7)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Scarlet fever (8)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping cough (9)	6	3	3	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diphtheria (10)	3	----	----	1	----	----	2	----	----	----	----	----	----	----	----	----	----	----
Influenza (11)	22	3	5	----	----	----	1	----	----	1	----	1	1	2	----	4	4	----
Meningococcus meningitis (24)	1	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system (31)	24	----	----	----	----	----	----	----	2	1	5	2	4	2	5	----	3	----
Other forms of tuberculosis (32–37)	7	2	----	1	----	----	1	1	----	----	1	----	----	----	1	----	----	----
Cancer and other malignant tumors (43–49)	71	----	----	----	----	----	----	----	1	1	1	2	5	15	17	22	7	----
Diabetes mellitus (57)	14	----	----	----	----	----	----	----	----	----	----	----	1	2	4	5	2	----
Cerebral hemorrhage and softening (74, 83)	57	----	----	----	----	----	----	----	1	----	----	1	5	5	15	17	13	----
Other (organic) diseases of the heart (90)	149	----	----	----	----	----	----	2	2	1	----	2	7	22	27	40	46	----
Bronchitis (99)	4	1	----	----	----	----	----	----	----	----	----	----	----	1	----	1	1	----
Broncho-pneumonia (100)	19	5	1	1	----	----	----	----	----	1	----	1	1	----	2	3	4	----
Pneumonia (101)	34	2	1	1	----	----	1	1	----	1	2	1	5	9	3	5	2	----
Diarrhea and enteritis (113, 114)	16	12	1	1	----	----	----	----	----	----	----	----	----	----	1	----	1	----
Appendicitis and typhlitis (117)	11	----	----	----	----	----	----	2	----	----	----	----	3	3	2	1	----	----
Hernia, intestinal obstruction (118)	12	1	----	----	----	----	----	----	1	----	1	1	3	----	3	1	1	----
Cirrhosis of the liver (122)	2	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	1	----
Nephritis (128, 129)	79	----	----	1	----	----	----	----	1	----	----	3	3	10	18	27	16	----
Diseases of the female genital organs (137–141)	4	----	----	----	----	----	----	----	----	----	----	----	1	1	1	----	1	----
Puerperal septicemia (146)	6	----	----	----	----	----	----	1	----	3	1	----	1	----	----	----	----	----
Other puerperal causes (143–145, 147–150)	10	----	----	----	----	----	----	----	1	----	2	----	6	1	----	----	----	----
Suicide (165–174)	12	----	----	----	----	----	----	----	----	2	1	----	1	4	3	1	----	----
Homicide (197–200)	5	----	----	----	----	----	----	----	----	1	1	1	1	1	----	----	----	----
Automobile accidents [1] (188c)	18	----	----	----	----	1	1	----	2	----	----	2	----	1	4	3	4	----
Automobile and railroad-train collision (part 188a)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Automobile and street-car collision (part 188b)	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
Other external causes (inclusions, see Table 5)	61	2	1	----	----	----	----	2	7	6	5	8	6	9	3	3	9	----
All other causes	199	46	5	1	----	2	5	3	5	4	6	9	16	29	20	30	18	----
NORFOLK, VA. (COLORED), all causes	1,018	148	34	19	10	6	15	17	43	46	62	59	169	194	110	63	23	----
Typhoid and paratyphoid fever (1)	4	----	----	----	----	----	----	----	----	----	----	3	1	----	----	----	----	----
Measles (7)	2	----	----	----	----	----	1	----	1	----	----	----	----	----	----	----	----	----
Scarlet fever (8)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping cough (9)	25	10	6	3	2	2	2	----	----	----	----	----	----	----	----	----	----	----
Diphtheria (10)	2	----	1	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----
Influenza (11)	27	8	5	3	----	1	----	----	1	----	----	3	1	1	1	2	1	----
Meningococcus meningitis (24)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system (31)	106	2	----	1	1	1	1	4	16	18	24	10	16	9	3	----	----	----
Other forms of tuberculosis (32–37)	13	2	3	----	1	----	----	1	----	1	----	1	3	1	----	----	----	----
Cancer and other malignant tumors (43–49)	34	----	----	----	----	----	----	1	----	----	----	1	7	11	9	5	----	----
Diabetes mellitus (57)	10	----	----	----	----	----	----	----	----	----	1	1	1	6	1	----	----	----
Cerebral hemorrhage and softening (74, 83)	88	----	----	----	----	----	----	----	----	1	----	2	14	33	23	11	4	----
Other [organic] diseases of the heart (90)	154	----	----	----	1	----	1	2	2	1	6	41	46	30	16	8	----	----
Bronchitis (99)	5	----	1	----	----	1	----	----	----	1	----	----	1	1	----	----	----	----
Broncho-pneumonia (100)	39	24	3	2	2	----	1	----	1	----	----	----	2	3	1	----	----	----
Pneumonia (101)	43	5	2	3	2	----	----	----	3	5	3	----	5	5	7	1	2	----
Diarrhea and enteritis (113, 114)	44	31	6	3	----	----	----	----	----	1	----	----	1	----	1	1	----	----
Appendicitis and typhlitis (117)	11	----	----	----	----	----	----	----	----	----	----	----	6	3	2	----	----	----
Hernia, intestinal obstruction (118)	12	----	----	----	----	----	----	----	----	----	2	1	3	2	3	1	----	----
Cirrhosis of the liver (122)	4	----	----	----	----	----	----	----	----	----	----	1	2	----	1	----	----	----
Nephritis (128, 129)	85	1	----	1	----	----	----	----	----	2	8	3	13	27	13	14	3	----
Diseases of the female genital organs (137–141)	6	----	----	----	----	----	----	----	----	1	1	2	2	----	----	----	----	----
Puerperal septicemia (146)	9	----	----	----	----	----	----	----	4	4	1	----	----	----	----	----	----	----
Other puerperal causes (143–145, 147–150)	6	----	----	----	----	----	----	----	2	----	2	2	----	----	----	----	----	----
Suicide (165–174)	4	----	----	----	----	----	----	----	----	3	----	----	----	1	----	----	----	----
Homicide (197–200)	15	----	----	----	----	----	----	----	1	----	5	2	6	1	----	----	----	----
Automobile accidents [1] (188c)	7	----	----	----	----	----	1	2	----	----	1	----	2	1	----	----	----	----
Automobile and railroad-train collision (part 188a)	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
Automobile and street-car collision (part 188b)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Other external causes (inclusions, see Table 5)	46	2	3	1	1	1	3	4	6	1	2	4	5	9	1	3	----	----
All other causes	216	63	4	2	----	1	4	4	6	6	11	17	36	34	14	9	5	----
RICHMOND, VA. (WHITE), all causes	1,711	197	37	18	8	5	30	15	32	44	39	36	120	185	258	361	326	----
Typhoid and paratyphoid fever (1)	1	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----
Measles (7)	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----
Scarlet fever (8)	3	----	1	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Whooping cough (9)	4	3	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Diphtheria (10)	15	----	2	3	2	3	5	----	----	----	----	----	----	----	----	----	----	----
Influenza (11)	66	6	5	3	----	----	----	----	----	----	4	2	4	8	9	16	9	----
Meningococcus meningitis (24)	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Tuberculosis of the respiratory system (31)	58	1	----	----	----	----	----	----	2	4	1	3	10	13	15	8	1	----
Other forms of tuberculosis (32–37)	13	2	1	2	1	----	2	1	1	----	2	----	----	----	----	----	1	----
Cancer and other malignant tumors (43–49)	181	----	----	----	1	----	1	----	----	----	3	6	23	30	40	56	21	----
Diabetes mellitus (57)	27	----	----	----	----	----	----	----	----	----	1	----	----	2	8	11	5	----
Cerebral hemorrhage and softening (74, 83)	114	----	----	----	----	----	----	----	----	----	----	1	8	8	22	45	30	----
Other [organic] diseases of the heart (90)	266	----	----	----	----	----	1	1	3	----	----	2	7	31	46	90	85	----
Bronchitis (99)	16	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	15	----
Broncho-pneumonia (100)	48	18	8	----	----	----	----	2	----	----	----	----	2	2	3	4	9	----
Pneumonia (101)	55	5	1	----	----	1	1	2	1	1	5	1	6	4	6	15	6	----
Diarrhea and enteritis (113, 114)	41	29	4	2	1	----	----	----	----	----	----	----	----	----	----	3	2	----
Appendicitis and typhlitis (117)	32	----	----	----	----	----	2	----	6	5	2	1	3	2	7	3	1	----
Hernia, intestinal obstruction (118)	17	2	1	----	----	----	1	----	1	----	----	----	----	3	3	2	4	----
Cirrhosis of the liver (122)	4	----	----	----	----	----	----	----	----	----	----	----	1	1	2	----	----	----
Nephritis (128, 129)	167	----	1	1	----	----	1	1	----	----	1	2	9	16	27	49	59	----
Diseases of the female genital organs (137–141)	6	----	----	----	----	----	----	----	----	----	1	1	2	2	----	----	----	----
Puerperal septicemia (146)	14	----	----	----	----	----	----	----	1	5	2	2	2	2	----	----	----	----
Other puerperal causes (143–145, 147–150)	12	----	----	----	----	----	----	----	1	4	2	4	1	----	----	----	----	----
Suicide (165–174)	24	----	----	----	----	----	----	----	1	2	2	1	5	8	1	3	1	----
Homicide (197–200)	7	----	----	----	----	----	----	----	----	1	----	----	1	----	3	2	----	----
Automobile accidents [1] (188c)	26	----	----	----	----	1	2	1	2	1	2	1	6	3	2	2	3	----
Automobile and railroad-train collision (part 188a)	2	----	----	----	----	----	----	----	----	----	1	----	----	1	----	----	----	----
Automobile and street-car collision (part 188b)	3	----	----	----	----	----	----	----	----	----	----	2	----	----	1	----	----	----
Other external causes (inclusions, see Table 5)	54	1	3	2	----	----	6	4	3	8	1	----	5	3	5	7	6	----
All other causes	434	130	9	3	3	----	8	3	10	12	8	7	25	46	58	44	68	----

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
RICHMOND, VA. (COLORED), all causes	1,324	233	31	16	9	9	23	15	40	70	64	72	204	222	189	91	36	
Typhoid and paratyphoid fever (1)	1												1					
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	10	6	3			1												
Diphtheria (10)	10		1			2	5	1				1						
Influenza (11)	65	6	4	1	1	2	2		2	4	1	3	9	8	14	5	3	
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	107	1					2	4	8	30	16	16	19	11				
Other forms of tuberculosis (32–37)	26	1	1	4	1		1	1	6	3	2	2	3		1			
Cancer and other malignant tumors (43–49)	42				1					1	1	1	7	9	17	5		
Diabetes mellitus (57)	11											1	3	4	3			
Cerebral hemorrhage and softening (74, 83)	102								1		1	3	16	31	28	19	3	
Other [organic] diseases of the heart (90)	133				1		2		1	1	2	9	17	40	36	15	9	
Bronchitis (99)	6	2	1												2	1		
Broncho-pneumonia (100)	57	25	9	4	1	1	2					1	1	6	4	2	1	
Pneumonia (101)	110	5	3	3	1		1	1	6	3	11	4	28	22	14	5	3	
Diarrhea and enteritis (113, 114)	52	43	2			1	1		2	1	1				1			
Appendicitis and typhlitis (117)	12						1	2	1	1		3	1	2	1			
Hernia, intestinal obstruction (118)	11	3										2	2	2		2		
Cirrhosis of the liver (122)	8											1	1	4		2		
Nephritis (128, 129)	105	1							1	1	5	3	21	29	28	10	6	
Diseases of the female genital organs (137–141)	16									3		4	5	4				
Puerperal septicemia (146)	11								4	3	1	1	2					
Other puerperal causes (143–145, 147–150)	8									1	2	1	4					
Suicide (165–174)	1																1	
Homicide (197–200)	12								1	1	3	1	5	1				
Automobile accidents[1] (188c)	11				1			1		1		1	3	2	1	1		
Automobile and railroad-train collision (part 188a)	2												1	1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	50	2	1	4			3		2	5	4	7	11	3	2	5	1	
All other causes	344	138	6		2	2	2	5	5	11	14	7	44	43	37	19	9	
SEATTLE, WASH., all causes	3,564	228	37	22	14	10	60	42	74	101	95	125	324	532	624	683	589	4
Typhoid and paratyphoid fever (1)	7									1	1	2	1	2				
Measles (7)	2	1	1															
Scarlet fever (8)	3						3											
Whooping cough (9)	5	2	1		1		1											
Diphtheria (10)	8		1	3			3	1										
Influenza (11)	71	11	8	2	1		3		1		1	1	13	7	5	5	13	
Meningococcus meningitis (24)	25	2	3	1			3	1	4	4		1	2	4				
Tuberculosis of the respiratory system (31)	170		1	2			1	3	16	18	18	19	31	30	14	12	4	1
Other forms of tuberculosis (32–37)	59	4	3	5		3	8	2	5	5	2	2	7	3	5	3	2	
Cancer and other malignant tumors (43–49)	473			2	1		2	2		1	3	7	36	103	117	121	78	
Diabetes mellitus (57)	60				1				1	1	2	1	4	7	20	19	4	
Cerebral hemorrhage and softening (74, 83)	250							1			1	3	12	26	60	80	67	
Other [organic] diseases of the heart (90)	622	1					2	2	4	7	5	8	31	75	136	178	173	
Bronchitis (99)	14														4	4	6	
Broncho-pneumonia (100)	81	25	2	1				2		1		2	5	12	5	15	11	
Pneumonia (101)	132	6	2	2	2		1	4	7	2		7	10	20	19	23	27	
Diarrhea and enteritis (113, 114)	19	6	2	2									1	3	3	1	1	
Appendicitis and typhlitis (117)	68		1			2	3	1	3	7	6	8	11	13	10	3		
Hernia, intestinal obstruction (118)	42	2	1					1		1	3	2	6	5	5	9	7	
Cirrhosis of the liver (122)	19											1		4	4	8	2	
Nephritis (128, 129)	204						1	1	2	5	4	2	14	26	50	49	50	
Diseases of the female genital organs (137–141)	31								1		3	4	8	10	2	2	1	
Puerperal septicemia (146)	16								3	5	4	2	2					
Other puerperal causes (143–145, 147–150)	25									3	6	6	9	1				
Suicide (165–174)	94								3	5	12	10	17	22	12	10	2	1
Homicide (197–200)	10								1	1	1	1	4	1	1			
Automobile accidents[1] (188c)	69		1		1	1	8	4		4	5	3	8	10	9	8	7	
Automobile and railroad-train collision (part 188a)	3								1			1	1					
Automobile and street-car collision (part 188b)	1													1				
Other external causes (inclusions, see Table 5)	152	1	3	1	3		4	4	6	10	3	11	22	27	25	16	14	2
All other causes	829	167	7	1	4	4	17	13	16	20	15	21	69	120	118	117	120	
SPOKANE, WASH., all causes	1,514	142	19	12	13	12	35	35	42	51	39	56	131	187	227	270	243	
Typhoid and paratyphoid fever (1)	8							1	1	1	1	2	1	1				
Measles (7)	2		1				1											
Scarlet fever (8)	7				1	1	3			1		1						
Whooping cough (9)	1	1																
Diphtheria (10)	8				1	1	4		1				1					
Influenza (11)	35	4	1	1		1	1	1		1	1	2	2	3	2	4	11	
Meningococcus meningitis (24)	51	3		4	1	1	7	7	11	4	2	3	4	3	1			
Tuberculosis of the respiratory system (31)	32	1			1				3	2	5	4	6	4		4	2	
Other forms of tuberculosis (32–37)	12	2	1		1		1	1	1	1		1	2		1			
Cancer and other malignant tumors (43–49)	169					1		1	1		1	1	13	35	41	51	24	
Diabetes mellitus (57)	29							3	1	1	2		1	3	4	10	4	
Cerebral hemorrhage and softening (74, 83)	100												7	10	21	34	28	
Other [organic] diseases of the heart (90)	135	1				1		1	2	2	3	2	9	15	14	42	43	
Bronchitis (99)	7			1										1			5	
Broncho-pneumonia (100)	51	20	3	3	3	1					1	1		3	3	4	9	
Pneumonia (101)	66	3	1					2	2	2	3	5	3	8	18	11	8	
Diarrhea and enteritis (113, 114)	11	2	5	1											1	1	1	
Appendicitis and typhlitis (117)	36					1	3	4	1	2	3	6	4	4	5	2	1	
Hernia, intestinal obstruction (118)	21	3							1			1	3	4	6	2	1	
Cirrhosis of the liver (122)	6												1		3	2		
Nephritis (128, 129)	135	1					1	1	2	3	1	2	11	19	25	34	35	
Diseases of the female genital organs (137–141)	11									1		3	3	1	3			
Puerperal septicemia (146)	14								3	4	2	3	2					
Other puerperal causes (143–145, 147–150)	10								2	3	2	2	1					
Suicide (165–174)	29									4		2	7	3	7	6		
Homicide (197–200)	2									1				1				
Automobile accidents[1] (188c)	27					1	3		2	2	1	1	4	2	5	2	4	
Automobile and railroad-train collision (part 188a)	3												1	1	1			
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	70		4		1		6	1	3	5		4	8	11	12	3	12	
All other causes	426	101	3	2	4	3	5	12	5	11	11	10	37	55	54	58	55	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MILWAUKEE, WIS., all causes	5,730	856	127	53	40	31	94	77	96	178	162	223	487	605	821	987	893	----
Typhoid and paratyphoid fever (1)	7	----	----	----	----	----	----	----	1	2	1	2	1	----	----	----	----	----
Measles (7)	23	7	10	3	----	2	----	----	----	1	----	----	----	----	----	----	----	----
Scarlet fever (8)	5	----	1	1	1	----	1	----	----	----	----	1	----	----	----	----	----	----
Whooping cough (9)	25	20	4	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----
Diphtheria (10)	53	3	10	5	7	6	13	2	1	3	1	----	2	----	----	----	----	----
Influenza (11)	113	13	7	3	----	2	1	1	2	7	7	3	15	10	12	18	12	----
Meningococcus meningitis (24)	9	2	1	----	1	----	2	1	----	----	----	----	2	----	----	----	----	----
Tuberculosis of the respiratory system (31)	299	1	1	2	1	----	1	1	28	47	48	50	55	29	26	8	1	----
Other forms of tuberculosis (32–37)	64	8	5	5	3	3	5	5	4	2	3	6	3	4	6	2	----	----
Cancer and other malignant tumors (43–49)	549	----	----	2	----	----	----	1	----	3	4	6	42	104	145	174	68	----
Diabetes mellitus (57)	118	1	----	----	----	----	----	3	4	3	1	3	6	10	21	51	15	----
Cerebral hemorrhage and softening (74, 83)	361	----	----	----	----	----	----	----	----	----	1	2	10	44	80	106	118	----
Other [organic] diseases of the heart (90)	811	----	1	1	----	1	6	7	4	9	7	7	42	87	148	217	274	----
Bronchitis (99)	49	13	6	----	1	----	----	----	----	----	----	----	----	2	1	6	20	----
Broncho-pneumonia (100)	281	108	27	8	3	2	4	----	3	5	1	1	13	13	14	30	49	----
Pneumonia (101)	306	44	8	8	1	2	5	2	3	13	10	13	33	33	47	51	33	----
Diarrhea and enteritis (113, 114)	154	108	16	5	2	2	2	----	----	1	----	----	2	1	4	4	7	----
Appendicitis and typhlitis (117)	99	----	1	2	1	1	6	9	8	6	7	10	21	7	12	7	1	----
Hernia, intestinal obstruction (118)	55	9	1	----	----	----	1	1	----	----	----	----	3	7	16	12	5	----
Cirrhosis of the liver (122)	45	----	----	----	----	----	----	----	----	----	2	2	7	13	10	5	6	----
Nephritis (128, 129)	401	----	1	----	----	2	4	2	8	2	15	19	60	75	119	94	----	----
Diseases of the female genital organs (137–141)	34	----	----	----	----	----	----	----	1	3	2	4	6	9	2	4	3	----
Puerperal septicemia (146)	23	----	----	----	----	----	----	----	1	8	3	7	4	----	----	----	----	----
Other puerperal causes (143–145, 147–150)	49	----	----	----	----	----	----	1	3	12	13	8	12	----	----	----	----	----
Suicide (165–174)	97	----	----	----	----	----	----	----	1	6	4	9	24	17	19	12	5	----
Homicide (197–200)	21	2	----	----	----	----	----	----	----	3	3	6	3	3	1	----	----	----
Automobile accidents [1] (188c)	101	1	1	----	5	3	20	4	3	9	1	5	8	7	13	14	7	----
Automobile and railroad-train collision (part 188a)	3	----	----	----	----	----	----	----	----	----	2	----	1	----	----	----	----	----
Automobile and street-car collision (part 188b)	2	----	----	----	1	----	----	----	----	----	----	----	1	----	----	----	----	----
Other external causes (inclusions, see Table 5)	231	5	4	----	6	4	6	10	5	5	10	15	53	35	25	27	21	----
All other causes	1,342	511	23	7	6	3	19	25	22	22	29	48	99	110	144	120	154	----

[1] Excludes collision with railroad trains and street cars.

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 15 and 16, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 49 and 50.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, all causes	1,285,927	118,987	109,659	139,821	122,748	109,121	97,014	97,948	91,880	91,752	98,828	99,640	108,529
Typhoid and paratyphoid fever (1)	6,826	373	229	245	215	298	379	723	1,069	1,091	1,056	697	451
Malaria (5)	2,006	73	59	58	58	101	171	253	293	318	336	196	90
Smallpox (6)	377	45	91	72	74	34	21	6	8	1	4	9	12
Measles (7)	8,607	738	1,102	1,659	1,703	1,416	775	420	179	95	97	149	274
Scarlet fever (8)	2,662	333	279	367	301	279	207	148	84	91	146	189	238
Whooping cough (9)	9,317	602	708	1,276	1,134	934	793	796	742	615	564	593	560
Diphtheria (10)	7,856	797	594	578	521	468	459	374	387	549	990	1,173	966
Influenza (11)	42,809	4,406	5,713	11,966	8,761	3,189	1,202	649	522	682	1,235	1,845	2,639
Dysentery (16)	2,921	65	75	93	78	181	324	553	489	479	371	131	82
Erysipelas (21)	2,680	288	263	368	371	331	173	166	115	96	109	160	240
Lethargic encephalitis (23)	1,499	133	142	178	174	161	117	120	115	92	91	84	92
Meningococcus meningitis (24)	1,413	131	150	144	127	134	109	123	98	93	97	90	117
Tuberculosis of the respiratory system (31)	80,375	7,148	6,900	8,210	7,908	7,619	6,891	6,476	5,953	5,618	5,788	5,713	6,151
Other forms of tuberculosis (32–37)	11,193	898	811	1,022	1,087	1,126	1,064	1,024	959	825	833	749	795
Diabetes mellitus (57)	18,881	1,819	1,711	1,985	1,714	1,451	1,413	1,349	1,270	1,348	1,497	1,593	1,731
Cerebral hemorrhage and softening (74, 83)	90,832	8,399	7,768	9,098	8,504	7,656	6,921	6,757	6,278	6,415	7,282	7,507	8,247
Other [organic] diseases of the heart (90)	184,897	17,837	16,136	20,605	17,496	15,768	14,039	13,331	12,156	12,272	14,092	14,503	16,662
Bronchitis (99)	6,961	833	767	1,014	804	542	392	328	268	317	480	561	655
Broncho-pneumonia (100)	46,148	5,610	5,198	7,701	5,899	3,702	2,282	1,581	1,451	1,729	2,710	3,647	4,638
Pneumonia (101)	61,649	8,838	7,619	10,948	7,535	4,774	2,800	1,944	1,582	1,830	2,994	4,691	6,094
Diarrhea and enteritis [under 2 years] (113)	28,374	1,262	1,036	1,291	1,252	1,706	2,568	3,504	4,452	4,962	3,626	1,571	1,144
Diarrhea and enteritis [2 years and over] (114)	6,922	338	312	313	371	395	670	969	982	1,031	761	426	354
Nephritis (128, 129)	103,332	9,778	8,816	10,599	9,408	8,917	7,916	8,093	7,213	7,236	8,127	8,309	8,920
Puerperal septicemia (146)	5,518	521	496	581	498	537	422	453	393	353	391	402	471
Other puerperal causes (143–145, 147–150)	9,540	801	821	1,089	918	876	801	776	760	737	655	636	670
Suicide (165–174)	13,410	1,028	913	1,146	1,217	1,170	1,203	1,170	1,048	1,129	1,158	1,129	1,099
Automobile accidents [1] (188c)	18,871	1,229	919	1,050	1,247	1,582	1,572	1,762	1,964	1,991	2,109	1,869	1,577
Automobile and railroad-train collision (part 188a)	1,556	112	95	107	89	117	124	133	124	150	181	168	156
Automobile and street-car collision (part 188b)	464	31	24	24	42	28	34	27	54	55	40	54	51
Other external causes (175–187, part 188a, b, 188d–203)	71,034	6,000	4,994	5,590	5,358	5,731	5,869	7,222	6,436	5,845	5,574	5,900	6,515
All other causes	436,997	38,521	34,918	40,444	37,884	37,898	35,303	36,718	34,436	33,707	35,434	34,896	36,838
REGISTRATION STATES, [2] all causes	1,257,256	116,264	106,871	137,162	120,353	106,812	94,628	95,602	89,716	89,657	96,669	97,323	106,199
Typhoid and paratyphoid fever (1)	6,598	359	223	240	207	283	357	689	1,051	1,053	1,021	680	435
Malaria (5)	1,925	72	57	56	58	97	162	246	282	311	319	181	84
Smallpox (6)	376	45	91	72	74	34	20	6	8	1	4	9	12
Measles (7)	8,579	737	1,100	1,659	1,702	1,411	767	412	176	95	97	149	274
Scarlet fever (8)	2,638	328	278	366	298	277	207	148	83	90	143	187	233
Whooping cough (9)	9,128	596	689	1,261	1,114	905	769	766	728	605	555	585	555
Diphtheria (10)	7,694	781	577	567	512	466	455	374	383	538	963	1,136	942
Influenza (11)	41,527	4,230	5,326	11,665	8,621	3,139	1,185	632	515	662	1,199	1,784	2,569
Dysentery (16)	2,801	60	69	88	72	170	308	537	470	462	361	127	77
Erysipelas (21)	2,654	287	260	365	368	327	170	162	114	96	109	159	237
Lethargic encephalitis (23)	1,472	131	137	176	172	161	115	116	114	89	90	83	88
Meningococcus meningitis (24)	1,385	130	146	141	126	131	104	120	95	92	96	88	116
Tuberculosis of the respiratory system (31)	77,805	6,898	6,660	7,963	7,673	7,406	6,702	6,247	5,760	5,438	5,611	5,512	5,935
Other forms of tuberculosis (32–37)	10,935	879	794	991	1,056	1,099	1,035	998	940	813	817	735	778
Diabetes mellitus (57)	18,604	1,789	1,680	1,969	1,685	1,426	1,385	1,331	1,246	1,335	1,475	1,573	1,710
Cerebral hemorrhage and softening (74, 83)	89,229	8,255	7,623	8,942	8,367	7,531	6,800	6,636	6,153	6,323	7,141	7,351	8,107
Other [organic] diseases of the heart (90)	182,223	17,537	15,878	20,352	17,258	15,558	13,834	13,116	11,977	12,089	13,908	14,278	16,438
Bronchitis (99)	6,833	814	753	1,005	793	532	383	315	256	310	473	555	644
Broncho-pneumonia (100)	45,361	5,499	5,091	7,614	5,830	3,650	2,248	1,552	1,399	1,681	2,654	3,581	4,562
Pneumonia (101)	60,255	8,579	7,333	10,799	7,400	4,691	2,745	1,896	1,535	1,794	2,931	4,587	5,965
Diarrhea and enteritis [under 2 years] (113)	27,392	1,241	1,019	1,262	1,218	1,578	2,370	3,346	4,324	4,848	3,545	1,527	1,114
Diarrhea and enteritis [2 years and over] (114)	6,653	321	299	297	353	375	632	928	955	1,001	739	409	344
Nephritis (128, 129)	100,980	9,552	8,623	10,357	9,198	8,743	7,732	7,884	7,030	7,051	7,956	8,117	8,737
Puerperal septicemia (146)	5,357	510	478	568	487	524	406	437	377	346	381	387	456
Other puerperal causes (143–145, 147–150)	9,297	781	800	1,067	895	859	778	756	743	710	638	618	652
Suicide (165–174)	13,082	1,004	889	1,117	1,181	1,144	1,173	1,144	1,018	1,101	1,137	1,108	1,066
Automobile accidents [1] (188c)	18,419	1,199	881	1,012	1,211	1,541	1,545	1,734	1,927	1,952	2,063	1,831	1,523
Automobile and railroad-train collision (part 188a)	1,540	112	95	106	89	117	122	131	123	147	178	167	153
Automobile and street-car collision (part 188b)	454	31	23	24	40	27	33	27	54	54	39	51	51
Other external causes (175–187, part 188a, b, 188d–203)	69,336	5,844	4,874	5,449	5,217	5,589	5,716	7,092	6,296	5,718	5,445	5,737	6,359
All other causes	426,724	37,663	34,125	39,612	37,078	37,021	34,370	35,824	33,584	32,852	34,581	34,031	35,983
ALABAMA (WHITE), all causes	15,416	1,511	1,407	1,717	1,325	1,157	1,199	1,314	1,147	1,110	1,165	1,198	1,166
Typhoid and paratyphoid fever (1)	207	7	4	2	6	5	10	29	43	44	28	20	9
Malaria (5)	95	3	-	4	3	6	5	10	12	13	24	9	6
Smallpox (6)	3	-	-	-	1	-	1	1	-	-	-	-	-
Measles (7)	111	-	7	8	17	36	17	14	7	1	2	2	-
Scarlet fever (8)	16	1	2	2	1	2	-	-	1	-	3	1	3
Whooping cough (9)	178	13	10	20	17	21	23	24	15	11	10	8	6
Diphtheria (10)	173	13	6	8	4	2	1	4	7	16	23	55	34
Influenza (11)	878	102	201	314	102	29	12	4	5	14	20	40	35
Dysentery (16)	55	1	2	4	2	4	6	17	8	5	3	2	1
Erysipelas (21)	39	3	3	3	4	4	-	4	2	7	4	3	2
Lethargic encephalitis (23)	12	1	1	1	1	2	-	-	1	1	4	-	-
Meningococcus meningitis (24)	10	-	2	1	1	2	-	-	1	1	-	-	2
Tuberculosis of the respiratory system (31)	771	89	73	90	70	65	67	65	60	46	55	52	39
Other forms of tuberculosis (32–37)	88	5	4	7	6	13	13	6	7	8	5	8	6
Diabetes mellitus (57)	131	19	6	14	6	14	8	5	13	11	13	9	13
Cerebral hemorrhage and softening (74, 83)	765	66	55	76	86	71	40	54	47	52	66	79	73
Other [organic] diseases of the heart (90)	1,443	146	157	164	125	114	103	106	100	106	98	110	114
Bronchitis (99)	65	6	6	4	5	6	3	1	5	4	9	11	5
Broncho-pneumonia (100)	469	73	74	67	47	27	15	22	18	29	30	40	27
Pneumonia (101)	797	168	97	144	85	49	24	22	22	24	32	65	65
Diarrhea and enteritis [under 2 years] (113)	630	21	15	14	11	22	150	153	89	67	50	25	13
Diarrhea and enteritis [2 years and over] (114)	173	9	5	4	7	9	48	33	12	15	10	11	10
Nephritis (128, 129)	1,188	109	110	115	112	108	88	109	84	72	83	103	95
Puerperal septicemia (146)	91	6	12	13	8	9	6	5	1	10	5	8	8
Other puerperal causes (143–145, 147–150)	196	21	13	17	21	15	13	15	17	20	22	11	11
Suicide (165–174)	122	5	11	16	14	9	11	9	5	12	11	11	8
Automobile accidents [1] (188c)	221	17	17	12	13	15	17	27	21	23	26	10	23
Automobile and railroad-train collision (part 188a)	21	2	1	-	1	-	2	4	3	1	5	-	2
Automobile and street-car collision (part 188b)	4	1	-	-	-	1	-	1	-	-	-	-	1
Other external causes (175–187, part 188a, b, 188d–203)	956	109	75	83	80	67	59	86	76	72	72	84	93
All other causes	5,508	495	438	510	469	430	457	484	465	425	452	421	462

[1] Excludes collision with railroad trains and street cars.

[2] Including District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA (COLORED), all causes	14,276	1,335	1,273	1,591	1,280	1,179	1,159	1,227	1,064	992	1,094	1,040	1,042
Typhoid and paratyphoid fever (1)	169	2	5	3	7	9	10	21	38	32	25	15	2
Malaria (5)	122	3	4	1	2	7	14	12	15	20	22	13	9
Smallpox (6)	2					1	1						
Measles (7)	23			3	5	3	5	5	1				1
Scarlet fever (8)													
Whooping cough (9)	124	8	10	14	10	12	20	24	8	5	7	6	
Diphtheria (10)	47	7	2	3	2			1	6	4	9	7	6
Influenza (11)	707	77	115	267	87	33	20	12	13	9	21	22	31
Dysentery (16)	54		1	3	4	5	11	9	6	2	4	3	6
Erysipelas (21)	7		1	1					2	1	1	1	
Lethargic encephalitis (23)	4			1				2					1
Meningococcus meningitis (24)	5							1		2			2
Tuberculosis of the respiratory system (31)	1,390	116	114	129	144	126	107	128	98	106	105	102	115
Other forms of tuberculosis (32–37)	131	12	4	9	8	12	14	20	11	13	10	6	12
Diabetes mellitus (57)	70	8	10	6	3	7	2	2	7	5	8	9	3
Cerebral hemorrhage and softening (74, 83)	626	57	57	52	53	67	42	55	36	38	62	60	47
Other [organic] diseases of the heart (90)	1,344	136	110	129	128	126	117	122	108	85	96	98	89
Bronchitis (99)	30	4	3	2		2		3	4	4	3	4	1
Broncho-pneumonia (100)	300	43	57	39	28	21	12	9	15	8	15	28	25
Pneumonia (101)	861	141	130	170	91	55	48	33	17	27	43	50	56
Diarrhea and enteritis [under 2 years] (113)	277	6	4	6	6	19	66	54	45	41	16	8	6
Diarrhea and enteritis [2 years and over] (114)	81	2	3	3	7	7	16	8	10	7	11	3	4
Nephritis (128, 129)	976	85	73	82	84	104	75	101	82	73	64	83	70
Puerperal septicemia (146)	88	8	9	12	8	4	9	11	8	6	6	2	5
Other puerperal causes (143–145, 147–150)	176	20	14	22	20	17	20	17	7	12	8	7	12
Suicide (165–174)	14	1	1	1	2	2	1	3			1	1	1
Automobile accidents [1] (188c)	98	7	5	7	9	12	5	6	7	6	11	9	14
Automobile and railroad-train collision (part 188a)	4				1					2			1
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	1,091	116	81	99	85	82	85	106	86	90	79	76	106
All other causes	5,455	476	460	527	486	446	459	462	434	394	467	427	417
ARIZONA, all causes	5,572	486	534	585	478	514	471	460	394	365	398	425	462
Typhoid and paratyphoid fever (1)	31	2	1	1	3	1	5	5	3	1	3	3	3
Malaria (5)	1									1			
Smallpox (6)	6				6								
Measles (7)	8	4					2	1	1				
Scarlet fever (8)	10				1	2	1	2		1	1	1	1
Whooping cough (9)	46		7	10	3	6	3	5	4		5	2	1
Diphtheria (10)	21	3		1			2	3	2	1	4	3	2
Influenza (11)	251	28	74	51	30	21	6	8	2	3	2	7	19
Dysentery (16)	18				2	6	1	3	1	2	1	1	1
Erysipelas (21)	9		1	1		2	1		2	1			1
Lethargic encephalitis (23)	3						2		1				
Meningococcus meningitis (24)	7					1	1		1	1	2		1
Tuberculosis of the respiratory system (31)	1,378	132	143	163	117	118	106	105	89	82	103	106	114
Other forms of tuberculosis (32–37)	84	5	6	11	5	7	7	6	11	6	5	4	11
Diabetes mellitus (57)	37	4	3			3	2	3	1	3	5	7	6
Cerebral hemorrhage and softening (74, 83)	124	11	10	6	11	12	19	10	6	13	5	12	9
Other [organic] diseases of the heart (90)	328	36	33	30	26	19	22	21	22	27	23	30	39
Bronchitis (99)	31	4	3	2	3	4		1	3	2	4	3	2
Broncho-pneumonia (100)	217	25	36	28	24	22	11	6	2	10	12	18	23
Pneumonia (101)	246	39	28	43	20	18	11	11	15	7	17	19	18
Diarrhea and enteritis [under 2 years] (113)	358	6	8	15	31	62	55	39	39	31	27	28	17
Diarrhea and enteritis [2 years and over] (114)	56	4	1	1	5	7	5	8	4	6	6	5	4
Nephritis (128, 129)	193	18	18	24	16	18	14	15	15	14	14	11	16
Puerperal septicemia (146)	30	1	5	2	3		2	4	1	2	2	3	5
Other puerperal causes (143–145, 147–150)	56	3	1	7	7	3	5	2	4	12	7	2	3
Suicide (165–174)	51	4	4	9	7	4	3	5	1	4	2	4	4
Automobile accidents [1] (188c)	116	12	8	12	4	5	11	9	12	11	8	14	10
Automobile and railroad-train collision (part 188a)	3	1				1		1					
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	375	16	24	20	38	33	33	53	47	23	32	28	28
All other causes	1,478	128	120	148	116	139	141	134	105	101	108	114	124
CALIFORNIA, all causes	58,914	5,954	5,189	5,182	4,849	4,705	4,661	4,509	4,386	4,196	4,612	4,938	5,733
Typhoid and paratyphoid fever (1)	121	9	7	7	10	15	12	15	15	11	9	4	7
Malaria (5)	14	1	2	1	1	1	1		2	1	1	2	1
Smallpox (6)	235	29	79	55	51	15	2		1				3
Measles (7)	126	3	6	9	9	14	17	16	4	3	5	11	29
Scarlet fever (8)	49	7	3	8	3	4	3	2	3	1	7	3	5
Whooping cough (9)	172	26	21	21	21	21	13	10	12	6	4	10	7
Diphtheria (10)	298	25	20	20	21	23	16	21	20	21	34	34	43
Influenza (11)	1,086	295	284	125	68	46	26	25	25	24	44	40	84
Dysentery (16)	85	2	5	10	11	6	6	4	9	7	10	7	8
Erysipelas (21)	63	7	8	5	10	6	3	4	3	3	5	6	3
Lethargic encephalitis (23)	64	6	5	6	8	6	3	6	5	4	6	6	3
Meningococcus meningitis (24)	116	16	19	10	10	14	4	13	6	5	9	3	7
Tuberculosis of the respiratory system (31)	5,136	516	456	468	483	468	444	405	387	345	368	380	416
Other forms of tuberculosis (32–37)	682	71	45	74	63	65	54	58	70	53	50	31	48
Diabetes mellitus (57)	877	87	84	63	53	57	73	69	63	67	83	87	91
Cerebral hemorrhage and softening (74, 83)	4,165	412	354	364	370	343	292	294	337	291	340	355	413
Other [organic] diseases of the heart (90)	9,471	1,055	802	824	777	770	760	641	680	662	692	777	1,031
Bronchitis (99)	268	36	34	29	22	19	17	11	19	14	18	20	29
Broncho-pneumonia (100)	1,717	276	192	157	127	116	98	75	94	80	120	158	224
Pneumonia (101)	1,893	303	238	185	145	116	106	82	89	88	137	167	237
Diarrhea and enteritis [under 2 years] (113)	1,038	55	48	55	85	121	118	100	85	77	113	104	77
Diarrhea and enteritis [2 years and over] (114)	261	23	15	13	21	28	22	26	23	17	29	23	21
Nephritis (128, 129)	4,284	403	378	412	367	303	320	323	320	309	356	371	422
Puerperal septicemia (146)	175	19	17	19	7	12	13	11	16	10	11	20	20
Other puerperal causes (143–145, 147–150)	293	24	28	37	25	23	23	23	20	26	19	17	28
Suicide (165–174)	1,128	97	103	78	90	88	95	101	86	87	112	98	93
Automobile accidents [1] (188c)	1,464	133	89	107	99	111	126	110	146	129	135	145	134
Automobile and railroad-train collision (part 188a)	124	5	3	13	7	11	11	12	9	10	19	8	16
Automobile and street-car collision (part 188b)	62	8	2	5	2	1	10	6	8	2	5	4	9
Other external causes (175–187, part 188a, b, 188d–203)	3,222	243	203	264	234	252	305	316	284	257	274	274	316
All other causes	20,225	1,762	1,639	1,738	1,649	1,630	1,668	1,730	1,545	1,586	1,597	1,773	1,908

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO, all causes	12,273	1,101	1,104	1,297	1,003	997	807	884	965	1,053	1,005	938	1,119
Typhoid and paratyphoid fever (1)	62	8	1	3	1	6	2	4	5	14	7	9	2
Malaria (5)													
Smallpox (6)	1				1								
Measles (7)	13	1	2		4		3					1	2
Scarlet fever (8)	22	4	1	1	4	1			1	1		3	6
Whooping cough (9)	182	15	23	40	27	24	13	18	6	7	5	1	3
Diphtheria (10)	97	16	14	10	7	5	6	3	5	12	7	5	7
Influenza (11)	593	62	113	128	67	24	15	18	16	19	22	39	70
Dysentery (16)	15			3		1		2	2	3	2	2	
Erysipelas (21)	37	4	4	5	4	4		3		1	2	4	6
Lethargic encephalitis (23)	17	1	3	5	3	1		1	1	1	1		
Meningococcus meningitis (24)	11	1	1			2				1	1	1	4
Tuberculosis of the respiratory system (31)	1,443	126	134	143	124	123	117	126	110	126	104	99	111
Other forms of tuberculosis (32–37)	84	5	5	6	11	14	6	3	6	2	10	9	7
Diabetes mellitus (57)	142	9	14	23	8	13	9	8	11	11	9	13	14
Cerebral hemorrhage and softening (74, 83)	793	69	75	75	67	57	52	50	67	74	71	64	72
Other [organic] diseases of the heart (90)	1,261	116	123	140	110	106	79	84	97	79	102	103	122
Bronchitis (99)	46	5	3	8	1	6	1	1	1	2	4	4	10
Broncho-pneumonia (100)	471	57	70	65	37	34	19	14	19	25	25	35	71
Pneumonia (101)	572	85	79	73	47	35	28	22	17	21	42	44	79
Diarrhea and enteritis [under 2 years] (113)	312	9	8	6	10	18	15	23	60	95	48	16	4
Diarrhea and enteritis [2 years and over] (114)	54	1		5		3	3	4	14	17	3	2	2
Nephritis (128, 129)	764	76	63	78	64	64	48	53	52	68	62	67	69
Puerperal septicemia (146)	64	8	2	5	10	5	3	5	3	6	3	5	9
Other puerperal causes (143–145, 147–150)	73	5	8	12	9	8	5	4	4	7	4	4	3
Suicide (165–174)	156	8	9	12	18	9	11	11	18	12	18	17	13
Automobile accidents [1] (188c)	175	7	11	11	8	15	7	24	23	23	21	14	11
Automobile and railroad-train collision (part 188a)	15	1		2				2	4	1	1		4
Automobile and street-car collision (part 188b)	2					1		1					
Other external causes (175–187; part 188a, b, 188d–203)	752	54	46	41	43	68	63	80	80	107	59	51	60
All other causes	4,044	348	292	397	318	350	302	320	343	318	372	326	358
CONNECTICUT, all causes	18,318	1,674	1,519	2,051	1,944	1,568	1,347	1,336	1,309	1,255	1,373	1,332	1,610
Typhoid and paratyphoid fever (1)	30	4	2	3	1	1	1	2	8	4	1	2	1
Malaria (5)	2							1					1
Smallpox (6)													
Measles (7)	203	41	39	48	28	26	12	6	1				2
Scarlet fever (8)	36	4	4	10	3	3	1	3		1	2	3	2
Whooping cough (9)	85	12	10	17	12	11	4	5	4	4	1	2	3
Diphtheria (10)	87	17	14	10	10	4	2	2	3		6	5	14
Influenza (11)	486	44	37	128	146	38	16	6	3	4	15	14	35
Dysentery (16)	9	1	1	1	1	1		1		1	1		1
Erysipelas (21)	46	4	4	10	2	7	2	3	2	1	3	4	4
Lethargic encephalitis (23)	26	4	3	1	1	6		2	1	6		1	1
Meningococcus meningitis (24)	13		1	1	1	2	2	3		1	1	1	
Tuberculosis of the respiratory system (31)	1,062	68	95	114	101	110	99	66	88	62	88	79	92
Other forms of tuberculosis (32–37)	160	15	9	18	26	11	14	13	12	6	10	9	17
Diabetes mellitus (57)	357	24	28	41	28	31	23	29	22	32	26	31	42
Cerebral hemorrhage and softening (74, 83)	1,455	133	112	141	156	108	104	112	129	94	115	120	131
Other [organic] diseases of the heart (90)	3,102	250	275	376	292	256	253	234	181	205	232	235	313
Bronchitis (99)	124	19	15	13	22	7	8	6	2	5	8	14	5
Broncho-pneumonia (100)	648	72	48	105	126	65	34	19	16	22	44	34	63
Pneumonia (101)	981	135	102	181	151	89	44	30	25	25	38	64	97
Diarrhea and enteritis [under 2 years] (113)	266	15	16	15	11	16	4	20	61	49	33	10	16
Diarrhea and enteritis [2 years and over] (114)	76	3	4	1	7	4	3	4	23	9	10	4	4
Nephritis (128, 129)	1,507	159	114	173	140	133	110	109	105	103	118	121	122
Puerperal septicemia (146)	59	5	4	9	4	5	5	6	4	3	2	6	6
Other puerperal causes (143–145, 147–150)	109	7	7	20	6	8	8	12	7	4	8	11	11
Suicide (165–174)	216	21	15	21	16	21	19	16	22	19	21	10	15
Automobile accidents [1] (188c)	307	26	9	13	20	37	24	24	29	33	32	37	23
Automobile and railroad-train collision (part 188a)	9				1		1	1	2	1	3		
Automobile and street-car collision (part 188b)	9		1				1			4	1		2
Other external causes (175–187; part 188a, b, 188d–203)	842	78	65	62	60	53	70	103	77	74	75	48	77
All other causes	6,006	513	485	519	572	515	483	498	482	483	479	467	510
DELAWARE, all causes	3,447	349	378	412	339	261	241	243	223	216	254	263	268
Typhoid and paratyphoid fever (1)	14	1		2		2		2	1	2	2	1	1
Malaria (5)	1									1			
Smallpox (6)													
Measles (7)	52	1	17	14	11	4	4		1				
Scarlet fever (8)	5	1				1	1					1	1
Whooping cough (9)	21	1	3	3	5	1	1	1	3	1	2		
Diphtheria (10)	18	2	4	2	2	2	1			1	2	2	
Influenza (11)	114	8	19	39	19	6	4	1	2	1	2	5	8
Dysentery (16)	4								3	1			
Erysipelas (21)	4	1				1	1		1				
Lethargic encephalitis (23)	5	1		1			1	1			1		
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	233	26	27	25	22	13	15	17	22	15	13	19	19
Other forms of tuberculosis (32–37)	29	4	2	2	5	4	3		3	1	4		1
Diabetes mellitus (57)	50	6	8	4	4	3	6	2	1	4	4	6	2
Cerebral hemorrhage and softening (74, 83)	336	21	34	33	36	36	26	25	25	18	23	29	30
Other [organic] diseases of the heart (90)	504	43	50	59	51	37	40	28	28	31	57	42	38
Bronchitis (99)	11	3		2	2	1				1	1		1
Broncho-pneumonia (100)	121	24	19	20	16	6	5	4	2	6	7	5	7
Pneumonia (101)	195	28	35	56	22	9	7	5	1	4	4	9	15
Diarrhea and enteritis [under 2 years] (113)	83	7	6	5	5	2	4	7	16	19	9	1	2
Diarrhea and enteritis [2 years and over] (114)	20	2	2		4	2	2	3	1	3		1	
Nephritis (128, 129)	397	49	41	31	34	37	28	38	22	22	29	35	31
Puerperal septicemia (146)	15	3	1	2	2	1	3	3					
Other puerperal causes (143–145, 147–150)	24	3	3		3	1	2	2	2	3	2	2	1
Suicide (165–174)	19	1		3		1	2	3	2	2	1	2	2
Automobile accidents [1] (188c)	50	7	1	4	3	2	6	5	6	3	6	4	3
Automobile and railroad-train collision (part 188a)	16				4	1	2	5	4				
Automobile and street-car collision (part 188b)	1				1								
Other external causes (175–187, part 188a, b, 188d–203)	160	12	15	16	16	12	12	14	13	10	13	10	17
All other causes	944	94	91	89	72	76	65	77	64	67	72	88	89

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA (WHITE), all causes	12,173	1,223	1,148	1,278	1,041	974	836	831	833	1,041	959	962	1,047
Typhoid and paratyphoid fever (1)	102	8	8	6	8	17	8	8	11	8	7	5	8
Malaria (5)	106	3	5	5	4	3	12	13	7	11	23	13	7
Smallpox (6)	2	1					1						
Measles (7)	19			6	5	4	1	1				1	1
Scarlet fever (8)	14	1	3	1	1	1	1		2	1		1	2
Whooping cough (9)	28	1	3	1	2	6	4	2	1	2	3	2	1
Diphtheria (10)	102	11	6	9	5	3	5	6	1	8	23	18	7
Influenza (11)	388	45	70	123	60	16	4	6	3	7	14	22	18
Dysentery (16)	54	3	1	3	5	9	10	4	5	2	5	3	4
Erysipelas (21)	11	3	2	1	1			1		1	1		1
Lethargic encephalitis (23)	14			4	1	1	1	1	2	1		1	2
Meningococcus meningitis (24)	16	2	3	1	2		1	1	4			1	1
Tuberculosis of the respiratory system (31)	460	39	60	53	33	32	32	33	20	39	31	45	43
Other forms of tuberculosis (32–37)	61	8	5	8	10	3	3	3	1	5	2	5	8
Diabetes mellitus (57)	142	19	16	17	13	11	12	9	9	10	8	9	9
Cerebral hemorrhage and softening (74, 83)	761	74	73	80	69	57	53	47	58	54	55	57	84
Other [organic] diseases of the heart (90)	1,288	138	147	159	122	101	83	86	75	80	77	95	125
Bronchitis (99)	44	6	5	8	6	3	1	1	2	3	1	3	5
Broncho-pneumonia (100)	263	35	35	41	17	16	4	11	12	20	34	26	12
Pneumonia (101)	357	50	54	65	32	25	8	15	15	16	13	32	32
Diarrhea and enteritis [under 2 years] (113)	348	25	27	31	33	48	41	32	27	18	25	26	15
Diarrhea and enteritis [2 years and over] (114)	101	9	11	6	10	12	13	10	9	5	4	7	5
Nephritis (128, 129)	1,074	116	109	107	101	87	71	75	75	70	75	96	92
Puerperal septicemia (146)	59	2	4		3	5	7	7	10	6	3	10	2
Other puerperal causes (143–145, 147–150)	166	12	11	15	13	16	12	9	18	12	15	18	15
Suicide (165–174)	167	14	12	24	16	18	12	17	9	16	11	7	11
Automobile accidents [1] (188c)	400	59	44	35	27	28	21	29	25	19	33	35	45
Automobile and railroad-train collision (part 188a)	32	2	2	2	1	4	2	1		3	3	8	4
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175–187, part 188a, b, 188d–203)	1,274	105	81	84	78	103	97	75	87	300	80	65	119
All other causes	4,319	432	351	383	363	344	316	328	345	324	413	351	369
FLORIDA (COLORED), all causes	7,871	668	665	763	648	666	662	628	635	623	617	669	627
Typhoid and paratyphoid fever (1)	88	4	2	4	5	12	9	10	19	5	9	6	3
Malaria (5)	124	7	9	6	6	7	12	12	26	15	9	10	5
Smallpox (6)	5			1	2	1		1					
Measles (7)	9	1	1		2	2	1		1				1
Scarlet fever (8)	1	1											
Whooping cough (9)	31	2	3	5	2	2	6	1	1	1	1	1	6
Diphtheria (10)	20	1	1	1	3	1		2	2	1	4	1	3
Influenza (11)	324	14	38	96	63	28	18	10	2	12	8	13	22
Dysentery (16)	47	1	3	2	2	5	6	9	4	4	6	5	
Erysipelas (21)	2			1							1		
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	3	1	1										1
Tuberculosis of the respiratory system (31)	633	52	58	66	64	48	42	64	40	49	57	44	49
Other forms of tuberculosis (32–37)	46	1	6	4	5	8	6	3	3	3	2	2	3
Diabetes mellitus (57)	37	5	3	1	4	7	5	2	1	3	2	1	3
Cerebral hemorrhage and softening (74, 83)	448	50	38	44	32	41	32	29	35	30	33	48	36
Other [organic] diseases of the heart (90)	600	38	56	52	49	55	45	53	54	54	54	49	41
Bronchitis (99)	34	3	3	3	2	3	2	3	3	1	2	5	4
Broncho-pneumonia (100)	142	26	14	18	14	10	10	10	6	11	8	8	7
Pneumonia (101)	381	44	52	70	31	25	20	17	17	13	20	38	34
Diarrhea and enteritis [under 2 years] (113)	200	19	13	14	10	26	33	23	19	12	7	12	12
Diarrhea and enteritis [2 years and over] (114)	52	2	2	5	4	5	9	2	9	2	3	4	5
Nephritis (128, 129)	611	56	51	52	52	45	61	51	38	47	49	64	45
Puerperal septicemia (146)	68	11	2	7	2	9	7	3	4	5	7	7	4
Other puerperal causes (143–145, 147–150)	79	4	6	4	6	10	7	6	6	10	9	6	5
Suicide (165–174)	11		1	3		4	2					1	
Automobile accidents [1] (188c)	115	12	11	10	9	7	6	6	11	9	17	7	10
Automobile and railroad-train collision (part 188a)	3			1				2					
Automobile and street-car collision (part 188b)	1							1					
Other external causes (175–187, part 188a, b, 188d–203)	1,066	110	89	85	89	84	92	67	75	129	68	84	94
All other causes	2,690	203	202	208	190	221	231	241	259	207	241	253	234
IDAHO, all causes	3,871	385	365	336	325	310	311	288	280	267	337	308	359
Typhoid and paratyphoid fever (1)	22	4			1	2	2	2	1	1	5	3	1
Malaria (5)	1											1	
Smallpox (6)	1											1	
Measles (7)	3		1									1	1
Scarlet fever (8)	20	4	3		1	2	1	1	1	2		2	3
Whooping cough (9)	42	5	9	7	8	6	1	1	1	1	1	1	1
Diphtheria (10)	23	2	2	2	1	4	3		3	3	1	1	1
Influenza (11)	222	41	70	42	21	10	6	2	2		5	7	16
Dysentery (16)	6								1	3	1	1	
Erysipelas (21)	14		1		1	1	1				4	3	3
Lethargic encephalitis (23)	8	1		2	1	1	1		1		1		
Meningococcus meningitis (24)	22	1	1	6	2	2	3	3	1		1	1	1
Tuberculosis of the respiratory system (31)	153	11	14	21	15	6	11	16	7	7	13	16	16
Other forms of tuberculosis (32–37)	27		2	1	2	6	3	3	3	2	3		2
Diabetes mellitus (57)	46	5	6	4	6	4	3	2	2	1	7	1	5
Cerebral hemorrhage and softening (74, 83)	276	34	21	25	24	25	14	18	17	21	23	20	34
Other [organic] diseases of the heart (90)	432	39	44	34	28	24	39	42	40	18	40	39	45
Bronchitis (99)	13	3	2	1			2			2	3		
Broncho-pneumonia (100)	120	16	15	10	7	6	7	6	5	5	5	13	25
Pneumonia (101)	162	22	24	7	18	11	11	6	6	7	18	15	17
Diarrhea and enteritis [under 2 years] (113)	74	3	6	2	1	3	7	7	10	26	2	4	3
Diarrhea and enteritis [2 years and over] (114)	24		1		1			3	8	7	2	2	
Nephritis (128, 129)	248	25	17	26	19	25	25	24	16	17	14	15	25
Puerperal septicemia (146)	22	1			2	5	2	2	3	1	1	2	3
Other puerperal causes (143–145, 147–150)	31	2	1	6	2	3	1	4		2	3	5	2
Suicide (165–174)	49	4	2	3	5	5	1	3	3	5	5	5	8
Automobile accidents [1] (188c)	77	6	1	3	6	15	8	5	10	4	10	7	2
Automobile and railroad-train collision (part 188a)	4						1		1			2	
Automobile and street-car collision (part 188b)	4				2						1	1	
Other external causes (175–187, part 188a, b, 188d–203)	281	25	16	22	23	24	25	26	34	15	33	17	21
All other causes	1,444	131	106	112	128	120	133	112	104	117	135	122	124

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS, all causes	85,331	7,850	7,080	9,876	8,183	7,393	6,162	6,345	6,100	6,086	6,493	6,585	7,178
Typhoid and paratyphoid fever (1)	234	10	4	6	10	7	6	24	30	38	43	42	14
Malaria (5)	48	2	1	3	3	5	2	8	8	6	6	3	1
Smallpox (6)	8	1			1	3	2					1	
Measles (7)	353	23	28	52	81	67	33	15	12	7	2	16	17
Scarlet fever (8)	239	35	23	37	32	27	21	11	10	7	12	15	9
Whooping cough (9)	374	30	38	55	56	26	20	22	29	22	18	33	25
Diphtheria (10)	415	40	36	39	30	25	26	31	13	26	52	54	43
Influenza (11)	2,020	175	199	680	438	148	45	30	19	32	53	86	115
Dysentery (16)	67	2	2	3	1	1	3	9	12	24	7	2	1
Erysipelas (21)	197	27	31	32	19	25	11	11	7	4	1	10	19
Lethargic encephalitis (23)	76	1	6	8	7	8	10	8	4	4	8	7	5
Meningococcus meningitis (24)	61	7	2	6	5	9	7	6	3	3	3	7	3
Tuberculosis of the respiratory system (31)	4,903	437	355	527	468	497	426	384	370	360	396	304	379
Other forms of tuberculosis (32–37)	594	36	55	57	60	60	52	57	48	46	42	36	45
Diabetes mellitus (57)	1,580	150	134	187	150	121	112	116	112	118	116	135	129
Cerebral hemorrhage and softening (74, 83)	5,318	473	460	542	511	460	400	389	387	373	421	432	470
Other [organic] diseases of the heart (90)	13,990	1,405	1,192	1,692	1,345	1,205	1,025	966	979	907	1,047	1,094	1,133
Bronchitis (99)	583	68	46	117	68	42	28	23	29	21	31	53	57
Broncho-pneumonia (100)	2,635	303	261	557	341	221	114	72	66	103	130	198	269
Pneumonia (101)	3,842	488	480	835	422	315	156	124	99	105	171	288	359
Diarrhea and enteritis [under 2 years] (113)	1,762	97	99	116	87	102	98	143	230	334	235	118	103
Diarrhea and enteritis [2 years and over] (114)	484	25	26	22	27	23	36	57	80	77	56	36	19
Nephritis (128, 129)	8,577	807	697	932	798	786	596	671	569	604	670	693	754
Puerperal septicemia (146)	347	40	23	39	28	37	28	22	24	29	21	20	36
Other puerperal causes (143–145, 147–150)	524	33	45	62	47	55	48	45	44	37	38	29	41
Suicide (165–174)	1,067	89	78	97	92	92	90	79	86	85	101	88	90
Automobile accidents [1] (188c)	1,338	92	77	80	76	111	122	148	153	112	154	106	107
Automobile and railroad-train collision (part 188a)	199	13	19	18	12	10	8	18	22	21	18	17	23
Automobile and street-car collision (part 188b)	62	4	4	6	9	3	3	6	7	8	5	3	4
Other external causes (175–187, part 188a, b, 188d–203)	4,790	425	321	347	396	417	363	476	451	346	390	398	460
All other causes	28,644	2,512	2,338	2,722	2,563	2,485	2,271	2,374	2,197	2,227	2,246	2,261	2,448
INDIANA, all causes	40,016	3,630	3,292	4,373	3,958	3,374	2,984	2,946	2,961	2,952	3,186	3,053	3,307
Typhoid and paratyphoid fever (1)	213	12	8	6	4	10	6	16	28	38	49	21	15
Malaria (5)	12			1	1		2	1	1		3	2	1
Smallpox (6)	8					2	1		1			2	2
Measles (7)	448	12	30	95	104	110	53	16	9	6	4	4	5
Scarlet fever (8)	101	20	11	24	10	8	3	1	1	2	5	6	10
Whooping cough (9)	419	19	35	70	51	41	35	31	33	23	22	32	27
Diphtheria (10)	185	19	16	15	8	3	7	10	9	7	28	33	30
Influenza (11)	1,726	199	173	493	358	128	59	25	28	26	57	71	109
Dysentery (16)	108	1	4	2	2	6	4	11	23	30	17	6	2
Erysipelas (21)	113	22	10	15	24	12	3	8	6	2	1	4	6
Lethargic encephalitis (23)	35	1	5	4	3	5	1	2	6	2	1	2	3
Meningococcus meningitis (24)	21			1	2	2	2		1	4	3	3	3
Tuberculosis of the respiratory system (31)	2,161	168	199	239	229	203	181	154	180	146	164	147	151
Other forms of tuberculosis (32–37)	435	39	27	43	40	45	45	38	37	25	36	27	33
Diabetes mellitus (57)	594	65	59	61	63	44	39	44	39	35	46	38	61
Cerebral hemorrhage and softening (74, 83)	3,317	278	294	332	330	266	271	245	232	231	241	282	315
Other [organic] diseases of the heart (90)	5,669	563	490	628	522	486	442	379	367	392	461	429	510
Bronchitis (99)	165	18	22	20	18	11	13	4	9	4	6	19	21
Broncho-pneumonia (100)	1,277	155	121	189	154	115	66	57	31	42	78	134	135
Pneumonia (101)	1,729	283	189	291	207	135	74	54	40	49	95	146	166
Diarrhea and enteritis [under 2 years] (113)	911	40	27	29	36	31	25	97	199	223	134	44	26
Diarrhea and enteritis [2 years and over] (114)	262	12	8	7	16	7	24	25	39	52	39	17	16
Nephritis (128, 129)	3,611	314	302	366	329	313	275	301	253	273	329	267	289
Puerperal septicemia (146)	177	12	19	22	24	19	9	5	14	12	11	10	20
Other puerperal causes (143–145, 147–150)	230	25	19	34	29	19	21	11	18	15	18	11	10
Suicide (165–174)	437	26	23	36	41	36	45	37	35	41	47	26	44
Automobile accidents [1] (188c)	547	33	27	28	35	49	40	57	62	55	57	56	48
Automobile and railroad-train collision (part 188a)	127	18	8	5	8	10	6	11	11	12	10	16	12
Automobile and street-car collision (part 188b)	43	2	2	2		5	5		7	5	6	8	1
Other external causes (175–187, part 188a, b, 188d–203)	1,953	142	132	138	163	154	193	190	196	161	134	143	207
All other causes	12,982	1,132	1,032	1,177	1,147	1,099	1,034	1,116	1,046	1,039	1,084	1,047	1,029
IOWA, all causes	25,466	2,248	2,130	2,716	2,612	2,246	1,846	1,876	1,719	1,865	1,927	1,980	2,301
Typhoid and paratyphoid fever (1)	52	6		3	1	5	7	4	7	8	7	2	2
Malaria (5)	4								1		2		1
Smallpox (6)	2				1		1						
Measles (7)	63	5	10	8	10	11	7	1				4	7
Scarlet fever (8)	46	8	5	3	5	2	5	5			2	6	5
Whooping cough (9)	163	16	7	25	23	17	12	14	9	11	10	9	10
Diphtheria (10)	111	11	8	5	6	8	8	8	3	13	8	17	16
Influenza (11)	1,118	78	83	258	277	111	44	21	23	50	52	44	77
Dysentery (16)	44	2			5			3	14	10	7	3	
Erysipelas (21)	59	4	6	9	10	4	6	7	1	1	4	4	3
Lethargic encephalitis (23)	26	5	1	3	2	4	1	2			3	3	2
Meningococcus meningitis (24)	17		3	2	3	3	2	1		1		1	1
Tuberculosis of the respiratory system (31)	774	65	68	92	71	77	71	66	47	40	46	58	73
Other forms of tuberculosis (32–37)	144	11	10	12	12	17	17	15	4	10	14	11	11
Diabetes mellitus (57)	488	45	53	51	44	31	40	28	39	45	34	34	44
Cerebral hemorrhage and softening (74, 83)	2,516	219	207	251	280	228	164	191	145	192	216	189	234
Other [organic] diseases of the heart (90)	3,456	334	288	357	365	333	241	246	241	218	230	288	315
Bronchitis (99)	117	13	10	14	17	12	3	4	6	7	8	7	16
Broncho-pneumonia (100)	830	92	89	140	98	72	32	23	16	22	44	69	133
Pneumonia (101)	981	110	111	176	146	70	46	20	18	26	57	89	112
Diarrhea and enteritis [under 2 years] (113)	259	11	11	16	9	10	16	23	31	68	37	19	8
Diarrhea and enteritis [2 years and over] (114)	155	7	6	9	8	5	5	11	24	43	18	10	9
Nephritis (128, 129)	1,719	172	140	180	165	157	122	131	112	111	137	146	146
Puerperal septicemia (146)	97	12	7	10	9	7	11	4	8	8	8	7	6
Other puerperal causes (143–145, 147–150)	179	11	21	21	12	22	12	12	13	16	12	17	10
Suicide (165–174)	367	30	25	19	33	25	35	41	37	34	33	31	24
Automobile accidents [1] (188c)	264	14	18	8	15	21	25	35	22	32	31	22	21
Automobile and railroad-train collision (part 188a)	39			1	3	5	4		2	6	11	4	3
Automobile and street-car collision (part 188b)	7	2							1	3		1	
Other external causes (175–187, part 188a, b, 188d–203)	1,212	84	87	91	89	98	101	127	113	115	108	95	104
All other causes	10,157	881	856	952	893	891	808	833	782	775	788	790	908

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS, all causes	19,100	1,721	1,675	1,956	1,697	1,600	1,365	1,514	1,439	1,436	1,479	1,524	1,694
Typhoid and paratyphoid fever (1)	85	2		3	2	1	5	7	17	17	11	14	6
Malaria (5)	14			1	1		1	1	4	2	2	2	
Smallpox (6)	2				1								1
Measles (7)	90	4	4	8	25	23	16	3	4	1		1	1
Scarlet fever (8)	33	4	4	4	2	4	3	3	1	2	1	2	3
Whooping cough (9)	120	8	8	27	19	13	12	10	6	6	6	4	1
Diphtheria (10)	49	6	7	1	1	5		4	2	1	2	11	9
Influenza (11)	851	105	146	207	141	44	17	14	13	12	30	42	80
Dysentery (16)	38		1		1	1	2	14	7	4	4	1	3
Erysipelas (21)	40	6	4	4	5	3	3	1	2	4	1	2	5
Lethargic encephalitis (23)	16		2	2	2	2	2	1	1			1	3
Meningococcus meningitis (24)	9			2	2				1	2		1	1
Tuberculosis of the respiratory system (31)	650	57	58	80	56	68	48	53	36	51	55	41	47
Other forms of tuberculosis (32–37)	90	6	5	7	9	9	10	7	9	10	6	7	5
Diabetes mellitus (57)	330	25	34	35	19	25	25	28	18	25	36	25	35
Cerebral hemorrhage and softening (74, 83)	1,865	180	155	182	149	165	136	154	139	130	152	145	178
Other [organic] diseases of the heart (90)	2,553	233	226	247	231	203	190	202	159	166	201	266	229
Bronchitis (99)	116	11	12	16	13	8	10	8	5	7	7	6	13
Broncho-pneumonia (100)	490	66	74	71	36	25	16	12	16	21	23	55	75
Pneumonia (101)	609	84	92	94	72	34	10	16	18	14	32	49	94
Diarrhea and enteritis [under 2 years] (113)	358	15	14	17	12	15	19	45	70	67	54	19	11
Diarrhea and enteritis [2 years and over] (114)	142	5	4	6	11	5	15	18	26	25	14	8	5
Nephritis (128, 129)	1,546	146	123	153	151	136	113	130	110	110	103	126	145
Puerperal septicemia (146)	105	7	8	11	9	7	9	10	2	13	5	13	11
Other puerperal causes (143–145, 147–150)	140	18	11	12	15	12	7	6	16	8	17	10	8
Suicide (165–174)	209	14	11	14	15	19	20	25	19	15	22	17	18
Automobile accidents [1] (188c)	241	12	13	21	11	24	17	26	26	27	23	20	21
Automobile and railroad-train collision (part 188a)	44	3	8	3	2	2	6	1	1	7	2	4	5
Automobile and street-car collision (part 188b)	2											1	1
Other external causes (175–187, part 188a, b, 188d–203)	1,043	88	74	80	66	86	85	116	102	87	85	92	82
All other causes	7,220	616	577	648	618	661	568	599	609	602	585	539	598
KENTUCKY (WHITE), all causes	25,145	2,291	1,957	2,668	2,418	1,936	1,725	2,146	1,970	2,034	2,136	2,010	1,854
Typhoid and paratyphoid fever (1)	403	29	19	15	7	14	10	38	48	65	75	51	32
Malaria (5)	42	6	1	3	1	3	2	12	3	2	9		
Smallpox (6)	5			1			1	1	1		1		
Measles (7)	446	12	35	89	110	74	31	31	23	11	12	10	8
Scarlet fever (8)	55	4	6	6	6	5		5		3	4	8	8
Whooping cough (9)	338	15	19	31	30	24	31	30	28	27	43	40	20
Diphtheria (10)	273	27	18	14	15	8	2	1	5	22	56	75	30
Influenza (11)	1,120	129	112	303	252	94	20	22	8	26	37	53	64
Dysentery (16)	260	4	5	8		2	10	62	64	51	44	6	4
Erysipelas (21)	57	4	8	7	8	3	1	4	3	4	3	7	5
Lethargic encephalitis (23)	17		1		4	2		3	4		1	2	
Meningococcus meningitis (24)	50	5	3	1	2	5	2	6	7	5	5	3	6
Tuberculosis of the respiratory system (31)	2,099	205	184	222	229	178	182	176	174	135	126	151	137
Other forms of tuberculosis (32–37)	355	29	23	24	28	30	30	37	35	41	28	33	17
Diabetes mellitus (57)	238	24	20	33	14	21	21	14	19	14	19	17	22
Cerebral hemorrhage and softening (74, 83)	1,514	157	145	154	147	122	108	125	91	115	119	122	109
Other [organic] diseases of the heart (90)	2,504	246	196	269	260	203	197	184	177	170	199	198	205
Bronchitis (99)	117	15	4	15	12	8	7	8	3	4	12	12	17
Broncho-pneumonia (100)	790	114	88	106	107	46	24	22	27	38	66	71	81
Pneumonia (101)	1,192	203	141	218	146	65	39	28	28	41	60	107	116
Diarrhea and enteritis [under 2 years] (113)	1,076	13	20	12	18	20	61	225	237	249	172	31	18
Diarrhea and enteritis [2 years and over] (114)	246	11	7	8	8	4	16	47	47	48	34	12	4
Nephritis (128, 129)	1,818	183	137	178	168	153	145	158	138	125	129	145	159
Puerperal septicemia (146)	116	6	11	7	15	15	6	7	8	9	15	8	9
Other puerperal causes (143–145, 147–150)	194	17	16	20	21	24	10	18	17	9	10	15	17
Suicide (165–174)	206	16	15	18	16	15	19	14	21	21	15	17	19
Automobile accidents [1] (188c)	245	11	9	12	18	15	29	24	24	25	31	26	21
Automobile and railroad-train collision (part 188a)	17			1	1			1	2	2	5	1	4
Automobile and street-car collision (part 188b)	2	1	1										
Other external causes (175–187, part 188a, b, 188d–203)	1,502	117	110	134	106	117	112	165	128	111	112	139	151
All other causes	7,848	688	603	759	669	666	609	678	600	661	694	650	571
KENTUCKY (COLORED), all causes	4,807	427	369	520	461	363	376	392	361	415	376	378	369
Typhoid and paratyphoid fever (1)	82	7	4	4	3	4	2	9	7	8	17	14	3
Malaria (5)	15		1			2	1	1	3	4		2	1
Smallpox (6)													
Measles (7)	25	1	2	3	5	4	2	6	1	1			
Scarlet fever (8)	2						1					1	
Whooping cough (9)	40			1	3	2	2	4	5	7	3	7	6
Diphtheria (10)	17	1	3	1		1	1			3	3		4
Influenza (11)	234	26	23	67	43	18	5	3	5	6	7	11	20
Dysentery (16)	22					1	1	6	8	3	3		
Erysipelas (21)	3	1					1	1					
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)	7	1	1	2	2	1							
Tuberculosis of the respiratory system (31)	558	45	35	55	54	52	43	56	42	51	46	46	33
Other forms of tuberculosis (32–37)	83	6	6	8	10	13	7	11	5	6	4	3	4
Diabetes mellitus (57)	25	3	1	2	2	2	3	1	1	1	3	2	4
Cerebral hemorrhage and softening (74, 83)	245	17	18	25	24	25	18	23	17	25	15	18	20
Other [organic] diseases of the heart (90)	644	68	42	58	65	53	61	45	54	56	47	46	49
Bronchitis (99)	52	4	4	8	8	1	3	3	5	3	7		6
Broncho-pneumonia (100)	165	18	23	30	20	9	9	7	5	7	10	14	13
Pneumonia (101)	264	34	34	55	35	12	12	7	3	4	16	27	25
Diarrhea and enteritis [under 2 years] (113)	114	3	3	1		2	9	32	26	23	13	1	1
Diarrhea and enteritis [2 years and over] (114)	39	1	3	2		1	4	8	8	8	2	2	
Nephritis (128, 129)	455	49	34	37	45	32	45	36	34	36	41	34	32
Puerperal septicemia (146)	13	1		5			1	1		2	1		2
Other puerperal causes (143–145, 147–150)	31	2	3	4	2	3	4		4	2	3	1	3
Suicide (165–174)	18			2	1		7	2	1	1	2	1	1
Automobile accidents [1] (188c)	32	1	1	3	2		1	2	6	3	6	4	3
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	322	32	24	20	25	26	35	20	21	33	17	30	39
All other causes	1,299	106	104	126	112	99	98	108	100	122	110	114	100

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA (WHITE), all causes	12,272	1,316	1,286	1,260	892	906	865	863	941	826	962	1,138	1,017
Typhoid and paratyphoid fever (1)	141	16	7	6	5	10	14	6	20	16	13	15	13
Malaria (5)	89	7	2		1	4	8	10	14	12	13	13	5
Smallpox (6)	6	1		1	1	1						1	1
Measles (7)	3			1		1							1
Scarlet fever (8)	9	2	1	1	2							3	
Whooping cough (9)	101	11	13	12	9	11	9	14	4	2	5	6	5
Diphtheria (10)	106	21	4	5		2	5		4	11	14	31	9
Influenza (11)	716	108	188	193	58	27	17	7	12	13	21	44	28
Dysentery (16)	63	5	4	4	2	7	9	11	6	4	6	5	
Erysipelas (21)	8	1	1		1			1		1		1	2
Lethargic encephalitis (23)	9		2	3			1	1		1			1
Meningococcus meningitis (24)	15	1	4		2					1	1	3	3
Tuberculosis of the respiratory system (31)	678	73	61	83	60	60	51	40	37	45	45	49	74
Other forms of tuberculosis (32–37)	55	8	5	2	5	5	4	5	2	2	4	6	7
Diabetes mellitus (57)	150	14	16	16	16	6	6	11	12	13	11	18	11
Cerebral hemorrhage and softening (74, 83)	616	67	68	64	58	42	42	34	55	33	51	46	56
Other [organic] diseases of the heart (90)	1,532	170	203	151	122	120	102	90	110	91	135	118	120
Bronchitis (99)	53	7	12	1	3		2	5	1	4	6	7	5
Broncho-pneumonia (100)	385	77	54	43	17	21	15	12	23	23	25	37	38
Pneumonia (101)	526	89	99	67	51	29	11	17	15	12	30	69	37
Diarrhea and enteritis [under 2 years] (113)	335	28	22	14	12	22	51	45	52	22	27	26	14
Diarrhea and enteritis [2 years and over] (114)	79	2	5	5	2	8	8	13	8	11	7	6	4
Nephritis (128, 129)	1,117	128	96	103	87	101	98	66	66	77	92	105	98
Puerperal septicemia (146)	75	4	8	6	8	6	6	5	6	5	5	4	12
Other puerperal causes (143–145, 147–150)	156	12	14	15	18	12	15	13	16	17	5	8	11
Suicide (165–174)	127	11	10	9	9	19	7	12	9	11	7	10	13
Automobile accidents [1] (188c)	194	13	15	11	11	14	17	19	20	14	20	19	21
Automobile and railroad-train collision (part 188a)	8		1		2	1		2	1		1		
Automobile and street-car collision (part 188b)	1								1				
Other external causes (175–187, part 188a, b, 188d–203)	797	70	50	63	73	58	63	70	80	45	54	86	85
All other causes	4,122	370	321	381	257	319	304	354	367	340	364	402	343
LOUISIANA (COLORED), all causes	11,958	1,134	1,088	1,135	980	1,049	983	949	954	898	936	974	878
Typhoid and paratyphoid fever (1)	188	10	13	10	6	6	19	28	33	23	17	15	8
Malaria (5)	116	4	4		4	6	14	15	21	17	14	14	3
Smallpox (6)	4		1	1	1	1							
Measles (7)	7	1			2					1	1		2
Scarlet fever (8)	3				1	1						1	
Whooping cough (9)	95	2	3	6	7	11	11	12	15	11	9	3	5
Diphtheria (10)	41	7	1	2	3		1		4	3	5	7	8
Influenza (11)	563	62	125	145	63	38	9	9	6	17	23	36	30
Dysentery (16)	67	1	6	5	2	16	11	8	6	4	5		3
Erysipelas (21)	2				1						1		
Lethargic encephalitis (23)	4	1	1				1					1	
Meningococcus meningitis (24)	7	1	2		1				3				
Tuberculosis of the respiratory system (31)	1,193	100	97	124	105	135	110	88	114	78	82	80	80
Other forms of tuberculosis (32–37)	89	13	3	8	5	15	11	4	10	9	2	5	4
Diabetes mellitus (57)	70	7	6	7	6	7	4	4		11	7	6	5
Cerebral hemorrhage and softening (74, 83)	552	47	55	46	52	42	45	48	51	36	43	43	44
Other [organic] diseases of the heart (90)	1,511	146	130	146	108	129	114	102	119	138	116	139	124
Bronchitis (99)	57	9	9	6	7	3	3	2	3	7	3	2	3
Broncho-pneumonia (100)	354	49	56	46	20	29	18	12	20	20	24	28	32
Pneumonia (101)	619	108	106	81	73	37	18	15	18	22	36	46	59
Diarrhea and enteritis [under 2 years] (113)	327	15	12	13	18	29	61	44	46	28	35	14	12
Diarrhea and enteritis [2 years and over] (114)	73	4	2	4	6	6	13	11	6	5	9	6	1
Nephritis (128, 129)	1,009	94	86	91	89	87	78	92	72	75	80	91	74
Puerperal septicemia (146)	63	8	2	4	8	5	4	4	3	2	6	11	6
Other puerperal causes (143–145, 147–150)	151	8	16	16	8	20	14	9	18	11	8	16	7
Suicide (165–174)	15	1		2	1	3	1		2	4		1	
Automobile accidents [1] (188c)	77	10	1	3	3	1	7	5	5	8	14	9	11
Automobile and railroad-train collision (part 188a)	3				1	1		1					
Automobile and street-car collision (part 188b)	1						1						
Other external causes (175–187, part 188a, b, 188d–203)	810	77	64	56	58	88	90	76	56	51	47	69	78
All other causes	3,887	349	287	313	321	333	325	360	323	317	349	331	279
MAINE, all causes	11,355	983	992	1,059	1,244	1,043	885	912	739	755	892	872	979
Typhoid and paratyphoid fever (1)	21	5	1	1	3	2	1	1	3		2		2
Malaria (5)	1					1							
Smallpox (6)													
Measles (7)	68		1	16	15	9	7	6	3			2	9
Scarlet fever (8)	21	6	3	1		1	4	2			1		3
Whooping cough (9)	88	4	6	4	6	15	6	7	7	6	11	5	11
Diphtheria (10)	20	3	2	2	5	3		1		1	1		2
Influenza (11)	474	30	26	52	166	85	28	8	6	12	16	17	28
Dysentery (16)	9	1		1			2	2		1		1	1
Erysipelas (21)	17	2	4	3	1		1				3	3	
Lethargic encephalitis (23)	6		2		1		2			1			
Meningococcus meningitis (24)	5		2		1		2						
Tuberculosis of the respiratory system (31)	462	33	43	50	55	40	36	38	42	19	40	33	33
Other forms of tuberculosis (32–37)	98	7	12	6	6	11	10	12	5	5	9	9	6
Diabetes mellitus (57)	188	21	13	20	22	16	6	12	7	16	16	21	18
Cerebral hemorrhage and softening (74, 83)	1,093	100	113	92	91	107	87	89	61	88	91	75	99
Other [organic] diseases of the heart (90)	1,638	152	165	140	179	146	128	120	127	98	129	131	123
Bronchitis (99)	85	8	15	13	13	4	7	4	2	2	5	2	10
Broncho-pneumonia (100)	388	38	56	52	60	41	24	11	4	10	19	32	41
Pneumonia (101)	447	59	49	72	53	53	21	11	8	14	22	38	47
Diarrhea and enteritis [under 2 years] (113)	163	10	7	6	6	13	9	9	20	22	35	16	10
Diarrhea and enteritis [2 years and over] (114)	39	2	3	3	3	1	2	1	5	7	6	3	3
Nephritis (128, 129)	919	72	76	77	91	65	87	76	67	66	77	65	100
Puerperal septicemia (146)	24		1	2	4	4	2	3	1		3	2	2
Other puerperal causes (143–145, 147–150)	86	7	7	10	11	7	8	7	5	4	4	10	6
Suicide (165–174)	112	6	6	6	11	14	13	11	4	14	8	9	10
Automobile accidents [1] (188c)	100	4	1	3		9	7	14	11	18	12	14	7
Automobile and railroad-train collision (part 188a)	3								1		1	1	
Automobile and street-car collision (part 188b)	1											1	
Other external causes (175–187, part 188a, b, 188d–203)	446	31	31	37	31	33	32	66	42	38	28	29	48
All other causes	4,333	382	347	390	410	363	353	401	308	313	353	353	360

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND (WHITE), all causes	17,170	1,876	1,758	1,698	1,480	1,394	1,258	1,222	1,240	1,197	1,263	1,308	1,476
Typhoid and paratyphoid fever (1)	76	3	2	1	4	2	2	9	10	13	11	9	10
Malaria (5)	2							1			1		
Smallpox (6)													
Measles (7)	181	28	44	43	34	19	5	7				1	
Scarlet fever (8)	20	1	3	2		4	3	3	1		1		2
Whooping cough (9)	126	12	13	13	9	7	3	7	14	17	7	13	11
Diphtheria (10)	87	14	9	5	10	4	2	3	1	2	7	16	14
Influenza (11)	410	63	116	103	36	23	14	3	2	9	6	16	19
Dysentery (16)	50			1		3	4	2	16	11	11	2	
Erysipelas (21)	29	2	5	1	8	2			3		1	3	4
Lethargic encephalitis (23)	26	2	2	2	1	2	1	2	5	3	2	2	2
Meningococcus meningitis (24)	22	2	2	2	1	2	1	1	3	4	1	3	
Tuberculosis of the respiratory system (31)	1,046	112	111	102	104	105	76	63	76	69	72	61	95
Other forms of tuberculosis (32–37)	97	5	4	11	13	7	11	9	9	8	5	4	11
Diabetes mellitus (57)	330	40	29	35	28	30	32	28	12	16	26	31	23
Cerebral hemorrhage and softening (74, 83)	1,441	152	142	136	121	132	117	104	85	106	91	115	140
Other [organic] diseases of the heart (90)	2,548	254	236	252	237	194	192	201	172	148	200	199	263
Bronchitis (99)	115	20	20	16	10	4	6	3	6	5	5	6	14
Broncho-pneumonia (100)	821	133	150	113	85	68	40	19	31	22	36	58	66
Pneumonia (101)	787	163	157	104	81	59	41	16	15	11	24	47	69
Diarrhea and enteritis [under 2 years] (113)	374	10	6	9	8	13	13	42	96	91	58	21	7
Diarrhea and enteritis [2 years and over] (114)	66	6	2	2	3	5	2	6	11	13	9	4	3
Nephritis (128, 129)	1,901	205	174	216	162	165	131	143	122	130	154	131	168
Puerperal septicemia (146)	46	12	6	2	4	4	3	2	6	1	4	2	
Other puerperal causes (143–145, 147–150)	78	5	3	7	7	7	8	6	9	6	5	6	9
Suicide (165–174)	180	14	18	13	11	14	15	14	12	17	21	12	19
Automobile accidents [1] (188c)	251	13	10	6	13	22	20	24	25	30	33	31	24
Automobile and railroad-train collision (part 188a)	7					2	1			1			3
Automobile and street-car collision (part 188b)	1				1								
Other external causes (175–187, part 188a, b, 188d–203)	804	78	43	56	55	57	76	81	78	75	65	74	66
All other causes	5,248	527	451	445	434	438	439	423	420	389	407	441	434
MARYLAND (COLORED), all causes	5,479	532	554	543	485	439	366	441	433	427	418	374	467
Typhoid and paratyphoid fever (1)	44		2	1	2		1	6	6	8	10	5	3
Malaria (5)													
Smallpox (6)													
Measles (7)	39	2	7	12	9	3	2	3					1
Scarlet fever (8)	1	1											
Whooping cough (9)	57	8	6	3	8	1	5	5	5	5	4	1	6
Diphtheria (10)	11		1		1		1				3	3	2
Influenza (11)	113	17	40	18	16	4	2	2	1	1	1	3	8
Dysentery (16)	16							1	5	6	2	1	1
Erysipelas (21)	1			1									
Lethargic encephalitis (23)	4	1						1		1			1
Meningococcus meningitis (24)	5				1		1			1	1	1	
Tuberculosis of the respiratory system (31)	576	47	45	61	48	42	46	49	54	48	46	39	51
Other forms of tuberculosis (32–37)	81	4	6	6	4	5	17	5	7	15	2	6	4
Diabetes mellitus (57)	33	3	3	3		3	2	2	3	5	1	7	1
Cerebral hemorrhage and softening (74, 83)	341	34	32	28	30	28	24	30	24	31	24	22	34
Other [orga nic] diseases of the heart (90)	671	66	67	66	53	52	42	61	50	47	61	53	53
Bronchitis (99)	35	6	10	5	3	2	2	2	1	1	1	2	
Broncho-pneumonia (100)	353	33	67	63	41	29	16	9	12	10	21	17	35
Pneumonia (101)	372	65	56	63	37	40	15	6	11	14	16	19	30
Diarrhea and enteritis [under 2 years] (113)	193	8	4	2	6	11	6	33	39	43	27	8	6
Diarrhea and enteritis [2 years and over] (114)	27	2	1	2		3	2	5	3	4	3	1	1
Nephritis (128, 129)	579	63	55	54	50	48	48	37	45	39	41	37	62
Puerperal septicemia (146)	20	3	2		3	1	1	1	1	1	2	2	3
Other puerperal causes (143–145, 147–150)	46	4	6	8	4	7	1	2	4	6		1	3
Suicide (165–174)	15		1	3	4	1			1	2	1		2
Automobile accidents [1] (188c)	61	5	3		6	4	5	5	6	12	7	6	2
Automobile and railroad-train collision (part 188a)	1												
Automobile and street-car collision (part 188b)										1			
Other external causes (175–187, part 188a, b, 188d–203)	290	28	21	24	22	15	25	35	28	21	18	21	32
All other causes	1,494	132	119	120	137	140	102	141	127	105	126	119	126
MASSACHUSETTS, all causes	52,638	5,044	4,219	6,007	5,777	4,600	3,908	3,672	3,438	3,578	3,997	3,924	4,474
Typhoid and paratyphoid fever (1)	59	4	3	3	4	5	3	5	4	7	12	4	5
Malaria (5)	2			1			1						
Smallpox (6)													
Measles (7)	401	94	81	78	56	40	21	15	5	2	1	4	4
Scarlet fever (8)	125	12	10	14	15	10	15	11	7	5	6	11	9
Whooping cough (9)	412	33	43	107	71	48	23	16	13	13	20	11	14
Diphtheria (10)	250	26	22	24	25	14	20	9	8	19	15	29	39
Influenza (11)	850	65	53	227	282	62	28	10	9	19	27	27	41
Dysentery (16)	12					3		1	2	1	3	1	1
Erysipelas (21)	100	10	7	15	8	17	11	6	6	3	4	5	8
Lethargic encephalitis (23)	76	6	10	15	9	9	2	6	7	2	5	3	2
Meningococcus meningitis (24)	59	9	3	9	7	5	4	6	2	6	1	3	4
Tuberculosis of the respiratory system (31)	2,976	276	223	290	310	319	266	248	230	191	210	216	197
Other forms of tuberculosis (32–37)	527	34	42	49	50	51	47	45	40	35	44	39	51
Diabetes mellitus (57)	844	83	76	90	87	73	58	63	66	56	62	61	69
Cerebral hemorrhage and softening (74, 83)	4,092	389	348	381	406	341	313	285	281	287	336	333	392
Other [organic] diseases of the heart (90)	9,576	973	797	1,111	1,001	846	707	685	524	616	713	723	880
Bronchitis (99)	314	34	26	56	57	26	22	16	6	15	21	12	23
Broncho-pneumonia (100)	2,624	313	231	502	486	208	134	68	63	96	169	152	202
Pneumonia (101)	2,282	318	209	442	390	198	102	52	45	72	106	125	223
Diarrhea and enteritis [under 2 years] (113)	812	41	26	48	51	27	48	53	159	147	123	41	48
Diarrhea and enteritis [2 years and over] (114)	132	11	8	6	11	5	10	10	12	24	10	12	13
Nephritis (128, 129)	3,713	351	314	380	377	331	290	229	258	264	313	297	309
Puerperal septicemia (146)	181	15	13	22	23	16	14	21	9	13	12	12	11
Other puerperal causes (143–145, 147–150)	355	31	26	52	45	29	17	28	25	28	27	20	27
Suicide (165–174)	465	36	27	38	40	31	49	41	28	39	42	40	54
Automobile accidents [1] (188c)	682	41	22	35	49	56	66	60	59	66	76	90	62
Automobile and railroad-train collision (part 188a)	9	2				1			1	3	2		
Automobile and street-car collision (part 188b)	8				1				1	1	1		4
Other external causes (175–187, part 188a, b, 188d–203)	2,116	144	145	175	179	184	175	249	173	153	182	161	196
All other causes	18,584	1,693	1,454	1,837	1,737	1,645	1,462	1,434	1,395	1,395	1,454	1,492	1,586

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN, all causes	54,084	4,671	4,263	6,131	5,572	4,959	4,267	4,041	3,660	3,864	4,102	4,074	4,480
Typhoid and paratyphoid fever (1)	117	4	8	13	3	9	6	8	19	14	12	12	9
Malaria (5)	4		1	1					1	1			
Smallpox (6)	3			1		1						1	
Measles (7)	617	69	95	176	103	63	44	30	13	3	5	8	8
Scarlet fever (8)	243	25	17	45	26	35	28	17	3	4	11	11	21
Whooping cough (9)	367	25	25	63	57	32	30	36	25	29	15	12	18
Diphtheria (10)	678	36	44	40	38	49	76	49	57	65	36	64	74
Influenza (11)	1,379	96	83	378	382	162	56	21	12	20	37	48	84
Dysentery (16)	36	2	2	2	2	2	2	4	5	8	5	2	
Erysipelas (21)	208	14	30	20	39	33	16	10	9	1	5	15	16
Lethargic encephalitis (23)	66	9	6	8	9	8	7	6	3	3	3	2	2
Meningococcus meningitis (24)	76	3	5	5	7	9	7	7	4	8	9	5	7
Tuberculosis of the respiratory system (31)	2,604	213	205	257	235	269	254	213	175	195	182	193	213
Other forms of tuberculosis (32–37)	449	31	24	34	55	53	48	33	35	33	33	33	37
Diabetes mellitus (57)	753	66	58	82	71	65	48	72	41	58	59	67	66
Cerebral hemorrhage and softening (74, 83)	4,353	403	337	420	413	397	333	325	279	337	376	357	376
Other [organic] diseases of the heart (90)	7,916	698	597	866	744	734	639	608	554	571	585	582	738
Bronchitis (99)	458	50	49	68	54	54	32	24	12	16	27	39	33
Broncho-pneumonia (100)	1,959	196	178	417	326	200	107	70	55	47	82	129	152
Pneumonia (101)	2,522	288	263	462	395	257	146	86	54	62	124	172	213
Diarrhea and enteritis [under 2 years] (113)	1,025	61	54	117	81	56	48	68	107	199	119	63	52
Diarrhea and enteritis [2 years and over] (114)	208	13	8	13	18	20	12	18	25	35	23	16	7
Nephritis (128, 129)	3,098	292	254	325	287	278	259	225	220	210	233	247	268
Puerperal septicemia (146)	297	31	28	27	31	25	27	18	27	18	21	19	25
Other puerperal causes (143–145, 147–150)	367	30	31	39	37	31	28	34	21	25	34	24	33
Suicide (165–174)	579	39	43	50	54	58	46	52	47	51	45	51	43
Automobile accidents [1] (188c)	1,112	53	46	57	64	81	98	105	119	138	146	120	85
Automobile and railroad-train collision (part 188a)	86	10	6	10	5	9	3	2	5	6	8	8	14
Automobile and street-car collision (part 188b)	36	1	1	1	4	5	2		7	5	4	1	5
Other external causes (175–187, part 188a, b, 188d–203)	3,002	215	209	254	190	233	261	333	292	219	251	296	249
All other causes	19,466	1,698	1,556	1,880	1,842	1,731	1,604	1,567	1,434	1,483	1,562	1,477	1,632
MINNESOTA, all causes	25,803	2,182	2,027	2,385	2,637	2,358	2,096	2,015	1,879	1,810	2,045	2,037	2,332
Typhoid and paratyphoid fever (1)	28		4	4			2	4	4	5	3	1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	175	1		11	26	33	29	24	3	7	9	9	23
Scarlet fever (8)	153	12	17	24	18	18	13	7	9	9	6	10	10
Whooping cough (9)	163	16	12	17	21	15	14	9	15	10	13	12	9
Diphtheria (10)	157	17	9	9	21	16	10	10	10	5	22	14	14
Influenza (11)	594	44	33	90	168	78	27	23	13	15	26	32	45
Dysentery (16)	17	2	1				2		3	5	3		1
Erysipelas (21)	65	3	3	6	16	14	8	2	2	3	1	3	4
Lethargic encephalitis (23)	77	11	6	5	12	10	6	4	6	4	4	6	3
Meningococcus meningitis (24)	21	2	2	4	1	2	4	1		2		1	2
Tuberculosis of the respiratory system (31)	1,406	109	98	131	159	137	126	102	115	96	105	112	116
Other forms of tuberculosis (32–37)	263	28	21	31	30	31	13	19	18	13	24	15	20
Diabetes mellitus (57)	441	42	50	32	32	33	33	29	29	44	35	36	46
Cerebral hemorrhage and softening (74, 83)	1,883	151	158	174	174	145	160	124	143	124	174	168	188
Other [organic] diseases of the heart (90)	3,805	307	322	346	408	340	324	272	269	259	321	277	360
Bronchitis (99)	136	15	10	18	24	9	6	9	5	2	11	13	14
Broncho-pneumonia (100)	328	75	68	93	88	77	59	42	37	41	55	75	118
Pneumonia (101)	1,070	146	88	121	149	120	58	44	37	41	52	94	120
Diarrhea and enteritis [under 2 years] (113)	247	26	24	20	13	17	22	16	20	39	20	18	12
Diarrhea and enteritis [2 years and over] (114)	95	2	8	3	9	4	5	6	16	10	13	11	8
Nephritis (128, 129)	1,526	150	111	152	139	130	113	140	108	91	130	117	145
Puerperal septicemia (146)	115	7	10	12	11	9	13	17	9	7	4	8	8
Other puerperal causes (143–145, 147–150)	186	12	14	18	23	14	18	18	16	12	14	14	13
Suicide (165–174)	357	21	19	26	39	34	23	43	33	34	27	33	25
Automobile accidents [1] (188c)	326	18	14	14	26	30	21	30	37	41	33	42	20
Automobile and railroad-train collision (part 188a)	23	2	3		1	2	3	5	1	2	2	2	
Automobile and street-car collision (part 188b)	10	1	2		3				1			2	1
Other external causes (175–187, part 188a, b, 188d–203)	1,293	91	82	101	92	105	125	147	112	114	109	104	111
All other causes	10,343	871	838	923	934	935	859	868	808	775	829	808	895
MISSISSIPPI (WHITE), all causes	9,191	864	831	925	725	745	725	747	686	659	708	853	723
Typhoid and paratyphoid fever (1)	103	5	3	3	2	7	5	20	25	15	9	7	2
Malaria (5)	141	3	3	3	1	4	15	23	21	22	24	18	4
Smallpox (6)													
Measles (7)	48	11	4	7	5	4	3	1	2	5	2		4
Scarlet fever (8)	5	2		1					1			1	
Whooping cough (9)	83	6	9	10	6	6	10	9	5	7	6	5	4
Diphtheria (10)	74	6	3	2	1		5	1	2	10	14	19	11
Influenza (11)	634	85	144	194	80	27	11	6	4	11	13	28	31
Dysentery (16)	59	1	2	2	2	5	17	9	2	5	8	6	
Erysipelas (21)	19		2	1	1		1	1	2	6	2	2	1
Lethargic encephalitis (23)	7	1	1		4	1							
Meningococcus meningitis (24)	5						2						3
Tuberculosis of the respiratory system (31)	392	35	30	43	35	37	41	39	21	24	33	32	22
Other forms of tuberculosis (32–37)	41	2	1	3	5	2	3	4	6	2	3	5	5
Diabetes mellitus (57)	105	12	18	13	5	9	9	4	4	5	3	12	11
Cerebral hemorrhage and softening (74, 83)	539	48	47	56	41	55	40	40	36	38	40	54	44
Other [organic] diseases of the heart (90)	811	66	83	85	71	73	61	58	65	47	76	73	53
Bronchitis (99)	33	2	6	2	1	2	2	1	1	2	4	7	3
Broncho-pneumonia (100)	211	32	27	20	10	16	3	4	5	12	20	38	24
Pneumonia (101)	465	86	64	79	42	30	22	11	11	13	15	50	42
Diarrhea and enteritis [under 2 years] (113)	243	6	7	3	2	21	57	45	27	23	28	9	15
Diarrhea and enteritis [2 years and over] (114)	102	4	2	2	1	9	21	27	6	11	7	8	4
Nephritis (128, 129)	826	84	53	61	54	69	74	80	65	59	71	78	78
Puerperal septicemia (146)	49	6	4	3	3	2	3	5	4	4	5	2	8
Other puerperal causes (143–145, 147–150)	113	11	9	11	11	12	15	7	11	9	3	7	7
Suicide (165–174)	53	6	1	3	3	8	7	5	4	5	2	5	4
Automobile accidents [1] (188c)	139	8	6	4	10	10	10	8	18	19	15	15	16
Automobile and railroad-train collision (part 188a)	11			1		1	1			1		6	1
Automobile and street-car collision (part 188b)	1		1										
Other external causes (175–187, part 188a, b, 188d–203)	570	49	41	45	46	54	37	53	57	34	42	59	53
All other causes	3,309	287	260	268	283	281	250	286	281	270	263	307	273

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSISSIPPI (COLORED), all causes	14,575	1,183	1,279	1,536	1,209	1,113	1,155	1,336	1,230	1,140	1,173	1,148	1,073
Typhoid and paratyphoid fever (1)	289	9	8	6	4	11	22	44	73	46	32	19	15
Malaria (5)	286	7	5	2	7	9	27	38	53	56	59	19	4
Smallpox (6)	4					1					3		
Measles (7)	21		1	1	2	2	7	2	3	1	1	1	
Scarlet fever (8)	1					1							
Whooping cough (9)	182	6	11	16	15	21	22	20	14	24	16	9	8
Diphtheria (10)	55	1	3	4	2	1	1	1	8	8	8	8	10
Influenza (11)	873	70	215	319	116	38	13	9	6	11	9	34	33
Dysentery (16)	91	1	5	3	2	8	13	25	15	5	7	2	5
Erysipelas (21)	6			1			1	2		1			1
Lethargic encephalitis (23)	1											1	
Meningococcus meningitis (24)	5	1		1		1			1				1
Tuberculosis of the respiratory system (31)	1,417	126	134	124	120	114	144	124	129	109	101	90	102
Other forms of tuberculosis (32–37)	111	3	9	8	11	5	13	8	16	17	9	6	6
Diabetes mellitus (57)	73	4	5	5	6	6	2	7	4	8	13	6	7
Cerebral hemorrhage and softening (74, 83)	593	38	42	51	70	57	51	52	57	34	51	51	39
Other [organic] diseases of the heart (90)	1,098	93	79	117	93	100	85	100	84	77	89	102	79
Bronchitis (99)	19	2	2	1	1		1		1	2	5	3	1
Broncho-pneumonia (100)	216	24	33	30	19	12	4	11	11	15	15	20	22
Pneumonia (101)	776	119	133	157	76	53	17	19	15	25	33	63	66
Diarrhea and enteritis [under 2 years] (113)	275	9	12	3	8	18	64	60	30	32	20	13	6
Diarrhea and enteritis [2 years and over] (114)	95	2	3	3	3	7	17	21	14	10	6	5	4
Nephritis (128, 129)	1,165	109	86	101	96	90	92	123	82	91	100	101	94
Puerperal septicemia (146)	68	5	6	10	5	5	2	9	2	8	4	6	6
Other puerperal causes (143–145, 147–150)	170	13	18	24	10	14	16	14	11	17	14	7	12
Suicide (165–174)	17	1	1	3	1	1	1	1	2	3		1	2
Automobile accidents [1] (188c)	76	7	5	7	10	4	4	4	12	4	6	8	5
Automobile and railroad-train collision (part 188a)	5	3										2	
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	992	84	70	77	88	75	75	98	79	72	72	92	110
All other causes	5,595	446	393	462	444	459	461	544	508	464	500	479	435
MISSOURI, all causes	42,752	4,011	3,461	4,456	4,077	3,642	2,981	3,341	3,239	3,071	3,322	3,382	3,769
Typhoid and paratyphoid fever (1)	360	10	11	14	14	9	16	32	66	65	59	46	18
Malaria (5)	145	8	3	6	6	7	11	16	26	23	18	12	9
Smallpox (6)	1					1							
Measles (7)	279	5	7	35	56	86	35	14	7	5	9	7	13
Scarlet fever (8)	163	24	16	24	28	16	9	8	4	7	8	13	6
Whooping cough (9)	329	18	17	36	41	32	24	39	29	18	28	24	23
Diphtheria (10)	238	26	20	34	19	14	18	7	4	8	37	25	26
Influenza (11)	1,609	212	191	389	328	150	32	19	21	20	47	74	126
Dysentery (16)	188	3	3	6	2	5	9	47	43	40	19	7	4
Erysipelas (21)	84	11	4	14	13	8	2	3	4	2	5	4	14
Lethargic encephalitis (23)	36	1	1	3	5	5	5	3	2	1	2	4	4
Meningococcus meningitis (24)	40	3	7	2	4		1	8	4	2	2	3	4
Tuberculosis of the respiratory system (31)	2,610	237	227	261	277	224	232	203	200	167	180	179	223
Other forms of tuberculosis (32–37)	327	30	20	24	39	35	31	31	28	19	25	19	26
Diabetes mellitus (57)	612	66	62	71	59	55	37	33	32	41	36	67	53
Cerebral hemorrhage and softening (74, 83)	2,827	251	229	308	260	244	217	198	211	195	210	239	265
Other [organic] diseases of the heart (90)	5,615	518	446	577	518	535	437	447	396	378	425	458	480
Bronchitis (99)	249	29	29	41	32	10	9	14	9	12	16	21	27
Broncho-pneumonia (100)	1,644	211	140	296	192	95	52	64	52	53	100	167	222
Pneumonia (101)	2,214	335	245	359	309	137	74	68	47	73	93	217	257
Diarrhea and enteritis [under 2 years] (113)	966	33	23	31	22	25	66	166	203	215	128	40	14
Diarrhea and enteritis [2 years and over] (114)	259	11	10	8	14	13	22	51	42	38	28	17	5
Nephritis (128, 129)	4,322	397	358	459	382	372	336	348	290	280	348	336	416
Puerperal septicemia (146)	195	19	19	25	20	23	6	15	11	12	13	12	20
Other puerperal causes (143–145, 147–150)	245	27	28	22	20	24	20	21	25	12	11	13	22
Suicide (165–174)	528	55	34	41	46	58	41	39	39	41	42	48	44
Automobile accidents [1] (188c)	493	34	28	26	26	36	40	47	67	58	48	39	44
Automobile and railroad-train collision (part 188a)	46	5	5	3	1	4	8	2	1		3	5	9
Automobile and street-car collision (part 188b)	10	3				1	1		1		2		2
Other external causes (175–187, part 188a, b, 188d–203)	2,234	204	128	159	167	200	149	220	229	199	201	177	201
All other causes	13,884	1,225	1,150	1,182	1,177	1,218	1,041	1,178	1,146	1,087	1,179	1,109	1,192
MONTANA, all causes	5,395	450	473	585	482	441	431	399	398	414	436	416	470
Typhoid and paratyphoid fever (1)	14			1	1			2	5	1	1	3	
Malaria (5)													
Smallpox (6)	1						1						
Measles (7)	21	1	1	3		2	3	4			1	1	5
Scarlet fever (8)	25	3	4	4	1	2	1		1	1		2	6
Whooping cough (9)	45	7	9	8	4	5	2	2	2	2	1	2	1
Diphtheria (10)	18	4	1	1		1	1	1	3	3	1		2
Influenza (11)	241	12	48	61	34	22	7	3	3	7	9	17	18
Dysentery (16)	5						1	1		1	1	1	
Erysipelas (21)	17	1			5	4	2	2	2			1	
Lethargic encephalitis (23)	5	1	1	1		1	1						
Meningococcus meningitis (24)	20		3	1	2	2	2				7		3
Tuberculosis of the respiratory system (31)	319	29	29	39	34	26	20	28	18	25	19	27	25
Other forms of tuberculosis (32–37)	58	7	4	4	1	5	8	7	7	4	3	5	3
Diabetes mellitus (57)	76	8	5	5	5	6	9	4	11	8	3	6	6
Cerebral hemorrhage and softening (74, 83)	343	26	27	35	27	35	28	27	24	33	34	19	28
Other [organic] diseases of the heart (90)	603	54	46	71	57	38	55	51	40	42	35	50	64
Bronchitis (99)	29	1	5	1	2		2	2	4	3	2	3	4
Broncho-pneumonia (100)	206	13	25	36	21	8	9	5	6	10	20	15	38
Pneumonia (101)	295	28	28	43	25	29	18	16	11	19	22	26	30
Diarrhea and enteritis [under 2 years] (113)	73	3	6	6	2	5	7	8	7	13	5	6	5
Diarrhea and enteritis [2 years and over] (114)	24		2		2	2	1	2	5	5	2	2	1
Nephritis (128, 129)	326	28	27	27	32	19	28	26	26	17	31	35	30
Puerperal septicemia (146)	38		1	6	3	9	3	2	4	3	3	1	3
Other puerperal causes (143–145, 147–150)	41	5	5	6	5	2	5		1	6	4		2
Suicide (165–174)	92	12	6	6	7	13	9	10	5	2	9	5	8
Automobile accidents [1] (188c)	93	5	4	5	4	6	10	11	15	11	12	6	4
Automobile and railroad-train collision (part 188a)	8				1	1			2		3		1
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	421	27	28	37	37	32	49	45	37	34	29	35	31
All other causes	1,938	175	158	178	170	166	149	140	159	164	179	148	152

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA, all causes	12,648	1,144	1,051	1,288	1,268	1,116	969	973	885	939	928	982	1,105
Typhoid and paratyphoid fever (1)	23	1	-------	2	1	-------	2	2	3	1	1	4	6
Malaria (5)	2	1	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------
Smallpox (6)	8	-------	-------	-------	1	2	4	1	-------	-------	-------	-------	-------
Measles (7)	23	-------	1	4	8	5	3	1	-------	-------	-------	-------	1
Scarlet fever (8)	27	3	4	3	7	3	5	-------	-------	-------	-------	-------	2
Whooping cough (9)	111	10	11	19	12	12	9	7	10	6	4	4	7
Diphtheria (10)	35	10	2	1	4	-------	1	1	2	4	4	4	2
Influenza (11)	562	37	63	132	123	53	16	8	16	17	13	28	51
Dysentery (16)	20	-------	2	1	-------	1	1	-------	1	7	5	2	-------
Erysipelas (21)	28	6	2	4	3	1	3	1	2	1	-------	3	2
Lethargic encephalitis (23)	16	1	1	2	1	2	3	1	1	-------	1	-------	3
Meningococcus meningitis (24)	17	4	1	3	-------	2	1	-------	1	1	1	1	2
Tuberculosis of the respiratory system (31)	368	26	44	38	41	39	38	31	24	22	25	17	23
Other forms of tuberculosis (32–37)	79	11	3	12	5	9	1	10	6	4	3	9	6
Diabetes mellitus (57)	240	25	15	23	22	23	18	22	14	20	13	24	21
Cerebral hemorrhage and softening (74, 83)	1,049	101	98	104	96	91	75	93	70	75	85	89	72
Other [organic] diseases of the heart (90)	1,670	141	139	162	177	154	137	124	115	119	117	127	158
Bronchitis (99)	53	8	9	9	2	3	1	-------	1	3	6	6	5
Broncho-pneumonia (100)	374	49	46	45	52	26	16	16	6	10	27	28	53
Pneumonia (101)	533	81	50	71	74	51	24	14	12	11	31	50	64
Diarrhea and enteritis [under 2 years] (113)	184	9	8	14	6	7	13	15	21	49	21	13	8
Diarrhea and enteritis [2 years and over] (114)	76	3	2	4	4	4	5	9	8	13	9	5	5
Nephritis (128, 129)	880	71	73	89	91	84	65	68	74	36	67	83	79
Puerperal septicemia (146)	81	4	4	14	4	9	4	8	10	7	5	6	6
Other puerperal causes (143–145, 147–150)	107	6	11	10	10	7	10	5	8	7	6	17	10
Suicide (165–174)	175	11	23	15	15	16	12	18	19	15	9	15	7
Automobile accidents [1] (188c)	154	9	10	6	12	6	6	16	17	21	25	11	15
Automobile and railroad-train collision (part 188a)	22	-------	1	3	3	2	1	1	4	2	4	-------	1
Automobile and street-car collision (part 188b)	1	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------
Other external causes (175–187, part 188a, b, 188d–203)	608	42	46	46	51	51	66	59	54	51	56	38	48
All other causes	5,122	474	382	452	443	453	428	442	385	432	385	398	448
NEW HAMPSHIRE, all causes	6,703	615	570	646	734	576	505	560	444	448	495	517	593
Typhoid and paratyphoid fever (1)	11	1	-------	2	-------	1	-------	-------	3	-------	1	-------	3
Malaria (5)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Smallpox (6)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Measles (7)	39	-------	4	9	5	4	12	2	1	-------	-------	2	-------
Scarlet fever (8)	30	5	5	3	1	5	3	3	1	3	1	-------	-------
Whooping cough (9)	36	4	2	1	4	5	4	3	-------	4	2	4	3
Diphtheria (10)	18	-------	2	2	-------	4	-------	1	-------	2	-------	3	4
Influenza (11)	260	27	25	56	66	26	6	7	2	5	9	12	19
Dysentery (16)	2	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	2
Erysipelas (21)	17	2	2	1	1	1	-------	3	2	-------	2	1	2
Lethargic encephalitis (23)	5	3	-------	-------	-------	-------	-------	1	-------	-------	1	-------	-------
Meningococcus meningitis (24)	9	1	2	2	2	-------	-------	-------	-------	-------	-------	1	1
Tuberculosis of the respiratory system (31)	254	18	20	20	27	32	23	27	14	15	19	12	27
Other forms of tuberculosis (32–37)	65	12	5	7	3	3	1	10	4	5	7	7	1
Diabetes mellitus (57)	115	6	11	7	19	6	12	9	7	6	10	11	11
Cerebral hemorrhage and softening (74, 83)	689	57	53	68	59	46	53	53	50	53	63	66	68
Other [organic] diseases of the heart (90)	993	91	94	92	117	93	63	72	62	64	80	81	84
Bronchitis (99)	78	10	10	5	9	12	6	4	1	8	4	1	8
Broncho-pneumonia (100)	260	28	26	35	39	20	16	9	13	8	15	15	36
Pneumonia (101)	301	61	37	41	46	26	19	6	3	3	11	15	33
Diarrhea and enteritis [under 2 years] (113)	63	2	3	3	7	5	4	9	7	7	4	9	3
Diarrhea and enteritis [2 years and over] (114)	19	-------	3	2	3	1	1	2	3	1	1	-------	2
Nephritis (128, 129)	522	40	41	50	52	41	37	53	29	46	40	43	50
Puerperal septicemia (146)	16	2	2	1	-------	2	1	2	2	1	1	1	1
Other puerperal causes (143–145, 147–150)	50	1	7	5	7	2	4	7	3	6	1	3	4
Suicide (165–174)	59	4	2	3	5	5	3	11	4	4	5	10	3
Automobile accidents [1] (188c)	68	2	-------	1	3	6	5	10	11	10	9	9	2
Automobile and railroad-train collision (part 188a)	4	1	-------	-------	1	-------	-------	-------	-------	-------	-------	1	1
Automobile and street-car collision (part 188b)	1	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------
Other external causes (175–187, part 188a, b, 188d–203)	255	22	12	7	19	30	18	37	25	24	23	22	16
All other causes	2,464	215	202	223	238	200	214	219	197	173	186	188	209
NEW JERSEY, all causes	44,876	4,320	4,131	5,472	4,252	3,725	3,210	3,250	3,067	3,020	3,229	3,316	3,884
Typhoid and paratyphoid fever (1)	102	7	2	5	6	5	12	7	10	13	15	9	11
Malaria (5)	2	-------	1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------
Smallpox (6)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Measles (7)	447	32	76	107	90	89	37	9	2	1	1	2	1
Scarlet fever (8)	82	11	7	10	9	11	11	2	2	5	3	4	7
Whooping cough (9)	191	11	12	33	20	12	17	10	21	19	9	9	18
Diphtheria (10)	321	28	30	26	19	29	23	18	11	20	29	35	53
Influenza (11)	892	92	74	347	160	51	24	9	7	12	19	38	59
Dysentery (16)	14	-------	1	1	2	-------	-------	-------	2	4	1	2	1
Erysipelas (21)	122	17	10	26	14	16	9	6	4	4	4	1	11
Lethargic encephalitis (23)	63	6	9	6	7	4	5	2	2	11	5	2	4
Meningococcus meningitis (24)	58	6	5	10	4	6	4	2	6	3	3	3	6
Tuberculosis of the respiratory system (31)	2,719	244	238	286	237	268	209	231	195	210	195	192	214
Other forms of tuberculosis (32–37)	370	26	30	34	30	38	37	40	27	35	24	23	26
Diabetes mellitus (57)	772	88	72	84	66	55	63	48	61	53	48	44	90
Cerebral hemorrhage and softening (74, 83)	3,534	328	348	382	327	275	252	258	244	228	268	301	323
Other [organic] diseases of the heart (90)	7,586	750	712	958	701	614	550	515	463	508	557	555	703
Bronchitis (99)	305	41	39	56	38	19	8	11	8	19	15	24	27
Broncho-pneumonia (100)	1,749	227	230	356	204	146	85	50	46	42	88	120	155
Pneumonia (101)	2,764	394	361	627	342	219	116	69	63	69	98	179	227
Diarrhea and enteritis [under 2 years] (113)	815	45	56	56	40	50	47	68	143	130	79	47	54
Diarrhea and enteritis [2 years and over] (114)	160	6	9	13	11	8	7	28	22	16	17	12	11
Nephritis (128, 129)	4,086	372	405	429	404	327	284	295	282	273	326	328	361
Puerperal septicemia (146)	157	22	20	16	15	18	9	10	14	8	7	10	8
Other puerperal causes (143–145, 147–150)	260	27	30	28	25	22	13	19	20	15	15	18	28
Suicide (165–174)	482	36	31	37	55	46	45	46	33	36	39	48	30
Automobile accidents [1] (188c)	792	57	39	44	57	72	69	79	84	78	74	74	65
Automobile and railroad-train collision (part 188a)	56	2	1	2	4	-------	4	9	10	8	2	7	7
Automobile and street-car collision (part 188b)	9	1	-------	-------	1	-------	-------	-------	2	1	1	2	1
Other external causes (175–187, part 188a, b, 188d–203)	2,289	177	140	169	171	187	146	306	230	201	183	182	197
All other causes	13,677	1,267	1,143	1,323	1,193	1,138	1,124	1,103	1,053	998	1,104	1,045	1,186

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, all causes	151,345	14,001	13,073	19,012	14,774	12,968	11,260	10,778	9,948	10,173	11,337	11,241	12,780
Typhoid and paratyphoid fever (1)	298	41	15	13	13	9	12	18	32	38	45	29	33
Malaria (5)	9			2	1	2				1	3		
Smallpox (6)	1			1									
Measles (7)	1,071	102	164	241	278	145	66	26	6	3	4	10	26
Scarlet fever (8)	200	17	28	27	27	25	15	12	5	7	12	11	14
Whooping cough (9)	636	21	46	126	101	67	48	38	58	31	27	33	40
Diphtheria (10)	738	61	49	80	59	79	65	55	45	32	47	75	91
Influenza (11)	2,782	206	217	1,156	581	153	82	23	32	34	69	90	139
Dysentery (16)	45	4	3	6		1	1	2	7	7	10	2	2
Erysipelas (21)	344	37	25	55	45	55	29	22	14	11	12	13	26
Lethargic encephalitis (23)	263	19	23	38	34	27	16	24	26	10	16	14	16
Meningococcus meningitis (24)	148	16	11	13	19	21	8	9	13	8	12	4	14
Tuberculosis of the respiratory system (31)	8,937	785	727	971	896	816	806	688	609	626	658	654	701
Other forms of tuberculosis (32–37)	1,216	99	97	119	111	120	124	116	104	92	80	81	73
Diabetes mellitus (57)	2,913	276	254	346	248	219	231	195	190	207	238	247	262
Cerebral hemorrhage and softening (74, 83)	9,891	920	827	1,072	901	784	742	753	648	699	808	789	948
Other [organic] diseases of the heart (90)	29,297	2,817	2,733	3,857	2,821	2,427	2,122	1,919	1,664	1,920	2,197	2,182	2,638
Bronchitis (99)	889	92	94	165	117	67	61	34	30	34	66	59	70
Broncho-pneumonia (100)	6,782	668	733	1,398	975	558	359	242	225	257	361	429	577
Pneumonia (101)	8,418	1,047	971	1,887	1,013	680	426	278	204	255	382	566	709
Diarrhea and enteritis [under 2 years] (113)	2,103	133	104	148	147	151	138	150	336	340	217	128	111
Diarrhea and enteritis [2 years and over] (114)	400	28	25	26	18	26	30	40	60	49	39	23	36
Nephritis (128, 129)	12,819	1,246	1,192	1,480	1,211	1,106	963	895	808	863	956	979	1,120
Puerperal septicemia (146)	471	51	54	49	37	53	27	52	38	21	28	28	33
Other puerperal causes (143–145, 147–150)	789	66	50	95	86	72	69	67	54	66	49	62	53
Suicide (165–174)	1,617	137	96	142	141	131	147	149	125	143	148	128	130
Automobile accidents [1] (188c)	2,178	129	84	116	161	205	189	205	221	253	261	213	141
Automobile and railroad-train collision (part 188a)	133	8	7	4	8	12	14	12	8	18	19	18	5
Automobile and street-car collision (part 188b)	40	2	1	2	4	8	1	3	5	4	1	3	6
Other external causes (175–187, part 188a, b, 188d–203)	7,505	688	556	655	546	559	593	818	675	574	555	600	686
All other causes	48,412	4,285	3,887	4,722	4,175	4,390	3,876	3,933	3,706	3,570	4,017	3,771	4,080
NORTH CAROLINA (WHITE), all causes	20,957	1,926	1,726	2,347	1,736	1,772	1,816	1,847	1,502	1,362	1,582	1,668	1,673
Typhoid and paratyphoid fever (1)	134	5	1	2	4	4	8	26	22	30	17	8	7
Malaria (5)	44	3	5	2	2	4	5	4	6	2	7	2	2
Smallpox (6)	10	1					3		2			1	3
Measles (7)	53	1	3	7	9	12	9	3	1	2	2	3	1
Scarlet fever (8)	29	3	2	2	1	5	1	2	1	1	5	2	4
Whooping cough (9)	154	11	8	10	7	9	24	21	19	10	11	12	12
Diphtheria (10)	190	15	10	12	3	3	2	4	4	18	38	48	33
Influenza (11)	1,005	92	146	378	179	59	16	8	10	6	21	38	52
Dysentery (16)	107	1		3	1	6	25	33	14	6	9	7	2
Erysipelas (21)	46	7		12	1	4	4		3	1	5	7	2
Lethargic encephalitis (23)	19	1	3		1	5		3	2	1	1	1	1
Meningococcus meningitis (24)	21	5	2	1	3		3	2		1	1	2	1
Tuberculosis of the respiratory system (31)	1,175	95	100	123	124	125	102	88	79	68	92	94	85
Other forms of tuberculosis (32–37)	122	10	13	8	9	10	8	10	12	10	11	9	12
Diabetes mellitus (57)	188	15	24	23	14	14	7	22	7	11	20	12	19
Cerebral hemorrhage and softening (74, 83)	1,433	154	112	151	129	124	126	125	105	81	102	113	111
Other [organic] diseases of the heart (90)	2,230	211	203	253	185	222	189	167	142	132	157	190	179
Bronchitis (99)	69	11	5	8	4	6	1	3	1	4	3	9	14
Broncho-pneumonia (100)	671	79	87	100	62	51	25	22	20	26	47	77	75
Pneumonia (101)	908	150	133	156	75	74	31	18	14	24	47	71	115
Diarrhea and enteritis [under 2 years] (113)	379	21	14	9	11	44	197	229	121	95	85	39	14
Diarrhea and enteritis [2 years and over] (114)	201	3	4	8	3	7	57	40	35	8	20	8	8
Nephritis (128, 129)	1,796	169	163	189	147	152	153	175	112	121	134	130	151
Puerperal septicemia (146)	81	14	6	7	10	4	7	5	2	4	11	4	7
Other puerperal causes (143–145, 147–150)	323	27	27	44	30	34	32	22	28	27	16	15	21
Suicide (165–174)	143	12	10	10	11	12	9	17	11	11	12	18	10
Automobile accidents [1] (188c)	333	23	23	19	19	31	20	21	43	32	30	35	37
Automobile and railroad-train collision (part 188a)	44	4	3	4	4	2	3	3	9	2	5	1	4
Automobile and street-car collision (part 188b)	4		1	1	1							1	
Other external causes (175–187, part 188a, b, 188d–203)	962	82	65	88	68	86	84	101	76	67	88	87	70
All other causes	7,583	701	553	717	619	663	665	673	601	561	585	624	621
NORTH CAROLINA (COLORED), all causes	13,605	1,200	1,030	1,455	1,168	1,202	1,221	1,318	1,125	944	967	1,002	973
Typhoid and paratyphoid fever (1)	143	2	1		2	3	12	26	35	21	22	15	4
Malaria (5)	58	3	1	3	2	4	4	8	11	12	8	2	
Smallpox (6)	4	1	1					2					
Measles (7)	43	1	3	7	3	9	10	6	3		1		
Scarlet fever (8)	6				1	1			1		2		1
Whooping cough (9)	144	4	5	8	16	7	16	15	18	18	12	12	13
Diphtheria (10)	72	11	3	7	5	2	1	4	5	12	8	9	5
Influenza (11)	614	39	88	210	130	37	21	12	4	6	8	25	34
Dysentery (16)	79	2		3	4	4	23	23	12	3	3	2	
Erysipelas (21)	9		1	1	3	1		1			1		1
Lethargic encephalitis (23)	3			1					1				1
Meningococcus meningitis (24)	8	1		1	1		3	1				1	
Tuberculosis of the respiratory system (31)	1,346	129	115	114	118	147	119	112	115	92	90	97	98
Other forms of tuberculosis (32–37)	151	18	7	13	13	20	16	12	18	9	13	10	2
Diabetes mellitus (57)	77	8	7	5	11	7	4	7	4	6	7	3	8
Cerebral hemorrhage and softening (74, 83)	835	79	55	94	68	89	71	66	64	51	64	73	61
Other [organic] diseases of the heart (90)	1,232	114	91	114	107	131	113	124	96	94	93	73	82
Bronchitis (99)	45	6	5	5	4	4		3	2	6	5	4	1
Broncho-pneumonia (100)	414	50	49	58	54	40	10	12	12	19	26	38	46
Pneumonia (101)	684	99	108	142	55	47	26	16	19	16	32	55	69
Diarrhea and enteritis [under 2 years] (113)	563	11	5	9	8	45	109	150	80	70	44	24	8
Diarrhea and enteritis [2 years and over] (114)	105	2	1	2	2	17	23	15	15	10	11	3	4
Nephritis (128, 129)	1,083	96	80	99	77	96	98	112	103	79	88	88	67
Puerperal septicemia (146)	87	2	10	8	11	11	10	3	3	12	3	7	7
Other puerperal causes (143–145, 147–150)	235	21	21	22	23	26	27	20	23	11	15	14	12
Suicide (165–174)	16	2		1	1	1		1	1	3	3	1	2
Automobile accidents [1] (188c)	122	9	4	10	7	3	11	10	15	15	12	12	14
Automobile and railroad-train collision (part 188a)	5	1					3		1				
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	696	77	53	63	54	51	49	62	58	48	58	58	65
All other causes	4,726	412	316	455	388	399	442	495	406	331	338	376	368

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec
NORTH DAKOTA, all causes	5,313	444	447	591	569	477	394	397	368	382	409	425	410
Typhoid and paratyphoid fever (1)	18	2	1	3				2	4	2	2	2	
Malaria (5)													
Smallpox (6)													
Measles (7)	35	1	3	4	3	2	4	4			2	3	9
Scarlet fever (8)	65	10	11	11	6	5	1	5	3	1	4	4	4
Whooping cough (9)	75	7	8	14	7	13	4	3	4	6	4	3	2
Diphtheria (10)	31	5	2	1	8	2	5	1	1	1	2	2	1
Influenza (11)	194	6	14	68	58	16	6	4	3		6	8	5
Dysentery (16)	6								1	4	1		
Erysipelas (21)	16	5	1	1	2				1	1		2	3
Lethargic encephalitis (23)	14	2	6	1		3			1	1			
Meningococcus meningitis (24)	13	2	1	3		1		1	1	1		2	1
Tuberculosis of the respiratory system (31)	242	20	17	22	23	38	23	17	16	17	15	15	19
Other forms of tuberculosis (32–37)	52	1	2	4	7	5	6	8	2	5	4	4	4
Diabetes mellitus (57)	110	9	13	10	19	5	7	10	5	7	6	10	9
Cerebral hemorrhage and softening (74, 83)	335	32	35	33	32	21	31	29	19	22	25	26	30
Other [organic] diseases of the heart (90)	584	46	51	57	58	40	47	44	47	51	60	42	41
Bronchitis (99)	23	3	1		2	1	1	1			5	5	4
Broncho-pneumonia (100)	219	23	19	41	22	19	11	12	6	3	12	23	28
Pneumonia (101)	228	26	23	45	30	15	12	10	7	10	12	19	19
Diarrhea and enteritis [under 2 years] (113)	85	3	5	13	5	9	5	9	3	11	11	5	6
Diarrhea and enteritis [2 years and over] (114)	21		1	2	2		1	1	3	5	3	3	
Nephritis (128, 129)	230	13	19	19	27	30	16	19	15	20	18	19	15
Puerperal septicemia (146)	29	4	1	2	4	4		2		2	6	4	
Other puerperal causes (143–145, 147–150)	35	4	4	6	3	1		2	5	2	5	1	2
Suicide (165–174)	61	5	2	11	4	6	7	9	1	4	8	4	
Automobile accidents [1] (188c)	70	1		8	10	7	5	4	8	10	7	6	4
Automobile and railroad-train collision (part 188a)	11	1		1		2				2	3	2	
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	249	11	17	15	25	28	19	28	32	23	19	23	9
All other causes	2,262	202	190	196	212	204	183	172	180	171	169	188	195
OHIO, all causes	78,695	7,052	6,044	8,031	8,369	6,893	5,959	5,801	5,697	5,790	6,129	6,220	6,710
Typhoid and paratyphoid fever (1)	290	10	7	16	9	12	11	13	36	57	67	32	20
Malaria (5)	12		2		1		1	1	2		2	1	2
Smallpox (6)													
Measles (7)	852	105	139	178	186	141	63	23	5	5	2	3	2
Scarlet fever (8)	188	25	24	22	20	22	10	9	5	6	9	14	22
Whooping cough (9)	635	45	46	84	103	80	56	49	54	33	22	36	27
Diphtheria (10)	492	47	30	22	31	26	19	23	21	29	60	103	81
Influenza (11)	2,527	224	152	496	770	264	92	53	37	50	83	117	189
Dysentery (16)	102	1	2	5	2	2	6	4	15	40	20	5	
Erysipelas (21)	200	19	22	25	33	28	13	12	8	6	4	11	19
Lethargic encephalitis (23)	138	10	14	15	22	10	17	11	12	13		6	8
Meningococcus meningitis (24)	37	3	2	2	4	1	3	7	4	1	4	1	5
Tuberculosis of the respiratory system (31)	4,326	325	377	424	463	429	384	342	327	336	282	316	321
Other forms of tuberculosis (32–37)	742	52	53	68	77	76	73	73	72	33	66	49	50
Diabetes mellitus (57)	1,220	126	102	108	129	84	111	97	70	85	100	104	104
Cerebral hemorrhage and softening (74, 83)	7,030	661	559	731	648	615	561	514	476	491	560	558	656
Other [organic] diseases of the heart (90)	11,506	1,118	873	1,165	1,199	970	860	854	773	762	865	1,001	1,066
Bronchitis (99)	377	47	28	42	56	38	19	21	14	14	27	39	32
Broncho-pneumonia (100)	2,934	347	247	432	493	286	162	106	73	102	147	222	317
Pneumonia (101)	3,286	481	302	490	473	282	168	124	93	94	166	236	377
Diarrhea and enteritis [under 2 years] (113)	1,513	71	46	66	56	73	56	102	258	351	290	73	71
Diarrhea and enteritis [2 years and over] (114)	379	20	22	18	17	23	27	28	51	90	52	14	17
Nephritis (128, 129)	5,511	488	439	525	527	486	438	429	426	390	456	473	434
Puerperal septicemia (146)	340	37	26	39	23	30	34	31	20	18	28	23	31
Other puerperal causes (143–145, 147–150)	491	41	37	45	40	42	41	43	45	43	37	46	31
Suicide (165–174)	873	59	54	89	88	70	89	64	68	82	70	77	63
Automobile accidents [1] (188c)	1,317	79	56	74	73	99	106	120	145	140	160	156	109
Automobile and railroad-train collision (part 188a)	186	16	9	14	9	17	15	14	9	13	30	24	16
Automobile and street-car collision (part 188b)	73	1	2	5	5	1	3	3	9	16	5	16	7
Other external causes (175–187, part 188a, b, 188d–203)	4,455	353	315	315	339	368	416	450	437	366	335	372	389
All other causes	26,663	2,241	2,057	2,516	2,473	2,318	2,105	2,181	2,132	2,124	2,180	2,092	2,244
OREGON, all causes	9,857	911	826	875	869	762	778	770	748	734	808	858	918
Typhoid and paratyphoid fever (1)	36	1	1	2		4	1	2	7	5	8	3	2
Malaria (5)	2						1						1
Smallpox (6)	7	3		1		1			1	1			
Measles (7)	8	2			4			1					1
Scarlet fever (8)	26	3	1	1	7		2	1	3	2	1	2	3
Whooping cough (9)	50	3	5	10	13	5	5	1	2	1	1	2	2
Diphtheria (10)	59	10	6	5	4	1	7	2	8	2	7	1	6
Influenza (11)	220	25	43	53	21	9	7	4	5	3	12	16	22
Dysentery (16)	14		2			1			4	2	2	1	2
Erysipelas (21)	19			3	3		2	4	2	1		2	2
Lethargic encephalitis (23)	10			1		5		1	1				2
Meningococcus meningitis (24)	63	9	10	9	7	6	4	5	1	5	5	1	1
Tuberculosis of the respiratory system (31)	448	33	30	47	49	49	37	43	32	30	30	30	38
Other forms of tuberculosis (32–37)	94	7	8	7	10	12	12	6	11	2	7	6	6
Diabetes mellitus (57)	175	17	16	14	13	10	11	11	17	18	16	16	16
Cerebral hemorrhage and softening (74, 83)	889	86	78	94	71	74	74	63	65	75	62	70	77
Other [organic] diseases of the heart (90)	1,471	126	110	124	141	103	113	127	108	99	130	133	157
Bronchitis (99)	26	4	2	4	2	1	3	1		1	2	2	4
Broncho-pneumonia (100)	272	40	34	25	14	14	21	12	17	10	11	34	40
Pneumonia (101)	358	64	38	32	34	15	19	9	18	13	31	35	50
Diarrhea and enteritis [under 2 years] (113)	78	4	2	6	2	4	4	7	8	19	10	6	6
Diarrhea and enteritis [2 years and over] (114)	36	1	4	2	6	2	2	5	4	2	2	1	5
Nephritis (128, 129)	706	70	61	55	53	62	61	55	47	54	65	57	66
Puerperal septicemia (146)	33	4	3	5	1	3	2	4	2	3	2	1	3
Other puerperal causes (143–145, 147–150)	54	4	6	7	8	4	1	7	2	5	2	4	4
Suicide (165–174)	179	15	20	20	16	14	17	18	9	6	16	10	18
Automobile accidents [1] (188c)	187	10	8	9	12	18	17	15	29	25	21	14	9
Automobile and railroad-train collision (part 188a)	8				1		1			2		4	
Automobile and street-car collision (part 188b)	3		2										1
Other external causes (175–187, part 188a, b, 188d–203)	656	39	42	56	61	61	59	59	55	63	49	60	52
All other causes	3,670	331	294	283	316	284	295	307	290	285	316	347	322

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA, all causes	120,537	11,378	10,498	14,088	12,214	10,552	8,560	8,557	7,964	8,253	9,140	9,083	10,250
Typhoid and paratyphoid fever (1)	357	31	23	16	20	18	15	24	38	44	57	38	33
Malaria (5)	5						2	1		1		1	
Smallpox (6)													
Measles (7)	1,058	85	154	202	208	196	101	36	20	7	6	17	26
Scarlet fever (8)	272	36	25	40	25	27	27	20	6	3	10	21	32
Whooping cough (9)	927	62	66	151	129	110	62	64	67	65	51	50	50
Diphtheria (10)	800	101	83	77	73	65	65	52	44	40	68	65	67
Influenza (11)	4,230	362	373	1,178	1,093	412	142	59	58	46	101	157	249
Dysentery (16)	72	3	1		2	5	1	9	12	20	12	3	4
Erysipelas (21)	269	35	25	44	41	32	18	16	8	11	8	10	21
Lethargic encephalitis (23)	119	12	11	16	14	9	12	9	3	8	9	7	9
Meningococcus meningitis (24)	84	8	10	6	7	9	8	9	7	7	4	4	5
Tuberculosis of the respiratory system (31)	6,360	588	545	689	627	628	526	482	468	446	469	434	458
Other forms of tuberculosis (32–37)	1,039	84	79	94	106	94	90	98	87	80	70	76	81
Diabetes mellitus (57)	1,885	182	171	191	195	136	137	141	136	124	151	150	171
Cerebral hemorrhage and softening (74, 83)	8,530	792	773	894	814	694	664	584	529	610	682	712	782
Other [organic] diseases of the heart (90)	18,206	1,813	1,680	2,150	1,725	1,571	1,288	1,274	1,094	1,106	1,415	1,420	1,670
Bronchitis (99)	775	95	90	127	76	72	42	38	22	34	54	63	62
Broncho-pneumonia (100)	5,528	631	643	1,024	734	502	309	188	156	191	302	367	481
Pneumonia (101)	7,268	919	856	1,313	961	611	361	251	185	215	330	551	715
Diarrhea and enteritis [under 2 years] (113)	3,025	195	134	165	194	172	111	194	431	634	476	175	144
Diarrhea and enteritis [2 years and over] (114)	477	31	22	30	23	24	23	68	64	70	64	37	21
Nephritis (128, 129)	10,306	995	926	1,108	953	900	764	749	650	746	803	796	916
Puerperal septicemia (146)	526	48	49	56	50	60	49	47	33	21	41	32	40
Other puerperal causes (143–145, 147–150)	798	74	79	82	68	75	45	72	73	51	66	61	52
Suicide (165–174)	1,188	86	68	99	103	117	121	92	93	106	89	107	107
Automobile accidents [1] (188c)	1,734	89	58	94	131	152	146	190	147	186	196	183	162
Automobile and railroad-train collision (part 188a)	68	2	3	1	5	11	11	6	3	5	3	12	6
Automobile and street-car collision (part 188b)	31	4	3		3		3	4	1	5	3	2	3
Other external causes (175–187, part 188a, b, 188d–203)	6,900	609	493	552	511	564	551	714	599	546	525	589	647
All other causes	37,700	3,406	3,055	3,689	3,323	3,286	2,866	3,066	2,930	2,825	3,075	2,943	3,236
RHODE ISLAND, all causes	8,791	873	734	1,103	976	757	674	610	585	562	603	634	680
Typhoid and paratyphoid fever (1)	11					1		2	2	1	4		1
Malaria (5)													
Smallpox (6)													
Measles (7)	137	30	24	34	21	11	12	4	1				
Scarlet fever (8)	4	1		1	1		1						
Whooping cough (9)	125	11	13	13	12	15	8	10	12	12	7	6	6
Diphtheria (10)	43	6	3	4	4	3	1	2	1	3	4	6	6
Influenza (11)	234	13	8	93	70	17	9	2	2	1	4	6	9
Dysentery (16)	13							2	1	7	1		2
Erysipelas (21)	25	4	5	3	2	3		2	1	1	1	2	1
Lethargic encephalitis (23)	10	1		1		2		2		2	2		
Meningococcus meningitis (24)	10							2	3	2	1	1	1
Tuberculosis of the respiratory system (31)	403	37	34	46	45	39	36	26	36	25	23	25	31
Other forms of tuberculosis (32–37)	96	6	5	9	12	16	9	11	11	5	4	4	4
Diabetes mellitus (57)	160	8	14	27	14	8	14	12	18	7	14	12	12
Cerebral hemorrhage and softening (74, 83)	789	81	61	76	77	75	68	57	55	47	63	66	63
Other [organic] diseases of the heart (90)	1,352	132	103	182	156	120	97	82	77	78	106	101	118
Bronchitis (99)	56	9	10	13	4	6	5	2	2	1		1	3
Broncho-pneumonia (100)	262	40	27	32	42	29	18	5	5	8	16	16	24
Pneumonia (101)	504	85	46	111	89	31	27	16	6	6	19	21	47
Diarrhea and enteritis [under 2 years] (113)	107	4	9	6	7	7	4	12	12	19	9	11	7
Diarrhea and enteritis [2 years and over] (114)	21	1	1	1		1		3	2	3	3	1	5
Nephritis (128, 129)	818	89	71	109	76	84	55	65	53	50	45	56	65
Puerperal septicemia (146)	24		4	3	3	3	1	4	1	1	1	2	1
Other puerperal causes (143–145, 147–150)	57	8	4	10	6	4	4	1	3	6	3	2	6
Suicide (165–174)	75	3	4	7	6	3	6	9	3	8	7	13	6
Automobile accidents [1] (188c)	127	8	7	3	13	12	13	14	8	13	16	13	7
Automobile and railroad-train collision (part 188a)	1									1			
Automobile and street-car collision (part 188b)	2											2	
Other external causes (175–187, part 188a, b, 188d–203)	344	35	16	26	33	25	26	36	26	25	24	33	39
All other causes	2,981	261	265	293	283	242	260	227	244	230	226	234	216
SOUTH CAROLINA (WHITE), all causes	9,219	840	760	866	795	796	807	758	673	697	814	690	723
Typhoid and paratyphoid fever (1)	150	3	6	3	2	1	12	16	29	25	29	14	10
Malaria (5)	30	1	1			1		5	2	6	7	6	1
Smallpox (6)	2			1	1								
Measles (7)	7		1		1	2					1	1	1
Scarlet fever (8)	8					3		1		2			2
Whooping cough (9)	70	5	3	12	5	7	7	8	4	7	3	5	4
Diphtheria (10)	108	11	5	3	2	2	4	1	3	12	29	23	13
Influenza (11)	461	50	85	131	86	25	6	3	2	4	11	27	31
Dysentery (16)	95	2	2	1	2	10	23	18	9	8	13	5	2
Erysipelas (21)	17	1	1	1	1	2			1	3	1	4	2
Lethargic encephalitis (23)	10	1		2	1	1	1	1	1	2			
Meningococcus meningitis (24)	5				1	1	1				2		
Tuberculosis of the respiratory system (31)	360	47	30	29	43	40	25	21	23	23	26	16	37
Other forms of tuberculosis (32–37)	38	5	3	3	1	3	5	3	1	5	7	2	
Diabetes mellitus (57)	94	5	9	16	13	4	8	4	4	5	10	9	7
Cerebral hemorrhage and softening (74, 83)	652	61	59	50	70	50	57	43	41	48	57	61	55
Other [organic] diseases of the heart (90)	1,038	95	84	104	73	102	82	97	77	70	94	74	86
Bronchitis (99)	21	2	3	2	1	3				2	2	1	5
Broncho-pneumonia (100)	203	27	22	22	15	12	16	11	6	12	17	22	21
Pneumonia (101)	475	89	58	61	56	39	21	13	17	15	25	33	48
Diarrhea and enteritis [under 2 years] (113)	424	6	4	7	4	42	89	74	60	66	49	19	4
Diarrhea and enteritis [2 years and over] (114)	56	2	1	1	1	1	11	14	7	7	8	2	1
Nephritis (128, 129)	951	75	64	91	83	92	89	82	66	73	76	82	78
Puerperal septicemia (146)	27	1	3	7	3	1	1	3	1	1	3	2	1
Other puerperal causes (143–145, 147–150)	135	15	7	10	19	14	17	6	9	11	9	6	12
Suicide (165–174)	50	6	1	2	4	8	4	4	5	3	6	3	4
Automobile accidents [1] (188c)	119	7	5	12	9	10	3	10	9	14	14	10	16
Automobile and railroad-train collision (part 188a)	6	2	1								1		2
Automobile and street-car collision (part 188b)	3						2	1					
Other external causes (175–187, part 188a, b, 188d–203)	446	61	35	44	27	36	30	33	30	36	37	39	38
All other causes	3,158	260	267	251	271	284	293	286	266	237	277	224	242

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detaled International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA (COLORED), all causes	14,184	1,155	1,133	1,418	1,207	1,296	1,322	1,347	1,169	1,052	1,098	980	1,007
Typhoid and paratyphoid fever (1)	361	14	1	6	1	18	31	70	82	55	48	21	14
Malaria (5)	190	7	5	4	10	14	13	29	19	35	24	17	13
Smallpox (6)	2						1					1	
Measles (7)	5						3	2					
Scarlet fever (8)	3							1		1		1	
Whooping cough (9)	80	3	5	6	12	9	10	6	7	4	4	5	9
Diphtheria (10)	61	4	4	3	2	4	3	2	2	12	11	6	8
Influenza (11)	665	58	111	214	120	47	19	7	9	5	15	34	26
Dysentery (16)	158		2	2	2	26	46	37	15	8	10	5	5
Erysipelas (21)	3		1			2							
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)	4			1				1		1			1
Tuberculosis of the respiratory system (31)	1,186	91	86	112	111	104	109	125	104	107	85	76	76
Other forms of tuberculosis (32–37)	78	5	5	2	11	4	7	6	8	13	7	5	5
Diabetes mellitus (57)	72	7	8	8	8	8	4	2	3	3	7	8	6
Cerebral hemorrhage and softening (74, 83)	726	56	70	77	59	57	50	54	59	60	72	52	60
Other [organic] diseases of the heart (90)	1,398	113	113	129	129	128	152	143	121	95	99	104	72
Bronchitis (99)	28	2	2	4		2	4	3	2	1	4	1	3
Broncho-pneumonia (100)	236	35	25	36	21	11	13	9	7	15	24	18	22
Pneumonia (101)	694	99	100	118	70	46	31	22	19	27	34	54	74
Diarrhea and enteritis [under 2 years] (113)	519	9	6	13	21	73	107	95	73	43	47	19	13
Diarrhea and enteritis [2 years and over] (114)	113	8	4		4	10	18	22	10	17	10	4	6
Nephritis (128, 129)	1,228	96	94	117	91	114	113	121	106	84	106	83	103
Puerperal septicemia (146)	92	7	2	13	9	10	7	10	9	6	10	4	5
Other puerperal causes (143–145, 147–150)	237	19	20	30	20	23	28	26	16	16	18	11	10
Suicide (165–174)	9	1		1			3	1	1			2	
Automobile accidents [1] (188c)	73	6	1	5	7	11	8	6	6	3	6	5	9
Automobile and railroad-train collision (part 188a)	6			1			3		2				
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	680	74	48	66	62	53	45	60	52	45	53	55	67
All other causes	5,276	440	420	450	437	522	494	487	437	396	404	389	400
TENNESSEE (WHITE), all causes	22,163	2,030	1,959	2,442	1,927	1,642	1,651	1,960	1,630	1,665	1,771	1,829	1,657
Typhoid and paratyphoid fever (1)	426	15	7	6	5	5	12	53	78	91	75	50	29
Malaria (5)	103	1	1	3	1	1	2	15	17	30	15	13	4
Smallpox (6)	3				2								1
Measles (7)	264	27	60	54	46	25	16	13	11	5	3	2	2
Scarlet fever (8)	39	2	4	1	7	2	3		1	6	4	6	3
Whooping cough (9)	283	10	12	21	16	14	25	31	32	21	41	31	29
Diphtheria (10)	246	18	11	11	9	4	5		4	29	55	74	26
Influenza (11)	1,327	175	209	399	237	52	22	20	5	17	40	70	81
Dysentery (16)	196	5	3	1	6	7	21	58	35	23	24	11	2
Erysipelas (21)	38	5	1	2	7	3	3	2	1	1	5		8
Lethargic encephalitis (23)	22	3	2	3	1	5	1	1	1	2		2	1
Meningococcus meningitis (24)	30	3	3		4	2	3	2	2	4	2	5	
Tuberculosis of the respiratory system (31)	1,992	191	193	229	185	171	153	168	147	135	139	147	134
Other forms of tuberculosis (32–37)	265	12	23	26	23	25	30	20	18	30	29	15	14
Diabetes mellitus (57)	174	20	13	23	16	15	12	7	13	5	7	15	28
Cerebral hemorrhage and softening (74, 83)	1,043	106	91	104	112	74	85	91	65	69	63	101	82
Other [organic] diseases of the heart (90)	1,914	185	161	228	174	170	165	166	138	105	139	130	153
Bronchitis (99)	73	7	12	5	8	6	6	8	2	4	3	8	4
Broncho-pneumonia (100)	752	120	112	120	71	41	23	24	17	23	55	79	67
Pneumonia (101)	1,072	183	159	205	98	66	33	25	23	33	48	106	93
Diarrhea and enteritis [under 2 years] (113)	777	18	7	8	12	16	113	189	142	123	103	34	12
Diarrhea and enteritis [2 years and over] (114)	303	13	9	11	6	9	36	81	50	37	30	11	10
Nephritis (128, 129)	1,365	129	105	129	123	109	113	108	95	112	117	113	112
Puerperal septicemia (146)	114	16	12	9	7	15	8	4	6	9	7	14	7
Other puerperal causes (143–145, 147–150)	183	12	14	25	19	18	16	24	12	8	9	14	12
Suicide (165–174)	161	11	14	16	17	12	8	20	13	11	13	12	14
Automobile accidents [1] (188c)	259	14	15	12	14	25	26	27	29	26	28	20	23
Automobile and railroad-train collision (part 188a)	14	1	3	1			1	1		1	2	4	
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	1,083	77	67	83	87	69	83	104	97	89	112	107	108
All other causes	7,642	651	636	707	618	679	628	697	576	618	601	638	593
TENNESSEE (COLORED), all causes	9,232	808	852	927	793	726	707	891	761	661	706	707	693
Typhoid and paratyphoid fever (1)	196	10	5	4	2	3	12	22	41	43	31	17	6
Malaria (5)	53	1		3		3	3	5	5	11	16	4	2
Smallpox (6)	1			1									
Measles (7)	36	1	3	7	4	3	5	4		2	3	1	3
Scarlet fever (8)	4			1		2			1				
Whooping cough (9)	106	5	3	1	4	5	10	18	16	6	10	14	14
Diphtheria (10)	47	4	2	1	2	1	1	1	4	8	12	7	4
Influenza (11)	531	66	88	137	88	46	23	10	6	5	16	22	24
Dysentery (16)	62	3			1	2	8	19	10	9	7	3	
Erysipelas (21)	3	1				1						1	
Lethargic encephalitis (23)	2						1						1
Meningococcus meningitis (24)	6	1			1	2	1					1	
Tuberculosis of the respiratory system (31)	1,220	106	119	112	131	116	120	103	86	83	72	81	91
Other forms of tuberculosis (32–37)	172	18	13	14	11	20	17	19	16	11	9	12	12
Diabetes mellitus (57)	40	4	1	6	4	3	2	2	1	5	4	5	3
Cerebral hemorrhage and softening (74, 83)	411	36	31	35	34	35	25	45	32	36	33	31	38
Other [organic] diseases of the heart (90)	861	79	77	86	67	63	66	85	75	62	77	68	56
Bronchitis (99)	41	2	7		3	2	2		6	7	2	4	6
Broncho-pneumonia (100)	277	33	39	38	35	19	11	14	13	8	21	32	14
Pneumonia (101)	521	75	99	82	58	41	17	18	10	9	27	33	52
Diarrhea and enteritis [under 2 years] (113)	197	1	4	5	3	6	29	54	38	23	16	10	8
Diarrhea and enteritis [2 years and over] (114)	95	2	5	4	7	5	14	19	11	9	10	8	1
Nephritis (128, 129)	601	41	56	64	43	50	49	57	54	40	40	56	51
Puerperal septicemia (146)	64	6	6	7	8	6	1	4	4	5	8	4	5
Other puerperal causes (143–145, 147–150)	61	3	4	3	9	2	9	9	7	6	6	1	2
Suicide (165–174)	15			2	2	1	1	1	2		3	2	1
Automobile accidents [1] (188c)	53	7	1	3	6	7	2	6	3	6	3	2	7
Automobile and railroad-train collision (part 188a)	2			1									1
Automobile and street-car collision (part 188b)	1			1									
Other external causes (175–187, part 188a, b, 188d–203)	608	51	47	52	54	42	46	39	56	59	44	53	65
All other causes	2,945	252	242	257	216	240	232	337	264	208	236	235	226

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH, all causes	5,136	544	535	399	394	427	377	343	385	363	405	468	496
Typhoid and paratyphoid fever (1)	25	2	1	1	2	1	2	2	5	5	1	1	2
Malaria (5)													
Smallpox (6)	3	2										1	
Measles (7)	34	1				2		1	1		1	7	21
Scarlet fever (8)	4		1				1	1			1		
Whooping cough (9)	130	9	7	16	13	19	26	19	7	8	1	3	2
Diphtheria (10)	68	5	8		4	7	7	2	7	2	8	10	8
Influenza (11)	244	70	68	23	9	5	4	3	2	5	15	20	20
Dysentery (16)	8				1				1	4	1	1	
Erysipelas (21)	25	4	6	2	2	5			2				4
Lethargic encephalitis (23)	10	1		1	1	1	1	2			2	1	
Meningococcus meningitis (24)	14	4		3		1	1	2	1	1	1		
Tuberculosis of the respiratory system (31)	151	20	20	9	15	15	11	10	7	13	10	14	7
Other forms of tuberculosis (32–37)	22	2	2	2	4		3	1	4	1	2	1	
Diabetes mellitus (57)	65	8	7	5	6	5	2	5	3	8	4	8	4
Cerebral hemorrhage and softening (74, 83)	262	25	21	22	35	21	23	18	18	21	18	21	19
Other [organic] diseases of the heart (90)	588	59	58	51	45	55	54	31	33	42	47	57	56
Bronchitis (99)	28	6	3	2	1	2		2		1	3	5	3
Broncho-pneumonia (100)	230	37	31	13	10	3	8	6	9	8	25	47	33
Pneumonia (101)	234	39	28	13	16	14	14	6	7	8	16	33	40
Diarrhea and enteritis [under 2 years] (113)	63	3	5	2	1	2	4	4	10	14	8	7	3
Diarrhea and enteritis [2 years and over] (114)	19	1		2	1	2	1	1	3	3	2		3
Nephritis (128, 129)	351	31	31	35	26	37	32	29	32	21	29	26	22
Puerperal septicemia (146)	21	1	5	2	3		2	1	1	3	1		2
Other puerperal causes (143–145, 147–150)	43	3	6	5	2	2	4	5	6	2	5	1	2
Suicide (165–174)	41	2	3	4	6	2	3	4	4	3	2	6	2
Automobile accidents [1] (188c)	80	5	2	5	7	9	8	4	7	8	7	10	8
Automobile and railroad-train collision (part 188a)	6									3	2	1	
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	390	29	59	22	23	37	26	31	36	28	34	29	36
All other causes	1,977	175	163	159	161	180	140	153	179	151	159	158	199
VERMONT, all causes	5,215	538	395	549	597	463	433	368	339	326	383	385	439
Typhoid and paratyphoid fever (1)	6									2	3	1	
Malaria (5)	1												1
Smallpox (6)													
Measles (7)	11		1	1	1			1	2		2	1	2
Scarlet fever (8)	18	2	2	4	7	1		1			1		
Whooping cough (9)	32	5	4	4	6	2	5	1	1			1	3
Diphtheria (10)	14	2	1	1	1	2	1	3	1			1	1
Influenza (11)	268	31	19	58	73	35	7	9	4	3	8	7	14
Dysentery (16)	2								1	1			
Erysipelas (21)	10	2		1		2	1			1		1	2
Lethargic encephalitis (23)	2		1								1		
Meningococcus meningitis (24)	5							1	3				1
Tuberculosis of the respiratory system (31)	226	25	21	23	25	22	21	21	13	8	19	11	17
Other forms of tuberculosis (32–37)	56	3	7	6	7	2	5	5	7	6	2	3	3
Diabetes mellitus (57)	77	4	4	11	5	7	5	3	8	3	12	5	10
Cerebral hemorrhage and softening (74, 83)	485	41	34	54	47	39	52	34	31	30	42	43	38
Other [organic] diseases of the heart (90)	838	85	72	89	80	82	60	40	78	51	72	49	80
Bronchitis (99)	45	7	4	6	9	1		2	1	1	7	4	3
Broncho-pneumonia (100)	172	33	12	27	25	9	10	6	2	8	7	14	19
Pneumonia (101)	263	45	22	43	44	19	20	9	3	3	8	21	26
Diarrhea and enteritis [under 2 years] (113)	44	5	3	2	3	4	3	2	4	3	7	2	6
Diarrhea and enteritis [2 years and over] (114)	18	1	1		1	1		2	2	3	5	1	1
Nephritis (128, 129)	424	44	25	42	55	42	44	33	30	24	20	37	28
Puerperal septicemia (146)	16		1	2	2	2		1	2	2	2		2
Other puerperal causes (143–145, 147–150)	32	4	3	2	2	3	5	2	2	3	1	3	2
Suicide (165–174)	48	2	4	3	3	2	6	7	3	3	8	7	
Automobile accidents [1] (188c)	45	1			2	1	5	2	14	13	3	2	2
Automobile and railroad-train collision (part 188a)	4						1			1	2		
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	231	19	9	16	20	20	14	32	18	11	19	34	19
All other causes	1,822	177	145	154	179	165	168	151	109	146	132	137	159
VIRGINIA (WHITE), all causes	18,866	1,719	1,740	2,097	1,646	1,449	1,331	1,435	1,377	1,372	1,479	1,511	1,710
Typhoid and paratyphoid fever (1)	162	6	6	6	1	4	9	13	25	28	27	25	12
Malaria (5)	8					3		1	1		3		
Smallpox (6)													
Measles (7)	78	4	7	5	12	17	10	10	3	5	1	1	3
Scarlet fever (8)	31	2	5	1	3	2		3	1	1	6	3	4
Whooping cough (9)	168	8	6	16	14	11	10	16	15	12	15	26	19
Diphtheria (10)	178	21	12	7	4	6	2	1	4	13	30	47	31
Influenza (11)	924	100	143	334	139	50	18	2	8	3	24	45	58
Dysentery (16)	157	2	2	1		1	13	32	35	29	36	3	3
Erysipelas (21)	44	3	4	2	5	4	5	3	1	1	5	4	7
Lethargic encephalitis (23)	13	2	2	1	1	1			1	1	2		2
Meningococcus meningitis (24)	17	1	1	1	1	1		2	2	2		4	2
Tuberculosis of the respiratory system (31)	1,150	100	125	121	114	96	93	78	85	83	88	72	95
Other forms of tuberculosis (32–37)	144	10	12	19	16	17	10	14	10	6	11	13	6
Diabetes mellitus (57)	224	20	21	22	24	13	15	15	18	20	16	17	23
Cerebral hemorrhage and softening (74, 83)	1,284	111	106	133	121	97	103	103	88	89	97	108	128
Other [organic] diseases of the heart (90)	2,425	235	235	275	240	203	205	159	146	158	169	175	225
Bronchitis (99)	83	14	12	12	7	4	4	1	1	3	3	8	14
Broncho-pneumonia (100)	544	84	75	71	57	29	23	14	13	7	33	66	72
Pneumonia (101)	698	104	114	113	62	37	27	18	16	18	30	60	99
Diarrhea and enteritis [under 2 years] (113)	528	16	5	10	4	9	25	112	119	109	83	25	11
Diarrhea and enteritis [2 years and over] (114)	149	2	6	4	9	5	13	23	25	36	16	7	3
Nephritis (128, 129)	1,762	168	166	181	145	164	124	139	135	111	136	143	150
Puerperal septicemia (146)	94	10	10	11	10	7	7	4	6	3	7	6	13
Other puerperal causes (143–145, 147–150)	193	19	18	27	18	20	18	15	13	18	6	9	12
Suicide (165–174)	153	9	14	15	24	15	16	11	9	4	13	9	14
Automobile accidents [1] (188c)	227	9	10	6	17	27	17	17	20	37	20	30	17
Automobile and railroad-train collision (part 188a)	15	3	3	2		3	1		1	1		1	
Automobile and street-car collision (part 188b)	4			1	1				1			1	
Other external causes (175–187, part 188a, b, 188d–203)	1,003	87	77	79	57	69	84	106	87	70	75	95	117
All other causes	6,406	569	543	621	540	534	479	523	488	504	527	508	570

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA (COLORED), all causes	11,952	1,049	1,022	1,332	1,042	919	931	1,072	911	889	920	868	997
Typhoid and paratyphoid fever (1)	104	2	2	1	2	3	6	12	16	27	22	8	3
Malaria (5)	17	1					2	3	1	6	2	2	
Smallpox (6)	1								1				
Measles (7)	22	2		4	3	5	3	1	1	1	1	1	
Scarlet fever (8)	1	1											
Whooping cough (9)	150	9	12	12	14	15	16	17	8	12	14	8	13
Diphtheria (10)	50	4			4	4		1	4	5	12	13	3
Influenza (11)	594	49	112	196	92	33	18	7	3	6	20	19	39
Dysentery (16)	69	1	1			4	8	23	13	11	4	1	3
Erysipelas (21)	8	1	1	1	1	1						1	2
Lethargic encephalitis (23)	6		1						1	1	2	1	
Meningococcus meningitis (24)	4			1	1	1				1			
Tuberculosis of the respiratory system (31)	1,209	116	90	109	117	95	119	118	88	92	92	86	87
Other forms of tuberculosis (32–37)	150	11	6	9	12	16	20	13	15	14	8	15	11
Diabetes mellitus (57)	100	4	4	9	7	11	9	8	11	7	10	13	7
Cerebral hemorrhage and softening (74, 83)	954	74	84	100	76	78	90	79	56	71	70	80	96
Other [organic] diseases of the heart (90)	1,445	119	114	178	134	116	131	130	93	96	114	108	112
Bronchitis (99)	52	6	7	7	2	1	2	5	2	2	10	3	5
Broncho-pneumonia (100)	366	59	59	55	32	13	11	14	5	12	21	40	45
Pneumonia (101)	580	79	92	116	60	33	20	22	16	21	34	24	63
Diarrhea and enteritis [under 2 years] (113)	356	6	4	8	6	11	38	93	79	51	37	12	11
Diarrhea and enteritis [2 years and over] (114)	85	4		5	4	2	6	18	14	8	11	5	8
Nephritis (128, 129)	1,061	93	72	101	83	90	90	94	85	74	104	84	91
Puerperal septicemia (146)	50	6	3	3	2	6	2	10	4	2	7	3	2
Other puerperal causes (143–145, 147–150)	124	9	10	11	7	16	19	10	10	13	7	8	4
Suicide (165–174)	16	1	1	2	2	1	4	1		1	1	1	1
Automobile accidents [1] (188c)	76	6	3	5	4	9	5	6	12	7	4	6	9
Automobile and railroad-train collision (part 188a)	5		3				1	1					
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	614	70	56	51	51	42	36	50	55	51	37	46	69
All other causes	3,683	316	285	348	326	313	275	336	318	297	276	280	313
WASHINGTON, all causes	15,670	1,349	1,307	1,496	1,235	1,328	1,229	1,239	1,213	1,226	1,275	1,320	1,453
Typhoid and paratyphoid fever (1)	49	3	1	2	4	1	6	4	3	5	8	8	4
Malaria (5)													
Smallpox (6)	31	6	9	7	4	3			1				1
Measles (7)	10		2		2	2	1		1				2
Scarlet fever (8)	26	3	8	3		4		1	1		2	1	3
Whooping cough (9)	86	5	15	17	12	11	9	3	5	1	3	2	3
Diphtheria (10)	91	4	9	3	5	6	4	11	8	4	16	16	5
Influenza (11)	402	36	74	102	52	28	13	8	9	6	10	33	31
Dysentery (16)	11				1		1	1	2	3	2	1	
Erysipelas (21)	40	1	5	6	2	3	1	6	2	3	2	4	5
Lethargic encephalitis (23)	41	6	3	3	2	2	2	4	8	1	3	5	2
Meningococcus meningitis (24)	109	6	23	22	11	5	7	10	4	4	7	8	2
Tuberculosis of the respiratory system (31)	934	74	75	92	95	85	82	87	66	57	69	69	83
Other forms of tuberculosis (32–37)	193	18	13	17	17	27	16	11	17	13	18	13	13
Diabetes mellitus (57)	264	21	23	19	22	28	22	18	14	22	27	19	29
Cerebral hemorrhage and softening (74, 83)	1,181	100	93	120	87	107	90	103	89	102	91	97	102
Other [organic] diseases of the heart (90)	2,180	172	181	191	164	201	140	171	160	180	177	191	252
Bronchitis (99)	62	4	5	6	4	7	7	4	3	3	4	8	7
Broncho-pneumonia (100)	391	52	35	47	29	17	11	19	22	14	35	53	57
Pneumonia (101)	589	76	64	68	47	38	25	22	25	27	59	55	83
Diarrhea and enteritis [under 2 years] (113)	116	4	5	8	3	7	9	13	18	27	10	6	6
Diarrhea and enteritis [2 years and over] (114)	65	1	2	2	4	5	7	5	10	8	9	3	9
Nephritis (128, 129)	1,036	95	93	92	76	88	95	82	83	93	73	87	79
Puerperal septicemia (146)	70	7	8	9	2	6	11	3	6	1	3	9	5
Other puerperal causes (143–145, 147–150)	110	6	12	18	10	7	9	5	7	9	11	8	8
Suicide (165–174)	293	20	18	34	18	23	28	24	26	21	28	29	24
Automobile accidents [1] (188c)	342	20	29	24	28	28	36	27	26	35	36	32	21
Automobile and railroad-train collision (part 188a)	20	1	3	5			1	2	2	3	2	1	
Automobile and street-car collision (part 188b)	3							1	1		1		
Other external causes (175–187, part 188a, b, 188d–203)	1,074	78	82	82	77	97	108	103	107	87	100	73	80
All other causes	5,851	530	417	497	457	492	488	491	487	497	469	489	537
WEST VIRGINIA, all causes	18,143	1,635	1,309	1,854	1,756	1,459	1,188	1,383	1,498	1,504	1,674	1,449	1,434
Typhoid and paratyphoid fever (1)	277	14	11	14	15	14	7	9	27	42	49	41	34
Malaria (5)													
Smallpox (6)	3		1	1			1						
Measles (7)	296	19	28	54	63	56	17	23	7	6	8	6	9
Scarlet fever (8)	58	7	6	4	2		4	1	5	1	11	6	11
Whooping cough (9)	296	14	10	18	19	16	20	28	36	32	29	43	31
Diphtheria (10)	161	20	9	11	10	6	10	4	7	7	29	34	14
Influenza (11)	749	58	56	175	233	67	20	12	10	9	34	29	46
Dysentery (16)	36	2				1		7	5	11	10		
Erysipelas (21)	33	2	2	5	4	3	3	1	1	1	4	5	2
Lethargic encephalitis (23)	4	1	1		1		1						
Meningococcus meningitis (24)	25	2	3	4	1	2	2	2	4	1	1	2	1
Tuberculosis of the respiratory system (31)	1,111	109	82	111	124	115	60	77	71	96	84	99	83
Other forms of tuberculosis (32–37)	167	22	14	13	16	16	17	12	10	10	12	13	12
Diabetes mellitus (57)	182	13	18	22	14	20	17	15	12	4	13	19	15
Cerebral hemorrhage and softening (74, 83)	965	92	63	100	100	89	63	77	71	61	87	84	78
Other [organic] diseases of the heart (90)	1,665	154	124	181	170	132	134	119	132	110	129	138	142
Bronchitis (99)	51	9	5	4	4	5	2	2	4		5	3	8
Broncho-pneumonia (100)	629	87	58	95	78	47	29	16	13	29	57	52	68
Pneumonia (101)	758	143	78	121	117	54	25	20	15	20	37	64	64
Diarrhea and enteritis [under 2 years] (113)	1,244	32	22	26	36	26	45	108	241	313	285	68	42
Diarrhea and enteritis [2 years and over] (114)	221	6	11	4	3	4	4	39	42	55	34	11	8
Nephritis (128, 129)	1,126	101	83	106	107	95	71	106	93	77	94	90	103
Puerperal septicemia (146)	124	7	15	12	15	9	5	12	10	6	8	14	11
Other puerperal causes (143–145, 147–150)	186	12	16	21	16	18	18	16	17	14	13	8	17
Suicide (165–174)	117	8	10	10	8	11	7	9	12	17	10	7	8
Automobile accidents [1] (188c)	231	13	8	6	12	21	20	24	23	28	37	19	20
Automobile and railroad-train collision (part 188a)	11	2						2		2		4	1
Automobile and street-car collision (part 188b)	1										1		
Other external causes (175–187, part 188a, b, 188d–203)	1,742	167	145	162	114	141	137	164	162	120	136	138	156
All other causes	5,674	519	430	574	474	491	449	478	468	432	457	452	450

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN, all causes	30,191	2,708	2,430	2,930	3,174	2,762	2,471	2,377	2,137	2,119	2,139	2,339	2,605
Typhoid and paratyphoid fever (1)	42	7	4	4	1	2		5	3	5	7	1	3
Malaria (5)													
Smallpox (6)	1					1							
Measles (7)	154	4	3	9	24	30	29	18	9	4	5	5	14
Scarlet fever (8)	81	13	8	17	14	5	7	4		2	1	6	4
Whooping cough (9)	175	13	10	23	27	15	10	15	13	14	8	12	15
Diphtheria (10)	159	28	16	17	15	6	6	7	10	7	16	15	16
Influenza (11)	1,037	93	81	194	314	134	47	27	13	17	25	35	57
Dysentery (16)	24	1		1		2		3	4	8	2	3	
Erysipelas (21)	77	5	7	13	17	10	2	9	2	2	2	2	6
Lethargic encephalitis (23)	54	7	1	7	11	8	7	2	3	1	2	2	3
Meningococcus meningitis (24)	41	2	4	2	4	4	6	3	1	1	3	6	5
Tuberculosis of the respiratory system (31)	1,610	122	148	137	182	183	157	160	117	90	97	111	106
Other forms of tuberculosis (32–37)	270	19	21	24	25	20	22	30	23	22	21	17	21
Diabetes mellitus (57)	488	44	36	50	51	32	41	36	41	32	37	42	46
Cerebral hemorrhage and softening (74, 83)	2,450	234	215	216	259	229	182	171	154	172	187	213	218
Other [organic] diseases of the heart (90)	4,338	381	314	421	403	339	360	336	321	322	355	349	437
Bronchitis (99)	195	19	25	20	33	18	14	8	5	5	12	15	21
Broncho-pneumonia (100)	1,043	116	89	128	169	102	76	35	32	47	51	87	111
Pneumonia (101)	1,280	146	133	174	199	120	81	46	28	35	62	107	149
Diarrhea and enteritis [under 2 years] (113)	446	40	36	45	43	32	29	25	40	50	35	44	27
Diarrhea and enteritis [2 years and over] (114)	150	8	9	9	13	12	7	17	13	24	14	11	13
Nephritis (128, 129)	2,042	217	176	178	179	163	133	152	153	157	170	182	182
Puerperal septicemia (146)	101	7	9	8	9	9	9	5	10	12	6	8	9
Other puerperal causes (143–145, 147–150)	231	15	19	34	26	25	21	21	18	18	11	10	13
Suicide (165–174)	402	34	28	29	49	35	41	28	34	34	28	27	35
Automobile accidents [1] (188c)	384	26	13	8	22	32	37	42	49	46	52	40	17
Automobile and railroad-train collision (part 188a)	43	1	2	7	2	2	3	9	1	3	6	3	4
Automobile and street-car collision (part 188b)	7				1						2	2	2
Other external causes (175–187, part 188a, b, 188d–203)	1,429	110	96	95	105	123	141	158	146	112	118	122	103
All other causes	11,437	996	927	1,060	977	1,089	1,003	1,005	889	877	804	862	968
WYOMING, all causes	1,902	149	162	183	152	169	170	159	152	155	152	135	164
Typhoid and paratyphoid fever (1)	8									2	1	3	2
Malaria (5)													
Smallpox (6)													
Measles (7)	6					1							5
Scarlet fever (8)	10	1		3		2				2		1	1
Whooping cough (9)	16		2	2	1	2	4	2		1	1	1	
Diphtheria (10)	13	1	1	2	2	1	1		1	1	1	1	1
Influenza (11)	116	11	20	26	15	5	2	5	2	1	4	13	12
Dysentery (16)	5							1		2	2		
Erysipelas (21)	1						1						
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	4						1					1	2
Tuberculosis of the respiratory system (31)	53	6	4	7	5	6	6	3	4	2	2	5	3
Other forms of tuberculosis (32–37)	9	1				1	1			1	2	1	2
Diabetes mellitus (57)	25	1	3	4	1		2	3	1	2	5	3	
Cerebral hemorrhage and softening (74, 83)	105	10	8	8	10	5	6	7	9	15	8	8	11
Other [organic] diseases of the heart (90)	178	13	11	21	16	13	16	15	15	17	14	11	16
Bronchitis (99)	7		1	2		1	1		1			1	
Broncho-pneumonia (100)	67	9	10	8	6	6	4	5	2	3	5	7	2
Pneumonia (101)	73	6	9	14	7	3	5	2	3	4	9	5	6
Diarrhea and enteritis [under 2 years] (113)	33	2		1	1	2	4	5	6	6	3	3	
Diarrhea and enteritis [2 years and over] (114)	13	1	1		1		2	2	1	3	1		1
Nephritis (128, 129)	81	6	7	7	6	8	12	7	4	6	3	5	10
Puerperal septicemia (146)	14		1	1		2	2	2	1	1		1	3
Other puerperal causes (143–145, 147–150)	27	5	2	3		4	2	4		4	1	1	1
Suicide (165–174)	46	3	5	2	3	4	6	2	6	2	3	5	5
Automobile accidents [1] (188c)	56	1	2	1	1	5	6	5	13	6	5	6	5
Automobile and railroad-train collision (part 188a)	3												3
Automobile and street-car collision (part 188b)	1						1						
Other external causes (175–187, part 188a, b, 188d–203)	193	12	9	14	14	18	18	25	23	17	16	10	17
All other causes	739	60	66	57	63	80	67	64	60	57	66	43	56

[1] Excludes collision with railroad trains and street cars.

NOTE.—Populations are shown in Table I A.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on January 1, 1920, are included, and those with a minimum of 25,000 colored population on that date are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BIRMINGHAM, ALA. (WHITE), all causes	1,731	163	170	176	140	144	135	151	127	120	147	136	122
Typhoid and paratyphoid fever (1)	9			1			1	2	1	2	2		
Malaria (5)	2				1						1		
Smallpox (6)													
Measles (7)	16			2		9	4		1				
Scarlet fever (8)	1										1		
Whooping cough (9)	30	1		4	5	8	5	3	3		1		
Diphtheria (10)	5	1								1	1	2	
Influenza (11)	83	10	22	25	7	4	2			1		9	3
Dysentery (16)	3							1	1			1	
Erysipelas (21)	5				1	1		2			1		
Lethargic encephalitis (23)	4		1	1		1					1		
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	47	6	5	9	4	3	1	4	4	1	5	4	1
Other forms of tuberculosis (32–37)	17	1	1	3	2	1	3	2		2		1	1
Diabetes mellitus (57)	23	3	1	2		2	1		1	1	5	2	5
Cerebral hemorrhage and softening (74, 83)	79	5	8	10	8	6	5	8	3	9	7	4	6
Other [organic] diseases of the heart (90)	174	18	17	19	12	23	12	9	9	7	13	22	13
Bronchitis (99)	10	1	1	1		1	1		1		1	2	1
Broncho-pneumonia (100)	35	4	7	4	4		1	3	2		2	4	4
Pneumonia (101)	108	17	15	12	15	13	8	6	3	2	6	7	4
Diarrhea and enteritis [under 2 years] (113)	50	4		1	1		13	12	9	5	2	2	1
Diarrhea and enteritis [2 years and over] (114)	22	2	1	1			5	6	3	2			2
Nephritis (128, 129)	115	9	10	10	12	7	12	8	9	9	10	8	11
Puerperal septicemia (146)	11		1	1	1	2		1		2	1	2	
Other puerperal causes (143–145, 147–150)	24	2	1	2	1		1	2	3	4	7	1	
Suicide (165–174)	32	2	4	7	2	3		3	1	1	4	3	2
Automobile accidents [1] (188c)	38	5	4	4	3	3	2	3		7	5		2
Automobile and railroad-train collision (part 188a)	3				1				1				1
Automobile and street-car collision (part 188b)	1												1
Other external causes (175–187, part 188a, b, 188d–203)	118	13	17	5	10	12	9	10	14	9	8	9	2
All other causes	665	59	54	52	50	45	49	66	58	55	63	53	61
BIRMINGHAM, ALA. (COLORED), all causes	1,987	192	188	212	190	179	160	142	144	122	136	145	177
Typhoid and paratyphoid fever (1)	9	1			1	1		2		2	2		
Malaria (5)	4	1					1	1	1				
Smallpox (6)													
Measles (7)	5			1		1	3						
Scarlet fever (8)													
Whooping cough (9)	29	4	3	4	1	2	3	6	1	3	1	1	
Diphtheria (10)	1	1											
Influenza (11)	110	11	20	36	19	9	1	2	1	1	1	4	5
Dysentery (16)	3					1	1				1		
Erysipelas (21)													
Lethargic encephalitis (23)	2							1					1
Meningococcus meningitis (24)	3									2			1
Tuberculosis of the respiratory system (31)	159	16	14	17	18	10	12	6	10	15	14	15	12
Other forms of tuberculosis (32–37)	33	3	2	7	4	3	3	3	4		2		2
Diabetes mellitus (57)	10	2	2	1		1					1	3	
Cerebral hemorrhage and softening (74, 83)	103	7	10	5	10	15	9	8	2	6	8	13	10
Other [organic] diseases of the heart (90)	192	23	23	12	19	16	17	20	14	12	11	13	12
Bronchitis (99)	2							2					
Broncho-pneumonia (100)	61	11	13	7		6	4		1	1	4	6	8
Pneumonia (101)	176	18	22	36	21	12	11	13	5	3	7	10	18
Diarrhea and enteritis [under 2 years] (113)	27	2	1		1		6	6	5	4	1		1
Diarrhea and enteritis [2 years and over] (114)	9		1			1	1	1	2	1	2		
Nephritis (128, 129)	94	8	7	6	5	9	8	7	9	8	10	8	9
Puerperal septicemia (146)	24	2	2	6	1	2	5	2	1		1		2
Other puerperal causes (143–145, 147–150)	22		2	2	5	5	1	2	1			2	2
Suicide (165–174)	2			1				1					
Automobile accidents [1] (188c)	19	2			2	1	1	1	2	2	2	2	4
Automobile and railroad-train collision (part 188a)	1									1			
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	191	18	16	13	15	23	12	13	16	14	12	13	26
All other causes	696	62	50	58	68	61	61	45	69	47	56	55	64
LOS ANGELES, CALIF. (WHITE), all causes	11,530	1,069	1,093	1,051	986	933	826	874	829	782	857	1,039	1,191
Typhoid and paratyphoid fever (1)	10		1				1	2	3	1	1		1
Malaria (5)	2											1	1
Smallpox (6)	171	22	60	39	38	10			1				1
Measles (7)	10			1	1	2	1	1		1			3
Scarlet fever (8)	10	1	2	3		1					1	1	1
Whooping cough (9)	25	3	4	3	3	5			2		1	2	2
Diphtheria (10)	78	8	5	6	4	4	7	8	6	4	8	11	7
Influenza (11)	102	12	39	12	8	4	2	5	1	1	3	4	11
Dysentery (16)	11				2	4	1		1		1	1	1
Erysipelas (21)	11	2	1		2						2	3	1
Lethargic encephalitis (23)	6	1	1		1	1			1				1
Meningococcus meningitis (24)	29	7	7		2	4		3	1	2	1		2
Tuberculosis of the respiratory system (31)	1,083	104	90	102	99	104	96	100	78	79	64	72	95
Other forms of tuberculosis (32–37)	136	17	4	10	13	16	9	13	26	5	8	6	9
Diabetes mellitus (57)	196	18	19	16	12	15	18	15	8	13	9	24	29
Cerebral hemorrhage and softening (74, 83)	701	79	66	68	62	50	52	49	54	59	42	52	68
Other [organic] diseases of the heart (90)	1,646	162	170	138	125	126	113	115	104	104	118	155	216
Bronchitis (99)	49	5	4	8	4	6	1	2	4	2	6	2	5
Broncho-pneumonia (100)	340	42	48	30	27	22	16	17	23	12	22	36	45
Pneumonia (101)	314	38	49	32	25	19	13	17	11	8	24	30	48
Diarrhea and enteritis [under 2 years] (113)	156	5	11	8	13	18	20	15	9	9	24	15	9
Diarrhea and enteritis [2 years and over] (114)	47	2	2	2	5	4	4	4	5	5	7	3	4
Nephritis (128, 129)	872	77	77	89	81	70	54	65	63	66	66	71	93
Puerperal septicemia (146)	40	2	6	4	2	5	2	4	1	1	2	9	2
Other puerperal causes (143–145, 147–150)	72	5	6	12	4	5	2	6	5	9	8	4	6
Suicide (165–174)	275	29	24	20	22	19	27	24	20	14	26	28	22
Automobile accidents [1] (188c)	265	24	17	25	21	21	14	19	26	20	22	32	24
Automobile and railroad-train collision (part 188a)	7	1	2	1	1					1	1		
Automobile and street-car collision (part 188b)	17	1	1	2			3		2	1	1	1	5
Other external causes (175–187, part 188a, b, 188d–203)	536	46	43	51	33	31	39	48	46	42	46	49	62
All other causes	4,313	356	334	369	376	367	331	342	328	323	343	427	417

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOS ANGELES, CALIF. (COLORED), all causes	692	71	64	58	62	53	50	55	56	72	50	51	50
Typhoid and paratyphoid fever (1)	4	2	2										
Malaria (5)													
Smallpox (6)	7	2	1		3	1							
Measles (7)													
Scarlet fever (8)	2						1				1		
Whooping cough (9)													
Diphtheria (10)													
Influenza (11)	5	1	1	1			1			1			
Dysentery (16)													
Erysipelas (21)	1						1						
Lethargic encephalitis (23)	1					1							
Meningococcus meningitis (24)	4		1	1			1						1
Tuberculosis of the respiratory system (31)	105	9	7	7	9	10	8	12	12	10	7	8	6
Other forms of tuberculosis (32–37)	36	2	2	2	3	6	3	2	4	7	2	1	2
Diabetes mellitus (57)	13	2	1	1	1		1		1	2	2	2	
Cerebral hemorrhage and softening (74, 83)	29		1	5	4	3	3	3	4	1		1	4
Other [organic] diseases of the heart (90)	71	5	7	7	5	7	3	5	1	8	5	12	6
Bronchitis (99)													
Broncho-pneumonia (100)	15	2	3	2	3			1			1	1	2
Pneumonia (101)	26	4	8			2	2			2	2	2	4
Diarrhea and enteritis [under 2 years] (113)	24	5	5	2	1	2	2	1	3	2		1	
Diarrhea and enteritis [2 years and over] (114)	5		1	1	1						2		
Nephritis (128, 129)	60	5	3	6	6	6	3	4	5	8	6	4	4
Puerperal septicemia (146)	1										1		
Other puerperal causes (143–145, 147–150)	5	3		1	1								
Suicide (165–174)	9	1	1	1		1			1	2	1		1
Automobile accidents [1] (188c)	21	5	3	1		1	4	1	2		1	1	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	2								1			1	
Other external causes (175–187, part 188a, b, 188d–203)	33	1	3	5	1	1	5	5	2	3	1	3	3
All other causes	213	22	14	15	24	12	13	20	20	26	18	14	15
OAKLAND, CALIF., all causes	2,802	334	248	232	207	184	200	208	202	202	254	237	294
Typhoid and paratyphoid fever (1)	2			1	1								
Malaria (5)	2				1					1			
Smallpox (6)													
Measles (7)	6							2			1	2	1
Scarlet fever (8)													
Whooping cough (9)	12	6		1			2	1				2	
Diphtheria (10)	18	1			3			1	1	2	5	1	4
Influenza (11)	37	12	10	5	1	2	2				2	1	2
Dysentery (16)													
Erysipelas (21)													
Lethargic encephalitis (23)	6			1		1	1	1				1	1
Meningococcus meningitis (24)	6	1		1				1			1	2	
Tuberculosis of the respiratory system (31)	107	13	11	10	6	6	10	11	4	9	10	10	7
Other forms of tuberculosis (32–37)	22		1	4	2			3	3	3	2	3	1
Diabetes mellitus (57)	69	7	4	3	4	2	10	5	9	4	6	8	7
Cerebral hemorrhage and softening (74, 83)	241	27	15	17	19	20	14	20	27	13	24	25	20
Other [organic] diseases of the heart (90)	579	71	51	43	57	44	40	40	43	39	49	41	61
Bronchitis (99)	14	6	2		1	1			2			2	
Broncho-pneumonia (100)	102	17	13	12	10	3	6	4	6	5	7	5	14
Pneumonia (101)	82	14	10	11	7	2	3	4	3	2	3	7	16
Diarrhea and enteritis [under 2 years] (113)	33	4			1	4	2	4	2	4	4	6	2
Diarrhea and enteritis [2 years and over] (114)	9	3			1						3		2
Nephritis (128, 129)	199	22	19	9	15	17	18	11	18	13	20	21	16
Puerperal septicemia (146)	7	2							2	1	1	1	
Other puerperal causes (143–145, 147–150)	6	1	1							1	1	1	1
Suicide (165–174)	61	5	5	3	2	6	4	4	3	9	7	11	2
Automobile accidents [1] (188c)	51	5	3	1	1	4	6	6	5	4	5	6	5
Automobile and railroad-train collision (part 188a)	6			1		2	1						2
Automobile and street-car collision (part 188b)	7	1					1		3			1	1
Other external causes (175–187, part 188a, b, 188d–203)	108	10	9	14	3	6	6	7	6	9	14	10	14
All other causes	1,010	106	94	95	72	64	74	83	65	83	89	70	115
SAN FRANCISCO, CALIF., all causes	7,662	880	674	634	659	598	621	573	581	536	618	570	718
Typhoid and paratyphoid fever (1)	15		1	2	1		2	1		5	1	2	
Malaria (5)													
Smallpox (6)	12		5	2	3	2							
Measles (7)	20	1	2	3	1	3	2	3				1	4
Scarlet fever (8)	6		1	1			1	2					1
Whooping cough (9)	8	1		1	1	1	1		1			1	1
Diphtheria (10)	30	6	1	2	2	3	1	4	3	2		2	4
Influenza (11)	95	43	20	7	4	2	1	2	3	5	3	1	4
Dysentery (16)	4		1	1			1				1		
Erysipelas (21)	7	1			1	2			1	2			
Lethargic encephalitis (23)	12	1	1	1	1	2				2	3	1	
Meningococcus meningitis (24)	11	2		3	2	3					1		
Tuberculosis of the respiratory system (31)	504	60	53	45	66	29	43	34	28	24	37	38	47
Other forms of tuberculosis (32–37)	106	7	4	17	11	11	10	4	7	9	9	7	10
Diabetes mellitus (57)	123	12	15	13	5	14	6	10	7	7	17	10	7
Cerebral hemorrhage and softening (74, 83)	461	34	36	40	45	41	39	26	35	36	43	38	48
Other [organic] diseases of the heart (90)	1,489	199	127	105	131	128	123	96	129	107	112	92	140
Bronchitis (99)	25	3	3	1	5	2	1	1	3		2	2	2
Broncho-pneumonia (100)	272	46	28	31	19	26	14	15	16	15	12	19	31
Pneumonia (101)	278	51	33	29	24	18	16	12	15	18	18	20	24
Diarrhea and enteritis [under 2 years] (113)	26	5	4			2	2	2	1	3	1	3	3
Diarrhea and enteritis [2 years and over] (114)	13	1	1	1	2	4	1	1			1		1
Nephritis (128, 129)	675	75	58	65	51	34	53	63	51	51	50	56	68
Puerperal septicemia (146)	14	3	2				2		1		1	1	4
Other puerperal causes (143–145, 147–150)	35		3	7	5	2	2	5	2	4	2		3
Suicide (165–174)	200	13	19	14	18	20	19	18	12	15	17	12	23
Automobile accidents [1] (188c)	128	8	6	6	13	5	10	6	19	15	10	15	15
Automobile and railroad-train collision (part 188a)	2				1	1							
Automobile and street-car collision (part 188b)	6					1	1	3			1		
Other external causes (175–187, part 188a, b, 188d–203)	362	35	26	32	25	27	32	23	32	24	35	28	43
All other causes	2,723	273	224	205	222	215	238	242	215	192	241	221	235

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DENVER, COLO., all causes	3,963	362	392	397	325	314	262	268	289	313	348	318	375
Typhoid and paratyphoid fever (1)	10	3	1	1	1				1	2			1
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	10	3			2					1		1	3
Whooping cough (9)	28	1	8	5	3	3	5	1	1		1		
Diphtheria (10)	31	6	5	1	2	3	2	2	1	4	3	2	
Influenza (11)	163	18	46	29	15	2	7	2	4	6	10	5	19
Dysentery (16)	3								1		1	1	
Erysipelas (21)	9	2	1	2								3	1
Lethargic encephalitis (23)	10		3	4	2					1			
Meningococcus meningitis (24)	4		1			1					1		1
Tuberculosis of the respiratory system (31)	448	32	40	47	38	41	34	36	30	34	32	44	40
Other forms of tuberculosis (32–37)	28		1		2	6	3	2	1		6	4	3
Diabetes mellitus (57)	47	6	5	3	2	8	4	2	2	4	2	4	5
Cerebral hemorrhage and softening (74, 83)	260	27	24	27	23	22	16	14	18	24	20	20	25
Other [organic] diseases of the heart (90)	481	41	58	50	43	47	26	27	39	27	46	35	42
Bronchitis (99)	10	1	1	3							1	1	3
Broncho-pneumonia (100)	134	10	20	23	8	9	4	4	8	10	11	11	16
Pneumonia (101)	201	33	30	26	20	7	6	7	8	4	12	19	29
Diarrhea and enteritis [under 2 years] (113)	56	2	2	1	2	3	4	1	9	16	12	4	
Diarrhea and enteritis [2 years and over] (114)	9	1		1			1	1	3	1		1	
Nephritis (128, 129)	277	31	26	29	16	27	16	18	21	23	24	26	20
Puerperal septicemia (146)	19	1	2	1	5	2	1	2		2	1	1	1
Other puerperal causes (143–145, 147–150)	26	2	2	2	4	4	2	2		3		3	2
Suicide (165–174)	74	4	4	5	7	3	8	6	8	5	11	8	5
Automobile accidents [1] (188c)	48	3	2	3	5	4	2	6	8	4	5	3	3
Automobile and railroad-train collision (part 188a)	2							2					
Automobile and street-car collision (part 188b)	1							1					
Other external causes (175–187, part 188a, b, 188d–203)	155	6	14	6	10	11	9	15	14	22	18	12	18
All other causes	1,419	129	96	128	115	111	112	117	112	120	131	110	138
BRIDGEPORT, CONN., all causes	1,692	155	152	207	205	147	118	111	115	101	127	106	148
Typhoid and paratyphoid fever (1)	1								1				
Malaria (5)													
Smallpox (6)													
Measles (7)	26	16	8		1	1							
Scarlet fever (8)	6	1		3			1						1
Whooping cough (9)	11	1	1	6	2			1					
Diphtheria (10)	12	3	3	3	1							1	1
Influenza (11)	72	2	6	22	26	4	3	1			1	1	6
Dysentery (16)													
Erysipelas (21)	7	1	1	2	1			1				1	
Lethargic encephalitis (23)	2					1			1				
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	74	4	2	4	10	12	8	4	3	5	8	5	9
Other forms of tuberculosis (32–37)	21	3		3	3	3	1	1	1		1		5
Diabetes mellitus (57)	34	1	3		3	7		3	5	3	4	2	3
Cerebral hemorrhage and softening (74, 83)	104	11	6	12	9	8	8	8	5	9	9	11	8
Other [organic] diseases of the heart (90)	289	21	30	35	31	25	26	23	14	15	27	19	23
Bronchitis (99)	4				1			1			1	1	
Broncho-pneumonia (100)	62	5	13	12	15	6	3	1	1	2	3		1
Pneumonia (101)	97	9	13	12	18	11	4	2	3	2	3	8	12
Diarrhea and enteritis [under 2 years] (113)	19	1						2	5	3	6	1	1
Diarrhea and enteritis [2 years and over] (114)	5				1				2	1			1
Nephritis (128, 129)	107	8	7	13	17	6	11	6	8	8	9	5	9
Puerperal septicemia (146)	9			2	1		2	2	2				
Other puerperal causes (143–145, 147–150)	8				1			2	1		2	1	1
Suicide (165–174)	24	2	2	3	1	6	3	2	2	1			2
Automobile accidents [1] (188c)	31	2	1	2	1	5			6	1	5	4	4
Automobile and railroad-train collision (part 188a)	2									1	1		
Automobile and street-car collision (part 188b)	1									1			
Other external causes (175–187, part 188a, b, 188d–203)	89	12	5	6	6	1	6	8	7	8	10	8	12
All other causes	574	52	51	66	56	51	42	43	48	41	37	38	49
HARTFORD, CONN., all causes	2,129	182	169	218	224	195	145	165	160	175	159	143	194
Typhoid and paratyphoid fever (1)	5	1				1			1	1	1		
Malaria (5)													
Smallpox (6)													
Measles (7)	17	1	5	5	3	2		1					
Scarlet fever (8)	3			2								1	
Whooping cough (9)	7		1		1	2			1	2			
Diphtheria (10)	12	2	1	2	1	1					3	1	1
Influenza (11)	24	3	1	5	8	1	2	1		1		1	1
Dysentery (16)													
Erysipelas (21)	3			1			1		1			1	
Lethargic encephalitis (23)	7	1			1		1			3		1	
Meningococcus meningitis (24)	4			1	2							1	
Tuberculosis of the respiratory system (31)	69	4	9	5	5	9	5	4	10	4	6	3	5
Other forms of tuberculosis (32–37)	21	4	2	1	5	1	2	2	2	1		1	
Diabetes mellitus (57)	31	5	3	6		3	3	2	1	4			4
Cerebral hemorrhage and softening (74, 83)	118	10	9	8	10	12	9	10	11	6	6	10	17
Other [organic] diseases of the heart (90)	370	30	29	38	45	43	26	35	13	23	21	28	39
Bronchitis (99)	10	2		2							2	2	2
Broncho-pneumonia (100)	83	9	5	8	13	7	4	6	1	7	8	9	6
Pneumonia (101)	112	14	13	22	16	14	6	3	3	4		6	11
Diarrhea and enteritis [under 2 years] (113)	47		2	1	4	1	1	3	9	14	9		3
Diarrhea and enteritis [2 years and over] (114)	4					1			2				1
Nephritis (128, 129)	182	15	15	17	14	15	13	12	20	17	15	18	11
Puerperal septicemia (146)	1				1								
Other puerperal causes (143–145, 147–150)	12	3	2				1		1	1		2	2
Suicide (165–174)	20	1	2	3		2		2	2	1	5		2
Automobile accidents [1] (188c)	46	3	2	2	4	6	2	3	2	8	1	8	5
Automobile and railroad-train collision (part 188a)	1				1								
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	122	9	11	11	9	7	12	19	9	10	11	5	9
All other causes	798	65	57	78	84	65	56	62	71	68	71	46	75

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAVEN, CONN., all causes	2,212	204	190	285	204	178	163	165	150	155	172	153	193
Typhoid and paratyphoid fever (1)	4	1	1	1									1
Malaria (5)	1							1					
Smallpox (6)													
Measles (7)	8	3		3		2							
Scarlet fever (8)	5	2	1	2									
Whooping cough (9)	11	1	2	3	1	2	1		1				
Diphtheria (10)	5		1	1	1			1					1
Influenza (11)	46	1	7	9	9	8	5	2	1		1	3	
Dysentery (16)	2		1	1									
Erysipelas (21)	8	1		2		2					1		2
Lethargic encephalitis (23)	3					1		1					1
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	66	2	7	9	7	7	5	2	3	5	10	4	5
Other forms of tuberculosis (32-37)	28	2	1	5	6	1	4		3		2	1	3
Diabetes mellitus (57)	60	1	6	9	7	4	3	6	4	7	4	5	4
Cerebral hemorrhage and softening (74, 83)	172	14	19	16	18	9	11	17	10	15	19	13	11
Other [organic] diseases of the heart (90)	335	22	34	45	27	19	28	30	20	27	21	20	42
Bronchitis (99)	15	1	3	2	3	1	1	1		1	1	1	
Broncho-pneumonia (100)	93	8	4	19	12	7	8	2	3	5	8	4	13
Pneumonia (101)	152	27	11	37	19	16	7	3	2	1	10	8	11
Diarrhea and enteritis [under 2 years] (113)	19	1		1	1	2		2	8	4			
Diarrhea and enteritis [2 years and over] (114)	6	2			1	1					1	1	
Nephritis (128, 129)	177	20	19	25	20	19	14	5	6	8	15	10	16
Puerperal septicemia (146)	8		1	1			1	1		1			3
Other puerperal causes (143-145, 147-150)	17	2	2	2		2	1	2			1	1	4
Suicide (165-174)	32	4	1	2	2	3	3	2	5	1	6	2	1
Automobile accidents [1] (188c)	42	7	1	3		5	7	3	6	3	3	4	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1									1			
Other external causes (175-187, part 188a, b, 188d-203)	83	9	3	9	6	8	3	9	6	9	9	4	8
All other causes	812	73	65	78	64	59	61	74	72	67	60	72	67
WILMINGTON, DEL., all causes	1,615	156	201	205	163	122	111	113	91	97	117	118	121
Typhoid and paratyphoid fever (1)	4	1		1					1		1		
Malaria (5)													
Smallpox (6)													
Measles (7)	31	1	13	13	4								
Scarlet fever (8)	3	1				1	1						
Whooping cough (9)	14	1	2	2	5	1		1		1	1		
Diphtheria (10)	16	2	4	2	2	2	1				2	1	
Influenza (11)	47	2	13	14	6	2	3		1			3	3
Dysentery (16)	1								1				
Erysipelas (21)	4	1				1	1		1				
Lethargic encephalitis (23)	4	1		1			1	1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	77	7	9	9	8	4	5	3	9	3	3	10	7
Other forms of tuberculosis (32-37)	23	3	2	2	4	3	2		3	1	2		1
Diabetes mellitus (57)	25	1	4	1	2	2	2	2		4	3	4	
Cerebral hemorrhage and softening (74, 83)	122	10	9	9	12	16	7	14	10	8	8	9	10
Other [organic] diseases of the heart (90)	244	18	29	32	31	19	21	11	9	13	28	12	21
Bronchitis (99)	6	3			2						1		
Broncho-pneumonia (100)	69	12	11	11	11	1	3	4	2	3	4	3	4
Pneumonia (101)	101	12	22	27	10	4	5	2		2	3	7	7
Diarrhea and enteritis [under 2 years] (113)	35	5	4	2	2	1	3	3	7	4	2	1	1
Diarrhea and enteritis [2 years and over] (114)	11		1		2	2	1	2		3			
Nephritis (128, 129)	175	21	24	16	15	18	15	12	8	7	9	17	13
Puerperal septicemia (146)	8	2		1	1		1	3					
Other puerperal causes (143-145, 147-150)	15	1	2		1	1	1	2	1	2	2	1	1
Suicide (165-174)	16	1		2		1	1	2	2	2	1	2	2
Automobile accidents [1] (188c)	29	5		3	1	1	3	4	5	1	4	1	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1				1								
Other external causes (175-187, part 188a, b, 188d-203)	86	8	3	9	10	7	7	7	7	6	5	6	11
All other causes	448	37	49	48	33	35	27	40	24	37	38	41	39
WASHINGTON, D. C. (WHITE), all causes	4,583	525	511	431	367	373	355	314	298	306	349	388	366
Typhoid and paratyphoid fever (1)	10	1	1	1		1	1		1	1	2	1	
Malaria (5)	1										1		
Smallpox (6)													
Measles (7)	30		1	4	7	10	6	1	1				
Scarlet fever (8)	5					2	2		1				
Whooping cough (9)	25		5	2	2	3	4	1	2	3		2	1
Diphtheria (10)	22	3	2	2	1	3	1		3	1	2	1	3
Influenza (11)	78	15	28	11	7	2	2	2	2	1	1	1	6
Dysentery (16)	3								1	2			
Erysipelas (21)	2						1						1
Lethargic encephalitis (23)	5			1	1	2					1		
Meningococcus meningitis (24)	4		1				1	1				1	
Tuberculosis of the respiratory system (31)	221	22	20	10	24	21	23	17	17	16	20	17	14
Other forms of tuberculosis (32-37)	30	2	6	3	4	2	2	2	1	1	3	3	1
Diabetes mellitus (57)	86	11	11	9	8	8	1	3	7	5	7	8	8
Cerebral hemorrhage and softening (74, 83)	342	46	23	35	28	32	22	25	26	19	39	22	25
Other [organic] diseases of the heart (90)	876	107	90	93	61	64	64	56	46	54	67	87	87
Bronchitis (99)	31	6	7	5		3		2			1	2	5
Broncho-pneumonia (100)	161	18	43	26	13	16	6	2	7	4	7	10	9
Pneumonia (101)	179	36	34	21	13	17	6	3	8	6	9	10	16
Diarrhea and enteritis [under 2 years] (113)	62	4	2	3	1	5	7	7	7	9	8	6	3
Diarrhea and enteritis [2 years and over] (114)	19	1	2	2				1	5	3	2	1	2
Nephritis (128, 129)	445	45	53	43	40	39	35	23	29	27	36	43	32
Puerperal septicemia (146)	13	1			1	4		2	1			1	3
Other puerperal causes (143-145, 147-150)	26	5	5	3	3		2		3		2	2	1
Suicide (165-174)	80	5	5	5	8	7	5	4	5	7	9	14	6
Automobile accidents [1] (188c)	69	6	6	4	4	4	8	2	5	7	10	7	6
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	183	14	18	14	15	12	22	14	14	14	10	21	15
All other causes	1,575	177	14	134	126	116	134	146	106	126	112	128	122

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON, D. C. (COLORED), all causes	2,805	252	310	289	218	271	238	218	217	170	212	205	205
Typhoid and paratyphoid fever (1)	4					1				1		1	1
Malaria (5)	1										1		
Smallpox (6)													
Measles (7)	8			2		4		2					
Scarlet fever (8)	3	1	1										1
Whooping cough (9)	16	2			2	4	1	2	4	1			
Diphtheria (10)	6		1		1	2	1		1				
Influenza (11)	37	3	10	8	4	3	2	1			2	2	2
Dysentery (16)	2						1				1		
Erysipelas (21)	1			1									
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	321	27	24	30	30	35	27	23	36	20	25	22	22
Other forms of tuberculosis (32–37)	26		2	1	2	1	3	6	3	1	3	1	3
Diabetes mellitus (57)	39	3	3	6	2	2	1	5	2	4	2	7	2
Cerebral hemorrhage and softening (74,83)	168	15	20	16	19	22	7	14	14	5	17	13	6
Other [organic] diseases of the heart (90)	439	38	53	45	28	47	43	32	29	26	37	28	33
Bronchitis (99)	21	3	2	6	1	1	2	1	1	2		1	1
Broncho-pneumonia (100)	181	18	39	28	14	19	18	7	3	7	7	11	10
Pneumonia (101)	150	31	35	22	10	8	4	6	4	3	6	9	12
Diarrhea and enteritis [under 2 years] (113)	69	2	2	3	3	2	7	8	17	13	8	1	3
Diarrhea and enteritis [2 years and over] (114)	27	1	2	2	2	1	1	7	5	2	2		2
Nephritis (128, 129)	281	22	31	27	32	28	28	26	20	21	11	17	18
Puerperal septicemia (146)	15	1		2	1	1	2		2	1	3	1	1
Other puerperal causes (143–145, 147–150)	15	3	4		1		1	3		1		1	1
Suicide (165–174)	6			2							1	2	1
Automobile accidents [1] (188c)	29	2	1		3	1	7	3	6		4	1	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1												1
Other external causes (175–187, part 188a, b, 188d–203)	125	6	16	7	4	10	12	10	13	6	10	14	17
All other causes	813	74	64	80	59	79	70	62	57	56	72	73	67
ATLANTA, GA. (WHITE), all causes	1,901	157	195	167	169	138	156	163	135	132	167	171	151
Typhoid and paratyphoid fever (1)	16			1		2	2	3	1	2	4	1	
Malaria (5)	2											1	1
Smallpox (6)													
Measles (7)	4						2	1	1				
Scarlet fever (8)	3	1										1	1
Whooping cough (9)	9	1				2	2	2	2				
Diphtheria (10)	23	1	2		1	2				3	5	4	5
Influenza (11)	70	10	24	10	7	4				1	1	4	9
Dysentery (16)	4			1					1	1	1		
Erysipelas (21)	2	1	1										
Lethargic encephalitis (23)	3	1											2
Meningococcus meningitis (24)	4		2	2									
Tuberculosis of the respiratory system (31)	78	7	9	11	6	4	5	9	4	9	6	4	4
Other forms of tuberculosis (32–37)	14	2	2	3	2	1	1		1	1		1	
Diabetes mellitus (57)	19	3	1	1	1	1	1	1	4	1	3	2	
Cerebral hemorrhage and softening (74, 83)	134	3	13	9	17	8	10	15	13	9	12	16	9
Other [organic] diseases of the heart (90)	180	15	26	22	7	10	11	20	13	6	21	17	12
Bronchitis (99)	6		2						2	1	1		
Broncho-pneumonia (100)	57	6	10	4	9	5	3	2	1	2	5	6	4
Pneumonia (101)	70	7	13	7	11	3	4	2	2		5	10	6
Diarrhea and enteritis [under 2 years] (113)	42			1		1	11	7	9	7	4	1	1
Diarrhea and enteritis [2 years and over] (114)	9		2	1	1		2	1		2			
Nephritis (128, 129)	215	20	23	17	22	16	16	27	12	17	10	15	20
Puerperal septicemia (146)	12	1	1	1		2	1	2	1		2		1
Other puerperal causes (143–145, 147–150)	18	2	2		5			1		2	3	1	2
Suicide (165–174)	33	2	1	2	3	3	2	3	3	3	5	1	5
Automobile accidents [1] (188c)	51	3	4	3	4	2	6	1	2	4	9	4	9
Automobile and railroad-train collision (part 188d)	3			1					1				1
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175–187, part 188a, b, 188d–203)	107	8	10	13	11	4	12	11	8	5	7	10	8
All other causes	712	63	47	57	62	67	65	55	54	56	63	72	51
ATLANTA, GA. (COLORED), all causes	2,006	158	185	198	155	188	162	175	183	133	172	153	144
Typhoid and paratyphoid fever (1)	33	2	1	1		3	6	4	5	4	5	2	
Malaria (5)	3						1				2		
Smallpox (6)													
Measles (7)	5						1	3	1				
Scarlet fever (8)													
Whooping cough (9)	17		2			1	1	3	2	4	3		1
Diphtheria (10)	8		2	1					1		2	1	1
Influenza (11)	68	8	22	17	6	2	1	2			2	4	4
Dysentery (16)	10	1					3	2	1	3			
Erysipelas (21)	3					1	1		1				
Lethargic encephalitis (23)	1												
Meningococcus meningitis (24)	3	1				1	1					1	
Tuberculosis of the respiratory system (31)	131	9	11	16	11	11	7	15	15	8	11	10	7
Other forms of tuberculosis (32–37)	35	2	2	3	3	4	6	5	3	1	1	2	3
Diabetes mellitus (57)	15		1			1	4	3	1		3	2	
Cerebral hemorrhage and softening (74,83)	154	12	12	17	11	11	11	8	19	6	14	17	16
Other [organic] diseases of the heart (90)	267	23	25	30	22	26	20	20	20	18	22	18	23
Bronchitis (99)	24		2	1	1	3	3	5	2	1	1	3	2
Broncho-pneumonia (100)	70	10	12	6	3	8	5	1	6	1	8	3	7
Pneumonia (101)	119	15	14	20	10	10	5	8	5	8	2	11	11
Diarrhea and enteritis [under 2 years] (113)	59	2		1		1	7	21	17	8	2		
Diarrhea and enteritis [2 years and over] (114)	11			2			2	2	1	1	1	1	1
Nephritis (128, 129)	178	13	17	15	14	19	14	18	17	13	19	7	12
Puerperal septicemia (146)	15	3	4		1			2	3			2	
Other puerperal causes (143–145, 147–150)	22	2	1	3	2	3	1		2	3	1	2	2
Suicide (165–174)	3			1						1	1		
Automobile accidents [1] (188c)	17	1	3		2	4		1	1	1	1		3
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	157	14	6	17	17	20	12	10	10	10	16	14	11
All other causes	578	40	48	47	52	59	50	42	50	42	55	53	40

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CHICAGO, ILL. (WHITE), all causes	31,943	2,898	2,710	3,958	2,976	2,701	2,346	2,304	2,188	2,235	2,418	2,457	2,752
Typhoid and paratyphoid fever (1)	20	1		1	1		1	1	2	4	4	5	
Malaria (5)													
Smallpox (6)													
Measles (7)	52		2	6	5	8	6	4	5		1	7	8
Scarlet fever (8)	78	15	4	6	10	10	11	6	3	3	2	6	2
Whooping cough (9)	64	5	9	13	9	3	5	3	4	4	4	4	1
Diphtheria (10)	211	12	17	19	20	20	17	21	8	12	22	27	16
Influenza (11)	469	20	28	233	80	22	11	9	6	5	8	20	27
Dysentery (16)	11		2	1			1	1	3	2	1		
Erysipelas (21)	73	9	8	12	4	10	8	3	3	3		6	7
Lethargic encephalitis (23)	20		1	1	4		2	2	1	1	4	2	2
Meningococcus meningitis (24)	26	3	2	2	2	3	2	4		1		4	3
Tuberculosis of the respiratory system (31)	1,699	145	134	180	161	155	139	143	132	126	151	81	132
Other forms of tuberculosis (32–37)	205	10	19	15	20	19	22	21	16	13	18	12	20
Diabetes mellitus (57)	745	69	57	89	67	56	55	56	51	55	65	61	64
Cerebral hemorrhage and softening (74, 83)	1,353	129	113	152	137	106	97	91	96	93	112	105	122
Other [organic] diseases of the heart (90)	5,829	597	510	748	537	485	422	411	382	406	397	460	474
Bronchitis (99)	226	20	23	57	24	17	8	9	14	8	12	14	20
Broncho-pneumonia (100)	996	93	108	272	119	82	39	23	22	42	46	64	86
Pneumonia (101)	1,639	175	214	388	157	139	72	67	44	48	71	129	135
Diarrhea and enteritis [under 2 years] (113)	583	43	43	60	31	45	33	32	65	103	45	39	44
Diarrhea and enteritis [2 years and over] (114)	74	5	5	4	6	4	9	5	11	10	3	7	5
Nephritis (128, 129)	3,649	327	314	434	363	326	251	254	245	242	274	287	332
Puerperal septicemia (146)	125	9	8	12	10	15	10	9	4	10	8	9	21
Other puerperal causes (143–145, 147–150)	199	17	16	25	20	23	22	16	13	12	14	8	13
Suicide (165–174)	481	52	37	40	42	36	29	39	33	40	42	44	47
Automobile accidents [1] (188c)	633	46	43	36	44	54	53	69	56	47	79	47	59
Automobile and railroad-train collision (part 188a)	19		2	3	1		1			4	2		6
Automobile and street-car collision (part 188b)	27	1	3	5	3	2	1	3	1	2	2	1	3
Other external causes (175–187, part 188a, b, 188d–203)	1,810	164	121	144	160	142	147	152	151	119	156	181	173
All other causes	10,627	931	867	1,000	919	919	872	850	817	820	875	827	930
CHICAGO, ILL. (COLORED), all causes	3,682	306	288	502	343	343	251	257	262	262	302	251	315
Typhoid and paratyphoid fever (1)	4							1	2		1		
Malaria (5)													
Smallpox (6)	2					2							
Measles (7)	9				2	1	1	1		1		1	2
Scarlet fever (8)	3						1			2			
Whooping cough (9)	22	1	1	3	5	2	2	2	2	1	2		1
Diphtheria (10)	16	2	2	5			1	1	1		1	1	2
Influenza (11)	38	1	5	21	4	2	1	1			1	2	
Dysentery (16)													
Erysipelas (21)	4		1		2		1						
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	4				1	2					1		
Tuberculosis of the respiratory system (31)	541	41	34	57	57	64	51	37	45	34	43	39	39
Other forms of tuberculosis (32–37)	89	5	6	10	7	7	8	6	9	15	4	3	9
Diabetes mellitus (57)	34		3	5	2	6	3		4	2	3	3	3
Cerebral hemorrhage and softening (74, 83)	134	13	11	15	11	13	12	9	5	10	12	9	14
Other [organic] diseases of the heart (90)	574	63	47	73	50	35	38	32	42	40	60	38	56
Bronchitis (99)	19			5	5	3	1			1	1	1	2
Broncho-pneumonia (100)	224	10	24	68	40	22	11	8	8	8	7	7	11
Pneumonia (101)	273	26	32	79	19	25	13	7	8	12	13	17	22
Diarrhea and enteritis [under 2 years] (113)	53	7	5	4	1	2	4	4	8	6	6	3	3
Diarrhea and enteritis [2 years and over] (114)	10		1	2		1	1		2	1	1	1	
Nephritis (128, 129)	406	28	19	30	31	39	32	34	31	29	39	39	55
Puerperal septicemia (146)	25	1	4	4	1	6	2	1		3	1	1	1
Other puerperal causes (143–145, 147–150)	13	1	2	1	2	3		1	2	1			
Suicide (165–174)	16	1	2	1	2	3	1	1			2	1	2
Automobile accidents [1] (188c)	60	6	3	4	3	7	8	5	5	4	6	6	3
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	2				1				1				
Other external causes (175–187, part 188a, b, 188d–203)	276	18	25	28	27	20	18	29	26	19	23	20	23
All other causes	831	82	61	87	70	78	41	77	61	73	75	59	67
INDIANAPOLIS, IND. (WHITE), all causes	4,331	369	380	444	409	374	322	302	349	294	345	358	385
Typhoid and paratyphoid fever (1)	12					2		1	1	1	7		
Malaria (5)	2							1			1		
Smallpox (6)													
Measles (7)	75	4	12	30	20	4	1		1	2		1	
Scarlet fever (8)	8	2		1	2	1						1	1
Whooping cough (9)	32	1	2	5	2	2	2	2	6	2	2	3	3
Diphtheria (10)	22	2	3	1						2	4	4	6
Influenza (11)	90	9	9	16	16	10	3	5	3		4	7	8
Dysentery (16)	2							1			1		
Erysipelas (21)	11	1	2	2	3	1		1		1			
Lethargic encephalitis (23)	5		2						1	1		1	
Meningococcus meningitis (24)	4			1						2			1
Tuberculosis of the respiratory system (31)	186	16	19	19	16	20	16	11	16	12	20	10	11
Other forms of tuberculosis (32–37)	50	6	4	4	6	7	3	2	5	3	5	2	3
Diabetes mellitus (57)	80	5	10	8	10	6	7	5	5	3	8	5	8
Cerebral hemorrhage and softening (74, 83)	329	31	34	24	32	31	26	20	16	27	27	32	29
Other [organic] diseases of the heart (90)	670	60	61	69	68	55	53	41	50	44	50	53	66
Bronchitis (99)	13	3	1	1	2		1		1			1	3
Broncho-pneumonia (100)	148	13	10	30	26	13	8	4	8	5	9	8	14
Pneumonia (101)	181	20	19	24	18	19	9	9	5	10	13	20	15
Diarrhea and enteritis [under 2 years] (113)	95	2	4	2	3	4	4	9	28	23	12	3	1
Diarrhea and enteritis [2 years and over] (114)	24			1	2	3	3	4	5	3	2	1	
Nephritis (128, 129)	366	29	32	31	38	40	29	25	20	27	31	28	36
Puerperal septicemia (146)	21	2	1	4	3	2			1	1	2	2	3
Other puerperal causes (143–145, 147–150)	25	1	4	3	1	3	1	1	3	1	1	3	3
Suicide (165–174)	48	4	3	2	6	2	6	4	2	3	6	6	4
Automobile accidents [1] (188c)	75	6	6	5	1	13	5	3	12	4	7	6	7
Automobile and railroad-train collision (part 188a)	10	3		1			1	1	1			2	1
Automobile and street-car collision (part 188b)	10			1		3	1		2		1	1	1
Other external causes (175–187, part 188a, b, 188d–203)	152	13	10	11	13	16	13	13	16	15	12	11	9
All other causes	1,585	136	132	149	122	118	130	140	142	100	119	146	151

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANAPOLIS, IND. (COLORED), all causes	815	71	56	86	85	80	71	56	67	59	65	62	57
Typhoid and paratyphoid fever (1)	7					2		1	3				1
Malaria (5)	1						1						
Smallpox (6)	1											1	
Measles (7)	15		2	2	4	6					1		
Scarlet fever (8)													
Whooping cough (9)	14	2	2	2	4	3						1	
Diphtheria (10)	6		1				1		2			1	1
Influenza (11)	16	2	2	4	5	1	2						
Dysentery (16)	2							1			1		
Erysipelas (21)	1												1
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	89	5	5	12	4	8	11	7	4	7	9	8	9
Other forms of tuberculosis (32–37)	24	4		1	1	1	4	1	2	3	5	1	1
Diabetes mellitus (57)	6	1	1		1			1		1			1
Cerebral hemorrhage and softening (74, 83)	32	5		3	4	2	3	3	6	2	1	2	1
Other [organic] diseases of the heart (90)	112	9	8	9	11	10	10	10	10	5	10	13	7
Bronchitis (99)	3		1		1				1				
Broncho-pneumonia (100)	51	7	4	6	7	5	5	4	1	2	1	4	5
Pneumonia (101)	60	4	5	15	8	6	1	2	1	5	5	4	4
Diarrhea and enteritis [under 2 years] (113)	25		1	1	2	1			11	5	2	2	
Diarrhea and enteritis [2 years and over] (114)	3			1							1		1
Nephritis (128, 129)	65	6	3	7	5	11	3	3	3	6	5	4	9
Puerperal septicemia (146)	3					2							1
Other puerperal causes (143–145, 147–150)	9			2	2	1	1			1	1		1
Suicide (165–174)	3				1			1		1			
Automobile accidents [1] (188c)	8	1	1		1	1			1	2	1		
Automobile and railroad-train collision (part 188a)	1				1								
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	48	3	6	4	4	2	5	2	4	7	4	3	4
All other causes	209	22	14	17	19	18	24	20	18	12	17	18	10
DES MOINES, IOWA, all causes	1,716	158	156	192	150	157	123	120	106	123	136	142	153
Typhoid and paratyphoid fever (1)	4	1				1			1	1			
Malaria (5)													
Smallpox (6)													
Measles (7)	5	1	1	2	1								
Scarlet fever (8)	3						1					2	
Whooping cough (9)	12	3	1	4		1	2	1					
Diphtheria (10)	12	2	3	1	1		1			1	1	1	1
Influenza (11)	61	6	1	18	10	11	2		1		3	3	6
Dysentery (16)	8				2			1	1	3	1		
Erysipelas (21)	5	1						2				1	1
Lethargic encephalitis (23)	3	1			1		1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	72	8	5	8	8	6	6	8	2	2	5	8	6
Other forms of tuberculosis (32–37)	14	1		3	1	1	1	1	1	3		1	1
Diabetes mellitus (57)	28	4	2	3	3	1	3	3		3	2	1	3
Cerebral hemorrhage and softening (74, 83)	110	11	14	8	8	9	6	6	5	5	16	11	11
Other [organic] diseases of the heart (90)	208	16	22	28	25	22	11	9	13	13	17	13	19
Bronchitis (99)	8				1	3			1	2	1		
Broncho-pneumonia (100)	78	9	6	17	5	5	3	1		5	7	11	9
Pneumonia (101)	78	10	9	20	6	6	6	1	1	1	1	7	10
Diarrhea and enteritis [under 2 years] (113)	25		2			1	1	2	5	8	5	1	
Diarrhea and enteritis [2 years and over] (114)	7	2								3	2		
Nephritis (128, 129)	86	4	9	8	7	5	12	9	8	2	8	5	9
Puerperal septicemia (146)	9	2	1		1	1	1			1	1		1
Other puerperal causes (143–145, 147–150)	13	2	1	1	1	1	1	1	1			3	1
Suicide (165–174)	20	3	1		1			3	4	4	3		1
Automobile accidents [1] (188c)	30	2	3		2	2	2	2	2	6	3	2	4
Automobile and railroad-train collision (part 188a)	1			1									
Automobile and street-car collision (part 188b)	2	1								1			
Other external causes (175–187, part 188a, b, 188d–203)	77	7	5	7	5	9	5	6	7	9	4	7	6
All other causes	737	61	70	63	61	72	58	64	53	50	56	65	64
KANSAS CITY, KANS., all causes	1,590	139	121	175	150	116	133	128	117	124	126	133	128
Typhoid and paratyphoid fever (1)	5						1		1	1	2		
Malaria (5)													
Smallpox (6)													
Measles (7)	14			1	2	4	6		1				
Scarlet fever (8)	4	1			1		1	1					
Whooping cough (9)	10			1	2	1		1	2	1	2		
Diphtheria (10)	5		1								1	3	
Influenza (11)	42	5	7	12	6	1	1	1			3	3	3
Dysentery (16)	3				1				2				
Erysipelas (21)	4	1		1		2							
Lethargic encephalitis (23)	3			1				1					1
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	114	11	8	19	9	9	11	12	5	5	11	7	7
Other forms of tuberculosis (32–37)	18	1	1	1	3	3	2		1	5			1
Diabetes mellitus (57)	32	1	2	6	3	1		3	2		3	7	4
Cerebral hemorrhage and softening (74, 83)	105	10	8	9	8	8	9	12	5	9	7	8	12
Other [organic] diseases of the heart (90)	187	21	23	15	13	11	17	13	11	14	11	19	19
Bronchitis (99)	9					2	2	1		1	1		2
Broncho-pneumonia (100)	47	4	5	9	5	3	1	1		2	4	4	9
Pneumonia (101)	80	7	10	11	15	3	3	5	4	1	4	8	9
Diarrhea and enteritis [under 2 years] (113)	54	2	1	5	3	3	3	6	9	13	5	1	3
Diarrhea and enteritis [2 years and over] (114)	11	1	1	1	1	1	2	1	1	2			
Nephritis (128, 129)	141	23	4	9	14	10	11	12	9	12	10	19	8
Puerperal septicemia (146)	6	1	1	2						1		1	
Other puerperal causes (143–145, 147–150)	10	1	2		1		2	2	1				1
Suicide (165–174)	19	1		2	1	1	4	2			3		5
Automobile accidents [1] (188c)	8		1	1	1			1	2		1		1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	106	8	7	12	13	6	7	7	10	11	7	13	5
All other causes	552	40	39	57	48	47	50	46	51	46	51	39	38

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISVILLE, KY. (WHITE), all causes	3,567	321	243	419	336	296	249	304	273	261	269	297	299
Typhoid and paratyphoid fever (1)	13		1	1		2		2	2	2	1		2
Malaria (5)	3										3		
Smallpox (6)													
Measles (7)	80		6	19	31	19	4	1					
Scarlet fever (8)	7				1	1		2		1	1	1	
Whooping cough (9)	23	1	1	2	3	1	4	2	1	1		2	5
Diphtheria (10)	5					1					1	1	2
Influenza (11)	87	17	4	33	15	2	2	2			1	6	5
Dysentery (16)	17	1	1					5	5	3	1		1
Erysipelas (21)	7	1	1	1				2				1	1
Lethargic encephalitis (23)	5							1	2			2	
Meningococcus meningitis (24)	3								2			1	
Tuberculosis of the respiratory system (31)	178	15	10	21	22	11	14	15	18	18	12	10	12
Other forms of tuberculosis (32–37)	40	1	3	4	2	6	6	3	5	4	4		2
Diabetes mellitus (57)	56	8	3	11	7	8	2	4	2	2	2	5	2
Cerebral hemorrhage and softening (74, 83)	250	21	22	24	19	22	9	26	17	18	22	26	24
Other [organic] diseases of the heart (90)	495	54	36	55	47	39	43	35	34	31	37	35	49
Bronchitis (99)	19	3		3	3	1	2	1			1	2	3
Broncho-pneumonia (100)	137	11	9	28	20	12	8	5	2	6	12	8	16
Pneumonia (101)	162	18	10	49	20	10	6	5	5	7	5	14	13
Diarrhea and enteritis [under 2 years] (113)	124	2	2	1	1	3	3	31	29	27	21	2	2
Diarrhea and enteritis [2 years and over] (114)	22			1	1		3	5	5	6		1	
Nephritis (128, 129)	292	30	24	34	19	26	26	26	19	18	20	24	26
Puerperal septicemia (146)	16		1		2	4	2	1	1		2	2	1
Other puerperal causes (143–145, 147–150)	20			2	4	4		1	3	2			4
Suicide (165–174)	53	2	4	3	5	3	7	4	7	7	2	5	4
Automobile accidents [1] (188c)	52	6	3	2	2	4	5	3	4	4	7	8	4
Automobile and railroad-train collision (part 188a)	1								1				
Automobile and street-car collision (part 188b)	2	1	1										
Other external causes (175–187, part 188a, b, 188d–203)	162	15	11	11	13	11	11	18	12	15	8	17	20
All other causes	1,236	114	90	114	99	106	92	104	97	89	106	124	101
LOUISVILLE, KY. (COLORED), all causes	1,167	92	84	140	103	101	99	109	70	102	83	84	100
Typhoid and paratyphoid fever (1)	6	1						1		1	1	2	
Malaria (5)	1					1							
Smallpox (6)													
Measles (7)	4				1	3							
Scarlet fever (8)													
Whooping cough (9)	2									1		1	
Diphtheria (10)	5	1		1						2			1
Influenza (11)	54	5	1	17	10	5	3	1		2	1	3	6
Dysentery (16)	2					1			1				
Erysipelas (21)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	99	5	9	7	4	9	8	15	8	12	9	9	4
Other forms of tuberculosis (32–37)	18	1	2	4	2	3		1	1	2	1		1
Diabetes mellitus (57)	6				1	1	2			1	1		
Cerebral hemorrhage and softening (74, 83)	64	6	4	8	4	9	3	8	4	7	1	3	7
Other [organic] diseases of the heart (90)	182	22	18	16	13	13	13	12	15	17	16	13	14
Bronchitis (99)	29	2	3	4	5	1		1	2	3	4		4
Broncho-pneumonia (100)	57	4	5	13	9	5	4	2			3	4	8
Pneumonia (101)	80	12	8	22	6	6	2	6	1		6	5	6
Diarrhea and enteritis [under 2 years] (113)	22					1	1	5	7	7	1		
Diarrhea and enteritis [2 years and over] (114)	2						1			1			
Nephritis (128, 129)	119	8	10	10	15	12	18	9	4	8	10	14	1
Puerperal septicemia (146)	3			3									
Other puerperal causes (143–145, 147–150)	6	1		1		2						1	1
Suicide (165–174)	4				1		1		1		1		
Automobile accidents [1] (188c)	12		1	1	1		1	1	2	1	1	1	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	87	7	8	4	3	10	12	7	7	6	2	5	16
All other causes	302	17	15	29	27	19	30	40	17	31	25	23	29
NEW ORLEANS, LA. (WHITE), all causes	4,656	526	559	434	335	363	321	319	363	306	355	401	374
Typhoid and paratyphoid fever (1)	18	3		2	1		2		3	2	1	2	2
Malaria (5)	1									1			
Smallpox (6)													
Measles (7)	1												1
Scarlet fever (8)	6	1		1	2							2	
Whooping cough (9)	22	1	2		1	5	5	4	2	1			1
Diphtheria (10)	21	4	2			1	1		2	2		7	2
Influenza (11)	176	34	64	25	8	5	4	3	5	5	3	14	6
Dysentery (16)	10	2	1	1	1	3			1	1			
Erysipelas (21)	2				1								1
Lethargic encephalitis (23)	4			1			1	1		1			
Meningococcus meningitis (24)	6		2									2	2
Tuberculosis of the respiratory system (31)	318	38	26	42	28	27	26	16	19	19	20	23	34
Other forms of tuberculosis (32–37)	26	2	2	1	1	2	1	3	2		3	5	4
Diabetes mellitus (57)	70	6	7	11	9	4	4	3	8	8	1	3	6
Cerebral hemorrhage and softening (74, 83)	252	27	38	24	24	13	20	10	26	12	23	20	15
Other [organic] diseases of the heart (90)	799	100	118	76	61	60	44	44	56	39	69	63	69
Bronchitis (99)	11	3	2		1		2		1		1	1	
Broncho-pneumonia (100)	159	34	28	14	5	9	6	7	9	10	12	10	15
Pneumonia (101)	154	19	36	17	16	8	3	11	5	4	8	18	9
Diarrhea and enteritis [under 2 years] (113)	88	15	11	5	3	6	5	8	15	6	1	8	5
Diarrhea and enteritis [2 years and over] (114)	14	1		2	1	1	1	2	1	2	1	2	
Nephritis (128, 129)	529	67	47	44	39	53	44	28	35	39	44	49	40
Puerperal septicemia (146)	29	3	3	1	3	2	3	2		1	1	3	7
Other puerperal causes (143–145, 147–150)	38	4	4	5	4	1	4	4	6	2	1		3
Suicide (165–174)	71	4	7	6	4	12	3	6	2	9	3	7	8
Automobile accidents [1] (188c)	61	5	8	3	3	6	3	10	4	4	6	6	3
Automobile and railroad-train collision (part 188a)	1		1										
Automobile and street-car collision (part 188b)	1								1				
Other external causes (175–187, part 188a, b, 188d–203)	261	17	27	21	30	17	20	25	23	14	16	21	30
All other causes	1,507	136	123	132	89	128	119	132	137	124	141	135	111

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW ORLEANS, LA. (COLORED), all causes	3,277	331	363	301	255	257	247	244	268	242	229	267	273
Typhoid and paratyphoid fever (1)	18	2	1	1		2	1	3	2	1	1	2	2
Malaria (5)	3		1				2						
Smallpox (6)	1			1									
Measles (7)	3				1					1			1
Scarlet fever (8)	1				1								
Whooping cough (9)	13		1		1	2	2	2	2	2	1		
Diphtheria (10)	11	1	1	1	1				2		1	2	2
Influenza (11)	131	14	38	23	8	4	4	2	2	5	5	14	12
Dysentery (16)	4			1		1		1					1
Erysipelas (21)													
Lethargic encephalitis (23)	2		1				1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	326	32	29	35	25	32	29	24	28	22	29	19	22
Other forms of tuberculosis (32–37)	35	6	2	2	4	5	3	3	4	3	1	2	
Diabetes mellitus (57)	28	3	4	4		4	2	1		3	1	2	4
Cerebral hemorrhage and softening (74, 83)	156	13	14	15	17	14	10	12	16	9	9	13	14
Other [organic] diseases of the heart (90)	507	49	52	46	30	42	33	28	38	60	33	45	51
Bronchitis (99)	17	5	5		2	1		1		1		1	1
Broncho-pneumonia (100)	158	17	29	20	7	10	10	8	11	8	11	14	13
Pneumonia (101)	191	30	42	20	15	10	7	6	11	7	5	18	20
Diarrhea and enteritis [under 2 years] (113)	105	6	4	8	9	9	14	16	14	12	8	4	1
Diarrhea and enteritis [2 years and over] (114)	13			1	4	1	1	1	1	1	1	2	
Nephritis (128, 129)	321	38	32	30	33	29	27	25	25	18	21	19	24
Puerperal septicemia (146)	16	2			3		2	2	1	1	1	3	1
Other puerperal causes (143–145, 147–150)	32		4	5	1	3		4	7	3	1	4	
Suicide (165–174)	7			2		2	1		1			1	
Automobile accidents [1] (188c)	24	3		3	1		1		2	1	3	4	6
Automobile and railroad-train collision (part 188a)	1				1								
Automobile and street-car collision (part 188b)	1						1						
Other external causes (175–187, part 188a, b, 188d–203)	216	26	24	20	15	18	21	14	15	10	15	16	22
All other causes	936	84	79	63	76	68	75	91	86	74	82	82	76
BALTIMORE, MD. (WHITE), all causes	9,220	1,045	1,018	872	788	788	654	660	637	619	641	715	783
Typhoid and paratyphoid fever (1)	25		2		2	2	1	3	5	4	1	1	4
Malaria (5)	2							1			1		
Smallpox (6)													
Measles (7)	87	20	33	15	12	4	1	1				1	
Scarlet fever (8)	10	1	2	1		3	1	1	1				
Whooping cough (9)	44	6	6	3	3	2	1	3	5	4	1	7	3
Diphtheria (10)	52	9	6	2	7	1	1	2	1	1	3	9	10
Influenza (11)	197	37	71	32	15	12	2	2		2	3	8	13
Dysentery (16)	28					3	3	2	5	8	5	2	
Erysipelas (21)	10		3		2	1			1			1	2
Lethargic encephalitis (23)	20	2	1	2	1	2	1	2	3	2	1	1	2
Meningococcus meningitis (24)	17	2	1	2	1	2	1		1	3	1	3	
Tuberculosis of the respiratory system (31)	490	53	56	38	58	51	29	28	36	38	29	35	39
Other forms of tuberculosis (32–37)	64	4	3	8	8	4	6	5	8	6	4	3	5
Diabetes mellitus (57)	203	28	20	22	16	18	15	18	9	11	15	17	14
Cerebral hemorrhage and softening (74, 83)	720	75	73	59	64	64	48	47	41	60	48	69	72
Other [organic] diseases of the heart (90)	1,425	149	142	139	121	125	106	104	89	76	114	115	145
Bronchitis (99)	57	10	14	6	4	4	3	3	2	3	2	2	4
Broncho-pneumonia (100)	514	87	97	67	59	43	22	13	25	18	21	29	33
Pneumonia (101)	479	103	91	66	46	39	26	12	7	4	11	29	45
Diarrhea and enteritis [under 2 years] (113)	149	2	4	3	2	4	4	22	39	37	22	5	5
Diarrhea and enteritis [2 years and over] (114)	17	3			1	3	1	2	1	1	1	2	2
Nephritis (128, 129)	960	99	90	123	77	87	71	77	53	67	71	60	85
Puerperal septicemia (146)	30	7	5		3	3	1	1	4	1	4	1	
Other puerperal causes (143–145, 147–150)	40		1	1	4	3	4	4	6	5	3	4	5
Suicide (165–174)	104	10	11	8	7	8	9	9	7	5	13	8	9
Automobile accidents [1] (188c)	138	7	3	5	4	12	10	10	14	21	20	15	17
Automobile and railroad-train collision (part 188a)	2					2							
Automobile and street-car collision (part 188b)	1				1								
Other external causes (175–187, part 188a, b, 188d–203)	411	44	25	34	32	35	42	36	41	29	23	35	35
All other causes	2,924	287	258	236	238	251	245	252	233	213	224	253	234
BALTIMORE, MD. (COLORED), all causes	2,990	295	325	299	264	247	206	226	211	222	235	208	252
Typhoid and paratyphoid fever (1)	17		2	1	1			1	3	2	3	3	1
Malaria (5)													
Smallpox (6)													
Measles (7)	20	2	4	8	4		1	1					
Scarlet fever (8)													
Whooping cough (9)	27	1	2	3	5	1	4	4	2		2	1	2
Diphtheria (10)	7				1		1				3	2	
Influenza (11)	46	9	18	3	4	3	1	1		1		2	4
Dysentery (16)	5								1	2	1		1
Erysipelas (21)	1			1									
Lethargic encephalitis (23)	4	1						1		1			1
Meningococcus meningitis (24)	4				1		1			1	1		
Tuberculosis of the respiratory system (31)	284	23	24	28	24	27	21	26	29	19	27	20	16
Other forms of tuberculosis (32–37)	50	3	4	2	3	4	13	2	3	10		4	2
Diabetes mellitus (57)	17	3	3	3			1	2		1		4	
Cerebral hemorrhage and softening (74, 83)	192	16	18	18	18	13	19	15	11	23	13	11	17
Other [organic] diseases of the heart (90)	407	36	48	43	31	31	24	34	25	27	40	37	31
Bronchitis (99)	4		2		1						1		
Broncho-pneumonia (100)	233	25	43	39	28	17	11	7	8	7	12	12	24
Pneumonia (101)	253	45	38	39	30	29	11	4	9	11	11	10	16
Diarrhea and enteritis [under 2 years] (113)	80	4	3	1	4	5	2	14	19	12	10	3	3
Diarrhea and enteritis [2 years and over] (114)	10	2		1		1	1	2		2			1
Nephritis (128, 129)	304	35	34	33	21	26	23	15	22	20	23	17	35
Puerperal septicemia (146)	11	1	2		2	1	1			1	1	1	1
Other puerperal causes (143–145, 147–150)	25	2	2	3	2	4			4	5		1	2
Suicide (165–174)	6			1	1	1			1	1			1
Automobile accidents [1] (188c)	40	4	2		4	2	3	1	5	8	6	4	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	162	16	11	10	13	10	15	22	12	11	12	11	19
All other causes	781	67	65	62	66	72	53	74	57	57	69	65	74

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BOSTON, MASS., all causes	11,720	1,072	951	1,445	1,199	1,028	796	793	803	786	902	927	1,018
Typhoid and paratyphoid fever (1)	14				1			3		3	5	1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	65	15	8	12	8	7	3	4	2	1	1	2	2
Scarlet fever (8)	41	5	2	5	5	5	7	3	3	1	1	1	3
Whooping cough (9)	109	10	15	36	18	8	5	3	3	4	4	1	2
Diphtheria (10)	55	4	6	8	8	4	3	3	1	4		6	8
Influenza (11)	69	5	7	15	23	5	2			1	2	3	6
Dysentery (16)	6					1		1	2			1	1
Erysipelas (21)	28	2	2	5	1	5	6	1	3		1	1	1
Lethargic encephalitis (23)	19		3	4	1	2	1	1	3	1	2		1
Meningococcus meningitis (24)	26	2	2	5	1	1	1	5	1	4	1	2	1
Tuberculosis of the respiratory system (31)	687	66	52	65	74	76	47	52	53	46	47	54	55
Other forms of tuberculosis (32–37)	111	6	4	12	10	16	10	8	7	9	11	9	9
Diabetes mellitus (57)	203	24	14	23	23	11	24	20	9	12	17	14	12
Cerebral hemorrhage and softening (74, 83)	650	69	55	80	52	49	44	43	36	41	60	62	59
Other [organic] diseases of the heart (90)	2,118	221	191	263	226	207	143	132	108	131	152	154	190
Bronchitis (99)	43	4	1	12	3	1	4	2	1	1	3	5	6
Broncho-pneumonia (100)	662	69	60	138	96	43	31	21	23	29	46	45	61
Pneumonia (101)	598	73	58	141	86	57	23	12	14	25	19	40	50
Diarrhea and enteritis [under 2 years] (113)	237	7	8	8	15	6	15	14	50	47	43	13	11
Diarrhea and enteritis [2 years and over] (114)	23	4	1	1	1		3	2	1	4	2	4	
Nephritis (128, 129)	656	61	59	72	63	53	54	46	40	45	51	50	62
Puerperal septicemia (146)	55	5	2	6	9	5	1	11	3	1	6	5	1
Other puerperal causes (143–145, 147–150)	88	7	5	10	10	9	6	8	7	7	7	5	7
Suicide (165–174)	106	9	9	12	6	9	7	7	8	12	8	11	8
Automobile accidents [1] (188c)	149	6	6	11	6	13	10	20	11	10	23	22	11
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	4				1				1	1			1
Other external causes (175–187, part 188a, b, 188d–203)	516	36	37	54	47	48	40	44	37	37	41	38	57
All other causes	4,382	362	344	447	405	387	306	327	376	309	349	378	392
CAMBRIDGE, MASS., all causes	1,481	126	117	195	166	112	121	99	91	85	134	105	130
Typhoid and paratyphoid fever (1)	6							1	1	1	2	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	4	2		2									
Scarlet fever (8)	2	1			1								
Whooping cough (9)	21	1	1	9	4	2		3	1				
Diphtheria (10)	1					1							
Influenza (11)	10			6	2	1						1	
Dysentery (16)													
Erysipelas (21)	1						1						
Lethargic encephalitis (23)	5		1	2	1			1					
Meningococcus meningitis (24)	2			1	1								
Tuberculosis of the respiratory system (31)	99	8	10	9	12	6	8	12	6	5	7	10	6
Other forms of tuberculosis (32–37)	12	1	2				3	1		1	1	2	1
Diabetes mellitus (57)	16	2	1	3		2	1	2			3		2
Cerebral hemorrhage and softening (74, 83)	120	8	11	14	14	11	8	7	10	9	13	5	10
Other [organic] diseases of the heart (90)	278	24	22	31	32	22	27	20	13	16	24	22	25
Bronchitis (99)	7			3	1			1			1	1	
Broncho-pneumonia (100)	61	7	5	12	13	5	1	2	2	2	3	4	5
Pneumonia (101)	70	14	6	23	6	3	2	3	1	2	6	2	2
Diarrhea and enteritis [under 2 years] (113)	24	2		2	1		1	3	7	4	4		
Diarrhea and enteritis [2 years and over] (114)	2				1								1
Nephritis (128, 129)	84	7	6	14	13	2	5	6	4	3	12	4	8
Puerperal septicemia (146)	7			2		1	2	1			1		
Other puerperal causes (143–145, 147–150)	10		2	2	1		1	1		2			1
Suicide (165–174)	11	1		2		1			2	2			3
Automobile accidents [1] (188c)	19	5			2		3	1	2	1		4	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	62	6	6	5	4	7	6	6	3	4	6	1	8
All other causes	547	37	44	53	57	48	52	28	39	33	51	48	57
FALL RIVER, MASS., all causes	1,707	173	135	152	220	141	137	106	125	125	117	132	144
Typhoid and paratyphoid fever (1)	1							1					
Malaria (5)													
Smallpox (6)													
Measles (7)	37	18	12	3	3			1					
Scarlet fever (8)	1							1					
Whooping cough (9)	18	1			4	2		1	1	1	4	1	3
Diphtheria (10)	19	1	1	3	4	1	3		1			1	4
Influenza (11)	26	2	2	4	9		1				1	4	3
Dysentery (16)													
Erysipelas (21)	1								1				
Lethargic encephalitis (23)	2					2							
Meningococcus meningitis (24)	3	1								2			
Tuberculosis of the respiratory system (31)	118	11	8	11	11	13	10	5	13	13	7	6	10
Other forms of tuberculosis (32–37)	26	5	2	1	2	1	3	2	2		2	2	4
Diabetes mellitus (57)	38	1	2	5	4	3	3	1	4	4	5	2	4
Cerebral hemorrhage and softening (74, 83)	95	11	11	9	11	8	7	5	7	5	2	9	10
Other [organic] diseases of the heart (90)	226	23	20	21	28	17	22	16	16	17	15	13	18
Bronchitis (99)	12	1		1	4			1		1		2	2
Broncho-pneumonia (100)	70	7	6	6	17	7	7	3		3	4	4	6
Pneumonia (101)	55	6	3	2	14	5	3	4	1	1	4	5	7
Diarrhea and enteritis [under 2 years] (113)	74	4	3	9	9	3	5	4	17	9	6	2	3
Diarrhea and enteritis [2 years and over] (114)	13	1	1		1	2	2	1	1	2	1		1
Nephritis (128, 129)	200	19	18	15	26	20	14	9	15	11	18	21	14
Puerperal septicemia (146)	3						2					1	
Other puerperal causes (143–145, 147–150)	7	1		1	1	1		1		1	1		
Suicide (165–174)	11		1		2			1			1	3	3
Automobile accidents [1] (188c)	19		1	1	3		4	1	1	2	1	3	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	73	4	11	11	6	3	4	7	7	4	8	2	6
All other causes	559	56	33	49	61	53	47	41	38	49	37	51	44

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOWELL, MASS., all causes	1,549	157	131	144	174	148	111	100	101	118	138	113	114
Typhoid and paratyphoid fever (1)	4		1		1						1		1
Malaria (5)													
Smallpox (6)													
Measles (7)	10	6	2		2								
Scarlet fever (8)	3		1					2					
Whooping cough (9)	3					1					1		1
Diphtheria (10)	6							1			2	2	1
Influenza (11)	8		1		3	2	1			1			
Dysentery (16)													
Erysipelas (21)	1					1							
Lethargic encephalitis (23)	1							1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	73	5	2	5	8	11	5	3	11	7	2	6	8
Other forms of tuberculosis (32–37)	28		4	6	3	2	2	2	2		4	1	2
Diabetes mellitus (57)	15		1	1	3	1	1	4		2	1		1
Cerebral hemorrhage and softening (74, 83)	106	15	8	8	10	11	10	6	5	8	8	12	5
Other [organic] diseases of the heart (90)	301	34	42	27	22	25	24	21	15	17	22	25	27
Bronchitis (99)	18	1	1		4	2	1		1	4	1	1	2
Broncho-pneumonia (100)	110	12	10	21	24	13	3	4	3	2	7	3	8
Pneumonia (101)	34	2	2	6	6	5	2	1	2	1	2	1	4
Diarrhea and enteritis [under 2 years] (113)	50	3	1	1	5		2	4	8	16	7		3
Diarrhea and enteritis [2 years and over] (114)	7							1	1	2	1		2
Nephritis (128, 129)	64	3	3	6	5	6	8	4	4	7	9	5	4
Puerperal septicemia (146)	1				1								
Other puerperal causes (143–145, 147–150)	20	2	4	1	3	2		2		2	4		
Suicide (165–174)	9			1			1	3	2	1	1		
Automobile accidents [1] (188c)	22	1	1		1	2	4	2	3	3	1	2	2
Automobile and railroad-train collision (part 188a)	1								1				
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	57	4	3	3	6	5	7	3	4	7	5	4	6
All other causes	597	69	44	58	67	59	40	36	39	38	59	51	37
NEW BEDFORD, MASS., all causes	1,500	130	103	179	190	148	119	99	105	99	108	113	107
Typhoid and paratyphoid fever (1)	1									1			
Malaria (5)													
Smallpox (6)													
Measles (7)	24	1		4	7	4	2	4		1		1	
Scarlet fever (8)	5		2		2		1						
Whooping cough (9)	13	2	2	2	2	1	3					1	
Diphtheria (10)	18	1	1	4	2	1	2			1	1	2	3
Influenza (11)	50	4	1	15	15	4	3	2	1	1	3	1	
Dysentery (16)													
Erysipelas (21)	3			1		2							
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	2	1			1								
Tuberculosis of the respiratory system (31)	96	3	6	15	10	12	9	7	12	5	7	7	3
Other forms of tuberculosis (32–37)	27	2	3	1	3	1	1	2	5		3	3	3
Diabetes mellitus (57)	19	1	2	3	3				5	3			2
Cerebral hemorrhage and softening (74, 83)	121	12	11	9	19	8	8	6	6	6	14	11	11
Other [organic] diseases of the heart (90)	244	33	13	25	30	21	15	11	17	16	18	20	25
Bronchitis (99)	17	2	1	1	5	3	1	1	1	1		1	
Broncho-pneumonia (100)	143	15	5	25	35	23	11	3	2	2	8	8	6
Pneumonia (101)	37	4	3	10	7	3	4				2		4
Diarrhea and enteritis [under 2 years] (113)	32	1		2	3	2	7	3	1	5	4	3	1
Diarrhea and enteritis [2 years and over] (114)	3				1					2			
Nephritis (128, 129)	92	5	9	8	9	9	5	6	3	12	8	12	6
Puerperal septicemia (146)	5	1		1	1					1	1		
Other puerperal causes (143–145, 147–150)	7			3					2		2		
Suicide (165–174)	10	2		2				3	2	1			
Automobile accidents [1] (188c)	11		1			1	1	2	2		1	1	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1										1		
Other external causes (175–187, part 188a, b, 188d–203)	48	3	2	3	1	2	2	7	7	5	4	9	3
All other causes	470	37	41	45	33	51	44	42	39	36	31	33	38
SPRINGFIELD, MASS., all causes	1,820	178	135	214	178	163	141	140	107	122	136	147	159
Typhoid and paratyphoid fever (1)	1										1		
Malaria (5)													
Smallpox (6)													
Measles (7)	30	2	4	16	7	1							
Scarlet fever (8)	3		2	1									
Whooping cough (9)	10			4	2	1		1				2	
Diphtheria (10)	7			1		1				1		1	3
Influenza (11)	27	1	2	10	6	1	4			1			2
Dysentery (16)													
Erysipelas (21)	3				2								1
Lethargic encephalitis (23)	3				1	1			1				
Meningococcus meningitis (24)	3	1			1		1						
Tuberculosis of the respiratory system (31)	71	7	5	6	6	10	7	9	5	3	7	3	3
Other forms of tuberculosis (32–37)	22		2	2		1	3	5	2	2	1	2	2
Diabetes mellitus (57)	30	8	2	2	5	1		3	1	2	1	2	3
Cerebral hemorrhage and softening (74, 83)	149	17	15	11	9	10	12	14	8	13	10	10	20
Other [organic] diseases of the heart (90)	280	37	19	34	23	23	18	16	16	18	30	24	22
Bronchitis (99)	5			1	1	1		1			1		
Broncho-pneumonia (100)	74	16	6	16	8	8	8		1	3		4	4
Pneumonia (101)	70	9	3	22	10	7	2	1			3	5	8
Diarrhea and enteritis [under 2 years] (113)	15	2		3	1		1	1	2	2	2		1
Diarrhea and enteritis [2 years and over] (114)	5	1	1		1			1	1				
Nephritis (128, 129)	188	11	11	15	23	16	19	10	14	15	23	21	10
Puerperal septicemia (146)	9			1	1		1	2	1		1		2
Other puerperal causes (143–145, 147–150)	14	1	2	1	1			2	1	1	2		3
Suicide (165–174)	17	1		1	1	1	3	2		3	4	1	
Automobile accidents [1] (188c)	38	3	1	2	3	5	4	5	3	4	2	4	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1												1
Other external causes (175–187, part 188a, b, 188d–203)	70	2	6	5	4	9	7	11	2	5	4	7	8
All other causes	675	59	54	60	62	66	51	56	49	49	44	61	64

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WORCESTER, MASS., all causes	2,701	265	197	319	341	257	207	176	161	180	211	181	206
Typhoid and paratyphoid fever (1)	1									1			
Malaria (5)													
Smallpox (6)													
Measles (7)	17	11	1	3		1		1					
Scarlet fever (8)	5									2	1	1	1
Whooping cough (9)	13	1		4	1	4	3						
Diphtheria (10)	17	2	5	1	1	1	1	1	1		2	2	
Influenza (11)	26		1	4	17						1	2	1
Dysentery (16)													
Erysipelas (21)	5			1	2				1			1	
Lethargic encephalitis (23)	3		1					1	1				
Meningococcus meningitis (24)	2	1					1						
Tuberculosis of the respiratory system (31)	132	13	10	7	18	17	17	14	12	2	8	6	8
Other forms of tuberculosis (32–37)	34	2	3	2	7	3	2	1	2	4	3	2	3
Diabetes mellitus (57)	41	3	2	3	5	7	2	2	4	2	2	4	5
Cerebral hemorrhage and softening (74, 83)	179	10	15	15	27	18	15	15	15	11	13	10	15
Other [organic] diseases of the heart (90)	417	39	28	51	40	44	39	29	19	31	42	23	32
Bronchitis (99)	16	3	1	1	4	1	1	2	1	1			1
Broncho-pneumonia (100)	170	21	15	36	39	13	7	2	4	5	8	8	12
Pneumonia (101)	147	19	11	21	35	13	4	5	3	4	10	7	15
Diarrhea and enteritis [under 2 years] (113)	33	2	2	1	3		2		7	6	7	1	2
Diarrhea and enteritis [2 years and over] (114)	6			3				1	1				1
Nephritis (128, 129)	282	29	21	32	31	19	31	11	14	23	21	23	27
Puerperal septicemia (146)	14	1	1	1	1		2	3		2	1	1	1
Other puerperal causes (143–145, 147–150)	27	3		6	2	2	1	2	2	2	3	4	
Suicide (165–174)	23		3	2	4	1	1	4	1	2	2	1	2
Automobile accidents [1] (188c)	32	2	2	1	4	6	2	1	2	2	4	4	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	104	12	10	14	9	11	7	10	5	10	6	4	6
All other causes	955	91	65	110	91	96	69	71	66	70	77	77	72
DETROIT, MICH. (WHITE), all causes	14,323	1,296	1,180	1,339	1,517	1,273	1,092	1,010	875	998	1,047	1,026	1,170
Typhoid and paratyphoid fever (1)	25	1		1		4		3	5	3	3	1	4
Malaria (5)	1		1										
Smallpox (6)													
Measles (7)	285	46	61	94	46	24	7	4	1			2	
Scarlet fever (8)	98	10	12	17	12	14	14	4	1	2	3	2	7
Whooping cough (9)	78	3	3	18	11	3	4	17	7	6	1		5
Diphtheria (10)	438	21	29	21	23	28	54	36	34	40	60	45	47
Influenza (11)	268	6	17	101	69	29	11	4		4	9	8	10
Dysentery (16)	6		1		1	1	1			1	1		
Erysipelas (21)	65	7	10	5	14	10	5	3	1		2	4	4
Lethargic encephalitis (23)	23	3	1	3	5	2	2	1	2	2		1	1
Meningococcus meningitis (24)	23	1	1	2	2	1	3	3	1	3	5		1
Tuberculosis of the respiratory system (31)	771	77	63	71	69	83	73	63	49	58	56	41	68
Other forms of tuberculosis (32–37)	133	7	10	9	16	14	15	4	15	12	11	8	12
Diabetes mellitus (57)	189	16	20	23	19	15	14	15	10	12	12	15	18
Cerebral hemorrhage and softening (74, 83)	730	70	63	57	77	65	55	43	35	68	65	62	70
Other [organic] diseases of the heart (90)	1,668	148	132	216	171	151	114	123	114	116	108	125	150
Bronchitis (99)	124	19	12	17	15	12	7	6	3	4	8	13	8
Broncho-pneumonia (100)	738	69	63	198	131	68	38	20	14	18	23	49	47
Pneumonia (101)	835	108	96	193	115	75	38	22	15	19	26	63	65
Diarrhea and enteritis [under 2 years] (113)	387	27	20	61	36	31	15	29	40	45	39	24	20
Diarrhea and enteritis [2 years and over] (114)	38	2		5	3	6	3	4	4	7	2	1	1
Nephritis (128, 129)	695	65	63	73	57	60	68	48	42	46	63	54	56
Puerperal septicemia (146)	124	17	7	9	11	12	14	14	10	7	8	7	8
Other puerperal causes (143–145, 147–150)	105	10	8	10	16	8	8	8	5	9	13	3	7
Suicide (165–174)	186	9	15	18	16	15	13	18	13	20	23	15	16
Automobile accidents [1] (188c)	379	19	20	27	30	22	31	27	28	44	47	47	37
Automobile and railroad-train collision (part 188a)	10		1		3	1			1		3		1
Automobile and street-car collision (part 188b)	12	1	1	1	2	3	1		2		1		
Other external causes (175–187, part 188a, b, 188d–203)	797	63	52	86	52	68	63	92	65	55	60	65	76
All other causes	5,092	471	398	503	495	448	421	404	358	397	395	371	431
DETROIT, MICH. (COLORED), all causes	1,906	148	167	240	205	188	153	130	144	130	115	146	140
Typhoid and paratyphoid fever (1)	4							2	2				
Malaria (5)	1									1			
Smallpox (6)													
Measles (7)	28	5	6	12	2	2	1						
Scarlet fever (8)	1					1							
Whooping cough (9)	10		1			2			3	2	1		1
Diphtheria (10)	12	1	3	2	1	1	2		1		1		
Influenza (11)	31		3	14	8	3					1	1	1
Dysentery (16)													
Erysipelas (21)	12	1	2	2	2	1						2	2
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	4				1		1				1		1
Tuberculosis of the respiratory system (31)	264	19	18	19	19	25	27	23	21	21	17	33	22
Other forms of tuberculosis (32–37)	46	3	1	2	5	3	7	6	3	2	3	5	6
Diabetes mellitus (57)	11	1	1	2	3	1	1				1	1	
Cerebral hemorrhage and softening (74, 83)	70	5	3	4	7	6	7	7	6	8	6	5	6
Other [organic] diseases of the heart (90)	182	13	13	19	20	18	17	17	6	18	15	12	14
Bronchitis (99)	13	2		2	1	4				2			2
Broncho-pneumonia (100)	129	11	15	32	20	14	7	4	5	3	5	7	6
Pneumonia (101)	233	24	30	39	42	37	13	6	9	5	6	9	13
Diarrhea and enteritis [under 2 years] (113)	31		2	5	4		2		8	8		1	1
Diarrhea and enteritis [2 years and over] (114)	8	1			1		1	1	1		1	2	
Nephritis (128, 129)	64	10	2	7	8	1	7	5	6	4	7	3	4
Puerperal septicemia (146)	7				1	2	1			2		1	
Other puerperal causes (143–145, 147–150)	14	1	1	1			2	1	2	2	1	1	2
Suicide (165–174)	12	1	1	2	2		2	2				2	
Automobile accidents [1] (188c)	20		1	2	2	2	2	1	3	2	2	1	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	2						1			1			
Other external causes (175–187, part 188a, b, 188d–203)	208	17	17	22	17	26	18	16	18	15	12	16	14
All other causes	489	33	47	52	39	39	34	39	50	34	35	44	43

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GRAND RAPIDS, MICH., all causes	1,773	154	135	196	205	151	120	118	124	123	152	130	165
Typhoid and paratyphoid fever (1)	2			1									1
Malaria (5)													
Smallpox (6)													
Measles (7)	8						4	4					
Scarlet fever (8)	3		1				1					1	
Whooping cough (9)	23	1	2	4	7	4	3	2					
Diphtheria (10)	5	1		1						1		1	1
Influenza (11)	36	6	1	7	12	4				1	1		4
Dysentery (16)	1									1			
Erysipelas (21)	11	2	1	1	2	2	2					1	
Lethargic encephalitis (23)	3		1		1	1							
Meningococcus meningitis (24)	3			1				1	1				
Tuberculosis of the respiratory system (31)	53	2	3	10	4	6	5	3	5	5	2	4	4
Other forms of tuberculosis (32–37)	8		1	1	2			1	1	2			
Diabetes mellitus (57)	35	4	2	3	6			2	3	2	6	2	5
Cerebral hemorrhage and softening (74, 83)	151	14	14	16	15	13	8	14	8	11	14	13	11
Other [organic] diseases of the heart (90)	291	28	18	28	31	19	24	13	20	15	27	33	35
Bronchitis (99)	13	1	2	1	2		1		1	1	2		2
Broncho-pneumonia (100)	57	5	6	14	11	7	1	2	3	1	1	2	4
Pneumonia (101)	49	5	4	7	10	4	2	3	1		3	1	9
Diarrhea and enteritis [under 2 years] (113)	44	5	3	7	1	3	1	3	2	7	7		5
Diarrhea and enteritis [2 years and over] (114)	6								1	1	3	1	
Nephritis (128, 129)	141	10	10	18	13	14	3	12	8	10	13	13	17
Puerperal septicemia (146)	5		3								2		
Other puerperal causes (143–145, 147–150)	15			4	2	1		1		1	1	3	2
Suicide (165–174)	17	2	1	1	2	2		4	4		1		
Automobile accidents [1] (188c)	32	2		2	1	2	3	3	3	6	5	3	2
Automobile and railroad-train collision (part 188a)	1									1			
Automobile and street-car collision (part 188b)	1				1								
Other external causes (175–187, part 188a, b, 188d–203)	68	5	10	4	1	1	6	8	7	5	10	5	6
All other causes	691	61	52	65	81	68	56	42	56	52	54	47	57
MINNEAPOLIS, MINN., all causes	5,002	462	379	465	522	478	412	397	362	331	384	387	423
Typhoid and paratyphoid fever (1)	6						1	1	1	1	1		1
Malaria (5)													
Smallpox (6)													
Measles (7)	42			3	18	15	4	1	1				
Scarlet fever (8)	26	4	4	4	1	3	3	1	3		1		2
Whooping cough (9)	24	3	4	3	5	2	2			1	2	1	1
Diphtheria (10)	74	5	3	3	14	9	6	6	5	1	8	7	7
Influenza (11)	59	2	2	6	18	8	3	2		4	3	6	5
Dysentery (16)	1										1		
Erysipelas (21)	13		1		3	4	1	1	1	1			1
Lethargic encephalitis (23)	10	2	1		3	1				1	1	1	
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	189	18	14	17	25	16	14	15	21	13	9	15	12
Other forms of tuberculosis (32–37)	39	5	5	3	3	7	1	3	3	1	4	2	2
Diabetes mellitus (57)	90	9	7	8	5	10	7	7	2	6	10	9	10
Cerebral hemorrhage and softening (74, 83)	328	29	28	37	24	27	27	21	23	14	29	36	33
Other [organic] diseases of the heart (90)	746	65	58	76	72	68	63	64	47	49	71	44	69
Bronchitis (99)	10	1	3	1	1		1	1				1	1
Broncho-pneumonia (100)	205	20	18	22	23	25	20	15	8	9	12	17	16
Pneumonia (101)	230	40	13	27	38	25	12	9	10	8	10	18	20
Diarrhea and enteritis [under 2 years] (113)	34	4	3	4	3	1	4			9	2	2	2
Diarrhea and enteritis [2 years and over] (114)	13				3		4		2		2	1	1
Nephritis (128, 129)	251	30	17	24	22	23	25	18	14	21	18	19	20
Puerperal septicemia (146)	32	4	3	7	1	1	4	5	2		1	1	3
Other puerperal causes (143–145, 147–150)	41	2	4	5	2	3	2	2	4	2	5	5	5
Suicide (165–174)	91	3	5	5	9	15	7	13	4	8	8	8	6
Automobile accidents [1] (188c)	69	4	6	4	4	8	6	7	6	5	3	9	7
Automobile and railroad-train collision (part 188a)	1									1			
Automobile and street-car collision (part 188b)	5		1		2							1	1
Other external causes (175–187, part 188a, b, 188d–203)	228	17	12	20	22	17	18	18	17	25	19	17	26
All other causes	2,144	195	167	186	201	190	177	186	188	151	164	167	172
ST. PAUL, MINN., all causes	3,052	269	245	303	284	252	242	243	212	234	267	244	257
Typhoid and paratyphoid fever (1)	3		1					1		1			
Malaria (5)													
Smallpox (6)													
Measles (7)	21					4	10	6				1	
Scarlet fever (8)	11			3	2	2	1	1				2	
Whooping cough (9)	8			1	1	1	1	1	2			1	
Diphtheria (10)	22	4		2	1	4	2	2	1		3	2	1
Influenza (11)	60	7	6	6	6	7	3	1	3	3	8	3	7
Dysentery (16)	1								1				
Erysipelas (21)	14	1		3	1	4	2					2	1
Lethargic encephalitis (23)	18	4	1	2	2	1	1	1	2	1		3	
Meningococcus meningitis (24)	4	1	1			1	1						
Tuberculosis of the respiratory system (31)	165	14	13	15	17	18	10	19	11	8	11	15	14
Other forms of tuberculosis (32–37)	29	1	1	7	4	1	1	1		4	5	1	3
Diabetes mellitus (57)	64	6	7	6	4	4	8	2	5	4	4	9	5
Cerebral hemorrhage and softening (74, 83)	211	21	27	22	20	15	14	9	11	20	17	17	18
Other [organic] diseases of the heart (90)	481	44	43	48	41	44	39	22	40	35	49	31	45
Bronchitis (99)	18	2		2	5	1	1	1		1	1	4	
Broncho-pneumonia (100)	105	8	8	7	11	11	8	5	11	5	9	9	13
Pneumonia (101)	123	21	6	17	22	10	4	5	3	5	8	11	11
Diarrhea and enteritis [under 2 years] (113)	14			3		1	1	1	2	4	1		1
Diarrhea and enteritis [2 years and over] (114)	7		2		2					1		2	
Nephritis (128, 129)	160	16	12	20	9	11	8	19	16	11	12	8	18
Puerperal septicemia (146)	16	1	2	1	4	1	1		2	3		1	
Other puerperal causes (143–145, 147–150)	23	3	1	3	3	2	1	1	2	3	1	1	2
Suicide (165–174)	38	3	2	4	4		1	5	6	4	2	5	2
Automobile accidents [1] (188c)	46	4	1	5	2	3	4	5	4	8	4	4	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	4	1	1		1							1	
Other external causes (175–187, part 188a, b, 188d–203)	150	7	13	15	13	13	13	17	6	12	11	13	17
All other causes	1,236	100	97	111	109	93	107	113	84	101	121	98	97

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS CITY, MO. (WHITE), all causes	4,236	383	358	447	404	379	269	297	354	287	335	354	369
Typhoid and paratyphoid fever (1)	11				1		1	1	3	3	2		
Malaria (5)	1									1			
Smallpox (6)													
Measles (7)	41	1	1	9	16	12	1	1					
Scarlet fever (8)	18	3	1	4	4	3	1			1	1		
Whooping cough (9)	20	2	1	5	7	1	2	1				1	
Diphtheria (10)	15	2	1	2	3	1					2	2	2
Influenza (11)	115	10	11	31	25	12	3	2	4	2	4	4	7
Dysentery (16)	6							1	3	1		1	
Erysipelas (21)	7		1		2	2			1				1
Lethargic encephalitis (23)	4				1	1			1			1	
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	175	18	22	17	9	14	12	12	13	7	14	14	23
Other forms of tuberculosis (32–37)	34	5	3	3	5	3	1	3	4	4	1	2	
Diabetes mellitus (57)	59	3	5	8	5	5	5	3	2	7	2	8	6
Cerebral hemorrhage and softening (74, 83)	244	29	24	21	20	21	18	13	18	13	18	21	28
Other [organic] diseases of the heart (90)	495	53	35	55	37	46	42	27	47	22	42	48	41
Bronchitis (99)	13	1	2	1	2	1	1	2	1		1		1
Broncho-pneumonia (100)	172	11	17	33	20	9	6	8	5	7	19	15	22
Pneumonia (101)	192	24	29	37	31	11	8	5	1	3	9	15	19
Diarrhea and enteritis [under 2 years] (113)	100	5	3	6	6	3	6	9	17	24	14	6	1
Diarrhea and enteritis [2 years and over] (114)	23	2		1	1	2		5	3	4	3		2
Nephritis (128, 129)	431	40	36	44	43	34	27	36	25	27	36	40	43
Puerperal septicemia (146)	21	4	2	3	1	6		1	1	2		1	
Other puerperal causes (143–145, 147–150)	31	3	2	2	4	3	3	2	5	1	2	1	3
Suicide (165–174)	70	5	7	4	5	9	4	7	2	6	7	8	6
Automobile accidents [1] (188c)	68	3	5	3	1	6	5	3	14	7	5	6	10
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1								1				
Other external causes (175–187, part 188a, b, 188d–203)	271	25	9	16	19	20	15	26	37	31	24	19	30
All other causes	1,597	134	140	142	136	154	108	129	146	114	129	141	124
KANSAS CITY, MO. (COLORED), all causes	901	67	68	97	89	73	78	71	71	75	59	69	84
Typhoid and paratyphoid fever (1)	2							1		1			
Malaria (5)													
Smallpox (6)													
Measles (7)	1					1							
Scarlet fever (8)													
Whooping cough (9)	6			3	2			1					
Diphtheria (10)													
Influenza (11)	24	1	1	7	4	1	3	1	1	1		1	3
Dysentery (16)													
Erysipelas (21)	2			2									
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	135	12	6	16	18	15	12	10	9	11	9	7	10
Other forms of tuberculosis (32–37)	10	1	1		1		1		1	2		1	2
Diabetes mellitus (57)	4	3					1						
Cerebral hemorrhage and softening (74, 83)	30	2	2	3	3	6	2	3	1	1	1	3	3
Other [organic] diseases of the heart (90)	108	7	11	10	11	15	9	6	6	8	9	10	6
Bronchitis (99)	1		1										
Broncho-pneumonia (100)	64	7	6	11	12	3	2	5	2	5	1	2	8
Pneumonia (101)	72	4	4	10	8	5		4		7	4	9	17
Diarrhea and enteritis [under 2 years] (113)	13	1		1		1	2		3	4	1		
Diarrhea and enteritis [2 years and over] (114)	6				1			3	1		1		
Nephritis (128, 129)	108	6	12	8	4	8	11	9	10	8	8	10	14
Puerperal septicemia (146)	2				1	1							
Other puerperal causes (143–145, 147–150)	4						1		3				
Suicide (165–174)													
Automobile accidents [1] (188c)	14			1	2	1	4		1		1	4	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	76	3	8	5	8	6	6	6	6	6	9	7	6
All other causes	219	20	16	20	14	10	24	22	27	21	15	15	15
ST. LOUIS, MO. (WHITE), all causes	9,569	891	753	1,016	963	828	646	775	653	651	754	782	857
Typhoid and paratyphoid fever (1)	12		1					2	1	3	1	2	2
Malaria (5)	2	1		1									
Smallpox (6)													
Measles (7)	83		3	8	16	36	19	1					
Scarlet fever (8)	62	8	7	9	13	11	3	4	2	1		2	2
Whooping cough (9)	56			6	9	11	6	6	1	5	2	4	6
Diphtheria (10)	95	12	10	16	13	11	15	1	2		7	6	2
Influenza (11)	110	10	7	33	27	9	1	1	1	2	3	4	12
Dysentery (16)	21	1	1	1		1		5	6	5	1		
Erysipelas (21)	16	3		4	3	2	1	1	1				1
Lethargic encephalitis (23)	13	1	1	2	3		2				2	1	1
Meningococcus meningitis (24)	13		4	1	2			4			1		
Tuberculosis of the respiratory system (31)	286	22	30	30	29	19	33	20	25	18	19	16	25
Other forms of tuberculosis (32–37)	46	3	1	1	9	7	7	3	2	1	3	2	7
Diabetes mellitus (57)	175	16	18	16	19	17	7	9	11	13	12	20	17
Cerebral hemorrhage and softening (74, 83)	398	43	33	47	40	28	21	20	32	30	29	36	39
Other [organic] diseases of the heart (90)	1,611	138	125	169	140	147	120	127	113	110	122	147	153
Bronchitis (99)	69	7	4	18	10	1		5	1	4	3	9	7
Broncho-pneumonia (100)	432	51	30	85	61	25	13	24	16	13	29	36	49
Pneumonia (101)	630	86	42	112	95	36	23	23	16	25	30	65	77
Diarrhea and enteritis [under 2 years] (113)	183	5	8	7	3	6	7	43	31	33	23	12	5
Diarrhea and enteritis [2 years and over] (114)	26	1	3	2	3			5	5	4	2		1
Nephritis (128, 129)	1,105	108	94	108	88	95	87	106	75	64	84	102	94
Puerperal septicemia (146)	43	2	3	6	5	4	1	3		2	7	2	8
Other puerperal causes (143–145, 147–150)	28	2	3	3	6	1	4	3	1	1	1	1	2
Suicide (165–174)	176	22	11	16	15	19	16	12	13	11	11	17	13
Automobile accidents [1] (188c)	160	16	9	11	9	12	17	20	12	15	17	8	14
Automobile and railroad-train collision (part 188a)	7	1		2			4						
Automobile and street-car collision (part 188b)	8	3				1					2		2
Other external causes (175–187, part 188a, b, 188d–203)	434	42	36	32	36	43	22	37	34	33	39	44	36
All other causes	3,269	287	269	270	309	286	217	290	252	258	304	246	281

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ST. LOUIS, MO. (COLORED), all causes	1,971	158	156	211	173	180	156	180	140	134	129	161	193
Typhoid and paratyphoid fever (1)	7				1		1		2	1	1	1	
Malaria (5)	6					1	1	2	1				1
Smallpox (6)													
Measles (7)	9					6	2		1				
Scarlet fever (8)	4		1			1	1	1					
Whooping cough (9)	18			1	2	1	1	4	1	1	2	4	1
Diphtheria (10)	12	2	2	3	1				1	1			2
Influenza (11)	24	1	2	10	3	2	2	1				3	
Dysentery (16)	4						2	2					
Erysipelas (21)	2	1		1									
Lethargic encephalitis (23)	2						1	1					
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	204	12	12	20	16	21	14	27	20	12	17	16	17
Other forms of tuberculosis (32–37)	33	4	1	2	5	5	3	3	1	2	2	2	3
Diabetes mellitus (57)	12	1	3	2		1			1		1	1	2
Cerebral hemorrhage and softening (74, 83)	48	3	4	11	5	1	6	4		5	2	4	3
Other [organic] diseases of the heart (90)	291	24	24	26	23	26	24	33	24	21	15	26	25
Bronchitis (99)	10		1	1	4		1		1				2
Broncho-pneumonia (100)	139	6	16	25	13	17	3	11	3	6	11	13	15
Pneumonia (101)	181	21	18	31	34	21	9	4	2	6	6	17	12
Diarrhea and enteritis [under 2 years] (113)	23	1	1	2		1	2	5	4	5	1	1	
Diarrhea and enteritis [2 years and over] (114)	4					1	1		2				
Nephritis (128, 129)	302	24	28	33	18	27	24	22	18	24	25	27	32
Puerperal septicemia (146)	9	1	1	1	1	1	1			2	1		
Other puerperal causes (143–145, 147–150)	10	1	1		1			2	1		2		2
Suicide (165–174)	5	1		1	1				1				1
Automobile accidents [1] (188c)	12		2	1	1	1		1	1	2	1	1	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	147	15	9	9	12	10	11	16	19	12	7	9	18
All other causes	452	40	30	31	33	35	46	41	36	34	35	35	56
OMAHA, NEBR., all causes	2,794	258	229	269	272	251	207	215	207	219	200	226	241
Typhoid and paratyphoid fever (1)	3						1		1		1		
Malaria (5)													
Smallpox (6)	7				1	1	4	1					
Measles (7)	18		1	2	7	4	3	1					
Scarlet fever (8)	10		2		2	3	2						1
Whooping cough (9)	17	1		5	3		2	2	2	2			
Diphtheria (10)	14	1		1	2			1	1	2	3	1	2
Influenza (11)	57	7	6	9	13	6	2		2	3		3	6
Dysentery (16)	1					1							
Erysipelas (21)	3			1			1						1
Lethargic encephalitis (23)	2		1				1						
Meningococcus meningitis (24)	4	2					1		1				
Tuberculosis of the respiratory system (31)	122	7	15	13	13	14	9	6	10	5	10	8	12
Other forms of tuberculosis (32–37)	30	4	1	4	1	6		4	2	3	1	2	2
Diabetes mellitus (57)	40	2	3	2	4	4	4	4	5	5	2	1	4
Cerebral hemorrhage and softening (74, 83)	152	17	15	13	11	12	11	12	12	12	16	10	11
Other [organic] diseases of the heart (90)	396	31	37	43	48	28	27	31	22	31	31	31	36
Bronchitis (99)	5	1			1					2		1	
Broncho-pneumonia (100)	115	12	10	16	17	8	6	7	2	2	11	9	15
Pneumonia (101)	142	20	10	22	13	16	10	5	6	4	8	18	10
Diarrhea and enteritis [under 2 years] (113)	34		2	2	1	3	1	4	3	12	1	3	2
Diarrhea and enteritis [2 years and over] (114)	11		1				2	3	1	1	2	1	
Nephritis (128, 129)	159	7	17	14	14	16	6	20	9	9	18	15	14
Puerperal septicemia (146)	27	1	2	6	1	2		2	5	2	1	3	2
Other puerperal causes (143–145, 147–150)	20		2	3	2		2	1	1	3	1	3	2
Suicide (165–174)	42	3	8	2	7	5		2	5	2	1	3	4
Automobile accidents [1] (188c)	33	5	4	3	4	2	1	1	2	5		2	4
Automobile and railroad-train collision (part 188a)	2					2							
Automobile and street-car collision (part 188b)	1								1				
Other external causes (175–187, part 188a, b, 188d–203)	154	14	14	10	14	16	10	11	13	14	14	11	13
All other causes	1,173	123	78	98	93	102	101	97	101	100	79	101	100
CAMDEN, N. J., all causes	1,768	175	195	226	160	147	114	102	126	114	122	136	151
Typhoid and paratyphoid fever (1)	6	1								1		3	1
Malaria (5)													
Smallpox (6)													
Measles (7)	18	2	2	8	3	2	1						
Scarlet fever (8)	11	2	2	2	1	2	1			1			
Whooping cough (9)	15	2	1	1	1		1	1	4	1	2		1
Diphtheria (10)	33	1	3	4	4	1	2	1	1	1	5	5	5
Influenza (11)	36	3	6	15	6	2	1				1	1	1
Dysentery (16)	1									1			
Erysipelas (21)	9	1	2	2	1					2			1
Lethargic encephalitis (23)	2		1				1						
Meningococcus meningitis (24)	4				1				3				
Tuberculosis of the respiratory system (31)	55	4	7	3	3	8	3	7	4	2	4	6	4
Other forms of tuberculosis (32–37)	13	2	1	1		3			2	1	1	2	
Diabetes mellitus (57)	29	2	4	1	6	1	2	4	2		2	1	4
Cerebral hemorrhage and softening (74, 83)	117	13	11	12	7	13	6	7	12	8	9	9	10
Other [organic] diseases of the heart (90)	223	19	33	23	19	21	18	9	13	7	22	19	20
Bronchitis (99)	13	1	3	2		1	1				1		4
Broncho-pneumonia (100)	104	11	19	27	8	7	4	1	3	2	8	8	6
Pneumonia (101)	137	31	24	29	14	6	3	3	2	5	4	8	8
Diarrhea and enteritis [under 2 years] (113)	60	3	2	4	1	3	4	6	14	11	2	3	7
Diarrhea and enteritis [2 years and over] (114)	11			1	1				5	1	2	1	
Nephritis (128, 129)	157	15	11	22	20	12	12	8	6	8	9	13	21
Puerperal septicemia (146)	15		2	2	2	1	1	1	2	2		1	1
Other puerperal causes (143–145, 147–150)	12	3	1	1	1		1	1	1	2			1
Suicide (165–174)	14	1	2		3		3	1		1		2	1
Automobile accidents [1] (188c)	59	3	4	4	4	8	6	5	7	3	3	6	6
Automobile and railroad-train collision (part 188a)	14			1	3					5		5	
Automobile and street-car collision (part 188b)	1								1				
Other external causes (175–187, part 188a, b, 188d–203)	107	4	7	12	13	12	7	10	9	7	11	8	7
All other causes	492	51	47	49	38	44	36	37	35	42	36	35	42

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
JERSEY CITY, N. J., all causes	3,802	368	397	498	385	304	263	245	231	242	277	277	315
Typhoid and paratyphoid fever (1)	6			1			1	1	1	2			
Malaria (5)													
Smallpox (6)													
Measles (7)	37	6	15	6	8	1		1					
Scarlet fever (8)	1				1								
Whooping cough (9)	21	2	2	1	4	1	2	1	3	3	2		
Diphtheria (10)	32	5	2	4	3	1	4	5	1		3	3	1
Influenza (11)	65	8	7	21	15	4		1	1	1	3		4
Dysentery (16)													
Erysipelas (21)	11			5	1	1	2	2					
Lethargic encephalitis (23)	6		3						1	1		1	
Meningococcus meningitis (24)	7		2	2	1	1					1		
Tuberculosis of the respiratory system (31)	229	18	23	26	18	13	21	19	15	21	14	19	22
Other forms of tuberculosis (32–37)	36	3	2	2	3	4	3	2	3	5	1	4	4
Diabetes mellitus (57)	66	7	5	5	5	5	4	3	9	3	3	8	9
Cerebral hemorrhage and softening (74, 83)	226	24	36	20	20	16	17	9	10	12	27	19	16
Other [organic] diseases of the heart (90)	720	60	63	106	78	53	47	52	41	47	45	52	76
Bronchitis (99)	36	3	7	9	4	2		2	1	2	2	1	3
Broncho-pneumonia (100)	200	28	31	33	16	19	8	8	6	8	11	10	22
Pneumonia (101)	308	39	40	74	37	24	14	9	3	10	15	19	24
Diarrhea and enteritis [under 2 years] (113)	99	7	4	8	8	8	7	11	16	9	8	6	7
Diarrhea and enteritis [2 years and over] (114)	15		2	2	2	1	1	1		3	1	1	1
Nephritis (128, 129)	307	31	44	40	36	24	16	16	17	16	20	25	22
Puerperal septicemia (146)	17	4	3	1	2	4	2		1				
Other puerperal causes (143–145, 147–150)	36	2	2	4	3	5	1	3	3	1	2	5	5
Suicide (165–174)	34	2	5	2	2	3	1	1	2	4	2	10	
Automobile accidents [1] (188c)	41	3	1		3	4	3	4	5	4	9	3	2
Automobile and railroad-train collison (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	197	9	11	23	9	14	20	24	18	23	18	15	13
All other causes	1,049	107	87	103	106	96	89	70	74	67	90	76	84
NEWARK, N. J., all causes	5,464	524	477	652	539	478	376	373	388	381	399	399	478
Typhoid and paratyphoid fever (1)	8				1	2	1		1	1	1		1
Malaria (5)													
Smallpox (6)													
Measles (7)	63	2	13	13	19	12	3		1				
Scarlet fever (8)	2				1	1							
Whooping cough (9)	12		1	2		1	1		2	4			1
Diphtheria (10)	10		1			2	1	1	1	1	1	1	1
Influenza (11)	50	5	4	16	11	4	2	1	1			2	4
Dysentery (16)	3								2	1			
Erysipelas (21)	5	2				1	1						1
Lethargic encephalitis (23)	10	1	1	1	1			1		2	3		
Meningococcus meningitis (24)	3	1					1					1	
Tuberculosis of the respiratory system (31)	270	31	22	37	18	27	21	20	25	16	20	12	21
Other forms of tuberculosis (32–37)	53	3	5	3	9	4	7	5	1	4	4	1	7
Diabetes mellitus (57)	106	14	15	11	12	7	10	5	5	7	7	3	10
Cerebral hemorrhage and softening (74, 83)	336	26	23	24	36	24	27	29	20	26	28	35	38
Other [organic] diseases of the heart (90)	817	88	78	114	79	85	60	36	44	43	59	59	72
Bronchitis (99)	39	4	6	6	4			1		3	2	5	8
Broncho-pneumonia (100)	252	29	35	57	27	16	10	8	6	7	13	21	23
Pneumonia (101)	374	54	29	87	55	30	19	15	15	7	9	24	30
Diarrhea and enteritis [under 2 years] (113)	151	9	9	4	8	9	7	22	36	24	12	5	6
Diarrhea and enteritis [2 years and over] (114)	13	2		1			1	3	1		3		2
Nephritis (128, 129)	486	50	43	46	44	40	24	32	43	36	45	42	41
Puerperal septicemia (146)	18	2	2	2	1	2	1	2			1	2	3
Other puerperal causes (143–145, 147–150)	46	5	5	6	3	3	1	1	5	4	3	4	6
Suicide (165–174)	67	8	4	5	6	3	6	9	6	3	10	3	4
Automobile accidents [1] (188c)	109	7	7	7	13	18	11	13	4	8	5	10	6
Automobile and railroad-train collision (part 188a)	1	1											
Automobile and street-car collision (part 188b)	3				1				1			1	
Other external causes (175–187, part 188a, b, 188d–203)	276	21	22	29	21	22	14	28	23	28	18	20	30
All other causes	1,881	159	152	181	169	165	147	141	145	156	155	148	163
PATERSON, N. J., all causes	1,830	186	178	241	188	154	130	121	124	119	120	125	144
Typhoid and paratyphoid fever (1)	3						1			1	1		
Malaria (5)													
Smallpox (6)													
Measles (7)	7	1	2	1		2	1						
Scarlet fever (8)	4	1		1									2
Whooping cough (9)	2			1			1						
Diphtheria (10)	9			1	2	3	1					1	1
Influenza (11)	41	2	4	21	7	2					1	2	2
Dysentery (16)													
Erysipelas (21)	7	2	1		1	2		1					
Lethargic encephalitis (23)	2	1											1
Meningococcus meningitis (24)	2		1	1									
Tuberculosis of the respiratory system (31)	103	8	7	17	14	11	7	4	9	7	8	7	4
Other forms of tuberculosis (32–37)	20	2	2	2	1	2	2	1	3	3			2
Diabetes mellitus (57)	40	5	3	7	4		3	4	2	5	4		3
Cerebral hemorrhage and softening (74, 83)	134	13	11	7	13	7	14	12	15	6	6	13	17
Other [organic] diseases of the heart (90)	314	38	30	47	23	23	18	17	20	26	27	17	28
Bronchitis (99)	9	1		1	2	3			1				1
Broncho-pneumonia (100)	67	5	6	17	9	6	3	2	3	1	5	4	6
Pneumonia (101)	89	14	12	20	13	10		2	1	3	3	4	7
Diarrhea and enteritis [under 2 years] (113)	17	1	2	2		3	1		1	4	1	1	1
Diarrhea and enteritis [2 years and over] (114)	3									2		1	
Nephritis (128, 129)	163	17	26	16	15	17	12	12	12	5	10	10	11
Puerperal septicemia (146)	8	3		1	1				1	1			1
Other puerperal causes (143–145, 147–150)	13	1	2		2	2		1		1	2	1	1
Suicide (165–174)	26	3	2	3	1	3	1	2	1	2	2	5	1
Automobile accidents [1] (188c)	34	3	1	4	6	2	4	1	4	4	2	1	2
Automobile and railroad-train collision (part 188a)	1												1
Automobile and street-car collision (part 188b)	1									1			
Other external causes (175–187, part 188a, b, 188d–203)	103	13	7	6	13	12	8	9	6	5	9	7	8
All other causes	608	52	59	65	61	44	53	53	45	42	39	51	44

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TRENTON, N. J., all causes	1,890	190	187	227	180	158	124	134	119	119	137	170	145
Typhoid and paratyphoid fever (1)	9				1		1		1	1	2	2	1
Malaria (5)													
Smallpox (6)													
Measles (7)	12		1	3	4	4							
Scarlet fever (8)	3					2	1						
Whooping cough (9)	5						1		1	1	1	1	
Diphtheria (10)	2	1											1
Influenza (11)	42	10	10	15	4		1					2	
Dysentery (16)	1				1								
Erysipelas (21)	8			1	1	2	1	2					1
Lethargic encephalitis (23)	4		1		1		1		1				
Meningococcus meningitis (24)	2	1									1		
Tuberculosis of the respiratory system (31)	110	8	9	10	3	22	7	11	10	8	8	5	9
Other forms of tuberculosis (32–37)	17	1	1	2	1	2	3			2		2	3
Diabetes mellitus (57)	29	2	7	4	3			3	2	1		5	2
Cerebral hemorrhage and softening (74, 83)	133	21	12	13	10	10	5	9	9	4	16	13	11
Other [organic] diseases of the heart (90)	289	33	18	41	36	23	19	17	19	15	18	30	20
Bronchitis (99)	7		1	2			1	1	1		1		
Broncho-pneumonia (100)	75	9	12	8	6	5	7	3	4	4	5	6	6
Pneumonia (101)	149	15	20	34	27	12	7	1	1	4	4	12	12
Diarrhea and enteritis [under 2 years] (113)	28	3	4	4		1		1	1	4	3	3	4
Diarrhea and enteritis [2 years and over] (114)	9		2	1			1	1				2	2
Nephritis (128, 129)	161	12	24	15	14	18	11	14	8	14	11	12	8
Puerperal septicemia (146)	7		1	2	1		1	1				1	
Other puerperal causes (143–145, 147–150)	9	2		2	1		2	1	1				
Suicide (165–174)	26			1	2	4	6	3		2	2	5	1
Automobile accidents [1] (188c)	33	3	3	2		4		4	3	3	4	7	
Automobile and railroad-train collision (part 188a)	1								1				
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	104	10	6	11	12	5	3	12	11	4	7	9	14
All other causes	615	59	55	56	52	44	45	50	45	52	54	53	50
ALBANY, N.Y., all causes	1,989	201	199	267	176	167	141	137	103	125	156	147	170
Typhoid and paratyphoid fever (1)													
Malaria (5)	1					1							
Smallpox (6)													
Measles (7)	9										1	4	4
Scarlet fever (8)	2					2							
Whooping cough (9)	8			1			2	1	1	1		2	
Diphtheria (10)	4	1				1		2					
Influenza (11)	47	3	3	23	10		1		1	1	2	1	2
Dysentery (16)													
Erysipelas (21)	2			1	1								
Lethargic encephalitis (23)	2												2
Meningococcus meningitis (24)	1	1											
Tuberculosis of the respiratory system (31)	129	12	13	16	13	12	12	8	10	10	7	8	8
Other forms of tuberculosis (32–37)	12	2		2		2	1			2	2		1
Diabetes mellitus (57)	55	7	6	5	3	2	7	2	5	4	3	4	7
Cerebral hemorrhage and softening (74, 83)	124	7	16	14	14	8	10	9	4	5	14	7	16
Other [organic] diseases of the heart (90)	425	30	57	62	37	34	26	29	15	30	35	31	39
Bronchitis (99)	8	2		4								2	
Broncho-pneumonia (100)	55	6	7	16	5	3	3	1		2	2	2	8
Pneumonia (101)	92	15	10	27	12	6	3	4		2	1	5	7
Diarrhea and enteritis [under 2 years] (113)	11			1	2	2			2	2	2		
Diarrhea and enteritis [2 years and over] (114)	4						1	2			1		
Nephritis (128, 129)	174	20	17	19	24	13	16	14	9	8	10	10	14
Puerperal septicemia (146)	14	2		2		2		4			1	2	1
Other puerperal causes (143–145, 147–150)	9	2	2	2							2	1	
Suicide (165–174)	8		1			4	1					2	
Automobile accidents [1] (188c)	41	4	2	1	2	3	4	1	4	5	9	5	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	80	7	3	4	6	9	9	7	6	13	4	6	6
All other causes	672	80	62	67	47	63	45	53	46	40	60	55	54
BUFFALO, N. Y., all causes	7,779	709	633	897	801	691	616	578	495	547	622	615	575
Typhoid and paratyphoid fever (1)	27	7	2	1	1	1	1	2	1	1	3	5	2
Malaria (5)													
Smallpox (6)													
Measles (7)	8				3	3	1						1
Scarlet fever (8)	9	2	1	3						2			1
Whooping cough (9)	29	1	3	6	7	5	4	1	2				
Diphtheria (10)	31	3	2	4	2	2	3	2	3	1	3	2	4
Influenza (11)	80	7	3	23	30	3	2		2		3	4	3
Dysentery (16)	10	1	2	3						2	2		
Erysipelas (21)	16	2	1	4	4		1	1	1		1		1
Lethargic encephalitis (23)	3			1			1		1				
Meningococcus meningitis (24)	9	2	2		1	1				1	1	1	
Tuberculosis of the respiratory system (31)	462	38	35	44	43	42	48	38	28	50	40	31	25
Other forms of tuberculosis (32–37)	63	6	5	7	3	10	4	9	6	2	1	3	7
Diabetes mellitus (57)	165	17	13	21	16	9	14	9	13	9	19	14	11
Cerebral hemorrhage and softening (74, 83)	490	45	36	66	45	42	36	40	37	28	36	40	39
Other [organic] diseases of the heart (90)	1,351	123	117	178	146	105	108	91	70	80	116	103	114
Bronchitis (99)	75	6	7	12	12	6	5	4	3	1	3	9	7
Broncho-pneumonia (100)	288	25	22	51	52	46	16	10	9	6	9	18	24
Pneumonia (101)	408	35	42	91	56	37	31	12	6	13	26	37	22
Diarrhea and enteritis [under 2 years] (113)	212	12	8	23	16	27	19	10	24	29	20	16	8
Diarrhea and enteritis [2 years and over] (114)	30	3	4	1	3	2	1	2	4	3	3	2	2
Nephritis (128, 129)	736	77	68	77	87	60	57	48	45	54	57	54	52
Puerperal septicemia (146)	29	3	4	3	5	1	2	2	3	3	1	2	
Other puerperal causes (143–145, 147–150)	51	5	4	7	4	2	1	4	1	8	6	3	6
Suicide (165–174)	81	11	3	7	10	8	6	7	6	6	6	6	5
Automobile accidents [1] (188c)	135	12	7	6	12	9	17	12	10	7	19	16	8
Automobile and railroad-train collision (part 188a)	5						3				1		1
Automobile and street-car collision (part 188b)	6					2		2		1		1	
Other external causes (175–187, part 188a, b, 188d–203)	346	18	21	31	22	34	28	47	33	39	30	22	21
All other causes	2,624	248	221	227	221	234	207	225	187	201	216	226	211

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (WHITE), all causes	71,319	6,725	6,502	9,301	7,058	5,983	5,105	4,773	4,530	4,566	5,244	5,289	6,243
Typhoid and paratyphoid fever (1)	106	6	5	7	8	3	4	7	20	14	13	8	11
Malaria (5)	2			1						1			
Smallpox (6)	1			1									
Measles (7)	753	71	132	191	216	94	31	8	4	1		3	2
Scarlet fever (8)	81	7	8	14	11	10	7	6	1		3	7	7
Whooping cough (9)	207	9	17	42	24	20	13	11	23	9	12	12	15
Diphtheria (10)	460	40	27	50	39	52	43	33	25	22	24	47	58
Influenza (11)	916	61	75	369	176	48	28	10	8	16	30	28	67
Dysentery (16)	13	1	1	2					2	3	3		1
Erysipelas (21)	177	19	15	21	20	34	22	11	4	4	8	6	13
Lethargic encephalitis (23)	178	13	18	21	25	18	12	17	19	2	12	10	11
Meningococcus meningitis (24)	107	9	7	11	14	15	3	8	12	6	8	3	11
Tuberculosis of the respiratory system (31)	4,236	397	389	443	427	395	359	317	270	284	293	316	346
Other forms of tuberculosis (32–37)	569	42	46	61	67	47	57	55	49	44	31	37	33
Diabetes mellitus (57)	1,590	140	147	185	125	126	125	107	97	116	132	142	148
Cerebral hemorrhage and softening (74, 83)	3,139	299	266	352	256	246	214	238	204	216	266	269	313
Other [organic] diseases of the heart (90)	14,120	1,386	1,417	1,948	1,328	1,137	965	865	779	878	995	1,078	1,344
Bronchitis (99)	320	33	44	59	44	20	17	12	13	15	24	19	20
Broncho-pneumonia (100)	3,884	356	433	848	601	307	193	135	134	155	205	216	301
Pneumonia (101)	4,569	545	520	1,070	561	379	208	149	116	133	214	302	372
Diarrhea and enteritis [under 2 years] (113)	1,023	62	55	72	77	62	63	76	196	168	82	61	49
Diarrhea and enteritis [2 years and over] (114)	117	7	9	5	3	4	9	14	24	13	7	4	18
Nephritis (128, 129)	6,016	625	608	748	536	493	439	389	354	367	451	468	538
Puerperal septicemia (146)	216	18	23	28	17	25	12	25	20	8	14	13	13
Other puerperal causes (143–145, 147–150)	357	25	18	41	33	29	37	38	28	35	20	31	22
Suicide (165–174)	866	84	56	79	74	63	74	74	67	74	84	66	71
Automobile accidents[1] (188c)	1,047	79	48	64	94	93	91	72	80	116	123	98	89
Automobile and railroad-train collision (part 188a)	8										3	5	
Automobile and street-car collision (part 188b)	14	2	1	1	1	3	1		1	1	1	1	1
Other external causes (175–187, part 188a, b, 188d–203)	3,736	384	306	356	314	274	280	308	285	242	281	319	387
All other causes	22,491	2,005	1,811	2,211	1,967	1,986	1,798	1,788	1,695	1,623	1,905	1,720	1,982
NEW YORK, N. Y. (COLORED), all causes	4,746	420	432	579	459	369	364	343	315	356	326	347	436
Typhoid and paratyphoid fever (1)	8				1					4		2	1
Malaria (5)													
Smallpox (6)													
Measles (7)	54	9	8	16	13	5	3						
Scarlet fever (8)	2		1		1								
Whooping cough (9)	28	1	4	3	2	3	5	3	3	3			1
Diphtheria (10)	22	1	3	1	1	1	3	3	1	1	3	2	2
Influenza (11)	45	7	6	9	10	2	1		1	1	3	1	4
Dysentery (16)	1							1					
Erysipelas (21)	10	1		2	2	2				1			2
Lethargic encephalitis (23)	10	1	1	1	1	2	1			1	1		1
Meningococcus meningitis (24)	6	1			1		1			1	1		1
Tuberculosis of the respiratory system (31)	652	43	43	65	61	49	63	63	47	50	52	64	52
Other forms of tuberculosis (32–37)	107	12	11	4	3	10	18	4	8	9	8	12	8
Diabetes mellitus (57)	53	4	4	3	4	4	1	3	5	8	5	7	5
Cerebral hemorrhage and softening (74, 83)	119	11	9	11	13	7	8	7	6	15	11	10	11
Other [organic] diseases of the heart (90)	661	64	59	71	62	44	45	57	37	56	50	60	56
Bronchitis (99)	9		1		1	1	2				3	1	
Broncho-pneumonia (100)	375	23	42	91	44	35	25	16	13	12	20	21	33
Pneumonia (101)	491	58	72	108	57	31	21	21	16	17	17	25	48
Diarrhea and enteritis [under 2 years] (113)	74	3	4	6	7	5	6	7	13	10	7	2	4
Diarrhea and enteritis [2 years and over] (114)	5	1		1				1			2		
Nephritis (128, 129)	325	41	23	29	30	37	22	22	23	21	18	24	35
Puerperal septicemia (146)	33	5	7	1		3		4	1	2	2	1	7
Other puerperal causes (143–145, 147–150)	44	4	3	4	6	4	2	4	3	1	4	4	5
Suicide (165–174)	23	2	2		3	3	3		4	1	2	2	1
Automobile accidents[1] (188c)	35	3		1	2	2	5	4	5	2	5	5	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	261	19	16	23	23	16	27	20	24	24	23	19	27
All other causes	1,293	106	113	129	111	103	102	103	105	116	89	85	131
NEW YORK, N. Y. (BRONX BOROUGH), all causes	9,244	832	815	1,139	883	726	730	705	595	637	700	673	809
Typhoid and paratyphoid fever (1)	16			3	3				2	2	4	1	1
Malaria (5)													
Smallpox (6)	1			1									
Measles (7)	105	8	16	33	42	5	1						
Scarlet fever (8)	15	3	1		3	2		1	1			1	3
Whooping cough (9)	14	1		3	2	2		1	2	1		1	1
Diphtheria (10)	48	2	2	4	5	4	2	4	2	1	2	7	13
Influenza (11)	133	11	8	56	20	7	5	1	2	4	4	5	10
Dysentery (16)	1										1		
Erysipelas (21)	21	2	4	2		3	2	1	2		2	1	2
Lethargic encephalitis (23)	18	2		2	1	4	2	2	2		3		
Meningococcus meningitis (24)	15			2	2		1	1	3	2	2	1	1
Tuberculosis of the respiratory system (31)	592	55	58	59	60	42	54	55	34	47	39	42	47
Other forms of tuberculosis (32–37)	84	8	7	16	12	5	6	9	5	3	5	3	5
Diabetes mellitus (57)	199	19	16	19	9	15	21	23	10	13	13	22	19
Cerebral hemorrhage and softening (74, 83)	346	31	17	30	27	27	31	28	26	29	33	31	36
Other [organic] diseases of the heart (90)	2,046	197	202	246	181	173	151	128	135	141	148	161	183
Bronchitis (99)	37	3	6	5	3	4	3	2	1	3	3	1	3
Broncho-pneumonia (100)	481	47	57	98	56	33	31	23	16	20	26	30	44
Pneumonia (101)	577	78	72	138	55	41	28	17	11	20	31	38	48
Diarrhea and enteritis [under 2 years] (113)	112	12	5	6	14	5	6	11	14	16	10	9	4
Diarrhea and enteritis [2 years and over] (114)	19	1	1		1		2	4	4	2	1	1	2
Nephritis (128,129)	633	68	54	81	49	47	56	41	40	34	38	58	67
Puerperal septicemia (146)	35	3	4	3	3	5		5	8		2	1	1
Other puerperal causes (143–145, 147–150)	46	2	1	9	5	2	4	8	2	4	2	5	2
Suicide (165–174)	123	11	9	13	10	12	7	10	12	15	11	8	5
Automobile accidents[1] (188c)	119	13	7	4	13	8	8	7	10	16	16	7	10
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	342	26	19	31	22	28	40	42	33	26	22	26	27
All other causes	3,066	229	249	275	285	252	269	281	218	238	282	213	275

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	25,891	2,363	2,298	3,398	2,552	2,224	1,820	1,689	1,651	1,682	1,945	1,952	2,317
Typhoid and paratyphoid fever (1)	38	2	1	3	1	1	1	3	10	5	5	1	5
Malaria (5)	1									1			
Smallpox (6)													
Measles (7)	251	14	33	60	86	39	15	1	2			1	
Scarlet fever (8)	28	2	1	7	3	3	3	3			1	3	2
Whooping cough (9)	93	3	8	22	9	9	7	4	9	3	6	7	6
Diphtheria (10)	241	20	12	31	19	28	16	15	14	15	14	26	31
Influenza (11)	408	26	35	167	69	24	12	7	4	6	15	15	28
Dysentery (16)	2								1		1		
Erysipelas (21)	64	7	1	6	8	14	11	5			2	3	7
Lethargic encephalitis (23)	58	5	6	12	8	6		6	3	1	4	3	4
Meningococcus meningitis (24)	34	1	5	2	6	5		2	5	3	2		3
Tuberculosis of the respiratory system (31)	1,326	121	125	128	137	128	116	95	73	90	96	107	110
Other forms of tuberculosis (32–37)	193	12	9	18	18	19	24	17	15	21	11	15	14
Diabetes mellitus (57)	631	69	59	72	49	53	40	27	43	50	57	53	59
Cerebral hemorrhage and softening (74, 83)	1,166	113	105	125	81	95	73	95	76	79	102	102	120
Other [organic] diseases of the heart (90)	5,474	524	531	785	527	435	377	323	287	362	374	400	549
Bronchitis (99)	118	15	14	19	25	5	8	3	4	2	10	7	6
Broncho-pneumonia (100)	1,591	131	167	358	241	122	81	49	61	62	90	99	130
Pneumonia (101)	1,563	183	148	364	196	135	73	58	35	48	80	103	140
Diarrhea and enteritis [under 2 years] (113)	428	26	18	31	30	19	24	32	33	30	35	28	22
Diarrhea and enteritis [2 years and over] (114)	39	2	5	2	1		4	5	8	3		1	8
Nephritis (128, 129)	2,309	239	238	270	207	196	158	157	137	133	188	168	218
Puerperal septicemia (146)	85	8	8	11	6	7	5	11	7	1	6	6	9
Other puerperal causes (143–145, 147–150)	129	9	9	13	10	15	10	10	13	10	8	12	10
Suicide (165–174)	214	20	15	19	12	19	19	18	17	18	21	17	19
Automobile accidents [1] (188c)	333	19	16	12	29	36	33	26	29	37	34	32	30
Automobile and railroad-train collision (part 188a)	4										1	3	
Automobile and street-car collision (part 188b)	10	2		1	1	1	1		1	1	1	1	
Other external causes (175–187, part 188a, b, 188d–203)	1,173	100	99	116	77	101	83	94	89	83	91	116	124
All other causes	7,887	690	630	744	696	709	626	623	625	568	690	623	663
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	1,039	85	103	132	113	87	60	79	79	70	75	71	85
Typhoid and paratyphoid fever (1)	4				1					2			1
Malaria (5)													
Smallpox (6)													
Measles (7)	8		3		3	2							
Scarlet fever (8)	2		1		1								
Whooping cough (9)	7		1	2		2			1	1			
Diphtheria [1] (10)	9	1	1	1	1	1	1	2				1	
Influenza (11)	18	1	3	3	7					1		1	2
Dysentery (16)													
Erysipelas (21)	1			1									
Lethargic encephalitis (23)	2	1				1							
Meningococcus meningitis (24)	2												
Tuberculosis of the respiratory system (31)	118	12	5	14	14	8	6	11	8	9	10	12	9
Other forms of tuberculosis (32–37)	12	1	1			2	3	1	1	3			
Diabetes mellitus (57)	14		1		3	1		1	2	3		2	1
Cerebral hemorrhage and softening (74, 83)	21	3	2	1	2		1	3	1	4	2	1	1
Other [organic] diseases of the heart (90)	159	9	13	21	13	10	15	15	11	9	14	17	12
Bronchitis (99)	2										1	1	
Broncho-pneumonia (100)	88	8	10	21	9	8	5	4	7		5	1	10
Pneumonia (101)	109	14	17	20	15	8	7	5	3	3	5	2	10
Diarrhea and enteritis [under 2 years] (113)	27	1	1	2	2	4	1	4	6	4		1	1
Diarrhea and enteritis [2 years and over] (114)	2			1				1					
Nephritis (128, 129)	69	7	8	7	4	10	4	3	5	4	3	8	6
Puerperal septicemia (146)	6	1	1							1	1		2
Other puerperal causes (143–145, 147–150)	14		1	1	3	1	1	1	2		1	1	2
Suicide (165–174)	7	1	1		1				2	1	1		
Automobile accidents [1] (188c)	5							2	1		1	1	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	55	3	5	5	4	8	6	4	6	1	6	6	1
All other causes	278	22	28	32	30	21	10	22	23	24	24	16	26
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes	26,751	2,631	2,544	3,594	2,664	2,267	1,908	1,678	1,687	1,665	1,880	1,946	2,287
Typhoid and paratyphoid fever (1)	39	3	3	1	4	2	2	3	5	5	3	3	5
Malaria (5)													
Smallpox (6)													
Measles (7)	323	44	74	77	68	42	8	4	2	1		1	2
Scarlet fever (8)	23	2	4	2	3	4	2	2			1	2	1
Whooping cough (9)	66	5	3	9	8	5	4	5	12	3	5	4	3
Diphtheria (10)	120	13	11	11	11	16	18	11	5	3	6	9	6
Influenza (11)	247	19	10	103	61	10	9		2	3	9	6	15
Dysentery (16)	9		1	2					1	3	1		1
Erysipelas (21)	71	6	7	10	10	14	9	2	1	4	2	2	4
Lethargic encephalitis (23)	73	5	10	4	11	6	6	4	10	1	3	6	7
Meningococcus meningitis (24)	45	6	2	4	4	8	2	5	3	1	2	1	7
Tuberculosis of the respiratory system (31)	1,806	173	161	204	184	180	141	129	131	108	117	126	152
Other forms of tuberculosis (32–37)	237	16	24	25	36	20	22	21	20	15	11	16	11
Diabetes mellitus (57)	556	37	50	78	50	44	46	37	31	44	40	52	47
Cerebral hemorrhage and softening (74, 83)	1,076	105	104	129	98	78	65	71	70	70	82	95	109
Other [organic] diseases of the heart (90)	4,760	473	499	682	434	376	318	302	255	282	330	369	440
Bronchitis (99)	125	9	17	28	13	11	4	7	6	7	9	6	8
Broncho-pneumonia (100)	1,360	133	157	297	229	118	63	45	45	55	69	63	86
Pneumonia (101)	1,860	215	229	444	229	155	88	55	58	47	78	131	131
Diarrhea and enteritis [under 2 years] (113)	376	17	26	30	26	31	24	19	81	56	27	19	20
Diarrhea and enteritis [2 years and over] (114)	44	4		3		3	3	3	11	4	5	2	6
Nephritis (128, 129)	2,092	226	226	271	182	164	156	121	121	133	157	166	169
Puerperal septicemia (146)	65	5	7	9	7	11	4	4	4	4	5	3	2
Other puerperal causes (143–145, 147–150)	114	7	4	8	13	9	14	15	11	14	6	10	3
Suicide (165–174)	425	46	27	35	40	26	41	32	29	33	43	34	39
Automobile accidents [1] (188c)	466	40	23	39	39	40	38	31	31	51	58	44	32
Automobile and railroad-train collision (part 188a)	2										2		
Automobile and street-car collision (part 188b)	2		1										1
Other external causes (175–187, part 188a, b, 188d–203)	1,810	214	161	179	173	128	131	125	119	107	131	140	202
All other causes	8,559	808	703	910	731	766	690	625	623	611	678	636	778

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	3,317	300	300	399	303	243	277	235	212	258	230	247	313
Typhoid and paratyphoid fever (1)	4									2		2	
Malaria (5)													
Smallpox (6)													
Measles (7)	39	9	5	11	9	2	3						
Scarlet fever (8)													
Whooping cough (9)	19		3	1	2	1	5	2	2	2			1
Diphtheria (10)	13		2				2	1	1	1	3	1	2
Influenza (11)	21	4	2	5	3	1	1		1		3		1
Dysentery (16)	1							1					
Erysipelas (21)	8	1		1	2	1				1			2
Lethargic encephalitis (23)	7		1	1	1	1	1				1		1
Meningococcus meningitis (24)	4	1			1		1			1			
Tuberculosis of the respiratory system (31)	487	28	33	44	43	36	55	47	36	39	40	47	39
Other forms of tuberculosis (32–37)	86	9	10	4	3	7	11	3	7	5	8	11	8
Diabetes mellitus (57)	33	4	3	3		3	1	2	2	4	3	4	4
Cerebral hemorrhage and softening (74, 83)	89	6	6	10	9	7	6	4	4	11	9	9	8
Other [organic] diseases of the heart (90)	435	53	41	45	39	29	25	33	24	42	34	33	37
Bronchitis (99)	7		1		1	1	2				2		
Broncho-pneumonia (100)	256	14	29	61	30	24	17	11	5	12	13	18	22
Pneumonia (101)	349	37	51	82	39	21	14	16	11	13	9	20	36
Diarrhea and enteritis [under 2 years] (113)	41	2	3	4	5	1	4	3	5	5	6		3
Diarrhea and enteritis [2 years and over] (114)	3	1									2		
Nephritis (128, 129)	226	30	13	20	24	21	14	18	18	16	13	15	24
Puerperal septicemia (146)	25	3	6	1		3		4		1	1	1	5
Other puerperal causes (143–145, 147–150)	29	4	2	3	3	3	1	2	1	1	3	3	3
Suicide (165–174)	12	1	1		2	1	3		1		1	1	1
Automobile accidents [1] (188c)	28	3		1	1	2	5	2	3	2	4	4	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	183	14	10	15	19	3	16	15	16	21	16	13	25
All other causes	912	76	78	87	67	75	90	71	75	79	59	65	90
NEW YORK, N. Y. (QUEENS BOROUGH), all causes	7,833	742	690	968	811	634	542	580	496	475	587	605	703
Typhoid and paratyphoid fever (1)	8	1					1	1	2	1		2	
Malaria (5)													
Smallpox (6)													
Measles (7)	62	5	5	20	17	7	5	2				1	
Scarlet fever (8)	14		2	5	2	1	1				1	1	1
Whooping cough (9)	34	1	5	7	5	4	2	2		2	1		5
Diphtheria (10)	43	4	1	3	4	3	7	2	4	3	1	4	7
Influenza (11)	112	7	19	36	25	4	2	1		3	2	2	11
Dysentery (16)													
Erysipelas (21)	18	4	3	2	1	4		2	1		1		
Lethargic encephalitis (23)	26	1	2	3	4	1	4	4	4	1	1	1	
Meningococcus meningitis (24)	13	2		3	2	2			1		2	1	
Tuberculosis of the respiratory system (31)	429	42	36	45	42	42	37	31	26	31	33	35	29
Other forms of tuberculosis (32–37)	46	5	5	1	1	4	6	6	9	3	2	2	2
Diabetes mellitus (57)	171	14	18	15	14	12	17	19	8	9	17	13	15
Cerebral hemorrhage and softening (74, 83)	452	42	34	56	45	40	33	34	26	26	41	33	42
Other [organic] diseases of the heart (90)	1,499	156	143	188	146	124	95	96	87	74	113	125	152
Bronchitis (99)	32	3	7	7	3		2		2	3	2	1	2
Broncho-pneumonia (100)	416	41	47	95	70	28	18	17	13	16	17	22	32
Pneumonia (101)	467	59	62	100	63	41	12	12	9	16	21	29	43
Diarrhea and enteritis [under 2 years] (113)	89	6	4	4	7	5	9	12	15	14	5	6	2
Diarrhea and enteritis [2 years and over] (114)	12		1		1	1		2	1	3	1		2
Nephritis (128, 129)	777	65	69	94	75	67	60	55	43	51	57	69	72
Puerperal septicemia (146)	29	3	4	5	1	2	3	3	1	3	1	2	1
Other puerperal causes (143–145, 147–150)	61	6	4	10	5	3	6	5	2	7	2	4	7
Suicide (165–174)	98	6	5	10	11	7	7	13	9	7	7	8	8
Automobile accidents [1] (188c)	102	3	2	6	10	7	9	7	9	9	14	10	16
Automobile and railroad-train collision (part 188a)	2											2	
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175–187, part 188a, b, 188d–203)	308	34	20	28	33	13	21	32	33	18	27	25	24
All other causes	2,512	232	192	225	224	211	185	222	191	175	218	207	230
NEW YORK, N. Y. (RICHMOND BOROUGH), all causes	1,990	192	184	250	191	171	132	150	125	135	153	142	165
Typhoid and paratyphoid fever (1)	5		1						1	1	1	1	
Malaria (5)	1			1									
Smallpox (6)													
Measles (7)	19		4	6	4	2	2	1					
Scarlet fever (8)	1						1						
Whooping cough (9)	2		1	1									
Diphtheria (10)	8	1	1	1		1		1			1	1	1
Influenza (11)	22		4	8	1	4		1					4
Dysentery (16)	1	1											
Erysipelas (21)	4			1	1			1			1		
Lethargic encephalitis (23)	4				1	1		1			1		
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	130	9	14	14	8	8	13	12	9	10	10	11	12
Other forms of tuberculosis (32–37)	18	3	1	1			3	2		3	2	2	1
Diabetes mellitus (57)	39	1	4	1	4	2	1	1	6	1	7	3	8
Cerebral hemorrhage and softening (74, 83)	108	10	7	12	7	6	13	10	7	12	8	8	8
Other [organic] diseases of the heart (90)	408	38	47	52	50	34	29	25	17	24	32	33	27
Bronchitis (99)	8	3										4	1
Broncho-pneumonia (100)	67	5	8	9	10	9	3	2		2	5	4	10
Pneumonia (101)	135	17	13	30	21	9	7	7	5	3	7	4	12
Diarrhea and enteritis [under 2 years] (113)	24	1	2	1		2	1	2	5	3	6		1
Diarrhea and enteritis [2 years and over] (114)	3		2							1			
Nephritis (128, 129)	235	31	23	34	25	25	13	16	13	17	13	8	17
Puerperal septicemia (146)	4							2	1			1	
Other puerperal causes (143–145, 147–150)	8	1		1			3	1			2		
Suicide (165–174)	10	1		2	1	1		1	1	1	2		
Automobile accidents [1] (188c)	29	4		3	4	2	3	1	2	3	1	5	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175–187, part 188a, b, 188d–203)	126	12	8	5	9	9	10	16	13	10	11	12	11
All other causes	570	54	44	67	45	55	30	47	45	44	43	45	51

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ROCHESTER, N. Y., all causes	4,103	384	330	586	401	393	325	284	268	262	284	270	316
Typhoid and paratyphoid fever (1)	13	1					1	1	1	1		1	7
Malaria (5)													
Smallpox (6)													
Measles (7)	17	2		3	5	3	3	1					
Scarlet fever (8)	3	1		1	1								
Whooping cough (9)	24	1	2	3	3	7		1	2	2	2	1	
Diphtheria (10)	32	5	3	4	6	5	3	1			2	3	
Influenza (11)	71	2	2	45	5	3	4	1	1	3	1	1	3
Dysentery (16)	2	1					1						
Erysipelas (21)	12	1	1	2		1	2	2		1		1	1
Lethargic encephalitis (23)	2							1		1			
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	144	16	8	24	10	12	15	6	6	8	14	10	15
Other forms of tuberculosis (32–37)	44	2	2	4	7	3	5	4	6	2	3	3	3
Diabetes mellitus (57)	80	14	5	9	9	7	5	8	8	4	4	3	4
Cerebral hemorrhage and softening (74, 83)	338	36	24	45	30	27	28	25	29	15	23	25	31
Other [organic] diseases of the heart (90)	718	61	68	121	78	63	49	51	31	49	49	48	50
Bronchitis (99)	29	1		4	3	3	2	1		3	2	2	3
Broncho-pneumonia (100)	155	18	20	41	12	16	8	3	8	5	6	9	9
Pneumonia (101)	209	16	24	64	24	15	18	7	1	8	5	9	18
Diarrhea and enteritis [under 2 years] (113)	57	3	2	2	4	4	2	3	8	11	13	3	2
Diarrhea and enteritis [2 years and over] (114)	13		2	2	1		1	1	2	1	1	1	1
Nephritis (128, 129)	369	32	27	39	38	35	34	25	35	24	28	19	33
Puerperal septicemia (146)	17	1	1	2	4	2	1	1			3	2	
Other puerperal causes (143–145, 147–150)	22	3	1	1	3	1	2		3		2	2	4
Suicide (165–174)	45	6	3	2	3	6	2	7	4	2	5	1	4
Automobile accidents [1] (188c)	65	2	1	6	6	7	4	8	7	6	6	7	5
Automobile and railroad-train collision (part 188a)	6	1			1		1			1		1	1
Automobile and street-car collision (part 188b)	3			1				1		1			
Other external causes (175–187, part 188a, b, 188d–203)	160	29	9	9	13	15	9	12	11	12	10	15	16
All other causes	1,452	129	125	151	130	158	125	113	105	102	105	103	106
SYRACUSE, N. Y., all causes	2,513	199	204	356	193	215	195	186	178	173	219	184	211
Typhoid and paratyphoid fever (1)	3									1	1		1
Malaria (5)													
Smallpox (6)													
Measles (7)	4			2		1	1						
Scarlet fever (8)													
Whooping cough (9)	28	1	1	10	5	2	4	2	2		1		
Diphtheria (10)	3	1		1						1			
Influenza (11)	23			13	4	3			2	1			
Dysentery (16)													
Erysipelas (21)	4			2		1						1	
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	70	8	2	11	5	6	9	8	1	6	6	7	1
Other forms of tuberculosis (32–37)	21	1	3	2	3	2		2		2	1	3	2
Diabetes mellitus (57)	48	2	4	5	4	3	5	6	5	2	2	6	4
Cerebral hemorrhage and softening (74, 83)	189	10	17	20	16	13	16	14	17	16	11	18	21
Other [organic] diseases of the heart (90)	555	55	53	70	48	46	42	37	35	42	46	32	49
Bronchitis (99)	21	2		9		2	2	1	1		1	3	
Broncho-pneumonia (100)	82	10	10	23	3	4	9	4	1	4	5	3	6
Pneumonia (101)	140	17	15	34	11	10	4	9	3	5	9	12	11
Diarrhea and enteritis [under 2 years] (113)	24			3		2	2	3	3	3	3	2	3
Diarrhea and enteritis [2 years and over] (114)	8			1		1			3	2	1		
Nephritis (128, 129)	166	13	15	17	12	21	12	6	12	16	17	8	17
Puerperal septicemia (146)	13	1	1	3	1	1	1	2	1		1		1
Other puerperal causes (143–145, 147–150)	11	2	1	1	1	1	2				1	1	1
Suicide (165–174)	24		1	3	4	1	4	2		3	1	3	2
Automobile accidents [1] (188c)	44	1	2	3	4	7	1	3	2	4	7	5	5
Automobile and railroad-train collision (part 188a)	1										1		
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	115	8	7	12	8	9	6	12	11	8	13	11	10
All other causes	915	66	72	111	64	79	75	75	79	57	91	69	77
YONKERS, N. Y., all causes	1,215	131	107	154	102	99	97	79	81	70	89	102	104
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Smallpox (6)													
Measles (7)	15	8	4	2		1							
Scarlet fever (8)	8		3	1		2		1		1			
Whooping cough (9)	1				1								
Diphtheria (10)	16	1	1	6			1	1				1	5
Influenza (11)	17	2	2	7	2	1	3						
Dysentery (16)													
Erysipelas (21)	4	1	1		1	1							
Lethargic encephalitis (23)	1						1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	82	10	9	8	5	7	8	9	7	3	7	7	2
Other forms of tuberculosis (32–37)	9	1	2	3		1		2					
Diabetes mellitus (57)	30	3	1	4	3		4		2	3	3	4	3
Cerebral hemorrhage and softening (74, 83)	88	7	7	10	11	3	9	6	6	5	9	5	10
Other [organic] diseases of the heart (90)	187	18	17	14	14	21	17	12	12	15	15	11	21
Bronchitis (99)	4			1							1	1	1
Broncho-pneumonia (100)	51	7	4	5	7	10			1	2	1	8	6
Pneumonia (101)	100	17	6	25	14	5	3	3	3	2	4	11	7
Diarrhea and enteritis [under 2 years] (113)	26	2	1	2	2	1	2	1	7	3	3		2
Diarrhea and enteritis [2 years and over] (114)	2	1						1					
Nephritis (128, 129)	99	8	7	11	4	7	9	11	10	9	12	7	4
Puerperal septicemia (146)	6	2				1	1	1	1				
Other puerperal causes (143–145, 147–150)	7	1			1		2	1	1				1
Suicide (165–174)	11					2	4	1		3		1	
Automobile accidents [1] (188c)	19	1	1	2	1	1	3	2	2		4	1	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	53	6	3	6	2	7	1	5	2	6	3	7	5
All other causes	379	35	38	48	33	28	29	22	27	18	27	38	36

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
AKRON, OHIO, all causes	2,060	207	163	197	226	184	172	164	139	148	155	155	150
Typhoid and paratyphoid fever (1)	4						1	1	1	1			
Malaria (5)	1		1										
Smallpox (6)	1	1											
Measles (7)	31	26	3	1		1							
Scarlet fever (8)	11	4	1	2	1	1	1	1					
Whooping cough (9)	30				4	1	5	9	6	2	1	2	
Diphtheria (10)	9		2			2	1				1	2	1
Influenza (11)	60	1	5	14	22	7	4	1			3	2	1
Dysentery (16)	2									2			
Erysipelas (21)	9		1	1	2	3				1			1
Lethargic encephalitis (23)	2			1					1				
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	91	7	11	11	8	6	13	12	4	3	6	4	6
Other forms of tuberculosis (32–37)	23	1	3	5	2	3			3		3	2	1
Diabetes mellitus (57)	32	1	4	2	3	3	1	4	2	3	2	1	6
Cerebral hemorrhage and softening (74, 83)	122	13	5	16	12	7	12	6	10	10	8	11	12
Other [organic] diseases of the heart (90)	298	27	29	24	26	31	24	28	16	23	28	19	23
Bronchitis (99)	6			1	2	2					1		
Broncho-pneumonia (100)	99	10	11	11	26	14	6	2		4	5	3	7
Pneumonia (101)	89	10	7	14	19	4	3	5	5	4	3	5	10
Diarrhea and enteritis [under 2 years] (113)	45	2		3	1	2	4	1	6	8	15	2	1
Diarrhea and enteritis [2 years and over] (114)	11	1	1	1			1	2	1	2	2		
Nephritis (128, 129)	103	14	10	6	6	13	9	10	6	7	9	9	4
Puerperal septicemia (146)	15		1	4	1		2	1		3	2	1	
Other puerperal causes (143–145, 147–150)	12		1		1	2	2	3	1			2	
Suicide (165–174)	34	1		5	5	3	1	2	5	1	5	5	1
Automobile accidents [1] (188c)	62	3		2	3	5	4	8	11	5	9	9	3
Automobile and railroad-train collision (part 188a)	3							3					
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	118	10	5	7	9	8	12	12	10	13	6	12	14
All other causes	737	76	62	66	73	66	66	52	51	56	46	64	59
CINCINNATI, OHIO (WHITE), all causes	6,079	538	479	598	665	515	435	475	511	417	458	489	499
Typhoid and paratyphoid fever (1)	7					1		1		3	1		1
Malaria (5)	1										1		
Smallpox (6)													
Measles (7)	41				13	18	7	1	2				
Scarlet fever (8)	8			1	1	2		1	1			1	1
Whooping cough (9)	34	3	1	8	6	5	2	1	3	2		3	
Diphtheria (10)	19	3	1	2		4	2			1	1	3	2
Influenza (11)	157	16	7	37	55	11	3	2	3		7	4	12
Dysentery (16)	9						1	1	1	3	2	1	
Erysipelas (21)	27	2	2	5	7	4	1	3		1		1	1
Lethargic encephalitis (23)	4				1	1		2					
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	277	17	33	22	25	35	22	26	21	13	23	17	23
Other forms of tuberculosis (32–37)	59	4	8	7	3	2	6	5	10	1	5	5	3
Diabetes mellitus (57)	131	10	14	16	14	11	9	16	7	11	7	11	5
Cerebral hemorrhage and softening (74, 83)	489	45	36	49	47	40	34	40	46	33	37	40	42
Other [organic] diseases of the heart (90)	966	87	68	103	119	77	61	61	69	74	75	90	82
Bronchitis (99)	28	5	2	1	3	3			2		3	7	2
Broncho-pneumonia (100)	150	20	12	21	21	13	8	7	5	7	10	12	14
Pneumonia (101)	270	36	26	42	51	20	14	8	6	6	10	19	32
Diarrhea and enteritis [under 2 years] (113)	157	6	5	4	4	7	4	20	40	32	26	4	5
Diarrhea and enteritis [2 years and over] (114)	23	1	1			1	3	1	4	5	6		1
Nephritis (128, 129)	634	55	64	49	52	60	47	53	62	36	47	61	48
Puerperal septicemia (146)	38	6	1	6	4	4	4	1	3	2	1	2	4
Other puerperal causes (143–145, 147–150)	37	3	2	1	5	3	1	4	5	5	2	6	
Suicide (165–174)	76	7	5	4	8	2	8	6	8	10	4	6	8
Automobile accidents [1] (188c)	100	9	12	5	5	4	10	5	12	8	14	8	8
Automobile and railroad-train collision (part 188a)	5			1					2		2		
Automobile and street-car collision (part 188b)	4							1		1	2		
Other external causes (175–187, part 188a, b, 188d–203)	309	38	21	32	31	19	25	22	31	15	24	30	21
All other causes	2,018	165	158	182	190	168	163	186	168	148	148	158	184
CINCINNATI, OHIO (COLORED), all causes	1,025	83	89	109	82	91	91	89	81	62	72	85	91
Typhoid and paratyphoid fever (1)	4		1					2			1		
Malaria (5)													
Smallpox (6)													
Measles (7)	3					1	1	1					
Scarlet fever (8)													
Whooping cough (9)	11	1	3	1	2		1		1	1		1	
Diphtheria (10)													
Influenza (11)	37	2	5	7	8	4	2	1			1	3	4
Dysentery (16)													
Erysipelas (21)	2				1		1						
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1							1					
Tuberculosis of the respiratory system (31)	157	7	16	14	12	16	17	12	18	15	5	14	11
Other forms of tuberculosis (32–37)	26	3	2	1	3	2	3	3	3	1	3	1	1
Diabetes mellitus (57)	4		1		1	1		1					
Cerebral hemorrhage and softening (74, 83)	46	1	4	5	2		6	4	4	8	3	5	4
Other [organic] diseases of the heart (90)	120	12	11	12	6	13	13	5	7	4	10	16	11
Bronchitis (99)	2				1			1					
Broncho-pneumonia (100)	45	5	2	7	8	8	3	4	2			1	5
Pneumonia (101)	83	10	4	10	11	10	6	2	7	2	4	4	13
Diarrhea and enteritis [under 2 years] (113)	17	1		1	1			2	4	4	3		1
Diarrhea and enteritis [2 years and over] (114)	3						1			1			1
Nephritis (128, 129)	98	12	9	9	3	9	7	8	11	3	12	7	8
Puerperal septicemia (146)	10	1	2	2			2	2			1		
Other puerperal causes (143–145, 147–150)	5	2								1		1	1
Suicide (165–174)	3	1								1		1	
Automobile accidents [1] (188c)	9	1				1	1		1		3	2	
Automobile and railroad-train collision (part 188a)	3	1		2									
Automobile and street-car collision (part 188b)	1		1										
Other external causes (175–187, part 188a, b, 188d–203)	77	6	7	9	4	6	9	12	4	6	6	4	4
All other causes	258	17	21	29	19	20	18	28	19	15	20	25	27

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CLEVELAND, OHIO (WHITE), all causes	9,296	825	801	1,095	965	780	702	648	635	642	756	707	740
Typhoid and paratyphoid fever (1)	12			2				1		2	4	2	1
Malaria (5)													
Smallpox (6)													
Measles (7)	91	23	37	23	6	1		1					
Scarlet fever (8)	34	1	4	7	7	5	3	1	1		3		2
Whooping cough (9)	73	11	5	15	14	7	5	4	4	1	4	3	
Diphtheria (10)	178	12	14	8	8	7	9	9	12	9	32	33	25
Influenza (11)	185	10	8	64	65	11	3	3	2	5	5	2	7
Dysentery (16)	2						1		1				
Erysipelas (21)	34	1	3	5	3	9	5	1		1		2	4
Lethargic encephalitis (23)	14	1	4		3		1	1	1			1	2
Meningococcus meningitis (24)	3				1					1		1	
Tuberculosis of the respiratory system (31)	530	46	56	53	60	50	34	37	38	46	35	40	35
Other forms of tuberculosis (32–37)	91	8	6	7	9	13	4	12	6	7	6	8	5
Diabetes mellitus (57)	156	16	13	11	12	13	18	9	10	9	17	10	18
Cerebral hemorrhage and softening (74, 83)	547	48	49	68	42	50	48	38	26	37	39	54	48
Other [organic] diseases of the heart (90)	1,229	110	112	145	135	127	88	67	74	61	103	102	105
Bronchitis (99)	53	10	7	10	5	2	2		4	1	2	4	6
Broncho-pneumonia (100)	456	53	50	109	70	33	10	17	9	18	21	23	43
Pneumonia (101)	491	61	47	98	60	36	26	27	15	14	29	26	52
Diarrhea and enteritis [under 2 years] (113)	143	13	4	15	11	12	8	11	19	12	21	9	8
Diarrhea and enteritis [2 years and over] (114)	27	2	1	2	2	3	2	4	5	3		1	2
Nephritis (128, 129)	602	52	53	60	64	51	49	42	44	52	46	44	45
Puerperal septicemia (146)	48	3	6	2	2	4	7	5	4	3	6	3	3
Other puerperal causes (143–145, 147–150)	61	5	6	5	7	7	3	4	7	4	6	3	4
Suicide (165–174)	141	11	10	12	11	9	12	13	17	11	10	16	9
Automobile accidents [1] (188c)	244	12	7	20	17	18	11	27	22	30	30	30	20
Automobile and railroad-train collision (part 188a)	10	1			1		4	1				3	
Automobile and street-car collision (part 188b)	10			1				1	2			4	2
Other external causes (175–187, part 188a, b, 188d–203)	466	47	37	35	38	31	52	38	39	40	40	31	38
All other causes	3,365	268	262	318	312	281	297	274	273	275	297	252	256
CLEVELAND, OHIO (COLORED), all causes	1,344	109	100	188	160	113	100	95	116	73	104	84	102
Typhoid and paratyphoid fever (1)	4								3		1		
Malaria (5)													
Smallpox (6)													
Measles (7)	18	5	3	10									
Scarlet fever (8)	1											1	
Whooping cough (9)	32		5	8	7	4	2	1	2	2	1		
Diphtheria (10)	13				4		2	1	1	1	1	2	1
Influenza (11)	41	2	1	13	16		1			1	1	2	4
Dysentery (16)													
Erysipelas (21)	3			1	1							1	
Lethargic encephalitis (23)	1				1								
Meningococcus meningitis (24)	2								1				1
Tuberculosis of the respiratory system (31)	187	15	11	27	20	14	14	10	18	20	12	11	15
Other forms of tuberculosis (32–37)	46	3		1	5	5	3	3	11	1	3	4	7
Diabetes mellitus (57)	6	1		1	1		1	1					1
Cerebral hemorrhage and softening (74, 83)	54	6	3	11	6	4	2	8		3	8	2	1
Other [organic] diseases of the heart (90)	120	9	10	10	16	15	9	7	15	8	7	8	6
Bronchitis (99)	5	2					1		1				1
Broncho-pneumonia (100)	87	8	10	18	8	7	5	7	6	3	6	1	8
Pneumonia (101)	127	15	13	28	18	12	5	5	3	3	5	5	15
Diarrhea and enteritis [under 2 years] (113)	24	1		3	1	1	1	5	3	2	2	3	2
Diarrhea and enteritis [2 years and over] (114)	6			1	1	1			2		1		
Nephritis (128, 129)	74	5	4	6	11	11	9	7	2	1	7	6	5
Puerperal septicemia (146)	8	1		1		2		1			2	1	
Other puerperal causes (143–145, 147–150)	9	1	3	1					1	2	1		
Suicide (165–174)	4			1			1		1	1			
Automobile accidents [1] (188c)	21	2	1	2	1		1		1	5	7	1	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1												1
Other external causes (175–187, part 188a, b, 188d–203)	90	4	9	8	10	4	10	9	14	4	6	10	2
All other causes	360	29	27	37	33	33	33	30	31	16	33	26	32
COLUMBUS, OHIO, all causes	3,968	345	300	373	363	316	283	340	297	296	332	341	382
Typhoid and paratyphoid fever (1)	5		1	1					1		2		
Malaria (5)													
Smallpox (6)													
Measles (7)	49	1	4	17	14	9	1	2					1
Scarlet fever (8)	5		1		2					1			1
Whooping cough (9)	10	2			2				1	2	2	1	
Diphtheria (10)	31	2		1	2	5	2	2				11	6
Influenza (11)	54	8	5	6	8	13	2		2	2	1	2	5
Dysentery (16)	7		1							4	2		
Erysipelas (21)	9			1	3	1			2	1			1
Lethargic encephalitis (23)	18	1	2	2	3	1	4	3		1			1
Meningococcus meningitis (24)	2						1						1
Tuberculosis of the respiratory system (31)	214	12	14	20	21	15	16	24	20	21	15	16	20
Other forms of tuberculosis (32–37)	43	3	3	4	2	5	7	7	1		4	3	4
Diabetes mellitus (57)	60	5	9	8	9		8	3	3		4	7	4
Cerebral hemorrhage and softening (74, 83)	248	26	19	24	19	21	17	23	15	17	25	15	27
Other [organic] diseases of the heart (90)	571	66	41	51	51	36	33	46	39	34	47	59	68
Bronchitis (99)	7			1		2	1					2	1
Broncho-pneumonia (100)	147	15	11	21	22	12	8	7	3	4	10	18	16
Pneumonia (101)	107	15	9	10	18	10	4	6	2	3	8	11	11
Diarrhea and enteritis [under 2 years] (113)	94	1	2	1	2	1	3	5	18	22	26	10	3
Diarrhea and enteritis [2 years and over] (114)	10				1	1	1			2	2		3
Nephritis (128, 129)	256	25	25	22	25	14	23	24	16	19	17	26	20
Puerperal septicemia (146)	18	3	1	2	2		1	2	1	1	4		1
Other puerperal causes (143–145, 147–150)	42	2	5	4		4	6	1	5	4	1	7	3
Suicide (165–174)	49	4	4	6	6	5	6	2	2	3	2	7	2
Automobile accidents [1] (188c)	70	6	3	1	3	3	9	4	9	6	11	6	9
Automobile and railroad-train collision (part 188a)	3				1							2	
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	192	16	14	15	14	16	14	19	14	14	15	10	31
All other causes	1,647	132	126	155	135	140	116	160	143	135	134	128	143

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DAYTON, OHIO, all causes	2,162	177	138	210	179	246	182	167	152	180	159	177	195
Typhoid and paratyphoid fever (1)	4								2	1			1
Malaria (5)													
Smallpox (6)													
Measles (7)	23				8	9	5					1	
Scarlet fever (8)	2					1						1	
Whooping cough (9)	14		1	2	2	1		1	1	1	2	1	2
Diphtheria (10)	14	4	2					2			3	2	1
Influenza (11)	43	4	3	6	8	5	1	2	2	2	2	4	4
Dysentery (16)	1									1			
Erysipelas (21)	3					1			1		1		
Lethargic encephalitis (23)	3		1										2
Meningococcus meningitis (24)	4	1							2				1
Tuberculosis of the respiratory system (31)	105	6	7	9	7	17	15	11	9	8	5	3	8
Other forms of tuberculosis (32–37)	38	3	2	5	4	3	5	8	2	1	2	2	1
Diabetes mellitus (57)	45	6	2	2	3	6	7	5	3	2	5	3	1
Cerebral hemorrhage and softening (74, 83)	153	13	7	14	13	18	11	18	8	16	10	10	15
Other [organic] diseases of the heart (90)	351	29	17	33	26	24	28	28	24	37	32	33	40
Bronchitis (99)	6		1		1		1	1			1	1	
Broncho-pneumonia (100)	92	11	4	15	10	16	8	6	1	1	3	5	12
Pneumonia (101)	86	19	9	8	11	11	7	2	3	4	4	1	7
Diarrhea and enteritis [under 2 years] (113)	50	3	1	1		5	2	3	6	17	9	1	2
Diarrhea and enteritis [2 years and over] (114)	6			2		1	1			1			1
Nephritis (128, 129)	136	11	6	10	20	20	8	10	14	5	7	15	10
Puerperal septicemia (146)	13	1	1	2	1	3	1	1	1		1		1
Other puerperal causes (143–145, 147–150)	9	2		2		1	1		2				1
Suicide (165–174)	18	2		5		1			1	2		3	4
Automobile accidents [1] (188c)	52	5	2	3	3	7	5	4	3	6	5	6	3
Automobile and railroad-train collision (part 188a)	3			1		1							1
Automobile and street-car collision (part 188b)	13						1			1		9	2
Other external causes (175–187, part 188a, b, 188d–203)	132	10	12	15	5	15	13	13	12	7	6	8	16
All other causes	743	47	60	75	57	80	62	52	55	67	61	68	59
TOLEDO, OHIO, all causes	3,733	328	287	351	398	334	280	276	269	300	284	297	329
Typhoid and paratyphoid fever (1)	14			1		1			3	2	5		2
Malaria (5)													
Smallpox (6)													
Measles (7)	21		2	3	4	5	5	1		1			
Scarlet fever (8)	9				2	3	2		1		1		
Whooping cough (9)	16		1	1	3	2	4		2	2			1
Diphtheria (10)	25	6	1	2	2	1			2	1	5	2	3
Influenza (11)	77	8	4	19	12	10	6	1	1	4	2	1	9
Dysentery (16)													
Erysipelas (21)	10	1	1		3	1		2				1	1
Lethargic encephalitis (23)	7		1		1			2		1		2	
Meningococcus meningitis (24)	3						1	2					
Tuberculosis of the respiratory system (31)	263	21	22	14	34	32	22	22	21	21	15	22	17
Other forms of tuberculosis (32–37)	37		1	3	5	4	2	2	2	2	4	6	6
Diabetes mellitus (57)	56	4	4	2	11		7	4	5	4	3	6	6
Cerebral hemorrhage and softening (74, 83)	283	26	22	36	24	18	25	19	12	22	21	16	42
Other [organic] diseases of the heart (90)	494	44	43	40	59	39	36	47	39	32	35	33	47
Bronchitis (99)	20	3	1	1	4	2	2		1		2	2	2
Broncho-pneumonia (100)	137	25	6	14	18	17	12	4	2	7	6	8	18
Pneumonia (101)	141	18	14	22	15	18	9	4	6	4	5	12	14
Diarrhea and enteritis [under 2 years] (113)	88	6	3	5	4	4	5	2	8	24	19	4	4
Diarrhea and enteritis [2 years and over] (114)	11	1	1		1		1		1	2	1	2	1
Nephritis (128, 129)	228	21	21	17	24	19	20	15	15	13	23	24	16
Puerperal septicemia (146)	12	3	2	1	1	1			1			2	1
Other puerperal causes (143–145, 147–150)	32	2	1	3		2	6	3	5	2	4	3	1
Suicide (165–174)	39	3	1	3	4	3	2	1	3	8	3	7	1
Automobile accidents [1] (188c)	74	3	2	4	1	9	8	7	8	11	5	12	4
Automobile and railroad-train collision (part 188a)	9				2	2		2	1		1		1
Automobile and street-car collision (part 188b)	1										1		
Other external causes (175–187, part 188a, b, 188d–203)	219	13	16	22	14	23	17	27	16	17	16	18	20
All other causes	1,407	120	117	138	150	118	88	109	114	120	107	114	112
YOUNGSTOWN, OHIO, all causes	1,770	132	132	162	201	165	122	155	152	121	132	128	168
Typhoid and paratyphoid fever (1)	1	1											
Malaria (5)													
Smallpox (6)													
Measles (7)	14	1		2	2	2	2	2	2			1	
Scarlet fever (8)	8			2	2	1		1		1			1
Whooping cough (9)	28	1	1	1	4	2		3	10	4			2
Diphtheria (10)	2												2
Influenza (11)	36	3	1	6	13	3	1	2					2
Dysentery (16)													
Erysipelas (21)	7	1	1		3	1						1	
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)	3				1				1		1		
Tuberculosis of the respiratory system (31)	71	7	2	5	6	11	5	12	4	2	5	7	5
Other forms of tuberculosis (32–37)	11	1	2	2		1			1	1	3		
Diabetes mellitus (57)	27	1	3	2	1	1	1	2	3	5	2	2	4
Cerebral hemorrhage and softening (74, 83)	125	10	15	9	17	10	7	11	9	6	9	14	8
Other [organic] diseases of the heart (90)	197	15	15	19	18	15	17	15	16	14	19	14	20
Bronchitis (99)	10			2	4	2				1			1
Broncho-pneumonia (100)	122	8	11	15	25	15	6	5	2	4	7	7	17
Pneumonia (101)	132	10	12	18	23	14	11	6	6	4	4	8	16
Diarrhea and enteritis [under 2 years] (113)	47	1	4	1	2	3	1	1	13	5	14	1	1
Diarrhea and enteritis [2 years and over] (114)	8			1	1	1			1	3	1		
Nephritis (128, 129)	67	9	4	7	5	7	3	6	6	5	1	5	9
Puerperal septicemia (146)	15	1	1	3	1		1	3		1		1	3
Other puerperal causes (143–145, 147–150)	21		1	2	2	2	3	3	1	1	2	1	3
Suicide (165–174)	17	2	1	2	1	2	3		1		1	1	3
Automobile accidents [1] (188c)	42	2	1	2	2	5	1	3	7	4	7	6	2
Automobile and railroad-train collision (part 188a)	1	1											
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	147	10	10	5	13	15	10	19	15	15	11	11	13
All other causes	610	47	47	55	50	52	50	61	54	45	45	48	56

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PORTLAND, OREG., all causes	3,377	313	298	278	296	246	276	261	269	226	281	295	338
Typhoid and paratyphoid fever (1)	8					1	1				4	1	1
Malaria (5)													
Smallpox (6)	1					1							
Measles (7)	5				4			1					
Scarlet fever (8)	5						1	1		1		1	1
Whooping cough (9)	4						2					1	1
Diphtheria (10)	25	5	2	1	2			1	3	1	5	1	4
Influenza (11)	44	4	11	7	5	2	2	1	3		1	4	4
Dysentery (16)	2					1						1	
Erysipelas (21)	7				1		1	3	2				
Lethargic encephalitis (23)	6					4			1				1
Meningococcus meningitis (24)	12	4	1	2	2		1	1			1		
Tuberculosis of the respiratory system (31)	109	4	12	12	14	10	8	9	4	9	7	6	14
Other forms of tuberculosis (32–37)	49	1	4	6	9	6	4	3	8		3	2	3
Diabetes mellitus (57)	71	5	6	5	4	2	3	7	8	7	8	9	7
Cerebral hemorrhage and softening (74, 83)	259	22	32	24	20	17	21	20	20	24	13	20	26
Other [organic] diseases of the heart (90)	492	39	38	43	45	34	39	43	39	26	44	46	56
Bronchitis (99)	8	1	1	2	2								2
Broncho-pneumonia (100)	96	14	11	7	3	9	11	3	5	5	4	10	14
Pneumonia (101)	129	24	15	11	11	5	3	6	9	7	13	11	14
Diarrhea and enteritis [under 2 years] (113)	12	1		2			1		1	2	2	1	2
Diarrhea and enteritis [2 years and over] (114)	12		2	1	3		1	1	1		1		2
Nephritis (128, 129)	258	25	22	21	18	19	26	25	18	18	18	24	24
Puerperal septicemia (146)	15	2	2	2	1	2		2	1	1	2		
Other puerperal causes (143–145, 147–150)	17	2	3	1	3	3		2			1	1	1
Suicide (165–174)	75	9	8	11	7	6	5	6	2	2	6	3	10
Automobile accidents [1] (188c)	52	3	2	3	3	1	6	6	6	4	6	10	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	3		2										1
Other external causes (175–187, part 188a, b, 188d–203)	159	9	10	12	16	20	6	10	18	13	17	18	10
All other causes	1,442	139	114	105	123	103	134	110	120	106	125	125	138
PHILADELPHIA, PA. (WHITE), all causes	23,644	2,408	2,459	2,990	2,140	1,886	1,565	1,623	1,434	1,514	1,788	1,810	2,027
Typhoid and paratyphoid fever (1)	33	5	2	1	2	2	1	4	5	1	4	2	4
Malaria (5)													
Smallpox (6)													
Measles (7)	147	13	20	33	30	31	11	3	3	1		1	1
Scarlet fever (8)	41	7	4	7	5	2	3	2	2	2	2	3	2
Whooping cough (9)	66	7	6	10	6	8	3	7	4	4	6	3	2
Diphtheria (10)	240	28	21	23	21	23	33	21	15	8	21	18	8
Influenza (11)	442	43	82	169	46	21	14	3	6	6	8	15	29
Dysentery (16)	6							1	1	2	1	1	
Erysipelas (21)	46	6	7	12	4	3	3	3	2	1		1	4
Lethargic encephalitis (23)	26		5	4	6	2	2	3			1	3	
Meningococcus meningitis (24)	15	1	3	1	1	1	1	1	2	1	2	1	
Tuberculosis of the respiratory system (31)	1,212	109	112	147	114	114	99	90	78	91	90	80	88
Other forms of tuberculosis (32–37)	152	7	13	13	20	14	18	13	10	16	10	9	9
Diabetes mellitus (57)	439	46	44	48	45	26	34	39	24	22	34	30	47
Cerebral hemorrhage and softening (74, 83)	1,290	127	116	138	112	102	105	83	80	82	107	123	115
Other [organic] diseases of the heart (90)	4,621	504	527	607	425	373	282	288	244	261	348	346	416
Bronchitis (99)	170	24	24	26	16	10	11	9	5	7	11	14	13
Broncho-pneumonia (100)	1,182	131	179	245	121	80	46	35	38	45	66	101	95
Pneumonia (101)	1,337	189	213	306	127	85	43	35	29	33	62	94	121
Diarrhea and enteritis [under 2 years] (113)	377	33	12	20	22	20	11	25	75	69	43	29	18
Diarrhea and enteritis [2 years and over] (114)	71	5	2	2	1	6	3	14	12	9	12	3	2
Nephritis (128, 129)	2,640	283	270	325	218	214	191	158	163	180	206	193	249
Puerperal septicemia (146)	104	15	13	12	6	10	11	13	4	1	10	5	4
Other puerperal causes (143–145, 147–150)	128	13	15	13	11	7	7	13	7	8	8	18	8
Suicide (165–174)	281	25	16	20	17	29	29	20	20	27	23	27	28
Automobile accidents [1] (188c)	296	20	16	16	23	21	22	27	14	32	28	29	48
Automobile and railroad-train collision (part 188a)	2									1		1	
Automobile and street-car collision (part 188b)	7						2		1	1	1		2
Other external causes (175–187, part 188a, b, 188d–203)	988	97	89	86	92	69	64	96	72	55	90	85	93
All other causes	7,285	670	648	706	649	613	516	617	528	548	594	575	621
PHILADELPHIA, PA. (COLORED), all causes	4,023	348	368	513	347	319	307	286	310	252	325	298	350
Typhoid and paratyphoid fever (1)	6	1								3		2	
Malaria (5)													
Smallpox (6)													
Measles (7)	18	1	2	6	5	1	1	1	1				
Scarlet fever (8)	1	1											
Whooping cough (9)	36	3	2	3	2	5	1	3	1	9	2	3	2
Diphtheria (10)	36	2	1	3	5	4	5	4	6	1	1	2	2
Influenza (11)	89	7	14	24	12	5	3	1	3	2	4	5	9
Dysentery (16)	2									2			
Erysipelas (21)	6	1	1	1			2		1				
Lethargic encephalitis (23)	2				1						1		
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	480	47	38	43	42	38	42	38	39	32	47	38	36
Other forms of tuberculosis (32–37)	80	8	6	4	7	5	3	8	5	9	10	7	8
Diabetes mellitus (57)	35	1	2	2	3	4	1	3	2	4	3	6	4
Cerebral hemorrhage and softening (74, 83)	140	11	10	18	10	11	12	10	8	12	19	12	7
Other [organic] diseases of the heart (90)	504	42	37	60	47	53	37	38	40	29	40	30	51
Bronchitis (99)	32	3	3	5	3	3	2	2	1	2	1	5	2
Broncho-pneumonia (100)	347	26	59	82	36	25	19	11	21	10	20	17	21
Pneumonia (101)	403	43	66	83	45	29	21	13	12	7	17	32	35
Diarrhea and enteritis [under 2 years] (113)	79	3	2		7	6	4	8	15	14	13	2	5
Diarrhea and enteritis [2 years and over] (114)	12	1		2	1	1	2		3		1		1
Nephritis (128, 129)	307	28	30	31	24	24	28	28	18	22	23	20	31
Puerperal septicemia (146)	24	5	2		1	5	3	4	2	1		1	
Other puerperal causes (143–145, 147–150)	36	3	5	2	1	3	3	2	5	2	2	2	6
Suicide (165–174)	12	1	1			3	1	3	1	1		1	
Automobile accidents [1] (188c)	33		1	6	2	1	7		5	6	1	3	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	239	22	12	16	12	17	19	32	20	19	20	22	28
All other causes	1,063	88	74	122	81	76	91	77	101	65	100	88	100

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PITTSBURGH, PA. (WHITE), all causes	8,023	775	677	969	887	675	587	540	543	545	574	567	684
Typhoid and paratyphoid fever (1)	18	2	1	1						4	2	6	2
Malaria (5)													
Smallpox (6)													
Measles (7)	27	2	1	4	4	8	3	2				3	
Scarlet fever (8)	16	2	3	2	1	1	2	1	1			1	2
Whooping cough (9)	101	3	4	16	12	12	15	18	10	5	2	3	1
Diphtheria (10)	59	7	6	9	9	9	1	1		3	7	3	4
Influenza (11)	216	15	14	43	78	22	10	1	4	2	9	7	11
Dysentery (16)	6							1	2	2			1
Erysipelas (21)	14	2		1	3	1		2	1	2	1		1
Lethargic encephalitis (23)	16	2	3	1		1	3		2	2	1		1
Meningococcus meningitis (24)	11		1	1	2		3	2					2
Tuberculosis of the respiratory system (31)	333	36	33	40	40	34	22	23	22	25	24	20	14
Other forms of tuberculosis (32–37)	83	5	6	6	9	7	5	12	5	11	6	8	3
Diabetes mellitus (57)	112	6	11	10	18	7	4	7	12	2	7	14	14
Cerebral hemorrhage and softening (74, 83)	476	39	39	56	56	32	43	27	35	34	37	32	46
Other [organic] diseases of the heart (90)	959	101	93	114	95	71	63	71	48	70	74	67	92
Bronchitis (99)	60	6	2	16	7	4	6	2	3	2	1	3	8
Broncho-pneumonia (100)	321	21	30	75	54	24	22	8	10	11	15	16	35
Pneumonia (101)	668	79	61	126	88	64	35	27	21	23	30	52	62
Diarrhea and enteritis [under 2 years] (113)	204	14	12	18	19	6	3	14	22	38	36	16	6
Diarrhea and enteritis [2 years and over] (114)	28	2	2	4	1	1		5	3	3	4	2	1
Nephritis (128, 129)	607	67	43	74	66	51	61	35	38	40	37	49	46
Puerperal septicemia (146)	51	7	6	3	2	5	2	4	6	4	1	4	7
Other puerperal causes (143–145, 147–150)	66	7	10	5	6	8		2	13	3	4	4	4
Suicide (165–174)	86	4	9	9	3	4	8	7	8	14	4	5	11
Automobile accidents [1] (188c)	155	7	2	16	12	14	9	19	15	14	20	11	16
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collis on (part 188c)	4	1	1		1							1	
Other external causes (175–187, part 188a, b, 188d–203)	470	47	40	42	34	41	41	29	53	33	21	36	53
All other causes	2,856	291	244	277	267	248	226	220	209	198	231	204	241
PITTSBURGH, PA. (COLORED), all causes	978	81	65	125	113	85	73	70	59	67	84	73	83
Typhoid and paratyphoid fever (1)	3									1	2		
Malaria (5)													
Smallpox (6)													
Measles (7)	2						1	1					
Scarlet fever (8)	3		1	2									
Whooping cough (9)	21	1		3	5	5	3	1		1		1	1
Diphtheria (10)	5	1				1	1					1	1
Influenza (11)	27	2	1	5	9	5			1			2	2
Dysentery (16)													
Erysipelas (21)	2	1		1									
Lethargic encephalitis (23)	2												2
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	75	7	8	8	7	8	9	4	2	5	8	3	6
Other forms of tuberculosis (32–37)	29	1	2	3	2	2	2	1	3	1	2	4	6
Diabetes mellitus (57)	7					1	2	1	1			2	
Cerebral hemorrhage and softening (74, 83)	37	3	2	4	6	2	1	3	2	6	3	2	3
Other [organic] diseases of the heart (90)	87	11	2	10	6	5	4	12	2	5	8	15	7
Bronchitis (99)	2				1							1	
Broncho-pneumonia (100)	74	3	4	13	12	12	4	3	3	2	7	5	6
Pneumonia (101)	157	16	17	25	32	7	13	7	5	8	9	7	11
Diarrhea and enteritis [under 2 years] (113)	35		1	6	4	3		2	2	4	5	4	4
Diarrhea and enteritis [2 years and over] (114)	3							2	1				
Nephritis (128, 129)	66	6	2	5	6	7	11	3	5	7	7	3	4
Puerperal septicemia (146)	7		2	1	1		1	1					1
Other puerperal causes (143–145, 147–150)	7	1				1	1	1	1		2		
Suicide (165–174)	5	2			1			2					
Automobile accidents [1] (188c)	8	2			1			1	1	1	2		
Automobile and railroad-train collision (part 188a)	1						1						
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	61	5	4	6	4	4	2	8	2	5	6	5	10
All other causes	252	19	19	33	16	22	17	17	28	21	23	18	19
READING, PA., all causes	1,440	149	119	215	132	122	105	106	102	103	82	103	102
Typhoid and paratyphoid fever (1)	3		1							1			1
Malaria (5)													
Smallpox (6)													
Measles (7)	3			2			1						
Scarlet fever (8)	1	1											
Whooping cough (9)	7								2	2	1	2	
Diphtheria (10)	3	1	1								1		
Influenza (11)	49	7	3	25	7	2	1	1			1	1	1
Dysentery (16)	1							1					
Erysipelas (21)	2			1				1					
Lethargic encephalitis (23)	1						1						
Meningococcus meningitis (24)	1		1										
Tuberculosis of the respiratory system (31)	60	3	5	6	7	6	4	7	6	3	4	2	7
Other forms of tuberculosis (32–37)	14	1	4	2	1	3			1			1	1
Diabetes mellitus (57)	39	6	1	4	5	2	3	2	2	3	5	6	
Cerebral hemorrhage and softening (74, 83)	89	7	11	8	5	9	6	6	7	13	7	5	5
Other [organic] diseases of the heart (90)	263	19	25	36	27	29	22	14	9	10	23	22	27
Bronchitis (99)	5		1		1		2				1		
Broncho-pneumonia (100)	56	6	3	21	8	3	1	3		3	1	4	3
Pneumonia (101)	66	14	4	18	8	3	1	2	2		1	8	5
Diarrhea and enteritis [under 2 years] (113)	33	4	2	3	2	4		3	3	7	2	1	2
Diarrhea and enteritis [2 years and over] (114)	3			1		1	1						
Nephritis (128, 129)	148	12	12	22	8	19	15	10	15	9	6	11	9
Puerperal septicemia (146)	3					1					2		
Other puerperal causes (143–145, 147–150)	12	3	1	1			1		2	2		2	
Suicide (165–174)	20		2	2	2	2		1	6	1		4	
Automobile accidents [1] (188c)	19		1	1		2	1	3	5		4		2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	82	8	7	6	5	7	8	8	8	7	5	5	8
All other causes	457	57	34	56	46	29	37	44	34	42	18	29	31

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SCRANTON, PA., all causes	1,885	153	138	234	185	184	177	160	124	112	134	150	134
Typhoid and paratyphoid fever (1)	6				1		1		1		1	1	1
Malaria (5)	1						1						
Smallpox (6)													
Measles (7)	22		2	6	4	7	3						
Scarlet fever (8)	2					1		1					
Whooping cough (9)	6			1	2		1			1		1	
Diphtheria (10)	10	1	2				2	1			1	1	2
Influenza (11)	51	2	5	16	10	4		6	1		1	4	2
Dysentery (16)													
Erysipelas (21)	3		1		1								1
Lethargic encephalitis (23)	4				1	1					1		1
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	111	7	4	12	8	15	16	9	11	5	6	9	9
Other forms of tuberculosis (32–37)	17		3		2	2	2	2		2	1		3
Diabetes mellitus (57)	36	4	2	3	3	2	6	2	4	1	3	2	4
Cerebral hemorrhage and softening (74, 83)	116	8	11	8	13	4	13	11	9	7	9	12	11
Other [organic] diseases of the heart (90)	290	30	28	48	29	24	29	20	12	13	18	22	17
Bronchitis (99)	13	3		2	1	1	1			1	1	3	
Broncho-pneumonia (100)	85	5	4	12	12	12	14	5	3	2	3	4	9
Pneumonia (101)	116	13	12	22	11	18	6	6	3	5	4	11	5
Diarrhea and enteritis [under 2 years] (113)	45		2	6	3	3	3	7	5	7	6	2	1
Diarrhea and enteritis [2 years and over] (114)	9			3				3	1	1		1	
Nephritis (128, 129)	126	13	11	13	10	13	9	14	14	4	7	12	6
Puerperal septicemia (146)	4					1			1				2
Other puerperal causes (143–145, 147–150)	22	2	1	2	3	3	2	3	2		3	1	
Suicide (165–174)	12	1			3		1	1	1		1	4	
Automobile accidents [1] (188c)	32	1	1	1	4	4	2	5	3	3	5	2	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	121	8	5	11	5	10	12	17	12	14	9	9	9
All other causes	625	55	44	68	59	59	53	47	41	46	54	49	50
PROVIDENCE, R. I., all causes	3,544	359	310	470	359	307	269	233	235	225	259	254	264
Typhoid and paratyphoid fever (1)	2					1		1					
Malaria (5)													
Smallpox (6)													
Measles (7)	69	19	11	19	6	4	6	3	1				
Scarlet fever (8)	1						1						
Whooping cough (9)	50		5	4	5	7	3	5	8	6	3	1	3
Diphtheria (10)	22	2	1	3	2	2	1	2	1		2	2	4
Influenza (11)	63	4		33	14	3	2				3	3	1
Dysentery (16)	1												1
Erysipelas (21)	9		2		1	1		2	1			1	1
Lethargic encephalitis (23)	8	1				2		1		2	2		
Meningococcus meningitis (24)	3								2			1	
Tuberculosis of the respiratory system (31)	113	11	11	12	17	13	8	3	6	9	11	7	5
Other forms of tuberculosis (32–37)	32	2		2	3	6	2	3	7	2	2	3	
Diabetes mellitus (57)	67	3	10	11	6	3	6	6	6	1	7	4	4
Cerebral hemorrhage and softening (74, 83)	302	30	28	37	32	26	26	19	18	15	27	23	21
Other [organic] diseases of the heart (90)	502	59	43	77	47	36	42	29	27	18	41	41	42
Bronchitis (99)	14		4	2		2		1	2	1			2
Broncho-pneumonia (100)	131	13	11	17	19	16	11	3	3	4	12	8	14
Pneumonia (101)	207	41	18	56	28	13	6	4	1	4	10	10	16
Diarrhea and enteritis [under 2 years] (113)	35	2	5	2	1	2	1	6	8	4	2		2
Diarrhea and enteritis [2 years and over] (114)	11	1				1		1	2	2	2		2
Nephritis (128, 129)	362	43	27	48	36	34	21	25	26	24	21	29	28
Puerperal septicemia (146)	16		2	3	2	3		3		1	1		1
Other puerperal causes (143–145, 147–150)	26	3	1	4	2	3	2	1	1	3	2	1	3
Suicide (165–174)	35	1	2	2	1	3	2	4	2	3	4	8	3
Automobile accidents [1] (188c)	61	3	2	1	9	7	8	5	5	7	5	5	4
Automobile and railroad-train collision (part 188a)	1									1			
Automobile and street-car collision (part 188b)	2											2	
Other external causes (175–187, part 188a, b, 188d–203)	160	16	8	12	17	12	9	17	9	14	9	15	22
All other causes	1,239	105	119	125	111	107	112	89	99	104	93	90	85
MEMPHIS, TENN. (WHITE), all causes	1,737	176	153	148	157	133	170	150	130	133	133	123	131
Typhoid and paratyphoid fever (1)	16							4	1	1	5	3	2
Malaria (5)	14							1		6	3	3	1
Smallpox (6)													
Measles (7)	9		1	1	1	4	1	1					
Scarlet fever (8)	7		1		4		1			1			
Whooping cough (9)	7	1					1	1	1			1	2
Diphtheria (10)	12	2		1	1		1			1	3		3
Influenza (11)	42	11	8	9	6		1	2	1	1	2		1
Dysentery (16)	11						3	1	1	2	3	1	
Erysipelas (21)	1												1
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)	6	1					1		1		1		2
Tuberculosis of the respiratory system (31)	67	8	8	7	6	8	7	9	3	3	4	1	3
Other forms of tuberculosis (32–37)	12		2	1			2	2	2	1	2		
Diabetes mellitus (57)	17		2	2	2	2	3			2		1	3
Cerebral hemorrhage and softening (74, 83)	81	10	10	6	10	2	7	8	2	6	5	10	5
Other [organic] diseases of the heart (90)	172	16	18	18	16	18	12	14	14	10	8	11	17
Bronchitis (99)	3		1				1	1					
Broncho-pneumonia (100)	58	7	6	8	4	6	5	3	1	3	4	5	6
Pneumonia (101)	77	12	14	16	6	5	2	3	3	3	1	3	9
Diarrhea and enteritis [under 2 years] (113)	30	2			1	2	3	3	10	4	2	3	
Diarrhea and enteritis [2 years and over] (114)	8			1			2	1	4				
Nephritis (128, 129)	130	14	15	5	17	11	11	10	5	11	11	9	11
Puerperal septicemia (146)	16	4	2		2	2	3				1	1	1
Other puerperal causes (143–145, 147–150)	19	1	2	5	1		3	2	4				1
Suicide (165–174)	25	1	1	1	2	1		3	4	5	2	3	2
Automobile accidents [1] (188c)	41	5	1		5	4	7	5	2	2	5	2	3
Automobile and railroad-train collision (part 188a)	1	1											
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	118	10	1	4	14	8	10	8	12	16	10	10	15
All other causes	736	69	60	63	59	60	83	68	59	55	61	56	43

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MEMPHIS, TENN. (COLORED), all causes	1,792	154	169	163	143	145	153	179	141	130	147	126	142
Typhoid and paratyphoid fever (1)	18	1						2	5	7	2	1	
Malaria (5)	8						1	2	2	2	1		
Smallpox (6)													
Measles (7)	5					2		1		1	1		
Scarlet fever (8)													
Whooping cough (9)	9	1					1		2		1	1	3
Diphtheria (10)	8	1			2		1			1			3
Influenza (11)	79	11	14	19	11	5	3	1	2	1	4	4	4
Dysentery (16)	7	1					2	1	3				
Erysipelas (21)													
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	143	13	11	11	12	16	18	17	7	9	13	6	10
Other forms of tuberculosis (32–37)	45	5	3	2	1	5	8	4	2	2	4	4	5
Diabetes mellitus (57)	12	1	1	1	1			2	1	2	2	1	
Cerebral hemorrhage and softening (74, 83)	82	6	5	8	4	7	5	10	9	10	7	5	6
Other [organic] diseases of the heart (90)	169	16	13	20	15	11	11	12	15	6	22	14	14
Bronchitis (99)	5		2							1	2		
Broncho-pneumonia (100)	53	3	15	3	7	2	1	3	4		5	6	4
Pneumonia (101)	100	11	25	13	8	11	4	4	2	1	5	5	11
Diarrhea and enteritis [under 2 years] (113)	35		1		2	2	5	6	4	5	5	3	2
Diarrhea and enteritis [2 years and over] (114)	22	1	1	1	1		3	7	3	1	1	2	1
Nephritis (128, 129)	119	8	10	14	9	5	15	8	11	9	6	14	10
Puerperal septicemia (146)	15	1	2	2	1	1	1	1	1		1	1	3
Other puerperal causes (143–145, 147–150)	16	1		1	5		2	1	3		2		1
Suicide (165–174)	4				2				1			1	
Automobile accidents [1] (188c)	16	3	1		3	4	1	2					2
Automobile and railroad-train collision (part 188a)	1												1
Automobile and street-car collision (part 188b)	1			1									
Other external causes (175–187, part 188a, b, 188d–203)	163	13	15	14	18	8	13	12	14	18	8	14	16
All other causes	655	57	50	53	41	66	58	83	50	54	55	43	45
NASHVILLE, TENN. (WHITE), all causes	1,566	137	122	190	122	111	116	163	117	131	126	120	111
Typhoid and paratyphoid fever (1)	24	2					1	4	2	6	6	2	1
Malaria (5)	1											1	
Smallpox (6)													
Measles (7)	18	2	5	9	2								
Scarlet fever (8)	1										1		
Whooping cough (9)	16						2	1	4	2	6	1	
Diphtheria (10)	12				2				1	1	4	2	2
Influenza (11)	88	13	11	30	14	3	2	2		3	1	4	5
Dysentery (16)	15		1			1	1	4	2	2	4		
Erysipelas (21)	6		1	1	2								2
Lethargic encephalitis (23)	2	1		1									
Meningococcus meningitis (24)	3					1					1		1
Tuberculosis of the respiratory system (31)	97	7	7	16	12	9	5	9	4	9	9	4	6
Other forms of tuberculosis (32–37)	12				2	2	1		1	2	1	1	2
Diabetes mellitus (57)	19	2	1	2	1	1	1	1	2	1	2	3	2
Cerebral hemorrhage and softening (74, 83)	84	3	11	9	6	5	5	9	7	6	3	12	8
Other [organic] diseases of the heart (90)	159	21	13	23	9	11	12	21	5	5	18	14	7
Bronchitis (99)	6		1	1	1	1	1	1					
Broncho-pneumonia (100)	60	8	8	11	2	5	3	3	3	4	2	5	6
Pneumonia (101)	78	15	5	15	7	6	4	3	1	6	3	5	8
Diarrhea and enteritis [under 2 years] (113)	48						6	16	11	6	6	2	1
Diarrhea and enteritis [2 years and over] (114)	8	1						3	1	1	2		
Nephritis (128, 129)	81	11	3	11	3	7	4	11	4	8	4	7	8
Puerperal septicemia (146)	6		2	1					1		1		1
Other puerperal causes (143–145, 147–150)	12		1	2	1		1	3	2			1	1
Suicide (165–174)	13	1		3	2	1	1	1		1	1	1	1
Automobile accidents [1] (188c)	32	2		1	1	4	1	4	5	5	3	4	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	89	4	6	8	8	5	5	14	8	6	4	13	8
All other causes	576	44	46	46	47	49	60	53	53	57	44	38	39
NASHVILLE, TENN. (COLORED), all causes	1,132	109	85	118	87	104	93	105	83	69	87	99	93
Typhoid and paratyphoid fever (1)	25	1	1					4	6	5	6	1	1
Malaria (5)	1										1		
Smallpox (6)													
Measles (7)	2		1								1		
Scarlet fever (8)													
Whooping cough (9)	17			1	1	1		7	1	1	2		3
Diphtheria (10)	15		1					1	2	4	5	2	
Influenza (11)	67	6	5	19	8	11	3	2	1		4	4	4
Dysentery (16)	6						1	4		1			
Erysipelas (21)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	92	7	10	6	11	6	13	2	7	4	4	12	10
Other forms of tuberculosis (32–37)	26	2	2	2	3	4	2	1	2	1	2	2	3
Diabetes mellitus (57)	5			1						1		2	1
Cerebral hemorrhage and softening (74, 83)	66	8	3	8	3	7	7	5	3	5	4	7	6
Other [organic] diseases of the heart (90)	140	13	14	12	9	16	13	15	9	13	7	10	9
Bronchitis (99)	5				1				2			2	
Broncho-pneumonia (100)	53	7	3	9	6	5		6	1	2	4	8	2
Pneumonia (101)	71	18	6	15	8	7	4	2	2	1	1	2	5
Diarrhea and enteritis [under 2 years] (113)	26			2			2	8	4	2	2	3	3
Diarrhea and enteritis [2 years and over] (114)	10			1		1	2	1	1	1	2	1	
Nephritis (128, 129)	92	10	5	4	6	12	7	8	8	5	7	10	10
Puerperal septicemia (146)	15	2	3	2	1	1		1	1		3	1	
Other puerperal causes (143–145, 147–150)	5					1	2	1			1		
Suicide (165–174)	1			1									
Automobile accidents [1] (188c)	7	2			1	1			1	1			1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	72	7	6	8	3	6	7	3	4	8	3	5	12
All other causes	312	26	25	27	26	24	30	34	28	14	28	27	23

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DALLAS, TEX., all causes	2,730	270	275	243	228	193	217	249	211	207	209	222	206
Typhoid and paratyphoid fever (1)	19				1	1	3	3	2	1	5	2	1
Malaria (5)	8								1		4	3	
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)	6	2	1		1							1	1
Whooping cough (9)	23		5	3	2	4	4	2	2	1			
Diphtheria (10)	26	2	3	2			1			1	4	8	5
Influenza (11)	154	19	45	37	14	2	3	2	1	10	8	6	7
Dysentery (16)	9				2	1		2	2	2			
Erysipelas (21)	3		1					2					
Lethargic encephalitis (23)	5		1	1			1	1		1			
Meningococcus meningitis (24)	2				1			1					
Tuberculosis of the respiratory system (31)	154	16	18	10	14	14	10	11	10	13	11	13	14
Other forms of tuberculosis (32–37)	20	2	2	4	4		1	3	2		1	1	
Diabetes mellitus (57)	31	4	1	4	4	3	6	1		3	2	1	2
Cerebral hemorrhage and softening (74, 83)	176	19	22	15	20	10	13	16	13	8	13	17	10
Other [organic] diseases of the heart (90)	209	24	19	19	23	11	16	16	19	15	16	14	17
Bronchitis (99)	10	4			2	1				1	1		1
Broncho-pneumonia (100)	92	17	8	8	4	8	4	7	6	13	6	2	9
Pneumonia (101)	141	32	34	10	14	4	7	7	4	3	6	10	10
Diarrhea and enteritis [under 2 years] (113)	53	2		3	1	4	7	12	10	7	3	2	2
Diarrhea and enteritis [2 years and over] (114)	10			1		2	1	1	2		2	1	
Nephritis (128, 129)	183	20	12	17	17	15	13	13	13	11	14	19	19
Puerperal septicemia (146)	19	2	2		3	1	1	1	2		4		3
Other puerperal causes (143–145, 147–150)	15	1	1	2	1	1		4		1	1	1	2
Suicide (165–174)	54	3	3	3	7	7	7	9	3	2	2	3	5
Automobile accidents [1] (188c)	61	6	6	8	3	5	5	5	2	3	5	7	6
Automobile and railroad-train collision (part 188a)	2									1			1
Automobile and street-car collision (part 188b)	1									1			
Other external causes (175–187, part 188a, b, 188d–203)	184	21	14	13	19	14	22	11	21	8	13	15	13
All other causes	1,059	74	77	83	71	85	91	119	96	101	88	96	78
FORT WORTH, TEX., all causes	1,551	159	144	162	112	140	132	100	105	120	100	132	145
Typhoid and paratyphoid fever (1)	16	2	1		1	1		1	2	1		1	6
Malaria (5)	1									1			
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1										1		
Whooping cough (9)	10			2	1		1	4	1	1			
Diphtheria (10)	13	1		1						2		6	3
Influenza (11)	102	8	27	32	11	5		1	1	2	3	5	7
Dysentery (16)	4								2		2		
Erysipelas (21)	1			1									
Lethargic encephalitis (23)	2				2								
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	72	9	7	6	10	2	9	5	7	4	2	7	4
Other forms of tuberculosis (32–37)	10	1	2	2	2		1				1	1	
Diabetes mellitus (57)	14	2	3	1	2	1	3		1				1
Cerebral hemorrhage and softening (74, 83)	102	7	5	9	7	16	7	6	8	6	9	12	10
Other [organic] diseases of the heart (90)	156	25	14	15	10	15	11	9	8	17	7	7	18
Bronchitis (99)	5	1		2		1				1			
Broncho-pneumonia (100)	40	2	7	7	3	2	1	1	1		2	8	6
Pneumonia (101)	86	20	14	10	8	3	1	1	3	2	6	4	14
Diarrhea and enteritis [under 2 years] (113)	36	1		1		5	10	1	4	8	1	4	1
Diarrhea and enteritis [2 years and over] (114)	12	2		1	1	1			1	3	1	1	1
Nephritis (128, 129)	105	10	5	17	5	6	6	12	9	4	11	14	6
Puerperal septicemia (146)	5		1					1	2			1	
Other puerperal causes (143–145, 147–150)	12	1	3	3	1	1			1	2			
Suicide (165–174)	24	2	3	2	5		6	1	3			1	1
Automobile accidents [1] (188c)	30	3	4	1	4	2		4	2	3	2	1	4
Automobile and railroad-train collision (part 188a)	1										1		
Automobile and street-car collision (part 188b)	3		1									2	
Other external causes (175–187, part 188a, b, 188d–203)	94	6	4	11	3	9	13	8	7	8	8	6	11
All other causes	593	56	43	38	36	70	63	45	42	55	43	50	52
HOUSTON, TEX. (WHITE), all causes	1,929	186	191	166	160	129	162	151	148	138	137	175	186
Typhoid and paratyphoid fever (1)	9	1			3	1	1		1	1	1		
Malaria (5)	3											3	
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	14		2	2			3	1	2	1	2		1
Diphtheria (10)	23	2	3	2	3		2			1	2	5	3
Influenza (11)	89	17	26	22	6	4	2		2	1	2	1	6
Dysentery (16)	6				1				1		1	1	2
Erysipelas (21)													
Lethargic encephalitis (23)	2						1	1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	123	17	14	12	12	7	9	12	8	8	4	8	12
Other forms of tuberculosis (32–37)	9					2	2	2	1		1		1
Diabetes mellitus (57)	23	1	2		2	3	3	1	2		3	3	3
Cerebral hemorrhage and softening (74, 83)	93	9	10	7	12	11	5	4	6	6	7	7	9
Other [organic] diseases of the heart (90)	178	16	20	19	15	10	17	16	16	13	10	14	12
Bronchitis (99)	7			1	1		1		1		1	1	1
Broncho-pneumonia (100)	39	6	4	5	4	1		1	6	4	1	5	2
Pneumonia (101)	92	19	22	11	9	2	2	2	2	3	3	12	5
Diarrhea and enteritis [under 2 years] (113)	40	1	1		1	3	14	3	4	4	2	2	5
Diarrhea and enteritis [2 years and over] (114)	17	2	1		1	1	2	4	2	1	1	1	1
Nephritis (128,129)	136	20	10	8	12	7	12	9	9	6	14	15	14
Puerperal septicemia (146)	10		1		1	1	1	1			2	2	1
Other puerperal causes (143–145, 147–150)	19	1	2	2	1	2		2	1	1	1	3	3
Suicide (165–174)	39	2	3	2	2	3	4	2	5	6	2	4	4
Automobile accidents [1] (188c)	33	3		2	3	4	4	1	3	2	4	2	5
Automobile and railroad-train collision (part 188a)	1												1
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	133	6	6	8	8	11	7	18	18	9	10	13	19
All other causes	791	63	64	63	63	56	70	71	58	71	63	73	76

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
HOUSTON, TEX. (COLORED), all causes	952	85	117	96	76	70	81	71	49	87	66	73	81
Typhoid and paratyphoid fever (1)	10				1		1	3		3	1		1
Malaria (5)	8					1	1			2	4		
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	4	1	2	1									
Diphtheria (10)	8		3	1	1					1	1	1	
Influenza (11)	60	5	21	19	6	2		2			1	3	1
Dysentery (16)	2					1				1			
Erysipelas (21)													
Lethargic encephalitis (23)	1								1				
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	89	9	4	7	8	9	9	10	2	4	7	9	11
Other forms of tuberculosis (32–37)	6	1					3	1				1	
Diabetes mellitus (57)	11		2		2		3			2	2		
Cerebral hemorrhage and softening (74, 83)	44		6	7	6	4	4	1	3	3	2	6	2
Other [organic] diseases of the heart (90)	76	9	5	4	7	7	10	4	4	10	4	4	8
Bronchitis (99)	2									1	1		
Broncho-pneumonia (100)	12	4	1			1				4	1	1	
Pneumonia (101)	67	11	16	3	7	2	2	3	4	6	2	8	3
Diarrhea and enteritis [under 2 years] (113)	9			3		1	1	2			2		
Diarrhea and enteritis [2 years and over] (114)	4	1				1				1		1	
Nephritis (128,129)	80	9	7	6	9	7	2	7	6	6	5	6	10
Puerperal septicemia (146)	10			2	1	1	1	1				1	3
Other puerperal causes (143–145, 147–150)	4			1			2			1			
Suicide (165–174)	1												1
Automobile accidents [1] (188c)	7	1	2	1			1			1			1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1				1								
Other external causes (175–187, part 188a, b, 188d–203)	74	5	7	5	5	3	8	5	5	6	4	9	12
All other causes	362	29	41	36	22	30	33	32	24	35	29	23	28
SAN ANTONIO, TEX., all causes	3,015	280	321	272	263	276	279	261	224	196	184	229	230
Typhoid and paratyphoid fever (1)	16					2	4	2	1	2	1	4	
Malaria (5)	4						1	1	1			1	
Smallpox (6)													
Measles (7)	5		2					3					
Scarlet fever (8)	1					1							
Whooping cough (9)	30	1	2	2	7	5	2	7	2			1	1
Diphtheria (10)	12	1	1	1					1		3	1	4
Influenza (11)	163	16	58	40	22	7	1	2	1	2	2	3	9
Dysentery (16)	32	4	1	1	2	6	3	5	2	1	3	2	2
Erysipelas (21)	4			1		1		1					1
Lethargic encephalitis (23)	4		2	1				1					
Meningococcus meningitis (24)	8		1			1	2	1	3				
Tuberculosis of the respiratory system (31)	396	43	39	38	43	32	29	34	27	27	24	31	29
Other forms of tuberculosis (32–37)	29	1		6	3	2	3	2	5	2	2		3
Diabetes mellitus (57)	22	1	5		2	3	2	3	1	3		1	1
Cerebral hemorrhage and softening (74, 83)	102	9	10	11	8	7	7	7	9	4	10	9	11
Other [organic] diseases of the heart (90)	213	20	23	20	18	21	11	20	13	17	9	26	15
Bronchitis (99)	20	4	1	1	1		4	3	2	1			3
Broncho-pneumonia (100)	96	13	16	10	11	7	4	1	5	4	4	10	11
Pneumonia (101)	174	31	44	14	15	18	11	4	6	1	6	11	13
Diarrhea and enteritis [under 2 years] (113)	245	6	11	6	12	44	57	29	26	21	15	10	8
Diarrhea and enteritis [2 years and over] (114)	52	5	3	4	6	4	8	3	5	3	4	4	3
Nephritis (128, 129)	162	20	14	18	13	9	17	12	6	13	9	13	18
Puerperal septicemia (146)	16		2	1	2	2	2		2		1	3	1
Other puerperal causes (143–145, 147–150)	22	2		2	3	3	2	3	3	2		1	1
Suicide (165–174)	30	1	2	4	1	3	2	4	5	5	1	1	1
Automobile accidents [1] (188c)	40	1	6	3	2	6	3	4	4	3	2	3	3
Automobile and railroad-train collision (part 188a)	2									1		1	
Automobile and street-car collision (part 188b)	2						1					1	
Other external causes (175–187, part 188a, b, 188d–203)	114	8	8	9	10	14	11	12	6	7	10	14	5
All other causes	999	93	70	79	82	78	92	97	88	77	78	78	87
SALT LAKE CITY, UTAH, all causes	1,703	178	166	126	143	151	123	121	121	129	138	157	150
Typhoid and paratyphoid fever (1)	3	1										1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	8							1			1	1	5
Scarlet fever (8)	2							1			1		
Whooping cough (9)	23	3	1	2	2	3	3	2	3	4			
Diphtheria (10)	20	1	3			4	1	1	2		2	2	4
Influenza (11)	51	15	14	5	4	1	2			1	4	3	2
Dysentery (16)	2									1	1		
Erysipelas (21)	10	2	3	1	1	1			1				1
Lethargic encephalitis (23)	5				1	1	1	1			1		
Meningococcus meningitis (24)	7	3		2				1	1				
Tuberculosis of the respiratory system (31)	79	6	8	8	7	8	6	7	5	5	6	8	5
Other forms of tuberculosis (32–37)	14	2	2	2	3		2		1	1		1	
Diabetes mellitus (57)	23	3	2	3	2	2			1	3	2	3	2
Cerebral hemorrhage and softening (74, 83)	83	8	8	5	10	8	8	7	3	7	5	7	7
Other [organic] diseases of the heart (90)	204	10	22	12	16	19	25	13	16	21	17	18	15
Bronchitis (99)	10	4	1			1					2	2	
Broncho-pneumonia (100)	57	9	11	2	5	1	1	1	2	5	6	8	6
Pneumonia (101)	79	18	9	1	6	6	5	2	2	1	7	14	8
Diarrhea and enteritis [under 2 years] (113)	16		2			1		1		5	2	3	2
Diarrhea and enteritis [2 years and over] (114)	3				1				1	1			
Nephritis (128, 129)	141	11	14	12	9	14	10	11	12	10	13	14	11
Puerperal septicemia (146)	5		1		1		1	1					1
Other puerperal causes (143–145, 147–150)	22	1	3	2	1		2	3	2	2	4		2
Suicide (165–174)	14			1	2		2	1	2	1	1	3	1
Automobile accidents [1] (188c)	33	2		3	2	5	3	2	3	3	3	4	3
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	95	9	10	9	4	7	7	5	10	8	8	6	12
All other causes	694	70	52	56	66	69	44	60	54	50	52	59	62

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORFOLK, VA. (WHITE), all causes	849	76	78	89	73	56	66	82	67	64	65	68	65
Typhoid and paratyphoid fever (1)	2								1			1	
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	6				1		1	2	1	1			
Diphtheria (10)	3										1	1	1
Influenza (11)	22	1	4	10	4	1							2
Dysentery (16)	1										1		
Erysipelas (21)	2			1									1
Lethargic encephalitis (23)	2		1										1
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	24	1	3	1	2	2		3	1	1	3	3	4
Other forms of tuberculosis (32–37)	7				2	2	1				1	1	
Diabetes mellitus (57)	14	4			2	1		2		2	2	1	
Cerebral hemorrhage and softening (74, 83)	57	8	2	6	5	3	5	1	6	5	3	7	6
Other [organic] diseases of the heart (90)	149	13	14	12	15	12	15	16	9	15	8	10	10
Bronchitis (99)	4	3			1								
Broncho-pneumonia (100)	19	1	1	3		3	1	1	1	1	3	2	2
Pneumonia (101)	34	8	4	6	4	5	1				1	3	2
Diarrhea and enteritis [under 2 years] (113)	13						1	6	3		2		1
Diarrhea and enteritis [2 years and over] (114)	3				1		1					1	
Nephritis (128, 129)	79	7	10	11	2	4	5	5	7	6	9	7	6
Puerperal septicemia (146)	6	1			1					1	1	1	1
Other puerperal causes (143–145, 147–150)	10	1	2	1			1		1	1		1	2
Suicide (165–174)	12			3	5	3	1						
Automobile accidents [1] (188c)	18	3	1		1		2	1	1	5	1	3	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1			1									
Other external causes (175–187, part 188a, b, 188d–203)	66	6	4	5	1	3	9	7	8	4	4	8	7
All other causes	294	19	32	29	26	17	22	38	28	22	25	18	18
NORFOLK, VA. (COLORED), all causes	1,018	87	84	113	83	72	88	89	90	88	77	72	75
Typhoid and paratyphoid fever (1)	4								1	1	2		
Malaria (5)													
Smallpox (6)													
Measles (7)	2						1				1		
Scarlet fever (8)													
Whooping cough (9)	25	1	2	2	3	4	4	3	3		3		
Diphtheria (10)	2											2	
Influenza (11)	27	1	5	12	4	1	1				1		2
Dysentery (16)	5					1	1	1	1		1		
Erysipelas (21)	1	1											
Lethargic encephalitis (23)	1								1				
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	106	10	5	8	10	3	16	12	9	11	8	4	10
Other forms of tuberculosis (32–37)	13	2		1	1	2		1	2	1	1	1	1
Diabetes mellitus (57)	10				1	2			1	1	3	1	1
Cerebral hemorrhage and softening (74, 83)	88	7	10	12	11	3	7	8	10	2	3	4	11
Other [organic] diseases of the heart (90)	154	16	12	20	17	9	15	12	6	11	8	15	13
Bronchitis (99)	5		2				1	1		1			
Broncho-pneumonia (100)	39	8	1	4	1		4	2		2	3	8	6
Pneumonia (101)	43	6	5	14	3	2	1	3	1	2	3	1	2
Diarrhea and enteritis [under 2 years] (113)	37	1		1	2	1	2	10	9	7	1	3	
Diarrhea and enteritis [2 years and over] (114)	7			1		1	1	1	1	1	1		
Nephritis (128, 129)	85	8	8	7	8	6	6	4	12	9	11	2	4
Puerperal septicemia (146)	9	2	1		1	1		1	1		2		
Other puerperal causes (143–145, 147–150)	6			1					1	2		2	
Suicide (165–174)	4				1		2				1		
Automobile accidents [1] (188c)	7	2				2	1			1			1
Automobile and railroad-train collision (part 188a)	1						1						
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	61	7	5	2	2	8	5	2	8	5	4	6	7
All other causes	276	15	28	28	18	26	19	28	23	31	20	23	17
RICHMOND, VA. (WHITE), all causes	1,711	147	230	162	145	129	134	122	127	107	120	144	144
Typhoid and paratyphoid fever (1)	1						1						
Malaria (5)													
Smallpox (6)													
Measles (7)	1							1					
Scarlet fever (8)	3		1	1									1
Whooping cough (9)	4		1						2		1		
Diphtheria (10)	15	1	1	1		1			1	1	2	3	4
Influenza (11)	66	6	33	11	2	1					4	5	4
Dysentery (16)	6						1	1	2		1		1
Erysipelas (21)	2				1		1						
Lethargic encephalitis (23)	3		1								1		1
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	58	5	10	3	6	5	5	2	3	1	3	8	7
Other forms of tuberculosis (32–37)	13	2	1	3	1	1	1	2	1		1		
Diabetes mellitus (57)	27	2		3	4	2	2	1	5	3		2	3
Cerebral hemorrhage and softening (74, 83)	114	10	9	14	9	11	14	8	6	9	5	8	11
Other [organic] diseases of the heart (90)	266	30	32	29	24	17	29	14	15	16	18	20	22
Bronchitis (99)	16	2	3	3	1		2		1		1		3
Broncho-pneumonia (100)	48	4	11	5	4	1	1	2	3		4	9	4
Pneumonia (101)	55	7	16	7	1	2	4	3	3	1	1	5	5
Diarrhea and enteritis [under 2 years] (113)	33		1				3	5	15	5	2	2	
Diarrhea and enteritis [2 years and over] (114)	8			1	1		1	3	2				
Nephritis (128, 129)	167	13	22	11	11	16	11	17	13	9	13	19	12
Puerperal septicemia (146)	14	3	3		2		2				2	2	
Other puerperal causes (143–145, 147–150)	12	2	2			1	1	2	1	1	1	1	
Suicide (165–174)	24		4	2	4	1	1	2	1		1	3	5
Automobile accidents [1] (188c)	26		3	2	2	2	1	2	3	2	3	4	2
Automobile and railroad-train collision (part 188a)	2			1								1	
Automobile and street-car collision (part 188b)	3				1				1			1	
Other external causes (175–187, part 188a, b, 188d–203)	61	5	6	3	3	7	7	8	3	4	3	6	6
All other causes	663	55	70	62	68	61	46	49	46	55	53	45	53

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RICHMOND, VA. (COLORED), all causes	1,324	129	156	122	115	99	90	114	104	87	102	104	102
Typhoid and paratyphoid fever (1)	1								1				
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	10		2				1	4		1	1		1
Diphtheria (10)	10	1			1				3	1	2		2
Influenza (11)	65	3	25	13	4	3	3	2	1	2	3	2	4
Dysentery (16)	1								1				
Erysipelas (21)	1					1							
Lethargic encephalitis (23)	1										1		
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	107	12	12	12	12	8	8	10	3	7	7	9	7
Other forms of tuberculosis (32–37)	26	1		1	3	2	2	3	2	5	1	5	1
Diabetes mellitus (57)	11	2		1		1	1		1	1	1	3	
Cerebral hemorrhage and softening (74, 83)	102	9	11	8	7	13	12	8	5	6	7	12	4
Other [organic] diseases of the heart (90)	133	12	10	11	13	10	12	13	5	8	18	11	10
Bronchitis (99)	6	1	2						1		2		
Broncho-pneumonia (100)	57	9	18	6	3	2	1		1	2	6	6	3
Pneumonia (101)	110	14	32	15	6	5	6	3	7	1	7	6	8
Diarrhea and enteritis [under 2 years] (113)	45					1	2	16	14	9	1	1	1
Diarrhea and enteritis [2 years and over] (114)	7	1			1					1	2	1	1
Nephritis (128, 129)	105	15	7	9	7	8	6	7	10	7	10	6	13
Puerperal septicemia (146)	11	1	2	2		1		1		1	1	2	
Other puerperal causes (143–145, 147–150)	8	1	1				3		2		1		
Suicide (165–174)	1	1											
Automobile accidents [1] (188c)	11		1		1	3		1		2	1	1	1
Automobile and railroad-train collision (part 188a)	2		2										
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	62	9	4	5	6	4	2	6	7	2	2	9	6
All other causes	430	37	27	39	51	36	31	40	40	31	28	30	40
SEATTLE, WASH., all causes	3,564	341	301	317	271	297	284	271	272	278	301	289	342
Typhoid and paratyphoid fever (1)	7	2	1								1	3	
Malaria (5)													
Smallpox (6)	9		5	2		2							
Measles (7)	2		1		1								
Scarlet fever (8)	3		3										
Whooping cough (9)	5	1		1							1		2
Diphtheria (10)	8					1	1	1	2	1	1		1
Influenza (11)	71	7	14	22	4	2	3	3	2	1	1	5	7
Dysentery (16)	2						1		1				
Erysipelas (21)	5		1		1			1		1			1
Lethargic encephalitis (23)	8						1	2	1		1	3	
Meningococcus meningitis (24)	25	2	10	3	3	1	1	2				2	1
Tuberculosis of the respiratory system (31)	170	18	14	11	17	19	15	16	13	8	11	16	12
Other forms of tuberculosis (32–37)	59	3	5	4	3	15	4	2	2	5	10	3	3
Diabetes mellitus (57)	60	10	3	2	6	7	6	2	4	5	5	6	4
Cerebral hemorrhage and softening (74, 83)	250	23	19	20	15	21	22	21	13	30	24	18	24
Other [organic] diseases of the heart (90)	622	48	48	54	49	51	44	52	48	50	54	50	74
Bronchitis (99)	14	1				1	3	1	2		2	2	2
Broncho-pneumonia (100)	81	18	10	10	4		1	6	7	1	6	6	12
Pneumonia (101)	132	15	20	12	5	9	9	4	5	10	12	13	18
Diarrhea and enteritis [under 2 years] (113)	8			1	1	1	1	1		1			2
Diarrhea and enteritis [2 years and over] (114)	11		1		2	1	1		2		1		3
Nephritis (128, 129)	204	25	23	18	18	16	15	13	19	12	15	16	14
Puerperal septicemia (146)	16	1	3	3		1	1	1	1		1	2	2
Other puerperal causes (143–145, 147–150)	25	2	2	1	3		4		5	2	3	2	1
Suicide (165–174)	94	7	6	10	6	8	8	6	12	5	10	8	8
Automobile accidents [1] (188c)	69	1	6	3	5	5	8	7	3	4	11	10	6
Automobile and railroad-train collision (part 188a)	3			1					1	1			
Automobile and street-car collision (part 188b)	1										1		
Other external causes (175–187, part 188a, b, 188d–203)	162	19	12	13	11	15	16	9	17	11	13	12	14
All other causes	1,438	138	94	126	117	121	119	121	112	130	117	112	131
SPOKANE, WASH., all causes	1,514	121	139	162	124	104	133	122	106	114	128	137	124
Typhoid and paratyphoid fever (1)	8	1					1			2	1	3	
Malaria (5)													
Smallpox (6)													
Measles (7)	2						1						1
Scarlet fever (8)	7		2	1				1			1		2
Whooping cough (9)	1								1				
Diphtheria (10)	8		1	1	1		1	1	2	1			
Influenza (11)	35	3	9	10	4	3	2				1	2	1
Dysentery (16)													
Erysipelas (21)	11		1	2		2		2	1			1	2
Lethargic encephalitis (23)	12	3	1		2		1	1	3			1	
Meningococcus meningitis (24)	51	2	12	11	6		4	5	2	1	3	4	1
Tuberculosis of the respiratory system (31)	32		4	5	4	2	3	2	2	2	5	1	2
Other forms of tuberculosis (32–37)	12	2	2		1	1	1	2	1			2	
Diabetes mellitus (57)	29	1	3	6	3		1	1		4	3	2	5
Cerebral hemorrhage and softening (74, 83)	100	12	4	10	6	9	5	10	11	5	9	13	6
Other [organic] diseases of the heart (90)	135	9	11	6	18	14	10	10	8	14	12	11	12
Bronchitis (99)	7		1			1		1			1	2	1
Broncho-pneumonia (100)	51	4	5	6	3	1	4			1	5	12	10
Pneumonia (101)	66	5	11	9	9	2	2	1	4	3	5	6	9
Diarrhea and enteritis [under 2 years] (113)	7				1	1			2	2	1		
Diarrhea and enteritis [2 years and over] (114)	4						1	2					1
Nephritis (128, 129)	135	12	18	12	7	10	16	7	10	14	8	15	6
Puerperal septicemia (146)	14	1		1		2	4		2			3	1
Other puerperal causes (143–145, 147–150)	10	1	1	1				2		4		1	
Suicide (165–174)	29	2	4	4		2	5		2	2	5	1	2
Automobile accidents [1] (188c)	27		2		2	1	5	4	2	3	4	2	2
Automobile and railroad-train collision (part 188a)	3		2						1				
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	72	8	3	3	7	11	2	8	4	3	12	6	5
All other causes	646	55	42	74	50	42	64	62	48	53	52	49	55

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MILWAUKEE, WIS., all causes	5,730	515	469	556	624	529	453	463	379	386	393	442	521
Typhoid and paratyphoid fever (1)	7	1	1	1	1			1	1				1
Malaria (5)													
Smallpox (6)													
Measles (7)	23			1	6	3	9	2	2				
Scarlet fever (8)	5	1	2		2								
Whooping cough (9)	25	3	1	6	1	2		3	1	2	1	1	4
Diphtheria (10)	53	11	4	8	7	1	1	3	2	1	2	4	9
Influenza (11)	113	8	8	23	33	12	6	3		4	2	2	12
Dysentery (16)	5					1		2				2	
Erysipelas (21)	16		2	3	4	3		2					2
Lethargic encephalitis (23)	10	1		2	1	2	1	1				2	
Meningococcus meningitis (24)	9		1				2	1				2	3
Tuberculosis of the respiratory system (31)	299	19	32	22	44	35	24	31	18	12	15	21	26
Other forms of tuberculosis (32–37)	64	2	7	10	7	2	3	7	6	6	5	4	5
Diabetes mellitus (57)	118	7	6	11	16	12	10	12	5	5	9	14	11
Cerebral hemorrhage and softening (74, 83)	361	40	33	29	32	31	27	28	25	18	32	33	33
Other [organic] diseases of the heart (90)	811	79	62	75	77	61	63	56	63	63	54	72	86
Bronchitis (99)	49	6	6	4	12	7	5	1		2	2	1	3
Broncho-pneumonia (100)	281	26	17	38	55	40	20	11	9	14	16	17	18
Pneumonia (101)	306	31	29	54	46	27	16	7	6	10	18	28	34
Diarrhea and enteritis [under 2 years] (113)	124	15	8	17	14	6	9	3	9	17	12	10	4
Diarrhea and enteritis [2 years and over] (114)	30	1	3	1	4	1	3	4	2	4	1	1	5
Nephritis (128, 129)	401	38	34	39	32	39	26	30	21	35	36	40	31
Puerperal septicemia (146)	23	1	1	3	2	1	3	1	1	6		2	2
Other puerperal causes (143–145, 147–150)	49	2	5	7	6	7	3	5	6	3	1	1	3
Suicide (165–174)	97	10	9	5	11	7	12	5	6	8	6	4	14
Automobile accidents [1] (188c)	101	6	3	3	11	7	11	8	10	10	15	6	11
Automobile and railroad-train collision (part 188a)	3		1										2
Automobile and street-car collision (part 188b)	2											1	1
Other external causes (175–187, part 188a, b, 188d–203)	252	19	16	17	23	20	23	29	29	16	19	23	18
All other causes	2,093	188	178	177	177	202	176	207	157	150	147	151	183

[1] Excludes collision with railroad trains and street cars.

NOTE.—Populations are shown in Table I B.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926

[Corresponding data for death registration States and cities in birth registration area appear in Part I of Birth, Stillbirth, and Infant Mortality Statistics, 1926. Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on January 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALABAMA (WHITE), all causes	2,550	625	148	96	168	149	111	91	1,388	211	156	115	102	78	96	85	82	77	74	86
Measles (7)	15			1			1	1	3	1	1	1			2	1	2	3		1
Scarlet fever (8)	2										1				1					
Whooping cough (9)	104		1				5	8	14	22	12	11	7	3	4	9	8	6	2	6
Diphtheria (10)	14				1			1	2	1					1	1	3	2	2	2
Influenza (11)	98	1				6	4	5	16	13	7	9	6	6	7	5	10	9	5	5
Dysentery (16)	6										1		1			1	1	1	1	
Erysipelas (21)	12							2	2	5	1	1	1	1		1				
Meningococcus meningitis (24)	2																			2
Tetanus (29)	3				1	1			2				1							
Tuberculosis of the respiratory system (31)	6					1			1			1		1				2		1
Tuberculosis of the meninges, etc. (32)	6							1	1					1				2	1	1
Other forms of tuberculosis (33–37)	1													1						
Syphilis (38)	22	3	1	3	1	2	1	1	12	2	2	1	1	1		2	1			
Convulsions (80)	15	3		3	3	2			11	2	1			1						
Bronchitis (99)	12	1			1	2	1		5	2	1	1	1	2						
Broncho-pneumonia (100)	156	1	2	1	5	12	14	10	45	19	19	12	8	5	12	11	7	3	5	10
Pneumonia (101)	83	1	1	1		6	9	5	23	9	7	4	4	3	4	12	3	6	5	3
Diseases of the stomach (111, 112)	16				2		1		3	1	2	1	2		2		1	2	1	1
Diarrhea and enteritis (113)	362		2	2	2	5	7	5	23	27	29	34	37	26	34	27	27	26	36	36
Congenital malformations (159)	136	43	6	8	13	10	6	8	94	14	8	5	3	4	3			2	1	2
Congenital debility (160)	110	18	5	3	15	13	6	6	66	12	12	7	5	2	3		1	2		
Premature birth (161a)	728	426	79	31	71	50	26	12	695	19	6	1	2		2	1				2
Injury at birth (161b)	96	34	19	13	16	7	3	1	93	2	1									
Other diseases of early infancy (162, 163)	41	15	6	3	8	5	3	1	41											
External causes (175–203)	61	3		2		1	1	2	9	10	11	2	6	4	6	2	2	2	4	3
Unknown or ill-defined diseases (204, 205)	292	72	26	23	21	22	15	12	191	28	20	13	7	8	8	2	6	3	2	4
All other causes	151	4		2	9	5	7	9	36	22	14	11	10	9	7	10	10	6	9	7
ALABAMA (COLORED), all causes	1,990	368	114	70	175	109	82	55	973	173	130	126	98	101	90	81	71	65	46	36
Measles (7)	4											1			1			1		1
Scarlet fever (8)																				
Whooping cough (9)	53					1		1	2	8	8	10		5	3	3	5	3	3	3
Diphtheria (10)	10				2	1			3	1	2	1			1	1		1		
Influenza (11)	104	1	1		2	1	4	2	11	12	11	12	14	5	10	11	11	4	3	
Dysentery (16)	10										1	2		1	1	1	1	1	1	1
Erysipelas (21)	4							1	1	2		1								
Meningococcus meningitis (24)	1												1							
Tetanus (29)	13				2	8	1		11									1	1	
Tuberculosis of the respiratory system (31)	10	1					1		2			1	1	3	1			2		
Tuberculosis of the meninges, etc. (32)	2															1	1			
Other forms of tuberculosis (33–37)	3												1				1		1	
Syphilis (38)	74	15	3	3	7	6	6	4	44	7	7	5	3	1		2	1	3		1
Convulsions (80)	28	1			7	2	1		11	3	3	5	3	1				1	1	
Bronchitis (99)	8		1				1		2	1	1		1			2				1
Broncho-pneumonia (100)	115				2	3	4	4	13	16	10	10	12	16	8	13	5	5	4	3
Pneumonia (101)	116	1			2	3	1	2	9	11	6	13	9	17	15	6	6	12	9	3
Diseases of the stomach (111, 112)	20			1		1	2	1	5	2	2	3			5	2	1			
Diarrhea and enteritis (113)	176		2		1	3	3	3	12	12	18	13	13	21	16	12	19	20	9	11
Congenital malformations (159)	32	8			4	4	3	3	22		3	1		3		1		1	1	
Congenital debility (160)	81	11	7	4	4	7	7	4	44	10	7	1	5	4	2	4	1	1		2
Premature birth (161a)	333	180	34	24	46	19	13	4	320	8	3	1			1					
Injury at birth (161b)	40	23	4	7	4	2			40											
Other diseases of early infancy (162, 163)	38	13	2	2	13	3	1		34	2	2									
External causes (175–203)	41	2	2		5	2		2	13	6	4	1	2	1	4	2	2	1	3	2
Unknown or ill-defined diseases (204, 205)	570	105	56	28	68	35	30	21	343	65	31	33	25	17	16	13	8	6	7	6
All other causes	104	7	2	1	6	8	4	3	31	7	11	12	8	6	6	8	9	1	3	2
COLORADO, all causes	1,646	313	86	61	114	82	73	55	784	135	131	93	92	81	68	57	63	60	39	43
Measles (7)	4							1	1		1			1						1
Scarlet fever (8)	1																		1	
Whooping cough (9)	98						1	2	3	9	10	9	12	11	8	4	8	13	5	6
Diphtheria (10)	5									2			2					1		
Influenza (11)	118				1	1	6	8	16	15	11	12	6	6	9	16	10	5	6	6
Dysentery (16)	2											1					1			
Erysipelas (21)	8					1			1	2	1		2			1			1	
Meningococcus meningitis (24)	1										1									
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1												1							
Tuberculosis of the meninges, etc. (32)	3					1			1							1	1			
Other forms of tuberculosis (33–37)	5											1					2	2		
Syphilis (38)	15	1	1		3			1	6	1	2		2		2	1	1			
Convulsions (80)	4			1					1	1		2								
Bronchitis (99)	9				2	2		2	6	1		1								1
Broncho-pneumonia (100)	225	2	1	2	9	6	14	14	48	32	28	21	11	17	13	10	17	13	9	6
Pneumonia (101)	65				3	2	6	1	12	10	7	5	5	2	3	3	7	7	2	2
Diseases of the stomach (111, 112)	16		1		1	2		1	5	1	3		2	1	1	1	1		1	
Diarrhea and enteritis (113)	251	1				5	6	5	17	23	37	28	37	27	23	12	9	10	13	15
Congenital malformations (159)	101	20	13	12	19	9	6	4	83	5	2		2	2	2	3				2
Congenital debility (160)	66	9	6	7	7	5	2	2	38	8	6	5	5	1		1		2		
Premature birth (161a)	383	227	44	21	35	24	14	6	371	8	1	2		1						
Injury at birth (161b)	79	27	10	7	18	8	5	1	76	2	1									
Other diseases of early infancy (162, 163)	62	22	5	8	10	7	5	2	59	2	1									
External causes (175–203)	25	2					3		5	1	6	1	1	3		1	3	3		1
Unknown or ill-defined diseases (204, 205)	10	1		1				3	5	1	2	1	1							
All other causes	89	1	5	2	6	9	5	2	30	11	11	4	3	9	7	3	3	4	1	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
LOUISIANA (WHITE), all causes	1,705	382	90	62	109	87	72	44	846	164	113	92	84	84	68	71	57	49	39	38
Measles (7)																				
Scarlet fever (8)	1													1						
Whooping cough (9)	59						1	1	2	11	6	5	10	1	5	5	3	1	3	7
Diphtheria (10)	11									1	2		2		1		2	1		2
Influenza (11)	120		1		1	4	8	4	18	19	9	9	9	14	7	13	6	8	7	1
Dysentery (16)	5									1		1		2	1					
Erysipelas (21)	5							1	1	3						1				
Meningococcus meningitis (24)																				
Tetanus (29)	11				2	7	1		10			1								
Tuberculosis of the respiratory system (31)	2												1							1
Tuberculosis of the meninges, etc. (32)	4											1		1	1	1				
Other forms of tuberculosis (33–37)	2											1				1				
Syphilis (38)	22	1		2	2	2	2	1	10	7	2		2	1						
Convulsions (80)	10	1	1	1	2	2			7				2							1
Bronchitis (99)	19			1	1			2	4	3	3	1	2		2	1	1			2
Broncho-pneumonia (100)	142		1	1	3	4	13	5	27	22	21	9	13	10	10	9	7	3	7	4
Pneumonia (101)	55		1		1	2	2	2	8	8	5	8	3	7	3	2	2	3	1	5
Diseases of the stomach (111, 112)	14							1	1	3	2		2	2	2	1				1
Diarrhea and enteritis (113)	251		1		1	5	7	7	21	25	20	24	21	31	19	24	18	27	13	8
Congenital malformations (159)	119	24	9	7	15	12	7	4	78	12	2	7	2	3	2	4	4	3	1	1
Congenital debility (160)	62	14	3	1	9	7	1	2	37	8	4	6	3	1	1	1	1			
Premature birth (161a)	401	253	46	20	34	19	12	4	388	8	3		1		1					
Injury at birth (161b)	119	61	16	18	16	6	1	1	119											
Other diseases of early infancy (162, 163)	33	9	4	3	8	2	5	1	32	1										
External causes (175–203)	27	1	1	1	1	1	1		6	2	8	1	1	1	2	2	1	1	2	
Unknown or ill-defined diseases (204, 205)	77	14	3	5	6	8	7	4	47	11	8	1	1	2	2	1	3		1	
All other causes	134	4	3	2	7	6	4	4	30	19	18	17	9	7	9	5	9	2	4	5
LOUISIANA (COLORED), all causes	1,739	265	89	53	131	145	56	56	795	169	172	128	98	95	75	63	38	50	23	33
Measles (7)	4									1				1		1			1	
Scarlet fever (8)																				
Whooping cough (9)	51			1	1		1	2	5	8	8	6	3	3	8	1	3	3	1	2
Diphtheria (10)	6					1	1		2		1	1		1			1			
Influenza (11)	97	1	1		1	5	2	1	11	15	13	10	3	12	7	9	6	4	4	3
Dysentery (16)	16						1	1	2	1		6	1		1	3		1		1
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	43			1	13	26	1	2	43											
Tuberculosis of the respiratory system (31)	3											1		1						1
Tuberculosis of the meninges, etc. (32)	2														1			1		
Other forms of tuberculosis (33–37)	1										1									
Syphilis (38)	99	11	5	5	6	11	11	4	53	12	12	8	1	5	2	5	1			
Convulsions (80)	28				6	7		2	15	1	4	3		1	3			1		
Bronchitis (99)	22	1	1		1				3	3	1	3	3		4		1	2	1	1
Broncho-pneumonia (100)	160	2			3	5	4	3	17	15	29	12	18	12	12	13	10	9	4	9
Pneumonia (101)	88	1			5	6		2	14	8	12	11	9	8	7	10	1	3	1	4
Diseases of the stomach (111, 112)	15				1			1	2	3	4	4		1	1					
Diarrhea and enteritis (113)	261	1		1	2	5	5	15	29	42	43	30	29	27	15	9	7	16	6	8
Congenital malformations (159)	48	12	4	4	5	6	2	2	35	2	4		1	2	1	3				
Congenital debility (160)	64	13	4	2	5	7	1	3	35	5	4	6	3	4	1		1	3	1	1
Premature birth (161a)	271	141	40	18	26	27	9	2	263	4		2	2							
Injury at birth (161b)	49	22	8	7	8	1		2	48	1										
Other diseases of early infancy (162, 163)	41	9	9	2	9	7	2	1	39	1	1									
External causes (175–203)	28	2			3	1			6	5	1	5	4		2	2	2	1		
Unknown or ill-defined diseases (204, 205)	249	48	17	12	30	20	14	11	152	25	24	9	12	12	5	1	2	3	3	1
All other causes	93	1			6	10	2	2	21	17	10	11	9	5	5	6	3	4		2
MISSOURI, all causes	4,721	965	231	200	348	288	196	162	2,390	398	309	249	232	194	198	183	159	137	135	137
Measles (7)	67	1					2	1	4	6	6	1	3	5	4	7	8	9	7	7
Scarlet fever (8)	2							1	1										1	
Whooping cough (9)	181				1	1	5	7	14	31	16	25	16	11	7	6	12	11	19	13
Diphtheria (10)	16									1	2				1	2	5	2	1	2
Influenza (11)	174	2		1		11	7	7	28	18	28	12	11	16	17	7	11	8	9	9
Dysentery (16)	47					1		1	2	3	3	4	7	6	5		4	5	3	5
Erysipelas (21)	26						3	3	6	7	7	2			1	1		1	1	
Meningococcus meningitis (24)	12									2		2	2	2		1		1		2
Tetanus (29)	8				3	3	1		7											1
Tuberculosis of the respiratory system (31)	13												2	2	1	1		3	1	3
Tuberculosis of the meninges, etc. (32)	18											1	2	1		3	3	2	2	4
Other forms of tuberculosis (33–37)	6												1	1	2	2				
Syphilis (38)	55	8	2	2	2	4	2	5	25	10	5	4	4	1	1	1		1	3	
Convulsions (80)	17		1		8	3		1	13	1	1				1					1
Bronchitis (99)	35			2	2		1	5	10	4	1	7	3	3	2	1	2		1	1
Broncho-pneumonia (100)	575	1	2	6	20	20	29	26	104	92	63	44	43	31	51	40	35	24	19	29
Pneumonia (101)	193		1	1	6	11	9	11	39	22	18	16	23	14	7	12	10	14	11	7
Diseases of the stomach (111, 112)	46		1		3	5	1	2	12	5	6	3	4	3	3	5	1	4		
Diarrhea and enteritis (113)	692		3	12	17	27	24	83	64	78	66	75	57	59	67	45	32	36	30	
Congenital malformations (159)	367	85	23	38	62	32	17	16	273	28	13	18	9	7	4	3	5	2	4	1
Congenital debility (160)	152	22	9	15	19	23	12	6	106	21	7	2	3	3	5	1	1	1	1	1
Premature birth (161a)	1,115	639	127	62	102	88	46	24	1,088	17	7	1			2					
Injury at birth (161b)	245	110	34	36	46	11	3	4	244		1									
Other diseases of early infancy (162, 163)	134	46	14	20	26	14	6	3	129	4	1									
External causes (175–203)	74	6		3	2	3	4	1	19	11	3	4	5	3	5	3	3	6	6	6
Unknown or ill-defined diseases (204, 205)	149	41	14	7	14	15	8	3	102	17	9	10	4		1	2	1	1		2
All other causes	302	41	3	4	20	26	13	11	81	34	33	25	16	28	20	21	12	10	9	13

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SOUTH CAROLINA (WHITE), all causes	1,724	369	106	56	129	103	72	59	894	130	121	110	89	70	64	55	46	51	42	52
Measles (7)	3									1					1		1			
Scarlet fever (8)																				
Whooping cough (9)	42						4	3	7	7	6	5	3	2	4	1	1	3	2	1
Diphtheria (10)	14					1	1	1	3	1		1				1	2		2	4
Influenza (11)	86	1		1	1	3	9	5	20	10	8	5	9	4	6	4	11	6	2	1
Dysentery (16)	29				1				1		2	1	3	4	3	4	3	3	1	4
Erysipelas (21)	4						1		1	1	1	1								
Meningococcus meningitis (24)	1							1	1											
Tetanus (29)	3				1	1	1		3											
Tuberculosis of the respiratory system (31)	2											1			1					
Tuberculosis of the meninges, etc. (32)	3											1				1	1			
Other forms of tuberculosis (33–37)																				
Syphilis (38)	11	3			1			1	5	2	1		1			2				
Convulsions (80)	10		2		2	1	1	1	7	1			1			1				
Bronchitis (99)	9									4	1		2	1	1					
Broncho-pneumonia (100)	93			1	1	4	6	2	14	10	17	9	6	7	5	8	1	8	4	4
Pneumonia (101)	76	1			1	3	3	5	13	10	6	8	6	6	5	3	4	7	6	2
Diseases of the stomach (111, 112)	13						1	1	2	4	1		3	1	1				1	
Diarrhea and enteritis (113)	277		1		4	3	5	4	17	19	37	35	27	29	22	17	13	22	17	22
Congenital malformations (159)	106	19	19	7	18	7	3	2	75	9	5	4	3	2	2	2			2	2
Congenital debility (160)	85	10	1	2	4	15	6	6	44	10	10	5	10	3	1		1		1	
Premature birth (161a)	478	261	60	27	55	31	17	9	460	11	2	3		1		1				
Injury at birth (161b)	78	36	14	6	14	8			78											
Other diseases of early infancy (162, 163)	46	16	2	7	7	7	3	3	45	1										
External causes (175–203)	32					1	1	1	3	2	7	9	1	3	1	3			1	2
Unknown or ill-defined diseases (204, 205)	116	21	5	4	12	13	5	7	67	12	8	6	5	2	6	3	1	2	1	3
All other causes	107	1	2	1	7	5	5	7	28	15	9	16	9	5	5	4	7		2	7
SOUTH CAROLINA (COLORED), all causes	2,751	398	153	112	223	168	103	92	1,249	264	208	158	145	131	149	100	110	91	60	86
Measles (7)	1										1									
Scarlet fever (8)																				
Whooping cough (9)	47						1	1	2	7	5	7	4	4	6		4	3	3	2
Diphtheria (10)	17			2	2				4	2	2	1	1		1	3	1		1	1
Influenza (11)	130			1	2	5	4	5	17	15	13	13	8	12	12	9	11	7	6	7
Dysentery (16)	56					2	2		4	6	3	7	8	1	4	7	5	4	2	5
Erysipelas (21)	1							1	1											
Meningococcus meningitis (24)	1															1				
Tetanus (29)	10				4	5	1		10											
Tuberculosis of the respiratory system (31)	7									1		2		1		1	1			1
Tuberculosis of the meninges, etc. (32)	2													1				1		
Other forms of tuberculosis (33–37)	1												1							
Syphilis (38)	82	11	5	3	5	4	3	1	32	10	6	5	11	4	5		2		6	1
Convulsions (80)	41	1	1	2	8	5	3	1	21	4	4	3	3	3		1	2			
Bronchitis (99)	10					2			2	4	1		1			1				1
Broncho-pneumonia (100)	103		1	1	2	3	3	2	12	9	7	13	11	11	14	4	7	7	3	5
Pneumonia (101)	192			2	6	4	3	6	21	23	16	18	17	23	18	12	15	15	7	7
Diseases of the stomach (111, 112)	89		4	3	4	8	2	4	25	9	10	4	9	5	7	3	1	6	2	8
Diarrhea and enteritis (113)	343		1		4	6	8	8	27	34	44	34	35	24	31	26	26	25	14	23
Congenital malformations (159)	34	6		5	6	2			19	2	1	2	3	4	1	1				1
Congenital debility (160)	221	33	13	8	29	16	16	10	125	32	12	11	8	9	10	5	3		1	5
Premature birth (161a)	578	234	103	50	75	48	25	20	555	14	5	2		1	1					
Injury at birth (161b)	41	25	4	1	8	2	1		41											
Other diseases of early infancy (162, 163)	51	9	3	9	14	7	4	2	48	3										
External causes (175–203)	22	2			2	1		1	6	3	3	2		1	2		2	1		2
Unknown or ill-defined diseases (204, 205)	481	75	18	25	42	41	21	20	242	53	49	21	18	13	22	16	16	12	10	9
All other causes	190	2			10	7	6	10	35	33	26	13	7	14	15	10	14	10	5	8
TENNESSEE (WHITE), all causes	3,355	654	192	120	229	220	149	123	1,687	325	225	195	135	146	109	97	90	106	111	129
Measles (7)	55				2	1	3	4	10	12	1	3	1	3	6	7	2	1	4	5
Scarlet fever (8)	1																1			
Whooping cough (9)	141			1			1	6	8	30	13	15	13	8	5	5	9	9	9	17
Diphtheria (10)	26					2	2		4	4	1	3	1	1	1	1	3	3	1	3
Influenza (11)	147			1	4	9	8	7	29	30	8	17	5	10	12	6	5	13	9	3
Dysentery (16)	37					1	1		2	2		3	6	7	2	4	1	4	3	3
Erysipelas (21)	10						1		1	1	1	1		2	2					2
Meningococcus meningitis (24)	7					1			1	3					1	1		1		
Tetanus (29)	7	1			3	3			7											
Tuberculosis of the respiratory system (31)	14							1	1	1	1	2		1	4	1	1	1		1
Tuberculosis of the meninges, etc. (32)	17					1		1	2		1		1			2	5	3	2	1
Other forms of tuberculosis (33–37)	9					1			1	1						1	2	1		3
Syphilis (38)	15	1				1	3	1	6	2	3	2							1	1
Convulsions (80)	14			2	4	1	2	1	10		1	1		1						1
Bronchitis (99)	11					1			1	4			2	1	1	1			1	
Broncho-pneumonia (100)	230			1	7	15	14	11	48	26	31	21	10	19	12	9	16	17	11	10
Pneumonia (101)	128		1	2	4	9	8	4	28	13	14	14	6	12	4	5	6	9	7	10
Diseases of the stomach (111, 112)	28				3		2	1	6	3	1	4	4	5	1	2		2		
Diarrhea and enteritis (113)	451	1	1	2	4	7	8	9	32	37	43	45	43	50	36	26	23	30	38	48
Congenital malformations (159)	142	26	15	14	28	11	8	5	107	9	9	8	2	3	2	1				1
Congenital debility (160)	176	36	12	7	15	19	12	8	109	23	13	9	6	2	2	5	2			5
Premature birth (161a)	715	401	87	37	60	58	25	16	684	18	7	2	1		2		1			
Injury at birth (161b)	122	51	23	13	22	9	2	2	122											
Other diseases of early infancy (162, 163)	66	30	8	3	10	6	3	2	62	3	1									
External causes (175–203)	38	4	1		3	1	2	1	12	3	8	3	3	2	1	2		1		3
Unknown or ill-defined diseases (204, 205)	573	99	42	35	53	50	35	35	349	66	50	28	20	7	8	9	7	6	13	10
All other causes	175	4	2	2	7	13	9	8	45	34	18	14	11	12	7	9	6	5	12	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
TENNESSEE (COLORED), all causes	1,112	149	52	28	58	56	45	39	427	114	80	72	75	47	78	55	48	43	28	45
Measles (7)	11									1		3	1			1		1	2	2
Scarlet fever (8)	1		1						1											
Whooping cough (9)	55					2		5	7	3	2	4	6	4	7	3	3	4	6	6
Diphtheria (10)	8						1		1	1		2	1	1	2					
Influenza (11)	69				1	1	1	3	6	8	6	4	4	3	13	5	3	7	4	6
Dysentery (16)	17											1	5	2	4	2		2		1
Erysipelas (21)	1							1	1											
Meningococcus meningitis (24)	2										1							1		
Tetanus (29)	3		1			1		1	3											
Tuberculosis of the respiratory system (31)	17									2		2	1	1	1	3	2	2	2	1
Tuberculosis of the meninges, etc. (32)	3															1		1		1
Other forms of tuberculosis (33–37)	5									1			2				2			
Syphilis (38)	33	4	2		1	3	3	1	14	3	6	1	2	1		1	3			2
Convulsions (80)	12			1	1				2	2	1	1	2		2	1	1			
Bronchitis (99)	6									2	1	2				1				
Broncho-pneumonia (100)	81				4	5	2	2	13	3	12	6	6	12	8	4	6	2	4	5
Pneumonia (101)	52			1	1	1	2	1	6	9	5	5	3	5	5	6	5	1	1	1
Diseases of the stomach (111, 112)	13				1	1	2		4	2	2	1	2		1					1
Diarrhea and enteritis (113)	139			2	1	2	2	2	9	15	14	16	11	6	16	16	12	11	4	9
Congenital malformations (159)	5	2			1				3		1	1								
Congenital debility (160)	56	8	4	2	7	5	3	1	30	11		3	3	1		2	1	2		3
Premature birth (161a)	151	88	14	9	16	6	6	7	146	4		1								
Injury at birth (161b)	21	10	4	2	4		1		21											
Other diseases of early infancy (162, 163)	19	6	5	3	1	4			19											
External causes (175–203)	8					1	1	2	4			1		1		1				1
Unknown or ill-defined diseases (204, 205)	268	28	20	7	15	20	20	12	122	39	26	14	21	6	11	7	8	6	4	4
All other causes	56	3	1	1	4	4	1	1	15	8	3	4	5	4	8	1	2	3	1	2
BIRMINGHAM, ALA. (WHITE), all causes	239	77	16	14	18	8	8	10	151	12	13	10	11	10	6	3	9	4	3	7
Measles (7)	2														1			1		
Scarlet fever (8)	1										1									
Whooping cough (9)	18						2	1	3	4	4	2	1	1		1	2			
Diphtheria (10)	1																1			
Influenza (11)	8					1		1	2	1		1	2		1		1			
Dysentery (16)																				
Erysipelas (21)	1											1								
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	7	1		1			1	1	4				1	1			1			
Convulsions (80)	1	1							1											
Bronchitis (99)	2	1							1					1						
Broncho-pneumonia (100)	9				1	1		1	3	1	1	1		1		1				1
Pneumonia (101)	8					1		1	2	1	2						1	1		1
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	23					1			1			3	3	5	2		2	1	3	3
Congenital malformations (159)	22	7		1	2	2	1	2	15	2	1	1		1	1					1
Congenital debility (160)	4				1			1	2		2									
Premature birth (161a)	38	55	9	5	11	2	4		86	2										
Injury at birth (161b)	20	9	4	5	2				20											
Other diseases of early infancy (162, 163)	4		2	1	1				4											
External causes (175–203)	3										1		1					1		
Unknown or ill-defined diseases (204, 205)	6	2	1	1					4				1		1					
All other causes	11	1						2	3	1	1	1	2			1	1			1
BIRMINGHAM, ALA. (COLORED), all causes	298	71	16	7	18	10	10	12	144	30	22	18	13	15	10	16	11	5	7	7
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	11									1		3		2		1	2		1	1
Diphtheria (10)																				
Influenza (11)	16				1				1	2	2	2	1		2	4	2			
Dysentery (16)	1															1				
Erysipelas (21)																				
Meningococcus meningitis (24)	1												1							
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)	1																		1	
Syphilis (38)	27	4	2	1	6	2	2	1	18	4	2	1	1			1				
Convulsions (80)	1																	1		
Bronchitis (99)																				
Broncho-pneumonia (100)	22					1		2	3	4	1	1	2	6	2	2	1			
Pneumonia (101)	16									2	3	2	2	2	1		2		1	1
Diseases of the stomach (111, 112)	3									1		1			1					
Diarrhea and enteritis (113)	19									2	5		2	2	1	1	3	2		1
Congenital malformations (159)	7	2					3	1	6					1						
Congenital debility (160)	11		1	2			2	1	6	1	1		1			2				
Premature birth (161a)	70	48	9	2	6	2		2	69	1										
Injury at birth (161b)	8	6	1		1				8											
Other diseases of early infancy (162, 163)	12	8		1	1	2			12											
External causes (175–203)	2									1										1
Unknown or ill-defined diseases (204, 205)	54	3	2	1	2	3	3	5	19	11	3	5	3	2	3	1		1	3	3
All other causes	16		1		1				2		5	3				3	1	1	1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
DENVER, all causes	385	95	27	16	24	27	20	7	216	27	23	17	13	21	19	8	15	13	3	10
Measles (7)																				
Scarlet fever (8)	1																		1	
Whooping cough (9)	11									2				2	1		2	3	1	
Diphtheria (10)	4									2			1					1		
Influenza (11)	27				1		2	1	4	3		5	1	1	4	4	2	1		2
Dysentery (16)																				
Erysipelas (21)	1									1										
Meningococcus meningitis (24)	1										1									
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	2					1			1								1			
Other forms of tuberculosis (33-37)																				
Syphilis (38)	5		1		1				2				1		1		1			
Convulsions (80)																				
Bronchitis (99)	2					1			1											1
Broncho-pneumonia (100)	47			1		3	5	3	12	5	6	5	2	4	3	3	2	4	1	
Pneumonia (101)	15						1	1	2	3	2	2		1			3	2		
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	48					1			1	5	7	2	7	8	8	1	2	2		5
Congenital malformations (159)	28	5	5	4	5	5	1		25	1				1						1
Congenital debility (160)	3	1	1						2			1								
Premature birth (161a)	108	68	14	9	9	5	3		108											
Injury at birth (161b)	25	10	1		5	4	3	1	24	1										
Other diseases of early infancy (162, 163)	20	9	2		2	2	3		18	1	1									
External causes (175-203)	2										1						1			
Unknown or ill-defined diseases (204, 205)	2	1		1					2											
All other causes	33	1	3	1	1	5	2	1	14	3	5	2	1	4	2		1			1
ATLANTA, Ga. (WHITE), all causes	262	74	28	11	18	8	7	6	152	22	14	12	9	10	5	6	8	6	10	8
Measles (7)	3										1		1				1			
Scarlet fever (8)																				
Whooping cough (9)	4									2							2			
Diphtheria (10)	1													1						
Influenza (11)	11					1			1	2	2	1		2			1		1	1
Dysentery (16)	2											1	1							
Erysipelas (21)	1													1						
Meningococcus meningitis (24)	2										2									
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	2																1	1		
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	1	1							1											
Convulsions (80)	1										1									
Bronchitis (99)	1										1									
Broncho-pneumonia (100)	20		1		1		1	2	5	6		1				2	2	1	3	
Pneumonia (101)	6									1		3		1					1	
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	28							1	1	2	4	2	4	4	1	3		1	2	4
Congenital malformations (159)	18	5	1	1	2		1	1	11	1	1	2			1			1		1
Congenital debility (160)	10	1	1	1	1				4	2		1							3	
Premature birth (161a)	92	52	18	4	6	5	3	1	89	1			1					1		
Injury at birth (161b)	24	10	5	2	5	1			23	1										
Other diseases of early infancy (162, 163)	7	3	1	2			1		7											
External causes (175-203)	7									1	1	1		1	1			1		1
Unknown or ill-defined diseases (204, 205)	5	1			1		1		3	1	1									
All other causes	16	1	1	1	2	1		1	7	2			2		2	1	1			1
ATLANTA, Ga. (COLORED), all causes	281	64	21	11	19	12	12	13	152	19	16	13	7	5	15	14	18	12	7	3
Measles (7)	2																1		1	
Scarlet fever (8)																				
Whooping cough (9)	9							1	1	1					1		2	2	2	
Diphtheria (10)																				
Influenza (11)	5						3			1	1		2					1		
Dysentery (16)	4															1	1	1	1	
Erysipelas (21)	2					1		1	2											
Meningococcus meningitis (24)	1											1								
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	17	4		3	2		2	1	12	3		1			1					
Convulsions (80)	1				1				1											
Bronchitis (99)	4		1						1			1			1					1
Broncho-pneumonia (100)	30			1	1				2	1	3	6			2	7	3	4	1	1
Pneumonia (101)	17		1		1		1	1	4	3	2				5	1	1		1	
Diseases of the stomach (111, 112)	1								1	1										
Diarrhea and enteritis (113)	31							3	3	1	7	2	1	3	1	3	6	3	1	
Congenital malformations (159)	6		1		2	1			4	1				1						
Congenital debility (160)	10			1	3		1		5	1	2		1				1			
Premature birth (161a)	80	45	10	5	3	5	5	3	76	3	1									
Injury at birth (161b)	15	7	7		1				15											
Other diseases of early infancy (162, 163)	10	5		1		2	1		9	1										
External causes (175-203)	7	1			2	1		1	5			1					1			
Unknown or ill-defined diseases (204, 205)	10	1	1	1	1		1	1	6	1			2		1					
All other causes	19	1			2	1	1	1	6	1		1	1	1	3	2	2	1		1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEW ORLEANS, LA. (WHITE), all causes	411	99	19	22	22	13	13	2	190	37	27	20	24	26	13	25	12	11	14	12
Measles (7)																				
Scarlet fever (8)	1													1						
Whooping cough (9)	14									2	3	1	3		1					4
Diphtheria (10)																				
Influenza (11)	43		1			1			2	5	4	2	4	5	3	8	3	3	4	
Dysentery (16)																				
Erysipelas (21)	2									1						1				
Meningococcus meningitis (24)																				
Tetanus (29)	1						1		1											
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	3											1		1		1				
Other forms of tuberculosis (33–37)	1															1				
Syphilis (38)	6				1	1			2	1			2	1						
Convulsions (80)	1																			1
Bronchitis (99)																				
Broncho-pneumonia (100)	40				1		3		4	8	7	1	3	5	1	3	2	1	3	2
Pneumonia (101)	12		1				2		3	2		2		1			1		1	2
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	70					1			1	10	4	8	8	9	5	8	3	6	6	2
Congenital malformations (159)	34	5	4	3	5	3	2	1	23	2	1	2	1	1		2	1	1		
Congenital debility (160)	7	3		1				1	5			1		1						
Premature birth (161a)	99	70	7	7	4	4	3		95	2	2									
Injury at birth (161b)	38	16	3	10	6	2	1		38											
Other diseases of early infancy (162, 163)	9	3	2		3		1		9											
External causes (175–203)	4	1		1	1				3							1				
Unknown or ill-defined diseases (204, 205)																				
All other causes	26	1	1		1	1			4	4	6	2	3	1	3		2			1
NEW ORLEANS, LA. (COLORED), all causes	397	80	16	13	20	31	8	11	179	37	35	25	24	19	21	18	10	16	5	8
Measles (7)	1																		1	
Scarlet fever (8)																				
Whooping cough (9)	9										3	1		1	1		1	1		1
Diphtheria (10)																				
Influenza (11)	18					2			2	3	1	4		1	1	2	2	1	1	
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	5				2	3			5											
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	1														1					
Other forms of tuberculosis (33–37)																				
Syphilis (38)	26	2		2	2	6	3	1	16	3	3	1		1	1	1				
Convulsions (80)	1													1						
Bronchitis (99)	6	1	1		1				3			1	1		1					
Broncho-pneumonia (100)	68	1				3	1	2	7	5	12	8	6	3	5	7	4	6	1	4
Pneumonia (101)	18				1	1			2	2	4	1	1	3		2		1		2
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	84					1	2	6	9	16	10	7	13	9	8	4	3	3	2	
Congenital malformations (159)	12	4	1	2		2			9	1			1			1				
Congenital debility (160)	6					1		1	2						1			2		1
Premature birth (161a)	84	58	7	3	5	7	1		81	3										
Injury at birth (161b)	24	8	3	6	5			1	23	1										
Other diseases of early infancy (162, 163)	14	6	4		2	2			14											
External causes (175–203)																				
Unknown or ill-defined diseases (204, 205)																				
All other causes	20				2	3	1		6	3	2	2	2		2	1		2		
KANSAS CITY, MO. (WHITE), all causes	478	104	23	18	31	26	23	20	245	36	24	23	21	21	20	28	15	22	12	11
Measles (7)	9												1		1	2	2	1	1	1
Scarlet fever (8)																				
Whooping cough (9)	10							1	1	4	1		1			1			1	1
Diphtheria (10)																				
Influenza (11)	15						1		1		3	3	2	2	1	1	1	1		
Dysentery (16)																				
Erysipelas (21)	4									2	1					1				
Meningococcus meningitis (24)	1													1						
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	3																	1	1	1
Tuberculosis of the meninges, etc. (32)	1																	1		
Other forms of tuberculosis (33–37)																				
Syphilis (38)	19	2			1	2		3	8	2	1	1	4			1		1	1	
Convulsions (80)																				
Bronchitis (99)	1							1	1											
Broncho-pneumonia (100)	53				1	1	6	2	10	9	3	3	4	2	5	5	4	4	2	2
Pneumonia (101)	13					2	1		3	2	1	1			1		2	1	2	
Diseases of the stomach (111, 112)	4							1	1							1		2		
Diarrhea and enteritis (113)	70				2		2		4	8	6	10	4	7	8	12	3	4	3	1
Congenital malformations (159)	45	12	3	6	5	3	3	3	35	2	1	2	2	1	1		1			
Congenital debility (160)	3				1				1		1						1			
Premature birth (161a)	111	66	15	4	7	7	6	4	109	1	1									
Injury at birth (161b)	37	18	2	6	9	2			37											
Other diseases of early infancy (162, 163)	16	3	2		4	2	2	2	15	1										
External causes (175–203)	11	1				1	1		3	2			1					3		2
Unknown or ill-defined diseases (204, 205)	1	1							1											
All other causes	51	1	1	2	1	6	1	3	15	3	5	3	2	8	3	4	1	3	1	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KANSAS CITY, MO. (COLORED), all causes	100	12	2	3	6	5	2	4	34	7	8	5	5	6	6	8	6	2	8	5
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	2														1				1	
Diphtheria (10)																				
Influenza (11)	6							1	1					1	1		1	1	1	
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1																			1
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	3	1				1			2	1										
Convulsions (80)																				
Bronchitis (99)	1										1									
Broncho-pneumonia (100)	38				2	1	1	1	5	3	6	3	1	2	4	6	2		3	3
Pneumonia (101)	5													1		1	1		1	1
Diseases of the stomach (111,112)																				
Diarrhea and enteritis (113)	13									1	1	2	3	1		1	1	1	2	
Congenital malformations (159)	4				2	1		1	4											
Congenital debility (160)	2				1			1	2											
Premature birth (161a)	15	8	1	2	1	1	1		14	1										
Injury at birth (161b)	2	1		1					2											
Other diseases of early infancy (162, 163)	3	2	1						3											
External causes (175–203)	1									1										
Unknown or ill-defined diseases (204, 205)																				
All other causes	4					1			1				1	1			1			
ST. LOUIS, MO. (WHITE), all causes	934	176	41	40	73	43	39	29	441	81	71	64	56	45	39	30	29	28	30	20
Measles (7)	15							1	1	2			1	3		3	2		2	1
Scarlet fever (8)																				
Whooping cough (9)	26							1	1	5	2	5	3	2		1	2	1	3	1
Diphtheria (10)	8														1	2	3	1		1
Influenza (11)	18						1	1	2	2	2	2	3	1	2	1	2	1		
Dysentery (16)	9												1	1	2			2	2	1
Erysipelas (21)	5							1	1	1	1							1	1	
Meningococcus meningitis (24)	3									1		2								
Tetanus (29)	1				1				1											
Tuberculosis of the respiratory system (31)	1																			1
Tuberculosis of the meninges, etc. (32)	5												1			1	1		1	1
Other forms of tuberculosis (33–37)	1											1								
Syphilis (38)	12	2	1	1				1	5	3	1	1		1	1					
Convulsions (80)																				
Bronchitis (99)	6							1	1			1	1	2						1
Broncho-pneumonia (100)	136			1	3	6	9	8	27	26	13	15	12	10	8	5	7	5	5	3
Pneumonia (101)	42			1		1	2	3	7	2	5	4	7	4	1	2		5	3	2
Diseases of the stomach (111, 112)	1												1							
Diarrhea and enteritis (113)	156				2	4	12	6	24	10	28	17	19	14	13	6	9	7	5	4
Congenital malformations (159)	103	19	3	11	21	7	5	2	68	9	7	6	3	3	2	2		1	2	
Congenital debility (160)	10			3	1	1			5	3	2									
Premature birth (161a)	205	119	23	12	29	15	4		202	2	1									
Injury at birth (161b)	61	27	10	8	10	3	1	2	61											
Other diseases of early infancy (162, 163)	21	9	4	2	3				18	3										
External causes (175–203)	12			1			1		2	1		1			3		1	1	3	
Unknown or ill-defined diseases (204, 205)	1				1				1											
All other causes	76				2	6	4	2	14	11	9	9	4	4	6	7	2	3	3	4
ST. LOUIS, MO. (COLORED), all causes	212	30	12	10	13	7	6	5	83	20	13	11	11	12	15	11	11	6	8	11
Measles (7)	1																1			
Scarlet fever (8)																				
Whooping cough (9)	11												1	1		1		2	3	3
Diphtheria (10)																				
Influenza (11)	2									1					1					
Dysentery (16)	2									1				1						
Erysipelas (21)	1									1										
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	2											1					1			
Other forms of tuberculosis (33–37)																				
Syphilis (38)	6		1	1					2	2	1	1								
Convulsions (80)																				
Bronchitis (99)	4				1				1				1	1					1	
Broncho-pneumonia (100)	72			1	3		1	1	6	7	9	6	6	3	13	7	4	1	2	8
Pneumonia (101)	15				1		2	1	4	2		1	3			2	1	1	1	
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	16					1		1	2	2	3	1		3	1	1	2		1	
Congenital malformations (159)	7		1		1	2	1	1	6								1			
Congenital debility (160)	4	1				1			2	1				1						
Premature birth (161a)	42	22	7	4	3	2	2	1	41	1										
Injury at birth (161b)	6	4	1	1					6											
Other diseases of early infancy (162, 163)	9	3	1	2	3				9											
External causes (175–203)	2											1						1		
Unknown or ill-defined diseases (204, 205)																				
All other causes	10		1	1	1	1			4	2				2			1	1		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MEMPHIS, TENN. (WHITE), all causes	199	67	10	9	6	7	4	2	105	14	10	14	7	17	7	5	6	2	5	7
Measles (7)	3													1		1			1	
Scarlet fever (8)																				
Whooping cough (9)	4									1			2							1
Diphtheria (10)	1																			1
Influenza (11)	8									1	1	4		1					1	
Dysentery (16)	3											1		2						
Erysipelas (21)																				
Meningococcus meningitis (24)	1														1					
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	1																1			
Other forms of tuberculosis (33–37)																				
Syphilis (38)	2	1							1		1									
Convulsions (80)																				
Bronchitis (99)	1												1							
Broncho-pneumonia (100)	20							1	1	3	4	2	1	4	1		1	1		2
Pneumonia (101)	8					1	2		3		2			1			1			1
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	24									2	1	2	3	6	4	1	3	1		1
Congenital malformations (159)	18	7	2	2	1	1	1	1	15		1	1		1						
Congenital debility (160)	6				1				1	2		1				2				
Premature birth (161a)	55	43	3	4		1	1		52	3										
Injury at birth (161b)	17	9	3	2	2	1			17											
Other diseases of early infancy (162, 163)	10	5	2	1		1			9	1										
External causes (175–203)	2													1						1
Unknown or ill-defined diseases (204, 205)	3	1			1				2						1					
All other causes	12	1			1	2			4	1		3				1			3	
MEMPHIS, TENN. (COLORED), all causes	217	46	7	4	6	11	11	11	96	22	13	10	15	6	11	12	13	5	5	9
Measles (7)	2															1			1	
Scarlet fever (8)																				
Whooping cough (9)	7							1	1	1							1	2	1	1
Diphtheria (10)	5									1		2	1		1					
Influenza (11)	6							1	1	1					2			1	1	
Dysentery (16)	4												1		2	1				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	2																1		1	
Tuberculosis of the meninges, etc. (32)	1																			1
Other forms of tuberculosis (33–37)	4												2				2			
Syphilis (38)	22	3	1			3	2	1	10	1	4	1	2	1		1	1			1
Convulsions (80)																				
Bronchitis (99)	3									1		1				1				
Broncho-pneumonia (100)	19					1		1	2	2	2	1	1	5	2	1	2		1	
Pneumonia (101)	9									2	1	1			1	2	2			
Diseases of the stomach (111, 112)	1									1										
Diarrhea and enteritis (113)	31						1		1	6	4	2	3		2	4	3	2		4
Congenital malformations (159)																				
Congenital debility (160)	8	3				3			6	1			1							
Premature birth (161a)	51	27	4	2	3	3	5	6	50	1										
Injury at birth (161b)	8	4		1	2		1		8											
Other diseases of early infancy (162, 163)	2	2							2											
External causes (175–203)																				
Unknown or ill-defined diseases (204, 205)	18	6	1		1		1		9	2	2	2	1		1	1				
All other causes	14	1	1	1		1	1	1	6	2			3				1			2
NASHVILLE, TENN. (WHITE), all causes	217	34	13	8	18	16	11	6	106	22	16	14	10	8	6	8	5	5	6	11
Measles (7)	5									3									1	1
Scarlet fever (8)																				
Whooping cough (9)	7							1	1	2		1	1		1					1
Diphtheria (10)																				
Influenza (11)	14					1		2	3	3	2	1	1		1	1		1		1
Dysentery (16)	3													1		1		1		
Erysipelas (21)	2													1						1
Meningococcus meningitis (24)	1									1										
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1															1				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	3					1		1	2											1
Convulsions (80)																				
Bronchitis (99)	1									1										
Broncho-pneumonia (100)	24				1	3	2		6	1	4	2	1	2	1	2	2	2	1	
Pneumonia (101)	5					1	1		2					1			1			1
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	30						2		2		4	4	4	3	2	2	1	1	2	5
Congenital malformations (159)	13		1	2	2		1	1	7	2	2	1			1					
Congenital debility (160)	11	1	1	1	2	1			6	1		2	1			1				
Premature birth (161a)	53	24	4	3	7	4	3		45	4	2	1					1			
Injury at birth (161b)	14	6	5	1	2				14											
Other diseases of early infancy (162, 163)	7	1	2		3	1			7											
External causes (175–203)	2					1			1				1							
Unknown or ill-defined diseases (204, 205)	12	2		1		2	1	1	7	2	2								1	
All other causes	9				1	1	1		3	2		2	1						1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NASHVILLE, TENN. (COLORED), all causes	120	20	5	5	3	8	5	4	50	8	6	8	10	8	8	6	5	4	3	4
Measles (7)	1									1										
Scarlet fever (8)																				
Whooping cough (9)	5							1	1	1				1	1			1		
Diphtheria (10)																				
Influenza (11)	6						1		1		1				2		1	1		
Dysentery (16)	3												1	1		1				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	3											1			1				1	
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	1		1						1											
Convulsions (80)																				
Bronchitis (99)	1											1								
Broncho-pneumonia (100)	17					2	2		4				3	3	2	1	1		2	1
Pneumonia (101)	4										1	1		2						
Diseases of the stomach (111, 112)	2										1		1							
Diarrhea and enteritis (113)	21						1		1	2	2	2	3		2	4	3	1		1
Congenital malformations (159)																				
Congenital debility (160)	6	1	1		1				3	1		1						1		
Premature birth (161a)	22	16	1	1		3			21	1										
Injury at birth (161b)	5	2	2		1				5											
Other diseases of early infancy (162, 163)	3			2		1			3											
External causes (175–203)	1							1	1											
Unknown or ill-defined diseases (204, 205)	14			2	1		1	2	6	1		2	2	1						2
All other causes	5	1				2			3	1	1									
DALLAS, TEX., all causes	440	89	26	16	30	35	17	10	223	32	33	34	22	18	22	16	12	12	8	8
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	16							1	1	3		2	1	1	1	3	2	1	1	
Diphtheria (10)	1																1			
Influenza (11)	35		1			3	2		6	4	4	3	3	5	4	5		1		
Dysentery (16)	5									1	1			1				1	1	
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	1					1			1											
Tuberculosis of the respiratory system (31)	2											1			1					
Tuberculosis of the meninges, etc. (32)	2														1					1
Other forms of tuberculosis (33–37)																				
Syphilis (38)	7	2	1						3	2		1			1					
Convulsions (80)																				
Bronchitis (99)	2											1						1		
Broncho-pneumonia (100)	43			2		4	2		8	4	5	5	6	3	5	3	1	1	1	1
Pneumonia (101)	28			2	3	1	3		9		4	5	1	3	1	2	1	1	1	
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	43					1	1		2	2	7	6	7	4	6			5	2	2
Congenital malformations (159)	32	5	2	1	3	9	1		21	4	2	2				1	1			1
Congenital debility (160)	15			1	1	1	1		4	1	5	3	1				1			
Premature birth (161a)	135	65	16	7	17	15	6	3	129	4							1			1
Injury at birth (161b)	30	14	5	5	5	1			30											
Other diseases of early infancy (162, 163)	7	1	1	1		1			4	2	1									
External causes (175–203)	4										2							1		1
Unknown or ill-defined diseases (204, 205)	1											1								
All other causes	31	2		1		1	1		5	5	2	4	3	1	3	1	4		2	1
FORT WORTH, TEX., all causes	202	43	11	6	12	6	6	9	93	17	15	8	11	13	18	9	4	6	5	3
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	3									2					1					
Diphtheria (10)																				
Influenza (11)	15							1	1	1	2	1	3	1	2	1		2		1
Dysentery (16)	2														1			1		
Erysipelas (21)	1													1						
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	2												1	1						
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	4	1							1						2		1			
Convulsions (80)	1		1						1											
Bronchitis (99)																				
Broncho-pneumonia (100)	17							2	2	4	5	1	1		1	1	1		1	
Pneumonia (101)	14				1		2		3	1			2	2	2	2			1	1
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	28									2	2	4	3	5	6		1	3	2	
Congenital malformations (159)	7		1	1	1			1	4	3										
Congenital debility (160)	6	1		1		1		1	4		2									
Premature birth (161a)	49	31	5		3	3	3	2	47	1		1								
Injury at birth (161b)	11	4	2	2	3				11											
Other diseases of early infancy (162, 163)	11	4	2	2	2	1			11											
External causes (175–203)	7									3	1			1	2					
Unknown or ill-defined diseases (204, 205)	1					1			1											
All other causes	23	2			2		1	2	7		3	1	1	2	1	5	1		1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
HOUSTON, TEX. (WHITE), all causes	229	45	11	15	14	12	8	7	112	30	9	14	12	7	7	11	8	5	8	6
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	7									3				1		1			1	1
Diphtheria (10)	6									1	1	2		1		1				
Influenza (11)	8			1		2			3			2	2				1			
Dysentery (16)	2														1			1		
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	1					1			1											
Tuberculosis of the respiratory system (31)	1																		1	
Tuberculosis of the meninges, etc. (32)	2																		1	1
Other forms of tuberculosis (33–37)																				
Syphilis (38)	5					1			1	2							2			
Convulsions (80)																				
Bronchitis (99)																				
Broncho-pneumonia (100)	9						1		1	3	1		2			1		1		
Pneumonia (101)	13				1		1		2	1	3	1	3		1			2		
Diseases of the stomach (111, 112)	2													1		1				
Diarrhea and enteritis (113)	24							2	2	1		4	2	2	2	4	2	1	2	2
Congenital malformations (159)	15	2		4	1		1	1	9	5				1						
Congenital debility (160)	16		1		1	1	4	1	8	4	1	2	1							
Premature birth (161a)	50	29	4	5	3	5		1	47	2		1								
Injury at birth (161b)	22	7	4	3	6				20	2										
Other diseases of early infancy (162, 163)	6	3	2	1					6											
External causes (175–203)	2	1							1					1						
Unknown or ill-defined diseases (204, 205)	24	1			2	1		2	6	4	2	2	1		2	2	2		2	1
All other causes	14	2		1		1	1		5	2	1		1		1	1	1		1	1
HOUSTON, TEX. (COLORED), all causes	107	13	8	3	10	9	3	4	50	7	4	11	7	6	5	4	6	4	1	2
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	4										1						1	2		
Diphtheria (10)																				
Influenza (11)	9									1		2	1	3		1	1			
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	2														1			1		
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	4				1				1	1	1							1		
Convulsions (80)	2				1				1										1	
Bronchitis (99)																				
Broncho-pneumonia (100)	9				1	1	1	1	4			1	1	1	1					1
Pneumonia (101)	7	1							1	1			1	1		1	1			1
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	8									2	1	2	1			1	1			
Congenital malformations (159)																				
Congenital debility (160)	2						1		1						1					
Premature birth (161a)	12	7	1	1	1			1	11	1										
Injury at birth (161b)	6	1	3			2			6											
Other diseases of early infancy (162, 163)	2	1		1					2											
External causes (175–203)	2							1	1						1					
Unknown or ill-defined diseases (204, 205)	34	3	4	1	6	5	1	1	21	1	1	4	3	1		1	2			
All other causes	4					1			1			2			1					
SAN ANTONIO, TEX., all causes	606	63	30	18	38	26	21	29	225	54	40	45	40	37	33	34	31	20	19	28
Measles (7)	2									1							1			
Scarlet fever (8)																				
Whooping cough (9)	20									3	1	1	3	4		3	3	1		1
Diphtheria (10)	2											1				1				
Influenza (11)	35	1				1		2	4	5	3	2	1	2	4	2	4	1	2	5
Dysentery (16)	15									3			3	1	2		1	2		3
Erysipelas (21)																				
Meningococcus meningitis (24)	2														1	1				
Tetanus (29)	9				3	4	2		9											
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	3											1				1	1			
Other forms of tuberculosis (33–37)																				
Syphilis (38)	13	1		1	1	2		2	7	5	1									
Convulsions (80)	7				1				1		2			2		1				1
Bronchitis (99)	5							1	1				1		1	2				
Broncho-pneumonia (100)	41		1	1	1	2	3	3	11	5	6	3	1	2	4	2	2	2	1	2
Pneumonia (101)	35				1	2		3	6	4	3	4	2	4	1	2		3	4	2
Diseases of the stomach (111, 112)	3									1			1							1
Diarrhea and enteritis (113)	198				3	1	5	9	18	20	19	23	25	20	15	15	11	10	10	12
Congenital malformations (159)	14	2	2	1	4	1	1		11	1		1				1				
Congenital debility (160)	13	1	1	1	2	2		1	8	1	1	1	1		1					
Premature birth (161a)	105	47	18	6	14	9	7	3	104	1										
Injury at birth (161b)	19	5	3	4	2	1	2	1	18		1									
Other diseases of early infancy (162, 163)	12	3	3	2	3		1		12											
External causes (175–203)	3							1	1			1					1			
Unknown or ill-defined diseases (204, 205)	27	3	2	2	3	1		2	13	2	2	1		1	1	2	3	1	1	
All other causes	23							1	1	2	1	6	2	1	3	1	4		1	1

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43, 49, and 50.

SUPPLEMENT

HAWAII AND VIRGIN ISLANDS

HAWAII

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1920

RACE	POPULATION JAN. 1, 1920							
	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
Total	255,912	10,431	83,327	54,464	40,200	667	29,438	37,385
Hawaiian	23,723	789	8,459	5,408	2,276	399	1,728	4,664
Part Hawaiian	18,027	830	9,072	2,841	1,387	118	1,106	2,673
Caucasian-Hawaiian	11,072	488	5,970	1,540	853	85	634	1,502
Asiatic-Hawaiian	6,955	342	3,102	1,301	534	33	472	1,171
Caucasian	54,742	2,705	24,125	8,908	6,610	71	5,427	6,896
Portuguese	27,002	1,836	9,978	5,210	2,095	45	3,190	4,648
Porto Rican	5,602	122	841	1,946	964	4	891	834
Other Caucasian	22,138	747	13,306	1,752	3,551	22	1,346	1,414
Chinese	23,507	662	13,383	1,987	3,547	23	1,810	2,095
Japanese	109,274	4,849	24,522	28,032	19,945	24	14,582	17,320
Korean	4,950	93	1,319	1,188	1,045	13	642	650
Filipino	21,031	485	2,113	6,027	5,283	15	4,104	3,004
All others	658	18	334	73	107	4	39	83

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY RACE, IN THE TERRITORY OF HAWAII: 1926

RACE	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN—								
	Hawaii Territory		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
	Number	Rate per 1,000 estimated population, July 1, 1926							
Total	3,886	13.0	234	1,556	583	540	40	351	582
Hawaiian	654	29.5	30	279	124	47	26	44	104
Part Hawaiian	354	16.3	23	182	47	21	8	13	60
Caucasian-Hawaiian	223	17.7	16	123	21	11	6	8	38
Asiatic-Hawaiian	131	14.4	7	59	26	10	2	5	22
Caucasian	659	10.6	43	345	81	61	----	42	87
Portuguese	285	9.5	25	124	39	13	----	28	56
Porto Rican	98	16.1	5	25	30	16	----	11	11
Other Caucasian	276	10.8	13	196	12	32	----	3	20
Chinese	286	11.6	12	173	25	30	2	22	22
Japanese	1,186	9.2	97	412	193	164	1	132	187
Korean	75	14.3	3	29	9	15	1	9	9
Filipino	660	19.7	26	128	104	201	2	86	113
All others	12	31.3	----	8	----	1	----	3	----

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND MONTHS, IN THE TERRITORY OF HAWAII: 1926

AREA AND SEX	All deaths [1]	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii	3,886	358	365	348	356	361	294	304	308	264	300	287	341
Males	2,361	215	240	213	199	216	165	193	188	169	172	163	228
Females	1,525	143	125	135	157	145	129	111	120	95	128	124	113
Hilo city:													
Males	145	17	13	12	11	12	9	13	15	10	14	10	9
Females	89	10	6	9	5	4	5	8	6	6	11	13	6
Honolulu city:													
Males	914	78	90	85	84	80	54	78	78	70	73	63	81
Females	642	55	46	58	72	69	54	48	54	41	58	47	40
Hawaii County (exclusive of Hilo city):													
Males	353	30	35	34	24	38	24	28	24	30	22	28	36
Females	230	15	25	18	28	17	25	17	11	8	17	25	24
Honolulu County (exclusive of Honolulu city):													
Males	345	32	35	38	30	32	30	31	31	12	21	19	34
Females	195	26	17	14	20	20	17	16	19	8	11	11	16
Kalawao County:													
Males	28		1	2	1	3	3	5		2	4	1	6
Females	12	3	1	2	3	1	1			1			
Kauai County:													
Males	219	18	29	19	17	27	14	7	19	21	11	15	22
Females	132	11	11	9	7	13	13	12	13	8	15	12	8
Maui County:													
Males	357	40	37	23	32	24	31	31	21	24	27	27	40
Females	225	23	19	25	22	21	14	10	17	23	16	16	19

[1] Exclusive of stillbirths.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1926

RACE AND SEX	All deaths [1]	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Total	3,886	1,159	187	91	49	43	1,529	105	79	91	161	149	146	158	183	208	213	173	186	180	128	84	46	29	19	10	5	4
Males	2,361	618	101	46	28	27	820	65	42	38	103	76	71	95	123	147	152	128	145	139	92	65	26	14	11	4	2	3
Females	1,525	541	86	45	21	16	709	40	37	53	58	73	75	63	60	61	61	45	41	41	36	19	20	15	8	6	3	1
Hawaiian:																												
Males	330	52	7	9	2	2	72	4	4	10	17	6	8	13	22	20	23	15	23	40	24	15	4	3	3	2	1	1
Females	324	56	6	5		1	68	1	12	20	9	13	21	14	15	19	28	14	19	19	18	7	9	6	6	3	3	
Part Hawaiian:																												
Males	203	88	18	2	3	3	114	9	6	7	12	4	7	5	8	6	4	3	4	4	7	2	1					
Females	151	74	8	4	1	2	89	3	6	5	6	9	5	6	5	6		1	4	2	1	2		1				
Caucasian-Hawaiian—																												
Males	135	52	13	2	1		68	5	2	7	10	3	6	4	6	4	3	2	4	2	7	1	1					
Females	88	39	5	2	1	2	49	1	2		4	6	3	3	4	5		1	4	2	1	2		1				
Asiatic-Hawaiian—																												
Males	68	36	5		2	3	46	4	4		2	1	1	1	2	2	1	1		2		1						
Females	63	35	3	2			40	2	4	5	2	3	2	3	1	1												
Caucasian:																												
Males	405	69	11	4	2	5	91	10	9	5	22	13	12	13	19	29	28	17	25	31	28	24	12	9	6	2		
Females	254	63	10	5	7	4	89	6	3	7	9	5	10	14	10	12	9	10	10	13	14	9	10	8	2	3		1
Portuguese—																												
Males	156	38	8	3	2	4	55	4	6	1	4	6	1	4	6	6	8	5	10	7	11	13	1	3	3	2		
Females	129	29	8	2	4	3	46	4	3	5	6	2	5	8	5	6	2	2	6	7	5	3	8	1	2	2		1
Porto Rican—																												
Males	55	13	2	1			16	3		2	2		1	4	3	6	5	3	4	3	1	1		1				
Females	43	22		1	1		24			1	1	2		2	3	2		2		3		1	1	1				
Other Caucasian—																												
Males	194	18	1			1	20	3	3	2	16	7	10	5	10	17	15	9	11	21	16	10	11	5	3			
Females	82	12	2	2	2	1	19	2		1	2	1	5	4	2	4	7	6	4	3	9	5	1	6		1		
Chinese:																												
Males	237	29	4	2	3	3	41	1	3	1	1	1	6	3	4	20	19	20	39	30	17	18	9	1	2		1	
Females	49	12	1		1	2	16	5	1	1	3	4	3	5	1	3	2	2		1	1	1						
Japanese:																												
Males	712	179	41	20	14	13	267	35	17	9	13	14	6	34	48	50	58	66	48	31	13	3						
Females	474	164	43	23	10	7	247	18	10	18	19	24	26	17	26	16	20	16	8	6	2		1					
Korean:																												
Males	65	4	1	1		1	7	1	1	1				3	10	14	14	5	4	2	1	1						
Females	10	6		1			7		1							1	1											1
Filipino:																												
Males	398	196	19	8	4		227	5	2	5	36	38	32	22	11	8	5	2	1	1	1	1						
Females	262	166	18	7	2		193	7	4	2	12	18	10	7	3	4		2										1
All other:																												
Males	11	1					1				2			2	1		1		1		1	1		1				
Females	1																1											

[1] Exclusive of stillbirths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1926

[Numbers under causes of death correspond to those of the 1920 revision of the detailed International List]

AREA	All causes (exclusive of stillbirths)	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83
Territory of Hawaii	3,886	27	------	------	36	1	15	30	49	11	13	336	22	29	197	4	32	173
Hilo city	234	6	------	------	2	------	------	8	------	2	------	27	------	2	18	1	2	12
Honolulu city	1,556	8	------	------	5	------	9	12	19	5	10	177	16	9	94	1	20	64
Hawaii County (exclusive of Hilo city)	583	4	------	------	11	------	------	4	7	------	2	27	1	3	23	------	1	28
Honolulu County (exclusive of Honolulu city)	540	2	------	------	7	------	1	3	11	------	------	18	2	2	20	------	2	31
Kalawao County	40	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------
Kauai County	351	1	------	------	10	1	4	2	9	1	------	31	2	1	22	1	4	17
Maui County	582	6	------	------	1	------	1	1	3	3	1	55	1	12	20	1	3	21
	DEATH RATE PER 100,000 ESTIMATED POPULATION																	
Territory of Hawaii	1,300.7	9.0	------	------	12.0	0.3	5.0	10.0	16.4	3.7	4.4	112.5	7.4	9.7	65.9	1.3	10.7	57.9

AREA	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents 188c	Other external causes 175–188a, b, d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes
Territory of Hawaii	296	38	551	333	30	28	27	193	18	46	333	61	22	60	180	9	686
Hilo city	21	1	29	19	3	2	1	12	4	1	13	------	------	3	10	------	35
Honolulu city	113	13	207	72	12	17	18	107	5	21	123	32	13	25	60	1	268
Hawaii County (exclusive of Hilo city)	50	3	97	73	5	1	3	26	3	9	51	9	3	7	26	2	104
Honolulu County (exclusive of Honolulu city)	33	12	101	74	2	1	3	12	1	5	37	10	2	8	33	------	107
Kalawao County	------	------	------	1	------	------	------	1	------	------	------	------	------	------	------	------	37
Kauai County	41	1	36	28	2	2	------	13	2	4	44	2	1	6	19	5	39
Maui County	38	8	81	66	6	5	2	22	3	6	65	8	3	11	32	1	96
	DEATH RATE PER 100,000 ESTIMATED POPULATION																
Territory of Hawaii	99.1	12.7	184.4	111.5	10.0	9.4	9.0	64.6	6.0	15.4	111.5	20.4	7.4	20.1	60.2	3.0	229.6

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1926

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	All causes (exclusive of stillbirths)	3,886	654	354	223	131	659	285	98	276	286	1,186	75	660	12
	I.—Epidemic, endemic, and infectious diseases	700	163	61	37	24	77	38	15	24	36	232	15	114	2
1	Typhoid and paratyphoid fever	27	13	2	1	1	1	1	------	------	1	9	------	1	------
7	Measles	36	2	------	------	------	4	4	------	------	------	26	------	4	------
8	Scarlet fever	1	------	------	------	------	------	------	------	------	------	1	------	------	------
9	Whooping cough	15	3	1	------	1	1	1	------	------	------	8	1	1	------
10	Diphtheria	30	2	------	------	------	6	5	------	1	3	19	------	------	------
11a	Influenza (with pulmonary complications)	28	5	2	1	1	5	1	1	3	1	8	1	6	------
11b	Influenza (other and unspecified)	21	10	2	2	------	3	2	1	------	1	2	------	3	------
16	Dysentery	4	1	------	------	------	------	------	------	------	------	2	------	1	------
17	Plague	7	1	------	------	------	2	------	2	------	------	2	------	2	------
20	Leprosy	41	26	8	6	2	------	------	------	------	2	1	2	2	------
21	Erysipelas	11	------	1	1	------	------	------	------	------	1	9	------	------	------
24	Meningococcus meningitis	13	1	------	------	------	2	------	------	2	------	5	------	5	------
27	Anthrax	1	------	------	------	------	1	------	------	1	------	------	------	------	------
29	Tetanus	19	1	4	4	------	5	4	1	------	------	6	------	3	------
	Tuberculosis (all forms)	387	83	35	18	17	33	15	7	11	25	123	8	78	2
31	Of the respiratory system	336	73	30	17	13	27	14	5	8	23	103	8	70	2
32	Of the meninges, central nervous system	22	2	3	------	3	2	1	------	1	2	10	------	3	------
33	Of the intestines, peritoneum	17	3	1	------	1	2	------	2	------	------	8	------	3	------
34	Of the vertebral column	2	2	------	------	------	------	------	------	------	------	------	------	------	------
35	Of the joints	3	1	------	------	------	------	------	------	------	------	1	------	1	------
36	Of other organs	4	1	------	------	------	1	------	------	1	------	1	------	1	------
37a	Disseminated (acute)	3	1	1	1	------	1	------	------	1	------	------	------	------	------
38	Syphilis	46	10	5	3	2	10	3	2	5	2	8	3	8	------
40	Gonococcus infection	9	5	------	------	------	2	1	1	------	------	2	------	------	------
41	Purulent infection, septicemia	4	------	1	1	------	2	1	------	1	------	1	------	------	------

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	II.—General diseases not included in Class I	400	48	23	15	8	60	24	6	30	26	140	10	91	2
	Cancer and other malignant tumors	197	34	9	9		38	13	3	22	16	84	8	6	2
43	Of the buccal cavity	5					3	2		1	1	1			
44	Of the stomach, liver	106	12	5	5		14	6	2	6	9	55	7	2	2
45	Of the peritoneum, intestines, rectum	17	8	1	1		2			2	2	3	1		
46	Of the female genital organs	36	10	3	3		6	3	1	2		15		2	
47	Of the breast	6	1				4			4				1	
48	Of the skin	1					1			1					
49	Of other or unspecified organs	26	3				8	2		6	4	10		1	
51	Acute rheumatic fever	3									1	1		1	
52	Chronic rheumatism, osteoarthritis, gout	1										1			
55	Beriberi	111		1		1					2	34	1	73	
56	Rickets	1		1		1									
57	Diabetes mellitus	32	7	4	3	1	11	8		3	1	9			
58	Anemia, chlorosis	5					1		1			2		2	
60a	Exophthalmic goiter	2									1	1			
60b	Other diseases of the thyroid gland	2	1											1	
61	Diseases of the parathyroid glands	1					1	1							
62	Diseases of the thymus gland	14	1	4	1	3	1		1		3			5	
63	Diseases of the adrenals (Addison's disease)	1					1	1							
65a	Leukemia	9	3	2	1	1					1	1		2	
65b	Hodgkin's disease	3					2		1	1				1	
66	Alcoholism (acute or chronic)	12	2				4	1		3		6			
68	Chronic poisoning by organic substances	3					1			1	1		1		
69	Other general diseases	3		2	1	1						1			
	III.—Diseases of the nervous system and of the organs of special sense	254	56	13	8	5	67	34	7	26	21	74	7	15	1
70	Encephalitis	4					1		1					3	
71a	Simple meningitis	10	1	1		1	2	1		1		4		2	
72	Tabes dorsalis (locomotor ataxia)	3	1				1	1			1				
73	Other diseases of the spinal cord	7	2	2	2		1			1		2			
74a	Cerebral hemorrhage	169	42	4	1	3	49	28	4	17	17	48	6	2	1
74b	Cerebral embolism and thrombosis	4	2	1	1		1	1							
75	Paralysis without specified cause	1		1	1										
76	General paralysis of the insane	11	2				3	1	1	1	1	5			
77	Other forms of mental alienation	6	1								1	1		3	
78	Epilepsy	7	1				3	1	1	1		2	1		
79	Convulsions (nonpuerperal; 5 years and over)	1										1			
80	Infantile convulsions (under 5 years)	9	1	1	1							3		4	
82	Neuralgia and neuritis	1					1	1							
84	Other diseases of the nervous system	5					2			2	1	2			
85	Diseases of the eye and annexa	1		1	1										
86a	Diseases of the ear	10	1	1		1	3			3		4		1	
86b	Diseases of the mastoid process	5	2	1	1							2			
	IV.—Diseases of the circulatory system	341	88	18	14	4	99	39	12	48	48	65	7	14	2
87	Pericarditis	1					1			1					
88	Endocarditis and myocarditis (acute)	19	2	3	1	2	7	4		3	1	5		1	
89	Angina pectoris	14	4	1	1		5	3		2		4			
90	Other diseases of the heart	262	69	13	11	2	67	26	9	32	40	53	7	11	2
91a	Aneurysm	5	1				2			2	1	1			
91b,c	Other diseases of the arteries	32	10	1	1		15	6	3	6	5	1			
92	Embolism and thrombosis (not cerebral)	5					2			2	1			2	
93	Diseases of the veins	2	2												
94	Diseases of the lymphatic system	1										1			
	V.—Diseases of the respiratory system	628	103	81	45	36	69	37	13	19	31	179	4	160	1
97b	Diseases of the nasal fossae annexa	2					1	1				1			
98	Diseases of the larynx	3					2	2				1			
99a	Acute bronchitis	25	5	4	1	3					1	7		8	
99b	Chronic bronchitis	5	2	1	1						1	1			
99c,d	Bronchitis (unspecified)	8		1		1	2	1		1	1			4	
100a	Broncho-pneumonia	319	38	42	23	19	32	19	7	6	18	86	3	100	
100b	Capillary bronchitis	12	2	2	2							4		4	
101a	Lobar pneumonia	218	50	30	18	12	28	13	6	9	9	62	1	37	1
101b	Pneumonia (unspecified)	2	1									1			
102	Pleurisy	18	1	1		1	2			2		10		4	
103	Congestion and hemorrhagic infarct of the lung	1					1			1					
104	Gangrene of the lung	3	1									1		1	
105	Asthma	9	3				1	1			1	2		2	
107	Other diseases of the respiratory system (tuberculosis excepted)	3										3			
	VI.—Diseases of the digestive system	554	72	44	24	20	97	45	16	36	27	169	9	135	1
108	Diseases of the mouth and annexa	3					1	1			1			1	
109b	Other diseases of the pharynx, tonsils	6		1	1		4	1		3		1			
111a	Ulcer of the stomach	20	5	1	1		4	2	1	1	2	6	1	1	
111b	Ulcer of the duodenum	9					1		1			5		3	
112	Other diseases of the stomach (cancer excepted)	5									1	1		3	
113	Diarrhea and enteritis (under 2 years)	333	37	34	20	14	38	21	9	8	12	99	4	108	1
114	Diarrhea and enteritis (2 years and over)	68	12	2		2	15	9	2	4	4	28		7	
115	Ancylostomiasis	1												1	
117	Appendicitis and typhlitis	30	4	2		2	10	5	1	4	1	9	1	3	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	VI.—Diseases of the digestive system—Contd.														
118a	Hernia	9	4	1		1	3	2		1	1				
118b	Intestinal obstruction	19	1	1	1		3	1	1	1	2	9		3	
119	Other diseases of the intestines	1											1		
120	Acute yellow atrophy of the liver	2					1		1			1			
122	Cirrhosis of the liver	27	8				9	1		8	2	6	1	1	
123	Biliary calculi	7	1				4	1		3	1	1			
124	Other diseases of the liver	12		2	1	1	2	1		1		3	1	4	
125	Diseases of the pancreas	2					2			2					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	223	49	13	10	3	44	15	5	24	44	62	4	6	1
128	Acute nephritis (including unspecified under 10 years)	19	2	1	1		1		1		5	7		3	
129	Chronic nephritis (including unspecified 10 years and over)	174	42	9	6	3	33	11	4	18	39	43	4	3	1
131	Other diseases of the kidneys and annexa	6	2				1	1				3			
132	Calculi of the urinary passages	4	1	1	1							2			
133	Diseases of the bladder	1										1			
134	Diseases of the urethra, etc	2					1			1		1			
135	Diseases of the prostate	8	1	1	1		5	2		3		1			
137	Cysts, other benign tumors of the ovary	2					2	1		1					
138	Salpingitis and pelvic abscess (female)	2		1	1		1			1					
139	Benign tumors of the uterus	3	1									2			
140	Nonpuerperal uterine hemorrhage	1										1			
141	Other diseases of the female genital organs	1										1			
	VIII.—The puerperal state	64	8	9	6	3	8	6	2		4	30		5	
143	Accidents of pregnancy	10	1	2	2						1	4		2	
144	Puerperal hemorrhage	19	4	2		2	2	1	1		2	8		1	
145	Other accidents of labor	6	1				1	1				4			
146	Puerperal septicemia	18	2	3	2	1	2	1	1		1	8		2	
148	Puerperal albuminuria and convulsions	11		2	2		3	3				6			
	IX.—Diseases of the skin and of the cellular tissue	25	1	4	1	3	6	4	1	1	2	9		3	
151	Gangrene	2					1	1			1				
152	Furuncle	10	1	2	1	1					1	5		1	
153	Acute abscess	7		1		1	2	1		1		4			
154	Other diseases of the skin and annexa	6		1		1	3	2	1					2	
	X.—Diseases of the bones and of the organs of locomotion	10	1	2	1	1	1		1		1	3	1	1	
155	Diseases of the bones (tuberculosis excepted)	8	1	2	1	1					1	2	1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2					1		1			1			
	XI.—Malformations	39	2	7	4	3	7	5	1	1	3	12		8	
159a	Congenital hydrocephalus	5		2	2		2	2						1	
159b	Congenital malformations of the heart	23	1	5	2	3	2	1		1	1	8		6	
159c	Other congenital malformations	11	1				3	2	1		2	4		1	
	XII.—Early infancy	294	20	54	38	16	53	23	15	15	12	92	2	61	
160	Congenital debility, icterus, sclerema	42	2	4	2	2	6	2	3	1	2	10		18	
161a	Premature birth	157	8	30	22	8	33	13	9	11	4	53	2	27	
161b	Injury at birth	39	3	11	6	5	8	3	2	3	2	11		4	
162	Other diseases peculiar to early infancy	53	7	7	6	1	6	5	1		4	18		11	
163	Lack of care	3		2	2									1	
164	XIII.—Old age (senility)	22	11				6	3		3	5				
	XIV.—External causes	323	29	24	20	4	65	12	4	49	26	118	16	43	2
	Suicide	61		1		1	14	1		13	11	23	7	5	
165	By poisons (gas or corrosives excepted)	16					4			4	1	8	2	1	
166	By corrosive substances	3					1			1			1	1	
167	By poisonous gas	1					1			1					
168	By hanging or strangulation	19					2			2	5	7	4	1	
169	By drowning	6					3			3	2	1			
170	By firearms	7		1		1	2			2	2	2			
171	By cutting or piercing instruments	6									1	4		1	
172	By jumping from high places	1												1	
173	By crushing	2					1	1				1			
	Homicide	22	2	1	1		2	1		1	1	4		12	
197	By firearms	4	1								1			2	
198	By cutting or piercing instruments	15		1	1		2	1		1		2		10	
199	By other means	3	1									2			
	Accidental or undefined	240	27	22	19	3	49	10	4	35	14	91	9	26	2
175	Poisoning by food	6	1	1	1							1	1	2	
177	Other acute poisonings (gas excepted)	10	1				8			8		1			
178	Conflagration	2	1									1			
179	Burns (conflagration excepted)	18	1	1	1		1			1	1	10		4	
181	Absorption of irrespirable, irritating, or poisonous gas	2					1			1		1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	XIV.—External causes—Continued														
	Accidental or undefined—Continued.														
182	Drowning	33		5	4	1	8			8	2	16	2		
183	Traumatism by firearms (except in war)	5	1	2	2		2	1		1					
184	Traumatism by cutting or piercing instruments	2	1	1	1										
185	Traumatism by fall	38	2	1	1		9	3	1	5	5	14	2	4	1
187	Traumatism by machines	7	2				2		1	1		2		1	
188a	Railroad accidents	12	2	1	1							7	1	1	
188b	Street-car accidents	2	1				1			1					
188c	Automobile accidents	60	10	6	4	2	12	4	2	6	4	22	1	5	
188e,f	Injuries by other vehicles	3										1		2	
188g	Landslide, other crushing	4		1	1							1		1	1
189	Injuries by animals (not poisoning)	5	1	1	1		1			1		1		1	
194	Excessive heat	1												1	
196	Other accidental electric shocks	6	1	1	1						1	2	1		
202	Other external violence	24	2	1	1		4	2		2	1	11	1	4	
	XV.—Ill-defined diseases	9	3	1		1						1		4	
205a	Ill-defined	7	2	1		1						1		3	
205b	Not specified or unknown	2	1											1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1926

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	All causes (exclusive of stillbirths)	3,886	1,159	187	91	49	43	105	79	91	161	149	146	341	421	359	308	193	4
	I.—Epidemic, endemic, and infectious diseases	700	78	32	23	14	12	33	32	43	72	58	54	101	80	37	25	5	1
1	Typhoid and paratyphoid fever	27							8	4	5	3	3	3				1	
7	Measles	36	10	12	4	2	3	5											
8	Scarlet fever	1	1																
9	Whooping cough	15	13		1	1													
10	Diphtheria	30	2	4	6	5	6	7											
11a	Influenza (with pulmonary complications)	28	2	2	1				1	1	5	3	1	3	4		4	1	
11b	Influenza (other and unspecified)	21	4	1	1			1	2	2		1	2	2	3	1		1	
16	Dysentery	4									1	1		1			1		
17	Plague	7					1	2	1		1		1		1				
20	Leprosy	41									3	2	5	14	8	3	6		
21	Erysipelas	11	6	2							1			1		1			
24	Meningococcus meningitis	13	2	3	1	1					4			2					
27	Anthrax	1															1		
29	Tetanus	19	8		1	1		5	1	1				1		1			
	Tuberculosis (all forms)	387	7	6	7	4	1	12	18	34	50	46	40	68	55	24	12	2	1
31	Of the respiratory system	336	1	1	3	1		7	12	32	46	43	36	63	53	24	12	1	1
32	Of the meninges, central nervous system	22	5	4	1	3	1	2	1			2	1	1	1				
33	Of the intestines, peritoneum	17	1	1	1			1	3	2	2		2	3				1	
34	Of the vertebral column	2									1			1					
35	Of the joints	3			1				1			1							
36	Of other organs	4						1			1		1		1				
37a	Disseminated (acute)	3			1			1	1										
38	Syphilis	46	22	2	1			1			1		1	3	9	6			
40	Gonococcus infection	9									1	2	1	3		1	1		
41	Purulent infection, septicemia	4	1				1		1	1									
	II.—General diseases not included in Class I	400	100	4	2	2	1	3	2	1	8	12	10	35	80	75	47	18	
	Cancer and other malignant tumors	197				1						2	5	24	55	59	34	17	
43	Of the buccal cavity	5														2	2	1	
44	Of the stomach, liver	106										2	1	9	29	39	22	4	
45	Of the peritoneum, intestines, rectum	17												1	4	4	3	5	
46	Of the female genital organs	36											4	11	10	8	1	2	
47	Of the breast	6												2	1	3			
48	Of the skin	1																1	
49	Of other or unspecified organs	26				1								1	11	3	6	4	
51	Acute rheumatic fever	3				1		1						1					
52	Chronic rheumatism, osteoarthritis, gout	1															1		
55	Beriberi	111	80	1	1			1			5	9	3	3	4	3	1		
56	Rickets	1	1																
57	Diabetes mellitus	32					1						1	1	11	10	7	1	
58	Anemia, chlorosis	5									1			1	2	1			
60a	Exophthalmic goiter	2									1			1					
60b	Other diseases of the thyroid gland	2	1													1			
61	Diseases of the parathyroid glands	1		1															
62	Diseases of the thymus gland	14	12	1	1														
63	Diseases of the adrenals (Addison's disease)	1													1				
65a	Leukemia	9	2	1				1	1		1			1	1		1		
65b	Hodgkin's disease	3	1						1						1				
66	Alcoholism (acute or chronic)	12								1		1	1	1	4	1	3		
68	Chronic poisoning by organic substances	3												2	1				
69	Other general diseases	3	3																

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	III.—Diseases of the nervous system and of the organs of special sense	254	16	4	7	2		4	6	3	1	5	4	16	46	47	60	32	1
70	Encephalitis	4	1		1						1			1					
71a	Simple meningitis	10	2		4	1			1			1		1					
72	Tabes dorsalis (locomotor ataxia)	3													2		1		
73	Other diseases of the spinal cord	7	1	1				1				1		1	1	1			
74a	Cerebral hemorrhage	169		1								1	2	5	34	42	53	30	1
74b	Cerebral embolism and thrombosis	4														1	2	1	
75	Paralysis without specified cause	1															1		
76	General paralysis of the insane	11								1			1	2	5	1	1		
77	Other forms of mental alienation	6										2		1	1	2			
78	Epilepsy	7						2	1	1			1	1	1				
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	9	7		1	1													
82	Neuralgia and neuritis	1												1					
84	Other diseases of the nervous system	5	1							1							2	1	
85	Diseases of the eye and annexa	1							1										
86a	Diseases of the ear	10	4	2					2					1	1				
86b	Diseases of the mastoid process	5			1				1					2	1				
	IV.—Diseases of the circulatory system	341	4		1			5	9	6	7	7	9	27	66	67	66	67	
87	Pericarditis	1													1				
88	Endocarditis and myocarditis (acute)	19	1					2	2		3	1	2	3	1	1	2	1	
89	Angina pectoris	14											1	2	4	5	1	1	
90	Other diseases of the heart	262	1		1			3	7	6	4	6	5	20	53	57	53	46	
91a	Aneurysm	5													3	1	1		
91b,c	Other diseases of the arteries	32													1	3	9	19	
92	Embolism and thrombosis (not cerebral)	5	1										1	1	2				
93	Diseases of the veins	2												1	1				
94	Diseases of the lymphatic system	1	1																
	V.—Diseases of the respiratory system	628	319	61	24	9	5	12	8	8	19	14	10	37	33	23	28	18	
97b	Diseases of the nasal fossae annexa	2							1			1							
98	Diseases of the larynx	3		2					1										
99a	Acute bronchitis	25	23				1								1				
99b	Chronic bronchitis	5	1													1	3		
99c,d	Bronchitis (unspecified)	8	5		1									1		1			
100a	Broncho-pneumonia	319	204	37	13	8	2	7	2	1	8	3	3	5	9	3	7	7	
100b	Capillary bronchitis	12	10	2															
101a	Lobar pneumonia	218	68	16	10	1	2	4	3	7	10	8	5	28	22	14	12	8	
101b	Pneumonia (unspecified)	2	1										1						
102	Pleurisy	18	7	3					1		1	2				2	2		
103	Congestion and hemorrhagic infarct of the lung	1																1	
104	Gangrene of the lung	3											1				2		
105	Asthma	9						1						2		2	2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	3		1										1	1				
	VI.—Diseases of the digestive system	554	281	64	21	11	10	12	10	3	6	9	15	30	36	23	17	6	
108	Diseases of the mouth and annexa	3						1						1			1		
109b	Other diseases of the pharynx, tonsils	6	1		1	1		1						1	1				
111a	Ulcer of the stomach	20									2	1	2	5	6	2	1	1	
111b	Ulcer of the duodenum	9											1	6	2				
112	Other diseases of the stomach (cancer excepted)	5	2											1		1	1		
113	Diarrhea and enteritis (under 2 years)	333	269	64															
114	Diarrhea and enteritis (2 years and over)	68			20	9	7	6	3	1		3	4	2	1	3	5	4	
115	Ancylostomiasis	1										1							
117	Appendicitis and typhlitis	30				1	2	3	5	1	1	1	4	4	3	3	2		
118a	Hernia	9	1										1		3	3	1		
118b	Intestinal obstruction	19	8				1	1	1			2		2	3		1		
119	Other diseases of the intestines	1													1				
120	Acute yellow atrophy of the liver	2								1				1					
122	Cirrhosis of the liver	27												5	9	8	4	1	
123	Biliary calculi	7											1	1	3	1	1		
124	Other diseases of the liver	12							1		3	1	2	1	3	1			
125	Diseases of the pancreas	2													1	1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	223	4		1		3	8	2	4	4	3	7	27	35	50	49	26	
128	Acute nephritis (including unspecified under 10 years)	19	4		1		1	4	1	1			3	2		1	1		
129	Chronic nephritis (including unspecified 10 years and over)	174					2	4	1	1	2	3	1	19	30	46	43	22	
131	Other diseases of the kidneys and annexa	6								1					2	2		1	
132	Calculi of the urinary passages	4											1	2	1				
133	Diseases of the bladder	1												1					
134	Diseases of the urethra, etc	2										1						1	
135	Diseases of the prostate	8														1	5	2	
137	Cysts, other benign tumors of the ovary	2												2					
138	Salpingitis and pelvic abscess (female)	2											1		1				
139	Benign tumors of the uterus	3									1			1	1				
140	Nonpuerperal uterine hemorrhage	1								1									
141	Other diseases of the female genital organs	1												1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIII.—The puerperal state	64								6	9	22	10	15	2				
143	Accidents of pregnancy	10								2	3	2	1	2					
144	Puerperal hemorrhage	19								1	2	8	3	4	1				
145	Other accidents of labor	6									1	1		3	1				
146	Puerperal septicemia	18								2	3	6	3	4					
148	Puerperal albuminuria and convulsions	11								1		5	3	2					
	IX.—Diseases of the skin and of the cellular tissue	25	12	1		1	1	1	1	1			1	2	2			2	
151	Gangrene	2	1															1	
152	Furuncle	10	2	1						1			1	2	2			1	
153	Acute abscess	7	4				1	1	1										
154	Other diseases of the skin and annexa	6	5			1													
	X.—Diseases of the bones and of the organs of locomotion	10				1	2	3				2		1	1				
155	Diseases of the bones (tuberculosis excepted)	8				1	2	2				2		1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2						1							1				
	XI.—Malformations	39	36	1				1			1								
159a	Congenital hydrocephalus	5	5																
159b	Congenital malformations of the heart	23	21	1				1											
159c	Other congenital malformations	11	10								1								
	XII.—Early infancy	294	294																
160	Congenital debility, icterus, sclerema	42	42																
161a	Premature birth	157	157																
161b	Injury at birth	39	39																
162	Other diseases peculiar to early infancy	53	53																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	22														1	5	16	
	XIV.—External causes	323	12	15	12	9	9	23	9	16	34	17	25	50	40	36	11	3	2
	Suicide	61								5	5	3	6	15	11	12	3	1	
165	By poisons (gas or corrosives excepted)	16								4		2	2	3	2	3			
166	By corrosive substances	3									1			2					
167	By poisonous gas	1									1								
168	By hanging or strangulation	19									2	1	1	4	3	4	3	1	
169	By drowning	6											1	1	1	3			
170	By firearms	7									1			3	1	2			
171	By cutting or piercing instruments	6											1	1	4				
172	By jumping from high places	1											1						
173	By crushing	2								1				1					
	Homicide	22						1		1	3	3	3	8		3			
197	By firearms	4										1		2		1			
198	By cutting or piercing instruments	15						1		1	2	2	3	5		1			
199	By other means	3		1							1			1		1			
	Accidental or undefined	240	12	15	12	9	9	22	9	10	26	11	16	27	29	21	8	2	2
175	Poisoning by food	6		1	2	1								1	1				
177	Other acute poisonings (gas excepted)	10			1						3	3	1		1	1			
178	Conflagration	2			1												1		
179	Burns (conflagration excepted)	18	2	5	3	3		2			1			2					
181	Absorption of irrespirable, irritating, or poisonous gas	2												1	1				
182	Drowning	33	2	4	2	2	1	7		1	3	1	1	1	4	2		1	1
183	Traumatism by firearms (except in war)	5								2	2		1						
184	Traumatism by cutting or piercing instruments	2									1						1		
185	Traumatism by fall	38	4			1	1	2	2	3	3	2	3	8	2	5	1	1	
187	Traumatism by machines	7						1		1			1	1	2	1			
188a	Railroad accidents	12							1	1	2			1	5	1	1		
188b	Street-car accidents	2														1	1		
188c	Automobile accidents	60	2	1	2	2	5	9	2	1	7	3	1	8	9	7	1		
188e,f	Injuries by other vehicles	3									2		1						
188g	Landslide, other crushing	4							1					1		1			1
189	Injuries by animals (not poisoning)	5			1		1	1	1				1						
194	Excessive heat	1													1				
196	Other accidental electric shocks	6							1	1				2	2				
202	Other external violence	24	2	4			1		1		2	2	5	2	1	2	2		
	XV.—Ill-defined diseases	9	3	5									1						
205a	Ill-defined	7	1	5									1						
205b	Not specified or unknown	2	2																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE TERRITORY OF HAWAII: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes (exclusive of stillbirths)	3,886	358	365	348	356	361	294	304	308	264	300	287	341
Typhoid and paratyphoid fever (1)	27	2	1	3	1		2	4	3	4	4	2	1
Malaria (5)													
Smallpox (6)													
Measles (7)	36	3	1	4	3	4	2		1	2	7	3	6
Scarlet fever (8)	1										1		
Whooping cough (9)	15			1		5	3	1	2	2			1
Diphtheria (10)	30	3	6	4		1	1	3	1	4		1	6
Influenza (11)	49	2	4	4	7	10	5	7	5	1		2	2
Dysentery (16)	4						1	1	1	1			
Erysipelas (21)	11			1			1	2	2	1	1		3
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	13	1	1		6	1	1		2		1		
Tuberculosis of the respiratory system (31)	336	35	34	26	25	33	22	27	34	32	23	26	19
Other forms of tuberculosis (32–37)	51	5	4	4	3	4	3	5	4	2	5	3	4
Diabetes mellitus (57)	32	1	4	3	4	2	2	3	3		6	3	1
Cerebral hemorrhage and softening (74, 83)	173	17	21	15	10	16	16	18	10	9	10	13	18
Other [organic] diseases of the heart (90)	262	23	18	26	26	23	22	17	18	16	28	28	17
Bronchitis (99)	38	3		5	3	7	1	6	2	4	2	1	4
Broncho-pneumonia (100)	331	30	44	35	34	14	21	23	19	24	24	25	38
Pneumonia (101)	220	23	21	30	27	24	21	11	14	9	10	9	21
Diarrhea and enteritis [under 2 years] (113)	333	41	33	22	31	29	29	18	29	27	29	25	20
Diarrhea and enteritis [2 years and over] (114)	68	6	6	7	5	8	5	5	7	5	4	3	7
Nephritis (128, 129)	193	17	21	21	18	17	11	16	21	11	14	10	16
Puerperal septicemia (146)	18		3	1	1	1	4	1	3		2	2	
Other puerperal causes (143–145, 147–150)	46	2	4	2	7	3	6	2	4	2	6	5	3
Suicide (165–174)	61	11	5	9	4	3	2	9	3		5	4	6
Automobile accidents (188c)	60	6	5	4	6	5	4	6	6	4	5	3	6
Other external causes (175–188a, b, d-203)	202	16	24	15	15	23	16	16	16	17	10	16	18
All other causes	1,276	111	105	106	115	128	93	103	98	87	103	103	124

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes (exclusive of stillbirths)	1,159	134	42	17	54	63	34	35	379	197	104	75	69	65	48	50	60	51	31	30
Measles (7)	10											1				1	3	3		2
Scarlet fever (8)	1											1								
Whooping cough (9)	13									2	2	2	3		1	1	1			1
Diphtheria (10)	2													1		1				
Influenza (11)	6									2		1	1			1	1			
Dysentery (16)																				
Erysipelas (21)	6				2			1	3	1		1		1						
Meningococcus meningitis (24)	2															1		1		
Tetanus (29)	8				3	3	1		7											1
Tuberculosis of the respiratory system (31)	1													1						
Tuberculosis of the meninges, etc. (32)	5										1		1	1			1			1
Other forms of tuberculosis (33–37)	1												1							
Syphilis (38)	22	1			1	3			5	6	2	1	1	1		1	2	1	1	1
Convulsions (80)	7									3	1					2				1
Bronchitis (99)	29					5	1		6	8	3	2	2	3	3	1			1	
Broncho-pneumonia (100)	214		1		2	6	4	3	16	39	26	8	16	18	18	16	17	20	11	9
Pneumonia (101)	69						2	1	3	7	6	8	5	6	7	8	9	3	6	1
Diseases of the stomach (111, 112)	2									1					1					
Diarrhea and enteritis (113)	269		1		4	6	9	8	28	57	37	33	25	20	15	12	17	12	7	6
Congenital malformations (159)	36	4	2	2	4	3	1	6	22	2	3	3		3		1	1	1		
Congenital debility (160)	42	3	3	1	4	5	1	3	20	8	6	2	2	2	1			1		
Premature birth (161a)	157	76	20	9	14	17	7	5	148	7			1	1						
Injury at birth (161b)	39	26	5	1	6		1		39											
Other diseases of early infancy (162, 163)	56	21	8	3	8	8	3	1	52	4										
External causes (175–203)	12							1	1				3	1			1	3	1	2
Unknown or ill-defined diseases (204, 205)	3		1						1	2										
All other causes	147	3	1	1	6	7	4	6	28	48	17	12	8	6	2	4	7	6	4	5

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION [1] BY SEX AND COLOR, IN THE VIRGIN ISLANDS: 1917

AREA AND SEX	COLOR OR RACE					AREA AND SEX	COLOR OR RACE				
	Total	White	Negro	Mixed	Other colored		Total	White	Negro	Mixed	Other colored
Virgin Islands	26,051	1,922	19,523	4,563	43	St. John	958	4	690	264	1
Males	11,999	1,198	8,990	1,778	33	Males	509	4	374	130	1
Females	14,052	724	10,533	2,785	10	Females	450		316	134	
St. Croix	14,901	625	12,238	2,016	22	St. Thomas	10,191	1,293	6,595	2,283	20
Males	7,133	371	5,894	850	18	Males	4,357	823	2,722	798	14
Females	7,768	254	6,344	1,166	4	Females	5,834	470	3,873	1,485	6

[1] The first census of population under the auspices of the United States Government.

NOTE.—Mixed designates persons of mixed white and Negro blood.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, COLOR, AND MONTHS, IN THE VIRGIN ISLANDS: 1926

AREA, SEX, AND COLOR	All deaths [1]	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands	499	31	29	34	39	57	40	47	52	48	35	36	51
Males	241	18	13	15	21	27	18	21	21	26	19	19	23
Females	258	13	16	19	18	30	22	26	31	22	16	17	28
White—Males	17	1		1	1	4		2	2	3	1		2
Females	12		1		1	2		2	1		1	1	3
Negro—Males	223	17	13	14	20	23	18	18	19	23	18	19	21
Females	246	13	15	19	17	28	22	24	30	22	15	16	25
Other colored—Males	1							1					
St. Croix:													
Males	156	12	8	8	16	20	14	14	12	14	13	11	14
Females	147	11	9	9	9	20	11	15	14	14	12	12	11
White—Males	5	1				2		1		1			
Females	2											1	1
Negro—Males	150	11	8	8	16	18	14	12	12	13	13	11	14
Females	145	11	9	9	9	20	11	15	14	14	12	11	10
Other colored—Males	1							1					
St. John:													
Negro—Males	4			1					1		1	1	
Females	6			2		1		1	1	1			
St. Thomas:													
Males	81	6	5	6	5	7	4	7	8	12	5	7	9
Females	105	2	7	8	9	9	11	10	16	7	4	5	17
White—Males	12			1	1	2		1	2	2	1		2
Females	10		1		1	2		2	1		1		2
Negro—Males	69	6	5	5	4	5	4	6	6	10	4	7	7
Females	95	2	6	8	8	7	11	8	15	7	3	5	15

[1] Exclusive of stillbirths.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, COLOR, AND AGE, IN THE VIRGIN ISLANDS: 1926

AREA, SEX, AND COLOR	All deaths [1]	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Virgin Islands	499	73	16	6	5	2	102	5	6	11	18	15	18	17	26	25	31	40	39	38	36	35	17	12	6	2		
Males	241	35	12	2	2	2	53	3	1	4	7	6	12	6	9	15	15	23	24	23	16	15	3	6				
Females	258	38	4	4	3		49	2	5	7	11	9	6	11	17	10	16	17	15	15	20	20	14	6	6	2		
White—Males	17		2		1		3			1	1		3		4					1	1	1		2				
Females	12	1					1	1			1					2	2				2	2			1			
Negro—Males	223	35	10	2	1	2	50	3	1	3	6	6	9	6	5	15	15	23	24	22	15	13	3	4				
Females	246	37	4	4	3		48	1	5	7	10	9	6	11	17	8	14	17	15	15	18	18	14	6	5	2		
Other colored—Males	1																					1						
St. Croix:																												
Males	156	18	9	2	1	1	31	3		2	3	5	7	3	5	11	11	14	17	15	12	12	2	3				
Females	147	23	3	2	3		31		3	4	4	8	4	6	11	5	12	11	9	8	10	9	7	2	3			
White—Males	5												1		1					1	1	1						
Females	2															1						1						
Negro—Males	150	18	9	2	1	1	31	3		2	3	5	6	3	4	11	11	14	17	14	11	10	2	3				
Females	145	23	3	2	3		31		3	4	4	8	4	6	11	4	12	11	9	8	10	8	7	2	3			
Other colored—Males	1																					1						
St. John:																												
Negro—Males	4	2					2											1				1						
Females	6	1					1									1				2	2							
St. Thomas:																												
Males	81	15	3		1	1	20		1	2	4	1	5	3	4	4	4	8	7	8	4	2	1	3				
Females	105	14	1	2			17	2	2	3	7	1	2	5	6	4	4	6	6	5	8	11	7	4	3	2		
White—Males	12		2		1		3			1	1		2		3									2				
Females	10	1					1	1			1					1	2				2	1			1			
Negro—Males	69	15	1			1	17		1	1	3	1	3	3	1	4	4	8	7	8	4	2	1	1				
Females	95	13	1	2			16	1	2	3	6	1	2	5	6	3	2	6	6	5	6	10	7	4	2	2		

[1] Exclusive of stillbirths.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR, IN THE VIRGIN ISLANDS: 1926

List No.	CAUSE OF DEATH	VIRGIN ISLANDS			ST. CROIX		ST. JOHN (Negro)	ST. THOMAS	
		Total	White	Negro	White	Negro		White	Negro
	All causes (exclusive of stillbirths)	[1] 499	29	469	7	295	10	22	164
	I.—Epidemic, endemic, and infectious diseases	70	4	66	1	45	----	3	21
5	Malaria	1	1	----	----	----	----	1	----
16	Dysentery	11	----	11	----	11	----	----	----
20	Leprosy	4	----	4	----	4	----	----	----
24	Meningococcus meningitis	1	----	1	----	----	----	----	1
29	Tetanus	6	1	5	----	4	----	1	1
	Tuberculosis (all forms)	29	2	27	1	19	----	1	8
31	Of the respiratory system	27	2	25	1	18	----	1	7
33	Of the intestines, peritoneum	2	----	2	----	1	----	----	1
38	Syphilis	15	----	15	----	4	----	----	11
42	Other infectious diseases	3	----	3	----	3	----	----	----
	II.—General diseases not included in Class I	55	3	52	2	38	----	1	14
	Cancer and other malignant tumors	21	3	18	2	7	----	1	11
43	Of the buccal cavity	2	----	2	----	----	----	----	2
44	Of the stomach, liver	6	1	5	1	2	----	----	3
46	Of the female genital organs	6	1	5	----	4	----	1	1
47	Of the breast	1	1	----	1	----	----	----	----
49	Of other or unspecified organs	6	----	6	----	1	----	----	5
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1	----	1	----	1	----	----	----
54	Pellagra	28	----	28	----	26	----	----	2
55	Beriberi	1	----	1	----	1	----	----	----
58	Anemia, chlorosis	1	----	1	----	----	----	----	1
61	Diseases of the parathyroid glands	1	----	1	----	1	----	----	----
65b	Hodgkin's disease	1	----	1	----	1	----	----	----
69	Other general diseases	1	----	1	----	1	----	----	----
	III.—Diseases of the nervous system and of the organs of special sense	28	1	27	1	18	----	----	9
74a	Cerebral hemorrhage	12	----	12	----	7	----	----	5
74b	Cerebral embolism and thrombosis	3	1	2	1	1	----	----	1
75	Paralysis without specified cause	6	----	6	----	4	----	----	2
76	General paralysis of the insane	2	----	2	----	2	----	----	----
77	Other forms of mental alienation	3	----	3	----	3	----	----	----
78	Epilepsy	2	----	2	----	1	----	----	1
	IV.—Diseases of the circulatory system	[1] 149	7	141	1	76	8	6	57
88	Endocarditis and myocarditis (acute)	3	1	2	----	1	----	1	1
89	Angina pectoris	2	----	2	----	1	----	----	1
90	Other diseases of the heart	[1] 125	6	118	1	60	6	5	52
91a	Aneurysm	2	----	2	----	1	----	----	1
91b,c	Other diseases of the arteries	15	----	15	----	12	1	----	2
92	Embolism and thrombosis (not cerebral)	1	----	1	----	1	----	----	----
94	Diseases of the lymphatic system	1	----	1	----	----	1	----	----
	V.—Diseases of the respiratory system	46	5	41	1	19	----	4	22
99a	Acute bronchitis	4	1	3	----	3	----	1	----
99b	Chronic bronchitis	2	----	2	----	2	----	----	----
100a	Broncho-pneumonia	32	4	28	1	11	----	3	17
101a	Lobar pneumonia	7	----	7	----	3	----	----	4
102	Pleurisy	1	----	1	----	----	----	----	1
	VI.—Diseases of the digestive system	39	3	36	----	19	----	3	17
111a	Ulcer of the stomach	5	----	5	----	3	----	----	2
113	Diarrhea and enteritis (under 2 years)	15	2	13	----	6	----	2	7
	VI.—Diseases of the digestive system—Continued								
114	Diarrhea and enteritis (2 years and over)	3	1	2	----	2	----	1	----
117	Appendicitis and typhlitis	2	----	2	----	1	----	----	1
118a	Hernia	7	----	7	----	4	----	----	3
118b	Intestinal obstruction	4	----	4	----	2	----	----	2
122	Cirrhosis of the liver	2	----	2	----	1	----	----	1
124	Other diseases of the liver	1	----	1	----	----	----	----	1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	45	2	43	1	33	----	1	10
128	Acute nephritis (including unspecified under 10 years)	6	----	6	----	6	----	----	----
129	Chronic nephritis (including unspecified 10 years and over)	30	1	29	1	20	----	----	9
131	Other diseases of the kidneys and annexa	1	----	1	----	1	----	----	----
135	Diseases of the prostate	3	----	3	----	3	----	----	----
136	Nonvenereal diseases of the male genital organs	1	----	1	----	1	----	----	----
139	Benign tumors of the uterus	3	1	2	----	1	----	1	1
141	Other diseases of the female genital organs	1	----	1	----	1	----	----	----
	VIII.—The puerperal state	3	----	3	----	1	----	----	2
148	Puerperal albuminuria and convulsions	3	----	3	----	1	----	----	2
	IX.—Diseases of the skin and of the cellular tissue	1	----	1	----	1	----	----	----
151	Gangrene	1	----	1	----	1	----	----	----
	XI.—Malformations	5	----	5	----	2	----	----	3
159a	Congenital hydrocephalus	1	----	1	----	1	----	----	----
159b	Congenital malformations of the heart	2	----	2	----	----	----	----	2
159c	Other congenital malformations	2	----	2	----	1	----	----	1
	XII.—Early infancy	28	----	28	----	20	2	----	6
160	Congenital debility, icterus, sclerema	9	----	9	----	9	----	----	----
161a	Premature birth	15	----	15	----	9	1	----	5
161b	Injury at birth	1	----	1	----	----	1	----	----
162	Other diseases peculiar to early infancy	3	----	3	----	2	----	----	1
164	XIII.—Old age (senility)	5	----	5	----	4	----	----	1
	XIV.—External causes	15	4	11	----	9	----	4	2
	Suicide	2	2	----	----	----	----	2	----
170	By firearms	2	2	----	----	----	----	2	----
	Homicide	1	----	1	----	1	----	----	----
198	By cutting or piercing instruments	1	----	1	----	1	----	----	----
	Accidental or undefined	12	2	10	----	8	----	2	2
179	Burns (conflagration excepted)	6	----	6	----	5	----	----	1
182	Drowning	2	1	1	----	1	----	1	----
185	Traumatism by fall	1	----	1	----	1	----	----	----
188e,f	Injuries by other vehicles	1	----	1	----	1	----	----	----
188g	Landslide, other crushing	1	1	----	----	----	----	1	----
202	Other external violence	1	----	1	----	----	----	----	1
	XV.—Ill-defined diseases	10	----	10	----	10	----	----	----
205a	Ill-defined	10	----	10	----	10	----	----	----

[1] Includes 1 death of "Other colored" in St. Croix Island.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1926

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	All causes (exclusive of stillbirths)	499	73	16	6	5	2	5	6	11	18	15	18	43	56	79	74	72	
	I.—Epidemic, endemic, and infectious diseases	70	5	3	1			1	3	6	11	6	7	8	7	7	3	2	
5	Malaria	1												1					
16	Dysentery	11	2	2					1			2			2		1	1	
20	Leprosy	4											1	1	1			1	
24	Meningococcus meningitis	1			1														
29	Tetanus	6	2					1								3			
	Tuberculosis (all forms)	29		1					1	4	9	2	3	4	1	4			
31	Of the respiratory system	27		1					1	4	9	2	2	4	1	3			
33	Of the intestines, peritoneum	2											1			1			
38	Syphilis	15	1						1	1	2	2	2	2	3		1		
42	Other infectious diseases	3								1			1				1		
	II.—General diseases not included in Class I	55	1			1					1	2	5	7	11	13	11	3	
	Cancer and other malignant tumors	21											1	2	5	4	6	3	
43	Of the buccal cavity	2														1		1	
44	Of the stomach, liver	6											1			1	2	2	
46	Of the female genital organs	6												1	3	2			
47	Of the breast	1													1				
49	Of other or unspecified organs	6												1	1		4		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1											1						
54	Pellagra	28										2	3	5	6	7	5		
55	Beriberi	1									1								
58	Anemia, chlorosis	1														1			
61	Diseases of the parathyroid glands	1				1													
65b	Hodgkin's disease	1														1			
69	Other general diseases	1	1																
	III.—Diseases of the nervous system and of the organs of special sense	28								2		1		5	3	5	8	4	
74a	Cerebral hemorrhage	12												2	2	2	3	3	
74b	Cerebral embolism and thrombosis	3												1			1	1	
75	Paralysis without specified cause	6														3	3		
76	General paralysis of the insane	2								1							1		
77	Other forms of mental alienation	3												2	1				
78	Epilepsy	2								1		1							
	IV.—Diseases of the circulatory system	149	1					1	1	1	1		2	10	16	30	41	45	
88	Endocarditis and myocarditis (acute)	3							1	1						1			
89	Angina pectoris	2													1			1	
90	Other diseases of the heart	125						1			1		2	9	13	27	36	36	
91a	Aneurysm	2												1		1			
91b,c	Other diseases of the arteries	15													1	1	5	8	
92	Embolism and thrombosis (not cerebral)	1													1				
94	Diseases of the lymphatic system	1	1																
	V.—Diseases of the respiratory system	46	19	4	3	2	1	2	1		1	1			7	1	1	3	
99a	Acute bronchitis	4	3			1													
99b	Chronic bronchitis	2		1												1			
100a	Broncho-pneumonia	32	15	3	3	1		2			1				4		1	2	
101a	Lobar pneumonia	7	1				1		1			1			2			1	
102	Pleurisy	1													1				
	VI.—Diseases of the digestive system	39	10	6							2	1	1	2	7	5	3	2	
111a	Ulcer of the stomach	5	1								1	1		1			1		
113	Diarrhea and enteritis (under 2 years)	15	9	6															
114	Diarrhea and enteritis (2 years and over)	3												1	1	1			
117	Appendicitis and typhlitis	2											1			1			
118a	Hernia	7									1				3	1	1	1	
118b	Intestinal obstruction	4													2	1		1	
122	Cirrhosis of the liver	2														1	1		
124	Other diseases of the liver	1													1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	45	1					1	1			2	1	9	4	15	5	6	
128	Acute nephritis (including unspecified under 10 years)	6	1									1		2		2			
129	Chronic nephritis (including unspecified 10 years and over)	30						1	1			1	1	6	1	12	4	3	
131	Other diseases of the kidneys and annexa	1														1			
135	Diseases of the prostate	3													1			2	
136	Nonvenereal diseases of the male genital organs	1															1		
139	Benign tumors of the uterus	3													2			1	
141	Other diseases of the female genital organs	1												1					
	VIII.—The puerperal state	3								1	1	1							
148	Puerperal albuminuria and convulsions	3								1	1	1							
	IX.—Diseases of the skin and of the cellular tissue	1															1		
151	Gangrene	1															1		

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	XI.—Malformations	5	5																
159a	Congenital hydrocephalus	1	1																
159b	Congenital malformations of the heart	2	2																
159c	Other congenital malformations	2	2																
	XII.—Early infancy	28	28																
160	Congenital debility, icterus, sclerema	9	9																
161a	Premature birth	15	15																
161b	Injury at birth	1	1																
162	Other diseases peculiar to early infancy	3	3																
164	XIII.—Old age (senility)	5																5	
	XIV.—External causes	15	2		1		1			1	1	1	2	2		3	1		
	Suicide	2											1	1					
170	By firearms	2											1	1					
	Homicide	1														1			
198	By cutting or piercing instruments	1														1			
	Accidental or undefined	12	2		1		1			1	1	1	1	1		2	1		
179	Burns (conflagration excepted)	6	1		1		1					1				1	1		
182	Drowning	2									1			1					
185	Traumatism by fall	1								1									
188e,f	Injuries by other vehicles	1														1			
188g	Landslide, other crushing	1											1						
202	Other external violence	1	1																
	XV.—Ill-defined diseases	10	1	3	1	2									1			2	
205a	Ill-defined	10	1	3	1	2									1			2	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE VIRGIN ISLANDS: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes (exclusive of stillbirths)	499	31	29	34	39	57	40	47	52	48	35	36	51
Malaria (5)	1				1								
Dysentery (16)	11	1				1		2	2	1	2	1	1
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	27	3	2	2	1	3	3	3		1	3	3	3
Other forms of tuberculosis (32–37)	2			1		1							
Cerebral hemorrhage and softening (74, 83)	15		1	4	2				2	2	3		1
Other [organic] diseases of the heart (90)	125	5	12	8	11	17	13	12	10	8	9	7	13
Bronchitis (99)	6				1	3			1				1
Broncho-pneumonia (100)	32	3		2	2	6		2	4	2		3	8
Pneumonia (101)	7				1	1			2			2	1
Diarrhea and enteritis [under 2 years] (113)	15				1		2	3	4	2		2	1
Diarrhea and enteritis [2 years and over] (114)	3			1					1	1			
Nephritis (128, 129)	36	2		1	4	2	6	4	1	8		4	4
Other puerperal causes (143–145, 147–150)	3		1				1						1
Suicide (165–174)	2					1					1		
Other external causes (175–203)	13		1			2		2	2	3	2		1
All other causes	200	17	12	14	15	20	15	19	23	20	15	14	16

APPENDIX

CAUSES OF DEATH, BY AGE, SEX, AND COLOR, WITH CRUDE AND ADJUSTED DEATH RATES FOR CERTAIN CAUSES, IN THE REGISTRATION STATES OF 1920

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	All causes	1,167,297	145,624	28,780	12,876	8,377	6,430	202,087	21,001	15,778	26,581	35,171	36,493
	Both sexes—White	1,021,643	123,390	23,678	10,838	7,124	5,600	170,630	18,318	13,229	20,472	26,349	27,493
	Colored	145,654	22,234	5,102	2,038	1,253	830	31,457	2,683	2,549	6,109	8,822	9,000
	Males—White	551,137	70,331	12,765	5,768	3,915	2,989	95,768	10,225	7,484	10,775	13,208	13,456
	Colored	76,757	12,417	2,702	1,113	641	413	17,286	1,388	1,235	2,693	4,141	4,379
	Females—White	470,506	53,059	10,913	5,070	3,209	2,611	74,862	8,093	5,745	9,697	13,141	14,037
	Colored	68,897	9,817	2,400	925	612	417	14,171	1,295	1,314	3,416	4,681	4,621
	I.—Epidemic, endemic, and infectious diseases:												
	Males—White	73,902	7,608	4,479	2,307	1,541	1,165	17,100	3,152	1,616	2,746	4,040	4,175
	Colored	17,558	1,839	823	402	245	164	3,473	527	482	1,239	1,862	1,723
	Females—White	65,000	6,415	4,000	2,050	1,297	1,075	14,837	2,937	1,691	3,944	5,449	5,123
	Colored	16,932	1,574	777	357	234	156	3,098	516	703	1,832	2,387	1,998
1	Typhoid and paratyphoid fever:												
	Males—White	2,363	10	16	24	9	26	85	121	188	404	353	236
	Colored	870	9	7	8	7	7	38	73	86	162	165	96
	Females—White	1,746	6	6	23	23	20	78	140	202	302	240	158
	Colored	835	4	10	13	9	10	46	73	135	171	142	95
2	Typhus fever:												
	Males—White	5											1
5	Malaria:												
	Males—White	398	41	17	16	12	12	98	32	16	19	12	12
	Colored	449	56	28	17	22	7	130	41	17	35	27	12
	Females—White	391	41	18	14	11	7	91	35	24	13	27	17
	Colored	464	43	25	18	14	7	107	32	27	46	47	29
6	Smallpox:												
	Males—White	210	14	3	4	3	1	25	8	5	7	16	12
	Colored	20	2	1	1			4		1	3	2	
	Females—White	111	7	1	1		2	11	2	2	12	7	13
	Colored	18	4	1				5				2	1
7	Measles:												
	Males—White	3,942	1,024	1,249	524	265	158	3,220	407	84	66	41	21
	Colored	270	94	81	34	16	6	231	19	4	10	2	
	Females—White	3,536	854	1,038	418	225	160	2,695	382	105	73	45	31
	Colored	286	72	84	31	19	7	213	33	11	9	7	6
8	Scarlet fever:												
	Males—White	1,191	49	138	138	137	120	582	325	94	57	35	28
	Colored	38	3	2	6	1	6	18	11	4	3		
	Females—White	1,152	37	96	106	100	104	443	319	108	70	64	38
	Colored	32	6		2	3	2	13	12	3	1	2	
9	Whooping cough:												
	Males—White	3,116	1,841	764	240	112	55	3,012	82	10	5	2	
	Colored	656	338	189	69	30	10	636	19	1			
	Females—White	3,662	1,963	958	350	155	84	3,510	122	14	3	1	1
	Colored	754	375	226	74	28	22	725	23	3	1		
10	Diphtheria:												
	Males—White	3,412	243	485	521	463	388	2,100	913	201	46	26	28
	Colored	276	40	38	53	39	27	197	52	13	3	1	2
	Females—White	3,141	180	397	423	354	344	1,698	942	204	63	40	36
	Colored	285	42	27	29	43	22	163	68	24	7	4	3
11a	Influenza (with pulmonary complications):												
	Males—White	10,438	1,570	649	262	138	87	2,706	217	132	283	238	246
	Colored	1,899	347	146	62	26	23	604	33	38	73	118	98
	Females—White	9,857	1,113	511	193	112	93	2,022	196	112	190	197	286
	Colored	1,792	256	109	51	22	22	460	41	37	88	103	115
11b	Influenza (other and unspecified):												
	Males—White	5,394	755	236	124	73	56	1,244	171	126	156	112	105
	Colored	1,030	204	47	26	17	6	300	20	30	39	48	42
	Females—White	5,767	559	209	95	61	49	973	163	106	129	124	142
	Colored	1,115	175	44	20	13	4	256	28	24	47	54	52
13	Mumps:												
	Males—White	42	8	5	2	4	2	21	5	1	5		1
	Colored	7							2	2		3	
	Females—White	39	3	3	2	3	1	12	6	2	1	1	1
	Colored	4	1	1			1	3		1			
15	Cholera nostras:												
	Males—White	52	14	5	1	2	2	24	2	1		1	
	Colored	12	2					2	1				1
	Females—White	51	9	3	1	2	3	18	2	1			
	Colored	17	4	3	1		1	9					1
16	Dysentery:												
	Males—White	975	246	176	51	26	17	516	29	13	8	7	9
	Colored	325	108	73	17	6	3	207	10		5	3	6
	Females—White	937	199	118	44	18	8	387	17	5	8	12	10
	Colored	340	99	57	14	7	2	179	4	2	8	13	8
17	Plague:												
	Males—Colored	1											1
19	Spirochetal hemorrhagic jaundice:												
	Males—White	23	6			1		7	1			2	3
	Colored	2											
	Females—White	20	5					5	3	1		1	1
	Colored	2	1		1			2					
20	Leprosy:												
	Males—White	14									1	1	
	Colored	6										1	1
	Females—White	2											
	Colored	1											
21	Erysipelas:												
	Males—White	1,275	352	26	12	7	3	400	11	18	14	15	30
	Colored	65	17			2		19			1	1	2
	Females—White	1,093	334	38	8	4	5	389	8	11	11	20	18
	Colored	43	20		1			21	2			1	1
22	Acute anterior poliomyelitis:												
	Males—White	397	40	48	30	27	29	174	72	54	43	16	6
	Colored	45	8	4	6	3	4	25	10	2	3	2	
	Females—White	298	27	40	33	18	17	135	57	50	24	9	8
	Colored	30	8	7	1	2	2	20	6	1		2	
23	Lethargic encephalitis:												
	Males—White	659	17	33	14	12	16	92	33	24	50	41	36
	Colored	32		1	1	2	1	5	1		3	5	6
	Females—White	675	13	22	19	12	7	73	33	38	40	34	54
	Colored	35	3	1	1	1		6	2	2	2	6	2

COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
39,019	46,573	51,233	58,290	67,875	74,917	86,494	99,524	97,445	88,963	66,341	35,877	12,386	2,935	1,065	1,249	
30,927	37,330	42,042	48,744	57,812	67,369	79,089	93,389	91,851	84,723	62,966	33,988	11,308	2,463	450	701	
8,092	9,243	9,191	9,546	10,063	7,548	7,405	6,135	5,594	4,240	3,375	1,889	1,078	472	615	548	
16,228	20,445	24,291	28,164	33,016	38,361	44,110	51,450	49,079	43,556	30,272	15,019	4,648	943	175	464	
4,107	4,752	4,839	5,138	5,623	4,232	4,085	3,369	3,092	2,342	1,810	968	495	195	247	341	
14,699	16,885	17,751	20,580	24,796	29,008	34,979	41,939	42,772	41,167	32,694	18,969	6,660	1,520	275	237	
3,985	4,491	4,352	4,408	4,440	3,316	3,320	2,766	2,502	1,898	1,565	921	583	277	368	207	
4,471	5,052	4,986	4,721	4,441	3,810	3,440	3,176	2,498	2,109	1,355	686	217	48	9	54	
1,435	1,447	1,230	1,031	926	604	507	351	251	186	120	65	30	12	12	45	
4,273	3,779	3,004	2,674	2,339	2,273	2,233	2,572	2,415	2,355	1,657	981	337	78	12	37	
1,409	1,138	912	698	589	376	347	254	192	145	122	76	44	24	27	45	
174	168	149	124	118	75	77	43	29	14	3					2	
52	48	41	32	33	10	15	8	6	1	1					3	
126	107	86	80	61	57	35	35	24	9	5					1	1
43	33	24	24	14	15	10	1	3	1		1				4	
1				1	1	1										2
10	14	15	14	24	22	19	32	26	17	9	4	1			2	
16	24	28	23	24	7	15	19	7	3	6	8	2		2	3	
11	16	22	17	17	17	16	10	24	15	6	8	2	1		2	5
24	20	24	25	17	10	15	7	13	4	5	4	4	1	1	2	
11	11	22	23	20	16	10	10	7	2	2	3					
3	1	3	1	1				1								
8	7	12	13	3	7	2	5	1	2	2		2				6
1	2	2		1	2	1	1									
13	7	11	17	6	13	11	3	8	10	1	1				2	
	1	1				1			1							
43	32	27	26	16	22	13	8	7	6	2	2				1	7
1	1		3			1									1	
29	16	7	8	6	2	1			1							
	1	1														
44	26	16	7	6	2	7	2									8
	1															
	1	1					1		1						1	
	3				2		2	1	1						2	9
1							1									
16	19	16	12	7	10	5	4	3	3	1					2	
4	1	2						1								
31	32	20	17	14	11	14	4	7	5	2	1					10
5	3	3	2	2			1									
305	485	538	540	563	570	576	706	735	735	511	254	73	14	3	8	
89	114	120	120	111	92	52	58	63	46	38	17	8	4	2	1	
412	427	411	359	422	488	584	762	850	940	648	390	130	25	3	3	11a
96	118	91	102	117	86	85	69	55	48	29	17	16	6	6	7	
98	142	178	182	198	239	257	346	420	485	499	281	112	30	6	7	
30	37	43	50	54	61	58	50	45	40	40	20	11	5	5	2	
171	164	192	181	193	198	272	380	518	620	603	409	168	46	8	7	11b
39	53	69	57	53	59	63	41	52	43	42	33	18	14	16	2	
1		2	1		1	1		3								
4	2		4			1	3		1	1						13
		2	1			1	2	7	4	5	2					
	1	1		1		1			4							
1			1			2	9	5	3	6	1	2				15
			2	1	3						1					
12	10	19	18	18	18	30	48	49	76	48	30	16	1			
	4	4	6	12	12	12	7	6	11	9	5	2	2	2		
12	15	14	11	21	31	38	62	65	92	76	44	15	1	1		16
1	3	10	5	12	11	18	11	11	11	17	8	2	3	3		
																17
1	1	2	1		1		2	1	1							
			1	1												
	1	2	3		2		1									19
3	1	1	1	1	1	2	1		1							
			1		2	1										
		1			1											20
					1											
34	39	66	49	81	80	83	104	85	79	56	22	8	1			
	7	8	7	5	2	4	4	1	1		1	1			1	
29	38	29	46	65	58	57	75	70	63	58	36	10	2			21
2	3	2		4	2	2	2	1								
4	3	3	7	4	4	1	3	3								
	1	1	1													
3	6		2	2	1					1						22
			1													
31	46	51	48	50	51	41	33	14	12	4	2					
2	4	2	1	2		1										
35	55	46	53	63	49	38	34	12	11	7						23
2	1	5	3	1			3									

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	I.—Epidemic, endemic, and infectious diseases—Continued												
24	Meningococcus meningitis:												
	Males—White	724	138	66	28	34	27	293	85	59	84	52	30
	Colored	69	11	6	3	5	1	26	6	3	14	4	2
	Females—White	458	93	61	29	19	19	221	66	39	22	23	16
	Colored	31	6	6	2	1	3	18	1	4	2		
25	Other epidemic and endemic diseases:												
	Males—White	119	37	20	7	3	7	74	12	4		2	3
	Colored	7		1				1	3				
	Females—White	108	33	15	14	4	6	72	11	6		1	2
	Colored	14	4				2	6		1	1	2	
26	Glanders:												
	Males—White	1											
	Females—White	1							1				
27	Anthrax:												
	Males—White	7										2	
	Colored	2											1
	Females—White	4									1		1
28	Rabies:												
	Males—White	51			1	2	4	7	8	13	2	3	2
	Colored	4				1		1	1	1			
	Females—White	23			1		3	4	6	4	2		1
29	Tetanus:												
	Males—White	659	45	4	7	16	16	88	124	162	59	30	14
	Colored	213	65	2	2	1	2	72	25	28	16	8	6
	Females—White	214	45	4	10	3	6	68	33	19	7	13	11
	Colored	100	46		1	1	2	50	8	6	5	6	3
30	Mycoses:												
	Males—White	91	19			1		20	4	1	2	5	5
	Colored	51	36	6				42				1	1
	Females—White	53	18					18			1		5
	Colored	27	20	4			1	25				1	
	Tuberculosis (all forms):												
	Males—White	34,405	570	487	277	180	126	1,640	446	372	1,379	2,942	3,229
	Colored	9,185	127	159	90	61	51	488	186	241	837	1,367	1,296
	Females—White	29,335	455	431	248	165	129	1,428	364	602	2,873	4,405	4,096
	Colored	9,241	115	143	86	66	42	452	177	407	1,367	1,813	1,523
31	Of the respiratory system—												
	Males—White	30,142	167	130	72	30	17	416	127	193	1,169	2,667	2,995
	Colored	8,050	62	78	41	31	26	238	116	174	742	1,217	1,186
	Females—White	25,482	132	119	68	42	29	390	111	430	2,593	4,072	3,816
	Colored	8,259	61	68	44	39	18	230	115	335	1,256	1,703	1,423
32	Of the meninges, central nervous system—												
	Males—White	1,599	288	267	154	110	69	888	205	86	64	67	48
	Colored	305	49	46	33	19	19	166	36	20	17	16	16
	Females—White	1,365	247	241	140	84	67	779	150	79	94	66	50
	Colored	249	33	39	25	21	20	138	27	21	16	7	10
33	Of the intestines, peritoneum—												
	Males—White	960	38	39	18	9	14	118	36	35	58	75	62
	Colored	313	3	5	6	1	4	19	17	19	34	46	34
	Females—White	1,120	28	25	10	12	5	80	32	36	81	124	111
	Colored	370	4	9	5	2	2	22	15	24	47	61	47
34	Of the vertebral column—												
	Males—White	432	6	3	2	10	12	33	35	24	29	33	38
	Colored	95		1	2	1		4	2	8	8	17	11
	Females—White	309	4	2	5	5	10	26	20	22	21	14	22
	Colored	50		1	1			2	5	8	5	2	5
35	Of the joints—												
	Males—White	171	2	1	2	2	2	9	9	13	8	11	8
	Colored	49				1		1	1	4	2	9	7
	Females—White	95	3	1	2		1	7	7	6	6	1	4
	Colored	31	4		1			5	3	1	2	4	2
36	Of other organs—												
	Males—White	554	21	13	7	3	6	50	13	9	21	42	29
	Colored	97	2	2	1	2		7	7	8	9	10	8
	Females—White	412	13	12	5	5	4	39	16	9	14	29	39
	Colored	67	1	1	1	1		4	1	4	6	9	10
37a	Disseminated (acute)—												
	Males—White	436	44	29	19	12	5	109	18	10	25	34	42
	Colored	245	10	25	7	5	2	49	6	6	20	44	34
	Females—White	443	25	28	17	14	13	97	24	18	60	82	43
	Colored	190	12	22	5	2	2	43	11	12	34	25	22
37b	Disseminated (chronic or unspecified)—												
	Males—White	111	4	5	3	4	1	17	3	2	5	13	7
	Colored	31	1	2		1		4	1	2	5	8	
	Females—White	109	3	3	1	3		10	4	2	4	17	11
	Colored	25		3	4	1		8		2	1	2	4
38	Syphilis:												
	Males—White	3,327	484	38	15	6	3	546	14	17	25	61	92
	Colored	1,887	359	31	6	5	8	409	13	9	26	90	137
	Females—White	1,459	357	22	8	4	5	396	12	17	36	58	70
	Colored	1,139	262	29	10	3	4	308	6	12	44	108	107
39	Soft chancre:												
	Males—White	1							1				
	Colored	3											2
	Females—White	2											
40	Gonococcus infection:												
	Males—White	85	12		1		1	14		1	1	6	6
	Colored	71	8					8			2	9	7
	Females—White	478	13	1		1		15		4	41	89	86
	Colored	275	6		1	1		8		2	27	67	47
41	Purulent infection, septicemia:												
	Males—White	520	73	14	8	7	9	111	28	20	28	19	20
	Colored	61	5	1	1	1	2	10	1	2	4	4	3
	Females—White	378	50	8	10	3	3	74	17	15	22	37	21
	Colored	52	2			1		3		1	6	7	5
42	Other infectious diseases:												
	Males—White	6				1		1	1		2		
	Colored	2										1	1
	Females—White	9	1					1				1	

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
20	26	15	18	13	10	7	4	3	2	2					1	24
2	2	4	4	1		1										
11	11	8	10	12	7	7	3	1	1							
3	2			1												
	2	2	3	4	4	2	5	1		1						25
		1	1				1									
3	3	2	2		1		4	1								
				1	1			1				1				
		1														26
	2	1		1			1									27
1																
		1	1													
2	2	3	1	1	4	1		1			1					28
3	2	1								1						
23	27	21	21	20	16	15	19	11	8		1					29
5	12	9	7	10	6	2	2	4							1	
16	3	9	8	7	7	5	4	2	1		1					
2	3	4	5	3	4		1									
5	4	5	15	5	8	4	2	4	2							30
2	1	1		1	1		1									
2	4	3	5	4	2	3	4	1			1					
		1														
3,480	3,723	3,515	3,182	2,866	2,251	1,973	1,586	935	587	193	73	5	1		27	
1,064	979	761	579	484	315	244	145	88	55	16	7	4	1	1	27	
3,109	2,607	1,898	1,634	1,288	1,201	1,057	1,092	791	563	221	76	8	2		20	
1,017	727	549	384	301	151	135	103	43	28	24	10	2		1	27	
3,220	3,469	3,299	2,967	2,656	2,089	1,809	1,442	854	523	159	59	5	1		23	31
967	907	703	529	436	288	230	133	81	51	16	7	4		1	24	
2,886	2,370	1,723	1,464	1,147	1,067	940	995	692	503	192	65	5	1		20	
943	662	489	357	274	136	119	96	38	28	21	10			1	23	
55	51	35	32	23	13	10	8	8	2	1	1				2	32
8	8	5	5	4	2	1	1									
28	42	19	18	12	10	10	4	3		1						
8	8	7	2	2		1									2	
61	65	64	70	67	55	63	56	30	27	12	5				1	33
37	24	18	15	24	12	4	4	3	1				1		1	
84	73	82	79	59	67	61	50	55	26	14	5	1				
41	34	28	11	9	12	8	3	5		1		1			1	
41	32	20	30	25	22	26	16	9	14	4					1	34
14	7	6	9	4		3	2									
25	29	17	27	18	17	11	13	12	10	3	2					
4	3	6	2	7	1											
12	5	9	16	11	13	14	9	10	7	3	4					35
6	7	4	2	2	1	2		1								
3	10	4	6	5	5	5	5	7	11		2	1				
2	2	4	1			2	2			1						
49	56	55	36	54	30	36	35	15	9	12	3					36
13	2	6	6	4	7	2	2	3	2						1	
35	52	31	26	22	22	22	17	16	11	9	2		1			
7	8	4	7	2	1	2						1			1	
34	32	28	26	24	20	12	10	5	4	2	1					37a
17	22	17	11	10	4	2	2		1							
37	23	14	8	18	6	3	5	3	1	1						
11	8	9	3	6	1	2	2			1						
8	13	5	5	6	9	3	10	4	1							37b
2	2	2	2		1		1									
11	8	8	6	7	7	5	3	3	1	1		1			1	
1	2	2	1	1		1										
163	264	311	398	390	370	284	188	126	56	12	7	1			2	38
156	200	192	186	172	92	92	48	23	23	7	4	2			6	
101	122	132	144	123	94	59	55	22	8	6	3				1	
120	129	96	74	56	26	17	11	12	10	2	1					
1																39
						1					1					
6	15	2	7	7	7	6	4	1	1				1			40
6	5	4	7	9	2	4	4	2			1				1	
72	74	57	32	5	1	2										
50	34	24	10	2	2										2	
29	24	25	30	37	36	32	29	26	12	8	5	1				41
2	4	3	4	5	2	4	4	4	1	2	2					
25	22	14	18	16	14	18	17	13	14	13	7		1			
2	5	8	1	3	3		2	1		3	1	1				
		2														42
1		1		1		2	1				1					

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	II.—General diseases not included in Class I:												
	Males—White	58,655	1,449	272	176	149	126	2,172	524	500	569	569	792
	Colored	3,490	196	53	23	19	17	308	44	42	59	89	111
	Females—White	71,207	1,080	210	158	128	115	1,691	425	493	598	744	997
	Colored	5,807	126	41	26	17	11	221	55	57	115	226	342
	Cancer and other malignant tumors:												
	Males—White	39,288	23	38	44	47	32	184	117	93	137	205	298
	Colored	1,734		1	5	4	2	12	9	5	8	23	23
	Females—White	48,290	24	29	33	28	29	143	73	74	115	213	400
	Colored	3,188	2	6	8	5	2	23	10	7	18	33	88
43	Of the buccal cavity—												
	Males—White	2,386	1			1	1	3	3	5	1	2	8
	Colored	84								1	1		
	Females—White	478		1	1		1	3	2	3	2		3
	Colored	43		1	1			2	2		2	1	
44	Of the stomach, liver—												
	Males—White	17,259	6	3	1	2	1	13	9	3	13	33	49
	Colored	884		1	2			3			2	2	5
	Females—White	14,180	2	1	2	2		7	8	5	6	24	51
	Colored	702		1		1	1	3		1	4	4	15
45	Of the peritoneum, intestines, rectum—												
	Males—White	6,008	1	5	4	4	10	24	18	13	24	32	62
	Colored	215					1	1	1			6	7
	Females—White	7,086	1		1		2	4	2	5	13	49	44
	Colored	252		1	1			2			2	2	14
46	Of the female genital organs—												
	Females—White	11,783		3			1	4	3	12	20	54	176
	Colored	1,401									2	15	45
47	Of the breast—												
	Males—White	96	1					1					1
	Colored	4											
	Females—White	8,046								1	2	7	35
	Colored	446									1	3	3
48	Of the skin—												
	Males—White	1,558	1		2	2		5	2	2	3	5	7
	Colored	33				1		1	1	1			
	Females—White	933	3			2	1	6			4	1	9
	Colored	35	1					1				1	
49	Of other or unspecified organs—												
	Males—White	11,981	13	30	37	38	20	138	85	70	96	133	171
	Colored	514			3	3	1	7	7	3	5	15	11
	Females—White	5,784	18	24	29	24	24	119	58	48	68	78	82
	Colored	309	1	3	6	4	1	15	8	6	7	7	11
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):												
	Males—White	307	8	7	2	2	1	20	5	4	8	13	7
	Colored	22		1				1			1	3	
	Females—White	319	10		4	3	2	19	5	3	4	7	9
	Colored	37	1					1		1		2	2
51	Acute rheumatic fever:												
	Males—White	1,030	9	3	14	21	24	71	152	150	89	52	50
	Colored	179	1	2	1	3	4	11	8	18	10	8	13
	Females—White	1,176	4	4	9	20	34	71	134	155	97	76	59
	Colored	222		1	2		1	4	16	22	8	19	17
52	Chronic rheumatism, osteoarthritis, gout:												
	Males—White	415				1		1	1	3	4	10	6
	Colored	29											
	Females—White	727				1		1	2	4	3	3	5
	Colored	44	1					1		1	1	2	3
53	Scurvy:												
	Males—White	21	10	1	1		1	13	2			1	
	Colored	7	3	1				4	1		2		
	Females—White	19	11	5				16	1		1		
	Colored	4	3			1		4					
54	Pellagra:												
	Males—White	568	2	3	1		3	9	6	3	3	6	16
	Colored	345				1	3	4	14	8	8	15	22
	Females—White	930	2	2	6	1	1	12	5	3	17	38	53
	Colored	1,133	1	4		4	3	12	16	8	64	133	172
55	Beriberi:												
	Males—White	1										1	
	Colored	4											1
56	Rickets:												
	Males—White	210	141	42	11	6	5	205	4				
	Colored	96	53	25	8	5	3	94	2				
	Females—White	175	115	36	14	4	2	171	4				
	Colored	68	37	22	7	1		67		1			
57	Diabetes mellitus:												
	Males—White	6,796	8	18	14	17	18	75	78	139	159	111	116
	Colored	418	1	1	2	1	2	7	1	6	11	10	10
	Females—White	9,727	8	9	12	14	13	56	77	141	147	125	112
	Colored	574			1	1		2	4	6	8	12	12
58	Anemia, chlorosis:												
	Males—White	2,681	51	28	10	5	6	100	22	18	24	33	35
	Colored	65	9				1	10	2	1	3	1	4
	Females—White	3,213	39	17	9	6	5	76	18	26	39	52	50
	Colored	81	3	1			1	5		2	7	6	8
59	Diseases of the pituitary gland:												
	Males—White	48	1	1	1			3		1	6		3
	Colored	3								2			
	Females—White	52		1		1		2	3	6	3	1	6
	Colored	1											
60a	Exophthalmic goiter:												
	Males—White	498	1			1		2	2	3	9	10	34
	Colored	19										2	2
	Females—White	3,222		1		1		2	2	17	76	139	169
	Colored	134					1	1		1	2	5	12
60b	Other diseases of the thyroid gland:												
	Males—White	126	11	8	4	4	2	29	6	4	5	4	8
	Colored	6								1	1		1
	Females—White	454	15	13	10	5	2	45	7	5	11	13	
	Colored	37	1	1	1			3		2		1	4

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
1,122	1,793	2,568	3,608	5,109	6,682	7,801	8,664	7,179	5,179	2,604	955	195	32		35	
161	194	230	339	413	359	306	294	242	126	86	51	13	9	3	11	
1,611	2,803	4,079	5,674	7,327	8,402	9,251	9,475	7,619	5,351	3,006	1,248	315	59	10	29	
352	556	611	718	675	505	441	326	248	155	96	57	22	5	6	18	
475	825	1,401	2,226	3,403	4,763	5,739	6,549	5,585	4,158	2,128	795	168	22	3	14	
63	72	119	190	258	231	210	192	155	73	49	24	5	5	2	6	
917	1,840	2,901	4,167	5,370	5,918	6,339	6,637	5,446	4,041	2,360	987	273	50	9	17	
165	294	375	472	443	347	301	219	169	99	66	36	10		4	9	
18	31	82	125	220	308	365	373	329	245	154	80	29	4		1	
3	7	9	11	14	8	7	12	4	2	2	1	1			1	
7	12	14	17	38	51	52	63	72	53	51	23	9	2	1		43
3	3	6	2	4	3	4	6	1	2		2					
122	296	582	1,006	1,593	2,219	2,748	3,074	2,520	1,814	820	278	54	6	2	5	
31	30	58	104	152	142	103	94	85	30	24	14	1	2		2	
125	257	459	804	1,228	1,584	2,090	2,408	2,129	1,664	922	324	68	10	1	6	44
17	38	68	70	101	89	93	63	58	36	21	11	5		1	4	
119	157	251	352	523	765	883	947	848	611	290	72	12	4		1	
8	8	15	30	27	26	30	21	18	8	4	3	1			1	
111	198	325	449	675	903	962	1,068	927	740	393	168	39	7	1	3	45
19	23	20	36	36	27	21	19	18	9	4						
386	795	1,145	1,426	1,662	1,548	1,365	1,288	898	567	287	115	24	1	1	6	
96	167	195	242	195	145	117	72	57	23	15	9	1		1	4	46
1		3	3	15	6	9	17	11	16	7	6					
		2	2													
152	358	653	971	1,133	1,105	998	904	723	463	321	151	56	10	1	2	47
20	41	61	82	68	48	31	29	16	10	16	11	4		2		
10	17	30	44	78	128	133	235	238	238	226	113	37	4		3	
1	2	2	3	3	2	4	3	2	4	2			1		1	
10	11	26	31	55	57	86	103	118	129	138	88	43	14	4		48
1	3	3	3	5	3	3	6	2	2	2						
205	324	453	696	974	1,337	1,601	1,903	1,639	1,234	631	246	36	4	1	4	
20	25	33	40	62	53	66	62	46	29	17	6	2	2	2	1	
126	209	279	469	579	670	786	803	579	425	248	118	34	6			49
9	19	22	37	34	32	32	24	17	17	8	3				1	
21	18	15	26	21	30	29	26	31	21	7	5					
1	1	1	1	6	2	3		1		1						
11	21	21	21	21	23	38	35	25	22	21	11	1	1			50
2	5	3	2	3	6	1	1	3	2	1	1	1				
27	33	47	44	53	47	50	46	51	28	30	10					
7	9	8	14	14	10	7	10	7	7	7	4	4	2		1	
60	60	56	51	50	50	56	47	57	47	34	14	2				51
12	16	15	18	15	15	13	13	6	7	2	2	1	1			
7	16	18	25	30	25	41	57	52	54	39	18	6	2			
3		2	1	2	4	2	3	2	4	4		2				
8	16	16	29	39	56	71	103	117	105	94	43	11		1		52
		3	3	4	2	6	4	4	4	1	2	3				
		1	1			2		1								
	1															53
22	21	40	45	52	57	69	77	80	46	11	1	1	1		2	
20	17	23	28	28	28	31	32	29	15	11	9		2	1		
61	112	100	111	90	79	54	76	62	34	10	5				8	54
103	140	104	100	77	54	48	30	22	19	12	5	4	4	1	5	
		1	1	1												55
	1															
																56
109	156	213	330	556	762	992	1,106	890	594	293	98	9	1		9	
16	31	32	45	48	51	34	37	35	20	9	12	2			1	
137	165	235	420	810	1,285	1,698	1,706	1,333	777	347	134	15	6		1	57
20	32	61	80	96	62	59	52	31	16	9	7	2			3	
50	80	115	156	265	358	409	449	304	173	63	17	5	2		3	
3	3	3	4	9	5	3	7	3	2	2						
75	132	191	263	352	392	475	452	334	166	77	33	7	2		1	58
10	10	7	6	5	3	3	3	4			1	1				
1	1	8	9	6	4	2	3	1								
	1															
1	5	4	7	5	3	2	2		2							59
1																
32	58	51	61	62	67	45	37	16	9							
3	4	1	2	1	2	2										
186	255	355	392	384	389	340	274	135	82	21	3				1	60a
14	19	23	16	15	8	4	3	4	4	2	1					
4	7	3	7	9	8	12	8	6	1	5						
					2				1							
21	22	26	48	45	47	50	35	29	23	12	2				1	60b
3	3		2	6	3	4		1	2	3						

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	II.—General diseases not included in Class I—Continued.												
61	Diseases of the parathyroid glands:												
	Males—White	52	39	5	2			46	2		1		1
	Colored	7	1	1	4	1		7					
	Females—White	36	29	4				33	3				
	Colored	4	3					3			1		
62	Diseases of the thymus gland:												
	Males—White	651	541	43	18	9	3	614	11	9	9	3	3
	Colored	60	43	9	2	2		56	1	1		1	
	Females—White	453	383	23	15	4	4	429	11	4	3	2	
	Colored	33	24	1	2		1	28	3	1	1		
63	Diseases of the adrenals (Addison's disease):												
	Males—White	149							1		4	6	5
	Colored	4										1	1
	Females—White	195					1	1		1	6	7	10
	Colored	7									1	1	
64	Diseases of the spleen:												
	Males—White	71	2	2	2			6	5	1	7	3	4
	Colored	7	1					1					1
	Females—White	60	2	3	1			6	2	4	6	2	6
	Colored	10	1					1					3
65a	Leukemia:												
	Males—White	952	21	27	31	22	16	117	60	39	48	29	33
	Colored	36	1		1	1	1	4			5	5	3
	Females—White	726	16	16	23	22	12	89	35	29	37	30	32
	Colored	27	1	1	1	2		5	2	3	1		3
65b	Hodgkin's disease:												
	Males—White	534	4	4	4	1	3	16	26	16	32	26	35
	Colored	21	1					1	2		1	1	4
	Females—White	256	5	7	4	1	2	19	8	7	9	17	24
	Colored	16	1					1	2	1		2	2
66	Alcoholism (acute or chronic):												
	Males—White	3,135							1		9	43	103
	Colored	284									9	16	26
	Females—White	323							1	1	2	3	20
	Colored	80										9	12
67a	Chronic lead poisoning:												
	Males—White	118		1	1			2				1	3
	Colored	11											
	Females—White	8			1			1					
67b	Other chronic mineral poisoning:												
	Males—White	14										2	1
	Colored	3										1	
	Females—White	3											
	Colored	7		1			1	2					1
68	Chronic poisoning by organic substances:												
	Males—White	111										1	17
	Colored	12											
	Females—White	62									1	2	11
	Colored	11											
69	Other general diseases:												
	Males—White	879	577	41	16	13	12	659	23	17	15	9	14
	Colored	118	82	12		1	1	96	4			2	
	Females—White	781	417	40	17	17	8	499	34	13	21	14	19
	Colored	89	47	3	4	3	1	58	2	1	3	1	3
	III.—Diseases of the nervous system and of the organs of special sense:												
	Males—White	55,297	1,482	436	222	176	147	2,463	639	465	589	534	558
	Colored	5,858	281	41	28	22	20	392	62	45	80	127	145
	Females—White	49,355	1,033	405	194	143	108	1,883	545	419	379	445	524
	Colored	5,669	209	40	20	20	15	304	51	40	74	95	107
70	Encephalitis:												
	Males—White	558	53	37	14	16	10	130	37	26	37	31	13
	Colored	48	3	1		1		5	7	1	6	5	3
	Females—White	486	46	37	12	7	7	109	35	29	23	24	25
	Colored	47	5	2	2		1	10	4	3	3		3
71a	Simple meningitis:												
	Males—White	1,155	265	99	67	43	38	512	102	58	59	46	44
	Colored	150	46	9	9	4	7	75	10	12	6	3	7
	Females—White	823	203	79	57	41	19	399	88	52	30	30	32
	Colored	103	28	12	7	7	5	59	9	6	3	3	3
71b	Nonepidemic cerebrospinal meningitis:												
	Males—White	322	83	43	16	22	13	177	33	27	20	12	11
	Colored	51	16	4	4	2	3	29	4	3		3	1
	Females—White	234	65	41	16	15	4	141	36	11	10	4	5
	Colored	26	5	2	1	2		10	1	1	4	3	1
72	Tabes dorsalis (locomotor ataxia):												
	Males—White	1,078									1		5
	Colored	81		1				1					
	Females—White	324									1	1	4
	Colored	20											2
73	Other diseases of the spinal cord:												
	Males—White	1,467	15	11	4	9	3	42	19	15	60	24	19
	Colored	119	2	1			1	4	3	4	1	6	6
	Females—White	1,394	16	6	5	4	4	35	18	15	31	27	28
	Colored	117	3		1			4	6	2	2	5	3
74a	Cerebral hemorrhage:												
	Males—White	36,483	68	12	11	3	3	97	14	14	42	55	91
	Colored	3,420	12			3	2	17	2	5	9	24	42
	Females—White	35,496	42	15	10	6	1	74	13	23	36	61	92
	Colored	3,831	5		2	2	1	10	5	2	10	21	43
74b	Cerebral embolism and thrombosis:												
	Males—White	1,756	16	8	4	2	3	33	13	13	16	20	23
	Colored	92	1			1		2		1		2	6
	Females—White	1,740	11	6	2	2	7	28	16	16	13	24	22
	Colored	87	2				2	4	1	1	1	3	1
75	Paralysis without specified cause:												
	Males—White	1,779	5	1	3			9	4	3	5	5	3
	Colored	538	6			1		7	5		3	5	8
	Females—White	1,769	4	4	1	1	1	11	5	3	1	9	3
	Colored	602	4	1			1	6	4		4	6	3

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
	1	1														
																61
		1	1													
	1															
	2	2														62
13	13	18	19	11	11	9	16	10	9	3		1				
		1								1						
13	18	23	21	22	24	22	11	7	4	5						63
1		1		2				1								
4	9	3	6	2	6	3	4	2	5	1						
		1	1	2				1								
4	6	5	3	4	2	3	1	4	2							64
1	1		2	1	1											
58	54	63	69	83	76	82	64	41	27	7	1	1				
6	2		2	3	1	1	2	1		1						
46	52	45	54	55	60	56	48	35	16	3	3	1				65a
2	5	3	2	1												
38	46	45	38	42	62	46	33	17	14	1			1			
3	2		2	4	1											
15	14	15	16	27	21	23	20	14	3	3		1				65b
	3	1	1	1	1			1								
221	409	492	507	472	376	242	155	68	21	9	3				4	
31	43	36	43	31	17	9	8	7	3	1	1				3	
38	59	63	53	33	35	5	5	1	2	1	1					66
13	19	12	10	3		2										
5	12	10	17	18	13	12	14	6	3		2					
1	4		2		2		1	1								67a
	1	1		1	1	2			1							
1		1	3	2	1	1		1	1							
				1	1											67b
		2								1						
1				1	2											
23	18	11	11	8	4	3	5	4	3	2					1	
2	3	1	2	1	1	2										
10	6	6	4	3	4	1	2	1	5	2	3	1				68
2	5	1	2	1												
11	15	11	7	14	12	13	15	13	12	5	5	4	3		2	
2	1	1	1	4	1	2	2		1		1					
8	16	12	14	16	13	16	21	19	19	15	9	3				69
2	4	2	2	1	1		1	2	2		2			1	1	
986	1,433	1,996	2,612	3,444	4,485	5,745	7,449	7,638	6,929	4,593	2,088	493	95	15	48	
195	328	456	551	756	578	539	468	400	306	197	111	49	19	18	36	
669	979	1,387	2,028	2,738	3,670	4,776	6,235	6,779	6,805	5,256	2,813	807	166	29	23	
176	288	419	524	714	561	566	461	462	329	224	115	64	35	38	22	
45	39	42	24	30	22	22	25	16	13	5	1					
5	3	3	3	2	1	1	1	1	1							
30	31	32	27	26	23	23	18	12	5	8	2	2	1		1	70
3	4	2	3	4	1	4		2	1							
44	38	54	39	49	35	17	28	11	11	5	2				1	
5	11	6	8	2	1		1	1	1						1	
27	18	25	22	22	18	16	16	9	6	7	4	2				71a
1	4	2	2	4		1		1								
9	7	4	2	6		5	2	6				1				
2	2	3		3	1											
4	2	7	3	4	1	2		1	1	1	1					71b
	4	1	1													
12	31	65	99	143	187	172	167	103	64	21	8					
5	7	9	12	16	7	11	7	3	2	1						
7	10	21	46	28	41	49	40	40	25	9	1					72
1	2	4	4	2	1		1	1	2							
51	56	72	98	112	146	154	187	179	123	69	31	4	3	1	2	
5	9	7	9	19	9	11	8	6	3	5	1	1			2	
40	46	67	77	122	128	163	172	160	134	67	45	17	1		1	73
6	4	10	7	14	13	12	7	7	6	4	4			1		
184	333	629	1,245	2,003	3,087	4,344	5,962	6,316	5,803	3,929	1,770	434	82	13	36	
72	155	251	345	525	407	381	347	303	232	133	86	31	14	14	25	
142	328	657	1,220	1,904	2,776	3,831	5,149	5,640	5,782	4,500	2,412	680	135	25	16	74a
96	179	285	382	545	453	452	369	352	255	165	94	43	28	31	11	
34	39	56	85	104	166	195	244	253	243	134	67	16	1		1	
5	4	7	7	11	13	8	8	6	4	7	1					
42	47	55	63	101	133	171	208	231	223	193	102	39	13			74b
4	4	10	10	17	7	8	4	6	3	2					1	
11	20	20	29	64	114	195	279	327	317	230	117	18	5	1	3	
9	17	30	24	75	54	63	57	63	44	33	19	13	3	3	3	
10	25	27	48	66	96	164	217	315	304	261	147	40	10	2	5	75
10	22	34	49	67	54	65	60	72	46	46	16	19	5	6	8	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	III.—Diseases of the nervous system and of the organs of special sense—Continued.												
76	General paralysis of the insane:												
	Males—White	3,599								4	7	21	61
	Colored	597								1		11	18
	Females—White	1,100							1	3	10	11	31
	Colored	221								1	3	5	16
77	Other forms of mental alienation:												
	Males—White	546									20	38	36
	Colored	59									4	10	8
	Females—White	723								1	11	36	60
	Colored	105								1	7	18	14
78	Epilepsy:												
	Males—White	1,373	37	9	11	9	12	78	51	78	118	141	113
	Colored	275	17	3	2			22	11	10	35	47	33
	Females—White	1,141	23	12	17	6	9	67	42	80	95	113	104
	Colored	156	7	2	3	3	1	16	7	16	22	20	10
79	Convulsions (nonpuerperal; 5 years and over):												
	Males—White	32							9	1	3	2	4
	Colored	14							2	1	4	1	1
	Females—White	44							11	4	5	5	2
	Colored	19							1		4	2	2
80	Infantile convulsions (under 5 years):												
	Males—White	621	522	61	22	10	6	621					
	Colored	165	138	13	6	5	3	165					
	Females—White	453	349	62	22	13	7	453					
	Colored	141	120	13	4	3	1	141					
81	Chorea:												
	Males—White	25			1		3	4	2	3	1	1	1
	Colored	2	1		1			2					
	Females—White	47			1		1	2	3	17	5	7	1
	Colored	4							1	1	1	1	
82	Neuralgia and neuritis:												
	Males—White	100	1					1	2	1	1		1
	Colored	5											
	Females—White	144				2		2	1		1	3	3
	Colored	8							1			1	
83	Softening of the brain:												
	Males—White	291											
	Colored	13											
	Females—White	296											
	Colored	12											
84	Other diseases of the nervous system:												
	Males—White	2,218	70	30	20	24	13	157	85	55	55	62	74
	Colored	110	10	1	2	1	1	15	4	4	8	7	7
	Females—White	1,794	58	28	18	13	12	129	65	40	43	48	65
	Colored	89	1	2		2	1	6	4	4	5	1	4
85	Diseases of the eye and annexa:												
	Males—White	41	5	2	3	5	2	17	1	4			
	Colored	7	2			1		3		2			
	Females—White	31	2	1	2	1	1	7	1	2	1		
	Colored	5	2				1	3					
86a	Diseases of the ear:												
	Males—White	1,061	244	70	26	19	23	382	136	90	84	37	32
	Colored	76	21	4	3	2	1	31	12		1	2	3
	Females—White	759	149	69	15	20	22	275	97	63	29	24	28
	Colored	44	18	3				21	4		2	1	
86b	Diseases of the mastoid process:												
	Males—White	792	98	53	20	14	18	203	131	72	61	39	27
	Colored	36	6	4	1	1	2	14	2	1	3	1	2
	Females—White	557	65	45	16	12	13	151	113	59	34	18	19
	Colored	32	9	3		1	1	14	3	2	3		2
	IV.—Diseases of the circulatory system:												
	Males—White	109,367	461	99	82	59	79	780	574	710	872	855	933
	Colored	10,302	37	17	19	7	11	91	51	62	110	166	267
	Females—White	92,493	321	83	86	75	85	650	606	808	871	941	1,098
	Colored	9,098	34	14	8	10	5	71	57	68	145	245	333
87	Pericarditis:												
	Males—White	400	10	2			3	15	11	12	12	11	13
	Colored	89	1		2		1	4	1		3	3	6
	Females—White	288	3	2	3	4	1	13	11	16	11	10	11
	Colored	54				1		1	1	1	1	2	
88	Endocarditis and myocarditis (acute):												
	Males—White	3,454	182	41	27	18	27	295	136	139	146	167	187
	Colored	496	14	8	6	1	3	32	3	10	17	28	38
	Females—White	3,182	120	27	28	27	26	228	162	168	180	203	240
	Colored	528	12	3		4	2	21	9	9	40	31	69
89	Angina pectoris:												
	Males—White	9,312	1					1		1	4	10	23
	Colored	302								1		5	12
	Females—White	4,243	1					1	2		7	9	20
	Colored	280									3	5	12
90	Other diseases of the heart:												
	Males—White	82,300	217	46	45	35	47	390	413	549	690	640	670
	Colored	8,465	19	7	10	6	7	49	46	49	86	124	193
	Females—White	74,495	166	49	52	41	55	363	419	612	649	688	784
	Colored	7,533	19	10	8	5	3	45	47	56	93	196	239
91a	Aneurysm:												
	Males—White	1,117							3	1	3	5	10
	Colored	250									1	3	14
	Females—White	349									2	2	4
	Colored	93								1		1	4
91b,c	Other diseases of the arteries:												
	Males—White	10,814									1	2	4
	Colored	568											1
	Females—White	8,582								1		2	
	Colored	478										3	3

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
232	504	661	599	524	356	281	172	86	55	21	12	2	1			
46	76	111	107	74	54	45	27	8	6	6	2	1			4	76
79	127	150	146	141	138	65	79	44	44	22	7	1	1			
21	33	28	32	31	13	13	9	7	7	2						
45	51	56	52	49	40	44	38	31	27	8	9	2				
5	11	2	4	2	4	2	2	1	1	2	1					77
51	78	82	95	58	67	44	58	32	26	18	5		1			
5	11	15	11	6	4	1	4	5	2			1				
128	110	103	84	95	78	49	44	34	35	22	8		1		3	
24	20	15	17	9	10	8	3	3	3	1	1	2			1	78
100	99	82	77	54	53	35	40	43	29	17	8	3				
12	8	11	11	5	7	2	3	4	1		1					
2	3	1		1	1	2	2	1								
				1	1		1		1	1						
3	5	1	2	1	2			2						1		79
4	3	3														
																80
	1	1	4	1	2		1	2	1							
	1	2		1	1			2	2	1	2					81
4	7	5	5	9	12	12	11	12	8	6	2	1				
			1	2			1			1						
4	6	4	11	14	13	15	11	19	18	7	6	6				82
1			1	2											2	
2	2	1	1	6	13	23	45	54	62	51	23	7	1			
			1	1	2	1		2	2	3				1		
1	2	2	6	9	11	22	34	51	67	52	27	8	3	1		83
			1	5		1			2			1	2			
107	116	152	175	175	172	181	199	187	149	77	32	6	1		1	
9	6	2	11	6	9	5	4	1	6	4		1	1			
88	102	119	132	134	130	134	167	157	120	79	32	9	1			84
8	7	11	7	8	5	6	3	3	3	4						
2	2	1		2		3	1		3	3	1	1				
						2										
				2	2		2	4	2	4	4					85
	1								1							
40	42	39	39	39	30	25	19	9	5	8	3	1			1	
	5	7	2	4	4	1	1	2					1			
26	34	35	26	27	23	25	13	10	12	6	6					86a
2	2	2	3	2	2	1	1	1								
34	32	34	32	32	24	21	23	11	10	4	2					
3	2	3		4	1											
15	18	19	27	24	14	17	11	7	5	4	2					86b
2		1		2	1			1		1						
1,378	2,142	3,305	4,947	6,897	9,442	12,107	15,455	15,802	14,504	10,907	5,514	1,777	342	60	64	
402	612	795	1,135	1,252	1,013	987	870	894	637	481	244	115	36	33	49	
1,263	1,871	2,351	3,248	4,638	6,021	8,711	11,533	13,113	13,522	11,470	6,770	2,351	528	88	41	
408	623	773	911	1,003	780	849	708	687	502	422	213	148	60	57	35	
18	9	15	20	25	35	42	50	37	38	26	7	3			1	
9	2	10	10	8	7	8	2	10	1	3	1		1			
7	15	12	18	15	16	17	25	29	27	16	15	4				87
6	6	4	4	9	4	4	2	3	2	3				1		
217	318	396	141	185	190	220	190	191	164	102	44	16	6	2	2	
47	82	93	32	29	25	17	20	11	5	4	1	1		1		
216	251	333	122	109	158	156	174	162	141	107	45	21	4	1	1	88
56	62	112	25	21	23	13	13	7	7	8		1	1			
72	166	343	619	887	1,142	1,336	1,642	1,371	962	526	158	40	3	1	5	
17	22	22	46	45	35	34	17	12	18	8	3	3	1		1	
28	69	92	150	257	397	588	740	718	600	363	153	37	8	1	3	89
17	22	29	36	36	34	24	19	21	9	8	3	2				
999	1,501	2,273	3,768	5,195	7,225	9,286	11,886	12,100	11,084	8,153	3,971	1,191	235	37	44	
308	455	600	958	1,083	872	840	756	758	529	374	198	90	27	25	45	
952	1,459	1,820	2,791	3,985	5,009	7,324	9,626	10,761	11,056	9,009	5,090	1,635	374	56	33	90
304	509	600	803	870	686	749	592	590	421	336	167	114	43	45	28	
29	51	86	119	154	179	177	144	82	45	20	5	2	1		1	
16	34	43	47	34	21	21	7	3	5		1					
6	13	14	23	37	35	36	51	56	35	23	10	2				91a
9	10	14	6	13	11	5	10	4	3		1				1	
14	31	72	124	243	448	800	1,287	1,813	2,067	1,985	1,286	513	95	19	10	
	4	16	29	44	41	52	56	90	75	88	37	19	7	7	2	
6	11	24	66	145	274	437	773	1,238	1,539	1,848	1,409	639	138	28	4	91 b,c
4	5	7	23	34	20	40	66	61	54	58	39	29	16	11	5	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	IV.—Diseases of the circulatory system—Continued												
92	Embolism and thrombosis (not cerebral):												
	Males—White	1,558	18	3	3	1		25	4	3	10	12	15
	Colored	54			1			1			1	2	
	Females—White	916	11	1				12	5	4	14	18	28
	Colored	35		1				1			3	3	1
93	Diseases of the veins:												
	Males—White	206	3		2		1	6		3	1	3	3
	Colored	14		1				1			1		
	Females—White	290	1				1	2	2	1	2	6	9
	Colored	17										2	
94	Diseases of the lymphatic system:												
	Males—White	90	25	5	4	4	1	39	4	1	4	2	5
	Colored	11	2	1				3	1		1	1	3
	Females—White	65	15	4	2	3	2	26	3	3	3	1	1
	Colored	13	1					1		1	2	1	
95	Hemorrhage without specified cause:												
	Males—White	46	5	2	1	1		9	3	1	1	2	3
	Colored	15	1					1		2			
	Females—White	36	4		1			5	1	3	3	2	
	Colored	19	2					2			2	1	3
96	Other diseases of the circulatory system:												
	Males—White	70										1	
	Colored	38											
	Females—White	47							1				1
	Colored	48									1		2
	V.—Diseases of the respiratory system:												
	Males—White	53,854	11,120	3,588	1,248	644	399	16,999	951	545	878	961	1,021
	Colored	9,405	2,371	832	300	140	65	3,708	188	107	296	460	501
	Females—White	43,177	8,300	2,917	1,112	526	343	13,198	757	481	557	637	832
	Colored	7,026	1,845	702	229	117	58	2,951	140	121	239	320	391
97a	Diseases of the nasal fossae:												
	Males—White	76	29	3	1			33		1	5	1	1
	Colored	71	49	8	5			62	2			3	
	Females—White	66	21	3			1	25	1		2		2
	Colored	70	43	6	1	1	1	52		1		2	3
97b	Diseases of the nasal fossae annexa:												
	Males—White	343	8	3	3	2	2	18	14	18	32	40	17
	Colored	31	2					2	2	3	4	4	3
	Females—White	175	8	3	1		4	16	11	18	8	12	17
	Colored	10								1	1	1	1
98	Diseases of the larynx:												
	Males—White	219	52	30	20	19	12	133	21	3	1	4	2
	Colored	29	6	4		3	1	14	2				1
	Females—White	158	39	21	13	15	8	96	19	1	3	1	1
	Colored	15	8	1	1		1	11	2	1			
99a	Acute bronchitis:												
	Males—White	1,185	487	75	31	13	9	615	12	6	3	1	2
	Colored	132	66	15	8	2		91	3	1	3	4	2
	Females—White	1,184	363	71	16	5	10	465	16	4	5	3	6
	Colored	153	77	13	8	1	1	100	1		3	6	7
99b	Chronic bronchitis:												
	Males—White	1,078	25	9	2	2	2	40	5	2	3	4	7
	Colored	68	1	3	2			6	1		1	2	4
	Females—White	1,014	25	13	6			44	4	3	4	5	6
	Colored	74	2	3	1	1	1	8		2	2	1	5
99c,d	Bronchitis (unspecified):												
	Males—White	659	227	24	9	4	3	267	9	3	1		2
	Colored	98	40	11	2	1		54		2	2	1	1
	Females—White	715	175	26	15	1	2	219	4	1		1	3
	Colored	136	39	12	2	1	1	55	2	1	3	4	8
100a	Broncho-pneumonia:												
	Males—White	18,983	7,225	2,086	635	293	179	10,418	312	137	138	129	147
	Colored	2,976	1,378	501	168	68	36	2,151	68	19	37	52	49
	Females—White	17,155	5,421	1,739	596	268	147	8,171	291	108	108	116	145
	Colored	2,462	1,050	423	128	64	25	1,690	51	26	43	42	62
100b	Capillary bronchitis:												
	Males—White	419	232	57	19	7	5	320	5		1	1	
	Colored	82	52	14	3	4		73	1	1			
	Females—White	374	173	55	18	5	4	255	3	2			2
	Colored	59	29	9	5	2	1	46			1	3	
101a	Lobar pneumonia:												
	Males—White	25,670	2,228	1,061	414	249	147	4,099	461	303	604	682	728
	Colored	4,801	506	203	80	48	21	858	80	65	204	346	393
	Females—White	18,603	1,645	821	349	194	143	3,152	331	288	367	411	569
	Colored	3,153	368	182	59	32	24	665	68	71	146	204	249
101b	Pneumonia (unspecified):												
	Males—White	1,481	387	106	48	19	14	574	46	26	33	28	25
	Colored	672	239	63	24	11	6	343	19	10	31	29	17
	Females—White	1,212	286	74	46	10	7	423	25	19	13	24	23
	Colored	557	210	46	19	11	2	288	16	12	31	29	27
102	Pleurisy:												
	Males—White	1,444	117	107	54	30	22	330	44	37	42	46	54
	Colored	147	15	5	6	1		27	2	5	9	9	13
	Females—White	863	69	67	45	23	13	217	43	27	27	42	32
	Colored	123	8	2	4	1		15		2	5	16	15
103	Congestion and hemorrhagic infarct of the lung:												
	Males—White	557	68	12	3	4	1	88	7	1	4	2	4
	Colored	34	3	1				4	4				1
	Females—White	630	53	8	3	1	2	67	1	1	5	3	3
	Colored	37	6	2	1	1	1	11				2	
104	Gangrene of the lung:												
	Males—White	118			1		1	2		1	4	4	8
	Colored	13									1	1	1
	Females—White	35		2				2	1		1	3	2
	Colored	8										1	1

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
21	47	93	133	172	179	191	219	183	121	78	38	10	2	1	1	
3	7	8	5	5	4	6	5	3	2	1	1					
27	32	32	49	52	94	110	105	109	98	73	41	8	3	2		92
4		1	5	5	1	3	2		2	1	1	2				
8	12	14	13	25	30	36	22	11	10	8	1					
1			3		3	1	2			1	1					
17	14	17	23	31	31	34	30	27	16	21	4	3				93
2	2	1		5	1	2				2						
	4	5	3	2	3	6	3	4	2	2	1					
						2										
1	1	5	5		5		3	1	3	3			1			94
1	1	2	1	1		1				1						
	1	3	4	2	5	3	6	1	1		1					
1	4		3	1	1		1		1							
3	6	2		1			2	2	1	1	2	2				95
2	1		3	2		2			1							
	2	5	3	7	6	10	6	9	10	7	2	2				
	2	3	2	3	4	6	4	7	1	2	1	2			1	96
			1	6	2	9	4	10	6	6	1					
3	5	3	5	7		6	4	1	3	5	2				1	
1,500	2,053	2,555	2,783	2,873	2,991	3,202	3,508	3,342	3,173	2,486	1,374	490	113	20	36	
523	582	578	505	501	325	315	215	189	148	114	60	24	18	18	30	
1,014	1,222	1,254	1,319	1,541	1,843	2,276	2,984	3,352	3,598	3,220	2,086	779	181	27	19	
321	338	320	340	302	233	238	185	173	149	110	73	29	25	17	11	
5	1	3		1	3	2	4	2	2	3	6	1	2			
1		1					1				1					
1	3	1		2	3	2		3	6	2	7	4	2			97a
2			3	1	2	2						1	1			
25	33	34	25	19	22	19	15	5	4	1	1	1				
4	3	3		2				1								
15	17	6	13	11	10	9	8		3	1						97b
1	1		1			1	1				1					
2	4	6	8	6	7	6	5	3	4	2	1	1				
1	2	1	1	2		1		3	1							98
3	3	6	2	5	3	2	1	4		5	3					
				1												
7	9	11	8	25	27	27	41	56	92	107	79	41	13	2	1	
1	4	5	5	4	1	3	1	2				1	1			99a
7	3	6	9	20	26	11	61	90	118	133	121	60	15	5		
1	3	4	4	2	3	5	2	2	4			2	3	1		
9	10	26	47	45	54	88	110	167	154	159	102	32	12	2		
3	2	3	3	7	7	7	6	2	3	3	6	1	1			99b
4	3	7	15	34	30	59	89	141	194	187	127	46	12			
3	3	5	8	7	1	5	5	4	7	5	1	2				
6	10	10	11	16	12	20	32	34	55	74	62	28	4		3	
1	2	1	7	7	5	2	1		5	3	2	1	1			99cd
3	3	6	9	10	11	15	40	54	84	101	87	45	17	2		
1	4	5	5	3	5	5	8	7	8	2	4	3	1	2		
212	342	405	477	480	586	689	858	966	1,039	900	511	183	39	10	5	
48	60	65	62	65	43	71	36	43	34	33	12	7	5	8	8	100a
204	241	277	267	363	421	614	878	1,105	1,330	1,293	814	320	72	11	6	
52	46	43	59	49	50	54	41	44	37	27	14	13	8	9	2	
	3	4	3	2	8	8	11	13	17	15	4	4				
	1	1	2	2				1								
1	1	2	2	4	3	5	10	15	17	25	18	9				100b
2	1	1			1		1	1	1	1						
1,059	1,439	1,783	1,890	1,942	1,889	1,972	2,066	1,731	1,470	941	431	130	23	4	23	
405	437	435	369	359	225	192	143	100	83	46	24	6	7	10	14	101a
684	828	831	855	958	1,175	1,391	1,621	1,648	1,485	1,128	653	180	35	3	10	
224	228	218	219	215	144	140	97	92	68	46	39	3	9	2	6	
44	47	64	57	57	55	50	74	81	82	77	39	14	5	1	2	
24	29	24	25	21	14	15	13	21	9	13	6	4	1		4	101b
28	28	27	31	31	48	34	71	71	108	104	64	29	7	1	3	
15	24	15	17	11	11	10	7	8	12	13	5	2	3	1		
62	75	98	91	115	101	113	78	66	49	26	13	4				
10	17	14	10	5	9	5	2	5	3	1	1					102
39	48	27	39	29	37	36	61	48	38	40	21	10	1	1		
11	11	13	7	7	3	5	5	3	3	1		1				
5	6	11	10	9	19	6	27	50	70	103	81	41	12	1		
2	1	1	1	4	1	1	1	1	3	3	2	1	1		2	103
5	3	5	9	11	7	19	24	42	96	130	117	60	18	4		
1	2	2	3		2		1	2		4	6	1				
9	12	10	11	11	10	17	5	8	3		3					
	2	2		3	1	1					1					104
1	6	5	3	2	2		3	2	2							
3	1	1					1									

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	V.—Diseases of the respiratory system—Continued.												
105	Asthma:												
	Males—White	858	10	8	3		2	23	10		1	3	2
	Colored	135	5	3	1	1	1	11	2		1	1	5
	Females—White	709	4	9	2	2	2	19	3	1	3	5	5
	Colored	106	2	3		1		6		2	2	1	6
106	Pulmonary emphysema:												
	Males—White	92	4					4					2
	Colored	11				1		1				1	1
	Females—White	41	2					2			2		1
	Colored	7											
107	Other diseases of the respiratory system (tuberculosis excepted):												
	Males—White	672	21	7	5	2		35	5	7	6	16	20
	Colored	105	9	1	1			11	2	1	3	7	10
	Females—White	243	16	5	2	2		25	4	8	9	11	15
	Colored	56	3			1		4		2	2	8	7
	VI.—Diseases of the digestive system:												
	Males—White	43,105	10,700	2,674	854	529	371	15,128	1,196	965	1,028	1,117	1,158
	Colored	5,578	1,851	590	142	71	40	2,694	107	96	139	189	205
	Females—White	35,187	8,034	2,287	772	415	317	11,825	1,044	803	811	893	1,002
	Colored	4,990	1,456	503	145	64	31	2,199	134	109	148	212	268
108	Diseases of the mouth and annexa:												
	Males—White	365	33	4	5	1	3	46	18	5	13	13	14
	Colored	52	5	3				8	1	1	1	3	6
	Females—White	246	27	7	4	2	3	43	12	4	9	7	10
	Colored	34	3		1			4	3		1	6	2
109a	Adenoid vegetations:												
	Males—White	2					1	1		1			
	Colored	1		1				1					
	Females—White	3				1		1	2				
109b	Other diseases of the pharynx, tonsils:												
	Males—White	1,631	142	100	66	71	48	427	226	103	72	122	103
	Colored	147	12	9	10	6	4	41	20	3	8	14	12
	Females—White	1,572	73	72	61	55	73	334	222	132	137	107	93
	Colored	213	13	7	7	8	3	38	33	22	13	18	20
110	Diseases of the esophagus:												
	Males—White	73	4		1		1	6		1	2		2
	Colored	4	1	1				2					
	Females—White	33	1		1			2	1		2		
	Colored	5											
111a	Ulcer of the stomach:												
	Males—White	2,787	6	2	1	2	2	13	5	3	24	65	104
	Colored	208	1					1		1	3	10	12
	Females—White	1,029	7	3	1	1		12	7	3	10	20	33
	Colored	142								1	2	6	20
111b	Ulcer of the duodenum:												
	Males—White	1,274	2					2		1	10	41	68
	Colored	59							1		2	3	8
	Females—White	365	1					1	1	1	2	12	13
	Colored	24										1	1
112	Other diseases of the stomach (cancer excepted):												
	Males—White	1,911	453	71	48	14	12	598	21	7	17	19	22
	Colored	559	136	19	7	7	2	171	11	8	9	24	12
	Females—White	1,613	377	71	35	10	15	508	17	11	10	22	29
	Colored	667	105	28	10	6	2	151	10	4	12	22	33
113	Diarrhea and enteritis (under 2 years):												
	Males—White	11,557	9,277	2,280				11,557					
	Colored	2,104	1,581	523				2,104					
	Females—White	9,050	7,058	1,992				9,050					
	Colored	1,721	1,275	446				1,721					
114	Diarrhea and enteritis (2 years and over):												
	Males—White	2,445			543	239	121	903	184	46	32	21	46
	Colored	417			108	41	16	165	26	8	10	14	7
	Females—White	2,553			521	203	98	822	162	41	29	36	32
	Colored	494			120	41	15	176	35	7	12	24	23
115	Ancylostomiasis:												
	Males—White	4		1	1			2		2			
	Colored	3				1		1		1			
	Females—White	12	2		1	1		4	2	1	1	2	
	Colored	2							1				
116	Diseases due to other intestinal parasites:												
	Males—White	23	1	2	4	3	1	11	6			1	2
	Colored	24	4	4	5	3	3	19	3	1			
	Females—White	22		4	3	5	1	13	4				
	Colored	19	2	3	4	1	3	13	3	1			1
117	Appendicitis and typhlitis:												
	Males—White	7,697	23	48	84	118	128	401	542	667	713	647	567
	Colored	683	2	3	1	4	8	18	31	57	67	69	76
	Females—White	5,125	15	29	62	82	74	262	468	507	467	395	357
	Colored	525	1	3		3	3	10	34	51	67	60	71
118a	Hernia:												
	Males—White	1,973	69	13	6	3	4	95	3	5	16	18	25
	Colored	227	25	4				29	1	1	3	6	16
	Females—White	1,546	14			1		15	5	4	4	6	12
	Colored	77	2	4		1		7	1	2	1	1	2
118b	Intestinal obstruction:												
	Males—White	2,936	525	99	56	43	25	748	104	68	64	65	71
	Colored	389	61	13	9	3	4	90	11	11	20	20	19
	Females—White	2,945	343	67	49	27	16	502	52	37	53	99	117
	Colored	411	40	5	3	2	3	53	4	10	14	29	36
119	Other diseases of the intestines:												
	Males—White	550	41	20	6	5	2	74	19	7	8	10	13
	Colored	62	7			3	1	11			3	2	
	Females—White	380	26	5	4	7	4	46	3	6	3	18	10
	Colored	82	5	1				6	1		3	11	6
120	Acute yellow atrophy of the liver:												
	Males—White	164	5		2			7	1		3	14	7
	Colored	15	1					1			1	3	2
	Females—White	278	6	1	1		1	9	3	3	16	23	25
	Colored	20	2					2				2	3

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
17	18	35	65	68	102	100	117	96	96	64	32	5	2		2	
10	10	13	9	12	13	11	5	9	6	10	4	2	1			
11	19	34	51	44	45	62	93	110	95	54	40	14	1			105
4	9	6	9	3	11	4	14	9	5	8	2	1		2	2	
2	4	3	3	8	10	13	9	13	11	3	3	4				
3		1	2	1							1					106
	1	1	2	3	4	3	1	6	5	7	2	1	1			
				1		2				2	1					
36	40	52	77	69	86	72	56	51	25	11	6	1	1			
10	12	8	9	7	6	6	6	1	1	2		1			2	107
8	16	13	12	14	18	14	23	13	17	10	12	1				
1	4	7	5	2		5	2	1	4	1					1	
1,434	1,683	2,156	2,321	2,471	2,601	2,546	2,381	1,879	1,497	929	425	145	21	1	23	
210	243	278	306	291	223	174	139	100	71	44	25	13	4	7	20	
1,235	1,399	1,501	1,726	1,894	2,017	2,007	1,902	1,752	1,506	1,043	563	208	38	6	12	
221	284	264	267	212	177	157	111	75	54	43	23	12	5	6	9	
22	18	33	25	30	34	35	16	15	15	8	3	2				
2	3	2	5	5	3	1	3	3	1	2	2					
17	11	17	20	24	15	16	7	13	9	6	4	2				108
	5	3	2	2	3	2	1									
																109a
88	88	68	64	68	53	46	43	20	22	9	6	2	1			
16	4	5	4	10	4	1	1	1		1	1				1	
94	71	63	61	54	51	31	41	27	20	20	8	5			1	109b
17	14	7	9	10	1	5	2	1	1	2						
1	2	3	4	6	6	10	12	5	4	5	3	1				
		1		1												
2	2	1	3		1	4	1	3	2	7	2					110
		3	1	1												
187	242	287	333	304	314	252	259	188	125	47	25	7	1		2	
16	24	32	22	32	20	10	10	9	4	1	1					
51	52	68	95	108	94	105	119	94	79	48	23	8				111a
15	17	15	16	13	10	11	8	3	4	1						
86	134	158	149	145	148	114	100	56	39	16	2	4			1	
9	7	9	4	5	6	1			1	2		1				
28	37	27	33	35	43	33	34	29	19	11	5	1				111b
2	1	4	2	7	3	1	1	1								
30	39	84	97	110	115	132	162	150	123	115	44	21	4		1	
23	42	44	53	42	27	36	11	15	18	3	5	1	1		3	
21	23	48	46	57	61	87	105	131	146	133	98	41	16	1	2	112
31	44	50	65	57	44	46	27	21	21	15	7	2	1	1	3	
																113
39	53	62	82	76	99	88	132	143	152	149	91	31	7		9	
10	13	15	20	29	15	14	17	22	8	7	4	6	1	3	3	
57	52	47	74	85	85	93	123	214	204	196	128	57	13	2	1	114
11	24	17	25	26	23	20	21	15	9	8	5	4	2	5	2	
				1												
	1				1											115
			1													
1		1	1													
	1	1			1	1	1			1						116
												1				
618	555	628	556	529	427	365	228	135	76	30	6	2			5	
72	62	64	52	33	31	24	14	2	4		1	1			5	
381	370	367	344	334	273	215	189	95	56	30	11	2			2	117
48	59	40	30	17	18	11	5	3							1	
39	64	86	121	138	203	212	255	232	218	139	80	16	5		3	
14	12	12	29	15	20	18	16	14	9	5	3			3	1	
33	45	66	133	142	176	233	203	186	128	92	46	15	1		1	118a
5	3	7	6	8	9	8	9		4	2		1	1			
85	91	139	168	189	177	235	206	193	158	115	45	10	2	1	2	
13	31	28	35	29	23	20	12	8	5	7	3	1	1		2	
131	177	165	176	167	214	192	180	212	211	141	82	27	5	2	3	118b
38	46	52	32	20	20	13	15	14	5	4	3		1		2	
17	32	35	33	37	49	49	37	42	35	22	17	14				
4	8	5	7	5	6	2	1	3		2	2		1			
11	22	21	21	27	24	29	24	24	43	29	13	5	1			119
9	9	10	10	4	4	4	1	1		2	1					
	14	16	9	15	11	15	10	8	16	9	4					
	1	2	1	2				1							1	
39	21	25	24	16	16	17	9	5	12	8	4	3				120
5	4	3				1										

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR.

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VI.—Diseases of the digestive system—Continued												
121	Hydatid tumor of the liver:												
	Males—White	18										2	1
	Females—White	6											
122	Cirrhosis of the liver:												
	Males—White	4,260	7	5	2	1	1	16	7	5	13	13	27
	Colored	349		2				2		1	3	7	14
	Females—White	2,281	6	2	1			9	8	4	9	9	32
	Colored	200		1			1	2	2	2	1	3	9
123	Biliary calculi:												
	Males—White	982									1	5	15
	Colored	27									1		1
	Females—White	2,740									4	29	79
	Colored	70									1	1	4
124	Other diseases of the liver:												
	Males—White	1,589	29	12	7	5	8	61	18	6	17	30	49
	Colored	136	6	4		1	1	12		2	4	4	11
	Females—White	2,372	29	5	8	4	7	53	22	8	14	43	81
	Colored	144	5	2		2		9	4	2	5	8	16
125	Diseases of the pancreas:												
	Males—White	258	1	1	1			3		4	2	7	9
	Colored	19		1				1				1	1
	Females—White	288	1	1		1		3	2	1	7	10	14
	Colored	14											4
126	Peritonitis without specified cause:												
	Males—White	606	82	16	21	24	14	157	42	34	21	24	13
	Colored	93	9	3	2	2	1	17	2	1	4	9	8
	Females—White	727	48	28	20	15	25	136	51	40	34	55	65
	Colored	126	3	3			1	7	3	7	16	20	17
127	Other diseases of the digestive system (cancer and tuberculosis excepted):												
	Females—White	1											
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:												
	Males—White	51,123	339	76	81	63	52	611	208	179	321	369	471
	Colored	7,211	45	19	14	15	5	98	32	29	44	99	167
	Females—White	45,200	207	101	79	55	50	492	207	235	435	664	901
	Colored	6,567	43	22	15	13	8	101	31	37	130	230	351
128	Acute nephritis (including unspecified under 10 years):												
	Males—White	2,023	170	38	47	35	36	326	120	54	83	69	73
	Colored	549	22	10	10	10	5	57	15	11	15	22	29
	Females—White	1,613	99	39	49	30	31	248	102	60	71	77	60
	Colored	592	24	15	13	10	4	66	21	19	24	37	43
129	Chronic nephritis (including unspecified 10 years and over):												
	Males—White	41,958	7	7	13	17	12	56	73	110	212	249	335
	Colored	5,814	2	2	1	2		7	11	18	25	62	108
	Females—White	37,888	5	9	6	15	11	46	80	150	238	321	411
	Colored	4,782	2	1			2	5	6	13	55	92	155
130	Chyluria:												
	Females—White	1											
131	Other diseases of the kidneys and annexa:												
	Males—White	1,185	109	27	20	10	4	170	12	10	21	33	37
	Colored	188	13	7	3	3		26	6		3	9	9
	Females—White	1,123	87	52	24	9	8	180	21	12	25	28	46
	Colored	163	14	6	2	3	2	27	4	1	7	8	10
132	Calculi of the urinary passages:												
	Males—White	464	1					1	2	3	4	9	11
	Colored	20											
	Females—White	262	1					1		2	1	10	16
	Colored	10	2					2				1	1
133	Diseases of the bladder:												
	Males—White	551	9	1	1	1		12	1	2	1	1	4
	Colored	105	3					3					3
	Females—White	167	2			1		3	1	1			3
	Colored	29	1					1			2	1	6
134	Diseases of the urethra, etc.:												
	Males—White	217										2	5
	Colored	124									1	3	11
	Females—White	20							1	1			2
	Colored	3											1
135	Diseases of the prostate:												
	Males—White	4,634										4	4
	Colored	384											3
136	Nonvenereal diseases of the male genital organs:												
	Males—White	88	40	3				43				2	2
	Colored	27	5					5				3	4
137	Cysts, other benign tumors of the ovary:												
	Females—White	710								1	15	34	51
	Colored	70									2	4	6
138	Salpingitis and pelvic abscess (female):												
	Females—White	1,263		1				1	2	6	67	148	196
	Colored	386								2	28	56	78
139	Benign tumors of the uterus:												
	Females—White	1,466									1	8	49
	Colored	403										13	33
140	Nonpuerperal uterine hemorrhage:												
	Females—White	34									4	4	3
	Colored	10									3	1	3
141	Other diseases of the female genital organs:												
	Females—White	630								2	12	33	62
	Colored	119								2	9	17	15
142	Nonpuerperal diseases of the breast (cancer excepted):												
	Males—White	3	3					3					
	Females—White	23	13					13			1	1	2

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
1	2	5	2				1		1		3					
1					1			2	2							121
75	160	273	393	481	614	623	568	448	317	163	54	10				
14	15	38	47	49	41	30	35	19	17	10	1	3				
75	91	143	184	194	281	273	274	255	252	121	52	13	2	1	2	122
9	20	23	29	21	24	15	12	8	6	5	4	4			1	
29	43	83	86	126	123	139	137	87	57	30	10	10	1			
1	5	1	3	6		3	5				1					
107	188	227	270	346	370	368	290	223	127	69	29	14				123
4	11	7	12	6	9	6	5	1		1	2					
66	92	132	139	151	164	167	167	125	107	58	26	14				
9	7	13	14	13	22	9	7	3	3	1	1				1	
117	150	148	177	241	238	266	257	199	171	120	53	13		1		124
11	10	12	18	16	7	11	3	6	2	3	1					
21	19	27	21	38	30	32	21	9	10	4	1					
3	1	3	5		2	1	1									
20	33	26	39	29	34	18	24	15	8	1	1	2			1	125
2	3	2		1	1	1										
24	35	36	38	28	34	32	27	23	22	10	5	1				
4	8	4	5	14	3	4	6		1	2					1	
50	52	41	26	34	38	26	21	25	17	11	4				1	126
14	14	9	9	3	1	2	1	1	2							
				1												127
745	1,043	1,584	2,166	3,176	4,162	5,482	7,256	7,683	7,421	5,054	2,401	632	113	22	21	
210	328	505	612	875	734	837	688	671	526	387	187	81	33	33	35	
1,182	1,710	2,183	2,646	3,078	3,608	4,397	5,605	5,772	5,422	3,831	2,037	607	142	17	29	
439	607	644	666	692	487	485	491	389	310	221	107	73	28	22	26	
89	116	151	121	125	140	137	105	95	94	72	44	7			2	
32	50	50	54	56	41	37	23	18	17	3	5	4	2	3	5	
84	101	101	105	89	91	79	88	81	77	53	30	12	3	1		128
54	56	65	58	45	27	25	20	13	6	3	3	2	1		4	
575	821	1,300	1,879	2,809	3,635	4,690	6,100	6,416	6,120	4,041	1,888	514	95	19	21	
144	243	408	504	747	610	692	584	576	442	333	156	63	29	29	23	
584	944	1,308	1,804	2,488	3,199	4,018	5,262	5,499	5,165	3,661	1,959	572	137	16	26	129
209	343	408	494	588	421	441	449	362	291	210	101	70	26	22	21	
							1									130
41	50	55	63	75	95	92	98	102	118	59	38	13	2		1	
11	11	14	12	12	19	11	8	10	12	6	5	2			2	
57	68	78	77	85	72	97	73	66	70	40	14	9	2		3	131
13	11	15	14	14	6	5	10	7	5	3	2		1			
23	24	37	39	45	44	59	48	49	40	21	4	1				
2	4	2	1	1	1	4	4				1					
21	21	34	16	27	30	23	21	12	16	7	4					132
2			1		1			1	1							
2	4	9	14	12	22	31	48	72	90	124	70	29	3			
6	4	3	7	10	9	14	9	12	11	8	1	4			1	
3	5	4	10	12	11	11	14	19	21	26	16	7				133
	1	1	1	4	3	2		1	4	2						
9	13	21	23	31	18	21	24	22	14	10	3	1				
13	10	18	17	15	7	19	2	2	2	2	1				1	
2	3	1	2			3	2	2		1						134
		1		1												
4	12	9	23	75	205	443	829	924	942	723	354	67	13	3		
2	1	7	16	33	44	60	57	53	42	35	18	8	2	1	2	135
2	3	2	4	4	3	9	4	3	3	4						
	5	3	1	1	3		1								1	136
68	69	80	76	78	58	57	41	28	29	18	4	3				
12	15	13	4	4	4	1	1	3			1					137
193	221	180	122	48	29	15	13	9	6	3	3	1				
78	60	43	25	8	7										1	138
105	199	313	347	192	64	54	47	37	28	13	7	2				
59	106	81	54	21	12	7	10	2	3	2						139
1	3	10	5	1	1	1		1								
	2		1													140
64	75	73	80	58	53	39	43	18	10	8						
12	13	17	14	7	6	4	1			1		1				141
	1	1	2							1		1				142

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VIII.—The puerperal state:												
	Females—White	11,006								12	1,011	2,161	2,452
	Colored	2,267								19	446	521	425
143	Accidents of pregnancy:												
	Females—White	1,227									70	168	308
	Colored	169								1	14	37	48
144	Puerperal hemorrhage:												
	Females—White	1,201									53	173	237
	Colored	181								1	15	21	38
145	Other accidents of labor:												
	Females—White	1,242								1	64	207	254
	Colored	300								1	56	60	52
146	Puerperal septicemia:												
	Females—White	4,074								9	400	935	965
	Colored	788								5	165	211	158
147	Puerperal phlegmasia alba dolens, embolus, etc.:												
	Females—White	505								1	24	90	124
	Colored	55									9	14	10
148	Puerperal albuminuria and convulsions:												
	Females—White	2,712								1	395	574	558
	Colored	769								11	187	177	117
149	Following childbirth (undefined):												
	Females—White	42									3	14	5
	Colored	5										1	2
150	Puerperal diseases of the breast:												
	Females—White	3									2		1
	IX.—Diseases of the skin and of the cellular tissue:												
	Males—White	1,582	228	20	5	12	4	269	17	25	42	35	35
	Colored	173	17	6				23	5		5	5	4
	Females—White	1,170	188	19	11	2	5	225	24	24	25	24	33
	Colored	159	9	2	1			12	3	2	2	7	5
151	Gangrene:												
	Males—White	636	4	3	1	3	2	13	4	2	3	7	3
	Colored	81	1	1				2	3			2	
	Females—White	469	9	4	3	1	3	20	3	1	5		4
	Colored	72							1		1	1	2
152	Furuncle:												
	Males—White	308	26	2		1		29	4	10	14	9	15
	Colored	7		1				1				1	
	Females—White	181	39	4	1			44	4	11	10	8	7
	Colored	13	2					2					
153	Acute abscess:												
	Males—White	319	64	5	3	6	1	79	4	9	14	13	14
	Colored	51	6	2				8	2		5	2	4
	Females—White	228	48	8	7		1	64	13	6	9	8	10
	Colored	33	1	1				2	2	1	1	4	2
154	Other diseases of the skin and annexa:												
	Males—White	319	134	10	1	2	1	148	5	4	11	6	3
	Colored	34	10	2				12					
	Females—White	292	92	3		1	1	97	4	6	1	8	12
	Colored	41	6	1	1			8		1		2	1
	X.—Diseases of the bones and of the organs of locomotion:												
	Males—White	743	36	20	19	20	26	121	89	90	54	23	23
	Colored	68	4			2		6	8	6	2	6	6
	Females—White	423	20	7	20	7	13	67	64	53	14	14	10
	Colored	46	2	2		1	2	7	5	4	1	1	3
155	Diseases of the bones (tuberculosis excepted):												
	Males—White	603	23	16	17	18	26	100	80	80	47	20	18
	Colored	51	2			2		4	7	6	1	3	6
	Females—White	337	14	6	19	7	11	57	59	51	10	10	8
	Colored	33	2	2			2	6	3	4		1	2
156	Diseases of the joints (tuberculosis and rheumatism excepted):												
	Males—White	114	11	4	2	2		19	8	9	4	3	4
	Colored	15	2					2	1		1	3	
	Females—White	60	6		1		2	9	4	2	3	4	2
	Colored	10				1		1	1		1		1
157	Amputations:												
	Males—White	1											
	Colored	1											
	Females—White	1											
158	Other diseases of the organs of locomotion:												
	Males—White	25	2					2	1	1	3		1
	Colored	1											
	Females—White	25		1				1	1		1		
	Colored	3							1				
	XI.—Malformations:												
	Males—White	6,720	6,188	187	57	37	24	6,493	83	49	32	27	16
	Colored	390	332	22	9	4	1	368	9	3	8		1
	Females—White	5,382	4,937	167	59	48	31	5,242	66	24	27	9	6
	Colored	274	230	13	3	7	1	254	12	4	3		1
159a	Congenital hydrocephalus:												
	Males—White	589	449	48	14	17	7	535	22	18	4	7	2
	Colored	60	34	10	5		1	50	4	1	4		1
	Females—White	578	479	41	15	12	8	555	13	2	5	2	
	Colored	34	19	2	2	3	1	27	3	2	2		
159b	Congenital malformations of the heart:												
	Males—White	4,041	3,778	92	25	14	10	3,919	46	22	21	15	8
	Colored	203	185	7	2	3		197	2	1	3		
	Females—White	3,029	2,777	93	34	27	13	2,944	45	14	17	3	2
	Colored	138	122	6	1	2		131	6	1			
159c	Other congenital malformations:												
	Males—White	2,090	1,961	47	18	6	7	2,039	15	9	7	5	6
	Colored	127	113	5	2	1		121	3	1	1		
	Females—White	1,775	1,681	33	10	9	10	1,743	8	8	5	4	4
	Colored	102	89	5		2		96	3	1	1		1

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
2,339	2,034	873	111	4											9	
362	333	117	33	2											9	
309	259	97	14												2	143
33	25	7	4													
283	283	150	20	1											1	144
44	35	21	5	1												
282	284	137	11												2	145
51	54	19	4												3	
825	666	239	30	2											3	146
114	100	25	9	1												
120	104	37	5													147
9	10	3														
507	437	208	30	1											1	148
110	108	42	11												6	
13	1	5	1													149
1	1															
																150
46	48	72	73	72	74	75	121	133	150	147	95	41	7	4	1	
5	10	8	13	17	5	17	8	10	11	10	10	4	1	2		
34	32	24	33	43	53	53	85	82	115	122	86	38	11	3	1	
2	9	9	15	15	7	10	16	12	11	6	9	3	3	1		
8	8	15	15	16	19	25	58	88	108	114	83	37	6	4		151
1	3	3	4	9	2	5	5	8	9	9	9	4	1	2		
3	6	5	5	12	14	22	44	55	81	88	63	27	10	1		
1	1	2	2	7	4	6	9	9	8	5	6	3	3	1		
18	16	28	24	26	20	21	28	22	10	10	3	1				152
			1	1		3										
10	9	5	8	10	15	6	9	7	7	6	3	2				
	3	1	3		1	1	1			1						
15	17	22	22	18	22	18	19	11	15	4	1	2				153
3	6	4	5	5	1	2	1	1	1	1						
10	12	8	12	12	13	15	12	4	7	8	4	1				
1	3	3	6	4	1		1	1			1					
5	7	7	12	12	13	11	16	12	17	19	8	1	1		1	154
1	1	1	3	2	2	7	2	1	1		1					
11	5	6	8	9	11	10	20	16	20	20	16	8	1	2	1	
	2	3	4	4	1	3	5	2	3		2					
37	49	27	23	36	31	43	26	33	26	10	1	1				
2	6	6	2	2	1	10	3	2								
13	12	18	12	24	17	24	23	25	13	11	7	2				
4		2	3	3		3	4	1	1	1	1		1	1		
33	36	19	22	27	22	34	18	21	18	7		1				155
2	4	4	1	1		9	2	1								
11	5	14	8	19	12	18	16	15	9	10	4	1				
4		2	2	2		1	3			1	1		1			
3	12	8	1	9	6	4	8	7	7	1	1					156
	2	1	1	1	1	1	1									
2	6	3	3	3	3	3	3	6	2	1	1					
			1	1		2	1	1								
	1															157
								1								
									1							
1					3	5		5	1	2						158
		1														
	1	1	1	2	2	3	4	4	1		2	1				
									1					1		
6	1	5	4	2		1	1									
	1															
1	2	1	2	2												
			1													159a
1																
4	1	2	3													159b
	2	1	1													
2		3		2		1	1									159c
	1															
			1	2												

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR;

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XII.—Early infancy:												
	Males—White	28,084	28,084					28,084					
	Colored	3,617	3,617					3,617					
	Females—White	20,365	20,365					20,365					
	Colored	2,839	2,839					2,839					
160	Congenital debility, icterus, sclerema:												
	Males—White	3,060	3,060					3,060					
	Colored	705	705					705					
	Females—White	2,179	2,179					2,179					
	Colored	487	487					487					
161a	Premature birth:												
	Males—White	17,489	17,489					17,489					
	Colored	2,202	2,202					2,202					
	Females—White	13,199	13,199					13,199					
	Colored	1,896	1,896					1,896					
161b	Injury at birth:												
	Males—White	5,409	5,409					5,409					
	Colored	370	370					370					
	Females—White	3,410	3,410					3,410					
	Colored	211	211					211					
162	Other diseases peculiar to early infancy:												
	Males—White	2,094	2,094					2,094					
	Colored	320	320					320					
	Females—White	1,558	1,558					1,558					
	Colored	230	230					230					
163	Lack of care:												
	Males—White	32	32					32					
	Colored	20	20					20					
	Females—White	19	19					19					
	Colored	15	15					15					
164	XIII.—Old age (senility):												
	Males—White	3,355											
	Colored	851											
	Females—White	4,743											
	Colored	970											
	XIV.—External causes:												
	Males—White	60,876	975	768	680	666	579	3,668	2,761	2,306	3,616	4,634	4,224
	Colored	8,441	185	131	109	84	68	577	294	316	649	1,067	1,171
	Females—White	22,578	796	595	490	496	457	2,834	1,376	678	984	1,110	1,016
	Colored	2,764	163	100	76	96	110	545	225	107	179	309	283
	Suicide:												
	Males—White	8,989								23	168	412	528
	Colored	262								1	8	29	32
	Females—White	2,893								14	174	285	297
	Colored	111								2	8	16	16
165	By poisons (gas or corrosives excepted)—												
	Males—White	419									14	28	28
	Colored	7										1	1
	Females—White	274								1	25	39	36
	Colored	14									1		4
166	By corrosive substances—												
	Males—White	560									8	38	35
	Colored	14									2	2	2
	Females—White	653								6	77	116	94
	Colored	34								1	1	9	3
167	By poisonous gas—												
	Males—White	1,236									13	52	66
	Colored	19										2	2
	Females—White	615									16	43	52
	Colored	8									1		1
168	By hanging or strangulation—												
	Males—White	1,723								10	27	43	88
	Colored	36										3	
	Females—White	434								1	4	12	20
	Colored	10										2	2
169	By drowning—												
	Males—White	428								2	8	11	19
	Colored	23										1	1
	Females—White	220									5	12	10
	Colored	14									1	1	1
170	By firearms—												
	Males—White	3,590								11	92	212	242
	Colored	108								1	1	15	12
	Females—White	384								6	42	46	55
	Colored	23								1	4	3	4
171	By cutting or piercing instruments—												
	Males—White	668									1	9	23
	Colored	24										2	8
	Females—White	107										1	5
	Colored	1											
172	By jumping from high places—												
	Males—White	203									1	15	11
	Colored	19										1	5
	Females—White	130									1	8	18
	Colored	2											
173	By crushing—												
	Males—White	92									1	3	12
	Colored	5										1	
	Females—White	25									1	7	1
	Colored	2											1
174	By other means—												
	Males—White	70									3	1	4
	Colored	7										1	1
	Females—White	51									3	1	6
	Colored	3										1	

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
																160
																161a
																161b
																162
																163
				3	8	32	79	315	590	888	817	456	130	33	4	
				6	5	14	25	98	100	227	136	108	43	85	4	
					10	45	118	348	715	1,298	1,181	731	228	66	3	164
				2	13	16	36	98	104	186	166	131	66	150	2	
4,442	5,041	4,927	4,765	4,308	3,861	3,379	2,985	2,217	1,675	1,115	580	180	39	8	145	
900	914	638	527	423	275	208	142	96	69	47	30	12	4	7	75	
1,018	974	1,009	1,019	1,100	979	1,080	1,211	1,342	1,575	1,627	1,093	446	77	12	18	
213	185	137	108	101	70	63	64	48	39	32	24	16	5	7	4	
664	852	1,014	998	1,011	896	824	675	471	268	112	46	6	1		20	
35	32	28	29	20	22	11	9	5	1	2	1				2	
308	310	307	280	282	214	166	114	69	41	23	6	2	1			
24	12	10	9	6	5	1			1	1						
37	35	47	50	39	43	34	30	14	13	4	2				1	
1	3		1													
25	31	30	22	24	13	12	7	6	2	1						165
5	1	1	1		1											
69	78	78	51	61	46	41	17	19	16	2	1					
1	2	3	1				1									
84	90	49	36	41	20	13	12	6	7	1		1				166
10	6	1	3													
102	110	129	138	151	160	126	87	60	22	15	5					
3	2		2	2	5	1										
72	67	76	78	54	54	49	25	12	9	6	2					167
1		1	1	1	1	1										
99	137	181	190	213	194	168	146	106	68	33	11	3	1		5	
3	4	6	5	5	2	2	1	1		2	1				1	
38	38	43	51	72	56	39	24	19	10	5	2					168
2	2			1	1											
22	30	51	45	54	39	50	42	26	16	7	4				2	
2	5	5	1	3	1	1	3									
20	20	22	20	26	26	22	14	16	4	2			1			169
3	1	2	1	1	1				1	1						
266	353	395	392	377	317	306	272	195	106	33	11	1			9	
18	14	7	12	6	11	4	2	4							1	
46	29	54	35	30	23	8	4	2	2	2						170
	2	4	2	2	1											
37	66	82	92	82	65	72	57	40	18	13	9	1			1	
2		3	2	2	3		2									
7	15	8	19	13	8	11	12	2	4	2						171
				1												
24	24	27	21	13	20	15	11	6	7	4	3				1	
3	2	2	2	2		2										
13	11	18	15	12	12	7	7	1	1	3	2	1				172
1			1													
5	12	17	10	10	8	6	5	1	1	1						
1		1	2													
1	5	4	1			1	2	1	1							173
1																
3	7	7	9	11	4	6	8	4	1			1			1	
1		1	1			1			1							
2	4	3	3	10	2	4	7	4	1	1						174
1		1														

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—External causes—Continued												
	Homicide:												
	Males—White	3,531	73	7	6	8	4	98	17	27	186	444	494
	Colored	2,807	12	2	1	2		17	10	17	182	478	608
	Females—White	895	54	3	7	4	5	73	24	22	69	135	136
	Colored	616	3	3				6	1	9	72	160	155
197	By firearms—												
	Males—White	2,574		1	1	4		6	3	17	142	363	400
	Colored	2,043			1	2		3	9	13	132	348	448
	Females—White	382	1	1	1		1	4	7	11	31	41	63
	Colored	374								6	47	89	99
198	By cutting or piercing instruments—												
	Males—White	329	3	1			1	5	3	3	21	42	48
	Colored	549	1	1				2		2	36	101	123
	Females—White	75			2		1	3	6	5	2	5	4
	Colored	159		1				1		1	18	43	39
199	By other means—												
	Males—White	628	70	5	5	4	3	87	11	7	23	39	46
	Colored	215	11	1				12	1	2	14	29	37
	Females—White	438	53	2	4	4	3	66	11	6	36	39	69
	Colored	83	3	2				5	1	2	7	23	17
	Accidental or undefined:												
	Males—White	48,356	902	761	674	658	575	3,570	2,744	2,256	3,262	3,778	3,202
	Colored	5,372	173	129	108	82	68	560	284	298	464	560	531
	Females—White	18,790	742	592	483	492	452	2,761	1,352	642	741	690	583
	Colored	2,037	160	97	76	96	110	539	224	96	99	133	112
175	Poisoning by food—												
	Males—White	286	29	21	12	13	8	83	22	8	12	9	4
	Colored	64	6	6	2	1	1	16	5	1	1	6	6
	Females—White	245	31	15	12	7	10	75	18	10	5	14	11
	Colored	94	9	5	4	2	4	24	7	5	3	6	6
176	Poisoning by venomous animals—												
	Males—White	43	7	2			1	10	4	4	3	1	3
	Colored	7	1	1				2	1				1
	Females—White	26	3	1	1	1	2	8	2	1			2
	Colored	4	3					3	1				
177	Other acute poisonings (gas excepted)—												
	Males—White	745	31	104	61	26	7	229	10	8	4	25	26
	Colored	106	3	25	19	2	2	51	9	1	3	3	9
	Females—White	495	20	100	49	24	14	207	11	2	22	41	42
	Colored	73	3	20	9	2	5	39	3	2	1	6	11
178	Conflagration—												
	Males—White	728	32	25	24	36	26	143	41	21	24	27	41
	Colored	175	11	12	10	6	7	46	18	5	7	6	8
	Females—White	428	21	23	17	27	23	111	54	24	20	23	15
	Colored	94	5	7	3	7	5	27	14	3	2	8	5
179	Burns (conflagration excepted)—												
	Males—White	2,096	94	244	244	172	99	853	145	72	67	90	92
	Colored	432	21	42	51	46	26	186	31	20	25	23	25
	Females—White	2,467	73	175	194	230	176	848	330	96	70	74	88
	Colored	669	25	39	47	64	73	248	126	29	24	26	18
180	Mechanical suffocation—												
	Males—White	563	318	12	2	1	1	334	12	14	15	23	23
	Colored	103	67	4				71	2	1	1	2	4
	Females—White	333	292	10	2		2	306	3	2	1	3	4
	Colored	70	65	2				67	1		1		
181	Absorption of irrespirable, irritating, or poisonous gas—												
	Males—White	1,843	18	8	5	6	3	40	13	13	43	94	138
	Colored	92	3			1		4		1	1	5	9
	Females—White	776	20	12	3	3	1	39	19	8	23	37	35
	Colored	42		1				1		2	1	4	2
182	Drowning—												
	Males—White	4,707	15	99	83	57	50	304	428	528	659	476	316
	Colored	705	1	9	6	5	4	25	50	93	121	99	77
	Females—White	684	15	66	32	26	20	159	65	99	116	52	28
	Colored	83	1	3	1	2	2	9	6	14	10	9	3
183	Traumatism by firearms (except in war)—												
	Males—White	1,528	4	5	8	9	15	41	93	235	308	193	101
	Colored	405	1	3	2	1	4	11	37	47	84	60	47
	Females—White	188	2	1	9	8	10	30	23	31	22	12	17
	Colored	105			2	4	2	8	8	12	16	19	14
184	Traumatism by cutting or piercing instruments—												
	Males—White	419	10	6	3	11	7	37	26	21	18	16	20
	Colored	49	1	2	1			4	3		3	8	3
	Females—White	126	3	3	4	3	3	16	6	6	7	1	6
	Colored	29								1	1	1	3
185	Traumatism by fall—												
	Males—White	6,739	51	74	52	36	42	255	189	149	164	249	237
	Colored	399	16	12	4	2	3	37	18	13	13	15	27
	Females—White	6,268	45	46	42	17	17	167	62	40	31	25	37
	Colored	195	10	10	2	3	2	27	7	4	7	8	
186a	Traumatism in mines—												
	Males—White	1,881			1			1	2	2	95	229	211
	Colored	68									3	6	9
	Females—White	2								1			
186b	Traumatism in quarries—												
	Males—White	98							2		7	9	9
	Colored	14									2	1	1
187	Traumatism by machines—												
	Males—White	1,736	1	4	8	5	3	21	19	36	146	184	177
	Colored	197								6	25	24	34
	Females—White	55		1	2	2	2	7	4	1	8	3	4
	Colored	6										2	2

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
538	522	355	279	205	158	89	60	30	10	4	1	1			13	
455	412	239	162	100	47	22	19	6	6	2					25	
112	85	77	58	37	16	17	12	9	4	4		1	1		3	
78	58	33	22	8	7	3	1	1			1				1	
442	401	265	193	126	103	55	34	13	3	2					6	
333	302	166	121	75	35	19	15	3	3	1					17	
55	51	40	39	18	6	6	5	3	1						1	197
52	34	21	15	4	5	1									1	
44	52	37	27	20	12	6	3	2	2						2	
90	80	55	27	14	8	1	4		2						4	
16	10	10	3	2	2	2	1		2	1		1				198
21	16	8	4	1		1		1								
52	69	53	59	59	43	28	23	15	5	2	1	1			5	
32	30	18	14	11	4	2		3	1	1					4	
41	24	27	16	17	8	9	6	6	1	3			1		2	199
5	8	4	3	3	2	1	1				1					
3,240	3,667	3,558	3,488	3,092	2,807	2,466	2,250	1,716	1,397	999	533	173	38	8	112	
410	470	371	336	303	206	175	114	85	62	43	29	12	4	7	48	
598	579	625	681	781	749	897	1,085	1,264	1,530	1,600	1,087	443	75	12	15	
111	115	94	77	87	58	59	63	47	38	31	23	16	5	7	3	
8	16	12	14	23	14	14	18	9	11	4	3	1			1	
1	3	4	5	11	1	3					1					
11	7	10	9	12	12	14	9	11	10	5	2					175
6	5	9	7	5	3	2	5	1								
	3	3	1	5	1	1	1		1	2						
	1		1			1										
3	2	2		4	1	1										176
33	54	70	61	74	56	39	29	13	6	5	1	1			1	
7	5	3	4	2	2		2		3	1					1	
41	33	23	26	11	14	9	5	3	3	1	1					177
3	2	1		2	1	1	1									
34	49	43	56	37	50	40	36	29	26	17	7	2			5	
10	6	7	9	8	6	11	9	4	7	3	1	1		1	2	
11	19	18	22	23	11	15	13	15	19	11	3				1	178
3	5	3	3	2	1	3	3	2	3	2	5					
99	109	94	94	79	53	56	56	41	47	29	15	3	1		1	
17	10	14	11	10	10	7	10	9	7	6	3	3	2	1	2	
93	83	77	81	75	66	72	115	87	92	75	34	10	1			179
20	25	14	15	19	23	9	18	15	10	9	8	7	1	3	2	
29	22	23	20	18	13	10	4	2	1							
7	4	2	3	3			2		1							
3	3	2	2	1			1			2						180
	1															
132	146	185	192	172	177	173	124	84	64	32	14	3	1		3	
12	13	15	10	6	4	5	2	2	2		1					
34	38	51	56	61	67	72	66	60	50	38	17	4	1			181
7	2	5	5	5	1	4		2	1							
281	352	316	275	229	175	134	101	47	23	20	5	1			37	
38	65	43	25	22	18	10	4	3	1	1	1			1	8	
26	29	33	17	15	17	7	4	5	4	1	3				4	182
6	6	3	5	4	2	1		1	3	1						
96	98	83	64	76	57	29	24	13	8	8					1	
21	37	19	14	9	6	3	3	3	1						3	
14	9	8	5	7	5	3									2	183
13	9	3		1			1						1			
17	24	27	28	31	39	31	43	19	10	7	2	1			2	
2	2	9	6	1	3		1	2	1		1					
3	8	6	10	11	4	15	4	6	9	5	3					184
2	3	4	2	2	2	2	2	2	1		1					
299	430	440	450	468	428	444	454	499	508	540	353	144	27	7	5	
39	29	36	40	28	28	23	10	7	12	8	9	2	1	3	1	
48	57	76	96	166	177	302	486	722	1,073	1,285	936	401	68	10	3	185
13	11	11	7	13	7	12	10	12	14	13	6	9	2	2		
234	279	259	205	143	117	66	26	9	1						2	
4	17	8	5	9	3	1	3									186a
		1														
11	8	10	12	6	15	4	4	1								
1	2		2	2	1	1	1									186b
186	176	165	166	129	101	85	68	45	21	5	4				2	
19	22	10	23	15	7	4	4	3	1							
3	2	2	3	9	3	2	2	1		1						187
	1				1											

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—External causes—Continued												
	Accidental or undefined—Continued.												
188a	Railroad accidents—												
	Males—White	5,001	12	15	13	16	9	65	87	148	349	456	454
	Colored	524	1	1			1	3	8	11	40	83	59
	Females—White	751	6	10	10	8	9	43	40	33	78	66	52
	Colored	50	1			1		2	2	5	2	5	5
	Collision with automobiles—												
	Males—White	984	11	5	6	8	2	32	17	22	89	117	107
	Colored	48							1		2	8	4
	Females—White	395	5	3	4	6	5	23	13	20	50	40	38
	Colored	17	1					1		3	2		3
	Other railroad accidents—												
	Males—White	4,017	1	10	7	8	7	33	70	126	260	339	347
	Colored	476	1	1			1	3	7	11	38	75	55
	Females—White	356	1	7	6	2	4	20	27	13	28	26	14
	Colored	33				1		1	2	2		5	2
188b	Street-car accidents—												
	Males—White	1,119	2	5	8	11	14	40	33	28	57	72	70
	Colored	67		1		1		2		2		7	8
	Females—White	320		3	7	8	1	19	14	11	15	19	14
	Colored	33					3	3	4			2	2
	Collision with automobiles—												
	Males—White	321	2	1		3	1	7	4	13	27	45	31
	Colored	18										2	4
	Females—White	95		2	1	3		6	4	5	10	10	8
	Colored	3											
	Other street-car accidents—												
	Males—White	798		4	8	8	13	33	29	15	30	27	39
	Colored	49		1		1		2		2		5	4
	Females—White	225		1	6	5	1	13	10	6	5	9	6
	Colored	30					3	3	4			2	2
188c	Automobile accidents (excluding collision with railroad trains and street cars)—												
	Males—White	11,799	39	27	93	195	240	594	1,369	640	851	1,010	746
	Colored	987	1	1	6	12	19	39	75	62	74	116	107
	Females—White	4,195	42	53	58	93	132	378	611	207	277	280	196
	Colored	305		4	6	8	8	26	32	13	23	30	31
188d	Airplane and balloon accidents—												
	Males—White	135									9	45	28
	Colored	2										2	
	Females—White	4								2			1
	Colored	1											
188e,f	Injuries by other vehicles—												
	Males—White	989	5	7	10	11	12	45	62	74	72	80	46
	Colored	84				2		2	4	7	1	5	3
	Females—White	122	3	5	5	8	5	26	17	11	8	5	1
	Colored	13			1	1		2	2	1		1	1
188g	Landslide, other crushing—												
	Males—White	561	3	1	5	4	4	17	12	15	35	44	52
	Colored	66					1	1	1		1	8	11
	Females—White	44	1		1	1	2	5	6	3	2	3	
	Colored	3				1		1			1		
189	Injuries by animals (not poisoning)—												
	Males—White	364	2	5	7	11	5	30	22	33	11	11	11
	Colored	26			1			1	4	3	5	1	
	Females—White	45	1	1	1	3	4	10	5				2
	Colored	3		1			1	2	1				
190	Wounds of war—												
	Males—White	2											
192	Starvation (deprivation of food or water)—												
	Males—White	8											
	Colored	1		1				1					
	Females—White	1	1					1					
	Colored	1					1	1					
193	Excessive cold—												
	Males—White	166	1					1		1	1	2	7
	Colored	37	1					1			1	2	3
	Females—White	22	1		1			2					1
	Colored	11	1			1		2	1				1
194	Excessive heat—												
	Males—White	331	35	7	1	1	2	46	2		5	6	13
	Colored	84	7	1	1			9			1	1	4
	Females—White	155	32	5	1	1	1	40	1	1	3	1	1
	Colored	22	3					3			1	2	
195	Lightning—												
	Males—White	200	3		1	1	1	6	7	24	29	25	12
	Colored	54							3	2	13	7	3
	Females—White	48	1			2		3	3	7	9	1	3
	Colored	16					1	1	4	2	2		1
196	Other accidental electric shocks—												
	Males—White	845		3		2		5	13	31	82	164	143
	Colored	40								1		4	5
	Females—White	30	1				2	3	3	3	3	4	2
	Colored	4	1					1		2			1
201	Fracture (cause not specified)—												
	Males—White	328	2	1			2	5	7	7	10	16	13
	Colored	50								2	8	2	6
	Females—White	243	2	1	1	1		5	1	1	2	3	1
	Colored	8	1					1			1		
202	Other external violence—												
	Males—White	3,096	188	86	33	34	24	365	124	144	186	222	209
	Colored	534	32	8	5	3		48	15	20	31	64	62
	Females—White	715	126	61	31	19	16	253	54	42	19	23	19
	Colored	103	32	5	1		3	41	5	1	3	4	6
203	Violent deaths of unknown causation—												
	Females—White	2											1

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
476	492	489	469	360	344	285	235	133	96	26	16	1	2		18	
68	65	41	35	36	19	12	6	7	7	3	3				18	
49	42	63	62	62	48	32	32	25	17	3	3			1		
5	3	6	3	4	1	3	1		2	1						
105	96	88	83	63	54	32	44	17	14	1			1		2	
7	8	7	2	5				1							3	188a
33	28	38	32	26	19	12	12	7	4							
1	1	2		1		2				1						
371	396	401	386	297	290	53	191	116	82	25	16	1	1		16	
61	57	34	33	31	19	12	6	6	7	3	3				15	
16	14	25	30	36	29	20	20	18	13	3	3			1		
4	2	4	3	3	1	1	1		2							
81	82	90	105	110	104	73	51	55	32	27	7		1		1	
6	6	9	6	4	6	5	2	2		1	1					
18	10	20	24	33	16	26	23	28	17	10	3					
2	7	1	2	4	2	2	1		1							
29	33	27	34	27	15	12	8	6	2	1						
1	4	3	3	1												188b
10	3	6	5	8	1	7	5	4	1	2						
	3															
52	49	63	71	83	89	61	43	49	30	26	7		1		1	
5	2	6	3	3	6	5	2	2		1	1					
8	7	14	19	25	15	19	18	24	16	8	3					
2	4	1	2	4	2	2	1		1							
714	774	710	756	697	615	613	602	487	358	172	62	11	4		14	
79	89	69	65	56	38	43	31	21	8	7	2	2			4	188c
184	200	193	209	252	246	257	253	205	149	72	18	5	1		2	
25	21	25	15	17	8	14	14	4	1	4	2					
22	13	11	3			1	2								1	188d
			1													
1																
48	36	52	63	53	84	65	85	62	40	16	6					188
4	6	4	3	13	5	7	7	5	3	3	2					e,f
8	5		7	1	6	7	6	8	5	1						
			1	1	1	3										
56	60	66	59	42	36	29	19	8	7	2	1				1	
6	11	7	4	7	3	1	1		1	1					2	188g
4	2	3	4	2	2	2	2	3		1						
							1									
11	25	19	14	28	29	33	35	21	17	11	2				1	
2		3		2			2	1	2							189
2	3		6	2	5	1	2	2	1	3	1					
2																190
1		1		2			2	1	1							
																192
1	13	11	24	16	13	20	20	10	9	11	4	1			1	
2	4		2	2	2	4		1	3	6	3	1				193
2	1		1	1	1	2	2	1	3	3	2					
					1	1		2	1					2		
15	23	31	38	26	26	25	20	18	19	10	5	2			1	
7	9	8	8	9	8	7	8	2		2	1					194
8	8	3	4	6	11	8	13	11	10	16	5	4	1			
2	3		2	3	2	2	1	1								
12	14	16	19	11	7	9	6	1	2							
8	4		3	4	5							1			1	195
5	1	4	2	2	2	2	3	1								
1	1	2	1												1	
121	92	73	40	25	28	12	9	3	2						2	
8	8	4	4		3	1	1	1								196
3		2		3	2		2									
21	24	22	29	34	25	24	27	11	18	20	13	1	1			
3	4	5	6	5	2	3		1				1	1	1	1	201
	3	5	5	2	9	13	13	37	38	50	39	13	3			
	2	1	1					2								
200	253	237	231	198	200	151	149	95	69	35	13	1	1	1	12	
39	48	51	42	39	26	23	5	11	2	1		2			5	202
25	14	23	29	20	24	35	29	32	30	17	17	6		1	3	
2	8	6	8	5	2		5	3	1	1	1		1			
								1								203

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR.

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XV.—Ill-defined diseases:												
	Males—White	4,474	1,661	146	37	19	17	1,880	31	34	28	44	50
	Colored	3,815	1,642	168	67	32	22	1,931	61	47	62	71	78
	Females—White	3,220	1,363	122	39	17	12	1,553	42	24	41	50	43
	Colored	3,489	1,287	184	45	33	20	1,569	66	43	102	128	114
204	Sudden death:												
	Males—White	716	114	8	1	1	---	124	2	5	4	10	5
	Colored	347	58	7	4	1	---	70	4	2	7	9	9
	Females—White	450	87	4	2	---	---	93	2	4	12	9	5
	Colored	290	40	4	1	2	---	47	3	1	4	11	11
205a	Ill-defined:												
	Males—White	1,221	222	78	17	4	5	326	11	14	5	8	13
	Colored	726	155	58	18	12	2	245	10	12	13	16	13
	Females—White	829	211	57	17	7	4	296	11	9	11	17	19
	Colored	692	150	66	11	8	7	242	19	13	21	23	24
205b	Not specified or unknown:												
	Males—White	2,537	1,325	60	19	14	12	1,430	18	15	19	26	32
	Colored	2,742	1,429	103	45	19	20	1,616	47	33	42	46	56
	Females—White	1,941	1,065	61	20	10	8	1,164	29	11	18	24	19
	Colored	2,507	1,097	114	33	23	13	1,280	44	29	77	94	79

NOTE.—For States and populations, see Tables A and K, Part II.

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
61	107	110	141	184	214	257	349	360	303	184	83	21	3	----	30	
64	87	115	117	161	110	171	166	139	162	97	49	46	16	29	36	
47	68	67	88	68	115	126	196	173	190	153	104	39	12	5	16	
78	130	144	125	130	107	145	110	117	99	102	57	41	20	36	26	
12	20	28	37	36	50	59	87	95	85	41	11	1	1	----	3	
9	15	20	28	40	25	25	23	11	22	11	6	4	2	3	2	204
7	14	19	21	13	28	29	51	49	41	34	13	4	1	----	1	
11	19	18	26	21	21	26	14	18	7	8	6	10	2	3	3	
18	32	33	45	53	82	110	142	126	99	60	34	4	----	----	6	
19	34	31	31	46	31	52	51	33	43	21	8	5	2	3	7	205a
15	20	22	37	23	36	45	66	58	55	40	35	9	----	3	2	
29	30	35	39	33	29	47	31	20	22	16	8	2	1	4	4	
31	55	49	59	95	82	88	120	139	119	83	38	16	2	----	21	
36	38	64	58	75	54	94	92	95	97	65	35	37	12	23	27	205b
25	34	26	30	32	51	52	79	66	94	79	56	26	11	2	13	
38	81	91	60	76	57	72	65	79	70	78	43	29	17	29	19	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
ALL CAUSES (EXCLUSIVE OF STILLBIRTHS)						
BOTH SEXES						
All ages	1,167,297	1,021,643	145,654			
Adjusted rate				1,184.5	1,126.9	1,733.6
Crude rate				1,231.0	1,190.5	1,617.5
Under 1 year	145,624	123,390	22,234	7,427.8	6,984.9	11,460.9
1 to 4 years	56,463	47,240	9,223	692.7	640.7	1,185.4
Under 5 years	202,087	170,630	31,457	1,998.6	1,867.0	3,236.2
5 to 9 years	21,001	18,318	2,683	213.0	207.4	261.8
10 to 14 years	15,778	13,229	2,549	171.6	161.2	258.2
15 to 19 years	26,581	20,472	6,109	323.9	279.3	696.2
20 to 24 years	35,171	26,349	8,822	426.9	358.4	995.1
25 to 34 years	75,512	58,420	17,092	483.2	411.8	1,186.5
35 to 44 years	97,806	79,372	18,434	753.7	675.3	1,506.5
45 to 54 years	126,165	106,556	19,609	1,296.4	1,199.0	2,321.5
55 to 64 years	161,411	146,458	14,953	2,634.6	2,563.3	3,622.6
65 to 74 years	196,969	185,240	11,729	6,087.6	6,137.5	5,394.4
75 years and over	207,567	195,898	11,669	14,966.7	15,190.0	12,004.0
Unknown	1,249	701	548			
MALES						
All ages	627,894	551,137	76,757			
Adjusted rate				1,264.5	1,210.7	1,770.0
Crude rate				1,300.9	1,261.4	1,678.0
Under 1 year	82,748	70,331	12,417	8,341.4	7,859.1	12,785.1
1 to 4 years	30,306	25,437	4,869	734.3	680.8	1,246.8
Under 5 years	113,054	95,768	17,286	2,208.5	2,067.8	3,544.9
5 to 9 years	11,613	10,225	1,388	233.3	229.1	269.7
10 to 14 years	8,719	7,484	1,235	188.1	180.7	249.6
15 to 19 years	13,468	10,775	2,693	330.8	295.4	635.1
20 to 24 years	17,349	13,208	4,141	432.3	367.4	989.0
25 to 34 years	38,170	29,684	8,486	483.0	412.3	1,207.9
35 to 44 years	54,327	44,736	9,591	803.1	730.1	1,505.9
45 to 54 years	71,941	61,180	10,761	1,386.5	1,300.9	2,214.3
55 to 64 years	90,788	82,471	8,317	2,824.3	2,765.7	3,574.0
65 to 74 years	106,990	100,529	6,461	6,492.7	6,568.6	5,503.1
75 years and over	100,670	94,613	6,057	15,452.1	15,647.2	12,932.6
Unknown	805	464	341			
FEMALES						
All ages	539,403	470,506	68,897			
Adjusted rate				1,112.5	1,051.4	1,701.3
Crude rate				1,158.6	1,116.9	1,554.9
Under 1 year	62,876	53,059	9,817	6,492.0	6,087.3	10,133.4
1 to 4 years	26,157	21,803	4,354	650.0	599.6	1,123.5
Under 5 years	89,033	74,862	14,171	1,783.4	1,660.6	2,925.5
5 to 9 years	9,388	8,093	1,295	192.3	185.1	253.8
10 to 14 years	7,059	5,745	1,314	154.9	141.4	266.8
15 to 19 years	13,113	9,697	3,416	317.1	263.3	753.3
20 to 24 years	17,822	13,141	4,681	421.7	349.7	1,000.5
25 to 34 years	37,342	28,736	8,606	483.4	411.3	1,166.1
35 to 44 years	43,479	34,636	8,843	699.8	615.6	1,507.2
45 to 54 years	54,224	45,376	8,848	1,193.5	1,084.4	2,466.6
55 to 64 years	70,623	63,987	6,636	2,425.3	2,342.2	3,635.5
65 to 74 years	89,979	84,711	5,268	5,667.1	5,694.0	5,266.7
75 years and over	106,897	101,285	5,612	14,536.6	14,786.3	11,140.7
Unknown	444	237	207			
TYPHOID AND PARATYPHOID FEVER						
BOTH SEXES						
All ages	5,814	4,109	1,705			
Adjusted rate				6.2	4.8	18.7
Crude rate				6.1	4.8	18.9
Under 1 year	29	16	13	1.5	0.9	6.7
1 to 4 years	218	147	71	2.7	2.0	9.1
Under 5 years	247	163	84	2.4	1.8	8.6
5 to 9 years	407	261	146	4.1	3.0	14.2
10 to 14 years	611	390	221	6.6	4.8	22.4
15 to 19 years	1,039	706	333	12.7	9.6	37.9
20 to 24 years	900	593	307	10.9	8.1	34.6
25 to 34 years	980	694	286	6.3	4.9	19.9
35 to 44 years	656	510	146	5.1	4.3	11.9
45 to 54 years	486	383	103	5.0	4.3	12.2
55 to 64 years	294	244	50	4.8	4.3	12.1
65 to 74 years	149	131	18	4.6	4.3	8.3
75 years and over	35	31	4	2.5	2.4	4.1
Unknown	10	3	7			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
TYPHOID AND PARATYPHOID FEVER—continued						
MALES						
All ages	3,233	2,363	870			
Adjusted rate				6.9	5.5	19.2
Crude rate				6.7	5.4	19.0
Under 1 year	19	10	9	1.9	1.1	9.3
1 to 4 years	104	75	29	2.5	2.0	7.4
Under 5 years	123	85	38	2.4	1.8	7.8
5 to 9 years	194	121	73	3.9	2.7	14.2
10 to 14 years	274	188	86	5.9	4.5	17.4
15 to 19 years	566	404	162	13.9	11.1	38.2
20 to 24 years	518	353	165	12.9	9.8	39.4
25 to 34 years	558	410	148	7.1	5.7	21.1
35 to 44 years	406	317	89	6.0	5.2	14.0
45 to 54 years	307	242	65	5.9	5.1	13.4
55 to 64 years	177	152	25	5.5	5.1	10.7
65 to 74 years	86	72	14	5.2	4.7	11.9
75 years and over	19	17	2	2.9	2.8	4.3
Unknown	5	2	3			
FEMALES						
All ages	2,581	1,746	835			
Adjusted rate				5.7	4.2	18.3
Crude rate				5.5	4.1	18.8
Under 1 year	10	6	4	1.0	0.7	4.1
1 to 4 years	114	72	42	2.8	2.0	10.8
Under 5 years	124	78	46	2.5	1.7	9.5
5 to 9 years	213	140	73	4.4	3.2	14.3
10 to 14 years	337	202	135	7.4	5.0	27.4
15 to 19 years	473	302	171	11.4	8.2	37.7
20 to 24 years	382	240	142	9.0	6.4	30.4
25 to 34 years	422	284	138	5.5	4.1	18.7
35 to 44 years	250	193	57	4.0	3.4	9.7
45 to 54 years	179	141	38	3.9	3.4	10.6
55 to 64 years	117	92	25	4.0	3.4	13.9
65 to 74 years	63	59	4	4.0	4.0	4.0
75 years and over	16	14	2	2.2	2.0	4.0
Unknown	5	1	4			
MEASLES						
BOTH SEXES						
All ages	8,034	7,478	556			
Adjusted rate				9.0	9.3	6.4
Crude rate				8.5	8.7	6.2
Under 1 year	2,044	1,878	166	104.3	106.3	85.6
1 to 4 years	4,315	4,037	278	52.9	54.8	35.7
Under 5 years	6,359	5,915	444	62.9	64.7	45.7
5 to 9 years	841	789	52	8.5	8.9	5.1
10 to 14 years	204	189	15	2.2	2.3	1.5
15 to 19 years	158	139	19	1.9	1.9	2.2
20 to 24 years	95	86	9	1.2	1.2	1.0
25 to 34 years	115	108	7	0.7	0.8	0.5
35 to 44 years	80	77	3	0.6	0.7	0.2
45 to 54 years	68	65	3	0.7	0.7	0.4
55 to 64 years	61	59	2	1.0	1.0	0.5
65 to 74 years	26	26		0.8	0.9	
75 years and over	23	22	1	1.7	1.7	1.0
Unknown	4	3	1			
MALES						
All ages	4,212	3,942	270			
Adjusted rate				9.3	9.7	6.2
Crude rate				8.7	9.0	5.9
Under 1 year	1,118	1,024	94	112.7	114.4	96.8
1 to 4 years	2,333	2,196	137	56.5	58.8	35.1
Under 5 years	3,451	3,220	231	67.4	69.5	47.4
5 to 9 years	426	407	19	8.6	9.1	3.7
10 to 14 years	88	84	4	1.9	2.0	0.8
15 to 19 years	76	66	10	1.9	1.8	2.4
20 to 24 years	43	41	2	1.1	1.1	0.5
25 to 34 years	34	34		0.4	0.5	
35 to 44 years	20	18	2	0.3	0.3	0.3
45 to 54 years	23	23		0.4	0.5	
55 to 64 years	25	24	1	0.8	0.8	0.4
65 to 74 years	11	11		0.7	0.7	
75 years and over	13	12	1	2.0	2.0	2.1
Unknown	2	2				

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
MEASLES—continued						
FEMALES						
All ages	3,822	3,536	286			
Adjusted rate				8.6	8.9	6.6
Crude rate				8.2	8.4	6.5
Under 1 year	926	854	72	95.6	98.0	74.3
1 to 4 years	1,982	1,841	141	49.3	50.6	36.4
Under 5 years	2,908	2,695	213	58.2	59.8	44.0
5 to 9 years	415	382	33	8.5	8.7	6.5
10 to 14 years	116	105	11	2.5	2.6	2.2
15 to 19 years	82	73	9	2.0	2.0	2.0
20 to 24 years	52	45	7	1.2	1.2	1.5
25 to 34 years	81	74	7	1.0	1.1	0.9
35 to 44 years	60	59	1	1.0	1.0	0.2
45 to 54 years	45	42	3	1.0	1.0	0.8
55 to 64 years	36	35	1	1.2	1.3	0.6
65 to 74 years	15	15		0.9	1.0	
75 years and over	10	10		1.4	1.5	
Unknown	2	1	1			
SCARLET FEVER						
BOTH SEXES						
All ages	2,413	2,343	70			
Adjusted rate				2.7	2.9	0.8
Crude rate				2.5	2.7	0.8
Under 1 year	95	86	9	4.8	4.9	4.6
1 to 4 years	961	939	22	11.8	12.7	2.8
Under 5 years	1,056	1,025	31	10.4	11.2	3.2
5 to 9 years	667	644	23	6.8	7.3	2.2
10 to 14 years	209	202	7	2.3	2.5	0.7
15 to 19 years	131	127	4	1.6	1.7	0.5
20 to 24 years	101	99	2	1.2	1.3	0.2
25 to 34 years	139	139		0.9	1.0	
35 to 44 years	68	65	3	0.5	0.6	0.2
45 to 54 years	27	27		0.3	0.3	
55 to 64 years	12	12		0.2	0.2	
65 to 74 years	2	2		0.1	0.1	
75 years and over	1	1		0.1	0.1	
Unknown						
MALES						
All ages	1,229	1,191	38			
Adjusted rate				2.7	2.9	0.8
Crude rate				2.5	2.7	0.8
Under 1 year	52	49	3	5.2	5.5	3.1
1 to 4 years	548	533	15	13.3	14.3	3.8
Under 5 years	600	582	18	11.7	12.6	3.7
5 to 9 years	336	325	11	6.8	7.3	2.1
10 to 14 years	98	94	4	2.1	2.3	0.8
15 to 19 years	60	57	3	1.5	1.6	0.7
20 to 24 years	35	35		0.9	1.0	
25 to 34 years	57	57		0.7	0.8	
35 to 44 years	25	23	2	0.4	0.4	0.3
45 to 54 years	14	14		0.3	0.3	
55 to 64 years	3	3		0.1	0.1	
65 to 74 years						
75 years and over	1	1		0.2	0.2	
Unknown						
FEMALES						
All ages	1,184	1,152	32			
Adjusted rate				2.6	2.9	0.7
Crude rate				2.5	2.7	0.7
Under 1 year	43	37	6	4.4	4.2	6.2
1 to 4 years	413	406	7	10.3	11.2	1.8
Under 5 years	456	443	13	9.1	9.8	2.7
5 to 9 years	331	319	12	6.8	7.3	2.4
10 to 14 years	111	108	3	2.4	2.7	0.6
15 to 19 years	71	70	1	1.7	1.9	0.2
20 to 24 years	66	64	2	1.6	1.7	0.4
25 to 34 years	82	82		1.1	1.2	
35 to 44 years	43	42	1	0.7	0.7	0.2
45 to 54 years	13	13		0.3	0.3	
55 to 64 years	9	9		0.3	0.3	
65 to 74 years	2	2		0.1	0.1	
75 years and over						
Unknown						

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
WHOOPING COUGH						
BOTH SEXES						
All ages	8,188	6,778	1,410			
Adjusted rate				9.2	8.5	16.5
Crude rate				8.6	7.9	15.7
Under 1 year	4,517	3,804	713	230.4	215.3	367.5
1 to 4 years	3,366	2,718	648	41.3	36.9	83.3
Under 5 years	7,883	6,522	1,361	78.0	71.4	140.0
5 to 9 years	246	204	42	2.5	2.3	4.1
10 to 14 years	28	24	4	0.3	0.3	0.4
15 to 19 years	9	8	1	0.1	0.1	0.1
20 to 24 years	3	3		(1)	(1)	
25 to 34 years	2	1	1	(1)	(1)	0.1
35 to 44 years	5	5		(1)	(1)	
45 to 54 years						
55 to 64 years	2	2		(1)	(1)	
65 to 74 years	5	4	1	0.2	0.1	0.5
75 years and over	2	2		0.1	0.2	
Unknown	3	3				
MALES						
All ages	3,772	3,116	656			
Adjusted rate				8.4	7.7	15.3
Crude rate				7.8	7.1	14.3
Under 1 year	2,179	1,841	338	219.7	205.7	348.0
1 to 4 years	1,469	1,171	298	35.6	31.3	76.3
Under 5 years	3,648	3,012	636	71.3	65.0	130.4
5 to 9 years	101	82	19	2.0	1.8	3.7
10 to 14 years	11	10	1	0.2	0.2	0.2
15 to 19 years	5	5		0.1	0.1	
20 to 24 years	2	2		(1)	0.1	
25 to 34 years						
35 to 44 years	2	2		(1)	(1)	
45 to 54 years						
55 to 64 years						
65 to 74 years	1	1		0.1	0.1	
75 years and over	1	1		0.2	0.2	
Unknown	1	1				
FEMALES						
All ages	4,416	3,662	754			
Adjusted rate				10.1	9.3	17.7
Crude rate				9.5	8.7	17.0
Under 1 year	2,338	1,963	375	241.4	225.2	387.1
1 to 4 years	1,897	1,547	350	47.1	42.5	90.3
Under 5 years	4,235	3,510	725	84.8	77.9	149.7
5 to 9 years	145	122	23	3.0	2.8	4.5
10 to 14 years	17	14	3	0.4	0.3	0.6
15 to 19 years	4	3	1	0.1	0.1	0.2
20 to 24 years	1	1		(1)	(1)	
25 to 34 years	2	1	1	(1)	(1)	0.1
35 to 44 years	3	3		(1)	0.1	
45 to 54 years						
55 to 64 years	2	2		0.1	0.1	
65 to 74 years	4	3	1	0.3	0.2	1.0
75 years and over	1	1		0.1	0.1	
Unknown	2	2				
DIPHTHERIA						
BOTH SEXES						
All ages	7,114	6,553	561			
Adjusted rate				7.9	8.1	6.4
Crude rate				7.5	7.6	6.2
Under 1 year	505	423	82	25.8	23.9	42.3
1 to 4 years	3,653	3,375	278	44.8	45.8	35.7
Under 5 years	4,158	3,798	360	41.1	41.6	37.0
5 to 9 years	1,975	1,855	120	20.0	21.0	11.7
10 to 14 years	442	405	37	4.8	4.9	3.7
15 to 19 years	119	109	10	1.4	1.5	1.1
20 to 24 years	71	66	5	0.9	0.9	0.6
25 to 34 years	125	111	14	0.8	0.8	1.0
35 to 44 years	96	87	9	0.7	0.7	0.7
45 to 54 years	54	50	4	0.6	0.6	0.5
55 to 64 years	40	40		0.7	0.7	
65 to 74 years	20	18	2	0.6	0.6	0.9
75 years and over	12	12		0.9	0.9	
Unknown	2	2				

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIPHTHERIA—continued						
MALES						
All ages	3,688	3,412	276			
Adjusted rate				8.1	8.3	6.3
Crude rate				7.6	7.8	6.0
Under 1 year	283	243	40	28.5	27.2	41.2
1 to 4 years	2,014	1,857	157	48.8	49.7	40.2
Under 5 years	2,297	2,100	197	44.9	45.3	40.4
5 to 9 years	965	913	52	19.4	20.5	10.1
10 to 14 years	214	201	13	4.6	4.9	2.6
15 to 19 years	49	46	3	1.2	1.3	0.7
20 to 24 years	27	26	1	0.7	0.7	0.2
25 to 34 years	50	44	6	0.6	0.6	0.9
35 to 44 years	38	35	3	0.6	0.6	0.5
45 to 54 years	19	19		0.4	0.4	
55 to 64 years	15	15		0.5	0.5	
65 to 74 years	8	7	1	0.5	0.5	0.9
75 years and over	4	4		0.6	0.7	
Unknown	2	2				
FEMALES						
All ages	3,426	3,141	285			
Adjusted rate				7.7	7.8	6.4
Crude rate				7.4	7.5	6.4
Under 1 year	222	180	42	22.9	20.7	43.4
1 to 4 years	1,639	1,518	121	40.7	41.7	31.2
Under 5 years	1,861	1,698	163	37.3	37.7	33.6
5 to 9 years	1,010	942	68	20.7	21.5	13.3
10 to 14 years	228	204	24	5.0	5.0	4.9
15 to 19 years	70	63	7	1.7	1.7	1.5
20 to 24 years	44	40	4	1.0	1.1	0.9
25 to 34 years	75	67	8	1.0	1.0	1.1
35 to 44 years	58	52	6	0.9	0.9	1.0
45 to 54 years	35	31	4	0.8	0.7	1.1
55 to 64 years	25	25		0.9	0.9	
65 to 74 years	12	11	1	0.8	0.7	1.0
75 years and over	8	8		1.1	1.2	
Unknown						
TUBERCULOSIS (ALL FORMS)						
BOTH SEXES						
All ages	82,166	63,740	18,426			
Adjusted rate				84.2	71.3	203.7
Crude rate				86.7	74.3	204.6
Under 1 year	1,267	1,025	242	64.6	58.0	124.7
1 to 4 years	2,741	2,043	698	33.6	27.7	89.7
Under 5 years	4,008	3,068	940	39.6	33.6	96.7
5 to 9 years	1,173	810	363	11.9	9.2	35.4
10 to 14 years	1,622	974	648	17.6	11.9	65.6
15 to 19 years	6,456	4,252	2,204	78.7	58.0	251.2
20 to 24 years	10,527	7,347	3,180	127.8	99.9	358.7
25 to 34 years	18,814	13,914	4,900	120.4	98.1	340.2
35 to 44 years	14,759	11,743	3,016	113.7	99.9	246.5
45 to 54 years	10,718	8,970	1,748	110.1	100.9	206.9
55 to 64 years	7,327	6,482	845	119.6	113.4	204.7
65 to 74 years	4,783	4,404	379	147.8	145.9	174.3
75 years and over	1,878	1,729	149	135.4	134.1	153.3
Unknown	101	47	54			
MALES						
All ages	43,590	34,405	9,185			
Adjusted rate				86.6	74.5	202.1
Crude rate				90.3	78.7	200.8
Under 1 year	697	570	127	70.3	63.7	130.8
1 to 4 years	1,431	1,070	361	34.7	28.6	92.4
Under 5 years	2,128	1,640	488	41.6	35.4	100.1
5 to 9 years	632	446	186	12.7	10.0	36.1
10 to 14 years	613	372	241	13.2	9.0	48.7
15 to 19 years	2,216	1,379	837	54.4	37.8	197.4
20 to 24 years	4,309	2,942	1,367	107.4	81.8	326.5
25 to 34 years	9,069	6,709	2,360	114.8	93.2	335.9
35 to 44 years	8,978	7,238	1,740	132.7	118.1	273.2
45 to 54 years	7,111	6,048	1,063	137.0	128.6	218.7
55 to 64 years	4,783	4,224	559	148.8	141.7	240.2
65 to 74 years	2,754	2,521	233	167.1	164.7	198.5
75 years and over	943	859	84	144.7	142.1	179.4
Unknown	54	27	27			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
TUBERCULOSIS (ALL FORMS)—continued						
FEMALES						
All ages	38,576	29,335	9,241			
Adjusted rate				82.2	68.6	205.8
Crude rate				82.9	69.6	208.6
Under 1 year	570	455	115	58.9	52.2	118.7
1 to 4 years	1,310	973	337	32.6	26.8	87.0
Under 5 years	1,880	1,428	452	37.7	31.7	93.3
5 to 9 years	541	364	177	11.1	8.3	34.7
10 to 14 years	1,009	602	407	22.1	14.8	82.6
15 to 19 years	4,240	2,873	1,367	102.5	78.0	301.5
20 to 24 years	6,218	4,405	1,813	147.1	117.2	387.5
25 to 34 years	9,745	7,205	2,540	126.2	103.1	344.2
35 to 44 years	5,781	4,505	1,276	93.0	80.1	217.5
45 to 54 years	3,607	2,922	685	79.4	69.8	191.0
55 to 64 years	2,544	2,258	286	87.4	82.7	158.8
65 to 74 years	2,029	1,883	146	127.8	126.6	146.0
75 years and over	935	870	65	127.1	127.0	129.0
Unknown	47	20	27			
CANCER AND OTHER MALIGNANT TUMORS						
BOTH SEXES						
All ages	92,500	87,578	4,922			
Adjusted rate				91.7	93.7	63.8
Crude rate				97.6	102.1	54.7
Under 1 year	49	47	2	2.5	2.7	1.0
1 to 4 years	313	280	33	3.8	3.8	4.2
Under 5 years	362	327	35	3.6	3.6	3.6
5 to 9 years	209	190	19	2.1	2.2	1.9
10 to 14 years	179	167	12	1.9	2.0	1.1
15 to 19 years	278	252	26	3.4	3.4	3.0
20 to 24 years	474	418	56	5.8	5.7	6.3
25 to 34 years	2,429	2,090	339	15.5	14.7	23.5
35 to 44 years	7,827	6,967	860	60.3	59.3	70.3
45 to 54 years	16,529	15,166	1,363	169.8	170.6	161.4
55 to 64 years	23,848	22,759	1,089	389.3	393.3	263.8
65 to 74 years	24,952	24,217	735	771.2	802.4	338.0
75 years and over	15,367	14,994	373	1,108.0	1,162.6	383.7
Unknown	46	31	15			
MALES						
All ages	41,022	39,288	1,734			
Adjusted rate				79.2	82.3	40.9
Crude rate				85.0	89.9	37.9
Under 1 year	23	23		2.3	2.6	
1 to 4 years	173	161	12	4.2	4.3	3.1
Under 5 years	196	184	12	3.8	4.0	2.5
5 to 9 years	126	117	9	2.5	2.6	1.7
10 to 14 years	98	93	5	2.1	2.2	1.0
15 to 19 years	145	137	8	3.6	3.8	1.9
20 to 24 years	228	205	23	5.7	5.7	5.5
25 to 34 years	859	773	86	10.9	10.7	12.2
35 to 44 years	2,417	2,226	191	35.7	36.3	30.0
45 to 54 years	6,077	5,629	448	117.1	119.7	92.2
55 to 64 years	10,943	10,502	441	340.4	352.2	189.5
65 to 74 years	12,481	12,134	347	757.4	792.8	295.6
75 years and over	7,432	7,274	158	1,140.8	1,203.0	337.4
Unknown	20	14	6			
FEMALES						
All ages	51,478	48,290	3,188			
Adjusted rate				103.2	104.2	84.5
Crude rate				110.6	114.6	72.0
Under 1 year	26	24	2	2.7	2.8	2.1
1 to 4 years	140	119	21	3.5	3.3	5.4
Under 5 years	166	143	23	3.3	3.2	4.7
5 to 9 years	83	73	10	1.7	1.7	2.0
10 to 14 years	81	74	7	1.8	1.8	1.4
15 to 19 years	133	115	18	3.2	3.1	4.0
20 to 24 years	246	213	33	5.8	5.7	7.1
25 to 34 years	1,570	1,317	253	20.3	18.9	34.3
35 to 44 years	5,410	4,741	669	87.1	84.3	114.0
45 to 54 years	10,452	9,537	915	230.1	227.9	255.1
55 to 64 years	12,905	12,257	648	443.2	448.7	359.9
65 to 74 years	12,471	12,083	388	785.5	812.2	387.9
75 years and over	7,935	7,720	215	1,079.1	1,127.0	426.8
Unknown	26	17	9			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIABETES MELLITUS						
BOTH SEXES						
All ages	17,515	16,523	992			
Adjusted rate				17.8	18.1	12.7
Crude rate				18.5	19.3	11.0
Under 1 year	17	16	1	0.9	0.9	0.5
1 to 4 years	123	115	8	1.5	1.6	1.0
Under 5 years	140	131	9	1.4	1.4	0.9
5 to 9 years	160	155	5	1.6	1.8	0.5
10 to 14 years	292	280	12	3.2	3.4	1.2
15 to 19 years	325	306	19	4.0	4.2	2.2
20 to 24 years	258	236	22	3.1	3.2	2.5
25 to 34 years	532	474	58	3.4	3.3	4.0
35 to 44 years	925	769	156	7.1	6.5	12.7
45 to 54 years	2,385	2,116	269	24.5	23.8	31.8
55 to 64 years	4,943	4,737	206	80.7	82.9	49.9
65 to 74 years	5,190	5,035	155	160.4	166.8	71.3
75 years and over	2,351	2,274	77	169.5	176.3	79.2
Unknown	14	10	4			
MALES						
All ages	7,214	6,796	418			
Adjusted rate				14.1	14.4	9.8
Crude rate				14.9	15.6	9.1
Under 1 year	9	8	1	0.9	0.9	1.0
1 to 4 years	73	67	6	1.8	1.8	1.5
Under 5 years	82	75	7	1.6	1.6	1.4
5 to 9 years	79	78	1	1.6	1.7	0.2
10 to 14 years	145	139	6	3.1	3.4	1.2
15 to 19 years	170	159	11	4.2	4.4	2.6
20 to 24 years	121	111	10	3.0	3.1	2.4
25 to 34 years	251	225	26	3.2	3.1	3.7
35 to 44 years	432	369	63	6.4	6.0	9.9
45 to 54 years	979	886	93	18.9	18.8	19.1
55 to 64 years	1,839	1,754	85	57.2	58.8	36.5
65 to 74 years	2,068	1,996	72	125.5	130.4	61.3
75 years and over	1,038	995	43	159.3	164.6	91.8
Unknown	10	9	1			
FEMALES						
All ages	10,301	9,727	574			
Adjusted rate				20.9	21.3	15.4
Crude rate				22.1	23.1	13.0
Under 1 year	8	8		0.8	0.9	
1 to 4 years	50	48	2	1.2	1.3	0.5
Under 5 years	58	56	2	1.2	1.2	0.4
5 to 9 years	81	77	4	1.7	1.8	0.8
10 to 14 years	147	141	6	3.2	3.5	1.2
15 to 19 years	155	147	8	3.7	4.0	1.8
20 to 24 years	137	125	12	3.2	3.3	2.6
25 to 34 years	281	249	32	3.6	3.6	4.3
35 to 44 years	493	400	93	7.9	7.1	15.9
45 to 54 years	1,406	1,230	176	30.9	29.4	49.1
55 to 64 years	3,104	2,983	121	106.6	109.2	67.2
65 to 74 years	3,122	3,039	83	196.6	204.3	83.0
75 years and over	1,313	1,279	34	178.6	186.7	67.5
Unknown	4	1	3			
DIARRHEA AND ENTERITIS						
BOTH SEXES						
All ages	30,341	25,605	4,736			
Adjusted rate				33.8	31.4	55.8
Crude rate				32.0	29.8	52.6
Under 1 year	19,191	16,335	2,856	978.9	924.7	1,472.2
1 year	5,241	4,272	969	259.8	232.9	529.7
Under 2 years	24,432	20,607	3,825	614.2	572.3	1,014.8
2 to 4 years	2,066	1,725	341	33.7	31.1	57.3
5 to 9 years	407	346	61	4.1	3.9	6.0
10 to 14 years	102	87	15	1.1	1.1	1.5
15 to 44 years	686	506	180	1.5	1.2	4.1
45 to 64 years	854	682	172	5.4	4.7	13.7
65 years and over	1,779	1,642	137	38.5	38.1	43.5
Unknown	15	10	5			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIARRHEA AND ENTERITIS—continued						
MALES						
All ages	16,523	14,002	2,521			
Adjusted rate				36.4	34.1	58.9
Crude rate				34.2	32.0	55.1
Under 1 year	10,858	9,277	1,581	1,094.5	1,036.7	1,627.9
1 year	2,803	2,280	523	274.0	244.9	569.8
Under 2 years	13,661	11,557	2,104	678.0	632.9	1,113.8
2 to 4 years	1,068	903	165	34.4	32.2	55.2
5 to 9 years	210	184	26	4.2	4.1	5.1
10 to 14 years	54	46	8	1.2	1.1	1.6
15 to 44 years	322	253	69	1.4	1.2	3.2
45 to 64 years	423	345	78	5.0	4.5	10.9
65 years and over	773	705	68	33.6	33.0	41.4
Unknown	12	9	3			
FEMALES						
All ages	13,818	11,603	2,215			
Adjusted rate				31.0	28.8	52.7
Crude rate				29.7	27.5	50.0
Under 1 year	8,333	7,058	1,275	860.4	809.7	1,316.1
1 year	2,438	1,992	446	245.1	220.5	489.4
Under 2 years	10,771	9,050	1,721	548.7	509.8	915.3
2 to 4 years	998	822	176	32.9	30.1	59.4
5 to 9 years	197	162	35	4.0	3.7	6.9
10 to 14 years	48	41	7	1.1	1.0	1.4
15 to 44 years	364	253	111	1.6	1.3	4.9
45 to 64 years	431	337	94	5.8	4.9	17.4
65 years and over	1,006	937	69	43.3	43.1	45.9
Unknown	3	1	2			
ACUTE AND CHRONIC NEPHRITIS						
BOTH SEXES						
All ages	95,219	83,482	11,737			
Adjusted rate				93.3	88.5	147.1
Crude rate				100.4	97.3	130.3
Under 1 year	331	281	50	16.9	15.9	25.8
1 to 4 years	480	395	85	5.9	5.4	10.9
Under 5 years	811	676	135	8.0	7.4	13.9
5 to 9 years	428	375	53	4.3	4.2	5.2
10 to 14 years	435	374	61	4.7	4.6	6.2
15 to 19 years	723	604	119	8.3	8.2	13.6
20 to 24 years	929	716	213	11.3	9.7	24.0
25 to 34 years	2,985	2,211	774	19.1	15.6	53.7
35 to 44 years	6,465	4,842	1,623	49.8	41.2	132.6
45 to 54 years	11,966	9,420	2,546	123.0	106.0	301.4
55 to 64 years	18,283	15,989	2,294	298.4	279.8	555.8
65 to 74 years	25,691	23,646	2,045	794.0	783.5	940.5
75 years and over	26,401	24,580	1,821	1,903.6	1,905.9	1,873.3
Unknown	102	49	53			
MALES						
All ages	50,344	43,981	6,363			
Adjusted rate				98.6	93.6	153.2
Crude rate				104.3	100.7	139.1
Under 1 year	201	177	24	20.3	19.8	24.7
1 to 4 years	245	205	40	5.9	5.5	10.2
Under 5 years	446	382	64	8.7	8.2	13.1
5 to 9 years	219	193	26	4.4	4.3	5.1
10 to 14 years	193	164	29	4.2	4.0	5.9
15 to 19 years	335	295	40	8.2	8.1	9.4
20 to 24 years	402	318	84	10.0	8.8	20.1
25 to 34 years	1,385	1,072	313	17.5	14.9	44.6
35 to 44 years	3,139	2,388	751	46.4	39.0	117.9
45 to 54 years	6,295	4,934	1,361	121.3	104.9	280.1
55 to 64 years	9,982	8,602	1,380	310.5	288.5	593.0
65 to 74 years	13,917	12,716	1,201	844.5	830.9	1,022.9
75 years and over	13,980	12,894	1,086	2,145.8	2,132.4	2,318.8
Unknown	51	23	28			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
ACUTE AND CHRONIC NEPHRITIS—continued						
FEMALES						
All ages	44,875	39,501	5,374			
Adjusted rate				89.5	84.7	143.6
Crude rate				96.4	93.8	121.3
Under 1 year	130	104	26	13.4	11.9	26.8
1 to 4 years	235	190	45	5.8	5.2	11.6
Under 5 years	365	294	71	7.3	6.5	14.7
5 to 9 years	209	182	27	4.3	4.2	5.3
10 to 14 years	242	210	32	5.3	5.2	6.5
15 to 19 years	388	309	79	9.4	8.4	17.4
20 to 24 years	527	398	129	12.5	10.6	27.6
25 to 34 years	1,600	1,139	461	20.7	16.3	62.5
35 to 44 years	3,326	2,454	872	53.5	43.6	148.6
45 to 54 years	5,671	4,486	1,185	124.8	107.2	330.4
55 to 64 years	8,301	7,387	914	285.1	270.4	507.6
65 to 74 years	11,774	10,930	844	741.6	734.7	843.8
75 years and over	12,421	11,686	735	1,689.1	1,706.0	1,459.1
Unknown	51	26	25			
PUERPERAL SEPTICEMIA [2]						
FEMALES						
All ages	4,862	4,074	788			
Adjusted rate				10.4	9.7	16.9
Crude rate				10.4	9.7	17.8
Under 15 years	14	9	5	0.1	0.1	0.3
15 to 19 years	565	400	165	13.7	10.9	36.4
20 to 24 years	1,146	935	211	27.1	24.9	45.1
25 to 29 years	1,123	965	158	27.3	26.1	38.1
30 to 34 years	939	825	114	26.0	25.1	35.2
35 to 39 years	766	666	100	22.6	21.8	29.8
40 to 44 years	264	239	25	9.3	9.3	10.0
45 years and over	42	32	10	0.4	0.4	1.5
Unknown	3	3				
OTHER PUERPERAL CAUSES [2]						
FEMALES						
All ages	8,411	6,932	1,479			
Adjusted rate				17.9	16.3	31.7
Crude rate				18.1	16.5	33.4
Under 15 years	17	3	14	0.1	[1]	0.9
15 to 19 years	892	611	281	21.6	16.6	62.0
20 to 24 years	1,536	1,226	310	36.3	32.6	66.3
25 to 29 years	1,754	1,487	267	42.6	40.2	64.4
30 to 34 years	1,762	1,514	248	48.8	46.1	76.6
35 to 39 years	1,601	1,368	233	47.3	44.9	69.4
40 to 44 years	726	634	92	25.7	24.6	36.7
45 years and over	108	83	25	1.1	0.9	3.6
Unknown	15	6	9			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
VIOLENT DEATHS (SUICIDE EXCEPTED)						
BOTH SEXES						
All ages	82,404	71,572	10,832			
Adjusted rate				82.7	78.7	118.4
Crude rate				86.9	83.4	120.3
Under 1 year	2,119	1,771	348	108.1	100.3	179.4
1 to 4 years	5,505	4,731	774	67.5	64.2	99.5
Under 5 years	7,624	6,502	1,122	75.4	71.1	115.4
5 to 9 years	4,656	4,137	519	47.2	46.8	50.6
10 to 14 years	3,367	2,947	420	36.6	35.9	42.5
15 to 19 years	5,075	4,258	817	61.8	58.1	93.1
20 to 24 years	6,378	5,047	1,331	77.4	68.6	150.1
25 to 34 years	11,363	8,903	2,460	72.7	62.8	170.8
35 to 44 years	11,260	9,468	1,792	86.8	80.6	146.5
45 to 54 years	9,716	8,621	1,095	99.8	97.0	129.6
55 to 64 years	7,776	7,199	577	126.9	126.0	139.8
65 to 74 years	6,762	6,426	336	209.0	212.9	154.5
75 years and over	8,207	7,921	286	591.8	614.2	294.2
Unknown	220	143	77			
MALES						
All ages	60,066	51,887	8,179			
Adjusted rate				121.7	115.5	180.4
Crude rate				124.4	118.8	178.8
Under 1 year	1,160	975	185	116.9	109.0	190.5
1 to 4 years	3,085	2,693	392	74.8	72.1	100.4
Under 5 years	4,245	3,668	577	82.9	79.2	118.3
5 to 9 years	3,055	2,761	294	61.4	61.9	57.1
10 to 14 years	2,598	2,283	315	56.0	55.1	63.7
15 to 19 years	4,094	3,448	646	100.6	94.5	152.3
20 to 24 years	5,260	4,222	1,038	131.1	117.4	247.9
25 to 34 years	9,478	7,474	2,004	119.9	103.8	285.3
35 to 44 years	9,594	8,102	1,492	141.8	132.2	234.3
45 to 54 years	7,965	7,064	901	153.5	150.2	185.4
55 to 64 years	5,970	5,520	450	185.7	185.1	193.4
65 to 74 years	4,280	4,056	224	259.7	265.0	199.8
75 years and over	3,329	3,164	165	511.0	523.3	352.3
Unknown	198	125	73			
FEMALES						
All ages	22,338	19,685	2,653			
Adjusted rate				46.4	44.5	61.8
Crude rate				48.0	46.7	59.9
Under 1 year	959	796	163	99.0	91.3	168.3
1 to 4 years	2,420	2,038	382	60.1	56.0	98.6
Under 5 years	3,379	2,834	545	67.7	62.9	112.5
5 to 9 years	1,601	1,376	225	32.8	31.5	44.1
10 to 14 years	769	664	105	16.9	16.3	21.3
15 to 19 years	981	810	171	23.7	22.0	37.7
20 to 24 years	1,118	825	293	26.5	22.0	62.6
25 to 34 years	1,885	1,429	456	24.4	20.5	61.8
35 to 44 years	1,666	1,366	300	26.8	24.3	51.1
45 to 54 years	1,751	1,557	194	38.5	37.2	54.1
55 to 64 years	1,806	1,679	127	62.0	61.5	70.5
65 to 74 years	2,482	2,370	112	156.3	159.3	112.0
75 years and over	4,878	4,757	121	663.3	694.5	240.2
Unknown	22	18	4			

[1] Less than one-tenth of 1 per 100,000 population.

[2] Rates computed on female population.

NOTE.—For States and populations, see Tables A and K, Part II.

INDEX

INDEX OF SUBJECTS PRESENTED IN THE DETAILED TABLES FOR THE REGISTRATION AREA AND FOR THE STATES: 1926

SUBJECTS PRESENTED IN TABLES	THE REGISTRATION AREA						Alabama	Arizona	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massachusetts
	Total	Registration States: Total	Registration States: Urban	Registration States: Rural	Registration cities in nonregistration States	All registration cities																		
	Page																							
Population, deaths, and rates by color; urban and rural	2	2	2	2	2	2	2	2	2	2	2	2	-----	2	2	2	2	2	2	2	2	2	2	2
Population, deaths, and rates for total and residents: Cities	-----	-----	-----	-----	-----	-----	4	4	4	4	4	4	4	4	4	4	5	5	5	5	5	5	5	5
Population, deaths, and rates for total and residents: Counties	-----	-----	-----	-----	-----	-----	8	9	9	10	10	10	-----	10	11	11	12	12	13	13	14	15	15	15
Deaths by cause in full detail	26																							
Deaths by months; urban and rural	30	30	30	30	30	30	30	30	30	30	30	30	-----	30	30	30	30	30	30	30	30	30	30	30
Deaths by race and nativity of white; urban and rural	32	32	32	32	32	32	32	32	32	32	32	32	-----	32	32	32	32	32	32	32	32	32	32	32
Deaths by age and color; urban and rural	34	34	34	34	34	34	34	34	34	34	34	34	-----	34	34	34	34	34	34	36	36	36	36	36
Deaths by age, sex, race, and nativity of white	40	40	41	41	41	42	42	42	43	43	43	44	44	44	45	45	45	46	46	46	47	47	47	48
Deaths from important causes: Urban and rural	58	58	58	58	58	58	58	58	58	58	58	58	-----	58	58	58	58	58	60	60	60	60	60	60
Deaths from important causes: Cities	-----	-----	-----	-----	-----	-----	64	6	64	66	66	66	66	66	68	68	68	70	70	70	70	72	72	72
Deaths by cause; urban and rural	88	88	88	88	88	88	88	88	89	89	89	89	89	89	89	89	94	94	94	94	94	95	95	95
Deaths by cause; age, sex, and color	-----	110	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by cause for colored, by race and sex	-----	134	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by cause and age	137	-----	-----	-----	-----	-----	140	145	148	151	154	157	160	164	169	171	174	178	181	184	188	193	196	201
Deaths from important causes by age; large cities	-----	-----	-----	-----	-----	-----	285	-----	285	287	287	288	288	-----	-----	290	290	291	291	292	292	-----	293	294
Deaths from important causes by months: Area and States	318	318	-----	-----	-----	-----	318	319	319	320	320	320	-----	321	321	322	322	322	323	323	324	324	325	325
Deaths from important causes by months: Large cities	-----	-----	-----	-----	-----	-----	336	-----	336	338	338	339	339	-----	-----	341	341	342	342	343	343	-----	344	345
Death of infants from important causes: States	-----	-----	-----	-----	-----	-----	369	-----	-----	369	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	370	-----	-----	-----
Death of infants from important causes: Large cities	-----	-----	-----	-----	-----	-----	372	-----	-----	373	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	374	-----	-----	-----

SUBJECTS PRESENTED IN TABLES	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	New Hampshire	New Jersey	New York	North Carolina	North Dakota	Ohio	Oregon	Pennsylvania	Rhode Island	South Carolina	Tennessee	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
	Page																							
Population, deaths, and rates by color; urban and rural	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Population, deaths, and rates for total and residents: Cities	6	6	6	6	6	6	6	6	6	7	7	7	7	7	8	8	8	8	8	8	8	8	8	8
Population, deaths, and rates for total and residents: Counties	15	16	16	17	18	18	19	19	19	19	20	20	21	21	21	21	22	23	23	23	24	25	25	25
Deaths by months; urban and rural	30	30	30	30	30	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31
Deaths by race and nativity of white; urban and rural	32	32	32	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
Deaths by age and color; urban and rural	36	36	36	36	36	36	36	36	36	36	38	38	38	38	38	38	38	38	38	38	38	38	38	38
Deaths by age, sex, race, and nativity of white	48	48	49	49	49	50	50	50	51	51	51	52	52	52	53	53	53	54	54	54	55	55	55	56
Deaths from important causes: Urban and rural	60	60	60	60	60	60	60	60	62	62	62	62	62	62	62	62	62	62	62	62	62	62	64	64
Deaths from important causes: Cities	74	74	74	74	76	76	76	76	78	78	80	80	82	82	84	84	84	84	84	86	86	86	86	86
Deaths by cause; urban and rural	95	95	95	95	100	100	100	100	100	100	101	101	101	101	101	101	101	106	106	106	106	106	106	106
Deaths by cause and age	204	207	210	215	218	221	224	227	230	233	238	241	244	247	250	253	258	263	265	268	273	276	279	282
Deaths from important causes by age; large cities	296	297	-----	298	-----	299	-----	299	301	-----	-----	306	309	309	311	-----	311	314	-----	315	316	-----	317	-----
Deaths from important causes by months: Area and States	326	326	326	327	327	328	328	328	329	329	330	330	330	331	331	331	332	333	333	333	334	334	335	335
Deaths from important causes by months: Large cities	347	348	-----	349	-----	350	-----	350	352	-----	-----	357	360	360	362	-----	362	365	-----	366	367	-----	368	-----
Deaths of infants from important causes: States	-----	-----	-----	370	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	371	371	-----	-----	-----	-----	-----	-----	-----
Deaths of infants from important causes: Large cities	-----	-----	-----	374	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	376	-----	-----	-----	-----	-----	-----	-----

Abscess, acute, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.
—— death rate, 27.
Absorption of irrespirable, irritating, or poisonous gas (accidental or suicidal), deaths from, 28, 92; by age, 128, 130, 139, 412, 414; by color, 128, 130, 136, 412, 414; by sex, 128, 130, 136, 412, 414; in urban and rural districts, 92.
—— death rate, 28.
Accidental or undefined (total), deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.
—— death rate, 28.
Acute anterior poliomyelitis, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88.
—— death rate, 26.
Acute yellow atrophy of the liver, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.
—— death rate, 27.
Addison's disease. *See* Adrenals, diseases of.
Adenoid vegetations, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.
—— death rate, 27.
Adjusted death rates. *See* Death rates.
Adrenals, diseases of (Addison's disease), deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 27.
Airplane and balloon accidents, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.
—— death rate, 28.
Alcoholism (acute or chronic), deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Amputations, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.
—— death rate, 27.
Ancylostomiasis, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.
—— death rate, 27.
Anemia, chlorosis, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88; in detail, 26.
—— death rate, 26.
Aneurysm, deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.
—— death rate, 27.
Angina pectoris, deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.
—— death rate, 27.
Animals, injuries by (not poisoning), deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.
—— death rate, 28.
Anthrax, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.
—— death rate, 26.
Apoplexy. *See* Cerebral hemorrhage.
Appendicitis and typhlitis, deaths from, 27, 59, 90; by age, 122, 138, 406; by color, 59, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 59, 90.
—— death rate, 27.
Arsenic poisoning (suicidal), deaths from, 28.
—— death rate, 28.
Arteries, diseases of, deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
Arteriosclerosis, deaths from, 27.
—— death rate, 27.
Asiatic cholera, no deaths in 1926.
Asthma, deaths from, 27, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90.
—— death rate, 27.
Automobile accidents (excluding collision with railroad trains and street cars), deaths from, 28, 59, 92; by age, 132, 140, 416; by color, 59, 132, 136, 416; by sex, 132, 136, 416; by month of death, 318; in urban and rural districts, 59, 92.
—— death rate, 28.
Automobile collisions contributory to railroad accidents or to street-car accidents. *See* Railroad train and automobile collisions or street-car and automobile collisions.

Balloon accidents. *See* Airplane and balloon accidents.
Beriberi, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.
—— death rate, 26.
Biliary calculi, deaths from, 27, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Birth, injury at. *See* Injury at birth.
Bladder, diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Bones (tuberculosis excepted), diseases of, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92; in detail, 27.
—— death rate, 27.
Botulism, deaths from, 28.
—— death rate, 28.
Breast (cancer excepted), nonpuerperal diseases of, deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 408; by sex, 124, 408; in urban and rural districts, 90.
—— death rate, 27.
Bronchitis (all forms), deaths from, 27, 59, 90; by age, 120, 138, 404; by month of death, 318; by color, 59, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 59, 90; in detail, 27.
—— death rate, 27.
Broncho-pneumonia, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; by month of death, 318; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
Bubonic plague, deaths from, 26.
—— death rate, 26.
Burns (conflagration excepted), deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.
—— death rate, 28.

Calculi of the urinary passages, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Cancer or its principal forms, deaths from, 26, 58, 88; by age, 114, 137, 398, 422; by color, 58, 114, 134, 398, 422; by sex, 114, 134, 398, 422; in urban and rural districts, 58, 88; in detail, 26.
—— death rate, 26, 422.
Capillary bronchitis, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.
—— death rate, 27.
Carbolic acid poisoning (accidental or suicidal), deaths from, 28.
—— death rate, 28.
Causes of death, 26, 58, 88; by age, 110, 137, 394, 420; by color, 58, 110, 134, 394, 420; by sex, 110, 134, 394, 420; by month of death, 318; in urban and rural districts, 58, 88.
—— death rate, 26, 420.
Cerebral embolism and thrombosis, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 135, 400; by sex, 116, 135, 400; in urban and rural districts, 88.
—— death rate, 26.
Cerebral hemorrhage, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Cerebral hemorrhage and softening, deaths from, 59; by color, 59; by month of death, 318; in urban and rural districts, 59.
Cerebrospinal meningitis (nonepidemic), deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Cestodes, deaths from, 27.
—— death rate, 27.
Chicken pox, deaths from, 26.
—— death rate, 26.
Childbirth. *See* Puerperal state, the.
Children under 1 year of age, deaths of, 34, 40, 110, 137, 369, 394; by cause, 110, 137, 285, 369, 394, 420; by color, 34, 40, 110, 394, 420; by sex, 40, 110, 394, 420; in urban and rural districts, 34.
—— death rate, 420.
Chinese population, deaths of, 32, 40, 134; by age, 40; by cause, 134; by sex, 40, 134; in urban and rural districts, 32.
Chlorosis. *See* Anemia, chlorosis.
Cholera nostras, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88.
—— death rate, 26.

Chorea, deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.
—— death rate, 26.
Chyluria, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Circulatory system, diseases of, deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
Cirrhosis of the liver, deaths from, 27, 59, 90; by age, 122, 138, 408; by color, 59, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 59, 90; in detail, 27; alcoholic, 27.
—— death rate, 27; alcoholic death rate, 27.
Coccidia, deaths from, 27.
—— death rate, 27.
Cold, excessive, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.
—— death rate, 28.
Colored population, 2; deaths of, 2, 32, 40, 58, 134; by age, 34, 40, 110, 394, 420; by cause, 58, 110, 134, 394, 420; by sex, 40, 110, 134, 394, 420; in urban and rural districts, 2, 32, 34, 58.
—— death rate, 2, 420.
Conflagration, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92.
—— death rate, 28.
Congenital debility, icterus, sclerema, deaths from, 27, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92.
—— death rate, 27.
Congenital malformations and diseases of early infancy, deaths from, 27, 59, 92; by age, 126, 139, 410–412; by color, 59, 126, 136, 410–412; by sex, 126, 136, 410–412; in urban and rural districts, 59, 92; in detail, 27.
—— death rate, 27.
Congenital malformations of the heart, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.
—— death rate, 27.
Congestion and hemorrhagic infarct of the lung, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.
—— death rate, 27.
Convulsions (nonpuerperal), deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.
—— death rate, 26.
Corrosive sublimate poisoning (suicidal), deaths from, 28.
—— death rate, 28.
Crushing (accidental or suicidal), deaths from, 28, 92; by age, 128, 132, 139, 140, 412, 416; by color, 128, 132, 136, 412, 416; by sex, 128, 132, 136, 412, 416; in urban and rural districts, 92.
—— death rate, 28.
Cutting or piercing instruments, traumatism by (accidental, homicidal, or suicidal), deaths from, 28, 92; by age, 128, 130, 139, 412, 414; by color, 128, 130, 136, 412, 414; by sex, 128, 130, 136, 412, 414; in urban and rural districts, 92.
—— death rate, 28.
Cysts and other benign tumors of the ovary, deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.

Death rates, 2, 26; by cause, 26, 420; specific and adjusted death rates, causes, 420.
Debility, congenital. *See* Congenital debility, etc.
Diabetes mellitus, deaths from, 26, 59, 88; by age, 114, 137, 398, 423; by color, 59, 114, 134, 398, 423; by sex, 114, 134, 398, 423; by month of death, 318; in urban and rural districts, 59, 88.
—— death rate, 26, 423.
Diarrhea and enteritis, deaths from, 27, 59, 90; by age, 122, 138, 406, 423; by color, 59, 122, 135, 406, 423; by sex, 122, 135, 406, 423; by month of death, 318; in urban and rural districts, 59, 90.
—— death rate, 27, 423.
Digestive system, diseases of, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
Diphtheria, deaths from, 26, 58, 88; by age, 110, 137, 394, 421; by color, 58, 110, 134, 394, 421; by sex, 110, 134, 394, 421; by month of death, 318; in urban and rural districts, 58, 88.
—— death rate, 26, 421.
Drowning (accidental or suicidal), deaths from, 28, 92; by age, 128, 130, 139, 412, 414; by color, 128, 130, 136, 412, 414; by sex, 128, 130, 136, 412, 414; in urban and rural districts, 92.
—— death rate, 28.
Dysentery, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; by month of death, 318; in urban and rural districts, 88; in detail, 26.
—— death rate, 26.

Ear, diseases of, deaths from, 26, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.
—— death rate, 26.
Early infancy, deaths from, 27, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; in detail, 27.
—— death rate, 27.
Electric shocks, accidental, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.
—— death rate, 28.
Embolism and thrombosis (not cerebral), deaths from, 27, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90.
—— death rate, 27.
Embolism, cerebral. *See* Cerebral embolism and thrombosis.
Emphysema, pulmonary, deaths from, 27, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90.
—— death rate, 27.
Encephalitis, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Encephalitis, lethargic. *See* Lethargic encephalitis.
Endocarditis and myocarditis (acute), deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.
—— death rate, 27.
Enteritis. *See* Diarrhea and enteritis.
Epilepsy, deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.
—— death rate, 26.
Erysipelas, deaths from, 26, 58, 88; by age, 110, 137, 394; by color, 58, 110, 134, 394; by sex, 110, 134, 394; by month of death, 318; in urban and rural districts, 58, 88.
—— death rate, 26.
Esophagus, diseases of, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.
—— death rate, 27.
Eye and annexa, diseases of, deaths from, 26, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.
—— death rate, 26.

Fall, traumatism by, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.
—— death rate, 28.
Female genital organs, diseases of, deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 135, 408; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
Firearms (wounds of war excepted), traumatism by (accidental, homicidal, or suicidal), deaths from, 28, 92; by age, 128, 130, 139, 414; by color, 128, 130, 136, 414; by sex, 128, 130, 136, 414; in urban and rural districts, 92.
—— death rate, 28.
Foreign-born white population, deaths of, 32; by age and sex, 40.
Fracture (cause not specified), deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.
—— death rate, 28.
Furuncle, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.
—— death rate, 27.

Gangrene, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.
—— death rate, 27.
Gangrene of the lung, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.
—— death rate, 27.
General paralysis of the insane, deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.
—— death rate, 26.
Genito-urinary system and annexa, nonvenereal diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
German measles, deaths from, 26.
—— death rate, 26.
Glanders, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 396; by sex, 112, 396; in urban and rural districts, 88.
—— death rate, 26.

Goiter, exophthalmic, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.
—— death rate, 26.
Gonococcus infection, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.
—— death rate, 26.
Gout. *See* Rheumatism.

Hanging or strangulation (suicidal), deaths from, 28, 92; by age, 128, 139, 412; by color, 128, 136, 412; by sex, 128, 136, 412; in urban and rural districts, 92.
—— death rate, 28.
Hawaii, statistics of, 380.
Heart, diseases of, deaths from, 27, 59, 90; by age, 118, 138, 402; by color, 59, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 59, 90; in detail, 27.
—— death rate, 27.
Heat, excessive, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.
—— death rate, 28.
Hemiplegia, deaths from, 26.
—— death rate, 26.
Hemorrhage without specified cause, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.
—— death rate, 27.
Hernia, intestinal obstruction, deaths from, 27, 59, 90; by age, 122, 138, 406; by color, 59, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 59, 90; in detail, 27.
—— death rate, 27.
Hodgkin's disease, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Homicide, or its principal forms, deaths from, 28, 59, 92; by age, 128, 139, 414; by color, 59, 128, 136, 414; by sex, 128, 136, 414; in urban and rural districts, 59, 92; in detail, 28.
—— death rate, 29.
Hydatid tumor of the liver, deaths from, 27, 90; by age, 122, 138, 408; by color, 122, 408; by sex, 122, 408; in urban and rural districts, 90.
—— death rate, 27.
Hydrocephalus (congenital), deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.
—— death rate, 27.
Hydrocyanic acid poisoning (suicidal), deaths from, 28.
—— death rate, 28.

Icterus (congenital). *See* Congenital debility, etc.
Ill-defined diseases, deaths from, 28, 59, 92; by age, 132, 140, 418; by color, 59, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 59, 92; in detail, 28.
—— death rate, 28.
Indian population, deaths of, 32, 40, 134; by age, 40; by cause, 134; by sex, 40, 134; in urban and rural districts, 32.
Infanticide. (Murder of infants less than 1 year of age), deaths from, 28.
—— death rate, 28.
Influenza, deaths from, 26, 58, 88; by age, 110, 137, 394; by color, 58, 110, 134, 394; by sex, 110, 134, 394; by month of death, 318; in urban and rural districts, 58, 88; in detail, 26.
—— death rate, 26.
Injuries by vehicles, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 128, 136, 416; in urban and rural districts, 92.
—— death rate, 28.
Injury at birth, deaths from, 27, 92; by age, 128, 139, 412; by color, 128, 136, 412; by sex, 128, 136, 412; in urban and rural districts, 92.
—— death rate, 27.
Intestinal obstruction. *See* Hernia.
Intestinal parasites, diseases due to, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
Intestines, diseases of, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.
—— death rate, 27.

Japanese population, deaths of, 32, 40, 134; by age, 40; by cause, 134; by sex, 40, 134; in urban and rural districts, 32.
Jaundice. *See* Spirochetal hemorrhagic jaundice.
Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.
—— death rate, 27.
Jumping from high places (suicidal), deaths from, 28, 92; by age, 128, 139, 412; by color, 128, 136, 412; by sex, 128, 136, 412; in urban and rural districts, 92.
—— death rate, 28.

Kidneys and annexa, diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.

Lack of care, deaths from, 27, 92; by age, 128, 139, 412; by color, 128, 136, 412; by sex, 128, 136, 412; in urban and rural districts, 92.
—— death rate, 27.
Landslide, crushing, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.
—— death rate, 28.
Larynx, diseases of, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.
—— death rate, 27.
Laudanum poisoning (accidental or suicidal), deaths from, 28.
—— death rate, 28.
Lead poisoning, chronic, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Leprosy, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88.
—— death rate, 26.
Lethargic encephalitis, deaths from, 26, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; by month of death, 318; in urban and rural districts, 88.
—— death rate, 26.
Leukemia, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400, by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Lightning, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.
—— death rate, 28.
Liver, diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Locomotor ataxia. *See* Tabes dorsalis.
Lymphatic system, diseases of, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.
—— death rate, 27.
Lysol poisoning (suicidal), deaths from, 28.
—— death rate, 28.
Machines, traumatism by, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.
—— death rate, 28.
Malaria, deaths from, 26, 58, 88; by age, 110, 137, 394; by color, 58, 110, 134, 394; by sex, 110, 134, 394; by month of death, 318; in urban and rural districts, 58, 88.
—— death rate, 26.
Male genital organs, nonvenereal diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Malformations. *See* Congenital malformations.
Malta fever, no deaths in 1926.
Mastoid process, diseases of, deaths from, 26, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.
—— death rate, 26.
Measles, deaths from, 26, 58, 88; by age, 110, 137, 394, 420; by color, 58, 110, 134, 394, 420; by sex, 110, 134, 394, 420; by month of death, 318; in urban and rural districts, 58, 88.
—— death rate, 26, 420.
Mechanical suffocation, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92.
—— death rate, 28.
Mediastinum, diseases of, deaths from, 27.
—— death rate, 27.
Meningitis, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88; in detail, 26.
—— death rate, 26.
Meningococcus meningitis, deaths from, 26, 58, 88; by age, 112, 137, 396; by color, 58, 112, 134, 396; by sex, 112, 134, 396; by month of death, 318; in urban and rural districts, 58, 88.
—— death rate, 26.
Mental alienation, deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.
—— death rate, 26.

Miliary fever, no deaths in 1926.
Mineral poisoning, chronic, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88; in detail, 26.
—— death rate, 26.
Mines, traumatism in, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92.
—— death rate, 28.
Month of death, deaths by, 30; by cause, 318.
Morphin poisoning (accidental or suicidal), deaths from, 28.
—— death rate, 28.
Motor-cycle accidents, deaths from, 28.
—— death rate, 28.
Mouth and annexa, diseases of, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.
—— death rate, 27.
Mumps, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88.
—— death rate, 26.
Mycoses, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.
—— death rate, 26.
Myocarditis. *See* Endocarditis and myocarditis, acute.

Nasal fossae and annexa, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
Native white population, deaths of, 32, 40; by age and sex, 40; in urban and rural districts, 32.
Nativity, deaths by, 32, 40.
Negro population, deaths of, 32, 40, 134; by age, 40; by cause, 134; by sex, 40, 134; in urban and rural districts, 32.
Nematodes (other than anclylostoma), deaths from, 27.
—— death rate, 27.
Nephritis, deaths from, 27, 59, 90; by age, 124, 138, 408, 423; by color, 59, 124, 135, 408, 423; by sex, 124, 135, 408, 423; by month of death, 318; in urban and rural districts, 59, 90; in detail, 27.
—— death rate, 27, 423.
Nervous system and the organs of special sense, diseases of, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88; in detail, 26.
—— death rate, 26.
Neuralgia and neuritis, deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.
—— death rate, 26.
Neuritis. *See* Neuralgia and neuritis.

Old age (senility), deaths from, 27, 92; by age, 128, 139, 412; by color, 128, 136, 412; by sex, 128, 136, 412; in urban and rural districts, 92.
—— death rate, 27.
Opium poisoning (accidental or suicidal), deaths from, 28.
—— death rate, 28.
Osteoarthritis. *See* Rheumatism.

Pancreas, diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Paralysis without specified cause, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 135, 400; by sex, 116, 135, 400; in urban and rural districts, 88; in detail, 26.
—— death rate, 26.
Parathyroid glands, diseases of, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Paratyphoid fever. *See* Typhoid and paratyphoid fever.
Parent nativity, deaths by, 32.
Pellagra, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.
—— death rate, 26.
Pelvic abscess. *See* Salpingitis and pelvic abscess.
Pericarditis, deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.
—— death rate, 27.
Peritonitis without specified cause, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Pernicious anemia, deaths from, 26.
—— death rate, 26.
Pharynx, tonsils, diseases of, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
Pituitary gland, diseases of, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.
—— death rate, 26.
Plague, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88; in detail, 26.
—— death rate, 26.
Pleurisy, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.
—— death rate, 27.
Pneumonia or its principal forms, deaths from, 27, 59, 90; by age, 120, 138, 404; by color, 59, 120, 135, 404; by sex, 120, 135, 404; by month of death, 318; in urban and rural districts, 59, 90; in detail, 27.
—— death rate, 27.
Pneumonic plague, no deaths in 1926.
Poisoning by food, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.
—— death rate, 28.
Poisoning by organic substances, chronic, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Poisoning by venomous animals, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92.
—— death rate, 28.
Poisonings, acute (gas excepted), deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.
—— death rate, 28.
Poisonous gas, absorption of. *See* Absorption of irrespirable, irritating, or poisonous gas.
Poliomyelitis. *See* Acute anterior poliomyelitis.
Population of registration area, 2, and subdivisions, 2, 4.
Premature birth, deaths from, 27, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92.
—— death rate, 27.
Prostate, diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Puerperal state, the, or its principal forms, deaths from, 27, 59, 90; by age, 124, 139, 410, 424; by color, 59, 124, 136, 410, 424; by month of death, 318; in urban and rural districts, 59, 90; in detail, 27.
—— death rate, 27, 424.
Pulmonary emphysema. *See* Emphysema, pulmonary.
Purulent infection, septicemia, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.
—— death rate, 26.

Quarries, traumatism in, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92.
—— death rate, 28.

Rabies, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.
—— death rate, 26.
Race, deaths by, 32, 40, 134; by age, 40; by cause, 134; by sex, 40, 134; in urban and rural districts, 32.
Railroad accidents, deaths from, 28, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 28.
—— death rate, 28.
Railroad train and automobile collisions, deaths from, 28, 59, 92; by age, 130, 139, 416; by color, 59, 130, 136, 416; by sex, 130, 136, 416; by month of death, 318; in urban and rural districts, 59, 92.
—— death rate, 28.
Registration States of 1920, deaths in, 40, 394, 420; by age, 40, 394, 420; by cause, 394, 420; by color, 40, 394, 420; by race, 40; by sex, 40, 394, 420.
—— death rate, 420.
Relapsing fever (spirillum obermeieri), no deaths in 1926.
Residents, deaths of and rates, Table IB, 13–25.
Respiratory system, diseases of, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
Rheumatic fever, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.
—— death rate, 26.
Rheumatism, deaths from, 26, 58, 88; by age, 114, 137, 398; by color, 58, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 58, 88; in detail, 26.
—— death rate, 26.

Rickets, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.
—— death rate, 26.

Salpingitis and pelvic abscess (female), deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Scarlet fever, deaths from, 26, 58, 88; by age, 110, 137, 394, 421; by color, 58, 110, 134, 394, 421; by sex, 110, 134, 394, 421; by month of death, 318; in urban and rural districts, 58, 88.
—— death rate, 26, 421.
Sclerema, congenital. *See* Congenital debility, etc.
Scurvy, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.
—— death rate, 26.
Senility. *See* Old age.
Septicemia. *See* Purulent infection.
Septicemic plague, no deaths in 1926.
Sex, deaths by, 40, 110, 134, 394, 420.
—— death rate, 420.
Skin and cellular tissue, diseases of, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92; in detail, 27.
—— death rate, 28.
Smallpox, deaths from, 26, 58, 88; by age, 110, 137, 394; by color, 58, 110, 134, 394; by sex, 110, 134, 394; by month of death, 318; in urban and rural districts, 58, 88.
—— death rate, 26.
Soft chancre, deaths from, 26, 88; by age, 112, 137, 394; by color, 112, 134, 394; by sex, 112, 134, 394; in urban and rural districts, 88.
—— death rate, 26.
Softening of the brain, deaths from, 26, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.
—— death rate, 26.
Specific rates. *See* Table 1, Appendix.
Spinal cord, diseases of, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Spirochetal hemorrhagic jaundice, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88.
—— death rate, 26.
Spleen, diseases of, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Starvation (deprivation of food or water), deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.
—— death rate, 28.
Stomach, diseases of (cancer excepted), deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90; in detail, 27.
—— death rate, 28.
Strangulation. *See* Hanging.
Street-car accidents, deaths from, 28, 92; by age, 130, 140, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 28.
—— death rate, 28.
Street-car and automobile collisions, deaths from, 28, 59, 92; by age, 130, 140, 416; by color, 59, 130, 136, 416; by sex, 130, 136, 416; by month of death, 318; in urban and rural districts, 59, 92.
—— death rate, 28.
Strychnin poisoning (accidental or suicidal), deaths from, 28.
—— death rate, 28.
Sudden death, deaths from, 28, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92.
—— death rate, 28.
Suicide or its principal forms, deaths by, 28, 59, 92; by age, 128, 139, 412; by color, 59, 128, 136, 412; by sex, 128, 136, 412; by month of death, 318; in urban and rural districts, 59, 92; in detail, 28.
—— death rate, 28.
Syphilis, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.
—— death rate, 26.

Tabes dorsalis (locomotor ataxia), deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Tetanus, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.
—— death rate, 26.
Thrombosis. *See* Cerebral embolism and thrombosis. *See* Embolism and thrombosis (not cerebral).
Thymus gland, diseases of, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.
—— death rate, 26.
Thyroid gland, diseases of, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88; in detail, 26.
—— death rate, 26.
Tonsils. *See* Pharynx.
Trematodes, deaths from, 27.
—— death rate, 27.
Tuberculosis or its principal forms, deaths from, 26, 58, 88; by age, 112, 137, 396, 422; by color, 58, 112, 134, 396, 422; by sex, 112, 134, 396, 422; by month of death, 318; in urban and rural districts, 58, 88; in detail, 26.
—— death rate, 26, 422.
Tumors, benign and unqualified (tumors of the female genital organs excepted), deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.
—— death rate, 26.
Tumors of the uterus, benign, deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Typhlitis. *See* Appendicitis and typhlitis.
Typhoid and paratyphoid fever, deaths from, 26, 58, 88; by age, 110, 137, 394, 420; by color, 58, 110, 134, 396, 420; by sex, 110, 134, 394, 420; by month of death, 318; in urban and rural districts, 58, 88; in detail, 26.
—— death rate, 26, 420.
Typhus fever, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 394; by sex, 110, 394; in urban and rural districts, 88.
—— death rate, 26.

Ulcer of the duodenum, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.
—— death rate, 27.
Ulcer of the stomach, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.
—— death rate, 27.
Unknown or ill-defined diseases, deaths from, 28, 59, 92; by age, 132, 140, 418; by color, 59, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 59, 92; in detail, 29.
—— death rate, 28.
Urethra, etc., diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90; in detail, 27.
—— death rate, 27.
Uterine hemorrhage, nonpuerperal, deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 135, 408; in urban and rural districts, 90.
—— death rate, 27.
Uterus, benign tumors of. *See* Tumors of the uterus, benign.
Veins, diseases of, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.
—— death rate, 27.
Virgin Islands, statistics of, 389.

White population, 2; deaths of, 2, 32, 40, 58; by age, 34, 40, 110, 394, 420; by cause, 58, 110, 394, 420; by nativity, 32, 40; by sex, 40, 110, 394, 420; in urban and rural districts, 2, 32, 34, 58.
—— death rate, 2, 420.
Whooping cough, deaths from, 26, 58, 88; by age, 110, 137, 394, 421; by color, 58, 110, 134, 394, 421; by sex, 110, 134, 394, 421; by month of death, 318; in urban and rural districts, 58, 88.
—— death rate, 26, 421.
Wood or denatured alcohol poisoning (accidental), deaths from, 28.
—— death rate, 28.
Wounds of war, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 416; by sex, 132, 416; in urban and rural districts, 92.
—— death rate, 28.

Yellow fever, no deaths in 1926.