

U.S. DEPARTMENT OF COMMERCE
DANIEL C. ROPER, SECRETARY
BUREAU OF THE CENSUS
WILLIAM LANE AUSTIN, *Director*

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS

FOR

THE BIRTH REGISTRATION AREA
OF THE UNITED STATES

1932

EIGHTEENTH ANNUAL REPORT

Prepared under the Supervision of DR. T. F. MURPHY, *Chief Statistician for Vital Statistics*



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON: 1934

**REPORTS ON BIRTH AND MORTALITY STATISTICS ISSUED BY THE
BUREAU OF THE CENSUS**

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for the birth registration area in continental United States, with supplemental statistics for Hawaii and the Virgin Islands.

MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for the death registration area in continental United States, with supplemental statistics for Hawaii and the Virgin Islands.

CONTENTS

BIRTH STATISTICS

	Page		Page
Introduction.....	3	Annual birth rates by months.....	7
Growth of the "registration area": 1915 to 1932.....	3	Births and deaths in the original registration area.....	7
Definition of urban and rural.....	3	Number of children in the family.....	8
Statistics of births and deaths in 1932 (including stillbirths and infant mortality).....	4	Country of birth of mother.....	8
Classification by race or color.....	4	Age of mother.....	8
Excess of births over deaths.....	4	Country of birth of parents.....	8
Comparison of birth and death rates.....	5	Plural births.....	10
Comparison of birth rates, 1928 to 1932.....	5	Age of mother and father.....	11
		Illegitimate births.....	12

STILLBIRTH STATISTICS

	Page		Page
Introduction.....	18	Stillbirths by legitimacy.....	20
Comparison of stillbirth ratios: 1931 and 1932.....	18	Percent of stillbirths from certain causes at specified periods of uterogestation.....	22
Stillbirths by months.....	19		
Stillbirths by age of mother.....	19		

INFANT MORTALITY STATISTICS

	Page		Page
Introduction.....	24	Seasonal infant mortality—Continued.....	
Infant mortality rates: 1927 to 1932.....	24	Influenza, pneumonia (all forms), and bronchitis.....	32
Infant mortality rates for cities and rural districts.....	28	Diarrhea and enteritis.....	32
Comparison of infant mortality rates: 1927 to 1932.....	29	Premature birth and congenital debility.....	32
Seasonal infant mortality.....	32	Infant mortality by color and country of birth of mother.....	32
Measles and whooping cough.....	32		

SUMMARY AND RATE TABLES

	Page
TABLE I.—Population, births and deaths, infant mortality, and stillbirths, by color: 1932.....	39
Section A.—Cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State.	
Section B.—Each registration city of 100,000 inhabitants or more in 1930.	
Section C.—Each registration city of 10,000 to 100,000 inhabitants in 1930.	
Section D.—Each county (excluding cities of 10,000 or more inhabitants in 1930).	
TABLE II.—Mothers of children born in 1932 having specified number of children ever born, with the average number living and the percent of mothers having specified number living, by color, and for white mothers by country of birth, in the registration area in continental United States: 1932.....	93

GENERAL TABLES

TABLE 1.—Births (exclusive of stillbirths), by month: 1932.....	100
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State, and in registration cities of 100,000 inhabitants or more in 1930.	
TABLE 2.—Births (exclusive of stillbirths), by sex and color, and parent nativity of white: 1932.....	105
Births of white, Negroes, Indians, Chinese, Japanese, and other races, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State.	
TABLE 3.—Births (exclusive of stillbirths) of white children, by sex, and country of birth of parents in the registration area in continental United States: 1932.....	113
TABLE 4.—Births (exclusive of stillbirths), by sex, color, and age of mother, and for white by nativity of mother: 1932.....	114
In the registration area in continental United States and each registration State.	
TABLE 5.—Births (exclusive of stillbirths), by age of parents: 1932.....	119
In the registration area in continental United States and each registration State.	
TABLE 6.—Births (exclusive of stillbirths), by number of child, age of mother and color, and for white by nativity of mother, in the registration area in continental United States: 1932.....	126
TABLE 7.—Births (exclusive of stillbirths), with the number of child in order of birth, by color, and for white by nativity of mother: 1932.....	131
In the registration area in continental United States and each registration State.	
TABLE 8.—Cases of plural births and plural stillbirths, by sex and color: 1932.....	138
In the registration area in continental United States and each registration State.	
TABLE 9.—Number of plural births and plural stillbirths, by color, and for white by country of birth of mother, in the registration area in continental United States: 1932.....	142

	Page
TABLE 10.—Stillbirths, by month: 1932.....	143
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State, and in registration cities of 100,000 inhabitants or more in 1930.	
TABLE 11.—Stillbirths, by color, and by parent nativity of white: 1932.....	148
Stillbirths of white, Negroes, Indians, Japanese, Chinese, and other races, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State.	
TABLE 12.—Stillbirths of white children, by sex, and country of birth of mother by country of birth of father, in the registration area in continental United States: 1932.....	152
TABLE 13.—Stillbirths, by sex, and age of parents, in the registration area in continental United States: 1932.....	152
TABLE 14.—Stillbirths, with the number of child in order of birth, by sex, color, and age of mother, and for white by country of birth of mother, in the registration area in continental United States: 1932.....	153
TABLE 15.—Stillbirths, by cause, in certain specified registration States and cities: 1932.....	158
TABLE 16.—Stillbirths, by period of uterogestation, in certain specified registration States and cities: 1932.....	158
TABLE 17.—Stillbirths, by sex, cause, and period of uterogestation, in a selected area: 1932.....	159
TABLE 18.—Deaths under 1 year of age (exclusive of stillbirths) from important causes, by sex and color, and for white by country of birth of mother, in the birth registration area in continental United States: 1932.....	162
TABLE 19.—Deaths (exclusive of stillbirths) for certain subdivisions of the first year of life, by sex and color, and for white by country of birth of mother, in the birth registration area in continental United States: 1932.....	163
TABLE 20.—Deaths (exclusive of stillbirths) from important causes, by months and certain subdivisions of the first year of life, in the birth registration area in continental United States: 1932.....	164
TABLE 21.—Deaths (exclusive of stillbirths) from important causes, by certain subdivisions of the first year of life: 1932.....	171
In the birth registration area in continental United States, each registration State, and registration cities of 500,000 inhabitants or more in 1930.	
TABLE 22.—Deaths under 1 year of age (exclusive of stillbirths) from important causes, by sex: 1932.....	204
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State.	
TABLE 23.—Deaths (exclusive of stillbirths), by sex and certain subdivisions of the first year of life: 1932.....	212
In cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants in 1930, and rural districts of the registration area in continental United States and each registration State.	

ILLUSTRATIONS

MAP

Growth of the registration area for births: 1915 to 1932.....	2
---	---

DIAGRAMS


1.—Births, by color, and for white children by parent nativity, in the registration area in continental United States: 1932.....	9
2.—Births of white children of known parentage, having at least 1 parent foreign born, in the registration area in continental United States: 1932.....	9
3.—Percent of births of white children of mothers born in specified countries, having fathers born in other countries: 1917 to 1932.....	9
4.—Stillbirths per 100 live births, by age of mother, in the registration area in continental United States: 1932.....	19
5.—Infant mortality, by color and country of birth of mother, for certain subdivisions of the first year of life, in the birth registration area in continental United States: 1932.....	34

SUPPLEMENT

HAWAII.....	220
VIRGIN ISLANDS.....	225

BIRTH, STILLBIRTH, AND
INFANT MORTALITY STATISTICS
1932

GROWTH OF THE REGISTRATION AREA FOR BIRTHS: 1915 TO 1932



ORIGINAL REGISTRATION STATES, 1915
 STATES ADDED SINCE 1915
 STATES NOT IN REGISTRATION AREA

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS: 1932

BIRTH STATISTICS: 1932

INTRODUCTION

In this volume are presented statistics of live births, stillbirths, and infant mortality in the birth registration area of continental United States, the Territory of Hawaii, and the Virgin Islands. The data were secured from transcripts of birth, death, and stillbirth certificates received from these areas.

Figures for Hawaii and the Virgin Islands are presented in special tables, as the text and general tables relate only to the registration area in continental United States, the population of which, in 1932, was estimated to be 118,858,000 or 95.2 per cent of the total population.

The number of live births reported in this area was 2,074,042, equivalent to a birth rate of 17.4 per 1,000 estimated population; the number of stillbirths reported was 78,351 or a ratio of 3.8 per 100 live births; and the number of deaths under 1 year of age was 119,431, corresponding to an infant mortality rate of 57.6 (deaths under 1 year per 1,000 live births).

The compilation of these data make it possible to compare statistics for the registration area of the United States with those for foreign countries. Also, light is thrown on such matters as the natural increase of populations in the States and cities, the relation between birth rates and rates of infant mortality, ratio of stillbirths to live births, etc.

This report was prepared under the direction of Dr. T. F. Murphy, chief statistician for vital statistics, assisted by Willard C. Smith, assistant chief statistician for vital statistics, and Elizabeth Staker, junior administrative assistant.

The publication of this report has been delayed by the lack of funds for printing; and in order to keep within the limits of the amount now made available it was necessary to reduce the size of the volume considerably as compared with the report for 1930. This necessitated rearrangements in the tabular presentation and the elimination of certain detail, most of which is available in manuscript tables on file in the Bureau of the Census.

GROWTH OF THE REGISTRATION AREA: 1915 TO 1932

The birth registration area was established in 1915 and comprised but 10 States and the District of Columbia. Gradually, by the inclusion of other States, this area has expanded until now, in 1932, there remains but one State—Texas—to be admitted. The Virgin Islands and the Territory of Hawaii became part of the registration area in 1924 and 1929, respectively.

Table A shows the States comprising the birth registration area of continental United States and the year when each was added.

Table A Year	STATE	Year	STATE	Year	STATE
1915	Connecticut Maine Massachusetts Michigan Minnesota New Hampshire New York Pennsylvania Rhode Island ¹ Vermont Dist. of Columbia ²	1917	Ohio Utah Virginia Washington Wisconsin	1924	Florida Iowa North Dakota
				1925	West Virginia
		1919	California Oregon South Carolina ³	1926	Arizona Idaho
		1920	Nebraska	1927	Alabama Arkansas Louisiana Missouri Tennessee
1916	Maryland	1921	Delaware Mississippi New Jersey		
1917	Indiana Kansas Kentucky North Carolina	1922	Illinois Montana Wyoming	1928	Colorado Georgia Oklahoma
				1929	Nevada New Mexico
				1932	South Dakota

¹ Dropped from the registration area in 1919; readmitted in 1921.

² Included in registration States.

³ Dropped from the registration area in 1925; readmitted in 1928.

DEFINITION OF "URBAN" AND "RURAL"

The term "urban" as used in the birth and mortality reports prior to 1930 included the population living in cities having 10,000 or more inhabitants. The definition was changed in 1930 to include as "urban" the population of all cities having 2,500 inhabitants or more, the rest of the population being classified as "rural." This conforms with the established practice of the population census reports. In order, however, to facilitate comparisons with the earlier classification the urban population as thus defined is usually subdivided into two groups, one comprising the population of cities of 10,000 or more and the other that of cities from 2,500 to 10,000. The former corresponds to the urban population as previously defined in the birth reports, and the latter when combined with the rural population as now defined corresponds to the population previously designated as rural.

Unfortunately, however, in some States the Bureau of the Census did not succeed in obtaining for deaths the local detail necessary for applying the new classification; and in such States as well as in the registration area as a whole the only distinction that can be shown for deaths is that between population living in cities having more than 10,000 inhabitants and the rest of the population, formerly designated as rural. Ultimately, of course, it is expected that the new classification can be made to cover all the States.

BIRTH STATISTICS: 1932

STATISTICS OF BIRTHS AND DEATHS IN 1932

Births.—In the birth registration area of continental United States in 1932 there were 2,074,042 live births, which represent a birth rate of 17.4 per 1,000 estimated population, as against 2,112,760 live births reported in 1931, with a rate of 18. Of the 1932 births, 1,063,885 were males and 1,010,157 were females, or a proportion of 1,053 males to 1,000 females.

Deaths.—The total deaths (exclusive of stillbirths) in the birth registration area in 1932 numbered 1,293,269, corresponding to a death rate of 10.9 per 1,000 estimated population; of these, 704,506 were males and 588,763 were females, or a proportion of 1,197 males to 1,000 females.

Stillbirths.—There were 78,351 stillbirths in the registration area in 1932, with a ratio of 3.8 per 100 live

births; of these stillbirths, 43,673 were males, 33,133 were females, and in 1,545 cases the sex was not stated or was unknown. These stillbirths show a proportion of 1,318 males to 1,000 females.

Infant mortality.—Deaths of infants under 1 year of age in the birth registration area numbered 119,431 or 57.6 per 1,000 live births, a rate 4 lower than the corresponding rate for 1931 and the record low rate for the area since its establishment in 1915. Of the total deaths under 1 year of age, 67,839 were males and 51,592 were females, or a proportion of 1,315 males to 1,000 females. The infant mortality rates for the States ranged from 41.3 in Oregon to 119.4 in New Mexico.

Table B shows births, total deaths, stillbirths, and deaths under 1 year of age, with the proportion of males to 1,000 females, from 1915 to 1932.

CALENDAR YEAR	Births ¹				All deaths ¹				Stillbirths				Deaths ¹ under 1 year of age			
	Total	Male	Female	Male per 1,000 female	Total	Male	Female	Male per 1,000 female	Total	Male	Female	Male per 1,000 female	Total	Male	Female	Male per 1,000 female
1932.....	2,074,042	1,063,885	1,010,157	1,053	1,293,269	704,506	588,763	1,197	78,351	43,673	33,133	1,318	119,431	67,839	51,592	1,315
1931.....	2,112,760	1,084,404	1,028,356	1,055	1,301,405	714,277	587,128	1,217	80,616	45,080	33,933	1,329	130,134	74,056	56,078	1,321
1930.....	2,203,958	1,131,976	1,071,982	1,056	1,321,367	723,315	598,052	1,209	48,466	48,604	36,469	1,309	142,413	80,744	61,669	1,309
1929.....	2,169,920	1,114,814	1,055,106	1,057	1,369,757	745,491	624,266	1,194	55,678	48,074	36,040	1,334	146,601	83,144	63,517	1,309
1928.....	2,233,149	1,147,625	1,085,524	1,057	1,361,987	738,891	623,096	1,186	69,765	50,666	37,695	1,344	153,492	87,676	65,816	1,332
1927.....	2,137,836	1,099,287	1,038,549	1,058	1,176,805	638,080	538,725	1,184	82,931	47,150	34,478	1,368	138,017	78,652	59,365	1,325
1926.....	1,856,068	953,638	902,430	1,057	1,093,511	589,653	503,858	1,170	70,716	39,809	29,746	1,338	136,118	77,366	58,752	1,317
1925.....	1,878,880	966,973	911,907	1,060	1,030,518	555,267	475,251	1,168	71,519	40,387	29,990	1,346	134,652	76,902	57,750	1,332
1924.....	1,930,614	992,431	938,183	1,058	1,006,994	542,637	464,357	1,169	75,817	43,139	31,377	1,375	136,730	78,085	58,645	1,331
1923.....	1,792,646	921,020	871,626	1,057	992,237	528,429	463,808	1,139	69,757	39,566	29,235	1,353	138,259	78,309	59,950	1,306
1922.....	1,774,911	911,831	863,080	1,056	938,545	497,967	440,578	1,130	72,010	39,672	29,173	1,360	135,228	77,105	58,123	1,327
1921.....	1,714,261	881,591	832,670	1,059	825,511	434,019	391,492	1,109	(13)	(13)	(13)	(13)	129,588	73,582	56,006	1,314
1920.....	1,508,874	775,322	733,552	1,057	836,134	438,201	397,933	1,101	(13)	(13)	(13)	(13)	129,531	73,737	55,794	1,322
1919.....	1,373,438	705,593	667,845	1,057	798,104	422,252	375,852	1,123	(13)	(13)	(13)	(13)	119,000	67,590	51,420	1,314
1918.....	1,363,649	701,164	662,485	1,058	996,627	534,720	461,907	1,158	48,634	28,127	20,507	1,372	137,647	77,736	59,911	1,298
1917.....	1,353,792	696,101	657,691	1,058	776,222	423,359	352,863	1,200	(13)	(13)	(13)	(13)	126,950	72,192	54,758	1,318
1916.....	818,983	420,881	398,102	1,057	486,682	264,498	222,184	1,190	(13)	(13)	(13)	(13)	82,734	46,790	35,944	1,302
1915.....	776,304	398,615	377,689	1,055	436,593	234,871	201,722	1,164	(13)	(13)	(13)	(13)	77,572	43,818	33,754	1,298

¹ Exclusive of stillbirths.
² Includes 1,545 stillbirths of unknown sex.
³ Includes 1,593 stillbirths of unknown sex.
⁴ Includes 1,403 stillbirths of unknown sex.
⁵ Includes 1,558 stillbirths of unknown sex.

⁶ Includes 1,404 stillbirths of unknown sex.
⁷ Includes 1,303 stillbirths of unknown sex.
⁸ Includes 1,161 stillbirths of unknown sex.
⁹ Includes 1,133 stillbirths of unknown sex.
¹⁰ Includes 1,301 stillbirths of unknown sex.

¹¹ Includes 956 stillbirths of unknown sex.
¹² Includes 1,165 stillbirths of unknown sex.
¹³ Data not collected.
¹⁴ Stillbirths of unknown sex distributed.

Table C shows population, births, and birth rates, in the registration area from 1915 to 1932.

CALENDAR YEAR	Population of continental United States ¹	Population ¹		Births ²	
		Number	Percent of total	Number	Per 1,000 population
1932.....	124,822,000	118,858,000	95.2	2,074,042	17.4
1931.....	124,070,000	117,460,000	94.7	2,112,760	18.0
1930.....	123,191,000	116,644,000	94.7	2,203,958	18.9
1929.....	121,526,429	115,097,972	94.7	2,169,920	18.9
1928.....	119,861,607	113,050,663	94.3	2,233,149	19.3
1927.....	118,196,785	103,575,656	87.6	2,137,836	20.6
1926.....	116,531,963	89,682,479	77.0	1,856,068	20.7
1925.....	114,867,141	87,486,096	76.2	1,878,880	21.5
1924.....	113,202,319	86,256,025	76.2	1,930,614	22.4
1923.....	111,537,497	80,694,406	72.3	1,792,646	22.2
1922.....	109,872,675	79,415,841	72.3	1,774,911	22.3
1921.....	108,207,853	70,738,177	65.4	1,714,261	24.2
1920.....	106,543,031	63,740,689	59.8	1,508,874	23.7
1919.....	105,003,065	61,483,423	58.6	1,373,438	22.3
1918.....	103,587,955	55,515,241	53.6	1,363,649	24.6
1917.....	102,172,845	54,771,416	53.6	1,353,792	24.7
1916.....	100,757,735	32,788,670	32.5	818,983	25.0
1915.....	99,342,625	30,936,179	31.1	776,304	25.1

¹ Estimated as of July 1

² Exclusive of stillbirths.

CLASSIFICATION BY RACE OR COLOR

The classification of births and deaths by race or color distinguishes white, Negro, Indian, Chinese, Japanese, and "other races." (See tables 2 and 11.) "Other races" includes Mexicans so far as reported as such. All races not white are included in total "colored." The Mexican element in the population has increased very rapidly in recent years, and for that reason it was given a separate classification in the population census of 1930, having in prior censuses not been distinguished from the white population. It is evident, however, that very many Mexican births are designated as white on the birth certificates. The total number of births reported as Mexican in 1932 was 18,952, as compared with 17,264 in 1931 and 6,322 in 1930, an increase which is doubtless attributable mainly to improvement in the completeness of the returns.

EXCESS OF BIRTHS OVER DEATHS

In 1932 there was a substantial excess of births over deaths in every State except Nevada, where the deaths exceed the births by 82.

According to the census of 1930 there were 877 cities in the registration area of 1932 having 10,000 or more inhabitants. There were also 47 towns and 23 townships with populations of 10,000 or more and with population densities of 1,000 or more per square mile which, for statistical purposes, are also considered urban.

In only 126 of these 947 places did the deaths outnumber the births and in many of them are located State asylums, State hospitals, etc., which fact no doubt explains the apparent lack of natural increase in the population.

Comparison of birth and death rates.—The birth rate for the birth registration area of 1932 was 17.4, exceeding the death rate (10.9) for the same area by 6.5, or nearly 60 percent. This signifies that if these rates were to remain unchanged and if there were no migration from or into this area the natural annual increase in the population would be 6.5 per 1,000 inhabitants. For the white population in this area the birth rate (17) exceeded the death rate (10.5) by 6.5 per 1,000 inhabitants. For the colored population the birth rate (21.3) exceeded the death rate (14.1) by 7.2 per 1,000 inhabitants.

In the States, the greatest excess of births over deaths among the total population (14.9 per 1,000) was for New Mexico for which rates are not available. Considering rates by color and excluding New Mexico, every State except Nevada showed an excess of births over deaths for the white population, the greatest (15.1) having been for Utah.

For the colored population birth rates were higher than death rates in all but 10 States. The greatest excess (14.5 per 1,000) was for North Dakota.

Birth and death rates are shown in this report for cities of 10,000 inhabitants or more, cities of 2,500 to 10,000 inhabitants, and rural districts. On the death transcripts from three States the allocation of deaths to the minor cities was considered not accurate enough to warrant the presentation of figures for such areas and so, for these three States and the registration area as a whole, figures in tables showing both births and deaths are presented only for cities of over 10,000 and the remainder of the State.

Taking the registration area as a whole, the excess of births over deaths is 5.1 per thousand in cities of over 10,000 as against 7.9 in the remainder of the area; for the white population it is 5.3 as against 7.7, and for the colored population 2.2 as against 10.4.

Comparison of birth rates, 1928 to 1932.—The birth rate (17.4 per 1,000 population) for the birth registration area in 1932 was 0.6 lower than that for 1931. The rates for the individual States, as compared with those for 1931, were higher in only nine States. The greatest increases—1.1 and 0.9 per 1,000 population—were in the rates for South Carolina and Kentucky, respectively. The highest rate (28.7) was for New Mexico and the lowest (13.1) for California. This was closely followed by the rate for Oregon (13.2 per 1,000).

In 28 States the rates for cities of over 10,000 were higher than rates for the remainder of the State.

A comparison of the rates for the birth registration area from 1928 to 1932 shows a gradual decline from 19.8 in 1928 to 17.4 in 1932. Comparing the rates for 1932 with those for 1928 for the 44 States that were in the area in both years, it is found that only two States—Georgia and Tennessee—had higher rates in the later year.

Table D shows birth and death rates for the birth registration area and each registration State from 1928 to 1932.

Table D AREA	RATE PER 1,000 POPULATION									
	Births (exclusive of still-births)					Deaths (exclusive of still-births)				
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
Birth registration area in continental United States.....	17.4	18.0	18.9	18.9	19.8	10.9	11.1	11.3	11.9	12.0
White.....	17.0	17.6	18.7	18.6	19.5	10.5	10.6	10.8	11.3	11.5
Colored.....	21.3	21.2	20.7	21.3	22.2	14.1	15.2	15.6	16.9	17.1
Cities of 10,000 or more.....	16.7	17.5	19.1	19.4	20.1	11.6	11.9	12.3	13.0	13.3
White.....	16.5	17.4	19.1	19.3	20.0	11.2	11.4	11.7	12.4	12.6
Colored.....	19.1	19.3	19.2	20.6	21.6	16.9	18.1	18.5	20.6	21.2
Remainder of area.....	18.1	18.4	18.7	18.4	19.5	10.2	10.2	10.5	10.9	11.0
White.....	17.5	17.8	18.3	18.0	19.1	9.8	9.8	10.0	10.4	10.5
Colored.....	22.7	22.4	21.7	21.7	22.5	12.3	13.3	13.8	14.9	14.9
Alabama.....	23.5	23.5	24.0	24.0	24.5	10.3	10.7	11.5	12.4	12.3
White.....	22.8	23.2	23.9	24.2	24.8	8.6	8.8	9.4	10.2	10.0
Colored.....	24.8	24.1	24.3	23.5	23.9	13.5	14.0	15.2	16.2	16.2
Cities of 10,000 or more.....	19.0	19.6	20.6	21.1	21.8	13.8	14.7	15.6	16.7	16.8
White.....	18.7	20.1	21.0	21.4	22.1	11.5	12.1	12.5	13.8	13.8
Colored.....	19.3	18.8	19.9	20.4	21.3	17.5	19.0	20.2	21.2	21.4
Remainder of State.....	24.8	24.6	25.0	24.7	25.1	9.3	9.5	10.3	11.3	11.2
White.....	23.8	24.0	24.7	24.9	25.4	7.8	7.9	8.5	9.4	9.2
Colored.....	26.5	25.8	25.6	24.3	24.6	12.2	12.6	13.7	14.9	14.9
Arizona.....	19.0	21.1	23.7	22.4	21.4	12.1	13.7	15.2	15.9	15.4
Cities of 10,000 or more.....	33.7	34.1	32.3	31.7	32.2	25.5	28.7	25.4	29.0	30.0
Remainder of State.....	15.7	18.1	21.7	20.3	19.0	9.0	10.2	12.9	12.9	12.0
Arkansas.....	20.1	22.0	22.1	20.2	20.8	8.7	9.6	10.2	10.5	10.9
White.....	20.7	22.8	23.2	21.0	21.9	8.1	8.8	9.1	9.4	9.7
Colored.....	18.2	19.7	18.9	17.8	17.8	10.5	11.9	13.5	13.8	14.3
Cities of 10,000 or more.....	14.4	15.9	17.7	18.1	19.1	16.6	16.7	18.3	19.2	20.5
White.....	15.3	16.5	18.5	18.8	19.7	15.1	14.8	15.9	17.1	17.1
Colored.....	11.2	14.0	15.0	15.8	17.0	21.6	23.0	26.4	29.5	31.7
Remainder of State.....	20.8	22.9	22.7	20.4	20.9	7.7	8.6	9.1	9.7	10.0
White.....	21.5	23.8	23.9	21.3	22.1	7.1	7.9	8.1	8.7	8.9
Colored.....	19.1	20.4	19.4	18.0	17.8	9.2	10.5	11.9	12.4	12.9
California.....	13.1	13.9	14.7	14.8	15.8	11.4	11.5	11.6	11.9	12.5
Cities of 10,000 or more.....	13.2	13.9	15.4	14.8	16.0	11.3	11.3	11.9	12.1	12.7
Remainder of State.....	13.0	14.0	13.4	14.7	15.4	11.5	11.9	10.9	11.5	12.2
Colorado.....	16.8	17.7	18.1	17.4	18.8	12.0	12.0	12.7	12.5	13.8
Cities of 10,000 or more.....	16.5	17.2	18.0	17.1	18.6	14.2	13.7	14.9	14.6	16.2
Remainder of State.....	17.1	18.2	18.2	17.7	18.9	10.5	10.7	11.2	11.2	12.2
Connecticut.....	14.5	15.7	17.2	17.1	18.0	10.4	10.6	10.7	11.5	11.4
Cities of 10,000 or more.....	17.4	18.6	20.3	19.9	20.6	10.9	11.2	11.2	11.9	11.8
Remainder of State.....	8.6	9.8	10.7	9.4	10.6	9.4	9.5	9.7	10.3	10.4
Delaware.....	17.9	17.7	18.7	18.1	18.3	13.2	13.8	13.6	13.2	13.6
Cities of 10,000 or more.....	20.5	20.6	21.6	20.2	20.0	14.0	13.9	14.6	13.4	14.2
Remainder of State.....	15.8	15.3	16.4	16.3	16.8	12.7	13.7	12.8	13.1	13.1
District of Columbia.....	20.6	19.0	19.2	18.4	18.7	16.1	15.8	15.1	15.4	15.1
White.....	19.1	17.9	17.8	17.0	17.5	14.0	13.4	12.9	13.0	12.8
Colored.....	24.6	22.1	23.0	22.2	21.8	21.6	22.0	21.0	21.7	21.4
Florida.....	17.9	18.0	18.2	18.8	21.5	12.0	12.0	12.3	12.7	13.7
White.....	17.4	17.5	17.8	18.2	21.3	10.4	10.4	10.6	10.8	11.8
Colored.....	19.2	19.0	19.3	20.1	22.0	15.7	16.0	16.5	17.1	18.2
Cities of 10,000 or more.....	17.5	17.5	18.5	18.4	20.5	13.8	13.7	14.0	13.0	13.2
White.....	17.4	17.7	18.9	18.2	20.7	12.0	12.0	12.2	10.9	10.9
Colored.....	17.7	17.0	17.4	19.2	20.1	18.5	18.1	18.7	18.7	19.4
Remainder of State.....	18.2	18.2	18.1	18.9	22.0	10.8	11.0	11.3	12.6	13.9
White.....	17.4	17.4	17.1	18.2	21.6	9.4	9.3	9.6	10.8	12.2
Colored.....	20.0	20.2	20.3	20.5	22.8	14.2	14.8	15.3	16.6	17.7
Georgia.....	21.9	21.2	20.9	20.1	20.3	11.0	11.3	12.1	12.2	12.4
White.....	20.6	20.3	20.3	19.6	20.5	9.1	9.2	9.8	10.0	10.3
Colored.....	24.1	22.9	21.9	21.1	20.0	14.5	15.1	16.1	15.8	15.9
Cities of 10,000 or more.....	20.2	19.7	20.4	20.4	21.5	15.7	16.5	17.3	17.7	18.5
White.....	19.5	19.5	20.4	20.4	22.1	12.4	12.7	12.9	13.6	14.3
Colored.....	21.5	20.1	20.5	20.3	20.5	21.5	23.2	24.8	24.7	25.5
Remainder of State.....	22.4	21.7	21.0	20.1	20.0	9.6	9.5	10.5	10.6	10.8
White.....	21.0	20.5	20.2	19.3	20.1	8.1	8.1	8.8	9.0	9.2
Colored.....	25.0	23.7	22.3	21.3	19.9	12.4	12.6	13.5	13.4	13.4
Idaho.....	19.5	20.3	20.6	19.8	20.5	8.8	9.0	9.0	9.4	9.4
Cities of 10,000 or more.....	29.0	30.7	29.3	29.0	25.9	15.4	15.9	14.8	16.4	15.2
Remainder of State.....	18.6	19.4	19.8	19.0	20.0	8.2	8.3	8.9	8.5	8.9
Illinois.....	14.4	15.4	16.7	17.0	17.4	10.7	11.1	10.9	11.6	12.1
Cities of 10,000 or more.....	14.7	15.9	17.8	18.4	18.8	10.4	10.9	10.9	11.8	12.5
Remainder of State.....	13.8	14.4	14.7	14.7	15.3	11.3	11.5	10.9	11.4	11.4
Indiana.....	16.2	17.2	18.3	18.3	18.9	11.8	11.9	12.1	12.7	12.7
Cities of 10,000 or more.....	16.0	17.9	19.9	20.0	20.1	11.3	11.7	12.4	13.1	13.1
Remainder of State.....	16.4	16.5	16.9	16.9	18.0	12.3	12.0	11.8	12.5	12.4
Iowa.....	16.3	16.9	17.3	17.1	17.6	10.4	10.4	10.4	10.4	10.3
Cities of 10,000 or more.....	18.7	19.9	20.5	19.8	19.6	13.3	13.3	13.8	13.9	13.7
Remainder of State.....	15.4	15.7	15.9	16.0	16.9	9.2	9.2	9.3	9.1	9.0

BIRTH STATISTICS: 1932

Table D—Continued

AREA	RATE PER 1,000 POPULATION									
	Births (exclusive of still-births)					Deaths (exclusive of still-births)				
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
Kansas.....	16.7	17.4	17.9	17.4	18.2	10.3	9.9	10.4	10.4	11.2
Cities of 10,000 or more.....	18.0	18.8	20.0	19.4	19.8	12.4	11.8	13.0	12.9	14.1
Remainder of State.....	16.2	16.8	17.0	16.7	17.6	9.4	9.0	9.3	9.4	10.2
Kentucky.....	22.6	21.7	22.6	21.7	23.0	11.0	11.0	11.3	12.0	11.8
White.....	23.3	22.4	23.4	22.3	23.7	10.3	10.1	10.4	11.1	10.9
Colored.....	14.7	14.4	15.0	15.6	16.1	18.8	20.1	21.0	21.3	20.8
Cities of 10,000 or more.....	16.8	17.7	19.4	20.4	20.9	14.2	14.9	15.3	15.9	16.0
White.....	17.2	18.3	20.3	21.3	21.9	13.0	13.4	13.6	14.4	14.6
Colored.....	14.5	13.8	14.3	15.0	14.7	21.4	23.8	25.1	24.5	24.7
Remainder of State.....	24.3	22.9	23.6	22.1	23.6	10.0	9.8	10.1	10.9	10.7
White.....	25.0	23.5	24.2	22.6	24.2	9.5	9.2	9.5	10.3	10.0
Colored.....	14.8	14.8	15.4	15.9	16.8	17.1	17.8	18.6	19.7	18.8
Louisiana.....	20.3	20.4	20.3	20.3	20.5	10.9	11.1	11.7	11.9	12.2
White.....	19.0	19.7	19.8	19.7	20.1	9.3	9.2	9.5	9.7	10.0
Colored.....	22.3	21.6	21.3	21.2	21.1	13.6	14.3	15.4	15.7	15.9
Cities of 10,000 or more.....	20.0	19.9	20.6	20.3	21.5	16.3	16.1	17.2	17.7	18.3
White.....	18.2	18.6	19.6	19.4	20.8	13.8	13.3	14.2	14.3	15.1
Colored.....	24.0	22.7	22.7	22.2	23.1	21.8	22.5	24.0	25.2	25.6
Remainder of State.....	20.3	20.6	20.2	20.3	20.0	8.4	8.7	9.2	9.4	9.6
White.....	19.4	20.3	19.8	19.9	19.8	6.9	7.0	7.1	7.4	7.5
Colored.....	21.7	21.2	20.8	20.8	20.4	10.7	11.3	12.3	12.5	12.7
Maine.....	20.1	20.4	20.3	20.0	20.8	13.4	13.1	13.9	14.3	13.9
Cities of 10,000 or more.....	20.8	21.7	21.0	21.6	22.6	15.2	14.8	15.3	16.3	15.8
Remainder of State.....	19.9	19.8	20.0	19.3	20.1	12.7	12.4	13.3	13.5	13.1
Maryland.....	17.4	17.5	18.5	18.5	19.9	12.7	13.2	13.2	13.5	13.6
White.....	16.4	16.5	17.6	17.5	19.0	11.6	12.0	12.0	12.4	12.4
Colored.....	22.6	22.3	23.1	23.4	24.3	18.1	19.3	18.9	18.9	19.5
Cities of 10,000 or more.....	17.7	18.1	19.1	19.0	20.3	13.4	14.4	14.1	14.4	15.0
White.....	16.9	17.3	18.4	18.3	19.5	12.3	13.2	12.9	13.2	13.8
Colored.....	21.8	21.7	22.9	22.9	24.2	18.6	20.1	19.9	20.5	21.6
Remainder of State.....	17.1	16.8	17.7	17.8	19.4	11.9	11.8	12.0	12.4	11.8
White.....	15.7	15.5	16.5	16.5	18.3	10.7	10.4	10.8	11.4	10.6
Colored.....	23.5	23.1	23.3	23.9	24.4	17.4	18.4	17.7	17.0	17.1
Massachusetts.....	15.9	16.2	17.3	17.5	18.9	11.5	11.3	11.6	12.3	12.2
Cities of 10,000 or more.....	17.2	17.4	18.6	19.0	20.4	11.4	11.2	11.5	12.3	12.2
Remainder of State.....	10.1	10.3	10.9	11.3	12.6	12.1	11.9	11.9	12.3	12.3
Michigan.....	17.2	18.4	20.4	20.8	21.1	10.0	10.0	10.6	11.8	11.8
Cities of 10,000 or more.....	17.1	18.6	21.8	23.3	23.3	8.9	9.0	10.1	11.9	11.9
Remainder of State.....	17.4	18.1	18.2	17.8	18.3	11.6	11.5	11.4	11.6	11.6
Minnesota.....	17.9	18.2	18.5	18.3	19.5	9.9	9.9	10.0	10.1	10.3
Cities of 10,000 or more.....	18.1	18.4	19.1	19.2	19.9	11.5	11.6	11.7	11.9	12.2
Remainder of State.....	17.9	18.1	18.0	17.8	19.3	8.9	8.7	8.9	9.0	9.1
Mississippi.....	22.7	22.3	23.9	22.9	24.4	10.0	10.9	12.0	13.0	13.1
White.....	21.5	21.5	23.3	22.3	24.3	8.2	8.6	9.1	10.3	10.5
Colored.....	24.0	23.1	24.5	23.4	24.6	11.7	13.1	14.7	15.5	15.6
Cities of 10,000 or more.....	18.1	22.4	25.1	24.3	25.5	15.9	19.1	20.2	23.0	22.8
White.....	19.5	23.7	26.1	25.4	26.0	12.7	15.3	15.3	18.9	18.0
Colored.....	16.0	20.3	23.7	22.8	24.8	20.8	25.0	27.5	28.8	29.6
Remainder of State.....	23.4	22.3	23.7	22.7	24.3	9.2	9.7	10.9	11.9	12.1
White.....	21.8	21.1	22.8	21.9	24.1	7.4	7.5	8.1	9.2	9.6
Colored.....	24.8	23.4	24.6	23.5	24.6	10.8	11.8	13.4	14.4	14.5
Missouri.....	16.4	16.7	17.1	16.9	17.6	12.0	12.1	11.9	12.3	12.6
Cities of 10,000 or more.....	15.1	15.8	16.9	17.6	17.8	13.1	13.8	13.6	14.5	15.0
Remainder of State.....	17.5	17.3	17.3	16.5	17.5	11.1	10.8	10.5	10.6	10.9
Montana.....	16.9	17.9	18.5	18.7	18.5	9.8	9.8	10.1	10.7	10.7
Cities of 10,000 or more.....	20.8	22.1	23.1	24.0	22.6	13.3	13.4	15.3	16.3	16.4
Remainder of State.....	15.7	16.7	17.2	17.1	17.3	8.8	8.7	8.6	9.0	9.1
Nebraska.....	18.1	19.2	19.6	19.4	20.5	9.3	9.3	9.6	9.8	10.0
Cities of 10,000 or more.....	19.1	20.1	21.3	19.9	21.1	12.4	12.6	13.2	13.2	13.4
Remainder of State.....	17.8	18.9	19.0	19.2	20.4	8.2	8.1	8.3	8.7	9.0
Nevada.....	13.5	13.3	14.6	14.2	(1)	14.4	14.6	12.7	13.3	(1)
Cities of 10,000 or more.....	12.2	14.0	15.2	13.5	(1)	18.1	21.9	17.8	18.6	(1)
Remainder of State.....	13.9	13.1	14.5	14.4	(1)	13.5	12.7	11.4	12.0	(1)
New Hampshire.....	16.7	16.6	17.9	17.6	18.8	13.5	12.7	13.6	14.1	14.0
Cities of 10,000 or more.....	18.9	19.3	20.9	20.2	21.9	12.9	12.4	13.4	13.4	13.4
Remainder of State.....	14.5	14.0	15.0	15.5	16.3	14.1	12.9	13.7	14.7	14.4
New Jersey.....	14.8	15.6	16.8	17.2	18.0	10.3	10.8	10.7	11.6	11.6
Cities of 10,000 or more.....	16.9	17.6	18.8	20.5	21.3	10.1	10.6	10.6	12.1	12.2
Remainder of State.....	10.0	11.0	12.4	12.5	13.3	10.9	11.4	11.1	10.8	10.7
New Mexico.....	28.7	28.8	28.5	27.1	(1)	13.8	14.4	15.5	15.4	(1)
Cities of 10,000 or more.....	27.9	28.0	27.8	33.6	(1)	19.8	19.4	21.4	30.0	(1)
Remainder of State.....	28.9	28.9	28.6	26.7	(1)	13.1	13.7	14.7	14.4	(1)
New York.....	15.4	16.1	17.1	17.5	18.3	11.5	11.7	11.7	12.4	12.4
Cities of 10,000 or more.....	16.1	16.8	18.1	18.6	19.3	11.1	11.4	11.4	12.1	12.2
Remainder of State.....	12.8	13.4	13.3	13.7	14.6	13.1	13.0	12.8	13.4	13.0
North Carolina.....	24.0	23.3	24.1	24.7	26.4	9.6	10.3	11.2	11.8	11.8
White.....	23.5	22.9	23.8	24.2	25.8	8.5	8.9	9.6	10.2	10.4
Colored.....	25.3	24.1	24.8	25.9	27.7	12.1	13.6	15.1	15.5	15.1

¹ Not added to the registration area until a later date.

Table D—Continued

AREA	RATE PER 1,000 POPULATION									
	Births (exclusive of still-births)					Deaths (exclusive of still-births)				
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
North Carolina—Contd.	21.3	20.9	23.0	23.3	25.6	13.4	14.1	15.1	15.9	16.6
Cities of 10,000 or more.....	21.6	21.6	24.1	24.3	26.5	11.5	11.7	12.6	13.2	14.0
White.....	20.6	19.4	20.8	21.2	23.8	17.5	19.0	20.2	21.3	21.8
Colored.....	24.7	23.8	24.4	25.0	26.5	8.7	9.4	10.3	11.0	10.9
Remainder of State.....	23.9	23.2	23.7	24.1	25.7	7.9	8.3	9.0	9.7	9.8
White.....	26.6	25.4	25.9	27.0	28.6	10.6	12.2	13.7	14.2	13.7
Colored.....	20.5	21.1	21.7	21.6	22.2	7.5	7.5	7.9	8.0	8.2
Cities of 10,000 or more.....	30.9	33.1	34.4	33.3	34.6	13.2	13.8	14.8	14.9	14.9
Remainder of State.....	19.2	19.6	20.1	20.4	21.0	6.8	6.7	7.0	7.3	7.5
Ohio.....	15.1	16.1	17.7	17.7	18.5	11.3	11.3	11.4	12.4	12.3
Cities of 10,000 or more.....	15.3	16.7	18.9	19.2	19.8	11.2	11.4	11.7	12.8	12.8
Remainder of State.....	14.7	15.2	16.1	15.7	16.9	11.4	11.1	11.0	11.8	11.7
Oklahoma.....	16.8	17.9	17.7	16.8	18.4	7.7	7.8	8.2	9.0	9.0
White.....	17.4	18.5	18.4	17.7	19.5	7.9	7.4	7.8	8.7	8.7
Colored.....	12.5	13.1	11.8	9.0	9.9	9.4	10.8	11.2	12.0	11.4
Cities of 10,000 or more.....	16.8	18.7	20.2	17.3	18.3	11.2	11.2	12.7	12.5	12.6
White.....	17.2	19.3	21.0	18.1	19.1	10.7	10.4	11.8	11.7	11.9
Colored.....	13.5	14.3	13.5	11.3	11.9	15.3	17.4	20.0	18.8	18.1
Remainder of State.....	16.8	17.6	16.9	16.6	18.5	6.9	6.7	6.8	8.1	8.1
White.....	17.4	18.2	17.7	17.6	19.6	6.8	6.4	6.6	7.9	7.9
Colored.....	12.2	12.8	11.3	8.3	9.4	7.6	8.8	8		

ANNUAL BIRTH RATES BY MONTHS

Table E, showing annual birth rates by months for the registration area, indicates that again the greatest natality occurred in the first and third quarters of the year, namely, January to March, and July to September, inclusive. The highest rate in any month of 1932 was 18.3 for February. The lowest rate in the same year was 16.2 for December.

A comparison of the rates for 1932 with those for 1931 shows a lower rate in 1932 for every month, the greatest decline (1 per 1,000 population) occurring in April.

MONTH	ANNUAL BIRTH RATE PER 1,000 ESTIMATED POPULATION IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES				
	1932	1931	1930	1929	1928
The year.....	17.4	18.0	18.9	18.9	19.8
January.....	17.7	18.5	19.2	18.6	19.9
February.....	18.3	18.5	19.7	19.2	20.3
March.....	18.0	18.7	19.5	19.6	20.5
April.....	16.9	17.9	19.1	18.9	20.1
May.....	17.2	17.9	18.8	18.6	20.0
June.....	17.5	18.3	19.1	18.9	19.7
July.....	17.5	18.4	19.6	19.8	19.9
August.....	18.1	18.6	19.5	19.6	20.4
September.....	18.1	18.7	19.4	18.8	20.1
October.....	17.2	17.4	18.2	17.6	19.1
November.....	16.4	16.7	17.6	18.3	18.6
December.....	16.2	16.7	17.4	18.8	18.4

BIRTHS AND DEATHS IN THE ORIGINAL REGISTRATION AREA

Table F shows birth, death, and infant mortality rates for cities of 10,000 inhabitants or more in the original birth registration area (exclusive of Rhode Island) and for the remainder of the area, comprising the smaller cities and rural districts. The table covers the period from 1915 to 1932, inclusive. During this period the birth rate decreased from 25.1 to 16.5 and the death rate from 14.1 to 11.2. The decrease in both rates is somewhat greater for cities of 10,000 or more than it is for the remainder of the area. The infantile death rate shows a striking decline from 99.6 to 55.1. The decline is considerably greater for cities (from 103.1 to 54.3) than it is for the remainder of the area (from 93.9 to 56.9).

YEAR	THE ORIGINAL BIRTH REGISTRATION AREA (EXCLUSIVE OF RHODE ISLAND)					
	Population estimated as of July 1	Births (exclusive of still-births)	Deaths (exclusive of still-births)	Rate per 1,000 population		Deaths under 1 year of age
				Births	Deaths	
1932						
Total.....	38,214,000	631,467	428,350	16.5	11.2	34,794
Cities of 10,000 or more.....	25,201,000	429,520	281,578	17.0	11.2	23,311
Remainder of area.....	13,013,000	201,947	146,772	15.5	11.3	11,483
1931						
Total.....	37,986,000	657,074	430,069	17.3	11.3	39,067
Cities of 10,000 or more.....	25,219,800	448,901	287,576	17.8	11.4	26,449
Remainder of area.....	12,766,200	208,173	142,493	16.3	11.2	12,618
1930						
Total.....	37,719,000	694,433	432,479	18.4	11.5	43,129
Cities of 10,000 or more.....	24,810,600	478,864	287,440	19.3	11.6	29,329
Remainder of area.....	12,908,400	215,569	145,039	16.7	11.2	13,800
1929						
Total.....	37,211,173	693,545	453,976	18.6	12.2	44,746
Cities of 10,000 or more.....	23,641,790	464,987	295,225	19.7	12.5	29,534
Remainder of area.....	13,569,383	228,558	158,751	16.8	11.7	15,212

YEAR	THE ORIGINAL BIRTH REGISTRATION AREA (EXCLUSIVE OF RHODE ISLAND)					
	Population estimated as of July 1	Births (exclusive of still-births)	Deaths (exclusive of still-births)	Rate per 1,000 population		Deaths under 1 year of age
				Births	Deaths	
1928						
Total.....	36,704,193	719,569	450,564	19.6	12.3	48,003
Cities of 10,000 or more.....	23,277,184	476,545	294,205	20.5	12.6	32,251
Remainder of area.....	13,427,009	243,024	156,359	18.1	11.6	15,752
1927						
Total.....	36,197,212	741,102	422,679	20.5	11.7	47,449
Cities of 10,000 or more.....	22,909,166	488,114	273,084	21.3	11.9	30,861
Remainder of area.....	13,288,046	252,988	149,595	19.0	11.3	16,588
1926						
Total.....	35,690,232	735,708	453,386	20.6	12.7	54,961
Cities of 10,000 or more.....	22,513,414	483,863	294,288	21.5	13.1	36,092
Remainder of area.....	13,176,818	251,845	159,098	19.1	12.1	18,869
1925						
Total.....	35,183,251	757,082	432,008	21.5	12.3	55,731
Cities of 10,000 or more.....	22,163,368	492,961	279,298	22.2	12.6	36,128
Remainder of area.....	13,019,883	264,121	152,710	20.3	11.7	19,603
1924						
Total.....	34,676,271	778,525	420,300	22.5	12.1	55,781
Cities of 10,000 or more.....	21,821,222	505,605	272,001	23.2	12.5	36,432
Remainder of area.....	12,855,049	272,920	148,299	21.2	11.5	19,349
1923						
Total.....	34,169,292	760,130	437,157	22.2	12.8	60,290
Cities of 10,000 or more.....	21,497,511	493,120	278,728	22.9	13.0	38,523
Remainder of area.....	12,671,781	267,010	158,429	21.1	12.5	21,767
1922						
Total.....	33,662,313	755,808	414,938	22.5	12.3	59,896
Cities of 10,000 or more.....	21,155,337	483,657	265,376	22.9	12.5	39,283
Remainder of area.....	12,506,976	272,151	149,562	21.8	12.0	20,613
1921						
Total.....	33,155,334	794,229	399,176	24.0	12.0	62,480
Cities of 10,000 or more.....	20,830,195	509,349	251,818	24.5	12.1	39,851
Remainder of area.....	12,325,139	284,880	147,358	23.1	12.0	22,629
1920						
Total.....	32,648,354	773,648	445,780	23.7	13.7	69,566
Cities of 10,000 or more.....	20,507,897	505,524	286,531	24.6	14.0	46,512
Remainder of area.....	12,140,457	270,124	159,249	22.2	13.1	23,054
1919						
Total.....	32,168,814	730,752	428,782	22.7	13.3	64,846
Cities of 10,000 or more.....	19,495,730	463,595	267,337	23.8	13.7	41,546
Remainder of area.....	12,673,084	267,157	161,445	21.1	12.7	23,300
1918						
Total.....	31,716,715	783,997	607,605	24.7	19.2	82,971
Cities of 10,000 or more.....	19,125,220	493,949	382,084	25.8	20.0	53,248
Remainder of area.....	12,591,495	290,048	225,521	23.0	17.9	29,723
1917						
Total.....	31,264,615	786,890	461,847	25.2	14.8	75,604
Cities of 10,000 or more.....	18,771,641	496,138	289,156	26.4	15.4	48,867
Remainder of area.....	12,492,974	290,752	172,691	23.3	13.8	26,737
1916						
Total.....	30,812,521	770,718	454,669	25.0	14.8	77,037
Cities of 10,000 or more.....	18,393,761	479,048	281,478	26.0	15.3	49,330
Remainder of area.....	12,418,760	291,670	173,191	23.5	13.9	27,707
1915						
Total.....	30,360,423	762,399	427,671	25.1	14.1	75,899
Cities of 10,000 or more.....	18,032,062	469,485	262,778	26.0	14.6	48,391
Remainder of area.....	12,328,361	292,914	164,893	23.8	13.4	27,508

Some idea of the part played by the various nationalities in producing the coming generation in the registration area may be gained from table H, which shows the percent of births of white children with father, mother, or both parents born in specified country.

Of the white children born in the year 1932, 85 percent had native fathers, i.e., fathers born in the United States, and 88 percent had native mothers. The increase shown by the table in the percentage of white children born of native parents is a natural result of the check to immigration in recent years. Italy contributed a larger number of children to the population of the United States in 1932 than any other foreign country.

COUNTRY OF BIRTH OF PARENT	1932			1931			1930		
	Father	Mother	Both parents	Father	Mother	Both parents	Father	Mother	Both parents
All countries.....	100.0	100.0	89.0	100.0	100.0	89.0	100.0	100.0	88.7
United States.....	85.0	89.3	82.1	83.7	88.0	80.8	82.1	86.3	79.1
Austria, Hungary.....	0.9	0.8	0.5	1.1	0.9	0.6	1.2	1.1	0.7
Canada.....	1.2	1.3	0.4	1.2	1.3	0.5	1.3	1.3	0.5
Denmark, Norway, Sweden.....	0.7	0.4	0.2	0.7	0.4	0.3	0.8	0.5	0.3
England, Scotland, Wales.....	0.8	0.7	0.3	0.9	0.8	0.3	0.9	0.8	0.3
Ireland.....	0.8	0.9	0.5	0.8	0.9	0.6	0.8	0.9	0.6
Germany.....	0.9	0.7	0.4	0.9	0.7	0.4	1.0	0.8	0.5
Italy.....	3.4	2.0	2.0	3.8	2.6	2.3	4.1	2.9	2.6
Poland.....	1.1	0.9	0.6	1.3	1.1	0.8	1.4	1.2	0.9
Russia.....	1.3	0.6	0.6	1.4	1.1	0.7	1.5	1.2	0.8
Other foreign countries.....	2.5	1.3	1.3	2.8	2.1	1.6	3.7	2.9	2.3
Country not stated.....	1.5	0.1	0.1	1.3	0.1	0.1	1.1	0.1	0.1

¹ This number excludes the percent of "mixed parentage."

NUMBER OF CHILDREN IN THE FAMILY

Data relating to size of families and to the percent of children living are presented in tables I and J.

Country of birth of mother.—Table I shows by color, and for white children by country of birth of mother, the percent of children living out of the total number ever born to women who bore children in the years 1928 to 1932. In 1932, as in previous years, the percentage of children living was highest (93.9) for the mothers who were born in Denmark, Norway, and Sweden, while the lowest percentage for white mothers was 88.1 for mothers born in Poland. The percent of children living for Negro mothers was 89.1, while that for other colored mothers was 84.7.

Table II (p. 97) shows the average number of children living at the time of birth of the last child and the percent of mothers having specified number of these children living.

COLOR AND COUNTRY OF BIRTH OF MOTHER	1932	1931	1930	1929	1928
	Total.....	91.5	91.1	91.0	90.7
White.....	92.0	91.8	91.5	91.1	91.0
United States.....	92.3	92.1	92.0	91.8	91.7
Foreign countries.....	90.0	89.4	88.5	87.9	87.8
Austria, Hungary.....	88.8	88.0	87.7	87.3	87.0
Canada.....	92.3	91.9	91.5	91.2	90.9
Denmark, Norway, Sweden.....	93.9	93.6	93.4	93.1	92.9
England, Scotland, Wales.....	92.4	92.7	91.6	91.5	91.5
Ireland.....	92.8	92.6	92.0	91.4	91.4
Germany.....	93.3	92.9	92.4	92.0	91.6
Italy.....	88.6	88.1	87.7	87.0	86.9
Poland.....	88.1	87.4	87.1	86.6	86.4
Russia.....	91.7	91.8	91.6	91.3	90.8
Other foreign countries.....	89.0	88.4	86.3	85.4	87.1
Country not stated.....	93.0	91.8	92.1	92.2	90.6
Colored.....	88.6	87.7	87.9	87.8	87.5
Negro.....	89.1	88.3	88.2	87.9	87.5
Other colored.....	84.7	83.6	85.2	87.5	87.5

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

Considering only those mothers whose birthplaces were definitely stated and considering only mothers who had borne but two children, the greatest percent of those with both children living was for mothers born in Russia. Considering mothers who had borne from 2 to 12 children, the greatest percent of those with all children living was for mothers born in Denmark, Norway, and Sweden.

Age of mother.—Table J shows the average number of children born per mother, classified by age and color of mother and also by country of birth of mother. Only those women who bore children in 1932 are considered. The average number of children born to Polish mothers was 4.6; to Italian mothers and mothers born in Austria and Hungary, 4.4. The lowest average (2.6) was for mothers born in Germany. The average number of children borne by Negro women who bore children in 1932 was 3.6; for "other colored" it was 4.3.

COUNTRY OF BIRTH OF MOTHER	All ages	Under 20	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 and over	Unknown
		Total.....	3.1	1.3	1.9	2.9	4.2	5.8	7.4	8.9
White.....	3.0	1.2	1.9	2.8	4.0	5.5	7.2	8.8	7.1	2.8
United States.....	3.0	1.2	1.9	2.8	4.0	5.5	7.2	8.7	6.8	3.0
Foreign countries.....	3.6	1.2	1.7	2.5	3.7	5.0	7.5	9.0	8.5	4.4
Austria, Hungary.....	4.4	1.2	1.8	2.6	3.9	5.2	8.4	9.8	8.0	5.0
Canada.....	2.8	1.2	1.8	2.5	3.5	4.4	6.8	7.5	5.0	2.3
Denmark, Norway, Sweden.....	3.1	1.1	1.5	2.1	2.9	4.4	5.9	7.2	7.2	2.9
England, Scotland, Wales.....	2.7	1.2	1.6	2.1	2.9	4.0	5.0	7.7	7.7	3.8
Ireland.....	3.8	1.1	1.5	2.1	3.0	4.5	6.0	6.5	6.5	2.9
Germany.....	2.6	1.1	1.5	1.9	2.7	4.2	6.3	8.5	3.0	4.2
Italy.....	4.4	1.3	2.0	3.2	4.5	6.2	8.1	9.9	10.6	4.7
Poland.....	4.6	1.2	1.6	2.5	4.1	6.5	8.3	9.4	9.0	6.6
Russia.....	3.0	1.1	1.4	2.1	3.1	4.9	7.6	9.7	11.0	3.8
Other foreign countries.....	3.7	1.3	1.9	2.7	3.9	5.7	7.4	9.1	8.6	4.5
Country not stated.....	2.7	1.2	1.9	3.3	4.6	6.2	7.9	7.3	7.3	1.8
Colored.....	3.7	1.3	2.4	4.1	5.9	7.6	9.2	9.9	8.4	2.2
Negro.....	3.6	1.3	2.5	4.1	5.9	7.6	9.3	10.1	9.3	2.1
Other colored.....	4.3	1.4	2.4	4.2	5.9	7.5	8.7	9.3	6.8	3.0

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

NOTE.—Averages in *italics* are based on less than 5 mothers. The averages are exclusive of the number "not stated" for children ever born to women who bore children in 1932.

COUNTRY OF BIRTH OF PARENTS

Table K, in which the distribution per thousand by country of birth of father is shown for children classified by country of birth of mother, gives some idea of the extent to which the natives of the United States and various foreign countries have intermarried. Thus, of the children born in 1932 of mothers who were born in Ireland, 261 per thousand, or 26.1 percent, have fathers who were born in the United States, while 64.9 percent have fathers born in Ireland, and the remainder (9 percent) have fathers born in other foreign countries or in "country not stated." Of the children whose mothers were born in Canada, 58.3 percent have fathers who were born in the United States, while for those children whose mothers were born in Italy the corresponding percentage is only 10.5.

Table K

COUNTRY OF BIRTH OF MOTHERS OF WHITE CHILDREN BORN IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

COUNTRY OF BIRTH OF FATHERS OF WHITE CHILDREN	Foreign country											Country not stated	
	United States	Total foreign	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia		Other foreign countries
Total.....	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
United States.....	919.6	269.5	225.0	582.7	368.8	487.5	261.0	299.9	104.6	173.0	247.4	215.9	347.5
Foreign countries.....	64.8	724.0	772.0	401.2	624.7	503.2	726.6	694.0	893.2	321.6	750.2	778.4	33.9
Austria, Hungary.....	4.0	52.0	602.4	2.5	1.8	3.8	1.4	21.1	1.1	16.9	31.2	9.1	2.6
Canada.....	7.9	45.2	2.1	329.8	5.6	36.8	12.9	3.8	0.5	2.1	3.8	4.4	6.9
Denmark, Norway, Sweden.....	4.6	24.0	2.7	4.7	571.5	9.1	4.5	11.3	0.1	1.1	1.2	6.2	2.6
England, Scotland, Wales.....	5.0	33.8	4.4	24.1	10.0	347.2	35.7	5.3	0.8	3.4	13.8	5.2	2.1
Ireland.....	2.0	54.8	1.0	5.5	1.5	42.2	648.9	2.3	0.4	0.9	0.4	1.2	0.9
Germany.....	4.6	44.4	29.2	4.3	10.9	3.0	5.6	585.9	0.9	5.7	6.2	10.0	3.0
Italy.....	15.0	194.5	11.3	6.7	3.8	9.0	4.6	11.5	378.5	4.6	3.3	18.7	5.2
Poland.....	4.3	67.1	20.7	2.7	0.4	4.8	1.0	7.3	0.2	690.2	42.4	8.1	1.3
Russia.....	5.7	71.2	63.4	6.6	1.9	21.5	0.6	8.6	0.2	71.4	614.0	16.3	3.4
Other foreign countries.....	11.8	137.0	34.8	14.3	17.4	20.6	11.5	36.9	10.7	25.3	33.9	699.2	6.0
Country not stated.....	15.6	6.5	3.0	16.1	6.5	9.3	12.3	6.1	2.2	5.4	2.4	5.7	618.6

DIAGRAM 1.—BIRTHS, BY COLOR, AND FOR WHITE CHILDREN BY PARENT NATIVITY, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932




DIAGRAM 2.—BIRTHS OF WHITE CHILDREN OF KNOWN PARENTAGE, HAVING AT LEAST ONE PARENT FOREIGN BORN, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932





DIAGRAM 3.—PERCENT OF BIRTHS OF WHITE CHILDREN OF MOTHERS BORN IN SPECIFIED COUNTRIES, HAVING FATHERS BORN IN OTHER COUNTRIES: 1917 TO 1932



PLURAL BIRTHS

In the birth registration area in continental United States, in 1932, there were 46,908 living plural births in 24,262 cases where at least one was a live birth. There were 22,236 cases of twins where both were living at birth and 1,784 cases of twins where only one was born alive.

In 180 cases of triplets all were born alive; in 33 cases only 2 were living; and in 23 cases only 1 was a live birth.

There were 5 cases of quadruplets where all 4 were born alive, and 1 case in which there were but 3 living at birth. Tables 8 and 9 of this report relate to plural births.

Table L shows cases of single and plural births and also cases of plural births per 1,000 total cases, at specified age of parents.

The relative frequency of plural births increases with aging of the mother up to the age period, 35 to 39.

Table L

AGE OF MOTHER	AGE OF FATHER										
	All ages	Under 20 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Un-known
TOTAL CASES OF BIRTHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932											
All ages.....	2,051,396	29,851	370,215	531,255	427,920	314,363	179,812	81,042	29,847	15,585	71,506
Under 20 years.....	248,786	24,805	135,101	47,828	11,890	4,040	1,409	655	273	243	23,042
20 to 24 years.....	608,170	4,662	209,926	255,283	84,290	25,737	8,508	3,104	1,325	886	14,451
25 to 29 years.....	521,998	260	22,375	202,555	184,886	73,205	21,597	7,628	2,712	1,750	5,030
30 to 34 years.....	346,736	56	2,007	22,248	129,907	120,698	46,499	14,367	5,512	2,936	2,506
35 to 39 years.....	217,396	14	342	2,520	15,750	83,262	71,289	28,917	9,022	4,669	1,611
40 to 44 years.....	74,587	5	64	267	1,144	6,832	29,509	23,261	8,980	4,056	489
45 years and over.....	7,182	-----	14	33	86	215	781	2,981	1,972	1,009	91
Unknown.....	26,541	49	386	521	467	374	222	129	51	86	24,306
CASES OF SINGLE BIRTHS											
All ages.....	2,027,134	29,671	367,406	525,969	422,526	309,568	176,741	79,710	29,341	15,283	70,919
Under 20 years.....	247,186	24,658	134,255	47,493	11,305	4,007	1,397	651	273	240	22,807
20 to 24 years.....	602,736	4,632	208,285	252,934	89,473	25,481	9,415	3,077	1,309	873	14,307
25 to 29 years.....	518,738	258	22,195	200,289	182,643	72,225	21,813	7,532	2,675	1,720	4,948
30 to 34 years.....	341,241	55	1,984	21,946	127,948	118,817	45,866	14,094	5,417	2,872	2,442
35 to 39 years.....	213,265	14	337	2,490	15,472	81,745	69,877	28,367	8,828	4,564	1,571
40 to 44 years.....	73,444	5	64	266	1,133	6,710	29,081	22,903	8,834	3,985	463
45 years and over.....	7,115	-----	14	33	86	211	774	2,959	1,955	983	90
Unknown.....	26,409	49	382	518	466	372	218	127	50	86	24,191
CASES ¹ OF TWIN BIRTHS											
All ages.....	24,020	180	2,794	5,245	5,342	4,729	3,031	1,316	499	300	584
Under 20 years.....	1,593	147	840	334	85	33	12	4	-----	3	135
20 to 24 years.....	5,396	30	1,684	2,327	811	254	91	26	16	13	144
25 to 29 years.....	6,203	2	238	2,248	2,224	965	282	96	37	80	81
30 to 34 years.....	5,423	1	23	302	1,936	1,848	823	272	92	63	63
35 to 39 years.....	4,073	-----	5	30	275	1,502	1,387	541	190	104	39
40 to 44 years.....	1,133	-----	-----	1	10	121	425	353	146	71	6
45 years and over.....	67	-----	-----	-----	-----	4	7	22	17	16	1
Unknown.....	132	-----	4	3	1	2	4	2	1	-----	115
CASES ¹ OF TRIPLE BIRTHS											
All ages.....	236	-----	15	41	48	65	39	16	7	2	3
Under 20 years.....	7	-----	6	1	-----	-----	-----	-----	-----	-----	-----
20 to 24 years.....	38	-----	7	22	6	2	-----	1	-----	-----	-----
25 to 29 years.....	55	-----	2	18	17	15	2	-----	-----	-----	1
30 to 34 years.....	70	-----	-----	-----	21	33	10	1	3	1	1
35 to 39 years.....	56	-----	-----	-----	3	14	24	9	4	1	1
40 to 44 years.....	10	-----	-----	-----	1	1	3	5	-----	-----	-----
CASES ¹ OF QUADRUPLE BIRTHS											
All ages.....	6	-----	-----	-----	4	1	1	-----	-----	-----	-----
25 to 29 years.....	2	-----	-----	-----	2	-----	-----	-----	-----	-----	-----
30 to 34 years.....	2	-----	-----	-----	2	-----	-----	-----	-----	-----	-----
35 to 39 years.....	2	-----	-----	-----	-----	1	1	-----	-----	-----	-----
CASES ¹ OF PLURAL BIRTHS PER 1,000 TOTAL CASES AT SPECIFIED AGE OF PARENTS											
All ages.....	11.8	6.0	7.6	10.0	12.6	15.3	17.1	16.4	17.0	19.4	8.2
Under 20 years.....	6.4	5.9	6.3	7.0	7.5	8.2	8.5	6.1	-----	12.3	5.9
20 to 24 years.....	8.9	6.4	8.1	9.2	9.7	9.9	10.7	8.7	12.1	14.7	10.0
25 to 29 years.....	12.0	7.7	10.7	11.2	12.1	13.4	13.1	12.6	13.6	17.1	16.3
30 to 34 years.....	15.8	17.9	11.5	13.6	15.1	15.6	17.9	19.0	17.2	21.8	25.5
35 to 39 years.....	19.0	-----	14.6	11.9	17.7	18.2	19.8	19.0	21.5	22.5	24.8
40 to 44 years.....	15.3	-----	-----	3.7	9.6	17.9	14.5	15.4	16.3	17.5	12.8
45 years and over.....	9.3	-----	-----	-----	-----	18.6	9.0	7.4	8.6	15.9	11.0
Unknown.....	5.0	-----	10.4	5.8	2.1	5.3	18.0	15.5	19.6	-----	4.7

¹ Only those cases where at least 1 was a live birth.

AREA	1932		
	Number of women who bore children in 1932	Cases of plural births having at least 1 mate born alive	Per 1,000 mothers
The registration area in continental United States.....	2,051,396	24,262	11.8
Alabama.....	62,169	845	13.6
Arizona.....	8,433	97	11.5
Arkansas.....	36,890	612	16.6
California.....	77,274	883	11.4
Colorado.....	17,435	189	10.8
Connecticut.....	23,514	225	9.6
Delaware.....	4,258	38	8.9
District of Columbia.....	10,056	112	11.1
Florida.....	27,094	338	12.5
Georgia.....	62,991	774	12.3
Idaho.....	8,634	104	12.0
Illinois.....	110,368	1,216	11.0
Indiana.....	52,501	616	11.7
Iowa.....	40,059	417	10.4
Kansas.....	31,374	346	11.0
Kentucky.....	58,751	797	13.6
Louisiana.....	42,781	556	13.0
Maine.....	15,960	185	11.6
Maryland.....	28,529	323	11.3
Massachusetts.....	67,846	730	10.8
Michigan.....	84,866	865	10.2
Minnesota.....	45,832	582	12.7
Mississippi.....	45,688	648	14.2
Missouri.....	59,325	680	11.5
Montana.....	9,002	98	10.9
Nebraska.....	24,885	290	11.7
Nevada.....	1,253	9	7.2
New Hampshire.....	7,734	71	9.2
New Jersey.....	60,617	655	10.8
New Mexico.....	12,234	181	14.8
New York.....	196,455	2,018	10.3
North Carolina.....	76,884	1,122	14.6
North Dakota.....	13,861	191	13.8
Ohio.....	100,705	1,132	11.2
Oklahoma.....	40,531	540	13.3
Oregon.....	12,740	118	9.3
Pennsylvania.....	106,856	1,809	10.8
Rhode Island.....	11,048	125	11.3
South Carolina.....	40,966	586	14.3
South Dakota.....	13,101	157	12.0
Tennessee.....	51,887	689	13.3
Utah.....	11,838	147	12.4
Vermont.....	5,984	71	11.9
Virginia.....	53,956	692	12.8
Washington.....	21,178	210	9.9
West Virginia.....	33,312	530	13.8
Wisconsin.....	52,556	593	11.3
Wyoming.....	4,204	50	11.9

Table M shows for the registration area and each registration State the number of cases of plural births

per 1,000 women who bore children in 1932. In Arkansas, the rate was highest, there having been 16.6 cases of plural births in that State per 1,000 mothers or confinements. Other high rates were 14.8 for New Mexico, 14.6 for North Carolina, 14.3 for South Carolina, and 14.2 for Mississippi. The lowest rate (7.2) was for Nevada.

AGE OF MOTHER AND FATHER

The ages of both parents were reported on the transcripts of birth certificates of 1,999,774 of the children born in the registration area in 1932. The fathers of 61 percent of these children were in a higher-age group than were the mothers, whereas only 4 percent were in a lower-age group and 35 percent were of the same group.

In 1932, as in previous years the number of children in the group whose fathers were 25 to 29 years of age and mothers 20 to 24 was larger than in any other group shown in the table.

Verification of the age of the mother was sought when the age was given as 55 or more. As a result no mother was credited to this age period.

Table N shows the distribution of births, per 1,000, by age of parents.

AGE OF PARENT	DISTRIBUTION OF BIRTHS, PER 1,000, BY AGE OF PARENT, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932	
	Father	Mother
Total.....	1000.0	1000.0
10 to 14 years.....	(1)	1.2
15 to 19 years.....	14.5	119.5
20 to 24 years.....	179.7	295.7
25 to 29 years.....	253.5	254.5
30 to 34 years.....	208.8	169.7
35 to 39 years.....	153.7	106.7
40 to 44 years.....	83.1	36.5
45 to 49 years.....	39.7	3.4
50 to 54 years.....	14.6	0.1
55 years and over.....	7.6	
Unknown.....	34.7	12.8

¹ Less than one-tenth of 1 per 1,000 births.

In table O the distribution per 1,000, by age of father, is shown for children born in 1932 classified by age of mother.

AGE OF FATHERS	AGE OF MOTHERS OF CHILDREN BORN IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932									
	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Unknown
All ages.....	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
10 to 14 years.....	1.2									1.8
15 to 19 years.....	219.5	98.5	7.6	0.5	0.2	0.1	0.1			14.6
20 to 24 years.....	261.3	545.7	344.9	42.8	5.8	1.6	0.8	1.7		19.6
25 to 29 years.....	65.4	193.6	419.9	387.3	64.0	11.5	3.5	8.9		17.6
30 to 34 years.....	29.0	46.0	138.7	354.2	374.4	72.4	15.3	10.1		14.1
35 to 39 years.....	14.1	16.3	42.4	140.4	348.0	382.7	91.9	28.6		
40 to 44 years.....	6.2	5.7	14.0	41.4	134.4	328.2	395.3	103.0		8.5
45 to 49 years.....	5.3	2.6	5.1	14.6	41.6	133.0	311.9	420.1		4.9
50 to 54 years.....	2.9	1.1	2.2	5.2	15.9	41.6	120.5	275.5		2.0
55 years and over.....	6.6	0.9	1.5	3.4	8.5	21.5	54.4	139.7		1.4
Unknown.....	383.0	89.7	23.8	9.7	7.3	7.5	6.3	12.4		915.6

ILLEGITIMATE BIRTHS

Statistics relating to illegitimate births may be found in tables P, Q, and R. The ratio of illegitimate births to 1,000 total births, as shown in table P, varied in 1932 from 8.7 in Nevada to 113.6 in South Carolina. The exceptionally high rates—113.6 in South Carolina, 88.9 in Alabama, 85.2 in Louisiana, 82.9 in Mississippi, 80.7 in North Carolina, and 79.7 in Georgia—were due to the large number of illegitimate births among the colored population.

A comparison of the figures for 1932 with those for 1931 shows that rates for illegitimacy were higher in 1932 in all but 10 States. The largest increases were 10.9 in the rate for Louisiana, 10.4 for South Carolina, 9 for Georgia, 7.8 for Alabama, and 7.3 for North Carolina.

The States attaining lower rates of illegitimacy in 1932 are Connecticut, Idaho, Iowa, Kansas, Nevada, New Hampshire, New Mexico, Oregon, Utah, and Vermont. The largest decrease (7.1 per 1,000 total births) was in the rate for Vermont.

Table P

AREA, SEX, AND COLOR	ILLEGITIMATE BIRTHS					
	Number			Per 1,000 total births		
	1932	1931	1930	1932	1931	1930
The registration area in continental United States: ¹						
Total.....	74,505	69,403	66,991	38.7	35.4	32.7
Male.....	38,210	35,251	34,031	38.6	35.0	32.4
Female.....	36,295	34,152	32,960	38.7	35.8	33.1
White—						
Total.....	34,694	32,985	32,344	20.7	19.2	18.0
Male.....	17,925	16,983	16,630	20.8	19.3	18.0
Female.....	16,769	16,002	15,714	20.6	19.2	18.0
Colored—						
Total.....	39,811	36,418	34,647	157.5	147.5	138.2
Male.....	20,285	18,268	17,401	157.4	145.7	136.6
Female.....	19,526	18,150	17,246	157.6	149.3	139.9
Alabama:						
Total.....	5,598	5,088	4,738	88.9	81.1	74.3
Male.....	2,890	2,602	2,396	89.9	81.6	74.1
Female.....	2,708	2,486	2,342	88.0	80.6	74.5
White—						
Total.....	701	655	577	17.8	16.4	14.1
Male.....	367	329	302	18.2	16.2	14.6
Female.....	334	326	275	17.4	16.7	13.7
Colored—						
Total.....	4,897	4,433	4,161	207.9	193.5	181.1
Male.....	2,523	2,273	2,094	211.1	195.8	180.6
Female.....	2,374	2,160	2,067	204.6	191.0	181.6
Arizona:						
Total.....	174	161	208	20.4	17.2	20.0
Male.....	76	73	105	17.2	14.9	19.7
Female.....	98	88	103	23.8	19.7	20.5
Arkansas:						
Total.....	1,557	1,707	1,404	41.6	41.6	34.2
Male.....	808	854	677	42.1	40.7	32.2
Female.....	749	853	727	41.1	42.5	36.2
White—						
Total.....	385	447	380	13.4	14.2	11.9
Male.....	204	228	172	13.9	14.1	10.5
Female.....	181	219	208	12.9	14.2	13.4
Colored—						
Total.....	1,172	1,260	1,024	133.8	133.1	112.6
Male.....	604	626	505	132.8	128.4	109.7
Female.....	568	634	519	134.8	138.0	115.6
Colorado:						
Total.....	451	419	442	25.6	22.6	23.5
Male.....	236	218	228	26.1	22.8	23.8
Female.....	215	201	214	25.1	22.5	23.2
Connecticut:						
Total.....	422	503	477	17.8	19.7	17.2
Male.....	221	267	239	18.3	20.1	16.7
Female.....	201	236	238	17.3	19.2	17.8
Delaware:						
Total.....	225	218	245	52.4	51.5	54.8
Male.....	99	101	124	45.0	45.9	54.2
Female.....	126	117	121	60.2	57.4	55.3
District of Columbia:						
Total.....	781	693	689	78.9	74.1	73.5
Male.....	398	358	358	75.9	74.9	73.4
Female.....	383	335	331	78.0	73.2	78.6
White—						
Total.....	174	160	127	25.6	25.1	20.1
Male.....	87	82	72	24.9	25.2	22.0
Female.....	87	78	55	26.3	25.0	18.0

¹ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

Table P—Continued

AREA, SEX, AND COLOR	ILLEGITIMATE BIRTHS					
	Number			Per 1,000 total births		
	1932	1931	1930	1932	1931	1930
District of Columbia—Cont.						
Colored—						
Total.....	607	533	562	181.3	178.6	184.0
Male.....	311	276	286	177.8	181.1	178.2
Female.....	296	257	276	185.1	175.9	190.5
Florida:						
Total.....	1,671	1,565	1,482	61.0	57.9	54.9
Male.....	824	785	746	58.2	56.6	53.3
Female.....	847	780	736	64.0	59.2	56.7
White—						
Total.....	334	274	277	17.7	14.7	14.9
Male.....	168	141	142	17.1	14.6	14.6
Female.....	166	133	135	18.3	14.7	15.2
Colored—						
Total.....	1,337	1,291	1,205	156.8	154.2	143.6
Male.....	656	644	604	150.8	151.9	140.7
Female.....	681	647	601	163.0	156.7	146.7
Georgia:						
Total.....	5,081	4,368	4,050	79.7	70.7	66.7
Male.....	2,573	2,171	2,029	78.6	68.3	65.4
Female.....	2,508	2,197	2,021	80.9	73.2	68.1
White—						
Total.....	599	542	498	15.7	14.4	13.4
Male.....	290	279	252	14.7	14.4	13.1
Female.....	309	263	246	16.7	14.5	13.6
Colored—						
Total.....	4,482	3,826	3,552	175.9	157.7	151.8
Male.....	2,283	1,892	1,777	176.2	152.5	150.3
Female.....	2,199	1,934	1,775	175.7	163.1	153.3
Idaho:						
Total.....	91	121	117	10.4	13.3	12.7
Male.....	47	68	65	10.4	14.9	13.8
Female.....	44	53	52	10.4	11.7	11.7
Illinois:						
Total.....	2,668	2,609	2,474	23.9	22.0	19.3
Male.....	1,364	1,343	1,225	23.9	21.9	18.6
Female.....	1,304	1,266	1,249	24.0	22.0	20.1
Indiana:						
Total.....	1,097	978	972	20.7	17.5	16.4
Male.....	574	513	509	21.1	17.9	16.7
Female.....	523	465	463	20.2	17.1	16.1
Iowa:						
Total.....	729	761	744	18.0	18.1	17.4
Male.....	387	397	401	18.7	18.4	18.2
Female.....	342	364	343	17.3	17.9	16.6
Kansas:						
Total.....	534	561	525	16.8	17.1	15.6
Male.....	296	289	240	18.0	17.4	13.7
Female.....	238	272	285	15.6	16.8	17.6
Kentucky:						
Total.....	1,104	952	1,063	18.6	16.7	17.9
Male.....	598	501	534	19.5	17.0	17.4
Female.....	506	451	529	17.6	16.3	18.5
White—						
Total.....	769	654	727	18.7	12.1	13.0
Male.....	416	347	370	14.3	12.5	12.8
Female.....	353	307	357	13.0	11.8	13.3
Colored—						
Total.....	335	298	336	101.2	91.5	99.4
Male.....	182	154	164	106.2	95.4	97.0
Female.....	153	144	172	95.8	87.7	101.8
Louisiana:						
Total.....	3,689	3,222	2,967	85.2	74.3	69.2
Male.....	1,870	1,676	1,521	84.2	75.9	69.9
Female.....	1,819	1,546	1,446	86.2	72.6	68.4
White—						
Total.....	536	440	431	20.9	16.7	16.5
Male.....	289	209	228	21.9	15.5	17.2
Female.....	247	231	203	19.9	18.0	15.8
Colored—						
Total.....	3,153	2,782	2,536	178.2	163.1	151.6
Male.....	1,581	1,467	1,293	175.2	170.9	152.9
Female.....	1,572	1,315	1,243	181.2	155.2	150.2
Maine:						
Total.....	511	444	457	31.7	27.2	28.2
Male.....	255	223	227	30.8	26.6	27.3
Female.....	256	221	230	32.6	27.9	29.2
Maryland:						
Total.....	1,992	1,915	1,828	69.1	66.5	60.4
Male.....	1,041	983	884	71.1	66.7	57.5
Female.....	951	932	944	67.1	66.3	63.4
White—						
Total.....	521	506	470	23.2	22.4	19.7
Male.....	276	245	231	24.0	21.3	18.9
Female.....	245	258	239	22.3	23.6	20.6
Colored—						
Total.....	1,471	1,409	1,358	231.9	226.1	211.6
Male.....	765	735	653	242.2	236.1	207.0
Female.....	706	674	705	221.7	216.2	216.1
Michigan:						
Total.....	2,102	2,062	2,161	24.5	22.7	21.8
Male.....	1,053	1,056	1,117	23.8	22.7	21.9
Female.....	1,049	1,006	1,044	25.2	22.7	21.6
Minnesota:						
Total.....	1,199	1,093	993	25.9	23.3	20.9
Male.....	582	580	523	24.5	24.2	21.3
Female.....	617	513	470	27.3	22.4	20.5
Mississippi:						
Total.....	3,834	3,568	3,365	82.9	78.9	69.9
Male.....	1,963	1,777	1,677	82.9	76.7	68.0
Female.....	1,881	1,791	1,688	82.9	81.3	71.9

Table P—Continued	ILLEGITIMATE BIRTHS					
	Number			Per 1,000 total births		
	1932	1931	1930	1932	1931	1930
Mississippi—Continued						
White—						
Total	286	287	283	13.1	13.2	12.2
Male	135	147	137	12.2	13.2	11.5
Female	151	140	146	14.0	13.3	12.8
Colored—						
Total	3,548	3,281	3,082	144.9	139.5	123.9
Male	1,818	1,630	1,540	145.0	135.5	120.5
Female	1,730	1,651	1,542	144.8	143.8	127.4
Missouri:						
Total	1,922	1,921	1,817	32.1	31.6	29.2
Male	998	983	971	32.4	31.4	30.3
Female	924	938	846	31.7	31.9	28.0
Montana:						
Total	199	197	187	21.9	20.4	18.8
Male	105	101	104	22.6	20.1	20.4
Female	94	96	83	21.1	20.8	17.1
Nebraska:						
Total	483	471	486	19.2	17.7	18.0
Male	261	244	237	20.1	17.6	17.1
Female	222	227	249	18.3	17.8	19.0
Nevada:						
Total	11	14	19	8.7	11.4	14.3
Male	3	8	9	4.9	13.2	13.3
Female	8	6	10	12.5	9.7	15.2
New Hampshire:						
Total	149	152	143	19.1	19.6	17.1
Male	73	80	70	18.2	20.0	16.1
Female	76	72	73	20.0	19.2	18.3
New Jersey:						
Total	1,276	1,222	1,203	20.8	19.1	17.6
Male	676	664	612	21.7	20.3	17.5
Female	600	558	591	20.0	17.8	17.7
New Mexico:						
Total	418	427	414	33.7	34.7	34.2
Male	217	208	215	34.3	32.9	34.8
Female	201	219	199	33.2	36.4	33.5
New York:						
Total	3,694	3,451	3,424	18.6	16.8	15.8
Male	1,948	1,732	1,769	19.1	16.4	15.9
Female	1,746	1,719	1,655	18.1	17.1	15.8
North Carolina:						
Total	6,288	5,491	5,409	80.7	73.4	70.5
Male	3,182	2,760	2,805	80.0	71.7	71.0
Female	3,106	2,731	2,604	81.5	75.2	69.8
White—						
Total	1,475	1,316	1,322	27.5	25.4	24.7
Male	771	672	684	28.0	25.1	24.8
Female	704	644	638	26.9	25.7	24.7
Colored—						
Total	4,813	4,175	4,087	198.9	182.3	175.3
Male	2,411	2,088	2,121	197.3	178.5	178.6
Female	2,402	2,087	1,966	200.4	186.3	172.0
North Dakota:						
Total	320	273	294	22.8	19.0	19.9
Male	165	145	155	22.5	19.8	20.2
Female	155	128	139	23.1	18.1	19.5
Ohio:						
Total	2,534	2,590	2,525	24.9	23.9	21.4
Male	1,310	1,339	1,313	25.1	24.0	21.6
Female	1,224	1,251	1,212	24.7	23.9	21.1
Oklahoma:						
Total	882	849	689	21.5	19.6	16.2
Male	446	421	345	21.0	18.8	15.7
Female	436	428	344	22.0	20.4	16.7
Oregon:						
Total	234	255	199	18.2	19.3	14.8
Male	117	140	95	17.9	20.7	13.8
Female	117	115	104	18.5	17.8	15.8
Pennsylvania:						
Total	5,637	5,513	5,513	33.4	30.8	29.1
Male	2,934	2,837	2,834	33.9	30.9	29.1
Female	2,703	2,676	2,679	32.9	30.8	29.1
Rhode Island:						
Total	270	244	245	24.2	21.5	20.1
Male	134	121	127	23.2	20.7	20.3
Female	136	123	118	25.2	22.5	19.9
South Carolina:						
Total	4,715	4,079	4,041	113.6	103.2	99.9
Male	2,368	1,946	1,991	110.8	96.5	95.9
Female	2,347	2,133	2,050	116.5	110.2	104.1
White—						
Total	500	380	403	24.9	19.7	20.1
Male	248	196	201	24.0	19.6	19.3
Female	252	184	202	25.9	19.9	20.9

Table P—Continued	ILLEGITIMATE BIRTHS					
	Number			Per 1,000 total births		
	1932	1931	1930	1932	1931	1930
South Carolina—Continued						
Colored—						
Total	4,215	3,699	3,638	196.5	182.6	178.3
Male	2,120	1,750	1,790	192.0	172.2	172.7
Female	2,095	1,949	1,848	201.4	193.1	184.1
South Dakota:						
Total	228	(?)	(?)	17.2	(?)	(?)
Male	121	(?)	(?)	17.9	(?)	(?)
Female	107	(?)	(?)	16.5	(?)	(?)
Tennessee:						
Total	2,131	2,051	1,937	40.6	39.3	36.8
Male	1,121	1,035	970	41.6	38.9	35.5
Female	1,010	1,016	967	39.6	39.6	38.2
White—						
Total	910	923	851	20.5	20.8	19.1
Male	496	464	405	21.7	20.5	17.5
Female	414	459	446	19.2	21.1	20.8
Colored—						
Total	1,221	1,128	1,086	151.0	142.9	134.0
Male	625	571	565	150.6	143.4	133.9
Female	596	557	521	151.4	142.5	134.0
Utah:						
Total	118	136	121	9.9	11.3	9.3
Male	64	66	52	10.4	10.7	7.8
Female	54	70	69	9.3	12.0	10.9
Vermont:						
Total	146	209	205	24.2	31.3	29.6
Male	76	102	101	24.5	30.0	28.0
Female	70	107	104	23.9	32.7	31.3
Virginia:						
Total	3,848	3,549	3,559	70.5	67.3	65.1
Male	1,985	1,774	1,797	71.8	65.9	64.3
Female	1,863	1,775	1,762	69.2	68.7	65.8
White—						
Total	991	959	969	25.7	25.4	24.9
Male	505	500	518	25.8	25.9	25.8
Female	486	459	451	25.6	24.9	23.8
Colored—						
Total	2,857	2,590	2,590	177.8	172.8	164.6
Male	1,480	1,274	1,279	182.5	167.8	162.5
Female	1,377	1,316	1,311	178.0	178.0	166.7
Washington:						
Total	457	454	409	21.4	20.6	17.8
Male	227	243	207	20.7	21.4	17.6
Female	230	211	202	22.1	19.8	17.9
West Virginia:						
Total	1,736	1,620	1,580	44.7	41.2	38.0
Male	875	838	832	43.9	41.6	38.8
Female	861	782	748	45.7	40.8	37.1
Wisconsin:						
Total	1,229	1,179	1,194	23.1	21.7	19.8
Male	623	606	581	23.0	21.7	19.9
Female	606	573	543	23.3	21.7	19.7
Wyoming:						
Total	70	48	47	16.5	10.7	10.5
Male	36	23	24	16.6	10.0	10.6
Female	34	25	23	16.3	11.4	10.4

² Not added to the registration area until a later date.

Table Q shows the number of illegitimate births, with ratios to 1,000 total births, by age and country of birth of mother. As usual, the ratios of illegitimacy were by far the highest for mothers below the age of 25. The highest ratios for illegitimate children of foreign-born mothers (17.4, 16.5, and 11.8, respectively) were for children of mothers born in Canada, Ireland, England, Scotland, and Wales, while the lowest (2.3) was for those of mothers born in Italy. Native mothers had a ratio of 21.5 against 164.3 and 50.7, respectively, for Negro and other colored mothers.

COUNTRY OF BIRTH OF MOTHER	NUMBER OF ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES ¹ BY AGE OF MOTHER: 1932										RATIO OF ILLEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) TO 1,000 TOTAL BIRTHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES ¹ BY AGE OF MOTHER: 1932									
	All ages	10 to 14 yrs.	15 to 19 yrs.	20 to 24 yrs.	25 to 29 yrs.	30 to 34 yrs.	35 to 39 yrs.	40 to 44 yrs.	45 yrs. and over	Unknown	All ages	10 to 14 yrs.	15 to 19 yrs.	20 to 24 yrs.	25 to 29 yrs.	30 to 34 yrs.	35 to 39 yrs.	40 to 44 yrs.	45 yrs. and over	Unknown
Total.....	74,505	1,469	32,945	20,704	6,921	3,339	2,072	615	120	6,320	38.7	623.8	140.4	36.2	14.2	10.3	10.1	8.7	17.5	241.0
White.....	34,694	479	15,405	11,374	3,180	1,436	864	302	44	1,610	20.7	485.8	85.2	23.1	7.3	4.9	4.7	4.7	7.6	78.0
United States.....	32,405	468	15,052	10,821	2,947	1,301	756	257	36	767	21.5	480.5	85.1	23.3	7.5	5.2	5.0	5.0	8.1	45.3
Foreign countries.....	1,251	8	266	481	209	126	106	44	8	3	7.6	800.0	69.7	16.9	4.6	3.1	3.4	3.5	6.1	1.1
Austria, Hungary.....	57	7	22	4	6	13	4	1	1	3	4.2	47.6	11.8	1.2	1.8	3.8	2.8	6.0	-----	-----
Canada.....	278	2	110	109	29	13	8	4	3	3	17.4	666.7	106.2	30.4	7.1	4.6	4.8	7.1	18.2	1.4
Denmark, Norway, Sweden.....	53	1	11	18	9	5	6	3	1	1	8.7	(?)	193.0	22.4	5.4	3.0	5.3	4.7	-----	-----
England, Scotland, Wales.....	135	1	27	45	27	21	12	1	1	1	11.8	(?)	108.4	22.1	7.5	6.9	7.0	1.7	-----	-----
Ireland.....	199	1	13	105	50	23	5	2	1	1	16.5	(?)	149.4	53.4	12.2	7.2	2.5	3.3	-----	-----
Germany.....	100	1	18	39	24	11	5	2	1	1	8.6	(?)	82.6	16.6	6.0	3.8	3.4	3.3	-----	-----
Italy.....	84	1	24	27	15	8	6	3	1	1	2.3	(?)	27.3	4.6	1.8	0.8	0.8	0.9	3.0	-----
Poland.....	98	1	14	25	14	12	25	6	1	1	6.4	(?)	68.3	11.4	4.3	3.9	5.5	3.1	4.9	-----
Russia.....	45	1	6	17	11	6	1	4	1	1	2.9	(?)	42.9	6.6	2.1	1.5	0.4	5.0	-----	-----
Other foreign countries.....	202	1	36	74	26	21	25	15	4	4	7.5	500.0	45.1	14.3	3.5	3.3	5.1	7.5	18.3	-----
Country not stated.....	1,038	3	87	72	24	9	2	1	1	840	455.7	(?)	414.3	179.1	92.0	46.9	13.7	14.9	-----	845.9
Colored.....	39,811	990	17,540	9,330	3,741	1,903	1,203	313	76	4,710	157.5	723.2	326.5	119.0	73.0	58.3	55.1	45.7	72.0	843.2
Negro.....	39,048	982	17,277	9,119	3,646	1,855	1,182	304	73	4,610	164.3	730.7	333.9	122.9	76.4	61.8	58.6	48.8	76.9	860.1
Other colored.....	763	8	263	211	95	45	26	9	3	100	50.7	320.0	133.1	50.7	26.6	18.2	15.0	14.7	28.3	442.5

¹ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.
² Rate not computed.

Table R shows the number of legitimate and illegitimate births by color and by nativity of mother, with the ratio of illegitimate births to 1,000 total births, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants, and rural districts of each registration State.

Although the ratio (42.4) of illegitimate births for the rural part of the registration area was higher than for the larger cities (36.5) and for the smaller cities (30.9), the reverse obtained in 19 States, and in 17 of the remaining States the ratios for rural districts were lower than those for the larger cities.

The highest ratio for native mothers (71.7) was for the larger cities of North Dakota, while the smaller cities of New Mexico had the highest ratio for foreign mothers (57.1).

AREA	1932				
	All births ¹	White			Colored
	Total ¹	Native mothers	Foreign-born mothers		
LEGITIMATE BIRTHS					
Registration area in continental United States ²	1,852,910	1,639,974	1,475,226	163,508	212,936
Cities of 10,000 or more.....	824,381	753,367	624,666	128,405	71,014
Cities of 2,500 to 10,000.....	178,483	164,385	153,901	10,321	14,098
Rural.....	850,046	722,222	696,659	24,782	127,824
Alabama.....	57,341	38,680	38,520	141	18,661
Cities of 10,000 or more.....	10,249	6,733	6,637	96	3,516
Cities of 2,500 to 10,000.....	3,381	2,629	2,620	8	752
Rural.....	43,711	29,318	29,263	37	14,393
Arizona.....	8,349	4,533	4,179	345	3,816
Cities of 10,000 or more.....	2,763	1,804	1,699	103	959
Cities of 2,500 to 10,000.....	2,147	1,248	1,112	133	899
Rural.....	3,439	1,481	1,368	109	1,958
Arkansas.....	35,893	23,304	28,105	72	7,589
Cities of 10,000 or more.....	3,134	2,639	2,620	18	495
Cities of 2,500 to 10,000.....	2,486	1,976	1,964	7	510
Rural.....	30,273	23,689	23,521	47	6,584
Colorado.....	17,162	15,816	14,790	969	1,346
Cities of 10,000 or more.....	6,852	6,510	6,129	360	342
Cities of 2,500 to 10,000.....	2,003	1,813	1,689	119	190
Rural.....	8,307	7,493	6,972	490	814

¹ Includes country not stated.
² Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

Table R—Continued

AREA	1932				
	All births ¹	White			Colored
	Total ¹	Native mothers	Foreign-born mothers		
LEGITIMATE BIRTHS					
Connecticut.....	23,309	22,736	16,621	6,108	573
Cities of 10,000 or more.....	18,775	18,243	13,219	5,019	532
Cities of 2,500 to 10,000.....	1,162	1,143	856	287	19
Rural.....	3,372	3,350	2,546	802	22
Delaware.....	4,069	3,495	3,196	293	574
Cities of 10,000 or more.....	2,090	1,867	1,615	248	223
Cities of 2,500 to 10,000.....	350	313	298	15	37
Rural.....	1,629	1,315	1,283	30	314
District of Columbia.....	9,376	6,635	6,123	509	2,741
Florida.....	25,731	18,540	17,895	645	7,191
Cities of 10,000 or more.....	9,621	7,162	6,736	410	2,359
Cities of 2,500 to 10,000.....	4,012	2,976	2,888	78	1,036
Rural.....	12,198	8,402	8,271	94	3,796
Georgia.....	58,636	37,642	37,485	142	20,994
Cities of 10,000 or more.....	12,475	8,185	8,069	109	4,290
Cities of 2,500 to 10,000.....	7,956	5,536	5,528	7	2,420
Rural.....	38,205	23,921	23,888	26	14,284
Idaho.....	8,641	8,477	8,096	381	164
Cities of 10,000 or more.....	1,076	1,067	1,015	40	9
Cities of 2,500 to 10,000.....	3,142	3,123	2,968	155	19
Rural.....	4,423	4,287	4,113	156	136
Illinois.....	108,844	108,167	89,563	18,581	5,677
Cities of 10,000 or more.....	72,671	67,498	55,128	12,362	5,173
Cities of 2,500 to 10,000.....	9,911	9,720	9,201	519	191
Rural.....	26,262	25,949	25,234	710	313
Indiana.....	51,976	50,410	48,681	1,718	1,566
Cities of 10,000 or more.....	23,867	22,436	20,983	1,449	1,431
Cities of 2,500 to 10,000.....	5,181	5,138	5,077	59	43
Rural.....	22,928	22,836	22,621	210	92
Iowa.....	39,730	39,580	38,206	1,377	152
Cities of 10,000 or more.....	13,070	12,938	12,377	562	130
Cities of 2,500 to 10,000.....	5,506	5,500	5,340	159	6
Rural.....	21,154	21,142	20,489	646	12
Kansas.....	31,166	29,754	29,220	481	1,412
Cities of 10,000 or more.....	9,565	8,701	8,535	162	864
Cities of 2,500 to 10,000.....	4,289	4,036	4,037	50	173
Rural.....	17,332	16,987	16,648	289	375
Kentucky.....	58,401	55,426	55,279	145	2,975
Cities of 10,000 or more.....	9,942	8,858	8,733	102	1,106
Cities of 2,500 to 10,000.....	4,510	4,134	4,125	34	1,378
Rural.....	43,949	42,456	42,421	34	1,493
Louisiana.....	39,609	25,064	24,700	350	14,545
Cities of 10,000 or more.....	12,313	8,215	7,981	232	4,098
Cities of 2,500 to 10,000.....	3,397	2,304	2,276	27	1,093
Rural.....	23,899	14,545	14,443	91	9,354
Maine.....	15,618	15,588	13,134	2,452	30
Cities of 10,000 or more.....	4,593	4,582	3,680	1,000	11
Cities of 2,500 to 10,000.....	1,931	1,919	1,599	320	12
Rural.....	9,094	9,087	7,955	1,132	7

Table R—Continued

AREA	1932				
	All births ¹	White			Colored
		Total ¹	Native mothers	Foreign-born mothers	
LEGITIMATE BIRTHS					
Maryland	26,828	21,956	20,781	1,169	4,872
Cities of 10,000 or more	15,306	12,672	11,673	995	2,634
Cities of 2,500 to 10,000	1,341	1,205	1,178	26	136
Rural	10,181	8,079	7,930	148	2,102
Michigan	83,634	80,516	67,865	12,587	3,118
Cities of 10,000 or more	50,520	47,698	37,668	10,003	2,822
Cities of 2,500 to 10,000	7,074	6,994	6,401	588	80
Rural	26,040	25,824	23,806	1,996	216
Minnesota	45,178	44,633	41,642	2,985	545
Cities of 10,000 or more	17,561	17,399	15,832	1,566	162
Cities of 2,500 to 10,000	5,216	5,191	4,873	318	25
Rural	22,401	22,043	20,937	1,101	358
Mississippi	42,439	21,501	21,378	70	20,938
Cities of 10,000 or more	4,029	2,819	2,777	37	1,210
Cities of 2,500 to 10,000	2,256	1,321	1,312	4	935
Rural	36,154	17,361	17,289	29	18,793
Missouri	58,027	54,805	53,449	1,278	3,222
Cities of 10,000 or more	22,934	20,720	19,613	1,096	2,214
Cities of 2,500 to 10,000	5,442	5,182	5,102	74	260
Rural	29,651	28,903	28,734	108	748
Montana	8,892	8,226	7,352	871	666
Cities of 10,000 or more	2,504	2,477	2,213	262	27
Cities of 2,500 to 10,000	1,601	1,585	1,430	155	16
Rural	4,787	4,164	3,709	454	623
Nebraska	24,676	24,158	23,057	1,089	518
Cities of 10,000 or more	6,964	6,698	6,177	519	266
Cities of 2,500 to 10,000	2,953	2,906	2,783	123	47
Rural	14,759	14,554	14,097	447	205
Nevada	1,249	1,151	1,014	137	98
Cities of 10,000 or more	236	232	200	23	4
Cities of 2,500 to 10,000	340	325	295	30	15
Rural	673	594	510	84	79
New Hampshire	7,650	7,654	6,246	1,400	5
Cities of 10,000 or more	4,312	4,308	3,331	973	4
Cities of 2,500 to 10,000	876	875	736	138	1
Rural	2,471	2,471	2,179	289	—
New Jersey	50,943	55,807	42,992	12,798	4,136
Cities of 10,000 or more	47,310	43,944	33,170	10,769	3,366
Cities of 2,500 to 10,000	5,269	4,925	3,923	995	344
Rural	7,364	6,938	5,899	1,034	426
New Mexico	11,973	11,590	10,731	857	383
Cities of 10,000 or more	1,349	1,304	1,257	47	25
Cities of 2,500 to 10,000	2,068	1,980	1,814	165	43
Rural	8,621	8,306	7,660	645	315
New York	194,737	186,318	132,090	54,215	8,419
Cities of 10,000 or more	160,929	153,230	103,327	49,894	7,669
Cities of 2,500 to 10,000	9,674	9,471	7,955	1,516	203
Rural	24,134	23,617	20,808	2,805	517
North Carolina	71,614	52,226	52,068	117	19,388
Cities of 10,000 or more	11,642	8,622	8,546	74	3,020
Cities of 2,500 to 10,000	5,013	4,144	4,126	14	869
Rural	54,959	39,460	39,396	29	15,499
North Dakota	13,727	13,454	12,003	1,449	273
Cities of 10,000 or more	2,171	2,168	2,021	147	3
Cities of 2,500 to 10,000	1,384	1,383	1,244	138	1
Rural	10,172	9,903	8,738	1,164	269
Ohio	99,219	94,938	86,565	8,351	4,281
Cities of 10,000 or more	59,360	55,621	48,545	7,068	3,739
Cities of 2,500 to 10,000	7,976	7,788	7,414	373	188
Rural	31,883	31,529	30,606	910	354
Oklahoma	40,157	36,992	36,535	210	3,165
Cities of 10,000 or more	9,460	8,694	8,570	71	766
Cities of 2,500 to 10,000	8,069	7,363	7,276	36	706
Rural	22,628	20,935	20,689	103	1,693
Oregon	12,613	12,346	11,439	899	267
Cities of 10,000 or more	5,503	5,422	4,863	556	81
Cities of 2,500 to 10,000	2,642	2,618	2,488	128	24
Rural	4,468	4,306	4,088	215	162
Pennsylvania	162,897	155,801	135,105	20,660	7,096
Cities of 10,000 or more	91,140	84,812	70,979	13,816	6,328
Cities of 2,500 to 10,000	20,461	20,233	17,723	2,505	228
Rural	51,296	50,756	46,403	4,339	540
Rhode Island	10,901	10,715	7,859	2,854	186
Cities of 10,000 or more	9,880	9,709	7,060	2,648	171
Cities of 2,500 to 10,000	318	318	237	81	—
Rural	703	688	562	125	15
South Carolina	36,803	19,572	19,506	65	17,231
Cities of 10,000 or more	4,792	3,218	3,175	43	1,574
Cities of 2,500 to 10,000	2,632	1,772	1,768	4	860
Rural	29,379	14,582	14,563	18	14,797
South Dakota	13,013	12,423	11,708	647	590
Cities of 10,000 or more	2,254	2,243	2,135	101	11
Cities of 2,500 to 10,000	1,174	1,169	1,107	58	5
Rural	9,585	9,011	8,466	488	574

¹ Includes country not stated.

Table R—Continued

AREA	1932				
	All births ¹	White			Colored
		Total ¹	Native mothers	Foreign-born mothers	
LEGITIMATE BIRTHS					
Tennessee	50,360	43,496	43,320	149	6,864
Cities of 10,000 or more	12,570	9,734	9,603	123	2,836
Cities of 2,500 to 10,000	4,017	3,455	3,448	6	562
Rural	33,773	30,307	30,269	20	3,466
Utah	11,856	11,749	11,010	738	107
Cities of 10,000 or more	4,746	4,700	4,273	426	46
Cities of 2,500 to 10,000	2,115	2,103	2,010	93	12
Rural	4,995	4,946	4,727	219	49
Vermont	5,884	5,880	5,012	863	4
Cities of 10,000 or more	1,120	1,118	969	147	2
Cities of 2,500 to 10,000	1,302	1,302	1,103	198	—
Rural	3,462	3,460	2,940	518	2
Virginia	50,734	37,524	37,224	204	13,210
Cities of 10,000 or more	11,428	8,477	8,270	205	2,951
Cities of 2,500 to 10,000	3,634	3,093	3,078	15	541
Rural	35,672	25,954	25,876	74	9,718
Washington	20,922	20,214	18,011	2,202	708
Cities of 10,000 or more	12,415	12,092	10,666	1,426	323
Cities of 2,500 to 10,000	2,313	2,250	2,053	197	63
Rural	6,194	5,872	5,292	579	322
West Virginia	37,067	35,103	34,198	905	1,964
Cities of 10,000 or more	5,952	5,661	5,425	236	291
Cities of 2,500 to 10,000	3,444	3,304	3,175	129	140
Rural	27,671	26,138	25,598	540	1,533
Wisconsin	51,878	51,498	47,081	3,781	380
Cities of 10,000 or more	22,995	22,898	20,578	2,312	97
Cities of 2,500 to 10,000	5,810	5,806	5,581	217	4
Rural	23,073	22,794	21,522	1,252	279
Wyoming	4,179	3,881	3,592	282	298
Cities of 10,000 or more	667	626	572	51	41
Cities of 2,500 to 10,000	790	756	690	65	34
Rural	2,722	2,499	2,330	168	222
ILLEGITIMATE BIRTHS					
Registration area in continental United States ²	74,505	34,694	32,405	1,251	39,811
Cities of 10,000 or more	31,222	18,425	17,051	1,010	12,797
Cities of 2,500 to 10,000	5,682	2,930	2,791	65	2,752
Rural	37,601	13,339	12,563	176	24,262
Alabama	5,598	701	699	—	4,897
Cities of 10,000 or more	1,101	181	181	—	920
Cities of 2,500 to 10,000	267	45	45	—	222
Rural	4,230	475	473	—	3,755
Arizona	174	36	34	1	138
Cities of 10,000 or more	55	23	21	1	32
Cities of 2,500 to 10,000	24	4	4	—	20
Rural	95	9	9	—	86
Arkansas	1,557	385	374	1	1,172
Cities of 10,000 or more	135	49	48	—	86
Cities of 2,500 to 10,000	110	20	19	—	90
Rural	1,312	316	307	—	996
Colorado	451	402	388	11	49
Cities of 10,000 or more	292	258	248	9	34
Cities of 2,500 to 10,000	47	45	43	1	2
Rural	112	99	97	1	13
Connecticut	422	387	354	31	35
Cities of 10,000 or more	311	278	254	24	33
Cities of 2,500 to 10,000	23	23	20	3	—
Rural	88	86	80	4	2
Delaware	225	95	89	4	130
Cities of 10,000 or more	94	47	43	3	47
Cities of 2,500 to 10,000	8	3	3	—	5
Rural	123	45	43	1	78
District of Columbia	781	174	87	1	607
Florida	1,671	334	326	6	1,337
Cities of 10,000 or more	591	122	117	4	469
Cities of 2,500 to 10,000	223	24	24	—	199
Rural	857	188	185	2	669
Georgia	5,081	599	599	—	4,482
Cities of 10,000 or more	1,203	140	140	—	1,063
Cities of 2,500 to 10,000	631	73	73	—	558
Rural	3,247	386	386	—	2,861
Idaho	91	87	84	3	4
Cities of 10,000 or more	39	38	38	—	1
Cities of 2,500 to 10,000	23	23	23	—	—
Rural	29	26	23	3	3
Illinois	2,668	2,055	1,913	102	613
Cities of 10,000 or more	2,032	1,468	1,333	98	564
Cities of 2,500 to 10,000	187	168	167	1	19
Rural	449	419	413	3	30

² Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

BIRTH STATISTICS: 1932

Table B—Continued

AREA	1932				Colored
	All births ¹	White			
		Total ¹	Native mothers	Foreign-born mothers	
ILLEGITIMATE BIRTHS					
Indiana.....	1,097	870	862	7	227
Cities of 10,000 or more.....	676	470	465	5	206
Cities of 2,500 to 10,000.....	94	88	87	1	6
Rural.....	327	312	310	1	15
Iowa.....	729	712	696	14	17
Cities of 10,000 or more.....	491	479	465	12	12
Cities of 2,500 to 10,000.....	60	57	55	2	3
Rural.....	178	176	176	—	2
Kansas.....	534	421	417	1	13
Cities of 10,000 or more.....	343	257	255	1	86
Cities of 2,500 to 10,000.....	49	35	34	—	14
Rural.....	142	129	128	—	13
Kentucky.....	1,104	769	767	1	335
Cities of 10,000 or more.....	344	173	173	—	171
Cities of 2,500 to 10,000.....	108	62	62	—	46
Rural.....	652	534	532	1	118
Louisiana.....	3,689	536	532	2	3,153
Cities of 10,000 or more.....	1,240	285	282	2	955
Cities of 2,500 to 10,000.....	327	47	47	—	280
Rural.....	2,122	204	203	—	1,918
Maine.....	511	508	499	39	3
Cities of 10,000 or more.....	190	188	173	15	2
Cities of 2,500 to 10,000.....	55	54	48	6	1
Rural.....	266	266	248	18	—
Maryland.....	1,992	521	512	7	1,471
Cities of 10,000 or more.....	1,044	261	253	7	783
Cities of 2,500 to 10,000.....	135	47	47	—	88
Rural.....	813	213	212	—	600
Michigan.....	2,102	1,860	1,726	120	242
Cities of 10,000 or more.....	1,591	1,377	1,271	100	214
Cities of 2,500 to 10,000.....	114	107	99	5	7
Rural.....	397	376	356	15	21
Minnesota.....	1,199	1,126	1,088	37	73
Cities of 10,000 or more.....	775	760	734	25	15
Cities of 2,500 to 10,000.....	121	118	115	3	3
Rural.....	303	248	239	9	55
Mississippi.....	3,834	286	282	—	3,548
Cities of 10,000 or more.....	392	50	49	—	342
Cities of 2,500 to 10,000.....	182	12	12	—	170
Rural.....	3,260	224	221	—	3,036
Missouri.....	1,922	1,372	1,349	10	550
Cities of 10,000 or more.....	1,262	861	847	7	401
Cities of 2,500 to 10,000.....	160	106	104	2	54
Rural.....	500	405	398	1	95
Montana.....	199	165	152	10	34
Cities of 10,000 or more.....	96	96	86	8	—
Cities of 2,500 to 10,000.....	23	23	23	—	—
Rural.....	80	46	43	2	34
Nebraska.....	483	451	443	4	32
Cities of 10,000 or more.....	251	231	227	3	20
Cities of 2,500 to 10,000.....	37	35	35	—	2
Rural.....	195	185	181	1	10
Nevada.....	11	3	2	1	8
Cities of 10,000 or more.....	1	—	—	—	1
Cities of 2,500 to 10,000.....	10	3	2	1	7
Rural.....	—	—	—	—	—
New Hampshire.....	149	148	136	9	1
Cities of 10,000 or more.....	91	90	82	7	1
Cities of 2,500 to 10,000.....	9	9	9	—	—
Rural.....	49	49	45	2	—
New Jersey.....	1,276	820	739	79	456
Cities of 10,000 or more.....	1,014	649	576	72	365
Cities of 2,500 to 10,000.....	80	47	44	3	33
Rural.....	182	124	119	4	58
New Mexico.....	418	366	334	31	52
Cities of 10,000 or more.....	55	52	51	1	3
Cities of 2,500 to 10,000.....	76	76	66	10	—
Rural.....	287	238	217	20	49
New York.....	3,694	3,087	2,736	349	607
Cities of 10,000 or more.....	2,944	2,411	2,088	323	533
Cities of 2,500 to 10,000.....	202	183	176	7	19
Rural.....	548	493	474	19	55
North Carolina.....	6,288	1,475	694	—	4,813
Cities of 10,000 or more.....	1,437	305	129	—	1,132
Cities of 2,500 to 10,000.....	419	115	52	—	304
Rural.....	4,432	1,055	513	—	3,377
North Dakota.....	320	299	287	12	21
Cities of 10,000 or more.....	159	158	156	2	1
Cities of 2,500 to 10,000.....	28	28	26	—	—
Rural.....	133	113	105	8	20
Ohio.....	2,534	2,023	1,957	58	511
Cities of 10,000 or more.....	1,743	1,279	1,224	49	464
Cities of 2,500 to 10,000.....	159	141	139	2	18
Rural.....	632	603	594	7	29

¹ Includes country not stated.

Table B—Continued

AREA	1932				Colored
	All births ¹	White			
		Total ¹	Native mothers	Foreign-born mothers	
ILLEGITIMATE BIRTHS					
Oklahoma.....	882	561	554	2	321
Cities of 10,000 or more.....	253	149	146	1	104
Cities of 2,500 to 10,000.....	125	58	56	—	67
Rural.....	504	354	352	1	150
Oregon.....	234	217	209	8	17
Cities of 10,000 or more.....	171	166	159	7	5
Cities of 2,500 to 10,000.....	17	17	17	—	—
Rural.....	46	34	33	1	12
Pennsylvania.....	5,637	4,580	4,398	170	1,057
Cities of 10,000 or more.....	3,516	2,562	2,423	131	954
Cities of 2,500 to 10,000.....	535	514	500	12	21
Rural.....	1,586	1,504	1,475	27	82
Rhode Island.....	270	248	214	33	22
Cities of 10,000 or more.....	261	239	206	32	22
Cities of 2,500 to 10,000.....	3	3	3	—	—
Rural.....	6	6	5	1	—
South Carolina.....	4,715	500	499	—	4,215
Cities of 10,000 or more.....	726	131	130	—	595
Cities of 2,500 to 10,000.....	288	35	35	—	253
Rural.....	3,701	334	334	—	3,367
South Dakota.....	228	185	177	6	43
Cities of 10,000 or more.....	91	91	87	4	—
Cities of 2,500 to 10,000.....	15	14	14	—	1
Rural.....	122	80	76	2	42
Tennessee.....	2,131	910	902	2	1,221
Cities of 10,000 or more.....	939	280	273	2	659
Cities of 2,500 to 10,000.....	169	71	71	—	98
Rural.....	1,023	559	558	—	464
Utah.....	118	116	109	4	2
Cities of 10,000 or more.....	71	70	63	4	1
Cities of 2,500 to 10,000.....	5	5	5	—	—
Rural.....	42	41	41	—	1
Vermont.....	146	146	140	6	—
Cities of 10,000 or more.....	53	53	51	2	—
Cities of 2,500 to 10,000.....	31	31	30	1	—
Rural.....	62	62	59	3	—
Virginia.....	3,848	991	987	2	2,857
Cities of 10,000 or more.....	1,034	210	207	2	824
Cities of 2,500 to 10,000.....	215	87	87	—	128
Rural.....	2,599	694	693	—	1,906
Washington.....	457	440	408	27	17
Cities of 10,000 or more.....	345	339	313	22	6
Cities of 2,500 to 10,000.....	29	28	27	1	1
Rural.....	83	73	68	4	10
West Virginia.....	1,736	1,494	1,491	3	242
Cities of 10,000 or more.....	298	253	253	—	45
Cities of 2,500 to 10,000.....	140	121	121	—	19
Rural.....	1,298	1,120	1,117	3	173
Wisconsin.....	1,229	1,168	1,129	34	61
Cities of 10,000 or more.....	674	654	628	24	20
Cities of 2,500 to 10,000.....	107	107	105	1	—
Rural.....	448	407	396	9	41
Wyoming.....	70	65	61	3	5
Cities of 10,000 or more.....	18	18	18	—	—
Cities of 2,500 to 10,000.....	21	21	19	2	—
Rural.....	31	26	24	1	5

RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS

Registration area in continental United States ²	All births	White	Native mothers	Foreign-born mothers	Colored
Registration area in continental United States ²	38.7	20.7	21.5	7.6	157.5
Cities of 10,000 or more.....	36.5	23.9	26.5	7.8	152.7
Cities of 2,500 to 10,000.....	30.9	17.5	17.8	6.3	163.3
Rural.....	42.4	18.1	17.7	7.1	159.5
Alabama.....	88.9	17.8	17.8	—	207.9
Cities of 10,000 or more.....	97.0	26.2	26.5	—	207.4
Cities of 2,500 to 10,000.....	73.2	16.8	16.9	—	227.9
Rural.....	88.2	15.9	15.9	—	206.9
Arizona.....	20.4	7.9	8.1	2.9	34.9
Cities of 10,000 or more.....	19.5	12.6	12.2	9.6	32.3
Cities of 2,500 to 10,000.....	11.1	3.2	3.6	—	21.8
Rural.....	26.9	6.0	6.5	—	42.1
Arkansas.....	41.6	13.4	13.1	13.7	133.8
Cities of 10,000 or more.....	41.3	18.2	18.0	—	148.0
Cities of 2,500 to 10,000.....	42.4	10.0	9.6	—	150.0
Rural.....	41.5	13.2	12.9	20.8	131.4
Colorado.....	25.6	24.8	25.6	11.2	35.1
Cities of 10,000 or more.....	40.9	38.1	38.9	24.4	90.4
Cities of 2,500 to 10,000.....	22.9	24.2	24.8	8.3	10.4
Rural.....	13.3	13.0	13.7	2.0	15.7

² Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

Table E—Continued

AREA	1932				Colored
	All births ¹	White			
		Total ¹	Native mothers	Foreign-born mothers	
RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS					
Connecticut.....	17.8	16.7	20.9	5.0	57.6
Cities of 10,000 or more.....	16.3	15.0	18.9	4.8	58.4
Cities of 2,500 to 10,000.....	19.4	19.7	22.8	10.3
Rural.....	25.4	25.0	30.5	5.0	83.3
Delaware.....	52.4	26.5	27.1	13.5	184.7
Cities of 10,000 or more.....	43.0	24.6	25.9	12.0	174.1
Cities of 2,500 to 10,000.....	22.3	9.5	10.0	119.0
Rural.....	70.2	33.1	32.4	32.3	199.0
District of Columbia.....	76.9	25.6	14.0	2.0	181.3
Florida.....	61.0	17.7	17.9	10.2	156.8
Cities of 10,000 or more.....	58.4	16.7	17.1	9.7	165.8
Cities of 2,500 to 10,000.....	52.7	8.0	8.2	161.1
Rural.....	65.6	21.9	21.9	20.8	149.8
Georgia.....	79.7	15.7	15.7	175.9
Cities of 10,000 or more.....	88.0	18.8	17.1	198.6
Cities of 2,500 to 10,000.....	73.5	13.0	13.0	187.4
Rural.....	78.3	15.9	15.9	166.9
Idaho.....	10.4	10.2	10.3	9.0	23.8
Cities of 10,000 or more.....	35.0	34.4	36.1	100.0
Cities of 2,500 to 10,000.....	7.3	7.3	5.7	21.6
Rural.....	6.5	6.0	5.6	18.9	87.5
Illinois.....	23.9	19.5	20.9	7.4	97.5
Cities of 10,000 or more.....	27.2	21.3	23.6	7.9	98.3
Cities of 2,500 to 10,000.....	18.5	17.0	17.8	1.9	90.5
Rural.....	16.8	15.9	16.1	4.2	87.5
Indiana.....	20.7	17.0	17.4	4.1	126.6
Cities of 10,000 or more.....	27.5	20.5	21.7	3.4	125.8
Cities of 2,500 to 10,000.....	17.8	16.8	16.8	16.7	122.4
Rural.....	14.1	13.5	13.5	4.7	140.2
Iowa.....	18.0	17.7	17.9	10.2	101.8
Cities of 10,000 or more.....	36.2	35.7	36.2	21.3	83.3
Cities of 2,500 to 10,000.....	10.8	10.3	10.2	12.4	333.3
Rural.....	8.3	8.3	8.5	142.9
Kansas.....	16.8	14.0	14.1	2.1	74.1
Cities of 10,000 or more.....	34.6	28.7	29.0	6.1	90.5
Cities of 2,500 to 10,000.....	11.3	8.5	8.4	74.9
Rural.....	8.1	7.6	7.6	33.5
Kentucky.....	18.6	13.7	13.7	6.8	101.2
Cities of 10,000 or more.....	33.4	19.2	19.4	133.9
Cities of 2,500 to 10,000.....	23.4	14.8	14.8	109.0
Rural.....	14.6	12.4	12.4	28.6	73.2
Louisiana.....	85.2	20.9	21.1	5.7	178.2
Cities of 10,000 or more.....	91.5	33.5	34.1	8.5	189.0
Cities of 2,500 to 10,000.....	87.8	20.0	20.2	203.9
Rural.....	81.5	13.8	13.9	170.2
Maine.....	31.7	31.6	34.5	15.7	90.9
Cities of 10,000 or more.....	39.7	39.4	46.1	14.8	153.8
Cities of 2,500 to 10,000.....	27.7	27.4	29.1	13.4	76.9
Rural.....	28.4	28.4	30.2	15.7
Maryland.....	69.1	28.2	24.0	6.0	231.9
Cities of 10,000 or more.....	63.9	20.2	21.2	7.0	229.1
Cities of 2,500 to 10,000.....	91.5	37.5	38.4	392.9
Rural.....	73.9	25.7	26.0	222.1
Michigan.....	24.5	22.6	24.8	9.4	72.0
Cities of 10,000 or more.....	30.5	28.1	32.6	9.9	70.5
Cities of 2,500 to 10,000.....	15.9	15.1	15.2	8.4	80.5
Rural.....	15.0	14.4	14.7	7.5	88.6
Minnesota.....	25.9	24.6	25.5	12.2	118.1
Cities of 10,000 or more.....	42.3	41.9	44.3	15.7	84.7
Cities of 2,500 to 10,000.....	22.7	22.2	23.1	9.3	107.1
Rural.....	13.3	11.1	11.3	8.1	133.2
Mississippi.....	82.9	13.1	13.0	144.9
Cities of 10,000 or more.....	88.7	17.4	17.3	220.4
Cities of 2,500 to 10,000.....	74.7	9.0	9.1	153.8
Rural.....	82.7	12.7	12.6	139.1
Missouri.....	32.1	24.4	24.6	7.8	145.8
Cities of 10,000 or more.....	52.2	39.9	41.4	6.3	153.3
Cities of 2,500 to 10,000.....	28.6	20.0	20.0	26.3	172.0
Rural.....	16.6	13.8	13.7	9.2	112.7
Montana.....	21.9	19.7	20.3	11.4	48.6
Cities of 10,000 or more.....	36.9	37.3	37.4	29.6
Cities of 2,500 to 10,000.....	14.2	14.3	15.8
Rural.....	16.4	10.9	11.5	4.4	51.8
Nebraska.....	19.2	18.3	18.9	3.7	58.2
Cities of 10,000 or more.....	34.8	33.3	35.4	5.7	69.9
Cities of 2,500 to 10,000.....	12.4	11.9	12.4	40.8
Rural.....	13.0	12.6	12.7	2.2	46.5
Nevada.....	8.7	2.6	2.0	7.2	75.5
Cities of 10,000 or more.....	62.5
Cities of 2,500 to 10,000.....	2.9	81.4
Rural.....	14.6	5.0	3.9	11.8

¹Includes country not stated.

Table E—Continued

AREA	1932				Colored
	All births ¹	White			
		Total ¹	Native mothers	Foreign-born mothers	
RATIO OF ILLEGITIMATE BIRTHS TO 1,000 TOTAL BIRTHS					
New Hampshire.....	19.1	19.0	21.3	6.4	166.7
Cities of 10,000 or more.....	20.7	20.5	24.0	7.1	200.0
Cities of 2,500 to 10,000.....	10.2	10.2	12.1
Rural.....	19.4	19.4	20.2	6.9
New Jersey.....	20.8	14.5	16.9	6.1	99.3
Cities of 10,000 or more.....	21.0	14.6	17.1	6.6	97.8
Cities of 2,500 to 10,000.....	15.0	9.5	11.1	3.0	87.5
Rural.....	24.1	17.6	19.8	3.9	119.8
New Mexico.....	33.7	30.6	30.2	34.9	119.5
Cities of 10,000 or more.....	39.2	38.3	39.0	20.8	62.5
Cities of 2,500 to 10,000.....	36.6	37.0	35.1	57.1
Rural.....	32.2	27.9	27.5	30.1	134.6
New York.....	18.6	16.3	20.3	6.4	67.3
Cities of 10,000 or more.....	18.0	15.5	19.8	6.4	64.7
Cities of 2,500 to 10,000.....	20.5	19.0	21.6	4.6	85.6
Rural.....	22.2	20.4	22.3	6.7	96.2
North Carolina.....	80.7	27.5	13.2	198.9
Cities of 10,000 or more.....	109.9	34.2	14.9	272.6
Cities of 2,500 to 10,000.....	77.1	27.0	12.4	259.2
Rural.....	74.6	26.0	12.9	173.9
North Dakota.....	22.8	21.7	23.4	8.2	71.4
Cities of 10,000 or more.....	68.2	67.9	71.7	13.4	250.0
Cities of 2,500 to 10,000.....	19.8	19.8	20.5	14.3
Rural.....	12.9	11.3	11.9	6.8	69.2
Ohio.....	24.9	20.9	22.1	6.9	106.6
Cities of 10,000 or more.....	28.5	22.5	24.6	6.9	110.4
Cities of 2,500 to 10,000.....	19.5	17.8	18.4	5.3	87.4
Rural.....	19.4	18.8	19.0	7.6	75.7
Oklahoma.....	21.5	14.9	14.9	9.4	92.1
Cities of 10,000 or more.....	26.0	16.3	16.8	13.9	119.5
Cities of 2,500 to 10,000.....	15.3	7.8	7.6	86.7
Rural.....	21.8	16.6	16.7	9.6	81.4
Oregon.....	18.2	17.3	17.9	8.8	59.9
Cities of 10,000 or more.....	30.1	29.7	31.7	12.4	58.1
Cities of 2,500 to 10,000.....	6.4	6.5	6.8
Rural.....	10.2	7.8	8.0	4.6	69.0
Pennsylvania.....	33.4	28.6	31.5	8.2	129.6
Cities of 10,000 or more.....	37.1	29.3	30.0	9.4	131.0
Cities of 2,500 to 10,000.....	25.5	24.8	27.4	4.8	84.3
Rural.....	30.0	28.3	30.8	6.2	131.8
Rhode Island.....	24.2	22.6	26.5	11.4	105.8
Cities of 10,000 or more.....	25.7	24.0	28.4	11.9	114.0
Cities of 2,500 to 10,000.....	9.3	9.3	12.5
Rural.....	8.5	8.6	8.8	7.9
South Carolina.....	113.6	24.9	24.9	196.5
Cities of 10,000 or more.....	131.6	39.1	39.3	274.3
Cities of 2,500 to 10,000.....	98.6	19.4	19.4	227.3
Rural.....	111.9	22.4	22.4	185.4
South Dakota.....	17.2	14.7	14.9	9.2	67.9
Cities of 10,000 or more.....	38.8	39.0	39.2	38.1
Cities of 2,500 to 10,000.....	12.6	11.8	12.5	166.7
Rural.....	12.6	8.8	8.9	4.1	68.2
Tennessee.....	40.6	20.5	20.4	13.2	151.0
Cities of 10,000 or more.....	69.5	28.0	27.6	16.0	188.6
Cities of 2,500 to 10,000.....	40.4	20.1	20.2	148.5
Rural.....	29.4	18.1	18.1	118.1
Utah.....	9.9	9.8	9.8	5.4	18.3
Cities of 10,000 or more.....	14.7	14.7	14.5	9.3	21.3
Cities of 2,500 to 10,000.....	2.4	2.4	2.5
Rural.....	8.3	8.2	8.6	20.0
Vermont.....	24.2	24.2	27.2	6.9
Cities of 10,000 or more.....	45.2	45.3	50.0	13.4
Cities of 2,500 to 10,000.....	23.3	23.3	26.5	5.0
Rural.....	17.6	17.6	19.7	5.8
Virginia.....	70.5	25.7	25.8	6.8	177.8
Cities of 10,000 or more.....	83.0	24.2	24.4	9.7	218.3
Cities of 2,500 to 10,000.....	55.9	27.4	27.5	191.3
Rural.....	67.9	26.0	26.1	163.9
Washington.....	21.4	21.3	22.2	12.1	23.4
Cities of 10,000 or more.....	27.0	27.3	28.5	15.2	18.2
Cities of 2,500 to 10,000.....	12.4	12.3	13.0	5.1	15.6
Rural.....	13.2	12.3	12.7	6.9	30.1
West Virginia.....	44.7	40.8	41.8	3.3	109.7
Cities of 10,000 or more.....	47.7	42.8	44.6	133.9
Cities of 2,500 to 10,000.....	39.1	35.3	36.7	119.5
Rural.....	44.8	41.1	41.8	5.5	104.0
Wisconsin.....	23.1	22.2	23.1	8.9	138.3
Cities of 10,000 or more.....	28.5	27.8	29.6	10.3	170.9
Cities of 2,500 to 10,000.....	18.1	18.1	18.5	4.6
Rural.....	19.0	17.5	18.1	7.1	128.1
Wyoming.....	16.5	16.5	16.7	10.5	16.5
Cities of 10,000 or more.....	26.3	23.0	30.5
Cities of 2,500 to 10,000.....	25.9	27.0	26.8	29.9
Rural.....	11.3	10.3	10.2	6.0	21.9

STILLBIRTH STATISTICS: 1932

INTRODUCTION

The annual presentation of stillbirth statistics was begun in 1922. Previous to that time, the Bureau of the Census had published such data but once, in 1918.

The interpretation of the statistics relating to stillbirths should be made with caution. There is no single definition for "stillbirth" in general use, and the application of the term varies widely in the law and practices of the different States.

Therefore, it is suggested that persons interested in stillbirth statistics study table S before drawing conclusions from the figures presented in tables relating to stillbirths.

STATE	PERIOD OF UTEROGESTATION TO WHICH A STILLBORN CHILD MUST HAVE ADVANCED BEFORE A CERTIFICATE IS REQUIRED TO BE REGISTERED	
	Period	Authority
Alabama.....	Advanced to 5th month.....	Law.
Arizona.....		
California.....		
Connecticut.....	Not less than 28 weeks.....	
District of Columbia.....		
Florida.....	Advanced to 5th month.....	
Georgia.....		
Illinois.....		
Indiana.....	7 months and over.....	
Iowa.....	Advanced to 5th month.....	
Louisiana.....		
Michigan.....		
Minnesota.....		
Mississippi.....		
Nebraska.....		
New Mexico.....		
New York.....		
North Carolina.....		
Oklahoma.....		
Oregon.....		
South Dakota.....		
Tennessee.....		
Washington.....	Beyond the 7th month.....	
West Virginia.....	Advanced to 5th month.....	
Arkansas.....	5 months.....	
Colorado.....		
Delaware.....		
Idaho.....		
Kansas.....		
Kentucky.....	4½ months.....	
Maine.....		
Massachusetts.....		
Missouri.....		
Montana.....		
Nevada.....		
New Hampshire.....		
New Jersey.....		
North Dakota.....		
Ohio.....		
Rhode Island.....		
South Carolina.....		
Utah.....		
Vermont.....		
Virginia.....		
Wisconsin.....		
Wyoming.....		
Maryland.....	Any product of conception.....	Letter to doctors of Maryland.
Pennsylvania.....		

¹ Exclusive of New York City, where any product of conception is required to be registered.

NOTE.—Connecticut, Illinois, New Jersey, New York, Oregon, and the District of Columbia report a stillbirth as a stillbirth. In the remaining States a stillbirth reported either as a birth or as both a birth and a death.

COMPARISON OF STILLBIRTH RATIOS: 1931 AND 1932

In 1932 the highest stillbirth ratio (6.4 per 100 live births) was for both Maryland and South Carolina. The next highest ratios were 6.0, 5.7, and 5.0 for Georgia, Florida, and Louisiana, respectively, and were due in a great measure to the large proportion of colored populations in these States, for which the ratios were, respectively, 9.3, 9.9, and 7.5, while for the white in these States the ratios were only 3.9, 3.7, and 3.4, respectively. The lowest stillbirth ratio (2.1) was for Utah. A comparison of the ratios for 1932 with those for 1931 shows that 14 States had higher ratios in 1932 and 25 States had lower ratios, while those for 8 States remained the same.

In table T stillbirths per 100 live births are presented by color for certain States, and by cities of 10,000 inhabitants or more, by cities of 2,500 to 10,000 inhabitants, and by rural districts for the years 1931 and 1932. In 1931 the larger cities in the registration area had the highest rate whereas in 1932 the highest rate was for the smaller cities and the same condition existed in 19 States. In the remaining States, rates for the larger cities either equalled or exceeded those for the rural except in California, Massachusetts, and New Hampshire, where the rates for the rural districts were highest.

The stillbirth ratio for the colored (7.2) was more than double that for the white (3.3) and for each State shown by color this marked difference prevailed, the greatest (6.2) being for Florida.

AREA	STILLBIRTHS PER 100 LIVE BIRTHS							
	1932				1931			
	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
The registration area in continental United States	3.8	3.9	4.0	3.6	3.8	4.0	3.8	3.7
White.....	3.3	3.5	3.5	3.0	3.3	3.6	3.4	3.0
Colored.....	7.2	7.7	8.7	6.7	7.1	7.7	7.2	6.8
Alabama.....	4.9	5.6	6.1	4.7	4.9	5.5	5.0	4.7
White.....	3.4	3.7	4.2	3.3	3.4	3.8	3.4	3.3
Colored.....	7.4	8.6	11.2	6.9	7.4	8.3	9.1	7.1
Arizona.....	2.5	2.5	3.1	2.2	3.1	3.1	3.3	3.0
Arkansas.....	4.0	4.5	4.5	3.9	3.9	5.0	4.0	3.8
White.....	3.0	3.2	3.4	2.9	3.0	3.4	3.3	2.9
Colored.....	7.2	10.3	8.3	6.9	7.0	11.3	6.1	6.7
California.....	2.7	2.7	2.6	2.9	2.9	2.9	2.7	2.9
Colorado.....	3.2	3.4	3.5	2.9	3.1	3.0	3.2	3.1
Connecticut.....	2.9	2.9	2.4	2.9	2.7	2.7	3.9	2.3
Delaware.....	3.4	3.4	3.9	3.3	4.1	3.4	6.6	4.4
District of Columbia.....	4.3	4.3	-----	-----	4.6	4.6	-----	-----
White.....	3.1	3.1	-----	-----	3.3	3.3	-----	-----
Colored.....	6.8	6.8	-----	-----	7.5	7.5	-----	-----
Florida.....	5.7	6.3	5.1	5.3	5.6	6.1	5.0	5.5
White.....	3.7	4.0	3.7	3.6	3.7	3.9	3.5	3.6
Colored.....	9.9	12.3	8.5	8.7	10.0	11.9	8.9	9.0
Georgia.....	6.0	7.0	6.9	5.5	6.0	7.2	5.0	5.7
White.....	3.9	4.4	3.8	3.8	3.8	4.2	2.9	3.8
Colored.....	9.3	11.1	12.9	8.1	9.3	12.1	8.9	8.5
Idaho.....	2.7	3.3	2.9	2.4	2.0	2.2	1.9	2.0

Table T—Continued

AREA	STILLBIRTHS PER 100 LIVE BIRTHS							
	1932			1931				
	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Total	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Illinois.....	3.1	3.2	3.3	2.8	3.4	3.6	3.1	3.1
Indiana.....	2.9	3.0	3.3	2.6	2.9	3.1	3.1	2.7
Iowa.....	3.2	3.8	3.6	2.6	3.2	3.8	3.9	2.5
Kansas.....	2.8	3.4	3.1	2.4	2.9	3.4	3.4	2.5
Kentucky.....	3.4	4.0	4.7	3.1	3.5	3.7	5.6	3.3
White.....	3.2	3.6	4.4	3.0	3.3	3.3	4.8	3.1
Colored.....	6.3	6.8	8.1	5.5	7.9	7.4	13.5	7.1
Louisiana.....	5.0	5.2	6.6	4.7	5.0	4.7	5.8	4.9
White.....	3.4	3.8	4.8	2.9	3.6	3.7	4.3	3.4
Colored.....	7.5	7.6	9.5	7.2	7.1	6.6	8.5	7.1
Maine.....	3.4	3.4	3.1	3.4	3.7	3.6	2.8	3.9
Maryland.....	6.4	6.1	11.1	6.3	6.6	6.4	7.7	7.0
White.....	5.4	5.1	10.1	5.2	5.7	5.4	7.5	5.8
Colored.....	10.2	10.0	17.0	9.8	10.1	10.0	9.0	10.4
Massachusetts.....	3.4	3.4	2.6	4.4	3.5	3.5	3.7	3.3
White.....	3.5	3.6	4.3	3.1	3.6	3.8	3.7	3.1
Colored.....	2.9	3.1	3.7	2.5	3.0	3.4	3.4	2.5
Minnesota.....	4.7	7.0	7.7	4.3	4.6	6.7	2.5	4.4
White.....	3.1	4.7	5.6	2.7	2.9	4.4	1.8	2.7
Colored.....	6.2	11.3	10.3	5.6	6.0	10.8	3.2	5.8
Missouri.....	4.1	4.7	3.9	3.7	4.2	4.7	4.0	3.8
Montana.....	2.8	3.0	3.4	2.5	3.2	3.6	3.1	3.0
Nebraska.....	2.8	2.8	3.3	2.6	2.9	3.2	3.8	2.5
Nevada.....	4.8	6.8	4.4	4.2	3.4	3.7	2.8	3.5
New Hampshire.....	3.8	4.0	2.4	4.2	4.0	3.8	3.7	4.5
New Jersey.....	3.7	3.9	3.0	3.2	3.9	4.0	4.0	3.6
New Mexico.....	3.1	4.1	4.0	2.8	2.8	3.1	3.0	2.7
New York.....	4.2	4.4	3.3	3.2	4.1	4.3	3.4	3.3
North Carolina.....	4.7	6.3	6.0	4.2	4.5	6.4	5.5	4.0
White.....	3.3	4.1	4.1	3.0	3.1	4.1	4.2	2.8
Colored.....	7.8	11.1	13.0	6.8	7.7	11.6	10.6	6.6
North Dakota.....	2.6	3.0	2.9	2.4	2.8	3.3	3.1	2.7
Ohio.....	3.4	3.6	3.5	3.0	3.5	3.7	3.5	3.0
Oklahoma.....	2.6	2.7	3.0	2.4	2.4	2.6	2.5	2.3
White.....	2.4	2.5	2.7	2.3	2.3	2.4	2.3	2.3
Colored.....	4.1	4.1	5.3	3.6	4.0	5.4	4.5	3.2
Oregon.....	2.5	2.8	2.4	2.2	2.7	2.7	3.1	2.4
Pennsylvania.....	3.6	3.7	3.6	3.4	3.6	3.8	3.5	3.3
Rhode Island.....	3.4	3.4	4.4	3.2	3.2	3.2	3.5	3.0
South Carolina.....	6.4	8.7	6.1	6.0	6.2	7.8	6.1	5.9
White.....	3.4	4.0	3.1	3.3	3.4	3.7	3.3	3.3
Colored.....	9.2	15.8	11.1	8.3	8.9	14.1	10.8	8.1
South Dakota.....	2.4	2.3	3.3	2.2	(1)	(1)	(1)	(1)
Tennessee.....	4.0	5.1	4.7	3.5	4.2	5.3	5.2	3.6
White.....	3.3	3.7	3.8	3.1	3.5	3.6	4.7	3.2
Colored.....	7.7	9.2	9.2	6.2	8.3	10.4	8.2	6.6
Utah.....	2.1	2.1	2.0	2.1	2.3	2.8	2.4	1.7
Vermont.....	3.1	3.6	---	2.9	2.8	3.0	3.2	2.6
Virginia.....	4.4	5.7	4.6	4.0	4.4	5.4	5.5	3.9
White.....	3.2	3.5	4.1	2.9	3.0	3.1	4.3	2.8
Colored.....	7.5	10.6	6.9	6.5	7.8	10.8	11.4	6.6
Washington.....	2.5	2.4	2.7	2.5	2.7	2.7	2.6	2.6
West Virginia.....	3.7	4.7	4.5	3.4	3.9	5.1	5.5	3.4
Wisconsin.....	2.7	2.8	3.5	2.5	2.8	3.2	3.2	2.4
Wyoming.....	2.6	2.8	3.1	2.5	2.6	3.3	2.1	2.6

1 Not added to the registration area until a later date.

STILLBIRTHS BY MONTHS

Table U shows stillbirths per 100 live births by month of birth for the years 1931 and 1932. A comparison of the ratios for the 2 years shows the differences to be few and very slight.

Table U

MONTH OF BIRTH	STILLBIRTHS PER 100 LIVE BIRTHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES IN—	
	1932	1931
Total.....	3.8	3.8
January.....	3.9	3.9
February.....	3.8	4.0
March.....	3.9	3.9
April.....	4.0	3.9
May.....	3.9	4.0
June.....	3.8	3.8
July.....	3.7	3.7
August.....	3.6	3.7
September.....	3.5	3.6
October.....	3.7	3.7
November.....	3.8	3.8
December.....	3.8	3.8

STILLBIRTHS BY AGE OF MOTHER

Table V shows stillbirths per 100 live births by age of mother and plainly indicates that as mothers grow older the tendency for stillbirths among them becomes greater, especially after the age of 30. The ratio of 8.7 for mothers 45 to 49 years of age is in marked contrast with 3.2 for mothers in the age periods 20 to 24 and 25 to 29 years.

Table V

AGE OF MOTHER	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932		
	Live births	Stillbirths	Stillbirths per 100 live births
All ages.....	2,074,042	78,351	3.8
10 to 14 years.....	2,415	177	7.3
15 to 19 years.....	247,840	10,102	4.1
20 to 24 years.....	613,199	19,698	3.2
25 to 29 years.....	527,881	16,688	3.2
30 to 34 years.....	351,900	13,075	3.7
35 to 39 years.....	221,271	10,788	4.9
40 to 44 years.....	75,644	4,854	6.4
45 to 49 years.....	7,108	620	8.7
50 to 54 years.....	136	10	7.4
Unknown.....	26,648	2,339	8.8

DIAGRAM 4.—STILLBIRTHS PER 100 LIVE BIRTHS, BY AGE OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932




Table W shows the distribution of births and stillbirths, by age of mother.

Table W

AGE OF MOTHER	DISTRIBUTION PER 1,000 IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932	
	Live births	Stillbirths
All ages.....	1,000.0	1,000.0
10 to 14 years.....	1.2	12.3
15 to 19 years.....	119.5	128.9
20 to 24 years.....	295.7	251.4
25 to 29 years.....	254.5	213.0
30 to 34 years.....	169.7	166.9
35 to 39 years.....	106.7	137.7
40 to 44 years.....	36.5	62.0
45 to 49 years.....	3.4	7.9
50 years and over.....	0.1	0.1
Unknown.....	12.8	29.9

STILLBIRTHS BY LEGITIMACY

Table X shows births and stillbirths, with the ratio of stillbirths to 100 live births, by legitimacy, for cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000, and rural in each State.

Ratios for illegitimates were higher in all States but three—Montana, Rhode Island, and Vermont. In 18 States rates of illegitimacy were highest in the larger cities; in 16 states the higher rates were for the smaller cities; and in 10 States the rates of illegitimacy in rural districts were the highest.

Table X	AREA	1932					
		STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
		Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
The registration area in continental United States: ¹							
Total	73,891	67,616	6,275	3.8	3.6	8.4	
White	55,153	53,124	2,029	3.3	3.2	5.8	
Colored	18,738	14,492	4,246	7.4	6.8	10.7	
Cities of 10,000 or more:							
Total	34,181	31,627	2,554	4.0	3.8	8.2	
White	27,379	26,360	1,019	3.5	3.5	5.5	
Colored	6,802	5,267	1,535	8.1	7.4	12.0	
Cities of 2,500 to 10,000:							
Total	7,472	6,882	590	4.1	3.9	10.4	
White	5,889	5,681	208	3.5	3.5	7.1	
Colored	1,583	1,201	382	9.4	8.5	13.9	
Rural:							
Total	32,238	29,107	3,131	3.6	3.4	8.3	
White	21,885	21,083	802	3.0	2.9	6.0	
Colored	10,353	8,024	2,329	6.8	6.3	9.6	
Alabama:							
Total	3,089	2,608	481	4.9	4.5	8.6	
White	1,337	1,308	29	3.4	3.4	4.1	
Colored	1,752	1,300	452	7.4	7.0	9.2	
Cities of 10,000 or more:							
Total	637	541	96	5.6	5.3	8.7	
White	255	245	10	3.7	3.6	5.5	
Colored	382	296	86	8.6	8.4	9.3	
Cities of 2,500 to 10,000:							
Total	222	180	42	6.1	5.3	15.7	
White	113	111	2	4.2	4.2	4.4	
Colored	109	69	40	11.2	9.2	18.0	
Rural:							
Total	2,230	1,887	343	4.7	4.3	8.1	
White	969	952	17	3.3	3.2	3.6	
Colored	1,261	935	326	6.9	6.5	8.7	
Arizona:							
Total	216	202	14	2.5	2.4	8.0	
Cities of 10,000 or more	62	62	0	2.5	2.2	18.4	
Cities of 2,500 to 10,000	71	64	7	3.1	3.0	16.7	
Rural	77	76	1	2.2	2.2	1.1	
Arkansas:							
Total	1,491	1,338	153	4.0	3.7	9.8	
White	861	828	33	3.0	2.9	8.6	
Colored	630	510	120	7.2	6.7	10.2	
Cities of 10,000 or more:							
Total	147	126	21	4.5	4.0	15.6	
White	87	82	5	3.2	3.1	10.2	
Colored	60	44	16	10.3	8.9	18.6	
Cities of 2,500 to 10,000:							
Total	118	109	9	4.5	4.4	8.2	
White	68	65	3	3.4	3.3	15.0	
Colored	50	44	6	8.3	8.6	6.7	
Rural:							
Total	1,293	1,103	123	3.9	3.6	9.4	
White	706	681	25	2.9	2.9	7.9	
Colored	520	422	98	6.9	6.4	9.8	
Colorado:							
Total	559	537	22	3.2	3.1	4.9	
Cities of 10,000 or more	241	232	9	3.4	3.4	3.1	
Cities of 2,500 to 10,000	72	69	3	3.5	3.4	6.4	
Rural	246	236	10	2.9	2.8	8.9	
Connecticut:							
Total	685	667	18	2.9	2.9	4.3	
Cities of 10,000 or more	556	541	15	2.9	2.9	4.8	
Cities of 2,500 to 10,000	28	27	1	2.4	2.3	4.3	
Rural	101	99	2	2.9	2.9	2.3	
Delaware:							
Total	145	119	26	3.4	2.9	11.6	
Cities of 10,000 or more	74	64	10	3.4	3.1	10.6	
Cities of 2,500 to 10,000	14	13	1	3.9	3.7	12.5	
Rural	57	42	15	3.3	2.6	12.2	
District of Columbia:							
Total	437	362	75	4.3	3.9	9.6	
White	210	202	8	3.1	3.0	4.6	
Colored	227	160	67	6.8	5.8	11.0	
Florida:							
Total	1,550	1,321	229	5.7	5.1	13.7	
White	706	677	29	3.7	3.7	8.7	
Colored	844	644	200	9.9	9.0	15.0	

¹ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy.

Table X—Continued

AREA	1932					
	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Florida—Continued						
Cities of 10,000 or more:						
Total	639	545	94	6.3	5.7	15.9
White	290	282	8	4.0	3.9	6.6
Colored	349	263	86	12.3	11.1	18.3
Cities of 2,500 to 10,000:						
Total	216	185	31	5.1	4.6	13.9
White	111	103	8	3.7	3.5	33.3
Colored	105	82	23	8.5	7.9	11.6
Rural:						
Total	695	591	104	5.3	4.8	12.1
White	305	292	13	3.6	3.5	6.9
Colored	390	299	91	8.7	7.9	13.6
Georgia:						
Total	3,849	3,227	622	6.0	5.5	12.2
White	1,491	1,451	40	3.9	3.9	6.7
Colored	2,358	1,776	582	9.3	8.5	13.0
Cities of 10,000 or more:						
Total	958	785	173	7.0	6.3	14.4
White	365	357	8	4.4	4.4	5.7
Colored	593	428	165	11.1	10.0	15.5
Cities of 2,500 to 10,000:						
Total	596	492	104	6.9	6.2	16.5
White	213	205	8	3.8	3.7	11.0
Colored	383	287	96	12.9	11.9	17.2
Rural:						
Total	2,295	1,950	345	5.5	5.1	10.6
White	913	889	24	3.8	3.7	6.2
Colored	1,382	1,061	321	8.1	7.4	11.2
Idaho:						
Total	236	229	7	2.7	2.7	7.7
Cities of 10,000 or more	37	33	4	3.3	3.1	10.3
Cities of 2,500 to 10,000	92	92	0	2.9	2.9	—
Rural	107	104	3	2.4	2.4	10.3
Illinois:						
Total	3,446	3,326	120	3.1	3.1	4.5
Cities of 10,000 or more	2,357	2,273	84	3.2	3.1	4.1
Cities of 2,500 to 10,000	335	324	11	3.3	3.3	5.9
Rural	754	729	25	2.8	2.8	5.6
Indiana:						
Total	3,626	3,506	120	6.8	6.7	10.9
Cities of 10,000 or more	2,357	2,273	84	9.6	9.5	12.4
Cities of 2,500 to 10,000	335	324	11	6.4	6.3	11.7
Rural	934	909	25	4.0	4.0	7.6
Iowa:						
Total	1,278	1,226	52	3.2	3.1	7.1
Cities of 10,000 or more	517	485	32	3.8	3.7	6.5
Cities of 2,500 to 10,000	199	191	8	3.6	3.5	13.3
Rural	562	550	12	2.6	2.6	6.7
Kansas:						
Total	894	864	30	2.8	2.8	5.6
Cities of 10,000 or more	336	315	21	3.4	3.3	6.1
Cities of 2,500 to 10,000	132	128	4	3.1	3.0	8.2
Rural	426	421	5	2.4	2.4	3.5
Kentucky:						
Total	2,014	1,928	86	3.4	3.3	7.8
White	1,804	1,742	62	3.2	3.1	8.1
Colored	210	186	24	6.3	6.3	7.2
Cities of 10,000 or more:						
Total	413	393	20	4.0	4.0	5.8
White	326	313	13	3.6	3.5	7.5
Colored	87	80	7	6.8	7.2	4.1
Cities of 2,500 to 10,000:						
Total	218	209	9	4.7	4.6	8.3
White	184	181	3	4.4	4.4	4.8
Colored	34	28	6	8.1	7.4	13.0
Rural:						
Total	1,333	1,326	57	3.1	3.0	8.7
White	1,294	1,248	46	3.0	2.9	8.6
Colored	89	78	11	5.5	5.2	9.3
Louisiana:						
Total	2,186	1,906	280	5.0	4.8	7.6
White	861	844	17	3.4	3.4	3.2
Colored	1,325	1,062	263	7.5	7.3	8.3
Cities of 10,000 or more:						
Total	711	661	50	5.2	5.4	4.0
White	326	323	3	3.8	3.9	1.1
Colored	385	338	47	7.6	8.2	4.9
Cities of 2,500 to 10,000:						
Total	244	205	39	6.6	6.0	11.9
White	114	109	5	4.8	4.7	10.6
Colored	130	96	34	9.5	8.8	12.1
Rural:						
Total	1,231	1,040	191	4.7	4.4	9.0
White	421	412	9	2.9	2.8	4.4
Colored	810	628	182	7.2	6.7	9.5
Maine:						
Total	546	518	28	3.4	3.3	5.5
Cities of 10,000 or more	165	153	12	3.4	3.3	6.3
Cities of 2,500 to 10,000	62	59	3	3.1	3.1	5.5
Rural	319	306	13	3.4	3.4	4.9
Maryland:						
Total	1,856	1,594	262	6.4	5.9	13.2
White	1,211	1,145	66	5.4	5.2	12.7
Colored	645	449	196	10.2	9.2	13.3
Cities of 10,000 or more:						
Total	1,000	873	127	6.1	5.7	12.2
White	657	633	24	5.1	5.0	9.2
Colored	343	240	103	10.0	9.1	13.2

Table X—Continued

AREA	1932					
	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Maryland—Continued						
Cities of 2,500 to 10,000:						
Total	164	144	20	11.1	10.7	14.8
White	126	116	10	10.1	9.6	21.3
Colored	38	28	10	17.0	20.6	11.4
Rural:						
Total	692	577	115	6.3	5.7	14.1
White	428	396	32	5.2	4.9	15.0
Colored	264	181	83	9.8	8.6	13.8
Michigan:						
Total	2,977	2,871	106	3.5	3.4	5.0
Cities of 10,000 or more	1,862	1,787	75	3.6	3.5	4.7
Cities of 2,500 to 10,000	306	295	11	4.3	4.2	9.6
Rural	809	789	20	3.1	3.0	5.0
Minnesota:						
Total	1,333	1,257	76	2.9	2.8	6.3
Cities of 10,000 or more	576	528	48	3.1	3.0	6.2
Cities of 2,500 to 10,000	195	191	4	3.7	3.7	3.3
Rural	562	538	24	2.5	2.4	7.9
Mississippi:						
Total	2,189	1,849	340	4.7	4.4	8.9
White	678	660	18	3.1	3.1	6.3
Colored	1,511	1,189	322	6.2	5.7	9.1
Cities of 10,000 or more:						
Total	310	249	61	7.0	6.2	15.6
White	135	127	8	4.7	4.5	16.0
Colored	175	122	53	11.3	10.1	15.5
Cities of 2,500 to 10,000:						
Total	188	164	24	7.7	7.3	13.2
White	74	72	2	5.6	5.5	16.7
Colored	114	92	22	10.3	9.8	12.9
Rural:						
Total	1,691	1,436	255	4.3	4.0	7.8
White	469	461	8	2.7	2.7	3.6
Colored	1,222	975	247	5.6	5.2	8.1
Missouri:						
Total	2,477	2,299	178	4.1	4.0	9.3
Cities of 10,000 or more	1,131	1,006	125	4.7	4.4	9.9
Cities of 2,500 to 10,000	217	202	15	3.9	3.7	9.4
Rural	1,129	1,091	38	3.7	3.7	7.6
Montana:						
Total	254	250	4	2.8	2.8	2.0
Cities of 10,000 or more	79	79	0	3.0	3.2	—
Cities of 2,500 to 10,000	55	54	1	3.4	3.4	4.3
Rural	120	117	3	2.5	2.4	3.8
Nebraska:						
Total	693	676	17	2.8	2.7	3.5
Cities of 10,000 or more	203	195	8	2.8	2.8	3.2
Cities of 2,500 to 10,000	98	97	1	3.3	3.3	2.7
Rural	392	384	8	2.6	2.6	4.1
Nevada:						
Total	60	58	2	4.8	4.6	18.2
Cities of 10,000 or more	16	16	0	6.8	6.8	—
Cities of 2,500 to 10,000	15	15	0	4.4	4.4	—
Rural	29	27	2	4.2	4.0	20.0
New Hampshire:						
Total	300	284	16	3.8	3.7	10.7
Cities of 10,000 or more	174	165	9	4.0	3.8	9.9
Cities of 2,500 to 10,000	21	21	0	2.4	2.4	—
Rural	105	98	7	4.2	4.0	14.3
New Jersey:						
Total	2,291	2,205	86	3.7	3.7	6.7
Cities of 10,000 or more	1,886	1,816	70	3.9	3.8	6.9
Cities of 2,500 to 10,000	162	158	4	3.0	3.0	5.0
Rural	243	231	12	3.2	3.1	6.6
New Mexico:						
Total	389	372	17	3.1	3.1	4.1
Cities of 10,000 or more	57	53	4	4.1	3.9	7.3
Cities of 2,500 to 10,000	83	80	3	4.0	4.0	3.9
Rural	249	239	10	2.8	2.8	3.5
New York:						
Total	8,258	7,984	274	4.2	4.1	7.4
Cities of 10,000 or more	7,151	6,927	224	4.4	4.3	7.6
Cities of 2,500 to 10,000	323	311	12	3.3	3.2	5.9
Rural	784	746	38	3.2	3.1	6.9
North Carolina:						
Total	3,636	2,989	647	4.7	4.2	10.3
White	1,746	1,633	113	3.3	3.2	6.3
Colored	1,890	1,356	534	7.8	6.9	11.5
Cities of 10,000 or more:						
Total	821	607	214	6.3	5.2	14.9
White	362	338	24	4.1	3.9	7.9
Colored	459	269	190	11.1	8.9	16.8
Cities of 2,500 to 10,000:						
Total	328	268	60	6.0	5.3	14.3
White	176	162	14	4.1	3.9	12.2
Colored	152	106	46	13.0	12.2	15.1
Rural:						
Total	2,487	2,114	373	4.2	3.8	8.4
White	1,208	1,153	55	3.0	2.9	5.2
Colored	1,279	961	318	6.8	6.2	9.4
North Dakota:						
Total	362	346	16	2.6	2.5	5.0
Cities of 10,000 or more	69	65	4	3.0	3.0	2.5
Cities of 2,500 to 10,000	41	39	2	2.9	2.8	7.1
Rural	252	242	10	2.4	2.4	7.5
Ohio:						
Total	3,453	3,275	178	3.4	3.3	7.0
Cities of 10,000 or more	2,206	2,082	124	3.6	3.5	7.1
Cities of 2,500 to 10,000	283	277	6	3.5	3.5	3.8
Rural	964	916	48	3.0	2.9	7.6

Table X—Continued

AREA	1932					
	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Oklahoma:						
Total	1,056	1,013	43	2.6	2.5	4.9
White	913	887	26	2.4	2.4	4.6
Colored	143	126	17	4.1	4.0	5.3
Cities of 10,000 or more:						
Total	259	245	14	2.7	2.6	5.5
White	223	215	8	2.5	2.5	5.4
Colored	36	30	6	4.1	3.9	5.8
Cities of 2,500 to 10,000:						
Total	244	236	8	3.0	2.9	6.4
White	203	193	10	2.7	2.7	8.6
Colored	41	38	3	5.3	5.4	4.5
Rural:						
Total	553	532	21	2.4	2.4	4.2
White	487	474	13	2.3	2.3	3.7
Colored	66	58	8	3.6	3.4	5.3
Oregon:						
Total	322	308	14	2.5	2.4	6.0
Cities of 10,000 or more	157	147	10	2.8	2.7	5.8
Cities of 2,500 to 10,000	65	65	0	2.4	2.5	—
Rural	100	96	4	2.2	2.1	8.7
Pennsylvania:						
Total	6,021	5,653	368	3.6	3.5	6.5
Cities of 10,000 or more	3,243	2,223	1,020	3.7	3.6	6.3
Cities of 2,500 to 10,000	766	725	41	3.6	3.5	7.7
Rural	1,789	1,685	104	3.4	3.3	6.6
Rhode Island:						
Total	382	373	9	3.4	3.4	3.3
Cities of 10,000 or more	345	336	9	3.4	3.4	3.4
Cities of 2,500 to 10,000	14	14	0	4.4	4.4	—
Rural	23	23	0	3.2	3.3	—
South Carolina:						
Total	2,651	2,116	535	6.4	5.7	11.3
White	678	657	21	3.4	3.4	4.2
Colored	1,973	1,459	514	9.2	8.5	12.2
Cities of 10,000 or more:						
Total	478	356	122	8.7	7.4	16.8
White	135	130	5	4.0	4.0	3.8
Colored	343	226	117	15.8	14.4	19.7
Cities of 2,500 to 10,000:						
Total	179	137	42	6.1	5.2	14.6
White	56	56	0	3.1	3.2	—
Colored	123	81	42	11.1	9.4	16.6
Rural:						
Total	1,994	1,623	371	6.0	5.5	10.0
White	487	471	16	3.3	3.2	4.8
Colored	1,507	1,152	355	8.3	7.8	10.5
South Dakota:						
Total	312	302	10	2.4	2.3	4.4
Cities of 10,000 or more	55	52	3	2.3	2.3	3.3
Cities of 2,500 to 10,000	39	38	1	3.3	3.2	6.7
Rural	218	212	6	2.2	2.2	4.9
Tennessee:						
Total	2,097	1,902	195	4.0	3.8	9.2
White	1,473	1,423	50	3.3	3.3	5.5
Colored	624	479	145	7.7	7.0	11.9
Cities of 10,000 or more:						
Total	692	592	100	5.1	4.7	10.6
White	371	360	11	3.7	3.7	3.9
Colored	321	232	89	9.2	8.2	13.5
Cities of 2,500 to 10,000:						
Total	195	177	18	4.7	4.4	10.7
White	134	129	5	3.8	3.7	7.0
Colored	61	48	13	9.2	8.5	13.3
Rural:						
Total	1,210	1,138	72	3.5	3.4	7.5
White	968	934	34	3.1	3.1	6.1
Colored	242	199	43	6.2	5.7	9.3
Utah:						
Total	247	243	4	2.1	2.0	3.4
Cities of 10,000 or more	101	98	3	2.1	2.1	4.2
Cities of 2,500 to 10,000	42	42	0	2.0	2.0	—
Rural	104	103	1	2.1	2.1	2.4
Vermont:						
Total	184	180	4	3.1	3.1	2.7
Cities of 10,000 or more	42	40	2	3.6	3.6	3.8
Cities of 2,500 to 10,000	25	25	0	1.9	1.9	—
Rural	117	115	2	3.3	3.3	3.2
Virginia:						
Total	2,422	2,064	358	4.4	4.1	9.3
White	1,224	1,160	64	3.2	3.1	6.5
Colored	1,198	904	294	7.5	6.8	10.3
Cities of 10,000 or more:						
Total	709	571	138	5.7	5.0	13.3
White	308	293	15	3.5	3.5	7.1
Colored	401	278	123	10.6	9.4	14.9
Cities of 2,500 to 10,000:						
Total	176	156	20	4.6	4.3	9.3
White	130	122	8	4.1	3.9	9.2
Colored	46	34	12	6.9	6.3	9.4
Rural:						
Total	1,537	1,337	200	4.0	3.7	7.7
White	786	745	41	2.9	2.9	5.9
Colored	751	592	159	6.5	6.1	8.8
Washington:						
Total	530	512	18	2.5	2.4	3.9
Cities of 10,000 or more	311	302	9	2.4	2.4	2.6
Cities of 2,500 to 10,000	63	62	1	2.7		

Table X—Continued

AREA	1932					
	STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
West Virginia:						
Total.....	1,431	1,292	139	3.7	3.5	8.0
Cities of 10,000 or more.....	295	261	35	4.7	4.4	11.7
Cities of 2,500 to 10,000.....	160	146	14	4.5	4.2	10.0
Rural.....	975	885	90	3.4	3.2	6.9
Wisconsin:						
Total.....	1,457	1,407	50	2.7	2.7	4.1
Cities of 10,000 or more.....	666	635	31	2.8	2.8	4.6
Cities of 2,500 to 10,000.....	209	203	6	3.5	3.5	5.6
Rural.....	582	569	13	2.5	2.5	2.9
Wyoming:						
Total.....	112	110	2	2.6	2.6	2.9
Cities of 10,000 or more.....	19	18	1	2.8	2.7	5.6
Cities of 2,500 to 10,000.....	25	25	0	3.1	3.2	---
Rural.....	68	67	1	2.5	2.5	3.2

PERCENT OF STILLBIRTHS FROM CERTAIN CAUSES AT SPECIFIED PERIODS OF UTEROGESTATION

In table Y the percentage distribution by sex and by cause is shown for the number of stillbirths reported in seven States, the District of Columbia, and Baltimore, Md., the total number being 17,486. Similar tabulations are not available for other States or cities, as information concerning the cause of stillbirths and the period of gestation is not returned on a sufficient number of transcripts to warrant its tabulation.

Note the much greater preponderance of males in the stillbirths of the first 4 months of uterogestation as compared with those of the later months. The following comments apply to male stillbirths presented for the seventh, eighth, and ninth months of uterogestation, these being the months for which stillbirths are believed to be best reported.

Table Y

SEX AND CAUSE OF STILLBIRTH	A SELECTED AREA: ¹ 1932									
	Total	Period of uterogestation of stillbirth								
		Under 4 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Unknown
Stillbirths, number.....	17,486	344	674	1,242	1,855	2,529	3,563	5,839	289	1,151
Male.....	9,888	275	436	704	1,008	1,350	1,982	3,304	158	671
Female.....	7,598	69	238	538	847	1,179	1,581	2,535	131	480
	PERCENT OF EACH SEX									
Male.....	56.5	79.9	64.7	56.7	54.3	53.4	55.6	56.6	54.7	58.3
Female.....	43.5	20.1	35.3	43.3	45.7	46.6	44.4	43.4	45.3	41.7
	PERCENT OF EACH CAUSE TO ALL CAUSES OF EACH SEX									
All causes.....	(M) 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(F) 100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Syphilis.....	(M) 3.0	2.2	3.4	2.1	4.7	4.6	3.1	2.3	1.3	1.3
	(F) 2.7	1.4	2.1	1.9	3.5	3.7	3.2	2.1	1.5	1.9
Eclampsia of pregnancy.....	(M) 1.6	---	0.5	0.9	1.9	2.4	1.9	1.5	2.5	1.6
	(F) 1.9	---	---	0.7	2.2	3.3	1.8	1.7	3.1	1.0
Toxemia of pregnancy.....	(M) 2.9	1.5	1.4	2.8	4.1	5.3	2.8	2.1	1.9	1.5
	(F) 3.1	---	2.1	1.7	4.6	4.9	3.2	2.5	2.3	1.2
Albuminuria, nephritis, and other diseases incident to pregnancy.....	(M) 2.3	1.1	1.6	2.6	3.6	4.1	2.8	1.3	---	1.3
	(F) 2.1	1.4	1.3	1.9	3.0	4.3	2.6	1.0	---	1.0
Malformations.....	(M) 5.3	0.4	0.5	0.7	5.1	5.8	7.4	6.4	6.3	3.0
	(F) 9.0	2.9	0.4	2.4	5.8	10.7	12.8	9.7	9.9	6.2
Placenta praevia.....	(M) 3.1	2.2	3.0	3.4	4.0	3.9	4.3	2.1	1.9	1.3
	(F) 3.0	2.9	4.6	2.8	3.9	4.5	3.0	2.1	---	2.3
Separation of placenta.....	(M) 5.9	2.5	6.7	5.3	7.6	9.3	7.1	4.2	1.9	4.0
	(F) 6.2	5.8	5.0	6.1	6.6	7.0	7.6	5.4	3.8	4.8
Other diseases of the placenta and membranes.....	(M) 1.9	0.7	1.4	2.6	3.1	1.6	1.7	2.0	0.6	0.9
	(F) 2.0	2.9	2.5	2.4	2.1	1.4	3.1	1.6	2.3	1.5
Abortion, miscarriage, and premature birth.....	(M) 8.2	21.8	24.1	23.4	18.8	14.6	2.2	0.1	0.6	6.4
	(F) 7.5	29.0	20.6	24.5	20.9	11.0	1.8	0.1	---	6.7
Prolapse and compression of cord.....	(M) 10.2	1.1	3.9	2.1	3.6	5.3	12.9	16.4	15.2	6.3
	(F) 10.1	1.4	2.5	3.3	3.1	5.5	12.4	16.2	16.0	5.4
Breech presentation.....	(M) 3.0	0.4	---	0.3	0.7	1.0	3.3	5.5	5.1	3.4
	(F) 2.6	1.4	---	0.2	0.6	0.7	2.2	5.2	2.3	2.9
Other malpresentations.....	(M) 2.3	---	---	---	0.9	1.0	2.9	4.0	2.5	1.6
	(F) 1.9	---	---	---	0.6	0.7	2.2	3.6	1.5	1.0
Deformed pelvis.....	(M) 1.7	---	---	0.1	0.2	0.4	2.3	3.1	2.5	0.7
	(F) 1.1	---	---	---	0.2	0.1	1.1	2.1	4.6	0.8
Other difficult labor.....	(M) 9.5	0.4	0.2	0.3	0.6	2.4	9.7	19.4	25.3	4.3
	(F) 7.6	---	---	0.2	0.4	1.2	8.0	15.2	19.8	4.0
Asphyxia of child (cause not stated).....	(M) 4.3	8.7	3.7	3.0	2.6	3.5	4.5	5.2	5.7	3.0
	(F) 3.9	1.4	4.2	2.2	2.1	3.1	3.5	5.4	4.6	4.2
Maceration.....	(M) 1.8	0.7	0.9	1.0	1.0	2.2	1.7	2.1	4.4	1.5
	(F) 1.8	1.4	1.3	0.7	2.6	2.1	2.2	1.6	4.6	0.2
Other deaths in utero.....	(M) 4.7	6.2	4.8	8.4	6.8	6.1	4.7	3.3	2.5	1.8
	(F) 4.9	10.1	5.0	7.4	6.1	6.5	4.0	4.1	6.1	1.5
Traumatism (exclusive of overwork).....	(M) 2.5	8.0	6.4	6.0	4.3	2.9	2.2	0.7	---	0.6
	(F) 2.5	5.8	6.3	6.9	3.7	4.3	1.6	1.0	1.5	0.4
Other specified causes.....	(M) 2.1	---	0.5	0.9	0.9	2.1	2.8	2.8	3.2	1.0
	(F) 2.1	1.4	1.7	0.7	1.2	1.3	2.7	2.8	4.6	0.8
Causes not specified and unknown.....	(M) 23.9	42.2	37.2	34.2	25.8	21.6	19.8	15.3	16.5	54.2
	(F) 24.0	30.4	40.3	33.8	26.8	23.7	20.8	16.6	11.5	52.1

¹ Including Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, Baltimore, Md., and the District of Columbia.

For stillbirths of 7 and 8 months, only 22 and 20 percent, respectively, were due to causes not specified or unknown, though these percentages would change to 36 and 22, respectively, if the terms "abortion", "miscarriage", and "premature birth" were included. For stillbirths of 9 months, 15 percent only were due to unknown or not specified causes.

Of the well-defined causes of stillbirths of 7 months' uterogestation, separation of the placenta was the principal cause, being responsible for 9.3 percent of the total. Next in importance were malformations, 5.8 percent; toxemia of pregnancy, and prolapse and compression of cord, each 5.3 percent; and syphilis, 4.6 percent.

Of the well-defined causes of 8 months' uterogestation, prolapse and compression of cord was of first importance, responsible for 12.9 percent of the total. Next in importance were other difficult labor, 9.7 percent; malformations, 7.4 percent; and separation of placenta, 7.1 percent.

Of the well-defined causes of 9 months' uterogestation, other difficult labor was the principal cause, responsible for 19.4 percent of the total. Next in importance were prolapse and compression of cord,

16.4 percent; malformations, 6.4 percent; breech presentation, 5.5 percent; and asphyxia of child, 5.2 percent.

From table Z, which shows the percent of stillbirths at specified periods of uterogestation by sex and cause of stillbirth, it is found that 33 percent of the male stillbirths reported were at the ninth month, and that for 19 of the 20 groups of causes there were more stillbirths of males than females. Malformations, as usual, was the only cause responsible for more stillbirths of females than males.

As causes of stillbirths among males, albuminuria, nephritis, and other diseases incident to pregnancy played their most important role at the sixth, seventh, eighth, and ninth months; the higher percentages of stillbirths from abortion, miscarriage, and premature birth were credited to the fifth, sixth, and seventh months; the higher percentages from both eclampsia of pregnancy and toxemia of pregnancy were credited to the seventh, eighth, and ninth months; from traumatism to the fifth, sixth, seventh, and eighth months; from placenta praevia and separation of placenta to the eighth month; while for all other causes listed the higher percentages were for the ninth month.

Table Z A SELECTED AREA:¹ 1932

CAUSE OF STILLBIRTH	Stillbirths			Percent of stillbirths at specified period of uterogestation for total of each sex																				
	Number		Percent of each sex		All periods, M. and F.	Under 4 months		4 months		5 months		6 months		7 months		8 months		9 months		10 months and over		Unknown		
	Total	M.	F.	M.		F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All causes.....	17,486	9,888	7,598	56.5	43.5	100.0	2.8	0.9	4.4	3.1	7.1	7.1	10.2	11.1	13.7	15.5	20.0	20.8	33.4	33.4	1.6	1.7	6.8	6.3
Syphilis.....	498	294	204	59.0	41.0	100.0	2.0	0.5	5.1	2.5	5.1	4.9	16.0	14.7	21.1	21.6	20.7	24.5	26.2	26.0	0.7	1.0	3.1	4.4
Eclampsia of pregnancy.....	302	161	141	53.3	46.7	100.0	-----	-----	1.2	-----	3.7	2.8	11.8	13.5	20.5	27.7	23.6	19.9	29.8	29.8	2.5	2.8	6.8	3.5
Toxemia of pregnancy.....	517	282	235	54.5	45.5	100.0	1.4	-----	2.1	2.1	7.1	3.8	14.5	16.6	25.5	24.7	19.5	21.7	25.2	27.2	1.1	1.3	3.5	2.6
Albuminuria, nephritis, and other diseases incident to pregnancy.....	387	225	162	58.1	41.9	100.0	1.3	0.6	3.1	1.9	8.0	6.2	16.0	15.4	24.4	31.5	24.4	25.3	18.7	16.0	-----	-----	4.0	3.1
Malformations.....	1,207	525	682	43.5	56.5	100.0	0.2	0.3	0.4	0.1	1.0	1.9	9.7	7.2	14.9	18.5	27.8	29.6	40.4	36.1	1.9	1.9	3.8	4.4
Placenta praevia.....	528	303	225	57.4	42.6	100.0	2.0	0.9	4.3	4.9	7.9	6.7	13.2	14.7	17.2	23.6	28.1	20.9	23.4	23.6	1.0	-----	3.0	4.9
Separation of placenta.....	1,056	584	472	55.3	44.7	100.0	1.2	0.8	5.0	2.5	6.3	7.0	13.2	11.9	21.4	17.4	24.0	25.4	23.8	29.0	0.5	1.1	4.6	4.9
Other diseases of the placenta and membranes.....	337	183	154	54.3	45.7	100.0	1.1	1.3	3.3	3.9	9.8	8.4	16.9	11.7	11.5	10.4	18.0	31.8	35.5	26.0	0.5	1.9	3.3	4.5
Abortion, miscarriage, and premature birth.....	1,380	808	572	58.6	41.4	100.0	7.4	3.5	13.0	8.6	20.4	23.1	23.4	30.9	24.4	22.7	5.4	5.1	0.5	0.5	0.1	-----	5.3	5.6
Prolapse and compression of cord.....	1,775	1,006	769	56.7	43.3	100.0	0.3	0.1	1.7	0.8	1.5	2.3	3.6	3.4	7.1	8.5	25.4	25.5	53.9	53.3	2.4	2.7	4.2	3.4
Breech presentation.....	500	301	199	60.2	39.8	100.0	0.3	0.5	-----	-----	0.7	0.5	2.3	2.5	4.7	4.0	21.6	17.6	60.1	66.3	2.7	1.5	7.6	7.0
Other malpresentations.....	373	226	147	60.6	39.4	100.0	-----	-----	-----	-----	-----	-----	4.0	3.4	5.8	5.4	25.2	23.8	58.4	62.6	1.8	1.4	4.9	3.4
Deformed pelvis.....	248	165	83	66.5	33.5	100.0	-----	-----	-----	-----	0.6	-----	1.2	2.4	3.0	1.2	27.3	21.7	62.4	62.7	2.4	7.2	3.0	4.8
Other difficult labor.....	1,520	944	576	62.1	37.9	100.0	0.1	-----	0.1	-----	0.2	0.2	0.6	0.5	3.4	2.4	20.4	22.0	67.8	67.0	4.2	4.5	3.1	3.3
Asphyxia of child (cause not stated).....	721	424	297	58.8	41.2	100.0	5.7	0.3	3.8	3.4	5.0	4.0	6.1	6.1	11.1	12.5	21.0	18.9	40.6	46.1	2.1	2.0	4.7	6.7
Maceration.....	313	175	138	55.9	44.1	100.0	1.1	0.7	2.3	2.2	4.0	2.9	5.7	15.9	17.1	18.1	19.4	25.4	40.6	29.7	4.0	4.3	5.7	0.7
Other deaths in utero.....	841	469	372	55.8	44.2	100.0	3.6	1.9	4.5	3.2	12.6	10.8	14.7	14.0	17.7	20.7	20.0	17.2	23.5	23.2	0.9	2.2	2.6	1.9
Traumatism (exclusive of overwork).....	438	245	193	55.9	44.1	100.0	9.0	2.1	11.4	7.8	17.1	19.2	17.6	16.1	15.9	26.4	17.6	13.5	9.8	13.0	-----	1.0	1.6	1.0
Other specified causes.....	365	208	157	57.0	43.0	100.0	-----	0.6	1.0	2.5	2.9	2.5	4.3	6.4	13.9	9.6	26.9	27.4	45.2	44.6	2.4	3.8	3.4	2.5
Causes not specified and unknown.....	4,180	2,360	1,820	56.5	43.5	100.0	4.9	1.2	6.9	5.3	10.2	10.0	11.0	12.5	12.4	15.3	16.7	18.1	21.4	23.1	1.1	0.8	15.4	13.7

¹ Including Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, Baltimore, Md., and the District of Columbia.

INFANT MORTALITY STATISTICS: 1932

INTRODUCTION

The infant mortality rate is the number of deaths of infants under 1 year of age per 1,000 born alive. As infant mortality rates require the number of births, it is possible to show such rates for only the birth registration area and its subdivisions.

In 1932 the rate of infant mortality for the birth registration area in continental United States was 58. This is 4 lower than the rate for 1931 and is the lowest rate for the area since its establishment in 1915. It is practically equivalent to saying that of every 17 infants born alive 1 dies before reaching the age of 1 year.

INFANT MORTALITY RATES: 1927 TO 1932

Table AA shows infant mortality rates for the birth registration area, registration States, and registration cities of 25,000 inhabitants or more in 1930 for the years 1927 to 1932.

For the 47 States in the registration area in 1932 the infant mortality rates ranged from 41 in Oregon to 119 in New Mexico. A comparison of the rates for 1932 with those for 1931 shows that with the exception of five States all had lower rates in the later year. The rates for New Hampshire and Vermont were slightly higher, and those for Alabama, Kansas, and Tennessee remained the same. The greatest decrease (15 per 1,000 live births) was in the rates for both Delaware and New Mexico. Other large decreases (14, 13, and 12) were in the rates for Arizona, Idaho, and Maryland, respectively.

For the 88 cities having populations of 100,000 or more at the census of 1930, the infant mortality rates varied from 34 in Portland, Oreg., to 96 in Memphis, Tenn. The rates for 57 of these cities were lower in 1932 than in 1931; for 26 cities they were higher; and for 5 the rates did not change.

The greatest decrease (28) was in the rate for Evansville, Ind. Other large decreases were 27 in the rate for New Bedford, Mass., 20 for Jersey City, N.J., and 18 for Hartford, Conn. The large increases (15, 12, 11, and 10) were in the rates for Utica, N.Y., Flint, Mich., Tulsa, Okla., and Canton, Ohio, respectively.

Cities with populations between 25,000 and 100,000 in 1930 numbered 272. Fifty-five percent of these had lower rates in 1932 than in 1931, and 41 percent had higher rates. The greatest decreases were 54 in the rate for Maywood, Ill., 51 for Cicero, Ill., 44 for Belleville, N.J., 42 for Lexington, Ky., and 41 for Port Huron, Mich.

The largest increases were 59 in the rate for University City, Mo., 47 for Norwood, Ohio, 44 for Richmond, Ind., and 43 for both Brookline, Mass., and East Cleveland, Ohio.

Table AA AREA	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)					
	1932	1931	1930	1929	1928	1927
SUMMARY						
The registration area in continental United States	58	62	65	68	69	65
White.....	53	57	60	63	64	61
Colored.....	86	96	102	102	106	100
Cities of 10,000 or more.....	57	61	63	66	69	65
White.....	53	56	58	62	65	61
Colored.....	95	105	111	114	121	113
Remainder of area.....	58	62	66	69	68	64
White.....	54	57	61	64	63	60
Colored.....	81	90	98	96	98	92
REGISTRATION STATES						
Alabama.....	61	61	72	74	75	64
White.....	52	53	60	64	64	55
Colored.....	76	77	94	91	94	82
Arizona.....	96	110	117	133	142	130
White.....	53	62	71	125	129	120
Colored.....	145	165	166	218	277	263
Arkansas.....	45	49	51	58	67	61
White.....	43	48	50	55	61	56
Colored.....	52	51	56	69	86	77
California.....	53	57	59	63	62	62
White.....	42	45	57	63	62	62
Colored.....	96	104	80	74	65	69
Colorado.....	71	81	94	91	89	(?)
White.....	65	73	79	91	89	(?)
Colored.....	150	187	(?)	122	82	(?)
Connecticut.....	49	54	56	64	59	59
White.....	48	52	55	64	57	58
Colored.....	95	103	110	89	106	72
Delaware.....	67	82	78	81	78	71
White.....	62	68	70	71	69	62
Colored.....	91	155	120	129	124	112
Florida.....	61	64	64	65	67	67
White.....	49	52	50	52	55	56
Colored.....	87	91	95	94	95	93
Georgia.....	64	68	77	76	82	(?)
White.....	55	57	65	66	68	(?)
Colored.....	78	86	97	93	104	(?)
Idaho.....	43	56	57	55	59	50
White.....	41	53	55	53	57	49
Colored.....	149	211	164	231	230	157
Illinois.....	53	59	56	61	64	64
White.....	52	57	54	60	62	62
Colored.....	71	87	90	99	105	105
Indiana.....	55	58	58	64	63	59
White.....	53	56	55	62	61	57
Colored.....	91	91	140	109	102	96
Iowa.....	48	49	54	53	53	55
White.....	47	48	53	52	53	55
Colored.....	198	156	153	71	109	158
Kansas.....	48	48	53	58	59	55
White.....	47	48	52	56	57	53
Colored.....	69	52	60	118	127	127
Kentucky.....	63	65	65	71	70	61
White.....	61	61	62	67	66	58
Colored.....	108	137	122	130	118	109
Louisiana.....	65	66	78	74	78	77
White.....	53	53	62	59	64	58
Colored.....	82	85	103	98	102	109
Maine.....	63	72	76	77	73	80
White.....	63	71	75	77	72	80
Colored.....	121	125	211	95	182	318
Maryland.....	69	81	75	80	80	81
White.....	57	66	63	69	67	68
Colored.....	110	132	121	120	128	134
Massachusetts.....	53	55	60	62	64	65
White.....	52	54	60	61	64	64
Colored.....	94	81	98	85	97	98

See footnotes at end of table.

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	1932	1931	1930	1929	1928	1927
REGISTRATION STATES—contd.						
Michigan.....	54	57	63	66	69	68
White.....	53	56	61	65	68	66
Colored.....	68	94	95	109	126	102
Minnesota.....	47	51	52	51	54	52
White.....	47	50	51	50	53	51
Colored.....	95	99	150	140	129	127
Mississippi.....	54	56	68	72	74	67
White.....	44	44	51	58	61	55
Colored.....	62	67	83	85	86	78
Missouri.....	57	63	59	62	66	60
White.....	54	60	55	58	62	57
Colored.....	110	108	108	121	123	112
Montana.....	51	60	58	64	61	66
White.....	46	52	54	57	54	60
Colored.....	121	182	138	204	202	169
Nebraska.....	43	49	49	52	53	51
White.....	42	47	48	51	52	51
Colored.....	96	105	114	97	118	81
Nevada.....	70	74	68	67	(2)	(2)
White.....	61	63	57	63	(2)	(2)
Colored.....	170	162	219	117	(2)	(2)
New Hampshire.....	59	57	61	68	69	69
White.....	59	57	61	68	69	69
Colored.....			100			77
New Jersey.....	50	57	56	60	65	61
White.....	47	54	53	57	61	58
Colored.....	92	98	99	105	124	113
New Mexico.....	119	134	145	145	(2)	(2)
White.....	116	130	143	142	(2)	(2)
Colored.....	205	229	186	230	(2)	(2)
New York.....	53	57	59	61	65	59
White.....	51	55	57	59	63	57
Colored.....	93	104	103	111	123	109
North Carolina.....	67	73	79	79	86	79
White.....	57	60	67	67	75	66
Colored.....	87	102	105	107	109	109
North Dakota.....	55	59	62	67	59	63
White.....	55	58	61	65	58	61
Colored.....	95	113	75	238	188	290
Ohio.....	58	60	61	69	66	62
White.....	57	58	58	66	64	60
Colored.....	97	106	107	120	113	103
Oklahoma.....	50	51	61	70	69	(2)
White.....	47	48	57	66	65	(2)
Colored.....	81	86	107	142	131	(2)
Oregon.....	41	44	50	48	47	48
White.....	40	43	48	47	45	46
Colored.....	95	87	149	92	106	96
Pennsylvania.....	60	67	68	71	72	69
White.....	58	64	60	69	70	67
Colored.....	98	115	106	106	116	112
Rhode Island.....	57	61	60	72	67	67
White.....	57	61	62	72	66	65
Colored.....	87	89	49	94	157	140
South Carolina.....	77	81	89	91	97	(4)
White.....	61	59	69	72	78	(4)
Colored.....	92	102	108	110	115	(4)
South Dakota.....	50	(2)	(2)	(2)	(2)	(2)
White.....	47	(2)	(2)	(2)	(2)	(2)
Colored.....	126	(2)	(2)	(2)	(2)	(2)
Tennessee.....	68	68	76	77	81	71
White.....	63	61	69	69	73	64
Colored.....	95	102	115	117	121	107
Utah.....	44	51	57	59	59	54
White.....	43	50	55	57	57	53
Colored.....	202	148	192	215	168	154
Vermont.....	63	60	65	66	65	70
White.....	63	60	65	66	65	70
Colored.....					91	77
Virginia.....	67	76	77	79	76	75
White.....	58	64	65	67	64	62
Colored.....	90	108	107	107	104	106
Washington.....	45	48	49	49	48	50
White.....	44	46	46	47	47	48
Colored.....	88	122	122	107	85	94
West Virginia.....	75	77	81	78	70	72
White.....	73	75	80	76	69	70
Colored.....	103	111	97	96	95	101
Wisconsin.....	50	53	56	60	61	59
White.....	50	52	55	59	61	59
Colored.....	104	138	184	104	177	120
Wyoming.....	57	67	69	70	68	69
White.....	51	62	61	69	65	65
Colored.....	129	133	180	122	173	170

See footnotes at end of table.

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES OF 100,000 INHABITANTS OR MORE IN 1930						
Akron, Ohio.....	46	54	55	64	69	62
Albany, N.Y.....	49	57	60	70	69	67
Atlanta, Ga.....	69	84	94	94	100	(2)
White.....	56	65	65	75	71	(2)
Colored.....	92	121	148	128	156	(2)
Baltimore, Md.....	62	74	65	73	82	81
White.....	53	64	57	62	70	70
Colored.....	94	111	94	111	124	127
Birmingham, Ala.....	65	65	78	88	95	78
White.....	49	53	55	65	74	58
Colored.....	87	86	111	124	127	111
Boston, Mass.....	59	61	70	69	77	76
White.....	59	60	69	68	77	76
Colored.....	85	78	90	92	79	99
Bridgeport, Conn.....	47	52	47	71	60	43
Buffalo, N.Y.....	67	66	67	66	74	72
Cambridge, Mass.....	57	50	47	57	54	54
Camden, N.J.....	68	69	69	71	77	68
Canton, Ohio.....	69	59	62	66	84	64
Chattanooga, Tenn.....	90	89	108	83	130	125
White.....	79	72	92	64	102	97
Colored.....	124	151	171	150	228	202
Chicago, Ill.....	49	56	54	60	64	63
White.....	48	55	51	58	61	61
Colored.....	58	75	77	86	98	89
Cincinnati, Ohio.....	55	71	65	77	85	73
White.....	48	62	56	70	80	69
Colored.....	113	140	134	127	122	100
Cleveland, Ohio.....	53	53	54	61	60	56
White.....	50	51	50	58	57	53
Colored.....	83	77	100	95	93	84
Columbus, Ohio.....	61	61	71	71	73	64
White.....	59	61	67	65	69	59
Colored.....	74	66	100	123	100	97
Dayton, Ohio.....	55	62	55	66	67	71
Denver, Colo.....	69	70	93	84	91	(2)
Des Moines, Iowa.....	57	54	51	53	52	60
Detroit, Mich.....	52	56	65	69	77	70
White.....	51	53	62	66	74	68
Colored.....	63	85	90	106	122	95
Duluth, Minn.....	52	59	62	46	64	53
Elizabeth, N.J.....	47	46	46	63	68	66
Erie, Pa.....	54	49	50	57	60	58
Evansville, Ind.....	45	73	67	74	69	62
Fall River, Mass.....	53	59	66	66	68	78
Flint, Mich.....	61	49	63	72	86	84
Fort Wayne, Ind.....	49	47	55	61	58	55
Gary, Ind.....	55	63	68	72	70	62
Grand Rapids, Mich.....	40	43	48	53	54	53
Hartford, Conn.....	54	72	63	68	61	74
Indianapolis, Ind.....	61	58	64	68	66	62
White.....	58	56	55	61	62	57
Colored.....	83	71	122	110	94	91
Jacksonville, Fla.....	54	56	67	73	67	65
White.....	33	53	50	52	46	50
Colored.....	97	63	105	114	112	95
Jersey City, N.J.....	54	74	72	67	85	63
Kansas City, Kans.....	59	66	66	72	74	75
White.....	54	72	68	64	71	63
Colored.....	89	39	59	140	89	158
Kansas City, Mo.....	57	69	68	74	76	70
White.....	53	63	64	72	69	66
Colored.....	94	126	100	98	153	110
Knoxville, Tenn.....	75	81	81	80	92	77
White.....	71	78	80	75	85	69
Colored.....	104	110	93	135	153	146
Long Beach, Calif.....	36	31	41	39	38	50
Los Angeles, Calif.....	56	59	62	65	66	66
White.....	52	53	61	64	66	66
Colored.....	71	78	71	75	84	66
Louisville, Ky.....	67	77	67	72	81	66
White.....	61	67	63	66	75	64
Colored.....	102	144	96	108	129	80
Lowell, Mass.....	67	77	78	69	77	90
Lynn, Mass.....	42	45	55	56	68	66
Memphis, Tenn.....	96	102	102	95	90	80
White.....	76	83	81	73	67	64
Colored.....	127	137	139	137	130	108
Miami, Fla.....	58	57	58	48	67	72
White.....	45	40	44	39	50	55
Colored.....	91	101	94	67	106	116

INFANT MORTALITY STATISTICS: 1932

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES OF 100,000 INHABITANTS OR MORE IN 1930—continued						
Milwaukee, Wis.....	47	58	58	74	71	68
Minneapolis, Minn.....	54	61	55	49	51	47
Nashville, Tenn.....	78	87	99	98	100	71
White.....	78	76	87	90	89	61
Colored.....	81	120	138	122	138	103
Newark, N.J.....	41	49	51	58	61	61
White.....	36	44	45	48	53	52
Colored.....	79	84	97	133	127	132
New Bedford, Mass.....	56	83	54	66	79	66
New Haven, Conn.....	44	55	48	47	57	54
New Orleans, La.....	75	75	88	80	78	88
White.....	61	60	71	61	62	65
Colored.....	99	104	120	117	111	135
New York, N.Y.....	51	56	58	59	65	56
White.....	48	52	55	56	62	53
Colored.....	93	106	105	111	128	108
Bronx Borough.....	41	43	41	63	61	51
Brooklyn Borough.....	47	55	56	62	62	56
White.....	45	53	54	54	59	53
Colored.....	96	122	108	107	132	119
Manhattan Borough.....	63	65	71	58	69	57
White.....	58	60	66	51	61	52
Colored.....	94	100	104	107	123	100
Queens Borough.....	43	49	50	67	76	61
Richmond Borough.....	58	56	55	66	59	50
Norfolk, Va.....	60	72	75	87	77	86
White.....	38	44	44	51	49	48
Colored.....	107	126	139	155	125	148
Oakland, Calif.....	40	41	47	47	47	53
White.....	41	39	46	47	47	50
Colored.....	32	55	49	37	55	91
Oklahoma City, Okla.....	64	62	83	66	68	(2)
White.....	63	58	(6)	(6)	(6)	(2)
Colored.....	73	112	(6)	(6)	(6)	(2)
Omaha, Nebr.....	42	54	50	58	57	59
White.....	41	52	50	59	57	60
Colored.....	63	85	47	54	53	40
Paterson, N.J.....	49	59	51	56	57	50
Peoria, Ill.....	57	72	63	58	85	81
Philadelphia, Pa.....	52	64	64	62	71	64
White.....	47	58	58	56	63	58
Colored.....	53	108	100	99	117	103
Pittsburgh, Pa.....	67	70	69	73	75	72
White.....	63	65	65	70	71	68
Colored.....	102	114	108	111	111	112
Portland, Oreg.....	94	86	41	43	43	47
Providence, R.I.....	60	59	53	66	63	63
Reading, Pa.....	70	68	65	77	70	62
Richmond, Va.....	64	78	73	81	85	80
White.....	49	57	51	55	59	61
Colored.....	90	119	119	131	133	113
Rochester, N.Y.....	48	54	51	63	61	63
St. Louis, Mo.....	56	63	54	59	63	57
White.....	51	60	49	52	60	53
Colored.....	92	89	89	107	90	93
St. Paul, Minn.....	39	44	43	46	54	49
Salt Lake City, Utah.....	43	42	54	55	59	59
San Diego, Calif.....	47	47	49	47	60	60
San Francisco, Calif.....	39	41	40	50	45	50
White.....	38	41	40	49	45	49
Colored.....	55	44	37	58	56	59
Scranton, Pa.....	65	68	69	83	77	66
Seattle, Wash.....	43	41	38	46	43	41
White.....	45	40	37	46	43	41
Colored.....	20	54	59	48	40	54
Somerville, Mass.....	47	48	64	53	75	51
South Bend, Ind.....	50	48	49	62	60	59
Spokane, Wash.....	40	49	47	56	48	55
Springfield, Mass.....	57	49	53	59	59	58
Syracuse, N.Y.....	49	59	56	56	59	58
Tacoma, Wash.....	48	49	45	32	37	39
Tampa, Fla.....	52	66	58	61	53	62
White.....	42	50	43	50	41	55
Colored.....	89	136	127	114	105	93
Toledo, Ohio.....	62	56	56	70	65	62
Trenton, N.J.....	58	60	78	72	83	74
Tulsa, Okla.....	63	52	76	65	82	(2)
White.....	56	48	68	58	73	(2)
Colored.....	144	99	183	148	190	(2)
Utica, N.Y.....	60	45	68	74	68	69
Washington, D.C.....	73	67	71	71	65	68
White.....	56	44	52	48	46	49
Colored.....	108	115	110	117	107	109
Wichita, Kans.....	46	43	58	60	63	58
Wilmington, Del.....	62	70	71	75	71	71
White.....	61	65	70	70	65	66
Colored.....	74	105	74	112	122	108
Worcester, Mass.....	53	51	63	59	62	58
Yonkers, N.Y.....	46	54	48	64	57	60
Youngstown, Ohio.....	62	58	58	72	71	65

See footnotes at end of table.

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES ² HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930						
Alameda, Calif.....	35	40	21	29	27	9
Albuquerque, N.Mex.....	99	99	115	162	(2)	(2)
Alhambra, Calif.....	23	26	45	(6)	(6)	(6)
Aliquippa, Pa.....	63	76	76	59	70	72
Allentown, Pa.....	64	72	72	88	72	66
Alton, Ill.....	61	68	51	107	69	85
Altoona, Pa.....	64	63	64	81	69	59
Amsterdam, N.Y.....	36	58	64	53	68	62
Anderson, Ind.....	78	65	69	63	70	69
Ann Arbor, Mich.....	124	113	125	121	104	94
Appleton, Wis.....	68	51	38	64	55	44
Arlington (town), Mass.....	33	39	45	62	52	45
Asheville, N.C.....	72	64	92	98	105	112
White.....	61	56	73	64	77	68
Colored.....	109	92	161	191	169	231
Ashland, Ky.....	84	66	102	110	67	76
Atlantic City, N.J.....	94	76	65	72	85	80
White.....	77	68	52	61	71	69
Colored.....	146	98	109	105	130	113
Auburn, N.Y.....	47	32	66	72	60	56
Augusta, Ga.....	84	114	91	95	106	(2)
White.....	67	96	81	82	77	(2)
Colored.....	111	145	108	116	156	(2)
Aurora, Ill.....	44	47	57	63	52	58
Bakersfield, Calif.....	37	53	66	60	58	61
Bangor, Me.....	62	64	74	71	97	77
Baton Rouge, La.....	71	53	62	89	72	79
White.....	52	56	63	75	60	51
Colored.....	97	49	60	118	94	134
Battle Creek, Mich.....	68	86	63	82	50	74
Bay City, Mich.....	85	73	66	83	92	59
White.....	51	69	52	64	76	57
Colored.....	111	145	108	116	156	(2)
Bellefonte, Pa.....	65	45	44	59	52	39
Belleville, N.J.....	102	146	159	120	136	100
Bellingham, Wash.....	37	31	31	31	34	55
Belvedere (township), Calif.....	43	48	42	(7)	(7)	(7)
Berkeley, Calif.....	25	28	32	35	31	42
Berwyn, Ill.....	45	54	49	49	44	44
Bethlehem, Pa.....	46	60	43	47	60	54
Beverly, Mass.....	39	35	33	43	64	67
Binghamton, N.Y.....	51	64	60	72	71	67
Bloomfield, N.J.....	45	42	17	68	62	104
Bloomington, Ill.....	49	55	53	61	65	54
Bristol, Conn.....	41	40	53	63	49	67
Brockton, Mass.....	38	48	56	60	55	55
Brookline (town), Mass.....	57	14	39	73	85	83
Burlington, Iowa.....	55	24	42	50	79	73
Butte, Mont.....	47	49	55	82	86	64
Cedar Rapids, Iowa.....	56	42	67	45	62	50
Central Falls, R.I.....	60	72	50	72	77	76
Charleston, S.C.....	104	119	115	127	117	(4)
White.....	45	63	57	46	69	(4)
Colored.....	151	171	167	187	159	(4)
Charleston, W.Va.....	108	119	128	101	97	113
White.....	105	112	125	99	101	112
Colored.....	141	202	159	129	56	127
Charlotte, N.C.....	77	82	103	96	110	89
White.....	57	61	78	79	90	64
Colored.....	125	142	172	142	160	158
Chelsea, Mass.....	58	41	49	39	51	34
Chester, Pa.....	69	83	78	85	82	85
White.....	62	70	68	82	71	72
Colored.....	107	137	143	99	127	140
Chicopee, Mass.....	75	58	48	98	87	81
Cicero, Ill.....	25	76	48	82	110	84
Clarksburg, W.Va.....	57	61	82	58	71	66
Cleveland Heights, Ohio.....	38	38	88	243	94	63
Clinton, N.J.....	63	67	63	50	38	62
Clinton, Iowa.....	93	69	56	77	69	73
Colorado Springs, Colo.....	67	45	56	63	49	(9)
Columbia, S.C.....	112	108	103	117	113	(4)
White.....	98	75	81	100	81	(4)
Colored.....	135	165	143	147	176	(4)
Columbus, Ga.....	92	98	95	110	118	(3)
White.....	83	89	98	112	115	(3)
Colored.....	106	109	91	106	118	(3)
Concord, N.H.....	63	43	35	56	83	60
Council Bluffs, Iowa.....	71	55	55	72	69	67
Covington, Ky.....	71	61	64	66	66	63
Cranston, R.I.....	49	74	63	73	56	48
Cumberland, Md.....	89	99	69	73	73	81
Danville, Ill.....	61	91	81	78	84	69
Davenport, Iowa.....	54	66	55	68	56	67
Dearborn, Mich.....	39	50	60	(6)	(6)	(6)
Decatur, Ill.....	52	61	63	53	73	59
Dubuque, Iowa.....	60					

INFANT MORTALITY STATISTICS: 1932

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)					
	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES ⁵ HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930—continued						
Durham, N.C.	88	82	82	99	98	97
White	74	59	56	72	71	72
Colored	112	127	129	146	144	144
East Chicago, Ind.	75	65	80	81	89	78
East Cleveland, Ohio	135	92	111	114	22	86
Easton, Pa.	41	38	67	81	73	71
East Orange, N.J.	41	37	56	45	55	56
East Providence (town), R.I.	87	50	82	90	97	43
East St. Louis, Ill.	61	79	80	88	68	91
White	59	58	67	79	62	77
Colored	74	203	159	147	100	172
Eau Claire, Wis.	47	54	59	56	64	49
Elgin, Ill.	51	53	45	49	40	54
Elkhart, Ind.	42	42	59	45	63	45
Elmira, N.Y.	64	71	93	79	73	57
Elyria, Ohio	57	64	64	69	79	45
Enid, Okla.	59	50	67	49	80	(²)
Evanston, Ill.	31	39	39	49	42	58
Everett, Mass.	50	33	46	51	43	65
Everett, Wash.	42	53	27	46	47	46
Fargo, N.Dak.	55	52	55	63	37	47
Fitchburg, Mass.	52	74	65	74	65	61
Fond du Lac, Wis.	29	58	39	45	63	43
Port Smith, Ark.	47	56	64	49	44	99
White	43	49	60	46	39	93
Colored	93	149	98	82	122	156
Fresno, Calif.	51	66	69	61	59	52
Galesburg, Ill.	48	52	50	65	75	64
Garfield, N.J.	46	46	54	59	44	49
Glendale, Calif.	27	19	31	38	35	44
Granite City, Ill.	71	69	57	63	73	77
Great Falls, Mont.	41	49	41	50	34	35
Green Bay, Wis.	55	67	52	43	73	62
Greensboro, N.C.	78	82	73	77	92	102
White	56	67	57	62	65	76
Colored	162	133	126	127	189	183
Greenville, S.C.	135	101	118	153	102	(⁴)
White	134	66	95	134	92	(⁵)
Colored	136	146	146	177	116	(⁴)
Hagerstown, Md.	83	88	82	85	105	96
Hamilton, Ohio	67	69	66	89	69	74
Hammond, Ind.	50	50	49	50	54	62
Hamtramck, Mich.	42	73	60	69	81	62
Harrisburg, Pa.	63	70	64	77	68	75
Haverhill, Mass.	42	37	47	44	59	62
Hazleton, Pa.	60	63	79	78	82	76
Highland Park, Mich.	49	44	50	44	45	51
High Point, N.C.	82	68	96	93	96	79
White	75	65	83	71	86	81
Colored	127	93	182	238	152	63
Hoboken, N.J.	68	51	72	63	70	62
Holyoke, Mass.	55	56	53	68	65	82
Huntington, W.Va.	98	96	93	88	82	87
Hutchinson, Kans.	41	37	31	61	67	52
Irvington, N.J.	32	52	39	38	42	62
Jackson, Mich.	62	74	57	55	66	70
Jackson, Miss.	97	79	77	85	100	77
White	62	70	52	73	82	51
Colored	160	94	117	100	124	111
Jamestown, N.Y.	53	42	54	42	50	50
Johnson City, Tenn.	79	70	133	111	114	112
Johnstown, Pa.	74	70	74	72	90	66
Joliet, Ill.	65	71	64	69	96	116
Joplin, Mo.	64	70	80	62	66	75
Kalamazoo, Mich.	55	52	60	62	58	74
Kearny, N.J.	39	37	61	46	45	39
Kenosha, Wis.	47	37	49	46	61	53
Kingston, N.Y.	60	94	78	72	78	70
Kokomo, Ind.	61	76	70	67	73	65
La Crosse, Wis.	49	53	57	38	58	63
La Fayette, Ind.	62	52	56	63	66	60
Lakewood, Ohio	54	55	55	50	57	58
Lancaster, Pa.	62	62	81	69	82	81
Lansing, Mich.	50	52	58	63	62	72
Lawrence, Mass.	54	70	75	59	55	55
Lebanon, Pa.	49	75	69	80	67	54
Lewiston, Me.	87	107	110	116	103	103
Lexington, Ky.	74	116	86	87	68	89
White	76	87	78	72	61	54
Colored	69	227	122	166	105	242
Lima, Ohio	86	63	66	57	81	78
Lincoln, Nebr.	40	44	51	61	37	55

See footnotes at end of table.

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)					
	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES ⁵ HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930—continued						
Little Rock, Ark.	68	72	49	77	79	76
White	87	62	45	61	71	71
Colored	112	107	65	137	111	81
Lorain, Ohio	53	41	57	80	50	69
Lower Merion (township), Pa.	61	63	51	(⁷)	(⁷)	(⁷)
Lynchburg, Va.	82	81	86	102	82	68
White	78	73	78	86	65	46
Colored	96	108	114	150	137	137
McKeesport, Pa.	52	62	68	66	74	88
Macon, Ga.	77	63	92	76	84	(²)
White	63	43	71	54	56	(²)
Colored	93	84	120	102	122	(²)
Madison, Wis.	42	40	47	47	53	38
Malden, Mass.	31	42	43	34	51	50
Manchester, N.H.	75	83	82	93	93	74
Mansfield, Ohio	56	60	52	59	43	66
Marion, Ohio	62	62	68	108	87	70
Massillon, Ohio	57	54	47	50	53	56
Maywood, Ill.	11	65	64	71	41	83
Medford, Mass.	42	27	37	33	42	45
Meriden, Conn.	33	40	45	53	51	53
Meridian, Miss.	93	104	72	94	86	82
White	76	89	48	79	74	72
Colored	134	136	119	125	103	102
Michigan City, Ind.	39	47	70	40	54	63
Middletown, Ohio	55	58	67	57	77	61
Mishawaka, Ind.	46	49	50	67	63	49
Mobile, Ala.	72	65	86	97	91	73
White	54	51	64	76	71	54
Colored	103	91	125	132	126	104
Moline, Ill.	50	40	41	46	63	48
Monroe, La.	84	90	82	91	108	85
White	71	82	79	95	107	81
Colored	112	109	93	76	111	94
Montclair, N.J.	36	34	33	62	61	73
White	35	30	30	67	52	72
Colored	50	86	53	34	130	74
Montgomery, Ala.	93	81	99	74	96	69
White	60	52	67	40	78	42
Colored	132	117	141	121	121	108
Mount Vernon, N.Y.	41	42	37	45	47	49
Muncie, Ind.	66	84	58	79	90	63
Muskegon, Mich.	54	65	56	70	59	77
Muskogee, Okla.	39	72	66	62	104	(²)
White	76	63	57	43	90	(²)
Colored	167	106	101	126	169	(²)
Nanticoke, Pa.	72	91	85	71	76	59
Nashua, N.H.	48	48	54	70	65	60
New Albany, Ind.	61	58	64	77	76	67
Newark, Ohio	63	47	56	90	56	56
New Britain, Conn.	53	56	66	53	54	73
New Brunswick, N.J.	42	45	61	55	47	51
Newburgh, N.Y.	50	50	50	45	70	75
New Castle, Pa.	62	53	53	60	61	47
New London, Conn.	50	41	68	69	62	73
Newport, Ky.	72	52	71	78	84	76
Newport, R.I.	47	47	37	47	84	51
Newport News, Va.	66	65	79	79	80	83
White	56	46	47	50	58	56
Colored	80	94	127	121	111	117
New Rochelle, N.Y.	34	63	55	39	47	39
Newton, Mass.	40	49	30	46	42	45
Niagara Falls, N.Y.	49	46	57	63	67	63
Norristown, Pa.	49	57	62	72	78	67
North Bergen (township), N.J.	37	47	24	(⁷)	(⁷)	(⁷)
Norwalk, Conn.	40	29	43	66	47	40
Norwood, Ohio	59	12	69	70	67	50
Oak Park, Ill.	31	40	28	39	31	35
Ogden, Utah	36	58	57	61	54	42
Orange, N.J.	34	35	37	44	46	42
White	30	34	38	38	44	40
Colored	69	89	33	101	72	63
Orlando, Fla.	59	64	84	(⁶)	(⁶)	(⁶)
White	48	54	62	(⁶)	(⁶)	(⁶)
Colored	100	105	162	(⁶)	(⁶)	(⁶)
Oshkosh, Wis.	67	53	55	47	53	52
Ottumwa, Iowa	44	61	60	64	71	74
Paducah, Ky.	92	91	79	98	76	74
White	58	74	71	77	60	56
Colored	178	200	140	247	194	186
Parkersburg, W.Va.	91	82	64	67	78	68
Pasadena, Calif.	34	37	37	47	32	41

INFANT MORTALITY STATISTICS: 1932

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)					
	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES ⁵ HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930—continued						
Passaic, N.J.	39	48	50	58	59	53
Pawtucket, R.I.	66	67	84	96	78	86
Pensacola, Fla.	61	68	106	52	77	97
White	56	54	69	49	66	84
Colored	75	125	232	64	116	152
Perth Amboy, N.J.	68	60	57	63	60	69
Petersburg, Va.	111	111	102	151	141	110
White	78	77	93	100	103	88
Colored	149	150	113	205	184	152
Phoenix, Ariz.	73	86	111	94	118	100
Pittsfield, Mass.	48	52	41	74	55	55
Plainfield, N.J.	52	49	39	46	51	56
Pontiac, Mich.	58	55	63	71	82	63
Port Huron, Mich.	46	87	87	76	65	92
Portland, Me.	68	67	71	67	76	75
Portsmouth, Ohio	97	98	90	113	109	74
Portsmouth, Va.	70	106	74	114	108	153
White	45	51	50	56	58	83
Colored	107	174	104	185	170	223
Poughkeepsie, N.Y.	47	74	77	75	73	65
Pueblo, Colo.	60	85	87	93	90	(?)
Quincy, Ill.	59	72	58	72	50	70
Quincy, Mass.	52	40	46	48	59	57
Racine, Wis.	31	43	44	52	53	52
Raleigh, N.C.	83	96	105	90	108	94
White	82	77	105	80	87	68
Colored	84	130	105	110	154	143
Revere, Mass.	46	30	35	26	49	38
Richmond, Ind.	59	45	69	65	53	67
Riverside, Calif.	70	55	71	65	84	68
Roanoke, Va.	65	80	98	86	102	86
White	47	75	84	74	80	80
Colored	140	104	168	148	204	116
Rockford, Ill.	45	65	54	58	45	62
Rock Island, Ill.	53	37	54	71	51	63
Rome, N.Y.	60	53	74	64	62	90
St. Joseph, Mo.	57	72	64	67	71	69
St. Petersburg, Fla.	42	52	55	67	71	67
White	39	39	40	51	48	55
Colored	51	99	103	103	146	99
Sacramento, Calif.	47	58	57	64	67	55
Saginaw, Mich.	67	62	65	105	92	92
Salem, Mass.	63	90	87	97	57	82
Salem, Oreg.	50	36	49	42	55	53
San Bernardino, Calif.	55	74	97	84	99	81
San Jose, Calif.	33	32	53	37	49	40
Santa Ana, Calif.	61	63	49	51	36	41
Santa Barbara, Calif.	36	45	49	66	60	53
Santa Monica, Calif.	33	35	49	49	45	51
Savannah, Ga.	78	86	84	94	102	(?)
White	53	52	49	62	74	(?)
Colored	106	134	130	136	143	(?)
Schenectady, N.Y.	54	46	47	71	74	68
Sharon, Pa.	53	69	53	48	53	48
Sheboygan, Wis.	33	44	60	64	47	61
Shreveport, La.	76	89	87	90	100	82
White	68	68	67	63	76	63
Colored	88	119	121	146	155	126

Table AA—Continued

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)

AREA	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS)					
	1932	1931	1930	1929	1928	1927
REGISTRATION CITIES ⁵ HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930—continued						
Sioux City, Iowa	70	69	84	77	84	81
Sioux Falls, S.Dak.	50	(?)	(?)	(?)	(?)	(?)
Spartanburg, S.C.	74	87	98	88	127	(?)
White	70	59	75	86	109	(?)
Colored	87	147	158	95	172	(?)
Springfield, Ill.	83	68	55	69	67	74
Springfield, Mo.	68	60	65	80	32	63
Springfield, Ohio	59	59	69	79	67	69
White	53	48	66	71	57	64
Colored	113	155	92	133	164	116
Stamford, Conn.	44	49	50	67	54	44
Steubenville, Ohio	70	93	94	111	92	79
Stockton, Calif.	56	55	43	54	62	49
Superior, Wis.	64	45	66	68	63	60
Taunton, Mass.	60	59	86	60	88	62
Terre Haute, Ind.	63	100	80	85	78	70
Topeka, Kans.	52	48	54	71	59	51
Torrington, Conn.	45	45	44	62	45	47
Troy, N.Y.	48	86	65	55	70	86
Tucson, Ariz.	128	142	124	172	157	140
Union City, N.J.	31	29	37	25	33	43
University City, Mo.	59	38	(?)	(?)	(?)	(?)
Upper Darby (township), Pa.	44	55	49	(?)	(?)	(?)
Waltham, Mass.	32	44	51	42	42	57
Warren, Ohio	60	64	58	58	63	52
Waterbury, Conn.	43	62	62	68	72	62
Waterloo, Iowa	49	37	60	61	56	45
Watertown (town), Mass.	59	42	59	39	58	94
Watertown, N.Y.	64	58	65	63	70	77
Waukegan, Ill.	52	74	58	47	71	60
West Allis, Wis.	44	61	45	71	31	61
REGISTRATION CITIES ⁵ HAVING FROM 25,000 TO 100,000 INHABITANTS IN 1930—continued						
West Haven (town), Conn.	29	31	52	(?)	(?)	(?)
West New York, N.J.	19	30	31	26	50	41
West Palm Beach, Fla.	68	55	53	(?)	(?)	(?)
White	51	30	27	(?)	(?)	(?)
Colored	103	103	111	(?)	(?)	(?)
Wheeling, W.Va.	79	91	81	80	60	62
White Plains, N.Y.	43	41	46	38	39	49
Wilkes-Barre, Pa.	53	69	68	71	84	77
Wilkesburg, Pa.	45	41	43	62	62	59
Williamsport, Pa.	52	58	76	66	55	61
Wilmington, N.C.	102	108	85	83	114	128
White	84	71	82	72	112	96
Colored	131	170	92	102	118	153
Winston-Salem, N.C.	99	109	103	100	110	122
White	67	69	67	89	79	89
Colored	144	167	159	154	162	178
Woodbridge (township), N.J.	91	84	67	(?)	(?)	(?)
Woonsocket, R.I.	49	83	69	84	66	71
Wyandotte, Mich.	68	62	72	68	78	102
York, Pa.	79	54	63	74	76	67
Zanesville, Ohio	59	78	39	96	74	90

¹ Exclusive of stillbirths.
² Not added to the birth registration area until a later date.
³ Rate unsatisfactory.
⁴ Dropped from the birth registration area in 1925; readmitted in 1928.
⁵ Including 5 towns and 5 townships.

⁶ Rate not available; population less than 10,000 previous to 1930.
⁷ Rate not available; not considered urban previous to 1930.
⁸ Included with Orange (town).

NOTE.—Rates for many cities are undoubtedly distorted by the inclusion of births occurring in hospitals to nonresident mothers.

INFANT MORTALITY RATES FOR CITIES AND RURAL DISTRICTS

Table AB presents infant mortality rates, by sex, for certain subdivisions of the first year of life, for the class of cities having 10,000 inhabitants or more, and for smaller cities, combined with rural districts, in the birth registration area of 1917 (exclusive of Rhode Island), from 1926 to 1932.

In this 6-year interval the rate for cities of over

10,000 dropped from 76.3 to 55.8 or 20.5 per 1,000 live births, while the rate for the smaller cities and rural districts declined from 73.7 to 58.1 or only 15.6 per 1,000 live births.

With the exception of the rate for under 1 day in cities of over 10,000 (which rate remained the same), all rates under 1 year showed an improvement in 1932 over 1926.

INFANT MORTALITY STATISTICS: 1932

Table AB

INFANT MORTALITY RATE (DEATHS¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FOR THE REGISTRATION AREA OF 1917 (EXCLUSIVE OF RHODE ISLAND)

AGE AND SEX	In cities of 10,000 or more							In cities of 2,500 to 10,000 and rural districts						
	1932	1931	1930	1929	1928	1927	1926	1932	1931	1930	1929	1928	1927	1926
	Under 1 year	55.8	60.1	61.9	65.5	68.8	64.7	76.3	58.1	62.0	64.7	67.5	66.3	64.4
Male	61.8	67.0	68.7	72.4	76.4	72.3	84.6	64.7	68.3	70.9	74.4	73.7	71.2	81.4
Female	49.6	52.9	54.7	58.2	60.9	56.5	67.6	51.1	55.4	58.1	60.1	58.4	57.2	65.5
Under 1 day	15.8	15.5	15.4	15.5	15.8	15.7	16.8	14.0	14.3	14.1	14.7	14.5	14.5	14.6
Male	17.5	17.3	17.2	17.4	17.7	17.6	17.7	15.8	16.4	15.9	16.6	16.4	16.4	16.6
Female	14.1	13.7	13.5	13.5	13.8	13.8	13.9	12.2	12.1	12.2	12.8	12.5	12.4	12.5
1 day	4.0	4.2	4.3	4.6	4.6	4.5	4.6	3.7	3.9	4.0	4.2	4.1	4.0	3.9
Male	4.6	4.6	4.9	5.1	5.2	5.1	5.2	4.3	4.4	4.4	4.8	4.7	4.7	4.3
Female	3.4	3.7	3.7	4.1	4.0	3.7	3.9	3.0	3.4	3.7	3.5	3.3	3.3	3.5
2 days	2.6	2.8	3.0	3.0	3.2	3.2	3.4	2.7	2.7	2.9	3.1	3.1	3.0	3.1
Male	3.1	3.3	3.5	3.5	3.9	3.8	3.9	3.1	3.2	3.4	3.5	3.5	3.5	3.5
Female	2.2	2.4	2.4	2.5	2.5	2.6	2.7	2.3	2.2	2.4	2.7	2.7	2.5	2.6
3 to 6 days	4.4	4.6	4.9	5.1	5.3	5.4	6.0	4.9	4.9	5.2	5.5	5.4	5.4	5.7
Male	5.0	5.2	5.4	5.8	5.9	6.3	6.8	5.9	5.6	6.0	6.2	6.4	6.0	6.4
Female	3.7	3.9	4.3	4.5	4.5	4.6	5.2	4.0	4.3	4.5	4.7	4.4	4.8	5.0
1 week	3.0	3.2	3.5	3.6	3.6	3.6	4.0	3.5	4.1	4.2	4.1	4.2	4.0	4.8
Male	3.1	3.4	3.7	3.9	4.1	4.0	4.2	4.0	4.4	4.5	4.6	4.5	4.4	5.3
Female	2.8	2.8	3.2	3.3	3.2	3.2	3.9	3.1	3.8	4.0	3.6	3.9	3.7	4.2
2 weeks	2.0	2.2	2.4	2.4	2.5	2.5	2.9	2.3	2.6	2.6	2.9	2.8	2.7	3.3
Male	2.2	2.5	2.6	2.5	2.7	2.7	3.2	2.5	2.9	2.8	3.2	2.9	3.0	3.6
Female	1.8	2.0	2.2	2.2	2.3	2.2	2.5	2.1	2.4	2.4	2.6	2.7	2.4	2.9
3 weeks	1.7	1.8	2.0	2.0	2.1	2.0	2.4	2.1	2.3	2.2	2.4	2.5	2.4	2.7
Male	1.8	1.9	2.2	2.2	2.3	2.2	2.7	2.2	2.5	2.4	2.7	2.7	2.6	3.0
Female	1.5	1.6	1.8	1.9	2.0	1.8	2.1	1.9	2.0	2.0	2.2	2.2	2.1	2.3
Under 1 month	33.6	34.3	35.4	36.2	37.1	36.9	39.1	33.3	34.9	35.4	36.9	36.6	36.0	38.0
Male	37.4	38.3	39.4	40.3	41.7	41.7	43.7	37.8	39.3	39.4	41.5	41.3	40.5	42.7
Female	29.5	30.1	31.1	32.0	32.3	31.8	34.3	28.6	30.3	31.2	32.1	31.7	31.2	33.0
1 month	4.1	4.6	4.7	5.0	5.1	4.8	5.8	4.9	5.4	5.6	5.8	5.5	5.5	6.6
Male	4.7	5.3	5.4	5.6	5.7	5.5	6.5	5.7	6.0	6.1	6.2	6.3	6.0	7.1
Female	3.6	3.9	4.0	4.4	4.5	4.1	5.2	4.1	4.8	5.1	5.3	4.8	5.0	6.1
2 months	3.2	3.8	3.8	4.0	4.2	3.8	4.6	3.7	4.2	4.4	4.3	4.4	4.3	4.9
Male	3.5	4.3	4.3	4.5	4.6	4.1	5.2	3.9	4.5	4.8	4.7	5.0	4.8	5.4
Female	2.7	3.2	3.3	3.5	3.7	3.4	3.9	3.6	3.8	3.9	4.0	3.9	3.9	4.5
3 to 5 months	6.7	7.6	8.0	8.8	9.5	8.5	10.7	7.5	7.8	8.9	9.4	8.9	8.5	10.4
Male	7.2	8.4	8.9	9.6	10.5	9.4	12.0	8.1	8.3	9.5	10.3	9.7	9.3	11.6
Female	6.1	6.7	7.1	7.9	8.4	7.6	9.4	6.9	7.3	8.1	8.6	8.0	7.7	9.0
6 to 8 months	4.7	5.6	5.8	6.5	7.2	6.2	8.7	4.8	5.6	6.0	6.3	6.1	5.7	7.6
Male	5.0	6.2	6.3	7.1	7.8	6.8	9.5	5.2	6.0	6.4	6.7	6.4	6.1	8.1
Female	4.4	5.0	5.3	5.7	6.5	5.5	7.9	4.4	5.2	5.6	5.7	5.7	5.2	7.2
9 to 11 months	3.6	4.3	4.2	5.0	5.8	4.5	7.4	3.7	4.1	4.4	4.8	4.7	4.4	6.4
Male	3.9	4.6	4.4	5.3	6.1	4.9	7.8	4.0	4.2	4.6	5.1	5.0	4.6	6.1
Female	3.3	4.1	3.9	4.7	5.5	4.1	7.0	3.5	4.0	4.1	4.5	4.4	4.2	5.8

¹Exclusive of stillbirths.

In table AC the infant mortality rates of 1917 and 1932 in the registration area of 1917 are shown for cities of 10,000 inhabitants or more and for smaller cities and rural districts combined. There was in this interval a much greater improvement in the rate for larger cities than in that for the smaller cities and rural districts, the table showing a decrease of 43.6 in the former rate as compared with 29.7 in the latter. This greater decline for the larger cities was largely due to the greater decrease (19.5) in the rate from diarrhea and enteritis. Both in the larger cities and in the smaller cities and rural districts injury at birth was the only cause which produced greater infant mortality in 1932 than in 1917.

COMPARISON OF INFANT MORTALITY RATES: 1927 TO 1932

Table AD shows infant mortality rates from certain important causes for each year from 1927 to 1932. A comparison of the rates for 1932 with those for 1927 shows a decrease in the rate for nearly every cause, the only exceptions being (1) in the expanding registration area in continental United States increases of 0.5 in the rates from unknown or ill-defined diseases, 0.3 from influenza and pneumonia, and 0.1 from syphilis; and (2) in the registration area of 1917 (exclusive of Rhode Island) an increase of 0.1 from influenza and pneumonia.

INFANT MORTALITY STATISTICS: 1932

The most striking figures in the table are the declines in the rates from diarrhea and enteritis, these being 2.6, 2.4, and 2.7, respectively, for the three areas.

Detailed International List No.	Table AC	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA OF 1917 (EXCLUSIVE OF RHODE ISLAND)					
		Total		Cities of 10,000 or more		Cities of 2,500 to 10,000 and rural districts	
		1932	1917	1932	1917	1932	1917
		All causes.....		56.8	93.6	55.8	99.4
7	Measles.....	0.3	1.2	0.3	1.0	0.2	1.4
8	Scarlet fever.....	(?)	0.1	(?)	0.1	(?)	0.1
9	Whooping cough.....	1.5	2.4	1.2	2.1	2.0	2.7
10	Diphtheria.....	0.2	0.5	0.1	0.6	0.2	0.5
11, 108, 109	Influenza and pneumonia.....	3.7	5.0	3.0	5.1	4.6	4.8
13	Dysentery.....	0.2	0.3	0.1	0.2	0.3	0.5
15	Erysipelas.....	0.3	0.5	0.3	0.6	0.2	0.4
22	Tetanus.....	(?)	0.1	(?)	0.1	(?)	0.1
23-32	Tuberculosis (all forms).....	0.4	1.5	0.5	1.8	0.3	1.2
34	Syphilis.....	0.7	1.2	0.8	1.7	0.5	0.6
86	Convulsions.....	0.3	1.0	0.2	0.8	0.5	1.2
106, 107	Bronchitis and broncho-pneumonia.....	6.5	10.5	7.0	12.4	5.8	8.6
117, 118	Diseases of the stomach.....	0.2	1.2	0.1	1.0	0.3	1.5
119	Diarrhea and enteritis.....	4.9	20.0	4.4	23.9	5.6	16.1
157	Congenital malformations.....	6.0	6.3	6.1	6.5	5.9	6.1
158, 161	Congenital debility and other diseases of early infancy ²	4.2	8.7	3.7	8.7	4.8	8.7
159	Premature birth.....	16.1	19.1	16.7	20.1	15.3	18.1
160	Injury at birth.....	5.1	3.8	6.1	4.6	3.9	3.0
172-198, 201-214	External causes ³	0.9	1.3	0.7	1.3	1.1	1.4
199, 200	Unknown or ill-defined diseases.....	1.4	2.9	0.3	0.6	2.8	5.2
	All other causes.....	3.9	6.0	4.3	6.3	3.5	5.7

¹ Exclusive of stillbirths.
² Less than one-tenth of 1 per 1,000 births.
³ Excludes lack of care, desertion, etc., in 1932.
⁴ Includes lack of care, desertion, etc., in 1932.

Detailed International List No.	Table AD	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE EXPANDING REGISTRATION AREA IN CONTINENTAL UNITED STATES							
		1932	1931	1930	1929	1928	1927		
		All causes.....		57.6	61.6	64.6	67.6	68.7	64.6
		7	Measles.....	0.2	0.4	0.4	0.3	0.6	0.4
8	Scarlet fever.....	(?)	0.1	0.1	0.1	0.1	0.1		
9	Whooping cough.....	1.5	1.2	1.5	1.9	1.6	1.9		
10	Diphtheria.....	0.2	0.2	0.2	0.2	0.3	0.2		
11, 108, 109	Influenza and pneumonia.....	4.0	4.2	3.8	5.9	5.6	3.7		
13	Dysentery.....	0.2	0.3	0.4	0.3	0.3	0.3		
15	Erysipelas.....	0.3	0.3	0.3	0.4	0.3	0.4		
22	Tetanus.....	0.1	0.1	0.1	0.1	0.1	0.1		
23-32	Tuberculosis (all forms).....	0.4	0.5	0.5	0.4	0.5	0.6		
34	Syphilis.....	0.8	0.8	0.8	0.8	0.8	0.7		
86	Convulsions.....	0.3	0.3	0.4	0.4	0.5	0.5		
106, 107	Bronchitis and broncho-pneumonia.....	6.0	6.8	6.8	7.0	7.3	6.4		
117, 118	Diseases of the stomach.....	0.2	0.3	0.3	0.4	0.5	0.5		
119	Diarrhea and enteritis.....	5.2	6.6	7.8	7.1	7.7	7.8		
157	Congenital malformations.....	5.3	5.4	5.3	5.5	5.4	5.6		
158, 161	Congenital debility and other diseases of early infancy ²	4.2	4.5	4.7	4.7	5.0	4.8		
159	Premature birth.....	15.8	16.0	16.7	17.5	17.6	16.8		
160	Injury at birth.....	4.6	4.8	4.8	4.8	4.7	4.8		
172-198, 201-214	External causes ³	0.9	1.0	1.1	1.0	1.0	1.0		
199, 200	Unknown or ill-defined diseases.....	3.6	3.7	4.0	3.8	3.7	3.1		
	All other causes.....	3.8	4.3	4.5	5.0	5.0	4.9		

Detailed International List No.	Table AD—Continued	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE REGISTRATION AREA OF 1917 (EXCLUSIVE OF RHODE ISLAND)					
		1932	1931	1930	1929	1928	1927
		All causes.....		56.8	60.9	63.1	66.4
7	Measles.....	0.3	0.4	0.3	0.3	0.7	0.3
8	Scarlet fever.....	(?)	(?)	0.1	0.1	(?)	0.1
9	Whooping cough.....	1.5	1.2	1.4	1.7	1.4	1.8
10	Diphtheria.....	0.2	0.1	0.2	0.2	0.2	0.2
11, 108, 109	Influenza and pneumonia.....	3.7	4.1	3.6	5.4	4.9	3.6
13	Dysentery.....	0.2	0.2	0.3	0.2	0.2	0.2
15	Erysipelas.....	0.3	0.3	0.4	0.4	0.3	0.4
22	Tetanus.....	(?)	(?)	(?)	(?)	0.1	(?)
23-32	Tuberculosis (all forms).....	0.4	0.5	0.5	0.5	0.6	0.6
34	Syphilis.....	0.7	0.7	0.7	0.7	0.7	0.7
86	Convulsions.....	0.3	0.3	0.4	0.4	0.5	0.5
106, 107	Bronchitis and broncho-pneumonia.....	6.5	7.2	7.2	7.5	8.1	6.8
117, 118	Diseases of the stomach.....	0.2	0.2	0.3	0.4	0.4	0.5
119	Diarrhea and enteritis.....	4.9	6.3	7.5	6.9	7.4	7.3
157	Congenital malformations.....	6.0	6.1	5.9	6.2	6.1	6.2
158, 161	Congenital debility and other diseases of early infancy ²	4.2	4.5	4.8	4.7	5.0	5.0
159	Premature birth.....	16.1	16.3	16.8	17.6	17.8	17.3
160	Injury at birth.....	5.1	5.3	5.3	5.1	5.1	5.1
172-198, 201-214	External causes ³	0.9	0.9	0.9	0.9	0.9	0.9
199, 200	Unknown or ill-defined diseases.....	1.4	1.8	2.0	2.0	2.1	2.0
	All other causes.....	3.9	4.5	4.6	5.2	5.2	5.0

Detailed International List No.	Table AD—Continued	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE REGISTRATION AREA OF 1915 (EXCLUSIVE OF RHODE ISLAND)					
		1932	1931	1930	1929	1928	1927
		All causes.....		55.1	59.5	62.1	64.5
7	Measles.....	0.3	0.3	0.3	0.3	0.7	0.3
8	Scarlet fever.....	(?)	(?)	(?)	0.1	(?)	0.1
9	Whooping-cough.....	1.2	1.1	1.2	1.4	1.5	1.4
10	Diphtheria.....	0.1	0.1	0.1	0.2	0.2	0.2
11, 108, 109	Influenza and pneumonia.....	3.3	3.8	3.5	4.6	4.6	3.5
13	Dysentery.....	0.1	0.1	0.1	0.1	0.1	0.1
15	Erysipelas.....	0.3	0.4	0.4	0.5	0.4	0.4
22	Tetanus.....	(?)	(?)	(?)	(?)	(?)	(?)
23-32	Tuberculosis (all forms).....	0.4	0.5	0.5	0.5	0.6	0.7
34	Syphilis.....	0.6	0.7	0.7	0.7	0.7	0.7
86	Convulsions.....	0.3	0.3	0.4	0.5	0.5	0.5
106, 107	Bronchitis and broncho-pneumonia.....	6.9	7.8	7.9	7.9	8.0	7.6
117, 118	Diseases of the stomach.....	0.1	0.2	0.2	0.3	0.3	0.4
119	Diarrhea and enteritis.....	4.3	5.6	7.0	6.8	7.0	7.0
157	Congenital malformations.....	6.6	6.6	6.5	6.6	6.7	6.7
158, 161	Congenital debility and other diseases of early infancy ²	3.9	4.4	4.7	4.4	4.8	4.9
159	Premature birth.....	15.7	15.9	16.4	17.2	17.2	17.2
160	Injury at birth.....	5.8	5.9	6.1	5.7	5.7	5.8
172-198, 201-214	External causes ³	0.7	0.8	0.8	0.8	0.8	0.8
199, 200	Unknown or ill-defined diseases.....	0.4	0.4	0.4	0.5	0.5	0.5
	All other causes.....	4.1	4.7	5.0	5.6	5.5	5.3

¹ Exclusive of stillbirths.
² Excludes lack of care, desertion, etc., in 1930 to 1932.
³ Includes lack of care, desertion, etc., in 1930 to 1932.
⁴ Less than one-tenth of 1 per 1,000 births.

Table AE shows infant mortality rates from important causes for certain subdivisions of the first year of life, by sex, for the years 1931 and 1932. Only slight differences between the rates of the 2 years are indicated by the figures in this table. For only one cause—whooping cough—the rate was slightly higher in the later year. For the other causes the rates either declined in 1932 or remained the same.

SEASONAL INFANT MORTALITY

Table AF shows infant mortality rates from important causes, by sex and month of death, in the registration area.

Measles and whooping cough.—The rates from measles and whooping cough were highest in the first 7 months of the year. The highest rate from measles was for May but the highest mortality from whooping cough occurred in the month of March.

Influenza, pneumonia (all forms), and bronchitis.—Rates from these causes were higher in the first 4 months of the year and again in November and December.

Diarrhea and enteritis.—As usual, the highest mortality from these diseases was in July, August, and September.

Premature birth and congenital debility.—The rates from premature birth and congenital debility show very slight variations from month to month, the highest rate from premature birth appearing for December, and the highest from congenital debility appearing for January, August, and November. As in previous years more deaths resulted from premature birth than from any other cause, more than one-fourth of all deaths of infants having been attributed to this cause.

Detailed International List No.	Table AF CAUSE OF DEATH AND SEX	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932												
		All deaths	January	February	March	April	May	June	July	August	September	October	November	December
	All causes.....	57.6	56.5	57.5	62.8	60.0	57.8	56.1	55.2	50.9	49.7	52.5	60.4	73.0
	Male.....	63.8	63.2	64.0	69.7	67.0	63.6	61.6	61.2	56.0	54.9	58.2	67.3	80.3
	Female.....	51.1	49.5	50.7	55.7	52.6	51.8	50.3	48.7	45.5	44.2	46.5	53.2	65.4
7	Measles:													
	Total.....	0.2	0.2	0.3	0.4	0.4	0.5	0.3	0.1	0.1	(?)	0.1	0.1	0.1
	Male.....	0.2	0.2	0.3	0.4	0.4	0.5	0.4	0.1	0.1	(?)	0.1	0.1	0.2
	Female.....	0.2	0.1	0.3	0.4	0.4	0.5	0.2	0.1	(?)	(?)	0.1	(?)	0.1
8	Scarlet fever:													
	Total.....	(?)	0.1	(?)	0.1	(?)	(?)	(?)	(?)	(?)	(?)	0.1	0.1	(?)
	Male.....	(?)	0.1	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	0.1	0.1	(?)
	Female.....	(?)	(?)	(?)	0.1	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
9	Whooping cough:													
	Total.....	1.5	1.3	1.7	2.5	2.1	2.1	2.0	1.5	1.2	1.1	0.8	0.9	1.1
	Male.....	1.4	1.3	1.6	2.4	1.9	1.8	1.9	1.5	0.9	1.0	0.8	0.8	1.0
	Female.....	1.7	1.4	1.9	2.6	2.3	2.4	2.3	1.5	1.5	1.2	0.9	1.1	1.1
10	Diphtheria:													
	Total.....	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.3	0.4	0.3
	Male.....	0.2	0.3	0.2	0.3	0.2	0.1	0.1	0.1	(?)	0.2	0.3	0.6	0.3
	Female.....	0.2	0.2	0.3	0.1	0.2	0.2	(?)	0.1	0.1	0.1	0.2	0.2	0.3
11	Influenza:													
	Total.....	1.8	1.5	2.2	3.0	2.1	1.1	0.6	0.3	0.3	0.4	1.0	2.3	7.2
	Male.....	2.0	1.7	2.3	3.3	2.4	1.2	0.9	0.3	0.4	0.4	1.1	2.4	7.9
	Female.....	1.6	1.4	2.3	2.6	1.9	1.0	0.5	0.2	0.3	0.4	0.9	2.1	6.5
13	Dysentery:													
	Total.....	0.2	0.1	0.1	0.1	(?)	0.2	0.5	0.6	0.4	0.3	0.3	0.2	0.1
	Male.....	0.3	0.1	(?)	0.1	0.1	0.2	0.5	0.8	0.4	0.3	0.4	0.2	0.1
	Female.....	0.2	0.1	0.1	0.1	(?)	0.1	0.4	0.5	0.3	0.2	0.2	0.1	(?)
15	Erysipelas:													
	Total.....	0.3	0.3	0.4	0.4	0.4	0.3	0.2	0.2	0.1	0.1	0.2	0.2	0.3
	Male.....	0.3	0.3	0.5	0.4	0.5	0.3	0.2	0.1	0.1	0.2	0.2	0.2	0.2
	Female.....	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.2	0.2	0.3
18	Epidemic cerebrospinal meningitis:													
	Total.....	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2
	Male.....	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	(?)	0.1	0.1	0.1	0.2
	Female.....	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
22	Tetanus:													
	Total.....	0.1	(?)	0.1	(?)	0.1	0.1	0.1	0.1	0.1	0.1	(?)	(?)	(?)
	Male.....	0.1	(?)	0.1	(?)	0.1	0.1	0.1	0.1	0.1	0.1	(?)	(?)	(?)
	Female.....	(?)	0.1	(?)	(?)	(?)	0.1	(?)	0.1	(?)	(?)	(?)	(?)	(?)
23	Tuberculosis of the respiratory system:													
	Total.....	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2
	Male.....	0.2	0.1	0.2	0.1	0.2	0.1	0.3	0.1	0.2	0.2	0.1	0.1	0.2
	Female.....	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.1	0.1
24	Tuberculosis of the meninges, etc.:													
	Total.....	0.2	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1
	Male.....	0.2	0.1	0.2	0.2	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1
	Female.....	0.2	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	(?)	0.1	0.1
25 to 32	Other forms of tuberculosis:													
	Total.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	Male.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	Female.....	0.1	0.1	0.1	0.1	0.1	0.1	(?)	0.1	0.1	0.1	0.1	0.1	0.1

Detailed International List No.	Table AF—Con. CAUSE OF DEATH, AND SEX	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932												
		All deaths	January	February	March	April	May	June	July	August	September	October	November	December
34	Syphilis:													
	Total.....	0.8	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.6	0.7	0.6	0.8
	Male.....	0.8	1.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.6	0.8	0.8	0.8
	Female.....	0.7	0.8	0.7	0.8	0.7	0.8	0.8	0.8	0.8	0.6	0.6	0.7	0.9
86	Convulsions:													
	Total.....	0.3	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.4
	Male.....	0.4	0.5	0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.4
	Female.....	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3
106	Bronchitis:													
	Total.....	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.2
	Male.....	0.3	0.4	0.5	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.2
	Female.....	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.2
107	Broncho-pneumonia:													
	Total.....	5.7	6.6	6.8	7.7	6.6	5.8	3.5	2.6	2.3	3.0	5.0	7.4	11.7
	Male.....	6.3	7.4	7.6	8.5	7.5	6.3	3.9	3.0	2.5	3.1	5.6	8.6	13.0
	Female.....	5.0	5.8	5.9	6.8	5.7	5.2	3.2	2.2	2.1	2.9	4.4	6.2	10.4
108, 109	Lobar and unspecified pneumonia:													
	Total.....	2.2	2.5	2.9	3.2	2.5	1.9	1.3	0.9	0.8	1.0	1.9	2.9	4.4
	Male.....	2.4	2.8	3.3	3.5	2.8	2.0	1.3	0.9	0.8	1.1	2.1	3.3	5.0
	Female.....	2.0	2.2	2.4	2.9	2.3	1.7	1.3	0.9	0.8	0.9	1.7	2.6	3.8
117, 118	Diseases of the stomach:													
	Total.....	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.2
	Male.....	0.3	0.3	0.1	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2
	Female.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.4	0.3	0.2
119	Diarrhea and enteritis:													
	Total.....	5.2	3.0	2.9	2.9	3.3	4.3	7.0	9.4	8.4	7.6	6.1	4.0	3.1
	Male.....	5.7	3.4	3.4	3.2	3.9	4.7	7.7	9.9	9.0	8.3	6.6	4.5	3.6
	Female.....	4.7	2.6	2.5	2.5	2.6	3.9	6.4	9.0	7.7	6.8	5.5	3.5	2.5
122b	Intestinal obstruction:													
	Total.....	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.5	0.4	0.4	0.4
	Male.....	0.5	0.4	0.5	0.4	0.5	0.5	0.5	0.6	0.6	0.6	0.4	0.4	0.4
	Female.....	0.3	0.2	0.4	0.3	0.3	0.4	0.3	0.3	0.3	0.4	0.4	0.3	0.4
157	Congenital malformations:													
	Total.....	5.3	5.3	5.0	5.3	5.5	5.4	5.2	5.2	4.9	4.4	5.1	6.0	6.0
	Male.....	5.7	5.5	5.6	5.6	5.9	5.6	5.9	5.7	5.2	4.8	5.6	6.3	6.2
	Female.....	4.8	5.0	4.3	5.0	5.1	5.2	4.4	4.7	4.5	4.0	4.5	5.7	5.7
158, 161b, c	Congenital debility, icterus, sclerema:													
	Total.....	2.3	2.4	2.2	2.3	2.2	2.3	2.3	2.2	2.4	2.2	2.1	2.4	2.3
	Male.....	2.6	2.7	2.5	2.7	2.6	2.6	2.7	2.5	2.8	2.5	2.5	2.8	2.7
	Female.....	1.9	2.1	1.9	1.9	1.8	2.0	2.0	2.0					

born in Germany to 67.1 for those of mothers born in Poland while Negro males had a rate of 91.3.

The corresponding rates for females were 35.1 for children of mothers born in Denmark, Norway, and Sweden, 55.6 for those of mothers born in Poland, and 76.7 for Negroes.

For white males under 1 day the rates ranged from 12.5 for those of Italian mothers to 17.3 for those of Canadian and Irish mothers, while for white females under 1 day they ranged from 9.2 for those of mothers born in Russia to 15.1 for those of mothers born in Canada. The corresponding rates for Negroes were 18.3 for males and 15.3 for females.

For white males under 1 month the rates ranged from 29.2 for those of German mothers to 36.9 for

those of Polish mothers, while for white females under 1 month they ranged from 23.2 for those of mothers born in Denmark, Norway, and Sweden, to 31.6 for those of Polish mothers. The corresponding rates for Negroes were 48.7 for males and 39.9 for females.

For white males of 11 months the rates ranged from 0.2 for those of mothers born in Russia to 2.1 for those of mothers born in Italy, while for white females of the same age the rates ranged from 0.3 for those whose mothers were born in Germany to 1.7 for those of mothers born in Italy. For Negro males and Negro females the corresponding rates were, respectively, 1.9 and 1.6.

Differences in rates appearing in this table are clearly shown in the diagrams on page 34.

Table AG

INFANT MORTALITY RATE (DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

AGE AND SEX	White															Negro	Other colored
	Total	Country of birth of mother															
		Total	United States	Foreign country													
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries			
Under 1 year	57.6	53.3	52.5	52.9	58.4	54.4	45.0	43.7	51.2	43.1	53.4	61.5	42.1	60.2	84.1	103.5	
Male	63.8	59.4	58.5	58.0	65.0	58.8	54.2	46.8	59.0	45.6	57.9	67.1	46.6	65.3	91.3	110.8	
Female	51.1	46.9	46.1	47.6	51.3	49.9	35.1	40.4	42.7	40.6	48.8	55.6	37.3	54.8	76.7	95.7	
Under 1 day	15.0	14.8	14.7	13.3	11.4	16.2	12.1	14.1	14.7	13.0	11.7	14.6	11.4	13.5	16.8	11.8	
Male	16.7	16.6	16.6	14.3	13.2	17.3	13.9	13.7	17.3	12.9	12.5	15.5	13.5	14.2	18.3	13.4	
Female	13.1	12.9	12.8	12.1	9.4	15.1	10.1	14.4	11.8	13.2	10.9	13.5	9.2	12.8	15.3	10.1	
1 day	3.8	3.7	3.6	3.6	3.5	4.0	4.0	3.4	2.8	3.3	3.8	4.0	3.3	3.2	4.9	3.8	
Male	4.3	4.2	4.1	4.1	3.6	4.8	4.3	3.6	3.6	3.7	4.8	4.2	3.3	3.8	5.5	4.6	
Female	3.2	3.1	3.0	3.0	3.4	3.2	3.7	3.2	1.9	3.0	2.9	3.8	3.4	2.6	4.4	3.0	
2 days	2.6	2.4	2.4	2.6	2.7	3.0	2.5	2.5	2.2	2.2	2.5	3.0	2.1	3.0	3.7	4.0	
Male	3.0	2.8	2.8	2.8	3.2	2.5	3.4	3.0	2.7	2.2	3.1	3.3	2.2	2.7	4.1	4.6	
Female	2.2	2.0	2.0	2.4	2.2	3.5	1.5	2.0	1.7	2.2	2.0	2.8	2.1	3.2	3.2	3.3	
3 to 6 days	4.7	4.4	4.3	4.4	5.7	4.4	4.7	4.7	4.8	4.5	3.6	4.6	3.7	4.9	7.0	7.8	
Male	5.5	5.1	5.0	5.1	7.0	5.3	4.5	5.9	5.4	5.1	4.1	5.3	3.7	5.5	8.1	9.2	
Female	3.9	3.6	3.5	3.7	4.2	3.5	4.9	3.4	4.2	3.8	3.0	3.8	3.6	4.3	5.7	6.2	
1 week	3.4	3.1	3.1	2.8	3.2	3.2	2.1	1.9	2.1	2.7	2.6	3.6	2.9	3.0	5.6	4.7	
Male	3.7	3.4	3.4	2.9	2.9	3.1	2.6	1.9	2.3	2.9	2.4	3.7	3.6	3.6	6.0	4.9	
Female	3.1	2.8	2.8	2.6	3.6	3.2	1.5	2.0	1.8	2.5	2.8	3.5	2.1	2.4	5.1	4.5	
2 weeks	2.2	2.0	2.0	2.0	2.7	1.3	1.8	1.0	3.1	1.9	1.6	2.9	2.3	1.9	3.4	3.3	
Male	2.4	2.2	2.2	2.1	3.2	1.7	2.6	1.1	3.0	1.6	1.6	3.0	3.0	2.0	3.6	3.2	
Female	2.0	1.8	1.8	1.8	2.2	0.9	0.9	0.9	3.2	2.2	1.5	2.9	1.6	1.9	3.1	3.3	
3 weeks but under 1 month	1.8	1.7	1.6	1.7	2.1	1.8	1.2	1.5	1.7	0.9	1.6	1.6	1.6	2.1	3.0	3.2	
Male	2.0	1.8	1.8	1.8	2.3	2.1	1.7	1.7	2.2	0.8	1.6	1.9	1.5	2.2	3.0	3.6	
Female	1.7	1.5	1.5	1.5	1.8	1.4	0.6	1.2	1.3	1.0	1.6	1.4	1.7	2.0	3.0	2.9	
Under 1 month	33.5	32.0	31.7	30.3	31.3	33.9	28.2	29.1	31.4	28.5	27.4	34.3	27.3	31.7	44.4	38.6	
Male	37.6	36.0	35.8	33.2	35.3	36.8	32.9	30.9	36.6	29.2	30.1	36.9	30.8	34.1	48.7	43.6	
Female	29.2	27.7	27.3	27.3	26.8	30.8	23.2	27.1	25.9	27.9	24.7	31.6	23.7	29.2	39.9	33.4	
1 month	4.7	4.2	4.1	3.9	4.4	4.3	3.2	2.9	4.2	2.9	3.6	4.6	4.0	4.5	7.6	10.0	
Male	5.3	4.8	4.7	4.7	5.6	5.0	3.4	3.9	5.3	3.2	3.6	6.3	4.5	5.7	8.5	11.2	
Female	4.0	3.6	3.6	3.1	3.0	3.5	3.1	1.8	3.1	2.5	3.5	2.9	3.4	3.4	6.7	8.8	
2 months	3.6	3.2	3.1	3.1	4.2	2.7	2.1	1.9	3.3	2.0	3.6	3.4	1.6	4.0	5.9	7.9	
Male	3.8	3.5	3.4	3.3	4.3	2.5	2.6	2.0	4.1	2.1	4.1	3.9	1.8	3.9	6.1	7.4	
Female	3.2	2.8	2.8	2.9	4.2	2.8	1.5	1.8	2.4	1.8	3.0	2.9	1.5	4.2	5.5	8.4	
3 months	2.9	2.5	2.5	2.6	3.2	2.5	2.4	1.1	2.7	2.2	2.8	2.9	1.4	3.2	4.9	8.3	
Male	3.1	2.7	2.7	2.7	4.1	2.6	2.8	0.9	2.7	1.9	2.4	3.0	1.6	3.8	5.1	8.4	
Female	2.6	2.3	2.2	2.5	2.2	2.4	1.8	1.4	2.6	2.5	3.1	2.9	1.2	2.6	4.7	8.3	
4 months	2.3	2.0	2.0	2.2	2.9	1.9	1.2	1.5	1.5	1.9	2.4	3.2	1.4	2.9	4.1	6.0	
Male	2.5	2.3	2.2	2.3	2.7	1.6	1.7	1.6	1.8	1.9	2.9	3.3	1.6	2.8	4.3	5.7	
Female	2.1	1.8	1.7	2.1	3.1	2.2	0.6	1.4	1.3	1.8	1.9	3.1	1.2	3.0	3.8	6.4	
5 months	2.0	1.7	1.6	2.2	3.3	1.8	1.6	1.5	1.3	1.5	2.3	3.4	1.1	2.8	3.3	6.7	
Male	2.1	1.9	1.8	2.4	3.3	2.0	1.4	1.7	1.3	1.8	2.5	4.0	1.1	3.5	3.3	6.8	
Female	1.9	1.6	1.5	1.9	3.3	1.5	1.8	1.2	1.3	1.2	2.1	2.8	1.0	2.1	3.3	6.6	
6 months	1.8	1.6	1.5	1.8	2.3	1.6	1.6	1.4	1.3	0.9	2.1	2.0	1.0	2.3	3.3	5.4	
Male	2.0	1.7	1.6	1.9	1.8	1.4	3.1	1.2	1.3	1.4	2.4	2.8	1.2	2.1	3.6	6.4	
Female	1.7	1.5	1.4	1.6	2.8	1.8	1.8	1.2	1.4	0.3	1.7	1.1	0.7	2.5	3.1	4.3	
7 months	1.6	1.4	1.4	1.6	1.9	1.5	1.5	0.8	0.9	0.7	2.0	1.4	0.9	2.3	2.6	4.7	
Male	1.7	1.5	1.5	1.7	1.9	1.8	2.6	0.9	0.9	0.6	2.5	0.9	0.8	2.3	2.8	5.0	
Female	1.4	1.3	1.3	1.4	1.9	1.2	0.3	0.8	0.8	0.8	1.5	1.9	1.0	2.2	2.3	4.4	
8 months	1.5	1.3	1.3	1.5	1.6	1.4	1.2	0.7	1.5	0.8	2.2	1.7	1.1	1.4	2.3	4.2	
Male	1.6	1.4	1.4	1.6	2.1	1.6	0.9	1.1	1.6	0.8	1.8	1.9	1.1	1.8	2.6	4.0	
Female	1.3	1.2	1.1	1.4	1.0	1.2	1.5	0.2	1.5	0.8	2.5	1.5	1.1	0.9	2.1	4.4	
9 months	1.4	1.2	1.2	1.4	1.1	1.0	1.2	0.8	1.3	0.8	1.7	1.9	1.2	1.7	2.1	3.9	
Male	1.4	1.3	1.3	1.5	1.4	1.0	1.4	0.9	1.4	1.3	1.9	1.7	1.2	1.7	2.3	4.0	
Female	1.3	1.2	1.1	1.3	0.9	1.0	0.9	0.8	1.1	0.3	1.5	2.1	1.1	1.7	1.9	3.7	
10 months	1.2	1.1	1.1	1.2	1.3	0.8	0.7	1.2	0.9	0.5	1.5	1.6	0.6	1.8	1.9	4.1	
Male	1.3	1.2	1.2	1.3	1.5	1.0	1.1	1.1	1.2	0.8	1.5	1.3	0.5	2.0	2.1	4.2	
Female	1.1	1.0	1.0	1.1	1.0	0.5	0.3	1.2	0.6	0.2	1.6	1.9	0.7	1.5	1.7	4.0	
11 months	1.2	1.1	1.1	1.2	0.9	1.2	0.1	0.9	0.8	0.5	1.9	1.0	0.5	1.6	1.8	3.7	
Male	1.3	1.1	1.1	1.2	1.0	1.4	0.3	0.3	0.8	0.6	2.1	1.1	0.2	1.5	1.9	4.3	
Female	1.1	1.0	1.0	1.2	0.9	1.0	1.5	0.8	0.8	0.3	1.7	1.0	0.7	1.6	1.6	3.1	

1 Exclusive of stillbirths.

INFANT MORTALITY STATISTICS: 1932

DIAGRAM 5.—INFANT MORTALITY, BY COLOR AND COUNTRY OF BIRTH OF MOTHER, FOR CERTAIN SUB-DIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932





Table AH shows infant mortality rates from important causes, by sex and color, and for white children by country of birth of mother, for 1932.

If the rates for white children be contrasted with those for Negroes, and if the rates for the total number of white children be contrasted with those for white children having mothers born in various countries, marked differences are shown. To simplify comparison in this analysis, all rates are shown in whole numbers.

Negro children have rates of 91 per 1,000 births for males and 77 for females, increases of 32 and 30, respectively, over the corresponding rates for white children. These differences in rates are accounted for by the following excesses:

	<i>Male</i>
Broncho-pneumonia.....	3
Lobar and unspecified pneumonia.....	3
Congenital debility, icterus, sclerema.....	3
Premature birth.....	3
Diarrhea and enteritis.....	2
Syphilis.....	2
Unknown or ill-defined diseases.....	15
	<i>Female</i>
Premature birth.....	4
Diarrhea and enteritis.....	3
Syphilis.....	3
Broncho-pneumonia.....	2
Lobar and unspecified pneumonia.....	2
Congenital debility, icterus, sclerema.....	2
Unknown or ill-defined diseases.....	12

Considering as standard the rates for the total number of white children (59 for males and 47 for females) and contrasting with them the rates for white children of mothers born in certain foreign countries—

Children of mothers born in Poland have rates of 67 per 1,000 births for males and 56 for females, or 8 and 9, respectively, higher than the standard. For males the 8 is largely accounted for by excesses of 4 in the rate from broncho-pneumonia and 3 from diarrhea and enteritis.

For females the 9 is largely accounted for by an excess of 4 in the rate from broncho-pneumonia, and 3 from injury at birth.

Children of mothers born in "Other foreign countries" have rates of 65 per 1,000 births for males and 55 for females, or 6 and 8 respectively, higher than the standard for each. The 6 for males is accounted for by excesses of 4 in the rate from broncho-pneumonia and 2 from diarrhea and enteritis. The 8 for females is largely accounted for by excesses of 3 in the rate from broncho-pneumonia and 2 from diarrhea and enteritis.

Children of mothers born in Austria and Hungary have rates of 65 per 1,000 births for males and 51 for females, or 6 and 4, respectively, higher than the standard. For males the principal excesses are 4 in the rate from broncho-pneumonia and 2 from diarrhea and enteritis, while for females the principal excesses are 3 in the rate from broncho-pneumonia and 2 from diarrhea and enteritis.

Children of mothers born in Canada have rates of 59 per 1,000 births for males and 50 for females. For males the rate is the same as the standard, while females have a rate that is 3 higher than the standard rate.

The greatest differences for males are excesses of 2 each in the rates from congenital malformations and injury at birth and a shortage of 2 in the rate from unknown or ill-defined diseases. For females, the greatest difference is an excess of 2 in the rate from injury at birth.

Children of mothers born in Ireland have rates of 59 per 1,000 births for males and 43 for females. For males the rate is the same as the standard while females have a rate that is 4 lower. For males there are increases of 3 each in the rates from injury at birth and congenital malformations, and shortages of 2 each from premature birth and other diseases of early infancy. For females there is an increase of 2 in the rate from injury at birth and a shortage of 5 from premature birth.

Children of mothers born in the United States have the standard rate for males and 46 for females, or 1 lower than the standard. There are no marked differences in the rates for either sex.

Children of mothers born in Italy have a rate for males that is 1 lower than the standard, while the rate for females is 2 higher than the standard rate. For males the principal differences are an excess of 4 in the rate from broncho-pneumonia and a shortage of 5 in the rate from premature birth. For females the principal differences are an excess of 3 in the rate from broncho-pneumonia and a shortage of 3 from premature birth.

Children of mothers born in Denmark, Norway, and Sweden have rates of 54 per 1,000 births for males and 35 for females, or 5 and 12, respectively, lower than the standard. For males the principal differences are shortages of 2 each in the rates from diarrhea and enteritis and unknown or ill-defined diseases. For females the chief differences are shortages of 3 in the rate from premature birth and 2 from diarrhea and enteritis.

Children of mothers born in England, Scotland, and Wales have rates of 47 per 1,000 births for males and 40 for females, or 12 and 7, respectively, lower than the standard. For males the greatest shortages are 5 in the rate from premature birth and 3 from diarrhea and enteritis. For females the greatest difference is a shortage of 2 in the rate from premature birth.

Children of mothers born in Russia have rates of 47 per 1,000 births for males and 37 for females, or 12 and 10, respectively, lower than the standard. For males the greatest shortages are 3 in the rate from premature birth and 2 from all other causes. For females the greatest difference is a shortage of 4 in the rate from premature birth.

Children of mothers born in Germany have rates of 46 per 1,000 births for males and 41 for females, or 13 and 6, respectively, lower than the standard. For males the principal differences are shortages of 5 and 2, respectively, in the rates from premature birth and diarrhea and enteritis. For females, the chief differences are shortages of 1 each in the rates from diarrhea and enteritis and congenital malformations.

INFANT MORTALITY STATISTICS: 1932

Detailed International List No.		Table AH		INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932 [Rates in <i>italics</i> are based on less than 5 deaths]														Negro	Other colored
				White															
				Total	Country of birth of mother														
					Total	Foreign country										United States	Other foreign countries		
CAUSE OF DEATH AND SEX	Total	United States	Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries						
	All causes:																		
	Total	57.6	53.3	52.5	52.9	58.4	54.4	45.0	43.7	51.2	43.1	53.4	61.5	42.1	60.2	84.1	103.5		
	Male	63.8	59.4	58.5	58.0	65.0	58.8	54.2	46.8	59.0	45.6	57.9	67.1	46.6	65.3	91.3	110.8		
	Female	51.1	46.9	46.1	47.6	51.3	49.9	35.1	40.4	42.7	40.6	48.8	55.6	37.3	54.8	76.7	95.7		
7	Measles:																		
	Total	0.2	0.2	0.2	0.3	0.4	0.3	0.1	0.3	0.1		0.7	0.4		0.3	0.1	0.2		
	Male	0.2	0.2	0.2	0.3	0.7	0.2	0.3				0.8	0.2		0.2	0.2	0.3		
	Female	0.2	0.2	0.2	0.4		0.4		0.6			0.7	0.5		0.4	0.1	0.1		
8	Scarlet fever:																		
	Total	(?)	(?)	(?)	(?)				0.1			0.1	0.1		(?)	0.2			
	Male	(?)	(?)	(?)	(?)				0.1			(?)	0.1		(?)				
	Female	(?)	(?)	(?)	(?)							0.1			(?)				
9	Whooping cough:																		
	Total	1.5	1.4	1.4	1.1	1.4	1.4	0.7	0.6	0.9	0.7	1.3	1.3	0.2	1.3	2.7	3.3		
	Male	1.4	1.3	1.3	1.0	1.5	1.2	0.9	0.3	0.5	1.3	1.0	1.1	0.2	1.3	2.4	2.6		
	Female	1.7	1.5	1.5	1.2	1.3	1.6	0.6	0.9	1.4	0.2	1.7	1.5	0.2	1.3	3.0	4.1		
10	Diphtheria:																		
	Total	0.2	0.2	0.2	0.1	0.1	(?)		0.2	0.1	0.1	0.2			0.2	0.2	0.2		
	Male	0.2	0.2	0.2	0.1	0.1	0.3		0.4	0.1		0.2			0.1	0.3	0.4		
	Female	0.2	0.2	0.2	0.1		0.1				0.2				0.2	0.2	0.1		
11	Influenza:																		
	Total	1.8	1.6	1.7	1.0	1.6	0.5	0.9	0.7	0.3	1.1	0.8	1.6	0.6	1.8	2.9	4.6		
	Male	2.0	1.8	1.8	1.0	1.2	0.5	1.7	0.9	0.1	1.0	0.7	1.8	0.5	2.0	3.2	5.0		
	Female	1.6	1.5	1.5	1.0	2.1	0.4	1.7	0.5	0.4	1.3	0.9	1.4	0.7	1.6	2.6	4.2		
13	Dysentery:																		
	Total	0.2	0.2	0.2	0.1	0.1			0.1			(?)	0.1	0.1	0.1	0.4	1.0		
	Male	0.3	0.2	0.2	(?)	0.3						(?)	0.1		0.4	1.5			
	Female	0.2	0.2	0.2	0.1				0.1			(?)	0.1	0.1	0.1	0.4	0.4		
15	Erysipelas:																		
	Total	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.3	0.7	0.5	0.3	0.4	0.6	0.4	0.1	0.3		
	Male	0.3	0.3	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.3	0.2	0.6	0.7	0.4	0.1	0.3		
	Female	0.2	0.3	0.2	0.4		0.1		0.3	1.1	0.7	0.3	0.3	0.5	0.4	0.1	0.4		
18	Epidemic cerebrospinal meningitis:																		
	Total	0.1	0.1	0.1	0.2	0.3	0.1			0.2	0.1	0.4	0.3	0.1	0.2	0.1	0.1		
	Male	0.1	0.1	0.1	0.2	0.1	0.1			0.3	0.2	0.3	0.4	0.2	0.3	0.1	0.1		
	Female	0.1	0.1	0.1	0.2	0.4	0.1			0.1	0.2	0.4	0.3		0.1	0.1	0.1		
22	Tetanus:																		
	Total	0.1	(?)	(?)	(?)								0.1	(?)	0.3	0.1			
	Male	0.1	(?)	(?)	(?)								0.1	(?)	0.3	0.1			
	Female	(?)	(?)	(?)	(?)										0.1	0.2	0.1		
23	Tuberculosis of the respiratory system:																		
	Total	0.1	0.1	0.1	0.1	0.1	(?)	0.4		0.3	0.1	0.1	0.1	0.1	0.2	0.4	1.2		
	Male	0.2	0.1	0.1	0.2	0.1	0.1	0.9		0.3	0.2	0.1	0.1	0.2	0.2	0.4	1.5		
	Female	0.1	0.1	0.1	0.1	0.1				0.3	0.2	(?)		0.1	0.4	1.0			
24	Tuberculosis of the meninges, etc.:																		
	Total	0.2	0.1	0.1	0.2	0.1	0.3	0.3	0.1	0.3	0.1	0.1	0.2	0.1	0.2	0.1	0.5		
	Male	0.2	0.1	0.1	0.2	0.1	0.5	0.6	0.1	0.4	0.2	0.2	0.2		0.2	0.1	0.5		
	Female	0.2	0.1	0.1	0.1	0.1	0.2			0.1		0.1	0.1	0.2	0.2	0.4			
25 to 32	Other forms of tuberculosis:																		
	Total	0.1	0.1	0.1	0.1	0.1	0.2			0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.5		
	Male	0.1	0.1	0.1	0.1	0.1	0.3			0.1	0.3	0.2	0.1	0.1	0.1	0.2	0.5		
	Female	0.1	0.1	0.1	0.1	0.1	0.1			0.1		(?)		0.1	0.2	0.6			
34	Syphilis:																		
	Total	0.8	0.4	0.4	0.3	0.2	0.3	0.4	0.3	0.2		0.4	0.1	0.2	0.5	3.2	2.0		
	Male	0.8	0.5	0.5	0.3	0.1	0.3	0.6	0.3	0.1		0.7		0.1	0.6	3.3	2.2		
	Female	0.7	0.4	0.4	0.3	0.3	0.4	0.3	0.3	0.3		0.2	0.3	0.2	0.5	3.0	1.7		
86	Convulsions:																		
	Total	0.3	0.3	0.3	0.2	0.6	0.2	0.6	0.1		0.2	0.3	0.2	0.3	0.3	0.8	0.2		
	Male	0.4	0.3	0.3	0.3	0.5	0.2	0.6	0.1		0.2	0.2	0.4	0.2	0.3	0.8	0.3		
	Female	0.3	0.2	0.2	0.2	0.6	0.2	0.6		0.2	0.3		0.4	0.3	0.8	0.2			
106	Bronchitis:																		
	Total	0.3	0.3	0.2	0.4	0.8	0.3	0.1	0.1	0.3	0.3	0.3	1.1	0.1	0.6	0.5	1.1		
	Male	0.3	0.3	0.3	0.4	0.5	0.2	0.3	0.1	0.4	0.5	0.4	0.8		0.5	0.4	1.3		
	Female	0.3	0.2	0.2	0.5	1.0	0.4		0.2	0.1	0.2	1.4	0.2	0.7	0.6	1.0			
107	Broncho-pneumonia:																		
	Total	5.7	5.2	4.9	7.4	8.7	6.7	4.6	4.7	5.6	4.9	8.9	9.3	5.6	8.9	8.1	15.7		
	Male	6.3	5.8	5.4	8.0	9.6	7.1	5.1	4.7	6.1	5.4	9.8	9.6	5.9	10.0	8.9	17.5		
	Female	5.0	4.6	4.2	6.7	7.6	6.2	4.0	4.6	5.0	4.3	8.0	9.0	5.2	7.8	7.3	13.8		
108, 109	Lobar and unspecified pneumonia:																		
	Total	2.2	1.8	1.7	2.3	3.0	1.6	0.7	2.0	2.1	0.9	3.4	1.9	2.3	2.6	4.3	6.6		
	Male	2.4	2.0	1.9	2.5	2.9	1.7	0.6	2.4	2.3	1.0	3.7	2.5	2.4	2.6	4.7	6.8		
	Female	2.0	1.6	1.5	2.1	3.1	1.4	0.9	1.5	1.8	0.8	3.0	1.4	2.3	2.6	3.8	6.4		
117, 118	Diseases of the stomach:																		
	Total	0.2	0.2	0.2	0.1	0.1	0.2		0.1	0.1		(?)	0.2	0.1	0.1	0.6	0.8		
	Male	0.3	0.2	0.2	0.1	0.1	0.2		0.1	0.1			0.4	0.2	0.1	0.6	0.7		
	Female	0.2	0.2	0.2	0.1	0.1	0.2				0.1			0.1	0.5	0.8			
119	Diarrhea and enteritis:																		
	Total	5.2	4.7	4.7	4.4	6.9	3.4	2.4	2.1	4.6	2.9	3.8	6.0	3.4	6.5	7.1	19.7		
	Male	5.7	5.3	5.2	5.0	7.7	4.2	2.8	2.1	4.9	3.2	4.2	7.5	3.9	7.3	7.4	20.5		
	Female	4.7	4.1	4.1	3.7	6.0	2.6	1.8	2.0	4.2	2.5	3.3	4.4	2.9	5.6	6.8	18.8		
122b	Intestinal obstruction:																		
	Total	0.4	0.4	0.4	0.5	0.4	0.5	0.3	0.4	0.5	0.6	0.6	0.5	0.3	0.7	0.4	0.5		
	Male	0.5	0.5	0.5	0.7	0.8	0.8	0.6	0.1	0.4	0.6	0.7</							

Detailed International List No.	Table AH—Continued CAUSE OF DEATH AND SEX	INFANT MORTALITY RATE (DEATHS ¹ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932 [Rates in <i>italics</i> are based on less than 5 deaths]															
		Total	White													Negro	Other colored
			Total	Country of birth of mother													
				United States	Foreign country												
		Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries					
157	Congenital malformations:																
	Total	5.3	5.7	5.6	5.9	5.6	7.2	7.1	5.0	7.4	4.4	6.1	6.7	5.0	5.1	2.1	4.6
	Male	5.7	6.1	6.0	6.5	6.5	8.0	8.8	5.6	9.2	4.6	6.0	7.0	5.9	5.5	2.4	4.8
	Female	4.8	5.2	5.2	5.3	4.6	6.3	5.2	4.3	5.6	4.2	6.1	6.4	4.0	4.7	1.9	4.3
158, 161	(Congenital debility, icterus, sclerema:																
b, c	Total	2.3	2.0	2.0	1.6	2.4	2.0	1.2	1.0	0.9	1.3	1.7	2.3	0.5	1.6	4.3	5.0
	Male	2.6	2.3	2.3	1.7	3.0	1.8	1.7	1.3	0.9	1.8	1.6	2.5	0.6	2.0	4.7	5.3
	Female	1.9	1.6	1.6	1.4	1.8	2.3	0.6	0.8	0.8	0.8	1.7	2.0	0.4	1.3	3.8	4.7
159	Premature birth:																
	Total	15.8	15.3	15.4	13.1	13.2	16.4	14.1	13.0	12.0	13.0	11.1	14.4	12.0	13.8	10.1	15.4
	Male	17.4	17.0	17.1	14.1	15.4	17.4	17.3	12.4	14.5	12.3	11.5	15.9	13.5	14.4	20.4	17.4
	Female	14.0	13.6	13.6	12.1	10.7	15.4	10.7	13.6	9.3	13.7	10.7	12.8	10.3	13.1	17.7	13.2
1.0	Injury at birth:																
	Total	4.6	4.8	4.6	6.2	4.6	6.9	5.1	6.3	7.3	6.1	6.2	7.2	5.6	5.9	3.0	3.6
	Male	5.6	5.8	5.6	7.2	4.9	7.6	5.1	6.9	8.8	6.2	7.4	7.8	6.9	7.7	3.6	4.3
	Female	3.6	3.8	3.6	5.1	4.3	6.1	5.2	5.7	5.7	6.0	4.9	6.6	4.1	4.1	2.3	2.8
	(Other diseases of early infancy:																
	Total	1.9	1.8	1.7	2.2	2.6	2.1	1.8	3.0	2.9	1.6	2.0	2.1	1.3	2.6	2.3	3.1
	Male	2.1	2.0	1.9	2.6	2.7	2.3	2.3	3.7	3.5	1.9	2.7	2.1	1.5	2.9	2.8	3.1
	Female	1.6	1.6	1.5	1.8	2.4	1.9	1.2	2.1	2.2	1.3	1.3	2.0	1.1	2.3	1.8	3.0
172-198, 201-214	External causes:																
	Total	0.9	0.8	0.8	0.5	0.3	0.5	0.7	0.4	0.6	0.3	0.4	0.6	0.2	0.9	1.5	2.2
	Male	1.0	0.9	0.9	0.5	0.4	0.6	1.1	0.7	0.6	0.2	0.4	0.5	0.9	1.6	2.3	
	Female	0.9	0.8	0.7	0.5	0.1	0.4	0.3	0.2	0.6	0.5	0.4	0.8	0.4	0.9	1.5	2.1
199, 200	(Unknown or ill-defined diseases:																
	Total	3.6	2.0	2.1	0.5	0.4	0.3	0.6	0.1	0.1	0.3	0.2	0.5	0.9	1.0	15.2	4.6
	Male	3.9	2.2	2.4	0.4	0.4	0.3	0.6	0.3	0.3	0.3	0.3	0.6	1.0	0.7	16.7	4.4
	Female	3.2	1.8	1.9	0.5	0.3	0.4	0.6	0.2	0.3	0.1	0.4	0.8	1.3	13.6	4.7	
	All other causes:																
	Total	3.3	3.1	3.0	3.6	4.2	3.0	2.6	3.0	3.8	3.5	3.9	4.1	2.4	4.1	4.0	6.2
	Male	3.7	3.5	3.4	4.0	5.2	3.3	2.3	3.9	4.7	4.3	4.4	4.4	2.0	4.1	4.6	6.6
	Female	2.8	2.7	2.6	3.2	3.1	2.6	3.1	2.1	2.8	2.7	3.4	3.9	4.0	3.5	5.9	

¹ Exclusive of stillbirths.

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932

[Figures for white and colored are shown separately for minor areas only when the colored population formed at least 10 percent of the total or numbered 10,000 or more in 1930. Minor areas designated by an asterisk (*) contain State insane asylums, State hospitals, maternity hospitals, etc. where occur deaths of many nonresidents and births to many nonresident mothers]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES											
Total.....	118,858,000	2,074,042	1,293,269	17.4	10.9	780,773	160	119,431	57.6	78,351	3.8
White.....	106,259,000	1,805,155	1,115,555	17.0	10.5	689,600	162	96,250	53.3	59,040	3.3
Colored.....	12,599,000	268,887	177,714	21.3	14.1	91,173	151	23,181	86.2	19,311	7.2
Cities of 10,000 or more.....	57,824,600	966,714	673,342	16.7	11.6	293,372	144	54,788	56.7	37,593	3.9
White.....	52,951,100	873,637	591,022	16.5	11.2	282,515	148	45,894	52.5	30,454	3.5
Colored.....	4,873,500	93,177	82,320	19.1	16.9	10,857	113	8,894	95.5	7,139	7.7
Smaller cities ² and rural districts.....	61,033,400	1,107,328	619,927	18.1	10.2	487,401	179	64,643	58.4	40,758	3.7
White.....	53,307,900	931,618	524,533	17.5	9.8	407,085	178	50,356	54.1	28,586	3.1
Colored.....	7,725,500	175,710	95,394	22.7	12.3	80,316	184	14,287	81.3	12,172	6.9
Section A (States)											
ALABAMA											
Total.....	2,632,000	62,939	27,680	23.5	10.3	35,259	227	3,835	60.9	3,089	4.9
White.....	1,731,000	39,381	14,871	22.8	8.6	24,510	265	2,042	51.9	1,337	3.4
Colored.....	951,000	23,558	12,809	24.8	13.5	10,749	184	1,793	76.1	1,752	7.4
Cities of 10,000 or more.....	598,800	11,350	8,273	19.0	13.8	3,077	137	868	76.5	637	5.6
White.....	369,200	6,914	4,248	18.7	11.5	2,666	163	397	57.4	255	3.7
Colored.....	229,600	4,436	4,025	19.3	17.5	411	110	471	106.2	382	8.6
Cities of 2,500 to 10,000.....	172,700	3,648	2,309	21.1	13.4	1,339	158	292	80.0	222	6.1
White.....	124,100	2,674	1,400	21.5	11.3	1,274	191	194	72.6	113	4.2
Colored.....	48,600	974	909	20.0	18.7	65	107	98	100.6	109	11.2
Rural.....	1,910,500	47,941	17,098	25.1	8.9	30,843	280	2,675	55.8	2,230	4.7
White.....	1,237,700	29,793	9,223	24.1	7.5	20,570	323	1,451	48.7	969	3.3
Colored.....	672,800	18,148	7,875	27.0	11.7	10,273	230	1,224	67.4	1,261	6.9
ARIZONA											
Total.....	448,000	8,523	5,420	19.0	12.1	3,103	187	817	95.9	216	2.5
White.....	272,000	4,569	3,016	16.8	11.1	1,553	151	243	53.2	93	2.1
Colored.....	176,000	3,954	2,404	22.5	13.7	1,550	164	574	145.2	118	3.0
Cities of 10,000 or more.....	83,600	2,818	2,132	33.7	25.5	686	132	262	93.0	71	2.5
White.....	60,600	1,827	1,426	30.1	23.5	401	128	93	50.9	35	1.9
Colored.....	23,000	991	706	43.1	30.7	285	140	169	170.5	36	3.6
Cities of 2,500 to 10,000.....	69,600	2,171	1,312	31.2	18.9	859	165	206	94.9	68	3.1
White.....	43,500	1,252	782	28.8	18.0	470	160	68	54.3	34	2.7
Colored.....	26,100	919	530	35.2	20.3	389	173	138	150.2	34	3.7
Rural.....	294,800	3,534	1,976	12.0	6.7	1,558	179	349	98.8	77	2.2
White.....	167,900	1,490	808	8.9	4.8	682	184	82	55.0	29	1.9
Colored.....	126,900	2,044	1,168	16.1	9.2	876	175	267	130.6	48	2.3
ARKANSAS											
Total.....	1,867,000	37,450	16,315	20.1	8.7	21,135	230	1,697	45.3	1,491	4.0
White.....	1,386,000	28,689	11,251	20.7	8.1	17,438	255	1,244	43.4	861	3.0
Colored.....	481,000	8,761	5,064	18.2	10.5	3,697	173	453	51.7	630	7.2
Cities of 10,000 or more.....	227,200	3,269	3,766	14.4	16.6	-497	87	214	65.5	147	4.5
White.....	175,300	2,688	2,645	15.3	15.1	43	102	158	58.8	87	3.2
Colored.....	51,900	581	1,121	11.2	21.6	-540	52	56	96.4	60	10.3
Cities of 2,500 to 10,000.....	165,800	2,596	2,083	15.7	12.6	513	125	138	53.2	118	4.5
White.....	126,100	1,996	1,367	15.8	10.8	629	146	96	48.1	68	3.4
Colored.....	39,700	600	716	15.1	18.0	-116	84	42	70.0	50	8.3
Rural.....	1,474,000	31,585	10,466	21.4	7.1	21,119	302	1,345	42.6	1,226	3.9
White.....	1,084,600	24,005	7,239	22.1	6.7	16,766	332	990	41.2	706	2.9
Colored.....	389,400	7,580	3,227	19.5	8.3	4,353	235	355	46.8	520	6.9
CALIFORNIA											
Total.....	5,947,000	78,093	67,680	13.1	11.4	10,413	115	4,116	52.7	2,132	2.7
White.....	5,268,000	62,928	60,037	11.9	11.4	2,891	105	2,657	42.2	1,613	2.6
Colored.....	679,000	15,165	7,643	22.3	11.3	7,522	198	1,459	96.2	519	3.4
Cities of 10,000 or more.....	3,803,000	50,169	42,946	13.2	11.3	7,223	117	2,344	46.7	1,346	2.7
White.....	3,429,600	41,622	38,876	12.1	11.3	2,746	107	1,721	41.3	1,055	2.5
Colored.....	373,400	8,547	4,070	22.9	10.9	4,477	210	623	72.9	291	3.4
Cities of 2,500 to 10,000.....	577,600	9,909	6,521	17.2	11.3	3,388	152	558	56.3	259	2.6
White.....	506,600	7,820	5,708	15.4	11.3	2,112	137	327	41.8	191	2.4
Colored.....	71,100	2,089	813	29.4	11.4	1,276	257	231	110.6	68	3.3
Rural.....	1,566,400	18,015	18,213	11.5	11.6	-198	99	1,214	67.4	527	2.9
White.....	1,331,900	13,486	15,453	10.1	11.6	1,967	87	609	45.2	367	2.7
Colored.....	234,500	4,529	2,760	19.3	11.8	1,769	164	605	133.6	160	3.5

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 1,000 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
COLORADO											
Total.....	1,047,000	17,613	12,599	16.8	12.0	5,014	140	1,259	71.5	559	3.2
White.....	967,000	16,218	11,771	16.8	12.2	4,447	138	1,050	64.7	490	3.0
Colored.....	80,000	1,395	828	17.4	10.4	567	168	209	149.8	69	4.9
Cities of 10,000 or more.....	433,400	7,144	6,171	16.5	14.2	973	116	494	89.1	241	3.4
White.....	408,600	6,768	5,857	16.6	14.3	911	116	445	85.8	225	3.3
Colored.....	24,800	376	314	15.2	12.7	62	120	49	130.3	16	4.8
Cities of 2,500 to 10,000.....	94,500	2,050	1,620	21.7	17.1	430	127	168	82.0	72	3.5
White.....	88,200	1,858	1,480	21.1	16.8	378	126	131	70.5	61	3.3
Colored.....	6,300	192	140	30.5	22.2	52	137	37	192.7	11	5.7
Rural.....	519,100	8,419	4,808	16.2	9.3	3,611	175	597	70.9	246	2.9
White.....	470,200	7,592	4,434	16.1	9.4	3,158	171	474	62.4	204	2.7
Colored.....	48,900	827	374	16.9	7.6	453	221	123	148.7	42	5.1
CONNECTICUT											
Total.....	1,634,000	23,731	16,962	14.5	10.4	6,769	140	1,173	49.4	685	2.9
White.....	1,603,000	23,123	16,494	14.4	10.3	6,629	140	1,115	48.2	659	2.8
Colored.....	31,000	608	468	19.6	15.1	140	130	58	95.4	26	4.3
Cities of 10,000 or more.....	1,096,700	19,086	11,915	17.4	10.9	7,171	160	920	48.2	556	2.9
White.....	1,071,000	18,521	11,518	17.3	10.8	7,003	161	868	46.9	532	2.9
Colored.....	25,700	565	397	22.0	15.4	168	142	52	92.0	24	4.2
Cities of 2,500 to 10,000.....	50,200	1,185	394	23.6	7.8	791	301	31	26.2	28	2.4
White.....	49,800	1,166	388	23.4	7.8	778	301	30	25.7	28	2.4
Colored.....	400	19	6	47.5	15.0	13	(3)	1	52.6		
Rural.....	487,100	3,460	4,653	7.1	9.6	-1,193	74	222	64.2	101	2.9
White.....	482,200	3,436	4,588	7.1	9.5	-1,152	75	217	63.2	99	2.9
Colored.....	4,900	24	65	4.9	13.3	-41	(3)	5	208.3	2	8.3
DELAWARE											
Total.....	240,000	4,294	3,178	17.9	13.2	1,116	135	288	67.1	145	3.4
White.....	207,000	3,590	2,570	17.3	12.4	1,020	140	224	62.4	87	2.4
Colored.....	33,000	704	608	21.3	18.4	96	116	64	90.9	58	8.2
Cities of 10,000 or more.....	106,597	2,184	1,490	20.5	14.0	694	147	136	62.3	74	3.4
White.....	94,459	1,914	1,257	20.3	13.3	657	152	116	60.6	52	2.7
Colored.....	12,138	270	233	22.2	19.2	37	116	20	74.1	22	8.1
Cities of 2,500 to 10,000.....	17,200	358	255	20.8	14.8	103	140	15	41.9	14	3.9
White.....	14,100	316	202	22.4	14.3	114	156	11	34.8	6	1.9
Colored.....	3,100	42	53	13.5	17.1	-11	(3)	4	95.2	8	19.0
Rural.....	116,200	1,752	1,433	15.1	12.3	319	122	137	78.2	57	3.3
White.....	98,400	1,360	1,111	13.8	11.3	249	122	97	71.3	29	2.1
Colored.....	17,800	392	322	22.0	18.1	70	122	40	102.0	28	7.1
DISTRICT OF COLUMBIA											
Total.....	493,000	10,157	7,937	20.6	16.1	2,220	128	740	72.9	437	4.3
White.....	357,000	6,809	5,001	19.1	14.0	1,808	136	380	55.8	210	3.1
Colored.....	136,000	3,348	2,936	24.6	21.6	412	114	360	107.5	227	6.8
FLORIDA											
Total.....	1,528,000	27,402	18,288	17.9	12.0	9,114	150	1,674	61.1	1,550	5.7
White.....	1,083,000	18,874	11,287	17.4	10.4	7,587	167	933	49.4	706	3.7
Colored.....	445,000	8,528	7,001	19.2	15.7	1,527	122	741	86.9	844	9.9
Cities of 10,000 or more.....	577,300	10,112	7,974	17.5	13.8	2,138	127	576	57.0	639	6.3
White.....	417,800	7,284	5,021	17.4	12.0	4,263	145	318	43.7	290	4.0
Colored.....	159,500	2,828	2,953	17.7	18.5	-125	96	258	91.2	349	12.3
Cities of 2,500 to 10,000.....	219,300	4,235	3,418	19.3	15.6	817	124	271	64.0	216	5.1
White.....	160,500	3,000	2,234	18.7	13.9	766	134	161	53.7	111	3.7
Colored.....	58,800	1,235	1,184	21.0	20.1	51	104	110	89.1	105	8.5
Rural.....	731,400	13,055	6,896	17.8	9.4	6,159	189	827	63.3	695	5.3
White.....	504,700	8,590	4,032	17.0	8.0	4,558	213	454	52.9	305	3.6
Colored.....	226,700	4,465	2,864	19.7	12.6	1,601	156	373	83.5	390	8.7
GEORGIA											
Total.....	2,910,000	63,717	32,128	21.9	11.0	31,589	198	4,101	64.4	3,849	6.0
White.....	1,855,000	38,241	16,818	20.6	9.1	21,423	227	2,121	55.5	1,491	3.9
Colored.....	1,055,000	25,476	15,310	24.1	14.5	10,166	166	1,980	77.7	2,358	9.3
Cities of 10,000 or more.....	676,600	13,678	10,638	20.2	15.7	3,040	129	1,081	79.0	958	7.0
White.....	427,500	8,325	5,289	19.5	12.4	3,036	157	535	64.3	365	4.4
Colored.....	249,100	5,353	5,349	21.5	21.5	4	100	546	102.0	593	11.1
Smaller cities ² and rural districts.....	2,233,400	50,039	21,490	22.4	9.6	28,549	233	3,020	60.4	2,891	5.8
White.....	1,427,500	29,916	11,529	21.0	8.1	18,387	259	1,586	53.0	1,126	3.8
Colored.....	805,900	20,123	9,961	25.0	12.4	10,162	202	1,434	71.3	1,765	8.8

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
IDAHO											
Total	447,000	8,732	3,942	19.5	8.8	4,790	222	379	43.4	236	2.7
White	439,000	8,584	3,813	19.5	8.7	4,751	225	354	41.3	223	2.6
Colored	8,000	168	129	21.0	16.1	39	130	25	148.8	13	7.7
Cities of 10,000 or more	38,400	1,115	590	29.0	15.4	525	189	44	39.5	37	3.3
White	37,500	1,105	573	29.5	15.3	532	193	41	37.1	36	3.3
Colored	900	10	17	11.1	18.9	-7	(³)	3	300.0	1	10.0
Cities of 2,500 to 10,000	92,700	3,165	1,551	34.1	16.7	1,614	204	132	41.7	92	2.9
White	92,000	3,146	1,532	34.2	16.7	1,614	205	129	41.0	89	2.8
Colored	700	19	19	27.1	27.1	(³)	(³)	3	157.9	3	15.8
Rural	315,900	4,452	1,801	14.1	5.7	2,651	247	203	45.6	107	2.4
White	309,500	4,313	1,705	13.9	5.5	2,605	253	184	42.7	98	2.3
Colored	6,400	139	93	21.7	14.5	46	(³)	19	136.7	9	6.5
ILLINOIS											
Total	7,768,000	111,512	83,180	14.4	10.7	28,332	134	5,884	52.8	3,446	3.1
White	7,383,000	105,222	77,248	14.3	10.5	27,974	136	5,436	51.7	3,104	2.9
Colored	385,000	6,290	5,932	16.3	15.4	358	106	448	71.2	342	5.4
Cities of 10,000 or more	5,096,700	74,703	52,912	14.7	10.4	21,791	141	3,784	50.7	2,357	3.2
White	4,756,800	68,966	48,037	14.5	10.1	20,929	144	3,407	49.4	2,067	3.0
Colored	339,900	5,737	4,875	16.9	14.3	862	118	377	65.7	290	5.1
Cities of 2,500 to 10,000	689,000	10,098	7,794	14.7	11.3	2,304	130	591	58.5	335	3.3
White	672,800	9,888	7,574	14.7	11.3	2,314	131	564	57.0	314	3.2
Colored	16,200	210	220	13.0	13.6	-10	95	27	128.6	21	10.0
Rural	1,982,300	26,711	22,474	13.5	11.3	4,237	119	1,509	56.5	754	2.8
White	1,953,400	26,368	21,637	13.5	11.1	4,731	122	1,465	55.6	723	2.7
Colored	28,900	343	837	11.9	29.0	-494	41	44	128.3	31	9.0
INDIANA											
Total	3,275,000	53,073	38,756	16.2	11.8	14,317	137	2,903	54.7	1,518	2.9
White	3,148,000	51,280	36,839	16.3	11.7	14,441	139	2,739	53.4	1,413	2.8
Colored	127,000	1,793	1,917	14.1	15.1	-124	94	164	91.5	105	5.9
Cities of 10,000 or more	1,532,500	24,543	17,328	16.0	11.3	7,215	142	1,422	57.9	748	3.0
White	1,418,300	22,906	15,735	16.2	11.1	7,171	146	1,275	55.7	659	2.9
Colored	114,200	1,637	1,593	14.3	13.9	44	103	147	89.8	89	5.4
Cities of 2,500 to 10,000	299,700	5,275	4,625	17.6	15.4	650	114	305	57.8	175	3.3
White	295,800	5,226	4,540	17.7	15.3	686	115	303	58.0	170	3.3
Colored	3,900	49	85	12.6	21.8	-36	(^c)	2	40.8	5	10.2
Rural	1,442,800	23,255	16,803	16.1	11.6	6,452	138	1,176	50.6	595	2.6
White	1,433,900	23,148	16,564	16.1	11.6	6,584	140	1,161	50.2	584	2.5
Colored	8,900	107	239	12.0	26.9	-132	45	15	140.2	11	10.3
IOWA											
Total	2,479,000	40,459	25,786	16.3	10.4	14,673	157	1,938	47.9	1,278	3.2
White	2,456,000	40,232	25,443	16.4	10.4	14,849	158	1,905	47.3	1,261	3.1
Colored	23,000	167	343	7.3	14.9	-176	49	33	197.6	17	10.2
Cities of 10,000 or more	726,800	13,561	9,650	18.7	13.3	3,911	141	782	57.7	517	3.8
White	710,000	13,417	9,408	18.9	13.3	4,009	143	756	56.3	502	3.7
Colored	16,800	144	242	8.6	14.4	-98	60	26	180.6	15	10.4
Cities of 2,500 to 10,000	265,300	5,566	4,680	21.0	17.6	886	119	291	52.3	199	3.6
White	262,900	5,557	4,636	21.1	17.6	921	120	290	52.2	199	3.6
Colored	2,400	9	44	3.8	18.3	-35	(³)	1	111.1	(³)	(³)
Rural	1,486,900	21,332	11,456	14.3	7.7	9,876	186	865	40.5	562	2.6
White	1,483,100	21,318	11,399	14.4	7.7	9,919	187	859	40.3	560	2.6
Colored	3,800	14	57	3.7	15.0	-43	(³)	6	428.6	2	14.3
KANSAS											
Total	1,894,000	31,700	19,512	16.7	10.3	12,188	162	1,525	48.1	894	2.8
White	1,805,000	30,175	18,328	16.7	10.2	11,847	165	1,420	47.1	827	2.7
Colored	89,000	1,525	1,184	17.1	13.3	341	129	105	68.9	67	4.4
Cities of 10,000 or more	551,100	9,908	6,857	18.0	12.4	3,051	144	511	51.6	336	3.4
White	494,200	8,958	6,094	18.1	12.3	2,864	147	433	48.3	288	3.2
Colored	56,900	950	763	16.7	13.4	187	125	78	82.1	48	5.1
Cities of 2,500 to 10,000	192,000	4,318	2,775	22.5	14.5	1,543	156	260	60.2	132	3.1
White	184,300	4,131	2,665	22.4	14.5	1,466	155	248	60.0	122	3.0
Colored	7,700	187	110	24.3	14.3	77	170	12	64.2	10	5.3
Rural	1,150,900	17,474	9,880	15.2	8.6	7,594	177	754	43.1	426	2.4
White	1,126,500	17,086	9,569	15.2	8.5	7,517	179	739	43.3	417	2.4
Colored	24,400	388	311	15.9	12.7	77	125	15	38.7	9	2.3

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
KENTUCKY											
Total.....	2,638,000	59,505	29,059	22.6	11.0	30,446	205	3,767	63.3	2,014	3.4
White.....	2,413,000	56,195	24,829	23.3	10.3	31,366	226	3,409	60.7	1,804	3.2
Colored.....	225,000	3,310	4,230	14.7	18.8	-920	78	358	108.2	210	6.3
Cities of 10,000 or more.....	612,800	10,286	8,712	16.8	14.2	1,574	118	772	75.1	413	4.0
White.....	524,800	9,009	6,826	17.2	13.0	2,183	132	634	70.4	326	3.6
Colored.....	88,000	1,277	1,886	14.5	21.4	-609	68	138	108.1	87	6.8
Smaller cities ² and rural districts.....	2,025,200	49,219	20,347	24.3	10.0	28,872	242	2,995	60.9	1,601	3.3
White.....	1,888,200	47,186	18,003	25.0	9.5	29,183	262	2,775	58.8	1,478	3.1
Colored.....	137,000	2,033	2,344	14.8	17.1	-311	87	220	108.2	123	6.1
LOUISIANA											
Total.....	2,138,000	43,298	23,311	20.3	10.9	19,987	186	2,804	64.8	2,186	5.0
White.....	1,345,000	25,600	12,504	19.0	9.3	13,096	205	1,353	52.9	861	3.4
Colored.....	793,000	17,698	10,807	22.3	13.6	6,891	164	1,451	82.0	1,325	7.5
Cities of 10,000 or more.....	676,000	13,553	11,002	20.0	16.3	2,551	123	1,004	74.1	711	5.2
White.....	465,800	8,500	6,418	18.2	13.8	2,082	132	516	60.7	326	3.8
Colored.....	210,200	5,053	4,584	24.0	21.8	469	110	488	96.6	385	7.6
Cities of 2,500 to 10,000.....	181,700	3,724	2,404	20.5	13.2	1,320	155	317	85.1	244	6.6
White.....	124,500	2,351	1,239	18.9	10.0	1,112	190	149	63.4	114	4.8
Colored.....	57,200	1,373	1,165	24.0	20.4	208	118	168	122.4	130	9.5
Rural.....	1,280,300	26,021	9,905	20.3	7.7	16,116	263	1,483	57.0	1,231	4.7
White.....	754,700	14,749	4,847	19.5	6.4	9,902	304	688	46.6	421	2.9
Colored.....	525,600	11,272	5,058	21.4	9.6	6,214	223	795	70.5	810	7.2
MAINE											
Total.....	801,000	16,129	10,719	20.1	13.4	5,410	150	1,017	63.1	546	3.4
White.....	790,000	16,096	10,690	20.1	13.4	5,406	151	1,013	62.9	545	3.4
Colored.....	2,000	33	29	16.5	14.5	4	(³)	4	121.2	1	3.0
Cities of 10,000 or more.....	230,500	4,783	3,498	20.8	15.2	1,285	137	326	68.2	165	3.4
White.....	229,700	4,770	3,486	20.8	15.2	1,284	137	324	67.9	164	3.4
Colored.....	800	13	12	16.3	15.0	1	(³)	2	153.8	1	7.7
Cities of 2,500 to 10,000.....	93,500	1,986	1,322	21.2	14.1	664	150	114	57.4	62	3.1
White.....	93,000	1,973	1,314	21.2	14.1	659	150	113	57.3	62	3.1
Colored.....	500	13	8	26.0	16.0	5	(³)	1	76.9		
Rural.....	477,000	9,360	5,899	19.6	12.4	3,461	159	577	61.6	319	3.4
White.....	476,300	9,353	5,890	19.6	12.4	3,463	159	576	61.6	319	3.4
Colored.....	700	7	9	10.0	12.9	-2	(³)	1	142.9		
MARYLAND											
Total.....	1,653,000	28,820	21,038	17.4	12.7	7,782	137	1,989	69.0	1,856	6.4
White.....	1,372,000	22,477	15,955	16.4	11.6	6,522	141	1,289	57.3	1,211	5.4
Colored.....	281,000	6,343	5,083	22.6	18.1	1,260	125	700	110.4	645	10.2
Cities of 10,000 or more.....	922,200	16,350	12,367	17.7	13.4	3,983	132	1,048	64.1	1,000	6.1
White.....	765,800	12,933	9,454	16.9	12.3	3,479	137	727	56.2	657	5.1
Colored.....	156,400	3,417	2,913	21.8	18.6	504	117	321	93.9	343	10.0
Cities of 2,500 to 10,000.....	64,800	1,476	1,090	22.8	16.8	386	135	107	72.5	164	11.1
White.....	56,400	1,252	821	22.2	14.6	431	152	61	48.7	126	10.1
Colored.....	8,400	224	269	26.7	32.0	-45	83	46	205.4	38	17.0
Rural.....	666,000	10,994	7,581	16.5	11.4	3,413	145	894	75.9	692	6.3
White.....	549,800	8,292	5,680	15.1	10.3	2,612	146	501	60.4	428	5.2
Colored.....	116,200	2,702	1,901	23.3	16.4	801	142	333	123.2	264	9.8
MASSACHUSETTS											
Total.....	4,297,000	68,534	49,446	15.9	11.5	19,088	139	3,624	52.9	2,328	3.4
White.....	4,240,000	67,559	48,568	15.9	11.5	18,991	139	3,542	52.4	2,274	3.4
Colored.....	57,000	975	878	17.1	15.4	97	111	82	84.1	54	5.5
Cities of 10,000 or more.....	3,547,700	60,942	40,383	17.2	11.4	20,559	151	3,211	52.7	2,066	3.4
White.....	3,498,600	60,123	39,644	17.2	11.3	20,479	152	3,141	52.2	2,020	3.4
Colored.....	49,100	819	739	16.7	15.1	80	111	70	85.5	46	5.6
Cities of 2,500 to 10,000.....	332,800	3,993	3,253	12.0	9.8	740	123	197	49.3	102	2.6
White.....	330,500	3,964	3,225	12.0	9.8	739	123	194	48.9	102	2.6
Colored.....	2,300	29	28	12.6	12.2	1	(³)	3	108.4		
Rural.....	416,500	3,599	5,810	8.6	13.9	-2,211	62	216	60.0	160	4.4
White.....	410,900	3,472	5,699	8.4	13.9	-2,227	61	207	59.6	152	4.4
Colored.....	5,600	127	111	22.7	19.8	16	114	9	70.9	8	6.3

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of Births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
MICHIGAN											
Total	4,983,000	85,736	49,585	17.2	10.0	36,151	173	4,628	54.0	2,977	3.5
White	4,776,000	82,376	46,952	17.2	9.8	35,424	175	4,401	53.4	2,811	3.4
Colored	207,000	3,360	2,633	16.2	12.7	727	128	227	67.6	166	4.9
Cities of 10,000 or more	3,051,300	52,111	27,205	17.1	8.9	24,906	192	2,824	54.2	1,862	3.6
White	2,867,000	49,075	25,114	17.1	8.8	23,961	195	2,620	53.4	1,714	3.5
Colored	184,300	3,036	2,091	16.5	11.3	945	145	204	67.2	148	4.9
Cities of 2,500 to 10,000	380,600	7,188	4,425	18.9	11.6	2,763	162	375	52.2	306	4.3
White	375,900	7,101	4,364	18.9	11.6	2,737	163	369	52.0	301	4.2
Colored	4,700	87	61	18.5	13.0	26	(*)	6	69.0	5	5.7
Rural	1,551,100	26,437	17,955	17.0	11.6	8,482	147	1,429	54.1	809	3.1
White	1,533,100	26,200	17,474	17.1	11.4	8,726	150	1,412	53.9	796	3.0
Colored	18,000	237	481	13.2	26.7	-244	49	17	71.7	13	5.5
MINNESOTA											
Total	2,585,000	46,377	25,591	17.9	9.9	20,786	181	2,189	47.2	1,333	2.9
White	2,559,000	45,759	25,189	17.9	9.8	20,570	182	2,130	46.5	1,309	2.9
Colored	26,000	618	402	23.8	15.5	216	164	59	95.5	24	3.9
Cities of 10,000 or more	1,014,200	18,336	11,634	18.1	11.5	6,702	158	892	48.6	576	3.1
White	1,002,700	18,159	11,483	18.1	11.5	6,676	158	885	48.7	566	3.1
Colored	11,500	177	151	15.4	13.1	26	117	7	39.5	10	5.6
Cities of 2,500 to 10,000	265,600	5,337	3,488	20.1	13.1	1,849	153	287	53.8	195	3.7
White	264,400	5,309	3,467	20.1	13.1	1,842	153	287	54.1	195	3.7
Colored	1,200	28	21	23.3	17.5	7	(*)				
Rural	1,305,200	22,704	10,469	17.4	8.0	12,235	217	1,010	44.5	562	2.5
White	1,291,900	22,291	10,239	17.3	7.9	12,052	218	958	43.0	548	2.5
Colored	13,300	413	230	31.1	17.3	183	150	52	125.9	14	3.4
MISSISSIPPI											
Total	2,036,000	46,273	20,311	22.7	10.0	25,962	228	2,480	53.6	2,189	4.7
White	1,014,000	21,787	8,303	21.5	8.2	13,484	262	967	44.4	878	3.1
Colored	1,022,000	24,486	12,008	24.0	11.7	12,478	204	1,513	61.8	1,311	6.2
Cities of 10,000 or more	244,400	4,421	3,885	18.1	15.9	536	114	315	71.3	310	7.0
White	147,200	2,869	1,868	19.5	12.7	1,001	154	157	54.7	135	4.7
Colored	97,200	1,552	2,017	16.0	20.8	-465	77	158	101.8	175	11.3
Cities of 2,500 to 10,000	104,600	2,438	1,456	23.3	13.9	982	167	145	59.5	188	7.7
White	64,000	1,333	728	20.8	11.4	605	183	77	57.8	74	5.6
Colored	40,600	1,105	728	27.3	18.0	377	152	68	61.5	114	10.3
Rural	1,687,100	39,414	14,970	23.4	8.9	24,444	263	2,020	51.3	1,691	4.3
White	802,800	17,585	5,707	21.9	7.1	11,878	308	733	41.7	469	2.7
Colored	884,300	21,829	9,263	24.7	10.5	12,566	236	1,287	59.0	1,222	5.6
MISSOURI											
Total	3,656,000	59,949	49,738	16.4	12.0	16,211	137	3,430	57.2	2,477	4.1
White	3,420,000	56,177	39,117	16.4	11.4	17,060	144	3,015	53.7	2,125	3.8
Colored	236,000	3,772	4,621	16.0	19.6	-849	82	415	110.0	352	9.3
Cities of 10,000 or more	1,607,700	24,196	21,068	15.1	13.1	3,128	115	1,399	57.8	1,131	4.7
White	1,445,800	21,581	17,809	14.9	12.3	3,772	121	1,155	53.5	871	4.0
Colored	161,900	2,615	3,259	16.2	20.1	-644	80	244	93.3	260	9.9
Cities of 2,500 to 10,000	282,800	5,602	4,363	19.8	15.4	1,239	128	348	62.1	217	3.9
White	264,100	5,238	3,897	20.0	14.7	1,401	138	304	57.5	190	3.6
Colored	18,700	314	476	16.8	25.5	-162	66	44	140.1	27	8.6
Rural	1,765,500	30,151	18,307	17.1	10.4	11,844	165	1,683	55.8	1,129	3.7
White	1,710,100	29,308	17,421	17.1	10.2	11,887	163	1,556	53.1	1,064	3.6
Colored	55,400	843	886	15.2	16.0	-43	95	127	150.7	65	7.7
MONTANA											
Total	4,587,606	9,091	5,294	16.9	9.8	3,797	172	467	51.4	254	2.8
White	4,517,327	8,391	4,873	16.2	9.4	3,513	172	382	45.5	232	2.8
Colored	20,279	700	416	34.5	20.5	284	168	85	121.4	22	3.1
Cities of 10,000 or more	124,800	2,600	1,656	20.8	13.3	944	157	119	45.8	79	3.0
White	122,800	2,573	1,621	21.0	13.2	952	159	112	43.5	77	3.0
Colored	2,000	27	35	13.5	17.5	-8	(*)	7	259.3	2	7.4
Cities of 2,500 to 10,000	57,400	1,624	862	28.3	15.0	762	188	77	47.4	55	3.4
White	56,800	1,603	850	28.3	15.0	758	189	77	47.9	53	3.3
Colored	600	16	12	26.7	20.0	4	(*)			2	12.5
Rural	355,400	4,867	2,776	13.7	7.8	2,091	175	271	55.7	120	2.5
White	337,700	4,210	2,407	12.5	7.1	1,803	175	193	45.8	102	2.4
Colored	17,700	657	369	37.1	20.8	288	178	78	118.7	18	2.7

See footnotes at end of table, p. 92.

BIRTHS AND INFANT MORTALITY: 1932

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
NEBRASKA											
Total.....	1,388,000	25,159	12,922	18.1	9.3	12,237	195	1,091	43.4	693	2.8
White.....	1,363,000	24,609	12,558	18.1	9.2	12,051	196	1,038	42.2	680	2.8
Colored.....	25,000	550	364	22.0	14.6	186	151	53	96.4	13	2.4
Cities of 10,000 or more.....	377,700	7,215	4,675	19.1	12.4	2,540	154	323	44.8	203	2.8
White.....	362,700	6,929	4,455	19.1	12.3	2,474	156	303	43.7	196	2.8
Colored.....	15,000	286	220	19.1	14.7	66	130	20	69.9	7	2.4
Cities of 2,500 to 10,000.....	120,700	2,990	1,808	24.8	15.0	1,182	165	164	54.8	98	3.3
White.....	119,000	2,941	1,780	24.7	15.0	1,161	165	159	54.1	97	3.3
Colored.....	1,700	49	28	28.8	16.5	21	(²)	5	102.0	1	2.0
Rural.....	889,600	14,954	6,439	16.8	7.2	8,515	232	604	40.4	392	2.6
White.....	881,300	14,739	6,323	16.7	7.2	8,416	233	576	39.1	387	2.6
Colored.....	8,300	215	116	25.9	14.0	99	185	28	130.2	5	2.3
NEVADA											
Total.....	93,000	1,260	1,342	13.5	14.4	-82	94	88	69.8	60	4.8
White.....	83,000	1,154	1,189	13.9	14.3	-35	97	70	60.7	55	4.8
Colored.....	10,000	106	153	10.6	15.3	-47	69	18	169.8	5	4.7
Cities of 10,000 or more.....	19,300	236	350	12.2	18.1	-114	67	12	50.8	16	6.8
White.....	18,800	232	333	12.3	17.7	-101	70	10	43.1	15	6.5
Colored.....	500	4	17	8.0	34.0	-13	(²)	2	500.0	1	26.0
Cities of 2,500 to 10,000.....	17,000	341	361	20.1	21.2	-20	94	25	73.3	15	4.4
White.....	16,600	325	337	20.8	21.6	-12	96	24	73.8	13	4.0
Colored.....	1,400	16	24	11.4	17.1	-8	(²)	1	62.5	2	12.5
Rural.....	56,700	683	631	12.0	11.1	52	108	51	74.7	29	4.2
White.....	48,600	597	519	12.3	10.7	78	115	36	60.3	27	4.5
Colored.....	8,100	86	112	10.6	13.8	-26	77	15	174.4	2	2.3
NEW HAMPSHIRE											
Total.....	468,000	7,308	6,329	16.7	13.5	1,479	123	460	58.9	300	3.8
White.....	467,000	7,802	6,320	16.7	13.5	1,482	123	460	59.0	300	3.8
Colored.....	1,000	6	9	6.0	9.0	-3	(²)				
Cities of 10,000 or more.....	232,700	4,403	3,013	18.9	12.9	1,390	146	286	60.4	174	4.0
White.....	232,100	4,398	3,007	18.9	13.0	1,391	146	286	60.5	174	4.0
Colored.....	600	5	6	8.3	10.0	-1	(²)				
Cities of 2,500 to 10,000.....	42,800	885	516	20.7	12.1	369	172	50	56.5	21	2.4
White.....	42,800	884	516	20.7	12.1	368	171	50	56.6	21	2.4
Colored.....		1				1					
Rural.....	192,500	2,520	2,800	13.1	14.5	-280	90	144	57.1	105	4.2
White.....	192,100	2,520	2,797	13.1	14.6	-277	90	144	57.1	105	4.2
Colored.....	400		3		7.5	-3	(²)				
NEW JERSEY											
Total.....	4,148,000	61,219	42,914	14.8	10.3	18,305	143	3,075	50.2	2,291	3.7
White.....	3,925,000	56,627	39,463	14.4	10.1	17,164	143	2,651	46.8	2,041	3.6
Colored.....	223,000	4,592	3,451	20.6	15.5	1,141	133	424	92.3	250	5.4
Cities of 10,000 or more.....	2,859,000	48,324	28,882	16.9	10.1	19,442	167	2,408	49.8	1,886	3.9
White.....	2,689,700	44,593	26,454	16.6	9.8	18,139	169	2,064	46.3	1,670	3.7
Colored.....	169,300	3,731	2,428	22.0	14.3	1,303	154	344	92.2	216	5.8
Cities of 2,500 to 10,000.....	571,900	5,349	5,615	9.4	9.8	-266	95	256	47.9	162	3.0
White.....	563,700	4,972	5,188	9.0	9.4	-216	96	224	45.1	148	3.0
Colored.....	18,200	377	427	20.7	23.5	-50	88	32	84.9	14	3.7
Rural.....	717,100	7,546	8,417	10.5	11.7	-871	90	411	54.5	243	3.2
White.....	681,600	7,062	7,821	10.4	11.5	-759	90	363	51.4	223	3.2
Colored.....	35,500	484	596	13.6	16.8	-112	81	48	99.2	20	4.1
NEW MEXICO ⁵											
Total.....	431,000	12,391	5,968	28.7	13.8	6,423	208	1,479	119.4	389	3.1
Cities of 10,000 or more.....	50,400	1,404	997	27.9	19.8	407	141	144	102.6	57	4.1
Cities of 2,500 to 10,000.....	60,300	2,079	1,196	34.5	19.8	883	174	225	108.2	83	4.0
Rural.....	320,300	8,908	3,775	27.8	11.8	5,133	236	1,110	124.6	249	2.8

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
NEW YORK											
Total	12,852,000	198,431	147,824	15.4	11.5	50,607	134	10,469	52.8	8,258	4.2
White	12,388,000	189,405	140,648	15.3	11.4	48,757	135	9,628	50.8	7,546	4.0
Colored	464,000	9,026	7,176	19.5	15.5	1,850	126	841	93.2	712	7.9
Cities of 10,000 or more	10,147,700	163,873	112,303	16.1	11.1	51,570	146	8,548	52.2	7,151	4.4
White	9,721,800	155,641	105,934	16.0	10.9	49,707	147	7,795	50.1	6,483	4.2
Colored	425,900	8,232	6,369	19.3	15.0	1,863	129	753	91.5	668	8.1
Cities of 2,500 to 10,000	607,500	9,876	7,810	16.3	12.9	2,066	126	551	55.8	323	3.3
White	597,900	9,654	7,646	16.1	12.8	2,008	126	518	53.7	312	3.2
Colored	9,600	222	164	23.1	17.1	58	135	33	148.6	11	5.0
Rural	2,096,800	24,682	27,711	11.8	13.2	-3,029	89	1,370	55.5	784	3.2
White	2,068,300	24,110	27,098	11.7	13.1	-2,988	89	1,315	54.5	751	3.1
Colored	28,500	572	613	20.1	22.6	-71	89	55	96.2	33	5.8
NORTH CAROLINA											
Total	3,244,000	77,902	31,051	24.0	9.6	46,851	251	5,183	66.5	3,686	4.7
White	2,389,000	53,701	19,513	23.5	8.5	34,188	275	3,073	57.2	1,746	3.3
Colored	955,000	24,201	11,538	25.3	12.1	12,663	210	2,110	87.2	1,890	7.8
Cities of 10,000 or more	615,400	13,079	8,274	21.3	13.4	4,805	158	1,141	87.2	821	6.3
White	413,700	8,927	4,752	21.6	11.5	4,175	183	616	69.0	362	4.1
Colored	201,700	4,152	3,522	20.6	17.5	630	118	525	126.4	459	11.1
Cities of 2,500 to 10,000	228,400	5,432	2,642	23.8	11.6	2,790	206	387	71.2	328	6.0
White	173,900	4,259	1,745	24.5	10.0	2,514	244	262	61.5	176	4.1
Colored	54,500	1,173	897	21.5	16.5	276	131	125	106.6	152	13.0
Rural	2,409,200	59,391	20,135	24.7	8.4	39,256	295	3,655	61.5	2,487	4.2
White	1,701,400	40,515	13,016	23.8	7.7	27,499	311	2,195	54.2	1,208	3.0
Colored	698,800	18,876	7,119	27.0	10.2	11,757	265	1,460	77.3	1,279	6.8
NORTH DAKOTA											
Total	685,000	14,047	5,153	20.5	7.5	8,894	273	779	55.5	362	2.6
White	675,000	13,753	5,004	20.4	7.4	8,749	275	751	54.6	355	2.6
Colored	10,000	294	149	29.4	14.9	145	197	28	95.2	7	2.4
Cities of 10,000 or more	75,300	2,330	993	30.9	13.2	1,337	235	113	48.5	69	3.0
White	74,600	2,326	982	31.2	13.2	1,344	237	111	47.7	69	3.0
Colored	700	4	11	5.7	15.7	-7	(²)	2	500.0		
Cities of 2,500 to 10,000	41,400	1,412	625	34.1	15.1	787	226	80	56.7	41	2.9
White	41,000	1,411	619	34.4	15.1	792	228	80	56.7	41	2.9
Colored	400	1	6	2.5	15.0	-5	(²)				
Rural	568,300	10,305	3,535	18.1	6.2	6,770	292	586	56.9	252	2.4
White	559,400	10,016	3,408	17.9	6.1	6,613	294	560	55.9	245	2.4
Colored	8,900	289	132	32.5	14.8	157	219	26	90.0	7	2.4
OHIO											
Total	6,753,000	101,753	76,286	15.1	11.3	25,467	133	5,951	58.5	3,453	3.4
White	6,423,000	96,961	70,861	15.1	11.0	26,100	137	5,485	56.6	3,137	3.2
Colored	330,000	4,792	5,425	14.5	16.4	-633	88	466	97.2	316	6.6
Cities of 10,000 or more	3,996,200	61,103	44,956	15.3	11.2	16,147	136	3,552	58.1	2,206	3.6
White	3,720,000	56,900	40,575	15.3	10.9	16,325	140	3,161	55.6	1,930	3.4
Colored	276,200	4,203	4,381	15.2	15.9	-178	96	391	93.0	276	6.6
Cities of 2,500 to 10,000	607,600	8,135	6,914	13.4	11.4	1,221	118	458	56.3	283	3.5
White	591,300	7,929	6,654	13.4	11.3	1,275	119	434	54.7	273	3.4
Colored	16,300	206	260	12.6	16.0	-54	79	24	116.5	10	4.9
Rural	2,149,200	32,515	24,416	15.1	11.4	8,099	133	1,941	59.7	964	3.0
White	2,111,700	32,132	23,632	15.2	11.2	8,500	136	1,890	58.8	934	2.9
Colored	37,500	383	784	10.2	20.9	-401	49	51	133.2	30	7.8
OKLAHOMA											
Total	2,440,000	41,039	19,285	16.8	7.9	21,754	213	2,052	50.0	1,056	2.6
White	2,161,000	37,553	16,663	17.4	7.7	20,890	225	1,770	47.1	913	2.4
Colored	279,000	3,486	2,622	12.5	9.4	864	133	282	80.9	143	4.1
Cities of 10,000 or more	577,400	9,713	6,461	16.8	11.2	3,252	150	623	64.1	259	2.7
White	513,000	8,843	5,476	17.2	10.7	3,367	161	525	59.4	223	2.5
Colored	64,400	870	985	13.5	15.3	-115	88	98	112.6	36	4.1
Cities of 2,500 to 10,000	278,000	8,194	4,684	29.5	16.8	3,510	175	428	52.2	244	3.0
White	254,300	7,421	4,124	29.2	16.2	3,297	180	364	49.0	203	2.7
Colored	23,700	773	560	32.6	23.6	213	138	64	82.8	41	5.3
Rural	1,584,600	23,132	8,140	14.6	5.1	14,992	284	1,001	43.3	553	2.4
White	1,393,700	21,289	7,063	15.3	5.1	14,226	301	881	41.4	487	2.3
Colored	190,900	1,843	1,077	9.7	5.6	766	171	120	65.1	66	3.6

See footnotes at end of table, p. 92.

BIRTHS AND INFANT MORTALITY: 1932

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
OREGON											
Total.....	974,000	12,847	10,277	13.2	10.6	2,570	125	531	41.3	322	2.5
White.....	957,000	12,593	10,026	13.1	10.5	2,537	125	504	40.1	314	2.5
Colored.....	17,000	254	251	16.7	14.8	33	113	27	95.1	8	2.8
Cities of 10,000 or more.....	393,600	5,674	4,746	14.4	12.1	928	120	203	36.8	157	2.8
White.....	387,100	5,588	4,627	14.4	12.0	961	121	198	35.4	154	2.8
Colored.....	6,500	86	119	13.2	18.3	-33	72	5	58.1	3	3.5
Cities of 2,500 to 10,000.....	108,100	2,659	2,028	24.6	18.8	631	131	129	48.5	65	2.4
White.....	107,300	2,635	1,999	24.6	18.6	636	132	129	49.0	65	2.5
Colored.....	800	24	29	30.0	36.3	-5	(²)				
Rural.....	472,300	4,514	3,503	9.6	7.4	1,011	129	199	44.1	100	2.2
White.....	462,600	4,340	3,400	9.4	7.3	940	128	177	40.8	95	2.2
Colored.....	9,700	174	103	17.9	10.6	71	169	22	126.4	5	2.9
PENNSYLVANIA											
Total.....	9,741,000	168,534	109,204	17.3	11.2	59,330	154	10,113	60.0	6,021	3.6
White.....	9,284,000	160,381	102,194	17.3	11.0	58,187	157	9,312	58.1	5,515	3.4
Colored.....	457,000	8,153	7,010	17.8	15.3	1,143	116	801	98.2	506	6.2
Cities of 10,000 or more.....	5,333,100	94,656	62,793	17.7	11.8	31,863	151	5,495	58.1	3,466	3.7
White.....	4,957,200	87,374	57,124	17.6	11.5	30,250	153	4,809	55.0	3,024	3.5
Colored.....	375,900	7,282	5,669	19.4	15.1	1,613	128	686	94.2	442	6.1
Cities of 2,500 to 10,000.....	1,303,200	20,996	13,347	16.1	10.2	7,649	157	1,264	60.2	786	3.6
White.....	1,282,800	20,747	13,110	16.2	10.2	7,637	158	1,228	59.2	752	3.6
Colored.....	20,400	249	237	12.2	11.6	12	105	36	144.6	14	5.6
Rural.....	3,104,700	52,882	33,084	17.0	10.6	19,818	160	3,354	63.4	1,789	3.4
White.....	3,044,000	52,280	31,980	17.2	10.5	20,300	164	3,275	62.7	1,739	3.3
Colored.....	60,700	622	1,104	10.2	18.2	-482	56	79	127.0	50	8.0
RHODE ISLAND											
Total.....	898,000	11,171	8,080	16.0	11.6	3,091	138	639	57.2	382	3.4
White.....	887,000	10,983	7,869	16.0	11.5	3,094	139	621	56.6	374	3.4
Colored.....	11,000	208	211	18.9	19.2	-3	99	18	86.5	8	3.8
Cities of 10,000 or more.....	610,600	10,141	7,135	16.6	11.7	3,006	142	594	58.6	345	3.4
White.....	601,300	9,948	6,945	16.5	11.5	3,003	143	577	58.0	337	3.4
Colored.....	9,300	193	190	20.8	20.4	3	102	17	88.1	8	4.1
Cities of 2,500 to 10,000.....	34,400	321	352	9.3	10.2	-31	91	15	46.7	14	4.4
White.....	34,300	321	344	9.4	10.0	-23	93	15	46.7	14	4.4
Colored.....	100		8		80.0	-8	(²)				
Rural.....	53,000	709	593	13.4	11.2	116	120	30	42.3	23	3.2
White.....	51,400	694	580	13.5	11.3	114	120	29	41.8	23	3.3
Colored.....	1,600	15	13	9.4	8.1	2	(²)	1	66.7		
SOUTH CAROLINA											
Total.....	1,745,000	41,518	19,884	23.8	11.4	21,634	209	3,204	77.2	2,651	6.4
White.....	959,000	20,072	8,599	20.9	9.0	11,473	233	1,234	61.5	678	3.4
Colored.....	786,000	21,446	11,285	27.3	14.4	10,161	190	1,970	91.9	1,973	9.2
Cities of 10,000 or more.....	238,800	5,518	4,387	23.1	18.4	1,131	126	529	95.9	478	8.7
White.....	148,200	3,349	2,054	22.6	13.9	1,295	163	280	68.7	135	4.0
Colored.....	90,600	2,169	2,333	23.9	25.8	-164	93	299	137.9	343	15.8
Cities of 2,500 to 10,000.....	140,300	2,920	1,742	20.8	12.4	1,178	168	216	74.0	179	6.1
White.....	89,700	1,807	910	20.1	10.1	897	199	105	58.1	56	3.1
Colored.....	50,600	1,113	832	22.0	16.4	281	134	111	92.7	123	11.1
Rural.....	1,365,900	33,080	13,755	24.2	10.1	10,325	240	2,459	74.3	1,994	6.0
White.....	721,100	14,916	5,635	20.7	7.8	9,281	265	899	80.3	487	3.3
Colored.....	644,800	18,164	8,120	28.2	12.6	10,044	224	1,560	85.9	1,507	8.3
SOUTH DAKOTA											
Total.....	700,000	13,241	5,725	18.9	8.2	7,516	231	668	60.4	312	2.4
White.....	675,000	12,608	5,216	18.7	7.7	7,392	242	588	46.6	296	2.3
Colored.....	25,000	633	509	25.3	20.4	124	124	80	126.4	16	2.5
Cities of 10,000 or more.....	94,800	2,345	1,185	24.7	12.5	1,160	198	125	53.3	55	2.3
White.....	94,300	2,334	1,176	24.8	12.5	1,158	198	122	52.3	55	2.4
Colored.....	500	11	9	22.0	18.0	2	(²)	3	272.7		
Cities of 2,500 to 10,000.....	39,300	1,189	828	30.3	21.1	361	144	87	56.3	39	3.3
White.....	39,000	1,183	810	30.3	20.8	373	146	66	55.8	38	3.2
Colored.....	300	6	18	20.0	60.0	-12	(²)	1	166.7	1	16.7
Rural.....	565,900	9,707	3,712	17.2	6.6	5,995	262	476	49.0	218	2.2
White.....	541,700	9,091	3,230	16.8	6.0	5,861	281	400	44.0	203	2.2
Colored.....	24,200	616	482	25.5	19.9	134	128	76	123.4	15	2.4

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
TENNESSEE											
Total.....	2,650,000	52,491	28,628	19.8	10.8	23,863	133	3,550	67.6	2,097	4.0
White.....	2,189,000	44,406	20,821	20.5	9.6	23,585	213	2,783	62.7	1,473	3.3
Colored.....	461,000	8,085	7,807	16.8	16.2	278	104	767	94.9	624	7.7
Cities of 10,000 or more.....	720,300	13,509	10,423	18.8	14.5	3,086	130	1,145	84.8	692	5.1
White.....	515,100	10,014	6,285	19.4	12.2	3,729	159	752	75.1	371	3.7
Colored.....	205,200	3,495	4,138	17.0	20.2	-643	84	393	112.4	321	9.2
Cities of 2,500 to 10,000.....	200,700	4,186	2,907	20.9	14.5	1,279	144	310	74.1	195	4.7
White.....	160,200	3,526	2,097	22.0	13.1	1,429	168	240	68.1	134	3.8
Colored.....	40,500	660	810	16.3	20.0	-150	81	70	106.1	61	9.2
Rural.....	1,729,000	34,796	15,298	20.1	8.8	19,498	227	2,095	60.2	1,210	3.5
White.....	1,493,700	30,866	12,439	20.7	8.3	18,427	248	1,791	58.0	968	3.1
Colored.....	235,300	3,930	2,859	16.7	12.2	1,071	137	304	77.4	242	6.2
UTAH											
Total.....	515,000	11,974	4,420	23.3	8.6	7,554	271	529	44.2	247	2.1
White.....	503,000	11,865	4,289	23.6	8.5	7,576	277	507	42.7	240	2.0
Colored.....	12,000	109	131	9.1	10.9	-22	83	22	201.8	7	6.4
Cities of 10,000 or more.....	199,600	4,817	2,202	24.1	11.0	2,615	219	202	41.9	101	2.1
White.....	196,100	4,770	2,144	24.3	10.9	2,626	222	193	40.5	96	2.0
Colored.....	3,500	47	58	13.4	16.6	-11	(²)	9	191.5	5	10.6
Cities of 2,500 to 10,000.....	72,300	2,120	654	29.3	9.0	1,466	324	94	44.3	42	2.0
White.....	71,700	2,108	647	29.4	9.0	1,461	326	93	44.1	41	1.9
Colored.....	600	12	7	20.0	11.7	5	(²)	1	83.3	1	8.3
Rural.....	243,100	5,037	1,564	20.7	6.4	3,473	322	233	46.3	104	2.1
White.....	235,200	4,987	1,498	21.2	6.4	3,489	333	221	44.3	103	2.1
Colored.....	7,900	50	66	6.3	8.4	-16	(²)	12	240.0	1	2.0
VERMONT											
Total.....	360,000	6,030	4,753	16.8	13.2	1,277	127	331	63.2	184	3.1
White.....	359,000	6,026	4,749	16.8	13.2	1,277	127	331	63.2	183	3.0
Colored.....	1,000	4	4	4.0	4.0	-	(²)	-	-	1	26.0
Cities of 10,000 or more.....	54,100	1,173	897	21.7	16.6	276	131	89	75.9	42	3.6
White.....	53,800	1,171	896	21.8	16.7	275	131	89	76.0	42	3.6
Colored.....	300	2	1	6.7	3.3	1	(²)	-	-	-	-
Smaller cities ² and rural districts.....	305,900	4,857	3,856	15.9	12.6	1,001	126	292	60.1	142	2.9
White.....	305,200	4,855	3,853	15.9	12.6	1,002	126	292	60.1	141	2.9
Colored.....	700	2	3	2.9	4.3	-1	(²)	-	-	1	50.0
VIRGINIA											
Total.....	2,435,000	54,582	28,893	22.4	11.9	25,684	189	3,670	67.2	2,422	4.4
White.....	1,789,000	38,515	18,270	21.5	10.2	20,245	211	2,222	57.7	1,224	3.2
Colored.....	646,000	16,067	10,623	24.9	16.5	5,439	151	1,448	90.1	1,198	7.5
Cities of 10,000 or more.....	643,400	12,462	8,950	19.4	13.9	3,512	139	873	70.1	709	5.7
White.....	456,300	8,637	5,314	19.0	11.6	3,323	163	450	55.3	308	3.5
Colored.....	187,100	3,775	3,636	20.2	19.4	139	104	393	104.1	401	10.6
Cities of 2,500 to 10,000.....	140,200	3,849	2,413	27.5	17.2	1,436	160	269	69.9	176	4.6
White.....	113,500	3,130	1,730	28.0	15.7	1,400	179	200	62.9	130	4.1
Colored.....	26,700	669	683	25.1	23.7	36	108	69	103.1	46	6.9
Rural.....	1,651,400	38,271	17,535	23.2	10.6	20,736	218	2,528	66.1	1,537	4.0
White.....	1,219,200	26,648	11,176	21.9	9.2	15,472	238	1,542	57.9	786	2.9
Colored.....	432,200	11,623	6,359	26.9	14.7	5,264	183	986	84.8	751	6.5
WASHINGTON											
Total.....	1,538,000	21,379	16,581	13.9	10.8	4,798	129	967	45.2	530	2.5
White.....	1,545,000	20,654	15,959	13.4	10.3	4,695	129	903	43.7	509	2.5
Colored.....	43,000	725	622	16.9	14.5	103	117	64	88.3	21	2.9
Cities of 10,000 or more.....	804,800	12,760	9,318	15.9	11.6	3,442	137	545	42.7	311	2.4
White.....	783,600	12,431	9,020	15.9	11.5	3,411	138	532	42.8	300	2.4
Colored.....	21,200	329	298	15.5	14.1	31	110	13	39.5	11	3.3
Cities of 2,500 to 10,000.....	95,500	2,342	1,686	24.5	17.7	656	139	125	53.4	63	2.7
White.....	94,200	2,278	1,619	24.2	17.2	659	141	111	48.7	63	2.8
Colored.....	1,300	64	67	49.2	51.5	-3	(²)	14	218.8	-	-
Rural.....	687,700	6,277	5,577	9.1	8.1	700	113	297	47.3	156	2.5
White.....	667,200	5,945	5,320	8.9	8.0	625	112	260	43.7	146	2.5
Colored.....	20,500	332	257	16.2	12.5	75	129	37	111.4	10	3.0

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

AREA	Population estimated as of July 1, 1932	BIRTHS AND DEATHS (exclusive of stillbirths)						INFANT MORTALITY (exclusive of stillbirths)		STILLBIRTHS	
		Number		Per 1,000 population		Excess of births over deaths ¹	Births per 100 deaths	Deaths of infants under 1 year of age		Number	Per 100 live births
		Births	Deaths	Births	Deaths			Number	Per 1,000 live births		
REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued											
Section A (States)—Continued											
WEST VIRGINIA											
Total.....	1,761,000	38,803	17,912	22.0	10.2	20,891	217	2,911	75.0	1,431	3.7
White.....	1,642,000	36,597	16,125	22.3	9.8	20,472	227	2,883	73.3	1,303	3.6
Colored.....	119,000	2,206	1,787	18.5	15.0	419	123	228	103.4	128	5.8
Cities of 10,000 or more.....	352,100	6,250	4,749	17.8	13.5	1,501	132	574	91.8	296	4.7
White.....	328,200	5,914	4,300	18.0	13.1	1,614	138	532	90.0	265	4.5
Colored.....	23,900	336	449	14.1	18.8	-113	75	42	125.0	31	9.2
Cities of 2,500 to 10,000.....	153,500	3,584	2,566	23.3	16.7	1,018	140	305	85.1	160	4.5
White.....	145,000	3,425	2,280	23.6	15.7	1,145	150	284	82.9	145	4.2
Colored.....	8,500	159	286	18.7	33.6	-127	56	21	132.1	15	9.4
Rural.....	1,255,400	28,969	10,597	23.1	8.4	18,372	273	2,032	70.1	975	3.4
White.....	1,168,800	27,258	9,545	23.3	8.2	17,713	286	1,867	68.5	893	3.3
Colored.....	86,600	1,711	1,052	19.8	12.1	659	163	165	96.4	82	4.8
WISCONSIN											
Total.....	2,976,000	53,107	30,321	17.8	10.2	22,786	175	2,675	50.4	1,457	2.7
White.....	2,949,000	52,666	29,948	17.9	10.2	22,718	176	2,629	49.9	1,437	2.7
Colored.....	27,000	441	373	16.3	13.8	68	118	46	104.3	20	4.5
Cities of 10,000 or more.....	1,320,300	23,669	13,269	17.9	10.0	10,400	178	1,153	48.7	666	2.8
White.....	1,306,500	23,552	13,142	18.0	10.1	10,410	179	1,139	48.4	660	2.8
Colored.....	13,800	117	127	8.5	9.2	-10	92	14	119.7	6	5.1
Cities of 2,500 to 10,000.....	275,900	5,917	3,691	21.4	13.4	2,226	160	315	53.2	209	3.5
White.....	275,300	5,913	3,678	21.5	13.4	2,235	161	314	53.1	209	3.5
Colored.....	600	4	13	6.7	21.7	-9	(²)	1	250.0	-	-
Rural.....	1,379,800	23,521	13,361	17.0	9.7	10,160	176	1,207	51.3	582	2.5
White.....	1,367,200	23,201	13,128	17.0	9.6	10,073	177	1,176	50.7	568	2.4
Colored.....	12,600	320	233	25.4	18.5	87	137	31	96.9	14	4.4
WYOMING											
Total.....	229,000	4,249	2,057	18.6	9.0	2,192	207	242	57.0	112	2.6
White.....	217,000	3,946	1,879	18.2	8.7	2,067	210	203	51.4	104	2.6
Colored.....	12,000	303	178	25.3	14.8	125	170	39	128.7	8	2.6
Cities of 10,000 or more.....	34,700	685	395	19.7	11.4	290	173	43	62.8	19	2.8
White.....	33,000	644	363	19.5	11.0	281	177	35	54.3	15	2.3
Colored.....	1,700	41	32	24.1	18.8	9	(²)	8	195.1	4	9.8
Cities of 2,500 to 10,000.....	36,900	811	550	22.0	14.9	261	147	54	66.6	25	3.1
White.....	35,000	777	521	22.2	14.9	256	149	45	57.9	24	3.1
Colored.....	1,900	34	29	17.9	15.3	5	(²)	9	264.7	1	2.9
Rural.....	157,400	2,753	1,112	17.5	7.1	1,641	248	145	52.7	68	2.5
White.....	149,000	2,525	995	16.9	6.7	1,530	254	123	48.7	65	2.6
Colored.....	8,400	228	117	27.1	13.9	111	195	22	96.5	3	1.3
Section B (cities of 100,000 inhabitants or more in 1930)											
Birmingham, Ala.....	269,200	4,957	3,211	18.4	11.9	1,746	154	322	65.0	251	5.1
White.....	166,600	2,903	1,553	17.4	9.3	1,350	187	143	49.3	93	3.2
Colored.....	102,600	2,054	1,658	20.0	16.2	396	124	179	87.1	158	7.7
Long Beach, Calif.....	152,600	1,994	1,534	13.1	10.1	460	130	72	36.1	57	2.9
Los Angeles, Calif.....	1,320,200	16,829	14,712	12.7	11.1	2,117	114	944	56.1	462	2.7
White.....	1,142,500	12,876	12,814	11.3	11.2	62	100	664	51.6	324	2.5
Colored.....	177,700	3,953	1,898	22.2	10.7	2,055	208	280	70.8	138	3.5
Oakland, Calif.....	292,200	3,962	3,130	13.6	10.7	832	127	159	40.1	104	2.6
White.....	275,200	3,557	2,965	12.9	10.8	592	120	146	41.0	93	2.6
Colored.....	17,000	405	165	23.8	9.7	240	245	13	32.1	11	2.7
San Diego, Calif.....	156,500	2,583	2,252	16.5	14.4	331	115	122	47.2	67	2.6
White.....	141,500	2,125	2,047	15.0	14.5	78	104	84	39.5	46	2.2
Colored.....	15,000	458	205	30.5	13.7	253	223	38	83.0	21	4.6
San Francisco, Calif.....	649,700	7,483	8,224	11.5	12.7	-741	91	293	39.2	178	2.4
White.....	608,000	6,777	7,763	11.1	12.8	-986	87	254	37.5	163	2.4
Colored.....	41,700	706	461	16.9	11.1	245	153	39	55.2	15	2.1
Denver, Colo.....	291,600	4,860	4,326	16.7	14.8	534	112	336	69.1	159	3.3
White.....	276,000	4,327	4,125	16.8	14.9	502	112	305	65.9	150	3.2
Colored.....	15,600	233	201	14.9	12.9	32	116	31	133.0	9	3.9
Bridgeport, Conn.....	147,100	2,606	1,530	17.7	10.4	1,076	170	122	46.8	95	3.6
Hartford, Conn.....	167,200	3,711	2,034	22.2	12.2	1,677	182	201	54.2	88	2.4
New Haven, Conn.....	162,700	3,082	2,039	18.9	12.5	1,043	151	134	43.5	79	2.6
Wilmington, Del.....	106,597	2,184	1,490	20.5	14.0	694	147	136	62.3	74	3.4
White.....	94,459	1,914	1,257	20.3	13.3	657	152	116	60.6	52	2.7
Colored.....	12,138	270	233	22.2	19.2	37	116	20	74.1	22	8.1
Washington, D.C.....	493,000	10,157	7,937	20.6	16.1	2,220	123	740	72.9	437	4.3
White.....	357,000	6,809	5,001	19.1	14.0	1,808	136	380	55.8	210	3.1
Colored.....	136,000	3,348	2,936	24.6	21.6	412	114	360	107.5	227	6.8

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with multiple columns for Area, Population estimated as of July 1, 1932, Births and Deaths (exclusive of stillbirths), Infant Mortality (exclusive of stillbirths), Stillbirths, and similar metrics for various states including Florida, Georgia, Illinois, and Indiana.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with multiple columns for AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS, and similar metrics. The table is organized into sections for INDIANA, IOWA, KANSAS, KENTUCKY, LOUISIANA, MAINE, MARYLAND, and MASSACHUSETTS, with further sub-sections for 'Section C-Continued' in each state. Each row lists a specific location and provides numerical data for births, deaths, infant mortality rates, and stillbirth rates.

See footnotes at end of table, p. 92.

BIRTHS AND INFANT MORTALITY: 1932

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with multiple columns: AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS, AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS. Rows include states like Mississippi, Missouri, Montana, Nebraska, Nevada, and New Hampshire, and cities like Hattiesburg, Cape Girardeau, Anaconda, Beatrice, etc.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Main data table with columns for AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILLBIRTHS, and similar categories for the right-hand side. Includes sub-sections for SOUTH DAKOTA, TENNESSEE, UTAH, VERMONT, VIRGINIA, WEST VIRGINIA, WISCONSIN, WYOMING, and ALABAMA. Each entry lists Births, Deaths, and rates per 1,000 population.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with columns for AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS, and similar columns for the second section. Rows list various areas in Florida and Georgia, such as Nassau, Okaloosa, Orange, Polk, Santa Rosa, Suwannee, and Walton, with detailed birth and death statistics.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with columns: AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILLBIRTHS. It lists data for various counties in Georgia, including Johnson, Jones, Lamar, Lanier, Laurens, Lee, Liberty, Lincoln, Long, Lowndes, Lumpkin, McDuffie, McIntosh, Macon, Madison, Marion, Meriwether, Miller, Mitchell, Monroe, Montgomery, Morgan, Murray, Muscogee, Newton, Oconee, and Oglethorpe. Each county is broken down by race (White and Colored) and includes sub-columns for Births, Deaths, Rate per 1,000 population, Excess of births over deaths, and Births per 100 deaths.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with columns for AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS, and corresponding rates and numbers for both Illinois and Indiana sections.

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Main data table with columns for Area, Population, Births and Deaths, Infant Mortality, and Stillbirths. Includes sections for Indiana (Sullivan, Tippecanoe, etc.), Iowa (Adair, Adams, etc.), and Kansas (Allen, Anderson, etc.).

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 93]

Main data table with columns for AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS, and similar columns for the right side of the table. Includes sub-sections for KANSAS-CON. and KENTUCKY.

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Main data table with columns for AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILLBIRTHS, and similar columns for the right side of the table.

See footnotes at end of table, p. 92.

BIRTHS AND INFANT MORTALITY: 1932

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with multiple columns: AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS, and their respective rates and numbers for both Mississippi and Missouri sections.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with columns for AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS, and their respective rates and numbers. The table is divided into NEBRASKA and NEVADA sections, with further sub-sections for each state.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with columns for Area, Population estimated as of July 1, 1932, Births and Deaths (exclusive of stillbirths), Infant Mortality (exclusive of stillbirths), and Stillbirths. Rows are organized by Section D-Continued, with sub-sections for OHIO-contd. and OKLAHOMA. Each area entry includes population and detailed birth and death statistics.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Main data table with columns for AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), and STILL-BIRTHS. Includes sub-sections for OKLAHOMA and OREGON.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Main data table with columns for AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL BIRTHS, and similar columns for the second section.

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

87

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with columns: AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS, and detailed rows for South Carolina, South Dakota, and Tennessee.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with columns for AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS, and similar columns for a second set of data. The table is divided into two main sections: TENNESSEE and UTAH, each with a 'Section D—Continued' header. It lists numerous counties and their corresponding birth and death statistics.

See footnotes at end of table, p. 92.

TABLE I.—POPULATION, BIRTHS AND DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY COLOR: 1932—Con.

[See note at head of this table, p. 39]

Table with multiple columns: AREA, Population estimated as of July 1, 1932, BIRTHS AND DEATHS (exclusive of stillbirths), INFANT MORTALITY (exclusive of stillbirths), STILL-BIRTHS, and STILLS-BIRTHS. The table is split into two main sections: 'Section D--Continued' and 'Section D--Continued', each listing numerous counties and cities in Virginia with their respective birth and death statistics.

See footnotes at end of table, p. 92.

SUMMARY AND RATE TABLES

TABLE II.—MOTHERS OF CHILDREN BORN IN 1932 HAVING SPECIFIED NUMBER OF CHILDREN EVER BORN, WITH THE AVERAGE NUMBER LIVING, AND THE PERCENT OF MOTHERS HAVING SPECIFIED NUMBER LIVING, BY COLOR, AND FOR WHITE MOTHERS BY COUNTRY OF BIRTH, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932—Continued

[Percents are shown in italics when the number of mothers having specified number of children living is less than 5]

Table with columns: MOTHERS BY COLOR AND NUMBER OF CHILDREN BORN, Number of mothers, Average number of children living, and PERCENT OF MOTHERS HAVING SPECIFIED NUMBER OR MORE OF CHILDREN LIVING (columns 1-19).

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

GENERAL TABLES

BIRTH STATISTICS: 1932

TABLE 1.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTHS: 1932—Continued

AREA	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CITIES OF 100,000 INHABITANTS OR MORE IN 1930—contd.													
Newark, N.J.	8,779	773	763	791	723	751	670	782	741	732	723	667	663
Paterson, N.J.	2,812	290	216	230	218	208	214	236	247	250	250	215	238
Trenton, N.J.	2,530	245	189	247	189	197	218	224	223	209	217	177	195
Albany, N.Y.	2,418	193	189	220	197	233	210	193	231	200	205	172	175
Buffalo, N.Y.	10,321	879	823	866	862	854	895	835	921	809	875	870	832
New York, N.Y.	110,114	9,618	9,086	9,749	8,875	9,118	9,446	9,746	9,624	8,817	8,909	8,420	8,708
Bronx Borough	16,734	1,503	1,368	1,544	1,332	1,412	1,433	1,450	1,435	1,267	1,397	1,245	1,343
Brooklyn Borough	44,266	3,933	3,682	3,831	3,576	3,646	3,813	3,914	3,926	3,634	3,538	3,337	3,436
Manhattan Borough	34,531	2,935	2,821	3,120	2,839	2,882	2,954	3,054	2,968	2,668	2,821	2,700	2,769
Queens Borough	11,984	1,049	1,011	1,066	939	949	1,013	1,094	1,083	1,007	949	922	932
Richmond Borough	2,599	198	204	188	189	229	233	234	242	241	204	216	221
Rochester, N.Y.	5,382	465	469	453	445	469	432	455	441	457	466	399	431
Syracuse, N.Y.	3,823	317	339	345	304	299	318	326	355	338	302	279	301
Utica, N.Y.	1,837	138	158	168	132	174	154	165	166	148	146	145	153
Yonkers, N.Y.	1,964	168	171	163	147	152	165	167	173	176	179	148	155
Akron, Ohio	3,992	358	314	351	313	347	341	332	347	344	335	289	321
Canton, Ohio	1,577	145	137	115	118	140	132	125	155	136	143	116	115
Cincinnati, Ohio	7,574	676	682	621	529	586	605	603	697	706	671	604	594
Cleveland, Ohio	15,096	1,351	1,229	1,430	1,142	1,282	1,281	1,279	1,281	1,233	1,222	1,157	1,209
Columbus, Ohio	4,709	436	391	395	313	358	401	397	435	417	404	379	383
Dayton, Ohio	3,323	300	293	283	220	266	272	285	291	284	267	285	277
Toledo, Ohio	4,404	391	395	347	335	350	379	380	346	365	363	369	384
Youngstown, Ohio	2,831	257	208	291	205	267	215	257	266	236	230	194	205
Oklahoma City, Okla.	3,302	323	283	251	223	254	253	281	295	281	272	254	327
Tulsa, Okla.	2,114	166	185	170	155	164	151	174	197	197	191	192	172
Portland, Oreg.	3,944	351	335	318	327	340	336	367	335	333	289	318	295
Erie, Pa.	2,193	221	171	203	182	171	196	194	194	168	171	167	155
Philadelphia, Pa.	32,178	2,934	2,699	2,789	2,527	2,510	2,651	2,748	2,821	2,722	2,616	2,588	2,573
Pittsburgh, Pa.	13,039	1,201	1,000	1,134	980	1,143	1,088	1,125	1,164	1,095	1,045	1,055	1,009
Reading, Pa.	1,569	144	114	137	122	123	131	148	140	123	131	140	116
Scranton, Pa.	2,831	224	233	232	227	264	225	262	239	234	250	222	219
Providence, R.I.	5,232	444	395	437	444	417	452	478	461	445	491	416	352
Chattanooga, Tenn.	2,197	180	186	183	152	185	200	179	198	185	194	163	192
Knoxville, Tenn.	2,119	216	167	194	158	172	185	179	189	154	184	146	175
Memphis, Tenn.	4,603	418	411	409	341	336	333	368	371	441	416	392	367
Nashville, Tenn.	3,335	276	290	281	243	255	291	284	302	278	288	276	271
Salt Lake City, Utah	3,229	272	248	263	285	275	276	299	281	287	234	247	262
Norfolk, Va.	2,275	199	192	185	164	170	175	213	206	196	213	187	175
Richmond, Va.	3,393	307	272	295	273	295	277	293	298	311	262	266	244
Seattle, Wash.	4,892	363	393	421	394	444	427	421	499	370	376	393	391
Spokane, Wash.	1,942	161	142	213	184	148	156	175	169	158	143	141	152
Tacoma, Wash.	1,768	143	125	133	156	162	140	175	170	139	132	131	162
Milwaukee, Wis.	9,329	839	807	809	684	757	789	867	780	764	722	727	784

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

Table with 15 columns: AREA AND SEX, All births, Total, Both parents— (Native, Foreign, Un-known), Mixed parentage (Native and foreign, Native and un-known, Foreign and un-known), Total, Negro, Indian, Chinese, Japanese, Other races. Rows are organized by state (CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, IDAHO, ILLINOIS) and then by population type (Total, Male, Female, Cities of 10,000 or more, Cities of 2,500 to 10,000, Rural).

GENERAL TABLES

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOK, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
INDIANA														
Total.....	53,073	51,280	47,924	1,255	2	1,586	509	4	1,793	1,790		3		
Male.....	27,147	26,310	24,572	639	1	817	279	2	887	835		2		
Female.....	25,926	24,970	23,352	616	1	769	230	2	906	955		1		
Cities of 10,000 or more.....														
Male.....	12,561	11,795	10,427	558	1	636	172	1	766	764		2		
Female.....	11,982	11,111	9,852	549		581	128	1	871	870		1		
Cities of 2,500 to 10,000.....														
Male.....	5,275	5,226	5,056	27	1	98	45	1	49	49				
Female.....	2,706	2,682	2,595	13		48	25	1	24	24				
Rural.....														
Male.....	23,255	23,148	22,589	121		50	18		107	107				
Female.....	11,880	11,833	11,550	68		271	166	1	47	47				
IOWA														
Total.....	40,459	40,292	36,760	783	6	1,981	746	16	167	155	3			9
Male.....	20,706	20,625	18,793	401	5	1,019	398	7	83	79	1			3
Female.....	19,753	19,669	17,967	382	1	962	348	9	84	76	2			6
Cities of 10,000 or more.....														
Male.....	6,999	6,920	6,122	163	3	343	279	5	79	76				7
Female.....	5,586	5,537	5,785	179	1	297	228	7	65	60	1			3
Cities of 2,500 to 10,000.....														
Male.....	2,756	2,754	2,553	50	1	117	33		2	1				4
Female.....	2,810	2,803	2,601	41		132	27	2	7	6	1			
Rural.....														
Male.....	21,332	21,318	19,699	345	1	1,092	179	2	14	12				2
Female.....	10,951	10,949	10,118	183	1	559	86	2	2	2				2
KANSAS														
Total.....	31,700	30,175	28,816	236	6	799	316	2	1,525	924	39	2		558
Male.....	16,415	15,602	14,896	125	3	398	180		813	496	20	1	1	295
Female.....	15,285	14,573	13,920	111	3	401	136	2	712	428	19	1	1	263
Cities of 10,000 or more.....														
Male.....	4,754	4,303	4,071	38	1	128	64	1	451	314	6		1	130
Female.....	4,318	4,131	3,979	17	1	96	38		187	79	2			106
Cities of 2,500 to 10,000.....														
Male.....	2,227	2,131	2,059	7		43	22		96	38	1			57
Female.....	2,091	2,000	1,920	10	1	53	16		91	41	1			49
Rural.....														
Male.....	17,474	17,086	16,364	127	4	458	132	1	388	172	25	1		190
Female.....	9,034	8,816	8,435	64	3	238	76		218	99	13			106
KENTUCKY														
Total.....	59,505	56,195	55,535	86	3	221	349	1	3,310	3,308	1	1		
Male.....	30,741	29,028	28,651	45		126	206		1,713	1,712		1		
Female.....	28,764	27,167	26,884	41	3	95	143	1	1,597	1,596	1			
Cities of 10,000 or more.....														
Male.....	4,973	4,359	4,250	28	1	59	21		614	614				
Female.....	4,618	4,196	4,138	7		24	27		422	422				
Cities of 2,500 to 10,000.....														
Male.....	2,386	2,160	2,125	6		16	13		226	226				
Female.....	2,232	2,036	2,013	1		8	14		196	196				
Rural.....														
Male.....	44,601	42,990	42,642	21	2	66	258	1	1,611	1,610	1			
Female.....	23,042	22,218	22,021	9		38	150		824	824				
LOUISIANA														
Total.....	43,293	25,600	24,562	234	4	587	211	2	17,698	17,608	75	3		12
Male.....	22,203	13,179	12,643	106	1	318	110	1	9,024	8,980	37	2		5
Female.....	21,095	12,421	11,919	128	3	269	101	1	8,674	8,628	38	1		7
Cities of 10,000 or more.....														
Male.....	6,539	4,059	3,746	75	1	174	63		2,480	2,479		1		
Female.....	3,724	2,351	2,275	20		51	5		1,373	1,369	4			
Cities of 2,500 to 10,000.....														
Male.....	1,923	1,225	1,183	8		31	3		698	697	1			
Female.....	1,801	1,126	1,092	12		20	2		675	672	3			
Rural.....														
Male.....	26,021	14,749	14,458	68	2	157	63	1	11,272	11,189	71			12
Female.....	13,266	7,513	7,377	27		82	27		5,753	5,712	36			5
MAINE														
Total.....	16,129	16,096	11,925	1,146		2,746	259	20	33	17	14	2		
Male.....	8,266	8,250	6,077	571		1,453	139	10	16	9	5	2		
Female.....	7,863	7,846	5,848	575		1,293	120	10	17	8	9			
Cities of 10,000 or more.....														
Male.....	2,429	2,419	1,604	248		503	62	2	13	12		1		
Female.....	2,354	2,351	1,505	262		329	51	4	3	3				
Cities of 2,500 to 10,000.....														
Male.....	1,986	1,973	1,443	151		347	27	5	13	3		1		
Female.....	983	983	698	78		195	10	2	4	3		3		
Rural.....														
Male.....	9,360	9,353	7,373	435		1,367	119	9	7	2	5	2		
Female.....	4,850	4,843	3,775	245		755	67	6	2	2	2	2		
Female.....	4,510	4,505	3,593	240		612	52	3	5	2	3			

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Other races
			Native	Foreign	Un-known	Native and foreign	Native and un-known	Foreign and un-known						
MARYLAND														
Total	28,820	22,477	20,261	809	2	1,218	183	4	6,343	6,331	—	—	5	7
Male	14,650	11,491	10,362	498	—	621	97	3	3,159	3,152	—	—	4	3
Female	14,170	10,986	9,899	401	2	597	86	1	3,184	3,179	—	—	1	4
Cities of 10,000 or more														
Male	8,328	6,639	5,712	357	—	508	60	2	1,689	1,684	—	—	3	2
Female	8,022	6,294	5,419	345	1	481	47	1	1,728	1,723	—	—	1	4
Cities of 2,500 to 10,000														
Male	1,476	1,252	1,176	13	—	48	15	—	224	223	—	—	—	1
Female	744	629	595	9	—	19	6	—	115	114	—	—	—	1
Rural														
Male	10,994	8,292	7,954	94	1	181	61	1	2,702	2,701	—	—	1	—
Female	5,578	4,223	4,055	42	—	94	31	1	1,355	1,354	—	—	1	—
Female	5,416	4,069	3,899	52	1	87	30	—	1,347	1,347	—	—	—	—
MASSACHUSETTS														
Total	68,534	67,559	39,417	12,783	12	13,496	1,552	299	975	905	10	53	1	6
Male	35,089	34,622	20,281	6,592	4	6,799	799	147	467	431	8	23	1	7
Female	33,445	32,937	19,136	6,191	8	6,697	753	152	508	474	2	30	—	4
Cities of 10,000 or more														
Male	31,195	30,815	17,855	6,020	4	6,096	675	135	380	350	2	23	—	4
Female	29,747	29,308	16,790	5,690	8	6,045	643	132	439	407	—	30	1	2
Cities of 2,500 to 10,000														
Male	3,993	3,964	2,547	587	—	756	70	4	29	27	2	—	—	—
Female	2,050	2,034	1,300	299	—	394	37	4	16	14	2	—	—	—
Rural														
Male	1,943	1,980	1,247	288	—	362	33	—	13	13	—	—	—	—
Female	3,599	3,472	2,195	486	—	599	164	28	127	121	6	—	—	—
Male	1,844	1,773	1,096	273	—	309	87	8	71	67	4	—	—	—
Female	1,755	1,699	1,099	213	—	290	77	20	56	54	2	—	—	—
MICHIGAN														
Total	85,736	82,376	61,308	8,627	38	11,006	1,304	93	3,360	3,079	140	21	1	119
Male	44,178	42,444	31,628	4,368	22	5,720	659	47	1,734	1,583	64	14	—	73
Female	41,558	39,932	29,680	4,259	16	5,286	645	46	1,626	1,496	76	7	1	46
Cities of 10,000 or more														
Male	52,111	49,075	32,929	7,084	18	8,022	940	82	3,036	2,893	25	20	1	97
Female	26,868	25,327	17,028	3,598	9	4,185	475	42	1,571	1,487	11	13	—	60
Cities of 2,500 to 10,000														
Male	25,213	22,748	15,901	3,496	9	3,897	465	40	1,465	1,406	14	7	1	37
Female	7,188	7,101	5,994	344	5	681	75	2	87	73	10	1	—	3
Rural														
Male	3,660	3,611	3,058	188	2	394	28	1	49	41	6	—	—	1
Female	3,528	3,490	2,936	156	2	347	47	1	38	32	4	—	—	2
Male	26,437	26,200	22,385	1,199	15	2,303	289	9	237	113	105	—	—	19
Female	13,620	13,506	11,542	592	11	1,201	156	4	114	55	47	—	—	12
Female	12,817	12,694	10,843	607	4	1,102	133	5	123	58	58	—	—	7
MINNESOTA														
Total	46,377	45,759	33,350	1,623	3	4,643	1,102	38	618	119	393	14	—	92
Male	23,787	23,486	19,705	849	3	2,375	532	22	301	60	187	8	—	46
Female	22,590	22,273	18,645	774	—	2,268	570	16	317	59	206	6	—	46
Cities of 10,000 or more														
Male	18,336	18,159	14,353	906	2	2,116	757	25	177	109	12	13	—	43
Female	9,361	9,276	7,325	487	2	1,090	358	14	85	52	2	7	—	24
Cities of 2,500 to 10,000														
Male	8,975	8,883	7,028	419	—	1,026	399	11	92	57	10	6	—	19
Female	5,337	5,309	4,529	162	—	496	119	3	28	5	17	1	—	5
Rural														
Male	2,746	2,728	2,348	87	—	237	55	1	18	3	11	—	—	3
Female	2,591	2,581	2,181	75	—	259	64	2	10	2	6	—	—	2
Male	22,704	22,291	19,468	555	1	2,051	226	10	413	5	364	—	—	44
Female	11,680	11,482	10,032	275	1	1,048	119	7	198	5	174	—	—	19
Female	11,024	10,809	9,436	280	—	983	107	3	215	—	190	—	—	25
MISSISSIPPI														
Total	46,273	21,787	21,384	53	17	106	227	—	24,486	24,404	62	14	—	6
Male	23,570	11,034	10,843	28	9	46	108	—	12,536	12,496	31	9	—	—
Female	22,703	10,753	10,541	25	8	60	119	—	11,950	11,908	31	5	—	6
Cities of 10,000 or more														
Male	4,421	2,869	2,754	28	2	55	30	—	1,552	1,547	—	—	5	—
Female	2,281	1,483	1,435	12	1	22	13	—	798	796	—	—	2	—
Cities of 2,500 to 10,000														
Male	2,140	1,386	1,319	16	1	33	17	—	754	751	—	—	3	—
Female	2,438	1,333	1,310	1	2	11	9	—	1,105	1,076	29	—	—	—
Rural														
Male	1,229	655	644	1	1	6	3	—	574	558	16	—	—	—
Female	1,209	678	666	—	1	5	6	—	531	518	13	—	—	—
Male	39,414	17,585	17,320	24	13	40	188	—	21,829	21,781	33	9	—	6
Female	20,060	8,896	8,794	15	7	18	92	—	11,164	11,142	15	7	—	—
Female	19,354	8,689	8,556	9	6	22	96	—	10,665	10,639	18	2	—	6
MISSOURI														
Total	59,949	56,177	52,337	886	30	1,481	1,428	15	3,772	3,624	16	17	1	114
Male	30,809	28,845	26,849	467	12	763	749	5	1,964	1,895	6	8	1	54
Female	29,140	27,332	25,488	419	18	718	679	10	1,808	1,729	10	9	—	60
Cities of 10,000 or more														
Male	24,196	21,581	18,760	790	11	1,139	869	12	2,615	2,485	9	17	1	103
Female	11,172	9,705	8,705	419	6	586	452	4	1,358	1,294	5	8	1	50
Cities of 2,500 to 10,000														
Male	11,696	10,409	9,055	371	5	553	417	8	1,257	1,191	4	9	—	53
Female	5,602	5,288	5,031	40	—	96	113	2	814	812	—	—	—	2
Rural														
Male	2,801	2,627	2,486	24	—	53	63	1	174	174	—	—	—	—
Female	2,801	2,661	2,545	22	—	43	50	1	140	138	—	—	—	2
Male	30,151	29,308	28,546	50	19	246	446	1	843	827	7	—	—	9
Female	15,478	15,046	14,658	24	6	124	234	—	432	427	1	—	—	4
Female	14,673	14,262	13,888	26	13	122	212	1	411	400	6	—	—	5

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE						COLORED						
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
MONTANA														
Total.....	9,091	8,391	6,617	464	3	1,210	88	9	700	17	566	2	7	108
Male.....	4,646	4,284	3,424	214	1	601	40	4	362	8	286		4	64
Female.....	4,445	4,107	3,193	250	2	609	48	5	338	9	280	2	3	44
Cities of 10,000 or more.....														
Male.....	1,351	1,355	1,064	74	1	166	26	4	27	13	9	2		3
Female.....	1,249	1,238	968	74	1	166	26	3	11	8	1	2		3
Cities of 2,500 to 10,000.....														
Male.....	1,624	1,608	1,307	80		209	12		16	2	5		4	5
Female.....	852	842	687	43		109	3		10	2	3		1	2
Rural.....														
Male.....	4,867	4,210	3,278	236	1	669	24	2	657	2	552		3	100
Female.....	2,443	2,107	1,673	97		326	11		336	1	275		1	69
Female.....	2,424	2,103	1,605	139	1	343	13	2	321	1	277		2	41
NEBRASKA														
Total.....	25,159	24,609	22,181	648	1	1,452	323	4	550	238	94		16	202
Male.....	13,014	12,747	11,497	356		724	167	3	267	105	46		8	108
Female.....	12,145	11,862	10,684	292	1	728	156	1	283	133	48		8	94
Cities of 10,000 or more.....														
Male.....	7,215	6,929	5,891	346		539	150	3	286	223	2		3	58
Female.....	3,711	3,575	3,058	185		257	73	2	136	99	1		1	35
Cities of 2,500 to 10,000.....														
Male.....	3,504	3,354	2,833	161		282	77	1	150	124	1		2	23
Female.....	2,990	2,941	2,681	73		161	21		49	7	1		4	37
Rural.....														
Male.....	1,561	1,529	1,391	40		86	12		32	4	3		1	25
Female.....	1,429	1,412	1,290	38		75	9		17	3	1		3	12
NEVADA														
Total.....	1,260	1,154	938	103		111	2		106	6	66	2	8	24
Male.....	618	565	462	52		51			53	2	35	1	4	11
Female.....	642	589	476	51		60	2		53	4	31	1	4	13
Cities of 10,000 or more.....														
Male.....	236	232	188	15		29			4	3			1	
Female.....	116	115	96	6		13			1				1	
Cities of 2,500 to 10,000.....														
Male.....	341	325	281	17		26	1		16	3	2	1	2	8
Female.....	164	158	134	11		13			6	2			1	3
Rural.....														
Male.....	683	597	469	71		56	1		10	1	2	1	1	5
Female.....	338	292	232	35		25			46		35	1	2	8
Female.....	345	305	237	36		31	1		40		29		3	8
NEW HAMPSHIRE														
Total.....	7,808	7,802	5,423	747	6	1,454	159	13	6	5		1		
Male.....	4,005	4,004	2,771	403	3	738	82	7	1	1				
Female.....	3,803	3,798	2,652	344	3	716	77	6	5	4		1		
Cities of 10,000 or more.....														
Male.....	4,403	4,398	2,779	541	2	970	95	11	5	4		1		
Female.....	2,248	2,248	1,419	289	2	482	51	5						
Cities of 2,500 to 10,000.....														
Male.....	2,155	2,150	1,360	252		488	44	6	5	4		1		
Female.....	885	884	654	70	1	149	10		1	1				
Rural.....														
Male.....	480	479	357	37		79	6		1	1				
Female.....	405	405	297	33	1	70	4		1	1				
NEW JERSEY														
Total.....	61,219	56,627	36,974	9,937	10	9,157	486	63	4,592	4,557	5	22	3	5
Male.....	31,214	28,890	18,883	5,108	4	4,603	257	35	2,324	2,303	2	16	2	1
Female.....	30,005	27,737	18,091	4,829	6	4,554	229	28	2,268	2,254	3	6	1	4
Cities of 10,000 or more.....														
Male.....	48,324	44,593	28,070	8,372	4	7,701	391	55	3,731	3,701	4	18	3	5
Female.....	24,733	22,834	14,395	4,329		3,869	208	33	1,899	1,880	1	15	2	1
Cities of 2,500 to 10,000.....														
Male.....	23,591	21,759	13,675	4,043	4	3,832	183	22	1,832	1,821	3	3	1	4
Female.....	5,349	4,972	3,490	789	4	668	16	5	377	374		3		
Rural.....														
Male.....	2,707	2,504	1,782	386	2	328	5	1	205	202		1		
Female.....	2,642	2,468	1,708	403	2	340	11	4	174	172		2		
NEW MEXICO														
Total.....	12,391	11,956	10,305	663	1	749	222	16	435	42	381	1	8	3
Male.....	6,328	6,101	5,257	347	1	371	110	15	227	23	188	1	4	1
Female.....	6,063	5,855	5,048	316		378	112	1	208	19	183		4	2
Cities of 10,000 or more.....														
Male.....	1,404	1,356	1,227	31		71	27		48	12	35		1	
Female.....	714	686	619	19		36	12		28	6	22			
Cities of 2,500 to 10,000.....														
Male.....	2,079	2,056	1,709	120		171	51	5	20	6	13		1	
Female.....	1,086	1,076	897	64		82	28	5	10	7	2		1	
Rural.....														
Male.....	8,908	8,544	7,369	512	1	507	144	11	364	13	343	1	4	3
Female.....	4,528	4,339	3,741	264	1	253	70	10	189	10	174	1	3	1
Female.....	4,380	4,205	3,628	245		254	74	1	175	3	169		1	2

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE						COLORED						
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
NEW YORK														
Total.....	198,431	189,405	111,248	43,559	3	32,143	2,190	262	9,026	8,671	176	120	39	20
Male.....	102,101	97,473	57,333	22,303		16,501	1,138	148	4,628	4,448	87	68	16	9
Female.....	96,330	91,932	53,865	21,256	3	15,642	1,052	114	4,398	4,223	89	52	23	11
Cities of 10,000 or more.....														
Male.....	84,414	80,178	43,804	20,727	2	14,598	910	139	4,236	4,120	27	65	16	8
Female.....	79,459	75,463	40,908	19,779	2	13,833	836	105	3,996	3,882	29	51	23	11
Cities of 2,500 to 10,000.....														
Male.....	9,876	9,654	7,153	1,109		1,257	130	5	222	204	16	2		
Female.....	5,018	4,905	3,627	579		631	67	1	113	105	6	2		
Rural.....														
Male.....	4,858	4,749	3,526	530		626	63	4	109	99	10			
Female.....	24,682	24,110	19,383	1,944	1	2,455	314	13	572	465	104	2		1
Male.....	12,669	12,390	9,952	997		1,272	161	8	279	223	54	1		1
Female.....	12,013	11,720	9,431	947	1	1,183	153	5	293	242	50	1		
NORTH CAROLINA														
Total.....	77,902	53,701	52,015	63	787	185	651		24,201	23,576	624			1
Male.....	39,776	27,559	26,676	33	390	105	355		12,217	11,892	325			
Female.....	38,126	26,142	25,339	30	397	80	296		11,984	11,684	299			1
Cities of 10,000 or more.....														
Male.....	6,670	4,600	4,367	24	86	66	57		4,152	4,150	2			
Female.....	6,409	4,327	4,110	20	89	43	65		2,070	2,069	1			
Cities of 2,500 to 10,000.....														
Male.....	5,432	4,259	4,120	8	65	20	46		2,082	2,081	1			
Female.....	2,754	2,180	2,107	4	35	11	23		1,173	1,159	14			
Rural.....														
Male.....	2,678	2,079	2,013	4	30	9	23		574	570	4			
Female.....	59,391	40,515	39,418	11	547	56	483		599	589	10			
Male.....	30,352	20,779	20,202	5	269	28	275		18,876	18,267	608			1
Female.....	29,039	19,736	19,216	6	278	28	208		9,573	9,253	320			
NORTH DAKOTA														
Total.....	14,047	13,753	10,498	810		2,204	229	12	294		288		1	5
Male.....	7,333	7,183	5,434	450		1,174	120	5	150		146		1	3
Female.....	6,714	6,570	5,064	360		1,030	109	7	144		142			2
Cities of 10,000 or more.....														
Male.....	2,330	2,326	1,890	61		251	122	2	4		3		1	
Female.....	1,199	1,196	971	25		135	64	1	3		2		1	
Cities of 2,500 to 10,000.....														
Male.....	1,131	1,130	919	36		116	58	1	1		1			
Female.....	1,412	1,411	1,096	74		222	17	2	1		1			
Rural.....														
Male.....	757	757	591	37		118	10	1	1					
Female.....	655	654	505	37		104	7	1	1		1			
OHIO														
Total.....	101,753	96,961	81,818	6,263	8	6,860	1,951	61	4,792	4,746	8	30	5	3
Male.....	52,203	49,783	42,090	3,200	3	3,475	986	29	2,420	2,400	4	13	1	2
Female.....	49,550	47,178	39,728	3,063	5	3,385	965	32	2,372	2,346	4	17	4	1
Cities of 10,000 or more.....														
Male.....	61,103	56,900	44,693	5,352	5	5,554	1,244	52	4,203	4,163	5	29	4	2
Female.....	31,460	29,341	23,126	2,744	3	2,807	636	25	2,119	2,103	3	12		1
Cities of 2,500 to 10,000.....														
Male.....	29,643	27,559	21,567	2,608	2	2,747	608	27	2,084	2,080	2	17	4	1
Female.....	8,135	7,929	7,141	277		379	129	3	206	205	1			
Rural.....														
Male.....	4,188	4,092	3,689	146		192	64	1	96	95				
Female.....	3,947	3,837	3,432	131		187	65	2	110	110				
OKLAHOMA														
Total.....	41,039	37,553	36,244	90	118	368	728	5	3,486	1,696	1,657	1	2	130
Male.....	21,238	19,413	18,726	44	69	191	351	2	1,825	894	854		2	75
Female.....	19,801	18,140	17,518	46	49	177	347	3	1,661	802	803	1		55
Cities of 10,000 or more.....														
Male.....	9,713	8,843	8,434	35	34	128	211	1	870	597	222	1	1	49
Female.....	5,060	4,605	4,386	18	16	74	111		455	300	121		1	33
Cities of 2,500 to 10,000.....														
Male.....	4,653	4,238	4,048	17	18	54	100	1	415	297	101	1		16
Female.....	8,194	7,421	7,214	19	18	68	101	1	773	318	424		1	30
Rural.....														
Male.....	4,198	3,790	3,636	11	13	32	57		399	174	210		1	14
Female.....	3,996	3,622	3,528	8	5	36	44	1	374	144	214			16
OREGON														
Total.....	12,847	12,563	10,744	423		1,246	146	4	284	24	136	22	70	32
Male.....	6,535	6,389	5,480	215		614	76	4	146	12	64	10	40	20
Female.....	6,312	6,174	5,264	208		632	70		138	12	72	12	30	12
Cities of 10,000 or more.....														
Male.....	5,674	5,588	4,489	273		730	92	4	86	16	10	21	28	11
Female.....	2,816	2,772	2,239	133		349	47	4	44	9	4	10	13	8
Cities of 2,500 to 10,000.....														
Male.....	2,858	2,816	2,250	140		381	45		42	7	6	11	15	3
Female.....	2,650	2,635	2,364	42		206	23		24	5	11	1	6	1
Rural.....														
Male.....	1,415	1,399	1,252	28		102	17		16	3	9		4	
Female.....	1,244	1,236	1,112	14		104	6		8	2	2		2	1
Other States														
Male.....	4,514	4,340	3,891	108		310	31		174	3	115		36	20
Female.....	2,304	2,218	1,989	54		163	12		86		51		23	12
Total.....	2,210	2,122	1,902	54		147	19		88	3	64		13	8

TABLE 2.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND COLOR, AND BY PARENT NATIVITY OF WHITE: 1932—Continued

AREA AND SEX	All births	WHITE						COLORED						
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
VERMONT														
Total.....	6,030	6,026	4,612	518	2	814	75	5	4	4				
Male.....	3,102	3,100	2,369	263		427	38	3	2	2				
Female.....	2,928	2,926	2,243	255	2	387	37	2	2	2				
Cities of 10,000 or more.....														
Male.....	1,173	1,171	908	84	1	165	12	1	2	2				
Female.....	593	592	462	37		88	4	1	1	1				
Cities of 2,500 to 10,000.....														
Male.....	580	579	446	47	1	77	8		1	1				
Female.....	1,333	1,333	995	98		218	19	2	1	1				
Rural.....														
Male.....	701	701	517	58		114	12		2	2				
Female.....	632	632	478	40	1	104	7	2						
VIRGINIA														
Total.....	54,582	38,515	37,231	171	2	415	694	2	16,067	16,016	40	5		6
Male.....	27,659	19,550	18,895	93		203	353	1	8,109	8,081	19	4		5
Female.....	26,923	18,965	18,336	78	2	212	336	1	7,958	7,935	21	1		1
Cities of 10,000 or more.....														
Male.....	12,462	8,687	8,167	124	1	246	147	2	3,775	3,763	2	5		5
Female.....	6,407	4,444	4,170	69		126	78	1	1,963	1,955		4		4
Cities of 2,500 to 10,000.....														
Male.....	6,055	4,243	3,997	55	1	120	69	1	1,812	1,808	2	1		1
Female.....	3,849	3,180	3,084	6		33	57		669	668	1			
Rural.....														
Male.....	1,916	1,610	1,560	2		16	32		306	306				
Female.....	1,933	1,570	1,524	4		17	25		363	362	1			
WASHINGTON														
Total.....	21,379	20,654	16,394	1,037	6	3,003	199	15	725	50	309	39	283	44
Male.....	10,961	10,594	8,402	526	3	1,567	85	11	367	24	158	20	139	25
Female.....	10,418	10,060	7,992	511	3	1,436	114	4	358	26	151	19	144	18
Cities of 10,000 or more.....														
Male.....	12,760	12,431	9,679	680	4	1,912	145	11	329	43	29	35	186	36
Female.....	6,509	6,334	4,905	343	2	1,013	62	9	175	21	16	20	96	22
Cities of 2,500 to 10,000.....														
Male.....	6,261	6,097	4,774	337	2	899	83	2	154	22	13	15	90	14
Female.....	2,842	2,278	1,892	85		288	12	1	64		33	3	26	2
Rural.....														
Male.....	1,209	1,175	978	46		143	7	1	34		23		10	1
Female.....	1,133	1,103	914	39		145	5		30		10		16	1
WEST VIRGINIA														
Total.....	38,803	36,597	34,537	761		911	387	1	2,206	2,199	2			4
Male.....	19,948	18,815	17,763	397		470	185		1,133	1,128		1		4
Female.....	18,855	17,782	16,774	364		441	202	1	1,073	1,071	2			
Cities of 10,000 or more.....														
Male.....	6,250	5,914	5,405	172		272	65		336	334		1		1
Female.....	3,219	3,044	2,778	93		146	27		175	173				1
Cities of 2,500 to 10,000.....														
Male.....	3,031	2,870	2,627	79		126	38		161	161				
Female.....	3,584	3,425	3,175	107		113	30		159	159				
Rural.....														
Male.....	1,815	1,744	1,619	60		56	9		71	71				
Female.....	1,769	1,681	1,566	47		57	21		88	88				
WISCONSIN														
Total.....	53,107	52,666	44,768	2,440	11	4,521	892	34	441	203	231	2		5
Male.....	27,128	26,910	22,856	1,288	4	2,293	451	18	218	95	120			3
Female.....	25,979	25,756	21,912	1,152	7	2,228	441	16	223	108	111	2		2
Cities of 10,000 or more.....														
Male.....	23,669	23,552	19,024	1,616	2	2,376	510	24	117	93	20	2		2
Female.....	12,174	12,123	9,805	849	2	1,194	263	10	51	39	12			
Cities of 2,500 to 10,000.....														
Male.....	11,495	11,429	9,219	767		1,182	247	14	66	54	8	2		2
Female.....	5,917	5,913	5,355	100	4	372	80	2	4		4			
Rural.....														
Male.....	3,072	3,071	2,768	58	2	196	45	2	1		1			
Female.....	2,845	2,842	2,587	42	2	176	35		3		3			
WYOMING														
Total.....	4,249	3,946	3,400	190	3	304	47	2	303	7	83	2	24	187
Male.....	2,169	2,017	1,729	109	1	154	24		152	6	45		9	92
Female.....	2,080	1,929	1,671	81	2	150	23	2	151	1	38	2	15	95
Cities of 10,000 or more.....														
Male.....	685	644	558	34	1	37	14		41	1			5	35
Female.....	344	321	276	19		20	6		23				3	19
Cities of 2,500 to 10,000.....														
Male.....	811	777	645	40		78	12	2	34	3		2	4	25
Female.....	436	420	338	28		46	8		16	3			2	11
Rural.....														
Male.....	375	357	307	12		32	4	2	18		2		2	14
Female.....	2,753	2,525	2,197	116	2	189	21		228	3	83		15	127
Male.....	1,889	1,276	1,115	62	1	88	10		113	2	45		4	62
Female.....	1,864	1,249	1,082	54	1	101	11		115	1	38		11	65

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) OF WHITE CHILDREN, BY SEX, AND COUNTRY OF BIRTH OF PARENTS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

AREA, SEX OF CHILD, AND COUNTRY OF BIRTH OF MOTHER	All white births	COUNTRY OF BIRTH OF FATHER											Country not stated			
		United States	Foreign country													
			Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia		Other foreign countries		
REGISTRATION AREA IN CONTINENTAL UNITED STATES																
Total.....	1,805,155	1,534,117	243,235	16,502	21,345	12,071	14,533	13,657	15,970	61,387	19,724	22,782	45,264	27,803		
Male.....	928,809	788,074	124,409	8,507	10,907	6,240	7,535	7,043	8,184	31,103	10,179	11,631	23,080	14,326		
Female.....	878,346	746,043	118,826	7,995	10,438	5,831	6,998	6,614	7,786	30,284	9,545	11,151	22,184	13,477		
United States.....	M 827,432 F 783,769	761,064 720,602	53,412 51,007	3,324 3,199	6,518 6,158	3,873 3,586	4,132 3,924	1,623 1,530	3,792 3,655	12,312 11,784	3,535 3,335	4,648 4,486	9,655 9,350	12,956 12,160		
Total foreign.....	M 98,189 F 93,437	26,584 25,058	70,963 67,774	5,181 4,792	4,381 4,272	2,364 2,242	3,402 3,070	5,420 5,082	4,389 4,127	18,786 18,493	6,642 6,209	6,980 6,660	13,418 12,827	642 605		
Austria, Hungary.....	M 7,277 F 6,704	1,642 1,504	5,614 5,179	4,368 4,054	15 14	21 17	30 31	7 7	218 190	78 80	160 129	466 421	251 236	21 21		
Canada.....	M 11,809 F 11,192	6,901 6,501	4,722 4,506	29 29	3,855 3,730	62 46	277 278	69 58	54 45	79 74	36 26	78 74	188 146	186 185		
Denmark, Norway, Sweden.....	M 3,526 F 3,272	1,308 1,199	2,193 2,054	8 4	18 20	1,992 1,893	39 29	6 4	40 34	17 9	1 2	6 7	66 52	25 19		
England, Scotland, Wales.....	M 6,989 F 6,533	3,423 3,169	3,503 3,301	31 21	245 253	54 69	2,482 2,213	255 316	55 53	65 57	32 33	135 156	149 130	63 63		
Ireland.....	M 7,724 F 7,190	2,008 1,885	5,616 5,221	12 9	94 99	38 29	280 252	5,025 4,652	43 40	28 41	7 8	5 4	84 87	100 84		
Germany.....	M 6,269 F 5,992	1,884 1,793	4,353 4,156	143 116	21 25	75 64	30 35	13 15	3,694 3,490	73 68	47 42	47 58	210 243	32 43		
Italy.....	M 20,573 F 20,254	2,142 2,130	18,388 18,079	21 22	14 5	2 2	17 16	10 6	18 17,790	18,075 17,790	2 6	4 6	225 212	43 45		
Poland.....	M 8,431 F 7,987	1,450 1,390	6,936 6,553	146 131	19 15	8 10	35 21	6 8	52 42	41 35	5,830 5,501	584 589	215 201	45 44		
Russia.....	M 8,803 F 8,240	2,195 2,022	6,583 6,202	275 256	31 34	10 10	124 111	3 4	49 57	36 20	387 336	5,374 5,091	294 283	25 16		
Other foreign countries.....	M 16,788 F 16,078	3,631 3,465	13,055 12,523	148 150	69 77	102 102	88 84	26 12	166 162	294 319	140 126	281 254	11,741 11,237	102 85		
Country not stated.....	M 1,188 F 1,140	426 383	34 45	2 4	8 8	3 3	1 4	3 2	3 4	5 7	2 1	3 5	7 7	728 712		

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored	AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
MARYLAND					MISSOURI—continued						
Total.....	28,820	22,477	21,293	1,176	6,343	25 to 29 years.....	15,087	14,287	13,878	395	800
Male.....	14,650	11,491	10,892	595	3,159	30 to 34 years.....	9,955	9,443	9,124	310	512
Female.....	14,170	10,986	10,401	581	3,184	35 to 39 years.....	6,043	5,736	5,503	224	307
10 to 14 years.....	71	13	13	—	58	40 to 44 years.....	2,231	2,139	2,041	85	92
15 to 19 years.....	4,388	2,844	2,824	18	1,544	45 to 49 years.....	203	192	178	14	11
20 to 24 years.....	8,492	6,672	6,490	181	1,820	50 to 54 years.....	6	6	6	—	—
25 to 29 years.....	7,012	5,756	5,429	324	1,259	Unknown.....	134	127	114	1	7
30 to 34 years.....	4,661	3,790	3,484	305	871	MONTANA					
35 to 39 years.....	3,055	2,487	2,213	284	588	Total.....	9,091	8,391	7,504	881	700
40 to 44 years.....	1,034	860	773	87	174	Male.....	4,646	4,284	3,846	436	362
45 to 49 years.....	84	64	57	7	20	Female.....	4,445	4,107	3,658	445	338
50 to 54 years.....	2	1	1	—	1	10 to 14 years.....	2	2	2	—	—
Unknown.....	21	10	9	—	11	15 to 19 years.....	1,031	936	887	46	95
MASSACHUSETTS					NEBRASKA						
Total.....	68,534	67,559	48,770	18,756	975	Total.....	25,159	24,609	23,500	1,093	550
Male.....	35,039	34,622	25,021	9,586	467	Male.....	13,014	12,747	12,167	574	267
Female.....	33,445	32,937	23,749	9,170	508	Female.....	12,145	11,862	11,333	519	283
10 to 14 years.....	25	24	23	1	1	10 to 14 years.....	20	17	17	—	3
15 to 19 years.....	4,335	4,220	3,878	338	115	15 to 19 years.....	2,395	2,312	2,284	26	83
20 to 24 years.....	17,587	17,273	14,259	3,008	314	20 to 24 years.....	7,581	7,427	7,255	164	154
25 to 29 years.....	19,298	19,090	14,062	5,016	208	25 to 29 years.....	6,748	6,612	6,323	288	136
30 to 34 years.....	14,582	14,413	9,557	4,851	169	30 to 34 years.....	4,525	4,443	4,172	268	82
35 to 39 years.....	9,288	9,165	5,355	3,807	123	35 to 39 years.....	2,781	2,715	2,495	218	66
40 to 44 years.....	2,828	2,796	1,331	1,464	32	40 to 44 years.....	1,098	988	876	112	20
45 to 49 years.....	214	210	77	133	4	45 to 49 years.....	30	26	59	17	4
Unknown.....	377	368	228	138	9	50 to 54 years.....	2	2	2	—	—
MICHIGAN					NEVADA						
Total.....	85,736	82,376	69,591	12,707	3,360	Total.....	1,260	1,154	1,016	138	106
Male.....	44,178	42,444	35,915	6,487	1,734	Male.....	618	565	500	65	53
Female.....	41,558	39,932	33,676	6,220	1,626	Female.....	642	589	516	73	53
10 to 14 years.....	62	47	43	4	15	10 to 14 years.....	1	1	1	—	—
15 to 19 years.....	9,297	8,687	8,199	474	610	15 to 19 years.....	144	127	123	4	17
20 to 24 years.....	25,686	24,725	22,179	2,526	961	20 to 24 years.....	453	428	389	39	25
25 to 29 years.....	22,608	21,791	18,268	3,511	817	25 to 29 years.....	295	267	233	34	28
30 to 34 years.....	14,988	14,411	11,437	2,963	577	30 to 34 years.....	199	187	154	33	12
35 to 39 years.....	9,314	9,015	6,806	2,198	299	35 to 39 years.....	109	96	81	15	13
40 to 44 years.....	3,250	3,183	2,292	890	67	40 to 44 years.....	49	41	29	12	8
45 to 49 years.....	286	285	190	95	1	45 to 49 years.....	2	1	1	1	1
50 to 54 years.....	5	5	3	2	—	Unknown.....	8	6	6	—	2
Unknown.....	240	227	174	44	13	NEW HAMPSHIRE					
MINNESOTA					NEW JERSEY						
Total.....	46,377	45,759	42,730	3,022	618	Total.....	7,808	7,802	6,382	1,409	6
Male.....	23,787	23,486	21,927	1,553	301	Male.....	4,005	4,004	3,252	747	1
Female.....	22,590	22,273	20,803	1,469	317	Female.....	3,803	3,798	3,130	662	5
10 to 14 years.....	22	22	22	—	—	10 to 14 years.....	2	2	2	—	—
15 to 19 years.....	3,372	3,275	3,207	67	97	15 to 19 years.....	723	722	684	38	1
20 to 24 years.....	12,526	12,343	11,841	500	183	20 to 24 years.....	2,164	2,163	1,943	218	1
25 to 29 years.....	12,557	12,421	11,742	678	136	25 to 29 years.....	2,108	2,108	1,756	348	—
30 to 34 years.....	9,405	9,317	8,592	725	88	30 to 34 years.....	1,457	1,457	1,105	349	—
35 to 39 years.....	6,069	5,993	5,383	609	76	35 to 39 years.....	934	932	837	294	2
40 to 44 years.....	2,177	2,146	1,766	380	31	40 to 44 years.....	361	359	216	143	2
45 to 49 years.....	235	230	169	61	5	45 to 49 years.....	27	27	10	17	—
50 to 54 years.....	3	3	2	1	—	Unknown.....	2	2	2	—	—
Unknown.....	11	9	6	1	2	MISSISSIPPI					
MISSISSIPPI					MISSOURI						
Total.....	46,273	21,787	21,660	70	24,486	Total.....	59,949	56,177	54,798	1,288	3,772
Male.....	23,570	11,034	10,973	35	12,536	Male.....	30,809	28,845	28,124	667	1,964
Female.....	22,703	10,753	10,687	35	11,950	Female.....	29,140	27,332	26,674	621	1,808
10 to 14 years.....	204	28	28	—	176	10 to 14 years.....	75	41	41	—	34
15 to 19 years.....	8,458	2,863	2,855	1	5,595	15 to 19 years.....	8,262	7,301	7,265	23	961
20 to 24 years.....	14,404	6,619	6,586	15	7,785	20 to 24 years.....	17,953	16,905	16,648	236	1,048
25 to 29 years.....	10,247	5,364	5,336	18	4,883	NEW JERSEY					
30 to 34 years.....	6,542	3,566	3,540	16	2,976	Total.....	61,219	56,627	43,731	12,877	4,592
35 to 39 years.....	4,350	2,288	2,269	13	2,062	Male.....	31,214	28,890	22,302	6,580	2,324
40 to 44 years.....	1,476	812	806	5	664	Female.....	30,005	27,737	21,429	6,297	2,268
45 to 49 years.....	199	80	80	—	119	10 to 14 years.....	37	16	16	—	21
50 to 54 years.....	3	1	1	—	2	15 to 19 years.....	5,513	4,637	4,374	262	876
Unknown.....	390	166	159	2	224	20 to 24 years.....	17,595	16,088	14,016	2,065	1,507
MISSOURI					NEW JERSEY						
Total.....	59,949	56,177	54,798	1,288	3,772	25 to 29 years.....	17,332	16,273	12,823	3,447	1,059
Male.....	30,809	28,845	28,124	667	1,964	30 to 34 years.....	11,538	10,949	7,624	3,322	639
Female.....	29,140	27,332	26,674	621	1,808	35 to 39 years.....	6,761	6,400	3,762	2,634	361
10 to 14 years.....	75	41	41	—	34	40 to 44 years.....	2,202	2,089	1,048	1,040	113
15 to 19 years.....	8,262	7,301	7,265	23	961	45 to 49 years.....	167	153	54	99	14
20 to 24 years.....	17,953	16,905	16,648	236	1,048	50 to 54 years.....	2	2	1	1	—
					Unknown.....						
					2						

¹Includes "Country not stated."

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored	AREA, SEX OF CHILD, AND AGE OF MOTHER	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
UTAH					WASHINGTON—continued						
Total.....	11,974	11,865	11,119	742	109	25 to 29 years.....	5,694	5,536	4,925	611	158
Male.....	6,157	6,102	5,696	403	55	30 to 34 years.....	3,529	3,375	2,873	502	154
Female.....	5,817	5,763	5,423	339	54	35 to 39 years.....	1,991	1,894	1,601	292	97
10 to 14 years.....	6	6	6	—	—	40 to 44 years.....	719	683	547	130	36
15 to 19 years.....	1,191	1,187	1,161	23	4	45 to 49 years.....	66	61	45	16	5
20 to 24 years.....	3,617	3,598	3,458	140	19	Unknown.....	7	5	3	—	2
25 to 29 years.....	3,143	3,117	2,923	194	26	WEST VIRGINIA					
30 to 34 years.....	2,025	1,966	1,819	177	29	Total.....	38,803	36,597	35,689	908	2,206
35 to 39 years.....	1,364	1,340	1,210	130	24	Male.....	19,948	18,815	18,341	474	1,133
40 to 44 years.....	540	534	463	71	6	Female.....	18,855	17,782	17,348	434	1,073
45 to 49 years.....	53	52	46	6	1	10 to 14 years.....	50	34	34	—	16
50 to 54 years.....	1	1	—	—	—	15 to 19 years.....	5,949	5,478	5,454	24	471
Unknown.....	34	34	32	1	—	20 to 24 years.....	11,980	11,363	11,227	136	617
VERMONT					25 to 29 years.....						
Total.....	6,030	6,026	5,152	869	4	30 to 34 years.....	9,105	8,608	8,403	205	497
Male.....	3,102	3,100	2,645	454	2	35 to 39 years.....	6,079	5,729	5,508	221	350
Female.....	2,928	2,926	2,507	415	2	40 to 44 years.....	3,994	3,800	3,677	223	194
10 to 14 years.....	8	8	7	1	—	45 to 49 years.....	1,471	1,412	1,326	86	59
15 to 19 years.....	661	661	628	32	—	50 to 54 years.....	164	162	151	11	2
20 to 24 years.....	1,742	1,740	1,567	171	2	Unknown.....	3	3	2	—	—
25 to 29 years.....	1,579	1,579	1,329	249	—	WISCONSIN					
30 to 34 years.....	1,090	1,089	891	197	1	Total.....	53,107	52,666	48,810	3,815	441
35 to 39 years.....	683	682	531	151	1	Male.....	27,128	26,910	24,890	2,000	218
40 to 44 years.....	234	234	173	61	—	Female.....	25,979	25,756	23,920	1,815	223
45 to 49 years.....	26	26	20	6	—	10 to 14 years.....	13	12	11	1	1
Unknown.....	7	7	6	1	—	15 to 19 years.....	4,506	4,421	4,322	87	85
VIRGINIA					20 to 24 years.....						
Total.....	54,582	38,515	38,211	296	16,067	25 to 29 years.....	15,448	15,310	14,629	667	138
Male.....	27,659	19,550	19,397	150	8,109	30 to 34 years.....	14,385	14,291	13,211	972	94
Female.....	26,923	18,965	18,814	146	7,958	35 to 39 years.....	10,005	9,936	8,999	932	69
10 to 14 years.....	126	31	31	—	95	40 to 44 years.....	6,233	6,198	5,455	736	35
15 to 19 years.....	8,418	5,034	5,027	6	3,384	45 to 49 years.....	2,207	2,194	1,823	370	13
20 to 24 years.....	16,264	11,505	11,451	53	4,759	50 to 54 years.....	211	207	164	43	4
25 to 29 years.....	12,577	9,380	9,286	81	3,197	Unknown.....	5	4	3	1	1
30 to 34 years.....	8,853	6,548	6,462	85	2,305	WYOMING					
35 to 39 years.....	5,890	4,246	4,190	55	1,644	Total.....	4,249	3,946	3,653	285	303
40 to 44 years.....	2,150	1,564	1,549	15	586	Male.....	2,169	2,017	1,854	162	152
45 to 49 years.....	243	174	173	1	74	Female.....	2,080	1,929	1,799	123	151
50 to 54 years.....	3	3	3	—	—	10 to 14 years.....	2	1	1	—	1
Unknown.....	53	30	29	—	23	15 to 19 years.....	541	496	488	6	45
WASHINGTON					20 to 24 years.....						
Total.....	21,379	20,654	18,419	2,229	725	25 to 29 years.....	1,339	1,266	1,202	63	73
Male.....	10,961	10,594	9,472	1,119	367	30 to 34 years.....	1,004	941	868	75	63
Female.....	10,418	10,060	8,947	1,110	358	35 to 39 years.....	729	678	612	63	51
10 to 14 years.....	10	9	9	—	1	40 to 44 years.....	420	370	323	42	50
15 to 19 years.....	2,540	2,470	2,310	160	70	45 to 49 years.....	162	151	127	24	11
20 to 24 years.....	6,823	6,621	6,106	512	202	50 to 54 years.....	28	26	16	10	2
						Unknown.....	3	1	1	—	2
							21	16	12	2	5

¹ Includes "Country not stated."

GENERAL TABLES

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Unknown
REGISTRATION AREA IN CONTINENTAL UNITED STATES												
Total	2,074,042	3	30,010	372,824	536,187	432,979	318,882	182,695	82,285	30,308	15,850	72,019
Male	1,068,885	3	15,356	191,936	275,211	222,218	163,221	93,211	42,209	15,539	8,073	36,908
Female	1,010,157		14,654	180,888	260,976	210,761	155,661	89,484	40,076	14,769	7,777	35,111
Age of mother:												
10 to 14 years	M 1,293 F 1,122	3	283 247	343 288	84 74	40 30	12 22	6 9	7 7	3 4	6 10	506 431
15 to 19 years	M 127,508 F 120,332		12,472 11,933	69,827 65,431	24,652 23,325	5,933 5,462	2,096 1,937	682 722	337 308	125 141	111 119	11,273 10,984
20 to 24 years	M 314,817 F 298,382		2,401 2,287	108,610 102,886	132,003 125,465	43,981 41,161	13,285 12,691	4,321 4,264	1,585 1,544	712 627	473 424	7,546 7,033
25 to 29 years	M 270,132 F 257,749		134 128	11,634 10,964	105,245 99,441	95,631 91,370	37,547 36,592	11,080 10,800	3,972 3,745	1,412 1,334	894 880	2,603 2,495
30 to 34 years	M 180,667 F 171,233		27 30	1,099 927	11,514 11,013	67,572 64,178	63,053 59,421	24,090 23,195	7,556 7,066	2,866 2,734	1,562 1,433	1,328 1,236
35 to 39 years	M 113,580 F 107,691		5 9	181 166	1,299 1,249	43,416 41,267	8,276 7,735	43,416 41,267	15,131 14,298	4,684 4,515	2,448 2,314	853 796
40 to 44 years	M 38,469 F 37,175		2 3	30 34	127 141	594 562	3,492 3,456	15,249 14,655	12,015 11,582	4,681 4,431	2,039 2,077	240 234
45 to 49 years	M 3,679 F 3,429			6 6	16 12	42 30	108 95	397 371	1,537 1,449	1,020 938	509 484	44 44
50 to 54 years	M 68 F 68			1 1	1 4	6 8	7 9	13 6	10 6	12 17	15 16	3 1
Unknown age	M 13,672 F 12,976		32 17	205 185	270 252	243 225	205 171	106 120	59 71	24 28	16 20	12,512 11,887
ALABAMA												
Total	62,939		1,229	13,452	14,575	10,307	7,782	4,641	3,337	1,216	701	5,699
10 to 14 years	174		16	25	12	3					1	117
15 to 19 years	11,269		974	5,419	1,595	379	121	42	38	12	9	2,680
20 to 24 years	19,798		225	7,142	7,454	2,147	722	262	178	64	45	1,559
25 to 29 years	14,056		11	765	4,905	4,581	1,944	591	386	144	98	631
30 to 34 years	9,094		2	75	523	2,864	3,012	1,221	694	244	164	305
35 to 39 years	6,000			16	58	307	1,826	1,856	1,163	365	202	207
40 to 44 years	2,087			1	13	25	135	641	775	312	144	41
45 to 49 years	253			1	1	3	9	18	99	70	36	16
50 to 54 years	8						2	3	1	1		2
Unknown	200		1	8	14	8	11	10	4	2	2	141
ARIZONA												
Total	8,523		103	1,439	2,133	1,772	1,369	857	420	188	117	125
10 to 14 years	10		3	3	2	1				1		
15 to 19 years	1,097		86	567	269	99	33	5	6	3	2	27
20 to 24 years	2,596		13	762	1,056	449	173	70	15	14	10	34
25 to 29 years	2,104			87	684	732	355	139	50	21	13	23
30 to 34 years	1,484			15	92	420	499	248	84	45	24	7
35 to 39 years	880			1	19	57	281	294	129	53	41	5
40 to 44 years	300			3	4	5	22	39	116	40	20	1
45 to 49 years	44					2	3	8	18	9	7	
50 to 54 years	2									1		
Unknown	56		1	1	7	6	6	4	2	1		28
ARKANSAS												
Total	37,450	1	1,052	8,500	9,070	6,296	5,109	3,341	1,856	793	512	920
10 to 14 years	109	1	35	33	12	5	2				2	19
15 to 19 years	6,525		860	3,723	1,200	256	131	51	22	9	11	262
20 to 24 years	11,544		135	4,256	4,609	1,416	552	230	118	51	34	143
25 to 29 years	8,381		8	406	2,913	2,802	1,262	515	230	103	74	68
30 to 34 years	5,274		1	36	252	1,598	1,900	845	369	148	96	29
35 to 39 years	3,604		2	8	37	171	1,148	1,214	619	219	163	23
40 to 44 years	1,320		1		4	13	78	450	442	216	108	8
45 to 49 years	125				2		3	13	46	40	19	2
50 to 54 years	5						1	2		1		
Unknown	563		10	38	41	35	32	21	10	6	4	366
CALIFORNIA												
Total	78,093		658	13,297	22,293	18,216	12,290	6,455	2,994	1,110	507	273
10 to 14 years	35		6	8	4	4					1	9
15 to 19 years	8,890		572	4,994	2,348	615	191	48	22	7		93
20 to 24 years	24,382		75	7,535	10,866	4,029	1,246	394	92	30	26	89
25 to 29 years	21,696		3	691	8,105	7,892	3,356	1,083	356	123	50	37
30 to 34 years	13,450		1	52	845	4,939	4,508	1,987	739	230	87	12
35 to 39 years	7,302			12	103	615	2,752	2,143	1,111	581	170	15
40 to 44 years	2,111		1	1	11	61	217	779	602	297	138	4
45 to 49 years	177				1	4	11	17	69	39	35	
50 to 54 years	7						2	2	2	1		
Unknown	43			4	10	7	6	2		1		13
COLORADO												
Total	17,613		261	3,300	4,756	3,632	2,657	1,568	773	274	119	273
10 to 14 years	18		5	4	3	1						3
15 to 19 years	2,260		222	1,225	560	133	40	14	15	3	4	44
20 to 24 years	5,644		29	1,890	2,391	891	275	89	36	15	4	24
25 to 29 years	4,248		1	155	1,602	1,480	673	194	85	18	12	23
30 to 34 years	2,819		1	11	171	976	983	443	140	51	29	14
35 to 39 years	1,769			3	15	130	613	590	276	92	32	9
40 to 44 years	591		1	1		10	59	195	76	27	3	
45 to 49 years	54						1	2	23	18	9	1
50 to 54 years	1											
Unknown	209		2	11	14	12	7	6	3	1	1	152

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Un- known
CONNECTICUT												
Total	23, 731		148	3, 380	6, 441	5, 657	4, 298	2, 301	837	247	125	297
10 to 14 years	9		1	2			1					5
15 to 19 years	1, 765		121	1, 009	382	84	25	8	4	2	1	129
20 to 24 years	6, 472		25	2, 083	2, 938	968	277	60	15	2	5	99
25 to 29 years	6, 705		1	258	2, 711	2, 448	942	235	56	18	14	22
30 to 34 years	4, 718				361	1, 873	1, 668	592	137	33	19	13
35 to 39 years	3, 027			22	38	266	1, 278	958	352	88	36	8
40 to 44 years	938			3	5	13	101	438	248	86	44	3
45 to 49 years	64				1	1	3	10	25	18	6	
Unknown	33			3	5	4	3					18
DELAWARE												
Total	4, 204		82	883	1, 131	833	667	354	163	60	27	94
10 to 14 years	11		2	5			1					3
15 to 19 years	576		66	337	94	19	11	3	1	2		43
20 to 24 years	1, 284		14	492	538	145	47	12	5	2	1	28
25 to 29 years	1, 073			40	440	371	160	37	15	5	1	4
30 to 34 years	673			6	48	256	236	83	28	11	4	1
35 to 39 years	464				9	39	193	138	55	18	11	1
40 to 44 years	175				1	2	17	77	51	17	9	1
45 to 49 years	17				1			2	8	5	1	
Unknown	21			3		1	2	2				13
DISTRICT OF COLUMBIA												
Total	10, 157		165	1, 958	2, 777	2, 119	1, 382	673	243	98	36	706
10 to 14 years	18		6	1	1							10
15 to 19 years	1, 529		148	736	231	42	16	4	3			349
20 to 24 years	3, 189		11	1, 112	1, 296	427	120	35	12	2	1	178
25 to 29 years	2, 560			91	1, 118	848	310	90	32	10	1	60
30 to 34 years	1, 626			11	117	703	522	163	45	24	9	32
35 to 39 years	907			2	9	82	380	285	90	31	13	15
40 to 44 years	230					10	32	93	55	28	11	1
45 to 49 years	14					1	1	2	6	3	1	1
Unknown	84			5	5	7	1	1				65
FLORIDA												
Total	27, 402		581	5, 579	6, 825	5, 035	3, 728	2, 255	1, 275	580	393	1, 171
10 to 14 years	88		18	27	7	6	1		1		1	27
15 to 19 years	5, 005		488	2, 487	1, 053	235	97	46	25	4	9	561
20 to 24 years	8, 640		71	2, 711	3, 395	1, 326	503	207	100	39	31	257
25 to 29 years	6, 315		3	295	2, 074	2, 073	1, 022	889	198	76	60	125
30 to 34 years	4, 064		1	33	232	1, 221	1, 298	661	305	140	98	75
35 to 39 years	2, 413			6	42	148	742	739	417	157	102	60
40 to 44 years	687			2	5	10	51	207	205	123	75	9
45 to 49 years	60			1	2	2	2	3	20	18	12	
50 to 54 years	5			1		1	1		1	1	1	
Unknown	125			16	15	13	11	3	4	2	4	57
GEORGIA												
Total	63, 717		1, 760	14, 962	14, 345	10, 185	7, 939	4, 833	2, 441	1, 579	932	4, 741
10 to 14 years	209		45	38	4	3	1		1		1	116
15 to 19 years	12, 101		1, 417	6, 045	1, 554	343	142	69	34	15	13	2, 469
20 to 24 years	20, 436		273	8, 013	7, 238	2, 246	823	294	144	105	61	1, 239
25 to 29 years	13, 853		18	754	5, 016	4, 483	1, 911	636	296	186	108	445
30 to 34 years	8, 774		2	88	450	2, 746	3, 002	1, 259	451	346	208	222
35 to 39 years	5, 953		1	16	69	330	1, 909	1, 895	836	457	277	163
40 to 44 years	2, 068		1	2	6	30	139	664	600	381	201	44
45 to 49 years	253				2	1	10	12	78	84	58	8
50 to 54 years	7							1	1	2	4	
Unknown	63		3	6	6	3	2	3	1	3	1	35
IDAHO												
Total	8, 732		112	1, 626	2, 279	1, 877	1, 313	843	376	138	75	93
10 to 14 years	6		1	3	1		1					
15 to 19 years	1, 114		102	610	276	63	22	14				27
20 to 24 years	2, 786		9	915	1, 158	470	133	54	14	8	3	22
25 to 29 years	2, 135			78	753	810	325	107	37	6	5	14
30 to 34 years	1, 370			9	68	474	495	231	56	25	8	4
35 to 39 years	851			1	9	48	293	296	133	44	22	5
40 to 44 years	359					2	28	138	116	43	32	
45 to 49 years	33			1		1		2	16	9	4	
50 to 54 years	3						2				1	
Unknown	75			9	14	9	14	1	4	3	1	21
ILLINOIS												
Total	111, 512		1, 179	18, 412	30, 904	25, 173	18, 145	9, 779	3, 986	1, 180	527	2, 227
10 to 14 years	71		12	12	4	1						42
15 to 19 years	11, 233		995	6, 270	2, 203	499	169	50	11	9	4	1, 023
20 to 24 years	32, 953		163	10, 980	14, 629	4, 606	1, 286	888	113	44	19	725
25 to 29 years	30, 914		7	1, 035	12, 675	11, 171	4, 169	1, 134	354	94	54	221
30 to 34 years	19, 885		2	88	1, 244	7, 939	7, 004	2, 494	692	211	98	118
35 to 39 years	12, 116			9	115	877	5, 144	3, 948	1, 442	367	164	50
40 to 44 years	3, 893			8	10	60	344	1, 716	1, 224	369	147	15
45 to 49 years	323				1	4	7	40	145	84	39	3
50 to 54 years	1										1	
Unknown	123			15	23	16	22	9	5	2	1	30

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										Un-known
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	
INDIANA												
Total	53,073		1,021	10,626	14,361	11,112	7,830	4,528	1,951	754	390	500
10 to 14 years	45		14	16	2	2		1				10
15 to 19 years	6,799		853	3,942	1,296	267	119	31	14	8	8	261
20 to 24 years	15,975		146	5,965	6,881	1,908	595	207	70	33	25	145
25 to 29 years	13,422		6	642	5,546	4,812	1,606	433	166	74	43	44
30 to 34 years	8,977		2	51	566	3,661	3,080	1,087	336	120	74	20
35 to 39 years	5,619			9	60	421	2,224	1,908	663	221	102	11
40 to 44 years	2,051			1	5	33	197	816	636	240	118	5
45 to 49 years	167					4	7	12	66	57	20	1
50 to 54 years	8					3	1	1		1		
Unknown	10				3	1		2				3
IOWA												
Total	40,459		533	6,860	10,726	9,089	6,457	3,654	1,594	481	202	863
10 to 14 years	21			3	1	2						15
15 to 19 years	4,063		429	2,274	804	150	58	22	2	1	1	322
20 to 24 years	11,638		99	4,059	5,022	1,561	436	130	44	15	9	263
25 to 29 years	10,572		2	458	4,236	3,939	1,294	371	135	34	21	82
30 to 34 years	7,472			30	569	2,993	2,565	909	252	78	29	47
35 to 39 years	4,617		1	7	38	378	1,921	1,486	539	162	57	28
40 to 44 years	1,667				3	24	152	696	550	159	74	9
45 to 49 years	130			1	1	2	1	22	64	28	11	
50 to 54 years	5							2		3		
Unknown	274		2	28	52	42	28	16	8	1		97
KANSAS												
Total	31,700		472	5,882	8,687	6,663	4,784	3,028	1,301	462	238	183
10 to 14 years	21		4	7	2	3						5
15 to 19 years	3,417		379	1,990	722	154	47	20	7	2	4	92
20 to 24 years	9,659		84	3,494	4,215	1,288	363	106	43	9	11	46
25 to 29 years	8,201		5	358	3,342	2,898	1,031	330	105	42	20	20
30 to 34 years	5,480			25	363	2,061	1,908	766	226	87	38	6
35 to 39 years	3,518			6	38	243	1,337	1,201	460	149	77	7
40 to 44 years	1,273			1	3	12	95	542	413	137	70	
45 to 49 years	115						3	12	47	35	18	
Unknown	16			1	2	4		1		1		7
KENTUCKY												
Total	59,505		1,508	12,456	14,515	11,225	9,028	5,613	2,658	1,154	824	524
10 to 14 years	119		34	53	12	2	4	1				13
15 to 19 years	9,226		1,169	5,210	1,850	443	178	85	44	18	18	211
20 to 24 years	17,421		270	6,223	7,013	2,283	843	342	139	83	69	151
25 to 29 years	13,807		28	818	4,910	4,785	2,014	637	274	128	101	52
30 to 34 years	9,574		5	123	623	3,215	3,356	1,377	471	211	159	34
35 to 39 years	6,570		2	22	95	450	2,385	2,210	847	322	219	18
40 to 44 years	2,512			3	10	38	234	878	756	331	222	10
45 to 49 years	225					1	9	22	96	60	34	3
50 to 54 years	3								1		2	
Unknown	48			4	2	3	5	1		1		32
LOUISIANA												
Total	43,298	1	1,086	9,784	11,008	7,917	5,917	3,574	1,970	765	469	807
10 to 14 years	140	1	35	60	18	4		2	1			19
15 to 19 years	7,051		827	3,991	1,274	317	153	53	22	8	10	336
20 to 24 years	13,666		151	5,033	5,467	1,736	599	228	92	49	32	229
25 to 29 years	10,268		9	585	3,796	3,432	1,460	509	229	100	73	75
30 to 34 years	6,388		3	38	378	2,149	2,186	957	375	167	98	37
35 to 39 years	4,129			17	63	249	1,405	1,333	674	226	132	30
40 to 44 years	1,370			1	6	23	101	475	492	170	95	7
45 to 49 years	174					3	6	13	80	45	25	2
50 to 54 years	7							1	2		2	
Unknown	105		1	9	6	2	7	3	3		2	72
MAINE ¹												
Total	16,129											16,129
Unknown	16,129											16,129
MARYLAND												
Total	28,820		725	6,085	7,535	5,920	4,214	2,460	1,058	358	182	283
10 to 14 years	71		30	22	1	1	3	2	2			10
15 to 19 years	4,388		624	2,532	819	187	60	22	8		5	127
20 to 24 years	8,492		64	3,171	3,593	1,097	298	130	30	17	7	85
25 to 29 years	7,012		5	322	2,750	2,569	914	285	90	27	18	32
30 to 34 years	4,661			28	305	1,791	1,647	594	190	61	32	12
35 to 39 years	3,055			7	61	240	1,183	996	382	120	57	9
40 to 44 years	1,034				5	29	103	418	311	112	55	1
45 to 49 years	84						3	12	43	16	8	2
50 to 54 years	2								1	1		
Unknown	21		1	3	1	6	3	1	1	1		5
MASSACHUSETTS												
Total	68,534		408	9,018	17,708	16,658	12,432	6,534	2,483	688	273	2,332
10 to 14 years	25			5	1							19
15 to 19 years	4,335		303	2,223	808	202	59	14	4	3	4	715
20 to 24 years	17,587		96	5,856	7,567	2,405	677	168	44	4	8	762
25 to 29 years	19,298		3	853	8,057	6,794	2,438	624	170	36	28	295
30 to 34 years	14,582		2	57	1,140	6,292	4,685	1,638	427	115	58	168
35 to 39 years	9,288			7	103	883	4,161	2,770	976	214	87	87
40 to 44 years	2,828			1	11	54	384	1,268	756	258	73	23
45 to 49 years	214					2	7	34	97	58	14	2
Unknown	377		4	16	21	26	21	18	9		1	261

¹ Age of parents not fully returned on certificates from this State.

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Un-known
MICHIGAN												
Total	85,736		936	14,547	23,515	19,221	13,840	7,820	3,135	963	420	1,339
10 to 14 years	62		16	8	4	1	4					29
15 to 19 years	9,297		785	5,207	2,006	474	171	52	14	5	3	580
20 to 24 years	25,686		130	8,413	11,265	3,896	1,139	331	82	34	19	377
25 to 29 years	22,608		4	829	9,052	8,124	3,239	891	235	61	35	138
30 to 34 years	14,988			54	1,026	5,893	5,166	2,012	549	156	65	67
35 to 39 years	9,314			11	101	752	3,737	3,125	1,117	283	138	50
40 to 44 years	3,250			7	11	45	347	1,355	1,001	348	122	14
45 to 49 years	286			1		1	7	39	128	72	35	3
50 to 54 years	5							2	2		1	
Unknown	240		1	17	50	35	30	13	7	4	2	81
MINNESOTA												
Total	46,377		215	5,676	11,407	11,047	8,547	5,124	2,139	715	330	1,177
10 to 14 years	22			1								21
15 to 19 years	3,372		163	1,692	830	206	70	23	6	2	1	479
20 to 24 years	12,526		50	3,620	5,269	2,217	641	190	65	18	11	445
25 to 29 years	12,557		1	424	4,637	4,672	1,895	585	147	48	17	131
30 to 34 years	9,405		1	31	607	3,483	3,414	1,303	356	109	47	54
35 to 39 years	6,069			5	56	443	2,312	2,119	804	206	95	29
40 to 44 years	2,177				6	23	201	883	669	268	113	14
45 to 49 years	235			1		2	13	19	91	63	46	
50 to 54 years	3						1	1	1			
Unknown	11			2	2	1		1	1			4
MISSISSIPPI												
Total	46,273	1	1,178	10,692	10,804	7,853	5,978	3,733	2,004	1,135	736	2,159
10 to 14 years	204	1	47	66	16	6	5	1	1	2	1	58
15 to 19 years	8,458		963	4,702	1,305	342	132	65	28	16	9	896
20 to 24 years	14,404		151	5,264	5,609	1,761	642	276	136	82	50	533
25 to 29 years	10,247		12	539	3,494	3,356	1,546	574	268	129	109	220
30 to 34 years	6,542		1	68	373	2,049	2,147	965	407	241	162	126
35 to 39 years	4,350		3	10	68	277	1,367	1,360	638	331	208	88
40 to 44 years	1,476				5	23	103	447	450	270	155	23
45 to 49 years	199				1	3	9	19	63	60	37	7
50 to 54 years	3						1				1	
Unknown	390		1	42	33	36	26	23	13	4	4	208
MISSOURI												
Total	59,949		1,050	11,459	15,683	12,038	8,741	5,184	2,422	930	478	1,964
10 to 14 years	75		7	18	3	1						42
15 to 19 years	8,262		876	4,318	1,555	364	128	52	29	12	7	921
20 to 24 years	17,953		160	6,373	7,417	2,262	688	272	117	35	24	605
25 to 29 years	15,087		6	667	5,969	5,254	1,995	631	234	87	52	192
30 to 34 years	9,955		1	58	633	3,704	3,491	1,351	389	161	83	84
35 to 39 years	6,043			8	78	404	2,248	2,004	823	286	137	55
40 to 44 years	2,231			4	8	24	175	844	735	285	137	19
45 to 49 years	208				1	2	3	22	83	59	33	
50 to 54 years	6						2		1	3		
Unknown	134			13	19	21	10	8	11	2	4	46
MONTANA												
Total	9,091		82	1,395	2,262	1,902	1,484	1,044	561	219	98	49
10 to 14 years	2		1									1
15 to 19 years	1,031		68	509	284	89	30	11	7	2	2	19
20 to 24 years	2,853		13	796	1,143	528	220	93	23	13	4	20
25 to 29 years	2,358			86	751	812	415	194	61	27	7	5
30 to 34 years	1,358			4	72	419	459	255	97	38	12	2
35 to 39 years	1,015					51	327	335	210	60	32	
40 to 44 years	421				2	3	32	152	141	65	25	1
45 to 49 years	51						1	4	22	14	10	
50 to 54 years	1										1	
Unknown	1											1
NEBRASKA												
Total	25,159		277	4,271	6,948	5,534	4,001	2,374	1,025	339	153	237
10 to 14 years	20		5			2			1			12
15 to 19 years	2,395			1,323	553	128	38	12	6	6	3	112
20 to 24 years	7,581		51	2,620	3,364	1,051	280	86	40	18	2	69
25 to 29 years	6,748		3	311	2,717	2,402	897	268	95	27	12	16
30 to 34 years	4,525		4	13	291	1,754	1,610	599	164	57	23	10
35 to 39 years	2,781			3	18	186	1,080	978	358	107	49	2
40 to 44 years	1,008			1	2	11	92	420	324	105	53	
45 to 49 years	80				1		3	11	37	17	11	
50 to 54 years	2									2		
Unknown	19				2		1					16
NEVADA												
Total	1,260		10	193	338	284	201	122	64	21	7	20
10 to 14 years	1			1								
15 to 19 years	144		6	69	39	16	7	1	1			5
20 to 24 years	453		4	113	180	87	38	21	4		2	4
25 to 29 years	295			7	101	106	46	22	8		3	1
30 to 34 years	199			2	14	69	29	12	3			2
35 to 39 years	109			1	3	4	38	31	23	8	1	
40 to 44 years	49					1	4	18	14	9	1	2
45 to 49 years	2								2			
Unknown	8				1	1						6

GENERAL TABLES

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										Un- known
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	
NEW HAMPSHIRE												
Total	7,808		81	1,294	2,066	1,747	1,229	701	308	132	69	181
10 to 14 years	2				1							1
15 to 19 years	723		62	389	142	48	12	2	2	1	2	63
20 to 24 years	2,164		17	740	895	315	80	38	15	4	3	57
25 to 29 years	2,108		1	162	870	704	237	80	24	15	6	19
30 to 34 years	1,457			11	137	577	472	155	48	33	16	8
35 to 39 years	934				16	97	330	260	107	39	22	13
40 to 44 years	361					3	47	158	99	35	17	2
45 to 49 years	27						1	7	11	5	3	
Unknown	32		1	2	5	3		1	2			18
NEW JERSEY												
Total	61,219		455	9,689	17,369	14,504	10,335	5,376	2,025	581	214	671
10 to 14 years	37		10	5	1			1	1		1	18
15 to 19 years	5,513		389	3,204	1,192	284	76	21	10	3	4	330
20 to 24 years	17,595		53	5,849	8,122	2,450	691	180	35	11	5	199
25 to 29 years	17,332		2	579	7,246	6,447	2,272	538	127	41	19	61
30 to 34 years	11,588		1	44	722	4,735	4,204	1,375	346	96	32	33
35 to 39 years	6,761			6	74	544	2,852	2,269	768	163	68	17
40 to 44 years	2,202				9	38	231	975	651	222	68	8
45 to 49 years	167					1	6	14	86	44	16	
50 to 54 years	2									1	1	
Unknown	22			2	3	5	3	3	1			6
NEW MEXICO												
Total	12,391		141	2,108	2,960	2,471	2,089	1,259	694	246	159	264
10 to 14 years	8		1	2	1			1				3
15 to 19 years	1,514		118	801	361	104	36	9	2	2	2	72
20 to 24 years	3,870		19	1,147	1,555	672	250	91	32	13	6	80
25 to 29 years	2,965		3	130	913	998	577	184	30	26	17	37
30 to 34 years	2,062			19	106	623	736	338	140	50	29	21
35 to 39 years	1,442			5	18	63	452	474	261	81	58	30
40 to 44 years	434			2	1	5	33	156	144	58	33	2
45 to 49 years	67					2	2	6	25	11	11	
50 to 54 years	3										2	1
Unknown	36			2	5	4	3	1	2		1	18
NEW YORK												
Total	108,431		1,124	27,214	56,316	50,319	34,624	17,300	6,261	1,809	683	2,781
10 to 14 years	88		11	15	8	2	1	3	1	1	1	45
15 to 19 years	14,621		924	8,009	3,363	794	251	79	28	9	9	1,155
20 to 24 years	57,153		177	17,194	26,309	9,202	2,404	599	176	53	29	1,010
25 to 29 years	59,499		9	1,807	23,708	22,499	8,504	2,004	481	120	62	305
30 to 34 years	38,992		2	155	2,627	15,841	13,761	4,876	1,134	332	117	147
35 to 39 years	21,414		1	22	260	1,856	8,989	6,996	2,410	570	233	77
40 to 44 years	6,109			5	30	110	690	2,670	1,798	591	188	27
45 to 49 years	500			2	1	9	14	70	230	131	40	3
50 to 54 years	6					1			1	1	3	
Unknown	49			5	10	5	10	3	2	1	1	12
NORTH CAROLINA												
Total	77,902		1,539	15,630	17,557	13,768	10,663	6,708	3,425	1,458	948	6,206
10 to 14 years	65		16	31	5	4						9
15 to 19 years	8,980		1,161	5,548	1,588	357	134	32	23	12	12	113
20 to 24 years	22,122		315	8,868	8,692	2,690	859	336	140	78	59	85
25 to 29 years	17,381		27	1,017	6,412	5,954	2,550	770	346	142	125	38
30 to 34 years	11,820		6	111	705	4,121	4,097	1,718	590	261	196	21
35 to 39 years	8,199		1	22	113	569	2,770	2,753	1,219	433	303	16
40 to 44 years	2,996			5	15	46	235	1,062	981	443	205	4
45 to 49 years	290			1	1	4	8	25	116	84	51	
50 to 54 years	7					1		2	1	1	1	
Unknown	6,042		13	27	25	22	10	10	9	4	2	5,920
NORTH DAKOTA												
Total	14,047		54	1,776	3,374	3,200	2,570	1,619	800	271	130	253
10 to 14 years	5			1								4
15 to 19 years	1,013		43	481	266	70	28	5	2	4	1	113
20 to 24 years	3,935		9	1,142	1,623	683	248	86	23	15	6	100
25 to 29 years	3,830		2	1,135	1,284	1,449	669	187	63	15	10	16
30 to 34 years	2,712			15	187	895	973	435	124	47	24	12
35 to 39 years	1,748			1	13	92	607	643	276	75	36	5
40 to 44 years	716			1		10	43	258	273	87	41	3
45 to 49 years	86					1	2	5	39	27	12	
50 to 54 years	1				1							
Unknown	1											
OHIO												
Total	101,753		1,265	17,915	27,873	21,895	16,092	8,888	3,632	1,158	503	2,532
10 to 14 years	85		12	12	3							58
15 to 19 years	11,138		1,071	6,002	2,082	470	1,167	49	15	6	6	1,270
20 to 24 years	30,252		173	10,644	13,064	3,800	1,214	392	128	47	27	763
25 to 29 years	27,084		6	1,168	11,383	9,475	3,490	951	290	78	43	200
30 to 34 years	17,886		2	77	1,191	7,258	6,266	2,099	597	178	84	134
35 to 39 years	11,031		1	7	132	837	4,651	3,632	1,289	373	128	61
40 to 44 years	3,876			1	12	46	396	1,701	1,134	390	172	24
45 to 49 years	363			1	1	1	5	42	86	43	5	5
Unknown	38			3	5	8	3	2				17

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										Un- known	
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over		
OKLAHOMA													
Total	41,039		813	9,088	10,636	7,738	5,615	3,542	1,671	754	410	772	
10 to 14 years	38	8	11	3	1					1		14	
15 to 19 years	6,609	657	3,823	1,306	298	123	36	21	9	2		334	
20 to 24 years	13,149	135	4,742	5,401	1,763	528	201	95	35	25		224	
25 to 29 years	9,467	7	442	3,500	3,336	1,382	442	185	61	43		69	
30 to 34 years	6,129	3	41	359	2,096	2,160	961	272	144	72		31	
35 to 39 years	3,902	1	10	39	204	1,320	1,411	564	211	125		17	
40 to 44 years	1,427		1	1	22	89	469	479	245	117		4	
45 to 49 years	131			1	1	1	7	49	46	25		1	
50 to 54 years	1									1		4	
Unknown	186	2	18	26	17	22	15	6	2			78	
OREGON													
Total	12,847		122	2,239	3,583	2,823	1,923	1,178	585	211	97	86	
15 to 19 years	1,549	105	823	405	126	25	12	8			1	44	
20 to 24 years	4,196	14	1,365	1,776	721	230	93	27	8		2	20	
25 to 29 years	3,328	1	100	1,279	1,178	514	162	69	19	4		2	
30 to 34 years	2,080	2	7	107	712	700	348	135	46	18		5	
35 to 39 years	1,225		2	11	76	412	415	205	59	41		4	
40 to 44 years	432			4	8	40	145	132	72	29		2	
45 to 49 years	23				1	1	3	9	7	2			
Unknown	14		2	1	1	1						9	
PENNSYLVANIA													
Total	168,534		2,606	31,496	44,909	35,635	27,527	15,555	6,537	1,845	738	1,686	
10 to 14 years	146	48	39	9	7	4	2				1	36	
15 to 19 years	18,934	2,136	11,134	3,734	853	278	82	35	13	13		656	
20 to 24 years	49,510	397	18,187	21,221	6,604	1,868	495	138	52	39		499	
25 to 29 years	42,966	20	1,890	17,899	15,098	5,845	1,466	401	118	59		170	
30 to 34 years	29,105		172	1,768	11,517	10,587	3,686	898	276	110		91	
35 to 39 years	19,811		22	203	1,398	8,187	6,656	2,491	553	237		64	
40 to 44 years	7,105	1	6	18	102	704	3,062	2,277	689	220		26	
45 to 49 years	593		1	5	16	18	84	285	137	53		4	
50 to 54 years	13				1	1	1	5	2	2			
Unknown	351	4	35	52	49	35	19	11		4		140	
RHODE ISLAND													
Total	11,171		80	1,601	2,918	2,657	1,981	1,080	407	100	57	280	
10 to 14 years	4	1										3	
15 to 19 years	729	60	405	121	31	9	3				1	98	
20 to 24 years	2,962	19	1,028	1,283	896	106	27	7	2			94	
25 to 29 years	3,117		162	1,315	1,083	373	108	22	8	7		39	
30 to 34 years	2,312		4	184	979	739	283	72	16	10		25	
35 to 39 years	1,504		1	15	156	691	425	155	34	16		11	
40 to 44 years	506				10	61	240	135	35	21		4	
45 to 49 years	29				1	1	4	15	5	2		1	
Unknown	8		1	1	1	1						5	
SOUTH CAROLINA													
Total	41,518		858	9,585	8,884	6,294	5,142	3,163	1,684	723	454	4,731	
15 to 19 years	7,824	713	3,667	776	146	80	31	12	8	3		2,388	
20 to 24 years	13,848	143	5,462	4,703	1,263	473	194	106	43	33		1,428	
25 to 29 years	8,951	2	423	3,083	2,967	1,258	419	191	77	56		475	
30 to 34 years	5,480		32	286	1,706	1,972	767	284	133	99		201	
35 to 39 years	3,903			32	194	1,278	1,315	575	237	130		147	
40 to 44 years	1,304			2	17	78	429	454	181	101		42	
45 to 49 years	161			1	1	1	8	62	44	31		14	
Unknown	42		1	1	1	2				1		36	
SOUTH DAKOTA													
Total	13,241		89	1,768	3,267	3,032	2,384	1,531	666	224	94	186	
10 to 14 years	4		2									2	
15 to 19 years	1,033	68	534	274	69	25	6	3	1			53	
20 to 24 years	3,679	21	1,072	1,576	656	212	55	19	3	4		61	
25 to 29 years	3,432		139	1,241	1,251	539	163	55	17	7		20	
30 to 34 years	2,528		13	155	930	892	396	95	24	11		12	
35 to 39 years	1,753		3	14	105	654	613	264	65	29		6	
40 to 44 years	681				10	52	231	205	91	35		7	
45 to 49 years	65					1	11	23	22	8			
Unknown	66		5	7	11	9	6	2	1			25	
TENNESSEE													
Total	52,491		1,233	11,252	12,542	9,514	7,324	4,247	2,158	1,246	702	2,273	
10 to 14 years	132	27	30	7	1						1	66	
15 to 19 years	8,252	956	4,349	1,364	322	122	42	24	12	16		1,045	
20 to 24 years	15,933	230	6,006	6,054	1,940	660	241	106	58	45		593	
25 to 29 years	12,414	15	754	4,506	4,125	1,795	509	242	117	93		258	
30 to 34 years	8,152	4	87	520	2,718	2,852	1,081	371	267	144		108	
35 to 39 years	5,301	4	15	70	355	1,735	1,682	766	408	198		72	
40 to 44 years	1,906		2	10	39	140	672	572	295	155		21	
45 to 49 years	238		1		4	8	16	72	87	49		1	
50 to 54 years	4			1	1	1	1			1			
Unknown	159	1	8	10	9	12	3	5	2			109	
UTAH													
Total	11,974		154	2,230	3,287	2,609	1,835	1,086	468	157	84	64	
10 to 14 years	6	1		1					1	1		2	
15 to 19 years	1,191	136	704	252	56	18	7		1			17	
20 to 24 years	3,617	16	1,391	1,551	479	120	28	11	2	4		15	
25 to 29 years	3,143	1	122	1,357	1,134	344	117	44	10	10		4	
30 to 34 years	2,025		9	115	846	715	226	66	30	15		3	
35 to 39 years	1,364		1	8	83	590	460	147	54	27		4	
40 to 44 years	540			2	2	47	248	170	45	24		2	
45 to 49 years	53						8	28	14	3			
50 to 54 years	1									1			
Unknown	34		3	1	9	1	2	1				17	

GENERAL TABLES

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY AGE OF PARENTS: 1932—Continued

AREA, AND AGE OF MOTHER	All births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Un-known
VERMONT												
Total.....	6,030		64	1,047	1,626	1,363	904	527	250	98	81	70
10 to 14 years.....	8		2	1	3							2
15 to 19 years.....	661		48	370	153	43	14	8			1	21
20 to 24 years.....	1,742		14	578	747	260	74	24	3	3	8	26
25 to 29 years.....	1,579			90	625	561	193	65	25	8	6	6
30 to 34 years.....	1,090			5	82	322	360	126	52	16	20	7
35 to 39 years.....	683			2	11	71	230	213	93	41	20	2
40 to 44 years.....	234				3	6	33	89	57	25	19	2
45 to 49 years.....	26							2	12	5	7	
Unknown.....	7			1	2							4
VIRGINIA												
Total.....	54,582		1,154	11,155	12,624	10,185	7,876	5,026	2,608	1,111	698	2,195
10 to 14 years.....	126		31	33	4	6					3	48
15 to 19 years.....	8,418		917	4,426	1,460	368	121	64	31	14	12	1,005
20 to 24 years.....	16,264		191	5,883	6,168	2,220	672	275	111	62	45	637
25 to 29 years.....	12,577		12	704	4,307	4,300	1,891	635	288	111	80	249
30 to 34 years.....	8,853		2	84	578	2,823	3,027	1,402	484	213	125	115
35 to 39 years.....	5,890			18	92	373	1,984	1,873	904	339	219	88
40 to 44 years.....	2,150			1	10	42	173	739	697	295	175	18
45 to 49 years.....	248				1	1	4	34	91	76	37	4
50 to 54 years.....	3					1					1	1
Unknown.....	53		1	6	4	1	4	4	1	1	1	30
WASHINGTON												
Total.....	21,379		223	3,775	5,973	4,693	3,179	1,937	952	352	157	138
10 to 14 years.....	10		4	3								3
15 to 19 years.....	2,540		189	1,407	639	175	49	21	7	3	1	49
20 to 24 years.....	6,823		28	2,164	2,897	1,174	336	134	31	10	4	45
25 to 29 years.....	5,694			181	2,182	1,982	858	311	118	22	20	20
30 to 34 years.....	3,529		2	16	230	1,215	1,176	566	208	70	33	13
35 to 39 years.....	1,991			3	24	134	690	627	347	125	39	2
40 to 44 years.....	719			1		9	69	269	221	100	49	1
45 to 49 years.....	66				1	2	1	8	20	22	11	1
Unknown.....	7					2		1				4
WEST VIRGINIA												
Total.....	38,803		700	7,694	9,847	7,718	5,773	3,717	1,779	703	423	449
10 to 14 years.....	50		13	24	2	2			1		1	7
15 to 19 years.....	5,949		553	3,227	1,372	359	127	52	22	10	13	214
20 to 24 years.....	11,930		117	3,938	4,967	1,890	579	200	85	31	31	142
25 to 29 years.....	9,105		15	456	3,105	3,216	1,438	496	181	65	54	34
30 to 34 years.....	6,079		2	43	353	1,981	2,112	1,005	342	138	74	27
35 to 39 years.....	3,994			4	38	251	1,354	1,412	607	196	117	15
40 to 44 years.....	1,471			2	6	17	113	558	481	212	96	6
45 to 49 years.....	164						4	13	60	50	36	1
50 to 54 years.....	3						1			1	1	
Unknown.....	8				2	2		1				3
WISCONSIN												
Total.....	53,107		386	7,811	14,442	12,415	9,002	5,065	2,100	653	258	975
10 to 14 years.....	13		2	1								10
15 to 19 years.....	4,506		297	2,371	1,053	276	76	22	13	5	3	390
20 to 24 years.....	15,448		83	4,805	6,815	2,441	677	186	52	17	8	364
25 to 29 years.....	14,385		3	555	5,797	5,243	1,964	503	154	46	23	97
30 to 34 years.....	10,005			53	702	3,934	3,532	1,256	326	111	44	47
35 to 39 years.....	6,233		1	12	54	475	2,527	2,121	773	166	82	22
40 to 44 years.....	2,207				7	30	212	946	632	241	78	11
45 to 49 years.....	211				1		4	26	95	65	19	1
50 to 54 years.....	5					1			1	2	1	
Unknown.....	94			14	13	15	10	5	4			33
WYOMING												
Total.....	4,249		38	725	1,108	884	682	488	209	49	25	41
10 to 14 years.....	2					1						1
15 to 19 years.....	541		32	280	154	40	14	4	3			14
20 to 24 years.....	1,339		5	400	576	218	79	35	13	1	1	11
25 to 29 years.....	1,004			38	320	355	177	86	19	5	1	3
30 to 34 years.....	729			5	48	239	242	134	47	7	4	2
35 to 39 years.....	420		1	1	6	27	146	148	71	10	10	1
40 to 44 years.....	162				2		19	74	48	15	4	
45 to 49 years.....	28						2	5	7	9	5	
50 to 54 years.....	3					1		1				
Unknown.....	21			1	2	4	1	1	1	2		9

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY NUMBER OF CHILD, AGE OF MOTHER, AND COLOR, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932

Table with columns: NUMBER OF CHILD AND AGE OF MOTHER, All births, Total, Mother native, Mother foreign-born, Colored. Rows include: ALL BIRTHS, SECOND CHILD, THIRD CHILD, with sub-rows for age of mother (12-54 years and unknown).

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

² Includes "Country not stated."

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY NUMBER OF CHILD, AGE OF MOTHER, AND COLOR, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored	NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored
		Total 2	Mother native	Mother foreign-born				Total 2	Mother native	Mother foreign-born	
EIGHTH CHILD—continued					ELEVENTH CHILD						
Age of mother—Continued					Total.....						
37 years.....	3,740	3,218	2,683	533	522	Total.....	14,386	11,005	8,872	2,116	3,381
38 years.....	4,081	3,414	2,837	577	617	Age of mother:					
39 years.....	3,169	2,772	2,279	489	397	24 years.....	38	26	23	3	12
40 years.....	2,589	2,269	1,823	444	320	25 years.....	28	13	11	2	15
41 years.....	1,552	1,423	1,173	249	129	26 years.....	32	12	12		20
42 years.....	1,563	1,414	1,128	284	149	27 years.....	46	14	12	2	32
43 years.....	910	829	671	157	81	28 years.....	85	35	30	5	50
44 years.....	565	517	403	114	48	29 years.....	108	55	49	6	53
45 years.....	340	283	229	54	57	30 years.....	221	103	90	13	118
46 years.....	142	125	102	23	17	31 years.....	206	123	111	12	83
47 years.....	60	53	37	16	7	32 years.....	454	265	230	35	189
48 years.....	49	36	28	8	13	33 years.....	421	265	223	41	156
49 years.....	19	15	10	5	4	34 years.....	649	423	349	73	226
50 years.....	6	4	4	2	2	35 years.....	794	531	449	82	263
51 years.....	2	2	2	2	2	36 years.....	1,125	812	686	125	313
52 years.....	2	2	2	2	2	37 years.....	1,244	947	756	190	297
54 years.....	1	1	1	1	1	38 years.....	1,658	1,256	1,008	247	402
Unknown.....	164	98	77	7	66	39 years.....	1,542	1,232	997	234	310
NINTH CHILD					40 years.....						
Total.....					41 years.....						
33,854	26,847	22,562	4,257	7,007	42 years.....						
Age of mother:					43 years.....						
22 years.....	39	17	16	1	22	44 years.....					
23 years.....	30	14	13	1	16	45 years.....					
24 years.....	64	28	26	2	36	46 years.....					
25 years.....	96	34	34	4	62	47 years.....					
26 years.....	167	77	73	4	90	48 years.....					
27 years.....	296	145	129	16	151	49 years.....					
28 years.....	459	262	233	28	227	50 years.....					
29 years.....	706	376	332	42	330	51 years.....					
30 years.....	1,122	706	607	54	460	52 years.....					
31 years.....	1,178	814	741	72	364	Unknown.....					
32 years.....	2,116	1,443	1,270	171	673	9,092					
33 years.....	1,959	1,469	1,314	154	490	6,742					
34 years.....	2,481	1,957	1,697	259	524	5,347					
35 years.....	2,722	2,102	1,806	296	620	1,389					
36 years.....	3,141	2,601	2,196	404	540	2,350					
37 years.....	3,014	2,525	2,112	409	489	Age of mother:					
38 years.....	3,400	2,881	2,370	499	579	25 years.....					
39 years.....	2,871	2,457	2,017	438	414	26 years.....					
40 years.....	2,448	2,127	1,706	417	321	27 years.....					
41 years.....	1,498	1,359	1,127	232	139	28 years.....					
42 years.....	1,564	1,423	1,107	315	141	29 years.....					
43 years.....	961	852	687	165	109	30 years.....					
44 years.....	612	559	439	120	58	31 years.....					
45 years.....	341	291	228	63	33	32 years.....					
46 years.....	167	149	109	40	18	33 years.....					
47 years.....	102	91	66	25	11	34 years.....					
48 years.....	64	47	32	15	17	35 years.....					
49 years.....	25	14	9	5	17	36 years.....					
50 years.....	4	4	4	1	1	37 years.....					
51 years.....	5	4	3	1	1	38 years.....					
54 years.....	1	1	1	1	1	39 years.....					
Unknown.....	111	63	51	8	48	40 years.....					
TENTH CHILD					41 years.....						
Total.....					42 years.....						
23,582	18,335	15,040	3,260	5,247	43 years.....						
Age of mother:					44 years.....						
23 years.....	26	10	10	16	45 years.....						
24 years.....	18	8	8	10	46 years.....						
25 years.....	50	16	16	34	47 years.....						
26 years.....	74	33	28	41	48 years.....						
27 years.....	109	57	54	3	49 years.....						
28 years.....	212	108	92	16	50 years.....						
29 years.....	272	153	137	15	51 years.....						
30 years.....	507	246	221	25	52 years.....						
31 years.....	533	338	307	31	Unknown.....						
32 years.....	998	618	545	72	5,279						
33 years.....	1,083	731	622	108	3,774						
34 years.....	1,367	976	836	138	2,942						
35 years.....	1,746	1,248	1,039	207	820						
36 years.....	2,069	1,602	1,345	254	1,505						
37 years.....	2,148	1,713	1,403	306	Age of mother:						
38 years.....	2,699	2,193	1,761	430	26 years.....						
39 years.....	2,346	1,931	1,569	368	27 years.....						
40 years.....	2,129	1,770	1,441	325	28 years.....						
41 years.....	1,358	1,223	982	240	29 years.....						
42 years.....	1,438	1,279	1,011	266	30 years.....						
43 years.....	972	879	710	168	31 years.....						
44 years.....	603	535	407	128	32 years.....						
45 years.....	386	330	252	77	33 years.....						
46 years.....	163	138	107	31	34 years.....						
47 years.....	89	75	54	21	35 years.....						
48 years.....	57	43	32	11	36 years.....						
49 years.....	25	22	17	5	37 years.....						
50 years.....	6	5	2	3	38 years.....						
51 years.....	2	2	2	2	39 years.....						
53 years.....	1	1	1	1	40 years.....						
54 years.....	2	2	1	1	41 years.....						
Unknown.....	94	50	38	6	42 years.....						
					43 years.....						
					44 years.....						
					45 years.....						
					46 years.....						

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

² Includes "Country not stated."

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY NUMBER OF CHILD, AGE OF MOTHER, AND COLOR, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932—Continued

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored	NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored
		Total ²	Mother native	Mother foreign-born				Total ²	Mother native	Mother foreign-born	
THIRTEENTH CHILD—continued					SIXTEENTH CHILD—continued						
Age of mother—Continued					Age of mother—Continued						
47 years.....	71	58	39	19	13	49 years.....	5	2	1	1	3
48 years.....	46	35	23	12	11	50 years.....	1	1	1		
49 years.....	18	11	9	2	7	53 years.....	1				1
50 years.....	3	1	1		2	Unknown.....	3				3
Unknown.....	19	9	5	2	10	SEVENTEENTH CHILD					
FOURTEENTH CHILD					Total.....						
Total.....	2,779	1,939	1,538	400	840	Total.....	333	198	148	50	135
Age of mother:					Age of mother:						
27 years.....	8	4	4		4	30 years.....	4				4
28 years.....	10	8	8		2	31 years.....	2	2	1	1	
29 years.....	7	3	3		4	32 years.....	4	3	3		1
30 years.....	31	10	9	1	21	33 years.....	3	2	1	1	1
31 years.....	20	9	7	2	11	34 years.....	7	3	3		4
32 years.....	55	32	29	3	23	35 years.....	11	7	7		4
33 years.....	42	23	20	3	19	36 years.....	11	7	5	2	4
34 years.....	69	38	28	10	31	37 years.....	13	3	2	1	10
35 years.....	88	46	36	10	42	38 years.....	32	16	13	3	16
36 years.....	123	85	67	18	43	39 years.....	27	12	8	4	15
37 years.....	166	107	89	18	59	40 years.....	40	21	15	6	19
38 years.....	279	170	136	34	109	41 years.....	21	15	13	2	6
39 years.....	269	186	147	39	83	42 years.....	41	31	19	12	10
40 years.....	333	224	182	41	109	43 years.....	33	20	17	3	13
41 years.....	248	189	157	32	59	44 years.....	28	22	16	6	6
42 years.....	316	243	185	58	73	45 years.....	28	18	14	4	10
43 years.....	247	207	158	49	40	46 years.....	7	4	3	1	3
44 years.....	183	150	108	42	33	47 years.....	7	5	4	1	2
45 years.....	132	90	73	17	42	48 years.....	11	5	3	2	6
46 years.....	66	56	47	9	10	49 years.....	1	1	1		1
47 years.....	81	25	19	6	6	50 years.....	1	1	1		
48 years.....	26	20	15	5	6	Unknown.....	1	1		1	
49 years.....	13	8	7	1	1	EIGHTEENTH CHILD					
50 years.....	2	1	1		1	Total.....	179	108	74	34	71
51 years.....	1				1	Age of mother:					
52 years.....	1	1	1		1	31 years.....	1	1	1		
53 years.....	1	1		1	1	32 years.....	3	2	2		1
Unknown.....	7	3	2	1	4	33 years.....	2	2			2
FIFTEENTH CHILD					NINETEENTH CHILD						
Total.....	1,464	989	753	236	475	Total.....	104	68	47	21	36
Age of mother:					Age of mother:						
28 years.....	2	1	1		1	33 years.....	2				2
29 years.....	8	5	4	1	3	34 years.....	2	1	1		1
30 years.....	9	4	3	1	5	35 years.....	2	1		1	1
31 years.....	5	1	1	1	4	36 years.....	1				1
32 years.....	16	6	6		10	37 years.....	4	3	2	1	1
33 years.....	17	8	7	1	9	38 years.....	14	11	9	2	3
34 years.....	26	10	10		16	39 years.....	6	5	3	2	1
35 years.....	47	20	15	5	27	40 years.....	11	6	4	2	5
36 years.....	69	38	33	5	31	41 years.....	14	7	6	1	7
37 years.....	78	54	42	12	24	42 years.....	12	7	6	1	5
38 years.....	131	72	53	19	59	43 years.....	14	12	6	6	2
39 years.....	159	101	70	31	53	44 years.....	6	4	2	2	2
40 years.....	157	102	82	20	55	45 years.....	4	3	3		1
41 years.....	163	119	87	32	44	46 years.....	5	4	2	2	1
42 years.....	161	119	93	26	42	47 years.....	4	1	2	1	3
43 years.....	133	109	81	28	24	49 years.....	2	2	2		
44 years.....	114	93	69	24	21	Unknown.....	1	1	1		
45 years.....	68	53	44	9	15	TWENTIETH CHILD					
46 years.....	50	39	27	12	11	Total.....	58	41	35	6	17
47 years.....	27	18	15	3	9	Age of mother:					
48 years.....	14	12	8	4	2	34 years.....	1	1	1		
49 years.....	6	5	3	2	2	36 years.....	4	3	3		1
50 years.....	1				1	37 years.....	2	2	2		1
Unknown.....	3				3	38 years.....	2	1		1	1
SIXTEENTH CHILD					Age of mother:						
Total.....	726	480	372	108	246	34 years.....	1	1	1		
Age of mother:					36 years.....						
29 years.....	1				1	37 years.....	2	2	2		
30 years.....	2	1	1		1	38 years.....	2	1		1	1
31 years.....	3	2	2		1	39 years.....	5	5	5		1
32 years.....	9	4	3	1	5	40 years.....	3	2	2		1
33 years.....	12	5	4	1	7	41 years.....	6	3	3		3
34 years.....	12	8	6	2	4	42 years.....	5	4	3	1	1
35 years.....	25	16	15	1	9	43 years.....	3	2	2		1
36 years.....	28	14	10	4	14	44 years.....	6	3	3		3
37 years.....	31	19	17	2	12	45 years.....	4	3	3		1
38 years.....	55	31	24	7	24	46 years.....	5	4	4		3
39 years.....	77	54	45	9	23	47 years.....	3	2	2		1
40 years.....	78	51	40	11	27	48 years.....	6	3	3		3
41 years.....	65	48	35	13	17	49 years.....	5	4	4		1
42 years.....	84	54	46	8	30	Unknown.....	1	1	1		1
43 years.....	76	51	39	12	25						
44 years.....	69	51	39	12	18						
45 years.....	38	26	19	7	12						
46 years.....	25	21	12	9	4						
47 years.....	17	15	9	6	2						
48 years.....	9	6	4	2	3						

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

² Includes "Country not stated."

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS), BY NUMBER OF CHILD, AGE OF MOTHER, AND COLOR, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES:¹ 1932—Continued

NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored	NUMBER OF CHILD AND AGE OF MOTHER	All births	WHITE			Colored
		Total ²	Mother native	Mother foreign-born				Total ²	Mother native	Mother foreign-born	
TWENTIETH CHILD—continued					TWENTY-FIFTH CHILD						
Age of mother—Continued					Total.....						
43 years.....	13	8	5	3	5	2					
44 years.....	7	5	4	1	2	Age of mother:					
45 years.....	7	4	4		3	39 years.....					
46 years.....	1	1	1			42 years.....					
47 years.....	1	1	1			1					
48 years.....	1	1	1			1					
TWENTY-FIRST CHILD					NUMBER OF CHILD NOT STATED						
Total.....					Total.....						
34	18	13	5	16	5,191	3,624	3,156	347	1,567		
Age of mother:					Age of mother:						
35 years.....	2			2	6	4	4		2		
36 years.....	2	2	2		7	1	1		6		
37 years.....	2			2	25	5	5		20		
38 years.....	3	2	1	1	12	6	6		6		
39 years.....	2			2	41	23	23		18		
40 years.....	4	3	3	1	20	29	26	1	29		
41 years.....	2	1		1	21	128	121	4	93		
42 years.....	3	3	2	1	22	331	219	111	112		
43 years.....	3	3	2	1	23	316	211	199	105		
44 years.....	6	4	3	1	24	321	222	202	99		
45 years.....	2	1	1		25	360	235	216	125		
46 years.....	5	2	1	1	26	307	223	203	84		
49 years.....	1			1	27	319	250	229	69		
TWENTY-SECOND CHILD					28 years.....						
Total.....					29 years.....						
9	3	2	1	6	28	250	179	163	14		
Age of mother:					30 years.....						
37 years.....	2			2	29	235	172	150	19		
39 years.....	2	1	1		30	242	169	146	21		
41 years.....	1			1	31	183	151	136	15		
43 years.....	2	2	1	1	32	210	158	137	21		
45 years.....	1			1	33	175	131	116	14		
46 years.....	1			1	34	152	125	106	27		
TWENTY-THIRD CHILD					35 years.....						
Total.....					36 years.....						
11	6	5	1	5	35	163	117	101	16		
Age of mother:					37 years.....						
37 years.....	1			1	36	154	110	93	16		
38 years.....	1	1	1		37	134	102	82	18		
39 years.....	2	2	1	1	38	121	90	79	11		
40 years.....	3	1	1	2	39	76	61	43	18		
42 years.....	2	1	1	1	40	76	52	42	8		
45 years.....	2	2	2		41	49	34	29	5		
TWENTY-FOURTH CHILD					42 years.....						
Total.....					43 years.....						
4	3	2	1	1	42	80	51	41	10		
Age of mother:					44 years.....						
39 years.....	1	1	1		43	34	26	22	4		
40 years.....	2	1		1	44	20	10	5	5		
47 years.....	1	1	1		45	12	8	5	3		
					46 years.....						
					47 years.....						
					48 years.....						
					49 years.....						
					Unknown.....						
					505						
					314						
					214						
					8						
					191						

¹ Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island.

² Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
MISSISSIPPI—continued					NEVADA—continued						
Tenth child	774	266	264		508	Fourth child	106	94	79	15	12
Eleventh child	452	150	150		302	Fifth child	67	54	46	8	13
Twelfth child	321	104	101	3	217	Sixth child	56	47	40	7	9
Thirteenth child	195	47	47		148	Seventh child	30	26	21	5	4
Fourteenth child	91	27	27		64	Eighth child	21	18	12	6	3
Fifteenth child	85	10	10		75	Ninth child	12	9	6	3	3
Sixteenth child	34	7	6	1	27	Tenth child	14	10	5	5	4
Seventeenth child	19	3	3		16	Eleventh child	4	4	3	1	
Eighteenth child	9				9	Twelfth child	4	3	3		1
Nineteenth child	4	1	1		3	Not stated	4	4	3	1	
Twentieth child	4				4						
Twenty-third child	1				1						
Not stated	619	185	180		434						
MISSOURI					NEW HAMPSHIRE						
Total	59,949	56,177	54,798	1,288	3,772	Total	7,808	7,802	6,382	1,409	6
First child	19,831	18,659	18,296	339	1,172	First child	2,286	2,286	2,019	263	
Second child	13,701	12,963	12,644	307	738	Second child	1,775	1,772	1,514	256	3
Third child	8,377	7,879	7,686	184	498	Third child	1,129	1,129	945	181	
Fourth child	5,595	5,231	5,066	153	364	Fourth child	782	781	631	149	1
Fifth child	3,833	3,560	3,463	90	273	Fifth child	565	565	450	115	
Sixth child	2,737	2,530	2,467	62	207	Sixth child	364	364	256	108	
Seventh child	1,886	1,728	1,673	47	158	Seventh child	270	270	184	85	
Eighth child	1,404	1,294	1,266	25	110	Eighth child	174	173	112	61	1
Ninth child	892	820	795	23	72	Ninth child	167	167	101	66	
Tenth child	671	605	578	23	66	Tenth child	90	89	50	39	1
Eleventh child	386	348	350	17	38	Eleventh child	69	69	34	35	
Twelfth child	206	187	176	9	19	Twelfth child	42	42	22	20	
Thirteenth child	126	108	103	3	18	Thirteenth child	19	19	12	7	
Fourteenth child	71	59	57	2	12	Fourteenth child	18	18	8	10	
Fifteenth child	37	31	31		6	Fifteenth child	12	12	8	4	
Sixteenth child	22	19	18	1	3	Sixteenth child	1	1		1	
Seventeenth child	10	7	7		3	Seventeenth child	6	6	3	3	
Eighteenth child	6	6	5	1	2	Nineteenth child	1	1		1	
Nineteenth child	6	6	6		2	Twentieth child	1	1		1	
Twentieth child	2	1	1		1	Not stated	37	37	33	4	
Twenty-second child	1	1	1								
Twenty-third child	1	1	1								
Not stated	146	134	128	2	12						
MONTANA					NEW JERSEY						
Total	9,091	8,391	7,504	881	700	Total	61,219	56,627	43,731	12,877	4,592
First child	2,808	2,687	2,519	165	121	First child	21,625	20,385	17,318	3,061	1,240
Second child	2,089	1,975	1,760	215	114	Second child	15,029	14,136	11,452	2,680	893
Third child	1,362	1,270	1,153	117	92	Third child	8,703	7,991	6,124	1,865	712
Fourth child	865	784	685	99	81	Fourth child	5,147	4,668	3,323	1,344	479
Fifth child	599	526	451	74	73	Fifth child	3,247	2,903	1,878	1,023	344
Sixth child	408	356	308	48	52	Sixth child	2,246	1,982	1,225	757	264
Seventh child	288	244	203	41	44	Seventh child	1,587	1,378	783	593	209
Eighth child	226	187	158	29	39	Eighth child	1,177	1,044	560	484	133
Ninth child	176	143	109	34	33	Ninth child	795	695	330	365	100
Tenth child	111	92	72	19	19	Tenth child	557	491	215	275	66
Eleventh child	71	57	42	15	14	Eleventh child	367	314	155	159	53
Twelfth child	35	30	21	9	5	Twelfth child	184	165	77	88	19
Thirteenth child	26	18	12	6	8	Thirteenth child	136	116	55	60	20
Fourteenth child	9	6	4	3	3	Fourteenth child	75	57	33	24	18
Fifteenth child	11	9	5	4	2	Fifteenth child	36	26	13	13	10
Sixteenth child	2	2	2			Sixteenth child	16	14	4	10	2
Eighteenth child	1	1				Seventeenth child	9	6	3	3	3
Twentieth child	1	1	1			Eighteenth child	5	2	1	1	3
Twenty-second child	1	1	1			Nineteenth child	4	2	1	1	2
Not stated	2	2	1			Twentieth child	1	1		1	
						Twenty-first child	1	1		1	
						Not stated	272	250	181	69	22
NEBRASKA					NEW MEXICO						
Total	25,159	24,609	23,500	1,093	550	Total	12,391	11,956	11,065	888	435
First child	8,012	7,878	7,690	181	134	First child	2,864	2,760	2,662	98	104
Second child	5,956	5,886	5,692	190	70	Second child	2,331	2,264	2,126	138	67
Third child	3,871	3,796	3,608	188	75	Third child	1,694	1,646	1,544	101	48
Fourth child	2,435	2,367	2,247	119	68	Fourth child	1,408	1,357	1,258	98	51
Fifth child	1,609	1,559	1,451	107	50	Fifth child	1,039	998	891	107	41
Sixth child	1,080	1,045	966	79	35	Sixth child	819	778	712	66	41
Seventh child	765	733	678	54	32	Seventh child	651	627	549	78	24
Eighth child	499	474	426	48	25	Eighth child	510	480	417	63	30
Ninth child	362	348	304	43	14	Ninth child	367	355	307	48	12
Tenth child	280	214	182	31	16	Tenth child	260	249	222	27	11
Eleventh child	144	135	120	15	9	Eleventh child	153	153	131	22	
Twelfth child	79	70	54	16	9	Twelfth child	113	111	92	19	2
Thirteenth child	48	44	37	7	4	Thirteenth child	73	72	61	11	1
Fourteenth child	27	24	20	4	3	Fourteenth child	36	35	31	4	1
Fifteenth child	18	17	12	5	1	Fifteenth child	26	25	22	3	1
Sixteenth child	4	4	1	3		Sixteenth child	10	10	8	2	
Seventeenth child	5	5	2	3		Seventeenth child	15	15	14	1	
Eighteenth child	2	1	1		1	Eighteenth child	3	3	2	1	
Not stated	13	9	9		4	Nineteenth child					
						Twentieth child	2	2	2		
						Twenty-first child	1	1	1		
						Not stated	16	15	13	1	1
NEVADA					NEW YORK						
Total	1,260	1,154	1,016	138	106	Total	198,431	189,405	134,826	54,564	9,026
First child	441	422	388	34	19	First child	72,012	69,317	53,486	15,826	2,695
Second child	324	302	271	31	22	Second child	51,333	49,341	35,617	13,722	1,992
Third child	177	161	139	22	16	Third child	28,895	27,435	18,770	8,662	1,460
						Fourth child	16,517	15,541	10,392	5,148	976

¹ Includes "Country not stated."

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored					
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born						
NEW YORK—continued					OHIO—continued											
Fifth child	9,988	9,325	5,955	3,369	663	Nineteenth child	5	5	2	3	---					
Sixth child	6,786	6,263	3,837	2,425	473	Twentieth child	3	3	3	---	---					
Seventh child	4,329	4,057	2,431	1,626	272	Twenty-first child	1	1	1	---	---					
Eighth child	3,021	2,825	1,604	1,222	195	Not stated	118	115	107	6	3					
Ninth child	2,059	1,940	1,052	887	119	OKLAHOMA										
Tenth child	1,372	1,298	659	639	74	Total	41,039	37,553	37,089	212	3,486					
Eleventh child	861	831	421	410	30	First child	12,353	11,267	11,156	44	1,086					
Twelfth child	542	506	233	273	36	Second child	9,144	8,511	8,429	37	633					
Thirteenth child	352	337	167	170	15	Third child	5,960	5,503	5,442	32	457					
Fourteenth child	171	165	83	77	6	Fourth child	4,089	3,738	3,688	25	331					
Fifteenth child	108	97	51	46	11	Fifth child	2,832	2,577	2,531	22	255					
Sixteenth child	36	34	16	18	2	Sixth child	2,120	1,907	1,878	14	213					
Seventeenth child	20	17	8	9	3	Seventh child	1,452	1,323	1,299	11	129					
Eighteenth child	16	16	6	10	---	Eighth child	1,062	936	920	9	126					
Nineteenth child	11	11	6	5	---	Ninth child	732	648	641	2	84					
Twentieth child	5	5	3	2	---	Tenth child	496	448	437	4	48					
Twenty-first child	1	1	1	---	---	Eleventh child	278	236	227	4	42					
Twenty-third child	1	1	---	1	---	Twelfth child	185	158	155	3	27					
Twenty-fourth child	1	1	---	1	---	Thirteenth child	110	92	88	1	18					
Not stated	44	40	23	16	4	Fourteenth child	35	30	28	2	5					
NORTH CAROLINA					OREGON											
Total	77,902	53,701	52,762	117	24,201	Total	12,847	12,563	11,648	907	284					
First child	21,595	14,631	14,001	36	6,964	First child	4,843	4,782	4,470	309	61					
Second child	14,540	10,539	10,421	19	4,001	Second child	3,462	3,417	3,197	219	45					
Third child	10,460	7,520	7,458	22	2,940	Third child	1,781	1,742	1,597	144	39					
Fourth child	8,115	5,791	5,746	15	2,324	Fourth child	999	961	879	80	38					
Fifth child	6,107	4,348	4,323	10	1,759	Fifth child	636	607	558	49	29					
Sixth child	4,741	3,230	3,216	7	1,511	Sixth child	380	361	328	33	19					
Seventh child	3,729	2,498	2,490	4	1,231	Seventh child	263	244	225	19	19					
Eighth child	2,842	1,815	1,803	2	1,027	Eighth child	175	158	143	15	17					
Ninth child	2,000	1,250	1,245	---	750	Ninth child	116	107	90	16	9					
Tenth child	1,438	854	848	2	584	Tenth child	73	71	62	9	2					
Eleventh child	934	535	534	---	399	Eleventh child	30	28	24	4	2					
Twelfth child	559	302	307	---	257	Twelfth child	24	24	19	5	---					
Thirteenth child	300	147	144	---	153	Thirteenth child	21	20	19	1	1					
Fourteenth child	175	80	80	---	95	Fourteenth child	6	5	4	1	1					
Fifteenth child	87	36	36	---	51	Fifteenth child	2	1	1	---	1					
Sixteenth child	43	15	15	---	28	Sixteenth child	3	3	3	---	---					
Seventeenth child	17	4	4	---	13	Not stated	33	32	29	3	1					
Eighteenth child	5	2	2	---	3	PENNSYLVANIA										
Nineteenth child	8	2	2	---	6	Total	168,534	160,381	139,508	20,830	8,153					
Twentieth child	1	1	1	---	---	First child	52,003	49,776	46,284	3,472	2,227					
Twenty-first child	2	1	1	---	2	Second child	36,335	34,770	31,506	3,260	1,565					
Twenty-fourth child	1	1	1	---	---	Third child	23,952	22,801	20,208	2,585	1,151					
Not stated	203	100	90	---	103	Fourth child	16,254	15,328	13,106	2,221	926					
NORTH DAKOTA					RHODE ISLAND											
Total	14,047	13,753	12,290	1,461	294	Total	11,171	10,963	8,073	2,887	208					
First child	3,836	3,781	3,616	165	55	First child	3,483	3,438	2,880	557	45					
Second child	2,867	2,818	2,667	151	49	Second child	2,528	2,480	1,965	525	38					
Third child	2,067	2,030	1,854	175	37	Third child	1,596	1,573	1,150	423	23					
Fourth child	1,475	1,443	1,288	155	32	Fourth child	1,072	1,038	780	281	20					
Fifth child	1,084	1,060	918	142	24	Fifth child	713	692	481	261	21					
Sixth child	740	720	608	112	20	Sixth child	509	494	295	198	15					
Seventh child	606	582	453	129	24	Seventh child	364	346	202	144	13					
Eighth child	411	397	291	105	14	Eighth child	265	254	130	123	11					
Ninth child	324	305	215	90	19	Ninth child	201	196	98	98	5					
Tenth child	236	230	157	73	6	Tenth child	141	134	69	65	7					
Eleventh child	178	170	101	69	8	Eleventh child	76	73	28	45	3					
Twelfth child	89	86	55	31	3	Twelfth child	66	66	24	42	---					
Thirteenth child	55	53	31	22	2	OHIO										
Fourteenth child	43	43	21	21	---	Total	101,753	96,961	88,522	8,409	4,792					
Fifteenth child	18	17	6	11	1	First child	32,239	30,966	29,261	1,697	1,273					
Sixteenth child	9	9	2	7	---	Second child	24,041	23,079	21,303	1,767	962					
Seventeenth child	1	1	---	1	---	Third child	14,877	14,239	12,993	1,243	638					
Eighteenth child	1	1	---	---	---	Fourth child	9,504	9,005	8,103	901	499					
Nineteenth child	2	2	1	1	---	Fifth child	6,501	6,092	5,367	723	409					
Twenty-first child	1	1	1	---	---	Sixth child	4,552	4,281	3,737	544	271					
Not stated	4	4	3	1	---	Seventh child	3,329	3,084	2,629	451	245					
OHIO					RHODE ISLAND											
Total	101,753	96,961	88,522	8,409	4,792	Total	11,171	10,963	8,073	2,887	208					
First child	32,239	30,966	29,261	1,697	1,273	First child	3,483	3,438	2,880	557	45					
Second child	24,041	23,079	21,303	1,767	962	Second child	2,528	2,480	1,965	525	38					
Third child	14,877	14,239	12,993	1,243	638	Third child	1,596	1,573	1,150	423	23					
Fourth child	9,504	9,005	8,103	901	499	Fourth child	1,072	1,038	780	281	20					
Fifth child	6,501	6,092	5,367	723	409	Fifth child	713	692	481	261	21					
Sixth child	4,552	4,281	3,737	544	271	Sixth child	509	494	295	198	15					
Seventh child	3,329	3,084	2,629	451	245	Seventh child	364	346	202	144	13					
Eighth child	2,326	2,153	1,813	339	173	Eighth child	265	254	130	123	11					
Ninth child	1,581	1,465	1,210	255	116	Ninth child	201	196	98	98	5					
Tenth child	1,154	1,071	880	191	83	Tenth child	141	134	69	65	7					
Eleventh child	647	602	500	102	45	Eleventh child	76	73	28	45	3					
Twelfth child	401	369	288	81	32	Twelfth child	66	66	24	42	---					
Thirteenth child	228	204	158	46	24	¹ Includes "Country not stated."										
Fourteenth child	118	110	81	29	8											
Fifteenth child	59	55	44	11	4											
Sixteenth child	43	39	28	11	4											
Seventeenth child	20	18	10	8	2											
Eighteenth child	6	5	4	1	1											

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
RHODE ISLAND—continued					UTAH—continued						
Thirteenth child.....	49	49	13	36		Eleventh child.....	84	81	74	7	3
Fourteenth child.....	21	20	8	12	1	Twelfth child.....	40	39	33	6	1
Fifteenth child.....	18	18	8	10		Thirteenth child.....	30	30	24	6	
Sixteenth child.....	1	1		1		Fourteenth child.....	15	14	11	3	1
Seventeenth child.....	3	3	1	2		Fifteenth child.....	2	2	1	1	
Eighteenth child.....	1	1		1		Sixteenth child.....	3	3	3		
Nineteenth child.....	2	2	2			Seventeenth child.....	1	1		1	
Twentieth child.....	1				1	Twenty-first child.....	1	1		1	
Not stated.....	55	55	39	16		Not stated.....	67	67	64	3	
SOUTH CAROLINA					VERMONT						
Total.....	41,518	20,072	20,005	65	21,446	Total.....	6,030	6,026	5,152	869	4
First child.....	12,835	5,832	5,817	14	7,003	First child.....	1,681	1,681	1,610	167	
Second child.....	8,214	4,139	4,120	19	4,075	Second child.....	1,314	1,314	1,159	154	
Third child.....	5,370	2,784	2,776	8	2,586	Third child.....	925	923	796	127	2
Fourth child.....	4,117	2,056	2,048	8	2,061	Fourth child.....	647	647	532	115	
Fifth child.....	3,089	1,555	1,549	6	1,534	Fifth child.....	415	415	356	59	
Sixth child.....	2,303	1,168	1,166	2	1,135	Sixth child.....	331	331	271	60	
Seventh child.....	1,753	849	844	5	904	Seventh child.....	225	225	172	53	
Eighth child.....	1,238	587	585	2	651	Eighth child.....	166	166	117	49	
Ninth child.....	948	455	455		493	Ninth child.....	108	108	81	27	
Tenth child.....	653	275	275		378	Tenth child.....	85	84	67	17	1
Eleventh child.....	409	164	163	1	245	Eleventh child.....	52	51	35	16	1
Twelfth child.....	283	110	110		173	Twelfth child.....	37	37	25	12	
Thirteenth child.....	147	44	44		103	Thirteenth child.....	25	25	14	11	
Fourteenth child.....	73	24	24		49	Fourteenth child.....	9	9	8	1	
Fifteenth child.....	32	10	10		22	Fifteenth child.....	1	1	1		
Sixteenth child.....	11	1	1		10	Sixteenth child.....	2	2	1	1	
Seventeenth child.....	2				2	Seventeenth child.....	2	2	2		
Eighteenth child.....	1				1	Not stated.....	5	5	5		
Not stated.....	40	19	18		21						
SOUTH DAKOTA					VIRGINIA						
Total.....	13,241	12,608	11,885	653	633	Total.....	54,582	38,515	38,211	296	16,067
First child.....	3,753	3,604	3,488	99	149	First child.....	15,198	10,877	10,795	80	4,321
Second child.....	2,920	2,823	2,690	107	92	Second child.....	10,631	7,864	7,798	66	2,767
Third child.....	2,044	1,959	1,867	85	85	Third child.....	7,300	5,380	5,307	52	1,940
Fourth child.....	1,367	1,306	1,226	76	61	Fourth child.....	5,150	3,761	3,733	26	1,389
Fifth child.....	993	913	841	67	80	Fifth child.....	4,112	2,949	2,921	22	1,169
Sixth child.....	730	636	628	54	44	Sixth child.....	3,309	2,240	2,225	15	1,089
Seventh child.....	511	473	424	42	38	Seventh child.....	2,674	1,674	1,663	11	900
Eighth child.....	354	321	281	39	33	Eighth child.....	1,943	1,235	1,227	7	708
Ninth child.....	198	179	158	21	19	Ninth child.....	1,472	935	930	5	537
Tenth child.....	145	132	106	25	13	Tenth child.....	1,039	619	616	3	420
Eleventh child.....	91	85	71	13	6	Eleventh child.....	693	400	396	4	293
Twelfth child.....	56	51	44	7	5	Twelfth child.....	485	270	269	1	128
Thirteenth child.....	30	26	22	4	4	Thirteenth child.....	259	131	130	1	75
Fourteenth child.....	22	22	16	6		Fourteenth child.....	146	71	69	2	57
Fifteenth child.....	10	10	6	4		Fifteenth child.....	96	39	39		22
Sixteenth child.....	7	7	4	3		Sixteenth child.....	44	22	21	1	18
Seventeenth child.....	2	2	1	1		Seventeenth child.....	32	14	13	1	10
Not stated.....	8	4	3		4	Eighteenth child.....	18	8	8		1
						Nineteenth child.....	1				1
						Twentieth child.....	1	1	1		2
						Twenty-first child.....	2				2
						Twenty-second child.....	2				1
						Twenty-third child.....	1				1
						Not stated.....	74	51	50		23
TENNESSEE					WASHINGTON						
Total.....	52,491	44,406	44,222	151	8,085	Total.....	21,379	20,654	18,419	2,229	725
First child.....	15,430	12,878	12,822	41	2,552	First child.....	7,813	7,642	6,953	687	171
Second child.....	10,719	9,176	9,132	41	1,543	Second child.....	5,602	5,487	4,918	568	115
Third child.....	7,523	6,431	6,406	19	1,092	Third child.....	3,150	3,064	2,703	361	86
Fourth child.....	5,300	4,550	4,528	21	750	Fourth child.....	1,809	1,706	1,495	214	100
Fifth child.....	3,916	3,353	3,343	8	563	Fifth child.....	1,059	992	854	138	67
Sixth child.....	2,912	2,471	2,465	5	441	Sixth child.....	743	672	594	78	71
Seventh child.....	2,271	1,904	1,897	7	367	Seventh child.....	438	412	348	63	46
Eighth child.....	1,552	1,329	1,325	2	223	Eighth child.....	283	256	215	41	27
Ninth child.....	1,115	923	922	1	192	Ninth child.....	170	153	124	29	17
Tenth child.....	715	583	580	3	132	Tenth child.....	128	116	99	17	12
Eleventh child.....	450	363	361	2	87	Eleventh child.....	73	69	55	14	4
Twelfth child.....	249	192	191		57	Twelfth child.....	35	31	26	5	4
Thirteenth child.....	134	104	103	1	30	Thirteenth child.....	21	21	16	5	
Fourteenth child.....	56	36	35		20	Fourteenth child.....	12	10	10		2
Fifteenth child.....	28	25	25		3	Fifteenth child.....	6	6	2	4	
Sixteenth child.....	11	7	7		4	Sixteenth child.....	1	1	1		
Seventeenth child.....	5	3	3		2	Seventeenth child.....	2	2	1	1	
Eighteenth child.....	4	1	1		3	Eighteenth child.....	2	1	1		1
Nineteenth child.....	2	2	2			Nineteenth child.....	1	1		1	
Not stated.....	99	75	74		24	Twenty-first child.....	1				1
						Not stated.....	10	9	5	2	1
UTAH					WEST VIRGINIA						
Total.....	11,974	11,865	11,119	742	109	Total.....	38,803	36,597	35,689	908	2,206
First child.....	3,362	3,355	3,205	146	7	First child.....	9,843	9,323	9,231	92	520
Second child.....	2,645	2,630	2,497	133	15	Second child.....	7,386	7,035	6,903	132	351
Third child.....	1,827	1,816	1,710	106	11	Third child.....	5,664	5,362	5,248	114	302
Fourth child.....	1,296	1,283	1,182	101	15	Fourth child.....	4,098	3,849	3,746	103	244
Fifth child.....	876	861	792	69	15						
Sixth child.....	582	567	517	50	15						
Seventh child.....	451	438	400	38	13						
Eighth child.....	306	298	271	27	8						
Ninth child.....	234	232	206	26	2						
Tenth child.....	150	148	130	18	2						

¹ Includes "County not stated."

GENERAL TABLES

TABLE 7.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY COLOR, AND FOR WHITE BY NATIVITY OF MOTHER: 1932—Continued

AREA AND NUMBER OF CHILD	All births	WHITE			Colored	AREA AND NUMBER OF CHILD	All births	WHITE			Colored
		Total ¹	Mother native	Mother foreign-born				Total ¹	Mother native	Mother foreign-born	
WEST VIRGINIA—continued					WISCONSIN—continued						
Fifth child.....	3,159	2,973	2,878	95	186	Eleventh child.....	312	311	255	56	1
Sixth child.....	2,482	2,327	2,250	77	155	Twelfth child.....	212	211	169	42	1
Seventh child.....	1,852	1,738	1,681	57	114	Thirteenth child.....	126	125	98	27	1
Eighth child.....	1,404	1,302	1,245	57	102	Fourteenth child.....	61	59	50	9	2
Ninth child.....	986	924	871	53	72	Fifteenth child.....	31	31	20	11	-----
Tenth child.....	774	715	666	49	59	Sixteenth child.....	16	16	14	2	-----
Eleventh child.....	443	418	387	31	25	Seventeenth child.....	5	5	4	1	-----
Twelfth child.....	289	266	249	17	23	Eighteenth child.....	3	3	3	-----	-----
Thirteenth child.....	192	172	158	14	20	Nineteenth child.....	1	1	1	-----	-----
Fourteenth child.....	111	99	92	7	12	Twentieth child.....	1	1	1	-----	-----
Fifteenth child.....	51	44	37	7	7	Twenty-third child.....	1	1	1	-----	-----
Sixteenth child.....	26	20	19	1	6	Not stated.....	65	63	59	3	2
Seventeenth child.....	12	9	8	1	3	WYOMING					
Eighteenth child.....	11	8	7	1	3	Total.....					
Nineteenth child.....	4	4	4	-----	-----	4,249	3,946	3,653	285	303	
Twentieth child.....	3	3	3	-----	-----	First child.....					
Twenty-first child.....	3	3	3	-----	-----	1,311	1,271	1,212	54	40	
Twenty-third child.....	1	1	1	-----	-----	979	927	865	62	52	
Twenty-fourth child.....	1	1	1	-----	-----	654	610	575	34	44	
Not stated.....	3	1	1	-----	2	431	401	363	37	30	
WISCONSIN					Second child.....						
Total.....	53,107	52,666	48,810	3,815	441	259	239	216	23	20	
First child.....	16,682	16,553	15,742	801	129	Fifth child.....	195	162	149	13	33
Second child.....	12,539	12,451	11,615	823	88	Sixth child.....	138	118	106	11	20
Third child.....	8,174	8,121	7,565	552	53	Seventh child.....	96	79	62	17	17
Fourth child.....	5,109	5,065	4,667	391	44	Eighth child.....	63	46	38	8	17
Fifth child.....	3,304	3,273	2,982	311	31	Ninth child.....	52	36	30	6	16
Sixth child.....	2,393	2,368	2,099	268	25	Tenth child.....	22	17	9	8	5
Seventh child.....	1,649	1,629	1,442	184	20	Eleventh child.....	20	17	13	4	3
Eighth child.....	1,140	1,118	961	153	24	Twelfth child.....	15	12	7	5	3
Ninth child.....	781	770	655	115	11	Thirteenth child.....	3	2	2	-----	1
Tenth child.....	502	493	427	66	9	Fourteenth child.....	3	2	1	-----	1
						Fifteenth child.....	2	1	1	-----	1
						Sixteenth child.....	2	1	1	-----	1
						Not stated.....	6	6	4	-----	-----

¹ Includes "County not stated."

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND COLOR: 1932

AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS		
	Total	White	Colored		Total	White	Colored		Total	White	Colored
CASES OF TWINS				CASES OF TWINS—Con.				CASES OF TWINS—Con.			
REGISTRATION AREA IN CONTINENTAL UNITED STATES				COLORADO—continued				ILLINOIS			
Total	25,089	21,062	4,027	Two females	61	54	7	Two males	413	392	21
Two males	8,468	7,164	1,304	Both living	58	52	6	Both living	365	351	14
Both living	7,423	6,385	1,038	One living	2	1	1	One living	31	26	5
One living	596	459	137	Both stillborn	1	1	---	Both stillborn	17	15	2
Both stillborn	449	320	129	CONNECTICUT				One male, one female	423	388	37
One male, one female	8,570	7,102	1,468	Two males	70	68	2	Both living	359	357	32
Both living	7,594	6,402	1,192	Both living	64	62	2	One living	13	12	1
One living	345	277	68	One living	3	3	---	Both stillborn	9	5	4
Both stillborn	360	267	93	Both stillborn	3	3	---	Two females	409	376	33
Two females	8,043	6,790	1,253	One male, one female	87	86	1	Both living	371	342	29
Both living	7,219	6,184	1,035	Both living	80	80	---	One living	25	21	4
One living	449	362	121	One living	2	2	---	Both stillborn	13	13	---
Both stillborn	341	244	97	Both stillborn	3	3	---	INDIANA			
Both unknown	8	6	2	Two females	72	70	2	Two males	224	214	10
Both stillborn	8	6	2	Both living	69	67	2	Both living	200	191	9
ALABAMA				One living	1	1	---	One living	17	16	1
Two males	296	182	114	Both stillborn	2	1	1	Both stillborn	7	7	---
Both living	252	162	90	Two females	10	6	4	One male, one female	195	189	6
One living	29	15	14	Both living	10	6	4	Both living	177	172	5
Both stillborn	15	5	10	One living	1	1	---	One living	9	8	1
One male, one female	311	191	120	Both stillborn	1	1	---	Both stillborn	1	1	---
Both living	261	172	89	Two males	16	13	3	Two females	207	200	7
One living	17	9	8	Both living	14	11	3	Both living	191	184	7
Both stillborn	18	5	13	One male, one female	2	2	---	One living	12	12	---
Two females	272	148	124	Both living	12	11	1	Both stillborn	4	4	---
Both living	236	131	105	One living	1	1	---	Both unknown	1	---	1
One living	22	10	12	Two females	10	6	4	Both stillborn	1	---	1
Both stillborn	14	7	7	Both living	10	6	4	IOWA			
ARIZONA				DISTRICT OF COLUMBIA				Two males	139	139	---
Two males	22	11	11	Two males	39	19	20	Both living	127	127	---
Both living	18	9	9	Both living	34	19	15	One living	4	4	---
One living	3	1	2	One living	4	---	4	Both stillborn	8	8	---
Both stillborn	1	1	---	Both stillborn	1	---	1	One male, one female	143	143	---
One male, one female	46	23	23	One male, one female	35	19	16	Both living	127	127	---
Both living	42	21	21	Both living	28	15	13	One living	5	5	---
One living	1	1	---	One living	4	2	2	Both stillborn	7	7	---
Both stillborn	2	1	1	Two females	39	24	15	Two females	147	146	1
Two females	30	17	13	Both living	35	21	14	Both living	140	139	1
Both living	28	17	11	One living	2	2	---	One living	4	4	---
One living	2	---	2	Both stillborn	2	1	1	Both stillborn	3	3	---
ARKANSAS				FLORIDA				KANSAS			
Two males	193	142	51	Two males	110	69	41	Two males	116	109	7
Both living	163	119	44	Both living	96	63	33	Both living	104	97	7
One living	14	14	---	One living	10	4	6	One living	8	8	---
Both stillborn	16	9	7	Both stillborn	4	2	2	Both stillborn	4	4	---
One male, one female	263	212	51	One male, one female	130	80	50	One male, one female	121	114	7
Both living	220	175	45	Both living	115	73	42	Both living	111	106	5
One living	13	13	---	One living	5	3	2	One living	5	5	---
Both stillborn	19	19	---	Both stillborn	5	1	4	Both stillborn	4	3	1
Two females	182	144	38	Two females	110	75	35	Two females	113	104	9
Both living	155	121	34	Both living	95	68	27	Both living	109	100	9
One living	17	17	---	One living	10	6	4	One living	3	3	---
Both stillborn	10	6	4	Both stillborn	5	1	4	Both stillborn	1	1	---
CALIFORNIA				GEORGIA				KENTUCKY			
Two males	314	247	67	Two males	274	152	122	Two males	270	254	16
Both living	283	224	59	Both living	233	136	97	Both living	246	233	13
One living	21	15	6	One living	17	10	7	One living	14	13	1
Both stillborn	10	8	2	Both stillborn	24	6	18	Both stillborn	10	8	2
One male, one female	288	240	48	One male, one female	285	169	116	One male, one female	292	278	14
Both living	258	217	41	Both living	242	154	88	Both living	254	241	13
One living	15	11	4	One living	13	6	7	One living	10	10	---
Both stillborn	6	5	1	Both stillborn	7	2	5	Both stillborn	13	12	1
Two females	300	246	54	Two females	276	150	126	Two females	15	15	---
Both living	273	229	44	Both living	234	134	100	Both stillborn	266	247	19
One living	22	15	7	One living	18	5	13	Both living	238	223	15
Both stillborn	5	2	3	Both stillborn	24	11	13	One living	14	12	2
COLORADO				IDAHO				LOUISIANA			
Two males	68	65	3	Two males	41	40	1	Two males	196	115	81
Both living	60	58	2	Both living	39	38	1	Both living	173	107	66
One living	7	6	1	One living	1	1	---	One living	9	1	8
Both stillborn	1	1	---	Both stillborn	1	1	---	Both stillborn	14	7	7
One male, one female	62	54	8	One male, one female	31	30	1	One male, one female	215	121	94
Both living	57	49	8	Both living	28	27	1	Both living	187	111	76
One living	2	2	---	One living	1	1	---	One living	5	3	2
Both stillborn	1	1	---	Both stillborn	1	1	---	Both stillborn	13	6	8
CONNECTICUT				ILLINOIS				MAINE			
Two males	70	68	2	Two males	41	40	1	Two males	59	59	---
Both living	64	62	2	Both living	39	38	1	Both living	53	53	---
One living	3	3	---	One living	1	1	---	One living	6	6	---
Both stillborn	3	3	---	Both stillborn	1	1	---	MISSISSIPPI			
One male, one female	87	86	1	One male, one female	31	30	1	Two males	175	89	86
Both living	80	80	---	Both living	28	27	1	Both living	152	82	70
One living	2	2	---	One living	3	3	---	One living	13	3	10
Both stillborn	3	3	---	Both stillborn	1	1	---	Both stillborn	10	4	6

GENERAL TABLES

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND COLOR: 1932—Continued

AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS				
	Total	White	Colored		Total	White	Colored		Total	White	Colored		
CASES OF TWINS—Con.			CASES OF TWINS—Con.			CASES OF TWINS—Con.			CASES OF TWINS—Con.				
MAINE—continued			MISSOURI—continued			NEW YORK			NEW YORK				
One male, one female.....	65	63	2	One male, one female.....	230	207	23	Two males.....	746	707	39		
Both living.....	61	59	2	Both living.....	195	175	20	Both living.....	691	656	35		
One living.....	2	2	—	One living.....	17	15	2	One living.....	13	12	1		
Two females.....	64	64	—	Both stillborn.....	11	11	—	Both stillborn.....	42	39	3		
Both living.....	55	55	—	Two females.....	217	201	16	One male, one female.....	622	582	40		
One living.....	6	6	—	Both living.....	189	176	13	Both living.....	592	555	37		
Both stillborn.....	3	3	—	One living.....	16	13	3	One living.....	7	7	—		
MARYLAND			MONTANA			NORTH CAROLINA			NORTH CAROLINA				
Two males.....	122	90	32	Two males.....	37	34	3	Two males.....	375	233	142		
Both living.....	96	78	18	Both living.....	27	26	1	Both living.....	317	207	110		
One living.....	17	7	10	One living.....	6	5	1	One living.....	31	14	17		
Both stillborn.....	9	5	4	Both stillborn.....	4	3	1	Both stillborn.....	27	12	15		
One male, one female.....	108	64	44	One male, one female.....	31	30	1	One male, one female.....	412	245	167		
Both living.....	92	54	38	Both living.....	29	28	1	Both living.....	343	217	126		
One living.....	6	3	3	Both stillborn.....	2	2	—	One living.....	18	6	12		
Both stillborn.....	5	4	1	Two females.....	36	32	4	Both stillborn.....	31	15	16		
Two females.....	113	81	32	Both living.....	31	27	4	Two females.....	381	252	129		
Both living.....	101	73	28	One living.....	4	4	—	Both living.....	326	225	101		
One living.....	5	3	2	Both stillborn.....	1	1	—	One living.....	37	19	18		
Both stillborn.....	7	5	2	NEBRASKA			NORTH DAKOTA			NORTH DAKOTA			
Both unknown.....	1	1	—	Two males.....	99	97	2	Two males.....	60	59	1		
Both stillborn.....	1	1	—	Both living.....	90	88	2	Both living.....	56	55	1		
MASSACHUSETTS			NEBRASKA			OHIO			OHIO				
Two males.....	269	265	4	One living.....	7	7	—	Two males.....	417	401	16		
Both living.....	241	238	3	Both stillborn.....	2	2	—	Both living.....	354	341	13		
One living.....	19	19	—	One male, one female.....	96	95	1	One living.....	39	38	1		
Both stillborn.....	9	8	1	Both living.....	87	86	1	Both stillborn.....	24	22	2		
One male, one female.....	239	238	1	One living.....	6	6	—	One male, one female.....	362	333	29		
Both living.....	223	222	1	Both stillborn.....	1	1	—	Both living.....	334	310	24		
One living.....	9	9	—	Two females.....	101	100	1	One living.....	8	6	2		
Both stillborn.....	1	1	—	Both living.....	93	92	1	Both stillborn.....	14	11	3		
Two females.....	238	237	1	One living.....	4	4	—	Two females.....	387	368	19		
Both living.....	212	211	1	Both stillborn.....	4	4	—	Both living.....	345	328	17		
One living.....	14	14	—	NEVADA			OHIO			OHIO			
Both stillborn.....	12	12	—	Two males.....	5	5	—	One living.....	30	28	2		
MICHIGAN			NEVADA			OHIO			OHIO				
Two males.....	314	298	16	Both living.....	2	2	—	Both stillborn.....	12	12	—		
Both living.....	294	279	15	One living.....	1	1	—	Both unknown.....	1	1	—		
One living.....	18	17	1	Both stillborn.....	2	2	—	Both stillborn.....	1	1	—		
Both stillborn.....	9	8	1	One male, one female.....	1	1	—	OKLAHOMA			OKLAHOMA		
One male, one female.....	239	238	1	Both living.....	1	1	—	Two males.....	187	167	20		
Both living.....	223	222	1	One living.....	6	5	1	Both living.....	170	152	18		
One living.....	9	9	—	Both stillborn.....	1	1	—	One living.....	9	8	1		
Both stillborn.....	1	1	—	Two females.....	6	5	1	Both stillborn.....	8	7	1		
Two females.....	238	237	1	Both living.....	4	3	1	One male, one female.....	196	177	19		
Both living.....	212	211	1	One living.....	1	1	—	Both living.....	173	156	17		
One living.....	14	14	—	Both stillborn.....	1	1	—	One living.....	10	10	—		
Both stillborn.....	12	12	—	NEW HAMPSHIRE			OHIO			OHIO			
MINNESOTA			NEW HAMPSHIRE			OHIO			OHIO				
Two males.....	205	202	3	Two males.....	18	18	—	Two females.....	165	151	14		
Both living.....	184	181	3	Both living.....	18	18	—	Both living.....	151	138	13		
One living.....	16	16	—	One living.....	18	18	—	One living.....	9	9	—		
Both stillborn.....	5	5	—	Both stillborn.....	33	33	—	Both stillborn.....	5	4	1		
One male, one female.....	214	212	2	One living.....	32	32	—	OREGON			OREGON		
Both living.....	196	194	2	Both stillborn.....	1	1	—	Two males.....	42	41	1		
One living.....	4	4	—	NEW JERSEY			OREGON			OREGON			
Both stillborn.....	9	9	—	Two males.....	231	218	13	Both living.....	38	37	1		
Two females.....	278	268	10	Both living.....	199	186	13	One living.....	2	2	—		
Both living.....	267	259	8	One living.....	19	19	—	Both stillborn.....	2	2	—		
One living.....	1	1	—	Both stillborn.....	13	13	—	One male, one female.....	33	31	2		
Both stillborn.....	10	8	2	One male, one female.....	212	196	16	Both living.....	25	23	2		
MISSISSIPPI			NEW JERSEY			OREGON			OREGON				
Two males.....	225	97	128	Two males.....	231	218	13	Two males.....	42	41	1		
Both living.....	186	83	103	Both living.....	199	186	13	Both living.....	38	37	1		
One living.....	18	5	13	One living.....	19	19	—	One living.....	2	2	—		
Both stillborn.....	21	9	12	Both stillborn.....	13	13	—	Both stillborn.....	2	2	—		
One male, one female.....	238	106	132	One male, one female.....	212	196	16	One male, one female.....	33	31	2		
Both living.....	193	84	109	Both living.....	183	171	12	Both living.....	25	23	2		
One living.....	13	9	4	One living.....	6	5	1	One living.....	4	4	—		
Both stillborn.....	17	7	10	Both stillborn.....	14	11	3	Both stillborn.....	3	3	—		
Two females.....	224	96	128	Two females.....	9	9	—	Two females.....	47	47	—		
Both living.....	195	89	106	Both living.....	237	227	10	Both living.....	42	42	—		
One living.....	18	5	13	One living.....	211	203	8	One living.....	2	2	—		
Both stillborn.....	11	2	9	Both stillborn.....	18	16	2	Both stillborn.....	3	3	—		
MISSOURI			NEW JERSEY			OREGON			OREGON				
Two males.....	255	228	27	Two males.....	231	218	13	Two males.....	42	41	1		
Both living.....	220	204	16	Both living.....	199	186	13	Both living.....	38	37	1		
One living.....	21	18	3	One living.....	19	19	—	One living.....	2	2	—		
Both stillborn.....	14	6	8	Both stillborn.....	13	13	—	Both stillborn.....	2	2	—		

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND COLOR: 1932—Continued

AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS			AREA AND SEX	PLURAL BIRTHS		
	Total	White	Colored		Total	White	Colored		Total	White	Colored
CASES OF TRIPLETS—Con.				CASES OF TRIPLETS—Con.				CASES OF TRIPLETS—Con.			
INDIANA				MISSOURI				OHIO—continued			
One male, two females.....	1	1		Three males.....	3	3	Two males, one female.....	3	3		
All living.....	1	1		All living.....	3	3	All living.....	2	2		
Three females.....	1	1		Two males, one female.....	4	4	Two living..... 1 M, 1 F.....	1	1		
All living.....	1	1		All living.....	3	3	One male, two females.....	1	1		
IOWA				One living..... M.....	1	1	All living.....	1	1		
Two males, one female.....	1	1		One male, two females.....	3	3	Three females.....	3	3		
All living.....	1	1		All living.....	3	3	All living.....	2	2		
One male, two females.....	3	3		Three females.....	1	1	Two living.....	1	1		
All living.....	2	2		All living.....	1	1	OKLAHOMA				
All stillborn.....	1	1		MONTANA				Three males.....	1	1	
KANSAS				Three males.....	1	1	All living.....	1	1		
One male, two females.....	1	1		All living.....	1	1	Two males, one female.....	2	2		
All living.....	1	1		NEBRASKA				Two living..... 2 M.....	1	1	
Three females.....	1	1		One male, two females.....	1	1	All stillborn.....	1	1		
One living.....	1	1		All living.....	1	1	One male, two females.....	3	3		
KENTUCKY				Three females.....	1	1	All living.....	3	3		
Three males.....	2	2		All living.....	1	1	Three females.....	1	1		
All living.....	2	2		NEW HAMPSHIRE				All living.....	1	1	
Two males, one female.....	2	2		Three males.....	2	2	Three females.....	1	1		
All living.....	1	1		All living.....	2	2	All living.....	1	1		
All stillborn.....	1	1		Three females.....	1	1	Three females.....	1	1		
One male, two females.....	1	1		All living.....	1	1	All living.....	1	1		
All living.....	1	1		NEW JERSEY				Three males.....	1	1	
Three females.....	4	4		Three males.....	1	1	All living.....	1	1		
All living.....	4	4		All living.....	1	1	Two males, one female.....	2	2		
LOUISIANA				Two males, one female.....	2	2	All living.....	1	1		
Three males.....	1		1	All living.....	1	1	Two living..... 2 M.....	1	1		
Two living.....	1		1	One male, two females.....	1	1	All living.....	1	1		
Two males, one female.....	1	1		All living.....	1	1	One male, two females.....	3	3		
One living..... M.....	1	1		Three females.....	1	1	All living.....	3	3		
Three females.....	1		1	All living.....	1	1	Two living..... 2 F.....	1	1		
Two living.....	1		1	NEW MEXICO				One living..... M.....	1	1	
MARYLAND				Two males, one female.....	1	1	Three females.....	3	3		
One male, two females.....	1		1	All living.....	1	1	All living.....	2	2		
All living.....	1		1	One male, two females.....	2	2	Two living.....	1	1		
MASSACHUSETTS				All living.....	1	1	Two living..... 1 M, 1 F.....	1	1		
Three males.....	2	2		NEW YORK				Three males.....	5	5	
All living.....	1	1		Three males.....	5	5	All living.....	2	2		
All stillborn.....	1	1		All living.....	2	2	Two living.....	1	1		
Two males, one female.....	2	2		Two living.....	1	1	All stillborn.....	2	2		
All living.....	2	2		All stillborn.....	2	2	Two males, one female.....	3	2	1	
One male, two females.....	1	1		Two males, one female.....	3	2	All living.....	4	4		
All living.....	1	1		All living.....	1	1	One male, two females.....	2	2		
Three females.....	3	3		Two living..... { 2 M.....	1	1	All living.....	1	1		
All living.....	2	2		{ 1 M, 1 F.....	1	1	Two living..... 2 F.....	1	1		
All stillborn.....	1	1		One male, two females.....	4	3	Three females.....	3	2	1	
MICHIGAN				All living.....	2	1	All living.....	3	2	1	
Three males.....	1	1		One living..... { M.....	1	1	All living.....	3	2	1	
All living.....	1	1		{ F.....	1	1	SOUTH DAKOTA				
Two males, one female.....	3	3		Three females.....	11	10	One male, two females.....	1	1		
All living.....	3	3		Two living.....	4	4	All living.....	1	1		
One male, two females.....	4	4		One living.....	7	6	TENNESSEE				
All living.....	4	4		NORTH CAROLINA				Three males.....	3	2	1
Three females.....	2	2		Three males.....	4	4	All living.....	3	2	1	
All living.....	2	2		All living.....	4	4	Three females.....	3	3		
MINNESOTA				Two males, one female.....	5	2	All living.....	2	2		
Three males.....	4	4		All living.....	4	2	Two living.....	1	1		
All living.....	3	3		Two living..... 2 M.....	1	1	One male, two females.....	8	6	2	
Two living.....	1	1		One male, two females.....	8	5	All living.....	6	5	1	
Two males, one female.....	1	1		All living.....	6	5	All stillborn.....	1	1		
Two living..... 2 M.....	1	1		One living..... F.....	1	1	Three females.....	3	2	1	
One male, two females.....	1	1		Three females.....	11	10	All living.....	1	1		
All living.....	1	1		Two living.....	4	4	UTAH				
MISSISSIPPI				One living.....	7	6	Two males, one female.....	1	1		
Three males.....	2	1	1	NORTH DAKOTA				All living.....	1	1	
All living.....	1	1		Three males.....	1	1	VIRGINIA				
All stillborn.....	1		1	All stillborn.....	1	1	Two males, one female.....	2	1	1	
Two males, one female.....	2	2		One male, two females.....	1	1	All living.....	2	1	1	
All living.....	1	1		All living.....	1	1	One male, two females.....	1	1		
All stillborn.....	1	1		OHIO				Two living..... 1 M, 1 F.....	1	1	
One male, two females.....	2	2		Three males.....	1	1	WASHINGTON				
All living.....	1	1		All living.....	1	1	Three males.....	1	1		
Two living..... 1 M, 1 F.....	1	1		OHIO				All living.....	1	1	
One living..... F.....	1	1		Three males.....	1	1	Three females.....	2	2		
Three females.....	4	1	3	All living.....	1	1	All living.....	1	1		
All living.....	3	1	2	OHIO				All stillborn.....	1	1	
One living..... F.....	1	1		Three males.....	1	1					

GENERAL TABLES

TABLE 10.—STILLBIRTHS, BY MONTH: 1932

AREA AND SEX	All stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION AREA IN CONTINENTAL UNITED STATES													
Total.....	78,351	6,993	6,645	7,081	6,634	6,847	6,427	6,467	6,566	6,131	6,344	6,059	6,217
Male.....	43,673	3,867	3,742	3,996	3,704	3,879	3,570	3,549	3,722	3,342	3,591	3,295	3,416
Female.....	33,133	2,929	2,751	2,945	2,806	2,837	2,720	2,802	2,698	2,670	2,636	2,639	2,700
Not stated.....	1,545	137	152	140	124	131	137	116	146	119	117	125	101
Cities of 10,000 or more.....	37,593	3,397	3,169	3,279	3,016	3,217	3,045	3,243	3,168	2,873	3,112	2,966	3,168
Male.....	20,631	1,858	1,724	1,870	1,682	1,779	1,659	1,772	1,750	1,537	1,741	1,585	1,674
Female.....	15,995	1,484	1,338	1,316	1,262	1,363	1,306	1,397	1,325	1,268	1,303	1,295	1,369
Not stated.....	966	85	107	93	72	75	80	74	93	68	68	86	65
Cities of 2,500 to 10,000.....	7,833	678	667	730	693	655	671	629	646	651	613	626	574
Male.....	4,422	393	403	406	379	368	392	345	356	341	346	337	326
Female.....	3,298	275	256	316	304	275	266	273	253	300	251	284	245
Not stated.....	113	10	8	8	10	12	13	11	7	10	16	5	3
Rural.....	32,925	2,858	2,809	3,072	2,925	2,975	2,711	2,595	2,752	2,607	2,619	2,467	2,535
Male.....	18,620	1,616	1,615	1,720	1,643	1,732	1,519	1,432	1,586	1,464	1,504	1,373	1,416
Female.....	13,839	1,200	1,157	1,313	1,240	1,199	1,148	1,132	1,120	1,102	1,082	1,060	1,086
Not stated.....	466	42	37	39	42	44	44	31	46	41	33	34	33
ALABAMA													
Total.....	3,089	270	273	300	260	278	282	209	259	258	237	235	228
Cities of 10,000 or more.....	637	60	57	72	48	46	56	53	49	61	38	49	48
Cities of 2,500 to 10,000.....	222	19	17	20	15	23	22	13	23	24	15	18	13
Rural.....	2,230	191	199	208	197	209	204	143	187	173	184	168	167
ARIZONA													
Total.....	216	21	14	26	25	14	15	18	18	13	20	14	18
Cities of 10,000 or more.....	71	7	5	9	2	2	4	8	7	6	8	5	8
Cities of 2,500 to 10,000.....	68	5	2	6	13	4	4	6	5	2	8	4	9
Rural.....	77	9	7	11	10	8	7	4	6	5	4	5	1
ARKANSAS													
Total.....	1,491	126	127	147	143	141	115	113	117	101	130	109	122
Cities of 10,000 or more.....	147	13	15	15	12	14	12	6	10	9	17	11	13
Cities of 2,500 to 10,000.....	118	12	13	15	13	17	5	8	5	7	8	5	10
Rural.....	1,226	101	99	117	118	110	98	99	102	85	105	98	99
CALIFORNIA													
Total.....	2,132	174	177	187	180	201	182	195	156	177	172	185	146
Cities of 10,000 or more.....	1,346	110	112	119	110	133	115	124	98	108	112	120	85
Cities of 2,500 to 10,000.....	259	19	28	24	26	24	20	26	10	21	25	27	9
Rural.....	527	45	37	44	44	44	47	45	48	48	35	38	52
COLORADO													
Total.....	559	45	54	40	44	46	45	44	48	41	55	45	52
Cities of 10,000 or more.....	241	20	14	18	17	24	22	20	21	17	24	24	20
Cities of 2,500 to 10,000.....	72	4	9	5	6	1	6	6	6	7	10	2	10
Rural.....	246	21	31	17	21	21	17	18	21	17	21	19	22
CONNECTICUT													
Total.....	685	61	56	51	62	58	47	63	55	61	65	50	56
Cities of 10,000 or more.....	556	50	41	41	47	48	36	53	46	51	52	43	48
Cities of 2,500 to 10,000.....	28	2	4	3	3	3	1	1	2	4	2	1	2
Rural.....	101	9	11	7	12	7	10	9	7	6	11	6	6
DELAWARE													
Total.....	145	19	14	13	10	9	16	12	12	13	9	11	7
Cities of 10,000 or more.....	74	9	10	8	5	5	9	5	7	4	5	5	2
Cities of 2,500 to 10,000.....	14	2	1	1	1	2	1	2	3	3	2	1	1
Rural.....	57	8	4	4	4	4	6	5	5	6	2	5	4
DISTRICT OF COLUMBIA													
Total.....	437	45	32	38	20	36	44	43	32	32	41	33	41
FLORIDA													
Total.....	1,550	124	117	113	127	133	124	115	141	148	148	148	112
Cities of 10,000 or more.....	639	45	45	45	51	55	47	57	53	74	54	62	51
Cities of 2,500 to 10,000.....	216	22	16	16	9	22	19	21	21	11	19	22	18
Rural.....	695	57	56	52	67	56	58	37	67	63	75	64	43
GEORGIA													
Total.....	3,849	305	352	372	343	327	293	302	343	318	300	312	277
Cities of 10,000 or more.....	958	83	85	79	86	87	70	68	85	82	78	79	76
Cities of 2,500 to 10,000.....	596	23	57	74	64	44	31	36	66	72	47	49	33
Rural.....	2,295	199	210	219	193	196	192	198	192	164	175	184	168
IDAHO													
Total.....	236	27	16	23	22	17	22	12	16	21	20	19	21
Cities of 10,000 or more.....	37	2	4	5	6	3	5	1	-----	2	2	3	4
Cities of 2,500 to 10,000.....	92	13	6	8	6	7	9	7	6	12	7	3	8
Rural.....	107	12	6	10	10	7	8	4	10	7	11	13	9
ILLINOIS													
Total.....	3,446	318	294	305	253	280	286	310	285	239	306	264	301
Cities of 10,000 or more.....	2,357	222	261	197	182	202	205	217	184	167	212	162	206
Cities of 2,500 to 10,000.....	335	31	29	42	22	25	30	21	32	23	25	33	22
Rural.....	754	65	64	66	54	53	51	72	69	49	69	69	73

TABLE 10.—STILLBIRTHS, BY MONTH: 1932—Continued

AREA AND SEX	All still- births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA													
Total.....	1,518	129	115	153	99	148	125	123	131	137	122	119	117
Cities of 10,000 or more.....	748	61	60	62	51	77	57	65	76	63	61	57	58
Cities of 2,500 to 10,000.....	175	12	13	22	13	14	11	18	9	21	13	18	11
Rural.....	595	56	42	69	35	57	57	40	46	53	48	44	48
IOWA													
Total.....	1,278	111	116	100	100	96	105	130	117	103	98	94	108
Cities of 10,000 or more.....	517	59	43	35	31	37	31	57	61	39	35	40	49
Cities of 2,500 to 10,000.....	199	17	17	12	21	12	24	19	13	12	21	11	20
Rural.....	562	35	56	53	48	47	50	54	43	52	42	43	39
KANSAS													
Total.....	894	87	73	59	80	75	76	79	73	72	73	65	82
Cities of 10,000 or more.....	336	35	26	25	28	21	33	33	23	27	26	23	36
Cities of 2,500 to 10,000.....	132	13	10	8	8	9	12	11	10	13	16	8	14
Rural.....	426	39	37	26	44	45	31	35	40	32	31	34	32
KENTUCKY													
Total.....	2,014	188	187	207	185	172	181	165	144	134	145	140	166
Cities of 10,000 or more.....	413	34	30	41	26	38	38	43	27	21	32	37	46
Cities of 2,500 to 10,000.....	218	14	21	20	26	23	23	13	14	17	22	12	13
Rural.....	1,383	140	136	146	133	111	120	109	103	96	91	91	107
LOUISIANA													
Total.....	2,186	177	163	185	208	194	159	165	193	207	184	188	163
Cities of 10,000 or more.....	711	63	52	57	60	74	50	44	76	60	56	66	58
Cities of 2,500 to 10,000.....	244	23	21	28	20	20	19	18	22	21	16	23	13
Rural.....	1,231	91	90	100	128	100	90	103	95	126	112	99	97
MAINE													
Total.....	546	48	47	63	51	43	37	45	61	36	35	40	40
Cities of 10,000 or more.....	165	17	16	20	9	13	12	17	20	11	8	15	7
Cities of 2,500 to 10,000.....	62	7	5	6	8	2	7	5	6	3	3	2	8
Rural.....	319	24	26	37	34	28	18	23	35	22	24	23	25
MARYLAND													
Total.....	1,856	163	152	153	127	162	151	153	190	142	162	150	151
Cities of 10,000 or more.....	1,000	92	95	74	69	77	82	84	108	76	81	78	84
Cities of 2,500 to 10,000.....	164	14	11	11	17	17	14	13	8	13	21	11	14
Rural.....	692	57	46	68	41	68	55	56	74	53	60	61	53
MASSACHUSETTS													
Total.....	2,328	211	189	198	209	185	183	217	181	181	182	196	196
Cities of 10,000 or more.....	2,066	185	168	179	182	167	163	189	162	158	160	175	178
Cities of 2,500 to 10,000.....	102	6	11	9	7	4	10	9	8	9	7	12	10
Rural.....	160	20	10	10	20	14	10	19	11	14	15	9	8
MICHIGAN													
Total.....	2,977	251	281	272	262	254	233	212	233	214	244	239	282
Cities of 10,000 or more.....	1,862	150	177	173	160	157	135	132	140	138	165	153	182
Cities of 2,500 to 10,000.....	306	20	19	29	40	32	33	26	23	21	22	24	17
Rural.....	809	81	85	70	62	65	65	54	70	55	57	62	83
MINNESOTA													
Total.....	1,333	106	109	123	98	121	100	101	121	105	101	111	137
Cities of 10,000 or more.....	576	48	50	56	38	50	36	43	50	48	47	46	64
Cities of 2,500 to 10,000.....	195	18	14	20	17	18	17	15	15	17	13	17	14
Rural.....	562	40	45	47	43	53	47	43	56	40	41	48	59
MISSISSIPPI													
Total.....	2,189	172	192	207	181	203	215	153	149	196	180	184	157
Cities of 10,000 or more.....	310	33	32	28	22	19	28	22	23	20	34	27	22
Cities of 2,500 to 10,000.....	188	14	25	18	16	15	30	11	8	16	9	17	9
Rural.....	1,691	125	135	161	143	169	157	120	118	160	137	140	126
MISSOURI													
Total.....	2,477	253	194	219	194	202	201	202	218	218	219	182	175
Cities of 10,000 or more.....	1,131	101	82	102	83	81	95	112	101	98	99	94	83
Cities of 2,500 to 10,000.....	217	27	16	20	21	20	17	15	13	18	13	19	18
Rural.....	1,129	125	96	97	90	101	89	75	104	102	107	69	74
MONTANA													
Total.....	254	16	24	27	21	14	19	25	27	14	24	20	23
Cities of 10,000 or more.....	79	3	9	7	4	5	5	9	5	6	12	9	5
Cities of 2,500 to 10,000.....	55	4	7	8	4	3	5	5	9	1	1	3	5
Rural.....	120	9	8	12	13	6	9	11	13	7	11	8	13
NEBRASKA													
Total.....	693	65	58	68	54	48	49	60	71	49	52	58	61
Cities of 10,000 or more.....	203	13	20	15	15	13	8	23	24	15	19	17	21
Cities of 2,500 to 10,000.....	98	12	7	10	9	3	11	9	12	5	5	7	8
Rural.....	392	40	31	43	30	32	30	28	35	29	28	34	32
NEVADA													
Total.....	60	7	8	3	3	6	3	3	8	3	7	3	6
Cities of 10,000 or more.....	16	1	3	1	2	3	1	1	1	2	2	1	3
Cities of 2,500 to 10,000.....	15	3	3	2	1	1	1	1	3	1	1	1	3
Rural.....	29	3	2	2	1	2	2	2	4	2	4	2	3

TABLE 10.—STILLBIRTHS, BY MONTH: 1932—Continued

AREA AND SEX	All stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE													
Total.....	300	27	29	33	20	22	20	25	25	25	21	28	25
Cities of 10,000 or more.....	174	17	15	22	10	15	11	14	11	16	13	18	12
Cities of 2,500 to 10,000.....	21	1	2	3	2	1	1	2	2	1	2	1	3
Rural.....	105	9	12	8	8	6	8	9	12	8	6	9	10
NEW JERSEY													
Total.....	2,291	212	178	194	205	204	183	204	187	159	176	187	202
Cities of 10,000 or more.....	1,886	174	162	168	162	167	149	165	157	134	141	159	168
Cities of 2,500 to 10,000.....	102	18	9	8	15	16	11	17	12	13	17	13	13
Rural.....	245	20	17	28	28	21	23	22	18	12	18	15	21
NEW MEXICO													
Total.....	389	38	37	36	36	36	37	31	49	22	27	23	17
Cities of 10,000 or more.....	57	9	2	8	4	5	6	5	8	4	3	1	2
Cities of 2,500 to 10,000.....	83	11	5	6	9	4	7	5	14	6	4	5	7
Rural.....	249	18	30	22	23	27	24	21	27	12	20	17	8
NEW YORK													
Total.....	8,258	743	668	737	681	715	692	660	723	616	664	652	707
Cities of 10,000 or more.....	7,151	652	587	628	584	615	608	566	599	553	586	556	617
Cities of 2,500 to 10,000.....	323	28	24	28	28	27	24	24	38	19	29	30	24
Rural.....	784	63	57	81	69	73	60	70	86	44	49	66	66
NORTH CAROLINA													
Total.....	3,636	311	315	363	344	333	280	334	301	315	279	235	226
Cities of 10,000 or more.....	821	80	73	84	74	69	60	77	76	65	49	52	62
Cities of 2,500 to 10,000.....	328	26	19	31	40	30	24	34	17	28	33	17	29
Rural.....	2,487	205	223	248	230	234	196	223	208	222	197	166	135
NORTH DAKOTA													
Total.....	362	26	41	38	32	39	34	30	27	23	39	15	18
Cities of 10,000 or more.....	69	4	9	8	7	10	2	8	6	3	7	2	3
Cities of 2,500 to 10,000.....	41	4	5	6	4	2	7	1	5	3	3	2	2
Rural.....	252	18	27	24	21	27	25	21	16	20	29	11	13
OHIO													
Total.....	3,453	307	319	300	252	284	281	309	299	284	257	284	277
Cities of 10,000 or more.....	2,206	200	206	189	154	180	193	212	189	179	163	176	165
Cities of 2,500 to 10,000.....	233	26	18	23	25	21	19	22	25	29	18	31	26
Rural.....	964	81	95	88	73	83	69	75	85	76	76	77	86
OKLAHOMA													
Total.....	1,056	104	91	85	85	88	95	76	81	80	72	99	100
Cities of 10,000 or more.....	259	28	18	24	21	17	27	17	19	16	18	27	27
Cities of 2,500 to 10,000.....	244	23	29	16	8	17	23	26	17	16	16	27	26
Rural.....	553	53	44	45	56	54	45	33	45	48	38	45	47
OREGON													
Total.....	322	30	28	27	24	36	24	31	26	28	19	23	26
Cities of 10,000 or more.....	157	11	10	17	11	18	11	20	14	12	9	16	8
Cities of 2,500 to 10,000.....	65	10	9	6	7	7	3	6	5	6	1	4	1
Rural.....	100	9	9	4	6	11	10	5	7	10	9	3	17
PENNSYLVANIA													
Total.....	6,021	533	523	533	519	531	486	512	488	450	500	467	479
Cities of 10,000 or more.....	3,486	320	307	305	284	294	281	317	292	243	297	261	265
Cities of 2,500 to 10,000.....	766	73	69	68	53	67	56	62	67	73	61	57	60
Rural.....	1,789	140	147	160	182	170	149	133	129	134	142	149	154
RHODE ISLAND													
Total.....	382	31	24	41	43	28	26	36	25	31	34	27	36
Cities of 10,000 or more.....	345	30	23	36	38	25	21	30	24	30	32	25	31
Cities of 2,500 to 10,000.....	14	1	1	2	2	1	3	2	1	1	1	1	1
Rural.....	23	1	1	3	3	2	2	4	1	1	1	1	4
SOUTH CAROLINA													
Total.....	2,651	213	224	252	264	270	211	227	237	206	201	174	172
Cities of 10,000 or more.....	478	49	36	37	45	43	34	45	35	29	52	34	39
Cities of 2,500 to 10,000.....	179	16	17	13	15	18	14	17	22	13	12	14	8
Rural.....	1,994	148	171	202	204	209	163	165	180	164	137	126	125
SOUTH DAKOTA													
Total.....	312	28	33	32	30	24	21	19	19	30	25	28	23
Cities of 10,000 or more.....	55	5	6	5	1	8	1	1	6	5	10	7	7
Cities of 2,500 to 10,000.....	39	5	7	2	6	1	3	1	4	3	4	2	1
Rural.....	218	18	20	25	23	15	17	17	15	21	16	16	15
TENNESSEE													
Total.....	2,097	203	180	192	181	211	156	184	160	147	180	143	160
Cities of 10,000 or more.....	692	63	66	53	65	68	45	60	60	47	70	41	54
Cities of 2,500 to 10,000.....	195	9	13	24	12	18	17	15	17	15	16	24	15
Rural.....	1,210	131	101	115	104	125	94	109	83	85	94	78	91
UTAH													
Total.....	247	27	14	24	23	24	21	16	18	22	23	14	21
Cities of 10,000 or more.....	101	12	7	8	8	12	8	5	7	9	9	6	10
Cities of 2,500 to 10,000.....	42	4	5	5	5	1	3	4	3	4	2	6	11
Rural.....	104	11	2	11	10	11	10	7	8	9	12	2	11

TABLE 10.—STILLBIRTHS, BY MONTH: 1932—Continued

AREA AND SEX	All stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VERMONT													
Total	184	23	23	13	15	20	18	15	13	11	9	14	10
Cities of 10,000 or more	42	6	7	3	3	4	2	4	3	1	2	4	3
Cities of 2,500 to 10,000	25	4	4	2	4	4	2	2	1	1	1	1	1
Rural	117	13	12	8	8	12	14	9	10	9	7	9	6
VIRGINIA													
Total	2,422	227	197	210	211	219	231	191	191	194	204	174	173
Cities of 10,000 or more	709	64	50	62	57	57	78	60	64	52	63	52	50
Cities of 2,500 to 10,000	176	17	15	14	13	18	19	15	12	17	15	11	10
Rural	1,537	146	132	134	141	144	134	116	115	125	126	111	113
WASHINGTON													
Total	530	45	42	48	49	46	43	47	46	34	46	46	38
Cities of 10,000 or more	311	22	23	33	31	27	29	30	23	16	28	25	24
Cities of 2,500 to 10,000	63	7	4	4	5	4	8	4	7	5	6	5	4
Rural	156	16	15	11	13	15	6	13	16	13	12	16	10
WEST VIRGINIA													
Total	1,431	138	106	118	120	124	126	122	114	119	119	92	133
Cities of 10,000 or more	296	19	28	21	17	34	24	31	34	25	24	20	19
Cities of 2,500 to 10,000	160	16	11	12	12	12	16	17	14	12	10	10	18
Rural	975	103	67	85	91	78	86	74	66	82	85	62	96
WISCONSIN													
Total	1,457	140	128	143	119	115	128	115	128	97	109	117	118
Cities of 10,000 or more	666	70	59	56	68	59	57	46	58	40	58	48	47
Cities of 2,500 to 10,000	209	22	17	21	22	19	26	16	14	14	11	15	12
Rural	582	48	52	66	29	37	45	53	56	43	40	54	59
WYOMING													
Total	112	8	11	10	10	15	6	14	10	5	9	3	11
Cities of 10,000 or more	19	1	1	1	6	3		2			3		2
Cities of 2,500 to 10,000	25	1	4	1	1	4		2	2	2	1		4
Rural	68	6	6	8	3	8	3	10	8	3	5	3	5
REGISTRATION CITIES OF 100,000 INHABITANTS OR MORE IN 1930													
Birmingham, Ala.	251	25	26	30	22	22	19	23	12	24	9	24	15
Long Beach, Calif.	57	2	6	1	5	8	3	7	4	7	3	7	4
Los Angeles, Calif.	462	40	36	44	38	33	45	35	32	32	48	45	34
Oakland, Calif.	104	9	10	11	10	12	11	9	9	4	2	13	4
San Diego, Calif.	87	4	6	8	4	9	7	9	6		7	5	2
San Francisco, Calif.	178	13	14	16	16	23	12	14	12	20	17	11	10
Denver, Colo.	159	13	9	9	12	16	16	15	17	9	12	17	14
Bridgeport, Conn.	95	11	8	2	13	10	9	10	3	10	9	5	5
Hartford, Conn.	88	3	7	7	7	11	7	7	12	4	10	8	5
New Haven, Conn.	79	5	2	6	7	6	1	11	6	6	8	11	10
Wilmington, Del.	74	9	10	8	5	5	9	5	7	4	5	5	2
Washington, D.C.	437	45	32	38	20	36	44	43	32	32	41	33	41
Jacksonville, Fla.	177	13	14	13	15	13	10	20	12	22	12	23	10
Miami, Fla.	84	5	2	5	6	5	5	7	12	10	10	11	6
Tampa, Fla.	95	7	9	7	9	10	7	5	9	10	11	9	2
Atlanta, Ga.	320	31	31	33	28	26	19	26	23	29	29	20	25
Chicago, Ill.	1,535	128	134	118	121	141	144	139	115	114	148	104	129
Peoria, Ill.	48	6	6	3	3	4	7	3	1	2	5	3	5
Evansville, Ind.	4	4	2	4	6	9	1	7	4	4	6	6	7
Fort Wayne, Ind.	49	5	6	3	5	7	3	2	3	7	3	1	4
Gary, Ind.	57	7	2	6	3	6	2	6	8	5	4	8	
Indianapolis, Ind.	166	13	9	14	9	22	15	16	15	11	9	17	16
South Bend, Ind.	41	4	4	1	1	3	4	3	3	5	6	3	4
Des Moines, Iowa	99	9	7	7	3	6	6	17	20	10	4	3	7
Kansas City, Kans.	73	9	6	4	9	6	6	6	3	5	7	7	5
Wichita, Kans.	78	9	4	2	4	8	11	8	3	8	9	3	9
Louisville, Ky.	210	22	14	22	10	16	23	16	16	11	15	22	23
New Orleans, La.	424	30	36	33	47	34	22	32	34	29	42	42	28
Baltimore, Md.	809	75	73	66	54	65	65	68	89	55	69	64	66
Boston, Mass.	528	47	49	51	49	41	35	44	42	34	41	52	43
Cambridge, Mass.	69	6	5	6	8	6	8	7	4	5	2	8	4
Fall River, Mass.	77	4	6	8	10	4	7	8	7	7	4	7	5
Lowell, Mass.	67	4	7	7	7	5	3	10	4	5	9	2	4
Lynn, Mass.	45	7	5	3	1	3	8	4	1	2	2	7	2
New Bedford, Mass.	72	4	6	5	9	6	7	7	7	3	9	5	4
Somerville, Mass.	60	5	5	5	3	6	5	6	5	4	4	7	5
Springfield, Mass.	90	7	8	7	4	10	6	6	7	11	9	7	8
Worcester, Mass.	129	9	14	10	9	9	7	13	13	11	13	10	11
Detroit, Mich.	906	65	89	83	70	87	67	63	74	76	77	64	91
Flint, Mich.	116	12	14	9	11	8	6	7	8	6	12	12	11
Grand Rapids, Mich.	98	8	8	10	15	6	5	7	3	9	11	7	9
Duluth, Minn.	45	8	5	2	2	5	4	6	3	1	1	1	4
Minneapolis, Minn.	277	18	23	31	14	25	15	16	20	30	25	25	35
St. Paul, Minn.	152	17	9	11	12	11	15	14	8	15	13	13	13
Kansas City, Mo.	195	20	15	14	11	16	16	19	12	16	18	14	24
St. Louis, Mo.	715	59	50	63	61	53	66	70	72	61	68	56	36
Omaha, Nebr.	93	7	14	8	7	7	4	11	11	6	5	6	7
Camden, N.J.	123	7	8	18	9	5	11	8	7	6	12	16	16
Elizabeth, N.J.	85	7	8	3	6	13	8	7	5	5	7	9	7
Jersey City, N.J.	283	27	22	19	28	20	17	28	34	26	18	25	19
Newark, N.J.	335	37	27	18	28	32	32	24	30	26	22	22	37
Paterson, N.J.	107	6	11	12	10	10	9	7	8	4	11	10	9
Trenton, N.J.	93	4	7	10	7	9	9	13	6	8	6	6	6
Albany, N.Y.	75	7	6	6	3	9	5	5	5	8	5	6	9
Buffalo, N.Y.	388	35	32	32	23	34	31	29	30	25	42	33	42

TABLE 10.—STILLBIRTHS, BY MONTH: 1932—Continued

AREA AND SEX	All still-births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 INHABITANTS OR MORE IN 1930—Continued													
New York, N.Y.-----	5,223	485	422	463	453	440	460	409	438	395	402	415	441
Bronx Borough-----	752	66	54	63	62	58	61	66	67	68	57	80	70
Brooklyn Borough-----	1,987	184	170	176	184	169	171	157	182	136	138	151	169
Manhattan Borough-----	1,913	182	157	165	155	169	179	141	150	142	170	155	148
Queens Borough-----	462	46	30	42	41	38	42	36	30	39	34	39	45
Richmond Borough-----	109	7	11	17	11	6	7	9	9	10	3	10	9
Rochester, N.Y.-----	176	13	23	14	11	21	13	12	9	16	16	13	15
Syracuse, N.Y.-----	131	7	14	10	10	10	8	12	11	7	20	12	10
Utica, N.Y.-----	67	3	5	4	7	5	5	8	6	5	4	7	8
Yonkers, N.Y.-----	54	5	4	6	2	3	5	5	4	5	6	2	7
Akron, Ohio-----	133	9	9	13	6	8	11	15	16	18	14	5	9
Canton, Ohio-----	39	2	8	7	4	3	3	2	1	1	6	2	2
Cincinnati, Ohio-----	250	29	23	20	23	12	21	28	23	21	14	15	21
Cleveland, Ohio-----	586	57	60	47	42	56	56	56	44	45	38	43	42
Columbus, Ohio-----	191	18	19	19	6	19	15	13	19	13	14	20	16
Dayton, Ohio-----	111	6	7	7	9	6	15	10	16	16	8	8	3
Toledo, Ohio-----	146	18	11	12	10	12	13	14	14	8	9	11	14
Youngstown, Ohio-----	104	8	13	9	5	13	4	11	9	7	5	12	8
Oklahoma City, Okla-----	86	9	5	7	8	8	8	2	6	4	5	14	10
Tulsa, Okla-----	49	4	3	5	2	3	3	3	3	5	3	3	9
Portland, Oreg-----	112	9	9	14	10	11	7	14	11	6	4	13	4
Erie, Pa-----	71	9	7	6	6	7	6	8	4	1	4	7	6
Philadelphia, Pa-----	1,130	92	111	104	89	100	104	113	96	79	81	81	80
Pittsburgh, Pa-----	418	34	40	35	34	29	32	42	35	34	39	31	33
Reading, Pa-----	57	6	3	2	6	7	5	3	4	4	10	6	1
Scranton, Pa-----	94	17	6	10	7	7	6	8	7	7	9	3	7
Providence, R.I.-----	176	11	9	22	22	9	10	18	13	16	17	12	17
Chattanooga, Tenn-----	164	13	14	20	10	10	17	21	12	13	12	10	12
Knoxville, Tenn-----	85	9	5	6	13	14	2	9	3	5	8	3	8
Memphis, Tenn-----	212	24	21	13	23	21	11	12	19	11	26	15	16
Nashville, Tenn-----	179	12	21	11	17	18	10	12	23	12	17	11	15
Salt Lake City, Utah-----	65	5	5	5	5	7	4	4	5	7	5	5	8
Norfolk, Va-----	121	9	6	16	10	8	9	13	18	6	13	8	5
Richmond, Va-----	203	27	15	19	14	17	24	21	15	9	15	9	18
Seattle, Wash-----	110	10	8	11	8	12	15	6	6	5	11	9	9
Spokane, Wash-----	50	1	6	3	6	5	3	7	4	3	4	5	4
Tacoma, Wash-----	33	1	2	4	1	4	5	3	3	2	4	3	1
Milwaukee, Wis-----	253	25	23	24	31	20	17	16	22	15	28	14	18

TABLE 11.—STILLBIRTHS BY COLOR, AND PARENT NATIVITY OF WHITE: 1932

AREA	All stillbirths	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japanese	Other races
			Native	Foreign	Un-known	Native and foreign	Native and unknown	Foreign and unknown						
REGISTRATION AREA IN CONTINENTAL UNITED STATES														
Total.....	78,351	59,040	46,388	5,900	240	4,895	1,515	102	19,311	18,391	216	25	64	615
Male.....	43,673	32,731	25,687	3,288	125	2,732	845	54	10,942	10,406	124	15	34	363
Female.....	33,133	25,094	19,799	2,465	109	2,065	617	39	8,039	7,662	90	10	30	247
Not stated.....	1,545	1,215	902	147	6	98	53	9	330	2,323	2			5
Cities of 10,000 or more.....	37,593	30,454	20,905	4,853	156	3,594	858	88	7,139	6,770	18	21	40	290
Male.....	20,631	16,660	11,370	2,685	73	2,006	479	47	3,971	3,759	11	11	24	166
Female.....	15,966	12,978	8,992	2,026	79	1,498	351	32	3,018	2,865	7	10	16	120
Not stated.....	966	816	543	142	4	90	28	9	150	146				4
Cities of 2,500 to 10,000.....	7,833	6,182	5,330	308	16	382	141	5	1,651	1,507	34	1	5	104
Male.....	4,422	3,471	3,000	180	7	212	68	4	951	854	22	1	3	71
Female.....	3,298	2,614	2,244	127	9	169	64	1	684	637	12		2	33
Not stated.....	113	97	86	1		1	9		16	16				
Rural.....	32,925	22,404	20,153	739	68	919	516	9	10,521	10,114	164	3	19	221
Male.....	18,620	12,600	11,317	423	45	514	293	3	6,020	5,793	91	3	7	126
Female.....	13,839	9,502	8,563	312	21	398	202	6	4,337	4,160	71		12	94
Not stated.....	466	302	273	4	2	7	16		164	161	2			1
ALABAMA														
Total.....	3,089	1,337	1,292	9	1	6	29		1,752	1,752				
Cities of 10,000 or more.....	637	255	233	6	1	5	10		382	382				
Cities of 2,500 to 10,000.....	222	113	111				2		109	109				
Rural.....	2,230	969	948	3			17		1,261	1,261				
ARIZONA														
Total.....	216	98	87	3		6	2		118	11	15			92
Cities of 10,000 or more.....	71	35	30	1		3	1		36	4	3			29
Cities of 2,500 to 10,000.....	68	34	30	1		2	1		34	3				31
Rural.....	77	29	27	1		1			48	4	12			32
ARKANSAS														
Total.....	1,491	861	832	2	2	3	22		630	627	1	2		
Cities of 10,000 or more.....	147	87	84		1		2		60	59	1			
Cities of 2,500 to 10,000.....	118	68	63			2	3		50	50				
Rural.....	1,226	706	685	2	1	1	17		520	518		2		
CALIFORNIA														
Total.....	2,132	1,613	1,204	182		201	24	2	519	57	16	15	51	380
Cities of 10,000 or more.....	1,346	1,055	784	112		138	19	2	291	49	1	14	32	195
Cities of 2,500 to 10,000.....	259	191	151	22		18			68	2	4	1	4	57
Rural.....	527	367	269	48		45	5		160	6	11		15	128
COLORADO														
Total.....	559	490	415	25	2	28	18	2	69	7			2	60
Cities of 10,000 or more.....	241	225	189	11	1	14	10		16	6				10
Cities of 2,500 to 10,000.....	72	61	56	1	1	1	2		11	1				10
Rural.....	246	204	170	13		13	6	2	42			2		40
CONNECTICUT														
Total.....	685	659	355	161		129	12	2	26	26				
Cities of 10,000 or more.....	556	532	277	134		110	9	2	24	24				
Cities of 2,500 to 10,000.....	28	28	17	3		7	1							
Rural.....	101	99	61	24		12	2		2	2				
DELAWARE														
Total.....	145	87	75	7		2	3		58	58				
Cities of 10,000 or more.....	74	52	43	6		2	1		22	22				
Cities of 2,500 to 10,000.....	14	6	6						8	8				
Rural.....	57	29	26	1			2		28	28				
DISTRICT OF COLUMBIA														
Total.....	437	210	173	16	1	12	8		227	227				
FLORIDA														
Total.....	1,550	706	637	16		28	25		844	842	1		1	
Cities of 10,000 or more.....	639	290	256	10		17	7		349	347	1		1	
Cities of 2,500 to 10,000.....	216	111	94	3		4	10		105	105				
Rural.....	695	305	287	3		7	8		390	390				
GEORGIA														
Total.....	3,849	1,491	1,446	3		3	39		2,358	2,358				
Cities of 10,000 or more.....	958	365	353	3		1	8		593	593				
Cities of 2,500 to 10,000.....	596	213	205				8		383	383				
Rural.....	2,295	913	888			2	23		1,382	1,382				
IDAHO														
Total.....	236	223	200	4	1	10	8		13		11			2
Cities of 10,000 or more.....	37	36	29	3		2	2		1					1
Cities of 2,500 to 10,000.....	92	89	82			3	4		3		3			
Rural.....	107	98	89	1	1	5	2		9		8			1

GENERAL TABLES

TABLE 11.—STILLBIRTHS BY COLOR, AND PARENT NATIVITY OF WHITE: 1932—Continued

AREA	All stillbirths	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
ILLINOIS														
Total.....	3,446	3,104	2,345	387	6	292	68	6	342	302			1	39
Cities of 10,000 or more.....	2,357	2,067	1,397	356	4	255	49	6	290	255			1	34
Cities of 2,500 to 10,000.....	335	314	273	15	1	18	7		21	19				2
Rural.....	764	723	675	16	1	19	12		31	28				3
INDIANA														
Total.....	1,518	1,413	1,297	42	1	39	31	3	105	105				
Cities of 10,000 or more.....	748	659	576	36	1	29	14	3	89	89				
Cities of 2,500 to 10,000.....	175	170	169	2		3	6		5	5				
Rural.....	595	584	562	4		7	11		11	11				
IOWA														
Total.....	1,278	1,261	1,104	27	1	77	51	1	17	16				1
Cities of 10,000 or more.....	517	502	430	13	1	23	34	1	15	14				1
Cities of 2,500 to 10,000.....	199	199	176	2		14	7							
Rural.....	562	560	498	12		40	10		2	2				
KANSAS														
Total.....	894	827	755	30		23	19		67	66	1			
Cities of 10,000 or more.....	336	288	258	14		6	10		48	48				
Cities of 2,500 to 10,000.....	132	122	112	2		5	3		10	10				
Rural.....	426	417	385	14		12	6		9	8	1			
KENTUCKY														
Total.....	2,014	1,804	1,760	5	2	8	29		210	210				
Cities of 10,000 or more.....	413	326	305	4	2	7	8		87	87				
Cities of 2,500 to 10,000.....	218	184	182				2		34	34				
Rural.....	1,383	1,294	1,273	1		1	19		89	89				
LOUISIANA														
Total.....	2,186	861	749	7	81	18	6		1,325	1,324	1			
Cities of 10,000 or more.....	711	326	228	4	81	8	5		385	385				
Cities of 2,500 to 10,000.....	244	114	111	1		2			130	130				
Rural.....	1,231	421	410	2		8	1		810	809	1			
MAINE														
Total.....	546	545	383	46		96	19	1	1	1				
Cities of 10,000 or more.....	165	164	103	22		27	11	1	1	1				
Cities of 2,500 to 10,000.....	62	62	47	3		11	1							
Rural.....	319	319	233	21		58	7							
MARYLAND														
Total.....	1,856	1,211	1,091	37		56	27		645	645				
Cities of 10,000 or more.....	1,000	657	565	33		47	12		343	343				
Cities of 2,500 to 10,000.....	164	126	119			3	4		38	38				
Rural.....	692	428	407	4		6	11		264	264				
MASSACHUSETTS														
Total.....	2,328	2,274	1,245	468	1	459	88	13	54	54				
Cities of 10,000 or more.....	2,066	2,020	1,102	421	1	405	78	13	46	46				
Cities of 2,500 to 10,000.....	102	102	53	20		27	2							
Rural.....	160	152	90	27		27	8		8	8				
MICHIGAN														
Total.....	2,977	2,811	1,997	373	3	373	58	7	166	157	4	1		4
Cities of 10,000 or more.....	1,862	1,714	1,086	298	3	283	41	3	148	143	1	1		3
Cities of 2,500 to 10,000.....	306	301	253	21		23	4		5	5				
Rural.....	809	796	658	54		67	13	4	13	9	3			1
MINNESOTA														
Total.....	1,333	1,309	1,016	68		152	67	6	24	11	10			3
Cities of 10,000 or more.....	576	566	420	39		61	40	6	10	10				
Cities of 2,500 to 10,000.....	195	195	160	5		26	4							
Rural.....	562	548	436	24		65	23		14	1	10			3
MISSISSIPPI														
Total.....	2,189	678	657	3	2	4	12		1,511	1,510	1			
Cities of 10,000 or more.....	310	135	128	2		1	4		175	175				
Cities of 2,500 to 10,000.....	188	74	71	1			2		114	113	1			
Rural.....	1,691	469	458		2	3	6		1,222	1,222				
MISSOURI														
Total.....	2,477	2,125	1,911	49	2	61	101	1	352	347				5
Cities of 10,000 or more.....	1,131	871	705	46	1	52	66	1	260	255				5
Cities of 2,500 to 10,000.....	217	190	178	3		2	7		27	27				
Rural.....	1,129	1,064	1,028		1	7	28		65	65				
MONTANA														
Total.....	254	232	185	14		29	3	1	22		14			8
Cities of 10,000 or more.....	79	77	58	6		11	1	1	2					2
Cities of 2,500 to 10,000.....	55	53	44	2		6	1		2		1			1
Rural.....	120	102	83	6		12	1		18		13			5

TABLE 11.—STILLBIRTHS BY COLOR, AND PARENT NATIVITY OF WHITE: 1932—Continued

AREA	All still- births	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa- nese	Other races
			Native	Foreign	Un- known	Native and foreign	Native and un- known	Foreign and un- known						
NEBRASKA														
Total.....	693	680	617	17		33	13		13	6	4		1	2
Cities of 10,000 or more.....	203	196	169	9		12	6		7	6				1
Cities of 2,500 to 10,000.....	98	97	94	1		2			1					1
Rural.....	392	387	354	7		19	7		5		4		1	
NEVADA														
Total.....	60	55	39	4	1	9	2		5	2	2			1
Cities of 10,000 or more.....	16	15	8		1	4	2		1					1
Cities of 2,500 to 10,000.....	15	13	10	2		1			2	2				
Rural.....	29	27	21	2		4			2		2			
NEW HAMPSHIRE														
Total.....	300	300	188	25	2	65	18	2						
Cities of 10,000 or more.....	174	174	101	18	2	43	8	2						
Cities of 2,500 to 10,000.....	21	21	13	2		6								
Rural.....	105	105	74	5		16	10							
NEW JERSEY														
Total.....	2,291	2,041	1,244	478	5	278	31	5	250	250				
Cities of 10,000 or more.....	1,886	1,670	972	426	1	243	24	4	216	216				
Cities of 2,500 to 10,000.....	162	148	102	24		19	3		14	14				
Rural.....	243	223	170	28	4	16	4	1	20	20				
NEW MEXICO														
Total.....	389	387	318	34		28	6	1	2	2				
Cities of 10,000 or more.....	57	56	50	3		3			1	1				
Cities of 2,500 to 10,000.....	83	83	69	4		7	2	1						
Rural.....	249	248	199	27		18	4		1	1				
NEW YORK														
Total.....	8,258	7,546	4,176	2,006	27	1,146	156	35	712	699	8	3		2
Cities of 10,000 or more.....	7,151	6,483	3,375	1,884	27	1,035	130	32	668	659	4	3		2
Cities of 2,500 to 10,000.....	323	312	218	46		41	5	2	11	11				
Rural.....	784	751	583	76		70	21	1	33	29	4			
NORTH CAROLINA														
Total.....	3,636	1,746	1,642	2	88	6	8		1,800	1,863	27			
Cities of 10,000 or more.....	821	362	335	1	24	2			459	459				
Cities of 2,500 to 10,000.....	328	176	161	1	13	1	1		132	150	2			
Rural.....	2,487	1,208	1,146	1	51	3	7		1,209	1,254	25			
NORTH DAKOTA														
Total.....	362	355	247	27		66	15		7		7			
Cities of 10,000 or more.....	69	69	52	3		10	4							
Cities of 2,500 to 10,000.....	41	41	31	2		6	2							
Rural.....	252	245	164	22		50	9		7		7			
OHIO														
Total.....	3,453	3,137	2,563	259	4	192	117	2	316	316				
Cities of 10,000 or more.....	2,206	1,930	1,476	218	2	157	75	2	276	276				
Cities of 2,500 to 10,000.....	283	273	248	13		9	3		10	10				
Rural.....	964	934	839	28	2	26	39		30	30				
OKLAHOMA														
Total.....	1,056	913	882		2	3	26		143	90	49			4
Cities of 10,000 or more.....	259	223	211		1	2	9		36	34	2			
Cities of 2,500 to 10,000.....	244	203	199				4		41	18	22			1
Rural.....	553	487	472		1	1	13		66	38	25			3
OREGON														
Total.....	322	314	274	9		23	8		8	1	5		1	1
Cities of 10,000 or more.....	157	154	128	6		14	6		3	1	1		1	
Cities of 2,500 to 10,000.....	65	65	61	1		3								
Rural.....	100	95	85	2		6	2		5		4			1
PENNSYLVANIA														
Total.....	6,021	5,515	4,190	733		496	92	4	506	504		2		
Cities of 10,000 or more.....	3,466	3,024	2,149	492		327	52	4	442	441		1		
Cities of 2,500 to 10,000.....	766	752	592	81		62	17		14	14				
Rural.....	1,789	1,739	1,449	160		107	23		50	49		1		
RHODE ISLAND														
Total.....	382	374	192	94		77	11		8	8				
Cities of 10,000 or more.....	345	337	176	84		70	7		8	8				
Cities of 2,500 to 10,000.....	14	14	6	3		5								
Rural.....	23	23	10	7		2	4							
SOUTH CAROLINA														
Total.....	2,651	678	654	2		1	21		1,973	1,973				
Cities of 10,000 or more.....	478	135	128	1		1	5		343	343				
Cities of 2,500 to 10,000.....	179	56	55	1					123	123				
Rural.....	1,994	487	471				16		1,507	1,507				

GENERAL TABLES

TABLE II.—STILLBIRTHS BY COLOR, AND PARENT NATIVITY OF WHITE: 1932—Continued

AREA	All still-births	WHITE							COLORED					
		Total	Both parents—			Mixed parentage			Total	Negro	Indian	Chinese	Japa-nese	Other races
			Native	Foreign	Un-known	Native and foreign	Native and un-known	Foreign and un-known						
SOUTH DAKOTA														
Total	312	296	239	11	1	34	10	1	16		16			
Cities of 10,000 or more	55	55	48			3	4							
Cities of 2,500 to 10,000	39	38	29	1		6	1	1	1		1			
Rural	218	203	162	10	1	25	5		15		15			
TENNESSEE														
Total	2,097	1,473	1,410		4	7	52		624	624				
Cities of 10,000 or more	692	371	353			5	13		321	321				
Cities of 2,500 to 10,000	195	134	127			1	5		61	61				
Rural	1,210	968	930		3	1	34		242	242				
UTAH														
Total	247	240	208	17		14	1		7			3	4	
Cities of 10,000 or more	101	96	80	10		5	1		5			2	3	
Cities of 2,500 to 10,000	42	41	35	2		4			1			1		
Rural	104	103	93	5		5			1			1	1	
VERMONT														
Total	184	183	135	19		25	3	1	1	1				
Cities of 10,000 or more	42	42	30	7		4	1							
Cities of 2,500 to 10,000	25	24	19	1		3		1	1	1				
Rural	117	117	86	11		18	2							
VIRGINIA														
Total	2,422	1,224	1,155	5		14	50		1,198	1,198				
Cities of 10,000 or more	709	308	285	2		8	13		401	401				
Cities of 2,500 to 10,000	176	130	118			3	9		46	46				
Rural	1,537	786	752	3		3	28		751	751				
WASHINGTON														
Total	530	509	388	31		76	11	3	21	5	9	2	4	1
Cities of 10,000 or more	311	300	217	22		52	6	3	11	4	2	2	3	
Cities of 2,500 to 10,000	63	63	55	2		5	1			1	7		1	1
Rural	156	146	116	7		19	4		10					
WEST VIRGINIA														
Total	1,431	1,303	1,154	50		39	60		128	128				
Cities of 10,000 or more	296	265	225	12		9	19		31	31				
Cities of 2,500 to 10,000	160	145	132	7		3	3		15	15				
Rural	975	893	797	31		27	38		82	82				
WISCONSIN														
Total	1,457	1,437	1,177	90		132	35	3	20	7	13			
Cities of 10,000 or more	666	660	510	59		66	23	2	6	4	2			
Cities of 2,500 to 10,000	209	209	186	8		11	4			3	11			
Rural	582	568	481	23		55	8	1	14					
WYOMING														
Total	112	104	85	3		16			8	1	1			6
Cities of 10,000 or more	19	15	15						4	1				3
Cities of 2,500 to 10,000	25	24	17			7			1		1			1
Rural	68	65	53	3		9			3		1			2

STILLBIRTH STATISTICS: 1932

TABLE 12.—STILLBIRTHS OF WHITE CHILDREN, BY SEX, AND COUNTRY OF BIRTH OF MOTHER BY COUNTRY OF BIRTH OF FATHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

COUNTRY OF BIRTH OF MOTHER	All white stillbirths	COUNTRY OF BIRTH OF FATHER												Country stated
		United States	Foreign country											
			Total	Austria, Hungary	Canada	Denmark, Norway, and Sweden	England, Scotland, and Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries	
Total.....	59,040	48,027	9,223	708	720	389	544	563	565	2,487	873	800	1,574	1,790
Male.....	32,731	26,593	5,156	410	398	229	312	280	306	1,363	531	453	874	982
Female.....	25,094	20,495	3,857	280	311	155	226	251	245	1,073	323	319	669	742
Not stated.....	1,215	839	210	18	11	5	6	32	14	51	14	23	31	66
United States.....	51,159	46,388	3,308	209	418	251	280	129	260	742	218	253	548	1,463
Total foreign.....	7,574	1,587	5,900	498	300	137	263	433	304	1,742	655	546	1,022	87
Austria, Hungary.....	687	108	553	446	1		5		21	8	17	37	18	6
Canada.....	743	408	317		259	5	20	9	2	7	1	2	12	18
Denmark, Norway, Sweden.....	204	76	124		4	114		1	1				3	4
England, Scotland, and Wales.....	498	206	279	1	16	3	195	25	9	5	3	11	11	13
Ireland.....	604	140	452		11	3	28	393	7				7	12
Germany.....	380	99	278	6	2	6	1	2	238	4	1	9	9	3
Italy.....	1,864	144	1,712	3					3	1,687			17	8
Poland.....	753	75	673	6					3	3	597	41	18	5
Russia.....	644	122	517	23	4	1	10		3	2	27	424	18	5
Other foreign countries.....	1,217	209	995	13	3	5	1	3	12	22	8	22	906	13
Country not stated.....	307	52	15	1	2	1	1	1	1	3		1	4	240

TABLE 13.—STILLBIRTHS, BY SEX, AND AGE OF PARENTS, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

SEX OF STILLBIRTHS AND AGE OF MOTHER	All stillbirths	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Unknown
Total.....	78,351		1,225	13,215	16,330	13,740	11,906	8,466	4,329	1,724	915	6,501
Male.....	43,673		719	7,507	8,998	7,570	6,609	4,667	2,500	941	519	3,643
Female.....	33,133		489	5,497	7,014	5,850	5,053	3,635	1,753	765	375	2,702
Not stated.....	1,545		17	211	313	320	244	164	76	18	21	156
Age of mother:												
10 to 14 years.....	M..... 107		20	29	4	2	1	1		1		49
	F..... 63		11	15	1	2	1	1				32
	N.s..... 7		1			1						5
15 to 19 years.....	M..... 5,721		562	2,892	894	220	92	22	13	3	7	1,016
	F..... 4,214		398	2,114	685	179	66	20	10	10	6	726
	N.s..... 167		13	80	21	10	2		1			40
20 to 24 years.....	M..... 11,026		122	4,005	4,124	1,296	486	157	78	25	23	710
	F..... 8,285		70	2,953	3,207	974	344	117	41	25	19	535
	N.s..... 387		3	113	160	44	12	2			2	50
25 to 29 years.....	M..... 9,207		9	480	3,379	3,101	1,274	390	151	65	48	310
	F..... 7,127		7	343	2,866	2,355	986	329	116	66	25	234
	N.s..... 354			15	115	137	53	14	4	1	2	13
30 to 34 years.....	M..... 7,242		3	73	490	2,461	2,432	1,009	362	143	86	183
	F..... 5,540		1	43	360	1,985	1,861	772	222	113	54	129
	N.s..... 293			2	18	117	77	51	11	2	5	10
35 to 39 years.....	M..... 5,987			11	75	416	2,107	1,972	866	269	158	113
	F..... 4,591			17	59	310	1,597	1,555	625	202	117	109
	N.s..... 210				3	11	88	67	22	7	7	5
40 to 44 years.....	M..... 2,705			2	8	48	190	1,050	880	336	146	45
	F..... 2,066			1	14	29	177	801	636	271	106	31
	N.s..... 83				1		10	29	33	8	1	1
45 to 49 years.....	M..... 355					4	9	48	140	93	49	12
	F..... 257					1	7	27	100	74	44	4
	N.s..... 8							1	4		3	
50 to 54 years.....	M..... 5							1		2		2
	F..... 5							1		1	3	
	N.s.....											
Unknown.....	M..... 1,318		3	15	24	22	18	17	10	4	2	1,203
	F..... 985		2	11	21	16	14	12	3	3	1	902
	N.s..... 36			1			2				1	32

GENERAL TABLES

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, COLOR, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Exclusive of Massachusetts, New York, and Rhode Island]

NUMBER AND SEX OF CHILD AND AGE OF MOTHER	All stillbirths	WHITE														Colored		
		Total	Country of birth of mother															
			United States	Foreign country													Country not stated	
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries				
TWENTY-SECOND CHILD																		
Total.....	5	3	3														2	
Male.....	3	1	1														2	
Female.....	2	2	2															
Not stated.....																		
Age of mother:																		
35 to 39 years.....	1																	1
40 to 44 years.....	4	3	3															1
TWENTY-THIRD CHILD																		
Total.....	2	1	1															1
Male.....	2	1	1															1
Female.....																		
Not stated.....																		
Age of mother:																		
40 to 44 years.....	2	1	1															1
TWENTY-FIFTH CHILD																		
Total.....	1																	1
Male.....	1																	1
Female.....																		
Not stated.....																		
Age of mother:																		
45 to 49 years.....	1																	1
NUMBER OF CHILD NOT STATED																		
Total.....	1,644	1,217	983	139	6	49	2	3	4	4	22	18	5	26	95	427		
Male.....	931	682	565	77	5	21	2	2	2	2	11	13	3	16	40	249		
Female.....	693	518	404	60	1	28		1	2	2	11	4	2	9	54	175		
Not stated.....	20	17	14	2								1		1	1	3		
Age of mother:																		
15 to 19 years.....	32	32	29	2		1									1	1		
20 to 24 years.....	159	134	122	11	1	6		1			1	1		1	1	1	25	
25 to 29 years.....	276	206	184	21		7	1		1	2	1	2	2	5	5	1	70	
30 to 34 years.....	196	164	137	26	1	11		1	1		2	3	1	6	1	32		
35 to 39 years.....	167	140	99	41	2	14	1	1	1	2	3	10	2	5		27		
40 to 44 years.....	51	44	33	11		4					5			2		7		
45 to 49 years.....	11	9	6	3		2			1							2		
Unknown.....	752	488	373	24	2	4					10	2		6	91	264		

TABLE 15.—STILLBIRTHS, BY CAUSE, IN CERTAIN SPECIFIED REGISTRATION STATES AND CITIES: 1932

CAUSE OF STILLBIRTH	Total	Connecticut	Illinois	New Jersey	New York	Oregon	Washington	West Virginia	District of Columbia	Baltimore, Md.
All causes	18,209	685	3,446	2,291	8,258	322	530	1,431	437	809
General diseases	749	20	186	56	330	6	14	120	12	55
Syphilis	507	12	82	38	213	3	7	91	10	51
Other general diseases	242	8	54	18	117	3	7	29	2	4
Extra-uterine pregnancy	23		2	1	19					1
Albuminuria and other diseases incident to pregnancy	1,225	51	188	127	672	19	33	85	16	34
Albuminuria	53	2	8	3	29	1	8	2		
Eclampsia	303	13	45	27	132	5	10	56	7	8
Nephritis	255	17	63	38	134	6	3	12		12
Toxemia	527	19	65	51	342	6	9	15	9	11
Other diseases incident to pregnancy	57		7	8	35	1	3			3
Antepartum hemorrhage	13	1	2	1	8				1	
Hemorrhage of uterus	47	1	10	4	30					2
Inertia of uterus	40	3	12	2	21	1	1			
Prolapse of uterus	4				2					
Retroversion of uterus	17		1		15			1		
Rupture of uterus	28	2	7	3	12	1			2	1
Malformations	1,223	81	268	133	578	17	27	97	8	16
Hydrocephalus	369	22	87	33	177	7	13	25	2	3
Spina bifida	184	9	30	13	59	1	1	21		
Other malformations	720	50	149	87	342	9	13	51	6	13
Diseases of the placenta and membranes	1,961	96	403	185	1,004	39	41	117	37	39
Placenta praevia	534	23	137	51	240	15	10	35	13	10
Separation of placenta	1,086	50	186	109	582	19	26	71	19	24
Diseases of the placenta	216	17	59	16	103	5	1	8	3	4
Premature rupture of membranes	125	6	21	9	79		4	3	2	1
Abortion, miscarriage, premature birth	1,704	42	166	144	871	13	36	271	27	134
Abortion, miscarriage, premature birth, induced, criminal	9		2		4			1		2
Abortion, miscarriage, premature birth, induced, therapeutic	169	1	3	1	158					6
Abortion, miscarriage, premature birth, self-induced	11		1	3	1					6
Abortion, miscarriage, premature birth, induced, unspecified	14		2		9				2	
Abortion, miscarriage, premature birth, spontaneous	110		9	2	73					26
Other abortions and miscarriages	573	19	61	45	340	5		33	5	65
Other premature births	818	21	88	93	286	8	36	237	20	29
Prolapse and compression of cord	1,775	81	431	163	775	55	31	198	16	25
Compression of cord	420	16	121	36	127	15	5	92	2	6
Cord around neck	512	23	109	41	269	15	7	38	5	5
Knot in cord	153	10	29	14	73	3	8	15	1	
Prolapsed cord	626	27	148	70	277	20	11	51	8	14
Twisted cord	64	5	24	2	29	2		2		
Thrombosis of cord	29	1	6	3	15	1	1	1		1
Malpresentation	874	37	185	87	383	22	33	118	2	7
Breech	501	21	93	44	227	17	22	69	2	6
Foot	23	1	9	4	7	1	1			
Knee	1				1					
Brow	1		1							
Face	49	1	11	7	14	1	2	13		
Transverse	97	4	22	10	49	1	3	7		1
Shoulder	48		13	1	20	1	2	11		
Hand	26		14	4	8					
Other and unspecified	128	10	22	17	57	1	3	18		
Difficult labor	1,769	54	354	203	823	28	21	209	13	64
Deformed pelvis	248	5	62	14	130	4	7	24		2
Instrumental delivery	200	5	52	12	89		1	37	1	3
Version	59	1	12	3	24	2		17		
Other and unspecified	1,262	43	223	174	580	22	13	131	12	59
Asphyxia of child (cause not stated)	735	32	142	96	315	6	10	33	7	94
Hydramnios	105	6	9	2	74	4		7		3
Death in utero	1,201	37	125	147	740	25	17	6	3	101
Maceration	322	24	38	33	207	1	11	3	1	4
Other deaths in utero	879	13	87	114	533	24	6	3	2	97
Traumatism and overwork	485	14	107	32	225	18	5	62	6	16
Blow	5				3					1
Fall	242	4	53	10	98	9	4	50	4	8
Shock	4				2					1
Overwork	22		5	2	13	1		1		
Other	212	8	48	20	109	7	1	11	2	6
Predisposition of mother to abortion	15	2	2		11					
Other diseases or conditions of mother	409	16	73	22	231	7	6	24	5	25
Other specified causes	367	17	103	36	165	8	7	22	3	6
Causes not specified and unknown	3,411	91	715	844	939	52	247	59	279	185

TABLE 16.—STILLBIRTHS, BY PERIOD OF UTEROGESTATION, IN CERTAIN SPECIFIED REGISTRATION STATES AND CITIES: 1932

AREA	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Unknown
Total	18,209	149	295	426	769	1,272	1,871	2,539	3,572	5,851	289	1,176
Connecticut	685				19	31	64	99	111	323	8	21
Illinois	3,446	10	20	47	157	277	427	632	1,758	91	7	20
New Jersey	2,291		4	14	60	146	214	274	241	975	27	336
New York	8,258	92	193	282	464	671	825	1,037	1,031	3,355	213	95
Oregon	322				3	19	44	47	42	149	10	8
Washington	530											
West Virginia	1,431	2				45	178	41	23	36		428
District of Columbia	437						251		194	704	18	41
Baltimore, Md.	309	47	76	73	62	37	57	91	85	124	5	33
						46	62	67	87	94	1	194

TABLE 17.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1932—
Continued

[Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.]

CAUSE AND SEX OF STILLBIRTH		Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Un- known
Abortion, miscarriage, and premature birth.....	M.....	808		9	51	105	165	189	197	44	4	1	43
	F.....	572	1	2	17	49	132	177	130	29	3		32
	N.s.....	324	78	121	70	32	7	4	1		1		10
Abortion, miscarriage, premature birth, induced, criminal.....	M.....	2											
	F.....	4				1	1						
	N.s.....	1			2								
Abortion, miscarriage, premature birth, induced, therapeutic.....	M.....	35		1	7	13	8	3	2	1			
	F.....	8				3	3						
	N.s.....	126	49	51	19	5	1	1					
Abortion, miscarriage, premature birth, self-induced.....	M.....	6			1	2	2						
	F.....	2											
	N.s.....	3				1							2
Abortion, miscarriage, premature birth, induced, unspecified.....	M.....	10				2	6		2				
	F.....	2					1		1				
	N.s.....	2			1		1						
Abortion, miscarriage, premature birth, spontaneous.....	M.....	39		1	11	7	10	2	2	3		1	2
	F.....	18			4	5	4	3	2				
	N.s.....	53	10	21	14	5	1	1					1
Other abortions and miscarriages.....	M.....	257		7	30	81	138						1
	F.....	184	1	2	12	40	123	2					4
	N.s.....	132	18	49	34	21	4						6
Other premature births.....	M.....	458					1	182	191	40	4		40
	F.....	356						170	127	28	3		28
	N.s.....	4						2			1		1
Prolapse and compression of cord.....	M.....	1,006		1	2	17	15	36	71	256	542	24	42
	F.....	789			1	6	18	26	65	196	410	21	26
	N.s.....												
Compression of cord.....	M.....	222		1		2	4	6	11	65	118	3	12
	F.....	198					4	7	9	59	110	3	6
	N.s.....												
Cord around neck.....	M.....	297				5	2	8	23	78	160	13	8
	F.....	215				4	3	2	17	52	121	6	10
	N.s.....												
Knot in cord.....	M.....	93					2	5	9	20	53		4
	F.....	60				1	2	2	10	7	29	5	4
	N.s.....												
Prolapsed cord.....	M.....	368			2	10	6	17	22	82	201	8	18
	F.....	260			1	1	7	9	23	66	140	7	6
	N.s.....												
Twisted cord.....	M.....	28					1		6	11	10		
	F.....	36					2	6	6	12	10		
	N.s.....												
Thrombosis of cord.....	M.....	12							1	6	5		
	F.....	17				1			1	2	12		1
	N.s.....												
Malpresentation.....	M.....	527			1		2	16	27	122	313	12	34
	F.....	346			1		1	10	16	70	224	5	19
	N.s.....	1									1		
Breech.....	M.....	301			1		2	7	14	65	181	8	23
	F.....	199			1		1	5	8	35	132	3	14
	N.s.....	1									1		
Foot.....	M.....	15						2	2	5	4		2
	F.....	8								3	5		
	N.s.....												
Knee.....	M.....	1									1		
	F.....												
	N.s.....												
Brow.....	M.....									1			
	F.....	1											
	N.s.....												
Face.....	M.....	37							1	12	20	1	3
	F.....	12								2	10		
	N.s.....												
Transverse.....	M.....	53						4	4	14	32	1	2
	F.....	44						1	6	10	26		1
	N.s.....												
Shoulder.....	M.....	34						3	2	8	19	1	1
	F.....	14						1	1	5	6		1
	N.s.....												
Hand.....	M.....	15						1	2	5	6		1
	F.....	11						1	1	3	6		
	N.s.....												
Other and unspecified.....	M.....	71						3	2	13	50	1	2
	F.....	57						2	2	11	39	2	3
	N.s.....												
Difficult labor.....	M.....	1,109		1		1	3	8	37	238	743	44	34
	F.....	659					1	5	15	145	438	32	23
	N.s.....	1								1			
Deformed pelvis.....	M.....	165					1	2	5	45	103	4	5
	F.....	83						2	1	18	52	6	4
	N.s.....												
Instrumental delivery.....	M.....	118					2	1	1	34	74	6	
	F.....	82					1	1		20	51	6	3
	N.s.....												
Version.....	M.....	40							3	6	28	1	2
	F.....	19								3	15		1
	N.s.....												
Other and unspecified.....	M.....	786		1		1		5	28	153	538	33	27
	F.....	475						2	14	104	320	20	15
	N.s.....	1								1			

GENERAL TABLES

TABLE 17.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1932—
Continued

[Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.]

CAUSE AND SEX OF STILLBIRTH	Total	Under 2 months	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months and over	Un-known	
Asphyxia of child (cause not stated)	M	424	2	8	14	16	21	26	47	89	172	9	20
	F	297		1		10	12	18	37	56	137	6	20
	N.s.	14	2	8		2					1		1
Hydramnios	M	56				4	14	8	6	15	8	1	
	F	49				4	5	8	10	4	14	1	3
	N.s.												
Death in utero	M	644	1	6	12	25	66	79	113	128	181	11	22
	F	510	2	2	4	15	44	74	102	99	146	14	8
	N.s.	47	7	16	12	9	2			1			
Maceration	M	175	1		1	4	7	10	30	34	71	7	10
	F	138			1	3	4	22	25	35	41	6	1
	N.s.	9		2	2	3							
Other deaths in utero	M	469		6	11	21	59	69	83	94	110	4	12
	F	372	2	2	3	12	40	52	77	64	105	8	7
	N.s.	38	7	14	10	6				1			
Traumatism and overwork	M	257	1	2	21	30	43	47	40	45	24		4
	F	203		1	3	16	38	33	55	28	25	2	2
	N.s.	25	3	7	5	5	3						1
Blow	M	2						1			1		
	F	3							1	1			
	N.s.												
Fall	M	125			6	16	15	25	23	22	16		2
	F	101		1	1	8	18	12	26	18	15	1	1
	N.s.	16	1	5	2	4	3						
Shock	M	4			1	1			2				
	F												
	N.s.												
Overwork	M	12		1	1	2	1	4	1	2			
	F	10				1	1	2	4	2			
	N.s.												
Other	M	114	1	1	13	11	27	17	14	21	7		2
	F	89			2	7	18	19	24	7	10	1	1
	N.s.	9	2	2	3	1							1
Predisposition of mother to abortion	M	7			1	1	4	1					
	F	6			1	1	4						
	N.s.	2		1	1								
Other diseases or conditions of mother	M	190		2	6	22	32	28	34	30	29		7
	F	183				8	32	40	35	32	28		8
	N.s.	36	8	9	6	5	1	2		1			3
Other specified causes	M	208				2	6	9	29	56	94	5	7
	F	157			1	4	4	10	15	43	70	6	4
	N.s.	2				1				1			
Causes not specified and unknown	M	1,880	3	21	63	121	164	193	225	308	414	21	347
	F	1,387		4	10	74	130	153	192	251	328	11	234
	N.s.	144	23	39	42	15	12	3	1	1			8

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX AND COLOR, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	All deaths	WHITE																Negro	Other colored
		Country of birth of mother														Country not stated			
		Total	United States	Foreign country															
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries					
All causes	119,431	96,250	84,555	10,142	817	1,252	306	591	763	529	2,180	1,010	717	1,977	1,553	20,171	3,010		
Male	67,839	55,035	48,439	5,692	473	694	191	327	456	286	1,192	566	410	1,097	904	11,150	1,654		
Female	51,592	41,215	36,116	4,450	344	558	115	264	307	243	988	444	307	880	649	9,021	1,356		
Measles (7):																			
Male	242	215	188	26		2	1		1		16	2		4	1	23	4		
Female	188	174	133	38	5	4		4			14	4		7	3	12	2		
Scarlet fever (8):																			
Male	47	45	42	3				1			1	1				2			
Female	37	36	34	2							2					1			
Whooping cough (9):																			
Male	1,512	1,177	1,073	94	11	14	3	2	4	8	20	9	2	21	10	296	39		
Female	1,693	1,281	1,158	116	9	18	2	6	10	1	34	12	2	21	8	354	58		
Diphtheria (10):																			
Male	237	197	179	13	2			3	1		5			2	5	34	6		
Female	164	138	127	10		1				1	4			4	1	25	1		
Influenza (11):																			
Male	2,095	1,633	1,508	101	9	6	6	6	1	6	15	15	4	33	24	387	75		
Female	1,647	1,287	1,183	94	14	5		3	3	8	18	11	6	26	10	300	60		
Dysentery (13):																			
Male	288	212	203	4	2						1	1			5	53	23		
Female	191	137	129	6							1				2	48	6		
Erysipelas (15):																			
Male	283	270	228	32	2	1	1	2	2	2	5	5	6	6	10	9	4		
Female	246	231	193	35		1		2	8	4	7	2	4	7	3	9	6		
Epidemic cerebrospinal meningitis (18):																			
Male	141	123	100	22	1	1				2	1	7	3	2	5	16	2		
Female	120	105	87	17	3	1				1		8	2	2	1	15			
Tetanus (22):																			
Male	83	43	42	1												38	2		
Female	44	19	18	1												23	2		
Tuberculosis of the respiratory system (23):																			
Male	168	97	80	16	1	1	3		2		2	1	2	4	1	49	22		
Female	142	80	70	6	1				2	1	1			1	4	48	14		
Tuberculosis of the meninges, etc. (24):																			
Male	166	142	114	24	1	6	2	1	3	1	4	2		4	4	16	8		
Female	152	128	114	13	1	2			1		2	1	2	4	1	18	6		
Other forms of tuberculosis (25-32):																			
Male	108	70	56	13		3				1	2		1	2	1	30	8		
Female	80	48	42	6	1	1				1	1			2		24	8		
Syphilis (34):																			
Male	886	446	403	34	1	3	2	2	2	1	14		1	10	9	407	33		
Female	718	337	295	28	2	5	1	2	2		4	2	2	8	14	357	24		
Convulsions (86):																			
Male	407	305	280	25	4	2	2	1		1	5	3	2	5		98	4		
Female	271	171	147	23	4	2	2		1	6	3		3	5	1	97	3		
Bronchitis (106):																			
Male	349	279	238	38	4	2	1	1	3	3	8	7		9	3	51	19		
Female	288	208	162	43	7	4		1	1	1	4	11	2	12	3	66	14		
Broncho-pneumonia (107):																			
Male	6,742	5,388	4,498	788	70	84	18	33	47	34	201	81	52	168	102	1,093	261		
Female	5,076	4,022	3,319	628	51	69	13	30	36	26	162	72	43	126	75	858	196		
Lobar and unspecified pneumonia (108, 109):																			
Male	2,534	1,859	1,583	247	21	20	2	17	18	6	77	21	21	44	29	574	101		
Female	1,976	1,436	1,214	199	21	16	3	10	13	5	60	10	19	42	23	449	91		
Diseases of the stomach (117, 118):																			
Male	278	193	179	12	1	2		1	1			3	2	2	2	74	11		
Female	235	160	148	7	1	2					2			2	5	63	12		
Diarrhea and enteritis (119):																			
Male	6,085	4,873	4,286	495	56	50	10	15	38	20	87	63	34	122	92	906	306		
Female	4,706	3,645	3,232	349	40	29	6	13	30	15	67	35	24	90	64	795	266		
Intestinal obstruction (122b):																			
Male	510	451	382	64	6	10	2	1	3	4	14	5	3	16	5	53	6		
Female	337	295	259	35		2		4	4	3	9	4	2	7	1	32	10		
Congenital malformations (157):																			
Male	6,015	5,652	4,950	640	47	95	31	39	71	29	124	59	52	93	62	291	72		
Female	4,877	4,597	4,049	495	31	71	17	28	40	25	124	51	33	75	53	219	61		
Congenital debility, icterus, sclerema (158, 161 b, c):																			
Male	2,793	2,134	1,933	168	22	21	6	9	7	11	33	21	5	33	33	580	79		
Female	1,962	1,444	1,292	131	12	26	2	5	6	5	35	16	3	21	21	452	66		
Premature birth (159):																			
Male	18,524	15,776	14,154	1,884	112	205	61	87	112	77	236	134	119	241	238	2,488	260		
Female	14,188	11,914	10,630	1,132	72	172	35	89	67	82	217	102	85	211	152	2,087	187		
Injury at birth (160):																			
Male	5,913	5,405	4,635	708	36	90	18	48	68	39	153	66	61	129	62	444	64		
Female	3,641	3,335	2,812	481	29	68	17	37	41	36	100	53	34	66	42	266	40		
Other diseases of early infancy (161 a, d):																			
Male	2,250	1,860	1,576	254	20	27	8	26	27	12	55	18	13	48	30	344	46		
Female	1,644	1,389	1,197	168	16	21	4	14	16	8	27	16	9	37	24	212	43		
External causes (172-198, 201-214):																			
Male	1,080	852	739	53	3	7	4	5	5	1	9	4		15	60	193	35		
Female	864	662	555	45	1	4	1	1	4	3	8	6	3	14	62	172	30		
Unknown or ill-defined diseases (199, 200):																			
Male	4,184	2,073	1,970	44	3	3	2		2	2	6	5	9	12	59	2,045	66		
Female	3,250	1,579	1,489	46	2	5	2		1	2	3	3	7	21	44	1,604	67		
All other causes:																			
Male	3,919	3,265	2,820	389	38	39	8	27	36	27	90	37	18	69	56	556	98		
Female	2,855	2,357	2,028	297	21	29	10	14	20	16	68	31	23	65	32	415	88		

GENERAL TABLES

TABLE 19.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, BY SEX AND COLOR, AND, FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

AGE AND SEX	All deaths	WHITE														Negro	Other colored	
		Country of birth of mother																
		Total	United States	Foreign country											Country not stated			
				Total	Austria, Hungary	Canada	Denmark, Norway, Sweden	England, Scotland, Wales	Ireland	Germany	Italy	Poland	Russia	Other foreign countries				
Under 1 year	119,431	96,250	84,555	10,142	817	1,252	306	591	763	529	2,180	1,010	717	1,977	1,553	20,171	3,010	
Male	67,839	55,035	48,439	5,692	473	694	191	327	456	286	1,192	566	410	1,097	904	11,150	1,654	
Female	51,592	41,215	36,116	4,450	344	558	115	264	307	243	988	444	307	880	649	9,021	1,356	
Under 1 day	31,050	26,675	23,716	2,541	159	373	82	190	479	219	160	479	239	195	445	418	4,032	343
Male	17,807	15,375	13,711	1,407	96	204	49	96	134	81	81	258	131	119	239	257	2,232	200
Female	13,243	11,300	10,005	1,134	63	169	33	94	85	79	79	221	108	76	206	161	1,800	143
1 day	7,894	6,598	5,815	683	49	93	27	46	42	41	157	65	57	106	100	1,184	112	
Male	4,617	3,881	3,433	400	26	57	15	25	28	23	98	35	29	64	48	667	69	
Female	3,277	2,717	2,382	283	23	36	12	21	14	18	59	30	28	42	52	517	43	
2 days	5,389	4,395	3,831	505	38	69	17	34	33	27	104	50	36	97	59	878	116	
Male	3,182	2,607	2,302	277	23	30	12	21	21	14	63	28	19	46	28	506	69	
Female	2,207	1,788	1,529	228	15	39	5	13	12	13	41	22	17	51	31	372	47	
3 to 6 days	9,749	7,853	6,888	847	79	101	32	63	72	55	145	75	63	162	118	1,670	226	
Male	5,822	4,689	4,116	500	51	62	16	41	42	32	85	45	33	93	73	995	133	
Female	3,927	3,164	2,772	347	28	39	16	22	30	23	60	30	30	69	45	675	88	
1 week	7,060	5,582	4,948	535	45	73	14	26	31	33	106	59	49	99	99	1,341	137	
Male	3,931	3,121	2,773	289	21	37	9	13	18	18	50	31	32	60	59	737	73	
Female	3,129	2,461	2,175	246	24	36	5	13	13	15	56	28	17	39	40	604	64	
2 weeks	4,536	3,628	3,194	377	38	30	12	14	46	23	64	48	39	63	57	813	95	
Male	2,512	2,020	1,779	210	23	20	9	8	23	10	33	25	26	33	31	444	45	
Female	2,024	1,608	1,415	167	15	10	3	6	23	13	31	23	13	30	26	369	47	
3 weeks but under 1 month	3,818	3,006	2,636	322	29	41	8	20	26	11	64	27	27	69	48	718	94	
Male	2,110	1,695	1,490	180	17	25	6	12	17	5	32	16	13	37	25	362	53	
Female	1,708	1,311	1,146	142	12	16	2	8	9	6	32	11	14	32	23	356	41	
Under 1 month	69,496	57,737	51,028	5,810	437	780	192	393	469	350	1,119	563	466	1,041	899	10,636	1,123	
Male	39,981	33,388	29,604	3,263	257	455	116	216	283	183	619	311	271	572	521	5,943	650	
Female	29,515	24,349	21,424	2,547	180	345	76	177	186	167	500	252	195	469	378	4,693	473	
1 month	9,707	7,587	6,682	756	61	98	22	39	63	35	145	76	68	149	149	1,828	292	
Male	5,649	4,441	3,884	463	41	59	12	27	41	20	75	53	40	95	94	1,041	167	
Female	4,058	3,146	2,798	293	20	39	10	12	22	15	70	23	28	54	55	787	125	
2 months	7,368	5,736	5,031	595	59	61	14	26	49	24	146	56	28	132	110	1,403	229	
Male	4,095	3,234	2,845	328	31	30	9	14	32	13	85	33	16	65	61	751	110	
Female	3,273	2,502	2,186	267	28	31	5	12	17	11	61	23	12	67	49	652	119	
3 months	5,948	4,524	3,952	492	45	58	16	15	40	27	113	48	24	106	80	1,182	242	
Male	3,278	2,524	2,211	263	30	31	10	6	21	12	50	25	14	64	50	629	125	
Female	2,670	2,000	1,741	229	15	27	6	9	19	15	63	23	10	42	30	553	117	
4 months	4,820	3,672	3,177	429	41	44	8	20	23	23	98	53	24	95	66	973	175	
Male	2,693	2,066	1,813	230	20	19	6	11	14	12	59	28	14	47	43	522	85	
Female	2,127	1,586	1,364	199	21	25	2	9	9	11	39	25	10	48	23	451	90	
5 months	4,118	3,125	2,657	414	46	41	11	20	19	18	93	56	18	92	54	799	194	
Male	2,236	1,726	1,460	240	24	24	5	12	10	11	51	34	10	59	26	409	101	
Female	1,882	1,399	1,197	174	22	17	6	8	9	7	42	22	8	33	28	390	93	
6 months	3,814	2,860	2,469	340	32	36	11	19	20	11	85	33	17	76	51	798	156	
Male	2,097	1,568	1,349	191	13	16	11	11	10	9	50	24	11	36	28	434	95	
Female	1,717	1,292	1,120	149	19	20	11	8	10	2	35	9	6	40	23	364	61	
7 months	3,268	2,518	2,186	298	27	34	10	11	13	9	82	23	15	74	34	613	137	
Male	1,807	1,389	1,202	167	14	21	9	6	7	4	52	8	7	39	20	343	75	
Female	1,461	1,129	984	131	13	13	1	5	6	5	30	15	8	35	14	270	62	
8 months	3,030	2,345	2,023	285	22	32	8	9	23	10	88	28	19	46	37	562	123	
Male	1,680	1,304	1,125	157	15	19	3	8	12	5	38	16	10	31	22	316	60	
Female	1,350	1,041	898	128	7	13	5	1	11	5	50	12	9	15	15	246	63	
9 months	2,831	2,216	1,924	265	16	23	8	11	19	10	70	31	20	57	27	502	113	
Male	1,541	1,205	1,047	145	10	12	5	6	11	8	39	14	11	29	13	276	60	
Female	1,290	1,011	877	120	6	11	3	5	8	2	31	17	9	28	14	226	53	
10 months	2,555	1,988	1,730	233	18	18	5	16	13	6	63	26	10	58	25	449	118	
Male	1,424	1,110	966	129	11	12	4	8	9	5	31	11	4	34	15	252	62	
Female	1,131	878	764	104	7	6	1	8	4	1	32	15	6	24	10	197	56	
11 months	2,476	1,942	1,696	225	13	27	1	12	12	6	78	17	8	51	21	426	108	
Male	1,358	1,060	933	116	7	16	1	2	6	4	43	9	2	26	11	234	64	
Female	1,118	882	763	109	6	11	11	10	6	2	35	8	6	25	10	192	44	

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 YEAR OF AGE													
All causes	119, 431	10, 095	9, 948	11, 412	9, 896	10, 042	9, 566	9, 717	9, 304	8, 769	9, 112	9, 640	11, 930
Measles (7).....	430	28	49	69	68	83	48	24	10	8	11	11	21
Scarlet fever (8).....	84	10	7	10	8	5	8	4	5	7	12	8
Whooping cough (9).....	3, 205	239	299	453	342	364	345	270	222	197	144	149	178
Diphtheria (10).....	401	42	45	37	33	24	14	18	11	23	44	59	51
Influenza (11).....	3, 742	272	389	537	353	192	94	52	62	75	160	364	1, 183
Dysentery (13).....	479	19	10	14	7	33	77	112	65	50	54	28	10
Erysipelas (15).....	529	50	69	64	65	54	37	33	19	26	32	37	43
Epidemic cerebrospinal meningitis (18).....	261	36	31	20	26	17	14	27	11	17	18	19	25
Tetanus (22).....	127	8	12	5	9	14	11	14	16	17	8	6	7
Tuberculosis of the respiratory system (23).....	310	22	25	24	26	27	42	21	30	28	16	24	25
Tuberculosis of the meninges, etc. (24).....	318	22	35	29	36	46	31	28	22	17	12	19	21
Other forms of tuberculosis (25-32).....	188	21	10	19	21	15	13	15	19	15	16	12	12
Syphilis (34).....	1, 604	160	130	143	132	139	108	124	137	108	132	158	133
Convulsions (36).....	678	67	51	78	58	64	47	56	62	51	46	56	42
Bronchitis (106).....	637	65	64	75	48	52	31	27	24	33	42	79	97
Broncho-pneumonia (107).....	11, 818	1, 183	1, 176	1, 390	1, 091	1, 000	601	454	423	533	870	1, 186	1, 911
Lobar and unspecified pneumonia (108, 109).....	4, 510	455	494	584	414	322	227	163	145	180	332	470	724
Diseases of the stomach (117, 118).....	513	41	29	43	37	46	55	37	47	47	57	38	36
Diarrhea and enteritis (119).....	10, 791	533	509	518	543	749	1, 198	1, 664	1, 530	1, 336	1, 057	645	504
Intestinal obstruction (122b).....	847	57	73	67	84	74	70	83	81	82	72	63	61
Congenital malformations (157).....	10, 892	941	859	964	906	937	885	915	889	777	879	902	978
Congenital debility, icterus, sclerema (158, 161 b, c).....	4, 755	430	383	418	366	406	395	392	446	392	371	376	380
Premature birth (159).....	32, 712	2, 707	2, 578	2, 968	2, 764	2, 969	2, 840	2, 819	2, 746	2, 506	2, 397	2, 578	2, 840
Injury at birth (160).....	9, 554	870	854	856	782	789	794	810	801	776	756	711	755
Other diseases of early infancy (161 a, d).....	3, 894	331	333	375	340	354	292	325	330	309	310	278	317
External causes (172-198, 201-214).....	1, 944	170	181	210	159	145	148	159	133	143	151	143	202
Unknown or ill-defined diseases (199, 200).....	7, 434	644	629	752	639	554	600	627	550	538	599	573	729
All other causes.....	6, 774	667	624	690	559	568	538	444	473	480	510	584	637

UNDER 1 DAY													
All causes	31, 050	2, 582	2, 412	2, 731	2, 623	2, 834	2, 786	2, 769	2, 671	2, 393	2, 347	2, 337	2, 535
Measles (7).....	5	1	3	1
Scarlet fever (8).....	1	1
Whooping cough (9).....
Diphtheria (10).....
Influenza (11).....	14	1	1	1	1	1	3	1	5
Dysentery (13).....
Erysipelas (15).....
Epidemic cerebrospinal meningitis (18).....
Tetanus (22).....	2	1	1
Tuberculosis of the respiratory system (23).....	3	1	1	1
Tuberculosis of the meninges, etc. (24).....
Other forms of tuberculosis (25-32).....
Syphilis (34).....	212	24	16	16	23	18	12	16	18	10	15	20	24
Convulsions (36).....	26	1	2	3	1	4	1	4	1	3	1	3	2
Bronchitis (106).....	2
Broncho-pneumonia (107).....	48	3	6	5	5	3	4	2	2	1	2	7	5
Lobar and unspecified pneumonia (108, 109).....	17	1	1	1	1	1	3	2	3	2	2
Diseases of the stomach (117, 118).....
Diarrhea and enteritis (119).....	11	1	3	3	1	2	1
Intestinal obstruction (122b).....	1
Congenital malformations (157).....	2, 624	230	171	213	219	240	233	246	213	194	234	214	217
Congenital debility, icterus, sclerema (158, 161 b, c).....	784	31	57	74	69	75	65	60	80	40	60	52	62
Premature birth (159).....	19, 196	1, 523	1, 474	1, 678	1, 622	1, 807	1, 766	1, 754	1, 641	1, 497	1, 370	1, 476	1, 588
Injury at birth (160).....	4, 705	412	391	411	361	410	420	419	435	381	375	336	354
Other diseases of early infancy (161 a, d).....	1, 572	137	126	143	134	132	129	131	134	129	128	108	141
External causes (172-198, 201-214).....	159	15	16	12	18	11	11	16	8	14	16	8	14
Unknown or ill-defined diseases (199, 200).....	1, 503	140	137	150	156	113	128	131	120	100	125	101	102
All other causes.....	165	12	14	19	10	16	16	12	15	12	14	8	17

1 DAY													
All causes	7, 894	636	647	756	613	669	661	701	661	647	587	612	674
Measles (7).....
Scarlet fever (8).....
Whooping cough (9).....	2	1
Diphtheria (10).....	4	2	1	1
Influenza (11).....	5	2	1	1	1
Dysentery (13).....
Erysipelas (15).....
Epidemic cerebrospinal meningitis (18).....
Tetanus (22).....	3	1	1	1
Tuberculosis of the respiratory system (23).....
Tuberculosis of the meninges, etc. (24).....
Other forms of tuberculosis (25-32).....
Syphilis (34).....	45	3	3	9	3	4	1	4	5	1	4	5	3
Convulsions (36).....	36	2	2	5	5	1	2	5	7	3	3
Bronchitis (106).....	4
Broncho-pneumonia (107).....	85	8	10	9	9	2	8	5	3	8	6	7	10
Lobar and unspecified pneumonia (108, 109).....	22	1	1	1	2	2	4	2	1	2	2	2
Diseases of the stomach (117, 118).....	14	3	2	2	1	2	1
Diarrhea and enteritis (119).....	1
Intestinal obstruction (122b).....
Congenital malformations (157).....	952	78	74	87	80	93	84	92	84	56	72	77	75
Congenital debility, icterus, sclerema (158, 161 b, c).....	273	24	27	30	15	26	20	18	24	20	19	20	30
Premature birth (159).....	3, 856	305	313	361	355	329	321	327	306	314	284	304	357
Injury at birth (160).....	1, 390	119	118	126	103	114	120	115	120	126	109	120	102
Other diseases of early infancy (161 a, d).....	1, 500	42	38	43	34	37	36	42	54	51	45	42	36
External causes (172-198, 201-214).....	47	2	6	2	4	3	4	11	2	2	1	4	6
Unknown or ill-defined diseases (199, 200).....	536	37	41	61	49	39	53	72	43	47	31	23	40
All other causes.....	119	8	9	17	8	11	7	10	11	13	10	4	11

GENERAL TABLES

165

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
2 DAYS													
All causes.....	5,389	504	503	515	448	452	428	408	437	399	396	421	478
Measles (7).....													
Scarlet fever (8).....													
Whooping cough (9).....													
Diphtheria (10).....	2			1							1		
Influenza (11).....	18	1	1	1	2	1		1			2	1	3
Dysentery (13).....													
Erysipelas (15).....													
Epidemic cerebrospinal meningitis (18).....			1					1	1	1			
Tetanus (22).....	4												
Tuberculosis of the respiratory system (23).....													
Tuberculosis of the meninges, etc. (24).....													
Other forms of tuberculosis (25-32).....													
Syphilis (34).....	55	5	3	8	3	4	6	4	6	3	2	9	2
Convulsions (86).....	45	3	5	4	5	4	4	5	4	2	6	1	2
Bronchitis (106).....	4		1								2		
Broncho-pneumonia (107).....	116	14	15	9	7	9	7	5	6	12	9	9	14
Lobar and unspecified pneumonia (108, 109).....	97	2	6	6	3	1	2	3	3		3	3	5
Diseases of the stomach (117, 118).....	9	1	1	1	1	1	2	1	1	1			
Diarrhea and enteritis (119).....	30	3	5	2	2	4	2	4	1	3	3	1	
Intestinal obstruction (122b).....	7	1	2	1	1				1				1
Congenital malformations (157).....	775	73	66	61	58	71	65	59	80	48	54	74	66
Congenital debility, icterus, sclerema (158, 161 b, c).....	255	22	23	25	25	29	18	18	29	20	14	16	16
Premature birth (159).....	1,872	181	164	189	147	155	152	130	147	140	188	166	163
Injury at birth (160).....	1,079	98	109	80	88	74	91	98	80	95	85	79	102
Other diseases of early infancy (161 a, d).....	455	37	39	62	46	42	30	38	35	28	29	28	41
External causes (172-198, 201-214).....	50	2	5	2	5	3	5	4	7	3	3	2	7
Unknown or ill-defined diseases (199, 200).....	405	39	35	43	43	37	34	26	26	29	33	20	40
All other causes.....	176	22	22	20	13	17	10	10	12	10	12	12	16

3 TO 6 DAYS													
CAUSE OF DEATH	All deaths	931	900	1,000	833	807	725	713	728	728	761	750	873
All causes.....	9,749												
Measles (7).....	1				1								
Scarlet fever (8).....	2							1		1			
Whooping cough (9).....	6												1
Diphtheria (10).....	83	7	6	25	8			1		2	1	7	24
Influenza (11).....	1											1	
Dysentery (13).....	6	1	2										
Erysipelas (15).....	2				2			1					1
Epidemic cerebrospinal meningitis (18).....	34	2	3	3		3	3	2	5	8	2	1	2
Tetanus (22).....	1												
Tuberculosis of the respiratory system (23).....	2												
Tuberculosis of the meninges, etc. (24).....	2	1				1							
Other forms of tuberculosis (25-32).....	2								1	1			
Syphilis (34).....	112	16	8	11	6	9	4	9	12	7	6	10	14
Convulsions (86).....	110	15	8	12	7	13	5	9	14	10	7	6	4
Bronchitis (106).....	21	4	4	1	1					5	1	2	2
Broncho-pneumonia (107).....	351	36	31	44	34	16	22	12	26	23	35	27	40
Lobar and unspecified pneumonia (108, 109).....	142	14	18	23	12	10	5	6	6	6	16	10	16
Diseases of the stomach (117, 118).....	37	1	1	7	1	3	3	3	4		6	4	4
Diarrhea and enteritis (119).....	164	18	11	13	17	14	13	14	13	15	10	11	15
Intestinal obstruction (122b).....	31	3	4	4	2	2	1	4	3	4	2	1	1
Congenital malformations (157).....	1,481	147	140	135	109	113	122	122	117	111	110	128	127
Congenital debility, icterus, sclerema (158, 161 b, c).....	700	74	66	64	52	56	69	46	61	51	48	57	56
Premature birth (159).....	2,795	263	239	278	233	257	208	208	215	203	227	210	254
Injury at birth (160).....	1,561	153	158	177	158	135	104	109	105	115	116	112	119
Other diseases of early infancy (161 a, d).....	732	53	87	68	67	70	57	59	56	58	60	50	47
External causes (172-198, 201-214).....	115	14	10	14	7	6	10	4	8	5	5	9	18
Unknown or ill-defined diseases (199, 200).....	861	76	72	76	80	61	55	70	64	70	78	68	91
All other causes.....	396	32	32	45	36	38	41	26	20	25	28	36	37

1 WEEK													
CAUSE OF DEATH	All deaths	616	624	670	623	584	483	528	527	483	518	647	757
All causes.....	7,060												
Measles (7).....	3			2		1							
Scarlet fever (8).....	1	1											
Whooping cough (9).....	15		1	1	4	3	3				1	1	
Diphtheria (10).....	5		2			1					1		
Influenza (11).....	141	10	21	13	16	5	2		1	2	6	13	52
Dysentery (13).....	4	1				2	1						
Erysipelas (15).....	18	1	4	1	2	2	1			2			1
Epidemic cerebrospinal meningitis (18).....	3	1		1									1
Tetanus (22).....	55	3	1	1	6	10	7	5	8	6	4		4
Tuberculosis of the respiratory system (23).....	3			2		1							
Tuberculosis of the meninges, etc. (24).....	1												
Other forms of tuberculosis (25-32).....	2								1	1			
Syphilis (34).....	117	9	7	15	11	8	11	3	9	11	8	13	12
Convulsions (86).....	70	5	5	6	4	8	6	4	12	7	5	5	3
Bronchitis (106).....	36	5	3	2	1	4		2	3	4	2	6	3
Broncho-pneumonia (107).....	454	48	32	35	38	24	18	17	23	32	42	58	87
Lobar and unspecified pneumonia (108, 109).....	199	14	21	15	21	10	11	7	8	11	19	24	38
Diseases of the stomach (117, 118).....	46	4	4	6	5	6	1	3	6	4	3	1	16
Diarrhea and enteritis (119).....	283	28	19	18	27	16	22	47	25	25	22	18	5
Intestinal obstruction (122b).....	53	4	7	4	5	4	2	7	3	5	4	3	5
Congenital malformations (157).....	986	77	91	81	76	87	71	86	65	73	93	108	134
Congenital debility, icterus, sclerema (158, 161 b, c).....	485	43	45	57	37	49	34	44	34	34	34	40	34
Premature birth (159).....	2,200	197	186	216	192	195	174	160	178	138	160	198	206
Injury at birth (160).....	432	40	43	33	40	29	30	39	32	24	33	43	46
Other diseases of early infancy (161 a, d).....	317	31	20	34	32	39	15	31	25	15	23	26	28
External causes (172-198, 201-214).....	76	9	6	19	3	1	4	2	7	5	11	7	7
Unknown or ill-defined diseases (199, 200).....	663	50	61	71	70	49	38	50	37	55	50	57	75
All other causes.....	392	34	45	37	33	26	27	32	34	36	23	36	29

INFANT MORTALITY STATISTICS: 1932

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	2 WEEKS											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes.....	4, 536	412	372	479	388	342	328	314	320	303	330	408	540
Measles (7).....	6	1	1	3	1	1	1						1
Scarlet fever (8).....	3												
Whooping cough (9).....	40	3	2	5	5	6	6	3	1	1	2	5	2
Diphtheria (10).....	10	1	1	1						1	1	3	
Influenza (11).....	181	5	14	15	6	6	3		2	2	2	15	61
Dysentery (13).....	9			1	2	2	2	1		2	2		
Erysipelas (15).....	43	5	5	6	4	5	1	6	2	2	1	4	2
Epidemic cerebrospinal meningitis (18).....	1			1									
Tetanus (22).....	13	2	1		2		1	3	1	2	1		
Tuberculosis of the respiratory system (23).....	2								1				
Tuberculosis of the meninges, etc. (24).....	2			1					1				
Other forms of tuberculosis (25-32).....	1									1			
Syphilis (34).....	91	10	10	11	5	6	3	8	6	10	8	12	2
Convulsions (86).....	40	3	5	5	6	3	3	3	1	1	4	3	3
Bronchitis (106).....	45	3	5	7	3	7	5		2	1	1	4	7
Broncho-pneumonia (107).....	566	48	60	63	53	36	31	21	16	25	46	61	106
Lobar and unspecified pneumonia (108, 109).....	184	16	12	29	15	12	9	2	17	9	12	21	30
Diseases of the stomach (117, 118).....	29	5	1	4		3	2	3	3	3	3	1	1
Diarrhea and enteritis (119).....	381	26	24	34	33	25	21	38	35	39	34	47	25
Intestinal obstruction (122b).....	17		3	2	1	1	2	1		2	1	1	3
Congenital malformations (157).....	557	54	43	57	50	37	35	42	42	45	50	45	57
Congenital debility, icterus, sclerema (158, 161 b, c).....	315	43	25	34	31	15	25	30	26	20	20	20	26
Premature birth (159).....	1, 003	94	69	96	84	93	79	69	86	70	70	85	108
Injury at birth (160).....	152	21	16	13	10	11	11	9	12	13	14	10	12
Other diseases of early infancy (161 a, d).....	133	9	10	10	16	14	11	13	13	8	10	11	8
External causes (172-198, 201-214).....	42	7	2	7	6	4	1	1	1	2	4	1	6
Unknown or ill-defined diseases (199, 200).....	409	36	36	50	25	31	43	37	24	21	25	33	48
All other causes.....	311	21	27	26	30	24	33	23	27	22	20	26	32
3 WEEKS BUT UNDER 1 MONTH													
All causes.....	3, 818	332	344	358	346	288	287	267	276	268	300	366	386
Measles (7).....	4			1	1		1						1
Scarlet fever (8).....	2	1					1						
Whooping cough (9).....	152	12	13	15	20	24	21	12	4	10	6	10	5
Diphtheria (10).....	12	2		3	1	2		1			2		1
Influenza (11).....	129	9	15	12	12	7	2		1	3	8	12	48
Dysentery (13).....	10					2	3	2	3				
Erysipelas (15).....	55	7	10	5	9	3	4	1	2	2	4	2	6
Epidemic cerebrospinal meningitis (18).....	1							1					
Tetanus (22).....	4		3										1
Tuberculosis of the respiratory system (23).....	9	1			1	1	2		2	1	1		
Tuberculosis of the meninges, etc. (24).....	1				1								
Other forms of tuberculosis (25-32).....	1												
Syphilis (34).....	78	8	7	7	8	3	3	5	6	9	6	8	8
Convulsions (86).....	30	4	4	3	1	2	1	1	5	4	4	3	2
Bronchitis (106).....	42	6	2	7	3	4		1	1	3	2	8	5
Broncho-pneumonia (107).....	533	50	46	60	44	29	31	27	20	28	36	66	96
Lobar and unspecified pneumonia (108, 109).....	176	19	23	16	16	9	13	4	7	7	13	30	19
Diseases of the stomach (117, 118).....	35		1	2	5	1		3	2	4	5	4	1
Diarrhea and enteritis (119).....	418	26	27	34	29	29	35	47	50	44	41	51	25
Intestinal obstruction (122b).....	27	2		4	2	4	1	1			2	6	2
Congenital malformations (157).....	430	34	38	34	40	35	28	30	37	33	42	44	35
Congenital debility, icterus, sclerema (158, 161 b, c).....	255	21	18	22	19	25	18	15	22	21	26	26	22
Premature birth (159).....	600	52	60	59	52	48	50	55	57	42	44	44	48
Injury at birth (160).....	83	9	3	6	8	5	6	10	10	11	7	4	4
Other diseases of early infancy (161 a, d).....	77	11	6	6	5	12	7	4	6	7	5	6	5
External causes (172-198, 201-214).....	72	3	8	7	8	4	7	4	4	5	10	6	6
Unknown or ill-defined diseases (199, 200).....	306	29	31	22	35	21	23	30	22	13	22	28	30
All other causes.....	276	26	27	33	26	18	23	18	18	25	16	30	16
UNDER 1 MONTH													
All causes.....	69, 496	6, 013	5, 802	6, 509	5, 904	5, 976	5, 698	5, 730	5, 620	5, 221	5, 239	5, 541	6, 243
Measles (7).....	18	1	1	7	4	2	1	1					1
Scarlet fever (8).....	8	3			1	1			6	11	8	16	7
Whooping cough (9).....	211	16	16	21	30	34	31	15	2	3	7	4	2
Diphtheria (10).....	39	6	3	6	1	4		4	6	8	20	49	193
Influenza (11).....	516	35	59	68	45	20	9	2	3	3	2	1	1
Dysentery (13).....	24	1		1		6	6	3	4	6	5	6	9
Erysipelas (15).....	122	14	21	12	17	14	6	8	2				2
Epidemic cerebrospinal meningitis (18).....	7	1		2				2					
Tetanus (22).....	115	7	10	4	8	13	11	12	16	17	8	2	7
Tuberculosis of the respiratory system (23).....	18	1		2	1	2	3		3	3	2		1
Tuberculosis of the meninges, etc. (24).....	6	1		1	1	1		2					
Other forms of tuberculosis (25-32).....	6							1		2			
Syphilis (34).....	710	75	54	77	59	52	40	49	62	51	49	77	65
Convulsions (86).....	357	18	32	38	24	39	21	28	37	35	30	24	18
Bronchitis (106).....	154	18	17	19	8	15	6	4	8	13	9	20	18
Broncho-pneumonia (107).....	2, 153	207	200	225	190	121	120	91	96	134	176	235	358
Lobar and unspecified pneumonia (108, 109).....	157	67	81	90	70	45	45	25	45	37	68	92	112
Diseases of the stomach (117, 118).....	77	11	8	20	11	14	15	13	16	12	17	11	9
Diarrhea and enteritis (119).....	1, 301	104	89	106	111	90	95	150	126	126	112	108	84
Intestinal obstruction (122 b).....	136	10	18	15	11	11	6	14	8	11	9	11	12
Congenital malformations (157).....	7, 805	692	623	668	632	676	645	662	659	552	635	675	685
Congenital debility, icterus, sclerema (158, 161 b, c).....	3, 067	308	261	306	248	275	249	231	276	215	221	231	246
Premature birth (159).....	31, 522	2, 615	2, 505	2, 877	2, 665	2, 884	2, 750	2, 698	2, 631	2, 399	2, 291	2, 483	2, 724
Injury at birth (160).....	9, 402	352	336	346	286	278	282	299	294	265	239	264	299
Other diseases of early infancy (161 a, d).....	3, 786	320	326	366	334	346	285	318	323	296	300	268	304
External causes (172-198, 201-214).....	561	52	53	63	51	32	40	51	25	45	44	41	64
Unknown or ill-defined diseases (199, 200).....	4, 683	407	413	473	458	351	374	416	336	335	364	380	426
All other causes.....	1, 835	155	176	197	156	150	157	131	137	143	123	152	158

GENERAL TABLES

167

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1 MONTH													
All causes.....	9,707	772	795	926	780	814	661	694	663	681	786	938	1,197
Measles (7).....	17		3		5	2	3	2					2
Scarlet fever (8).....	6			1			1			1		1	2
Whooping cough (9).....	493	42	38	65	68	63	54	45	21	33	22	19	23
Diphtheria (10).....	25	1	2	2	4	1		1		3	1	3	7
Influenza (11).....	490	27	39	62	51	22	9	7	7	11	20	65	170
Dysentery (13).....	49	5			3	4	13	4		6	10	1	1
Erysipelas (15).....	147	14	12	21	22	17	8	8		5	11	12	13
Epidemic cerebrospinal meningitis (18).....	13		3	1	1	2	1			2		1	2
Tetanus (22).....									1				
Tuberculosis of the respiratory system (23).....	11	2	1	1			1		1	1		4	1
Tuberculosis of the meninges, etc. (24).....	9		1		2	2	1				1	2	1
Other forms of tuberculosis (25-32).....	12	2		1	1	2			1		1	1	1
Syphilis (34).....	265	25	16	22	20	26	23	18	31	18	20	25	21
Convulsions (86).....	68	6	7	7	5	2	6	3	4	3	4	13	5
Bronchitis (106).....	112	9	13	12	2	9	4	6	4	5	8	19	21
Broncho-pneumonia (107).....	1,704	150	138	171	128	157	81	66	58	82	149	207	317
Lobar and unspecified pneumonia (108, 109).....	567	49	59	79	34	34	29	15	16	19	44	85	104
Diseases of the stomach (117, 118).....	67	5	9	4	8	6	7	2	4	10	5	5	2
Diarrhea and enteritis (119).....	1,351	82	73	67	77	108	122	163	190	152	133	102	82
Intestinal obstruction (122b).....	79	5	12	3	9	6	8	6	8	1	12	3	6
Congenital malformations (157).....	895	67	75	85	72	83	66	78	70	59	74	87	79
Congenital debility, icterus, sclerema (158, 161 b, c).....	589	45	47	53	55	54	41	56	54	54	33	51	46
Premature birth (159).....	730	44	48	64	58	53	49	82	67	65	69	65	66
Injury at birth (160).....	110	16	12	6	11	7	10	7	6	6	14	7	11
Other diseases of early infancy (161 a, d).....	86	10	4	7	6	7	7	5	5	11	7	7	3
External causes (172-198, 201-214).....	237	16	19	26	24	17	18	15	20	17	20	15	30
Unknown or ill-defined diseases (199, 200).....	732	73	63	76	48	58	57	47	38	37	65	60	90
All other causes.....	843	77	100	88	67	69	54	46	51	59	65	82	85
2 MONTHS													
All causes.....	7,368	612	565	707	615	537	563	559	509	505	601	693	902
Measles (7).....	16	1	1	2	4	2	2			1		1	2
Scarlet fever (8).....	5												
Whooping cough (9).....	457	31	33	61	46	43	49	53	39	30	27	25	20
Diphtheria (10).....	27	2	3	3	3	1	3	1		4	7	1	20
Influenza (11).....	425	23	40	61	33	13	9	6	6	8	26	44	156
Dysentery (13).....	48	4	2	2	1	1	5	13	6	5	3	3	3
Erysipelas (15).....	73	5	9	11	8	3	5	2	4	3	3	9	6
Epidemic cerebrospinal meningitis (18).....	28		3	1	5	2	2	3	1	1	2	3	3
Tetanus (22).....	1											1	
Tuberculosis of the respiratory system (23).....	20		1		2	1	4	3	1	1		4	3
Tuberculosis of the meninges, etc. (24).....	14	1	1	1		2	2	2	2	1		1	1
Other forms of tuberculosis (25-32).....	13	1				2			2	1	1	2	1
Syphilis (34).....	213	23	21	18	18	21	20	18	11	16	19	14	14
Convulsions (86).....	64	4	2	9	6	3	5	6	7	5	3	8	6
Bronchitis (106).....	75	4	4	8	11	5	5	3	2	1	7	7	18
Broncho-pneumonia (107).....	1,425	153	121	177	134	107	60	44	52	57	121	149	250
Lobar and unspecified pneumonia (108, 109).....	479	48	47	59	42	34	28	15	10	22	29	65	80
Diseases of the stomach (117, 118).....	78	7	5	4	6	6	9	6	7	8	6	7	7
Diarrhea and enteritis (119).....	1,280	64	55	61	71	93	137	153	178	143	128	87	60
Intestinal obstruction (122b).....	64	6	6	5	4	4	3	4	4	9	8	8	3
Congenital malformations (157).....	579	48	47	53	68	42	48	57	33	34	48	45	56
Congenital debility, icterus, sclerema (158, 161 b, c).....	386	24	30	28	18	29	46	45	36	37	38	33	26
Premature birth (159).....	234	21	12	12	23	17	20	19	26	18	20	16	30
Injury at birth (160).....	42	2	6	4	3	3	2	4	1	5	3	4	5
Other diseases of early infancy (161 a, d).....	22	1	3	2		1	2	2	2	2	3	3	3
External causes (172-198, 201-214).....	183	24	22	21	16	14	20	12	6	11	11	13	13
Unknown or ill-defined diseases (199, 200).....	519	45	33	43	33	32	38	48	32	33	45	63	74
All other causes.....	648	68	57	62	59	52	44	35	42	52	45	71	61
3 MONTHS													
All causes.....	5,948	494	472	578	451	479	423	424	408	454	500	514	751
Measles (7).....	27	1	2	3	5	5	2	2	2	1	1		3
Scarlet fever (8).....	5												
Whooping cough (9).....	333	31	38	46	34	39	38	24	21	21	10	20	11
Diphtheria (10).....	29	4	6	2	1	1		2	1		1		

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

(Numbers after causes of death correspond to those of the detailed International List)

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
4 MONTHS													
All causes.....	4,820	417	374	457	334	357	401	398	371	343	435	353	580
Measles (7).....	21	4	3	1	3	2	3	1			2	1	1
Scarlet fever (8).....	2	1	1	1									
Whooping cough (9).....	290	22	25	46	17	32	34	28	28	26	10	7	20
Diphtheria (10).....	21	1	1	4	1	2	1	1	1	1	1	1	4
Influenza (11).....	305	30	33	38	22	20	8	2	3	8	9	86	96
Dysentery (13).....	54	2	3	2	2	4	12	10	7	4	5	3	2
Erysipelas (15).....	32	3	5	2	1	4	3	2	2	3	1	3	3
Epidemic cerebrospinal meningitis (18).....	30	4	2	1	4	1	3	5	1	1	4	1	3
Tetanus (22).....	3	1	1		2		4					1	1
Tuberculosis of the respiratory system (23).....	22	1	1		2		2	4					1
Tuberculosis of the meninges, etc. (24).....	20	4	1		1	4	3	1		3		1	2
Other forms of tuberculosis (25-32).....	23	4	2	2	3	2	3	2	2		1	1	2
Syphilis (34).....	65	7	7	6	3	7	6	3	3	5	5	8	5
Convulsions (36).....	30	2	1	7	4	5	2		1	1	3	2	2
Bronchitis (106).....	57	10	5	6	5	2	1	5	2	6	4	3	8
Broncho-pneumonia (107).....	939	95	90	110	95	83	45	39	37	38	78	72	157
Lobar and unspecified pneumonia (108, 109).....	389	58	47	46	31	24	18	13	10	14	30	29	69
Diseases of the stomach (117, 118).....	37	7	1	4	2	3	3	2	4	1	5	2	3
Diarrhea and enteritis (119).....	1,025	37	40	46	37	52	135	168	150	132	133	50	45
Intestinal obstruction (122b).....	85	5	8	4	5	7	6	12	9	8	10	3	8
Congenital malformations (157).....	282	21	18	29	24	23	26	26	22	11	26	29	27
Congenital debility, icterus, sclerema (158, 161 b, c).....	141	6	8	4	8	8	14	14	16	20	16	13	14
Premature birth (159).....	56	2	2	2	3	6	6	6	8	4	7	4	6
Injury at birth (160).....													
Other diseases of early infancy (161 a, d).....													
External causes (172-198, 201-214).....	119	14	6	9	8	13	10	6	10	6	12	12	13
Unknown or ill-defined diseases (199, 200).....	299	24	24	29	17	18	27	23	24	19	32	32	30
All other causes.....	473	53	39	58	35	35	29	30	31	29	41	35	58
5 MONTHS													
All causes.....	4,118	357	373	375	311	292	280	391	323	335	292	332	457
Measles (7).....	23	1	5	2	4	3	3		1	1	1	2	
Scarlet fever (8).....	4											1	
Whooping cough (9).....	283	22	28	27	31	16	19	25	12	21	10	3	19
Diphtheria (10).....	30	2	3	4	1	2	5	1	2	2	3	1	2
Influenza (11).....	302	33	35	36	25	13	6	4	7	6	18	31	88
Dysentery (13).....	60	1	2	1	1	8	19	12	6	5	5	3	
Erysipelas (15).....	36	3	6	5	5	3	5	1	1	1	1	3	3
Epidemic cerebrospinal meningitis (18).....	20	2	6		1	2	1	2	3	1		3	2
Tetanus (22).....													
Tuberculosis of the respiratory system (23).....	24	1	3	2	3	2	1	1	2	1	1	3	4
Tuberculosis of the meninges, etc. (24).....	28	3	2	3	3	3	4	3	1	1	2	3	3
Other forms of tuberculosis (25-32).....	14	1	2	1	1			2	3	1		1	2
Syphilis (34).....	57	3	3	5	4	4		10	6	4	9	3	6
Convulsions (36).....	34	4	2	5	2	2	3	5	3		1	2	5
Bronchitis (106).....	40	5	4	7	2	3	4			3	2	5	5
Broncho-pneumonia (107).....	840	109	105	100	69	72	34	31	27	33	49	88	123
Lobar and unspecified pneumonia (108, 109).....	312	25	33	34	38	18	14	17	9	13	27	37	47
Diseases of the stomach (117, 118).....	15		1	2	1	2	1	1	1	3	1	2	1
Diarrhea and enteritis (119).....	938	45	42	45	32	56	101	186	132	130	87	51	31
Intestinal obstruction (122b).....	96	6	9	6	8	10	8	7	11	16	4	8	3
Congenital malformations (157).....	197	15	19	15	17	14	11	12	14	25	12	15	28
Congenital debility, icterus, sclerema (158, 161 b, c).....	84	3	4	4	10	6	4	9	11	10	9	8	6
Premature birth (159).....	26	2		1	3	1	3	5	2	4	2	1	2
Injury at birth (160).....													
Other diseases of early infancy (161 a, d).....													
External causes (172-198, 201-214).....	104	9	5	8	8	7	8	10	10	6	10	11	12
Unknown or ill-defined diseases (199, 200).....	191	16	18	22	15	15	17	14	21	17	8	11	17
All other causes.....	410	45	38	38	28	39	22	23	33	29	30	37	48
6 MONTHS													
All causes.....	3,814	330	352	384	290	328	310	312	289	271	295	247	406
Measles (7).....	37	3	9	5	3	7	5	2	1		2		
Scarlet fever (8).....	7		1	1	2	1						2	
Whooping cough (9).....	230	14	28	31	18	29	26	21	19	9	9	12	14
Diphtheria (10).....	18	1	3	1	1	1				3	2	2	6
Influenza (11).....	288	16	41	37	31	13	11	4	6	12	16	19	82
Dysentery (13).....	41	2	3	3	1	3	10	4	6	3	3	3	3
Erysipelas (15).....	23	3	2	4	1	3	3	3	2	1	2	2	2
Epidemic cerebrospinal meningitis (18).....	33	4	4	3		2	1	1		4	2	6	6
Tetanus (22).....	2											1	
Tuberculosis of the respiratory system (23).....	35	1	4	1	3	4	5	2	5	2	4	1	2
Tuberculosis of the meninges, etc. (24).....	32	2	4	4	7	5	2	2	2	1	1	2	2
Other forms of tuberculosis (25-32).....	14	3	3	3	2	2	2		2		1		1
Syphilis (34).....	39	6	3	4	3	4	4	8		2	2	3	2
Convulsions (36).....	23	4	2	3	2	2	2	3			1	3	2
Bronchitis (106).....	24	1	2	2	1	2	1	2	1	1	1	3	5
Broncho-pneumonia (107).....	799	92	92	103	70	78	41	32	21	37	49	64	120
Lobar and unspecified pneumonia (108, 109).....	310	45	42	43	29	24	13	6	8	9	25	27	39
Diseases of the stomach (117, 118).....	28	2			1	3	3	2	5	2	4	2	2
Diarrhea and enteritis (119).....	841	38	34	29	42	66	92	149	129	117	70	38	37
Intestinal obstruction (122 b).....	89	2	4	6	6	6	6	12	9	14	10	5	9
Congenital malformations (157).....	162	12	8	23	11	16	11	13	16	10	16	10	16
Congenital debility, icterus, sclerema (158, 161 b, c).....	73	5	6	4	7	3	7	7	8	6	13	2	5
Premature birth (159).....	10	1	2	1			1		1	1	2	1	
Injury at birth (160).....													
Other diseases of early infancy (161 a, d).....													
External causes (172-198, 201-214).....	100		13	10	5	9	8	7	14	7	9	7	11
Unknown or ill-defined diseases (199, 200).....	161	23	12	17	16	10	14	11	11	13	15	5	14
All other causes.....	395	50	36	46	29	33	40	21	24	20	34	34	28

GENERAL TABLES

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
7 MONTHS													
All causes.....	3,268	252	303	356	304	240	279	270	253	231	232	250	295
Measles (7).....	45	2	4	13	5	10	4	3	1	1	1	2	1
Scarlet fever (8).....	9	1	1	3	1	2	1	2	1	1	1	1	1
Whooping cough (9).....	204	12	26	34	14	23	18	17	16	8	11	13	12
Diphtheria (10).....	27	4	5	2	3	1	1	1	1	1	3	5	1
Influenza (11).....	230	19	29	36	19	13	9	4	3	3	11	20	64
Dysentery (13).....	41	1	1	1	3	3	6	7	9	5	9	9	3
Erysipelas (15).....	9	1	1	1	3	1	1	1	3	1	2	2	1
Epidemic cerebrospinal meningitis (18).....	27	3	2	4	4	1	1	3	3	2	2	1	3
Tetanus (22).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the respiratory system (23).....	29	3	3	3	2	2	4	1	2	2	4	5	5
Tuberculosis of the meninges, etc. (24).....	34	1	4	2	6	2	9	3	4	1	1	2	2
Other forms of tuberculosis (25-32).....	17	2	3	2	2	2	1	1	1	1	1	1	1
Syphilis (34).....	30	4	4	2	3	1	4	2	3	2	1	5	1
Convulsions (86).....	14	3	1	2	2	1	1	2	2	1	1	1	1
Bronchitis (106).....	32	4	2	4	6	4	4	1	3	2	2	4	2
Broncho-pneumonia (107).....	642	65	88	82	77	64	38	21	11	30	37	59	70
Lobar and unspecified pneumonia (108, 109).....	294	26	36	49	32	20	17	11	3	7	21	33	39
Diseases of the stomach (117, 118).....	13	1	1	1	2	2	4	2	2	2	2	2	2
Diarrhea and enteritis (119).....	731	29	35	32	47	35	86	120	120	104	65	35	23
Intestinal obstruction (122b).....	73	5	3	9	5	7	9	9	8	6	4	5	3
Congenital malformations (157).....	137	12	6	12	13	11	10	13	11	16	7	15	11
Congenital debility, icterus, sclerema (158, 161 b, c).....	45	4	4	2	5	5	5	3	7	4	3	1	2
Premature birth (159).....	10	1	1	2	1	2	1	1	7	1	1	1	1
Injury at birth (160).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of early infancy (161 a, d).....	96	11	6	13	8	4	5	11	5	6	11	7	9
External causes (172-198, 201-214).....	112	3	11	9	10	6	8	5	10	12	13	9	16
Unknown or ill-defined diseases (199, 200).....	112	3	11	9	10	6	8	5	10	12	13	9	16
All other causes.....	367	40	30	36	37	22	34	32	31	20	26	27	32

8 MONTHS													
All causes.....	3,030	245	260	331	253	274	239	246	246	219	220	223	274
Measles (7).....	44	4	2	8	6	10	7	2	1	1	1	2	2
Scarlet fever (8).....	4	1	1	1	1	1	1	1	1	1	1	1	1
Whooping cough (9).....	196	15	17	32	25	12	20	18	16	11	9	9	12
Diphtheria (10).....	35	5	3	5	5	1	3	1	1	1	1	1	1
Influenza (11).....	262	19	24	39	27	16	8	3	10	9	19	25	63
Dysentery (13).....	43	3	3	3	6	6	11	3	5	5	5	3	1
Erysipelas (15).....	13	1	1	1	2	1	1	1	1	1	2	1	1
Epidemic cerebrospinal meningitis (18).....	19	3	3	2	3	1	2	1	1	1	1	2	1
Tetanus (22).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the respiratory system (23).....	23	4	1	3	4	4	5	1	1	1	1	1	2
Tuberculosis of the meninges, etc. (24).....	31	1	5	1	4	4	1	3	1	3	2	3	4
Other forms of tuberculosis (25-32).....	25	4	2	2	3	4	3	3	1	1	3	2	4
Syphilis (34).....	22	1	1	2	2	4	2	2	4	2	4	3	1
Convulsions (86).....	11	2	1	1	1	1	1	1	1	1	1	1	1
Bronchitis (106).....	30	6	3	3	3	2	1	1	1	1	3	3	4
Broncho-pneumonia (107).....	585	57	62	74	57	68	38	16	25	20	39	52	77
Lobar and unspecified pneumonia (108, 109).....	274	28	36	41	36	19	8	14	8	16	14	21	33
Diseases of the stomach (117, 118).....	9	2	1	2	2	1	1	1	1	1	1	1	1
Diarrhea and enteritis (119).....	625	23	31	22	30	48	70	102	108	81	58	28	24
Intestinal obstruction (122b).....	63	4	3	8	3	4	10	5	9	6	2	6	3
Congenital malformations (157).....	141	13	7	16	10	19	10	15	9	10	8	12	12
Congenital debility, icterus, sclerema (158, 161 b, c).....	36	5	3	4	2	2	1	1	3	6	3	4	2
Premature birth (159).....	12	7	1	1	1	1	1	1	1	3	3	4	2
Injury at birth (160).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of early infancy (161 a, d).....	94	4	10	13	4	7	6	8	8	10	10	7	7
External causes (172-198, 201-214).....	103	7	8	14	6	8	7	16	12	5	9	5	6
Unknown or ill-defined diseases (199, 200).....	103	7	8	14	6	8	7	16	12	5	9	5	6
All other causes.....	329	30	30	41	21	40	32	19	22	25	24	27	18

9 MONTHS													
All causes.....	2,831	213	251	284	266	254	282	245	212	168	167	202	297
Measles (7).....	62	5	5	13	11	12	5	4	1	1	1	1	3
Scarlet fever (8).....	12	1	1	1	1	1	1	2	1	1	2	1	1
Whooping cough (9).....	189	12	17	24	23	32	16	11	14	5	14	7	14
Diphtheria (10).....	40	4	7	2	4	3	2	1	3	2	4	4	8
Influenza (11).....	207	13	19	43	28	12	10	4	3	2	4	19	50
Dysentery (13).....	33	1	1	1	2	1	1	1	1	1	1	1	1
Erysipelas (15).....	19	1	4	1	2	1	3	4	4	4	2	3	2
Epidemic cerebrospinal meningitis (18).....	24	4	4	4	4	1	2	3	1	1	2	2	1
Tetanus (22).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the respiratory system (23).....	38	4	2	3	2	6	5	3	4	4	5	3	4
Tuberculosis of the meninges, etc. (24).....	38	2	3	3	4	5	2	3	1	2	2	4	4
Other forms of tuberculosis (25-32).....	15	1	1	1	1	3	2	2	5	1	1	1	1
Syphilis (34).....	20	2	4	2	4	3	2	2	2	3	3	4	1
Convulsions (86).....	10	1	1	1	1	1	1	1	1	1	1	1	1
Bronchitis (106).....	14	2	1	2	1	2	1	3	1	1	1	2	2
Broncho-pneumonia (107).....	564	53	67	72	67	52	39	23	19	12	27	49	84
Lobar and unspecified pneumonia (108, 109).....	242	25	31	41	30	26	7	7	6	9	14	13	33
Diseases of the stomach (117, 118).....	18	1	2	1	1	1	1	1	1	2	3	1	1
Diarrhea and enteritis (119).....	595	16	24	21	19	46	102	108	89	68	44	36	27
Intestinal obstruction (122b).....	34	2	4	4	4	2	7	2	8	4	3	3	5
Congenital malformations (157).....	109	14	6	12	13	8	15	8	8	4	4	11	6
Congenital debility, icterus, sclerema (158, 161 b, c).....	32	5	4	4	2	2	1	3	2	4	4	4	5
Premature birth (159).....	7	4	1	1	1	1	1	1	1	1	1	1	1
Injury at birth (160).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of early infancy (161 a, d).....	97	6	12	6	8	7	11	12	12	6	3	7	7
External causes (172-198, 201-214).....	93	5	12	8	7	5	6	13	10	5	5	7	10
Unknown or ill-defined diseases (199, 200).....	93	5	12	8	7	5	6	13	10	5	5	7	10
All other causes.....	310	29	22	30	29	26	28	25	25	21	25	18	32

TABLE 20.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTH AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE BIRTH REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
10 MONTHS													
All causes.....	2,555	185	229	264	202	260	218	212	198	169	171	180	267
Measles (7).....	58	2	3	10	10	16	8	3	1	1	1	1	2
Scarlet fever (8).....	7	1	2	1	1	1	1	1	1	1	1	1	1
Whooping cough (9).....	188	14	23	28	17	21	22	9	16	10	9	8	11
Diphtheria (10).....	48	6	1	4	2	5	3	2	4	4	8	9	6
Influenza (11).....	200	11	27	36	27	16	2	7	4	1	10	10	49
Dysentery (13).....	23	2	1	1	1	1	1	6	5	4	3	1	1
Erysipelas (15).....	7	1	1	1	2	1	1	1	1	1	2	1	1
Epidemic cerebrospinal meningitis (18).....	26	7	1	3	2	3	1	3	1	1	2	1	1
Tetanus (22).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the respiratory system (23).....	33	2	5	3	1	3	4	1	5	5	1	1	3
Tuberculosis of the meninges, etc. (24).....	50	2	8	8	3	5	7	4	4	3	3	2	1
Other forms of tuberculosis (25-32).....	9	1	1	1	3	1	2	1	1	1	1	1	1
Syphilis (34).....	22	1	1	1	3	4	2	2	3	3	3	1	1
Convulsions (86).....	17	2	1	1	2	3	2	2	2	2	1	1	2
Bronchitis (106).....	23	1	6	1	3	2	2	1	1	1	1	4	2
Broncho-pneumonia (107).....	508	44	54	70	41	57	30	32	15	21	23	48	73
Lobar and unspecified pneumonia (108, 109).....	219	19	22	28	22	18	14	12	8	10	8	13	45
Diseases of the stomach (117, 118).....	7	1	1	1	1	1	1	2	2	2	2	2	1
Diarrhea and enteritis (119).....	509	19	22	19	15	42	65	89	89	60	51	20	18
Intestinal obstruction (122 b).....	34	2	4	1	1	10	1	4	1	4	1	3	3
Congenital malformations (157).....	85	5	7	6	7	6	7	4	6	7	9	12	9
Congenital debility, icterus, sclerema (158, 161 b, c).....	28	3	3	2	2	3	2	3	3	3	4	1	2
Premature birth (159).....	2	1	1	1	1	1	1	1	1	1	1	1	1
Injury at birth (160).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of early infancy (161 a, d).....	104	9	12	14	7	14	3	5	7	6	2	12	13
External causes (172-198, 201-214).....	85	4	4	7	5	5	14	4	12	3	7	13	7
Unknown or ill-defined diseases (199, 200).....	262	30	24	22	27	23	26	19	16	20	20	18	17
All other causes.....	262	30	24	22	27	23	26	19	16	20	20	18	17
11 MONTHS													
All causes.....	2,476	205	172	241	186	231	212	236	212	182	174	167	258
Measles (7).....	62	4	11	5	8	12	5	4	2	3	2	1	5
Scarlet fever (8).....	15	1	1	1	3	1	1	1	1	2	1	3	2
Whooping cough (9).....	181	8	10	38	19	20	21	9	14	12	5	10	15
Diphtheria (10).....	62	6	8	2	3	6	2	2	4	5	8	9	7
Influenza (11).....	165	14	14	30	16	12	6	5	4	2	6	15	41
Dysentery (13).....	27	1	2	1	1	2	4	9	3	2	2	1	1
Erysipelas (15).....	9	1	1	1	1	2	2	3	3	1	1	1	1
Epidemic cerebrospinal meningitis (18).....	10	1	1	1	1	1	1	2	1	1	1	2	2
Tetanus (22).....	2	1	2	2	4	4	3	4	4	2	1	1	1
Tuberculosis of the respiratory system (23).....	27	1	2	2	4	4	3	4	4	2	2	1	1
Tuberculosis of the meninges, etc. (24).....	31	5	3	3	4	7	1	3	3	3	2	2	1
Other forms of tuberculosis (25-32).....	23	2	1	4	2	2	1	1	1	4	4	2	1
Syphilis (34).....	14	1	4	1	1	1	2	2	2	2	1	1	1
Convulsions (86).....	10	2	1	1	1	2	1	1	1	1	1	1	1
Bronchitis (106).....	16	1	2	5	1	1	1	1	1	1	2	2	2
Broncho-pneumonia (107).....	442	54	33	56	43	42	23	21	19	24	25	35	67
Lobar and unspecified pneumonia (108, 109).....	213	19	16	31	15	24	14	9	11	8	10	16	40
Diseases of the stomach (117, 118).....	29	4	1	1	2	2	3	1	3	5	4	3	1
Diarrhea and enteritis (119).....	496	17	17	10	12	36	72	108	84	62	44	16	18
Intestinal obstruction (122 b).....	25	5	1	3	2	1	1	2	6	2	2	2	1
Congenital malformations (157).....	91	11	4	8	5	8	6	4	7	8	10	9	11
Congenital debility, icterus, sclerema (158, 161 b, c).....	28	5	1	1	1	3	1	1	5	2	6	3	1
Premature birth (159).....	9	5	1	1	2	1	1	1	1	1	1	1	1
Injury at birth (160).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of early infancy (161 a, d).....	103	13	8	9	9	9	8	9	12	7	7	3	9
External causes (172-198, 201-214).....	94	9	6	4	8	12	8	10	9	8	10	4	6
Unknown or ill-defined diseases (199, 200).....	292	18	29	24	22	28	26	23	21	19	24	29	29
All other causes.....	292	18	29	24	22	28	26	23	21	19	24	29	29

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS, OF THE FIRST YEAR OF LIFE: 1932

[Numbers after causes of death correspond to those of the detailed International List, Washington, D.C., and cities of 500,000 inhabitants or more on April 1, 1930, are included and those with a minimum of 25,000 colored inhabitants on that date are shown by color]

Table with columns: AREA AND CAUSE OF DEATH, Total deaths under 1 year of age, and DEATHS AT AGE OF (1 day, 2 days, 3 to 6 days, 1 week, 2 wks., 3 wks., Under 1 month, 1 mo., 2 mos., 3 mos., 4 mos., 5 mos., 6 mos., 7 mos., 8 mos., 9 mos., 10 mos., 11 mos.). Rows include Measles, Scarlet fever, Whooping cough, Diphtheria, Influenza, Dysentery, Erysipelas, Epidemic cerebrospinal meningitis, Tetanus, Tuberculosis, Syphilis, Convulsions, Bronchitis, Broncho-pneumonia, Lobar and unspecified pneumonia, Diseases of the stomach, Diarrhea and enteritis, Intestinal obstruction, Congenital malformations, Congenital debility, Premature birth, Injury at birth, and External causes. Subsections for WHITE and COLORED are also present.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																			
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
CITIES IN REGISTRATION AREA IN CONTINENTAL UNITED STATES																					
All causes.....	54,788	15,619	3,907	2,572	4,275	2,919	1,927	1,650	32,869	4,141	3,197	2,586	2,110	1,821	1,727	1,470	1,392	1,254	1,121	1,100	
Measles (7).....	211						1	1	2	6	4	8	4	14	20	24	21	31	34	43	
Scarlet fever (8).....	35							1	3	1	1	2	2	2	5	1	8	2	8	8	
Whooping cough (9).....	1,137				2	1	8	26	37	136	157	121	112	102	91	88	73	78	72	75	
Diphtheria (10).....	100								3	1	8	7	3	9	3	9	11	10	13	22	
Influenza (11).....	1,057	1	3	3	20	31	32	26	116	120	101	88	99	92	99	64	96	62	68	52	
Dysentery (13).....	126							3	5	9	12	9	11	17	18	9	14	6	8	8	
Erysipelas (15).....	295				5	11	28	34	78	76	39	24	15	18	12	4	9	10	3	7	
Epidemic cerebrospinal meningitis (18).....	179				2	1			4	6	21	16	25	14	21	20	15	16	15	6	
Tetanus (22).....	24				3	13	2	1	21		1									2	
Tuberculosis of the respiratory system (23).....	171	1			1	3	2	2	8	9	8	14	13	14	18	16	11	23	20	17	
Tuberculosis of the meninges, etc. (24).....	179				1		2		3	3	2	14	10	15	19	16	17	25	33	22	
Other forms of tuberculosis (25-32).....	139						1	1	4	7	8	14	19	9	14	11	19	13	4	17	
Syphilis (34).....	936	123	28	34	64	68	41	46	404	169	126	91	39	30	22	19	11	13	8	4	
Convulsions (86).....	147	3	8	15	16	2	7	7	58	18	13	13	9	12	9	5	2	1	7	---	
Bronchitis (106).....	264	1	1	3	2	12	14	17	50	42	31	23	30	14	10	20	21	4	10	9	
Lobar and unspecified pneumonia (107).....	6,400	33	48	56	182	232	291	233	1,125	874	766	659	523	480	445	352	324	325	286	241	
Lobar and unspecified pneumonia (108, 109).....	1,917	7	10	14	50	64	65	77	287	204	195	177	160	138	148	129	143	113	108	115	
Diseases of the stomach (117, 118).....	100				10	2	4	10	27	15	19	6	6	2	9	3	1	4	1	7	
Diarrhea and enteritis (119).....	4,334	1	3	10	51	111	199	200	575	610	543	489	414	353	323	278	232	204	164	149	
Intestinal obstruction (122 b).....	494				4	12	28	10	18	35	31	41	48	62	56	52	41	21	22	13	
Congenital malformations (157).....	5,659	1,262	445	365	722	506	288	242	3,830	517	357	249	163	127	97	74	84	67	40	54	
Congenital debility, icterus, sclerema (158, 161 b, c).....	1,461	197	75	79	232	126	85	78	872	212	131	88	46	31	28	19	8	9	6	11	
Premature birth (159).....	16,470	9,778	1,984	941	1,801	1,075	497	805	15,881	388	105	40	23	13	7	5	4	1	---	3	
Injury at birth (160).....	5,810	2,915	883	657	894	234	84	50	5,717	65	28										
Other diseases of early infancy (161 a, d).....	2,224	975	296	259	392	182	61	38	2,173	40	11										
External causes (172-198, 201-214).....	725	81	18	19	48	25	14	14	219	76	55	59	50	36	40	38	36	37	42	37	
Unknown or ill-defined diseases (199, 200).....	653	138	39	24	76	35	33	20	365	69	75	38	25	17	15	12	13	7	12	5	
All other causes.....	3,641	103	65	87	188	187	153	148	931	431	349	296	263	200	201	198	185	171	143	173	
WHITE																					
All causes.....	45,894	13,709	3,401	2,202	3,580	2,429	1,592	1,321	28,234	3,345	2,579	2,067	1,672	1,472	1,371	1,175	1,122	1,036	919	902	
Measles (7).....	194							1	1	6	4	6	3	14	17	21	20	30	30	42	
Scarlet fever (8).....	35								1	2	1	1	2	2	5	1	8	2	8	8	
Whooping cough (9).....	898				1		7	26	34	114	127	99	90	81	67	61	52	55	57	61	
Diphtheria (10).....	84						3	---	3	6	3	2	7	3	9	9	11	11	21	21	
Influenza (11).....	835		2	3	13	26	26	20	90	101	85	64	72	68	80	46	78	49	60	42	
Dysentery (13).....	101						1	2	3	6	6	7	8	17	16	7	11	4	8	8	
Erysipelas (15).....	277				4	10	27	30	71	71	38	21	14	17	12	4	9	10	3	7	
Epidemic cerebrospinal meningitis (18).....	156				2				3	6	20	13	22	13	19	17	13	14	10	6	
Tetanus (22).....	12				1	4	1	1	9											2	
Tuberculosis of the respiratory system (23).....	98	1			1	3		1	5	6	6	10	7	9	11	7	8	9	11	9	
Tuberculosis of the meninges, etc. (24).....	154				1		2		3	3	1	12	8	13	17	13	12	24	29	19	
Other forms of tuberculosis (25-32).....	86								2	4	3	8	12	7	6	14	9	4	10	8	
Syphilis (34).....	499	61	14	13	27	35	24	16	190	95	74	53	18	20	13	9	5	5	4	3	
Convulsions (86).....	110	2	6	15	10	2	5	5	45	12	10	10	6	10	6	4	1	1	5	4	
Bronchitis (106).....	194	1	1	2	1	8	11	8	32	31	26	17	22	9	10	14	15	4	8	6	
Lobar and unspecified pneumonia (107).....	5,090	27	40	45	143	189	233	226	903	713	625	521	412	372	331	280	254	269	220	190	
Lobar and unspecified pneumonia (108, 109).....	1,456	4	6	11	41	52	56	57	227	166	149	131	124	107	113	94	111	92	85	86	
Diseases of the stomach (117, 118).....	74				8	2	4	8	23	11	13	2	6	2	5	3	1	1	1	6	
Diarrhea and enteritis (119).....	3,509	1	3	3	36	87	163	163	492	434	403	317	290	266	229	190	161	138	123	123	
Intestinal obstruction (122 b).....	447				9	25	9	15	61	32	29	37	44	54	51	49	39	19	21	11	
Congenital malformations (157).....	5,324	1,208	422	338	665	474	273	230	3,610	482	327	234	157	121	93	72	63	38	50	50	
Congenital debility, icterus, sclerema (158, 161 b, c).....	1,121	166	57	64	199	96	64	53	699	148	102	70	32	20	18	9	7	7	4	5	
Premature birth (159).....	13,978	8,510	1,694	771	1,056	864	385	233	13,513	298	87	32	20	11	5	4	4	1	---	3	
Injury at birth (160).....	5,319	2,659	815	617	796	228	77	45	5,232	61	26										
Other diseases of early infancy (161 a, d).....	1,876	849	249	205	325	129	50	30	1,833	32	10										
External causes (172-198, 201-214).....	693	65	15	13	41	20	10	18	1,777	61	38										
Unknown or ill-defined diseases (199, 200).....	291	60	22	14	31	13	17	8	165	27	27	17	13	8	7	9	5	7	1	1	
All other causes.....	3,058	96	57	79	168	137	139	127	833	364	304	245	220	173	167	169	158	153	124	148	
COLORED																					
All causes.....	8,894	1,910	506	370	695	490	335	329	4,635	796	618	519	438	349	356	295	270	218	202	198	
Measles (7).....	17						1		1			2		1		3	3	1	1	4	
Scarlet fever (8).....	2								1			1									
Whooping cough (9).....	230				1	1	1	1	3	22	30	22	22	21	24	27	21	18	15	14	
Diphtheria (10).....	16								1	19	2	4	1	2				2	1	1	
Influenza (11).....	222	1	1		7	5	6	6	26	19	16	24	27	24	19	18	18	13	8	10	
Dysentery (13).....	25						1	1	2	3	6	2	3	3	2	2	3	2			
Erysipelas (15).....	18				1	1	1	1	4	5	1	1	1	1							
Epidemic cerebrospinal meningitis (18).....	23				1	1	1	1	4	1	1	3	3	1	2	3	2	2			
Tetanus (22).....	12																				

GENERAL TABLES

173

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																			
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
RURAL PART OF REGISTRATION AREA IN CONTINENTAL UNITED STATES																					
All causes.....	64,643	15,431	3,987	2,817	5,474	4,141	2,609	2,168	36,627	5,566	4,171	3,362	2,710	2,297	2,087	1,798	1,638	1,577	1,434	1,376	
Measles (7).....	219	5				3	5	3	16	11	12	19	17	9	17	21	23	31	24	19	
Scarlet fever (8).....	49				1	1	3	1	7	3	4	3	2	2	5	4	3	4	5	7	
Whooping cough (9).....	2,068		2		14	32	126	174	357	300	212	178	131	139	116	123	116	116	106		
Diphtheria (10).....	301		4	2	6	5	7	11	35	24	19	22	18	21	15	18	24	30	35	40	
Influenza (11).....	2,685	13	2	10	63	110	99	103	400	370	324	264	206	210	189	166	166	145	132	113	
Dysentery (13).....	353				1	4	7	7	19	40	36	27	43	43	23	32	29	27	15	19	
Erysipelas (15).....	234				1	7	15	21	44	71	34	15	17	18	11	5	4	9	4	2	
Epidemic cerebrospinal meningitis (18).....	82				2	1	1	1	3	7	7	8	5	6	12	7	4	8	11	4	
Tetanus (22).....	103	2	3	2	31	42	11	3	94												
Tuberculosis of the respiratory system (23).....	139	2							10	2	12	16	9	10	17	13	12	15	13	9	
Tuberculosis of the meninges, etc. (24).....	139	2							3	6	12	11	10	13	13	14	13	17	9		
Other forms of tuberculosis (25-32).....	49					2			2	5	3	4	5	5	6	6	6	2	5	6	
Syphilis (34).....	668	89	17	21	45	49	50	32	306	96	87	47	26	27	17	11	11	16	14	10	
Convulsions (86).....	531	23	28	30	94	68	33	23	299	50	51	27	21	22	14	9	9	10	10	7	
Bronchitis (106).....	373			1	19	24	31	25	104	70	44	37	27	26	14	12	9	10	13	7	
Broncho-pneumonia (107).....	5,418	15	37	60	169	222	275	250	1,028	830	659	558	416	360	354	290	261	239	222	201	
Lobar and unspecified pneumonia (108, 109).....	2,593	10	12	23	92	135	119	99	490	363	284	257	229	174	162	165	131	129	111	98	
Diseases of the stomach (117, 118).....	413				27	44	25	25	130	52	59	49	31	13	19	10	8	14	6	22	
Diarrhea and enteritis (119).....	6,457	10	11	20	113	172	182	218	726	741	687	660	611	685	518	453	393	391	345	347	
Intestinal obstruction (122b).....	353				3	19	25	7	64	44	35	28	37	34	33	21	22	13	12	12	
Congenital malformations (157).....	5,233	1,362	507	410	759	480	269	188	3,975	378	222	160	119	70	65	63	57	42	45	37	
Congenital debility, icterus, sclerema (158, 161 b, c).....	3,294	587	198	176	468	359	230	177	2,195	377	255	158	95	53	45	26	28	22	22	17	
Premature birth (159).....	16,242	9,418	1,872	931	1,494	1,125	506	295	15,641	342	129	54	38	13	3	5	8	6	2	6	
Injury at birth (160).....	3,744	1,790	507	422	667	198	68	33	3,685	45	14										
Other diseases of early infancy (161 a, d).....	1,670	597	204	136	340	165	72	39	1,613	46	11										
External causes (172-193, 201-214).....	1,219	78	29	31	67	51	28	58	342	161	128	87	69	68	60	58	60	62	66		
Unknown or ill-defined diseases (199, 200).....	6,781	1,365	497	381	735	628	376	286	4,318	603	444	324	274	174	146	100	90	86	73	89	
All other causes.....	3,233	62	54	39	208	205	158	128	904	412	299	314	210	210	194	169	144	139	119	119	
WHITE																					
All causes.....	50,356	12,966	3,197	2,193	4,273	3,153	2,036	1,685	29,503	4,242	3,157	2,457	2,000	1,653	1,489	1,343	1,223	1,180	1,069	1,040	
Measles (7).....	195	4				2	4	3	13	9	8	17	15	7	12	21	22	28	24	19	
Scarlet fever (8).....	48	1			1	1	3	1	7	3	4	3	2	2	5	4	3	4	5	6	
Whooping cough (9).....	1,560		1		9	27	107	144	291	238	150	131	91	98	85	89	82	85	76		
Diphtheria (10).....	251				4	4	3	10	26	20	16	17	14	14	13	21	28	33	35	35	
Influenza (11).....	2,085	8	1	7	52	94	85	87	334	305	253	195	166	166	140	123	121	106	98	88	
Dysentery (13).....	248				1	3	5	5	14	25	16	32	29	21	22	21	18	12	13		
Erysipelas (15).....	224				1	5	15	20	41	67	33	15	17	18	10	5	4	8	4	2	
Epidemic cerebrospinal meningitis (18).....	72				2	1	1	2	3	6	7	5	5	9	7	4	7	10	2		
Tetanus (22).....	30	2	2	2	12	20	1	2	45												
Tuberculosis of the respiratory system (23).....	79	2							6	2	7	10	7	7	9	9	7	7	4	4	
Tuberculosis of the meninges, etc. (24).....	116				1	1			3	5	8	9	9	12	11	13	8	12	17	9	
Other forms of tuberculosis (25-32).....	32					2			2	4	3	2	3	3	3	4	2	2	4		
Syphilis (34).....	294	41	8	10	24	15	20	15	133	52	48	17	9	8	6	7	2	7	2	3	
Convulsions (86).....	366	18	22	24	65	41	24	19	213	34	33	22	10	10	7	6	4	9	8		
Bronchitis (106).....	293			1	14	18	25	18	78	60	41	27	18	18	11	9	8	6	10	7	
Broncho-pneumonia (107).....	4,320	15	29	53	144	190	239	216	886	718	523	423	314	262	252	230	198	188	168	158	
Lobar and unspecified pneumonia (108, 109).....	1,810	6	7	19	66	91	84	79	352	248	220	181	142	113	102	119	94	91	78	70	
Diseases of the stomach (117, 118).....	279				8	15	28	19	91	36	38	36	21	8	13	3	7	9	3	14	
Diarrhea and enteritis (119).....	5,009	7	9	16	85	137	138	174	566	570	552	511	477	446	397	329	309	311	271	270	
Intestinal obstruction (122b).....	299				3	15	21	7	56	36	22	33	29	30	19	19	19	10	8	11	
Congenital malformations (157).....	4,925	1,286	480	383	706	462	252	178	3,747	356	211	148	111	62	60	62	56	36	42	34	
Congenital debility, icterus, sclerema (158, 161 b, c).....	2,457	426	150	141	372	258	178	142	1,667	274	194	117	75	36	25	19	16	11	7		
Premature birth (159).....	13,712	8,189	1,564	713	1,194	926	423	231	13,240	263	100	47	30	12	3	2	8	5	1	5	
Injury at birth (160).....	3,421	1,631	455	383	625	185	60	30	3,369	41	11										
Other diseases of early infancy (161 a, d).....	1,374	537	177	148	274	128	50	23	1,337	33	4										
External causes (172-193, 201-214).....	912	57	21	22	46	37	22	43	248	123	95	63	49	52	43	47	44	46	50	52	
Unknown or ill-defined diseases (199, 200).....	3,361	681	217	152	384	302	210	139	2,115	339	236	165	151	87	69	51	41	39	23	45	
All other causes.....	2,564	54	48	77	172	171	137	108	767	322	223	241	168	156	138	133	110	110	98	98	
COLORED																					
All causes.....	14,287	2,465	790	624	1,201	988	573	483	7,124	1,324	1,014	905	710	644	598	455	415	397	365	336	
Measles (7).....	24	1				1	1		3	2	4	2	2	2	5		1	3			
Scarlet fever (8).....	1																				
Whooping cough (9).....	508		1			5	5	19	30	66	62	62	47	40	41	31	34	34	31	30	
Diphtheria (10).....	50				2	1	4	1	9	4	3	5	4								

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
		ALABAMA (WHITE)																		
All causes.....	2,042	597	139	72	175	111	74	75	1,243	180	130	65	80	66	54	40	52	51	48	33
Measles (7).....	1													1						
Scarlet fever (8).....	3																			
Whooping cough (9).....	72						1	1	2	17	12	5	8	7	4	2	6	1	5	2
Diphtheria (10).....	19									1	1	1					1	1	5	1
Influenza (11).....	90				3	8	4	8	23	13	9	2	10	5	7	7		6	1	2
Dysentery (13).....	5																			
Erysipelas (15).....	12									3	5	1		1				1		
Epidemic cerebrospinal meningitis (18).....	2																			
Tetanus (22).....	5					4		1	5											
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	4																		2	
Other forms of tuberculosis (25-32).....	13				1				4	4	3			1	1			1		
Syphilis (34).....	21	2							15	3										
Convulsions (36).....	3		3		6		1	1	1	3	1		1							
Bronchitis (106).....	129			3	3	2	2	5	24	25	16	11	5	12	4	7	6	6	8	5
Broncho-pneumonia (107).....	80	1			2	7	4	6	15	12	9	4	6	5	3	2	11	8	3	2
Lobar and unspecified pneumonia (108, 109).....	3																			
Diseases of the stomach (117, 118).....	155					2	3	2	6	15	16	11	23	16	17	9	6	14	13	9
Diarrhea and enteritis (119).....	16								7	2	1								1	
Intestinal obstruction (122b).....	142	44	12		8	25	13	9	117	8	4	4	1	2	2	1	2	1		
Congenital malformations (157).....	74	14	7		8	6	5	5	50	11	6	3	1	1				1	1	
161 b, c).....	625	383	70	34	56	31	11	15	600	14	9		1	1						
Premature birth (159).....	145	80	25	15	16	2	1	3	142	3										
Injury at birth (160).....	27	10	2	3	9	1	1	2	28											
Other diseases of early infancy (161 a, d).....	40	4			1	1	2	2	10	3	4	3	4	2	1	1	3	2	6	1
External causes (172-198, 201-214).....	260	56	19	5	34	22	25	15	178	29	19	10	10	6	1	5	2	2	6	2
Unknown or ill-defined diseases (199, 200).....	94		1	2	9	6		2	20	15	9	8	10	2	7		5	3	6	4
All other causes.....																				
ALABAMA (COLORED)																				
All causes.....	1,793	423	119	68	148	134	80	68	1,040	154	104	91	87	59	57	44	53	33	41	30
Measles (7).....	3									1										
Scarlet fever (8).....	49						1	1	2	4	6	6	8	4	7	3	2	6		1
Whooping cough (9).....	7																			
Diphtheria (10).....	65	1	1		1	2	2	2	9	9	6	5	5	8	3	5	5	2	6	2
Influenza (11).....	4									1				1						
Dysentery (13).....	11								10											
Erysipelas (15).....	2																			
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	5																			
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	62	10	1	1	2	4	5	3	26	11	3	4	4	2	2	3	4		1	2
Other forms of tuberculosis (25-32).....	32	1	3	1	6	6	2	2	21	4	1	1	2	3						
Syphilis (34).....	6																			
Convulsions (36).....	92				4	2	2	3	12	10	12	14	7	10		2	4	2	6	5
Bronchitis (106).....	73	1			1	4		5	11	8	4	4	10	5	7	4	6	6	5	3
Broncho-pneumonia (107).....	11								2	1	5	4								
Lobar and unspecified pneumonia (108, 109).....	118			1	1	1	1	6	10	10	17	14	12	7	12	10	9	7	6	4
Diseases of the stomach (117, 118).....	5								2											
Diarrhea and enteritis (119).....	25	4	3		2			3	18	2	1	1		1						1
Intestinal obstruction (122b).....	103	31	4	4	7	16	9	6	76	8	3	3	3			1	3		4	2
161 b, c).....	417	229	54	25	34	33	17	12	404	9	2	2								
Premature birth (159).....	44	29	6	6	7	3	3	2	29	2										
Injury at birth (160).....	31	3	3	4	11	3	3	2	29	2										
Other diseases of early infancy (161 a, d).....	37	3			3	4	1	1	11	5	3		5	2	1	2	3	2	2	1
External causes (172-198, 201-214).....	535	110	42	28	57	53	29	20	339	60	34	31	20	13	7	8	13	3	1	6
Unknown or ill-defined diseases (199, 200).....	57	1	2		4		2	3	12	10	6	6	2	4	3	4	1	2	6	1
All other causes.....																				
ARIZONA																				
All causes.....	817	131	38	36	71	43	20	15	354	63	49	70	42	52	35	44	23	30	28	22
Measles (7).....	1																			1
Scarlet fever (8).....	18								1	3	1	5	1	1	2		1	2	1	
Whooping cough (9).....	1																			
Diphtheria (10).....	43								4	5	5	3	4	5	1	6	2	3	2	3
Influenza (11).....	10				1	1	1	1			3	2		1		1		1	2	
Dysentery (13).....	1																			
Erysipelas (15).....	1									1										
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	5																			
Tuberculosis of the respiratory system (23).....	8																			
Tuberculosis of the meninges, etc. (24).....	14	3							7	1										
Other forms of tuberculosis (25-32).....	9								2	2				2	1					1
Syphilis (34).....	83				3	3	2	3	13	6	9	11	6	10	7	8	3	2	5	3
Convulsions (36).....	47				1	2		1	5	3	5	1	2	3	4	4	3	6	3	7
Bronchitis (106).....	8				1	2		1	4	1	1	1		1		1				
Broncho-pneumonia (107).....	171			1	3	5	4	4	17	16	12	24	14	20	14	18	11	10	9	6
Lobar and unspecified pneumonia (108, 109).....	4								1				1	1	1					
Diseases of the stomach (117, 118).....	44	7	3		8	6	4	2	33	4		2	3							
Diarrhea and enteritis (119).....	21																			
Intestinal obstruction (122b).....	38	5	2	4	2	6	2	2	21	5	1	5	2	1	2	1				
161 b, c).....	153	86	20	8	21	8	3	1	147	3	2		1							
Premature birth (159).....	32	14	6	5	5	2			32											
Injury at birth (160).....	25	14	2	2	5	4		1	28											
Other diseases of early infancy (161 a, d).....	21				2	1	1		8	1	3									

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
COLORADO																				
All causes.....	1,259	278	71	37	111	84	47	31	659	123	98	67	63	45	32	40	41	36	26	29
Measles (7).....	5										1						1	2	1	
Scarlet fever (8).....	1																			
Whooping cough (9).....	25									6	4	2	3	1	1			2	2	4
Diphtheria (10).....	5										3									1
Influenza (11).....	89		1		3	5	3	2	14	17	12	9	7	4	2	5	9	3	4	3
Dysentery (13).....	5										1		2		1					1
Erysipelas (15).....	1										1									
Epidemic cerebrospinal meningitis (18).....	1												1							
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	3				1				1										1	1
Tuberculosis of the meninges, etc. (24).....	2																1	1		
Other forms of tuberculosis (25-32).....	3												1					1	1	1
Syphilis (34).....	11	2	1	1	1	1		1	7	2				1			1			
Convulsions (86).....	2					1			1				1							
Bronchitis (106).....	4									1	2									1
Broncho-pneumonia (107).....	135			1	3	9	6	4	23	19	25	18	9	8	8	4	6	5	3	7
Lobar and unspecified pneumonia (108, 109).....	59				3	3	2	2	10	16	5	3	1	7	6	4	1	2	3	1
Diseases of the stomach (117, 118).....	4				1	1			2											
Diarrhea and enteritis (119).....	173		1	1	1	4	7	3	16	30	15	20	21	12	9	17	11	9	7	6
Intestinal obstruction (122b).....	11				1	1			2	1	4	1	1			1				
Congenital malformations (157).....	100	29	9	5	17	10	5	1	76	5	5		2	3	1		3	2	1	2
Congenital debility, icterus, sclerema (158, 161 b, c).....	35	2	1	1	2	3	4	2	15	7	3	3	2	1	2	1				1
Premature birth (159).....	334	182	35	10	41	29	15	7	319	8	4	1	2							
Injury at birth (160).....	80	35	13	8	13	7		3	79	1										
Other diseases of early infancy (161 a, d).....	65	25	6	7	14	6	1	3	62	3										
External causes (172-198, 201-214).....	32		2		4	1		2	9	1	5		3	5	1	3	1	1	1	2
Unknown or ill-defined diseases (199, 200).....	15	3	2	2	2	1			10		1	1	3							
All other causes.....	59			1	5	3	3	1	13	5	7	5	6	3	1	5	5	6		3
CONNECTICUT																				
All causes.....	1,173	401	83	56	86	55	34	27	742	87	54	53	39	35	29	27	29	28	31	19
Measles (7).....	7									1			1		1			2	1	1
Scarlet fever (8).....																				
Whooping cough (9).....	31									6	6	4	1	5			1	1	3	4
Diphtheria (10).....	1																			
Influenza (11).....	21					1			1	2	3	1	1	1	2		4	2	2	2
Dysentery (13).....	1																			
Erysipelas (15).....	1																			
Epidemic cerebrospinal meningitis (18).....	4										1	1						1	1	
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	3												1			1			1	1
Tuberculosis of the meninges, etc. (24).....	9												1		1			1	3	1
Other forms of tuberculosis (25-32).....	3									1								1		
Syphilis (34).....	7	1	1			2			4		1		1						1	
Convulsions (86).....	5			1	1				2				1							
Bronchitis (106).....	11				1	3	1		2	2		1	1			1	3	1		6
Broncho-pneumonia (107).....	111			2	3	3	3		11	20	8	10	7	9	6	9	10	6	6	6
Lobar and unspecified pneumonia (108, 109).....	40				1	1	3		5	3	3	6	3	2	3	3	2	3	5	2
Diseases of the stomach (117, 118).....	2																			
Diarrhea and enteritis (119).....	64			1	2	3	7		13	8	9	7	7	5	6	4	1		4	
Intestinal obstruction (122b).....	5				1				1		1				1	1				
Congenital malformations (157).....	166	58	8	7	16	19	8	3	119	13	6	6	5	5	2	3	4	2		1
Congenital debility, icterus, sclerema (158, 161 b, c).....	39	8		4	4	2	2	2	22	6	1	5	1	3		1				
Premature birth (159).....	341	208	35	25	27	18	7	5	325	10	3	1	1				1			
Injury at birth (160).....	156	97	22	14	15	6			156											
Other diseases of early infancy (161 a, d).....	61	24	15	4	12	1			58	2	1									
External causes (172-198, 201-214).....	10	3			2				5	1										
Unknown or ill-defined diseases (199, 200).....	9		1	1	2				3											
All other causes.....	66	2			4	1		2	12	12	8	8	7	4	3	4	1	2	3	2
DELAWARE																				
All causes.....	288	58	20	13	19	17	9	7	143	33	11	19	12	10	16	12	11	8	9	4
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	7									1					1	1	2		2	
Diphtheria (10).....																				
Influenza (11).....	3										1			1						
Dysentery (13).....	1																			
Erysipelas (15).....	1												1							
Epidemic cerebrospinal meningitis (18).....																				
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	2															1	1			
Tuberculosis of the meninges, etc. (24).....	3																		1	1
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	3			1					2											
Convulsions (86).....																				
Bronchitis (106).....	3																			
Broncho-pneumonia (107).....	45				2	1			3	9	3	3	5	3	6	5	2	2	1	3
Lobar and unspecified pneumonia (108, 109).....	12					1			1	2		1	2		1	2		1	1	1
Diseases of the stomach (117, 118).....																				
Diarrhea and enteritis (119).....	35					2		3	5	3	2	8	2	3	4	1	2	3	2	
Intestinal obstruction (122b).....																				
Congenital malformations (157).....	24	3	2	2	5	2	2	1	17	2	2	1	2							
Congenital debility, icterus, sclerema (158, 161 b, c).....	14	1	2		3	1			7	4	1	1								1
Premature birth (159).....	83	42	10	4	5	9	4	1	75	7	1									
Injury at birth (160).....	13	7	3	2	1				13											
Other diseases of early infancy (161 a, d).....	10	4	3	1	2															

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued
[See note at head of this table, p. 171]

Table with columns for 'AREA AND CAUSE OF DEATH', 'Total deaths under 1 year of age', 'DEATHS AT AGE OF-', and 11 age categories: Under 1 day, 1 day, 2 days, 3 to 6 days, 1 week, 2 wks., 3 wks., Under 1 month, 1 mo., 2 mos., 3 mos., 4 mos., 5 mos., 6 mos., 7 mos., 8 mos., 9 mos., 10 mos., 11 mos.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

Table with columns for 'AREA AND CAUSE OF DEATH', 'Total deaths under 1 year of age', and 'DEATHS AT AGE OF-' (Under 1 month, 1 mo., 2 mos., 3 mos., 4 mos., 5 mos., 6 mos., 7 mos., 8 mos., 9 mos., 10 mos., 11 mos.). Rows are categorized by state (GEORGIA (COLORED), IDAHO, ILLINOIS) and then by specific cause of death.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	.11 mos.
INDIANA																				
All causes.....	2,903	742	181	139	260	166	87	96	1,671	239	204	150	117	100	86	71	68	70	69	58
Measles (7).....	2																			
Scarlet fever (8).....	7																			
Whooping cough (9).....	133					2	4	8	14	15	13	12	15	5	11	13	5	7	15	8
Diphtheria (10).....	5				1				1	1										
Influenza (11).....	118	1		1	7	5	2	5	21	10	19	6	8	13	8	7	8	10	7	1
Dysentery (13).....	5								1	1			1							
Erysipelas (15).....	16				1	1	2	2	6	3	2	1	3	1						
Epidemic cerebrospinal meningitis (18).....	19				1				2	1		4	1	1	2		3	4		
Tetanus (22).....	1								1											
Tuberculosis of the respiratory system (23).....	9								2	1	1	1	1			1				
Tuberculosis of the meninges, etc. (24).....	10				1				1	1	2	1	1		1			2	1	
Other forms of tuberculosis (25-32).....	2									1										
Syphilis (34).....	47	7	2		2	2	3	4	20	12	6	5		1	1	2				
Convulsions (86).....	5				1				4											
Bronchitis (106).....	9				1				3	4	1	1								
Broncho-pneumonia (107).....	285	1	2	4	15	10	12	14	58	40	36	38	18	23	17	11	10	13	11	10
Lobar and unspecified pneumonia (108, 109).....	102				4	7	2	3	18	14	15	11	7	4	6	8	4	3	6	
Diseases of the stomach (117, 118).....	11								2	3	3	2	2	1						
Diarrhea and enteritis (119).....	333				4	4	9	15	33	42	49	38	32	32	22	15	17	22	17	14
Intestinal obstruction (122b).....	28				2	1	1	1	4	5	2	2	3	2	4	3	1	1	1	
Congenital malformations (157).....	339	97	37	36	39	29	10	13	261	20	18	5	8	5	5	3	1	5		
Congenital debility, icterus, sclerema (158, 161b, c).....	98	8	5	5	22	13	7	8	68	16	4	3	4	1	2					
Premature birth (159).....	767	465	86	42	72	46	21	8	740	17	6	3		1						
Injury at birth (160).....	254	111	34	31	51	14	6	1	248	4	2									
Other diseases of early infancy (161a, d).....	100	47	10	10	17	8	1	3	96	4										
External causes (172-198, 201-214).....	45	3	1	1	5	4	2	2	15	7	7	6	4			1	1			3
Unknown or ill-defined diseases (199, 200).....	7		1	1	1	1	2		6	1										
All other causes.....	146	2	3	5	12	17	5	5	49	18	17	11	9	9	7	5	6	4	4	7
IOWA																				
All causes.....	1,938	586	157	101	159	94	64	59	1,220	150	121	94	69	48	63	49	34	30	33	27
Measles (7).....	2																			
Scarlet fever (8).....	3																			
Whooping cough (9).....	59								1											
Diphtheria (10).....	4																			
Influenza (11).....	102					4	5	4	15	13	13	11	13	4	13	7	5	1	4	3
Dysentery (13).....	6																			
Erysipelas (15).....	6																			
Epidemic cerebrospinal meningitis (18).....	5									2				1	1	1				
Tetanus (22).....	1																			
Tuberculosis of the respiratory system (23).....	2										1									
Tuberculosis of the meninges, etc. (24).....	11																			
Other forms of tuberculosis (25-32).....					1				1				2	1	3		1			
Syphilis (34).....	21			2		3	1	1	7	7										
Convulsions (86).....	10	1	2		2	1	1	1	6	3										
Bronchitis (106).....	7				2				3											
Broncho-pneumonia (107).....	201					2	12	9	37	34	34	22	16	10	10	11	8	8	5	6
Lobar and unspecified pneumonia (108, 109).....	54						3	3	19	5	8	7	4	3	3	1	2	3	2	4
Diseases of the stomach (117, 118).....	6								2											
Diarrhea and enteritis (119).....	87								15	11	7	8	6	7	11	10	4	2	5	1
Intestinal obstruction (122b).....	25					1	1	3	9	1	2	3	6	6	5	2	1	1		
Congenital malformations (157).....	250	72	30	17	31	15	8	11	184	22	10	11	5	4	4	5	1		4	
Congenital debility, icterus, sclerema (158, 161b, c).....	75	14	2	9	11	8	10	3	57	7	5	3		1	1	1				
Premature birth (159).....	548	342	76	29	37	32	7	10	533	5	6									
Injury at birth (160).....	207	108	33	22	29	11	1		204	3										
Other diseases of early infancy (161a, d).....	80	39	7	10	15	5	2		78											
External causes (172-198, 201-214).....	43	3	1	1	5	3			7	6	2	4	4	2	3	1	1	5	4	4
Unknown or ill-defined diseases (199, 200).....	12	3	1	1	2				7	1	2	2			3	1	1			
All other causes.....	111	4	4	5	8	8	5	5	39	13	13	10	6	5	3	4	6	7	2	3
KANSAS																				
All causes.....	1,525	486	121	69	126	95	61	42	1,000	89	70	72	53	36	57	29	28	39	27	25
Measles (7).....	7									1						1	1		1	1
Scarlet fever (8).....	1										1									
Whooping cough (9).....	33								1	4	2	6	5		3	4		4	2	2
Diphtheria (10).....	1																			
Influenza (11).....	71								6	6	11	11	8	7	6	4	2	6	3	1
Dysentery (13).....	4								1	1					1					
Erysipelas (15).....	5																			
Epidemic cerebrospinal meningitis (18).....	1								4											
Tetanus (22).....	1																			
Tuberculosis of the respiratory system (23).....	1													1						
Tuberculosis of the meninges, etc. (24).....	4																			
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	13	2	1		1	2	1		7			2	2	1						
Convulsions (86).....	6								4											
Bronchitis (106).....	4								2											
Broncho-pneumonia (107).....	126					1	9	1	26	16	15	13	8	5	14	4	6	8	6	5
Lobar and unspecified pneumonia (108, 109).....	47					1	1	5	8	7	4	5	2	4	5	2	2	5	2	1
Diseases of the stomach (117, 118).....	5								2											
Diarrhea and enteritis (119).....	108								18	9	9	8	9	11	11	6	7	6	8	6
Intestinal obstruction (122b).....	17								2	4	1	1	1		2		3	1	1	1
Congenital malformations (157).....	166	44	21	13	21	14	8	7	128	11	7	6	3	2	3	1	1			4
Congenital debility, icterus, sclerema (158, 161b, c).....	67	11	6	3	16	7	3	4	50	9	2	3		1						1
Premature birth (159).....	499																			

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
		KENTUCKY (WHITE)																		
All causes.....	3,409	731	218	127	254	184	157	147	1,818	293	195	168	150	131	121	111	97	97	114	114
Measles (7).....	2																		1	1
Scarlet fever (8).....	4																			
Whooping cough (9).....	145		1			1	4	16	22	17	17	19	9	7	6	11	9	7	9	12
Diphtheria (10).....	45		4		1	1		4	11	3	3	2	3	2	3	2	4	4	3	5
Influenza (11).....	126			2	3	3	4	13	26	13	11	12	9	9	6	6	9	10	6	9
Dysentery (13).....	45							1	2	4	2	3	5	2	3	7	5	2	2	3
Erysipelas (15).....	10								2	4	2									1
Epidemic cerebrospinal meningitis (18).....	10								2	2	1				3	1				1
Tetanus (22).....	2								2											
Tuberculosis of the respiratory system (23).....	10								1	1	2	1	1	1	1	2	3	2	3	1
Tuberculosis of the meninges, etc. (24).....	17								1	3		1	1	1	1	2			3	1
Other forms of tuberculosis (25-32).....	4								1											
Syphilis (34).....	29	4	1	1	3	5	1	1	15	5	3	3							2	
Convulsions (86).....	11	1			1				1	1	1									
Bronchitis (106).....	12				1				2										1	
Broncho-pneumonia (107).....	251	1	1	3	9	12	25	10	61	52	22	19	23	19	16	16	12	12	17	12
Lobar and unspecified pneumonia (108, 109).....	128	1	1	1	6	5	6	4	24	21	19	7	13	9	7	7	3	7	6	5
Diseases of the stomach (117, 118).....	27				1	3	2	2	9	4	1	2	2	1	3	2			2	3
Diarrhea and enteritis (119).....	521	2	1	1	3	10	20	10	47	48	50	58	45	46	49	32	35	28	43	40
Intestinal obstruction (122b).....	16					3			4	1	1	4	3		1	2			1	2
Congenital malformations (157).....	207	57	29	8	30	16	14	8	162	19	8	5	1	1	4	2			2	
Congenital debility, icterus, sclerema (158, 161 b, c).....	195	39	12	11	20	23	17	12	134	18	15	9	5	3	2	4	1	4		
Premature birth (159).....	873	488	113	49	83	62	26	26	847	13	4	3	3	1	2	2				
Injury at birth (160).....	173	77	24	27	29	7	3	6	173											
Other diseases of early infancy (161 a, d).....	57	14	10	11	11	3	3	8	57											
External causes (172-198, 201-214).....	84	5	3		5	1	6	8	28	12	10	4	4	4	4	5	1	5	5	4
Unknown or ill-defined diseases (199, 200).....	197	37	14	11	32	10	15	7	126	32	9	3	4	2	4	3	3	3	2	4
All other causes.....	178	5	3		13	10	6	14	51	19	13	14	17	12	7	6	7	8	14	10
KENTUCKY (COLORED)																				
All causes.....	358	60	24	20	27	17	20	19	187	33	21	23	14	18	17	9	15	8	3	10
Measles (7).....	1	1							1											
Scarlet fever (8).....																				
Whooping cough (9).....	26				1				1	2	2	3	5	3		3	4	1		2
Diphtheria (10).....	12	1	1			1			3	2		2	1	1	1	1	1			
Influenza (11).....	2																			
Dysentery (13).....	2																			
Erysipelas (15).....	1							1	1											
Epidemic cerebrospinal meningitis (18).....	2								1											
Tetanus (22).....	1								1											
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	12	3	2					2	8	4	3			1					1	
Convulsions (86).....	6								1	1	3									
Bronchitis (106).....	2								1											
Broncho-pneumonia (107).....	49		2	2	1	4	4	4	13	8	3	9	2	3	6	2	1	1	1	1
Lobar and unspecified pneumonia (108, 109).....	20		1	1	2	2	2	2	4	4	1	2	2		1	1			1	3
Diseases of the stomach (117, 118).....	30				1	1	1	1	2	2					1					
Diarrhea and enteritis (119).....	47				2	2		6	9	5	5	5	3	6	4	2	1	5	1	1
Intestinal obstruction (122b).....	1				1				1											
Congenital malformations (157).....	10	2	1	1	2		2		8		1				1					
Congenital debility, icterus, sclerema (158, 161 b, c).....	21		2	1	2		4	1	10	1	2	2		2	1				1	2
Premature birth (159).....	84	44	10	8	6	6	4	2	80	3				1						
Injury at birth (160).....	16	4	5	2	4	1			16											
Other diseases of early infancy (161 a, d).....	5	1	1	3					2											
External causes (172-198, 201-214).....	7	1	1						2											
Unknown or ill-defined diseases (199, 200).....	16	3	1	1	3	2		1	11	1	2			1	1		4			
All other causes.....	12		1	1	2	1	2	1	6	2			1		1	2				
LOUISIANA (WHITE)																				
All causes.....	1,353	376	88	42	101	81	49	27	784	122	77	76	62	52	49	48	27	24	28	24
Measles (7).....	8							1	1	1				2	1	1	1	1		
Scarlet fever (8).....																				
Whooping cough (9).....	25							1	1	6	3	1	2	2	3	2	1	1	3	1
Diphtheria (10).....	11								1	1	1	1	1	1	1	1	1	1	2	2
Influenza (11).....	73				1	4	4	2	11	8	5	12	9	8	9	2	3	3	3	
Dysentery (13).....	8										3	1	1	1	1				1	
Erysipelas (15).....	3																			
Epidemic cerebrospinal meningitis (18).....	3													1					1	
Tetanus (22).....	11		1	2	3	4	1		11											1
Tuberculosis of the respiratory system (23).....	2																1			1
Tuberculosis of the meninges, etc. (24).....	3																			2
Other forms of tuberculosis (25-32).....														1						
Syphilis (34).....	12							1	3	3	1	1	1	1	2					
Convulsions (86).....	1								1											1
Bronchitis (106).....	8								1			2	1							
Broncho-pneumonia (107).....	137		1	1	4	5	9	5	25	29	19	17	14	8	3	9	3	4	3	3
Lobar and unspecified pneumonia (108, 109).....	60				1	4	5		10	9	1	6	4	6	8	2	3	4	5	2
Diseases of the stomach (117, 118).....	9				2	1			3		2	2	2		1					
Diarrhea and enteritis (119).....	121	1			3	3	2	4	13	21	18	12	11	10	9	10	7	3	3	4
Intestinal obstruction (122b).....	21				1	1	1	1	3	4	1	2	2	2	4					2
Congenital malformations (157).....	105	21	7	9	11	9	8	1	66	12	5	8	5	1	1	2	4	1		
Congenital debility, icterus, sclerema (158, 161 b, c).....	39	10		2	7	2	5													

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

Table with columns: AREA AND CAUSE OF DEATH, Total deaths under 1 year of age, and DEATHS AT AGE OF (1 day, 2 days, 3 to 6 days, 1 week, 2 wks, 3 wks, Under 1 month, 1 mo., 2 mos., 3 mos., 4 mos., 5 mos., 6 mos., 7 mos., 8 mos., 9 mos., 10 mos., 11 mos.). Rows are grouped by state (LOUISIANA (COLORED), MAINE, MARYLAND (WHITE)) and include various causes of death like Measles, Scarlet fever, etc.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

Table with columns for 'AREA AND CAUSE OF DEATH', 'Total deaths under 1 year of age', and 'DEATHS AT AGE OF-' (Under 1 day, 1 day, 2 days, 3 to 6 days, 1 week, 2 wks., 3 wks., Under 1 month, 1 mo., 2 mos., 3 mos., 4 mos., 5 mos., 6 mos., 7 mos., 8 mos., 9 mos., 10 mos., 11 mos.). Rows are categorized by state (Maryland, Massachusetts, Michigan) and various causes of death.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
		MISSOURI																		
All causes	3,430	883	188	113	300	229	133	116	1,962	285	224	159	151	131	94	95	85	86	76	82
Measles (7)	6	1						1	2			1		1		1		1		
Scarlet fever (8)	6					1			1			1		1					1	
Whooping cough (9)	146						2	2	4	24	20	14	14	18	7	11	4	10	12	8
Diphtheria (10)	13									1	1		1	1	1			2		2
Influenza (11)	123	1			4	8	6	5	24	25	10	10	6	9	4	5	9	6	7	3
Dysentery (13)	32							1	1	3	2	3	5	5	3			3	1	3
Erysipelas (15)	17						1	1	2	7	2	2	2	1	1					1
Epidemic cerebrospinal meningitis (18)	3									1								1		
Tetanus (22)	3					2			2							1				
Tuberculosis of the respiratory system (23)	9									1					2			3	1	1
Tuberculosis of the meninges, etc. (24)	7										1			1				1		
Other forms of tuberculosis (25-32)	10									2	2							1		1
Syphilis (34)	55	13			3	3	3	1	24	7	9	6	2	1	1			1		1
Convulsions (36)	11				2	2	1		8									1		
Bronchitis (106)	19		1		6	2	1	3	6	3	2	4	4	1	1					
Broncho-pneumonia (107)	357	1	4	2	14	16	21	18	76	54	46	37	28	30	21	16	18	13	15	8
Lobar and unspecified pneumonia (108, 109)	116	1			6	2	3	7	19	13	14	13	14	5	5	12	9	4	6	2
Diseases of the stomach (117, 118)	24				3	2	1	3	11	2	6	1	2	1	1					
Diarrhea and enteritis (119)	374	1			7	17	15	19	61	43	39	35	31	32	19	21	24	25	15	29
Intestinal obstruction (122 b)	22				3	2	1	1	4	1	2	2	4	4	2	2	2	2		1
Congenital malformations (157)	327	84	35	20	48	28	11	14	240	29	17	8	10	5	4	3	4	2	2	3
Congenital debility, icterus, sclerema (158, 161 b, c)	149	28	7	10	21	13	13	8	100	17	18	5	4	1	1			1	1	1
Premature birth (159)	955	583	82	39	93	81	27	15	920	20	10	1	1	1				1	1	1
Injury at birth (160)	224	100	35	18	47	17	5		222		2									
Other diseases of early infancy (161 a, d)	107	40	14	11	25	7	7		104	3										
External causes (172-198, 201-214)	53	3	1	1	3	3	4		12	5	7	1	3	3	4	4	1	3	6	4
Unknown or ill-defined diseases (199, 200)	97	22	6	4	10	17	6	6	71	5	4	2	3	1	2	3	1	2	2	3
All other causes	163	5	3	3	10	7	11	7	46	18	13	12	16	13	10	7	6	8	6	8
MONTANA																				
All causes	467	145	29	20	40	38	15	11	298	46	24	19	8	18	9	12	6	6	9	12
Measles (7)	5											3		1						1
Scarlet fever (8)																				
Whooping cough (9)	12									3	2	1			1	2		1	2	
Diphtheria (10)																				
Influenza (11)	17				1		1		2	3	2	1		3		2	2		1	1
Dysentery (13)	2								1											
Erysipelas (15)	7								1	3				1						
Epidemic cerebrospinal meningitis (18)	1					1		1	2											
Tetanus (22)																				
Tuberculosis of the respiratory system (23)	2																			
Tuberculosis of the meninges, etc. (24)	2																			
Other forms of tuberculosis (25-32)	1																			
Syphilis (34)	5				1		1		2	2	1									
Convulsions (36)	6				2	2			4										1	
Bronchitis (106)																				
Broncho-pneumonia (107)	30				1	1	2	2	6	7	7	1	1	3	1	1		1		2
Lobar and unspecified pneumonia (108, 109)	14				1	1	1		2	4	3		2	1	1					
Diseases of the stomach (117, 118)	4					1			1											
Diarrhea and enteritis (119)	28				3	1	2		6	7	6	1	3		1	3	2			
Intestinal obstruction (122 b)	3											1		2						
Congenital malformations (157)	37	9	1	4	7	6	1		28	2				4					1	
Congenital debility, icterus, sclerema (158, 161 b, c)	17	4	2		2	5	1	1	15											1
Premature birth (159)	156	98	19	7	9	12	5	4	154	2										
Injury at birth (160)	44	21	3	5	11	2			42											
Other diseases of early infancy (161 a, d)	16	9	2	2					15	1										
External causes (172-198, 201-214)	15	7		1					7	1		1		2	2	1				1
Unknown or ill-defined diseases (199, 200)	14	4	2		2	1	1	1	10		1			1				2		
All other causes	29			1	3	2	1	1	7	3	3	4	1	2	1	1	1	1	1	3
NEBRASKA																				
All causes	1,091	391	78	56	101	65	55	13	759	65	53	45	28	28	30	21	15	13	16	18
Measles (7)																				
Scarlet fever (8)	2													1				1		
Whooping cough (9)	14							1	1	5	3	1			1	1	1		1	
Diphtheria (10)	7																			
Influenza (11)	45				1	4	4		9	3	6	4	4	4	3	2	2	4	2	2
Dysentery (13)	1																			
Erysipelas (15)	5																			
Epidemic cerebrospinal meningitis (18)	2																			
Tetanus (22)	1					1			1											
Tuberculosis of the respiratory system (23)	2																			
Tuberculosis of the meninges, etc. (24)																				
Other forms of tuberculosis (25-32)	2																			
Syphilis (34)	10	1					3	1	5	1	2									
Convulsions (36)	6		1		1		1		3		1									
Bronchitis (106)	4						1		2											
Broncho-pneumonia (107)	70	1	2		4	2	4	2	15	10	8	7	4	6	6	3	3	2	3	3
Lobar and unspecified pneumonia (108, 109)	27	1			1	2	3	1	8	4		3	2	4	2					
Diseases of the stomach (117, 118)	6										2		1							
Diarrhea and enteritis (119)	50	1				5	4	2	12	5	6	5	5	1	3	6	1	1	2	3
Intestinal obstruction (122 b)	15					2	2		4	1	1	1	2	5	1					
Congenital malformations (157)	138	42	8	15	19	9	6	3	102	10	6	8	4	1		2	1	3	1	
Congenital debility, icterus, sclerema (158, 161 b, c)	48	8	2	4	9	5	10	2	40	2	1	2	1	1						
Premature birth (159)	362	250	35	14	27	22	10		358											

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued
 [See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																			
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
NEVADA																					
All causes.....	88	22	6	1	4	3	3	1	40	11	5	1	3	4	6	4	4	4	2	4	
Measles (7).....																					
Scarlet fever (8).....																					
Whooping cough (9).....	2									1										1	
Diphtheria (10).....																					
Influenza (11).....	5				1				1	1					1	1	1				
Dysentery (13).....																					
Erysipelas (15).....																					
Epidemic cerebrospinal meningitis (18).....																					
Tetanus (22).....																					
Tuberculosis of the respiratory system (23).....	1																			1	
Tuberculosis of the meninges, etc. (24).....																					
Other forms of tuberculosis (25-32).....																					
Syphilis (34).....																					
Convulsions (36).....																					
Bronchitis (106).....																					
Broncho-pneumonia (107).....	12							1	3	2	1	1			2	1	2				
Lobar and unspecified pneumonia (108, 109).....	5									1				1				2	1		
Diseases of the stomach (117, 118).....	1									1											
Diarrhea and enteritis (119).....	14				2				2	1	1		3	2	1	1			1	2	
Intestinal obstruction (122 b).....	1														1						
Congenital malformations (157).....	2	1							1	1											
Congenital debility, icterus, sclerema (158, 161 b, c).....	1									1											
Premature birth (159).....	21	13	4				2		19	1							1				
Injury at birth (160).....	7	4	2			1			7												
Other diseases of early infancy (161 a, d).....	4	4							4												
External causes (172-198, 201-214).....	3				1				1									2			
Unknown or ill-defined diseases (199, 200).....	2						1	1	1						1		1				
All other causes.....	7							1	1	3	1			1		1					
NEW HAMPSHIRE																					
All causes.....	460	141	41	24	30	27	16	13	292	30	35	19	12	16	15	6	9	9	7	10	
Measles (7).....	1																			1	
Scarlet fever (8).....																					
Whooping cough (9).....	10										2	1	1	1	1		1	1		2	
Diphtheria (10).....	1																				
Influenza (11).....	16									4	1	4	1	1	1			1		3	
Dysentery (13).....																					
Erysipelas (15).....	3								1	1		1									
Epidemic cerebrospinal meningitis (18).....	1																				
Tetanus (22).....	1			1					1												
Tuberculosis of the respiratory system (23).....																					
Tuberculosis of the meninges, etc. (24).....	1																			1	
Other forms of tuberculosis (25-32).....																					
Syphilis (34).....	3					1			1	1	1										
Convulsions (36).....	4								1	1											
Bronchitis (106).....	2								1	1											
Broncho-pneumonia (107).....	43				1			2	5	5	6	4	4	1	4	4	2	4	2	1	
Lobar and unspecified pneumonia (108, 109).....	14								2	5	3	1	1	4			1		1		
Diseases of the stomach (117, 118).....	1								1	1											
Diarrhea and enteritis (119).....	25				2	3		1	8	3	3	3	1	3	1				2	1	
Intestinal obstruction (122 b).....	1																				
Congenital malformations (157).....	63	24	2	1	7	6	2	2	44	2	8	4	2		1		1	1			
Congenital debility, icterus, sclerema (158, 161 b, c).....	26	3	4	1	4	2			14	6				1	2	1	1			1	
Premature birth (159).....	148	79	27	12	4	10	4	3	139	5	3				1						
Injury at birth (160).....	45	23	4	4	7	1	1		45												
Other diseases of early infancy (161 a, d).....	22	6	4	5	4	1	1		21	1											
External causes (172-198, 201-214).....	4	1							1										2		
Unknown or ill-defined diseases (199, 200).....																					
All other causes.....	25				1	3	2	1	7	2	6		2	1	2	2	1	1		1	
NEW JERSEY																					
All causes.....	3,075	852	233	145	248	161	87	73	1,799	233	217	153	117	110	92	92	73	65	62	62	
Measles (7).....	12															2	3	1		2	
Scarlet fever (8).....	5						1		1		1									1	
Whooping cough (9).....	74							1	1	10	14	8	8	2	2	6	8	7	5	3	
Diphtheria (10).....	8									1						2	2			2	
Influenza (11).....	30								2	4	5	2	3	3	4			2	4	1	
Dysentery (13).....	2																				
Erysipelas (15).....	13								4	4	2			1			1	1			
Epidemic cerebrospinal meningitis (18).....	8										1	2	1		2			1	1		
Tetanus (22).....	1																				
Tuberculosis of the respiratory system (23).....	10								1		1	2	2	1		1			2		
Tuberculosis of the meninges, etc. (24).....	7											2		1					2	1	
Other forms of tuberculosis (25-32).....	10								1					1	1	1	2	1		3	
Syphilis (34).....	43	5	1		6	6	2	1	21	5	10	2	2		1	2					
Convulsions (36).....	11								1	1	1	4			1	1	1			2	
Bronchitis (106).....	31			1		3	1	1	6	6	5	4	4						2	2	
Broncho-pneumonia (107).....	386	4	6	12	13	7	16		58	43	55	35	37	39	31	26	14	20	14	14	
Lobar and unspecified pneumonia (108, 109).....	136		2		1		5	5	16	25	17	13	8	6	14	8	8	3	8	10	
Diseases of the stomach (117, 118).....	8								1		1	1	1		1			1	1	1	
Diarrhea and enteritis (119).....	204			1	4	5	10	6	26	33	27	24	22	22	10	11	9	8	7	5	
Intestinal obstruction (122 b).....	32	1							4	2	5	3	2	4	5	2	2	1	1	1	
Congenital malformations (157).....	316	71	24	25	37	23	19	11	210	40	16	15	5	7	6	6	5	2	1	3	
Congenital debility, icterus, sclerema (158, 161 b, c).....	97	8	4	2	16	9	4	1	44	16	12	8	7	4	1	1	3	1			
Premature birth (159).....	890	538	119	41	79	63	20	12	872	12	3			1							
Injury at birth (160).....	304	144	49	45	44	11	2	4	299	4	1										
Other diseases of early infancy (161 a, d).....	137	61	17	13	26	10	2	5	134	1	2										
External causes (172-198, 201-214).....	51	7	3	2	1	1			14	4	7	3	2	4	4	7	2	1	3		
Unknown or ill-defined diseases (199, 200).....	27	8	5	1	4	3		1	22		2	1	1	1							
All other causes.....	222	91	51	61	171	111	101	61	641	231	281	171	121	111	101	101	151	91	131		

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

Table with columns: AREA AND CAUSE OF DEATH, Total deaths under 1 year of age, and DEATHS AT AGE OF (Under 1 day, 1 day, 2 days, 3 to 6 days, 1 week, 2 wks., 3 wks., Under 1 month, 1 mo., 2 mos., 3 mos., 4 mos., 5 mos., 6 mos., 7 mos., 8 mos., 9 mos., 10 mos., 11 mos.). Rows include New Mexico and New York sections with various causes of death.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

Table with columns for 'AREA AND CAUSE OF DEATH', 'Total deaths under 1 year of age', and 'DEATHS AT AGE OF-' with sub-columns for 'Under 1 day', '1 day', '2 days', '3 to 6 days', '1 week', '2 wks.', '3 wks.', 'Under 1 month', and months 1 through 11.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued
[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OKLAHOMA (WHITE)																				
All causes.....	1,770	436	131	57	139	130	58	69	1,020	143	97	81	74	63	66	42	43	52	39	50
Measles (7).....	2										1						1			
Scarlet fever (8).....	1																			1
Whooping cough (9).....	50						1	7	8	13	6	3	5	2	3	2	1	2	5	
Diphtheria (10).....	19								2	2	1	1	2	1				2	2	5
Influenza (11).....	86				2	5	2	4	13	16	9	5	4	5	11	4	6	6	4	3
Dysentery (13).....	17								3	1	3	1						1	1	3
Erysipelas (15).....	9						1	2	3	2	3	1		1						
Epidemic cerebrospinal meningitis (18).....	5								1	1			1	1					2	
Tetanus (22).....	3					2	1		3											
Tuberculosis of the respiratory system (23).....	3												1	1				1		
Tuberculosis of the meninges, etc. (24).....	4							1	1					2					1	
Other forms of tuberculosis (25-32).....	1																			1
Syphilis (34).....	18	2	1					1	5	3	4	2	1	1		2				
Convulsions (86).....	12	2		1		2	1	1	9	3										
Bronchitis (106).....	4							1	2											
Broncho-pneumonia (107).....	152			2	8	9	5	7	31	18	15	18	8	16	9	5	6	11	4	11
Lobar and unspecified pneumonia (108, 109).....	56				1	4	6	3	14	11	1	6	6	2	2	5	2	1	4	2
Diseases of the stomach (117, 118).....	15			1		3		1	5	2	2	1	2	2	2			1		
Diarrhea and enteritis (119).....	163				2	3	1	3	9	13	20	16	24	13	14	12	9	14	10	9
Intestinal obstruction (122b).....	21					3			3	2	1	1	3	2	2	2	3	1	1	
Congenital malformations (157).....	125	36	13	5	17	17	3	4	95	11	3	6	4	2	2		1	1	1	
Congenital debility, icterus, sclerema (158, 161 b, c).....	115	16	13	7	16	15	8	10	85	6	4	8	4	2	2	1	1	1		1
Premature birth (159).....	531	312	72	26	49	38	15	12	524	6	1									
Injury at birth (160).....	92	39	16	8	16	7		2	88	2	2									
Other diseases of early infancy (161 a, d).....	42	10	8	5	8	8	1	1	41	1			2	2	3	1				
External causes (172-198, 201-214).....	40		1		3	1	1	1	7	9	3	1	2	2	2	1	1	2	7	
Unknown or ill-defined diseases (199, 200).....	63	16	7	1	8	3	4	3	42	6	8	1	1	1	1	1	2	3	1	1
All other causes.....	121	3		1	6	9	7	6	32	15	9	10	7	7	10	4	8	9	3	7
OKLAHOMA (COLORED)																				
All causes.....	282	25	14	10	19	27	11	6	112	36	22	23	18	18	14	11	4	8	5	11
Measles (7).....																				
Scarlet fever (8).....	9									2	3								1	3
Whooping cough (9).....	3								1											1
Diphtheria (10).....	18			1				1	2	2	1	5	3	1	1			2		1
Influenza (11).....	6									2	2		1	1						
Dysentery (13).....	2																			
Erysipelas (15).....	2											1							1	
Epidemic cerebrospinal meningitis (18).....	5																		2	
Tetanus (22).....	12	3	1	1		3			8	1			3							
Tuberculosis of the respiratory system (23).....	2														1					
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	37			1	1	5		1	8	6	3	3	1	5	5	2	2	1	1	1
Syphilis (34).....	27			1	1	2		1	5	6	2	3	3	2	1	1	1	1	1	1
Convulsions (86).....	3								2	2	1									
Bronchitis (106).....	33					2		3	5	3	5	3	3	4	3	3			1	3
Broncho-pneumonia (107).....	2			1					3	1	1		1	1						
Lobar and unspecified pneumonia (108, 109).....	6	1	1	1					3	1	1		1							
Diseases of the stomach (117, 118).....	18	1	2	1	2	7	1		14	1	1	1				1				
Diarrhea and enteritis (119).....	40	5	2	2	9	2	2	3	37	3										
Intestinal obstruction (122b).....	9	3	3		1	1			9											
Congenital malformations (157).....	6	1	1	1	1	1			5	1										
Congenital debility, icterus, sclerema (158, 161 b, c).....	9	3	3	2	2	2			3	1			1	2						
Premature birth (159).....	6	1	1	1	1	1			5	1										
Injury at birth (160).....	9	3	3		2	1			3	1			1	2				1		
Other diseases of early infancy (161 a, d).....	6	1	1	1	2	1			3	1			1	2						
External causes (172-198, 201-214).....	9				2	1			3	1										
Unknown or ill-defined diseases (199, 200).....	16	2			2	2	4		10	2	1	1	1	2	1	1	1	1	1	1
All other causes.....	18	1			1	1			2	5	2	2	1	2	1	1	1	1	1	1
OREGON																				
All causes.....	531	164	39	20	57	37	18	11	346	45	27	29	12	18	8	9	11	11	5	10
Measles (7).....	2														1	1				
Scarlet fever (8).....	1																			
Whooping cough (9).....	12							1	1	2	2			4	1					1
Diphtheria (10).....	1											1								
Influenza (11).....	18	1			1				2	2	3	2	1	4		2			2	
Dysentery (13).....	1																			
Erysipelas (15).....	3								1				2							
Epidemic cerebrospinal meningitis (18).....	3					1				1				1						
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....																				
Tuberculosis of the meninges, etc. (24).....																				
Other forms of tuberculosis (25-32).....	1														1					
Syphilis (34).....	5					2			2	1	1	1								
Convulsions (86).....	1									1										
Bronchitis (106).....	3					1			1	1										
Broncho-pneumonia (107).....	49	1			3	3		2	9	13	4	4	1	4	3	2	3	2	2	2
Lobar and unspecified pneumonia (108, 109).....	9				1				1	2		2					1	1	1	1
Diseases of the stomach (117, 118).....	1										1									
Diarrhea and enteritis (119).....	17					2		2	4	1	2	4	1		1	1	1	2		
Intestinal obstruction (122b).....	6				1				1	1	2	2								
Congenital malformations (157).....	67	12	6	7	16	3	4	3	51	4	2	1		2		1	1	2		3
Congenital debility, icterus, sclerema (158, 161 b, c).....	20	8	1	2	2	2		2	17		2	1								
Premature birth (159).....	157	112	11	3	9	11	5		151	4	1	1								
Injury at birth (160).....	59	19	13	5	16	4	1	1	59											

GENERAL TABLES

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

Table with columns for 'AREA AND CAUSE OF DEATH', 'Total deaths under 1 year of age', and 'DEATHS AT AGE OF-' (ranging from Under 1 day to 11 months). Rows are organized by state: PENNSYLVANIA, RHODE ISLAND, and SOUTH CAROLINA (WHITE).

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued
[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SOUTH CAROLINA (COLORED)																				
All causes.....	1,970	357	137	96	184	127	80	75	1,056	177	142	127	98	81	72	47	42	52	41	35
Measles (7).....	8						1		1		1	2	1	2						1
Scarlet fever (8).....	1									1										
Whooping cough (9).....	54					1	1	1	3	10	9	7	7	2	6		2	3	3	2
Diphtheria (10).....	12								2	2	3	3	2	2				1	2	1
Influenza (11).....	92				3	1	1	4	9	6	14	14	14	7	9	4	4	4	2	5
Dysentery (13).....	18							2	3	3	2	1	1	1			2	1		4
Erysipelas (15).....	1																			
Epidemic cerebrospinal meningitis (18).....	1									1										
Tetanus (22).....	3					1	1		2				1							
Tuberculosis of the respiratory system (23).....	3												1		1				1	
Tuberculosis of the meninges, etc. (24).....	2																	1		1
Other forms of tuberculosis (25-32).....	1																			1
Syphilis (34).....	42	4		2	3	3	3	2	17	10	3	7	1	2				1		
Convulsions (86).....	20		2		3	1	1		7	2	2	1	2	2				3		1
Bronchitis (106).....	2								1					1						
Broncho-pneumonia (107).....	96	1			2	3	2	2	10	11	12	9	8	9	9	11	6	7	4	
Lobar and unspecified pneumonia (108, 109).....	143	1			4	8	6	7	26	19	12	23	15	13	8	8	5	7	4	3
Diseases of the stomach (117, 118).....	40				3	2	4	1	10	7	2	5	2	2	2	1	1	1		3
Diarrhea and enteritis (119).....	146				2	4	4	3	13	17	19	14	14	12	14	12	10	8	7	6
Intestinal obstruction (122b).....	1														1					
Congenital malformations (157).....	14	2			2				6	2	2	1		1						1
Congenital debility, icterus, sclerema (158, 161 b, c).....	64	2		3	14	5	3	4	31	13	6	2	3	3	1		2	1	2	
Premature birth (159).....	406	195	53	40	50	34	9	12	393	10	1	1								
Injury at birth (160).....	42	16	6	9	6	3	1		41	1										
Other diseases of early infancy (161 a, d).....	26	6	3	5	6	1	3	1	25		1									
External causes (172-198, 201-214).....	18				1		1	1	2	3	2		3	1	5			1		1
Unknown or ill-defined diseases (199, 200).....	620	130	73	37	79	59	32	32	442	42	38	25	16	14	9	6	6	8	11	3
All other causes.....	95				5	1	4	3	13	17	10	15	6	7	9	4	1	4	5	4
SOUTH DAKOTA																				
All causes.....	668	210	42	36	59	44	30	21	442	43	35	21	20	16	16	13	15	17	15	15
Measles (7).....	1											1								
Scarlet fever (8).....																				
Whooping cough (9).....	30							2	2	4	5		1	3	3	1	1	1	7	2
Diphtheria (10).....																				
Influenza (11).....	21				1	1	1	2	5	2	3	1		1	3	1	1	1	1	2
Dysentery (13).....	2																		2	
Erysipelas (15).....	5							1	1											1
Epidemic cerebrospinal meningitis (18).....	1													3						
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	2														1				1	
Tuberculosis of the meninges, etc. (24).....	2														1					
Other forms of tuberculosis (25-32).....									1											
Syphilis (34).....	3		1						1	1	1									
Convulsions (86).....	11			1	3	1			6	1	1								1	2
Bronchitis (106).....	2								2											
Broncho-pneumonia (107).....	49	1	1	1	1	6	3	3	13	8	6	6	2	1	3	1	4	3		2
Lobar and unspecified pneumonia (108, 109).....	21				1	2	1	1	4	2	4	1	1	2	1	2	3	1		
Diseases of the stomach (117, 118).....	3								1											
Diarrhea and enteritis (119).....	44				2	3	2	3	10	8	5	4	3	2	3	3	2			4
Intestinal obstruction (122b).....	3								1						1					
Congenital malformations (157).....	52	14	3	5	10	5	3	1	41	3	3	1	1		1					2
Congenital debility, icterus, sclerema (158, 161 b, c).....	43	10	2	5	8	5	2	1	33	2	3	2	2				1	2		
Premature birth (159).....	207	136	19	12	11	14	7	2	201	2		1	2							
Injury at birth (160).....	63	36	8	5	8	2	2		61	2										
Other diseases of early infancy (161 a, d).....	24	6	4	3	6	2	1	1	23											
External causes (172-198, 201-214).....	8	1			1				1						2					1
Unknown or ill-defined diseases (199, 200).....	37	5	2	2	7	4	2	2	22	2	1		5	1		1	2	1	2	
All other causes.....	34	2	2		1	5	3	2	15	4	1	3	2	3				5	1	
TENNESSEE (WHITE)																				
All causes.....	2,783	627	182	114	207	159	116	115	1,520	264	182	121	123	101	86	95	84	84	66	57
Measles (7).....	1																			1
Scarlet fever (8).....	1																			1
Whooping cough (9).....	96					1	1	10	12	12	13	11	8	8	3	7	7	8	2	5
Diphtheria (10).....	13					1		1	2	3									3	2
Influenza (11).....	132				2	8	7	7	19	24	14	6	14	9	7	9	9	7	7	7
Dysentery (13).....	21					1			2	1	1	2	5	2	1	1	1	4		2
Erysipelas (15).....	10								4	3										
Epidemic cerebrospinal meningitis (18).....	7								2											
Tetanus (22).....	3									1						2	2		1	
Tuberculosis of the respiratory system (23).....	9	1							1			1	1	1	1				1	1
Tuberculosis of the meninges, etc. (24).....	9									1		1	2	1	1	1		1	1	1
Other forms of tuberculosis (25-32).....	4													1	1	1			1	
Syphilis (34).....	25	3	1	1	3		2	2	12	6	3	1	1			1	1		1	
Convulsions (86).....	6				2				3											1
Bronchitis (106).....	5					2	1	3	1											1
Broncho-pneumonia (107).....	195	2	2	1	3	12	7	13	40	36	23	14	17	15	12	7	11	9	6	5
Lobar and unspecified pneumonia (108, 109).....	78				3	5	6	5	21	8	9	6	5	3	7	6	2	5	3	3
Diseases of the stomach (117, 118).....	10					2	1	2	3	2	1	1								
Diarrhea and enteritis (119).....	316				1	3	1	5	14	24	33	31	33	32	31	37	23	30	15	13
Intestinal obstruction (122b).....	16								1	1	1			1	4	1	3	1	4	2
Congenital malformations (157).....	147	39	16	10	15	8	8	7	103	14	7	4	6	3	1	1	4	1	1	2
Congenital debility, icterus, sclerema (158, 161 b, c).....	111	12	5	6	16	10	10	6	65	19	15	2	3	3	1		1	1		1
Premature birth (159)																				

GENERAL TABLES

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

Table with columns for 'AREA AND CAUSE OF DEATH', 'Total deaths under 1 year of age', and 'DEATHS AT AGE OF' (1 day to 11 months). Rows are categorized by state: TENNESSEE (COLORED), UTAH, and VERMONT, each listing various medical causes and their corresponding death counts across different age groups.

INFANT MORTALITY STATISTICS: 1932

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

Table with columns: AREA AND CAUSE OF DEATH, Total deaths under 1 year of age, DEATHS AT AGE OF— (Under 1 day, 1 day, 2 days, 3 to 6 days, 1 week, 2 wks., 3 wks., Under 1 month, 1 mo., 2 mos., 3 mos., 4 mos., 5 mos., 6 mos., 7 mos., 8 mos., 9 mos., 10 mos., 11 mos.). Rows include VIRGINIA (WHITE), VIRGINIA (COLORED), and WASHINGTON, each with a list of causes and their respective death counts.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

Table with columns for 'AREA AND CAUSE OF DEATH', 'Total deaths under 1 year of age', and 'DEATHS AT AGE OF-' (subdivided into 11 months). Rows include states like WEST VIRGINIA, WISCONSIN, and WYOMING, with various causes of death listed.

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																			
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
SAN FRANCISCO, CALIF. (COLORED)																					
All causes	39	11	2		4	2	1	3	23	2	2	1	1		2	1	3	1	3		
Measles (7).....																					
Scarlet fever (8).....																					
Whooping cough (9).....																					
Diphtheria (10).....																					
Influenza (11).....																					
Dysentery (13).....																					
Erysipelas (15).....																					
Epidemic cerebrospinal meningitis (18).....																					
Tetanus (22).....																					
Tuberculosis of the respiratory system (23).....	3								1							1			1		
Tuberculosis of the meninges, etc. (24).....																					
Other forms of tuberculosis (25-32).....	1								1												
Syphilis (34).....	2							1	1												
Convulsions (86).....	7							1	1												
Bronchitis (106).....	2							1	1												
Broncho-pneumonia (107).....	1							1	1												
Lobar and unspecified pneumonia (108, 109).....	7							1	1												
Diseases of the stomach (117, 118).....																					
Diarrhea and enteritis (119).....	2															1		1			
Intestinal obstruction (122b).....	7	3	1		1	1		1	7												
Congenital malformations (157).....	1																				
Congenital debility, icterus, sclerema (158, 161 b, c).....	10	6	1		1	1		1	10							1					
Premature birth (159).....	2	1			1	1			2												
Injury at birth (160).....	2	1			1	1			2												
Other diseases of early infancy (161 a, d).....	1	1			1	1			2												
External causes (172-198, 201-214).....	1																				
Unknown or ill-defined diseases (199, 200).....	1																				
All other causes.....	1																				
WASHINGTON, D.C. (WHITE)																					
All causes	380	108	30	10	35	27	31	9	250	22	21	15	15	12	13	11	7	3	4	7	
Measles (7).....																					
Scarlet fever (8).....																					
Whooping cough (9).....	5									1	1	1			1	1					
Diphtheria (10).....	1																				
Influenza (11).....	6			1					1		2		2							1	
Dysentery (13).....	1											1									
Erysipelas (15).....	3																				
Epidemic cerebrospinal meningitis (18).....	2																				
Tetanus (22).....	4	2							3	1											
Convulsions (86).....	1								1												
Bronchitis (106).....	2																				
Broncho-pneumonia (107).....	37		1	1	3	1	6	1	13	3	3	3	4	1	1	1	1	1	1	1	
Lobar and unspecified pneumonia (108, 109).....	11			1			1	1	3	2	1	1	1		1	1	1	1	1	1	
Diseases of the stomach (117, 118).....																					
Diarrhea and enteritis (119).....	48					1	9	3	13	3	7	8	3	1	7	1	3	1		1	
Intestinal obstruction (122 b).....	3					1	1		1						1	1					
Congenital malformations (157).....	39	6	7	1	3	3	5	2	27	3	3	1	2	1	1	1					
Congenital debility, icterus, sclerema (158, 161 b, c).....	8	1				2		1	5	1			1		1						
Premature birth (159).....	130	74	11	5	15	12	8	1	126	3	1		1								
Injury at birth (160).....	48	26	10	2	8	3	1		44	1											
Other diseases of early infancy (161 a, d).....	9	4	1		1	1	1		8												
External causes (172-198, 201-214).....	3	1							1	1										1	
Unknown or ill-defined diseases (199, 200).....	1																				
All other causes.....	22				1	3			4	4	2	1	1	4	2	2				2	
WASHINGTON, D.C. (COLORED)																					
All causes	360	68	23	12	26	29	17	11	186	38	22	19	22	10	13	9	11	9	12	9	
Measles (7).....																					
Scarlet fever (8).....																					
Whooping cough (9).....	6											1			1	1	2			1	
Diphtheria (10).....	1										1										
Influenza (11).....	4								1				2								
Dysentery (13).....	1					1															
Erysipelas (15).....	2																				
Epidemic cerebrospinal meningitis (18).....																					
Tetanus (22).....																					
Tuberculosis of the respiratory system (23).....	3												1		1					1	
Tuberculosis of the meninges, etc. (24).....	2																				
Other forms of tuberculosis (25-32).....	4																				
Syphilis (34).....	13									4	4	4									
Convulsions (86).....	4																				
Bronchitis (106).....	4																				
Broncho-pneumonia (107).....	74	2	1	2		4	5	4	18	7	8	9	1	5	4	1	1	3	8	2	
Lobar and unspecified pneumonia (108, 109).....	8									1		1	1								
Diseases of the stomach (117, 118).....	1																				
Diarrhea and enteritis (119).....	27					2		1	3	4	4		3	2	4	1	2	1		2	
Intestinal obstruction (122 b).....	5												1	1	1	1				1	
Congenital malformations (157).....	8	1	1		3		1		6	1					1						
Congenital debility, icterus, sclerema (158, 161 b, c).....	15					2	3	1	7												
Premature birth (159).....	124	45	14	8	16	16	9	3	111	4	1	2	1								
Injury at birth (160).....	22	13	3	1	3	1	1	1	22	12	1										
Other diseases of early infancy (161 a, d).....	11	5	2	1	1	1	1		11												
External causes (172-198, 201-214).....	4	2	1						3		1										
Unknown or ill-defined diseases (199, 200).....																					
All other causes.....	21				1	1	1		4	3	2	1	1	2	3	1	2		1	1	

GENERAL TABLES

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																								
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month																	
										1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.						
BALTIMORE, MD. (COLORED)																										
All causes	298	64	17	10	23	11	11	12	148	37	15	22	12	13	12	5	7	9	8	10						
Measles (7)																										
Scarlet fever (8)																										
Whooping cough (9)	10									1			1			1	2	2	2							
Diphtheria (10)	2																			1	1					
Influenza (11)	2																									
Dysentery (13)	2									1	1															
Erysipelas (15)	1																									
Epidemic cerebrospinal meningitis (18)	1							1																		
Tetanus (22)	1								1																	
Tuberculosis of the respiratory system (23)	3						1						1						1	1						
Tuberculosis of the meninges, etc. (24)	1																									
Other forms of tuberculosis (25-32)	1																									
Syphilis (34)	15	1	1		1			2	5	5	1	1	1	1				1								
Convulsions (36)	1																									
Bronchitis (106)	1																									
Broncho-pneumonia (107)	37				1	1		1	4	7	1	5	3	5	2		2	2	1	5						
Lobar and unspecified pneumonia (108, 109)	27			1					1	2	5	6		3	3		3	2	1	1						
Diseases of the stomach (117, 118)																										
Diarrhea and enteritis (119)	34							5	5	7	4	7	1	1	2	3		1	1	2						
Intestinal obstruction (122b)																										
Congenital malformations (157)	16	1			3	1	1	2	8	5	1		1	1												
Congenital debility, icterus, sclerema (158, 161 b, c)	3																									
Premature birth (159)	96	52	11	5	11	6	4	2	91	4	1															
Injury at birth (160)	13	4	3		4	1	1		13																	
Other diseases of early infancy (161 a, d)	16	6	2	3	3	1			15	1																
External causes (172-198, 201-214)	2				1				1																	
Unknown or ill-defined diseases (199, 200)																										
All other causes	16							2	2	2	1	1	3	1	3	1			1	1						
BOSTON, MASS.																										
All causes	1,024	301	65	43	81	43	29	29	591	87	58	48	33	33	32	25	31	25	26	35						
Measles (7)	4												1				1			1	1					
Scarlet fever (8)	2																									
Whooping cough (9)	19								1	3	1	1	1	4			2	2	2	1	3					
Diphtheria (10)	1										1															
Influenza (11)	3											1														
Dysentery (13)	1																									
Erysipelas (15)	8																									
Epidemic cerebrospinal meningitis (18)	3																1									
Tetanus (22)	3									4	2															
Tuberculosis of the respiratory system (23)	5												1				1	1			2					
Tuberculosis of the meninges, etc. (24)	2													1							1					
Other forms of tuberculosis (25-32)	4																				1					
Syphilis (34)	11	1		1		2			4	4		1	1				1			1	1					
Convulsions (36)	1										1															
Bronchitis (106)	3																									
Broncho-pneumonia (107)	165	3	1	1	2	6	6	7	26	18	17	23	9	10	15	8	6	11	9	13						
Lobar and unspecified pneumonia (108, 109)	24					1			1	1	1	3	3	1	1	2	5	1	1	4						
Diseases of the stomach (117, 118)																										
Diarrhea and enteritis (119)	58		1			1	1	2	5	12	9	6	5	2	5	2	4	2	4	2						
Intestinal obstruction (122b)	7									2			1	1												
Congenital malformations (157)	140	29	6	9	11	7	8	5	75	15	16	9	5	6	3	2	2	3	2	2						
Congenital debility, icterus, sclerema (158, 161 b, c)	6	1		1	1	1			4	1			1													
Premature birth (159)	308	189	31	17	22	18	9	8	294	13																
Injury at birth (160)	125	60	20	10	27	3	1	1	122	2	1															
Other diseases of early infancy (161a, d)	41	14	3	4	16	1	1	2	41			1	1	1	1	2	1									
External causes (172-198, 201-214)	12	3							3	1		1	1	1	1											
Unknown or ill-defined diseases (199, 200)	1	1							1																	
All other causes	70		3		2	4		2	11	11	7	4	3	6	6	3	8	4	3	4						
DETROIT, MICH. (WHITE)																										
All causes	1,201	346	73	60	89	60	45	39	712	68	69	56	56	49	38	38	29	24	34	28						
Measles (7)	15									1	1	2	1	2			2		1	5						
Scarlet fever (8)	1																									
Whooping cough (9)	36								2	3	5	2	4	4	3	4	2	2	3	2						
Diphtheria (10)	7												1	1	1	1	1	1	1	1						
Influenza (11)	16					1			1	2	2		2	3	1				1	2						
Dysentery (13)	2												1	1												
Erysipelas (15)	10							2	4	3	2	1														
Epidemic cerebrospinal meningitis (18)	10								1	1	2	2		1		1	1									
Tetanus (22)	10																									
Tuberculosis of the respiratory system (23)	2														1						1					
Tuberculosis of the meninges, etc. (24)	2																				1					
Other forms of tuberculosis (25-32)	5												1													
Syphilis (34)	9	2							4	3		1														
Convulsions (36)	1																									
Bronchitis (106)	7						1		1	2		1		1							1					
Broncho-pneumonia (107)	151	2	2		3	8	11		28	15	17	16	14	19	9	1	5	8	9	4						
Lobar and unspecified pneumonia (108, 109)	46				4	1			7	5	4	4	6	2	1	2	1	4	4	6						
Diseases of the stomach (117, 118)	1																									
Diarrhea and enteritis (119)	62					2	1	4	1	5	8	5	6	7	7	9	4	2	1	1						
Intestinal obstruction (122b)	9								2				1	1												
Congenital malformations (157)	151	33	10	8	17	12	13	7	100	10	11	7	7	3	2	3	3	1	2	2						
Congenital debility, icterus, sclerema (158, 161 b, c)	19	3	2	2	3	3	2		15	1	3															
Premature birth (159)	361	232	38	20	27	19	9																			

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
		DETROIT, MICH. (COLORED)																		
All causes.....	148	35	11	4	10	3	4	2	69	7	9	10	10	6	9	9	8	2	6	3
Measles (7).....	1															1				
Scarlet fever (8).....	1																			
Whooping cough (9).....	13									1			1	1	3			5		1
Diphtheria (10).....																				1
Influenza (11).....																				
Dysentery (13).....	1																			
Erysipelas (15).....																				1
Epidemic cerebrospinal meningitis (18).....																				
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....	3															1	1			1
Tuberculosis of the meninges, etc. (24).....	1																	1		
Other forms of tuberculosis (25-32).....	6																			
Syphilis (34).....	1				1				1											
Convulsions (86).....	3				1				1											2
Bronchitis (106).....	1																			
Broncho-pneumonia (107).....	28				1	1	1	1	4	2	3	4	1	4	3	3	3			1
Lobar and unspecified pneumonia (108, 109).....	3								1	1	1	1				1				1
Diseases of the stomach (117, 118).....	2				1				1	1										
Diarrhea and enteritis (119).....	8				1			1	2	1					1					1
Intestinal obstruction (122b).....	1										1									
Congenital malformations (157).....	6			1	2	1			4	1							1			
Congenital debility, icterus, sclerema (158, 161 b, c).....																				
Premature birth (159).....	40	25	7	2		1	2		37		1		2							
Injury at birth (160).....	8	6		1	1				8											
Other diseases of early infancy (161 a, d).....	3	3	4		1				8											
External causes (172-198, 201-214).....	3							1	1		1			1						
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....	11	1			1				2		1	2	1	1	1	1			1	1
ST. LOUIS, MO. (WHITE)																				
All causes.....	562	160	23	27	43	39	23	21	336	48	36	22	32	20	13	10	8	15	14	8
Measles (7).....	1							1	1											
Scarlet fever (8).....	1																			
Whooping cough (9).....	18									2	4	2	2	3	2	1			1	1
Diphtheria (10).....																				
Influenza (11).....	8						1	1	2	1			1						2	1
Dysentery (13).....	3											1								
Erysipelas (15).....	2									1				1					1	
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	1					1			1											
Tuberculosis of the respiratory system (23).....	1																			1
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	8	3				1	1		5		1	1			1					
Convulsions (86).....	1																			
Bronchitis (106).....	1																			
Broncho-pneumonia (107).....	72		1		1	3	2	5	12	13	12	4	8	3	5		3	5	7	
Lobar and unspecified pneumonia (108, 109).....	16						1		1	1	2	1	3	3	1	1	1	1	1	1
Diseases of the stomach (117, 118).....	1																			
Diarrhea and enteritis (119).....	55				1	3	4	6	14	10	6	5	6	3	1	2	2	4		2
Intestinal obstruction (122b).....	4										1			3						
Congenital malformations (157).....	64	12	2	6	9	3	1		33	11	5	3	5	1	2	2			1	1
Congenital debility, icterus, sclerema (158, 161 b, c).....	13	1		1	4		1		7	3	1	1	1							
Premature birth (159).....	187	108	13	16	15	25	7	2	180	1										
Injury at birth (160).....	47	25	4	3	11	2			45		2									
Other diseases of early infancy (161 a, d).....	19	11	2	1	1				17											
External causes (172-198, 201-214).....	7							1	2											3
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....	33				1	3	2	4	10	5	1	2	5	3	1	2		2	1	1
ST. LOUIS, MO. (COLORED)																				
All causes.....	162	28	13	4	11	8	7	6	77	11	12	8	3	14	5	11	8	6	4	3
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	10									1			1	3	1	1			2	1
Diphtheria (10).....																				
Influenza (11).....	1																			
Dysentery (13).....																				
Erysipelas (15).....																				
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....																				
Tuberculosis of the respiratory system (23).....																				
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	2																			
Syphilis (34).....	11	1			2	1	1		5	2	2			1		1			1	
Convulsions (86).....																				
Bronchitis (106).....																				
Broncho-pneumonia (107).....	34				1		3	2	6	2	4	5		5	1	5	2		3	1
Lobar and unspecified pneumonia (108, 109).....	8								1					1		3				
Diseases of the stomach (117, 118).....	1																			
Diarrhea and enteritis (119).....	16							1	2		5	1	1	2				2	2	
Intestinal obstruction (122b).....	1									1										1
Congenital malformations (157).....	6	2	1			1			4	1										
Congenital debility, icterus, sclerema (158, 161 b, c).....	3		1		1				2	1										
Premature birth (159).....	51	20	8	3	8	6	2	2	49											
Injury at birth (160).....	3	3							3											
Other diseases of early infancy (161 a, d).....	5	2	3						5											
External causes (172-198, 201-214).....	1																			
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....	7											2	1	1	2					1

GENERAL TABLES

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued
[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
BUFFALO, N. Y.																				
All causes.....	692	226	41	39	54	31	20	12	423	39	39	27	26	22	23	22	30	17	12	12
Measles (7).....	3										1			1				1		
Scarlet fever (8).....	15						1		1	2	1		1	1	1	2	1	2		3
Whooping cough (9).....	1																	1		
Diphtheria (10).....	3													1				1		
Influenza (11).....	2																			
Dysentery (13).....	4				1				1				1							
Erysipelas (15).....	2										1		1							
Epidemic cerebrospinal meningitis (18).....	2												1							
Tetanus (22).....	1																			
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	7	3			1	1		5	1	1					1					
Syphilis (34).....	7																			
Convulsions (36).....	1																			
Bronchitis (106).....	7																			
Broncho-pneumonia (107).....	83	1		2	5	3	4	1	16	11	10	3	6	3	1	1	1	4	3	3
Lobar and unspecified pneumonia (108, 109).....	13			1		1		2	4			1	1	1						
Diseases of the stomach (117, 118).....	79			1		1			4	10	10	6	10	8	8	6	8	3	4	2
Diarrhea and enteritis (119).....	4			1		1			1											
Intestinal obstruction (122 b).....	17	4		9	12	6	5	3	56	5	6	3			2	2	2	1		
Congenital malformations (157).....	10	1			4	1			6		1	2		1						
Congenital debility, icterus, sclerema (158, 161 b, c).....	192	119	19	12	18	11	5	3	187	2	1	1	1							
Premature birth (159).....	98	65	11	10	8	3		1	98											
Injury at birth (160).....	33	16	6	3	4	3			32	1										
Other diseases of early infancy (161 a, d).....	6		1						1								2			
External causes (172-198, 201-214).....	1								1											
Unknown or ill-defined diseases (199, 200).....	48	4			1	1	2	2	10	6	6	4	2	1	3	4	4	3	1	4
All other causes.....																				
NEW YORK, N. Y. (WHITE)																				
All causes.....	4,943	1,272	330	218	373	271	217	181	2,862	441	335	267	187	165	152	126	113	109	99	87
Measles (7).....	13													1		1	1	2	3	5
Scarlet fever (8).....	73						1		1	9	11	10	6	6	6	5	4	6	2	7
Whooping cough (9).....	8												1				2	1	2	2
Diphtheria (10).....	33		2			1		2	5	2	5	4	2	3	3	3	1	1	2	2
Influenza (11).....	3																			
Dysentery (13).....	74					2	6	1	9	20	13	9	3	6	4	2	3	3	1	1
Erysipelas (15).....	24								2	3	1	3	3	2	4	2	2	2	2	
Epidemic cerebrospinal meningitis (18).....	12									1	1	3		1	2	1	1			
Tetanus (22).....	12													1	1	1	1		5	3
Tuberculosis of the respiratory system (23).....	11																			
Tuberculosis of the meninges, etc. (24).....	52	7	1	2	2	3	3	2	20	8	12	4	2	2			1	1	1	
Other forms of tuberculosis (25-32).....	8								4				1							
Syphilis (34).....	16								5	1	3	2		1						
Convulsions (36).....	761	5	9	9	18	30	47	38	156	116	87	84	57	55	48	41	32	36	27	22
Bronchitis (106).....	227	1		4	8	7	8		28	29	20	19	20	15	21	13	18	13	13	18
Broncho-pneumonia (107).....	3			1		1			2		1									
Lobar and unspecified pneumonia (108, 109).....	429		1	5	12	21	38	77	83	63	49	32	26	28	29	14	12	12	4	
Diseases of the stomach (117, 118).....	36			1	2	3	3		9	2	2	3	5	2	1	4	3	3		
Diarrhea and enteritis (119).....	518	96	27	28	77	47	27	26	328	54	50	31	14	10	8	3	7	2	8	3
Intestinal obstruction (122 b).....	92	2	3	2	15	9	9	9	49	17	6	11	2	4	1			2		
Congenital malformations (157).....	1,331	779	155	74	99	90	59	22	1,278	35	12	2	1	3						
Congenital debility, icterus, sclerema (158, 161 b, c).....	616	278	102	65	105	34	12	7	603	9	4									
Premature birth (159).....	203	87	28	24	36	15	5	2	197	6										
Injury at birth (160).....	62	10	2	1	5	1	2	1	22	8	4	6	3	2	3		3	7	2	2
Other diseases of early infancy (161 a, d).....	1								1											
External causes (172-198, 201-214).....	325	8	2	8	5	15	11	20	69	39	36	27	32	23	21	19	14	15	14	16
Unknown or ill-defined diseases (199, 200).....																				
All other causes.....																				
NEW YORK, N. Y. (COLORED)																				
All causes.....	655	180	34	26	49	35	24	25	353	60	49	39	31	19	19	18	15	17	12	17
Measles (7).....	2																		1	1
Scarlet fever (8).....	14									1	3	1	1	1		1	1	2		3
Whooping cough (9).....	5														1	2				
Diphtheria (10).....	3																			
Influenza (11).....	7																			
Dysentery (13).....	3																			
Erysipelas (15).....	1																			
Epidemic cerebrospinal meningitis (18).....	6																			
Tetanus (22).....	1																			
Tuberculosis of the respiratory system (23).....	7																			
Tuberculosis of the meninges, etc. (24).....	4																			
Other forms of tuberculosis (25-32).....	7	6	1	2	3	3		4	19	6	9	4	1	1			1	1		
Syphilis (34).....	4																			
Convulsions (36).....	83	1		1	3	2	5	5	16	14	15	11	7	3	6	2	2	2	2	3
Bronchitis (106).....	36	1			2		3	3	6	2	1	2	2	4	3	4	3	4	2	3
Broncho-pneumonia (107).....	63								7	16	12	4	6	3	4	3	1	2	1	4
Lobar and unspecified pneumonia (108, 109).....	3																			
Diseases of the stomach (117, 118).....	23	1		2	4	2	1		10	2	3	4	2		1			1		
Diarrhea and enteritis (119).....	16					3	2	1	8	4	1		1	1	1					
Intestinal obstruction (122 b).....	205	108	22	11	16	20	11	6	192	7		4		1	1					
Congenital malformations (157).....	49	23	6	7	12	1			49											
Congenital debility, icterus, sclerema (158, 161 b, c).....	33	16	5	3	5	4			33											
Premature birth (159).....	16	6			1				7	3	1	2		1			1	1		
Injury at birth (160).....	38				</															

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																			
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
NEW YORK, N. Y. (BRONX BOROUGH)																					
All causes	682	197	74	32	59	32	26	18	438	39	38	28	27	18	14	19	18	11	15	17	
Measles (7)	4																		1	1	2
Scarlet fever (8)																					
Whooping cough (9)	22									2	3	3	2	2	1	3	1	1	2	2	
Diphtheria (10)																					
Influenza (11)	7							1	1		2	1			1	1			1		
Dysentery (13)																					
Erysipelas (15)	8					1	2		3	1		2		1					1		
Epidemic cerebrospinal meningitis (18)	5												1	1						1	
Tetanus (22)																					
Tuberculosis of the respiratory system (23)	3															1			1		
Tuberculosis of the meninges, etc. (24)	4																			3	
Other forms of tuberculosis (25-32)	7																	3	1	1	
Syphilis (34)	8	3							3	1	2			1						1	
Convulsions (86)	1							1	1												
Bronchitis (106)	6					1	1		2		2	1							1		
Broncho-pneumonia (107)	81	1	1		9	2	7	3	23	12	9	10	8	5	1	5	3	3	1	1	
Lobar and unspecified pneumonia (108,109)	34				1		2	2	5	4	3		2	1	4	4	3	1	2	5	
Diseases of the stomach (117, 118)	1																				
Diarrhea and enteritis (119)	20								1	3	4	3	1	3	3	1	1				
Intestinal obstruction (122b)	4					1			1				2								
Congenital malformations (157)	76	17	12	1	12	7	4	1	54	3	5	4	3		1		3	1	2		
Congenital debility, icterus, sclerema (158, 161 b, c)	15		1			1	3	4	9	3	1		1	1							
Premature birth (159)	213	122	35	17	17	8	7	2	208	3	1			1							
Injury at birth (160)	83	39	16	7	14	5	1	1	83												
Other diseases of early infancy (161 a, d)	38	15	9	6	5	2			37	1											
External causes (172-198, 201-214)	8									2	1		1	1	1			1	1		
Unknown or ill-defined diseases (199, 200)																					
All other causes	34			1		2	1	3	7	3	4	1	5	1	1	4	2		2	4	
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE)																					
All causes	1,913	446	132	96	154	107	84	73	1,022	155	118	114	72	72	64	44	45	57	47	33	
Measles (7)	2																		1	1	
Scarlet fever (8)																					
Whooping cough (9)	30									6	4	4	1	3	5	1	1	2		3	
Diphtheria (10)	3																		1	1	
Influenza (11)	15		1			1			2		2	1	2	2	1	1	1		2	1	
Dysentery (13)	2																				
Erysipelas (15)	24					1	1		2	9	4	2		2	1	1	1	1	1	1	
Epidemic cerebrospinal meningitis (18)	10									1	2		1		1	2	1	1	2		
Tetanus (22)																					
Tuberculosis of the respiratory system (23)	2													1					1		
Tuberculosis of the meninges, etc. (24)	5													1	1				2	1	
Other forms of tuberculosis (25-32)	2																				
Syphilis (34)	22	3		1	1		1	1	7	6	4	1	1			1		1	1		
Convulsions (86)																					
Bronchitis (106)	7					1	1	1	3			1	1	1					1		
Broncho-pneumonia (107)	349	1	6	5	7	15	20	13	67	42	38	40	24	29	24	21	15	24	15	10	
Lobar and unspecified pneumonia (108,109)	89		1		2	2	3	4	12	11	8	9	9	5	7	3	7	4	7	7	
Diseases of the stomach (117, 118)	1								1												
Diarrhea and enteritis (119)	146			1	3	6	8	18	36	25	15	18	10	9	4	9	6	9	5		
Intestinal obstruction (122b)	17				1	1	3	2	7				2		1	3	2	2	2		
Congenital malformations (157)	208	41	7	15	37	15	14	11	140	16	19	14	4	4	3	2	2	1	2	1	
Congenital debility, icterus, sclerema (158, 161 b, c)	41	1	1	1	7	1	4	3	18	6	2	9	1	3	1				1		
Premature birth (159)	465	260	61	28	34	35	19	9	446	13	4	1	1								
Injury at birth (160)	237	103	39	28	44	14	4	3	235	1	1										
Other diseases of early infancy (161 a, d)	83	35	14	9	17	5	1	1	81	2											
External causes (172-198, 201-214)	20		1			1	2		4	3	1	4			2				4	1	
Unknown or ill-defined diseases (199, 200)																					
All other causes	133	2	2	7	1	9	3	7	31	14	14	10	14	11	12	3	7	5	5	7	
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED)																					
All causes	183	35	12	9	10	10	7	7	90	21	15	12	8	5	8	6	7	7	1	3	
Measles (7)																					
Scarlet fever (8)																					
Whooping cough (9)	5									2	1					1	1				
Diphtheria (10)																					
Influenza (11)	2									1					1						
Dysentery (13)																					
Erysipelas (15)	1												1								
Epidemic cerebrospinal meningitis (18)																					
Tetanus (22)																					
Tuberculosis of the respiratory system (23)	1																		1		
Tuberculosis of the meninges, etc. (24)																					
Other forms of tuberculosis (25-32)	1																		1		
Syphilis (34)	17	2	1	1	1	2		3	10	2	2	1				1		1	1		
Convulsions (86)																					
Bronchitis (106)	1								1												
Broncho-pneumonia (107)	27				1		3	2	6	4	4	3	2	1	3		2	2	1	1	
Lobar and unspecified pneumonia (108,109)	7								1					1	1						
Diseases of the stomach (117, 118)																					
Diarrhea and enteritis (119)	21							1	2	6	3	2	2		1	2		1		2	
Intestinal obstruction (122b)																					
Congenital malformations (157)	8			1	1				4	1	1	1			1						
Congenital debility, icterus, sclerema (158, 161 b, c)	7				2		1		3	2				1	1						
Premature birth (159)	45	24	7	3	2	7	1		44	1											
Injury at birth (160)	10	4		3	3				10												
Other diseases of early infancy (161 a, d)	9	4	4			1			9										1	1	
External causes (172-198, 201-214)	4									1		1							1	1	
Unknown or ill-defined diseases (199, 200)																					

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued
[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																			
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
NEW YORK, N.Y. (RICHMOND BOROUGH)																					
All causes	151	36	10	12	14	7	7	4	90	12	11	6	8	10	3	3	3	3	2	3	
Measles (7)	2																		1	1	
Scarlet fever (8)	2																				
Whooping cough (9)	1																				
Diphtheria (10)	1																				
Influenza (11)	1																				
Dysentery (13)	1																				
Erysipelas (15)	1																				
Epidemic cerebrospinal meningitis (18)	1																				
Tetanus (22)	1																				
Tuberculosis of the respiratory system (23)	2										1									1	
Tuberculosis of the meninges, etc. (24)	1																1				
Other forms of tuberculosis (25-32)	1																				
Syphilis (34)	1										1										
Convulsions (86)	1																				
Bronchitis (106)	18							1	1	4	1	1	4	5	1					1	
Broncho-pneumonia (107)	9							1	1				1	1	1			1	3	1	
Lobar and unspecified pneumonia (108, 109)	9				1								1	1	1						
Diseases of the stomach (117, 118)	9								5	2		2									
Diarrhea and enteritis (119)	2										1	1									
Intestinal obstruction (122b)	10	1		1	2	2		6		2	1	1									
Congenital malformations (157)	5							3	1	1											
Congenital debility, icterus, sclerema (158, 161 b, c)	52	28	4	5	3	4	3	2	49	1	1	1									
Premature birth (159)	22	7	4	2	8		1	22													
Injury at birth (160)	5		1	2		2		5													
Other diseases of early infancy (161 a, d)	3			1				1	1		1										
External causes (172-198, 201-214)	1							1													
Unknown or ill-defined diseases (199, 200)	9					1	1	2	1	2				3	1						
All other causes																					
CLEVELAND, OHIO (WHITE)																					
All causes	692	234	45	36	58	29	24	22	448	51	25	32	18	17	27	17	19	17	6	15	
Measles (7)	6													1	2	1	1	1		1	
Scarlet fever (8)	3									1										1	
Whooping cough (9)	15							1	1	4	3	1	3	1	1	1	1				
Diphtheria (10)	7							2						1			1	2	1		
Influenza (11)	4					1	1														
Dysentery (13)	4							1													
Erysipelas (15)	1							1	2		1										
Epidemic cerebrospinal meningitis (18)	3																				
Tetanus (22)	2																				
Tuberculosis of the respiratory system (23)	4						1	1		1	1									1	
Tuberculosis of the meninges, etc. (24)	2																				
Other forms of tuberculosis (25-32)	4																				
Syphilis (34)	2							2													
Convulsions (86)	4							1													
Bronchitis (106)	87			1	4	3	3	1	12	13	5	9	7	6	1	1	9	4	3	4	
Broncho-pneumonia (107)	11					1		1	2	1		1		1			2	3	1	1	
Lobar and unspecified pneumonia (108, 109)	3																				
Diseases of the stomach (117, 118)	24							3	4	5	3	3	3	1	3				1	1	
Diarrhea and enteritis (119)	5							1	1	1											
Intestinal obstruction (122b)	66	12	5	2	14	3	1	2	39	8	3	5	2	2	2	1	2		1	1	
Congenital malformations (157)	9	2	1			1	1		6	1	1	1									
Congenital debility, icterus, sclerema (158, 161 b, c)	255	147	27	13	17	15	14	7	240	10	1	2	1	1							
Premature birth (159)	91	54	10	11	12	1		7	90												
Injury at birth (160)	32	16	2	6	6	1	1	2	32												
Other diseases of early infancy (161 a, d)	4					1			1	1			1							1	
External causes (172-198, 201-214)	6	3		1				4	4												
Unknown or ill-defined diseases (199, 200)	48			1	3	1		4	9	8	4	5	1	1	4	2	3	7		4	
All other causes																					
CLEVELAND, OHIO (COLORED)																					
All causes	105	38	8	6	5	3	3	3	66	5	5	6	4	4	4	3		1	6	1	
Measles (7)	1																			1	
Scarlet fever (8)	3																				
Whooping cough (9)	1																				
Diphtheria (10)	1							1													
Influenza (11)	1																				
Dysentery (13)	1																				
Erysipelas (15)	1																				
Epidemic cerebrospinal meningitis (18)	1																				
Tetanus (22)	1																				
Tuberculosis of the respiratory system (23)	1																				
Tuberculosis of the meninges, etc. (24)	5	1	2	2					5												
Other forms of tuberculosis (25-32)	1																				
Syphilis (34)	18							1	1	2	1	2	2	4	1	1		1	2	1	
Convulsions (86)	2								1	1											
Bronchitis (106)	5										2		1								
Broncho-pneumonia (107)	2																				
Lobar and unspecified pneumonia (108, 109)	2																				
Diseases of the stomach (117, 118)	2																				
Diarrhea and enteritis (119)	2																				
Intestinal obstruction (122b)	2																				
Congenital malformations (157)	2																				
Congenital debility, icterus, sclerema (158, 161 b, c)	33	24	1	2	1	2	1	2	33												
Premature birth (159)	13	8	2			1	1	2	11	1	1										
Injury at birth (160)	5	3		1	1				5												
Other diseases of early infancy (161 a, d)	1								1												
External causes (172-198, 201-214)	1								1												
Unknown or ill-defined diseases (199, 200)	10			1	1	1			3	1	1	3	1							1	
All other causes																					

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																			
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
PHILADELPHIA, PA. (WHITE)																					
All causes.....	1,291	258	109	55	114	68	55	40	699	100	80	60	61	45	51	48	53	41	28	25	
Measles (7).....	1																				
Scarlet fever (8).....	2																				
Whooping cough (9).....	21																				
Diphtheria (10).....	5																				
Influenza (11).....	18						2														
Dysentery (13).....	2																				
Erysipelas (15).....	9							1													
Epidemic cerebrospinal meningitis (18).....	7																				
Tetanus (22).....	8																				
Tuberculosis of the respiratory system (23).....	8																				
Tuberculosis of the meninges, etc. (24).....	8																				
Other forms of tuberculosis (25-32).....	4																				
Syphilis (34).....	12	1					1	3	6												
Convulsions (86).....	1																				
Bronchitis (106).....	4																				
Broncho-pneumonia (107).....	153	1		1	5	8	5	6	26	19	20	10	16	11	13	10	6	10	7	5	
Lobar and unspecified pneumonia (108,109).....	66								11	6	4	8	5	2	5	5	8	5	3	4	
Diseases of the stomach (117,118).....	2																				
Diarrhea and enteritis (119).....	124				3	4	9	6	22	13	15	15	9	8	9	6	12	5	5	5	
Intestinal obstruction (122b).....	12								1												
Congenital malformations (157).....	197	31	17	8	28	13	8	13	118	15	12	9	10	6	7	7	4	6		3	
Congenital debility, icterus, sclerema (158, 161 b, c).....	24	2	1	2	4	2	3	1	15	2	3	1	1			1				1	
Premature birth (159).....	290	143	53	21	22	22	12	3	276	8	2	3				1					
Injury at birth (160).....	154	64	30	15	33	6	2	1	151	3											
Other diseases of early infancy (161 a, d).....	41	13	6	5	10	1	4	2	41												
External causes (172-198, 201-214).....	19				1			1	2												
Unknown or ill-defined diseases (199, 200).....	112	3	2	3	8	6	1	2	25	14	11	9	6	10	7	7	13	4	2	4	
All other causes.....																					
PHILADELPHIA, PA. (COLORED)																					
All causes.....	377	79	25	20	27	17	11	15	194	24	26	20	16	15	13	15	15	17	9	13	
Measles (7).....	1																				
Scarlet fever (8).....	9																				
Whooping cough (9).....	1																				
Diphtheria (10).....	14																				
Influenza (11).....	1																				
Dysentery (13).....	1																				
Erysipelas (15).....	1																				
Epidemic cerebrospinal meningitis (18).....	2																				
Tetanus (22).....	1																				
Tuberculosis of the respiratory system (23).....	2																				
Tuberculosis of the meninges, etc. (24).....	1																				
Other forms of tuberculosis (25-32).....	2																				
Syphilis (34).....	23	3		2	3	1		1	10	4	5	1	2							1	
Convulsions (86).....	3																				
Bronchitis (106).....	48	1			2	2	2	7	7	3	4	2	7	4	5	3	3	5	3	2	
Broncho-pneumonia (107).....	32		1		1	1	2	5	2	2	5	2	1	1	2	5	3		3	3	
Lobar and unspecified pneumonia (108,109).....	2																				
Diseases of the stomach (117,118).....	32				2	2	1	1	6	3	3	5	5	2	2	2	2	2			
Diarrhea and enteritis (119).....	1																				
Intestinal obstruction (122b).....	21	2	1	2	3	3		1	12	2	4	1				1				2	
Congenital malformations (157).....	12		1	1	1			4	7	2	1	1		1							
Congenital debility, icterus, sclerema (158, 161 b, c).....	106	54	20	9	6	6	4	2	101	3		2									
Premature birth (159).....	27	15	1	2	5	2	1	1	27												
Injury at birth (160).....	12	3	1	4	4				12												
Other diseases of early infancy (161 a, d).....	5										2	1	1				1				
External causes (172-198, 201-214).....	25	1				3	2	1	7	1		1	1	1	2	2	2	6		2	
Unknown or ill-defined diseases (199, 200).....																					
All other causes.....																					
PITTSBURGH, PA. (WHITE)																					
All causes.....	752	185	64	41	39	43	38	29	439	44	51	32	31	29	25	23	21	19	17	21	
Measles (7).....	5																			2	1
Scarlet fever (8).....	1																				
Whooping cough (9).....	10										2	1	1				3			1	
Diphtheria (10).....	2																				
Influenza (11).....	14										2							1	1	2	1
Dysentery (13).....	2																				
Erysipelas (15).....	4							1			1										
Epidemic cerebrospinal meningitis (18).....	4																				
Tetanus (22).....	3																				
Tuberculosis of the respiratory system (23).....	5						1														
Tuberculosis of the meninges, etc. (24).....	3																				
Other forms of tuberculosis (25-32).....	5																				
Syphilis (34).....	4																				
Convulsions (86).....	2																				
Bronchitis (106).....	99	2	1		2	5	9	4	23	11	8	7	5	10	6	7	5	6	3	8	
Broncho-pneumonia (107).....	43				1	2	2	2	7	7	6	1	5	3	2	2	4	1	3	2	
Lobar and unspecified pneumonia (108,109).....	2																				
Diseases of the stomach (117,118).....	72				2	5	5	2	14	2	17	7	5	6	3	5	3	4	2	4	
Diarrhea and enteritis (119).....	10																				
Intestinal obstruction (122b).....	103	31	8	6	6	10	4	7	72	8	3	6	6	3	1	1	1	1	1	1	
Congenital malformations (157).....	10	3		1				2	6	2		1									
Congenital debility, icterus, sclerema (158, 161 b, c).....	188	106	31	10	11	13		7	184	2	1		1								
Premature birth (159).....	66	25	13	10	9		3		65												
Injury at birth (160).....	39	15	6	9	6			1	37	1	1										
Other diseases of early infancy (161 a, d).....	7																				
External causes (172-198, 201-214).....	14	2		1			2	1	6	3	1	2	1			1	1	1	1	1	
Unknown or ill-defined diseases (199, 200).....	49	1		3	1	6		2	19	4	5	3	1	2	3	6	1	2		3	

INFANT MORTALITY STATISTICS: 1932

TABLE 21.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

[See note at head of this table, p. 171]

AREA AND CAUSE OF DEATH	Total deaths under 1 year of age	DEATHS AT AGE OF—																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
PITTSBURGH, PA. (COLORED)																				
All causes.....	115	25	6	7	6	10	7	7	68	6	6	3	5	5	6	1	7	2	1	5
Measles (7).....	1																			
Scarlet fever (8).....	1																			
Whooping cough (9).....	1																			
Diphtheria (10).....	1																			
Influenza (11).....	1																			
Dysentery (13).....	1																			
Erysipelas (15).....	1																			
Epidemic cerebrospinal meningitis (18).....	1																			
Tetanus (22).....	1																			
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	1																			
Other forms of tuberculosis (25-32).....	1																			
Syphilis (34).....	4								1	1										
Convulsions (86).....	1																			
Bronchitis (106).....	1																			
Broncho-pneumonia (107).....	28		2			1	4	3	10		1		2	3	2		3	2		3
Lobar and unspecified pneumonia (108, 109).....	6					1	1	1	3										1	2
Diseases of the stomach (117, 118).....	7					1	1	1	3			1	1	1	1					
Diarrhea and enteritis (119).....	7					1	1	1	3											
Intestinal obstruction (122b).....	10	1	1	2	2	4			10											
Congenital malformations (157).....	10	1	1	2	2	4			10											
Congenital debility, icterus, sclerema (158, 161 b, c).....	1																			
Premature birth (159).....	37	21	3	3	4	3	1		35	2	1									
Injury at birth (160).....	4	1							2	1	1									
Other diseases of early infancy (161 a, d).....	4	2		1				1	4											
External causes (172-198, 201-214).....	1																			
Unknown or ill-defined diseases (199, 200).....	5																			
All other causes.....	3									2		2	1				2	1		
MILWAUKEE, WIS.																				
All causes.....	442	126	30	26	24	15	17	8	246	33	21	25	22	22	13	14	10	18	12	6
Measles (7).....	4														1				3	
Scarlet fever (8).....	10							1	1	2		1	1	1		1	1	1	1	
Whooping cough (9).....	1																			
Diphtheria (10).....	11								1	2		1	1	1				2	4	1
Influenza (11).....	1																			
Dysentery (13).....	1																			
Erysipelas (15).....	1									1										
Epidemic cerebrospinal meningitis (18).....	2												1						1	
Tetanus (22).....	2																			
Tuberculosis of the respiratory system (23).....	1																			
Tuberculosis of the meninges, etc. (24).....	6							2	2	1				2		1				
Other forms of tuberculosis (25-32).....	2									1										
Syphilis (34).....	1																			
Convulsions (86).....	64		1	1	2	3		2	9	4	7	8	6	8	3	6	1	3	6	3
Bronchitis (106).....	11			1				2	3	1	1	1	1	1	1			1	1	
Broncho-pneumonia (107).....	37								6	6	5	4	4	6	2	2	1		1	
Lobar and unspecified pneumonia (108, 109).....	3																			
Diseases of the stomach (117, 118).....	51	12	4	4	6	1	7		34	4	2	4	4		1	1			1	1
Diarrhea and enteritis (119).....	3																			
Intestinal obstruction (122b).....	5	1			1				2	1		1	1							
Congenital malformations (157).....	107	67	14	5	8	6	3	2	105		2									
Congenital debility, icterus, sclerema (158, 161 b, c).....	48	28	8	9	1	1		1	48											
Premature birth (159).....	30	15	3	5	3	2	1		29	1										
Injury at birth (160).....	5	1							1		1		1					1	1	
Other diseases of early infancy (161 a, d).....	1	1							1											
External causes (172-198).....	1	1							1											
Unknown or ill-defined diseases (199, 200).....	38	1		1	1	1			4	9	3	6	2	3	3	1	3	3	1	
All other causes.....	38	1		1	1	1			4	9	3	6	2	3	3	1	3	3	1	

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	REGISTRATION AREA			ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA			COLORADO		
	Total	Cities of 10,000 or more	Rural ¹	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes.....	119,431	54,788	64,643	868	292	2,675	262	206	349	214	138	1,345	2,344	558	1,214	494	168	597
Male.....	67,839	31,091	36,748	488	165	1,489	141	118	194	130	72	791	1,322	305	680	295	102	328
Female.....	51,592	23,697	27,895	380	127	1,186	121	88	155	84	66	554	1,022	253	534	199	66	269
Measles (7):																		
Male.....	242	119	123			3						1	2		4			2
Female.....	188	92	96			1						2	1		1			2
Scarlet fever (8):																		
Male.....	47	20	27		1		1											
Female.....	37	15	22			2												
Whooping cough (9):																		
Male.....	1,512	532	980		9	10	43	4	3	1	2	6	20	27	4	14	2	1
Female.....	1,693	605	1,088		14	5	40	2	2	6	6	2	26	30	13	21	6	4
Diphtheria (10):																		
Male.....	237	62	175		2	3	10	1				1	6	9			3	1
Female.....	164	38	126		1		10					1	5	3			1	
Influenza (11):																		
Male.....	2,095	592	1,503		24	7	52	6	2	16	5	5	38	14	11	22	13	9
Female.....	1,647	465	1,182		11	7	54	7	3	9	2	4	23	13	8	10	9	2
Dysentery (13):																		
Male.....	288	73	215		1	4	3	3	3		2	4	5	5	3			2
Female.....	191	53	138		1	2	1		1	1	4	4	1		2			3
Erysipelas (15):																		
Male.....	233	163	120		1	4		1		1	2	3	5		1			1
Female.....	246	132	114			7					1	3	6		1			
Epidemic cerebrospinal meningitis (18):																		
Male.....	141	97	44						1			1	2	1	1			1
Female.....	120	82	38			1		1				2	4		1			
Tetanus (22):																		
Male.....	83	10	73			2	7		1			3			1			
Female.....	44	14	30		3	2	2				1	2			1			
Tuberculosis of the respiratory system (23):																		
Male.....	168	92	76		1	1	2		1			1	12	2	4	1		
Female.....	142	79	63			2	1	1		1		3	12		3	1	4	
Tuberculosis of the meninges, etc. (24):																		
Male.....	166	103	63		1		3	1	1			2	7		2	1		
Female.....	152	76	76		1	1	2		1	2		1	2	2	2	1		
Other forms of tuberculosis (25-32):																		
Male.....	108	73	30		1	1							6		3	2		
Female.....	80	61	19		1								9		3	1		
Syphilis (34):																		
Male.....	886	516	370		16	6	25	1	1	6	4	1	14	3	7	3	1	3
Female.....	718	420	298		18	2	13	4	1	1	2	1	8	11	7	3	1	1
Convulsions (80):																		
Male.....	407	88	319		2	4	25					6	1		2			2
Female.....	271	59	212		1	2	19					2	1		2			
Bronchitis (106):																		
Male.....	349	139	210		1		4	2	4	2		6	7	2	5	1		
Female.....	288	125	163		2		2	2	1			1	5	1	6	2		1
Broncho-pneumonia (107):																		
Male.....	6,742	3,613	3,129		35	10	86	13	13	19	13	4	55	154	39	86	29	12
Female.....	5,076	2,787	2,289		21	10	59	13	10	15	3	5	31	109	32	78	15	7
Lobar and unspecified pneumonia (108, 109):																		
Male.....	2,534	1,093	1,441		15	10	56	5	11	11	4	4	32	37	4	34	18	2
Female.....	1,976	824	1,152		19	4	49	7	6	7	3	2	19	31	10	17	7	3
Diseases of the stomach (117, 118):																		
Male.....	278	58	220		1	2	4	2	2	1	1	14	7	1	2			1
Female.....	235	42	193		2	1	4		2			1	2	2	2			2
Diarrhea and enteritis (119):																		
Male.....	6,085	2,442	3,643		39	10	105	38	27	38	10	9	90	97	38	100	37	23
Female.....	4,706	1,892	2,814		26	8	85	17	21	30	8	6	58	81	37	94	26	11
Intestinal obstruction (122h):																		
Male.....	510	302	208		3	2	9			1	1		3	11	2	5	2	4
Female.....	337	192	145		3	1	3	2	1				4	3	5	4	2	1
Congenital malformations (157):																		
Male.....	6,015	3,125	2,890		23	6	61	12	5	6	18	6	21	145	27	56	25	8
Female.....	4,877	2,534	2,343		22	4	51	8	9	4	10	2	25	114	23	53	20	1
Congenital debility, icterus, sclerema (158, 161 b, c):																		
Male.....	2,793	879	1,914		19	12	73	5	4	12	3	4	47	27	14	32	9	10
Female.....	1,962	582	1,380		6	11	56	8	1	8	5	2	24	18	9	20	4	7
Premature birth (159):																		
Male.....	18,524	9,188	9,336		160	40	370	18	21	32	28	13	162	434	92	172	79	21
Female.....	14,188	7,282	6,906		127	35	310	28	23	31	16	15	122	338	67	125	53	27
Injury at birth (160):																		
Male.....	5,913	3,580	2,333		53	9	54	9	10	6	13	2	30	122	23	35	23	7
Female.....	3,641	2,230	1,411		38	4	31	5	1	1	5	4	11	95	19	26	16	14
Other diseases of early infancy (161a, d):																		
Male.....	2,250	1,278	972		9	3	15	1	6	4	3	1	15	58	10	25	17	3
Female.....	1,644	946	698		11	3	17	4	4	9	1	1	8	47	6	11	16	1
External causes (172-198, 201-214):																		
Male.....	1,080	399	681		7	3	33	2	5	4	3	1	14	16	11	22	6	4
Female.....	864	326	538		2	7	25	2	2	6	7		9	16	6	17	2	3
Unknown or ill-defined diseases (199, 200):																		
Male.....	4,184	375	3,809		35	17	395	6		16	7	7	170	3	1	1	6	3
Female.....	3,250	278	2,972		40	8	300	4		17	2	9	133	2		1	2	4
All other causes:																		
Male.....	3,919	2,075	1,844		20	7	50	7	3	10	12	4	46	100	15	41	18	5
Female.....	2,855	1,466	1,389		14	10	40	6	2	5	9	6	25	67				

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	CONNECTICUT			DELAWARE			Dist- district of Colum- bia	FLORIDA			GEORGIA		IDAHO			ILLINOIS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
All causes.....	920	31	222	136	15	137	740	576	271	827	1,081	3,020	44	132	203	3,784	591	1,509
Male.....	511	20	126	72	8	76	434	342	149	486	597	1,704	28	82	115	2,142	334	838
Female.....	409	11	96	64	7	61	306	234	122	341	484	1,316	16	50	88	1,642	257	671
Measles (7):																		
Male.....	2		2								2	1				2	1	
Female.....	2		1						1		1	1				3		1
Scarlet fever (8):																		
Male.....														1		3		1
Female.....										1		1				1		
Whooping cough (9):																		
Male.....	10		6		1	1	5	4	1	7	5	33			2	34	11	19
Female.....	10		5	1	1	3	6	1	5	7	9	26		1	1	34	6	21
Diphtheria (10):																		
Male.....	1						1				1	16		2		1		2
Female.....							1	1		2		9				1		1
Influenza (11):																		
Male.....	6	1	4			1	7	5	2	13	7	55		2	7	33	16	33
Female.....	9		1	1		1	3	8	5	7	7	46	2	3	8	23	6	24
Dysentery (13):																		
Male.....							2	1	2			23				2	3	6
Female.....								2	1		2	3				3		1
Erysipelas (15):																		
Male.....	1			1			1				2	3		2	1	15		4
Female.....							1	2		1	2	11	1			10	2	7
Epidemic cerebrospinal meningitis (18):																		
Male.....	2						1				2	1				6		
Female.....	2						2	1			1					4		
Tetanus (22):																		
Male.....								1	1	4		2						1
Female.....								3	2	1		2						1
Tuberculosis of the respiratory system (23):																		
Male.....	2					1	3	1		3	5	1		3	6			2
Female.....			1	1			2			4	4	1		1	8	1		
Tuberculosis of the meninges, etc. (24):																		
Male.....	3		1	1			2	2		1	1	1			4			1
Female.....	4		1	1		1									3	1		1
Other forms of tuberculosis (25-32):																		
Male.....	2					1	1				3			1	8			2
Female.....	1						3					1			6			
Syphilis (34):																		
Male.....	2			2			12	14	3	6	28	13	1		24	5		5
Female.....	4		1	1			5	16	3	5	18	16	1		27	1		5
Convulsions (86):																		
Male.....	3		1				1	5	1	5	1	21		2	1	5	1	2
Female.....	1							5	1	3	4	15			2			1
Bronchitis (106):																		
Male.....	7		2	1		1	1			3	2	5				21		5
Female.....			2	1			5	1			3	2				13	4	8
Broncho-pneumonia (107):																		
Male.....	54	2	16	10		16	63	16	7	15	60	90	3	4	11	266	28	89
Female.....	32		7	8	1	10	48	18	13	15	45	91		6	8	239	26	79
Lobar and unspecified pneumonia (108, 109):																		
Male.....	18	1	3	4	1	4	10	13	3	20	30	82	2	1	5	43	9	32
Female.....	12		6	3			9	8	2	16	16	68	1	2	4	38	4	24
Diseases of the stomach (117, 118):																		
Male.....	2							2	4	3	1	15		1	3	2		6
Female.....							1		1	4	1	9	1		4	4		1
Diarrhea and enteritis (119):																		
Male.....	20	3	11	3		11	47	20	11	47	54	116		6	5	136	33	89
Female.....	26		5	5		16	28	21	15	32	33	70		4		109	21	65
Intestinal obstruction (122b):																		
Male.....	2						5	5	3	2	4	13		1	2	19	5	1
Female.....	1		2				3	3	1	2	4	5				9	3	7
Congenital malformations (157):																		
Male.....	54	2	23	7		6	26	30	13	24	26	58	6	7	9	251	46	102
Female.....	67	2	18	9		2	21	11	7	18	14	49	3	2	11	204	24	98
Congenital debility, icterus, sclerema (158, 161 b, c):																		
Male.....	18	1	3	5		2	16	24	11	36	24	103	2	4	9	55	15	31
Female.....	11	1	5	2		5	7	13	7	27	8	85			4	42	15	29
Premature birth (159):																		
Male.....	156	5	25	26	3	19	145	126	43	141	198	398	7	24	28	611	86	248
Female.....	127	6	22	18	4	13	109	78	39	86	190	308	3	16	31	463	77	175
Injury at birth (160):																		
Male.....	77	4	14	4	1	3	44	38	16	26	42	67	3	10	11	303	39	72
Female.....	51	1	9	4		1	23	9	6	16	45	33	3	4	7	191	29	52
Other diseases of early infancy (161 a, d):																		
Male.....	27	1	6	3		4	11	5	1	11	14	38		6	4	101	7	29
Female.....	24	1	2	2		1	9	11	1	2	9	19	1		2	78	8	17
External causes (172-198, 201-214):																		
Male.....	3		2			1	4	7	4	11	9	33	1	2	2	27	3	13
Female.....	3		2	1		1	3	3	1	5	7	25		3		21	5	9
Unknown or ill-defined diseases (199, 200):																		
Male.....	6		1			1		13	11	67	48	432	1	1	7	6	2	9
Female.....			2			2		6	4	57	33	359		2	2	3	3	7
All other causes:																		
Male.....	33		6	5	2	4	26	10	12	37	28	79	1	7	5	157	22	36
Female.....	23		4	6	1	5	17	13	7	34	26	61		7	7	105	17	35

* Includes "cities of 2,500 to 10,000."

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	MASSACHUSETTS			MICHIGAN			MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA			NEBRASKA			
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	
All causes.....	3,211	1,977	216	2,824	375	1,429	892	287	1,010	315	145	2,020	1,399	348	1,683	119	77	271	323	164	604	
Male.....	1,803	1,267	124	1,558	220	803	484	167	572	175	83	1,133	791	193	941	77	55	160	185	101	360	
Female.....	1,408	71	92	1,266	155	626	408	120	438	140	62	887	608	155	742	42	22	111	138	63	244	
Measles (7):																						
Male.....	6	2	1	20	4	9			2				2	1	1							
Female.....	11	1		8	3	3			1					1	1			1				
Scarlet fever (8):																						
Male.....	3			1		1									2							1
Female.....				1		1								1	3							1
Whooping cough (9):																						
Male.....	23	1	3	32	3	18	3	1	11	4		26	17	1	38			6	2	2	6	
Female.....	32	1	3	47	4	25	3	2	8	8	2	31	30	7	53		1	5			3	
Diphtheria (10):																						
Male.....	2			3						1		9	1	1	8						1	1
Female.....	1		1	4		1						6	1	1	1						1	2
Influenza (11):																						
Male.....	12	1	3	22	4	27	10	7	26	11	7	66	15	9	39	1	1	8	6	6	13	
Female.....	8	1	1	24	7	20	7	7	19	6	8	52	13	5	42			7	2	3	15	
Dysentery (13):																						
Male.....				2		3			2			1	5	3	13							1
Female.....	3			5		2			3			2	2		9			1				1
Erysipelas (15):																						
Male.....	12		1	9		1	3	2	1		1	3	5		4		3		2	2		1
Female.....	7		1	5	1	3	1		1		1	6		2				2				2
Epidemic cerebrospinal meningitis (18):																						
Male.....	7			5		1	1		1		1	2		3								1
Female.....				8		1	1	1	1	2	1	3						1		1		
Tetanus (22):																						
Male.....							1				1	1			1							1
Female.....				1								1	1		1							
Tuberculosis of the respiratory system (23):																						
Male.....	5			2		1			1			2	1		2							2
Female.....	5			3		1	2		1		1	1	2	1	3							
Tuberculosis of the meninges, etc. (24):																						
Male.....	8	1		3		1	1		2			1	1		2		2					
Female.....	7		2	5		4	1	1				2	1	1	2							
Other forms of tuberculosis (25-32):																						
Male.....	4			5				1		1		1	5	1	1						1	
Female.....	3			6		1						3	3		1						1	
Syphilis (34):																						
Male.....	7			9	2	7	5	1	1	1	2	17	15	6	5	1			2	2	1	4
Female.....	11			14	1	7	3		1	2	1	20	18	4	7	1			1		1	2
Convulsions (86):																						
Male.....	2		1	4	3	11		2	10			5			7		1	4		1	1	2
Female.....	7			5		6	1	1	5	1	1	6		2	2							1
Bronchitis (106):																						
Male.....	10	2		9	6	11	2	1	1			4		1	8							1
Female.....	2	1		5				2	1		2	1		1	9							2
Broncho-pneumonia (107):																						
Male.....	249	22	17	198	14	93	40	12	48	11	10	47	127	15	75	3	1	16	19	8	17	
Female.....	197	6	15	159	18	55	31	6	42	6	2	30	68	19	58	2	2	6	7	4	15	
Lobar and unspecified pneumonia (108, 109):																						
Male.....	43	5	1	50	5	25	4	9	18	7	2	51	33	7	26	1	3	5	2	1	9	
Female.....	33	2	2	48	6	24	8	2	18	3	2	30	22	6	22			5	3		12	
Diseases of the stomach (117, 118):																						
Male.....				6	3	2		1	2			3		1	9							1
Female.....	1			1	1	5			1			3		3	11			3				1
Diarrhea and enteritis (119):																						
Male.....	102	8	11	100	12	66	23	4	31	12	7	80	68	25	132	7	1	8	5	4	24	
Female.....	72	2	6	71	8	41	23	7	20	11	4	62	50	17	82	3		9	6	2	9	
Intestinal obstruction (122b):																						
Male.....	14	2		17	2	6	4	3	2	2	2	3	5	1	6			1	6		4	
Female.....	4			11	2	3	2	1	1	2	1	6	7	1	2			1	2		2	
Congenital malformations (157):																						
Male.....	236	20	21	186	30	98	52	20	74	6	3	28	81	21	92	7	3	16	20	15	40	
Female.....	211	11	8	153	22	91	58	22	57	6	2	24	55	12	66	2	3	6	20	8	35	
Congenital debility, icterus, sclerema (158, 161 b, c):																						
Male.....	28	3	5	42	7	38	16	4	27	4	4	32	23	11	61	1		10	1	7	25	
Female.....	24	1	5	22	8	37	9	4	19	9		29	12	5	37	1		5	2	1	12	
Premature birth (159):																						
Male.....	544	38	33	465	68	214	169	61	164	50	19	170	234	46	233	25	30	43	66	24	123	
Female.....	446	19	27	411	42	164	174	43	142	32	21	154	210	44	188	20	9	29	50	27	72	
Injury at birth (160):																						
Male.....	252	8	6	174	29	68	78	19	70	9	5	40	60	25	49	11	7	9	27	12	35	
Female.....	143	14	9	94	16	41	34	8	42	8		24	44	9	37	5	2	10	21	7	20	
Other diseases of early infancy (161 a, d):																						
Male.....	88	5	7	59	13	23	25	8	16	7	1	25	23	2	30	2	3	4	5			

GENERAL TABLES

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO			NEW YORK			NORTH CAROLINA			NORTH DAKOTA			
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	
All causes.....	12	25	51	266	50	144	2,408	256	411	144	225	1,110	8,548	551	1,370	1,141	387	3,655	113	80	586	
Male.....	6	15	27	155	36	85	1,361	134	235	81	143	636	4,934	298	787	649	227	2,100	66	50	326	
Female.....	7	10	24	111	14	59	1,047	122	176	63	82	474	3,614	253	583	492	1,601	1,555	47	30	260	
Measles (7):																						
Male.....					1		4		3		2	3	18	4	5	2	1	5	2		1	
Female.....							4	1					16		4	1		1				
Scarlet fever (8):																						
Male.....							2		2				2	1	1				2			
Female.....									1				4									
Whooping cough (9):																						
Male.....			1	3	1	1	18	4	11		2	5	66	7	20	15	3	64	1	1	6	
Female.....		1		4		1	26	6	9		6	3	72	5	20	15	3	58	2		5	
Diphtheria (10):																						
Male.....							3	1	1				1					1	18			
Female.....							3						1					1	13			
Influenza (11):																						
Male.....	1	1	1	5		4	9	1	4	1	6	11	29	2	18	14	5	51	1	1	10	
Female.....		1	1	4	1	2	11	5	5	2	3	16	39	5	15	11	5	32	1	1	11	
Dysentery (13):																						
Male.....							1			2		4	5		1	4		9			1	
Female.....							1				1	5	1	1	2	1	2	11				
Erysipelas (15):																						
Male.....							7	1					47	3	4			4		1		
Female.....							2	2	1			1	1		1			9			2	
Epidemic cerebrospinal meningitis (18):																						
Male.....							2						23	1		1	1	2				
Female.....							5	1					12			2						
Tetanus (22):																						
Male.....							1											3			1	
Female.....							1						1									
Tuberculosis of the respiratory system (23):																						
Male.....			1				2		2			3	16		2			1			1	
Female.....							5		1			2	5		1	1		3				
Tuberculosis of the meninges, etc. (24):																						
Male.....							4		1		1	1	16	1	1	1	1	2		1		
Female.....							2			1		2	10	1	2	2	2				1	
Other forms of tuberculosis (25-32):																						
Male.....							5		1	1		17		2	1			5				
Female.....							3		1			5	1	1							1	
Syphilis (34):																						
Male.....				1	1		17	1	2	1	1	5	72	4	7	11	4	15	2	1	2	
Female.....				1			22		2	2	7	11	60	5	15	2	10					
Convulsions (36):																						
Male.....						2	6	1	2	2	1	2	9	2	9	2	3	22			20	
Female.....							1		1			1	3	2	5	2	1	13			12	
Bronchitis (106):																						
Male.....							14	1	4			3	22	1	14	5	1	12			1	
Female.....							10	1	1			2	23	2	10	4	12				3	
Broncho-pneumonia (107):																						
Male.....	2	2	4	14	8	7	159	12	39	7	7	34	655	25	77	61	24	169	12	3	37	
Female.....		1	3	7	2	5	140	11	25	2	3	21	488	33	63	42	13	139	5	3	21	
Lobar and unspecified pneumonia (108, 109):																						
Male.....	1		1	4	2	2	67	7	9	2	1	16	190	4	25	29	8	129	2	1	7	
Female.....		1	2	2	2	2	48	1	4	2	2	15	139	12	12	19	3	106		1	2	
Diseases of the stomach (117, 118):																						
Male.....																						3
Female.....																						1
Diarrhea and enteritis (119):																						
Male.....		1	6	12	3	1	90	6	24	15	27	93	410	14	58	43	16	195	2	2	37	
Female.....		2	4	5	4	4	63	8	13	12	19	47	289	19	36	52	17	157	3	2	40	
Intestinal obstruction (122b):																						
Male.....							15	2	1		2	3	40	5	4	8		7			1	
Female.....							13	1		1	2	2	25	1	3	3		5			1	
Congenital malformations (157):																						
Male.....			1	25	3	11	129	17	27	5	7	17	511	43	109	36	17	97	5	12	29	
Female.....			1	13	1	10	105	19	19	5	2	7	377	33	94	24	14	86	4	4	20	
Congenital debility, icterus, sclerema (158, 161 b, c):																						
Male.....				7	1	5	47	6	7	3	10	16	102	12	47	22	10	136			1	
Female.....			1	6	3	4	28	2	7		1	19	70	6	36	16	12	85			10	
Premature birth (159):																						
Male.....		6	6	47	8	34	413	43	51	11	31	67	1,356	81	204	211	87	530	20	17	80	
Female.....		5	5	37	4	18	307	32	44	6	17	39	1,080	67	145	160	45	362	18	10	64	
Injury at birth (160):																						
Male.....	1	3	1	19	5	6	150	14	15	5	3	13	684	54	67	52	5	113	13	5	27	
Female.....	1		1	12		3	103	13	9	2	1	6	414	37	45	42	6	40	5	5	13	
Other diseases of early infancy (161 a, d):																						
Male.....			3	6	5	7	41	9	4	3	4	8	226	7	22	28	5	34			1	
Female.....				8	3	4	70	6	7	2	1	3	156	8	21	15	2	23			1	
External causes (172-198, 201-214):																						
Male.....				1			18	5	3		1	4	6									

INFANT MORTALITY STATISTICS: 1932

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY SEX: 1932—Continued

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH AND SEX	OHIO			OKLAHOMA			OREGON			PENNSYLVANIA			RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA			
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	
All causes	3,552	458	1,941	623	428	1,001	203	129	199	5,495	1,264	3,354	594	15	30	529	216	2,459	125	67	476	
Male	2,001	264	1,094	353	249	568	108	72	121	3,133	733	1,914	328	12	18	316	119	1,389	71	34	264	
Female	1,551	194	847	270	179	433	95	57	78	2,362	531	1,440	266	3	17	213	97	1,070	54	33	212	
Measles (7):																						
Male	9	2	6					1		13	2	7	9			1	1	6				
Female	11		6			2	1			11	5	17	6		3	2	4					1
Scarlet fever (8):																						
Male	3	2	1							2	1	2	1									
Female	2				1					2					1							
Whooping cough (9):																						
Male	47	2	38	8	6	18	4	1	2	60	13	57	3		1	3	38	2				10
Female	55	7	35	5	9	13	3		2	52	22	55	2		5	37	2					16
Diphtheria (10):																						
Male	2	1	2	3	4	4			1	7	3	4	1			1	8					
Female	1		1	1	1	9				3	3	5			1	1	6					
Influenza (11):																						
Male	46	9	62	15	12	31	1	1	7	72	19	115	4	1	14	6	56	2	2			9
Female	27	11	53	7	18	21		5	4	59	18	66	1		11	4	60	2	1			5
Dysentery (13):																						
Male	5	2	2	3	4	6			1	5	2	4			2	11						2
Female	3	1	4	3		7				1	2	2			1	3	7					
Erysipelas (15):																						
Male	8		4	1	2	1	1			16	4	6	1		4		3	1				1
Female	8	1	2	2	1	3		1		14	2	7	3		1		2					1
Epidemic cerebrospinal meningitis (18):																						
Male	5	2		2	1	1	1			13	2	2					1					1
Female	5		1	1	1	2		1		9							2					
Tetanus (22):																						
Male					1	1					1	1			1	2		5				
Female	2					1											2					
Tuberculosis of the respiratory system (23):																						
Male	4		2	3		1				11	1	3				1	1					
Female	5		1	1		3				7	3	1					3					2
Tuberculosis of the meninges, etc. (24):																						
Male	5		2	3						12	4	2	3									1
Female	4		1	1						12	3	4				1	1	2				1
Other forms of tuberculosis (25-32):																						
Male	1								1	5		1										
Female	2	1								7	1	1										
Syphilis (34):																						
Male	35	4	5	8	5		1	2		55	14	10	2		10	3	10					3
Female	18		7	8	2	7		1		33	7	6			10	2	14					
Convulsions (36):																						
Male	3	1	7	2	6				1	17	3	12					10					7
Female	4	2	2	2	2	2				4	2	16	2		3		11	1				2
Bronchitis (106):																						
Male	6		12		2	2				9	15	18	1		1		4					1
Female	7		3	1	1	1				16	8	20	3				1					
Broncho-pneumonia (107):																						
Male	254	31	118	30	41	38	6	5	15	355	89	195	43	3	1	19	9	87	5	3		15
Female	174	20	101	31	17	32	7	6	10	322	53	136	31	1	2	19	5	47	5	5		16
Lobar and unspecified pneumonia (108, 109):																						
Male	51	9	44	13	11	28	3	1	3	173	35	84	14		15	3	104	2				9
Female	41	7	33	13	6	12			2	137	24	83	15		7	8	78	1				8
Diseases of the stomach (117, 118):																						
Male	8	2	6	2	6					6	3	9				1	1	23				2
Female	3		6		1	9				7	1	15				1		19				1
Diarrhea and enteritis (119):																						
Male	142	21	118	46	19	47	2	1	5	291	75	234	26	2	1	32	14	104	2	1		19
Female	144	17	83	36	11	37	2	3	4	207	59	179	17	1		33	12	71	2	3		17
Intestinal obstruction (122 b):																						
Male	21	1	2	7	2	5		1	3	40	4	4	2		2		1	1				1
Female	8		4	3	3	3		1		30	5	8	1		1		1					
Congenital malformations (157):																						
Male	208	29	113	18	19	28	14	13	16	355	87	226	40	4		14	5	32	4	1		20
Female	152	27	112	23	13	30	11	6	7	303	71	181	41		4	6	2	28	9	3		15
Congenital debility, icterus, sclerema (153, 161 b, c):																						
Male	45	18	70	19	19	50	3	3	5	77	21	92	8			18	9	47	1	2		17
Female	49	8	40	12	5	28		1	7	53	10	65				8	3	30	2	1		20
Premature birth (159):																						
Male	631	80	273	103	65	172	31	22	29	824	194	490	77	2	5	122	30	301	27	11		84
Female	508	60	208	66	50	115	30	23	22	597	145	361	70		4	66	28	233	18	13		54
Injury at birth (160):																						
Male	214	19	88	25	9	27	12	9	13	330	65	129	45		1	28	10	37	16	4		24
Female	143	13	52	14	5	21	19	3	3	202	43	61	30		3	14	5	20	5	4		10
Other diseases of early infancy (161 a, d):																						
Male	83	6	35	8	6	16	4	4	4	114	23	56	22			8	5	13	3			

INFANT MORTALITY STATISTICS: 1932

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932

AGE AND SEX	REGISTRATION AREA			ALABAMA			ARIZONA			ARKANSAS			CALIFORNIA			COLORADO		
	Total	Cities of 10,000 or more	Rural ¹	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year	119,431	54,788	64,643	868	292	2,675	262	206	349	214	138	1,345	2,344	558	1,214	494	168	597
Male	67,839	31,691	36,148	488	165	1,489	141	118	194	130	72	791	1,322	305	630	295	102	328
Female	51,592	23,097	27,895	380	127	1,186	121	88	155	84	66	554	1,022	253	584	199	66	269
Under 1 day	31,050	15,619	15,431	256	76	688	44	37	50	54	24	275	744	151	248	117	34	127
Male	17,807	8,887	8,920	145	44	386	15	23	29	37	13	174	426	85	137	65	17	70
Female	13,243	6,732	6,511	111	32	302	29	14	21	17	11	101	318	66	111	52	17	57
1 day	7,894	3,907	3,987	71	17	170	6	15	17	13	10	78	160	34	58	32	6	33
Male	4,617	2,275	2,342	38	12	99	5	8	7	8	7	44	92	18	36	23	3	15
Female	3,277	1,632	1,645	33	5	71	1	7	10	5	3	32	68	16	22	9	3	18
2 days	5,389	2,572	2,817	39	6	95	13	11	12	12	7	53	106	32	51	21	3	13
Male	3,182	1,531	1,651	21	1	51	5	8	7	7	2	24	57	22	37	16	2	7
Female	2,207	1,041	1,166	18	5	44	8	3	5	5	5	29	49	10	14	5	1	6
3 to 6 days	9,749	4,275	5,474	63	22	238	20	16	35	13	7	118	158	37	85	39	15	57
Male	5,822	2,542	3,280	40	12	139	10	7	22	9	2	73	100	22	58	24	9	33
Female	3,927	1,733	2,194	23	10	99	10	9	13	4	5	45	58	15	27	15	6	24
1 week	7,060	2,919	4,141	37	15	193	15	7	21	8	9	106	137	15	57	32	8	44
Male	3,931	1,579	2,352	19	10	108	14	2	8	4	5	64	63	11	30	22	6	25
Female	3,129	1,340	1,789	18	5	85	1	5	13	4	4	42	74	4	27	10	2	19
2 weeks	4,536	1,927	2,609	30	11	113	3	5	12	8	7	60	75	16	39	15	8	24
Male	2,512	1,065	1,447	16	3	66	1	1	5	3	4	34	39	7	23	3	7	13
Female	2,024	862	1,162	14	8	47	2	4	7	5	3	26	36	9	16	12	1	11
3 weeks but under 1 month	3,818	1,650	2,168	36	11	96	5	3	7	7	8	39	90	16	32	14	5	12
Male	2,110	919	1,191	22	4	54	5	2	6	5	2	20	62	10	16	9	3	7
Female	1,708	731	977	14	7	42	1	1	1	2	3	19	28	6	16	5	2	5
Under 1 month	69,496	32,869	36,627	532	158	1,593	106	94	154	115	72	727	1,470	301	570	270	79	310
Male	39,981	18,798	21,183	301	86	903	55	51	84	73	38	433	839	175	337	162	47	162
Female	29,515	14,071	15,444	231	72	690	51	43	70	42	34	294	631	126	233	108	32	148
1 month	9,707	4,141	5,566	68	21	245	22	13	28	27	6	117	183	39	110	51	18	54
Male	5,649	2,421	3,228	44	11	122	12	5	16	17	4	61	98	26	67	30	14	28
Female	4,058	1,720	2,338	24	10	123	10	8	12	10	2	56	85	13	43	21	4	26
2 months	7,368	3,197	4,171	56	19	159	18	15	16	11	8	88	129	29	99	35	11	52
Male	4,095	1,819	2,276	29	11	79	15	8	9	7	3	49	73	16	55	28	5	24
Female	3,273	1,378	1,895	27	8	80	3	7	7	4	5	39	56	13	44	12	6	28
3 months	5,948	2,586	3,362	38	11	107	17	22	31	10	9	61	116	33	70	25	12	30
Male	3,278	1,425	1,853	19	5	59	12	15	13	5	4	38	59	14	37	16	6	21
Female	2,670	1,161	1,509	19	6	48	5	7	18	5	5	23	57	19	33	9	6	9
4 months	4,820	2,110	2,710	39	13	115	17	6	19	6	7	61	83	30	72	27	11	25
Male	2,693	1,183	1,510	16	10	74	6	3	14	3	5	37	46	10	37	12	6	21
Female	2,127	927	1,200	23	3	41	11	3	5	3	2	24	37	20	35	15	5	4
5 months	4,118	1,821	2,297	27	14	84	24	11	17	10	4	48	53	28	68	9	7	29
Male	2,236	977	1,259	19	6	39	8	7	11	5	1	28	29	14	42	7	4	14
Female	1,882	844	1,038	8	8	45	16	4	6	5	3	20	24	14	26	2	3	15
6 months	3,814	1,727	2,087	23	8	80	11	9	15	6	4	42	79	21	53	14	3	15
Male	2,097	941	1,156	12	7	36	6	6	7	3	2	25	47	8	31	10	1	8
Female	1,717	786	931	11	1	44	5	3	8	3	2	17	32	13	22	4	2	7
7 months	3,268	1,470	1,798	19	6	59	15	10	19	11	4	37	46	18	38	11	9	20
Male	1,807	824	983	9	3	32	7	7	12	5	2	24	24	12	14	8	6	13
Female	1,461	646	815	10	3	27	8	3	7	6	2	13	22	6	24	3	3	7
8 months	3,030	1,392	1,638	22	10	73	11	3	14	5	7	40	50	20	45	16	8	17
Male	1,680	766	914	13	5	46	7	1	7	4	4	23	25	10	16	9	5	13
Female	1,350	626	724	9	5	27	4	2	7	1	3	17	25	10	29	7	3	4
9 months	2,831	1,254	1,577	14	12	58	7	10	13	1	7	52	42	10	33	13	9	14
Male	1,541	682	859	9	9	41	5	5	7	1	5	30	23	8	16	4	7	8
Female	1,290	572	718	5	3	17	2	5	6	2	2	22	19	2	17	9	2	6
10 months	2,555	1,121	1,434	18	13	58	7	7	14	5	1	31	53	14	31	11	-----	15
Male	1,424	643	781	10	8	40	6	5	7	2	-----	16	33	5	13	8	-----	8
Female	1,131	478	653	8	5	18	1	2	7	3	-----	15	20	9	18	3	-----	7
11 months	2,476	1,100	1,376	12	7	44	7	6	9	7	9	41	40	15	25	12	1	16
Male	1,358	612	746	7	4	18	2	5	7	5	4	27	26	7	15	6	1	8
Female	1,118	488	630	5	3	26	5	1	2	2	5	14	14	8	10	6	-----	8

¹ Includes "Cities of 2,500 to 10,000."

GENERAL TABLES

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AREA AND SEX	CONNECTICUT			DELAWARE			Dis-trict of Columbia	FLORIDA			GEORGIA		IDAHO			ILLINOIS		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural		Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year.....	920	31	222	136	15	137	740	576	271	827	1,081	3,020	44	132	203	3,784	591	1,509
Male.....	511	20	126	72	8	76	434	342	149	486	597	1,704	28	82	115	2,142	334	838
Female.....	409	11	96	64	7	61	306	234	122	341	484	1,316	16	50	88	1,642	257	671
Under 1 day.....	326	11	64	32	2	24	176	165	82	233	301	744	15	33	52	1,140	192	406
Male.....	165	7	37	21	1	15	103	107	48	132	157	424	9	21	26	653	100	234
Female.....	161	4	27	11	1	9	73	58	34	101	144	320	6	12	26	487	92	172
1 day.....	65	5	13	13	1	6	53	50	13	63	81	167	2	12	21	246	47	108
Male.....	42	2	7	7	1	3	35	32	8	40	42	87	2	8	13	143	23	57
Female.....	23	3	6	6	—	3	18	18	5	23	39	80	—	4	8	103	24	51
2 days.....	44	2	10	7	2	4	22	35	6	46	58	145	2	3	11	198	22	59
Male.....	22	1	5	4	—	4	11	22	4	34	33	87	1	3	4	125	13	36
Female.....	22	1	5	3	2	—	11	13	2	12	25	58	1	—	7	73	9	23
3 to 6 days.....	72	3	11	7	1	11	61	53	26	63	104	266	7	13	18	301	36	159
Male.....	41	3	8	4	1	6	44	39	14	45	69	155	6	8	10	182	26	94
Female.....	31	—	3	3	—	5	17	14	12	18	35	111	1	5	8	119	10	65
1 week.....	46	—	9	11	1	5	56	47	22	52	55	235	—	14	12	194	27	94
Male.....	26	—	5	6	1	1	28	27	11	27	24	127	—	8	9	100	16	50
Female.....	20	—	4	5	—	4	28	20	11	25	31	108	—	6	3	94	11	44
2 weeks.....	25	—	9	6	1	2	48	15	6	35	39	142	1	7	8	154	16	70
Male.....	16	—	4	3	—	1	32	8	3	22	23	73	1	5	5	84	10	36
Female.....	9	—	5	3	1	1	16	7	3	13	16	69	—	2	3	70	6	34
3 weeks but under 1 month.....	21	1	5	4	1	2	20	13	10	19	31	99	3	1	7	112	18	40
Male.....	8	—	1	4	1	1	15	6	6	10	9	49	2	1	6	61	11	25
Female.....	13	1	4	—	—	1	5	7	4	9	22	50	1	—	1	51	7	15
Under 1 month.....	599	22	121	80	9	54	436	378	165	511	669	1,798	30	83	129	2,345	358	986
Male.....	320	13	67	49	5	31	268	241	94	310	357	1,002	21	54	73	1,348	199	532
Female.....	279	9	54	31	4	23	168	137	71	201	312	796	9	29	56	997	159	404
1 month.....	61	3	23	13	2	18	60	30	23	68	85	265	5	14	16	307	44	110
Male.....	36	3	11	7	—	12	32	17	14	38	49	162	2	8	9	187	28	57
Female.....	25	—	12	6	2	6	28	13	9	30	36	103	3	6	7	120	16	53
2 months.....	42	2	10	4	—	7	43	33	19	38	70	190	1	5	11	212	35	102
Male.....	23	1	6	—	—	4	20	14	11	21	43	114	1	2	6	112	18	61
Female.....	14	1	4	4	—	3	23	19	8	17	27	76	—	3	5	100	17	41
3 months.....	40	—	13	5	—	14	34	22	15	35	46	154	1	5	3	158	38	54
Male.....	27	—	7	1	—	6	17	15	11	18	16	83	—	1	1	84	21	28
Female.....	13	—	6	4	—	8	17	7	4	17	30	71	1	5	2	74	17	26
4 months.....	24	1	14	5	—	7	37	14	8	28	31	115	2	6	2	145	20	51
Male.....	14	—	7	—	—	2	22	6	3	13	15	66	1	4	2	78	13	28
Female.....	10	1	7	3	—	5	15	8	5	15	16	49	1	2	—	67	7	23
5 months.....	27	—	8	2	—	8	22	14	9	26	27	79	2	3	4	113	21	51
Male.....	15	—	3	—	—	4	10	9	4	15	20	42	2	3	—	61	12	28
Female.....	12	—	5	2	—	4	12	5	5	11	7	37	—	—	4	52	9	23
6 months.....	24	1	4	8	—	8	26	25	6	30	26	101	1	5	9	94	10	37
Male.....	14	1	3	3	—	4	15	10	4	15	14	57	—	4	6	46	2	18
Female.....	10	—	1	5	—	4	11	15	2	15	12	44	1	1	3	48	8	19
7 months.....	22	1	4	4	2	6	20	14	5	19	36	67	—	3	7	81	17	37
Male.....	12	1	4	4	2	5	12	8	3	9	22	39	—	5	5	44	10	21
Female.....	10	—	—	—	—	1	8	6	2	10	14	28	—	2	2	37	7	16
8 months.....	20	—	9	5	—	6	18	13	4	23	28	58	2	2	4	98	13	41
Male.....	12	—	7	2	—	1	14	6	2	15	21	29	1	2	3	55	10	17
Female.....	8	—	2	3	—	5	4	7	2	8	7	29	1	—	1	43	3	24
9 months.....	21	—	7	4	—	4	12	8	8	12	20	60	—	2	4	91	15	29
Male.....	13	—	3	2	—	4	8	5	1	7	12	31	—	1	—	49	9	15
Female.....	8	—	4	2	—	—	4	3	7	5	8	29	—	1	4	42	6	14
10 months.....	24	—	7	3	2	4	16	13	8	16	25	66	—	1	5	77	11	27
Male.....	11	—	7	1	1	2	11	7	1	12	19	42	—	1	4	48	7	11
Female.....	13	—	—	2	1	2	5	6	7	4	6	24	—	—	1	29	4	16
11 months.....	16	1	2	3	—	1	16	12	1	21	18	67	—	3	9	63	9	34
Male.....	9	1	1	1	—	1	5	4	1	13	9	37	—	2	5	30	5	22
Female.....	7	—	1	2	—	—	11	8	—	8	9	30	—	1	4	33	4	12

¹ Includes "Cities of 2,500 to 10,000."

INFANT MORTALITY STATISTICS: 1932

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AGE AND SEX	INDIANA			IOWA			KANSAS			KENTUCKY		LOUISIANA			MAINE			MARYLAND		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural ¹	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year.....	1,422	305	1,176	782	291	865	511	260	754	772	2,995	1,004	317	1,483	326	114	577	1,043	107	834
Male.....	816	198	700	439	160	499	288	141	444	456	1,705	575	174	840	192	63	328	610	55	455
Female.....	606	107	476	343	131	366	223	119	310	316	1,290	429	143	643	134	51	249	433	52	379
Under 1 day.....	394	85	263	223	105	258	161	80	245	217	574	300	67	381	74	19	121	264	30	167
Male.....	241	58	147	124	56	160	92	44	154	112	333	174	36	189	47	11	68	152	16	89
Female.....	153	27	116	99	49	98	69	36	91	105	241	126	31	192	27	8	53	112	14	78
1 day.....	101	15	65	74	25	58	43	19	59	54	188	69	15	74	41	16	84	59	7	48
Male.....	65	9	37	38	13	35	25	8	33	42	109	46	10	44	24	10	48	32	4	26
Female.....	36	6	28	36	12	23	18	11	26	12	79	23	5	30	17	6	36	27	3	22
2 days.....	63	15	61	33	23	45	23	13	33	33	114	44	10	44	16	7	28	38	3	24
Male.....	39	11	42	19	16	23	13	8	20	25	69	30	5	21	8	4	13	21	1	16
Female.....	24	4	19	14	7	22	10	5	13	8	45	14	5	23	8	3	15	17	2	8
3 to 6 days.....	110	37	113	55	18	86	31	20	75	47	234	81	18	139	25	15	52	83	13	56
Male.....	58	26	78	29	10	47	19	13	44	28	141	54	12	85	13	8	35	49	5	30
Female.....	52	11	35	26	8	39	12	7	31	19	93	27	6	54	12	7	17	34	8	26
1 week.....	72	13	81	35	11	48	27	15	53	37	164	50	29	112	10	8	38	48	4	42
Male.....	44	8	41	19	5	27	12	11	34	16	94	27	15	60	6	2	20	28	2	21
Female.....	28	5	40	16	6	21	15	4	19	21	70	23	14	52	4	6	18	20	2	21
2 weeks.....	43	9	35	25	6	33	19	10	32	41	136	29	16	57	12	6	24	34	3	44
Male.....	16	5	22	17	4	18	10	4	19	21	74	15	7	33	10	3	14	25	2	25
Female.....	27	4	13	8	2	15	9	6	13	20	62	14	9	24	2	3	10	9	1	19
3wks. but under 1 mo.	39	7	50	27	4	28	13	6	23	24	142	20	10	41	8	-----	16	45	3	36
Male.....	20	3	26	13	1	16	6	4	14	14	80	11	2	30	5	-----	9	30	2	21
Female.....	19	4	24	14	3	12	7	2	9	10	62	9	8	11	3	-----	7	15	1	15
Under 1 month.....	822	181	668	472	192	556	317	163	520	453	1,552	593	165	798	186	71	363	571	63	417
Male.....	483	120	398	259	105	326	177	92	318	258	900	357	87	472	113	38	207	337	28	228
Female.....	339	61	275	213	87	230	140	71	202	195	652	236	78	326	73	33	156	234	35	189
1 month.....	108	31	100	64	20	66	33	14	42	68	258	65	38	149	24	11	44	82	5	82
Male.....	63	21	65	40	13	39	19	3	24	49	160	35	24	80	14	6	26	53	5	47
Female.....	45	10	35	24	7	27	14	11	18	19	98	30	14	69	10	5	18	29	-----	35
2 months.....	89	18	97	54	14	53	24	14	32	40	176	70	19	98	18	9	45	57	4	53
Male.....	56	9	57	27	8	29	17	6	16	25	92	33	12	54	11	3	24	36	4	28
Female.....	33	9	40	27	6	24	7	8	16	15	84	37	7	44	7	6	21	21	-----	25
3 months.....	82	15	53	51	10	33	31	16	25	38	153	56	18	82	19	5	32	65	6	78
Male.....	45	11	34	32	7	19	15	9	13	19	83	34	10	44	3	18	42	4	4	45
Female.....	37	4	19	19	3	14	16	7	12	19	70	22	8	38	5	2	14	23	2	33
4 months.....	57	12	48	31	13	25	14	9	30	26	138	45	12	78	16	3	19	48	6	51
Male.....	34	9	22	17	6	15	10	6	19	17	80	17	8	40	9	3	9	32	2	26
Female.....	23	3	26	14	7	10	4	3	11	9	58	28	4	38	7	-----	10	16	4	25
5 months.....	48	11	41	23	6	19	16	8	12	30	119	36	14	52	12	2	15	39	8	39
Male.....	24	9	25	16	2	12	7	5	8	14	73	21	6	26	5	-----	9	12	3	18
Female.....	24	2	16	7	4	7	9	3	4	16	46	15	8	26	7	2	6	27	5	21
6 months.....	45	7	34	24	8	31	26	12	19	20	118	35	14	49	9	2	9	38	1	36
Male.....	20	5	21	13	6	13	15	7	7	14	63	23	9	24	4	2	4	19	1	20
Female.....	25	2	13	11	2	18	11	5	12	6	55	12	5	25	5	-----	5	19	-----	16
7 months.....	39	8	24	22	5	22	6	4	19	20	100	28	11	48	7	1	15	28	3	17
Male.....	20	4	16	12	3	12	5	4	11	12	51	15	4	27	6	-----	9	19	2	10
Female.....	19	4	8	10	2	10	1	-----	8	8	49	13	7	21	1	1	6	9	1	7
8 months.....	36	5	27	12	7	15	10	4	14	21	91	22	6	40	12	1	11	32	1	21
Male.....	19	4	17	6	5	9	5	2	8	15	48	10	5	22	5	1	8	12	-----	12
Female.....	17	1	10	6	2	6	5	2	6	6	43	12	1	18	7	-----	3	20	-----	9
9 months.....	36	8	26	10	6	14	17	5	17	18	87	19	5	29	9	2	8	29	3	14
Male.....	18	4	14	9	2	9	11	2	9	10	45	9	2	18	5	2	3	14	3	6
Female.....	18	4	12	1	4	5	6	3	8	8	42	10	3	11	4	-----	5	15	-----	8
10 months.....	29	5	35	8	4	21	9	4	14	20	97	19	5	35	6	6	9	23	2	12
Male.....	16	1	20	1	-----	9	3	2	6	13	51	9	2	20	3	4	4	11	1	8
Female.....	13	4	15	7	4	12	6	2	8	7	46	10	3	15	3	2	5	12	1	4
11 months.....	31	4	23	11	6	10	8	7	10	18	106	16	10	25	8	1	7	36	5	14
Male.....	18	1	16	7	3	7	4	3	5	10	59	12	5	13	3	1	7	23	2	7
Female.....	13	3	7	4	3	3	4	4	5	8	47	4	5	12	5	-----	-----	13	3	7

¹ Includes "Cities of 2,500 to 10,000."

GENERAL TABLES

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AGE AND SEX	MASSACHUSETTS			MICHIGAN			MINNESOTA			MISSISSIPPI			MISSOURI			MONTANA			NEBRASKA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year.....	3,211	197	216	2,824	375	1,429	892	287	1,010	315	145	2,020	1,399	348	1,683	119	77	271	323	164	604
Male.....	1,803	126	124	1,558	220	803	484	167	572	175	83	1,133	791	193	941	77	55	160	185	101	360
Female.....	1,408	71	92	1,266	155	626	408	120	438	140	62	887	608	155	742	42	22	111	138	63	244
Under 1 day.....	1,025	51	54	799	111	393	320	106	336	95	36	413	350	92	411	48	36	61	129	66	196
Male.....	575	28	34	441	69	211	165	59	184	55	24	222	198	51	226	30	25	38	79	38	115
Female.....	450	23	20	358	42	182	155	47	152	40	12	191	182	41	185	18	11	23	50	28	81
1 day.....	229	17	14	210	32	82	62	16	70	14	8	133	67	22	99	4	8	17	23	11	44
Male.....	147	13	8	108	23	58	36	12	33	8	5	72	45	14	62	3	5	11	10	8	29
Female.....	82	4	6	102	9	24	26	4	37	6	3	66	22	8	37	1	3	6	13	3	15
2 days.....	169	12	12	142	16	66	44	21	53	14	5	97	52	8	53	6	4	10	17	9	30
Male.....	96	6	8	85	8	40	27	13	29	7	2	60	27	6	28	5	4	6	8	6	21
Female.....	73	6	4	57	8	26	17	8	24	7	3	37	25	2	25	1	4	4	9	3	9
3 to 6 days.....	261	21	20	210	34	131	86	23	97	29	10	156	113	37	150	7	8	25	25	12	64
Male.....	149	14	9	133	19	73	55	14	60	18	5	89	67	22	77	4	6	16	14	3	39
Female.....	112	7	11	77	15	58	31	9	37	11	5	67	46	15	73	3	2	9	11	9	25
1 week.....	165	9	11	151	20	73	67	12	64	10	6	158	80	18	131	8	3	27	22	6	37
Male.....	80	5	6	85	14	37	36	7	45	3	2	96	45	8	78	5	3	14	12	3	23
Female.....	85	4	5	66	6	36	31	5	19	7	4	62	35	10	53	3	3	13	10	3	14
2 weeks.....	89	4	3	98	14	53	41	9	37	8	4	75	48	19	66	2	2	11	13	5	37
Male.....	53	2	3	56	13	26	20	6	21	1	1	38	30	6	41	2	2	7	5	5	26
Female.....	36	2	5	42	1	27	21	3	16	7	3	37	18	13	25	2	4	4	8	5	11
3 weeks but under 1 month.....	71	6	6	91	12	56	26	5	30	10	5	64	45	12	59	3	3	8	3	1	9
Male.....	36	4	3	57	5	37	14	4	12	6	5	41	25	6	32	3	3	5	2	1	5
Female.....	35	2	3	34	7	19	12	1	18	4	2	23	20	6	27	3	3	3	1	1	4
Under 1 month.....	2,009	120	125	1,701	239	854	646	192	687	180	74	1,101	785	208	969	78	61	159	232	110	417
Male.....	1,136	72	71	965	151	482	353	115	384	98	44	618	437	113	544	50	45	97	129	64	258
Female.....	873	48	54	736	88	372	293	77	303	82	30	483	348	95	425	28	16	62	103	46	159
1 month.....	219	16	16	189	24	111	50	22	71	24	11	195	118	27	140	12	2	32	16	11	38
Male.....	124	15	8	115	13	73	31	8	49	13	6	111	72	15	83	7	1	20	13	7	24
Female.....	95	1	8	74	11	38	19	14	22	11	5	84	46	12	57	5	1	12	3	4	14
2 months.....	144	11	11	150	21	98	29	19	48	20	12	134	90	36	98	5	2	17	12	16	25
Male.....	76	7	7	72	8	49	17	9	30	13	6	79	45	26	56	4	1	11	6	13	12
Female.....	68	4	4	78	13	49	12	10	18	7	6	55	45	10	42	1	1	6	6	3	13
3 months.....	132	14	20	145	26	72	36	12	38	11	8	89	50	13	87	3	1	15	10	5	30
Male.....	61	10	12	89	14	34	16	5	22	5	4	43	35	7	46	2	1	4	7	4	19
Female.....	71	4	8	56	12	38	20	7	16	6	4	46	15	6	41	1	1	11	3	1	11
4 months.....	107	9	6	119	11	55	19	5	28	15	4	85	71	7	73	1	1	6	11	3	14
Male.....	64	6	5	57	8	34	12	5	16	8	3	46	41	3	39	1	1	2	6	2	7
Female.....	43	3	1	62	3	21	7	2	12	7	1	39	30	4	34	1	3	4	5	1	7
5 months.....	104	4	9	90	7	49	20	10	33	8	7	60	60	13	58	6	1	11	9	1	18
Male.....	64	2	5	40	5	24	10	8	18	5	3	32	30	4	31	5	1	6	5	1	10
Female.....	40	2	4	50	2	25	10	2	15	3	4	28	30	9	27	1	1	5	4	1	8
6 months.....	92	2	4	96	10	45	22	5	23	11	6	90	41	4	49	1	3	5	10	1	19
Male.....	50	2	4	44	5	32	14	2	7	6	2	46	23	2	29	1	2	4	6	1	9
Female.....	42	2	4	52	5	13	8	3	16	5	4	44	18	2	20	1	1	1	4	1	10
7 months.....	82	8	4	80	10	38	18	6	16	15	5	47	39	7	49	2	2	8	9	2	10
Male.....	52	3	1	42	5	22	9	5	10	8	4	30	23	4	33	1	2	7	5	1	5
Female.....	30	5	3	38	5	16	9	1	6	7	1	17	16	3	17	1	1	1	4	1	5
8 months.....	86	7	4	71	9	31	24	5	22	15	2	56	38	13	34	1	1	4	4	4	7
Male.....	40	6	4	35	5	14	12	2	9	9	1	32	30	10	20	1	1	2	4	3	3
Female.....	46	1	3	36	4	17	12	3	13	6	1	24	8	3	14	1	2	2	4	1	4
9 months.....	89	2	6	56	6	25	9	5	23	5	6	59	36	10	40	2	4	4	3	5	5
Male.....	49	2	2	30	11	1	2	16	3	4	3	35	18	5	19	2	3	3	2	4	2
Female.....	40	4	4	26	6	14	8	3	7	2	2	24	18	5	21	1	1	1	1	1	3
10 months.....	67	1	6	68	5	30	10	5	12	3	4	56	32	4	40	3	1	5	3	4	9
Male.....	35	2	2	35	2	20	6	5	5	1	4	33	20	1	20	3	1	2	2	1	5
Female.....	32	1	4	33	3	10	4	2	7	2	2	23	12	3	20	3	2	3	1	3	4
11 months.....	80	3	5	59	7	21	9	1	9	8	6	48	30	6	46	5	2	5	4	2	12
Male.....	52	1	3	34	4	8	3	1	6	6	2	28	17	3	22	2	2	2	4	2	6
Female.....	28	2	2	25	3	13	6	2	3	2	4	20	13	3	24	3	2	3	4	2	6

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AGE AND SEX	NEVADA			NEW HAMPSHIRE			NEW JERSEY			NEW MEXICO			NEW YORK			NORTH CAROLINA			NORTH DAKOTA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year.....	12	25	51	266	50	144	2,408	256	411	144	225	1,110	8,548	551	1,370	1,141	387	3,655	113	80	586
Male.....	5	15	27	155	36	85	1,361	134	235	81	143	636	4,934	298	787	649	227	2,100	66	50	326
Female.....	7	10	24	111	14	59	1,047	122	176	63	82	474	3,614	253	583	492	160	1,555	47	30	260
Under 1 day.....	3	7	12	92	9	40	685	81	86	26	42	171	2,452	186	364	329	95	773	35	33	146
Male.....	1	6	7	55	7	27	404	40	48	17	29	102	1,422	111	218	189	58	459	21	23	87
Female.....	2	1	5	37	2	13	281	41	38	9	13	69	1,030	75	146	37	37	314	14	10	59
1 day.....	2	2	2	21	1	19	184	23	26	9	8	28	562	31	76	62	21	218	12	4	33
Male.....	1	1	1	15	1	13	106	11	15	6	4	14	322	20	45	38	14	144	8	4	22
Female.....	2	1	1	6	1	6	78	12	11	3	4	14	240	11	31	24	7	74	4	4	11
2 days.....			1	14	5	5	115	11	19	7	8	37	407	27	55	40	20	157	4	5	25
Male.....				7	3	3	61	6	9	4	6	23	253	14	29	23	12	91	3	1	16
Female.....			1	7	2	2	54	5	10	3	2	14	154	13	26	17	8	66	1	4	9
3 to 6 days.....		2	2	21	4	5	198	21	29	7	13	70	675	46	100	92	38	267	1	6	69
Male.....		1	2	11	4	5	105	13	14	4	11	40	399	27	54	50	24	170	2	2	32
Female.....		1	1	10	1	1	93	8	15	3	2	30	276	19	46	42	14	97	1	4	37
1 week.....		1	2	14	3	10	132	9	20	5	9	74	454	34	83	58	24	234	6	8	35
Male.....		1	1	6	2	5	75	6	9	2	6	43	266	20	44	30	16	132	3	5	19
Female.....		1	1	8	1	5	57	3	11	3	3	31	188	14	39	28	8	102	3	3	16
2 weeks.....			3	5	11	11	65	8	14	3	11	43	330	17	45	36	12	147	3	3	34
Male.....			1	3	8	8	32	3	13	1	5	24	177	8	22	25	7	74	2	2	22
Female.....			2	2	3	3	33	5	1	2	6	19	153	9	23	11	5	73	1	1	12
3 weeks but under 1 month.....			1	7	2	4	56	4	13	6	8	44	282	17	62	39	12	129	4	1	25
Male.....			1	6	2	4	28	2	8	6	6	22	150	6	36	20	6	77	2	1	12
Female.....				1	1	1	28	2	5	1	2	22	132	11	26	19	6	52	2	1	13
Under 1 month.....	5	12	23	174	24	94	1,435	157	207	63	99	467	5,162	358	785	656	222	1,925	65	60	367
Male.....	1	9	13	103	18	56	811	81	116	40	67	268	2,989	206	448	375	137	1,147	39	38	210
Female.....	4	3	10	71	6	38	624	76	91	23	32	199	2,173	152	337	281	85	778	26	22	157
1 month.....	3	7	7	15	6	9	180	17	36	8	14	91	666	33	128	72	33	370	8	6	48
Male.....	1	4	4	9	5	5	107	12	18	3	7	54	390	18	83	41	18	212	5	4	22
Female.....	2	3	3	6	1	4	73	5	18	5	7	37	276	15	45	31	15	158	3	2	26
2 months.....		2	3	22	4	9	166	21	30	16	19	99	532	31	90	87	31	240	11	2	53
Male.....		1	1	13	3	4	104	11	16	5	10	66	312	10	53	57	17	127	8	1	29
Female.....		1	2	9	1	5	62	10	14	11	9	33	220	21	37	37	14	113	3	1	24
3 months.....		1	7	3	9	9	109	12	32	5	15	82	421	21	84	63	25	213	5	2	38
Male.....		1	5	2	6	6	56	6	23	4	11	35	225	13	44	41	14	117	2	2	23
Female.....			2	1	3	3	53	6	9	1	4	47	196	8	40	22	11	96	3	2	15
4 months.....			3	6	2	4	90	9	18	6	19	89	311	14	61	45	13	160	3	2	20
Male.....			1	6	3	3	53	4	13	4	15	52	188	6	27	27	5	93	1	1	10
Female.....			2	2	1	1	37	5	5	2	4	37	123	8	34	18	8	67	2	1	10
5 months.....		1	3	10	2	4	90	7	13	9	12	61	278	14	44	41	11	152	3	4	7
Male.....		1	1	7	2	2	47	3	3	5	8	40	159	7	26	22	7	76	2	3	4
Female.....			3	3	2	2	43	4	10	4	4	21	119	7	18	19	4	76	1	1	3
6 months.....		4	2	7	5	3	64	10	18	6	8	45	252	29	42	45	11	115	2	1	8
Male.....		2	1	2	3	1	33	5	11	4	7	28	142	14	28	26	7	60	1	1	5
Female.....		2	1	5	2	2	31	5	7	2	1	17	110	15	14	19	4	55	1	1	3
7 months.....		2	2	3	3	3	70	2	20	7	10	41	223	10	33	34	12	121	2	1	10
Male.....		2	2	2	1	1	36	1	9	5	5	19	124	3	22	20	6	62	2	1	3
Female.....			2	1	2	2	34	1	11	2	5	22	99	7	11	14	6	59	1	1	7
8 months.....			4	5	4	4	53	5	15	7	7	34	200	7	19	27	13	104	4	1	11
Male.....			4	2	3	3	31	3	12	4	3	22	116	4	10	14	7	59	2	1	6
Female.....				3	1	1	22	2	3	3	4	12	84	3	9	13	6	45	2	1	5
9 months.....		2	2	9	1	1	53	4	8	3	6	39	187	16	36	28	5	82	4	2	9
Male.....		1	1	4	1	1	28	2	5	3	3	19	112	7	22	11	4	52	2	1	6
Female.....		1	2	5	1	1	25	2	3	3	3	20	75	9	14	17	1	30	2	1	3
10 months.....		1	1	3	3	1	45	7	10	8	9	30	163	9	25	22	8	89	4	1	7
Male.....		1	1	2	2	1	27	2	8	5	5	18	91	4	12	12	3	47	1	1	4
Female.....			1	1	1	1	18	5	2	3	4	12	72	5	13	10	5	42	3	1	3
11 months.....		1	3	5	1	4	53	5	4	6	7	32	153	9	23	21	3	84	2	1	8
Male.....		2	2	1	3	3	28	4	1	2	2	15	86	6	12	10	2	48	1	1	4
Female.....		1	1	5	1	1	25	1	3	4	5	17	67	3	11	11	1	36	1	1	4

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AGE AND SEX	OHIO			OKLAHOMA			OREGON			PENNSYLVANIA			RHODE ISLAND			SOUTH CAROLINA			SOUTH DAKOTA		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral	Cities of 10,000 or more	Cities of 2,500 to 10,000	Ru-ral
Under 1 year.....	3,552	458	1,941	623	428	1,001	203	129	199	5,495	1,264	3,354	594	15	30	529	216	2,459	125	67	476
Male.....	2,001	264	1,094	353	249	568	108	72	121	3,133	733	1,914	328	12	13	316	119	1,389	71	34	264
Female.....	1,551	194	847	270	179	433	95	57	78	2,362	531	1,440	266	3	17	213	97	1,070	54	33	212
Under 1 day.....	1,051	113	465	127	82	252	74	50	40	1,172	270	661	168	1	5	143	49	466	47	22	141
Male.....	599	61	261	79	54	143	37	22	24	694	158	399	89	1	2	90	25	268	28	11	85
Female.....	452	52	204	48	28	109	37	28	16	478	112	262	79	1	3	53	24	198	19	11	56
1 day.....	241	25	113	51	29	65	17	6	16	454	89	222	46	1	4	40	12	178	12	2	28
Male.....	130	13	62	32	17	37	8	5	9	266	54	130	25	1	2	25	5	106	5	2	18
Female.....	111	12	51	19	12	28	9	1	7	188	35	92	21	1	2	15	7	72	7	1	10
2 days.....	180	22	94	20	19	28	5	6	9	274	78	163	27	1	1	19	14	127	4	4	28
Male.....	116	16	51	15	10	19	3	5	5	164	47	92	11	1	1	11	11	74	2	1	12
Female.....	64	6	43	5	9	9	2	1	4	110	31	71	16	1	1	8	3	53	2	3	16
3 to 6 days.....	265	47	172	45	37	76	18	15	24	451	113	309	47	2	2	52	18	218	9	8	42
Male.....	160	28	110	24	20	53	8	13	18	261	72	180	28	2	1	36	13	122	8	5	25
Female.....	105	21	62	21	17	23	10	2	6	190	41	129	19	1	1	16	5	96	1	3	17
1 week.....	157	36	129	38	34	85	12	6	19	325	77	203	27	1	2	31	6	177	7	4	33
Male.....	78	20	76	18	20	48	7	5	10	180	45	115	16	1	1	20	3	92	4	4	20
Female.....	79	16	53	20	14	37	5	1	9	145	32	88	11	1	1	11	3	85	3	1	13
2 weeks.....	124	17	78	18	16	35	5	3	10	226	38	144	17	1	2	13	10	103	5	2	23
Male.....	75	10	44	10	8	20	1	1	8	121	26	85	11	1	1	5	6	64	4	1	12
Female.....	49	7	34	8	8	15	4	2	2	105	12	59	6	1	1	8	4	39	1	1	11
3 weeks but under 1 month.....	107	15	75	25	18	32	5	5	6	175	34	126	15	2	2	19	6	88	3	3	15
Male.....	50	7	44	13	6	20	4	4	3	98	14	69	8	1	1	14	4	51	3	2	9
Female.....	57	8	31	12	12	12	1	1	3	77	20	57	7	1	1	5	2	37	1	1	6
Under 1 month.....	2,125	275	1,126	324	235	573	136	86	124	3,077	699	1,828	347	7	18	317	115	1,357	87	45	310
Male.....	1,208	163	648	191	135	340	68	51	77	1,784	416	1,070	188	6	8	201	67	777	54	26	181
Female.....	917	122	478	133	100	233	68	35	47	1,293	283	758	159	1	10	116	48	580	33	19	129
1 month.....	263	29	170	49	36	94	17	12	16	443	96	302	45	2	2	43	17	221	5	7	31
Male.....	149	19	104	25	20	51	10	3	8	246	50	171	31	1	1	23	12	131	2	1	16
Female.....	114	10	66	24	16	43	7	9	8	197	46	131	14	1	1	20	5	90	3	6	15
2 months.....	177	27	115	41	24	54	6	6	15	346	78	255	35	2	1	36	12	167	7	3	25
Male.....	103	19	52	22	13	23	5	3	8	205	44	148	19	2	1	17	3	81	3	2	16
Female.....	74	8	63	19	11	31	1	3	7	141	34	107	16	1	1	19	9	86	4	1	9
3 months.....	164	18	97	31	26	47	10	4	15	276	71	169	21	1	1	21	15	155	3	2	16
Male.....	91	9	56	19	18	27	6	4	6	148	41	94	13	1	1	13	6	90	2	2	6
Female.....	73	9	41	12	8	20	4	1	9	128	30	75	8	1	1	8	9	65	1	2	10
4 months.....	115	21	69	36	16	40	3	5	4	224	67	141	26	1	1	28	7	104	2	3	15
Male.....	70	12	38	25	8	20	1	3	4	122	40	67	14	1	1	11	4	62	2	2	7
Female.....	45	9	31	11	8	20	2	2	2	102	27	74	12	1	1	17	3	42	1	1	8
5 months.....	143	15	75	35	12	34	8	3	7	173	43	132	18	2	1	13	6	103	4	2	10
Male.....	76	12	42	17	9	19	5	1	6	92	22	77	10	1	1	6	3	62	2	1	6
Female.....	67	3	33	18	3	15	3	2	1	81	21	55	8	1	1	7	3	41	2	1	4
6 months.....	122	13	46	23	19	38	1	2	5	218	32	128	21	2	2	20	8	91	2	2	12
Male.....	67	8	25	12	10	17	1	2	4	120	17	78	11	1	1	10	6	50	2	2	8
Female.....	55	5	21	11	9	21	1	1	1	98	15	50	10	1	1	10	2	41	2	1	4
7 months.....	104	19	73	14	11	28	2	2	5	166	48	102	25	2	1	11	10	58	3	1	9
Male.....	57	11	35	9	8	15	1	1	2	91	30	47	13	2	1	7	3	32	2	1	2
Female.....	47	8	38	5	3	13	1	2	3	75	18	55	12	1	1	4	7	26	1	1	7
8 months.....	100	11	52	14	15	18	4	5	2	178	37	89	9	1	3	15	5	48	5	1	9
Male.....	51	6	28	4	8	13	2	3	2	104	22	41	4	1	1	11	2	28	2	2	2
Female.....	49	5	24	10	7	5	4	2	1	74	15	48	5	1	2	4	3	20	3	1	7
9 months.....	88	9	43	21	9	30	8	5	3	141	32	85	23	1	1	8	12	54	3	1	13
Male.....	50	5	26	11	7	13	5	2	2	70	19	49	12	1	1	7	7	23	1	1	6
Female.....	38	4	17	10	2	17	3	3	1	71	13	36	11	1	1	1	5	31	2	1	7
10 months.....	75	11	41	14	8	22	2	2	1	132	27	67	11	1	1	7	4	54	1	1	14
Male.....	39	7	22	9	3	14	2	1	1	77	15	38	7	1	1	3	1	31	1	1	8
Female.....	36	4	19	5	5	8	1	1	1	55	12	29	4	1	1	4	3	23	1	1	6
11 months.....	76	10	34	21	17	23	6	2	2	121	34	56	13	1	1	10	5	47	3	3	12
Male.....	40	3	18	9	10	16	4	1	1	74	17	34	6	1	1	7	3	22	1	1	6
Female.....	36	7	16	12	7	7	2	1	1	47	17	22	7	1	1	3	2	25	2	2	6

INFANT MORTALITY STATISTICS: 1932

TABLE 23.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1932—Continued

AGE AND SEX	TENNESSEE			UTAH			VERMONT		VIRGINIA			WASHINGTON			WEST VIRGINIA			WISCONSIN			WYOMING		
	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural	Cities of 10,000 or more	Cities of 2,500 to 10,000	Rural
Under 1 year.....	1,145	310	2,095	202	94	233	89	202	873	269	2,523	545	125	297	574	305	2,032	1,153	315	1,207	43	54	145
Male.....	635	181	1,212	113	59	130	55	164	494	152	1,368	298	78	184	311	184	1,132	644	189	681	29	30	77
Female.....	510	129	883	89	35	103	34	128	379	117	1,160	247	47	113	263	121	900	509	126	526	14	24	68
Under 1 day.....	287	69	404	76	32	73	32	81	271	72	553	198	39	74	164	84	452	374	110	397	14	17	52
Male.....	156	46	250	41	21	37	24	43	147	44	311	104	23	43	87	54	282	205	70	208	10	10	25
Female.....	131	23	154	35	11	36	8	38	124	28	242	94	16	31	77	30	170	169	40	189	4	7	27
1 day.....	81	16	126	14	6	6	9	16	71	18	122	52	9	19	30	16	88	92	25	75	3	6	14
Male.....	40	12	76	9	4	3	3	10	43	12	70	25	6	13	18	8	52	52	13	49	1	6	2
Female.....	41	4	50	5	2	3	6	6	28	6	52	27	3	6	12	8	36	40	12	26	2	---	12
2 days.....	58	10	76	4	4	8	3	18	39	12	108	22	11	12	17	11	80	62	12	73	---	---	2
Male.....	35	8	42	3	3	5	2	9	26	7	63	13	9	6	10	6	43	35	8	45	---	---	2
Female.....	23	2	34	1	1	3	1	9	13	5	45	9	2	6	7	5	37	27	4	27	---	---	1
3 to 6 days.....	61	23	170	16	9	30	6	19	67	17	197	45	10	33	48	15	136	86	26	111	4	5	17
Male.....	37	14	109	10	6	21	2	11	46	13	121	24	3	21	27	12	70	42	22	63	2	2	11
Female.....	24	9	61	6	3	9	4	8	21	4	76	21	7	12	21	3	66	44	4	48	2	3	6
1 week.....	59	14	140	9	6	13	6	14	44	13	178	42	6	27	29	15	115	43	13	77	1	5	8
Male.....	34	9	89	4	3	8	4	6	21	6	95	24	6	22	11	10	66	24	5	50	1	4	5
Female.....	25	5	51	5	3	5	2	8	23	7	83	18	---	5	18	5	49	19	8	27	---	---	3
2 weeks.....	48	11	86	1	5	9	1	17	25	12	121	14	6	10	21	7	88	44	7	47	2	---	7
Male.....	29	4	47	1	4	2	1	10	17	2	61	6	5	7	7	4	48	28	2	27	1	---	3
Female.....	19	7	39	---	1	7	---	7	8	10	60	8	1	3	14	3	40	16	5	20	1	---	4
3 weeks but under 1 month.....	41	9	92	4	2	7	2	7	20	10	93	19	2	13	19	6	68	20	9	31	1	3	3
Male.....	18	6	46	3	2	4	---	2	11	5	46	12	1	6	11	3	30	12	7	18	1	1	1
Female.....	23	3	46	1	---	3	2	5	9	5	47	7	1	7	8	3	38	8	2	13	---	---	2
Under 1 month.....	635	152	1,094	124	64	146	59	172	537	154	1,372	392	83	188	328	154	1,027	721	202	810	25	38	104
Male.....	349	99	659	71	43	80	36	91	311	89	767	208	53	118	171	97	591	398	127	460	16	23	49
Female.....	286	53	435	53	21	66	23	81	226	65	605	184	30	70	157	57	436	323	75	350	9	15	55
1 month.....	102	39	207	12	4	16	6	32	69	28	228	41	11	24	31	19	198	77	18	85	2	4	8
Male.....	62	23	120	8	2	6	4	21	33	18	124	27	5	16	19	16	115	45	10	52	2	3	5
Female.....	40	16	87	4	2	10	2	11	36	10	104	14	6	8	12	3	83	32	8	33	---	---	3
2 months.....	73	22	133	12	5	11	2	22	49	18	176	20	9	17	32	15	141	68	10	70	3	3	6
Male.....	42	12	86	5	3	7	1	9	24	12	82	13	6	10	21	7	73	42	5	37	2	1	4
Female.....	31	10	47	7	2	4	1	13	25	6	94	7	3	7	11	8	68	26	5	33	1	2	2
3 months.....	48	16	103	7	2	11	6	9	34	16	131	15	1	13	34	21	122	52	8	56	4	1	5
Male.....	25	10	56	3	1	7	4	5	22	11	65	5	---	11	18	12	72	33	4	30	3	1	2
Female.....	23	6	47	4	1	4	2	4	12	5	66	10	1	2	16	9	50	19	4	26	1	---	3
4 months.....	58	15	90	9	4	5	2	15	40	13	125	18	3	13	28	14	89	45	14	37	5	1	4
Male.....	30	5	49	6	---	3	2	13	26	8	69	11	3	4	14	9	40	20	12	19	5	---	2
Female.....	28	10	41	3	4	2	---	2	14	5	56	7	---	9	14	5	49	25	2	18	---	---	2
5 months.....	49	8	81	3	1	12	3	8	31	7	104	12	6	7	23	13	75	44	11	32	---	---	4
Male.....	32	6	40	1	1	10	1	4	13	1	49	8	3	5	8	6	44	21	5	16	---	---	3
Female.....	17	2	41	2	---	2	2	4	18	6	55	4	3	2	15	7	31	23	6	16	---	---	1
6 months.....	46	11	72	7	1	7	1	8	27	3	97	7	3	9	17	14	67	32	10	13	---	---	4
Male.....	22	1	37	4	---	4	---	6	20	1	59	4	3	7	12	11	38	18	5	7	---	---	3
Female.....	24	10	35	3	1	3	1	2	7	2	38	3	---	2	5	3	29	14	5	6	---	---	1
7 months.....	38	11	78	6	1	6	1	5	23	6	66	12	---	6	22	10	61	26	7	27	2	2	2
Male.....	17	6	40	3	1	5	1	2	11	1	36	7	---	2	12	4	35	17	4	16	1	1	2
Female.....	21	5	38	3	---	1	---	3	12	5	30	5	---	4	10	6	26	9	3	11	1	---	---
8 months.....	33	13	61	3	3	6	1	7	19	4	62	5	3	5	15	10	69	22	13	20	1	1	2
Male.....	17	8	31	2	3	4	1	4	7	2	36	2	2	2	11	5	37	10	6	12	---	---	2
Female.....	16	5	30	1	---	2	---	3	12	2	26	3	1	3	4	5	32	12	7	8	1	---	---
9 months.....	24	9	74	7	5	6	2	8	18	6	64	12	4	5	15	15	74	27	5	20	---	---	3
Male.....	11	---	43	4	4	1	2	5	10	5	32	5	3	1	8	5	34	16	1	11	---	---	3
Female.....	13	9	31	3	1	5	---	3	8	1	32	7	1	4	7	10	40	11	4	9	---	---	---
10 months.....	22	7	52	5	2	4	2	3	12	8	43	5	1	5	15	7	58	21	9	19	---	---	2
Male.....	14	6	27	3	---	2	2	2	9	1	18	4	---	4	10	5	31	12	4	11	---	---	2
Female.....	8	1	25	2	2	---	---	1	3	7	25	1	1	1	5	2	27	9	5	8	---	---	---
11 months.....	17	7	50	7	2	3	4	3	14	6	60	6	1	5	14	13	51	18	8	18	1	---	1
Male.....	14	5	24	3	1	1	1	2	8	3	31	4	---	4	7	7	22	12	6	10	---	---	1
Female.....	3	2	26	4	1	2	3	1	6	3	29	2	1	1	7	6	29	6	2	8	---	---	1

¹ Includes "Cities of 2,500 to 10,000."

SUPPLEMENT

HAWAII

The Territory of Hawaii was admitted to the birth registration area of the United States in 1929. From this Territory, in 1932, 10,493 births were reported. Of these, 4,265 or 41 percent were Japanese, 1,909 or 18 percent were part Hawaiian, 1,659 or 16 percent were Caucasian, 1,476 or 14 percent were Filipinos, 584 or 6 percent were Chinese, and 415 or 4 percent were Hawaiian.

The birth rate was 26.7 and exceeded the death rate (9.3) by 17.4 per 1,000 population.

Deaths under 1 year occurring in Hawaii in 1932 numbered 799 indicating an infant mortality rate of 76.1 per 1,000 live births. Three causes—diarrhea and enteritis, premature birth, and broncho-pneumonia—were responsible for more than half of the total number of deaths under 1 year, the rates from each being 19.1, 13, and 12.4, respectively.

VIRGIN ISLANDS

The Virgin Islands—St. Croix, St. Thomas, and St. John—were admitted to the registration area of the United States in 1924.

In 1932, 553 births were reported in these islands and of these the Negro births represented 90 percent. Deaths under 1 year numbered 74 and represent an infant mortality rate of 133.8. This was 14.6 higher than the rate (119.2) for 1931. Premature birth and diarrhea and enteritis caused nearly half of all deaths occurring among infants under 1 year of age, the rate from these causes being 28.9 and 27.1, respectively, per 1,000 live births. The infant mortality rate for Negroes was 144 or 25.8 higher than the corresponding rate (118.2) for 1931.

HAWAII

TABLE 1.—ENUMERATED POPULATION IN THE TERRITORY OF HAWAII: 1930

RACE	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County
All races.....	368,336	19,468	137,582	53,857	65,341	35,942	56,146
Hawaiian.....	22,636	1,155	9,675	3,709	2,428	1,363	4,306
Part Hawaiian.....	28,224	1,881	14,242	3,190	2,117	1,758	5,036
Caucasian-Hawaiian.....	15,632	986	8,283	1,537	1,213	996	2,617
Asiatic-Hawaiian.....	12,592	895	5,959	1,653	904	762	2,419
Caucasian.....	80,373	3,806	39,043	6,552	18,659	4,770	7,543
Portuguese.....	27,588	2,467	12,297	3,703	2,138	2,554	4,429
Puerto Rican.....	6,671	158	2,211	1,480	818	841	1,153
Other Caucasian.....	46,114	1,181	24,535	1,359	15,703	1,375	1,961
Chinese.....	27,179	897	19,334	1,201	2,734	1,201	1,812
Japanese.....	139,631	9,356	47,468	24,392	22,117	13,905	22,393
Korean.....	6,461	288	2,604	843	1,545	362	819
Filipino.....	63,052	2,055	4,776	13,901	15,614	12,562	14,144
All other.....	780	30	440	69	127	21	93

TABLE 2.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX, IN THE TERRITORY OF HAWAII: 1932

AREA AND SEX	Births ¹	Deaths ¹	Excess of births over deaths	Births per 100 deaths	DEATHS ¹ OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 live births	Number	Per 100 live births
Territory of Hawaii.....	10,493	3,670	6,823	286	799	76.1	322	3.1
Male.....	5,374	2,351	3,023	229	468	87.1	181	3.4
Female.....	5,119	1,319	3,800	388	331	64.7	141	2.8
Hilo city:								
Male.....	246	140	106	176	19	77.2	10	4.1
Female.....	251	80	171	(?)	14	55.8	8	3.2
Honolulu city:								
Male.....	2,152	952	1,200	226	178	82.7	77	3.6
Female.....	2,090	608	1,482	344	135	64.6	60	2.9
Hawaii County (exclusive of Hilo city):								
Male.....	748	323	425	232	78	104.3	25	3.3
Female.....	763	173	590	441	47	61.6	20	2.6
Honolulu County (exclusive of Honolulu city):								
Male.....	788	286	502	276	61	77.4	25	3.2
Female.....	727	161	566	452	45	61.9	21	2.9
Kauai County:								
Male.....	489	215	274	227	43	87.9	9	1.8
Female.....	425	84	341	(?)	23	54.1	9	2.1
Maui County:								
Male.....	951	435	516	219	89	93.6	35	3.7
Female.....	863	213	650	405	67	77.6	23	2.7

¹ Exclusive of stillbirths.

² Figures not shown when the number of deaths is less than 100.

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, IN THE TERRITORY OF HAWAII: 1932

RACE	BIRTHS (EXCLUSIVE OF STILLBIRTHS) IN—							
	Hawaiian Territory		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County
	Number	Per 1,000 population estimated as of July 1						
All races.....	10,493	26.7	497	4,242	1,511	1,515	914	1,814
Hawaiian.....	415	18.5	10	128	97	42	36	102
Part Hawaiian.....	1,909	62.8	80	1,058	213	140	84	334
Caucasian-Hawaiian.....	828	49.9	39	489	74	57	32	137
Asiatic-Hawaiian.....	1,081	78.3	41	569	139	83	52	197
Caucasian.....	1,659	19.3	92	877	176	166	129	219
Portuguese.....	653	23.6	56	245	102	44	71	132
Puerto Rican.....	226	32.8	6	81	47	24	23	45
Other Caucasian.....	780	15.2	30	548	27	98	35	42
Chinese.....	584	20.9	23	439	17	46	15	44
Japanese.....	4,265	29.2	237	1,463	748	663	401	753
Korean.....	151	22.2	4	63	15	39	10	20
Filipino.....	1,476	20.4	48	191	244	414	238	341
All other.....	34	42.5	3	23	1	5	1	1

TABLE 4.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND MONTH, IN THE TERRITORY OF HAWAII: 1932

AREA AND SEX	All births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii.....	10,493	944	864	891	883	934	906	857	854	877	902	767	814
Male.....	5,374	506	455	458	456	467	461	445	430	454	447	398	397
Female.....	5,119	438	409	433	427	467	445	412	424	423	455	369	417
Hilo city:													
Male.....	246	25	17	25	18	22	18	25	17	21	19	22	17
Female.....	251	19	17	21	20	17	14	19	26	22	25	19	32
Honolulu city:													
Male.....	2,152	196	186	161	187	188	187	159	175	200	185	168	160
Female.....	2,090	170	152	157	171	198	181	175	177	182	185	168	174
Hawaii County (exclusive of Hilo city):													
Male.....	748	60	70	82	60	65	55	83	54	55	69	48	47
Female.....	763	58	77	83	64	45	76	62	63	54	74	49	58
Honolulu County (exclusive of Honolulu city):													
Male.....	788	79	54	71	75	70	63	62	68	58	72	57	59
Female.....	727	76	66	57	66	82	60	58	57	67	57	45	36
Kauai County:													
Male.....	489	50	45	37	44	38	53	31	41	35	32	39	44
Female.....	425	47	34	34	30	36	34	35	30	34	42	43	26
Maui County:													
Male.....	951	96	83	82	72	84	85	85	75	85	70	64	70
Female.....	863	68	63	81	76	89	80	63	71	64	72	45	91

TABLE 5.—BIRTHS, STILLBIRTHS, AND STILLBIRTHS PER 100 LIVE BIRTHS, BY LEGITIMACY, IN THE TERRITORY OF HAWAII: 1932

RACE	BIRTHS			STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
All races.....	10,493	10,063	430	322	304	18	3.1	3.0	4.2
Hawaiian.....	415	360	55	19	19	—	4.6	5.3	—
Part Hawaiian.....	1,909	1,739	170	66	58	8	3.5	3.3	4.7
Caucasian-Hawaiian.....	828	748	80	38	35	3	4.6	4.7	3.8
Asiatic-Hawaiian.....	1,081	991	90	28	23	5	2.6	2.3	5.6
Caucasian.....	1,659	1,595	64	47	46	1	2.8	2.9	1.6
Portuguese.....	653	635	18	25	25	—	3.8	3.9	—
Puerto Rican.....	226	203	23	10	9	1	4.4	4.4	4.3
Other Caucasian.....	780	757	23	12	12	—	1.5	1.6	—
Chinese.....	584	568	16	8	8	—	1.4	1.4	—
Japanese.....	4,265	4,199	66	117	112	5	2.7	2.7	7.6
Korean.....	151	147	4	1	1	—	0.7	0.7	—
Filipino.....	1,476	1,426	50	59	56	3	4.0	3.9	6.0
All other.....	34	29	5	5	4	1	14.7	13.8	20.0

BIRTHS, STILLBIRTHS, AND INFANT MORTALITY: 1932

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE TERRITORY OF HAWAII: 1932

RACE OF CHILD AND AGE OF MOTHER	Total	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Unknown
All races.....	10,493	73	1,256	2,354	2,436	1,564	1,173	831	403	255	148
Age of mother:											
10 to 14 years.....	16	2	4	3							7
15 to 19 years.....	1,086	49	502	316	105	32	16	4	1		61
20 to 24 years.....	2,737	22	676	1,166	598	153	49	19	10	2	42
25 to 29 years.....	2,676		64	763	1,094	453	161	78	35	16	12
30 to 34 years.....	1,977		5	92	567	602	370	200	84	51	6
35 to 39 years.....	1,408		4	11	62	289	439	353	151	93	6
40 to 44 years.....	531		1	3	9	31	136	162	107	80	2
45 to 49 years.....	45				1	4	1	14	13	12	
50 to 54 years.....	4							1	2	1	
Unknown.....	13						1				12
Hawaiian.....	415	3	53	80	88	77	48	23	6	4	33
Age of mother:											
15 to 19 years.....	50		23	7	4	1	1				14
20 to 24 years.....	109	3	25	34	20	8	3				16
25 to 29 years.....	109		2	36	38	19	9				1
30 to 34 years.....	73		1	3	23	24	12	3	2	1	1
35 to 39 years.....	55		2	3	3	21	15	8	3	2	1
40 to 44 years.....	16					2	8	5	1		
45 to 49 years.....	2					2					
50 to 54 years.....	1							1			
Caucasian-Hawaiian.....	828	10	190	201	190	105	50	19	22	12	29
Age of mother:											
10 to 14 years.....	3		1								2
15 to 19 years.....	118	6	65	26	4	2					15
20 to 24 years.....	292	4	109	104	45	12	9	1	1	1	6
25 to 29 years.....	198		14	57	80	28	7	1	8		3
30 to 34 years.....	116		1	11	47	38	8	2	5	3	1
35 to 39 years.....	71			3	12	21	14	10	4	7	
40 to 44 years.....	27				2	4	12	5	3	1	
45 to 49 years.....	1							1			
60 to 54 years.....											
Unknown.....	2										2
Asiatic-Hawaiian.....	1,081	24	269	266	189	160	81	30	23	24	15
Age of mother:											
10 to 14 years.....	5		3	1							1
15 to 19 years.....	204	17	113	45	5	9	6	1			5
20 to 24 years.....	368	7	137	124	57	25	8	3	3		4
25 to 29 years.....	244		13	80	84	38	17	1	5	4	2
30 to 34 years.....	130		2	12	31	43	27	6	5	4	
35 to 39 years.....	83				9	34	16	13	3	8	
40 to 44 years.....	39		1	1	2	9	7	6	7	6	
45 to 49 years.....	5				1	2				2	
Unknown.....	3										3
Portuguese.....	653	8	154	164	125	89	57	34	10	6	6
Age of mother:											
15 to 19 years.....	87	7	60	13	3						4
20 to 24 years.....	233	1	88	98	30	11	3	1			1
25 to 29 years.....	149		5	47	62	21	4	6	2		2
30 to 34 years.....	91		1	6	28	40	12	4			
35 to 39 years.....	68				2	16	31	11	5	2	1
40 to 44 years.....	25					1	7	12	3	2	
Puerto Rican.....	226	2	52	68	20	28	21	18	10	5	2
Age of mother:											
15 to 19 years.....	45	2	26	10	3	1	1	1			1
20 to 24 years.....	68		21	28	8	6	3	1			1
25 to 29 years.....	61		5	27	7	11	5	4	1	1	
30 to 34 years.....	24			2	2	8	8	2	2		
35 to 39 years.....	12			1		1	4	4	2		
40 to 44 years.....	14					1	3	4	3	3	
45 to 49 years.....	1							1			
50 to 54 years.....	1								1		
Other Caucasian.....	780	2	112	249	214	125	43	14	6	6	9
Age of mother:											
15 to 19 years.....	82	2	42	19	11	2					6
20 to 24 years.....	270		60	129	55	16					2
25 to 29 years.....	233		9	88	92	32	7	1			
30 to 34 years.....	128			11	52	47	11	4	2		1
35 to 39 years.....	57		1	2	4	26	12	7	2	3	
40 to 44 years.....	10					2	4	2			
Chinese.....	584	5	51	107	146	121	29	37	34	45	9
Age of mother:											
10 to 14 years.....	1										1
15 to 19 years.....	43	4	17	11	6	2			1		2
20 to 24 years.....	141	1	32	49	40	10		1	3		5
25 to 29 years.....	154		2	45	62	34	2	5	2	3	1
30 to 34 years.....	140			4	35	56	12	8	0	18	
35 to 39 years.....	68				2	19	10	15	10	12	
40 to 44 years.....	31				1		5	6	7	12	
45 to 49 years.....	5							2	1	2	
50 to 54 years.....	1								1		

TABLE 6.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE TERRITORY OF HAWAII: 1932—Continued

RACE OF CHILD AND AGE OF MOTHER	Total	AGE OF FATHER									Unknown
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	
Japanese.....	4,285	10	255	839	962	521	708	562	247	137	24
Age of mother:											
15 to 19 years.....	253	5	96	108	29	3	5	1			6
20 to 24 years.....	915	5	152	472	237	24	11	5	2		7
25 to 29 years.....	998		7	234	450	168	87	38	8	3	3
30 to 34 years.....	920			23	226	230	237	138	44	19	3
35 to 39 years.....	814		1	2	17	87	294	253	105	54	2
40 to 44 years.....	332				3	9	72	116	77	54	1
45 to 49 years.....	29						1	11	10	7	
50 to 54 years.....	1								1		
Unknown.....	3						1				2
Korean.....	151		12	21	12	14	8	37	35	11	1
Age of mother:											
15 to 19 years.....	10		3	4		1	1				1
20 to 24 years.....	30		9	12	7	1		1			
25 to 29 years.....	31			5	1	5	2	11	7		
30 to 34 years.....	45				4	7	3	14	13	4	
35 to 39 years.....	28						1	10	13	4	
40 to 44 years.....	6						1	1	2	2	
45 to 49 years.....	1									1	
Filipino.....	1,476	9	104	346	486	317	126	57	9	5	17
Age of mother:											
10 to 14 years.....	7	2		2							3
15 to 19 years.....	186	6	58	67	39	10	1	1			6
20 to 24 years.....	301	1	40	111	98	40	7	4			
25 to 29 years.....	492		7	142	217	95	19	8	2		2
30 to 34 years.....	305			19	118	106	40	16	2	4	
35 to 39 years.....	149		1	3	13	63	42	22	3	1	1
40 to 44 years.....	30			2	1	3	17	5	2		
45 to 49 years.....	1							1			
Unknown.....	5										5
All other.....	34		4	13	4	7	2		1		3
Age of mother:											
15 to 19 years.....	8		1	3	1	1	1				1
20 to 24 years.....	10		3	5	1		1				
25 to 29 years.....	7			4	1	2					
30 to 34 years.....	5			1	1	3					
35 to 39 years.....	3					1			1		1
40 to 44 years.....	1					1					1

BIRTHS, STILLBIRTHS, AND INFANT MORTALITY: 1932

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1932

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 to 11 mos.										
										1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes.....	799	125	34	27	53	41	18	24	322	77	65	64	43	37	43	48	38	23	17	22
Measles (7).....	6															2		1	1	2
Diphtheria (10).....	5					1			1					2			1	1	1	
Influenza (11).....	5				1				1		1				1					
Erysipelas (15).....	2								1					1						
Epidemic cerebrospinal meningitis (18).....	2											1						1		
Tetanus (22).....	4				3			1	4											
Tuberculosis of the respiratory system (23).....	2																		1	1
Tuberculosis of the meninges, etc. (24).....	1				1				1											
Other forms of tuberculosis (25-32).....	2																			
Syphilis (34).....	8		2			1			3	1	1	2				1			1	
Convulsions (36).....	15				3		2	1	6	2	2	1	1		1		1	1		
Bronchitis (106).....	21				1		1	1	3	3	3	1	2		1					
Broncho-pneumonia (107).....	130			1	2	3	4	3	13	17	11	16	10	8	16	9	11	7	2	10
Lobar and unspecified pneumonia (108, 109).....	45									4	6	7	4	4	5	5	4	3	2	1
Diseases of the stomach (117, 118).....	1											1								
Diarrhea and enteritis (119).....	148		2	1	2	10	2	4	21	18	15	23	13	12	11	10	10	6	4	5
Intestinal obstruction (122b).....	3											1	1	1						
Congenital malformations (157).....	53	13	1	2	6	5		2	29	5	9	2	2	1	2	2	1			
Congenital debility, icterus, sclerema (158, 161 b, c).....	33	4	2	1	3	2		5	17	8	4	1						1	1	1
Premature birth (159).....	136	73	14	11	14	10	6	4	132	2	2									
Injury at birth (160).....	43	24	7	5	6	1			43											
Other diseases of early infancy (161 a, d).....	27	10	5	1	7	2			25	1	1			1	1					
External causes (172-193, 201-214).....	7			1					1	1	2		1	1						
Unknown or ill-defined diseases (199, 200).....	1	1							1											
All other causes.....	99		1	4	4	6	3	3	21	14	8	8	8	4	6	11	10	2	5	2

TABLE 8.—INFANT MORTALITY RATE (DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1929-1932

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	1929-1932				CAUSE OF DEATH	1929-1932			
	1932	1931	1930	1929		1932	1931	1930	1929
All causes.....	76.1	76.1	82.3	100.8	Lobar and unspecified pneumonia (108, 109).....	4.3	4.7	5.6	6.4
Measles (7).....	0.6	1.3	0.6	0.5	Diseases of the stomach (117, 118).....	0.1			0.4
Whooping cough (9).....		0.1	0.9	7.1	Diarrhea and enteritis (119).....	14.1	15.1	16.6	26.3
Diphtheria (10).....	0.4	0.1	0.3	0.4	Intestinal obstruction (122b).....	0.3	0.9	(3)	(4)
Influenza (11).....	0.4	0.6	1.1	0.9	Congenital malformations (157).....	5.1	5.4	3.3	3.7
Dysentery (13).....		0.3		0.1	Congenital debility, icterus, sclerema (158, 161 b, c).....	3.1	3.0	4.9	2.8
Erysipelas (15).....	0.2	0.2	3.6	0.3	Premature birth (159).....	13.0	14.6	12.0	13.9
Epidemic cerebrospinal meningitis (18).....	0.2	0.1	0.1		Injury at birth (160).....	4.1	4.0	3.2	3.9
Tetanus (22).....	0.4	0.6	0.3	0.4	Other diseases of early infancy (161 a, d).....	2.6	2.7	3.4	2.6
Tuberculosis of the respiratory system (23).....	0.2	0.2	0.6	0.4	External causes (172-193, 201-214).....	0.7	1.1	0.8	0.6
Tuberculosis of the meninges, etc. (24).....	0.1	0.2	0.6	0.3	Unknown or ill-defined diseases (199, 200).....	0.1		0.3	0.1
Other forms of tuberculosis (25-32).....	0.2		0.1	0.2	All other causes.....	9.4	7.6	7.6	12.1
Syphilis (34).....	0.8	1.3	1.2	0.8					
Convulsions (36).....	1.4	0.5	0.6	1.1					
Bronchitis (106).....	2.0	1.4	2.2	3.5					
Broncho-pneumonia (107).....	12.4	10.3	12.3	12.0					

* Included in "All other causes."

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION IN THE VIRGIN ISLANDS: 1930

AREA AND SEX	COLOR OR RACE				
	Total	White	Negro	Mixed	Other colored
Virgin Islands.....	22,012	2,010	17,243	2,719	40
Male.....	10,208	1,156	7,841	1,182	29
Female.....	11,804	854	9,402	1,537	11
St. Croix.....	11,413	414	9,592	1,386	21
Male.....	5,441	222	4,561	640	18
Female.....	5,972	192	5,081	746	3
St. John.....	765	18	653	94	—
Male.....	395	15	338	42	—
Female.....	370	3	315	52	—
St. Thomas.....	9,834	1,578	6,998	1,239	19
Male.....	4,372	919	2,942	500	11
Female.....	5,462	659	4,056	739	8

NOTE.—“Mixed” designates persons of mixed white and Negro blood.

TABLE 2.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX AND COLOR, IN THE VIRGIN ISLANDS: 1932

AREA, SEX, AND COLOR	Births ¹	Deaths ¹	Excess of births over deaths ²	Births per 100 deaths ³	DEATHS ¹ OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 births ¹	Number	Per 100 live births
Virgin Islands.....	553	454	99	122	74	133.8	32	5.8
Male.....	299	213	86	140	45	150.5	19	6.4
Female.....	254	241	13	105	29	114.2	13	5.1
White.....	23	13	10	(3)	1	43.5	—	—
Male.....	30	10	20	(3)	1	33.3	—	—
Female.....	276	196	80	141	44	159.4	19	6.9
Negro.....	224	227	-3	99	28	125.0	13	5.8
Male.....	3	3	—	—	—	—	—	—
Female.....	3	3	—	—	—	—	—	—
Mixed.....	1	1	—	—	—	—	—	—
Male.....	1	1	—	—	—	—	—	—
Female.....	1	1	—	—	—	—	—	—
Other colored.....	1	1	—	—	—	—	—	—
Male.....	1	1	—	—	—	—	—	—
Female.....	1	1	—	—	—	—	—	—
St. Croix.....	261	267	-6	98	41	157.1	18	6.9
Male.....	149	135	14	110	23	154.4	13	8.7
Female.....	112	132	-20	85	18	160.7	5	4.5
White.....	2	3	-1	(3)	—	—	—	—
Male.....	3	1	2	(3)	—	—	—	—
Female.....	147	129	18	114	23	158.5	13	8.8
Negro.....	109	129	-20	84	18	165.1	5	4.6
Male.....	2	2	—	—	—	—	—	—
Female.....	1	1	—	—	—	—	—	—
Mixed.....	1	1	—	—	—	—	—	—
Male.....	1	1	—	—	—	—	—	—
Female.....	1	1	—	—	—	—	—	—
Other colored.....	1	1	—	—	—	—	—	—
Male.....	1	1	—	—	—	—	—	—
Female.....	1	1	—	—	—	—	—	—
St. John.....	13	6	7	(3)	1	76.9	1	7.7
Male.....	9	2	7	(3)	—	—	—	—
Female.....	4	4	—	(3)	1	250.0	1	11.1
Negro.....	9	2	7	(3)	—	—	—	—
Male.....	4	4	—	(3)	1	250.0	1	11.1
Female.....	4	4	—	(3)	—	—	—	—
St. Thomas.....	279	181	98	154	32	114.7	13	4.7
Male.....	141	76	65	(3)	22	156.0	5	3.5
Female.....	138	105	33	131	10	72.5	8	5.8
White.....	21	10	11	(3)	1	47.6	—	—
Male.....	27	9	18	(3)	1	37.0	—	—
Female.....	120	65	55	(3)	21	175.0	5	4.2
Negro.....	111	94	17	(3)	9	81.1	8	7.2
Male.....	1	1	—	(3)	—	—	—	—
Female.....	2	2	—	(3)	—	—	—	—

¹ Exclusive of stillbirths.

² A minus sign (-) indicates an excess of deaths over births.

³ Figures not shown when the number of deaths is less than 100.

BIRTHS, STILLBIRTHS, AND INFANT MORTALITY: 1932

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, COLOR, AND MONTH, IN THE VIRGIN ISLANDS: 1932

AREA, SEX, AND COLOR	All births	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands.....	553	64	42	36	48	45	39	38	47	40	44	49	61
Male.....	299	40	25	17	21	20	15	19	29	21	23	30	39
Female.....	254	24	17	19	27	25	24	19	18	19	21	19	22
White.....	23	2	4	2	1	1	2	2	1	2	3	4	2
Male.....	30	2	2	3	3	5	2	2	1	2	5	1	2
Female.....	276	38	21	15	20	19	13	17	29	21	20	26	37
Negro.....	224	22	15	16	24	20	22	17	17	17	16	18	20
St. Croix.....	261	38	15	14	20	16	18	21	29	18	19	22	31
Male.....	149	25	8	7	10	7	5	14	20	10	9	15	19
Female.....	112	13	7	7	10	9	13	7	9	8	10	7	12
White.....	2						1						1
Male.....	3								1		2		
Female.....	147	25	8	7	10	7	4	14	20	10	9	15	18
Negro.....	109	13	7	7	10	9	13	7	8	8	8	7	12
St. John.....	13	2			1	2	1		2		1	2	2
Male.....	9	2				2					1	1	
Female.....	4				1				2			1	2
Negro.....	9	2				2	1		2		1	1	2
Male.....	4				1							1	
Female.....	279	24	27	22	27	27	20	17	16	22	24	25	28
Male.....	141	13	17	10	11	11	9	5	7	11	13	14	20
Female.....	138	11	10	12	16	16	11	12	9	11	11	11	8
White.....	21	2	4	2	1	1	1	2			3	4	1
Male.....	27	2	2	3	3	5	2	2		2	3	1	2
Female.....	120	11	13	8	10	10	8	3	7	11	10	10	19
Negro.....	111	9	8	9	13	11	9	10	9	9	8	10	6

TABLE 4.—BIRTHS, STILLBIRTHS, AND STILLBIRTHS PER 100 LIVE BIRTHS, BY LEGITIMACY, IN THE VIRGIN ISLANDS: 1932

AREA AND COLOR	BIRTHS			STILLBIRTHS			STILLBIRTHS PER 100 LIVE BIRTHS		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Virgin Islands.....	553	225	328	32	10	22	5.8	4.4	6.7
White.....	53	51	2						
Negro.....	500	174	326	32	10	22	6.4	5.7	6.7
St. Croix.....	261	93	168	18	5	13	6.9	5.4	7.7
White.....	5	5							
Negro.....	256	88	168	18	5	13	7.0	5.7	7.7
St. John.....	13	8	5	1		1	7.7		20.0
Negro.....	13	8	5	1		1	7.7		20.0
St. Thomas.....	279	124	155	13	5	8	4.7	4.0	5.2
White.....	48	46	2						
Negro.....	231	78	153	13	5	8	5.6	6.4	5.2

TABLE 5.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY COLOR, AND AGE OF MOTHER BY AGE OF FATHER, IN THE VIRGIN ISLANDS: 1932

COLOR OF CHILD, AND AGE OF MOTHER	AGE OF FATHER										
	All ages	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Unknown
All births.....	553	14	87	85	80	51	42	33	27	8	126
Age of mother:											
15 to 19 years.....	113	12	40	14	5	4	1	2	2	1	36
20 to 24 years.....	146	2	35	40	16	4	2	3	4	1	39
25 to 29 years.....	103		8	20	25	9	6	4	1	1	32
30 to 34 years.....	95		3	10	26	21	6	9	5	3	12
35 to 39 years.....	76			1	7	17	23	12	9	1	6
40 to 44 years.....	16		1		1		4	3	5	1	1
45 to 49 years.....	1								1		
White.....	53		5	12	16	11	5	1	3		
Age of mother:											
15 to 19 years.....	4			2	1				1		
20 to 24 years.....	10		4	4	2						
25 to 29 years.....	10			1	5	2	2				
30 to 34 years.....	18		1	4	8	5					
35 to 39 years.....	11			1	4	4	3	1	2		
Negro.....	500	14	82	73	64	40	37	32	24	8	126
Age of mother:											
15 to 19 years.....	109	12	40	12	4		1	2	1	1	36
20 to 24 years.....	136	2	31	36	14	4	2	3	4	1	39
25 to 29 years.....	96		8	19	20	7	4	4	1	1	32
30 to 34 years.....	77		2	6	18	16	6	9	5	3	12
35 to 39 years.....	65				7	13	20	11	7	1	6
40 to 44 years.....	16		1		1		4	3	5	1	1
45 to 49 years.....	1								1		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE VIRGIN ISLANDS: 1932

CAUSE OF DEATH	Under 1 year	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 weeks	3 weeks	Under 1 mo.	1	2	3	4	5	6	7	8	9	10	11
										mo.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.	mos.
All causes.....	74	12	4	3	9	4		1	33	6	8	9	1	6	4	1		1	3	2
Whooping cough (9).....	4									1		1		1		1				
Syphilis (34).....	1		1						1											
Convulsions (86).....	1				1															
Bronchitis (106).....	6									1	1	2		2						
Broncho-pneumonia (107).....	5										2	1		1					1	
Lobar and unspecified pneumonia (108, 109).....	2									1									1	
Diarrhea and enteritis (119).....	15				1	1			2	2	2	3		1	2			1	1	2
Congenital malformations (157).....	3			1	2				3											
Congenital debility, icterus, sclerema (158, 161 b, c).....	4										1	1			1				1	
Premature birth (159).....	16	8	2		2	2		1	15		1									
Injury at birth (160).....	1	1							1											
Other diseases of early infancy (161 a, d).....	6	2	1	1	2				6											
Unknown or ill-defined diseases (199, 200).....	5	1		1	1				3		1	1								
All other causes.....	5					1			1	1			1	1	1					

BIRTHS, STILLBIRTHS, AND INFANT MORTALITY: 1932

TABLE 7.—INFANT MORTALITY RATE (DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FROM IMPORTANT CAUSES IN THE VIRGIN ISLANDS: 1924-32.

[Numbers after causes of death correspond to those of the detailed International List]

CAUSE OF DEATH	1932	1931	1930	1929	1928	1927	1926	1925	1924
All causes.....	133.8	119.2	119.9	145.2	214.9	210.2	119.3	142.0	178.5
Whooping-cough (9).....	7.2				16.0				
Dysentery (13).....					5.3	1.8	3.3	9.5	3.0
Tetanus (22).....						1.8	3.3		1.5
Tuberculosis of the respiratory system (23).....		2.1							
Syphilis (34).....	1.8	6.3	3.4		7.1	14.6	1.6	4.7	3.0
Convulsions (36).....	1.8				1.8	1.8		1.6	1.5
Bronchitis (106).....	10.8		3.4	4.0	3.6	3.7	4.9	1.6	4.5
Broncho-pneumonia (107).....	9.0	16.7	5.1	18.1	32.0	23.8	24.5	30.0	25.7
Lobar and unspecified pneumonia (108, 109).....	3.6	2.1		2.0	1.8	1.8	1.6	1.6	1.5
Diseases of the stomach (117, 118).....							1.6	1.6	
Diarrhea and enteritis (119).....	27.1	39.7	65.9	52.4	79.9	64.0	14.7	33.1	42.4
Congenital malformations (157).....	5.4		5.1	6.0	1.8	7.3	8.2	1.6	4.5
Congenital debility, icterus, sclerema ¹ (158, 161 b, c).....	7.2	12.6	1.7	8.1	17.8	21.9	14.7	12.6	33.3
Premature birth (159).....	28.9	18.8	16.9	20.2	19.5	29.3	24.5	17.4	33.3
Injury at birth (160).....	1.8	2.1	8.4	4.0	5.3	3.7	1.6	3.2	3.0
Other diseases of early infancy (161 a, d).....	10.8	6.3	1.7	14.1	7.1	12.8	4.9	7.9	4.5
External causes ² (172-198, 201-214).....		2.1			5.3	3.7	3.3	3.2	3.0
Unknown or ill-defined diseases (199, 200).....	9.0	8.4	5.1	2.0	3.6	7.3		11.0	9.1
All other causes.....	9.0	2.1	3.4	14.1	7.1	11.0	6.5	1.6	4.5

¹ Includes lack of care, desertion, etc., previous to 1930.² Excludes lack of care, desertion, etc., previous to 1930.

TABLE 8.—BIRTHS, DEATHS, AND STILLBIRTHS IN THE VIRGIN ISLANDS: 1924-32

CALENDAR YEAR AND SEX	BIRTHS ¹				ALL DEATHS ¹				DEATHS ¹ UNDER 1 YEAR				STILLBIRTHS			
	White	Negro	Mixed	Other colored	White	Negro	Mixed	Other colored	White	Negro	Mixed	Other colored	White	Negro	Mixed	Other colored
1932																
Total.....	53	500			23	423	6	2	2	72				32		
Male.....	23	276			13	196	3	1	1	44				19		
Female.....	30	224			10	227	3	1	1	28				13		
1931																
Total.....	54	423		1	32	417			7	50			3	34		
Male.....	23	205			20	200			5	25			1	18		
Female.....	31	218		1	12	217			2	25			2	16		
1930																
Total.....	73	517		2	28	452		4	4	67				45		
Male.....	41	253		1	15	214		4	1	34				26		
Female.....	32	264		1	13	238			3	33				19		
1929																
Total.....	54	441	1		35	496	1	1	4	68			1	42		
Male.....	33	228			17	238	1	1	2	40			1	27		
Female.....	21	213	1		18	258			2	28				15		
1928																
Total.....	74	487	2		37	615		1	8	113			2	42	2	
Male.....	35	231	1		16	290		1	5	58			1	24	2	
Female.....	39	256	1		21	325			3	55			1	18		
1927																
Total.....	41	506			43	551			4	111				53		
Male.....	25	243			23	265			4	69				29		
Female.....	16	263			20	286				42				24		
1926																
Total.....	53	538	19	2	29	469		1	1	72			1	55		
Male.....	27	262	11		17	223		1		35			1	26		
Female.....	26	276	8	2	12	246			1	37				29		
1925																
Total.....	60	493	79	2	27	473		1	3	87			2	52	6	
Male.....	28	235	43	1	14	225		1	1	46			2	32	1	
Female.....	32	258	36	1	13	248			2	41				20	5	
1924																
Total.....	59	507	95		31	496	74		12	96	10		4	65	5	
Male.....	29	240	50		12	245	27		4	47	6		4	36	4	
Female.....	30	267	45		19	251	47		8	49	4			29	1	

¹ Exclusive of stillbirths.

NOTE.—“Mixed” designates persons of mixed white and Negro blood.