U. S. DEPARTMENT OF COMMERCE
JESSE H. JONES
SECRETARY

BUREAU OF THE CENSUS
J. C. CAPT, DIRECTOR
PHILIP M. HAUSER, ASSISTANT DIRECTOR

VITAL STATISTICS OF THE UNITED STATES

1941

PART I

NATALITY AND MORTALITY DATA FOR THE UNITED STATES
TABULATED BY PLACE OF OCCURRENCE WITH
SUPPLEMENTAL TABLES FOR HAWAII
AND PUERTO RICO

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief Statistician for Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1943

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C.

$1 25

Pages 17-35 inc.

CONTENTS

INTRODUCTION

	Page
Comparability of classification	1
Changing composition of the registration areas	1
Geographic classification	2
Classification by race	2
International List of Causes of Death	3
Nativity classification	3
Qualifying factors in interpretation and use of data	3
Age, sex, and race	4
Population estimates	4
Place of residence	4
Completeness of registration	4
Interpretation of cause-of-death statistics	5
New Standard Certificate—Medical Certification	6
Old Standard Certificate—Medical Certificate of Death	6
Natality statistics	6
Birth-rate trend	6
Crude birth rates by State	7
Birth rates by month	8
Age of parents	8
Age, race, and nativity of mother	9
Natality statistics—Continued	
Plural births	9
Average number of children	9
Illegitimate births	10
Reporting of stillbirths	11
Illegitimate stillbirths	11
Mortality statistics	12
Death-rate trend	12
Crude death rates by State	13
Death rates by age, race, and sex	13
Death rates by month	13
Death-rate trend for selected causes of death	13
Death rates for selected causes of death, by age	15
Infant mortality statistics	16
Trend of infant mortality rate	16
Infant mortality by State	16
Infant death rates by age	16
Infant mortality by month	17
Infant death rates by cause of death	18

SUMMARY AND RATE TABLES

Table I.—Population, number of births and deaths, and crude rates: the registration States, United States, 1900-1941 20

Table II.—Enumerated population by cities and rural areas, and by race: United States and each State, April 1, 1940 29

Table III.—Enumerated population by age, race, and sex: United States, April 1, 1940 21

Table IV.—Population: United States and each State, 1930-1940 22

Table V.—Population, number of births and deaths, and crude rates: specified countries, 1939 23

Table VI.—Population, number of births and deaths, and crude rates: specified countries and selected years 25

Table VII.—Crude birth rates (number of live births per 1,000 population): United States, each division, and State, 1917-1941 27

Table VIII.—Crude stillbirth ratios (number of stillbirths per 1,000 live births): United States, each division and State, 1922-1941 25

Table IX.—Crude death rates (number of deaths per 1,000 population): United States, each division and State, 1917-1941 26

Table X.—Infant mortality rates (number of deaths under 1 year of age per 1,000 live births): United States, each division and State, 1917-1941 27

Table XI.—Deaths from each cause and crude death rates: United States, 1940 and 1941 28

Table XII.—Crude death rates (number of deaths per 100,000 population) for selected causes of death: United States, each division and State, 1941 34

Table XIII.—Births, deaths, infant mortality, and stillbirths: United States, 1941 36

Section A.—Cities having populations of 10,000 or more in 1940, cities having populations of 2,500 to 10,000 in 1940, and rural districts, in the United States and each State 36

Section B.—Each county (including cities having populations of 10,000 or more in 1940) 39

GENERAL NATALITY AND MORTALITY TABLES

Live Births

Table 1.—Live births by month and by population-size groups: United States and each State, 1941 85

Table 2.—Live births by race, parent nativity of white, and population-size groups: United States and each State, 1941 88

Table 3.—Cases of plural births classified by number of children born alive and stillborn, and by race and sex: United States and each State, 1941 92

CONTENTS

GENERAL NATALITY AND MORTALITY TABLES—Continued

Stillbirths

Page

Table 4.—Stillbirths by month and by population-size groups: United States and each State, 1941---------- 96

Table 5.—Stillbirths by race, parent nativity of white, and population-size groups: United States and each State, 1941---------- 99

Table 6.—Stillbirths by number and sex of child, age of mother, and race, and for white by nativity of mother: United States, 1941------- 103

Total Deaths

Table 7.—Deaths from selected causes, by month: United States, 1941---------- 105

Table 8.—Deaths from each cause, by age, race, and sex: United States, 1941---------- 106

Table 9.—Deaths from each cause, by race and sex: United States and each State, 1941---------- 150

Table 10.—Deaths from each cause, by specified race and by sex: United States, 1941---------- 214

SUPPLEMENT

Hawaii---------- 223,224

Puerto Rico---------- 223,237

SYMBOLS USED IN THIS REPORT

Class or item not applicable (three dots)----------	...
Data not available (series of leaders)----------	-----
Quantity is zero, in frequency tables (one dash)----------	-
Quantity is zero, in rate (or percent) tables (one cipher)----------	0
If rate (or percent) is more than 0 but less than 0.05----------	0.0
If both frequency and population base are zero in rate (or percent) tables (one dash)-	-

If the population is reported to be zero, but one or more births (or deaths) are reported, a footnote "Rate not computed" is used.

VITAL STATISTICS OF THE UNITED STATES

PART 1. GEOGRAPHIC CLASSIFICATION BY PLACE OF OCCURRENCE

Introduction

This volume—Vital Statistics of the United States, Part I—contains official statistical tabulations of natality and mortality data for the calendar year 1941. Tables are presented giving detailed statistics of live births, stillbirths, total deaths, and infant deaths in continental United States. Supplementary tabulations for the Territory of Hawaii and for Puerto Rico are also included. The natality data are classified by geographic area, race of child, nativity of parents, month, et cetera. Mortality data are classified by geographic area, cause of death, age, race, sex, month, et cetera. The geographic classification in this report refers to the place of birth or death, irrespective of the usual place of residence of the mother of the child, or the usual place of residence of the decedent. All of the tabulations are derived from transcripts of the original birth and death certificates that are received from registration officials of States and cities, and of the outlying territory and possession of the United States.

The present volume continues the new series of annual publications begun in 1937. It presents natality and mortality data based upon place of occurrence of the live birth, stillbirth, or death. Data compiled on a residence basis are published in a second volume entitled "Vital Statistics of the United States, Part II."

This volume was prepared under the direction of Dr. Halbert L. Dunn, Chief Statistician for Vital Statistics, and Dr. Forrest E. Linder, Assistant Chief Statistician for Vital Statistics. Tabulations and introductory material were prepared under the immediate supervision of Dr. Robert D. Grove, Social Science Analyst, and Dr. Iwao M. Moriyama, Associate Biometrician.

COMPARABILITY OF CLASSIFICATION

Changing composition of the registration areas.—The first vital statistics published by the Federal Government related to 1850 and were for the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the interval between the occurrence of a birth or a death and the census enumeration, these reports were inaccurate and incomplete. In 1880, however, the Bureau of the Census established a national "registration area" for deaths because, by that time, some of the States had efficient systems for the registration of vital statistics. This original area consisted of only two States—Massachusetts and New Jersey—the District of Columbia, and several large cities, but by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, and both birth and death figures for the entire country were compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain, annually, copies of records filed in the vital statistics offices of those States and cities having adequate death-registration systems. At that time, however, not all of the States had enacted laws requiring the registration of births and deaths, and in many States the existing laws were poorly enforced. The important dates in the historical development of vital statistics in the various States and the year in which each State was admitted to the national registration areas are given in table A.

TABLE A.—IMPORTANT DATES IN THE HISTORY OF BIRTH AND DEATH REGISTRATION: UNITED STATES

STATE	FIRST STATE REGISTRATION LAW ENACTED		ENACTMENT OF PRESENT LAW (MODEL OR CONFORMING TO MODEL LAW)	RECORDS ON FILE FOR ENTIRE STATE		ADMITTED TO REGISTRATION AREA	
	Deaths	Births	Deaths and births	Deaths	Births	Deaths	Births
Alabama	1881	1881	1919	1908	1908	1925	1927
Arizona	1909	1909	1909	1909	1909	1926	1926
Arkansas	1881	1881	1913	1914	1914	1927	1927
California	1858	1877	1915	1905	1905	1906	1919
Colorado	1876	1876	1907	1907	1907	1906	1928
Connecticut	1852	1852	1905	1897	1897	1890	1915
Delaware	1861	1861	1913	1881	1881	1919	1921
District of Columbia	1874	1871	1907	1855	1871	1880	1915
Florida	1899	1899	1915	1877	1865	1919	1924
Georgia	1875	1823	1927	1919	1919	1928	1928
Idaho	1907	1907	1911	1911	1911	1922	1926
Illinois	1877	1877	1915	1916	1916	1918	1922
Indiana	1881	1907	1913	1900	1907	1900	1917
Iowa	1880	1880	1921	1880	1880	1923	1924
Kansas	1885	1885	1911	1911	1911	1914	1917
Kentucky	1851	1851	1911	1911	1911	1911	1917
Louisiana	1855	1855	1918	1889	1870	1918	1927
Maine	1821	1821	1892	1892	1892	1900	1915
Maryland	1880	1880	1912	1898	1898	1906	1916
Massachusetts	1840	1840	1903	1850	1850	1880	1915
Michigan	1867	1867	1925	1867	1867	1900	1915
Minnesota	1870	1870	1907	1900	1900	1910	1915
Mississippi	1878	1878	1912	1912	1912	1919	1921
Missouri	1891	1891	1909	1910	1910	1911	1927
Montana	1895	1895	1907	1907	1907	1910	1922
Nebraska	1905	1905	1927	1905	1905	1920	1920
Nevada	1911	1911	1929	1911	1911	1929	1929
New Hampshire	1850	1850	1891	1881	1881	1890	1915
New Jersey	1848	1848	1920	1848	1848	1880	1921
New Mexico	1907	1907	1929	1919	1919	1929	1929
New York	1847	1847	1913	1880	1880	1890	1915
North Carolina	1877	1877	1913	1914	1914	1916	1917
North Dakota	1899	1899	1907	1908	1908	1924	1924
Ohio	1867	1867	1908	1909	1909	1909	1917
Oklahoma	1907	1907	1917	1917	1917	1928	1928
Oregon	1903	1903	1915	1903	1903	1918	1919
Pennsylvania	1851	1851	1905	1906	1906	1906	1915
Rhode Island	1850	1850	1911	1852	1852	1890	1921
South Carolina	1878	1878	1914	1915	1915	1916	1928
South Dakota	1905	1905	1931	1905	1905	1930	1932
Tennessee	1881	1881	1913	1914	1914	1917	1927
Texas	1873	1873	1927	1903	1903	1933	1933
Utah	1898	1898	1905	1905	1905	1910	1917
Vermont	1856	1856	1906	1857	1857	1890	1915
Virginia	1853	1853	1912	1912	1912	1913	1917
Washington	1891	1891	1907	1907	1907	1908	1917
West Virginia	1866	1866	1921	1917	1917	1925	1925
Wisconsin	1852	1852	1907	1850	1840	1908	1917
Wyoming	1907	1907	1907	1909	1909	1922	1922

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities in the nonregistration States. The registration area in 1900 included 40.5 percent of the population of continental United States, and the population composition of this area was predominantly urban. Another important characteristic of this original registration area was the high proportion of white persons residing in the more industrialized sections of the country. Excluding cities in the nonregistration States, the population coverage of the death-registration States was much lower and represented 26.2 percent of the total population of the United States.

The gradual increase in number of both the death- and the birth-registration States is shown in table B, which presents for each year the estimated midyear population of the whole United States and the estimated midyear population and the number of States included in the registration system. Attention should be called to the difference between the data presented in the 1940 and 1941 reports and those published in the previous annual volumes. Prior to 1940, most of the national data

published by the Bureau of the Census related to the registration areas, but in that year the statistical series for the United States prior to the completion of the registration system was shifted from the registration area to the registration States basis. The reason for this change will be discussed later in greater detail. This change in population base, however, does not affect the natality statistics since the birth-registration area did not, at any time, include cities in the nonregistration States.

TABLE B.—GROWTH OF THE VITAL STATISTICS REGISTRATION AREAS: UNITED STATES

YEAR	Estimated midyear population of continental United States	DEATH-REGISTRATION STATES			BIRTH-REGISTRATION STATES		
		Number of States	Estimated midyear population		Number of States	Estimated midyear population	
			Number	Percent of total		Number	Percent of total
1941	133,217,064	48	133,217,064	100.0	48	133,217,064	100.0
1940	131,970,224	48	131,970,224	100.0	48	131,970,224	100.0
1939	130,879,718	48	130,879,718	100.0	48	130,879,718	100.0
1938	129,824,939	48	129,824,939	100.0	48	129,824,939	100.0
1937	128,824,829	48	128,824,829	100.0	48	128,824,829	100.0
1936	128,053,180	48	128,053,180	100.0	48	128,053,180	100.0
1935	127,250,232	48	127,250,232	100.0	48	127,250,232	100.0
1934	126,373,773	48	126,373,773	100.0	48	126,373,773	100.0
1933	125,578,763	48	125,578,763	100.0	48	125,578,763	100.0
1932	124,840,471	47	118,903,899	95.2	47	118,903,899	95.2
1931	124,039,648	47	118,148,987	95.3	46	117,455,229	94.7
1930	123,076,741	47	117,238,278	95.3	46	116,544,946	94.7
1929	121,769,939	46	115,317,450	94.7	46	115,317,450	94.7
1928	120,501,115	44	113,636,160	94.3	44	113,636,160	94.3
1927	119,038,062	42	107,084,532	90.0	40	104,320,830	87.6
1926	117,399,225	41	103,822,683	88.4	35	90,400,590	77.0
1925	115,831,963	40	102,031,555	88.1	33	88,294,564	76.2
1924	114,113,463	39	99,318,098	87.0	33	87,000,295	76.2
1923	111,949,945	38	96,788,197	86.5	30	81,072,125	72.4
1922	110,054,778	37	92,702,901	84.2	30	79,560,746	72.3
1921	108,541,489	34	87,814,447	80.9	27	70,807,090	65.2
1920	106,466,420	34	86,079,263	80.9	23	63,597,307	59.7
1919	104,512,110	33	83,157,982	79.6	22	61,212,076	58.6
1918	103,202,801	30	79,008,412	76.6	20	55,153,782	53.4
1917	103,265,913	27	70,234,775	68.0	20	55,197,952	53.5
1916	101,965,984	26	66,971,177	65.7	11	32,944,013	32.3
1915	100,549,013	24	61,894,847	61.6	10	31,096,697	30.9
1914	99,117,587	24	60,963,309	61.5			
1913	97,226,814	23	58,156,740	59.8			
1912	95,331,300	22	54,847,700	57.5			
1911	93,867,814	22	53,929,644	57.5			
1910	92,406,536	20	47,470,457	51.4			
1909	90,491,525	18	44,223,513	48.9			
1908	88,708,976	17	38,634,759	43.6			
1907	87,000,271	15	34,552,837	39.7			
1906	85,436,556	15	33,782,288	39.5			
1905	83,819,666	10	21,767,980	26.0			
1904	82,164,974	10	21,332,076	26.0			
1903	80,632,152	10	20,943,222	26.0			
1902	79,160,196	10	20,582,907	26.0			
1901	77,585,128	10	20,237,453	26.1			
1900	76,094,134	10	19,965,446	26.2			
1890	[1] 62,947,714	8	[1] 19,659,440	31.2			
1880	[1] 50,155,783	2	[1] 8,538,366	17.0			

[1] Population enumerated in the Federal census of May 31.

NOTE.—In every year the District of Columbia was in both areas, but is not included in the "number of States."

Inasmuch as it is more difficult to obtain accurate and complete registration of births than of deaths, the national birth-registration area was not established until 1915. For this reason no birth statistics were published by the Bureau of the Census from 1900 to 1914. The original birth-registration area of 1915 consisted of 10 States and the District of Columbia, but other States were gradually added in the years following. The growth of this area is indicated also in tables A and B.

In 1933, for the first time, both the birth- and death-registration areas included all States, and since that year the annual publications have included data for the entire United States.

The change in areas for which data have been collected and tabulated makes it impossible to obtain a national series of geographically comparable data prior to 1933. However, rates for the expanding registration States are approximations to complete national rates, and general comparisons over a long period of years can be made. More exact trends for parts of the United States can be secured by use of some constant area, such as the original registration States, or the registration States of 1920. The annual crude birth, stillbirth, and death rates for the registration States are given in table I, and crude rates for the geographic divisions and for the individual States are shown in tables VII, VIII, IX, and X.

Geographic classification.— The geographic code[1] used in the tabulation of data published in this report gives a separate identifying number to each city having a population of 10,000 or more in 1940, and to certain towns, townships, and districts which are classified as urban under special rules. The places classified as urban under special rules are of two types. One type is limited to the States of New Hampshire, Massachusetts, and Rhode Island. It is made up of towns (townships) in which there is a village or thickly settled area having more than 2,500 inhabitants and comprising, either by itself or when combined with other villages within the same town, more than 50 percent of the total population of the town. In this report, only those towns which have 10,000 inhabitants or more are shown. A second type is made up of townships and other political subdivisions (not incorporated as municipalities, nor containing areas so incorporated) with a total population of 10,000 or more and a population density of 1,000 or more per square mile. The code also gives a separate number to each county, exclusive of these cities or other urban places. Although villages and cities having populations of less than 10,000 are not individually identified, each county is divided into two parts, one consisting of urban places of 2,500 to 10,000, and another consisting of the remainder of the county. In the 1941 reports some of the tables containing classifications by size-of-population groups show cities of 10,000 or more, cities of 2,500 to 10,000, and rural. However, most of the tables give a more detailed classification, namely, cities having populations of 100,000 or more; cities of 25,000 to 100,000; cities of 10,000 to 25,000; cities of 2,500 to 10,000; and rural. This finer classification is given where feasible in order to break the heterogeneity of large population groupings. The classification of cities used in the 1941 tabulations was based on their population enumerated in the 1940 census, as of April 1.

Prior to 1930 the annual vital statistics data were tabulated in two groups—urban and rural. In this classification the urban group included all cities of 10,000 inhabitants or more and a few densely populated towns and townships. The rural group included all remaining areas. Under the definitions used for the 1910, 1920, 1930, and 1940 population censuses, "Urban" included all cities with populations in excess of 2,500, and "Rural" included the remaining areas. To give annual vital statistics data that could be more closely related to the population census, it was necessary, therefore, to divide into two groups the group previously defined as rural in vital statistics. Thus, by combining the areas of 2,500 to 10,000 with the urban, figures could be obtained that were comparable with those of the 1930 and 1940 population censuses. Also, by combining the areas of 2,500 to 10,000 with the rural, figures could likewise be obtained that were comparable with the rural as given in the vital statistics reports prior to 1930.

Most natality and mortality tables published since 1930 show at least a three-way population classification: Cities in excess of 10,000, cities of 2,500 to 10,000, and rural; but some tables show the simple classifications "Urban" and "Rural." In these instances, where the dichotomous classification is shown, the "Rural" includes all areas except cities of 10,000 or more. In the present volume the terms "Urban" and "Rural" are avoided, and the table headings indicate the composition of each population group.

Classification by race.—The detailed racial classification given in this volume shows births and deaths classified by white, Negro, Indian, Chinese, Japanese, and a residual group of numerically minor races. In most tables such an extended classification is not justified and the racial divisions are "White," "Negro," and "Other races." In tables where the main purpose is to isolate the major group, the classifications are simply "White" and "All other."

[1] U. S. Bureau of the Census. "Instruction Manual. Part IA, Geographic Code." Geographic classification used in coding and tabulating vital statistics data. 1941 edition. 182 pp.

International List of Causes of Death.—The data in the mortality reports published by the Bureau of the Census are tabulated according to the numbers and titles of the detailed International List of Causes of Death. The International List is revised decennially in order that the terminology by which deaths are classified may be consistent with advances in medical science and changes in diagnostic practice. The tabulations for 1941 are classified according to the fifth revision of the International List of Causes of Death adopted by the International Commission, which met in Paris in October 1938. Complete titles of this list, with the official numbers and subdivisions, are given in the stub of table XI.

The fifth revision of the International List as adopted by the conference in 1938 conforms in many respects to the fourth revision adopted in 1929. Among the changes made in the list,[2] as adopted for use in the United States, the following seem to be of particular interest:

1. The titles included in the "Infectious and parasitic diseases" group have been arranged upon an etiological basis according to the organisms involved.
2. Title 13 (Tuberculosis of the respiratory system) has been divided so as to show separately deaths reported as involving occupational diseases of the lungs.
3. Numerous subdivisions have been added in the "Cancer and other tumors" group.
4. Title 58 (Acute rheumatic fever) and titles 90, 91, 92, 93, and 95 (Diseases of the heart) have been subdivided so as to provide separate information relating to the total number of deaths involving rheumatic affections of the heart.
5. Locomotor ataxia (tabes dorsalis), general paralysis of the insane, aneurysm of the aorta, and other diseases of syphilitic origin have been made subdivisions under title 30 (Syphilis).
6. Title 131 (Chronic nephritis) has been divided into two parts to show deaths for which arteriosclerotic conditions are reported in conjunction with chronic nephritis.
7. Numerous subdivisions have been created in titles 140-150 (Diseases of pregnancy, childbirth, and the puerperium). A major change introduced was to show whether the maternal death occurred before or after delivery.
8. Title 157 (Congenital malformations) has been subdivided into nine parts to indicate in more detail the various anatomical systems or parts of the body involved.
9. In the group, "Diseases peculiar to the first year of life," titles 160 and 161 have been limited to deaths under 1 year of age, instead of under 3 months of age as in the 1929 list.

In some tables it was necessary, because of space limitations, to abbreviate cause-of-death titles or to indicate the composition of groups of causes by giving only the list numbers. In such cases, reference may be made to table XI or to the 1938 revision of the Manual of the International List of Causes of Death for the complete titles. The manual gives, also, the main diseases or conditions included under each title.

Nativity classification.—Early mortality reports published by the Bureau of the Census contained extensive tables showing nativity of the parents as well as nativity of the decedent, but the publication of these tables was discontinued in 1933. In the reports on birth statistics prior to 1937 more emphasis was placed upon country of birth of parents. Detailed tables showing specific country of birth of mother and specific country of birth of father, as well as more abridged classifications, have been published for each year through 1936. These data have been of historical importance in tracing the changing composition of the population of the United States. In recent years, however, the number of births to foreign-born parents has become a relatively small proportion of the total. Accordingly, since 1937, tables showing nativity of parents for births have been eliminated or revised. A continued decrease in the proportion of births to foreign-born parents will justify decreased emphasis on this classification in future volumes.

Table C shows the total number of births of white children in the expanding birth-registration area for each year beginning with 1915, and the percent of these having one or both parents of foreign birth. The same data are given for the 10 original birth-registration States. For this original registration area, white births of foreign or mixed parentage were 53.0 percent of all white births in 1915, whereas in 1941 this group comprised only 15.2 percent of the total. For the whole United States in 1941, white births of foreign or mixed parentage were only 8.8 percent of the total white births.

[2] For a more detailed comparison of the 1929 and 1938 International Lists, see U. S. Bureau of the Census, "Manual of the International List of Causes of Death (fifth revision) and Joint Causes of Death (fourth edition)," pp. 47-51. 1940.

TABLE C.—WHITE LIVE BIRTHS OF FOREIGN PARENTAGE: EXPANDING AND ORIGINAL BIRTH-REGISTRATION AREAS, UNITED STATES

YEAR	EXPANDING BIRTH-REGISTRATION AREA			ORIGINAL BIRTH-REGISTRATION AREA.[1]		
	Total white live births	One or both parents foreign-born		Total white live births	One or both parents foreign-born	
		Number	Percent of total		Number	Percent of total
1941	2,204,903	193,837	8.8	662,941	100,708	15.2
1940	2,067,953	196,444	9.5	620,898	102,547	16.5
1939	1,982,671	202,573	10.2	594,237	105,554	17.8
1938	2,005,955	220,286	11.0	611,915	117,413	19.2
1937	1,928,437	230,361	11.9	595,225	124,447	20.9
1936	1,881,883	241,647	12.8	587,359	131,589	22.4
1935	1,888,012	259,613	13.8	589,409	141,957	24.1
1934	1,866,231	255,643	13.7	587,024	152,717	26.0
1933	1,794,946	267,426	14.9	578,841	161,375	27.9
1932	1,805,155	296,124	16.4	616,299	183,344	29.7
1931	1,848,293	330,772	17.9	641,636	204,288	31.8
1930	1,946,841	384,982	19.8	678,387	229,482	33.8
1929	1,924,475	407,022	21.1	678,482	241,070	35.5
1928	1,982,246	434,789	21.9	705,001	260,067	36.9
1927	1,925,585	458,088	23.8	726,931	277,949	38.2
1926	1,707,034	465,746	27.3	723,449	285,047	39.4
1925	1,751,669	487,707	28.2	746,083	303,025	40.6
1924	1,762,872	514,452	29.2	768,364	321,777	41.9
1923	1,644,034	501,124	30.5	752,860	323,070	42.9
1922	1,629,387	510,167	31.3	750,806	329,573	43.9
1921	1,565,446	496,815	31.7	789,173	352,443	44.7
1920	1,395,523	440,585	31.6	755,866	340,806	45.1
1919	1,269,363	439,135	34.6	714,815	346,200	48.4
1918	1,288,711	461,277	35.8	784,495	384,607	49.0
1917	1,280,288	482,211	37.7	788,214	403,616	51.2
1916	799,817	407,966	51.0	772,512	402,888	52.2
1915	763,899	405,014	53.0	763,899	405,014	53.0

[1] Exclusive of Rhode Island.

QUALIFYING FACTORS IN INTERPRETATION AND USE OF DATA

While the data in this volume are available for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless cognizance is taken of various qualifying factors. Obviously the factors to be considered depend upon the specific purposes for which the data are to be used. It is not feasible to catalog all of the pertinent factors in the use of vital statistics tabulations, but a few of the more important should be mentioned.

Most of the factors limiting the use of vital statistics data arise from imperfections in the original material or from the impracticability of tabulating or using these data in very detailed categories. These defects should not be ignored, yet their existence does not destroy the value of the data for most general purposes. Analysis of small differences or exact evaluation and interpretation of vital statistics requires careful study of many related elements. However, the trend of crude birth and death rates, the increase or decrease in the number of deaths from selected causes, and the major differences in rates among States, are all facts that will not be materially changed by finer analysis.

In order to draw conclusions or inferences from differences between the birth or death rates, it is necessary, particularly for small geographic areas, to take into account the number of births or deaths on which these rates are based. Although all of the rates presented in this volume have been computed without regard to the size of numbers involved, caution should be exercised in the interpretation of those based on small numbers since they are subject to a large amount of variation in proportion to their magnitude. In all such cases, a test of statistical significance should always be applied before making even a tentative deduction from rate differences. Although it would be desirable to introduce into these tables statistical measures of significance, it was not deemed practicable to do so at this time since the required degree of statistical reliability would differ with the uses of these

data. A discussion of this problem, and a simple statistical test of significance, may be found in "The Registrar-General's Statistical Review of England and Wales."[3]

Age, sex, and race.— If crude death rates are used as an index of health conditions of a community, comparisons of rates for different States or cities are not strictly valid unless the age, sex, and racial compositions of the population of each area are taken into consideration. It is obvious that, if the population in one State is generally older than that in another, the crude death rate will be higher, even though there is no essential difference in the age-specific death rates.

Similar considerations apply also to crude birth rates. For example, comparison of birth rates of one area having a certain proportion of women of child-bearing age with the rates of another community of a different population composition would be erroneous if the rates are used as a measure of fertility.

Various methods have been devised to compensate for differences in the population composition of the areas to be compared. A necessary element of all such methods is the computation of specific birth or death rates for each of the factors to be considered. While the natality and mortality tables in this volume are sufficiently detailed for the most important of these computations, it is also essential to have the corresponding population figures for each separate age, sex, and racial group.

Population estimates.— Since birth and death rates are ratios of the number of births and deaths to population figures, accurate rates are partially dependent upon accurate population figures Tabulations showing the number and composition of the population for various areas are available only for the years when regular decennial population censuses are taken. For intervening years population estimates must be used.

The crude birth and death rates for the United States and the individual States for the years 1930 to 1939, inclusive, presented in this volume differ somewhat from those published previous to 1940. Any apparent discrepancies that may appear are due to the fact that the rates published during the period 1930 to 1938 were based upon extrapolated population figures, and the rates presented in the 1939 annual report were based on provisional population estimates obtained by arithmetic interpolations between the populations of 1930 and 1940 as enumerated in the decennial censuses. In the 1940 and 1941 volumes, the birth and death rates for the United States and individual States for the years 1930 to 1939 have been computed on the basis of intercensal population estimates obtained by various methods of interpolation using migration statistics, school census statistics, and data from other local sources in conjunction with the decennial population census data.

In the 1940 volumes the birth and death rates for the United States and each State for 1940 are based on the populations enumerated in the Federal census of April 1, 1940. However, in the 1941 volumes the birth and death rates for 1940 and 1941 for the United States and the District of Columbia are based on estimated populations as of July 1 for each year. Estimated midyear populations for these years are not available for the individual States, therefore the birth and death rates are based on the 1940 enumerated populations.

As a part of the program for the Sixteenth Decennial Census period, the Bureau of the Census undertook to make available population estimates for the intercensal years, which were more accurate estimates than could be obtained by the simple arithmetic interpolation method. By supplementing the decennial census enumeration data with population figures from various sources, it was possible to make population estimates that included such details as age, sex, race, and nativity for each year since 1900.

In revising these intercensal estimates, the State was selected as the smallest geographic unit for which estimates were made since population estimates for small areas are subject to relatively large errors. This limitation was a fairly serious one for vital statistics purposes since the most widely used national figures are for the death-registration area, which includes cities in the nonregistration States. Although it is possible to obtain fairly reliable estimates of population for cities having over 100,000 inhabitants, the large number of cities, many of them with populations under 100,000, participating in the registration system made detailed population estimates for the registration area impractical.

Since it was not feasible to revise the annual midyear population figures for the intercensal years during the period when the death-registration area was still incomplete, it was decided to fit vital statistics to the available population data for the registration States. In the future, it is expected that mortality trend data for the United States prior to the completion of the area in 1933 will be generally tabulated on the basis of the registration States. As mentioned before, the official natality statistics for the entire United States are not affected since the birth-registration area did not, at any time, include cities in nonregistration States.

Place of residence.— Official national vital statistics and those published by most State and city agencies were, until recent years, compiled according to the place of birth or death. Under this system of tabulation, the data are tabulated by the city, county, or State in which the birth or death occurred, irrespective of the usual place of residence of the mother of the child, or the usual place of residence of the decedent.

The significance of this method of tabulation can be seen by considering the effect of population movement on death rates. For example, the hospital facilities in a city may attract patients from surrounding areas and, as a result, many of the deaths occurring in this city will not be deaths of residents of this city. The enumerated population of the city does not, under such conditions, represent the number of persons exposed to the risk of death; and the death rate does not accurately describe the mortality conditions of this particular city. A more correct figure is obtained by reallocating all deaths to the place of residence. Since there are many causes contributing to the movement of patients to some area other than their usual place of residence, it cannot be assumed that the direction of the movement is always from the rural to the urban areas. Similar nonresident factors affect the interpretation of birth statistics based upon place of occurrence. In order to determine the direction or the magnitude of the differences between rates based on births or deaths according to place of occurrence and those compiled according to place of residence, it is necessary to examine tabulations on both bases.

Since the data given in this volume are tabulated according to place of occurrence, figures for individual cities and counties or for population groups do not always give an accurate indication of relative health and fertility conditions. However, for larger areas such as a State, the tabulations compiled on either basis are essentially the same. Detailed tabulations by place of residence are given in "Vital Statistics of the United States, Part II."

Completeness of registration.—Although every State has adopted a vital statistics law requiring the registration of all births and deaths, these laws are not uniformly enforced. In most States where the registration organization is well established and where the persons responsible for filing certificates appreciate the value of registration to the individual as well as its value for statistical purposes, practically all births and deaths are registered. In other States, however, the underregistration is enough to affect the use of the tabulated data for certain purposes.

Detailed information on the completeness of death registration in each State is not available. One condition required for admission to the national registration areas was that there exist a demonstrated completeness of registration of at least 90 percent. Using this as a criterion, all of the States were admitted to the registration areas by 1933, and although registration has become more complete in most States, it is likely that there has been regression in some States. Estimates of the completeness of registration in States, based on the comparison of vital statistics reports and enumerated census data, have been published elsewhere.[4] It is believed that death registration is more complete than birth registration.

[3] "The Registrar-General's Statistical Review of England and Wales, 1937," pp. 18-24, H. M. S. O., London. 1940.

[4] Whelpton, P. K. "The Completeness of Birth Registration in the United States." Journal of the American Statistical Association, vol. XXIX, No. 186, pp. 125-136. June 1934.

Wilcox, Walter F. "Introduction to the Vital Statistics of the United States, 1900-1930," pp. 80, 81. 1933.

The first Nation-wide test of completeness of birth registration was made by the Bureau of the Census in 1940. The records of all births registered during a 4-month period—December 1939 and January, February, and March, 1940—were matched with those of infants under 4 months enumerated in the population census as of April 1, 1940, and with those of infants born during these 4 months whose deaths were registered as occurring prior to April 1, 1940. Altogether, nearly one and a half million records were received for the test.

As a result of the matching process and subsequent field checks of the unmatched records, it was found that the registration of births in the United States was 92.5 percent complete. As may be seen from table D, which presents data by States and by race, there was great variation in the completeness of registration figures. The completeness of birth registration ranged from 75.9 percent in Arkansas and 77.6 percent in South Carolina to 99 percent or more in Connecticut, Minnesota, and New Jersey. Completeness of registration of births of white persons was 94.0 percent compared with 82.0 percent for persons of "All other races." The percentage completeness for white births ranged from 79:6 percent in Arkansas to 99.4 in Connecticut. For nonwhites, completeness ranged from 40.3 percent in New Mexico to 98.7 percent in New Jersey. There were three States having a very small nonwhite population which showed 100 percent complete registration in the test.[5]

TABLE D.—PERCENT COMPLETENESS OF BIRTH REGISTRATION, BY RACE: UNITED STATES AND EACH STATE, DECEMBER 1, 1939 TO MARCH 31, 1940

AREA	Total	White	All other races
United States	92.5	94.0	82.0
New England:			
Maine	96.1	96.3	*63.2
New Hampshire	98.7	98.6	*100.0
Vermont	97.3	97.3	*100.0
Massachusetts	98.9	98.9	98.0
Rhode Island	98.8	98.8	*100.0
Connecticut	99.4	99.4	97.9
Middle Atlantic:			
New York	[1] 98.7	98.8	96.3
New Jersey	99.0	99.0	98.7
Pennsylvania	97.0	97.2	92.9
East North Central:			
Ohio	95.2	95.3	93.7
Indiana	96.5	96.6	94.0
Illinois	96.9	97.3	90.6
Michigan	97.8	97.9	94.0
Wisconsin	96.9	96.9	93.2
West North Central:			
Minnesota	99.3	99.3	97.2
Iowa	94.6	94.7	*90.1
Missouri	90.2	90.7	82.7
North Dakota	94.7	94.6	95.2
South Dakota	95.4	96.6	79.8
Nebraska	96.9	97.0	93.1
Kansas	95.5	95.6	92.9
South Atlantic:			
Delaware	97.4	97.2	98.6
Maryland	97.1	97.8	94.1
District of Columbia	97.9	98.5	96.6
Virginia	91.9	92.5	90.2
West Virginia	86.5	86.7	81.3
North Carolina	86.1	88.4	81.0
South Carolina	77.6	82.7	71.8
Georgia	81.5	85.6	77.6
Florida	89.9	91.5	86.4
East South Central:			
Kentucky	89.2	89.2	87.6
Tennessee	80.4	81.4	75.1
Alabama	[2] 85.0	86.4	82.4
Mississippi	89.8	93.8	86.2
West South Central:			
Arkansas	75.9	79.6	63.2
Louisiana	86.1	87.7	83.7
Oklahoma	84.8	87.0	66.9
Texas	86.5	89.3	68.7
Mountain:			
Montana	97.6	98.0	91.1
Idaho	95.0	95.1	*79.5
Wyoming	95.6	95.9	*85.4
Colorado	89.8	89.8	*90.4
New Mexico	86.4	91.2	40.3
Arizona	84.4	93.8	48.4
Utah	96.6	97.1	*59.6
Nevada	96.2	97.5	*80.9
Pacific:			
Washington	97.8	98.0	88.7
Oregon	97.1	97.3	*84.1
California	98.0	98.1	96.5

*Percentage is based on fewer than 100 records.

[1] Results of a field investigation in New York State (exclusive of New York City) raise the percentage completeness for New York State from 98.7 to 98.9.

[2] Results of a field investigation in Jefferson County raise the percentage of completeness for Alabama from 85.0 to 85.2.

[5] A more detailed report of the results of the test will be found in Vital Statistics—Special Reports, vol. 17, No. 18. Bureau of the Census, Washington, D. C. 1943.

INTERPRETATION OF CAUSE-OF-DEATH STATISTICS

Cause-of-death data given in this volume are classified according to the fifth revision of the International List of Causes of Death. The use of this list in the tabulation of data by all States, and by various countries, results in similar cause-of-death titles for the various publications. Unfortunately, this use of a standard classification list, although essential for regional comparisons, does not assure strict comparability of the tabulated figures. A high degree of comparability could be attained only if all of the data on cause of death were reported with equal accuracy and completeness. Since the medical certification of death can be made only by a qualified person, usually a physician or a coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care in which the death certificate is filled out.

The quality of the basic data reported on the death certificates is, of course, of fundamental importance in the interpretation of cause-of-death statistics. Although a number of notable studies have been made of the accuracy of medical diagnoses, there is an unfortunate lack of national statistics on the subject. All of these investigations are extremely limited in scope since they are based upon comparisons of autopsy and clinical records in certain hospitals and pertain only to those cases that came up for post-mortem examinations. Despite the paucity of data regarding the accuracy of certification of death, the cause-of-death information given on the death certificate is, for the most part, probably fairly reliable.

One index of the quality of cause-of-death statistics is the proportion of death certificates coded International List numbers 199 and 200, which are the rubrics for ill-defined and unknown causes of death. This percentage indicates the care and consideration given to the certification of cause of death by the attending physician. It may also be used as a rough measure of the specificity of the medical diagnoses made by the physicians in the various areas.

At the present time, the type of statement given for the cause of death varies considerably between States. As may be seen from table E, 27 States, in 1941, had less than 1 percent of all deaths classified in this ill-defined group, while in 5 States over 5 percent, and in 2 States over 10 percent were so classified. For deaths under 1 year of age, the corresponding figures are 19, 11, and 6 States, respectively. Obviously, if a high proportion of deaths were included in these poorly defined cause-of-death titles, it means that there was an unknown deficiency in the number of deaths classified in the more precisely defined group.

TABLE E.—FREQUENCY DISTRIBUTION OF STATES SHOWING THE PERCENT OF TRANSCRIPTS FOR TOTAL DEATHS AND FOR INFANT DEATHS CODED INTERNATIONAL LIST NUMBERS 199 and 200: 1941

PERCENT CODED 199 AND 200	NUMBER OF STATES	
	Total deaths	Deaths under 1 year
0 - 0.9	27	19
1.0 - 1.9	8	10
2.0 - 2.9	4	2
3.0 - 3.9	4	5
4.0 - 4.9	1	2
5.0 - 5.9	1	2
6.0 - 6.9	1	-
7.0 - 7.9	-	2
8.0 - 8.9	1	-
9.0 - 9.9	-	1
10.0 +	2	6

The form and content of the medical questions on the death certificate affect the type of certification and consequently the meaning of cause-of-death statistics. The medical certification part of the new standard death certificate recommended in 1939 by the Bureau of the Census for adoption by the States differs from the corresponding part of the old standard cerfificate.

NEW STANDARD CERTIFICATE

MEDICAL CERTIFICATION

20. Date of death: Month Nov. day 4
year 1940 hour 7 minute 15 p.m.

21. I hereby certify that I attended the deceased from Oct. 21, 1940, to Nov. 4, 1940:
that I last saw h im alive on Nov. 4, 1940:
and that death occurred on the date and hour stated above.

	Duration
Immediate cause of death Hypostatic pneumonia	9 days
Due to Fracture of femur from automobile accident	14days
Due to	
Other conditions. Chronic arthritis (Include pregnancy within 3 months of death)	

PHYSICIAN

Major findings:
Of operations Reduction of fracture under anesthesia
Of autopsy

Underline the cause to which death should be charged statistically.

OLD STANDARD CERTIFICATE

MEDICAL CERTIFICATE OF DEATH

21. DATE OF DEATH (month, day, and year) Nov. 4, 1940

22. I HEREBY CERTIFY, That I attended deceased from Oct. 21, 1940, to Nov. 4, 1940
I last saw h im alive on Nov. 4, 1940; death is said to have occurred on the date stated above, at 7:15 p.m.

The principal cause of death and related causes of importance were as follows:

	Date of onset
Fracture of femur from automobile accident	10/21/40
Hypostatic pneumonia	10/26/40

Other contributory causes of importance:
Chronic arthritis

Name of operation Reduction of fracture under anesthesia Date of Nov. 4, 1940
What test confirmed diagnosis? Was there an autopsy? No

The new certificate asks for the immediate cause of death, which is defined as "The last of a series of disease entities which contribute to a death." The underlying cause of death is defined as "The disease entity which initiates the series of disease entities resulting in death." On the new standard death certificate, the underlying cause or causes of death are stated in the spaces following the words "Due to," in reverse order of occurrence from the immediate cause of death.* As an example, the medical certification of an automobile accident death has been made according to the new and the old forms of standard death certificates. On the new standard certificate, the immediate cause of death is stated to be "Hypostatic pneumonia," which occurred as a result of a fractured femur from an automobile accident. The degree to which these principles are uniformly followed by physicians affects greatly the meaning and comparability of cause-of-death statistics.

The interpretation of data on cause of death is further qualified by the fact that, although in many instances the death is the result of a combination or sequence of causes, it is usually practicable to tabulate the death under one rubric only. This necessitates a choice of the primary cause from those given on the transcript of the death certificate. This selection of a primary cause is made according to rules given in the Manual of Joint Causes of Death. It is evident, however, that the effect of any such rules on the classification of deaths for specific causes will vary according to the completeness with which all the factors contributory to the death are reported. If a death is the result of several causes but only a single cause of death is given on the transcript, the Manual of Joint Causes of Death cannot, of course, be used. For this reason the omission of pertinent complicating factors or conditions contributing to the death may result in an incorrect statistical assignment of cause.

The new standard certificate used in 1940 and 1941 contains two modifications that should aid in solving the problems involved in interpreting and tabulating multiple causes of death. First, the immediate cause of death has been more clearly distinguished from the underlying cause or causes. Second, the attending physician is asked to "Underline the cause to which death should be charged statistically." Comparison of statistics tabulated according to these two principles with statistics tabulated according to the arbitrary rules of the Manual of Joint Causes of Death will add much to the interpretation of mortality statistics.

Apart from the question of comparability between areas, there is the additional problem of comparability for a given area between years. To a certain extent, time-trend studies of causes of death would be facilitated if the International List were maintained without change over a long period of years. However, if the list were rigidly fixed it would soon be inconsistent with current medical terminology. To obtain the advantages of frequent revision, and yet to retain a fixed list for a number of years, revisions of the list are made at an international conference every 10 years. In the process of revision, some causes of death included under one title may be transferred to other titles. Since it is difficult to evaluate the numerical importance of all such rearrangements, definite discontinuities are introduced into the time trends of death rates for certain specific causes of death.

Improvement in diagnostic procedures and development of medical knowledge and facilities are other important factors not to be overlooked in the study of changes in death rates for certain causes. For example, additional diagnostic cancer clinics located throughout the country may correctly diagnose many cancer deaths that might otherwise be classified in another disease classification or in the unknown or ill-defined cause group. Another example might be found in the case of syphilitic deaths. Deaths from syphilis are not always correctly reported, but the recent campaign to promote the prevention and treatment of this disease may influence the accuracy of the reporting of syphilis on the death certificate.

NATALITY STATISTICS

Detailed tabulations of the live births registered in the United States in 1941 are given in general natality tables, numbers 1 to 3, inclusive. In these tables the reported births are classified by place of birth, month of birth, race of child, nativity of parents, and other subjects. Additional information on birth statistics is included in the section containing summary and rate tables. The following paragraphs point out some of the more important facts for 1941 and give comparable figures for past years.

Birth-rate trend.—In 1941 there were 2,513,427 live-births registered in the United States. The crude birth rate was 18.9 per 1,000 estimated population, and was the highest reported for the birth-registration area since 1930.

The number of births reported for the birth-registration area and the crude birth rate for each year since 1915 are shown in table F. This table also gives the estimated mid-year population of the continental United States and the estimated midyear population and percent of the total included in the expanding birth-registration area.

* For a more detailed statement, see U. S. Bureau of the Census, "Physicians' Handbook on Birth and Death Registration," pp. 11-17. 1941.

TABLE F.—CRUDE BIRTH RATES: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Estimated midyear population of continental United States	BIRTH-REGISTRATION AREA			
		Estimated midyear population		Live births	
		Number	Percent of total	Number	Rate per 1,000 population
1941	133,217,064	133,217,064	100.0	2,513,427	18.9
1940	131,970,224	131,970,224	100.0	2,360,399	17.9
1939	130,879,718	130,879,718	100.0	2,265,588	17.3
1938	129,824,939	129,824,939	100.0	2,286,962	17.6
1937	128,824,829	128,824,829	100.0	2,203,337	17.1
1936	128,055,180	128,055,180	100.0	2,144,790	16.7
1935	127,250,232	127,250,232	100.0	2,155,105	16.9
1934	126,373,773	126,373,773	100.0	2,167,636	17.2
1933	125,578,763	125,578,763	100.0	2,081,232	16.6
1932	124,840,471	118,903,899	95.2	2,074,042	17.4
1931	124,039,648	117,455,229	94.7	2,112,760	18.0
1930	123,076,741	116,544,946	94.7	2,205,958	18.9
1929	121,769,939	115,317,450	94.7	2,169,920	18.8
1928	120,501,115	113,636,160	94.3	2,233,149	19.7
1927	119,038,062	104,320,830	87.6	2,137,856	20.5
1926	117,399,225	90,400,590	77.0	1,856,068	20.5
1925	115,831,965	88,294,564	76.2	1,878,880	21.3
1924	114,115,465	87,000,295	76.2	1,930,614	22.2
1923	111,949,945	81,072,123	72.4	1,792,646	22.1
1922	110,054,778	79,560,746	72.3	1,774,911	22.3
1921	108,541,489	70,807,090	65.2	1,714,261	24.2
1920	106,466,420	63,597,307	59.7	1,508,874	23.7
1919	104,512,110	61,212,076	58.6	1,373,438	22.4
1918	103,202,801	55,155,782	53.4	1,363,649	24.7
1917	103,265,913	55,197,952	53.5	1,353,792	24.5
1916	101,965,984	32,944,015	32.3	818,983	24.9
1915	100,549,013	31,096,697	30.9	776,304	25.0

The general trend of the birth rate during the past years for the expanding birth-registration area may be seen from an examination of table F. The trend line is characterized by a relatively rapid decline in the rate from 1915 to 1933, when the birth rate dropped from 25.0 to 16.6 per 1,000 population. In 1933 there was a halt in the downward trend, after which the rate rose from 16.6 in 1933 to 18.9 in 1941.

The trend of the rate for the 10 States and the District of Columbia, which composed the original birth-registration area in 1915, is similar to that for the expanding birth-registration area except that the rate remained almost constant during the period 1933 to 1937, with a significant rise in 1938. During the period of decline in the natality rate (1915 to 1933), the decrease in birth rate for the original birth-registration area was more rapid than that for the expanding area. Also, during the period of rising birth rates since 1933, the rate of increase in the original registration area was less rapid than that for the expanding registration area. These differences are due to the population composition of the two registration areas, the original registration area having an older population than that of the expanding registration area. The differences in the degree of urbanization, in racial composition, and in the economic status of the two registration areas are some of the other factors associated with these differences in the general natality trend.

TABLE G.—YEAR IN WHICH EACH STATE WAS ADMITTED TO THE BIRTH-REGISTRATION AREA

YEAR	STATE	YEAR	STATE	YEAR	STATE
1915	Connecticut	1917	Virginia	1925	West Virginia
	Maine		Washington		
	Massachusetts		Wisconsin	1926	Arizona
	Michigan				Idaho
	Minnesota	1919	California		
	New Hampshire		Oregon	1927	Alabama
	New York		South Carolina [3]		Arkansas
	Pennsylvania				Louisiana
	Rhode Island [1]	1920	Nebraska		Missouri
	Vermont				Tennessee
	Dist. of Columbia [2]	1921	Delaware		
			Mississippi	1928	Colorado
1916	Maryland		New Jersey		Georgia
		1922	Illinois		Oklahoma
1917	Indiana		Montana		
	Kansas		Wyoming	1929	Nevada
	Kentucky				New Mexico
	North Carolina	1924	Florida		
	Ohio		Iowa	1952	South Dakota
	Utah		North Dakota	1953	Texas

[1] Dropped from the birth-registration area in 1919; readmitted in 1921.
[2] Included in States.
[3] Dropped from the birth-registration area in 1925; readmitted in 1928.

The trend of the birth rate, as shown in table F, is affected somewhat by the fact that additional States were included in the registration area from year to year, and the more recently added States have, in general, higher birth rates than the original States. The additions to the area in various years are shown in table G.

The effect of these newly added States on the birth rate for the area can be seen by comparing the trend of the rate for the original birth-registration area with the trend of the rate for the expanding area. The data for the original birth-registration area are presented in table H.

TABLE H.—CRUDE BIRTH AND DEATH RATES: ORIGINAL BIRTH-REGISTRATION AREA,[1] UNITED STATES

(Exclusive of stillbirths)

YEAR	Estimated midyear population	Live births	Total deaths	RATE PER 1,000 POPULATION	
				Live birth	Death
1941	39,892,672	696,106	433,504	17.4	10.9
1940	39,828,672	651,695	439,490	16.4	11.0
1939	39,676,387	623,732	434,876	15.7	11.0
1938	39,543,578	629,900	427,902	15.9	10.8
1937	39,214,011	612,425	450,939	15.6	11.5
1936	39,044,554	602,931	451,391	15.4	11.6
1935	38,814,680	605,062	433,026	15.6	11.2
1934	38,545,182	602,101	434,205	15.6	11.3
1933	38,305,919	594,117	426,747	15.5	11.1
1932	38,112,159	631,467	428,350	16.6	11.2
1931	37,910,026	657,074	430,069	17.3	11.3
1930	37,701,234	694,433	432,479	18.4	11.5
1929	37,190,518	695,545	453,976	18.6	12.2
1928	36,553,749	719,569	450,564	19.7	12.3
1927	35,972,565	741,102	422,679	20.6	11.8
1926	35,665,906	735,708	453,386	20.6	12.7
1925	35,263,051	757,082	432,008	21.5	12.3
1924	34,709,957	778,525	420,300	22.4	12.1
1923	34,003,052	760,130	437,157	22.4	12.9
1922	33,438,089	755,808	414,938	22.6	12.4
1921	33,012,844	794,229	399,176	24.1	12.1
1920	32,430,814	773,648	445,780	23.9	13.7
1919	31,979,055	730,752	428,782	22.9	13.4
1918	31,244,889	783,997	607,605	25.1	19.4
1917	31,597,440	786,890	461,847	25.1	14.7
1916	30,950,455	770,718	454,669	24.9	14.7
1915	30,500,131	762,399	427,671	25.0	14.0

[1] Exclusive of Rhode Island.

There was an excess of 1,115,785 births over deaths in the United States in 1941. In the original birth-registration area, where the death rate was higher and the birth rate was lower than that for the whole United States, there were 696,106 births compared with 433,504 deaths. Data on deaths in the original birth-registration area are included in table H in order to facilitate the comparison of rate trends.

Crude birth rates by State.—In table J are presented the crude birth and death rates for each State and geographic division for 1941. The reported crude birth rates ranged from 15.7 per 1,000 population for New York to 27.8 for New Mexico. It is of interest to note that the difference between the highest and the lowest birth rates for individual States in 1941 was greater than the difference between the rates for the entire birth-registration area in 1915 and in 1941, despite the magnitude of the decline during this period.

TABLE J.—CRUDE BIRTH AND DEATH RATES BY RACE: UNITED STATES, EACH DIVISION AND STATE, 1941

(Exclusive of stillbirths)

DIVISION AND STATE	RATE PER 1,000 POPULATION (ENUMERATED APRIL 1, 1940)					
	Live birth			Death		
	Total	White	All other races	Total	White	All other races
United States	[1] 18.9	18.7	22.9	[1] 10.5	10.3	15.7
GEOGRAPHIC DIVISIONS:						
New England	16.8	16.8	18.0	11.6	11.5	14.6
Middle Atlantic	16.4	16.2	19.9	10.9	10.8	14.1
East North Central	18.5	18.4	19.8	10.8	10.6	15.2
West North Central	18.1	18.0	20.2	10.1	9.9	16.5
South Atlantic	22.2	21.3	25.1	10.6	9.4	14.0
East South Central	22.5	21.9	24.2	10.3	9.1	13.6
West South Central	21.2	21.0	22.0	9.2	8.6	12.1
Mountain	22.3	22.4	20.4	10.1	9.9	15.0
Pacific	17.9	17.9	17.5	11.6	11.6	11.7

[1] Based on population estimated as of July 1, 1941.

TABLE J.—CRUDE BIRTH AND DEATH RATES BY RACE: UNITED STATES, EACH DIVISION AND STATE, 1941—Continued

(Exclusive of stillbirths)

DIVISION AND STATE	RATE PER 1,000 POPULATION (ENUMERATED APRIL 1, 1940)					
	Live birth			Death		
	Total	White	All other races	Total	White	All other races
NEW ENGLAND:						
Maine	18.7	18.7	14.9	12.3	12.3	14.9
New Hampshire	17.8	17.8	28.0	12.4	12.4	9.3
Vermont	18.8	18.8	14.1	12.0	12.0	16.5
Massachusetts	16.3	16.3	16.2	11.7	11.7	14.7
Rhode Island	16.2	16.1	22.3	11.0	10.9	16.5
Connecticut	16.7	16.6	20.0	10.6	10.5	13.7
MIDDLE ATLANTIC:						
New York	15.7	15.6	18.1	11.0	10.9	13.0
New Jersey	15.8	15.5	21.7	10.9	10.7	15.3
Pennsylvania	17.6	17.4	21.3	10.9	10.7	14.9
EAST NORTH CENTRAL:						
Ohio	18.3	18.2	19.5	11.3	11.1	15.6
Indiana	19.3	19.3	19.1	11.6	11.4	15.6
Illinois	17.0	16.9	19.2	10.8	10.6	16.0
Michigan	20.5	20.4	20.8	10.0	9.9	13.2
Wisconsin	18.2	18.1	27.7	9.8	9.7	14.8
WEST NORTH CENTRAL:						
Minnesota	19.5	19.4	29.5	9.5	9.5	15.7
Iowa	18.4	18.5	16.7	10.1	10.1	12.6
Missouri	17.5	17.4	18.6	11.4	11.0	17.4
North Dakota	21.0	20.6	42.4	8.3	8.1	17.3
South Dakota	18.1	17.7	30.1	8.3	8.1	15.2
Nebraska	16.9	16.9	17.7	9.3	9.2	15.0
Kansas	16.7	16.7	17.6	10.3	10.1	15.4
SOUTH ATLANTIC:						
Delaware	19.2	18.6	22.8	12.2	11.4	17.3
Maryland	18.8	17.9	23.7	12.1	11.1	16.8
District of Columbia	[1]24.7	27.4	28.1	[1]11.7	11.7	16.4
Virginia	21.9	21.1	24.1	11.4	9.9	15.7
West Virginia	23.0	23.6	15.1	9.4	9.1	13.7
North Carolina	23.7	22.4	27.1	8.9	7.8	11.8
South Carolina	24.8	22.2	28.3	10.8	8.7	13.5
Georgia	21.8	20.5	24.4	10.2	8.3	13.7
Florida	19.8	19.4	20.9	12.2	11.2	14.8
EAST SOUTH CENTRAL:						
Kentucky	22.3	22.8	15.8	10.6	10.0	18.2
Tennessee	20.8	21.3	18.4	10.0	9.0	14.9
Alabama	22.7	21.5	24.8	10.1	8.4	13.4
Mississippi	24.9	21.8	28.1	10.3	8.6	12.1
WEST SOUTH CENTRAL:						
Arkansas	20.7	20.9	20.2	8.3	7.7	10.4
Louisiana	23.1	21.3	26.3	10.2	8.7	12.9
Oklahoma	19.5	19.3	21.2	8.5	8.1	12.6
Texas	21.2	21.6	19.0	9.4	9.0	12.1
MOUNTAIN:						
Montana	20.4	19.9	36.7	10.1	9.8	18.0
Idaho	22.3	22.4	18.5	8.5	8.4	13.6
Wyoming	20.7	20.4	33.8	8.8	8.6	19.8
Colorado	19.1	19.1	16.2	10.8	10.7	16.1
New Mexico	27.8	28.9	13.2	10.8	10.8	9.9
Arizona	24.1	24.7	20.5	12.0	11.2	16.7
Utah	25.0	25.1	15.4	8.3	8.2	11.1
Nevada	19.8	19.4	27.0	12.7	12.3	18.8
PACIFIC:						
Washington	17.6	17.6	18.2	11.0	10.9	15.3
Oregon	17.6	17.5	19.6	11.1	11.0	16.9
California	18.1	18.1	17.3	11.8	11.8	11.0

[1] Based on population estimated as of July 1, 1941.

The geographic variation in the birth rates, as seen in table J, indicates that the highest rates were reported for the East South Central, Mountain, and South Atlantic States. The lowest rates were reported for the Middle Atlantic, New England, and Pacific States. When differences in completeness of birth registration are taken into account, the variation is even greater since, as indicated in table D, registration is, in general, more complete in States having low birth rates and less complete in States with relatively high rates. Variations in the age, racial, and marital composition of the population, as well as in other conditions affecting fertility, contribute to these differences in the crude birth rates.

Birth rates by month.—The month-to-month variations in the crude birth rates are shown in table K for the years 1937 to 1941, inclusive. The usual seasonal distribution of birth rates in the United States is characterized by a minor peak in February and March, and by a major peak in July, August, and September. During the years 1937 to 1939, the seasonal cycle in the birth rate generally started from a low point in January, rose to the minor February or March peak, and then decreased to a low point in May. The rate increased again to a major peak in August or September after which it usually declined rapidly to the lowest point of the year in December. In 1940 and 1941 this general seasonal pattern was apparent in the birth rates except for the fact that the rate of decline after the major summer peak was less than those for previous years. Also of interest was the relatively large increase in the rate during the last 6 months of 1941 over the same period in 1940. In 1941 the highest rate, 20.7 per 1,000 estimated population, occurred in July, and the lowest, 17.5, in May.

TABLE K.—ANNUAL BIRTH RATES PER 1,000 ESTIMATED MIDYEAR POPULATION, BY MONTH: UNITED STATES

(Exclusive of stillbirths)

MONTH	1941	1940	1939	1938	1937
Total	18.9	17.9	17.3	17.6	17.1
January	18.1	17.4	17.3	17.6	16.7
February	18.7	18.0	17.6	18.1	17.3
March	18.7	17.7	17.6	17.8	17.3
April	18.3	17.3	17.0	17.3	16.6
May	17.5	17.4	16.4	17.1	16.5
June	19.3	17.8	16.9	17.2	16.8
July	20.7	18.8	18.0	18.4	17.9
August	20.3	19.1	18.3	18.7	18.4
September	19.7	19.1	18.4	18.4	18.2
October	18.3	17.8	17.4	17.4	16.8
November	18.3	17.2	16.5	16.9	16.3
December	18.5	17.2	16.2	16.6	16.5

Age of parents.—Detailed statistics of births by age of mother, age of father, and number of children tabulated by place of residence are given in "Vital Statistics of the United States, Part II." In the present volume, summaries of these tabulations for the total United States are given in several text tables.

The birth rates by age of mother for the years 1937 to 1941, inclusive, are presented in table L, and similar rates by age of father are given in table M. Table N shows, for 1941, the proportionate distributions by age of father for each age-of-mother group. The rates by age of mother indicate increases for mothers in the age groups between 15 and 39 years, while the age-specific rates for fathers show increases for age groups between 15 and 44 years. In the other age groups, the rates have remained unchanged or have tended to show declines.

TABLE L.—BIRTH RATES (NUMBER OF LIVE BIRTHS PER 1,000 FEMALE POPULATION) BY AGE OF MOTHER: UNITED STATES

(Exclusive of stillbirths. Rates for 1941 are based on provisional estimates as of July 1; for 1940, on populations enumerated in the Federal census of April 1; for 1937-1939 on revised intercensal estimates as of July 1)

AGE OF MOTHER	1941	1940	1939	1938	1937
All ages [1]	54.9	52.0	50.3	51.2	49.7
10 to 14 years	0.6	0.6	0.6	0.6	0.5
15 to 19 years	51.9	48.9	48.1	48.7	46.7
20 to 24 years	134.8	125.3	119.8	123.2	119.0
25 to 29 years	121.3	114.4	110.0	111.3	107.8
30 to 34 years	79.5	77.4	74.5	74.9	72.8
35 to 39 years	42.4	41.9	41.7	42.4	42.3
40 to 44 years	13.6	13.9	13.9	15.1	15.4
45 to 49 years	1.3	1.3	1.5	1.6	1.7
50 to 54 years	0.0	0.1	0.1	0.1	0.1

[1] Rate based on female population between 10 and 54 years of age. Figures for unknown age were included with the total, but were not distributed among the specified age groups.

TABLE M.—BIRTH RATES (NUMBER OF LIVE BIRTHS PER 1,000 MALE POPULATION) BY AGE OF FATHER: UNITED STATES

(Exclusive of stillbirths. Rates for 1941 are based on provisional estimates as of July 1; for 1940, on populations enumerated in the Federal census of April 1; for 1937-1939 on revised intercensal estimates as of July 1)

AGE OF FATHER	1941	1940	1939	1938	1937
All ages [1]	45.0	42.7	41.2	42.0	40.9
10 to 14 years	0.0	0.0	0.0	0.0	0.0
15 to 19 years	6.6	6.2	6.0	5.9	5.4
20 to 24 years	85.0	79.5	76.8	79.1	76.2
25 to 29 years	133.8	124.4	119.2	121.2	117.1
30 to 34 years	107.5	102.8	98.5	99.2	94.9
35 to 39 years	69.7	67.4	64.8	64.9	63.6
40 to 44 years	37.1	36.8	35.7	37.4	38.3
45 to 49 years	17.3	17.5	17.7	18.6	19.1
50 to 54 years	7.0	7.2	7.4	7.8	7.7
55 years and over	1.6	1.6	1.6	1.8	1.8

[1] Rate based on male population 10 years of age and over. Figures for unknown age were included with the total, but were not distributed among the specified age groups.

TABLE N.—DISTRIBUTION OF LIVE BIRTHS, PER 1,000, BY AGE OF FATHER FOR EACH AGE-OF-MOTHER GROUP: UNITED STATES, 1941

AGE OF FATHER	AGE OF MOTHER									
	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	Not stated
All ages	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0	1,000.0
10 to 14 years	3.8	0.0	0	0	0	0	0	0	0	0
15 to 19 years	209.4	106.3	7.4	0.5	0.1	0.1	0.0	0.6	0	17.3
20 to 24 years	193.4	548.9	354.5	43.6	6.3	1.8	1.4	1.9	29.4	139.2
25 to 29 years	52.1	182.6	434.0	418.9	78.9	15.7	5.1	4.9	14.7	194.9
30 to 34 years	18.1	58.5	125.0	357.9	409.7	92.3	18.1	10.7	110.3	139.9
35 to 39 years	9.6	12.7	34.3	115.6	326.5	383.7	93.7	29.0	102.9	103.0
40 to 44 years	5.5	4.1	10.3	32.1	111.2	306.0	379.9	100.2	117.6	53.2
45 to 49 years	3.5	1.7	3.9	11.7	35.3	123.1	309.2	438.4	22.1	25.6
50 to 54 years	1.5	0.8	1.5	4.2	13.1	40.4	117.1	261.0	235.3	9.8
55 years and over	1.2	0.8	1.2	2.9	8.1	25.8	60.8	139.1	330.9	8.0
Not stated	501.9	103.7	27.9	12.6	11.0	13.0	14.6	14.4	36.8	309.1

The highest birth rate by age of mother was 134.8 per 1,000 female population in the age group, 20 to 24 years. Among fathers, the highest rate was 133.8 per 1,000 male population in the 25 to 29 age group. In the examination of the specific birth rates by age of father, it should be mentioned that there was a relatively large number of fathers whose ages were not known. These unknown ages, most of which are related to illegitimate births, have not been distributed in the computation of the specific rates.

Age, race, and nativity of mother.— The difference in the birth rates by race and nativity is considerable. The rates in 1941 ranged from 30.6 per 1,000 female population aged 10 to 54 years, for foreign-born white mothers to 85.3 for the mothers of "Other races." Table O, which shows age-specific birth rates by race and for the white race by nativity of mother, indicates that the rate for "Other races" was uniformly high in all age groups as compared with that for the whites and for the Negroes except for two age groups, 10 to 14 and 15 to 19 years. The age-specific birth rates for Negro women were generally higher in the younger age groups. There was some difference between the rates for native-born and foreign-born mothers of the white race. The birth rate for the native-born white mothers was higher than that for the foreign-born in all age groups, except 10 to 14 and 50 to 54 years, where the rates were identical.

TABLE O.—BIRTH RATES (NUMBER OF LIVE BIRTHS PER 1,000 ENUMERATED FEMALE POPULATION) BY AGE OF MOTHER AND BY RACE: UNITED STATES, 1941

(Rates are based on populations enumerated in the Federal census of April 1, 1940)

AGE OF MOTHER	Total	WHITE			Negro	Other races
		Total[1]	Mother native	Mother foreign		
All ages[2]	55.4	54.4	56.4	30.6	62.9	85.3
10 to 14 years	0.6	0.2	0.2	0.2	3.4	0.9
15 to 19 years	51.5	44.2	44.3	28.2	109.3	61.5
20 to 24 years	136.5	135.4	135.3	131.1	143.6	183.9
25 to 29 years	122.6	125.7	126.2	113.7	95.7	198.7
30 to 34 years	81.2	82.3	82.4	81.5	69.4	152.2
35 to 39 years	43.1	43.0	43.5	39.5	42.4	95.3
40 to 44 years	13.8	13.5	13.8	11.5	16.2	37.4
45 to 49 years	1.3	1.2	1.3	1.0	1.9	5.6
50 to 54 years	0.0	0.0	0.0	0.0	0.1	0.2

[1] Includes "Country not stated."
[2] Rate based on female population between 10 and 54 years of age. Figures for unknown age were included with the total, but were not distributed among the specified age groups.

Plural births.—The great majority of births registered each year are single births. Of the total of 2,488,022 cases of live births in 1941, 2,461,311 were single births. In addition to these there were 26,443 cases of twins, 256 cases of triplets, and 12 cases of quadruplets, in each of which there was at least one live birth.

The proportion of plural-birth cases to the total number of cases of birth remains fairly constant from year to year. In 1941 there were 10.7 cases of plural births per 1,000 total cases, the lowest ratio since 1917. The highest proportion of plural births was recorded in 1919 when the ratio was 12.2 cases per 1,000. Since 1920 the ratio has varied between 10.7 and 11.9.

The total number of cases of live births; the cases of single births; and the cases of twins, triplets, and quadruplets, are given for the birth-registration area in table P. An authentic case of quintuplets in the United States has never been reported during the time that the Bureau of the Census has been compiling annual birth data.

TABLE P.—CASES OF LIVE BIRTHS: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Total cases	Cases of single births	CASES[1] OF PLURAL BIRTHS				Cases[1] of plural births per 1,000 total cases
			Total	Twins	Triplets	Quadruplets	
1941	2,488,022	2,461,311	26,711	26,443	256	12	10.7
1940	2,336,604	2,311,378	25,226	24,976	247	3	10.8
1939	2,242,041	2,216,857	25,184	24,908	274	2	11.2
1938	2,262,770	2,236,863	25,907	25,644	262	1	11.4
1937	2,179,823	2,154,719	25,104	24,881	219	4	11.5
1936	2,121,519	2,096,667	24,852	24,569	277	6	11.7
1935	2,132,302	2,107,903	24,399	24,167	232	-	11.4
1934	2,144,111	2,118,997	25,114	24,866	242	6	11.7
1933	2,058,686	2,034,466	24,220	23,995	220	5	11.8
1932	2,051,396	2,027,134	24,262	24,020	236	6	11.8
1931	2,090,086	2,065,803	24,283	24,049	232	2	11.6
1930	2,180,312	2,155,094	25,218	24,963	249	6	11.6
1929	2,146,016	2,120,415	25,601	25,358	240	3	11.9
1928	2,208,784	2,182,879	25,905	25,619	285	1	11.7
1927	2,114,405	2,089,508	24,897	24,658	233	6	11.8
1926	1,836,188	1,815,108	21,080	20,885	192	3	11.5
1925	1,859,174	1,838,296	20,878	20,645	230	3	11.2
1924	1,909,869	1,887,776	22,093	21,864	226	3	11.6
1923	1,773,106	1,752,331	20,775	20,594	179	2	11.7
1922	1,755,561	1,735,074	20,487	20,284	199	4	11.7
1921	1,695,127	1,674,875	20,252	20,021	230	1	11.9
1920	1,492,532	1,475,113	17,419	17,229	184	6	11.7
1919	1,357,737	1,341,254	16,503	16,316	186	1	12.2
1918	1,349,015	1,333,526	15,489	15,342	147	-	11.5
1917	1,339,975	1,325,426	14,549	14,394	155	-	10.9
1916	811,119	802,892	8,227	8,139	86	2	10.1
1915	768,887	761,150	7,737	7,673	64	-	10.1

[1] Includes only those cases in which at least one was a live birth.

Average number of children.— Table Q is a tabulation of the average number of children ever born alive to women bearing children in each specified year. These averages are given for the years 1930 to 1941, inclusive. In 1930 the average number of children was 3.1. This figure has gradually declined to 2.6 in 1941. The decrease in the average number of children is probably an indication of declining fertility. This interpretation is strengthened by the fact that there is a decrease in the average number of children for almost every age-of-mother group. The figures given cannot be directly interpreted as the average size of family in the whole population, inasmuch as only those mothers who gave birth during the current year are included. Moreover, the average for all ages is affected by changes in the marriage rate as well as by other factors. Thus, if a rapid increase in the marriage rate increased the proportion of first births, the average number of children would be decreased. This decrease could then occur at the same time that the reproductive rate of certain age groups was increasing.

TABLE Q.—AVERAGE NUMBER OF CHILDREN EVER BORN TO WOMEN WHO BORE CHILDREN, IN SPECIFIED YEARS: BIRTH-REGISTRATION AREA,[1] UNITED STATES

AGE OF MOTHER	AVERAGE NUMBER OF CHILDREN IN—											
	1941	1940	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930
All ages	2.6	2.7	2.7	2.8	2.8	2.9	3.0	3.1	3.1	3.1	3.1	3.1
Under 20 years	1.3	1.3	1.3	1.2	1.3	1.3	1.2	1.2	1.3	1.3	1.3	1.3
20 to 24 years	1.8	1.9	1.9	1.8	1.9	1.9	1.9	1.9	2.0	1.9	1.9	1.9
25 to 29 years	2.5	2.6	2.6	2.6	2.7	2.8	2.8	2.9	2.9	2.9	2.9	2.9
30 to 34 years	3.5	3.6	3.7	3.8	3.9	3.9	4.0	4.1	4.2	4.2	4.2	4.2
35 to 39 years	5.1	5.2	5.3	5.5	5.6	5.6	5.7	5.7	5.8	5.8	5.8	5.8
40 to 44 years	7.0	7.1	7.1	7.2	7.3	7.4	7.4	7.5	7.4	7.4	7.4	7.5
45 to 49 years	8.6	8.7	8.7	8.9	8.9	8.9	8.9	9.0	9.0	8.9	9.0	9.0
50 to 54 years	7.5	7.6	7.2	7.6	7.2	7.1	7.7	9.4	8.0	7.4	7.3	7.5
Not stated	3.1	3.1	3.2	3.3	3.3	3.3	3.3	2.8	2.6	2.4	2.6	2.5

[1] Exclusive of Colorado, Maine, Massachusetts, New Hampshire, and Rhode Island from 1930 to 1932; Colorado, Massachusetts, and New Hampshire in 1933; Massachusetts and New Hampshire from 1934 to 1939; Massachusetts in 1940 and 1941.

Illegitimate births.—The number of illegitimate live births and the rate per 1,000 total live births are given in table R. In 1941 there were 83,348 births in the United States (exclusive of California, Maryland, Massachusetts, Nebraska, New Hampshire, New York, and Wyoming) reported as illegitimate, and the rate was 40.9 per 1,000 live births. Data relating to illegitimacy were first made available in 1917. In that first year the rate was 20.2, and there was a steady increase in the years following. The trend of this rate is somewhat influenced by the changing character of the registration area from year to year. The rate for races other than white is very high, and the addition to the registration area of States with a high proportion of Negroes has accelerated the upward trend of the total rate. However, for the white group alone, there has been a marked increase in the proportion of recorded illegitimate births. In 1917 the rate for the white group in the registration area was 13.0, and in 1941 this rate was 19.0.

TABLE R.—ILLEGITIMATE LIVE BIRTHS BY RACE: BIRTH-REGISTRATION AREA,[1] UNITED STATES

YEAR	ILLEGITIMATE LIVE BIRTHS					
	Number			Rate per 1,000 total live births		
	Total	White	All other races	Total	White	All other races
1941	83,348	33,378	49,970	40.9	19.0	176.2
1940	77,761	32,132	45,629	40.5	19.5	169.5
1939	74,851	31,228	43,623	41.8	20.3	172.7
1938	74,462	32,043	42,419	41.1	20.5	169.1
1937	74,938	32,231	42,707	40.2	20.1	163.9
1936	72,338	31,850	40,488	39.8	20.3	162.4
1935	75,141	33,685	41,456	41.1	21.4	163.6
1934	75,352	32,682	42,670	41.0	20.9	154.0
1933	73,389	31,742	41,647	41.8	21.3	158.9
1932	70,811	31,607	39,204	41.0	21.3	160.9
1931	65,952	30,137	35,815	37.5	19.8	150.5
1930	63,567	29,490	34,077	34.7	18.6	141.1
1929	60,921	27,780	33,141	33.9	17.7	143.5
1928	60,661	27,745	32,916	32.8	17.2	139.5
1927	52,022	26,124	25,898	29.0	16.9	131.6
1926	37,576	21,316	16,260	25.6	16.0	121.3
1925	37,414	21,564	15,850	25.3	16.0	120.6
1924	39,332	20,523	18,809	25.9	15.0	123.5
1923	35,040	18,139	16,901	25.2	14.4	126.2
1922	35,605	18,471	17,134	25.8	14.8	130.0
1921	34,824	17,440	17,384	26.6	14.8	128.5
1920	27,749	15,170	12,579	24.9	15.0	125.0
1919	23,660	12,360	11,300	23.6	13.6	121.9
1918	19,906	12,000	7,906	19.4	12.5	113.8
1917	20,464	12,238	8,226	20.2	13.0	120.1

[1] Exclusive of California, Massachusetts, and New York for each year; Texas for 1938 and 1939; Maryland, Nebraska, New Hampshire, and Wyoming for 1940 and 1941. These States did not require a statement concerning legitimacy of child.

NOTE.—Data not available for the years 1915 and 1916.

Data on illegitimate live births for 1939, 1940, and 1941 for individual States are given in table S. This table gives the number of illegitimate births and the rate for each State, for "White" and "All other races." California, Massachusetts, and New York were not included for any year; Texas was excluded for 1939; and Maryland, Nebraska, New Hampshire, and Wyoming were excluded for 1940 and 1941. The birth certificates for these States did not require a statement concerning legitimacy. It must be recognized that the reporting of the fact of illegitimacy in other States is probably incomplete and inaccurate.

TABLE S.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES[1] AND EACH STATE

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Rate per 1,000 total live births		
	1941	1940	1939	1941	1940	1939
UNITED STATES[1]	83,348	77,761	74,851	40.9	40.5	41.8
White	33,378	32,132	31,228	19.0	19.5	20.3
All other races	49,970	45,629	43,623	176.2	169.5	172.7
Alabama	5,748	5,358	5,347	89.5	85.1	87.1
White	665	660	652	16.7	17.0	17.2
All other races	5,083	4,698	4,695	207.9	195.5	199.8
Arizona	314	326	170	26.1	27.7	15.6
White	220	249	121	20.9	24.6	12.5
All other races	94	77	49	63.4	47.6	39.8
Arkansas	1,715	1,553	1,481	42.4	40.5	41.6
White	411	387	440	13.4	13.3	16.2
All other races	1,304	1,166	1,041	133.5	126.6	123.4
Colorado	581	496	468	27.1	23.4	22.6
White	555	467	450	26.3	22.4	22.0
All other races	26	29	18	95.6	94.5	71.4
Connecticut	397	459	479	13.9	18.2	20.4
White	345	396	412	12.4	16.1	18.0
All other races	52	63	67	76.9	98.7	107.9
Delaware	367	340	348	71.7	74.0	79.4
White	107	113	109	24.9	29.3	29.7
All other races	260	227	239	316.3	304.7	334.7
District of Columbia	1,460	1,255	1,205	79.8	82.0	85.8
White	244	254	218	18.8	23.8	22.8
All other races	1,216	1,001	987	229.7	216.2	220.0
Florida	2,358	2,155	2,134	62.8	63.7	66.0
White	416	412	391	15.5	17.3	17.3
All other races	1,942	1,743	1,743	179.9	175.0	180.3
Georgia	5,072	4,997	4,950	74.3	76.9	76.4
White	608	598	604	14.6	15.2	15.5
All other races	4,464	4,399	4,346	168.6	171.2	168.1
Idaho	103	107	132	8.8	9.1	11.9
White	93	104	125	8.0	9.0	11.4
All other races	10	3	7	97.1	31.6	70.7
Illinois	3,426	3,257	3,409	25.5	26.4	28.9
White	2,063	2,110	2,219	16.3	18.1	19.9
All other races	1,363	1,147	1,190	180.4	167.7	185.8
Indiana	1,293	1,104	1,039	19.6	17.8	17.8
White	967	840	793	15.2	14.1	14.1
All other races	326	264	246	139.4	120.2	123.0
Iowa	797	733	771	17.0	16.1	17.6
White	742	699	745	15.9	15.5	17.1
All other races	55	34	26	187.7	142.9	95.2
Kansas	523	457	515	17.4	15.9	17.7
White	374	318	398	12.9	11.5	14.2
All other races	149	139	117	127.5	132.5	115.0
Kentucky	2,093	1,798	1,630	33.0	28.3	26.9
White	1,483	1,252	1,130	24.7	20.7	19.7
All other races	610	546	500	180.4	170.9	155.6
Louisiana	4,563	4,218	4,072	83.5	82.8	83.4
White	524	520	501	16.2	17.4	17.5
All other races	4,039	3,698	3,571	180.2	175.6	176.1
Maine	489	455	497	30.8	30.1	33.2
White	485	449	489	30.7	29.8	32.7
All other races	4	6	8	100.0	133.3	153.8
Maryland	-----	-----	1,823	-----	-----	64.4
White	-----	-----	459	-----	-----	20.7
All other races	-----	-----	1,364	-----	-----	221.2
Michigan	2,359	2,277	2,214	21.9	23.0	23.4
White	1,762	1,779	1,746	17.1	18.7	19.3
All other races	597	498	468	132.4	120.8	121.6
Minnesota	1,159	1,146	1,143	21.3	21.6	22.8
White	1,057	1,050	1,069	19.7	20.0	21.6
All other races	102	96	74	148.0	138.9	112.5
Mississippi	5,184	4,717	4,423	95.2	89.7	85.5
White	253	275	292	10.5	11.9	12.5
All other races	4,931	4,442	4,131	162.8	150.9	145.2
Missouri	1,966	1,868	1,962	29.8	30.0	33.3
White	1,291	1,288	1,294	21.0	22.2	23.5
All other races	675	580	668	147.6	138.1	171.4

See footnote at end of table.

TABLE S.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES[1] AND EACH STATE—Continued

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Rate per 1,000 total live births		
	1941	1940	1939	1941	1940	1939
Montana	215	212	203	18.6	18.4	18.6
White	156	158	153	14.5	14.6	14.9
All other races	57	54	50	81.9	80.4	78.9
Nebraska	———	———	240	———	———	10.7
White	———	———	211	———	———	9.6
All other races	———	———	29	———	———	90.3
Nevada	26	27	25	11.9	13.1	12.9
White	13	7	14	6.5	3.8	8.0
All other races	13	20	11	77.4	100.5	60.8
New Hampshire	———	———	173	———	———	21.8
White	———	———	172	———	———	21.7
All other races	———	———	1	———	———	142.9
New Jersey	1,572	1,513	1,392	23.8	25.8	24.7
White	828	836	770	13.6	15.5	14.8
All other races	744	677	622	149.8	147.0	139.8
New Mexico	626	533	561	42.4	36.2	39.5
White	570	482	489	40.0	33.7	35.8
All other races	56	51	72	107.3	118.3	128.8
North Carolina	7,123	6,525	6,582	84.2	81.0	83.2
White	1,547	1,487	1,494	26.9	27.2	28.0
All other races	5,576	5,038	5,088	204.9	194.5	197.9
North Dakota	235	289	291	17.5	21.6	22.1
White	188	245	246	14.4	18.9	19.4
All other races	47	44	45	105.9	103.0	99.8
Ohio	2,641	2,565	2,458	20.9	22.3	22.5
White	1,771	1,755	1,739	14.8	16.1	16.8
All other races	870	810	719	130.7	132.4	122.8
Oklahoma	1,465	1,394	1,286	32.2	31.3	29.6
White	695	678	698	17.1	16.9	17.7
All other races	770	716	588	156.2	157.2	142.4
Oregon	304	245	262	15.9	13.7	15.7
White	281	222	240	14.9	12.7	14.6
All other races	23	23	22	84.2	76.9	96.5
Pennsylvania	6,069	5,598	5,754	34.8	33.8	35.7
White	4,037	3,793	4,016	24.5	24.3	26.5
All other races	2,032	1,805	1,738	201.2	191.2	186.7
Rhode Island	277	261	265	23.9	24.2	25.4
White	248	227	232	21.9	21.5	22.8
All other races	29	34	33	112.8	138.2	132.0
South Carolina	4,971	4,872	4,690	105.4	109.8	109.6
White	515	573	502	21.4	25.6	23.7
All other races	4,456	4,299	4,188	192.9	195.4	193.3
South Dakota	196	188	167	16.8	16.2	14.4
White	133	134	114	12.2	12.3	10.5
All other races	63	54	53	87.5	77.0	68.6
Tennessee	2,810	2,595	2,471	46.4	46.5	46.3
White	1,067	957	993	20.9	20.2	21.9
All other races	1,743	1,638	1,478	185.9	192.1	182.8
Texas	4,330	3,767	———	31.8	29.7	———
White	1,990	1,801	———	16.8	16.2	———
All other races	2,340	1,966	———	132.5	124.4	———
Utah	94	95	116	6.8	7.0	8.9
White	92	89	107	6.7	6.6	8.3
All other races	2	6	9	17.5	40.8	72.0
Vermont	182	214	186	26.9	32.0	29.2
White	182	214	184	26.9	32.0	28.9
All other races	-	-	2	0	0	666.7
Virginia	4,561	4,169	3,900	77.9	75.5	73.7
White	1,205	1,092	1,035	28.3	27.5	27.3
All other races	3,356	3,077	2,865	210.5	197.8	190.5
Washington	462	480	477	15.1	17.1	18.0
White	415	412	438	13.9	15.0	16.9
All other races	47	68	39	67.7	91.8	61.6
West Virginia	2,159	2,068	1,997	49.3	49.1	48.1
White	1,803	1,764	1,658	42.9	44.2	42.3
All other races	356	304	339	200.7	138.2	145.7
Wisconsin	1,067	1,075	1,088	18.7	19.6	20.1
White	979	986	1,022	17.3	18.2	19.1
All other races	88	89	66	127.7	134.7	112.2
Wyoming	———	———	55	———	———	11.2
White	———	———	44	———	———	9.2
All other races	———	———	11	———	———	92.4

[1] Exclusive of California, Massachusetts, and New York for each year; Texas for 1939; Maryland, Nebraska, New Hampshire, and Wyoming for 1940 and 1941. These States did not require a statement concerning legitimacy of child.

Reporting of stillbirths.— Information on stillbirths was first collected by the Bureau of the Census in 1918. No data were collected or published for the years 1919 to 1921, inclusive, but since 1922 stillbirth tables have been compiled annually for the birth-registration area.

In some States stillbirths are reported on a special stillbirth certificate, whereas in others, State laws require the physician or attendant at a stillbirth to file both a birth and a death certificate. Such basic differences in reporting procedure introduce some variation in the completeness of registration and in the information reported. More important, from a statistical standpoint, are differences in the legal definitions of a stillbirth used in the States. Variations in the definition make it difficult to compile strictly comparable data for all States, and confuse the interpretation of consolidated national figures. A list showing the various definitions used in reporting stillbirths has been published each year previous to 1937 in the volume entitled "Birth, Stillbirth, and Infant Mortality Statistics." More recent data on stillbirth definitions for the States are given in Vital Statistics—Special Reports, vol. 3, No. 2, table 13. Neither of these sources of definitions can be considered up-to-date since changes may occasionally be made in State procedures.

Detailed tables classifying stillbirths by area, race, age of mother, nativity of parents, and other subjects, are given in tables 4, 5, and 6 in the section containing general natality and mortality tables.

The total number of stillbirths and the ratio of stillbirths to 1,000 live births are given in table T for the birth-registration area for a series of years. The ratio of stillbirths to live births for the first year that these data are available (1918) was 40.1. For the years 1922 to 1930, inclusive, this ratio varied around 38, 39, and 40, without demonstrating any appreciable trend. However, since 1930 it has been consistently decreasing; for 1941 it was 29.9 per 1,000 live births, which is 23.7 percent below the stillbirth ratio for 1930. This decrease in recent years must be due to factors other than changes in the registration area because the area has included the entire United States since 1933.

TABLE T.—RATIO OF STILLBIRTHS TO LIVE BIRTHS: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Live births	STILLBIRTHS		YEAR	Live births	STILLBIRTHS	
		Number	Ratio per 1,000 live births			Number	Ratio per 1,000 live births
1941	2,513,427	75,133	29.9	1930	2,203,958	86,466	39.2
1940	2,360,399	73,802	31.3	1929	2,169,920	85,678	39.5
1939	2,265,588	72,598	32.0	1928	2,233,149	89,765	40.2
1938	2,288,962	73,467	32.1	1927	2,157,836	82,931	38.8
1937	2,203,337	73,609	33.4	1926	1,856,068	70,716	38.1
1936	2,144,790	73,735	34.4				
				1925	1,878,880	71,519	38.1
1935	2,155,105	77,119	35.8	1924	1,930,614	75,817	39.3
1934	2,167,636	78,505	36.2	1923	1,792,646	69,757	38.9
1933	2,081,232	77,059	37.0	1922	1,774,911	70,010	39.4
1932	2,074,042	78,351	37.8	1918	[1]1,211,685	[1]48,654	[1]40.1
1931	2,112,760	80,616	38.2				

[1] Exclusive of Massachusetts, Rhode Island, Washington, and Baltimore, Md. No transcripts of stillbirths were received from these areas.

NOTE.—Data relating to stillbirths were not collected for the years 1919 to 1921, inclusive.

Illegitimate stillbirths.—The number of stillbirths reported as legitimate or illegitimate is shown in table U. As may be expected, the ratio of illegitimate stillbirths, 54.2 per 1,000 illegitimate live births, was higher than the ratio for legitimate stillbirths, 27.1. Also, the stillbirth ratio for "All other races" was more than double that for the "White." Data in table U are for the years 1933 to 1941, inclusive, for "White" and "All other races." California, Massachusetts, and New York were not included in this table for any year; Texas was excluded for 1938 and 1939, and Maryland, Nebraska, New Hampshire, and Wyoming were excluded for 1940 and 1941. The stillbirth certificates for these States did not require a statement concerning legitimacy.

TABLE U.—STILLBIRTHS BY LEGITIMACY AND RACE: UNITED STATES[1]

YEAR AND RACE	STILLBIRTHS					
	Number			Ratio per 1,000 live births		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1941						
Total	57,549	53,029	4,520	28.3	27.1	54.2
White	42,601	41,222	1,379	24.3	24.0	41.3
All other races	14,948	11,807	3,141	52.7	50.5	62.9
1940						
Total	57,460	52,940	4,520	29.9	28.7	58.1
White	42,456	41,034	1,422	25.7	25.4	44.3
All other races	15,004	11,906	3,098	55.7	53.2	67.9
1939						
Total	55,708	50,906	4,802	31.1	29.7	64.2
White	40,905	39,481	1,424	26.6	26.2	45.6
All other races	14,803	11,425	3,378	58.6	54.7	77.4
1938						
Total	58,387	53,127	5,260	32.2	30.6	70.6
White	43,089	41,434	1,655	27.6	27.1	51.6
All other races	15,298	11,693	3,605	61.0	56.1	85.0
1937						
Total	62,705	57,357	5,348	33.7	32.1	71.4
White	46,164	44,481	1,683	28.8	28.6	52.2
All other races	16,541	12,876	3,665	63.5	59.1	85.8
1936						
Total	62,694	57,330	5,364	34.5	32.9	74.2
White	45,964	44,327	1,637	29.3	28.9	51.4
All other races	16,730	13,003	3,727	67.1	62.3	92.1
1935						
Total	65,936	60,182	5,754	36.1	34.3	76.6
White	46,401	46,601	1,800	30.7	30.3	53.4
All other races	17,535	13,581	3,954	69.2	64.1	95.4
1934						
Total	66,996	60,896	6,100	36.4	34.5	81.0
White	48,081	-------	-------	30.8	-------	-------
All other races	18,915	-------	-------	68.3	-------	-------
1933						
Total	64,913	59,052	5,861	37.0	35.1	79.9
White	46,755	44,901	1,854	31.3	30.7	58.4
All other races	18,158	14,151	4,007	69.3	64.2	96.2

[1] Exclusive of California, Massachusetts, and New York for each year; Texas for 1938 and 1939; Maryland, Nebraska, New Hampshire, and Wyoming for 1940 and 1941. These States did not require a statement concerning legitimacy of child.

MORTALITY STATISTICS

Detailed tables classifying all deaths in the United States for 1941, by place of death, age, race, sex, cause of death, and other subjects, are given in the section containing general mortality statistics, tables 7 to 10, inclusive. In addition to these tables, selected data for deaths are included in the summary and rate tables. Special tables (17, 18, 19, and 20) for deaths under 1 year of age are given in "Vital Statistics of the United States, Part II."

Death-rate trend.—In 1941, 1,397,642 deaths were registered in the United States. This represents a crude death rate of 10.5 per 1,000 estimated population, a slight decrease from the corresponding rate of 10.7 per 1,000 estimated population for 1940.

In 1900 the first year for which official annual mortality statistics for the United States were compiled, the crude death rate for the registration States was 17.2 per 1,000 estimated population. Except for the disproportionately high rate of 1918 caused by the influenza pandemic, the trend of the death rate since that year has been generally downward.

The crude death rate for 1941 was approximately 39 percent lower than that for 1900. The rate of decline in the death rate, however, has not been uniform through the decades. The average annual rate of decrease in the crude death rate during the period 1900 to 1922 was approximately two and one-half times greater than the rate of decline from 1923 to 1941.

Table W, which gives the number of deaths and the death rate for each year, shows also the estimated midyear population of the continental United States and the estimated midyear populations and percent of total included in the death-registration States from 1900 to 1941, inclusive. The States that were added in various years are indicated in table Y. Even though the series of rates in table W do not refer to a strictly comparable geographic area, the consistent downward trend of the rate is not misleading. Essentially the same trend is evident in table H for a constant geographic area. Although there is considerable variation in the magnitude of the rate, similar trends for individual States may be seen in table IX.

TABLE W.—CRUDE DEATH RATES: DEATH-REGISTRATION STATES, UNITED STATES

(Exclusive of stillbirths)

YEAR	Estimated midyear population of continental United States	DEATH-REGISTRATION STATES			
		Estimated midyear population		Total deaths	
		Number	Percent of total	Number	Rate per 1,000 population
1941	133,217,064	133,217,064	100.0	1,397,642	10.5
1940	131,970,224	131,970,224	100.0	1,417,269	10.7
1939	130,879,718	130,879,718	100.0	1,387,897	10.6
1938	129,824,939	129,824,939	100.0	1,381,391	10.6
1937	128,824,829	128,824,829	100.0	1,450,427	11.3
1936	128,053,180	128,053,180	100.0	1,479,228	11.6
1935	127,250,232	127,250,232	100.0	1,392,752	10.9
1934	126,373,773	126,373,773	100.0	1,396,903	11.1
1933	125,578,763	125,578,763	100.0	1,342,106	10.7
1932	124,840,471	118,903,899	95.2	1,293,269	10.9
1931	124,039,645	118,148,987	95.3	1,307,273	11.1
1930	123,076,741	117,238,278	95.3	1,327,240	11.3
1929	121,769,939	115,317,450	94.7	1,369,757	11.9
1928	120,501,115	113,636,160	94.3	1,361,987	12.0
1927	119,038,062	107,084,532	90.0	1,211,627	11.3
1926	117,399,225	103,822,683	88.4	1,257,256	12.1
1925	115,831,963	102,031,555	88.1	1,191,809	11.7
1924	114,113,463	99,318,098	87.0	1,151,076	11.6
1923	111,949,945	96,788,197	86.5	1,174,065	12.1
1922	110,054,778	92,702,901	84.2	1,083,952	11.7
1921	108,541,489	87,814,447	80.9	1,009,673	11.5
1920	106,466,420	86,079,263	80.9	1,118,070	13.0
1919	104,512,110	83,157,982	79.6	1,072,263	12.9
1918	103,202,801	79,008,412	76.6	1,430,079	18.1
1917	103,265,913	70,234,775	68.0	981,239	14.0
1916	101,965,984	66,971,177	65.7	924,971	13.8
1915	100,549,013	61,894,847	61.6	815,500	13.2
1914	99,117,567	60,963,309	61.5	810,914	13.3
1913	97,226,814	58,156,740	59.8	802,909	13.8
1912	95,331,300	54,847,700	57.5	745,771	13.6
1911	93,867,814	53,929,644	57.5	749,918	13.9
1910	92,406,536	47,470,437	51.4	696,856	14.7
1909	90,491,525	44,223,513	48.9	630,057	14.2
1908	88,708,976	38,634,759	43.6	567,245	14.7
1907	87,000,271	34,552,837	39.7	550,245	15.9
1906	85,436,556	33,782,288	39.5	531,005	15.7
1905	83,819,666	21,767,980	26.0	345,863	15.9
1904	82,164,974	21,332,076	26.0	349,855	16.4
1903	80,632,152	20,943,222	26.0	327,295	15.6
1902	79,160,196	20,582,907	26.0	318,636	15.5
1901	77,585,128	20,237,453	26.1	332,203	16.4
1900	76,094,134	19,965,446	26.2	343,217	17.2

TABLE Y.—YEAR IN WHICH EACH STATE WAS ADMITTED TO THE DEATH-REGISTRATION AREA

YEAR	STATE	YEAR	STATE	YEAR	STATE
1880—	Massachusetts	1909—	Ohio	1920—	Nebraska
	New Jersey				
	Dist. of Columbia[1]	1910—	Minnesota	1922—	Georgia[5]
			Montana		Idaho
1890—	Connecticut		North Carolina[4]		Wyoming
	Delaware[2]		Utah		
	New Hampshire			1925—	Iowa
	New York	1911—	Kentucky		
	Rhode Island		Missouri	1924—	North Dakota
	Vermont				
		1913—	Virginia	1925—	Alabama
1900—	Maine	1914—	Kansas		West Virginia
	Michigan				
	Indiana	1916—	South Carolina	1926—	Arizona
1906—	California	1917—	Tennessee	1927—	Arkansas
	Colorado				
	Maryland	1918—	Illinois	1928—	Oklahoma
	Pennsylvania		Louisiana		
	South Dakota[3]		Oregon	1929—	Nevada
					New Mexico
1908—	Washington	1919—	Florida		
	Wisconsin		Mississippi	1933—	Texas

[1] Included in States.
[2] Dropped from the registration area in 1900; readmitted in 1919.
[3] Dropped from the registration area in 1910; readmitted in 1930.
[4] Included only municipalities with populations of 1,000 or more in 1900 (about 16 percent of the total population); the remainder of the State was added to the area in 1916.
[5] Dropped from the registration area in 1925; readmitted in 1928.

Crude death rates by State.—The crude death rate for each State and geographic division is presented in table J. In 1941 the reported death rates ranged from 8.3 per 1,000 enumerated population in Arkansas, North Dakota, South Dakota, and Utah, to 12.7 in Nevada. High death rates were also reported for States such as Maine, New Hampshire, Vermont, Maryland, Delaware, Florida, and Arizona. In general, the death rates were highest in the New England and Pacific States, and lowest in the West South Central States. The average age of the population, racial composition, and economic and occupational status, are some of the more important factors associated with the geographic variation in the crude death rates. Also to be considered is the degree to which death registration is complete in each State.

Death rates by age, race, and sex.—Age distributions by sex, race, and cause of death, are included in several of the general mortality tables. Summarized in table Z are death rates by age, race, and sex for 1941. This table shows marked sex differences in the death rates. The rate for males was 11.8 per 1,000 male population as compared with that for females, which was 9.2 per 1,000 female population. The sex difference in the death rates is apparent for all racial groups.

TABLE Z.—DEATH RATES (NUMBER OF DEATHS PER 1,000 PROVISIONAL ESTIMATED POPULATION) BY AGE, SEX, AND RACE: UNITED STATES, 1941

(Exclusive of stillbirths)

AGE AND SEX	Total	White	All other races
All ages	10.5	10.1	13.5
Male	11.8	11.4	14.8
Female	9.2	8.9	12.2
Under 1 year	47.9	43.7	77.3
Male	53.5	48.9	85.9
Female	42.1	38.2	68.7
1 to 4 years	2.8	2.5	5.1
Male	3.0	2.7	5.3
Female	2.6	2.3	4.9
5 to 9 years	1.0	1.0	1.5
Male	1.2	1.1	1.5
Female	0.9	0.8	1.4
10 to 14 years	1.0	0.9	1.6
Male	1.1	1.0	1.7
Female	0.8	0.7	1.4
15 to 19 years	1.7	1.4	3.8
Male	1.9	1.7	3.6
Female	1.4	1.1	4.0
20 to 24 years	2.3	1.9	5.9
Male	2.7	2.3	6.2
Female	2.0	1.5	5.6
25 to 29 years	2.6	2.2	6.7
Male	3.0	2.5	7.5
Female	2.3	1.8	6.1
30 to 34 years	3.2	2.6	8.4
Male	3.6	3.0	9.2
Female	2.8	2.3	7.8
35 to 39 years	4.2	3.5	10.2
Male	4.8	4.1	10.9
Female	3.6	2.9	9.6
40 to 44 years	5.9	5.0	14.2
Male	6.8	6.0	15.2
Female	5.0	4.1	13.4
45 to 49 years	8.5	7.5	18.7
Male	10.1	9.1	20.6
Female	6.9	5.9	16.7
50 to 54 years	12.3	11.1	26.3
Male	14.6	13.5	27.8
Female	9.8	8.6	24.6
55 to 59 years	17.8	16.7	32.4
Male	21.3	20.3	34.1
Female	14.1	12.9	30.5
60 to 64 years	26.0	24.9	41.9
Male	30.8	29.8	43.9
Female	21.2	20.0	39.7
65 to 69 years	38.2	37.5	46.4
Male	44.3	43.7	51.3
Female	32.2	31.5	41.2
70 to 74 years	55.6	57.1	50.1
Male	64.0	64.7	55.7
Female	49.5	49.9	44.2
75 years and over	123.6	124.3	112.3
Male	132.0	132.4	126.3
Female	116.3	117.3	99.8

The death rate for the nonwhite races in 1941 was 13.5 per 1,000 nonwhite population, and the rate for the white race was 10.1 deaths per 1,000 white population. Except in the age groups over 70 years, the death rate for the nonwhite races is higher than that for the white race in every age group.

The death rates by age indicate that the lowest mortality rates occurred in the age groups 5 to 9 years and 10 to 14 years. The age-specific death rates increase gradually as old age approaches. However, except for ages 75 years and over, the most critical period of life, from the standpoint of mortality, is during the period of infancy or under 1 year of age.

Death rates by month.—Table AA shows the crude death rates by month for the United States for the years 1937 to 1941. In general, low death rates were recorded during the fall months of the year and high death rates during the winter months. In 1941 the maximum mortality rate of 12.9 per 1,000 population occurred in January and the minimum rate of 9.3, in September. In comparison with the monthly death rates for other years, the death rate for January 1941 was high in relation to the rate for the preceding month, and the death rate for December 1941 was relatively low.

TABLE AA.—ANNUAL DEATH RATES PER 1,000 ESTIMATED MIDYEAR POPULATION, BY MONTH: UNITED STATES

(Exclusive of stillbirths)

MONTH	1941	1940	1939	1938	1937
Total	10.5	10.7	10.6	10.6	11.3
January	12.9	12.6	11.8	11.9	13.6
February	12.0	12.5	12.2	11.6	13.9
March	11.3	11.7	12.3	11.4	12.6
April	10.6	11.0	11.3	11.0	11.8
May	10.2	10.4	10.5	10.6	10.9
June	10.1	10.0	9.7	10.0	10.2
July	9.9	10.4	9.8	9.8	10.3
August	9.4	9.3	9.2	9.6	9.8
September	9.3	9.5	9.5	9.7	9.7
October	9.6	9.9	9.8	10.2	10.4
November	10.3	10.4	10.4	10.5	10.6
December	10.4	11.2	10.9	11.4	11.5

Since crude rates are summations of mortality rates for a large number of causes of death exhibiting varying seasonal characteristics in distribution, the annual swing in mortality rates is relatively small. However, an analysis of the component rates contributing to the total 1941 death rate showed a much wider range between the maximum and the minimum. The type of distribution also differed markedly according to the cause of death. For example, the death rates for respiratory diseases showed exceedingly high death rates during the winter months and very low rates in the summer. In contrast to this type of distribution, the death rates for the infectious intestinal diseases, such as typhoid and paratyphoid fever, diarrhea and enteritis, and dysentery, attained their peaks during the warm months of the year, after which the rates dwindled to relatively insignificant proportions. The death rates for diseases of older age, the so-called degenerative diseases, showed a distribution not unlike that for all causes of death. There was a slight dip in the death rate during the summer months after which the rates started to increase again. Accidental drownings and homicides occurred more frequently in the summer, but the death rate for suicide reached its peak during the spring months of the year. As may be seen from the tabulation of deaths from selected causes, by month (table 7), there were other interesting variations in the seasonality of mortality for specific causes of death, but, because of their high incidence, respiratory diseases had the greatest influence on the seasonal curve of mortality for all causes.

Death-rate trend for selected causes of death.—Tabulations of deaths by cause and other classifications are given in general mortality tables, numbers 7 to 10, inclusive. The number of deaths in the United States in 1941 and the crude death rate for each International List title and subdivision are given in table XI. Death rates for selected causes are tabulated in table XII for each State and geographic division.

The trend of the death rates for certain causes may be seen in table AB, which presents death rates for selected causes in the expanding death-registration States during the period 1912 to 1941. In general, the trends are characterized by large reductions in the death rates for infectious diseases and by increases in the death rates for the so-called degenerative diseases, or diseases of older ages.

TABLE AB.—DEATH RATES (NUMBER OF DEATHS PER 100,000 ESTIMATED MIDYEAR POPULATION) FOR SELECTED CAUSES OF DEATH: REGISTRATION STATES, UNITED STATES

(Exclusive of stillbirths. Numbers under causes of death are those of the 1938 revision of the detailed International List)

YEAR	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Cancer and other malignant tumors 45-55	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 89	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Influenza and pneumonia (all forms) 33, 107-109
1941	1,049.1	0.8	0.5	0.3	2.8	1.0	40.8	3.7	0.9	13.3	120.0	25.4	2.5	1.4	89.0	289.9	63.8
1940	1,073.9	1.1	0.5	0.5	2.2	1.1	42.1	3.7	1.1	14.4	120.0	26.5	2.8	1.6	90.7	291.9	70.1
1939	1,060.4	1.5	0.7	0.7	2.3	1.5	43.1	4.0	1.3	15.0	117.5	25.5	2.8	1.8	87.8	275.5	75.7
1938	1,064.0	1.9	0.8	0.9	3.7	2.0	44.7	4.4	1.8	15.9	114.9	23.9	2.9	2.5	85.9	269.7	80.4
1937	1,125.9	2.1	1.7	1.4	3.9	2.0	49.2	4.7	2.1	16.1	112.4	23.7	2.9	2.5	86.7	268.9	114.9
1936	1,155.2	2.5	2.4	1.9	2.1	2.4	50.8	5.1	3.1	16.2	111.4	23.7	3.0	2.9	91.0	266.6	119.6
1935	1,094.5	2.8	2.1	2.1	3.7	3.1	49.9	5.2	3.5	15.4	108.2	22.3	2.8	2.8	85.7	245.4	104.2
1934	1,105.4	3.4	1.0	2.0	5.9	3.3	51.2	5.5	3.6	15.9	106.4	22.2	2.8	2.9	85.5	240.3	96.9
1933	1,068.7	3.6	1.2	2.0	3.6	3.9	53.7	5.9	3.7	15.1	102.3	21.4	2.7	3.1	84.1	228.0	95.7
1932	1,087.7	3.7	1.4	2.2	4.5	4.4	56.1	6.4	2.1	15.4	102.3	22.0	3.1	3.0	87.5	224.1	107.3
1931	1,106.5	4.5	2.4	2.2	3.9	4.8	60.4	7.4	2.1	15.4	99.0	20.4	3.2	4.2	86.8	213.4	107.5
1930	1,132.1	4.8	3.6	1.9	4.8	4.9	63.0	8.1	2.9	15.7	97.4	19.1	3.4	5.2	89.0	214.2	102.5
1929	1,187.8	4.2	4.5	2.1	6.2	6.5	67.0	8.3	3.5	15.6	95.8	18.8	3.3	5.7	90.8	211.2	146.5
1928	1,198.6	4.9	2.6	1.9	5.4	7.2	69.3	9.0	3.6	16.4	95.7	19.0	3.6	6.0	92.0	207.7	142.5
1927	1,131.5	5.3	1.6	2.3	6.8	7.7	70.1	9.5	2.6	16.4	95.2	17.4	3.9	4.8	88.1	195.3	102.2
1926	1,211.0	6.4	1.3	2.5	8.8	7.4	74.9	10.5	1.9	17.1	94.6	17.9	4.0	3.4	91.3	198.6	141.7
1925	1,168.1	7.8	1.0	2.7	6.7	7.8	74.1	10.7	2.0	17.3	92.0	16.8	3.4	3.0	89.5	184.8	121.7
1924	1,159.0	6.6	0.9	3.1	8.1	9.3	76.5	11.4	2.4	17.8	90.4	16.4	2.7	2.2	97.2	175.7	115.2
1923	1,213.0	6.7	1.0	3.5	9.6	12.0	80.4	11.4	2.8	17.9	88.4	17.7	2.1	2.3	95.7	174.0	151.7
1922	1,169.3	7.4	0.9	3.5	5.5	14.6	83.3	12.0	3.5	18.0	86.2	18.3	2.0	2.7	92.1	165.0	132.3
1921	1,149.8	8.8	1.4	5.3	9.1	17.7	84.5	13.2	3.5	17.5	85.5	16.7	1.7	2.7	89.2	156.2	98.7
1920	1,298.9	7.6	1.6	4.6	12.5	15.3	99.8	13.4	3.4	16.5	83.4	16.1	1.8	2.5	93.0	159.6	207.3
1919	1,289.4	9.2	1.8	2.8	5.6	14.9	111.3	14.4	3.8	16.2	81.0	15.0	1.8	3.1	89.9	147.9	223.0
1918	1,810.0	12.3	3.4	3.1	17.0	14.0	132.9	16.9	3.0	18.7	80.8	16.1	1.7	4.0	94.0	171.6	588.5
1917	1,397.1	13.3	3.8	3.5	10.5	15.6	126.2	17.3	3.0	19.1	80.8	16.9	1.6	4.0	95.9	169.9	164.5
1916	1,381.1	13.2	2.1	3.1	10.5	13.9	121.0	17.4	2.8	18.6	81.0	16.9	1.6	2.7	94.7	167.2	163.3
1915	1,317.6	11.8	1.4	3.6	8.2	15.2	122.6	17.5	1.6	17.7	80.7	17.6	1.5	1.1	94.5	163.9	145.9
1914	1,330.2	14.7	1.7	6.6	10.2	17.2	123.0	18.7	1.7	16.7	78.7	16.2	1.5	1.0	93.6	158.2	132.4
1913	1,380.6	17.5	1.5	7.7	10.1	18.1	123.7	19.7	2.0	16.2	78.5	15.4	1.5	0.7	91.1	154.6	140.8
1912	1,359.7	16.1	2.0	6.0	9.2	17.6	125.9	19.5	2.3	15.1	77.0	15.1	1.5	0.4	91.9	158.7	138.4

	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130-132	Puerperal septicemia 140,142a, 147	Puerperal toxemias 141a,c, 144,148	Other puerperal causes 141b,d,e,f, 142b,143, 145,146, 149,150	Congenital malformations 157	Premature birth 159	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
1941	6.7	10.5	8.1	8.7	8.9	75.0	2.3	1.5	2.2	10.5	25.0	12.8	6.0	30.0	46.2	138.7
1940	6.8	10.3	9.8	9.0	8.6	81.3	2.7	1.7	2.3	10.0	24.5	14.3	6.2	26.1	47.3	142.6
1939	6.8	11.6	10.8	9.4	8.3	82.9	2.9	1.7	2.4	9.5	24.6	14.1	6.4	24.7	46.0	141.4
1938	6.5	14.3	11.0	9.7	8.3	77.4	2.6	1.9	3.2	9.3	25.2	15.3	6.8	25.1	47.2	144.0
1937	6.8	14.7	11.9	10.2	8.5	79.9	2.9	2.1	3.4	9.2	26.1	15.0	7.6	30.8	50.9	150.7
1936	6.7	16.4	12.9	10.5	8.3	83.5	3.6	2.2	3.7	9.4	26.3	14.3	8.0	29.7	56.2	159.0
1935	6.6	14.1	12.7	10.3	7.9	81.3	4.1	2.1	3.6	9.3	26.0	14.3	8.3	28.6	49.8	156.0
1934	6.1	18.4	14.3	10.3	7.7	84.3	4.0	2.4	3.8	10.0	27.8	14.9	9.5	28.6	51.3	163.3
1933	6.0	17.3	14.1	10.0	7.4	83.0	3.9	2.4	3.9	9.6	26.2	15.9	9.7	25.0	47.4	156.7
1932	6.0	16.1	14.1	10.1	7.2	87.4	4.1	2.6	4.3	10.3	27.5	17.4	9.0	23.6	47.7	154.8
1931	6.1	20.5	15.1	10.5	7.4	87.4	4.5	3.0	4.3	11.0	28.8	16.8	9.2	27.1	51.3	166.0
1930	6.2	26.0	15.2	10.2	7.2	91.0	4.6	3.5	4.6	11.2	31.5	15.6	8.8	26.7	53.8	175.4
1929	6.4	23.3	15.1	10.5	7.2	91.1	5.0	3.3	4.8	11.4	32.9	13.9	8.4	25.5	55.0	184.0
1928	6.4	26.4	15.1	10.4	7.5	94.9	4.9	3.6	5.1	11.8	34.5	13.5	8.6	23.2	55.6	190.2
1927	6.3	27.1	14.7	10.3	7.4	91.7	5.2	3.5	4.8	12.5	34.8	13.2	8.4	21.6	56.2	184.8
1926	6.0	32.9	14.7	10.9	7.2	97.3	5.2	3.8	5.2	13.3	36.6	12.6	8.4	19.9	58.1	196.7
1925	5.9	38.6	14.8	10.6	7.2	95.0	5.4	4.1	5.1	13.7	36.9	12.0	8.3	16.8	60.6	192.0
1924	5.5	33.7	14.4	10.3	7.3	87.8	5.6	4.2	5.3	14.0	39.2	11.9	8.1	15.3	59.4	201.1
1923	5.2	39.1	14.4	10.3	7.1	89.0	5.7	4.0	5.6	14.3	38.8	11.5	7.8	14.6	60.7	207.6
1922	5.0	38.9	13.9	10.4	7.4	87.7	5.6	4.3	5.6	14.4	39.4	11.7	8.0	12.4	56.7	200.5
1921	4.8	50.7	14.1	10.5	7.3	84.3	6.7	4.4	5.5	15.5	41.7	12.4	8.1	11.3	56.5	204.3
1920	3.6	53.7	13.2	10.5	7.1	88.8	6.5	4.8	7.7	15.2	43.6	10.2	6.8	10.3	60.7	217.8
1919	3.5	55.2	11.5	10.3	7.9	88.2	5.7	4.2	7.0	14.5	40.9	11.5	7.2	9.3	62.8	208.2
1918	3.9	72.2	11.9	11.3	9.6	97.4	6.4	4.5	11.5	16.0	47.3	12.3	6.5	9.3	73.2	238.9
1917	4.3	75.2	11.9	11.1	10.9	104.9	6.8	4.4	5.1	15.7	46.1	13.0	6.9	8.6	78.4	247.7
1916	4.4	75.5	12.1	11.0	11.8	103.1	6.5	4.2	5.2	15.9	46.4	13.7	6.3	7.1	75.5	252.5
1915	4.2	67.5	11.7	10.8	12.1	101.5	6.0	3.8	4.9	14.9	43.2	16.2	5.9	5.8	68.7	235.6
1914	4.0	75.1	11.5	11.3	12.5	99.2	6.8	3.8	4.8	15.7	42.8	16.1	6.2	4.2	73.5	250.6
1913	3.8	86.7	11.4	11.4	12.9	99.7	7.0	3.7	4.7	14.9	43.2	15.4	6.1	3.8	80.9	275.8
1912	3.8	79.8	10.9	11.7	13.1	99.7	8.2	3.5	4.8	14.6	41.6	15.6	5.4	2.8	79.0	271.2

*Refer to complete International List titles, table XI.

The six principal causes of death in 1912 were diseases of the heart; influenza and pneumonia; tuberculosis of the respiratory system; nephritis; intracranial lesions of vascular origin; and diarrhea, enteritis, and ulceration of intestines. Relatively high death rates were also reported for cancer and other malignant tumors; typhoid and paratyphoid fever; premature birth; and childhood diseases such as diphtheria, whooping cough, and scarlet fever. In the course of public health progress, the death rates for all of the above-mentioned causes of death, except diseases of the heart, nephritis, intracranial lesions of vascular origin, and cancer, have undergone substantial reductions and were, in 1941, the lowest or among the lowest rates ever recorded in the history of national vital statistics.

Influenza and pneumonia with a death rate of 138.4 per 100,000 population was the second leading cause of death in 1912. In 1941 this cause was fifth in the rank order with a death rate of 63.8 per 100,000 population. The death rate for this cause has decreased considerably in recent years because of the widespread use of sulfonamides and pneumonia serums in treatment. The tuberculosis death rates also reflect the remarkable advances in the treatment and prevention of this disease. The death rate for tuberculosis of the respiratory system was 125.9 per 100,000 population in 1912. By 1941, the

death rate for this cause had dropped to 40.8 per 100,000 population.

Even more striking has been the decline in the death rates for diseases such as typhoid and paratyphoid fever, which decreased from a rate of 16.1 per 100,000 population in 1912 to 0.8 in 1941. The death rate for diphtheria showed a drop from 17.6 per 100,000 population in 1912 to 1.0 in 1941. Diarrhea, enteritis, and ulceration of the intestines is another cause of death that has exhibited large reductions in the death rate during the period 1912 to 1941.

The declining death rates for communicable diseases have had a marked effect upon the trend of the crude death rate, but this effect has been partially offset by the increasing death rates for causes such as diseases of the heart, cancer and other malignant tumors, diabetes mellitus, and motor-vehicle accidents. Partly because of the aging of the general population, and also because of improvements in diagnosis, the death rate for heart diseases increased from 158.7 per 100,000 in 1912 to 289.9 in 1941, a slight decrease from the high rate of 291.9 for 1940. For similar reasons, the death rate for cancer has increased from 77.0 to 120.0 per 100,000 population during the same period. The death rate for diabetes mellitus shows a regular upward trend despite the widespread and continuous use of insulin by diabetics since its discovery in 1922. The diabetes death rate in 1941 continued at a high level.

Motor-vehicle accident deaths were not considered to be of sufficient importance to be tabulated separately as a cause of death until 1906. In 1941 the death rate for motor-vehicle accidents was 30.0 per 100,000 population as compared with the rate of 2.8 in 1912.

The decline in the mortality rates for infectious and preventable diseases can be attributed largely to the development in public health and medical practice. Since the turn of the century, great progress has been made in environmental sanitation, particularly with respect to water and milk supply; disposal of domestic and industrial wastes; immunization; and improvements in diagnostic aids and in the surgical and medical treatment of diseases. Perhaps the most important contribution to public health in recent years is the use of sulfonamides for the treatment of coccus infections. The sulfonamides have been effective, not only in the reduction of mortality from pneumonia but from other causes such as appendicitis and puerperal septicemia.

The increases from such causes as heart diseases and cancer are doubtless due to several reasons. The prevention of deaths from diseases of infancy and childhood, together with the decline in the birth rate, is producing a population with a higher proportion of persons in the older age groups in the United States. This fact, in itself, tends to increase the total death rates for diseases associated primarily with advanced age. Also, there is little doubt that improved diagnostic facilities and techniques and greater hospitalization have increased the number of deaths certified as due to cancer, as well as to certain other diseases.

Death rates for selected causes of death, by age.—Table AC, which shows the age-specific death rates for selected causes in 1941, indicates the mortality experience of the various age groups with respect to a number of causes of death. The age-specific death rates for all causes show that once the health hazards surrounding the period of infancy are overcome, the chances of survival are materially increased. Of all the age groups exposed to the risk of death, children between the ages of 10 and 14 years have the most favorable mortality experience. The death rate for this age group is slightly lower than that for children 5 to 9 years of age but is considerably lower than the death rate for the next older age group, 15 to 19 years. The death rates then increase gradually and as old age approaches the increment in the death rate becomes greater.

TABLE AC.—DEATH RATES (NUMBER OF DEATHS PER 100,000 ESTIMATED MIDYEAR POPULATION) FOR SELECTED CAUSES OF DEATH, BY AGE: UNITED STATES, 1941

(Exclusive of stillbirths. All rates except those for "All ages" are based on provisional estimates as of July 1. Numbers under causes of death are those of the 1938 revision of the detailed International List)

AGE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis of respiratory system, etc.*	Tuberculosis (other forms)	Malaria	Syphilis	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter	Pellagra (except alcoholic)	Intracranial lesions of vascular origin	Diseases of ear, nose, and throat	Chronic rheumatic diseases of heart
		1,2	6	8	9	10	13	14-22	28	30	36	45-55	58	61	63b	69	83	89, 104, 115	90a, 92b, 92c, 93c, 95b
All ages	1,049.1	0.8	0.5	0.3	2.8	1.0	40.8	3.7	0.9	13.3	0.6	120.0	1.2	25.4	2.5	1.4	89.0	4.3	19.8
Under 1 year	4,788.9	0.7	6.6	1.2	108.1	4.2	9.8	11.0	4.8	43.8	2.5	3.8	0.3	0.8	0.0	0.3	8.5	35.4	1.2
1 to 4 years	280.7	0.6	1.5	1.7	12.7	8.5	5.0	7.9	1.5	1.1	1.8	5.1	0.7	0.8	.0	0.1	1.5	6.9	0.8
5 to 9 years	103.4	0.7	0.5	1.1	0.8	2.6	2.0	2.2	0.7	0.4	1.5	2.9	2.1	0.8	.0	0.0	0.6	4.0	3.0
10 to 14 years	95.2	0.9	0.5	0.4	0.1	0.4	4.9	1.8	0.4	0.6	1.2	2.7	2.4	1.5	0.0	0.1	0.7	2.7	5.1
15 to 19 years	168.4	1.0	0.5	0.3	0.0	0.1	25.6	3.0	0.4	1.3	0.9	4.4	1.6	2.2	0.3	0.1	1.4	2.9	6.3
20 to 24 years	253.1	1.0	0.4	0.2	0.0	0.1	43.9	3.2	0.5	2.7	0.5	5.9	1.2	2.0	0.4	0.3	2.3	2.4	6.3
25 to 29 years	264.5	1.1	0.2	0.0	0.0	0.1	50.0	3.1	0.5	4.6	0.4	11.7	1.0	2.3	0.7	0.3	3.8	2.4	8.1
30 to 34 years	321.3	0.9	0.3	0.1	0.0	0.1	52.2	3.2	0.1	7.5	0.3	23.1	1.0	3.0	1.2	0.7	6.9	2.4	10.4
35 to 39 years	417.9	0.7	0.3	0.1	.0	0.1	52.4	3.1	0.5	13.4	0.2	41.8	0.9	4.1	1.3	1.0	15.8	2.6	13.9
40 to 44 years	593.6	0.7	0.3	0.1	0.0	0.2	54.6	3.4	0.7	18.7	0.2	81.2	0.9	8.1	2.2	1.0	30.1	3.2	17.6
45 to 49 years	850.4	0.6	0.3	0.1	0	0.1	58.6	3.7	0.6	23.8	0.1	134.0	0.5	15.9	3.7	1.7	56.9	3.3	23.1
50 to 54 years	1,250.6	0.6	0.2	0.0	0.0	0.2	64.2	3.6	0.9	30.3	0.0	203.7	0.7	31.1	5.5	2.1	97.5	3.9	26.0
55 to 59 years	1,780.8	0.8	0.3	0.1	0	0.1	67.1	3.8	1.3	36.3	0.2	303.7	0.9	61.7	7.1	2.6	157.6	4.7	33.9
60 to 64 years	2,604.2	0.9	0.2	0.1	0.0	0.2	72.7	4.7	1.2	40.3	0.1	437.2	0.9	105.0	9.7	3.8	263.5	5.2	45.4
65 to 69 years	3,821.5	0.7	0.2	0.0	0.0	0.2	73.9	4.5	1.6	40.6	0.1	596.2	1.2	158.3	11.8	6.0	435.8	5.8	63.8
70 to 74 years	5,659.9	0.5	0.1	0	0	0.1	69.6	4.5	2.5	36.4	0.0	796.0	1.4	210.1	11.8	8.3	707.6	6.9	99.7
75 years and over	12,362.8	0.6	0.1	0.1	0.1	0.3	68.7	5.4	4.2	29.2	0	1,180.6	2.9	260.1	11.1	13.9	1,555.6	12.8	207.8

AGE	Diseases of coronary arteries, angina pectoris	Diseases of heart (other forms)	Influenza and pneumonia (all forms)	Ulcer of stomach or duodenum	Diarrhea, enteritis, and ulceration of intestines	Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Biliary calculi, other diseases of gallbladder	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	All other causes*
	94	90b,91, 92a, d,e, 93a,b, d,e, 95a,c	33,107-109	117	119, 120	121	122	124	126, 127	130-132	140, 142a, 147	141, 142b-146, 148-150	157	159	163, 164	165-168	170	169, 171-195	
All ages	80.4	189.7	63.8	6.7	10.5	8.1	8.7	8.9	5.7	75.0	2.5	3.7	10.5	25.0	12.8	6.0	30.0	46.2	126.9
Under 1 year	1.0	14.5	703.1	0.7	587.5	1.2	52.4	1.0	0.5	6.7	0	0	495.7	1,401.2	0	4.6	7.4	106.9	1,381.6
1 to 4 years	0.2	2.4	57.3	0.1	26.1	6.2	3.0	0.2	0.1	3.1	0	0	10.3	...	0	0.6	13.9	36.2	63.1
5 to 9 years	0.1	2.4	8.9	0.0	1.3	5.9	0.9	0.2	0.0	2.3	0	0	2.7	...	0	0.5	14.7	17.0	20.4
10 to 14 years	0.2	3.2	7.2	0.1	0.4	6.5	0.7	0.2	0.0	2.6	0.1	0.2	1.5	...	0.4	0.7	11.2	18.0	15.9
15 to 19 years	0.6	5.5	8.8	0.3	0.6	7.3	1.1	0.3	0.1	4.4	2.7	4.6	1.3	...	3.4	4.2	30.7	22.8	19.6
20 to 24 years	1.3	7.1	11.3	0.9	0.8	5.7	1.6	0.4	0.3	6.4	5.8	8.6	1.2	...	8.0	10.1	39.5	26.7	24.3
25 to 29 years	2.9	10.9	13.2	1.9	0.8	5.0	2.4	1.1	0.7	9.0	6.1	9.1	0.8	...	11.3	10.9	30.7	27.1	30.1
30 to 34 years	7.2	16.7	17.1	3.4	1.1	5.9	3.5	3.1	1.7	12.6	6.1	9.3	0.8	...	13.6	11.6	26.5	27.7	39.1
35 to 39 years	18.7	30.5	22.7	4.7	1.2	6.6	4.2	5.8	2.7	21.0	4.8	9.1	0.7	...	16.2	10.4	26.2	30.4	51.8
40 to 44 years	43.8	59.4	31.2	7.8	1.6	7.9	6.4	10.1	4.1	37.4	2.4	4.2	0.6	...	18.2	9.5	26.0	34.2	66.6
45 to 49 years	85.*	109.6	38.9	11.4	1.4	10.0	8.1	15.5	7.2	55.1	0.2	0.6	0.5	...	21.5	7.2	29.7	37.4	86.2
50 to 54 years	145.9	192.5	56.1	16.5	2.2	11.1	11.9	20.1	10.3	84.8	0	0.0	0.6	...	24.9	5.4	33.3	44.8	106.8
55 to 59 years	215.5	320.4	72.5	19.2	2.4	13.3	15.8	25.1	14.7	129.2	0.0	0	0.6	...	28.6	4.3	40.4	51.4	147.0
60 to 64 years	308.1	550.9	103.2	22.4	3.5	14.2	24.0	31.3	19.2	202.1	0	0	0.4	...	30.9	3.7	47.2	64.5	207.7
65 to 69 years	427.4	870.3	155.8	24.2	5.3	16.6	30.7	37.4	27.3	329.4	0	0	0.4	...	30.4	3.5	38.5	90.7	312.9
70 to 74 years	568.1	1,434.7	251.0	25.7	7.6	17.4	45.1	42.8	34.0	527.1	0	0	0.4	...	31.1	2.9	68.3	141.9	506.1
75 years and over	855.1	3,606.1	783.9	33.5	24.9	18.4	85.1	51.5	52.3	1,272.3	0	0	0.5	...	33.7	2.3	83.1	517.3	1,589.6

*Refer to complete International List titles, table XI.

The age-specific death rates for all causes are summations of the rates for the individual causes. The probability of dying from specific diseases differs with age, and each cause of death has its characteristic age distribution. In general, the various causes of death may be placed in the broad categories of infant causes, childhood diseases, diseases of adulthood, and causes peculiar to advanced age. There are other causes that overlap over the various age groups, and also some that affect all persons regardless of age in about the same manner.

INFANT MORTALITY STATISTICS

Detailed tables for infant mortality are given in Vital Statistics of the United States, Part II. Rates for geographic divisions and individual States for a series of years are given in rate table X; the number of infant deaths and death rates for each city and county are included in table XIII; these and summary rate tables are included in the present volume.

Trend of the infant mortality rate.—In 1941 there were 113,949 deaths of infants under 1 year of age registered in the United States. This is a slight increase in the number of infant deaths as compared with that reported for 1940, but because of the greater increase in the number of births the infant mortality rate of 45.3 per 1,000 live births for 1941 is the lowest ever recorded for the birth-registration area.

Rates for each year, together with the number of infant deaths and the number of live births, are given in table AD. These data are presented for the birth-registration area, inasmuch as the infant mortality rate is computed on the number of live births. The number of infant deaths for the death-registration States can be found in the general mortality tables in which the data are classified by age.

TABLE AD.—INFANT MORTALITY: BIRTH-REGISTRATION AREA, UNITED STATES

(Exclusive of stillbirths)

YEAR	Live births	DEATHS UNDER 1 YEAR		YEAR	Live births	DEATHS UNDER 1 YEAR	
		Number	Rate per 1,000 live births			Number	Rate per 1,000 live births
1941	2,513,427	113,949	45.3	1927	2,137,836	138,017	64.6
1940	2,360,399	110,964	47.0	1926	1,858,068	136,118	73.3
1939	2,265,588	108,846	48.0	1925	1,878,880	134,652	71.7
1938	2,286,962	116,702	51.0	1924	1,930,614	136,730	70.8
1937	2,203,337	119,931	54.4	1923	1,792,646	138,259	77.1
1936	2,144,790	122,535	57.1	1922	1,774,911	135,228	76.2
1935	2,155,105	120,138	55.7	1921	1,714,261	129,588	75.6
1934	2,187,636	130,185	60.1	1920	1,508,874	129,531	85.8
1933	2,081,232	120,887	58.1	1919	1,373,438	119,000	86.6
1932	2,074,042	119,431	57.6	1918	1,363,649	137,647	100.9
1931	2,112,760	130,134	61.6	1917	1,353,792	126,950	93.8
1930	2,203,958	142,413	64.6	1916	818,983	82,734	101.0
1929	2,169,920	146,661	67.6	1915	776,304	77,572	99.9
1928	2,233,149	153,492	68.7				

As may be seen from table AD, the trend of the infant mortality rate has been steadily downward since the establishment of the birth-registration area. The infant mortality rate was 99.9 in 1915, and twice thereafter (in 1916 and 1918) the rate exceeded 100. Although there was a definite rise in the infant mortality rate in 1918, the year of the influenza pandemic, the effect of the epidemic among infants was insignificant compared with its devastating results in the general population. Since 1918, there has been a steady and a rapid decrease in the infant death rate. The rate of 45.3 per 1,000 live births for 1941 is only 45 percent of that for 1915.

The reduction in infant mortality has occurred in both the white and Negro races, as shown in table AE. Although the rate for Negroes is considerably higher than that for the white race, the rate of decrease of the infant mortality rate for Negroes has been slightly greater than that for the white race. The infant death rate for "Other races" is based on relatively few deaths so the rate is quite variable. In 1941 the infant mortality rate for the white race and for the "Other races" showed a decline, but the infant death rate for Negroes increased over that for 1940.

TABLE AE.—INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY RACE: BIRTH-REGISTRATION AREA, UNITED STATES

(Exclusive of stillbirths)

YEAR	Total	White	Negro	Other races	YEAR	Total	White	Negro	Other races
1941	45.3	41.2	74.1	88.8	1927	64.6	60.6	99.9	103.4
1940	47.0	43.2	72.9	91.0	1926	73.3	70.0	112.1	108.9
1939	48.0	44.3	73.2	97.2	1925	71.7	68.3	112.0	95.6
1938	51.0	47.1	77.9	102.4	1924	70.8	66.8	114.1	95.0
1937	54.4	50.3	82.0	108.9	1923	77.1	73.5	119.9	85.8
1936	57.1	52.9	86.1	120.0	1922	76.2	73.2	111.7	89.9
1935	55.7	51.9	81.9	110.8	1921	75.6	72.5	110.7	78.8
1934	60.1	54.5	91.0	114.5	1920	85.8	82.1	135.6	89.6
1933	58.1	52.8	85.4	127.5	1919	86.6	83.0	134.3	88.2
1932	57.6	53.3	84.1	103.5	1918	100.9	97.4	162.5	126.4
1931	61.6	56.7	92.7	117.8	1917	93.8	90.5	148.6	142.5
1930	64.6	59.6	99.5	141.1	1916	101.0	99.0	184.3	204.8
1929	67.6	63.2	101.5	119.3	1915	99.9	98.6	180.6	196.2
1928	68.7	64.0	105.9	111.8					

Infant mortality by State.—A comparison of the infant death rates for the various States and geographic divisions is given in table AF. The lowest rate, 29.9 per 1,000 live births, was reported for Utah; and the highest rate, 95.4, for New Mexico. With a few exceptions, the rates were highest in the South Atlantic, East South Central, Mountain, and West South Central States, and lowest in the Pacific, Middle Atlantic, and New England States. The comparability of infant death rates between States is affected by incomplete birth and death registration in some States. However, the indicated differences in infant mortality are much too large to be explained by this factor.

TABLE AF.—INFANT MORTALITY RATES BY RACE: UNITED STATES, EACH DIVISION AND STATE, 1941

(Exclusive of stillbirths)

DIVISION AND STATE	DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS			DIVISION AND STATE	DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS		
	Total	White	All other races		Total	White	All other races
United States	45.3	41.2	74.8	WEST NORTH CENTRAL—Continued			
				Nebraska	34.4	33.8	74.5
GEOGRAPHIC DIVISIONS:				Kansas	37.8	37.0	58.2
New England	36.8	36.5	58.0	SOUTH ATLANTIC:			
Middle Atlantic	36.5	35.0	61.3	Delaware	43.0	34.2	88.8
E. North Central	37.7	36.8	57.2	Maryland	52.6	42.2	91.7
W. North Central	39.0	37.6	78.9	Dist. of Columbia	50.8	38.5	80.8
South Atlantic	60.6	50.5	84.4	Virginia	66.9	56.5	94.8
E. South Central	57.2	52.3	69.7	West Virginia	61.1	58.7	118.9
W. South Central	53.7	49.2	71.6	North Carolina	59.8	49.8	80.8
Mountain	55.7	51.9	151.8	South Carolina	75.0	57.4	93.3
Pacific	35.7	35.2	50.8	Georgia	58.2	47.9	74.4
				Florida	52.8	44.3	74.0
NEW ENGLAND:				EAST SOUTH CENTRAL:			
Maine	51.2	51.2	75.0	Kentucky	58.6	57.0	88.1
New Hampshire	36.5	36.5	0	Tennessee	55.3	50.7	80.2
Vermont	43.9	44.0	0	Alabama	59.5	50.8	73.8
Massachusetts	35.3	34.9	62.8	Mississippi	54.7	46.7	61.1
Rhode Island	35.8	35.5	50.6				
Connecticut	31.1	30.5	54.7	WEST SOUTH CENTRAL:			
				Arkansas	44.0	40.9	53.9
MIDDLE ATLANTIC:				Louisiana	57.8	44.3	77.1
New York	33.1	32.1	50.9	Oklahoma	47.5	43.9	77.3
New Jersey	36.2	33.3	72.3	Texas	56.9	54.5	72.9
Pennsylvania	40.7	39.1	67.0				
				MOUNTAIN:			
EAST NORTH CENTRAL:				Montana	37.2	33.3	97.7
Ohio	40.8	39.3	66.6	Idaho	34.5	33.8	106.8
Indiana	39.8	39.0	62.4	Wyoming	43.8	40.7	157.1
Illinois	34.0	33.0	49.8	Colorado	52.2	52.0	66.2
Michigan	38.7	38.3	49.2	New Mexico	95.4	93.4	151.3
Wisconsin	35.1	34.5	81.3	Arizona	88.3	70.6	214.6
				Utah	29.9	29.7	52.6
WEST NORTH CENTRAL:				Nevada	42.2	41.2	53.6
Minnesota	34.5	33.9	76.9				
Iowa	36.5	36.4	47.8	PACIFIC:			
Missouri	46.5	44.1	79.4	Washington	35.0	33.6	95.1
North Dakota	37.8	35.3	110.4	Oregon	30.7	29.7	95.2
South Dakota	40.9	36.5	105.9	California	36.7	36.4	42.8

Infant death rates by age.—Death rates for infants at various ages during the first year of life are given in table AG. These data are given for the birth-registration area for each year beginning with 1928. The total infant death rate has decreased from 68.7 per 1,000 live births in 1928 to 45.3 in 1941. The death rate for infants under 1 month has decreased from 37.2 to 27.7, while the death rate for infants over 1 month of age declined from 31.5 to 17.6 in the same

period. The most notable feature of table AG is that, although relatively large gains have been made for almost every age group, little reduction was made in the rate for deaths of infants under 1 day until recent years. From 1928 to 1937, the rate for deaths under 1 day was approximately 15 per 1,000 live births, but during the past 4 years the rate has decreased somewhat. In 1941 the death rate for infants under 1 day of age was 13.2 per 1,000 live births.

TABLE AG.—INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY AGE: BIRTH-REGISTRATION AREA, UNITED STATES

(Exclusive of stillbirths)

AGE	1941	1940	1939	1938	1937	1936	1935
Under 1 year	45.3	47.0	48.0	51.0	54.4	57.1	55.7
Under 1 day	13.2	13.9	14.1	14.1	14.7	15.1	15.0
1 day	3.5	3.5	3.7	3.6	3.7	3.9	3.7
2 days	2.2	2.2	2.3	2.3	2.3	2.5	2.4
3 to 6 days	3.4	3.6	3.7	3.7	4.0	4.3	4.4
1 week	2.4	2.4	2.5	2.6	2.9	3.0	3.1
2 weeks	1.6	1.6	1.6	1.8	1.9	2.0	2.0
3 weeks	1.4	1.4	1.4	1.5	1.7	1.8	1.8
Under 1 month	27.7	28.8	29.3	29.6	31.3	32.6	32.4
1 month	3.4	3.5	3.5	3.9	4.3	4.4	4.4
2 months	2.7	2.9	2.8	3.2	3.5	3.6	3.5
3 to 5 months	5.7	5.9	5.9	6.7	7.2	7.7	7.1
6 to 8 months	3.5	3.6	3.8	4.4	4.8	5.1	4.8
9 to 11 months	2.3	2.4	2.8	3.2	3.4	3.6	3.5

	1934	1933	1932	1931	1930	1929	1928
Under 1 year	60.1	58.1	57.6	61.6	64.6	67.6	68.7
Under 1 day	15.4	15.1	15.0	15.0	15.0	15.3	15.3
1 day	3.9	3.8	3.8	4.0	4.2	4.4	4.4
2 days	2.6	2.7	2.6	2.7	2.9	3.0	3.1
3 to 6 days	4.6	4.7	4.7	4.7	5.1	5.3	5.4
1 week	3.4	3.5	3.4	3.6	3.9	3.9	4.1
2 weeks	2.3	2.2	2.2	2.4	2.5	2.6	2.6
3 weeks	1.9	1.9	1.8	2.0	2.1	2.3	2.3
Under 1 month	34.1	34.0	33.5	34.6	35.7	36.9	37.2
1 month	4.8	4.5	4.7	5.0	5.3	5.6	5.5
2 months	3.8	3.5	3.6	4.0	4.2	4.3	4.4
3 to 5 months	7.8	7.2	7.2	8.0	8.8	9.2	9.3
6 to 8 months	5.4	5.0	4.9	5.7	6.2	6.5	6.9
9 to 11 months	4.2	3.9	3.8	4.3	4.6	5.1	5.4

Infant death rates at various ages during the first year of life, by race, are shown in table AH for 1941. The difference between "White" and "Negro" infant mortality was proportionately greater during later infancy than during the first days of life. The rate for the white race under 1 day was 12.9 per 1,000 live births, or 81.1 percent of the rate for the Negroes. A similar comparison of death rates for infants of ages of less than 2 weeks shows that the rate for the white race was 68.8 percent of that for the Negroes. The rate for white infants 2 weeks of age and over was 17.8 per 1,000 live births, or only 44.4 percent as high as that for the Negroes.

Infant mortality by month.— Table AJ shows the infant death rates for the United States, by month, for each year from 1937 to 1941, inclusive. The death rate for each month of 1941 was lower than the average rate for the corresponding month of the 4-year period, 1937 to 1940. The infant death rates for 8 out of the 12 months for 1941 were the lowest reported for their respective months during the past 5 years.

The seasonal distribution of infant mortality rates for 1941 was not exactly typical of that for former years. The drop in the death rate during the first 4 months of the year was not unusual, but in May of 1941 the lowest monthly rate for the year was reached. Since the minimum monthly death rate generally occurs in one of the fall months, August, September, or October, the early occurrence of the minimum rate was unusual. The infant death rate for December was also atypical in that the December rate, which is normally high in relation to the rates for the first 4 or 5 months of the year, was relatively low in 1941.

TABLE AH.—INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY AGE, SEX, AND RACE: UNITED STATES, 1941

(Exclusive of stillbirths)

AGE AND SEX	Total	White	Negro	Other races
Under 1 year	45.3	41.2	74.1	88.8
Male	50.4	46.0	81.4	95.6
Female	40.0	36.1	66.6	81.6
Under 1 day	13.2	12.9	15.9	12.9
Male	14.9	14.6	17.9	12.7
Female	11.4	11.1	13.7	13.1
1 day	3.5	3.3	4.7	2.9
Male	3.9	3.7	5.1	2.6
Female	3.0	2.8	4.3	3.1
2 days	2.2	2.0	3.2	2.9
Male	2.6	2.4	3.8	3.2
Female	1.8	1.7	2.5	2.5
3 to 6 days	3.4	3.1	5.7	5.2
Male	3.9	3.5	6.8	5.7
Female	2.9	2.6	4.6	4.7
1 week	2.4	2.1	4.5	4.1
Male	2.6	2.4	4.6	4.3
Female	2.2	1.9	4.5	3.8
2 weeks	1.6	1.5	2.8	2.9
Male	1.8	1.6	3.1	3.2
Female	1.4	1.3	2.5	2.5
3 weeks	1.4	1.2	2.5	2.5
Male	1.5	1.4	2.6	2.9
Female	1.2	1.0	2.4	2.1
Under 1 month	27.7	26.1	39.3	33.3
Male	31.2	29.5	43.9	34.6
Female	23.9	22.5	34.5	31.9
1 month	3.4	3.0	6.4	8.8
Male	3.8	3.3	6.8	9.0
Female	3.0	2.6	6.0	8.6
2 months	2.7	2.4	4.9	5.8
Male	3.0	2.7	5.3	7.2
Female	2.4	2.1	4.6	4.3
3 months	2.3	2.0	4.3	6.2
Male	2.5	2.2	4.6	6.5
Female	2.1	1.8	4.0	5.9
4 months	1.8	1.5	3.9	6.4
Male	2.0	1.7	4.1	7.0
Female	1.7	1.4	3.7	5.8
5 months	1.6	1.3	3.0	5.2
Male	1.7	1.4	3.2	5.3
Female	1.4	1.2	2.8	5.0
6 months	1.3	1.1	3.0	4.9
Male	1.4	1.1	3.3	5.7
Female	1.2	1.0	2.6	4.1
7 months	1.2	1.0	2.4	4.4
Male	1.3	1.1	2.7	5.0
Female	1.0	0.9	2.2	3.7
8 months	1.0	0.9	2.1	3.4
Male	1.1	0.9	2.4	3.8
Female	1.0	0.8	1.9	3.0
9 months	0.9	0.7	1.9	4.3
Male	1.0	0.8	2.0	5.1
Female	0.8	0.7	1.8	3.4
10 months	0.7	0.6	1.5	3.2
Male	0.8	0.7	1.7	2.9
Female	0.7	0.6	1.3	3.5
11 months	0.7	0.6	1.4	3.0
Male	0.7	0.6	1.5	3.5
Female	0.7	0.6	1.3	2.5

TABLE AJ.—INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BY MONTH: UNITED STATES

(Exclusive of stillbirths)

MONTH	1941	1940	1939	1938	1937
Total	45.3	47.0	48.0	51.0	54.4
January	54.2	53.9	57.6	54.3	67.3
February	50.6	51.3	56.5	54.6	64.0
March	48.9	48.6	52.8	52.4	57.9
April	43.8	45.4	47.7	50.9	52.3
May	41.2	44.2	45.4	52.0	49.9
June	43.0	43.4	46.1	51.8	53.2
July	45.5	45.3	46.4	50.1	54.5
August	43.8	43.2	43.8	49.9	51.5
September	42.9	43.4	44.7	48.2	49.9
October	44.1	44.7	44.7	47.4	50.2
November	43.4	48.5	44.9	48.6	49.7
December	42.8	52.2	46.6	52.3	53.3

In the annual volumes for previous years, the monthly infant mortality rates were computed on the basis of the infant deaths recorded for each month and the live births occurring during the corresponding month. Infant mortality rates computed

by this method do not approximate the true seasonal pattern as well as the monthly rates based upon live births for the entire year distributed proportionately over each month. These rates are given in table AJ. However, even these rates show large deviations from rates based upon the infant population exposed to the risk of dying during periods of changing birth rates. The table below shows a comparison between the rates for 1941 as given in table AJ and the infant mortality rates based upon the total number of births occurring during the 12-month period prior to each month of occurrence of the infant deaths. This latter population base does not represent the true exposed population since infants dying during the year are not removed from the population base. However, it provides a better approximation of the number of infants exposed to the risk of dying than does any other population base except the true number of surviving infants, which can be obtained only after elaborate computations.

COMPARISON OF INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) BASED UPON MONTHLY DISTRIBUTION OF LIVE BIRTHS, AND 12-MONTH CUMULATION OF LIVE BIRTHS, BY MONTH: UNITED STATES, 1941

MONTH	Monthly distribution method	Cumulative method	Difference	MONTH	Monthly distribution method	Cumulative method	Difference
January	54.2	57.7	-3.5	July	45.5	47.1	-1.6
February	50.6	53.7	-3.1	August	43.8	44.9	-1.1
March	48.9	51.8	-2.9	September	42.9	43.7	-0.8
April	43.8	46.1	-2.3	October	44.1	44.8	-0.7
May	41.2	43.1	-1.9	November	43.4	43.9	-0.5
June	43.0	44.9	-1.9	December	42.8	43.1	-0.3

The differences between the rates computed by the two methods are relatively large at the beginning of the year but they become progressively smaller towards the end of the year. It is apparent from these results that the rates given in table AJ underestimate the true monthly infant death rates.

Infant death rates by cause of death.—As may be seen from table AK, which presents infant death rates for selected causes for the years 1936 to 1941, the principal causes of infant deaths are premature birth; pneumonia (all forms); congenital malformations; injury at birth; and diarrhea, enteritis, and ulceration of the intestines. Except for injury at birth and congenital malformations, the rates for the other principal causes of infant deaths showed marked decreases in recent years.

TABLE AK.—INFANT MORTALITY RATES (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES: UNITED STATES

(Exclusive of stillbirths)

CAUSE OF DEATH	1941	1940	1939	1938	1937	1936
All causes	45.3	47.0	48.0	51.0	54.4	57.1
Cerebrospinal (meningococcus) meningitis-6	0.1	0.1	0.1	0.1	0.1	0.1
Scarlet fever-8	0.0	0.0	0.0	0.0	0.0	0.0
Whooping cough-9	1.0	0.9	0.9	1.4	1.4	0.8
Diphtheria-10	0.0	0.1	0.1	0.1	0.1	0.1
Erysipelas (infection by C. diphtheriae)-11	0.0	0.0	0.0	0.1	0.1	0.2
Tetanus-12	0.0	0.1	0.1	0.1	0.1	0.1
Tuberculosis of respiratory system, etc.*-13	0.1	0.1	0.1	0.1	0.1	0.1
Tuberculosis of meninges, etc.*-14	0.1	0.1	0.1	0.1	0.1	0.1
Tuberculosis (other forms)-15-22	0.0	0.0	0.0	0.1	0.1	0.1
Septicemia and purulent infection-24	0.1	0.1	0.0	0.1	0.0	0.1
Dysentery-27	0.4	0.4	0.4	0.5	0.5	0.5
Malaria-28	0.0	0.1	0.1	0.1	0.1	0.1
Syphilis-30	0.4	0.5	0.6	0.6	0.7	0.7
Influenza-33	1.2	1.1	1.0	0.9	1.7	1.6
Measles-35	0.2	0.1	0.1	0.3	0.2	0.1
Other infectious and parasitic diseases-1-5,7,23,25,26,29,31,32,34,36-44	0.1	0.1	0.1	0.1	0.1	0.1
Diseases of thymus gland-64	0.4	0.4	0.4	0.5	0.5	0.5
Rickets-70	0.0	0.0	0.0	0.1	0.1	0.1
Hemorrhagic conditions-72	0.1	0.1	0.1	0.1	0.1	0.1
Anemias (except splenic anemia)-73	0.1	0.1	0.1	0.1	0.1	0.1
Encephalitis (nonepidemic)-80	0.0	0.0	0.0	0.0	0.0	0.0
Meningitis (not due to meningococcus)-81	0.3	0.2	0.2	0.2	0.3	0.3
Intracranial lesions of vascular origin-83	0.1	0.1	0.1	0.1	0.1	0.1
Convulsions-86	0.2	0.2	0.2	0.2	0.2	0.3
Diseases of ear and mastoid process-89	0.2	0.2	0.2	0.2	0.3	0.3
Other diseases, nervous system-82,84,85,87,88	0.1	0.1	0.1	0.1	0.1	0.1
Diseases of circulatory system-90-103	0.2	0.2	0.2	0.2	0.2	0.3
Pneumonia (all forms)-107-109	5.4	6.3	6.1	7.0	7.5	8.5
Other diseases of respiratory system-104-106,110-114	0.5	0.5	0.5	0.6	0.6	0.7
Diseases of buccal cavity, etc.*-115	0.1	0.1	0.1	0.1	0.1	0.1
Diseases of stomach-117,118	0.1	0.1	0.1	0.2	0.2	0.2
Diarrhea, enteritis, etc.*-119	3.7	3.5	4.0	5.0	5.3	5.7
Hernia-122a	0.0	0.0	0.1	0.1	0.1	0.1
Intestinal obstruction-122b	0.3	0.3	0.3	0.4	0.4	0.5
Peritonitis (cause not stated)-129	0.0	0.0	0.1	0.1	0.1	0.1
Other diseases, digestive system-116,121,123-128	0.1	0.1	0.1	0.1	0.1	0.1
Diseases, genito-urinary system-130,131,133-139	0.1	0.1	0.2	0.2	0.2	0.2
Diseases of skin and cellular tissue-151-153	0.1	0.1	0.1	0.1	0.1	0.1
Congenital malformations-157	4.7	4.7	4.6	4.5	4.6	4.9
Congenital debility-158	1.1	1.2	1.2	1.4	1.6	1.8
Premature birth-159	13.3	13.7	14.2	14.3	15.3	15.7
Injury at birth-160	4.3	4.5	4.5	4.4	4.4	4.5
Other diseases peculiar to first year-161	2.5	2.5	2.5	2.3	2.2	2.2
Accidental mechanical suffocation-182	0.5	0.5	0.4	0.4	0.4	0.5
Other violence or accident-166-181,183-195	0.6	0.6	0.6	0.6	0.6	0.7
Ill-defined and unknown causes-199,200	2.2	2.4	2.5	2.8	3.0	3.3
All other causes*	0.2	0.2	0.2	0.2	0.3	0.3

*Refer to complete International List titles, table XI.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, NUMBER OF BIRTHS AND DEATHS, AND CRUDE RATES: THE REGISTRATION STATES, UNITED STATES, 1900-1941

(For a description of the growth of the registration areas and the year of admission of each State, see p. 1)

YEAR	Estimated midyear population of continental United States	DEATH-REGISTRATION STATES IN CONTINENTAL UNITED STATES				BIRTH-REGISTRATION STATES IN CONTINENTAL UNITED STATES					
		Estimated midyear population		Total deaths [1]		Estimated midyear population		Live births		Stillbirths	
		Number	Percent of total	Number	Rate per 1,000 population	Number	Percent of total	Number	Rate per 1,000 population	Number	Ratio per 1,000 live births
1941	133,217,064	133,217,064	100.0	1,397,642	10.5	133,217,064	100.0	2,513,427	18.9	75,133	29.9
1940	131,970,224	131,970,224	100.0	1,417,269	10.7	131,970,224	100.0	2,360,399	17.9	73,802	31.3
1939	130,879,718	130,879,718	100.0	1,387,897	10.6	130,879,718	100.0	2,265,586	17.3	72,598	32.0
1938	129,824,939	129,824,939	100.0	1,381,391	10.6	129,824,939	100.0	2,286,962	17.6	73,467	32.1
1937	128,824,829	128,824,829	100.0	1,450,427	11.3	128,824,829	100.0	2,203,337	17.1	73,609	33.4
1936	128,053,180	128,053,180	100.0	1,479,228	11.6	128,053,180	100.0	2,144,790	16.7	73,755	34.4
1935	127,250,232	127,250,232	100.0	1,392,752	10.9	127,250,232	100.0	2,155,105	16.9	77,119	35.8
1934	126,373,773	126,373,773	100.0	1,396,903	11.1	126,373,773	100.0	2,167,636	17.2	78,503	36.2
1933	125,578,763	125,578,763	100.0	1,342,106	10.7	125,578,763	100.0	2,081,232	16.6	77,059	37.0
1932	124,840,471	118,903,899	95.2	1,293,259	10.9	118,903,899	95.2	2,074,042	17.4	78,351	37.8
1931	124,039,648	118,148,987	95.3	1,307,273	11.1	117,455,229	94.7	2,112,760	18.0	80,616	38.2
1930	123,076,741	117,258,278	95.3	1,327,240	11.3	116,544,946	94.7	2,203,958	18.9	86,466	39.2
1929	121,769,939	115,317,450	94.7	1,369,757	11.9	115,317,450	94.7	2,169,920	18.8	85,678	39.5
1928	120,501,115	113,636,160	94.3	1,361,987	12.0	113,636,160	94.3	2,233,149	19.7	89,765	40.2
1927	119,038,062	107,084,532	90.0	1,211,627	11.3	104,320,830	87.6	2,137,836	20.5	82,931	38.8
1926	117,399,225	103,822,683	88.4	1,257,256	12.1	90,400,590	77.0	1,856,068	20.5	70,716	38.1
1925	115,831,963	102,031,555	88.1	1,191,809	11.7	88,294,564	76.2	1,878,880	21.3	71,519	38.1
1924	114,113,463	99,318,098	87.0	1,151,076	11.6	87,000,295	76.2	1,930,614	22.2	75,817	39.3
1923	111,949,945	96,788,197	86.5	1,174,065	12.1	81,072,123	72.4	1,792,646	22.1	69,757	38.9
1922	110,054,778	92,702,901	84.2	1,083,952	11.7	79,560,746	72.3	1,774,911	22.3	70,010	39.4
1921	108,541,489	87,814,447	80.9	1,009,673	11.5	70,807,090	65.2	1,714,261	24.2		
1920	106,466,420	86,079,263	80.9	1,118,070	13.0	63,597,307	59.7	1,508,874	23.7		
1919	104,512,110	83,157,982	79.6	1,072,263	12.9	61,212,076	58.6	1,373,438	22.4		
1918	103,202,801	79,008,412	76.6	1,430,079	18.1	55,153,762	53.4	1,363,649	24.7		
1917	103,265,913	70,234,775	68.0	981,239	14.0	55,197,952	53.5	1,353,792	24.5		
1916	101,965,984	66,971,177	65.7	924,971	13.8	32,944,013	32.3	818,983	24.9		
1915	100,549,013	61,894,847	61.6	815,500	13.2	31,096,697	30.9	776,304	25.0		
1914	99,117,567	60,963,309	61.5	810,914	13.3						
1913	97,226,814	58,158,740	59.8	802,909	13.8						
1912	95,331,300	54,847,700	57.5	745,771	13.6						
1911	93,867,814	53,929,644	57.5	749,918	13.9						
1910	92,406,536	47,470,437	51.4	696,856	14.7						
1909	90,491,525	44,223,513	48.9	630,057	14.2						
1908	88,708,976	38,634,759	43.6	567,245	14.7						
1907	87,000,271	34,552,837	39.7	550,245	15.9						
1906	85,436,556	33,782,288	39.5	531,005	15.7						
1905	83,819,666	21,767,980	26.0	345,863	15.9						
1904	82,164,974	21,332,076	26.0	349,855	16.4						
1903	80,632,152	20,943,222	26.0	327,295	15.6						
1902	79,160,196	20,582,907	26.0	318,636	15.5						
1901	77,585,128	20,237,453	26.1	332,208	16.4						
1900	76,094,134	19,965,446	26.2	343,217	17.2						

[1] Exclusive of stillbirths.

TABLE II.—ENUMERATED POPULATION BY CITIES AND RURAL AREAS, AND BY RACE: UNITED STATES AND EACH STATE, APRIL 1, 1940

AREA	Total	CITIES OF 2,500 OR MORE			RURAL		
		White	Negro	Other races	White	Negro	Other races
UNITED STATES	131,669,275	67,972,823	6,253,588	197,291	50,242,047	6,611,930	391,596
Alabama	2,832,961	539,861	315,968	112	1,309,236	867,322	462
Arizona	499,261	164,300	7,638	2,043	282,492	7,355	55,433
Arkansas	1,949,387	326,770	104,843	297	1,139,314	377,735	428
California	6,907,387	4,685,883	107,564	108,818	1,910,880	16,742	77,500
Colorado	1,123,296	578,368	11,234	1,154	528,134	942	3,464
Connecticut	1,709,242	1,130,401	27,227	534	545,006	5,765	309
Delaware	266,505	120,964	18,381	67	109,564	17,495	14
District of Columbia	663,091	474,326	187,266	1,499	...	...	...
Florida	1,897,414	758,323	287,047	421	823,663	227,151	809
Georgia	3,123,723	693,653	379,756	399	1,344,625	705,171	119
Idaho	524,873	175,872	468	368	343,420	127	4,618
Illinois	7,897,241	5,447,281	357,120	5,249	2,056,921	30,326	344
Indiana	3,427,796	1,773,004	114,283	425	1,532,319	7,633	132
Iowa	2,538,268	1,068,577	15,343	311	1,452,114	1,351	572
Kansas	1,801,028	701,222	52,200	519	1,033,274	12,938	875
Kentucky	2,845,627	732,458	116,772	99	1,898,969	97,259	72
Louisiana	2,363,880	665,484	314,095	880	846,275	535,208	1,958
Maine	847,226	341,785	702	572	502,760	602	807
Maryland	1,821,244	892,720	186,956	675	625,761	114,975	157
Massachusetts	4,316,721	3,807,338	49,059	3,079	450,258	6,332	655
Michigan	5,256,106	3,257,113	194,464	3,290	1,782,530	13,881	4,828
Minnesota	2,792,300	1,378,905	9,531	1,664	1,390,079	397	11,726
Mississippi	2,183,796	254,538	178,028	316	851,789	898,550	2,575
Missouri	3,784,664	1,768,829	191,010	857	1,770,358	53,376	234
Montana	559,456	209,649	932	954	330,819	188	16,914

TABLE II.—ENUMERATED POPULATION BY CITIES AND RURAL AREAS, AND BY RACE: UNITED STATES AND EACH STATE, APRIL 1, 1940—Continued

AREA	Total	CITIES OF 2,500 OR MORE			RURAL		
		White	Negro	Other races	White	Negro	Other races
Nebraska	1,315,834	500,053	13,618	477	797,571	553	3,562
Nevada	110,247	42,191	496	504	61,859	188	4,949
New Hampshire	491,524	282,877	261	87	208,112	153	34
New Jersey	4,160,165	3,202,358	190,539	1,876	728,729	36,434	229
New Mexico	531,818	172,209	3,313	879	320,103	1,559	33,955
New York	13,479,142	10,604,591	559,687	21,815	2,274,955	31,534	6,760
North Carolina	3,571,623	674,588	299,363	224	1,895,047	681,935	22,466
North Dakota	641,935	151,440	113	370	500,024	88	9,900
Ohio	6,907,612	4,309,507	302,087	1,392	2,257,024	37,374	228
Oklahoma	2,336,434	792,333	79,696	7,634	1,311,895	89,153	55,723
Oregon	1,089,684	524,814	2,229	4,632	550,917	356	6,756
Pennsylvania	9,900,180	6,167,826	416,354	2,697	3,259,163	53,818	322
Rhode Island	713,346	642,741	10,194	448	59,064	830	69
South Carolina	1,899,804	295,622	170,427	62	788,686	643,757	1,270
South Dakota	642,961	157,089	311	687	461,986	163	22,725
Tennessee	2,915,841	744,755	282,334	117	1,662,151	226,402	82
Texas	6,414,824	2,489,569	420,110	1,710	2,997,976	504,281	1,178
Utah	550,310	303,202	1,115	1,176	239,718	120	4,979
Vermont	359,231	123,028	188	23	235,778	196	18
Virginia	2,677,773	703,295	240,875	505	1,312,288	420,574	236
Washington	1,736,191	902,272	6,136	15,561	795,875	1,288	17,059
West Virginia	1,901,974	500,008	34,201	83	1,284,094	83,555	35
Wisconsin	3,137,587	1,666,360	11,346	1,438	1,446,592	812	11,239
Wyoming	250,742	92,497	708	372	154,100	248	2,817

TABLE III.—ENUMERATED POPULATION BY AGE, RACE, AND SEX: UNITED STATES, APRIL 1, 1940

AGE	Total	WHITE		NEGRO		OTHER RACES	
		Male	Female	Male	Female	Male	Female
All ages	131,669,275	59,448,548	58,766,322	6,269,038	6,596,480	344,006	244,881
Under 1 year	2,020,174	906,897	871,336	113,810	115,989	6,093	6,049
1 to 4 years	8,521,350	3,794,573	3,656,699	507,879	511,402	25,556	25,241
5 to 9 years	10,684,622	4,744,537	4,584,414	643,781	650,765	30,505	30,620
10 to 14 years	11,745,935	5,259,007	5,093,688	661,351	669,309	31,971	30,609
15 to 19 years	12,333,523	5,515,920	5,448,127	650,079	674,527	34,154	30,716
20 to 24 years	11,587,835	5,113,642	5,226,507	550,193	645,034	28,557	23,902
25 to 29 years	11,098,638	4,892,013	5,012,257	529,613	615,671	29,036	18,048
30 to 34 years	10,242,588	4,573,316	4,633,162	467,887	524,992	29,109	13,922
35 to 39 years	9,545,377	4,254,368	4,262,292	462,559	523,274	28,732	14,152
40 to 44 years	8,787,843	3,995,190	3,940,893	400,249	414,847	23,696	12,968
45 to 49 years	8,255,225	3,842,813	3,690,143	348,251	344,556	18,405	11,257
50 to 54 years	7,256,846	3,451,717	3,228,590	283,120	267,315	17,913	8,191
55 to 59 years	5,843,865	2,790,046	2,636,798	207,220	189,999	14,098	5,703
60 to 64 years	4,728,340	2,232,453	2,184,240	154,245	141,659	11,118	4,625
65 to 69 years	3,806,657	1,736,937	1,762,109	151,990	144,747	7,161	3,713
70 to 74 years	2,569,552	1,183,283	1,217,262	83,855	79,113	3,849	2,190
75 years and over	2,843,125	1,162,036	1,317,804	72,976	83,281	4,053	2,975

TABLE IV.—POPULATION: UNITED STATES[1] AND EACH STATE, 1930-1940

(Populations for 1930-1939 are revised intercensal estimates as of July 1. Populations for 1940 are those enumerated in the Federal census of April 1, 1940, except for the United States and the District of Columbia which are estimates as of July 1. The only estimates available for 1941 are for the United States (133,217,064) and the District of Columbia (741,000))

AREA	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940
United States (death-registration States)	117,238,278	118,148,987	118,903,899	125,578,763	126,373,775	127,250,232	128,053,180	128,824,829	129,824,939	130,879,718	131,970,224
Alabama	2,651,074	2,672,476	2,691,347	2,708,727	2,737,737	2,773,721	2,794,356	2,808,126	2,818,468	2,830,203	2,832,961
Arizona	437,290	444,024	449,987	455,690	461,666	468,393	474,197	479,525	485,367	493,036	499,261
Arkansas	1,859,808	1,853,653	1,845,181	1,846,465	1,890,689	1,903,243	1,904,004	1,913,255	1,935,571	1,951,737	1,949,387
California	5,708,856	5,823,400	5,893,625	5,961,515	6,055,129	6,168,251	6,331,817	6,516,704	6,646,238	6,780,864	6,907,387
Colorado	1,037,891	1,046,196	1,050,536	1,051,547	1,052,833	1,054,963	1,067,334	1,083,839	1,097,098	1,112,520	1,123,296
Connecticut	1,610,751	1,619,047	1,623,435	1,624,358	1,630,511	1,644,753	1,651,773	1,660,228	1,671,065	1,690,073	1,709,242
Delaware	239,214	242,050	244,742	247,474	249,619	251,441	252,270	253,416	257,014	262,555	266,505
District of Columbia	488,218	504,479	512,926	529,429	567,655	607,776	629,092	616,326	657,701	657,940	677,000
Florida	1,470,912	1,492,822	1,521,469	1,552,348	1,585,207	1,613,427	1,651,052	1,709,398	1,770,604	1,835,579	1,897,414
Georgia	2,912,468	2,942,531	2,964,888	2,987,994	3,006,112	2,996,094	3,016,307	3,070,588	3,115,634	3,132,508	3,123,723
Idaho	445,710	448,992	450,303	453,642	460,373	467,631	481,628	494,714	503,672	515,990	524,873
Illinois	7,636,407	7,664,860	7,701,934	7,725,813	7,723,645	7,747,056	7,792,394	7,816,073	7,836,090	7,877,777	7,897,241
Indiana	3,242,763	3,265,562	3,295,330	3,322,171	3,338,724	3,352,140	3,367,451	3,390,719	3,398,770	3,409,866	3,427,796
Iowa	2,471,920	2,474,254	2,477,571	2,480,777	2,493,393	2,506,515	2,492,330	2,483,884	2,482,946	2,514,940	2,538,268
Kansas	1,862,549	1,880,540	1,883,293	1,876,793	1,868,226	1,872,075	1,868,517	1,856,391	1,841,802	1,825,568	1,801,028
Kentucky	2,618,115	2,633,043	2,645,953	2,659,884	2,677,883	2,702,613	2,724,382	2,745,763	2,772,435	2,811,853	2,845,627
Louisiana	2,106,953	2,136,643	2,179,779	2,210,213	2,238,302	2,266,023	2,282,042	2,287,909	2,307,872	2,345,602	2,363,880
Maine	798,101	801,894	807,001	811,459	817,491	824,289	828,563	831,782	835,712	842,693	847,226
Maryland	1,635,607	1,656,494	1,677,416	1,693,822	1,708,869	1,727,877	1,743,062	1,752,442	1,764,730	1,793,164	1,821,244
Massachusetts	4,243,887	4,230,333	4,244,365	4,280,420	4,323,600	4,362,831	4,412,628	4,424,464	4,426,632	4,382,758	4,316,721
Michigan	4,834,206	4,797,513	4,779,661	4,780,040	4,797,965	4,837,606	4,888,556	4,967,787	5,055,518	5,156,210	5,256,106
Minnesota	2,571,858	2,599,698	2,623,621	2,645,897	2,663,535	2,684,371	2,703,471	2,719,839	2,733,340	2,761,777	2,792,300
Mississippi	2,007,634	2,006,351	2,024,500	2,057,655	2,079,207	2,090,841	2,099,740	2,109,947	2,143,930	2,177,446	2,183,796
Missouri	3,637,942	3,682,432	3,700,468	3,716,131	3,718,682	3,731,056	3,736,577	3,739,156	3,741,260	3,763,965	3,784,664
Montana	537,581	536,298	533,569	533,012	535,792	540,486	544,565	545,662	545,801	552,083	559,456
Nebraska	1,377,883	1,377,625	1,375,670	1,372,839	1,368,198	1,361,207	1,344,783	1,328,389	1,318,311	1,314,759	1,315,834
Nevada	91,580	94,545	96,127	96,844	99,194	100,883	101,893	103,998	105,513	107,508	110,247
New Hampshire	465,673	468,041	470,155	472,465	474,698	475,785	476,435	477,071	481,553	488,469	491,524
New Jersey	4,066,408	4,120,992	4,122,070	4,110,118	4,092,037	4,088,470	4,087,097	4,091,092	4,102,925	4,131,126	4,160,165
New Mexico	426,952	436,564	441,968	450,627	462,707	476,318	490,049	503,756	513,712	523,215	531,818
New York	12,629,162	12,791,350	12,914,459	13,022,728	13,137,390	13,259,727	13,376,165	13,423,637	13,451,806	13,496,899	13,479,142
North Carolina	3,171,108	3,206,641	3,264,916	3,318,377	3,359,276	3,380,227	3,400,525	3,432,099	3,475,530	3,531,938	3,571,623
North Dakota	680,062	674,886	667,226	662,705	660,094	657,293	651,616	644,348	640,064	640,381	641,935
Ohio	6,663,464	6,712,786	6,748,870	6,782,485	6,797,015	6,834,571	6,846,745	6,847,756	6,866,482	6,902,331	6,907,612
Oklahoma	2,399,954	2,404,119	2,396,414	2,395,310	2,393,698	2,388,702	2,366,852	2,335,153	2,324,861	2,333,953	2,336,434
Oregon	955,599	966,121	972,188	977,633	984,662	1,000,303	1,023,913	1,045,948	1,065,234	1,079,991	1,089,684
Pennsylvania	9,699,933	9,738,850	9,778,721	9,782,281	9,776,031	9,740,995	9,721,594	9,736,838	9,894,286	9,841,981	9,900,180
Rhode Island	685,869	680,970	677,403	675,294	675,106	677,689	686,474	693,586	694,127	701,266	713,346
South Carolina	1,750,170	1,780,245	1,792,612	1,807,864	1,822,339	1,833,103	1,841,282	1,853,869	1,872,754	1,890,600	1,899,804
South Dakota	693,332	693,758	692,141	689,504	682,478	674,157	668,206	656,374	648,792	644,873	642,961
Tennessee	2,616,805	2,652,714	2,705,333	2,740,654	2,776,234	2,789,544	2,783,302	2,788,049	2,816,491	2,872,630	2,915,841
Texas	----------	----------	----------	5,983,658	6,016,700	6,064,422	6,153,451	6,216,936	6,275,998	6,349,193	6,414,824
Utah	509,121	514,610	518,620	522,263	524,229	526,580	527,018	528,113	533,621	542,628	550,310
Vermont	359,445	358,821	357,815	356,842	356,306	356,547	356,277	355,839	355,965	357,587	359,231
Virginia	2,432,915	2,475,090	2,500,468	2,521,555	2,555,524	2,593,630	2,623,963	2,654,517	2,687,674	2,695,584	2,677,773
Washington	1,564,987	1,569,787	1,566,169	1,569,228	1,582,993	1,595,995	1,624,359	1,655,280	1,678,333	1,705,651	1,736,191
West Virginia	1,737,437	1,765,751	1,787,839	1,804,979	1,830,495	1,856,354	1,867,012	1,864,438	1,865,869	1,887,458	1,901,974
Wisconsin	2,946,764	2,979,353	3,005,337	3,020,571	3,032,478	3,047,568	3,060,422	3,070,012	3,084,842	3,115,284	3,137,587
Wyoming	225,940	227,783	228,498	228,863	231,046	234,690	237,639	241,614	244,926	247,524	250,742

[1] Totals for 1933-1940 are for the entire United States; totals for 1930-1932 are for the death-registration States.

TABLE V.—POPULATION, NUMBER OF BIRTHS AND DEATHS, AND CRUDE RATES: SPECIFIED COUNTRIES, 1939

COUNTRY	Estimated midyear population	LIVE BIRTHS		DEATHS[1]		COUNTRY	Estimated midyear population	LIVE BIRTHS		DEATHS[1]	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population
United States	130,879,718	2,265,588	17.3	1,387,897	10.6	Germany	[3] 69,317,000	1,407,499	20.3	853,235	12.3
						Guatemala	[2] 3,101,514	104,809	33.8	66,046	21.3
Argentina	[2] 12,456,609	296,574	23.8	138,373	11.1	Hungary	9,105,703	178,633	19.6	124,591	13.7
Australia	6,981,846	122,891	17.7	69,147	9.9	Italy	44,300,000	1,040,213	23.5	591,483	13.4
Austria	[3] 6,850,000	138,826	20.9	101,646	15.3	Jamaica	[2] 1,190,000	38,195	32.1	18,185	15.3
Belgium	8,391,415	128,758	15.3	115,586	13.8	Mexico	19,221,477	865,081	45.0	446,216	23.2
British Guiana	[2] 341,237	9,599	28.1	6,728	19.7	Netherlands	8,778,989	180,917	20.6	75,863	8.6
Bulgaria	6,290,200	134,833	21.4	84,150	13.4	New Zealand [5]	1,539,420	28,833	18.7	14,158	9.2
Canada[4]	11,301,000	229,468	20.3	108,951	9.6	Northern Ireland	1,295,000	25,240	19.5	17,542	13.5
Ceylon	5,897,000	212,111	36.0	128,611	21.8	Norway	2,929,181	46,603	15.9	29,870	10.2
Chile	4,645,510	163,589	35.2	114,141	24.6	Peru	[2] 7,000,000	168,799	24.1	83,879	12.0
Colombia	8,853,490	280,577	31.7	156,309	17.7	Portugal (incl. Islands)	7,499,500	198,888	26.5	116,075	15.5
Denmark	3,805,000	67,914	17.8	38,535	10.1	Rumania	19,933,802	563,763	28.3	370,287	18.6
Dominican Republic	[2] 1,650,019	52,768	32.0	14,336	8.7	Scotland	5,006,700	86 899	17.4	64,413	12.9
Eire	2,934,000	56,070	19.1	41,717	14.2	Sweden	6,325,759	96,886	15.3	72,753	11.5
El Salvador	1,724,516	71,694	41.6	31,656	18.4	Switzerland	4,198,600	63,857	15.2	49,484	11.8
England and Wales	41,460,000	619,352	14.9	499,804	12.1	Union of South Africa [6]	2,116,500	53,517	25.3	19,901	9.4
Finland	[3] 3,684,000	78,164	21.2	54,300	14.7	Uruguay	[2] 2,147,000	42,862	20.0	19,341	9.0
France	[2] 41,950,000	613,582	14.6	642,538	15.3	Venezuela [5]	3,512,059	129,482	36.9	67,757	19.3

[1] Exclusive of stillbirths.
[2] Estimated as of Dec. 31, 1939.
[3] Enumerated as of May 17, 1939.
[4] Excluding Yukon and Northwest Territories.
[5] European population only.
[6] Excluding Indian tribes.

NOTE.—Basic data taken from official vital statistics reports or yearbooks of each country and the Statistical Yearbook of the League of Nations. All rates computed in the Bureau of the Census.

TABLE VI.—POPULATION, NUMBER OF BIRTHS AND DEATHS, AND CRUDE RATES: SPECIFIED COUNTRIES AND SELECTED YEARS

COUNTRY AND YEAR	Estimated midyear population	LIVE BIRTHS		TOTAL DEATHS[1]		DEATHS UNDER 1 YEAR[1]		STILLBIRTHS	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
United States (registration States):									
1940	131,970,224	2,360,399	17.9	1,417,269	10.7	110,984	47.0	73,802	31.5
1939	130,879,718	2,265,588	17.3	1,387,897	10.6	108,846	48.0	72,598	32.0
1938	129,824,939	2,286,962	17.8	1,381,391	10.6	116,702	51.0	73,467	32.1
1935	127,250,232	2,155,105	16.9	1,392,752	10.9	120,138	55.7	77,119	35.8
1930	(2)	2,203,958	18.9	1,327,240	11.3	142,413	64.6	86,466	39.2
1925	(3)	1,878,880	21.3	1,191,809	11.7	134,652	71.7	71,519	38.1
1920	(4)	1,508,874	23.7	1,118,070	13.0	129,531	85.8	(5)	(5)
Australia:									
1940	7,011,041	126,347	18.0	68,384	9.8	4,855	38.4	(5)	(5)
1939	6,981,846	122,891	17.7	69,147	9.9	4,698	38.2	(5)	(5)
1938	6,894,847	120,415	17.5	66,451	9.6	4,607	38.3	(5)	(5)
1935	6,725,632	111,325	16.6	63,599	9.5	4,429	39.8	(5)	(5)
1930	6,466,019	128,399	19.9	55,331	8.6	6,065	47.2	(5)	(5)
1925	5,940,977	135,792	22.9	54,568	9.2	7,251	53.4	(5)	(5)
1920	5,359,142	136,406	25.5	56,289	10.5	9,431	69.1	(5)	(5)
Canada:[6]									
1940	11,371,000	244,316	21.5	110,927	9.8	13,783	56.4	6,654	27.2
1939	11,301,000	229,468	20.3	108,951	9.6	13,959	60.7	6,365	27.7
1938	11,195,000	229,446	20.5	106,817	9.5	14,517	63.3	6,426	28.0
1935	10,921,000	221,451	20.3	105,567	9.7	15,730	71.0	6,449	29.1
1930	10,195,000	243,495	23.9	109,306	10.7	21,742	89.3	7,707	31.7
1925	6,733,000	154,861	23.0	66,477	9.9	12,169	78.6	5,296	34.2
1920	6,272,000	166,741	26.6	77,722	12.4	16,695	100.1	6,440	38.6
Chile:									
1940	[7]5,023,539	166,593	33.2	107,771	21.5	36,190	217.2	8,047	48.3
1939	4,645,510	163,589	35.2	114,141	24.6	36,736	224.6	7,955	48.6
1938	4,618,809	154,927	[8]33.5	113,719	24.6	36,512	235.7	8,239	53.2
1935	4,485,792	153,151	34.1	112,364	25.0	38,432	250.9	7,848	51.2
1930	[7]4,287,445	169,395	39.5	105,140	24.5	39,706	234.4	5,866	34.6
1925	3,929,086	156,225	39.8	108,787	27.7	40,276	257.8	4,757	30.4
1920	[7]3,753,799	146,725	39.1	115,428	30.7	38,654	263.4	4,122	28.1
England and Wales:									
1940	41,460,000	[8]607,029	[8]14.6	[8]581,537	[8]14.0	[8]33,892	[8]55.8	[8]22,731	[8]37.4
1939	41,460,000	619,352	14.9	499,804	12.1	31,190	50.4	24,309	39.2
1938	41,215,000	621,204	15.1	478,829	11.8	32,724	52.7	24,729	39.8
1935	40,645,000	598,756	14.7	477,401	11.7	34,092	56.9	25,435	42.5
1930	39,801,000	648,811	16.3	455,427	11.4	38,908	60.0	27,577	42.5
1925	38,935,000	710,582	18.3	472,841	12.1	53,316	75.0	(5)	(5)
1920	37,247,000	957,782	25.7	466,130	12.5	76,552	79.9	(5)	(5)
Scotland:[9]									
1940	5,030,000	88,403	17.2	72,775	14.5	6,768	78.3	(5)	(5)
1939	5,006,700	86,899	17.4	64,413	12.9	5,955	68.5	(5)	(5)
1938	4,993,100	88,627	17.7	62,953	12.6	6,163	69.5	(5)	(5)
1935	4,952,500	87,928	17.8	65,331	13.2	6,754	76.8	(5)	(5)
1930	4,845,886	94,549	19.5	64,285	13.3	7,852	83.0	(5)	(5)
1925	4,866,225	104,137	21.4	65,507	13.5	9,430	90.6	(5)	(5)
1920	4,864,396	136,546	28.1	68,179	14.0	12,565	92.0	(5)	(5)
Germany:[10]									
1940	[11]70,000,000	[8]1,402,040	[8]20.0	[8]888,736	[8]12.7	[11]88,329	[8]63.0	(5)	(5)
1939	[7]69,317,000	1,407,499	20.3	855,235	12.3	84,449	60.0	(5)	(5)
1938	68,424,800	1,348,534	19.7	799,220	11.7	80,815	59.9	(5)	(5)
1935	66,871,000	1,263,976	18.9	792,018	11.8	86,649	68.6	33,099	26.2
1930	65,084,000	1,144,151	17.6	718,607	11.0	96,897	84.7	38,427	31.8
1925	63,168,000	1,311,259	20.8	753,017	11.9	137,927	105.2	44,414	33.9
1920	61,794,000	1,599,287	25.9	932,929	15.1	209,723	131.1	52,306	32.7
Italy:									
1940	[11]44,650,000	[8]1,046,479	[8]23.4	[8]606,911	[8]13.6	[11]108,834	[8]104.0	(5)	(5)
1939	44,300,000	1,040,213	23.5	591,483	13.4	100,891	97.0	(5)	(5)
1938	43,778,534	1,037,180	23.7	612,229	14.0	110,221	106.3	34,205	33.0
1935	42,631,062	996,703	23.4	593,958	13.9	100,876	101.2	33,849	34.0
1930	40,887,590	1,092,678	26.7	576,751	14.1	115,283	105.5	39,886	36.5
1925	39,112,440	1,109,761	28.4	670,296	17.1	132,405	119.3	48,117	43.4
1920	38,366,198	1,158,041	31.8	681,749	18.7	146,718	126.7	52,387	45.2
Mexico:									
1940	[7]19,653,552	875,471	44.5	458,906	23.3	107,000	122.2	(5)	(5)
1939	19,221,477	865,081	45.0	446,216	23.2	106,083	122.6	(5)	(5)
1938	18,903,625	829,651	43.9	436,476	23.1	106,200	128.0	17,230	20.8
1935	17,989,188	764,326	42.5	408,471	22.7	96,041	125.7	16,167	21.2
1930	16,585,990	819,814	49.4	441,717	26.6	107,921	131.6	16,893	20.6
1925	15,203,787	503,531	33.1	402,690	26.5	108,714	215.9	11,770	23.4
1920	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Sweden:									
1940	6,355,920	[8]95,457	[8]15.0	[8]72,584	[8]11.4	3,681	[8]38.6	(5)	(5)
1939	6,325,759	96,866	15.3	72,753	11.5	3,753	38.7	(5)	(5)
1938	6,297,468	93,946	14.9	72,693	11.5	3,992	42.5	2,670	28.4
1935	6,241,798	85,906	13.8	72,813	11.7	3,942	45.9	2,367	27.6
1930	6,131,135	94,220	15.4	71,790	11.7	5,157	54.7	2,605	27.6
1925	6,044,840	106,292	17.6	70,918	11.7	5,917	55.7	2,608	24.5
1920	5,875,763	138,753	23.6	78,128	13.3	8,781	63.3	3,226	23.2
Union of South Africa (European population):									
1940	2,152,700	[8]54,723	[8]25.4	[8]20,317	[8]9.4	(5)	(5)	(5)	(5)
1939	2,116,500	55,517	25.3	19,901	9.4	2,648	49.5	(5)	(5)
1938	2,081,400	52,065	25.0	19,733	9.5	2,691	51.7	1,197	23.0
1935	1,984,300	47,717	24.3	20,630	10.5	2,997	62.8	1,105	23.2
1930	1,797,900	47,534	26.4	17,415	9.7	3,177	66.8	1,129	23.8
1925	1,637,472	43,411	26.5	15,371	9.4	2,969	68.4	965	22.2
1920	1,499,911	43,445	29.0	16,634	11.1	3,915	90.1	784	18.0

[1] Exclusive of stillbirths.
[2] For birth-registration States, 116,544,946; for death-registration States, 117,238,278.
[3] For birth-registration States, 88,294,564; for death-registration States, 102,031,555.
[4] For birth-registration States, 63,597,307; for death-registration States, 86,079,263.
[5] Not available.
[6] Excluding the Yukon and Northwest Territories. Registration area excluded the Province of Quebec in 1920 and 1925.
[7] Enumerated population.
[8] Provisional.
[9] Deaths include military persons in war years.
[10] Frontiers of 1937, i. e., including Saar Territory.
[11] Approximate.

NOTE.—Unless otherwise specified, basic data taken from latest official vital statistics reports or yearbooks of each country, the Aperçu de la Demographie des Divers Pays du Monde, and the Statistical Yearbook of the League of Nations. All rates computed in the Bureau of the Census.

TABLE VII.—CRUDE BIRTH RATES (NUMBER OF LIVE BIRTHS PER 1,000 POPULATION): UNITED STATES, EACH DIVISION AND STATE, 1917-1941

(For each State, rates are shown from the year of its admission to the birth-registration area; for each geographic division, rates are shown from the year when the division, as a whole, became a part of the birth-registration area. Rates for 1917-1939 are based on revised intercensal population estimates as of July 1. Rates for 1940 and 1941 are based on the populations enumerated in the Federal census of April 1, 1940, except those for the United States and the District of Columbia which are based on populations estimated as of July 1 of each year)

DIVISION AND STATE	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941
UNITED STATES (birth-registration area)	24.5	24.7	22.4	23.7	24.2	22.3	22.1	22.2	21.3	20.5	20.5	19.7	18.8	18.9	18.0	17.4	16.6	17.2	16.9	16.7	17.1	17.6	17.3	17.9	18.9
GEOGRAPHIC DIVISIONS:																									
New England	25.1	25.4	----	----	23.3	21.9	21.7	22.2	20.7	19.8	19.4	18.8	17.8	17.8	16.8	16.3	15.2	15.3	15.0	14.7	14.7	14.8	15.0	15.7	16.8
Middle Atlantic	----	----	----	----	24.2	22.7	22.3	22.3	21.3	20.4	20.6	19.5	18.4	18.0	16.8	16.0	14.9	14.8	14.8	14.6	14.7	15.0	14.7	15.3	16.4
East North Central	----	----	----	----	----	20.7	20.6	20.9	20.1	19.5	19.3	18.6	18.2	18.2	16.8	15.9	15.0	15.5	15.7	15.8	16.3	17.0	16.4	17.1	18.5
West North Central	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	17.2	16.5	17.3	16.7	16.8	16.6	17.1	17.0	17.5	18.1
South Atlantic	----	----	----	----	----	----	----	----	----	----	----	22.9	21.6	21.8	21.0	21.3	20.1	21.0	20.5	19.9	20.5	20.6	20.4	20.7	22.2
East South Central	----	----	----	----	----	----	----	----	----	----	24.0	22.6	21.9	22.6	21.8	22.0	20.6	21.8	21.4	20.8	21.2	21.9	21.2	21.8	22.5
West South Central	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	18.3	19.5	18.7	18.2	18.7	19.6	19.2	19.9	21.2
Mountain	----	----	----	----	----	----	----	----	----	----	----	----	20.8	21.3	20.4	19.6	19.1	20.1	20.5	20.4	21.0	21.8	21.4	22.1	22.3
Pacific	----	----	17.5	19.1	19.2	18.3	18.4	18.7	17.6	16.6	16.1	15.4	14.6	14.7	14.0	13.3	12.7	13.2	13.2	13.6	14.6	15.4	15.3	16.2	17.9
NEW ENGLAND:																									
Maine	21.4	22.1	20.3	22.5	22.9	22.6	22.5	23.5	22.0	20.7	20.5	20.7	19.9	20.3	20.3	20.0	18.6	19.3	19.1	18.5	18.3	18.2	17.8	17.8	18.7
New Hampshire	21.4	21.9	19.8	22.4	22.6	21.7	20.5	22.1	20.5	18.9	18.9	18.5	17.5	17.9	16.8	16.6	15.6	16.6	16.3	16.1	16.0	16.3	16.2	17.3	17.8
Vermont	20.3	21.3	20.0	21.0	22.3	21.2	20.7	20.9	21.1	20.1	19.7	19.7	18.7	19.3	18.6	16.9	17.2	18.5	18.5	18.1	17.8	17.7	17.8	18.6	18.8
Massachusetts	25.6	25.9	23.2	23.6	23.3	21.9	22.0	22.3	20.7	19.9	19.5	18.7	17.5	17.3	16.4	16.1	14.8	14.8	14.4	14.0	14.0	13.8	14.5	15.3	16.3
Rhode Island	25.2	25.7	----	----	23.0	22.2	22.0	22.4	21.2	20.0	20.3	19.2	18.0	17.8	16.6	16.5	15.3	15.3	15.1	14.8	14.8	15.2	14.9	15.1	16.2
Connecticut	28.2	27.8	24.9	24.5	24.1	21.8	21.1	21.4	19.7	19.1	18.6	17.9	17.1	17.2	15.8	14.6	13.8	13.6	13.5	13.5	13.7	14.2	13.9	14.7	16.7
MIDDLE ATLANTIC:																									
New York	24.6	24.4	22.1	22.9	23.0	21.9	21.4	21.3	20.5	19.8	20.4	19.2	17.8	17.1	16.1	15.4	14.4	14.1	13.9	13.6	13.8	14.1	13.9	14.6	15.7
New Jersey	----	----	----	----	23.7	22.1	21.5	21.5	20.2	19.3	18.7	17.7	17.1	16.8	15.5	14.9	13.6	13.3	13.3	13.2	13.3	13.7	13.6	14.1	15.8
Pennsylvania	25.9	25.8	24.0	25.2	25.8	23.9	23.7	23.8	22.7	21.6	21.5	20.5	19.5	19.5	18.4	17.2	16.1	16.4	16.5	16.4	16.6	16.8	16.4	16.7	17.6
EAST NORTH CENTRAL:																									
Ohio	22.0	22.5	19.9	21.3	21.8	20.3	20.8	20.9	19.7	19.0	18.8	18.2	17.6	17.7	16.1	15.1	14.1	14.7	14.8	15.1	15.7	16.4	15.8	16.6	18.3
Indiana	21.7	22.4	20.4	22.0	22.9	21.6	21.5	22.0	20.6	19.9	19.5	18.8	18.2	18.3	17.1	16.1	15.2	15.7	15.8	16.0	16.5	17.7	17.1	18.1	19.3
Illinois	----	----	----	----	----	19.3	18.7	19.0	18.5	18.1	17.8	17.1	16.9	16.8	15.5	14.5	14.0	14.3	14.4	14.4	14.7	15.6	15.0	15.6	17.0
Michigan	25.8	26.0	23.4	24.9	24.9	22.9	22.9	23.3	22.9	22.2	21.8	21.0	20.7	20.5	19.0	17.9	16.9	17.5	18.1	18.1	18.4	19.2	18.3	18.9	20.5
Wisconsin	22.9	23.4	21.1	21.9	22.7	21.0	21.0	21.0	20.0	19.2	19.7	19.6	18.9	19.3	18.3	17.7	16.7	17.0	17.2	17.2	17.4	17.8	17.4	17.5	18.2
WEST NORTH CENTRAL:																									
Minnesota	23.5	24.4	22.1	23.3	23.6	23.3	22.6	22.1	21.2	20.5	19.7	19.1	18.2	18.4	18.0	17.7	16.8	17.2	17.1	17.6	17.7	18.3	18.2	19.0	19.5
Iowa	----	----	----	----	----	----	----	20.3	19.7	18.8	18.3	17.7	17.1	17.3	17.0	16.3	16.0	17.0	16.4	17.1	17.0	17.4	17.4	17.9	18.4
Missouri	----	----	----	----	----	----	----	----	----	----	18.6	17.6	16.9	17.1	16.5	16.2	15.4	15.9	15.4	15.0	15.2	15.7	15.6	16.4	17.5
North Dakota	----	----	----	----	----	----	----	22.2	22.5	22.9	22.4	22.5	21.7	21.7	21.3	21.1	19.9	22.0	20.8	20.8	19.6	20.4	20.5	20.8	21.0
South Dakota	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	19.1	18.6	19.3	19.1	19.3	18.1	18.2	18.0	18.1	18.1
Nebraska	----	----	----	23.8	24.6	23.7	22.9	22.8	21.8	20.9	20.4	20.4	19.3	19.6	19.3	18.3	17.6	18.3	17.1	17.7	16.8	17.0	17.0	16.8	16.9
Kansas	22.1	22.6	20.7	22.4	23.4	21.5	21.7	21.0	20.1	19.1	18.9	18.3	17.5	17.9	17.4	16.8	16.4	17.4	16.3	16.1	15.8	16.1	16.0	15.9	16.7
SOUTH ATLANTIC:																									
Delaware	----	----	----	----	23.4	22.0	21.2	20.2	21.1	18.7	18.6	18.5	18.1	18.7	17.5	17.5	15.8	16.0	16.1	15.5	17.2	17.2	16.7	17.2	19.2
Maryland	23.8	23.2	23.5	24.7	24.8	22.9	22.8	22.5	21.8	20.9	20.3	19.8	18.5	18.5	17.4	17.2	16.2	16.0	15.8	15.3	15.8	16.4	15.8	16.8	18.8
Dist. of Columbia	19.4	19.5	18.4	20.0	20.1	20.2	19.9	20.3	19.7	19.0	19.0	18.7	18.4	19.2	18.5	19.8	18.8	17.9	17.8	18.6	20.0	20.3	21.3	22.6	24.7
Virginia	26.3	26.7	26.2	28.0	29.3	26.9	26.5	26.5	25.3	23.9	23.9	23.2	22.3	22.5	21.3	21.8	20.3	20.5	19.9	19.5	19.6	19.9	19.6	20.6	21.9
West Virginia	----	----	----	----	----	----	----	----	28.4	27.1	26.8	25.6	23.7	24.0	22.3	21.7	20.1	22.7	22.5	21.9	22.7	22.7	22.0	22.1	23.0
North Carolina	30.0	29.9	29.1	31.5	33.4	30.3	30.5	30.9	28.9	27.8	27.5	26.2	24.6	24.2	23.3	23.9	22.7	23.7	23.3	22.4	23.0	23.0	22.4	22.6	23.7
South Carolina	----	----	28.4	28.3	29.8	27.5	26.1	27.7	----	----	----	24.9	22.7	23.1	22.2	23.2	22.3	24.3	22.1	21.3	21.9	22.0	22.6	23.4	24.8
Georgia	----	----	----	----	----	----	----	----	----	----	----	20.4	20.2	20.8	21.0	21.5	20.4	21.5	21.1	20.4	20.9	20.7	20.7	20.8	21.8
Florida	----	----	----	----	----	----	----	23.1	23.3	25.4	24.1	20.8	18.6	18.4	18.1	18.0	16.5	16.9	17.4	17.0	17.3	17.6	17.6	17.8	19.8
EAST SOUTH CENTRAL:																									
Kentucky	25.5	25.7	23.9	26.0	27.6	25.4	26.1	26.3	25.2	23.8	24.4	23.2	21.7	22.6	21.7	22.5	20.8	22.4	21.4	20.5	20.5	22.3	21.5	22.3	22.3
Tennessee	----	----	----	----	----	----	----	----	----	----	21.0	19.2	19.4	20.1	19.7	19.4	18.3	18.9	19.1	18.2	18.6	19.0	18.6	19.1	20.8
Alabama	----	----	----	----	----	----	----	----	----	----	25.9	24.1	23.8	24.0	23.5	23.4	21.9	23.2	22.4	21.5	22.0	22.0	21.7	22.2	22.7
Mississippi	----	----	----	----	25.3	23.7	23.1	23.1	23.6	26.3	25.1	24.3	22.8	24.0	22.5	22.9	21.5	23.0	23.1	23.5	24.7	25.0	23.8	24.1	24.9
WEST SOUTH CENTRAL:																									
Arkansas	----	----	----	----	----	----	----	----	----	----	21.9	20.7	20.2	22.1	22.1	20.3	19.4	19.8	18.7	17.6	18.4	19.2	18.2	19.7	20.7
Louisiana	----	----	----	----	----	----	----	----	----	----	22.7	20.3	20.2	20.4	20.3	19.9	18.0	19.2	18.7	19.2	20.1	21.2	20.8	21.5	23.1
Oklahoma	----	----	----	----	----	----	----	----	----	----	----	18.3	16.8	17.7	18.0	17.1	18.2	19.8	18.3	17.7	17.8	19.0	18.6	19.1	19.5
Texas	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	18.0	19.4	18.9	18.1	18.7	19.3	19.1	19.7	21.2
MOUNTAIN:																									
Montana	----	----	----	----	----	20.0	19.5	19.0	19.1	18.5	18.6	18.4	19.2	18.5	18.0	17.0	16.8	18.6	18.6	19.1	18.8	19.6	19.7	20.5	20.4
Idaho	----	----	----	----	----	----	----	----	----	21.1	20.5	20.2	19.7	20.6	20.2	19.4	18.9	20.4	20.2	21.2	21.0	22.4	21.5	22.3	22.3
Wyoming	----	----	----	----	----	25.0	23.4	24.3	22.4	20.2	20.4	20.4	19.8	19.8	19.8	18.6	18.4	19.8	18.6	20.0	18.7	20.2	19.8	20.1	20.7
Colorado	----	----	----	----	----	----	----	----	----	----	----	19.9	17.8	18.1	17.7	16.8	16.3	17.0	17.9	17.1	18.1	18.8	18.6	18.8	19.1
New Mexico	----	----	----	----	----	----	----	----	----	----	----	----	27.0	28.4	28.2	28.0	27.3	27.6	27.7	26.3	27.5	27.8	27.2	27.7	27.8
Arizona	----	----	----	----	----	----	----	----	----	20.8	20.6	21.2	22.3	23.7	21.1	18.9	17.8	18.4	19.5	20.1	21.9	22.4	22.2	23.5	24.1
Utah	30.7	33.1	29.2	31.2	31.9	29.7	28.8	29.1	28.2	26.6	25.7	25.7	24.4	25.4	23.4	23.1	22.8	24.1	24.1	23.8	24.0	24.8	24.0	24.6	25.0
Nevada	----	----	----	----	----	----	----	----	----	----	----	----	14.2	14.5	12.9	13.1	14.0	14.5	14.1	13.9	16.8	17.9	18.0	18.7	19.8
PACIFIC:																									
Washington	18.2	19.2	18.8	19.7	19.4	17.9	17.6	17.3	16.6	15.8	15.2	14.9	14.6	14.7	14.0	13.7	13.3	14.2	14.0	14.4	15.1	15.9	15.6	16.2	17.6
Oregon	----	----	17.5	19.0	19.4	18.4	18.0	18.3	17.5	16.3	15.8	15.0	14.0	14.1	13.7	13.2	12.5	13.3	13.2	13.6	14.8	15.3	15.5	16.4	17.6
California	----	----	16.9	18.9	19.1	18.4	18.8	19.2	18.0	16.8	16.4	15.6	14.7	14.8	14.0	13.3	12.6	12.9	13.0	13.3	14.5	15.3	15.3	16.2	18.1

TABLE VIII.—CRUDE STILLBIRTH RATIOS (NUMBER OF STILLBIRTHS PER 1,000 LIVE BIRTHS): UNITED STATES, EACH DIVISION AND STATE, 1922-1941

(The annual collection of stillbirth statistics was begun in 1922. See headnote, table VII)

DIVISION AND STATE	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941
UNITED STATES (birth-registration area)	39.4	38.9	39.3	38.1	38.1	38.8	40.2	39.5	39.2	38.2	37.8	37.0	36.2	35.8	34.4	33.4	32.1	32.0	31.3	29.9
GEOGRAPHIC DIVISIONS:																				
New England	37.4	37.7	37.2	36.7	36.5	36.0	35.0	33.8	33.9	33.3	33.2	32.7	30.9	30.0	28.9	28.4	27.3	26.6	25.8	23.7
Middle Atlantic	40.9	41.1	41.0	39.7	40.2	39.5	40.5	38.7	38.6	39.0	38.7	38.9	38.1	36.0	35.5	34.6	33.8	37.9	39.2	38.5
East North Central	36.7	36.4	36.1	35.3	35.5	35.0	35.2	34.7	34.0	33.2	31.7	31.0	30.0	29.4	27.8	27.1	25.9	25.3	25.0	23.7
West North Central	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	31.8	29.7	29.6	30.0	28.1	26.9	26.9	25.0	25.0	24.3
South Atlantic	-----	-----	-----	-----	-----	-----	53.9	53.7	54.2	51.5	51.8	49.4	49.1	49.4	47.3	46.2	43.9	41.3	39.7	37.5
East South Central	-----	-----	-----	-----	-----	43.7	45.6	45.8	46.2	43.0	42.4	43.5	42.1	42.4	41.7	41.0	39.4	38.8	37.1	34.4
West South Central	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	38.1	37.3	38.4	36.6	35.3	33.8	34.1	31.0	29.9
Mountain	-----	-----	-----	-----	-----	-----	-----	28.4	27.9	27.8	28.1	27.2	26.6	25.4	25.9	23.9	23.7	23.1	22.7	22.0
Pacific	30.6	29.9	29.7	28.5	29.2	27.6	28.3	28.4	27.9	28.1	26.6	25.7	23.8	23.6	22.7	21.9	20.6	20.3	19.3	18.8
NEW ENGLAND:																				
Maine	44.9	42.5	40.4	39.6	40.7	39.2	40.2	38.9	35.7	36.6	33.9	37.0	35.3	33.8	30.8	32.9	34.5	30.4	29.4	26.6
New Hampshire	41.9	45.9	41.4	41.4	40.2	42.9	38.6	37.5	41.7	40.2	38.4	36.3	30.8	34.1	29.7	31.3	31.3	27.6	24.8	25.6
Vermont	29.8	31.7	33.3	30.1	31.8	31.0	29.5	29.3	28.1	27.9	30.5	31.3	32.9	28.7	28.4	30.4	26.7	27.5	25.8	20.4
Massachusetts	36.5	37.3	37.9	36.2	35.6	35.8	35.4	33.8	34.9	34.8	34.0	33.9	30.9	30.2	29.5	28.1	27.1	27.5	26.8	24.6
Rhode Island	37.8	34.1	33.2	34.7	36.3	34.6	33.6	34.5	33.9	32.3	34.2	28.1	28.9	28.7	29.6	31.3	27.1	25.4	28.3	25.7
Connecticut	35.7	37.0	34.6	37.6	36.6	34.4	31.8	30.6	29.1	27.1	28.9	27.8	28.1	26.4	25.3	23.2	22.1	21.9	20.2	19.1
MIDDLE ATLANTIC:																				
New York	42.5	42.7	43.7	41.9	42.4	41.3	42.8	40.9	40.9	41.5	41.6	42.7	41.2	39.7	39.6	38.0	38.3	47.8	51.9	53.3
New Jersey	40.6	42.5	40.8	39.9	40.8	41.4	40.1	39.7	38.0	39.3	37.4	36.2	36.2	34.1	33.5	30.9	29.8	28.1	26.1	25.9
Pennsylvania	39.2	38.9	38.4	37.3	37.7	36.8	38.0	36.0	36.2	35.9	35.7	35.3	35.1	32.3	31.6	31.9	29.9	29.7	28.6	25.3
EAST NORTH CENTRAL:																				
Ohio	39.4	38.9	37.9	37.8	37.7	37.5	37.0	37.2	36.0	34.7	33.9	32.8	32.7	31.9	29.8	28.8	27.5	27.0	25.9	24.9
Indiana	30.7	31.0	31.8	31.4	30.6	31.1	31.1	29.4	29.6	29.1	28.6	26.9	26.7	27.0	23.8	24.0	21.4	22.1	23.0	20.8
Illinois	36.0	39.1	38.6	36.1	36.4	35.1	36.1	34.6	33.6	34.3	30.9	29.8	30.2	29.6	27.6	26.5	26.2	25.3	25.6	23.7
Michigan	44.1	39.1	37.7	37.0	38.3	38.3	37.8	37.8	36.9	35.5	34.7	34.4	31.3	31.1	30.0	29.6	28.3	27.1	26.0	26.0
Wisconsin	27.3	26.7	28.3	29.7	28.9	28.3	29.2	29.9	29.9	28.3	27.4	28.7	25.4	23.8	24.3	23.8	23.0	21.9	22.0	19.9
WEST NORTH CENTRAL:																				
Minnesota	30.1	30.6	30.7	30.3	31.5	29.7	29.5	29.5	29.2	29.9	28.7	27.2	28.2	27.5	26.2	24.6	24.9	24.3	21.5	22.0
Iowa	-----	-----	33.7	32.6	27.6	28.7	26.6	30.6	31.4	31.8	31.6	28.3	26.9	26.9	27.1	25.6	25.4	23.5	22.5	21.5
Missouri	-----	-----	-----	-----	-----	45.6	44.7	43.8	43.1	41.9	41.3	37.9	38.4	38.5	36.0	34.7	35.0	31.3	32.4	32.4
North Dakota	-----	-----	29.9	25.5	27.2	29.0	28.8	28.5	27.8	28.2	25.8	27.9	24.0	25.6	27.0	24.0	21.2	22.9	22.2	19.7
South Dakota	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	23.6	22.2	25.4	26.6	20.7	20.6	22.2	20.4	18.8	17.4
Nebraska	30.7	30.2	30.1	30.6	32.7	31.9	31.7	30.1	27.7	28.8	27.5	26.5	25.5	27.6	22.2	23.2	22.9	20.2	23.1	21.2
Kansas	33.0	32.4	29.2	32.4	33.4	32.2	32.9	33.7	31.1	29.0	28.2	26.2	26.5	27.3	26.2	23.7	23.5	22.4	24.7	21.6
SOUTH ATLANTIC:																				
Delaware	39.3	38.1	43.7	40.0	44.8	38.0	34.1	41.8	43.4	41.1	33.8	39.0	33.9	36.7	36.5	32.8	30.2	28.5	23.9	27.7
Maryland	72.2	68.7	70.6	67.6	68.4	72.1	69.7	71.9	69.2	66.4	64.4	64.6	57.9	55.7	48.6	47.1	43.6	45.0	43.6	38.2
District of Columbia	54.5	52.0	48.7	48.8	49.6	49.5	48.6	47.8	49.7	46.0	43.0	43.5	37.9	37.9	36.9	34.0	34.1	28.7	25.7	28.9
Virginia	44.3	44.3	46.2	42.8	44.1	43.0	44.2	44.4	45.2	43.8	44.4	42.9	43.3	42.4	43.6	41.8	40.0	38.9	36.8	37.3
West Virginia	-----	-----	-----	38.4	38.1	38.2	38.5	39.0	37.2	38.8	36.9	37.3	39.4	39.4	37.3	39.2	39.5	36.2	35.4	32.6
North Carolina	42.2	40.9	43.0	46.4	44.9	42.8	48.4	47.1	48.8	45.3	46.7	41.4	41.4	41.3	40.9	39.7	38.5	36.3	34.4	31.2
South Carolina	62.4	58.4	63.6	-----	-----	-----	67.8	67.2	65.8	62.0	63.9	58.9	56.4	60.9	58.2	55.1	50.6	45.7	47.1	44.6
Georgia	-----	-----	-----	-----	-----	-----	58.5	60.0	62.5	59.6	60.4	57.4	59.3	61.3	59.2	57.3	52.8	50.0	47.6	43.0
Florida	-----	-----	69.8	69.4	65.7	66.6	67.5	63.4	64.9	58.3	56.6	56.6	58.7	58.1	49.4	51.3	49.3	45.5	42.2	43.2
EAST SOUTH CENTRAL:																				
Kentucky	35.7	31.5	33.3	33.2	31.5	32.7	31.1	32.1	34.1	35.5	33.8	35.9	33.6	33.2	36.4	34.5	32.5	33.0	32.0	30.0
Tennessee	-----	-----	-----	-----	-----	40.8	42.8	44.1	49.9	42.1	39.9	42.7	38.9	40.5	38.9	38.6	36.4	31.7	29.1	26.2
Alabama	-----	-----	-----	-----	-----	49.2	52.0	53.0	52.7	48.9	49.1	47.4	49.7	48.2	44.2	42.5	41.8	40.5	39.9	37.3
Mississippi	54.4	53.7	52.7	53.8	51.8	53.2	57.7	54.5	48.6	45.6	47.3	48.5	46.4	47.8	47.5	48.6	47.5	51.1	48.2	45.1
WEST SOUTH CENTRAL:																				
Arkansas	-----	-----	-----	-----	-----	46.0	45.9	43.3	43.2	38.9	39.8	38.9	35.7	37.8	38.0	36.0	33.5	35.3	27.0	26.7
Louisiana	-----	-----	-----	-----	-----	53.9	58.4	53.4	52.3	49.5	50.5	50.2	48.2	49.4	47.4	45.5	42.5	43.2	38.0	37.2
Oklahoma	-----	-----	-----	-----	-----	-----	30.8	33.8	30.2	24.4	25.7	25.8	27.5	29.0	28.3	27.3	27.1	25.9	25.2	23.1
Texas	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	38.4	37.8	38.1	35.0	33.9	32.7	33.0	31.5	30.2
MOUNTAIN:																				
Montana	30.2	29.3	30.7	33.5	31.8	32.0	34.2	28.9	28.7	32.1	27.9	26.2	24.5	23.1	21.8	22.6	23.4	19.5	18.8	19.8
Idaho	-----	-----	-----	-----	26.3	24.0	25.5	26.3	22.2	19.8	27.0	23.6	22.5	22.9	24.7	23.3	20.3	21.6	21.5	17.5
Wyoming	34.7	33.3	34.4	30.2	31.2	29.3	28.5	22.6	30.0	26.0	26.4	20.0	19.5	19.7	14.3	21.2	18.6	17.6	20.0	21.4
Colorado	-----	-----	-----	-----	-----	-----	30.2	35.2	31.7	30.8	31.7	31.8	32.0	28.6	30.3	26.7	25.0	26.4	24.0	24.4
New Mexico	-----	-----	-----	-----	-----	-----	-----	26.0	30.5	27.9	31.4	29.3	32.7	28.7	31.5	24.1	26.3	26.1	28.3	23.4
Arizona	-----	-----	-----	-----	29.2	30.1	27.6	29.6	28.8	31.1	25.3	30.5	27.3	27.9	29.0	25.3	27.3	25.2	24.8	24.8
Utah	25.5	23.4	23.3	24.8	23.5	23.6	25.3	22.5	21.9	23.0	20.6	21.4	19.1	21.6	20.3	20.6	21.2	21.4	18.7	19.5
Nevada	-----	-----	-----	-----	-----	-----	-----	32.8	28.5	33.5	47.6	31.0	32.1	21.8	21.8	24.1	22.2	18.6	18.9	24.3
PACIFIC:																				
Washington	28.8	26.9	28.0	27.0	30.0	27.9	27.7	25.2	26.1	26.8	24.8	21.4	23.1	21.3	20.0	20.1	16.9	17.5	16.7	14.7
Oregon	31.3	32.4	31.6	30.5	31.9	30.4	28.8	31.2	28.5	27.2	25.1	26.6	23.9	22.4	21.3	21.9	21.5	19.3	21.1	18.4
California	31.1	30.4	29.9	28.6	28.5	27.0	28.4	28.9	28.3	28.6	27.3	26.8	24.0	24.4	23.7	22.4	21.5	21.1	19.6	19.9

TABLE IX.—CRUDE DEATH RATES (NUMBER OF DEATHS PER 1,000 POPULATION): UNITED STATES, EACH DIVISION AND STATE, 1917-1941

(Exclusive of stillbirths. For each State, rates are shown from the year of its admission to the death-registration area; for each geographic division, rates are shown from the year when the division, as a whole, became a part of the death-registration area. Rates for 1917-1939 are based on revised intercensal population estimates as of July 1. Rates for 1940 and 1941 are based on the populations enumerated in the Federal census of April 1, 1940, except those for the United States and the District of Columbia which are based on populations estimated as of July 1 of each year)

DIVISION AND STATE	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941
UNITED STATES (death-registration States)	14.0	18.1	12.9	13.0	11.5	11.7	12.1	11.6	11.7	12.1	11.3	12.0	11.9	11.3	11.1	10.9	10.7	11.1	10.9	11.6	11.3	10.6	10.6	10.7	10.5
GEOGRAPHIC DIVISIONS:																									
New England	15.4	20.6	13.9	14.1	12.4	13.0	13.2	12.3	12.6	12.9	11.9	12.3	12.6	11.8	11.6	11.8	12.0	11.8	11.7	12.0	12.0	11.5	11.6	11.7	11.6
Middle Atlantic	15.1	20.4	13.6	13.8	12.3	12.6	13.0	12.3	12.3	12.9	11.9	12.5	12.3	11.5	11.5	11.2	11.1	11.2	11.1	11.4	11.5	10.9	11.0	11.1	10.9
East North Central	----	15.7	12.3	12.7	11.1	11.1	11.8	11.0	11.3	11.8	11.1	11.9	11.8	11.1	11.0	10.9	10.6	11.1	11.0	11.7	11.3	10.7	10.8	10.9	10.8
West North Central	----	----	----	----	----	----	----	----	----	----	----	----	----	10.4	10.3	10.3	10.2	10.8	10.5	11.4	10.6	10.1	10.2	10.3	10.1
South Atlantic	----	----	----	----	----	----	----	----	----	----	----	12.5	12.4	12.1	11.6	11.1	10.7	11.6	11.3	11.9	11.3	10.8	10.3	10.6	10.6
East South Central	----	----	----	----	----	----	----	----	11.3	12.0	10.9	12.2	12.3	11.5	10.8	10.5	10.4	10.9	10.6	11.6	11.1	10.5	10.2	10.4	10.3
West South Central	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	9.6	9.7	9.7	10.5	10.2	9.5	9.4	9.6	9.2
Mountain	----	----	----	----	----	----	----	----	----	----	----	----	12.1	12.0	11.2	10.9	10.6	11.1	11.6	11.9	11.8	10.7	10.5	10.3	10.1
Pacific	----	15.5	12.7	12.5	11.5	12.2	11.8	11.8	11.5	11.5	11.5	11.9	11.5	11.4	11.3	11.2	11.2	11.2	11.6	12.0	12.1	11.3	11.2	11.6	11.6
NEW ENGLAND:																									
Maine	15.0	19.2	14.7	15.4	14.0	14.7	14.9	13.7	13.6	14.3	13.8	13.8	14.2	13.9	13.1	13.3	13.7	13.4	13.4	13.7	13.8	12.6	12.8	12.5	12.3
New Hampshire	16.7	21.9	14.7	15.2	13.6	14.5	14.9	13.9	14.3	14.5	13.6	13.8	14.0	13.6	12.7	13.5	13.7	13.5	13.7	13.5	13.7	13.3	12.9	12.7	12.4
Vermont	14.8	19.5	14.5	15.7	14.1	14.6	15.1	13.7	14.5	14.6	13.7	13.7	14.7	13.0	12.5	13.3	12.9	13.7	13.4	13.9	14.0	12.9	12.7	12.8	12.0
Massachusetts	15.2	21.3	13.8	13.8	12.1	12.7	12.9	12.0	12.5	12.6	11.7	12.1	12.3	11.6	11.5	11.6	11.9	11.7	11.5	11.8	11.8	11.2	11.6	11.9	11.7
Rhode Island	15.8	20.6	14.1	14.2	12.3	12.7	13.1	12.5	12.1	12.9	11.7	12.4	13.0	11.7	11.7	11.9	11.7	11.4	11.6	11.8	12.0	11.9	11.1	11.2	11.0
Connecticut	15.7	20.6	13.4	13.6	11.4	12.2	12.2	11.5	11.7	12.0	10.8	11.4	11.5	10.7	10.7	10.4	10.7	10.7	10.7	10.8	10.8	10.5	10.5	10.5	10.6
MIDDLE ATLANTIC:																									
New York	15.4	19.5	14.0	14.1	12.5	13.1	13.1	12.8	12.7	13.4	12.6	13.1	12.7	11.7	11.7	11.4	11.4	11.3	11.2	11.5	11.5	10.9	11.1	11.1	11.0
New Jersey	14.7	20.7	13.0	12.9	11.5	11.9	12.0	11.4	11.5	11.9	10.8	11.3	11.6	10.7	10.8	10.4	10.6	10.7	10.6	11.0	11.0	10.7	10.6	10.8	10.9
Pennsylvania	15.0	22.2	13.4	13.8	12.4	12.3	13.2	12.1	12.2	12.6	11.4	12.2	12.1	11.5	11.5	11.2	10.8	11.2	11.1	11.6	11.8	10.8	11.0	11.3	10.9
EAST NORTH CENTRAL:																									
Ohio	14.0	16.9	12.8	12.8	11.3	11.2	12.1	11.1	11.4	12.1	11.2	12.1	12.3	11.4	11.3	11.3	10.8	11.3	11.3	11.8	11.7	10.9	11.1	11.4	11.3
Indiana	13.7	16.1	12.8	13.4	11.8	12.0	12.8	12.0	12.4	12.7	11.8	12.6	12.7	12.1	11.9	11.8	11.4	12.2	11.8	12.6	12.1	11.3	11.6	11.8	11.6
Illinois	----	16.4	12.1	12.4	10.7	10.9	11.6	10.7	11.2	11.5	11.0	11.9	11.5	10.9	11.2	10.8	10.7	11.3	11.0	11.9	11.2	10.8	11.0	11.2	10.8
Michigan	13.7	15.5	12.7	13.8	11.4	11.1	12.1	11.2	11.4	12.2	11.0	11.7	11.7	10.7	10.2	10.4	10.2	10.5	10.6	11.2	10.8	10.0	10.1	9.9	10.0
Wisconsin	11.3	13.5	10.8	11.1	10.1	9.9	10.4	10.0	10.3	10.4	10.1	10.9	10.7	10.4	10.1	10.1	9.8	10.0	10.1	10.9	10.4	10.0	10.1	10.1	9.8
WEST NORTH CENTRAL:																									
Minnesota	10.3	13.7	10.6	10.7	9.4	9.6	10.2	9.7	10.0	10.1	9.5	10.0	10.0	10.0	9.8	9.8	9.6	10.0	9.8	10.6	9.9	9.6	9.7	9.6	9.5
Iowa	----	----	----	----	----	----	10.5	9.8	10.0	10.5	10.0	10.3	10.4	10.6	10.4	10.4	10.3	10.7	10.5	11.4	10.7	10.3	10.5	10.4	10.1
Missouri	13.2	16.1	11.9	12.5	10.8	11.2	12.2	11.5	11.7	12.0	11.4	12.6	12.2	11.8	12.0	11.8	11.4	12.5	11.6	13.1	12.0	11.4	11.3	11.6	11.4
North Dakota	----	----	----	----	----	----	----	7.6	7.8	8.2	7.9	8.3	8.0	7.9	7.6	7.7	8.2	8.9	8.9	8.7	8.4	8.1	8.5	8.2	8.3
South Dakota	----	----	----	----	----	----	----	----	----	----	----	----	----	8.5	8.5	8.3	8.9	9.5	9.4	9.2	9.1	8.4	8.6	8.5	8.3
Nebraska	----	----	----	10.0	9.2	9.5	9.6	9.3	9.3	9.3	9.1	10.0	9.7	9.6	9.4	9.4	9.4	9.8	9.7	10.2	9.9	9.1	9.3	9.6	9.3
Kansas	11.9	15.4	10.9	11.5	10.2	10.5	10.9	9.9	10.2	10.4	10.1	11.3	10.4	10.4	9.9	10.4	10.5	10.7	10.9	11.6	10.3	10.1	10.1	10.3	10.3
SOUTH ATLANTIC:																									
Delaware	----	----	15.6	14.9	13.7	14.1	15.0	13.8	14.1	15.3	13.1	13.7	13.3	13.6	13.6	13.0	13.4	13.4	12.8	13.1	13.0	12.4	12.1	12.2	12.2
Maryland	16.5	22.9	15.2	14.6	13.4	13.4	14.5	13.6	13.9	14.4	13.2	13.5	13.5	13.2	13.1	12.5	12.2	12.3	12.3	12.6	12.6	11.8	11.6	12.1	12.1
Dist. of Columbia	17.4	22.9	14.3	14.7	13.6	14.0	15.7	14.4	15.2	15.8	14.7	15.1	15.4	15.1	15.3	15.5	14.9	14.6	14.0	14.5	14.2	12.5	12.6	12.8	11.7
Virginia	13.7	18.6	13.5	13.0	11.9	11.9	12.7	12.0	12.1	12.7	11.8	12.4	12.9	12.5	12.1	11.6	11.3	12.0	11.7	12.3	11.7	11.0	10.6	11.0	11.4
West Virginia	----	----	----	----	----	----	----	----	10.8	11.2	10.2	10.3	10.6	10.5	10.0	10.0	9.2	9.8	9.9	10.7	10.3	9.5	9.3	9.3	9.4
North Carolina	13.4	17.0	12.2	12.6	11.1	11.4	11.6	11.7	11.2	11.7	10.9	11.7	11.8	11.3	10.3	9.5	9.2	10.5	9.9	10.5	9.9	9.7	9.0	9.0	8.9
South Carolina	14.2	18.5	13.7	14.1	12.0	12.3	12.2	13.4	12.8	13.6	12.5	14.0	13.3	12.8	11.8	11.1	10.7	11.7	11.1	11.6	11.1	11.1	10.2	10.6	10.8
Georgia	----	----	----	----	----	10.4	11.4	11.9	----	----	----	12.4	12.2	12.1	11.2	10.8	10.4	11.8	11.4	12.4	11.2	10.8	10.2	10.4	10.2
Florida	----	----	13.2	13.2	11.8	12.0	12.9	13.7	13.3	14.7	12.8	13.2	12.6	12.4	12.1	12.0	12.1	12.8	12.4	12.7	12.3	11.9	11.6	12.1	12.2
EAST SOUTH CENTRAL:																									
Kentucky	13.6	16.8	12.7	11.8	10.5	10.8	11.8	10.6	11.3	11.8	10.7	11.8	11.9	11.3	11.0	11.0	10.7	11.3	10.9	11.9	11.3	10.6	10.5	10.4	10.6
Tennessee	13.2	16.3	12.4	12.2	10.6	10.6	11.6	11.2	11.0	12.3	11.1	12.0	12.1	11.5	10.8	10.6	10.3	10.9	10.8	11.7	10.8	10.4	10.0	10.3	10.0
Alabama	----	----	----	----	----	----	----	----	11.5	11.6	10.4	12.1	12.3	11.5	10.6	10.3	10.0	10.7	10.3	11.1	11.0	10.5	10.0	10.4	10.1
Mississippi	----	----	12.7	12.2	10.9	10.6	11.0	11.2	11.6	12.3	11.8	13.1	12.9	12.0	11.0	10.0	10.5	10.5	10.2	11.5	11.3	10.6	10.4	10.6	10.3
WEST SOUTH CENTRAL:																									
Arkansas	----	----	----	----	----	----	----	----	----	----	10.0	10.8	10.5	10.2	9.6	8.8	9.0	8.9	8.5	9.7	9.6	8.8	8.5	8.7	8.3
Louisiana	----	18.5	13.1	11.9	10.9	11.1	11.8	12.6	12.7	12.1	11.7	12.1	11.9	11.7	11.0	10.7	10.5	10.4	10.5	11.4	10.9	10.7	10.5	10.8	10.2
Oklahoma	----	----	----	----	----	----	----	----	----	----	----	8.9	9.0	8.2	7.8	8.0	8.5	8.9	8.8	9.8	9.1	8.6	8.7	8.8	8.5
Texas	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	9.9	9.9	10.1	10.7	10.5	9.6	9.5	9.7	9.4
MOUNTAIN:																									
Montana	13.1	18.0	10.8	9.7	8.6	9.4	9.1	9.2	9.7	10.2	10.1	10.7	10.9	10.1	9.8	9.9	9.8	10.5	11.6	11.5	11.2	10.4	10.7	10.2	10.1
Idaho	----	----	----	----	----	8.5	7.6	8.7	7.8	8.8	8.5	9.3	9.1	9.4	8.9	8.8	8.9	9.5	9.7	10.4	9.6	9.0	9.2	9.3	8.5
Wyoming	----	----	----	----	----	9.3	10.3	9.6	8.8	8.8	9.0	9.8	9.0	9.2	8.9	9.0	8.6	9.1	9.7	10.1	10.1	9.1	8.9	8.5	8.8
Colorado	11.8	19.5	12.8	14.6	12.4	13.7	12.5	12.4	12.3	12.1	12.7	13.9	12.8	12.7	11.9	12.0	11.4	11.9	12.4	12.8	12.8	11.5	11.3	11.1	10.8
New Mexico	----	----	----	----	----	----	----	----	----	----	----	----	15.3	15.4	14.1	13.5	12.9	13.2	13.2	12.7	12.7	11.6	11.3	10.5	10.8
Arizona	----	----	----	----	----	----	----	----	----	13.8	14.2	15.3	15.8	15.3	13.7	12.0	12.2	12.2	13.0	13.8	14.4	12.4	11.9	11.6	12.0
Utah	10.4	14.2	11.0	11.5	10.5	10.5	9.5	10.5	9.2	10.4	9.5	10.1	10.0	9.9	8.7	8.5	8.4	9.2	9.6	9.7	9.4	9.1	8.7	8.9	8.3
Nevada	----	----	----	----	----	----	----	----	----	----	----	----	13.3	12.7	14.2	14.0	12.7	13.1	13.1	14.1	12.7	12.1	11.7	12.7	12.7
PACIFIC:																									
Washington	9.5	13.2	10.8	11.0	9.4	10.1	9.7	9.9	10.2	10.3	10.4	10.8	10.6	10.7	10.5	10.6	10.6	11.1	11.4	11.9	11.5	11.0	10.9	11.5	11.0
Oregon	----	12.8	11.5	11.7	10.4	11.5	10.8	11.1	10.9	10.9	11.0	11.2	11.3	11.0	10.6	10.6	10.7	10.7	11.4	12.1	11.8	11.1	10.9	11.3	11.1
California	13.3	17.7	13.8	13.3	12.5	13.0	12.8	12.5	12.0	12.0	12.0	12.4	11.8	11.6	11.6	11.5	11.4	11.2	11.7	12.0	12.3	11.5	11.4	11.6	11.8

TABLE X.—INFANT MORTALITY RATES (NUMBER OF DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS): UNITED STATES, EACH DIVISION AND STATE, 1917-1941

(Exclusive of stillbirths. See headnote, table VII)

DIVISION AND STATE	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941
UNITED STATES (birth-registration area)	93.8	100.9	86.6	85.8	75.6	76.2	77.1	70.8	71.7	73.3	64.6	68.7	67.6	64.6	61.6	57.6	58.1	60.1	55.7	57.1	54.4	51.0	48.0	47.0	45.3
GEOGRAPHIC DIVISIONS:																									
New England	97.5	110.9	——	——	78.7	80.9	80.9	71.1	73.5	74.6	65.8	64.7	65.4	61.5	57.4	54.7	53.7	53.0	49.4	48.6	46.8	42.5	39.8	39.3	36.8
Middle Atlantic	——	——	——	——	80.4	81.8	79.6	73.2	73.8	75.4	63.6	67.9	64.6	62.1	61.0	55.2	52.5	52.8	48.9	48.3	46.4	42.6	41.7	39.9	36.5
East North Central	——	——	——	——	——	72.8	76.7	68.5	71.1	73.1	63.1	65.2	64.4	58.8	57.8	54.4	50.7	52.9	48.1	49.4	46.7	42.6	40.6	39.1	37.7
West North Central	——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	50.3	51.9	53.1	50.0	49.9	47.3	43.6	40.3	39.3	39.0
South Atlantic	——	——	——	——	——	——	——	——	——	——	——	80.2	78.6	78.0	73.9	68.4	68.0	74.8	67.7	70.8	51.7	65.8	58.0	57.1	60.6
East South Central	——	——	——	——	——	——	——	——	——	——	65.6	74.6	73.4	70.2	62.7	61.6	63.9	67.8	60.1	65.2	60.4	60.6	55.7	55.9	57.2
West South Central	——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	67.6	66.5	64.4	66.4	66.4	60.6	60.2	61.1	53.7
Mountain	——	——	——	——	——	——	——	——	——	——	——	——	90.1	88.3	82.0	71.2	76.1	74.5	77.5	77.7	74.7	66.3	63.7	61.7	55.7
Pacific	——	——	67.4	70.7	61.8	67.3	67.6	63.3	64.1	60.2	58.2	57.7	58.7	55.8	53.6	50.0	49.3	48.6	47.8	50.6	49.8	42.3	40.6	38.0	35.7
NEW ENGLAND:																									
Maine	93.3	101.2	90.6	101.6	88.0	86.5	88.5	80.8	76.3	80.0	80.0	72.5	77.4	75.7	71.5	63.1	66.3	70.6	63.0	64.1	65.3	56.2	52.4	53.5	51.2
New Hampshire	109.6	113.5	93.1	88.0	86.7	79.8	93.2	79.5	76.2	78.7	69.2	69.4	68.2	61.4	57.3	58.9	55.9	60.7	53.9	46.2	48.1	47.6	45.8	40.0	36.5
Vermont	85.0	93.0	85.5	96.2	77.8	75.1	76.0	70.2	72.4	72.0	69.8	65.2	65.8	64.8	59.9	63.2	55.0	52.6	48.6	58.0	49.5	48.4	45.6	45.0	43.9
Massachusetts	97.9	112.7	88.1	90.9	76.0	81.2	77.8	67.6	73.0	73.1	64.5	64.3	61.8	60.1	54.5	52.9	52.0	49.0	48.3	46.5	44.1	39.9	37.0	37.5	35.3
Rhode Island	107.5	125.6	——	——	92.7	85.2	94.3	79.9	72.8	82.0	66.5	67.2	72.0	61.8	60.8	57.2	55.5	53.9	47.2	48.2	47.6	43.8	39.4	38.2	35.8
Connecticut	93.8	107.2	86.3	91.9	73.1	77.3	76.5	68.7	73.3	72.1	58.8	58.6	64.4	56.0	53.8	49.4	48.4	48.8	42.7	42.0	40.4	38.3	35.9	34.1	31.1
MIDDLE ATLANTIC:																									
New York	91.4	96.8	83.6	86.3	75.4	77.0	72.1	69.2	67.6	70.5	59.4	65.0	60.8	58.8	57.4	52.8	53.6	51.9	48.0	47.0	45.1	40.6	39.3	37.2	33.1
New Jersey	——	——	——	——	74.1	78.6	71.6	70.0	68.9	70.1	61.3	65.2	60.1	56.5	56.8	50.2	46.3	49.1	46.2	44.3	39.4	39.5	38.7	35.6	36.2
Pennsylvania	111.0	128.5	100.0	97.1	87.7	88.2	90.4	78.5	82.0	82.4	69.0	72.1	70.5	68.0	66.7	60.0	53.4	55.0	50.8	51.2	50.3	45.9	45.6	44.7	40.7
EAST NORTH CENTRAL:																									
Ohio	92.1	94.1	89.6	82.9	75.1	71.7	74.7	86.6	69.6	75.9	61.8	66.1	68.8	60.7	60.0	58.5	52.7	53.7	50.4	51.2	49.6	43.3	42.9	41.4	40.8
Indiana	85.8	87.0	79.0	81.8	71.2	67.4	71.0	65.2	67.9	72.4	58.8	62.5	63.6	57.7	57.6	54.7	53.0	56.5	50.8	50.7	49.7	42.5	39.5	41.9	39.8
Illinois	——	——	——	——	——	76.1	81.9	71.0	72.5	69.4	64.4	64.2	61.4	55.8	58.6	52.8	49.0	52.8	45.9	46.8	43.1	40.9	38.0	35.3	34.0
Michigan	88.3	89.1	89.7	91.7	78.6	74.5	80.3	72.3	75.3	77.2	67.7	69.4	66.4	62.7	57.0	54.0	50.5	52.0	47.7	50.7	47.9	44.6	41.9	40.7	38.7
Wisconsin	77.8	79.0	79.6	76.5	72.1	70.8	69.9	64.7	67.2	69.1	59.1	61.4	59.6	55.7	53.1	50.4	48.5	49.4	46.0	47.7	43.4	41.8	40.2	37.2	35.1
WEST NORTH CENTRAL:																									
Minnesota	67.4	70.9	67.0	66.4	58.8	57.9	61.7	56.7	60.3	57.6	51.9	53.6	51.2	52.5	50.6	47.2	47.6	47.2	44.7	44.4	40.8	38.8	35.8	33.3	34.5
Iowa	——	——	——	——	——	——	——	54.9	56.0	58.7	55.5	53.0	52.6	53.9	49.0	47.9	48.3	50.6	47.1	48.2	44.2	40.5	38.8	36.7	36.5
Missouri	——	——	——	——	——	——	——	——	——	——	59.7	65.6	62.1	58.6	62.8	57.2	55.4	63.1	56.9	57.9	56.5	51.5	45.1	46.9	46.5
North Dakota	——	——	——	——	——	——	——	66.7	71.6	69.2	63.4	59.5	67.2	61.7	58.8	55.5	60.0	57.3	59.4	49.7	52.4	49.8	49.0	45.1	37.8
South Dakota	——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	50.4	54.8	58.0	52.5	47.8	51.1	43.8	41.4	39.2	40.9
Nebraska	——	——	——	64.2	58.6	56.7	57.3	55.3	57.7	59.2	51.2	52.8	51.7	49.4	48.8	43.4	49.3	45.5	41.2	44.1	42.1	38.4	36.5	35.7	34.4
Kansas	77.5	79.5	69.7	73.1	62.5	64.8	62.9	59.0	61.7	65.3	55.3	59.0	57.6	52.6	47.9	48.1	53.5	48.5	50.3	51.8	44.4	43.0	39.4	38.1	37.8
SOUTH ATLANTIC:																									
Delaware	——	——	——	——	97.6	100.2	104.0	95.0	90.5	93.4	70.6	78.4	81.2	78.5	81.7	67.1	60.4	61.4	66.4	64.5	63.8	52.8	44.0	48.9	43.0
Maryland	119.9	140.4	105.4	104.1	93.6	94.1	94.8	86.2	90.0	87.1	81.5	79.6	79.9	75.3	80.5	69.0	65.8	70.4	62.0	69.1	61.5	55.7	50.3	49.6	52.6
Dist. of Columbia	97.4	111.6	85.3	91.0	83.5	84.9	91.8	76.0	87.4	85.0	67.6	65.1	70.7	70.8	67.0	72.9	67.2	65.3	59.4	72.4	60.8	48.1	47.7	47.0	50.8
Virginia	97.8	102.9	91.0	83.6	78.7	76.8	84.0	77.6	80.8	83.7	75.5	75.9	78.8	77.3	76.3	67.2	68.5	72.6	69.6	73.9	69.7	66.2	60.9	59.3	66.9
West Virginia	——	——	——	——	——	——	——	——	79.8	81.8	71.9	70.1	77.6	81.0	77.2	75.0	68.2	67.4	60.6	71.2	61.8	62.3	54.7	53.9	61.1
North Carolina	99.6	101.8	84.3	84.9	75.0	79.5	81.0	82.3	78.8	82.3	79.1	85.7	79.1	78.6	72.9	66.5	66.0	77.9	68.8	68.9	65.5	68.6	59.2	57.4	59.8
South Carolina	——	——	113.1	115.8	96.1	92.9	96.3	101.6	——	——	——	96.5	91.0	88.7	81.0	77.2	78.2	83.0	79.3	80.8	75.6	80.3	66.2	68.1	75.0
Georgia	——	——	——	——	——	——	——	——	——	——	——	81.6	76.3	77.4	68.3	64.4	66.7	78.9	68.3	70.0	61.7	67.7	58.4	57.9	58.2
Florida	——	——	——	——	——	——	——	81.8	74.2	74.8	67.4	67.1	65.5	64.2	63.9	61.1	62.9	68.2	61.9	59.4	59.8	57.9	56.4	53.6	52.8
EAST SOUTH CENTRAL:																									
Kentucky	87.1	93.3	81.6	73.1	61.9	69.2	71.6	64.6	70.5	75.5	61.0	69.6	70.9	65.4	65.0	63.3	58.1	64.9	58.7	66.8	59.1	61.3	52.6	52.8	58.6
Tennessee	——	——	——	——	——	——	——	——	——	——	71.1	80.9	77.1	75.7	67.6	67.6	69.3	73.7	64.0	68.5	61.1	63.5	53.9	54.7	55.3
Alabama	——	——	——	——	——	——	——	——	——	——	64.4	75.0	73.6	72.1	61.4	60.9	65.1	67.8	62.8	66.8	62.4	60.8	59.9	61.4	59.5
Mississippi	——	——	——	——	68.4	68.0	68.1	71.3	68.5	70.0	66.8	73.8	72.1	67.7	55.9	53.6	63.6	64.8	53.9	58.2	58.9	58.7	58.2	54.3	54.7
WEST SOUTH CENTRAL:																									
Arkansas	——	——	——	——	——	——	——	——	——	——	60.9	66.9	58.1	51.5	49.0	45.3	54.4	54.1	47.1	50.9	54.5	51.4	46.0	45.7	44.0
Louisiana	——	——	——	——	——	——	——	——	——	——	77.4	78.4	74.0	78.2	65.9	64.8	70.1	69.1	69.4	71.9	65.6	67.1	63.0	64.2	57.8
Oklahoma	——	——	——	——	——	——	——	——	——	——	——	69.0	70.2	60.7	51.5	50.0	56.4	60.5	54.6	60.0	56.6	49.0	49.7	49.7	47.5
Texas	——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	——	75.5	71.9	71.7	71.2	73.9	65.1	67.0	68.6	56.9
MOUNTAIN:																									
Montana	——	——	——	——	——	70.2	71.5	66.9	70.9	76.9	66.4	61.4	64.0	58.5	60.5	51.4	51.5	53.5	60.0	57.0	50.5	45.5	49.0	46.2	37.2
Idaho	——	——	——	——	——	——	——	——	——	63.0	50.0	59.0	55.3	57.1	55.9	43.4	47.2	50.3	51.0	51.4	43.7	44.6	45.9	42.3	34.5
Wyoming	——	——	——	——	78.6	79.6	64.3	63.9	75.9	68.9	67.8	70.3	69.3	66.8	57.0	54.7	53.0	51.1	57.6	55.6	51.8	45.5	46.3	43.8	
Colorado	——	——	——	——	——	——	——	——	——	——	——	89.4	91.4	94.3	81.0	71.5	68.9	72.7	72.7	74.1	73.5	60.2	54.8	59.8	52.2
New Mexico	——	——	——	——	——	——	——	——	——	——	——	——	145.5	145.4	134.4	119.4	136.1	126.3	129.3	121.8	123.7	108.7	109.0	99.6	95.4
Arizona	——	——	——	——	——	——	——	——	——	121.2	130.1	141.5	133.3	116.6	109.6	95.9	111.4	103.5	111.7	119.6	120.7	98.8	94.3	84.3	88.3
Utah	69.4	64.0	71.0	71.4	72.8	69.0	59.1	64.4	55.8	74.9	54.3	58.9	59.1	57.4	51.4	44.2	47.6	49.2	49.3	52.7	41.4	46.8	39.5	40.6	29.9
Nevada	——	——	——	——	——	——	——	——	——	——	——	——	67.2	68.3	74.4	69.8	73.2	59.3	71.0	69.8	40.2	47.7	44.8	51.9	42.2
PACIFIC:																									
Washington	69.3	68.9	63.1	66.4	55.5	61.7	56.5	56.2	56.4	56.4	49.8	48.1	49.0	48.7	48.3	45.2	38.8	43.2	45.2	45.4	39.9	38.7	36.8	35.7	35.0
Oregon	——	——	62.7	61.8	50.9	58.5	57.3	53.6	51.1	52.5	47.5	46.6	47.9	50.0	43.7	41.3	40.3	39.8	41.2	44.3	41.5	39.2	35.5	32.9	30.7
California	——	——	70.5	74.4	66.5	71.1	73.0	67.1	68.7	62.7	62.3	62.2	65.2	58.7	56.7	52.7	53.7	51.7	49.6	53.1	53.8	43.7	42.4	39.4	36.7

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1940 AND 1941

(Exclusive of stillbirths. Numbered titles agree with those contained in the internationally approved list. Some of the subtitles indicated by small letters and all subtitles indicated by capital letters were introduced by the Division of Vital Statistics, Bureau of the Census, U. S. A.)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population estimated as of July 1	
		1941	1940	1941	1940
	All causes	1,397,642	1,417,269	1,049.1	1,073.9
	I.—Infectious and parasitic diseases (Communicable diseases)	119,320	119,765	89.6	90.7
	Diseases due to bacteria (1-26)				
1	Typhoid fever	1,022	1,378	0.8	1.0
2	Paratyphoid fever	66	65	0.0	0.0
3	Plague	2	1	0.0	0.0
4	Cholera	-	-	0	0
5	Undulant fever (brucellosis)	65	114	0.0	0.1
6	Cerebrospinal (meningococcus) meningitis	713	694	0.5	0.5
7	Anthrax (infection by Bacillus anthracis)	9	7	0.0	0.0
8	Scarlet fever	454	668	0.3	0.5
9	Whooping cough	3,785	2,926	2.8	2.2
10	Diphtheria (infection by C. diphtheriae)	1,293	1,457	1.0	1.1
11	Erysipelas	368	451	0.3	0.3
12	Tetanus	602	560	0.5	0.4
13-22	Tuberculosis (all forms)	59,251	60,428	44.5	45.8
13	Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes)	54,358	55,576	40.8	42.1
	(a) With mention of occupational disease of the lungs	704	742	0.5	0.6
	(b) Without mention of occupational disease of the lungs	51,858	52,795	38.9	40.0
	(c) Tuberculosis of unspecified site	1,796	2,039	1.3	1.5
14	Tuberculosis of the meninges and central nervous system	1,341	1,310	1.0	1.0
15	Tuberculosis of the intestines and peritoneum	897	904	0.7	0.7
16	Tuberculosis of the vertebral column	583	596	0.4	0.5
17	Tuberculosis of the bones and joints (except vertebral column)	213	256	0.2	0.2
	(a) Bones	97	107	0.1	0.1
	(b) Joints	116	149	0.1	0.1
18	Tuberculosis of the skin and subcutaneous cellular tissue	28	15	0.0	0.0
19	Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric, and retroperitoneal lymph nodes)	109	151	0.1	0.1
20	Tuberculosis of the genito-urinary system	459	436	0.3	0.3
21	Tuberculosis of other organs	118	117	0.1	0.1
	(a) Tuberculosis of the adrenal glands	63	55	0.0	0.0
	(b) Tuberculosis of other organs	55	62	0.0	0.0
22	Disseminated tuberculosis	1,145	1,087	0.9	0.8
	(a) Acute (generalized) miliary tuberculosis	1,042	972	0.8	0.7
	(b) Other and unspecified generalized tuberculosis	103	115	0.1	0.1
23	Leprosy	40	43	0.0	0.0
24	Septicemia and purulent infection (nonpuerperal)	1,304	1,495	1.0	1.1
	(a) Septicemia	1,228	1,418	0.9	1.1
	(b) Pyemia	33	32	0.0	0.0
	(c) Gas bacillus gangrene	34	33	0.0	0.0
	(d) Generalized Bacillus coli infection	9	12	0.0	0.0
25	Gonococcus infection	364	419	0.3	0.3
26	Other diseases due to bacteria (except dysentery)	154	189	0.1	0.1
	(a) Tularemia	154	189	0.1	0.1
	(b) Other diseases due to bacteria	-	-	0	0
	Dysentery (27)				
27	Dysentery	2,433	2,460	1.8	1.9
	(a) Bacillary	1,006	1,027	0.8	0.8
	(b) Amebic	222	238	0.2	0.2
	(c) Other and unspecified forms of dysentery	1,205	1,195	0.9	0.9
	Diseases due to protozoa (28,29)				
28	Malaria	1,178	1,442	0.9	1.1
	(a) Benign tertian malaria	80	71	0.1	0.1
	(b) Quartan malaria	14	7	0.0	0.0
	(c) Malignant tertian (estivo-autumnal) malaria	123	161	0.1	0.1
	(d) Malaria (unspecified form)	961	1,203	0.7	0.9
29	Other diseases due to parasitic protozoa (except spirochetes)	10	6	0.0	0.0
	Diseases due to spirochetes (30-32)				
30	Syphilis	17,728	19,006	13.3	14.4
	(a) Locomotor ataxia (tabes dorsalis)	669	740	0.5	0.6
	(b) General paralysis of the insane	4,309	4,423	3.2	3.4
	I.—Infectious and parasitic diseases—Continued Diseases due to spirochetes (30-32)—Continued Syphilis—Continued				
	(c) Other syphilis of the central nervous system	1,713	1,819	1.3	1.4
	(d) Aneurysm of the aorta	3,426	3,635	2.6	2.8
	(e) Other syphilis of the circulatory system	1,500	1,525	1.1	1.2
	(f) Congenital syphilis	1,072	1,290	0.8	1.0
	(g) Other and unspecified forms of syphilis	5,039	5,574	3.8	4.2
31	Relapsing fever	1	2	0.0	0.0
32	Other diseases due to spirochetes	282	294	0.2	0.2
	(a) Spirochetosis icterohaemorrhagica (Weil's disease)	62	50	0.0	0.0
	(b) Other diseases due to spirochetes	220	244	0.2	0.2
	Diseases due to filtrable viruses (33-38)				
33	Influenza (grippe)	21,047	20,157	15.8	15.3
	(a) With respiratory complications specified	13,188	12,223	9.9	9.3
	(b) Without respiratory complications specified	7,859	7,934	5.9	6.0
34	Smallpox	12	14	0.0	0.0
35	Measles	2,279	706	1.7	0.5
36	Acute poliomyelitis and acute polioencephalitis	807	1,026	0.6	0.8
37	Acute infectious encephalitis (lethargic)	1,092	875	0.8	0.7
	(a) Acute infectious encephalitis (lethargic)	443	211	0.3	0.2
	(b) Sequelae of encephalitis lethargica	258	230	0.2	0.2
	(c) Encephalitis lethargica (unqualified)	391	434	0.3	0.3
38	Other diseases due to filtrable viruses	176	167	0.1	0.1
	(a) Yellow fever	-	-	0	0
	(b) Rabies	39	41	0.0	0.0
	(c) Herpes zoster	9	10	0.0	0.0
	(d) German measles	25	10	0.0	0.0
	(e) Chickenpox	94	100	0.1	0.1
	(f) Other diseases ascribed to viruses	9	6	0.0	0.0
	Diseases due to Rickettsia (39)				
39	Typhus fever and typhus-like diseases (due to Rickettsia)	265	204	0.2	0.2
	(a) Exanthematic typhus (epidemic form)	-	-	0	0
	(b) Endemic typhus fever	108	84	0.1	0.1
	(c) Rocky Mountain spotted fever	118	83	0.1	0.1
	(d) Other typhus-like diseases	39	37	0.0	0.0
	Diseases caused by helminths (40-42)				
40	Ankylostomiasis	7	33	0.0	0.0
41	Hydatid disease	20	32	0.0	0.0
42	Other diseases caused by helminths	88	86	0.1	0.1
	Diseases due to fungi (43)				
43	Mycoses	324	335	0.2	0.3
	Other infectious and parasitic diseases (44) (Communicable diseases)				
44	Other infectious and parasitic (communicable) diseases	2,079	2,015	1.6	1.5
	(a) Venereal diseases (except gonorrhea and syphilis)	119	113	0.1	0.1
	(b) Lymphogranulomatosis (Hodgkin's disease)	1,836	1,777	1.4	1.3
	(c) Mumps	111	118	0.1	0.1
	(d) Other infectious and parasitic (communicable) diseases	13	7	0.0	0.0
	II.—Cancer and other tumors	166,225	164,906	124.8	125.0
45-55	Cancer and other malignant tumors	159,926	158,335	120.0	120.0
45	Cancer of the buccal cavity and pharynx	5,111	5,097	3.8	3.9
	(a) Lip	683	686	0.5	0.5
	(b) Tongue	1,198	1,199	0.9	0.9
	(c) Mouth	681	757	0.5	0.6
	(d) Jaw bone	905	918	0.7	0.7
	(e) Unspecified parts of the buccal cavity	49	58	0.0	0.0
	(f) Pharynx	1,597	1,479	1.2	1.1
46	Cancer of the digestive organs and peritoneum	73,059	72,742	54.8	55.1
	(a) Esophagus	2,834	2,805	2.1	2.1
	(b) Stomach	25,565	26,133	19.2	19.8
	(c) Duodenum	388	393	0.3	0.3
	(d) Rectum and anus	8,964	8,860	6.7	6.7

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1940 AND 1941—Continued

(See headnote on p. 28)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population estimated as of July 1	
		1941	1940	1941	1940
	II.—Cancer and other tumors—Con.				
	Cancer and other malignant tumors—Continued				
	Cancer of the digestive organs and peritoneum—Continued				
	(e) Intestines (except duodenum and rectum)	17,989	17,797	13.5	13.5
	(f) Liver and biliary passages	9,881	9,747	7.4	7.4
	(g) Pancreas	5,691	5,357	4.3	4.1
	(h) Mesentery and peritoneum	1,088	1,045	0.8	0.8
	(m) Other and unspecified sites	639	605	0.5	0.5
47	Cancer of the respiratory system	10,241	9,543	7.7	7.2
	(a) Larynx	1,453	1,457	1.1	1.1
	(b) Trachea	53	48	0.0	0.0
	(c) Bronchus	2,132	1,970	1.6	1.5
	(d) Lung	6,025	5,430	4.5	4.1
	(e) Pleura	121	106	0.1	0.1
	(f) Mediastinum and unspecified sites	457	532	0.3	0.4
48	Cancer of the uterus	16,516	16,741	12.4	12.7
	(a) Cervix	6,724	6,519	5.0	4.9
	(b) Other and unspecified sites	9,792	10,222	7.4	7.7
49	Cancer of other female genital organs	4,674	4,363	3.5	3.3
	(a) Ovary	3,924	3,672	2.9	2.8
	(b) Fallopian tube and parametrium	37	25	0.0	0.0
	(c) Vagina	232	240	0.2	0.2
	(d) Vulva	418	382	0.3	0.3
	(e) Other and unspecified sites	63	44	0.0	0.0
50	Cancer of the breast	15,526	15,488	11.7	11.7
51	Cancer of the male genital organs	10,171	9,885	7.6	7.5
	(a) Scrotum	34	44	0.0	0.0
	(b) Prostate	9,274	8,946	7.0	6.8
	(c) Testes	553	555	0.4	0.4
	(d) Penis	288	317	0.2	0.2
	(e) Other and unspecified sites	22	23	0.0	0.0
52	Cancer of the urinary organs (male and female)	7,686	7,561	5.8	5.7
	(a) Kidney	2,518	2,392	1.9	1.8
	(b) Bladder	5,064	5,086	3.8	3.9
	(c) Other and unspecified sites	104	83	0.1	0.1
53	Cancer of the skin (except vulva and scrotum)	3,443	3,479	2.6	2.6
54	Cancer of the brain and other parts of the central nervous system (including glioma, except when specified as benign)	2,511	2,403	1.9	1.8
	(a) Glioma	1,256	1,263	0.9	1.0
	(b) Other and unspecified cancers of the brain and central nervous system	1,255	1,140	0.9	0.9
55	Cancer of other and unspecified organs	11,008	11,033	8.3	8.4
	(a) Adrenal gland	154	166	0.1	0.1
	(b) Bone (except jaw bone and accessory sinuses)	2,078	2,039	1.6	1.5
	(c) Thyroid gland	627	650	0.5	0.5
	(d) Nasal cavity and accessory sinuses	383	344	0.3	0.3
	(e) Other and unspecified organs	7,766	7,854	5.8	5.9
	Nonmalignant tumors and tumors of unspecified nature (56,57)				
56	Nonmalignant tumors (including dermoid cysts)	4,015	4,248	3.0	3.2
	(a) Ovary	737	757	0.6	0.6
	(b) Uterus	1,855	2,015	1.4	1.5
	(c) Other female genital organs	47	54	0.0	0.0
	(d) Brain and other parts of the central nervous system	756	828	0.6	0.6
	(e) Other and unspecified organs	620	596	0.5	0.5
57	Tumors of unspecified nature	2,284	2,323	1.7	1.8
	(a) Ovary	30	31	0.0	0.0
	(b) Uterus	27	31	0.0	0.0
	(c) Other female genital organs	20	17	0.0	0.0
	(d) Brain and other parts of the central nervous system	1,506	1,597	1.1	1.2
	(e) Other and unspecified organs	701	647	0.5	0.5
	III.—Rheumatism, diseases of nutrition and of the endocrine glands, other general diseases, and avitaminoses	45,679	47,568	34.3	36.0
	Rheumatic diseases (58,59)				
58	Acute rheumatic fever	1,640	1,725	1.2	1.3
	(a) Acute rheumatic pericarditis	63	74	0.0	0.1
	(b) Acute rheumatic endocarditis	660	693	0.5	0.5
	(c) Acute rheumatic myocarditis	155	158	0.1	0.1
	(d) Other acute rheumatic heart diseases	270	267	0.2	0.2
	(e) Other forms of acute rheumatic fever	378	379	0.3	0.3
	(f) Rheumatism (not specified as acute or chronic)	114	154	0.1	0.1
59	Chronic rheumatism and other rheumatic diseases	1,789	1,787	1.3	1.4
	(a) Rheumatoid arthritis	282	264	0.2	0.2
	III.—Rheumatism, diseases of nutrition and of the endocrine glands, other general diseases, and avitaminoses—Continued				
	Rheumatic diseases (58,59)—Con.				
	Chronic rheumatism and other rheumatic diseases—Continued				
	(b) Other chronic articular rheumatism	1,450	1,452	1.1	1.1
	(c) Other and unspecified forms of chronic rheumatism	57	71	0.0	0.1
	Diseases of nutrition and of the endocrine glands and other general diseases (60-66)				
60	Gout	3	5	0.0	0.0
61	Diabetes mellitus	33,879	35,015	25.4	26.5
62	Diseases of the pituitary gland	138	165	0.1	0.1
63	Diseases of the thyroid and parathyroid glands	3,896	4,226	2.9	3.2
	(a) Simple goiter	194	211	0.1	0.2
	(b) Exophthalmic goiter	3,309	3,659	2.5	2.8
	(c) Myxedema and cretinism	283	267	0.2	0.2
	(d) Other diseases of the thyroid glands	82	63	0.1	0.0
	(e) Diseases of the parathyroid glands	28	26	0.0	0.0
64	Diseases of the thymus gland	1,220	1,299	0.9	1.0
65	Diseases of the adrenal glands (not specified as tuberculous)	452	425	0.3	0.3
	(a) Addison's disease (not specified as tuberculous)	317	311	0.2	0.2
	(b) Other diseases of the adrenal glands	135	114	0.1	0.1
66	Other general diseases	471	444	0.4	0.3
	(a) Osteomalacia	26	13	0.0	0.0
	(b) Other general diseases	445	431	0.3	0.3
	Avitaminoses (67-71)				
67	Scurvy	30	26	0.0	0.0
68	Beriberi	49	63	0.0	0.0
69	Pellagra (except alcoholic)	1,836	2,123	1.4	1.6
70	Rickets	139	161	0.1	0.1
71	Other avitaminoses	137	104	0.1	0.1
	IV.—Diseases of the blood and blood-forming organs	9,580	9,710	7.2	7.4
72	Hemorrhagic conditions	552	638	0.4	0.5
	(a) Primary purpuras	417	442	0.3	0.3
	(b) Hemophilia	134	196	0.1	0.1
	(c) Other hemorrhagic conditions	1	-	0.0	0
73	Anemias (except splenic anemia)	3,079	3,085	2.3	2.3
	(a) Pernicious anemia	1,998	2,122	1.5	1.6
	(b) Other hyperchromic anemias	96	89	0.1	0.1
	(c) Hypochromic anemias	23	14	0.0	0.0
	(d) Other and unspecified anemias	962	870	0.7	0.7
74	Leukemias and aleukemias	5,210	5,143	3.9	3.9
	(a) Leukemias	4,954	4,896	3.7	3.7
	(b) Aleukemias	256	247	0.2	0.2
75	Diseases of the spleen	458	508	0.3	0.4
	(a) Splenic anemia	75	89	0.1	0.1
	(b) Splenomegaly (of undetermined nature)	274	279	0.2	0.2
	(c) Other diseases of the spleen	109	140	0.1	0.1
76	Other diseases of the blood and blood-forming organs	281	326	0.2	0.2
	(a) Agranulocytosis	244	266	0.2	0.2
	(b) Erythrocytosis	22	34	0.0	0.0
	(c) Hemoglobinemia	1	3	0.0	0.0
	(d) Other diseases of the blood and blood-forming organs	14	23	0.0	0.0
	V.—Chronic poisoning and intoxication	2,607	2,724	2.0	2.1
77	Alcoholism (ethylism)	2,458	2,531	1.8	1.9
	(a) Alcoholic pellagra	7	3	0.0	0.0
	(b) Other deficiency states associated with alcoholism	65	65	0.0	0.0
	(c) Acute alcoholism	846	927	0.6	0.7
	(d) Chronic alcoholism	930	911	0.7	0.7
	(e) Other and unspecified alcoholism	610	625	0.5	0.5
78	Lead poisoning	70	100	0.1	0.1
	(a) Specified as occupational	39	48	0.0	0.0
	(b) Not specified as occupational	31	52	0.0	0.0
79	Chronic poisoning by other mineral or organic substances	79	93	0.1	0.1
	(a) Specified as occupational	10	15	0.0	0.0
	(b) Not specified as occupational	69	78	0.1	0.1
	VI.—Diseases of the nervous system and sense organs	134,614	136,345	101.0	103.3
80	Encephalitis (nonepidemic)	1,431	1,366	1.1	1.0
	(a) Intracranial abscess	465	466	0.3	0.4
	(b) Other encephalitis (nonepidemic)	966	900	0.7	0.7

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1940 AND 1941—Continued

(See headnote on p. 28)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population estimated as of July 1	
		1941	1940	1941	1940
	VI.—Diseases of the nervous system and sense organs—Continued				
81	Meningitis (not due to meningococcus)	2,193	2,251	1.6	1.7
	(a) Simple meningitis	2,123	2,171	1.6	1.6
	(b) Acute cerebrospinal meningitis (not due to meningococcus)	70	80	0.1	0.1
82	Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis)	2,691	2,749	2.0	2.1
83	Intracranial lesions of vascular origin	118,584	119,753	89.0	90.7
	(a) Cerebral hemorrhage or effusion (excluding birth injuries)	103,382	105,210	77.6	79.7
	(b) Cerebral embolism and thrombosis	10,674	10,240	8.0	7.8
	(c) Cerebral softening	773	762	0.6	0.6
	(d) Hemiplegia and other paralysis of unspecified origin	3,755	3,541	2.8	2.7
84	Mental diseases and deficiency (except general paralysis of the insane)	1,410	1,360	1.1	1.0
	(a) Mental deficiency	215	182	0.2	0.1
	(b) Schizophrenia (dementia praecox)	276	265	0.2	0.2
	(c) Manic-depressive psychosis	223	230	0.2	0.2
	(d) Other mental diseases	696	683	0.5	0.5
85	Epilepsy	2,327	2,274	1.7	1.7
86	Convulsions (under 5 years of age)	523	538	0.4	0.4
87	Other diseases of the nervous system	3,517	3,557	2.6	2.7
	(a) Chorea	25	30	0.0	0.0
	(b) Neuritis (except rheumatic or alcoholic)	106	149	0.1	0.1
	(c) Paralysis agitans (except result of encephalitis)	1,375	1,342	1.0	1.0
	(d) Disseminated sclerosis	1,204	1,240	0.9	0.9
	(e) Other diseases of the nervous system	807	796	0.6	0.6
88	Diseases of the organs of vision	55	50	0.0	0.0
89	Diseases of the ear and mastoid process	1,883	2,447	1.4	1.9
	(a) Otitis and other diseases of the ear	1,295	1,722	1.0	1.3
	(b) Diseases of the mastoid process	588	725	0.4	0.5
	VII.—Diseases of the circulatory system	415,545	413,954	311.9	313.7
90	Pericarditis (except acute rheumatic)	592	610	0.4	0.5
	(a) Chronic rheumatic pericarditis	25	30	0.0	0.0
	(b) Other pericarditis	567	580	0.4	0.4
91	Acute endocarditis (except rheumatic)	2,677	2,830	2.0	2.1
	(a) Bacterial endocarditis (acute, subacute, or unspecified)	1,794	1,822	1.3	1.4
	(b) Other acute or subacute endocarditis	588	709	0.4	0.5
	(c) Endocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age)	295	299	0.2	0.2
92	Chronic affections of the valves and endocardium	41,697	44,602	31.3	33.8
	(a) Diseases of the aortic valve (without mention of diseases of the mitral valve or rheumatic fever)	3,557	3,855	2.7	2.9
	(b) Diseases of the mitral valve (whether or not specified as rheumatic)	16,966	18,019	12.7	13.7
	(c) Diseases of other and unspecified valves and chronic endocarditis, specified as rheumatic	2,222	2,322	1.7	1.8
	(d) Diseases of other and unspecified valves and chronic endocarditis, not specified as rheumatic	16,432	17,698	12.3	13.4
	(e) Endocarditis (not specified as acute, chronic, or rheumatic, 45 years of age and over)	2,520	2,708	1.9	2.1
93	Diseases of the myocardium	199,187	201,319	149.5	152.5
	(a) Acute myocarditis (except rheumatic)	3,934	4,152	3.0	3.1
	(b) Myocarditis (not specified as acute, chronic, or rheumatic, under 45 years of age)	679	725	0.5	0.5
	(c) Chronic myocarditis and myocardial degeneration, specified as rheumatic	1,351	1,323	1.0	1.0
	(d) Chronic myocarditis and myocardial degeneration, not specified as rheumatic	175,593	176,812	131.8	134.0
	(e) Other myocarditis (not specified as acute, chronic, or rheumatic)	17,630	18,307	13.2	13.9
94	Diseases of the coronary arteries and angina pectoris	107,166	101,463	80.4	76.9
	(a) Diseases of the coronary arteries	100,535	94,067	75.5	71.3
	(b) Angina pectoris	6,631	7,396	5.0	5.6
	VII.—Diseases of the circulatory system—Continued				
95	Other diseases of the heart	34,822	34,367	26.1	26.0
	(a) Functional diseases of the heart (without mention of organic lesion)	1,044	1,021	0.8	0.8
	(b) Other diseases of the heart, specified as rheumatic	5,761	5,736	4.3	4.3
	(c) Other diseases of the heart, not specified as rheumatic	28,017	27,610	21.0	20.9
96	Aneurysm (except of heart and aorta)	1,372	1,167	1.0	0.9
97	Arteriosclerosis (except coronary or renal sclerosis)	22,909	22,727	17.2	17.2
98	Gangrene	496	567	0.4	0.4
99	Other diseases of the arteries	1,880	1,857	1.4	1.4
100	Diseases of the veins	926	810	0.7	0.6
	(a) Varices	288	233	0.2	0.2
	(b) Other diseases of the veins	638	577	0.5	0.4
101	Diseases of the lymphatic system	70	88	0.1	0.1
102	High blood pressure (idiopathic)	1,569	1,374	1.2	1.0
103	Other diseases of the circulatory system	182	173	0.1	0.1
	VIII.—Diseases of the respiratory system	78,156	87,077	58.7	66.0
104	Diseases of the nasal fossae and accessory sinuses	1,021	1,125	0.8	0.9
	(a) Diseases of the nasal fossae	330	385	0.2	0.3
	(b) Diseases of the accessory sinuses	691	740	0.5	0.6
105	Diseases of the larynx	324	436	0.2	0.3
106	Bronchitis	3,497	3,958	2.6	3.0
	(a) Acute	966	1,253	0.7	0.9
	(b) Chronic	1,846	1,934	1.4	1.5
	(c) Unspecified	685	771	0.5	0.6
107	Bronchopneumonia (including capillary bronchitis)	31,411	34,539	23.6	26.2
108	Lobar pneumonia	27,667	33,169	20.8	25.1
109	Pneumonia (unspecified)	4,857	4,660	3.6	3.5
110	Pleurisy (not specified as tuberculous)	1,858	2,039	1.4	1.5
	(a) Empyema	1,056	1,141	0.8	0.9
	(b) Other and unspecified forms of pleurisy	802	898	0.6	0.7
111	Hemorrhagic infarction, thrombosis, edema, and chronic congestion of the lungs	3,177	3,038	2.4	2.3
	(a) Hemorrhagic infarction and thrombosis of the lungs	1,172	1,072	0.9	0.8
	(b) Acute edema of the lungs	143	131	0.1	0.1
	(c) Chronic and unspecified congestion of the lungs	1,862	1,835	1.4	1.4
112	Asthma	2,337	2,233	1.8	1.7
113	Pulmonary emphysema	141	156	0.1	0.1
114	Other diseases of the respiratory system (except tuberculosis)	1,866	1,724	1.4	1.3
	(a) Silicosis	282	235	0.2	0.2
	(b) Other and unspecified forms of pneumoconioses	135	149	0.1	0.1
	(c) Gangrene of lung	145	115	0.1	0.1
	(d) Abscess of lung	802	761	0.6	0.6
	(e) Other and unspecified diseases of the respiratory system	502	464	0.4	0.4
	IX.—Diseases of the digestive system	75,193	78,012	56.4	59.1
115	Diseases of the buccal cavity, pharynx, tonsils, and adnexa	2,829	3,434	2.1	2.6
	(a) Diseases of the teeth and gums	261	275	0.2	0.2
	(b) Septic sore throat	1,163	1,465	0.9	1.1
	(c) Diseases of the pharynx and tonsils	1,157	1,400	0.9	1.1
	(d) Diseases of other and unspecified parts of the buccal cavity and adnexa	248	294	0.2	0.2
116	Diseases of the esophagus	201	226	0.2	0.2
117	Ulcer of stomach or duodenum	8,864	8,948	6.7	6.8
	(a) Stomach	6,165	6,131	4.6	4.6
	(b) Duodenum	2,699	2,817	2.0	2.1
118	Other diseases of the stomach (except cancer)	2,120	2,150	1.6	1.6
119	Diarrhea, enteritis, and ulceration of the intestines (under 2 years of age)	10,847	10,044	8.1	7.6
	(a) Diarrhea and enteritis	10,770	9,969	8.1	7.6
	(b) Ulceration of the intestines (except duodenum)	77	75	0.1	0.1
120	Diarrhea, enteritis, and ulceration of the intestines (2 years of age and over)	3,124	3,529	2.3	2.7
	(a) Diarrhea and enteritis	2,392	2,740	1.8	2.1
	(b) Ulceration of the intestines (except duodenum)	732	789	0.5	0.6
121	Appendicitis	10,789	12,999	8.1	9.8
122	Hernia and intestinal obstruction	11,537	11,877	8.7	9.0
	(a) Hernia	4,806	5,054	3.6	3.8
	(b) Intestinal obstruction	6,731	6,823	5.1	5.2

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1940 AND 1941—Continued

(See headnote on p. 28)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population estimated as of July 1	
		1941	1940	1941	1940
	IX.—Diseases of the digestive system—Continued				
123	Other diseases of the intestines	1,666	1,717	1.3	1.3
124	Cirrhosis of the liver	11,876	11,286	8.9	8.6
	(a) With mention of alcoholism	1,503	1,437	1.1	1.1
	(b) Without mention of alcoholism	10,373	9,849	7.8	7.5
125	Other diseases of the liver	1,657	1,602	1.2	1.2
	(a) Acute yellow atrophy of the liver (nonpuerperal)	575	532	0.4	0.4
	(b) Other diseases of the liver	1,082	1,070	0.8	0.8
126	Biliary calculi	4,439	4,641	3.3	3.5
127	Other diseases of the gallbladder and biliary ducts	3,097	3,242	2.3	2.5
	(a) Cholecystitis (without mention of biliary calculus)	2,267	2,364	1.7	1.8
	(b) Other diseases of the gallbladder and biliary ducts	830	878	0.6	0.7
128	Diseases of the pancreas (except diabetes mellitus)	837	850	0.6	0.6
129	Peritonitis (cause not stated)	1,310	1,467	1.0	1.1
	X.—Diseases of the genito-urinary system	116,673	125,579	87.6	95.2
130	Acute nephritis	3,013	3,298	2.3	2.5
131	Chronic nephritis	92,524	99,541	69.5	75.4
	(a) Arteriosclerotic kidney	65,886	69,865	49.5	52.9
	(b) Other chronic nephritis	26,638	29,676	20.0	22.5
132	Nephritis unspecified (10 years of age and over)	4,417	4,512	3.3	3.4
133	Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth, or the puerperium)	3,712	3,840	2.8	2.9
	(a) Pyelitis pyelonephritis, and pyelocystitis	2,696	2,762	2.0	2.1
	(b) Other diseases of the kidneys and ureters	1,016	1,078	0.8	0.8
134	Calculi of the urinary passages	1,664	1,814	1.2	1.4
	(a) Kidneys and ureters	1,310	1,418	1.0	1.1
	(b) Bladder	324	356	0.2	0.3
	(c) Other and unspecified parts of the urinary passages	30	40	0.0	0.0
135	Diseases of the urinary bladder	665	824	0.5	0.6
	(a) Cystitis	263	336	0.2	0.3
	(b) Other diseases of the bladder	402	488	0.3	0.4
136	Diseases of the urethra (except calculus)	437	591	0.3	0.4
	(a) Stricture of the urethra	271	381	0.2	0.3
	(b) Others under this title	166	210	0.1	0.2
137	Diseases of the prostate	8,237	8,775	6.2	6.6
	(a) Hypertrophy of the prostate	7,032	7,372	5.3	5.6
	(b) Other diseases of the prostate	1,205	1,403	0.9	1.1
138	Diseases of other male genital organs (not specified as venereal)	38	75	0.0	0.1
139	Diseases of the female genital organs	1,966	2,311	1.5	1.8
	(a) Ovaries, fallopian tubes, and parametria	1,319	1,623	1.0	1.2
	(b) Uterus	607	649	0.5	0.5
	(c) Other and unspecified female genital organs	40	39	0.0	0.0
	XI.—Diseases of pregnancy, childbirth, and the puerperium	7,956	8,876	6.0	6.7
140	Abortion with mention of infection	1,014	1,334	0.8	1.0
	(a) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of pyelitis	11	21	0.0	0.0
	(b) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of other infection	755	997	0.6	0.8
	(c) Self-induced abortion with mention of infection	137	183	0.1	0.1
	(d) Abortion (induced for non-therapeutic reasons by person other than the woman herself) with mention of infection	111	133	0.1	0.1
141	Abortion without mention of infection	370	348	0.3	0.3
	(a) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of hemorrhage, trauma or shock, and toxemia	15	12	0.0	0.0
	(b) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of hemorrhage, trauma or shock (but not toxemia)	125	109	0.1	0.1
	(c) Abortion (spontaneous, therapeutic, or of unspecified origin) with mention of toxemia (but not hemorrhage, trauma or shock)	86	68	0.1	0.1

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population estimated as of July 1	
		1941	1940	1941	1940
	XI.—Diseases of pregnancy, childbirth, and the puerperium—Continued				
	Abortion without mention of infection—Continued				
	(d) Abortion (spontaneous, therapeutic, or of unspecified origin) (without mention of hemorrhage, trauma or shock, or toxemia)	113	131	0.1	0.1
	(e) Self-induced abortion	13	11	0.0	0.0
	(f) Abortion (induced for non-therapeutic reasons by persons other than the woman herself)	18	17	0.0	0.0
142	Ectopic gestation	358	392	0.3	0.3
	(a) With mention of infection	77	85	0.1	0.1
	(b) Without mention of infection	281	307	0.2	0.2
143	Hemorrhage of pregnancy (death before delivery)	63	55	0.0	0.0
	(a) Placenta praevia	27	22	0.0	0.0
	(b) Premature separation of placenta	16	14	0.0	0.0
	(c) Other or unspecified hemorrhage of pregnancy	20	19	0.0	0.0
144	Toxemias of pregnancy (death before delivery)	769	939	0.6	0.7
	(a) Eclampsia of pregnancy	364	425	0.3	0.3
	(b) Albuminuria and nephritis of pregnancy	188	284	0.1	0.2
	(c) Acute yellow atrophy of liver (during pregnancy)	29	31	0.0	0.0
	(d) Other toxemias of pregnancy	188	199	0.1	0.2
145	Other diseases and accidents of pregnancy (death before delivery)	268	304	0.2	0.2
	(A) With mention of septic conditions	167	218	0.1	0.2
	(B) Without mention of septic conditions	101	86	0.1	0.1
146	Hemorrhage of childbirth and the puerperium	1,046	1,037	0.8	0.8
	(a) Placenta praevia (with childbirth)	251	230	0.2	0.2
	(b) Premature separation of placenta (with childbirth)	190	182	0.1	0.1
	(c) Other and unspecified hemorrhages of childbirth and the puerperium	605	625	0.5	0.5
147	Infection during childbirth and the puerperium	1,943	2,207	1.5	1.7
	(a) Puerperal pyelitis and pyelonephritis	70	85	0.1	0.1
	(b) General or local puerperal infection (except pyelitis)	1,108	1,377	0.8	1.0
	(c) Puerperal thrombophlebitis	208	200	0.2	0.2
	(d) Puerperal embolism and sudden death	557	545	0.4	0.4
148	Puerperal toxemias (excluding death before delivery)	1,161	1,231	0.9	0.9
	(a) Puerperal eclampsia	652	743	0.5	0.6
	(b) Puerperal albuminuria and nephritis	303	333	0.2	0.3
	(c) Acute yellow atrophy of the liver (puerperal)	39	20	0.0	0.0
	(d) Other puerperal toxemias	167	135	0.1	0.1
149	Other accidents and specified conditions of childbirth	517	550	0.4	0.4
	(a) Laceration, rupture, or other trauma of pelvic organs and tissue	111	114	0.1	0.1
	(b) Other specified conditions of childbirth	406	436	0.3	0.3
150	Other and unspecified conditions of childbirth and the puerperium	447	479	0.3	0.4
	(a) Infection of breast during lactation	6	-	0.0	0
	(b) Psychosis of the puerperium	14	14	0.0	0.0
	(c) Other and unspecified conditions of childbirth and the puerperium	427	465	0.3	0.4
	XII.—Diseases of the skin and cellular tissue	1,346	1,469	1.0	1.1
151	Carbuncle and furuncle	298	366	0.2	0.3
152	Phlegmon and acute abscess	359	466	0.3	0.4
153	Other diseases of the skin and cellular tissue	689	657	0.5	0.5
	XIII.—Diseases of the bones and organs of movement	1,054	1,190	0.8	0.9
154	Osteomyelitis and periostitis	600	721	0.5	0.5
	(a) Acute	75	111	0.1	0.1
	(b) Chronic or unspecified	525	610	0.4	0.5
155	Other diseases of the bones (except tuberculosis)	146	158	0.1	0.1

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1940 AND 1941—Continued

(See headnote on p. 28)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population estimated as of July 1	
		1941	1940	1941	1940
	XIII.—Diseases of the bones and organs of movement—Con.				
156	Diseases of the joints and other organs of movement	308	331	0.2	0.3
	(a) Diseases of the joints (except tuberculosis and rheumatism)	121	167	0.1	0.1
	(b) Diseases of other and unspecified organs of movement	187	164	0.1	0.1
	XIV.—Congenital malformations	13,922	13,143	10.5	10.0
157	Congenital malformations (stillbirths not included)	13,922	13,143	10.5	10.0
	(a-d) Congenital malformations of the central nervous system:				
	(a) Congenital hydrocephalus	1,957	1,919	1.5	1.5
	(b) Spina bifida and meningocele	1,289	1,227	1.0	0.9
	(c) Anencephalus	329	301	0.2	0.2
	(d) Other congenital malformations of the central nervous system	524	480	0.4	0.4
	(e,f) Congenital malformations of the cardiovascular system:				
	(e) Congenital malformations of the heart	6,546	6,279	4.9	4.8
	(f) Other congenital malformations of the cardiovascular system	97	75	0.1	0.1
	(g,h,m) Other congenital malformations:				
	(g) Congenital malformations of the digestive system	2,186	1,951	1.6	1.5
	(h) Congenital malformations of the genito-urinary system	180	145	0.1	0.1
	(m) Other and unspecified congenital malformations	814	766	0.6	0.6
	XV.—Diseases peculiar to the first year of life	53,427	51,593	40.1	39.1
158	Congenital debility (cause not stated)	2,887	2,827	2.2	2.1
159	Premature birth (cause not stated)	33,341	32,346	25.0	24.5
160	Injury at birth	10,889	10,508	8.2	8.0
	(a) Intracranial or spinal hemorrhage	4,930	4,782	3.7	3.6
	(b) Other intracranial or spinal injuries	696	719	0.5	0.5
	(c) Other injuries at birth	5,263	5,005	4.0	3.8
161	Other diseases peculiar to the first year of life	6,310	5,914	4.7	4.5
	(a) Asphyxia (cause not specified), atelectasis	3,524	3,140	2.6	2.4
	(b) Infection of the umbilicus; pemphigus and other infections (nonsyphilitic)	138	141	0.1	0.1
	(c) Other specified diseases peculiar to the first year of life	2,648	2,633	2.0	2.0
	XVI.—Senility	9,699	10,127	7.3	7.7
162	Senility	9,699	10,127	7.3	7.7
	(a) Senility with mention of senile dementia	725	770	0.5	0.6
	(b) Senility without mention of senile dementia	8,976	9,357	6.7	7.1
	XVII.—Violent or accidental deaths	128,664	124,121	95.1	94.1
163,164	Suicide	17,102	18,907	12.8	14.3
163	Suicide by poisoning	4,892	5,623	3.7	4.3
	Suicide by solid or liquid poisons:				
	(A) Arsenic and compounds	171	238	0.1	0.2
	(B) Barbituric acid and derivatives	340	299	0.3	0.2
	(C) Cresol compounds	319	345	0.2	0.3
	(D) Mercury and compounds	181	214	0.1	0.2
	(E) Nux vomica and strychnine	217	280	0.2	0.2
	(F) Carbolic acid and phenol	292	366	0.2	0.3
	(G) Other solid or liquid poisons	752	832	0.6	0.6
	Suicide by poisonous gases:				
	(H) Illuminating gas	1,454	1,520	1.1	1.2
	(M) Motor-vehicle exhaust gas	912	1,065	0.7	0.8
	(O) Other carbon monoxide gas	181	354	0.1	0.3
	(X) Other poisonous gases	73	110	0.1	0.1
164	Suicide by other means	12,210	13,284	9.2	10.1
	(a) Suicide by hanging or strangulation	3,340	3,554	2.5	2.7
	(b) Suicide by drowning	816	848	0.6	0.6
	(c) Suicide by firearms and explosives	6,385	7,073	4.8	5.4
	(d) Suicide by cutting or piercing instruments	736	717	0.6	0.5
	(e) Suicide by jumping from high places	666	747	0.5	0.6
	(f) Suicide by crushing	148	150	0.1	0.1
	(g) Suicide by other or unspecified means	119	195	0.1	0.1
165-168	Homicide	7,929	8,208	6.0	6.2
165	Infanticide (homicide of infants under 1 year of age)	[1](110)	[1](97)	[1](0.1)	[1](0.1)
166	Homicide by firearms	4,525	4,655	3.4	3.5
167	Homicide by cutting or piercing instruments	2,034	2,064	1.5	1.6
168	Homicide by other means	1,370	1,489	1.0	1.1
169-195	Accidental deaths	101,513	96,885	76.2	73.4
169	Railway accidents (except collisions with motor vehicles)	3,550	3,200	2.7	2.4
170	Motor-vehicle accidents	39,969	34,501	30.0	26.1
	(a) Collisions between automobiles and trains	1,840	1,707	1.4	1.3
	(b) Collisions between automobiles and streetcars	118	132	0.1	0.1
	(c) Automobile accidents (except collisions with trains or streetcars)	37,512	32,245	28.2	24.4
	(d) Motorcycle accidents (except collisions with automobiles)	499	417	0.4	0.3
171	Streetcar and other road-transport accidents	658	633	0.5	0.5
	(a) Streetcar accidents (except collisions with trains or motor vehicles)	360	364	0.3	0.3
	(b) Other and unspecified road-transport accidents	298	269	0.2	0.2
172	Water-transport accidents	1,051	1,036	0.8	0.8
173	Air-transport accidents	856	565	0.6	0.4
174	Accidents in mines and quarries	1,770	1,919	1.3	1.5
175	Agricultural and forestry accidents	2,380	2,292	1.8	1.7
	(a) Accidents involving agricultural machinery and vehicles	927	857	0.7	0.6
	(b) Injury by animals, in agriculture	418	403	0.3	0.3
	(c) Other agricultural accidents	609	708	0.5	0.5
	(d) Accidents involving forestry machinery and vehicles	54	55	0.0	0.0
	(e) Other forestry accidents	372	269	0.3	0.2
176	Other accidents involving machinery	1,311	1,046	1.0	0.8
177	Food poisoning	482	546	0.4	0.4
178	Accidental absorption of poisonous gas	1,464	1,562	1.1	1.2
	(A) Motor-vehicle exhaust gas	277	287	0.2	0.2
	(B) Other carbon monoxide gas (including illuminating gas)	984	1,064	0.7	0.8
	(X) Other poisonous gas	203	211	0.2	0.2
179	Acute accidental poisoning by solids or liquids	1,191	1,324	0.9	1.0
	(A) Arsenic and compounds	70	73	0.1	0.1
	(B) Barbituric acid and derivatives	232	246	0.2	0.2
	(C) Cresol compounds	29	32	0.0	0.0
	(D) Mercury and compounds	42	51	0.0	0.0
	(E) Nux vomica and strychnine	40	67	0.0	0.1
	(F) Carbolic acid and phenol	25	25	0.0	0.0
	(G) Lye and potash	94	111	0.1	0.1
	(H) Tobacco and derivatives	7	7	0.0	0.0
	(M) Narcotics	17	30	0.0	0.0
	(O) Methanol and other alcohols	132	139	0.1	0.1
	(X) Other and unspecified substances	503	543	0.4	0.4
180	Conflagration	1,999	2,259	1.5	1.7
181	Accidental burns (except conflagration)	4,964	5,270	3.7	4.0
182	Accidental mechanical suffocation	1,523	1,489	1.1	1.1
183	Accidental drowning	5,541	5,508	4.2	4.0
184	Accidental injury by firearms	2,414	2,390	1.8	1.8
185	Accidental injury by cutting or piercing instruments	338	507	0.3	0.4
186	Accidental injury by fall or crushing	22,657	23,175	17.0	17.6
	(a) Fall	22,235	22,752	16.7	17.2
	(b) Crushing	422	423	0.3	0.3
187	Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	164	217	0.1	0.2
188	Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	185	184	0.1	0.1
189	Hunger or thirst	42	26	0.0	0.0
190	Excessive cold	151	499	0.1	0.4
191	Excessive heat	654	787	0.5	0.6
192	Lightning	388	340	0.3	0.3
193	Accidents due to electric currents (except lightning)	761	655	0.6	0.5

[1] Included in figures for homicide.

TABLE XI.—DEATHS FROM EACH CAUSE AND CRUDE DEATH RATES: UNITED STATES, 1940 AND 1941—Continued

(See headnote on p. 28)

List No.	CAUSE OF DEATH	TOTAL DEATHS			
		Number		Rate per 100,000 population estimated as of July 1	
		1941	1940	1941	1940
	XVII.—Violent or accidental deaths—Continued				
	Accidental deaths—Continued				
194	Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations)	78	100	0.1	0.1
195	Other accidents	4,972	5,075	3.7	3.8
	(a) Sequelae of preventive immunization, inoculation, or vaccination	10	15	0.0	0.0
	(b) Other accidents due to medical or surgical intervention	36	36	0.0	0.0
	(c) Lack of care of the newborn	46	51	0.0	0.0
	(d) Obstruction, suffocation, or puncture by ingested objects	885	931	0.7	0.7
	(e) Other and unspecified accidents	3,995	4,062	3.0	3.1
196	Deaths of military personnel during operations of war	1	-	0.0	0
197	Deaths of civilians due to operations of war	-	-	0	0
198	Legal executions	119	121	0.1	0.1
	XVIII.—Ill-defined and unknown causes	19,982	21,100	15.0	16.0
199	Sudden death	1,347	1,502	1.0	1.1
200	Ill-defined and unknown causes	18,635	19,598	14.0	14.9
	(a) Ill-defined	6,820	6,572	5.1	5.0
	(b) Found dead (cause unknown)	826	835	0.6	0.6
	(c) Unknown or unspecified cause	10,989	12,191	8.2	9.2

TABLE XII.—CRUDE DEATH RATES (NUMBER OF DEATHS PER 100,000 POPULATION)

(Exclusive of stillbirths. Numbers under causes of death are those of the 1938 revision of the detailed International List. All rates are based on populations enumerated

DIVISION AND STATE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis of respiratory system, etc.* 13	Tuberculosis (other forms) 14-22	Malaria 28	Syphilis 30	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83
UNITED STATES	1,049.1	0.8	0.5	0.3	2.8	1.0	40.8	3.7	0.9	13.3	0.6	120.0	1.2	25.4	2.5	1.4	89.0
GEOGRAPHIC DIVISIONS:																	
New England	1,155.7	0.2	0.7	0.2	1.0	0.2	33.0	2.9	0.0	7.9	0.3	161.7	1.0	35.0	1.5	0.2	104.7
Middle Atlantic	1,094.2	0.3	0.5	0.3	1.1	0.2	40.6	3.4	0.0	13.8	0.5	147.5	1.5	37.5	3.1	0.2	82.5
East North Central	1,075.9	0.4	0.2	0.5	1.7	0.5	34.9	3.7	0.1	11.9	0.4	136.1	1.1	28.9	3.8	0.2	95.8
West North Central	1,012.3	0.5	0.4	0.4	2.8	0.7	25.5	2.4	0.2	10.7	0.6	130.1	1.0	24.9	2.9	0.3	99.1
South Atlantic	1,058.7	1.5	0.9	0.3	5.9	1.8	47.7	4.3	1.8	16.9	0.8	85.1	1.5	18.0	1.4	3.3	96.5
East South Central	1,026.1	1.7	1.1	0.6	6.2	2.0	57.3	5.4	3.2	15.9	1.5	76.0	1.5	13.8	1.4	4.4	85.7
West South Central	923.9	2.2	0.4	0.1	3.5	2.4	50.4	3.2	3.4	14.0	0.6	79.7	1.3	13.6	1.3	4.0	70.8
Mountain	1,013.2	0.8	0.6	0.5	5.4	1.6	49.2	4.6	0.0	11.6	0.5	92.4	1.5	16.1	2.4	0.5	71.2
Pacific	1,157.2	0.4	0.3	0.1	1.7	0.8	44.2	4.5	0.1	16.5	0.4	145.4	0.5	24.4	2.5	0.6	96.9
NEW ENGLAND:																	
Maine	1,233.6	0.5	1.1	0.1	2.2	0.5	26.6	3.4	0	7.1	0.4	151.3	1.8	31.6	0.9	0.4	125.8
New Hampshire	1,243.9	0.4	1.2	0.4	2.6	0	24.8	3.1	0	8.1	0.8	157.5	1.4	31.1	2.2	0.8	120.2
Vermont	1,203.1	1.1	0.6	0.6	0	0	32.0	3.9	0	7.8	0.6	146.1	1.4	30.6	1.4	0.3	114.1
Massachusetts	1,174.7	0.1	0.7	0.3	1.0	0.3	35.6	2.8	0.0	7.4	0.2	171.2	0.8	35.6	1.6	0.2	106.8
Rhode Island	1,102.4	0.1	0.3	0.3	0.6	0.1	34.9	2.8	0	9.3	0.4	150.8	0.4	38.4	1.3	0.1	90.1
Connecticut	1,055.8	0.4	0.4	0.1	0.5	0	31.6	2.7	0	9.1	0.2	152.0	1.3	35.6	1.5	0.2	88.4
MIDDLE ATLANTIC:																	
New York	1,095.7	0.2	0.5	0.3	0.8	0.1	42.5	3.8	0.0	15.1	0.4	157.8	1.4	40.0	3.1	0.1	73.9
New Jersey	1,092.3	0.2	0.4	0.2	0.9	0.2	39.8	3.5	0	11.0	0.6	149.2	1.7	35.7	2.8	0.2	94.3
Pennsylvania	1,093.1	0.5	0.5	0.3	1.7	0.2	38.5	2.8	0.0	13.0	0.6	132.7	1.6	34.8	3.2	0.2	89.3
EAST NORTH CENTRAL:																	
Ohio	1,128.7	0.4	0.2	0.4	2.6	0.4	38.9	4.0	0.1	13.3	0.7	139.2	0.9	30.3	4.3	0.3	106.7
Indiana	1,158.2	0.6	0.4	0.7	1.4	1.0	33.8	4.7	0.2	13.6	0.5	130.0	1.5	28.9	4.4	0.4	116.3
Illinois	1,082.6	0.4	0.3	0.5	1.1	0.8	40.2	4.0	0.1	12.8	0.3	147.5	1.2	29.5	3.3	0.2	82.4
Michigan	1,002.1	0.3	0.2	0.6	1.8	0.3	29.4	3.7	0.1	10.6	0.4	120.0	0.9	26.2	2.9	0.2	89.6
Wisconsin	976.2	0.2	0.1	0.6	1.0	0.0	23.2	1.7	0.0	6.9	0.3	134.5	1.1	28.7	4.9	0.2	93.6
WEST NORTH CENTRAL:																	
Minnesota	953.3	0.1	0.3	0.3	1.1	0.3	24.2	2.8	0.0	8.8	1.4	140.5	0.9	24.2	3.0	0.1	93.9
Iowa	1,014.2	0.2	0.5	0.4	1.4	0.3	13.6	1.7	0	8.7	0.2	139.0	1.0	25.6	2.9	0.1	110.1
Missouri	1,139.5	1.3	0.4	0.5	4.5	1.2	43.1	2.8	0.7	15.5	0.3	134.5	0.8	25.8	3.0	0.6	98.2
North Dakota	825.9	0.5	0.5	0.3	2.2	0.8	15.7	2.5	0	5.6	0.3	93.6	0.9	20.9	2.2	0	74.9
South Dakota	834.4	0.5	0.5	0.2	4.7	1.9	23.8	3.9	0	6.4	0.3	92.2	1.2	24.4	2.0	0.2	79.6
Nebraska	927.4	0.4	0.3	0.3	2.5	0.3	13.4	2.0	0	7.1	0.8	127.8	1.1	25.6	2.9	0.1	101.5
Kansas	1,025.4	0.3	0.6	0.3	3.3	0.6	20.7	1.8	0.1	12.2	0.4	120.3	1.0	24.1	3.4	0.5	107.4
SOUTH ATLANTIC:																	
Delaware	1,216.1	0	0	0.4	3.0	0.4	51.8	5.6	0	18.8	0.4	121.6	1.9	31.9	1.9	0.4	105.4
Maryland	1,206.2	1.0	1.2	0.2	4.2	0.4	69.6	5.0	0	20.4	0.4	142.8	1.4	31.4	2.0	0.2	92.4
District of Columbia	1,170.0	0.7	0.5	0	1.5	0.3	52.1	7.2	0.1	21.7	1.2	145.2	1.3	25.9	1.6	0.5	82.1
Virginia	1,137.7	1.1	1.6	0.4	7.3	1.6	56.2	5.0	0.1	15.6	0.5	85.5	1.6	19.8	1.5	1.8	109.6
West Virginia	937.9	1.7	1.5	0.6	9.1	1.3	39.6	4.0	0	15.1	0.7	81.3	1.2	17.8	2.3	0.4	74.7
North Carolina	894.7	0.8	0.6	0.3	5.6	2.3	44.7	4.5	0.8	10.6	0.5	58.0	1.5	13.1	1.3	4.1	84.1
South Carolina	1,080.3	3.1	1.1	0.3	10.9	3.8	40.2	4.0	6.6	18.3	0.7	59.8	2.3	14.1	0.5	6.4	97.9
Georgia	1,016.0	1.8	0.6	0.3	4.4	2.0	40.8	3.5	2.6	16.3	1.1	70.2	1.2	12.2	0.9	6.5	103.7
Florida	1,218.7	1.5	0.6	0.1	2.0	1.2	45.2	2.8	4.4	26.8	1.8	105.4	1.3	20.9	1.5	3.3	118.0
EAST SOUTH CENTRAL:																	
Kentucky	1,058.3	2.9	0.9	1.2	8.4	1.9	61.6	7.0	0.6	10.3	1.2	87.0	1.2	16.2	2.0	1.7	92.9
Tennessee	1,001.2	1.5	1.3	0.5	5.6	1.8	72.8	7.0	1.8	15.4	1.6	81.7	2.2	13.0	1.3	4.1	85.3
Alabama	1,013.6	0.8	0.8	0.4	4.7	2.5	48.1	4.0	4.3	19.2	2.3	66.5	1.4	12.5	1.2	6.5	83.8
Mississippi	1,033.8	1.6	1.4	0.2	6.3	1.8	43.0	2.8	6.9	19.4	0.7	66.6	1.3	13.5	1.1	5.5	79.1
WEST SOUTH CENTRAL:																	
Arkansas	833.6	2.8	0.5	0.2	3.6	2.7	47.0	2.1	8.2	12.0	0.6	64.2	1.0	10.3	1.3	3.7	64.9
Louisiana	1,018.1	2.6	0.7	0.2	1.9	1.6	52.2	3.5	3.3	24.0	0.3	85.8	1.2	15.9	1.6	2.8	68.1
Oklahoma	854.6	1.4	0.4	0.3	5.1	2.6	41.1	3.6	2.3	10.1	0.6	82.7	1.4	14.6	1.2	2.9	78.8
Texas	941.9	2.1	0.4	0.1	3.5	2.5	54.0	3.4	2.4	12.4	0.7	81.1	1.4	13.5	1.2	4.9	70.6
MOUNTAIN:																	
Montana	1,005.6	0.4	0.9	1.4	1.1	2.1	33.1	3.2	0	10.9	1.6	110.5	1.1	19.5	2.7	0.2	88.7
Idaho	847.1	1.1	0.4	0.4	3.6	0	14.5	1.3	0	5.5	0.2	89.7	1.9	18.7	2.7	0	75.1
Wyoming	876.6	1.2	1.2	0.4	1.6	2.0	10.8	3.6	0.4	16.8	0	84.2	1.6	12.8	1.6	0.4	62.6
Colorado	1,077.9	0.4	0.4	0.6	5.5	2.2	44.8	4.2	0.1	13.0	0.4	112.0	2.0	15.8	1.9	0.1	83.9
New Mexico	1,075.6	1.7	0.2	0.4	14.7	3.4	66.6	5.8	0	11.3	0.4	56.0	0.8	11.1	1.9	1.5	44.6
Arizona	1,199.6	0.6	1.0	0	8.2	1.2	158.2	12.0	0	15.2	0.4	73.9	0.8	13.6	1.6	1.6	59.5
Utah	828.6	0.5	0.4	0	1.6	0.2	9.3	2.7	0	6.2	0.2	87.8	1.6	19.3	4.7	0.2	63.2
Nevada	1,269.9	2.7	0	0	3.6	0	51.7	4.5	0	30.8	0	114.3	1.8	18.1	0	0	74.4
PACIFIC:																	
Washington	1,100.5	0.2	0.3	0.2	2.8	0.6	35.7	4.7	0	13.1	0.9	137.1	0.6	25.4	3.6	0.2	106.4
Oregon	1,111.1	0.4	0.5	0.3	0.7	0.7	22.9	2.9	0.1	12.1	0.3	139.8	0.7	23.2	3.0	0.5	110.7
California	1,178.8	0.5	0.3	0.1	1.6	0.8	49.7	4.6	0.1	18.1	0.3	148.4	0.4	24.4	2.1	0.7	92.4

* Refer to complete International List titles, table XI.

FOR SELECTED CAUSES OF DEATH: UNITED STATES, EACH DIVISION AND STATE, 1941

in the Federal census of April 1, 1940 except those for the United States and the District of Columbia which are based on populations estimated as of July 1, 1941)

Diseases of ear, nose, and throat 89, 104, 115	Chronic rheumatic diseases of heart 90a, 92b, 92c, 93c, 95b	Diseases of coronary arteries, angina pectoris 94	Diseases of heart (other forms) 90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Influenza and pneumonia (all forms) 33, 107-109	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, etc.* 119, 120	Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Biliary calculi, etc.* 126, 127	Nephritis 130-132	Puerperal septicemia 140, 142a, 147	Other puerperal causes 141, 142b-146, 148-150	Congenital malformations 157	Premature birth 159	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	All other causes*
4.3	19.8	80.4	189.7	63.8	6.7	10.5	8.1	8.7	8.9	5.7	75.0	2.3	3.7	10.5	25.0	12.8	6.0	30.0	46.2	126.9
3.6	22.4	120.8	249.4	57.6	8.0	5.3	7.7	9.1	11.1	7.1	72.9	2.0	2.3	12.4	19.1	12.9	1.4	19.9	46.7	113.2
3.5	23.5	94.3	248.7	51.5	7.0	5.2	7.7	8.9	11.6	6.4	71.3	2.0	2.5	10.3	19.7	13.6	2.6	22.0	43.9	105.2
4.0	21.1	84.4	213.6	53.0	6.9	7.1	8.6	9.4	9.3	7.1	75.3	1.8	2.9	11.8	22.0	14.2	3.7	36.1	47.5	115.7
4.1	22.5	86.4	162.7	65.7	6.5	6.2	9.0	9.5	7.4	7.2	72.0	2.0	2.7	11.0	22.5	13.4	2.8	25.1	47.5	123.4
5.6	16.1	61.0	149.8	81.8	5.9	21.3	6.8	7.7	5.9	3.3	98.1	3.3	6.2	10.5	35.4	10.5	13.0	34.9	46.6	147.4
5.3	17.9	43.2	128.4	93.0	5.3	19.3	8.6	8.0	5.0	3.3	82.7	3.3	7.0	8.6	31.6	7.9	15.4	28.3	45.2	181.1
5.0	12.0	57.1	124.6	81.4	4.6	16.2	9.1	7.9	5.5	3.8	66.5	2.9	5.1	8.3	32.6	8.9	9.2	28.2	42.6	141.5
5.8	19.6	66.1	144.3	67.3	8.3	19.5	11.4	9.5	7.0	5.8	58.8	2.7	3.7	12.5	29.4	16.4	3.8	40.5	59.5	162.6
3.8	21.5	114.0	219.0	50.1	10.1	5.8	7.5	8.8	17.1	6.2	69.7	1.4	2.5	10.4	22.1	21.7	4.0	46.9	53.4	122.1
5.2	20.4	133.6	214.3	70.7	5.9	7.7	9.9	9.8	6.6	7.4	89.6	2.4	3.5	14.2	26.1	13.9	1.1	26.0	53.4	158.3
4.5	24.2	139.6	256.8	60.2	8.3	4.5	9.6	10.2	8.7	8.5	87.5	2.4	2.2	12.8	20.5	15.3	0.2	23.6	50.5	139.0
3.6	27.8	117.8	229.4	64.3	6.7	7.5	9.5	13.9	6.4	8.6	77.9	1.4	2.8	13.4	27.8	15.3	2.2	23.1	50.4	152.8
3.7	23.9	120.8	265.5	62.1	8.6	5.5	7.3	8.8	11.7	6.9	64.7	2.3	2.3	12.0	18.6	12.5	1.3	17.1	46.7	107.8
3.6	22.0	114.3	243.9	49.8	9.4	5.5	6.3	9.1	12.6	8.6	99.0	1.5	2.0	12.6	17.1	10.2	0.8	12.9	41.4	89.9
2.3	18.2	112.6	230.6	40.8	7.1	3.2	7.3	8.4	12.7	6.0	69.2	1.4	1.9	12.0	15.7	13.3	2.2	24.9	43.5	98.4
3.4	24.7	97.4	265.0	47.5	7.8	4.2	8.0	8.6	12.7	6.8	59.4	1.6	2.0	9.9	17.2	14.1	2.7	19.7	42.4	100.6
3.0	20.1	91.2	243.9	48.2	7.0	5.1	8.0	9.2	12.2	5.8	76.4	2.0	2.3	8.6	19.9	14.9	2.7	24.6	42.5	104.0
3.8	23.4	91.5	228.5	58.3	6.0	6.6	7.1	9.3	9.8	6.2	85.3	2.4	3.1	11.5	23.0	12.5	2.4	24.1	46.4	111.8
4.2	23.0	93.4	199.9	58.3	6.7	9.9	8.6	9.7	9.7	7.6	74.9	2.1	2.5	11.3	24.9	15.3	4.3	36.2	52.7	130.8
4.5	21.3	96.5	197.4	66.2	6.1	9.1	8.1	8.9	6.8	7.0	100.2	1.5	3.4	12.2	21.7	16.0	3.0	44.4	54.4	131.3
3.8	20.9	68.5	255.4	45.9	8.2	5.1	9.0	10.2	11.0	7.3	86.3	1.8	2.4	11.3	18.0	13.2	4.7	32.3	43.6	99.5
4.1	20.2	89.7	191.1	50.8	6.1	6.6	8.5	9.2	8.5	5.7	54.3	1.9	3.8	12.8	25.6	13.4	3.3	40.8	43.3	115.1
3.3	18.4	82.8	194.3	48.4	6.2	4.3	7.7	7.9	8.7	8.2	56.5	1.5	2.7	12.0	20.3	13.5	1.3	28.5	45.4	107.3
3.8	19.9	101.6	138.6	57.4	6.7	4.5	7.6	8.9	6.8	8.0	39.5	1.5	2.4	13.4	23.2	13.7	1.6	23.4	50.9	117.6
4.2	21.4	104.5	161.8	55.0	6.7	4.1	8.4	10.1	5.8	7.5	62.9	2.4	2.7	12.5	22.7	13.2	1.2	24.6	47.4	129.5
4.1	29.7	70.5	197.3	93.9	6.2	10.8	10.0	10.2	10.7	6.8	102.5	2.2	3.0	9.7	23.1	13.4	5.2	28.2	47.8	121.1
3.3	13.4	64.6	129.6	47.4	6.5	4.5	7.5	7.8	5.6	6.2	48.3	1.9	3.0	9.0	25.5	8.9	2.3	18.2	50.8	140.7
2.6	15.4	68.6	117.0	51.5	3.9	4.4	9.3	6.2	5.6	7.0	54.6	2.3	2.3	10.6	21.8	9.6	0.8	20.2	39.8	139.2
4.3	17.3	78.3	150.9	52.8	6.8	3.5	8.1	10.0	6.7	7.1	65.6	1.4	2.6	8.2	21.5	15.9	2.2	20.5	43.0	116.5
5.3	22.9	90.7	165.5	55.6	6.9	5.4	10.7	9.6	5.7	6.8	92.1	2.1	2.7	10.7	19.9	14.1	3.4	29.4	46.9	121.8
4.1	22.5	93.1	243.5	67.5	7.9	14.6	8.6	9.4	9.0	3.8	135.1	3.0	1.5	8.6	22.5	11.3	7.9	36.0	51.4	111.4
4.1	23.6	95.3	225.3	69.1	6.0	19.2	5.8	9.7	8.2	5.5	118.4	1.8	2.9	12.2	27.9	13.1	7.6	31.7	47.7	100.5
4.5	19.8	77.2	188.1	68.3	7.4	23.1	9.6	11.1	14.2	5.9	104.5	2.7	4.0	11.3	46.8	18.1	10.7	22.5	45.6	132.7
5.8	17.8	64.4	173.3	89.4	6.8	20.7	5.6	7.3	5.4	3.4	101.6	3.3	5.5	11.2	37.6	13.2	10.7	41.4	50.7	153.4
4.7	16.1	49.6	124.8	77.6	6.0	26.6	6.4	6.3	5.8	4.3	65.7	2.4	4.4	12.7	36.9	9.7	7.4	25.5	61.9	132.1
5.6	12.3	42.0	112.8	76.2	3.8	22.7	6.6	6.6	3.6	2.1	91.1	2.8	6.7	10.4	36.0	8.1	10.6	37.1	35.4	129.4
7.1	14.7	47.4	130.2	102.7	5.5	29.1	5.8	6.1	3.3	2.2	103.9	5.1	10.4	9.9	39.4	6.7	13.5	37.0	44.5	185.9
5.5	12.4	43.6	127.3	84.8	5.4	17.7	7.6	7.6	5.0	2.5	107.5	3.9	6.5	8.5	34.5	7.3	20.9	31.4	41.0	166.7
7.0	18.8	99.6	169.1	79.2	8.3	14.8	8.9	10.2	9.5	4.2	90.4	4.2	8.3	9.6	32.1	15.2	19.7	42.3	56.9	173.5
5.7	16.3	53.2	159.3	98.9	5.8	25.5	9.1	7.0	6.0	4.3	74.7	2.5	5.9	10.5	32.9	10.9	14.1	32.0	52.0	134.7
5.6	18.7	46.2	118.3	97.5	6.2	16.9	7.4	8.5	5.0	3.4	67.3	2.6	5.1	9.2	26.1	8.5	14.7	26.1	40.6	170.3
5.1	17.0	39.1	121.5	87.5	4.8	17.1	8.9	7.0	4.9	2.6	91.9	3.6	8.3	7.9	36.0	6.2	14.9	27.1	47.4	195.7
4.8	20.4	31.7	110.8	86.2	4.3	17.0	9.3	9.6	3.6	2.7	101.7	4.7	9.4	6.0	31.7	5.6	18.5	27.8	39.7	236.8
4.3	12.0	36.2	94.3	85.3	4.3	16.6	9.6	5.5	4.8	3.1	72.0	3.0	5.3	6.1	21.5	7.1	10.1	23.9	39.1	144.7
5.2	17.3	51.1	182.6	87.7	4.4	13.2	8.5	9.0	8.0	3.2	86.9	4.0	6.1	9.1	40.6	7.6	11.0	28.9	43.9	124.2
4.6	13.4	52.8	112.8	71.9	4.7	7.1	10.7	7.1	4.7	4.2	55.9	2.1	3.9	9.8	30.5	8.3	6.2	23.3	37.4	134.2
5.3	9.6	67.4	116.7	81.3	4.8	20.4	8.6	8.5	5.1	4.1	61.2	2.7	5.0	8.2	33.8	10.1	9.3	31.0	45.1	149.7
5.5	21.1	72.7	170.9	61.8	8.9	6.4	11.1	8.2	8.6	9.3	47.9	2.1	1.1	10.2	22.0	17.5	3.2	34.7	66.1	138.9
4.2	15.8	66.5	130.7	44.0	7.2	2.1	12.4	8.0	4.6	5.7	55.4	2.7	3.4	12.8	25.5	17.3	2.7	37.5	57.0	116.4
4.0	18.7	67.0	137.2	64.2	9.6	4.0	10.0	6.4	4.4	4.4	63.8	1.2	3.2	14.0	27.5	16.4	4.0	50.6	67.4	97.7
6.9	24.2	77.3	168.3	78.6	10.9	14.8	12.7	13.4	8.5	6.2	80.0	2.6	3.7	12.6	27.1	20.3	2.2	28.9	50.6	140.7
4.9	14.5	29.3	77.7	77.5	4.5	50.4	10.7	8.1	6.4	3.2	47.8	5.5	7.1	10.7	39.5	10.5	6.2	44.0	57.4	339.6
8.2	14.0	59.7	132.2	94.9	5.0	58.3	9.6	8.8	6.0	4.6	48.5	3.4	3.8	17.0	38.1	14.0	6.8	55.1	69.3	194.3
4.7	22.4	72.1	149.6	39.8	8.4	3.8	10.0	6.7	5.6	5.5	47.8	1.1	3.6	12.0	29.1	11.1	1.8	38.7	48.3	108.7
5.4	20.0	91.6	195.9	59.9	12.7	6.3	16.3	12.7	15.4	5.4	56.2	2.7	2.7	10.0	29.0	31.7	11.8	103.4	131.5	146.9
5.0	23.9	120.5	189.5	47.6	7.4	4.0	7.5	8.6	6.5	5.6	69.2	1.6	1.6	8.5	20.8	19.6	2.3	35.8	61.7	121.5
4.3	25.5	122.4	157.8	51.8	8.0	2.8	6.7	7.8	5.5	6.2	97.8	1.1	2.6	10.7	17.0	18.8	3.0	38.5	69.0	134.7
3.4	20.3	111.0	236.1	50.4	11.1	6.7	7.6	9.0	21.6	6.3	65.4	1.4	2.6	10.8	23.3	22.6	4.5	51.0	48.8	120.3

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941

(Data in this table are shown for each county subdivided into individual cities having populations of 10,000 or more in 1940 and into the area outside these cities. Certain towns, townships, and districts are classified as urban under special rule. Race is shown for each State, and for those cities and counties in which the 1940 populations for "All other races" formed 10 percent or more of the total or numbered 10,000 or more. All rates and ratios have been computed without regard to the size of the basic figures)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
UNITED STATES	2,513,427	1,397,642	1,115,785	180	113,949	45.3	75,133	29.9
White	2,204,903	1,213,511	991,392	182	90,874	41.2	58,467	26.5
All other	308,524	184,131	124,393	168	23,075	74.8	16,666	54.0
Cities, 10,000 or more	1,380,490	760,909	619,581	181	57,220	41.4	43,089	31.2
White	1,256,476	672,142	584,334	187	48,008	38.2	35,753	28.5
All other	124,014	88,767	35,247	140	9,212	74.3	7,336	59.2
Cities, 2,500-10,000	298,990	152,728	146,262	196	14,251	47.7	8,880	29.7
White	278,298	136,681	141,617	204	12,382	44.5	7,447	26.8
All other	20,692	16,047	4,645	129	1,869	90.3	1,433	69.3
Rural	833,947	484,005	349,942	172	42,478	50.9	23,164	27.8
White	670,129	404,688	265,441	166	30,484	45.5	15,267	22.8
All other	163,818	79,317	84,501	207	11,994	73.2	7,897	48.2
Section A (States)								
ALABAMA	64,238	28,715	35,523	224	3,824	59.5	2,395	37.3
White	39,793	15,535	24,258	256	2,021	50.8	1,081	27.2
All other	24,445	13,180	11,265	185	1,803	73.8	1,314	53.8
Cities, 10,000 or more	17,951	9,974	7,977	180	1,202	67.0	764	42.6
White	11,820	5,412	6,408	218	645	54.6	338	28.6
All other	6,131	4,562	1,569	134	557	90.8	426	69.5
Cities, 2,500-10,000	5,706	2,867	2,839	199	366	64.1	270	47.3
White	4,131	1,738	2,393	238	226	54.7	179	43.3
All other	1,575	1,129	446	140	140	88.9	91	57.8
Rural	40,581	15,874	24,707	256	2,256	55.6	1,361	33.5
White	25,842	8,385	15,457	284	1,150	48.2	564	23.7
All other	16,739	7,489	9,250	224	1,106	66.1	797	47.6
ARIZONA	12,011	5,989	6,022	201	1,061	88.3	298	24.8
White	10,529	4,778	5,751	220	743	70.6	247	23.5
All other	1,482	1,211	271	122	318	214.6	51	34.4
Cities, 10,000 or more	4,446	2,413	2,033	184	336	75.6	108	24.3
White	4,199	2,184	2,015	192	292	69.5	94	22.4
All other	247	229	18	108	44	178.1	14	56.7
Cities, 2,500-10,000	2,971	1,160	1,811	256	200	67.3	75	25.2
White	2,891	1,102	1,789	262	194	67.1	71	24.6
All other	80	58	22	138	6	75.0	4	50.0
Rural	4,594	2,416	2,178	190	525	114.3	115	25.0
White	3,439	1,492	1,947	230	257	74.7	82	23.8
All other	1,155	924	231	125	268	232.0	33	28.6
ARKANSAS	40,437	16,250	24,187	249	1,781	44.0	1,079	26.7
White	30,670	11,241	19,429	273	1,255	40.9	642	20.9
All other	9,767	5,009	4,758	195	526	53.9	437	44.7
Cities, 10,000 or more	6,599	4,320	2,279	153	380	57.6	183	27.7
White	5,494	3,069	2,425	179	292	53.1	133	24.2
All other	1,105	1,251	-146	88	88	79.6	50	45.2
Cities, 2,500-10,000	5,442	2,489	2,953	219	253	46.5	151	27.7
White	4,596	1,772	2,824	259	186	40.5	104	22.6
All other	846	717	129	118	67	79.2	47	55.6
Rural	28,396	9,441	18,955	301	1,148	40.4	745	26.2
White	20,580	6,400	14,180	322	777	37.8	405	19.7
All other	7,816	3,041	4,775	257	371	47.5	340	43.5
CALIFORNIA	124,682	81,421	43,261	153	4,574	36.7	2,479	19.9
White	119,308	77,993	41,315	153	4,344	36.4	2,345	19.7
All other	5,374	3,428	1,946	157	230	42.8	134	24.9
Cities, 10,000 or more	85,071	52,692	32,379	161	2,901	34.1	1,673	19.7
White	81,099	50,545	30,554	160	2,765	34.1	1,576	19.4
All other	3,972	2,147	1,825	185	136	34.2	97	24.4
Cities, 2,500-10,000	15,269	6,833	8,436	223	572	37.5	312	20.4
White	14,868	6,664	8,204	223	556	37.4	299	20.1
All other	401	169	232	237	16	39.9	13	32.4
Rural	24,342	21,896	2,446	111	1,101	45.2	494	20.3
White	23,341	20,784	2,557	112	1,023	43.8	470	20.1
All other	1,001	1,112	-111	90	78	77.9	24	24.0
COLORADO	21,400	12,108	9,292	177	1,117	52.2	523	24.4
White	21,128	11,838	9,290	178	1,099	52.0	510	24.1
All other	272	270	2	101	18	66.2	13	47.8
Cities, 10,000 or more	11,000	6,507	4,493	169	505	45.9	254	23.1
White	10,832	6,331	4,501	171	497	45.9	247	22.8
All other	168	176	-8	95	8	47.6	7	41.7
Cities, 2,500-10,000	3,522	1,698	1,824	207	223	63.3	99	28.1
White	3,497	1,680	1,817	208	221	63.2	98	28.0
All other	25	18	7	139	2	80.0	1	40.0
Rural	6,878	3,903	2,975	176	389	56.6	170	24.7
White	6,799	3,827	2,972	178	381	56.0	165	24.3
All other	79	76	3	104	8	101.3	5	63.3
CONNECTICUT	28,526	18,047	10,479	158	887	31.1	544	19.1
White	27,850	17,585	10,265	158	850	30.5	528	19.0
All other	676	462	214	146	37	54.7	16	23.7
Cities, 10,000 or more	25,374	13,137	12,237	193	771	30.4	475	18.7
White	24,758	12,758	12,000	194	738	29.8	459	18.5
All other	616	379	237	163	33	53.6	16	26.0
Sec. A (States)—Con.								
CONNECTICUT—Con.								
Cities, 2,500-10,000	1,038	631	407	165	27	26.0	16	15.4
White	1,030	619	411	166	25	24.3	16	15.5
All other	8	12	-4	67	2	250.0	-	0
Rural	2,114	4,279	-2,165	49	89	42.1	53	25.1
White	2,062	4,208	-2,146	49	87	42.2	53	25.7
All other	52	71	-19	73	2	38.5	-	0
DELAWARE	5,121	3,241	1,880	158	220	43.0	142	27.7
White	4,299	2,619	1,680	164	147	34.2	103	24.0
All other	822	622	200	132	73	88.8	39	47.4
Cities, 10,000 or more	3,208	1,532	1,676	209	99	30.9	87	27.1
White	2,874	1,291	1,583	223	74	25.7	69	24.0
All other	334	241	93	139	25	74.9	18	53.9
Cities, 2,500-10,000	728	410	318	178	59	81.0	18	24.7
White	617	303	314	204	36	58.3	15	24.3
All other	111	107	4	104	23	207.2	3	27.0
Rural	1,185	1,299	-114	91	62	52.3	37	31.2
White	808	1,025	-217	79	37	45.8	19	23.5
All other	377	274	103	138	25	66.3	18	47.7
DIST. OF COLUMBIA	18,294	8,670	9,624	211	929	50.8	528	28.9
White	12,999	5,565	7,434	234	501	38.5	321	24.7
All other	5,295	3,105	2,190	171	428	80.8	207	39.1
FLORIDA	37,551	23,123	14,428	162	1,984	52.8	1,622	43.2
White	26,759	15,503	11,256	173	1,185	44.3	811	30.3
All other	10,792	7,620	3,172	142	799	74.0	811	75.1
Cities, 10,000 or more	18,855	11,948	6,907	158	943	50.0	767	40.7
White	14,403	8,446	5,957	171	626	43.5	435	30.2
All other	4,452	3,502	950	127	317	71.2	332	74.6
Cities, 2,500-10,000	5,553	3,583	1,970	155	320	57.6	240	43.2
White	4,088	2,355	1,733	174	195	47.7	116	28.4
All other	1,465	1,228	237	119	125	85.3	124	84.6
Rural	13,143	7,592	5,551	173	721	54.9	615	46.8
White	8,268	4,702	3,566	176	364	44.0	260	31.4
All other	4,875	2,890	1,985	169	357	73.2	355	72.8
GEORGIA	68,244	31,736	36,508	215	3,972	58.2	2,933	43.0
White	41,772	16,904	24,868	247	2,002	47.9	1,306	31.3
All other	26,472	14,832	11,640	178	1,970	74.4	1,627	61.5
Cities, 10,000 or more	21,914	12,167	9,747	180	1,353	61.7	918	41.9
White	14,917	6,326	8,591	236	772	51.8	466	31.2
All other	6,997	5,841	1,156	120	581	83.0	452	64.6
Cities, 2,500-10,000	8,327	3,788	4,539	220	492	59.1	411	49.4
White	6,055	2,165	3,890	280	280	46.2	235	38.8
All other	2,272	1,623	649	140	212	93.3	176	77.5
Rural	38,003	15,781	22,222	241	2,127	56.0	1,604	42.2
White	20,800	8,413	12,387	247	950	45.7	605	29.1
All other	17,203	7,368	9,835	233	1,177	68.4	999	58.1
IDAHO	11,715	4,446	7,269	263	404	34.5	205	17.5
White	11,612	4,370	7,242	266	393	33.8	202	17.4
All other	103	76	27	136	11	106.8	3	29.1
Cities, 10,000 or more	4,153	1,438	2,715	289	155	37.3	69	16.6
White	4,133	1,417	2,716	292	152	36.8	68	16.5
All other	20	21	-1	95	3	150.0	1	50.0
Cities, 2,500-10,000	3,237	960	2,277	337	100	30.9	69	21.3
White	3,230	957	2,273	338	100	31.0	69	21.4
All other	7	3	4	233	-	0	-	0
Rural	4,325	2,048	2,277	211	149	34.5	67	15.5
White	4,249	1,996	2,253	213	141	33.2	65	15.3
All other	76	52	24	146	8	105.3	2	26.3
ILLINOIS	134,451	85,497	48,954	157	4,567	34.0	3,186	23.7
White	126,897	79,228	47,669	160	4,191	33.0	2,909	22.9
All other	7,554	6,269	1,285	120	376	49.8	277	36.7
Cities, 10,000 or more	100,751	56,948	43,803	177	3,215	31.9	2,397	23.8
White	93,790	51,815	41,975	181	2,891	30.8	2,157	23.0
All other	6,961	5,133	1,828	136	324	46.5	240	34.5
Cities, 2,500-10,000	15,156	8,377	6,779	181	553	36.5	364	24.0
White	14,991	8,185	6,806	183	539	36.0	350	23.3
All other	165	192	-27	86	14	84.8	14	84.8
Rural	18,544	20,172	-1,628	92	799	43.1	425	22.9
White	18,116	19,228	-1,112	94	761	42.0	402	22.2
All other	428	944	-516	45	38	88.8	23	53.7
INDIANA	66,036	39,701	26,335	166	2,630	39.8	1,372	20.8
White	63,698	37,794	25,904	169	2,484	39.0	1,287	20.2
All other	2,338	1,907	431	123	146	62.4	85	36.4
Cities, 10,000 or more	37,994	19,720	18,274	193	1,611	42.4	830	21.8
White	35,795	18,081	17,714	198	1,473	41.2	752	21.0
All other	2,199	1,639	560	134	138	62.8	78	35.5

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Sec. A (States)—Con.								
INDIANA—Contd.								
Cities, 2,500-10,000—	8,593	4,763	3,830	180	325	37.8	184	21.4
White—	8,551	4,707	3,844	182	322	37.7	181	21.2
All other—	42	56	-14	75	3	71.4	3	71.4
Rural—	19,449	15,218	4,231	128	694	35.7	358	18.4
White—	19,352	15,006	4,346	129	689	35.6	354	18.3
All other—	97	212	-115	46	5	51.5	4	41.2
IOWA—	46,826	25,743	21,083	182	1,710	36.5	1,006	21.5
White—	46,533	25,521	21,012	182	1,696	36.4	997	21.4
All other—	293	222	71	132	14	47.8	9	30.7
Cities, 10,000 or more	21,267	10,353	10,914	205	849	39.9	516	24.3
White—	21,028	10,189	10,839	206	837	39.8	509	24.2
All other—	239	164	75	146	12	50.2	7	29.3
Cities, 2,500-10,000—	9,763	4,916	4,847	199	409	41.9	219	22.4
White—	9,752	4,892	4,860	199	408	41.8	219	22.5
All other—	11	24	-13	46	1	90.9	-	0
Rural—	15,796	10,474	5,322	151	452	28.6	271	17.2
White—	15,753	10,440	5,313	151	451	28.6	269	17.1
All other—	43	34	9	126	1	23.3	2	46.5
KANSAS—	30,143	18,467	11,676	163	1,140	37.8	651	21.6
White—	28,974	17,444	11,530	166	1,072	37.0	599	20.7
All other—	1,169	1,023	146	114	68	58.2	52	44.5
Cities, 10,000 or more	12,775	6,931	5,844	184	494	38.7	291	22.8
White—	11,858	6,245	5,613	190	444	37.4	249	21.0
All other—	917	686	231	134	50	54.5	42	45.8
Cities, 2,500-10,000—	6,324	3,126	3,198	202	268	42.4	146	23.1
White—	6,210	3,061	3,149	203	260	41.9	144	23.2
All other—	114	65	49	175	8	70.2	2	17.5
Rural—	11,044	8,410	2,634	131	378	34.2	214	19.4
White—	10,906	8,138	2,768	134	368	33.7	206	18.9
All other—	138	272	-134	51	10	72.5	8	58.0
KENTUCKY—	63,430	30,115	33,315	211	3,720	58.6	1,904	30.0
White—	60,049	26,226	33,823	229	3,422	57.0	1,742	29.0
All other—	3,381	3,889	-508	87	298	88.1	162	47.9
Cities, 10,000 or more	15,323	9,248	6,075	166	834	54.4	462	30.2
White—	13,918	7,498	6,420	186	710	51.0	398	28.6
All other—	1,405	1,750	-345	80	124	88.3	64	45.6
Cities, 2,500-10,000—	6,457	4,087	2,370	158	465	72.0	240	37.2
White—	5,918	3,397	2,521	174	418	70.6	211	35.7
All other—	539	690	-151	78	47	87.2	29	53.8
Rural—	41,650	16,780	24,870	248	2,421	58.1	1,202	28.9
White—	40,213	15,331	24,882	262	2,294	57.0	1,133	28.2
All other—	1,437	1,449	-12	99	127	88.4	69	48.0
LOUISIANA—	54,672	24,066	30,606	227	3,158	57.8	2,034	37.2
White—	32,262	13,082	19,180	247	1,430	44.3	841	26.1
All other—	22,410	10,984	11,426	204	1,728	77.1	1,193	53.2
Cities, 10,000 or more	22,787	11,758	11,029	194	1,444	63.4	941	41.3
White—	14,123	6,844	7,279	206	697	49.4	425	30.1
All other—	8,664	4,914	3,750	176	747	86.2	516	59.6
Cities, 2,500-10,000—	7,117	3,004	4,113	237	378	53.1	273	38.4
White—	5,224	1,706	3,518	306	218	41.7	135	25.8
All other—	1,893	1,298	595	146	160	84.5	138	72.9
Rural—	24,768	9,304	15,464	266	1,336	53.9	820	33.1
White—	12,915	4,532	8,383	285	515	39.9	281	21.8
All other—	11,853	4,772	7,081	248	821	69.3	539	45.5
MAINE—	15,855	10,451	5,404	152	812	51.2	422	26.6
White—	15,815	10,411	5,404	152	809	51.2	418	26.4
All other—	40	40	-	100	3	75.0	4	100.0
Cities, 10,000 or more	6,199	3,860	2,339	161	309	49.8	153	24.7
White—	6,188	3,843	2,345	161	308	49.8	152	24.6
All other—	11	17	-6	65	1	90.9	1	90.9
Cities, 2,500-10,000—	2,269	1,293	976	175	104	45.8	51	22.5
White—	2,261	1,288	973	176	104	46.0	50	22.1
All other—	8	5	3	160	-	0	1	125.0
Rural—	7,387	5,298	2,089	139	399	54.0	218	29.5
White—	7,366	5,280	2,086	140	397	53.9	216	29.3
All other—	21	18	3	117	2	95.2	2	95.2
MARYLAND—	34,287	21,967	12,320	156	1,802	52.6	1,311	38.2
White—	27,122	16,888	10,234	161	1,145	42.2	883	32.6
All other—	7,165	5,079	2,086	141	657	91.7	428	59.7
Cities, 10,000 or more	23,462	13,699	9,763	171	1,248	53.2	905	38.6
White—	18,722	10,500	8,222	178	810	43.3	619	33.1
All other—	4,740	3,199	1,541	148	438	92.4	286	60.3
Cities, 2,500-10,000—	2,154	1,116	1,038	193	100	46.4	76	35.3
White—	1,937	946	991	205	84	43.4	65	33.6
All other—	217	170	47	128	16	73.7	11	50.7
Rural—	8,671	7,152	1,519	121	454	52.4	330	38.1
White—	6,463	5,442	1,021	119	251	38.8	199	30.8
All other—	2,208	1,710	498	129	203	91.9	131	59.3
Sec. A (States)—Con.								
MASSACHUSETTS—	70,189	50,709	19,480	138	2,479	35.3	1,729	24.6
White—	69,234	49,839	19,395	139	2,419	34.9	1,690	24.4
All other—	955	870	85	110	60	62.8	39	40.8
Cities, 10,000 or more	64,606	42,613	21,993	152	2,256	34.9	1,604	24.8
White—	63,771	41,893	21,878	152	2,202	34.5	1,571	24.6
All other—	835	720	115	116	54	64.7	33	39.5
Cities, 2,500-10,000—	3,388	2,626	762	129	98	28.9	71	21.0
White—	3,357	2,593	764	129	96	28.6	68	20.3
All other—	31	33	-2	94	2	64.5	3	96.8
Rural—	2,195	5,470	-3,275	40	125	56.9	54	24.6
White—	2,106	5,353	-3,247	39	121	57.5	51	24.2
All other—	89	117	-28	76	4	44.9	3	33.7
MICHIGAN—	107,511	52,670	54,841	204	4,164	38.7	2,795	26.0
White—	103,003	49,813	53,190	207	3,942	38.3	2,594	25.2
All other—	4,508	2,857	1,651	158	222	49.2	201	44.6
Cities, 10,000 or more	75,100	29,889	45,211	251	2,899	38.6	2,006	26.7
White—	70,935	27,690	43,245	256	2,699	38.0	1,822	25.7
All other—	4,165	2,199	1,966	189	200	48.0	184	44.2
Cities, 2,500-10,000—	11,515	5,233	6,282	220	464	40.3	350	30.4
White—	11,426	5,164	6,262	221	464	40.6	341	29.8
All other—	89	69	20	129	-	0	9	101.1
Rural—	20,896	17,548	3,348	119	801	38.3	439	21.0
White—	20,642	16,959	3,683	122	779	37.7	431	20.9
All other—	254	589	-335	43	22	86.6	8	31.5
MINNESOTA—	54,462	26,618	27,844	205	1,877	34.5	1,200	22.0
White—	53,773	26,252	27,521	205	1,824	33.9	1,175	21.9
All other—	689	366	323	188	53	76.9	25	36.3
Cities, 10,000 or more	25,274	12,599	12,675	201	833	33.0	578	22.9
White—	25,119	12,447	12,672	202	822	32.7	573	22.8
All other—	155	152	3	102	11	71.0	5	32.3
Cities, 2,500-10,000—	10,677	4,183	6,494	255	394	36.9	266	24.9
White—	10,646	4,170	6,476	255	394	37.0	264	24.8
All other—	31	13	18	238	-	0	2	64.5
Rural—	18,511	9,836	8,675	188	650	35.1	356	19.2
White—	18,008	9,635	8,373	187	608	33.8	338	18.8
All other—	503	201	302	250	42	83.5	18	35.8
MISSISSIPPI—	54,454	22,575	31,879	241	2,978	54.7	2,456	45.1
White—	24,157	9,490	14,667	255	1,127	46.7	669	27.7
All other—	30,297	13,085	17,212	232	1,851	61.1	1,787	59.0
Cities, 10,000 or more	7,585	4,326	3,259	175	501	66.1	422	55.6
White—	5,171	2,171	3,000	238	284	54.9	173	33.5
All other—	2,414	2,155	259	112	217	89.9	249	103.1
Cities, 2,500-10,000—	4,036	2,368	1,668	170	302	74.8	228	56.5
White—	2,483	1,220	1,263	204	164	66.0	82	33.0
All other—	1,553	1,148	405	135	138	88.9	146	94.0
Rural—	42,833	15,881	26,952	270	2,175	50.8	1,806	42.2
White—	16,503	6,099	10,404	271	679	41.1	414	25.1
All other—	26,330	9,782	16,548	269	1,496	56.8	1,392	52.9
MISSOURI—	66,050	43,128	22,922	153	3,073	46.5	2,141	32.4
White—	61,478	38,855	22,623	158	2,710	44.1	1,827	29.7
All other—	4,572	4,273	299	107	363	79.4	314	68.7
Cities, 10,000 or more	34,438	22,285	12,153	155	1,477	42.9	1,203	34.9
White—	31,051	19,267	11,784	161	1,245	40.1	951	30.6
All other—	3,387	3,018	369	112	232	68.5	252	74.4
Cities, 2,500-10,000—	6,978	4,568	2,410	153	377	54.0	277	39.7
White—	6,657	4,193	2,464	159	342	51.4	256	38.5
All other—	321	375	-54	86	35	109.0	21	65.4
Rural—	24,634	16,275	8,359	151	1,219	49.5	661	26.8
White—	23,770	15,395	8,375	154	1,123	47.2	620	26.1
All other—	864	880	-16	98	96	111.1	41	47.5
MONTANA—	11,437	5,626	5,811	203	426	37.2	227	19.8
White—	10,741	5,284	5,457	203	358	33.3	212	19.7
All other—	696	342	354	204	68	97.7	15	21.6
Cities, 10,000 or more	4,676	1,886	2,790	248	158	33.8	100	21.4
White—	4,651	1,865	2,786	249	154	33.1	99	21.3
All other—	25	21	4	119	4	160.0	1	40.0
Cities, 2,500-10,000—	2,957	1,104	1,853	268	89	30.1	51	17.2
White—	2,949	1,088	1,861	271	86	29.2	50	17.0
All other—	8	16	-8	50	3	375.0	1	125.0
Rural—	3,804	2,636	1,168	144	179	47.1	76	20.0
White—	3,141	2,331	810	135	118	37.6	63	20.1
All other—	663	305	358	217	61	92.0	13	19.6
NEBRASKA—	22,197	12,203	9,994	182	764	34.4	471	21.2
White—	21,875	11,929	9,946	183	740	33.8	460	21.0
All other—	322	274	48	118	24	74.5	11	34.2
Cities, 10,000 or more	9,153	4,896	4,257	187	324	35.4	204	22.3
White—	8,965	4,710	4,255	190	308	34.4	195	21.8
All other—	188	186	2	101	16	85.1	9	47.9

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Sec. A (States)—Con.								
NEBRASKA—Contd.								
Cities, 2,500-10,000	3,432	1,682	1,750	204	137	39.9	77	22.4
White	3,428	1,669	1,759	205	136	39.7	77	22.5
All other	4	13	-9	31	1	250.0	-	0
Rural	9,612	5,625	3,987	171	303	31.5	190	19.8
White	9,482	5,550	3,932	171	296	31.2	188	19.8
All other	130	75	55	173	7	53.8	2	15.4
NEVADA	2,181	1,400	781	156	92	42.2	53	24.3
White	2,013	1,283	730	157	83	41.2	46	22.9
All other	168	117	51	144	9	53.6	7	41.7
Cities, 10,000 or more	328	210	118	156	12	36.6	8	24.4
White	325	205	120	159	12	36.9	8	24.6
All other	3	5	-2	60	-	0	-	0
Cities, 2,500-10,000	571	357	214	160	27	47.3	4	7.0
White	559	337	222	166	26	46.5	4	7.2
All other	12	20	-8	60	1	83.3	-	0
Rural	1,282	833	449	154	53	41.3	41	32.0
White	1,129	741	388	152	45	39.9	34	30.1
All other	153	92	61	166	8	52.3	7	45.8
NEW HAMPSHIRE	8,743	6,114	2,629	143	319	36.5	224	25.6
White	8,728	6,109	2,619	143	319	36.5	223	25.5
All other	15	5	10	300	-	0	1	66.7
Cities, 10,000 or more	5,294	3,074	2,220	172	188	35.5	143	27.0
White	5,283	3,071	2,212	172	188	35.6	142	26.9
All other	11	3	8	367	-	0	1	90.9
Cities, 2,500-10,000	1,044	543	501	192	28	26.8	18	17.2
White	1,043	543	500	192	28	26.8	18	17.3
All other	1	-	1	(2)	-	0	-	0
Rural	2,405	2,497	-92	96	103	42.8	63	26.2
White	2,402	2,495	-93	96	103	42.9	63	26.2
All other	3	2	1	150	-	0	-	0
NEW JERSEY	65,935	45,441	20,494	145	2,390	36.2	1,710	25.9
White	60,970	41,947	19,023	145	2,031	33.3	1,531	25.1
All other	4,965	3,494	1,471	142	359	72.3	179	36.1
Cities, 10,000 or more	55,993	30,708	25,285	182	1,970	35.2	1,476	26.4
White	51,907	28,285	23,622	184	1,681	32.4	1,318	25.4
All other	4,086	2,423	1,663	169	289	70.7	158	38.7
Cities, 2,500-10,000	4,889	5,741	-852	85	208	42.5	106	21.7
White	4,498	5,353	-855	84	177	39.4	97	21.6
All other	391	388	3	101	31	79.3	9	23.0
Rural	5,053	8,992	-3,939	56	212	42.0	128	25.3
White	4,565	8,309	-3,744	55	173	37.9	116	25.4
All other	488	683	-195	71	39	79.9	12	24.6
NEW MEXICO	14,774	5,720	9,054	258	1,410	95.4	346	23.4
White	14,252	5,330	8,922	267	1,331	93.4	344	24.1
All other	522	390	132	134	79	151.3	2	3.8
Cities, 10,000 or more	3,214	1,235	1,979	260	214	66.6	53	16.5
White	3,145	1,189	1,956	265	209	66.5	53	16.9
All other	69	46	23	150	5	72.5	-	0
Cities, 2,500-10,000	3,634	1,558	2,076	233	341	93.8	114	31.4
White	3,601	1,527	2,074	236	338	93.9	113	31.4
All other	33	31	2	106	3	90.9	1	30.3
Rural	7,926	2,927	4,999	271	855	107.9	179	22.6
White	7,506	2,614	4,892	287	784	104.4	178	23.7
All other	420	313	107	134	71	169.0	1	2.4
NEW YORK	211,171	147,688	63,483	143	6,982	33.1	11,259	53.3
White	200,290	139,909	60,381	143	6,428	32.1	10,163	50.7
All other	10,881	7,779	3,102	140	554	50.9	1,096	100.7
Cities, 10,000 or more	181,480	112,863	68,617	161	5,825	32.1	10,504	57.9
White	171,392	106,152	65,240	161	5,334	31.1	9,436	55.1
All other	10,088	6,711	3,377	150	491	48.7	1,068	105.9
Cities, 2,500-10,000	10,910	7,635	3,275	143	440	40.3	278	25.5
White	10,686	7,490	3,196	143	422	39.5	269	25.2
All other	224	145	79	154	18	80.4	9	40.2
Rural	18,781	27,190	-8,409	69	717	38.2	477	25.4
White	18,212	26,267	-8,055	69	672	36.9	458	25.1
All other	569	923	-354	62	45	79.1	19	33.4
NORTH CAROLINA	84,634	31,956	52,678	265	5,059	59.8	2,643	31.2
White	57,422	20,119	37,303	285	2,860	49.8	1,382	24.1
All other	27,212	11,837	15,375	230	2,199	80.8	1,261	46.3
Cities, 10,000 or more	21,870	10,038	11,832	218	1,495	68.4	865	39.6
White	16,049	6,128	9,921	262	899	56.0	459	28.6
All other	5,821	3,910	1,911	149	596	102.4	406	69.7
Cities, 2,500-10,000	8,580	3,118	5,462	275	485	56.5	362	42.2
White	7,001	2,118	4,883	331	320	45.7	237	33.9
All other	1,579	1,000	579	158	165	104.5	125	79.2
Rural	54,184	18,800	35,384	288	3,079	56.8	1,416	26.1
White	34,372	11,873	22,499	289	1,641	47.7	686	20.0
All other	19,812	6,927	12,885	286	1,438	72.6	730	36.8
Sec. A (States)—Con.								
NORTH DAKOTA	13,464	5,302	8,162	254	509	37.8	265	19.7
White	13,020	5,121	7,899	254	460	35.3	253	19.4
All other	444	181	263	245	49	110.4	12	27.0
Cities, 10,000 or more	3,572	1,246	2,326	287	119	33.3	81	22.7
White	3,566	1,244	2,322	287	119	33.4	80	22.4
All other	6	2	4	300	-	0	1	166.7
Cities, 2,500-10,000	2,195	877	1,318	250	85	38.7	59	26.9
White	2,186	873	1,313	250	85	38.9	56	25.6
All other	9	4	5	225	-	0	3	333.3
Rural	7,697	3,179	4,518	242	305	39.6	125	16.2
White	7,268	3,004	4,264	242	256	35.2	117	16.1
All other	429	175	254	245	49	114.2	8	18.6
OHIO	126,155	77,963	48,192	162	5,144	40.8	3,139	24.9
White	119,499	72,654	46,845	164	4,701	39.3	2,864	24.0
All other	6,656	5,309	1,347	125	443	66.6	275	41.3
Cities, 10,000 or more	89,979	48,309	41,670	186	3,652	40.6	2,301	25.6
White	84,025	44,023	40,002	191	3,261	38.8	2,055	24.5
All other	5,954	4,286	1,668	139	391	65.7	246	41.3
Cities, 2,500-10,000	10,225	7,388	2,837	138	417	40.8	274	26.8
White	9,982	7,193	2,789	139	404	40.5	265	26.5
All other	243	195	48	125	13	53.5	9	37.0
Rural	25,951	22,266	3,685	117	1,075	41.4	564	21.7
White	25,492	21,438	4,054	119	1,036	40.6	544	21.3
All other	459	828	-369	55	39	85.0	20	43.6
OKLAHOMA	45,447	19,967	25,480	228	2,161	47.5	1,049	23.1
White	40,516	17,042	23,474	238	1,780	43.9	893	22.0
All other	4,931	2,925	2,006	169	381	77.3	156	31.6
Cities, 10,000 or more	16,293	8,165	8,128	200	843	51.7	367	22.5
White	14,750	6,964	7,786	212	709	48.1	308	20.9
All other	1,543	1,201	342	128	134	86.8	59	38.2
Cities, 2,500-10,000	8,802	3,578	5,224	246	402	45.7	235	26.7
White	7,643	3,153	4,490	242	332	43.4	191	25.0
All other	1,159	425	734	273	70	60.4	44	38.0
Rural	20,352	8,224	12,128	247	916	45.0	447	22.0
White	18,123	6,925	11,198	262	739	40.8	394	21.7
All other	2,229	1,299	930	172	177	79.4	53	23.8
OREGON	19,138	12,108	7,030	158	587	30.7	353	18.4
White	18,865	11,872	6,993	159	561	29.7	340	18.0
All other	273	236	37	116	26	95.2	13	47.6
Cities, 10,000 or more	10,501	5,982	4,519	176	288	27.4	186	17.7
White	10,369	5,876	4,493	176	282	27.2	179	17.3
All other	132	106	26	125	6	45.5	7	53.0
Cities, 2,500-10,000	5,741	2,308	3,433	249	170	29.6	114	19.9
White	5,706	2,283	3,423	250	164	28.7	113	19.8
All other	35	25	10	140	6	171.4	1	28.6
Rural	2,896	3,818	-922	76	129	44.5	53	18.3
White	2,790	3,713	-923	75	115	41.2	48	17.2
All other	106	105	1	101	14	132.1	5	47.2
PENNSYLVANIA	174,593	108,215	66,378	161	7,107	40.7	4,421	25.3
White	164,493	101,146	63,347	163	6,430	39.1	4,044	24.6
All other	10,100	7,069	3,031	143	677	67.0	377	37.3
Cities, 10,000 or more	111,575	64,760	46,815	172	4,584	41.1	2,858	25.6
White	102,377	58,862	43,515	174	3,971	38.8	2,516	24.6
All other	9,198	5,898	3,300	156	613	66.6	342	37.2
Cities, 2,500-10,000	22,115	12,920	9,195	171	880	39.8	599	27.1
White	21,845	12,684	9,161	172	867	39.7	588	26.9
All other	270	236	34	114	13	48.1	11	40.7
Rural	40,903	30,535	10,368	134	1,643	40.2	964	23.6
White	40,271	29,600	10,671	136	1,592	39.5	940	23.3
All other	632	935	-303	68	51	80.7	24	38.0
RHODE ISLAND	11,582	7,864	3,718	147	415	35.8	298	25.7
White	11,325	7,673	3,652	148	402	35.5	282	24.9
All other	257	191	66	135	13	50.6	16	62.3
Cities, 10,000 or more	11,025	7,039	3,986	157	385	34.9	285	25.9
White	10,799	6,870	3,929	157	376	34.8	269	24.9
All other	226	169	57	134	9	39.8	16	70.8
Cities, 2,500-10,000	102	260	-158	39	7	68.6	-	0
White	102	252	-150	40	7	68.6	-	0
All other	-	8	-8	0	-	-	-	-
Rural	455	565	-110	81	23	50.5	13	28.6
White	424	551	-127	77	19	44.8	13	30.7
All other	31	14	17	221	4	129.0	-	0
SOUTH CAROLINA	47,162	20,523	26,639	230	3,536	75.0	2,102	44.6
White	24,065	9,484	14,581	254	1,382	57.4	650	27.0
All other	23,097	11,039	12,058	209	2,154	93.3	1,452	62.9
Cities, 10,000 or more	10,406	5,615	4,791	185	846	81.3	553	53.1
White	6,942	3,103	3,839	224	465	67.0	211	30.4
All other	3,464	2,512	952	138	381	110.0	342	98.7

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Sec. A (States)—Con.								
SOUTH CAROLINA—Con								
Cities, 2,500-10,000—	5,663	2,562	3,101	221	408	72.0	289	51.0
White—	3,973	1,439	2,534	276	235	59.1	144	36.2
All other—	1,690	1,123	567	150	173	102.4	145	85.8
Rural—	31,093	12,346	18,747	252	2,282	73.4	1,260	40.5
White—	13,150	4,942	8,208	266	682	51.9	295	22.4
All other—	17,943	7,404	10,539	242	1,600	89.2	965	53.8
SOUTH DAKOTA—	11,647	5,365	6,282	217	476	40.9	203	17.4
White—	10,927	5,003	5,924	218	399	36.5	192	17.6
All other—	720	362	358	199	77	106.9	11	15.3
Cities, 10,000 or more	3,348	1,369	1,979	245	90	26.9	56	16.7
White—	3,338	1,349	1,989	247	89	26.7	56	16.8
All other—	10	20	-10	50	1	100.0	-	0
Cities, 2,500-10,000—	2,147	975	1,172	220	92	42.9	41	19.1
White—	2,069	952	1,117	217	84	40.6	38	18.4
All other—	78	23	55	339	8	102.6	3	38.5
Rural—	6,152	3,021	3,131	204	294	47.8	106	17.2
White—	5,520	2,702	2,818	204	226	40.9	98	17.8
All other—	632	319	313	198	68	107.6	8	12.7
TENNESSEE—	80,537	29,193	31,344	207	3,346	55.3	1,585	26.2
White—	51,162	21,616	29,546	237	2,594	50.7	1,178	23.0
All other—	9,375	7,577	1,798	124	752	80.2	407	43.4
Cities, 10,000 or more	21,443	11,563	9,880	185	1,262	58.9	667	31.1
White—	16,456	7,396	9,060	222	863	52.4	430	26.1
All other—	4,987	4,167	820	120	399	80.0	237	47.5
Cities, 2,500-10,000—	6,349	2,980	3,369	213	365	57.5	194	30.6
White—	5,727	2,312	3,415	248	291	50.8	162	28.3
All other—	622	668	-46	93	74	119.0	32	51.4
Rural—	32,745	14,650	18,095	224	1,719	52.5	724	22.1
White—	28,979	11,908	17,071	243	1,440	49.7	586	20.2
All other—	3,766	2,742	1,024	137	279	74.1	138	36.6
TEXAS—	136,291	60,424	75,867	226	7,754	56.9	4,116	30.2
White—	118,633	49,249	69,384	241	6,467	54.5	3,132	26.4
All other—	17,658	11,175	6,483	158	1,287	72.9	984	55.7
Cities, 10,000 or more	81,385	26,746	34,639	230	3,333	54.3	1,799	29.3
White—	54,180	21,689	32,491	250	2,795	51.6	1,389	25.6
All other—	7,205	5,057	2,148	142	538	74.7	410	56.9
Cities, 2,500-10,000—	25,665	10,004	15,661	257	1,487	57.9	860	33.5
White—	24,045	8,400	15,645	286	1,326	55.1	744	30.9
All other—	1,620	1,604	16	101	161	99.4	116	71.6
Rural—	49,241	23,674	25,567	208	2,934	59.6	1,457	29.6
White—	40,408	19,160	21,248	211	2,346	58.1	999	24.7
All other—	8,833	4,514	4,319	196	588	66.6	458	51.9
UTAH—	13,745	4,560	9,185	301	411	29.9	268	19.5
White—	13,631	4,478	9,153	304	405	29.7	263	19.3
All other—	114	82	32	139	6	52.6	5	43.9
Cities, 10,000 or more	7,377	2,588	4,809	287	225	30.5	147	19.9
White—	7,348	2,523	4,825	291	224	30.5	146	19.9
All other—	29	45	-16	64	1	34.5	1	34.5
Cities, 2,500-10,000—	3,211	718	2,493	447	80	24.9	64	19.9
White—	3,192	713	2,479	448	80	25.1	64	20.1
All other—	19	5	14	380	-	0	-	0
Rural—	3,157	1,274	1,883	248	106	33.6	57	18.1
White—	3,091	1,242	1,849	249	101	32.7	53	17.1
All other—	66	32	34	206	5	75.8	4	60.6
VERMONT—	6,762	4,322	2,440	156	297	43.9	138	20.4
White—	6,756	4,315	2,441	157	297	44.0	138	20.4
All other—	6	7	-1	86	-	0	-	0
Cities, 10,000 or more	1,960	860	1,100	228	92	46.9	33	16.8
White—	1,956	859	1,097	228	92	47.0	33	16.9
All other—	4	1	3	400	-	0	-	0
Cities, 2,500-10,000—	2,132	1,238	894	172	95	44.6	50	23.5
White—	2,132	1,234	898	173	95	44.6	50	23.5
All other—	-	4	-4	0	-	-	-	-
Rural—	2,670	2,224	446	120	110	41.2	55	20.6
White—	2,668	2,222	446	120	110	41.2	55	20.6
All other—	2	2	-	100	-	0	-	0
VIRGINIA—	58,552	30,464	28,088	192	3,919	66.9	2,185	37.3
White—	42,608	20,048	22,560	213	2,408	56.5	1,203	28.2
All other—	15,944	10,416	5,528	153	1,511	94.8	982	61.6
Cities, 10,000 or more	18,999	10,581	8,418	180	1,177	62.0	832	43.8
White—	14,293	6,743	7,550	212	699	48.9	419	29.3
All other—	4,706	3,838	868	123	478	101.6	413	87.8
Cities, 2,500-10,000—	4,789	2,670	2,119	179	326	68.1	189	39.5
White—	4,139	2,107	2,032	196	251	60.6	139	33.6
All other—	650	563	87	115	75	115.4	50	76.9
Rural—	34,764	17,213	17,551	202	2,416	69.5	1,164	33.5
White—	24,176	11,198	12,978	216	1,458	60.3	645	26.7
All other—	10,588	6,015	4,573	176	958	90.5	519	49.0
Sec. A (States)—Con.								
WASHINGTON—	30,567	19,106	11,461	160	1,071	35.0	448	14.7
White—	29,873	18,523	11,350	161	1,005	33.6	434	14.5
All other—	694	583	111	119	66	95.1	14	20.2
Cities, 10,000 or more	20,948	11,104	9,844	189	705	33.7	316	15.1
White—	20,623	10,789	9,834	191	680	33.0	307	14.9
All other—	325	315	10	103	25	76.9	9	27.7
Cities, 2,500-10,000—	3,995	1,635	2,360	244	148	37.0	56	14.0
White—	3,915	1,590	2,325	246	138	35.2	56	14.3
All other—	80	45	35	178	10	125.0	-	0
Rural—	5,624	6,367	-743	88	218	38.8	76	13.5
White—	5,335	6,144	-809	87	187	35.1	71	13.3
All other—	289	223	66	130	31	107.3	5	17.3
WEST VIRGINIA—	43,827	17,838	25,989	246	2,680	61.1	1,429	32.6
White—	42,053	16,225	25,828	259	2,469	58.7	1,292	30.7
All other—	1,774	1,613	161	110	211	118.9	137	77.2
Cities, 10,000 or more	10,209	5,857	4,352	174	734	71.9	396	38.8
White—	9,885	5,350	4,535	185	681	68.9	365	36.9
All other—	324	507	-183	64	53	163.6	31	95.7
Cities, 2,500-10,000—	4,275	2,555	1,720	167	325	76.0	253	59.2
White—	4,135	2,264	1,871	183	301	72.8	219	53.0
All other—	140	291	-151	48	24	171.4	34	242.9
Rural—	29,343	9,426	19,917	311	1,621	55.2	780	26.6
White—	28,033	8,611	19,422	326	1,487	53.0	708	25.3
All other—	1,310	815	495	161	134	102.3	72	55.0
WISCONSIN—	57,120	30,629	26,491	186	2,004	35.1	1,135	19.9
White—	56,431	30,262	26,169	186	1,948	34.5	1,119	19.8
All other—	689	367	322	188	56	81.3	16	23.2
Cities, 10,000 or more	33,309	14,558	18,751	229	1,091	32.8	686	20.6
White—	33,143	14,439	18,704	230	1,081	32.6	685	20.7
All other—	166	119	47	139	10	60.2	1	6.0
Cities, 2,500-10,000—	8,241	3,773	4,468	218	311	37.7	166	20.1
White—	8,226	3,767	4,459	218	309	37.6	165	20.1
All other—	15	6	9	250	2	133.3	1	66.7
Rural—	15,570	12,298	3,272	127	602	38.7	283	18.2
White—	15,062	12,056	3,006	125	558	37.0	269	17.9
All other—	508	242	266	210	44	86.6	14	27.6
WYOMING—	5,181	2,198	2,983	236	227	43.8	111	21.4
White—	5,041	2,116	2,925	238	205	40.7	102	20.2
All other—	140	82	58	171	22	157.1	9	64.3
Cities, 10,000 or more	1,727	650	1,077	266	64	37.1	39	22.6
White—	1,712	631	1,081	271	60	35.0	38	22.2
All other—	15	19	-4	79	4	266.7	1	66.7
Cities, 2,500-10,000—	1,106	470	636	235	49	44.3	21	19.0
White—	1,100	463	637	238	48	43.6	20	18.2
All other—	6	7	-1	86	1	166.7	1	166.7
Rural—	2,348	1,078	1,270	218	114	48.6	51	21.7
White—	2,229	1,022	1,207	218	97	43.5	44	19.7
All other—	119	56	63	213	17	142.9	7	58.8
Section B (Counties including cities of 10,000 or more in 1940)								
ALABAMA (total)—	64,258	28,715	35,523	224	3,824	59.5	2,395	37.3
Autauga—	394	216	178	182	24	60.9	15	38.1
White—	147	86	61	171	12	81.6	2	13.6
All other—	247	130	117	190	12	48.6	13	52.6
Baldwin—	761	309	452	246	40	52.6	23	30.2
White—	522	208	314	251	16	30.7	13	24.9
All other—	239	101	138	237	24	100.4	10	41.8
Barbour—	797	341	456	234	48	60.2	39	48.9
White—	319	119	200	268	15	47.0	7	21.9
All other—	478	222	256	215	33	69.0	32	66.9
Bibb—	443	171	272	259	27	60.9	16	36.1
White—	256	97	159	264	12	46.9	3	11.7
All other—	187	74	113	253	15	80.2	13	69.5
Blount—	569	175	394	325	27	47.5	15	26.4
Bullock—	507	229	278	221	38	75.0	27	53.3
White—	60	38	22	158	4	66.7	1	16.7
All other—	447	191	256	234	34	76.1	26	58.2
Butler—	763	280	483	273	37	48.5	37	48.5
White—	292	158	134	185	14	47.9	15	51.4
All other—	471	122	349	386	23	48.8	22	46.7
Calhoun—	1,522	640	882	238	109	71.6	63	41.4
Outside city—	758	254	504	298	36	47.5	21	27.7
White—	649	211	438	308	29	44.7	17	26.2
All other—	109	43	66	253	7	64.2	4	36.7
Anniston—	764	386	378	198	73	95.5	42	55.0
White—	565	244	321	232	49	86.7	18	31.9
All other—	199	142	57	140	24	120.6	24	120.6

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
ALABAMA—Contd.								
Chambers	718	434	284	165	51	71.0	22	30.6
White	351	227	124	155	24	68.4	10	28.5
All other	367	207	160	177	27	73.6	12	32.7
Cherokee	411	132	279	311	14	34.1	7	17.0
Chilton	602	235	367	256	30	49.8	25	41.5
White	478	178	300	269	21	43.9	21	43.9
All other	124	57	67	218	9	72.6	4	32.3
Choctaw	442	157	285	282	10	22.6	21	47.5
White	162	61	101	266	2	12.3	6	37.0
All other	280	96	184	292	8	28.6	15	53.6
Clarke	704	271	433	260	52	73.9	21	29.8
White	290	92	198	315	18	62.1	6	20.7
All other	414	179	235	231	34	82.1	15	36.2
Clay	330	129	201	256	17	51.5	10	30.3
White	265	104	161	255	15	56.6	7	26.4
All other	65	25	40	260	2	30.8	3	46.2
Cleburne	303	104	199	291	29	95.7	11	36.3
Coffee	523	218	305	240	23	44.0	11	21.0
White	410	173	237	237	21	51.2	10	24.4
All other	113	45	68	251	2	17.7	1	8.8
Colbert	750	290	460	259	43	57.3	29	38.7
White	542	189	353	287	29	53.5	23	42.4
All other	208	101	107	206	14	67.3	6	28.8
Conecuh	632	203	429	311	36	57.0	19	30.1
White	265	91	174	291	10	37.7	5	18.9
All other	367	112	255	328	26	70.8	14	38.1
Coosa	247	112	135	221	14	56.7	13	52.6
White	118	66	52	179	7	59.3	3	25.4
All other	129	46	83	280	7	54.3	10	77.5
Covington	839	310	529	271	36	42.9	36	42.9
White	678	246	432	276	30	44.2	31	45.7
All other	161	64	97	252	6	37.3	5	31.1
Crenshaw	439	208	231	211	27	61.5	16	36.4
White	229	128	101	179	15	65.5	6	26.2
All other	210	80	130	263	12	57.1	10	47.6
Cullman	1,132	271	861	418	32	28.3	29	25.6
Dale	463	163	300	284	20	43.2	20	43.2
White	345	121	224	285	11	31.9	14	40.6
All other	118	42	76	281	9	76.3	6	50.8
Dallas	1,441	955	486	151	126	87.4	107	74.3
Outside city	846	416	430	203	54	63.8	62	73.3
White	34	47	-13	72	3	88.2	2	58.8
All other	812	369	443	220	51	62.8	60	73.9
Selma	595	539	56	110	72	121.0	45	75.6
White	327	197	130	166	31	94.8	15	45.9
All other	268	342	-74	78	41	153.0	30	111.9
De Kalb	884	279	605	317	49	55.4	27	30.5
Elmore	576	307	269	188	35	60.8	24	41.7
White	256	176	80	145	13	50.8	11	43.0
All other	320	131	189	244	22	68.8	13	40.6
Escambia	753	274	479	274	45	59.8	25	33.2
White	459	158	301	291	21	45.8	14	30.5
All other	294	116	178	253	24	81.6	11	37.4
Etowah	1,804	723	1,081	250	105	58.2	39	21.6
Outside city	716	272	444	263	41	57.3	12	16.8
Gadsden	1,088	451	637	241	64	58.8	27	24.8
White	928	313	615	296	44	47.4	19	20.5
All other	160	138	22	116	20	125.0	8	50.0
Fayette	456	171	285	267	27	59.2	15	32.9
White	396	138	258	287	20	50.5	11	27.8
All other	60	33	27	182	7	116.7	4	66.7
Franklin	769	188	581	409	41	53.3	31	40.3
Geneva	584	174	410	336	31	53.1	12	20.5
White	475	138	337	344	22	46.3	8	16.8
All other	109	36	73	303	9	82.6	4	36.7
Greene	461	223	238	207	37	80.3	26	56.4
White	28	38	-10	74	3	107.1	1	35.7
All other	433	185	248	234	34	78.5	25	57.7
Hale	567	283	284	200	38	67.0	32	56.4
White	100	48	52	208	4	40.0	3	30.0
All other	467	235	232	199	34	72.8	29	62.1
Henry	513	158	355	325	27	52.6	25	48.7
White	195	79	116	247	12	61.5	9	46.2
All other	318	79	239	403	15	47.2	16	50.3
Houston	925	422	503	219	56	60.5	34	36.8
Outside city	550	187	363	294	31	56.4	10	18.2
White	363	129	234	281	19	52.3	4	11.0
All other	187	58	129	322	12	64.2	6	32.1
Dothan	375	235	140	160	25	66.7	24	64.0
White	275	158	117	174	19	69.1	15	54.5
All other	100	77	23	130	6	60.0	9	90.0
Jackson	1,000	298	702	336	63	63.0	26	26.0
Jefferson	10,655	5,521	5,134	193	624	58.6	391	36.7
Outside cities	2,183	1,176	1,007	186	85	38.9	64	29.3
White	1,326	591	735	224	41	30.9	22	16.6
All other	857	585	272	146	44	51.3	42	49.0
Bessemer	394	257	137	153	30	76.1	17	43.1
White	178	88	90	202	7	39.3	4	22.5
All other	216	169	47	128	23	106.5	13	60.2
Birmingham	6,691	3,706	2,985	181	446	66.7	256	38.3
White	3,998	1,895	2,103	211	231	57.8	97	24.3
All other	2,693	1,811	882	149	215	79.8	159	59.0
Fairfield	1,387	382	1,005	363	63	45.4	54	38.9
White	870	160	710	544	24	27.6	16	18.4
All other	517	222	295	233	39	75.4	38	73.5
Lamar	397	116	281	342	11	27.7	12	30.2
White	332	90	242	369	10	30.1	10	30.1
All other	65	26	39	250	1	15.4	2	30.8
Lauderdale	1,032	428	604	241	59	57.2	36	34.9
Outside city	623	204	419	305	26	41.7	21	33.7
White	538	162	376	332	22	40.9	17	31.6
All other	85	42	43	202	4	47.1	4	47.1
Florence	409	224	185	183	33	80.7	15	36.7
White	350	175	175	200	25	71.4	9	25.7
All other	59	49	10	120	8	135.6	6	101.7
Lawrence	654	187	467	350	24	36.7	9	13.8
White	546	131	415	417	21	38.5	9	16.5
All other	108	56	52	193	3	27.8	-	0
Lee	876	376	500	233	62	70.8	51	58.2
White	319	138	181	231	11	34.5	9	28.2
All other	557	238	319	234	51	91.6	42	75.4
Limestone	866	280	586	309	53	61.2	17	19.6
White	677	165	512	410	32	47.3	13	19.2
All other	189	115	74	164	21	111.1	4	21.2
Lowndes	576	280	296	206	47	81.6	32	55.6
White	23	30	-7	77	1	43.5	2	87.0
All other	553	250	303	221	46	83.2	30	54.2
Macon	692	553	139	125	51	73.7	35	50.6
White	60	50	10	120	5	83.3	1	16.7
All other	632	503	129	126	46	72.8	34	53.8
Madison	1,401	657	744	213	91	65.0	44	31.4
Outside city	1,039	404	635	257	61	58.7	18	17.3
White	711	235	476	303	34	47.8	13	18.3
All other	328	169	159	194	27	82.3	5	15.2
Huntsville	362	253	109	143	30	82.9	26	71.8
White	280	151	129	185	23	82.1	22	78.6
All other	82	102	-20	80	7	85.4	4	48.8
Marengo	661	335	326	197	36	54.5	25	37.8
White	141	68	73	207	6	42.6	1	7.1
All other	520	267	253	195	30	57.7	24	46.2
Marion	565	132	433	428	25	44.2	18	31.9
Marshall	933	267	666	349	35	37.5	24	25.7
Mobile	3,830	2,141	1,689	179	219	57.2	134	35.0
Outside city	1,240	776	464	160	59	47.6	24	19.4
White	643	296	347	217	24	37.3	17	26.4
All other	597	480	117	124	35	58.6	7	11.7
Mobile	2,590	1,365	1,225	190	160	61.8	110	42.5
White	1,800	829	971	217	91	50.6	51	28.3
All other	790	536	254	147	69	87.3	59	74.7
Monroe	745	224	521	333	42	56.4	28	37.6
White	252	87	165	290	11	43.7	4	15.9
All other	493	137	356	360	31	62.9	24	48.7
Montgomery	2,445	1,505	940	162	153	62.6	85	34.8
Outside city	610	392	218	156	40	65.6	7	11.5
White	110	155	-45	71	9	81.8	2	18.2
All other	500	237	263	211	31	62.0	5	10.0
Montgomery	1,835	1,113	722	165	113	61.6	78	42.5
White	1,130	448	682	252	44	38.9	34	30.1
All other	705	665	40	106	69	97.9	44	62.4
Morgan	999	345	654	290	48	48.0	22	22.0
Outside city	546	186	360	294	28	51.3	9	16.5
White	480	153	327	314	26	54.2	7	14.6
All other	66	33	33	200	2	30.3	2	30.3
Decatur	453	159	294	285	20	44.2	13	28.7
White	417	104	313	401	16	38.4	11	26.4
All other	36	55	-19	65	4	111.1	2	55.6
Perry	600	275	325	218	40	66.7	36	60.0
White	104	46	58	226	2	19.2	3	28.8
All other	496	229	267	217	38	76.6	33	66.5
Pickens	663	208	455	319	26	39.2	17	25.6
White	301	85	216	354	8	26.6	4	13.3
All other	362	123	239	294	18	49.7	13	35.9
Pike	657	331	326	198	43	65.4	39	59.4
White	365	162	203	225	20	54.8	12	32.9
All other	292	169	123	173	23	78.8	27	92.5
Randolph	571	235	336	243	37	64.8	18	31.5
White	393	164	229	240	27	68.7	12	30.5
All other	178	71	107	251	10	56.2	6	33.7

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
ALABAMA—Contd.								
Russell	774	380	394	204	53	68.5	51	65.9
Outside city	523	204	319	256	26	53.5	31	59.3
White	58	35	23	166	4	69.0	2	34.5
All other	465	169	296	275	24	51.6	29	62.4
Phenix City	251	176	75	143	25	99.6	20	79.7
White	147	99	48	148	14	95.2	7	47.6
All other	104	77	27	135	11	105.8	13	125.0
St. Clair	632	247	385	256	40	63.3	23	36.4
White	492	175	317	281	27	54.9	14	28.5
All other	140	72	68	194	13	92.9	9	64.3
Shelby	567	240	327	236	37	65.3	15	26.5
White	410	157	253	261	23	56.1	7	17.1
All other	157	83	74	189	14	89.2	8	51.0
Sumter	665	327	338	203	52	78.2	50	75.2
White	84	45	39	187	1	11.9	1	11.9
All other	581	282	299	206	51	87.8	49	84.3
Talladega	1,453	547	906	266	98	67.4	56	38.5
White	909	312	597	291	65	71.5	35	38.5
All other	544	235	309	231	33	60.7	21	38.6
Tallapoosa	801	317	484	253	59	73.7	30	37.5
White	571	199	372	287	40	70.1	16	28.0
All other	230	118	112	195	19	82.6	14	60.9
Tuscaloosa	1,456	1,095	361	133	102	70.1	50	34.3
Outside city	699	367	332	190	54	77.3	13	18.6
White	400	217	183	184	23	57.5	7	17.5
All other	299	150	149	199	31	103.7	6	20.1
Tuscaloosa	757	728	29	104	48	63.4	37	48.9
White	555	551	4	101	27	48.6	20	36.0
All other	202	177	25	114	21	104.0	17	84.2
Walker	1,452	531	921	273	99	68.2	39	26.9
White	1,342	438	904	306	89	66.3	31	23.1
All other	110	93	17	118	10	90.9	8	72.7
Washington	360	128	232	281	21	58.3	18	50.0
White	212	61	151	348	6	28.3	9	42.5
All other	148	67	81	221	15	101.4	9	60.8
Wilcox	814	327	487	249	48	59.0	28	34.4
White	106	56	50	189	5	47.2	2	18.9
All other	708	271	437	261	43	60.7	26	36.7
Winston	422	127	295	332	25	59.2	14	33.2
ARIZONA (total)	12,011	5,989	6,022	201	1,061	88.3	298	24.8
Apache	497	324	173	153	114	229.4	10	20.1
White	186	47	139	396	14	75.3	4	21.5
All other	311	277	34	112	100	321.5	6	19.3
Cochise	795	352	443	226	47	59.1	25	31.4
Coconino	367	253	114	145	64	174.4	8	21.8
White	277	145	132	191	29	104.7	8	28.9
All other	90	108	-18	83	35	388.9	-	0
Gila	579	244	335	237	43	74.3	12	20.7
White	486	196	290	248	31	63.8	11	22.6
All other	93	48	45	194	12	129.0	1	10.8
Graham	329	117	212	281	21	63.8	6	18.2
Greenlee	330	121	209	273	29	87.9	2	6.1
Maricopa	4,579	2,104	2,475	218	324	70.8	108	23.6
Outside city	1,588	634	954	250	114	71.8	34	21.4
Phoenix	2,991	1,470	1,521	203	210	70.2	74	24.7
Mohave	184	80	104	230	12	65.2	8	43.5
Navajo	539	332	207	162	86	159.6	12	22.3
White	333	112	221	297	24	72.1	8	24.0
All other	206	220	-14	94	62	301.0	4	19.4
Pima	1,722	1,073	649	160	150	87.1	38	22.1
Outside city	267	130	137	205	24	89.9	4	15.0
White	161	52	109	310	6	37.3	1	6.2
All other	106	78	28	136	18	169.8	3	28.3
Tucson	1,455	943	512	154	126	86.6	34	23.4
Pinal	854	362	492	236	95	111.2	39	45.7
White	721	271	450	266	72	99.9	27	37.4
All other	133	91	42	146	23	172.9	12	90.2
Santa Cruz	193	76	117	254	12	62.2	5	25.9
Yavapai	572	319	253	179	31	54.2	13	22.7
Yuma	471	232	239	203	33	70.1	12	25.5
White	414	192	222	216	29	70.0	10	24.2
All other	57	40	17	143	4	70.2	2	35.1
ARKANSAS (total)	40,437	16,250	24,187	249	1,781	44.0	1,079	26.7
Arkansas	456	148	308	308	15	32.9	2	4.4
White	363	99	264	367	11	30.3	1	2.8
All other	93	49	44	190	4	43.0	1	10.8
Ashley	616	195	421	316	33	53.6	19	30.8
White	346	88	258	393	19	54.9	8	23.1
All other	270	107	163	252	14	51.9	11	40.7
Baxter	213	66	147	323	8	37.6	4	18.8
Benton	677	369	308	183	30	44.3	10	14.8
Boone	349	139	210	251	8	22.9	7	20.1

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
ARKANSAS—Contd.								
Bradley	362	102	260	355	16	44.2	10	27.6
White	253	72	181	351	9	35.6	4	15.8
All other	109	30	79	363	7	64.2	6	55.0
Calhoun	195	56	139	348	7	35.9	8	41.0
White	129	34	95	379	5	38.8	3	23.3
All other	66	22	44	300	2	30.3	5	75.8
Carroll	258	129	129	200	20	77.5	11	42.6
Chicot	536	208	328	258	21	39.2	12	22.4
White	228	58	170	393	9	39.5	7	30.7
All other	308	150	158	205	12	39.0	5	16.2
Clark	496	152	344	326	12	24.2	12	24.2
White	324	111	213	292	9	27.8	6	18.5
All other	172	41	131	420	3	17.4	6	34.9
Clay	457	192	265	238	39	85.3	8	17.5
Cleburne	309	87	222	355	8	25.9	3	9.7
Cleveland	187	61	126	307	6	32.1	4	21.4
White	147	38	109	387	4	27.2	2	13.6
All other	40	23	17	174	2	50.0	2	50.0
Columbia	491	134	357	366	17	34.6	10	20.4
White	296	72	224	411	8	27.0	4	13.5
All other	195	62	133	315	9	46.2	6	30.8
Conway	510	195	315	262	26	51.0	18	35.3
White	377	135	242	279	15	39.8	10	26.5
All other	133	60	73	222	11	82.7	8	60.2
Craighead	1,141	453	688	252	84	73.6	24	21.0
Outside city	763	211	552	362	36	47.2	12	15.7
Jonesboro	378	242	136	156	48	127.0	12	31.7
White	344	226	118	152	45	130.8	11	32.0
All other	34	16	18	213	3	88.2	1	29.4
Crawford	434	174	260	249	25	57.6	10	23.0
Crittenden	963	366	597	263	63	65.4	45	46.7
White	174	64	110	272	16	92.0	2	11.5
All other	789	302	487	261	47	59.6	43	54.5
Cross	465	110	355	423	14	30.1	14	30.1
White	299	33	266	906	5	16.7	9	30.1
All other	166	77	89	216	9	54.2	5	30.1
Dallas	280	89	191	315	3	10.7	5	17.9
White	154	52	102	296	2	13.0	-	0
All other	126	37	89	341	1	7.9	5	39.7
Desha	422	209	213	202	21	49.8	29	68.7
White	167	54	113	309	5	29.9	6	35.9
All other	255	155	100	165	16	62.7	23	90.2
Drew	481	152	329	316	28	58.2	31	64.4
White	243	87	156	279	14	57.6	13	53.5
All other	238	65	173	366	14	58.8	18	75.6
Faulkner	553	221	332	250	29	52.4	14	25.3
White	476	182	294	262	21	44.1	5	10.5
All other	77	39	38	197	8	103.9	9	116.9
Franklin	302	106	196	285	11	36.4	5	16.6
Fulton	208	71	137	293	2	9.6	2	9.6
Garland	785	585	200	134	35	44.6	13	16.6
Outside city	270	101	169	267	12	44.4	3	11.1
Hot Springs	515	484	31	106	23	44.7	10	19.4
White	446	407	39	110	19	42.6	9	20.2
All other	69	77	-8	90	4	58.0	1	14.5
Grant	210	70	140	300	7	33.3	2	9.5
Greene	615	222	393	277	30	48.8	7	11.4
Hempstead	609	235	374	259	31	50.9	22	36.1
White	357	101	256	353	14	39.2	12	33.6
All other	252	134	118	188	17	67.5	10	39.7
Hot Spring	430	121	309	355	9	20.9	6	14.0
White	379	105	274	361	9	23.7	5	13.2
All other	51	16	35	319	-	0	1	19.6
Howard	302	89	213	339	13	43.0	8	26.5
White	206	60	146	343	8	38.8	3	14.6
All other	96	29	67	331	5	52.1	5	52.1
Independence	611	191	420	320	20	32.7	17	27.8
Izard	241	62	179	389	7	29.0	5	20.7
Jackson	652	176	476	370	17	26.1	23	35.3
White	575	129	446	446	15	26.1	17	29.6
All other	77	47	30	164	2	26.0	6	77.9
Jefferson	1,145	670	475	171	45	39.3	30	26.2
Outside city	726	311	415	233	23	31.7	21	28.9
White	196	63	133	311	4	20.4	3	15.3
All other	530	248	282	214	19	35.8	18	34.0
Pine Bluff	419	359	60	117	22	52.5	9	21.5
White	334	201	133	166	11	32.9	4	12.0
All other	85	158	-73	54	11	129.4	5	58.8
Johnson	443	112	331	396	16	36.1	18	40.6
Lafayette	280	98	182	286	10	35.7	17	60.7
White	99	37	62	268	5	50.5	6	60.6
All other	181	61	120	297	5	27.6	11	60.8
Lawrence	438	133	305	329	28	63.9	12	27.4
Lee	619	256	363	242	37	59.8	10	16.2
White	252	62	170	374	10	43.1	3	12.9
All other	387	194	193	199	27	69.8	7	18.1

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
ARKANSAS—Contd.								
Lincoln	423	156	267	271	16	37.8	15	35.5
White	142	33	109	430	1	7.0	1	7.0
All other	281	123	158	228	15	53.4	14	49.8
Little River	297	84	213	354	12	40.4	10	33.7
White	197	38	159	518	8	40.6	7	35.5
All other	100	46	54	217	4	40.0	3	30.0
Logan	595	263	332	226	20	33.6	12	20.2
Lonoke	529	195	334	271	29	54.8	11	20.8
White	342	118	224	290	17	49.7	6	17.5
All other	187	77	110	243	12	64.2	5	26.7
Madison	219	71	148	308	7	32.0	-	0
Marion	171	41	130	417	3	17.5	5	29.2
Miller	741	354	387	209	30	40.5	29	39.1
Outside city	332	95	237	349	10	30.1	10	30.1
White	242	53	189	457	7	28.9	4	16.5
All other	90	42	48	214	3	33.3	6	66.7
Texarkana[3]	409	259	150	158	20	48.9	19	46.5
White	347	176	171	197	13	37.5	14	40.3
All other	62	83	-21	75	7	112.9	5	80.6
Mississippi	1,933	612	1,321	316	126	65.2	63	32.6
Outside city	1,816	410	1,206	394	98	60.6	48	29.7
White	1,172	241	931	486	64	54.6	28	23.9
All other	444	169	275	263	34	76.6	20	45.0
Blytheville	317	202	115	157	28	88.3	15	47.3
White	246	127	119	194	21	85.4	12	48.8
All other	71	75	-4	95	7	98.6	3	42.3
Monroe	452	175	277	258	27	59.7	20	44.2
White	211	71	140	297	13	61.6	5	23.7
All other	241	104	137	232	14	58.1	15	62.2
Montgomery	174	43	131	405	6	34.5	4	23.0
Nevada	351	153	198	249	8	24.2	4	12.1
White	246	93	153	265	4	16.3	4	16.3
All other	85	40	45	213	4	47.1	-	0
Newton	203	56	147	363	4	19.7	2	9.9
Ouachita	728	272	456	268	37	50.8	35	48.1
White	381	138	243	276	16	42.0	9	23.6
All other	347	134	213	259	21	60.5	26	74.9
Perry	199	50	149	398	5	25.1	4	20.1
Phillips	971	481	490	202	45	46.3	34	35.0
White	329	136	193	242	13	39.5	9	27.4
All other	642	345	297	186	32	49.8	25	38.9
Pike	230	57	173	404	2	8.7	3	13.0
Poinsett	1,054	190	864	555	51	48.4	25	23.7
White	911	143	768	637	41	45.0	21	23.1
All other	143	47	96	304	10	69.9	4	28.0
Polk	366	134	232	273	15	41.0	8	21.9
Pope	589	181	408	325	21	35.7	12	20.4
Prairie	260	90	170	289	7	26.9	7	26.9
White	198	68	130	291	5	25.3	3	15.2
All other	62	22	40	282	2	32.3	4	64.5
Pulaski	3,692	2,445	1,247	151	204	55.3	98	26.5
Outside cities	788	413	375	191	38	48.2	25	31.7
White	446	264	182	169	22	49.3	11	24.7
All other	342	149	193	230	16	46.8	14	40.9
Little Rock	2,615	1,876	739	139	149	57.0	67	25.6
White	2,122	1,233	889	172	107	50.4	44	20.7
All other	493	643	-150	77	42	85.2	23	46.7
North Little Rock	289	156	133	185	17	58.8	6	20.8
White	133	78	55	171	6	45.1	2	15.0
All other	156	78	78	200	11	70.5	4	25.6
Randolph	318	114	204	279	12	37.7	5	15.7
St. Francis	712	234	478	304	22	30.9	27	37.9
White	249	62	187	402	7	28.1	8	32.1
All other	463	172	291	269	15	32.4	19	41.0
Saline	355	242	113	147	12	33.8	7	19.7
Scott	281	47	234	598	8	28.5	13	46.3
Searcy	192	76	116	253	2	10.4	3	15.6
Sebastian	1,601	674	927	238	68	42.5	37	23.1
Outside city	400	121	279	331	9	22.5	7	17.5
Fort Smith	1,201	553	648	217	59	49.1	30	25.0
White	1,129	498	631	227	57	50.5	25	22.1
All other	72	55	17	131	2	27.8	5	69.4
Sevier	297	105	192	283	11	37.0	6	20.2
White	266	92	174	289	10	37.6	5	18.8
All other	31	13	18	238	1	32.3	1	32.3
Sharp	192	63	129	305	5	26.0	3	15.6
Stone	143	39	104	367	5	35.0	5	35.0
Union	826	383	443	216	23	27.8	22	26.6
Outside city	370	194	176	191	9	24.3	7	18.9
White	214	112	102	191	4	18.7	3	14.0
All other	156	82	74	190	5	32.1	4	25.6
El Dorado	456	189	267	241	14	30.7	15	32.9
White	393	123	270	320	13	33.1	12	30.5
All other	63	66	-3	95	1	15.9	3	47.6
Van Buren	240	64	176	375	7	29.2	5	20.8

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
ARKANSAS—Contd.								
Washington	851	426	425	200	29	34.1	17	20.0
White	727	244	483	298	22	30.3	7	9.6
Woodruff	439	148	291	297	19	43.3	7	15.9
White	259	80	179	324	16	61.8	1	3.9
All other	180	68	112	265	3	16.7	6	33.3
Yell	365	104	261	351	10	27.4	7	19.2
CALIFORNIA (total)	124,682	81,421	43,261	153	4,574	36.7	2,479	19.9
Alameda	8,920	6,107	2,813	146	267	29.9	159	17.8
Outside cities	542	1,250	-708	43	19	35.1	12	22.1
Alameda	548	339	209	162	10	18.2	8	14.6
Albany	502	83	419	605	10	19.9	8	15.9
Berkeley	1,279	758	521	169	28	21.9	18	14.1
Oakland	6,036	3,583	2,453	168	200	33.1	112	18.6
White	5,717	3,442	2,275	166	195	34.1	107	18.7
All other	319	141	178	226	5	15.7	5	15.7
San Leandro	13	94	-81	14	-	0	1	76.9
Alpine	-	6	-6	0	1	(2)	-	-
White	-	4	-4	0	-	-	-	-
All other	-	2	-2	0	1	(2)	-	-
Amador	75	90	-15	83	8	106.7	1	13.3
Butte	900	591	309	152	41	45.6	24	26.7
Calaveras	71	106	-35	67	3	42.3	-	0
Colusa	180	156	24	115	6	33.3	5	27.8
Contra Costa	1,472	834	638	176	39	26.5	28	19.0
Outside city	992	620	372	160	33	33.3	19	19.2
Richmond	480	214	266	224	6	12.5	9	18.8
Del Norte	86	65	21	132	7	81.4	3	34.9
El Dorado	186	146	40	127	13	69.9	1	5.4
Fresno	3,746	1,780	1,966	210	180	48.1	86	23.0
Outside city	1,424	700	724	203	56	39.3	31	21.8
Fresno	2,322	1,080	1,242	215	124	53.4	55	23.7
Glenn	124	116	8	107	2	16.1	2	16.1
Humboldt	753	540	213	139	27	35.9	17	22.6
Outside city	313	231	82	135	12	38.3	10	31.9
Eureka	440	309	131	142	15	34.1	7	15.9
Imperial	1,399	444	955	315	104	74.3	34	24.3
Outside cities	700	313	387	224	71	101.4	19	27.1
White	622	267	355	233	63	101.3	13	20.9
All other	78	46	32	170	8	102.6	6	76.9
Brawley	429	75	354	572	25	58.3	11	25.6
El Centro	270	56	214	482	8	29.6	4	14.8
White	250	48	202	521	6	24.0	4	16.0
All other	20	8	12	250	2	100.0	-	0
Inyo	162	80	82	203	12	74.1	-	0
White	156	73	83	214	11	70.5	-	0
All other	6	7	-1	86	1	166.7	-	0
Kern	3,491	1,262	2,229	277	145	41.5	72	20.6
Outside city	2,412	983	1,429	245	116	48.1	53	22.0
Bakersfield	1,079	279	800	387	29	26.9	19	17.6
Kings	858	323	535	266	49	57.1	16	18.6
Lake	106	108	-2	98	4	37.7	1	9.4
Lassen	356	108	228	311	9	26.8	8	23.8
Los Angeles	48,476	31,991	16,485	152	1,601	33.0	972	20.1
Outside cities	7,440	6,179	1,261	120	196	26.3	122	16.4
White	7,270	5,968	1,302	122	191	26.3	121	16.6
All other	170	211	-41	81	5	29.4	1	5.9
Alhambra	586	299	287	196	23	39.2	11	18.8
Bell	942	110	832	856	18	19.1	13	13.8
Belvedere (twp.)[4]	574	144	430	399	5	8.7	6	10.5
Beverly Hills	4	163	-159	2	1	250.0	1	250.0
Burbank	458	197	261	232	13	28.4	10	21.8
Compton	383	147	236	261	8	20.9	12	31.3
Glendale	2,571	1,028	1,543	250	45	17.5	45	17.5
Huntington Park	509	234	275	218	9	17.7	12	23.6
Inglewood	808	280	528	289	17	21.0	13	16.1
Long Beach	3,575	1,880	1,695	190	90	25.2	70	19.6
Los Angeles	24,320	18,129	6,191	134	1,005	41.3	546	22.5
White	22,523	17,122	5,401	132	938	41.6	504	22.4
All other	1,797	1,007	790	178	67	37.3	42	23.4
Lynwood	128	75	53	171	2	15.6	1	7.8
Maywood	430	133	297	323	16	37.2	13	30.2
Monrovia	104	183	-79	57	1	9.6	1	9.6
Pasadena	1,407	1,119	288	126	55	39.1	26	18.5
Pomona	582	265	317	220	17	29.2	4	6.9
Redondo Beach	69	104	-35	66	4	58.0	2	29.0
San Gabriel	30	62	-32	48	2	66.7	-	0
Santa Monica	1,768	752	1,016	235	44	24.9	34	19.2
South Gate	1,126	150	976	751	19	16.9	17	15.1
South Pasadena	5	149	-144	3	-	0	-	0
Whittier	657	209	448	314	11	16.7	13	19.8
Madera	579	253	326	229	31	53.5	14	24.2

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
CALIFORNIA—Contd.								
Marin	456	476	-20	96	17	37.3	12	26.3
Mariposa	19	46	-27	41	1	52.6	-	0
Mendocino	395	443	-48	89	15	38.0	11	27.8
Merced	1,208	470	738	257	66	54.6	21	17.4
Outside city	908	351	557	259	53	58.4	18	19.8
Merced	300	119	181	252	13	43.3	3	10.0
Modoc	131	73	58	179	4	30.5	2	15.3
Mono	7	21	-14	33	1	142.9	-	0
White	3	17	-14	18	1	333.3	-	0
All other	4	4	-	100	-	0	-	0
Monterey	1,661	796	865	209	74	44.6	31	18.7
Outside cities	1,379	633	746	218	61	44.2	28	20.3
Monterey	60	69	-9	87	4	66.7	-	0
Salinas	222	94	128	236	9	40.5	3	13.5
White	197	93	104	212	9	45.7	3	15.2
All other	25	1	24	2,500	-	0	-	0
Napa	457	802	-345	57	16	35.0	11	24.1
Nevada	349	213	136	164	13	37.2	7	20.1
Orange	2,271	1,567	704	145	98	43.2	49	21.6
Outside cities	1,402	1,059	343	132	72	51.4	34	24.3
Anaheim	59	94	-35	63	1	16.9	3	50.8
Fullerton	364	114	250	319	13	35.7	8	22.0
Santa Ana	446	300	146	149	12	26.9	4	9.0
Placer	262	399	-137	66	9	34.4	7	26.7
Plumas	231	121	110	191	7	30.3	8	34.6
Riverside	2,167	1,267	900	171	116	53.5	42	19.4
Outside city	1,012	597	415	170	45	44.5	22	21.7
Riverside	1,155	670	485	172	71	61.5	20	17.3
Sacramento	3,455	2,064	1,391	167	117	33.9	52	15.1
Outside city	190	308	-118	62	10	52.6	4	21.1
White	150	282	-132	53	7	46.7	3	20.0
All other	40	26	14	154	3	75.0	1	25.0
Sacramento	3,265	1,756	1,509	186	107	32.8	48	14.7
San Benito	186	131	55	142	9	48.4	6	32.3
San Bernardino	3,186	2,070	1,116	154	142	44.6	50	15.7
Outside cities	1,242	973	269	128	44	35.4	15	12.1
Ontario	166	93	73	178	1	6.0	1	6.0
Redlands	258	178	80	145	6	23.3	6	23.3
San Bernardino	1,520	826	694	184	91	59.9	28	18.4
San Diego	6,403	3,695	2,708	173	253	39.5	141	22.0
Outside cities	658	690	-32	95	36	54.7	19	28.9
National City	625	169	456	370	22	35.2	14	22.4
San Diego	5,120	2,836	2,284	181	195	38.1	108	21.1
San Francisco, coextensive with San Francisco (city)	9,808	9,084	724	108	268	27.3	226	23.0
White	9,309	8,693	616	107	257	27.6	207	22.2
All other	499	391	108	128	11	22.0	19	38.1
San Joaquin	2,372	1,842	530	129	96	40.5	49	20.7
Outside cities	1,019	1,193	-174	85	50	49.1	29	28.5
White	958	1,075	-117	89	43	44.9	27	28.2
All other	61	118	-57	52	7	114.8	2	32.8
Lodi	307	118	189	260	8	26.1	8	26.1
Stockton	1,046	531	515	197	38	36.3	12	11.5
San Luis Obispo	793	495	298	160	47	59.3	20	25.2
San Mateo	933	1,063	-130	88	36	38.6	17	18.2
Outside cities	160	516	-356	31	11	68.8	7	43.8
Burlingame	-	80	-80	0	-	-	-	-
Redwood City	70	58	12	121	1	14.3	1	14.3
San Mateo	703	409	294	172	24	34.1	9	12.8
Santa Barbara	1,358	852	506	159	72	53.0	25	18.4
Outside city	814	449	365	181	47	57.7	13	16.0
Santa Barbara	544	403	141	135	25	46.0	12	22.1
Santa Clara	3,399	2,289	1,110	148	125	36.8	41	12.1
Outside cities	1,728	1,466	262	118	85	49.2	26	15.0
Palo Alto	668	212	456	315	13	19.5	7	10.5
San Jose	1,003	611	392	164	27	26.9	8	8.0
Santa Cruz	730	651	79	112	19	26.0	14	19.2
Outside city	437	363	74	120	11	25.2	11	25.2
Santa Cruz	293	288	5	102	8	27.3	3	10.2
Shasta	670	330	340	203	34	50.7	21	31.3
Sierra	46	20	26	230	1	21.7	1	21.7
Siskiyou	506	318	188	159	13	25.7	11	21.7
Solano	961	485	476	198	31	32.3	14	14.6
Outside city	237	237	-	100	8	33.8	5	21.1
Vallejo	724	248	476	292	23	31.8	9	12.4
Sonoma	1,063	963	100	110	30	28.2	15	14.1
Outside city	712	810	-98	88	24	33.7	10	14.0
Santa Rosa	351	153	198	229	6	17.1	5	14.2
Stanislaus	1,671	729	942	229	57	34.1	29	17.4
Outside city	455	325	130	140	11	24.2	8	17.6
Modesto	1,216	404	812	301	46	37.8	21	17.3
Sutter	406	147	259	276	14	34.5	5	12.3
Tehama	252	164	88	154	5	19.8	4	15.9
Trinity	32	45	-13	71	3	93.8	1	31.3
Tulare	2,562	890	1,672	288	113	44.1	57	22.2
Tuolumne	168	134	34	125	2	11.9	1	6.0
Ventura	1,465	644	821	227	70	47.8	22	15.0
Outside city	1,121	551	570	203	61	54.4	18	16.1
San Buenaventura	344	93	251	370	9	26.2	4	11.6
Yolo	405	297	108	136	17	42.0	7	17.3
Yuba	318	219	99	145	14	44.0	6	18.9
COLORADO (total)	21,400	12,108	9,292	177	1,117	52.2	523	24.4
Adams	327	358	-31	91	18	55.0	13	39.8
Alamosa	334	121	213	276	30	89.8	11	32.9
Arapahoe	118	195	-77	61	7	59.3	5	42.4
Archuleta	92	25	67	368	10	108.7	6	65.2
Baca	123	48	75	256	7	56.9	4	32.5
Bent	190	102	88	186	16	84.2	2	10.5
Boulder	691	404	287	171	26	37.6	19	27.5
Outside city	355	197	158	180	15	42.3	11	31.0
Boulder	336	207	129	162	11	32.7	8	23.8
Chaffee	131	114	17	115	9	68.7	4	30.5
Cheyenne	50	14	36	357	1	20.0	1	20.0
Clear Creek	19	18	1	106	1	52.6	-	0
Conejos	125	72	53	174	18	144.0	1	8.0
Costilla	75	29	46	259	1	13.3	-	0
Crowley	92	41	51	224	7	76.1	4	43.5
Custer	12	16	-4	75	1	83.3	-	0
Delta	344	153	191	225	17	49.4	10	29.1
Denver, coextensive with Denver (city)	7,347	4,349	2,998	169	297	40.4	160	21.8
Dolores	24	6	18	400	2	83.3	-	0
Douglas	10	20	-10	50	1	100.0	2	200.0
Eagle	68	28	40	243	2	29.4	2	29.4
Elbert	33	22	11	150	2	60.6	1	30.3
El Paso	877	747	130	117	28	29.6	15	17.1
Outside city	21	103	-82	20	2	95.2	-	0
Colorado Springs	856	644	212	133	24	28.0	15	17.5
Fremont	277	203	74	136	12	43.3	8	28.9
Garfield	214	110	104	195	12	56.1	4	18.7
Gilpin	8	12	-4	67	1	125.0	1	125.0
Grand	34	28	6	121	1	29.4	3	88.2
Gunnison	121	53	68	228	2	16.5	-	0
Hinsdale	1	3	-2	33	-	0	-	0
Huerfano	207	141	66	147	18	87.0	5	24.2
Jackson	21	11	10	191	2	95.2	-	0
Jefferson	147	216	-69	68	6	40.8	2	13.6
Kiowa	21	18	3	117	1	47.6	-	0
Kit Carson	190	59	131	322	4	21.1	3	15.8
Lake	140	70	70	200	9	64.3	3	21.4
La Plata	359	155	204	232	26	72.4	16	44.6
Larimer	587	322	265	182	16	27.3	12	20.4
Outside city	541	218	323	248	15	27.7	12	22.2
Fort Collins	46	104	-58	44	1	21.7	-	0
Las Animas	719	352	367	204	80	111.3	22	30.6
Outside city	346	131	215	264	32	92.5	7	20.2
Trinidad	373	221	152	169	48	128.7	15	40.2
Lincoln	97	35	62	277	2	20.6	4	41.2
Logan	409	138	271	296	23	56.2	14	34.2
Mesa	663	313	350	212	30	45.2	9	13.6
Outside city	259	150	109	173	16	61.8	1	3.9
Grand Junction	404	163	241	248	14	34.7	8	19.8
Mineral	7	3	4	233	-	0	-	0
Moffat	68	31	37	219	3	44.1	1	14.7
Montezuma	277	89	188	311	23	83.0	7	25.3
Montrose	332	149	183	223	21	63.3	7	21.1
Morgan	370	169	201	219	15	40.5	8	21.6
Otero	580	254	326	228	49	84.5	21	36.2
Ouray	28	21	7	133	1	35.7	-	0
Park	31	14	17	221	3	96.8	1	32.3
Phillips	89	50	39	178	4	44.9	2	22.5
Pitkin	16	21	-5	76	-	0	-	0
Prowers	344	145	199	237	11	32.0	3	8.7
Pueblo	1,450	981	469	148	82	56.6	43	29.7
Outside city	467	465	2	100	21	45.0	12	25.7
Pueblo	983	516	467	191	61	62.1	31	31.5
Rio Blanco	33	23	10	143	2	60.6	1	30.3
Rio Grande	305	143	162	213	36	118.0	9	29.5
Routt	245	90	155	272	12	49.0	5	20.4
Saguache	88	32	56	275	10	113.6	3	34.1
San Juan	24	19	5	126	2	83.3	-	0
San Miguel	59	28	31	211	3	50.8	3	50.8
Sedgwick	122	33	89	370	6	49.2	4	32.8
Summit	13	11	2	118	-	0	2	153.8
Teller	94	52	42	181	2	21.3	3	31.9
Washington	91	31	60	294	1	11.0	-	0
Weld	1,232	493	739	250	76	61.7	27	21.9
Outside city	577	190	387	304	27	46.8	10	17.3
Greeley	655	303	352	216	49	74.8	17	26.0
Yuma	205	105	100	195	11	53.7	7	34.1

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
CONNECTICUT (total)	28,526	18,047	10,479	158	887	31.1	544	19.1
Fairfield	6,813	4,293	2,520	159	215	31.6	138	20.3
Outside cities	463	879	-416	53	19	41.0	4	8.6
Bridgeport	3,578	1,738	1,840	206	122	34.1	72	20.1
Danbury	625	374	251	167	24	38.4	16	25.6
Norwalk	1,075	449	626	239	20	18.6	15	14.0
Shelton	16	132	-116	12	2	125.0	1	62.5
Stamford	1,052	597	455	176	27	25.7	30	28.5
Stratford (town)	4	124	-120	3	1	250.0	-	0
Hartford	7,920	4,509	3,411	176	250	31.6	140	17.7
Outside cities	583	1,132	-549	52	28	48.0	22	37.7
Bristol	660	272	388	243	19	28.8	8	12.1
East Hartford (town)	3	103	-100	3	-	0	-	0
Hartford	5,287	2,170	3,117	244	151	28.6	85	16.1
New Britain	1,320	643	677	205	49	37.1	24	18.2
West Hartford (town)	67	189	-122	35	3	44.8	1	14.9
Litchfield	1,240	824	416	150	34	27.4	25	20.2
Outside city	615	585	30	105	23	37.4	13	21.1
Torrington	625	239	386	262	11	17.6	12	19.2
Middlesex	814	899	-85	91	29	35.6	14	17.2
Outside city	37	276	-239	13	4	108.1	1	27.0
Middletown	777	623	154	125	25	32.2	13	16.7
New Haven	8,367	5,037	3,330	166	250	29.9	171	20.4
Outside cities	349	682	-333	51	14	40.1	12	34.4
Ansonia	14	104	-90	13	2	142.9	-	0
Derby	685	215	470	319	31	45.3	12	17.5
Meriden	702	486	216	144	15	21.4	17	24.2
Naugatuck	8	99	-91	8	-	0	-	0
New Haven	3,957	2,045	1,912	193	100	25.3	75	19.0
Wallingford	16	102	-86	16	-	0	-	0
Waterbury	2,597	1,111	1,486	234	88	33.9	53	20.4
West Haven (town)	39	193	-154	20	-	0	2	51.3
New London	2,109	1,586	523	133	71	33.7	39	18.5
Outside cities	188	635	-447	30	4	21.3	1	5.3
New London	1,128	419	709	269	28	24.8	29	25.7
Norwich	793	532	261	149	39	49.2	9	11.3
Tolland	377	312	65	121	12	31.8	6	15.9
Windham	886	587	299	151	26	29.3	11	12.4
Outside city	540	409	131	132	12	22.2	10	18.5
Willimantic	346	178	168	194	14	40.5	1	2.9
DELAWARE (total)	5,121	3,241	1,880	158	220	43.0	142	27.7
Kent	602	522	80	115	29	48.2	19	31.6
White	415	394	21	105	14	33.7	13	31.3
All other	187	128	59	146	15	80.2	6	32.1
New Castle	3,458	2,096	1,362	165	113	32.7	94	27.2
Outside city	250	564	-314	44	14	56.0	7	28.0
Wilmington	3,208	1,532	1,676	209	99	30.9	87	27.1
White	2,874	1,291	1,583	223	74	25.7	69	24.0
All other	334	241	93	139	25	74.9	18	53.9
Sussex	1,061	623	438	170	78	73.5	29	27.3
White	822	478	344	172	50	60.8	17	20.7
All other	239	145	94	165	28	117.2	12	50.2
DIST. OF COLUMBIA	18,294	8,670	9,624	211	929	50.8	528	28.9
Washington	18,294	8,670	9,624	211	929	50.8	528	28.9
White	12,999	5,565	7,434	234	501	38.5	321	24.7
All other	5,295	3,105	2,190	171	428	80.8	207	39.1
FLORIDA (total)	37,551	23,123	14,428	162	1,984	52.8	1,622	43.2
Alachua	875	512	363	171	48	54.9	51	58.3
Outside city	414	251	163	165	22	53.1	29	70.0
White	183	94	89	195	7	38.3	7	38.3
All other	231	157	74	147	15	64.9	22	95.2
Gainesville	461	261	200	177	26	56.4	22	47.7
White	343	155	188	221	21	61.2	16	46.6
All other	118	106	12	111	5	42.4	6	50.8
Baker	144	36	108	400	10	69.4	4	27.8
White	104	29	75	359	7	67.3	2	19.2
All other	40	7	33	571	3	75.0	2	50.0
Bay	578	186	392	311	23	39.8	37	64.0
Outside city	179	75	104	239	10	55.9	12	67.0
White	138	60	78	230	8	58.0	7	50.7
All other	41	15	26	273	2	48.8	5	122.0
Panama City	399	111	288	359	13	32.6	25	62.7
White	317	75	242	423	9	28.4	13	41.0
All other	82	36	46	228	4	48.8	12	146.3
Bradford	250	107	143	234	12	48.0	7	28.0
White	178	67	111	266	8	44.9	5	28.1
All other	72	40	32	180	4	55.6	2	27.8
Brevard	283	192	91	147	15	53.0	10	35.3
White	158	126	32	125	8	50.6	4	25.3
All other	125	66	59	189	7	56.0	6	48.0
Broward	806	460	346	175	32	39.7	32	39.7
Outside city	365	187	178	195	14	38.4	18	49.3
White	169	108	61	156	4	23.7	4	23.7
All other	196	79	117	248	10	51.0	14	71.4
Fort Lauderdale	441	273	168	162	18	40.8	14	31.7
White	281	185	96	152	5	17.8	3	10.7
All other	160	88	72	182	13	81.3	11	68.8

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[2]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
FLORIDA—Contd.								
Calhoun	221	43	178	514	11	49.8	6	27.1
White	181	32	149	566	8	44.2	6	33.1
All other	40	11	29	364	3	75.0	-	0
Charlotte	30	46	-16	65	1	33.3	2	66.7
White	23	28	-5	82	1	43.5	1	43.5
All other	7	18	-11	39	-	0	1	142.9
Citrus	102	73	29	140	7	68.6	2	19.6
White	70	37	33	189	3	42.9	-	0
All other	32	36	-4	89	4	125.0	2	62.5
Clay	123	119	4	103	4	32.5	15	122.0
White	82	93	-11	88	2	24.4	4	48.8
All other	41	26	15	158	2	48.8	11	268.3
Collier	70	24	46	292	3	42.9	4	57.1
White	52	11	41	473	1	19.2	3	57.7
All other	18	13	5	138	2	111.1	1	55.6
Columbia	375	328	47	114	17	45.3	30	80.0
White	241	151	90	160	6	24.9	9	37.3
All other	134	177	-43	76	11	82.1	21	156.7
Dade	4,755	3,074	1,681	155	216	45.4	156	32.8
Outside cities	1,021	667	354	153	64	62.7	45	44.1
White	700	484	216	145	28	40.0	24	34.3
All other	321	183	138	175	36	112.1	21	65.4
Miami	3,382	1,981	1,401	171	139	41.1	101	29.9
White	2,601	1,544	1,057	168	89	34.2	59	22.7
All other	781	437	344	179	50	64.0	42	53.8
Miami Beach	352	426	-74	83	13	36.9	10	28.4
De Soto	194	115	79	169	21	108.2	4	20.6
White	150	95	55	158	16	106.7	3	20.0
All other	44	20	24	220	5	113.6	1	22.7
Dixie	198	53	145	374	12	60.6	13	65.7
White	117	25	92	468	6	51.3	2	17.1
All other	81	28	53	289	6	74.1	11	135.8
Duval	4,664	2,812	1,852	166	271	58.1	226	48.5
Outside city	213	269	-56	79	15	70.4	8	37.6
White	129	185	-56	70	9	69.8	3	23.3
All other	84	84	-	100	6	71.4	5	59.5
Jacksonville	4,451	2,543	1,908	175	256	57.5	218	49.0
White	3,221	1,371	1,850	235	164	50.9	113	35.1
All other	1,230	1,172	58	105	92	74.8	105	85.4
Escambia	1,911	903	1,008	212	105	54.9	76	39.8
Outside city	317	281	36	113	28	88.3	16	50.5
White	228	209	19	109	19	83.3	9	39.5
All other	89	72	17	124	9	101.1	7	78.7
Pensacola	1,594	622	972	256	77	48.3	60	37.6
White	1,306	391	915	334	51	39.1	37	28.3
All other	288	231	57	125	26	90.3	23	79.9
Flagler	48	34	14	141	3	62.5	3	62.5
White	11	15	-4	73	1	90.9	-	0
All other	37	19	18	195	2	54.1	3	81.1
Franklin	142	54	88	263	9	63.4	4	28.2
White	97	27	70	359	5	51.5	-	0
All other	45	27	18	167	4	88.9	4	88.9
Gadsden	648	624	24	104	46	71.0	35	54.0
White	234	301	-67	78	10	42.7	9	38.5
All other	414	323	91	128	36	87.0	26	62.8
Gilchrist	92	30	62	307	7	76.1	2	21.7
White	71	24	47	296	6	84.5	1	14.1
All other	21	6	15	350	1	47.6	1	47.6
Glades	35	6	29	583	-	0	3	85.7
White	21	5	16	420	-	0	-	0
All other	14	1	13	1,400	-	0	3	214.3
Gulf	192	63	129	305	18	93.8	9	46.9
White	120	36	84	333	11	91.7	3	25.0
All other	72	27	45	267	7	97.2	6	83.3
Hamilton	266	92	174	289	12	45.1	13	48.9
White	136	39	97	349	5	36.8	5	36.8
All other	130	53	77	245	7	53.8	8	61.5
Hardee	196	86	110	228	9	45.9	6	30.6
Hendry	69	35	34	197	1	14.5	1	14.5
White	45	17	28	265	-	0	-	0
All other	24	18	6	133	1	41.7	1	41.7
Hernando	112	64	48	175	3	26.8	4	35.7
White	76	40	36	190	3	39.5	3	39.5
All other	36	24	12	150	-	0	1	27.8
Highlands	255	127	128	201	24	94.1	9	35.3
White	196	85	111	231	16	81.6	5	25.5
All other	59	42	17	140	8	135.6	4	67.8
Hillsborough	3,573	2,094	1,479	171	197	55.1	134	37.5
Outside city	1,212	713	499	170	57	47.0	42	34.7
White	997	554	443	180	46	46.1	36	36.1
All other	215	159	56	135	11	51.2	6	27.9
Tampa	2,361	1,381	980	171	140	59.3	92	39.0
White	1,904	1,031	873	185	101	53.0	59	31.0
All other	457	350	107	131	39	85.3	33	72.2
Holmes	296	89	207	333	16	54.1	7	23.6
Indian River	177	83	94	213	8	45.2	12	67.8
White	120	57	63	211	3	25.0	6	50.0
All other	57	26	31	219	5	87.7	6	105.3

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
FLORIDA—Contd.								
Jackson	762	326	436	234	36	47.2	33	43.3
White	479	176	303	272	23	48.0	18	37.6
All other	283	150	133	189	13	45.9	15	53.0
Jefferson	272	154	118	177	22	80.9	9	33.1
White	61	36	25	169	4	65.6	2	32.8
All other	211	118	93	179	18	85.3	7	33.2
Lafayette	73	31	42	235	4	54.8	1	13.7
Lake	570	300	270	190	19	33.3	29	50.9
White	424	200	224	212	11	25.9	11	25.9
All other	146	100	46	146	8	54.8	18	123.3
Lee	374	202	172	185	16	42.8	21	56.1
Outside city	80	36	44	222	2	25.0	2	25.0
White	70	27	43	259	2	28.6	1	14.3
All other	10	9	1	111	-	0	1	100.0
Fort Myers	294	166	128	177	14	47.6	19	64.6
White	244	106	138	230	10	41.0	15	61.5
All other	50	60	-10	83	4	80.0	4	80.0
Leon	695	360	335	193	42	60.4	32	46.0
Outside city	294	208	86	141	22	74.8	23	78.2
White	65	36	29	181	1	15.4	3	46.2
All other	229	172	57	133	21	91.7	20	87.3
Tallahassee	401	152	249	264	20	49.9	9	22.4
White	273	83	190	329	12	44.0	3	11.0
All other	128	69	59	186	8	62.5	6	46.9
Levy	244	129	115	189	11	45.1	11	45.1
White	152	68	84	224	6	39.5	4	26.3
All other	92	61	31	151	5	54.3	7	76.1
Liberty	67	31	36	216	6	89.6	7	104.5
White	53	16	37	331	6	113.2	2	37.7
All other	14	15	-1	93	-	0	5	357.1
Madison	333	140	193	238	18	54.1	16	48.0
White	164	58	106	283	5	30.5	2	12.2
All other	169	82	87	206	13	76.9	14	82.8
Manatee	450	286	164	157	28	62.2	16	35.6
White	317	209	108	152	13	41.0	8	25.2
All other	133	77	56	173	15	112.8	8	60.2
Marion	587	394	193	149	36	61.3	29	49.4
White	321	159	162	202	16	49.8	8	24.9
All other	266	235	31	113	20	75.2	21	78.9
Martin	111	59	52	188	5	45.0	7	63.1
White	68	32	36	213	2	29.4	2	29.4
All other	43	27	16	159	3	69.8	5	116.3
Monroe	274	182	92	151	13	47.4	14	51.1
Outside city	-	4	-4	0	-	-	-	-
White	-	3	-3	0	-	-	-	-
All other	-	1	-1	0	-	-	-	-
Key West	274	178	96	154	13	47.4	14	51.1
White	218	134	84	163	12	55.0	9	41.3
All other	56	44	12	127	1	17.9	5	89.3
Nassau	167	121	46	138	10	59.9	7	41.9
White	91	56	35	163	3	33.0	2	22.0
All other	76	65	11	117	7	92.1	5	65.8
Okaloosa	299	110	189	272	17	56.9	18	60.2
Okeechobee	26	20	6	130	2	76.9	1	38.5
White	18	15	3	120	1	55.6	1	55.6
All other	8	5	3	160	1	125.0	-	0
Orange	1,319	962	357	137	65	49.3	54	40.9
Outside city	414	325	89	127	12	29.0	17	41.1
White	283	239	44	118	5	17.7	6	21.2
All other	131	86	45	152	7	53.4	11	84.0
Orlando	905	637	268	142	53	58.6	37	40.9
White	745	482	263	155	37	49.7	16	21.5
All other	160	155	5	103	16	100.0	21	131.3
Osceola	168	174	-6	97	3	17.9	7	41.7
White	135	140	-5	96	-	0	3	22.2
All other	33	34	-1	97	3	90.9	4	121.2
Palm Beach	1,325	946	379	140	68	51.3	61	46.0
Outside city	515	334	181	154	31	60.2	27	52.4
White	223	202	21	110	10	44.8	3	13.5
All other	292	132	160	221	21	71.9	24	82.2
West Palm Beach	810	612	198	132	37	45.7	34	42.0
White	611	404	207	151	24	39.3	17	27.8
All other	199	208	-9	96	13	65.3	17	85.4
Pasco	268	182	86	147	11	41.0	19	70.9
White	219	157	62	139	7	32.0	10	45.7
All other	49	25	24	196	4	81.6	9	183.7
Pinellas	1,222	1,727	-505	71	36	29.5	58	47.5
Outside cities	177	388	-211	46	4	22.6	10	56.5
Clearwater	189	131	58	144	4	21.2	8	42.3
White	148	95	53	156	3	20.3	5	33.8
All other	41	36	5	114	1	24.4	3	73.2
St. Petersburg	856	1,208	-352	71	28	32.7	40	46.7
White	614	1,050	-436	58	16	26.1	24	39.1
All other	242	158	84	153	12	49.6	16	66.1
Polk	1,780	937	843	190	88	49.4	58	32.6
Outside city	1,293	624	669	207	63	48.7	42	32.5
White	1,027	459	568	224	50	48.7	24	23.4
All other	266	165	101	161	13	48.9	18	67.7
Lakeland	487	313	174	156	25	51.3	16	32.9
White	409	255	154	160	21	51.3	13	31.8
All other	78	58	20	134	4	51.3	3	38.5
Putnam	401	274	127	146	28	69.8	21	52.4
White	256	146	110	175	15	58.6	8	31.3
All other	145	128	17	113	13	89.7	13	89.7
St. Johns	407	271	136	150	21	51.6	9	22.1
Outside city	69	53	16	130	9	130.4	3	43.5
White	5	17	-12	29	1	200.0	-	0
All other	64	36	28	178	8	125.0	3	46.9
St. Augustine	338	218	120	155	12	35.5	6	17.8
White	234	142	92	165	8	34.2	3	12.8
All other	104	76	28	137	4	38.5	3	28.8
St. Lucie	286	133	153	215	17	59.4	10	35.0
White	156	79	77	197	4	25.6	2	12.8
All other	130	54	76	241	13	100.0	8	61.5
Santa Rosa	334	139	195	240	18	53.9	14	41.9
White	290	104	186	279	10	34.5	13	44.8
All other	44	35	9	126	8	181.8	1	22.7
Sarasota	291	237	54	123	13	44.7	8	27.5
Outside city	25	41	-16	61	2	80.0	-	0
White	19	32	-13	59	2	105.3	-	0
All other	6	9	-3	67	-	0	-	0
Sarasota	266	196	70	136	11	41.4	8	30.1
White	195	150	45	130	8	41.0	2	10.3
All other	71	46	25	154	3	42.3	6	84.5
Seminole	359	241	118	149	30	83.6	26	72.4
Outside city	156	94	62	166	10	64.1	10	64.1
White	50	42	8	119	3	60.0	1	20.0
All other	106	52	54	204	7	66.0	9	84.9
Sanford	203	147	56	138	20	98.5	16	78.8
White	102	72	30	142	10	98.0	7	68.6
All other	101	75	26	135	10	99.0	9	89.1
Sumter	212	125	87	170	15	70.8	9	42.5
White	139	70	69	199	7	50.4	4	28.8
All other	73	55	18	133	8	109.6	5	68.5
Suwannee	351	179	172	196	22	62.7	27	76.9
White	220	95	125	232	8	36.4	14	63.6
All other	131	84	47	156	14	106.9	13	99.2
Taylor	248	118	130	210	17	68.5	3	12.1
White	178	53	125	336	10	56.2	1	5.6
All other	70	65	5	108	7	100.0	2	28.6
Union	100	71	29	141	4	40.0	5	50.0
White	74	35	39	211	3	40.5	4	54.1
All other	26	36	-10	72	1	38.5	1	38.5
Volusia	784	744	40	105	46	58.7	33	42.1
Outside city	393	352	41	112	22	56.0	15	38.2
White	264	245	19	108	11	41.7	5	18.9
All other	129	107	22	121	11	85.3	10	77.5
Daytona Beach	391	392	-1	100	24	61.4	18	46.0
White	285	298	-13	96	12	42.1	11	38.6
All other	106	94	12	113	12	113.2	7	66.0
Wakulla	128	30	98	427	3	23.4	6	46.9
White	75	13	62	577	2	26.7	1	13.3
All other	53	17	36	312	1	18.9	5	94.3
Walton	320	133	187	241	25	78.1	15	46.9
White	278	100	178	278	20	71.9	10	36.0
All other	42	33	9	127	5	119.0	5	119.0
Washington	264	91	173	290	8	30.3	11	41.7
White	199	65	134	306	8	40.2	9	45.2
All other	65	26	39	250	-	0	2	30.8
GEORGIA (total)	68,244	31,736	36,508	215	3,972	58.2	2,933	43.0
Appling	308	57	251	540	9	29.2	14	45.5
White	228	28	200	814	5	21.9	9	39.5
All other	80	29	51	276	4	50.0	5	62.5
Atkinson	162	42	120	386	8	49.4	9	55.6
White	111	22	89	505	4	36.0	5	45.0
All other	51	20	31	255	4	78.4	4	78.4
Bacon	211	72	139	293	13	61.6	13	61.6
White	186	53	133	351	9	48.4	11	59.1
All other	25	19	6	132	4	160.0	2	80.0
Baker	157	35	122	449	5	31.8	8	51.0
White	58	17	41	341	2	34.5	2	34.5
All other	99	18	81	550	3	30.3	6	60.6
Baldwin	367	661	-294	56	25	68.1	12	32.7
White	154	332	-178	46	5	32.5	6	39.0
All other	213	329	-116	65	20	93.9	6	28.2
Banks	164	77	87	213	6	36.6	2	12.2
Barrow	251	112	139	224	21	83.7	7	27.9
White	170	87	83	195	13	76.5	4	23.5
All other	81	25	56	324	8	98.8	3	37.0

See footnotes at end of table.

535906 O - 43 - 4

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Contd.								
Bartow	518	256	262	202	41	79.2	22	42.5
White	436	194	242	225	34	78.0	16	36.7
All other	82	62	20	132	7	85.4	6	73.2
Ben Hill	289	144	145	201	19	65.7	17	58.8
White	151	78	73	194	5	33.1	10	66.2
All other	138	66	72	209	14	101.4	7	50.7
Berrien	326	99	227	329	16	49.1	14	42.9
White	289	81	208	357	14	48.4	13	45.0
All other	37	18	19	206	2	54.1	1	27.0
Bibb	1,929	1,308	621	147	149	77.2	109	56.5
Outside city	196	211	-15	93	8	40.8	11	56.1
White	29	94	-65	31	1	34.5	-	0
All other	167	117	50	143	7	41.9	11	65.9
Macon	1,733	1,097	636	158	141	81.4	98	56.5
White	1,113	516	597	216	69	62.0	43	38.6
All other	620	581	39	107	72	116.1	55	88.7
Bleckley	226	75	151	301	6	26.5	6	26.5
White	127	41	86	310	2	15.7	2	15.7
All other	99	34	65	291	4	40.4	4	40.4
Brantley	165	52	113	317	5	30.3	9	54.5
White	148	42	106	352	5	33.8	8	54.1
All other	17	10	7	170	-	0	1	58.8
Brooks	505	175	330	289	36	71.3	38	75.2
White	191	76	115	251	12	62.8	13	68.1
All other	314	99	215	317	24	76.4	25	79.6
Bryan	121	61	60	198	14	115.7	6	49.6
White	50	22	28	227	2	40.0	-	0
All other	71	39	32	182	12	169.0	6	84.5
Bulloch	561	154	407	364	12	21.4	14	25.0
White	314	58	256	541	1	3.2	8	25.5
All other	247	96	151	257	11	44.5	6	24.3
Burke	669	273	396	245	28	41.9	43	64.3
White	83	51	32	163	7	84.3	2	24.1
All other	586	222	364	264	21	35.8	41	70.0
Butts	206	112	94	184	15	72.8	2	9.7
White	74	46	28	161	3	40.5	-	0
All other	132	66	66	200	12	90.9	2	15.2
Calhoun	232	104	128	223	21	90.5	11	47.4
White	42	24	18	175	1	23.8	2	47.6
All other	190	80	110	238	20	105.3	9	47.4
Camden	150	81	69	185	7	46.7	10	66.7
White	43	24	19	179	-	0	1	23.3
All other	107	57	50	188	7	65.4	9	84.1
Candler	142	83	59	171	6	42.3	5	35.2
White	93	45	48	207	3	32.3	4	43.0
All other	49	38	11	129	3	61.2	1	20.4
Carroll	713	279	434	256	51	71.5	24	33.7
White	510	198	312	258	34	66.7	18	35.3
All other	203	81	122	251	17	83.7	6	29.6
Catoosa	186	77	109	242	11	59.1	4	21.5
Charlton	139	33	106	421	8	57.6	4	28.8
White	91	19	72	479	7	76.9	2	22.0
All other	48	14	34	343	1	20.8	2	41.7
Chatham	2,640	1,916	724	138	172	65.2	116	43.9
Outside city	157	262	-105	60	24	152.9	4	25.5
White	34	98	-64	35	2	58.8	2	58.8
All other	123	164	-41	75	22	178.9	2	16.3
Savannah	2,483	1,654	829	150	148	59.6	112	45.1
White	1,457	698	759	209	71	48.7	43	29.5
All other	1,026	956	70	107	77	75.0	69	67.3
Chattahoochee	420	74	346	568	9	21.4	14	33.3
White	375	51	324	735	7	18.7	8	21.3
All other	45	23	22	196	2	44.4	6	133.3
Chattooga	480	77	403	623	12	25.0	4	8.3
Cherokee	427	180	247	237	29	67.9	10	23.4
Clarke	596	421	175	142	40	67.1	25	41.9
Outside city	95	58	37	164	6	63.2	1	10.5
White	41	23	18	178	3	73.2	1	24.4
All other	54	35	19	154	3	55.6	-	0
Athens	501	363	138	138	34	67.9	24	47.9
White	357	208	149	172	22	61.6	8	22.4
All other	144	155	-11	93	12	83.3	16	111.1
Clay	158	72	86	219	9	57.0	9	57.0
White	14	18	-4	78	1	71.4	-	0
All other	144	54	90	267	8	55.6	9	62.5
Clayton	135	103	32	131	17	125.9	11	81.5
White	73	54	19	135	6	82.2	4	54.8
All other	62	49	13	127	11	177.4	7	112.9
Clinch	108	38	70	284	7	64.8	3	27.8
White	68	18	50	378	2	29.4	1	14.7
All other	40	20	20	200	5	125.0	2	50.0
Cobb	732	348	384	210	33	45.1	23	31.4
White	616	246	370	250	26	42.2	13	21.1
All other	116	102	14	114	7	60.3	10	86.2
Coffee	609	190	419	321	35	57.5	44	72.2
White	439	134	305	328	24	54.7	27	61.5
All other	170	56	114	304	11	64.7	17	100.0
Colquitt	733	293	440	250	51	69.6	38	51.8
Outside city	356	120	236	297	24	67.4	15	42.1
White	246	76	170	324	13	52.8	6	24.4
All other	110	44	66	250	11	100.0	9	81.8
Moultrie	377	173	204	218	27	71.6	23	61.0
White	299	111	188	269	20	66.9	15	50.2
All other	78	62	16	126	7	89.7	8	102.6
Columbia	198	64	134	309	11	55.6	8	40.4
White	55	15	40	367	4	72.7	-	0
All other	143	49	94	292	7	49.0	8	55.9
Cook	254	82	172	310	6	23.6	16	63.0
White	196	51	145	384	5	25.5	11	56.1
All other	58	31	27	187	1	17.2	5	86.2
Coweta	476	222	254	214	24	50.4	6	12.6
White	237	110	127	215	10	42.2	2	8.4
All other	239	112	127	213	14	58.6	4	16.7
Crawford	133	90	43	148	18	135.3	8	60.2
White	29	25	4	116	3	103.4	-	0
All other	104	65	39	160	15	144.2	8	76.9
Crisp	431	193	238	223	28	65.0	26	60.3
White	209	78	131	268	9	43.1	6	28.7
All other	222	115	107	193	19	85.6	20	90.1
Dade	112	31	81	361	6	53.6	2	17.9
Dawson	78	16	62	488	2	25.6	2	25.6
Decatur	543	271	272	200	41	75.5	22	40.5
White	254	109	145	233	17	66.9	10	39.4
All other	289	162	127	178	24	83.0	12	41.5
De Kalb	1,453	842	611	173	41	28.2	47	32.3
Outside cities	1,317	603	714	218	32	24.3	39	29.6
White	1,128	490	638	230	21	18.6	24	21.3
All other	189	113	76	167	11	58.2	15	79.4
Atlanta (part)	40	145	-105	(5)	2	(5)	1	(5)
White	32	119	-87	(5)	2	(5)	1	(5)
All other	8	26	-18	(5)	-	(5)	-	(5)
Decatur	96	94	2	102	7	72.9	7	72.9
White	21	60	-39	35	1	47.6	-	0
All other	75	34	41	221	6	80.0	7	93.3
Dodge	445	179	266	249	26	58.4	21	47.2
White	277	109	168	254	15	54.2	12	43.3
All other	168	70	98	240	11	65.5	9	53.6
Dooly	400	153	247	261	25	62.5	10	25.0
White	128	50	78	256	2	15.6	2	15.6
All other	272	103	169	264	23	84.6	8	29.4
Dougherty	628	397	231	158	39	62.1	31	49.4
Outside city	95	72	23	132	6	63.2	4	42.1
White	25	13	12	192	-	0	1	40.0
All other	70	59	11	119	6	85.7	3	42.9
Albany	533	325	208	164	33	61.9	27	50.7
White	299	117	182	256	15	50.2	10	33.4
All other	234	208	26	113	18	76.9	17	72.6
Douglas	187	77	110	243	14	74.9	6	32.1
White	140	53	87	264	9	64.3	4	28.6
All other	47	24	23	196	5	106.4	2	42.6
Early	425	145	280	293	29	68.2	13	30.6
White	173	50	123	346	10	57.8	2	11.6
All other	252	95	157	265	19	75.4	11	43.7
Echols	62	16	46	388	2	32.3	2	32.3
White	43	11	32	391	1	23.3	-	0
All other	19	5	14	380	1	52.6	2	105.3
Effingham	245	87	158	282	7	28.6	9	36.7
White	125	45	80	278	2	16.0	2	16.0
All other	120	42	78	286	5	41.7	7	58.3
Elbert	364	204	160	178	33	90.7	24	65.9
White	175	95	80	184	11	62.9	8	45.7
All other	189	109	80	173	22	116.4	16	84.7
Emanuel	496	224	272	221	40	80.6	29	58.5
White	274	110	164	249	16	58.4	8	29.2
All other	222	114	108	195	24	108.1	21	94.6
Evans	168	67	101	251	14	83.3	13	77.4
White	94	39	55	241	7	74.5	3	31.9
All other	74	28	46	264	7	94.6	10	135.1
Fannin	331	123	208	269	31	93.7	9	27.2
Fayette	186	63	123	295	13	69.9	8	43.0
White	98	34	65	291	4	40.4	2	20.2
All other	87	29	58	300	9	103.4	6	69.0
Floyd	1,316	594	722	222	95	72.2	47	35.7
Outside city	318	176	142	181	25	78.6	7	22.0
White	249	146	103	171	19	76.3	6	24.1
All other	69	30	39	230	6	87.0	1	14.5
Rome	998	418	580	239	70	70.1	40	40.1
White	880	308	572	286	54	61.4	33	37.5
All other	118	110	8	107	16	135.6	7	59.3
Forsyth	230	41	189	561	4	17.4	2	8.7
Franklin	359	118	241	304	15	41.8	15	41.8
White	313	96	217	326	12	38.3	9	28.8
All other	46	22	24	209	3	65.2	6	130.4

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Contd.								
Fulton	8,585	4,807	3,778	179	471	54.9	288	33.5
Outside cities	527	686	-159	77	38	72.1	14	26.6
White	457	450	7	102	23	50.3	10	21.9
All other	70	236	-166	30	15	214.3	4	57.1
Atlanta (part)	8,037	4,044	3,993	(5)	430	(5)	274	(5)
White	5,461	2,050	3,411	(5)	238	(5)	153	(5)
All other	2,576	1,994	582	(5)	192	(5)	121	(5)
Atlanta (total)	8,077	4,189	3,888	193	432	53.5	275	34.0
White	5,493	2,169	3,324	253	240	43.7	154	28.0
All other	2,584	2,020	564	128	192	74.3	121	46.8
District 1511, Center Hill[4]	2	3	-1	67	-	0	-	0
White	2	3	-1	67	-	0	-	0
All other	-	-	-	-	-	-	-	-
East Point	19	74	-55	26	3	157.9	-	0
White	11	56	-45	20	2	181.8	-	0
All other	8	18	-10	44	1	125.0	-	0
Gilmer	220	81	139	272	15	72.7	7	31.8
Glascock	104	16	88	650	2	19.2	5	48.1
White	62	11	51	564	-	0	3	48.4
All other	42	5	37	840	2	47.6	2	47.6
Glynn	510	300	210	170	38	74.5	30	58.8
Outside city	84	62	22	135	6	71.4	4	47.6
White	29	21	8	138	1	34.5	2	69.0
All other	55	41	14	134	5	90.9	2	36.4
Brunswick	426	238	188	179	32	75.1	26	61.0
White	302	115	187	263	18	59.6	9	29.8
All other	124	123	1	101	14	112.9	17	137.1
Gordon	442	106	336	417	15	33.9	13	29.4
Grady	452	142	310	318	20	44.2	19	42.0
White	277	93	184	298	13	46.9	12	43.3
All other	175	49	126	357	7	40.0	7	40.0
Greene	303	121	182	250	20	66.0	15	49.5
White	103	38	65	271	3	29.1	3	29.1
All other	200	83	117	241	17	85.0	12	60.0
Gwinnett	474	197	277	253	30	63.3	16	33.8
White	419	142	277	295	21	50.1	11	26.3
All other	55	45	10	122	9	163.6	5	90.9
Habersham	291	158	133	184	21	72.2	13	44.7
Hall	727	323	404	225	47	64.6	19	26.1
Outside city	388	166	222	234	22	56.7	8	20.6
Gainesville	339	157	182	216	25	73.7	11	32.4
White	298	115	183	259	19	63.8	7	23.5
All other	41	42	-1	98	6	146.3	4	97.6
Hancock	297	79	218	376	10	33.7	8	26.9
White	39	32	7	122	-	0	1	25.6
All other	258	47	211	549	10	38.8	7	27.1
Haralson	229	79	150	290	9	39.3	10	43.7
White	203	64	139	317	7	34.5	9	44.3
All other	26	15	11	173	2	76.9	1	38.5
Harris	239	89	150	269	9	37.7	9	37.7
White	62	33	29	188	2	32.3	1	16.1
All other	177	56	121	316	7	39.5	8	45.2
Hart	296	118	178	251	22	74.3	11	37.2
White	221	77	144	287	12	54.3	8	36.2
All other	75	41	34	183	10	133.3	3	40.0
Heard	113	39	74	290	5	44.2	5	44.2
White	68	28	40	243	2	29.4	3	44.1
All other	45	11	34	409	3	66.7	2	44.4
Henry	288	155	133	186	17	59.0	10	34.7
White	95	58	37	164	2	21.1	2	21.1
All other	193	97	96	199	15	77.7	8	41.5
Houston	233	96	137	243	12	51.5	12	51.5
White	51	29	22	176	-	0	2	39.2
All other	182	67	115	272	12	65.9	10	54.9
Irwin	308	73	235	422	22	71.4	13	42.2
White	163	36	127	453	11	67.5	4	24.5
All other	145	37	108	392	11	75.9	9	62.1
Jackson	462	152	310	304	29	62.8	18	39.0
White	384	127	257	302	24	62.5	14	36.5
All other	78	25	53	312	5	64.1	4	51.3
Jasper	185	91	94	203	11	59.5	7	37.8
White	47	41	6	115	4	85.1	-	0
All other	138	50	88	276	7	50.7	7	50.7
Jeff Davis	204	81	123	252	13	63.7	11	53.9
White	161	59	102	273	6	37.3	8	49.7
All other	43	22	21	195	7	162.8	3	69.8
Jefferson	450	148	302	304	13	28.9	22	48.9
White	94	52	42	181	4	42.6	2	21.3
All other	356	96	260	371	9	25.3	20	56.2
Jenkins	397	136	261	292	15	37.8	19	47.9
White	182	57	125	319	6	33.0	10	54.9
All other	215	79	136	272	9	41.9	9	41.9
Johnson	161	32	129	503	4	24.8	11	68.3
White	81	14	67	579	2	24.7	-	0
All other	80	18	62	444	2	25.0	11	137.5
Jones	180	62	118	290	8	44.4	9	50.0
White	48	15	33	320	1	20.8	1	20.8
All other	132	47	85	281	7	53.0	8	60.6
Lamar	204	106	98	192	22	107.8	12	58.8
White	84	46	38	183	8	95.2	5	59.5
All other	120	60	60	200	14	116.7	7	58.3
Lanier	68	30	38	227	5	73.5	5	73.5
White	34	18	16	189	1	29.4	3	88.2
All other	34	12	22	283	4	117.6	2	58.8
Laurens	774	363	411	213	41	53.0	55	71.1
White	447	202	245	221	23	51.5	25	55.9
All other	327	161	166	203	18	55.0	30	91.7
Lee	134	83	51	161	13	97.0	12	89.6
White	26	19	7	137	3	115.4	2	76.9
All other	108	64	44	169	10	92.6	10	92.6
Liberty	158	95	63	166	11	69.6	7	44.3
White	31	35	-4	89	-	0	-	0
All other	127	60	67	212	11	86.6	7	55.1
Lincoln	149	43	106	347	6	40.3	1	6.7
White	47	16	31	294	-	0	-	0
All other	102	27	75	378	6	58.8	1	9.8
Long	66	17	49	388	4	60.6	2	30.3
White	43	9	34	478	2	46.5	2	46.5
All other	23	8	15	288	2	87.0	-	0
Lowndes	661	292	369	226	30	45.4	28	42.4
Outside city	208	91	117	229	11	52.9	6	28.8
White	71	43	28	165	2	28.2	2	28.2
All other	137	48	89	285	9	65.7	4	29.2
Valdosta	453	201	252	225	19	41.9	22	48.6
White	270	99	171	273	12	44.4	8	29.6
All other	183	102	81	179	7	38.3	14	76.5
Lumpkin	110	33	77	333	1	9.1	2	18.2
McDuffie	192	79	113	243	11	57.3	12	62.5
White	49	34	15	144	2	40.8	3	61.2
All other	143	45	98	318	9	62.9	9	62.9
McIntosh	125	73	52	171	6	48.0	7	56.0
White	40	9	31	444	1	25.0	-	0
All other	85	64	21	133	5	58.8	7	82.4
Macon	488	184	304	265	37	75.8	13	26.6
White	128	48	80	267	3	23.4	3	23.4
All other	360	136	224	265	34	94.4	10	27.8
Madison	265	79	186	335	14	52.8	9	34.0
White	195	57	138	342	12	61.5	4	20.5
All other	70	22	48	318	2	28.6	5	71.4
Marion	179	69	110	259	16	89.4	7	39.1
White	68	27	41	252	5	73.5	2	29.4
All other	111	42	69	264	11	99.1	5	45.0
Meriwether	477	231	246	206	24	50.3	19	39.8
White	171	92	79	186	8	46.8	6	35.1
All other	306	139	167	220	16	52.3	13	42.5
Miller	167	51	116	327	4	24.0	8	47.9
White	75	31	44	242	2	26.7	4	53.3
All other	92	20	72	460	2	21.7	4	43.5
Mitchell	531	205	326	259	38	71.6	25	47.1
White	192	61	131	315	9	46.9	7	36.5
All other	339	144	195	235	29	85.5	18	53.1
Monroe	227	129	98	176	22	96.9	9	39.6
White	70	38	32	184	7	100.0	2	28.6
All other	157	91	66	173	15	95.5	7	44.6
Montgomery	169	62	107	275	12	71.0	6	35.5
White	71	23	48	309	3	42.3	1	14.1
All other	98	39	59	251	9	91.8	5	51.0
Morgan	283	116	167	244	14	49.5	15	53.0
White	84	50	34	168	7	83.3	2	23.8
All other	199	66	133	302	7	35.2	13	65.3
Murray	243	56	187	434	14	57.6	11	45.3
Muscogee	1,959	988	971	198	127	64.8	80	40.8
Outside city	127	104	23	122	12	94.5	9	70.9
White	49	53	-4	92	8	163.3	2	40.8
All other	78	51	27	153	4	51.3	7	89.7
Columbus	1,832	884	948	207	115	62.8	71	38.8
White	1,344	485	859	277	73	54.3	40	29.8
All other	488	399	89	122	42	86.1	31	63.5
Newton	364	172	192	212	15	41.2	22	60.4
White	237	81	156	293	5	21.1	4	16.9
All other	127	91	36	140	10	78.7	18	141.7
Oconee	97	63	34	154	7	72.2	5	51.5
White	51	36	15	142	3	58.8	3	58.8
All other	46	27	19	170	4	87.0	2	43.5
Oglethorpe	277	115	162	241	19	68.6	25	90.3
White	109	47	62	232	8	73.4	5	45.9
All other	168	68	100	247	11	65.5	20	119.0
Paulding	271	102	169	266	17	62.7	8	29.5
White	221	85	136	260	12	54.3	5	22.6
All other	50	17	33	294	5	100.0	3	60.0

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
GEORGIA—Contd.								
Peach	292	110	182	265	16	54.8	22	75.3
White	124	34	90	365	3	24.2	5	40.3
All other	168	76	92	221	13	77.4	17	101.2
Pickens	259	78	181	332	14	54.1	6	23.2
Pierce	261	80	181	326	10	38.3	8	30.7
White	205	47	158	436	8	39.0	6	29.3
All other	56	33	23	170	2	35.7	2	35.7
Pike	215	106	109	203	13	60.5	8	37.2
White	71	36	35	197	4	56.3	2	28.2
All other	144	70	74	206	9	62.5	6	41.7
Polk	572	195	377	293	32	55.9	21	36.7
White	463	146	317	317	21	45.4	19	41.0
All other	109	49	60	222	11	100.9	2	18.3
Pulaski	222	94	128	236	16	72.1	15	67.6
White	85	43	42	198	5	58.8	4	47.1
All other	137	51	86	269	11	80.3	11	80.3
Putnam	193	113	80	171	16	82.9	10	51.8
White	51	34	17	150	4	78.4	-	0
All other	142	79	63	180	12	84.5	10	70.4
Quitman	93	36	57	258	4	43.0	1	10.8
White	17	11	6	155	-	0	-	0
All other	76	25	51	304	4	52.6	1	13.2
Rabun	181	34	147	532	8	44.2	2	11.0
Randolph	375	168	207	223	20	53.3	30	80.0
White	120	59	61	203	5	41.7	-	0
All other	255	109	146	234	15	58.8	30	117.6
Richmond	2,073	1,302	771	159	133	64.2	69	33.3
Outside city	138	142	-4	97	11	79.7	7	50.7
White	42	72	-30	58	3	71.4	1	23.8
All other	96	70	26	137	8	83.3	6	62.5
Augusta	1,935	1,160	775	167	122	63.0	62	32.0
White	1,243	616	627	202	67	53.9	25	20.1
All other	692	544	148	127	55	79.5	37	53.5
Rockdale	118	83	35	142	11	93.2	4	33.9
White	54	50	4	108	4	74.1	1	18.5
All other	64	33	31	194	7	109.4	3	46.9
Schley	140	62	78	226	9	64.3	5	35.7
White	48	13	35	369	1	20.8	1	20.8
All other	92	49	43	188	8	87.0	4	43.5
Screven	427	171	256	250	32	74.9	34	79.6
White	115	53	62	217	5	43.5	9	78.3
All other	312	118	194	264	27	86.5	25	80.1
Seminole	290	67	223	433	16	55.2	10	34.5
White	187	35	152	534	8	42.8	3	16.0
All other	103	32	71	322	8	77.7	7	68.0
Spalding	508	347	161	146	54	106.3	42	82.7
Outside city	187	119	68	157	16	85.6	11	58.8
White	99	67	32	148	5	50.5	5	50.5
All other	88	52	36	169	11	125.0	6	68.2
Griffin	321	228	93	141	38	118.4	31	96.6
White	221	105	116	210	15	67.9	18	81.4
All other	100	123	-23	81	23	230.0	13	130.0
Stephens	315	59	256	534	8	25.4	2	6.3
White	272	46	226	591	8	29.4	2	7.4
All other	43	13	30	331	-	0	-	0
Stewart	188	83	105	227	11	58.5	4	21.3
White	34	19	15	179	2	58.8	1	29.4
All other	154	64	90	241	9	58.4	3	19.5
Sumter	598	302	296	198	39	65.2	37	61.9
White	215	95	120	226	10	46.5	7	32.6
All other	383	207	176	185	29	75.7	30	78.3
Talbot	172	76	96	226	13	75.6	10	58.1
White	17	25	-8	68	-	0	1	58.8
All other	155	51	104	304	13	83.9	9	58.1
Taliaferro	98	58	40	169	4	40.8	4	40.8
White	14	17	-3	82	-	0	-	0
All other	84	41	43	205	4	47.6	4	47.6
Tattnall	238	102	136	233	13	54.6	20	84.0
White	168	57	111	295	9	53.6	13	77.4
All other	70	45	25	156	4	57.1	7	100.0
Taylor	175	62	113	282	7	40.0	9	51.4
White	95	21	74	452	3	31.6	4	42.1
All other	80	41	39	195	4	50.0	5	62.5
Telfair	347	122	225	284	12	34.6	12	34.6
White	218	63	155	346	6	27.5	3	13.8
All other	129	59	70	219	6	46.5	9	69.8
Terrell	414	175	239	237	24	58.0	22	53.1
White	45	45	-	100	1	22.2	2	44.4
All other	369	130	239	284	23	62.3	20	54.2
Thomas	707	364	343	194	41	58.0	32	45.3
Outside city	369	130	239	284	24	65.0	13	35.2
White	124	55	69	225	8	64.5	1	8.1
All other	245	75	170	327	16	65.3	12	49.0
Thomasville	338	234	104	144	17	50.3	19	56.2
White	182	126	56	144	9	49.5	9	49.5
All other	156	108	48	144	8	51.3	10	64.1
Tift	440	185	255	238	31	70.5	26	59.1
White	288	112	176	257	17	59.0	20	69.4
All other	152	73	79	208	14	92.1	6	39.5
Toombs	383	159	224	241	19	49.6	15	39.2
White	263	114	149	231	15	57.0	5	19.0
All other	120	45	75	267	4	33.3	10	83.3
Towns	112	28	84	400	3	26.8	1	8.9
Treutlen	161	58	103	278	7	43.5	8	49.7
White	108	37	71	292	5	46.3	4	37.0
All other	53	21	32	252	2	37.7	4	75.5
Troup	1,050	519	531	198	66	64.1	47	45.6
Outside city	521	266	255	196	34	65.3	30	57.6
White	295	120	175	246	17	57.6	10	33.9
All other	226	146	80	155	17	75.2	20	88.5
La Grange	509	253	256	201	32	62.9	17	33.4
White	369	128	241	288	20	54.2	9	24.4
All other	140	125	15	112	12	85.7	8	57.1
Turner	220	73	147	301	12	54.5	5	22.7
White	112	36	76	311	6	53.6	1	8.9
All other	108	37	71	292	6	55.6	4	37.0
Twiggs	260	87	173	299	18	69.2	16	61.5
White	56	18	38	311	1	17.9	4	71.4
All other	204	69	135	296	17	83.3	12	58.8
Union	204	47	157	434	10	49.0	7	34.3
Upson	551	192	359	287	34	61.7	26	47.2
White	361	92	269	392	17	47.1	10	27.7
All other	190	100	90	190	17	89.5	16	84.2
Walker	752	182	570	413	29	38.6	21	27.9
Walton	438	210	228	209	28	63.9	21	47.9
White	239	124	115	193	15	62.8	9	37.7
All other	199	86	113	231	13	65.3	12	60.3
Ware	722	344	378	210	32	44.3	48	66.5
Outside city	176	67	109	263	7	39.8	2	11.4
White	141	52	89	271	4	28.4	2	14.2
All other	35	15	20	233	3	85.7	-	0
Waycross	546	277	269	197	25	45.8	46	84.2
White	383	161	222	238	15	39.2	30	78.3
All other	163	116	47	141	10	61.3	16	98.2
Warren	197	87	110	226	12	60.9	5	25.4
White	44	24	20	183	1	22.7	-	0
All other	153	63	90	243	11	71.9	5	32.7
Washington	560	238	322	235	26	46.4	42	75.0
White	166	103	63	161	6	36.1	6	36.1
All other	394	135	259	292	20	50.8	36	91.4
Wayne	404	89	315	454	17	42.1	14	34.7
White	324	59	265	549	13	40.1	9	27.8
All other	80	30	50	267	4	50.0	5	62.5
Webster	99	21	78	471	5	50.5	7	70.7
White	27	8	19	338	4	148.1	3	111.1
All other	72	13	59	554	1	13.9	4	55.6
Wheeler	174	43	131	405	7	40.2	4	23.0
White	101	22	79	459	4	39.6	3	29.7
All other	73	21	52	348	3	41.1	1	13.7
White	136	52	84	262	8	58.8	8	58.8
Whitfield	598	225	373	266	46	76.9	20	33.4
Outside city	202	80	122	253	13	64.4	13	64.4
Dalton	396	145	251	273	33	83.3	7	17.7
White	373	130	243	287	30	80.4	5	13.4
All other	23	15	8	153	3	130.4	2	87.0
Wilcox	198	70	128	283	11	55.6	8	40.4
White	117	36	81	325	1	8.5	5	42.7
All other	81	34	47	238	10	123.5	3	37.0
Wilkes	416	174	242	239	16	38.5	25	60.1
White	182	65	117	280	4	22.0	3	16.5
All other	234	109	125	215	12	51.3	22	94.0
Wilkinson	219	95	124	231	14	63.9	12	54.8
White	79	44	35	180	3	38.0	-	0
All other	140	51	89	275	11	78.6	12	85.7
Worth	456	169	287	270	26	57.0	27	59.2
White	188	70	118	269	7	37.2	9	47.9
All other	268	99	169	271	19	70.9	18	67.2
IDAHO (total)	11,715	4,446	7,269	263	404	34.5	205	17.5
Ada	1,121	576	545	195	48	42.8	17	15.2
Outside city	13	154	-141	8	4	307.7	1	76.9
Boise City	1,108	422	686	263	44	39.7	16	14.4
Adams	94	37	57	254	2	21.3	3	31.9
Bannock	871	286	585	305	27	31.0	11	12.6
Outside city	99	59	40	168	1	10.1	-	0
Pocatello	772	227	545	340	26	33.7	11	14.2
Bear Lake	177	58	119	305	6	33.9	4	22.6
Benewah	136	61	75	223	2	14.7	1	7.4
Bingham	407	188	219	216	22	54.1	10	24.6
Blaine	112	48	64	233	8	71.4	2	17.9
Boise	2	12	-10	17	-	0	-	0
Bonner	285	117	168	244	10	35.1	5	17.5

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
IDAHO—Continued								
Bonneville	873	227	646	385	33	37.8	18	20.6
Outside city	40	31	9	129	4	100.0	-	0
Idaho Falls	833	196	637	425	29	34.8	18	21.6
Boundary	122	50	72	244	7	57.4	1	8.2
Butte	33	8	25	413	-	0	-	0
Camas	13	8	5	163	1	76.9	-	0
Canyon	962	371	591	259	37	38.5	13	13.5
Outside city	435	185	250	235	15	34.5	7	16.1
Nampa	527	186	341	283	22	41.7	6	11.4
Caribou	75	37	38	203	5	66.7	4	53.3
Cassia	343	89	254	385	7	20.4	6	17.5
Clark	3	4	-1	75	-	0	-	0
Clearwater	167	125	42	134	7	41.9	4	24.0
Custer	52	26	26	200	1	19.2	-	0
Elmore	90	40	50	225	3	33.3	2	22.2
Franklin	285	56	229	509	8	28.1	11	38.6
Fremont	196	70	126	280	5	25.5	5	25.5
Gem	221	79	142	280	4	18.1	3	13.6
Gooding	297	87	210	341	10	33.7	4	13.5
Idaho	247	101	146	245	11	44.5	3	12.1
Jefferson	211	47	164	449	3	14.2	3	14.2
Jerome	116	38	78	305	3	25.9	3	25.9
Kootenai	365	213	152	171	15	41.1	4	11.0
Outside city	34	63	-29	54	1	29.4	-	0
Coeur d'Alene	331	150	181	221	14	42.3	4	12.1
Latah	395	166	229	238	14	35.4	5	12.7
Lemhi	111	54	57	206	7	63.1	3	27.0
Lewis	67	26	41	258	-	0	1	14.9
Lincoln	48	13	35	369	-	0	-	0
Madison	293	64	229	458	10	34.1	7	23.9
Minidoka	218	74	144	295	9	41.3	4	18.3
Nez Perce	477	225	252	212	17	34.1	11	23.1
Outside city	49	44	5	111	1	20.4	1	20.4
Lewiston	428	181	247	236	16	37.4	10	23.4
Oneida	146	34	112	429	2	13.7	1	6.8
Owyhee	26	13	13	200	-	0	1	38.5
Payette	132	70	62	189	1	7.6	-	0
Power	116	29	87	400	2	17.2	5	43.1
Shoshone	507	207	300	245	17	33.5	13	25.6
Teton	110	27	83	407	3	27.3	3	27.3
Twin Falls	926	289	637	320	25	27.0	13	14.0
Outside city	772	213	559	362	21	27.2	9	11.7
Twin Falls	154	76	78	203	4	26.0	4	26.0
Valley	77	23	54	335	5	64.9	-	0
Washington	190	73	117	260	7	36.8	1	5.3
Yellowstone National Park (part)	-	-	-	(5)	-	(5)	-	(5)
ILLINOIS (total)	134,451	85,497	48,954	157	4,567	34.0	3,186	23.7
Adams	1,193	849	344	141	47	39.4	24	20.1
Outside city	104	184	-80	57	5	48.1	-	0
Quincy	1,089	665	424	164	42	38.6	24	22.0
Alexander	563	349	214	161	45	79.9	34	60.4
Outside city	207	72	135	288	13	62.8	8	38.6
White	143	43	100	333	8	55.9	6	42.0
All other	64	29	35	221	5	78.1	2	31.3
Cairo	356	277	79	129	32	89.9	26	73.0
White	261	156	105	167	21	80.5	15	57.5
All other	95	121	-26	79	11	115.8	11	115.8
Bond	130	105	25	124	3	23.1	4	30.8
Boone	313	178	135	176	10	31.9	6	19.2
Brown	100	80	20	125	3	30.0	2	20.0
Bureau	656	447	209	147	25	38.1	15	22.9
Calhoun	163	69	94	236	7	42.9	5	30.7
Carroll	241	193	48	125	8	33.2	6	24.9
Cass	315	190	125	166	13	41.3	12	38.1
Champaign	1,337	683	654	196	52	38.9	25	18.7
Outside cities	281	258	23	109	16	56.9	5	17.8
Champaign	602	239	363	252	20	33.2	12	19.9
Urbana	454	186	268	244	16	35.2	8	17.6
Christian	718	356	362	202	38	52.9	18	25.1
Clark	237	192	45	123	9	38.0	3	12.7
Clay	359	157	202	229	12	33.4	3	8.4
Clinton	386	219	167	176	13	33.7	8	20.7
Outside city	383	214	169	179	13	33.9	8	20.9
Centralia (part)	3	5	-2	(5)	-	(5)	-	(5)
Coles	676	411	265	164	20	29.6	25	37.0
Outside city	331	205	126	161	9	27.2	14	42.3
Mattoon	345	206	139	167	11	31.9	11	31.9
Cook	68,266	43,279	24,987	158	1,930	28.3	1,584	23.2
Outside cities	2,293	3,950	-1,657	58	76	33.1	49	21.4
Berwyn	823	340	483	242	16	19.4	10	12.2
Blue Island	733	196	537	374	27	36.8	10	13.6
Brookfield	7	59	-52	12	-	0	-	0
Calumet City	18	74	-56	24	-	0	-	0
Chicago	57,333	35,619	21,714	161	1,608	28.0	1,363	23.8
White	51,353	31,455	19,898	163	1,362	26.5	1,194	23.3
All other	5,980	4,164	1,816	144	246	41.1	169	26.3

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
ILLINOIS—Contd.								
Cook—Continued								
Chicago Heights	696	259	437	269	27	38.8	19	27.3
Cicero	30	297	-267	10	6	200.0	2	66.7
Elgin (part)	77	2	75	(5)	1	(5)	-	(5)
Elmwood Park	11	40	-29	28	1	90.9	-	0
Evanston	2,256	760	1,496	297	60	26.6	36	16.0
Forest Park	6	111	-105	5	-	0	-	0
Harvey	636	171	465	372	20	31.4	13	20.4
La Grange	3	60	-57	5	-	0	-	0
Maywood	14	142	-128	10	-	0	-	0
Melrose Park	405	127	278	319	14	34.6	10	24.7
Oak Park	2,921	863	2,058	338	74	25.3	72	24.6
Park Ridge	2	63	-61	3	-	0	-	0
Wilmette	2	81	-79	2	-	0	-	0
Winnetka	-	65	-65	0	-	-	-	-
Crawford	387	240	147	161	12	31.0	10	25.8
Cumberland	181	91	90	199	6	33.1	2	11.0
De Kalb	694	401	293	173	23	33.1	17	24.5
De Witt	263	195	68	135	9	34.2	6	22.8
Douglas	349	179	170	195	13	37.2	8	22.9
Du Page	923	783	140	118	24	26.0	20	21.7
Outside city	366	605	-239	60	10	27.3	10	27.3
Elmhurst	557	178	379	313	14	25.1	10	18.0
Edgar	390	314	76	124	23	59.0	12	30.8
Edwards	124	78	46	159	6	48.4	2	16.1
Effingham	528	268	260	197	20	37.9	8	15.2
Fayette	569	272	297	209	28	49.2	17	29.9
Ford	191	136	55	140	9	47.1	6	31.4
Franklin	914	448	466	204	38	41.6	20	21.9
Outside city	544	313	231	174	24	44.1	12	22.1
West Frankfort	370	135	235	274	14	37.8	8	21.6
Fulton	780	457	323	171	27	34.6	16	20.5
Outside city	282	229	53	123	5	17.7	5	17.7
Canton	498	228	270	218	22	44.2	11	22.1
Gallatin	217	103	114	211	11	50.7	10	46.1
Greene	355	197	158	180	9	25.4	10	28.2
Grundy	309	178	131	174	10	32.4	9	29.1
Hamilton	228	143	85	159	9	39.5	6	26.3
Hancock	276	252	24	110	11	39.9	3	10.9
Hardin	177	83	94	213	12	67.8	2	11.3
Henderson	85	68	17	125	2	23.5	2	23.5
Henry	764	509	255	150	34	44.5	24	31.4
Outside city	289	277	12	104	11	38.1	15	51.9
Kewanee	475	232	243	205	23	48.4	9	18.9
Iroquois	522	316	206	165	21	40.2	7	13.4
Jackson	739	398	341	186	39	52.8	22	29.8
Jasper	162	105	57	154	3	18.5	4	24.7
Jefferson	687	356	331	193	35	50.9	27	39.3
Outside city	343	133	210	258	12	35.0	11	32.1
Mount Vernon	344	223	121	154	23	66.9	16	46.5
Jersey	201	105	96	191	5	24.9	3	14.9
Jo Daviess	189	194	-5	97	3	15.9	6	31.7
Johnson	161	95	66	169	15	93.2	1	6.2
Kane	2,904	2,017	887	144	105	36.2	54	18.6
Outside cities	356	399	-43	89	15	42.1	8	22.5
Aurora	1,605	740	865	217	57	35.5	23	14.3
Elgin (part)	943	878	65	(5)	33	(5)	23	(5)
Elgin (total)	1,020	880	140	116	34	33.3	23	22.5
Kankakee	996	1,209	-213	82	52	52.2	27	27.1
Outside city	264	870	-606	30	8	30.3	5	18.9
Kankakee	732	339	393	216	44	60.1	22	30.1
Kendall	26	78	-52	33	-	0	-	0
Knox	845	624	221	135	24	28.4	16	18.9
Outside city	127	162	-35	78	4	31.5	2	15.7
Galesburg	718	462	256	155	20	27.9	14	19.5
Lake	1,970	1,103	867	179	63	32.0	39	19.8
Outside cities	1,210	738	472	164	37	30.6	24	19.8
Highland Park	263	116	147	227	4	15.2	6	22.8
Waukegan	497	249	248	200	22	44.3	9	18.1
La Salle	1,722	1,088	634	158	51	29.6	37	21.5
Outside cities	405	499	-94	81	13	32.1	4	9.9
La Salle	302	175	127	173	9	29.8	11	36.4
Ottawa	446	188	258	237	10	22.4	13	29.1
Streator	569	226	343	252	19	33.4	9	15.8
Lawrence	299	187	112	160	16	53.5	2	6.7
Lee	625	462	163	135	31	49.6	18	28.8
Outside city	193	328	-135	59	16	82.9	2	10.4
Dixon	432	134	298	322	15	34.7	16	37.0
Livingston	477	367	110	130	14	29.4	4	8.4
Logan	444	424	20	105	27	60.8	18	40.5
Outside city	70	125	-55	56	1	14.3	3	42.9
Lincoln	374	299	75	125	26	69.5	15	40.1
McDonough	531	346	185	153	19	35.8	13	24.5
McHenry	516	390	126	132	23	44.6	13	25.2
McLean	1,487	849	638	175	38	25.6	30	20.2
Outside city	483	366	117	132	11	22.8	14	29.0
Bloomington	1,004	483	521	208	27	26.9	16	15.9

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
ILLINOIS—Contd.								
Macon	1,683	949	734	177	63	37.4	35	20.8
Outside city	109	150	-41	73	6	55.0	1	9.2
Decatur	1,574	799	775	197	57	36.2	34	21.6
Macoupin	464	379	85	122	16	34.5	14	30.2
Madison	2,831	1,616	1,215	175	104	36.7	87	30.7
Outside cities	762	854	-92	89	17	22.3	30	39.4
Alton	1,382	501	881	276	60	43.4	43	31.1
Granite City	687	261	426	263	27	39.3	14	20.4
Marion	1,049	443	606	237	58	55.3	20	19.1
Outside city	369	208	161	177	21	56.9	9	24.4
Centralia (part)	680	235	445	([8])	37	([8])	11	([8])
Centralia (total)	683	240	443	285	37	54.2	11	16.1
Marshall	128	117	11	109	6	46.9	1	7.8
Mason	149	136	13	110	5	33.6	3	20.1
Massac	294	192	102	153	18	61.2	12	40.8
White	265	158	107	168	16	60.4	10	37.7
All other	29	34	-5	85	2	69.0	2	69.0
Menard	113	71	42	159	2	17.7	1	8.8
Mercer	174	133	41	131	5	28.7	3	17.2
Monroe	101	120	-19	84	3	29.7	3	29.7
Montgomery	756	426	330	177	24	31.7	20	26.5
Morgan	576	750	-174	77	23	39.9	24	41.7
Outside city	133	152	-19	88	6	45.1	5	37.6
Jacksonville	443	598	-155	74	17	38.4	19	42.9
Moultrie	160	147	13	109	8	50.0	2	12.5
Ogle	292	243	49	120	10	34.2	6	20.5
Peoria	3,615	1,989	1,626	182	113	31.3	92	25.4
Outside city	265	641	-376	41	8	30.2	6	22.6
Peoria	3,350	1,348	2,002	249	105	31.3	86	25.7
Perry	441	261	180	169	29	65.8	7	15.9
Piatt	196	104	92	188	4	20.4	5	25.5
Pike	280	224	56	125	13	46.4	4	14.3
Pope	115	66	49	174	12	104.3	1	8.7
Pulaski	259	182	77	142	30	115.8	8	30.9
White	148	92	56	161	13	87.8	3	20.3
All other	111	90	21	123	17	153.2	5	45.0
Putnam	22	35	-13	63	1	45.5	-	0
Randolph	548	314	234	175	26	47.4	16	29.2
Richland	467	232	235	201	26	55.7	9	19.3
Rock Island	2,315	1,339	976	173	94	40.6	40	17.3
Outside cities	85	130	-45	65	8	94.1	3	35.3
East Moline	22	242	-220	9	1	45.5	2	90.9
Moline	1,595	515	1,080	310	46	28.8	24	15.0
Rock Island	613	452	161	136	39	63.6	11	17.9
St. Clair	2,841	1,872	969	152	129	45.4	92	32.4
Outside cities	367	516	-149	71	17	46.3	9	24.5
Belleville	736	435	301	169	26	35.0	26	35.3
East St. Louis	1,738	921	817	189	84	48.3	57	32.8
White	1,501	710	791	211	60	40.0	33	22.0
All other	237	211	26	112	24	101.3	24	101.3
Saline	697	411	286	170	33	47.3	25	35.9
Outside city	393	242	151	162	20	50.9	15	38.2
Harrisburg	304	169	135	180	13	42.8	10	32.9
Sangamon	2,106	1,400	706	150	80	38.0	65	30.9
Outside city	249	252	-3	99	3	12.0	4	16.1
Springfield	1,857	1,148	709	162	77	41.5	61	32.8
Schuyler	116	96	20	121	4	34.5	4	34.5
Scott	95	86	9	110	5	52.6	1	10.5
Shelby	474	269	205	176	12	25.3	10	21.1
Stark	71	68	3	104	1	14.1	-	0
Stephenson	864	538	326	161	29	33.6	17	19.7
Outside city	109	127	-18	86	3	27.5	4	36.7
Freeport	755	411	344	184	26	34.4	13	17.2
Tazewell	654	391	263	167	19	29.1	12	18.3
Outside city	159	205	-46	78	7	44.0	2	12.6
Pekin	495	186	309	266	12	24.2	10	20.2
Union	393	464	-71	85	24	61.1	8	20.4
Vermilion	1,474	1,102	372	134	70	47.5	32	21.7
Outside city	375	471	-98	79	13	34.9	6	16.1
Danville	1,101	631	470	174	57	51.8	26	23.6
Wabash	283	118	165	240	7	24.7	5	17.7
Warren	451	249	202	181	11	24.4	7	15.5
Washington	167	147	20	114	3	18.0	3	18.0
Wayne	384	168	216	229	18	46.9	12	31.3
White	389	194	195	201	11	28.3	6	15.4
Whiteside	781	387	394	202	37	47.4	21	26.9
Outside city	295	202	93	146	12	40.7	7	23.7
Sterling	486	185	301	263	25	51.4	14	28.8
Will	1,962	1,237	725	159	68	34.7	34	17.3
Outside city	164	458	-294	36	7	42.7	2	12.2
Joliet	1,798	779	1,019	231	61	33.9	32	17.8
Williamson	827	556	271	149	59	71.3	30	36.3
Winnebago	2,368	1,259	1,109	188	98	41.4	60	25.3
Outside city	184	319	-135	58	12	65.2	3	16.3
Rockford	2,184	940	1,244	232	86	39.4	57	26.1
Woodford	166	152	14	109	1	6.0	4	24.1
Section B—Continued								
INDIANA (total)	66,036	39,701	26,335	166	2,630	39.8	1,372	20.8
Adams	479	227	252	211	12	25.1	9	18.8
Allen	2,917	1,707	1,210	171	103	35.3	57	19.5
Outside city	301	349	-48	86	8	26.6	5	16.6
Fort Wayne	2,616	1,358	1,258	193	95	36.3	52	19.9
Bartholomew	608	315	293	193	19	31.3	18	29.6
Outside city	232	164	68	141	8	34.5	7	30.2
Columbus	376	151	225	249	11	29.3	11	29.3
Benton	97	94	3	103	2	20.6	4	41.2
Blackford	284	156	128	182	8	28.2	6	21.1
Boone	432	301	131	144	18	41.7	4	9.3
Brown	90	53	37	170	8	88.9	2	22.2
Carroll	162	124	38	131	1	6.2	-	0
Cass	726	679	47	107	42	57.9	14	19.3
Outside city	140	327	-187	43	6	42.9	1	7.1
Logansport	586	352	234	166	36	61.4	13	22.2
Clark	622	364	258	171	28	45.0	15	24.1
Outside city	306	186	120	165	12	39.2	4	13.1
Jeffersonville	316	178	138	178	16	50.6	11	34.8
White	294	153	141	192	16	54.4	11	37.4
All other	22	25	-3	88	-	0	-	0
Clay	401	295	106	136	8	20.0	10	24.9
Clinton	480	317	163	151	18	37.5	11	22.9
Outside city	107	142	-35	75	4	37.4	-	0
Frankfort	373	175	198	213	14	37.5	11	29.5
Crawford	196	111	85	177	13	66.3	6	30.6
Daviess	587	382	205	154	36	61.3	5	8.5
Dearborn	240	206	34	117	10	41.7	2	8.3
Decatur	332	265	67	125	10	30.1	9	27.1
De Kalb	465	308	157	151	20	43.0	5	10.8
Delaware	1,690	791	899	214	66	39.1	43	25.4
Outside city	201	186	15	108	5	24.9	1	5.0
Muncie	1,489	605	884	246	61	41.0	42	28.2
Dubois	475	199	276	239	21	44.2	8	16.8
Elkhart	1,495	779	716	192	44	29.4	33	22.1
Outside cities	272	287	-15	95	10	36.8	8	29.4
Elkhart	770	373	397	206	19	24.7	17	22.1
Goshen	453	119	334	381	15	33.1	8	17.7
Fayette	473	265	208	178	25	52.9	10	21.1
Outside city	90	53	37	170	5	55.6	1	11.1
Connersville	383	212	171	181	20	52.2	9	23.5
Floyd	747	516	231	145	39	52.2	15	20.1
Outside city	106	120	-14	88	2	18.9	3	28.3
New Albany	641	396	245	162	37	57.7	12	18.7
Fountain	187	141	46	133	7	37.4	5	26.7
Franklin	183	120	63	153	6	32.8	3	16.4
Fulton	269	207	62	130	12	44.6	4	14.9
Gibson	550	331	219	166	19	34.5	6	10.9
Grant	1,172	667	505	176	57	48.6	31	26.5
Outside city	372	309	63	120	17	45.7	8	21.5
Marion	800	358	442	223	40	50.0	23	28.8
Greene	546	365	181	150	19	34.8	3	5.5
Hamilton	371	294	77	126	19	51.2	8	21.6
Hancock	167	189	-22	88	5	29.9	6	35.9
Harrison	308	162	146	190	18	58.4	4	13.0
Hendricks	135	210	-75	64	8	59.3	3	22.2
Henry	843	514	329	164	34	40.3	20	23.7
Outside city	601	382	219	157	26	43.3	15	25.0
New Castle	242	132	110	183	8	33.1	5	20.7
Howard	1,027	545	482	188	59	57.4	20	19.5
Outside city	159	122	37	130	6	37.7	2	12.6
Kokomo	868	423	445	205	53	61.1	18	20.7
Huntington	482	365	117	132	14	29.0	10	20.7
Outside city	137	174	-37	79	6	43.8	3	21.9
Huntington	345	191	154	181	8	23.2	7	20.3
Jackson	531	280	251	190	19	35.8	12	22.6
Jasper	369	195	174	189	23	62.3	6	16.3
Jay	446	265	181	168	20	44.8	5	11.2
Jefferson	407	404	3	101	16	39.3	17	41.8
Jennings	199	164	35	121	9	45.2	10	50.3
Johnson	279	263	16	106	16	57.3	5	17.9
Knox	798	516	282	155	47	58.9	27	33.8
Outside city	385	220	165	175	19	49.4	12	31.2
Vincennes	413	296	117	140	28	67.8	15	36.3
Kosciusko	522	341	181	153	14	26.8	15	28.7
Lagrange	223	154	69	145	5	22.4	5	22.4
Lake	6,860	2,587	4,273	265	263	38.3	146	21.3
Outside cities	254	358	-104	71	11	43.3	1	3.9
East Chicago	1,439	562	877	256	76	52.8	41	28.5
White	1,298	475	823	273	60	46.2	34	26.2
All other	141	87	54	162	16	113.5	7	49.6
Gary	3,184	1,038	2,146	307	113	35.5	73	22.9
White	2,746	774	1,972	355	88	32.0	57	20.8
All other	438	264	174	166	25	57.1	16	36.5
Hammond	1,951	580	1,371	336	62	31.8	30	15.4
Whiting	32	49	-17	65	1	31.3	1	31.3

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
INDIANA—Contd.								
La Porte	1,401	826	575	170	51	36.4	31	22.1
Outside cities	99	161	-62	61	5	50.5	1	10.1
La Porte	719	332	387	217	22	30.6	15	20.9
Michigan City	583	333	250	175	24	41.2	15	25.7
Lawrence	722	391	331	185	35	48.5	12	16.6
Outside city	383	183	200	209	13	33.9	6	15.7
Bedford	339	208	131	163	22	64.9	6	17.7
Madison	1,792	923	869	194	84	46.9	28	15.6
Outside cities	384	295	89	130	18	46.9	6	15.6
Anderson	1,037	464	573	223	51	49.2	17	16.4
Elwood	371	164	207	226	15	40.4	5	13.5
Marion	9,519	6,085	3,434	156	409	43.0	190	20.0
Outside city	1,565	677	888	231	29	18.5	26	16.6
Indianapolis	7,954	5,408	2,546	147	380	47.8	164	20.6
White	6,921	4,609	2,312	150	321	46.4	143	20.7
All other	1,033	799	234	129	59	57.1	21	20.3
Marshall	460	274	186	168	10	21.7	5	10.9
Martin	180	76	104	237	4	22.2	4	22.2
Miami	500	380	120	132	23	46.0	8	16.0
Outside city	135	156	-21	87	5	37.0	-	0
Peru	365	224	141	163	18	49.3	8	21.9
Monroe	710	310	400	229	30	42.3	16	22.5
Outside city	339	132	207	257	13	38.3	9	26.5
Bloomington	371	178	193	208	17	45.8	7	18.9
Montgomery	432	340	92	127	13	30.1	10	23.1
Outside city	87	131	-44	66	3	34.5	2	23.0
Crawfordsville	345	209	136	165	10	29.0	8	23.2
Morgan	333	228	105	146	12	36.0	9	27.0
Newton	132	81	51	163	4	30.3	1	7.6
Noble	443	315	128	141	10	22.6	6	13.5
Ohio	42	30	12	140	1	23.8	-	0
Orange	312	171	141	182	8	25.6	9	28.8
Owen	177	124	53	143	8	45.2	1	5.6
Parke	205	241	-36	85	6	29.3	3	14.6
Perry	364	153	211	238	14	38.5	9	24.7
Pike	238	143	95	166	10	42.0	2	8.4
Porter	488	307	181	159	21	43.0	13	26.6
Posey	272	183	89	149	9	33.1	4	14.7
Pulaski	258	121	137	213	11	42.6	10	38.8
Putnam	305	219	86	139	7	23.0	4	13.1
Randolph	492	335	157	147	14	28.5	9	18.3
Ripley	478	248	230	193	16	33.5	17	35.6
Rush	278	227	51	122	12	43.2	5	18.0
St. Joseph	3,094	1,500	1,594	206	111	35.9	60	19.4
Outside cities	167	280	-113	60	7	41.9	2	12.0
Mishawaka	791	265	526	298	31	39.2	22	27.8
South Bend	2,136	955	1,181	224	73	34.2	36	16.9
Scott	273	89	184	307	7	25.6	4	14.7
Shelby	398	346	52	115	16	40.2	6	15.1
Outside city	139	168	-29	83	11	79.1	3	21.6
Shelbyville	259	178	81	146	5	19.3	3	11.6
Spencer	282	183	99	154	13	46.1	4	14.2
Starke	152	118	34	129	9	59.2	3	19.7
Steuben	201	212	-11	95	9	44.8	7	34.8
Sullivan	417	297	120	140	18	43.2	7	16.8
Switzerland	112	95	17	118	8	71.4	3	26.8
Tippecanoe	1,304	819	485	159	54	41.4	25	19.2
Outside city	60	206	-146	29	1	16.7	-	0
Lafayette	1,244	613	631	203	53	42.6	25	20.1
Tipton	257	166	91	155	4	15.6	8	31.1
Union	53	59	-6	90	-	0	1	18.9
Vanderburgh	2,928	1,739	1,189	168	113	38.6	76	26.0
Outside city	423	394	29	107	7	16.5	14	33.1
Evansville	2,505	1,345	1,160	186	106	42.3	62	24.8
Vermillion	333	251	82	133	10	30.0	6	18.0
Vigo	1,763	1,266	497	139	70	39.7	37	21.0
Outside city	345	262	83	132	9	26.1	5	14.5
Terre Haute	1,418	1,004	414	141	61	43.0	32	22.6
Wabash	475	306	169	155	11	23.2	6	12.6
Warren	153	85	68	180	3	19.6	5	32.7
Warrick	274	161	113	170	13	47.4	8	29.2
Washington	316	172	144	184	12	38.0	8	25.3
Wayne	1,170	789	381	148	46	39.3	24	20.5
Outside city	890	497	393	179	36	40.4	18	20.2
Richmond	280	292	-12	96	10	35.7	6	21.4
Wells	362	268	94	135	11	30.4	4	11.0
White	160	140	20	114	3	18.8	3	18.8
Whitley	154	176	-22	88	7	45.5	4	26.0
IOWA (total)	46,826	25,743	21,083	182	1,710	36.5	1,006	21.5
Adair	224	116	108	193	12	53.6	2	8.9
Adams	145	74	71	196	5	34.5	3	20.7
Allamakee	312	160	152	195	14	44.9	3	9.6
Appanoose	442	256	186	173	21	47.5	14	31.7
Audubon	153	77	76	199	8	52.3	2	13.1
Benton	377	176	201	214	11	29.2	7	18.6

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
IOWA—Continued								
Black Hawk	1,808	737	1,071	245	51	28.2	41	22.7
Outside city	833	302	531	276	20	24.0	20	24.0
Waterloo	975	435	540	224	31	31.8	21	21.5
Boone	388	321	67	121	15	38.7	11	28.4
Outside city	105	151	-46	70	6	57.1	2	19.0
Boone	283	170	113	166	9	31.8	9	31.8
Bremer	334	215	119	155	13	38.9	11	32.9
Buchanan	321	311	10	103	12	37.4	7	21.8
Buena Vista	345	187	158	184	10	29.0	11	31.9
Butler	200	126	74	159	8	40.0	-	0
Calhoun	315	166	149	190	7	22.2	6	19.0
Carroll	674	287	387	235	30	44.5	13	19.3
Cass	338	198	140	171	8	23.7	7	20.7
Cedar	104	124	-20	84	5	48.1	1	9.6
Cerro Gordo	879	441	438	199	40	45.5	21	23.9
Outside city	130	110	20	118	2	15.4	4	30.8
Mason City	749	331	418	226	38	50.7	17	22.7
Cherokee	307	236	71	130	8	26.1	1	3.3
Chickasaw	264	150	114	176	5	18.9	5	18.9
Clarke	236	110	126	215	11	46.6	5	21.2
Clay	351	150	201	234	14	39.9	11	31.3
Clayton	344	202	142	170	14	40.7	3	8.7
Clinton	803	504	299	159	35	43.6	17	21.2
Outside city	96	133	-37	72	7	72.9	-	0
Clinton	707	371	336	191	28	39.6	17	24.0
Crawford	277	149	128	186	10	36.1	3	10.8
Dallas	341	240	101	142	15	44.0	7	20.5
Davis	146	76	70	192	4	27.4	1	6.8
Decatur	221	149	72	148	5	22.6	9	40.7
Delaware	287	166	121	173	14	48.8	7	24.4
Des Moines	826	489	337	169	28	33.9	25	30.3
Outside city	44	75	-31	59	-	0	1	22.7
Burlington	782	414	368	189	28	35.8	24	30.7
Dickinson	166	109	57	152	5	30.1	4	24.1
Dubuque	1,403	755	648	186	37	26.4	38	27.1
Outside city	242	109	133	222	4	16.5	1	4.1
Dubuque	1,161	646	515	180	33	28.4	37	31.9
Emmet	334	120	214	278	13	38.9	4	12.0
Fayette	529	272	257	194	21	39.7	13	24.6
Floyd	365	184	181	198	14	38.4	7	19.2
Franklin	229	138	91	166	11	48.0	5	21.8
Fremont	232	137	95	169	9	38.8	3	12.9
Greene	304	136	168	224	21	69.1	4	13.2
Grundy	125	84	41	149	3	24.0	-	0
Guthrie	218	131	87	166	2	9.2	1	4.6
Hamilton	337	182	155	185	9	26.7	6	17.8
Hancock	174	75	99	232	2	11.5	2	11.5
Hardin	405	207	198	196	20	49.4	6	14.8
Harrison	263	157	106	168	5	19.0	7	26.6
Henry	247	291	-44	85	13	52.6	5	20.2
Howard	248	132	116	188	12	48.4	8	32.3
Humboldt	134	86	48	156	8	59.7	1	7.5
Ida	162	100	62	162	1	6.2	8	49.4
Iowa	201	150	51	134	4	19.9	2	10.0
Jackson	253	203	50	125	14	55.3	9	35.6
Jasper	419	257	162	163	24	57.3	7	16.7
Outside city	182	123	59	148	6	33.0	5	27.5
Newton	237	134	103	177	18	75.9	2	8.4
Jefferson	246	165	81	149	9	36.6	7	28.5
Johnson	2,200	925	1,275	238	94	42.7	63	28.6
Outside city	88	131	-43	67	2	22.7	1	11.4
Iowa City	2,112	794	1,318	266	92	43.6	62	29.4
Jones	373	196	177	190	8	21.4	6	16.1
Keokuk	231	152	79	152	8	34.6	3	13.0
Kossuth	574	168	406	342	14	24.4	13	22.6
Lee	898	567	331	158	50	55.7	22	24.5
Outside cities	77	88	-11	88	6	77.9	-	0
Fort Madison	304	190	114	160	14	46.1	9	29.6
Keokuk	517	289	228	179	30	58.0	13	25.1
Linn	1,636	916	720	179	44	26.9	33	20.2
Outside city	162	209	-47	78	5	30.9	2	12.3
Cedar Rapids	1,474	707	767	208	39	26.5	31	21.0
Louisa	104	118	-14	88	3	28.8	2	19.2
Lucas	227	150	77	151	9	39.6	5	22.0
Lyon	269	118	151	228	12	44.6	3	11.2
Madison	225	125	100	180	8	35.6	3	13.3
Mahaska	461	312	149	148	21	45.6	13	28.2
Outside city	130	115	15	113	4	30.8	3	23.1
Oskaloosa	331	197	134	168	17	51.4	10	30.2
Marion	345	271	74	127	13	37.7	2	5.8
Marshall	813	447	366	182	32	39.4	13	16.0
Outside city	98	154	-56	64	5	51.0	1	10.2
Marshalltown	715	293	422	244	27	37.8	12	16.8
Mills	138	120	18	115	4	29.0	2	14.5
Mitchell	267	112	155	238	10	37.5	5	18.7
Monona	339	105	234	323	5	14.7	5	14.7

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
IOWA—Continued								
Monroe	198	152	46	130	9	45.5	2	10.1
Montgomery	271	169	102	160	12	44.3	8	29.5
Muscatine	535	388	147	138	21	39.3	15	28.0
Outside city	60	104	-44	58	-	0	2	33.3
Muscatine	475	284	191	167	21	44.2	13	27.1
O'Brien	378	180	198	210	11	29.1	4	10.6
Osceola	227	83	144	273	15	66.1	8	35.2
Page	454	388	66	117	14	30.8	9	19.8
Palo Alto	255	136	119	188	8	31.4	1	3.9
Plymouth	468	210	258	223	15	32.1	12	25.6
Pocahontas	165	100	65	165	4	24.2	7	42.4
Polk	3,889	2,132	1,757	182	141	36.3	72	18.5
Outside city	269	201	68	134	2	7.4	3	11.2
Des Moines	3,620	1,931	1,689	187	139	38.4	69	19.1
Pottawattamie	1,177	730	447	161	51	43.3	30	25.5
Outside city	168	145	23	116	1	6.0	3	17.9
Council Bluffs	1,009	585	424	172	50	49.6	27	26.8
Poweshiek	318	177	141	180	8	25.2	7	22.0
Ringgold	151	80	71	189	4	26.5	4	26.5
Sac	165	110	55	150	7	42.4	2	12.1
Scott	1,719	1,062	657	162	61	35.5	45	26.2
Outside city	50	164	-114	30	2	40.0	-	0
Davenport	1,669	898	771	186	59	35.4	45	27.0
Shelby	283	125	158	226	9	31.8	6	21.2
Sioux	574	211	363	272	22	38.3	11	19.2
Story	586	236	350	248	17	29.0	13	22.2
Outside city	248	150	98	165	5	20.2	8	32.3
Ames	338	86	252	393	12	35.5	5	14.8
Tama	205	184	21	111	2	9.8	3	14.6
Taylor	203	131	72	155	3	14.8	2	9.9
Union	289	202	87	143	17	58.8	13	45.0
Van Buren	159	120	39	133	3	18.9	2	12.6
Wapello	891	528	363	169	38	42.6	22	24.7
Outside city	86	147	-61	59	5	58.1	-	0
Ottumwa	805	381	424	211	33	41.0	22	27.3
Warren	217	157	60	138	5	23.0	2	9.2
Washington	372	167	205	223	5	13.4	9	24.2
Wayne	159	129	30	123	7	44.0	7	44.0
Webster	1,048	388	660	270	33	31.5	19	18.1
Outside city	105	80	25	131	2	19.0	1	9.5
Fort Dodge	943	308	635	306	31	32.9	18	19.1
Winnebago	368	115	253	320	8	21.7	6	16.3
Winneshiek	459	203	256	226	12	26.1	8	17.4
Woodbury	2,346	1,048	1,298	224	106	45.2	58	24.7
Outside city	285	139	146	205	6	21.1	5	17.5
Sioux City	2,061	909	1,152	227	100	48.5	53	25.7
Worth	95	74	21	128	2	21.1	1	10.5
Wright	346	162	184	214	15	43.4	4	11.6
KANSAS (total)	30,143	18,467	11,676	163	1,140	37.8	651	21.6
Allen	322	238	84	135	14	43.5	6	18.6
Anderson	182	114	68	160	3	16.5	1	5.5
Atchison	339	233	106	145	18	53.1	6	17.7
Outside city	21	74	-53	28	1	47.6	-	0
Atchison	318	159	159	200	17	53.5	6	18.9
White	300	133	167	226	15	50.0	3	10.0
All other	18	26	-8	69	2	111.1	3	166.7
Barber	76	55	21	138	1	13.2	1	13.2
Barton	746	238	508	313	22	29.5	14	18.8
Bourbon	383	292	91	131	19	49.6	10	26.1
Outside city	67	58	9	116	-	0	-	0
Fort Scott	316	234	82	135	19	60.1	10	31.6
Brown	272	201	71	135	14	51.5	4	14.7
Butler	405	231	174	175	13	32.1	17	42.0
Outside city	116	98	18	118	2	17.2	6	51.7
El Dorado	289	133	156	217	11	38.1	11	38.1
Chase	83	38	45	218	4	48.2	3	36.1
Chautauqua	137	68	69	201	6	43.8	3	21.9
Cherokee	528	278	250	190	22	41.7	11	20.8
Cheyenne	108	32	76	338	4	37.0	1	9.3
Clark	103	34	69	303	4	38.8	1	9.7
Clay	246	164	82	150	9	36.6	2	8.1
Cloud	337	234	103	144	25	74.2	5	14.8
Coffey	164	88	76	186	6	36.6	2	12.2
Comanche	67	24	43	279	2	29.9	-	0
Cowley	649	427	222	152	21	32.4	16	24.7
Outside city	385	305	80	126	13	33.8	13	33.8
Arkansas City	264	122	142	216	8	30.3	3	11.4
Crawford	686	484	202	142	28	40.8	22	32.1
Outside city	516	357	159	145	24	46.5	18	34.9
Pittsburg	170	127	43	134	4	23.5	4	23.5
Decatur	104	69	35	151	3	28.8	5	48.1
Dickinson	333	241	92	138	16	48.0	8	24.0
Doniphan	181	104	77	174	4	22.1	2	11.0
Douglas	395	277	118	143	13	32.9	9	22.8
Outside city	47	72	-25	65	-	0	1	21.3
Lawrence	348	205	143	170	13	37.4	8	23.0

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
KANSAS—Continued								
Edwards	82	46	36	178	3	36.6	3	36.6
Elk	95	57	38	167	1	10.5	2	21.1
Ellis	587	173	414	339	23	39.2	8	13.6
Ellsworth	175	122	53	143	3	17.1	6	34.3
Finney	291	94	197	310	8	27.5	2	6.9
Ford	401	220	181	182	20	49.9	10	24.9
Franklin	308	220	88	140	8	26.0	9	29.2
Outside city	88	82	6	107	-	0	5	56.8
Ottawa	220	138	82	159	8	36.4	4	18.2
Geary	392	157	235	250	20	51.0	3	7.7
Gove	100	44	56	227	7	70.0	2	20.0
Graham	75	38	37	197	4	53.3	3	40.0
Grant	11	9	2	122	-	0	-	0
Gray	56	18	38	311	1	17.9	1	17.9
Greeley	15	9	6	167	-	0	-	0
Greenwood	231	140	91	165	8	34.6	9	39.0
Hamilton	68	18	50	378	2	29.4	2	29.4
Harper	262	190	72	138	13	49.6	9	34.4
Harvey	463	325	138	142	13	28.1	9	19.4
Outside city	64	157	-93	41	1	15.6	1	15.6
Newton	399	168	231	238	12	30.1	8	20.1
Haskell	54	10	44	540	2	37.0	1	18.5
Hodgeman	26	19	7	137	1	38.5	1	38.5
Jackson	237	137	100	173	5	21.1	6	25.3
Jefferson	142	86	56	165	5	35.2	2	14.1
Jewell	127	98	29	130	3	23.6	-	0
Johnson	200	231	-31	87	8	40.0	5	25.0
Kearny	57	21	36	271	3	52.6	2	35.1
Kingman	202	90	112	224	4	19.8	6	29.7
Kiowa	69	32	37	216	1	14.5	1	14.5
Labette	520	376	144	138	25	48.1	12	23.1
Outside city	406	191	215	213	21	51.7	11	27.1
Parsons	114	185	-71	62	4	35.1	1	8.8
Lane	48	12	36	400	2	41.7	1	20.8
Leavenworth	509	566	-57	90	18	35.4	16	31.4
Outside city	115	296	-181	39	2	17.4	-	0
Leavenworth	394	270	124	146	16	40.6	16	40.6
White	342	237	105	144	14	40.9	13	38.0
All other	52	33	19	158	2	38.5	3	57.7
Lincoln	75	52	23	144	2	26.7	-	0
Linn	173	116	57	149	9	52.0	-	0
Logan	34	14	20	243	1	29.4	-	0
Lyon	468	284	184	165	12	25.6	7	15.0
Outside city	71	79	-8	90	2	28.2	-	0
Emporia	397	205	192	194	10	25.2	7	17.6
McPherson	326	209	117	156	7	21.5	8	24.5
Marion	309	154	155	201	13	42.1	7	22.7
Marshall	321	207	114	155	15	46.7	7	21.8
Meade	74	29	45	255	2	27.0	2	27.0
Miami	221	256	-35	86	5	22.6	2	9.0
Mitchell	229	131	98	175	8	34.9	6	26.2
Montgomery	810	542	268	149	37	45.7	20	24.7
Outside cities	229	166	63	138	8	34.9	4	17.5
Coffeyville	352	182	170	193	16	45.5	13	36.9
White	311	161	150	193	14	45.0	11	35.4
All other	41	21	20	195	2	48.8	2	48.8
Independence	229	194	35	118	13	56.8	3	13.1
White	213	167	46	128	11	51.6	2	9.4
All other	16	27	-11	59	2	125.0	1	62.5
Morris	146	107	39	136	4	27.4	2	13.7
Morton	53	21	32	252	1	18.9	1	18.9
Nemaha	258	172	86	150	11	42.6	5	19.4
Neosho	339	228	111	149	9	26.5	11	32.4
Outside city	168	79	89	213	3	17.9	3	17.9
Chanute	171	149	22	115	6	35.1	8	46.8
Ness	102	52	50	196	3	29.4	4	39.2
Norton	157	188	-31	84	3	19.1	5	31.8
Osage	202	158	44	128	3	14.9	3	14.9
Osborne	96	74	22	130	3	31.3	2	20.8
Ottawa	92	85	7	108	6	65.2	-	0
Pawnee	85	164	-79	52	6	70.6	1	11.8
Phillips	120	83	37	145	2	16.7	3	25.0
Pottawatomie	193	114	79	169	9	46.6	3	15.5
Pratt	197	103	94	191	7	35.5	7	35.5
Rawlins	53	62	-9	85	3	56.6	-	0
Reno	999	468	531	213	21	21.0	17	17.0
Outside city	110	148	-38	74	2	18.2	1	9.1
Hutchinson	889	320	569	278	19	21.4	16	18.0
Republic	152	136	16	112	3	19.7	5	32.9
Rice	279	141	138	198	8	28.7	9	32.3
Riley	400	225	175	178	22	55.0	5	12.5
Outside city	33	66	-33	50	-	0	-	0
Manhattan	367	159	208	231	22	59.9	5	13.6
Rooks	115	57	58	202	2	17.4	5	43.5
Rush	103	53	50	194	9	87.4	-	0
Russell	131	58	73	226	3	22.9	3	22.9

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
KANSAS—Continued								
Saline	511	314	197	163	18	35.2	18	35.2
Outside city	16	55	-39	29	-	0	1	62.5
Salina	495	259	236	191	18	36.4	17	34.3
Scott	124	39	85	318	3	24.2	2	16.1
Sedgwick	3,294	1,565	1,729	210	128	38.9	75	22.8
Outside city	293	289	4	101	24	81.9	3	10.2
Wichita	3,001	1,276	1,725	235	104	34.7	72	24.0
Seward	211	71	140	297	9	42.7	3	14.2
Shawnee	1,557	1,209	348	129	68	43.7	34	21.8
Outside city	137	323	-186	42	5	36.5	2	14.6
Topeka	1,420	886	534	160	63	44.4	32	22.5
Sheridan	69	23	46	300	1	14.5	2	29.0
Sherman	167	68	99	246	6	35.9	5	29.9
Smith	130	95	35	137	3	23.1	6	46.2
Stafford	145	84	61	173	4	27.6	3	20.7
Stanton	3	9	-6	33	1	333.3	-	0
Stevens	39	11	28	355	4	102.6	-	0
Sumner	328	274	54	120	18	54.9	8	24.4
Thomas	148	56	90	261	4	27.4	1	6.8
Trego	66	26	40	254	2	30.3	-	0
Wabaunsee	62	57	5	109	2	32.3	1	16.1
Wallace	15	7	8	214	-	0	-	0
Washington	163	119	44	137	5	30.7	4	24.5
Wichita	32	12	20	267	2	62.5	-	0
Wilson	309	183	126	169	14	45.3	8	25.9
Woodson	106	74	32	143	3	28.3	1	9.4
Wyandotte	2,705	1,706	999	159	114	42.1	50	18.5
Outside city	83	146	-63	57	3	36.1	3	36.1
Kansas City	2,622	1,560	1,062	168	111	42.3	47	17.9
White	2,227	1,245	982	179	90	40.4	35	15.7
All other	395	315	80	125	21	53.2	12	30.4
KENTUCKY (total)	63,430	30,115	33,315	211	3,720	58.6	1,904	30.0
Adair	384	160	224	240	30	78.1	11	28.6
Allen	288	164	124	176	19	66.0	11	38.2
Anderson	154	95	59	162	10	64.9	7	45.5
Ballard	139	89	50	156	4	28.8	3	21.6
Barren	627	343	284	183	44	70.2	24	38.3
Bath	223	108	115	206	11	49.3	6	26.9
Bell	1,318	525	793	251	123	93.3	44	33.4
Outside city	947	322	625	294	90	95.0	30	31.7
Middlesborough	371	203	168	183	33	88.9	14	37.7
Boone	156	101	55	154	7	44.9	6	38.5
Bourbon	342	228	114	150	18	52.6	17	49.7
White	283	153	130	185	14	49.5	14	49.5
All other	59	75	-16	79	4	67.8	3	50.8
Boyd	1,108	441	667	251	63	56.9	18	16.2
Outside city	281	127	154	221	20	71.2	6	21.4
Ashland	827	314	513	263	43	52.0	12	14.5
Boyle	342	235	107	146	23	67.3	14	40.9
White	310	182	128	170	19	61.3	10	32.3
All other	32	53	-21	60	4	125.0	4	125.0
Bracken	125	106	19	118	8	64.0	5	40.0
Breathitt	690	163	527	423	35	50.7	24	34.8
Breckinridge	348	181	167	192	18	51.7	16	46.0
Bullitt	165	103	62	160	12	72.7	3	18.2
Butler	289	114	175	254	17	58.8	7	24.2
Caldwell	252	164	88	154	14	55.6	14	55.6
White	238	139	99	171	12	50.4	10	42.0
All other	14	25	-11	56	2	142.9	4	285.7
Calloway	324	187	137	173	14	43.2	7	21.6
Campbell	779	679	100	115	43	55.2	25	32.1
Outside cities	529	396	133	134	35	66.2	17	32.1
Fort Thomas	46	69	-23	67	-	0	1	21.7
Newport	204	214	-10	95	8	39.2	7	34.3
Carlisle	138	86	52	160	8	58.0	3	21.7
Carroll	142	98	44	145	8	56.3	7	49.3
Carter	706	258	448	274	62	87.8	38	53.8
Casey	530	121	409	438	21	39.6	11	20.8
Christian	564	738	-174	76	43	76.2	28	49.6
Outside city	368	476	-108	77	25	67.9	18	48.9
White	280	348	-68	80	18	64.3	8	28.6
All other	88	128	-40	69	7	79.5	10	113.6
Hopkinsville	196	262	-66	75	18	91.8	10	51.0
White	159	132	27	120	7	44.0	7	44.0
All other	37	130	-93	28	11	297.3	3	81.1
Clark	359	247	112	145	28	78.0	10	27.9
White	326	182	144	179	26	79.8	7	21.5
All other	33	65	-32	51	2	60.6	3	90.9
Clay	693	171	522	405	42	60.6	17	24.5
Clinton	258	76	182	339	16	62.0	4	15.5
Crittenden	205	119	86	172	7	34.1	11	53.7
Cumberland	250	99	151	253	8	32.0	8	32.0
Daviess	1,172	539	633	217	72	61.4	34	29.0
Outside city	370	160	210	231	20	54.1	3	8.1
Owensboro	802	379	423	212	52	64.8	31	38.7
Section B—Continued								
KENTUCKY—Contd.								
Edmonson	306	93	213	329	32	104.6	11	35.9
Elliott	214	69	145	310	18	84.1	5	23.4
Estill	418	126	292	332	25	59.8	10	23.9
Fayette	1,566	1,301	265	120	75	47.9	42	26.8
Outside city	103	186	-83	55	6	58.3	1	9.7
White	88	157	-69	56	5	56.8	-	0
All other	15	29	-14	52	1	66.7	1	66.7
Lexington	1,463	1,115	348	131	69	47.2	41	28.0
White	1,239	805	434	154	44	35.5	33	26.6
All other	224	310	-86	72	25	111.6	8	35.7
Fleming	297	139	158	214	16	53.9	11	37.0
Floyd	1,515	393	1,122	385	95	62.7	45	29.7
Franklin	438	286	152	153	30	68.5	26	59.4
Outside city	137	67	70	204	9	65.7	5	36.5
Frankfort	301	219	82	137	21	69.8	21	69.8
White	285	192	93	148	19	66.7	18	63.2
All other	16	27	-11	59	2	125.0	3	187.5
Fulton	400	212	188	189	38	95.0	11	27.5
White	329	159	170	207	29	88.1	11	33.4
All other	71	53	18	134	9	126.8	-	0
Gallatin	96	49	47	196	5	52.1	1	10.4
Garrard	188	94	94	200	10	53.2	5	26.6
White	161	68	93	237	3	18.6	4	24.8
All other	27	26	1	104	7	259.3	1	37.0
Grant	170	124	46	137	6	35.3	4	23.5
Graves	565	383	182	148	36	63.7	21	37.2
Grayson	411	148	263	278	17	41.4	13	31.6
Green	255	107	148	238	10	39.2	8	31.4
Greenup	547	182	365	301	40	73.1	9	16.5
Hancock	136	88	48	155	8	58.8	12	88.2
Hardin	633	287	346	221	28	44.2	17	26.9
Harlan	2,206	690	1,516	320	196	88.8	83	37.6
White	2,038	603	1,435	338	183	89.8	73	35.8
All other	168	87	81	193	13	77.4	10	59.5
Harrison	247	189	58	131	9	36.4	5	20.2
Hart	334	150	184	223	28	83.8	11	32.9
Henderson	550	343	207	160	29	52.7	17	30.9
Outside city	244	128	116	191	11	45.1	6	24.6
White	212	106	106	200	10	47.2	4	18.9
All other	32	22	10	145	1	31.3	2	62.5
Henderson	306	215	91	142	18	58.8	11	35.9
White	261	165	96	158	12	46.0	11	42.1
All other	45	50	-5	90	6	133.3	-	0
Henry	207	103	104	201	2	9.7	4	19.3
Hickman	93	93	-	100	5	53.8	2	21.5
White	71	74	-3	96	4	56.3	2	28.2
All other	22	19	3	116	1	45.5	-	0
Hopkins	752	430	322	175	41	54.5	25	33.2
White	684	373	311	183	38	55.6	23	33.6
All other	68	57	11	119	3	44.1	2	29.4
Jackson	437	97	340	451	28	64.1	14	32.0
Jefferson	8,361	5,364	2,997	156	408	48.8	221	26.4
Outside city	517	839	-322	62	19	36.8	6	11.6
Louisville	7,844	4,525	3,319	173	389	49.6	215	27.4
White	7,025	3,640	3,385	193	348	49.5	185	26.3
All other	819	885	-66	93	41	50.1	30	36.6
Jessamine	151	115	36	131	10	66.2	6	39.7
White	131	95	36	138	9	68.7	6	45.8
All other	20	20	-	100	1	50.0	-	0
Johnson	699	288	411	243	56	80.1	8	11.4
Kenton	2,083	1,235	848	169	114	54.7	61	29.3
Outside city	278	206	-28	86	6	33.7	1	5.6
Covington	1,805	1,029	876	185	108	56.7	60	31.5
Knott	622	82	540	759	15	24.1	17	27.3
Knox	928	285	643	326	76	81.9	24	25.9
Larue	190	99	91	192	10	52.6	3	15.8
Laurel	612	194	418	315	27	44.1	12	19.6
Lawrence	399	191	208	209	29	72.7	12	30.1
Lee	177	55	122	322	6	33.9	5	28.2
Leslie	530	78	452	679	21	39.6	16	30.2
Letcher	1,349	315	1,034	428	84	62.3	42	31.1
Lewis	400	150	250	267	27	67.5	11	27.5
Lincoln	445	172	273	259	26	58.4	11	24.7
Livingston	186	95	91	196	9	48.4	7	37.6
Logan	436	307	129	142	26	59.6	17	39.0
White	375	244	131	154	20	53.3	15	40.0
All other	61	63	-2	97	6	98.4	2	32.8
Lyon	131	93	38	141	9	68.7	4	30.5
White	126	79	47	159	9	71.4	4	31.7
All other	5	14	-9	36	-	0	-	0
McCracken	935	561	374	167	48	51.3	29	31.0
Outside city	240	129	111	186	9	37.5	4	16.7
Paducah	695	432	263	161	39	56.1	25	36.0
White	605	315	290	192	25	41.3	20	33.1
All other	90	117	-27	77	14	155.6	5	55.6
McCreary	555	105	450	529	29	52.3	28	50.5

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 38)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
KENTUCKY—Contd.								
McLean	194	87	107	223	20	103.1	6	30.9
Madison	592	369	223	160	41	69.3	14	23.6
White	556	314	242	177	36	64.7	12	21.6
All other	36	55	-19	65	5	138.9	2	55.6
Magoffin	481	104	377	463	23	47.8	12	24.9
Marion	465	185	280	251	38	81.7	13	28.0
Marshall	348	129	219	270	14	40.2	12	34.5
Martin	347	74	273	469	28	80.7	9	25.9
Mason	402	235	167	171	25	62.2	12	29.9
White	367	196	171	187	21	57.2	10	27.2
All other	35	39	-4	90	4	114.3	2	57.1
Meade	197	91	106	216	12	60.9	3	15.2
Menifee	164	45	119	364	6	36.6	5	30.5
Mercer	228	176	52	130	16	70.2	5	21.9
Metcalfe	233	96	137	243	7	30.0	11	47.2
Monroe	335	123	212	272	20	59.7	11	32.8
Montgomery	257	163	94	158	16	62.3	14	54.5
White	237	131	106	181	14	59.1	9	38.0
All other	20	32	-12	63	2	100.0	5	250.0
Morgan	396	125	271	317	20	50.5	12	30.3
Muhlenberg	848	384	464	221	70	82.5	24	28.3
Nelson	386	181	205	213	22	57.0	7	18.1
Nicholas	166	122	44	136	7	42.2	2	12.0
Ohio	438	234	204	187	17	38.8	18	41.1
Oldham	170	102	68	167	7	41.2	3	17.6
White	155	92	63	168	7	45.2	3	19.4
All other	15	10	5	150	-	0	-	0
Owen	171	118	53	145	12	70.2	1	5.8
Owsley	227	31	196	732	4	17.6	4	17.6
Pendleton	156	90	66	173	10	64.1	2	12.8
Perry	1,336	324	1,012	412	77	57.6	46	34.4
Pike	2,085	536	1,549	389	135	64.7	56	26.9
Powell	188	70	118	269	10	53.2	9	47.9
Pulaski	971	277	694	351	35	36.0	35	36.0
Robertson	69	26	43	265	2	29.0	2	29.0
Rockcastle	497	114	383	436	18	36.2	10	20.1
Rowan	349	103	246	339	18	51.6	18	51.6
Russell	197	83	114	237	12	60.9	6	30.5
Scott	272	178	94	153	9	33.1	8	29.4
White	243	138	105	176	8	32.9	6	24.7
All other	29	40	-11	73	1	34.5	2	69.0
Shelby	341	212	129	161	9	26.4	8	23.5
White	299	174	125	172	9	30.1	8	26.8
All other	42	38	4	111	-	0	-	0
Simpson	234	146	88	160	13	55.6	7	29.9
White	214	112	102	191	11	51.4	7	32.7
All other	20	34	-14	59	2	100.0	-	0
Spencer	142	51	91	278	10	70.4	2	14.1
Taylor	306	168	138	182	24	78.4	8	26.1
Todd	234	162	72	144	15	64.1	14	59.8
White	185	113	72	164	11	59.5	10	54.1
All other	49	49	-	100	4	81.6	4	81.6
Trigg	247	131	116	189	13	52.6	8	32.4
White	211	95	116	222	10	47.4	7	33.2
All other	36	36	-	100	3	83.3	1	27.8
Trimble	104	45	59	231	8	76.9	3	28.8
Union	334	170	164	196	16	47.9	5	15.0
White	295	147	148	201	14	47.5	3	10.2
All other	39	23	16	170	2	51.3	2	51.3
Warren	719	485	234	148	50	69.5	20	27.8
Outside city	356	213	143	167	14	39.3	6	16.9
Bowling Green	363	272	91	133	36	99.2	14	38.6
White	309	215	94	144	27	87.4	7	22.7
All other	54	57	-3	95	9	166.7	7	129.6
Washington	300	98	202	306	15	50.0	6	20.0
Wayne	476	128	348	372	22	46.2	20	42.0
Webster	292	194	98	151	16	54.8	6	20.5
White	259	157	102	165	12	46.3	6	23.2
All other	33	37	-4	89	4	121.2	-	0
Whitley	805	254	551	317	42	52.2	16	19.9
Wolfe	320	83	237	386	22	68.8	7	21.9
Woodford	171	115	56	149	9	52.6	5	29.2
White	157	79	78	199	7	44.6	5	31.8
All other	14	36	-22	39	2	142.9	-	0
LOUISIANA (total)	54,672	24,066	30,606	227	3,158	57.8	2,034	37.2
Acadia	1,102	336	766	328	66	59.9	40	36.3
White	867	243	624	358	48	55.4	24	27.7
All other	235	93	142	253	18	76.6	16	68.1
Allen	466	163	303	286	30	64.4	17	36.5
White	355	97	258	366	17	47.9	14	39.4
All other	111	66	45	168	13	117.1	3	27.0
Ascension	462	174	288	266	20	43.3	14	30.3
White	325	80	245	406	5	15.4	6	18.5

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
LOUISIANA—Contd.								
Assumption	452	133	319	340	20	44.2	15	33.2
White	237	49	188	484	3	12.7	3	12.7
All other	215	84	131	256	17	79.1	12	55.8
Avoyelles	808	307	501	263	48	59.4	27	33.4
White	547	186	361	294	28	51.2	10	18.3
All other	261	121	140	216	20	76.6	17	65.1
Beauregard	338	149	189	227	16	47.3	12	35.5
White	278	107	171	260	13	46.8	9	32.4
All other	60	42	18	143	3	50.0	3	50.0
Bienville	460	148	312	311	15	32.6	22	47.8
White	169	60	109	282	2	11.8	8	47.3
All other	291	88	203	331	13	44.7	14	48.1
Bossier	362	192	170	189	14	38.7	10	27.6
White	116	89	27	130	5	43.1	2	17.2
All other	246	103	143	239	9	36.6	8	32.5
Caddo	4,468	2,186	2,282	204	345	77.2	206	46.1
Outside city	608	311	297	195	35	57.6	26	42.8
White	204	103	101	198	5	24.5	2	9.8
All other	404	208	196	194	30	74.3	24	59.4
Shreveport	3,860	1,875	1,985	206	310	80.3	180	46.6
White	2,098	876	1,222	239	123	58.6	55	26.2
All other	1,762	999	763	176	187	106.1	125	70.9
Calcasieu	1,256	447	809	281	73	58.1	49	39.0
Outside city	540	191	349	283	25	46.3	19	35.2
White	408	137	271	298	13	31.9	12	29.4
All other	132	54	78	244	12	90.9	7	53.0
Lake Charles	716	256	460	280	48	67.0	30	41.9
White	532	142	390	375	25	47.0	15	28.2
All other	184	114	70	161	23	125.0	15	81.5
Caldwell	254	72	182	353	11	43.3	7	27.6
White	194	43	151	451	5	25.8	3	15.5
All other	60	29	31	207	6	100.0	4	66.7
Cameron	88	31	57	284	4	45.5	6	68.2
Catahoula	277	73	204	379	6	21.7	13	46.9
White	165	41	124	402	3	18.2	4	24.2
All other	112	32	80	350	3	26.8	9	80.4
Claiborne	552	157	395	352	22	39.9	10	18.1
White	104	64	40	163	2	19.2	6	57.7
All other	448	93	355	482	20	44.6	4	8.9
Concordia	271	169	102	160	18	66.4	12	44.3
White	100	39	61	256	4	40.0	3	30.0
All other	171	130	41	132	14	81.9	9	52.6
De Soto	675	254	421	266	34	50.4	33	48.9
White	172	109	63	158	6	34.9	3	17.4
All other	503	145	358	347	28	55.7	30	59.6
East Baton Rouge	2,133	859	1,274	248	124	58.1	96	45.0
Outside city	1,477	535	942	276	83	56.2	53	35.9
White	998	268	730	372	39	39.1	28	28.1
All other	479	267	212	179	44	91.9	25	52.2
Baton Rouge	656	324	332	202	41	62.5	43	65.5
White	463	200	263	232	21	45.4	17	36.7
All other	193	124	69	156	20	103.6	26	134.7
East Carroll	415	171	244	243	16	38.6	18	43.4
White	131	34	97	385	5	38.2	-	0
All other	284	137	147	207	11	38.7	18	63.4
East Feliciana	317	436	-119	73	22	69.4	7	22.1
White	49	173	-124	28	4	81.6	-	0
All other	268	263	5	102	18	67.2	7	26.1
Evangeline	473	140	333	338	16	33.8	5	10.6
White	308	105	203	293	7	22.7	3	9.7
All other	165	35	130	471	9	54.5	2	12.1
Franklin	753	150	603	502	20	26.6	27	35.9
White	416	54	362	770	6	14.4	13	31.3
All other	337	96	241	351	14	41.5	14	41.5
Grant	158	96	62	165	5	31.6	8	50.6
White	88	62	26	142	4	45.5	7	79.5
All other	70	34	36	206	1	14.3	1	14.3
Iberia	737	328	409	225	43	58.3	22	29.9
Outside city	370	155	215	239	23	62.2	10	27.0
White	168	67	101	251	7	41.7	4	23.8
All other	202	88	114	230	16	79.2	6	29.7
New Iberia	367	173	194	212	20	54.5	12	32.7
White	295	98	197	301	10	33.9	7	23.7
All other	72	75	-3	96	10	138.9	5	69.4
Iberville	595	320	275	186	55	92.4	28	47.1
White	265	139	126	191	18	67.9	6	22.6
All other	330	181	149	182	37	112.1	22	66.7
Jackson	381	91	290	419	16	42.0	12	31.5
White	264	62	202	426	10	37.9	6	22.7
All other	117	29	88	403	6	51.3	6	51.3
Jefferson	231	274	-43	84	13	56.3	8	34.6
Outside city	189	216	-27	88	11	58.2	4	21.2
White	172	161	11	107	10	58.1	4	23.3
All other	17	55	-38	31	1	58.8	-	0
Gretna	42	58	-16	72	2	47.6	4	95.2
White	38	35	4	111	1	25.6	3	76.9

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
LOUISIANA—Contd.								
Jefferson Davis	615	177	438	347	26	42.3	17	27.6
White	428	114	314	375	13	30.4	7	16.4
All other	187	63	124	297	13	69.5	10	53.5
Lafayette	1,917	638	1,279	300	137	71.5	67	35.0
Outside city	439	127	312	346	22	50.1	4	9.1
White	216	78	138	277	8	37.0	1	4.6
All other	223	49	174	455	14	62.8	3	13.5
Lafayette	1,478	511	967	289	115	77.8	63	42.6
White	952	274	678	347	61	64.1	22	23.1
All other	526	237	289	222	54	102.7	41	77.9
Lafourche	871	251	620	347	51	58.6	27	31.0
White	720	178	542	404	38	52.8	14	19.4
All other	151	73	78	207	13	86.1	13	86.1
La Salle	241	66	175	365	7	29.0	6	24.9
White	210	59	151	356	6	28.6	5	23.8
All other	31	7	24	443	1	32.3	1	32.3
Lincoln	531	163	368	326	19	35.8	12	22.6
White	253	97	156	261	8	31.6	3	11.9
All other	278	66	212	421	11	39.6	9	32.4
Livingston	303	71	232	427	10	33.0	5	16.5
White	268	47	221	570	7	26.1	5	18.7
All other	35	24	11	146	3	85.7	-	0
Madison	404	166	238	243	23	56.9	19	47.0
White	109	33	76	330	5	45.9	1	9.2
All other	295	133	162	222	18	61.0	18	61.0
Morehouse	596	247	349	241	39	65.4	35	58.7
White	241	82	159	294	11	45.6	12	49.8
All other	355	165	190	215	28	78.9	23	64.8
Natchitoches	1,017	357	660	285	58	57.0	44	43.3
White	451	164	287	275	13	28.8	10	22.2
All other	566	193	373	293	45	79.5	34	60.1
Orleans, coextensive with New Orleans	13,285	7,473	5,812	178	750	56.5	499	37.6
White	7,939	4,598	3,341	173	357	45.0	246	31.0
All other	5,346	2,875	2,471	186	393	73.5	253	47.3
Ouachita	1,413	786	627	180	107	75.7	62	43.9
Outside city	363	179	184	203	17	46.8	5	13.8
White	207	95	112	218	10	48.3	2	9.7
All other	156	84	72	186	7	44.9	3	19.2
Monroe	1,050	607	443	173	90	85.7	57	54.3
White	787	325	462	242	53	67.3	30	38.1
All other	263	282	-19	93	37	140.7	27	102.7
Plaquemines	223	94	129	237	15	67.3	5	22.4
White	105	49	56	214	4	38.1	1	9.5
All other	118	45	73	262	11	93.2	4	33.9
Pointe Coupee	529	218	311	243	27	51.0	30	56.7
White	209	61	148	343	5	23.9	5	23.9
All other	320	157	163	204	22	68.8	25	78.1
Rapides	2,266	1,361	905	166	147	64.9	120	53.0
Outside city	1,317	1,021	296	129	100	75.9	82	62.3
White	762	527	235	145	50	65.6	39	51.2
All other	555	494	61	112	50	90.1	43	77.5
Alexandria	949	340	609	279	47	49.5	38	40.0
White	750	217	533	346	33	44.0	22	29.3
All other	199	123	76	162	14	70.4	16	80.4
Red River	285	96	189	297	10	35.1	12	42.1
White	112	27	85	415	-	0	1	8.9
All other	173	69	104	251	10	57.8	11	63.6
Richland	638	224	414	285	39	61.1	15	23.5
White	395	89	306	444	22	55.7	2	5.1
All other	243	135	108	180	17	70.0	13	53.5
Sabine	434	138	296	314	25	57.6	10	23.0
White	353	108	245	327	20	56.7	5	14.2
All other	81	30	51	270	5	61.7	5	61.7
St. Bernard	17	36	-19	47	2	117.6	-	0
White	15	27	-12	56	-	0	-	0
All other	2	9	-7	22	2	1,000.0	-	0
St. Charles	124	58	66	214	3	24.2	1	8.1
White	83	26	57	319	1	12.0	1	12.0
All other	41	32	9	128	2	48.8	-	0
St. Helena	129	43	86	300	3	23.3	2	15.5
White	48	21	27	229	2	41.7	-	0
All other	81	22	59	368	1	12.3	2	24.7
St. James	363	132	231	275	22	60.6	10	27.5
White	170	44	126	386	4	23.5	1	5.9
All other	193	88	105	219	18	93.3	9	46.6
St. John the Baptist	247	129	118	191	21	85.0	7	28.3
White	94	37	57	254	1	10.6	1	10.6
All other	153	92	61	166	20	130.7	6	39.2
St. Landry	1,676	555	1,121	302	131	78.2	58	34.6
White	612	238	374	257	34	55.6	14	22.9
All other	1,064	317	747	336	97	91.2	44	41.4
St. Martin	573	173	400	331	45	78.5	9	15.7
White	322	86	236	374	14	43.5	3	9.3
All other	251	87	164	289	31	123.5	6	23.9
St. Mary	913	286	627	319	36	39.4	35	38.3
White	537	120	417	448	13	24.2	10	18.6
All other	376	166	210	227	23	61.2	25	66.5
St. Tammany	304	166	138	183	15	49.3	14	46.1
White	181	102	79	177	5	27.6	5	27.6
All other	123	64	59	192	10	81.3	9	73.2
Tangipahoa	1,090	386	704	282	59	54.1	42	38.5
White	715	231	484	310	38	53.1	21	29.4
All other	375	155	220	242	21	56.0	21	56.0
Tensas	356	126	230	283	13	36.5	9	25.3
White	106	19	87	558	3	28.3	1	9.4
All other	250	107	143	234	10	40.0	8	32.0
Terrebonne	924	246	678	376	44	47.6	19	20.6
White	702	153	549	459	26	39.9	12	17.1
All other	222	93	129	239	16	72.1	7	31.5
Union	391	108	283	362	10	25.6	9	23.0
White	208	64	144	325	8	38.5	4	19.2
All other	183	44	139	416	2	10.9	5	27.3
Vermilion	731	240	491	305	48	65.7	24	32.8
White	634	196	438	323	39	61.5	19	30.0
All other	97	44	53	220	9	92.8	5	51.5
Vernon	323	149	174	217	16	49.5	3	9.3
White	301	121	180	249	14	46.5	3	10.0
All other	22	28	-6	79	2	90.9	-	0
Washington	720	236	484	305	38	52.8	27	37.5
Outside city	336	95	241	354	17	50.6	12	35.7
White	196	63	133	311	6	30.6	5	25.5
All other	140	32	108	438	11	78.6	7	50.0
Bogalusa	384	141	243	272	21	54.7	15	39.1
White	268	79	189	339	13	48.5	8	29.9
All other	116	62	54	187	8	69.0	7	60.3
Webster	739	205	534	360	33	44.7	15	20.3
White	475	113	362	420	15	31.6	8	16.8
All other	264	92	172	287	18	68.2	7	26.5
West Baton Rouge	177	110	67	161	17	96.0	13	73.4
White	48	31	17	155	1	20.8	1	20.8
All other	129	79	50	163	16	124.0	12	93.0
West Carroll	370	81	289	457	14	37.8	8	21.6
White	285	48	237	594	7	24.6	5	17.5
All other	85	33	52	258	7	82.4	3	35.3
West Feliciana	216	109	107	198	15	69.4	10	46.3
White	26	15	11	173	-	0	-	0
All other	190	94	96	202	15	78.9	10	52.6
Winn	237	110	127	215	11	46.4	10	42.2
White	161	75	86	215	7	43.5	5	31.1
All other	76	35	41	217	4	52.6	5	65.8
MAINE (total)	15,855	10,451	5,404	152	812	51.2	422	26.6
Androscoggin	1,543	994	549	155	88	57.0	39	25.3
Outside cities	188	170	18	111	10	53.2	5	26.6
Auburn	107	167	-60	64	5	46.7	2	18.7
Lewiston	1,248	657	591	190	73	58.5	32	25.6
Aroostook	2,394	869	1,525	275	187	78.1	61	25.5
Cumberland	2,677	1,883	794	142	121	45.2	55	20.5
Outside cities	474	498	-24	95	22	46.4	10	21.1
Portland	2,035	1,193	842	171	87	42.8	39	19.2
South Portland	10	103	-93	10	5	500.0	-	0
Westbrook	158	89	69	178	7	44.3	6	38.0
Franklin	399	256	143	156	19	47.6	15	37.6
Hancock	477	435	42	110	24	50.3	9	18.9
Kennebec	1,510	1,048	462	144	67	44.4	34	22.5
Outside cities	503	508	-5	99	20	39.8	12	23.9
Augusta	455	286	169	159	23	50.5	9	19.8
Waterville	552	254	298	217	24	43.5	13	23.6
Knox	383	390	-7	98	14	36.6	10	26.1
Lincoln	252	246	6	102	6	23.8	9	35.7
Oxford	690	435	255	159	27	39.1	14	20.3
Penobscot	1,955	1,313	642	149	92	47.1	59	30.2
Outside city	1,257	649	608	194	51	40.6	35	27.8
Bangor	698	664	34	105	41	58.7	24	34.4
Piscataquis	336	191	145	176	11	32.7	10	29.8
Sagadahoc	405	267	138	152	20	49.4	11	27.2
Outside city	72	92	-20	78	3	41.7	2	27.8
Bath	333	175	158	190	17	51.1	9	27.0
Somerset	599	422	177	142	27	45.1	18	30.1
Waldo	290	300	-10	97	14	48.3	14	48.3
Washington	593	441	152	134	35	59.0	18	30.4
York	1,352	961	391	141	60	44.4	46	34.0
Outside city	749	689	60	109	33	44.1	27	36.0
Biddeford	603	272	331	222	27	44.8	19	31.5

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
MARYLAND (total)	34,287	21,967	12,320	156	1,802	52.6	1,311	38.2
Allegany	2,111	902	1,209	234	124	58.7	80	37.9
Outside city	759	360	399	211	38	50.1	24	31.6
Cumberland	1,352	542	810	249	86	63.6	56	41.4
Anne Arundel	1,057	781	276	135	61	57.7	43	40.7
Outside city	564	589	-25	96	36	63.8	25	44.3
White	283	292	-9	97	15	53.0	9	31.8
All other	281	297	-16	95	21	74.7	16	56.9
Annapolis	493	192	301	257	25	50.7	18	36.5
White	426	126	300	338	18	42.3	9	21.1
All other	67	66	1	102	7	104.5	9	134.3
Baltimore	1,111	1,361	-250	82	27	24.3	38	34.2
Outside cities	970	1,222	-252	79	25	25.8	35	36.1
White	880	1,130	-250	78	22	25.0	32	36.4
All other	90	92	-2	98	3	33.3	3	33.3
District 12 [4]	105	61	44	172	1	9.5	2	19.0
District 13 [4]	36	78	-42	46	1	27.8	1	27.8
Baltimore (city)	19,306	11,624	7,682	166	992	51.4	724	37.5
White	14,915	8,721	6,194	171	601	40.3	473	31.7
All other	4,391	2,903	1,488	151	391	89.0	251	57.2
Calvert	240	116	124	207	15	62.5	14	58.3
White	108	62	46	174	6	55.6	1	9.3
All other	132	54	78	244	9	68.2	13	98.5
Caroline	342	154	188	222	21	61.4	10	29.2
White	249	123	126	202	14	56.2	7	28.1
All other	93	31	62	300	7	75.3	3	32.3
Carroll	408	720	-312	57	15	36.8	4	9.8
Cecil	520	370	150	141	19	36.5	22	42.3
Charles	456	168	288	271	29	63.6	13	28.5
White	209	90	119	232	10	47.8	3	14.4
All other	247	78	169	317	19	76.9	10	40.5
Dorchester	468	404	64	116	33	70.5	21	44.9
Outside city	172	209	-37	82	13	75.6	11	64.0
White	86	145	-59	59	1	11.6	3	34.9
All other	86	64	22	134	12	139.5	8	93.0
Cambridge	296	195	101	152	20	67.6	10	33.8
White	210	126	84	167	11	52.4	2	9.5
All other	86	69	17	125	9	104.7	8	93.0
Frederick	1,147	724	423	158	59	51.4	39	34.0
Outside city	783	494	289	159	37	47.3	27	34.5
Frederick	364	230	134	158	22	60.4	12	33.0
White	349	211	138	165	20	57.3	11	31.5
All other	15	19	-4	79	2	133.3	1	66.7
Garrett	463	180	283	257	20	43.2	18	38.9
Harford	564	411	153	137	23	49.6	13	23.0
White	483	337	146	143	16	33.1	11	22.8
All other	81	74	7	109	12	148.1	2	24.7
Howard	234	148	86	158	14	59.8	6	25.6
White	179	111	68	161	9	50.3	2	11.2
All other	55	37	18	149	5	90.9	4	72.7
Kent	234	155	79	151	4	17.1	15	64.1
White	154	104	50	148	1	6.5	5	32.5
All other	80	51	29	157	3	37.5	10	125.0
Montgomery	1,232	681	551	181	47	38.1	44	35.7
White	1,057	583	474	181	32	30.3	35	33.1
All other	175	98	77	179	15	85.7	9	51.4
Prince Georges	516	676	-160	76	39	75.6	25	48.4
White	372	457	-85	81	19	51.1	14	37.6
All other	144	219	-75	66	20	138.9	11	76.4
Queen Annes	185	148	37	125	10	54.1	14	75.7
White	108	105	3	103	3	27.8	6	55.6
All other	77	43	34	179	7	90.9	8	103.9
St. Marys	361	174	187	207	28	77.6	31	85.9
White	221	108	113	205	17	76.9	16	72.4
All other	140	66	74	212	11	78.6	15	107.1
Somerset	321	263	58	122	33	102.8	3	9.3
White	163	171	-8	95	13	79.8	2	12.3
All other	158	92	66	172	20	126.6	1	6.3
Talbot	431	299	132	144	27	62.6	16	37.1
White	296	200	96	148	16	54.1	10	33.8
All other	135	99	36	136	11	81.5	6	44.4
Washington	1,422	697	725	204	63	44.3	59	41.5
Outside city	538	261	277	206	17	31.6	18	33.5
Hagerstown	884	436	448	203	46	52.0	41	46.4
Wicomico	836	553	283	151	64	76.6	44	52.6
Outside city	210	212	-2	99	9	42.9	3	14.3
White	121	164	-43	74	2	16.5	2	16.5
All other	89	48	41	185	7	78.7	1	11.2
Salisbury	626	341	285	184	55	87.9	41	65.5
White	500	242	258	207	31	62.0	25	50.0
All other	126	99	27	127	24	190.5	16	127.0
Worcester	322	258	64	125	30	93.2	15	46.6
White	178	161	17	111	10	56.2	6	33.7
All other	144	97	47	148	20	138.9	9	62.5

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
MASSACHUSETTS (total)	70,189	50,709	19,480	138	2,479	35.3	1,729	24.6
Barnstable	499	564	-65	88	17	34.1	10	20.0
Berkshire	2,070	1,388	682	149	86	41.5	60	29.0
Outside cities	271	385	-114	70	10	36.9	10	36.9
Adams (town)	80	108	-28	74	11	137.5	1	12.5
North Adams	406	275	131	148	13	32.0	11	27.1
Pittsfield	1,313	620	693	212	52	39.6	38	28.9
Bristol	5,643	4,477	1,166	126	214	37.9	190	33.7
Outside cities	719	553	166	130	25	34.8	23	32.0
Attleboro	692	327	365	212	17	24.6	22	31.8
Fairhaven (town)	67	65	2	103	2	29.9	2	29.9
Fall River	2,378	1,598	780	149	76	32.0	83	34.9
New Bedford	1,179	1,239	-60	95	62	52.6	38	32.2
North Attleborough (town)	65	96	-31	68	5	76.9	2	30.8
Taunton	543	599	-56	91	27	49.7	20	36.8
Dukes	72	67	5	107	6	83.3	-	0
Essex	7,369	5,878	1,491	125	246	33.4	192	26.1
Outside cities	252	499	-247	51	8	31.7	7	27.8
Amesbury (town)	191	141	50	135	5	26.2	4	20.9
Andover (town)	21	101	-80	21	-	0	2	95.2
Beverly	542	313	229	173	9	16.6	14	25.8
Danvers (town)	109	384	-275	28	1	9.2	3	27.5
Gloucester	412	289	123	143	8	19.4	19	46.1
Haverhill	698	583	115	120	21	30.1	17	24.4
Lawrence	1,396	953	443	146	57	40.8	54	38.7
Lynn	1,825	1,185	640	154	49	26.8	29	15.9
Marblehead (town)	71	110	-39	65	2	28.2	-	0
Methuen (town)	299	191	108	157	7	23.4	14	46.8
Newburyport	319	218	101	146	19	59.6	6	18.8
Peabody	230	172	58	134	5	21.7	3	13.0
Salem	875	552	323	159	48	54.9	17	19.4
Saugus (town)	20	105	-85	19	1	50.0	-	0
Swampscott (town)	109	82	27	133	6	55.0	3	27.5
Franklin	777	535	242	145	32	41.2	18	23.2
Outside city	399	344	55	116	15	37.6	7	17.5
Greenfield (town)	378	191	187	198	17	45.0	11	29.1
Hampden	5,650	3,527	2,123	160	200	35.4	137	24.2
Outside cities	597	415	182	144	10	16.8	17	28.5
Chicopee	167	217	-50	77	11	65.9	8	47.9
Holyoke	1,216	680	536	179	44	36.2	31	25.5
Springfield	3,266	1,805	1,461	181	119	36.4	67	20.5
Westfield	389	317	72	123	15	38.6	13	33.4
West Springfield (town)	15	93	-78	16	1	66.7	1	66.7
Hampshire	1,026	880	146	117	26	25.3	18	17.5
Outside cities	419	300	119	140	6	14.3	9	21.5
Easthampton (town)	19	53	-34	36	-	0	1	52.6
Northampton	588	527	61	112	20	34.0	8	13.6
Middlesex	14,549	9,978	4,571	146	415	28.5	383	26.3
Outside cities	836	1,354	-518	62	38	45.5	16	19.1
Arlington (town)	266	357	-91	75	12	45.1	8	30.1
Belmont (town)	7	147	-140	5	1	142.9	1	142.9
Cambridge	2,831	1,406	1,425	201	73	25.8	86	30.4
Everett	677	393	284	172	16	23.6	21	31.0
Framingham (town)	607	288	319	211	29	47.8	12	19.8
Lexington (town)	16	160	-144	10	4	250.0	1	62.5
Lowell	1,956	1,325	631	148	80	40.9	58	29.7
Malden	994	597	397	166	24	24.1	27	27.2
Marlborough	396	194	202	204	16	40.4	9	22.7
Medford	882	445	437	198	14	15.9	14	15.9
Melrose	573	262	311	219	12	20.9	10	17.5
Natick (town)	292	160	132	183	7	24.0	11	37.7
Newton	852	666	186	128	16	18.8	16	18.8
Reading (town)	33	91	-58	36	2	60.6	1	30.3
Somerville	1,242	866	376	143	33	26.6	45	36.2
Stoneham (town)	375	144	231	260	8	21.3	6	16.0
Wakefield (town)	37	142	-105	26	-	0	-	0
Waltham	935	501	434	187	18	19.3	20	21.4
Watertown (town)	37	199	-162	19	-	0	1	27.0
Winchester (town)	382	121	261	316	8	20.9	11	28.8
Woburn	323	160	163	202	4	12.4	9	27.9
Nantucket	31	54	-23	57	1	32.3	1	32.3
Norfolk	3,276	3,274	2	100	90	27.5	57	17.4
Outside cities	290	922	-632	31	14	48.3	2	6.9
Braintree (town)	12	172	-160	7	1	83.3	-	0
Brookline (town)	174	599	-425	29	3	17.2	10	57.5
Dedham (town)	12	115	-103	10	1	83.3	-	0
Milton (town)	92	157	-65	59	5	54.3	1	10.9
Needham (town)	108	112	-4	96	2	18.5	-	0
Norwood (town)	568	204	364	278	10	17.6	13	22.9
Quincy	1,291	652	639	198	38	29.4	15	11.6
Wellesley (town)	2	82	-80	2	-	0	-	0
Weymouth (town)	727	259	468	281	16	22.0	16	22.0

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
MASSACHUSETTS—Con.								
Plymouth	2,289	2,039	250	112	90	39.3	53	23.2
Outside cities	591	1,012	-421	58	28	47.4	15	25.4
Brockton	1,695	842	853	201	47	27.7	38	22.4
Plymouth (town)	3	185	-182	2	15	(2)	-	0
Suffolk	18,739	12,004	6,735	156	746	39.8	406	21.7
Boston	17,236	11,007	6,229	157	720	41.8	376	21.8
White	16,763	10,591	6,172	158	695	41.5	357	21.3
All other	473	416	57	114	25	52.9	19	40.2
Chelsea	738	554	184	133	6	8.1	9	12.2
Revere	251	262	-11	96	12	47.8	3	12.0
Winthrop (town)	514	181	333	284	8	15.6	18	35.0
Worcester	8,199	6,044	2,155	136	310	37.8	204	24.9
Outside cities	607	1,627	-1,020	37	45	74.1	8	13.2
Athol (town)	161	95	66	169	3	18.6	7	43.5
Clinton (town)	303	140	163	216	7	23.1	1	3.3
Fitchburg	819	448	371	183	31	37.9	13	15.9
Gardner	526	316	210	166	35	66.5	9	17.1
Leominster	378	216	162	175	10	26.5	9	23.8
Milford (town)	505	209	296	242	17	33.7	9	17.8
Northbridge (town)	238	63	175	378	2	8.4	8	33.6
Southbridge (town)	320	142	178	225	9	28.1	9	28.1
Webster (town)	294	124	170	237	10	34.0	8	27.2
Worcester	4,048	2,664	1,384	152	141	34.8	123	30.4
MICHIGAN (total)	107,511	52,670	54,841	204	4,164	38.7	2,795	26.0
Alcona	95	50	45	190	2	21.1	3	31.5
Alger	199	94	105	212	8	40.2	2	10.1
Allegan	708	495	213	143	21	29.7	23	32.5
Alpena	492	224	268	220	27	54.9	16	32.5
Outside city	103	63	40	163	7	68.0	4	38.8
Alpena	389	161	228	242	20	51.4	12	30.8
Antrim	206	103	103	200	8	38.8	1	4.9
Arenac	143	90	53	159	7	49.0	4	28.0
Baraga	164	70	94	234	2	12.2	7	42.7
Barry	399	264	135	151	11	27.6	12	30.1
Bay	1,850	840	1,010	220	91	49.2	55	29.7
Outside city	354	196	158	181	7	19.8	10	28.2
Bay City	1,496	644	852	232	84	56.1	45	30.1
Benzie	177	100	77	177	7	39.5	3	16.9
Berrien	1,782	1,075	707	166	86	48.3	33	18.5
Outside cities	827	691	136	120	29	35.1	14	16.9
Benton Harbor	581	241	340	241	42	72.3	10	17.2
Niles	374	143	231	262	15	40.1	9	24.1
Branch	498	366	132	136	19	38.2	6	12.0
Calhoun	2,117	1,233	884	172	91	43.0	60	28.3
Outside city	647	592	55	109	24	37.1	12	18.5
Battle Creek	1,470	641	829	229	67	45.6	48	32.7
Cass	293	292	1	100	19	64.8	6	20.5
Charlevoix	267	159	108	168	14	52.4	2	7.5
Cheboygan	259	156	103	166	16	61.8	13	50.2
Chippewa	672	292	380	230	32	47.6	18	26.8
Outside city	125	77	48	162	8	64.0	4	32.0
Sault Ste. Marie	547	215	332	254	24	43.9	14	25.6
Clare	187	109	78	172	11	58.8	5	26.7
Clinton	497	303	194	164	22	44.3	13	26.2
Crawford	129	82	47	157	9	69.8	7	54.3
Delta	724	363	361	199	39	53.9	24	33.1
Outside city	176	137	39	128	14	79.5	6	34.1
Escanaba	548	226	322	242	25	45.6	18	32.8
Dickinson	548	236	312	232	17	31.0	10	18.2
Outside city	254	109	145	233	11	43.3	2	7.9
Iron Mountain	294	127	167	231	6	20.4	8	27.2
Eaton	510	354	156	144	16	31.4	11	21.6
Emmet	443	223	220	199	23	51.9	12	27.1
Genesee	5,167	1,880	3,287	275	230	44.5	110	21.3
Outside city	765	515	250	149	24	31.4	14	18.3
Flint	4,402	1,365	3,037	322	206	46.8	96	21.8
Gladwin	191	75	116	255	9	47.1	2	10.5
Gogebic	629	357	272	176	37	58.8	27	42.9
Outside city	411	251	160	164	29	70.6	17	41.4
Ironwood	218	106	112	206	8	36.7	10	45.9
Grand Traverse	534	459	75	116	42	78.7	13	24.3
Outside city	125	284	-159	44	4	32.0	3	24.0
Traverse City	409	175	234	234	38	92.9	10	24.4
Gratiot	698	345	353	202	25	35.8	21	30.1
Hillsdale	454	378	76	120	17	37.4	10	22.0
Houghton	766	574	192	133	25	32.6	13	17.0
Huron	667	307	360	217	31	46.5	19	28.5
Ingham	3,166	1,305	1,861	243	125	39.5	71	22.4
Outside city	442	420	22	105	24	54.3	8	18.1
Lansing	2,724	885	1,839	308	101	37.1	63	23.1
Ionia	618	396	222	156	16	25.9	14	22.7
Iosco	152	81	71	188	4	26.3	3	19.7
Iron	319	174	145	183	7	21.9	4	12.5
Isabella	563	228	335	247	22	39.1	12	21.3
Section B—Continued								
MICHIGAN—Contd.								
Jackson	1,689	1,099	590	154	78	46.2	43	25.5
Outside city	150	319	-169	47	10	66.7	4	26.7
Jackson	1,539	780	759	197	68	44.2	39	25.3
Kalamazoo	2,072	1,327	745	156	62	29.9	33	15.9
Outside city	184	310	-126	59	11	59.8	3	16.3
Kalamazoo	1,888	1,017	871	186	51	27.0	30	15.9
Kalkaska	112	33	79	339	5	44.6	3	26.8
Kent	4,966	2,597	2,369	191	166	33.4	124	25.0
Outside city	1,575	846	729	186	52	33.0	29	18.4
Grand Rapids	3,391	1,751	1,640	194	114	33.6	95	28.0
Keweenaw	13	35	-22	37	1	76.9	2	153.8
Lake	55	56	-1	98	4	72.7	1	18.2
White	47	46	1	102	4	85.1	1	21.3
All other	8	10	-2	80	-	0	-	0
Lapeer	491	389	102	126	16	32.6	6	12.2
Leelanau	93	75	18	124	5	53.8	4	43.0
Lenawee	1,221	619	602	197	44	36.0	24	19.7
Outside city	667	420	247	159	22	33.0	12	18.0
Adrian	554	199	355	278	22	39.7	12	21.7
Livingston	342	303	39	113	14	40.9	5	14.6
Luce	175	164	11	107	6	34.3	3	17.1
Mackinac	145	85	60	171	6	41.4	-	0
Macomb	1,787	814	973	220	64	35.8	45	25.2
Outside cities	891	487	404	183	30	33.7	19	21.3
Mount Clemens	831	278	553	299	33	39.7	24	28.9
St. Clair Shores	65	49	16	133	1	15.4	2	30.8
Manistee	301	236	65	128	17	56.5	13	43.2
Marquette	897	499	398	180	48	53.5	22	24.5
Outside city	447	299	148	149	25	55.9	11	24.6
Marquette	450	200	250	225	23	51.1	11	24.4
Mason	318	220	98	145	11	34.6	11	34.6
Mecosta	313	209	104	150	19	60.7	7	22.4
Menominee	489	309	180	158	28	57.3	13	26.6
Outside city	186	122	64	152	3	16.1	3	16.1
Menominee	303	187	116	162	25	82.5	10	33.0
Midland	534	206	328	259	19	35.6	8	15.0
Outside city	333	121	212	275	9	27.0	3	9.0
Midland	201	85	116	236	10	49.8	5	24.9
Missaukee	168	74	94	227	10	59.5	4	23.8
Monroe	1,305	589	716	222	54	41.4	31	23.8
Outside city	388	299	89	130	15	38.7	9	23.2
Monroe	917	290	627	316	39	42.5	22	24.0
Montcalm	662	384	278	172	41	61.9	15	22.7
Montmorency	67	24	43	279	6	89.6	5	74.6
Muskegon	2,259	900	1,359	251	117	51.8	47	20.8
Outside cities	193	189	4	102	4	20.7	2	10.4
Muskegon	2,034	649	1,385	313	111	54.6	45	22.1
Muskegon Heights	32	62	-30	52	2	62.5	-	0
Newaygo	383	210	173	182	16	41.8	9	23.5
Oakland	4,438	2,025	2,413	219	180	40.6	129	29.1
Outside cities	1,171	921	250	127	43	36.7	36	30.7
Birmingham	12	42	-30	29	3	250.0	1	83.3
Ferndale	307	73	234	421	10	32.6	9	29.3
Pontiac	2,802	848	1,954	330	123	43.9	81	28.9
Royal Oak	146	141	5	104	1	6.8	2	13.7
Oceana	311	181	130	172	7	22.5	6	19.3
Ogemaw	205	98	107	209	8	39.0	3	14.6
Ontonagon	173	90	83	192	11	63.6	6	34.7
Osceola	268	163	105	164	10	37.3	13	48.5
Oscoda	57	16	41	356	1	17.5	-	0
Otsego	102	92	10	111	5	49.0	1	9.8
Ottawa	1,369	495	874	277	34	24.8	38	27.8
Outside city	852	362	490	235	23	27.0	24	28.2
Holland	517	133	384	389	11	21.3	14	27.1
Presque Isle	238	67	171	355	8	33.6	14	58.8
Roscommon	50	28	22	179	1	20.0	-	0
Saginaw	3,046	1,403	1,643	217	115	37.8	80	26.3
Outside city	390	355	35	110	13	33.3	3	7.7
Saginaw	2,656	1,048	1,608	253	102	38.4	77	29.0
St. Clair	1,577	861	716	183	73	46.3	58	36.8
Outside city	715	435	280	164	26	36.4	23	32.2
Port Huron	862	426	436	202	47	54.5	35	40.6
St. Joseph	705	409	296	172	21	29.8	17	24.1
Sanilac	510	308	202	166	21	41.2	17	33.3
Schoolcraft	245	74	171	331	3	12.2	5	20.4
Shiawassee	887	483	404	184	33	37.2	25	28.2
Outside city	262	262	-	100	7	26.7	5	19.1
Owosso	625	221	404	283	26	41.6	20	32.0
Tuscola	661	411	250	161	20	30.3	13	19.7
Van Buren	507	427	80	119	19	37.5	14	27.6
Washtenaw	1,809	1,580	229	114	96	53.1	42	23.2
Outside cities	257	524	-267	49	9	35.0	3	11.7
Ann Arbor	1,163	929	234	125	78	67.1	31	26.7
Ypsilanti	389	127	262	306	9	23.1	8	20.6
White	374	107	267	350	6	16.0	8	21.4
All other	15	20	-5	75	3	200.0	-	0

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
MICHIGAN—Contd.								
Wayne	41,812	17,656	24,156	237	1,433	34.3	1,159	27.7
Outside cities	1,848	2,231	-383	83	79	42.7	69	37.3
Dearborn	759	314	445	242	23	30.3	24	31.6
Detroit	34,013	13,712	20,301	248	1,162	34.2	901	26.5
White	30,696	11,991	18,705	256	1,013	33.0	751	24.5
All other	3,317	1,721	1,596	193	149	44.9	150	45.2
Ecorse	125	33	92	379	4	32.0	2	16.0
White	114	31	83	368	4	35.1	2	17.5
All other	11	2	9	550	-	0	-	0
Grosse Pointe Park	7	53	-46	13	-	0	-	0
Hamtramck	1,104	322	782	343	42	38.0	30	27.2
Highland Park	2,310	539	1,771	429	61	26.4	83	35.9
Lincoln Park	93	23	70	404	2	21.5	2	21.5
River Rouge	234	97	137	241	7	29.9	4	17.1
White	152	70	82	217	5	32.9	-	0
All other	82	27	55	304	2	24.4	4	48.8
Wyandotte	1,319	332	987	397	53	40.2	44	33.4
Wexford	401	215	186	187	20	49.9	12	29.9
MINNESOTA (total)	54,462	26,618	27,844	205	1,877	34.5	1,200	22.0
Aitkin	301	102	199	295	6	19.9	7	23.3
Anoka	228	194	34	118	9	39.5	3	13.2
Becker	684	231	453	296	31	45.3	8	11.7
Beltrami	627	268	359	234	25	39.9	19	30.3
Benton	148	65	83	228	1	6.8	2	13.5
Outside city	132	55	77	240	1	7.6	2	15.2
St. Cloud (part)	16	10	6	(5)	-	(5)	-	(5)
Big Stone	324	105	219	309	21	64.8	10	30.9
Blue Earth	830	358	472	232	20	24.1	16	19.3
Outside city	95	118	-23	81	1	10.5	1	10.5
Mankato	735	240	495	306	19	25.9	15	20.4
Brown	772	275	497	281	26	33.7	19	24.6
Carlton	502	282	220	178	21	41.8	10	19.9
Carver	318	151	167	211	10	31.4	4	12.6
Cass	392	227	165	173	28	71.4	15	38.3
Chippewa	406	165	241	246	17	41.9	8	19.7
Chisago	132	113	19	117	4	30.3	3	22.7
Clay	379	210	169	180	11	29.0	13	34.3
Clearwater	260	81	179	321	7	26.9	7	26.9
Cook	13	18	-5	72	-	0	-	0
White	13	16	-3	81	-	0	-	0
All other	-	2	-2	0	-	-	-	-
Cottonwood	314	113	201	278	8	25.5	11	35.0
Crow Wing	767	299	468	257	36	46.9	17	22.2
Outside city	277	113	164	245	8	28.9	5	18.1
Brainerd	490	186	304	263	28	57.1	12	24.5
Dakota	299	254	45	118	10	33.4	4	13.4
Outside city	285	225	60	127	9	31.6	4	14.0
South St. Paul	14	29	-15	48	1	71.4	-	0
Dodge	204	80	124	255	7	34.3	2	9.8
Douglas	366	183	183	200	10	27.3	5	13.7
Faribault	431	201	230	214	13	30.2	14	32.5
Fillmore	405	202	203	200	12	29.6	6	14.8
Freeborn	693	265	428	262	16	23.1	15	21.6
Outside city	94	102	-8	92	2	21.3	-	0
Albert Lea	599	163	436	367	14	23.4	15	25.0
Goodhue	566	352	214	161	13	23.0	11	19.4
Grant	126	71	55	177	3	23.8	2	15.9
Hennepin	10,668	6,018	4,650	177	361	33.8	258	24.2
Outside city	312	714	-402	44	14	44.9	3	9.6
Minneapolis	10,356	5,304	5,052	195	347	33.5	255	24.6
Houston	208	122	86	170	4	19.2	4	19.2
Hubbard	200	106	94	189	13	65.0	7	35.0
Isanti	216	156	60	138	6	27.8	6	27.8
Itasca	717	265	452	271	29	40.4	11	15.3
Jackson	283	120	163	236	13	45.9	5	17.7
Kanabec	88	56	32	157	5	56.8	2	22.7
Kandiyohi	607	275	332	221	20	32.9	10	16.5
Kittson	179	88	91	203	12	67.0	3	16.8
Koochiching	391	151	240	259	13	33.2	10	25.6
Lac qui Parle	251	112	139	224	9	35.9	5	19.9
Lake	123	88	35	140	7	56.9	2	16.3
Lake of the Woods	109	22	87	495	3	27.5	-	0
Le Sueur	238	149	89	160	11	46.2	3	12.6
Lincoln	313	106	207	295	13	41.5	4	12.8
Lyon	505	178	327	284	19	37.6	7	13.9
McLeod	457	138	319	331	11	24.1	14	30.6
Mahnomen	126	54	72	233	10	79.4	-	0
White	115	45	70	256	9	78.3	-	0
All other	11	9	2	122	1	90.9	-	0
Marshall	265	154	111	172	20	75.5	8	30.2
Martin	560	185	375	303	23	41.1	12	21.4
Meeker	399	135	264	296	11	27.6	6	15.0
Mille Lacs	306	146	160	210	15	49.0	1	3.3
Morrison	629	213	416	295	21	33.4	9	14.3

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
MINNESOTA—Contd.								
Mower	853	263	590	324	21	24.6	13	15.2
Outside city	235	102	133	230	3	12.8	2	8.5
Austin	618	161	457	384	18	29.1	11	17.8
Murray	322	83	239	388	15	46.6	6	18.6
Nicollet	288	331	-43	87	13	45.1	6	20.8
Nobles	533	166	367	321	11	20.6	11	20.6
Norman	227	105	122	216	10	44.1	5	22.0
Olmsted	946	1,010	-64	94	37	39.1	20	21.1
Outside city	207	91	116	227	2	9.7	4	19.3
Rochester	739	919	-180	80	35	47.4	16	21.7
Otter Tail	1,057	598	459	177	45	42.6	18	17.0
Outside city	599	284	315	211	28	46.7	11	18.4
Fergus Falls	458	314	144	146	17	37.1	7	15.3
Pennington	371	160	211	232	16	43.1	24	64.7
Pine	379	177	202	214	13	34.3	5	13.2
Pipestone	353	110	243	321	12	34.0	8	22.7
Polk	643	374	269	172	35	54.4	14	21.8
Pope	250	131	119	191	11	44.0	5	20.0
Ramsey	6,377	3,148	3,229	203	179	28.1	139	21.8
Outside city	38	131	-93	29	1	26.3	1	26.3
St. Paul	6,339	3,017	3,322	210	178	28.1	138	21.8
Red Lake	160	27	133	593	3	18.8	1	6.3
Redwood	402	117	285	344	8	19.9	5	12.4
Renville	335	135	200	248	7	20.9	11	32.8
Rice	765	298	467	257	15	19.6	22	28.8
Outside city	320	130	190	246	6	18.8	5	15.6
Faribault	445	168	277	265	9	20.2	17	38.2
Rock	162	76	86	213	5	30.9	4	24.7
Roseau	422	113	309	373	18	42.7	16	37.9
St. Louis	3,750	1,986	1,764	189	121	32.3	81	21.6
Outside cities	707	520	187	136	22	31.1	16	22.6
Duluth	2,209	1,208	1,001	183	69	31.2	38	17.2
Hibbing	482	137	345	352	20	41.5	18	37.3
Virginia	352	121	231	291	10	28.4	9	25.6
Scott	286	123	163	233	2	7.0	5	17.5
Sherburne	147	77	70	191	5	34.0	1	6.8
Outside city	141	56	85	252	5	35.5	1	7.1
St. Cloud (part)	6	21	-15	(5)	-	(5)	-	(5)
Sibley	220	93	127	237	8	36.4	3	13.6
Stearns	1,815	647	1,168	281	82	45.2	29	16.0
Outside city	932	327	605	285	33	35.4	16	17.2
St. Cloud (part)	883	320	563	(5)	49	(5)	13	(5)
St. Cloud (total)	905	351	554	258	49	54.1	13	14.4
Steele	403	180	223	224	11	27.3	9	22.3
Stevens	279	92	187	303	12	43.0	4	14.3
Swift	332	150	182	221	16	48.2	11	33.1
Todd	568	219	349	259	21	37.0	18	31.7
Traverse	98	48	50	204	3	30.6	-	0
Wabasha	346	162	184	214	11	31.8	8	23.1
Wadena	370	160	210	231	20	54.1	11	29.7
Waseca	285	111	174	257	8	28.1	10	35.1
Washington	303	251	52	121	8	26.4	11	36.3
Watonwan	246	116	130	212	5	20.3	5	20.3
Wilkin	376	103	273	365	10	26.6	11	29.3
Winona	646	392	254	165	23	35.6	17	26.3
Outside city	113	111	2	102	4	35.4	3	26.5
Winona	533	281	252	190	19	35.6	14	26.3
Wright	420	239	181	176	11	26.2	6	14.3
Yellow Medicine	402	145	257	277	12	29.9	9	22.4
MISSISSIPPI (total)	54,454	22,575	31,879	241	2,978	54.7	2,456	45.1
Adams	889	410	479	217	54	60.7	49	55.1
Outside city	645	232	413	278	45	69.8	32	49.6
White	189	67	122	282	17	89.9	2	10.6
All other	456	165	291	276	28	61.4	30	65.8
Natchez	244	178	66	137	9	36.9	17	69.7
White	178	62	116	287	4	22.5	4	22.5
All other	66	116	-50	57	5	75.8	13	197.0
Alcorn	652	261	391	250	44	67.5	24	36.8
White	550	204	346	270	36	65.5	19	34.5
All other	102	57	45	179	8	78.4	5	49.0
Amite	567	177	390	320	25	44.1	12	21.2
White	178	89	89	200	9	50.6	-	0
All other	389	88	301	442	16	41.1	12	30.8
Attala	774	280	494	276	46	59.4	33	42.6
White	361	139	222	260	17	47.1	15	41.6
All other	413	141	272	293	29	70.2	18	43.6
Benton	249	68	181	366	5	20.1	5	20.1
White	112	31	81	361	2	17.9	3	26.8
All other	137	37	100	370	3	21.9	2	14.6
Bolivar	1,852	806	1,046	230	102	55.1	79	42.7
White	416	142	274	293	22	52.9	12	28.8
All other	1,436	664	772	216	80	55.7	67	46.7
Calhoun	503	148	355	340	19	37.8	11	21.9
White	365	96	269	380	8	21.9	7	19.2
All other	138	52	86	265	11	79.7	4	29.0

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
MISSISSIPPI—Con.								
Carroll	501	150	351	334	25	49.9	26	51.9
White	149	56	93	266	6	40.3	7	47.0
All other	352	94	258	374	19	54.0	19	54.0
Chickasaw	578	216	362	268	16	27.7	27	46.7
White	283	108	175	262	12	42.4	9	31.8
All other	295	108	187	273	4	13.6	18	61.0
Choctaw	294	106	188	277	17	57.8	7	23.8
White	186	72	114	258	11	59.1	1	5.4
All other	108	34	74	318	6	55.6	6	55.6
Claiborne	295	137	158	215	16	54.2	26	88.1
White	45	26	19	173	3	66.7	3	66.7
All other	250	111	139	225	13	52.0	23	92.0
Clarke	466	171	295	273	11	23.6	4	8.6
White	246	76	170	324	6	24.4	1	4.1
All other	220	95	125	232	5	22.7	3	13.6
Clay	483	183	300	264	32	66.3	31	64.2
White	152	58	94	262	5	32.9	3	19.7
All other	331	125	206	265	27	81.6	28	84.6
Coahoma	1,039	517	522	201	56	53.9	60	57.7
Outside city	815	386	429	211	47	57.7	42	51.5
White	78	62	16	126	8	102.6	1	12.8
All other	737	324	413	227	39	52.9	41	55.6
Clarksdale	224	131	93	171	9	40.2	18	80.4
White	121	50	71	242	6	49.6	4	33.1
All other	103	81	22	127	3	29.1	14	135.9
Copiah	711	315	396	226	33	46.4	22	30.9
White	223	114	109	196	7	31.4	4	17.9
All other	488	201	287	243	26	53.3	18	36.9
Covington	377	123	254	307	18	47.7	15	39.8
White	222	74	148	300	9	40.5	6	27.0
All other	155	49	106	316	9	58.1	9	58.1
De Soto	655	223	432	294	27	41.2	28	42.7
White	97	44	53	220	4	41.2	1	10.3
All other	558	179	379	312	23	41.2	27	48.4
Forrest	1,094	450	644	243	53	48.4	39	35.6
Outside city	219	141	78	155	10	45.7	8	36.5
White	151	98	53	154	4	26.5	4	26.5
All other	68	43	25	158	6	88.2	4	58.8
Hattiesburg	875	309	566	283	43	49.1	31	35.4
White	642	177	465	363	21	32.7	19	29.6
All other	233	132	101	177	22	94.4	12	51.5
Franklin	242	88	154	275	9	37.2	11	45.5
White	135	43	92	314	5	37.0	2	14.8
All other	107	45	62	238	4	37.4	9	84.1
George	221	79	142	280	15	67.9	8	36.2
White	193	63	130	306	10	51.8	6	31.1
All other	28	16	12	175	5	178.6	2	71.4
Greene	246	72	174	342	14	56.9	8	32.5
White	180	49	131	367	5	27.8	3	16.7
All other	66	23	43	287	9	136.4	5	75.8
Grenada	534	231	303	231	38	71.2	12	22.5
White	211	95	116	222	12	56.9	4	19.0
All other	323	136	187	238	26	80.5	8	24.8
Hancock	261	97	164	269	13	49.8	3	11.5
White	212	71	141	299	10	47.2	2	9.4
All other	49	26	23	188	3	61.2	1	20.4
Harrison	1,111	631	480	176	58	52.2	47	42.3
Outside cities	255	208	47	123	13	51.0	12	47.1
White	155	137	18	113	2	12.9	7	45.2
All other	100	71	29	141	11	110.0	5	50.0
Biloxi	446	211	235	211	28	62.8	15	33.6
White	381	168	213	227	24	63.0	10	26.2
All other	65	43	22	151	4	61.5	5	76.9
Gulfport	410	212	198	193	17	41.5	20	48.8
White	347	166	181	209	15	43.2	15	43.2
All other	63	46	17	137	2	31.7	5	79.4
Hinds	2,708	1,308	1,400	207	168	62.0	145	53.5
Outside city	1,056	381	675	277	51	48.3	41	38.8
White	127	83	44	153	3	23.6	6	47.2
All other	929	298	631	312	48	51.7	35	37.7
Jackson	1,652	927	725	178	117	70.8	104	63.0
White	1,085	469	616	231	63	58.1	33	30.4
All other	567	458	109	124	54	95.2	71	125.2
Holmes	1,044	431	613	242	55	52.7	74	70.9
White	138	88	50	157	7	50.7	3	21.7
All other	906	343	563	264	48	53.0	71	78.4
Humphreys	648	257	391	252	32	49.4	38	58.6
White	147	40	107	368	3	20.4	1	6.8
All other	501	217	284	231	29	57.9	37	73.9
Issaquena	173	53	120	326	7	40.5	8	46.2
White	20	4	16	500	1	50.0	1	50.0
All other	153	49	104	312	6	39.2	7	45.8
Itawamba	381	105	276	363	16	42.0	7	18.4
Jackson	564	225	339	251	30	53.2	26	46.1
White	432	156	276	277	23	53.2	16	37.0
All other	132	69	63	191	7	53.0	10	75.8
Section B—Continued								
MISSISSIPPI—Con.								
Jasper	470	136	334	346	22	46.8	17	36.2
White	189	72	117	263	9	47.6	1	5.3
All other	281	64	217	439	13	46.3	16	56.9
Jefferson	308	133	175	232	19	61.7	18	58.4
White	45	31	14	145	2	44.4	2	44.4
All other	263	102	161	258	17	64.6	16	60.8
Jefferson Davis	468	104	364	450	18	38.5	25	53.4
White	172	39	133	441	9	52.3	6	34.9
All other	296	65	231	455	9	30.4	19	64.2
Jones	1,423	566	857	251	85	59.7	74	52.0
Outside city	513	183	330	280	21	40.9	17	33.1
White	322	128	194	252	11	34.2	7	21.7
All other	191	55	136	347	10	52.4	10	52.4
Laurel	910	383	527	238	64	70.3	57	62.6
White	656	203	453	323	36	54.9	31	47.3
All other	254	180	74	141	28	110.2	26	102.4
Kemper	483	182	301	265	28	58.0	24	49.7
White	121	59	62	205	5	41.3	1	8.3
All other	362	123	239	294	23	63.5	23	63.5
Lafayette	600	270	330	222	29	48.3	33	55.0
White	303	105	198	289	10	33.0	7	23.1
All other	297	165	132	180	19	64.0	26	87.5
Lamar	329	103	226	319	13	39.5	19	57.8
White	269	82	187	328	9	33.5	16	59.5
All other	60	21	39	286	4	66.7	3	50.0
Lauderdale	1,345	891	454	151	101	75.1	71	52.8
Outside city	445	220	225	202	19	42.7	20	44.9
White	137	89	48	154	2	14.6	3	21.9
All other	308	131	177	235	17	55.2	17	55.2
Meridian	900	671	229	134	82	91.1	51	56.7
White	666	383	283	174	57	85.6	23	34.5
All other	234	288	-54	81	25	106.8	28	119.7
Lawrence	270	94	176	287	10	37.0	15	55.6
White	143	43	100	333	1	7.0	3	21.0
All other	127	51	76	249	9	70.9	12	94.5
Leake	615	125	490	492	22	35.8	19	30.9
White	297	67	230	443	10	33.7	6	20.2
All other	318	58	260	548	12	37.7	13	40.9
Lee	827	356	471	232	33	39.9	18	21.8
White	531	203	328	262	21	39.5	9	16.9
All other	296	153	143	193	12	40.5	9	30.4
Leflore	1,542	606	936	254	126	81.7	71	46.0
Outside city	1,478	409	769	288	98	83.2	59	50.1
White	136	49	87	278	8	58.8	3	22.1
All other	1,042	360	682	289	90	86.4	56	53.7
Greenwood	364	197	167	185	28	76.9	12	33.0
White	216	68	148	318	16	74.1	3	13.9
All other	148	129	19	115	12	81.1	9	60.8
Lincoln	670	294	376	228	47	70.1	24	35.8
White	373	155	218	241	23	61.7	12	32.2
All other	297	139	158	214	24	80.8	12	40.4
Lowndes	811	398	413	204	32	39.5	46	56.7
Outside city	476	188	288	253	13	27.3	24	50.4
White	100	57	43	175	2	20.0	2	20.0
All other	376	131	245	287	11	29.3	22	58.5
Columbus	335	210	125	160	19	56.7	22	65.7
White	203	106	97	192	15	73.9	8	39.4
All other	132	104	28	127	4	30.3	14	106.1
Madison	1,063	396	667	268	65	61.1	48	45.2
White	167	73	94	229	9	53.9	4	24.0
All other	896	323	573	277	56	62.5	44	49.1
Marion	568	206	362	276	39	68.7	28	49.3
White	319	129	190	247	27	84.6	11	34.5
All other	249	77	172	323	12	48.2	17	68.3
Marshall	716	229	487	313	36	50.3	36	50.3
White	150	75	75	200	7	46.7	3	20.0
All other	566	154	412	368	29	51.2	33	58.3
Monroe	798	339	459	235	29	36.3	22	27.6
White	427	183	244	233	19	44.5	7	16.4
All other	371	156	215	238	10	27.0	15	40.4
Montgomery	338	164	174	206	11	32.5	19	56.2
White	159	87	72	183	7	44.0	3	18.9
All other	179	77	102	232	4	22.3	16	89.4
Neshoba	675	230	445	293	27	40.0	19	28.1
White	443	157	286	282	17	38.4	9	20.3
All other	232	73	159	318	10	43.1	10	43.1
Newton	579	227	352	255	29	50.1	20	34.5
White	334	127	207	263	18	53.9	9	26.9
All other	245	100	145	245	11	44.9	11	44.9
Noxubee	648	308	340	210	55	84.9	55	84.9
White	100	60	40	167	5	50.0	3	30.0
All other	548	248	300	221	50	91.2	52	94.9
Oktibbeha	524	245	279	214	36	68.7	33	63.0
White	159	93	66	171	9	56.6	5	31.4
All other	365	152	213	240	27	74.0	28	76.7
Panola	807	297	510	272	48	59.5	40	49.6
White	249	80	159	277	10	40.2	11	44.2
All other	558	207	351	270	38	68.1	29	52.0

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
MISSISSIPPI—Con.								
Pearl River	464	170	294	273	32	69.0	12	25.9
White	363	122	241	298	22	60.6	9	24.8
All other	101	48	53	210	10	99.0	3	29.7
Perry	240	62	178	387	10	41.7	11	45.8
White	178	35	143	509	6	33.7	6	33.7
All other	62	27	35	230	4	64.5	5	80.6
Pike	872	381	491	229	59	67.7	37	42.4
White	429	199	230	216	26	60.6	15	35.0
All other	443	182	261	243	33	74.5	22	49.7
Pontotoc	484	155	329	312	24	49.6	18	37.2
White	363	123	240	295	22	60.6	12	33.1
All other	121	32	89	378	2	16.5	6	49.6
Prentiss	512	186	326	275	25	48.8	13	25.4
White	454	146	308	311	18	39.6	13	28.6
All other	58	40	18	145	7	120.7	-	0
Quitman	778	305	473	255	63	81.0	45	57.8
White	300	77	223	390	17	56.7	7	23.3
All other	478	228	250	210	46	96.2	38	79.5
Rankin	635	728	-93	87	18	28.3	30	47.2
White	213	271	-58	79	4	18.8	7	32.9
All other	422	457	-35	92	14	33.2	23	54.5
Scott	531	176	355	302	18	33.9	28	52.7
White	254	98	156	259	8	31.5	14	55.1
All other	277	78	199	355	10	36.1	14	50.5
Sharkey	370	156	214	237	19	51.4	17	45.9
White	72	24	48	300	4	55.6	1	13.9
All other	298	132	166	226	15	50.3	16	53.7
Simpson	507	212	295	239	21	41.4	26	51.3
White	285	132	153	216	9	31.6	9	31.6
All other	222	80	142	278	12	54.1	17	76.6
Smith	439	103	336	426	20	45.6	12	27.3
White	305	82	223	372	12	39.3	9	29.5
All other	134	21	113	638	8	59.7	3	22.4
Stone	130	50	80	260	6	46.2	3	23.1
White	95	33	62	288	3	31.6	1	10.5
All other	35	17	18	206	3	85.7	2	57.1
Sunflower	1,606	564	1,042	285	92	57.3	62	38.6
White	370	106	264	349	21	56.8	7	18.9
All other	1,236	458	778	270	71	57.4	55	44.5
Tallahatchie	994	377	617	264	55	55.3	45	45.3
White	263	89	174	296	12	45.6	8	30.4
All other	731	288	443	254	43	58.8	37	50.6
Tate	448	143	305	313	30	67.0	18	40.2
White	140	44	96	318	5	35.7	4	28.6
All other	308	99	209	311	25	81.2	14	45.5
Tippah	453	123	330	368	14	30.9	8	17.7
White	362	91	271	398	10	27.6	5	13.8
All other	91	32	59	284	4	44.0	3	33.0
Tishomingo	406	119	287	341	21	51.7	15	36.9
Tunica	587	247	340	238	25	42.6	29	49.4
White	55	31	24	177	2	36.4	3	54.5
All other	532	216	316	246	23	43.2	26	48.9
Union	443	208	235	213	20	45.1	19	42.9
White	337	143	194	236	16	47.5	11	32.6
All other	106	65	41	163	4	37.7	8	75.5
Walthall	592	126	466	470	33	55.7	16	27.0
White	314	55	259	571	13	41.4	4	12.7
All other	278	71	207	392	20	71.9	12	43.2
Warren	924	614	310	150	59	63.9	47	50.9
Outside city	239	136	103	176	11	46.0	8	33.5
White	40	24	16	167	-	0	1	25.0
All other	199	112	87	178	11	55.3	7	35.2
Vicksburg	685	478	207	143	48	70.1	39	56.9
White	389	190	199	205	15	38.6	14	36.0
All other	296	288	8	103	33	111.5	25	84.5
Washington	1,720	875	845	197	95	55.2	111	64.5
Outside city	1,180	456	724	259	58	49.2	75	63.6
White	156	49	107	318	5	32.1	2	12.8
All other	1,024	407	617	252	53	51.8	73	71.3
Greenville	540	419	121	129	37	68.5	36	66.7
White	287	129	158	222	12	41.8	9	31.4
All other	253	290	-37	87	25	98.8	27	106.7
Wayne	396	113	283	350	22	55.6	17	42.9
White	216	62	154	348	16	74.1	9	41.7
All other	180	51	129	353	6	33.3	8	44.4
Webster	316	124	192	255	15	47.5	10	31.6
White	208	87	121	239	9	43.3	5	24.0
All other	108	37	71	292	6	55.6	5	46.3
Wilkinson	551	241	310	229	77	139.7	31	56.3
White	111	63	48	176	4	36.0	6	54.1
All other	440	178	262	247	73	165.9	25	56.8
Winston	576	182	394	316	22	38.2	12	20.8
White	283	99	184	286	7	24.7	2	7.1
All other	293	83	210	353	15	51.2	10	34.1
Yalobusha	444	146	298	304	18	40.5	18	40.5
White	188	60	128	313	8	42.6	5	26.6
All other	256	86	170	298	10	39.1	13	50.8
Yazoo	1,047	472	575	222	51	48.7	67	64.0
White	285	126	159	226	11	38.6	9	31.6
All other	762	346	416	220	40	52.5	58	76.1
Section B—Continued								
MISSOURI (total)	66,050	43,128	22,922	153	3,073	46.5	2,141	32.4
Adair	513	359	154	143	22	42.9	11	21.4
Outside city	109	93	16	117	4	36.7	2	18.3
Kirksville	404	266	138	152	18	44.6	9	22.3
Andrew	153	125	28	122	4	26.1	8	52.3
Atchison	162	88	74	184	10	61.7	4	24.7
Audrain	479	284	195	169	20	41.8	8	16.7
Barry	392	200	192	196	26	66.3	12	30.6
Barton	229	131	98	175	4	17.5	6	26.2
Bates	296	224	72	132	6	20.3	6	20.3
Benton	158	98	60	161	6	38.0	2	12.7
Bollinger	167	63	104	265	7	41.9	2	12.0
Boone	519	477	42	109	33	63.6	12	23.1
Outside city	167	171	-4	98	11	65.9	6	35.9
Columbia	352	306	46	115	22	62.5	6	17.0
White	306	253	53	121	17	55.6	5	16.3
All other	46	53	-7	87	5	108.7	1	21.7
Buchanan	1,484	1,320	164	112	67	45.1	58	39.1
Outside city	130	128	2	102	2	15.4	3	23.1
St. Joseph	1,354	1,192	162	114	65	48.0	55	40.6
Butler	1,001	489	512	205	86	85.9	39	39.0
Outside city	494	194	300	255	38	76.9	20	40.5
Poplar Bluff	507	295	212	172	48	94.7	19	37.5
Caldwell	166	123	43	135	6	36.1	4	24.1
Callaway	273	433	-160	63	14	51.3	9	33.0
White	252	364	-112	69	10	39.7	7	27.8
All other	21	69	-48	30	4	190.5	2	95.2
Camden	171	74	97	231	9	52.6	3	17.5
Cape Girardeau	973	570	403	171	78	80.2	59	60.6
Outside city	194	131	63	148	12	61.9	12	61.9
Cape Girardeau	779	439	340	177	66	84.7	47	60.3
Carroll	286	221	65	129	19	66.4	17	59.4
Carter	104	28	76	371	4	38.5	6	57.7
Cass	268	238	30	113	7	26.1	6	22.4
Cedar	191	138	53	138	7	36.6	4	20.9
Chariton	255	171	84	149	12	47.1	4	15.7
Christian	180	99	81	182	4	22.2	4	22.2
Clark	125	79	46	158	-	0	3	24.0
Clay	384	411	-27	93	10	26.0	6	15.6
Clinton	155	148	7	105	4	25.8	5	32.3
Cole	621	404	217	154	48	77.3	11	17.7
Outside city	119	69	50	172	-	0	2	16.8
Jefferson City	502	335	167	150	48	95.6	9	17.9
Cooper	304	235	69	129	7	23.0	14	46.1
White	281	213	68	132	6	21.4	14	49.8
All other	23	22	1	105	1	43.5	-	0
Crawford	151	70	81	216	7	46.4	2	13.2
Dade	145	97	48	149	8	55.2	2	13.8
Dallas	196	87	109	225	7	35.7	4	20.4
Daviess	172	125	47	138	9	52.3	4	23.3
De Kalb	115	88	27	131	4	34.8	3	26.1
Dent	187	92	95	203	14	74.9	11	58.8
Douglas	309	124	185	249	9	29.1	8	25.9
Dunklin	990	373	617	265	92	92.9	39	39.4
Franklin	570	323	247	176	35	61.4	17	29.8
Gasconade	168	115	53	146	5	29.8	5	29.8
Gentry	149	141	8	106	9	60.4	4	26.8
Greene	1,785	1,158	627	154	83	46.5	51	28.6
Outside city	300	265	35	113	10	33.3	8	26.7
Springfield	1,485	893	592	166	73	49.2	43	29.0
Grundy	237	208	29	114	12	50.6	8	33.8
Harrison	276	177	99	156	11	39.9	20	72.5
Henry	373	240	133	155	11	29.5	13	34.9
Hickory	96	54	42	178	6	62.5	-	0
Holt	150	109	41	138	3	20.0	9	60.0
Howard	168	127	41	132	7	41.7	3	17.9
White	128	104	24	123	2	15.6	2	15.6
All other	40	23	17	174	5	125.0	1	25.0
Howell	471	214	257	220	12	25.5	17	36.1
Iron	281	142	139	198	16	56.9	12	42.7
Jackson	8,537	5,617	2,920	152	348	40.8	201	23.5
Outside cities	512	471	41	109	22	43.0	13	25.4
Independence	550	244	306	225	15	27.3	10	18.2
Kansas City	7,475	4,902	2,573	152	311	41.6	178	23.8
White	6,839	4,185	2,654	163	272	39.8	147	21.5
All other	636	717	-81	89	39	61.3	31	48.7
Jasper	1,664	1,119	545	149	90	54.1	52	31.3
Outside cities	398	366	32	109	20	50.3	5	12.6
Carthage	332	167	165	199	11	33.1	13	39.2
Joplin (part)	934	586	348	([5])	59	([5])	34	([5])
Joplin (total)	938	596	342	157	59	62.9	34	36.2
Jefferson	412	278	134	148	23	55.8	11	26.7
Johnson	271	275	-4	99	10	36.9	7	25.8
Knox	87	67	20	130	4	46.0	-	0
Laclede	440	235	205	187	22	50.0	20	45.5
Lafayette	358	264	94	136	11	30.7	10	27.9
Lawrence	418	418	-	100	15	35.9	15	35.9
Lewis	161	113	48	142	2	12.4	3	18.6
Lincoln	169	141	28	120	4	23.7	2	11.8

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
MISSOURI—Contd.								
Linn	320	272	48	118	13	40.6	14	43.8
Livingston	320	233	87	137	14	43.8	12	37.5
McDonald	236	95	141	248	4	16.9	2	8.5
Macon	260	238	22	109	12	46.2	7	26.9
Madison	192	87	105	221	6	31.3	4	20.8
Maries	141	76	65	186	5	35.5	5	35.5
Marion	641	396	245	162	22	34.3	13	20.3
Outside city	61	70	-9	87	1	16.4	-	0
Hannibal	580	326	254	178	21	36.2	13	22.4
Mercer	131	85	46	154	6	45.8	5	38.2
Miller	292	124	168	235	6	20.5	8	27.4
Mississippi	565	203	362	278	45	79.6	15	26.5
White	442	116	326	381	25	56.6	8	18.1
All other	123	87	36	141	20	162.6	7	56.9
Moniteau	185	119	66	155	3	16.2	8	43.2
Monroe	145	121	24	120	6	41.4	4	27.6
Montgomery	145	125	20	116	10	69.0	6	41.4
Morgan	220	122	98	180	10	45.5	2	9.1
New Madrid	1,048	387	661	271	115	109.7	36	34.4
White	881	295	586	299	88	99.9	32	36.3
All other	167	92	75	182	27	161.7	4	24.0
Newton	612	297	315	206	31	50.7	20	32.7
Outside city	608	287	321	212	31	51.0	20	32.9
Joplin (part)	4	10	-6	(5)	-	(5)	-	(5)
Nodaway	484	309	175	157	25	51.7	17	35.1
Oregon	209	79	130	265	10	47.8	6	28.7
Osage	180	78	102	231	4	22.2	-	0
Ozark	263	71	192	370	6	22.8	10	38.0
Pemiscot	1,019	383	636	266	97	95.2	27	26.5
White	839	277	562	303	79	94.2	21	25.0
All other	180	106	74	170	18	100.0	6	33.3
Perry	294	85	209	346	8	27.2	1	3.4
Pettis	533	429	104	124	23	43.2	11	20.6
Outside city	91	109	-18	83	3	33.0	3	33.0
Sedalia	442	320	122	138	20	45.2	8	18.1
Phelps	435	290	145	150	33	75.9	10	23.0
Pike	304	278	26	109	10	32.9	12	39.5
White	269	240	29	112	8	29.7	9	33.5
All other	35	38	-3	92	2	57.1	3	85.7
Platte	137	121	16	113	7	51.1	2	14.6
Polk	258	193	65	134	11	42.6	4	15.5
Pulaski	233	163	70	143	20	85.8	5	21.5
Putnam	182	119	63	153	5	27.5	5	27.5
Ralls	92	81	11	114	3	32.6	2	21.7
Randolph	359	339	20	106	21	58.5	15	41.8
Outside city	146	112	34	130	5	34.2	5	34.2
Moberly	213	227	-14	94	16	75.1	10	46.9
Ray	298	187	111	159	18	60.4	4	13.4
Reynolds	167	52	115	321	10	59.9	4	24.0
Ripley	267	90	177	297	13	48.7	10	37.5
St. Charles	451	317	134	142	22	48.8	15	33.3
Outside city	122	121	1	101	3	24.6	2	16.4
St. Charles	329	196	133	168	19	57.8	13	39.5
St. Clair	263	124	139	212	10	38.0	4	15.2
St. Francois	678	413	265	164	25	36.9	25	36.9
St. Louis	2,025	2,692	-667	75	90	44.4	68	33.6
Outside cities	541	1,646	-1,105	33	27	49.9	18	33.3
Clayton	566	379	187	149	22	38.9	17	30.0
Kirkwood	24	84	-60	29	-	0	1	41.7
Maplewood	23	94	-71	24	1	43.5	-	0
Richmond Heights	846	252	594	336	38	44.9	30	35.5
University City	8	145	-137	6	-	0	1	125.0
Webster Groves	17	92	-75	18	2	117.6	1	58.8
St. Louis (city)	16,712	10,535	6,177	159	602	36.0	686	41.0
White	14,456	8,736	5,720	165	447	30.9	487	33.7
All other	2,256	1,799	457	125	155	68.7	199	88.2
Ste. Genevieve	229	91	138	252	11	48.0	6	26.2
Saline	409	346	63	118	17	41.6	21	51.3
Schuyler	67	69	-2	97	-	0	1	14.9
Scotland	83	76	7	109	1	12.0	2	24.1
Scott	653	246	407	265	41	62.8	16	24.5
Shannon	216	70	146	309	13	60.2	3	13.9
Shelby	142	141	1	101	6	42.3	8	56.3
Stoddard	723	312	411	232	68	94.1	31	42.9
Stone	219	78	141	281	7	32.0	10	45.7
Sullivan	193	105	88	184	8	41.5	2	10.4
Taney	183	80	103	229	7	38.3	6	32.8
Texas	401	170	231	236	26	64.8	13	32.4
Vernon	337	485	-148	69	17	50.4	10	29.7
Warren	124	70	54	177	3	24.2	7	56.5
Washington	349	137	212	255	18	51.6	9	25.8
Wayne	206	85	121	242	12	58.3	3	14.6
Webster	295	127	168	232	8	27.1	-	0
Worth	98	44	54	223	5	51.0	4	40.8
Wright	312	167	145	187	15	48.1	9	28.8
Section B—Continued								
MONTANA (total)	11,437	5,626	5,811	203	426	37.2	227	19.8
Beaverhead	77	83	-6	93	3	39.0	4	51.9
Big Horn	233	87	146	268	11	47.2	5	21.5
White	146	55	91	265	7	47.9	2	13.7
All other	87	32	55	272	4	46.0	3	34.5
Blaine	199	46	153	433	3	15.1	2	10.1
White	82	25	57	328	1	12.2	-	0
All other	117	21	96	557	2	17.1	2	17.1
Broadwater	76	29	47	262	2	26.3	3	39.5
Carbon	135	79	56	171	5	37.0	4	29.6
Carter	30	15	15	200	-	0	1	33.3
Cascade	1,041	482	559	216	42	40.3	15	14.4
Outside city	27	53	-26	51	4	148.1	-	0
Great Falls	1,014	429	585	236	38	37.5	15	14.8
Chouteau	62	48	14	129	3	48.4	-	0
Custer	291	147	144	198	10	34.4	3	10.3
Daniels	116	39	77	297	5	43.1	2	17.2
Dawson	210	82	128	256	4	19.0	-	0
Deer Lodge	320	364	-44	88	15	46.9	9	28.1
Outside city	3	218	-215	1	1	333.3	-	0
Anaconda	317	146	171	217	14	44.2	9	28.4
Fallon	72	32	40	225	2	27.8	2	27.8
Fergus	310	151	159	205	7	22.6	2	6.5
Flathead	463	242	221	191	12	25.9	12	25.9
Gallatin	342	157	185	218	9	26.3	3	8.8
Garfield	45	17	28	265	2	44.4	2	44.4
Glacier	252	112	140	225	19	75.4	8	31.7
White	87	54	33	161	5	57.5	3	34.5
All other	165	58	107	284	14	84.8	5	30.3
Golden Valley	3	7	-4	43	-	0	-	0
Granite	13	34	-21	38	-	0	-	0
Hill	364	141	223	258	18	49.5	9	24.7
Jefferson	68	45	23	151	3	44.1	1	14.7
Judith Basin	2	17	-15	12	1	500.0	-	0
Lake	256	137	119	187	19	74.2	4	15.6
White	180	82	98	220	8	44.4	4	22.2
All other	76	55	21	138	11	144.7	-	0
Lewis and Clark	473	304	169	156	14	29.6	11	23.3
Outside city	18	99	-81	18	-	0	1	55.6
Helena	455	205	250	222	14	30.8	10	22.0
Liberty	33	9	24	367	-	0	-	0
Lincoln	159	53	106	300	2	12.6	1	6.3
McCone	24	14	10	171	3	125.0	1	41.7
Madison	62	61	1	102	2	32.3	3	48.4
Meagher	17	18	-1	94	-	0	-	0
Mineral	20	20	-	100	1	50.0	-	0
Missoula	802	320	482	251	23	28.7	10	12.5
Outside city	1	28	-27	4	-	0	-	0
Missoula	801	292	509	274	23	28.7	10	12.5
Musselshell	90	61	29	148	3	33.3	-	0
Park	220	123	97	179	3	13.6	6	27.3
Petroleum	3	7	-4	43	2	666.7	-	0
Phillips	118	49	69	241	3	25.4	3	25.4
Pondera	188	72	116	261	10	53.2	4	21.3
Powder River	33	13	20	254	-	0	1	30.3
Powell	111	50	61	222	4	36.0	4	36.0
Prairie	47	28	19	168	2	42.6	1	21.3
Ravalli	212	123	89	172	6	28.3	6	28.3
Richland	276	73	203	378	11	39.9	4	14.5
Roosevelt	261	90	171	290	13	49.8	2	7.7
White	157	61	96	257	6	38.2	2	12.7
All other	104	29	75	359	7	67.3	-	0
Rosebud	132	79	53	167	16	121.2	3	22.7
White	75	37	38	203	4	53.3	2	26.7
All other	57	42	15	136	12	210.5	1	17.5
Sanders	54	29	25	186	-	0	-	0
Sheridan	117	41	76	285	5	42.7	3	25.6
Silver Bow	1,065	691	374	154	28	26.3	30	28.2
Outside city	82	204	-122	40	1	12.2	2	24.4
Butte	983	487	496	202	27	27.5	28	28.5
Stillwater	55	45	10	122	4	72.7	1	18.2
Sweet Grass	66	28	38	236	6	90.9	-	0
Teton	56	39	17	144	3	53.6	1	17.9
Toole	142	38	104	374	2	14.1	3	21.1
Treasure	27	5	22	540	1	37.0	-	0
Valley	262	75	187	349	9	34.4	5	19.1
Wheatland	51	25	26	204	2	39.2	1	19.6
Wibaux	16	17	-1	94	1	62.5	-	0
Yellowstone	1,265	433	832	292	52	41.1	32	25.3
Outside city	159	106	53	150	10	62.9	4	25.2
Billings	1,106	327	779	338	42	38.0	28	25.3
Yellowstone National Park (part)	-	-	-	(5)	-	(5)	-	(5)

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
NEBRASKA (total)	22,197	12,203	9,994	182	764	34.4	471	21.2
Adams	410	352	58	116	14	34.1	7	17.1
Outside city	65	158	-93	41	1	15.4	1	15.4
Hastings	345	194	151	178	13	37.7	6	17.4
Antelope	226	115	111	197	10	44.2	5	22.1
Arthur	3	4	-1	75	-	0	-	0
Banner	2	4	-2	50	-	0	-	0
Blaine	16	7	9	229	-	0	-	0
Boone	175	77	98	227	6	34.3	5	28.6
Box Butte	263	108	155	244	9	34.2	4	15.2
Boyd	115	52	63	221	7	60.9	3	26.1
Brown	192	63	129	305	4	20.8	7	36.5
Buffalo	373	258	115	145	13	34.9	8	21.4
Burt	189	77	112	245	6	31.7	3	15.9
Butler	152	97	55	157	6	39.5	1	6.6
Cass	117	130	-13	90	3	25.6	-	0
Cedar	239	82	157	291	1	4.2	2	8.4
Chase	148	41	107	361	4	27.0	5	33.8
Cherry	168	62	106	271	11	65.5	2	11.9
Cheyenne	178	80	98	223	8	44.9	1	5.6
Clay	92	117	-25	79	4	43.5	3	32.6
Colfax	112	59	53	190	1	8.9	4	35.7
Cuming	230	115	115	200	4	17.4	4	17.4
Custer	393	167	226	235	7	17.8	15	38.2
Dakota	112	68	44	165	5	44.6	3	26.8
Dawes	172	97	75	177	10	58.1	4	23.3
Dawson	352	168	184	210	11	31.3	5	14.2
Deuel	72	25	47	288	2	27.8	-	0
Dixon	197	68	129	290	3	15.2	7	35.5
Dodge	416	248	168	168	9	21.6	9	21.6
Outside city	120	81	39	148	1	8.3	3	25.0
Fremont	296	167	129	177	8	27.0	6	20.3
Douglas	4,865	2,752	2,113	177	182	37.4	107	22.0
Outside city	31	100	-69	31	2	64.5	2	64.5
Omaha	4,834	2,652	2,182	182	180	37.2	105	21.7
White	4,664	2,481	2,183	188	165	35.4	96	20.6
All other	170	171	-1	99	15	88.2	9	52.9
Dundy	100	46	54	217	13	130.0	4	40.0
Fillmore	103	94	9	110	7	68.0	4	38.8
Franklin	83	45	38	184	-	0	2	24.1
Frontier	75	44	31	170	2	26.7	-	0
Furnas	147	97	50	152	5	34.0	3	20.4
Gage	554	322	232	172	8	14.4	8	14.4
Outside city	149	170	-21	88	3	20.1	2	13.4
Beatrice	405	152	253	266	5	12.3	6	14.8
Garden	72	29	43	248	4	55.6	4	55.6
Garfield	95	33	62	288	6	63.2	4	42.1
Gosper	26	20	6	130	1	38.5	1	38.5
Grant	37	3	34	1,233	-	0	1	27.0
Greeley	106	53	53	200	4	37.7	-	0
Hall	559	305	254	183	24	42.9	17	30.4
Outside city	82	51	31	161	2	24.4	1	12.2
Grand Island	477	254	223	188	22	46.1	16	33.5
Hamilton	107	79	28	135	2	18.7	1	9.3
Harlan	53	45	8	118	1	18.9	1	18.9
Hayes	19	19	-	100	2	105.3	1	52.6
Hitchcock	122	45	77	271	5	41.0	1	8.2
Holt	307	132	175	233	11	35.8	6	19.5
Hooker	47	7	40	671	-	0	1	21.3
Howard	110	61	49	180	7	63.6	3	27.3
Jefferson	263	122	141	216	14	53.2	4	15.2
Johnson	146	71	75	206	9	61.6	4	27.4
Kearney	87	78	9	112	5	57.5	2	23.0
Keith	179	55	124	325	11	61.5	3	16.8
Keya Paha	11	9	2	122	-	0	-	0
Kimball	97	29	68	334	2	20.6	1	10.3
Knox	273	112	161	244	9	33.0	5	18.3
Lancaster	1,519	1,170	349	130	40	26.3	29	19.1
Outside city	82	239	-157	34	-	0	-	0
Lincoln	1,437	931	506	154	40	27.8	29	20.2
Lincoln	498	240	258	208	20	40.2	7	14.1
Outside city	129	59	70	219	2	15.5	-	0
North Platte	369	181	188	204	18	48.8	7	19.0
Logan	16	15	1	107	-	0	-	0
Loup	19	13	6	146	-	0	-	0
McPherson	2	3	-1	67	-	0	-	0
Madison	511	351	160	146	22	43.1	16	31.3
Outside city	91	166	-75	55	3	33.0	2	22.0
Norfolk	420	185	235	227	19	45.2	14	33.3
Merrick	141	70	71	201	4	28.4	3	21.3
Morrill	161	47	114	343	9	55.9	4	24.8
Nance	119	67	52	178	8	67.2	1	8.4
Nemaha	209	110	99	190	5	23.9	8	38.3
Nuckolls	160	82	78	195	2	12.5	5	31.3
Otoe	278	149	129	187	8	28.8	5	18.0
Pawnee	142	86	56	165	1	7.0	3	21.1
Perkins	49	23	26	213	1	20.4	2	40.8
Phelps	180	126	54	143	7	38.9	4	22.2

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
NEBRASKA—Contd.								
Pierce	174	60	114	290	3	17.2	1	5.7
Platte	385	158	227	244	14	36.4	9	23.4
Polk	141	66	75	214	2	14.2	2	14.2
Red Willow	261	112	149	233	12	46.0	2	7.7
Richardson	365	191	174	191	12	32.9	9	24.7
Rock	53	20	33	265	2	37.7	2	37.7
Saline	138	130	8	106	3	21.7	7	50.7
Sarpy	19	56	-37	34	2	105.3	1	52.6
Saunders	191	150	41	127	7	36.6	3	15.7
Scotts Bluff	820	278	542	295	32	39.0	20	24.4
Outside city	250	98	152	255	13	52.0	5	20.0
Scottsbluff	570	180	390	317	19	33.3	15	26.3
Seward	238	133	105	179	3	12.6	5	21.0
Sheridan	214	84	130	255	9	42.1	4	18.7
Sherman	158	55	103	287	4	25.3	1	6.3
Sioux	22	16	6	138	-	0	1	45.5
Stanton	89	34	55	262	-	0	3	33.7
Thayer	179	92	87	195	7	39.1	4	22.3
Thomas	14	10	4	140	-	0	-	0
Thurston	246	85	161	289	6	24.4	2	8.1
White	150	52	98	288	2	13.3	-	0
All other	96	33	63	291	4	41.7	2	20.8
Valley	128	69	59	186	8	62.5	-	0
Washington	120	79	41	152	4	33.3	1	8.3
Wayne	143	73	70	196	2	14.0	3	21.0
Webster	106	88	18	120	1	9.4	3	28.3
Wheeler	18	11	7	164	-	0	1	55.6
York	214	153	61	140	12	56.1	5	23.4
NEVADA (total)	2,181	1,400	781	156	92	42.2	53	24.3
Churchill	102	81	21	126	1	9.8	1	9.8
Clark	370	202	168	183	16	43.2	6	16.2
Douglas	12	24	-12	50	1	83.3	-	0
White	8	23	-15	35	1	125.0	-	0
All other	4	1	3	400	-	0	-	0
Elko	194	133	61	146	6	30.9	-	0
White	163	106	57	154	6	36.8	-	0
All other	31	27	4	115	-	0	-	0
Esmeralda	4	15	-11	27	-	0	-	0
Eureka	7	11	-4	64	1	142.9	-	0
Humboldt	137	69	68	199	7	51.1	1	7.3
Lander	17	21	-4	81	2	117.6	2	117.6
White	14	21	-7	67	2	142.9	1	71.4
All other	3	-	3	(2)	-	0	1	333.3
Lincoln	96	36	60	267	3	31.3	4	41.7
Lyon	41	38	3	108	1	24.4	-	0
Mineral	95	31	64	306	3	31.6	5	52.6
White	50	19	31	263	1	20.0	2	40.0
All other	45	12	33	375	2	44.4	3	66.7
Nye	60	67	-7	90	2	33.3	1	16.7
White	55	60	-5	92	1	18.2	1	18.2
All other	5	7	-2	71	1	200.0	-	0
Ormsby	70	40	30	175	2	28.6	5	71.4
Pershing	17	39	-22	44	5	294.1	-	0
Storey	5	10	-5	50	-	0	-	0
Washoe	672	478	194	141	29	43.2	24	35.7
Outside city	344	268	76	128	17	49.4	16	46.5
Reno	328	210	118	156	12	36.6	8	24.4
White Pine	282	105	177	269	13	46.1	4	14.2
NEW HAMPSHIRE (total)	8,743	6,114	2,629	143	319	36.5	224	25.6
Belknap	426	328	98	130	12	28.2	10	23.5
Outside city	30	111	-81	27	1	33.3	-	0
Laconia	396	217	179	182	11	27.8	10	25.3
Carroll	265	250	15	106	9	34.0	9	34.0
Cheshire	536	437	99	123	17	31.7	19	35.4
Outside city	158	197	-39	80	5	31.6	10	63.3
Keene	378	240	138	158	12	31.7	9	23.8
Coos	767	397	370	193	29	37.8	16	20.9
Outside city	348	239	109	146	17	48.9	7	20.1
Berlin	419	158	261	265	12	28.6	9	21.5
Grafton	1,045	589	456	177	38	36.4	16	15.3
Hillsborough	2,560	1,736	824	147	116	45.3	79	30.9
Outside cities	437	474	-37	92	24	54.9	11	25.2
Manchester	1,389	888	501	156	65	46.8	37	26.6
Nashua	734	374	360	196	27	36.8	31	42.2
Merrimack	958	937	21	102	27	28.2	23	24.0
Outside city	382	379	3	101	10	26.2	7	18.3
Concord	576	558	18	103	17	29.5	16	27.8
Rockingham	1,016	745	271	136	25	24.6	27	26.6
Outside city	555	538	17	97	17	30.6	15	27.0
Portsmouth	461	207	254	223	8	17.4	12	26.0
Strafford	710	460	250	154	30	42.3	16	22.5
Outside cities	79	142	-63	56	6	75.9	2	25.3
Dover	252	186	66	135	9	35.7	4	15.9
Rochester	379	132	247	287	15	39.6	10	26.4
Sullivan	460	235	225	196	16	34.8	9	19.6
Outside city	150	121	29	124	4	26.7	4	26.7
Claremont (town)	310	114	196	272	12	38.7	5	16.1

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
NEW JERSEY (total)	65,935	45,441	20,494	145	2,390	36.2	1,710	25.9
Atlantic	1,676	1,929	-253	87	76	45.3	36	21.5
Outside cities	496	698	-202	71	21	42.3	12	24.2
Atlantic City	1,069	1,109	-40	96	52	48.6	22	20.6
White	749	835	-86	90	34	45.4	17	22.7
All other	320	274	46	117	18	56.3	5	15.6
Pleasantville	111	122	-11	91	3	27.0	2	18.0
White	104	89	15	117	1	9.6	1	9.6
All other	7	33	-26	21	2	285.7	1	142.9
Bergen	4,119	3,435	684	120	131	31.8	99	24.0
Outside cities	214	1,504	-1,290	14	14	65.4	14	65.4
Bergenfield	4	48	-44	8	2	500.0	-	0
Cliffside Park	11	70	-59	16	1	90.9	1	90.9
Englewood	955	351	604	272	29	30.4	27	28.3
White	881	316	565	279	21	23.8	25	28.4
All other	74	35	39	211	8	108.1	2	27.0
Garfield	34	101	-67	34	3	88.2	1	29.4
Hackensack	1,496	589	907	254	40	26.7	32	21.4
White	1,373	554	819	248	33	24.0	30	21.8
All other	123	35	88	351	7	56.9	2	16.3
Lodi	20	43	-23	47	5	250.0	-	0
Lyndhurst (twp.)[4]	17	86	-69	20	1	58.8	1	58.8
Ridgefield Park	4	76	-72	5	1	250.0	-	0
Ridgewood	52	113	-61	46	-	0	-	0
Rutherford	5	114	-109	4	-	0	-	0
Teaneck (twp.)[4]	1,307	340	967	384	35	26.8	23	17.6
Burlington	1,398	1,178	220	119	46	32.9	35	25.0
Outside city	1,308	1,091	217	120	43	32.9	31	23.7
Burlington	90	87	3	103	3	33.3	4	44.4
White	75	80	-5	94	2	26.7	3	40.0
All other	15	7	8	214	1	66.7	1	66.7
Camden	4,647	2,988	1,659	156	226	48.6	122	26.3
Outside cities	438	1,044	-606	42	22	50.2	17	38.8
Camden	4,005	1,620	2,385	247	197	49.2	99	24.7
White	3,597	1,418	2,179	254	163	45.3	87	24.2
All other	408	202	206	202	34	83.3	12	29.4
Collingswood	74	100	-26	74	1	13.5	1	13.5
Gloucester	64	97	-33	66	-	0	3	46.9
Pennsauken (twp.)[4]	66	127	-61	52	6	90.9	2	30.3
Cape May	223	421	-198	53	9	40.4	5	22.4
Cumberland	1,406	999	407	141	80	56.9	33	23.5
Outside cities	576	503	73	115	21	36.5	9	15.6
Bridgeton	562	307	255	183	43	76.5	17	30.2
White	498	267	231	187	33	66.3	14	28.1
All other	64	40	24	160	10	156.3	3	46.9
Millville	268	189	79	142	16	59.7	7	26.1
Essex	14,313	8,767	5,546	163	445	31.1	360	25.2
Outside cities	824	891	-67	92	24	29.1	7	8.5
Belleville	37	159	-122	23	16	432.4	1	27.0
Bloomfield	35	239	-204	15	-	0	1	28.6
East Orange	584	572	12	102	19	32.5	13	22.3
Irvington	377	406	-29	93	14	37.1	15	39.8
Maplewood (twp.)[4]	4	118	-114	3	-	0	-	0
Millburn (twp.)[4]	4	45	-41	9	-	0	-	0
Montclair	662	386	276	172	22	33.2	14	21.1
White	641	340	301	189	19	29.6	10	15.6
All other	21	46	-25	46	3	142.9	4	190.5
Newark	9,737	4,988	4,749	195	307	31.5	268	27.5
White	8,647	4,371	4,276	198	244	28.2	220	25.4
All other	1,090	617	473	177	63	57.8	48	44.0
Nutley	21	96	-75	22	-	0	-	0
Orange	2,014	663	1,351	304	41	20.4	41	20.4
White	1,877	580	1,297	324	37	19.7	39	20.8
All other	137	83	54	165	4	29.2	2	14.6
South Orange	3	87	-84	3	-	0	-	0
West Orange	11	117	-106	9	2	181.8	-	0
Gloucester	1,028	731	297	141	47	45.7	23	22.4
Hudson	10,268	6,677	3,591	154	338	32.9	278	27.1
Outside cities	9	442	-433	2	1	111.1	-	0
Bayonne	871	564	307	154	20	23.0	23	26.4
Harrison	14	77	-63	18	2	142.9	1	71.4
Hoboken	720	682	38	106	28	38.9	19	26.4
Jersey City	7,733	3,600	4,133	215	253	32.7	206	26.6
White	7,355	3,404	3,951	216	231	31.4	189	25.7
All other	378	196	182	193	22	58.2	17	45.0
Kearny	322	302	20	107	10	31.1	8	24.8
North Bergen (twp.)[4]	37	189	-152	20	2	54.1	2	54.1
Union City	111	309	-198	36	2	18.0	2	18.0
Weehawken (twp.)[4]	422	361	61	117	20	47.4	15	35.5
West New York	29	151	-122	19	-	0	2	69.0
Hunterdon	264	369	-105	72	7	26.5	6	22.7
Mercer	3,791	2,581	1,210	147	161	42.5	98	25.9
Outside city	434	743	-309	58	14	32.3	9	20.7
Trenton	3,357	1,838	1,519	183	147	43.8	89	26.5

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
NEW JERSEY—Contd.								
Middlesex	3,262	1,980	1,282	165	108	33.1	101	31.0
Outside cities	552	750	-198	74	25	45.3	10	18.1
Carteret	70	52	18	135	2	28.6	1	14.3
New Brunswick	1,499	553	946	271	53	35.4	49	32.7
Perth Amboy	998	449	549	222	25	25.1	33	33.1
South River	39	41	-2	95	-	0	1	25.6
Woodbridge (twp.)[4]	104	135	-31	77	3	28.8	7	67.3
Monmouth	2,286	2,367	-81	97	75	32.8	64	28.0
Outside cities	260	1,266	-1,006	21	14	53.8	13	50.0
Asbury Park	15	116	-101	13	-	0	-	0
White	8	94	-86	9	-	0	-	0
All other	7	22	-15	32	-	0	-	0
Long Branch	1,003	493	510	203	30	29.9	23	22.9
Neptune (twp.)[4]	826	365	461	226	26	31.5	24	29.1
White	712	311	401	229	16	22.5	14	19.7
All other	114	54	60	211	10	87.7	10	87.7
Red Bank	182	127	55	143	5	27.5	4	22.0
White	178	115	63	155	4	22.5	3	16.9
All other	4	12	-8	33	1	250.0	1	250.0
Morris	1,626	1,844	-218	88	46	28.3	32	19.7
Outside cities	180	1,246	-1,066	14	10	55.6	4	22.2
Dover	533	214	319	249	13	24.4	9	16.9
Morristown	913	384	529	238	23	25.2	19	20.8
Ocean	499	535	-36	93	24	48.1	12	24.0
Passaic	6,491	3,414	3,077	190	262	40.4	187	28.8
Outside cities	118	479	-361	25	9	76.3	2	16.9
Clifton	49	217	-168	23	1	20.4	2	40.8
Hawthorne	20	84	-64	24	-	0	1	50.0
Passaic	2,617	816	1,801	321	83	31.7	75	28.7
Paterson	3,687	1,818	1,869	203	169	45.8	107	29.0
Salem	715	435	280	164	48	67.1	17	23.8
White	601	360	241	167	35	58.2	13	21.6
All other	114	75	39	152	13	114.0	4	35.1
Somerset	931	797	134	117	36	38.7	25	26.9
Outside city	927	721	206	129	35	37.8	25	27.0
North Plainfield	4	76	-72	5	1	250.0	-	0
Sussex	650	337	313	193	27	41.5	14	21.5
Union	5,732	3,108	2,624	184	180	31.4	149	26.0
Outside cities	43	254	-211	17	2	46.5	1	23.3
Cranford (twp.)[4]	18	118	-100	15	4	222.2	-	0
Elizabeth	2,927	1,297	1,630	226	101	34.5	75	25.6
Hillside (twp.)[4]	14	89	-75	16	-	0	1	71.4
Linden	58	72	-14	81	1	17.2	5	86.2
Plainfield	1,376	538	838	256	38	27.6	33	24.0
White	1,248	475	773	263	34	27.2	29	23.2
All other	128	63	65	203	4	31.3	4	31.3
Rahway	603	197	406	306	16	26.5	23	38.1
Roselle	25	70	-45	36	-	0	-	0
White	13	59	-46	22	-	0	-	0
All other	12	11	1	109	-	0	-	0
Summit	625	254	371	246	16	25.6	9	14.4
Union (twp.)[4]	25	117	-92	21	2	80.0	2	80.0
Westfield	18	102	-84	18	-	0	-	0
Warren	610	549	61	111	18	29.5	14	23.0
Outside city	184	273	-89	67	3	16.3	3	16.3
Phillipsburg	426	276	150	154	15	35.2	11	25.8
NEW MEXICO (total)	14,774	5,720	9,054	258	1,410	95.4	348	23.4
Bernalillo	2,211	1,029	1,182	215	214	96.8	42	19.0
Outside city	887	387	500	229	119	134.2	17	19.2
Albuquerque	1,324	642	682	206	95	71.8	25	18.9
Catron	79	36	43	219	12	151.9	1	12.7
Chaves	603	208	395	290	41	68.0	11	18.2
Outside city	150	48	102	313	13	86.7	2	13.3
Roswell	453	160	293	283	28	61.8	9	19.9
Colfax	477	185	292	258	31	65.0	15	31.4
Curry	556	155	401	359	23	41.4	6	10.8
Outside city	35	20	15	175	-	0	-	0
Clovis	521	135	386	386	23	44.1	6	11.5
De Baca	79	51	28	155	7	88.6	3	38.0
Dona Ana	908	293	615	310	87	95.8	30	33.0
Eddy	827	270	557	306	75	90.7	16	19.3
Grant	577	247	330	234	51	88.4	5	8.7
Guadalupe	263	84	179	313	26	98.9	8	30.4
Harding	98	41	57	239	14	142.9	-	0
Hidalgo	143	79	64	181	18	125.9	4	28.0
Lea	364	68	296	535	10	27.5	7	19.2
Outside city	125	31	94	403	4	32.0	4	32.0
Hobbs	239	37	202	646	6	25.1	3	12.6
Lincoln	239	85	154	281	23	96.2	8	33.5
Luna	166	101	65	164	18	108.4	3	18.1
McKinley	432	199	233	217	57	131.9	16	37.0
White	395	133	262	297	38	96.2	16	40.5
All other	37	66	-29	56	19	513.5	-	0
Mora	352	118	234	298	41	116.5	11	31.3

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
NEW MEXICO—Contd.								
Otero	260	111	149	234	13	50.0	4	15.4
Quay	291	110	181	265	24	82.5	2	6.9
Rio Arriba	913	230	683	397	76	83.2	27	29.6
Roosevelt	293	93	200	315	7	23.9	7	23.9
Sandoval	414	214	200	193	59	142.5	13	31.4
White	322	136	186	237	49	152.2	13	40.4
All other	92	78	14	118	10	108.7	-	0
San Juan	149	60	89	248	11	73.8	2	13.4
White	149	59	90	253	11	73.8	2	13.4
All other	-	1	-1	0	-	-	-	-
San Miguel	968	436	532	222	120	124.0	30	31.0
Santa Fe	920	343	577	268	83	90.2	18	19.6
Outside city	243	82	161	296	21	86.4	8	32.9
Santa Fe	677	261	416	259	62	91.6	10	14.8
Sierra	130	66	64	197	10	76.9	4	30.8
Socorro	376	181	195	208	50	133.0	17	45.2
Taos	625	177	448	353	62	99.2	12	19.2
Torrance	327	96	231	341	28	85.6	7	21.4
Union	200	88	112	227	16	80.0	6	30.0
Valencia	534	266	268	201	103	192.9	11	20.6
White	478	231	247	207	91	190.4	11	23.0
All other	56	35	21	160	12	214.3	-	0
NEW YORK (total)	211,171	147,688	63,483	143	6,982	33.1	11,259	53.3
Albany	3,440	2,696	744	128	132	38.4	74	21.5
Outside cities	102	488	-386	21	6	58.8	1	9.8
Albany	2,970	1,851	1,119	160	111	37.4	66	22.2
Cohoes	324	251	73	129	13	40.1	6	18.5
Watervliet	44	106	-62	42	2	45.5	1	22.7
Allegany	732	477	255	153	33	45.1	18	24.6
Broome	3,003	1,835	1,168	164	110	36.6	66	22.0
Outside cities	251	333	-82	75	6	23.9	3	12.0
Binghamton	1,469	1,081	388	136	52	35.4	31	21.1
Endicott	617	189	448	365	24	38.9	12	19.4
Johnson City	666	252	414	264	28	42.0	20	30.0
Cattaraugus	1,534	964	570	159	69	45.0	35	22.8
Outside city	738	660	78	112	36	48.8	16	21.7
Olean	796	304	492	262	33	41.5	19	23.9
Cayuga	1,079	837	242	129	44	40.8	20	18.5
Outside city	140	304	-164	46	4	28.6	1	7.1
Auburn	939	533	406	176	40	42.6	19	20.2
Chautauqua	1,996	1,403	593	142	61	30.6	38	19.0
Outside cities	393	604	-211	65	16	40.7	6	15.3
Dunkirk	445	245	200	182	10	22.5	6	13.5
Jamestown	1,158	554	604	209	35	30.2	26	22.5
Chemung	1,396	863	533	162	39	27.9	27	19.3
Outside city	45	205	-160	22	4	88.9	-	0
Elmira	1,351	658	693	205	35	25.9	27	20.0
Chenango	703	471	232	149	26	37.0	16	22.8
Clinton	1,119	628	491	178	44	39.3	34	30.4
Outside city	424	337	87	126	23	54.2	15	35.4
Plattsburgh	695	291	404	239	21	30.2	19	27.3
Columbia	530	576	-46	92	10	18.9	10	18.9
Outside city	151	345	-194	44	5	33.1	6	39.7
Hudson	379	231	148	164	5	13.2	4	10.6
Cortland	747	421	326	177	23	30.8	25	33.5
Outside city	86	164	-78	52	4	46.5	-	0
Cortland	661	257	404	257	19	28.7	25	37.8
Delaware	732	467	265	157	28	38.3	22	30.1
Dutchess	1,601	2,110	-509	76	71	44.3	32	20.0
Outside cities	546	1,410	-864	39	26	47.6	14	25.6
Beacon	235	172	63	137	6	25.5	4	17.0
Poughkeepsie	820	528	292	155	39	47.6	14	17.1
Erie	14,262	8,954	5,308	159	519	36.4	374	26.2
Outside cities	959	1,499	-540	64	30	31.3	28	29.2
Buffalo	12,070	6,987	5,083	173	434	36.0	307	25.4
White	11,624	6,707	4,917	173	409	35.2	294	25.3
All other	446	280	166	159	25	56.1	13	29.1
Kenmore	12	89	-77	13	1	83.3	-	0
Lackawanna	1,197	313	884	382	52	43.4	38	31.7
Tonawanda	24	66	-42	36	2	83.3	1	41.7
Essex	719	499	220	144	30	41.7	9	12.5
Franklin	855	609	246	140	47	55.0	22	25.7
Fulton	694	659	35	105	24	34.6	18	25.9
Outside cities	110	130	-20	85	3	27.3	2	18.2
Gloversville	553	405	148	137	20	36.2	16	28.9
Johnstown	31	124	-93	25	1	32.3	-	0
Genesee	834	594	240	140	42	50.4	27	32.4
Outside city	80	236	-156	34	10	125.0	1	12.5
Batavia	754	358	396	211	32	42.4	26	34.5
Greene	394	363	31	109	12	30.5	12	30.5
Hamilton	17	51	-34	33	-	0	2	117.6
Herkimer	918	703	215	131	27	29.4	23	25.1
Outside city	609	570	39	107	17	27.9	15	24.6
Little Falls	309	133	176	232	10	32.4	8	25.9
Jefferson	1,649	1,149	500	144	83	50.3	36	21.8
Outside city	613	580	33	106	27	44.0	9	14.7
Watertown	1,036	569	467	182	56	54.1	27	26.1
Lewis	393	227	166	173	12	30.5	11	28.0
Livingston	316	510	-194	62	14	44.3	11	34.8
Madison	821	567	254	145	29	35.3	22	26.8
Outside city	364	361	3	101	10	27.5	8	22.0
Oneida	457	206	251	222	19	41.6	14	30.6
Monroe	6,818	4,980	1,838	137	209	30.7	146	21.4
Outside cities	427	1,131	-704	38	16	37.5	15	35.1
Irondequoit (town)	19	103	-84	18	1	52.6	-	0
Rochester	6,372	3,746	2,626	170	192	30.1	131	20.6
Montgomery	821	653	168	126	24	29.2	23	28.0
Outside city	143	231	-88	62	4	28.0	2	14.0
Amsterdam	678	422	256	161	20	29.5	21	31.0
Nassau	4,911	3,283	1,628	150	145	29.5	124	25.2
Outside cities	2,626	2,136	490	123	88	33.5	75	28.6
Floral Park	167	76	91	220	5	29.9	4	24.0
Freeport	302	139	163	217	6	19.9	4	13.2
Garden City	1	54	-53	2	-	0	-	0
Glen Cove	642	173	469	371	16	24.9	10	15.6
Hempstead	58	128	-70	45	2	34.5	4	69.0
Lynbrook	9	81	-72	11	-	0	-	0
Mineola	925	292	633	317	22	23.8	21	22.7
Rockville Centre	170	122	48	139	5	29.4	6	35.3
Valley Stream	11	82	-71	13	1	90.9	-	0
New York City[6]	114,076	74,531	39,545	153	3,515	30.8	8,838	77.5
White	105,405	68,672	36,733	153	3,091	29.3	7,824	74.2
All other	8,671	5,859	2,812	148	424	48.9	1,014	116.9
Niagara	3,288	1,638	1,650	201	94	28.6	82	24.9
Outside cities	186	407	-221	46	9	48.4	7	37.6
Lockport	621	329	292	189	17	27.4	16	25.8
Niagara Falls	1,844	740	1,104	249	57	30.9	42	22.8
North Tonawanda	637	162	475	393	11	17.3	17	26.7
Oneida	3,339	3,027	312	110	107	32.0	85	25.5
Outside cities	362	924	-562	39	9	24.9	6	16.6
Rome	879	564	315	156	25	28.4	23	26.2
Utica	2,098	1,539	559	136	73	34.8	56	26.7
Onondaga	5,129	3,414	1,715	150	183	35.7	127	24.8
Outside city	240	906	-666	26	11	45.8	9	37.5
Syracuse	4,889	2,508	2,381	195	172	35.2	118	24.1
Ontario	885	755	130	117	26	29.4	22	24.9
Outside city	550	563	-13	98	15	27.3	13	23.6
Geneva	335	192	143	174	11	32.8	9	26.9
Orange	2,186	1,971	215	111	88	40.3	65	29.7
Outside cities	1,134	948	186	120	44	38.8	28	24.7
Middletown	483	539	-56	90	15	31.1	17	35.2
Newburgh	569	484	85	118	29	51.0	20	35.1
Orleans	466	382	84	122	19	40.8	11	23.6
Oswego	1,261	838	423	150	33	26.2	27	21.4
Outside cities	382	393	-11	97	11	28.8	4	10.5
Fulton	325	147	178	221	10	30.8	6	18.5
Oswego	554	298	256	186	12	21.7	17	30.7
Otsego	791	733	58	108	26	32.9	33	41.7
Outside city	396	520	-124	76	18	45.5	13	32.8
Oneonta	395	213	182	185	8	20.3	20	50.6
Putnam	143	172	-29	83	5	35.0	4	28.0
Rensselaer	2,072	1,769	303	117	91	43.9	54	26.1
Outside cities	185	402	-217	46	5	27.0	8	43.2
Rensselaer	11	89	-78	12	1	90.9	-	0
Troy	1,876	1,278	598	147	85	45.3	46	24.5
Rockland	1,039	1,287	-248	81	41	39.5	21	20.2
St. Lawrence	1,877	1,309	568	143	88	46.9	54	28.8
Outside cities	1,164	790	374	147	53	45.5	33	28.4
Massena	227	61	166	372	12	52.9	4	17.6
Ogdensburg	486	458	28	106	23	47.3	17	35.0
Saratoga	722	795	-73	91	29	40.2	17	23.5
Outside city	458	546	-88	84	20	43.7	12	26.2
Saratoga Springs	264	249	15	106	9	34.1	5	18.9
Schenectady	2,021	1,381	640	146	63	31.2	41	20.3
Outside city	61	288	-227	21	3	49.2	-	0
Schenectady	1,960	1,093	867	179	60	30.6	41	20.9
Schoharie	259	244	15	106	9	34.7	6	23.2
Schuyler	208	169	39	123	6	28.8	3	14.4
Seneca	345	479	-134	72	20	58.0	11	31.9
Steuben	1,728	1,187	541	146	76	44.0	46	26.6
Outside cities	837	736	101	114	43	51.4	20	23.9
Corning	588	230	358	256	19	32.3	20	34.0
Hornell	303	221	82	137	14	46.2	6	19.8
Suffolk	2,805	3,823	-1,018	73	89	31.7	85	30.3
Sullivan	526	547	-21	96	26	49.4	16	30.4
Tioga	440	337	103	131	20	45.5	5	11.4
Tompkins	747	509	238	147	28	37.5	30	40.2
Outside city	135	221	-86	61	7	51.9	9	66.7
Ithaca	612	288	324	213	21	34.3	21	34.3

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
NEW YORK—Contd.								
Ulster	1,095	1,172	-77	93	44	40.2	43	39.3
Outside city	345	553	-208	62	14	40.6	15	43.5
Kingston	750	619	131	121	30	40.0	28	37.3
Warren	874	495	379	177	32	36.6	26	29.7
Outside city	149	161	-12	93	3	20.1	3	20.1
Glens Falls	725	334	391	217	29	40.0	23	31.7
Washington	613	554	59	111	27	44.0	13	21.2
Wayne	545	632	-87	86	18	33.0	11	20.2
Westchester	7,922	5,326	2,596	149	247	31.2	186	23.5
Outside cities	1,315	1,780	-465	74	50	38.0	29	22.1
Mamaroneck	8	53	-45	15	1	125.0	-	0
Mount Vernon	1,047	584	463	179	50	47.8	16	15.3
New Rochelle	881	523	358	168	17	19.3	24	27.2
White	810	480	330	169	14	17.3	22	27.2
All other	71	43	28	165	3	42.3	2	28.2
Ossining	234	169	65	138	10	42.7	6	25.6
White	219	152	67	144	10	45.7	6	27.4
All other	15	17	-2	88	-	0	-	0
Peekskill	424	202	222	210	13	30.7	10	23.6
Port Chester	851	274	577	311	22	25.9	19	22.3
Scarsdale	-	41	-41	0	2	(2)	-	-
White Plains	1,012	447	565	226	22	21.7	17	16.8
Yonkers	2,150	1,253	897	172	60	27.9	65	30.2
Wyoming	490	410	80	120	17	34.7	10	20.4
Yates	245	253	-8	97	8	32.7	10	40.8
NORTH CAROLINA (total)	84,634	31,956	52,678	265	5,059	59.8	2,643	31.2
Alamance	1,229	358	871	343	29	23.6	32	26.0
Outside city	921	293	628	314	19	20.6	26	28.2
White	670	195	475	344	9	13.4	21	31.3
All other	251	98	153	256	10	39.8	5	19.9
Burlington	308	65	243	474	10	32.5	6	19.5
Alexander	325	93	232	349	13	40.0	4	12.3
Alleghany	133	66	67	202	8	60.2	1	7.5
Anson	780	259	521	301	59	75.6	25	32.1
White	363	125	238	290	20	55.1	11	30.3
All other	417	134	283	311	39	93.5	14	33.6
Ashe	435	165	270	264	30	69.0	15	34.5
Avery	487	115	372	423	27	55.4	11	22.6
Beaufort	985	492	493	200	87	88.3	33	33.5
White	580	267	313	217	37	63.8	14	24.1
All other	405	225	180	180	50	123.5	19	46.9
Bertie	721	229	492	315	51	70.7	28	38.8
White	237	79	158	300	10	42.2	5	21.1
All other	484	150	334	323	41	84.7	23	47.5
Bladen	760	231	529	329	54	71.1	17	22.4
White	376	115	261	327	28	74.5	6	16.0
All other	384	116	268	331	26	67.7	11	28.6
Brunswick	317	157	160	202	19	59.9	13	41.0
White	162	83	79	195	13	80.2	2	12.3
All other	155	74	81	209	6	38.7	11	71.0
Buncombe	2,265	1,367	898	166	130	57.4	64	28.3
Outside city	759	634	125	120	47	61.9	19	25.0
Asheville	1,506	733	773	205	83	55.1	45	29.9
White	1,304	551	753	237	65	49.8	34	26.1
All other	202	182	20	111	18	89.1	11	54.5
Burke	877	426	451	206	34	38.8	23	26.2
Cabarrus	1,361	378	983	360	70	51.4	47	34.5
Outside city	1,281	288	993	445	59	46.1	44	34.3
White	1,090	219	871	498	51	46.8	32	29.4
All other	191	69	122	277	8	41.9	12	62.8
Concord	80	90	-10	89	11	137.5	3	37.5
White	26	65	-39	40	7	269.2	-	0
All other	54	25	29	216	4	74.1	3	55.6
Caldwell	1,082	274	808	395	55	50.8	21	19.4
Camden	72	40	32	180	8	111.1	2	27.8
White	28	22	6	127	2	71.4	-	0
All other	44	18	26	244	6	136.4	2	45.5
Carteret	399	180	219	222	21	52.6	14	35.1
White	315	146	169	216	15	47.6	8	25.4
All other	84	34	50	247	6	71.4	6	71.4
Caswell	449	100	349	449	14	31.2	14	31.2
White	166	41	125	405	2	12.0	-	0
All other	283	59	224	480	12	42.4	14	49.5
Catawba	1,206	360	846	335	54	44.8	35	29.0
Outside city	702	212	490	331	31	44.2	19	27.1
Hickory	504	148	356	341	23	45.6	16	31.7
White	448	117	331	383	22	49.1	15	33.5
All other	56	31	25	181	1	17.9	1	17.9
Chatham	458	195	263	235	21	45.9	13	28.4
White	261	116	145	225	11	42.1	7	26.8
All other	197	79	118	249	10	50.8	6	30.5
Cherokee	569	143	426	398	30	52.7	12	21.1
Chowan	279	99	180	282	16	57.3	7	25.1
White	129	43	86	300	8	62.0	1	7.8
All other	150	56	94	268	8	53.3	6	40.0
Section B—Continued								
NORTH CAROLINA—Con.								
Clay	157	31	126	506	7	44.6	6	38.2
Cleveland	1,414	366	1,048	386	50	35.4	29	20.5
Outside city	879	202	677	435	26	29.6	22	25.0
White	630	151	479	417	18	28.6	13	20.6
All other	249	51	198	488	8	32.1	9	36.1
Shelby	535	164	371	326	24	44.9	7	13.1
White	433	137	296	316	22	50.8	6	13.9
All other	102	27	75	378	2	19.6	1	9.8
Columbus	1,281	405	876	316	100	78.1	46	35.9
White	779	219	560	356	46	59.1	21	27.0
All other	502	186	316	270	54	107.6	25	49.8
Craven	678	395	283	172	45	66.4	23	33.9
Outside city	377	172	205	219	21	55.7	15	39.8
White	150	67	83	224	11	73.3	3	20.0
All other	227	105	122	216	10	44.1	12	52.9
New Bern	301	223	78	135	24	79.7	8	26.6
White	155	93	62	167	12	77.4	1	6.5
All other	146	130	16	112	12	82.2	7	47.9
Cumberland	1,716	860	856	200	149	86.8	68	39.6
Outside city	1,083	309	774	350	46	42.5	30	27.7
White	710	190	520	374	22	31.0	16	22.5
All other	373	119	254	313	24	64.3	14	37.5
Fayetteville	633	551	82	115	103	162.7	38	60.0
White	453	365	88	124	69	152.3	17	37.5
All other	180	186	-6	97	34	188.9	21	116.7
Currituck	95	65	30	146	8	84.2	2	21.1
White	55	40	15	138	3	54.5	2	36.4
All other	40	25	15	160	5	125.0	-	0
Dare	82	38	44	216	2	24.4	1	12.2
Davidson	1,196	409	787	292	65	54.3	39	32.6
Outside cities	594	217	377	274	37	62.3	18	30.3
Lexington	262	98	164	267	14	53.4	11	42.0
White	225	84	141	268	12	53.3	9	40.0
All other	37	14	23	264	2	54.1	2	54.1
Thomasville	340	94	246	362	14	41.2	10	29.4
White	296	73	223	405	12	40.5	8	27.0
All other	44	21	23	210	2	45.5	2	45.5
Davie	310	100	210	310	15	48.4	12	38.7
White	256	77	179	332	10	39.1	8	31.3
All other	54	23	31	235	5	92.6	4	74.1
Duplin	953	310	643	307	53	55.6	37	38.8
White	553	187	366	296	28	50.6	11	19.9
All other	400	123	277	325	25	62.5	26	65.0
Durham	2,135	1,165	970	183	164	76.8	94	44.0
Outside city	257	112	145	229	13	50.6	5	19.5
White	163	64	99	255	9	55.2	3	18.4
All other	94	48	46	196	4	42.6	2	21.3
Durham	1,878	1,053	825	178	151	80.4	89	47.4
White	1,216	646	570	188	82	67.4	45	37.0
All other	662	407	255	163	69	104.2	44	66.5
Edgecombe	1,202	466	736	258	100	83.2	58	48.3
Outside city	931	373	558	250	85	91.3	42	45.1
White	271	126	145	215	20	73.8	5	18.5
All other	660	247	413	267	65	98.5	37	56.1
Rocky Mount (part)	271	93	178	(5)	15	(5)	16	(5)
White	167	36	131	(5)	4	(5)	5	(5)
All other	104	57	47	(5)	11	(5)	11	(5)
Forsyth	2,647	1,211	1,436	219	147	55.5	83	31.4
Outside city	473	289	184	164	17	35.9	12	25.4
White	387	234	153	165	14	36.2	10	25.8
All other	86	55	31	156	3	34.9	2	23.3
Winston-Salem	2,174	922	1,252	236	130	59.8	71	32.7
White	1,459	465	994	314	56	38.4	32	21.9
All other	715	457	258	156	74	103.5	39	54.5
Franklin	586	211	375	278	42	71.7	26	44.4
White	245	103	142	238	12	49.0	5	20.4
All other	341	108	233	316	30	88.0	21	61.6
Gaston	1,820	541	1,279	336	113	62.1	47	25.8
Outside city	1,150	315	835	365	65	56.5	25	21.7
White	977	245	732	399	53	54.2	18	18.4
All other	173	70	103	247	12	69.4	7	40.5
Gastonia	670	226	444	296	48	71.6	22	32.8
White	602	161	441	374	42	69.8	21	34.9
All other	68	65	3	105	6	88.2	1	14.7
Gates	217	74	143	293	8	36.9	10	46.1
White	66	37	29	178	2	30.3	-	0
All other	151	37	114	408	6	39.7	10	66.2
Graham	149	33	116	452	9	60.4	4	26.8
Granville	737	250	487	295	46	62.4	26	35.3
White	298	94	204	317	12	40.3	6	20.1
All other	439	156	283	281	34	77.4	20	45.6
Greene	466	87	379	536	17	36.5	10	21.5
White	185	32	153	578	5	27.0	3	16.2
All other	281	55	226	511	12	42.7	7	24.9

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
NORTH CAROLINA—Con.								
Guilford	3,278	1,286	1,992	255	150	45.8	94	28.7
Outside cities	676	315	361	215	34	50.3	10	14.8
White	520	251	269	207	22	42.3	4	7.7
All other	156	64	92	244	12	76.9	6	38.5
Greensboro	1,627	644	983	253	76	46.7	56	34.4
White	1,305	404	901	323	46	35.2	28	21.5
All other	322	240	82	134	30	93.2	28	87.0
High Point	975	327	648	298	40	41.0	28	28.7
White	814	233	581	349	34	41.8	23	28.3
All other	161	94	67	171	6	37.3	5	31.1
Halifax	1,590	524	1,066	303	109	68.6	63	39.6
White	555	178	377	312	18	32.4	16	28.8
All other	1,035	346	689	299	91	87.9	47	45.4
Harnett	1,123	336	787	334	54	48.1	38	33.8
White	822	231	591	356	34	41.4	20	24.3
All other	301	105	196	287	20	66.4	18	59.8
Haywood	892	243	649	367	42	47.1	14	15.7
Henderson	626	233	393	269	37	59.1	13	20.8
Hertford	415	156	259	266	28	67.5	16	38.6
White	89	57	32	156	3	33.7	5	56.2
All other	326	99	227	329	25	76.7	11	33.7
Hoke	363	218	145	167	25	68.9	12	33.1
White	106	59	47	180	3	28.3	3	28.3
All other	257	159	98	162	22	85.6	9	35.0
Hyde	140	53	87	264	5	35.7	3	21.4
White	49	35	14	140	2	40.8	-	0
All other	91	18	73	506	3	33.0	3	33.0
Iredell	1,252	469	783	267	70	55.9	45	35.9
Outside city	868	275	593	316	45	51.8	33	38.0
White	677	180	497	376	28	41.4	23	34.0
All other	191	95	96	201	17	89.0	10	52.4
Statesville	384	194	190	198	25	65.1	12	31.3
White	359	166	193	216	20	55.7	9	25.1
All other	25	28	-3	89	5	200.0	3	120.0
Jackson	458	172	286	266	42	91.7	16	34.9
Johnston	1,518	362	1,156	419	50	32.9	36	23.7
White	1,131	247	884	458	35	30.9	22	19.5
All other	387	115	272	337	15	38.8	14	36.2
Jones	239	71	168	337	10	41.8	10	41.8
White	102	32	70	319	1	9.8	3	29.4
All other	137	39	98	351	9	65.7	7	51.1
Lee	487	179	308	272	25	51.3	2	4.1
White	344	121	223	284	18	52.3	2	5.8
All other	143	58	85	247	7	49.0	-	0
Lenoir	1,135	490	645	232	88	77.5	37	32.6
Outside city	487	210	277	232	32	65.7	9	18.5
White	158	92	66	172	7	44.3	6	38.0
All other	329	118	211	279	25	76.0	3	9.1
Kinston	648	280	368	231	56	86.4	28	43.2
White	491	170	321	289	44	89.6	17	34.6
All other	157	110	47	143	12	76.4	11	70.1
Lincoln	551	201	350	274	31	56.3	8	14.5
White	463	171	292	271	25	54.0	8	17.3
All other	88	30	58	293	6	68.2	-	0
McDowell	641	184	457	348	29	45.2	9	14.0
Macon	423	141	282	300	23	54.4	10	23.6
Madison	499	155	344	322	27	54.1	10	20.0
Martin	678	211	467	321	32	47.2	16	23.6
White	292	101	191	289	13	44.5	7	24.0
All other	386	110	276	351	19	49.2	9	23.3
Mecklenburg	3,535	1,388	2,147	255	198	56.0	114	32.2
Outside city	516	324	192	159	26	50.4	13	25.2
White	252	187	65	135	17	67.5	6	23.8
All other	264	137	127	193	9	34.1	7	26.5
Charlotte	3,019	1,064	1,955	284	172	57.0	101	33.5
White	2,239	645	1,594	347	97	43.3	48	21.4
All other	780	419	361	186	75	96.2	53	67.9
Mitchell	391	84	307	465	19	48.6	9	23.0
Montgomery	350	140	210	250	10	28.6	9	25.7
White	224	91	133	246	7	31.3	6	26.8
All other	126	49	77	257	3	23.8	3	23.8
Moore	644	281	363	229	38	59.0	13	20.2
White	445	184	261	242	22	49.4	9	20.2
All other	199	97	102	205	16	80.4	4	20.1
Nash	1,444	626	818	231	126	87.3	62	42.9
Outside city	937	281	656	333	58	61.9	22	23.5
White	330	137	193	241	14	42.4	7	21.2
All other	607	144	463	422	44	72.5	15	24.7
Rocky Mount (part)	507	345	162	(5)	68	(5)	40	(5)
White	355	185	170	(5)	42	(5)	19	(5)
All other	152	160	-8	(5)	26	(5)	21	(5)
Rocky Mount (total)	778	438	340	178	83	106.7	56	72.0
White	522	221	301	236	46	88.1	24	46.0
All other	256	217	39	118	37	144.5	32	125.0
Section B—Continued								
NORTH CAROLINA—Con.								
New Hanover	1,494	748	746	200	110	73.6	68	45.5
Outside city	21	112	-91	19	13	619.0	3	142.9
White	10	72	-62	14	10	1000.0	1	100.0
All other	11	40	-29	28	3	272.7	2	181.8
Wilmington	1,473	636	837	232	97	65.9	65	44.1
White	942	293	649	322	49	52.0	29	30.8
All other	531	343	188	155	48	90.4	36	67.8
Northampton	672	156	516	431	34	50.6	17	25.3
White	119	46	73	259	2	16.8	2	16.8
All other	553	110	443	503	32	57.9	15	27.1
Onslow	490	212	278	231	36	73.5	14	28.6
White	323	148	175	218	19	58.8	5	15.5
All other	167	64	103	261	17	101.8	9	53.9
Orange	273	142	131	192	19	69.6	4	14.7
White	132	92	40	143	6	45.5	2	15.2
All other	141	50	91	282	13	92.2	2	14.2
Pamlico	234	70	164	334	13	55.6	8	34.2
White	120	48	72	250	6	50.0	2	16.7
All other	114	22	92	518	7	61.4	6	52.6
Pasquotank	448	249	199	180	27	60.3	23	51.3
Outside city	175	94	81	186	10	57.1	4	22.9
White	69	48	21	144	4	58.0	3	43.5
All other	106	46	60	230	6	56.6	1	9.4
Elizabeth City	273	155	118	176	17	62.3	19	69.6
White	169	88	81	192	10	59.2	13	76.9
All other	104	67	37	155	7	67.3	6	57.7
Pender	367	143	224	257	19	51.8	16	43.6
White	134	77	57	174	9	67.2	3	22.4
All other	233	66	167	353	10	42.9	13	55.8
Perquimans	229	76	153	301	10	43.7	4	17.5
White	106	40	66	265	2	18.9	-	0
All other	123	36	87	342	8	65.0	4	32.5
Person	709	178	531	398	31	43.7	24	33.9
White	408	97	311	421	19	46.6	6	14.7
All other	301	81	220	372	12	39.9	18	59.8
Pitt	1,389	509	880	273	102	73.4	80	57.6
Outside city	1,074	335	739	321	69	64.2	50	46.6
White	425	151	274	281	14	32.9	8	18.8
All other	649	184	465	353	55	84.7	42	64.7
Greenville	315	174	141	181	33	104.8	30	95.2
White	153	80	73	191	14	91.5	7	45.8
All other	162	94	68	172	19	117.3	23	142.0
Polk	254	82	172	310	19	74.8	1	3.9
White	220	63	157	349	15	68.2	1	4.5
All other	34	19	15	179	4	117.6	-	0
Randolph	958	332	626	289	39	40.7	23	24.0
Richmond	838	385	453	218	72	85.9	25	29.8
White	525	219	306	240	37	70.5	15	28.6
All other	313	166	147	189	35	111.8	10	31.9
Robeson	2,388	770	1,618	310	162	67.8	82	34.3
White	923	346	577	267	53	57.4	27	29.3
All other	1,465	424	1,041	346	109	74.4	55	37.5
Rockingham	1,166	412	754	283	81	69.5	27	23.2
Outside city	880	289	591	304	59	67.0	18	20.5
White	706	199	507	355	36	51.0	12	17.0
All other	174	90	84	193	23	132.2	6	34.5
Reidsville	286	123	163	233	22	76.9	9	31.5
White	216	80	136	270	13	60.2	6	27.8
All other	70	43	27	163	9	128.6	3	42.9
Rowan	1,297	536	761	242	69	53.2	29	22.4
Outside city	728	264	464	276	30	41.2	12	16.5
White	519	180	339	288	14	27.0	3	5.8
All other	209	84	125	249	16	76.6	9	43.1
Salisbury	569	272	297	209	39	68.5	17	29.9
White	470	186	284	253	26	55.3	10	21.3
All other	99	86	13	115	13	131.3	7	70.7
Rutherford	1,043	330	713	316	48	46.0	28	26.8
White	883	276	607	320	39	44.2	21	23.8
All other	160	54	106	296	9	56.3	7	43.8
Sampson	1,165	342	823	341	59	50.6	39	33.5
White	678	203	475	334	22	32.4	20	29.5
All other	487	139	348	350	37	76.0	19	39.0
Scotland	562	206	356	273	50	89.0	20	35.6
White	229	86	143	266	18	78.6	7	30.6
All other	333	120	213	278	32	96.1	13	39.0
Stanly	769	239	530	322	36	46.8	15	19.5
White	688	205	483	336	33	48.0	12	17.4
All other	81	34	47	238	3	37.0	3	37.0
Stokes	478	112	366	427	25	52.3	11	23.0
White	435	90	345	483	17	39.1	7	16.1
All other	43	22	21	195	8	186.0	4	93.0
Surry	1,085	391	694	277	67	61.8	39	35.9
Swain	394	65	329	606	14	35.5	8	20.3
White	285	43	242	663	7	24.6	7	24.6
All other	109	22	87	495	7	64.2	1	9.2
Transylvania	355	95	260	374	13	36.6	13	36.6

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
NORTH CAROLINA—Con.								
Tyrrell	147	60	87	245	11	74.8	6	40.8
White	77	43	34	179	5	64.9	4	51.9
All other	70	17	53	412	6	85.7	2	28.6
Union	967	305	662	317	41	42.4	37	38.3
White	706	195	511	362	29	41.1	24	34.0
All other	261	110	151	237	12	46.0	13	49.8
Vance	736	300	436	245	56	76.1	21	28.5
White	362	145	217	250	22	60.8	7	19.3
All other	374	155	219	241	34	90.9	14	37.4
Wake	2,197	1,178	1,019	187	142	64.6	84	38.2
Outside city	966	430	536	225	63	65.2	29	30.0
White	444	224	220	198	12	27.0	4	9.0
All other	522	206	316	253	51	97.7	25	47.9
Raleigh	1,231	748	483	165	79	64.2	55	44.7
White	837	460	377	182	40	47.8	24	28.7
All other	394	288	106	137	39	99.0	31	78.7
Warren	627	225	402	279	60	95.7	18	28.7
White	138	70	68	197	7	50.7	3	21.7
All other	489	155	334	315	53	108.4	15	30.7
Washington	324	126	198	257	23	71.0	11	34.0
White	150	66	84	227	12	80.0	4	26.7
All other	174	60	114	290	11	63.2	7	40.2
Watauga	437	130	307	336	16	36.6	6	13.7
Wayne	1,278	844	434	151	118	92.3	43	33.6
Outside city	821	557	264	147	59	71.9	15	18.3
White	446	140	306	319	26	58.3	4	9.0
All other	375	417	-42	90	33	88.0	11	29.3
Goldsboro	457	287	170	159	59	129.1	28	61.3
White	232	130	102	178	27	116.4	14	60.3
All other	225	157	68	143	32	142.2	14	62.2
Wilkes	1,098	333	765	330	54	49.2	27	24.6
Wilson	1,304	533	771	245	110	84.4	46	35.3
Outside city	660	204	456	324	48	72.7	11	16.7
White	313	87	226	360	14	44.7	4	12.8
All other	347	117	230	297	34	98.0	7	20.2
Wilson	644	329	315	196	62	96.3	35	54.3
White	383	158	225	242	22	57.4	13	33.9
All other	261	171	90	153	40	153.3	22	84.3
Yadkin	342	101	241	339	17	49.7	4	11.7
Yancey	418	94	324	445	18	43.1	11	26.3
NORTH DAKOTA (total)	13,464	5,302	8,162	254	509	37.8	265	19.7
Adams	83	20	63	415	1	12.0	2	24.1
Barnes	333	145	188	230	13	39.0	10	30.0
Benson	204	79	125	258	4	19.6	1	4.9
White	143	62	81	231	1	7.0	1	7.0
All other	61	17	44	359	3	49.2	-	0
Billings	11	9	2	122	-	0	-	0
Bottineau	245	118	127	208	11	44.9	-	0
Bowman	100	22	78	455	2	20.0	2	20.0
Burke	140	42	98	333	3	21.4	6	42.9
Burleigh	691	287	404	241	21	30.4	11	15.9
Outside city	30	16	14	188	1	33.3	-	0
Bismarck	661	271	390	244	20	30.3	11	16.6
Cass	1,358	591	767	230	53	39.0	29	21.4
Outside city	140	183	-43	77	8	57.1	3	21.4
Fargo	1,218	408	810	299	45	36.9	26	21.3
Cavalier	327	106	221	308	8	24.5	3	9.2
Dickey	196	80	116	245	7	35.7	2	10.2
Divide	107	51	56	210	4	37.4	3	28.0
Dunn	112	22	90	509	3	26.8	4	35.7
Eddy	119	54	65	220	7	58.8	1	8.4
Emmons	213	52	161	410	15	70.4	3	14.1
Foster	113	50	63	226	4	35.4	2	17.7
Golden Valley	76	33	43	230	3	39.5	2	26.3
Grand Forks	950	385	565	247	29	30.5	26	27.4
Outside city	156	119	37	131	4	25.6	4	25.6
Grand Forks	794	266	528	298	25	31.5	22	27.7
Grant	189	40	149	473	10	52.9	5	26.5
Griggs	67	41	26	163	4	59.7	1	14.9
Hettinger	188	42	146	448	9	47.9	1	5.3
Kidder	149	35	114	426	4	26.8	1	6.7
La Moure	222	60	162	370	7	31.5	-	0
Logan	170	24	146	708	9	52.9	4	23.5
McHenry	136	68	68	200	1	7.4	2	14.7
McIntosh	151	43	108	351	9	59.6	2	13.2
McKenzie	86	20	66	430	3	34.9	2	23.3
McLean	302	90	212	336	21	69.5	5	16.6
Mercer	202	48	154	421	7	34.7	2	9.9
Morton	460	162	298	284	27	58.7	11	23.9
Mountrail	130	42	88	310	3	23.1	-	0
Nelson	161	65	96	248	2	12.4	2	12.4
Oliver	17	17	-	100	2	117.6	-	0
Pembina	253	116	137	218	11	43.5	6	23.7
Pierce	341	98	243	348	11	32.3	4	11.7
Ramsey	364	185	179	197	19	52.2	9	24.7

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
NORTH DAKOTA—Con.								
Ransom	116	60	56	193	3	25.9	4	34.5
Renville	46	21	25	219	1	21.7	-	0
Richland	205	125	80	164	5	24.4	2	9.8
Rolette	387	169	218	229	22	56.8	7	18.1
White	204	108	96	189	6	29.4	2	9.8
All other	183	61	122	300	16	87.4	5	27.3
Sargent	83	45	38	184	1	12.0	-	0
Sheridan	59	26	33	227	5	84.7	2	33.9
Sioux	102	63	39	162	18	176.5	4	39.2
White	23	8	15	288	1	43.5	2	87.0
All other	79	55	24	144	17	215.2	2	25.3
Slope	37	13	24	285	4	108.1	-	0
Stark	441	161	280	274	16	36.3	8	18.1
Steele	100	38	62	263	1	10.0	2	20.0
Stutsman	453	318	135	142	16	35.3	14	30.9
Towner	129	35	94	369	2	15.5	1	7.8
Traill	155	83	72	187	2	12.9	4	25.8
Walsh	467	201	266	232	15	32.1	12	25.7
Ward	1,068	368	700	290	33	30.9	25	23.4
Outside city	169	67	102	252	4	23.7	3	17.8
Minot	899	301	598	299	29	32.3	22	24.5
Wells	248	91	157	273	3	12.1	6	24.2
Williams	402	143	259	281	15	37.3	10	24.9
OHIO (total)	126,155	77,963	48,192	162	5,144	40.8	3,139	24.9
Adams	408	244	164	167	20	49.0	14	34.3
Allen	1,717	897	820	191	66	38.4	44	25.6
Outside city	389	283	106	137	8	20.6	11	28.3
Lima	1,328	614	714	216	58	43.7	33	24.8
Ashland	523	307	216	170	16	30.6	11	21.0
Outside city	102	155	-53	66	8	78.4	3	29.4
Ashland	421	152	269	277	8	19.0	8	19.0
Ashtabula	1,095	832	263	132	48	43.8	18	16.4
Outside city	640	561	79	114	28	43.8	9	14.1
Ashtabula	455	271	184	168	20	44.0	9	19.8
Athens	749	555	194	135	27	36.0	27	36.0
Auglaize	326	261	65	125	14	42.9	8	24.5
Belmont	1,594	1,010	584	158	71	44.5	45	28.2
Outside cities	659	576	83	114	30	45.5	29	44.0
Bellaire	415	194	221	214	18	43.4	3	7.2
Martins Ferry	520	240	280	217	23	44.2	13	25.0
Brown	335	206	129	163	8	23.9	9	26.9
Butler	2,559	1,287	1,272	199	115	44.9	70	27.4
Outside cities	270	267	3	101	9	33.3	2	7.4
Hamilton	1,332	657	675	203	59	44.3	44	33.0
Middletown	957	363	594	264	47	49.1	24	25.1
Carroll	217	165	52	132	10	46.1	3	13.8
Champaign	428	304	124	141	19	44.4	10	23.4
Clark	1,716	1,186	530	145	78	45.5	39	22.7
Outside city	171	278	-107	62	7	40.9	6	35.1
Springfield	1,545	908	637	170	71	46.0	33	21.4
White	1,390	798	592	174	62	44.6	26	18.7
All other	155	110	45	141	9	58.1	7	45.2
Clermont	415	363	52	114	15	36.1	12	28.9
Clinton	347	275	72	126	12	34.6	6	17.3
Columbiana	1,948	1,030	918	189	97	49.8	40	20.5
Outside cities	689	493	196	140	34	49.3	14	20.3
East Liverpool	720	326	394	221	36	50.0	8	11.1
Salem	539	211	328	255	27	50.1	18	33.4
Coshocton	570	355	215	161	30	52.6	16	28.1
Outside city	224	173	51	129	8	35.7	5	22.3
Coshocton	346	182	164	190	22	63.6	11	31.8
Crawford	790	459	331	172	23	29.1	21	26.6
Cuyahoga	21,915	12,648	9,267	173	751	34.3	573	26.1
Outside cities	552	1,001	-449	55	24	43.5	23	41.7
Cleveland	18,800	9,892	8,908	190	656	34.9	497	26.4
White	17,115	8,731	8,384	196	554	32.4	416	24.3
All other	1,685	1,161	524	145	102	60.5	81	48.1
Cleveland Heights	7	320	-313	2	2	285.7	-	0
East Cleveland	1,641	459	1,182	358	31	18.9	23	14.0
Euclid	16	117	-101	14	1	62.5	4	250.0
Garfield Heights	17	83	-66	20	2	117.6	1	58.8
Lakewood	858	599	259	143	31	36.1	24	28.0
Parma	23	78	-55	29	4	173.9	1	43.5
Shaker Heights	1	99	-98	1	-	0	-	0
Darke	661	407	254	162	26	39.3	22	33.3
Defiance	463	263	200	176	32	69.1	9	19.4
Delaware	382	323	59	118	17	44.5	9	23.6
Erie	702	624	78	113	28	39.9	18	25.6
Outside city	78	220	-142	35	2	25.6	-	0
Sandusky	624	404	220	154	26	41.7	18	28.8
Fairfield	863	509	354	170	42	48.7	22	25.5
Outside city	236	233	3	101	10	42.4	2	8.5
Lancaster	627	276	351	227	32	51.0	20	31.9
Fayette	377	246	131	153	11	29.2	8	21.2

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
OHIO—Continued								
Franklin	7,454	5,233	2,221	142	324	43.5	193	25.9
Outside city	397	751	-354	53	13	32.7	8	20.2
Columbus	7,057	4,482	2,575	157	311	44.1	185	26.2
White	6,348	3,925	2,423	162	266	41.9	164	25.8
All other	709	557	152	127	45	63.5	21	29.6
Fulton	440	302	138	146	20	45.5	4	9.1
Gallia	513	421	92	122	26	50.7	24	46.8
Geauga	275	169	106	163	7	25.5	4	14.5
Greene	538	442	96	122	29	53.9	10	18.6
Outside city	295	240	55	123	14	47.5	3	10.2
Xenia	243	202	41	120	15	61.7	7	28.8
White	215	165	50	130	11	51.2	7	32.6
All other	28	37	-9	76	4	142.9	-	0
Guernsey	612	489	123	125	35	57.2	17	27.8
Outside city	287	271	16	106	19	66.2	12	41.8
Cambridge	325	218	107	149	16	49.2	5	15.4
Hamilton	11,770	7,665	4,105	154	428	36.4	332	28.2
Outside cities	975	905	70	108	14	14.4	19	19.5
Cincinnati	10,750	6,581	4,169	163	413	38.4	311	28.9
White	9,435	5,666	3,769	167	336	35.6	254	26.9
All other	1,315	915	400	144	77	58.6	57	43.3
Norwood	45	179	-134	25	1	22.2	2	44.4
Hancock	1,075	587	488	183	46	42.8	25	23.3
Outside cities	205	186	19	110	12	58.5	3	14.6
Findlay	537	328	209	164	23	42.8	14	26.1
Fostoria (part)	333	73	260	(5)	11	(5)	8	(5)
Hardin	467	391	76	119	25	53.5	12	25.7
Harrison	221	180	41	123	8	36.2	3	13.6
Henry	410	229	181	179	15	36.6	14	34.1
Highland	471	346	125	136	23	48.8	12	25.5
Hocking	428	227	201	189	25	58.4	12	28.0
Holmes	456	201	255	227	10	21.9	16	35.1
Huron	617	450	167	137	22	35.7	10	16.2
Jackson	490	279	211	176	24	49.0	10	20.4
Jefferson	1,980	941	1,039	210	104	52.5	49	24.7
Outside city	619	391	228	158	30	48.5	17	27.5
Steubenville	1,361	550	811	247	74	54.4	32	23.5
Knox	581	439	142	132	22	37.9	12	20.7
Outside city	112	216	-104	52	3	26.8	1	8.9
Mount Vernon	469	223	246	210	19	40.5	11	23.5
Lake	708	554	154	128	29	41.0	23	32.5
Outside city	124	331	-207	37	6	48.4	2	16.1
Painesville	584	223	361	262	23	39.4	21	36.0
Lawrence	1,005	519	486	194	77	76.6	30	29.9
Outside city	422	247	175	171	29	68.7	6	14.2
Ironton	583	272	311	214	48	83.3	24	41.2
Licking	1,011	802	209	126	48	47.5	18	17.8
Outside city	256	379	-123	68	11	43.0	1	3.9
Newark	755	423	332	178	37	49.0	17	22.5
Logan	480	394	86	122	17	35.4	20	41.7
Lorain	2,094	1,198	896	175	76	36.3	42	20.1
Outside cities	358	452	-94	79	16	44.7	9	25.1
Elyria	821	326	495	252	22	26.8	15	18.3
Lorain	915	420	495	218	38	41.5	18	19.7
Lucas	6,220	4,117	2,103	151	270	43.4	157	25.2
Outside city	371	316	55	117	15	40.4	4	10.8
Toledo	5,849	3,801	2,048	154	255	43.6	153	26.2
White	5,551	3,538	2,013	157	234	42.2	143	25.8
All other	298	263	35	113	21	70.5	10	33.6
Madison	339	161	178	211	14	41.3	9	26.5
Mahoning	4,380	2,309	2,071	190	153	34.9	97	22.1
Outside cities	209	398	-189	53	10	47.8	4	19.1
Campbell	55	65	-10	85	5	90.9	5	90.9
White	36	55	-19	65	2	55.6	3	83.3
All other	19	10	9	190	3	157.9	2	105.3
Struthers	26	62	-36	42	2	76.9	2	76.9
Youngstown (part)	4,090	1,784	2,306	(5)	136	(5)	86	(5)
White	3,830	1,591	2,239	(5)	118	(5)	76	(5)
All other	260	193	67	(5)	18	(5)	10	(5)
Youngstown (total)	4,090	1,784	2,306	229	136	33.3	86	21.0
White	3,830	1,591	2,239	241	118	30.8	76	19.8
All other	260	193	67	135	18	69.2	10	38.5
Marion	918	521	397	176	46	50.1	32	34.9
Outside city	101	138	-37	73	4	39.6	3	29.7
Marion	817	383	434	213	42	51.4	29	35.5
Medina	740	364	376	203	16	21.6	13	17.6
Meigs	442	269	173	164	13	29.4	12	27.1
Mercer	562	288	274	195	19	33.8	6	10.7
Miami	1,118	645	473	173	40	35.8	34	30.4
Outside city	634	397	237	160	20	31.5	16	25.2
Piqua	484	248	236	195	20	41.3	18	37.2
Monroe	245	180	65	136	9	36.7	6	24.5
Montgomery	6,202	3,842	2,360	161	273	44.0	144	23.2
Outside city	421	975	-554	43	20	47.5	10	23.8
Dayton	5,781	2,867	2,914	202	253	43.8	134	23.2
White	5,335	2,550	2,785	209	221	41.4	118	22.1
All other	446	317	129	141	32	71.7	16	35.9
Morgan	190	198	-8	96	3	15.8	9	47.4
Morrow	176	173	3	102	4	22.7	10	56.8
Muskingum	1,429	887	542	161	69	48.3	41	28.7
Outside city	224	274	-50	82	6	26.8	4	17.9
Zanesville	1,205	613	592	197	63	52.3	37	30.7
Noble	164	137	27	120	10	61.0	4	24.4
Ottawa	382	321	61	119	17	44.5	3	7.9
Paulding	239	161	78	148	12	50.2	8	33.5
Perry	422	278	144	152	25	59.2	13	30.8
Pickaway	518	340	178	152	26	50.2	9	17.4
Pike	341	138	203	247	21	61.6	6	17.6
Portage	660	521	139	127	28	42.4	15	22.7
Preble	240	242	-2	99	7	29.2	4	16.7
Putnam	341	207	134	165	15	44.0	9	26.4
Richland	1,509	855	654	176	49	32.5	34	22.5
Outside city	417	334	83	125	12	28.8	7	16.8
Mansfield	1,092	521	571	210	37	33.9	27	24.7
Ross	1,094	603	491	181	53	48.4	29	26.5
Outside city	643	328	315	196	28	43.5	14	21.8
Chillicothe	451	275	176	164	25	55.4	15	33.3
Sandusky	791	477	314	166	28	35.4	16	20.2
Outside city	723	347	376	208	23	31.8	15	20.7
Fremont	68	130	-62	52	5	73.5	1	14.7
Scioto	1,860	922	938	202	142	76.3	44	23.7
Outside city	851	307	544	277	50	58.8	10	11.8
Portsmouth	1,009	615	394	164	92	91.2	34	33.7
Seneca	669	595	74	112	31	46.3	11	16.4
Outside cities	237	238	-1	100	10	42.2	1	4.2
Fostoria (part)	36	107	-71	(5)	6	(5)	2	(5)
Fostoria (total)	369	180	189	205	17	46.1	10	27.1
Tiffin	396	250	146	158	15	37.9	8	20.2
Shelby	485	297	188	163	17	35.1	11	22.7
Stark	4,850	2,711	2,139	179	190	39.2	103	21.2
Outside cities	471	840	-369	56	16	34.0	11	23.4
Alliance	545	315	230	173	21	38.5	6	11.0
Canton	3,111	1,203	1,908	259	126	40.5	75	24.1
Massillon	723	353	370	205	27	37.3	11	15.2
Summit	5,972	3,085	2,887	194	215	36.0	135	22.6
Outside cities	231	438	-207	53	9	39.0	2	8.7
Akron	5,008	2,297	2,711	218	184	36.7	119	23.8
White	4,766	2,138	2,628	223	165	34.6	109	22.9
All other	242	159	83	152	19	78.5	10	41.3
Barberton	708	211	497	336	20	28.2	13	18.4
Cuyahoga Falls	25	139	-114	18	2	80.0	1	40.0
Trumbull	2,029	1,066	963	190	76	37.5	47	23.2
Outside cities	324	473	-149	68	19	58.6	6	18.5
Niles	72	79	-7	91	4	55.6	1	13.9
Warren	1,633	514	1,119	318	53	32.5	40	24.5
Youngstown (part)	-	-	-	(5)	-	(5)	-	(5)
White	-	-	-	(5)	-	(5)	-	(5)
All other	-	-	-	(5)	-	(5)	-	(5)
Tuscarawas	1,251	792	459	158	63	50.4	39	31.2
Outside city	1,151	685	466	168	61	53.0	35	30.4
New Philadelphia	100	107	-7	93	2	20.0	4	40.0
Union	261	192	69	136	16	61.3	7	26.8
Van Wert	402	293	109	137	12	29.9	10	24.9
Vinton	261	122	139	214	11	42.1	6	23.0
Warren	453	317	136	143	13	28.7	8	17.7
Washington	728	550	178	132	33	45.3	19	26.1
Outside city	347	277	70	125	12	34.6	7	20.2
Marietta	381	273	108	140	21	55.1	12	31.5
Wayne	787	543	244	145	29	36.8	11	14.0
Outside city	443	391	52	113	18	40.6	5	11.3
Wooster	344	152	192	226	11	32.0	6	17.4
Williams	422	283	139	149	18	42.7	8	19.0
Wood	649	544	105	119	28	43.1	8	12.3
Wyandot	218	203	15	107	14	64.2	6	27.5
OKLAHOMA (total)	45,447	19,967	25,480	228	2,161	47.5	1,049	23.1
Adair	285	123	162	232	19	66.7	8	28.1
White	227	87	140	261	14	61.7	7	30.8
All other	58	36	22	161	5	86.2	1	17.2
Alfalfa	176	103	73	171	8	45.5	2	11.4
Atoka	455	111	344	410	19	41.8	17	37.4
Beaver	148	69	79	214	3	20.3	3	20.3
Beckham	555	167	388	332	13	23.4	17	30.6
Blaine	387	144	243	269	18	46.5	4	10.3
White	332	118	214	281	13	39.2	3	9.0
All other	55	26	29	212	5	90.9	1	18.2
Bryan	792	305	487	260	45	56.8	24	30.3
Outside city	454	155	299	293	30	66.1	12	26.4
Durant	338	150	188	225	15	44.4	12	35.5
Caddo	886	289	597	307	42	47.4	13	14.7
White	810	251	559	323	34	42.0	12	14.8
All other	76	38	38	200	8	105.3	1	13.2

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
OKLAHOMA—Contd.								
Canadian	471	258	213	183	29	61.6	11	23.4
Outside city	183	111	72	165	16	87.4	4	21.9
El Reno	288	147	141	196	13	45.1	7	24.3
Carter	720	395	325	182	60	83.3	18	25.0
Outside city	365	144	221	253	27	74.0	2	5.5
Ardmore	355	251	104	141	33	93.0	16	45.1
White	318	203	115	157	27	84.9	11	34.6
All other	37	48	-11	77	6	162.2	5	135.1
Cherokee	638	184	454	347	25	39.2	21	32.9
White	377	111	266	340	8	21.2	11	29.2
All other	261	73	188	358	17	65.1	10	38.3
Choctaw	613	241	372	254	30	48.9	18	29.4
White	504	191	313	264	28	55.6	9	17.9
All other	109	50	59	218	2	18.3	9	82.6
Cimarron	41	21	20	195	-	0	1	24.4
Cleveland	371	271	100	137	10	27.0	6	16.2
Outside city	192	39	153	492	2	10.4	5	26.0
Norman	179	232	-53	77	8	44.7	1	5.6
Coal	208	56	152	371	6	28.8	4	19.2
Comanche	1,137	358	779	318	62	54.5	22	19.3
Outside city	241	120	121	201	15	62.2	4	16.6
Lawton	896	238	658	376	47	52.5	18	20.1
Cotton	212	78	134	272	6	28.3	3	14.2
Craig	378	324	54	117	16	42.3	12	31.7
Creek	952	441	511	216	45	47.3	39	41.0
Outside city	702	318	384	221	33	47.0	28	39.9
White	594	253	341	235	26	43.8	20	33.7
All other	108	65	43	166	7	64.8	8	74.1
Sapulpa	250	123	127	203	12	48.0	11	44.0
White	218	104	114	210	12	55.0	9	41.3
All other	32	19	13	168	-	0	2	62.5
Custer	434	371	63	117	26	59.9	14	32.3
Delaware	288	115	173	250	12	41.7	14	48.6
White	252	93	159	271	6	23.8	14	55.6
All other	36	22	14	164	6	166.7	-	0
Dewey	194	85	109	228	9	46.4	5	25.8
Ellis	277	110	167	252	11	39.7	4	14.4
Garfield	837	495	342	169	46	55.0	22	26.3
Outside city	88	86	2	102	6	68.2	4	45.5
Enid	749	409	340	183	40	53.4	18	24.0
Garvin	728	205	523	355	19	26.1	17	23.4
Grady	1,019	369	650	276	37	36.3	29	28.5
Outside city	339	119	220	285	14	41.3	3	8.8
Chickasha	680	250	430	272	23	33.8	26	38.2
White	643	228	415	282	22	34.2	24	37.3
All other	37	22	15	168	1	27.0	2	54.1
Grant	75	75	-	100	1	13.3	3	40.0
Greer	243	119	124	204	12	49.4	11	45.3
Harmon	211	58	153	364	8	37.9	6	28.4
Harper	74	44	30	168	4	54.1	1	13.5
Haskell	318	115	203	277	20	62.9	1	3.1
Hughes	561	200	361	281	21	37.4	14	25.0
White	512	174	338	294	16	31.3	10	19.5
All other	49	26	23	188	5	102.0	4	81.6
Jackson	401	146	255	275	7	17.5	3	7.5
Jefferson	287	108	179	266	6	20.9	6	20.9
Johnston	268	68	200	394	15	56.0	6	22.4
Kay	874	402	472	217	29	33.2	19	21.7
Outside city	376	220	156	171	11	29.3	10	26.6
Ponca City	498	182	316	274	18	36.1	9	18.1
Kingfisher	210	118	92	178	9	42.9	4	19.0
White	178	101	77	176	5	28.1	3	16.9
All other	32	17	15	188	4	125.0	1	31.3
Kiowa	452	170	282	266	18	39.8	7	15.5
Latimer	446	173	273	258	20	44.8	5	11.2
Le Flore	802	287	515	279	46	57.4	16	20.0
Lincoln	566	204	362	277	29	51.2	25	44.2
Logan	469	258	211	182	20	42.6	11	23.5
Outside city	225	100	125	225	7	31.1	6	26.7
White	152	70	82	217	4	26.3	3	19.7
All other	73	30	43	243	3	41.1	3	41.1
Guthrie	244	158	86	154	13	53.3	5	20.5
White	197	123	74	160	10	50.8	4	20.3
All other	47	35	12	134	3	63.8	1	21.3
Love	235	54	181	435	6	25.5	3	12.8
McClain	353	84	269	420	13	36.8	3	8.5
McCurtain	756	244	512	310	27	35.7	25	33.1
White	620	171	449	363	23	37.1	23	37.1
All other	136	73	63	186	4	29.4	2	14.7
McIntosh	498	169	329	295	28	56.2	16	32.1
White	392	103	289	381	17	43.4	9	23.0
All other	106	66	40	161	11	103.8	7	66.0
Major	211	70	141	301	4	19.0	5	23.7
Marshall	235	108	127	218	15	63.8	8	34.0
Mayes	388	191	197	203	22	56.7	8	20.6
Murray	282	125	157	226	11	39.0	5	17.7
Muskogee	1,264	912	352	139	73	57.8	21	16.6
Outside city	322	251	71	128	19	59.0	6	18.6
White	212	103	109	206	13	61.3	3	14.2
All other	110	148	-38	74	6	54.5	3	27.3
Muskogee	942	661	281	143	54	57.3	15	15.9
White	785	462	323	170	44	56.1	11	14.0
All other	157	199	-42	79	10	63.7	4	25.5
Noble	205	103	102	199	5	24.4	1	4.9
Nowata	280	130	150	215	8	28.6	8	28.6
White	251	105	146	239	6	25.9	7	27.9
All other	29	25	4	116	2	69.0	1	34.5
Okfuskee	528	200	328	264	28	53.0	8	15.2
White	430	131	299	328	22	51.2	7	16.3
All other	98	69	29	142	6	61.2	1	10.2
Oklahoma	5,020	2,557	2,463	196	264	52.6	87	17.3
Outside city	382	172	210	222	8	20.9	4	10.5
Oklahoma City	4,638	2,385	2,253	194	256	55.2	83	17.9
White	4,268	2,103	2,165	203	223	52.2	69	16.2
All other	370	282	88	131	33	89.2	14	37.8
Okmulgee	981	490	491	200	44	44.9	30	30.6
Outside city	568	271	297	210	25	44.0	15	26.4
White	432	202	230	214	15	34.7	11	25.5
All other	136	69	67	197	10	73.5	4	29.4
Okmulgee	413	219	194	189	19	46.0	15	36.3
White	337	160	177	211	16	47.5	11	32.6
All other	76	59	17	129	3	39.5	4	52.6
Osage	620	268	352	231	29	46.8	11	17.7
Ottawa	797	337	460	236	34	42.7	19	23.8
Pawnee	372	178	194	209	23	61.8	8	21.5
Payne	732	302	430	242	28	38.3	14	19.1
Outside city	499	198	301	252	23	46.1	12	24.0
Stillwater	233	104	129	224	5	21.5	2	8.6
Pittsburg	880	431	449	204	59	67.0	17	19.3
Outside city	567	190	377	298	41	72.3	15	26.5
White	537	173	364	310	40	74.5	14	26.1
All other	30	17	13	176	1	33.3	1	33.3
McAlester	313	241	72	130	18	57.5	2	6.4
White	281	209	72	134	13	46.3	2	7.1
All other	32	32	-	100	5	156.3	-	0
Pontotoc	807	317	490	255	44	54.5	29	35.9
Outside city	277	93	184	298	12	43.3	14	50.5
Ada	530	224	306	237	32	60.4	15	28.3
Pottawatomie	1,006	426	580	236	44	43.7	27	26.8
Outside city	447	178	269	251	22	49.2	11	24.6
Shawnee	559	248	311	225	22	39.4	16	28.6
Pushmataha	408	115	293	355	18	44.1	8	19.6
Roger Mills	110	41	69	268	6	54.5	3	27.3
Rogers	588	200	388	294	30	51.0	11	18.7
Seminole	928	368	560	252	65	70.0	14	15.1
Outside cities	387	179	208	216	35	90.4	4	10.3
White	301	121	180	249	17	56.5	-	0
All other	86	58	28	148	18	209.3	4	46.5
Seminole	338	113	225	299	19	56.2	7	20.7
Wewoka	203	76	127	267	11	54.2	3	14.8
White	166	51	115	325	9	54.2	3	18.1
All other	37	25	12	148	2	54.1	-	0
Sequoyah	501	134	367	374	18	35.9	11	22.0
White	452	109	343	415	17	37.6	9	19.9
All other	49	25	24	196	1	20.4	2	40.8
Stephens	652	227	425	287	38	58.3	23	35.3
Texas	177	71	106	249	5	28.2	4	22.6
Tillman	442	138	304	320	20	45.2	13	29.4
White	387	118	269	328	15	38.8	11	28.4
All other	55	20	35	275	5	90.9	2	36.4
Tulsa	3,850	1,814	2,036	212	194	50.4	87	22.6
Outside city	611	229	382	267	22	36.0	9	14.7
Tulsa	3,239	1,585	1,654	204	172	53.1	78	24.1
White	2,956	1,323	1,633	223	142	48.0	62	21.0
All other	283	262	21	108	30	106.0	16	56.5
Wagoner	390	175	215	223	30	76.9	10	25.6
White	280	116	164	241	19	67.9	6	21.4
All other	110	59	51	186	11	100.0	4	36.4
Washington	564	251	313	225	21	37.2	11	19.5
Outside city	156	82	74	190	8	51.3	3	19.2
Bartlesville	408	169	239	241	13	31.9	8	19.6
Washita	274	112	162	245	4	14.6	5	18.2
Woods	318	128	190	248	10	31.4	7	22.0
Woodward	336	264	72	127	12	35.7	3	8.9
OREGON (total)	19,138	12,108	7,030	158	587	30.7	353	18.4
Baker	322	209	113	154	15	46.6	7	21.7
Benton	282	188	94	150	14	49.6	7	24.8
Clackamas	559	533	26	105	13	23.3	11	19.7
Clatsop	492	277	215	178	9	18.3	8	16.3
Outside city	55	118	-63	47	2	36.4	-	0
Astoria	437	159	278	275	7	16.0	8	18.3

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
OREGON—Continued								
Columbia	253	162	91	156	3	11.9	7	27.7
Coos	708	300	408	236	22	31.1	16	22.6
Crook	122	41	81	298	4	32.8	3	24.6
Curry	36	36	-	100	2	55.6	1	27.8
Deschutes	411	157	254	262	16	38.9	6	14.6
Outside city	75	43	32	174	6	80.0	-	0
Bend	336	114	222	295	10	29.8	6	17.9
Douglas	319	254	65	126	2	6.3	4	12.5
Gilliam	18	14	4	129	1	55.6	1	55.6
Grant	97	64	33	152	4	41.2	1	10.3
Harney	104	49	55	212	6	57.7	-	0
Hood River	205	99	106	207	6	29.3	6	29.3
Jackson	611	396	215	154	15	24.5	9	14.7
Outside city	156	227	-71	69	4	25.6	-	0
Medford	455	169	286	269	11	24.2	9	19.8
Jefferson	22	5	17	440	1	45.5	1	45.5
White	1	4	-3	25	-	0	-	0
All other	21	1	20	2,100	1	47.6	1	47.6
Josephine	296	162	134	183	7	23.6	4	13.5
Klamath	1,007	334	673	301	37	36.7	19	18.9
Outside city	130	122	8	107	9	69.2	3	23.1
Klamath Falls	877	212	665	414	28	31.9	16	18.2
Lake	150	55	95	273	5	33.3	2	13.3
Lane	1,392	667	725	209	44	31.6	30	21.6
Outside city	294	238	56	124	12	40.8	4	13.6
Eugene	1,098	429	669	256	32	29.1	26	23.7
Lincoln	207	135	72	153	9	43.5	7	33.8
Linn	639	340	299	188	19	29.7	12	18.8
Malheur	478	140	338	341	17	35.6	9	18.8
Marion	1,317	1,133	184	116	33	25.1	17	12.9
Outside city	361	345	16	105	8	22.2	4	11.1
Salem	956	788	168	121	25	26.2	13	13.6
Morrow	42	48	-6	88	3	71.4	-	0
Multnomah	6,366	4,625	1,741	138	183	28.7	110	17.3
Outside city	24	514	-490	5	8	333.3	2	83.3
Portland	6,342	4,111	2,231	154	175	27.6	108	17.0
Polk	241	144	97	167	6	24.9	2	8.3
Sherman	-	12	-12	0	-	-	-	-
Tillamook	216	117	99	185	7	32.4	3	13.9
Umatilla	445	322	123	138	32	71.9	11	24.7
Union	323	166	157	195	10	31.0	7	21.7
Wallowa	104	58	46	179	4	38.5	2	19.2
Wasco	317	197	120	161	14	44.2	7	22.1
Washington	459	362	97	127	14	30.5	10	21.8
Wheeler	24	18	6	133	-	0	-	0
Yamhill	554	289	265	192	10	18.1	13	23.5
PENNSYLVANIA (total)	174,593	108,215	66,378	161	7,107	40.7	4,421	25.3
Adams	628	375	253	167	18	28.7	14	22.3
Allegheny	25,810	15,227	10,583	170	980	38.0	690	26.7
Outside cities	2,851	3,767	-916	76	102	35.8	83	29.1
White	2,717	3,432	-715	79	93	34.2	79	29.1
All other	134	335	-201	40	9	67.2	4	29.9
Bellevue	491	172	319	285	12	24.4	12	24.4
Braddock	1,106	257	849	430	32	28.9	25	22.6
White	993	223	770	445	28	28.2	22	22.2
All other	113	34	79	332	4	35.4	3	26.5
Carnegie	69	67	2	103	4	58.0	-	0
Clairton	117	78	39	150	3	25.6	3	25.6
White	93	64	29	145	2	21.5	2	21.5
All other	24	14	10	171	1	41.7	1	41.7
Coraopolis	51	66	-15	77	1	19.6	2	39.2
Dormont	6	72	-66	8	-	0	-	0
Duquesne	106	124	-18	85	4	37.7	2	18.9
Harrison (twp.)[4]	716	233	483	307	28	39.1	21	29.3
Homestead	635	225	410	282	18	28.3	15	23.6
White	598	176	422	340	12	20.1	12	20.1
All other	37	49	-12	76	6	162.2	3	81.1
McKeesport	2,090	779	1,311	268	69	33.0	62	29.7
McKees Rocks	49	104	-55	47	4	81.6	-	0
Mount Lebanon (twp.)[4]	4	97	-93	4	1	250.0	-	0
Munhall	26	71	-45	37	1	38.5	-	0
North Braddock	52	94	-42	55	3	57.7	1	19.2
Pittsburgh	15,981	8,389	7,592	190	658	41.2	432	27.0
White	14,517	7,556	6,961	192	568	39.1	369	25.4
All other	1,464	833	631	176	90	61.5	63	43.0
Shaler (twp.)[4]	60	72	-12	83	4	66.7	-	0
Stowe (twp.)[4]	466	93	373	501	13	27.9	13	27.9
Swissvale	34	101	-67	34	1	29.4	1	29.4
Wilkinsburg	900	366	534	246	22	24.4	18	20.0
Armstrong	1,590	664	926	239	72	45.3	35	22.0
Beaver	2,535	1,506	1,029	179	109	46.7	81	34.7
Outside cities	1,496	866	630	173	71	47.5	61	40.8
Aliquippa	258	134	124	193	10	38.8	6	23.3
White	189	105	84	180	5	26.5	3	15.9
All other	69	29	40	238	5	72.5	3	43.5
Ambridge	100	106	-6	94	8	80.0	1	10.0
Beaver Falls	472	194	278	243	20	42.4	13	27.5
Ellwood City (part)	9	6	3	(5)	-	(5)	-	(5)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
PENNSYLVANIA—Con.								
Bedford	786	372	414	211	38	48.3	14	17.8
Berks	3,492	3,011	481	116	147	42.1	96	27.5
Outside city	2,016	1,735	281	116	88	43.7	50	24.8
Reading	1,476	1,276	200	116	59	40.0	46	31.2
Blair	2,701	1,606	1,095	168	117	43.3	86	31.8
Outside city	891	606	285	147	35	39.3	26	29.2
Altoona	1,810	1,000	810	181	82	45.3	60	33.1
Bradford	1,022	722	300	142	50	48.9	27	26.4
Bucks	1,580	1,040	540	152	47	29.7	28	17.7
Outside city	1,334	931	403	143	34	25.5	21	15.7
Bristol	246	109	137	226	13	52.8	7	28.5
Butler	1,558	811	747	192	51	32.7	33	21.2
Outside city	1,425	647	778	220	45	31.6	30	21.1
Butler	133	164	-31	81	6	45.1	3	22.6
Cambria	4,589	2,113	2,476	217	216	47.1	137	29.9
Outside city	2,077	1,143	934	182	113	54.4	63	30.3
Johnstown	2,512	970	1,542	259	103	41.0	74	29.5
Cameron	37	45	-8	82	-	0	1	27.0
Carbon	745	534	211	140	27	36.2	19	25.5
Centre	1,296	624	672	208	65	50.2	31	23.9
Chester	2,254	1,683	571	134	119	52.8	42	18.6
Outside cities	1,003	1,031	-28	97	45	44.9	17	16.9
Coatesville	103	103	-	100	5	48.5	5	48.5
White	43	69	-26	62	2	46.5	1	23.3
All other	60	34	26	176	3	50.0	4	66.7
Phoenixville	300	156	144	192	8	26.7	4	13.3
West Chester	848	393	455	216	61	71.9	16	18.9
White	712	330	382	216	49	68.8	14	19.7
All other	136	63	73	216	12	88.2	2	14.7
Clarion	632	317	315	199	23	36.4	14	22.2
Clearfield	1,748	865	883	202	72	41.2	51	29.2
Outside city	1,285	658	627	195	47	36.6	38	29.6
Du Bois	463	207	256	224	25	54.0	13	28.1
Clinton	736	355	381	207	32	43.5	11	14.9
Outside city	243	178	65	137	12	49.4	5	20.6
Lock Haven	493	177	316	279	20	40.6	6	12.2
Columbia	1,015	516	499	197	32	31.5	32	31.5
Outside city	640	361	279	177	23	35.9	21	32.8
Berwick	375	155	220	242	9	24.0	11	29.3
Crawford	1,544	862	682	179	71	46.0	37	24.0
Outside city	614	548	66	112	28	45.6	18	29.3
Meadville	930	314	616	296	43	46.2	19	20.4
Cumberland	1,225	782	443	157	55	44.9	24	19.6
Outside city	773	526	247	147	26	33.6	13	16.8
Carlisle	452	256	196	177	29	64.2	11	24.3
Dauphin	3,174	2,327	847	136	163	51.4	92	29.0
Outside cities	828	900	-72	92	28	33.8	22	26.6
Harrisburg	2,271	1,336	935	170	131	57.7	66	29.1
Steelton	75	91	-16	82	4	53.3	4	53.3
White	52	66	-14	79	2	38.5	1	19.2
All other	23	25	-2	92	2	87.0	3	130.4
Delaware	4,269	2,746	1,523	155	155	36.3	92	21.6
Outside cities	1,181	1,193	-12	99	40	33.9	29	24.6
Chester	1,258	719	539	175	63	50.1	34	27.0
White	923	558	365	165	36	39.0	18	19.5
All other	335	161	174	208	27	80.6	16	47.8
Darby	1,394	281	1,113	496	38	27.3	18	12.9
White	1,380	262	1,118	527	36	26.1	18	13.0
All other	14	19	-5	74	2	142.9	-	0
Haverford (twp.)[4]	14	126	-112	11	1	71.4	-	0
Lansdowne	5	74	-69	7	-	0	-	0
Upper Darby (twp.)[4]	417	353	64	118	13	31.2	11	26.4
Elk	651	311	340	209	22	33.8	14	21.5
Erie	3,676	2,014	1,662	183	155	42.2	86	23.4
Outside city	707	640	67	110	32	45.3	14	19.8
Erie	2,969	1,374	1,595	216	123	41.4	72	24.3
Fayette	4,017	1,924	2,093	209	232	57.8	122	30.4
Outside cities	2,715	1,220	1,495	223	137	50.5	72	26.5
Connellsville	481	218	263	221	25	52.0	19	39.5
Uniontown	821	486	335	169	70	85.3	31	37.8
Forest	67	48	19	140	5	74.6	1	14.9
Franklin	1,417	860	557	165	50	35.3	44	31.1
Outside cities	502	456	46	110	14	27.9	10	19.9
Chambersburg	558	265	293	211	24	43.0	21	37.6
Waynesboro	357	139	218	257	12	33.6	13	36.4
Fulton	209	90	119	232	8	38.3	3	14.4
Greene	879	390	489	225	41	46.6	31	35.3
Huntingdon	835	443	392	188	41	49.1	26	31.1
Indiana	1,541	665	876	232	63	40.9	39	25.3
Outside city	1,505	604	901	249	63	41.9	39	25.9
Indiana	36	61	-25	59	-	0	-	0
Jefferson	1,069	579	490	185	45	42.1	31	29.0
Juniata	230	139	91	165	10	43.5	6	26.1
Lackawanna	4,614	3,306	1,308	140	209	45.3	143	31.0
Outside cities	1,085	927	158	117	41	37.8	31	28.6
Carbondale	540	300	240	180	33	61.1	27	50.0
Dickson City	52	64	-12	81	1	19.2	2	38.5

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
PENNSYLVANIA—Con.								
Lackawanna—Continued								
Dunmore	134	170	-36	79	20	149.3	1	7.5
Old Forge	71	71	-	100	4	56.3	2	28.2
Scranton	2,732	1,774	958	154	110	40.3	80	29.3
Lancaster	4,175	2,369	1,806	176	203	48.6	81	19.4
Outside cities	1,909	1,207	702	158	58	30.4	36	18.9
Columbia	305	146	159	209	14	45.9	8	26.2
Lancaster	1,961	1,016	945	193	131	66.8	37	18.9
Lawrence	1,911	942	969	203	73	38.2	53	27.7
Outside cities	226	248	-22	91	12	53.1	7	31.0
Ellwood City (part)	361	113	248	(5)	16	(5)	9	(5)
Ellwood City (total)	370	119	251	311	16	43.2	9	24.3
New Castle	1,324	581	743	228	45	34.0	37	27.9
Lebanon	1,430	749	681	191	54	37.8	27	18.9
Outside city	493	336	157	147	20	40.6	3	6.1
Lebanon	937	413	524	227	34	36.3	24	25.6
Lehigh	4,031	2,320	1,711	174	170	42.2	90	22.3
Outside cities	1,434	763	671	188	53	37.0	24	16.7
Allentown	2,563	1,466	1,077	172	117	45.6	65	25.4
Bethlehem (part)	34	71	-37	(5)	-	(5)	1	(5)
Luzerne	6,911	4,299	2,612	161	283	40.9	189	27.3
Outside cities	1,770	1,603	167	110	59	33.3	34	19.2
Hanover (twp.)[4]	137	108	29	127	2	14.6	2	14.6
Hazleton	1,037	448	589	231	51	49.2	30	28.9
Kingston	673	249	424	270	22	32.7	20	29.7
Nanticoke	521	327	194	159	30	57.6	17	32.6
Pittston	109	126	-17	87	6	55.0	2	18.3
Plains (twp.)[4]	87	95	-8	92	2	23.0	3	34.5
Plymouth	111	99	12	112	1	9.0	2	18.0
Wilkes-Barre	2,466	1,244	1,222	198	110	44.6	79	32.0
Lycoming	1,754	1,189	585	150	78	44.5	37	21.1
Outside city	528	438	90	121	22	41.7	10	18.9
Williamsport	1,226	731	495	168	56	45.7	27	22.0
McKean	1,071	571	500	188	47	43.9	37	34.5
Outside city	546	345	201	158	28	51.3	16	29.3
Bradford	525	226	299	232	19	36.2	21	40.0
Mercer	2,077	1,067	1,010	195	48	23.1	42	20.2
Outside cities	959	659	300	146	20	20.9	20	20.9
Farrell	66	56	10	118	5	75.8	1	15.2
White	50	50	-	100	4	80.0	-	0
All other	16	6	10	267	1	62.5	1	62.5
Sharon	1,052	352	700	299	23	21.9	21	20.0
Mifflin	1,009	466	543	217	47	46.6	40	39.6
Outside city	887	367	520	242	44	49.6	37	41.7
Lewistown	122	99	23	123	3	24.6	3	24.6
Monroe	514	361	153	142	20	38.9	5	9.7
Montgomery	4,479	3,199	1,280	140	160	35.7	103	23.0
Outside cities	643	1,095	-452	59	28	43.5	13	20.2
Abington (twp.)[4]	980	444	536	221	42	42.9	35	35.7
Cheltenham (twp.)[4]	11	148	-137	7	5	454.5	-	0
Conshohocken	38	57	-19	67	2	52.6	1	26.3
Lower Merion (twp.)	780	403	377	194	24	30.8	19	24.4
Norristown	1,360	748	612	182	40	29.4	24	17.6
Pottstown	667	304	363	219	19	28.5	11	16.5
Montour	635	489	146	130	25	39.4	15	23.6
Northampton	2,016	1,477	539	136	70	34.7	34	16.9
Outside cities	1,430	908	522	157	52	36.4	25	17.5
Bethlehem (part)	154	221	-67	(5)	4	(5)	2	(5)
Bethlehem (total)	188	292	-104	64	4	21.3	3	16.0
Easton	432	348	84	124	14	32.4	7	16.2
Northumberland	1,759	1,220	539	144	84	47.8	48	27.3
Outside cities	1,163	698	465	167	52	44.7	29	24.9
Mount Carmel	73	114	-41	64	5	68.5	1	13.7
Shamokin	76	163	-87	47	6	78.9	1	13.2
Sunbury	447	245	202	182	21	47.0	17	38.0
Perry	329	228	101	144	15	45.6	5	15.2
Philadelphia, coextensive with Philadelphia (city)	34,025	24,375	9,650	140	1,281	37.6	750	22.0
White	28,499	20,619	7,880	138	922	32.4	566	19.9
All other	5,526	3,756	1,770	147	359	65.0	184	33.3
Pike	42	77	-35	55	2	47.6	-	0
Potter	321	187	134	172	18	56.1	8	24.9
Schuylkill	3,667	2,597	1,070	141	164	44.7	116	31.6
Outside cities	2,352	1,779	573	132	97	41.2	55	23.4
Mahanoy City	73	107	-34	68	2	27.4	-	0
Pottsville	1,095	498	597	220	60	54.8	56	51.1
Shenandoah	103	124	-21	83	3	29.1	4	38.8
Tamaqua	44	89	-45	49	2	45.5	1	22.7
Snyder	298	161	137	185	7	23.5	4	13.4
Somerset	1,639	787	852	208	79	48.2	49	29.9
Sullivan	61	43	18	142	2	32.8	2	32.8
Susquehanna	429	340	89	126	19	44.3	12	28.0
Tioga	625	414	211	151	24	38.4	12	19.2
Union	393	239	154	164	15	38.2	10	25.4
Venango	1,076	764	312	141	44	40.9	35	32.5
Outside city	582	455	127	128	26	44.7	17	29.2
Oil City	494	309	185	160	18	36.4	18	36.4
Warren	636	682	-46	93	24	37.7	15	23.6
Outside city	159	452	-293	35	7	44.0	5	31.4
Warren	477	230	247	207	17	35.6	10	21.0
Washington	4,095	1,818	2,277	225	173	42.2	105	25.6
Outside cities	2,491	1,142	1,349	218	89	35.7	59	23.7
Canonsburg	645	149	496	433	25	38.8	16	24.8
Charleroi	46	65	-19	71	4	87.0	1	21.7
Donora	58	56	2	104	7	120.7	1	17.2
Washington	855	406	449	211	48	56.1	28	32.7
Wayne	352	341	11	103	10	28.4	17	48.3
Westmoreland	5,221	2,770	2,451	188	204	39.1	164	31.4
Outside cities	2,360	1,651	709	143	100	42.4	67	28.4
Arnold	87	42	45	207	2	23.0	1	11.5
Greensburg	976	356	620	274	47	48.2	38	38.9
Jeannette	115	92	23	125	-	0	5	43.5
Latrobe	615	210	405	293	19	30.9	17	27.6
Monessen	154	89	65	173	5	32.5	4	26.0
New Kensington	816	271	545	301	29	35.5	30	36.8
Vandergrift	98	59	39	166	2	20.4	2	20.4
Wyoming	167	138	29	121	6	35.9	9	53.9
York	3,474	1,884	1,590	184	118	34.0	74	21.3
Outside cities	1,434	914	520	157	25	17.4	28	19.5
Hanover	581	168	413	346	20	34.4	8	13.8
York	1,459	802	657	182	73	50.0	38	26.0
RHODE ISLAND (total)	11,582	7,864	3,718	147	415	35.8	298	25.7
Bristol	118	168	-50	70	3	25.4	4	33.9
Outside city	39	81	-42	48	1	25.6	-	0
Bristol (town)	79	87	-8	91	2	25.3	4	50.6
Kent	436	445	-9	98	14	32.1	10	22.9
Outside cities	82	96	-14	85	4	48.8	1	12.2
Warwick	109	226	-117	48	4	36.7	3	27.5
West Warwick (town)	245	123	122	199	6	24.5	6	24.5
Newport	714	540	174	132	17	23.8	16	22.4
Outside city	51	130	-79	39	-	0	2	39.2
Newport	663	410	253	162	17	25.6	14	21.1
Providence	9,674	6,319	3,355	153	353	36.5	249	25.7
Outside cities	90	276	-186	33	5	55.6	1	11.1
Central Falls	655	208	447	315	19	29.0	19	29.0
Cranston	192	948	-756	20	15	78.1	9	46.9
Cumberland (town)	43	72	-29	60	4	93.0	1	23.3
East Providence (town)	86	231	-145	37	2	23.3	2	23.3
Johnston (town)	29	63	-34	46	3	103.4	1	34.5
Lincoln (town)	33	73	-40	45	1	30.3	-	0
North Providence (town)	22	55	-33	40	2	90.9	-	0
Pawtucket	1,092	733	359	149	33	30.2	44	40.3
Providence	6,407	3,140	3,267	204	208	32.5	149	23.3
Woonsocket	1,025	520	505	197	61	59.5	23	22.4
Washington	640	392	248	163	28	43.8	19	29.7
Outside city	295	242	53	122	20	67.8	9	30.5
Westerly (town)	345	150	195	230	8	23.2	10	29.0
SOUTH CAROLINA (total)	47,162	20,523	26,639	230	3,536	75.0	2,102	44.6
Abbeville	424	172	252	247	20	47.2	16	37.7
White	186	89	97	209	10	53.8	3	16.1
All other	238	83	155	287	10	42.0	13	54.6
Aiken	979	557	422	176	79	80.7	47	48.0
White	492	264	228	186	34	69.1	17	34.6
All other	487	293	194	166	45	92.4	30	61.6
Allendale	366	136	230	269	34	92.9	22	60.1
White	50	28	22	179	2	40.0	-	0
All other	316	108	208	293	32	101.3	22	69.6
Anderson	1,985	795	1,190	250	140	70.5	74	37.3
Outside city	1,159	427	732	271	70	60.4	41	35.4
White	740	270	470	274	39	52.7	17	23.0
All other	419	157	262	267	31	74.0	24	57.3
Anderson	826	368	458	224	70	84.7	33	40.0
White	707	236	471	300	48	67.9	10	14.1
All other	119	132	-13	90	22	184.9	23	193.3
Bamberg	434	170	264	255	35	80.6	26	59.9
White	124	65	59	191	5	40.3	6	48.4
All other	310	105	205	295	30	96.8	20	64.5
Barnwell	535	159	376	336	38	71.0	29	54.2
White	106	29	77	366	7	66.0	3	28.3
All other	429	130	299	330	31	72.3	26	60.6
Beaufort	544	319	225	171	40	73.5	26	47.8
White	104	37	67	281	3	28.8	2	19.2
All other	440	282	158	156	37	84.1	24	54.5
Berkeley	775	340	435	228	80	103.2	42	54.2
White	218	69	149	316	11	50.5	5	22.9
All other	557	271	286	206	69	123.9	37	66.4
Calhoun	412	193	219	213	41	99.5	21	51.0
White	52	32	20	163	-	0	-	0
All other	360	161	199	224	41	113.9	21	58.3

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
SOUTH CAROLINA—Continued								
Charleston	3,657	1,790	1,867	204	227	62.1	201	55.0
Outside city	810	552	258	147	67	82.7	35	43.2
White	179	155	24	115	10	55.9	7	39.1
All other	631	397	234	159	57	90.3	28	44.4
Charleston	2,847	1,238	1,609	230	160	56.2	166	58.3
White	1,459	536	923	272	56	38.4	43	29.5
All other	1,388	702	686	198	104	74.9	123	88.6
Cherokee	770	236	534	326	54	70.1	27	35.1
White	591	160	431	369	38	64.3	15	25.4
All other	179	76	103	236	16	89.4	12	67.0
Chester	732	306	426	239	51	69.7	26	35.5
White	343	141	202	243	16	46.6	8	23.3
All other	389	165	224	236	35	90.0	18	46.3
Chesterfield	918	273	645	336	74	80.6	33	35.9
White	455	153	302	297	33	72.5	17	37.4
All other	463	120	343	386	41	88.6	16	34.6
Clarendon	753	362	391	208	94	124.8	37	49.1
White	173	67	106	258	8	46.2	2	11.6
All other	580	295	285	197	86	148.3	35	60.3
Colleton	655	269	386	243	29	44.3	48	73.3
White	227	85	142	267	3	13.2	11	48.5
All other	428	184	244	233	26	60.7	37	86.4
Darlington	1,260	447	813	282	115	91.3	59	46.8
White	619	179	440	346	45	72.7	22	35.5
All other	641	268	373	239	70	109.2	37	57.7
Dillon	744	255	489	292	67	90.1	15	20.2
White	307	92	215	334	16	52.1	2	6.5
All other	437	163	274	268	51	116.7	13	29.7
Dorchester	551	277	274	199	66	119.8	30	54.4
White	206	107	99	193	24	116.5	5	24.3
All other	345	170	175	203	42	121.7	25	72.5
Edgefield	422	180	242	234	38	90.0	10	23.7
White	108	68	40	159	11	101.9	2	18.5
All other	314	112	202	280	27	86.0	8	25.5
Fairfield	628	220	408	285	34	54.1	32	51.0
White	196	62	134	316	5	25.5	2	10.2
All other	432	158	274	273	29	67.1	30	69.4
Florence	1,907	865	1,042	220	147	77.1	106	55.6
Outside city	1,275	394	881	324	77	60.4	60	47.1
White	586	159	427	369	25	42.7	14	23.9
All other	689	235	454	293	52	75.5	46	66.8
Florence	632	471	161	134	70	110.8	46	72.8
White	420	270	150	156	40	95.2	15	35.7
All other	212	201	11	105	30	141.5	31	146.2
Georgetown	779	247	532	315	46	59.1	30	38.5
White	220	61	159	361	6	27.3	1	4.5
All other	559	186	373	301	40	71.6	29	51.9
Greenville	3,053	1,336	1,717	229	202	66.2	122	40.0
Outside city	2,071	673	1,398	308	104	50.2	53	25.6
White	1,728	542	1,186	319	80	46.3	42	24.3
All other	343	131	212	262	24	70.0	11	32.1
Greenville	982	663	319	148	98	99.8	69	70.3
White	614	389	225	158	62	101.0	34	55.4
All other	368	274	94	134	36	97.8	35	95.1
Greenwood	891	403	488	221	63	70.7	36	40.4
Outside city	459	199	260	231	38	82.8	11	24.0
White	219	96	123	228	14	63.9	4	18.3
All other	240	103	137	233	24	100.0	7	29.2
Greenwood	432	204	228	212	25	57.9	25	57.9
White	355	120	235	296	13	36.6	13	36.6
All other	77	84	-7	92	12	155.8	12	155.8
Hampton	361	199	162	181	26	72.0	41	113.6
White	73	57	16	128	5	68.5	3	41.1
All other	288	142	146	203	21	72.9	38	131.9
Horry	1,527	438	1,089	349	98	64.2	71	46.5
White	1,050	276	774	380	49	46.7	35	33.3
All other	477	162	315	294	49	102.7	36	75.5
Jasper	322	170	152	189	28	87.0	21	65.2
White	123	54	69	228	10	81.3	5	40.7
All other	199	116	83	172	18	90.5	16	80.4
Kershaw	899	281	618	320	51	56.7	30	33.4
White	353	124	229	285	25	70.8	8	22.7
All other	546	157	389	348	26	47.6	22	40.3
Lancaster	783	242	541	324	46	58.7	20	25.5
White	516	148	368	349	23	44.6	8	15.5
All other	267	94	173	284	23	86.1	12	44.9
Laurens	835	342	493	244	43	51.5	23	27.5
White	488	166	322	294	11	22.5	14	28.7
All other	347	176	171	197	32	92.2	9	25.9
Lee	653	189	464	346	50	76.6	34	52.1
White	125	35	90	357	4	32.0	3	24.0
All other	528	154	374	343	46	87.1	31	58.7
Lexington	778	305	473	255	47	60.4	29	37.3
White	503	194	309	259	23	45.7	14	27.8
All other	275	111	164	248	24	87.3	15	54.5
Section B—Continued								
SOUTH CAROLINA—Continued								
McCormick	273	104	169	263	16	58.6	19	69.6
White	61	31	30	197	-	0	3	49.2
All other	212	73	139	290	16	75.5	16	75.5
Marion	793	326	467	243	77	97.1	45	56.7
White	371	124	247	299	28	75.5	13	35.0
All other	422	202	220	209	49	116.1	32	75.8
Marlboro	908	389	519	233	98	107.9	36	39.6
White	389	153	236	254	32	82.3	8	20.6
All other	519	236	283	220	66	127.2	28	53.9
Newberry	706	282	424	250	32	45.3	21	29.7
White	356	147	209	242	19	53.4	9	25.3
All other	350	135	215	259	13	37.1	12	34.3
Oconee	800	298	502	268	67	83.8	26	32.5
White	678	233	445	291	55	81.1	18	26.5
All other	122	65	57	188	12	98.4	8	65.6
Orangeburg	1,953	851	1,102	229	196	100.4	114	58.4
Outside city	1,496	542	954	276	148	98.9	65	43.4
White	292	110	182	265	18	61.6	3	10.3
All other	1,204	432	772	279	130	108.0	62	51.5
Orangeburg	457	309	148	148	48	105.0	49	107.2
White	299	128	171	234	19	63.5	12	40.1
All other	158	181	-23	87	29	183.5	37	234.2
Pickens	850	260	590	327	42	49.4	17	20.0
White	736	202	534	364	34	46.2	11	14.9
All other	114	58	56	197	8	70.2	6	52.6
Richland	2,861	2,225	636	129	226	79.0	102	35.7
Outside city	736	953	-217	77	36	48.9	27	36.7
White	246	327	-81	75	10	40.7	5	20.3
All other	490	626	-136	78	26	53.1	22	44.9
Columbia	2,125	1,272	853	167	190	89.4	75	35.3
White	1,504	778	726	193	112	74.5	35	23.3
All other	621	494	127	126	78	125.6	40	64.4
Saluda	291	111	180	262	16	55.0	14	48.1
White	141	52	89	271	7	49.6	6	42.6
All other	150	59	91	254	9	60.0	8	53.3
Spartanburg	2,690	1,213	1,477	222	190	70.6	109	40.5
Outside city	1,437	551	886	261	81	56.4	41	28.5
White	1,019	383	636	266	38	37.3	20	19.6
All other	418	168	250	249	43	102.9	21	50.2
Spartanburg	1,253	662	591	189	109	87.0	68	54.3
White	950	402	548	236	66	69.5	38	40.0
All other	303	260	43	117	43	141.9	30	99.0
Sumter	1,451	648	803	224	126	86.8	76	52.4
Outside city	1,040	374	666	278	84	80.8	59	56.7
White	184	63	121	292	8	43.5	4	21.7
All other	856	311	545	275	76	88.8	55	64.3
Sumter	411	274	137	150	42	102.2	17	41.4
White	260	137	123	190	23	88.5	7	26.9
All other	151	137	14	110	19	125.8	10	66.2
Union	692	285	407	243	42	60.7	28	40.5
White	389	169	220	230	25	64.3	13	33.4
All other	303	116	187	261	17	56.1	15	49.5
Williamsburg	1,226	481	745	255	103	84.0	79	64.4
White	323	124	199	260	11	34.1	17	52.6
All other	903	357	546	253	92	101.9	62	68.7
York	1,336	577	759	232	102	76.3	32	24.0
Outside city	895	423	472	212	68	76.0	27	30.2
White	478	199	279	240	37	77.4	12	25.1
All other	417	224	193	186	31	74.3	15	36.0
Rock Hill	441	154	287	286	34	77.1	5	11.3
White	374	107	267	350	26	69.5	4	10.7
All other	67	47	20	143	8	119.4	1	14.9
SOUTH DAKOTA (total)	11,647	5,365	6,282	217	476	40.9	203	17.4
Armstrong	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-
Aurora	83	34	49	244	2	24.1	3	36.1
Beadle	427	170	257	251	12	28.1	6	14.1
Outside city	51	37	14	138	1	19.6	-	0
Huron	376	133	243	283	11	29.3	6	16.0
Bennett	40	20	20	200	2	50.0	1	25.0
White	23	6	17	383	-	0	1	43.5
All other	17	14	3	121	2	117.6	-	0
Bon Homme	139	62	77	224	3	21.6	6	43.2
Brookings	274	134	140	204	7	25.5	6	21.9
Brown	627	257	370	244	18	28.7	12	19.1
Outside city	64	41	23	156	3	46.9	-	0
Aberdeen	563	216	347	261	15	26.6	12	21.3
Brule	120	54	66	222	7	58.3	-	0
Buffalo	61	26	35	235	10	163.9	-	0
White	1	2	-1	50	-	0	-	0
All other	60	24	36	250	10	166.7	-	0
Butte	150	77	73	195	10	66.7	4	26.7
Campbell	52	17	35	306	1	19.2	-	0

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
SOUTH DAKOTA—Con.								
Charles Mix	232	111	121	209	10	43.1	5	21.6
White	172	93	79	185	7	40.7	4	23.3
All other	60	18	42	333	3	50.0	1	16.7
Clark	120	61	59	197	6	50.0	3	25.0
Clay	177	80	97	221	8	45.2	1	5.6
Codington	482	183	299	263	14	29.0	10	20.7
Outside city	26	28	-2	93	1	38.5	-	0
Watertown	456	155	301	294	13	28.5	10	21.9
Corson	65	32	33	203	3	46.2	2	30.8
White	43	12	31	358	-	0	2	46.5
All other	22	20	2	110	3	136.4	-	0
Custer	72	46	26	157	3	41.7	-	0
Davison	457	209	248	219	11	24.1	6	13.1
Outside city	14	4	10	350	1	71.4	-	0
Mitchell	443	205	238	216	10	22.6	6	13.5
Day	250	120	130	208	17	68.0	4	16.0
Deuel	119	59	60	202	9	75.6	9	75.6
Dewey	110	36	74	306	6	54.5	2	18.2
White	33	14	19	236	2	60.6	-	0
All other	77	22	55	350	4	51.9	2	26.0
Douglas	94	41	53	229	3	31.9	3	31.9
Edmunds	140	38	102	368	2	14.3	1	7.1
Fall River	117	113	4	104	9	76.9	2	17.1
Faulk	61	44	17	139	3	49.2	1	16.4
Grant	160	66	94	242	7	43.8	3	18.8
Gregory	179	49	130	365	4	22.3	6	33.5
Haakon	21	25	-4	84	1	47.6	-	0
Hamlin	107	80	27	134	4	37.4	-	0
Hand	132	59	73	224	7	53.0	1	7.6
Hanson	66	23	43	287	-	0	1	15.2
Harding	33	7	26	471	-	0	2	60.6
Hughes	279	106	173	263	11	39.4	8	28.7
Hutchinson	205	101	104	203	13	63.4	6	29.3
Hyde	39	17	22	229	1	25.6	2	51.3
Jackson	48	10	38	480	1	20.8	-	0
Jerauld	58	29	29	200	1	17.2	1	17.2
Jones	39	21	18	186	3	76.9	1	25.6
Kingsbury	128	81	47	158	3	23.4	1	7.8
Lake	246	81	165	304	2	8.1	6	24.4
Lawrence	384	156	228	246	20	52.1	7	18.2
Lincoln	163	77	86	212	5	30.7	1	6.1
Lyman	32	17	15	188	2	62.5	1	31.3
McCook	141	57	84	247	1	42.6	2	14.2
McPherson	218	66	149	326	1	32.6	2	9.3
Marshall	181	88	93	206	12	66.3	2	11.0
Meade	177	61	116	290	12	67.8	3	16.9
Mellette	26	23	3	113	1	38.5	-	0
White	8	11	-3	73	1	125.0	-	0
All other	18	12	6	150	-	0	-	0
Miner	111	58	53	191	7	63.1	2	18.0
Minnehaha	1,173	541	632	217	30	25.6	18	15.3
Outside city	136	96	40	142	5	36.8	3	22.1
Sioux Falls	1,037	445	592	233	25	24.1	15	14.5
Moody	107	62	45	173	5	46.7	-	0
Pennington	575	264	311	218	19	33.0	7	12.2
Outside city	102	49	53	208	3	29.4	-	0
Rapid City	473	215	258	220	16	33.8	7	14.8
Perkins	119	40	79	298	7	58.8	2	16.8
Potter	56	20	36	280	2	35.7	-	0
Roberts	271	125	146	217	13	48.0	6	22.1
Sanborn	39	34	5	115	1	25.6	-	0
Shannon	183	82	101	223	23	125.7	2	10.9
White	2	3	-1	67	-	0	-	0
All other	181	79	102	229	23	127.1	2	11.0
Spink	170	130	40	131	10	58.8	4	23.5
Stanley	8	6	2	133	-	0	-	0
Sully	29	10	19	290	2	69.0	2	69.0
Todd	128	66	62	194	9	70.3	2	15.6
White	7	7	-	100	-	0	1	-142.9
All other	121	59	62	205	9	74.4	1	8.3
Tripp	194	79	115	246	9	46.4	2	10.3
Turner	163	62	101	263	3	18.4	1	6.1
Union	100	46	54	217	1	10.0	1	10.0
Walworth	210	71	139	296	11	52.4	3	14.3
Washabaugh	14	17	-3	82	4	285.7	-	0
White	5	3	2	167	-	0	-	0
All other	9	14	-5	64	4	444.4	-	0
Washington	16	22	-6	73	3	187.5	-	0
White	1	2	-1	50	-	0	-	0
All other	15	20	-5	75	3	200.0	-	0
Yankton	355	281	74	126	13	36.6	5	14.1
Ziebach	98	25	73	392	5	51.0	3	30.6
White	76	12	64	633	2	26.3	2	26.3
All other	22	13	9	169	3	136.4	1	45.5
Section B—Continued								
TENNESSEE (total)	60,537	29,193	31,344	207	3,346	55.3	1,585	26.2
Anderson	505	150	355	337	35	69.3	12	23.8
Bedford	425	250	175	170	30	70.6	13	30.6
White	380	198	182	192	26	68.4	8	21.1
All other	45	52	-7	87	4	88.9	5	111.1
Benton	215	92	123	234	9	41.9	10	46.5
Bledsoe	214	63	151	340	12	56.1	4	18.7
Blount	1,171	343	828	341	64	54.7	27	23.1
Bradley	719	261	458	275	47	65.4	14	19.5
Outside city	398	133	265	299	28	70.4	6	15.1
Cleveland	321	128	193	251	19	59.2	8	24.9
White	296	102	194	290	13	43.9	8	27.0
All other	25	26	-1	96	6	240.0	-	0
Campbell	739	233	506	317	43	58.2	18	24.4
Cannon	255	83	172	307	13	51.0	6	23.5
Carroll	407	240	167	170	17	41.8	15	36.9
White	370	196	174	189	16	43.2	14	37.8
All other	37	44	-7	84	1	27.0	1	27.0
Carter	837	262	575	319	68	81.2	25	29.9
Cheatham	143	54	89	265	6	42.0	1	7.0
Chester	153	97	56	158	11	71.9	4	26.1
White	141	73	68	193	9	63.8	4	28.4
All other	12	24	-12	50	2	166.7	-	0
Claiborne	499	134	365	372	14	28.1	5	10.0
Clay	230	42	188	548	5	21.7	2	8.7
Cocke	533	237	296	225	45	84.4	12	22.5
Coffee	388	219	169	177	27	69.6	4	10.3
Crockett	313	85	228	368	7	22.4	5	16.0
White	252	57	195	442	4	15.9	5	19.8
All other	61	28	33	218	3	49.2	-	0
Cumberland	308	73	235	422	7	22.7	4	13.0
Davidson	5,368	3,486	1,882	154	314	58.5	156	29.1
Outside city	1,020	851	169	120	45	44.1	23	22.5
White	958	636	302	147	41	43.7	16	17.1
All other	82	215	-133	38	4	48.8	7	85.4
Nashville	4,348	2,635	1,713	165	269	61.9	133	30.6
White	3,428	1,666	1,762	206	174	50.8	84	24.5
All other	920	969	-49	95	95	103.3	49	53.3
Decatur	168	55	113	305	8	47.6	4	23.8
De Kalb	240	116	124	207	18	75.0	3	12.5
Dickson	371	129	242	288	15	40.4	10	27.0
Dyer	643	319	324	202	45	70.0	22	34.2
Outside city	413	180	233	229	23	55.7	10	24.2
Dyersburg	230	139	91	165	22	95.7	12	52.2
White	201	106	95	190	17	84.6	10	49.8
All other	29	33	-4	88	5	172.4	2	69.0
Fayette	638	273	365	234	51	79.9	26	40.8
White	148	61	87	243	7	47.3	3	20.3
All other	490	212	278	231	44	89.8	23	46.9
Fentress	330	27	303	1,222	7	21.2	2	6.1
Franklin	443	200	243	222	26	58.7	10	22.6
White	403	166	237	243	21	52.1	10	24.8
All other	40	34	6	118	5	125.0	-	0
Gibson	849	379	470	224	38	44.8	20	23.6
White	708	279	429	254	29	41.0	13	18.4
All other	141	100	41	141	9	63.8	7	49.6
Giles	477	264	213	181	29	60.8	12	25.2
White	366	179	187	204	18	49.2	8	21.9
All other	111	85	26	131	11	99.1	4	36.0
Grainger	297	136	161	218	15	50.5	4	13.5
Greene	821	404	417	203	55	67.0	16	19.5
Grundy	284	78	206	364	14	49.3	9	31.7
Hamblen	466	235	231	198	33	70.8	15	32.2
Hamilton	4,023	2,262	1,761	178	201	50.0	99	24.6
Outside city	583	424	159	138	24	41.2	11	18.9
Chattanooga	3,440	1,838	1,602	187	177	51.5	88	25.6
White	2,697	1,176	1,521	229	120	44.5	54	20.0
All other	743	662	81	112	57	76.7	34	45.8
Hancock	214	44	170	486	3	14.0	3	14.0
Hardeman	380	351	29	108	20	52.6	7	18.4
White	230	191	39	120	6	26.1	2	8.7
All other	150	160	-10	94	14	93.3	5	33.3
Hardin	323	132	191	245	14	43.3	3	9.3
Hawkins	588	183	405	321	23	39.1	11	18.7
Haywood	526	293	233	180	38	72.2	13	24.7
White	206	94	112	219	8	38.8	3	14.6
All other	320	199	121	161	30	93.8	10	31.3
Henderson	335	140	195	239	14	41.8	8	23.9
Henry	392	276	116	142	12	30.6	14	35.7
White	332	210	122	158	10	30.1	12	36.1
All other	60	66	-6	91	2	33.3	2	33.3
Hickman	282	116	166	243	13	46.1	8	28.4
Houston	141	54	87	261	6	42.6	4	28.4
Humphreys	234	110	124	213	13	55.6	8	34.2
Jackson	324	91	233	356	10	30.9	11	34.0
Jefferson	463	211	252	219	26	56.2	10	21.6
Johnson	326	102	224	320	23	70.6	6	18.4

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
TENNESSEE—Contd.								
Knox	3,944	2,003	1,941	197	220	55.8	91	23.1
Outside city	841	621	220	135	44	52.3	17	20.2
Knoxville	3,103	1,382	1,721	225	178	56.7	74	23.8
White	2,825	1,118	1,707	253	149	52.7	58	20.5
All other	278	264	14	105	27	97.1	16	57.6
Lake	228	79	149	289	16	70.2	6	26.3
White	198	55	143	360	15	75.8	5	25.3
All other	30	24	6	125	1	33.3	1	33.3
Lauderdale	527	214	313	246	24	45.5	17	32.3
White	319	101	218	316	12	37.6	6	18.8
All other	208	113	95	184	12	57.7	11	52.9
Lawrence	626	201	425	311	24	38.3	13	20.8
Lewis	108	48	60	225	5	46.3	2	18.5
Lincoln	547	316	231	173	39	71.3	19	34.7
White	440	249	191	177	25	56.8	12	27.3
All other	107	67	40	160	14	130.8	7	65.4
Loudon	398	145	253	274	10	25.1	8	20.1
McMinn	729	197	532	370	34	46.6	13	17.8
McNairy	367	133	234	276	14	38.1	9	24.5
Macon	262	117	145	224	20	76.3	8	30.5
Madison	976	609	367	160	60	61.5	43	44.1
Outside city	454	204	250	223	21	46.3	10	22.0
White	229	96	133	239	5	21.8	4	17.5
All other	225	108	117	208	16	71.1	6	26.7
Jackson	522	405	117	129	39	74.7	33	63.2
White	396	247	149	160	26	65.7	20	50.5
All other	126	158	-32	80	13	103.2	13	103.2
Marion	454	151	303	301	25	50.7	12	26.4
Marshall	312	179	133	174	18	57.7	13	41.7
White	283	149	134	190	16	56.5	11	38.9
All other	29	30	-1	97	2	69.0	2	69.0
Maury	857	424	433	202	48	56.0	29	33.8
Outside city	586	265	321	221	38	64.8	19	32.4
White	434	171	263	254	21	48.4	12	27.6
All other	152	94	58	162	17	111.8	7	46.1
Columbia	271	159	112	170	10	36.9	10	36.9
White	220	105	115	210	7	31.8	10	45.5
All other	51	54	-3	94	3	58.8	-	0
Meigs	146	37	109	395	3	20.5	4	27.4
Monroe	639	217	422	294	41	64.2	13	20.3
Montgomery	662	393	269	168	46	69.5	21	31.7
Outside city	407	207	200	197	29	71.3	10	24.6
White	268	127	141	211	18	67.2	5	18.7
All other	139	80	59	174	11	79.1	5	36.0
Clarksville	255	186	69	137	17	66.7	11	43.1
White	190	107	83	178	8	42.1	5	26.3
All other	65	79	-14	82	9	138.5	6	92.3
Moore	79	50	29	158	3	38.0	1	12.7
Morgan	268	67	201	400	16	59.7	3	11.2
Obion	462	303	159	152	24	51.9	10	21.6
White	418	243	175	172	20	47.8	6	14.4
All other	44	60	-16	73	4	90.9	4	90.9
Overton	381	81	300	470	13	34.1	7	18.4
Perry	135	64	71	211	6	44.4	3	22.2
Pickett	118	16	102	738	5	42.4	1	8.5
Polk	244	79	165	309	13	53.3	5	20.5
Putnam	517	173	344	299	25	48.4	21	40.6
Rhea	428	141	287	304	26	60.7	7	16.4
Roane	799	253	546	316	29	36.3	20	25.0
Robertson	466	260	206	179	28	60.1	11	23.6
White	388	205	183	189	20	51.5	8	20.6
All other	78	55	23	142	8	102.6	3	38.5
Rutherford	678	378	300	179	34	50.1	9	13.3
White	543	293	250	185	30	55.2	6	11.0
All other	135	85	50	159	4	29.6	3	22.2
Scott	341	77	264	443	12	35.2	9	26.4
Sequatchie	132	38	94	347	7	53.0	2	15.2
Sevier	496	220	276	225	36	72.6	7	14.1
Shelby	7,966	4,848	3,118	164	477	59.9	286	35.9
Outside city	660	682	-22	97	42	63.6	28	42.4
White	138	275	-137	50	9	65.2	4	29.0
All other	522	407	115	128	33	63.2	24	46.0
Memphis	7,306	4,166	3,140	175	435	59.5	258	35.3
White	4,628	2,297	2,331	201	255	55.1	141	30.5
All other	2,678	1,869	809	143	180	67.2	117	43.7
Smith	262	122	140	215	16	61.1	8	30.5
Stewart	218	107	111	204	14	64.2	4	18.3
Sullivan	1,629	515	1,114	316	98	60.2	32	19.6
Outside cities	605	246	359	246	42	69.4	8	13.2
Bristol[7]	184	80	104	230	7	38.0	2	10.9
Kingsport	840	189	651	444	49	58.3	22	26.2
Sumner	575	257	318	224	17	29.6	17	29.6
White	496	208	288	238	15	30.2	16	32.3
All other	79	49	30	161	2	25.3	1	12.7
Tipton	570	196	374	291	25	43.9	8	14.0
White	354	88	266	402	7	19.8	2	5.6
All other	216	108	108	200	18	83.3	6	27.8
Trousdale	140	45	95	311	5	35.7	4	28.6
White	118	31	87	381	4	33.9	-	0
All other	22	14	8	157	1	45.5	4	181.8
Unicoi	319	89	230	358	16	50.2	6	18.8
Union	139	57	82	244	9	64.7	2	14.4
Van Buren	79	19	60	416	3	38.0	1	12.7
Warren	382	237	145	161	30	78.5	10	26.2
Washington	1,030	571	459	180	68	66.0	29	28.2
Outside city	407	315	92	129	26	63.9	13	31.9
Johnson City	623	256	367	243	42	67.4	16	25.7
White	581	225	356	258	40	68.8	16	27.5
All other	42	31	11	135	2	47.6	-	0
Wayne	242	105	137	230	16	66.1	7	28.9
Weakley	342	291	51	118	21	61.4	11	32.2
White	378	155	223	244	24	63.5	5	13.2
Williamson	481	218	263	221	18	37.4	10	20.8
White	375	159	216	236	12	32.0	6	16.0
All other	106	59	47	180	6	56.6	4	37.7
Wilson	459	314	145	146	23	50.1	13	28.3
White	380	248	132	153	16	42.1	10	26.3
All other	79	66	13	120	7	88.6	3	38.0
TEXAS (total)	136,291	60,424	75,867	226	7,754	56.9	4,116	30.2
Anderson	582	361	221	161	18	30.9	32	55.0
Outside city	326	168	158	194	13	39.9	13	39.9
White	205	83	122	247	5	24.4	7	34.1
All other	121	85	36	142	8	66.1	6	49.6
Palestine	256	193	63	133	5	19.5	19	74.2
White	207	123	84	168	1	4.8	14	67.6
All other	49	70	-21	70	4	81.6	5	102.0
Andrews	22	4	18	550	1	45.5	-	0
Angelina	657	279	378	235	30	45.7	20	30.4
White	607	214	393	284	24	39.5	18	29.7
All other	50	65	-15	77	6	120.0	2	40.0
Aransas	74	32	42	231	2	27.0	-	0
Archer	56	30	26	187	1	17.9	-	0
Armstrong	21	18	3	117	3	142.9	-	0
Atascosa	513	165	348	311	40	78.0	12	23.4
Austin	274	154	120	178	16	58.4	11	40.1
White	198	102	96	194	6	30.3	2	10.1
All other	76	52	24	146	10	131.6	9	118.4
Bailey	105	23	82	457	2	19.0	2	19.0
Bandera	40	26	14	154	2	50.0	2	50.0
Bastrop	420	244	176	172	31	73.8	11	26.2
White	281	142	139	198	15	53.4	3	10.7
All other	139	102	37	136	16	115.1	8	57.6
Baylor	175	69	106	254	4	22.9	3	17.1
Bee	432	195	237	222	33	76.4	4	9.3
Bell	885	513	372	173	43	48.6	23	26.0
Outside city	479	222	257	216	20	41.8	11	23.0
Temple	406	291	115	140	23	56.7	12	29.6
White	352	252	100	140	19	54.0	11	31.3
All other	54	39	15	138	4	74.1	1	18.5
Bexar	8,882	4,377	4,505	203	602	67.8	267	30.1
Outside city	786	715	71	110	51	64.9	22	28.0
San Antonio	8,096	3,662	4,434	221	551	68.1	245	30.3
White	7,723	3,348	4,375	231	525	68.0	226	29.3
All other	373	314	59	119	26	69.7	19	50.9
Blanco	124	38	86	326	7	56.5	2	16.1
Borden	5	3	2	167	-	0	-	0
Bosque	280	160	120	175	21	75.0	3	10.7
Bowie	1,012	450	562	225	42	41.5	29	28.7
Outside city	658	231	427	285	23	35.0	21	31.9
White	388	129	259	301	11	28.4	8	20.6
All other	270	102	168	265	12	44.4	13	48.1
Texarkana[8]	354	219	135	162	19	53.7	8	22.6
White	263	137	126	192	8	30.4	5	19.0
All other	91	82	9	111	11	120.9	3	33.0
Brazoria	535	200	335	268	30	56.1	18	33.6
White	443	124	319	357	19	42.9	11	24.8
All other	92	76	16	121	11	119.6	7	76.1
Brazos	690	281	409	246	37	53.6	24	34.8
Outside city	176	94	82	187	9	51.1	8	45.5
White	38	37	1	103	2	52.6	-	0
All other	138	57	81	242	7	50.7	8	58.0
Bryan	514	187	327	275	28	54.5	16	31.1
White	401	117	284	343	21	52.4	7	17.5
All other	113	70	43	161	7	61.9	9	79.6
Brewster	164	48	116	342	9	54.9	6	36.6
Briscoe	45	21	24	214	1	22.2	-	0
Brooks	206	62	144	332	16	77.7	3	14.6
Brown	684	319	365	214	32	46.8	13	19.0
Outside city	103	85	18	121	3	29.1	3	29.1
Brownwood	581	234	347	248	29	49.9	10	17.2
Burleson	317	127	190	250	16	50.5	25	78.9
White	182	66	116	276	6	33.0	11	60.4
All other	135	61	74	221	10	74.1	14	103.7

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Continued								
Burnet	196	90	106	218	6	30.6	3	15.3
Caldwell	508	269	239	189	47	92.5	22	43.3
White	461	223	238	207	44	95.4	19	41.2
All other	47	46	1	102	3	63.8	3	63.8
Calhoun	124	51	73	243	11	88.7	1	8.1
Callahan	156	86	70	181	8	51.3	4	25.6
Cameron	2,514	904	1,610	278	261	103.8	103	41.0
Outside cities	1,425	464	961	307	148	103.9	53	37.2
Brownsville	753	285	468	264	81	107.6	28	37.2
Harlingen	336	155	181	217	32	95.2	22	65.5
Camp	186	103	83	181	10	53.8	7	37.6
White	139	58	81	240	7	50.4	5	36.0
All other	47	45	2	104	3	63.8	2	42.6
Carson	43	28	15	154	3	69.8	3	69.8
Cass	760	260	500	292	21	27.6	27	35.5
White	456	168	288	271	12	26.3	12	26.3
All other	304	92	212	330	9	29.6	15	49.3
Castro	72	19	53	379	3	41.7	-	0
Chambers	108	43	65	251	3	27.8	3	27.8
White	73	27	46	270	1	13.7	-	0
All other	35	16	19	219	2	57.1	3	85.7
Cherokee	852	520	332	164	43	50.5	38	44.6
White	698	340	358	205	27	38.7	24	34.4
All other	154	180	-26	86	16	103.9	14	90.9
Childress	199	113	86	176	11	55.3	6	30.2
Clay	154	69	85	223	8	51.9	7	45.5
Cochran	82	15	67	547	3	36.6	-	0
Coke	68	26	42	262	2	29.4	1	14.7
Coleman	380	148	232	257	13	34.2	11	28.9
Collin	865	353	512	245	40	46.2	17	19.7
Collingsworth	187	70	117	267	7	37.4	3	16.0
Colorado	252	172	80	147	12	47.6	13	51.6
White	153	107	46	143	6	39.2	7	45.8
All other	99	65	34	152	6	60.6	6	60.6
Comal	317	162	155	196	18	56.8	7	22.1
Comanche	155	141	14	110	10	64.5	5	32.3
Concho	112	35	77	320	6	53.6	-	0
Cooke	472	214	258	221	28	59.3	15	31.8
Coryell	280	129	151	217	4	14.3	2	7.1
Cottle	155	69	86	225	11	71.0	3	19.4
Crane	43	13	30	331	2	46.5	2	46.5
Crockett	64	15	49	427	1	15.6	-	0
Crosby	157	55	102	285	8	51.0	4	25.5
Culberson	28	13	15	215	1	35.7	1	35.7
Dallam	51	30	21	170	2	39.2	2	39.2
Dallas	8,221	4,070	4,151	202	383	46.6	245	29.8
Outside cities	337	592	-255	57	15	44.5	12	35.6
White	277	457	-180	61	12	43.3	8	28.9
All other	60	135	-75	44	3	50.0	4	66.7
Dallas	7,881	3,393	4,488	232	368	46.7	233	29.6
White	6,599	2,639	3,960	250	277	42.0	152	23.0
All other	1,282	754	528	170	91	71.0	81	63.2
Highland Park	1	43	-42	2	-	0	-	0
White	-	40	-40	0	-	-	-	-
All other	1	3	-2	33	-	0	-	0
University Park	2	42	-40	5	-	0	-	0
Dawson	504	123	381	410	26	51.6	8	15.9
Deaf Smith	136	42	94	324	3	22.1	1	7.4
Delta	247	89	158	278	17	68.8	5	20.2
Denton	669	333	336	201	38	56.8	13	19.4
Outside city	370	174	196	213	23	62.2	8	21.6
Denton	299	159	140	188	15	50.2	5	16.7
White	283	151	132	187	12	42.4	4	14.1
All other	16	8	8	200	3	187.5	1	62.5
De Witt	477	284	193	168	41	86.0	15	31.4
White	428	227	201	189	35	81.8	14	32.7
All other	49	57	-8	86	6	122.4	1	20.4
Dickens	152	48	104	317	5	32.9	2	13.2
Dimmit	277	122	155	227	46	166.1	11	39.7
Donley	102	53	49	192	2	19.6	4	39.2
Duval	522	140	382	373	39	74.7	11	21.1
Eastland	870	298	572	292	38	43.7	19	21.8
Ector	344	69	275	499	17	49.4	9	26.2
Edwards	65	30	35	217	6	92.3	-	0
Ellis	685	493	192	139	38	55.5	29	42.3
White	545	361	184	151	27	49.5	25	45.9
All other	140	132	8	106	11	78.6	4	28.6
El Paso	4,191	1,686	2,505	249	295	70.4	96	22.9
Outside city	1,015	320	695	317	80	78.8	15	14.8
El Paso	3,176	1,366	1,810	233	215	67.7	81	25.5
Erath	363	204	159	178	18	49.6	15	41.3
Falls	668	346	322	193	36	53.9	17	25.4
White	466	204	262	228	21	45.1	12	25.8
All other	202	142	60	142	15	74.3	5	24.8
Fannin	701	339	362	207	33	47.1	27	38.5
White	641	290	351	221	29	45.2	24	37.4
All other	60	49	11	122	4	66.7	3	50.0

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Continued								
Fayette	467	284	183	164	31	66.4	9	19.3
White	347	209	138	166	20	57.6	4	11.5
All other	120	75	45	160	11	91.7	5	41.7
Fisher	201	83	118	242	9	44.8	8	39.8
Floyd	147	66	81	223	6	40.8	3	20.4
Foard	83	30	53	277	5	60.2	4	48.2
Fort Bend	676	284	392	238	46	68.0	22	32.5
White	506	176	330	288	28	55.3	14	27.7
All other	170	108	62	157	18	105.9	8	47.1
Franklin	146	74	72	197	5	34.2	7	47.9
Freestone	441	180	261	245	11	24.9	19	43.1
White	227	112	115	203	7	30.8	5	22.0
All other	214	68	146	315	4	18.7	14	65.4
Frio	327	133	194	246	42	128.4	10	30.6
Gaines	194	47	147	413	5	25.8	3	15.5
Galveston	1,852	993	859	184	80	43.7	33	18.0
Outside city	183	110	73	166	9	49.2	6	32.8
White	164	94	70	174	7	42.7	2	12.2
All other	19	16	3	119	2	105.3	4	210.5
Galveston	1,649	883	766	187	71	43.1	27	16.4
White	1,325	660	665	201	54	40.8	19	14.3
All other	324	223	101	145	17	52.5	8	24.7
Garza	89	34	55	262	6	67.4	1	11.2
Gillespie	210	93	117	226	8	38.1	1	4.8
Glasscock	-	-	-	-	-	-	-	-
Goliad	144	64	80	225	16	111.1	7	48.6
White	139	53	86	262	16	115.1	6	43.2
All other	5	11	-6	45	-	0	1	200.0
Gonzales	499	243	256	205	41	82.2	15	30.1
White	389	182	207	214	31	79.7	8	20.6
All other	110	61	49	180	10	90.9	7	63.6
Gray	536	134	402	400	17	31.7	11	20.5
Outside city	43	21	22	205	1	23.3	1	23.3
Pampa	493	113	380	436	16	32.5	10	20.3
Grayson	1,381	733	648	188	79	57.2	42	30.4
Outside cities	404	248	156	163	15	37.1	16	39.6
Denison	504	235	269	214	35	69.4	12	23.8
White	444	183	261	243	29	65.3	7	15.8
All other	60	52	8	115	6	100.0	5	83.3
Sherman	473	250	223	189	29	61.3	14	29.6
White	435	218	217	200	25	57.5	11	25.3
All other	38	32	6	119	4	105.3	3	78.9
Gregg	1,237	465	772	266	37	29.9	46	37.2
Outside city	527	220	307	240	18	34.2	24	45.5
White	465	156	309	298	12	25.8	20	43.0
All other	62	64	-2	97	6	96.8	4	64.5
Longview	710	245	465	290	19	26.8	22	31.0
White	494	141	353	350	11	22.3	10	20.2
All other	216	104	112	208	8	37.0	12	55.6
Grimes	353	198	155	178	29	82.2	19	53.8
White	187	118	69	158	12	64.2	9	48.1
All other	166	80	86	208	17	102.4	10	60.2
Guadalupe	485	264	221	184	32	66.0	12	24.7
White	422	218	204	194	28	66.4	8	19.0
All other	63	46	17	137	4	63.5	4	63.5
Hale	372	158	214	235	15	40.3	10	26.9
Hall	298	90	208	331	14	47.0	9	30.2
Hamilton	204	105	99	194	9	44.1	2	9.8
Hansford	24	15	9	160	1	41.7	-	0
Hardeman	220	74	146	297	6	27.3	7	31.8
Hardin	294	124	170	237	21	71.4	15	51.0
White	233	88	145	265	17	73.0	8	34.3
All other	61	36	25	169	4	65.6	7	114.8
Harris	11,451	4,754	6,697	241	482	42.1	317	27.7
Outside city	980	387	593	253	36	36.7	26	26.5
White	910	328	582	277	33	36.3	25	27.5
All other	70	59	11	119	3	42.9	1	14.3
Houston	10,471	4,367	6,104	240	446	42.6	291	27.8
White	8,475	3,042	5,433	279	318	37.5	184	21.7
All other	1,996	1,325	671	151	128	64.1	107	53.6
Harrison	1,053	510	543	206	62	58.9	49	46.5
Outside city	685	241	444	284	36	52.6	35	51.1
White	129	69	60	187	4	31.0	5	38.8
All other	556	172	384	323	32	57.6	30	54.0
Marshall	368	269	99	137	26	70.7	14	38.0
White	237	140	97	169	13	54.9	9	38.0
All other	131	129	2	102	13	99.2	5	38.2
Hartley	100	37	63	270	5	50.0	6	60.0
Haskell	195	94	101	207	12	61.5	2	10.3
Hays	245	166	79	148	23	93.9	8	32.7
Hemphill	81	27	54	300	2	24.7	-	0
Henderson	564	219	345	258	18	31.9	17	30.1
White	463	155	308	299	14	30.2	12	25.9
All other	101	64	37	158	4	39.6	5	49.5
Hidalgo	3,159	1,122	2,037	282	340	107.6	128	40.5
Outside city	2,682	970	1,712	276	307	114.5	110	41.0
McAllen	477	152	325	314	33	69.2	18	37.7

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Continued								
Hill	581	321	260	181	27	46.5	19	32.7
White	489	267	222	183	22	45.0	12	24.5
All other	92	54	38	170	5	54.3	7	76.1
Hockley	337	67	270	503	18	53.4	8	23.7
Hood	80	53	27	151	2	25.0	2	25.0
Hopkins	561	290	271	193	41	73.1	24	42.8
White	506	251	255	202	30	59.3	18	35.6
All other	55	39	16	141	11	200.0	6	109.1
Houston	587	241	346	244	19	32.4	18	30.7
White	346	129	217	268	5	14.5	8	23.1
All other	241	112	129	215	14	58.1	10	41.5
Howard	547	196	351	279	30	54.8	17	31.1
Outside city	33	66	-33	50	8	242.4	4	121.2
Big Spring	514	130	384	395	22	42.8	13	25.3
Hudspeth	56	13	43	431	2	35.7	1	17.9
Hunt	848	412	436	206	40	47.2	39	46.0
Outside city	541	244	297	222	22	40.7	27	49.9
White	485	208	277	233	15	30.9	20	41.2
All other	56	36	20	156	7	125.0	7	125.0
Greenville	307	168	139	183	18	58.6	12	39.1
White	265	123	142	215	10	37.7	11	41.5
All other	42	45	-3	93	8	190.5	1	23.8
Hutchinson	447	71	376	630	9	20.1	9	20.1
Outside city	93	18	75	517	2	21.5	-	0
Borger	354	53	301	668	7	19.8	9	25.4
Irion	28	13	15	215	5	178.6	-	0
Jack	149	73	76	204	6	40.3	2	13.4
Jackson	234	74	160	316	9	38.5	6	25.6
White	215	59	156	364	9	41.9	5	23.3
All other	19	15	4	127	-	0	1	52.6
Jasper	449	155	294	290	11	24.5	12	26.7
White	327	103	224	317	5	15.3	7	21.4
All other	122	52	70	235	6	49.2	5	41.0
Jeff Davis	56	17	39	329	5	89.3	-	0
Jefferson	3,288	1,343	1,945	245	135	41.1	115	35.0
Outside cities	421	191	230	220	8	19.0	11	26.1
White	260	123	137	211	4	15.4	9	34.6
All other	161	68	93	237	4	24.8	2	12.4
Beaumont	1,618	763	855	212	74	45.7	61	37.7
White	1,219	481	738	253	49	40.2	38	31.2
All other	399	282	117	141	25	62.7	23	57.6
Port Arthur	1,249	389	860	321	53	42.4	43	34.4
White	1,066	298	768	358	45	42.2	34	31.9
All other	183	91	92	201	8	43.7	9	49.2
Jim Hogg	147	32	115	459	9	61.2	3	20.4
Jim Wells	519	196	323	265	35	67.4	18	34.7
Johnson	548	338	210	162	38	69.3	26	47.4
Outside city	285	224	61	127	21	73.7	13	45.6
Cleburne	263	114	149	231	17	64.6	13	49.4
Jones	508	183	325	278	29	57.1	13	25.6
Karnes	412	158	254	261	35	85.0	13	31.6
Kaufman	686	436	250	157	38	55.4	23	33.5
Outside city	491	212	279	232	25	50.9	12	24.4
White	322	148	174	218	17	52.8	5	15.5
All other	169	64	105	264	8	47.3	7	41.4
Terrell	195	224	-29	87	13	66.7	11	56.4
White	144	180	-36	80	7	48.6	9	62.5
All other	51	44	7	116	6	117.6	2	39.2
Kendall	65	52	13	125	7	107.7	-	0
Kenedy	19	6	13	317	1	52.6	2	105.3
Kent	43	16	27	269	3	69.8	1	23.3
Kerr	193	317	-124	61	7	36.3	6	31.1
Kimble	58	28	30	207	5	86.2	1	17.2
King	17	6	11	283	-	0	-	0
Kinney	73	40	33	183	9	123.3	3	41.1
Kleberg	299	120	179	249	27	90.3	8	26.8
Knox	256	65	191	394	12	46.9	10	39.1
Lamar	1,076	521	555	207	61	56.7	40	37.2
Outside city	440	174	266	253	22	50.0	16	36.4
White	343	131	212	262	13	37.9	15	43.7
All other	97	43	54	226	9	92.8	1	10.3
Paris	636	347	289	183	39	61.3	24	37.7
White	585	277	308	211	32	54.7	20	34.2
All other	51	70	-19	73	7	137.3	4	78.4
Lamb	510	88	422	580	23	45.1	7	13.7
Lampasas	213	95	118	224	8	37.6	1	4.7
La Salle	197	82	115	240	19	96.4	9	45.7
Lavaca	524	255	269	205	21	40.1	11	21.0
White	454	204	250	223	19	41.9	7	15.4
All other	70	51	19	137	2	28.6	4	57.1
Lee	199	95	104	209	13	65.3	7	35.2
White	143	64	79	223	11	76.9	3	21.0
All other	56	31	25	181	2	35.7	4	71.4
Leon	273	134	139	204	7	25.6	7	25.6
White	144	74	70	195	6	41.7	5	34.7
All other	129	60	69	215	1	7.8	2	15.5
Liberty	577	249	328	232	37	64.1	30	52.0
White	439	161	278	273	23	52.4	23	52.4
All other	138	88	50	157	14	101.4	7	50.7
Limestone	447	267	180	167	21	47.0	16	35.8
White	327	174	153	188	15	45.9	8	24.5
All other	120	93	27	129	6	50.0	8	66.7
Lipscomb	48	28	20	171	2	41.7	1	20.8
Live Oak	175	60	115	292	5	28.6	4	22.9
Llano	103	47	56	219	4	38.8	2	19.4
Loving	-	-	-	-	-	-	-	-
Lubbock	1,427	398	1,029	359	63	44.1	43	30.1
Outside city	226	85	141	266	9	39.8	9	39.8
Lubbock	1,201	313	888	384	54	45.0	34	28.3
Lynn	185	58	127	319	13	70.3	4	21.6
McCulloch	368	133	235	277	22	59.8	10	27.2
McLennan	1,854	1,173	681	158	108	58.3	63	34.0
Outside city	505	370	135	136	18	35.6	14	27.7
White	325	284	41	114	9	27.7	6	18.5
All other	180	86	94	209	9	50.0	8	44.4
Waco	1,349	803	546	168	90	66.7	49	36.3
White	1,120	602	518	186	58	51.8	31	27.7
All other	229	201	28	114	32	139.7	18	78.6
McMullen	34	9	25	378	2	58.8	1	29.4
Madison	254	78	176	326	6	23.6	8	31.5
White	178	47	131	379	4	22.5	5	28.1
All other	76	31	45	245	2	26.3	3	39.5
Marion	219	110	109	199	15	68.5	10	45.7
White	97	55	42	176	7	72.2	2	20.6
All other	122	55	67	222	8	65.6	8	65.6
Martin	83	26	57	319	5	60.2	1	12.0
Mason	84	48	36	175	3	35.7	2	23.8
Matagorda	502	180	322	279	26	51.8	25	49.8
White	414	143	271	290	18	43.5	13	31.4
All other	88	37	51	238	8	90.9	12	136.4
Maverick	325	117	208	278	34	104.6	9	27.7
Medina	428	180	248	238	52	121.5	17	39.7
Menard	73	21	52	348	1	13.7	2	27.4
Midland	270	118	152	229	23	85.2	4	14.8
Milam	585	272	313	215	29	49.6	22	37.6
White	420	188	232	223	16	38.1	11	26.2
All other	165	84	81	196	13	78.8	11	66.7
Mills	86	42	44	205	1	11.6	2	23.3
Mitchell	269	99	170	272	16	59.5	7	26.0
Montague	341	164	177	208	15	44.0	7	20.5
Montgomery	387	238	149	163	30	77.5	22	56.8
White	273	138	135	198	18	65.9	13	47.6
All other	114	100	14	114	12	105.3	9	78.9
Moore	120	27	93	444	8	66.7	4	33.3
Morris	140	61	79	230	5	35.7	1	7.1
White	111	40	71	278	4	36.0	1	9.0
All other	29	21	8	138	1	34.5	-	0
Motley	93	21	72	443	1	10.8	4	43.0
Nacogdoches	593	238	355	249	27	45.5	30	50.6
White	443	173	270	256	19	42.9	20	45.1
All other	150	65	85	231	8	53.3	10	66.7
Navarro	851	441	410	193	37	43.5	32	37.6
Outside city	445	221	224	201	12	27.0	16	36.0
White	309	149	160	207	7	22.7	6	19.4
All other	136	72	64	189	5	36.8	10	73.5
Corsicana	406	220	186	185	25	61.6	16	39.4
White	366	156	210	235	17	46.4	11	30.1
All other	40	64	-24	63	8	200.0	5	125.0
Newton	270	96	174	281	18	66.7	13	48.1
White	149	50	99	298	9	60.4	5	33.6
All other	121	46	75	263	9	74.4	8	66.1
Nolan	507	177	330	286	34	67.1	14	27.6
Outside city	172	67	105	257	6	34.9	2	11.6
Sweetwater	335	110	225	305	28	83.6	12	35.8
Nueces	3,230	1,066	2,164	303	274	84.8	98	30.3
Outside city	897	338	559	265	96	107.0	24	26.8
Corpus Christi	2,333	728	1,605	320	178	76.3	74	31.7
Ochiltree	84	27	57	311	7	83.3	-	0
Oldham	6	6	-	100	-	0	1	166.7
Orange	443	183	260	242	23	51.9	23	51.9
White	377	133	244	283	13	34.5	18	47.7
All other	66	50	16	132	10	151.5	5	75.8
Palo Pinto	368	247	121	149	25	67.9	17	46.2
Panola	287	157	130	183	15	52.3	4	13.9
White	188	80	108	235	4	21.3	3	16.0
All other	99	77	22	129	11	111.1	1	10.1
Parker	298	221	77	135	16	53.7	5	16.8
Parmer	18	18	-	100	3	166.7	-	0
Pecos	200	79	121	253	14	70.0	7	35.0
Polk	485	179	306	271	20	41.2	20	41.2
White	319	112	207	285	11	34.5	11	34.5
All other	166	67	99	248	9	54.2	9	54.2

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
TEXAS—Continued								
Potter	1,246	494	752	252	71	57.0	21	16.9
Outside city	10	46	-36	22	-	0	2	200.0
Amarillo (part)	1,236	448	788	(5)	71	(5)	19	(5)
Amarillo (total)	1,236	452	784	273	71	57.4	19	15.4
Presidio	323	132	191	245	35	108.4	10	31.0
Rains	139	52	87	267	6	43.2	8	57.6
Randall	97	41	56	237	2	20.6	1	10.3
Outside city	97	37	60	262	2	20.6	1	10.3
Amarillo (part)	-	4	-4	(5)	-	(5)	-	(5)
Reagan	21	11	10	191	-	0	-	0
Real	21	6	15	350	2	95.2	-	0
Red River	526	220	306	239	26	49.4	16	30.4
White	417	153	264	273	21	50.4	9	21.6
All other	109	67	42	163	5	45.9	7	64.2
Reeves	244	78	166	313	24	98.4	9	36.9
Refugio	248	102	146	243	17	68.5	7	28.2
White	230	86	144	267	14	60.9	7	30.4
All other	18	16	2	113	3	166.7	-	0
Roberts	14	7	7	200	-	0	1	71.4
Robertson	510	242	268	211	41	80.4	14	27.5
White	207	114	93	182	15	72.5	4	19.3
All other	303	128	175	237	26	85.8	10	33.0
Rockwall	83	55	28	151	5	60.2	4	48.2
White	55	50	5	110	4	72.7	1	18.2
All other	28	5	23	560	1	35.7	3	107.1
Runnels	392	149	243	263	16	40.8	9	23.0
Rusk	752	362	390	208	39	51.9	30	39.9
White	524	234	290	224	21	40.1	13	24.8
All other	228	128	100	178	18	78.9	17	74.6
Sabine	187	67	120	279	5	26.7	4	21.4
White	140	52	88	269	3	21.4	3	21.4
All other	47	15	32	313	2	42.6	1	21.3
San Augustine	187	76	111	246	10	53.5	3	16.0
White	112	46	66	243	8	71.4	-1	8.9
All other	75	30	45	250	2	26.7	2	26.7
San Jacinto	125	72	53	174	6	48.0	7	56.0
White	40	16	24	250	1	25.0	1	25.0
All other	85	56	29	152	5	58.8	6	70.6
San Patricio	715	265	450	270	79	110.5	22	30.8
San Saba	212	73	139	290	7	33.0	7	33.0
Schleicher	36	19	17	189	5	138.9	-	0
Scurry	215	68	147	316	8	37.2	5	23.3
Shackelford	54	51	3	106	3	55.6	1	18.5
Shelby	545	225	320	242	27	49.5	16	29.4
White	451	160	291	282	14	31.0	10	22.2
All other	94	65	29	145	13	138.3	6	63.8
Sherman	21	8	13	263	-	0	-	0
Smith	1,486	623	863	239	65	43.7	54	36.3
Outside city	738	296	442	249	28	37.9	22	29.8
White	345	160	185	216	11	31.9	10	29.0
All other	393	136	257	289	17	43.3	12	30.5
Tyler	748	327	421	229	37	49.5	32	42.8
White	617	225	392	274	27	43.8	13	21.1
All other	131	102	29	128	10	76.3	19	145.0
Somervell	34	40	-6	85	4	117.6	-	0
Starr	440	113	327	389	33	75.0	1	2.3
Stephens	179	72	107	249	7	39.1	8	44.7
Sterling	18	6	12	300	-	0	1	55.6
Stonewall	54	25	29	216	2	37.0	-	0
Sutton	84	24	60	350	9	107.1	4	47.6
Swisher	118	45	73	262	-	0	2	16.9
Tarrant	4,501	2,263	2,238	199	174	38.7	112	24.9
Outside city	212	289	-77	73	12	56.6	4	18.9
Fort Worth	4,289	1,974	2,315	217	162	37.8	108	25.2
White	3,746	1,634	2,112	229	126	33.6	81	21.6
All other	543	340	203	160	36	66.3	27	49.7
Taylor	961	504	457	191	51	53.1	32	33.3
Outside city	170	186	-16	91	9	52.9	5	29.4
Abilene	791	318	473	249	42	53.1	27	34.1
Terrell	70	28	42	250	4	57.1	1	14.3
Terry	360	70	290	514	18	50.0	11	30.6
Throckmorton	37	26	11	142	3	81.1	-	0
Titus	305	129	176	236	16	52.5	12	39.3
White	258	97	161	266	11	42.6	11	42.6
All other	47	32	15	147	5	106.4	1	21.3
Tom Green	1,146	542	604	211	79	68.9	28	24.4
Outside city	217	159	58	136	22	101.4	6	27.6
San Angelo	929	383	546	243	57	61.4	22	23.7
Travis	2,178	1,253	925	174	120	55.1	65	29.8
Outside city	181	144	37	126	7	38.7	5	27.6
White	132	108	24	122	4	30.3	2	15.2
All other	49	36	13	136	3	61.2	3	61.2
Austin	1,997	1,109	888	180	113	56.6	60	30.0
White	1,647	868	779	190	93	56.5	46	27.9
All other	350	241	109	145	20	57.1	14	40.0
Trinity	125	62	63	202	3	24.0	4	32.0
White	93	35	58	266	3	32.3	3	32.3
All other	32	27	5	119	-	0	1	31.3
Tyler	218	86	132	253	10	45.9	8	36.7
White	177	58	119	305	5	28.2	4	22.6
All other	41	28	13	146	5	122.0	4	97.6
Upshur	519	181	338	287	28	53.9	15	28.9
White	387	128	259	302	15	38.8	10	25.8
All other	132	53	79	249	13	98.5	5	37.9
Upton	73	22	51	332	1	13.7	-	0
Uvalde	330	161	169	205	22	66.7	10	30.3
Val Verde	504	210	294	240	49	97.2	13	25.8
Outside city	7	17	-10	41	4	571.4	1	142.9
Del Rio	497	193	304	258	45	90.5	12	24.1
Van Zandt	515	201	314	256	28	54.4	24	46.6
Victoria	590	260	330	227	31	52.5	22	37.3
Outside city	149	71	78	210	9	60.4	5	33.6
White	133	57	76	233	7	52.6	4	30.1
All other	16	14	2	114	2	125.0	1	62.5
Victoria	441	189	252	233	22	49.9	17	38.5
White	414	161	253	257	19	45.9	16	38.6
All other	27	28	-1	96	3	111.1	1	37.0
Walker	314	163	151	193	5	15.9	8	25.5
White	179	78	101	229	3	16.8	3	16.8
All other	135	85	50	159	2	14.8	5	37.0
Waller	212	137	75	155	13	61.3	10	47.2
White	86	48	38	179	4	46.5	2	23.3
All other	126	89	37	142	9	71.4	8	63.5
Ward	236	52	184	454	9	38.1	9	38.1
Washington	479	264	215	181	37	77.2	25	52.2
White	277	156	121	178	15	54.2	10	36.1
All other	202	108	94	187	22	108.9	15	74.3
Webb	520	226	294	230	65	125.0	16	30.8
Outside city	106	39	67	272	12	113.2	2	18.9
Laredo	414	187	227	221	53	128.0	14	33.8
Wharton	989	353	636	280	51	51.6	22	22.2
White	778	229	549	340	36	46.3	15	19.3
All other	211	124	87	170	15	71.1	7	33.2
Wheeler	302	117	185	258	15	49.7	7	23.2
Wichita	1,772	755	1,017	235	86	48.5	34	19.2
Outside city	289	246	43	117	14	48.4	4	13.8
Wichita Falls	1,483	509	974	291	72	48.6	30	20.2
Wilbarger	468	149	319	314	16	34.2	8	17.1
Willacy	425	128	297	332	43	101.2	18	42.4
Williamson	774	389	385	199	49	63.3	17	22.0
White	617	306	311	202	39	63.2	12	19.4
All other	157	83	74	189	10	63.7	5	31.8
Wilson	383	127	256	302	15	39.2	8	20.9
Winkler	173	23	150	752	4	23.1	5	28.9
Wise	368	167	201	220	5	13.6	9	24.5
Wood	455	211	244	216	18	39.6	12	26.4
White	382	172	210	222	16	41.9	7	18.3
All other	73	39	34	187	2	27.4	5	68.5
Yoakum	37	8	29	463	3	81.1	-	0
Young	412	151	261	273	15	36.4	12	29.1
Zapata	110	34	76	324	9	81.8	4	36.4
Zavala	262	108	154	243	41	156.5	15	57.3
UTAH (total)	13,745	4,560	9,185	301	411	29.9	268	19.5
Beaver	124	49	75	253	6	48.4	-	0
Box Elder	490	116	374	422	16	32.7	7	14.3
Cache	798	235	563	340	24	30.1	13	16.3
Outside city	139	74	65	188	1	7.2	2	14.4
Logan	659	161	498	409	23	34.9	11	16.7
Carbon	429	120	309	358	5	11.7	8	18.6
Daggett	-	3	-3	0	-	-	-	-
Davis	91	78	13	117	3	33.0	2	22.0
Duchesne	198	34	164	582	5	25.3	6	30.3
Emery	136	50	86	272	7	51.5	3	22.1
Garfield	99	19	80	521	5	50.5	1	10.1
Grand	81	29	52	279	1	12.3	1	12.3
Iron	271	81	190	335	10	36.9	11	40.6
Juab	132	42	90	314	3	22.7	4	30.3
Kane	89	14	75	636	3	33.7	4	44.9
Millard	197	59	138	334	8	40.6	6	30.5
Morgan	11	13	-2	85	1	90.9	-	0
Piute	57	5	52	1,140	1	17.5	-	0
Rich	34	13	21	262	2	58.8	-	0
Salt Lake	5,629	2,011	3,618	280	169	30.0	115	20.4
Outside city	943	265	678	356	19	20.1	14	14.8
Salt Lake City	4,686	1,746	2,940	268	150	32.0	101	21.6
San Juan	58	16	42	363	1	17.2	-	0
White	53	13	40	408	-	0	-	0
All other	5	3	2	167	1	200.0	-	0
Sanpete	385	121	264	318	14	36.4	4	10.4

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
UTAH—Continued								
Sevier	333	101	232	330	12	36.0	4	12.0
Summit	185	80	105	231	7	37.8	6	32.4
Tooele	168	59	109	285	4	23.8	4	23.8
Uintah	284	81	203	351	16	56.3	12	42.3
White	240	59	181	407	12	50.0	9	37.5
All other	44	22	22	200	4	90.9	3	68.2
Utah	1,452	490	962	296	33	22.7	25	17.2
Outside city	952	286	666	333	19	20.0	15	15.8
Provo	500	204	296	245	14	28.0	10	20.0
Wasatch	169	39	130	433	2	11.8	1	5.9
Washington	231	72	159	321	9	39.0	5	21.6
Wayne	64	6	58	1,067	3	46.9	-	0
Weber	1,550	524	1,026	296	41	26.5	26	16.8
Outside city	18	67	-49	27	3	166.7	1	55.6
Ogden	1,532	457	1,075	335	38	24.8	25	16.3
VERMONT (total)	6,762	4,322	2,440	156	297	43.9	138	20.4
Addison	316	169	147	187	9	28.5	7	22.2
Bennington	365	275	90	133	17	46.6	7	19.2
Caledonia	413	291	122	142	21	50.8	9	21.8
Chittenden	1,406	667	739	211	75	53.3	26	18.5
Outside city	339	236	103	144	17	50.1	8	23.6
Burlington	1,067	431	636	248	58	54.4	18	16.9
Essex	67	48	19	140	-	0	2	29.9
Franklin	551	313	238	176	24	43.6	10	18.1
Grand Isle	27	33	-6	82	1	37.0	-	0
Lamoille	196	129	67	152	9	45.9	3	15.3
Orange	214	194	20	110	6	28.0	6	28.0
Orleans	454	278	176	163	23	50.7	8	17.6
Rutland	817	557	260	147	39	47.7	12	14.7
Outside city	258	270	-12	96	13	50.4	6	23.3
Rutland	559	287	272	195	26	46.5	6	10.7
Washington	746	555	191	134	22	29.5	21	28.2
Outside city	412	413	-1	100	14	34.0	12	29.1
Barre	334	142	192	235	8	24.0	9	26.9
Windham	552	395	157	140	22	39.9	14	25.4
Windsor	638	418	220	153	29	45.5	13	20.4
VIRGINIA[9] (total)	58,552	30,464	28,088	192	3,919	66.9	2,185	37.3
Accomack	403	398	5	101	37	91.8	29	72.0
White	169	234	-65	72	10	59.2	10	59.2
All other	234	164	70	143	27	115.4	19	81.2
Albemarle	1,195	606	589	197	109	91.2	49	41.0
White	899	427	472	211	75	83.4	32	35.6
All other	296	179	117	165	34	114.9	17	57.4
Alexandria (city)	830	406	424	204	45	54.2	24	28.9
White	711	306	405	232	34	47.8	19	26.7
All other	119	100	19	119	11	92.4	5	42.0
Alleghany	432	153	279	282	16	37.0	17	39.4
Amelia	173	88	85	197	20	115.6	4	23.1
White	66	33	33	200	3	45.5	-	0
All other	107	55	52	195	17	158.9	4	37.4
Amherst	310	205	105	151	21	67.7	14	45.2
White	168	147	21	114	5	29.8	5	29.8
All other	142	58	84	245	16	112.7	9	63.4
Appomattox	129	82	47	157	12	93.0	11	85.3
White	69	47	22	147	2	29.0	5	72.5
All other	60	35	25	171	10	166.7	6	100.0
Arlington[10]	83	260	-177	32	13	156.6	3	36.1
Augusta	819	387	432	212	48	58.6	20	24.4
Bath	135	61	74	221	13	96.3	3	22.2
White	119	57	62	209	12	100.8	2	16.8
All other	16	4	12	400	1	62.5	1	62.5
Bedford	514	306	208	168	38	73.9	16	31.1
White	359	231	128	155	24	66.9	11	30.6
All other	155	75	80	207	14	90.3	5	32.3
Bland	144	58	86	248	14	97.2	4	27.8
Botetourt	512	139	173	224	13	41.7	6	19.2
White	274	107	167	256	8	29.2	6	21.9
All other	38	32	6	119	5	131.6	-	0
Bristol (city)[11]	484	176	308	275	31	64.0	19	39.3
White	460	157	303	293	27	58.7	17	37.0
All other	24	19	5	126	4	166.7	2	83.3
Brunswick	470	166	304	283	27	57.4	20	42.6
White	150	70	80	214	7	46.7	4	26.7
All other	320	96	224	333	20	62.5	16	50.0
Buchanan	1,183	266	917	445	94	79.5	33	27.9
Buckingham	286	141	145	203	22	76.9	13	45.5
White	121	69	52	175	6	49.6	4	33.1
All other	165	72	93	229	16	97.0	9	54.5
Buena Vista (city)	95	26	69	365	1	10.5	4	42.1
Campbell	430	183	247	235	23	53.5	13	30.2
White	252	109	143	231	10	39.7	5	19.8
All other	178	74	104	241	13	73.0	8	44.9
Caroline	310	155	155	200	20	64.5	11	35.5
White	106	74	32	143	5	47.2	3	28.3
All other	204	81	123	252	15	73.5	8	39.2
Section B—Continued								
VIRGINIA[9]—Contd.								
Carroll	574	191	383	301	47	81.9	21	36.6
Charles City	101	41	60	246	6	59.4	6	59.4
White	7	6	1	117	-	0	-	0
All other	94	35	59	269	6	63.8	6	63.8
Charlotte	309	152	157	203	21	68.0	13	42.1
White	134	79	55	170	6	44.8	4	29.9
All other	175	73	102	240	15	85.7	9	51.4
Charlottesville (city)	245	155	90	158	10	40.8	6	24.5
White	225	119	106	189	7	31.1	5	22.2
All other	20	36	-16	56	3	150.0	1	50.0
Chesterfield	330	223	107	148	25	75.8	16	48.5
White	173	140	33	124	6	34.7	5	28.9
All other	157	83	74	189	19	121.0	11	70.1
Clarke	101	70	31	144	2	19.8	2	19.8
White	80	57	23	140	-	0	1	12.5
All other	21	13	8	162	2	95.2	1	47.6
Clifton Forge (city)	172	129	43	133	5	29.1	8	46.5
White	146	98	48	149	4	27.4	7	47.9
All other	26	31	-5	84	1	38.5	1	38.5
Craig	72	40	32	180	8	111.1	3	41.7
Culpeper	196	118	78	166	9	45.9	4	20.4
White	110	76	34	145	5	45.5	1	9.1
All other	86	42	44	205	4	46.5	3	34.9
Cumberland	137	87	50	157	9	65.7	5	36.5
White	35	29	6	121	1	28.6	-	0
All other	102	58	44	176	8	78.4	5	49.0
Danville (city)	1,084	564	520	192	98	90.4	52	48.0
White	857	380	477	226	64	74.7	32	37.3
All other	227	184	43	123	34	149.8	20	88.1
Dickenson	702	151	551	465	42	59.8	16	22.8
Dinwiddie	301	509	-208	59	22	73.1	18	59.8
White	94	65	29	145	2	21.3	1	10.6
All other	207	444	-237	47	20	96.6	17	82.1
Elizabeth City	333	364	-31	91	21	63.1	6	18.0
White	212	200	12	106	8	37.7	3	14.2
All other	121	164	-43	74	13	107.4	3	24.8
Essex	136	72	64	189	11	80.9	4	29.4
White	55	27	28	204	4	72.7	2	36.4
All other	81	45	36	180	7	86.4	2	24.7
Fairfax	263	275	-12	96	13	49.4	4	15.2
White	212	234	-22	91	8	37.7	4	18.9
All other	51	41	10	124	5	98.0	-	0
Fauquier	334	187	147	179	22	65.9	11	32.9
White	220	119	101	185	9	40.9	9	40.9
All other	114	68	46	168	13	114.0	2	17.5
Floyd	231	92	139	251	12	51.9	10	43.3
Fluvanna	93	66	27	141	13	139.8	5	53.8
White	35	40	-5	88	2	57.1	2	57.1
All other	58	26	32	223	11	189.7	3	51.7
Franklin	526	214	312	246	36	68.4	21	39.9
White	438	155	283	283	25	57.1	17	38.8
All other	88	59	29	149	11	125.0	4	45.5
Frederick	160	103	57	155	8	50.0	4	25.0
Fredericksburg (city)	460	222	238	207	28	60.9	32	69.6
White	397	169	228	235	21	52.9	21	52.9
All other	63	53	10	119	7	111.1	11	174.6
Giles	396	151	245	262	31	78.3	13	32.8
Gloucester	153	97	56	158	10	65.4	2	13.1
White	97	51	46	190	5	51.5	1	10.3
All other	56	46	10	122	5	89.3	1	17.9
Goochland	178	90	88	198	8	44.9	9	50.6
White	66	34	32	194	1	15.2	3	45.5
All other	112	56	56	200	7	62.5	6	53.6
Grayson	479	188	291	255	31	64.7	12	25.1
Greene	74	42	32	176	7	94.6	7	94.6
White	61	32	29	191	7	114.8	5	82.0
All other	13	10	3	130	-	0	2	153.8
Greensville	363	138	225	263	24	66.1	8	22.0
White	101	34	67	297	3	29.7	1	9.9
All other	262	104	158	252	21	80.2	7	26.7
Halifax	1,054	391	663	270	64	60.7	39	37.0
White	490	166	324	295	23	46.9	9	18.4
All other	564	225	339	251	41	72.7	30	53.2
Hampton (city)	366	180	186	203	22	60.1	13	35.5
White	300	98	202	306	18	60.0	7	23.3
All other	66	82	-16	80	4	60.6	6	90.9
Hanover	325	204	121	159	19	58.5	14	43.1
White	155	119	36	130	10	64.5	1	6.5
All other	170	85	85	200	9	52.9	13	76.5
Harrisonburg (city)	441	265	176	166	40	90.7	20	45.4
Henrico	226	350	-124	65	16	70.8	9	39.8
White	137	235	-98	58	8	58.4	4	29.2
All other	89	115	-26	77	8	89.9	5	56.2
Henry	755	206	549	367	50	66.2	25	33.1
White	482	115	367	419	33	68.5	11	22.8
All other	273	91	182	300	17	62.3	14	51.3

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
VIRGINIA [9] —Contd.								
Highland	104	43	61	242	6	57.7	1	9.6
Hopewell (city)	195	79	116	247	14	71.8	7	35.9
White	171	58	113	295	10	58.5	5	29.2
All other	24	21	3	114	4	166.7	2	83.3
Isle of Wight	279	134	145	208	27	96.8	23	82.4
White	94	64	30	147	8	85.1	1	10.6
All other	185	70	115	264	19	102.7	22	118.9
James City	84	46	38	183	4	47.6	4	47.6
White	21	19	2	111	-	0	-	0
All other	63	27	36	233	4	63.5	4	63.5
King and Queen	133	98	35	136	16	120.3	1	7.5
White	49	40	9	123	4	81.6	-	0
All other	84	58	26	145	12	142.9	1	11.9
King George	90	53	37	170	6	66.7	3	33.3
White	46	25	21	184	1	21.7	1	21.7
All other	44	28	16	157	5	113.6	2	45.5
King William	126	101	25	125	13	103.2	4	31.7
White	47	37	10	127	2	42.6	1	21.3
All other	79	64	15	123	11	139.2	3	38.0
Lancaster	145	102	43	142	6	41.4	9	62.1
White	72	47	25	153	2	27.8	2	27.8
All other	73	55	18	133	4	54.8	7	95.9
Lee	1,081	340	741	318	99	91.6	32	29.6
Loudoun	381	210	171	181	20	52.5	10	26.2
White	282	162	120	174	13	46.1	8	28.4
All other	99	48	51	206	7	70.7	2	20.2
Louisa	277	120	157	231	11	39.7	6	21.7
White	125	62	63	202	6	48.0	2	16.0
All other	152	58	94	262	5	32.9	4	26.3
Lunenburg	286	101	185	283	12	42.0	6	21.0
White	118	46	72	257	3	25.4	2	16.9
All other	168	55	113	305	9	53.6	4	23.8
Lynchburg (city)	1,214	577	637	210	71	58.5	47	38.7
White	974	377	597	258	50	51.3	30	30.8
All other	240	200	40	120	21	87.5	17	70.8
Madison	93	70	23	133	5	53.8	4	43.0
White	53	51	2	104	3	58.6	2	37.7
All other	40	19	21	211	2	50.0	2	50.0
Martinsville (city)	351	119	232	295	22	62.7	11	31.3
White	277	87	190	318	17	61.4	11	39.7
All other	74	32	42	231	5	67.6	-	0
Mathews	72	74	-2	97	4	55.6	1	13.9
White	43	48	-5	90	1	23.3	-	0
All other	29	26	3	112	3	103.4	1	34.5
Mecklenburg	681	288	393	236	46	67.5	28	41.1
White	225	118	107	191	10	44.4	6	26.7
All other	456	170	286	268	36	78.9	22	48.2
Middlesex	88	80	8	110	4	45.5	3	34.1
White	35	35	-	100	-	0	2	57.1
All other	53	45	8	118	4	75.5	1	18.9
Montgomery	552	242	310	228	36	65.2	21	38.0
Nansemond	470	286	184	164	50	106.4	20	42.6
White	78	67	11	116	2	25.6	1	12.8
All other	392	219	173	179	48	122.4	19	48.5
Nelson	257	138	119	186	30	116.7	1	3.9
White	144	85	59	169	13	90.3	-	0
All other	113	53	60	213	17	150.4	1	8.8
New Kent	54	44	10	123	3	55.6	2	37.0
White	6	22	-16	27	1	166.7	-	0
All other	48	22	26	218	2	41.7	2	41.7
Newport News (city)	1,470	595	875	247	79	53.7	60	40.8
White	1,040	287	753	362	37	35.6	21	20.2
All other	430	308	122	140	42	97.7	39	90.7
Norfolk	887	370	517	240	37	41.7	19	21.4
White	609	224	385	272	26	42.7	5	8.2
All other	278	146	132	190	11	39.6	14	50.4
Norfolk (city)	3,436	1,905	1,531	180	208	60.5	168	48.9
White	2,374	1,091	1,283	218	113	47.6	75	31.6
All other	1,062	814	248	130	95	89.5	93	87.6
Northampton	429	303	126	142	49	114.2	23	53.6
White	166	120	46	138	7	42.2	8	48.2
All other	263	183	80	144	42	159.7	15	57.0
Northumberland	165	136	29	121	26	157.6	2	12.1
White	78	77	1	101	9	115.4	-	0
All other	87	59	28	147	17	195.4	2	23.0
Nottoway	270	295	-25	92	13	48.1	19	70.4
White	94	68	26	138	2	21.3	5	53.2
All other	176	227	-51	78	11	62.5	14	79.5
Orange	154	138	16	112	13	84.4	7	45.5
White	78	82	-4	95	7	89.7	2	25.6
All other	76	56	20	136	6	78.9	5	65.8
Page	300	164	136	183	15	50.0	8	26.7
Patrick	457	152	305	301	25	54.7	12	26.3
Petersburg (city)	702	541	161	130	76	108.3	44	62.7
White	391	259	132	151	32	81.8	12	30.7
All other	311	282	29	110	44	141.5	32	102.9
Pittsylvania	1,152	450	702	256	62	53.8	31	26.9
White	556	260	296	214	29	52.2	13	23.4
All other	596	190	406	314	33	55.4	18	30.2
Portsmouth (city)	1,334	717	617	186	83	62.2	80	60.0
White	885	312	573	284	27	30.5	24	27.1
All other	449	405	44	111	56	124.7	56	124.7
Powhatan	75	72	3	104	7	93.3	8	106.7
White	29	29	-	100	2	69.0	-	0
All other	46	43	3	107	5	108.7	8	173.9
Prince Edward	384	244	140	157	36	93.8	27	70.3
White	185	110	75	168	12	64.9	11	59.5
All other	199	134	65	149	24	120.6	16	80.4
Prince George	192	137	55	140	20	104.2	13	67.7
White	62	67	-5	93	5	80.6	5	80.6
All other	130	70	60	186	15	115.4	8	61.5
Prince William	277	156	121	178	12	43.3	11	39.7
White	224	129	95	174	10	44.6	5	22.3
All other	53	27	26	196	2	37.7	6	113.2
Princess Anne	342	535	-193	64	32	93.6	15	43.9
White	133	246	-113	54	9	67.7	4	30.1
All other	209	289	-80	72	23	110.0	11	52.6
Pulaski	562	207	355	271	29	51.6	12	21.4
Radford (city)	207	72	135	288	13	62.8	10	48.3
Rappahannock	139	57	82	244	7	50.4	2	14.4
White	115	47	68	245	4	34.8	1	8.7
All other	24	10	14	240	3	125.0	1	41.7
Richmond	136	66	70	206	13	95.6	6	44.1
White	65	40	25	163	3	46.2	1	15.4
All other	71	26	45	273	10	140.8	5	70.4
Richmond (city)	4,619	2,758	1,861	167	221	47.8	190	41.1
White	3,341	1,720	1,621	194	109	32.6	82	24.5
All other	1,278	1,038	240	123	112	87.6	108	84.5
Roanoke	416	429	-13	97	17	40.9	10	24.0
Roanoke (city)	1,998	900	1,098	222	128	64.1	72	36.0
White	1,733	713	1,020	243	106	61.2	52	30.0
All other	265	187	78	142	22	83.0	20	75.5
Rockbridge	442	243	199	182	25	56.6	11	24.9
White	389	198	191	196	21	54.0	10	25.7
All other	53	45	8	118	4	75.5	1	18.9
Rockingham	496	206	290	241	17	34.3	9	18.1
Russell	706	210	496	336	40	56.7	25	35.4
Scott	611	215	396	284	38	62.2	19	31.1
Shenandoah	344	229	115	150	12	34.9	6	17.4
Smyth	777	382	395	203	63	81.1	15	19.3
Southampton	664	315	349	211	75	113.0	33	49.7
White	170	96	74	177	13	76.5	3	17.6
All other	494	219	275	226	62	125.5	30	60.7
South Norfolk (city)	100	63	37	159	6	60.0	2	20.0
White	60	31	29	194	2	33.3	1	16.7
All other	40	32	8	125	4	100.1	1	25.0
Spotsylvania	133	98	35	136	9	67.7	2	15.0
White	78	64	14	122	7	89.7	2	25.6
All other	55	34	21	162	2	36.4	-	0
Stafford	111	69	42	161	7	63.1	6	54.1
White	73	54	19	135	3	41.1	5	68.5
All other	38	15	23	253	4	105.3	1	26.3
Staunton (city)	347	408	-61	85	27	77.8	8	23.1
White	315	380	-65	83	26	82.5	8	25.4
All other	32	28	4	114	1	31.3	-	0
Suffolk (city)	277	218	59	127	29	104.7	12	43.3
White	187	119	68	157	17	90.9	8	42.8
All other	90	99	-9	91	12	133.3	4	44.4
Surry	127	91	36	140	13	102.4	4	31.5
White	22	30	-8	73	-	0	2	90.9
All other	105	61	44	172	13	123.8	2	19.0
Sussex	269	152	117	177	21	78.1	18	66.9
White	27	39	-12	69	-	0	1	37.0
All other	242	113	129	214	21	86.8	17	70.2
Tazewell	1,362	426	936	320	107	78.6	31	22.8
Warren	256	105	151	244	11	43.0	6	23.4
Warwick	90	82	8	110	8	88.9	2	22.2
White	26	49	-23	53	5	192.3	-	0
All other	64	33	31	194	3	46.9	2	31.3
Washington	891	334	557	267	49	55.0	32	35.9
Westmoreland	203	117	86	174	22	108.4	10	49.3
White	59	59	-	100	3	50.8	2	33.9
All other	144	58	86	248	19	131.9	8	55.6
Williamsburg (city)	78	187	-109	42	1	12.8	4	51.3
White	58	179	-121	32	1	17.2	2	34.5
All other	20	8	12	250	-	0	2	100.0
Winchester (city)	549	236	313	233	39	71.0	23	41.9
Wise	1,497	497	1,000	301	132	88.2	41	27.4
Wythe	599	168	431	357	23	38.4	20	33.4
York	100	80	20	125	12	120.0	2	20.0
White	22	44	-22	50	1	45.5	-	0
All other	78	36	42	217	11	141.0	2	25.6

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
WASHINGTON (total)	30,567	19,106	11,461	160	1,071	35.0	448	14.7
Adams	54	38	16	142	2	37.0	2	37.0
Asotin	41	45	-4	91	1	24.4	2	48.8
Benton	116	59	57	197	3	25.9	3	25.9
Chelan	788	307	481	257	27	34.3	11	14.0
Outside city	174	144	30	121	6	34.5	6	34.5
Wenatchee	614	163	451	377	21	34.2	5	8.1
Clallam	436	202	234	216	19	43.6	10	22.9
Clark	975	490	485	199	24	24.6	14	14.4
Outside city	153	144	9	106	3	19.6	3	19.6
Vancouver	822	346	476	238	21	25.5	11	13.4
Columbia	95	52	43	183	3	31.6	-	0
Cowlitz	954	319	635	299	24	25.2	15	15.7
Outside city	313	188	125	166	8	25.6	4	12.8
Longview	641	131	510	489	16	25.0	11	17.2
Douglas	25	37	-12	68	-	0	-	0
Ferry	46	42	4	110	2	43.5	-	0
White	40	26	14	154	1	25.0	-	0
All other	6	16	-10	38	1	166.7	-	0
Franklin	250	93	157	269	14	56.0	5	20.0
Garfield	51	23	28	222	-	0	-	0
Grant	45	56	-11	80	-	0	1	22.2
Grays Harbor	938	574	364	163	41	43.7	11	11.7
Outside cities	168	186	-18	90	11	65.5	1	6.0
Aberdeen	762	271	491	281	29	38.1	10	13.1
Hoquiam	8	117	-109	7	1	125.0	-	0
Island	78	50	28	156	4	51.3	2	25.6
Jefferson	169	93	76	182	4	23.7	1	5.9
King	8,667	6,064	2,603	143	270	31.2	141	16.3
Outside city	1,007	1,123	-116	90	41	40.7	16	15.9
Seattle	7,660	4,941	2,719	155	229	29.9	125	16.3
White	7,459	4,767	2,692	156	223	29.9	120	16.1
All other	201	174	27	116	6	29.9	5	24.9
Kitsap	1,014	466	548	218	39	38.5	16	15.8
Outside city	151	282	-131	54	11	72.8	3	19.9
Bremerton	863	184	679	469	28	32.4	13	15.1
Kittitas	367	201	166	183	17	46.3	2	5.4
Klickitat	139	71	68	196	5	36.0	1	7.2
Lewis	711	413	298	172	24	33.8	7	9.8
Lincoln	142	69	73	206	5	35.2	2	14.1
Mason	218	106	112	206	4	18.3	3	13.8
Okanogan	596	172	424	347	25	41.9	9	15.1
Pacific	206	120	86	172	2	9.7	2	9.7
Pend Oreille	126	63	63	200	4	31.7	2	15.9
Pierce	3,226	2,389	837	135	106	32.9	61	18.9
Outside city	553	812	-259	68	19	34.4	8	14.5
Tacoma	2,673	1,577	1,096	169	87	32.5	53	19.8
San Juan	16	14	2	114	-	0	-	0
Skagit	594	554	40	107	28	47.1	9	15.2
Skamania	6	31	-25	19	-	0	1	166.7
Snohomish	1,481	909	572	163	37	25.0	24	16.2
Outside city	501	509	-8	98	13	25.9	9	18.0
Everett	980	400	580	245	24	24.5	15	15.3
Spokane	2,988	2,238	750	134	148	49.5	25	8.4
Outside city	165	583	-418	28	4	24.2	2	12.1
Spokane	2,823	1,655	1,168	171	144	51.0	23	8.1
Stevens	403	165	238	244	9	22.3	2	5.0
Thurston	601	365	236	165	26	43.3	9	15.0
Outside city	116	146	-30	79	7	60.3	-	0
Olympia	485	219	266	221	19	39.2	9	18.6
Wahkiakum	39	17	22	229	-	0	-	0
Walla Walla	587	432	155	136	17	29.0	12	20.4
Outside city	10	69	-59	14	1	100.0	-	0
Walla Walla	577	363	214	159	16	27.7	12	20.8
Whatcom	963	622	341	155	29	30.1	13	13.5
Outside city	181	255	-74	71	6	33.1	3	16.6
Bellingham	782	367	415	213	23	29.4	10	12.8
Whitman	324	216	108	150	13	40.1	1	3.1
Yakima	2,092	929	1,163	225	95	45.4	29	13.9
Outside city	834	559	275	149	48	57.6	10	12.0
Yakima	1,258	370	888	340	47	37.4	19	15.1
WEST VIRGINIA (total)	43,827	17,838	25,989	246	2,680	61.1	1,429	32.6
Barbour	411	172	239	239	18	43.8	8	19.5
Berkeley	570	352	218	162	34	59.6	26	45.6
Outside city	147	82	65	179	8	54.4	-	0
Martinsburg	423	270	153	157	26	61.5	26	61.5
Boone	750	153	597	490	35	46.7	13	17.3
Braxton	455	202	253	225	29	63.7	13	28.6
Brooke	245	135	110	181	11	44.9	10	40.8
Cabell	2,251	1,155	1,096	195	143	63.5	81	36.0
Outside city	394	142	252	277	19	48.2	15	38.1
Huntington (part)	1,857	1,013	844	(5)	124	(5)	66	(5)
Huntington (total)	1,878	1,132	746	166	126	67.1	66	35.1
Calhoun	253	68	185	372	17	67.2	12	47.4
Clay	387	85	302	455	24	62.0	14	36.2
Doddridge	120	89	31	135	13	108.3	7	58.3
Fayette	2,133	625	1,508	341	124	58.1	75	35.2
White	1,968	492	1,476	400	96	48.8	55	27.9
All other	165	133	32	124	28	169.7	20	121.2
Gilmer	182	84	98	217	6	33.0	12	65.9
Grant	174	63	111	276	10	57.5	3	17.2
Greenbrier	868	363	505	239	59	68.0	25	28.8
Hampshire	245	111	134	221	13	53.1	6	24.5
Hancock	252	172	80	147	14	55.6	7	27.8
Hardy	195	73	122	267	9	46.2	2	10.3
Harrison	1,622	780	842	208	91	56.1	46	28.4
Outside city	778	371	407	210	50	64.3	19	24.4
Clarksburg	844	409	435	206	41	48.6	27	32.0
Jackson	339	130	209	261	20	59.0	14	41.3
Jefferson	311	159	152	196	12	38.6	5	16.1
White	281	122	159	230	9	32.0	4	14.2
All other	30	37	-7	81	3	100.0	1	33.3
Kanawha	5,234	2,033	3,201	257	377	72.0	178	34.0
Outside cities	2,430	738	1,692	329	120	49.4	72	29.6
Charleston	2,648	1,188	1,460	223	257	89.5	104	39.3
White	2,554	1,060	1,494	241	225	88.1	90	35.2
All other	94	128	-34	73	12	127.7	14	148.9
South Charleston	156	107	49	146	20	128.2	2	12.8
Lewis	338	301	37	112	13	38.5	12	35.5
Lincoln	526	135	391	390	34	64.6	14	26.6
Logan	2,039	515	1,524	396	121	59.3	80	39.2
White	1,922	438	1,484	439	115	59.8	70	36.4
All other	117	77	40	152	6	51.3	10	85.5
McDowell	3,102	917	2,185	338	231	74.5	125	40.3
White	2,604	605	1,999	430	179	68.7	80	30.7
All other	498	312	186	160	52	104.4	45	90.4
Marion	1,388	640	748	217	83	59.8	37	26.7
Outside city	1,195	380	815	314	69	57.7	12	10.0
Fairmont	193	260	-67	74	14	72.5	25	129.5
Marshall	538	388	150	139	25	46.5	20	37.2
Outside city	424	265	159	160	21	49.5	18	42.5
Moundsville	114	123	-9	93	4	35.1	2	17.5
Mason	416	215	201	193	16	38.5	9	21.6
Mercer	1,723	806	917	214	152	88.2	61	35.4
Outside city	1,180	416	764	284	82	69.5	41	34.7
Bluefield[12]	543	390	153	139	70	128.9	20	36.8
White	497	316	181	157	63	126.8	18	36.2
All other	46	74	-28	62	7	152.2	2	43.5
Mineral	499	226	273	221	33	66.1	21	42.1
Mingo	1,153	327	826	353	80	69.4	37	32.1
Monongalia	1,016	480	536	212	54	53.1	32	31.5
Outside city	743	290	453	256	29	39.0	10	13.5
Morgantown	273	190	83	144	25	91.6	22	80.6
Monroe	254	101	153	251	14	55.1	5	19.7
Morgan	110	71	39	155	11	100.0	2	18.2
Nicholas	550	171	379	322	26	47.3	14	25.5
Ohio	1,863	1,021	842	182	67	36.0	46	24.7
Outside city	31	94	-63	33	4	129.0	3	96.8
Wheeling	1,832	927	905	198	63	34.4	43	23.5
Pendleton	235	73	162	322	12	51.1	5	21.3
Pleasants	127	53	74	240	6	47.2	1	7.9
Pocahontas	285	185	98	153	25	88.3	6	21.2
Preston	648	327	321	198	30	46.3	15	23.1
Putnam	430	118	312	364	17	39.5	18	41.9
Raleigh	2,481	712	1,769	348	153	61.7	75	30.2
Outside city	2,024	341	1,683	594	93	45.9	50	24.7
White	1,829	273	1,556	670	78	42.6	45	24.6
All other	195	68	127	287	15	76.9	5	25.6
Beckley	457	371	86	123	60	131.3	25	54.7
White	406	293	113	139	46	113.3	18	44.3
All other	51	78	-27	65	14	274.5	7	137.3
Randolph	784	295	489	266	60	76.5	32	40.8
Ritchie	260	127	133	205	6	23.1	9	34.6
Roane	432	242	190	179	25	57.9	17	39.4
Summers	442	211	231	209	33	74.7	23	52.0
Taylor	350	162	188	216	18	51.4	10	28.6
Tucker	284	91	193	312	17	59.9	5	17.6
Tyler	203	119	84	171	15	73.9	3	14.8
Upshur	407	180	227	226	20	49.1	18	44.2
Wayne	831	357	474	233	44	52.9	21	25.3
Outside city	810	238	572	340	42	51.9	21	25.9
Huntington (part)	21	119	-98	(5)	2	(5)	-	(5)
Webster	393	113	280	348	37	94.1	13	33.1
Wetzel	428	206	222	208	18	42.1	16	37.4
Wirt	106	45	61	236	3	28.3	2	18.9
Wood	1,287	698	589	184	73	56.7	41	31.9
Outside city	439	208	231	211	25	56.9	7	15.9
Parkersburg	848	490	358	173	48	56.6	34	40.1
Wyoming	904	206	698	439	49	54.2	27	29.9

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
WISCONSIN (total)	57,120	30,629	26,491	186	2,004	35.1	1,135	19.9
Adams	103	86	17	120	4	38.8	-	0
Ashland	513	272	241	189	21	40.9	12	23.4
Outside city	87	53	34	164	5	57.5	-	0
White	83	50	33	166	5	60.2	-	0
All other	4	3	1	133	-	0	-	0
Ashland	426	219	207	195	16	37.6	12	28.2
Barron	711	343	368	207	35	49.2	16	22.5
Bayfield	98	128	-30	77	8	81.6	1	10.2
Brown	2,091	837	1,254	250	88	42.1	35	16.7
Outside city	181	193	-12	94	10	55.2	2	11.0
Green Bay	1,910	644	1,266	297	78	40.8	33	17.3
Buffalo	216	109	107	198	12	55.6	4	18.5
Burnett	179	122	57	147	10	55.9	1	5.6
Calumet	173	126	47	137	5	28.9	2	11.6
Chippewa	842	443	399	190	43	51.1	21	24.9
Outside city	470	269	201	175	24	51.1	6	12.8
Chippewa Falls	372	174	198	214	19	51.1	15	40.3
Clark	492	240	252	205	11	22.4	9	18.3
Columbia	588	386	202	152	16	27.2	17	28.9
Crawford	416	194	222	214	27	64.9	8	19.2
Dane	2,707	1,559	1,148	174	88	32.5	58	21.4
Outside city	463	545	-82	85	15	32.4	11	23.8
Madison	2,244	1,014	1,230	221	73	32.5	47	20.9
Dodge	689	447	242	154	20	29.0	8	11.6
Outside cities	323	281	42	115	8	24.8	3	9.3
Beaver Dam	354	148	206	239	11	31.1	5	14.1
Watertown (part)	12	18	-6	(5)	1	(5)	-	(5)
Door	357	193	164	185	12	33.6	6	16.8
Douglas	830	585	245	142	30	36.1	22	26.5
Outside city	55	133	-78	41	4	72.7	3	54.5
Superior	775	452	323	171	26	33.5	19	24.5
Dunn	467	253	214	185	16	34.3	10	21.4
Eau Claire	1,034	497	537	208	37	35.8	26	25.1
Outside city	87	75	12	116	4	46.0	1	11.5
Eau Claire	947	422	525	224	33	34.8	25	26.4
Florence	43	30	13	143	5	116.3	1	23.3
Fond du Lac	1,248	705	543	177	44	35.3	15	12.0
Outside city	361	277	84	130	5	13.9	2	5.5
Fond du Lac	887	428	459	207	39	44.0	13	14.7
Forest	309	96	213	322	21	68.0	4	12.9
Grant	745	407	338	183	15	20.1	16	21.5
Green	473	280	193	169	11	23.3	18	38.1
Green Lake	210	127	83	165	6	28.6	3	14.3
Iowa	405	213	192	190	19	46.9	7	17.3
Iron	67	51	16	131	4	59.7	3	44.8
Jackson	341	154	187	221	4	11.7	-	0
Jefferson	547	420	127	130	20	36.6	12	21.9
Outside city	183	279	-96	66	11	60.1	4	21.9
Watertown (part)	364	141	223	(5)	9	(5)	8	(5)
Watertown (total)	376	159	217	236	10	26.6	8	21.3
Juneau	361	204	157	177	11	30.5	6	16.6
Kenosha	982	534	448	184	44	44.8	17	17.3
Outside city	26	95	-69	27	3	115.4	1	38.5
Kenosha	956	439	517	218	41	42.9	16	16.7
Kewaunee	316	138	178	229	13	41.1	-	0
La Crosse	1,577	722	855	218	63	39.9	39	24.7
Outside city	119	129	-10	92	7	58.8	2	16.8
La Crosse	1,458	593	865	246	56	38.4	37	25.4
Lafayette	212	159	53	133	8	37.7	5	23.6
Langlade	493	204	289	242	20	40.6	12	24.3
Lincoln	519	275	244	189	28	53.9	9	17.3
Manitowoc	1,110	531	579	209	32	28.8	26	23.4
Outside cities	218	181	37	120	5	22.9	4	18.3
Manitowoc	659	277	382	238	20	30.3	18	27.3
Two Rivers	233	73	160	319	7	30.0	4	17.2
Marathon	1,450	600	850	242	56	38.6	14	9.7
Outside city	457	226	231	202	14	30.6	2	4.4
Wausau	993	374	619	266	42	42.3	12	12.1
Marinette	479	327	152	146	25	52.2	12	25.1
Outside city	159	136	23	117	9	56.6	-	0
Marinette	320	191	129	168	16	50.0	12	37.5
Marquette	76	92	-16	83	3	39.5	3	39.5
Milwaukee	15,358	7,420	5,938	180	373	27.9	267	20.0
Outside cities	1,089	1,778	-689	61	38	34.9	34	31.2
Cudahy	62	40	22	155	-	0	1	16.1
Milwaukee	11,794	5,169	6,625	228	326	27.6	226	19.2
Shorewood	4	72	-68	6	1	250.0	-	0
South Milwaukee	150	70	80	214	5	33.3	5	33.3
Wauwatosa	148	141	7	105	1	6.8	-	0
West Allis	111	150	-39	74	2	18.0	1	9.0

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths						
Section B—Continued								
WISCONSIN—Contd.								
Monroe	657	300	357	219	29	44.1	8	12.2
Oconto	400	237	163	169	21	52.5	13	32.5
Oneida	404	180	224	224	13	32.2	9	22.3
Outagamie	1,661	654	1,007	254	66	39.7	30	18.1
Outside city	611	324	287	189	28	45.8	14	22.9
Appleton	1,050	330	720	318	38	36.2	16	15.2
Ozaukee	208	141	67	148	10	48.1	6	28.8
Pepin	146	65	81	225	6	41.1	3	20.5
Pierce	325	195	130	167	9	27.7	12	36.9
Polk	485	229	256	212	17	35.1	12	24.7
Portage	676	298	378	227	29	42.9	15	22.2
Outside city	287	124	163	231	12	41.8	3	10.5
Stevens Point	389	174	215	224	17	43.7	12	30.8
Price	294	132	162	223	8	27.2	6	20.4
Racine	1,550	889	661	174	44	28.4	34	21.9
Outside city	264	275	-11	96	10	37.9	2	7.6
Racine	1,286	614	672	209	34	26.4	32	24.9
Richland	477	204	273	234	20	41.9	5	10.5
Rock	1,556	785	771	198	46	29.6	16	10.3
Outside cities	274	250	24	110	7	25.5	3	10.9
Beloit	754	287	467	263	26	34.5	6	8.0
Janesville	528	248	280	213	13	24.6	7	13.3
Rusk	330	121	209	273	14	42.4	11	33.3
St. Croix	392	224	168	175	17	43.4	5	12.8
Sauk	601	360	241	167	16	26.6	5	8.3
Sawyer	258	110	148	235	8	31.0	5	19.4
White	157	79	78	199	2	12.7	1	6.4
All other	101	31	70	326	6	59.4	4	39.6
Shawano	675	322	353	210	34	50.4	15	22.2
Sheboygan	1,514	800	714	189	48	31.7	34	22.5
Outside city	281	304	-23	92	11	39.1	2	7.1
Sheboygan	1,233	496	737	249	37	30.0	32	26.0
Taylor	363	148	215	245	15	41.3	7	19.3
Trempealeau	431	226	205	191	19	44.1	7	16.2
Vernon	441	189	252	233	14	31.7	8	18.1
Vilas	100	71	29	141	5	50.0	3	30.0
White	89	68	21	131	4	44.9	3	33.7
All other	11	3	8	367	1	90.9	-	0
Walworth	494	439	55	113	17	34.4	9	18.2
Washburn	193	68	125	284	8	41.5	5	25.9
Washington	550	305	245	180	15	27.3	14	25.5
Waukesha	947	693	254	137	26	27.5	14	14.8
Outside city	293	458	-165	64	10	34.1	4	13.7
Waukesha	654	235	419	278	16	24.5	10	15.3
Waupaca	453	337	116	134	15	33.1	12	26.5
Waushara	143	136	7	105	5	35.0	3	21.0
Winnebago	1,422	888	534	160	55	38.7	36	25.3
Outside cities	101	238	-137	42	6	59.4	1	9.9
Menasha	23	42	-19	55	1	43.5	-	0
Neenah	469	134	335	350	20	42.6	13	27.7
Oshkosh	829	474	355	175	28	33.8	22	26.5
Wood	1,147	374	773	307	47	41.0	28	24.4
Outside cities	232	99	133	234	8	34.5	1	4.3
Marshfield	462	166	296	278	20	43.3	14	30.3
Wisconsin Rapids	453	109	344	416	19	41.9	13	28.7
WYOMING (total)	5,181	2,198	2,983	236	227	43.8	111	21.4
Albany	284	147	137	193	13	45.8	7	24.6
Outside city	3	28	-25	11	1	333.3	-	0
Laramie	281	119	162	236	12	42.7	7	24.9
Big Horn	311	86	225	362	7	22.5	5	16.1
Campbell	112	46	66	243	7	62.5	1	8.9
Carbon	221	107	114	207	8	36.2	6	27.1
Converse	120	59	61	203	8	66.7	7	58.3
Crook	59	40	19	148	2	33.9	4	67.8
Fremont	356	149	207	239	29	81.5	10	28.1
White	239	98	141	244	11	46.0	2	8.4
All other	117	51	66	229	18	153.8	8	68.4
Goshen	241	100	141	241	15	62.2	4	16.6
Hot Springs	108	52	56	208	5	46.3	-	0
Johnson	79	38	41	208	3	38.0	-	0
Laramie	754	295	459	256	31	41.1	18	23.9
Outside city	104	72	32	144	4	38.5	2	19.2
Cheyenne	650	223	427	291	27	41.5	16	24.6
Lincoln	252	82	170	307	7	27.8	2	7.9
Natrona	446	196	250	228	11	24.7	13	29.1
Outside city	28	25	3	112	-	0	2	71.4
Casper	418	171	247	244	11	26.3	11	26.3
Niobrara	115	52	63	221	11	95.7	4	34.8
Park	239	80	159	299	7	29.3	3	12.6

See footnotes at end of table.

TABLE XIII.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: UNITED STATES, 1941—Continued

(See headnote on p. 36)

AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS		AREA	BIRTHS AND DEATHS (exclusive of stillbirths)				INFANT MORTALITY (Deaths of infants under 1 year of age, exclusive of stillbirths)		STILLBIRTHS	
	Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births		Number		Excess of births over deaths[1]	Births per 100 deaths	Number	Rate per 1,000 live births	Number	Ratio per 1,000 live births
	Births	Deaths								Births	Deaths						
Section B—Continued									Section B—Continued								
WYOMING—Contd.									WYOMING—Contd.								
Platte	164	63	101	260	4	24.4	3	18.3	Uinta	107	129	-22	83	5	46.7	-	0
Sheridan	389	183	206	213	15	38.6	6	15.4	Washakie	169	45	124	376	10	59.2	3	17.8
Outside city	11	46	-35	24	1	90.9	1	90.9	Weston	116	48	68	242	7	60.3	3	25.9
Sheridan	378	137	241	276	14	37.0	5	13.2	Yellowstone National Park (part)	5	-	5	([5])	-	([5])	-	([5])
Sublette	14	5	9	280	-	0	-	0	Yellowstone National Park (total)	5	-	5	([2])	-	0	-	0
Sweetwater	459	188	271	244	22	47.9	9	19.6									
Teton	61	8	53	763	-	0	3	49.2									

[1] A minus sign (-) indicates an excess of deaths over births.
[2] Rate not computed.
[3] Includes data for Texarkana, Ark., only.
[4] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[5] Rates not computed for part of an area.
[6] Beginning with 1939, data are not available for Bronx, Kings, New York, Queens, and Richmond Counties, which are coextensive with the boroughs comprising New York City.
[7] Includes data for Bristol, Tenn., only.
[8] Includes data for Texarkana, Tex., only.
[9] Cities of Virginia are independent, each having the same status as a county. Cities having populations of 10,000 or more include: Alexandria, Arlington County,[10] Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.
[10] Classified as urban under special rule. See text, p. 2.
[11] Includes data for Bristol, Va., only.
[12] Includes data for Bluefield, W. Va., only.

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures and rates for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

GENERAL NATALITY AND MORTALITY TABLES

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	2,513,427	205,011	190,876	211,875	200,781	198,270	211,120	234,239	229,428	215,232	207,462	199,889	209,244
Cities of 100,000 or more	772,845	60,255	56,461	62,495	59,605	59,536	65,823	72,505	70,848	67,218	65,981	64,267	67,851
Cities of 25,000 to 100,000	362,883	28,570	26,607	29,342	27,612	27,544	30,615	34,469	33,564	31,537	31,150	30,114	31,859
Cities of 10,000 to 25,000	244,662	19,524	18,107	19,833	19,046	19,064	20,360	22,879	22,965	21,205	20,842	19,842	20,995
Cities of 2,500 to 10,000	298,990	24,334	22,138	24,775	23,337	22,943	24,921	28,106	27,602	26,020	25,185	24,228	25,405
Rural	833,947	72,328	67,563	75,432	71,181	69,183	69,401	76,280	74,449	69,252	64,304	61,438	63,136
ALABAMA	64,238	5,929	5,267	5,838	5,310	4,941	5,076	5,851	5,817	5,330	4,908	4,846	5,125
Cities of 100,000 or more	6,691	569	511	559	526	495	527	589	623	615	502	547	628
Cities of 25,000 to 100,000	7,034	617	525	594	529	473	510	652	646	591	632	621	644
Cities of 10,000 to 25,000	4,226	391	321	324	288	295	301	432	416	380	352	354	372
Cities of 2,500 to 10,000	5,706	527	467	505	427	423	450	525	533	465	455	467	464
Rural	40,581	3,825	3,443	3,856	3,540	3,255	3,288	3,655	3,599	3,279	2,967	2,857	3,017
ARIZONA	12,011	1,022	919	986	1,000	976	955	1,162	1,034	934	986	985	1,052
Cities of 25,000 to 100,000	4,446	367	297	352	375	329	350	454	406	384	346	372	414
Cities of 2,500 to 10,000	2,971	238	231	225	264	257	264	305	241	208	214	251	275
Rural	4,594	417	391	411	361	390	341	403	387	342	426	362	363
ARKANSAS	40,437	3,579	3,307	3,497	3,300	3,083	3,254	3,704	3,810	3,473	3,156	3,145	3,149
Cities of 25,000 to 100,000	3,816	299	293	309	292	230	287	369	352	348	324	349	364
Cities of 10,000 to 25,000	2,783	272	199	209	206	196	225	266	250	248	242	222	248
Cities of 2,500 to 10,000	5,442	515	410	489	398	374	408	469	501	447	476	466	489
Rural	28,396	2,493	2,405	2,490	2,404	2,283	2,334	2,600	2,707	2,430	2,114	2,108	2,048
CALIFORNIA	124,682	9,468	8,756	9,836	9,719	10,375	10,447	11,656	11,268	10,718	10,870	10,891	10,698
Cities of 100,000 or more	52,124	4,019	3,623	4,182	4,029	4,344	4,450	4,871	4,766	4,455	4,545	4,512	4,328
Cities of 25,000 to 100,000	20,753	1,586	1,441	1,553	1,598	1,669	1,727	1,957	1,848	1,851	1,826	1,823	1,874
Cities of 10,000 to 25,000	12,194	865	848	912	952	994	959	1,101	1,100	1,039	1,128	1,139	1,157
Cities of 2,500 to 10,000	15,269	1,109	1,060	1,166	1,153	1,275	1,263	1,430	1,393	1,364	1,388	1,341	1,327
Rural	24,342	1,889	1,764	2,023	1,987	2,093	2,048	2,297	2,161	2,009	1,983	2,076	2,012
COLORADO	21,400	1,684	1,623	1,848	1,734	1,872	1,886	2,017	1,917	1,734	1,715	1,621	1,749
Cities of 100,000 or more	7,347	558	523	611	586	610	618	698	673	620	586	584	680
Cities of 25,000 to 100,000	1,859	150	136	148	157	175	175	176	162	146	147	123	144
Cities of 10,000 to 25,000	1,814	133	141	149	120	188	172	192	162	136	159	135	127
Cities of 2,500 to 10,000	3,522	287	252	281	292	302	336	346	299	282	298	283	264
Rural	6,878	556	571	659	579	597	585	605	621	550	525	496	534
CONNECTICUT	28,526	2,105	2,050	2,323	2,232	2,278	2,473	2,687	2,565	2,513	2,458	2,337	2,485
Cities of 100,000 or more	12,822	956	878	1,022	982	1,046	1,172	1,205	1,149	1,155	1,070	1,089	1,118
Cities of 25,000 to 100,000	10,042	737	733	845	777	759	846	963	910	858	920	806	888
Cities of 10,000 to 25,000	2,510	184	183	194	207	219	189	244	233	229	212	213	203
Cities of 2,500 to 10,000	1,038	70	79	79	86	82	82	93	98	91	84	87	107
Rural	2,114	158	177	183	180	172	184	182	195	180	172	162	169
DELAWARE	5,121	416	396	428	398	413	451	446	447	456	428	381	461
Cities of 100,000 or more	3,208	252	242	259	239	267	277	261	279	295	281	245	311
Cities of 2,500 to 10,000	728	73	55	65	49	62	58	73	62	61	52	58	60
Rural	1,185	91	99	104	110	84	116	112	106	100	95	78	90
DISTRICT OF COLUMBIA	18,294	1,500	1,398	1,448	1,385	1,381	1,591	1,639	1,745	1,572	1,584	1,511	1,540
FLORIDA	37,551	3,517	3,072	3,093	2,667	2,592	2,763	3,374	3,463	3,262	3,160	3,122	3,466
Cities of 100,000 or more	10,194	889	831	748	647	680	771	962	967	929	877	888	1,005
Cities of 25,000 to 100,000	4,517	398	364	343	320	304	350	445	430	395	358	392	420
Cities of 10,000 to 25,000	4,144	367	326	322	277	298	310	362	387	408	346	358	383
Cities of 2,500 to 10,000	5,553	533	483	464	360	362	407	535	486	462	470	477	514
Rural	13,143	1,332	1,068	1,216	1,063	948	925	1,070	1,193	1,068	1,109	1,007	1,144
GEORGIA	68,244	6,070	5,343	6,075	5,814	5,473	5,598	6,305	6,138	5,801	5,338	5,037	5,252
Cities of 100,000 or more	8,077	675	615	674	604	629	677	759	706	717	660	666	695
Cities of 25,000 to 100,000	8,981	747	675	751	658	615	771	826	851	776	767	704	840
Cities of 10,000 to 25,000	4,856	433	339	367	378	366	393	448	490	422	380	403	437
Cities of 2,500 to 10,000	8,327	771	632	710	663	652	685	755	761	713	668	673	644
Rural	38,003	3,444	3,082	3,573	3,511	3,211	3,072	3,517	3,330	3,173	2,863	2,591	2,636
IDAHO	11,715	991	929	991	966	981	1,076	1,115	1,043	898	909	868	948
Cities of 25,000 to 100,000	1,108	102	83	90	89	82	121	83	87	96	92	77	106
Cities of 10,000 to 25,000	3,045	301	280	259	251	258	256	278	264	224	224	212	238
Cities of 2,500 to 10,000	3,237	286	242	258	279	278	283	318	285	256	241	243	268
Rural	4,325	302	324	384	347	363	416	436	407	322	352	336	336
ILLINOIS	134,451	10,718	9,885	10,887	10,290	10,083	11,288	12,732	12,395	11,844	11,662	11,130	11,537
Cities of 100,000 or more	60,683	4,708	4,311	4,763	4,669	4,599	5,121	5,658	5,564	5,281	5,343	5,172	5,494
Cities of 25,000 to 100,000	26,555	2,030	1,940	2,124	1,951	1,846	2,197	2,632	2,462	2,385	2,309	2,295	2,404
Cities of 10,000 to 25,000	13,513	1,105	992	1,078	991	963	1,138	1,276	1,283	1,225	1,186	1,075	1,201
Cities of 2,500 to 10,000	15,156	1,180	1,143	1,236	1,182	1,158	1,257	1,441	1,393	1,363	1,342	1,229	1,232
Rural	18,544	1,695	1,499	1,686	1,517	1,517	1,575	1,725	1,693	1,590	1,482	1,359	1,206
INDIANA	66,036	5,294	4,986	5,521	4,899	4,767	5,406	6,293	6,299	5,978	5,786	5,363	5,644
Cities of 100,000 or more	15,890	1,277	1,134	1,249	1,163	1,138	1,289	1,537	1,536	1,465	1,442	1,286	1,394
Cities of 25,000 to 100,000	15,816	1,295	1,215	1,200	1,115	1,093	1,266	1,519	1,505	1,462	1,372	1,354	1,420
Cities of 10,000 to 25,000	6,288	476	468	497	462	427	493	589	630	549	585	562	550
Cities of 2,500 to 10,000	8,593	651	665	698	574	621	701	854	817	794	723	702	793
Rural	19,449	1,595	1,504	1,677	1,585	1,488	1,657	1,794	1,811	1,708	1,664	1,479	1,487
IOWA	46,826	3,884	3,593	3,955	3,663	3,549	4,105	4,393	4,323	4,132	3,997	3,560	3,672
Cities of 100,000 or more	3,620	299	287	307	260	262	315	325	329	313	312	305	306
Cities of 25,000 to 100,000	11,392	894	821	932	841	887	1,008	1,078	1,061	992	1,010	906	962
Cities of 10,000 to 25,000	6,255	505	506	545	509	443	543	585	578	564	556	464	457
Cities of 2,500 to 10,000	9,763	796	701	830	775	691	853	951	899	923	811	746	787
Rural	15,796	1,390	1,278	1,341	1,278	1,266	1,386	1,454	1,456	1,340	1,308	1,139	1,160

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS	30,143	2,590	2,320	2,555	2,320	2,205	2,434	2,819	2,684	2,619	2,562	2,426	2,609
Cities of 100,000 or more	5,623	435	428	438	416	390	452	559	499	557	477	454	518
Cities of 25,000 to 100,000	2,309	189	163	192	155	172	213	224	205	188	224	204	180
Cities of 10,000 to 25,000	4,843	409	395	435	357	354	380	435	479	395	399	381	426
Cities of 2,500 to 10,000	6,324	551	455	534	439	453	519	591	552	581	545	543	561
Rural	11,044	1,006	879	956	953	836	870	1,010	949	900	917	844	924
KENTUCKY	63,430	5,309	5,001	5,875	5,520	5,366	5,446	5,743	5,662	5,115	4,889	4,678	4,826
Cities of 100,000 or more	7,844	614	592	640	579	560	668	710	797	663	716	640	665
Cities of 25,000 to 100,000	5,896	513	474	481	430	448	479	578	523	511	483	475	501
Cities of 10,000 to 25,000	1,583	129	131	143	128	140	128	138	140	121	129	119	137
Cities of 2,500 to 10,000	6,457	512	487	524	497	509	556	630	648	529	557	490	518
Rural	41,650	3,541	3,317	4,087	3,886	3,709	3,615	3,687	3,554	3,291	3,004	2,954	3,005
LOUISIANA	54,672	4,899	4,487	4,581	3,938	3,579	3,963	4,868	5,076	4,677	4,757	4,902	4,945
Cities of 100,000 or more	13,285	1,139	1,026	1,018	889	813	998	1,228	1,304	1,203	1,230	1,241	1,196
Cities of 25,000 to 100,000	6,515	564	511	513	439	438	490	554	596	580	608	595	627
Cities of 10,000 to 25,000	2,987	260	240	263	203	178	208	284	327	242	239	259	284
Cities of 2,500 to 10,000	7,117	601	551	615	512	414	478	659	677	642	656	658	656
Rural	24,768	2,335	2,159	2,174	1,895	1,736	1,789	2,143	2,172	2,010	2,024	2,149	2,182
MAINE	15,855	1,206	1,146	1,338	1,300	1,361	1,429	1,477	1,454	1,313	1,267	1,229	1,335
Cities of 25,000 to 100,000	3,981	310	288	306	308	323	326	386	378	331	361	297	367
Cities of 10,000 to 25,000	2,218	179	136	175	180	189	200	202	212	201	187	179	198
Cities of 2,500 to 10,000	2,289	165	159	203	174	187	212	233	229	175	179	173	180
Rural	7,367	552	563	654	638	682	691	656	635	606	540	580	590
MARYLAND	34,287	2,583	2,592	2,705	2,594	2,598	2,918	3,271	3,177	3,080	2,887	2,844	3,038
Cities of 100,000 or more	19,306	1,376	1,494	1,474	1,411	1,435	1,615	1,892	1,811	1,744	1,640	1,673	1,741
Cities of 25,000 to 100,000	2,256	180	153	183	163	182	231	202	204	174	200	176	188
Cities of 10,000 to 25,000	1,920	143	125	165	158	149	166	176	168	168	161	158	183
Cities of 2,500 to 10,000	2,154	158	152	156	154	158	192	183	214	241	180	164	202
Rural	8,671	726	668	727	708	674	714	818	780	753	706	673	724
MASSACHUSETTS	70,189	5,460	5,179	5,874	5,651	5,911	6,147	6,383	6,383	5,900	5,738	5,592	5,971
Cities of 100,000 or more	34,136	2,646	2,511	2,913	2,883	2,838	3,020	3,035	3,033	2,770	2,862	2,732	2,895
Cities of 25,000 to 100,000	18,766	1,417	1,401	1,546	1,436	1,594	1,695	1,716	1,645	1,623	1,496	1,562	1,635
Cities of 10,000 to 25,000	11,704	930	852	972	897	1,010	995	1,101	1,145	985	941	870	1,006
Cities of 2,500 to 10,000	3,388	282	249	265	258	305	261	326	317	309	294	256	286
Rural	2,195	185	166	178	177	166	176	205	243	213	145	172	169
MICHIGAN	107,511	8,317	7,988	8,743	8,507	8,462	9,136	10,209	9,941	9,308	9,089	8,577	9,236
Cities of 100,000 or more	41,806	3,250	3,100	3,337	3,156	3,205	3,558	3,885	3,816	3,698	3,661	3,460	3,682
Cities of 25,000 to 100,000	24,272	1,801	1,772	1,959	1,867	1,918	2,101	2,368	2,306	2,054	2,097	1,893	2,136
Cities of 10,000 to 25,000	9,022	675	679	679	711	731	776	860	856	775	719	778	783
Cities of 2,500 to 10,000	11,515	867	824	976	902	926	980	1,117	1,050	991	985	911	986
Rural	20,896	1,724	1,611	1,792	1,871	1,682	1,723	1,979	1,913	1,790	1,627	1,535	1,649
MINNESOTA	54,462	4,342	4,063	4,690	4,422	4,440	4,638	5,174	4,937	4,807	4,444	4,229	4,276
Cities of 100,000 or more	18,904	1,487	1,373	1,592	1,486	1,511	1,627	1,763	1,634	1,714	1,578	1,552	1,587
Cities of 25,000 to 100,000	739	53	63	74	65	55	55	74	86	58	45	60	51
Cities of 10,000 to 25,000	5,631	475	413	477	480	458	452	548	545	491	439	417	436
Cities of 2,500 to 10,000	10,677	787	777	884	875	881	951	982	1,025	959	911	833	812
Rural	18,511	1,540	1,437	1,663	1,516	1,535	1,553	1,807	1,647	1,589	1,471	1,367	1,390
MISSISSIPPI	54,454	4,938	4,505	4,901	4,522	4,174	4,277	4,933	4,907	4,564	4,201	4,104	4,428
Cities of 25,000 to 100,000	2,552	219	226	187	179	184	172	247	222	233	229	209	245
Cities of 10,000 to 25,000	5,033	413	349	435	377	331	363	449	511	420	436	446	503
Cities of 2,500 to 10,000	4,036	338	313	347	291	268	309	389	387	359	311	322	402
Rural	42,833	3,968	3,617	3,932	3,675	3,391	3,433	3,848	3,787	3,552	3,225	3,127	3,278
MISSOURI	66,050	5,597	5,266	5,521	5,133	4,788	5,398	6,084	6,212	5,774	5,613	5,254	5,410
Cities of 100,000 or more	24,187	1,968	1,735	1,940	1,683	1,612	2,037	2,224	2,307	2,227	2,138	2,105	2,213
Cities of 25,000 to 100,000	3,785	314	299	279	276	256	320	324	369	318	347	325	358
Cities of 10,000 to 25,000	6,466	547	489	487	500	468	485	609	609	591	597	509	575
Cities of 2,500 to 10,000	6,978	614	506	568	534	527	548	683	680	589	585	556	588
Rural	24,634	2,154	2,237	2,247	2,140	1,925	2,008	2,244	2,247	2,049	1,948	1,759	1,676
MONTANA	11,457	922	880	986	918	1,082	1,008	1,022	1,024	902	859	924	910
Cities of 25,000 to 100,000	1,997	155	135	167	166	199	172	200	183	163	142	154	161
Cities of 10,000 to 25,000	2,679	211	187	227	210	256	225	225	251	222	219	233	213
Cities of 2,500 to 10,000	2,957	229	249	254	242	269	260	265	258	242	225	231	233
Rural	3,804	327	309	338	300	358	351	332	332	275	273	306	303
NEBRASKA	22,197	1,887	1,708	1,927	1,706	1,728	1,878	1,963	2,037	1,919	1,922	1,742	1,780
Cities of 100,000 or more	4,834	414	345	404	338	366	395	439	468	434	434	397	400
Cities of 25,000 to 100,000	1,437	141	107	108	127	99	112	134	127	120	138	124	102
Cities of 10,000 to 25,000	2,882	223	233	232	228	213	275	268	247	229	256	238	242
Cities of 2,500 to 10,000	3,432	285	255	272	271	259	274	287	348	313	297	285	306
Rural	9,612	824	768	913	742	791	822	835	847	823	797	720	730
NEVADA	2,181	170	146	187	171	178	188	200	180	203	193	194	191
Cities of 10,000 to 25,000	328	21	13	26	31	22	28	36	23	39	32	33	24
Cities of 2,500 to 10,000	571	52	45	34	42	41	40	53	58	47	59	56	64
Rural	1,282	97	88	127	98	115	100	111	119	117	102	105	103
NEW HAMPSHIRE	8,745	697	654	742	735	692	736	868	744	741	719	694	721
Cities of 25,000 to 100,000	2,699	212	218	217	198	200	248	276	228	223	232	205	248
Cities of 10,000 to 25,000	2,595	193	185	229	211	228	210	250	236	217	214	222	202
Cities of 2,500 to 10,000	1,044	84	73	88	98	62	89	101	98	97	72	88	94
Rural	2,405	208	182	208	228	202	189	241	184	204	201	181	177

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY	65,935	5,029	4,695	5,264	5,076	5,205	5,672	6,228	6,181	5,731	5,695	5,454	5,705
Cities of 100,000 or more	31,446	2,345	2,245	2,514	2,429	2,436	2,728	2,990	2,975	2,738	2,689	2,597	2,760
Cities of 25,000 to 100,000	16,359	1,224	1,138	1,350	1,227	1,330	1,358	1,571	1,503	1,408	1,458	1,390	1,402
Cities of 10,000 to 25,000	8,188	656	574	624	629	652	730	760	757	740	713	655	698
Cities of 2,500 to 10,000	4,889	378	348	355	375	369	453	452	469	450	411	400	449
Rural	5,053	426	390	421	416	418	423	455	477	395	424	412	396
NEW MEXICO	14,774	1,206	1,126	1,313	1,277	1,338	1,304	1,392	1,306	1,196	1,128	1,107	1,081
Cities of 25,000 to 100,000	1,324	112	102	90	118	115	106	122	107	116	122	110	104
Cities of 10,000 to 25,000	1,890	162	152	171	156	150	162	158	162	157	139	160	161
Cities of 2,500 to 10,000	3,634	266	259	317	317	315	326	364	317	295	282	277	299
Rural	7,926	666	613	735	686	758	710	748	720	628	585	560	517
NEW YORK	211,171	16,150	15,397	17,593	17,428	17,268	18,737	19,892	18,957	17,995	17,358	16,488	17,908
Cities of 100,000 or more	144,625	11,151	10,658	12,121	11,803	11,795	12,763	13,673	12,767	12,223	11,851	11,349	12,473
Cities of 25,000 to 100,000	18,269	1,322	1,327	1,444	1,495	1,497	1,647	1,663	1,704	1,573	1,541	1,488	1,568
Cities of 10,000 to 25,000	18,586	1,336	1,300	1,487	1,534	1,520	1,612	1,726	1,783	1,644	1,604	1,473	1,567
Cities of 2,500 to 10,000	10,910	846	736	890	922	888	991	1,043	985	929	895	889	896
Rural	18,781	1,495	1,376	1,651	1,674	1,570	1,724	1,787	1,718	1,626	1,467	1,289	1,404
NORTH CAROLINA	84,634	7,065	6,595	7,347	7,185	7,174	7,186	7,687	7,495	7,387	6,658	6,322	6,533
Cities of 100,000 or more	3,019	237	238	228	228	230	244	274	283	276	268	254	259
Cities of 25,000 to 100,000	11,642	951	880	925	935	874	1,047	1,109	995	1,029	997	946	954
Cities of 10,000 to 25,000	7,209	602	580	622	539	540	569	700	669	635	609	555	589
Cities of 2,500 to 10,000	8,580	689	598	668	722	678	751	783	807	776	719	682	687
Rural	54,184	4,586	4,299	4,884	4,761	4,852	4,575	4,821	4,741	4,671	4,065	3,885	4,044
NORTH DAKOTA	13,464	1,113	1,023	1,156	1,127	1,107	1,175	1,258	1,215	1,202	1,077	990	1,021
Cities of 25,000 to 100,000	1,218	99	87	103	95	98	120	135	110	110	92	86	85
Cities of 10,000 to 25,000	2,354	172	158	217	188	197	216	228	196	211	211	184	176
Cities of 2,500 to 10,000	2,195	182	158	186	178	187	168	196	191	233	176	141	199
Rural	7,697	660	620	650	666	627	671	699	718	648	598	579	561
OHIO	126,155	9,811	9,163	10,043	9,647	9,597	10,947	12,094	11,548	11,252	10,602	10,387	11,064
Cities of 100,000 or more	60,446	4,589	4,311	4,650	4,483	4,514	5,186	5,842	5,617	5,519	5,230	5,138	5,367
Cities of 25,000 to 100,000	18,044	1,319	1,277	1,399	1,354	1,376	1,626	1,778	1,699	1,647	1,479	1,477	1,613
Cities of 10,000 to 25,000	11,489	866	792	902	861	868	1,025	1,110	1,045	1,059	996	938	1,027
Cities of 2,500 to 10,000	10,225	813	781	835	822	731	842	943	919	904	868	842	925
Rural	25,951	2,224	2,002	2,257	2,127	2,108	2,268	2,421	2,268	2,123	2,029	1,992	2,132
OKLAHOMA	45,447	3,943	3,850	3,989	3,617	3,487	3,607	4,167	4,152	3,547	3,701	3,685	3,702
Cities of 100,000 or more	7,877	641	628	686	592	557	593	744	733	636	671	701	695
Cities of 25,000 to 100,000	1,691	151	128	134	129	120	124	156	167	148	143	142	149
Cities of 10,000 to 25,000	6,725	565	566	552	523	501	557	591	644	522	564	552	588
Cities of 2,500 to 10,000	8,802	754	749	764	683	661	710	792	848	718	674	736	713
Rural	20,352	1,832	1,779	1,853	1,690	1,648	1,623	1,884	1,760	1,523	1,649	1,554	1,557
OREGON	19,138	1,447	1,404	1,587	1,607	1,685	1,706	1,791	1,710	1,452	1,520	1,601	1,628
Cities of 100,000 or more	6,342	451	444	540	527	539	575	574	565	462	525	575	565
Cities of 25,000 to 100,000	956	66	70	87	86	87	96	101	86	64	67	60	86
Cities of 10,000 to 25,000	3,203	214	227	246	248	297	319	292	310	239	244	285	282
Cities of 2,500 to 10,000	5,741	445	403	450	503	505	472	534	522	455	469	479	506
Rural	2,896	273	260	264	243	257	244	290	227	232	215	202	189
PENNSYLVANIA	174,593	15,987	13,233	14,396	13,965	13,611	15,103	16,495	16,070	14,883	14,476	13,870	14,504
Cities of 100,000 or more	57,183	4,531	4,349	4,632	4,500	4,368	5,032	5,443	5,196	4,828	4,732	4,706	4,866
Cities of 25,000 to 100,000	29,170	2,315	2,139	2,353	2,237	2,194	2,525	2,720	2,835	2,512	2,513	2,318	2,509
Cities of 10,000 to 25,000	25,222	1,963	1,882	2,094	2,047	1,947	2,173	2,358	2,401	2,170	2,151	1,995	2,041
Cities of 2,500 to 10,000	22,115	1,834	1,602	1,791	1,755	1,793	1,935	2,053	2,057	1,948	1,886	1,643	1,818
Rural	40,903	3,344	3,261	3,526	3,426	3,309	3,438	3,921	3,581	3,425	3,194	3,208	3,270
RHODE ISLAND	11,582	871	817	951	927	979	1,054	1,081	1,028	1,019	970	945	940
Cities of 100,000 or more	8,407	477	444	529	518	526	563	595	602	583	535	506	529
Cities of 25,000 to 100,000	3,822	278	271	307	301	336	361	366	308	341	329	321	305
Cities of 10,000 to 25,000	796	70	50	64	62	70	86	77	70	61	61	66	59
Cities of 2,500 to 10,000	102	13	11	6	12	7	1	8	11	6	12	10	5
Rural	455	35	41	45	34	40	43	35	37	28	33	42	42
SOUTH CAROLINA	47,162	4,128	3,682	4,164	3,926	3,730	3,895	4,331	4,309	4,044	3,561	3,598	3,794
Cities of 25,000 to 100,000	7,207	613	571	591	500	510	546	678	686	627	561	670	654
Cities of 10,000 to 25,000	3,199	311	268	253	271	222	282	314	296	238	262	229	273
Cities of 2,500 to 10,000	5,663	496	432	499	449	406	460	529	495	533	464	444	456
Rural	31,093	2,708	2,411	2,821	2,706	2,592	2,627	2,810	2,832	2,646	2,274	2,255	2,411
SOUTH DAKOTA	11,647	962	926	1,061	885	927	1,007	1,108	1,076	994	981	881	839
Cities of 25,000 to 100,000	1,037	66	81	78	83	88	104	102	93	88	100	83	71
Cities of 10,000 to 25,000	2,311	184	181	221	178	191	172	221	212	223	196	183	169
Cities of 2,500 to 10,000	2,147	179	164	177	141	163	202	194	213	188	187	175	164
Rural	6,152	533	520	585	483	485	529	591	558	495	498	440	435
TENNESSEE	60,537	4,776	4,674	5,524	5,123	5,031	5,006	5,669	5,539	5,137	4,635	4,583	4,840
Cities of 100,000 or more	18,197	1,441	1,308	1,534	1,362	1,354	1,498	1,729	1,680	1,605	1,499	1,567	1,620
Cities of 25,000 to 100,000	623	47	43	79	49	40	43	58	67	51	52	51	43
Cities of 10,000 to 25,000	2,623	188	216	229	215	208	196	261	225	245	223	184	233
Cities of 2,500 to 10,000	6,349	508	485	546	525	515	524	617	559	569	460	503	538
Rural	32,745	2,592	2,622	3,136	2,972	2,914	2,745	3,004	3,008	2,667	2,401	2,278	2,406
TEXAS	136,291	11,910	10,645	11,519	10,277	9,638	10,337	12,480	12,589	11,502	11,552	11,713	12,129
Cities of 100,000 or more	30,757	2,585	2,264	2,378	2,152	1,984	2,265	2,826	2,940	2,720	2,720	2,896	3,007
Cities of 25,000 to 100,000	20,173	1,775	1,557	1,704	1,507	1,401	1,457	1,847	1,857	1,674	1,772	1,774	1,848
Cities of 10,000 to 25,000	10,475	887	839	838	761	707	834	953	906	901	955	918	976
Cities of 2,500 to 10,000	25,665	2,136	1,871	2,143	1,884	1,697	2,000	2,340	2,414	2,196	2,260	2,340	2,384
Rural	49,241	4,527	4,114	4,456	3,973	3,849	3,781	4,514	4,472	4,011	3,845	3,785	3,914

TABLE 1.—LIVE BIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

AREA	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH	13,745	1,073	1,020	1,133	1,210	1,176	1,169	1,308	1,187	1,046	1,168	1,109	1,146
Cities of 100,000 or more	4,686	319	311	367	421	367	400	450	429	347	419	403	433
Cities of 25,000 to 100,000	1,532	120	114	125	132	112	131	140	124	123	132	133	146
Cities of 10,000 to 25,000	1,159	89	105	93	120	96	99	112	97	83	116	74	75
Cities of 2,500 to 10,000	3,211	267	223	274	260	272	277	317	290	243	253	253	282
Rural	3,157	278	267	274	277	309	262	289	247	250	248	246	210
VERMONT	6,762	554	536	582	563	597	590	625	567	572	546	472	558
Cities of 25,000 to 100,000	1,067	82	72	98	93	98	94	98	108	89	86	69	82
Cities of 10,000 to 25,000	893	86	67	66	65	93	90	75	78	69	55	67	82
Cities of 2,500 to 10,000	2,132	173	172	181	161	168	186	198	164	168	208	166	189
Rural	2,670	213	225	237	244	240	220	256	217	246	197	170	205
VIRGINIA	58,552	4,806	4,616	5,167	4,790	4,857	5,013	5,492	5,356	5,065	4,495	4,167	4,728
Cities of 100,000 or more	8,055	616	611	642	594	600	711	809	776	669	677	619	731
Cities of 25,000 to 100,000	8,715	695	611	721	660	639	764	824	835	758	711	707	790
Cities of 10,000 to 25,000	2,229	179	159	163	194	197	188	240	182	227	173	171	156
Cities of 2,500 to 10,000	4,789	388	333	398	416	342	392	464	440	414	418	356	428
Rural	34,764	2,928	2,902	3,243	2,926	3,079	2,958	3,155	3,123	2,997	2,516	2,314	2,623
WASHINGTON	30,567	2,411	2,120	2,601	2,476	2,755	2,593	2,826	2,821	2,608	2,490	2,263	2,603
Cities of 100,000 or more	13,156	996	910	1,131	1,113	1,180	1,082	1,231	1,210	1,107	1,108	947	1,141
Cities of 25,000 to 100,000	3,020	239	190	254	211	259	285	276	270	282	248	247	259
Cities of 10,000 to 25,000	4,772	355	298	382	363	420	385	433	476	395	410	408	447
Cities of 2,500 to 10,000	3,995	325	291	371	304	358	366	357	358	339	319	287	320
Rural	5,624	496	431	463	485	538	475	529	507	485	405	374	436
WEST VIRGINIA	43,827	3,791	3,354	3,927	3,789	3,706	3,748	4,058	3,994	3,682	3,453	3,216	3,109
Cities of 25,000 to 100,000	8,050	646	552	639	654	635	657	765	773	692	749	663	625
Cities of 10,000 to 25,000	2,159	206	144	186	169	188	175	195	201	187	177	158	173
Cities of 2,500 to 10,000	4,275	374	309	399	377	336	385	444	382	353	337	314	285
Rural	29,343	2,565	2,349	2,703	2,589	2,547	2,551	2,654	2,638	2,450	2,190	2,081	2,026
WISCONSIN	57,120	4,472	4,194	4,965	4,656	4,628	4,872	5,383	5,160	4,937	4,876	4,450	4,527
Cities of 100,000 or more	11,794	845	783	965	952	889	1,007	1,086	1,069	1,078	1,121	990	1,009
Cities of 25,000 to 100,000	15,581	1,164	1,066	1,410	1,255	1,209	1,302	1,523	1,447	1,345	1,293	1,280	1,287
Cities of 10,000 to 25,000	5,934	451	423	490	457	498	493	563	585	552	506	464	492
Cities of 2,500 to 10,000	8,241	632	619	676	659	655	714	777	768	717	718	631	675
Rural	15,570	1,380	1,303	1,424	1,333	1,377	1,356	1,434	1,311	1,265	1,238	1,085	1,064
WYOMING	5,181	412	369	442	416	466	454	486	466	414	423	402	431
Cities of 10,000 to 25,000	1,727	142	118	132	154	148	147	158	148	149	139	146	146
Cities of 2,500 to 10,000	1,106	77	79	105	81	101	90	111	104	83	91	91	93
Rural	2,348	193	172	205	181	217	217	217	214	182	193	165	192

TABLE 2.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941

AREA	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
UNITED STATES	2,513,427	2,204,903	1,976,320	92,670	32,378	48,907	51,477	740	607	43	1,761	294,554	13,970
Cities of 100,000 or more	772,845	692,305	574,673	48,558	12,085	25,537	30,742	396	109	18	187	77,711	2,829
Cities of 25,000 to 100,000	362,983	335,906	300,095	14,756	4,955	8,439	7,163	142	66	9	281	26,364	713
Cities of 10,000 to 25,000	244,662	228,265	209,004	8,190	2,915	4,487	3,406	47	65	8	143	15,677	720
Cities of 2,500 to 10,000	298,990	278,298	259,734	7,523	3,189	4,049	3,466	48	100	4	185	18,961	1,731
Rural	833,947	670,129	632,814	13,643	9,234	6,395	6,700	107	267	4	965	155,841	7,977
ALABAMA	64,230	39,793	38,903	131	665	48	36	-	6	-	4	24,433	12
Cities of 100,000 or more	6,691	3,998	3,835	49	87	13	13	-	-	-	1	2,693	-
Cities of 25,000 to 100,000	7,034	4,978	4,824	41	86	12	15	-	-	-	-	2,054	2
Cities of 10,000 to 25,000	4,226	2,844	2,808	11	16	7	2	-	-	-	-	1,382	-
Cities of 2,500 to 10,000	5,706	4,131	4,055	9	63	2	2	-	-	-	-	1,575	-
Rural	40,581	23,842	23,381	21	413	14	4	-	6	-	3	16,729	10
ARIZONA	12,011	10,529	8,318	887	126	532	643	20	2	-	1	255	1,227
Cities of 25,000 to 100,000	4,446	4,199	3,435	295	84	188	181	14	1	-	1	147	100
Cities of 2,500 to 10,000	2,971	2,891	2,189	271	13	194	221	3	-	-	-	53	27
Rural	4,594	3,439	2,694	321	29	150	241	3	1	-	-	55	1,100
ARKANSAS	40,437	30,670	30,255	60	297	20	14	-	27	-	17	9,758	9
Cities of 25,000 to 100,000	3,816	3,251	3,124	18	98	6	3	-	2	-	-	564	1
Cities of 10,000 to 25,000	2,783	2,243	2,193	10	29	4	3	-	2	-	2	540	-
Cities of 2,500 to 10,000	5,442	4,596	4,545	13	23	5	5	-	4	-	1	844	2
Rural	28,396	20,580	20,373	19	147	5	3	-	19	-	14	7,810	6
CALIFORNIA	124,682	119,308	99,324	8,812	641	4,952	5,528	37	24	5	7	2,025	3,349
Cities of 100,000 or more	52,124	49,021	40,194	3,877	345	2,460	2,115	20	7	1	2	1,383	1,720
Cities of 25,000 to 100,000	20,753	20,125	17,148	1,289	84	804	793	4	1	2	-	215	413
Cities of 10,000 to 25,000	12,194	11,953	10,321	775	48	418	390	2	4	-	1	54	187
Cities of 2,500 to 10,000	15,269	14,868	12,704	960	38	481	698	4	4	1	-	41	360
Rural	24,342	23,341	18,957	1,915	128	791	1,532	7	8	1	4	332	669
COLORADO	21,400	21,128	19,404	729	345	247	381	6	11	-	5	172	100
Cities of 100,000 or more	7,347	7,215	6,583	227	208	105	84	3	4	-	1	115	17
Cities of 25,000 to 100,000	1,859	1,815	1,691	52	18	25	26	-	-	-	1	25	1
Cities of 10,000 to 25,000	1,814	1,804	1,683	58	12	22	28	-	1	-	-	5	5
Cities of 2,500 to 10,000	3,522	3,497	3,234	111	47	29	72	2	2	-	-	14	11
Rural	6,878	6,799	6,213	281	50	66	171	1	4	-	3	15	66

TABLE 2.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Contd.

AREA	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
CONNECTICUT	28,526	27,850	22,532	2,373	316	1,289	1,322	11	5	1	1	670	6
Cities of 100,000 or more	12,822	12,436	10,099	1,024	116	592	594	8	2	1	-	384	2
Cities of 25,000 to 100,000	10,042	9,851	7,889	885	130	450	495	-	2	-	-	190	1
Cities of 10,000 to 25,000	2,510	2,471	2,026	216	16	101	110	1	1	-	-	39	-
Cities of 2,500 to 10,000	1,058	1,050	863	81	8	49	30	-	-	-	-	6	2
Rural	2,114	2,062	1,655	167	46	98	93	2	-	-	1	51	1
DELAWARE	5,121	4,299	3,941	132	110	55	59	1	1	-	-	820	2
Cities of 100,000 or more	3,208	2,874	2,601	114	55	49	54	1	-	-	-	333	1
Cities of 2,500 to 10,000	728	617	586	9	18	1	3	-	-	-	-	111	-
Rural	1,185	808	754	9	37	5	2	-	1	-	-	376	1
DISTRICT OF COLUMBIA	18,294	12,999	11,716	443	252	293	227	4	7	1	56	5,265	30
FLORIDA	37,551	26,759	25,276	518	450	322	171	5	9	-	8	10,775	17
Cities of 100,000 or more	10,194	7,728	7,074	268	116	158	102	3	2	-	3	2,459	9
Cities of 25,000 to 100,000	4,517	3,628	3,351	90	87	62	33	2	1	-	2	888	1
Cities of 10,000 to 25,000	4,144	3,049	2,909	56	30	37	15	-	1	-	1	1,095	-
Cities of 2,500 to 10,000	5,553	4,088	3,952	53	35	29	19	-	-	-	-	1,463	2
Rural	13,143	8,268	7,990	51	182	36	2	-	5	-	2	4,870	5
GEORGIA	68,244	41,772	40,817	127	695	60	39	1	24	-	9	26,454	18
Cities of 100,000 or more	8,077	5,493	5,298	38	119	16	18	1	3	-	-	2,584	-
Cities of 25,000 to 100,000	8,981	6,037	5,869	42	106	11	8	-	1	-	-	2,936	8
Cities of 10,000 to 25,000	4,856	3,387	3,327	15	27	9	7	-	1	-	1	1,469	-
Cities of 2,500 to 10,000	8,327	6,055	5,943	11	68	7	1	-	2	-	3	2,271	1
Rural	38,003	20,800	20,380	21	355	17	5	-	17	-	5	17,194	9
IDAHO	11,715	11,612	10,988	276	93	209	37	1	7	-	1	3	100
Cities of 25,000 to 100,000	1,108	1,101	1,022	33	27	15	2	1	1	-	-	3	4
Cities of 10,000 to 25,000	3,045	3,032	2,863	70	23	65	10	-	1	-	-	-	13
Cities of 2,500 to 10,000	3,237	3,230	3,044	83	19	69	11	-	3	-	1	-	7
Rural	4,325	4,249	4,059	90	24	60	14	-	2	-	-	-	76
ILLINOIS	134,451	126,897	112,179	6,434	2,023	2,845	3,246	59	48	4	59	7,457	97
Cities of 100,000 or more	60,663	54,654	44,229	4,547	1,238	1,964	2,582	53	27	4	10	5,948	81
Cities of 25,000 to 100,000	26,555	25,872	23,949	939	222	429	293	3	4	-	33	673	10
Cities of 10,000 to 25,000	13,513	13,264	12,408	410	122	185	128	-	4	-	7	246	3
Cities of 2,500 to 10,000	15,156	14,991	14,178	338	151	170	145	1	6	-	2	164	1
Rural	18,544	18,116	17,415	200	290	97	98	2	7	-	7	426	2
INDIANA	66,036	63,698	61,283	904	554	445	355	2	32	1	22	2,334	4
Cities of 100,000 or more	15,890	14,290	13,337	395	213	178	161	1	4	-	1	1,598	2
Cities of 25,000 to 100,000	15,816	15,278	14,479	312	151	163	156	1	9	1	6	537	1
Cities of 10,000 to 25,000	6,288	6,227	6,093	56	42	23	8	-	3	-	2	61	-
Cities of 2,500 to 10,000	8,593	8,551	8,387	37	84	28	6	-	5	-	4	42	-
Rural	19,449	19,352	18,987	104	164	53	24	-	11	-	9	96	1
IOWA	46,826	46,533	44,240	920	763	380	207	7	13	-	3	262	31
Cities of 100,000 or more	3,620	3,498	3,217	74	151	28	22	4	2	-	-	120	2
Cities of 25,000 to 100,000	11,392	11,342	10,718	240	213	99	67	1	3	-	1	45	5
Cities of 10,000 to 25,000	6,255	6,188	5,827	92	200	48	13	2	-	-	1	66	1
Cities of 2,500 to 10,000	9,763	9,752	9,429	142	89	55	35	-	2	-	-	11	-
Rural	15,796	15,753	15,049	372	110	150	65	-	6	-	1	20	23
KANSAS	30,143	28,974	27,782	377	425	158	217	3	7	1	4	1,104	65
Cities of 100,000 or more	5,623	5,121	4,775	90	168	38	48	-	1	-	1	500	2
Cities of 25,000 to 100,000	2,309	2,181	2,027	43	52	16	40	1	1	1	-	124	4
Cities of 10,000 to 25,000	4,843	4,556	4,395	42	63	20	33	2	-	-	1	283	4
Cities of 2,500 to 10,000	6,324	6,210	6,031	60	66	23	29	-	1	-	-	78	36
Rural	11,044	10,906	10,554	142	76	61	67	-	4	-	2	119	19
KENTUCKY	63,430	60,049	59,164	159	612	61	30	-	17	-	6	3,375	6
Cities of 100,000 or more	7,844	7,025	6,829	53	106	23	12	-	2	-	-	815	4
Cities of 25,000 to 100,000	5,896	5,483	5,329	46	78	19	10	-	1	-	-	411	2
Cities of 10,000 to 25,000	1,583	1,410	1,390	5	13	2	-	-	-	-	-	173	-
Cities of 2,500 to 10,000	6,457	5,918	5,828	14	67	4	4	-	1	-	-	539	-
Rural	41,650	40,213	39,788	41	348	13	4	-	13	-	6	1,437	-
LOUISIANA	54,672	32,262	31,468	283	343	98	60	1	6	-	3	22,328	82
Cities of 100,000 or more	13,285	7,939	7,569	165	111	61	32	-	-	-	1	5,334	12
Cities of 25,000 to 100,000	6,515	4,098	3,976	14	84	16	6	1	-	-	1	2,416	1
Cities of 10,000 to 25,000	2,987	2,086	2,024	9	46	4	2	-	1	-	-	897	4
Cities of 2,500 to 10,000	7,117	5,224	5,142	29	39	2	10	-	2	-	-	1,887	6
Rural	24,768	12,915	12,757	66	63	15	10	-	3	-	1	11,794	59
MAINE	15,855	15,815	13,116	994	286	982	419	15	1	-	2	15	25
Cities of 25,000 to 100,000	3,981	3,970	3,217	267	103	253	124	5	-	-	1	10	1
Cities of 10,000 to 25,000	2,218	2,218	1,779	167	34	168	68	1	1	-	-	-	-
Cities of 2,500 to 10,000	2,269	2,261	1,880	137	30	144	66	3	-	-	1	2	6
Rural	7,387	7,366	6,240	423	119	417	161	6	-	-	-	3	18
MARYLAND	34,287	27,122	25,752	590	221	320	227	-	7	-	5	7,146	19
Cities of 100,000 or more	19,306	14,915	13,871	478	126	252	185	-	2	-	1	4,379	12
Cities of 25,000 to 100,000	2,236	2,183	2,133	19	20	6	4	-	-	-	1	53	-
Cities of 10,000 to 25,000	1,920	1,624	1,573	20	6	15	8	-	-	-	2	292	4
Cities of 2,500 to 10,000	2,154	1,937	1,844	28	25	24	15	-	1	-	-	216	1
Rural	8,671	6,463	6,331	45	44	23	15	-	4	-	1	2,206	2
MASSACHUSETTS	70,189	69,234	55,845	5,946	1,428	4,221	3,674	97	8	7	8	907	48
Cities of 100,000 or more	34,136	33,434	25,097	2,998	876	2,137	2,231	80	6	4	5	665	37
Cities of 25,000 to 100,000	18,766	18,656	14,836	1,581	184	1,177	868	8	-	1	1	106	4
Cities of 10,000 to 25,000	11,704	11,681	9,454	955	190	653	419	5	1	2	2	19	4
Cities of 2,500 to 10,000	3,388	3,357	2,851	227	55	147	76	-	1	-	-	31	-
Rural	2,195	2,106	1,607	185	123	107	80	4	-	-	-	86	3

TABLE 2.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Contd.

AREA	Total births	WHITE									Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
MICHIGAN	107,511	103,003	87,699	6,771	1,212	4,125	3,087	41	38	5	25	4,332	176
Cities of 100,000 or more	41,806	36,293	29,310	3,882	596	2,398	2,076	25	5	1	2	3,493	20
Cities of 25,000 to 100,000	24,272	23,802	20,883	1,326	250	800	513	5	17	1	7	451	19
Cities of 10,000 to 25,000	9,022	8,840	8,039	382	80	226	123	4	3	1	2	178	8
Cities of 2,500 to 10,000	11,515	11,426	10,546	382	103	277	107	-	4	2	5	86	23
Rural	20,896	20,642	18,921	799	203	426	268	7	9	-	9	146	108
MINNESOTA	54,462	53,773	49,280	2,045	1,079	907	441	13	7	-	1	121	568
Cities of 100,000 or more	18,904	18,755	16,459	912	701	447	224	12	-	-	-	117	32
Cities of 25,000 to 100,000	739	738	688	14	12	15	9	-	-	-	-	-	1
Cities of 10,000 to 25,000	5,631	5,626	5,285	191	61	59	29	-	1	-	-	2	3
Cities of 2,500 to 10,000	10,677	10,646	10,001	324	131	135	53	-	2	-	-	-	31
Rural	18,511	18,008	16,847	604	174	251	126	1	4	-	1	2	501
MISSISSIPPI	54,454	24,157	23,746	65	264	30	23	-	18	-	11	30,213	84
Cities of 25,000 to 100,000	2,552	1,751	1,705	11	28	4	2	-	1	-	-	801	-
Cities of 10,000 to 25,000	5,033	3,420	3,353	22	29	9	7	-	-	-	-	1,603	10
Cities of 2,500 to 10,000	4,036	2,483	2,439	9	21	8	2	-	3	-	1	1,510	43
Rural	42,833	16,503	16,249	23	186	9	12	-	14	-	10	26,299	31
MISSOURI	66,050	61,478	58,684	731	1,423	329	278	3	18	-	12	4,549	23
Cities of 100,000 or more	24,187	21,295	19,384	573	837	252	241	3	4	-	1	2,877	15
Cities of 25,000 to 100,000	3,785	3,698	3,571	32	77	9	5	-	1	-	3	84	3
Cities of 10,000 to 25,000	6,466	6,058	5,876	47	90	28	15	-	1	-	1	408	-
Cities of 2,500 to 10,000	6,978	6,657	6,540	25	75	10	3	-	3	-	1	320	1
Rural	24,634	23,770	23,313	54	344	30	14	-	9	-	6	860	4
MONTANA	11,437	10,741	9,579	582	79	321	175	5	-	-	-	14	682
Cities of 25,000 to 100,000	1,997	1,986	1,768	123	17	56	22	-	-	-	-	4	7
Cities of 10,000 to 25,000	2,679	2,665	2,445	114	17	61	27	1	-	-	-	3	11
Cities of 2,500 to 10,000	2,957	2,949	2,648	139	21	101	38	2	-	-	-	-	8
Rural	3,804	3,141	2,718	206	24	103	88	2	-	-	-	7	656
NEBRASKA	22,197	21,875	20,681	533	257	210	174	-	7	-	3	190	132
Cities of 100,000 or more	4,834	4,664	4,243	176	119	74	50	-	-	-	2	167	3
Cities of 25,000 to 100,000	1,437	1,424	1,348	29	6	25	16	-	-	-	-	13	-
Cities of 10,000 to 25,000	2,882	2,877	2,725	80	22	28	19	-	3	-	-	3	2
Cities of 2,500 to 10,000	3,432	3,321	3,321	54	24	18	11	-	-	-	-	4	-
Rural	9,612	9,482	9,044	194	96	65	78	-	4	-	1	3	127
NEVADA	2,181	2,013	1,815	97	11	44	44	-	-	-	2	6	162
Cities of 10,000 to 25,000	328	325	289	14	-	14	8	-	-	-	-	1	2
Cities of 2,500 to 10,000	571	559	512	21	7	10	9	-	-	-	-	3	9
Rural	1,282	1,129	1,014	62	4	20	27	-	-	-	2	2	151
NEW HAMPSHIRE	8,743	8,728	7,193	596	211	484	241	5	8	-	-	13	2
Cities of 25,000 to 100,000	2,699	2,698	2,129	225	67	181	92	3	1	-	-	1	-
Cities of 10,000 to 25,000	2,595	2,585	2,109	195	46	153	82	-	-	-	-	9	1
Cities of 2,500 to 10,000	1,044	1,043	885	59	25	51	20	-	3	-	-	-	1
Rural	2,405	2,402	2,060	117	73	99	47	2	4	-	-	3	-
NEW JERSEY	65,935	60,970	50,662	4,786	551	2,270	2,644	20	19	6	12	4,944	21
Cities of 100,000 or more	31,448	28,884	23,497	2,452	343	1,183	1,391	11	2	1	4	2,554	8
Cities of 25,000 to 100,000	16,359	15,384	12,638	1,326	81	627	701	4	5	-	2	967	8
Cities of 10,000 to 25,000	8,188	7,639	6,483	540	46	264	290	4	5	4	3	547	2
Cities of 2,500 to 10,000	4,889	4,498	3,959	241	27	115	153	-	2	-	1	389	2
Rural	5,057	4,565	4,085	227	54	81	109	1	5	1	2	487	1
NEW MEXICO	14,774	14,252	12,820	418	561	204	233	13	2	-	1	86	436
Cities of 25,000 to 100,000	1,324	1,313	1,193	30	57	21	11	1	-	-	-	10	1
Cities of 10,000 to 25,000	1,890	1,832	1,718	27	71	7	9	-	-	-	-	23	35
Cities of 2,500 to 10,000	3,634	3,601	3,207	109	150	69	61	3	2	-	-	28	5
Rural	7,926	7,506	6,702	252	283	107	152	9	-	-	1	25	395
NEW YORK	211,171	200,290	152,679	19,346	2,589	9,857	15,674	123	16	1	5	10,333	548
Cities of 100,000 or more	144,625	135,194	98,535	15,674	1,503	7,673	13,715	87	3	1	3	9,049	382
Cities of 25,000 to 100,000	18,269	17,865	15,004	1,221	252	709	665	10	2	-	2	384	20
Cities of 10,000 to 25,000	18,586	18,333	15,794	1,025	318	626	569	8	3	-	-	241	12
Cities of 2,500 to 10,000	10,910	10,686	9,390	540	173	314	249	4	1	-	-	171	53
Rural	18,781	18,212	15,966	886	343	531	485	16	5	-	-	488	81
NORTH CAROLINA	84,634	57,422	55,625	106	217	62	29	-	16	-	1,365	26,280	932
Cities of 100,000 or more	3,019	2,239	2,136	13	3	12	3	-	1	-	71	780	-
Cities of 25,000 to 100,000	11,642	8,399	8,071	47	25	31	15	-	1	-	209	3,241	2
Cities of 10,000 to 25,000	7,209	5,411	5,258	16	20	4	5	-	1	-	107	1,797	1
Cities of 2,500 to 10,000	8,580	7,001	6,801	9	26	6	3	-	2	-	154	1,523	56
Rural	54,184	34,372	33,359	23	143	9	3	-	11	-	824	18,939	873
NORTH DAKOTA	13,464	13,020	11,617	787	187	313	125	9	2	-	-	1	443
Cities of 25,000 to 100,000	1,218	1,218	1,031	49	107	21	2	8	-	-	-	-	-
Cities of 10,000 to 25,000	2,354	2,348	2,173	97	15	43	20	-	-	-	-	1	5
Cities of 2,500 to 10,000	2,195	2,186	2,000	129	8	34	14	-	1	-	-	-	9
Rural	7,697	7,268	6,413	512	37	215	89	1	1	-	-	-	429
OHIO	126,155	119,499	110,830	3,869	1,398	1,770	1,594	7	19	1	11	6,632	24
Cities of 100,000 or more	60,446	55,401	49,526	2,617	857	1,242	1,146	6	3	1	3	5,030	15
Cities of 25,000 to 100,000	18,044	17,441	16,263	564	142	248	220	1	1	-	2	600	3
Cities of 10,000 to 25,000	11,489	11,183	10,601	272	104	119	85	-	2	-	-	306	-
Cities of 2,500 to 10,000	10,225	9,982	9,657	152	61	65	41	-	4	-	2	241	2
Rural	25,951	25,492	24,783	264	234	96	102	-	9	-	4	455	4
OKLAHOMA	45,447	40,516	39,256	177	852	85	54	2	60	-	30	2,842	2,089
Cities of 100,000 or more	7,877	7,224	6,811	69	269	29	22	2	14	-	8	601	52
Cities of 25,000 to 100,000	1,691	1,515	1,474	6	26	5	1	-	2	-	1	155	21
Cities of 10,000 to 25,000	6,725	6,011	5,841	22	112	11	11	-	9	-	5	402	312
Cities of 2,500 to 10,000	8,802	7,643	7,465	38	107	13	5	-	13	-	2	363	796
Rural	20,352	18,123	17,665	42	338	27	15	-	22	-	14	1,321	908

TABLE 2.—LIVE BIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Contd.

AREA	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
OREGON	19,138	18,865	17,197	763	175	549	168	7	4	-	2	31	242
Cities of 100,000 or more	6,342	6,229	5,421	351	94	269	87	5	1	-	1	27	86
Cities of 25,000 to 100,000	956	953	880	39	4	23	7	-	-	-	-	1	2
Cities of 10,000 to 25,000	3,203	3,187	2,955	116	25	66	22	2	1	-	-	2	14
Cities of 2,500 to 10,000	5,741	5,706	5,330	179	33	131	31	-	2	-	-	1	34
Rural	2,896	2,790	2,611	78	19	60	21	-	-	-	1	-	106
PENNSYLVANIA	174,593	164,493	148,735	7,156	2,176	3,042	3,329	35	11	3	6	10,077	23
Cities of 100,000 or more	57,183	50,126	43,063	3,129	707	1,490	1,691	22	1	1	2	7,046	11
Cities of 25,000 to 100,000	29,170	27,951	25,479	1,108	405	517	438	2	-	1	1	1,216	3
Cities of 10,000 to 25,000	25,222	24,300	22,026	1,034	418	393	421	6	2	-	-	918	4
Cities of 2,500 to 10,000	22,115	21,845	20,148	821	267	281	323	4	1	-	-	266	4
Rural	40,903	40,271	37,999	1,064	379	361	456	1	7	1	3	631	1
RHODE ISLAND	11,582	11,325	8,885	1,021	257	656	500	6	-	-	-	247	10
Cities of 100,000 or more	6,407	6,248	4,994	554	126	315	256	3	-	-	-	153	6
Cities of 25,000 to 100,000	3,822	3,765	2,858	355	103	266	181	2	-	-	-	53	4
Cities of 10,000 to 25,000	796	786	608	66	18	46	46	-	-	-	-	10	-
Cities of 2,500 to 10,000	102	102	80	9	-	7	6	-	-	-	-	-	-
Rural	455	424	345	37	10	20	11	1	-	-	-	31	-
SOUTH CAROLINA	47,162	24,065	23,411	73	532	27	19	-	1	-	2	23,072	25
Cities of 25,000 to 100,000	7,207	4,527	4,314	37	147	15	14	-	-	-	-	2,678	2
Cities of 10,000 to 25,000	3,199	2,415	2,364	10	38	1	2	-	-	-	-	784	-
Cities of 2,500 to 10,000	5,663	3,973	3,859	9	101	2	1	-	-	-	1	1,690	-
Rural	31,093	13,150	12,874	17	246	9	2	-	1	-	1	17,920	23
SOUTH DAKOTA	11,647	10,927	10,211	332	188	118	59	1	14	-	4	10	710
Cities of 25,000 to 100,000	1,037	1,033	944	35	38	10	5	-	1	-	-	4	-
Cities of 10,000 to 25,000	2,311	2,305	2,175	50	44	20	11	1	3	-	1	1	5
Cities of 2,500 to 10,000	2,147	2,069	1,929	59	39	27	12	-	3	-	-	4	74
Rural	6,152	5,520	5,163	188	67	61	31	-	7	-	3	1	631
TENNESSEE	60,537	51,162	49,748	128	1,178	48	34	1	13	-	12	9,372	3
Cities of 100,000 or more	18,197	13,578	13,025	98	385	35	31	1	-	-	3	4,619	-
Cities of 25,000 to 100,000	623	581	564	3	14	-	-	-	-	-	-	42	-
Cities of 10,000 to 25,000	2,623	2,297	2,228	6	57	4	2	-	-	-	-	325	1
Cities of 2,500 to 10,000	6,349	5,727	5,593	7	121	3	1	-	2	-	-	621	1
Rural	32,745	28,979	28,338	14	601	6	-	-	11	-	9	3,765	1
TEXAS	138,291	118,633	103,649	5,809	2,095	2,854	4,019	138	42	4	23	17,613	45
Cities of 100,000 or more	30,737	26,543	23,097	1,298	781	606	726	26	2	2	5	4,171	23
Cities of 25,000 to 100,000	20,173	18,212	15,398	967	379	559	838	60	6	1	4	1,957	4
Cities of 10,000 to 25,000	10,475	9,425	8,452	347	172	195	243	6	7	-	3	1,045	5
Cities of 2,500 to 10,000	25,665	24,045	21,607	931	301	489	692	16	7	-	2	1,617	3
Rural	49,241	40,408	35,095	2,266	462	1,005	1,520	30	20	1	9	8,823	10
UTAH	13,745	13,631	12,844	376	43	247	120	1	-	-	-	16	98
Cities of 100,000 or more	4,686	4,664	4,272	174	20	119	78	1	-	-	-	14	8
Cities of 25,000 to 100,000	1,532	1,525	1,441	43	4	27	10	-	-	-	-	2	5
Cities of 10,000 to 25,000	1,159	1,159	1,107	27	1	21	3	-	-	-	-	-	-
Cities of 2,500 to 10,000	3,211	3,192	3,043	72	11	49	17	-	-	-	-	-	19
Rural	3,157	3,091	2,981	60	7	31	12	-	-	-	-	-	66
VERMONT	6,762	6,756	5,560	444	128	332	279	7	5	-	1	3	3
Cities of 25,000 to 100,000	1,067	1,065	876	66	42	47	32	2	-	-	-	1	1
Cities of 10,000 to 25,000	893	891	772	49	13	33	24	-	-	-	-	1	1
Cities of 2,500 to 10,000	2,132	2,132	1,787	144	28	117	52	1	2	-	1	-	-
Rural	2,670	2,668	2,125	185	45	135	171	4	3	-	-	1	1
VIRGINIA	58,552	42,608	41,297	242	861	136	66	1	2	-	3	15,918	26
Cities of 100,000 or more	8,055	5,715	5,445	87	104	50	29	-	-	-	-	2,335	5
Cities of 25,000 to 100,000	8,715	6,656	6,418	66	125	31	15	1	-	-	-	2,059	-
Cities of 10,000 to 25,000	2,229	1,922	1,861	11	41	7	2	-	-	-	-	306	1
Cities of 2,500 to 10,000	4,789	4,139	4,015	18	90	9	5	-	1	-	-	649	1
Rural	34,764	24,176	23,557	60	501	39	15	-	1	-	3	10,569	19
WASHINGTON	30,567	29,873	25,984	1,811	271	1,373	404	17	10	-	3	58	636
Cities of 100,000 or more	13,156	12,899	10,842	943	174	691	235	10	4	-	-	38	219
Cities of 25,000 to 100,000	3,020	2,936	2,548	193	25	179	40	-	-	-	1	7	27
Cities of 10,000 to 25,000	4,772	4,738	4,284	231	23	170	27	1	1	-	1	3	31
Cities of 2,500 to 10,000	3,995	3,915	3,512	187	22	155	35	3	-	-	1	3	77
Rural	5,624	5,335	4,798	257	27	178	67	3	5	-	-	7	282
WEST VIRGINIA	43,827	42,053	39,507	432	1,823	118	168	3	1	-	1	1,773	1
Cities of 25,000 to 100,000	8,050	7,852	7,312	120	326	46	48	-	-	-	-	197	1
Cities of 10,000 to 25,000	2,159	2,033	1,907	34	69	12	11	-	-	-	-	126	-
Cities of 2,500 to 10,000	4,275	4,135	3,909	43	149	13	20	1	-	-	-	140	-
Rural	29,343	28,033	26,379	235	1,279	47	89	2	1	-	1	1,310	-
WISCONSIN	57,120	56,431	52,178	1,913	991	794	532	11	7	2	3	237	452
Cities of 100,000 or more	11,794	11,716	10,269	716	179	287	261	4	-	-	-	65	13
Cities of 25,000 to 100,000	15,581	15,522	14,280	515	369	216	137	2	1	1	1	39	20
Cities of 10,000 to 25,000	5,934	5,905	5,614	144	60	61	24	-	1	1	-	5	24
Cities of 2,500 to 10,000	8,241	8,226	7,866	150	105	73	28	3	3	-	-	2	13
Rural	15,570	15,062	14,149	388	278	157	84	2	2	-	2	126	382
WYOMING	5,181	5,041	4,675	164	34	85	74	1	5	1	2	13	127
Cities of 10,000 to 25,000	1,727	1,712	1,599	56	10	25	20	1	1	-	-	8	7
Cities of 2,500 to 10,000	1,106	1,100	999	50	5	21	19	-	3	1	2	2	4
Rural	2,348	2,229	2,077	58	19	39	35	-	1	-	-	3	116

TABLE 3.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1941

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TWINS				
UNITED STATES	27,439	23,298	4,002	139
2 males	9,383	8,082	1,248	52
Both living	8,391	7,301	1,044	46
1 living	565	459	102	4
Both stillborn	427	322	102	2
1 male, 1 female	8,986	7,457	1,483	46
Both living	8,293	6,982	1,269	42
1 living—M	209	135	73	1
F	279	212	64	3
Both stillborn	205	128	77	-
2 females	9,041	7,736	1,264	41
Both living	8,226	7,131	1,058	37
1 living	480	360	119	1
Both stillborn	335	245	87	3
Both unknown	29	23	6	-
Both stillborn	29	23	6	-
ALABAMA:				
2 males	268	166	102	-
Both living	232	146	86	-
1 living	19	9	10	-
Both stillborn	17	11	6	-
1 male, 1 female	290	145	145	-
Both living	246	134	112	-
1 living—M	11	2	9	-
F	21	7	14	-
Both stillborn	12	2	10	-
2 females	246	157	89	-
Both living	215	140	75	-
1 living	21	12	9	-
Both stillborn	10	5	5	-
Both unknown	1	-	1	-
Both stillborn	1	-	1	-
ARIZONA:				
2 males	46	34	2	10
Both living	41	33	2	6
1 living	3	-	-	3
Both stillborn	2	1	-	1
1 male, 1 female	45	42	1	2
Both living	41	38	1	2
1 living—M	1	1	-	-
F	2	2	-	-
Both stillborn	1	1	-	-
2 females	53	48	2	3
Both living	49	44	2	3
1 living	2	2	-	-
Both stillborn	2	2	-	-
ARKANSAS:				
2 males	188	133	55	-
Both living	170	121	49	-
1 living	10	8	2	-
Both stillborn	8	4	4	-
1 male, 1 female	210	143	67	-
Both living	190	135	55	-
1 living—M	6	2	4	-
F	8	3	5	-
Both stillborn	6	3	3	-
2 females	154	112	42	-
Both living	143	106	37	-
1 living	7	4	3	-
Both stillborn	4	2	2	-
Both unknown	1	1	-	-
Both stillborn	1	1	-	-
CALIFORNIA:				
2 males	462	440	7	15
Both living	423	403	5	15
1 living	23	23	-	-
Both stillborn	16	14	2	-
1 male, 1 female	393	376	10	7
Both living	369	352	10	7
1 living—M	10	10	-	-
F	9	9	-	-
Both stillborn	5	5	-	-
2 females	465	451	5	9
Both living	431	418	4	9
1 living	22	21	1	-
Both stillborn	12	12	-	-
COLORADO:				
2 males	59	56	1	2
Both living	57	56	-	1
Both stillborn	2	-	1	1
1 male, 1 female	65	62	3	-
Both living	63	60	3	-
Both stillborn	2	2	-	-
2 females	65	64	1	-
Both living	61	60	1	-
Both stillborn	4	4	-	-
CONNECTICUT:				
2 males	96	92	4	-
Both living	91	87	4	-
1 living	4	4	-	-
Both stillborn	1	1	-	-
1 male, 1 female	87	84	3	-
Both living	84	81	3	-
1 living—M	1	1	-	-
F	1	1	-	-
Both stillborn	1	1	-	-
CASES OF TWINS—Con.				
CONNECTICUT—Continued				
2 females	83	81	2	-
Both living	80	78	2	-
1 living	3	3	-	-
DELAWARE:				
2 males	15	12	3	-
Both living	13	11	2	-
1 living	2	1	1	-
1 male, 1 female	10	5	5	-
Both living	10	5	5	-
2 females	21	16	5	-
Both living	20	15	5	-
1 living	1	1	-	-
DISTRICT OF COLUMBIA:				
2 males	57	39	18	-
Both living	52	36	16	-
1 living	2	2	-	-
Both stillborn	3	1	2	-
1 male, 1 female	51	38	13	-
Both living	48	35	13	-
1 living—M	1	1	-	-
Both stillborn	2	2	-	-
2 females	60	42	18	-
Both living	50	35	15	-
1 living	8	5	3	-
Both stillborn	2	2	-	-
FLORIDA:				
2 males	152	103	49	-
Both living	133	93	40	-
1 living	15	9	6	-
Both stillborn	4	1	3	-
1 male, 1 female	127	76	51	-
Both living	101	66	35	-
1 living—M	9	3	6	-
F	6	2	4	-
Both stillborn	11	5	6	-
2 females	147	99	48	-
Both living	125	91	34	-
1 living	8	4	4	-
Both stillborn	14	4	10	-
GEORGIA:				
2 males	249	156	93	-
Both living	223	142	81	-
1 living	13	7	6	-
Both stillborn	13	7	6	-
1 male, 1 female	241	124	116	1
Both living	221	118	102	1
1 living—M	5	2	3	-
F	2	1	1	-
Both stillborn	13	3	10	-
2 females	217	116	101	-
Both living	192	107	85	-
1 living	12	3	9	-
Both stillborn	13	6	7	-
IDAHO:				
2 males	33	33	-	-
Both living	31	31	-	-
1 living	1	1	-	-
Both stillborn	1	1	-	-
1 male, 1 female	40	40	-	-
Both living	35	35	-	-
1 living—M	1	1	-	-
F	1	1	-	-
Both stillborn	3	3	-	-
2 females	46	45	-	1
Both living	40	39	-	1
1 living	3	3	-	-
Both stillborn	3	3	-	-
ILLINOIS:				
2 males	491	460	31	-
Both living	437	413	24	-
1 living	39	35	4	-
Both stillborn	15	12	3	-
1 male, 1 female	466	432	33	1
Both living	437	404	32	1
1 living—M	9	8	1	-
F	14	14	-	-
Both stillborn	6	6	-	-
2 females	518	484	34	-
Both living	479	445	34	-
1 living	27	27	-	-
Both stillborn	12	12	-	-
INDIANA:				
2 males	216	214	4	-
Both living	198	194	4	-
1 living	13	13	-	-
Both stillborn	7	7	-	-
1 male, 1 female	201	192	9	-
Both living	188	181	7	-
1 living—M	8	7	1	-
F	4	3	1	-
Both stillborn	1	1	-	-
2 females	220	209	11	-
Both living	201	193	8	-
1 living	14	12	2	-
Both stillborn	5	4	1	-
CASES OF TWINS—Con.				
IOWA:				
2 males	140	138	2	-
Both living	130	128	2	-
1 living	7	7	-	-
Both stillborn	3	3	-	-
1 male, 1 female	168	166	2	-
Both living	154	152	2	-
1 living—M	5	5	-	-
F	4	4	-	-
Both stillborn	5	5	-	-
2 females	163	160	3	-
Both living	155	152	3	-
1 living	4	4	-	-
Both stillborn	4	4	-	-
KANSAS:				
2 males	124	118	6	-
Both living	109	104	5	-
1 living	7	6	1	-
Both stillborn	8	8	-	-
1 male, 1 female	107	101	6	-
Both living	97	91	6	-
1 living—M	3	3	-	-
F	3	3	-	-
Both stillborn	4	4	-	-
2 females	97	91	6	-
Both living	94	88	6	-
1 living	3	3	-	-
KENTUCKY:				
2 males	232	219	13	-
Both living	212	201	11	-
1 living	5	5	-	-
Both stillborn	15	13	2	-
1 male, 1 female	235	219	16	-
Both living	218	204	14	-
1 living—M	4	3	1	-
F	9	9	-	-
Both stillborn	4	3	1	-
2 females	231	216	15	-
Both living	216	204	12	-
1 living	3	3	-	-
Both stillborn	12	9	3	-
Both unknown	2	2	-	-
Both stillborn	2	2	-	-
LOUISIANA:				
2 males	231	125	106	-
Both living	198	113	85	-
1 living	17	8	9	-
Both stillborn	16	4	12	-
1 male, 1 female	256	133	123	-
Both living	230	124	106	-
1 living—M	15	5	10	-
F	6	2	4	-
Both stillborn	5	2	3	-
2 females	217	120	97	-
Both living	190	110	80	-
1 living	13	6	7	-
Both stillborn	14	4	10	-
MAINE:				
2 males	51	51	-	-
Both living	48	48	-	-
1 living	1	1	-	-
Both stillborn	2	2	-	-
1 male, 1 female	54	53	1	-
Both living	50	49	1	-
1 living—M	2	2	-	-
F	2	2	-	-
2 females	52	51	-	1
Both living	46	45	-	1
1 living	3	3	-	-
Both stillborn	3	3	-	-
MARYLAND:				
2 males	109	83	26	-
Both living	97	76	21	-
1 living	2	2	-	-
Both stillborn	10	5	5	-
1 male, 1 female	107	87	20	-
Both living	97	81	16	-
1 living—M	1	-	1	-
F	6	5	1	-
Both stillborn	3	1	2	-
2 females	109	79	29	1
Both living	102	74	27	1
1 living	2	1	1	-
Both stillborn	5	4	1	-
MASSACHUSETTS:				
2 males	265	264	1	-
Both living	235	235	-	-
1 living	14	13	1	-
Both stillborn	16	16	-	-
1 male, 1 female	223	218	5	-
Both living	208	203	5	-
1 living—M	5	5	-	-
F	9	9	-	-
Both stillborn	1	1	-	-

TABLE 3.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TWINS—Con.				
MASSACHUSETTS—Continued				
2 females	277	271	6	-
Both living	252	247	5	-
1 living	14	14	-	-
Both stillborn	11	10	1	-
MICHIGAN:				
2 males	396	377	18	1
Both living	364	346	17	1
1 living	15	14	1	-
Both stillborn	17	17	-	-
1 male, 1 female	347	327	19	1
Both living	327	311	16	-
1 living—M	7	5	1	1
1 living—F	10	8	2	-
Both stillborn	3	3	-	-
2 females	343	328	14	1
Both living	318	305	12	1
1 living	11	10	1	-
Both stillborn	14	13	1	-
MINNESOTA:				
2 males	215	212	2	1
Both living	193	192	-	1
1 living	16	14	2	-
Both stillborn	6	6	-	-
1 male, 1 female	188	182	3	3
Both living	172	169	-	3
1 living—M	7	5	2	-
1 living—F	6	5	1	-
Both stillborn	3	3	-	-
2 females	207	205	1	1
Both living	190	189	-	1
1 living	13	12	1	-
Both stillborn	4	4	-	-
MISSISSIPPI:				
2 males	252	104	148	-
Both living	207	90	117	-
1 living	24	6	18	-
Both stillborn	21	8	13	-
1 male, 1 female	252	98	154	-
Both living	229	93	136	-
1 living—M	3	-	3	-
1 living—F	8	3	5	-
Both stillborn	12	2	10	-
2 females	212	73	138	1
Both living	185	69	115	1
1 living	12	2	10	-
Both stillborn	15	2	13	-
Both unknown	2	1	1	-
Both stillborn	2	1	1	-
MISSOURI:				
2 males	255	235	19	1
Both living	230	213	16	1
1 living	13	11	2	-
Both stillborn	12	11	1	-
1 male, 1 female	189	175	14	-
Both living	171	162	9	-
1 living—M	6	4	2	-
1 living—F	6	4	2	-
Both stillborn	6	5	1	-
2 females	210	194	16	-
Both living	182	168	14	-
1 living	14	12	2	-
Both stillborn	14	14	-	-
Both unknown	1	1	-	-
Both stillborn	1	1	-	-
MONTANA:				
2 males	51	49	1	1
Both living	43	41	1	1
1 living	3	3	-	-
Both stillborn	5	5	-	-
1 male, 1 female	36	36	-	-
Both living	34	34	-	-
1 living—M	2	2	-	-
2 females	40	38	-	2
Both living	38	36	-	2
1 living	1	1	-	-
Both stillborn	1	1	-	-
NEBRASKA:				
2 males	85	84	1	-
Both living	76	75	1	-
1 living	6	6	-	-
Both stillborn	3	3	-	-
1 male, 1 female	78	78	-	-
Both living	77	77	-	-
1 living—M	1	1	-	-
2 females	85	83	2	-
Both living	80	79	1	-
1 living	5	4	1	-
NEVADA:				
2 males	6	6	-	-
Both living	6	6	-	-
1 male, 1 female	4	3	-	1
Both living	4	3	-	1
2 females	5	5	-	-
Both living	5	5	-	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TWINS—Con.				
NEW HAMPSHIRE:				
2 males	26	26	-	-
Both living	22	22	-	-
1 living	4	4	-	-
1 male, 1 female	23	23	-	-
Both living	22	22	-	-
1 living—F	1	1	-	-
2 females	30	30	-	-
Both living	28	28	-	-
1 living	2	2	-	-
NEW JERSEY:				
2 males	215	199	16	-
Both living	201	186	15	-
1 living	9	8	1	-
Both stillborn	5	5	-	-
1 male, 1 female	230	211	19	-
Both living	213	195	18	-
1 living—M	3	2	1	-
1 living—F	11	11	-	-
Both stillborn	3	3	-	-
2 females	221	196	25	-
Both living	198	178	20	-
1 living	12	10	2	-
Both stillborn	11	8	3	-
Both unknown	1	-	1	-
Both stillborn	1	-	1	-
NEW MEXICO:				
2 males	48	47	-	1
Both living	44	43	-	1
1 living	1	1	-	-
Both stillborn	3	3	-	-
1 male, 1 female	65	61	2	2
Both living	55	52	2	1
1 living—M	3	3	-	-
1 living—F	4	3	-	1
Both stillborn	3	3	-	-
2 females	53	52	-	1
Both living	49	48	-	1
1 living	3	3	-	-
Both stillborn	1	1	-	-
NEW YORK:				
2 males	753	712	40	1
Both living	655	622	32	1
1 living	48	45	3	-
Both stillborn	50	45	5	-
1 male, 1 female	677	631	46	-
Both living	631	590	41	-
1 living—M	5	5	-	-
1 living—F	25	23	2	-
Both stillborn	16	13	3	-
2 females	722	685	35	2
Both living	654	623	30	1
1 living	38	36	2	-
Both stillborn	30	26	3	1
Both unknown	14	12	2	-
Both stillborn	14	12	2	-
NORTH CAROLINA:				
2 males	339	226	109	4
Both living	297	203	90	4
1 living	32	21	11	-
Both stillborn	10	2	8	-
1 male, 1 female	341	205	132	4
Both living	308	188	116	4
1 living—M	13	5	8	-
1 living—F	11	8	3	-
Both stillborn	9	4	5	-
2 females	351	217	130	4
Both living	315	201	108	4
1 living	25	11	14	-
Both stillborn	13	5	8	-
NORTH DAKOTA:				
2 males	65	65	-	-
Both living	59	59	-	-
1 living	2	2	-	-
Both stillborn	4	4	-	-
1 male, 1 female	63	62	-	1
Both living	63	62	-	1
2 females	50	49	-	1
Both living	49	49	-	-
Both stillborn	1	-	-	1
OHIO:				
2 males	435	420	15	-
Both living	394	381	13	-
1 living	30	28	2	-
Both stillborn	11	11	-	-
1 male, 1 female	461	424	37	-
Both living	430	400	30	-
1 living—M	17	14	3	-
1 living—F	9	7	2	-
Both stillborn	5	3	2	-
2 females	426	396	30	-
Both living	387	363	24	-
1 living	27	21	6	-
Both stillborn	12	12	-	-
Both unknown	4	3	1	-
Both stillborn	4	3	1	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TWINS—Con.				
OKLAHOMA:				
2 males	219	192	18	9
Both living	198	174	16	8
1 living	16	13	2	1
Both stillborn	5	5	-	-
1 male, 1 female	205	177	15	13
Both living	197	169	15	13
1 living—M	3	3	-	-
1 living—F	3	3	-	-
Both stillborn	2	2	-	-
2 females	168	153	8	7
Both living	151	142	4	5
1 living	11	7	3	1
Both stillborn	6	4	1	1
OREGON:				
2 males	67	67	-	-
Both living	56	56	-	-
1 living	5	5	-	-
Both stillborn	6	6	-	-
1 male, 1 female	60	58	1	1
Both living	58	56	1	1
1 living—M	1	1	-	-
Both stillborn	1	1	-	-
2 females	50	49	-	1
Both living	43	42	-	1
1 living	5	5	-	-
Both stillborn	2	2	-	-
PENNSYLVANIA:				
2 males	619	581	38	-
Both living	562	528	34	-
1 living	39	36	3	-
Both stillborn	18	17	1	-
1 male, 1 female	545	504	41	-
Both living	510	473	37	-
1 living—M	6	5	1	-
1 living—F	18	16	2	-
Both stillborn	11	10	1	-
2 females	595	562	33	-
Both living	543	514	29	-
1 living	28	27	1	-
Both stillborn	24	21	3	-
Both unknown	2	2	-	-
Both stillborn	2	2	-	-
RHODE ISLAND:				
2 males	28	28	-	-
Both living	25	25	-	-
Both stillborn	3	3	-	-
1 male, 1 female	36	33	3	-
Both living	35	32	3	-
1 living—M	1	1	-	-
2 females	41	41	-	-
Both living	39	39	-	-
1 living	1	1	-	-
Both stillborn	1	1	-	-
SOUTH CAROLINA:				
2 males	225	100	124	1
Both living	196	93	102	1
1 living	9	2	7	-
Both stillborn	20	5	15	-
1 male, 1 female	191	69	122	-
Both living	173	65	108	-
1 living—M	4	-	4	-
1 living—F	11	4	7	-
Both stillborn	3	-	3	-
2 females	214	96	118	-
Both living	184	88	96	-
1 living	19	4	15	-
Both stillborn	11	4	7	-
SOUTH DAKOTA:				
2 males	45	42	-	1
Both living	42	41	-	1
1 living	1	1	-	-
1 male, 1 female	51	45	-	6
Both living	49	44	-	5
1 living—F	2	1	-	1
2 females	40	38	-	2
Both living	39	37	-	2
1 living	1	1	-	-
TENNESSEE:				
2 males	231	183	48	-
Both living	204	161	43	-
1 living	19	16	3	-
Both stillborn	8	6	2	-
1 male, 1 female	243	203	40	-
Both living	222	188	34	-
1 living—M	5	2	3	-
1 living—F	11	10	1	-
Both stillborn	5	3	2	-
2 females	224	186	38	-
Both living	203	171	32	-
1 living	15	11	4	-
Both stillborn	6	4	2	-

TABLE 3.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TWINS—Con.				
TEXAS:				
2 males	540	475	65	-
Both living	484	428	56	-
1 living	27	25	2	-
Both stillborn	29	22	7	-
1 male, 1 female	567	465	102	-
Both living	526	438	88	-
1 living—M	15	10	5	-
F	9	6	3	-
Both stillborn	17	11	6	-
2 females	570	476	94	-
Both living	528	444	84	-
1 living	21	16	5	-
Both stillborn	21	16	5	-
Both unknown	1	1	-	-
Both stillborn	1	1	-	-
UTAH:				
2 males	53	53	-	-
Both living	47	47	-	-
1 living	2	2	-	-
Both stillborn	4	4	-	-
1 male, 1 female	39	39	-	-
Both living	39	39	-	-
2 females	48	48	-	-
Both living	45	45	-	-
1 living	1	1	-	-
Both stillborn	2	2	-	-
VERMONT:				
2 males	31	31	-	-
Both living	26	26	-	-
1 living	3	3	-	-
Both stillborn	2	2	-	-
1 male, 1 female	19	19	-	-
Both living	18	18	-	-
1 living—F	1	1	-	-
2 females	24	24	-	-
Both living	22	22	-	-
1 living	1	1	-	-
Both stillborn	1	1	-	-
VIRGINIA:				
2 males	220	164	56	-
Both living	193	145	48	-
1 living	20	15	5	-
Both stillborn	7	4	3	-
1 male, 1 female	236	150	86	-
Both living	208	137	71	-
1 living—M	7	3	4	-
F	9	5	4	-
Both stillborn	12	5	7	-
2 females	199	141	58	-
Both living	170	125	45	-
1 living	22	10	12	-
Both stillborn	7	6	1	-
WASHINGTON:				
2 males	86	85	-	1
Both living	80	79	-	1
1 living	4	4	-	-
Both stillborn	2	2	-	-
1 male, 1 female	93	91	-	2
Both living	90	89	-	1
1 living—F	3	2	-	1
2 females	101	98	1	2
Both living	94	92	-	2
1 living	5	4	1	-
Both stillborn	2	2	-	-
WEST VIRGINIA:				
2 males	167	160	7	-
Both living	145	140	5	-
1 living	15	15	-	-
Both stillborn	7	5	2	-
1 male, 1 female	192	176	16	-
Both living	171	157	14	-
1 living—M	3	3	-	-
F	10	10	-	-
Both stillborn	8	6	2	-
2 females	159	152	7	-
Both living	144	137	7	-
1 living	12	12	-	-
Both stillborn	3	3	-	-
WISCONSIN:				
2 males	207	204	1	2
Both living	194	191	1	2
1 living	4	4	-	-
Both stillborn	9	9	-	-
1 male, 1 female	164	161	2	1
Both living	160	157	2	1
1 living—F	4	4	-	-
2 females	197	194	2	1
Both living	189	186	2	1
1 living	5	5	-	-
Both stillborn	3	3	-	-
WYOMING:				
2 males	20	19	-	1
Both living	18	17	-	1
1 living	1	1	-	-
Both stillborn	1	1	-	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TWINS—Con.				
WYOMING—Continued				
1 male, 1 female	15	15	-	-
Both living	14	14	-	-
Both stillborn	1	1	-	-
2 females	15	15	-	-
Both living	15	15	-	-
CASES OF TRIPLETS				
UNITED STATES	270	226	44	-
3 males	74	63	11	-
All living	61	54	7	-
2 living	5	3	2	-
1 living	3	1	2	-
All stillborn	5	5	-	-
2 males, 1 female	62	46	16	-
All living	49	36	13	-
2 living—2M	5	5	-	-
1M,1F	5	4	1	-
1 living—M	1	1	-	-
All stillborn	2	-	2	-
1 male, 2 females	63	55	8	-
All living	50	45	5	-
2 living—2F	5	4	1	-
1M,1F	5	4	1	-
1 living—F	1	-	1	-
All stillborn	2	2	-	-
3 females	70	61	9	-
All living	53	50	3	-
2 living	11	7	4	-
1 living	2	2	-	-
All stillborn	4	2	2	-
All unknown	1	1	-	-
All stillborn	1	1	-	-
ALABAMA:				
3 males	2	1	1	-
All living	1	-	1	-
All stillborn	1	1	-	-
2 males, 1 female	3	1	2	-
All living	2	1	1	-
All stillborn	1	-	1	-
3 females	1	-	1	-
All stillborn	1	-	1	-
ARIZONA:				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
ARKANSAS:				
3 males	2	1	1	-
All living	2	1	1	-
2 males, 1 female	2	1	1	-
All living	1	-	1	-
2 living—1M,1F	1	1	-	-
CALIFORNIA:				
3 males	3	3	-	-
All living	2	2	-	-
All stillborn	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	3	3	-	-
All living	2	2	-	-
All stillborn	1	1	-	-
COLORADO:				
3 males	3	3	-	-
All living	3	3	-	-
CONNECTICUT:				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
3 females	4	4	-	-
All living	4	4	-	-
DISTRICT OF COLUMBIA:				
3 males	1	-	1	-
All living	1	-	1	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
FLORIDA:				
3 males	2	-	2	-
All living	1	-	1	-
1 living	1	-	1	-
2 males, 1 female	1	-	1	-
2 living—1M,1F	1	-	1	-
GEORGIA:				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	4	2	2	-
All living	3	1	2	-
1 living—M	1	1	-	-
1 male, 2 females	3	2	1	-
All living	2	2	-	-
1 living—F	1	-	1	-
3 females	1	-	1	-
2 living	1	-	1	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TRIPLETS—Con.				
ILLINOIS:				
3 males	4	4	-	-
All living	3	3	-	-
2 living	1	1	-	-
2 males, 1 female	3	2	1	-
All living	3	2	1	-
1 male, 2 females	3	3	-	-
All living	3	3	-	-
3 females	5	5	-	-
All living	4	4	-	-
1 living	1	1	-	-
INDIANA:				
3 males	3	3	-	-
All living	3	3	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
2 living—1M,1F	1	1	-	-
3 females	3	3	-	-
All living	3	3	-	-
IOWA:				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	3	3	-	-
All living	1	1	-	-
2 living—2F	1	1	-	-
1M,1F	1	1	-	-
KANSAS:				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	2	2	-	-
2 living—2M	2	2	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
KENTUCKY:				
2 males, 1 female	3	3	-	-
All living	2	2	-	-
2 living—1M,1F	1	1	-	-
1 male, 2 females	2	2	-	-
All living	1	1	-	-
All stillborn	1	1	-	-
LOUISIANA:				
3 males	1	-	1	-
All living	1	-	1	-
1 male, 2 females	4	1	3	-
All living	3	-	3	-
2 living 1M,1F	1	1	-	-
3 females	1	-	1	-
All living	1	-	1	-
MAINE:				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
MARYLAND:				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
MASSACHUSETTS:				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	2	2	-	-
All living	1	1	-	-
2 living—2M	1	1	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	3	3	-	-
All living	3	3	-	-
MICHIGAN:				
3 males	3	3	-	-
All living	3	3	-	-
2 males, 1 female	3	3	-	-
All living	2	2	-	-
2 living—2M	1	1	-	-
1 male, 2 females	4	4	-	-
All living	4	4	-	-
3 females	6	5	1	-
All living	4	4	-	-
2 living	1	1	-	-
All stillborn	1	-	1	-
MINNESOTA:				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	4	4	-	-
All living	3	3	-	-
2 living	1	1	-	-

TABLE 3.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1941—Continued

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TRIPLETS—Con.				
MISSISSIPPI:				
3 males	2	1	1	-
All living	1	1	-	-
2 living	1	-	1	-
2 males, 1 female	4	-	4	-
All living	4	-	4	-
1 male, 2 females	2	1	1	-
All living	2	1	1	-
3 females	2	1	1	-
All living	1	1	-	-
2 living	1	-	1	-
MISSOURI:				
3 males	3	3	-	-
All living	3	3	-	-
2 males, 1 female	3	2	1	-
All living	3	2	1	-
1 male, 2 females	2	2	-	-
All living	1	1	-	-
2 living—2F	1	1	-	-
3 females	4	4	-	-
All living	4	4	-	-
All unknown	1	1	-	-
All stillborn	1	1	-	-
MONTANA:				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
NEBRASKA:				
3 males	1	1	-	-
All living	1	1	-	-
NEW HAMPSHIRE:				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
NEW JERSEY:				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	2	2	-	-
All living	1	1	-	-
2 living	1	1	-	-
NEW MEXICO:				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
NEW YORK:				
3 males	5	5	-	-
All living	3	3	-	-
2 living	1	1	-	-
All stillborn	1	1	-	-
2 males, 1 female	5	5	-	-
All living	4	4	-	-
2 living—2M	1	1	-	-
1 male, 2 females	7	7	-	-
All living	6	6	-	-
2 living—2F	1	1	-	-
3 females	5	5	-	-
All living	4	4	-	-
2 living	1	1	-	-
NORTH CAROLINA:				
3 males	5	4	1	-
All living	2	2	-	-
2 living	1	1	-	-
1 living	2	1	1	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	2	-	2	-
All living	1	-	1	-
2 living—1M,1F	1	-	1	-
3 females	2	2	-	-
All living	1	1	-	-
1 living	1	1	-	-
NORTH DAKOTA:				
3 males	1	1	-	-
All living	1	1	-	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TRIPLETS—Con.				
OHIO:				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	3	3	-	-
All living	2	2	-	-
2 living—1M,1F	1	1	-	-
1 male, 2 females	4	4	-	-
All living	4	4	-	-
3 females	4	4	-	-
All living	4	4	-	-
OKLAHOMA:				
3 males	4	3	1	-
All living	4	3	1	-
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	2	1	1	-
All living	1	1	-	-
2 living	1	-	1	-
OREGON:				
1 male, 2 females	1	1	-	-
2 living—2F	1	1	-	-
PENNSYLVANIA:				
3 males	3	3	-	-
All living	3	3	-	-
2 males, 1 female	3	2	1	-
All living	2	2	-	-
All stillborn	1	-	1	-
1 male, 2 females	1	1	-	-
2 living—1M,1F	1	1	-	-
3 females	4	3	1	-
All living	2	2	-	-
2 living	2	1	1	-
RHODE ISLAND:				
3 males	1	1	-	-
All living	1	1	-	-
SOUTH CAROLINA:				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	1	-	1	-
All living	1	-	1	-
1 male, 2 females	1	-	1	-
2 living—2F	1	-	1	-
3 females	3	1	2	-
All living	3	1	2	-
SOUTH DAKOTA:				
3 females	1	1	-	-
All living	1	1	-	-
TENNESSEE:				
3 males	5	4	1	-
All living	5	4	1	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	2	2	-	-
All living	1	1	-	-
All stillborn	1	1	-	-
TEXAS:				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	4	2	2	-
All living	4	2	2	-
1 male, 2 females	4	4	-	-
All living	4	4	-	-
3 females	4	4	-	-
All living	3	3	-	-
All stillborn	1	1	-	-
VIRGINIA:				
3 males	3	2	1	-
2 living	1	-	1	-
All stillborn	2	2	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	1	1	-	-
All living	1	1	-	-

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other races
CASES OF TRIPLETS—Con.				
WASHINGTON:				
2 males, 1 female	1	1	-	-
2 living—1M,1F	1	1	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	3	3	-	-
All living	2	2	-	-
2 living	1	1	-	-
WEST VIRGINIA:				
3 males	1	1	-	-
All living	1	1	-	-
WISCONSIN:				
3 males	4	4	-	-
All living	4	4	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
2 living	1	1	-	-
CASES OF QUADRUPLETS				
UNITED STATES	12	9	2	1
4 males	2	2	-	-
All living	1	1	-	-
1 living	1	1	-	-
3 males, 1 female	2	1	1	-
All living	2	1	1	-
2 males, 2 females	3	2	1	-
All living	3	2	1	-
1 male, 3 females	2	2	-	-
All living	2	2	-	-
4 females	3	2	-	1
All living	3	2	-	1
ILLINOIS:				
4 females	1	1	-	-
All living	1	1	-	-
INDIANA:				
1 male, 3 females	1	1	-	-
All living	1	1	-	-
KANSAS:				
2 males, 2 females	1	1	-	-
All living	1	1	-	-
KENTUCKY:				
1 male, 3 females	1	1	-	-
All living	1	1	-	-
NEW HAMPSHIRE:				
2 males, 2 females	1	1	-	-
All living	1	1	-	-
NORTH CAROLINA:				
4 males	1	1	-	-
All living	1	1	-	-
4 females	1	-	-	1
All living	1	-	-	1
NORTH DAKOTA:				
3 males, 1 female	1	1	-	-
All living	1	1	-	-
OKLAHOMA:				
2 males, 2 females	1	-	1	-
All living	1	-	1	-
PENNSYLVANIA:				
4 males	1	1	-	-
1 living	1	1	-	-
3 males, 1 female	1	-	1	-
All living	1	-	1	-
4 females	1	1	-	-
All living	1	1	-	-

TABLE 4.—STILLBIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	75,133	6,430	5,864	6,562	6,257	6,358	6,172	6,552	6,400	6,065	6,260	6,091	6,122
Cities of 100,000 or more	26,027	2,186	1,981	2,156	2,021	2,131	2,092	2,327	2,326	2,165	2,224	2,231	2,187
Cities of 25,000 to 100,000	10,014	813	714	829	805	813	867	908	862	857	868	825	853
Cities of 10,000 to 25,000	7,048	548	496	598	585	622	596	614	597	605	578	603	606
Cities of 2,500 to 10,000	8,880	772	677	750	725	754	773	750	711	755	759	742	712
Rural	23,164	2,111	1,996	2,229	2,121	2,038	1,844	1,953	1,904	1,683	1,831	1,690	1,764
ALABAMA	2,395	223	197	248	208	210	194	221	187	156	178	169	204
Cities of 100,000 or more	256	18	23	11	23	27	13	21	25	24	23	24	24
Cities of 25,000 to 100,000	294	28	25	27	19	25	23	31	29	29	18	15	25
Cities of 10,000 to 25,000	214	18	13	25	10	17	15	23	19	16	12	20	26
Cities of 2,500 to 10,000	270	23	25	24	22	30	31	18	18	14	22	16	27
Rural	1,361	136	111	161	134	111	112	128	96	73	103	94	102
ARIZONA	298	23	26	28	17	23	25	23	20	27	21	32	33
Cities of 25,000 to 100,000	108	11	8	14	2	8	12	9	6	4	7	14	13
Cities of 2,500 to 10,000	75	3	7	7	7	5	6	7	5	14	-	5	9
Rural	115	9	11	7	8	10	7	7	9	9	14	13	11
ARKANSAS	1,079	91	86	98	87	73	102	83	107	94	101	75	82
Cities of 25,000 to 100,000	97	6	8	4	3	8	17	11	12	5	9	6	8
Cities of 10,000 to 25,000	86	5	8	8	3	4	7	7	5	9	9	12	9
Cities of 2,500 to 10,000	151	14	13	17	13	10	11	6	11	15	12	13	16
Rural	745	66	57	69	68	51	67	59	79	65	71	44	49
CALIFORNIA	2,479	171	191	195	215	212	183	196	229	222	229	200	236
Cities of 100,000 or more	1,110	81	79	98	89	93	83	76	117	94	104	84	112
Cities of 25,000 to 100,000	359	24	29	30	30	32	26	33	23	33	30	40	29
Cities of 10,000 to 25,000	204	9	14	12	17	21	13	16	25	19	24	16	16
Cities of 2,500 to 10,000	312	24	23	22	34	20	31	21	17	37	30	25	28
Rural	494	33	46	33	45	46	28	50	47	39	41	35	51
COLORADO	523	38	49	65	44	44	44	41	44	44	42	37	31
Cities of 100,000 or more	160	7	14	9	12	11	17	9	17	22	15	14	13
Cities of 25,000 to 100,000	46	4	5	9	3	6	1	3	5	1	3	3	3
Cities of 10,000 to 25,000	48	4	5	7	3	6	5	6	2	1	5	4	-
Cities of 2,500 to 10,000	99	9	8	19	9	5	8	11	7	8	5	4	6
Rural	170	14	17	21	17	16	13	12	13	12	14	12	9
CONNECTICUT	544	30	43	57	45	55	42	51	52	48	43	26	52
Cities of 100,000 or more	232	14	17	28	20	27	20	19	22	26	18	14	9
Cities of 25,000 to 100,000	204	9	20	18	15	20	13	22	18	14	20	7	28
Cities of 10,000 to 25,000	39	3	2	2	2	1	3	7	4	3	5	1	6
Cities of 2,500 to 10,000	16	2	1	1	1	1	1	2	1	-	2	1	3
Rural	53	2	3	8	7	6	5	1	7	5	-	3	6
DELAWARE	142	16	8	10	11	8	12	16	19	11	10	12	9
Cities of 100,000 or more	87	12	4	7	3	6	7	11	13	3	7	8	6
Cities of 2,500 to 10,000	18	3	1	1	3	1	1	1	2	3	-	1	1
Rural	37	1	3	2	5	1	4	4	4	5	3	3	2
DISTRICT OF COLUMBIA	528	42	35	49	38	40	50	40	37	46	50	49	52
FLORIDA	1,622	121	115	137	111	131	125	141	164	158	149	144	126
Cities of 100,000 or more	411	30	21	29	29	33	34	41	50	39	25	46	34
Cities of 25,000 to 100,000	181	14	12	18	6	14	13	16	13	18	22	17	18
Cities of 10,000 to 25,000	175	8	13	16	10	18	15	14	17	24	12	12	16
Cities of 2,500 to 10,000	240	16	19	19	15	22	24	17	21	18	35	16	18
Rural	615	53	50	55	51	44	39	53	63	58	55	53	40
GEORGIA	2,933	246	274	275	252	218	219	235	267	276	237	215	219
Cities of 100,000 or more	275	27	28	24	22	17	21	29	20	27	26	17	17
Cities of 25,000 to 100,000	383	30	40	37	24	25	26	29	32	43	26	32	39
Cities of 10,000 to 25,000	260	18	22	18	17	23	32	26	21	24	14	23	22
Cities of 2,500 to 10,000	411	36	34	29	37	28	29	38	44	37	27	35	37
Rural	1,604	135	150	167	152	125	111	113	150	145	144	108	104
IDAHO	205	4	19	18	30	17	22	21	17	12	15	16	14
Cities of 25,000 to 100,000	16	-	4	1	2	1	1	-	2	-	1	2	2
Cities of 10,000 to 25,000	53	-	4	2	9	6	5	5	5	1	5	6	5
Cities of 2,500 to 10,000	69	-	8	6	9	7	9	7	4	5	7	2	5
Rural	67	4	3	9	10	3	7	9	6	6	2	6	2
ILLINOIS	3,186	236	244	266	249	272	270	290	257	291	307	244	260
Cities of 100,000 or more	1,449	116	108	106	102	129	137	140	113	117	148	113	120
Cities of 25,000 to 100,000	600	45	50	55	44	50	46	54	49	68	65	32	42
Cities of 10,000 to 25,000	348	19	18	27	35	30	27	33	29	32	34	30	34
Cities of 2,500 to 10,000	364	19	28	40	23	33	21	37	30	47	29	32	25
Rural	425	37	40	38	45	30	39	26	36	27	31	37	39
INDIANA	1,372	115	107	116	112	100	139	132	106	105	115	105	120
Cities of 100,000 or more	325	30	25	28	27	21	36	25	25	35	21	29	23
Cities of 25,000 to 100,000	362	26	24	27	26	22	34	38	28	25	40	31	41
Cities of 10,000 to 25,000	143	7	12	11	13	14	15	19	13	8	12	7	12
Cities of 2,500 to 10,000	184	24	12	15	17	14	13	13	10	18	17	15	16
Rural	358	28	34	35	29	29	41	37	30	19	25	23	28
IOWA	1,006	90	83	99	83	90	89	75	84	74	75	91	73
Cities of 100,000 or more	69	4	12	5	4	5	9	5	4	4	3	9	5
Cities of 25,000 to 100,000	294	25	26	25	28	22	24	25	27	26	22	18	26
Cities of 10,000 to 25,000	153	14	6	11	11	16	16	12	19	14	11	12	11
Cities of 2,500 to 10,000	219	19	19	22	16	23	19	11	13	15	22	22	18
Rural	271	28	20	36	24	24	21	22	21	15	17	30	13

TABLE 4.—STILLBIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE,-1941—Continued

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS	651	57	53	59	50	52	63	50	56	49	66	58	38
Cities of 100,000 or more	119	5	12	13	5	7	6	13	13	11	13	10	11
Cities of 25,000 to 100,000	48	5	4	2	4	2	3	4	5	2	4	7	6
Cities of 10,000 to 25,000	124	12	7	16	8	11	16	10	10	9	10	12	3
Cities of 2,500 to 10,000	146	15	8	8	11	10	19	11	13	13	19	12	7
Rural	214	20	22	20	22	22	19	12	15	14	20	17	11
KENTUCKY	1,904	186	157	191	159	153	164	158	153	146	144	147	146
Cities of 100,000 or more	215	20	17	19	9	13	24	21	28	17	14	19	14
Cities of 25,000 to 100,000	176	11	14	13	18	15	16	13	16	12	16	19	13
Cities of 10,000 to 25,000	71	8	2	5	1	6	6	8	6	7	11	6	5
Cities of 2,500 to 10,000	240	36	16	31	16	17	12	20	19	14	19	18	22
Rural	1,202	111	108	123	115	102	106	96	84	96	84	85	92
LOUISIANA	2,034	180	136	178	189	153	178	203	163	160	178	155	161
Cities of 100,000 or more	499	50	24	30	38	32	50	51	43	40	46	39	56
Cities of 25,000 to 100,000	318	24	16	32	31	26	29	29	25	26	31	31	18
Cities of 10,000 to 25,000	124	11	13	15	13	10	14	8	8	11	5	11	5
Cities of 2,500 to 10,000	273	23	12	20	20	18	25	23	18	29	36	29	20
Rural	820	72	71	81	87	67	60	92	69	54	60	45	62
MAINE	422	31	36	45	31	43	33	38	33	33	33	31	35
Cities of 25,000 to 100,000	95	5	6	8	7	10	7	9	8	7	12	9	7
Cities of 10,000 to 25,000	58	3	4	7	3	7	4	11	2	5	5	4	3
Cities of 2,500 to 10,000	51	5	5	7	4	6	4	3	4	4	2	3	4
Rural	218	18	21	23	17	20	18	15	19	17	14	15	21
MARYLAND	1,311	110	101	121	103	90	100	131	111	94	103	124	123
Cities of 100,000 or more	724	53	56	57	58	50	53	76	58	57	57	79	70
Cities of 25,000 to 100,000	97	7	9	4	8	1	12	12	14	6	8	7	9
Cities of 10,000 to 25,000	84	9	7	11	5	5	8	4	6	4	7	9	9
Cities of 2,500 to 10,000	76	5	3	4	9	8	5	9	3	8	8	7	7
Rural	330	36	26	45	23	26	22	30	30	19	23	22	28
MASSACHUSETTS	1,729	155	139	130	152	148	141	149	153	128	150	144	140
Cities of 100,000 or more	876	78	72	70	76	67	75	83	80	58	71	73	73
Cities of 25,000 to 100,000	434	43	28	29	47	40	32	32	42	45	33	31	32
Cities of 10,000 to 25,000	294	26	26	19	17	27	23	21	25	20	34	33	23
Cities of 2,500 to 10,000	71	2	7	8	7	7	5	9	4	3	10	2	7
Rural	54	6	6	4	5	7	6	4	2	2	2	5	5
MICHIGAN	2,795	240	176	240	242	234	237	242	233	214	244	256	257
Cities of 100,000 or more	1,092	93	66	90	87	99	94	82	112	96	96	97	80
Cities of 25,000 to 100,000	877	55	42	65	67	49	60	63	50	49	63	61	53
Cities of 10,000 to 25,000	237	17	13	23	22	14	26	22	15	23	18	21	23
Cities of 2,500 to 10,000	350	27	21	21	30	29	24	38	24	24	28	45	39
Rural	439	48	34	41	36	43	33	37	32	22	39	32	42
MINNESOTA	1,200	92	102	94	104	107	107	103	99	98	108	87	99
Cities of 100,000 or more	431	31	36	39	36	36	36	35	40	39	32	36	35
Cities of 25,000 to 100,000	16	-	2	1	3	1	-	1	2	3	3	-	-
Cities of 10,000 to 25,000	131	13	10	8	10	8	14	9	10	14	15	8	12
Cities of 2,500 to 10,000	266	20	22	18	23	22	27	27	17	21	26	22	21
Rural	356	28	32	28	32	40	30	31	30	21	32	21	31
MISSISSIPPI	2,456	247	209	247	200	223	175	204	193	184	193	185	196
Cities of 25,000 to 100,000	155	12	17	15	16	16	9	9	14	16	8	12	11
Cities of 10,000 to 25,000	267	25	23	22	23	25	13	19	13	23	23	29	29
Cities of 2,500 to 10,000	228	18	19	22	15	25	23	23	16	17	15	19	16
Rural	1,806	192	150	188	146	157	130	153	150	128	147	125	140
MISSOURI	2,141	179	150	205	174	190	166	182	176	184	168	193	174
Cities of 100,000 or more	864	67	58	78	55	76	60	78	75	82	80	88	67
Cities of 25,000 to 100,000	133	15	6	14	9	8	12	10	14	12	10	11	12
Cities of 10,000 to 25,000	206	23	9	15	27	17	10	16	17	19	13	24	16
Cities of 2,500 to 10,000	277	17	15	27	28	27	26	23	15	27	26	26	20
Rural	661	57	62	71	55	62	58	55	55	44	39	44	59
MONTANA	227	27	18	27	10	23	18	21	20	16	16	20	11
Cities of 25,000 to 100,000	43	4	5	7	-	7	4	4	1	2	3	4	2
Cities of 10,000 to 25,000	57	5	4	7	1	4	5	5	7	6	5	6	2
Cities of 2,500 to 10,000	51	6	2	5	6	5	3	5	4	-	4	7	4
Rural	76	12	7	8	3	7	6	7	8	8	4	3	3
NEBRASKA	471	42	43	43	35	27	35	49	45	41	50	35	26
Cities of 100,000 or more	105	3	16	9	9	8	6	14	16	6	6	7	5
Cities of 25,000 to 100,000	29	3	1	3	1	2	3	4	3	2	3	4	-
Cities of 10,000 to 25,000	70	6	4	5	7	4	5	8	8	8	5	5	5
Cities of 2,500 to 10,000	77	8	5	7	4	3	5	9	6	7	10	8	5
Rural	190	22	17	19	14	10	16	14	12	18	26	11	11
NEVADA	53	4	5	3	6	6	9	5	5	2	1	3	4
Cities of 10,000 to 25,000	8	-	2	1	-	1	1	1	-	-	-	2	-
Cities of 2,500 to 10,000	4	1	-	-	1	1	1	-	-	-	-	-	-
Rural	41	3	3	2	5	4	7	4	5	2	1	1	4
NEW HAMPSHIRE	224	13	17	25	17	18	22	28	15	18	24	14	13
Cities of 25,000 to 100,000	84	3	8	11	10	4	8	14	5	9	4	5	3
Cities of 10,000 to 25,000	59	4	4	5	2	7	4	8	4	4	10	3	4
Cities of 2,500 to 10,000	18	1	2	2	2	1	1	1	3	1	2	2	-
Rural	63	5	3	7	3	6	9	5	3	4	8	4	6

TABLE 4.—STILLBIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY	1,710	147	119	136	124	156	140	135	126	160	160	156	151
Cities of 100,000 or more	844	66	53	70	56	76	66	71	67	81	86	73	79
Cities of 25,000 to 100,000	418	37	16	28	34	40	41	23	33	38	52	42	34
Cities of 10,000 to 25,000	214	25	23	21	15	21	13	19	11	18	9	17	22
Cities of 2,500 to 10,000	106	10	4	8	8	11	10	10	9	14	3	9	10
Rural	128	9	23	9	11	8	10	12	6	9	10	15	6
NEW MEXICO	346	29	36	32	34	22	28	29	25	30	25	26	30
Cities of 25,000 to 100,000	25	1	1	6	1	3	-	3	4	1	-	2	3
Cities of 10,000 to 25,000	28	4	4	5	2	-	2	3	2	3	1	-	2
Cities of 2,500 to 10,000	114	8	15	7	15	9	10	9	6	9	8	11	7
Rural	179	16	16	14	16	10	16	14	13	17	16	13	18
NEW YORK	11,259	970	893	987	948	935	874	980	957	885	925	962	943
Cities of 100,000 or more	9,581	850	764	837	783	789	721	848	813	754	789	826	807
Cities of 25,000 to 100,000	422	32	29	33	35	35	41	45	34	36	27	37	38
Cities of 10,000 to 25,000	501	36	37	37	57	42	44	32	42	40	51	40	43
Cities of 2,500 to 10,000	278	17	17	31	28	29	22	22	35	21	21	20	15
Rural	477	35	46	49	45	40	46	33	33	34	37	39	40
NORTH CAROLINA	2,643	234	216	235	261	268	235	227	198	221	215	184	149
Cities of 100,000 or more	101	8	7	12	7	10	11	8	6	5	9	8	10
Cities of 25,000 to 100,000	465	41	36	43	36	44	43	39	33	30	47	37	36
Cities of 10,000 to 25,000	299	28	17	25	26	27	26	27	27	34	22	22	18
Cities of 2,500 to 10,000	362	36	27	26	30	28	42	31	33	38	22	27	22
Rural	1,416	121	129	129	162	159	113	122	98	114	115	90	63
NORTH DAKOTA	265	26	27	22	18	17	21	26	17	21	17	29	24
Cities of 25,000 to 100,000	26	4	1	1	2	4	2	1	1	2	3	-	5
Cities of 10,000 to 25,000	55	7	9	10	4	-	4	3	4	1	5	5	3
Cities of 2,500 to 10,000	59	4	4	3	1	5	7	6	3	5	2	9	10
Rural	125	11	13	8	11	8	8	16	9	13	7	15	6
OHIO	3,139	255	215	271	255	269	245	294	286	253	277	281	238
Cities of 100,000 or more	1,580	125	108	136	117	127	123	148	148	129	139	145	115
Cities of 25,000 to 100,000	443	28	24	32	38	39	32	39	37	50	33	45	45
Cities of 10,000 to 25,000	298	24	30	21	28	27	19	27	24	28	27	23	19
Cities of 2,500 to 10,000	274	20	22	18	19	21	28	23	23	17	37	21	25
Rural	564	57	31	64	53	55	43	57	54	28	41	47	34
OKLAHOMA	1,049	95	100	80	86	102	73	76	95	93	77	88	84
Cities of 100,000 or more	161	15	15	14	10	14	9	15	13	12	18	14	12
Cities of 25,000 to 100,000	33	4	5	1	2	2	3	3	6	2	-	2	3
Cities of 10,000 to 25,000	173	8	13	13	16	16	11	9	17	25	9	13	23
Cities of 2,500 to 10,000	235	21	22	17	22	24	21	13	22	19	17	21	16
Rural	447	47	45	35	36	46	29	36	37	35	33	38	30
OREGON	353	39	28	27	33	28	18	31	29	23	34	26	37
Cities of 100,000 or more	108	15	11	6	12	5	5	6	12	10	10	6	10
Cities of 25,000 to 100,000	13	2	-	2	-	-	1	1	1	-	-	3	3
Cities of 10,000 to 25,000	65	2	2	6	7	5	8	4	7	2	7	7	8
Cities of 2,500 to 10,000	114	16	10	9	9	11	4	13	4	8	11	9	10
Rural	53	4	5	4	5	7	-	7	5	3	6	1	6
PENNSYLVANIA	4,421	395	335	366	356	370	376	367	381	333	358	371	383
Cities of 100,000 or more	1,380	123	101	115	107	104	124	125	139	100	114	110	118
Cities of 25,000 to 100,000	770	66	47	52	61	54	78	70	65	66	66	71	67
Cities of 10,000 to 25,000	708	57	46	63	58	65	51	72	51	55	51	64	72
Cities of 2,500 to 10,000	599	66	58	52	44	54	44	47	60	47	52	39	36
Rural	964	83	83	81	86	93	81	74	66	65	75	87	90
RHODE ISLAND	298	26	17	23	23	28	22	21	30	23	28	25	32
Cities of 100,000 or more	149	10	11	15	15	15	12	12	8	11	11	13	16
Cities of 25,000 to 100,000	114	14	4	8	5	9	9	4	17	9	13	9	13
Cities of 10,000 to 25,000	22	1	1	-	1	4	-	1	3	3	3	3	2
Rural	13	1	1	-	2	-	1	4	2	-	1	-	1
SOUTH CAROLINA	2,102	206	155	186	197	195	181	194	184	168	159	149	148
Cities of 25,000 to 100,000	378	46	27	27	28	29	30	42	33	44	21	25	24
Cities of 10,000 to 25,000	175	11	9	16	23	12	25	20	13	11	12	11	12
Cities of 2,500 to 10,000	289	33	20	22	18	25	22	29	24	22	31	26	17
Rural	1,260	114	99	101	128	129	104	103	114	91	95	87	95
SOUTH DAKOTA	203	15	11	19	22	21	16	19	21	18	15	13	13
Cities of 25,000 to 100,000	15	-	-	1	-	3	-	3	1	3	1	1	2
Cities of 10,000 to 25,000	41	4	-	4	3	2	5	5	8	5	-	1	4
Cities of 2,500 to 10,000	41	4	5	1	3	7	4	2	2	1	8	3	1
Rural	106	7	6	13	16	9	7	9	10	9	6	8	6
TENNESSEE	1,585	140	119	114	134	153	152	129	144	117	123	127	133
Cities of 100,000 or more	553	53	45	36	46	38	48	45	55	50	42	42	53
Cities of 25,000 to 100,000	16	3	1	1	2	-	2	1	-	-	2	3	1
Cities of 10,000 to 25,000	98	8	3	6	3	15	12	5	9	8	11	11	7
Cities of 2,500 to 10,000	194	17	13	13	14	23	20	13	19	14	15	15	18
Rural	724	59	57	58	69	77	70	65	61	45	53	56	54
TEXAS	4,116	376	294	349	337	326	358	367	382	318	358	342	309
Cities of 100,000 or more	877	66	66	36	63	71	67	89	88	82	75	75	69
Cities of 25,000 to 100,000	573	47	39	48	49	48	59	51	48	47	55	50	32
Cities of 10,000 to 25,000	349	27	18	29	25	32	31	29	40	25	29	36	28
Cities of 2,500 to 10,000	860	83	55	65	78	63	90	84	72	68	64	70	68
Rural	1,457	153	116	141	122	112	111	114	134	96	135	111	112

TABLE 4.—STILLBIRTHS BY MONTH AND BY POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Continued

AREA	Total stillbirths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH	268	21	21	17	21	26	24	17	22	29	23	22	25
Cities of 100,000 or more	101	8	6	6	6	13	13	12	5	9	10	7	6
Cities of 25,000 to 100,000	25	3	1	-	1	-	5	-	4	2	3	2	4
Cities of 10,000 to 25,000	21	2	2	1	5	2	1	2	2	1	-	-	3
Cities of 2,500 to 10,000	64	5	3	7	1	8	4	1	2	11	8	7	7
Rural	57	3	9	3	8	3	1	2	9	6	2	6	5
VERMONT	138	10	11	12	8	10	14	14	16	12	16	8	7
Cities of 25,000 to 100,000	18	1	3	-	1	4	4	-	3	1	1	-	-
Cities of 10,000 to 25,000	15	2	-	2	1	2	3	-	1	-	3	-	1
Cities of 2,500 to 10,000	50	1	4	7	5	2	2	7	4	6	4	6	2
Rural	55	6	4	3	1	2	5	7	8	5	8	2	4
VIRGINIA	2,185	188	201	177	165	195	164	208	167	173	159	175	213
Cities of 100,000 or more	358	40	35	17	21	34	30	34	31	38	27	20	31
Cities of 25,000 to 100,000	382	28	25	27	29	31	34	40	31	29	27	33	48
Cities of 10,000 to 25,000	92	9	10	6	6	5	9	11	10	5	7	10	4
Cities of 2,500 to 10,000	189	15	24	15	12	18	13	12	20	14	8	19	19
Rural	1,164	96	107	112	97	107	78	111	75	87	90	93	111
WASHINGTON	448	29	34	37	37	51	31	34	38	35	40	39	43
Cities of 100,000 or more	201	16	16	15	15	23	13	17	15	20	15	19	17
Cities of 25,000 to 100,000	44	1	5	1	6	6	-	3	5	3	4	7	3
Cities of 10,000 to 25,000	71	4	5	8	9	3	5	8	8	4	5	1	11
Cities of 2,500 to 10,000	56	6	4	3	-	7	4	4	2	5	8	6	8
Rural	76	3	4	10	7	12	9	2	8	3	8	6	4
WEST VIRGINIA	1,429	125	114	124	112	120	140	120	123	119	94	107	131
Cities of 25,000 to 100,000	274	21	18	23	26	23	28	24	33	15	24	15	24
Cities of 10,000 to 25,000	122	9	9	10	8	12	14	8	8	14	7	10	13
Cities of 2,500 to 10,000	253	22	20	30	19	19	21	21	21	24	13	23	20
Rural	780	73	67	61	59	66	77	67	61	66	50	59	74
WISCONSIN	1,135	80	85	91	105	96	88	102	104	94	101	82	107
Cities of 100,000 or more	226	10	20	12	21	15	19	28	18	21	26	18	18
Cities of 25,000 to 100,000	311	22	23	26	26	25	26	32	30	22	28	23	28
Cities of 10,000 to 25,000	149	8	8	10	18	25	5	10	15	17	13	9	11
Cities of 2,500 to 10,000	166	11	11	13	16	11	20	11	19	10	13	12	19
Rural	283	29	23	30	24	20	18	21	22	24	21	20	31
WYOMING	111	15	14	8	7	10	8	4	10	9	6	12	8
Cities of 10,000 to 25,000	39	5	5	4	1	3	4	1	5	1	2	4	4
Cities of 2,500 to 10,000	21	2	4	1	1	1	1	2	2	3	1	2	1
Rural	51	8	5	3	5	6	3	1	3	5	3	6	3

TABLE 5.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941

AREA	Total stillbirths	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
UNITED STATES	75,133	58,467	49,110	2,956	1,595	1,571	2,607	89	90	8	441	16,318	348
Cities of 100,000 or more	26,027	21,685	15,930	1,870	694	962	1,816	66	23	3	321	4,265	77
Cities of 25,000 to 100,000	10,014	8,178	7,070	382	207	204	263	9	13	2	28	1,825	11
Cities of 10,000 to 25,000	7,048	5,890	5,238	205	145	129	158	3	15	1	15	1,136	22
Cities of 2,500 to 10,000	8,880	7,447	6,790	209	159	120	128	4	14	1	22	1,384	49
Rural	23,164	15,267	14,082	290	390	156	262	7	24	1	55	7,708	189
ALABAMA	2,395	1,081	1,045	3	24	-	1	1	5	-	2	1,314	-
Cities of 100,000 or more	256	97	89	3	5	-	-	-	-	-	-	159	-
Cities of 25,000 to 100,000	294	142	138	-	2	-	-	1	1	-	-	152	-
Cities of 10,000 to 25,000	214	99	96	-	2	-	1	-	-	-	-	115	-
Cities of 2,500 to 10,000	270	179	174	-	2	-	-	-	2	-	1	91	-
Rural	1,361	564	548	-	13	-	-	-	2	-	1	797	-
ARIZONA	298	247	187	15	5	10	20	-	-	-	10	18	33
Cities of 25,000 to 100,000	108	94	75	6	3	4	4	-	-	-	2	10	4
Cities of 2,500 to 10,000	75	71	54	3	1	2	11	-	-	-	-	3	1
Rural	115	82	58	6	1	4	5	-	-	-	8	5	28
ARKANSAS	1,079	642	623	-	14	-	-	-	3	-	2	437	-
Cities of 25,000 to 100,000	97	69	64	-	4	-	-	-	-	-	1	28	-
Cities of 10,000 to 25,000	86	64	61	-	-	-	-	-	3	-	-	22	-
Cities of 2,500 to 10,000	151	104	102	-	1	-	-	-	-	-	1	47	-
Rural	745	405	396	-	9	-	-	-	-	-	-	340	-
CALIFORNIA	2,479	2,345	1,832	175	35	107	183	5	4	3	1	66	68
Cities of 100,000 or more	1,110	1,026	788	91	17	57	69	1	1	1	1	50	34
Cities of 25,000 to 100,000	359	348	283	28	1	14	22	-	-	-	-	4	7
Cities of 10,000 to 25,000	204	202	173	6	-	5	18	-	-	-	-	-	2
Cities of 2,500 to 10,000	312	299	248	15	5	8	19	1	2	1	-	5	8
Rural	494	470	340	35	12	23	55	3	1	1	-	7	17
COLORADO	523	510	432	18	24	7	12	-	11	1	5	8	5
Cities of 100,000 or more	160	158	127	7	10	3	3	-	5	-	3	2	-
Cities of 25,000 to 100,000	46	42	35	-	3	1	2	-	1	-	-	4	-
Cities of 10,000 to 25,000	48	47	41	1	4	-	-	-	-	1	-	-	1
Cities of 2,500 to 10,000	99	98	89	2	2	-	1	-	3	-	1	1	-
Rural	170	165	140	8	5	3	6	-	2	-	1	1	4

TABLE 5.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Contd.

AREA	Total stillbirths	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
CONNECTICUT	544	528	415	52	10	18	31	2	-	-	-	16	-
Cities of 100,000 or more	232	219	167	33	4	8	11	1	-	-	-	13	-
Cities of 25,000 to 100,000	204	201	164	13	2	7	14	1	-	-	-	3	-
Cities of 10,000 to 25,000	39	39	30	3	1	1	4	-	-	-	-	-	-
Cities of 2,500 to 10,000	16	16	13	-	1	1	1	-	-	-	-	-	-
Rural	53	53	46	3	2	1	1	-	-	-	-	-	-
DELAWARE	142	103	89	3	4	3	4	-	-	-	-	39	-
Cities of 100,000 or more	87	69	57	3	2	3	4	-	-	-	-	18	-
Cities of 2,500 to 10,000	18	15	14	-	1	-	-	-	-	-	-	3	-
Rural	37	19	18	-	1	-	-	-	-	-	-	18	-
DISTRICT OF COLUMBIA	528	321	275	9	14	7	6	-	1	-	9	207	-
FLORIDA	1,622	811	752	15	29	10	3	-	-	-	2	811	-
Cities of 100,000 or more	411	231	205	10	10	5	1	-	-	-	-	180	-
Cities of 25,000 to 100,000	181	104	99	1	2	2	-	-	-	-	-	77	-
Cities of 10,000 to 25,000	175	100	92	2	3	2	1	-	-	-	-	75	-
Cities of 2,500 to 10,000	240	116	109	-	5	-	1	-	-	-	1	124	-
Rural	615	260	247	2	9	1	-	-	-	-	1	355	-
GEORGIA	2,933	1,306	1,257	2	45	1	1	-	-	-	-	1,627	-
Cities of 100,000 or more	275	154	144	2	7	-	1	-	-	-	-	121	-
Cities of 25,000 to 100,000	383	184	176	-	7	1	-	-	-	-	-	199	-
Cities of 10,000 to 25,000	260	128	122	-	6	-	-	-	-	-	-	132	-
Cities of 2,500 to 10,000	411	235	225	-	10	-	-	-	-	-	-	176	-
Rural	1,604	605	590	-	15	-	-	-	-	-	-	999	-
IDAHO	205	202	189	6	3	2	1	-	1	-	-	-	3
Cities of 25,000 to 100,000	16	16	12	2	2	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	53	52	48	1	1	1	1	-	-	-	-	-	1
Cities of 2,500 to 10,000	69	69	67	2	-	-	-	-	-	-	-	-	-
Rural	67	65	62	1	-	1	-	-	1	-	-	-	2
ILLINOIS	3,186	2,909	2,471	169	78	74	104	4	6	-	3	277	-
Cities of 100,000 or more	1,449	1,279	971	131	37	55	81	3	1	-	-	170	-
Cities of 25,000 to 100,000	600	552	501	15	11	8	14	-	2	-	1	48	-
Cities of 10,000 to 25,000	348	326	301	10	5	4	3	-	2	-	1	22	-
Cities of 2,500 to 10,000	364	350	317	11	9	7	3	1	1	-	1	14	-
Rural	425	402	381	2	16	-	3	-	-	-	-	23	-
INDIANA	1,372	1,287	1,209	21	22	10	13	1	4	-	7	85	-
Cities of 100,000 or more	325	281	254	11	4	4	7	-	-	-	1	44	-
Cities of 25,000 to 100,000	362	330	302	7	6	5	5	-	2	-	3	32	-
Cities of 10,000 to 25,000	143	141	135	-	5	-	-	-	-	-	1	2	-
Cities of 2,500 to 10,000	184	181	175	-	3	-	-	-	2	-	1	3	-
Rural	358	354	343	3	4	1	1	1	-	-	1	4	-
IOWA	1,006	997	945	23	21	2	5	-	1	-	-	8	1
Cities of 100,000 or more	69	66	58	2	6	-	-	-	-	-	-	3	-
Cities of 25,000 to 100,000	294	291	275	4	8	1	2	-	1	-	-	3	-
Cities of 10,000 to 25,000	153	152	143	4	3	1	1	-	-	-	-	1	-
Cities of 2,500 to 10,000	219	219	207	8	4	-	-	-	-	-	-	-	-
Rural	271	269	262	5	-	-	2	-	-	-	-	1	1
KANSAS	651	599	573	5	9	2	8	-	-	-	2	51	1
Cities of 100,000 or more	119	97	88	3	4	1	-	-	-	-	-	22	-
Cities of 25,000 to 100,000	48	43	40	1	2	-	-	-	-	-	-	5	-
Cities of 10,000 to 25,000	124	109	103	1	2	-	3	-	-	-	-	15	-
Cities of 2,500 to 10,000	146	144	138	-	1	1	3	-	-	-	1	2	-
Rural	214	206	203	-	-	-	2	-	-	-	1	7	1
KENTUCKY	1,904	1,742	1,710	8	23	-	1	-	-	-	-	162	-
Cities of 100,000 or more	215	185	175	4	6	-	-	-	-	-	-	30	-
Cities of 25,000 to 100,000	176	155	152	2	-	-	1	-	-	-	-	21	-
Cities of 10,000 to 25,000	71	58	57	-	1	-	-	-	-	-	-	13	-
Cities of 2,500 to 10,000	240	211	206	-	5	-	-	-	-	-	-	29	-
Rural	1,202	1,133	1,120	2	11	-	-	-	-	-	-	69	-
LOUISIANA	2,054	841	578	3	16	1	-	-	1	-	242	1,193	-
Cities of 100,000 or more	499	246	-	-	4	-	-	-	-	-	242	253	-
Cities of 25,000 to 100,000	318	124	120	1	2	1	-	-	-	-	-	194	-
Cities of 10,000 to 25,000	124	55	54	-	1	-	-	-	-	-	-	69	-
Cities of 2,500 to 10,000	273	135	133	-	1	-	-	-	1	-	-	138	-
Rural	820	281	271	2	8	-	-	-	-	-	-	539	-
MAINE	422	418	336	30	12	19	18	3	-	-	-	2	2
Cities of 25,000 to 100,000	95	94	77	7	3	2	4	1	-	-	-	1	-
Cities of 10,000 to 25,000	58	58	37	5	5	4	5	2	-	-	-	-	-
Cities of 2,500 to 10,000	51	50	41	4	-	5	-	-	-	-	-	1	-
Rural	218	216	181	14	4	8	9	-	-	-	-	-	2
MARYLAND	1,311	883	793	27	39	10	8	-	2	-	4	427	1
Cities of 100,000 or more	724	473	408	19	29	7	7	-	-	-	3	251	-
Cities of 25,000 to 100,000	97	96	90	1	4	-	1	-	-	-	-	1	-
Cities of 10,000 to 25,000	84	50	48	1	-	-	-	-	1	-	-	33	1
Cities of 2,500 to 10,000	76	65	59	3	1	1	-	-	-	-	1	11	-
Rural	330	199	188	3	5	2	-	-	1	-	-	131	-
MASSACHUSETTS	1,729	1,690	1,258	142	50	107	140	3	2	1	7	38	1
Cities of 100,000 or more	876	849	604	63	29	55	88	3	1	1	5	27	-
Cities of 25,000 to 100,000	434	430	320	43	7	27	30	-	1	-	2	4	-
Cities of 10,000 to 25,000	294	292	225	27	10	15	15	-	-	-	-	2	-
Cities of 2,500 to 10,000	71	68	55	3	3	6	1	-	-	-	-	3	-
Rural	54	51	34	6	1	4	6	-	-	-	-	2	1

TABLE 5.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Contd.

AREA	Total stillbirths	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
MICHIGAN	2,795	2,594	2,105	181	47	103	133	3	6	1	15	191	10
Cities of 100,000 or more	1,092	937	688	88	19	49	76	3	1	-	13	154	1
Cities of 25,000 to 100,000	677	655	536	48	14	23	32	-	-	1	1	22	-
Cities of 10,000 to 25,000	237	230	200	11	3	13	2	-	1	-	-	6	1
Cities of 2,500 to 10,000	350	341	304	17	3	10	5	-	1	-	1	7	2
Rural	439	431	377	17	8	8	18	-	3	-	-	2	6
MINNESOTA	1,200	1,175	1,040	46	34	30	23	2	-	-	-	5	20
Cities of 100,000 or more	431	426	357	23	21	10	13	2	-	-	-	5	-
Cities of 25,000 to 100,000	16	16	16	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	131	131	121	3	3	2	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	266	264	240	8	6	8	2	-	-	-	-	-	2
Rural	356	338	306	12	4	10	6	-	-	-	-	-	18
MISSISSIPPI	2,456	669	652	1	9	-	2	-	2	-	3	1,783	4
Cities of 25,000 to 100,000	155	56	53	-	2	-	-	-	1	-	-	99	-
Cities of 10,000 to 25,000	267	117	111	1	2	-	2	-	1	-	-	150	-
Cities of 2,500 to 10,000	228	82	81	-	1	-	-	-	-	-	-	143	3
Rural	1,806	414	407	-	4	-	-	-	-	-	3	1,391	1
MISSOURI	2,141	1,827	1,696	26	84	6	12	-	-	-	3	313	1
Cities of 100,000 or more	864	634	553	19	46	5	9	-	-	-	2	229	1
Cities of 25,000 to 100,000	133	131	123	1	6	-	1	-	-	-	-	2	-
Cities of 10,000 to 25,000	206	186	174	3	7	1	1	-	-	-	-	20	-
Cities of 2,500 to 10,000	277	256	246	2	8	-	-	-	-	-	-	21	-
Rural	661	620	600	1	17	-	1	-	-	-	1	41	-
MONTANA	227	212	181	16	2	8	5	-	-	-	-	1	14
Cities of 25,000 to 100,000	43	43	37	4	1	1	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	57	56	52	1	-	-	3	-	-	-	-	1	-
Cities of 2,500 to 10,000	51	50	43	3	-	3	1	-	-	-	-	-	1
Rural	76	63	49	8	1	4	1	-	-	-	-	-	13
NEBRASKA	471	460	427	17	8	4	4	-	-	-	-	9	2
Cities of 100,000 or more	105	96	82	8	5	-	1	-	-	-	-	9	-
Cities of 25,000 to 100,000	29	29	26	1	-	1	1	-	-	-	-	-	-
Cities of 10,000 to 25,000	70	70	66	3	-	-	1	-	-	-	-	-	-
Cities of 2,500 to 10,000	77	77	76	-	1	-	-	-	-	-	-	-	-
Rural	190	188	177	5	2	3	1	-	-	-	-	-	2
NEVADA	53	46	37	2	4	1	2	-	-	-	-	-	7
Cities of 10,000 to 25,000	8	8	7	-	-	-	1	-	-	-	-	-	-
Cities of 2,500 to 10,000	4	4	4	-	-	-	-	-	-	-	-	-	-
Rural	41	34	26	2	4	1	1	-	-	-	-	-	7
NEW HAMPSHIRE	224	223	177	17	9	11	7	1	-	-	1	1	-
Cities of 25,000 to 100,000	84	84	64	8	3	6	3	-	-	-	-	-	-
Cities of 10,000 to 25,000	59	58	43	5	1	4	4	-	-	-	1	1	-
Cities of 2,500 to 10,000	18	18	16	2	-	-	-	-	-	-	-	-	-
Rural	63	63	54	2	5	1	-	1	-	-	-	-	-
NEW JERSEY	1,710	1,531	1,215	121	23	67	93	1	8	1	2	179	-
Cities of 100,000 or more	844	743	591	57	11	33	47	-	4	-	-	101	-
Cities of 25,000 to 100,000	418	390	300	39	7	14	27	-	2	1	-	28	-
Cities of 10,000 to 25,000	214	185	139	14	4	15	9	1	2	-	1	29	-
Cities of 2,500 to 10,000	106	97	83	7	-	2	5	-	-	-	-	9	-
Rural	128	116	102	4	1	3	5	-	-	-	1	12	-
NEW MEXICO	346	344	299	8	20	4	13	-	-	-	-	2	-
Cities of 25,000 to 100,000	25	25	22	2	-	1	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	28	28	23	1	4	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	114	113	100	2	5	2	4	-	-	-	-	1	-
Rural	179	178	154	3	11	1	9	-	-	-	-	1	-
NEW YORK	11,259	10,163	6,766	1,110	289	590	1,315	47	9	1	36	1,062	34
Cities of 100,000 or more	9,581	8,542	5,415	1,012	250	529	1,250	46	4	1	35	1,012	27
Cities of 25,000 to 100,000	422	405	326	31	9	18	19	1	1	-	-	17	-
Cities of 10,000 to 25,000	501	469	412	25	14	18	17	-	2	-	1	11	1
Cities of 2,500 to 10,000	278	269	219	19	5	12	14	-	-	-	-	7	2
Rural	477	458	394	23	11	13	15	-	2	-	-	15	4
NORTH CAROLINA	2,643	1,382	1,306	2	10	1	1	-	5	-	57	1,239	22
Cities of 100,000 or more	101	48	45	-	1	1	-	-	-	-	1	53	-
Cities of 25,000 to 100,000	465	239	226	-	3	-	-	-	-	-	10	226	-
Cities of 10,000 to 25,000	299	172	163	1	1	-	-	-	1	-	6	127	-
Cities of 2,500 to 10,000	362	237	225	1	2	-	1	-	-	-	8	121	4
Rural	1,416	686	647	-	3	-	-	-	4	-	32	712	18
NORTH DAKOTA	265	253	213	17	9	6	8	-	-	-	-	2	10
Cities of 25,000 to 100,000	26	26	17	3	6	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	55	54	49	1	1	2	1	-	-	-	-	1	-
Cities of 2,500 to 10,000	59	56	46	4	1	2	3	-	-	-	-	1	2
Rural	125	117	101	9	1	2	4	-	-	-	-	-	8
OHIO	3,139	2,864	2,605	103	50	43	54	1	1	-	7	275	-
Cities of 100,000 or more	1,560	1,353	1,190	70	26	26	38	1	-	-	2	207	-
Cities of 25,000 to 100,000	443	415	376	17	8	6	7	-	-	-	1	28	-
Cities of 10,000 to 25,000	298	287	264	8	7	3	3	-	-	-	2	11	-
Cities of 2,500 to 10,000	274	265	252	4	4	4	1	-	-	-	-	9	-
Rural	564	544	523	4	5	4	5	-	1	-	2	20	-
OKLAHOMA	1,049	893	855	8	24	2	-	-	3	-	1	107	49
Cities of 100,000 or more	161	131	120	1	7	-	-	-	2	-	1	29	1
Cities of 25,000 to 100,000	33	28	27	-	1	-	-	-	-	-	-	5	-
Cities of 10,000 to 25,000	173	149	147	1	1	-	-	-	-	-	-	11	13
Cities of 2,500 to 10,000	235	191	186	4	1	-	-	-	-	-	-	25	19
Rural	447	394	375	2	14	2	-	-	1	-	-	37	16

TABLE 5.—STILLBIRTHS BY RACE, PARENT NATIVITY OF WHITE, AND POPULATION-SIZE GROUPS: UNITED STATES AND EACH STATE, 1941—Contd.

AREA	Total stillbirths	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother unknown				
			Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown	Father native	Father foreign	Father unknown		
OREGON	353	340	296	16	7	11	8	-	2	-	-	2	11
Cities of 100,000 or more	108	102	80	5	4	9	3	-	1	-	-	2	4
Cities of 25,000 to 100,000	13	13	11	-	1	-	-	-	1	-	-	-	-
Cities of 10,000 to 25,000	65	64	55	5	1	1	2	-	-	-	-	-	1
Cities of 2,500 to 10,000	114	113	108	3	-	1	1	-	-	-	-	-	1
Rural	53	48	42	3	1	-	2	-	-	-	-	-	5
PENNSYLVANIA	4,421	4,044	3,529	207	86	92	128	1	1	-	-	376	1
Cities of 100,000 or more	1,380	1,128	916	87	29	43	52	1	-	-	-	251	1
Cities of 25,000 to 100,000	770	715	624	37	16	16	22	-	-	-	-	55	-
Cities of 10,000 to 25,000	708	673	600	28	10	18	16	-	1	-	-	35	-
Cities of 2,500 to 10,000	599	588	524	29	11	9	15	-	-	-	-	11	-
Rural	964	940	865	26	20	6	23	-	-	-	-	24	-
RHODE ISLAND	298	282	197	35	15	21	13	1	-	-	-	15	1
Cities of 100,000 or more	149	138	97	21	6	7	6	1	-	-	-	10	1
Cities of 25,000 to 100,000	114	110	75	12	6	11	6	-	-	-	-	4	-
Cities of 10,000 to 25,000	22	21	17	1	1	1	1	-	-	-	-	1	-
Rural	13	13	8	1	2	2	-	-	-	-	-	-	-
SOUTH CAROLINA	2,102	650	611	2	36	-	-	-	-	-	1	1,452	-
Cities of 25,000 to 100,000	378	150	138	2	9	-	-	-	-	-	1	228	-
Cities of 10,000 to 25,000	175	61	60	-	1	-	-	-	-	-	-	114	-
Cities of 2,500 to 10,000	289	144	138	-	6	-	-	-	-	-	-	145	-
Rural	1,260	295	275	-	20	-	-	-	-	-	-	965	-
SOUTH DAKOTA	203	192	174	9	5	1	1	-	-	-	2	1	10
Cities of 25,000 to 100,000	15	15	13	1	1	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	41	41	38	1	1	-	-	-	-	-	1	-	-
Cities of 2,500 to 10,000	41	38	31	6	-	-	-	-	-	-	1	-	3
Rural	106	98	92	1	3	1	1	-	-	-	-	1	7
TENNESSEE	1,585	1,178	1,112	3	62	-	1	-	-	-	-	407	-
Cities of 100,000 or more	553	337	307	3	26	-	1	-	-	-	-	216	-
Cities of 25,000 to 100,000	16	16	15	-	1	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	98	77	74	-	3	-	-	-	-	-	-	21	-
Cities of 2,500 to 10,000	194	162	153	-	9	-	-	-	-	-	-	32	-
Rural	724	586	563	-	23	-	-	-	-	-	-	138	-
TEXAS	4,116	3,132	2,573	163	98	116	164	11	3	-	4	982	2
Cities of 100,000 or more	877	643	513	38	31	25	31	3	1	-	1	233	1
Cities of 25,000 to 100,000	573	460	355	24	17	22	35	5	-	-	2	113	-
Cities of 10,000 to 25,000	349	286	235	16	11	11	11	-	2	-	-	62	1
Cities of 2,500 to 10,000	860	744	642	32	14	24	30	2	-	-	-	116	-
Rural	1,457	99[illegible]	828	53	25	34	57	1	-	-	1	458	-
UTAH	268	253	236	9	6	8	3	-	1	-	-	-	6
Cities of 100,000 or more	101	100	89	2	5	4	-	-	-	-	-	-	1
Cities of 25,000 to 100,000	25	25	25	-	-	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	21	21	18	1	-	1	1	-	-	-	-	-	-
Cities of 2,500 to 10,000	64	64	57	2	-	3	1	-	1	-	-	-	-
Rural	57	53	47	4	1	-	1	-	-	-	-	-	4
VERMONT	138	138	107	9	8	7	6	1	-	-	-	-	-
Cities of 25,000 to 100,000	18	18	15	1	2	-	-	-	-	-	-	-	-
Cities of 10,000 to 25,000	15	15	8	1	2	2	2	-	-	-	-	-	-
Cities of 2,500 to 10,000	50	50	41	5	1	3	-	-	-	-	-	-	-
Rural	55	55	43	2	3	2	4	1	-	-	-	-	-
VIRGINIA	2,185	1,203	1,127	6	52	5	4	1	5	-	3	981	1
Cities of 100,000 or more	358	157	140	2	10	2	1	1	1	-	-	201	-
Cities of 25,000 to 100,000	382	190	179	1	5	1	2	-	-	-	2	192	-
Cities of 10,000 to 25,000	92	72	64	-	6	2	-	-	-	-	-	20	-
Cities of 2,500 to 10,000	186	138	130	-	6	-	1	-	1	-	1	50	-
Rural	1,164	643	614	3	25	-	-	-	3	-	-	518	1
WASHINGTON	446	424	354	37	2	22	7	-	1	-	1	5	9
Cities of 100,000 or more	201	194	161	21	1	7	3	-	-	-	1	3	4
Cities of 25,000 to 100,000	44	43	33	2	-	7	1	-	-	-	-	1	-
Cities of 10,000 to 25,000	71	70	62	6	-	2	-	-	-	-	-	1	-
Cities of 2,500 to 10,000	58	58	48	3	-	3	2	-	-	-	-	-	-
Rural	76	71	60	5	1	3	1	-	1	-	-	-	5
WEST VIRGINIA	1,429	1,292	1,162	14	56	2	19	-	2	-	7	137	-
Cities of 25,000 to 100,000	274	255	230	5	14	1	3	-	-	-	2	19	-
Cities of 10,000 to 25,000	122	110	94	1	8	-	6	-	-	-	1	12	-
Cities of 2,500 to 10,000	258	218	195	3	17	1	1	-	-	-	2	34	-
Rural	730	708	643	5	47	-	9	-	2	-	2	72	-
WISCONSIN	1,135	1,119	1,004	44	32	19	19	-	-	-	1	3	13
Cities of 100,000 or more	226	225	180	22	8	7	7	-	-	-	1	-	1
Cities of 25,000 to 100,000	311	311	285	12	6	3	5	-	-	-	-	-	-
Cities of 10,000 to 25,000	149	149	140	6	3	-	-	-	-	-	-	-	-
Cities of 2,500 to 10,000	166	165	158	1	3	2	1	-	-	-	-	-	1
Rural	284	269	241	3	12	7	6	-	-	-	-	3	11
WYOMING	111	102	95	1	1	1	3	-	-	-	1	2	7
Cities of 10,000 to 25,000	38	38	36	-	1	-	1	-	-	-	-	1	-
Cities of 2,500 to 10,000	21	20	18	1	-	-	-	-	-	-	1	1	-
Rural	51	44	41	-	-	1	2	-	-	-	-	-	7

TABLE 6.—STILLBIRTHS BY NUMBER AND SEX OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES, 1941

(Figures for number of child (first through twenty-sixth) are exclusive of figures for Massachusetts which are included with the "Not stated." The certificate of this State does not require the number of child in order of birth)

NUMBER AND SEX OF CHILD, AND AGE OF MOTHER	Total stillbirths	WHITE			Negro	Other races
		Total[1]	Mother native	Mother foreign		
Total	75,133	58,467	53,661	4,267	16,318	348
Male	39,184	29,984	27,859	1,805	9,011	189
Female	30,685	23,858	22,142	1,514	6,679	148
Not stated	5,264	4,625	3,660	948	628	11
10 to 14 years	185	34	34	-	151	-
15 to 19 years	9,149	5,564	5,469	60	3,546	39
20 to 24 years	18,512	14,141	13,808	294	4,288	83
25 to 29 years	17,669	14,599	13,765	798	2,991	79
30 to 34 years	13,814	11,426	10,212	1,190	2,332	56
35 to 39 years	9,383	7,632	6,432	1,178	1,698	53
40 to 44 years	3,772	3,151	2,536	605	596	25
45 to 49 years	390	320	240	79	68	2
50 to 54 years	16	13	11	2	3	-
Not stated	2,243	1,587	1,154	61	645	11
FIRST CHILD	26,449	21,962	20,778	1,068	4,402	85
Male	13,688	11,229	10,735	426	2,415	44
Female	10,807	8,967	8,567	358	1,799	41
Not stated	1,954	1,766	1,476	284	188	-
10 to 14 years	184	33	33	-	151	-
15 to 19 years	6,279	4,143	4,072	40	2,108	28
20 to 24 years	8,857	7,592	7,396	170	1,233	32
25 to 29 years	6,169	5,687	5,348	325	469	13
30 to 34 years	3,108	2,853	2,540	306	248	7
35 to 39 years	1,216	1,125	949	174	89	2
40 to 44 years	254	224	178	43	28	2
45 to 49 years	15	14	9	5	1	-
50 to 54 years	2	2	2	-	-	-
Not stated	365	289	251	9	75	1
SECOND CHILD	13,183	10,666	9,913	723	2,459	58
Male	6,679	5,310	5,034	258	1,343	26
Female	5,297	4,277	4,011	255	994	26
Not stated	1,207	1,079	868	210	122	6
10 to 14 years	1	1	1	-	-	-
15 to 19 years	1,772	939	924	13	826	7
20 to 24 years	4,173	3,196	3,136	55	951	26
25 to 29 years	3,520	3,138	2,959	173	369	13
30 to 34 years	2,339	2,134	1,872	260	197	8
35 to 39 years	1,023	945	766	175	76	2
40 to 44 years	195	184	144	40	11	-
45 to 49 years	7	4	2	2	3	-
50 to 54 years	1	-	-	-	1	-
Not stated	152	125	109	5	25	2
THIRD CHILD	8,420	6,637	6,050	561	1,750	33
Male	4,332	3,358	3,132	208	956	18
Female	3,271	2,538	2,371	161	720	13
Not stated	817	741	547	192	74	2
15 to 19 years	505	186	184	2	316	3
20 to 24 years	2,318	1,535	1,508	24	771	12
25 to 29 years	2,274	1,909	1,807	92	353	12
30 to 34 years	1,922	1,725	1,533	191	195	2
35 to 39 years	994	923	749	171	69	2
40 to 44 years	265	247	181	66	17	1
45 to 49 years	28	25	17	8	3	-
50 to 54 years	1	1	1	-	-	-
Not stated	113	86	70	7	26	1
FOURTH CHILD	5,841	4,435	4,048	378	1,375	31
Male	3,023	2,247	2,090	152	758	18
Female	2,342	1,771	1,647	120	559	12
Not stated	476	417	311	106	58	1
15 to 19 years	143	57	57	-	86	-
20 to 24 years	1,226	689	679	10	529	8
25 to 29 years	1,738	1,342	1,285	55	386	10
30 to 34 years	1,452	1,208	1,080	127	237	7
35 to 39 years	917	813	682	128	100	4
40 to 44 years	282	256	204	52	25	1
45 to 49 years	24	20	15	5	3	1
50 to 54 years	1	1	1	-	-	-
Not stated	58	49	45	1	9	-
FIFTH CHILD	3,974	2,803	2,514	282	1,145	26
Male	2,110	1,460	1,322	134	632	18
Female	1,612	1,138	1,047	88	467	7
Not stated	252	205	145	60	46	1
15 to 19 years	35	9	9	-	26	-
20 to 24 years	556	223	218	5	332	1
25 to 29 years	1,185	756	726	30	418	11
30 to 34 years	1,052	820	742	78	225	7
35 to 39 years	759	646	548	95	109	4
40 to 44 years	307	283	218	64	21	3
45 to 49 years	28	26	18	8	2	-
50 to 54 years	1	1	1	-	-	-
Not stated	51	39	34	2	12	-
SIXTH CHILD	2,965	2,094	1,869	216	858	13
Male	1,601	1,092	988	98	501	8
Female	1,217	880	792	85	332	5
Not stated	147	122	89	33	25	-
15 to 19 years	15	4	4	-	11	-
20 to 24 years	236	85	83	1	151	-
25 to 29 years	741	426	401	24	308	7
30 to 34 years	897	673	621	51	222	2
35 to 39 years	760	635	540	93	121	4
40 to 44 years	263	224	184	39	39	-
45 to 49 years	25	23	17	6	2	-
Not stated	28	24	19	2	4	-
SEVENTH CHILD	2,185	1,462	1,318	143	705	18
Male	1,166	776	701	74	379	11
Female	931	623	568	55	301	7
Not stated	88	63	49	14	25	-
20 to 24 years	84	29	27	2	54	1
25 to 29 years	414	208	199	7	206	2
30 to 34 years	694	450	421	28	240	4
35 to 39 years	649	480	427	53	161	8
40 to 44 years	299	262	215	47	34	3
45 to 49 years	22	20	14	6	2	-
50 to 54 years	1	1	1	-	-	-
Not stated	22	14	14	-	8	-
EIGHTH CHILD	1,746	1,166	1,056	106	563	17
Male	932	609	558	51	312	11
Female	745	502	459	41	237	6
Not stated	69	55	41	14	14	-
20 to 24 years	52	22	20	2	28	2
25 to 29 years	267	109	107	2	154	4
30 to 34 years	528	322	301	20	201	5
35 to 39 years	567	431	388	43	131	5
40 to 44 years	283	245	212	32	37	1
45 to 49 years	27	23	17	6	4	-
50 to 54 years	2	2	1	1	-	-
Not stated	20	12	10	-	8	-
NINTH CHILD	1,383	889	804	84	478	16
Male	739	461	421	39	271	7
Female	596	392	357	35	196	8
Not stated	48	36	26	10	11	1
20 to 24 years	15	5	4	-	10	-
25 to 29 years	112	43	39	4	66	3
30 to 34 years	380	224	217	7	152	4
35 to 39 years	533	352	311	41	174	7
40 to 44 years	293	232	204	28	59	2
45 to 49 years	32	26	22	4	6	-
50 to 54 years	1	1	1	-	-	-
Not stated	17	6	6	-	11	-
TENTH CHILD	1,058	652	571	80	393	13
Male	549	325	290	34	216	8
Female	471	301	260	41	165	5
Not stated	38	26	21	5	12	-
20 to 24 years	11	4	4	-	7	-
25 to 29 years	68	23	23	-	45	-
30 to 34 years	255	128	121	7	124	3
35 to 39 years	433	257	228	29	171	5
40 to 44 years	249	206	167	39	38	5
45 to 49 years	28	24	21	3	4	-
50 to 54 years	1	1	-	1	-	-
Not stated	13	9	7	1	4	-
ELEVENTH CHILD	742	436	378	55	300	6
Male	451	246	213	31	180	5
Female	288	175	153	21	112	1
Not stated	23	15	12	3	8	-
20 to 24 years	5	2	2	-	3	-
25 to 29 years	47	9	7	2	37	1
30 to 34 years	136	72	64	7	62	2
35 to 39 years	291	160	142	17	131	-
40 to 44 years	228	164	139	24	61	3
45 to 49 years	27	23	21	2	4	-
50 to 54 years	1	1	1	-	-	-
Not stated	7	5	2	3	2	-
TWELFTH CHILD	575	336	293	40	229	10
Male	296	174	154	18	119	3
Female	263	154	134	19	102	7
Not stated	16	8	5	3	8	-
25 to 29 years	15	4	3	1	10	1
30 to 34 years	93	36	31	5	54	3
35 to 39 years	228	128	114	14	95	5
40 to 44 years	205	141	123	16	61	1
45 to 49 years	27	19	16	3	8	-
50 to 54 years	2	2	2	-	-	-
Not stated	7	6	4	1	1	-
THIRTEENTH CHILD	355	210	178	32	141	4
Male	208	131	112	19	75	2
Female	142	74	63	11	66	2
Not stated	5	5	3	2	-	-
25 to 29 years	15	6	5	1	9	-
30 to 34 years	38	12	8	4	26	-
35 to 39 years	154	95	80	15	56	3
40 to 44 years	131	83	73	10	47	1
45 to 49 years	14	12	11	1	2	-
Not stated	3	2	1	1	1	-

[1] Includes "Country not stated."

TABLE 6.—STILLBIRTHS BY NUMBER AND SEX OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER: UNITED STATES, 1941—Continued

(Figures for number of child (first through twenty-sixth) are exclusive of figures for Massachusetts which are included with the "Not stated." The certificate of this State does not require the number of child in order of birth)

NUMBER AND SEX OF CHILD, AND AGE OF MOTHER	Total stillbirths	WHITE			Negro	Other races
		Total[1]	Mother native	Mother foreign		
FOURTEENTH CHILD	238	138	118	20	99	1
Male	127	76	68	8	51	-
Female	109	61	49	12	47	1
Not stated	2	1	1	-	1	-
25 to 29 years	7	2	2	-	5	-
30 to 34 years	23	7	7	-	16	-
35 to 39 years	91	47	41	6	44	-
40 to 44 years	93	64	53	11	28	1
45 to 49 years	21	15	12	3	6	-
Not stated	3	3	3	-	-	-
FIFTEENTH CHILD	155	87	77	10	68	-
Male	95	56	48	8	39	-
Female	58	30	28	2	28	-
Not stated	2	1	1	-	1	-
25 to 29 years	3	-	-	-	3	-
30 to 34 years	13	4	4	-	9	-
35 to 39 years	50	22	21	1	28	-
40 to 44 years	67	44	41	3	23	-
45 to 49 years	19	16	10	6	3	-
50 to 54 years	1	-	-	-	1	-
Not stated	2	1	1	-	1	-
SIXTEENTH CHILD	107	53	39	14	54	-
Male	61	29	26	3	32	-
Female	42	21	13	8	21	-
Not stated	4	3	-	3	1	-
25 to 29 years	2	2	2	-	-	-
30 to 34 years	13	4	4	-	9	-
35 to 39 years	40	18	15	3	22	-
40 to 44 years	40	22	14	8	18	-
45 to 49 years	11	7	4	3	4	-
Not stated	1	-	-	-	1	-
SEVENTEENTH CHILD	27	13	11	2	14	-
Male	22	10	9	1	12	-
Female	5	3	2	1	2	-
30 to 34 years	3	2	2	-	1	-
35 to 39 years	10	2	2	-	8	-
40 to 44 years	12	8	7	1	4	-
45 to 49 years	1	-	-	-	1	-
Not stated	1	1	-	1	-	-
EIGHTEENTH CHILD	30	17	12	5	12	1
Male	15	8	5	3	6	1
Female	15	9	7	2	6	-
30 to 34 years	1	-	-	-	1	-
35 to 39 years	13	6	5	1	6	1
40 to 44 years	13	9	6	3	4	-
45 to 49 years	3	2	1	1	1	-
NINETEENTH CHILD	17	8	8	-	8	1
Male	12	5	5	-	6	1
Female	5	3	3	-	2	-
30 to 34 years	2	1	1	-	1	-
35 to 39 years	3	3	3	-	-	-
40 to 44 years	8	3	3	-	5	-
45 to 49 years	4	1	1	-	2	1
TWENTIETH CHILD	6	1	1	-	5	-
Male	3	1	1	-	2	-
Female	3	-	-	-	3	-
35 to 39 years	4	-	-	-	4	-
40 to 44 years	2	1	1	-	1	-
TWENTY-FIRST CHILD	4	1	1	-	3	-
Male	1	1	1	-	-	-
Female	3	-	-	-	3	-
30 to 34 years	2	-	-	-	2	-
40 to 44 years	2	1	1	-	1	-
TWENTY-SECOND CHILD	1	-	-	-	1	-
Female	1	-	-	-	1	-
40 to 44 years	1	-	-	-	1	-
TWENTY-THIRD CHILD	5	2	1	1	3	-
Male	4	1	1	-	3	-
Female	1	1	-	1	-	-
35 to 39 years	3	1	-	1	2	-
40 to 44 years	2	1	1	-	1	-
TWENTY-FOURTH CHILD	4	4	3	1	-	-
Male	1	1	1	-	-	-
Female	3	3	2	1	-	-
35 to 39 years	2	2	2	-	-	-
40 to 44 years	2	2	1	1	-	-
TWENTY-FIFTH CHILD	2	2	2	-	-	-
Female	2	2	2	-	-	-
35 to 39 years	1	1	1	-	-	-
40 to 44 years	1	1	1	-	-	-
TWENTY-SIXTH CHILD	3	3	3	-	-	-
Male	1	1	1	-	-	-
Female	2	2	2	-	-	-
35 to 39 years	1	1	1	-	-	-
40 to 44 years	1	1	1	-	-	-
Not stated	1	1	1	-	-	-
NOT STATED	5,658	4,390	3,615	446	1,253	15
Male	3,088	2,377	1,945	240	703	8
Female	2,454	1,931	1,605	197	516	7
Not stated	116	82	65	9	34	-
15 to 19 years	400	226	219	5	173	1
20 to 24 years	979	759	731	25	219	1
25 to 29 years	1,092	937	852	82	153	2
30 to 34 years	863	751	643	103	110	2
35 to 39 years	641	539	417	118	101	1
40 to 44 years	276	243	164	78	32	1
45 to 49 years	27	20	12	7	7	-
50 to 54 years	1	-	-	-	1	-
Not stated	1,379	915	577	28	457	7

[1] Includes "Country not stated."

TABLE 7.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1941

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	1,397,642	146,094	122,570	127,462	115,931	115,473	110,755	112,412	105,863	101,304	108,962	112,762	118,054
Typhoid and paratyphoid fever 1,2	1,088	68	30	58	67	79	88	152	168	124	109	91	54
Cerebrospinal (meningococcus) meningitis 6	715	64	73	103	69	66	43	46	65	35	47	44	58
Scarlet fever 8	454	54	48	66	55	36	29	22	13	21	28	38	44
Whooping cough 9	3,785	373	316	415	371	356	358	362	316	245	238	241	194
Diptheria 10	1,293	120	78	90	53	52	47	53	91	122	188	253	146
Tuberculosis of respiratory system, etc.* 11	54,358	5,166	4,623	5,117	4,843	5,024	4,545	4,573	4,198	3,948	4,026	4,091	4,204
Tuberculosis (other forms) 14-22	4,893	399	403	410	440	448	506	437	436	326	347	344	397
Dysentery 27	2,433	57	76	56	76	150	347	487	401	318	250	139	76
Malaria 28	1,178	37	31	25	54	82	124	159	179	159	181	95	52
Syphilis (all forms) 30	17,728	1,791	1,509	1,603	1,482	1,533	1,477	1,479	1,309	1,295	1,403	1,386	1,461
Influenza 33	21,047	7,955	4,708	2,709	1,358	693	415	298	250	260	464	859	1,078
Measles 35	2,279	93	122	387	539	431	280	148	57	48	43	52	99
Poliomyelitis and polioencephalitis (acute) 36	807	43	27	34	29	24	32	75	168	162	103	73	37
Cancer of the digestive organs and peritoneum 46	73,039	6,322	5,619	6,122	5,995	6,208	6,171	6,247	6,057	5,898	6,233	6,061	6,106
Cancer of female genital organs 48,49	21,190	1,865	1,610	1,794	1,771	1,722	1,878	1,830	1,682	1,715	1,796	1,718	1,809
Cancer of the breast 50	15,526	1,384	1,206	1,299	1,268	1,307	1,280	1,263	1,236	1,252	1,412	1,318	1,303
Cancer (other sites) 45,47,51-55	50,171	4,422	3,919	4,250	4,090	4,280	4,157	4,327	4,040	4,088	4,179	4,216	4,203
Acute rheumatic fever 58	1,640	149	139	139	178	165	137	158	121	106	103	117	128
Diabetes mellitus 61	33,879	3,732	3,071	3,230	2,871	2,804	2,661	2,606	2,392	2,414	2,611	2,673	2,814
Exophthalmic goiter 63b	3,309	320	277	306	299	297	298	288	246	220	260	260	240
Pellagra (except alcoholic) 69	1,836	158	152	170	160	153	178	187	153	124	141	127	133
Alcoholism (ethylism) 77	2,458	263	208	241	194	184	193	197	182	186	195	215	200
Intracranial lesions of vascular origin 83	118,584	11,885	10,105	10,977	10,075	9,905	9,353	9,303	8,748	8,396	9,261	9,994	10,582
Other diseases of the nervous system, etc.* 80-82,84-88	14,147	1,368	1,214	1,242	1,220	1,208	1,095	1,241	1,135	1,013	1,131	1,072	1,208
Diseases of the ear, nose, and throat 89,104,115	5,733	624	559	626	558	477	430	446	440	365	401	358	449
Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	26,325	2,841	2,360	2,417	2,201	2,292	2,128	2,063	1,852	1,831	1,966	2,067	2,307
Diseases of coronary arteries and angina pectoris 94	107,166	10,386	9,100	9,592	8,915	9,108	8,346	8,139	7,935	7,914	8,590	9,162	9,979
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	252,650	27,816	23,532	24,130	21,385	21,077	19,611	19,192	17,629	17,183	18,867	20,323	21,905
Pneumonia (all forms) 107-109	65,935	11,357	8,277	7,615	5,621	4,185	3,207	3,172	2,836	2,918	3,890	5,028	5,829
Ulcer of stomach or duodenum 117	8,864	807	680	790	742	769	699	725	632	655	754	813	798
Diarrhea, enteritis, etc.* 119,120	13,971	575	506	616	619	894	1,571	2,086	1,996	1,773	1,713	959	663
Appendicitis 121	10,789	1,048	852	984	920	988	981	1,054	985	858	780	709	650
Hernia and intestinal obstruction 122	11,537	1,033	886	1,001	963	926	951	1,090	966	870	943	903	1,005
Cirrhosis of the liver 124	11,876	1,087	907	985	1,003	958	915	983	931	950	1,073	1,068	1,036
Biliary calculi, etc.* 126,127	7,536	646	598	692	641	691	649	694	600	594	575	592	574
Nephritis 130-132	99,954	10,635	8,834	9,296	8,563	8,630	8,041	7,890	7,042	6,879	7,697	8,087	8,360
Diseases of the prostate 137	8,237	738	643	697	721	681	677	714	651	643	704	698	670
Puerperal septicemia 140,142a,147	3,034	271	243	266	277	282	249	288	287	207	269	177	218
Puerperal toxemias 141a,c,144,148	2,031	174	175	177	184	190	175	201	161	169	147	139	139
Other puerperal causes 141b,d,e,f,142b,143,145,146,149,150	2,891	255	229	214	252	256	256	316	266	215	200	206	226
Congenital malformations 157	13,922	1,236	1,140	1,140	1,072	1,150	1,096	1,234	1,219	1,079	1,129	1,220	1,207
Premature birth 159	33,341	2,878	2,475	2,765	2,775	2,890	3,039	2,902	2,761	2,664	2,812	2,704	2,676
Suicide 163,164	17,102	1,457	1,256	1,565	1,579	1,586	1,511	1,406	1,314	1,427	1,397	1,302	1,302
Homicide 165-168	7,929	608	583	660	612	645	732	735	741	696	619	617	681
Motor-vehicle accidents 170	39,969	2,850	2,636	2,764	2,630	3,034	3,114	3,289	3,954	3,746	3,903	3,909	4,140
Other accidents 169,171-195	61,544	5,027	4,628	5,019	4,701	5,142	5,495	6,422	5,672	4,618	4,799	4,957	5,064
All other causes*	139,471	13,657	11,917	12,608	11,440	11,435	11,192	11,433	11,350	10,575	11,005	11,309	11,550

*Refer to complete International List titles, table XI.

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	All causes	1,397,642	113,949	11,567	5,751	3,952	3,032	138,251	10,921	10,948	20,667	27,443
	All races—Male	785,033	64,987	6,207	3,194	2,128	1,644	78,160	6,254	6,470	11,878	15,631
	All races—Female	612,609	48,962	5,360	2,557	1,824	1,388	60,091	4,667	4,478	8,789	11,812
	White—M	685,672	52,152	4,713	2,515	1,755	1,362	62,497	5,214	5,298	9,425	11,937
	White—F	527,839	38,722	3,993	1,953	1,443	1,104	47,215	3,724	3,473	5,963	8,067
	Negro—M	94,697	12,147	1,335	613	340	260	14,695	954	1,093	2,309	3,531
	Negro—F	82,032	9,687	1,208	533	343	262	12,033	879	943	2,686	3,590
	Other races—M	4,664	688	159	66	33	22	968	86	81	144	163
	Other races—F	2,738	553	159	71	38	22	843	64	62	140	155
	I.—Infectious and parasitic diseases	119,320	9,797	3,286	1,632	1,025	709	16,429	2,279	1,922	4,563	7,000
	White—M	52,034	3,666	1,180	627	391	262	6,126	902	617	1,145	1,621
	White—F	34,247	3,137	1,128	572	369	274	5,478	794	621	1,305	2,267
	Negro—M	17,165	1,514	424	187	112	79	2,316	264	255	715	1,243
	Negro—F	13,919	1,272	404	181	115	76	2,048	246	351	1,243	1,701
	Other races—M	1,142	109	66	32	18	10	235	40	40	72	71
	Other races—F	813	99	66	33	20	8	226	33	38	83	97
1	Typhoid fever	1,022	8	11	19	11	13	62	72	98	119	112
	White—M	415	3	3	9	4	7	26	21	35	47	37
	White—F	260	3	4	6	1	-	14	25	37	30	26
	Negro—M	184	-	-	1	1	2	4	11	11	24	32
	Negro—F	140	2	4	3	5	4	18	11	14	17	17
	Other races—M	13	-	-	-	-	-	-	2	1	-	-
	Other races—F	10	-	-	-	-	-	-	2	-	1	-
2	Paratyphoid fever	66	8	2	-	-	-	10	2	3	2	3
	White—M	31	3	1	-	-	-	4	1	1	2	1
	White—F	25	4	1	-	-	-	5	1	2	-	1
	Negro—M	7	1	-	-	-	-	1	-	-	-	-
	Negro—F	2	-	-	-	-	-	-	-	-	-	1
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
3	Plague	2	-	-	-	-	-	-	2	-	-	-
	White—M	2	-	-	-	-	-	-	2	-	-	-
5	Undulant fever (brucellosis)	65	1	-	1	-	1	3	1	3	2	6
	White—M	35	-	-	1	-	1	2	-	1	1	3
	White—F	24	1	-	-	-	-	1	1	1	1	3
	Negro—M	3	-	-	-	-	-	-	-	1	-	-
	Negro—F	2	-	-	-	-	-	-	-	-	-	-
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	713	157	60	35	27	12	291	55	55	65	43
	White—M	360	69	32	17	15	3	136	30	26	39	23
	White—F	243	55	20	14	7	7	103	19	17	19	14
	Negro—M	66	18	6	2	4	1	31	4	6	5	5
	Negro—F	37	11	1	2	1	1	16	2	5	2	1
	Other races—M	4	2	-	-	-	-	2	-	1	-	-
	Other races—F	3	2	1	-	-	-	3	-	-	-	-
7	Anthrax (infection by Bacillus anthracis)	9	-	-	-	-	-	-	-	-	1	1
	White—M	6	-	-	-	-	-	-	-	-	1	-
	White—F	2	-	-	-	-	-	-	-	-	-	1
	Negro—M	1	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	454	29	32	45	33	37	176	121	46	35	18
	White—M	221	19	18	25	15	17	94	57	22	18	7
	White—F	204	9	12	18	15	16	70	57	22	15	9
	Negro—M	9	1	1	-	2	2	6	1	-	-	-
	Negro—F	20	-	1	2	1	2	6	6	2	2	2
9	Whooping cough	3,785	2,572	714	217	117	48	3,668	88	10	3	2
	White—M	1,327	965	207	64	35	12	1,283	31	3	3	2
	White—F	1,465	986	276	89	50	21	1,422	35	3	-	-
	Negro—M	432	291	93	19	9	7	419	6	4	-	-
	Negro—F	457	272	118	30	20	8	448	8	-	-	-
	Other races—M	60	38	10	6	-	-	54	6	-	-	-
	Other races—F	44	20	10	9	3	-	42	2	-	-	-
10	Diphtheria (infection by C. diphtheriae)	1,293	99	182	203	198	151	833	277	49	16	11
	White—M	570	40	79	86	93	67	365	128	21	9	1
	White—F	494	39	69	70	73	59	310	108	22	2	8
	Negro—M	108	12	17	24	17	14	84	16	2	-	-
	Negro—F	101	6	10	18	12	10	56	23	4	5	2
	Other races—M	7	-	4	1	1	-	6	1	-	-	-
	Other races—F	13	2	3	4	2	1	12	1	-	-	-
11	Erysipelas	368	54	4	3	1	-	62	5	3	2	5
	White—M	174	21	1	2	1	-	25	3	1	1	1
	White—F	171	23	3	1	-	-	27	1	1	1	4
	Negro—M	11	4	-	-	-	-	4	-	1	-	-
	Negro—F	11	5	-	-	-	-	5	1	-	-	-
	Other races—M	1	1	-	-	-	-	1	-	-	-	-
12	Tetanus	602	115	14	11	14	14	168	96	66	20	22
	White—M	304	45	7	7	7	5	71	55	34	9	6
	White—F	123	24	3	2	5	3	37	20	10	3	5
	Negro—M	115	19	4	2	2	3	30	14	17	7	10
	Negro—F	55	26	-	-	-	3	29	6	4	1	1
	Other races—M	3	-	-	-	-	-	-	1	1	-	-
	Other races—F	2	1	-	-	-	-	1	-	-	-	-
13-22	Tuberculosis (all forms)	59,251	495	535	302	164	110	1,606	443	763	3,257	5,551
	White—M	25,957	158	172	102	48	31	511	121	138	578	1,178
	White—F	16,326	147	173	95	48	32	495	112	210	956	1,832
	Negro—M	8,244	72	80	46	29	23	250	87	131	551	985
	Negro—F	7,458	88	73	44	26	16	247	77	220	1,027	1,401
	Other races—M	765	17	18	8	10	6	59	26	31	69	71
	Other races—F	501	13	19	7	3	2	44	20	33	76	84

RACE, AND SEX: UNITED STATES, 1941

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
29,631	33,506	40,452	52,863	70,785	91,601	107,979	125,686	147,555	154,644	137,734	111,549	58,601	19,862	4,573	1,163	1,228	
16,458	18,503	22,921	30,522	42,475	56,010	66,452	75,209	84,925	85,749	72,528	55,846	27,560	8,460	1,813	434	775	
13,173	15,003	17,531	22,341	28,310	35,591	41,527	50,477	62,630	68,895	65,206	55,703	31,041	11,402	2,760	729	453	
12,280	13,876	17,631	23,950	34,840	47,444	58,601	67,953	77,174	79,788	68,398	53,354	26,062	7,734	1,496	215	507	
9,280	10,722	12,422	16,336	22,208	28,531	35,233	44,667	56,823	64,375	61,955	53,632	29,640	10,579	2,379	349	266	
4,035	4,415	5,072	6,340	7,367	8,292	7,546	6,869	7,377	5,678	3,905	2,337	1,418	686	308	209	261	
3,776	4,189	5,001	5,917	5,994	6,933	6,170	5,683	5,682	4,368	3,150	1,989	1,349	787	370	362	181	
143	212	218	232	268	274	305	387	374	283	225	155	80	40	9	10	7	
117	92	108	88	108	127	124	127	125	152	101	82	52	36	11	18	6	
7,613	7,755	7,910	8,288	8,855	9,096	8,292	7,511	6,676	5,362	3,960	3,094	1,831	737	175	57	115	
2,099	2,591	3,132	3,697	4,528	5,097	4,899	4,500	3,775	2,866	1,873	1,393	790	284	56	9	34	
2,519	2,291	1,982	1,843	1,899	1,751	1,721	1,789	1,845	1,819	1,684	1,442	910	369	78	19	21	
1,334	1,436	1,507	1,707	1,534	1,466	1,065	736	665	382	242	127	70	37	21	10	31	
1,535	1,307	1,166	946	789	681	526	401	336	244	132	111	52	43	16	19	28	
56	80	76	68	78	78	56	67	45	33	23	13	7	2	2	-	-	
70	48	47	27	27	23	25	18	10	18	6	8	2	2	2	-	3	
124	91	71	59	44	40	49	38	20	10	7	4	-	-	1	-	1	1
40	37	27	31	23	23	26	15	15	9	2	1	-	-	-	-	-	
30	22	20	7	8	8	12	13	3	1	4	-	-	-	-	-	-	
28	17	15	10	7	7	6	9	1	-	-	1	-	-	-	-	1	
21	12	7	8	5	2	4	1	1	-	-	1	-	-	1	-	-	
2	3	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
3	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	
2	5	1	4	5	5	2	6	7	3	1	2	2	-	-	-	1	2
2	2	-	-	2	1	2	4	3	-	1	2	2	-	-	-	1	
-	1	-	2	2	2	-	2	4	3	-	-	-	-	-	-	-	
-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	2	7	1	8	3	6	4	3	5	3	1	-	-	-	-	-	5
2	2	4	-	6	2	5	1	2	3	1	-	-	-	-	-	-	
4	-	3	1	1	1	1	2	1	1	1	1	-	-	-	-	-	
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
28	29	27	29	28	18	20	9	8	3	3	-	1	-	-	-	1	6
12	20	14	19	10	10	10	5	3	1	1	-	-	-	-	-	1	
10	8	9	7	13	7	8	3	4	1	2	-	1	-	-	-	-	
3	2	2	3	2	-	1	1	1	-	-	-	-	-	-	-	-	
3	1	2	-	3	1	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	2	1	-	-	1	-	-	2	-	-	-	-	-	-	-	7
-	-	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	11	8	10	7	3	5	3	1	-	2	-	-	-	-	-	-	8
5	5	4	3	3	-	2	1	-	-	-	-	-	-	-	-	-	
3	6	3	6	3	2	3	2	1	-	2	-	-	-	-	-	-	
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	1	-	1	-	2	-	1	1	-	-	1	1	-	-	-	3	9
1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	
2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	9	10	18	11	12	9	9	7	3	3	5	-	-	-	-	-	10
3	3	6	11	6	5	5	1	3	1	1	1	-	-	-	-	-	
5	4	2	6	4	5	1	7	4	2	1	3	-	-	-	-	-	
1	-	1	-	-	1	2	-	-	-	1	-	-	-	-	-	-	
2	2	1	1	1	1	1	1	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	11	9	10	15	20	23	17	38	43	37	33	26	4	1	-	-	11
-	5	5	5	10	10	13	10	13	23	21	17	9	2	-	-	-	
4	4	4	5	5	9	10	6	22	18	16	16	16	1	1	-	-	
-	1	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-	
-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23	16	28	24	20	25	29	19	20	10	10	3	-	2	-	-	1	12
12	8	13	15	12	11	16	15	12	6	5	3	-	-	-	-	1	
6	3	6	5	3	8	3	2	4	3	4	-	-	1	-	-	-	
2	3	8	4	4	4	6	2	3	1	-	-	-	-	-	-	-	
3	2	1	-	1	1	4	-	-	-	1	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
5,945	5,780	5,380	5,162	5,186	5,050	4,296	3,733	3,026	2,026	1,185	584	192	32	7	1	46	13-22
1,602	1,950	2,221	2,449	2,972	3,114	2,749	2,387	1,820	1,160	602	281	88	18	3	1	14	
2,059	1,798	1,435	1,232	1,023	938	900	894	871	707	500	261	84	9	1	-	9	
987	986	895	913	765	648	393	266	208	92	43	20	9	2	2	-	11	
1,186	940	735	501	349	280	195	129	89	36	19	11	6	1	-	-	9	
48	67	60	49	57	57	40	46	32	22	17	7	4	2	1	-	-	
63	39	34	18	20	13	19	11	6	9	4	4	1	-	-	-	3	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Contd.											
	Tuberculosis (all forms)—Continued											
13	Tuberculosis of respiratory system, etc.*	54,358	234	209	119	67	36	665	207	558	2,895	5,172
	White—M	24,129	68	62	36	13	12	191	44	70	483	1,075
	F	14,879	64	55	33	20	7	179	41	160	867	1,748
	Negro—M	7,442	37	36	22	15	11	121	42	90	477	904
	F	6,784	50	33	20	13	4	120	50	187	936	1,304
	Other races—M	684	10	13	4	5	1	33	14	25	82	66
	F	440	5	10	4	1	1	21	16	26	70	75
14	Tuberculosis of meninges, etc.*	1,341	154	228	118	55	55	610	129	83	96	75
	White—M	508	56	79	49	21	12	217	50	33	33	21
	F	429	64	90	38	15	20	227	44	21	30	23
	Negro—M	182	15	21	11	8	9	64	17	13	13	17
	F	169	14	25	15	6	9	69	10	11	18	12
	Other races—M	28	2	4	3	3	5	17	6	2	-	1
	F	25	3	9	2	2	-	16	2	3	2	1
15	Tuberculosis of intestines and peritoneum	897	11	6	3	4	2	26	21	31	98	98
	White—M	244	1	1	1	1	-	4	7	8	17	15
	F	256	-	2	1	2	-	5	4	7	15	24
	Negro—M	168	2	1	1	-	1	5	5	5	23	24
	F	202	7	2	-	-	1	10	2	9	40	28
	Other races—M	12	-	-	-	1	-	1	2	1	1	2
	F	15	1	-	-	-	-	1	1	1	2	5
16	Tuberculosis of vertebral column	583	3	1	4	11	5	24	17	19	39	48
	White—M	241	1	-	1	4	2	8	1	5	14	14
	F	175	-	1	-	3	3	7	3	4	8	8
	Negro—M	101	1	-	1	2	-	4	6	6	11	12
	F	58	1	-	1	2	-	4	5	4	5	14
	Other races—M	7	-	-	1	-	-	1	2	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-
17	Tuberculosis of bones and joints, etc.*	213	1	1	1	-	1	4	11	7	23	17
	White—M	91	1	1	-	-	-	2	2	4	6	5
	F	60	-	-	-	-	1	1	5	2	6	4
	Negro—M	41	-	-	1	-	-	1	1	-	9	3
	F	17	-	-	-	-	-	-	3	1	-	5
	Other races—M	3	-	-	-	-	-	-	-	-	2	-
	F	1	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	28	1	-	-	-	-	1	-	-	2	1
	White—M	10	-	-	-	-	-	-	-	-	1	1
	F	13	1	-	-	-	-	1	-	-	1	-
	Negro—M	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	109	1	1	1	1	-	4	2	3	6	8
	White—M	24	-	1	-	-	-	1	-	-	-	2
	F	45	-	-	-	-	-	-	1	-	1	3
	Negro—M	21	-	-	1	1	-	2	1	2	1	-
	F	15	-	-	-	-	-	-	-	-	2	3
	Other races—M	2	-	-	-	-	-	-	-	-	2	-
	F	2	1	-	-	-	-	1	-	1	-	-
20	Tuberculosis of genito-urinary system	459	-	-	-	-	-	-	3	12	17	25
	White—M	256	-	-	-	-	-	-	1	7	9	17
	F	155	-	-	-	-	-	-	1	2	5	2
	Negro—M	23	-	-	-	-	-	-	-	-	1	1
	F	14	-	-	-	-	-	-	1	1	1	1
	Other races—M	6	-	-	-	-	-	-	-	1	1	1
	F	5	-	-	-	-	-	-	-	1	-	3
21	Tuberculosis of other organs	118	-	1	-	-	-	1	-	1	3	9
	White—M	52	-	-	-	-	-	-	-	1	-	3
	F	42	-	1	-	-	-	1	-	-	2	1
	Negro—M	13	-	-	-	-	-	-	-	-	-	4
	F	10	-	-	-	-	-	-	-	-	1	1
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
22	Disseminated tuberculosis	1,145	90	88	56	26	11	271	53	49	78	98
	White—M	402	31	28	15	9	5	88	16	10	15	25
	F	274	18	24	23	8	1	74	13	14	21	19
	Negro—M	252	17	22	9	3	2	53	15	15	16	20
	F	185	16	13	8	5	2	44	6	7	24	33
	Other races—M	23	5	1	-	1	-	7	2	2	1	1
	F	9	3	-	1	-	1	5	1	1	1	-
23	Leprosy	40	-	-	-	-	-	-	-	1	-	1
	White—M	23	-	-	-	-	-	-	-	1	-	-
	F	10	-	-	-	-	-	-	-	-	-	1
	Negro—M	3	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	1,304	129	23	21	13	17	203	69	71	72	63
	White—M	623	67	10	14	8	8	107	31	39	39	24
	F	437	42	7	6	2	7	64	32	23	20	20
	Negro—M	113	11	2	1	-	-	14	4	5	5	8
	F	117	7	4	-	2	2	15	2	3	8	10
	Other races—M	6	-	-	-	-	-	-	-	1	-	-
	F	8	2	-	-	1	-	3	-	-	-	1
25	Gonococcus infection	364	14	1	-	-	1	16	-	4	33	45
	White—M	33	4	-	-	-	-	4	-	-	2	2
	F	111	4	-	-	-	-	4	-	2	8	15
	Negro—M	42	3	1	-	-	-	4	-	-	2	4
	F	172	3	-	-	-	1	4	-	1	20	23
	Other races—F	6	-	-	-	-	-	-	-	1	1	1

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
5,597	5,447	5,076	4,862	4,874	4,779	4,067	3,508	2,852	1,902	1,104	542	174	27	6	1	43	13
1,494	1,847	2,114	2,337	2,824	2,986	2,639	2,260	1,727	1,095	566	262	82	16	3	1	13	
1,986	1,718	1,353	1,147	941	856	826	825	807	654	460	241	74	7	1	-	8	
920	902	836	853	716	606	363	250	196	88	38	18	9	2	1	-	10	
1,111	881	685	462	320	264	182	119	85	35	19	10	4	1	-	-	9	
45	62	56	46	55	54	39	43	32	22	17	7	4	1	1	-	-	
61	37	32	17	18	13	18	11	5	8	4	4	1	-	-	-	3	
70	55	42	56	44	21	23	15	14	2	3	2	-	-	1	-	-	14
24	17	19	28	18	12	14	10	11	1	-	-	-	-	-	-	-	
10	14	7	15	15	5	5	4	3	1	3	2	-	-	-	-	-	
15	10	9	7	8	3	4	1	-	-	-	-	-	-	1	-	-	
21	13	6	6	2	1	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
79	78	82	71	61	60	37	45	43	23	23	13	6	1	-	-	1	15
10	16	20	16	25	17	15	26	24	11	7	6	-	-	-	-	-	
31	19	21	25	14	22	8	10	14	12	13	6	4	1	-	-	1	
9	20	17	18	9	11	10	6	3	-	3	-	-	-	-	-	-	
28	21	22	11	12	9	4	2	1	-	-	1	2	-	-	-	-	
-	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	
50	47	51	40	48	39	38	38	24	32	17	7	3	2	-	-	-	16
19	23	23	17	23	18	17	17	10	19	8	3	1	1	-	-	-	
9	8	16	11	13	14	16	18	12	13	8	3	2	-	-	-	-	
12	11	7	9	10	6	3	1	1	-	1	1	-	-	-	-	-	
7	4	4	3	2	1	2	2	1	-	-	-	-	-	-	-	-	
2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	9	6	18	18	20	13	14	13	8	9	4	2	1	-	-	1	17
3	4	2	4	12	12	8	8	8	5	4	1	1	-	-	-	-	
2	-	2	6	3	3	3	6	4	3	5	3	1	1	-	-	-	
9	4	1	5	2	4	-	-	1	-	-	-	-	-	-	-	1	
1	-	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
2	1	-	1	4	1	2	3	1	5	2	1	1	-	-	-	-	18
1	1	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	
1	-	-	-	2	-	2	1	1	3	1	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	
4	8	8	5	4	4	10	13	14	10	3	2	1	-	-	-	-	19
-	1	3	1	1	-	3	5	4	3	-	-	-	-	-	-	-	
-	1	1	1	1	3	6	6	9	7	3	1	1	-	-	-	-	
2	6	2	1	1	-	-	2	-	-	-	1	-	-	-	-	-	
2	-	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31	34	49	39	55	47	45	36	28	18	12	5	3	-	-	-	-	20
21	13	24	22	29	28	24	21	15	13	8	3	1	-	-	-	-	
10	16	16	15	20	12	19	13	11	5	4	2	2	-	-	-	-	
-	2	6	-	4	6	-	1	2	-	-	-	-	-	-	-	-	
-	2	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	12	7	10	13	18	10	10	8	6	2	1	-	-	-	-	-	21
2	2	2	4	7	10	4	8	5	2	2	-	-	-	-	-	-	
3	5	2	4	4	6	5	1	3	4	-	1	-	-	-	-	-	
-	3	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	
2	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
90	89	59	60	65	61	51	51	29	20	10	7	2	1	-	-	1	22
28	26	14	20	33	31	25	31	16	9	6	5	2	1	-	-	1	
27	17	17	8	10	17	10	10	7	5	3	2	-	-	-	-	-	
20	28	16	18	14	10	12	5	5	4	1	-	-	-	-	-	-	
14	17	11	11	7	2	3	4	1	1	-	-	-	-	-	-	-	
1	1	1	3	1	1	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
2	5	3	6	9	2	3	3	1	2	2	-	-	-	-	-	-	23
2	2	1	3	7	-	2	3	1	-	1	-	-	-	-	-	-	
-	2	2	2	-	1	-	-	-	1	1	-	-	-	-	-	-	
-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
61	68	45	84	83	77	89	92	75	60	38	29	13	9	2	3	-	24
21	22	14	41	39	35	52	49	40	31	19	11	8	1	-	-	-	
27	29	17	24	25	22	21	28	23	19	15	15	3	7	1	2	-	
6	5	5	7	12	14	7	7	4	4	2	2	1	-	1	-	-	
7	10	7	12	6	5	8	6	7	5	2	1	1	1	-	1	-	
-	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	
53	39	51	49	27	13	15	10	7	1	1	-	-	-	-	-	-	25
-	2	2	4	2	-	4	6	4	-	1	-	-	-	-	-	-	
21	19	13	16	10	2	-	1	-	-	-	-	-	-	-	-	-	
5	1	2	4	2	8	6	1	3	-	-	-	-	-	-	-	-	
27	17	32	25	12	3	5	2	-	1	-	-	-	-	-	-	-	
-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Contd.											
26	Other diseases due to bacteria (except dysentery)	154	-	2	1	-	1	4	2	2	6	4
	White—M—	87	-	1	-	-	-	1	1	1	3	2
	F—	44	-	1	1	-	-	2	1	-	2	1
	Negro—M—	14	-	-	-	-	-	-	-	-	1	1
	F—	6	-	-	-	-	1	1	-	-	-	-
	Other races—M—	1	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	1	-	-
27	Dysentery	2,433	1,106	313	109	43	22	1,593	32	11	13	23
	White—M—	952	474	106	39	20	7	646	11	5	8	8
	F—	894	375	124	38	14	11	562	12	2	2	10
	Negro—M—	292	135	40	13	4	2	194	3	-	1	4
	F—	259	109	31	15	3	2	160	6	4	2	1
	Other races—M—	19	6	8	2	1	-	17	-	-	-	-
	F—	17	7	4	2	1	-	14	-	-	-	-
28	Malaria	1,178	115	54	35	22	16	242	69	50	46	57
	White—M—	271	23	12	10	1	5	51	14	7	4	6
	F—	281	31	13	4	5	3	56	19	14	8	12
	Negro—M—	328	30	13	13	7	5	68	20	14	13	19
	F—	311	31	16	8	8	3	66	16	14	21	19
	Other races—M—	2	-	-	-	1	-	1	-	1	-	-
	F—	5	-	-	-	-	-	-	-	-	-	1
29	Other diseases due to parasitic protozoa, etc.*	10	1	-	-	-	-	1	-	-	-	1
	White—M—	6	-	-	-	-	-	-	-	-	-	1
	F—	2	1	-	-	-	-	1	-	-	-	-
	Negro—F—	1	-	-	-	-	-	-	-	-	-	-
	Other races—M—	1	-	-	-	-	-	-	-	-	-	-
30a	Locomotor ataxia (tabes dorsalis)	669	-	-	-	-	-	-	-	1	3	-
	White—M—	492	-	-	-	-	-	-	-	1	2	-
	F—	103	-	-	-	-	-	-	-	-	-	-
	Negro—M—	54	-	-	-	-	-	-	-	-	-	-
	F—	15	-	-	-	-	-	-	-	-	1	-
	Other races—M—	5	-	-	-	-	-	-	-	-	-	-
30b	General paralysis of insane	4,309	-	-	-	-	-	-	3	14	32	33
	White—M—	2,368	-	-	-	-	-	-	1	3	11	9
	F—	679	-	-	-	-	-	-	1	3	12	9
	Negro—M—	942	-	-	-	-	-	-	-	2	4	8
	F—	295	-	-	-	-	-	-	1	6	5	7
	Other races—M—	21	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-
30d	Aneurysm of aorta	3,426	-	-	-	-	-	-	-	2	4	17
	White—M—	1,930	-	-	-	-	-	-	-	-	2	5
	F—	450	-	-	-	-	-	-	-	-	1	1
	Negro—M—	782	-	-	-	-	-	-	-	1	1	7
	F—	241	-	-	-	-	-	-	-	1	-	4
	Other races—M—	20	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-
30c,e, f,g	Syphilis (other forms)	9,324	1,042	62	19	9	7	1,139	36	48	123	264
	White—M—	3,651	220	9	6	2	2	239	13	13	21	22
	F—	1,455	175	9	3	1	-	188	10	11	28	60
	Negro—M—	2,549	350	27	5	5	1	388	7	9	17	71
	F—	1,542	275	16	4	1	3	299	6	14	54	108
	Other races—M—	79	10	-	-	-	-	10	-	1	1	-
	F—	48	12	1	1	-	1	15	-	-	2	3
31	Relapsing fever	1	-	-	-	-	-	-	-	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	282	17	11	10	5	2	45	13	5	20	18
	White—M—	111	4	7	3	3	-	17	6	2	3	7
	F—	100	7	4	7	1	2	21	6	1	10	6
	Negro—M—	34	1	-	-	-	-	1	1	2	3	-
	F—	35	4	-	-	1	-	5	-	-	4	5
	Other races—M—	1	1	-	-	-	-	1	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-
33a	Influenza, with respiratory complications specified	13,188	1,971	432	161	88	54	2,706	136	137	202	248
	White—M—	5,337	764	173	56	32	18	1,043	43	45	75	62
	F—	4,787	598	130	54	31	23	836	43	61	50	73
	Negro—M—	1,568	331	83	22	12	7	435	24	14	44	48
	F—	1,423	250	58	26	13	6	353	20	16	33	63
	Other races—M—	27	12	4	-	-	-	16	-	-	-	-
	F—	46	16	4	3	-	-	23	-	1	-	2
33b	Influenza, without respiratory complications specified	7,859	1,071	262	153	71	49	1,606	152	135	141	143
	White—M—	3,126	451	111	67	26	20	675	57	52	63	45
	F—	3,026	336	85	56	31	20	528	55	43	45	55
	Negro—M—	834	150	30	16	6	4	206	23	19	9	24
	F—	824	116	32	12	5	4	169	16	18	23	19
	Other races—M—	21	7	-	1	2	-	10	-	1	-	-
	F—	28	11	4	1	1	1	18	1	2	1	-
34	Smallpox	12	1	1	-	-	-	2	1	-	-	-
	White—M—	6	1	-	-	-	-	1	-	-	-	-
	F—	2	-	-	-	-	-	-	1	-	-	-
	Negro—M—	2	-	-	-	-	-	-	-	-	-	-
	F—	2	-	1	-	-	-	1	-	-	-	-
35	Measles	2,279	604	436	204	137	97	1,478	316	119	88	57
	White—M—	920	249	184	79	53	40	605	128	47	41	21
	F—	906	220	152	77	58	40	547	129	55	28	23
	Negro—M—	173	64	32	17	5	5	123	25	5	8	6
	F—	165	46	28	11	9	6	100	27	12	10	6
	Other races—M—	61	14	21	14	3	4	56	3	-	1	-
	F—	54	11	19	6	9	2	47	4	-	-	1

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
5	15	11	10	13	14	16	17	14	11	4	5	1	-	-	-	-	26
2	9	6	8	6	6	9	12	7	7	2	5	-	-	-	-	-	
1	3	1	1	4	6	6	5	6	2	2	-	1	-	-	-	-	
1	3	3	1	1	1	1	-	-	1	-	-	-	-	-	-	-	
1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
27	22	32	35	36	54	48	61	74	94	89	107	51	21	4	2	4	27
9	7	10	10	15	22	17	21	21	38	24	50	23	5	-	-	2	
8	5	12	9	9	12	15	28	30	39	55	45	21	13	2	2	1	
6	2	4	9	5	11	8	5	14	9	3	7	4	2	-	-	1	
3	8	6	6	7	9	8	7	9	6	7	4	3	1	2	-	-	
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	
54	53	49	60	52	67	77	56	61	69	53	37	16	7	1	-	2	28
11	10	13	13	12	14	17	18	17	20	19	17	7	1	-	-	-	
9	12	12	7	7	10	9	12	15	27	17	10	5	-	-	-	-	
17	16	11	17	16	20	35	14	18	11	10	5	2	2	-	-	-	
17	15	13	23	17	23	14	12	11	11	7	4	2	4	-	-	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	
1	-	1	-	2	-	1	-	1	2	-	-	-	-	-	-	-	29
-	-	-	-	2	-	-	-	1	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	11	18	27	44	70	101	116	103	100	43	13	10	2	1	-	2	30a
1	2	9	17	27	52	79	92	71	86	30	11	8	1	1	-	2	
1	5	2	3	7	5	15	18	26	9	9	2	-	1	-	-	-	
2	4	4	7	8	8	7	2	4	3	3	-	2	-	-	-	-	
-	-	3	-	2	5	-	2	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	
80	202	421	565	622	669	555	437	336	180	103	36	9	8	-	1	3	30b
26	71	193	280	334	399	345	288	222	106	60	14	3	2	-	-	1	
17	34	70	82	93	83	82	54	56	39	24	14	4	2	-	-	-	
23	72	124	150	154	138	107	67	40	26	16	6	2	2	-	-	1	
14	25	31	47	38	44	20	23	17	8	3	2	-	2	-	1	1	
-	-	2	5	3	4	-	5	1	1	-	-	-	-	-	-	-	
-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
66	81	188	264	431	518	502	482	379	254	136	64	22	8	1	-	7	30d
12	18	45	100	226	288	334	330	262	168	92	31	12	4	-	-	1	
5	13	16	26	41	60	55	68	46	48	32	24	8	4	1	-	1	
32	38	91	113	116	133	86	61	56	24	10	8	2	-	-	-	3	
16	11	33	23	43	34	23	20	14	14	2	1	-	-	-	-	2	
-	1	3	2	5	2	4	2	1	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
369	484	674	806	880	996	1,041	910	748	461	209	87	25	9	1	-	14	30c,e,
35	99	184	239	317	459	559	554	436	274	117	51	14	2	-	-	3	f,g
65	69	94	114	127	157	155	142	110	81	29	12	3	-	-	-	-	
134	173	224	302	283	269	235	141	145	74	49	11	4	5	-	-	8	
131	157	163	141	143	97	84	61	52	23	11	9	4	2	-	-	3	
2	2	3	5	8	14	8	10	3	6	2	3	-	-	1	-	-	
2	4	6	5	2	-	-	2	2	3	1	1	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
15	17	24	22	14	18	14	13	15	13	4	8	3	1	-	-	-	32
8	6	12	8	4	11	6	4	4	6	2	3	1	1	-	-	-	
3	8	4	6	5	3	2	6	7	6	2	4	-	-	-	-	-	
2	1	2	4	3	2	5	2	3	1	-	1	1	-	-	-	-	
2	1	6	4	2	2	1	1	1	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
276	297	406	481	553	712	699	756	884	1,110	1,158	1,201	798	328	80	25	15	33a
74	88	139	177	208	293	322	331	408	495	498	526	335	138	26	3	2	
97	85	111	112	140	187	194	230	318	455	550	605	421	172	35	7	5	
55	58	74	93	92	126	96	99	92	76	65	30	17	9	12	5	4	
50	66	78	98	91	102	85	93	62	79	43	39	24	8	6	10	4	
-	-	1	-	-	-	-	1	4	2	2	1	-	-	-	-	-	
-	-	3	1	2	4	2	2	-	3	-	-	1	1	1	-	-	
126	176	182	231	233	339	347	348	501	643	714	804	627	300	76	25	10	33b
47	59	67	76	73	122	128	149	205	284	289	330	264	107	26	5	3	
30	53	63	66	74	98	107	116	169	248	352	399	324	155	37	8	1	
13	31	25	51	42	59	47	46	61	55	37	35	25	14	6	5	1	
35	31	26	38	44	59	64	36	64	56	35	38	11	23	7	7	5	
1	1	-	-	-	-	1	-	1	-	1	2	3	-	-	-	-	
-	1	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	
-	1	1	-	-	1	1	-	2	-	2	1	-	-	-	-	-	34
-	1	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
36	33	14	28	11	9	17	12	14	20	14	9	3	-	-	-	1	35
16	12	4	5	5	2	5	4	7	9	4	4	1	-	-	-	-	
13	15	9	19	6	6	12	8	7	11	10	5	2	-	-	-	1	
4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	1	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Contd.											
36	Poliomyelitis and polioencephalitis (acute)	807	59	46	39	36	32	212	156	134	105	54
	White—M	449	25	17	24	18	11	95	83	74	73	36
	F	266	22	21	12	13	16	84	52	49	21	13
	Negro—M	46	4	3	2	2	2	13	8	7	10	3
	F	36	6	4	1	3	3	17	9	3	1	1
	Other races—M	4	1	1	-	-	-	2	1	1	-	-
	F	6	1	-	-	-	-	1	3	-	-	1
37	Acute infectious encephalitis (lethargic)	1,092	26	28	15	9	10	88	37	35	45	31
	White—M	625	14	13	6	3	3	39	14	15	26	18
	F	412	9	11	8	6	6	40	17	15	12	12
	Negro—M	27	2	2	1	-	-	5	3	-	1	-
	F	16	-	1	-	-	-	1	3	4	3	-
	Other races—M	5	-	-	-	-	-	-	-	1	1	-
	F	7	1	1	-	-	1	3	-	-	2	1
38	Other diseases due to filtrable viruses	176	56	13	11	9	4	93	20	8	5	5
	White—M	91	31	9	5	3	2	50	11	4	4	2
	F	66	18	2	3	5	2	30	8	4	1	2
	Negro—M	12	3	1	1	1	-	6	1	-	-	1
	F	7	4	1	2	-	-	7	-	-	-	-
39	Typhus fever, typhus-like diseases*	265	1	1	3	3	4	12	22	8	3	11
	White—M	147	1	-	2	-	1	4	9	3	1	4
	F	87	-	1	1	2	2	6	10	4	1	4
	Negro—M	16	-	-	-	1	1	2	1	-	1	1
	F	12	-	-	-	-	-	-	2	1	-	2
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
40	Ankylostomiasis	7	-	-	-	1	-	1	3	1	-	-
	White—M	1	-	-	-	1	-	1	-	-	-	-
	F	5	-	-	-	-	-	-	3	-	-	-
	Negro—M	1	-	-	-	-	-	-	-	1	-	-
41	Hydatid disease	20	-	-	-	-	-	-	1	-	-	1
	White—M	12	-	-	-	-	-	-	1	-	-	1
	F	8	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	88	3	13	11	9	4	40	11	2	1	2
	White—M	33	-	3	1	3	-	7	2	1	1	-
	F	27	1	2	5	-	3	11	5	1	-	1
	Negro—M	12	1	4	2	3	-	10	2	-	-	-
	F	16	1	4	3	3	1	12	2	-	-	1
43	Mycoses	324	34	7	-	-	-	41	2	4	10	14
	White—M	165	9	1	-	-	-	10	-	2	3	12
	F	82	6	1	-	-	-	7	1	1	3	1
	Negro—M	43	10	5	-	-	-	15	1	-	3	-
	F	25	9	-	-	-	-	9	-	1	1	-
	Other races—M	8	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
44	Other infectious and parasitic diseases	2,079	9	7	4	5	3	28	36	34	89	134
	White—M	1,172	6	4	2	-	2	14	22	20	55	75
	F	690	1	2	2	1	1	7	10	7	26	45
	Negro—M	98	1	-	-	2	-	3	2	3	5	6
	F	115	1	1	-	2	-	4	2	4	3	7
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
	II.—Cancer and other tumors	166,225	139	140	140	144	132	695	403	419	669	868
	White—M	73,731	71	74	79	82	77	383	227	209	326	406
	F	80,864	56	54	44	50	44	248	145	175	265	350
	Negro—M	4,227	3	7	10	7	3	30	19	19	31	40
	F	6,933	8	5	6	4	8	31	11	14	46	68
	Other races—M	314	1	-	1	-	-	2	1	-	1	1
	F	156	-	-	-	1	-	1	-	2	-	3
45-55	Cancer and other malignant tumors	159,926	90	110	114	121	99	534	305	311	537	698
	White—M	71,984	45	61	64	69	59	298	179	156	265	349
	F	77,272	40	40	36	45	34	195	102	130	208	265
	Negro—M	4,078	1	5	8	4	1	19	14	11	24	34
	F	6,142	3	4	5	2	5	19	10	12	39	48
	Other races—M	306	1	-	1	-	-	2	-	-	1	1
	F	144	-	-	-	1	-	1	-	2	-	1
45	Cancer of buccal cavity and pharynx	5,111	1	-	1	4	1	7	13	10	23	20
	White—M	3,904	1	-	-	2	1	4	7	4	13	12
	F	883	-	-	-	1	-	1	3	4	6	5
	Negro—M	195	-	-	1	1	-	2	2	2	3	-
	F	105	-	-	-	-	-	-	1	-	1	2
	Other races—M	19	-	-	-	-	-	-	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	-	-
45a	Cancer of lip	683	-	-	-	1	-	1	1	-	-	-
	White—M	616	-	-	-	1	-	1	1	-	-	-
	F	53	-	-	-	-	-	-	-	-	-	-
	Negro—M	9	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
45b	Cancer of tongue	1,198	-	-	-	-	-	-	-	-	-	1
	White—M	939	-	-	-	-	-	-	-	-	-	-
	F	187	-	-	-	-	-	-	-	-	-	-
	Negro—M	50	-	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-
	Other races—M	4	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
41	33	23	19	7	3	11	4	4	1	-	-	-	-	-	-	-	36
19	22	18	12	6	3	6	1	1	-	-	-	-	-	-	-	-	
18	9	4	5	1	-	4	2	3	1	-	-	-	-	-	-	-	
2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
50	65	55	77	86	112	88	104	86	76	38	14	4	-	-	-	1	37
32	38	32	54	51	73	55	55	47	42	24	8	1	-	-	-	1	
16	22	20	17	32	38	29	48	38	34	13	6	3	-	-	-	-	
1	3	2	4	1	1	3	1	1	-	1	-	-	-	-	-	-	
1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
2	5	6	5	4	3	1	2	2	4	4	3	2	2	-	-	-	38
-	2	4	3	3	1	1	1	1	2	-	1	1	-	-	-	-	
1	2	1	2	1	1	-	1	1	2	4	2	1	2	-	-	-	
1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16	10	10	18	21	22	32	24	19	19	10	7	1	-	-	-	-	39
7	5	4	9	13	12	16	23	11	12	8	5	1	-	-	-	-	
9	2	3	7	4	6	12	1	8	6	2	2	-	-	-	-	-	
-	2	2	1	2	1	2	-	-	1	-	-	-	-	-	-	-	
-	1	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	1	-	7	2	1	4	1	-	-	-	-	-	-	-	41
-	-	-	-	-	4	2	1	3	-	-	-	-	-	-	-	-	
-	1	1	1	-	3	-	-	1	1	-	-	-	-	-	-	-	
5	2	-	2	4	4	3	5	3	2	1	-	-	-	-	-	1	42
3	1	-	2	2	3	2	4	3	2	-	-	-	-	-	-	-	
1	1	-	-	2	1	1	1	-	-	1	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	19	16	26	31	20	16	36	27	19	13	7	2	-	-	-	1	43
9	12	2	15	14	13	8	20	15	13	9	6	2	-	-	-	-	
5	3	7	6	5	2	5	14	11	5	4	1	-	-	-	-	1	
4	2	3	3	5	2	1	2	1	1	-	-	-	-	-	-	-	
-	1	1	2	5	3	2	-	-	-	-	-	-	-	-	-	-	
2	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
148	160	138	153	187	188	173	182	185	115	73	29	22	4	-	-	1	44
86	71	76	87	118	108	101	94	115	65	39	14	9	2	-	-	1	
48	55	38	47	43	67	57	75	56	48	32	14	13	2	-	-	-	
5	12	8	7	11	8	10	7	8	1	1	1	-	-	-	-	-	
9	22	16	10	15	5	5	6	5	1	1	-	-	-	-	-	-	
-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1,571	2,808	4,693	7,988	12,041	15,858	18,913	21,524	23,384	22,019	16,756	10,394	4,047	922	145	29	99	
544	766	1,202	2,130	3,898	6,156	8,387	10,194	11,392	11,217	8,613	5,315	1,881	385	57	8	35	
775	1,508	2,674	4,620	6,780	8,184	9,073	10,066	10,786	10,012	7,659	4,871	2,061	490	75	13	34	
55	91	151	292	456	559	595	537	548	391	221	98	51	25	6	4	8	
192	433	643	912	869	899	796	653	596	360	211	98	49	20	7	3	22	
5	5	11	16	23	39	50	55	41	29	23	11	3	-	-	-	-	
2	5	12	18	15	21	12	19	21	10	9	1	2	2	-	1	-	
1,309	2,407	4,049	7,228	11,153	15,184	18,417	21,098	23,022	21,750	16,532	10,249	3,990	903	143	29	98	45-55
475	681	1,104	2,001	3,724	5,953	8,208	10,043	11,263	11,111	8,553	5,273	1,870	380	55	8	35	
643	1,314	2,309	4,158	6,186	7,772	8,806	9,852	10,578	9,864	7,522	4,771	2,017	478	75	13	34	
46	85	136	277	444	541	585	530	539	385	218	97	50	25	6	4	8	
140	318	478	760	765	844	757	621	581	352	207	96	48	18	7	3	21	
3	5	11	16	22	37	49	53	41	28	23	11	3	-	-	-	-	
2	4	11	16	14	17	12	19	20	10	9	1	2	2	-	1	-	
27	34	66	137	275	401	574	674	796	758	597	448	182	49	9	4	7	45
15	17	34	86	195	291	445	543	614	617	483	340	151	39	7	3	4	
8	9	17	19	32	65	80	94	151	120	104	103	49	8	2	1	2	
2	3	8	18	28	25	36	20	24	12	4	3	1	1	-	-	1	
1	5	5	10	14	17	11	15	6	9	5	1	1	1	-	-	-	
1	-	2	3	4	3	2	2	-	-	1	-	-	-	-	-	-	
-	-	-	1	2	-	-	-	1	-	-	1	-	-	-	-	-	
3	2	6	15	19	34	66	68	89	109	114	98	38	16	4	2	-	45a
2	2	6	14	19	29	59	63	85	98	105	83	31	14	4	2	-	
1	-	-	-	-	4	3	2	5	9	8	12	7	2	-	-	-	
-	-	-	1	-	-	3	1	1	2	-	1	-	-	-	-	-	
-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
7	5	16	29	67	110	156	184	203	177	112	90	33	5	1	1	1	45b
5	4	11	16	48	85	129	145	160	143	94	66	27	4	1	-	1	
2	1	2	4	8	11	19	28	34	30	17	24	6	-	-	1	-	
-	-	3	6	6	10	8	6	8	2	1	-	-	-	-	-	-	
-	-	-	3	2	4	-	4	1	2	-	-	-	1	-	-	-	
-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancer and other tumors—Continued											
	Cancer and other malignant tumors—Contd.											
	Cancer of buccal cavity and pharynx—Continued											
45c	Cancer of mouth	681	-	-	-	-	-	-	1	1	3	4
	White—M	482	-	-	-	-	-	-	-	1	-	1
	F	150	-	-	-	-	-	-	-	-	2	1
	Negro—M	27	-	-	-	-	-	-	1	-	1	-
	F	21	-	-	-	-	-	-	-	-	-	2
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
45d	Cancer of jaw bone	903	-	-	1	1	-	2	1	3	6	3
	White—M	635	-	-	-	-	-	-	1	1	4	1
	F	190	-	-	-	-	-	-	-	1	2	2
	Negro—M	39	-	-	1	1	-	2	-	1	-	-
	F	36	-	-	-	-	-	-	-	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
45e	Cancer of unspecified parts of buccal cavity	49	-	-	-	-	-	-	-	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-
	Negro—F	1	-	-	-	-	-	-	-	-	-	-
45f	Cancer of pharynx	1,597	1	-	-	2	1	4	10	6	14	12
	White—M	1,190	1	-	-	1	1	3	5	2	9	10
	F	297	-	-	-	1	-	1	3	3	2	2
	Negro—M	70	-	-	-	-	-	-	1	1	2	-
	F	26	-	-	-	-	-	-	1	-	1	-
	Other races—M	12	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs and peritoneum	73,039	20	12	14	11	8	65	34	26	74	140
	White—M	37,277	8	8	10	7	7	40	24	14	39	62
	F	31,529	11	4	3	2	1	21	9	7	26	57
	Negro—M	2,260	-	-	1	1	-	2	1	4	7	11
	F	1,726	-	-	-	-	-	-	-	1	2	10
	Other races—M	189	1	-	-	-	-	1	-	-	-	-
	F	58	-	-	-	1	-	1	-	-	-	-
46a	Cancer of esophagus	2,834	-	-	-	-	-	-	-	-	3	-
	White—M	2,042	-	-	-	-	-	-	-	-	2	-
	F	593	-	-	-	-	-	-	-	-	1	-
	Negro—M	166	-	-	-	-	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-
	Other races—M	5	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
46b	Cancer of stomach	25,565	1	-	-	-	-	1	2	4	12	20
	White—M	14,528	1	-	-	-	-	1	1	1	5	8
	F	9,149	-	-	-	-	-	-	1	2	3	9
	Negro—M	1,139	-	-	-	-	-	-	-	1	2	2
	F	631	-	-	-	-	-	-	-	-	2	1
	Other races—M	87	-	-	-	-	-	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-
46c	Cancer of duodenum	388	-	-	-	-	-	-	-	-	1	2
	White—M	215	-	-	-	-	-	-	-	-	1	-
	F	156	-	-	-	-	-	-	-	-	-	1
	Negro—M	11	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1
46d	Cancer of rectum and anus	8,964	-	-	-	-	-	-	-	-	9	18
	White—M	4,817	-	-	-	-	-	-	-	-	4	4
	F	3,648	-	-	-	-	-	-	-	-	4	11
	Negro—M	213	-	-	-	-	-	-	-	-	1	1
	F	258	-	-	-	-	-	-	-	-	-	2
	Other races—M	24	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-
46e	Cancer of intestines, etc.*	17,989	2	1	1	3	3	10	12	9	24	56
	White—M	7,878	2	1	-	1	2	6	10	4	12	26
	F	9,464	-	-	1	1	1	3	2	4	11	25
	Negro—M	267	-	-	-	-	-	-	-	1	1	2
	F	351	-	-	-	-	-	-	-	-	-	3
	Other races—M	22	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	1	-	-	-	-
46f	Cancer of liver and biliary passages	9,881	14	7	6	1	3	31	5	7	10	17
	White—M	4,000	5	4	3	1	3	16	4	5	6	9
	F	5,294	8	3	2	-	-	13	-	-	3	5
	Negro—M	271	-	-	1	-	-	1	1	1	1	3
	F	272	-	-	-	-	-	-	-	1	-	-
	Other races—M	30	1	-	-	-	-	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-
46g	Cancer of pancreas	5,891	-	-	1	-	-	1	2	-	3	6
	White—M	3,034	-	-	1	-	-	1	1	-	3	2
	F	2,397	-	-	-	-	-	-	1	-	-	2
	Negro—M	130	-	-	-	-	-	-	-	-	-	2
	F	113	-	-	-	-	-	-	-	-	-	-
	Other races—M	16	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
46h	Cancer of mesentery and peritoneum	1,088	3	4	6	7	2	22	12	6	11	17
	White—M	510	-	3	6	5	2	16	7	4	6	10
	F	505	3	1	-	1	-	5	5	1	3	4
	Negro—M	36	-	-	-	1	-	1	-	1	2	1
	F	34	-	-	-	-	-	-	-	-	-	2
	Other races—M	3	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
1	6	8	16	37	56	57	75	115	121	72	59	36	9	3	-	1	45c
-	4	5	11	28	38	48	54	76	97	51	39	21	6	1	-	1	
1	-	3	2	4	9	5	12	33	19	19	20	15	3	2	-	-	
-	-	-	2	4	4	2	4	6	3	-	-	-	-	-	-	-	
-	2	-	1	1	4	2	5	-	2	2	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	6	13	28	43	65	84	116	145	127	136	85	27	8	-	-	1	45d
2	2	4	17	24	42	56	93	99	92	110	64	18	5	-	-	-	
1	2	4	2	5	15	17	19	36	30	23	20	8	2	-	-	1	
1	2	2	5	6	4	5	2	5	2	1	-	-	1	-	-	-	
-	-	3	4	6	4	6	2	4	3	2	1	1	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	2	3	8	10	4	12	5	3	2	-	-	-	-	45e
-	-	-	-	1	2	6	9	4	11	5	2	2	-	-	-	-	
-	-	-	-	-	1	2	1	-	1	-	1	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
12	15	23	49	107	133	203	221	240	212	158	115	46	11	1	1	4	45f
6	5	8	28	75	95	147	179	192	176	118	86	32	10	1	1	2	
3	6	6	11	15	25	34	32	43	31	37	26	13	1	-	-	1	
1	1	3	4	12	7	18	7	4	3	2	2	1	-	-	-	1	
1	3	2	2	4	4	2	2	1	2	1	-	-	-	-	-	-	
1	-	2	3	1	2	2	1	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
319	632	1,127	2,249	3,912	6,093	8,296	10,225	11,858	11,496	8,920	5,222	1,906	355	40	10	40	46
149	266	494	961	1,826	3,072	4,388	5,558	6,573	5,985	4,481	2,565	821	129	12	3	15	
130	252	468	951	1,644	2,458	3,250	4,126	4,916	5,134	4,222	2,568	1,040	206	27	3	14	
16	50	75	170	267	304	361	286	302	210	113	41	22	10	1	2	5	
23	61	83	157	157	229	256	213	233	138	85	43	19	9	-	1	6	
1	3	5	7	14	21	36	34	24	21	14	5	3	-	-	-	-	
-	-	2	3	4	9	5	8	10	8	5	-	1	1	-	1	-	
-	11	23	65	145	274	374	506	473	414	337	148	49	4	4	1	3	46a
-	5	12	30	86	181	276	385	365	312	251	104	27	2	3	-	1	
-	5	5	14	31	53	60	98	88	91	80	40	22	2	1	1	1	
-	1	3	14	26	35	31	21	16	10	6	3	-	-	-	-	-	
-	-	3	6	2	5	6	1	2	-	-	1	-	-	-	-	1	
-	-	-	1	-	-	-	1	2	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
75	174	353	706	1,238	1,987	2,856	3,507	4,261	4,211	3,263	1,991	733	133	20	4	14	46b
33	75	161	355	660	1,165	1,716	2,119	2,513	2,413	1,808	1,089	345	47	7	2	4	
26	59	122	226	374	571	835	1,130	1,496	1,621	1,360	857	366	73	12	1	5	
10	19	37	75	135	158	183	151	154	107	54	27	16	5	1	-	2	
6	19	30	49	58	76	104	83	83	57	30	17	5	7	-	1	3	
-	2	1	-	9	10	18	19	11	9	6	1	1	-	-	-	-	
-	-	2	1	2	7	-	5	4	4	5	-	-	1	-	-	-	
3	2	4	12	22	32	45	36	66	69	53	25	15	1	-	-	-	46c
1	1	2	5	13	22	30	20	33	36	28	14	9	-	-	-	-	
1	1	1	7	8	9	13	13	30	31	25	11	6	1	-	-	-	
-	-	1	-	-	1	2	2	2	2	1	-	-	-	-	-	-	
1	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	
65	108	172	340	491	769	1,022	1,323	1,448	1,355	1,030	552	204	50	3	2	3	46d
29	42	69	140	233	392	537	775	812	787	570	304	92	24	1	1	1	
29	37	86	147	220	310	415	488	563	530	433	242	106	24	2	-	-	
1	10	5	20	16	27	35	25	34	20	12	1	2	1	-	1	1	
6	18	12	33	21	37	29	30	33	15	13	4	3	1	-	-	1	
-	1	-	-	1	2	6	3	5	3	2	1	-	-	-	-	-	
-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	
101	211	328	614	1,021	1,452	1,923	2,365	2,817	2,778	2,271	1,385	502	92	8	-	10	46e
55	87	135	227	403	596	859	1,114	1,357	1,219	980	582	182	22	-	-	2	
42	106	161	334	549	781	972	1,178	1,356	1,501	1,257	789	311	68	8	-	6	
1	5	11	20	37	34	36	27	38	28	16	4	2	2	-	-	2	
3	13	20	32	29	40	50	42	62	28	15	8	6	-	-	-	-	
-	-	1	1	2	1	5	3	2	1	3	2	1	-	-	-	-	
-	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-	-	
40	63	120	239	507	830	1,171	1,393	1,589	1,584	1,242	722	253	48	4	1	5	46f
12	21	47	84	185	325	500	565	656	680	488	276	98	19	1	-	3	
19	28	52	108	271	431	577	750	858	848	723	430	147	27	3	-	1	
3	9	8	24	27	28	44	36	38	25	13	6	2	1	-	-	-	
5	5	11	19	21	42	44	37	32	22	17	9	5	1	-	-	1	
1	-	2	2	2	3	4	4	2	6	1	1	1	-	-	-	-	
-	-	-	2	1	1	2	1	3	3	-	-	-	-	-	1	-	
13	33	74	173	358	579	685	865	960	889	591	321	111	22	-	2	3	46g
4	21	43	87	192	309	387	488	527	459	300	163	51	13	-	-	3	
8	9	21	64	135	232	276	341	402	406	275	155	60	9	-	1	-	
-	2	6	9	18	17	24	17	14	11	9	-	-	-	-	1	-	
1	1	3	10	13	19	16	15	15	12	5	3	-	-	-	-	-	
-	-	1	3	-	2	1	4	2	1	2	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
19	25	46	69	101	136	150	145	127	111	53	18	15	3	1	-	1	46h
14	12	23	25	47	68	76	53	62	48	22	8	7	1	-	-	1	
5	5	15	36	43	59	69	88	61	57	28	10	8	2	1	-	-	
-	4	4	4	6	2	3	2	3	3	-	-	-	-	-	-	-	
-	4	4	4	5	5	1	2	1	3	3	-	-	-	-	-	-	
-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancer and other tumors—Continued											
	Cancer and other malignant tumors—Contd.											
	Cancer of digestive organs and peritoneum—Con.											
46m	Cancer of other and unspecified sites	639	-	-	-	-	-	-	1	-	1	4
	White—M	253	-	-	-	-	-	-	1	-	-	3
	F	323	-	-	-	-	-	-	-	-	1	-
	Negro—M	27	-	-	-	-	-	-	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	-	1
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
47	Cancer of respiratory system	10,241	3	3	5	4	6	21	16	14	37	50
	White—M	7,455	3	3	2	2	4	14	10	11	21	32
	F	2,278	-	-	2	2	2	6	6	2	11	11
	Negro—M	325	-	-	-	-	-	-	-	1	3	3
	F	141	-	-	-	-	-	-	-	-	2	4
	Other races—M	39	-	-	1	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
47a	Cancer of larynx	1,453	-	-	-	-	-	-	-	-	1	4
	White—M	1,258	-	-	-	-	-	-	-	-	1	4
	F	146	-	-	-	-	-	-	-	-	-	-
	Negro—M	34	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
47d,e	Cancer of lung and pleura	6,146	1	1	2	3	6	13	9	10	23	33
	White—M	4,188	1	1	1	2	4	9	5	7	12	19
	F	1,648	-	-	1	1	2	4	4	2	6	8
	Negro—M	181	-	-	-	-	-	-	-	1	3	2
	F	102	-	-	-	-	-	-	-	-	2	4
	Other races—M	24	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
47b, c,f	Cancer of other respiratory organs	2,642	2	2	3	1	-	8	7	4	13	13
	White—M	2,009	2	2	1	-	-	5	5	4	8	9
	F	484	-	-	1	1	-	2	2	-	5	3
	Negro—M	110	-	-	-	-	-	-	-	-	-	1
	F	26	-	-	-	-	-	-	-	-	-	-
	Other races—M	13	-	-	1	-	-	1	-	-	-	-
48	Cancer of uterus	16,516	-	-	-	1	-	1	1	-	15	55
	White—F	14,176	-	-	-	1	-	1	1	-	8	39
	Negro—F	2,304	-	-	-	-	-	-	-	-	7	15
	Other races—F	36	-	-	-	-	-	-	-	-	-	1
49	Cancer of other female genital organs	4,674	1	2	3	-	-	6	2	16	28	34
	White—F	4,425	1	2	2	-	-	5	2	14	22	28
	Negro—F	243	-	-	1	-	-	1	-	1	6	6
	Other races—F	6	-	-	-	-	-	-	-	1	-	-
49a,b	Cancer of ovary, fallopian tube, and parametrium	3,961	1	-	1	-	-	2	1	16	28	32
	White—F	3,758	1	-	1	-	-	2	1	14	22	28
	Negro—F	197	-	-	-	-	-	-	-	1	6	4
	Other races—F	6	-	-	-	-	-	-	-	1	-	-
49c-e	Cancer of other female genital organs	713	-	2	2	-	-	4	1	-	-	2
	White—F	667	-	2	1	-	-	3	1	-	-	-
	Negro—F	46	-	-	1	-	-	1	-	-	-	2
50	Cancer of breast	15,526	1	-	1	-	1	3	-	1	2	11
	White—M	198	-	-	-	-	-	-	-	-	-	-
	F	14,344	1	-	1	-	-	2	-	1	2	10
	Negro—M	12	-	-	-	-	-	-	-	-	-	-
	F	957	-	-	-	-	1	1	-	-	-	1
	Other races—F	15	-	-	-	-	-	-	-	-	-	-
51	Cancer of male genital organs	10,171	2	2	3	3	4	14	4	2	26	66
	White—M	9,556	2	2	3	3	4	14	4	2	25	61
	Negro—M	600	-	-	-	-	-	-	-	-	1	5
	Other races—M	15	-	-	-	-	-	-	-	-	-	-
51b	Cancer of prostate	9,274	1	-	2	1	2	6	1	-	3	2
	White—M	8,720	1	-	2	1	2	6	1	-	3	1
	Negro—M	542	-	-	-	-	-	-	-	-	-	1
	Other races—M	12	-	-	-	-	-	-	-	-	-	-
51a,c, d,e	Cancer of other male genital organs	897	1	2	1	2	2	8	3	2	23	64
	White—M	836	1	2	1	2	2	8	3	2	22	60
	Negro—M	58	-	-	-	-	-	-	-	-	1	4
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
52	Cancer of urinary organs	7,686	17	38	27	21	20	123	38	18	13	17
	White—M	4,715	11	18	17	12	10	68	13	7	8	6
	F	2,583	6	15	7	6	9	43	18	8	4	10
	Negro—M	213	-	2	2	1	-	5	4	-	-	-
	F	160	-	3	1	2	1	7	3	1	1	1
	Other races—M	14	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
52a	Cancer of kidney	2,518	17	34	26	21	20	118	33	14	11	15
	White—M	1,494	11	17	16	12	10	66	11	6	7	6
	F	907	6	13	7	6	9	41	17	8	4	8
	Negro—M	69	-	2	2	1	-	5	2	-	-	-
	F	44	-	2	1	2	1	6	3	-	-	1
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
52b	Cancer of bladder	5,084	-	4	1	-	-	5	4	2	2	2
	White—M	3,192	-	1	1	-	-	2	1	1	1	-
	F	1,613	-	2	-	-	-	2	1	-	-	2
	Negro—M	139	-	-	-	-	-	-	2	-	-	-
	F	111	-	1	-	-	-	1	-	1	1	-
	Other races—M	9	-	-	-	-	-	-	-	-	-	-
52c	Cancer of other and unspecified sites	104	-	-	-	-	-	-	1	-	-	-
	White—M	29	-	-	-	-	-	-	1	-	-	-
	F	63	-	-	-	-	-	-	-	-	-	-
	Negro—M	5	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-
	Other races—M	2	-	-	-	-	-	-	-	-	-	-

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
3	5	7	31	29	34	70	85	117	85	80	60	24	2	–	–	1	46m
1	2	2	8	7	14	27	39	48	31	34	25	10	1	–	–	–	
–	2	5	15	13	12	33	39	62	49	43	34	14	–	–	–	1	
1	–	–	4	2	2	3	5	3	4	2	–	–	1	–	–	–	
1	1	–	4	7	5	6	2	4	1	1	1	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
74	126	241	506	955	1,433	1,729	1,671	1,388	1,002	621	269	65	16	1	–	6	47
43	78	152	349	704	1,091	1,342	1,261	1,001	714	421	159	42	7	–	–	3	
21	30	67	106	188	245	311	346	358	261	191	108	22	7	1	–	2	
5	9	11	30	42	68	52	47	29	16	4	1	1	2	–	–	1	
5	9	10	19	21	26	18	11	9	6	1	–	–	–	–	–	–	
–	–	1	2	–	4	6	6	10	4	4	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	
2	7	13	40	92	178	223	240	214	206	148	66	14	3	–	–	2	47a
1	4	7	35	74	151	195	215	193	184	127	50	13	2	–	–	2	
–	2	4	4	12	17	17	16	18	17	21	16	1	1	–	–	–	
–	1	1	1	4	7	9	6	2	3	–	–	–	–	–	–	–	
1	–	1	–	2	2	1	3	1	2	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
54	76	160	312	541	828	1,062	1,010	827	594	368	174	37	11	1	–	3	47d,e
33	47	93	198	364	601	784	718	559	395	226	91	21	5	–	–	1	
13	19	55	77	140	173	232	257	257	184	135	81	15	5	1	–	2	
4	5	7	21	24	33	28	24	16	8	2	1	1	1	–	–	–	
4	5	6	16	13	18	15	8	7	3	1	–	–	–	–	–	–	
–	–	1	–	–	2	3	3	7	3	4	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	
18	43	68	154	322	427	444	421	347	202	105	29	14	2	–	–	1	47b,
9	27	52	116	266	339	363	328	249	135	68	18	8	–	–	–	–	c,f
8	9	10	25	36	53	62	73	83	60	35	11	6	1	–	–	–	
1	3	3	8	14	28	15	17	11	5	2	–	–	1	–	–	1	
–	4	3	3	6	6	2	–	1	1	–	–	–	–	–	–	–	
–	–	–	2	–	1	2	3	3	1	–	–	–	–	–	–	–	
262	646	1,036	1,601	1,933	2,093	2,055	1,934	1,799	1,420	900	515	173	53	5	2	17	48
199	490	782	1,248	1,614	1,765	1,808	1,714	1,622	1,327	845	493	157	47	4	2	10	
62	154	249	347	314	325	242	217	175	93	55	22	15	6	1	–	7	
1	2	5	6	5	3	5	3	2	–	2	–	1	–	–	–	–	
55	121	193	380	571	659	620	610	545	405	247	117	51	12	1	–	1	49
48	104	171	340	520	632	591	598	525	401	245	115	51	11	1	–	1	
7	17	21	38	51	27	29	11	19	4	2	2	–	1	–	–	–	
–	–	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–	
53	108	175	346	532	600	559	520	434	305	150	73	20	7	–	–	–	49a,b
47	94	159	316	488	576	536	510	416	302	148	72	20	7	–	–	–	
6	14	15	28	44	24	23	9	17	3	2	1	–	–	–	–	–	
–	–	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–	
2	13	18	34	39	59	61	90	111	100	97	44	31	5	1	–	1	49c-e
1	10	12	24	32	56	55	88	109	99	97	43	31	4	1	–	1	
1	3	6	10	7	3	6	2	2	1	–	1	–	1	–	–	–	
100	295	612	1,168	1,691	1,901	2,012	1,951	1,929	1,580	1,120	723	322	73	18	5	9	50
1	1	4	5	12	25	21	20	33	31	27	10	5	3	–	–	–	
79	248	553	1,045	1,544	1,741	1,848	1,836	1,823	1,487	1,051	697	310	67	14	3	3	
–	1	–	–	–	3	2	–	–	2	2	–	–	2	–	–	–	
19	44	74	116	134	131	140	90	72	60	39	16	7	1	4	2	6	
1	1	1	2	1	1	1	5	1	–	1	–	–	–	–	–	–	
87	90	70	97	129	267	576	1,090	1,693	2,206	1,896	1,296	448	86	19	1	8	51
84	87	63	84	103	203	516	1,002	1,580	2,116	1,825	1,255	432	77	15	–	8	
2	3	7	13	26	62	58	85	110	90	68	40	16	9	4	1	–	
1	–	–	–	–	2	2	3	3	–	3	1	–	–	–	–	–	
4	3	12	33	76	209	518	1,021	1,629	2,159	1,845	1,246	418	84	18	1	8	51b
4	3	8	24	57	158	461	939	1,521	2,052	1,774	1,208	402	78	14	–	8	
–	–	4	9	19	50	55	79	106	87	66	37	16	8	4	1	–	
–	–	–	–	–	1	2	3	2	–	3	1	–	–	–	–	–	
83	87	58	64	55	58	58	69	64	67	55	50	30	2	1	–	–	51a,c,
80	84	55	60	46	45	55	65	59	64	51	47	30	1	1	–	–	d,e
2	3	3	4	7	12	3	6	4	3	2	3	–	1	–	–	–	
1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	
36	55	95	220	426	691	851	1,073	1,162	1,167	886	551	215	42	4	1	4	52
18	25	49	124	248	444	543	678	700	735	583	315	125	22	2	–	2	
12	20	33	69	136	196	262	338	418	399	286	226	84	19	1	1	–	
2	4	9	10	21	22	30	36	26	22	10	5	4	1	1	–	1	
4	6	2	16	21	24	15	19	17	10	6	4	2	–	–	–	1	
–	–	2	1	–	4	1	2	1	1	1	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
26	38	58	111	212	321	344	335	358	251	185	74	31	1	–	–	2	52a
13	14	32	68	130	200	219	228	204	151	91	36	13	–	–	–	1	
9	18	22	36	68	103	112	99	144	93	72	34	18	1	–	–	–	
2	3	2	3	11	7	11	6	6	5	2	3	–	–	–	–	1	
2	3	–	4	3	9	2	4	4	2	–	1	–	–	–	–	–	
–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
9	16	36	107	203	358	489	729	785	905	712	470	182	41	4	1	2	52b
5	10	17	56	115	239	319	448	491	581	490	279	112	22	2	–	1	
2	2	11	32	61	88	159	235	261	299	208	186	64	18	1	1	–	
–	1	6	6	9	15	18	30	19	17	8	2	4	1	1	–	–	
2	3	2	12	18	13	12	14	13	7	6	3	2	–	–	–	1	
–	–	–	1	–	3	1	2	1	1	–	–	–	–	–	–	–	
1	1	1	2	11	12	18	9	19	11	9	7	2	–	–	–	–	52c
–	1	–	–	3	5	5	4	5	3	2	–	–	–	–	–	–	
1	–	–	1	7	5	11	4	13	7	6	6	2	–	–	–	–	
–	–	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	1	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancer and other tumors—Continued											
	Cancer and other malignant tumors—Contd.											
53	Cancer of skin, etc.*	3,443	5	-	1	1	-	7	7	2	11	22
	White—M	2,075	-	-	1	-	-	1	7	1	3	12
	F	1,244	3	-	-	1	-	4	-	1	6	7
	Negro—M	54	1	-	-	-	-	1	-	-	-	3
	F	61	1	-	-	-	-	1	-	-	2	-
	Other races—M	5	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-
54	Cancer of central nervous system*	2,511	17	27	35	38	26	143	97	76	77	89
	White—M	1,434	7	14	21	24	10	76	61	47	36	51
	F	995	9	11	9	13	14	56	33	27	37	35
	Negro—M	45	-	2	3	1	1	7	1	1	2	2
	F	32	1	-	2	-	1	4	2	1	2	1
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
55	Cancer of other and unspecified organs	11,008	23	26	24	38	33	144	93	148	231	194
	White—M	5,370	13	16	10	19	23	81	53	70	120	113
	F	4,815	9	8	12	19	8	56	30	66	86	63
	Negro—M	374	-	1	1	-	-	2	6	3	8	10
	F	413	1	1	1	-	2	5	4	8	16	8
	Other races—M	23	-	-	-	-	-	-	-	-	1	-
	F	13	-	-	-	-	-	-	-	1	-	-
56a-c	Nonmalignant tumors of female genital organs	2,639	1	-	-	-	-	1	-	2	17	39
	White—F	2,006	-	-	-	-	-	-	-	2	15	29
	Negro—F	625	1	-	-	-	-	1	-	-	2	10
	Other races—F	8	-	-	-	-	-	-	-	-	-	-
56d	Nonmalignant tumors of central nervous system*	756	10	9	4	3	10	36	29	19	33	40
	White—M	362	8	3	4	1	3	19	13	6	16	20
	F	357	2	6	-	2	5	15	13	12	14	16
	Negro—M	24	-	-	-	-	1	1	2	1	3	1
	F	12	-	-	-	-	1	1	1	-	-	3
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
56e	Nonmalignant tumors of other and unspecified organs	620	17	9	3	4	2	35	8	12	17	35
	White—M	283	11	4	2	2	1	20	5	4	12	17
	F	281	6	3	1	1	-	11	3	7	3	15
	Negro—M	28	-	1	-	1	-	2	-	-	2	2
	F	25	-	1	-	-	1	2	-	1	-	1
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
57a-c	Tumors, female genital organs (nature unspecified)	77	-	-	-	-	-	-	-	-	-	3
	White—F	53	-	-	-	-	-	-	-	-	-	1
	Negro—F	24	-	-	-	-	-	-	-	-	-	2
57d	Tumors, central nervous system* (nature unspecified)	1,506	7	9	12	11	17	56	56	63	59	43
	White—M	793	3	5	6	7	11	32	28	36	30	15
	F	600	3	4	5	2	5	19	24	21	23	19
	Negro—M	62	-	-	1	1	1	3	3	5	2	3
	F	46	1	-	-	1	-	2	-	1	4	4
	Other races—M	3	-	-	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2
57e	Tumors, other organs (nature unspecified)	701	14	3	7	5	4	33	5	12	6	10
	White—M	309	4	1	3	3	3	14	2	7	3	5
	F	295	5	1	2	-	-	8	3	3	2	5
	Negro—M	35	2	1	1	1	-	5	-	2	-	-
	F	59	3	-	1	1	1	6	-	-	1	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	45,679	1,359	180	82	58	76	1,755	387	521	562	525
	White—M	15,379	725	87	33	35	38	918	142	190	223	188
	F	26,207	442	61	33	16	24	576	169	229	254	238
	Negro—M	1,291	108	18	5	1	7	139	32	42	37	38
	F	2,650	70	14	11	6	7	108	43	55	44	59
	Other races—M	86	8	-	-	-	-	8	1	3	3	1
	F	66	6	-	-	-	-	6	-	2	1	1
58a	Acute rheumatic pericarditis	63	1	-	2	1	2	6	12	10	6	6
	White—M	28	-	-	-	1	-	1	5	4	3	2
	F	14	-	-	1	-	2	3	3	2	1	2
	Negro—M	8	-	-	-	-	-	-	1	1	2	1
	F	12	1	-	1	-	-	2	3	3	-	-
	Other races—F	1	-	-	-	-	-	-	-	-	-	1
58b	Acute rheumatic endocarditis	660	1	1	5	3	6	16	78	105	100	83
	White—M	261	1	-	1	2	3	7	26	41	47	32
	F	308	-	-	4	1	2	7	37	45	45	39
	Negro—M	47	-	1	-	-	1	2	6	9	2	8
	F	42	-	-	-	-	-	-	9	9	5	4
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	-
58c	Acute rheumatic myocarditis	155	-	-	-	4	1	5	20	24	10	9
	White—M	56	-	-	-	1	-	1	5	6	6	4
	F	65	-	-	-	2	-	2	8	10	4	2
	Negro—M	14	-	-	-	-	-	-	5	4	-	-
	F	20	-	-	-	1	1	2	2	4	-	3
58d	Other acute rheumatic heart diseases	270	1	2	2	5	4	14	70	68	40	16
	White—M	105	-	1	-	3	1	5	27	23	18	8
	F	107	-	1	1	2	1	5	29	30	13	6
	Negro—M	28	1	-	-	-	1	2	5	6	7	2
	F	29	-	-	1	-	1	2	9	8	2	2
	Other races—F	1	-	-	-	-	-	-	-	1	-	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
27	36	52	78	139	175	209	292	376	455	474	526	377	145	27	4	2	53
11	20	29	43	82	101	122	189	235	291	305	332	209	68	11	2	1	
14	12	17	29	46	60	72	91	123	154	159	187	166	77	16	2	1	
1	2	3	4	3	6	7	4	7	5	5	2	1	-	-	-	-	
1	2	2	2	8	8	7	7	10	4	4	2	1	-	-	-	-	
-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	
-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	
104	130	175	268	311	369	298	184	117	42	22	1	7	-	-	-	1	54
53	63	100	137	183	209	193	109	73	26	10	1	5	-	-	-	1	
41	61	71	117	115	157	100	74	42	15	12	-	2	-	-	-	-	
5	3	2	10	7	2	2	1	-	-	-	-	-	-	-	-	-	
5	3	1	4	4	1	2	-	1	1	-	-	-	-	-	-	-	
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	
218	242	382	524	811	1,082	1,197	1,394	1,359	1,219	849	581	244	72	19	2	3	55
101	124	179	212	371	517	638	683	654	596	418	296	100	35	8	-	1	
91	88	150	234	347	455	484	615	620	566	407	274	138	36	9	1	1	
13	10	21	22	50	49	37	51	41	28	12	5	5	-	-	1	-	
13	17	31	51	39	56	37	38	39	27	12	6	3	-	2	-	1	
-	2	-	3	3	3	1	6	2	2	-	-	-	-	-	-	-	
-	1	1	2	1	2	-	1	3	-	-	-	-	1	-	-	-	
94	223	404	476	536	293	142	121	103	65	63	37	19	4	-	-	-	56a-c
55	119	261	341	447	248	117	103	92	60	59	37	19	2	-	-	-	
39	103	142	134	88	42	25	18	10	5	4	-	-	2	-	-	-	
-	1	1	1	1	3	-	-	1	-	-	-	-	-	-	-	-	
34	41	63	68	96	89	62	68	34	25	13	5	-	1	-	-	-	56d
13	20	28	33	52	40	33	35	14	11	6	2	-	1	-	-	-	
18	18	30	32	42	45	29	30	20	13	7	3	-	-	-	-	-	
2	2	3	3	1	3	-	1	-	1	-	-	-	-	-	-	-	
1	1	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
30	22	38	28	43	58	56	61	46	57	29	31	10	3	1	-	-	56e
10	10	13	16	14	28	21	28	23	30	13	13	4	1	1	-	-	
14	9	17	9	22	24	32	28	22	24	16	17	6	2	-	-	-	
2	-	5	-	4	2	2	3	1	2	-	1	-	-	-	-	-	
4	3	3	3	3	3	-	2	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	
6	2	11	6	11	6	7	6	4	4	4	6	1	-	-	-	-	57a-c
4	-	3	2	9	4	6	6	3	4	4	6	1	-	-	-	-	
2	2	8	4	2	2	1	-	1	-	-	-	-	-	-	-	-	
85	94	108	141	161	184	167	112	95	41	26	8	5	1	1	-	-	57d
41	50	50	65	85	111	89	65	51	25	12	4	2	1	1	-	-	
36	42	45	59	65	65	69	41	38	15	12	4	3	-	-	-	-	
4	2	6	11	5	6	4	-	5	1	2	-	-	-	-	-	-	
4	-	7	6	6	2	5	4	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	19	20	41	41	64	62	58	80	77	69	58	22	10	-	-	1	57e
5	5	7	15	23	24	36	23	41	40	29	23	5	2	-	-	-	
5	6	9	19	9	26	14	26	33	32	39	33	15	8	-	-	-	
1	2	1	1	2	7	4	3	3	2	1	-	1	-	-	-	-	
2	6	3	5	6	6	8	6	3	3	-	2	1	-	-	-	1	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
565	705	849	1,222	2,018	3,173	4,675	6,091	7,221	6,706	4,891	2,695	911	152	29	6	20	
186	222	267	362	592	952	1,432	1,931	2,336	2,305	1,754	996	334	50	12	1	6	
264	330	358	548	1,018	1,750	2,811	3,736	4,519	4,159	2,983	1,625	523	92	11	1	13	
39	40	49	68	114	140	120	100	128	92	58	25	22	5	3	-	-	
73	112	173	233	284	340	293	299	223	134	90	45	30	4	3	4	1	
2	1	1	7	6	3	8	14	11	11	1	3	2	-	-	-	-	
1	-	1	4	4	8	11	11	4	5	5	1	-	1	-	-	-	
1	2	-	3	1	2	1	5	2	2	3	1	-	-	-	-	-	58a
-	-	-	3	-	-	1	2	2	2	2	1	-	-	-	-	-	
-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	52	47	55	13	15	14	4	6	3	4	1	-	-	-	-	1	58b
23	25	16	20	2	6	4	4	2	3	2	1	-	-	-	-	-	
36	20	26	28	7	5	6	-	3	-	1	-	-	-	-	-	1	
1	4	2	5	3	3	2	-	-	-	-	-	-	-	-	-	-	
3	2	3	1	1	1	2	-	1	-	1	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	10	12	7	4	9	5	6	5	9	3	5	-	-	-	-	-	58c
5	4	7	2	-	4	1	4	3	3	-	1	-	-	-	-	-	
6	3	3	3	3	4	3	1	1	5	3	4	-	-	-	-	-	
-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	2	-	-	1	1	1	1	1	-	-	-	-	-	-	-	
14	15	7	3	4	4	6	2	2	2	1	1	1	-	-	-	-	58d
5	9	4	-	2	1	-	2	-	1	-	1	1	-	-	-	-	
5	5	1	2	2	3	3	-	1	1	1	-	-	-	-	-	-	
2	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	
2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatism, diseases of nutrition, etc.*—Continued											
58e,f	*Other forms of acute rheumatic fever, etc.**	492	4	8	3	7	9	29	46	64	42	22
	White—M	180	2	6	3	5	4	20	15	21	17	10
	F	185	-	-	-	1	3	4	17	28	17	7
	Negro—M	66	1	-	-	-	1	2	10	10	3	3
	F	56	1	-	-	1	1	3	4	5	4	2
	Other races—M	3	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	-	-	-	-
59	*Chronic rheumatism, other rheumatic diseases*	1,789	-	-	-	-	-	-	6	9	12	15
	White—M	617	-	-	-	-	-	-	3	5	5	1
	F	1,052	-	-	-	-	-	-	3	2	4	8
	Negro—M	53	-	-	-	-	-	-	-	1	-	4
	F	58	-	-	-	-	-	-	-	1	3	2
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-
60	Gout	3	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	33,879	19	27	9	12	17	84	88	177	269	239
	White—M	11,787	7	14	2	8	7	38	37	60	99	99
	F	19,833	7	11	7	4	9	38	44	90	132	109
	Negro—M	682	3	1	-	-	-	4	4	7	21	18
	F	1,490	2	1	-	-	1	4	3	19	17	13
	Other races—M	52	-	-	-	-	-	-	-	1	-	-
	F	35	-	-	-	-	-	-	-	-	-	-
62	Diseases of pituitary gland	138	2	1	1	2	3	9	5	5	1	6
	White—M	62	1	1	-	2	3	7	1	3	1	4
	F	67	-	-	1	-	-	1	3	1	-	2
	Negro—M	5	1	-	-	-	-	1	-	1	-	-
	F	4	-	-	-	-	-	-	1	-	-	-
63a	Simple goiter	194	3	-	-	-	-	3	-	2	1	2
	White—M	39	3	-	-	-	-	3	-	1	-	-
	F	127	-	-	-	-	-	-	-	-	-	2
	Negro—F	28	-	-	-	-	-	-	-	1	1	-
63b	Exophthalmic goiter	3,309	1	-	-	-	-	1	-	5	33	51
	White—M	475	-	-	-	-	-	-	-	-	5	9
	F	2,581	1	-	-	-	-	1	-	4	22	34
	Negro—M	31	-	-	-	-	-	-	-	-	1	1
	F	209	-	-	-	-	-	-	-	1	3	7
	Other races—M	8	-	-	-	-	-	-	-	-	2	-
	F	5	-	-	-	-	-	-	-	-	-	-
63c-e	Other diseases of thyroid and parathyroid glands	393	36	12	6	2	3	59	7	6	7	11
	White—M	103	18	2	5	2	2	29	4	3	3	3
	F	264	13	7	1	-	1	22	3	3	3	7
	Negro—M	5	3	1	-	-	-	4	-	-	-	-
	F	21	2	2	-	-	-	4	-	-	1	1
64	Diseases of thymus gland	1,220	1,012	54	27	9	16	1,118	35	20	13	10
	White—M	688	580	34	12	6	11	643	13	9	9	5
	F	400	331	15	9	2	3	380	16	7	3	4
	Negro—M	70	62	5	1	-	-	68	-	-	-	-
	F	50	32	-	5	1	2	40	5	2	1	-
	Other races—M	7	2	-	-	-	-	2	1	2	-	1
	F	5	5	-	-	-	-	5	-	-	-	-
65	Diseases of adrenal glands*	452	23	9	4	3	1	40	3	5	7	15
	White—M	203	18	6	2	2	-	28	1	5	4	5
	F	223	4	2	2	1	1	10	2	-	3	10
	Negro—M	11	-	1	-	-	-	1	-	-	-	-
	F	12	1	-	-	-	-	1	-	-	-	-
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
66	Other general diseases	471	110	28	15	6	10	169	9	11	8	8
	White—M	166	44	10	7	1	6	68	3	6	2	5
	F	195	35	12	4	2	2	55	3	3	3	-
	Negro—M	58	17	2	3	1	1	24	-	1	-	1
	F	47	10	4	1	2	1	18	3	1	1	-
	Other races—M	5	4	-	-	-	-	4	-	-	-	-
67	Scurvy	30	16	2	-	-	-	18	1	-	2	-
	White—M	14	7	1	-	-	-	8	-	-	2	-
	F	11	6	1	-	-	-	7	1	-	-	-
	Negro—M	2	1	-	-	-	-	1	-	-	-	-
	F	3	2	-	-	-	-	2	-	-	-	-
68	Beriberi	49	1	-	1	-	-	2	-	-	-	2
	White—M	25	1	-	-	-	-	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1
	Negro—M	3	-	-	1	-	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1,836	8	4	1	-	-	13	4	8	13	30
	White—M	474	6	1	-	-	-	7	1	2	2	3
	F	663	-	-	1	-	-	1	-	4	4	4
	Negro—M	174	1	2	-	-	-	3	-	1	1	-
	F	519	1	1	-	-	-	2	3	1	6	23
	Other races—F	6	-	-	-	-	-	-	-	-	-	-
70	Rickets	139	95	28	4	4	4	135	1	2	-	-
	White—M	41	26	9	1	2	1	39	-	1	-	-
	F	44	32	10	1	1	-	44	-	-	-	-
	Negro—M	26	18	4	-	-	3	25	-	1	-	-
	F	25	16	5	2	1	-	24	1	-	-	-
	Other races—M	2	2	-	-	-	-	2	-	-	-	-
	F	1	1	-	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
20	28	21	12	18	23	29	25	33	21	28	15	13	2	1	-	-	58e,f
6	12	6	6	5	4	11	8	17	5	10	4	3	-	-	-	-	
9	11	9	4	5	12	10	6	10	13	8	6	8	1	-	-	-	
2	3	3	1	1	3	3	4	4	3	4	3	2	1	1	-	-	
3	2	3	1	7	2	4	7	2	-	6	1	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
15	23	20	32	66	83	119	157	227	269	309	257	128	34	5	2	1	59
6	9	6	15	25	30	50	64	86	84	104	83	38	1	1	1	-	
7	11	11	11	26	40	57	81	129	178	193	169	85	32	3	1	1	
2	1	1	-	3	6	5	8	7	3	6	2	3	1	-	-	-	
-	2	2	5	10	7	6	3	3	4	6	2	1	-	1	-	-	
-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	
-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	
257	314	399	718	1,327	2,312	3,744	5,067	6,114	5,740	4,083	2,165	657	95	14	2	14	61
108	127	154	232	444	733	1,179	1,668	2,065	2,074	1,523	836	259	43	8	-	5	
101	144	148	297	631	1,254	2,261	3,094	3,799	3,500	2,467	1,289	373	49	5	-	8	
20	15	26	44	73	93	85	65	89	64	33	13	8	1	1	-	-	
27	28	70	139	173	224	206	222	152	89	58	25	16	2	-	2	1	
1	-	-	4	4	2	7	10	11	9	-	2	1	-	-	-	-	
-	-	1	2	2	6	8	10	-	4	2	-	-	-	-	-	-	
4	8	10	12	12	12	15	15	10	6	4	4	-	-	-	-	-	62
1	2	4	8	8	5	7	5	1	2	1	2	-	-	-	-	-	
2	6	5	3	3	7	7	10	9	4	2	2	-	-	-	-	-	
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
1	8	12	10	18	25	23	34	16	16	16	3	3	-	-	1	-	63a
-	1	3	2	2	6	5	5	3	4	4	-	-	-	-	-	-	
1	4	6	7	15	11	15	26	11	11	12	3	3	-	-	-	-	
-	3	3	1	1	8	3	3	2	1	-	-	-	-	-	1	-	
82	121	150	197	305	409	430	466	456	322	193	77	25	4	-	-	2	63b
13	17	26	41	48	64	89	85	48	24	17	7	1	2	-	-	1	
58	72	83	134	218	308	320	383	390	289	172	68	22	2	-	-	1	
1	7	2	2	7	4	2	-	3	-	-	1	-	-	-	-	-	
10	25	18	20	30	32	19	16	15	6	4	1	2	-	-	-	-	
-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	
-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	
14	15	20	16	31	28	37	42	39	32	19	7	3	-	-	-	-	63c-e
1	5	7	3	10	5	7	9	3	6	4	1	-	-	-	-	-	
12	9	10	9	19	22	27	32	36	28	15	6	3	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	3	4	2	1	3	1	-	-	-	-	-	-	-	-	-	
9	4	4	2	-	1	2	1	-	-	-	1	-	-	-	-	-	64
4	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
3	1	2	2	-	-	-	1	-	-	-	1	-	-	-	-	-	
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	21	38	38	58	53	43	39	33	20	10	3	6	1	-	-	-	65
6	5	16	11	18	21	18	31	19	6	3	2	4	-	-	-	-	
12	16	19	22	34	29	22	8	13	13	7	1	1	1	-	-	-	
1	-	1	1	3	1	1	-	-	1	-	-	1	-	-	-	-	
-	-	2	2	3	2	1	-	1	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	7	22	16	13	27	30	28	30	21	24	25	13	4	1	-	-	66
3	2	4	6	2	11	10	12	4	8	8	7	4	-	1	-	-	
2	4	11	5	6	9	13	10	21	11	13	15	9	2	-	-	-	
2	-	3	4	2	4	4	4	4	1	2	1	-	1	-	-	-	
2	1	4	1	3	3	3	2	1	1	-	2	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
1	1	-	-	-	1	2	-	2	-	1	-	1	-	-	-	-	67
-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	1	2	4	4	8	7	6	4	2	2	1	1	-	-	-	-	68
1	-	1	3	1	5	3	5	3	1	-	-	1	-	-	-	-	
1	-	1	-	1	1	3	-	1	1	2	1	-	-	-	-	-	
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
36	73	99	91	138	155	156	185	231	228	178	122	54	11	8	1	2	69
3	2	11	7	23	35	37	45	75	78	70	48	19	4	2	-	-	
8	21	21	19	47	41	60	80	92	100	80	56	16	4	3	-	2	
6	6	8	7	17	25	15	17	21	19	13	5	8	1	1	-	-	
19	44	59	58	51	54	43	42	43	31	12	13	11	1	2	1	-	
-	-	-	-	-	-	1	1	-	-	3	-	-	1	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatism, diseases of nutrition, etc.*—Continued											
71	Other avitaminoses	137	26	6	2	-	-	34	2	-	-	2
	White—M	52	11	2	-	-	-	13	1	-	-	-
	F	57	13	2	1	-	-	16	-	-	-	1
	Negro—M	8	-	1	-	-	-	1	1	-	-	-
	F	19	2	1	1	-	-	4	-	-	-	1
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	9,580	500	189	169	152	107	1,117	350	297	314	288
	White—M	4,824	233	90	96	74	51	544	178	150	176	133
	F	4,121	190	67	65	67	50	439	120	117	115	118
	Negro—M	304	42	12	4	4	3	65	18	19	12	15
	F	291	28	15	4	5	1	53	13	11	8	20
	Other races—M	26	5	3	-	-	2	10	1	-	1	-
	F	14	2	2	-	2	-	6	-	-	2	-
72	Hemorrhagic conditions	552	179	28	12	9	9	237	23	22	26	21
	White—M	253	90	17	6	5	2	122	12	7	14	6
	F	242	55	11	4	4	4	78	10	15	10	13
	Negro—M	29	21	-	-	-	1	22	1	-	2	1
	F	23	10	-	-	-	1	11	-	-	-	1
	Other races—M	3	1	-	-	-	1	2	-	-	-	-
	F	2	2	-	-	-	-	2	-	-	-	-
73a	Pernicious anemia	1,998	18	7	5	4	1	35	7	8	10	14
	White—M	881	5	4	2	2	1	12	1	5	2	3
	F	1,017	13	1	3	1	-	18	4	2	3	8
	Negro—M	39	-	2	-	1	-	3	-	-	2	1
	F	52	-	1	-	-	-	1	2	1	3	2
	Other races—M	6	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	1	-	-	-	-
73b-d	Other anemias (except splenic)	1,081	168	44	15	13	8	248	33	26	37	34
	White—M	479	70	19	7	4	6	106	11	12	12	13
	F	442	71	12	6	4	2	95	10	10	18	11
	Negro—M	65	15	5	-	2	-	22	6	2	2	4
	F	87	11	5	2	3	-	21	6	2	4	6
	Other races—M	7	1	3	-	-	-	4	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
74a	Leukemias	4,954	99	90	128	111	79	507	235	203	202	163
	White—M	2,715	51	44	75	54	36	260	138	105	131	87
	F	1,990	39	35	49	54	40	217	83	77	65	84
	Negro—M	133	-	4	3	-	2	9	9	14	4	5
	F	101	6	7	1	1	-	15	4	7	-	7
	Other races—M	10	3	-	-	-	1	4	1	-	1	-
	F	5	-	-	-	2	-	2	-	-	1	-
74b	Aleukemias	256	1	5	5	8	5	24	14	11	9	12
	White—M	137	-	2	2	5	3	12	6	5	4	4
	F	108	1	3	3	3	2	12	8	6	4	6
	Negro—M	7	-	-	-	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	-	1	-
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
75	Diseases of spleen	459	26	10	2	4	5	47	9	17	19	25
	White—M	236	11	3	1	1	3	19	6	10	9	10
	F	160	9	4	-	1	2	16	1	5	8	11
	Negro—M	24	5	1	1	1	-	8	1	1	2	1
	F	18	1	2	-	1	-	4	1	1	-	3
76	Other diseases of blood and blood-forming organs	281	9	5	2	3	-	19	9	10	11	17
	White—M	123	6	3	1	3	-	13	4	6	4	10
	F	141	2	1	-	-	-	3	4	2	7	5
	Negro—M	7	1	-	-	-	-	1	1	2	-	1
	F	8	-	-	1	-	-	1	-	-	-	1
	Other races—F	2	-	1	-	-	-	1	-	-	-	-
	V.—Chronic poisoning and intoxication	2,607	1	6	8	4	3	22	9	1	14	41
	White—M	1,947	1	3	4	1	1	10	3	1	7	13
	F	316	-	2	3	1	-	6	2	-	-	7
	Negro—M	251	-	-	-	1	1	2	4	-	4	11
	F	72	-	1	1	1	1	4	-	-	3	6
	Other races—M	16	-	-	-	-	-	-	-	-	-	2
	F	5	-	-	-	-	-	-	-	-	-	2
77a	Alcoholic pellagra	7	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-
77b-e	Other alcoholism (ethylism)	2,451	-	-	2	2	3	7	7	-	13	39
	White—M	1,851	-	-	1	1	1	3	3	-	6	13
	F	275	-	-	-	1	-	1	2	-	-	6
	Negro—M	239	-	-	-	-	1	1	2	-	4	11
	F	66	-	-	1	-	1	2	-	-	3	5
	Other races—M	15	-	-	-	-	-	-	-	-	-	2
	F	5	-	-	-	-	-	-	-	-	-	2
78	Lead poisoning	70	1	6	6	2	-	15	2	-	-	-
	White—M	51	1	3	3	-	-	7	-	-	-	-
	F	6	-	2	3	-	-	5	-	-	-	-
	Negro—M	10	-	-	-	1	-	1	2	-	-	-
	F	3	-	1	-	1	-	2	-	-	-	-
79	Chronic poisoning by other mineral substances*	79	-	-	-	-	-	-	-	1	1	2
	White—M	38	-	-	-	-	-	-	-	1	1	-
	F	35	-	-	-	-	-	-	-	-	-	1
	Negro—M	2	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1
	Other races—M	1	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
5	2	6	6	5	6	10	9	10	13	13	7	6	1	-	-	-	71
1	-	1	3	1	1	5	4	6	4	6	2	4	-	-	-	-	
1	1	2	2	-	4	4	3	3	7	6	4	2	1	-	-	-	
-	-	-	1	2	-	1	1	-	1	-	-	-	-	-	-	-	
2	1	3	-	2	1	-	1	1	1	1	1	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
283	296	337	354	516	618	793	861	991	918	704	396	131	25	6	2	5	
132	123	158	161	226	296	452	445	565	482	343	191	55	9	1	1	3	
121	128	145	155	248	267	305	387	397	423	339	204	74	14	3	-	2	
14	16	15	17	17	32	20	15	15	6	7	-	-	1	-	-	-	
16	26	17	20	22	22	15	11	14	6	10	1	2	1	2	1	-	
-	2	1	-	2	-	1	3	-	-	5	-	-	-	-	-	-	
-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	
26	21	13	16	23	21	19	21	18	15	19	6	5	-	-	-	-	72
9	9	7	7	5	11	6	9	7	8	11	1	2	-	-	-	-	
13	8	5	8	16	8	13	12	11	7	7	5	3	-	-	-	-	
-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	2	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	19	18	27	47	82	145	225	311	390	337	222	70	13	3	1	1	73a
3	4	6	8	12	25	72	102	157	190	154	96	25	4	-	-	-	
8	9	5	17	26	44	64	111	149	195	174	125	44	8	2	-	1	
1	1	3	-	5	6	6	6	1	1	3	-	-	-	-	-	-	
1	5	3	2	4	7	2	5	4	3	2	1	1	1	1	1	-	
-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
29	39	32	33	47	45	63	56	83	87	90	58	29	7	3	1	1	73b-d
10	6	11	10	20	19	42	29	46	46	41	28	11	3	1	1	1	
14	17	15	14	18	19	15	23	28	40	43	30	18	3	1	-	-	
2	3	2	-	4	5	2	2	4	-	4	-	-	1	-	-	-	
3	11	4	9	5	2	4	1	5	1	2	-	-	-	1	-	-	
-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
173	170	220	223	328	387	459	473	484	378	219	98	25	5	-	-	2	74a
88	79	104	110	156	201	271	261	304	216	122	61	17	2	-	-	2	
72	76	99	93	153	158	170	199	168	156	92	37	8	3	-	-	-	
8	9	8	14	7	17	11	7	7	4	-	-	-	-	-	-	-	
5	5	8	6	10	11	7	5	5	2	4	-	-	-	-	-	-	
-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
7	10	14	10	18	20	34	21	26	15	7	3	-	-	-	-	1	74b
2	7	6	8	9	12	22	11	17	7	3	2	-	-	-	-	-	
2	3	7	2	9	7	11	10	8	8	4	1	-	-	-	-	1	
2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
21	24	22	31	38	36	45	35	37	22	21	7	2	-	-	-	-	75
15	13	15	14	19	20	25	17	21	11	9	3	-	-	-	-	-	
4	10	5	13	16	13	19	18	15	10	11	4	1	-	-	-	-	
1	-	1	3	1	3	-	-	1	1	-	-	-	-	-	-	-	
1	1	1	1	2	-	1	-	-	-	1	-	1	-	-	-	-	
14	13	18	14	15	27	28	30	32	11	11	2	-	-	-	-	-	76
5	5	9	4	5	8	14	16	13	4	3	-	-	-	-	-	-	
8	5	9	8	10	18	13	14	18	7	8	2	-	-	-	-	-	
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
1	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
96	184	345	364	396	347	257	198	161	95	44	22	4	2	-	-	5	
53	116	248	268	302	270	213	166	130	87	35	17	3	1	-	-	4	
19	25	41	43	54	37	28	22	16	4	8	3	1	-	-	-	-	
17	30	41	38	31	30	14	7	14	3	1	2	-	1	-	-	1	
4	9	15	13	9	6	-	2	-	1	-	-	-	-	-	-	-	
3	2	-	2	-	4	1	1	1	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	2	-	-	1	1	-	1	-	1	-	-	-	-	77a
-	-	-	1	2	-	-	1	1	-	1	-	1	-	-	-	-	
92	176	336	350	379	334	240	183	147	85	36	18	2	2	-	-	5	77b-e
49	111	244	259	291	263	204	156	119	78	31	14	2	1	-	-	4	
19	25	39	39	50	32	23	17	13	3	4	2	-	-	-	-	-	
17	28	39	38	29	29	12	7	14	3	1	2	-	1	-	-	1	
4	8	14	12	9	6	-	2	-	1	-	-	-	-	-	-	-	
3	2	-	2	-	4	-	1	1	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	5	4	6	7	3	7	8	6	5	1	1	-	-	-	-	-	78
-	4	2	5	6	2	5	8	6	4	1	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	1	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	3	5	7	8	10	10	6	7	5	6	3	1	-	-	-	-	79
4	1	2	3	3	5	4	1	4	5	2	2	-	-	-	-	-	
-	-	2	4	4	5	5	5	3	-	4	1	1	-	-	-	-	
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system, etc.*	134,614	1,932	540	289	210	156	3,127	592	613	897	996
	White—M	59,680	882	234	139	94	70	1,419	274	294	449	455
	F	57,854	684	216	109	90	61	1,160	227	218	287	318
	Negro—M	8,007	186	44	21	11	13	275	48	50	86	122
	F	8,651	150	40	18	11	10	229	41	49	72	95
	Other races—M	275	19	2	2	2	-	25	2	2	3	3
	F	147	11	4	-	2	2	19	-	-	-	3
80	Encephalitis (nonepidemic)	1,431	117	73	47	43	28	308	77	91	81	89
	White—M	724	39	30	26	26	9	130	36	52	42	45
	F	532	62	36	16	14	14	142	32	25	24	29
	Negro—M	92	5	3	4	-	2	14	4	9	11	5
	F	72	8	4	1	3	3	19	5	5	4	9
	Other races—M	8	1	-	-	-	-	1	-	-	-	1
	F	3	2	-	-	-	-	2	-	-	-	-
81	Meningitis (not due to meningococcus)	2,193	633	161	85	48	28	953	118	91	94	84
	White—M	1,072	304	79	45	16	12	456	51	44	45	37
	F	706	213	56	28	26	7	330	37	27	25	19
	Negro—M	221	55	14	5	5	6	85	17	8	14	17
	F	174	51	10	7	1	-	69	11	12	10	10
	Other races—M	11	5	1	-	-	-	6	2	-	-	1
	F	9	5	1	-	-	1	7	-	-	-	-
82	Diseases of spinal cord (see exceptions)*	2,691	12	12	8	12	7	51	32	40	69	49
	White—M	1,455	6	7	2	8	5	28	14	20	39	25
	F	1,023	5	4	3	4	2	18	16	13	24	18
	Negro—M	127	1	1	2	-	-	4	2	2	4	5
	F	78	-	-	1	-	-	1	-	5	1	1
	Other races—M	5	-	-	-	-	-	-	-	-	1	-
	F	3	-	-	-	-	-	-	-	-	-	-
83a	Cerebral hemorrhage or effusion*	103,382	169	40	16	12	11	248	38	53	125	214
	White—M	44,826	86	13	5	6	4	114	19	26	54	91
	F	44,996	62	22	7	4	6	101	15	18	41	63
	Negro—M	6,210	11	3	2	1	1	18	1	3	15	34
	F	7,063	6	2	2	-	-	10	3	6	15	24
	Other races—M	194	4	-	-	1	-	5	-	-	-	1
	F	93	-	-	-	-	-	-	-	-	-	1
83b,c	Cerebral embolism, thrombosis, and softening	11,447	15	7	7	4	4	37	11	14	28	39
	White—M	5,447	8	5	1	2	1	17	5	5	12	17
	F	5,337	6	2	3	2	2	15	5	7	13	16
	Negro—M	327	1	-	3	-	-	4	-	-	1	3
	F	307	-	-	-	-	1	1	1	2	2	3
	Other races—M	18	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-
83d	Hemiplegia, other paralysis, etc.*	3,755	19	9	7	8	4	47	19	17	20	16
	White—M	1,517	10	4	4	1	3	22	8	7	9	8
	F	1,431	7	4	2	7	-	20	5	7	6	4
	Negro—M	372	2	1	1	-	1	5	3	1	3	1
	F	419	-	-	-	-	-	-	3	2	2	3
	Other races—M	8	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-
84	Mental diseases and deficiency (see exception)*	1,410	66	14	9	7	2	98	17	13	54	94
	White—M	468	28	4	2	2	1	37	9	5	19	28
	F	673	38	9	6	4	-	57	3	3	15	33
	Negro—M	119	-	1	1	-	1	3	5	3	10	15
	F	145	-	-	-	-	-	-	-	2	10	18
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-
85	Epilepsy	2,327	18	13	14	14	19	78	67	135	227	252
	White—M	1,093	10	5	8	3	9	35	29	61	109	116
	F	844	7	5	5	7	7	31	29	46	79	81
	Negro—M	237	1	1	1	-	1	4	2	18	21	34
	F	140	-	2	-	3	1	6	7	10	17	20
	Other races—M	5	-	-	-	-	-	-	-	-	1	-
	F	8	-	-	-	1	1	2	-	-	-	1
86	Convulsions (under 5 years)	523	401	68	23	18	13	523	...	...	...	...
	White—M	187	140	20	12	8	7	187	...	...	...	...
	F	172	123	32	8	6	3	172	...	...	...	...
	Negro—M	81	73	7	-	-	1	81	...	...	...	...
	F	75	59	8	3	3	2	75	...	...	...	...
	Other races—M	5	4	-	-	1	-	5	...	...	...	...
	F	3	2	1	-	-	-	3	...	...	...	...
87	Other diseases of nervous system	3,517	75	51	28	16	17	187	90	64	62	78
	White—M	1,847	41	28	12	11	8	100	46	32	33	39
	F	1,458	23	14	13	3	7	60	30	25	22	32
	Negro—M	122	5	5	1	2	-	13	9	2	2	4
	F	84	5	3	2	-	2	12	5	5	5	2
	Other races—M	4	1	1	-	-	-	2	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1
88	Diseases of organs of vision	55	9	2	1	1	4	17	5	2	4	1
	White—M	21	2	2	1	-	2	7	4	1	-	1
	F	23	4	-	-	-	1	5	1	1	1	-
	Negro—M	6	3	-	-	-	-	3	-	-	2	-
	F	4	-	-	-	1	1	2	-	-	1	-
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	1,883	398	90	44	27	21	580	118	93	133	80
	White—M	1,023	208	37	21	11	9	286	53	41	87	48
	F	659	134	32	18	13	12	209	54	46	37	23
	Negro—M	93	29	8	1	3	-	41	5	4	3	4
	F	90	21	11	2	-	-	34	6	-	5	5
	Other races—M	14	4	-	2	-	-	6	-	2	1	-
	F	4	2	2	-	-	-	4	-	-	-	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
1,105	1,463	2,107	3,518	5,617	8,240	10,627	13,777	17,941	20,392	18,717	14,975	7,220	2,067	422	90	111	
475	572	776	1,216	1,986	3,131	4,657	6,450	8,449	9,684	8,699	6,731	3,032	742	132	22	35	
335	482	699	1,233	2,079	3,065	3,993	5,421	7,385	9,134	8,921	7,634	3,838	1,147	230	21	27	
151	183	293	446	707	919	897	874	1,076	766	521	298	158	67	24	12	34	
131	217	332	615	826	1,090	1,042	973	976	760	547	292	182	101	34	32	15	
9	6	7	7	8	15	25	44	39	36	19	12	8	3	1	1	-	
4	3	-	1	11	20	13	15	16	12	10	8	2	7	1	2	-	
82	88	89	85	97	81	74	56	47	42	27	13	3	1	-	-	-	80
36	40	45	50	57	46	49	32	19	25	15	5	-	-	-	-	-	
29	28	33	26	29	29	22	20	27	15	11	7	3	1	-	-	-	
9	8	5	5	8	4	2	4	1	2	-	1	-	-	-	-	-	
6	11	5	4	2	1	-	-	-	-	1	-	-	-	-	-	-	
2	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
95	84	84	91	100	110	98	70	62	22	25	7	1	1	-	-	3	81
46	36	50	44	55	57	47	37	32	14	15	2	1	1	-	-	2	
19	35	15	30	28	31	39	26	26	7	7	4	-	-	-	-	1	
17	8	11	8	7	11	11	3	1	1	1	1	-	-	-	-	-	
12	5	8	9	9	9	1	4	3	-	2	-	-	-	-	-	-	
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
48	70	86	117	192	229	322	301	356	302	216	136	58	14	1	-	2	82
27	36	43	63	106	124	174	173	202	170	112	67	24	7	-	-	1	
16	17	28	40	65	75	122	114	133	124	94	68	30	7	-	-	1	
4	8	7	10	14	17	19	5	14	4	4	1	3	-	-	-	-	
1	7	8	4	6	12	6	9	6	4	5	-	1	-	1	-	-	
-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	
-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
336	628	1,196	2,413	4,277	6,557	8,505	11,206	14,688	16,795	15,470	12,477	5,950	1,695	348	80	85	83a
121	197	351	721	1,384	2,348	3,591	5,107	6,823	7,921	7,120	5,602	2,470	608	110	21	27	
91	174	369	827	1,588	2,437	3,185	4,430	6,050	7,507	7,429	6,350	3,169	928	190	18	18	
57	111	210	346	579	785	769	753	914	660	453	255	145	63	19	11	29	
63	142	261	513	712	960	933	865	855	666	466	254	159	89	28	28	11	
4	2	5	5	4	11	19	37	32	34	16	9	6	3	-	1	-	
-	-	-	1	10	16	10	14	14	7	6	7	1	4	1	1	-	
57	73	105	200	319	512	802	1,156	1,635	1,919	1,906	1,520	815	237	53	4	7	83b,c
20	25	45	75	131	251	411	605	827	951	902	683	361	85	17	1	1	
28	31	38	80	122	198	310	471	713	906	943	818	457	147	33	2	4	
2	11	8	15	34	32	38	39	57	30	36	11	3	1	1	-	1	
6	6	14	29	32	29	39	35	35	30	23	6	9	2	1	1	1	
1	-	-	1	-	-	3	5	3	-	1	1	2	-	1	-	-	
-	-	-	-	-	2	1	1	-	2	1	1	1	2	-	-	-	
34	24	36	87	138	188	250	357	504	620	570	479	261	76	17	6	9	83d
15	10	12	18	45	48	90	158	198	266	261	196	115	25	3	-	3	
7	7	11	16	35	53	73	115	174	261	228	231	130	38	7	1	2	
7	4	7	17	24	38	39	39	67	46	34	24	5	3	3	1	1	
5	3	6	16	34	49	47	44	61	43	44	27	11	9	4	3	3	
-	-	-	-	-	-	1	1	3	1	1	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	3	2	-	-	1	-	1	-	
77	89	105	116	109	116	101	87	85	84	69	60	25	9	1	-	1	84
26	33	29	25	21	31	43	31	31	23	32	30	10	5	-	-	-	
18	33	49	62	65	67	52	44	45	50	30	28	15	4	-	-	-	
16	6	11	11	9	7	3	7	4	4	3	-	-	-	1	-	1	
17	16	15	18	13	11	3	5	5	6	4	2	-	-	-	-	-	
-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
231	227	202	188	142	120	109	110	76	74	50	22	12	3	1	-	1	85
108	98	89	91	63	58	60	55	38	38	28	7	7	2	1	-	-	
77	82	79	67	51	47	37	42	29	30	18	13	5	1	-	-	-	
27	22	23	21	23	10	5	10	6	5	4	1	-	-	-	-	1	
16	22	11	8	5	4	6	3	3	1	-	1	-	-	-	-	-	
-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	86
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
86	112	141	154	154	209	266	335	417	474	346	228	84	26	1	-	3	87
38	54	69	80	79	106	137	185	239	241	197	123	38	9	1	-	1	
37	50	60	61	65	84	117	132	162	213	144	102	45	16	-	-	1	
6	4	10	9	6	11	7	11	9	12	3	2	1	-	-	-	1	
4	4	2	4	4	8	5	7	6	8	1	1	-	1	-	-	-	
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
1	-	2	2	1	-	2	3	2	2	6	-	2	3	-	-	-	88
-	-	1	1	-	-	-	2	2	-	1	-	1	-	-	-	-	
1	-	1	-	-	-	1	1	-	2	5	-	1	3	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
58	70	61	85	88	118	98	98	69	58	32	33	11	2	-	-	-	89
38	43	42	48	45	62	55	65	38	35	16	16	5	-	-	-	-	
12	25	16	24	31	44	37	28	26	19	12	13	3	2	-	-	-	
6	1	1	4	2	4	4	3	3	2	3	2	1	-	-	-	-	
1	1	2	9	9	7	2	1	2	2	1	1	2	-	-	-	-	
1	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of the circulatory system	415,545	446	106	70	67	80	769	598	995	1,564	1,809
	White—M	222,794	213	47	28	32	29	349	230	407	700	760
	F	156,579	169	43	30	23	29	294	243	415	592	687
	Negro—M	18,531	34	11	4	5	9	63	52	76	111	132
	F	16,671	27	5	6	7	11	56	70	87	146	214
	Other races—M	714	-	-	2	-	-	2	2	6	7	9
	F	256	3	-	-	-	2	5	1	4	8	7
90a	Chronic rheumatic pericarditis	25	-	-	-	-	-	-	-	3	-	1
	White—M	11	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	3	-	-
	Negro—F	3	-	-	-	-	-	-	-	-	-	1
90b	Other pericarditis	567	16	6	6	3	2	33	11	15	19	19
	White—M	299	3	3	4	2	-	12	4	11	8	7
	F	159	12	2	2	1	1	18	5	3	6	8
	Negro—M	54	1	-	-	-	1	2	-	1	3	3
	F	52	-	1	-	-	-	1	2	-	2	1
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
91a,b	Bacterial, acute, and subacute endocarditis	2,382	23	10	4	5	7	49	60	78	163	204
	White—M	1,127	13	4	3	4	2	26	27	25	67	79
	F	927	8	5	1	1	4	19	25	43	79	99
	Negro—M	162	1	1	-	-	-	2	4	3	7	9
	F	155	1	-	-	-	1	2	4	6	8	15
	Other races—M	7	-	-	-	-	-	-	-	1	-	1
	F	4	-	-	-	-	-	-	-	-	2	1
91c	Endocarditis (unspecified, under 45 years)	295	9	3	1	5	1	19	19	22	25	19
	White—M	111	3	2	-	3	-	8	7	9	13	4
	F	93	4	1	1	1	-	7	10	8	7	11
	Negro—M	53	1	-	-	-	1	2	1	2	4	2
	F	38	1	-	-	1	-	2	1	3	1	2
92a	Diseases of aortic valve, etc.*	3,557	5	-	-	1	1	7	3	7	18	28
	White—M	1,780	3	-	-	1	-	4	-	1	6	16
	F	1,061	2	-	-	-	1	3	1	1	5	5
	Negro—M	405	-	-	-	-	-	-	-	2	1	3
	F	295	-	-	-	-	-	-	1	3	6	4
	Other races—M	13	-	-	-	-	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
92b	Diseases of mitral valve, etc.*	16,966	27	5	6	6	12	56	89	174	268	277
	White—M	7,719	15	3	3	3	4	28	32	64	120	135
	F	7,098	9	1	1	3	6	20	32	81	116	107
	Negro—M	1,078	2	1	-	-	2	5	13	13	12	8
	F	1,028	1	-	1	-	-	2	11	13	19	24
	Other races—M	25	-	-	1	-	-	1	1	1	-	2
	F	18	-	-	-	-	-	-	-	2	1	1
92c	Chronic rheumatic endocarditis, etc.*	2,222	-	-	-	3	3	6	33	78	105	84
	White—M	1,084	-	-	-	-	3	3	15	39	60	40
	F	985	-	-	-	1	-	1	13	35	37	37
	Negro—M	57	-	-	-	1	-	1	2	2	3	4
	F	88	-	-	-	1	-	1	2	1	3	3
	Other races—M	5	-	-	-	-	-	-	-	1	1	-
	F	3	-	-	-	-	-	-	1	-	1	-
92d	Other chronic endocarditis, etc.*	16,432	20	9	5	2	7	43	31	68	106	109
	White—M	7,488	11	5	-	2	1	19	10	32	50	46
	F	6,959	8	4	3	-	4	19	15	23	38	39
	Negro—M	994	-	-	1	-	-	1	3	6	5	6
	F	941	1	-	1	-	2	4	3	6	11	17
	Other races—M	35	-	-	-	-	-	-	-	-	1	1
	F	15	-	-	-	-	-	-	-	1	1	-
92e	Endocarditis (unspecified, 45 years and over)	2,520	...	...	...	...	...	...	...	...	...	...
	White—M	1,157	...	...	...	...	...	...	...	...	...	...
	F	1,001	...	...	...	...	...	...	...	...	...	...
	Negro—M	175	...	...	...	...	...	...	...	...	...	...
	F	185	...	...	...	...	...	...	...	...	...	...
	Other races—M	2	...	...	...	...	...	...	...	...	...	...
93a	Acute myocarditis (except rheumatic)	3,934	35	10	7	3	4	59	17	21	31	41
	White—M	1,878	16	6	3	1	1	27	6	8	15	13
	F	1,394	17	4	4	2	1	28	5	7	5	11
	Negro—M	317	-	-	-	-	-	-	2	2	1	10
	F	338	2	-	-	-	2	4	4	4	10	7
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
93b	Myocarditis (unspecified, under 45 years)	679	16	5	3	2	-	26	15	22	32	32
	White—M	264	10	1	1	2	-	14	5	11	10	14
	F	166	4	2	-	-	-	6	7	6	11	7
	Negro—M	110	2	1	-	-	-	3	-	2	4	2
	F	139	-	1	2	-	-	3	3	3	7	9
93c	Chronic rheumatic myocarditis, etc.*	1,351	-	-	-	-	1	1	10	17	21	32
	White—M	594	-	-	-	-	-	-	5	5	9	12
	F	640	-	-	-	-	-	-	4	8	8	17
	Negro—M	49	-	-	-	-	1	1	-	1	2	1
	F	59	-	-	-	-	-	-	1	3	2	2
	Other races—M	8	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
93d	Other chronic myocarditis, etc.*	175,593	17	5	1	4	6	33	30	44	107	147
	White—M	85,885	6	3	1	2	3	15	10	19	48	54
	F	75,135	9	2	-	1	1	13	14	17	36	46
	Negro—M	7,291	1	-	-	-	1	2	4	4	10	16
	F	6,878	1	-	-	1	1	3	2	4	11	29
	Other races—M	303	-	-	-	-	-	-	-	-	2	1
	F	101	-	-	-	-	-	-	-	-	-	1

*Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
2,571	3,771	6,376	11,129	18,592	27,279	35,671	44,423	55,300	61,590	57,268	48,482	25,877	8,861	1,959	386	275	
1,033	1,605	3,121	5,916	10,738	16,411	21,906	28,564	31,138	33,079	29,136	23,584	11,751	3,504	673	77	132	
942	1,266	1,726	2,693	4,481	6,597	9,584	13,824	19,953	24,952	25,645	23,401	13,173	4,832	1,077	147	55	
284	426	696	1,206	1,786	2,246	2,213	2,138	2,295	1,916	1,277	754	454	206	91	63	46	
303	458	799	1,273	1,529	1,953	1,880	1,803	1,781	1,532	1,116	665	476	288	113	88	41	
6	12	23	34	47	58	66	78	102	83	68	55	30	20	2	4	-	
3	4	11	7	11	14	22	16	31	28	26	25	13	11	3	7	1	
2	-	-	1	1	2	1	3	-	2	3	3	3	-	-	-	-	90a
1	-	-	1	1	1	1	1	-	2	1	2	-	-	-	-	-	
1	-	-	-	-	1	-	1	-	-	2	-	3	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
17	22	28	22	50	33	51	59	38	57	33	34	18	7	-	1	-	90b
7	12	15	13	26	19	32	38	26	28	15	17	5	4	-	-	-	
5	7	6	5	9	4	12	12	5	16	14	15	8	1	-	-	-	
4	3	3	3	5	4	5	4	2	6	2	-	2	2	-	-	-	
1	-	4	1	8	6	2	5	4	7	2	2	3	-	-	1	-	
-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	
225	203	200	178	178	179	169	140	123	98	57	48	19	8	1	-	2	91a,b
91	86	92	84	97	100	102	75	66	50	32	16	10	1	-	-	1	
101	93	74	57	50	49	45	44	49	38	20	28	7	6	1	-	-	
17	12	16	21	15	15	13	13	4	5	2	3	1	-	-	-	-	
14	12	18	16	14	14	8	8	4	5	3	1	1	1	-	-	1	
1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
36	33	62	60	...	...	...	...	...	...	...	...	...	...	...	...	...	91c
13	15	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	
6	9	19	16	...	...	...	...	...	...	...	...	...	...	...	...	...	
12	4	15	11	...	...	...	...	...	...	...	...	...	...	...	...	...	
5	5	7	12	...	...	...	...	...	...	...	...	...	...	...	...	...	
35	58	98	151	212	315	383	408	494	460	377	299	141	48	13	3	1	92a
13	24	52	74	107	158	212	220	262	225	183	139	60	18	5	-	1	
3	13	12	19	35	44	82	107	156	173	159	144	70	24	4	1	-	
14	11	15	34	49	60	51	44	45	33	19	11	7	4	1	1	-	
5	8	16	24	20	52	36	36	28	27	15	5	3	2	3	1	-	
-	-	3	-	-	1	2	-	3	2	-	-	1	-	-	-	-	
-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	
367	492	628	805	1,018	1,144	1,294	1,553	1,849	2,189	1,918	1,647	849	287	45	7	10	92b
149	180	259	327	427	509	603	756	918	1,053	890	776	375	93	21	1	3	
174	239	258	306	395	408	459	579	714	918	894	795	422	164	15	-	2	
23	34	40	69	101	116	133	108	124	117	74	38	30	9	6	2	3	
20	35	67	102	93	107	96	109	90	97	58	36	21	20	2	4	2	
1	2	2	1	1	3	1	-	-	4	2	2	1	-	-	-	-	
-	2	2	-	1	1	2	1	3	-	-	-	-	1	1	-	-	
119	134	136	146	219	177	191	186	176	164	148	82	27	9	2	-	-	92c
55	63	79	69	129	89	92	95	77	76	59	39	4	-	1	-	-	
57	63	54	68	75	72	77	78	90	72	83	43	21	8	1	-	-	
2	5	1	5	5	4	5	4	3	6	3	-	1	1	-	-	-	
5	3	2	3	9	11	17	9	6	10	2	-	1	-	-	-	-	
-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
167	228	306	447	660	909	1,201	1,586	2,081	2,522	2,439	2,040	1,059	329	75	8	18	92d
63	81	119	166	245	427	568	820	1,009	1,205	1,136	914	441	106	23	2	6	
68	104	114	163	241	277	391	536	824	1,107	1,159	1,034	572	191	37	1	6	
16	21	35	53	82	94	130	130	141	116	67	42	20	14	7	2	3	
20	22	33	61	87	108	108	98	98	87	73	49	26	17	8	2	3	
-	-	3	2	3	2	3	2	7	6	3	1	-	1	-	-	-	
-	-	2	2	2	1	1	-	2	1	1	-	-	-	-	1	-	
...	...	...	...	123	194	226	298	373	351	389	340	173	40	10	3	-	92e
...	...	...	...	50	77	94	147	194	175	171	155	72	19	2	1	-	
...	...	...	...	27	54	66	94	141	140	191	169	94	18	6	1	-	
...	...	...	...	26	29	38	26	16	15	13	8	1	1	1	1	-	
...	...	...	...	20	33	28	31	22	21	13	8	6	2	1	-	-	
...	...	...	...	-	1	-	-	-	-	1	-	-	-	-	-	-	
86	82	129	175	234	294	346	368	495	480	388	381	193	93	12	2	7	93a
30	23	62	73	98	147	174	197	258	251	185	180	90	36	1	1	3	
19	26	22	42	62	74	93	122	170	187	183	188	92	44	11	1	2	
19	14	16	33	39	38	34	28	37	23	7	6	5	2	-	-	1	
18	19	29	26	33	35	44	21	29	19	12	7	6	10	-	-	1	
-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	
64	89	136	263	...	...	...	...	...	...	...	...	...	...	...	...	...	93b
22	31	49	108	...	...	...	...	...	...	...	...	...	...	...	...	...	
16	26	36	51	...	...	...	...	...	...	...	...	...	...	...	...	...	
12	15	27	45	...	...	...	...	...	...	...	...	...	...	...	...	...	
14	17	24	59	...	...	...	...	...	...	...	...	...	...	...	...	...	
26	38	40	55	100	108	135	135	159	172	156	89	41	11	4	-	1	93c
13	18	15	18	37	50	63	68	82	71	70	38	16	3	1	-	-	
12	13	22	33	51	44	57	55	68	89	77	49	22	8	2	-	1	
-	2	-	-	6	8	7	5	2	8	4	-	1	-	1	-	-	
1	5	3	3	4	5	7	6	6	4	4	2	1	-	-	-	-	
-	-	-	1	2	1	1	1	-	-	1	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
277	567	1,245	2,758	5,240	8,995	12,817	17,792	23,812	28,670	28,607	25,115	13,596	4,513	957	180	91	93d
98	183	486	1,131	2,451	4,619	6,934	9,663	12,282	14,396	13,777	11,629	5,940	1,750	321	36	43	
99	161	315	754	1,513	2,664	4,161	6,318	9,588	12,637	13,642	12,782	7,181	2,539	559	77	19	
33	87	182	391	653	875	893	947	989	853	612	354	231	84	32	26	13	
46	134	256	469	605	811	794	826	889	734	523	305	220	125	42	35	15	
1	2	5	11	14	21	26	31	47	36	41	33	16	10	2	4	-	
-	-	1	2	4	5	9	7	17	14	12	12	8	5	1	2	1	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of the circulatory system—Con.											
93e	Other myocarditis (unspecified)	17,630	8	2	-	-	2	12	4	5	15	23
	White—M	8,876	4	1	-	-	1	6	2	3	4	7
	F	6,679	3	-	-	-	1	4	1	2	5	10
	Negro—M	1,042	1	1	-	-	-	2	-	-	3	3
	F	997	-	-	-	-	-	-	1	-	3	3
	Other races—M	22	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-
94a	Diseases of coronary arteries	100,535	22	3	4	2	4	35	8	16	64	142
	White—M	68,044	11	2	2	1	2	18	4	9	33	55
	F	28,163	11	1	2	1	1	16	3	6	17	57
	Negro—M	2,447	-	-	-	-	-	-	-	-	6	9
	F	1,736	-	-	-	-	1	1	1	1	8	21
	Other races—M	120	-	-	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-
94b	Angina pectoris	6,631	1	-	-	-	-	1	2	2	9	13
	White—M	4,348	-	-	-	-	-	-	1	-	3	6
	F	1,795	1	-	-	-	-	1	1	2	4	4
	Negro—M	263	-	-	-	-	-	-	-	-	-	2
	F	218	-	-	-	-	-	-	-	-	2	-
	Other races—M	5	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	-
95a	Functional diseases of heart, etc.*	1,044	11	1	-	-	-	12	1	1	6	14
	White—M	519	5	-	-	-	-	5	-	1	2	4
	F	444	5	1	-	-	-	6	1	-	3	5
	Negro—M	36	-	-	-	-	-	-	-	-	1	2
	F	41	1	-	-	-	-	1	-	-	-	3
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
95b	Other diseases of heart (rheumatic)	5,761	1	-	3	14	18	36	187	311	376	342
	White—M	2,446	-	-	1	3	7	11	67	121	168	157
	F	2,683	-	-	2	7	6	15	83	133	150	146
	Negro—M	278	-	-	-	2	1	3	15	26	25	16
	F	333	1	-	-	2	3	6	22	29	29	22
	Other races—M	9	-	-	-	-	-	-	-	1	1	-
	F	12	-	-	-	-	1	1	-	1	3	1
95c	Other diseases of heart (not rheumatic)	28,017	184	33	19	10	9	255	60	89	151	198
	White—M	14,533	90	12	6	5	4	117	24	39	66	85
	F	8,966	59	12	8	1	2	82	20	28	44	47
	Negro—M	2,389	17	7	2	2	1	29	8	12	19	22
	F	2,013	16	2	2	2	1	23	8	9	20	40
	Other races—M	86	-	-	1	-	-	1	-	1	2	3
	F	30	2	-	-	-	1	3	-	-	-	1
96	Aneurysm (except of heart and aorta)	1,372	-	-	-	-	-	-	1	6	13	23
	White—M	819	-	-	-	-	-	-	1	2	7	11
	F	423	-	-	-	-	-	-	-	4	5	9
	Negro—M	83	-	-	-	-	-	-	-	-	1	3
	F	42	-	-	-	-	-	-	-	-	-	-
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	22,909	-	-	-	-	-	-	-	-	-	5
	White—M	11,529	-	-	-	-	-	-	-	-	-	3
	F	9,766	-	-	-	-	-	-	-	-	-	-
	Negro—M	827	-	-	-	-	-	-	-	-	-	2
	F	718	-	-	-	-	-	-	-	-	-	-
	Other races—M	54	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-
98	Gangrene	496	8	2	1	2	-	13	3	1	4	2
	White—M	219	6	1	-	1	-	8	1	-	-	1
	F	171	2	1	1	1	-	5	1	1	3	-
	Negro—M	60	-	-	-	-	-	-	-	-	-	1
	F	45	-	-	-	-	-	-	1	-	1	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
99	Other diseases of arteries	1,880	14	3	4	1	-	22	3	5	11	21
	White—M	963	7	-	2	1	-	10	3	3	3	3
	F	799	5	3	2	-	-	10	-	2	6	14
	Negro—M	56	2	-	-	-	-	2	-	-	2	2
	F	57	-	-	-	-	-	-	-	-	-	2
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
100	Diseases of veins	926	9	-	1	1	1	12	-	5	14	8
	White—M	427	5	-	1	1	1	8	-	2	4	1
	F	451	3	-	-	-	-	3	-	2	7	5
	Negro—M	27	-	-	-	-	-	-	-	-	1	-
	F	39	1	-	-	-	-	1	-	-	2	2
	Other races—M	2	-	-	-	-	-	-	-	1	-	-
101	Diseases of lymphatic system	70	14	7	3	1	1	26	7	1	1	6
	White—M	29	5	3	1	-	-	9	4	-	-	1
	F	20	5	3	1	1	1	11	2	-	-	1
	Negro—M	10	2	-	1	-	-	3	-	-	1	2
	F	7	1	1	-	-	-	2	1	1	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	2
102	High blood pressure (idiopathic)	1,569	-	-	-	-	-	-	1	2	3	12
	White—M	574	-	-	-	-	-	-	1	2	3	5
	F	575	-	-	-	-	-	-	-	-	-	2
	Negro—M	222	-	-	-	-	-	-	-	-	-	4
	F	197	-	-	-	-	-	-	-	-	-	1
	Other races—M	1	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
27	58	91	160	826	1,214	1,582	1,805	2,342	2,667	2,417	2,316	1,401	497	115	34	19	93e
10	27	37	74	427	611	895	999	1,274	1,364	1,168	1,101	599	209	43	7	9	
6	12	20	37	175	296	407	555	812	1,059	1,104	1,122	729	246	62	12	3	
3	5	18	32	111	155	139	122	149	152	64	45	34	13	7	3	2	
7	13	16	17	110	149	138	128	100	105	78	44	37	29	3	11	5	
1	1	-	-	3	3	-	1	6	3	2	1	1	-	-	-	-	
-	-	-	-	-	-	3	-	1	4	1	3	1	-	-	1	-	
286	700	1,676	3,671	6,522	9,606	12,213	14,004	15,486	14,472	10,866	6,910	2,853	768	151	27	57	94a
152	425	1,165	2,752	4,999	7,422	9,287	9,980	10,319	9,086	6,470	3,932	1,488	358	65	7	38	
69	139	251	525	994	1,556	2,368	3,514	4,713	5,079	4,207	2,874	1,305	378	71	10	11	
30	74	131	246	314	358	319	287	288	173	103	56	28	13	5	3	4	
33	58	121	159	206	257	219	200	150	115	78	42	28	17	10	7	4	
1	3	6	7	8	13	19	21	12	17	7	4	2	-	-	-	-	
1	1	2	2	1	-	1	2	4	4	1	2	2	2	-	-	-	
35	52	133	233	408	582	732	867	1,015	1,048	709	490	235	54	2	1	8	94b
15	30	75	152	297	419	534	610	672	666	430	292	122	19	-	1	4	
3	10	25	30	58	92	134	203	302	341	256	187	105	34	2	-	1	
5	5	17	26	34	38	37	28	20	28	9	7	3	1	-	-	3	
12	7	16	25	18	31	27	25	20	13	14	3	5	-	-	-	-	
-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
13	9	15	30	43	69	87	110	133	149	144	125	53	22	6	2	-	95a
6	5	6	15	22	34	35	57	72	84	77	61	22	9	1	1	-	
3	1	6	14	18	23	39	46	52	60	64	59	29	12	3	-	-	
1	1	2	1	2	4	6	5	3	3	2	2	-	-	-	1	-	
3	2	-	-	1	8	7	2	5	2	-	3	2	-	2	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
396	419	541	562	585	507	435	312	279	197	144	85	37	5	3	1	1	95b
155	169	218	245	238	217	215	149	114	92	62	35	12	1	-	-	-	
183	199	258	257	282	241	192	151	146	95	74	49	23	2	3	-	1	
25	28	32	23	32	22	8	4	10	3	3	1	1	1	-	-	-	
32	22	32	34	31	25	18	7	9	7	5	-	1	1	-	1	-	
-	1	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	
1	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	
273	399	646	1,044	1,555	2,128	2,568	3,057	3,712	3,746	3,329	2,749	1,387	477	117	33	44	95c
97	156	267	474	851	1,142	1,441	1,761	2,056	2,053	1,719	1,352	610	183	38	5	17	
75	93	152	215	287	449	615	839	1,148	1,311	1,335	1,238	685	242	50	9	6	
45	69	109	160	232	310	273	257	290	215	154	87	43	22	13	9	11	
55	78	114	189	200	217	228	184	202	156	115	65	46	29	16	9	10	
1	2	2	8	5	8	10	12	14	6	3	5	2	1	-	-	-	
-	1	2	-	-	2	3	4	2	5	3	2	1	-	-	1	-	
32	52	46	77	113	122	139	187	170	164	125	82	13	5	2	-	-	96
13	28	21	37	60	75	98	129	108	98	75	45	10	1	-	-	-	
10	14	20	25	30	26	33	43	57	59	45	35	3	3	2	-	-	
7	8	3	8	15	13	7	9	4	3	2	-	-	-	-	-	-	
2	2	2	7	7	8	1	5	-	4	2	1	-	1	-	-	-	
-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
9	16	28	55	148	321	636	1,100	2,018	3,379	4,458	5,160	3,509	1,564	414	80	9	97
3	5	6	22	56	127	319	585	1,075	1,823	2,346	2,618	1,730	647	144	15	5	
2	6	5	9	38	92	182	354	710	1,313	1,892	2,373	1,671	848	236	34	1	
2	3	4	11	25	61	73	86	130	140	107	81	38	32	16	13	3	
2	1	13	13	28	39	59	68	94	94	104	78	63	29	17	16	-	
-	1	-	-	1	1	2	6	9	9	5	7	6	7	-	-	-	
-	-	-	-	-	1	1	1	-	-	4	3	1	1	1	2	-	
5	5	8	5	13	14	27	29	34	69	75	73	66	36	11	3	-	98
1	2	3	2	4	7	9	9	7	38	35	42	32	16	2	-	-	
1	-	1	2	3	2	6	10	16	18	29	27	27	12	6	1	-	
2	2	4	-	2	2	5	3	7	8	8	2	5	6	1	2	-	
1	1	-	1	4	3	7	7	4	5	2	2	2	2	2	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
25	30	50	63	93	117	156	174	214	238	243	229	122	48	10	1	5	99
8	9	25	29	48	54	80	107	132	119	130	113	60	20	5	-	2	
10	14	18	18	31	53	66	59	74	116	105	111	61	27	3	-	1	
2	4	2	6	7	4	3	5	5	3	5	2	-	-	-	-	2	
5	3	4	10	6	5	7	3	3	-	2	2	1	1	2	1	-	
-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
15	27	31	49	92	103	121	101	107	93	85	36	14	11	2	-	-	100
6	14	10	24	38	60	54	43	55	40	42	18	5	3	-	-	-	
6	11	16	14	47	34	61	51	48	51	42	16	9	8	-	-	-	
2	1	1	-	4	7	4	3	2	1	-	-	-	-	1	-	-	
1	1	4	11	3	2	2	3	2	1	1	2	-	-	1	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	1	2	3	3	2	5	3	3	3	2	-	2	-	-	-	-	101
-	1	2	2	1	-	1	2	2	3	1	-	-	-	-	-	-	
-	-	-	1	1	1	1	-	-	-	-	-	2	-	-	-	-	
-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	
-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	44	91	104	144	122	147	129	171	188	148	142	61	26	6	-	1	102
10	12	35	20	44	37	59	45	74	75	56	66	24	8	-	-	-	
11	7	20	34	58	39	38	50	67	69	67	62	32	16	2	-	1	
6	15	21	21	22	23	28	15	15	25	15	9	2	1	-	-	-	
-	10	16	29	20	23	22	19	15	19	10	5	3	1	4	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of circulatory system—Con.											
103	Other diseases of circulatory system	182	6	2	2	2	1	13	3	2	2	7
	White—M	71	-	1	-	-	-	1	1	1	1	1
	F	35	2	1	2	2	-	7	-	-	-	-
	Negro—M	46	4	-	-	-	1	5	-	-	-	-
	F	29	-	-	-	-	-	-	2	1	1	6
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	78,156	14,856	2,548	980	496	322	19,202	831	728	1,004	1,250
	White—M	37,616	6,343	1,062	374	188	133	8,100	349	313	454	488
	F	27,340	4,764	877	336	186	112	6,275	303	272	289	391
	Negro—M	7,148	1,917	298	142	56	32	2,445	80	63	126	194
	F	5,326	1,531	249	108	57	38	1,981	82	74	127	174
	Other races—M	421	179	28	6	6	2	221	13	4	5	2
	F	305	122	34	16	3	5	180	4	2	3	1
104	Diseases of nasal fossae, accessory sinuses	1,021	223	26	15	6	4	274	26	61	84	64
	White—M	516	64	11	7	2	1	85	14	32	59	35
	F	266	37	6	6	3	3	55	7	18	14	12
	Negro—M	131	58	2	2	1	-	63	1	5	10	12
	F	91	52	5	-	-	-	57	4	6	1	5
	Other races—M	12	10	2	-	-	-	12	-	-	-	-
	F	5	2	-	-	-	-	2	-	-	-	-
105	Diseases of larynx	324	90	47	36	17	21	211	24	7	4	3
	White—M	165	41	23	17	10	14	105	12	4	2	-
	F	105	27	18	13	2	5	65	12	2	2	1
	Negro—M	29	16	2	3	1	1	23	-	-	-	1
	F	24	6	3	3	4	1	17	-	1	-	1
	Other races—M	1	-	1	-	-	-	1	-	-	-	-
106a	Acute bronchitis	966	268	96	28	17	10	419	24	7	9	12
	White—M	458	113	56	19	10	6	204	13	4	3	5
	F	380	89	28	6	6	3	132	10	3	4	5
	Negro—M	62	37	4	3	1	1	46	-	-	1	-
	F	59	24	6	-	-	-	30	1	-	1	2
	Other races—M	3	3	-	-	-	-	3	-	-	-	-
	F	4	2	2	-	-	-	4	-	-	-	-
106b	Chronic bronchitis	1,846	20	8	3	2	-	33	14	8	22	30
	White—M	1,039	12	5	2	-	-	19	6	4	13	10
	F	702	6	3	1	2	-	12	8	4	8	13
	Negro—M	56	-	-	-	-	-	-	-	-	-	2
	F	43	2	-	-	-	-	2	-	-	1	5
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
106c	Bronchitis (unspecified)	685	166	62	21	16	10	275	10	4	3	4
	White—M	306	77	30	11	7	4	129	4	1	3	-
	F	286	53	23	9	6	3	94	5	1	-	3
	Negro—M	53	21	5	1	1	2	30	-	2	-	-
	F	38	15	3	-	2	1	21	-	-	-	1
	Other races—M	2	-	1	-	-	-	1	1	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	31,411	9,224	1,406	494	237	142	11,503	273	217	253	310
	White—M	14,509	4,026	592	185	87	52	4,942	119	95	113	115
	F	12,051	3,053	481	170	92	50	3,846	99	83	83	107
	Negro—M	2,492	1,079	163	74	27	15	1,358	20	15	31	47
	F	2,025	888	138	50	25	20	1,121	28	19	24	40
	Other races—M	187	104	17	2	3	2	128	5	3	2	1
	F	147	74	15	13	3	3	108	2	2	-	-
108	Lobar pneumonia	27,667	2,849	562	252	123	90	3,876	308	284	427	546
	White—M	13,587	1,236	208	85	48	37	1,614	122	105	178	220
	F	8,867	910	210	85	48	32	1,285	110	115	114	154
	Negro—M	2,964	378	77	45	16	11	527	41	30	55	88
	F	2,057	274	58	34	10	9	385	33	34	75	82
	Other races—M	115	31	3	2	1	-	37	1	-	3	1
	F	77	20	6	1	-	1	28	1	-	2	1
109	Pneumonia (unspecified)	4,857	1,614	240	83	34	25	1,996	71	50	58	80
	White—M	1,984	581	86	31	5	9	712	25	18	27	25
	F	1,472	453	75	23	8	9	568	22	18	12	21
	Negro—M	736	291	35	10	8	2	346	11	7	7	17
	F	546	237	29	15	12	4	297	9	6	12	17
	Other races—M	62	28	4	2	1	-	35	4	1	-	-
	F	57	24	11	2	-	1	38	-	-	-	-
110	Pleurisy (not tuberculous)	1,858	153	40	22	10	5	230	37	28	67	67
	White—M	1,117	78	25	10	6	2	121	19	18	28	33
	F	487	55	10	8	3	1	77	14	6	25	20
	Negro—M	153	11	3	3	-	-	17	1	1	10	7
	F	87	8	2	1	1	2	14	1	3	4	7
	Other races—M	13	1	-	-	-	-	1	2	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	3,177	124	16	4	8	3	155	18	13	29	46
	White—M	1,436	54	8	2	6	3	73	4	6	10	20
	F	1,424	49	6	2	1	-	58	7	5	12	16
	Negro—M	157	11	2	-	1	-	14	3	1	5	5
	F	143	9	-	-	-	-	9	3	1	2	5
	Other races—M	10	1	-	-	-	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	1	-	-	-
112	Asthma	2,337	24	21	10	14	9	78	9	13	20	43
	White—M	1,147	15	8	1	5	3	32	2	5	7	7
	F	928	4	8	6	6	5	29	5	7	7	27
	Negro—M	127	2	3	1	-	-	6	1	-	3	5
	F	129	3	2	2	2	1	10	1	1	2	4
	Other races—M	5	-	-	-	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
7	15	10	12	12	22	9	17	16	10	8	7	5	3	1	-	1	103
2	6	4	3	5	10	4	8	4	6	6	4	4	-	-	-	-	
2	6	2	-	1	2	1	3	3	4	1	1	-	1	1	-	-	
2	3	2	7	5	6	1	4	8	-	1	-	1	-	-	-	1	
1	-	2	2	1	4	3	2	1	-	-	2	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
1,430	1,765	2,128	2,722	3,307	4,064	4,488	4,990	5,788	6,180	6,234	6,089	3,787	1,639	387	89	54	
551	729	944	1,271	1,792	2,300	2,621	2,865	3,124	3,241	3,107	2,834	1,661	693	136	24	19	
444	516	536	686	733	949	1,150	1,495	2,009	2,444	2,751	3,010	1,972	847	213	39	16	
235	270	366	440	515	491	438	370	364	288	189	119	73	43	18	6	15	
191	257	265	310	253	305	254	228	261	178	157	96	64	49	19	18	3	
5	10	8	9	8	12	16	23	23	14	19	19	6	2	1	1	-	
4	3	9	6	6	7	9	9	7	15	11	11	11	5	-	1	1	
65	61	51	58	42	40	43	36	31	22	16	13	19	11	1	-	3	104
39	34	37	35	24	19	28	17	17	16	7	5	10	2	-	-	1	
16	18	8	17	12	17	12	15	10	4	9	7	8	6	1	-	-	
7	5	5	5	4	3	2	1	3	-	-	-	1	2	-	-	2	
3	4	1	-	1	1	1	3	1	2	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	
1	5	2	4	6	11	9	11	7	5	3	6	1	1	2	1	-	105
-	1	1	4	1	6	6	5	6	2	3	3	1	1	2	-	-	
-	3	-	-	4	5	2	4	-	1	-	3	-	-	-	1	-	
1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	7	11	9	12	21	26	31	34	60	66	78	63	46	17	2	-	106a
6	2	7	3	7	14	13	17	19	33	29	31	25	17	5	1	-	
4	2	2	3	1	4	8	9	12	25	34	45	38	26	12	1	-	
2	1	1	1	2	3	1	1	1	-	1	-	-	1	-	-	-	
-	2	1	2	2	-	4	4	2	2	2	2	-	2	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	41	49	69	97	129	144	164	224	224	206	199	111	36	12	3	1	106b
16	17	21	45	67	88	101	110	131	120	112	96	40	16	6	1	-	
13	21	21	12	19	31	34	48	84	99	86	99	67	16	6	-	1	
-	3	4	8	4	7	5	3	4	4	6	2	2	2	-	-	-	
1	-	3	4	6	3	4	3	4	1	2	1	1	1	-	1	-	
-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
3	8	8	15	14	10	24	21	29	42	45	58	74	27	8	3	-	106c
2	2	1	7	10	5	10	10	15	17	23	23	32	9	3	-	-	
1	4	3	4	3	4	6	8	12	22	19	34	38	17	5	3	-	
-	-	4	3	1	1	4	-	2	1	1	-	4	-	-	-	-	
-	2	-	1	-	-	4	3	-	2	2	1	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
332	411	475	616	744	994	1,159	1,452	1,901	2,308	2,641	2,870	1,852	846	191	46	17	107
130	187	215	281	390	527	616	793	985	1,174	1,280	1,312	805	346	66	12	6	
121	128	129	180	192	274	367	483	714	965	1,239	1,459	983	458	111	24	6	
42	45	61	90	89	109	106	98	108	95	66	49	33	18	5	2	5	
36	47	65	62	70	84	66	68	83	62	51	36	26	21	8	8	-	
1	4	4	3	1	-	2	8	9	3	3	7	1	1	1	-	-	
2	-	1	-	2	-	2	2	2	9	2	7	4	2	-	-	-	
642	790	1,001	1,314	1,569	1,938	2,000	2,233	2,483	2,518	2,248	1,972	1,010	376	89	18	25	108
233	317	406	607	811	1,091	1,167	1,275	1,316	1,330	1,138	967	477	167	29	8	9	
179	188	242	279	311	393	465	632	855	953	956	905	495	182	43	3	8	
127	153	194	242	313	279	228	194	183	144	75	48	18	10	9	2	4	
99	128	149	179	127	165	125	118	119	82	64	45	17	15	8	5	3	
2	2	4	3	5	5	10	10	7	7	9	6	2	1	-	-	-	
2	2	6	4	2	5	5	4	3	2	6	1	1	1	-	-	1	
104	114	130	139	162	192	192	194	245	278	291	264	181	86	18	9	3	109
34	31	55	44	83	87	100	96	118	137	139	129	75	41	7	1	-	
26	34	30	44	25	39	42	58	65	107	114	115	84	35	9	3	1	
22	29	31	31	36	37	30	29	34	20	20	9	9	5	2	2	2	
21	19	13	19	17	26	18	9	24	7	11	5	9	5	-	2	-	
1	1	-	-	1	1	1	-	3	4	4	4	2	-	-	-	-	
-	-	1	1	-	2	1	2	1	3	3	2	2	-	-	1	-	
77	102	100	138	140	129	160	147	130	105	116	51	28	5	1	-	-	110
33	52	69	79	86	88	119	96	89	67	74	25	18	3	-	-	-	
25	30	11	29	29	22	27	37	36	29	34	24	10	1	1	-	-	
14	8	12	21	17	12	11	9	3	5	2	2	-	1	-	-	-	
5	10	7	7	8	4	3	4	2	4	4	-	-	-	-	-	-	
-	2	-	2	-	3	-	1	-	-	2	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45	57	87	85	122	159	205	200	275	308	350	440	357	174	44	6	2	111
12	21	40	34	57	83	107	111	130	158	158	180	131	81	18	1	1	
18	25	22	35	40	52	72	70	113	132	170	252	212	87	22	4	-	
8	5	11	6	15	15	17	7	13	10	9	4	4	3	1	-	1	
7	6	14	10	9	7	9	10	16	7	12	3	6	3	3	1	-	
-	-	-	-	-	2	-	1	3	-	1	1	1	-	-	-	-	
-	-	-	-	1	-	-	1	-	1	-	-	3	-	-	-	-	
52	75	97	147	192	243	273	263	260	196	183	100	66	22	3	1	1	112
15	19	28	48	101	134	155	144	166	110	93	41	33	6	-	-	1	
28	39	47	67	65	86	84	103	82	78	76	54	28	14	2	-	-	
2	8	12	13	17	12	15	11	6	3	7	4	-	1	1	-	-	
6	9	10	18	9	11	17	5	6	5	7	1	5	1	-	1	-	
1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—Diseases of the respiratory system—Con.											
113	Pulmonary emphysema	141	11	1	-	-	-	12	1	-	-	1
	White—M	102	6	1	-	-	-	7	1	-	-	1
	F	27	2	-	-	-	-	2	-	-	-	-
	Negro—M	8	1	-	-	-	-	1	-	-	-	-
	F	4	2	-	-	-	-	2	-	-	-	-
114a,b	Silicosis, other forms of pneumoconioses	417	-	-	-	-	-	-	-	-	-	-
	White—M	396	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-
	Negro—M	17	-	-	-	-	-	-	-	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	1,449	90	23	12	12	3	140	16	36	28	44
	White—M	854	40	9	4	2	2	57	8	21	11	17
	F	341	26	9	7	9	1	52	4	10	8	12
	Negro—M	163	12	2	-	-	-	14	2	2	4	10
	F	80	11	3	1	1	-	16	2	3	5	5
	Other races—M	7	1	-	-	-	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-
	IX.—Diseases of the digestive system	75,193	10,780	2,058	773	486	382	14,479	1,266	1,158	1,482	1,509
	White—M	38,219	4,835	839	363	212	173	6,422	585	529	696	672
	F	26,809	3,453	665	263	193	145	4,719	485	428	496	495
	Negro—M	5,198	1,283	263	68	44	37	1,695	90	99	135	155
	F	4,437	1,053	239	65	34	24	1,415	93	97	146	174
	Other races—M	343	91	28	9	1	2	131	6	2	5	9
	F	187	65	24	5	2	1	97	7	3	4	4
115	Diseases of buccal cavity and adnexa, etc.*	2,829	222	109	92	82	85	590	281	151	134	142
	White—M	1,275	106	57	46	37	41	287	114	55	57	65
	F	1,053	72	36	34	32	29	203	122	64	38	47
	Negro—M	235	26	5	8	9	7	55	19	12	17	13
	F	246	16	10	3	3	8	40	22	19	20	17
	Other races—M	10	1	-	-	-	-	1	1	-	2	-
	F	10	1	1	1	1	-	4	3	1	-	-
116	Diseases of esophagus	201	2	1	1	1	2	7	7	1	1	5
	White—M	96	2	-	-	-	-	2	4	-	-	1
	F	74	-	-	1	-	-	1	2	1	-	3
	Negro—M	19	-	-	-	-	1	1	1	-	1	-
	F	12	-	1	-	1	1	3	-	-	-	1
117	Ulcer of stomach or duodenum	8,864	16	5	-	2	1	24	3	7	42	110
	White—M	6,717	6	1	-	1	-	8	1	4	26	65
	F	1,332	4	3	-	-	1	8	1	2	4	14
	Negro—M	579	5	1	-	-	-	6	1	1	9	19
	F	197	1	-	-	1	-	2	-	-	3	10
	Other races—M	37	-	-	-	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	-	-	-
118	Other diseases of stomach (except cancer)	2,120	284	44	21	12	15	376	29	19	29	32
	White—M	848	115	17	11	3	4	150	10	5	8	6
	F	520	73	11	4	4	4	96	9	8	2	8
	Negro—M	372	50	10	3	3	6	72	5	3	6	5
	F	364	44	5	3	2	1	55	4	3	13	10
	Other races—M	10	2	-	-	-	-	2	-	-	-	3
	F	6	-	1	-	-	-	1	1	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	10,847	9,220	1,627	...	...	...	10,847	...	...	...	...
	White—M	4,668	4,048	620	...	...	...	4,668	...	...	...	...
	F	3,517	2,992	525	...	...	...	3,517	...	...	...	...
	Negro—M	1,322	1,101	221	...	...	...	1,322	...	...	...	...
	F	1,147	934	213	...	...	...	1,147	...	...	...	...
	Other races—M	112	84	28	...	...	...	112	...	...	...	...
	F	81	61	20	...	...	...	81	...	...	...	...
120	Diarrhea, enteritis, etc.* (2 years and over)	3,124	...	...	390	168	74	632	135	47	70	96
	White—M	1,210	...	...	156	66	28	250	57	15	32	39
	F	1,285	...	...	131	63	23	217	47	20	28	37
	Negro—M	284	...	...	48	19	13	80	13	5	6	13
	F	317	...	...	45	18	8	71	18	7	4	7
	Other races—M	19	...	...	7	1	2	10	-	-	-	-
	F	9	...	...	3	1	-	4	-	-	-	-
121	Appendicitis	10,789	29	73	162	158	143	565	627	746	891	669
	White—M	5,839	13	47	91	78	69	298	304	354	465	352
	F	3,643	13	25	62	69	67	236	248	276	298	206
	Negro—M	707	2	1	1	8	5	17	32	67	65	53
	F	551	1	-	8	3	1	13	36	46	61	52
	Other races—M	35	-	-	-	-	-	-	5	1	1	2
	F	14	-	-	-	-	1	1	2	2	1	4
122a	Hernia	4,806	99	17	8	8	3	135	10	10	15	24
	White—M	2,625	64	10	4	4	1	83	8	6	5	15
	F	1,713	10	3	2	2	1	18	1	2	3	3
	Negro—M	343	20	2	1	2	1	26	1	2	5	4
	F	111	4	2	1	-	-	7	-	-	2	1
	Other races—M	8	1	-	-	-	-	1	-	-	-	1
	F	6	-	-	-	-	-	-	-	-	-	-
122b	Intestinal obstruction	6,731	671	103	58	25	35	892	85	66	117	163
	White—M	2,673	377	50	34	13	17	491	50	44	52	49
	F	2,967	210	31	14	9	11	275	22	18	39	68
	Negro—M	455	46	15	5	1	4	71	7	1	11	17
	F	605	35	5	5	2	3	50	6	3	14	29
	Other races—M	14	1	-	-	-	-	1	-	-	-	-
	F	17	2	2	-	-	-	4	-	-	1	-

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
2	3	6	5	5	10	16	28	12	17	12	6	4	1	-	-	-	113
2	-	3	5	4	8	11	22	9	13	8	4	3	1	-	-	-	
-	2	2	-	-	2	3	5	2	4	2	2	1	-	-	-	-	
-	1	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
4	8	16	24	45	64	86	76	50	28	10	4	2	-	-	-	-	114a,b
1	8	13	20	42	62	84	75	49	27	9	4	2	-	-	-	-	
1	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	
2	-	3	4	1	2	2	1	1	1	-	-	-	-	-	-	-	
61	83	95	99	157	124	151	134	107	69	47	28	19	8	1	-	2	114c-e
28	38	48	59	109	88	104	94	74	37	34	14	9	3	-	-	1	
12	22	19	16	30	20	28	23	24	25	11	11	8	5	1	-	-	
8	11	26	16	14	11	15	14	5	5	2	1	2	-	-	-	1	
13	10	2	8	4	4	2	-	3	2	-	1	-	-	-	-	-	
-	1	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	
1,764	2,446	3,007	4,031	5,210	6,204	6,350	6,315	6,255	5,359	3,994	2,631	1,259	340	76	17	41	
765	1,112	1,449	2,096	2,843	3,454	3,685	3,644	3,415	2,851	2,015	1,215	599	133	24	3	12	
584	785	957	1,234	1,661	1,982	2,134	2,229	2,440	2,222	1,784	1,325	606	188	38	9	10	
196	272	288	320	378	426	299	255	214	163	103	53	26	12	5	2	12	
212	285	295	352	301	311	203	159	160	101	75	31	24	6	9	3	7	
4	11	15	25	21	22	21	22	18	12	13	4	3	1	-	-	-	
3	3	5	6	6	9	8	6	8	10	4	3	1	-	-	-	-	
147	123	142	138	144	131	144	118	125	109	93	59	36	11	8	1	2	115
73	49	70	62	64	63	68	55	48	50	49	28	12	3	2	-	1	
50	42	37	45	47	45	55	48	65	49	33	29	21	7	6	-	-	
8	14	20	9	16	16	12	6	5	4	6	-	2	1	-	-	-	
16	18	15	21	14	6	9	9	6	6	4	2	-	-	-	1	1	
-	-	-	1	2	1	-	-	1	-	-	-	1	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
6	6	5	6	18	16	18	17	20	19	19	19	7	4	-	-	-	116
1	2	3	1	8	9	11	9	11	8	11	10	4	1	-	-	-	
3	-	1	3	7	3	7	3	8	10	8	9	3	2	-	-	-	
1	2	-	2	3	3	-	4	1	-	-	-	-	-	-	-	-	
1	2	1	-	-	1	-	1	-	1	-	-	-	1	-	-	-	
211	355	454	699	945	1,225	1,166	1,081	934	702	484	279	112	25	3	-	3	117
134	283	321	524	750	976	949	868	705	523	343	179	61	13	3	-	1	
27	37	54	75	101	121	147	144	177	146	123	93	45	12	-	-	1	
36	42	60	67	68	95	47	47	35	24	14	5	2	-	-	-	1	
13	11	13	31	22	28	17	18	14	9	2	2	2	-	-	-	-	
-	2	6	2	4	5	6	4	3	-	2	-	1	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
37	60	86	125	142	179	183	166	158	150	135	110	71	22	5	2	4	118
7	12	28	45	58	59	98	77	74	68	63	47	26	9	-	-	-	
4	8	11	11	15	23	30	45	39	55	49	56	37	10	2	2	-	
17	20	21	35	39	44	27	23	21	13	8	4	4	2	-	-	3	
9	20	26	34	29	52	28	18	22	16	15	1	4	1	3	-	1	
-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	119
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
92	115	112	143	114	161	146	171	208	209	204	235	152	56	19	7	2	120
29	34	38	47	43	63	57	72	79	103	76	88	63	18	5	2	-	
44	50	39	53	38	60	57	64	98	75	104	131	78	32	11	3	1	
9	10	16	15	15	16	18	16	8	14	9	10	7	3	1	-	-	
9	20	18	26	18	22	14	18	20	15	13	5	4	3	2	2	1	
1	1	1	2	-	-	-	-	1	-	2	1	-	-	-	-	-	
-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	
563	619	636	704	836	823	808	685	640	476	290	146	50	11	-	-	4	121
295	330	348	409	472	492	465	381	354	259	152	73	32	3	-	-	1	
174	163	170	180	238	243	281	260	253	190	132	68	17	8	-	-	2	
52	69	59	61	72	50	39	28	19	19	3	2	-	-	-	-	-	
41	54	53	49	52	34	21	12	12	7	3	3	1	-	-	-	1	
1	3	6	4	2	4	2	3	1	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	
50	79	112	190	249	382	503	601	596	648	554	390	186	55	9	2	6	122a
20	41	53	95	111	178	253	336	320	368	322	233	133	38	5	-	2	
7	13	35	66	92	158	197	226	239	246	201	142	47	15	2	-	-	
16	21	18	18	31	38	35	26	29	28	23	11	4	1	2	2	2	
6	2	5	9	15	8	17	11	8	5	6	4	2	1	-	-	2	
-	2	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	
1	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	
220	291	294	383	424	501	458	559	590	583	486	374	182	45	10	2	6	122b
56	68	81	104	144	188	181	247	264	264	197	125	73	11	4	-	-	
102	129	137	164	178	195	201	251	271	289	257	235	99	31	3	2	3	
16	33	33	34	42	48	38	31	25	17	15	7	2	2	2	-	3	
45	59	62	80	59	67	32	27	28	13	15	7	8	-	1	-	-	
1	1	1	-	1	2	3	1	1	-	1	-	-	1	-	-	-	
-	1	-	1	-	3	3	2	1	-	1	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IX.—Diseases of the digestive system—Contd.											
123	Other diseases of intestines	1,666	70	8	4	5	4	91	20	13	9	41
	White—M	835	19	5	2	1	2	29	10	8	2	12
	F	596	18	1	2	1	1	23	6	2	4	15
	Negro—M	110	19	2	-	1	-	22	3	-	1	4
	F	116	12	-	-	2	1	15	1	3	2	10
	Other races—M	8	1	-	-	-	-	1	-	-	-	-
	F	1	1	-	-	-	-	1	-	-	-	-
124	Cirrhosis of liver	11,876	23	16	2	1	2	44	16	25	34	43
	White—M	7,404	12	6	1	-	-	19	9	10	13	12
	F	3,768	7	9	-	1	2	19	4	12	17	24
	Negro—M	405	3	-	1	-	-	4	2	1	2	5
	F	241	1	1	-	-	-	2	1	2	2	2
	Other races—M	49	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-
125	Other diseases of liver	1,657	39	22	11	6	10	88	11	25	48	67
	White—M	722	19	11	6	2	6	44	3	10	17	25
	F	649	13	8	3	3	4	31	5	8	17	15
	Negro—M	132	4	2	-	1	-	7	1	2	6	12
	F	135	3	1	-	-	-	4	1	4	7	14
	Other races—M	13	-	-	2	-	-	2	-	1	1	1
	F	6	-	-	-	-	-	-	1	-	-	-
126	Biliary calculi	4,439	-	-	-	-	-	-	-	-	7	15
	White—M	1,331	-	-	-	-	-	-	-	-	1	2
	F	2,983	-	-	-	-	-	-	-	-	5	12
	Negro—M	28	-	-	-	-	-	-	-	-	-	-
	F	76	-	-	-	-	-	-	-	-	-	1
	Other races—M	11	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	1	-
127	Other diseases of gallbladder, biliary ducts	3,097	12	4	2	2	-	20	3	2	11	19
	White—M	1,049	5	2	1	1	-	9	2	-	5	4
	F	1,851	6	1	-	1	-	8	1	-	4	13
	Negro—M	59	-	1	-	-	-	1	-	1	2	1
	F	117	1	-	-	-	-	1	-	1	-	1
	Other races—M	7	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	1	-	-	1	-	-	-	-
128	Diseases of pancreas (except diabetes mellitus)	837	12	3	-	1	-	16	1	3	6	14
	White—M	426	6	2	-	-	-	8	-	1	1	6
	F	348	6	1	-	1	-	8	-	-	4	4
	Negro—M	31	-	-	-	-	-	-	1	-	1	2
	F	29	-	-	-	-	-	-	-	2	-	2
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
129	Peritonitis (cause not stated)	1,310	81	26	22	15	8	152	38	43	68	69
	White—M	501	43	11	11	6	5	76	13	17	12	19
	F	512	29	11	10	7	2	59	17	15	33	26
	Negro—M	117	7	3	1	-	-	11	4	4	3	7
	F	173	1	1	-	2	1	5	4	7	18	17
	Other races—M	6	1	-	-	-	-	1	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	1	-
	X.—Diseases of the genito-urinary system	116,673	297	104	99	81	75	656	299	341	669	997
	White—M	55,750	146	44	46	47	35	318	131	132	265	339
	F	42,483	88	38	28	22	25	201	115	138	255	401
	Negro—M	9,843	40	16	11	5	8	80	25	32	42	82
	F	8,256	19	6	14	5	6	50	27	38	98	167
	Other races—M	228	3	-	-	1	-	4	1	1	2	4
	F	113	1	-	-	1	1	3	-	-	7	4
130	Acute nephritis	3,013	143	54	42	42	38	319	124	88	111	154
	White—M	1,215	63	18	14	24	15	134	55	33	53	65
	F	892	44	22	12	11	12	101	39	28	28	42
	Negro—M	466	20	9	8	4	5	46	14	13	12	18
	F	430	14	5	8	2	6	35	15	14	18	28
	Other races—M	8	2	-	-	-	-	2	1	-	-	1
	F	2	-	-	-	1	-	1	-	-	-	-
131a	Arteriosclerotic kidney	65,886	7	4	8	4	1	24	29	49	119	225
	White—M	29,609	6	-	3	2	-	11	8	15	38	78
	F	26,522	1	2	2	-	1	6	15	22	62	84
	Negro—M	5,020	-	2	1	1	-	4	1	4	3	24
	F	4,557	-	-	2	-	-	2	5	8	15	36
	Other races—M	117	-	-	-	1	-	1	-	-	-	2
	F	61	-	-	-	-	-	-	-	-	1	1
131b	Other chronic nephritis	26,638	9	18	19	18	19	83	92	130	255	310
	White—M	12,213	5	10	12	11	13	51	39	57	120	133
	F	9,891	2	5	3	5	5	20	41	58	94	132
	Negro—M	2,443	-	3	2	-	-	5	7	6	19	18
	F	2,013	2	-	2	2	-	6	5	8	17	23
	Other races—M	50	-	-	-	-	-	-	-	1	1	1
	F	28	-	-	-	-	1	1	-	-	4	3
132	Nephritis unspecified (10 years and over)	4,417	...	...	...	...	...	...	...	31	49	61
	White—M	2,048	...	...	...	...	...	...	...	16	20	16
	F	1,399	...	...	...	...	...	...	...	10	17	28
	Negro—M	509	...	...	...	...	...	...	...	3	4	11
	F	449	...	...	...	...	...	...	...	2	7	6
	Other races—M	6	...	...	...	...	...	...	...	-	1	-
	F	6	...	...	...	...	...	...	...	-	-	-
133	Other diseases of kidneys, ureters, etc.*	3,712	121	26	29	15	17	208	44	33	54	67
	White—M	1,654	66	15	16	9	7	113	23	9	28	29
	F	1,562	35	9	11	5	7	67	17	16	17	30
	Negro—M	267	16	1	-	-	3	20	3	6	3	2
	F	212	3	1	2	1	-	7	1	2	5	6
	Other races—M	10	-	-	-	-	-	-	-	-	-	-
	F	7	1	-	-	-	-	1	-	-	1	-

*Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
45	48	71	99	133	167	171	188	202	148	106	65	33	12	2	1	1	125
18	19	36	49	72	92	97	118	97	76	49	31	14	4	-	1	1	
11	17	14	25	36	55	66	60	85	65	54	32	17	7	2	-	-	
5	7	6	8	10	10	6	6	13	5	1	1	1	1	-	-	-	
11	5	15	17	13	9	2	4	6	1	1	1	-	-	-	-	-	
-	-	-	-	2	1	-	-	1	1	1	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
125	324	557	900	1,277	1,493	1,523	1,512	1,444	1,170	730	421	187	38	7	-	6	124
54	156	336	539	805	949	1,048	1,037	952	703	421	224	99	14	2	-	2	
53	127	179	281	388	437	392	403	429	428	279	185	83	23	3	-	2	
8	23	23	32	46	71	50	50	35	23	17	7	4	1	-	-	1	
9	17	17	39	31	30	27	17	21	6	11	3	1	-	2	-	1	
1	-	1	9	6	4	6	5	6	8	2	1	-	-	-	-	-	
-	1	1	-	1	2	-	-	1	2	-	1	-	-	-	-	-	
80	104	116	133	146	163	150	135	133	92	86	42	25	6	4	-	3	125
29	37	35	59	64	80	72	65	63	46	38	22	8	3	-	-	2	
24	31	48	45	60	61	62	61	58	36	44	20	17	3	3	-	-	
10	13	13	17	15	15	3	5	6	5	1	-	-	-	-	-	1	
16	23	20	10	6	7	10	3	4	4	1	-	-	-	1	-	-	
-	-	-	2	1	-	1	1	1	-	2	-	-	-	-	-	-	
1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	
39	116	148	237	375	494	551	576	649	530	382	215	80	18	2	2	3	126
7	26	30	54	112	124	171	179	210	184	134	66	25	5	-	-	1	
28	82	107	168	246	352	371	386	427	336	244	146	55	13	2	2	1	
3	2	1	4	1	2	2	3	1	4	2	2	-	-	-	-	1	
1	5	8	8	14	12	7	7	9	2	1	1	-	-	-	-	-	
-	1	-	2	-	2	-	1	2	2	1	-	-	-	-	-	-	
-	-	2	1	2	2	-	-	-	2	-	-	-	-	-	-	-	
34	66	110	132	223	272	338	353	404	399	329	226	116	35	5	-	-	127
7	18	32	47	62	83	126	125	161	138	110	68	40	11	1	-	-	
18	39	62	64	133	163	193	214	228	244	213	153	74	23	4	-	-	
3	3	4	7	6	5	6	5	6	3	2	3	-	1	-	-	-	
6	5	11	12	18	19	10	7	8	12	2	2	2	-	-	-	-	
-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	
-	1	1	1	2	-	2	1	1	2	2	-	-	-	-	-	-	
37	64	68	55	91	103	104	74	80	57	39	16	7	2	-	-	-	128
19	35	36	28	44	60	50	37	39	31	22	6	3	-	-	-	-	
11	20	24	24	36	36	49	33	40	25	17	9	4	2	-	-	-	
5	5	3	-	8	-	1	3	1	1	-	-	-	-	-	-	-	
2	3	5	3	3	5	3	1	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
78	76	96	87	93	94	87	79	74	67	57	34	15	-	2	-	1	129
16	22	22	33	34	38	39	38	38	32	28	15	6	-	2	-	1	
28	25	39	30	46	32	26	31	25	28	26	17	9	-	-	-	-	
7	8	11	11	6	13	15	2	9	3	2	1	-	-	-	-	-	
27	21	24	13	7	11	6	6	2	4	1	-	-	-	-	-	-	
-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1,400	1,777	2,568	4,024	5,338	7,195	8,847	11,248	14,735	16,879	16,319	13,570	7,041	2,112	448	110	100	
440	494	772	1,260	1,930	2,985	4,138	5,532	7,369	8,986	8,668	7,258	3,547	975	165	25	21	
524	690	914	1,419	1,829	2,274	2,778	3,742	5,009	6,121	6,381	5,514	3,011	953	176	25	33	
166	225	316	600	822	1,007	1,080	1,136	1,418	1,087	766	467	277	111	52	27	25	
265	360	555	729	732	909	822	801	895	641	471	307	193	90	53	32	21	
2	4	6	10	15	10	19	28	37	29	25	17	11	2	-	1	-	
3	4	5	6	10	10	10	9	7	15	8	7	2	1	2	-	-	
149	132	168	209	216	224	203	207	192	183	145	108	59	15	3	2	2	130
63	45	59	64	71	82	90	89	78	84	70	47	27	3	1	1	1	
36	36	41	49	65	59	40	63	63	64	53	49	23	10	2	-	1	
26	24	28	53	43	46	41	25	27	19	13	9	7	2	-	-	-	
24	27	38	43	37	37	32	30	23	15	9	3	1	-	-	1	-	
-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
398	606	1,097	1,964	2,948	4,256	5,279	6,694	8,613	9,941	9,770	8,132	4,154	1,217	255	59	57	131a
140	188	330	633	1,096	1,821	2,478	3,137	3,949	4,736	4,673	3,879	1,807	500	71	10	11	
120	187	356	657	973	1,319	1,656	2,406	3,352	4,226	4,435	3,808	2,071	610	123	14	20	
64	90	164	321	455	562	616	623	723	552	342	231	139	48	27	15	12	
71	139	242	344	409	546	509	511	563	405	299	201	129	57	33	19	14	
2	-	2	5	9	3	13	12	21	14	16	9	6	1	-	1	-	
1	2	3	4	6	5	7	5	5	8	5	4	2	1	1	-	-	
377	460	610	936	1,177	1,553	2,025	2,505	3,433	3,753	3,586	3,062	1,612	507	118	30	24	131b
151	155	218	307	437	616	857	1,181	1,650	1,880	1,751	1,520	817	218	41	8	6	
136	181	216	329	374	501	685	852	1,167	1,394	1,462	1,312	663	222	38	6	8	
38	51	68	126	185	215	255	267	375	288	238	138	76	39	18	6	5	
52	70	106	169	175	215	222	194	237	182	130	86	53	28	20	10	5	
-	1	2	4	4	4	4	10	4	5	3	3	3	-	-	-	-	
-	2	-	1	2	2	2	1	-	4	2	3	-	-	1	-	-	
88	121	153	223	245	276	327	347	480	524	534	476	334	115	20	8	5	132
28	43	57	72	84	102	150	156	219	282	284	273	180	51	12	3	-	
31	35	36	57	67	74	88	105	141	158	187	167	136	51	7	3	1	
13	20	20	40	41	49	51	46	74	52	36	23	11	11	1	-	3	
16	23	39	54	53	47	37	40	45	29	26	13	7	2	-	2	1	
-	-	1	-	-	1	1	-	-	1	1	-	-	-	-	-	-	
-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-	-	
98	94	154	205	260	314	301	344	372	359	343	251	151	50	7	1	2	133
39	30	66	78	113	124	130	161	168	173	158	118	68	23	3	-	-	
37	40	58	78	100	129	137	142	152	159	155	123	77	22	4	1	1	
10	8	8	23	20	33	21	24	28	19	24	7	4	3	-	-	1	
12	14	21	25	24	27	13	16	22	4	6	3	2	2	-	-	-	
-	2	-	1	1	1	-	-	2	3	-	-	-	-	-	-	-	
-	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	X.—Diseases of the genito-urinary system—Con.											
134	Calculi of urinary passages	1,664	3	-	1	-	-	4	4	3	6	21
	White—M	1,013	1	-	1	-	-	2	2	1	4	13
	F	547	1	-	-	-	-	1	2	2	2	4
	Negro—M	67	1	-	-	-	-	1	-	-	-	1
	F	30	-	-	-	-	-	-	-	-	-	3
	Other races—M	7	-	-	-	-	-	-	-	-	-	-
135	Diseases of urinary bladder	665	6	1	-	1	-	8	2	1	1	7
	White—M	306	2	1	-	-	-	3	1	1	-	2
	F	225	2	-	-	1	-	3	1	-	1	-
	Negro—M	105	2	-	-	-	-	2	-	-	-	3
	F	26	-	-	-	-	-	-	-	-	-	2
	Other races—M	3	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-
136	Diseases of urethra (except calculus)	437	5	-	-	-	-	5	3	-	1	4
	White—M	228	2	-	-	-	-	2	3	-	-	2
	F	21	2	-	-	-	-	2	-	-	-	-
	Negro—M	183	1	-	-	-	-	1	-	-	1	2
	F	4	-	-	-	-	-	-	-	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
137	Diseases of prostate	8,237	-	-	-	-	-	-	-	-	-	3
	White—M	7,440	-	-	-	-	-	-	-	-	-	1
	Negro—M	772	-	-	-	-	-	-	-	-	-	2
	Other races—M	25	-	-	-	-	-	-	-	-	-	-
138	Diseases of other male genital organs (not venereal)	38	2	1	-	1	-	4	-	-	2	1
	White—M	24	1	-	-	1	-	2	-	-	2	-
	Negro—M	13	-	1	-	-	-	1	-	-	-	1
	Other races—M	1	1	-	-	-	-	1	-	-	-	-
139a	Diseases of ovaries, fallopian tubes, parametria	1,319	-	-	-	-	-	-	-	4	62	128
	White—F	873	-	-	-	-	-	-	-	2	30	72
	Negro—F	442	-	-	-	-	-	-	-	2	32	56
	Other races—F	4	-	-	-	-	-	-	-	-	-	-
139b	Diseases of uterus	607	-	-	-	-	-	-	1	2	9	15
	White—F	520	-	-	-	-	-	-	-	-	4	9
	Negro—F	85	-	-	-	-	-	-	1	2	4	6
	Other races—F	2	-	-	-	-	-	-	-	-	1	-
139c	Diseases of other female genital organs*	40	1	-	-	-	-	1	-	-	-	1
	White—F	31	1	-	-	-	-	1	-	-	-	-
	Negro—F	8	-	-	-	-	-	-	-	-	-	1
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
	XI.—Diseases of pregnancy, childbirth, puerperium	7,956	-	-	-	-	-	-	-	35	902	1,697
	White—F	5,864	-	-	-	-	-	-	-	11	500	1,228
	Negro—F	2,033	-	-	-	-	-	-	-	23	391	458
	Other races—F	59	-	-	-	-	-	-	-	1	11	11
140	Abortion with mention of infection	1,014	-	-	-	-	-	-	-	3	117	244
	White—F	731	-	-	-	-	-	-	-	2	61	169
	Negro—F	277	-	-	-	-	-	-	-	1	56	75
	Other races—F	6	-	-	-	-	-	-	-	-	-	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	101	-	-	-	-	-	-	-	-	4	13
	White—F	80	-	-	-	-	-	-	-	-	4	10
	Negro—F	21	-	-	-	-	-	-	-	-	-	3
141b, d-f	Other abortions (nonseptic)*	269	-	-	-	-	-	-	-	2	24	57
	White—F	189	-	-	-	-	-	-	-	1	13	34
	Negro—F	76	-	-	-	-	-	-	-	-	11	22
	Other races—F	4	-	-	-	-	-	-	-	1	-	1
142a	Ectopic gestation, with mention of infection	77	-	-	-	-	-	-	-	-	1	9
	White—F	55	-	-	-	-	-	-	-	-	1	5
	Negro—F	20	-	-	-	-	-	-	-	-	-	4
	Other races—F	2	-	-	-	-	-	-	-	-	-	-
142b	Ectopic gestation, without mention of infection	281	-	-	-	-	-	-	-	-	14	47
	White—F	203	-	-	-	-	-	-	-	-	4	26
	Negro—F	78	-	-	-	-	-	-	-	-	10	21
143	Hemorrhage of pregnancy (death before delivery)	63	-	-	-	-	-	-	-	-	1	12
	White—F	45	-	-	-	-	-	-	-	-	1	8
	Negro—F	17	-	-	-	-	-	-	-	-	-	4
	Other races—F	1	-	-	-	-	-	-	-	-	-	-
144	Toxemias of pregnancy (death before delivery)	769	-	-	-	-	-	-	-	9	139	177
	White—F	512	-	-	-	-	-	-	-	5	74	117
	Negro—F	248	-	-	-	-	-	-	-	4	62	59
	Other races—F	9	-	-	-	-	-	-	-	-	3	1
145	Other diseases of pregnancy (death before delivery)*	268	-	-	-	-	-	-	-	2	35	63
	White—F	198	-	-	-	-	-	-	-	-	23	49
	Negro—F	70	-	-	-	-	-	-	-	2	12	14
146	Hemorrhage of childbirth and puerperium	1,046	-	-	-	-	-	-	-	-	76	196
	White—F	844	-	-	-	-	-	-	-	-	56	165
	Negro—F	197	-	-	-	-	-	-	-	-	19	31
	Other races—F	5	-	-	-	-	-	-	-	-	1	-
147	Infection during childbirth and puerperium	1,943	-	-	-	-	-	-	-	5	214	427
	White—F	1,443	-	-	-	-	-	-	-	1	107	311
	Negro—F	483	-	-	-	-	-	-	-	4	103	113
	Other races—F	17	-	-	-	-	-	-	-	-	4	3

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
28	46	56	126	150	185	201	197	191	189	137	82	30	5	2	1	-	134
12	19	27	76	82	104	126	111	134	127	94	57	17	4	1	-	-	
12	22	26	40	51	67	68	71	45	54	40	25	12	1	1	1	-	
2	1	2	6	13	8	6	11	8	5	2	-	1	-	-	-	-	
2	3	1	4	3	5	1	3	2	2	1	-	-	-	-	-	-	
-	1	-	-	1	1	-	1	2	1	-	-	-	-	-	-	-	
10	10	11	29	31	37	49	66	75	80	80	78	53	30	-	4	3	135
1	3	2	6	6	8	18	29	38	52	49	43	28	13	-	2	1	
5	4	5	15	14	15	22	27	21	18	18	22	19	15	-	-	-	
4	-	1	4	10	10	6	8	14	8	12	10	6	1	-	2	2	
-	3	3	4	1	4	3	1	1	2	-	1	-	1	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
12	25	23	31	40	46	45	47	47	47	20	16	17	5	1	-	2	136
3	5	4	11	16	21	29	26	30	36	13	12	9	5	1	-	-	
2	-	-	-	1	-	1	5	2	2	1	1	3	-	-	-	1	
7	20	19	18	23	24	14	16	15	9	6	3	4	-	-	-	1	
-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
4	14	14	20	56	160	329	758	1,261	1,752	1,872	1,357	622	166	41	5	3	137
2	5	9	12	25	103	258	639	1,101	1,614	1,574	1,308	593	158	35	1	2	
2	9	5	8	31	57	70	115	153	134	93	46	29	7	6	4	1	
-	-	-	-	-	-	1	4	7	4	5	3	-	1	-	-	-	
1	3	1	2	1	7	2	4	3	3	2	1	1	-	-	-	-	138
1	1	-	1	-	4	2	3	2	2	2	1	1	-	-	-	-	
-	2	1	1	1	3	-	1	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
196	209	221	208	126	74	23	26	15	9	10	4	2	1	-	-	1	139a
117	137	130	143	103	56	21	21	15	9	10	4	2	1	-	-	-	
77	72	91	65	23	18	2	3	-	-	-	-	-	-	-	-	1	
2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
37	54	57	67	85	61	59	50	44	35	19	3	6	1	1	-	1	139b
28	46	44	48	78	52	57	48	43	33	19	3	5	1	1	-	1	
9	8	13	18	7	9	2	2	1	2	-	-	1	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	3	3	4	3	2	4	3	9	4	1	-	-	-	-	-	-	139c
-	2	2	3	3	2	3	2	8	4	1	-	-	-	-	-	-	
2	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
1,697	1,607	1,349	589	66	2	1	-	-	-	-	-	-	-	-	-	11	
1,293	1,258	1,040	475	51	1	-	-	-	-	-	-	-	-	-	-	7	
391	338	302	111	14	1	-	-	-	-	-	-	-	-	-	-	4	
13	11	7	3	1	-	1	-	-	-	-	-	-	-	-	-	-	
226	223	128	66	5	-	1	-	-	-	-	-	-	-	-	-	1	140
167	172	104	52	3	-	-	-	-	-	-	-	-	-	-	-	1	
56	50	24	13	2	-	-	-	-	-	-	-	-	-	-	-	-	
3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
26	28	20	9	1	-	-	-	-	-	-	-	-	-	-	-	-	141a,c
23	20	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
62	50	50	23	1	-	-	-	-	-	-	-	-	-	-	-	-	141b, d-f
46	37	34	23	1	-	-	-	-	-	-	-	-	-	-	-	-	
16	13	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25	22	18	2	-	-	-	-	-	-	-	-	-	-	-	-	-	142a
18	16	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
74	68	58	19	1	-	-	-	-	-	-	-	-	-	-	-	-	142b
53	49	52	18	1	-	-	-	-	-	-	-	-	-	-	-	-	
21	19	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	14	13	9	-	-	-	-	-	-	-	-	-	-	-	-	-	143
10	9	10	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140	129	119	48	5	1	-	-	-	-	-	-	-	-	-	-	2	144
106	89	81	37	3	-	-	-	-	-	-	-	-	-	-	-	-	
32	38	38	11	1	1	-	-	-	-	-	-	-	-	-	-	2	
2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
46	62	36	19	5	-	-	-	-	-	-	-	-	-	-	-	-	145
34	49	23	15	5	-	-	-	-	-	-	-	-	-	-	-	-	
12	13	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
225	217	231	89	10	1	-	-	-	-	-	-	-	-	-	-	1	146
186	180	176	72	7	1	-	-	-	-	-	-	-	-	-	-	1	
37	35	55	17	3	-	-	-	-	-	-	-	-	-	-	-	-	
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
429	395	318	143	10	-	-	-	-	-	-	-	-	-	-	-	2	147
334	308	254	118	8	-	-	-	-	-	-	-	-	-	-	-	2	
93	84	61	23	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XI.—Diseases of pregnancy, childbirth, puerperium—Continued											
148	Puerperal toxemias (excluding death before delivery)	1,161	-	-	-	-	-	-	-	11	192	248
	White—F	819	-	-	-	-	-	-	-	1	104	171
	Negro—F	336	-	-	-	-	-	-	-	10	86	74
	Other races—F	6	-	-	-	-	-	-	-	-	2	3
149	Other accidents and specified conditions of childbirth	517	-	-	-	-	-	-	-	-	44	117
	White—F	432	-	-	-	-	-	-	-	-	35	98
	Negro—F	79	-	-	-	-	-	-	-	-	9	17
	Other races—F	6	-	-	-	-	-	-	-	-	-	2
150	Other and unspecified conditions of childbirth and puerperium	447	-	-	-	-	-	-	-	3	41	87
	White—F	313	-	-	-	-	-	-	-	1	17	65
	Negro—F	131	-	-	-	-	-	-	-	2	23	21
	Other races—F	3	-	-	-	-	-	-	-	-	1	1
	XII.—Diseases of the skin and cellular tissue	1,346	245	20	13	3	1	282	13	37	31	53
	White—M	568	103	3	6	2	-	114	7	14	9	19
	F	539	84	12	4	1	1	102	4	17	19	26
	Negro—M	98	24	3	3	-	-	30	1	4	2	3
	F	130	29	2	-	-	-	31	1	2	1	4
	Other races—M	7	1	-	-	-	-	1	-	-	-	1
	F	8	4	-	-	-	-	4	-	-	-	-
151	Carbuncle and furuncle	298	21	1	2	-	-	24	5	10	17	12
	White—M	165	12	-	1	-	-	13	4	5	7	8
	F	96	4	-	1	-	-	5	1	3	9	4
	Negro—M	11	1	-	-	-	-	1	-	1	1	-
	F	25	4	1	-	-	-	5	-	1	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	359	46	8	5	2	1	62	5	15	3	11
	White—M	155	17	1	3	1	-	22	2	7	-	5
	F	117	12	5	-	1	1	19	3	5	3	3
	Negro—M	42	11	1	2	-	-	14	-	2	-	1
	F	38	4	1	-	-	-	5	-	1	-	1
	Other races—M	4	-	-	-	-	-	-	-	-	-	1
	F	3	2	-	-	-	-	2	-	-	-	-
153	Other diseases of skin and cellular tissue	699	178	11	6	1	-	196	3	12	11	30
	White—M	248	74	2	2	1	-	79	1	2	2	6
	F	326	68	7	3	-	-	78	-	9	7	19
	Negro—M	43	12	2	1	-	-	15	1	1	1	2
	F	67	21	-	-	-	-	21	1	-	1	3
	Other races—M	2	1	-	-	-	-	1	-	-	-	-
	F	3	2	-	-	-	-	2	-	-	-	-
	XIII.—Diseases of the bones, etc.*	1,054	35	8	11	18	12	84	52	77	62	39
	White—M	564	21	6	3	7	5	42	36	43	38	21
	F	341	10	1	4	7	6	28	10	24	18	11
	Negro—M	85	3	1	3	3	1	11	4	6	4	3
	F	60	1	-	1	1	-	3	1	3	2	4
	Other races—M	4	-	-	-	-	-	-	1	1	-	-
154	Osteomyelitis and periostitis	600	24	7	7	17	10	65	37	56	30	28
	White—M	339	14	5	3	6	4	32	26	32	16	15
	F	164	8	1	1	7	5	22	7	18	10	7
	Negro—M	57	2	1	2	3	1	9	2	5	3	3
	F	38	-	-	1	1	-	2	1	1	1	3
	Other races—M	2	-	-	-	-	-	-	1	-	-	-
155	Other diseases of bones (except tuberculosis)	146	4	-	1	-	-	5	4	2	-	1
	White—M	74	3	-	-	-	-	3	3	1	-	1
	F	67	1	-	1	-	-	2	1	1	-	-
	Negro—M	2	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	308	7	1	3	1	2	14	11	19	32	10
	White—M	151	4	1	-	1	1	7	7	10	22	5
	F	110	1	-	2	-	1	4	2	5	8	4
	Negro—M	26	1	-	1	-	-	2	2	1	1	-
	F	19	1	-	-	-	-	1	-	2	1	1
	Other races—M	2	-	-	-	-	-	-	-	1	-	-
	XIV.—Congenital malformations	13,922	11,796	485	193	131	86	12,691	289	177	165	136
	White—M	7,050	5,975	235	99	66	47	6,422	140	81	89	69
	F	5,949	5,059	211	81	55	34	5,440	120	81	60	61
	Negro—M	486	401	21	7	6	3	438	12	8	8	3
	F	375	310	16	6	4	2	338	11	7	8	1
	Other races—M	24	20	2	-	-	-	22	-	-	-	1
	F	38	31	-	-	-	-	31	6	-	-	1
157a-d	Congenital malformations of central nervous system	4,099	3,364	213	97	57	35	3,766	97	59	49	24
	White—M	1,772	1,420	95	46	30	18	1,609	46	21	27	13
	F	2,123	1,799	97	48	26	14	1,984	46	29	15	10
	Negro—M	111	74	15	3	-	1	93	3	4	5	1
	F	79	59	4	-	1	2	66	2	5	2	-
	Other races—M	6	4	2	-	-	-	6	-	-	-	-
	F	8	8	-	-	-	-	8	-	-	-	-
157e,f	Congenital malformations of cardiovascular system	6,643	5,509	207	82	52	43	5,893	153	101	103	104
	White—M	3,551	2,967	102	46	26	23	3,164	73	54	54	50
	F	2,665	2,191	89	28	20	18	2,346	62	45	42	49
	Negro—M	221	184	6	4	3	2	199	7	2	2	2
	F	180	150	10	4	3	-	167	5	-	5	1
	Other races—M	12	10	-	-	-	-	10	-	-	-	1
	F	14	7	-	-	-	-	7	6	-	-	1

* Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
231	204	185	71	16	-	-	-	-	-	-	-	-	-	-	-	3	148
163	170	142	54	13	-	-	-	-	-	-	-	-	-	-	-	1	
67	34	43	17	3	-	-	-	-	-	-	-	-	-	-	-	2	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
115	113	87	38	3	-	-	-	-	-	-	-	-	-	-	-	-	149
96	100	70	30	3	-	-	-	-	-	-	-	-	-	-	-	-	
18	11	16	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
84	82	86	53	9	-	-	-	-	-	-	-	-	-	-	-	2	150
57	59	65	40	7	-	-	-	-	-	-	-	-	-	-	-	2	
26	23	21	13	2	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
47	62	46	68	80	96	85	83	88	75	75	59	43	14	7	1	1	
15	18	19	23	32	43	45	43	47	35	38	26	16	4	1	-	-	
21	29	14	27	36	34	23	31	31	33	28	25	24	9	5	-	1	
4	6	4	6	6	6	8	4	2	3	3	4	-	-	-	-	-	
6	8	9	12	6	13	9	5	8	3	4	4	1	1	1	1	-	
1	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	
10	14	10	15	25	28	27	22	25	18	16	11	7	1	1	-	-	151
5	5	5	7	12	18	18	16	15	11	9	5	2	-	-	-	-	
4	7	3	4	10	5	7	6	6	5	5	6	5	1	-	-	-	
-	1	-	1	2	2	-	-	1	1	-	-	-	-	-	-	-	
1	1	2	3	1	3	2	-	3	1	1	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
17	19	15	24	23	31	27	30	26	15	20	6	7	1	1	-	1	152
7	6	6	9	11	11	15	15	17	6	9	4	2	1	-	-	-	
5	7	4	9	7	7	5	12	6	6	9	2	3	-	1	-	1	
2	4	2	2	4	4	3	-	1	2	1	-	-	-	-	-	-	
2	2	3	4	1	9	4	3	2	-	-	-	1	-	-	-	-	
1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
20	29	21	29	32	37	31	31	37	42	39	42	29	12	5	1	-	153
3	7	8	7	9	14	12	12	15	18	20	17	12	3	1	-	-	
12	15	7	14	19	22	11	13	19	22	14	17	16	8	4	-	-	
2	1	2	3	-	-	5	4	-	-	2	4	-	-	-	-	-	
3	5	4	5	4	1	3	2	3	2	3	4	-	1	-	1	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
44	45	54	58	56	75	66	67	76	75	48	36	24	11	1	2	2	
26	19	27	24	30	38	32	28	51	46	23	23	13	3	-	-	1	
13	13	16	17	18	22	23	25	22	27	23	12	10	8	1	-	-	
2	7	4	7	5	11	9	6	3	2	1	-	-	-	-	-	-	
3	6	7	10	3	4	2	6	-	-	1	1	1	-	-	2	1	
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
26	34	38	37	31	36	33	34	30	33	18	18	10	2	-	2	2	154
15	17	20	16	19	18	19	15	22	24	9	15	8	-	-	-	1	
8	8	9	10	8	9	7	13	7	7	7	3	2	2	-	-	-	
1	4	4	4	3	6	6	3	1	2	1	-	-	-	-	-	-	
2	5	5	7	1	3	1	2	-	-	1	-	-	-	-	2	1	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
3	1	3	4	8	13	11	7	21	22	17	11	7	6	-	-	-	155
2	-	2	3	4	9	3	2	13	13	8	3	2	2	-	-	-	
1	1	1	-	3	4	7	5	7	9	9	7	5	4	-	-	-	
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	
15	10	13	17	17	26	22	26	25	20	13	7	7	3	1	-	-	156
9	2	5	5	7	11	10	11	16	9	6	5	3	1	-	-	-	
4	4	6	7	7	9	9	7	8	11	7	2	3	2	1	-	-	
1	3	-	3	2	5	2	3	1	-	-	-	-	-	-	-	-	
1	1	2	2	1	1	1	4	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
86	88	63	56	42	41	35	17	17	11	4	3	-	-	-	-	1	
50	50	30	29	28	21	14	9	11	4	1	2	-	-	-	-	-	
32	33	22	22	12	20	20	8	6	7	3	1	-	-	-	-	1	
4	4	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
-	1	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	18	14	13	16	11	8	4	2	2	-	-	-	-	-	-	1	157a-d
11	8	6	8	12	6	3	2	-	-	-	-	-	-	-	-	-	
4	7	5	3	3	5	5	2	2	2	-	-	-	-	-	-	1	
-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
64	60	36	32	20	20	21	11	11	7	4	3	-	-	-	-	-	157e,f
35	38	17	14	11	11	9	7	8	3	1	2	-	-	-	-	-	
26	21	15	16	8	9	11	4	3	4	3	1	-	-	-	-	-	
3	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—Congenital malformations—Continued											
157g, h,m	Other congenital malformations	3,180	2,923	65	14	22	8	3,032	39	17	13	8
	White—M	1,727	1,588	38	7	10	6	1,649	21	6	8	6
	F	1,161	1,069	25	5	9	2	1,110	12	7	3	2
	Negro—M	154	143	-	-	3	-	146	2	2	1	-
	F	116	101	2	2	-	-	105	4	2	1	-
	Other races—M	6	6	-	-	-	-	6	-	-	-	-
	F	16	16	-	-	-	-	16	-	-	-	-
	XV.—Diseases peculiar to the first year of life	53,427	53,427	...	...	...	...	53,427	...	...	...	...
	White—M	26,277	26,277	...	...	...	...	26,277	...	...	...	...
	F	18,565	18,565	...	...	...	...	18,565	...	...	...	...
	Negro—M	4,650	4,650	...	...	...	...	4,650	...	...	...	...
	F	3,604	3,604	...	...	...	...	3,604	...	...	...	...
	Other races—M	175	175	...	...	...	...	175	...	...	...	...
	F	156	156	...	...	...	...	156	...	...	...	...
158	Congenital debility (cause not stated)	2,887	2,887	...	...	...	...	2,887	...	...	...	...
	White—M	1,121	1,121	...	...	...	...	1,121	...	...	...	...
	F	788	788	...	...	...	...	788	...	...	...	...
	Negro—M	531	531	...	...	...	...	531	...	...	...	...
	F	413	413	...	...	...	...	413	...	...	...	...
	Other races—M	16	16	...	...	...	...	16	...	...	...	...
	F	18	18	...	...	...	...	18	...	...	...	...
159	Premature birth (cause not stated)	33,341	33,341	...	...	...	...	33,341	...	...	...	...
	White—M	15,931	15,931	...	...	...	...	15,931	...	...	...	...
	F	11,887	11,887	...	...	...	...	11,887	...	...	...	...
	Negro—M	2,937	2,937	...	...	...	...	2,937	...	...	...	...
	F	2,404	2,404	...	...	...	...	2,404	...	...	...	...
	Other races—M	93	93	...	...	...	...	93	...	...	...	...
	F	89	89	...	...	...	...	89	...	...	...	...
160	Injury at birth	10,889	10,889	...	...	...	...	10,889	...	...	...	...
	White—M	6,071	6,071	...	...	...	...	6,071	...	...	...	...
	F	3,736	3,736	...	...	...	...	3,736	...	...	...	...
	Negro—M	599	599	...	...	...	...	599	...	...	...	...
	F	428	428	...	...	...	...	428	...	...	...	...
	Other races—M	31	31	...	...	...	...	31	...	...	...	...
	F	24	24	...	...	...	...	24	...	...	...	...
161	Other diseases peculiar to the first year of life	6,310	6,310	...	...	...	...	6,310	...	...	...	...
	White—M	3,154	3,154	...	...	...	...	3,154	...	...	...	...
	F	2,154	2,154	...	...	...	...	2,154	...	...	...	...
	Negro—M	583	583	...	...	...	...	583	...	...	...	...
	F	359	359	...	...	...	...	359	...	...	...	...
	Other races—M	35	35	...	...	...	...	35	...	...	...	...
	F	25	25	...	...	...	...	25	...	...	...	...
162	XVI.—Senility	9,699	-	-	-	-	-	-	-	-	-	-
	White—M	3,553	-	-	-	-	-	-	-	-	-	-
	F	4,233	-	-	-	-	-	-	-	-	-	-
	Negro—M	898	-	-	-	-	-	-	-	-	-	-
	F	938	-	-	-	-	-	-	-	-	-	-
	Other races—M	37	-	-	-	-	-	-	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-
	XVII.—Violent or accidental deaths	126,664	2,829	1,426	1,136	980	840	7,211	3,395	3,478	7,504	9,950
	White—M	79,014	1,305	687	579	501	428	3,500	1,963	2,272	4,796	6,689
	F	31,624	901	518	353	339	291	2,402	948	689	1,457	1,412
	Negro—M	11,691	307	107	100	64	56	634	266	388	939	1,422
	F	3,497	283	101	84	70	58	596	194	98	260	354
	Other races—M	667	19	7	12	2	5	45	12	21	40	57
	F	171	14	6	8	4	2	34	12	10	12	16
163,164	Suicide	17,102	-	-	-	-	-	-	-	45	421	945
	White—M	12,458	-	-	-	-	-	-	-	26	232	596
	F	4,078	-	-	-	-	-	-	-	16	162	277
	Negro—M	357	-	-	-	-	-	-	-	1	6	43
	F	104	-	-	-	-	-	-	-	2	12	16
	Other races—M	88	-	-	-	-	-	-	-	-	6	9
	F	17	-	-	-	-	-	-	-	-	3	4
163	Suicide by poisoning	4,892	-	-	-	-	-	-	-	12	152	313
	White—M	2,853	-	-	-	-	-	-	-	3	57	145
	F	1,888	-	-	-	-	-	-	-	7	84	148
	Negro—M	70	-	-	-	-	-	-	-	-	1	7
	F	56	-	-	-	-	-	-	-	2	8	7
	Other races—M	19	-	-	-	-	-	-	-	-	1	3
	F	6	-	-	-	-	-	-	-	-	1	3
164	Suicide by other means	12,210	-	-	-	-	-	-	-	33	269	632
	White—M	9,605	-	-	-	-	-	-	-	23	175	451
	F	2,190	-	-	-	-	-	-	-	9	78	129
	Negro—M	287	-	-	-	-	-	-	-	1	5	36
	F	48	-	-	-	-	-	-	-	-	4	9
	Other races—M	69	-	-	-	-	-	-	-	-	5	6
	F	11	-	-	-	-	-	-	-	-	2	1
165-168	Homicide[1]	7,929	110	14	17	9	9	159	48	78	517	1,193
	White—M	2,655	53	7	8	4	5	77	22	32	112	272
	F	762	37	3	4	2	3	49	20	16	55	104
	Negro—M	3,573	7	2	3	1	-	13	2	19	234	623
	F	863	12	1	1	2	-	16	4	10	112	187
	Other races—M	62	-	-	1	-	-	1	-	-	3	5
	F	14	1	1	-	-	1	3	-	1	1	2

[1] Includes figures for infanticide (165).

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
7	10	13	11	6	10	6	2	4	2	-	-	-	-	-	-	-	157g, h,m
4	4	7	7	5	4	2	-	3	1	-	-	-	-	-	-	-	
2	5	2	3	1	6	4	2	1	1	-	-	-	-	-	-	-	
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	158
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	159
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	160
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	161
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
-	-	-	-	-	11	38	90	278	818	1,376	2,464	2,308	1,472	548	279	17	162
-	-	-	-	-	3	11	28	102	284	536	991	902	507	153	34.	2	
-	-	-	-	-	-	8	28	98	271	550	1,138	1,089	739	253	54	5	
-	-	-	-	-	5	6	11	38	129	152	163	156	110	59	65	4	
-	-	-	-	-	3	13	23	38	126	122	156	146	107	79	120	5	
-	-	-	-	-	-	-	-	1	3	11	6	6	7	1	1	1	
-	-	-	-	-	-	-	-	1	5	5	10	9	2	3	5	-	
8,999	8,310	8,067	7,734	7,978	8,230	7,567	7,059	7,071	6,674	6,238	5,745	3,553	1,292	298	42	269	
5,828	5,350	5,341	5,260	5,599	5,906	5,545	4,936	4,580	3,958	3,115	2,427	1,320	381	76	7	165	
1,327	1,298	1,209	1,224	1,380	1,461	1,403	1,626	2,011	2,417	2,926	3,165	2,165	856	207	18	23	
1,445	1,309	1,200	987	802	677	470	346	293	183	119	85	26	25	4	6	65	
338	275	244	204	136	144	103	107	140	88	65	59	37	25	11	10	11	
51	72	65	54	50	32	39	38	44	23	7	7	2	2	-	1	5	
12	6	8	5	11	10	7	6	3	5	6	2	3	3	-	-	-	
1,287	1,421	1,567	1,620	1,787	1,852	1,734	1,490	1,174	850	524	272	93	19	2	-	19	163,164
826	923	1,087	1,123	1,258	1,377	1,351	1,191	957	708	441	248	82	17	2	-	15	
370	428	425	436	472	427	349	274	196	135	77	20	10	1	-	-	3	
50	42	31	46	41	32	22	15	12	7	4	3	-	1	-	-	1	
12	16	12	5	8	6	7	2	4	-	1	-	1	-	-	-	-	
7	11	11	10	6	7	5	8	5	2	1	-	-	-	-	-	-	
2	1	1	-	2	3	-	-	-	-	-	1	-	-	-	-	-	
447	533	539	553	556	488	423	324	242	161	95	29	17	2	1	-	5	163
234	284	296	323	324	313	279	211	174	110	60	23	11	1	1	-	4	
194	226	221	218	218	166	138	109	63	51	33	6	5	-	-	-	1	
10	10	11	9	8	7	3	1	1	-	1	-	-	1	-	-	-	
9	9	7	2	4	1	1	1	3	-	1	-	1	-	-	-	-	
-	3	4	1	1	1	2	2	1	-	-	-	-	-	-	-	-	
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
820	888	1,028	1,067	1,231	1,364	1,311	1,166	932	689	429	243	76	17	1	-	14	164
592	639	791	800	934	1,064	1,072	980	785	596	381	225	71	16	1	-	11	
176	202	204	218	254	261	211	165	133	84	44	14	5	1	-	-	2	
40	32	20	37	33	25	19	14	11	7	3	3	-	-	-	-	1	
3	7	5	3	4	5	6	1	1	-	-	-	-	-	-	-	-	
7	8	7	9	5	6	3	6	4	2	1	-	-	-	-	-	-	
2	-	1	-	1	3	-	-	-	-	-	1	-	-	-	-	-	
1,226	1,212	1,005	739	601	405	263	177	135	79	34	19	8	2	-	-	29	165-168
317	340	313	283	257	209	152	108	75	53	18	7	3	-	-	-	5	
80	101	68	69	62	44	31	20	17	9	9	4	1	-	-	-	3	
654	628	504	317	246	138	72	46	33	15	6	3	4	1	-	-	15	
168	132	107	62	28	10	7	2	5	1	1	5	-	1	-	-	5	
4	10	11	8	8	4	1	1	4	1	-	-	-	-	-	-	1	
3	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent or accidental deaths—Contd.											
	Homicide[1] —Continued											
166	Homicide by firearms	4,525	3	5	4	3	5	20	20	48	300	746
	White—M	1,609	-	3	3	2	4	12	9	23	76	198
	F	459	2	2	1	-	1	6	9	11	41	71
	Negro—M	1,998	1	-	-	-	-	1	-	10	124	378
	F	418	-	-	-	1	-	1	2	3	58	96
	Other races—M	34	-	-	-	-	-	-	-	-	-	2
	F	7	-	-	-	-	-	-	-	1	1	1
167	Homicide by cutting or piercing instruments	2,054	9	1	3	1	-	14	4	12	171	361
	White—M	362	2	-	1	1	-	4	2	4	21	47
	F	75	5	-	1	-	-	6	2	-	3	12
	Negro—M	1,263	-	1	1	-	-	2	-	7	98	222
	F	314	2	-	-	-	-	2	-	1	47	77
	Other races—M	17	-	-	-	-	-	-	-	-	2	2
	F	3	-	-	-	-	-	-	-	-	-	1
168	Homicide by other means	1,370	98	8	10	5	4	125	24	18	46	86
	White—M	684	51	4	4	1	1	61	11	5	15	27
	F	228	30	1	2	2	2	37	9	5	11	21
	Negro—M	312	6	1	2	1	-	10	2	2	12	23
	F	131	10	1	1	1	-	13	2	6	7	14
	Other races—M	11	-	-	1	-	-	1	-	-	1	1
	F	4	1	1	-	-	1	3	-	-	-	-
169-195	Accidental deaths	101,513	2,719	1,412	1,119	971	831	7,052	3,347	3,355	6,556	7,790
	White—M	63,842	1,252	680	571	497	423	3,423	1,941	2,214	4,450	5,813
	F	26,783	864	515	349	337	288	2,353	928	657	1,240	1,031
	Negro—M	7,702	300	105	97	63	56	621	264	388	691	742
	F	2,530	271	100	83	68	58	580	190	86	136	151
	Other races—M	516	19	7	11	2	5	44	12	21	31	43
	F	140	13	5	8	4	1	31	12	9	8	10
169	Railway accidents (except collisions with motor vehicles)	3,550	2	14	20	4	4	44	52	103	179	268
	White—M	2,776	1	9	13	2	3	28	33	66	121	189
	F	227	1	4	6	2	1	14	13	18	12	8
	Negro—M	479	-	-	-	-	-	-	4	13	44	62
	F	27	-	1	1	-	-	2	2	2	2	3
	Other races—M	40	-	-	-	-	-	-	-	3	-	6
	F	1	-	-	-	-	-	-	-	1	-	-
170a	Collisions between automobiles and trains	1,840	10	15	10	10	9	54	48	53	229	210
	White—M	1,255	4	8	3	4	2	21	25	31	128	152
	F	448	6	6	6	5	7	30	20	20	88	39
	Negro—M	99	-	-	1	-	-	1	-	2	10	13
	F	25	-	1	-	1	-	2	2	-	3	6
	Other races—M	9	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-
170b	Collisions between automobiles and streetcars	118	-	-	-	1	-	1	2	2	5	13
	White—M	87	-	-	-	-	-	-	1	-	3	9
	F	23	-	-	-	1	-	1	-	1	2	2
	Negro—M	4	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	1	-	-
	Other races—M	2	-	-	-	-	-	-	1	-	-	1
170c	Automobile accidents (except collisions with trains or streetcars)	37,512	166	236	255	326	337	1,320	1,501	1,224	3,455	4,228
	White—M	25,872	82	111	142	182	192	709	889	819	2,306	3,123
	F	7,785	59	108	85	117	116	485	439	260	805	673
	Negro—M	2,892	12	8	17	18	16	71	107	115	257	340
	F	683	9	7	7	8	10	41	59	22	69	65
	Other races—M	228	1	-	2	-	2	5	4	7	11	23
	F	52	3	2	2	1	1	9	3	1	7	4
170d	Motorcycle accidents (except collisions with automobiles)	499	-	2	-	-	1	3	4	4	75	199
	White—M	443	-	2	-	-	-	2	3	4	67	185
	F	42	-	-	-	-	-	-	1	-	8	11
	Negro—M	12	-	-	-	-	1	1	-	-	-	2
	Other races—M	2	-	-	-	-	-	-	-	-	-	1
171a	Streetcar accidents (except collisions with trains or motor vehicles)	360	-	2	3	1	1	7	2	8	7	8
	White—M	239	-	1	1	1	-	3	1	7	4	5
	F	86	-	1	-	-	1	2	1	1	2	-
	Negro—M	26	-	-	1	-	-	1	-	-	1	2
	F	7	-	-	-	-	-	-	-	-	-	1
	Other races—M	2	-	-	1	-	-	1	-	-	-	-
171b	Other and unspecified road-transport accidents	298	1	3	4	5	4	17	25	50	34	5
	White—M	199	-	2	3	3	1	9	15	35	26	4
	F	50	-	1	-	1	3	5	7	8	3	-
	Negro—M	41	-	-	-	-	-	-	3	6	5	1
	F	5	1	-	-	1	-	2	-	1	-	-
	Other races—M	3	-	-	1	-	-	1	-	-	-	-
172	Water-transport accidents	1,051	-	-	3	4	4	11	29	59	114	165
	White—M	846	-	-	2	2	3	7	19	39	93	123
	F	101	-	-	1	2	1	4	6	14	8	22
	Negro—M	92	-	-	-	-	-	-	4	5	13	17
	F	6	-	-	-	-	-	-	-	1	-	1
	Other races—M	6	-	-	-	-	-	-	-	-	-	2
173	Air-transport accidents	856	-	-	-	2	-	2	4	1	51	332
	White—M	828	-	-	-	-	-	-	1	1	46	328
	F	25	-	-	-	2	-	2	3	-	4	4
	Negro—M	1	-	-	-	-	-	-	-	-	1	-
	Other races—M	2	-	-	-	-	-	-	-	-	-	-

[1] Includes figures for infanticide (165).

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
722	719	594	438	331	240	131	90	55	32	16	2	6	-	-	-	15	166
213	220	195	180	143	131	84	61	27	23	7	-	3	-	-	-	4	
55	73	42	46	33	25	15	12	10	3	5	1	1	-	-	-	-	
369	358	295	169	137	76	30	16	15	6	4	1	2	-	-	-	7	
81	63	50	37	14	6	2	-	2	-	-	-	-	-	-	-	3	
2	5	10	6	4	2	-	1	1	-	-	-	-	-	-	-	1	
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
387	349	229	174	127	71	44	31	27	14	3	5	1	1	-	-	9	167
62	53	33	36	35	20	17	11	9	5	-	2	-	-	-	-	1	
6	6	7	10	9	6	-	2	4	-	2	-	-	-	-	-	-	
248	232	155	114	72	42	25	17	11	7	1	-	1	1	-	-	8	
70	53	33	13	10	1	1	1	1	1	-	3	-	-	-	-	-	
1	4	1	1	1	2	1	-	1	1	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
117	144	182	127	143	94	88	56	53	33	15	12	1	1	-	-	5	168
42	67	85	67	79	58	51	36	39	25	11	5	-	-	-	-	-	
19	22	19	13	20	13	16	6	3	6	2	3	-	-	-	-	3	
37	38	54	34	37	20	17	13	7	2	1	2	1	-	-	-	-	
17	16	24	12	4	3	4	1	2	-	1	2	-	1	-	-	2	
1	1	-	1	3	-	-	-	2	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6,479	5,656	5,478	5,370	5,585	5,968	5,567	5,389	5,762	5,744	5,680	5,454	3,452	1,271	296	42	220	169-195
4,672	4,076	3,930	3,851	4,080	4,317	4,040	3,636	3,548	3,198	2,656	2,172	1,235	364	74	7	145	
877	769	716	719	846	989	1,023	1,332	1,798	2,273	2,840	3,141	2,154	855	207	18	17	
727	629	659	622	514	506	376	283	248	161	109	79	22	23	4	6	48	
156	127	125	137	100	128	89	103	131	87	63	54	36	24	11	10	6	
40	51	43	36	36	21	32	29	35	20	6	7	2	2	-	1	4	
7	4	5	5	9	7	7	6	2	5	6	1	3	3	-	-	-	
281	310	305	327	333	344	283	233	177	111	98	46	24	1	-	-	31	169
220	242	245	257	271	293	245	190	140	92	70	35	21	1	-	-	17	
5	7	8	10	13	17	15	16	25	15	18	10	2	-	-	-	1	
52	53	43	51	48	30	19	25	11	3	9	1	1	-	-	-	12	
1	-	3	4	2	3	2	-	1	-	-	-	-	-	-	-	-	
3	8	6	5	1	1	2	2	-	1	1	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
186	184	152	133	112	140	97	85	63	52	24	12	3	1	-	-	2	170a
123	123	112	95	82	109	72	62	49	40	19	9	2	1	-	-	-	
51	48	25	23	20	20	18	18	11	10	5	1	1	-	-	-	-	
9	9	14	13	8	6	4	5	3	1	-	1	-	-	-	-	-	
3	3	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	3	2	-	-	-	-	1	-	-	-	-	2	
-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	
13	12	19	16	5	7	8	5	4	4	1	-	1	-	-	-	-	170b
12	11	15	10	3	6	7	4	2	2	1	-	1	-	-	-	-	
1	1	3	4	1	1	1	1	2	2	-	-	-	-	-	-	-	
-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3,150	2,525	2,351	2,161	2,346	2,478	2,341	2,185	2,183	1,806	1,219	692	227	42	5	2	71	170c
2,258	1,749	1,595	1,500	1,643	1,697	1,668	1,543	1,515	1,260	872	486	166	25	2	1	46	
503	427	405	373	446	512	467	481	508	453	298	176	55	12	1	-	6	
297	265	273	222	202	216	161	110	108	71	35	17	3	4	1	-	17	
67	56	54	45	34	44	30	29	31	11	11	9	2	-	1	1	2	
22	25	20	18	18	4	14	18	21	10	2	4	1	1	-	-	-	
3	3	4	3	3	5	1	4	-	1	1	-	-	-	-	-	-	
95	45	17	10	9	5	4	2	8	5	4	5	4	-	-	-	1	170d
87	41	16	5	4	4	3	2	5	3	2	5	4	-	-	-	1	
5	2	1	3	3	1	1	-	2	2	2	-	-	-	-	-	-	
2	2	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	22	27	16	39	32	33	34	29	28	35	14	8	-	-	-	-	171a
8	13	22	13	27	21	23	22	15	18	23	7	7	-	-	-	-	
1	1	2	2	6	7	9	10	14	9	12	6	1	-	-	-	-	
2	6	2	-	4	4	1	2	-	-	-	1	-	-	-	-	-	
-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
5	7	12	6	6	22	20	24	26	19	12	5	3	-	-	-	-	171b
2	3	5	1	4	14	15	17	21	15	8	4	1	-	-	-	-	
1	2	2	1	1	4	-	5	4	3	3	-	1	-	-	-	-	
1	2	4	4	1	3	5	2	1	1	1	1	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
129	115	91	93	83	53	38	32	19	11	3	2	-	1	-	-	3	172
110	92	75	76	73	45	33	25	17	10	3	2	-	1	-	-	3	
10	10	7	7	6	2	2	3	-	-	-	-	-	-	-	-	-	
7	9	8	10	4	6	3	3	2	1	-	-	-	-	-	-	-	
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
228	97	59	29	22	6	3	4	2	-	-	-	-	-	-	-	16	173
222	93	59	28	21	6	2	3	2	-	-	-	-	-	-	-	16	
5	3	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent or accidental deaths—Contd.											
	Accidental deaths—Continued											
174	Accidents in mines and quarries	1,770	-	-	-	1	-	1	13	21	56	169
	White—M	1,613	-	-	-	1	-	1	9	17	48	154
	F	17	-	-	-	-	-	-	3	3	2	3
	Negro—M	135	-	-	-	-	-	-	1	1	5	11
	F	2	-	-	-	-	-	-	-	-	-	1
	Other races—M	3	-	-	-	-	-	-	-	-	1	-
175a-c	Agricultural accidents	1,954	1	4	15	11	12	43	42	82	119	95
	White—M	1,703	-	1	9	9	7	26	31	71	100	86
	F	79	1	3	4	2	3	13	7	3	2	2
	Negro—M	151	-	-	1	-	1	2	2	6	13	7
	F	3	-	-	-	-	-	-	1	1	1	-
	Other races—M	17	-	-	-	-	1	1	1	1	3	-
	F	1	-	-	1	-	-	1	-	-	-	-
175d,e	Forestry accidents	426	-	-	-	-	-	-	-	1	9	45
	White—M	369	-	-	-	-	-	-	-	1	8	37
	Negro—M	49	-	-	-	-	-	-	-	-	1	8
	Other races—M	8	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	1,311	-	-	2	4	2	8	22	18	85	153
	White—M	1,135	-	-	2	2	1	5	16	15	66	133
	F	29	-	-	-	2	1	3	5	2	3	2
	Negro—M	145	-	-	-	-	-	-	1	1	16	18
	Other races—M	2	-	-	-	-	-	-	-	-	-	-
177	Food poisoning	482	45	30	31	16	10	132	23	9	16	25
	White—M	179	15	8	17	7	4	51	6	3	4	9
	F	156	15	13	10	5	6	49	7	4	5	3
	Negro—M	72	8	5	2	1	-	16	5	1	2	5
	F	69	7	4	1	3	-	15	4	1	4	6
	Other races—M	2	-	-	1	-	-	1	-	-	1	-
	F	4	-	-	-	-	-	-	1	-	-	2
178	Accidental absorption of poisonous gas	1,464	16	14	6	7	7	50	8	20	55	104
	White—M	1,001	7	11	4	3	2	27	2	8	24	75
	F	371	7	2	1	3	5	18	6	10	27	26
	Negro—M	63	1	1	-	1	-	3	-	1	1	2
	F	20	1	-	-	-	-	1	-	-	3	-
	Other races—M	7	-	-	1	-	-	1	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	1
179	Acute accidental poisoning by solids or liquids	1,191	29	168	82	28	14	321	22	5	30	47
	White—M	595	14	68	31	12	7	132	11	1	6	17
	F	387	6	51	25	10	2	94	3	2	18	21
	Negro—M	109	3	28	13	2	5	51	4	2	2	2
	F	83	4	19	12	4	-	39	4	-	4	6
	Other races—M	8	2	1	-	-	-	3	-	-	-	-
	F	9	-	1	1	-	-	2	-	-	-	1
180	Conflagration	1,999	131	97	94	95	61	478	157	58	57	70
	White—M	1,003	46	37	33	43	27	186	60	17	27	40
	F	485	36	28	27	19	11	121	58	32	16	19
	Negro—M	279	17	11	16	15	12	71	20	5	7	5
	F	212	30	20	17	18	11	96	18	4	6	5
	Other races—M	13	2	1	-	-	-	3	-	-	1	-
	F	7	-	-	1	-	-	1	1	-	-	1
181	Accidental burns (except conflagration)	4,964	174	238	241	195	171	1,019	346	142	152	215
	White—M	2,070	72	104	86	61	51	374	83	53	70	103
	F	1,832	54	84	92	92	86	408	173	57	50	64
	Negro—M	496	21	23	31	13	7	95	17	9	19	26
	F	535	26	26	31	26	27	136	70	21	11	21
	Other races—M	19	1	1	-	1	-	3	-	-	2	-
	F	12	-	-	1	2	-	3	3	2	-	1
182	Accidental mechanical suffocation	1,523	1,263	44	6	6	4	1,323	12	10	13	16
	White—M	754	584	28	4	2	3	621	9	8	7	9
	F	444	402	13	2	2	-	419	1	1	2	1
	Negro—M	172	131	1	-	2	1	135	-	1	4	5
	F	140	134	1	-	-	-	135	2	-	-	1
	Other races—M	7	6	1	-	-	-	7	-	-	-	-
	F	6	6	-	-	-	-	6	-	-	-	-
183	Accidental drowning	5,541	37	239	165	100	85	626	519	693	817	487
	White—M	4,040	15	141	113	71	62	402	407	461	542	349
	F	673	14	85	43	24	17	183	59	112	81	38
	Negro—M	710	4	6	2	3	2	17	45	111	179	93
	F	61	4	4	2	-	3	13	4	6	9	4
	Other races—M	48	-	2	5	1	1	9	3	1	6	3
	F	9	-	1	-	1	-	2	1	2	-	-
184	Accidental injury by firearms	2,414	2	10	17	30	23	82	126	310	435	275
	White—M	1,726	2	5	6	22	8	43	78	223	336	193
	F	221	-	3	1	6	8	18	22	29	33	20
	Negro—M	358	-	-	4	1	5	10	17	40	51	43
	F	91	-	2	6	1	2	11	9	12	11	16
	Other races—M	17	-	-	-	-	-	-	-	5	4	3
	F	1	-	-	-	-	-	-	-	1	-	-
185	Accidental injury by cutting or piercing instruments	338	3	10	6	10	5	34	35	31	21	30
	White—M	169	1	5	5	8	4	23	17	17	7	11
	F	51	1	4	1	2	1	9	8	6	1	2
	Negro—M	91	1	1	-	-	-	2	8	7	13	11
	F	24	-	-	-	-	-	-	2	1	-	5
	Other races—M	3	-	-	-	-	-	-	-	-	-	1

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
254	223	192	187	188	181	163	91	32	13	3	-	-	-	-	-	3	174
208	207	174	172	167	166	156	86	30	12	3	-	-	-	-	-	3	
1	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
25	15	17	15	20	12	7	4	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
87	94	104	129	132	170	182	168	196	153	88	50	14	3	1	-	2	175a-c
71	77	84	110	122	151	161	154	178	137	83	44	13	3	-	-	1	
2	4	5	3	3	1	6	7	6	7	1	5	1	-	1	-	-	
14	11	14	16	5	17	13	7	10	8	4	1	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	1	-	2	1	2	-	2	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
56	50	54	47	40	45	42	21	8	5	-	-	-	-	-	-	3	175d,e
49	43	43	39	39	41	36	18	8	5	-	-	-	-	-	-	2	
7	5	10	7	1	3	4	2	-	-	-	-	-	-	-	-	1	
-	2	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	
148	151	152	113	117	119	91	62	38	22	9	2	1	-	-	-	-	176
125	135	127	101	103	106	83	57	37	18	7	2	1	-	-	-	-	
3	1	-	2	1	-	-	2	1	2	2	-	-	-	-	-	-	
20	17	25	10	13	13	6	3	-	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
14	19	21	24	24	31	22	20	35	26	14	11	8	5	2	-	1	177
2	7	3	9	10	12	12	13	14	9	7	4	3	-	1	-	-	
9	2	6	7	5	7	2	3	14	12	5	6	5	4	1	-	-	
-	5	4	5	6	4	5	3	3	5	1	1	-	-	-	-	1	
3	5	8	3	3	8	2	1	4	-	1	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
110	100	125	136	118	107	109	88	103	86	71	47	20	2	2	-	3	178
73	72	97	101	85	85	79	59	67	66	39	29	10	1	-	-	2	
28	18	17	23	25	17	23	25	31	17	30	17	10	1	2	-	-	
7	5	9	7	7	4	4	2	4	3	2	1	-	-	-	-	1	
2	4	2	4	-	1	1	1	1	-	-	-	-	-	-	-	-	
-	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
70	82	95	126	94	86	59	61	47	16	13	10	2	3	-	-	2	179
27	50	44	70	52	51	38	37	29	13	7	9	-	1	-	-	-	
30	20	40	42	31	26	18	17	16	2	4	1	1	1	-	-	-	
7	6	5	8	7	5	1	4	-	1	1	-	1	1	-	-	1	
4	6	5	5	1	4	1	2	1	-	-	-	-	-	-	-	1	
-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	
2	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	
83	80	85	122	99	105	98	102	119	78	83	61	38	13	2	1	10	180
42	42	49	62	61	67	67	61	67	48	40	38	21	1	-	-	7	
18	22	13	25	15	20	11	24	20	15	25	14	8	6	2	-	1	
13	11	15	22	16	13	15	12	20	7	10	7	4	3	-	1	2	
10	5	6	12	5	3	4	4	11	7	7	2	4	3	-	-	-	
-	-	1	1	1	2	1	-	1	1	-	-	1	-	-	-	-	
-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	
235	247	244	243	227	256	215	229	269	267	240	242	118	34	10	7	7	181
122	127	138	116	113	124	109	87	111	108	87	90	44	8	2	-	1	
64	72	59	64	68	85	58	90	98	108	116	114	61	14	6	1	2	
36	30	33	38	22	24	24	21	28	20	19	20	4	4	1	3	3	
13	18	14	22	22	22	22	29	29	29	16	18	9	8	1	3	1	
-	-	-	3	2	1	-	2	3	1	2	-	-	-	-	-	-	
-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	
20	25	16	21	12	20	19	7	2	1	3	1	-	-	-	-	2	182
13	17	11	13	7	15	11	7	2	1	2	-	-	-	-	-	1	
3	3	2	3	1	2	3	-	-	-	1	1	-	-	-	-	1	
4	5	3	5	3	3	4	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
342	302	298	248	241	248	218	163	128	79	54	37	14	5	-	-	24	183
229	232	227	195	191	214	179	131	118	60	44	28	9	1	-	-	21	
41	23	19	11	21	10	21	18	6	13	7	5	4	1	-	-	-	
60	41	42	33	26	21	17	10	3	2	2	3	1	1	-	-	3	
5	2	3	4	1	1	1	3	1	3	1	-	-	-	-	-	-	
6	3	5	4	2	2	-	1	-	1	-	1	-	1	-	-	-	
1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
228	179	155	144	128	117	76	62	39	24	19	6	4	-	-	-	5	184
151	120	100	94	98	92	65	53	31	22	16	6	2	-	-	-	3	
16	19	14	11	11	12	6	2	3	1	1	-	2	-	-	-	1	
52	34	34	32	17	10	5	6	4	1	2	-	-	-	-	-	-	
7	6	5	7	2	3	-	1	-	-	-	-	-	-	-	-	1	
2	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	14	16	20	23	26	20	16	12	8	5	2	1	1	-	-	1	185
10	5	7	8	11	15	13	9	7	5	2	1	1	-	-	-	-	
1	1	-	3	2	4	3	5	-	2	2	1	-	1	-	-	-	
8	6	7	8	7	5	4	1	2	-	1	-	-	-	-	-	1	
3	2	1	1	3	2	-	-	3	1	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent or accidental deaths—Contd.											
	Accidental deaths—Continued											
186a	Accidental injury by fall	22,235	124	81	63	49	29	346	145	162	192	219
	White—M	9,902	66	34	36	25	20	181	95	118	154	164
	F	11,512	22	37	19	17	5	100	36	27	20	40
	Negro—M	465	23	2	6	2	1	34	11	11	12	13
	F	309	8	7	1	5	2	23	3	4	5	2
	Other races—M	32	5	-	-	-	1	6	-	2	1	-
	F	15	-	1	1	-	-	2	-	-	-	-
186b	Accidental injury by crushing	422	10	-	4	4	6	24	13	13	25	36
	White—M	348	2	-	3	2	3	10	10	12	21	31
	F	22	3	-	1	1	3	8	2	-	1	-
	Negro—M	43	1	-	-	1	-	2	1	-	2	4
	F	7	4	-	-	-	-	4	-	-	-	1
	Other races—F	2	-	-	-	-	-	-	-	1	1	-
187	Cataclysm, etc.*	164	3	4	4	2	1	14	10	9	13	15
	White—M	87	2	2	3	-	1	8	6	6	7	7
	F	60	1	2	-	2	-	5	3	2	5	6
	Negro—M	11	-	-	1	-	-	1	1	1	-	2
	F	6	-	-	-	-	-	-	-	-	1	-
188	Injury by animals (except in agriculture and forestry)*	185	7	8	3	7	4	29	22	17	9	7
	White—M	135	2	5	1	6	3	17	21	12	7	6
	F	25	1	3	2	1	-	7	-	-	-	-
	Negro—M	15	2	-	-	-	1	3	-	3	2	-
	F	4	2	-	-	-	-	2	-	1	-	-
	Other races—M	5	-	-	-	-	-	-	1	1	-	1
	F	1	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst	42	27	1	-	-	-	28	-	-	-	-
	White—M	24	13	1	-	-	-	14	-	-	-	-
	F	13	10	-	-	-	-	10	-	-	-	-
	Negro—M	4	3	-	-	-	-	3	-	-	-	-
	Other races—M	1	1	-	-	-	-	1	-	-	-	-
190	Excessive cold	151	9	1	2	-	-	12	1	1	6	3
	White—M	101	3	1	-	-	-	4	-	1	3	2
	F	26	1	-	2	-	-	3	1	-	1	-
	Negro—M	13	2	-	-	-	-	2	-	-	2	1
	F	7	3	-	-	-	-	3	-	-	-	-
	Other races—M	4	-	-	-	-	-	-	-	-	-	-
191	Excessive heat	654	29	1	3	2	2	37	2	5	6	18
	White—M	439	16	-	2	2	2	22	-	2	5	11
	F	108	10	1	-	-	-	11	2	1	-	1
	Negro—M	79	3	-	-	-	-	3	-	2	1	5
	F	21	-	-	-	-	-	-	-	-	-	1
	Other races—M	5	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-
192	Lightning	388	-	1	-	1	1	3	20	42	55	35
	White—M	242	-	-	-	1	1	2	7	22	34	24
	F	60	-	-	-	-	-	-	9	9	11	4
	Negro—M	65	-	1	-	-	-	1	2	8	5	4
	F	16	-	-	-	-	-	-	2	3	4	2
	Other races—M	4	-	-	-	-	-	-	-	-	1	1
	F	1	-	-	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	761	6	6	3	7	-	22	15	27	63	86
	White—M	672	4	3	2	5	-	14	13	18	53	78
	F	37	1	3	1	2	-	7	2	5	5	2
	Negro—M	49	-	-	-	-	-	-	-	4	5	6
	F	2	1	-	-	-	-	1	-	-	-	-
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	78	11	5	4	3	2	25	7	5	-	2
	White—M	38	3	3	3	2	2	13	1	2	-	1
	F	27	6	2	-	1	-	9	2	2	-	1
	Negro—M	6	1	-	-	-	-	1	1	1	-	-
	F	2	-	-	1	-	-	1	-	-	-	-
	Other races—M	1	-	-	-	-	-	-	1	-	-	-
	F	4	1	-	-	-	-	1	2	-	-	-
195a	Sequelae of preventive immunization, etc.*	10	2	3	-	1	-	6	-	1	-	1
	White—M	5	-	1	-	-	-	1	-	1	-	1
	F	4	2	1	-	1	-	4	-	-	-	-
	Negro—F	1	-	1	-	-	-	1	-	-	-	-
195b	Other accidents due to medical or surgical intervention	36	4	1	-	1	2	8	6	2	3	3
	White—M	14	3	1	-	1	1	6	4	-	1	-
	F	13	1	-	-	-	1	2	2	1	1	2
	Negro—M	1	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	1	1	1
195d	Obstruction, suffocation, etc.*	885	408	126	48	17	12	611	23	4	12	11
	White—M	492	215	65	29	6	4	319	13	2	4	9
	F	304	154	38	16	8	5	221	8	2	7	2
	Negro—M	57	21	18	1	2	2	44	2	-	1	-
	F	28	14	5	2	1	1	23	-	-	-	-
	Other races—M	1	1	-	-	-	-	1	-	-	-	-
	F	3	3	-	-	-	-	3	-	-	-	-
195c,e	Other and unspecified accidents	4,041	199	48	25	21	18	311	91	163	158	195
	White—M	2,441	80	23	18	12	9	142	55	121	122	145
	F	1,040	50	22	4	7	5	88	19	25	17	13
	Negro—M	418	46	-	1	2	2	51	8	12	17	33
	F	124	23	2	2	-	2	29	8	4	2	3
	Other races—M	14	-	1	-	-	-	1	1	-	-	1
	F	4	-	-	-	-	-	-	-	1	-	-

*Refer to complete International List titles, table XI.

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
256	323	464	546	672	886	991	1,261	1,838	2,603	3,326	3,886	2,733	1,088	258	28	12	186a
166	247	357	422	508	626	631	703	842	1,051	1,174	1,245	844	298	65	6	5	
37	42	55	62	113	184	310	505	937	1,491	2,113	2,600	1,867	770	184	15	4	
33	23	35	46	36	52	36	26	21	28	13	18	4	9	1	2	1	
20	8	16	15	11	22	12	26	32	29	22	22	15	9	8	4	1	
–	3	1	1	4	2	1	1	5	2	–	1	–	–	–	1	1	
–	–	–	–	–	–	1	–	1	2	4	–	3	2	–	–	–	
44	32	32	46	38	35	32	27	10	8	3	1	1	–	–	–	2	186b
40	27	27	36	32	29	29	24	8	6	3	–	1	–	–	–	2	
–	3	1	1	1	1	–	–	2	2	–	–	–	–	–	–	–	
4	2	4	9	4	4	3	3	–	–	–	1	–	–	–	–	–	
–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	10	10	12	13	9	10	9	4	7	3	2	–	–	–	–	3	187
4	6	4	6	9	4	5	3	3	5	–	1	–	–	–	–	3	
5	3	3	6	4	4	3	6	1	2	1	1	–	–	–	–	–	
–	1	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
2	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	
8	5	6	6	9	6	13	12	19	8	5	4	–	–	–	–	–	188
7	4	5	4	5	5	11	8	9	6	5	3	–	–	–	–	–	
1	–	1	–	2	1	1	2	7	2	–	1	–	–	–	–	–	
–	–	–	1	1	–	1	1	3	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	2	1	–	4	1	1	1	1	–	1	–	–	1	189
–	–	–	1	1	1	–	3	1	1	–	–	–	1	–	–	1	
–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	4	9	12	11	10	15	14	10	8	12	8	5	–	1	–	1	190
5	1	8	11	9	6	11	7	8	8	8	6	2	–	–	–	1	
1	1	–	1	1	2	–	5	2	–	3	2	2	–	1	–	–	
–	1	1	–	–	1	2	2	–	–	1	–	–	–	–	–	–	
–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	
2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
28	31	30	47	63	67	67	64	51	44	30	28	24	6	3	2	3	191
14	23	21	28	45	46	54	47	35	31	17	20	13	2	2	–	1	
3	2	1	8	6	9	4	6	9	9	12	7	11	3	1	2	–	
7	5	8	8	6	11	5	9	3	3	–	1	–	–	–	–	2	
1	1	–	3	3	–	3	2	4	1	1	–	–	1	–	–	–	
1	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
39	32	28	25	26	25	22	17	9	4	5	1	–	1	–	–	1	192
21	22	17	17	17	21	15	12	4	4	2	1	–	–	–	–	–	
4	4	1	3	5	3	2	3	–	–	2	–	–	–	–	–	–	
11	6	7	4	2	1	5	2	4	–	1	–	–	1	–	–	1	
2	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
104	107	96	73	63	42	35	14	7	5	1	–	–	–	–	–	1	193
92	97	87	70	56	38	34	11	6	3	1	–	–	–	–	–	1	
4	5	1	–	1	1	–	2	1	1	–	–	–	–	–	–	–	
7	5	8	2	6	3	1	1	–	1	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	4	5	4	3	4	3	2	5	3	1	2	–	–	–	–	194
–	2	3	3	2	1	1	1	–	5	2	1	–	–	–	–	–	
–	–	–	2	2	–	3	2	2	–	–	–	2	–	–	–	–	
–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	195a
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	2	1	2	1	2	1	–	2	–	–	–	–	–	–	–	–	195b
–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
1	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
9	18	18	20	28	20	22	26	21	13	15	8	3	2	–	–	1	195d
5	9	7	12	19	12	19	13	18	12	8	6	3	1	–	–	1	
4	7	5	5	8	6	3	12	3	1	7	2	–	1	–	–	–	
–	1	4	2	1	1	–	1	–	–	–	–	–	–	–	–	–	
–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
223	206	193	224	257	264	214	244	249	224	278	269	194	62	12	2	8	195c,e
153	139	144	166	190	194	153	164	147	122	101	90	66	19	2	–	6	
19	14	19	12	21	27	32	60	73	92	169	170	120	41	8	–	1	
42	47	26	40	40	33	20	15	16	2	5	5	4	–	1	–	1	
8	5	3	6	5	7	7	4	12	6	3	3	4	2	1	2	–	
1	1	1	–	1	2	1	1	1	2	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	

TABLE 8.—DEATHS FROM EACH CAUSE, BY AGE,

(Exclusive of

List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent or accidental deaths—Contd.											
196	Deaths of military personnel during operations of war	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-
198	Legal executions	119	-	-	-	-	-	-	-	-	10	22
	White—M	58	-	-	-	-	-	-	-	-	2	8
	F	1	-	-	-	-	-	-	-	-	-	-
	Negro—M	59	-	-	-	-	-	-	-	-	8	14
	Other races—M	1	-	-	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	19,982	5,510	491	156	97	51	6,305	178	149	265	287
	White—M	6,872	1,356	122	39	23	13	1,553	47	44	52	64
	F	3,904	1,120	102	28	24	8	1,282	39	38	51	57
	Negro—M	4,826	1,635	110	48	21	8	1,822	39	32	57	68
	F	4,189	1,302	111	30	23	20	1,486	46	34	91	91
	Other races—M	185	58	23	2	3	1	87	6	1	5	2
	F	206	39	23	9	3	1	75	1	-	9	5
199	Sudden death	1,347	203	12	6	3	1	225	7	8	12	22
	White—M	543	61	2	3	-	-	66	1	-	3	5
	F	277	57	3	-	2	-	62	4	1	2	7
	Negro—M	273	34	4	2	1	-	41	2	4	5	3
	F	246	48	3	1	-	1	53	-	1	2	7
	Other races—M	4	1	-	-	-	-	1	-	-	-	-
	F	4	2	-	-	-	-	2	-	-	-	-
200a	Ill-defined causes	6,820	657	151	37	30	11	886	46	49	76	84
	White—M	3,147	174	51	13	9	3	250	16	21	27	22
	F	1,379	135	29	10	8	2	184	12	15	14	20
	Negro—M	1,250	188	29	5	7	2	231	6	5	10	19
	F	978	147	35	7	6	4	199	11	8	24	23
	Other races—M	36	9	4	-	-	-	13	1	-	1	-
	F	30	4	3	2	-	-	9	-	-	-	-
200b,c	Unknown or unspecified	11,815	4,650	328	113	64	39	5,194	125	94	177	181
	White—M	2,982	1,121	69	23	14	10	1,237	30	23	22	37
	F	2,248	928	70	18	14	6	1,036	23	22	35	30
	Negro—M	3,303	1,413	77	41	13	6	1,550	31	23	42	46
	F	2,985	1,107	73	22	17	15	1,234	35	25	65	61
	Other races—M	145	48	19	2	3	1	73	5	1	4	2
	F	172	33	20	7	3	1	64	1	-	9	5

RACE, AND SEX: UNITED STATES, 1941—Continued

stillbirths)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Not stated	List No.
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	196
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
27	21	16	5	5	5	3	3	–	1	–	–	–	–	–	–	1	198
13	11	10	3	4	3	2	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
14	10	6	2	1	1	–	2	–	–	–	–	–	–	–	–	1	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
360	424	553	718	873	1,072	1,274	1,432	1,573	1,491	1,126	894	565	216	72	53	102	
83	109	145	237	316	401	564	618	690	663	442	351	178	63	10	4	38	
67	72	89	97	129	137	179	238	296	330	270	262	183	55	12	3	18	
89	98	137	204	193	277	311	334	304	267	245	142	105	43	25	14	20	
118	137	176	174	220	252	212	212	254	194	149	123	92	52	23	29	24	
1	6	4	2	10	1	3	12	12	9	9	8	2	1	2	1	1	
2	2	2	4	5	4	5	18	17	28	11	8	5	2	–	2	1	
29	41	41	70	91	92	121	127	137	157	81	52	33	18	1	1	3	199
7	13	12	22	37	37	53	70	79	71	28	21	7	9	–	–	2	
3	5	4	7	8	8	29	22	21	37	22	16	13	4	1	1	–	
8	10	10	28	30	24	25	17	16	13	21	8	7	1	–	–	–	
11	13	14	13	15	22	13	18	20	16	10	7	6	4	–	–	1	
–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	
129	166	253	323	401	535	651	695	705	674	456	369	198	69	21	13	21	200a
39	53	90	137	183	245	358	394	391	369	235	185	85	31	5	2	9	
24	31	40	43	68	74	81	117	137	168	119	118	79	24	7	1	3	
28	39	54	81	72	130	139	112	99	80	70	54	20	5	5	4	7	
38	43	66	59	77	85	70	65	74	49	26	30	13	7	4	5	2	
–	–	1	2	–	1	2	3	2	4	2	1	1	1	–	1	–	
–	–	2	1	1	–	1	4	2	4	4	1	–	1	–	–	–	
202	217	259	325	381	445	502	610	731	680	589	473	334	129	50	39	78	200b,c
37	43	43	78	96	119	153	154	220	223	179	145	86	23	5	2	27	
40	36	45	47	53	55	69	99	138	125	129	128	91	27	4	1	15	
53	49	73	95	91	123	147	205	189	174	154	100	78	37	20	10	13	
69	81	96	102	128	145	129	129	160	129	113	86	73	41	19	24	21	
1	6	2	–	9	–	–	9	10	5	7	7	1	–	2	–	1	
2	2	–	3	4	3	4	14	14	24	7	7	5	1	–	2	1	

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		All other		Total deaths	White		All other	
			Male	Female	Male	Female		M	F	M	F
	All causes	1,397,642	685,672	527,839	99,361	84,770	28,715	8,820	6,715	6,946	6,234
	I.—Infectious and parasitic diseases	119,320	52,034	34,247	18,307	14,732	3,808	890	824	1,108	986
1	Typhoid fever	1,022	415	260	197	150	21	7	4	8	2
2	Paratyphoid fever	66	31	25	8	2	2	2	-	-	-
3	Plague	2	2	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	65	35	24	3	3	1	-	1	-	-
6	Cerebrospinal (meningococcus) meningitis	713	360	243	70	40	24	10	9	4	1
7	Anthrax (infection by Bacillus anthracis)	9	6	2	1	-	-	-	-	-	-
8	Scarlet fever	454	221	204	9	20	12	4	6	1	1
9	Whooping cough	3,785	1,327	1,465	492	501	132	22	31	40	39
10	Diphtheria (infection by C. diphtheriae)	1,293	570	494	115	114	70	30	25	11	4
11	Erysipelas	368	174	171	12	11	7	3	3	1	-
12	Tetanus	602	304	123	118	57	30	6	6	11	7
13-22	Tuberculosis (all forms)	59,251	25,957	16,326	9,009	7,959	1,474	317	267	435	455
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	704	676	3	25	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	53,654	23,453	14,876	8,101	7,224	1,362	293	251	393	425
14	Tuberculosis of meninges and central nervous system	1,341	508	429	210	194	20	4	5	8	3
15	Tuberculosis of intestines and peritoneum	897	244	256	180	217	33	4	2	13	14
16	Tuberculosis of vertebral column	583	241	173	108	61	15	4	2	6	3
17a	Tuberculosis of bones (except vertebral column)	97	36	30	24	7	3	1	-	2	-
17b	Tuberculosis of joints (except vertebral column)	116	55	30	20	11	3	-	1	1	1
18	Tuberculosis of skin, etc. *	28	10	13	1	4	2	2	-	-	-
19	Tuberculosis of lymphatic system, etc. *	109	24	45	23	17	2	-	-	-	2
20	Tuberculosis of genito-urinary system	459	256	155	29	19	2	-	2	-	-
21	Tuberculosis of other organs	118	52	42	13	11	1	-	-	1	-
22a	Disseminated tuberculosis (acute miliary)	1,042	359	249	259	175	28	8	4	10	6
22b	Disseminated tuberculosis (other and unspecified)	103	43	25	16	19	3	1	-	1	1
23	Leprosy	40	23	10	6	1	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	1,304	623	437	119	125	26	8	10	4	4
25	Gonococcus infection	364	33	111	42	178	21	-	4	2	15
26	Other diseases due to bacteria (except dysentery)	154	87	44	15	8	-	-	-	-	-
27	Dysentery	2,433	952	894	311	276	68	18	26	9	15
28	Malaria	1,178	271	261	330	316	123	22	25	38	38
29	Other diseases due to parasitic protozoa (except spirochetes)	10	6	2	1	1	-	-	-	-	-
30	Syphilis (all forms)	17,728	8,441	2,687	4,452	2,148	544	84	35	280	145
30a	Locomotor ataxia (tabes dorsalis)	669	492	103	59	15	7	3	-	4	-
30b	General paralysis of insane	4,309	2,368	679	963	299	60	18	12	27	3
30c	Other syphilis of central nervous system	1,713	849	292	386	186	66	8	1	39	18
30d	Aneurysm of aorta	3,426	1,930	450	802	244	74	15	5	47	7
30e	Other syphilis of circulatory system	1,500	643	139	545	173	40	9	1	23	7
30f,g	Congenital, other and unspecified forms of syphilis	6,111	2,159	1,024	1,697	1,231	297	31	16	140	110
31	Relapsing fever	1	1	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	282	111	100	35	36	11	1	4	5	1
33a	Influenza, with respiratory complications specified	15,188	5,337	4,787	1,595	1,469	643	169	188	144	142
33b	Influenza, without respiratory complications specified	7,859	3,126	3,026	855	852	354	94	85	86	89
34	Smallpox	12	6	2	2	2	-	-	-	-	-
35	Measles	2,279	920	906	234	219	114	42	50	12	10
36	Acute poliomyelitis and acute polioencephalitis	807	449	286	50	42	65	27	22	9	7
37a,c	Infectious encephalitis lethargica (acute and unqualified)	834	470	313	31	20	12	9	3	-	-
37b	Sequelae of encephalitis lethargica	258	155	99	1	3	1	1	-	-	-
38	Other diseases due to filtrable viruses	176	91	66	12	7	2	-	2	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	265	147	87	17	14	13	5	6	1	1
40	Ankylostomiasis	7	1	5	1	-	1	-	1	-	-
41	Hydatid disease	20	12	8	-	-	-	-	-	-	-
42	Other diseases caused by helminths	88	33	27	12	16	1	-	1	-	-
43	Mycoses	324	165	82	51	26	5	2	1	-	2
44	Other infectious and parasitic (communicable) diseases	2,079	1,172	690	101	116	29	7	9	5	8
	II.—Cancer and other tumors	166,225	73,731	80,864	4,541	7,089	2,008	623	749	195	441
45-55	Cancer and other malignant tumors	159,926	71,984	77,272	4,384	6,286	1,884	599	716	187	382
45	Cancer of buccal cavity and pharynx	5,111	3,904	883	214	110	78	45	20	8	5
45a-e	Cancer of buccal cavity	3,514	2,714	586	132	82	54	28	14	7	5
45f	Cancer of pharynx	1,597	1,190	297	82	28	24	17	6	1	-
46	Cancer of digestive organs and peritoneum	73,039	37,277	31,529	2,449	1,784	676	258	235	92	91
46a	Cancer of esophagus	2,834	2,042	593	171	28	21	9	7	2	3
46b,c	Cancer of stomach and duodenum	25,953	14,743	9,305	1,237	668	271	110	75	47	39
46f	Cancer of liver and biliary passages	9,881	4,000	5,294	301	286	127	42	54	15	16
46g	Cancer of pancreas	5,691	3,034	2,397	146	114	32	15	10	5	4
46d,e,h,m	Cancer of other digestive organs and peritoneum	28,680	13,458	13,940	594	688	225	84	89	23	29
47	Cancer of respiratory system	10,241	7,455	2,278	364	144	76	39	24	7	6
48	Cancer of uterus	16,516	...	14,176	...	2,340	365	...	185	...	180
49	Cancer of other female genital organs	4,674	...	4,425	...	249	38	...	30	...	8
50	Cancer of breast	15,526	198	14,344	12	972	161	2	101	2	56
51	Cancer of male genital organs	10,171	9,556	...	615	...	124	91	...	33	...
52	Cancer of urinary organs (male and female)	7,686	4,715	2,583	227	161	73	29	29	12	3
53	Cancer of skin (except vulva and scrotum)	3,443	2,075	1,244	59	65	93	52	35	3	3
54	Cancer of central nervous system *	2,511	1,434	995	47	35	23	7	9	6	1
55	Cancer of other and unspecified organs	11,008	5,370	4,815	397	426	177	76	48	24	29
56a	Nonmalignant tumors of ovary	737	...	641	...	96	9	...	5	...	4
56b	Nonmalignant tumors of uterus	1,855	...	1,327	...	528	48	...	10	...	38
56c	Nonmalignant tumors of other female genital organs	47	...	38	...	9	2	...	-	...	2
56d,e	Nonmalignant tumors of other and unspecified organs	1,376	845	638	56	37	8	2	5	-	1

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
5,989	3,092	1,686	644	567	16,250	6,510	4,731	2,659	2,350	81,421	46,013	31,980	2,267	1,161	12,108	6,838	5,000	157	113	
1,233	572	275	207	179	2,437	778	680	509	470	6,069	3,591	1,795	485	198	1,120	660	407	42	11	
2	-	-	2	-	55	15	16	13	11	31	18	5	4	4	5	4	1	-	-	1
1	-	1	-	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	2	-	-	1	1	4	2	1	-	1	1	1	-	-	-	5
5	-	1	1	3	9	3	4	1	1	22	10	12	-	-	5	3	2	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	3	1	2	-	-	5	3	1	-	1	7	4	3	-	-	8
41	7	20	9	5	71	32	21	10	8	112	54	53	3	2	62	33	29	-	-	9
6	3	1	1	1	53	20	23	7	3	58	43	14	-	1	25	9	13	2	1	10
4	2	1	1	-	9	2	5	1	1	12	5	7	-	-	1	1	-	-	-	11
3	2	-	1	-	14	3	3	6	2	28	18	8	1	1	2	2	-	-	-	12
850	440	179	125	106	956	302	242	197	215	3,751	2,149	1,144	321	137	550	338	178	28	6	13-22
30	30	-	-	-	1	1	-	-	-	51	51	-	-	-	23	23	-	-	-	13a
760	394	172	103	91	915	288	238	181	208	3,379	1,952	1,011	297	119	480	293	156	26	5	13b,c
27	5	2	14	6	9	4	2	3	-	80	38	33	3	6	11	5	5	1	-	14
12	2	1	3	6	8	3	1	-	4	38	12	17	7	2	8	3	5	-	-	15
3	1	-	2	-	4	-	-	3	1	28	13	12	2	1	8	4	4	-	-	16
1	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	17a
-	-	-	-	-	3	1	-	2	-	10	4	5	1	-	-	-	-	-	-	17b
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	2	-	-	2	-	6	-	5	-	1	-	-	-	-	-	19
5	4	1	-	-	3	3	-	-	-	45	25	16	2	2	7	3	4	-	-	20
-	-	-	-	-	-	-	-	-	-	17	11	5	-	1	-	-	-	-	-	21
11	4	2	2	3	8	1	-	6	1	85	40	35	6	4	12	6	4	1	1	22a
1	-	1	-	-	2	1	-	-	1	10	2	5	2	1	1	1	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
10	3	3	1	3	42	14	15	8	5	49	25	20	2	2	17	9	8	-	-	24
2	1	1	-	-	3	2	-	-	1	13	3	7	-	3	-	-	-	-	-	25
-	-	-	-	-	13	11	2	-	-	1	1	-	-	-	-	-	-	-	-	26
41	14	13	7	7	97	37	36	12	12	77	35	34	5	3	12	8	4	-	-	27
-	-	-	-	-	159	34	48	39	38	4	3	1	-	-	1	-	1	-	-	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	29
76	37	15	12	12	234	72	23	82	57	1,248	858	233	126	31	146	102	31	10	3	30
-	-	-	-	-	7	3	1	3	-	45	36	7	2	-	4	4	-	-	-	30a
9	5	3	1	-	69	32	6	22	9	219	152	42	18	7	42	29	8	5	-	30b
3	1	2	-	-	16	7	1	5	3	139	82	35	17	5	13	10	3	-	-	30c
14	8	3	2	1	23	9	3	5	6	426	302	75	41	8	52	40	7	3	2	30d
5	4	-	1	-	20	6	-	9	5	100	73	10	17	-	9	8	1	-	-	30e
45	19	7	8	11	99	15	12	38	34	319	213	64	31	11	26	11	12	2	1	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
4	3	1	-	-	13	6	5	2	-	8	4	3	1	-	-	-	-	-	-	32
39	25	10	2	2	355	103	127	65	60	267	141	115	6	5	130	56	73	-	1	33a
41	22	17	2	-	258	81	74	56	47	118	61	53	2	2	72	38	33	1	-	33b
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	34
95	7	8	41	39	48	19	24	2	3	10	6	4	-	-	18	9	9	-	-	35
2	-	1	-	1	12	4	6	1	1	20	14	6	-	-	4	2	2	-	-	36
4	1	2	1	-	2	-	1	1	-	29	18	9	1	1	25	16	9	-	-	37a,c
-	-	-	-	-	1	1	-	-	-	12	8	3	-	1	4	1	3	-	-	37b
-	-	-	-	-	2	1	-	1	-	6	5	1	-	-	2	2	-	-	-	38
-	-	-	-	-	3	3	-	-	-	2	2	-	-	-	5	4	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	41
1	1	-	-	-	1	1	-	-	-	3	2	1	-	-	-	-	-	-	-	42
3	2	1	-	-	4	2	1	-	1	33	15	6	11	1	5	4	-	1	-	43
3	2	-	1	-	17	8	2	4	3	138	83	52	1	2	20	13	7	-	-	44
396	178	188	17	13	1,312	495	570	75	172	10,587	4,873	5,357	211	146	1,343	634	678	11	20	
369	170	169	17	13	1,251	481	542	73	155	10,249	4,774	5,137	206	132	1,258	604	625	10	19	45-55
10	7	3	-	-	40	24	8	5	3	304	233	54	17	-	26	16	10	-	-	45
9	6	3	-	-	28	18	5	2	3	225	177	38	10	-	21	12	9	-	-	45a-e
1	1	-	-	-	12	6	3	3	-	79	56	16	7	-	5	4	1	-	-	45f
171	82	71	9	9	493	217	191	42	43	4,491	2,377	1,943	123	48	590	327	256	2	5	46
2	1	1	-	-	9	-	6	1	2	188	141	39	6	2	11	9	2	-	-	46a
79	39	30	5	5	217	112	65	22	18	1,641	986	567	61	27	242	145	95	1	1	46b,c
20	7	13	-	-	98	35	48	3	12	527	219	287	17	4	77	30	46	-	1	46f
12	6	4	1	1	25	13	7	3	2	400	235	150	11	4	66	39	26	-	1	46g
58	29	25	3	3	144	57	65	13	9	1,735	796	900	28	11	194	104	87	1	2	46d,e,h,m
28	21	7	-	-	54	42	11	-	1	739	546	169	21	3	75	51	19	4	1	47
40	...	40	...	-	206	...	127	...	79	920	...	884	...	36	114	...	109	...	5	48
9	...	9	...	-	27	...	24	...	3	362	...	356	...	6	30	...	29	...	1	49
27	2	23	-	2	107	-	89	1	17	1,125	15	1,087	-	21	124	1	116	-	7	50
27	23	...	4	...	96	80	...	16	...	698	680	...	18	...	87	86	...	1	...	51
19	9	10	-	-	52	42	9	1	-	561	364	185	5	7	66	41	23	2	-	52
11	11	-	-	-	57	26	28	1	2	161	99	60	2	-	29	22	7	-	-	53
2	2	-	-	-	13	6	6	1	-	203	103	96	2	2	17	9	8	-	-	54
25	13	8	4	2	106	44	49	6	7	697	357	303	18	9	100	51	48	1	-	55
5	...	5	...	-	2	...	1	...	1	41	...	39	...	2	8	...	8	...	-	56a
6	...	6	...	-	20	...	13	...	7	88	...	80	...	8	19	...	18	...	1	56b
-	...	-	...	-	1	...	-	...	1	3	...	3	...	-	2	...	2	...	-	56c
3	2	1	-	-	4	-	4	-	-	118	54	59	3	2	13	5	8	-	-	56d,e

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		All other		Total deaths	White		All other	
			Male	Female	Male	Female		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	30	...	25	...	5	1	...	-	...	1
57b.	Tumors of uterus (nature unspecified)	27	...	17	...	10	3	...	2	...	1
57c	Tumors of other female genital organs (nature unspecified)	20	...	11	...	9	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	2,207	1,102	895	101	109	53	22	11	8	12
	III.—Rheumatism, diseases of nutrition, etc. *	45,679	15,379	26,207	1,377	2,716	707	177	247	95	188
58a-d	Acute rheumatic heart diseases	1,148	450	492	98	108	28	4	12	7	5
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	492	180	185	69	58	12	2	-	7	3
59	Chronic rheumatism and other rheumatic diseases	1,789	617	1,052	57	63	31	10	15	3	3
60	Gout	3	3	-	-	-	-	-	-	-	-
61	Diabetes mellitus	33,879	11,787	19,833	734	1,525	353	101	138	40	74
62	*Diseases of pituitary gland*	138	62	67	5	4	1	1	-	-	-
63a	Simple goiter	194	39	127	-	28	3	-	-	-	3
63b	Exophthalmic goiter	3,309	475	2,581	39	214	34	4	19	2	9
63c-e	Other diseases of thyroid and parathyroid glands	393	103	264	5	21	4	1	2	-	1
64	Diseases of thymus gland	1,220	688	400	77	55	20	10	4	3	3
65	Diseases of adrenal glands (not specified as tuberculous)	452	203	223	13	13	5	3	2	-	-
66	Other general diseases	471	166	195	63	47	25	10	7	2	6
67	Scurvy	30	14	11	2	3	-	-	-	-	-
68	Beriberi	49	25	13	5	6	-	-	-	-	-
69	Pellagra (except alcoholic)	1,836	474	663	174	525	184	30	48	27	79
70	Rickets	139	41	44	28	26	3	-	-	3	-
71	Other avitaminoses	137	52	57	8	20	4	1	-	1	2
	IV.—Diseases of the blood and blood-forming organs	9,580	4,824	4,121	330	305	133	48	43	19	23
72	Hemorrhagic conditions	552	253	242	32	25	18	5	7	6	-
73a	Pernicious anemia	1,998	881	1,017	45	55	26	4	13	4	5
73b-d	Other anemias (except splenic)	1,081	479	442	72	88	16	3	4	3	6
74a	Leukemias	4,954	2,715	1,990	143	106	60	30	15	4	11
74b	Aleukemias	256	137	109	7	3	1	-	1	-	-
75	Diseases of spleen	458	236	180	24	18	4	1	-	2	1
76	Other diseases of the blood and blood-forming organs	281	123	141	7	10	8	5	3	-	-
	V.—Chronic poisoning and intoxication	2,607	1,947	316	267	77	32	17	3	8	4
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	72	52	15	4	1	2	2	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	2,386	1,806	280	250	70	25	12	1	8	4
78	Lead poisoning	70	51	6	10	3	2	2	-	-	-
79	Chronic poisoning by other mineral or organic substances	79	38	35	3	3	3	1	2	-	-
	VI.—Diseases of the nervous system, etc. *	134,614	59,680	57,854	8,282	8,798	2,756	783	761	584	628
80	Encephalitis (nonepidemic)	1,431	724	532	100	75	31	12	8	5	6
81	Meningitis (not due to meningococcus)	2,193	1,072	706	232	183	74	21	14	19	20
82	Diseases of spinal cord (see exceptions) *	2,691	1,455	1,023	132	81	35	14	12	5	4
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	108,382	44,826	44,996	6,404	7,156	2,192	624	580	464	524
83b	Cerebral embolism and thrombosis	10,674	5,076	4,988	321	289	42	20	11	9	2
83c	Cerebral softening	773	371	349	24	29	5	1	-	3	1
83d	Hemiplegia and other paralysis of unspecified origin	3,755	1,517	1,431	380	427	136	26	39	30	41
84	Mental diseases and deficiency (see exception) *	1,410	468	873	122	147	66	8	44	7	7
85	Epilepsy	2,327	1,093	844	242	148	70	24	14	20	12
86	Convulsions (under 5 years)	523	187	172	86	78	24	2	9	9	4
87	Other diseases of nervous system	3,517	1,847	1,458	126	86	45	12	18	12	3
88	Diseases of organs of vision	55	21	23	6	5	1	-	1	-	-
89a	Otitis and other diseases of the ear	1,295	696	465	68	66	24	13	8	-	3
89b	Diseases of mastoid process	598	327	194	39	28	11	6	3	1	1
	VII.—Diseases of the circulatory system	415,545	222,794	156,579	19,245	16,927	5,397	1,977	1,258	1,148	1,014
90	Pericarditis (except acute rheumatic)	592	310	170	57	55	11	6	1	1	3
91a,b	Bacterial and other acute or subacute endocarditis	2,382	1,127	927	189	159	41	12	13	8	8
91c	Endocarditis (unspecified, under 45 years)	295	111	93	53	38	5	3	-	2	-
92a-d	Chronic endocarditis and diseases of the valves *	39,177	18,071	16,103	2,612	2,391	1,035	292	217	287	239
92e	Endocarditis (unspecified, 45 years and over)	2,520	1,157	1,001	177	185	19	7	6	4	2
93a	Acute myocarditis (except rheumatic)	3,934	1,878	1,394	321	341	151	28	47	25	31
93b	Myocarditis (unspecified, under 45 years)	679	264	186	110	139	14	1	2	8	3
93c,d	Chronic myocarditis and myocardial degeneration	176,944	86,479	75,775	7,651	7,039	1,982	697	507	429	349
93e	Other myocarditis (unspecified)	17,630	8,876	6,679	1,064	1,011	157	54	20	41	42
94a	Diseases of coronary arteries	100,535	68,044	28,163	2,567	1,761	942	469	206	139	128
94b	Angina pectoris	6,651	4,348	1,795	288	220	165	93	28	17	27
95a	Functional diseases of heart, etc. *	1,044	519	444	38	43	12	9	1	1	1
95b,c	Other and unspecified diseases of heart	33,778	16,979	11,649	2,782	2,388	515	181	102	128	104
96	Aneurysm (except of heart and aorta)	1,372	819	423	86	44	13	5	3	2	3
97	Arteriosclerosis (except coronary or renal sclerosis)	22,909	11,529	9,786	881	733	242	93	78	28	43
98	Gangrene	496	219	171	61	45	10	3	2	2	3
99	Other diseases of arteries	1,880	963	799	59	59	26	6	8	5	7
100	Diseases of veins	926	427	431	29	39	4	-	-	-	4
101	Diseases of lymphatic system	70	29	20	11	10	2	-	-	1	1
102	High blood pressure (idiopathic)	1,569	574	575	223	197	59	18	14	14	15
103	Other diseases of circulatory system	182	71	35	46	30	12	2	3	6	1
	VIII.—Diseases of the respiratory system	78,156	37,616	27,340	7,569	5,631	1,683	530	400	427	326
104a	Diseases of nasal fossae	330	100	89	84	77	21	2	2	8	9
104b	Diseases of accessory sinuses	691	416	197	59	19	7	4	2	1	-
105	Diseases of larynx	324	165	105	30	24	5	-	2	1	2
106a	Acute bronchitis	966	458	380	65	63	16	5	6	4	1

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	57a
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
13	6	7	-	-	33	14	10	2	7	86	45	37	2	2	43	25	17	1	-	57d,e
113	47	52	5	9	357	106	152	43	56	2,221	896	1,231	38	56	270	119	145	1	5	
4	2	1	1	-	5	1	2	1	1	25	14	10	-	1	16	12	4	-	-	58a-d
-	-	-	-	-	14	4	8	2	-	5	3	1	-	1	6	3	2	1	-	58e,f
10	5	5	-	-	16	7	8	1	-	100	29	68	2	1	10	4	6	-	-	59
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	60
68	31	26	3	8	200	74	85	21	20	1,684	682	933	27	42	177	77	96	-	4	61
1	-	1	-	-	1	-	1	-	-	8	4	3	-	1	1	1	-	-	-	62
3	-	3	-	-	1	-	1	-	-	9	3	6	-	-	7	2	5	-	-	63a
8	-	7	1	-	25	3	17	1	4	148	21	118	3	6	21	2	18	-	1	63b
1	-	1	-	-	2	-	2	-	-	29	3	26	-	-	4	1	3	-	-	63c-e
5	2	3	-	-	5	1	3	1	-	91	64	21	5	1	16	11	5	-	-	64
1	1	-	-	-	1	-	1	-	-	42	23	17	1	1	4	3	1	-	-	65
2	2	-	-	-	10	2	6	1	1	15	8	7	-	-	4	1	3	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	1	-	-	7	6	1	-	-	-	-	-	-	-	68
8	4	3	-	1	72	12	16	15	29	50	32	17	-	1	1	-	1	-	-	69
1	-	1	-	-	4	2	1	-	1	2	1	1	-	-	2	1	1	-	-	70
1	-	1	-	-	-	-	-	-	-	4	1	2	-	1	1	1	-	-	-	71
35	17	14	2	2	85	39	30	8	6	563	324	228	6	5	86	52	32	2	-	
6	3	1	1	1	6	2	3	-	1	31	16	14	1	-	5	4	1	-	-	72
5	1	4	-	-	18	5	10	2	1	97	50	47	-	-	20	13	6	1	-	73a
7	3	3	1	-	17	7	6	2	2	43	30	9	3	1	8	3	5	-	-	73b-d
15	9	5	-	1	37	23	9	3	2	315	183	127	2	3	35	19	15	1	-	74a
1	1	-	-	-	1	-	-	1	-	22	13	9	-	-	2	2	-	-	-	74b
-	-	-	-	-	2	-	2	-	-	36	21	15	-	-	11	8	3	-	-	75
1	-	1	-	-	2	2	-	-	-	19	11	7	-	1	5	3	2	-	-	76
13	11	-	2	-	20	12	1	6	1	159	120	28	9	2	37	30	6	-	1	
1	1	-	-	-	-	-	-	-	-	8	5	3	-	-	-	-	-	-	-	77a,b
12	10	-	2	-	18	11	1	5	1	144	109	25	8	2	35	28	6	-	1	77c-e
-	-	-	-	-	1	-	-	1	-	4	4	-	-	-	-	-	-	-	-	78
-	-	-	-	-	1	1	-	-	-	3	2	-	1	-	2	2	-	-	-	79
370	199	132	20	19	1,463	590	476	180	217	7,116	3,392	3,468	147	109	1,124	570	527	16	11	
18	9	5	2	2	19	9	6	2	2	58	33	23	2	-	41	26	13	2	-	80
8	4	3	-	1	29	14	8	4	3	85	51	29	1	2	13	7	6	-	-	81
8	3	4	1	-	24	8	7	6	3	172	103	63	5	1	27	15	12	-	-	82
264	142	99	11	12	1,138	455	359	143	181	5,344	2,471	2,666	119	88	845	416	407	11	11	83a
21	15	4	2	-	28	16	10	2	-	897	441	433	9	14	68	38	28	2	-	83b
-	-	-	-	-	3	2	1	-	-	108	58	49	1	-	4	1	3	-	-	83c
12	7	3	1	1	97	28	36	17	16	33	20	13	-	-	26	19	7	-	-	83d
2	1	1	-	-	47	18	22	1	6	52	25	24	2	1	6	1	5	-	-	84
8	4	3	1	-	30	13	11	2	4	91	54	32	3	2	20	7	13	-	-	85
4	1	2	1	-	7	2	2	1	2	4	1	2	1	-	1	1	-	-	-	86
9	4	4	1	-	29	17	10	2	-	185	84	99	1	1	45	27	17	1	-	87
1	-	1	-	-	-	-	-	-	-	3	2	1	-	-	2	2	-	-	-	88
10	7	1	-	2	9	7	2	-	-	66	33	30	3	-	22	8	14	-	-	89a
5	2	2	-	1	3	1	2	-	-	20	16	4	-	-	4	2	2	-	-	89b
1,114	727	325	37	25	3,052	1,425	830	442	355	27,773	16,498	10,549	476	250	3,284	1,949	1,277	30	28	
2	1	1	-	-	10	5	3	1	1	54	37	15	2	-	4	3	1	-	-	90
4	1	2	1	-	29	8	9	7	5	147	85	53	4	5	18	10	8	-	-	91a,b
-	-	-	-	-	6	-	2	2	2	9	3	6	-	-	2	-	2	-	-	91c
121	65	48	8	2	414	163	136	65	50	2,056	1,152	841	44	19	386	189	191	2	4	92a-d
6	5	1	-	-	39	15	12	5	7	84	43	37	2	2	34	18	16	-	-	92e
18	15	2	1	-	65	29	9	22	5	144	77	56	7	4	32	15	16	1	-	93a
4	2	2	-	-	11	3	1	3	4	18	13	3	1	1	1	1	-	-	-	93b
388	254	119	8	7	804	340	243	122	99	13,442	7,477	5,575	256	134	1,155	660	468	16	13	93c,d
57	43	12	1	1	130	54	38	26	12	642	361	259	12	10	260	158	98	3	3	93e
274	205	60	5	4	589	365	151	45	50	7,458	5,152	2,221	74	31	801	580	213	4	4	94a
24	20	4	-	-	116	69	26	9	12	209	143	65	1	-	67	50	17	-	-	94b
3	1	1	1	-	26	13	9	4	-	35	14	20	1	-	6	2	2	-	2	95a
127	62	49	9	7	558	233	158	94	73	1,077	614	427	16	20	265	139	121	3	2	95b,c
9	6	3	-	-	11	3	2	4	2	191	124	60	5	2	14	10	4	-	-	96
59	35	19	3	2	168	86	45	18	19	1,987	1,099	822	46	20	180	86	93	1	-	97
-	-	-	-	-	12	4	2	5	1	21	10	10	-	1	5	3	2	-	-	98
7	6	-	1	-	16	7	7	2	-	112	65	45	2	-	29	16	13	-	-	99
6	4	1	1	-	9	5	3	-	1	47	29	14	3	1	16	8	8	-	-	100
2	-	-	-	2	1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	101
3	2	1	-	-	52	23	13	5	11	37	18	19	-	-	7	-	7	-	-	102
-	-	-	-	-	6	2	-	3	1	2	1	1	-	-	1	1	-	-	-	105
505	220	130	85	72	1,220	488	359	216	177	3,832	2,280	1,361	125	66	868	463	382	13	10	
11	-	-	6	5	4	-	-	1	3	4	1	-	3	-	1	-	1	-	-	104a
4	2	2	-	-	17	12	4	1	-	40	24	14	2	-	15	9	6	-	-	104b
2	1	1	-	-	6	3	-	2	1	7	2	5	-	-	4	2	1	-	1	105
5	2	1	2	-	5	2	3	-	-	40	24	15	-	1	7	5	2	-	-	106a

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		All other		Total deaths	White		All other	
			Male	Female	Male	Female		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	1,846	1,039	702	60	45	15	5	8	1	1
106c	Bronchitis (unspecified)	685	306	286	55	38	7	1	2	2	2
107	Bronchopneumonia (including capillary bronchitis)	31,411	14,509	12,051	2,679	2,172	603	198	164	129	112
108	Lobar pneumonia	27,667	13,587	8,867	3,079	2,134	727	236	158	193	140
109	Pneumonia (unspecified)	4,857	1,984	1,472	798	603	151	29	20	64	38
110	Pleurisy (not specified as tuberculous)	1,858	1,117	487	166	88	23	9	4	5	5
111a	Hemorrhagic infarction and thrombosis of lungs	1,172	602	463	63	44	15	5	4	4	2
111b,c	Acute edema, chronic and unspecified congestion of lungs	2,005	834	961	104	106	27	13	9	-	5
112	Asthma	2,337	1,147	928	132	130	40	13	11	9	7
113	Pulmonary emphysema	141	102	27	8	4	2	1	-	1	-
114	Other diseases of respiratory system (except tuberculosis)	1,866	1,250	345	187	84	24	9	8	5	2
	IX.—Diseases of the digestive system	75,193	38,219	26,809	5,541	4,624	1,545	563	336	343	303
115a,b,d	Diseases of buccal cavity and adnexa	1,672	754	623	137	158	56	14	20	11	11
115c	Diseases of pharynx and tonsils	1,157	521	430	108	98	25	5	7	7	6
116	Diseases of esophagus	201	96	74	19	12	3	2	-	1	-
117a	Ulcer of stomach	6,165	4,545	950	495	175	97	49	7	30	11
117b	Ulcer of duodenum	2,699	2,172	382	121	24	40	28	4	8	-
118	Other diseases of stomach (except cancer)	2,120	848	520	382	370	76	15	9	20	32
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	10,847	4,668	3,517	1,434	1,228	374	117	77	93	87
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	3,124	1,210	1,285	303	326	111	40	24	16	31
121	Appendicitis	10,789	5,839	3,643	742	565	253	105	62	50	36
122a	Hernia	4,806	2,825	1,713	351	117	58	29	8	15	6
122b	Intestinal obstruction	6,751	2,673	2,967	469	622	141	37	32	33	39
123	Other diseases of intestines	1,666	835	596	118	117	22	9	4	5	4
124a	Cirrhosis of liver (with mention of alcoholism)	1,503	1,095	330	64	14	15	12	-	3	-
124b	Cirrhosis of liver (without mention of alcoholism)	10,373	6,309	3,438	390	236	125	57	22	32	14
125a	Acute yellow atrophy of liver (nonpuerperal)	575	220	260	32	56	11	4	2	2	3
125b	Other diseases of liver	1,082	502	389	106	85	25	9	7	6	3
126	Biliary calculi	4,439	1,331	2,983	39	86	42	14	25	1	2
127	Other diseases of gallbladder and biliary ducts	3,097	1,049	1,851	66	131	33	10	15	3	5
128	Diseases of pancreas (except diabetes mellitus)	837	426	346	35	30	6	3	2	1	-
129	Peritonitis (cause not stated)	1,310	501	512	123	174	32	4	9	6	13
	X.—Diseases of the genito-urinary system	116,673	55,750	42,483	10,071	8,369	2,907	884	630	794	599
130	Acute nephritis	3,013	1,215	892	474	432	110	31	16	29	34
131a	Arteriosclerotic kidney	65,886	29,609	26,522	5,137	4,618	1,561	450	355	405	351
131b	Other chronic nephritis	26,638	12,213	9,891	2,493	2,041	860	273	193	240	154
132	Nephritis unspecified (10 years and over)	4,417	2,048	1,399	515	455	73	21	13	22	17
133	Other diseases of kidneys and ureters, etc.*	3,712	1,654	1,562	277	219	70	20	21	19	10
134	Calculi of urinary passages	1,664	1,013	547	74	30	21	14	3	3	1
135	Diseases of urinary bladder	665	306	225	106	28	18	5	5	6	2
136	Diseases of urethra (except calculus)	437	228	21	184	4	16	2	1	12	1
137	Diseases of prostate	8,237	7,440	...	797	...	126	68	...	58	...
138	Diseases of other male genital organs (except venereal)	38	24	...	14	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	1,319	...	873	...	446	31	...	11	...	20
139b	Diseases of uterus	607	...	520	...	87	21	...	12	...	9
139c	Diseases of other and unspecified female genital organs	40	...	31	...	9	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	7,956	...	5,864	...	2,092	337	...	138	...	199
140	Abortion with mention of infection	1,014	...	731	...	283	36	...	15	...	21
140a,b	Abortion (septic), spontaneous or therapeutic*	766	...	530	...	236	31	...	11	...	20
140c,d	Abortion (septic), self-induced or nontherapeutic*	248	...	201	...	47	5	...	4	...	1
141	Abortion without mention of infection	370	...	269	...	101	16	...	6	...	10
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	101	...	80	...	21	4	...	-	...	4
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	238	...	166	...	72	9	...	6	...	3
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	31	...	23	...	8	3	...	-	...	3
142a	Ectopic gestation, with mention of infection	77	...	55	...	22	2	...	-	...	2
142b	Ectopic gestation, without mention of infection	281	...	203	...	78	15	...	6	...	9
143a	Placenta praevia (death before delivery)	27	...	19	...	8	1	...	-	...	1
143b,c	Other hemorrhages of pregnancy (death before delivery)	36	...	26	...	10	1	...	1	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	552	...	369	...	183	33	...	12	...	21
144c,d	Other toxemias of pregnancy (death before delivery)*	217	...	143	...	74	10	...	4	...	6
145	Other diseases and accidents of pregnancy (death before delivery)	268	...	198	...	70	7	...	3	...	4
146a	Placenta praevia (with childbirth)	251	...	196	...	55	7	...	5	...	2
146b,c	Other hemorrhages of childbirth and puerperium	795	...	648	...	147	31	...	18	...	13
147a,b	Puerperal pyelitis, other general or local puerperal infection*	1,178	...	789	...	389	48	...	16	...	32
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	765	...	654	...	111	15	...	10	...	5
148a,b	Puerperal eclampsia and nephritis*	955	...	659	...	296	57	...	19	...	38
148c,d	Other puerperal toxemias	206	...	160	...	46	11	...	7	...	4
149	Other accidents and specified conditions of childbirth	517	...	432	...	85	13	...	7	...	6
150	Other and unspecified conditions of childbirth and puerperium	447	...	313	...	134	34	...	9	...	25
	XII.—Diseases of the skin and cellular tissue	1,346	568	539	103	136	45	14	17	6	8
151	Carbuncle and furuncle	298	165	98	12	25	15	6	6	2	1
152	Phlegmon and acute abscess	359	155	117	46	41	13	2	4	4	3
153	Other diseases of skin and cellular tissue	689	248	326	45	70	17	6	7	-	4
	XIII.—Diseases of the bones, etc.*	1,054	564	341	89	60	25	12	6	3	4
154	Osteomyelitis and periostitis	600	339	164	59	38	20	8	5	3	4
155	Other diseases of bones (except tuberculosis)	146	74	67	2	3	2	2	-	-	-
156	Diseases of joints and other organs of movement	308	151	110	28	19	3	2	1	-	-
157	XIV.—Congenital malformations	13,922	7,050	5,949	510	413	224	97	81	23	23

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
15	13	1	-	1	21	9	10	1	1	108	71	36	-	1	21	12	9	-	-	106b
3	2	-	1	-	16	8	4	4	-	14	7	6	-	1	14	10	4	-	-	108c
235	87	59	40	49	461	168	142	80	71	2,041	1,126	808	67	40	358	176	175	5	2	107
131	66	38	18	9	465	180	135	80	70	994	668	276	34	16	294	162	120	7	5	108
28	8	3	12	5	123	40	33	33	17	62	35	19	4	4	29	19	9	-	1	109
10	6	4	-	-	22	11	7	2	2	154	106	43	5	-	24	14	10	-	-	110
5	2	3	-	-	6	5	-	-	1	72	44	26	2	-	17	8	8	-	1	111a
11	2	7	1	1	17	3	5	2	7	84	31	50	1	2	21	8	13	-	-	111b,c
31	19	10	2	-	34	13	11	8	2	109	60	45	4	-	32	15	16	1	-	112
2	2	-	-	-	2	2	-	-	-	5	3	2	-	-	2	1	1	-	-	113
12	8	1	1	2	21	12	5	2	2	98	78	16	3	1	29	22	7	-	-	114
520	227	148	73	72	1,077	454	314	152	157	4,819	2,860	1,750	140	69	866	497	352	8	9	
6	3	2	-	1	35	11	9	6	9	48	26	16	3	3	18	8	10	-	-	115a,b,d
5	4	-	-	1	15	7	3	3	2	57	27	26	4	-	18	9	8	-	1	115c
1	-	-	-	1	1	1	-	-	-	15	8	5	1	1	3	3	-	-	-	116
16	14	-	2	-	71	47	9	9	6	490	395	74	21	-	74	54	18	2	-	117a
9	6	2	1	-	12	9	3	-	-	277	228	38	8	3	49	40	8	1	-	117b
19	7	5	4	3	93	19	33	17	24	52	31	19	2	-	23	16	7	-	-	118
259	95	75	46	43	242	101	76	27	38	370	198	153	12	7	125	64	60	1	-	119
32	9	6	11	6	81	27	28	18	8	91	39	44	4	4	41	19	22	-	-	120
48	30	16	2	-	188	88	44	28	28	522	309	185	17	11	143	90	51	1	1	121
20	11	5	2	2	23	11	2	6	4	269	170	89	8	2	50	37	12	1	-	122a
24	11	10	-	3	85	23	39	9	14	353	156	184	5	8	101	45	53	1	2	122b
4	2	2	-	-	25	11	5	7	2	120	65	49	3	3	21	16	5	-	-	123
5	3	2	-	-	2	2	-	-	-	377	255	109	11	2	9	7	2	-	-	124a
25	19	3	-	3	91	52	20	11	8	1,113	666	407	29	11	86	52	32	-	2	124b
4	1	1	1	1	3	2	-	-	1	38	14	22	2	-	7	3	4	-	-	125a
5	-	2	2	1	17	3	8	3	3	86	49	31	4	2	6	5	1	-	-	125b
13	3	7	-	3	21	6	13	1	1	300	102	186	5	7	32	9	22	-	1	126
10	3	5	-	2	39	18	14	5	2	138	64	72	-	2	38	14	23	-	1	127
9	4	4	1	-	4	3	1	-	-	63	33	28	1	1	9	4	4	-	1	128
6	2	1	1	2	29	13	7	2	7	40	25	13	-	2	13	2	10	1	-	129
301	170	82	33	16	1,598	623	414	336	225	5,515	3,140	2,147	139	89	1,065	592	448	18	7	
13	7	2	3	1	84	28	26	20	10	74	43	27	1	3	21	8	13	-	-	130
151	87	39	18	7	684	270	193	119	102	3,148	1,673	1,349	80	46	611	315	283	9	4	131a
67	28	30	5	4	531	208	129	115	79	1,171	637	485	28	21	225	125	96	3	1	131b
11	5	5	-	1	105	39	28	26	12	124	60	51	8	5	42	22	18	2	-	132
13	10	2	-	1	61	20	20	15	6	266	140	114	5	7	30	13	16	-	1	133
4	4	-	-	-	11	7	2	2	-	120	86	30	3	1	11	9	1	1	-	134
5	2	-	2	1	10	5	3	2	-	28	13	11	4	-	7	5	2	-	-	135
-	-	-	-	-	10	2	1	7	-	8	6	1	1	-	-	-	-	-	-	136
31	27	...	4	...	74	44	...	30	...	490	481	...	9	...	96	93	...	3	...	137
1	-	...	1	...	-	-	...	-	...	1	1	...	-	...	2	2	...	-	...	138
4	...	3	...	1	21	...	9	...	12	76	...	70	...	6	14	...	14	...	-	139a
1	...	1	...	-	7	...	3	...	4	8	...	8	...	-	3	...	2	...	1	139b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	3	...	3	...	-	139c
36	...	23	...	13	163	...	89	...	74	283	...	261	...	22	71	...	69	...	2	
5	...	4	...	1	24	...	13	...	11	33	...	29	...	4	14	...	14	...	-	140
5	...	4	...	1	22	...	11	...	11	23	...	19	...	4	9	...	9	...	-	140a,b
-	...	-	...	-	2	...	2	...	-	10	...	10	...	-	5	...	5	...	-	140c,d
2	...	2	...	-	14	...	8	...	6	14	...	12	...	2	4	...	4	...	-	141
-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	141a,c
2	...	2	...	-	12	...	6	...	6	10	...	9	...	1	2	...	2	...	-	141b,d
-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	2	...	2	...	-	141e,f
1	...	-	...	1	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	142a
-	...	-	...	-	4	...	3	...	1	18	...	15	...	1	2	...	2	...	-	142b
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	1	...	-	...	1	2	...	2	...	-	1	...	1	...	-	143b,c
3	...	2	...	1	19	...	9	...	10	7	...	7	...	-	8	...	7	...	1	144a,b
1	...	1	...	-	9	...	6	...	3	6	...	6	...	-	-	...	-	...	-	144c,d
-	...	-	...	-	2	...	2	...	-	7	...	7	...	-	2	...	2	...	-	145
-	...	-	...	-	3	...	2	...	1	11	...	10	...	1	2	...	2	...	-	146a
4	...	3	...	1	12	...	10	...	2	38	...	36	...	2	12	...	12	...	-	146b,c
7	...	2	...	5	29	...	11	...	18	35	...	32	...	3	8	...	7	...	1	147a,b
4	...	3	...	1	6	...	4	...	2	29	...	29	...	-	7	...	7	...	-	147c,d
2	...	1	...	1	27	...	14	...	13	31	...	28	...	3	7	...	7	...	-	148a,b
3	...	3	...	-	1	...	1	...	-	12	...	11	...	1	2	...	2	...	-	148c,d
2	...	1	...	1	5	...	3	...	2	22	...	19	...	3	1	...	1	...	-	149
2	...	1	...	1	6	...	3	...	3	17	...	15	...	2	1	...	1	...	-	150
4	-	2	-	2	19	5	6	4	4	59	26	29	2	2	5	1	3	-	1	
1	-	1	-	-	6	2	4	-	-	15	8	6	-	1	-	-	-	-	-	151
3	-	1	-	2	4	1	-	2	1	10	6	3	1	-	1	-	1	-	-	152
-	-	-	-	-	9	2	2	2	3	34	12	20	1	1	4	1	2	-	1	153
2	-	2	-	-	15	5	2	4	4	48	27	16	2	3	7	4	3	-	-	
-	-	-	-	-	13	4	1	4	4	33	20	9	1	3	3	2	1	-	-	154
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	3	1	2	-	-	155
2	-	2	-	-	2	1	1	-	-	13	6	6	1	-	1	1	-	-	-	156
85	42	32	6	5	118	64	39	9	6	744	395	319	17	13	141	89	51	1	-	157

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		All other		Total deaths	White		All other	
			Male	Female	Male	Female		M	F	M	F
	XV.—Diseases peculiar to the first year of life	53,427	26,277	18,585	4,825	3,760	1,509	549	392	303	265
158	Congenital debility (cause not stated)	2,887	1,121	788	547	431	94	26	20	27	21
159	Premature birth (cause not stated)	33,341	15,931	11,887	3,030	2,493	1,019	354	266	218	181
160a	Intracranial or spinal hemorrhage	4,930	2,841	1,595	288	206	91	42	33	9	7
160b,c	Other injuries at birth	5,959	3,230	2,141	342	246	165	74	38	22	31
161	Other diseases peculiar to the first year of life	6,510	3,154	2,154	618	384	140	53	35	27	25
162	XVI.—Senility	9,699	3,553	4,233	935	978	405	65	92	122	126
	XVII.—Violent or accidental deaths	126,864	79,014	31,624	12,358	3,668	2,714	1,182	443	842	247
163,164	Suicide	17,102	12,458	4,078	445	121	176	109	51	12	4
163	Suicide by poisoning	4,892	2,853	1,888	89	62	42	16	22	1	3
	Suicide by solid or liquid poisons	2,272	1,049	1,102	70	51	37	13	20	1	3
	Suicide by poisonous gases	2,620	1,804	786	19	11	5	3	2	-	-
164a	Suicide by hanging or strangulation	3,340	2,557	715	60	8	9	5	4	-	-
164b	Suicide by drowning	816	477	303	28	8	3	2	1	-	-
164c	Suicide by firearms and explosives	6,385	5,435	724	199	27	102	73	20	8	1
164d	Suicide by cutting or piercing instruments	736	587	107	35	7	7	6	1	-	-
164e	Suicide by jumping from high places	666	387	252	19	8	10	6	2	2	-
164f	Suicide by crushing	148	97	43	8	-	1	1	-	-	-
164g	Suicide by other or unspecified means	119	65	46	7	1	2	-	1	1	-
165-168	Homicide[1]	7,929	2,655	762	3,635	877	422	85	15	251	71
166	Homicide by firearms	4,525	1,609	459	2,032	425	228	55	6	136	31
167	Homicide by cutting or piercing instruments	2,034	382	75	1,280	317	133	10	1	88	34
168	Homicide by other means	1,370	684	228	323	135	61	20	8	27	6
169-195	Accidental deaths	101,513	63,842	26,783	8,218	2,670	2,112	988	377	575	172
169	Railway accidents (except collisions with motor vehicles)	3,550	2,776	227	519	28	126	56	5	59	6
170a	Collisions between automobiles and trains	1,840	1,255	448	108	29	28	20	3	5	-
170b	Collisions between automobiles and streetcars	118	87	23	6	2	2	2	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	37,512	25,872	7,785	3,120	735	728	408	116	171	33
170d	Motorcycle accidents (except collisions with automobiles)	499	443	42	14	-	11	11	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	360	239	86	28	7	5	1	-	2	2
171b	Other and unspecified road-transport accidents	298	199	50	44	5	12	4	3	5	-
172	Water-transport accidents	1,051	846	101	98	6	23	21	1	1	-
173	Air-transport accidents	856	828	25	3	-	30	29	1	-	-
174	Accidents in mines and quarries	1,770	1,613	17	138	2	65	30	-	35	-
175a	Accidents involving agricultural machinery and vehicles	927	818	34	73	2	10	5	-	5	-
175b,c	Other agricultural accidents, including injury by animals	1,027	885	45	95	2	6	3	1	2	-
175d	Accidents involving forestry machinery and vehicles	54	47	-	7	-	-	-	-	-	-
175e	Other forestry accidents	372	322	-	50	-	5	5	-	-	-
176	Other accidents involving machinery	1,311	1,135	29	147	-	29	16	1	12	-
177	Food poisoning	482	179	156	74	73	18	7	3	3	5
178	Accidental absorption of poisonous gas	1,464	1,001	371	70	22	6	4	-	2	-
179	Acute accidental poisoning by solids or liquids	1,191	595	387	117	92	30	8	5	9	8
180	Conflagration	1,999	1,003	485	292	219	33	7	6	14	6
181	Accidental burns (except conflagration)	4,964	2,070	1,832	515	547	199	49	58	47	45
182	Accidental mechanical suffocation	1,523	754	444	179	146	36	15	4	12	5
183	Accidental drowning	5,541	4,040	673	758	70	93	44	7	38	4
184	Accidental injury by firearms	2,414	1,726	221	375	92	90	34	8	38	10
185	Accidental injury by cutting or piercing instruments	338	169	51	94	24	24	6	1	13	4
186a	Accidental injury by fall	22,235	9,902	11,512	497	324	181	61	85	20	15
186b	Accidental injury by crushing	422	348	22	43	9	15	10	1	4	-
187	Cataclysm, etc.*	164	87	60	11	6	1	-	-	1	-
188	Injury by animals (except in agriculture and forestry)	185	135	25	20	5	5	2	1	1	1
189	Hunger or thirst	42	24	13	5	-	5	5	-	-	-
190	Excessive cold	151	101	26	17	7	5	-	-	2	3
191	Excessive heat	654	439	108	84	23	7	2	-	4	1
192	Lightning	388	242	80	69	17	28	10	7	7	4
193	Accidents due to electric currents (except lightning)	761	672	37	50	2	21	14	1	6	-
194	Poisoning by venomous animals (except in agriculture and forestry)	78	38	27	7	6	4	3	-	1	-
195a,b	Accidents due to medical or surgical intervention	46	19	17	1	9	2	1	-	-	1
195d	Obstruction, suffocation, or puncture by ingested objects	885	492	304	58	31	12	8	2	1	1
195c,e	Other and unspecified accidents	4,041	2,441	1,040	432	128	217	87	57	55	18
196	Deaths of military personnel during operations of war	1	1	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	119	58	1	60	-	4	-	-	4	-
	XVIII.—Ill-defined and unknown causes	19,982	6,672	3,904	5,011	4,395	2,482	409	295	928	850
199	Sudden death	1,347	543	277	277	250	121	42	25	27	27
200a	Ill-defined	6,820	3,147	1,379	1,286	1,008	671	119	63	254	235
200b	Found dead (cause unknown)	826	367	216	138	105	70	25	14	17	14
200c	Unknown or unspecified	10,989	2,815	2,032	3,310	3,032	1,620	223	193	630	574

*Refer to complete International List titles, table XI.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
305	144	96	30	35	647	297	213	85	52	2,522	1,352	1,058	59	53	493	298	187	5	3	
26	10	7	4	5	64	26	13	14	11	68	37	28	2	1	25	20	5	-	-	158
190	88	67	18	17	419	185	148	53	33	1,608	845	687	36	40	304	184	116	1	3	159
20	12	4	1	3	47	29	11	5	2	166	79	78	7	2	50	29	19	2	-	160a
26	13	10	1	2	58	26	26	5	1	341	196	132	8	5	67	39	27	1	-	160b,c
43	21	8	6	8	59	31	15	8	5	339	195	133	6	5	47	26	20	1	-	161
45	14	13	10	8	253	90	73	42	48	221	94	116	6	5	139	63	73	2	1	162
725	473	150	72	30	1,567	811	299	342	115	8,782	6,076	2,236	400	70	1,148	796	343	8	1	
70	48	19	1	2	139	103	28	6	2	1,563	1,097	387	69	10	228	173	54	1	-	163,164
19	9	9	-	1	28	17	9	1	1	521	303	202	11	5	60	34	26	-	-	163
15	6	8	-	1	27	16	9	1	1	296	129	152	10	5	32	13	19	-	-	
4	3	1	-	-	1	1	-	-	-	225	174	50	1	-	28	21	7	-	-	
10	8	2	-	-	14	12	2	-	-	232	161	51	16	4	23	15	8	-	-	164a
1	-	1	-	-	9	5	4	-	-	60	37	20	3	-	5	2	3	-	-	164b
30	23	7	-	-	81	63	12	5	1	550	455	69	26	-	116	102	13	1	-	164c
2	2	-	-	-	1	1	-	-	-	93	75	7	10	1	10	9	1	-	-	164d
4	3	-	-	1	2	2	-	-	-	76	45	30	1	-	12	9	3	-	-	164e
3	2	-	1	-	-	-	-	-	-	17	15	1	1	-	1	1	-	-	-	164f
1	1	-	-	-	4	3	1	-	-	14	6	7	1	-	1	1	-	-	-	164g
34	19	5	8	2	197	54	7	110	26	314	181	57	66	10	25	20	3	2	-	165-168
19	11	2	5	1	122	37	6	66	13	163	88	38	30	7	12	8	3	1	-	166
7	3	-	3	1	52	5	1	39	7	57	26	4	27	-	3	3	-	-	-	167
8	5	3	-	-	23	12	-	5	6	94	67	15	9	3	10	9	-	1	-	168
621	406	126	63	26	1,227	654	264	222	87	6,894	4,789	1,791	264	50	893	602	286	4	1	169-195
31	22	-	7	2	47	30	2	14	1	200	179	9	12	-	24	22	2	-	-	169
4	4	-	-	-	29	14	11	2	2	148	95	43	9	1	18	13	5	-	-	170a
1	1	-	-	-	-	-	-	-	-	42	28	10	4	-	1	1	-	-	-	170b
266	180	51	28	7	434	263	72	80	19	3,264	2,375	733	135	21	304	215	87	2	-	170c
4	3	-	1	-	2	2	-	-	-	70	62	6	2	-	2	2	-	-	-	170d
1	1	-	-	-	1	1	-	-	-	38	19	16	3	-	1	1	-	-	-	171a
2	1	-	1	-	5	4	1	-	-	13	13	-	-	-	-	-	-	-	-	171b
6	3	3	-	-	16	6	5	4	1	57	46	7	4	-	2	2	-	-	-	172
24	23	1	-	-	5	5	-	-	-	156	151	3	2	-	5	5	-	-	-	173
17	17	-	-	-	17	15	-	2	-	42	40	-	2	-	46	46	-	-	-	174
4	4	-	-	-	17	16	-	1	-	36	29	-	6	1	14	11	3	-	-	175a
8	5	2	1	-	20	15	1	3	1	28	27	1	-	-	16	15	1	-	-	175b,c
-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	4	4	-	-	-	25	22	-	3	-	1	1	-	-	-	175e
5	5	-	-	-	7	5	-	2	-	80	76	1	3	-	5	4	1	-	-	176
5	3	2	-	-	18	6	6	3	3	16	8	5	1	2	7	5	2	-	-	177
10	7	2	1	-	6	5	-	1	-	83	53	20	8	2	12	7	5	-	-	178
11	4	2	2	3	17	5	7	2	3	68	35	31	1	1	9	5	4	-	-	179
3	2	1	-	-	34	12	5	9	8	98	60	30	4	4	10	6	4	-	-	180
26	8	10	4	4	103	36	35	9	23	193	116	67	5	5	29	14	15	-	-	181
5	5	-	-	-	23	7	7	7	2	64	37	25	1	1	13	10	3	-	-	182
35	22	11	1	1	78	46	9	21	2	353	280	48	21	4	48	36	12	-	-	183
19	15	2	1	1	62	35	3	20	6	116	94	13	9	-	25	23	1	-	1	184
2	1	-	1	-	8	3	1	4	-	19	16	-	3	-	5	4	1	-	-	185
58	28	26	3	1	122	48	60	7	7	1,365	667	678	18	4	218	97	120	1	-	186a
3	2	1	-	-	11	7	1	3	-	27	22	2	1	2	8	7	1	-	-	186b
-	-	-	-	-	15	6	7	2	-	-	-	-	-	-	-	-	-	-	-	187
4	1	-	3	-	7	2	2	2	1	7	6	1	-	-	-	-	-	-	-	188
4	2	1	1	-	1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	189
-	-	-	-	-	2	1	-	1	-	2	2	-	-	-	2	2	-	-	-	190
18	11	4	2	1	15	8	1	5	1	12	10	2	-	-	-	-	-	-	-	191
3	-	-	2	1	17	8	-	8	1	-	-	-	-	-	9	8	1	-	-	192
6	6	-	-	-	5	5	-	-	-	33	31	1	1	-	7	7	-	-	-	193
7	2	1	1	3	3	1	2	-	-	2	1	1	-	-	-	-	-	-	-	194
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	195a,b
7	4	2	-	1	9	5	2	1	1	52	36	13	2	1	11	7	4	-	-	195d
22	14	4	3	1	67	30	23	9	5	175	144	24	6	1	40	25	14	1	-	195c,e
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	4	-	-	4	-	10	8	1	1	-	2	1	-	1	-	198
187	51	22	47	67	849	248	184	206	211	108	69	31	5	3	41	21	17	-	3	
5	4	-	-	1	58	21	16	13	8	-	-	-	-	-	5	3	2	-	-	199
69	36	15	10	8	137	48	40	24	25	52	34	16	1	1	21	11	10	-	-	200a
2	1	1	-	-	31	8	6	8	9	7	4	2	1	-	2	2	-	-	-	200b
111	10	6	37	58	623	171	122	161	169	49	31	13	3	2	13	5	5	-	3	200c

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes	18,047	9,623	7,962	232	230	3,241	1,446	1,173	348	274
	I.—Infectious and parasitic diseases	926	525	316	45	40	269	87	67	54	61
1	Typhoid fever	5	3	2	-	-	-	-	-	-	-
2	Paratyphoid fever	2	-	1	1	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	2	5	-	-	-	-	-	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	1	1	-	-	1	-	1	-	-
9	Whooping cough	9	4	4	1	-	8	2	4	-	2
10	Diphtheria (infection by C. diphtheriae)	-	-	-	-	-	1	1	-	-	-
11	Erysipelas	4	3	1	-	-	1	1	-	-	-
12	Tetanus	3	1	1	1	-	1	-	1	-	-
13-22	Tuberculosis (all forms)	587	343	195	20	29	153	45	39	34	35
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	12	12	-	-	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	528	314	176	15	23	138	42	36	28	32
14	Tuberculosis of meninges and central nervous system	9	1	5	2	1	4	2	1	1	-
15	Tuberculosis of intestines and peritoneum	7	1	4	-	2	2	-	-	1	1
16	Tuberculosis of vertebral column	8	3	4	-	1	1	-	1	-	-
17a	Tuberculosis of bones (except vertebral column)	2	1	1	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	2	-	1	1	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	6	4	2	-	-	4	1	1	2	-
21	Tuberculosis of other organs	3	2	1	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	10	5	1	2	2	4	-	-	2	2
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	12	5	7	-	-	2	-	-	-	2
25	Gonococcus infection	4	-	2	-	2	1	-	-	-	1
26	Other diseases due to bacteria (except dysentery)	1	-	1	-	-	1	1	-	-	-
27*	Dysentery	3	1	2	-	-	2	-	-	2	-
28	Malaria	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	155	98	31	19	7	50	16	7	12	15
30a	Locomotor ataxia (tabes dorsalis)	7	4	3	-	-	2	2	-	-	-
30b	General paralysis of insane	31	19	8	2	2	12	3	3	2	4
30c	Other syphilis of central nervous system	16	12	1	1	2	3	-	-	2	1
30d	Aneurysm of aorta	40	28	7	5	-	7	5	-	2	-
30e	Other syphilis of circulatory system	15	8	5	2	-	3	1	1	-	1
30f,g	Congenital, other and unspecified forms of syphilis	46	27	7	9	3	23	5	3	6	9
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	1	-	1	-	-	2	1	-	-	1
33a	Influenza, with respiratory complications specified	57	26	30	1	-	22	8	7	5	2
33b	Influenza, without respiratory complications specified	22	9	11	-	2	11	4	4	1	2
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	2	1	1	-	-	6	1	4	-	1
36	Acute poliomyelitis and acute polioencephalitis	3	3	-	-	-	1	1	-	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	2	1	1	-	-	-	-	-	-	-
37b	Sequelae of encephalitis lethargica	1	1	-	-	-	1	1	-	-	-
38	Other diseases due to filtrable viruses	3	2	1	-	-	1	1	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	-	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	1	1	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	1	-	-	-	-	-	-	-	-
43	Mycoses	2	2	-	-	-	3	3	-	-	-
44	Other infectious and parasitic (communicable) diseases	36	16	18	2	-	1	1	-	-	-
	II.—Cancer and other tumors	2,691	1,260	1,395	14	22	339	124	172	17	26
45-55	Cancer and other malignant tumors	2,598	1,227	1,336	14	21	324	121	165	16	22
45	Cancer of buccal cavity and pharynx	74	60	13	-	1	10	7	2	1	-
45a-e	Cancer of buccal cavity	43	37	6	-	-	6	5	-	1	-
45f	Cancer of pharynx	31	23	7	-	1	4	2	2	-	-
46	Cancer of digestive organs and peritoneum	1,223	652	557	8	6	140	63	66	8	3
46a	Cancer of esophagus	55	40	15	-	-	6	5	1	-	-
46b,c	Cancer of stomach and duodenum	398	248	146	3	1	53	27	23	2	1
46f	Cancer of liver and biliary passages	107	47	59	1	-	18	6	10	2	-
46g	Cancer of pancreas	103	49	54	-	-	8	2	5	1	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	560	268	283	4	5	55	23	27	3	2
47	Cancer of respiratory system	185	149	31	4	1	18	13	4	1	-
48	Cancer of uterus	205	...	199	...	6	47	...	35	...	12
49	*Cancer of other female genital organs*	99	...	98	...	1	13	...	12	...	1
50	Cancer of breast	297	5	290	-	2	44	1	37	-	6
51	Cancer of male genital organs	148	148	...	-	...	14	12	...	2	...
52	Cancer of urinary organs (male and female)	131	87	42	1	1	14	9	2	3	-
53	Cancer of skin (except vulva and scrotum)	42	27	14	-	1	7	6	1	-	-
54	Cancer of central nervous system*	35	20	15	-	-	2	2	-	-	-
55	Cancer of other and unspecified organs	159	79	77	1	2	15	8	6	1	-
56a	Nonmalignant tumors of ovary	5	...	5	...	-	6	...	4	...	2
56b	Nonmalignant tumors of uterus	18	...	18	...	-	3	...	1	...	2
56c	Nonmalignant tumors of other female genital organs	2	...	2	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	21	8	12	-	1	2	2	-	-	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
8,670	3,125	2,440	1,628	1,477	23,123	9,401	6,102	4,326	3,294	31,736	9,705	7,199	7,904	6,928	4,446	2,734	1,636	41	35	
722	184	85	249	204	2,392	638	396	780	578	3,760	924	630	1,115	1,091	240	139	89	4	8	
5	-	1	2	2	26	8	3	8	7	55	9	12	19	15	3	1	2	-	-	1
-	-	-	-	-	3	-	2	1	-	1	1	-	-	-	3	-	3	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	-	-	-	-	-	5
4	1	2	-	1	11	3	2	4	2	20	9	6	3	2	2	2	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	2	1	-	-	1	9	5	3	-	1	2	2	-	-	-	8
11	3	4	2	2	37	9	9	4	15	139	38	31	30	40	19	4	13	-	2	9
2	-	1	1	-	23	8	10	3	2	63	21	16	16	10	-	-	-	-	-	10
3	3	-	-	-	4	1	2	-	1	10	5	4	-	1	3	2	1	-	-	11
6	3	-	1	2	30	10	4	9	7	28	10	2	10	6	-	-	-	-	-	12
439	95	40	159	145	911	238	125	294	254	1,384	317	171	409	487	83	52	26	3	2	13-22
1	1	-	-	-	1	1	-	-	-	4	4	-	-	-	5	5	-	-	-	13a
385	82	30	145	128	857	221	116	277	243	1,270	291	160	363	456	71	43	23	3	2	13b,c
16	7	2	2	5	9	4	2	2	1	19	2	3	10	4	1	1	-	-	-	14
11	2	3	2	4	16	1	3	5	7	30	8	-	8	14	1	1	-	-	-	15
5	2	1	-	2	3	2	-	1	-	9	1	1	4	3	2	1	1	-	-	16
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	17a
2	-	1	-	1	1	1	-	-	-	5	1	1	2	1	-	-	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	1	1	-	-	-	3	-	-	3	-	-	-	-	-	-	19
1	-	1	-	-	3	1	1	1	-	6	3	1	1	1	1	-	1	-	-	20
2	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	21
14	1	1	10	2	18	6	2	7	3	34	7	5	17	5	1	1	-	-	-	22a
2	-	-	-	2	1	-	1	-	-	3	-	-	-	3	1	-	1	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
8	5	1	-	2	31	7	10	5	9	59	16	17	10	16	5	1	4	-	-	24
1	-	-	-	1	9	-	3	-	6	29	-	3	5	21	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	2	2	-	-	-	26
9	2	1	2	4	37	11	7	13	6	107	32	19	24	32	3	2	1	-	-	27
1	1	-	-	-	84	15	14	27	28	82	16	17	27	22	-	-	-	-	-	28
1	1	-	-	-	1	-	1	-	-	2	1	-	-	1	-	-	-	-	-	29
161	51	12	69	29	509	105	36	252	116	509	92	35	251	131	29	19	8	-	2	30
4	3	-	-	1	12	5	1	5	1	7	2	1	3	1	3	1	2	-	-	30a
49	17	1	27	4	55	23	6	20	6	111	37	11	38	25	3	2	1	-	-	30b
19	7	2	4	6	50	13	4	25	8	41	11	6	18	6	4	2	2	-	-	30c
35	9	3	18	5	76	26	5	38	7	83	15	2	52	14	9	6	3	-	-	30d
20	2	1	12	5	51	4	1	35	11	40	7	-	26	7	-	-	-	-	-	30e
34	13	5	8	8	265	34	19	129	83	227	20	15	114	78	10	8	-	-	2	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	1	-	-	1	5	2	1	1	1	12	5	-	5	2	3	2	1	-	-	32
19	5	8	-	6	333	106	78	89	60	609	157	134	154	164	32	22	9	1	-	33a
17	4	3	5	5	213	49	58	60	46	342	86	76	96	84	32	18	13	-	1	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
5	1	1	3	-	17	5	10	1	1	160	46	51	28	35	2	1	-	-	1	35
9	5	3	-	1	35	19	10	2	4	33	18	6	5	4	1	1	-	-	-	36
1	-	1	-	-	4	3	1	-	-	5	2	1	2	-	3	-	3	-	-	37a,c
1	-	1	-	-	5	4	-	-	1	1	-	1	-	-	-	-	-	-	-	37b
-	-	-	-	-	3	2	1	-	-	7	3	2	2	-	-	-	-	-	-	38
1	-	1	-	-	14	8	4	-	2	43	17	15	6	5	5	2	3	-	-	39
-	-	-	-	-	3	1	2	-	-	1	-	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	4	1	1	1	1	4	-	1	1	2	-	-	-	-	-	42
3	1	-	2	-	3	1	-	1	1	8	3	2	2	1	1	1	-	-	-	43
13	2	5	3	3	33	20	1	5	7	33	13	4	8	8	7	5	2	-	-	44
1,138	410	427	155	146	2,093	827	885	149	232	2,337	731	870	221	515	482	273	203	4	2	
1,076	388	408	147	133	1,999	808	848	146	197	2,194	707	823	204	460	471	268	198	3	2	45-55
48	37	5	6	-	104	77	13	12	2	81	46	17	11	7	13	13	-	-	-	45
32	24	3	5	-	60	40	9	9	2	56	29	16	7	4	9	9	-	-	-	45a-e
16	13	2	1	-	44	37	4	3	-	25	17	1	4	3	4	4	-	-	-	45f
432	170	140	85	37	762	345	301	75	41	780	311	258	101	110	214	144	69	1	-	46
24	12	3	9	-	15	5	5	3	2	29	12	12	4	1	2	1	1	-	-	46a
133	51	34	37	11	278	143	70	49	16	289	116	74	53	46	99	68	30	1	-	46b,c
52	20	20	9	3	98	36	50	5	7	130	47	55	12	16	27	15	12	-	-	46f
42	21	14	5	2	62	30	29	2	1	71	38	20	6	7	19	14	5	-	-	46g
181	66	69	25	21	309	131	147	16	15	261	98	97	26	40	67	46	21	-	-	46d,e,h,m
93	48	25	18	2	148	97	30	13	8	108	59	24	15	10	23	18	4	1	-	47
105	...	69	...	36	281	...	195	...	86	415	...	219	...	196	36	...	36	...	-	48
32	...	25	...	7	56	...	49	...	7	50	...	39	...	11	14	...	14	...	-	49
120	1	89	2	28	163	1	135	-	27	205	1	135	-	69	43	1	41	-	1	50
61	46	...	15	...	145	121	...	24	...	153	110	...	43	...	38	38	...	-	...	51
52	33	9	4	6	94	45	33	9	7	91	45	26	10	10	20	14	6	-	-	52
15	9	3	1	2	82	47	27	3	5	74	43	25	2	4	18	12	5	-	1	53
18	15	3	-	-	24	12	9	1	2	33	19	11	1	2	9	5	4	-	-	54
100	29	40	16	15	140	63	56	9	12	204	73	69	21	41	43	23	19	1	-	55
2	...	1	...	1	11	...	9	...	2	13	...	8	...	5	2	...	2	...	-	56a
17	...	7	...	10	39	...	9	...	30	51	...	15	...	36	1	...	1	...	-	56b
-	...	-	...	-	3	...	2	...	1	2	...	1	...	1	-	...	-	...	-	56c
9	4	2	2	1	12	6	6	-	-	29	9	10	6	4	5	3	1	1	-	56d,e

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	45	25	20	-	-	4	1	2	1	-
	III.—Rheumatism, diseases of nutrition, etc.*	721	241	459	6	15	105	34	58	5	8
58a-d	Acute rheumatic heart diseases	23	8	12	1	2	2	-	1	1	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	-	-	-	-	-	3	1	-	2	-
59	Chronic rheumatism and other rheumatic diseases	19	6	13	-	-	4	1	3	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	608	204	392	3	9	85	31	48	2	6
62	Diseases of pituitary gland	1	-	1	-	-	-	-	-	-	-
63a	Simple goiter	2	1	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	26	3	21	-	2	5	-	3	-	2
63c-e	Other diseases of thyroid and parathyroid glands	5	1	4	-	-	1	-	1	-	-
64	Diseases of thymus gland	13	7	4	2	-	3	-	3	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	5	2	3	-	-	1	1	-	-	-
66	Other general diseases	8	5	2	-	1	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	2	2	-	-	1	-	1	-	-
70	Rickets	2	-	1	-	1	-	-	-	-	-
71	Other avitaminoses	5	2	3	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	114	64	48	-	2	22	5	15	1	1
72	Hemorrhagic conditions	3	1	2	-	-	1	-	1	-	-
73a	Pernicious anemia	16	5	11	-	-	6	1	5	-	-
73b-d	Other anemias (except splenic)	14	9	5	-	-	2	-	2	-	-
74a	Leukemias	67	42	24	-	1	11	4	6	1	-
74b	Aleukemias	3	2	1	-	-	-	-	-	-	-
75	Diseases of spleen	9	5	3	-	1	2	-	1	-	1
76	Other diseases of the blood and blood-forming organs	2	-	2	-	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	45	37	6	2	-	3	3	-	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	1	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	44	36	6	2	-	3	3	-	-	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,685	769	878	18	20	306	140	122	29	15
80	Encephalitis (nonepidemic)	6	4	1	-	1	4	2	2	-	-
81	Meningitis (not due to meningococcus)	13	5	7	-	1	1	1	-	-	-
82	Diseases of spinal cord (see exception)*	38	23	14	1	-	5	3	2	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	1,274	579	666	12	17	229	99	94	23	13
83b	Cerebral embolism and thrombosis	217	87	128	2	-	39	22	16	-	1
83c	Cerebral softening	6	5	1	-	-	2	2	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	14	6	7	1	-	11	4	7	-	-
84	Mental diseases and deficiency (see exception)*	6	2	4	-	-	1	1	-	-	-
85	Epilepsy	21	11	9	1	-	5	1	1	3	-
86	Convulsions (under 5 years)	3	2	1	-	-	-	-	-	-	-
87	Other diseases of nervous system	67	37	30	-	-	5	3	-	2	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	11	5	6	-	-	2	2	-	-	-
89b	Diseases of mastoid process	9	3	4	1	1	2	-	-	1	1
	VII.—Diseases of the circulatory system	6,576	3,642	2,823	48	63	1,016	497	374	90	55
90	Pericarditis (except acute rheumatic)	2	1	1	-	-	1	1	-	-	-
91a,b	Bacterial and other acute or subacute endocarditis	37	21	13	2	1	11	2	7	2	-
91c	Endocarditis (unspecified, under 45 years)	2	1	1	-	-	-	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	392	196	188	1	7	82	32	38	4	8
92e	Endocarditis (unspecified, 45 years and over)	27	17	10	-	-	3	1	2	-	-
93a	Acute myocarditis (except rheumatic)	74	37	37	-	-	8	2	3	3	-
93b	Myocarditis (unspecified, under 45 years)	2	1	1	-	-	7	4	-	1	2
93c,d	Chronic myocarditis and myocardial degeneration	3,203	1,639	1,504	27	33	490	214	199	48	29
93e	Other myocarditis (unspecified)	174	80	90	2	2	39	16	18	3	2
94a	Diseases of coronary arteries	1,905	1,269	617	11	8	241	165	59	12	5
94b	Angina pectoris	20	10	10	-	-	7	4	3	-	-
95a	Functional diseases of heart, etc.*	4	1	3	-	-	-	-	-	-	-
95b,c	Other and unspecified diseases of heart	336	171	155	3	7	68	27	24	12	5
96	Aneurysm (except of heart and aorta)	27	18	8	-	1	4	1	1	1	1
97	Arteriosclerosis (except coronary or renal sclerosis)	307	142	160	2	3	49	24	19	4	2
98	Gangrene	4	2	2	-	-	1	-	1	-	-
99	Other diseases of arteries	29	17	11	-	1	2	1	-	-	1
100	Diseases of veins	20	12	8	-	-	-	-	-	-	-
101	Diseases of lymphatic system	-	-	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	8	5	3	-	-	2	2	-	-	-
103	Other diseases of circulatory system	3	2	1	-	-	1	1	-	-	-
	VIII.—Diseases of the respiratory system	774	444	301	18	11	191	84	53	30	24
104a	Diseases of nasal fossae	2	1	1	-	-	-	-	-	-	-
104b	Diseases of accessory sinuses	5	3	2	-	-	1	-	1	-	-
105	Diseases of larynx	2	-	2	-	-	-	-	-	-	-
106a	Acute bronchitis	19	9	9	-	1	5	5	-	-	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	3	...	-	...	3	-	...	-	...	-	57c
34	18	9	6	1	28	13	10	3	2	43	15	12	11	5	3	2	1	-	-	57d,e
250	71	105	30	44	594	218	229	55	92	753	220	274	71	188	142	59	80	-	3	
7	2	1	2	2	17	8	3	5	1	21	7	3	3	8	7	3	3	-	1	58a-d
3	1	1	-	1	8	4	-	3	1	18	7	5	1	5	3	2	1	-	-	58e,f
12	2	7	1	2	22	8	12	2	-	34	12	9	7	6	10	4	6	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
192	55	83	19	35	397	165	161	25	46	382	130	153	29	70	98	38	60	-	-	61
-	-	-	-	-	1	1	-	-	-	3	1	2	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	5	-	1	-	2	-	-	-	-	-	63a
12	1	7	2	2	28	2	17	2	7	28	2	16	3	7	14	6	6	-	2	63b
2	2	-	-	-	6	-	3	1	2	6	2	3	-	1	1	-	1	-	-	63c-e
7	2	2	1	2	15	7	5	1	2	20	12	4	3	1	5	3	2	-	-	64
4	3	-	1	-	7	4	2	-	1	6	1	4	1	-	3	2	1	-	-	65
7	2	1	4	-	17	4	3	5	5	15	4	6	3	2	1	1	-	-	-	66
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	67
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	68
4	1	3	-	-	63	9	20	9	25	203	40	66	17	80	-	-	-	-	-	69
-	-	-	-	-	9	4	3	2	-	4	-	-	2	2	-	-	-	-	-	70
-	-	-	-	-	2	2	-	-	-	9	2	2	1	4	-	-	-	-	-	71
56	30	9	13	4	130	58	48	10	14	183	74	56	24	29	33	19	14	-	-	
4	2	1	1	-	5	3	-	2	-	18	10	6	1	1	5	3	2	-	-	72
4	3	-	-	1	40	16	20	-	4	19	5	8	1	5	7	4	3	-	-	73a
10	4	3	2	1	27	9	7	3	8	42	8	8	13	13	3	1	2	-	-	73b-d
30	17	5	7	1	42	22	15	4	1	84	44	27	7	6	15	9	6	-	-	74a
3	3	-	-	-	2	1	1	-	-	5	1	3	-	1	-	-	-	-	-	74b
5	1	-	3	1	10	6	2	1	1	7	3	1	2	1	-	-	-	-	-	75
-	-	-	-	-	4	1	3	-	-	8	3	3	-	2	3	2	1	-	-	78
20	10	5	5	-	60	39	6	7	8	81	45	4	27	5	13	12	-	1	-	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	77a,b
19	9	5	5	-	58	37	6	7	8	74	39	3	27	5	11	10	-	1	-	77c-e
1	1	-	-	-	2	2	-	-	-	6	5	1	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	79
706	207	231	122	146	2,485	886	681	467	451	3,595	940	870	891	894	455	250	196	6	3	
4	3	-	-	1	26	13	5	5	3	31	9	11	6	5	5	3	1	-	1	80
21	4	5	8	4	41	15	9	8	9	80	26	15	22	17	6	2	3	-	1	81
17	6	5	3	3	51	26	15	5	5	49	19	14	9	7	12	6	6	-	-	82
491	136	176	75	106	1,975	683	527	389	376	2,917	747	699	733	738	351	201	146	3	1	83a
88	23	22	22	21	178	78	64	19	17	115	40	34	17	24	30	15	14	1	-	83b
4	1	1	1	1	6	1	4	1	-	6	1	4	-	1	1	1	-	-	-	83c
25	6	7	5	7	79	23	16	21	19	202	50	46	50	56	12	5	7	-	-	83d
4	3	1	-	-	20	4	8	3	5	32	3	11	9	9	4	3	1	-	-	84
15	7	1	4	1	30	12	8	6	4	47	11	4	20	12	12	4	7	1	-	85
1	1	-	-	-	14	5	1	5	3	38	6	3	13	16	2	1	1	-	-	86
20	10	8	1	1	42	16	19	3	4	42	12	14	10	6	15	6	9	-	-	87
-	-	-	-	-	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	88
15	6	5	3	1	14	6	3	2	3	26	11	10	2	3	3	2	-	1	-	89a
3	1	-	2	-	7	4	-	-	3	9	4	5	-	-	2	1	1	-	-	89b
2,289	934	657	331	367	5,782	3,014	1,565	679	526	6,190	2,195	1,360	1,459	1,176	1,194	788	399	5	2	
6	2	2	1	1	12	4	2	2	4	20	8	3	4	5	3	3	-	-	-	90
31	15	7	5	4	39	14	9	7	9	50	15	6	17	14	3	2	1	-	-	91a,b
1	-	-	-	1	7	2	1	3	1	13	1	1	7	4	-	-	-	-	-	91c
201	66	82	33	20	576	230	167	102	77	654	165	134	192	163	140	80	58	1	1	92a-d
11	4	3	2	2	49	18	13	7	11	74	26	10	19	19	13	5	8	-	-	92e
16	5	5	5	1	106	36	20	18	30	131	28	15	49	39	14	9	5	-	-	93a
-	-	-	-	-	51	11	3	6	11	66	8	6	21	31	1	1	-	-	-	93b
858	308	274	116	160	1,692	796	548	203	145	1,697	506	422	410	359	423	261	161	1	-	93c,d
284	71	57	76	80	354	157	100	53	44	517	166	137	127	87	68	42	25	1	-	93e
568	161	138	40	29	1,740	1,212	377	91	60	1,164	650	227	168	119	319	243	74	2	-	94a
4	1	3	-	-	150	82	40	17	11	197	110	41	19	27	30	21	9	-	-	94b
-	-	-	-	-	24	9	8	4	3	27	9	10	5	3	4	4	-	-	-	95a
153	44	33	24	32	678	308	160	127	81	1,117	365	225	299	228	100	67	32	-	1	95b,c
9	3	2	2	2	17	9	2	3	3	21	7	2	9	3	1	1	-	-	-	96
138	46	44	20	28	227	98	84	19	26	286	97	80	71	38	51	36	15	-	-	97
1	-	-	-	1	7	3	-	4	-	17	2	5	5	5	2	1	1	-	-	98
8	5	2	-	1	26	9	15	-	2	32	10	15	6	1	12	4	8	-	-	99
12	3	2	4	3	7	3	3	-	1	12	3	5	1	3	3	2	1	-	-	100
2	-	-	2	-	1	-	1	-	-	2	-	-	-	2	1	1	-	-	-	101
6	-	3	1	2	34	9	9	10	6	78	20	12	23	23	3	2	1	-	-	102
-	-	-	-	-	7	2	1	3	1	15	1	4	7	3	3	3	-	-	-	103
584	204	137	128	115	1,198	452	304	257	205	2,013	532	446	596	439	224	125	94	1	4	
-	-	-	-	-	15	-	1	8	6	24	4	3	12	5	-	-	-	-	-	104a
3	2	1	-	-	14	7	4	3	-	16	7	2	6	1	3	3	-	-	-	104b
1	-	1	-	-	5	5	-	-	-	17	9	1	3	4	1	-	1	-	-	105
10	2	5	1	2	11	5	3	2	1	25	9	8	6	4	1	1	-	-	-	106a

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	21	11	9	1	-	8	4	3	1	-
106c	Bronchitis (unspecified)	6	3	3	-	-	2	2	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	287	161	115	6	5	68	29	18	8	13
108	Lobar pneumonia	309	181	117	6	5	71	30	22	12	7
109	Pneumonia (unspecified)	22	13	7	2	-	8	2	1	4	1
110	Pleurisy (not specified as tuberculous)	20	18	1	1	-	3	2	-	-	1
111a	Hemorrhagic infarction and thrombosis of lungs	16	7	8	1	-	4	2	1	1	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	13	5	8	-	-	9	2	3	3	1
112	Asthma	26	11	14	1	-	8	3	4	1	-
113	Pulmonary emphysema	2	1	1	-	-	1	1	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	24	20	4	-	-	3	2	-	-	1
	IX.—Diseases of the digestive system	872	505	348	9	10	162	81	49	20	12
115a,b,d	Diseases of buccal cavity and adnexa	5	3	2	-	-	3	1	1	-	1
115c	Diseases of pharynx and tonsils	8	3	4	1	-	3	1	2	-	-
116	Diseases of esophagus	2	1	1	-	-	-	-	-	-	-
117a	Ulcer of stomach	85	74	9	-	2	15	11	2	2	-
117b	Ulcer of duodenum	37	32	5	-	-	6	5	-	1	-
118	Other diseases of stomach (except cancer)	12	8	3	-	1	3	1	2	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	39	23	14	1	1	31	9	8	8	6
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	16	8	8	-	-	8	5	3	-	-
121	Appendicitis	125	73	48	2	2	23	16	5	2	-
122a	Hernia	82	53	28	-	1	11	9	1	1	-
122b	Intestinal obstruction	61	25	34	-	2	14	5	6	3	-
123	Other diseases of intestines	22	14	7	1	-	5	2	2	-	1
124a	Cirrhosis of liver (with mention of alcoholism)	28	18	10	-	-	-	-	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	189	109	78	2	-	24	12	7	2	3
125a	Acute yellow atrophy of liver (nonpuerperal)	5	1	4	-	-	-	-	-	-	-
125b	Other diseases of liver	14	9	5	-	-	1	1	-	-	-
126	Biliary calculi	77	23	53	-	1	4	1	3	-	-
127	Other diseases of gallbladder and biliary ducts	26	8	17	1	-	6	1	4	-	1
128	Diseases of pancreas (except diabetes mellitus)	24	16	7	1	-	2	1	1	-	-
129	Peritonitis (cause not stated)	15	4	11	-	-	3	-	2	1	-
	X.—Diseases of the genito-urinary system	1,340	705	583	26	26	397	164	155	36	42
130	Acute nephritis	21	13	7	1	-	9	2	4	1	2
131a	Arteriosclerotic kidney	886	441	417	14	14	263	109	105	22	27
131b	Other chronic nephritis	254	135	107	4	8	87	31	37	10	9
132	Nephritis unspecified (10 years and over)	21	7	12	-	2	1	-	1	-	-
133	Other diseases of kidneys and ureters, etc.*	48	24	20	1	1	11	4	3	1	3
134	Calculi of urinary passages	12	8	3	1	-	7	4	2	1	-
135	Diseases of urinary bladder	5	2	3	-	-	-	-	-	-	-
136	Diseases of urethra (except calculus)	6	4	-	2	-	-	-	-	-	-
137	Diseases of prostate	74	71	...	3	...	15	14	...	1	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	10	...	9	...	1	4	...	3	...	1
139b	Diseases of uterus	5	...	5	...	-	-	...	-	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	56	...	53	...	3	12	...	9	...	3
140	Abortion with mention of infection	7	...	5	...	2	4	...	3	...	1
140a,b	Abortion (septic), spontaneous or therapeutic*	3	...	2	...	1	1	...	1	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	4	...	3	...	1	3	...	2	...	1
141	Abortion without mention of infection	4	...	4	...	-	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	2	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	2	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	-	...	-	...	-	1	...	-	...	1
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	1	...	1	...	-	-	...	-	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	-	...	-	...	-	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	5	...	4	...	1	-	...	-	...	-
146a	Placenta praevia (with childbirth)	4	...	4	...	-	1	...	1	...	-
146b,c	Other hemorrhages of childbirth and puerperium	4	...	4	...	-	-	...	-	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	7	...	7	...	-	2	...	1	...	1
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	9	...	9	...	-	2	...	2	...	-
148a,b	Puerperal eclampsia and nephritis*	4	...	4	...	-	-	...	-	...	-
148c,d	Other puerperal toxemias	2	...	2	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	6	...	6	...	-	2	...	2	...	-
150	Other and unspecified conditions of childbirth and puerperium	2	...	2	...	-	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	10	4	5	-	1	1	-	-	1	-
151	Carbuncle and furuncle	2	2	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	1	-	-	-	1	1	-	-	1	-
153	Other diseases of skin and cellular tissue	7	2	5	-	-	-	-	-	-	-
	XIII.—Diseases of the bones, etc.*	15	8	7	-	-	1	-	1	-	-
154	Osteomyelitis and periostitis	9	6	3	-	-	1	-	1	-	-
155	Other diseases of bones (except tuberculosis)	2	-	2	-	-	-	-	-	-	-
156	Diseases of joints and other organs of movement	4	2	2	-	-	-	-	-	-	-
157	XIV.—Congenital malformations	205	113	90	1	1	23	15	3	3	2

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
7	4	2	-	1	24	6	13	3	2	41	16	13	6	6	-	-	-	-	-	106b
5	1	2	-	2	6	4	2	-	-	16	5	2	4	5	2	1	1	-	-	106c
212	66	55	43	48	459	181	129	82	67	708	192	182	193	141	76	33	40	-	3	107
220	95	39	51	35	412	131	89	105	87	797	200	163	248	186	84	55	29	-	-	108
38	10	9	10	9	85	20	17	31	17	192	35	20	73	64	7	3	3	-	1	109
25	7	5	5	8	23	9	8	3	3	44	13	9	16	6	6	5	1	-	-	110
17	5	4	5	3	16	9	3	2	2	16	3	8	4	1	4	2	2	-	-	111a
12	4	6	1	1	42	19	12	5	6	35	10	17	4	4	11	6	5	-	-	111b,c
12	2	5	2	3	55	20	20	4	11	40	14	13	4	9	13	4	8	1	-	112
-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	113
22	6	3	10	3	28	14	3	8	3	42	15	7	17	3	16	12	4	-	-	114
605	259	133	118	95	1,399	524	337	291	247	1,768	568	394	448	360	244	151	91	-	2	
7	3	2	-	2	49	21	13	8	7	59	10	14	16	19	9	4	5	-	-	115a,b,d
5	1	-	2	2	34	8	9	10	7	37	11	12	10	4	5	4	1	-	-	115c
1	1	-	-	-	2	-	2	-	-	8	2	-	2	4	-	-	-	-	-	116
34	17	4	11	2	126	65	9	31	21	130	55	17	38	20	29	25	4	-	-	117a
21	14	1	5	1	32	26	3	2	1	38	21	6	8	3	9	5	4	-	-	117b
4	3	-	1	-	117	24	14	45	34	84	20	15	30	19	8	5	3	-	-	118
161	58	24	46	33	184	56	48	42	38	440	126	99	124	91	7	2	4	-	1	119
10	4	2	2	2	96	30	20	23	23	112	19	28	25	40	4	3	1	-	-	120
71	20	21	18	12	168	66	49	37	16	238	87	54	55	42	65	47	18	-	-	121
19	5	7	3	4	47	25	9	9	4	76	34	7	28	7	18	10	8	-	-	122a
63	16	18	11	18	147	45	43	26	33	162	35	44	42	41	24	13	11	-	-	122b
22	8	5	4	5	38	5	9	10	14	35	8	7	12	10	4	1	3	-	-	123
14	13	-	-	1	9	5	3	1	-	33	25	-	7	1	1	1	-	-	-	124a
91	65	16	8	2	171	90	42	23	16	122	65	25	15	17	23	16	6	-	1	124b
5	1	3	-	1	18	4	5	5	4	12	1	7	1	3	3	2	1	-	-	125a
13	4	4	3	2	32	10	5	13	4	48	14	13	15	6	1	1	-	-	-	125b
32	11	16	-	5	35	8	21	1	5	32	12	17	2	1	14	4	10	-	-	126
12	4	6	-	2	44	17	22	1	4	47	13	24	3	7	16	5	11	-	-	127
13	8	1	3	1	19	12	4	2	1	9	3	1	3	2	3	3	-	-	-	128
7	3	3	1	-	31	7	7	2	15	46	7	4	12	23	1	-	1	-	-	129
898	295	275	171	157	2,065	797	509	458	301	3,749	1,153	867	973	756	341	209	130	-	2	
22	5	6	6	5	92	17	23	26	26	253	46	43	88	76	8	8	-	-	-	130
640	210	205	123	102	1,085	440	293	202	150	1,914	659	479	447	349	189	111	78	-	-	131a
73	24	23	11	15	471	135	109	104	73	1,071	307	250	289	225	70	40	29	-	1	131b
39	10	12	3	14	68	13	11	31	13	119	34	18	34	33	24	13	10	-	1	132
42	11	14	6	11	79	29	34	9	7	102	21	34	23	24	8	3	5	-	-	133
17	9	3	4	1	41	18	16	7	-	36	17	14	2	3	8	7	1	-	-	134
4	2	2	-	-	25	6	2	16	1	26	4	2	16	4	5	4	1	-	-	135
5	-	1	3	1	30	4	1	24	1	17	2	1	14	-	-	-	-	-	-	136
39	24	...	15	...	123	85	...	38	...	142	83	...	59	...	23	23	...	-	...	137
-	-	...	-	...	1	-	...	1	...	1	-	...	1	...	-	-	...	-	...	138
16	...	8	...	8	39	...	13	...	26	49	...	16	...	33	3	...	3	...	-	139a
-	...	-	...	-	11	...	7	...	4	18	...	10	...	8	2	...	2	...	-	139b
1	...	1	...	-	-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	139c
50	...	31	...	19	238	...	128	...	110	326	...	144	...	182	32	...	31	...	1	
14	...	10	...	4	28	...	13	...	15	35	...	15	...	20	8	...	8	...	-	140
13	...	9	...	4	24	...	11	...	13	33	...	14	...	19	4	...	4	...	-	140a,b
1	...	1	...	-	4	...	2	...	2	2	...	1	...	1	4	...	4	...	-	140c,d
-	...	-	...	-	13	...	5	...	8	15	...	12	...	3	6	...	6	...	-	141
-	...	-	...	-	2	...	1	...	1	9	...	8	...	1	3	...	3	...	-	141a,c
-	...	-	...	-	10	...	3	...	7	6	...	4	...	2	3	...	3	...	-	141b,d
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
1	...	-	...	1	4	...	2	...	2	3	...	1	...	2	-	...	-	...	-	142a
6	...	4	...	2	8	...	6	...	2	8	...	3	...	5	1	...	1	...	-	142b
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	143a
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	143b,c
4	...	2	...	2	24	...	15	...	9	22	...	8	...	14	2	...	2	...	-	144a,b
3	...	2	...	1	11	...	6	...	5	6	...	-	...	6	1	...	-	...	1	144c,d
2	...	2	...	-	8	...	6	...	2	6	...	4	...	2	-	...	-	...	-	145
-	...	-	...	-	8	...	4	...	2	8	...	2	...	6	2	...	2	...	-	146a
7	...	5	...	2	20	...	14	...	6	26	...	12	...	14	-	...	-	...	-	146b,c
3	...	2	...	1	33	...	17	...	16	54	...	19	...	35	4	...	4	...	-	147a,b
2	...	1	...	1	15	...	9	...	6	31	...	19	...	12	2	...	2	...	-	147c,d
3	...	1	...	2	39	...	13	...	26	62	...	22	...	40	4	...	4	...	-	148a,b
2	...	-	...	2	6	...	3	...	3	8	...	4	...	4	-	...	-	...	-	148c,d
2	...	1	...	1	12	...	9	...	3	11	...	8	...	3	2	...	2	...	-	149
1	...	1	...	-	11	...	6	...	5	28	...	13	...	15	-	...	-	...	-	150
10	3	-	3	4	27	11	7	4	5	58	15	9	14	18	2	-	2	-	-	
2	2	-	-	-	12	4	4	1	3	12	5	3	1	3	-	-	-	-	-	151
3	1	-	1	1	7	2	2	1	2	15	3	2	4	6	-	-	-	-	-	152
5	-	-	2	3	8	5	1	2	-	29	7	4	9	9	2	-	2	-	-	153
9	4	4	1	-	27	13	6	5	3	19	5	1	8	5	1	1	-	-	-	
2	-	1	1	-	14	10	1	3	-	10	2	-	3	5	1	1	-	-	-	154
3	1	2	-	-	3	1	2	-	-	2	1	-	1	-	-	-	-	-	-	155
4	3	1	-	-	10	2	3	2	3	7	2	1	4	-	-	-	-	-	-	156
84	35	30	9	10	183	81	71	18	13	267	112	87	44	24	67	42	25	-	-	157

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	485	259	212	9	5	92	47	20	9	16
158	Congenital debility (cause not stated)	7	4	3	-	-	4	2	-	2	-
159	Premature birth (cause not stated)	268	130	128	6	4	60	32	10	5	13
160a	Intracranial or spinal hemorrhage	57	35	21	-	1	6	2	4	-	-
160b,c	Other injuries at birth	78	45	31	2	-	5	3	2	-	-
161	Other diseases peculiar to the first year of life	75	45	29	1	-	17	8	4	2	3
162	XVI.—Senility	37	13	23	-	1	10	3	5	1	1
	XVII.—Violent or accidental deaths	1,434	996	395	34	9	285	160	66	51	8
163,164	Suicide	228	173	51	3	1	30	25	5	-	-
163	Suicide by poisoning	81	51	29	-	1	13	9	4	-	-
	Suicide by solid or liquid poisons	23	10	12	-	1	1	1	-	-	-
	Suicide by poisonous gases	58	41	17	-	-	12	8	4	-	-
164a	Suicide by hanging or strangulation	71	60	9	2	-	2	2	-	-	-
164b	Suicide by drowning	14	7	7	-	-	1	-	1	-	-
164c	Suicide by firearms and explosives	37	35	2	-	-	12	12	-	-	-
164d	Suicide by cutting or piercing instruments	9	8	1	-	-	1	1	-	-	-
164e	Suicide by jumping from high places	14	10	3	1	-	1	1	-	-	-
164f	Suicide by crushing	1	1	-	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	1	1	-	-	-	-	-	-	-	-
165-168	Homicide[1]	37	17	10	8	2	21	6	3	10	2
166	Homicide by firearms	16	6	5	5	-	3	1	1	1	-
167	Homicide by cutting or piercing instruments	6	2	-	3	1	11	2	2	6	1
168	Homicide by other means	15	9	5	-	1	7	3	-	3	1
169-195	Accidental deaths	1,169	806	334	23	6	233	129	58	40	6
169	Railway accidents (except collisions with motor vehicles)	29	27	1	1	-	8	6	1	1	-
170a	Collisions between automobiles and trains	4	2	2	-	-	8	2	5	1	-
170b	Collisions between automobiles and streetcars	1	1	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	411	320	81	9	1	88	51	18	18	1
170d	Motorcycle accidents (except collisions with automobiles)	9	8	1	-	-	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	1	1	-	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	3	3	-	-	-	-	-	-	-	-
172	Water-transport accidents	14	13	1	-	-	7	7	-	-	-
173	Air-transport accidents	6	4	2	-	-	1	1	-	-	-
174	Accidents in mines and quarries	1	1	-	-	-	-	-	-	-	-
175a	Accidents involving agricultural machinery and vehicles	5	4	-	1	-	1	-	-	1	-
175b,c	Other agricultural accidents, including injury by animals	6	6	-	-	-	3	2	-	1	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	11	11	-	-	-	2	1	-	1	-
177	Food poisoning	2	2	-	-	-	2	-	1	1	-
178	Accidental absorption of poisonous gas	33	22	11	-	-	4	3	1	-	-
179	Acute accidental poisoning by solids or liquids	10	7	3	-	-	1	-	-	1	-
180	Conflagration	35	31	4	-	-	3	1	-	2	-
181	Accidental burns (except conflagration)	43	23	16	2	2	16	6	5	2	3
182	Accidental mechanical suffocation	25	11	14	-	-	3	1	-	-	2
183	Accidental drowning	77	66	4	6	1	15	10	-	5	-
184	Accidental injury by firearms	6	5	1	-	-	3	1	1	1	-
185	Accidental injury by cutting or piercing instruments	1	-	1	-	-	-	-	-	-	-
186a	Accidental injury by fall	355	181	170	2	2	48	24	20	4	-
186b	Accidental injury by crushing	8	8	-	-	-	1	1	-	-	-
187	Cataclysm, etc.*	-	-	-	-	-	1	-	1	-	-
188	Injury by animals (except in agriculture and forestry)	2	2	-	-	-	-	-	-	-	-
189	Hunger or thirst	1	1	-	-	-	-	-	-	-	-
190	Excessive cold	2	-	2	-	-	1	1	-	-	-
191	Excessive heat	4	4	-	-	-	2	2	-	-	-
192	Lightning	1	-	1	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	9	8	-	1	-	2	1	-	1	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	12	6	5	1	-	3	2	1	-	-
195c,e	Other and unspecified accidents	42	28	14	-	-	10	6	4	-	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	1	-	-	1	-
	XVIII.—Ill-defined and unknown causes	61	38	20	2	1	7	2	4	1	-
199	Sudden death	10	6	3	-	1	-	-	-	-	-
200a	Ill-defined	38	22	15	1	-	5	2	3	-	-
200b	Found dead (cause unknown)	4	3	1	-	-	1	-	1	-	-
200c	Unknown or unspecified	9	7	1	1	-	1	-	-	1	-

* Refer to complete International List titles, table XI.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M.	F.	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
507	171	113	114	109	921	343	270	183	125	1,905	582	439	493	391	230	126	102	2	-	
15	4	-	7	4	52	7	11	24	10	428	55	52	173	148	10	5	5	-	-	158
347	104	72	84	87	609	225	187	108	89	1,079	364	288	243	184	134	70	62	2	-	159
54	26	15	8	5	68	32	21	7	8	101	54	19	15	13	18	12	6	-	-	160a
34	18	12	-	4	94	48	26	17	3	124	52	34	24	14	47	28	21	-	-	160b,c
57	19	14	15	9	98	31	25	27	15	173	57	46	38	32	21	13	8	-	-	161
17	3	13	-	1	225	65	79	44	37	525	102	103	161	159	67	41	25	1	-	162
718	303	183	177	55	2,554	1,210	490	674	180	3,149	1,294	487	1,039	329	601	453	138	8	2	
134	72	47	11	4	289	187	83	13	6	229	153	53	19	4	91	69	21	1	-	163,164
67	28	31	4	4	92	45	43	2	2	62	26	30	5	1	15	12	3	-	-	165
23	9	11	2	1	49	23	22	2	2	51	18	27	5	1	8	5	3	-	-	
44	19	20	2	3	43	22	21	-	-	11	8	3	-	-	7	7	-	-	-	
10	3	7	-	-	23	15	7	1	-	14	8	5	1	-	18	13	5	-	-	164a
15	10	3	2	-	20	10	7	2	1	7	4	2	1	-	7	2	5	-	-	164b
29	23	3	3	-	125	97	21	5	2	151	103	15	11	2	43	37	5	1	-	164c
3	2	-	1	-	20	15	2	2	1	9	6	1	1	1	6	4	2	-	-	164d
9	6	2	1	-	5	3	2	-	-	5	5	-	-	-	2	1	1	-	-	164e
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	164f
1	-	1	-	-	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	164g
79	11	6	46	16	374	66	19	237	52	652	105	20	435	92	14	12	2	-	-	165-168
36	4	3	21	8	209	42	14	127	26	366	83	13	232	38	11	9	2	-	-	166
20	2	-	14	4	125	11	1	95	18	227	7	2	172	46	-	-	-	-	-	167
23	5	3	11	4	40	13	4	15	8	59	15	5	31	8	3	3	-	-	-	168
505	220	130	120	35	1,881	954	388	417	122	2,262	1,056	414	579	233	496	372	115	7	2	169-195
6	5	-	1	-	50	25	5	22	-	88	46	5	37	-	18	18	-	-	-	169
2	2	-	-	-	38	20	7	7	4	42	19	11	8	4	10	5	3	1	1	170a
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	170b
181	82	22	43	14	754	420	145	150	39	920	485	148	226	61	184	138	45	1	-	170c
3	3	-	-	-	10	10	-	-	-	17	16	-	1	-	3	3	-	-	-	170d
10	6	1	3	-	1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	171a
2	1	1	-	-	4	2	2	-	-	10	3	-	6	1	2	1	1	-	-	171b
7	5	1	1	-	32	26	1	5	-	16	8	4	4	-	5	5	-	-	-	172
-	-	-	-	-	64	64	-	-	-	38	38	-	-	-	4	4	-	-	-	173
-	-	-	-	-	4	2	-	2	-	1	1	-	-	-	15	14	1	-	-	174
1	1	-	-	-	8	4	-	4	-	16	7	1	8	-	13	13	-	-	-	175a
-	-	-	-	-	15	10	-	5	-	25	13	-	12	-	13	13	-	-	-	175b,c
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	175d
-	-	-	-	-	11	2	-	9	-	14	8	-	6	-	12	11	-	1	-	175e
8	4	-	4	-	16	9	-	7	-	35	22	1	12	-	4	4	-	-	-	176
1	1	-	-	-	36	9	8	11	10	29	8	5	13	5	1	1	-	-	-	177
8	6	1	1	-	16	10	3	2	1	8	4	1	3	-	1	-	1	-	-	178
8	3	2	3	-	32	4	17	6	5	29	9	7	9	4	11	7	4	-	-	179
6	1	-	3	2	23	6	-	9	8	32	9	3	12	8	5	4	1	-	-	180
35	7	9	14	5	103	22	26	33	22	192	42	37	40	73	10	5	5	-	-	181
15	5	2	6	2	19	7	6	4	2	63	19	7	19	18	12	8	4	-	-	182
26	11	1	13	1	153	77	11	59	6	91	40	13	32	6	33	24	7	2	-	183
13	9	1	2	1	77	42	10	20	5	103	53	9	30	11	27	24	2	1	-	184
1	-	-	1	-	17	2	-	12	3	11	1	-	10	-	-	-	-	-	-	185
161	57	84	13	7	240	102	117	14	7	290	102	143	16	29	72	37	34	1	-	186a
1	1	-	-	-	2	1	-	1	-	9	6	-	3	-	3	3	-	-	-	186b
-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	1	-	1	-	-	187
1	1	-	-	-	5	5	-	-	-	6	4	1	-	1	2	1	1	-	-	188
1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	189
-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	3	3	-	-	-	190
-	-	-	-	-	11	6	-	5	-	21	5	-	15	1	1	-	1	-	-	191
1	-	-	1	-	5	1	-	2	2	20	9	4	6	1	3	2	1	-	-	192
3	2	-	1	-	28	24	-	2	-	16	12	1	2	1	7	7	-	-	-	193
-	-	-	-	-	2	1	1	-	-	3	1	1	1	-	-	-	-	-	-	194
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	195a,b
4	1	1	2	-	19	10	3	3	3	16	5	5	4	2	3	1	2	-	-	195d
19	5	3	8	3	82	31	27	21	3	90	35	6	42	7	17	15	1	-	1	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	10	3	-	7	-	6	-	-	6	-	-	-	-	-	-	198
7	2	2	2	1	750	245	93	245	167	1,060	215	158	320	367	78	46	17	9	6	
-	-	-	-	-	110	49	12	51	18	182	39	30	49	64	8	7	1	-	-	199
7	2	2	2	1	319	136	34	93	56	304	76	41	87	100	44	30	13	1	-	200a
-	-	-	-	-	23	7	4	9	3	89	25	25	16	23	5	5	-	-	-	200b
-	-	-	-	-	298	53	43	112	90	485	75	82	168	180	21	4	3	8	6	200c

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes	85,497	45,212	34,016	3,437	2,832	39,701	21,035	16,759	1,045	862
	I.—Infectious and parasitic diseases	5,753	2,960	1,637	688	468	2,808	1,438	1,064	184	120
1	Typhoid fever	26	15	11	-	-	18	14	4	-	-
2	Paratyphoid fever	2	2	-	-	-	3	3	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	5	4	1	-	-	4	1	3	-	-
6	Cerebrospinal (meningococcus) meningitis	21	13	7	1	-	14	6	7	-	1
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	43	20	18	1	4	23	12	11	-	-
9	Whooping cough	90	40	39	3	8	47	19	25	-	3
10	Diphtheria (infection by C. diphtheriae)	60	31	24	2	3	33	10	23	-	-
11	Erysipelas	18	14	3	1	-	8	3	5	-	-
12	Tetanus	22	12	9	1	-	10	7	2	1	-
13-22	Tuberculosis (all forms)	3,484	1,706	976	469	333	1,319	622	508	107	82
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	18	17	-	1	-	6	4	-	2	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	3,154	1,568	891	405	290	1,153	554	439	89	71
14	Tuberculosis of meninges and central nervous system	71	28	25	11	7	52	24	24	4	-
15	Tuberculosis of intestines and peritoneum	43	16	7	9	11	25	6	13	2	4
16	Tuberculosis of vertebral column	37	13	15	6	3	22	9	10	2	1
17a	Tuberculosis of bones (except vertebral column)	9	2	4	2	1	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	5	5	-	-	-	3	2	1	-	-
18	Tuberculosis of skin, etc.*	2	1	-	1	-	1	1	-	-	-
19	Tuberculosis of lymphatic system, etc.*	5	1	3	-	1	-	-	-	-	-
20	Tuberculosis of genito-urinary system	25	13	7	3	2	21	9	9	1	2
21	Tuberculosis of other organs	8	4	2	1	1	1	-	1	-	-
22a	Disseminated tuberculosis (acute miliary)	104	38	19	30	17	27	10	10	5	2
22b	Disseminated tuberculosis (other and unspecified)	3	-	3	-	-	8	3	1	2	2
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	58	43	11	3	1	45	25	17	3	-
25	Gonococcus infection	11	3	2	-	6	1	1	-	-	-
26	Other diseases due to bacteria (except dysentery)	6	6	-	-	-	19	13	6	-	-
27	Dysentery	41	22	18	-	1	34	17	17	-	-
28	Malaria	7	3	3	-	1	7	2	5	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	1,008	598	168	173	71	465	288	109	50	18
30a	Locomotor ataxia (tabes dorsalis)	53	38	10	4	1	19	17	2	-	-
30b	General paralysis of insane	363	214	59	70	20	185	110	48	20	7
30c	Other syphilis of central nervous system	74	37	14	13	10	34	19	10	4	1
30d	Aneurysm of aorta	249	166	28	42	13	75	48	14	11	2
30e	Other syphilis of circulatory system	64	30	12	16	6	19	12	2	4	1
30f,g	Congenital, other and unspecified forms of syphilis	205	111	45	28	21	133	82	33	11	7
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	10	6	3	-	1	9	2	5	1	1
33a	Influenza, with respiratory complications specified	298	142	131	13	12	334	178	132	12	12
33b	Influenza, without respiratory complications specified	220	112	89	6	13	259	118	131	9	1
34	Smallpox	-	-	-	-	-	2	1	-	1	-
35	Measles	90	44	41	3	2	55	32	23	-	-
36	Acute poliomyelitis and acute polioencephalitis	21	16	4	1	-	17	12	5	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	25	10	14	1	-	10	5	5	-	-
37b	Sequelae of encephalitis lethargica	6	1	5	-	-	2	2	-	-	-
38	Other diseases due to filtrable viruses	9	6	2	1	-	1	1	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	4	2	2	-	-	5	3	2	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	1	1	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	-	1	-	-	1	1	-	-	-
43	Mycoses	12	6	4	2	-	11	7	3	-	1
44	Other infectious and parasitic (communicable) diseases	154	84	51	7	12	50	33	16	-	1
	II.—Cancer and other tumors	12,062	5,750	5,755	253	304	4,635	2,019	2,479	59	78
45-55	Cancer and other malignant tumors	11,646	5,642	5,483	250	271	4,455	1,970	2,358	57	70
45	Cancer of buccal cavity and pharynx	386	317	49	16	4	134	108	24	1	1
45a-e	Cancer of buccal cavity	258	214	33	7	4	91	75	15	1	-
45f	Cancer of pharynx	128	103	16	9	-	43	33	9	-	1
46	Cancer of digestive organs and peritoneum	5,486	2,967	2,292	128	99	2,087	1,036	1,005	29	17
46a	Cancer of esophagus	276	218	43	15	-	53	41	11	1	-
46b,c	Cancer of stomach and duodenum	1,887	1,116	674	58	39	670	384	264	17	5
46f	Cancer of liver and biliary passages	714	308	382	11	13	404	170	229	3	2
46g	Cancer of pancreas	426	242	166	9	9	150	85	62	3	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	2,183	1,083	1,027	35	38	810	356	439	5	10
47	Cancer of respiratory system	842	648	156	28	10	233	157	73	2	1
48	Cancer of uterus	1,042	...	957	...	85	490	...	465	...	25
49	Cancer of other female genital organs	301	...	287	...	14	95	...	90	...	5
50	Cancer of breast	1,125	13	1,074	1	37	409	7	390	1	11
51	Cancer of male genital organs	698	667	...	31	...	316	306	...	10	...
52	Cancer of urinary organs (male and female)	620	398	199	15	8	162	98	61	3	-
53	Cancer of skin (except vulva and scrotum)	203	129	71	1	2	99	61	35	3	-
54	Cancer of central nervous system*	183	111	66	5	1	33	18	11	2	2
55	Cancer of other and unspecified organs	760	392	332	25	11	397	179	204	6	8
56a	Nonmalignant tumors of ovary	46	...	43	...	3	22	...	22	...	-
56b	Nonmalignant tumors of uterus	154	...	128	...	26	42	...	36	...	6
56c	Nonmalignant tumors of other female genital organs	2	...	2	...	-	2	...	2	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	66	31	32	1	2	13	5	7	1	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
25,743	14,341	11,180	124	98	18,467	9,976	7,468	531	492	30,115	14,513	11,713	2,125	1,764	24,066	7,667	5,415	5,816	5,168	
1,178	678	470	18	12	1,246	658	445	90	53	4,270	1,905	1,727	357	281	2,995	713	412	1,056	814	
5	4	1	-	-	6	3	3	-	-	82	45	27	3	7	59	15	9	16	19	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	2	-	-	-	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	5
12	6	6	-	-	10	3	6	1	-	26	15	8	3	-	16	3	5	5	3	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	7
11	6	5	-	-	6	2	3	1	-	33	17	15	-	1	4	1	-	1	2	8
36	19	17	-	-	60	25	28	5	2	239	106	108	10	15	45	11	7	11	16	9
8	3	5	-	-	11	8	3	-	-	54	31	22	1	-	37	6	16	6	9	10
7	5	2	-	-	7	3	4	-	-	15	8	6	-	1	6	2	3	-	1	11
9	7	2	-	-	6	6	-	-	-	25	14	6	4	1	35	10	4	13	8	12
386	208	164	8	6	404	205	137	39	23	1,954	835	792	185	142	1,318	338	156	460	364	13-22
-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	13a
344	182	150	8	4	367	189	128	30	20	1,754	737	727	159	131	1,235	320	145	430	340	13b,c
7	5	2	-	-	8	5	1	1	1	75	31	27	12	5	16	5	-	4	7	14
7	4	2	-	1	15	3	5	5	2	37	19	12	3	3	15	2	3	7	3	15
5	3	1	-	1	3	-	2	1	-	7	4	3	-	-	7	3	-	3	1	16
1	-	1	-	-	-	-	-	-	-	6	5	1	-	-	1	-	-	-	1	17a
3	2	1	-	-	1	1	-	-	-	4	1	1	2	-	1	-	1	-	-	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	18
3	1	2	-	-	1	-	-	1	-	4	3	-	1	-	3	-	2	1	-	19
7	6	1	-	-	1	1	-	-	-	13	8	5	-	-	1	1	-	-	-	20
2	-	2	-	-	1	-	1	-	-	4	-	2	2	-	2	-	1	-	1	21
6	4	2	-	-	2	1	-	1	-	45	23	13	6	3	32	6	3	13	10	22a
1	1	-	-	-	-	-	-	-	-	5	4	1	-	-	4	1	-	2	1	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	21	9	5	1	23
22	16	6	-	-	18	10	6	1	1	25	10	10	3	2	32	10	7	9	6	24
1	-	1	-	-	4	-	2	-	2	6	1	2	1	2	14	-	2	2	10	25
-	-	-	-	-	1	-	1	-	-	17	9	4	1	3	5	-	-	3	2	26
10	5	5	-	-	6	2	3	1	-	252	115	125	5	7	56	13	10	20	13	27
-	-	-	-	-	2	-	1	-	1	16	9	6	-	1	77	15	16	21	25	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
220	155	53	8	4	219	132	44	30	13	293	133	80	69	31	567	85	18	303	161	30
15	12	3	-	-	5	4	1	-	-	5	4	1	-	-	11	8	1	2	-	30a
71	56	13	2	-	40	23	8	6	3	103	46	24	22	11	86	10	3	59	14	30b
24	17	5	1	1	25	19	5	1	-	19	8	3	4	4	31	10	-	12	9	30c
37	29	6	1	1	52	34	9	7	2	23	12	2	7	2	109	25	3	61	20	30d
8	6	2	-	-	24	11	4	7	2	18	9	4	4	1	89	13	1	51	24	30e
65	35	24	4	2	73	41	17	9	6	125	54	26	32	13	241	19	10	118	94	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
4	2	2	-	-	7	2	5	-	-	7	5	2	-	-	7	1	1	2	3	32
188	98	89	1	-	197	103	84	6	4	634	283	261	49	41	415	95	85	123	112	33a
150	85	63	-	2	162	81	74	2	5	342	153	149	16	24	201	62	46	48	45	33b
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	34
19	7	11	1	-	34	21	11	1	1	158	73	82	1	2	2	1	1	-	-	35
5	2	3	-	-	8	5	3	-	-	34	12	19	2	1	8	2	3	2	1	36
21	13	8	-	-	26	15	9	2	-	3	1	1	1	-	2	1	-	-	1	37a,c
3	1	2	-	-	5	2	3	-	-	2	2	-	-	-	-	-	-	-	-	37b
3	1	2	-	-	2	2	-	-	-	5	3	2	-	-	-	-	-	-	-	38
3	1	2	-	-	-	-	-	-	-	3	2	1	-	-	7	4	3	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	7	-	2	2	3	42
3	2	1	-	-	2	1	1	-	-	3	2	-	1	-	7	1	1	3	2	43
50	30	20	-	-	41	27	13	1	-	35	17	16	2	-	28	14	7	-	7	44
3,657	1,704	1,925	14	14	2,238	1,006	1,135	42	55	2,582	1,033	1,315	93	141	2,144	715	704	307	420	
3,528	1,672	1,829	14	13	2,167	992	1,086	41	48	2,476	998	1,261	87	130	2,028	691	659	297	381	45-55
105	82	23	-	-	59	46	10	3	-	77	45	25	4	3	72	47	7	8	10	45
71	53	18	-	-	48	39	6	3	-	51	29	18	2	2	44	27	4	5	8	45a-e
34	29	5	-	-	11	7	4	-	-	26	16	7	2	1	28	20	3	3	2	45f
1,660	862	781	12	5	1,019	526	446	22	25	1,158	532	536	52	38	843	303	253	169	118	46
52	36	15	1	-	29	21	7	-	1	17	11	4	2	-	28	13	6	8	1	46a
563	348	205	8	2	375	222	134	12	7	526	251	225	33	19	370	133	77	108	52	46b,c
279	113	165	1	-	175	72	97	3	3	253	91	146	9	7	119	38	43	17	21	46f
106	58	48	-	-	93	45	44	2	2	50	27	21	1	1	68	33	18	9	8	46g
660	307	348	2	3	347	166	164	5	12	312	152	142	7	11	258	86	109	27	36	46d,e,h,m
155	111	44	-	-	102	73	28	2	1	132	75	47	9	1	144	100	13	22	9	47
308	...	305	...	3	205	...	198	...	7	328	...	275	...	53	295	...	150	...	145	48
104	...	103	...	1	75	...	72	...	3	47	...	46	...	1	61	...	44	...	17	49
357	2	354	-	1	210	-	204	-	6	216	3	189	-	24	162	3	111	1	47	50
315	314	...	1	...	165	159	...	6	...	140	128	...	12	...	132	93	...	39	...	51
165	104	59	-	2	94	56	34	2	2	108	69	34	3	2	110	49	30	16	15	52
71	48	23	-	-	59	41	17	-	1	90	53	36	-	1	50	31	9	7	3	53
59	32	27	-	-	33	23	9	1	-	28	16	11	-	1	22	14	6	2	-	54
229	117	110	1	1	146	68	70	5	3	152	77	62	7	6	137	51	36	33	17	55
16	...	16	...	-	12	...	9	...	3	12	...	11	...	1	15	...	5	...	8	56a
36	...	35	...	1	15	...	11	...	4	14	...	7	...	7	39	...	16	...	23	56b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	56c
30	10	20	-	-	15	5	9	1	-	47	21	19	5	2	20	7	9	3	1	56d,e

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	3	...	2	...	1	2	...	2	...	-
57b	Tumors of uterus (nature unspecified)	3	...	3	...	-	2	...	1	...	1
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	142	77	62	2	1	96	44	50	1	1
	III.—Rheumatism, diseases of nutrition, etc.*	2,910	1,004	1,765	58	83	1,330	480	795	15	42
58a-d	Acute rheumatic heart diseases	85	30	35	13	7	36	18	15	-	3
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	11	5	5	-	1	17	7	7	2	1
59	Chronic rheumatism and other rheumatic diseases	72	23	46	2	1	54	20	32	1	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,326	837	1,390	35	64	991	382	573	10	26
62	Diseases of pituitary gland	11	6	5	-	-	3	2	1	-	-
63a	Simple goiter	7	2	4	-	1	-	-	-	-	-
63b	Exophthalmic goiter	259	36	215	2	6	152	16	129	1	6
63c-e	Other diseases of thyroid and parathyroid glands	21	6	15	-	-	9	2	7	-	-
64	Diseases of thymus gland	57	36	15	3	3	18	9	8	1	-
65	Diseases of adrenal glands (not specified as tuberculous)	22	10	12	-	-	12	5	7	-	-
66	Other general diseases	12	3	8	1	-	14	8	5	-	1
67	Scurvy	1	-	1	-	-	1	-	1	-	-
68	Beriberi	4	3	1	-	-	1	-	1	-	-
69	Pellagra (except alcoholic)	15	7	6	2	-	14	9	2	-	3
70	Rickets	2	-	2	-	-	5	1	4	-	-
71	Other avitaminoses	5	-	5	-	-	3	1	1	-	1
	IV.—Diseases of the blood and blood-forming organs	637	298	318	10	11	289	151	130	2	6
72	Hemorrhagic conditions	22	5	13	2	2	14	8	6	-	-
73a	Pernicious anemia	149	58	90	1	-	84	37	45	1	1
73b-d	Other anemias (except splenic)	39	17	20	-	2	30	13	16	-	1
74a	Leukemias	360	196	151	7	6	124	76	45	-	3
74b	Aleukemias	18	9	9	-	-	11	6	5	-	-
75	Diseases of spleen	29	9	20	-	-	17	8	7	1	1
76	Other diseases of the blood and blood-forming organs	20	4	15	-	1	9	3	6	-	-
	V.—Chronic poisoning and intoxication	68	53	8	4	3	47	29	8	9	1
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	2	2	-	-	-	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	60	48	8	2	2	42	28	6	7	1
78	Lead poisoning	4	1	-	2	1	2	-	1	1	-
79	Chronic poisoning by other mineral or organic substances	2	2	-	-	-	2	-	1	1	-
	VI.—Diseases of the nervous system, etc.*	7,403	3,509	3,349	263	282	4,462	2,148	2,112	99	103
80	Encephalitis (nonepidemic)	78	43	32	2	1	55	21	28	2	2
81	Meningitis (not due to meningococcus)	117	62	44	3	8	74	45	25	4	-
82	Diseases of spinal cord (see exceptions)*	165	93	64	4	4	90	53	35	1	1
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	5,602	2,805	2,580	195	222	3,633	1,744	1,722	82	85
83b	Cerebral embolism and thrombosis	642	311	294	19	18	214	98	112	2	2
83c	Cerebral softening	38	16	15	4	3	15	5	8	1	1
83d	Hemiplegia and other paralysis of unspecified origin	223	99	107	4	13	124	59	61	1	3
84	Mental diseases and deficiency (see exception)*	59	24	29	2	4	33	13	17	1	2
85	Epilepsy	105	52	41	12	-	53	21	24	3	5
86	Convulsions (under 5 years)	11	6	3	1	1	10	4	6	-	-
87	Other diseases of nervous system	247	130	99	10	8	108	53	53	1	1
88	Diseases of organs of vision	3	2	1	-	-	1	-	1	-	-
89a	Otitis and other diseases of the ear	79	45	30	4	-	39	23	15	1	-
89b	Diseases of mastoid process	34	21	10	3	-	15	9	5	-	1
	VII.—Diseases of the circulatory system	28,812	15,816	11,185	936	875	11,930	6,837	4,620	254	219
90	Pericarditis (except acute rheumatic)	33	23	7	2	1	16	12	4	-	-
91a,b	Bacterial and other acute or subacute endocarditis	183	98	68	10	7	65	41	21	-	3
91c	Endocarditis (unspecified, under 45 years)	13	6	6	1	-	13	2	4	4	3
92a-d	Chronic endocarditis and diseases of the valves*	2,139	1,071	962	63	43	1,111	570	482	25	34
92e	Endocarditis (unspecified, 45 years and over)	146	79	62	3	2	84	43	27	13	1
93a	Acute myocarditis (except rheumatic)	250	124	121	3	2	205	117	72	6	10
93b	Myocarditis (unspecified, under 45 years)	53	26	21	-	6	13	8	4	1	-
93c,d	Chronic myocarditis and myocardial degeneration	14,985	7,549	6,352	549	535	4,247	2,163	1,882	117	85
93e	Other myocarditis (unspecified)	1,204	609	544	30	21	677	348	305	12	12
94a	Diseases of coronary arteries	5,093	3,559	1,428	63	43	2,996	2,139	802	36	19
94b	Angina pectoris	314	219	89	1	5	311	207	98	3	3
95a	Functional diseases of heart, etc.*	34	20	14	-	-	36	20	16	-	-
95b,c	Other and unspecified diseases of heart	2,784	1,585	864	165	170	1,030	559	423	26	22
96	Aneurysm (except of heart and aorta)	48	32	15	1	-	13	6	7	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	1,329	710	548	39	32	951	518	402	8	23
98	Gangrene	24	13	7	4	-	16	11	4	1	-
99	Other diseases of arteries	79	50	24	-	5	68	37	30	-	1
100	Diseases of veins	51	23	27	1	-	30	14	15	1	-
101	Diseases of lymphatic system	2	-	2	-	-	1	1	-	-	-
102	High blood pressure (idiopathic)	44	18	23	1	2	47	21	22	1	3
103	Other diseases of circulatory system	4	2	1	-	1	-	-	-	-	-
	VIII.—Diseases of the respiratory system	3,846	2,100	1,338	245	163	2,073	1,015	891	103	64
104a	Diseases of nasal fossae	5	3	1	-	1	2	1	1	-	-
104b	Diseases of accessory sinuses	36	22	12	2	-	12	7	4	1	-
105	Diseases of larynx	15	9	6	-	-	2	1	1	-	-
106a	Acute bronchitis	61	40	21	-	-	23	9	12	1	1

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

IOWA					KANSAS				KENTUCKY					LOUISIANA					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	3	...	3	...	-	57a
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
45	22	23	-	-	29	9	20	-	-	32	14	16	1	1	41	15	12	7	7	57d,e
862	357	498	3	6	596	220	351	7	18	696	248	364	26	58	606	119	264	69	154	
19	13	6	-	-	12	5	6	1	-	23	12	5	3	3	18	3	4	2	9	58a-d
6	3	3	-	-	6	6	-	-	-	11	4	5	1	1	11	3	2	6	-	58e,f
50	14	36	-	-	32	11	21	-	-	47	19	25	2	1	16	5	8	2	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
651	285	357	3	6	434	169	248	4	13	462	170	230	17	45	377	81	201	29	66	61
1	-	1	-	-	3	2	1	-	-	2	-	1	-	1	2	-	1	1	-	62
10	1	9	-	-	3	-	3	-	-	3	1	2	-	-	3	-	1	-	2	63a
73	14	59	-	-	62	8	51	-	3	58	5	50	-	3	39	3	17	3	16	63b
5	4	1	-	-	6	-	6	-	-	6	4	2	-	-	7	-	3	-	4	63c-e
21	12	9	-	-	20	9	8	2	1	7	2	4	1	-	24	11	4	6	3	64
12	8	4	-	-	4	1	2	-	1	7	3	3	-	1	9	2	3	1	3	65
10	1	9	-	-	2	1	1	-	-	12	5	6	-	1	14	2	5	5	2	66
-	-	-	-	-	1	1	-	-	-	2	-	1	-	1	-	-	-	-	-	67
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	7	4	-	2	1	68
2	1	1	-	-	9	5	4	-	-	49	21	27	1	-	66	2	15	8	41	69
1	1	-	-	-	-	-	-	-	-	5	1	2	1	1	8	3	-	2	3	70
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	5	-	-	2	3	71
237	124	111	1	1	172	86	79	5	2	185	80	87	7	11	117	49	34	26	8	
12	7	5	-	-	11	5	5	1	-	14	3	9	-	2	9	5	1	3	-	72
73	36	37	-	-	52	26	25	-	1	62	29	27	1	5	15	4	9	1	1	73a
25	11	14	-	-	18	11	5	2	-	15	5	4	4	2	13	6	2	5	-	73b-d
109	59	48	1	1	76	41	34	1	-	86	40	42	2	2	62	25	17	13	7	74a
6	3	3	-	-	6	-	6	-	-	-	-	-	-	-	3	-	2	1	-	74b
7	4	3	-	-	4	1	1	1	1	5	2	3	-	-	14	9	2	3	-	75
5	4	1	-	-	5	2	3	-	-	3	1	2	-	-	1	-	1	-	-	76
24	23	1	-	-	20	15	3	2	-	43	30	7	5	1	25	20	1	4	-	
-	-	-	-	-	2	-	1	1	-	2	2	-	-	-	-	-	-	-	-	77a,b
21	21	-	-	-	17	14	2	1	-	38	27	5	5	1	22	18	-	4	-	77c-e
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	78
2	1	1	-	-	-	-	-	-	-	3	1	2	-	-	2	1	1	-	-	79
3,127	1,610	1,496	10	11	2,210	1,156	945	43	66	3,013	1,336	1,293	175	209	1,867	511	437	438	481	
37	20	17	-	-	34	18	11	3	2	42	18	20	4	-	32	11	12	4	5	80
27	13	14	-	-	18	9	7	1	1	61	37	22	-	2	61	17	18	13	13	81
63	28	35	-	-	55	25	27	1	2	56	31	20	3	2	27	15	5	4	3	82
2,539	1,307	1,212	9	11	1,749	901	755	35	58	2,338	1,006	1,008	146	178	1,492	386	345	357	406	85a
202	105	97	-	-	153	86	65	1	1	93	42	41	4	6	63	24	16	14	9	85b
20	6	14	-	-	11	6	4	1	-	16	10	6	-	-	5	-	3	1	1	83c
33	24	9	-	-	22	17	4	-	1	197	95	84	8	10	50	19	8	9	14	83d
37	15	22	-	-	28	13	15	-	-	26	6	18	2	-	24	5	7	5	7	84
43	24	19	-	-	40	21	17	1	1	45	20	19	1	5	33	10	7	11	5	85
5	2	3	-	-	1	-	1	-	-	17	5	10	1	1	10	1	2	3	4	86
80	45	34	1	-	67	42	25	-	-	62	36	23	2	1	34	11	11	7	5	87
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	88
23	14	9	-	-	28	15	13	-	-	38	19	16	1	2	30	9	5	8	8	89a
17	6	11	-	-	4	3	1	-	-	22	11	6	3	2	4	2	-	2	-	89b
8,086	4,752	3,259	27	28	5,516	3,192	2,067	127	130	7,033	3,416	2,636	517	464	6,225	2,249	1,469	1,250	1,257	
6	4	2	-	-	10	5	5	-	-	30	14	7	5	4	11	2	2	2	5	90
44	26	18	-	-	33	17	13	-	3	30	12	18	-	-	47	11	10	18	8	91a,b
4	2	2	-	-	1	1	-	-	-	17	10	4	3	-	3	-	2	1	-	91c
845	457	381	3	2	748	373	320	26	29	779	362	311	49	57	747	170	168	205	204	92a-d
40	17	23	-	-	34	20	12	2	-	93	38	32	9	14	26	8	8	2	8	92e
44	24	19	1	-	67	32	31	-	4	56	28	9	9	10	104	26	17	30	31	93a
7	5	2	-	-	5	2	2	-	1	26	15	5	2	4	6	1	1	2	2	93b
2,587	1,386	1,178	10	13	1,938	1,022	814	49	53	2,494	1,083	1,018	207	186	3,052	1,030	817	600	605	93c,d
399	225	173	1	-	224	111	92	8	13	356	165	153	27	31	185	67	52	37	29	93e
2,489	1,722	750	9	8	1,504	1,062	407	26	9	1,372	790	420	93	69	1,016	576	202	118	120	94a
164	110	54	-	-	129	97	31	1	-	142	84	49	5	4	191	105	26	36	24	94b
38	22	16	-	-	27	15	12	-	-	14	5	6	1	2	12	4	5	-	3	95a
636	319	313	1	3	306	159	129	7	11	1,102	557	412	74	59	532	160	89	136	147	95b,c
16	12	4	-	-	14	11	3	-	-	10	8	2	-	-	15	6	5	3	3	96
629	355	271	2	1	401	224	165	7	5	440	213	180	26	21	169	56	47	33	33	97
12	7	4	-	1	7	4	2	1	-	9	5	3	1	-	8	-	1	3	4	98
49	27	22	-	-	40	26	14	-	-	34	19	11	2	2	14	9	4	-	1	99
23	9	14	-	-	9	3	5	-	1	8	4	3	1	-	13	4	4	-	5	100
-	-	-	-	-	1	1	-	-	-	3	1	2	-	-	5	-	-	3	-	101
33	21	12	-	-	14	5	9	-	-	15	3	10	1	1	67	11	10	21	25	102
3	2	1	-	-	4	2	1	-	1	3	-	1	2	-	4	3	1	-	-	103
1,335	749	572	8	6	818	405	375	25	13	2,173	1,076	813	168	116	1,757	527	350	507	373	
4	4	-	-	-	3	2	1	-	-	9	6	3	-	-	12	2	1	5	4	104a
6	3	3	-	-	12	7	4	1	-	13	10	2	1	-	19	5	2	10	2	104b
3	2	1	-	-	1	-	1	-	-	14	10	4	-	-	2	-	-	1	1	105
10	6	4	-	-	7	3	4	-	-	7	4	2	-	1	18	4	2	6	6	106a

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	129	75	46	7	1	51	26	24	1	-
106c	Bronchitis (unspecified)	39	20	15	3	1	19	11	7	-	1
107	Bronchopneumonia (including capillary bronchitis)	1,581	802	594	107	78	784	362	349	36	37
108	Lobar pneumonia	1,335	760	402	102	71	694	343	279	53	19
109	Pneumonia (unspecified)	191	105	77	7	2	198	108	85	4	1
110	Pleurisy (not specified as tuberculous)	104	70	25	7	2	38	24	11	2	1
111a	Hemorrhagic infarction and thrombosis of lungs	46	22	21	1	2	48	25	21	1	1
111b,c	Acute edema, chronic and unspecified congestion of lungs	86	40	44	1	1	104	43	59	1	1
112	Asthma	116	80	53	1	2	56	27	28	1	-
113	Pulmonary emphysema	10	8	2	-	-	4	2	1	-	1
114	Other diseases of respiratory system (except tuberculosis)	92	64	19	7	2	38	26	9	2	1
	IX.—Diseases of the digestive system	4,484	2,515	1,720	133	116	1,876	1,005	797	39	35
115a,b,d	Diseases of buccal cavity and adnexa	83	46	33	3	1	62	32	26	2	2
115c	Diseases of pharynx and tonsils	65	31	30	2	2	25	17	7	1	-
116	Diseases of esophagus	16	8	7	-	1	6	3	3	-	-
117a	Ulcer of stomach	463	357	79	19	8	143	107	32	3	1
117b	Ulcer of duodenum	184	150	28	6	-	65	54	10	1	-
118	Other diseases of stomach (except cancer)	59	34	19	2	4	46	22	19	3	2
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	268	133	108	14	13	221	131	72	11	7
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	132	56	68	5	3	92	45	43	2	2
121	Appendicitis	714	419	238	31	26	278	161	112	1	4
122a	Hernia	356	192	145	15	4	119	69	46	3	1
122b	Intestinal obstruction	446	202	215	10	19	186	74	101	3	8
123	Other diseases of intestines	81	45	25	9	2	42	25	15	-	2
124a	Cirrhosis of liver (with mention of alcoholism)	52	40	11	1	-	20	15	5	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	815	544	250	11	10	214	137	68	7	2
125a	Acute yellow atrophy of liver (nonpuerperal)	28	11	11	3	3	18	6	11	-	1
125b	Other diseases of liver	53	18	29	1	5	19	10	8	-	1
126	Biliary calculi	322	93	226	-	3	117	28	89	-	-
127	Other diseases of gallbladder and biliary ducts	252	95	150	-	7	123	33	89	-	1
128	Diseases of pancreas (except diabetes mellitus)	38	13	23	1	1	27	14	12	1	-
129	Peritonitis (cause not stated)	57	28	25	-	4	53	22	29	1	1
	X.—Diseases of the genito-urinary system	7,933	4,144	3,273	265	251	3,884	1,999	1,673	108	104
130	Acute nephritis	151	79	59	5	8	82	45	28	5	4
131a	Arteriosclerotic kidney	4,219	2,042	1,936	115	126	2,405	1,153	1,128	67	57
131b	Other chronic nephritis	2,179	1,078	987	68	66	764	408	319	16	21
132	Nephritis unspecified (10 years and over)	267	155	89	10	13	182	111	68	3	-
133	Other diseases of kidneys and ureters, etc.*	226	121	87	9	9	98	45	49	1	3
134	Calculi of urinary passages	96	68	26	2	-	47	29	16	2	-
135	Diseases of urinary bladder	38	17	17	2	2	23	10	12	-	1
136	Diseases of urethra (except calculus)	26	17	3	6	-	12	10	-	2	-
137	Diseases of prostate	614	566	...	48	...	199	187	...	12	...
138	Diseases of other male genital organs (except venereal)	1	1	...	-	...	1	1	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	79	...	54	...	25	40	...	27	...	13
139b	Diseases of uterus	35	...	33	...	2	31	...	26	...	5
139c	Diseases of other and unspecified female genital organs	2	...	2	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	333	...	292	...	41	168	...	157	...	11
140	Abortion with mention of infection	40	...	35	...	5	20	...	19	...	1
140a,b	Abortion (septic), spontaneous or therapeutic *	28	...	25	...	3	18	...	17	...	1
140c,d	Abortion (septic), self-induced or nontherapeutic *	12	...	10	...	2	2	...	2	...	-
141	Abortion without mention of infection	9	...	8	...	1	7	...	5	...	2
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	2	...	-	2	...	1	...	1
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	6	...	5	...	1	4	...	4	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	1	...	1	...	-	1	...	-	...	1
142a	Ectopic gestation, with mention of infection	9	...	7	...	2	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	10	...	6	...	4	8	...	7	...	1
143a	Placenta praevia (death before delivery)	2	...	2	...	-	4	...	4	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	6	...	6	...	-	25	...	24	...	1
144c,d	Other toxemias of pregnancy (death before delivery) *	11	...	8	...	3	6	...	6	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	2	...	2	...	-	10	...	10	...	-
146a	Placenta praevia (with childbirth)	19	...	18	...	1	4	...	4	...	-
146b,c	Other hemorrhages of childbirth and puerperium	36	...	34	...	2	19	...	18	...	1
147a,b	Puerperal pyelitis, other general or local puerperal infection*	45	...	31	...	14	17	...	16	...	1
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	51	...	48	...	3	14	...	14	...	-
148a,b	Puerperal eclampsia and nephritis*	41	...	37	...	4	15	...	13	...	2
148c,d	Other puerperal toxemias	8	...	7	...	1	5	...	4	...	1
149	Other accidents and specified conditions of childbirth	30	...	29	...	1	7	...	7	...	-
150	Other and unspecified conditions of childbirth and puerperium	14	...	14	...	-	6	...	5	...	1
	XII.—Diseases of the skin and cellular tissue	55	27	21	2	5	34	19	15	-	-
151	Carbuncle and furuncle	14	9	4	-	1	9	4	5	-	-
152	Phlegmon and acute abscess	11	7	-	2	2	10	7	3	-	-
153	Other diseases of skin and cellular tissue	30	11	17	-	2	15	8	7	-	-
	XIII.—Diseases of the bones, etc. *	68	37	24	6	1	20	11	7	1	1
154	Osteomyelitis and periostitis	38	21	13	3	1	11	4	5	1	1
155	Other diseases of bones (except tuberculosis)	9	6	3	-	-	2	1	1	-	-
156	Diseases of joints and other organs of movement	21	10	8	3	-	7	6	1	-	-
157	XIV.—Congenital malformations	890	460	388	24	18	417	228	174	10	5

* Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
47	26	21	-	-	26	17	9	-	-	47	18	25	3	1	24	13	4	5	2	106b
18	10	8	-	-	14	6	8	-	-	28	11	14	3	-	21	8	4	6	3	106c
509	251	253	4	1	351	169	169	9	4	849	432	332	43	42	850	247	174	237	192	107
507	304	195	3	5	272	127	128	12	5	703	341	246	74	42	510	156	100	150	104	108
41	27	13	1	-	19	12	7	-	-	287	146	101	24	16	98	23	17	33	25	109
30	23	7	-	-	12	6	6	-	-	32	13	8	7	4	70	21	18	18	13	110
26	20	6	-	-	21	14	5	1	1	15	5	7	1	2	19	8	1	5	5	111a
67	34	33	-	-	39	16	21	-	2	67	28	31	4	4	45	14	17	6	8	111b,c
48	23	25	-	-	26	14	10	1	1	61	25	32	2	2	26	13	3	7	3	112
-	-	-	-	-	1	1	-	-	-	3	1	1	1	-	1	1	-	-	-	113
19	16	3	-	-	14	11	2	1	-	38	26	5	5	2	42	12	7	18	5	114
1,269	753	506	6	4	948	526	364	29	29	1,898	982	722	112	102	1,335	464	308	307	256	
40	21	19	-	-	28	14	13	-	1	46	20	19	3	4	39	15	8	10	6	115a,b,d
17	8	9	-	-	20	8	11	1	-	33	19	10	2	2	19	9	3	3	4	115c
1	1	-	-	-	3	2	1	-	-	3	1	1	1	-	2	-	1	1	-	116
120	96	23	1	-	99	77	16	4	2	106	75	18	10	3	73	38	8	20	7	117a
50	40	10	-	-	26	23	3	-	-	58	40	15	1	2	31	21	2	5	3	117b
30	23	6	-	1	16	4	10	-	2	83	50	19	9	5	66	11	11	25	19	118
57	33	23	-	1	56	31	18	1	6	574	304	226	29	15	232	46	31	82	73	119
48	23	24	1	-	42	25	15	1	1	153	65	69	12	9	81	14	24	23	20	120
212	127	84	1	-	192	113	66	10	3	258	140	95	9	16	200	85	60	25	30	121
108	64	44	-	-	75	47	26	-	2	61	22	31	4	4	75	25	21	26	3	122a
148	76	70	1	1	98	41	47	5	5	139	49	66	11	13	137	39	39	25	34	122b
31	22	9	-	-	23	9	12	1	1	24	11	10	-	3	25	8	6	6	5	123
16	14	2	-	-	8	7	-	1	-	11	10	-	1	-	13	6	3	4	-	124a
132	101	30	1	-	95	57	37	-	1	159	89	48	11	11	176	92	39	30	15	124b
9	3	6	-	-	7	1	5	1	-	13	4	7	1	1	14	2	2	2	8	125a
22	13	9	-	-	11	8	2	1	-	18	9	6	1	2	30	10	6	6	8	125b
121	46	75	-	-	78	26	48	2	2	102	31	61	3	7	29	10	13	3	3	126
70	27	42	-	1	45	19	24	1	1	21	7	12	-	2	46	13	20	3	10	127
16	6	9	1	-	11	6	4	-	1	14	9	2	1	2	9	5	4	-	-	128
21	9	12	-	-	15	8	6	-	1	22	9	9	3	1	38	15	7	8	8	129
1,956	1,181	758	12	5	1,923	1,090	697	71	65	2,387	1,129	815	242	201	2,349	656	539	600	554	
36	15	21	-	-	42	18	20	1	3	88	45	23	9	11	96	21	23	26	26	130
1,141	641	488	9	3	997	527	395	37	38	1,071	477	382	105	107	1,340	361	341	320	318	131a
341	190	148	1	2	570	315	216	22	17	754	364	262	82	46	559	160	107	147	145	131b
78	43	35	-	-	50	25	20	1	4	213	103	67	23	20	59	21	10	18	10	132
63	38	24	1	-	49	29	16	3	1	67	27	31	4	5	80	23	28	13	16	133
27	18	9	-	-	23	18	5	-	-	20	7	11	1	1	21	11	5	2	3	134
8	5	3	-	-	7	2	4	1	-	13	7	3	2	1	14	3	3	7	1	135
8	8	-	-	-	4	1	-	3	-	2	1	-	1	-	17	3	-	13	1	136
224	223	...	1	...	158	155	...	3	...	113	98	...	15	...	106	53	...	53	...	137
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	1	-	...	1	...	138
19	...	19	...	-	18	...	16	...	2	36	...	27	...	9	40	...	15	...	25	139a
10	...	10	...	-	5	...	5	...	-	10	...	9	...	1	16	...	7	...	9	139b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	139c
128	...	128	...	-	86	...	80	...	6	238	...	218	...	20	238	...	94	...	144	
14	...	14	...	-	15	...	13	...	2	17	...	17	...	-	35	...	14	...	21	140
11	...	11	...	-	9	...	8	...	1	17	...	17	...	-	22	...	8	...	14	140a,b
3	...	3	...	-	6	...	5	...	1	-	...	-	...	-	13	...	6	...	7	140c,d
5	...	5	...	-	3	...	3	...	-	19	...	18	...	1	8	...	3	...	5	141
2	...	2	...	-	1	...	1	...	-	3	...	3	...	-	-	...	-	...	-	141a,c
3	...	3	...	-	1	...	1	...	-	15	...	14	...	1	6	...	2	...	4	141b,d
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	2	...	1	...	1	141e,f
-	...	-	...	-	2	...	2	...	-	2	...	1	...	1	-	...	-	...	-	142a
5	...	5	...	-	4	...	4	...	-	3	...	3	...	-	7	...	2	...	5	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	143a
1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	3	...	2	...	1	143b,c
6	...	6	...	-	2	...	1	...	1	28	...	26	...	2	16	...	6	...	10	144a,b
1	...	1	...	-	2	...	2	...	-	11	...	11	...	-	6	...	3	...	3	144c,d
3	...	3	...	-	1	...	1	...	-	10	...	9	...	1	13	...	2	...	11	145
6	...	6	...	-	4	...	4	...	-	4	...	3	...	1	9	...	4	...	5	146a
13	...	13	...	-	10	...	10	...	-	19	...	19	...	-	22	...	9	...	13	146b,c
23	...	23	...	-	9	...	9	...	-	40	...	33	...	7	47	...	15	...	32	147a,b
23	...	23	...	-	12	...	10	...	2	12	...	12	...	-	12	...	3	...	9	147c,d
12	...	12	...	-	9	...	8	...	1	32	...	28	...	4	27	...	15	...	12	148a,b
5	...	5	...	-	-	...	-	...	-	6	...	6	...	-	10	...	6	...	4	148c,d
9	...	9	...	-	5	...	5	...	-	11	...	10	...	1	10	...	4	...	6	149
2	...	2	...	-	8	...	8	...	-	22	...	21	...	1	12	...	6	...	6	150
17	9	8	-	-	13	4	6	1	2	34	17	16	-	1	41	16	8	8	9	
5	2	3	-	-	6	2	3	1	-	4	2	2	-	-	16	9	2	3	2	151
5	4	1	-	-	1	1	-	-	-	6	6	-	-	-	12	3	3	3	3	152
7	3	4	-	-	6	1	3	-	2	24	9	14	-	1	13	4	3	2	4	153
26	14	11	-	1	11	5	5	-	1	26	15	10	-	1	16	9	3	4	-	
13	7	6	-	-	7	5	1	-	1	21	13	7	-	1	10	5	3	2	-	154
5	4	1	-	-	2	-	2	-	-	2	2	-	-	-	2	2	-	-	-	155
8	3	4	-	1	2	-	2	-	-	3	-	3	-	-	4	2	-	2	-	156
317	162	154	1	-	193	101	84	5	3	300	157	130	9	4	215	71	71	44	29	157

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	2,440	1,349	902	103	86	1,277	750	467	35	25
158	Congenital debility (cause not stated)	25	16	5	2	2	52	28	20	3	1
159	Premature birth (cause not stated)	1,418	753	546	61	58	744	434	276	18	16
160a	Intracranial or spinal hemorrhage	375	227	117	15	16	145	92	48	4	1
160b,c	Other injuries at birth	310	172	125	11	2	148	90	52	4	2
161	Other diseases peculiar to the first year of life	312	181	109	14	8	188	106	71	6	5
162	XVI.—Senility	212	99	106	4	3	192	90	97	2	3
	XVII.—Violent or accidental deaths	7,416	4,970	1,887	438	121	4,038	2,679	1,202	118	39
163,164	Suicide	1,044	785	233	20	6	549	414	125	9	1
163	Suicide by poisoning	249	158	84	3	4	156	96	57	3	-
	Suicide by solid or liquid poisons	142	77	59	2	4	88	48	38	2	-
	Suicide by poisonous gases	107	81	25	1	-	68	48	19	1	-
164a	Suicide by hanging or strangulation	270	203	63	4	-	114	78	34	2	-
164b	Suicide by drowning	61	36	24	1	-	21	13	7	-	1
164c	Suicide by firearms and explosives	362	311	39	10	2	226	204	18	4	-
164d	Suicide by cutting or piercing instruments	53	48	4	1	-	21	16	5	-	-
164e	Suicide by jumping from high places	35	22	13	-	-	3	-	3	-	-
164f	Suicide by crushing	10	4	5	1	-	4	4	-	-	-
164g	Suicide by other or unspecified means	4	3	1	-	-	4	3	1	-	-
165-168	Homicide [1]	372	144	46	157	25	102	43	21	29	9
166	Homicide by firearms	214	78	32	94	10	58	22	15	16	5
167	Homicide by cutting or piercing instruments	88	25	4	50	9	18	6	1	10	1
168	Homicide by other means	70	41	10	13	6	26	15	5	3	3
169-195	Accidental deaths	5,998	4,039	1,608	261	90	3,386	2,221	1,056	80	29
169	Railway accidents (except collisions with motor vehicles)	279	237	26	15	1	149	127	16	5	1
170a	Collisions between automobiles and trains	169	117	42	9	1	122	95	25	1	1
170b	Collisions between automobiles and streetcars	14	11	2	1	-	3	1	2	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	2,351	1,700	521	97	33	1,378	968	365	32	13
170d	Motorcycle accidents (except collisions with automobiles)	19	16	3	-	-	18	16	2	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	51	32	16	3	-	6	4	1	-	1
171b	Other and unspecified road-transport accidents	17	13	3	-	1	8	8	-	-	-
172	Water-transport accidents	44	38	5	1	-	9	8	1	-	-
173	Air-transport accidents	6	6	-	-	-	12	11	1	-	-
174	Accidents in mines and quarries	101	98	-	3	-	54	51	1	2	-
175a	Accidents involving agricultural machinery and vehicles	46	46	-	-	-	30	30	-	-	-
175b,c	Other agricultural accidents, including injury by animals	33	31	1	1	-	31	29	2	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	2	2	-	-	-	2	2	-	-	-
176	Other accidents involving machinery	106	92	3	11	-	29	27	1	1	-
177	Food poisoning	13	4	8	1	-	15	11	4	-	-
178	Accidental absorption of poisonous gas	85	66	14	5	-	38	24	12	1	1
179	Acute accidental poisoning by solids or liquids	81	39	40	2	-	28	14	11	2	1
180	Conflagration	82	40	19	15	8	29	20	7	1	1
181	Accidental burns (except conflagration)	221	109	86	12	14	125	63	51	8	3
182	Accidental mechanical suffocation	64	38	21	4	1	42	25	16	-	1
183	Accidental drowning	270	216	38	15	1	119	97	15	7	-
184	Accidental injury by firearms	102	83	12	7	-	58	46	6	4	2
185	Accidental injury by cutting or piercing instruments	13	10	1	1	1	10	9	1	-	-
186a	Accidental injury by fall	1,454	701	694	38	21	745	339	397	5	4
186b	Accidental injury by crushing	33	29	3	1	-	17	15	-	2	-
187	Cataclysm, etc.*	2	2	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	9	7	1	1	-	5	3	1	1	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	5	4	-	1	-	5	2	3	-	-
191	Excessive heat	61	48	9	3	1	34	28	4	2	-
192	Lightning	13	10	3	-	-	10	7	2	1	-
193	Accidents due to electric currents (except lightning)	38	34	3	-	1	29	29	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	2	2	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	3	1	2	-	-	3	2	1	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	37	21	12	3	1	24	15	8	1	-
195c,e	Other and unspecified accidents	172	136	20	11	5	199	95	100	4	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	2	2	-	-	-	1	1	-	-	-
	XVIII.—Ill-defined and unknown causes	175	121	48	5	1	223	137	73	7	6
199	Sudden death	8	5	2	1	-	-	-	-	-	-
200a	Ill-defined	133	90	39	4	-	211	133	67	5	6
200b	Found dead (cause unknown)	6	4	2	-	-	-	-	-	-	-
200c	Unknown or unspecified	28	22	5	-	1	12	4	6	2	-

* Refer to complete International List titles, table XI.

1 Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
924	558	357	6	3	572	298	243	13	18	1,598	867	606	77	48	1,475	426	314	406	329	
19	13	5	1	-	13	5	7	1	-	219	109	90	11	9	75	15	12	29	19	158
577	331	241	2	3	359	185	152	10	14	935	509	347	51	28	959	269	204	250	236	159
124	74	49	1	-	52	29	21	1	1	111	66	39	4	2	132	47	35	32	18	160a
118	84	32	2	-	85	52	31	1	1	170	106	57	5	2	132	47	25	35	25	160b,c
86	56	30	-	-	63	29	32	-	2	163	77	73	6	7	177	48	38	60	31	161
319	148	169	1	1	117	50	61	2	4	379	147	198	15	19	193	34	49	52	58	162
2,197	1,452	722	17	6	1,689	1,107	491	65	26	3,103	2,011	700	310	82	2,167	1,033	320	625	191	
336	282	72	1	1	254	192	57	3	2	309	234	62	9	4	180	119	38	22	1	163,164
83	48	34	-	1	59	38	20	-	1	67	37	28	2	2	25	11	12	2	-	163
50	22	27	-	1	38	20	17	-	1	53	27	22	2	2	23	9	12	2	-	
33	26	7	-	-	21	18	3	-	-	14	10	4	-	-	2	2	-	-	-	
102	83	19	-	-	37	25	11	1	-	37	27	8	1	1	13	8	4	1	-	164a
17	10	7	-	-	8	6	2	-	-	10	6	3	-	1	10	4	4	1	1	164b
116	106	9	1	-	134	113	19	1	1	172	148	20	4	-	117	84	18	15	-	164c
9	8	1	-	-	8	6	1	1	-	15	10	3	2	-	10	7	-	3	-	164d
2	2	-	-	-	1	1	-	-	-	6	5	1	-	-	5	5	-	-	-	164e
6	5	1	-	-	2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	164f
1	-	1	-	-	5	1	4	-	-	1	1	-	-	-	-	-	-	-	-	164g
31	15	11	3	2	62	25	9	20	8	401	225	33	118	25	259	52	7	164	36	165-168
18	9	6	1	2	47	16	6	18	7	324	187	27	90	20	135	32	5	81	17	166
2	-	1	1	-	3	1	1	1	-	45	19	2	20	4	90	6	-	67	17	167
11	6	4	1	-	12	8	2	1	1	32	19	4	8	1	34	14	2	16	2	168
1,829	1,174	639	13	3	1,373	890	425	42	16	2,390	1,550	605	182	53	1,722	859	275	435	154	169-195
55	50	3	2	-	50	42	4	4	-	149	121	10	18	-	70	38	2	30	-	169
48	38	10	-	-	58	41	13	4	-	35	20	8	5	2	35	19	8	7	1	170a
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	170b
566	398	160	8	-	467	331	118	13	5	865	621	157	66	19	634	352	88	156	38	170c
10	9	1	-	-	3	3	-	-	-	13	12	1	-	-	15	15	-	-	-	170d
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	171a
6	3	3	-	-	-	-	-	-	-	6	4	1	1	-	8	3	1	4	-	171b
19	16	3	-	-	3	3	-	-	-	7	6	1	-	-	58	41	2	14	1	172
5	5	-	-	-	8	8	-	-	-	2	2	-	-	-	16	16	-	-	-	173
18	16	2	-	-	22	21	-	1	-	166	148	1	17	-	-	-	-	-	-	174
47	43	4	-	-	42	38	2	2	-	9	9	-	-	-	10	6	-	4	-	175a
67	62	5	-	-	21	19	2	-	-	20	18	2	-	-	20	8	-	11	1	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	15	8	-	7	-	175e
15	13	2	-	-	20	18	1	1	-	16	13	1	2	-	38	29	-	9	-	176
6	2	4	-	-	5	3	1	-	1	13	6	7	-	-	21	5	6	4	6	177
28	22	6	-	-	21	15	5	1	-	24	18	4	2	-	5	4	1	-	-	178
20	15	3	1	1	14	9	5	-	-	19	13	6	-	-	31	7	7	8	9	179
24	17	7	-	-	18	9	8	1	2	50	28	9	7	6	26	7	5	7	7	180
82	32	49	-	1	63	27	33	1	2	149	46	85	8	10	121	35	32	22	32	181
16	7	9	-	-	9	7	1	1	-	59	33	23	1	2	36	7	3	13	13	182
81	66	14	1	-	74	59	11	3	1	108	77	15	16	-	153	75	3	71	4	183
32	30	2	-	-	36	33	1	2	-	92	71	8	11	2	63	28	3	23	9	184
6	5	1	-	-	3	1	1	-	1	12	5	2	4	1	9	2	2	4	1	185
529	220	308	-	1	335	133	195	3	4	442	176	246	13	7	195	84	79	12	20	186a
6	6	-	-	-	10	10	-	-	-	7	7	-	-	-	10	5	1	3	1	186b
2	1	1	-	-	10	4	6	-	-	-	-	-	-	-	4	3	1	-	-	187
1	-	1	-	-	2	1	1	-	-	4	4	-	-	-	2	-	-	2	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	189
3	2	1	-	-	2	1	1	-	-	2	1	1	-	-	1	-	1	-	-	190
23	16	7	-	-	10	6	1	3	-	27	18	4	3	2	6	5	-	1	-	191
12	11	1	-	-	11	9	2	-	-	18	14	4	-	-	10	5	2	3	-	192
13	13	-	-	-	13	9	4	-	-	19	15	1	3	-	14	12	-	2	-	193
-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	1	1	-	-	-	194
4	-	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
19	8	11	-	-	12	8	4	-	-	17	10	5	1	1	19	6	7	3	3	195d
64	46	17	1	-	26	20	5	1	-	40	32	3	4	1	72	29	21	14	8	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	1	-	-	-	-	-	-	-	-	3	2	-	1	-	6	4	-	2	-	198
104	67	37	-	-	99	57	37	4	1	157	84	58	12	5	301	57	38	115	91	
-	-	-	-	-	11	7	3	1	-	6	3	3	-	-	24	2	4	9	9	199
60	39	21	-	-	59	36	19	3	1	55	34	15	5	1	138	35	24	48	31	200a
4	4	-	-	-	8	3	5	-	-	3	-	1	2	-	5	1	3	1	-	200b
40	24	16	-	-	21	11	10	-	-	93	47	37	5	4	134	19	7	57	51	200c

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes	10,451	5,720	4,691	26	14	21,967	9,291	7,597	2,853	2,226
	I.—Infectious and parasitic diseases	579	330	245	3	1	2,211	729	406	656	420
1	Typhoid fever	4	1	3	-	-	17	5	2	6	4
2	Paratyphoid fever	-	-	-	-	-	2	-	1	-	1
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	-	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	4	5	-	-	21	11	5	3	2
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	1	-	-	-	3	-	2	-	1
9	Whooping cough	19	9	10	-	-	77	16	19	29	13
10	Diphtheria (infection by C. diphtheriae)	4	1	3	-	-	8	2	3	1	2
11	Erysipelas	1	-	1	-	-	2	1	-	1	-
12	Tetanus	1	1	-	-	-	9	6	1	1	1
13-22	Tuberculosis (all forms)	254	150	101	2	1	1,358	438	240	402	278
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	4	4	-	-	-	3	3	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	221	133	85	2	1	1,264	419	224	371	250
14	Tuberculosis of meninges and central nervous system	9	5	4	-	-	29	2	3	11	13
15	Tuberculosis of intestines and peritoneum	4	1	3	-	-	20	5	1	6	8
16	Tuberculosis of vertebral column	4	2	2	-	-	18	2	6	7	3
17a	Tuberculosis of bones (except vertebral column)	-	-	-	-	-	1	-	-	1	-
17b	Tuberculosis of joints (except vertebral column)	1	1	-	-	-	1	-	1	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	1	-	1	-	-
19	Tuberculosis of lymphatic system, etc.*	2	-	2	-	-	1	-	-	1	-
20	Tuberculosis of genito-urinary system	3	1	2	-	-	4	1	2	1	-
21	Tuberculosis of other organs	3	1	2	-	-	2	1	-	-	1
22a	Disseminated tuberculosis (acute miliary)	3	2	1	-	-	13	4	2	4	3
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	1	1	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	12	7	5	-	-	17	8	3	3	3
25	Gonococcus infection	5	-	5	-	-	10	1	1	4	4
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	1	-	-	43	17	10	10	6
28	Malaria	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	60	39	20	1	-	371	116	34	161	60
30a	Locomotor ataxia (tabes dorsalis)	7	4	3	-	-	11	7	4	-	-
30b	General paralysis of insane	14	12	2	-	-	106	38	9	47	12
30c	Other syphilis of central nervous system	4	3	1	-	-	27	15	3	6	3
30d	Aneurysm of aorta	10	7	3	-	-	75	23	7	34	11
30e	Other syphilis of circulatory system	5	4	1	-	-	48	10	3	31	4
30f,g	Congenital, other and unspecified forms of syphilis	20	9	10	1	-	104	23	8	43	30
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	1	1	-	-	-	7	5	-	-	2
33a	Influenza, with respiratory complications specified	99	58	41	-	-	119	43	35	18	23
33b	Influenza, without respiratory complications specified	60	28	32	-	-	57	15	23	9	10
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	16	7	9	-	-	13	4	7	1	1
36	Acute poliomyelitis and acute polioencephalitis	3	2	1	-	-	8	3	3	1	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	6	6	-	-	-	5	3	1	1	-
37b	Sequelae of encephalitis lethargica	-	-	-	-	-	10	8	2	-	-
38	Other diseases due to filtrable viruses	2	1	1	-	-	2	-	-	-	2
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	11	6	4	1	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	1	-	-	-	-	-	-	-	-
43	Mycoses	-	-	-	-	-	7	2	2	1	2
44	Other infectious and parasitic (communicable) diseases	18	12	6	-	-	34	19	8	3	4
	II.—Cancer and other tumors	1,339	577	761	-	1	2,674	1,092	1,236	157	189
45-55	Cancer and other malignant tumors	1,282	561	720	-	1	2,601	1,075	1,193	154	179
45	Cancer of buccal cavity and pharynx	39	26	13	-	-	87	60	15	9	3
45a-e	Cancer of buccal cavity	30	21	9	-	-	59	42	11	4	2
45f	Cancer of pharynx	9	5	4	-	-	28	18	4	5	1
46	Cancer of digestive organs and peritoneum	612	305	306	-	1	1,113	526	456	84	47
46a	Cancer of esophagus	8	4	4	-	-	41	27	8	5	1
46b,c	Cancer of stomach and duodenum	202	116	85	-	1	401	198	145	44	14
46f	Cancer of liver and biliary passages	100	45	55	-	-	147	63	67	6	11
46g	Cancer of pancreas	36	20	16	-	-	111	47	53	10	1
46d,e,h,m	Cancer of other digestive organs and peritoneum	266	120	146	-	-	413	191	183	19	20
47	Cancer of respiratory system	46	32	14	-	-	214	156	31	21	6
48	Cancer of uterus	141	...	141	...	-	292	...	231	...	61
49	Cancer of other female genital organs	31	...	31	...	-	84	...	73	...	11
50	Cancer of breast	135	-	135	-	-	269	1	237	-	31
51	Cancer of male genital organs	105	105	...	-	...	138	116	...	22	...
52	Cancer of urinary organs (male and female)	61	34	27	-	-	139	77	48	6	8
53	Cancer of skin (except vulva and scrotum)	28	17	11	-	-	40	19	18	2	1
54	Cancer of central nervous system*	5	4	1	-	-	60	33	23	3	1
55	Cancer of other and unspecified organs	79	38	41	-	-	165	87	61	7	10
56a	Nonmalignant tumors of ovary	8	...	8	...	-	12	...	10	...	2
56b	Nonmalignant tumors of uterus	19	...	19	...	-	18	...	12	...	6
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	7	4	3	-	-	31	12	16	2	1

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
50,709	26,090	23,749	487	383	52,670	28,425	21,388	1,559	1,298	26,618	15,121	11,131	222	144	22,575	5,399	4,091	6,817	6,268	
2,580	1,538	886	92	64	3,221	1,708	989	303	221	1,569	932	572	37	28	3,105	526	443	1,110	1,026	
2	1	1	-	-	14	7	5	1	1	2	2	-	-	-	35	7	2	15	11	1
1	1	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-	-	1	-	5
30	21	8	1	-	10	9	1	-	-	8	6	2	-	-	30	7	7	9	7	6
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
11	6	5	-	-	32	15	14	2	1	9	6	3	-	-	4	3	1	-	-	8
42	18	21	2	1	94	39	46	4	5	31	11	19	-	1	138	17	18	52	51	9
12	7	5	-	-	18	6	8	4	-	9	4	5	-	-	40	12	11	6	11	10
11	6	5	-	-	18	5	10	2	1	10	4	5	1	-	11	-	9	-	2	11
4	3	1	-	-	9	7	2	-	-	7	5	2	-	-	20	2	1	13	4	12
1,656	1,017	529	65	45	1,739	887	502	188	162	754	420	288	26	20	999	162	114	339	384	13-22
20	20	-	-	-	29	27	-	2	-	7	7	-	-	-	-	-	-	-	-	13a
1,517	941	472	63	41	1,515	780	440	158	137	669	388	259	25	17	938	157	109	310	362	13b,c
33	22	9	1	1	47	13	20	7	7	20	13	6	1	-	9	1	1	4	3	14
20	4	15	-	1	29	8	10	5	6	11	5	6	-	-	21	1	-	8	12	15
21	8	13	-	-	29	18	4	4	3	13	7	5	-	1	2	-	-	2	-	16
1	1	-	-	-	7	1	4	2	-	-	-	-	-	-	2	-	-	2	-	17a
4	3	1	-	-	2	2	-	-	-	2	1	1	-	-	5	-	-	3	2	17b
2	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	18
2	1	1	-	-	4	1	3	-	-	2	-	2	-	-	3	-	-	3	-	19
18	10	8	-	-	24	16	7	1	-	15	10	3	-	2	5	1	2	-	2	20
4	-	4	-	-	4	1	1	2	-	5	3	2	-	-	-	-	-	-	-	21
12	5	6	-	1	46	18	12	7	9	9	5	4	-	-	10	1	2	6	1	22a
2	1	-	1	-	1	1	-	-	-	1	1	-	-	-	4	1	-	1	2	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
37	23	12	-	2	45	31	11	2	1	14	4	10	-	-	17	5	3	4	5	24
3	-	3	-	-	1	-	1	-	-	2	1	1	-	-	29	1	4	4	20	25
-	-	-	-	-	5	1	4	-	-	2	2	-	-	-	2	-	-	1	1	26
10	3	7	-	-	41	25	12	3	1	1	1	-	-	-	147	28	22	55	42	27
1	-	1	-	-	5	3	1	1	-	1	1	-	-	-	150	21	18	60	51	28
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	29
321	223	65	20	13	557	328	108	86	37	246	187	46	8	5	424	47	11	230	136	30
28	23	4	-	1	25	20	4	1	-	14	12	1	1	-	5	3	1	1	-	30a
74	50	15	5	4	135	82	22	25	6	61	52	7	1	1	61	20	2	32	7	30b
19	14	3	-	2	63	33	15	9	6	22	12	7	2	1	32	3	-	19	10	30c
92	66	16	7	3	122	72	24	20	6	81	63	14	3	1	43	6	2	28	7	30d
32	23	7	2	-	54	36	4	8	6	4	3	-	1	-	38	2	1	23	12	30e
76	47	20	6	3	158	83	39	23	13	64	45	17	-	2	245	13	5	127	100	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
3	2	1	-	-	7	2	5	-	-	5	2	3	-	-	7	-	1	3	3	32
215	85	128	2	-	228	127	93	6	2	174	91	82	1	-	628	124	123	203	178	33a
67	28	39	-	-	198	96	97	3	2	88	51	36	1	-	287	53	58	86	90	33b
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	34
4	1	3	-	-	66	32	30	-	4	4	4	-	-	-	69	18	25	10	16	35
9	8	-	1	-	21	16	5	-	-	40	27	13	-	-	16	5	2	3	6	36
13	5	8	-	-	14	7	6	-	1	85	58	26	-	1	8	5	-	1	2	37a,c
6	4	2	-	-	11	9	2	-	-	7	4	3	-	-	3	2	1	-	-	37b
4	2	2	-	-	4	2	1	-	1	1	1	-	-	-	2	-	1	-	1	38
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	4	2	2	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	40
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	4	1	-	2	1	42
10	7	2	-	1	12	5	6	-	1	7	6	1	-	-	7	2	2	2	1	43
105	65	37	1	2	61	43	16	1	1	59	32	26	-	1	22	2	6	11	3	44
7,583	3,491	3,996	49	47	6,589	3,090	3,239	102	158	4,030	2,070	1,917	25	18	1,537	422	467	208	440	
7,391	3,421	3,878	49	43	6,307	3,005	3,070	99	133	3,924	2,034	1,850	23	17	1,454	406	449	201	398	45-55
248	206	39	3	-	199	159	33	5	2	102	88	13	1	-	51	26	9	9	7	45
164	136	26	2	-	137	110	20	5	2	82	70	11	1	-	34	20	4	6	4	45a-e
84	70	13	1	-	62	49	13	-	-	20	18	2	-	-	17	6	5	3	3	45f
3,586	1,882	1,657	34	13	2,909	1,561	1,247	63	38	1,922	1,104	801	11	6	553	174	150	124	105	46
188	148	35	5	-	114	91	17	6	-	75	45	29	1	-	12	8	-	4	-	46a
1,151	666	465	17	3	1,089	661	392	26	10	817	521	290	5	1	224	55	54	72	43	46b,c
334	124	202	4	2	402	167	223	5	7	209	93	113	1	2	116	33	37	24	22	46f
273	145	123	1	4	219	110	100	9	-	185	99	84	1	1	21	11	4	2	4	46g
1,640	797	832	7	4	1,085	532	515	17	21	636	346	285	3	2	180	67	55	22	36	46d,e,h,m
438	327	106	4	1	417	315	94	6	2	201	148	49	4	-	60	30	11	10	9	47
596	...	590	...	6	656	...	607	...	49	269	...	264	...	5	284	...	113	...	171	48
224	...	220	...	4	175	...	167	...	8	117	...	116	...	1	33	...	23	...	10	49
851	10	833	-	8	559	9	524	1	25	345	3	340	-	2	124	2	73	2	47	50
434	429	...	5	...	438	425	...	13	...	326	321	...	5	...	95	67	...	28	...	51
346	229	114	-	3	304	198	98	6	2	202	129	70	2	1	60	22	12	14	12	52
109	67	40	-	2	90	60	29	-	1	67	40	27	-	-	59	36	16	1	6	53
129	73	56	-	-	97	54	41	1	1	121	75	46	-	-	19	11	6	-	2	54
430	198	223	3	6	463	224	230	4	5	252	126	124	-	2	116	38	36	13	29	55
22	...	22	...	-	34	...	29	...	5	9	...	9	...	-	6	...	-	...	6	56a
49	...	47	...	2	77	...	60	...	17	28	...	27	...	1	36	...	7	...	29	56b
-	...	-	...	-	2	...	2	...	-	2	...	2	...	-	1	...	1	...	-	56c
57	30	26	-	1	71	30	38	1	2	38	21	17	-	-	12	2	7	2	1	56d,e

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	1	...	-	...	1
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	23	12	11	-	-	11	5	5	1	-
	III.—Rheumatism, diseases of nutrition, etc.*	348	141	207	-	-	710	201	418	34	57
58a-d	Acute rheumatic heart diseases	11	4	7	-	-	17	6	5	4	2
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	4	1	3	-	-	8	1	2	2	3
59	Chronic rheumatism and other rheumatic diseases	22	10	12	-	-	27	13	11	1	2
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	268	109	159	-	-	571	167	349	18	37
62	Diseases of pituitary gland	2	-	2	-	-	2	-	2	-	-
63a	Simple goiter	1	-	1	-	-	1	-	-	-	1
63b	Exophthalmic goiter	8	1	7	-	-	37	3	30	-	4
63c-e	Other diseases of thyroid and parathyroid glands	3	-	3	-	-	4	1	3	-	-
64	Diseases of thymus gland	18	11	7	-	-	26	5	12	3	6
65	Diseases of adrenal glands (not specified as tuberculous)	2	1	1	-	-	2	1	1	-	-
66	Other general diseases	2	1	1	-	-	3	1	1	1	-
67	Scurvy	-	-	-	-	-	1	-	-	-	1
68	Beriberi	2	1	1	-	-	1	-	1	-	-
69	Pellagra (except alcoholic)	3	1	2	-	-	3	1	-	2	-
70	Rickets	1	1	-	-	-	4	-	-	3	1
71	Other avitaminoses	1	-	1	-	-	3	2	1	-	-
	IV.—Diseases of the blood and blood-forming organs	73	34	38	1	-	118	56	42	11	9
72	Hemorrhagic conditions	6	3	3	-	-	7	2	3	1	1
73a	Pernicious anemia	20	8	12	-	-	16	8	5	1	2
73b-d	Other anemias (except splenic)	12	4	8	-	-	18	8	5	2	3
74a	Leukemias	30	17	12	1	-	82	33	22	5	2
74b	Aleukemias	2	-	2	-	-	3	2	1	-	-
75	Diseases of spleen	2	2	-	-	-	6	1	4	-	1
76	Other diseases of the blood and blood-forming organs	1	-	1	-	-	6	2	2	2	-
	V.—Chronic poisoning and intoxication	17	16	1	-	-	59	41	3	11	4
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	2	2	-	-	-	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	13	12	1	-	-	55	39	2	10	4
78	Lead poisoning	1	1	-	-	-	3	1	1	1	-
79	Chronic poisoning by other mineral or organic substances	1	1	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,159	578	579	1	1	1,886	870	774	215	227
80	Encephalitis (nonepidemic)	6	5	1	-	-	11	6	3	1	1
81	Meningitis (not due to meningococcus)	9	7	2	-	-	34	12	17	3	2
82	Diseases of spinal cord (see exceptions)*	20	14	6	-	-	30	12	8	3	7
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	965	473	491	1	-	1,504	503	636	184	201
83b	Cerebral embolism and thrombosis	82	39	43	-	-	137	58	57	21	1
83c	Cerebral softening	5	3	2	-	-	8	4	3	1	-
83d	Hemiplegia and other paralysis of unspecified origin	14	4	10	-	-	33	18	12	1	2
84	Mental diseases and deficiency (see exception)*	8	2	6	-	-	16	5	5	3	3
85	Epilepsy	14	8	5	-	1	33	13	9	9	2
86	Convulsions (under 5 years)	6	4	2	-	-	4	-	1	1	2
87	Other diseases of nervous system	17	12	5	-	-	42	18	17	5	2
88	Diseases of organs of vision	1	-	1	-	-	1	1	-	-	-
89a	Otitis and other diseases of the ear	11	7	4	-	-	24	13	5	3	3
89b	Diseases of mastoid process	1	-	1	-	-	9	7	1	-	1
	VII.—Diseases of the circulatory system	3,463	2,033	1,422	6	2	6,592	3,139	2,379	561	513
90	Pericarditis (except acute rheumatic)	1	-	1	-	-	6	4	1	1	-
91a,b	Bacterial and other acute or subacute endocarditis	14	9	5	-	-	35	10	13	9	3
91c	Endocarditis (unspecified, under 45 years)	2	2	-	-	-	2	-	1	-	1
92a-d	Chronic endocarditis and diseases of the valves*	365	207	158	-	-	662	261	229	76	96
92e	Endocarditis (unspecified, 45 years and over)	25	12	13	-	-	20	6	11	1	2
93a	Acute myocarditis (except rheumatic)	24	14	10	-	-	57	19	16	9	13
93b	Myocarditis (unspecified, under 45 years)	-	-	-	-	-	4	2	-	2	-
93c,d	Chronic myocarditis and myocardial degeneration	1,253	676	576	-	1	3,324	1,431	1,398	253	241
93e	Other myocarditis (unspecified)	109	54	55	-	-	91	33	41	9	8
94a	Diseases of coronary arteries	1,000	698	298	6	-	1,663	1,071	393	124	75
94b	Angina pectoris	132	77	55	-	-	73	52	18	2	1
95a	Functional diseases of heart, etc.*	8	4	4	-	-	11	7	3	-	1
95b,c	Other and unspecified diseases of heart	188	104	83	-	1	283	101	112	35	35
96	Aneurysm (except of heart and aorta)	5	2	3	-	-	21	10	6	1	4
97	Arteriosclerosis (except coronary or renal sclerosis)	297	159	138	-	-	294	114	117	33	30
98	Gangrene	6	3	3	-	-	5	1	3	1	-
99	Other diseases of arteries	11	6	5	-	-	23	11	9	3	-
100	Diseases of veins	11	4	7	-	-	12	6	5	-	1
101	Diseases of lymphatic system	2	1	1	-	-	1	-	1	-	-
102	High blood pressure (idiopathic)	9	3	6	-	-	5	-	1	2	2
103	Other diseases of circulatory system	1	-	1	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	569	317	247	2	3	1,262	494	350	255	163
104a	Diseases of nasal fossae	5	3	2	-	-	-	-	-	-	-
104b	Diseases of accessory sinuses	8	4	4	-	-	7	4	2	1	-
105	Diseases of larynx	3	3	-	-	-	3	3	-	-	-
106a	Acute bronchitis	20	15	5	-	-	17	4	7	2	4

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	1	...	-	...	1	57b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57c
63	40	22	-	1	95	55	37	2	1	28	15	11	2	-	27	14	3	5	5	57d,e
1,804	598	1,184	7	15	1,844	629	1,119	28	68	904	335	565	3	3	529	119	138	103	169	
23	15	7	-	1	32	13	16	2	1	17	12	5	-	-	17	1	4	6	6	58a-d
10	4	5	-	1	15	4	8	1	2	9	3	6	-	-	11	2	2	5	2	58e,f
55	17	38	-	-	68	20	47	-	1	57	23	34	-	-	21	5	7	5	4	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
1,538	500	1,020	5	13	1,376	471	841	17	47	675	254	416	2	3	295	83	85	53	74	61
5	3	2	-	-	2	1	1	-	-	4	1	3	-	-	1	-	1	-	-	62
4	1	3	-	-	9	1	7	-	1	3	-	3	-	-	2	1	1	-	-	63a
68	15	52	1	-	155	24	122	2	7	85	17	68	-	-	24	-	7	3	14	63b
36	5	31	-	-	14	4	10	-	-	16	4	12	-	-	6	1	3	-	2	63c-e
32	24	7	1	-	114	62	42	5	5	13	7	6	-	-	6	3	1	1	1	64
19	7	12	-	-	22	11	9	1	1	13	6	7	-	-	2	2	-	-	-	65
4	1	3	-	-	15	6	7	-	2	7	4	2	1	-	19	6	3	5	5	66
1	1	-	-	-	5	2	3	-	-	-	-	-	-	-	1	1	-	-	-	67
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	68
7	4	3	-	-	8	6	2	-	-	4	4	-	-	-	120	13	23	24	60	69
1	-	1	-	-	3	1	1	-	1	-	-	-	-	-	1	1	-	-	-	70
1	1	-	-	-	5	3	2	-	-	1	-	1	-	-	3	-	1	1	1	71
352	183	167	2	-	428	213	201	5	9	280	162	118	-	-	104	38	32	21	15	
18	7	11	-	-	23	10	12	-	1	17	10	7	-	-	16	4	6	3	3	72
57	23	34	-	-	118	51	64	2	1	64	30	34	-	-	24	8	8	7	1	73a
31	14	17	-	-	48	26	21	-	1	25	16	9	-	-	19	5	7	3	4	73b-d
215	120	93	2	-	199	105	87	3	4	153	91	62	-	-	39	16	10	6	7	74a
11	6	5	-	-	18	10	7	-	1	5	4	1	-	-	1	-	1	-	-	74b
13	9	4	-	-	16	10	6	-	-	13	9	4	-	-	4	3	-	1	-	75
7	4	3	-	-	6	1	4	-	1	3	2	1	-	-	1	-	-	1	-	76
183	152	28	2	1	65	48	13	2	2	38	33	4	1	-	21	13	-	7	1	
2	2	-	-	-	3	1	2	-	-	2	2	-	-	-	1	1	-	-	-	77a,b
177	147	27	2	1	54	46	5	2	1	32	27	4	1	-	20	12	-	7	1	77c-e
2	2	-	-	-	1	-	-	-	1	2	2	-	-	-	-	-	-	-	-	78
2	1	1	-	-	7	1	6	-	-	2	2	-	-	-	-	-	-	-	-	79
5,136	2,280	2,773	38	45	5,386	2,601	2,581	82	102	2,949	1,499	1,421	17	12	1,945	478	442	464	561	
25	14	11	-	-	56	30	25	-	1	23	13	9	-	1	14	7	3	2	2	80
70	41	28	1	-	81	45	30	4	2	39	26	12	1	-	43	14	5	14	10	81
109	69	37	3	-	107	64	39	4	-	59	34	25	-	-	19	8	3	3	5	82
3,944	1,691	2,186	28	39	4,114	1,927	2,040	60	87	2,261	1,128	1,114	13	6	1,597	376	359	371	491	83a
586	253	327	3	3	432	231	196	3	2	302	161	140	-	1	32	11	11	6	4	83b
43	18	25	-	-	17	10	6	-	1	30	17	12	1	-	7	3	2	-	2	83c
38	12	25	1	-	146	72	66	3	5	29	15	12	-	2	91	19	18	29	25	83d
18	7	11	-	-	42	14	25	2	1	17	4	13	-	-	26	4	13	5	4	84
80	52	27	1	-	95	57	35	2	1	38	20	17	-	1	44	12	10	19	3	85
9	3	6	-	-	16	9	7	-	-	10	5	5	-	-	19	5	4	6	4	86
151	81	69	1	-	175	98	75	2	2	104	58	44	1	1	31	13	7	4	7	87
1	1	-	-	-	-	-	-	-	-	3	-	3	-	-	1	-	-	1	-	88
44	27	14	-	3	51	30	20	1	-	22	11	10	1	-	21	6	7	4	4	89a
18	11	7	-	-	34	16	17	1	-	12	7	5	-	-	-	-	-	-	-	89b
18,897	9,958	8,695	136	108	17,016	9,848	6,571	433	364	8,034	4,765	3,205	37	29	5,843	1,215	819	955	874	
16	9	7	-	-	20	12	7	-	1	9	7	2	-	-	7	-	2	3	2	90
74	43	31	-	-	86	40	43	2	1	52	33	18	1	-	32	8	5	8	11	91a,b
5	2	2	-	1	11	4	6	1	-	1	-	1	-	-	5	1	-	1	3	91c
1,307	587	704	9	7	1,657	868	715	41	33	898	488	425	3	2	792	184	157	228	243	92a-d
54	21	30	-	3	128	58	67	3	-	35	23	12	-	-	16	5	4	1	6	92e
93	43	50	-	-	157	82	69	2	4	35	24	10	-	1	51	13	7	13	18	93a
9	5	4	-	-	23	12	6	2	3	4	3	1	-	-	7	1	1	3	2	93b
9,247	4,412	4,701	68	66	6,828	3,440	2,946	255	207	2,519	1,328	1,165	8	18	1,296	359	304	329	304	93c,d
406	203	195	6	2	858	423	388	17	10	215	127	85	1	2	92	22	28	24	18	93e
5,062	3,340	1,686	24	12	4,489	3,136	1,257	73	43	2,781	1,914	849	15	3	565	318	106	76	67	94a
152	87	64	-	1	228	159	69	-	-	56	40	16	-	-	128	69	30	20	9	94b
9	4	5	-	-	53	22	29	1	1	36	16	20	-	-	14	5	2	3	4	95a
1,272	692	567	15	8	1,308	728	507	33	40	824	562	257	4	1	553	151	116	153	133	95b,c
34	20	12	2	-	54	36	12	5	1	32	23	9	-	-	4	1	2	-	1	96
1,012	429	566	9	8	921	522	378	9	12	607	338	264	5	2	191	59	54	50	28	97
5	3	2	-	-	30	19	10	-	1	10	6	4	-	-	14	3	3	3	5	98
65	34	31	-	-	84	38	42	3	1	58	27	31	-	-	16	6	1	3	6	99
54	23	30	1	-	34	18	16	-	-	29	10	19	-	-	10	4	6	-	-	100
-	-	-	-	-	8	5	1	2	-	-	-	-	-	-	2	1	-	1	-	101
21	11	8	2	-	52	22	22	4	4	32	15	17	-	-	40	6	11	13	10	102
-	-	-	-	-	7	6	1	-	-	1	1	-	-	-	8	1	-	3	4	103
2,813	1,524	1,221	41	27	2,941	1,613	1,027	127	74	1,652	890	717	30	15	1,138	295	200	362	281	
11	7	3	1	-	8	6	2	-	-	4	-	3	1	-	9	1	-	1	7	104a
25	19	3	1	-	28	15	12	1	-	14	10	4	-	-	6	-	3	2	1	104b
8	4	3	1	-	16	7	7	1	1	9	6	3	-	-	3	2	-	1	-	105
34	16	17	-	1	40	17	21	2	-	20	9	11	-	-	18	9	2	4	3	106a

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	20	14	6	-	-	30	17	10	-	3
106c	Bronchitis (unspecified)	8	5	3	-	-	11	5	2	3	1
107	Bronchopneumonia (including capillary bronchitis)	226	114	111	-	1	519	203	161	100	55
108	Lobar pneumonia	196	117	77	-	2	546	200	127	134	85
109	Pneumonia (unspecified)	18	10	8	-	-	17	5	2	5	5
110	Pleurisy (not specified as tuberculous)	6	5	1	-	-	20	12	4	1	3
111a	Hemorrhagic infarction and thrombosis of lungs	18	8	8	2	-	20	6	11	3	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	10	6	4	-	-	10	3	6	1	-
112	Asthma	20	7	13	-	-	34	18	12	1	3
113	Pulmonary emphysema	1	1	-	-	-	4	3	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	10	5	5	-	-	24	11	5	4	4
	IX.—Diseases of the digestive system	470	262	205	1	2	1,107	453	340	186	128
115a,b,d	Diseases of buccal cavity and adnexa	8	4	3	-	1	22	9	7	3	3
115c	Diseases of pharynx and tonsils	11	5	6	-	-	13	6	4	1	2
116	Diseases of esophagus	-	-	-	-	-	1	-	1	-	-
117a	Ulcer of stomach	34	24	10	-	-	91	62	8	18	3
117b	Ulcer of duodenum	16	13	3	-	-	18	13	2	3	-
118	Other diseases of stomach (except cancer)	15	5	10	-	-	13	8	3	-	2
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	52	33	19	-	-	310	78	73	86	73
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	13	8	5	-	-	40	13	9	8	10
121	Appendicitis	84	55	28	-	1	105	50	37	12	6
122a	Hernia	35	21	14	-	-	92	36	34	18	4
122b	Intestinal obstruction	48	22	25	1	-	85	31	36	11	7
123	Other diseases of intestines	14	8	6	-	-	19	8	7	1	3
124a	Cirrhosis of liver (with mention of alcoholism)	6	5	1	-	-	57	37	7	10	3
124b	Cirrhosis of liver (without mention of alcoholism)	50	29	21	-	-	93	51	34	5	3
125a	Acute yellow atrophy of liver (nonpuerperal)	1	-	1	-	-	5	1	3	-	1
125b	Other diseases of liver	4	2	2	-	-	15	5	4	5	1
126	Biliary calculi	43	16	27	-	-	61	19	38	-	4
127	Other diseases of gallbladder and biliary ducts	20	3	17	-	-	40	19	19	1	1
128	Diseases of pancreas (except diabetes mellitus)	10	6	4	-	-	9	1	6	1	1
129	Peritonitis (cause not stated)	6	3	3	-	-	18	6	8	3	1
	X.—Diseases of the genito-urinary system	871	499	369	3	-	2,357	968	834	280	275
130	Acute nephritis	8	4	4	-	-	33	13	6	7	7
131a	Arteriosclerotic kidney	511	275	236	-	-	1,640	636	632	180	192
131b	Other chronic nephritis	220	114	104	2	-	453	181	150	60	62
132	Nephritis unspecified (10 years and over)	20	11	9	-	-	31	9	10	5	7
133	Other diseases of kidneys and ureters, etc.*	17	13	4	-	-	37	12	16	5	4
134	Calculi of urinary passages	16	14	2	-	-	23	14	5	3	1
135	Diseases of urinary bladder	5	3	2	-	-	9	3	2	3	1
136	Diseases of urethra (except calculus)	1	1	-	-	-	4	1	1	2	-
137	Diseases of prostate	65	64	...	1	...	114	99	...	15	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	5	...	5	...	-	10	...	10	...	-
139b	Diseases of uterus	3	...	3	...	-	3	...	2	...	1
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	50	...	47	...	3	85	...	63	...	22
140	Abortion with mention of infection	5	...	5	...	-	12	...	10	...	2
140a,b	Abortion (septic), spontaneous or therapeutic*	4	...	4	...	-	5	...	5	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	1	...	1	...	-	7	...	5	...	2
141	Abortion without mention of infection	4	...	4	...	-	5	...	5	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	2	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	3	...	3	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1	...	1	...	-	2	...	2	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	5	...	4	...	1
143a	Placenta praevia (death before delivery)	-	...	-	...	-	1	...	-	...	1
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	1	...	1	...	-	5	...	2	...	3
144c,d	Other toxemias of pregnancy (death before delivery)*	-	...	-	...	-	1	...	1	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	3	...	3	...	-	5	...	3	...	2
146a	Placenta praevia (with childbirth)	5	...	5	...	-	-	...	-	...	-
146b,c	Other hemorrhages of childbirth and puerperium	2	...	2	...	-	10	...	9	...	1
147a,b	Puerperal pyelitis, other general or local puerperal infection*	4	...	3	...	1	11	...	7	...	4
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	11	...	10	...	1	9	...	8	...	1
148a,b	Puerperal eclampsia and nephritis*	7	...	6	...	1	9	...	5	...	4
148c,d	Other puerperal toxemias	-	...	-	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	5	...	5	...	-	4	...	3	...	1
150	Other and unspecified conditions of childbirth and puerperium	2	...	2	...	-	8	...	6	...	2
	XII.—Diseases of the skin and cellular tissue	12	9	3	-	-	12	3	7	2	-
151	Carbuncle and furuncle	2	2	-	-	-	3	2	1	-	-
152	Phlegmon and acute abscess	3	3	-	-	-	4	-	2	2	-
153	Other diseases of skin and cellular tissue	7	4	3	-	-	5	1	4	-	-
	XIII.—Diseases of the bones, etc.*	7	3	4	-	-	20	5	6	7	2
154	Osteomyelitis and periostitis	5	2	3	-	-	7	2	2	2	1
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	3	2	1	-	-
156	Diseases of joints and other organs of movement	2	1	1	-	-	10	1	3	5	1
157	XIV.—Congenital malformations	120	59	61	-	-	222	99	94	17	12

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
59	53	26	-	-	69	45	22	1	1	46	28	18	-	-	26	12	10	3	1	106b
16	11	4	1	-	31	13	17	1	-	11	6	5	-	-	9	3	2	1	3	106c
1,510	768	707	18	17	1,024	553	411	35	25	798	402	374	13	9	322	92	52	104	74	107
852	492	339	16	5	999	591	308	69	31	476	272	192	9	3	553	135	94	179	145	108
38	20	17	1	-	221	131	78	7	5	66	32	30	1	3	93	10	12	41	30	109
64	43	21	-	-	73	46	22	1	4	43	31	10	2	-	13	3	4	5	1	110
56	32	23	-	1	72	46	25	1	-	24	12	11	1	-	7	2	3	1	1	111a
25	8	16	1	-	103	49	50	3	2	45	24	21	-	-	23	10	6	4	3	111b,c
60	27	31	-	2	87	50	30	3	4	66	37	27	2	-	32	9	6	7	10	112
4	3	1	-	-	3	3	-	-	-	5	5	-	-	-	1	1	-	-	-	113
53	41	10	1	1	67	42	22	2	1	25	16	8	1	-	23	6	6	9	2	114
2,447	1,383	1,029	20	15	2,727	1,517	1,082	75	53	1,374	820	539	10	5	1,228	289	221	418	300	
31	14	17	-	-	57	28	22	5	2	28	16	12	-	-	41	4	11	13	13	115a,b,d
34	15	19	-	-	38	16	20	1	1	26	17	6	1	2	27	6	5	5	11	115c
11	4	6	1	-	6	4	2	-	-	3	2	1	-	-	2	-	2	-	-	116
222	170	48	2	2	225	181	33	8	3	100	85	15	-	-	74	36	7	25	6	117a
149	121	27	1	-	97	76	16	5	-	87	73	13	1	-	20	11	2	4	3	117b
16	7	7	1	1	50	32	15	2	1	20	15	5	-	-	72	11	6	27	28	118
175	102	67	2	4	268	137	119	6	6	74	46	24	1	3	285	45	39	125	76	119
64	24	40	-	-	79	40	38	-	1	52	28	24	-	-	87	17	24	24	22	120
313	185	123	3	2	449	250	167	19	13	212	144	66	2	-	204	54	47	59	44	121
184	106	77	1	-	207	122	80	2	3	120	77	42	1	-	63	10	7	39	7	122a
195	99	95	1	-	274	121	137	7	9	129	63	65	1	-	146	26	25	46	49	122b
95	53	39	2	1	61	31	25	4	1	36	19	17	-	-	20	7	3	3	7	123
91	69	20	2	-	19	17	2	-	-	7	7	-	-	-	4	2	1	1	-	124a
413	241	169	1	2	426	274	139	7	6	183	115	67	1	-	74	35	10	24	5	124b
35	15	20	-	-	20	10	8	2	-	21	11	9	1	-	5	1	1	1	2	125a
27	15	11	-	1	53	27	21	4	1	19	12	7	-	-	22	8	4	6	4	125b
194	59	132	1	2	167	61	105	-	1	148	48	100	-	-	20	3	12	5	-	126
105	37	68	-	-	135	41	91	1	2	76	24	51	1	-	40	10	9	7	14	127
46	21	24	1	-	47	26	19	1	1	16	9	7	-	-	8	1	2	2	3	128
47	26	20	1	-	49	23	23	1	2	17	9	8	-	-	14	2	4	2	6	129
3,408	1,779	1,571	29	27	3,538	1,876	1,456	107	99	1,497	902	567	17	11	2,488	557	419	818	694	
50	26	22	2	-	86	42	34	5	5	22	12	9	1	-	118	20	21	46	31	130
2,071	974	1,066	16	15	1,799	879	795	68	57	729	399	314	10	6	1,236	286	232	357	361	131a
632	312	312	3	5	783	402	356	12	13	307	171	131	2	3	778	164	113	262	239	131b
42	27	14	-	1	187	91	87	3	6	45	31	12	-	2	90	20	17	35	18	132
158	79	72	4	3	160	78	74	7	1	85	40	43	2	-	70	19	17	21	13	133
66	39	26	1	-	52	32	18	-	2	57	32	25	-	-	12	4	4	4	-	134
21	13	8	-	-	22	19	3	-	-	18	9	9	-	-	13	1	2	8	2	135
11	9	1	1	-	19	15	-	4	-	2	2	-	-	-	15	2	-	13	-	136
302	300	...	2	...	325	317	...	8	...	207	205	...	2	...	113	41	...	72	...	137
-	-	...	-	...	1	1	...	-	...	1	1	...	-	...	-	-	...	-	...	138
29	...	27	...	2	78	...	63	...	15	18	...	18	...	-	33	...	7	...	26	139a
24	...	23	...	1	23	...	23	...	-	6	...	6	...	-	10	...	6	...	4	139b
-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	-	...	-	...	-	139c
200	...	194	...	6	296	...	266	...	30	107	...	106	...	1	308	...	96	...	212	
22	...	20	...	2	29	...	23	...	6	10	...	10	...	-	33	...	9	...	24	140
14	...	13	...	1	22	...	16	...	6	8	...	6	...	-	32	...	9	...	23	140a,b
8	...	7	...	1	7	...	7	...	-	4	...	4	...	-	1	...	-	...	1	140c,d
4	...	4	...	-	14	...	12	...	2	5	...	5	...	-	15	...	5	...	10	141
2	...	2	...	-	5	...	4	...	1	2	...	2	...	-	5	...	3	...	2	141a,c
2	...	2	...	-	9	...	8	...	1	2	...	2	...	-	10	...	2	...	8	141b,d
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	141e,f
4	...	4	...	-	6	...	5	...	1	-	...	-	...	-	1	...	-	...	1	142a
5	...	5	...	-	13	...	11	...	2	4	...	4	...	-	11	...	5	...	6	142b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	3	...	1	...	2	143a
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	143b,c
5	...	4	...	1	12	...	11	...	1	4	...	4	...	-	28	...	8	...	20	144a,b
3	...	3	...	-	5	...	4	...	1	3	...	2	...	1	12	...	5	...	7	144c,d
8	...	8	...	-	5	...	5	...	-	5	...	5	...	-	9	...	1	...	8	145
8	...	8	...	-	10	...	10	...	-	1	...	1	...	-	7	...	2	...	5	146a
22	...	21	...	1	38	...	35	...	3	17	...	17	...	-	24	...	9	...	15	146b,c
35	...	34	...	1	37	...	34	...	3	16	...	16	...	-	46	...	7	...	39	147a,b
39	...	39	...	-	26	...	25	...	1	15	...	15	...	-	22	...	11	...	11	147c,d
12	...	12	...	-	33	...	30	...	3	11	...	11	...	-	52	...	18	...	34	148a,b
5	...	5	...	-	15	...	13	...	2	5	...	5	...	-	7	...	2	...	5	148c,d
12	...	11	...	1	35	...	31	...	4	5	...	5	...	-	17	...	8	...	9	149
15	...	15	...	-	17	...	16	...	1	5	...	5	...	-	20	...	4	...	16	150
30	15	15	-	-	45	28	14	2	3	25	12	13	-	-	31	10	4	7	10	
5	5	-	-	-	7	4	2	-	1	7	4	3	-	-	12	5	2	-	5	151
9	4	5	-	-	16	11	4	1	-	5	2	3	-	-	9	2	1	4	2	152
16	6	10	-	-	22	11	8	1	2	13	6	7	-	-	10	3	1	3	3	153
36	23	12	1	-	35	23	8	4	-	24	17	7	-	-	13	4	3	4	2	
17	14	2	1	-	17	13	2	2	-	13	10	3	-	-	10	4	2	3	1	154
12	5	7	-	-	7	5	2	-	-	3	1	2	-	-	2	-	1	-	1	155
7	4	3	-	-	11	5	4	2	-	8	6	2	-	-	1	-	-	1	-	156
518	279	234	2	3	674	339	319	11	5	375	209	165	1	-	132	46	42	29	15	157

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	398	227	170	-	1	776	321	223	127	105
158	Congenital debility (cause not stated)	32	18	14	-	-	27	12	8	1	6
159	Premature birth (cause not stated)	221	124	96	-	1	508	202	153	88	65
160a	Intracranial or spinal hemorrhage	41	27	14	-	-	88	49	16	16	7
160b,c	Other injuries at birth	55	32	23	-	-	52	22	16	6	8
161	Other diseases peculiar to the first year of life	49	26	23	-	-	101	36	30	16	19
162	XVI.—Senility	113	42	71	-	-	17	3	9	3	2
	XVII.—Violent or accidental deaths	799	553	237	9	-	1,829	1,003	408	327	91
163,164	Suicide	118	93	25	-	-	239	151	66	18	4
163	Suicide by poisoning	13	7	6	-	-	88	39	43	5	1
	Suicide by solid or liquid poisons	10	4	6	-	-	27	9	15	3	-
	Suicide by poisonous gases	3	3	-	-	-	61	30	28	2	1
164a	Suicide by hanging or strangulation	30	23	7	-	-	44	31	9	3	1
164b	Suicide by drowning	11	6	5	-	-	11	6	2	2	1
164c	Suicide by firearms and explosives	59	52	7	-	-	76	62	8	6	-
164d	Suicide by cutting or piercing instruments	5	5	-	-	-	6	4	1	-	1
164e	Suicide by jumping from high places	-	-	-	-	-	12	9	2	1	-
164f	Suicide by crushing	-	-	-	-	-	1	-	1	-	-
164g	Suicide by other or unspecified means	-	-	-	-	-	1	-	-	1	-
165-168	Homicide[1]	9	3	6	-	-	139	22	7	83	27
166	Homicide by firearms	7	2	5	-	-	75	11	4	45	15
167	Homicide by cutting or piercing instruments	-	-	-	-	-	35	2	-	25	8
168	Homicide by other means	2	1	1	-	-	29	9	3	13	4
169-195	Accidental deaths	672	457	206	9	-	1,446	827	335	224	60
169	Railway accidents (except collisions with motor vehicles)	13	13	-	-	-	45	33	4	8	-
170a	Collisions between automobiles and trains	3	2	1	-	-	17	9	6	1	1
170b	Collisions between automobiles and streetcars	1	1	-	-	-	5	5	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	211	150	56	5	-	548	350	100	84	15
170d	Motorcycle accidents (except collisions with automobiles)	5	3	2	-	-	7	5	1	1	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	-	-	-	-	-	7	1	2	2	2
171b	Other and unspecified road-transport accidents	5	4	1	-	-	2	1	-	1	-
172	Water-transport accidents	34	19	15	-	-	21	14	4	3	-
173	Air-transport accidents	6	6	-	-	-	6	6	-	-	-
174	Accidents in mines and quarries	3	3	-	-	-	11	10	-	1	-
175a	Accidents involving agricultural machinery and vehicles	8	8	-	-	-	14	8	-	6	-
175b,c	Other agricultural accidents, including injury by animals	14	14	-	-	-	16	9	2	5	-
175d	Accidents involving forestry machinery and vehicles	2	2	-	-	-	-	-	-	-	-
175e	Other forestry accidents	7	7	-	-	-	1	-	-	1	-
176	Other accidents involving machinery	6	6	-	-	-	18	16	-	2	-
177	Food poisoning	1	1	-	-	-	4	-	1	-	3
178	Accidental absorption of poisonous gas	16	9	6	1	-	24	18	3	2	1
179	Acute accidental poisoning by solids or liquids	5	4	1	-	-	9	4	1	3	1
180	Conflagration	18	13	5	-	-	63	23	14	14	12
181	Accidental burns (except conflagration)	28	17	11	-	-	83	34	27	10	12
182	Accidental mechanical suffocation	15	7	7	1	-	20	7	9	3	1
183	Accidental drowning	58	49	5	2	-	113	68	8	36	1
184	Accidental injury by firearms	14	14	-	-	-	24	15	2	6	1
185	Accidental injury by cutting or piercing instruments	3	3	-	-	-	5	3	-	2	-
186a	Accidental injury by fall	149	87	82	-	-	285	139	125	16	5
186b	Accidental injury by crushing	5	5	-	-	-	5	3	1	1	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	1	1	-	-	-	-	-	-	-	-
189	Hunger or thirst	1	1	-	-	-	1	-	1	-	-
190	Excessive cold	4	4	-	-	-	4	2	1	1	-
191	Excessive heat	2	1	1	-	-	8	5	-	2	1
192	Lightning	1	-	1	-	-	2	-	-	2	-
193	Accidents due to electric currents (except lightning)	4	4	-	-	-	9	7	1	1	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	1	-	1	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	7	3	4	-	-	17	8	5	3	1
195c,e	Other and unspecified accidents	24	16	8	-	-	50	24	16	7	3
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	5	3	-	2	-
	XVIII.—Ill-defined and unknown causes	64	40	24	-	-	30	14	5	4	7
199	Sudden death	13	9	4	-	-	-	-	-	-	-
200a	Ill-defined	29	17	12	-	-	18	9	2	2	5
200b	Found dead (cause unknown)	11	8	3	-	-	-	-	-	-	-
200c	Unknown or unspecified	11	6	5	-	-	12	5	3	2	2

*Refer to complete International List titles, table XI.

1 Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,288	720	534	21	13	2,125	1,160	847	70	48	1,024	596	404	15	9	1,030	331	239	246	214	
32	22	8	-	2	58	33	25	-	-	16	8	7	1	-	86	18	10	27	31	158
801	432	350	15	4	1,345	703	585	46	31	648	378	254	10	6	692	218	169	159	146	159
149	88	56	3	2	214	129	69	7	9	101	65	34	1	1	66	31	13	14	8	160a
123	74	46	1	2	213	123	85	3	2	152	78	73	-	1	108	37	31	23	17	160b,c
183	104	74	2	3	295	172	103	14	6	107	67	36	3	1	78	27	16	23	12	161
27	6	21	-	-	332	149	178	3	2	138	60	77	-	1	370	44	76	118	132	162
3,354	2,126	1,170	46	12	5,297	3,622	1,416	201	58	2,504	1,760	709	24	11	2,008	714	254	785	255	
540	378	155	5	2	703	519	168	12	4	382	297	84	1	-	123	78	26	18	3	163,164
228	128	93	4	1	202	130	68	2	2	95	64	31	-	-	14	5	6	2	1	165
87	27	36	3	1	101	46	52	1	2	37	19	18	-	-	12	3	6	2	1	
159	101	57	1	-	101	84	16	1	-	58	45	13	-	-	2	2	-	-	-	
121	105	15	1	-	177	135	42	-	-	111	90	21	-	-	9	6	2	1	-	164a
49	26	23	-	-	46	27	15	3	1	25	14	11	-	-	4	-	3	1	-	164b
86	77	8	-	1	211	186	20	4	1	115	103	11	1	-	86	61	13	10	2	164c
27	23	4	-	-	34	28	5	1	-	20	17	3	-	-	7	2	2	3	-	164d
24	13	11	-	-	26	9	15	2	-	11	7	4	-	-	-	-	-	-	-	164e
5	4	1	-	-	5	2	3	-	-	3	1	2	-	-	-	-	-	-	-	164f
2	2	-	-	-	2	2	-	-	-	2	1	1	-	-	3	2	-	1	-	164g
56	34	19	3	-	174	69	40	58	7	46	26	15	3	2	404	64	3	268	69	165-168
19	13	6	-	-	83	34	21	24	4	29	15	11	1	2	252	47	1	167	37	166
8	5	2	1	-	49	15	7	25	2	3	2	-	1	-	112	7	-	79	26	167
29	16	11	2	-	42	20	12	9	1	14	9	4	1	-	40	10	2	22	6	168
2,757	1,713	996	38	10	4,420	3,034	1,208	151	47	2,078	1,437	610	20	9	1,476	573	225	495	183	169-195
35	33	2	-	-	76	69	3	4	-	51	46	5	-	-	55	16	4	34	1	169
17	9	8	-	-	111	86	20	4	1	51	37	14	-	-	21	8	8	3	2	170a
1	-	1	-	-	2	1	-	-	1	3	2	1	-	-	-	-	-	-	-	170b
719	540	164	14	1	2,009	1,478	452	58	21	597	454	134	6	3	581	288	87	175	31	170c
3	3	-	-	-	21	18	3	-	-	3	1	2	-	-	8	5	-	1	-	170d
7	3	4	-	-	8	7	1	-	-	5	4	1	-	-	-	-	-	-	-	171a
8	5	3	-	-	9	9	-	-	-	4	3	1	-	-	11	4	1	4	2	171b
39	37	2	-	-	38	33	3	-	-	66	59	5	2	-	18	8	-	8	2	172
7	7	-	-	-	20	20	-	-	-	21	18	3	-	-	15	14	-	1	-	173
7	6	-	1	-	33	31	2	-	-	10	10	-	-	-	4	-	-	4	-	174
9	9	-	-	-	39	38	1	-	-	53	52	1	-	-	13	9	-	4	-	175a
4	4	-	-	-	31	31	-	-	-	50	48	2	-	-	26	15	-	11	-	175b,c
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	-	1	-	175d
2	2	-	-	-	18	17	-	1	-	4	4	-	-	-	9	5	-	4	-	175e
39	39	-	-	-	52	47	2	3	-	28	25	1	-	-	22	12	-	10	-	176
2	2	-	-	-	8	4	2	1	1	1	1	-	-	-	32	9	6	6	11	177
65	45	17	3	-	49	30	16	1	2	42	33	8	1	-	-	-	-	-	-	178
44	33	10	1	-	26	19	6	-	1	19	17	2	-	-	18	3	1	6	8	179
77	50	22	3	2	95	53	30	8	4	57	24	10	2	1	49	4	2	23	20	180
136	72	60	2	2	174	93	68	10	3	64	34	27	3	-	133	16	29	43	45	181
39	22	16	-	1	64	43	17	2	2	33	22	11	-	-	22	4	2	8	8	182
139	118	19	2	-	314	256	43	13	2	121	100	19	2	-	94	35	5	49	5	183
26	21	5	-	-	75	70	4	1	-	54	49	5	-	-	80	25	2	39	14	184
2	2	-	-	-	8	7	-	1	-	12	9	3	-	-	9	1	3	2	3	185
1,132	504	619	6	3	924	409	496	11	8	547	238	305	2	2	140	44	62	18	16	186a
8	7	-	1	-	15	15	-	-	-	3	2	1	-	-	7	1	-	3	3	186b
-	-	-	-	-	3	3	-	-	-	34	21	13	-	-	2	1	-	-	1	187
2	2	-	-	-	12	11	1	-	-	5	4	1	-	-	4	2	1	1	-	188
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	189
2	1	1	-	-	5	5	-	-	-	6	4	2	-	-	1	-	-	1	-	190
5	3	1	1	-	24	18	4	2	-	60	45	13	1	1	7	3	-	2	2	191
-	-	-	-	-	9	8	1	-	-	4	4	-	-	-	17	5	3	8	1	192
15	15	-	-	-	26	23	3	-	-	21	21	-	-	-	18	16	-	2	-	193
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	194
2	1	1	-	-	1	-	1	-	-	3	1	-	-	2	-	-	-	-	-	195a,b
43	27	16	-	-	40	28	11	1	-	25	16	9	-	-	5	-	-	2	3	195d
118	89	24	4	1	82	53	18	10	1	41	29	11	1	-	50	18	7	20	5	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	4	-	198
55	35	19	1	-	231	163	62	4	2	94	61	27	5	1	2,745	300	196	1,182	1,067	
2	-	2	-	-	21	15	5	1	-	15	10	5	-	-	169	38	21	58	52	199
43	30	12	1	-	156	109	44	2	1	52	35	14	3	-	320	98	32	120	70	200a
5	4	1	-	-	18	14	4	-	-	6	5	-	1	-	65	17	8	27	13	200b
5	1	4	-	-	36	25	9	1	1	21	11	8	1	1	2,191	147	155	977	952	200c

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	All causes	43,128	21,885	16,970	2,278	1,995	5,626	3,466	1,818	202	140	12,203	6,818	5,111	138	136
	I.—Infectious and parasitic diseases	4,034	1,960	1,360	398	316	456	258	105	46	47	676	371	251	30	24
1	Typhoid fever	48	31	10	3	4	2	1	1	-	-	5	3	2	-	-
2	Paratyphoid fever	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	5	1	3	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	7	7	1	-	5	3	2	-	-	4	4	-	-	-
7	Anthrax (infection by Bacillus anthracis)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	19	8	11	-	-	8	6	2	-	-	4	3	1	-	-
9	Whooping cough	171	68	85	6	12	6	1	-	4	1	33	14	18	1	-
10	Diphtheria (infection by C. diphtheriae)	44	21	21	-	2	12	2	4	4	2	4	2	2	-	-
11	Erysipelas	10	5	5	-	-	-	-	-	-	-	6	4	2	-	-
12	Tetanus	8	5	1	1	1	-	-	-	-	-	6	3	3	-	-
13-22	Tuberculosis (all forms)	1,737	831	507	217	182	203	123	28	24	28	202	103	65	19	15
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	25	25	-	-	-	36	36	-	-	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	1,605	754	475	207	169	149	80	25	20	24	176	92	53	18	13
14	Tuberculosis of meninges and central nervous system	29	17	7	2	3	5	1	-	1	3	3	1	2	-	-
15	Tuberculosis of intestines and peritoneum	27	9	7	3	8	1	1	-	-	-	6	-	4	-	2
16	Tuberculosis of vertebral column	14	7	5	2	-	3	1	1	1	-	4	3	1	-	-
17a	Tuberculosis of bones (except vertebral column)	7	4	2	-	1	-	-	-	-	-	1	-	-	1	-
17b	Tuberculosis of joints (except vertebral column)	1	1	-	-	-	-	-	-	-	-	2	2	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	3	1	2	-	-	1	1	-	-	-	1	1	-	-	-
20	Tuberculosis of genito-urinary system	12	8	4	-	-	2	1	-	1	-	-	-	-	-	-
21	Tuberculosis of other organs	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	13	5	4	3	1	5	1	2	1	1	9	4	5	-	-
22b	Disseminated tuberculosis (other and unspecified)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	53	29	19	3	2	7	3	1	1	2	14	9	5	-	-
25	Gonococcus infection	10	-	5	1	4	3	-	2	-	1	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	12	10	1	1	-	3	1	-	1	1	1	1	-	-	-
27	Dysentery	72	33	29	5	5	6	3	1	2	-	2	1	1	-	-
28	Malaria	25	18	5	1	1	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	585	310	108	111	56	61	42	11	6	2	94	64	16	9	5
30a	Locomotor ataxia (tabes dorsalis)	23	18	4	1	-	3	2	1	-	-	4	3	-	1	-
30b	General paralysis of insane	146	83	28	27	8	10	6	3	-	1	34	23	6	4	1
30c	Other syphilis of central nervous system	48	30	9	5	4	13	11	-	2	-	5	4	1	-	-
30d	Aneurysm of aorta	162	89	25	29	19	16	10	5	1	-	15	13	1	1	-
30e	Other syphilis of circulatory system	46	19	3	16	8	4	3	1	-	-	11	7	-	2	2
30f,g	Congenital, other and unspecified forms of syphilis	160	71	39	33	17	15	10	1	3	1	25	14	8	1	2
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	7	2	5	-	-	1	-	1	-	-	2	1	1	-	-
33a	Influenza, with respiratory complications specified	680	327	299	27	27	53	27	22	2	2	130	77	51	-	2
33b	Influenza, without respiratory complications specified	306	150	137	9	10	35	15	15	1	4	112	47	64	-	1
34	Smallpox	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-
35	Measles	114	55	48	6	5	1	1	-	-	-	4	2	2	-	-
36	Acute poliomyelitis and acute polioencephalitis	12	4	8	-	-	9	3	2	-	4	11	8	3	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	17	6	10	1	-	13	8	5	-	-	13	11	1	1	-
37b	Sequelae of encephalitis lethargica	10	3	7	-	-	-	-	-	-	-	3	1	2	-	-
38	Other diseases due to filtrable viruses	5	2	3	-	-	-	-	-	-	-	1	-	1	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	6	4	2	-	-	19	14	4	1	-	1	1	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
42	Other diseases caused by helminths	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
43	Mycoses	7	3	4	-	-	-	-	-	-	-	5	4	1	-	-
44	Other infectious and parasitic (communicable) diseases	48	26	15	4	3	9	5	4	-	-	18	7	10	-	1
	II.—Cancer and other tumors	5,303	2,323	2,623	155	202	640	341	279	10	10	1,747	820	896	13	18
45-55	Cancer and other malignant tumors	5,092	2,266	2,500	151	175	618	336	263	10	9	1,682	802	852	12	16
45	Cancer of buccal cavity and pharynx	188	142	30	10	6	15	11	3	-	1	49	39	8	1	1
45a-e	Cancer of buccal cavity	140	109	20	8	3	9	7	2	-	-	38	33	4	1	-
45f	Cancer of pharynx	48	33	10	2	3	6	4	1	-	1	11	6	4	-	1
46	Cancer of digestive organs and peritoneum	2,328	1,169	1,035	84	40	285	175	101	5	4	850	461	379	5	5
46a	Cancer of esophagus	81	62	12	6	1	10	9	1	-	-	32	21	9	1	1
46b,c	Cancer of stomach and duodenum	766	434	284	34	14	136	91	41	3	1	282	187	94	-	1
46f	Cancer of liver and biliary passages	435	177	241	13	4	34	15	16	2	1	154	61	93	-	-
46g	Cancer of pancreas	162	87	65	6	4	22	12	10	-	-	69	37	30	1	1
46d,e,h,m	Cancer of other digestive organs and peritoneum	884	409	433	25	17	83	48	33	-	2	313	155	153	3	2
47	Cancer of respiratory system	301	205	73	18	5	53	43	8	2	-	85	54	30	1	-
48	Cancer of uterus	538	...	475	...	63	63	...	62	...	1	146	...	141	...	5
49	Cancer of other female genital organs	147	...	138	...	9	17	...	17	...	-	38	...	37	...	1
50	Cancer of breast	476	9	426	-	41	46	-	45	-	1	162	3	158	-	1
51	Cancer of male genital organs	311	294	...	17	...	50	50	...	-	...	121	117	...	4	...
52	Cancer of urinary organs (male and female)	260	161	84	11	4	25	20	5	-	-	62	38	24	-	-
53	Cancer of skin (except vulva and scrotum)	144	83	61	-	-	13	6	3	3	1	47	26	21	-	-
54	Cancer of central nervous system*	90	46	42	-	2	7	4	2	-	1	22	12	9	-	1
55	Cancer of other and unspecified organs	309	157	136	11	5	44	27	17	-	-	100	52	45	1	2
56a	Nonmalignant tumors of ovary	19	...	19	...	-	4	...	4	...	-	12	...	12	...	-
56b	Nonmalignant tumors of uterus	69	...	48	...	21	6	...	5	...	1	24	...	22	...	2
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,400	886	397	65	52	6,114	3,267	2,842	3	2	45,441	22,585	19,362	1,824	1,670	5,720	3,078	2,252	210	180	
112	69	19	13	11	307	187	120	-	-	2,783	1,366	752	378	287	850	406	314	72	58	
3	3	-	-	-	2	1	1	-	-	6	5	-	1	-	9	2	7	-	-	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	6	2	4	-	-	17	7	10	-	-	1	1	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	2	2	-	-	-	9	5	3	1	-	2	-	2	-	-	8
4	2	2	-	-	13	8	5	-	-	37	15	12	6	4	78	23	26	19	10	9
-	-	-	-	-	-	-	-	-	-	9	7	2	-	-	18	7	2	3	6	10
-	-	-	-	-	4	2	2	-	-	9	2	7	-	-	1	-	1	-	-	11
-	-	-	-	-	-	-	-	-	-	6	2	2	-	2	2	2	-	-	-	12
62	35	7	12	8	137	85	52	-	-	1,803	872	486	230	215	385	196	141	27	21	13-22
16	16	-	-	-	6	6	-	-	-	18	17	-	1	-	1	1	-	-	-	13a
41	18	6	11	6	116	70	46	-	-	1,638	806	441	199	192	353	181	126	27	19	13b,c
1	-	-	-	1	2	2	-	-	-	34	10	9	9	6	14	4	10	-	-	14
2	1	1	-	-	2	1	1	-	-	35	8	11	9	7	3	2	-	-	1	15
1	-	-	-	1	-	-	-	-	-	17	6	7	2	2	2	2	-	-	-	16
-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	2	2	-	-	-	17a
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	17b
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	21	12	7	2	-	4	2	2	-	-	20
-	-	-	-	-	2	-	2	-	-	6	1	2	1	2	1	-	1	-	-	21
1	-	-	1	-	6	4	2	-	-	27	9	7	6	5	5	2	2	-	1	22a
-	-	-	-	-	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	1	-	-	-	4	2	2	-	-	35	21	12	2	-	5	2	2	-	1	24
-	-	-	-	-	-	-	-	-	-	15	3	4	3	5	2	-	2	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	2	-	-	-	1	1	-	-	-	14	6	6	1	1	105	57	42	3	3	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
34	22	9	1	2	40	31	9	-	-	457	230	69	112	46	60	35	19	3	3	30
-	-	-	-	-	5	5	-	-	-	17	14	2	-	1	3	2	1	-	-	30a
8	5	3	-	-	11	9	2	-	-	123	73	12	28	10	4	2	2	-	-	30b
3	2	1	-	-	1	1	-	-	-	63	27	10	21	5	8	7	-	1	-	30c
5	3	2	-	-	9	9	-	-	-	80	42	13	20	5	11	6	4	-	1	30d
1	1	-	-	-	5	2	3	-	-	34	20	4	6	4	2	1	1	-	-	30e
17	11	3	1	2	9	5	4	-	-	140	54	28	37	21	32	17	11	2	2	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	1	-	1	-	-	5	3	1	1	-	3	1	2	-	-	32
2	2	-	-	-	48	25	23	-	-	141	61	64	8	8	60	31	26	2	1	33a
3	1	1	-	1	24	13	11	-	-	84	46	30	5	3	30	16	10	2	2	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	4	2	2	-	-	25	13	9	3	-	73	23	26	13	11	35
-	-	-	-	-	4	2	2	-	-	23	13	10	-	-	2	2	-	-	-	36
-	-	-	-	-	1	1	-	-	-	10	6	3	-	1	4	4	-	-	-	37a,c
-	-	-	-	-	-	-	-	-	-	10	4	6	-	-	-	-	-	-	-	37b
-	-	-	-	-	1	-	1	-	-	7	4	2	1	-	2	2	-	-	-	38
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	42
-	-	-	-	-	1	-	1	-	-	4	3	-	1	-	1	-	1	-	-	43
1	1	-	-	-	14	10	4	-	-	53	35	13	3	2	7	2	5	-	-	44
129	70	52	2	5	801	366	434	-	1	6,404	2,946	3,198	89	171	316	146	160	5	5	
126	68	51	2	5	774	362	411	-	1	6,206	2,897	3,067	88	154	298	142	147	5	4	45-55
10	10	-	-	-	27	24	3	-	-	166	143	18	5	-	8	7	-	-	1	45
9	9	-	-	-	18	17	1	-	-	112	97	12	3	-	6	5	-	-	1	45a-e
1	1	-	-	-	9	7	2	-	-	54	46	6	2	-	2	2	-	-	-	45f
55	38	14	1	2	363	187	176	-	-	3,047	1,584	1,364	46	53	149	82	62	4	1	46
-	-	-	-	-	11	8	3	-	-	145	120	19	4	2	4	4	-	-	-	46a
23	20	3	-	-	119	74	45	-	-	963	551	370	23	19	78	47	28	3	-	46b,c
7	4	2	-	1	38	12	26	-	-	308	132	164	5	7	17	4	11	1	1	46f
5	4	1	-	-	21	12	9	-	-	249	126	118	1	4	10	7	3	-	-	46g
20	10	8	1	1	174	81	93	-	-	1,382	655	695	13	21	40	20	20	-	-	46d,e,hm
6	3	3	-	-	36	22	14	-	-	503	395	93	9	6	10	7	2	-	1	47
13	...	12	...	1	82	...	81	...	1	555	...	498	...	57	47	...	46	...	1	48
2	...	2	...	-	25	...	25	...	-	163	...	159	...	4	2	...	2	...	-	49
11	1	10	-	-	74	1	73	-	-	603	4	577	-	22	22	1	21	-	-	50
8	7	...	1	...	62	62	...	-	...	293	284	...	9	...	12	12	...	-	...	51
8	6	1	-	1	41	26	15	-	-	350	214	125	9	2	16	9	6	1	-	52
3	1	2	-	-	12	9	3	-	-	99	60	39	-	-	10	8	2	-	-	53
-	-	-	-	-	7	6	1	-	-	79	44	32	2	1	2	2	-	-	-	54
10	2	7	-	1	45	25	20	-	-	348	169	162	8	9	20	14	6	-	-	55
-	...	-	...	-	8	...	8	...	-	23	...	21	...	2	2	...	2	...	-	56a
-	...	-	...	-	6	...	6	...	-	74	...	60	...	14	7	...	7	...	-	56b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	56c

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued															
56d,e	Nonmalignant tumors of other and unspecified organs	68	31	31	3	3	3	3	-	-	-	18	12	5	1	-
57a	Tumors of ovary (nature unspecified)	2	...	1	...	1	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	1	...	-	...	1	-	...	-	...	-	1	...	1	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	50	26	22	1	1	9	2	7	-	-	10	6	4	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,307	478	727	32	70	156	74	79	1	2	450	170	272	3	5
58a-d	Acute rheumatic heart diseases	21	11	8	1	1	4	2	2	-	-	6	3	3	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	11	5	5	1	-	2	1	1	-	-	8	5	3	-	-
59	Chronic rheumatism and other rheumatic diseases	56	18	33	-	5	11	7	4	-	-	29	8	21	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	977	368	545	17	47	109	58	50	1	-	337	130	199	3	5
62	Diseases of pituitary gland	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-
63a	Simple goiter	8	1	4	-	3	4	1	3	-	-	-	-	-	-	-
63b	Exophthalmic goiter	113	15	90	-	8	15	1	13	-	1	38	8	30	-	-
63c-e	Other diseases of thyroid and parathyroid glands	5	2	3	-	-	1	-	1	-	-	8	2	6	-	-
64	Diseases of thymus gland	53	33	12	7	1	3	2	1	-	-	7	6	1	-	-
65	Diseases of adrenal glands(not specified as tuberculous)	16	4	10	1	1	4	2	2	-	-	7	1	6	-	-
66	Other general diseases	11	5	5	1	-	2	-	2	-	-	4	2	2	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
69	Pellagra (except alcoholic)	22	11	6	3	2	1	-	-	-	1	1	-	1	-	-
70	Rickets	6	1	4	-	1	-	-	-	-	-	1	1	-	-	-
71	Other avitaminoses	6	2	2	1	1	-	-	-	-	-	1	1	-	-	-
	IV.—Diseases of the blood and blood-forming organs	289	148	124	9	8	54	37	16	1	-	123	60	63	-	-
72	Hemorrhagic conditions	12	5	6	-	1	2	-	1	1	-	6	1	5	-	-
73a	Pernicious anemia	67	29	36	-	2	10	6	4	-	-	29	16	13	-	-
73b-d	Other anemias (except splenic)	17	5	9	1	2	2	2	-	-	-	19	11	8	-	-
74a	Leukemias	156	88	59	7	2	35	27	8	-	-	54	23	31	-	-
74b	Aleukemias	10	5	5	-	-	2	1	1	-	-	3	2	1	-	-
75	Diseases of spleen	19	13	5	1	-	1	1	-	-	-	11	7	4	-	-
76	Other diseases of the blood and blood-forming organs	8	3	4	-	1	2	-	2	-	-	1	-	1	-	-
	V.—Chronic poisoning and intoxication	36	29	2	3	2	20	20	-	-	-	10	7	3	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	29	24	1	3	1	20	20	-	-	-	10	7	3	-	-
78	Lead poisoning	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	4,176	2,015	1,818	150	193	578	336	232	6	4	1,544	• 831	685	17	11
80	Encephalitis (nonepidemic)	58	31	25	1	1	7	2	3	1	1	33	20	11	2	-
81	Meningitis (not due to meningococcus)	49	25	15	6	3	13	7	4	1	1	16	10	6	-	-
82	Diseases of spinal cord (see exceptions)*	87	51	33	2	1	11	8	3	-	-	36	24	11	-	1
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	3,296	1,549	1,472	115	160	442	267	172	2	1	1,163	628	518	12	5
83b	Cerebral embolism and thrombosis	312	156	122	16	18	32	18	14	-	-	106	52	50	1	3
83c	Cerebral softening	36	15	20	1	-	1	-	1	-	-	12	8	4	-	-
83d	Hemiplegia and other paralysis of unspecified origin	72	37	31	3	1	21	6	15	-	-	55	27	26	-	2
84	Mental diseases and deficiency (see exception)*	21	7	14	-	-	3	1	2	-	-	13	4	9	-	-
85	Epilepsy	60	36	21	1	2	20	11	7	1	1	35	16	17	2	-
86	Convulsions (under 5 years)	8	2	5	1	-	4	-	3	1	-	6	2	4	-	-
87	Other diseases of nervous system	112	62	41	4	5	17	10	7	-	-	52	30	22	-	-
88	Diseases of organs of vision	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	50	33	15	-	2	7	6	1	-	-	15	8	7	-	-
89b	Diseases of mastoid process	14	10	4	-	-	-	-	-	-	-	2	2	-	-	-
	VII.—Diseases of the circulatory system	12,131	6,465	4,624	564	478	1,598	1,078	472	33	15	3,499	2,099	1,336	29	35
90	Pericarditis (except acute rheumatic)	30	17	7	4	2	2	1	1	-	-	5	3	2	-	-
91a,b	Bacterial and other acute or subacute endocarditis	88	36	44	3	5	12	5	7	-	-	29	15	14	-	-
91c	Endocarditis (unspecified, under 45 years)	9	5	3	1	-	2	2	-	-	-	3	1	2	-	-
92a-d	Chronic endocarditis and diseases of the valves*	1,691	830	700	82	79	166	108	54	2	2	415	230	182	2	1
92e	Endocarditis (unspecified, 45 years and over)	67	31	32	2	2	11	4	7	-	-	28	15	13	-	-
93a	Acute myocarditis (except rheumatic)	142	71	52	12	7	65	52	13	-	-	29	19	10	-	-
93b	Myocarditis (unspecified, under 45 years)	8	5	2	-	1	2	1	1	-	-	8	6	2	-	-
93c,d	Chronic myocarditis and myocardial degeneration	5,297	2,577	2,202	266	252	497	309	165	17	6	1,099	599	469	13	18
93e	Other myocarditis (unspecified)	460	249	184	13	14	137	89	45	1	2	177	100	75	-	2
94a	Diseases of coronary arteries	2,454	1,608	731	72	43	374	286	81	5	2	904	642	251	6	5
94b	Angina pectoris	213	146	57	6	4	33	29	3	1	-	126	93	33	-	-
95a	Functional diseases of heart, etc.*	41	18	19	2	2	6	6	-	-	-	25	13	12	-	-
95b,c	Other and unspecified diseases of heart	760	427	243	53	37	174	114	53	5	2	395	237	146	7	5
96	Aneurysm (except of heart and aorta)	54	26	16	8	4	4	2	-	-	-	11	6	5	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	690	361	281	32	16	80	50	28	2	-	184	90	89	1	4
98	Gangrene	14	5	5	1	3	3	2	1	-	-	8	5	3	-	-
99	Other diseases of arteries	43	27	14	1	1	11	6	4	-	1	25	17	8	-	-
100	Diseases of veins	21	10	11	-	-	6	5	1	-	-	10	5	5	-	-
101	Diseases of lymphatic system	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	44	15	18	5	6	13	7	6	-	-	17	2	15	-	-
103	Other diseases of circulatory system	2	-	1	1	-	-	-	-	-	-	1	1	-	-	-
	VIII.—Diseases of the respiratory system	2,975	1,481	1,102	233	159	344	203	87	34	20	617	340	259	10	8
104a	Diseases of nasal fossae	2	1	1	-	-	2	2	-	-	-	7	2	4	1	-
104b	Diseases of accessory sinuses	16	9	4	1	2	8	8	-	-	-	10	5	5	-	-
105	Diseases of larynx	8	8	-	-	-	6	5	1	-	-	5	3	1	1	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	-	-	-	-	4	-	4	-	-	34	13	20	1	-	3	-	3	-	-	56d,e
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	57c
3	2	1	-	-	8	4	4	-	-	64	36	27	-	1	5	4	-	-	1	57d,e
26	11	12	2	1	192	62	130	-	-	1,856	553	1,191	30	62	98	49	46	1	2	
2	2	-	-	-	4	3	1	-	-	58	21	32	3	2	3	1	2	-	-	58a-d
-	-	-	-	-	3	2	1	-	-	14	5	7	2	-	1	-	-	1	-	58e,f
1	1	-	-	-	10	3	7	-	-	56	16	39	-	1	6	1	5	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
20	7	11	1	1	153	52	101			1,485	444	977	20	44	59	37	21	-	1	61
1	1	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	7	2	5	-	-	-	-	-	-	-	63a
-	-	-	-	-	11	-	11	-	-	118	23	86	1	8	10	1	8	-	1	63b
-	-	-	-	-	1	-	1	-	-	12	3	8	-	1	1	-	1	-	-	63c-e
-	-	-	-	-	2	1	1	-	-	35	20	9	3	3	6	3	3	-	-	64
1	-	1	-	-	1	-	1	-	-	17	6	11	-	-	-	-	-	-	-	65
-	-	-	-	-	2	-	2	-	-	8	2	6	-	-	3	1	2	-	-	66
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	67
1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	4	-	4	-	-	10	5	5	-	-	8	4	4	-	-	69
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	7	4	2	-	1	1	1	-	-	-	71
6	1	5	-	-	30	12	18	-	-	307	180	119	4	4	27	15	12	-	-	
-	-	-	-	-	3	2	1	-	-	10	6	4	-	-	4	1	3	-	-	72
1	-	1	-	-	10	2	8	-	-	49	23	26	-	-	4	2	2	-	-	73a
1	-	1	-	-	2	2	-	-	-	45	29	13	2	1	3	2	1	-	-	73b-d
2	-	2	-	-	9	4	5	-	-	167	104	60	-	3	12	8	4	-	-	74a
2	1	1	-	-	3	1	2	-	-	11	5	5	1	-	1	1	-	-	-	74b
-	-	-	-	-	2	-	2	-	-	20	11	8	1	-	-	-	-	-	-	75
-	-	-	-	-	1	1	-	-	-	5	2	3	-	-	3	1	2	-	-	76
14	7	3	1	3	13	13	-	-	-	117	89	15	11	2	10	8	1	1	-	
-	-	-	-	-	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	77a,b
14	7	3	1	3	12	12	-	-	-	108	83	14	10	1	10	8	1	1	-	77c-e
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	79
90	55	31	3	1	657	296	361	-	-	4,362	1,929	2,131	136	166	286	147	130	4	5	
1	-	1	-	-	4	4	-	-	-	37	19	14	2	2	9	5	3	-	1	80
2	1	1	-	-	9	4	5	-	-	62	30	21	6	5	7	3	4	-	-	81
1	-	-	1	-	15	13	2	-	-	80	37	39	3	1	6	5	-	-	1	82
74	48	24	2	-	490	203	287	-	-	3,338	1,434	1,662	103	139	208	107	99	1	1	83a
6	3	3	-	-	93	49	44	-	-	485	227	244	6	8	10	7	3	-	-	83b
1	-	1	-	-	3	1	2	-	-	14	10	4	-	-	1	-	1	-	-	83c
1	-	-	-	1	5	3	2	-	-	85	38	42	3	2	18	8	6	2	2	83d
-	-	-	-	-	6	3	3	-	-	34	16	15	1	2	1	-	1	-	-	84
2	1	1	-	-	7	5	2	-	-	60	23	30	6	1	8	6	2	-	-	85
-	-	-	-	-	2	1	1	-	-	7	2	2	1	2	2	1	1	-	-	86
2	2	-	-	-	13	5	8	-	-	118	69	44	2	3	6	1	5	-	-	87
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	88
-	-	-	-	-	9	4	5	-	-	22	14	7	1	-	8	3	5	-	-	89a
-	-	-	-	-	1	1	-	-	-	19	9	7	2	1	2	1	-	1	-	89b
363	255	93	10	5	2,289	1,292	997	-	-	15,810	8,356	6,586	467	401	696	406	270	13	7	
1	-	-	1	-	2	2	-	-	-	15	5	6	3	1	2	1	1	-	-	90
5	2	3	-	-	5	3	2	-	-	108	60	42	4	2	6	3	3	-	-	91a,b
-	-	-	-	-	-	-	-	-	-	7	6	1	-	-	1	1	-	-	-	91c
48	31	15	2	-	228	115	113	-	-	1,031	426	523	44	38	100	42	55	2	1	92a-d
2	2	-	-	-	26	11	15	-	-	96	51	39	3	3	2	2	-	-	-	92e
5	5	-	-	-	21	13	8	-	-	132	58	66	5	3	4	3	1	-	-	93a
1	1	-	-	-	-	-	-	-	-	12	4	6	2	-	1	-	1	-	-	93b
123	76	40	5	2	882	452	430	-	-	7,227	3,414	3,397	206	210	247	147	97	2	1	93c,d
16	11	4	-	1	62	32	30	-	-	1,155	702	408	20	25	44	31	11	1	1	93e
98	75	22	1	-	638	421	217	-	-	3,708	2,473	1,131	69	35	141	101	38	2	-	94a
3	3	-	-	-	48	32	16	-	-	85	55	28	2	-	15	12	3	-	-	94b
-	-	-	-	-	3	1	2	-	-	24	15	9	-	-	3	2	1	-	-	95a
37	30	5	-	2	152	94	58	-	-	1,177	614	434	68	61	80	35	36	5	4	95b,c
-	-	-	-	-	4	4	-	-	-	55	34	16	4	1	-	-	-	-	-	96
18	14	3	1	-	190	98	92	-	-	802	358	407	19	18	39	22	17	-	-	97
1	1	-	-	-	2	1	1	-	-	15	5	8	2	-	5	2	3	-	-	98
2	2	-	-	-	17	9	8	-	-	63	31	29	3	-	3	1	2	-	-	99
-	-	-	-	-	2	1	1	-	-	28	15	11	1	1	1	1	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
2	1	1	-	-	6	2	4	-	-	68	29	24	12	3	1	-	1	-	-	102
1	1	-	-	-	1	1	-	-	-	2	1	1	-	-	1	-	-	1	-	103
76	49	16	8	3	285	161	123	-	1	2,200	1,058	881	151	110	375	204	126	18	27	
-	-	-	-	-	2	2	-	-	-	2	1	1	-	-	2	1	-	-	1	104a
2	2	-	-	-	1	1	-	-	-	10	5	5	-	-	1	-	1	-	-	104b
-	-	-	-	-	1	1	-	-	-	4	-	4	-	-	-	-	-	-	-	105

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Contd.															
106a	Acute bronchitis	26	14	9	1	2	1	-	-	-	1	6	2	4	-	-
106b	Chronic bronchitis	64	35	28	-	1	5	5	-	-	-	18	13	5	-	-
106c	Bronchitis (unspecified)	13	1	8	1	3	2	1	1	-	-	6	3	3	-	-
107	Bronchopneumonia (including capillary bronchitis)	1,185	574	455	88	68	129	62	36	16	15	197	108	79	5	5
108	Lobar pneumonia	1,325	668	488	107	62	84	48	24	10	2	185	104	76	2	1
109	Pneumonia (unspecified)	57	25	16	12	4	45	27	10	7	1	73	39	33	-	1
110	Pleurisy (not specified as tuberculous)	72	43	21	5	3	1	-	1	-	-	10	6	4	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	43	21	15	4	3	7	3	4	-	-	18	11	7	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	42	18	16	3	5	15	9	4	1	1	42	20	20	1	1
112	Asthma	55	23	26	4	2	13	10	3	-	-	30	12	18	-	-
113	Pulmonary emphysema	4	4	-	-	-	-	-	-	-	-	3	3	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	63	37	15	7	4	31	28	3	-	-	9	9	-	-	-
	IX.—Diseases of the digestive system	2,390	1,257	884	120	119	352	208	121	19	4	640	373	255	5	7
115a,b,d	Diseases of buccal cavity and adnexa	51	26	21	2	2	14	6	8	-	-	18	11	7	-	-
115c	Diseases of pharynx and tonsils	24	9	11	2	2	5	3	2	-	-	5	2	3	-	-
116	Diseases of esophagus	7	3	4	-	-	-	-	-	-	-	1	-	1	-	-
117a	Ulcer of stomach	161	112	35	10	4	40	33	6	1	-	61	42	17	2	-
117b	Ulcer of duodenum	73	57	12	4	-	10	8	1	1	-	28	24	4	-	-
118	Other diseases of stomach (except cancer)	78	40	27	6	5	11	9	2	-	-	21	15	6	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	311	171	103	18	19	29	14	3	11	1	25	13	10	-	2
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	96	34	45	5	12	7	3	3	1	-	21	13	8	-	-
121	Appendicitis	380	217	127	16	20	62	38	23	1	-	107	68	37	1	1
122a	Hernia	164	78	66	15	5	17	14	3	-	-	52	35	17	-	-
122b	Intestinal obstruction	221	84	105	16	16	29	15	14	-	-	79	42	34	-	3
123	Other diseases of intestines	38	21	9	4	4	12	8	2	2	-	11	8	3	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	27	19	7	1	-	9	7	2	-	-	7	7	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	378	238	117	11	12	39	28	11	-	-	81	50	30	1	-
125a	Acute yellow atrophy of liver (nonpuerperal)	12	6	4	-	2	1	1	-	-	-	5	2	2	-	1
125b	Other diseases of liver	39	20	13	2	4	6	3	2	-	1	9	3	6	-	-
126	Biliary calculi	164	54	108	1	1	27	7	19	-	1	53	19	33	1	-
127	Other diseases of gallbladder and biliary ducts	94	32	54	3	5	25	7	16	1	1	41	10	31	-	-
128	Diseases of pancreas (except diabetes mellitus)	27	15	10	-	2	5	3	2	-	-	7	2	5	-	-
129	Peritonitis (cause not stated)	45	21	16	4	4	4	1	2	1	-	8	7	1	-	-
	X.—Diseases of the genito-urinary system	4,459	2,325	1,627	252	235	338	212	116	4	3	986	583	396	6	11
130	Acute nephritis	57	32	15	3	7	11	7	3	1	-	30	18	10	-	2
131a	Arteriosclerotic kidney	2,486	1,234	977	128	127	143	86	55	1	1	551	301	242	3	5
131b	Other chronic nephritis	1,307	679	487	72	69	89	49	38	1	1	194	112	80	-	2
132	Nephritis unspecified (10 years and over)	50	27	15	4	4	25	17	8	-	-	62	38	24	-	-
133	Other diseases of kidneys and ureters, etc.*	119	46	57	7	9	7	3	4	-	-	24	10	12	2	-
134	Calculi of urinary passages	51	31	15	3	2	9	7	2	-	-	16	6	10	-	-
135	Diseases of urinary bladder	22	11	8	3	-	4	2	1	1	-	10	6	4	-	-
136	Diseases of urethra (except calculus)	14	4	1	9	-	-	-	-	-	-	3	2	1	-	-
137	Diseases of prostate	284	261	...	23	...	41	41	...	-	...	91	90	...	1	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	55	...	39	...	16	4	...	3	...	1	12	...	10	...	2
139b	Diseases of uterus	14	...	13	...	1	2	...	2	...	-	3	...	3	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	197	...	165	...	32	18	...	15	...	3	53	...	52	...	1
140	Abortion with mention of infection	24	...	23	...	1	4	...	2	...	2	6	...	0	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	17	...	16	...	1	3	...	1	...	2	5	...	5	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	7	...	7	...	-	1	...	1	...	-	1	...	1	...	-
141	Abortion without mention of infection	6	...	5	...	1	-	...	-	...	-	3	...	3	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	1	...	1	-	...	-	...	-	2	...	2	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	3	...	3	...	-	-	...	-	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-
142a	Ectopic gestation, with mention of infection	2	...	1	...	1	1	...	1	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	8	...	5	...	3	-	...	-	...	-	3	...	3	...	-
143a	Placenta praevia (death before delivery)	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	7	...	4	...	3	1	...	1	...	-	2	...	2	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	3	...	2	...	1	-	...	-	...	-	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	2	...	2	...	-	-	...	-	...	-	6	...	6	...	-
146a	Placenta praevia (with childbirth)	7	...	7	...	-	1	...	1	...	-	1	...	1	...	-
146b,c	Other hemorrhages of childbirth and puerperium	22	...	18	...	4	-	...	-	...	-	11	...	11	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	38	...	30	...	8	4	...	4	...	-	8	...	7	...	1
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	20	...	18	...	2	3	...	3	...	-	5	...	5	...	-
148a,b	Puerperal eclampsia and nephritis*	35	...	33	...	2	1	...	1	...	-	4	...	4	...	-
148c,d	Other puerperal toxemias	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	10	...	5	...	5	3	...	2	...	1	3	...	3	...	-
150	Other and unspecified conditions of childbirth and puerperium	10	...	9	...	1	-	...	-	...	-	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	40	15	18	4	3	2	1	1	-	-	11	2	9	-	-
151	Carbuncle and furuncle	10	7	2	-	1	-	-	-	-	-	4	2	2	-	-
152	Phlegmon and acute abscess	8	3	3	2	-	1	-	1	-	-	1	-	1	-	-
153	Other diseases of skin and cellular tissue	22	5	13	2	2	1	1	-	-	-	6	-	6	-	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	-	-	-	-	4	1	3	-	-	31	18	12	1	-	2	2	-	-	-	106a
1	1	-	-	-	10	7	3	-	-	56	39	13	2	2	7	5	1	1	-	106b
-	-	-	-	-	1	-	1	-	-	19	8	11	-	-	6	1	5	-	-	106c
19	13	5	1	-	122	62	60	-	-	857	356	380	52	49	152	91	54	1	6	107
34	21	8	4	1	89	54	34	-	1	891	450	315	79	47	132	73	53	4	2	108
8	2	1	3	2	13	8	5	-	-	51	26	17	4	4	38	8	4	9	17	109
4	4	-	-	-	3	1	2	-	-	69	44	22	3	-	5	3	1	1	-	110
1	1	-	-	-	5	3	2	-	-	33	12	18	1	2	-	-	-	-	-	111a
-	-	-	-	-	12	7	5	-	-	58	15	42	-	1	4	2	2	-	-	111b,c
6	4	2	-	-	16	10	6	-	-	72	32	35	1	4	12	10	2	-	-	112
-	-	-	-	-	-	-	-	-	-	5	4	-	1	-	2	-	2	-	-	113
1	1	-	-	-	6	4	2	-	-	62	48	6	7	1	12	8	1	2	1	114
89	52	26	4	7	287	161	125	1	-	2,244	1,211	859	96	78	490	249	218	13	10	
4	2	1	-	1	6	2	4	-	-	34	16	13	3	2	6	4	2	-	-	115a,b,d
-	-	-	-	-	3	1	2	-	-	36	18	15	2	1	7	3	3	1	-	115c
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	1	-	1	-	-	116
10	7	3	-	-	30	26	4	-	-	206	158	35	10	3	22	13	9	-	-	117a
4	4	-	-	-	11	8	3	-	-	86	74	7	3	2	2	1	1	-	-	117b
4	4	-	-	-	5	5	-	-	-	22	8	10	2	2	15	8	1	3	3	118
5	1	2	1	1	15	10	5	-	-	134	73	41	11	9	253	126	123	3	1	119
2	2	-	-	-	7	4	3	-	-	78	31	40	5	2	15	9	6	-	-	120
18	11	5	2	-	47	25	22	-	-	333	180	122	15	16	57	35	19	1	2	121
5	4	1	-	-	25	19	6	-	-	187	108	69	12	3	12	6	3	1	2	122a
9	3	5	-	1	25	10	15	-	-	195	78	86	14	17	31	13	15	2	1	122b
2	-	1	1	-	13	7	6	-	-	62	31	29	1	1	5	3	2	-	-	123
5	4	1	-	-	3	3	-	-	-	51	38	11	-	2	4	4	-	-	-	124a
12	8	3	-	1	40	19	20	1	-	456	280	159	11	6	30	14	14	2	-	124b
-	-	-	-	-	3	1	2	-	-	17	5	8	-	4	3	1	2	-	-	125a
1	1	-	-	-	5	2	3	-	-	31	18	12	1	-	4	3	1	-	-	125b
3	1	1	-	1	33	9	24	-	-	144	35	106	1	2	9	2	7	-	-	126
3	-	2	-	1	9	6	3	-	-	99	32	62	2	3	8	3	4	-	1	127
-	-	-	-	-	2	1	1	-	-	28	11	16	1	-	-	-	-	-	-	128
2	-	1	-	1	5	3	2	-	-	41	18	18	2	3	6	1	5	-	-	129
81	40	30	5	6	502	266	235	1	-	3,657	1,703	1,617	152	185	292	178	104	9	1	
3	-	2	-	1	10	5	5	-	-	59	30	19	5	5	20	12	8	-	-	130
44	25	13	2	4	289	140	149	-	-	2,265	985	1,072	96	112	111	61	43	7	-	131a
13	6	6	1	-	120	56	63	1	-	743	326	362	21	32	108	67	41	-	-	131b
2	-	2	-	-	11	5	6	-	-	111	44	49	6	12	15	13	2	-	-	132
5	2	2	-	1	13	6	7	-	-	95	39	46	6	4	3	1	2	-	-	133
1	-	1	-	-	13	10	3	-	-	47	26	20	1	-	5	2	3	-	-	134
1	-	1	-	-	-	-	-	-	-	25	14	10	1	-	1	1	-	-	-	135
1	1	-	-	-	1	1	-	-	-	10	8	-	2	-	-	-	-	-	-	136
8	6	...	2	...	42	42	...	-	...	239	227	...	12	...	23	21	...	2	...	137
-	-	...	-	...	1	1	...	-	...	4	2	...	2	...	-	-	...	-	...	138
3	...	3	...	-	1	...	1	...	-	37	...	20	...	17	4	...	4	...	-	139a
-	...	-	...	-	1	...	1	...	-	20	...	18	...	2	2	...	1	...	1	139b
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	139c
6	...	6	...	-	23	...	23	...	-	180	...	152	...	28	67	...	63	...	4	
2	...	2	...	-	3	...	3	...	-	36	...	29	...	7	12	...	11	...	1	140
1	...	1	...	-	2	...	2	...	-	24	...	18	...	6	11	...	10	...	1	140a,c
1	...	1	...	-	1	...	1	...	-	12	...	11	...	1	1	...	1	...	-	140c,d
-	...	-	...	-	3	...	3	...	-	9	...	8	...	1	3	...	3	...	-	141
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	141a,c
-	...	-	...	-	3	...	3	...	-	5	...	4	...	1	3	...	3	...	-	141b,d
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	142a
-	...	-	...	-	-	...	-	...	-	11	...	8	...	3	2	...	2	...	-	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143b,c
-	...	-	...	-	2	...	2	...	-	10	...	6	...	4	6	...	6	...	-	144a,b
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	144c,d
-	...	-	...	-	-	...	-	...	-	6	...	4	...	2	1	...	1	...	-	145
-	...	-	...	-	-	...	-	...	-	4	...	3	...	1	2	...	2	...	-	146a
1	...	1	...	-	2	...	2	...	-	9	...	9	...	-	6	...	5	...	1	146b,c
1	...	1	...	-	3	...	3	...	-	30	...	28	...	2	10	...	8	...	2	147a,b
-	...	-	...	-	6	...	6	...	-	15	...	14	...	1	7	...	7	...	-	147c,d
-	...	-	...	-	2	...	2	...	-	17	...	14	...	3	10	...	10	...	-	148a,b
1	...	1	...	-	-	...	-	...	-	4	...	3	...	1	-	...	-	...	-	148c,d
-	...	-	...	-	1	...	1	...	-	15	...	13	...	2	2	...	2	...	-	149
-	...	-	...	-	1	...	1	...	-	11	...	10	...	1	6	...	6	...	-	150
-	-	-	-	-	5	4	1	-	-	29	11	16	1	1	-	-	-	-	-	
-	-	-	-	-	2	2	-	-	-	4	1	2	1	-	-	-	-	-	-	151
-	-	-	-	-	2	2	-	-	-	11	6	5	-	-	-	-	-	-	-	152
-	-	-	-	-	1	-	1	-	-	14	4	9	-	1	-	-	-	-	-	153

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc.*	29	18	11	-	-	7	5	2	-	-	11	6	3	1	1
154	Osteomyelitis and periostitis	16	9	7	-	-	4	3	1	-	-	5	3	1	1	-
155	Other diseases of bones (except tuberculosis)	3	2	1	-	-	-	-	-	-	-	2	1	1	-	-
156	Diseases of joints and other organs of movement	10	7	3	-	-	3	2	1	-	-	4	2	1	-	1
157	XIV.—Congenital malformations	369	199	158	6	6	57	30	25	1	1	108	50	57	1	-
	XV.—Diseases peculiar to the first year of life	1,402	702	528	102	70	201	102	83	8	8	439	259	166	8	6
158	Congenital debility (cause not stated)	60	31	17	9	3	10	4	6	-	-	14	10	3	-	1
159	Premature birth (cause not stated)	874	422	341	62	49	123	66	50	4	3	283	163	110	6	4
160a	Intracranial or spinal hemorrhage	128	80	44	1	3	16	7	8	-	1	44	28	15	1	-
160b,c	Other injuries at birth	169	90	73	2	4	22	13	6	1	2	53	31	21	-	1
161	Other diseases peculiar to the first year of life	171	79	53	28	11	30	12	13	3	2	45	27	17	1	-
162	XVI.—Senility	259	124	126	3	6	62	31	27	2	2	133	70	61	1	1
	XVII.—Violent or accidental deaths	3,577	2,249	1,013	235	80	680	496	144	31	9	1,074	728	324	14	8
163,164	Suicide	507	398	92	13	4	98	80	17	1	-	209	171	36	1	1
163	Suicide by poisoning	118	76	39	2	1	16	9	7	-	-	45	28	17	-	-
	Suicide by solid or liquid poisons	82	46	33	2	1	8	3	5	-	-	15	7	8	-	-
	Suicide by poisonous gases	36	30	6	-	-	8	6	2	-	-	30	21	9	-	-
164a	Suicide by hanging or strangulation	62	49	12	1	-	15	12	3	-	-	51	42	8	1	-
164b	Suicide by drowning	19	13	6	-	-	2	1	1	-	-	3	2	1	-	-
164c	Suicide by firearms and explosives	268	233	26	8	1	58	53	4	1	-	94	87	6	-	1
164d	Suicide by cutting or piercing instruments	22	17	3	2	-	4	4	-	-	-	10	7	3	-	-
164e	Suicide by jumping from high places	13	7	4	-	2	1	1	-	-	-	3	3	-	-	-
164f	Suicide by crushing	2	1	1	-	-	1	-	1	-	-	1	1	-	-	-
164g	Suicide by other or unspecified means	3	2	1	-	-	1	-	1	-	-	2	1	1	-	-
165-168	Homicide[1]	195	82	21	74	18	18	10	5	2	1	29	14	6	5	4
166	Homicide by firearms	112	52	13	43	4	9	5	1	2	1	12	5	4	3	-
167	Homicide by cutting or piercing instruments	45	8	4	23	10	3	3	-	-	-	10	4	1	1	4
168	Homicide by other means	38	22	4	8	4	6	2	4	-	-	7	5	1	1	-
169-195	Accidental deaths	2,874	1,769	900	147	58	564	406	122	28	8	836	543	282	8	3
169	Railway accidents (except collisions with motor vehicles	88	67	6	14	1	29	23	-	6	-	28	26	-	2	-
170a	Collisions between automobiles and trains	51	32	15	3	1	12	11	1	-	-	23	15	8	-	-
170b	Collisions between automobiles and streetcars	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	1,003	715	214	58	16	179	121	49	6	3	247	175	70	2	-
170d	Motorcycle accidents (except collisions with automobiles)	8	8	-	-	-	3	2	1	-	-	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	22	14	5	2	1	-	-	-	-	-	1	-	1	-	-
171b	Other and unspecified road-transport accidents	10	7	1	2	-	2	1	-	1	-	2	2	-	-	-
172	Water-transport accidents	8	7	1	-	-	2	2	-	-	-	1	1	-	-	-
173	Air-transport accidents	10	10	-	-	-	4	3	1	-	-	1	1	-	-	-
174	Accidents in mines and quarries	23	20	1	2	-	37	37	-	-	-	2	2	-	-	-
175a	Accidents involving agricultural machinery and vehicles	37	33	3	1	-	10	9	-	1	-	25	23	2	-	-
175b,c	Other agricultural accidents, including injury by animals	45	39	6	-	-	19	18	1	-	-	22	22	-	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	1	1	-	-	-	3	3	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	31	27	-	4	-	9	9	-	-	-	6	6	-	-	-
177	Food poisoning	18	4	10	2	2	2	1	1	-	-	6	3	3	-	-
178	Accidental absorption of poisonous gas	22	17	3	1	1	8	8	-	-	-	20	17	2	-	1
179	Acute accidental poisoning by solids or liquids	34	19	13	-	2	3	1	2	-	-	8	4	3	1	-
180	Conflagration	83	35	35	9	4	15	12	3	-	-	4	4	-	-	-
181	Accidental burns (except conflagration)	119	52	52	7	8	17	10	6	1	-	36	21	14	1	-
182	Accidental mechanical suffocation	28	18	8	1	1	8	7	-	1	-	9	6	3	-	-
183	Accidental drowning	124	93	15	16	-	40	29	5	4	2	36	31	5	-	-
184	Accidental injury by firearms	67	55	7	4	1	28	22	3	3	-	16	13	2	-	1
185	Accidental injury by cutting or piercing instruments	9	5	4	-	-	1	1	-	-	-	6	2	4	-	-
186a	Accidental injury by fall	820	349	451	9	11	92	45	42	3	2	254	103	150	1	-
186b	Accidental injury by crushing	9	7	1	1	-	2	2	-	-	-	5	5	-	-	-
187	Cataclysm, etc.*	8	1	5	1	1	-	-	-	-	-	2	2	-	-	-
188	Injury by animals (except in agriculture and forestry)	6	4	2	-	-	4	3	-	1	-	6	6	-	-	-
189	Hunger or thirst	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-
190	Excessive cold	1	-	-	-	1	3	2	-	1	-	3	2	1	-	-
191	Excessive heat	36	17	15	2	2	-	-	-	-	-	21	19	1	-	1
192	Lightning	16	13	3	-	-	2	1	1	-	-	2	1	1	-	-
193	Accidents due to electric currents (except lightning)	24	22	2	-	-	1	1	-	-	-	7	7	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	3	1	2	-	-	-	-	-	-	-	1	1	-	-	-
195a,b	Accidents due to medical or surgical intervention	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	24	12	11	1	-	7	4	3	-	-	7	2	5	-	-
195c,e	Other and unspecified accidents	79	61	9	6	3	22	18	3	-	1	27	20	6	1	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	175	97	50	12	16	66	34	14	6	12	72	49	23	-	-
199	Sudden death	8	3	5	-	-	-	-	-	-	-	6	5	1	-	-
200a	Ill-defined	101	61	24	8	8	36	25	10	1	-	46	33	13	-	-
200b	Found dead (cause unknown)	12	8	3	-	1	5	4	1	-	-	11	8	3	-	-
200c	Unknown or unspecified	54	25	18	4	7	25	5	3	5	12	9	3	6	-	-

*Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1	1	-	-	-	1	-	1	-	-	37	15	17	2	3	4	1	3	-	-	
1	1	-	-	-	1	-	1	-	-	15	5	7	2	1	2	-	2	-	-	154
-	-	-	-	-	-	-	-	-	-	12	5	7	-	-	-	-	-	-	-	155
-	-	-	-	-	-	-	-	-	-	10	5	3	-	2	2	1	1	-	-	156
11	4	6	-	1	63	29	34	-	-	359	167	174	9	9	57	23	32	1	1	157
49	24	24	1	-	169	93	76	-	-	1,328	705	438	105	82	329	191	120	10	8	
2	-	2	-	-	4	2	2	-	-	37	18	12	4	3	34	21	9	2	2	158
32	14	17	1	-	101	49	52	-	-	829	427	277	69	56	210	124	78	2	6	159
1	1	-	-	-	14	11	3	-	-	135	80	38	13	4	14	9	4	1	-	160a
7	5	2	-	-	30	21	9	-	-	124	69	47	5	3	27	15	10	2	-	160b,c
7	4	3	-	-	20	10	10	-	-	203	111	64	12	16	44	22	19	3	-	161
17	5	7	2	3	25	11	14	-	-	186	45	136	2	3	55	18	23	5	9	162
307	228	65	11	3	440	300	139	1	-	3,521	2,212	1,052	186	71	628	436	151	27	14	
35	23	11	1	-	75	62	13	-	-	618	421	184	9	4	56	38	16	1	1	163,164
8	3	5	-	-	20	12	8	-	-	259	142	113	2	2	17	10	7	-	-	165
5	2	3	-	-	9	4	5	-	-	52	20	30	1	1	10	3	7	-	-	
3	1	2	-	-	11	8	3	-	-	207	122	83	1	1	7	7	-	-	-	
3	2	1	-	-	14	12	2	-	-	160	125	32	3	-	6	5	-	-	1	164a
-	-	-	-	-	5	4	1	-	-	35	22	11	1	1	3	-	3	-	-	164b
21	15	5	1	-	27	26	1	-	-	104	92	9	2	1	28	23	4	1	-	164c
1	1	-	-	-	2	2	-	-	-	20	16	4	-	-	-	-	-	-	-	164d
-	-	-	-	-	4	3	1	-	-	29	16	12	1	-	-	-	-	-	-	164e
-	-	-	-	-	1	1	-	-	-	8	7	1	-	-	1	-	1	-	-	164f
2	2	-	-	-	2	2	-	-	-	3	1	2	-	-	1	-	1	-	-	164g
13	9	4	-	-	1	-	1	-	-	111	49	25	27	10	33	24	5	3	1	165-168
13	9	4	-	-	-	-	-	-	-	40	18	10	7	5	24	18	3	3	-	166
-	-	-	-	-	-	-	-	-	-	21	6	4	10	1	2	2	-	-	-	167
-	-	-	-	-	1	-	1	-	-	50	25	11	10	4	7	4	2	-	1	168
259	196	50	10	3	364	238	125	1	-	2,791	1,741	843	150	57	539	374	130	23	12	169-195
16	15	-	1	-	10	8	2	-	-	84	73	6	4	1	20	16	1	3	-	169
3	-	1	1	1	2	1	1	-	-	27	16	9	2	-	9	7	1	1	-	170a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170b
111	78	26	6	1	111	79	32	-	-	985	715	197	55	18	222	154	52	11	5	170c
-	-	-	-	-	3	3	-	-	-	10	8	2	-	-	3	3	-	-	-	170d
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	171a
-	-	-	-	-	2	2	-	-	-	4	3	1	-	-	1	-	1	-	-	171b
1	1	-	-	-	4	4	-	-	-	28	23	3	2	-	-	-	-	-	-	172
12	12	-	-	-	1	1	-	-	-	9	9	-	-	-	15	15	-	-	-	173
23	23	-	-	-	-	-	-	-	-	2	2	-	-	-	16	16	-	-	-	174
4	4	-	-	-	1	1	-	-	-	6	3	1	2	-	5	4	1	-	-	175a
6	5	-	1	-	4	4	-	-	-	8	6	-	2	-	8	7	1	-	-	175b,c
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	175e
3	3	-	-	-	3	3	-	-	-	31	29	-	2	-	8	8	-	-	-	176
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	177
6	4	2	-	-	11	9	2	-	-	90	58	27	4	1	12	6	5	1	-	178
2	-	2	-	-	12	8	4	-	-	36	20	13	2	1	6	2	4	-	-	179
6	4	2	-	-	6	4	2	-	-	97	46	24	9	18	11	7	3	-	1	180
10	6	3	1	-	15	6	9	-	-	134	68	50	10	6	17	10	6	-	1	181
5	3	-	-	-	14	11	3	-	-	33	19	8	3	3	9	3	5	-	1	182
11	8	2	-	1	34	28	5	1	-	164	117	23	21	3	39	27	9	3	-	183
3	2	1	-	-	5	5	-	-	-	28	23	3	1	1	22	19	2	1	-	184
-	-	-	-	-	1	-	1	-	-	3	3	-	-	-	-	-	-	-	-	185
19	13	6	-	-	98	37	61	-	-	838	367	446	20	5	59	31	28	-	-	186a
1	1	-	-	-	-	-	-	-	-	13	11	2	-	-	2	2	-	-	-	186b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	16	5	5	3	3	187
1	1	-	-	-	2	2	-	-	-	3	1	1	1	-	4	4	-	-	-	188
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	189
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	4	4	-	-	-	190
1	1	-	-	-	-	-	-	-	-	9	7	2	-	-	-	-	-	-	-	191
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	12	12	-	-	-	192
1	1	-	-	-	2	2	-	-	-	16	14	1	1	-	6	6	-	-	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	194
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
4	2	2	-	-	3	3	-	-	-	25	17	6	2	-	2	1	1	-	-	195d
11	8	3	-	-	15	12	3	-	-	98	75	17	6	-	7	3	3	-	1	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	198
23	15	2	3	3	25	14	11	-	-	81	39	28	7	7	1,140	601	479	31	29	
-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	6	5	1	-	-	199
17	13	1	1	2	23	14	9	-	-	65	30	25	6	4	84	54	12	11	7	200a
-	-	-	-	-	-	-	-	-	-	5	2	1	-	2	3	2	1	-	-	200b
6	2	1	2	1	2	-	2	-	-	8	6	1	1	-	1,047	540	465	20	22	200c

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes	147,688	76,365	63,544	4,240	3,539	31,956	11,484	8,635	6,224	5,613
	I.—Infectious and parasitic diseases	9,916	5,306	2,670	1,208	732	3,708	1,036	737	995	940
1	Typhoid fever	17	9	6	2	-	30	7	6	12	5
2	Paratyphoid fever	10	6	4	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	4	2	2	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	70	39	28	3	-	21	8	8	2	3
7	Anthrax (infection by Bacillus anthracis)	2	1	1	-	-	-	-	-	-	-
8	Scarlet fever	34	18	16	-	-	11	4	6	-	1
9	Whooping cough	104	34	55	15	-	200	57	54	41	48
10	Diphtheria (infection by C. diphtheriae)	18	10	7	-	1	83	41	29	7	6
11	Erysipelas	25	15	10	-	-	11	5	5	1	-
12	Tetanus	31	20	7	2	2	18	7	1	7	1
13-22	Tuberculosis (all forms)	6,256	3,335	1,622	755	524	1,757	445	233	526	553
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	41	37	1	3	-	4	4	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	5,686	3,096	1,468	678	446	1,594	414	215	465	500
14	Tuberculosis of meninges and central nervous system	129	46	42	19	22	28	5	5	10	8
15	Tuberculosis of intestines and peritoneum	88	22	20	6	18	38	4	3	14	17
16	Tuberculosis of vertebral column	72	32	25	7	8	21	5	1	9	6
17a	Tuberculosis of bones (except vertebral column)	9	3	4	2	-	5	1	-	2	2
17b	Tuberculosis of joints (except vertebral column)	13	8	2	1	2	4	1	-	3	-
18	Tuberculosis of skin, etc.*	2	-	2	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	18	2	6	5	5	3	-	-	-	3
20	Tuberculosis of genito-urinary system	60	40	20	-	-	3	2	-	-	1
21	Tuberculosis of other organs	12	6	4	1	1	2	2	-	-	-
22a	Disseminated tuberculosis (acute miliary)	116	37	25	32	22	50	6	8	21	15
22b	Disseminated tuberculosis (other and unspecified)	12	6	5	1	-	5	1	1	2	1
23	Leprosy	2	1	-	1	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	66	39	22	2	3	42	14	11	9	8
25	Gonococcus infection	30	10	6	4	10	1	-	-	-	1
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	3	-	3	-	-
27	Dysentery	64	21	37	2	4	87	31	20	25	11
28	Malaria	2	1	1	-	-	29	6	10	9	4
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	2,042	1,147	326	404	165	377	72	34	161	110
30a	Locomotor ataxia (tabes dorsalis)	91	69	12	8	2	4	2	-	2	-
30b	General paralysis of insane	526	304	75	118	29	50	10	10	22	8
30c	Other syphilis of central nervous system	244	138	40	43	23	26	6	-	14	6
30d	Aneurysm of aorta	377	236	41	75	25	50	24	2	20	4
30e	Other syphilis of circulatory system	222	123	29	51	19	22	5	1	9	7
30f,g	Congenital, other and unspecified forms of syphilis	582	277	129	109	67	225	25	21	94	85
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	15	7	8	-	-	16	4	6	1	5
33a	Influenza, with respiratory complications specified	325	165	152	5	3	555	175	158	122	100
33b	Influenza, without respiratory complications specified	233	99	124	4	6	287	89	82	44	52
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	47	28	15	2	2	103	29	45	11	18
36	Acute poliomyelitis and acute polioencephalitis	60	40	19	-	1	18	8	7	2	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	57	29	26	-	2	13	5	6	1	1
37b	Sequelae of encephalitis lethargica	61	36	24	1	-	3	2	1	-	-
38	Other diseases due to filtrable viruses	12	6	6	-	-	9	3	4	1	1
39	Typhus fever and typhus-like diseases (due to Rickettsia)	2	1	1	-	-	8	5	2	1	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	8	3	5	-	-	-	-	-	-	-
42	Other diseases caused by helminths	7	4	3	-	-	6	-	-	3	3
43	Mycoses	41	20	17	3	1	15	3	3	5	4
44	Other infectious and parasitic (communicable) diseases	291	160	120	3	8	27	16	3	4	4
	II.—Cancer and other tumors	22,011	10,357	10,825	354	475	2,194	715	935	160	384
45-55	Cancer and other malignant tumors	21,275	10,126	10,377	344	428	2,070	680	895	152	343
45	Cancer of buccal cavity and pharynx	730	611	91	23	5	85	49	23	7	6
45a-e	Cancer of buccal cavity	499	425	59	13	2	58	34	14	2	6
45f	Cancer of pharynx	231	186	32	10	3	29	15	9	5	-
46	Cancer of digestive organs and peritoneum	9,934	5,264	4,346	196	128	751	292	292	81	86
46a	Cancer of esophagus	535	395	105	36	1	19	10	8	-	1
46b,c	Cancer of stomach and duodenum	3,161	1,851	1,213	80	37	310	125	96	48	41
46f	Cancer of liver and biliary passages	939	391	522	13	13	118	36	58	11	15
46g	Cancer of pancreas	829	456	345	17	11	62	29	23	2	8
46d,e,h,m	Cancer of other digestive organs and peritoneum	4,470	2,191	2,163	50	66	242	92	107	20	23
47	Cancer of respiratory system	1,876	1,478	355	36	7	95	51	27	9	8
48	Cancer of uterus	1,611	...	1,488	...	123	350	...	220	...	130
49	Cancer of other female genital organs	798	...	762	...	36	42	...	32	...	10
50	Cancer of breast	2,281	17	2,182	-	82	196	3	132	-	61
51	Cancer of male genital organs	1,068	1,033	...	35	...	127	105	...	22	...
52	Cancer of urinary organs (male and female)	1,095	896	361	22	16	62	25	24	8	5
53	Cancer of skin (except vulva and scrotum)	288	155	125	4	6	69	35	23	3	8
54	Cancer of central nervous system*	409	245	155	4	5	47	20	20	4	3
55	Cancer of other and unspecified organs	1,185	627	514	24	20	246	100	102	18	26
56a	Nonmalignant tumors of ovary	102	...	97	...	5	12	...	5	...	7
56b	Nonmalignant tumors of uterus	200	...	165	...	35	36	...	13	...	23
56c	Nonmalignant tumors of other female genital organs	7	...	6	...	1	1	...	-	...	1
56d,e	Nonmalignant tumors of other and unspecified organs	197	108	79	7	3	20	8	10	1	1

* Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
5,302	3,154	1,967	108	73	77,963	40,098	32,556	2,992	2,317	19,967	10,058	6,984	1,592	1,333	12,108	7,290	4,582	171	65	
405	214	142	28	21	5,711	2,760	1,828	651	472	2,314	953	675	336	350	643	407	198	24	14	
3	2	-	1	-	25	16	9	-	-	33	8	7	10	8	3	1	2	-	-	1
-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	2	2	-	-	-	2	1	1	-	-	1	-	1	-	-	5
3	1	1	1	-	17	10	5	2	-	9	5	3	1	-	5	2	2	1	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	-	2	-	-	28	12	14	1	1	6	3	3	-	-	3	1	2	-	-	8
14	7	7	-	-	183	73	91	9	10	119	46	52	10	11	8	4	3	1	-	9
5	5	-	-	-	31	13	12	2	4	61	32	26	-	3	8	4	3	-	1	10
2	2	-	-	-	25	11	13	1	-	8	6	2	-	-	2	1	1	-	-	11
3	-	2	-	1	25	19	2	3	1	11	6	2	2	1	-	-	-	-	-	12
117	43	42	20	12	2,961	1,323	872	425	341	1,043	387	245	200	211	282	175	86	13	8	13-22
1	1	-	-	-	60	52	1	7	-	5	5	-	-	-	1	1	-	-	-	13a
100	36	35	18	11	2,626	1,172	777	375	302	955	355	228	182	190	249	154	77	11	7	13b,c
6	2	2	1	1	97	33	41	10	13	26	8	7	5	6	4	1	1	2	-	14
1	-	1	-	-	48	12	16	7	13	20	3	6	5	6	7	6	1	-	-	15
1	-	1	-	-	52	23	11	15	3	5	2	-	1	2	5	3	2	-	-	16
-	-	-	-	-	4	2	1	1	-	2	1	-	1	-	-	-	-	-	-	17a
1	1	-	-	-	8	4	4	-	-	3	1	1	-	1	-	-	-	-	-	17b
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	5	1	3	1	-	2	-	-	1	1	-	-	-	-	-	19
2	1	1	-	-	18	9	6	2	1	7	3	-	2	2	5	5	-	-	-	20
1	-	1	-	-	8	3	3	-	2	-	-	-	-	-	-	-	-	-	-	21
4	2	1	1	-	30	11	6	7	6	15	7	3	2	3	11	5	5	-	1	22a
-	-	-	-	-	3	1	1	-	1	3	2	-	1	-	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
4	2	2	-	-	55	31	18	5	1	25	6	11	3	5	11	5	6	-	-	24
-	-	-	-	-	13	1	10	-	2	10	-	2	-	8	1	1	-	-	-	25
-	-	-	-	-	20	11	9	-	-	3	1	2	-	-	-	-	-	-	-	26
1	-	-	-	1	33	20	9	1	3	63	28	23	7	5	5	4	1	-	-	27
-	-	-	-	-	5	4	1	-	-	53	16	18	9	10	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
36	19	12	4	1	921	528	176	152	65	237	111	49	43	34	132	92	32	6	2	30
2	1	1	-	-	60	51	5	3	1	4	3	1	-	-	4	3	-	1	-	30a
5	3	1	1	-	284	174	47	49	14	60	37	8	9	6	26	18	7	1	-	30b
4	2	1	1	-	96	58	20	10	8	35	15	9	6	5	9	5	4	-	-	30c
10	4	6	-	-	181	102	29	38	12	25	14	5	5	1	46	36	9	-	1	30d
1	1	-	-	-	54	29	3	19	3	10	7	-	3	-	7	6	-	1	-	30e
14	8	3	2	1	246	114	72	33	27	103	35	26	20	22	40	24	12	3	1	30f,g
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	31
4	2	2	-	-	12	9	2	1	-	9	6	-	1	2	-	-	-	-	-	32
35	23	12	-	-	564	264	259	20	21	299	139	114	17	29	63	38	23	1	1	33a
30	17	9	1	3	406	180	202	16	8	237	108	91	21	17	66	39	24	1	2	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
4	1	3	-	-	115	62	45	6	2	21	7	9	2	3	13	10	2	1	-	35
2	2	-	-	-	46	34	9	1	2	14	5	2	5	2	3	3	-	-	-	36
127	79	44	1	3	37	23	10	2	2	9	3	3	3	-	8	4	4	-	-	37a,c
3	1	2	-	-	22	15	7	-	-	2	1	1	-	-	2	-	2	-	-	37b
-	-	-	-	-	12	7	2	2	1	3	1	2	-	-	3	3	-	-	-	38
-	-	-	-	-	3	-	3	-	-	4	2	1	-	1	2	2	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	7	6	1	-	-	2	2	-	-	-	-	-	-	-	-	42
2	1	1	-	-	9	6	2	-	1	3	2	-	1	-	2	2	-	-	-	43
7	6	1	-	-	126	74	43	2	7	27	20	6	1	-	18	14	4	-	-	44
625	358	263	2	2	9,967	4,416	5,139	167	245	2,054	854	1,050	47	103	1,557	770	770	15	2	
601	346	251	2	2	9,614	4,331	4,908	163	214	1,933	816	981	47	89	1,523	757	749	15	2	45-55
15	13	2	-	-	276	211	56	7	2	67	49	15	1	2	41	36	5	-	-	45
14	12	2	-	-	180	140	35	4	1	46	32	11	1	2	33	30	3	-	-	45a-e
1	1	-	-	-	98	71	21	3	1	21	17	4	-	-	8	6	2	-	-	45f
338	217	119	1	1	4,414	2,254	2,006	82	72	854	426	371	28	29	712	389	311	11	1	46
13	9	4	-	-	149	107	32	10	-	12	7	5	-	-	23	18	4	1	-	46a
160	116	42	1	1	1,486	867	567	43	9	349	210	115	12	12	275	175	93	6	1	46b,c
45	24	21	-	-	698	274	402	11	11	178	63	99	7	9	93	38	53	2	-	46f
25	14	11	-	-	286	150	130	2	4	51	28	20	2	1	61	33	27	1	-	46g
95	54	41	-	-	1,795	858	875	16	48	264	118	132	7	7	280	125	154	1	-	46d,e,h,m
25	18	6	1	-	540	385	127	18	10	84	55	27	2	-	95	71	23	1	-	47
38	...	37	...	1	1,039	...	976	...	63	280	...	248	...	32	122	...	121	...	1	48
10	...	10	...	-	269	...	258	...	11	39	...	39	...	-	36	...	36	...	-	49
46	2	44	-	-	928	16	879	-	33	166	3	144	-	19	143	2	141	-	-	50
38	38	...	-	...	627	604	...	23	...	124	118	...	6	...	115	114	...	1	...	51
33	21	12	-	-	458	270	172	11	5	71	37	29	3	2	73	46	27	-	-	52
13	9	4	-	-	231	145	82	3	1	87	50	35	1	1	19	12	7	-	-	53
5	5	-	-	-	134	71	62	1	-	24	16	8	-	-	31	17	14	-	-	54
40	23	17	-	-	698	375	288	18	17	137	62	65	6	4	136	70	64	2	-	55
2	...	2	...	-	50	...	46	...	4	12	...	9	...	3	5	...	5	...	-	56a
5	...	5	...	-	123	...	97	...	26	53	...	28	...	5	4	...	4	...	-	56b
-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	56c
2	2	-	-	-	86	38	46	2	-	11	8	3	-	-	9	5	4	-	-	56d,e

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	1	...	1	...	-	1	...	-	...	1
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	2	...	2	...	-	1	...	-	...	1
57d,e	Tumors of other and unspecified organs (nature unspecified)	227	123	98	3	3	53	27	12	7	7
	III.—Rheumatism, diseases of nutrition, etc.*	6,442	2,073	4,140	65	166	857	268	345	83	163
58a-d	Acute rheumatic heart diseases	155	60	85	6	4	34	9	11	6	8
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	30	15	10	4	1	21	9	3	6	3
59	Chronic rheumatism and other rheumatic diseases	163	57	100	-	6	41	11	17	4	9
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	5,391	1,737	3,485	42	127	469	160	184	41	84
62	Diseases of pituitary gland	20	12	7	1	-	2	1	1	-	-
63a	Simple goiter	28	7	18	-	3	5	1	2	-	2
63b	Exophthalmic goiter	417	70	329	1	17	47	6	25	-	16
63c-e	Other diseases of thyroid and parathyroid glands	39	14	25	-	-	6	1	3	-	2
64	Diseases of thymus gland	84	50	31	1	2	34	16	13	3	2
65	Diseases of adrenal glands (not specified as tuberculous)	56	27	26	2	1	6	5	-	-	1
66	Other general diseases	18	5	10	2	1	37	13	6	12	6
67	Scurvy	-	-	-	-	-	1	1	-	-	-
68	Beriberi	5	1	2	1	1	1	-	1	-	-
69	Pellagra (except alcoholic)	16	6	8	1	1	145	33	73	9	30
70	Rickets	8	3	2	2	1	6	2	2	2	-
71	Other avitaminoses	12	9	2	-	1	2	-	2	-	-
	IV.—Diseases of the blood and blood-forming organs	1,013	502	476	19	16	181	91	55	13	22
72	Hemorrhagic conditions	42	19	21	1	1	16	6	6	2	2
73a	Pernicious anemia	149	61	83	3	2	30	19	5	2	4
73b-d	Other anemias (except splenic)	72	27	40	4	1	30	11	7	3	9
74a	Leukemias	651	349	282	9	11	89	50	31	4	4
74b	Aleukemias	33	16	16	1	-	4	3	-	1	-
75	Diseases of spleen	37	16	20	1	-	8	1	3	1	3
76	Other diseases of the blood and blood-forming organs	29	14	14	-	1	4	1	3	-	-
	V.—Chronic poisoning and intoxication	428	306	78	32	14	71	43	8	14	6
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	18	10	6	2	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	391	285	63	30	13	64	42	3	14	5
78	Lead poisoning	5	4	1	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	14	7	6	-	1	7	1	5	-	1
	VI.—Diseases of the nervous system, etc.*	11,381	5,091	5,879	192	219	3,476	1,196	1,070	578	632
80	Encephalitis (nonepidemic)	103	49	45	6	3	38	13	15	5	5
81	Meningitis (not due to meningococcus)	168	93	56	11	8	84	34	22	16	12
82	Diseases of spinal cord (see exceptions)*	273	147	122	4	-	49	23	17	7	2
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	8,094	3,507	4,314	117	156	2,775	943	860	456	516
83b	Cerebral embolism and thrombosis	1,630	733	850	25	22	110	47	44	12	7
83c	Cerebral softening	103	45	50	1	7	9	7	1	-	1
83d	Hemiplegia and other paralysis of unspecified origin	130	57	71	2	-	110	36	42	17	15
84	Mental diseases and deficiency (see exception)*	103	39	56	2	6	80	7	18	22	33
85	Epilepsy	237	117	100	15	5	91	25	19	25	22
86	Convulsions (under 5 years)	15	8	7	-	-	21	8	1	4	8
87	Other diseases of nervous system	337	193	138	4	2	54	29	14	5	6
88	Diseases of organs of vision	4	1	2	-	1	1	1	-	-	-
89a	Otitis and other diseases of the ear	105	57	43	2	3	38	15	14	8	1
89b	Diseases of mastoid process	79	45	25	3	6	16	8	3	1	4
	VII.—Diseases of the circulatory system	55,606	30,007	23,617	994	988	6,376	2,684	1,844	946	902
90	Pericarditis (except acute rheumatic)	53	27	17	3	6	11	6	1	1	3
91a,b	Bacterial and other acute or subacute endocarditis	188	110	71	3	4	43	16	15	4	8
91c	Endocarditis (unspecified, under 45 years)	9	5	4	-	-	16	5	3	5	3
92a-d	Chronic endocarditis and diseases of the valves*	3,958	1,816	2,020	64	58	885	222	195	138	132
92e	Endocarditis (unspecified, 45 years and over)	159	82	74	-	3	47	13	15	10	9
93a	Acute myocarditis (except rheumatic)	277	136	131	5	5	67	15	16	15	21
93b	Myocarditis (unspecified, under 45 years)	22	10	10	2	-	34	11	4	11	8
93c,d	Chronic myocarditis and myocardial degeneration	30,810	15,243	14,317	584	666	1,909	754	624	286	245
93e	Other myocarditis (unspecified)	895	505	372	12	6	389	144	140	46	59
94a	Diseases of coronary arteries	12,907	8,912	3,713	187	95	1,272	753	320	96	103
94b	Angina pectoris	223	146	73	4	-	229	142	52	16	19
95a	Functional diseases of heart, etc.*	34	15	18	-	1	25	8	13	1	3
95b,c	Other and unspecified diseases of heart	2,638	1,310	1,170	67	91	1,242	470	316	258	198
96	Aneurysm (except of heart and aorta)	240	149	80	6	5	14	4	5	3	2
97	Arteriosclerosis (except coronary or renal sclerosis)	2,762	1,340	1,342	44	36	277	85	94	49	49
98	Gangrene	18	6	11	-	1	15	3	4	4	4
99	Other diseases of arteries	195	99	88	7	1	26	10	9	4	3
100	Diseases of veins	105	48	52	2	3	16	9	4	1	2
101	Diseases of lymphatic system	6	4	2	-	-	1	1	-	-	-
102	High blood pressure (idiopathic)	101	39	52	3	7	50	12	15	16	7
103	Other diseases of circulatory system	6	5	-	1	-	8	1	1	2	4
	VIII.—Diseases of the respiratory system	6,990	3,821	2,672	304	193	2,239	692	597	564	386
104a	Diseases of nasal fossae	9	7	2	-	-	20	5	4	7	4
104b	Diseases of accessory sinuses	83	55	23	5	-	17	9	3	2	3
105	Diseases of larynx	28	16	9	3	-	23	6	9	4	4
106a	Acute bronchitis	103	57	40	5	1	26	5	8	5	8

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
–	...	–	...	–	1	...	1	...	–	1	...	1	...	–	–	...	–	...	–	57a
1	...	1	...	–	1	...	1	...	–	–	...	–	...	–	–	...	–	...	–	57b
–	...	–	...	–	–	...	–	...	–	–	...	–	...	–	–	...	–	...	–	57c
14	10	4	–	–	90	47	40	2	1	64	30	28	–	6	15	8	7	–	–	57d,e
181	87	88	4	2	2,762	883	1,749	48	82	525	195	270	24	36	331	129	196	2	4	
2	–	2	–	–	49	19	27	1	2	22	9	10	–	3	5	4	1	–	–	58a-d
4	2	2	–	–	15	4	9	–	2	10	2	6	–	2	3	2	1	–	–	58e,f
13	5	7	–	1	123	51	69	2	1	21	3	18	–	–	12	5	6	1	–	59
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	60
154	74	57	2	1	2,092	679	1,315	34	64	341	143	163	17	18	253	102	146	1	4	61
–	–	–	–	–	9	2	7	–	–	–	–	–	–	–	1	1	–	–	–	62
–	–	–	–	–	11	1	10	–	–	3	–	2	–	1	–	–	–	–	–	63a
14	1	13	–	–	297	46	242	1	8	28	3	25	–	–	33	5	28	–	–	63b
1	–	1	–	–	21	6	15	–	–	5	1	2	–	2	4	–	4	–	–	63c-e
2	2	–	–	–	66	41	19	4	2	13	6	3	1	3	9	5	4	–	–	64
4	2	2	–	–	25	11	13	1	–	2	1	1	–	–	5	2	3	–	–	65
5	1	4	–	–	19	12	5	2	–	9	1	6	2	–	–	–	–	–	–	66
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	67
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	68
–	–	–	–	–	19	7	8	2	2	67	24	33	3	7	5	3	2	–	–	69
2	–	–	2	–	7	2	5	–	–	2	–	1	1	–	–	–	–	–	–	70
–	–	–	–	–	9	2	5	1	1	1	1	–	–	–	–	–	–	–	–	71
51	29	21	–	1	540	257	264	11	8	157	90	56	7	4	106	62	43	1	–	
4	1	2	–	1	18	9	9	–	–	7	5	2	–	–	3	2	1	–	–	72
14	7	7	–	–	124	54	69	–	1	40	27	11	1	1	22	9	13	–	–	73a
4	2	2	–	–	59	26	29	2	2	23	12	11	–	–	12	7	5	–	–	73b-d
25	16	9	–	–	292	149	132	6	5	72	39	27	4	2	63	40	22	1	–	74a
1	–	1	–	–	9	7	1	1	–	1	1	–	–	–	2	2	–	–	–	74b
–	–	–	–	–	27	8	18	1	–	4	2	1	1	–	1	1	–	–	–	75
3	3	–	–	–	11	4	6	1	–	10	4	4	1	1	3	1	2	–	–	76
7	7	–	–	–	116	97	7	11	1	33	25	3	5	–	25	21	2	2	–	
–	–	–	–	–	7	6	–	1	–	1	1	–	–	–	–	–	–	–	–	77a,b
7	7	–	–	–	99	85	4	9	1	29	22	2	5	–	24	20	2	2	–	77c-e
–	–	–	–	–	5	4	–	1	–	1	1	–	–	–	1	1	–	–	–	78
–	–	–	–	–	5	2	3	–	–	2	1	1	–	–	–	–	–	–	–	79
575	321	243	7	4	8,279	3,936	3,874	257	232	2,110	1,068	786	138	118	1,374	782	591	16	5	
9	5	4	–	–	67	37	23	5	2	28	14	9	4	1	9	6	3	–	–	80
19	12	4	2	1	108	58	38	8	4	38	14	15	4	5	17	11	6	–	–	81
8	5	3	–	–	170	88	67	9	6	28	17	8	2	1	25	11	14	–	–	82
406	229	172	4	1	6,645	3,116	3,161	183	185	1,577	823	581	92	81	1,050	576	458	12	4	83a
54	24	30	–	–	595	284	279	14	18	46	22	21	1	2	115	65	48	2	–	83b
1	–	1	–	–	57	25	26	3	3	5	3	2	–	–	7	3	3	1	–	83c
20	12	8	–	–	70	33	31	1	5	213	90	85	20	18	34	18	16	–	–	83d
6	2	4	–	–	74	27	43	2	2	31	14	9	5	3	15	7	8	–	–	84
14	9	4	–	1	124	62	55	5	2	47	26	16	3	2	35	22	12	–	1	85
9	5	4	–	–	12	6	6	–	–	9	6	–	1	2	1	–	1	–	–	86
23	15	7	1	–	271	146	121	3	1	45	18	24	1	2	54	35	19	–	–	87
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	88
5	3	1	–	1	53	32	14	3	4	30	17	10	3	–	7	6	–	1	–	89a
1	–	1	–	–	33	22	10	1	–	13	4	6	2	1	5	2	3	–	–	89b
1,440	909	505	18	8	23,795	12,922	9,712	625	536	4,530	2,616	1,481	254	179	3,654	2,369	1,243	29	13	
2	1	1	–	–	33	18	11	1	3	13	1	1	5	6	4	3	1	–	–	90
12	6	6	–	–	144	55	77	4	10	34	13	16	3	2	18	7	11	–	–	91a,b
1	–	1	–	–	16	13	3	–	–	6	2	1	3	–	1	1	–	–	–	91c
146	81	60	4	1	2,437	1,203	1,068	82	86	456	239	152	38	27	417	259	155	2	1	92a-d
11	5	6	–	–	236	102	117	6	11	65	38	20	3	4	16	9	7	–	–	92e
10	8	2	–	–	261	138	95	15	13	48	29	10	2	7	12	8	4	–	–	93a
3	3	–	–	–	28	11	13	3	1	16	5	6	2	3	2	1	1	–	–	93b
507	296	195	11	5	8,987	4,233	4,289	232	213	1,177	610	458	64	45	1,125	648	455	15	7	93c,d
77	48	29	–	–	1,173	617	497	28	31	325	181	112	15	17	119	78	40	–	1	93e
395	297	98	–	–	5,947	4,015	1,745	120	67	1,090	766	285	27	14	1,293	952	333	7	1	94a
20	15	5	–	–	503	344	144	12	3	143	97	42	3	1	41	28	13	–	–	94b
9	6	3	–	–	65	37	26	2	–	40	23	17	–	–	18	9	9	–	–	95a
140	85	51	2	2	2,040	1,132	767	79	62	770	416	242	73	39	266	172	92	1	1	95b,c
4	2	2	–	–	86	47	39	–	–	7	4	2	1	–	10	4	6	–	–	96
61	31	29	1	–	1,611	841	704	36	30	247	143	83	12	9	251	153	93	4	1	97
2	1	1	–	–	23	12	11	–	–	9	4	5	–	–	5	5	–	–	–	98
15	11	4	–	–	123	59	61	–	3	29	16	11	–	2	31	17	14	–	–	99
5	–	5	–	–	50	20	26	3	1	13	7	5	1	–	9	5	4	–	–	100
–	–	–	–	–	2	2	–	–	–	2	1	1	–	–	–	–	–	–	–	101
19	12	7	–	–	45	23	18	2	2	36	21	12	2	1	14	8	5	–	1	102
1	1	–	–	–	5	2	3	–	–	4	–	2	–	2	2	2	–	–	–	103
334	192	126	9	7	3,791	1,992	1,458	211	130	1,397	625	507	146	119	584	352	223	5	4	
3	1	2	–	–	6	4	2	–	–	4	3	1	–	–	2	2	–	–	–	104a
–	–	–	–	–	46	32	11	3	–	12	9	1	1	1	9	4	5	–	–	104b
2	1	1	–	–	13	6	6	–	1	8	5	–	–	3	4	2	2	–	–	105
7	2	3	1	1	50	20	28	–	2	5	2	2	–	1	10	5	5	–	–	106a

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
108b	Chronic bronchitis	197	122	66	6	3	43	13	27	1	2
108c	Bronchitis (unspecified)	45	19	26	-	-	20	9	5	3	3
107	Bronchopneumonia (including capillary bronchitis)	2,789	1,398	1,207	107	77	941	283	235	246	177
108	Lobar pneumonia	2,961	1,664	1,050	148	99	718	220	195	187	116
109	Pneumonia (unspecified)	93	58	31	2	2	242	66	48	74	54
110	Pleurisy (not specified as tuberculous)	198	138	50	7	3	46	24	11	9	2
111a	Hemorrhagic infarction and thrombosis of lungs	87	48	38	1	-	14	8	5	-	1
111b,c	Acute edema, chronic and unspecified congestion of lungs	57	24	30	3	-	50	19	16	10	5
112	Asthma	151	80	63	4	4	43	13	15	10	5
113	Pulmonary emphysema	19	16	3	-	-	1	-	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	170	119	34	13	4	35	12	15	6	2
	IX.—Diseases of the digestive system	7,274	4,090	2,893	165	128	1,890	673	435	429	353
115a,b,d	Diseases of buccal cavity and adnexa	88	44	39	2	3	54	20	10	7	17
115c	Diseases of pharynx and tonsils	95	53	34	4	4	55	17	9	15	14
116	Diseases of esophagus	23	12	11	-	-	6	2	2	2	-
117a	Ulcer of stomach	696	565	97	29	5	102	58	14	26	4
117b	Ulcer of duodenum	352	298	48	5	1	35	28	5	2	-
118	Other diseases of stomach (except cancer)	45	30	13	1	1	52	19	9	12	12
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	385	198	151	20	16	694	203	139	194	158
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	176	81	93	-	2	117	42	37	22	16
121	Appendicitis	1,080	620	420	24	16	236	92	57	46	41
122a	Hernia	594	349	230	13	2	72	35	10	25	2
122b	Intestinal obstruction	562	243	283	13	23	162	42	53	29	38
123	Other diseases of intestines	207	113	85	5	4	27	9	4	7	7
124a	Cirrhosis of liver (with mention of alcoholism)	318	221	87	6	4	6	4	-	2	-
124b	Cirrhosis of liver (without mention of alcoholism)	1,391	820	536	21	14	121	59	28	18	16
125a	Acute yellow atrophy of liver (nonpuerperal)	64	21	40	2	1	9	3	2	1	3
125b	Other diseases of liver	88	41	38	4	5	20	3	5	5	7
126	Biliary calculi	629	182	436	4	7	31	8	18	2	3
127	Other diseases of gallbladder and biliary ducts	282	107	166	2	7	43	15	20	4	4
128	Diseases of pancreas (except diabetes mellitus)	98	43	46	5	4	14	8	4	-	2
129	Peritonitis (cause not stated)	101	49	40	5	7	34	6	9	10	9
	X.—Diseases of the genito-urinary system	9,719	4,953	4,283	237	246	3,584	1,241	885	768	690
130	Acute nephritis	80	42	31	2	5	145	57	18	36	36
131a	Arteriosclerotic kidney	5,941	2,672	2,984	133	152	2,191	722	803	451	415
131b	Other chronic nephritis	1,867	919	851	48	49	730	268	164	157	141
132	Nephritis unspecified (10 years and over)	112	63	40	4	5	189	54	36	57	42
133	Other diseases of kidneys and ureters, etc.*	350	182	159	5	4	79	25	30	12	12
134	Calculi of urinary passages	241	153	79	8	1	41	26	11	2	2
135	Diseases of urinary bladder	53	25	24	2	2	13	5	2	5	1
136	Diseases of urethra (except calculus)	29	23	1	5	-	12	4	-	8	-
137	Diseases of prostate	901	871	...	30	...	120	80	...	40	...
138	Diseases of other male genital organs (except venereal)	3	3	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	91	...	65	...	26	50	...	18	...	32
139b	Diseases of uterus	46	...	44	...	2	9	...	4	...	5
139c	Diseases of other and unspecified female genital organs	5	...	5	...	-	5	...	1	...	4
	XI.—Diseases of pregnancy, childbirth, and the puerperium	494	...	429	...	65	337	...	179	...	158
140	Abortion with mention of infection	86	...	60	...	26	22	...	8	...	14
140a,b	Abortion (septic), spontaneous or therapeutic*	57	...	41	...	16	22	...	8	...	14
140c,d	Abortion (septic), self-induced or nontherapeutic*	29	...	19	...	10	-	...	-	...	-
141	Abortion without mention of infection	20	...	17	...	3	19	...	9	...	10
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	7	...	6	...	1	5	...	3	...	2
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	10	...	8	...	2	14	...	6	...	8
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	3	...	3	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	2	...	-	...	2
142b	Ectopic gestation, without mention of infection	18	...	15	...	3	5	...	1	...	4
143a	Placenta praevia (death before delivery)	2	...	2	...	-	1	...	1	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	2	...	1	...	1
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	11	...	8	...	3	38	...	20	...	18
144c,d	Other toxemias of pregnancy (death before delivery)*	6	...	5	...	1	19	...	12	...	7
145	Other diseases and accidents of pregnancy (death before delivery)	11	...	9	...	2	21	...	16	...	5
146a	Placenta praevia (with childbirth)	11	...	10	...	1	17	...	8	...	9
146b,c	Other hemorrhages of childbirth and puerperium	52	...	48	...	4	29	...	20	...	9
147a,b	Puerperal pyelitis, other general or local puerperal infection*	68	...	62	...	6	37	...	17	...	20
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	65	...	60	...	5	38	...	22	...	16
148a,b	Puerperal eclampsia and nephritis*	40	...	39	...	1	42	...	19	...	23
148c,d	Other puerperal toxemias	6	...	6	...	-	9	...	5	...	4
149	Other accidents and specified conditions of childbirth	76	...	68	...	8	6	...	5	...	1
150	Other and unspecified conditions of childbirth and puerperium	20	...	18	...	2	30	...	15	...	15
	XII.—Diseases of the skin and cellular tissue	121	58	53	6	4	60	21	24	7	8
151	Carbuncle and furuncle	21	14	6	1	-	15	7	6	-	2
152	Phlegmon and acute abscess	34	18	13	3	-	15	5	7	2	1
153	Other diseases of skin and cellular tissue	66	26	34	2	4	30	9	11	5	5
	XIII.—Diseases of the bones, etc.*	97	59	32	3	3	21	7	5	7	2
154	Osteomyelitis and periostitis	52	35	14	2	1	10	2	2	5	1
155	Other diseases of bones (except tuberculosis)	15	7	8	-	-	-	-	-	-	-
156	Diseases of joints and other organs of movement	30	17	10	1	2	11	5	3	2	1
157	XIV.—Congenital malformations	1,334	687	598	24	25	572	168	128	41	35

* Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
10	4	5	1	-	99	46	50	1	2	29	15	12	2	-	10	6	4	-	-	106b
6	4	2	-	-	37	16	18	2	1	15	7	5	-	3	4	3	1	-	-	106c
108	55	48	4	1	1,592	804	665	69	54	493	222	189	41	41	261	155	99	4	3	107
101	71	26	1	3	1,386	755	473	106	52	344	139	114	52	39	137	83	53	-	1	108
30	12	14	2	2	76	36	33	5	2	306	129	122	34	21	38	20	17	1	-	109
14	12	2	-	-	100	65	24	8	3	32	18	7	7	-	17	14	3	-	-	110
13	6	7	-	-	64	37	25	-	2	10	2	5	1	2	13	8	5	-	-	111a
16	5	11	-	-	108	44	57	6	1	56	30	23	1	2	26	14	12	-	-	111b,c
18	13	5	-	-	111	56	46	3	6	50	23	20	4	3	34	23	11	-	-	112
1	1	-	-	-	11	7	4	-	-	2	2	-	-	-	-	-	-	-	-	113
5	5	-	-	-	92	64	16	8	4	31	19	6	3	3	19	13	6	-	-	114
282	165	108	5	4	4,122	2,202	1,699	129	92	1,121	571	351	113	86	489	279	198	9	3	
7	2	5	-	-	82	46	27	4	5	32	12	13	3	4	12	6	6	-	-	115a,b,d
5	3	2	-	-	70	42	26	1	1	17	9	6	2	-	12	4	8	-	-	115c
1	1	-	-	-	10	6	3	1	-	3	2	-	1	-	4	3	1	-	-	116
28	26	2	-	-	320	248	53	14	5	84	67	9	3	5	59	48	10	1	-	117a
14	13	-	1	-	140	116	18	6	-	25	15	5	4	1	28	23	5	-	-	117b
2	1	1	-	-	72	41	27	3	1	85	44	16	16	9	12	8	3	1	-	118
18	11	3	2	2	534	277	212	25	20	108	46	31	15	16	16	5	9	1	1	119
11	3	8	-	-	152	68	71	8	5	58	25	25	7	1	15	5	10	-	-	120
48	28	17	1	2	595	348	215	28	4	251	138	72	23	18	73	40	30	2	1	121
19	13	6	-	-	305	158	128	14	5	45	22	19	4	-	33	16	16	1	-	122a
31	20	11	-	-	363	132	202	9	20	122	64	39	7	12	52	33	18	-	1	122b
5	3	2	-	-	72	37	33	1	1	27	10	10	4	3	14	12	2	-	-	123
3	2	1	-	-	50	36	13	1	-	6	4	1	1	-	9	7	2	-	-	124a
33	20	12	1	-	617	394	208	6	9	103	65	24	9	5	51	28	22	1	-	124b
2	2	-	-	-	25	8	14	1	2	3	-	1	2	-	2	-	2	-	-	125a
6	3	3	-	-	58	29	26	2	1	24	8	12	1	3	12	8	3	1	-	125b
28	8	20	-	-	320	88	228	1	3	39	10	27	2	-	35	9	26	-	-	126
12	4	8	-	-	207	68	138	-	1	59	18	30	4	7	33	14	19	-	-	127
1	1	-	-	-	48	29	18	-	1	6	4	1	1	-	8	6	2	-	-	128
8	1	7	-	-	82	31	39	4	8	24	8	10	4	2	9	4	4	1	-	129
368	229	134	2	3	6,113	3,138	2,531	252	192	1,577	843	482	149	103	1,225	717	488	15	5	
13	8	5	-	-	125	66	44	11	4	49	30	12	5	2	19	13	6	-	-	130
156	91	65	-	-	3,687	1,767	1,659	146	115	676	336	238	56	46	866	470	379	12	5	131a
102	59	42	-	1	1,171	577	515	44	35	343	166	106	42	29	151	96	54	1	-	131b
39	25	14	-	-	188	102	71	10	5	239	133	67	21	18	30	19	11	-	-	132
11	6	4	1	-	200	83	93	18	6	39	19	15	3	2	39	22	15	2	-	133
5	4	1	-	-	76	43	28	2	3	20	9	10	1	-	15	9	6	-	-	134
1	-	1	-	-	33	13	16	3	1	11	8	1	1	1	4	2	2	-	-	135
-	-	-	-	-	28	24	-	4	-	5	1	1	3	-	-	-	-	-	-	136
37	36	...	1	...	474	460	...	14	...	158	141	...	17	...	86	86	...	-	...	137
-	-	...	-	...	3	3	...	-	...	-	-	...	-	...	-	-	...	-	...	138
1	...	1	...	-	71	...	50	...	21	27	...	23	...	4	8	...	8	...	-	139a
2	...	1	...	1	53	...	51	...	2	8	...	7	...	1	6	...	6	...	-	139b
1	...	-	...	1	4	...	4	...	-	2	...	2	...	-	1	...	1	...	-	139c
31	...	29	...	2	318	...	281	...	37	139	...	111	...	28	40	...	39	...	1	
3	...	3	...	-	59	...	50	...	9	16	...	16	...	-	4	...	4	...	-	140
2	...	2	...	-	35	...	32	...	3	14	...	14	...	-	3	...	3	...	-	140a,b
1	...	1	...	-	24	...	18	...	6	2	...	2	...	-	1	...	1	...	-	140c,d
-	...	-	...	-	12	...	12	...	-	8	...	3	...	5	3	...	3	...	-	141
-	...	-	...	-	3	...	3	...	-	3	...	3	...	-	2	...	2	...	-	141a,c
-	...	-	...	-	6	...	6	...	-	5	...	-	...	5	1	...	1	...	-	141b,d
-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
1	...	1	...	-	2	...	2	...	-	4	...	3	...	1	-	...	-	...	-	142a
-	...	-	...	-	7	...	7	...	-	6	...	5	...	1	3	...	2	...	1	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
1	...	1	...	-	2	...	1	...	1	1	...	1	...	-	-	...	-	...	-	143b,c
2	...	2	...	-	17	...	15	...	2	11	...	10	...	1	3	...	3	...	-	144a,b
1	...	1	...	-	5	...	4	...	1	3	...	2	...	1	1	...	1	...	-	144c,d
3	...	3	...	-	14	...	12	...	2	3	...	3	...	-	4	...	4	...	-	145
1	...	1	...	-	6	...	6	...	-	6	...	4	...	2	1	...	1	...	-	146a
4	...	4	...	-	37	...	33	...	4	10	...	6	...	4	3	...	3	...	-	146b,c
3	...	2	...	1	48	...	40	...	8	17	...	13	...	4	2	...	2	...	-	147a,b
5	...	5	...	-	33	...	30	...	3	11	...	9	...	2	6	...	6	...	-	147c,d
1	...	1	...	-	26	...	22	...	4	25	...	22	...	3	2	...	2	...	-	148a,b
1	...	1	...	-	9	...	8	...	1	2	...	2	...	-	-	...	-	...	-	148c,d
2	...	2	...	-	26	...	24	...	2	10	...	8	...	2	6	...	6	...	-	149
3	...	2	...	1	15	...	15	...	-	6	...	4	...	2	2	...	2	...	-	150
10	7	3	-	-	62	22	33	4	3	24	17	3	2	2	17	8	8	1	-	
1	1	-	-	-	11	7	3	-	1	4	3	1	-	-	3	1	2	-	-	151
1	1	-	-	-	19	5	11	2	1	6	6	-	-	-	4	3	-	1	-	152
8	5	3	-	-	32	10	19	2	1	14	8	2	2	2	10	4	6	-	-	153
3	2	1	-	-	51	33	15	2	1	24	16	7	1	-	11	8	3	-	-	
1	1	-	-	-	25	15	9	1	-	15	9	5	1	-	6	6	-	-	-	154
-	-	-	-	-	9	8	1	-	-	3	3	-	-	-	1	-	1	-	-	155
2	1	1	-	-	17	10	5	1	1	6	4	2	-	-	4	2	2	-	-	156
58	37	21	-	-	780	400	349	17	14	230	108	102	11	9	117	66	51	-	-	157

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	3,917	2,115	1,504	177	121	1,939	680	491	431	337
158	Congenital debility (cause not stated)	41	26	13	2	-	140	37	17	46	40
159	Premature birth (cause not stated)	2,322	1,207	913	117	85	1,285	455	326	281	223
160a	Intracranial or spinal hemorrhage	509	301	170	20	18	143	71	41	16	15
160b,c	Other injuries at birth	560	316	220	14	10	171	67	49	34	21
161	Other diseases peculiar to the first year of life	485	265	188	24	8	200	50	58	54	38
162	XVI.—Senility	166	58	105	2	1	276	61	96	49	70
	XVII.—Violent or accidental deaths	10,659	6,810	3,251	456	142	3,267	1,593	568	842	264
163,164	Suicide	1,897	1,324	530	30	13	290	205	62	18	5
163	Suicide by poisoning	756	444	290	14	8	52	22	22	4	4
	Suicide by solid or liquid poisons	178	83	82	9	4	34	12	15	3	4
	Suicide by poisonous gases	578	361	208	5	4	18	10	7	1	-
164a	Suicide by hanging or strangulation	474	392	78	3	1	15	12	3	-	-
164b	Suicide by drowning	86	55	30	1	-	13	6	7	-	-
164c	Suicide by firearms and explosives	303	268	32	3	-	186	153	21	12	-
164d	Suicide by cutting or piercing instruments	83	65	15	-	3	10	7	3	-	-
164e	Suicide by jumping from high places	167	87	72	7	1	7	3	2	1	1
164f	Suicide by crushing	22	12	8	2	-	2	1	1	-	-
164g	Suicide by other or unspecified means	6	1	5	-	-	5	1	3	1	-
165-168	Homicide [1]	369	184	61	97	27	378	82	21	208	67
166	Homicide by firearms	130	86	18	23	3	229	53	15	131	30
167	Homicide by cutting or piercing instruments	125	36	10	63	14	89	13	3	52	21
168	Homicide by other means	116	62	33	11	10	60	16	3	25	16
169-195	Accidental deaths	8,378	5,291	2,660	325	102	2,590	1,305	485	608	192
169	Railway accidents (except collisions with motor vehicles)	186	147	9	10	-	93	59	1	29	4
170a	Collisions between automobiles and trains	97	67	29	1	-	55	25	14	14	2
170b	Collisions between automobiles and streetcars	7	6	1	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	2,528	1,837	566	101	24	1,258	734	192	279	53
170d	Motorcycle accidents (except collisions with automobiles)	27	24	2	1	-	12	11	-	1	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	102	78	16	7	1	-	-	-	-	-
171b	Other and unspecified road-transport accidents	28	18	8	2	-	8	3	-	5	-
172	Water-transport accidents	105	91	9	5	-	26	16	2	8	-
173	Air-transport accidents	35	29	6	-	-	12	12	-	-	-
174	Accidents in mines and quarries	12	11	1	-	-	5	3	-	2	-
175a	Accidents involving agricultural machinery and vehicles	46	46	-	-	-	15	7	-	8	-
175b,c	Other agricultural accidents, including injury by animals	51	48	3	-	-	32	21	-	11	-
175d	Accidents involving forestry machinery and vehicles	1	1	-	-	-	6	2	-	4	-
175e	Other forestry accidents	3	3	-	-	-	4	-	-	4	-
176	Other accidents involving machinery	96	90	3	3	-	28	15	-	13	-
177	Food poisoning	3	-	3	-	-	20	6	4	5	5
178	Accidental absorption of poisonous gas	269	176	85	9	1	4	1	-	1	2
179	Acute accidental poisoning by solids or liquids	97	54	36	3	4	39	15	9	10	5
180	Conflagration	188	111	40	28	9	69	22	12	13	22
181	Accidental burns (except conflagration)	346	165	157	15	9	133	31	43	27	32
182	Accidental mechanical suffocation	107	59	35	6	7	95	28	19	28	20
183	Accidental drowning	494	419	39	34	2	110	72	4	34	-
184	Accidental injury by firearms	82	73	6	3	-	80	40	5	30	5
185	Accidental injury by cutting or piercing instruments	18	13	2	2	1	15	5	4	4	2
186a	Accidental injury by fall	2,854	1,283	1,479	60	32	294	97	146	31	20
186b	Accidental injury by crushing	27	22	3	-	2	10	7	2	1	-
187	Cataclysm, etc.*	6	4	2	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	8	6	2	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	1	-	-	1	-
190	Excessive cold	8	5	3	-	-	4	1	-	3	-
191	Excessive heat	12	10	1	-	1	12	6	-	5	1
192	Lightning	9	6	3	-	-	17	8	2	5	2
193	Accidents due to electric currents (except lightning)	42	41	-	1	-	23	16	1	6	-
194	Poisoning by venomous animals (except in agriculture and forestry)	1	1	-	-	-	3	-	2	-	1
195a,b	Accidents due to medical or surgical intervention	4	3	1	-	-	1	1	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	87	42	37	4	4	22	8	9	3	2
195c,e	Other and unspecified accidents	412	302	75	30	5	84	33	14	23	14
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	15	11	-	4	-	9	1	-	8	-
	XVIII.—Ill-defined and unknown causes	120	72	41	4	3	1,108	315	235	297	261
199	Sudden death	6	5	1	-	-	146	54	38	31	23
200a	Ill-defined	70	42	24	2	2	298	88	58	76	76
200b	Found dead (cause unknown)	10	7	3	-	-	108	47	28	19	14
200c	Unknown or unspecified	34	18	13	2	1	556	126	111	171	148

* Refer to complete International List titles, table XI.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
250	131	104	11	4	2,662	1,420	1,008	137	97	1,105	562	398	87	58	328	193	124	7	4	
8	3	4	1	-	99	50	40	5	4	108	42	39	15	12	16	9	7	-	-	158
164	86	67	7	4	1,722	901	661	94	66	713	370	263	44	36	185	101	74	6	4	159
22	8	13	1	-	259	153	82	16	8	68	42	19	4	3	23	14	9	-	-	160a
27	19	7	1	-	261	146	100	5	10	93	47	35	7	4	60	41	19	-	-	160b,c
29	15	13	1	-	321	170	125	17	9	123	61	42	17	3	44	28	15	1	-	161
92	50	38	1	3	499	196	271	17	15	464	212	190	34	28	119	60	56	-	3	162
515	385	118	8	4	7,498	4,863	2,146	385	104	1,756	1,102	413	185	58	1,411	1,033	329	43	6	
57	50	7	-	-	1,058	782	280	12	4	193	152	31	7	3	205	151	48	5	1	163,164
4	4	-	-	-	248	139	105	1	1	39	23	13	1	2	56	34	21	1	-	165
4	4	-	-	-	149	58	91	1	1	36	20	13	1	2	20	9	10	1	-	
-	-	-	-	-	97	83	14	-	-	3	3	-	-	-	36	25	11	-	-	
18	14	4	-	-	262	185	73	4	-	21	18	3	2	-	32	24	7	1	-	164a
2	1	1	-	-	47	26	20	1	-	6	3	3	-	-	12	8	3	-	1	164b
28	27	1	-	-	399	345	47	6	1	115	100	11	3	1	94	76	15	3	-	164c
2	2	-	-	-	40	33	7	-	-	9	7	1	1	-	4	4	-	-	-	164d
1	1	-	-	-	50	26	22	-	2	3	3	-	-	-	4	3	1	-	-	164e
-	-	-	-	-	9	5	4	-	-	-	-	-	-	-	2	1	1	-	-	164f
2	1	1	-	-	5	3	2	-	-	-	-	-	-	-	1	1	-	-	-	164g
15	9	5	1	-	296	123	37	109	27	145	54	11	60	20	33	22	8	5	-	165-168
5	4	1	-	-	156	61	23	57	15	97	42	7	39	9	21	14	3	4	-	166
2	2	-	-	-	77	21	4	44	8	37	8	1	20	8	4	3	1	-	-	167
8	3	4	1	-	65	41	10	8	4	11	4	3	1	3	8	5	2	1	-	168
443	326	106	7	4	6,140	3,975	1,829	263	73	1,417	895	371	118	35	1,172	859	275	33	5	169-195
18	17	1	-	-	253	209	25	18	1	59	40	5	14	-	35	29	2	4	-	169
5	5	-	-	-	198	143	45	10	-	36	26	10	-	-	12	11	1	-	-	170a
-	-	-	-	-	10	6	4	-	-	-	-	-	-	-	1	1	-	-	-	170b
112	87	22	3	-	2,265	1,638	482	121	24	502	329	129	37	7	402	297	88	14	3	170c
-	-	-	-	-	30	29	1	-	-	6	6	-	-	-	5	3	1	1	-	170d
-	-	-	-	-	7	6	1	-	-	-	-	-	-	-	4	3	1	-	-	171a
2	1	1	-	-	21	18	3	-	-	2	1	1	-	-	1	1	-	-	-	171b
1	1	-	-	-	42	35	6	1	-	5	5	-	-	-	23	21	2	-	-	172
2	2	-	-	-	41	41	-	-	-	20	20	-	-	-	2	2	-	-	-	173
2	2	-	-	-	87	80	3	4	-	19	18	-	-	1	1	1	-	-	-	174
24	23	1	-	-	49	45	4	-	-	22	19	-	3	-	18	17	1	-	-	175a
11	11	-	-	-	38	35	3	-	-	28	24	1	3	-	16	15	-	1	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	175d
-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	93	90	-	3	-	175e
2	2	-	-	-	80	73	1	6	-	22	20	1	1	-	30	30	-	-	-	176
4	4	-	-	-	11	6	3	2	-	17	6	8	2	1	5	2	3	-	-	177
13	12	1	-	-	81	54	20	4	3	21	11	4	3	3	16	11	5	-	-	178
6	3	3	-	-	74	41	29	3	1	29	16	5	3	5	11	6	3	1	1	179
7	4	3	-	-	91	55	25	8	3	19	9	6	1	3	33	20	11	2	-	180
11	9	2	-	-	287	157	107	13	10	103	51	38	10	4	22	14	7	1	-	181
9	7	1	-	1	75	37	25	7	6	23	14	3	4	2	16	11	5	-	-	182
39	27	11	1	-	250	173	40	17	-	102	68	18	13	3	86	72	11	3	-	183
16	14	1	1	-	78	67	7	3	1	55	40	7	7	1	32	26	5	1	-	184
-	-	-	-	-	16	12	1	1	2	6	4	1	-	1	-	-	-	-	-	185
73	39	32	-	2	1,660	739	872	29	20	221	102	114	5	-	180	82	97	1	-	186a
-	-	-	-	-	16	15	-	1	-	4	3	-	1	-	9	9	-	-	-	186b
30	18	12	-	-	6	4	2	-	-	2	-	-	2	-	-	-	-	-	-	187
3	1	1	1	-	11	7	4	-	-	5	4	-	-	1	3	3	-	-	-	188
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	189
6	4	2	-	-	6	5	-	1	-	2	2	-	-	-	1	1	-	-	-	190
4	3	1	-	-	40	27	12	1	-	8	5	1	2	-	9	5	4	-	-	191
4	4	-	-	-	17	13	4	-	-	5	4	-	-	1	1	1	-	-	-	192
1	1	-	-	-	51	47	3	1	-	7	6	-	1	-	9	9	-	-	-	193
-	-	-	-	-	1	-	1	-	-	5	3	2	-	-	-	-	-	-	-	194
-	-	-	-	-	5	4	1	-	-	1	1	-	-	-	-	-	-	-	-	195a,b
5	5	-	-	-	44	26	15	2	1	9	3	5	1	-	16	8	8	-	-	195d
33	20	11	1	1	215	125	79	10	1	51	34	12	3	2	68	46	20	1	1	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	4	3	-	1	-	1	1	-	-	-	1	1	-	-	-	198
75	31	23	13	8	897	561	192	88	56	407	201	99	55	52	77	54	20	2	1	
9	6	3	-	-	25	15	7	1	-	13	9	1	2	1	4	2	1	1	-	199
38	22	14	1	1	764	494	145	76	49	203	122	52	16	13	61	46	14	-	1	200a
-	-	-	-	-	12	8	3	-	1	31	19	6	4	2	3	3	-	-	-	200b
28	3	6	12	7	98	44	37	11	6	160	51	40	33	36	9	3	5	1	-	200c

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	All causes	108,215	55,742	45,404	3,848	3,221	7,864	4,073	3,600	100	91
	I.—Infectious and parasitic diseases	7,542	3,694	2,435	828	585	409	249	129	19	12
1	Typhoid fever	48	27	17	3	1	1	-	1	-	-
2	Paratyphoid fever	5	3	1	1	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	3	1	2	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	55	32	18	1	2	2	2	-	-	-
7	Anthrax (infection by Bacillus anthracis)	2	2	-	-	-	-	-	-	-	-
8	Scarlet fever	27	12	13	1	1	2	2	-	-	-
9	Whooping cough	168	63	74	11	20	4	2	2	-	-
10	Diphtheria (infection by C. diphtheriae)	23	8	14	-	1	1	-	1	-	-
11	Erysipelas	20	8	12	-	-	-	-	-	-	-
12	Tetanus	27	18	6	3	-	1	1	-	-	-
15-22	Tuberculosis (all forms)	4,083	1,972	1,238	481	392	269	166	78	14	11
15a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	177	172	1	4	-	5	5	-	-	-
15b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	3,630	1,693	1,145	436	356	244	149	72	13	10
14	Tuberculosis of meninges and central nervous system	93	38	27	10	18	2	2	-	-	-
15	Tuberculosis of intestines and peritoneum	63	14	28	16	5	2	1	-	1	-
16	Tuberculosis of vertebral column	46	21	12	8	5	2	1	-	-	1
17a	Tuberculosis of bones (except vertebral column)	6	5	1	-	-	1	-	1	-	-
17b	Tuberculosis of joints (except vertebral column)	8	3	3	1	1	-	-	-	-	-
18	Tuberculosis of skin, etc.*	1	-	1	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	6	2	4	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	25	11	10	3	1	7	5	2	-	-
21	Tuberculosis of other organs	13	10	2	-	1	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	10	1	3	2	4	6	3	3	-	-
22b	Disseminated tuberculosis (other and unspecified)	5	2	1	1	1	-	-	-	-	-
25	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	83	45	33	4	1	8	6	2	-	-
25	Gonococcus infection	31	-	17	4	10	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	7	5	1	1	-	-	-	-	-	-
27	Dysentery	40	18	19	2	1	-	-	-	-	-
28	Malaria	3	2	1	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	1,289	654	257	258	120	66	43	17	5	1
30a	Locomotor ataxia (tabes dorsalis)	69	45	17	5	2	3	2	1	-	-
30b	General paralysis of insane	384	239	71	54	20	16	8	5	3	-
30c	Other syphilis of central nervous system	133	67	37	18	11	2	1	1	-	-
30d	Aneurysm of aorta	178	91	23	53	11	12	10	2	-	-
30e	Other syphilis of circulatory system	134	39	17	60	18	7	6	-	-	1
30f,g	Congenital, other and unspecified forms of syphilis	391	173	92	68	58	26	16	8	2	-
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	14	8	5	1	-	2	-	2	-	-
33a	Influenza, with respiratory complications specified	728	375	305	27	19	28	10	18	-	-
33b	Influenza, without respiratory complications specified	383	181	185	13	4	10	5	5	-	-
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	115	46	57	8	4	1	1	-	-	-
36	Acute poliomyelitis and acute polioencephalitis	59	29	29	-	1	3	2	1	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	104	54	47	2	1	1	1	-	-	-
37b	Sequelae of encephalitis lethargica	32	18	13	-	1	2	1	1	-	-
38	Other diseases due to filtrable viruses	12	3	9	-	-	2	1	1	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	4	3	1	-	-	-	-	-	-	-
40	Ankylostomiasis	1	-	-	1	-	-	-	-	-	-
41	Hydatid disease	1	-	1	-	-	-	-	-	-	-
42	Other diseases caused by helminths	4	1	2	-	1	1	1	-	-	-
43	Mycoses	13	8	2	2	1	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	162	98	56	4	4	5	5	-	-	-
	II.—Cancer and other tumors	13,612	6,087	6,898	281	346	1,097	492	587	8	10
45-55	Cancer and other malignant tumors	13,140	5,948	6,608	273	311	1,076	485	573	8	10
45	Cancer of buccal cavity and pharynx	393	314	67	7	5	37	33	4	-	-
45a-e	Cancer of buccal cavity	276	222	46	4	4	24	22	2	-	-
45f	Cancer of pharynx	117	92	21	3	1	13	11	2	-	-
46	Cancer of digestive organs and peritoneum	6,279	3,224	2,808	157	90	516	252	256	3	5
46a	Cancer of esophagus	255	192	48	14	1	20	17	2	1	-
46b,c	Cancer of stomach and duodenum	2,171	1,264	807	74	26	170	93	76	1	-
46f	Cancer of liver and biliary passages	810	348	440	12	10	37	9	28	-	-
46g	Cancer of pancreas	464	236	208	12	8	31	10	20	-	1
46d,e,h,m	Cancer of other digestive organs and peritoneum	2,579	1,184	1,305	45	45	258	123	130	1	4
47	Cancer of respiratory system	810	598	172	32	8	63	48	13	1	1
48	Cancer of uterus	1,359	...	1,242	...	117	89	...	86	...	3
49	Cancer of other female genital organs	432	...	419	...	13	35	...	35	...	-
50	Cancer of breast	1,268	28	1,192	-	48	131	2	128	-	1
51	Cancer of male genital organs	773	738	...	35	...	63	60	...	3	...
52	Cancer of urinary organs (male and female)	628	398	214	11	5	50	36	13	1	-
53	Cancer of skin (except vulva and scrotum)	233	126	103	3	1	11	8	3	-	-
54	Cancer of central nervous system*	169	104	54	6	5	12	9	3	-	-
55	Cancer of other and unspecified organs	796	418	337	22	19	89	37	32	-	-
56a	Nonmalignant tumors of ovary	86	...	81	...	5	3	...	3	...	-
56b	Nonmalignant tumors of uterus	132	...	111	...	21	8	...	8	...	-
56c	Nonmalignant tumors of other female genital organs	3	...	3	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	133	69	56	6	2	7	5	2	-	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
20,523	5,610	3,874	5,813	5,228	5,365	3,004	1,999	195	167	29,193	12,116	9,500	3,973	3,604	60,424	28,845	20,404	5,940	5,235	
2,704	511	392	945	858	426	188	117	62	59	4,609	1,599	1,459	816	735	8,014	3,307	2,854	1,012	841	
54	11	3	23	17	3	-	-	1	2	42	21	15	3	3	134	41	42	29	22	1
5	-	2	2	1	-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	5	4	1	-	-	5
20	9	3	5	3	3	3	-	-	-	37	16	11	6	4	24	12	6	5	1	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	7
5	3	2	-	-	1	-	1	-	-	15	7	7	-	1	6	1	4	-	1	8
208	44	44	64	56	30	10	7	6	7	162	60	67	20	15	223	73	109	21	20	9
73	25	20	15	13	12	5	7	-	-	53	29	17	1	6	158	61	61	19	17	10
6	2	2	1	1	-	-	-	-	-	12	3	9	-	-	19	10	8	-	1	11
8	2	-	5	1	2	-	2	-	-	21	13	3	4	1	101	54	31	11	5	12
839	137	90	283	329	178	57	37	44	40	2,328	737	757	416	418	3,684	1,558	1,386	380	360	13-22
-	-	-	-	-	4	4	-	-	-	3	1	-	2	-	2	2	-	-	-	13a
763	127	84	252	300	149	46	33	37	33	2,120	669	700	372	379	3,465	1,463	1,311	354	337	13b,c
19	3	2	4	10	6	-	2	1	3	57	22	20	12	3	87	38	33	7	9	14
16	4	3	5	4	4	-	2	-	2	41	11	12	7	11	28	12	7	4	5	15
10	-	-	6	4	4	2	-	1	1	16	6	6	4	-	15	7	4	3	1	16
1	-	-	1	-	1	1	-	-	-	6	-	2	2	2	4	2	2	-	-	17a
2	-	-	2	-	-	-	-	-	-	6	3	1	2	-	3	1	1	-	1	17b
-	-	-	-	-	1	1	-	-	-	2	-	-	-	2	3	1	1	-	1	18
2	-	-	-	2	3	1	-	1	1	2	-	1	1	-	4	1	2	1	-	19
1	-	-	-	1	-	-	-	-	-	11	5	4	1	1	14	10	2	2	-	20
-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	1	-	-	1	-	21
22	2	1	13	6	5	2	-	3	-	58	16	11	11	20	50	16	21	7	6	22a
3	1	-	-	2	1	-	-	1	-	3	3	-	-	-	8	5	2	1	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	23
26	4	7	9	6	8	6	2	-	-	50	16	17	9	8	104	38	39	11	16	24
16	1	2	2	11	-	-	-	-	-	16	2	4	3	7	9	1	-	3	5	25
-	-	-	-	-	-	-	-	-	-	8	3	3	2	-	5	4	-	1	-	26
90	17	23	23	27	3	1	2	-	-	119	46	54	10	9	339	147	138	24	30	27
125	11	10	55	49	-	-	-	-	-	53	20	12	11	10	156	44	44	32	36	28
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	29
347	35	17	201	94	41	26	6	5	4	448	149	35	175	89	796	318	120	249	109	30
3	2	-	1	-	2	-	1	1	-	5	2	-	2	1	26	17	2	6	1	30a
56	5	7	35	9	8	7	1	-	-	109	53	8	35	13	151	74	22	41	14	30b
20	2	1	12	5	2	-	1	1	-	43	18	6	15	4	83	38	14	24	7	30c
47	11	1	25	10	8	7	1	-	-	56	19	3	27	7	124	62	18	33	11	30d
31	5	1	22	3	3	3	-	-	-	25	3	2	17	3	76	31	3	34	8	30e
190	10	7	106	67	18	9	2	3	4	210	54	16	79	61	336	96	61	111	68	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
11	2	1	1	7	1	-	1	-	-	6	1	1	1	3	19	6	7	3	3	32
456	101	93	129	133	44	27	11	2	4	643	240	225	95	83	1,088	445	424	108	111	33a
210	46	36	62	66	50	24	23	2	1	340	127	115	37	61	842	330	338	89	85	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
138	36	27	45	30	1	-	1	-	-	133	55	64	6	8	79	45	27	5	2	35
14	7	2	4	1	2	2	-	-	-	46	27	14	5	-	47	25	16	3	3	36
2	-	1	-	1	36	20	13	2	1	15	4	8	2	1	16	5	5	5	1	37a,c
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	3	3	-	-	-	37b
4	4	-	-	-	1	-	1	-	-	10	5	2	3	-	17	7	8	1	1	38
10	6	3	1	-	-	-	-	-	-	3	-	1	2	-	46	25	15	3	3	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
5	-	-	2	3	-	-	-	-	-	3	-	3	-	-	5	3	2	-	-	42
14	1	2	8	3	1	1	-	-	-	11	5	3	2	1	14	10	1	3	-	43
17	7	2	4	4	9	6	3	-	-	30	9	11	3	7	70	35	19	7	9	44
1,205	315	478	127	285	623	328	287	5	3	2,514	858	1,171	166	319	5,507	2,384	2,408	241	474	
1,136	305	461	119	253	593	315	270	5	3	2,381	830	1,118	158	275	5,200	2,291	2,278	229	402	45-55
52	21	14	6	11	18	15	3	-	-	81	45	26	9	1	188	131	41	8	8	45
38	13	13	3	9	12	10	2	-	-	58	28	22	7	1	109	75	21	6	7	45a-e
14	8	1	3	2	6	5	1	-	-	23	17	4	2	-	79	56	20	2	1	45f
424	145	141	68	70	283	156	124	3	-	968	398	425	79	66	2,097	1,036	815	137	109	46
23	7	6	6	4	7	7	-	-	-	20	9	5	4	2	47	21	15	10	1	46a
146	52	35	35	24	129	79	47	3	-	346	156	135	26	29	781	428	245	66	42	46b,c
93	29	36	10	18	43	20	23	-	-	195	72	95	18	10	389	184	171	16	18	46f
36	21	12	1	2	10	7	3	-	-	71	38	25	5	3	175	98	66	8	3	46g
126	36	52	16	22	94	43	51	-	-	336	123	165	26	22	705	305	318	37	45	46d,h,m
50	28	13	4	5	27	18	9	-	-	105	62	33	7	3	337	237	78	13	9	47
258	...	156	...	102	25	...	25	...	-	365	...	252	...	113	677	...	533	...	144	48
18	...	12	...	6	25	...	24	...	1	49	...	37	...	12	106	...	95	...	11	49
90	1	62	-	27	48	-	47	-	1	240	1	182	1	56	376	5	317	-	54	50
61	45	...	18	...	62	61	...	1	...	167	132	...	35	...	331	303	...	28	...	51
41	12	15	5	9	31	23	7	1	-	84	45	30	6	3	206	106	74	13	13	52
35	16	15	3	1	16	13	3	-	-	99	53	41	3	2	199	145	48	3	3	53
16	10	5	-	1	11	4	7	-	-	42	20	19	3	-	63	43	19	1	-	54
91	25	28	17	21	47	25	21	-	1	181	74	73	15	19	620	285	258	26	51	55
4	...	3	...	1	2	...	2	...	-	18	...	10	...	8	24	...	16	...	8	56a
31	...	6	...	25	6	...	6	...	-	46	...	18	...	28	60	...	23	...	37	56b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	56c
11	2	2	4	3	3	3	-	-	-	16	7	6	1	2	32	15	15	-	2	56d,e

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	2	...	1	...	1	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	2	...	2	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	133	70	55	2	6	3	2	1	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	4,373	1,344	2,849	62	118	309	100	200	3	6
58a-d	Acute rheumatic heart diseases	115	44	62	4	5	2	2	-	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	47	16	25	2	4	1	1	-	-	-
59	Chronic rheumatism and other rheumatic diseases	143	51	86	5	1	4	2	1	-	1
60	Gout	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	3,450	1,045	2,279	38	88	274	86	180	3	5
62	Diseases of pituitary gland	15	5	10	-	-	2	1	1	-	-
63a	Simple goiter	18	7	10	-	1	-	-	-	-	-
63b	Exophthalmic goiter	318	52	258	1	7	9	2	7	-	-
63c-e	Other diseases of thyroid and parathyroid glands	27	8	19	-	-	7	2	5	-	-
64	Diseases of thymus gland	131	72	49	7	3	4	1	3	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	37	15	19	2	1	3	-	3	-	-
66	Other general diseases	26	7	16	2	1	1	1	-	-	-
67	Scurvy	5	2	2	-	1	-	-	-	-	-
68	Beriberi	2	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	20	12	5	-	3	1	1	-	-	-
70	Rickets	9	2	4	1	2	-	-	-	-	-
71	Other avitaminoses	9	3	5	-	1	1	1	-	-	-
	IV.—Diseases of the blood and blood-forming organs	732	363	338	15	16	49	26	21	2	-
72	Hemorrhagic conditions	38	18	18	-	2	2	2	-	-	-
73a	Pernicious anemia	154	66	84	2	2	13	5	8	-	-
73b-d	Other anemias (except splenic)	73	35	31	3	4	6	2	4	-	-
74a	Leukemias	373	190	168	8	7	25	15	8	2	-
74b	Aleukemias	23	15	8	-	-	1	-	1	-	-
75	Diseases of spleen	46	29	15	1	1	2	2	-	-	-
76	Other diseases of the blood and blood-forming organs	25	10	14	1	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	188	149	23	14	2	12	7	4	-	1
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	4	3	1	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	172	137	20	13	2	12	7	4	-	1
78	Lead poisoning	10	8	1	1	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	2	1	1	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	10,062	4,746	4,727	297	292	705	342	349	3	11
80	Encephalitis (nonepidemic)	77	44	25	7	1	4	3	1	-	-
81	Meningitis (not due to meningococcus)	155	86	51	13	5	14	7	6	-	1
82	Diseases of spinal cord (see exceptions)*	265	149	103	10	3	8	5	3	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	7,572	3,410	3,550	195	217	532	260	263	2	7
83b	Cerebral embolism and thrombosis	1,162	558	535	39	30	99	46	52	-	1
83c	Cerebral softening	55	26	24	2	3	7	1	6	-	-
83d	Hemiplegia and other paralysis of unspecified origin	248	118	109	5	16	5	2	3	-	-
84	Mental diseases and deficiency (see exception)*	107	43	54	5	5	3	2	1	-	-
85	Epilepsy	162	72	77	7	6	11	7	3	-	1
86	Convulsions (under 5 years)	41	24	17	-	-	3	1	2	-	-
87	Other diseases of nervous system	276	130	136	8	2	14	5	7	1	1
88	Diseases of organs of vision	1	-	1	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	87	47	34	2	4	3	2	1	-	-
89b	Diseases of mastoid process	54	39	11	4	-	2	1	1	-	-
	VII.—Diseases of the circulatory system	36,377	19,797	14,791	942	847	2,873	1,523	1,287	38	25
90	Pericarditis (except acute rheumatic)	43	27	12	3	1	1	-	1	-	-
91a,b	Bacterial and other acute or subacute endocarditis	242	116	111	8	7	15	6	9	-	-
91c	Endocarditis (unspecified, under 45 years)	22	8	12	-	2	1	-	1	-	-
92a-d	Chronic endocarditis and diseases of the valves*	3,273	1,528	1,584	81	80	246	107	131	5	3
92e	Endocarditis (unspecified, 45 years and over)	223	107	101	6	9	7	5	2	-	-
93a	Acute myocarditis (except rheumatic)	435	240	171	10	14	22	13	9	-	-
93b	Myocarditis (unspecified, under 45 years)	67	32	20	6	9	3	1	1	1	-
93c,d	Chronic myocarditis and myocardial degeneration	16,851	8,273	7,802	509	467	1,381	653	705	12	11
93e	Other myocarditis (unspecified)	1,562	847	624	45	46	105	64	36	2	3
94a	Diseases of coronary arteries	8,663	5,938	2,476	150	99	782	507	258	13	4
94b	Angina pectoris	392	262	124	1	5	33	24	9	-	-
95a	Functional diseases of heart, etc.*	87	44	37	3	3	6	3	3	-	-
95b,c	Other and unspecified diseases of heart	2,130	1,141	860	63	66	110	56	49	2	3
96	Aneurysm (except of heart and aorta)	147	85	46	14	2	8	3	5	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	1,911	998	849	33	31	135	75	57	2	1
98	Gangrene	40	21	16	1	2	2	2	-	-	-
99	Other diseases of arteries	133	67	65	-	1	4	1	3	-	-
100	Diseases of veins	79	29	49	1	-	9	3	5	1	-
101	Diseases of lymphatic system	3	1	2	-	-	1	-	1	-	-
102	High blood pressure (idiopathic)	67	28	28	8	3	2	-	2	-	-
103	Other diseases of circulatory system	7	5	2	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	5,973	3,279	2,138	335	221	364	199	158	6	1
104a	Diseases of nasal fossae	7	4	2	1	-	2	-	1	1	-
104b	Diseases of accessory sinuses	38	25	10	1	2	2	2	-	-	-
105	Diseases of larynx	16	9	7	-	-	-	-	-	-	-
106a	Acute bronchitis	115	54	50	7	4	6	6	-	-	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	57a
-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	2	...	-	...	2	57b
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	2	...	1	...	1	57c
23	10	6	4	3	19	10	9	-	-	50	21	19	7	3	180	78	70	12	20	57d,e
516	127	146	78	165	215	100	105	6	4	723	259	337	50	77	1,571	565	710	91	205	
31	6	5	11	9	6	1	4	-	1	26	7	11	4	4	47	21	15	3	8	58a-d
12	2	2	6	2	2	1	1	-	-	38	12	15	6	5	41	10	17	5	9	58e,f
18	5	5	3	5	20	7	11	-	2	55	18	30	6	1	64	29	28	2	5	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
268	77	95	26	70	157	78	74	4	1	380	154	159	29	38	864	351	394	44	75	61
2	1	1	-	-	2	2	-	-	-	1	-	-	1	-	8	-	6	1	1	62
1	-	-	-	1	2	1	1	-	-	9	3	4	-	2	7	-	5	-	2	63a
9	1	2	2	4	13	1	12	-	-	38	2	28	1	7	76	3	52	2	19	63b
3	-	2	1	-	-	-	-	-	-	6	1	2	1	2	17	5	8	2	2	63c-e
23	13	4	1	5	10	7	1	2	-	9	8	1	-	-	52	29	20	2	1	64
-	-	-	-	-	1	1	-	-	-	5	2	3	-	-	13	5	7	1	-	65
12	4	-	4	4	1	-	1	-	-	21	7	10	2	2	39	15	14	4	6	66
2	1	1	-	-	-	-	-	-	-	2	1	1	-	-	3	2	1	-	-	67
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	2	68
122	16	28	19	59	1	1	-	-	-	121	39	67	-	15	315	87	131	24	73	69
9	1	-	4	4	-	-	-	-	-	3	-	2	-	1	8	4	2	1	1	70
3	-	1	-	2	-	-	-	-	-	9	5	4	-	-	13	3	9	-	1	71
76	22	25	19	10	52	27	23	2	-	194	89	81	11	13	377	205	134	19	19	
12	5	4	3	-	1	1	-	-	-	17	9	8	-	-	31	16	9	2	4	72
17	6	4	2	5	15	7	8	-	-	47	19	23	2	3	56	31	18	5	2	73a
15	2	3	6	4	4	-	2	2	-	32	12	13	2	5	77	35	32	2	8	73b-d
25	8	11	6	-	26	16	10	-	-	82	40	32	6	4	168	97	59	9	3	74a
1	-	-	1	-	2	2	-	-	-	2	-	2	-	-	8	5	3	-	-	74b
2	-	1	1	-	3	-	3	-	-	7	3	2	1	1	19	11	7	-	1	75
4	1	2	-	1	1	1	-	-	-	7	6	1	-	-	18	10	6	1	1	76
33	25	1	6	1	2	2	-	-	-	58	47	4	5	2	66	50	5	6	5	
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	77a,b
32	24	1	6	1	2	2	-	-	-	51	44	2	3	2	63	49	4	6	4	77c-e
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	78
1	1	-	-	-	-	-	-	-	-	4	1	2	1	-	1	-	1	-	-	79
2,111	558	415	570	568	599	339	245	9	6	2,885	1,096	1,046	324	419	5,330	2,306	1,938	515	571	
22	5	5	3	9	10	6	3	1	-	36	13	15	5	3	96	46	35	9	6	80
46	9	10	13	14	8	3	2	2	1	58	26	14	13	5	161	78	53	17	13	81
26	12	2	10	2	12	5	6	-	1	47	21	15	6	5	92	44	34	8	6	82
1,607	415	321	428	443	443	251	186	4	2	2,288	864	840	240	344	3,877	1,637	1,431	383	426	83a
103	41	24	17	21	43	28	15	-	-	85	39	35	6	5	178	95	69	3	11	83b
5	3	1	1	-	4	2	2	-	-	11	6	5	-	-	34	18	13	-	3	83c
144	36	23	49	36	22	12	10	-	-	103	32	37	11	23	443	174	151	53	65	83d
41	10	8	9	14	9	4	5	-	-	69	15	26	12	16	80	36	32	8	4	84
41	9	5	17	10	11	5	5	-	1	52	24	15	6	7	101	45	33	13	10	85
21	1	2	13	5	8	5	2	-	1	19	4	7	6	2	63	23	16	11	13	86
26	10	8	4	4	24	15	9	-	-	67	31	20	12	4	98	55	30	6	9	87
3	1	-	-	2	-	-	-	-	-	3	1	1	1	-	2	1	-	1	-	88
20	6	2	4	8	4	2	-	2	-	33	16	11	2	4	73	41	28	1	3	89a
6	-	4	2	-	1	1	-	-	-	14	4	5	4	1	32	15	13	2	2	89b
3,990	1,364	814	949	863	1,404	847	524	20	13	5,812	2,723	1,733	698	658	13,358	7,171	4,023	1,150	1,014	
5	3	-	2	-	1	-	-	1	-	20	7	4	3	6	25	10	12	3	-	90
36	8	1	12	15	7	3	4	-	-	22	12	6	2	2	88	34	28	15	11	91a,b
17	2	2	11	2	-	-	-	-	-	8	2	2	2	2	21	6	8	3	4	91c
516	123	86	162	145	144	75	67	1	1	787	294	245	129	119	979	479	306	101	93	92a-d
49	10	8	15	16	5	3	2	-	-	50	20	13	7	10	129	60	42	13	14	92e
36	6	12	8	10	9	6	3	-	-	35	12	3	5	15	157	63	41	24	29	93a
35	5	2	12	16	2	2	-	-	-	20	5	5	5	5	55	18	18	6	13	93b
1,148	321	291	275	261	398	218	168	4	8	1,606	709	505	205	187	3,679	1,744	1,295	331	309	93c,d
303	82	69	79	73	124	76	46	2	-	516	181	167	81	87	1,053	493	322	108	110	93e
690	411	144	75	60	396	271	123	1	1	1,151	726	308	71	46	3,866	2,545	988	196	137	94a
211	131	36	23	21	45	38	7	-	-	195	125	54	11	5	455	290	116	29	20	94b
12	2	2	3	5	7	3	4	-	-	41	14	20	4	3	91	53	32	2	4	95a
597	148	103	175	171	154	90	52	10	2	887	431	239	101	116	1,842	935	479	235	193	95b,c
9	3	-	5	1	1	1	-	-	-	10	4	6	-	-	30	22	5	2	1	96
234	93	45	57	39	75	42	33	-	-	292	119	109	36	28	553	279	205	35	34	97
6	1	-	4	1	3	2	-	1	-	17	5	4	5	3	50	15	19	10	6	98
17	7	4	2	4	15	8	7	-	-	29	11	13	4	1	91	45	35	3	8	99
11	3	3	3	2	7	4	3	-	-	18	12	4	-	2	36	16	14	1	5	100
2	1	-	1	-	1	-	-	-	1	2	1	-	-	1	4	1	1	1	1	101
52	4	5	24	19	9	4	5	-	-	94	31	24	22	17	150	55	54	24	17	102
4	-	1	1	2	1	1	-	-	-	12	2	2	5	3	24	8	5	8	5	103
1,476	344	267	425	442	312	165	107	21	19	2,194	855	735	332	272	4,104	1,825	1,526	421	332	
39	1	2	16	20	1	1	-	-	-	12	2	5	4	1	22	10	8	3	1	104a
4	-	1	2	1	3	1	1	-	1	21	13	3	2	3	36	25	7	3	1	104b
6	3	-	2	1	4	1	2	1	-	13	5	7	-	1	22	6	7	6	3	105
11	3	5	2	1	6	2	4	-	-	13	4	5	1	3	47	24	14	5	4	106a

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	167	106	56	2	3	6	4	2	-	-
106c	Bronchitis (unspecified)	52	24	28	-	-	2	-	2	-	-
107	Bronchopneumonia (including capillary bronchitis)	2,191	1,097	873	132	89	157	84	72	1	-
108	Lobar pneumonia	2,381	1,334	801	143	103	158	85	68	4	1
109	Pneumonia (unspecified)	90	45	38	5	2	2	1	1	-	-
110	Pleurisy (not specified as tuberculous)	146	82	48	14	2	15	11	4	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	106	53	46	5	2	6	3	3	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	139	59	66	8	6	2	1	1	-	-
112	Asthma	209	123	79	3	4	4	1	3	-	-
113	Pulmonary emphysema	15	12	2	-	1	2	1	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	301	252	32	14	3	-	-	-	-	-
	IX.—Diseases of the digestive system	5,130	2,817	2,015	152	146	419	248	160	2	9
115a,b,d	Diseases of buccal cavity and adnexa	116	59	52	3	2	10	6	3	-	1
115c	Diseases of pharynx and tonsils	76	44	24	4	4	7	3	3	-	1
116	Diseases of esophagus	16	7	8	-	1	2	-	2	-	-
117a	Ulcer of stomach	419	337	61	15	6	43	40	3	-	-
117b	Ulcer of duodenum	173	146	23	3	1	24	19	5	-	-
118	Other diseases of stomach (except cancer)	72	43	25	1	3	1	-	1	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	477	256	180	20	21	21	15	3	2	1
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	180	73	86	8	13	18	5	12	-	1
121	Appendicitis	698	378	273	25	22	45	28	17	-	-
122a	Hernia	452	234	198	14	6	35	23	10	-	2
122b	Intestinal obstruction	471	214	214	17	26	30	10	18	-	2
123	Other diseases of intestines	109	60	40	4	5	16	9	7	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	73	57	13	3	-	16	14	1	-	1
124b	Cirrhosis of liver (without mention of alcoholism)	901	579	295	17	10	74	45	29	-	-
125a	Acute yellow atrophy of liver (nonpuerperal)	45	21	16	2	6	2	2	-	-	-
125b	Other diseases of liver	69	32	31	4	2	2	1	1	-	-
126	Biliary calculi	370	116	247	1	6	32	9	23	-	-
127	Other diseases of gallbladder and biliary ducts	247	84	158	3	2	29	10	19	-	-
128	Diseases of pancreas (except diabetes mellitus)	71	35	33	1	2	11	8	3	-	-
129	Peritonitis (cause not stated)	95	42	38	7	8	1	1	-	-	-
	X.—Diseases of the genito-urinary system	9,678	4,796	4,277	321	284	793	400	377	9	7
130	Acute nephritis	179	87	75	6	11	9	4	5	-	-
131a	Arteriosclerotic kidney	6,117	2,856	2,915	173	173	528	242	274	8	4
131b	Other chronic nephritis	1,896	885	874	74	63	168	91	73	1	3
132	Nephritis unspecified (10 years and over)	254	126	106	11	11	1	-	1	-	-
133	Other diseases of kidneys and ureters, etc.*	237	108	115	8	6	15	8	7	-	-
134	Calculi of urinary passages	153	86	60	5	2	13	7	6	-	-
135	Diseases of urinary bladder	37	20	16	-	1	5	1	4	-	-
136	Diseases of urethra (except calculus)	42	31	2	9	-	1	-	1	-	-
137	Diseases of prostate	629	594	...	35	...	46	46	...	-	...
138	Diseases of other male genital organs (except venereal)	3	3	...	-	...	1	1	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	71	...	55	...	16	3	...	3	...	-
139b	Diseases of uterus	59	...	58	...	1	3	...	3	...	-
139c	Diseases of other and unspecified female genital organs	1	...	1	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	541	...	482	...	59	25	...	22	...	3
140	Abortion with mention of infection	82	...	70	...	12	4	...	2	...	2
140a,b	Abortion (septic), spontaneous or therapeutic*	46	...	38	...	8	4	...	2	...	2
140c,d	Abortion (septic), self-induced or nontherapeutic*	36	...	32	...	4	-	...	-	...	-
141	Abortion without mention of infection	26	...	22	...	4	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	9	...	9	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	17	...	13	...	4	1	...	1	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	9	...	8	...	1	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	24	...	19	...	5	1	...	1	...	-
143a	Placenta praevia (death before delivery)	2	...	2	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	3	...	3	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	22	...	17	...	5	3	...	3	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	11	...	9	...	2	1	...	1	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	11	...	8	...	3	-	...	-	...	-
146a	Placenta praevia (with childbirth)	14	...	12	...	2	3	...	3	...	-
146b,c	Other hemorrhages of childbirth and puerperium	45	...	43	...	2	1	...	1	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	90	...	78	...	12	3	...	3	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	56	...	51	...	5	4	...	3	...	1
148a,b	Puerperal eclampsia and nephritis*	66	...	63	...	3	2	...	2	...	-
148c,d	Other puerperal toxemias	17	...	16	...	1	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	44	...	42	...	2	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	19	...	19	...	-	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	98	38	52	4	4	6	3	3	-	-
151	Carbuncle and furuncle	13	10	3	-	-	1	-	1	-	-
152	Phlegmon and acute abscess	27	12	12	1	2	2	2	-	-	-
153	Other diseases of skin and cellular tissue	58	16	37	3	2	3	1	2	-	-
	XIII.—Diseases of the bones, etc.*	99	54	36	5	4	7	4	3	-	-
154	Osteomyelitis and periostitis	59	37	17	4	1	4	2	2	-	-
155	Other diseases of bones (except tuberculosis)	12	4	7	1	-	2	1	1	-	-
156	Diseases of joints and other organs of movement	28	13	12	-	3	1	1	-	-	-
157	XIV.—Congenital malformations	1,140	577	523	14	26	90	47	42	1	-

* Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
10	6	1	1	2	11	6	5	-	-	31	15	12	1	3	82	48	29	2	3	106b
17	6	6	5	-	4	1	3	-	-	18	4	5	7	2	43	21	17	2	3	106c
523	137	104	136	146	106	53	37	7	9	839	331	320	101	87	1,346	603	556	103	84	107
567	136	109	161	161	88	49	28	7	4	869	338	268	142	121	1,093	468	372	154	99	108
195	20	14	78	83	43	21	12	6	4	153	51	38	38	26	849	355	307	98	89	109
23	8	5	4	6	7	3	4	-	-	39	24	4	7	4	77	46	16	9	6	110
6	2	1	1	2	7	5	2	-	-	16	3	10	2	1	63	27	25	7	4	111a
29	9	7	6	7	18	11	6	-	1	55	21	26	6	2	195	72	90	13	20	111b,c
26	6	9	3	8	10	7	3	-	-	78	29	25	13	11	145	74	55	9	7	112
2	1	1	-	-	1	1	-	-	-	6	1	1	2	2	2	2	-	-	-	113
18	6	2	6	4	3	3	-	-	-	31	14	6	6	5	82	44	23	7	8	114
1,191	328	205	361	297	269	147	101	12	9	1,686	728	527	221	210	4,137	1,894	1,493	379	371	
44	16	9	9	10	7	5	2	-	-	64	25	25	6	8	99	45	36	9	9	115a,b,d
22	5	5	6	6	1	-	1	-	-	20	7	7	4	2	81	28	36	8	9	115c
4	2	-	1	1	-	-	-	-	-	8	4	1	2	1	8	2	2	2	2	116
72	34	5	27	6	17	13	1	3	-	131	81	15	23	12	243	150	51	33	9	117a
33	20	2	10	1	8	7	1	-	-	49	36	5	7	1	64	48	8	7	1	117b
69	7	9	32	21	8	5	3	-	-	98	19	25	23	31	336	107	63	80	86	118
483	105	78	154	146	13	3	2	4	4	380	169	131	44	36	1,062	539	434	44	45	119
70	13	10	28	19	15	10	4	-	1	113	31	41	15	26	246	99	108	13	26	120
110	35	21	30	24	60	38	20	1	1	216	106	60	26	24	550	268	171	62	49	121
34	15	3	12	4	13	8	5	-	-	72	30	20	16	6	161	75	57	17	12	122a
82	16	19	19	28	27	14	13	-	-	177	57	61	24	35	382	121	168	38	55	122b
24	6	5	5	8	3	2	1	-	-	33	16	10	2	5	81	36	27	6	12	123
13	9	1	3	-	2	2	-	-	-	12	11	1	-	-	14	11	-	3	-	124a
50	26	7	12	5	34	16	18	-	-	135	84	37	10	4	310	190	85	26	9	124b
10	3	4	2	1	1	1	-	-	-	16	6	7	2	1	26	13	7	1	5	125a
5	2	-	1	2	2	1	-	1	-	23	12	7	1	3	71	33	22	9	7	125b
16	2	10	1	3	27	8	18	-	1	44	8	33	-	3	85	27	54	1	3	126
25	6	13	1	5	18	5	10	1	2	54	13	33	5	3	176	58	102	5	11	127
8	4	3	1	-	4	3	-	1	-	9	5	1	1	2	24	11	11	2	-	128
17	2	1	7	7	9	6	2	1	-	32	8	7	10	7	118	33	51	13	21	129
2,150	558	384	659	549	401	272	122	2	5	2,364	1,021	683	364	296	4,771	2,323	1,385	596	467	
80	11	12	30	27	15	9	5	1	-	100	39	29	16	16	264	90	82	53	39	130
1,375	352	241	427	355	187	126	58	1	2	1,072	428	341	170	135	1,983	998	626	192	167	131a
420	122	81	122	95	127	86	39	-	2	565	245	186	67	67	1,169	531	338	172	128	131b
99	18	14	35	32	22	16	6	-	-	226	91	56	39	40	512	229	145	65	73	132
59	12	18	17	12	7	2	4	-	1	85	33	36	10	6	235	110	83	25	17	133
17	12	2	1	2	4	2	2	-	-	29	17	9	1	2	60	33	20	5	2	134
8	1	1	6	-	3	1	2	-	-	15	5	4	5	1	44	24	9	7	4	135
6	3	-	3	-	-	-	-	-	-	18	6	-	12	-	29	13	1	15	-	136
43	26	...	17	...	30	30	...	-	...	201	158	...	43	...	352	294	...	58	...	137
2	1	...	1	...	-	-	...	-	...	2	1	...	1	...	5	1	...	4	...	138
29	...	9	...	20	3	...	3	...	-	35	...	9	...	26	75	...	50	...	25	139a
10	...	5	...	5	3	...	3	...	-	16	...	13	...	3	42	...	31	...	11	139b
2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	139c
294	...	105	...	189	30	...	23	...	7	226	...	149	...	77	494	...	348	...	146	
27	...	7	...	20	7	...	7	...	-	28	...	16	...	12	54	...	32	...	22	140
24	...	6	...	18	5	...	5	...	-	26	...	14	...	12	47	...	27	...	20	140a,b
3	...	1	...	2	2	...	2	...	-	2	...	2	...	-	7	...	5	...	2	140c,d
6	...	2	...	4	2	...	-	...	2	7	...	6	...	1	24	...	16	...	8	141
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	5	...	2	...	3	141a,c
6	...	2	...	4	1	...	-	...	1	6	...	5	...	1	18	...	13	...	5	141b,d
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	141e,f
1	...	-	...	1	-	...	-	...	-	2	...	1	...	1	3	...	3	...	-	142a
4	...	1	...	3	1	...	1	...	-	10	...	7	...	3	25	...	15	...	10	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	143a
3	...	1	...	2	-	...	-	...	-	1	...	-	...	1	2	...	-	...	2	143b,c
34	...	8	...	26	3	...	2	...	1	15	...	10	...	5	71	...	61	...	10	144a,b
16	...	1	...	15	-	...	-	...	-	7	...	6	...	1	23	...	17	...	6	144c,d
17	...	7	...	10	-	...	-	...	-	9	...	5	...	4	16	...	10	...	6	145
11	...	3	...	8	-	...	-	...	-	9	...	7	...	2	10	...	10	...	-	146a
26	...	12	...	14	3	...	3	...	-	24	...	18	...	6	52	...	43	...	9	146b,c
46	...	17	...	29	5	...	3	...	2	33	...	15	...	18	87	...	48	...	39	147a,b
22	...	16	...	6	3	...	3	...	-	14	...	11	...	3	28	...	21	...	7	147c,d
38	...	10	...	28	1	...	1	...	-	35	...	25	...	10	41	...	27	...	14	148a,b
12	...	8	...	4	2	...	1	...	1	4	...	4	...	-	5	...	4	...	1	148c,d
9	...	8	...	1	3	...	2	...	1	14	...	9	...	5	26	...	21	...	5	149
22	...	4	...	18	-	...	-	...	-	14	...	9	...	5	26	...	19	...	7	150
26	7	9	3	7	14	5	6	1	2	46	27	12	5	2	82	29	30	5	18	
3	-	2	1	-	1	1	-	-	-	10	6	3	1	-	21	11	7	-	3	151
14	4	5	2	3	4	1	1	1	1	11	6	2	2	1	21	7	7	2	5	152
9	3	2	-	4	9	3	5	-	1	25	15	7	2	1	40	11	16	3	10	153
14	5	1	6	2	5	2	3	-	-	33	18	6	5	4	47	24	16	3	4	
10	4	-	4	2	3	2	1	-	-	24	12	5	5	2	30	17	8	2	3	154
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	7	2	4	-	1	155
4	1	1	2	-	2	-	2	-	-	5	2	1	-	2	10	5	4	1	-	156
189	78	59	20	32	68	36	29	2	1	268	134	114	9	11	527	266	214	28	19	157

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	3,730	1,999	1,377	205	149	227	128	93	1	5
158	Congenital debility (cause not stated)	113	60	43	8	2	10	8	2	-	-
159	Premature birth (cause not stated)	2,278	1,155	866	139	118	122	64	53	1	4
160a	Intracranial or spinal hemorrhage	397	248	122	18	9	31	19	11	-	1
160b,c	Other injuries at birth	483	276	184	9	12	40	24	16	-	-
161	Other diseases peculiar to the first year of life	459	258	162	31	8	24	13	11	-	-
162	XVI.—Senility	304	117	181	1	5	11	3	8	-	-
	XVII.—Violent or accidental deaths	8,461	5,783	2,207	360	111	466	301	157	7	1
163,164	Suicide	1,236	932	283	18	3	73	52	19	2	-
163	Suicide by poisoning	303	178	120	2	3	24	17	7	-	-
	Suicide by solid or liquid poisons	81	37	41	1	2	6	5	1	-	-
	Suicide by poisonous gases	222	141	79	1	1	18	12	6	-	-
164a	Suicide by hanging or strangulation	335	262	69	4	-	16	9	6	1	-
164b	Suicide by drowning	48	30	15	3	-	11	7	3	1	-
164c	Suicide by firearms and explosives	401	357	40	4	-	16	14	2	-	-
164d	Suicide by cutting or piercing instruments	71	56	11	4	-	4	3	1	-	-
164e	Suicide by jumping from high places	58	36	22	-	-	2	2	-	-	-
164f	Suicide by crushing	19	13	5	1	-	-	-	-	-	-
164g	Suicide by other or unspecified means	1	-	1	-	-	-	-	-	-	-
165-168	Homicide[1]	239	98	36	79	28	6	4	2	-	-
166	Homicide by firearms	98	40	19	31	8	-	-	-	-	-
167	Homicide by cutting or piercing instruments	65	15	3	36	11	-	-	-	-	-
168	Homicide by other means	76	41	14	12	9	6	4	2	-	-
169-195	Accidental deaths	6,981	4,751	1,888	262	80	387	245	136	5	1
169	Railway accidents (except collisions with motor vehicles)	290	253	15	20	2	9	9	-	-	-
170a	Collisions between automobiles and trains	54	41	12	1	-	1	1	-	-	-
170b	Collisions between automobiles and streetcars	11	9	2	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	2,287	1,742	440	84	21	88	68	19	-	1
170d	Motorcycle accidents (except collisions with automobiles)	37	32	5	-	-	3	3	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	51	34	13	4	-	2	1	1	-	-
171b	Other and unspecified road-transport accidents	19	15	3	1	-	1	1	-	-	-
172	Water-transport accidents	29	26	2	1	-	8	7	-	1	-
173	Air-transport accidents	19	17	2	-	-	3	2	1	-	-
174	Accidents in mines and quarries	460	452	1	6	1	-	-	-	-	-
175a	Accidents involving agricultural machinery and vehicles	31	31	-	-	-	-	-	-	-	-
175b,c	Other agricultural accidents, including injury by animals	39	37	2	-	-	1	1	-	-	-
175d	Accidents involving forestry machinery and vehicles	1	1	-	-	-	-	-	-	-	-
175e	Other forestry accidents	6	6	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	116	104	1	11	-	3	2	-	1	-
177	Food poisoning	13	7	5	1	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	139	92	41	5	1	7	5	2	-	-
179	Acute accidental poisoning by solids or liquids	61	31	23	5	2	2	1	1	-	-
180	Conflagration	156	90	58	6	2	2	2	-	-	-
181	Accidental burns (except conflagration)	334	150	149	17	18	15	7	8	-	-
182	Accidental mechanical suffocation	92	51	28	7	6	10	7	3	-	-
183	Accidental drowning	276	232	22	22	-	20	18	2	-	-
184	Accidental injury by firearms	85	64	16	4	1	4	3	1	-	-
185	Accidental injury by cutting or piercing instruments	11	7	2	2	-	-	-	-	-	-
186a	Accidental injury by fall	1,965	933	979	34	19	182	87	93	2	-
186b	Accidental injury by crushing	23	20	-	3	-	2	1	-	1	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	3	2	-	1	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	12	10	1	1	-	2	1	1	-	-
191	Excessive heat	22	13	6	3	-	1	1	-	-	-
192	Lightning	14	11	3	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	50	49	-	1	-	2	2	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	1	1	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	4	1	-	-	3	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	40	19	19	1	1	9	7	2	-	-
195c,e	Other and unspecified accidents	230	168	38	21	3	10	8	2	-	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	5	4	-	1	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	175	102	55	12	6	2	1	-	1	-
199	Sudden death	7	6	-	-	1	1	1	-	-	-
200a	Ill-defined	89	45	36	4	4	1	-	-	1	-
200b	Found dead (cause unknown)	13	8	4	1	-	-	-	-	-	-
200c	Unknown or unspecified	66	43	15	7	1	-	-	-	-	-

* Refer to complete International List titles, table XI.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,080	356	236	288	200	253	137	85	7	4	1,267	579	428	149	111	3,328	1,642	1,147	310	229	
64	13	4	28	19	14	10	3	-	1	91	44	33	7	7	283	126	102	32	23	158
748	246	165	190	147	140	83	51	4	2	762	329	266	95	72	2,169	1,057	753	203	156	159
68	38	14	10	6	13	5	6	2	-	137	75	46	9	7	241	133	89	9	10	160a
47	16	9	15	7	32	20	12	-	-	137	76	37	13	11	322	165	111	28	18	160b,c
153	43	44	45	21	34	19	13	1	1	140	55	46	25	14	313	161	92	38	22	161
113	13	20	39	41	153	68	78	3	4	326	115	130	34	47	1,022	427	412	103	80	162
1,939	862	230	663	184	453	309	126	13	5	2,624	1,439	518	507	160	6,133	3,693	1,404	788	248	
127	94	24	7	2	62	54	8	-	-	248	181	55	8	4	645	442	176	20	7	163,164
34	19	12	2	1	13	10	3	-	-	57	34	20	1	2	174	83	81	6	4	165
26	14	9	2	1	4	2	2	-	-	48	25	20	1	2	145	66	69	6	4	
8	5	3	-	-	9	8	1	-	-	9	9	-	-	-	29	17	12	-	-	
10	6	4	-	-	12	11	1	-	-	29	19	9	1	-	56	38	17	1	-	164a
4	2	1	1	-	1	1	-	-	-	9	7	2	-	-	22	11	11	-	-	164b
75	64	6	4	1	30	27	3	-	-	137	112	19	5	1	341	273	57	8	3	164c
4	3	1	-	-	3	3	-	-	-	8	5	2	1	-	21	15	4	2	-	164d
-	-	-	-	-	1	-	1	-	-	3	2	1	-	-	13	7	4	2	-	164e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	164f
-	-	-	-	-	2	2	-	-	-	5	2	2	-	1	15	12	2	1	-	164g
256	49	3	165	39	5	3	1	-	1	429	138	22	221	48	597	211	59	268	59	165-168
161	34	1	105	21	4	2	1	-	1	280	99	14	141	26	362	132	44	153	33	166
71	7	1	49	14	-	-	-	-	-	96	13	1	64	18	172	43	6	103	20	167
24	8	1	11	4	1	1	-	-	-	53	26	7	16	4	63	36	9	12	6	168
1,547	715	203	486	143	386	252	117	13	4	1,945	1,120	441	276	108	4,885	3,038	1,169	496	182	169-195
65	38	3	24	-	3	3	-	-	-	111	77	8	25	1	153	110	12	30	1	169
25	16	4	3	2	11	7	4	-	-	29	21	6	1	1	63	47	15	1	-	170a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	170b
667	359	86	188	34	117	84	25	7	1	718	466	119	101	32	1,912	1,291	397	179	45	170c
10	8	1	1	-	2	2	-	-	-	13	10	1	2	-	14	14	-	-	-	170d
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	4	3	1	-	-	171a
9	4	1	4	-	1	1	-	-	-	11	5	3	3	-	15	9	2	3	1	171b
34	18	1	14	1	3	3	-	-	-	42	32	1	8	1	19	16	2	1	-	172
16	16	-	-	-	-	-	-	-	-	8	8	-	-	-	99	98	1	-	-	173
4	2	-	2	-	5	5	-	-	-	25	23	-	2	-	11	10	-	1	-	174
1	-	-	1	-	14	12	1	1	-	25	20	1	4	-	37	31	1	4	1	175a
2	-	-	2	-	8	7	-	1	-	32	27	-	5	-	32	24	2	6	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
6	3	-	3	-	-	-	-	-	-	3	3	-	-	-	2	-	-	2	-	175e
20	12	-	8	-	4	4	-	-	-	32	24	1	7	-	83	76	3	4	-	176
14	3	2	3	6	-	-	-	-	-	13	8	3	2	-	60	20	20	12	8	177
7	3	2	2	-	5	3	1	1	-	10	7	3	-	-	29	20	6	2	1	178
19	3	-	10	6	-	-	-	-	-	20	8	7	3	2	85	38	25	11	11	179
53	16	3	23	11	5	3	2	-	-	44	13	8	14	9	72	39	14	9	10	180
137	26	11	44	56	20	8	12	-	-	148	50	48	26	24	351	154	131	32	34	181
45	20	7	12	6	6	3	3	-	-	40	16	14	3	7	65	25	21	8	11	182
90	33	12	42	3	21	16	4	-	1	68	49	12	5	2	325	210	45	60	10	183
53	32	1	18	2	22	20	1	1	-	68	41	5	17	5	229	163	24	33	9	184
5	-	1	3	1	1	1	-	-	-	14	5	3	6	-	32	13	4	12	3	185
121	45	55	14	9	83	32	48	2	1	304	113	166	14	11	418	191	196	21	10	186a
9	4	1	4	-	4	4	-	-	-	6	5	-	1	-	30	26	1	2	1	186b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	9	5	3	1	-	187
5	4	-	1	-	8	7	1	-	-	2	2	-	-	-	15	9	1	4	1	188
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	9	5	3	1	-	189
-	-	-	-	-	3	2	1	-	-	2	-	-	-	2	1	-	-	1	-	190
13	6	-	7	-	6	6	-	-	-	8	1	1	1	5	26	18	3	5	-	191
18	7	1	9	1	3	3	-	-	-	12	5	1	6	-	33	21	4	6	2	192
14	7	2	5	-	4	3	1	-	-	18	14	1	3	-	53	44	5	4	-	193
3	2	-	1	-	-	-	-	-	-	5	3	1	1	-	17	9	7	-	1	194
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	2	-	-	195a,b
15	7	-	7	1	5	3	1	-	1	16	9	6	1	-	34	20	7	4	3	195d
67	21	11	31	4	22	10	12	-	-	87	46	20	15	6	544	277	211	37	19	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
9	4	-	5	-	-	-	-	-	-	2	-	-	2	-	6	2	-	4	-	198
1,416	157	87	657	535	106	32	18	30	26	1,364	529	367	277	191	1,556	734	357	273	192	
58	12	12	20	12	5	5	-	-	-	101	53	25	12	11	31	15	6	5	5	199
314	55	23	127	109	32	17	14	1	-	218	86	49	56	27	1,003	495	195	194	119	200a
9	2	1	4	2	6	5	1	-	-	98	38	35	13	12	18	5	7	2	4	200b
1,037	88	51	506	412	65	5	3	29	26	947	352	258	196	141	504	219	149	72	64	200c

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	All causes	4,560	2,632	1,846	53	29	4,322	2,395	1,920	4	3	30,464	11,588	8,460	5,637	4,779
	I.—Infectious and parasitic diseases	195	129	53	9	4	257	162	94	-	1	3,661	1,061	859	927	814
1	Typhoid fever	3	3	-	-	-	3	1	2	-	-	29	9	6	10	4
2	Paratyphoid fever	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-
3	Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2	2	-	-	-	2	1	1	-	-	42	22	11	5	4
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	2	1	1	-	-	11	8	1	-	2
9	Whooping cough	9	5	4	-	-	-	-	-	-	-	195	64	67	27	37
10	Diphtheria (infection by C. diphtheriae)	1	1	-	-	-	-	-	-	-	-	43	20	15	3	5
11	Erysipelas	-	-	-	-	-	1	-	1	-	-	13	9	2	1	1
12	Tetanus	-	-	-	-	-	-	-	-	-	-	18	8	2	6	2
13-22	Tuberculosis, (all forms)	66	49	12	2	3	129	86	42	-	1	1,639	418	327	450	464
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	16	16	-	-	-	18	18	-	-	-	2	1	-	1	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	35	24	8	1	2	97	60	36	-	1	1,502	377	307	387	431
14	Tuberculosis of meninges and central nervous system	5	3	2	-	-	2	1	1	-	-	46	16	7	11	12
15	Tuberculosis of intestines and peritoneum	4	2	-	1	1	2	-	2	-	-	33	6	2	15	10
16	Tuberculosis of vertebral column	1	1	-	-	-	1	-	1	-	-	11	5	-	4	2
17a	Tuberculosis of bones (except vertebral column)	-	-	-	-	-	1	-	1	-	-	4	1	2	1	-
17b	Tuberculosis of joints (except vertebral column)	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
20	Tuberculosis of genito-urinary system	3	2	1	-	-	3	3	-	-	-	9	3	4	2	-
21	Tuberculosis of other organs	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
22a	Disseminated tuberculosis (acute miliary)	-	-	-	-	-	4	3	1	-	-	29	8	4	8	9
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	5	4	1	-	-	1	1	-	-	-	32	14	7	3	8
25	Gonococcus infection	1	-	1	-	-	-	-	-	-	-	28	-	5	4	19
26	Other diseases due to bacteria (except dysentery)	5	3	2	-	-	-	-	-	-	-	6	1	3	2	-
27	Dysentery	2	1	1	-	-	1	1	-	-	-	145	37	53	32	23
28	Malaria	-	-	-	-	-	-	-	-	-	-	4	2	1	-	1
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	34	22	4	7	1	28	22	6	-	-	418	100	27	202	89
30a	Locomotor ataxia (tabes dorsalis)	-	-	-	-	-	1	1	-	-	-	6	4	-	1	1
30b	General paralysis of insane	9	7	-	2	-	12	9	3	-	-	122	37	4	69	12
30c	Other syphilis of central nervous system	2	2	-	-	-	4	4	-	-	-	43	16	4	15	8
30d	Aneurysm of aorta	8	4	2	-	-	7	6	1	-	-	65	15	1	35	14
30e	Other syphilis of circulatory system	4	2	1	1	-	-	-	-	-	-	33	4	1	24	4
30f,g	Congenital, other and unspecified forms of syphilis	13	7	1	4	1	4	2	2	-	-	149	24	17	58	50
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	-	-	-	1	-	1	-	-	9	3	1	5	-
33a	Influenza, with respiratory complications specified	20	13	7	-	-	50	29	21	-	-	521	170	157	113	81
33b	Influenza, without respiratory complications specified	26	11	15	-	-	22	12	10	-	-	256	73	82	51	50
34	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	1	-	1	-	-	2	1	1	-	-	170	66	69	19	16
36	Acute poliomyelitis and acute polioencephalitis	1	1	-	-	-	2	-	2	-	-	14	7	6	1	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	5	3	2	-	-	-	-	-	-	-	1	1	-	-	-
37b	Sequelae of encephalitis lethargica	1	-	1	-	-	1	1	-	-	-	3	3	-	-	-
38	Other diseases due to filtrable viruses	-	-	-	-	-	1	1	-	-	-	3	1	2	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	7	7	-	-	-	-	-	-	-	-	12	6	4	1	1
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-	4	-	1	1	2
43	Mycoses	1	1	-	-	-	1	-	1	-	-	6	4	2	-	-
44	Other infectious and parasitic (communicable) diseases	4	3	1	-	-	7	3	4	-	-	38	15	8	10	5
	II.—Cancer and other tumors	508	244	254	6	4	546	246	300	-	-	2,423	807	1,065	223	328
45-55	Cancer and other malignant tumors	483	239	235	5	4	525	237	288	-	-	2,290	780	1,011	216	283
45	Cancer of buccal cavity and pharynx	9	6	3	-	-	20	17	3	-	-	70	32	21	8	9
45a-e	Cancer of buccal cavity	6	5	1	-	-	16	15	1	-	-	45	23	13	2	7
45f	Cancer of pharynx	3	1	2	-	-	4	2	2	-	-	25	9	8	6	2
46	Cancer of digestive organs and peritoneum	214	102	108	3	1	241	122	119	-	-	974	368	388	133	85
46a	Cancer of esophagus	4	3	1	-	-	8	6	2	-	-	28	14	9	4	1
46b,c	Cancer of stomach and duodenum	100	54	44	2	-	80	45	35	-	-	338	138	91	70	37
46f	Cancer of liver and biliary passages	25	7	17	1	-	27	12	15	-	-	170	55	72	28	15
46g	Cancer of pancreas	22	14	8	-	-	20	9	11	-	-	96	41	43	4	8
46d,e,h,m	Cancer of other digestive organs and peritoneum	63	24	38	-	1	106	50	56	-	-	344	120	173	27	24
47	Cancer of respiratory system	27	22	4	1	-	25	17	8	-	-	131	81	34	10	6
48	Cancer of uterus	40	...	38	...	2	63	...	63	...	-	329	...	216	...	113
49	Cancer of other female genital organs	11	...	11	...	-	15	...	15	...	-	66	...	53	...	13
50	Cancer of breast	35	-	34	-	1	51	-	51	-	-	204	3	167	-	34
51	Cancer of male genital organs	43	43	...	-	...	41	41	...	-	...	158	119	...	39	...
52	Cancer of urinary organs (male and female)	32	21	10	1	-	21	15	6	-	-	96	45	38	7	6
53	Cancer of skin (except vulva and scrotum)	12	8	4	-	-	19	14	5	-	-	70	45	15	6	4
54	Cancer of central nervous system*	12	9	3	-	-	4	2	2	-	-	30	17	12	-	1
55	Cancer of other and unspecified organs	48	28	20	-	-	25	9	16	-	-	162	70	67	13	12
56a	Nonmalignant tumors of ovary	-	...	-	...	-	2	...	2	...	-	14	...	7	...	7
56b	Nonmalignant tumors of uterus	11	...	11	...	-	4	...	4	...	-	50	...	23	...	27
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		List No.
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
19,106	11,460	7,063	364	219	17,838	9,257	6,968	938	675	30,829	17,052	13,210	208	159	2,198	1,367	749	47	35	
1,270	753	363	90	64	2,109	983	831	179	116	1,546	896	580	44	26	176	106	50	7	13	
3	2	-	1	-	32	25	6	1	-	5	1	3	-	1	1	1	-	-	-	1
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2	1	-	1	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	1	1	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	5
5	3	1	1	-	28	18	10	-	-	3	2	1	-	-	3	2	1	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
3	2	1	-	-	12	6	6	-	-	18	6	12	-	-	1	1	-	-	-	8
49	18	13	8	10	173	80	77	8	8	31	17	13	-	1	4	1	2	-	1	9
10	7	3	-	-	25	11	14	-	-	1	1	-	-	-	5	2	3	-	-	10
7	6	1	-	-	7	2	5	-	-	7	2	5	-	-	1	-	1	-	-	11
3	2	1	-	-	6	3	2	1	-	5	4	1	-	-	-	-	-	-	-	12
701	398	207	59	37	830	337	348	88	57	781	443	294	27	17	36	22	11	2	1	13-22
15	15	-	-	-	3	2	-	1	-	24	23	-	1	-	1	1	-	-	-	13a
604	345	175	50	34	750	302	318	80	50	705	391	272	26	16	26	18	7	1	-	13b,c
22	8	9	3	2	29	13	14	-	2	10	7	2	-	1	4	-	2	1	1	14
12	7	4	1	-	13	3	6	2	2	9	4	5	-	-	1	-	1	-	-	15
10	4	5	1	-	8	3	3	1	1	8	7	1	-	-	-	-	-	-	-	16
-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	17a
2	1	1	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	17b
2	1	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	18
3	2	1	-	-	3	1	1	-	1	3	1	2	-	-	-	-	-	-	-	19
14	5	6	2	1	4	2	2	-	-	13	5	8	-	-	1	1	-	-	-	20
2	1	1	-	-	1	-	1	-	-	3	3	-	-	-	1	1	-	-	-	21
14	9	3	2	-	14	8	2	4	-	2	1	1	-	-	2	1	1	-	-	22a
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	22b
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	23
17	10	7	-	-	23	16	7	-	-	19	12	7	-	-	3	2	1	-	-	24
3	-	3	-	-	2	-	1	-	1	3	-	3	-	-	-	-	-	-	-	25
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	26
14	3	7	2	2	117	61	51	3	2	9	4	4	1	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	28
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
228	176	29	13	10	287	149	43	60	35	216	156	46	11	3	42	27	8	2	5	30
12	11	1	-	-	10	7	1	1	1	16	13	3	-	-	-	-	-	-	-	30a
43	32	8	2	1	74	47	9	10	8	64	41	21	2	-	15	12	3	-	-	30b
22	16	3	1	2	31	17	2	11	1	27	18	4	4	1	2	1	1	-	-	30c
44	39	2	1	2	36	24	5	5	2	43	36	6	-	1	6	4	2	-	-	30d
23	21	-	2	-	16	6	4	5	1	21	17	3	1	-	2	1	1	-	-	30e
84	57	15	7	5	120	48	22	28	22	45	31	9	4	1	17	9	1	2	5	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	-	2	-	-	3	1	2	-	-	4	-	4	-	-	-	-	-	-	-	32
100	56	37	3	4	282	130	134	10	8	205	119	82	2	2	35	23	7	1	4	33a
40	17	22	1	-	140	71	60	5	4	118	53	63	1	1	18	8	8	1	1	33b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	34
3	2	1	-	-	77	39	36	1	1	26	13	10	2	1	2	1	1	-	-	35
16	10	5	1	-	14	5	8	1	-	10	6	4	-	-	-	-	-	-	-	36
14	8	6	-	-	7	4	3	-	-	13	9	4	-	-	6	3	3	-	-	37a,c
6	5	1	-	-	4	3	1	-	-	6	4	2	-	-	-	-	-	-	-	37b
5	2	3	-	-	3	2	1	-	-	2	2	-	-	-	-	-	-	-	-	38
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	10	7	2	-	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	41
1	1	-	-	-	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	42
4	2	1	-	1	4	2	2	-	-	13	9	4	-	-	1	1	-	-	-	43
31	21	10	-	-	25	15	9	1	-	45	29	16	-	-	3	2	1	-	-	44
2,448	1,170	1,231	28	19	1,615	658	850	46	61	4,364	2,152	2,186	11	15	219	113	102	2	2	
2,381	1,149	1,187	28	17	1,546	641	809	44	52	4,220	2,111	2,086	11	12	211	112	95	2	2	45-55
71	56	13	1	1	39	23	13	1	2	104	88	15	1	-	5	3	1	-	1	45
52	43	7	1	1	27	17	8	-	2	76	67	9	-	-	3	3	-	-	-	45a-e
19	13	6	-	-	12	6	5	1	-	28	21	6	1	-	2	-	1	-	1	45f
1,125	608	492	16	9	685	338	308	24	15	2,127	1,203	911	7	6	106	63	41	1	1	46
26	15	10	1	-	10	4	6	-	-	96	78	18	-	-	1	1	-	-	-	46a
468	286	168	9	5	275	160	98	13	4	818	505	306	4	3	50	39	10	-	1	46b,c
117	44	70	1	2	104	48	52	2	2	256	110	144	-	2	18	8	10	-	-	46f
121	69	51	1	-	58	25	28	1	4	149	86	63	-	-	8	3	4	1	-	46g
393	194	193	4	2	238	101	124	8	5	808	424	380	3	1	29	12	17	-	-	46d,e,h,m
142	103	36	3	-	76	49	22	2	3	200	143	55	2	-	8	7	1	-	-	47
223	...	220	...	3	217	...	203	...	14	325	...	321	...	4	22	...	22	...	-	48
82	...	82	...	-	36	...	34	...	2	130	...	130	...	-	4	...	4	...	-	49
205	3	200	-	2	123	1	111	-	11	411	9	400	-	2	14	-	14	-	-	50
181	179	...	2	...	107	98	...	9	...	314	314	...	-	...	21	20	...	1	...	51
101	70	31	-	-	68	37	27	3	1	223	151	72	-	-	7	6	1	-	-	52
34	23	11	-	-	54	30	21	1	2	69	38	31	-	-	3	1	2	-	-	53
56	30	26	-	-	8	5	2	1	-	59	26	33	-	-	4	3	1	-	-	54
161	77	76	6	2	133	60	68	3	2	258	139	118	1	-	17	9	8	-	-	55
7	...	6	...	1	9	...	9	...	-	21	...	21	...	-	-	...	-	...	-	56a
21	...	21	...	-	15	...	9	...	6	43	...	40	...	3	4	...	4	...	-	56b
1	...	1	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	56c

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued															
56d,e	Nonmalignant tumors of other and unspecified organs	8	2	6	-	-	7	4	3	-	-	13	5	4	2	2
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-	2	...	-	...	2
57d,e	Tumors of other and unspecified organs (nature unspecified)	6	3	2	1	-	8	5	3	-	-	52	22	18	5	7
	III.—Rheumatism, diseases of nutrition, etc.*	170	61	107	1	1	137	49	88	-	-	779	238	308	65	168
58a-d	Acute rheumatic heart diseases	6	5	1	-	-	4	2	2	-	-	30	8	10	4	8
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	3	2	1	-	-	1	-	1	-	-	14	6	2	1	5
59	Chronic rheumatism and other rheumatic diseases	10	4	6	-	-	10	2	8	-	-	49	19	24	4	2
60	Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	106	41	64	-	1	110	39	71	-	-	529	164	211	39	115
62	Diseases of pituitary gland	-	-	-	-	-	-	-	-	-	-	4	2	-	1	1
63a	Simple goiter	1	-	1	-	-	1	1	-	-	-	6	-	3	-	3
63b	Exophthalmic goiter	26	1	24	1	-	5	1	4	-	-	40	5	23	-	12
63c-e	Other diseases of thyroid and parathyroid glands	2	-	2	-	-	1	-	1	-	-	9	4	3	-	2
64	Diseases of thymus gland	9	5	4	-	-	2	2	-	-	-	20	8	7	3	2
65	Diseases of adrenal glands(not specified as tuberculous)	2	1	1	-	-	1	1	-	-	-	5	3	1	-	1
66	Other general diseases	3	2	1	-	-	1	-	1	-	-	10	2	4	3	1
67	Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	1	1	-	-	-	49	11	19	7	12
70	Rickets	1	-	1	-	-	-	-	-	-	-	10	4	-	2	4
71	Other avitaminoses	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-
	IV.—Diseases of the blood and blood-forming organs	41	21	20	-	-	29	14	15	-	-	173	75	61	16	21
72	Hemorrhagic conditions	6	3	3	-	-	1	-	1	-	-	17	9	5	1	2
73a	Pernicious anemia	9	3	6	-	-	8	2	6	-	-	29	11	11	4	3
73b-d	Other anemias (except splenic)	6	4	2	-	-	3	2	1	-	-	34	12	12	2	8
74a	Leukemias	13	7	6	-	-	16	9	7	-	-	77	35	27	9	6
74b	Aleukemias	2	1	1	-	-	-	-	-	-	-	2	1	1	-	-
75	Diseases of spleen	3	2	1	-	-	1	1	-	-	-	10	6	2	-	2
76	Other diseases of the blood and blood-forming organs	2	1	1	-	-	-	-	-	-	-	4	1	3	-	-
	V.—Chronic poisoning and intoxication	9	7	2	-	-	6	5	1	-	-	87	53	5	26	3
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	8	6	2	-	-	6	5	1	-	-	83	50	5	25	3
78	Lead poisoning	1	1	-	-	-	-	-	-	-	-	2	1	-	1	-
79	Chronic poisoning by other mineral or organic substances	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
	VI.—Diseases of the nervous system, etc.*	412	199	205	5	3	474	228	244	1	1	3,309	1,049	978	651	631
80	Encephalitis (nonepidemic)	6	4	2	-	-	5	3	2	-	-	42	18	16	5	3
81	Meningitis (not due to meningococcus)	6	2	3	1	-	7	3	4	-	-	50	22	11	11	6
82	Diseases of spinal cord (see exceptions)*	5	3	2	-	-	11	5	5	-	1	40	14	17	8	1
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	294	133	155	3	3	343	164	178	1	-	2,623	782	768	531	542
83b	Cerebral embolism and thrombosis	47	26	21	-	-	61	27	34	-	-	133	50	50	19	14
83c	Cerebral softening	3	2	1	-	-	1	-	1	-	-	13	8	5	-	-
83d	Hemiplegia and other paralysis of unspecified origin	4	1	3	-	-	5	3	2	-	-	165	65	50	24	26
84	Mental diseases and deficiency (see exception)*	4	2	2	-	-	4	2	2	-	-	40	8	8	13	11
85	Epilepsy	14	9	4	1	-	11	6	5	-	-	66	23	13	16	14
86	Convulsions (under 5 years)	-	-	-	-	-	-	-	-	-	-	29	8	10	6	5
87	Other diseases of nervous system	18	11	7	-	-	20	12	8	-	-	49	27	11	8	3
88	Diseases of organs of vision	1	-	1	-	-	1	-	1	-	-	9	1	5	3	-
89a	Otitis and other diseases of the ear	7	4	3	-	-	3	2	1	-	-	30	13	9	4	4
89b	Diseases of mastoid process	3	2	1	-	-	2	1	1	-	-	20	10	5	3	2
	VII.—Diseases of the circulatory system	1,398	859	523	11	5	1,500	909	590	1	-	7,329	3,146	2,007	1,166	1,010
90	Pericarditis (except acute rheumatic)	4	3	1	-	-	-	-	-	-	-	11	5	3	3	-
91a,b	Bacterial and other acute or subacute endocarditis	12	4	8	-	-	5	3	2	-	-	43	17	10	9	7
91c	Endocarditis (unspecified, under 45 years)	1	1	-	-	-	-	-	-	-	-	19	5	3	3	8
92a-d	Chronic endocarditis and diseases of the valves*	163	97	63	1	2	178	95	83	-	-	845	282	243	163	157
92e	Endocarditis (unspecified, 45 years and over)	1	1	-	-	-	6	2	4	-	-	98	24	18	32	24
93a	Acute myocarditis (except rheumatic)	18	13	5	-	-	16	11	5	-	-	53	17	6	16	14
93b	Myocarditis (unspecified, under 45 years)	-	-	-	-	-	1	1	-	-	-	26	5	2	8	11
93c,d	Chronic myocarditis and myocardial degeneration	601	326	269	4	2	598	350	248	-	-	2,688	1,057	826	434	371
93e	Other myocarditis (unspecified)	20	15	4	1	-	47	29	18	-	-	489	186	144	72	87
94a	Diseases of coronary arteries	374	278	93	3	-	362	253	109	-	-	1,542	921	343	158	120
94b	Angina pectoris	23	15	8	-	-	61	46	14	1	-	182	104	36	26	16
95a	Functional diseases of heart, etc.*	7	4	2	-	1	2	-	2	-	-	19	13	5	-	1
95b,c	Other and unspecified diseases of heart	119	71	46	2	-	71	42	29	-	-	826	332	227	151	116
96	Aneurysm (except of heart and aorta)	7	7	-	-	-	5	3	2	-	-	23	11	7	3	2
97	Arteriosclerosis (except coronary or renal sclerosis)	35	19	16	-	-	132	68	64	-	-	354	129	101	69	55
98	Gangrene	1	-	1	-	-	1	-	1	-	-	10	4	2	2	2
99	Other diseases of arteries	6	2	4	-	-	4	1	3	-	-	39	14	14	6	5
100	Diseases of veins	4	1	3	-	-	7	3	4	-	-	13	5	4	2	2
101	Diseases of lymphatic system	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1
102	High blood pressure (idiopathic)	2	2	-	-	-	4	2	2	-	-	39	11	13	6	9
103	Other diseases of circulatory system	-	-	-	-	-	-	-	-	-	-	7	2	-	3	2
	VIII.—Diseases of the respiratory system	249	142	103	1	3	222	102	119	-	1	1,953	682	486	441	344
104a	Diseases of nasal fossae	1	1	-	-	-	2	-	2	-	-	17	1	3	6	10
104b	Diseases of accessory sinuses	5	4	1	-	-	2	1	1	-	-	18	8	5	5	-
105	Diseases of larynx	-	-	-	-	-	-	-	-	-	-	7	1	3	3	-

* Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
20	9	11	-	-	4	1	3	-	-	36	22	14	-	-	-	-	-	-	-	56d,e
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
18	12	5	-	1	40	16	19	2	3	42	19	23	-	-	4	1	3	-	-	57d,e
589	251	323	7	8	481	170	274	12	25	1,229	424	794	5	6	52	20	29	2	1	
7	2	5	-	-	15	6	7	2	-	27	8	18	1	-	2	1	1	-	-	58a-d
3	1	2	-	-	7	3	1	1	2	8	4	4	-	-	2	-	-	1	1	58e,f
22	6	16	-	-	20	10	10	-	-	38	9	29	-	-	5	1	3	1	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
441	201	230	5	5	338	117	199	4	18	902	335	561	1	5	32	12	20	-	-	61
3	1	2	-	-	-	-	-	-	-	4	4	-	-	-	1	1	-	-	-	62
1	-	1	-	-	3	-	3	-	-	5	1	4	-	-	-	-	-	-	-	63a
63	16	45	-	2	43	4	35	1	3	155	21	132	2	-	4	1	3	-	-	63b
5	3	2	-	-	1	1	-	-	-	17	9	8	-	-	-	-	-	-	-	63c-e
24	13	10	-	1	22	13	5	3	1	41	21	18	1	1	3	1	2	-	-	64
12	4	7	1	-	5	2	3	-	-	18	7	11	-	-	1	1	-	-	-	65
4	1	2	1	-	9	4	5	-	-	7	2	5	-	-	1	1	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	68
3	2	1	-	-	7	4	1	1	1	6	2	4	-	-	1	1	-	-	-	69
-	-	-	-	-	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	70
1	1	-	-	-	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	71
151	87	60	2	2	111	59	48	3	1	261	139	120	-	2	20	11	9	-	-	
3	1	2	-	-	11	8	3	-	-	13	6	7	-	-	2	-	2	-	-	72
21	9	10	2	-	24	12	12	-	-	61	27	32	-	2	3	3	-	-	-	73a
13	9	4	-	-	15	3	12	-	-	27	13	14	-	-	5	1	4	-	-	73b-d
101	62	39	-	-	47	28	16	2	1	139	83	56	-	-	9	7	2	-	-	74a
2	-	1	-	1	2	1	1	-	-	5	4	1	-	-	-	-	-	-	-	74b
5	3	1	-	1	7	5	1	1	-	7	2	5	-	-	-	-	-	-	-	75
6	3	3	-	-	5	2	3	-	-	9	4	5	-	-	1	-	1	-	-	76
69	54	5	10	-	36	26	4	5	1	42	36	5	1	-	6	5	1	-	-	
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	77a,b
67	53	4	10	-	35	26	3	5	1	39	34	4	1	-	5	4	1	-	-	77c-e
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	79
2,084	1,129	911	23	21	1,660	814	728	57	61	3,323	1,670	1,627	16	10	188	119	66	2	1	
24	14	9	-	1	21	13	6	2	-	29	20	9	-	-	2	1	1	-	-	80
21	18	2	-	1	32	17	12	1	2	38	19	18	1	-	2	2	-	-	-	81
41	29	12	-	-	29	17	10	-	2	84	48	35	1	-	4	2	2	-	-	82
1,611	855	725	19	14	1,281	618	570	44	49	2,657	1,320	1,317	11	9	138	87	49	2	-	83a
184	111	73	-	-	73	32	37	1	3	235	110	124	1	-	16	12	4	-	-	83b
13	6	7	-	-	3	2	1	-	-	14	9	4	-	1	-	-	-	-	-	83c
39	14	22	3	-	63	27	31	5	-	30	18	11	1	-	3	3	-	-	-	83d
22	7	13	-	2	31	13	17	1	-	37	17	20	-	-	2	1	1	-	-	84
28	15	13	-	-	40	17	17	3	3	75	39	35	1	-	5	5	-	-	-	85
3	-	1	-	2	14	8	5	-	1	10	6	4	-	-	-	-	-	-	-	86
65	40	25	-	-	38	25	12	-	1	82	44	38	-	-	14	6	7	-	1	87
2	1	-	-	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	88
28	17	10	1	-	21	15	6	-	-	23	14	9	-	-	2	-	2	-	-	89a
5	2	1	-	-	13	10	3	-	-	8	5	3	-	-	-	-	-	-	-	89b
6,195	3,983	2,109	73	30	3,897	2,152	1,419	194	132	9,948	5,808	4,058	49	33	585	390	179	8	6	
7	4	3	-	-	8	-	8	-	-	4	3	1	-	-	-	-	-	-	-	90
40	20	18	1	1	19	11	5	-	3	53	31	22	-	-	3	2	1	-	-	91a,b
1	-	1	-	-	10	4	5	-	1	2	2	-	-	-	-	-	-	-	-	91c
747	434	289	18	6	451	256	182	22	11	903	477	419	2	5	62	36	25	-	1	92a-d
54	23	11	-	-	54	28	19	7	-	36	19	16	-	1	2	1	1	-	-	92e
46	26	20	-	-	55	31	24	-	-	85	49	36	-	-	12	7	5	-	-	93a
1	1	-	-	-	12	8	2	-	2	8	3	5	-	-	-	-	-	-	-	93b
2,217	1,272	904	27	14	1,260	620	509	80	51	4,499	2,390	2,084	23	22	247	157	81	5	4	93c,d
245	161	83	1	-	287	143	109	19	16	367	211	154	1	1	25	12	13	-	-	93e
1,934	1,459	458	15	2	852	569	240	24	19	2,512	1,768	727	15	2	159	127	32	-	-	94a
158	126	32	-	-	91	63	25	1	2	85	64	20	1	-	9	9	-	-	-	94b
14	7	7	-	-	10	6	4	-	-	21	11	10	-	-	1	-	1	-	-	95a
353	213	126	8	6	514	286	182	26	20	695	398	293	5	1	39	24	13	2	-	95b,c
27	21	5	1	-	6	4	2	-	-	28	19	6	1	-	1	-	1	-	-	96
291	167	122	1	1	198	104	78	13	3	541	305	234	1	1	11	8	2	-	1	97
5	4	1	-	-	13	9	2	1	1	2	1	1	-	-	-	-	-	-	-	98
42	26	15	1	-	21	10	10	1	-	53	28	25	-	-	3	2	1	-	-	99
14	9	5	-	-	9	6	2	-	1	28	16	12	-	-	5	3	2	-	-	100
-	-	-	-	-	3	1	1	-	1	1	1	-	-	-	-	-	-	-	-	101
16	8	8	-	-	21	11	9	-	1	25	12	13	-	-	4	2	1	1	-	102
3	2	1	-	-	3	2	1	-	-	2	2	-	-	-	-	-	-	-	-	103
895	553	307	17	18	1,248	643	483	78	44	1,461	793	626	27	15	129	77	40	7	5	
2	1	1	-	-	3	1	2	-	-	6	4	1	1	-	1	-	-	1	-	104a
15	9	6	-	-	13	5	6	1	1	14	9	5	-	-	1	1	-	-	-	104b
6	5	1	-	-	14	9	4	-	1	5	4	1	-	-	-	-	-	-	-	105

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Contd.															
106a	Acute bronchitis	6	3	3	-	-	8	3	5	-	-	30	9	5	7	9
106b	Chronic bronchitis	5	2	2	-	1	11	5	6	-	-	28	12	9	6	1
106c	Bronchitis (unspecified)	7	2	5	-	-	2	-	2	-	-	15	6	2	4	3
107	Bronchopneumonia (including capillary bronchitis)	70	36	34	-	-	88	36	52	-	-	773	259	217	159	138
108	Lobar pneumonia	96	57	38	-	1	68	33	35	-	-	602	200	133	156	113
109	Pneumonia (unspecified)	7	6	1	-	-	3	2	1	-	-	243	98	56	53	36
110	Pleurisy (not specified as tuberculous)	5	4	1	-	-	3	-	2	-	1	34	15	3	11	5
111a	Hemorrhagic infarction and thrombosis of lungs	5	3	1	1	-	12	8	4	-	-	20	10	6	2	2
111b,c	Acute edema, chronic and unspecified congestion of lungs	12	3	8	-	1	11	6	5	-	-	44	15	18	7	4
112	Asthma	13	5	8	-	-	3	3	-	-	-	65	20	17	14	14
113	Pulmonary emphysema	-	-	-	-	-	1	-	1	-	-	4	3	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	17	16	1	-	-	8	5	3	-	-	53	25	8	11	9
	IX.—Diseases of the digestive system	242	139	98	5	-	215	106	108	1	-	1,557	640	390	289	238
115a,b,d	Diseases of buccal cavity and adnexa	8	6	2	-	-	2	-	2	-	-	43	18	16	4	5
115c	Diseases of pharynx and tonsils	2	1	1	-	-	2	1	1	-	-	26	8	9	5	4
116	Diseases of esophagus	1	-	1	-	-	2	1	1	-	-	6	1	2	3	-
117a	Ulcer of stomach	30	24	5	1	-	19	16	3	-	-	131	69	11	35	16
117b	Ulcer of duodenum	16	13	3	-	-	5	3	2	-	-	51	44	2	5	-
118	Other diseases of stomach (except cancer)	1	-	1	-	-	7	5	2	-	-	55	17	12	12	14
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	14	5	8	1	-	22	13	9	-	-	472	174	122	89	87
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	7	5	2	-	-	5	2	3	-	-	81	24	29	12	16
121	Appendicitis	55	30	24	1	-	34	20	13	1	-	150	52	38	37	23
122a	Hernia	15	11	4	-	-	20	9	11	-	-	73	38	8	20	7
122b	Intestinal obstruction	22	13	9	-	-	30	13	17	-	-	123	32	35	24	32
123	Other diseases of intestines	3	2	1	-	-	4	-	4	-	-	35	16	10	6	3
124a	Cirrhosis of liver (with mention of alcoholism)	1	1	-	-	-	1	1	-	-	-	17	10	5	2	-
124b	Cirrhosis of liver (without mention of alcoholism)	30	16	13	1	-	22	13	9	-	-	128	76	33	13	6
125a	Acute yellow atrophy of liver (nonpuerperal)	1	-	1	-	-	1	-	1	-	-	13	4	4	4	1
125b	Other diseases of liver	2	1	-	1	-	2	2	-	-	-	22	13	4	3	2
126	Biliary calculi	16	6	10	-	-	13	1	12	-	-	37	12	23	-	2
127	Other diseases of gallbladder and biliary ducts	14	3	11	-	-	18	3	15	-	-	53	20	17	7	9
128	Diseases of pancreas (except diabetes mellitus)	1	-	1	-	-	2	1	1	-	-	6	5	-	-	1
129	Peritonitis (cause not stated)	3	2	1	-	-	4	2	2	-	-	35	7	10	8	10
	X.—Diseases of the genito-urinary system	326	180	144	2	-	322	187	134	1	-	3,013	1,091	847	592	483
130	Acute nephritis	20	13	7	-	-	11	5	6	-	-	71	22	14	16	19
131a	Arteriosclerotic kidney	123	67	54	2	-	179	97	81	1	-	1,843	639	549	338	317
131b	Other chronic nephritis	110	50	60	-	-	85	52	33	-	-	650	233	188	134	95
132	Nephritis unspecified (10 years and over)	10	4	6	-	-	5	3	2	-	-	156	52	36	35	33
133	Other diseases of kidneys and ureters, etc.*	14	9	5	-	-	5	3	2	-	-	75	24	29	12	10
134	Calculi of urinary passages	5	2	3	-	-	3	2	1	-	-	28	13	10	4	1
135	Diseases of urinary bladder	3	2	1	-	-	1	1	-	-	-	10	4	3	3	-
136	Diseases of urethra (except calculus)	-	-	-	-	-	1	1	-	-	-	10	4	-	6	-
137	Diseases of prostate	33	33	...	-	...	23	23	...	-	...	142	100	...	42	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...	2	-	...	2	...
139a	Diseases of ovaries, fallopian tubes, and parametria	2	...	2	...	-	3	...	3	...	-	14	...	8	...	6
139b	Diseases of uterus	6	...	6	...	-	5	...	5	...	-	11	...	9	...	2
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	26	...	26	...	-	15	...	15	...	-	235	...	128	...	107
140	Abortion with mention of infection	2	...	2	...	-	2	...	2	...	-	39	...	27	...	12
140a,b	Abortion (septic), spontaneous or therapeutic*	1	...	1	...	-	2	...	2	...	-	34	...	23	...	11
140c,d	Abortion (septic), self-induced or nontherapeutic*	1	...	1	...	-	-	...	-	...	-	5	...	4	...	1
141	Abortion without mention of infection	1	...	1	...	-	1	...	1	...	-	17	...	6	...	11
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	-	...	-	...	-	5	...	1	...	4
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	-	1	...	1	...	-	12	...	5	...	7
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	-	...	-	...	-	2	...	-	...	2
142b	Ectopic gestation, without mention of infection	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	2	...	2	...	-	1	...	1	...	-	8	...	2	...	6
144c,d	Other toxemias of pregnancy (death before delivery)*	2	...	2	...	-	-	...	-	...	-	3	...	1	...	2
145	Other diseases and accidents of pregnancy (death before delivery)	2	...	2	...	-	-	...	-	...	-	11	...	9	...	2
146a	Placenta praevia (with childbirth)	2	...	2	...	-	1	...	1	...	-	11	...	5	...	6
146b,c	Other hemorrhages of childbirth and puerperium	5	...	5	...	-	1	...	1	...	-	30	...	17	...	13
147a,b	Puerperal pyelitis, other general or local puerperal infection*	2	...	2	...	-	1	...	1	...	-	32	...	14	...	18
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	2	...	2	...	-	2	...	2	...	-	16	...	12	...	4
148a,b	Puerperal eclampsia and nephritis*	1	...	1	...	-	-	...	-	...	-	29	...	15	...	14
148c,d	Other puerperal toxemias	-	...	-	...	-	1	...	1	...	-	12	...	7	...	5
149	Other accidents and specified conditions of childbirth	3	...	3	...	-	-	...	-	...	-	12	...	5	...	7
150	Other and unspecified conditions of childbirth and puerperium	2	...	2	...	-	2	...	2	...	-	12	...	8	...	4
	XII.—Diseases of the skin and cellular tissue	6	2	4	-	-	3	1	2	-	-	36	13	13	3	7
151	Carbuncle and furuncle	-	-	-	-	-	-	-	-	-	-	8	5	2	-	1
152	Phlegmon and acute abscess	3	1	2	-	-	1	-	1	-	-	11	1	4	2	4
153	Other diseases of skin and cellular tissue	3	1	2	-	-	2	1	1	-	-	17	7	7	1	2

*Refer to complete International List titles, table XI.

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
6	5	1	-	-	6	3	3	-	-	20	8	12	-	-	2	1	1	-	-	108a
27	11	16	-	-	20	13	6	1	-	43	25	18	-	-	1	-	1	-	-	108b
10	6	4	-	-	10	4	4	1	1	14	7	7	-	-	1	-	-	1	-	108c
432	260	150	11	11	530	268	223	21	18	645	320	307	13	5	55	30	20	2	3	107
224	152	86	4	2	415	191	163	42	17	532	319	195	10	8	44	33	9	1	1	108
31	14	12	2	3	110	62	39	6	3	20	8	10	-	2	9	2	4	2	1	109
18	18	-	-	-	17	12	4	1	-	43	24	19	-	-	1	1	-	-	-	110
22	16	6	-	-	13	7	6	-	-	24	11	11	2	-	4	2	2	-	-	111a
33	14	18	-	1	37	23	13	1	-	35	15	20	-	-	3	1	2	-	-	111b,c
53	27	25	-	1	41	27	10	2	2	42	28	14	-	-	5	4	1	-	-	112
1	1	-	-	-	1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	113
15	14	1	-	-	20	18	-	1	1	16	10	6	-	-	2	2	-	-	-	114
816	480	300	20	16	1,190	600	500	45	45	1,511	878	614	6	13	120	87	31	2	-	
24	14	10	-	-	30	11	15	2	2	34	22	11	-	1	3	3	-	-	-	115a,b,d
15	8	4	-	3	10	7	3	-	-	18	7	11	-	-	3	1	2	-	-	115c
2	2	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	116
86	68	17	1	-	83	62	14	4	3	136	115	20	1	-	19	19	-	-	-	117a
42	40	1	1	-	32	24	7	1	-	58	49	9	-	-	5	5	-	-	-	117b
13	11	2	-	-	33	14	14	2	3	23	14	8	-	1	3	3	-	-	-	118
38	18	11	6	3	447	211	212	10	14	81	41	36	1	3	6	3	2	1	-	119
32	14	15	2	1	59	23	32	1	3	54	29	24	1	-	4	3	1	-	-	120
131	86	41	3	1	121	73	32	10	6	242	156	84	1	1	25	15	9	1	-	121
51	28	22	1	-	57	35	16	4	2	120	78	41	-	1	5	4	1	-	-	122a
98	55	38	3	2	63	25	34	1	3	128	62	63	1	2	11	8	3	-	-	122b
24	14	9	1	-	20	13	6	1	-	26	12	14	-	-	4	2	2	-	-	123
10	9	1	-	-	7	5	2	-	-	41	38	3	-	-	1	1	-	-	-	124a
102	59	39	1	3	104	58	35	7	4	231	148	82	1	-	10	8	2	-	-	124b
12	8	4	-	-	9	6	3	-	-	9	6	3	-	-	2	2	-	-	-	125a
10	4	4	-	2	12	8	3	-	1	17	9	7	-	1	1	-	1	-	-	125b
48	12	36	-	-	41	7	32	-	2	183	55	128	-	-	8	3	5	-	-	126
49	13	34	1	1	40	10	28	-	2	74	21	52	-	1	3	2	1	-	-	127
14	9	5	-	-	8	3	4	1	-	18	9	8	-	1	5	3	2	-	-	128
15	8	7	-	-	14	5	8	1	-	16	6	9	-	1	2	2	-	-	-	129
1,438	862	539	27	10	1,441	776	504	98	65	2,155	1,255	872	13	15	168	89	76	1	2	
23	15	6	2	-	56	30	15	5	6	38	20	18	-	-	7	2	5	-	-	130
843	471	354	11	7	689	354	253	48	34	1,162	634	510	8	10	108	62	46	-	-	131a
304	168	124	10	2	442	235	159	34	14	503	261	235	4	3	41	20	19	1	1	131b
32	20	12	-	-	62	33	24	4	1	70	43	27	-	-	4	2	2	-	-	132
46	29	17	-	-	43	21	19	-	3	67	32	35	-	-	2	-	2	-	-	133
16	10	5	1	-	12	8	3	1	-	35	25	10	-	-	1	1	-	-	-	134
14	10	4	-	-	13	7	6	-	-	9	3	6	-	-	1	-	-	-	1	135
2	1	1	-	-	5	4	1	-	-	7	7	-	-	-	-	-	-	-	-	136
141	138	...	3	...	87	83	...	4	...	231	230	...	1	...	2	2	...	-	...	137
-	-	...	-	...	1	1	...	-	...	-	-	...	-	...	-	-	...	-	...	138
11	...	11	...	-	17	...	10	...	7	20	...	18	...	2	-	...	-	...	-	139a
8	...	5	...	1	13	...	13	...	-	13	...	13	...	-	2	...	2	...	-	139b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	139c
55	...	53	...	2	128	...	111	...	17	132	...	130	...	2	11	...	11	...	-	
7	...	6	...	1	10	...	10	...	-	13	...	13	...	-	2	...	2	...	-	140
3	...	3	...	-	9	...	9	...	-	11	...	11	...	-	2	...	2	...	-	140a,b
4	...	3	...	1	1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	140c,d
2	...	2	...	-	5	...	5	...	-	6	...	5	...	1	-	...	-	...	-	141
1	...	1	...	-	1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	141a,c
1	...	1	...	-	4	...	4	...	-	3	...	3	...	-	-	...	-	...	-	141b,d
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	141e,f
3	...	3	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	142a
3	...	3	...	-	1	...	-	...	1	9	...	9	...	-	1	...	1	...	-	142b
-	...	-	...	-	4	...	3	...	1	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	143b,c
3	...	3	...	-	14	...	12	...	2	3	...	3	...	-	2	...	2	...	-	144a,b
1	...	1	...	-	2	...	2	...	-	2	...	2	...	-	1	...	1	...	-	144c,d
2	...	2	...	-	10	...	7	...	3	6	...	6	...	-	-	...	-	...	-	145
-	...	-	...	-	6	...	6	...	-	6	...	6	...	-	-	...	-	...	-	146a
8	...	8	...	-	15	...	14	...	1	12	...	12	...	-	1	...	1	...	-	146b,c
7	...	7	...	-	22	...	18	...	4	20	...	19	...	1	1	...	1	...	-	147a,b
10	...	10	...	-	12	...	11	...	1	14	...	14	...	-	-	...	-	...	-	147c,d
4	...	4	...	-	17	...	14	...	3	19	...	19	...	-	1	...	1	...	-	148a,b
2	...	2	...	-	2	...	1	...	1	1	...	1	...	-	1	...	1	...	-	148c,d
2	...	1	...	1	1	...	1	...	-	14	...	14	...	-	-	...	-	...	-	149
1	...	1	...	-	5	...	5	...	-	6	...	6	...	-	1	...	1	...	-	150
13	6	6	1	-	20	9	11	-	-	28	16	12	-	-	-	-	-	-	-	
5	3	2	-	-	1	-	1	-	-	5	5	-	-	-	-	-	-	-	-	151
3	2	1	-	-	8	4	4	-	-	3	1	2	-	-	-	-	-	-	-	152
5	1	3	1	-	11	5	6	-	-	20	10	10	-	-	-	-	-	-	-	153

TABLE 9.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other	
			M	F	M	F		M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc.*	2	2	-	-	-	1	1	-	-	-	24	4	10	4	6
154	Osteomyelitis and periostitis	1	1	-	-	-	1	1	-	-	-	13	2	4	3	4
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-
156	Diseases of joints and other organs of movement	1	1	-	-	-	-	-	-	-	-	8	1	4	1	2
157	XIV.—Congenital malformations	66	39	26	1	-	48	30	18	-	-	299	145	103	31	20
	XV.—Diseases peculiar to the first year of life	241	147	93	-	1	166	103	63	-	-	1,668	641	468	309	250
158	Congenital debility (cause not stated)	3	3	-	-	-	8	4	4	-	-	172	53	26	53	40
159	Premature birth (cause not stated)	160	96	63	-	1	100	59	41	-	-	1,007	361	307	181	158
160a	Intracranial or spinal hemorrhage	15	10	5	-	-	14	11	3	-	-	127	69	38	11	9
160b,c	Other injuries at birth	33	16	17	-	-	23	17	6	-	-	177	76	55	29	17
161	Other diseases peculiar to the first year of life	30	22	8	-	-	21	12	9	-	-	185	82	42	35	26
162	XVI.—Senility	54	26	27	1	-	29	13	16	-	-	279	81	118	43	37
	XVII.—Violent or accidental deaths	550	401	141	8	-	327	222	105	-	-	3,107	1,681	489	738	199
163,164	Suicide	61	54	5	2	-	55	46	9	-	-	353	257	69	21	6
163	Suicide by poisoning	17	15	2	-	-	6	5	1	-	-	82	46	31	3	2
	Suicide by solid or liquid poisons	6	4	2	-	-	1	1	-	-	-	41	21	16	2	2
	Suicide by poisonous gases	11	11	-	-	-	5	4	1	-	-	41	25	15	1	-
164a	Suicide by hanging or strangulation	9	8	-	1	-	16	12	4	-	-	25	18	6	1	-
164b	Suicide by drowning	1	-	1	-	-	2	-	2	-	-	14	10	3	1	-
164c	Suicide by firearms and explosives	29	26	2	1	-	30	28	2	-	-	206	171	18	14	3
164d	Suicide by cutting or piercing instruments	1	1	-	-	-	-	-	-	-	-	9	6	3	-	-
164e	Suicide by jumping from high places	2	2	-	-	-	1	1	-	-	-	9	4	4	-	1
164f	Suicide by crushing	1	1	-	-	-	-	-	-	-	-	7	2	3	2	-
164g	Suicide by other or unspecified means	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
165-168	Homicide[1]	10	10	-	-	-	8	4	4	-	-	287	54	24	174	35
166	Homicide by firearms	8	8	-	-	-	7	3	4	-	-	165	37	20	88	20
167	Homicide by cutting or piercing instruments	1	1	-	-	-	-	-	-	-	-	85	4	2	72	7
168	Homicide by other means	1	1	-	-	-	1	1	-	-	-	37	13	2	14	8
169-195	Accidental deaths	479	337	136	6	-	264	172	92	-	-	2,466	1,370	396	542	158
169	Railway accidents(except collisions with motor vehicles)	23	22	-	1	-	2	1	1	-	-	92	58	3	27	4
170a	Collisions between automobiles and trains	10	7	3	-	-	6	5	1	-	-	19	12	3	3	1
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	200	138	60	2	-	73	58	15	-	-	1,073	657	137	228	51
170d	Motorcycle accidents (except collisions with automobiles)	3	1	2	-	-	4	4	-	-	-	17	15	-	2	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	-	-	-	-	-	-	-	-	-	-	5	3	1	1	-
171b	Other and unspecified road-transport accidents	1	1	-	-	-	3	3	-	-	-	5	4	-	1	-
172	Water-transport accidents	3	3	-	-	-	2	2	-	-	-	43	31	3	9	-
173	Air-transport accidents	6	6	-	-	-	1	1	-	-	-	31	31	-	-	-
174	Accidents in mines and quarries	28	27	1	-	-	4	4	-	-	-	62	55	-	7	-
175a	Accidents involving agricultural machinery and vehicles	5	5	-	-	-	6	6	-	-	-	21	16	-	5	-
175b,c	Other agricultural accidents,including injury by animals	8	8	-	-	-	9	9	-	-	-	30	20	-	10	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-
175e	Other forestry accidents	1	1	-	-	-	6	6	-	-	-	9	4	-	5	-
176	Other accidents involving machinery	4	4	-	-	-	1	1	-	-	-	23	16	-	7	-
177	Food poisoning	-	-	-	-	-	-	-	-	-	-	16	5	6	1	4
178	Accidental absorption of poisonous gas	5	4	1	-	-	2	2	-	-	-	11	7	1	2	1
179	Acute accidental poisoning by solids or liquids	4	2	2	-	-	4	2	2	-	-	27	14	4	7	2
180	Conflagration	6	5	1	-	-	10	5	5	-	-	82	15	8	34	25
181	Accidental burns (except conflagration)	13	8	5	-	-	10	5	5	-	-	140	51	29	30	30
182	Accidental mechanical suffocation	9	6	3	-	-	5	1	4	-	-	49	17	9	12	11
183	Accidental drowning	24	16	8	-	-	16	14	2	-	-	159	88	16	54	3
184	Accidental injury by firearms	19	17	1	1	-	7	5	2	-	-	81	45	8	26	2
185	Accidental injury by cutting or piercing instruments	1	-	1	-	-	-	-	-	-	-	7	2	-	5	-
186a	Accidental injury by fall	65	27	38	-	-	76	25	51	-	-	309	129	143	21	16
186b	Accidental injury by crushing	4	4	-	-	-	-	-	-	-	-	4	3	-	1	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
188	Injury by animals (except in agriculture and forestry)	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-
190	Excessive cold	5	1	2	2	-	-	-	-	-	-	5	4	-	-	1
191	Excessive heat	-	-	-	-	-	-	-	-	-	-	18	8	1	7	2
192	Lightning	-	-	-	-	-	-	-	-	-	-	11	6	1	3	1
193	Accidents due to electric currents (except lightning)	8	7	1	-	-	2	2	-	-	-	17	12	-	5	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1
195d	Obstruction, suffocation,or puncture by ingested objects	5	3	2	-	-	2	1	1	-	-	18	9	5	4	-
195c,e	Other and unspecified accidents	16	11	5	-	-	12	9	3	-	-	76	34	15	24	3
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	XVIII.—Ill-defined and unknown causes	65	34	20	3	8	25	17	8	-	-	532	181	125	113	113
199	Sudden death	-	-	-	-	-	3	3	-	-	-	81	34	18	14	15
200a	Ill-defined	42	23	18	1	-	10	6	4	-	-	161	64	26	31	40
200b	Found dead (cause unknown)	4	4	-	-	-	4	3	1	-	-	48	20	14	10	4
200c	Unknown or unspecified	19	7	2	2	8	8	5	3	-	-	242	63	67	58	54

* Refer to complete International List titles, table XI.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1941—Continued

stillbirths)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		Total deaths	White		All other		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
16	9	7	-	-	12	6	4	-	2	24	17	7	-	-	2	2	-	-	-	
7	5	2	-	-	7	3	3	-	1	12	10	2	-	-	1	1	-	-	-	154
3	-	3	-	-	1	-	-	-	1	3	1	2	-	-	-	-	-	-	-	155
6	4	2	-	-	4	3	1	-	-	9	6	3	-	-	1	1	-	-	-	156
147	89	55	2	1	241	124	105	6	6	375	203	167	1	4	35	19	15	-	1	157
586	344	228	8	6	1,077	571	416	42	48	1,049	615	418	9	7	114	67	41	4	2	
13	6	6	-	1	65	30	28	4	3	19	10	8	1	-	12	8	3	1	-	158
361	206	144	7	4	702	382	281	25	34	636	370	259	6	1	69	41	25	2	1	159
45	28	16	-	1	93	63	22	4	4	90	56	33	-	1	7	5	2	-	-	160a
82	52	30	-	-	102	50	45	4	3	157	95	60	1	1	15	8	6	1	-	160b,c
85	52	32	1	-	115	66	40	5	4	147	84	58	1	4	11	5	5	-	1	161
171	88	79	3	1	220	99	114	1	6	295	130	164	-	1	16	7	9	-	-	162
2,076	1,536	473	50	17	1,986	1,360	439	155	32	2,784	1,960	790	26	8	347	248	86	11	2	
341	264	68	7	2	184	147	33	4	-	424	333	88	3	-	41	36	4	1	-	163,164
127	100	24	2	1	39	20	18	1	-	92	59	33	-	-	11	10	1	-	-	163
33	19	13	1	-	30	12	17	1	-	33	15	18	-	-	6	5	1	-	-	
94	81	11	1	1	9	8	1	-	-	59	44	15	-	-	5	5	-	-	-	
43	35	6	2	-	15	14	1	-	-	147	116	31	-	-	3	3	-	-	-	164a
23	12	10	1	-	12	7	3	2	-	21	16	5	-	-	-	-	-	-	-	164b
120	100	17	2	1	105	96	8	1	-	130	118	9	3	-	24	21	2	1	-	164c
11	10	1	-	-	4	4	-	-	-	14	11	3	-	-	3	2	1	-	-	164d
16	6	10	-	-	7	5	2	-	-	7	5	2	-	-	-	-	-	-	-	164e
1	1	-	-	-	1	-	1	-	-	5	5	-	-	-	-	-	-	-	-	164f
-	-	-	-	-	1	1	-	-	-	8	3	5	-	-	-	-	-	-	-	164g
40	22	9	7	2	140	73	13	47	7	42	27	12	3	-	10	4	5	1	-	165-168
21	12	3	4	2	97	50	9	34	4	23	13	8	2	-	5	2	2	1	-	166
7	2	3	2	-	24	8	1	13	2	5	4	-	1	-	1	-	1	-	-	167
12	8	3	1	-	19	15	3	-	1	14	10	4	-	-	4	2	2	-	-	168
1,692	1,247	396	36	13	1,662	1,140	393	104	25	2,318	1,600	690	20	8	296	208	77	9	2	169-195
50	45	1	4	-	116	93	13	9	1	65	60	3	-	-	20	19	1	-	-	169
10	8	2	-	-	5	5	-	-	-	55	47	8	-	-	4	2	2	-	-	170a
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	170b
599	458	118	17	6	471	337	97	28	9	820	607	196	12	5	123	81	37	4	1	170c
12	11	1	-	-	7	7	-	-	-	16	13	3	-	-	-	-	-	-	-	170d
-	-	-	-	-	2	1	1	-	-	4	2	2	-	-	-	-	-	-	-	171a
4	2	2	-	-	1	-	1	-	-	8	8	-	-	-	-	-	-	-	-	171b
24	22	1	1	-	9	8	1	-	-	49	46	3	-	-	1	1	-	-	-	172
26	26	-	-	-	2	2	-	-	-	14	11	3	-	-	10	10	-	-	-	173
8	8	-	-	-	280	237	2	41	-	4	4	-	-	-	13	11	1	1	-	174
17	15	2	-	-	5	4	-	1	-	50	46	4	-	-	8	8	-	-	-	175a
18	17	1	-	-	15	14	1	-	-	59	57	2	-	-	13	12	-	1	-	175b,c
15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
77	76	-	1	-	9	9	-	-	-	7	7	-	-	-	-	-	-	-	-	175e
27	27	-	-	-	23	21	2	-	-	32	30	2	-	-	5	5	-	-	-	176
6	2	4	-	-	14	5	9	-	-	1	-	1	-	-	2	1	1	-	-	177
37	34	3	-	-	20	15	5	-	-	29	15	14	-	-	6	5	1	-	-	178
23	15	5	1	2	21	12	8	-	1	24	13	8	1	2	4	3	1	-	-	179
25	17	8	-	-	33	19	11	1	2	29	18	11	-	-	3	1	-	1	1	180
40	22	14	2	2	107	49	48	3	7	56	28	30	-	-	15	8	7	-	-	181
29	21	4	2	2	21	7	11	2	1	24	9	14	1	-	2	1	1	-	-	182
135	118	12	5	-	92	73	12	6	1	145	128	16	1	-	17	11	5	1	-	183
43	38	4	1	-	44	36	4	4	-	46	42	3	1	-	4	3	1	-	-	184
2	1	1	-	-	6	4	2	-	-	4	1	2	1	-	-	-	-	-	-	185
349	162	185	2	-	251	102	143	4	2	635	298	334	2	1	28	13	14	1	-	186a
7	7	-	-	-	9	6	-	3	-	10	9	-	1	-	2	2	-	-	-	186b
1	1	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	187
1	1	-	-	-	3	3	-	-	-	2	2	-	-	-	1	1	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
4	4	-	-	-	3	2	-	1	-	11	9	2	-	-	1	1	-	-	-	190
8	6	2	-	-	5	5	-	-	-	36	31	5	-	-	1	-	1	-	-	191
-	-	-	-	-	3	2	1	-	-	7	7	-	-	-	4	3	1	-	-	192
10	9	1	-	-	21	20	1	-	-	18	15	3	-	-	-	-	-	-	-	193
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	194
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
23	14	9	-	-	21	15	6	-	-	27	16	11	-	-	2	1	1	-	-	195d
62	45	16	-	1	39	24	14	1	-	29	19	10	-	-	6	5	1	-	-	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
87	66	14	3	4	366	207	127	19	13	102	60	40	-	2	12	7	4	1	-	
8	7	1	-	-	39	25	13	1	-	22	16	5	-	1	1	1	-	-	-	199
41	32	8	1	-	102	66	27	5	4	53	29	23	-	1	7	4	2	1	-	200a
6	5	1	-	-	41	22	15	3	1	11	6	5	-	-	3	1	2	-	-	200b
32	22	4	2	4	184	94	72	10	8	16	9	7	-	-	1	1	-	-	-	200c

TABLE 10.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1941

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	White	Negro	OTHER RACES			
						Indian	Chinese	Japanese	Minor races
	All causes	Male	785,033	685,672	94,697	2,593	1,099	612	360
		Female	612,609	527,839	82,032	2,321	131	236	50
	I.—Infectious and parasitic diseases	Male	70,341	52,034	17,165	663	245	120	114
		Female	48,979	34,247	13,919	724	18	58	13
1	Typhoid fever	Male	612	415	184	9	-	2	2
		Female	410	260	140	7	-	2	1
2	Paratyphoid fever	Male	39	31	7	1	-	-	-
		Female	27	25	2	-	-	-	-
3	Plague	Male	2	2	-	-	-	-	-
5	Undulant fever (brucellosis)	Male	38	35	3	-	-	-	-
		Female	27	24	2	1	-	-	-
6	Cerebrospinal (meningococcus) meningitis	Male	430	360	66	4	-	-	-
		Female	283	243	37	3	-	-	-
7	Anthrax (infection by Bacillus anthracis)	Male	7	6	1	-	-	-	-
		Female	2	2	-	-	-	-	-
8	Scarlet fever	Male	230	221	9	-	-	-	-
		Female	224	204	20	-	-	-	-
9	Whooping cough	Male	1,819	1,327	432	57	-	2	1
		Female	1,988	1,485	457	42	-	2	-
10	Diphtheria (infection by C. diphtheriae)	Male	685	570	108	7	-	-	-
		Female	608	494	101	12	-	1	-
11	Erysipelas	Male	186	174	11	1	-	-	-
		Female	182	171	11	-	-	-	-
12	Tetanus	Male	422	304	115	2	-	1	-
		Female	180	123	55	1	-	1	-
13-22	Tuberculosis (all forms)	Male	34,966	25,957	8,244	406	189	91	79
		Female	24,285	16,326	7,458	430	14	46	11
13	Tuberculosis of respiratory system, etc.*	Male	32,255	24,129	7,442	349	180	82	73
		Female	22,103	14,879	6,784	379	13	39	9
14	Tuberculosis of meninges and central nervous system	Male	718	508	182	24	3	1	-
		Female	623	429	169	21	1	2	1
15	Tuberculosis of intestines and peritoneum	Male	424	244	168	7	1	1	3
		Female	473	256	202	14	-	1	-
16	Tuberculosis of vertebral column	Male	349	241	101	6	-	1	-
		Female	234	173	58	2	-	-	1
17	Tuberculosis of bones and joints (except vertebral column)	Male	135	91	41	2	1	-	-
		Female	78	60	17	1	-	-	-
18	Tuberculosis of skin, etc.*	Male	11	10	1	-	-	-	-
		Female	17	13	4	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	Male	47	24	21	2	-	-	-
		Female	62	45	15	2	-	-	-
20	Tuberculosis of genito-urinary system	Male	285	256	23	3	-	3	-
		Female	174	155	14	4	-	1	-
21	Tuberculosis of other organs	Male	65	52	13	-	-	-	-
		Female	53	42	10	-	-	1	-
22	Disseminated tuberculosis	Male	677	402	252	13	4	3	3
		Female	468	274	185	7	-	2	-
23	Leprosy	Male	29	23	3	-	2	-	1
		Female	11	10	1	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	Male	742	623	113	2	2	2	-
		Female	562	437	117	8	-	-	-
25	Gonococcus infection	Male	75	33	42	-	-	-	-
		Female	289	111	172	6	-	-	-
26	Other diseases due to bacteria (except dysentery)	Male	102	87	14	1	-	-	-
		Female	52	44	6	2	-	-	-
27	Dysentery	Male	1,263	952	292	18	1	-	-
		Female	1,170	894	259	17	-	-	-
28	Malaria	Male	601	271	328	2	-	-	-
		Female	577	261	311	5	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	Male	7	6	-	-	-	-	1
		Female	3	2	1	-	-	-	-
30	Syphilis (all forms)	Male	12,893	8,441	4,327	41	44	19	21
		Female	4,835	2,687	2,093	51	1	3	-
30a	Locomotor ataxia (tabes dorsalis)	Male	551	492	54	3	1	1	-
		Female	118	103	15	-	-	-	-
30b	General paralysis of insane	Male	3,331	2,368	942	3	12	2	4
		Female	978	679	295	3	1	-	-
30d	Aneurysm of aorta	Male	2,752	1,930	782	2	5	5	8
		Female	894	450	241	1	-	2	-
30c,e,f,g	Other forms of syphilis	Male	6,279	3,651	2,549	33	26	11	9
		Female	3,045	1,455	1,542	47	-	1	-
31	Relapsing fever	Male	1	1	-	-	-	-	-
32	Other diseases due to spirochetes	Male	148	111	34	-	-	1	-
		Female	136	100	35	1	-	-	-
33a	Influenza, with respiratory complications specified	Male	6,932	5,337	1,568	24	1	2	-
		Female	6,256	4,787	1,423	44	-	2	-
33b	Influenza, without respiratory complications specified	Male	3,981	3,126	834	16	2	-	3
		Female	3,878	3,026	824	26	1	-	1
34	Smallpox	Male	8	6	2	-	-	-	-
		Female	4	2	2	-	-	-	-
35	Measles	Male	1,154	920	173	60	1	-	-
		Female	1,125	908	165	53	1	-	-
36	Acute poliomyelitis and acute polioencephalitis	Male	499	449	48	4	-	-	-
		Female	308	266	36	6	-	-	-
37	Acute infectious encephalitis (lethargic)	Male	657	625	27	5	-	-	-
		Female	435	412	16	5	1	1	-
38	Other diseases due to filtrable viruses	Male	103	91	12	-	-	-	-
		Female	73	66	7	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	Male	164	147	16	1	-	-	-
		Female	101	87	12	2	-	-	-
40	Ankylostomiasis	Male	2	1	1	-	-	-	-
		Female	5	5	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 10.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1941—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	White	Negro	OTHER RACES			
					Indian	Chinese	Japanese	Minor races
	I.—Infectious and parasitic diseases—Continued							
41	Hydatid disease—Male	12	12	-	-	-	-	-
	Female	8	8	-	-	-	-	-
42	Other diseases caused by helminths—Male	45	33	12	-	-	-	-
	Female	43	27	16	-	-	-	-
43	Mycoses—Male	216	165	43	1	1	-	6
	Female	108	82	25	1	-	-	-
44	Other infectious and parasitic (communicable) diseases—Male	1,273	1,172	98	1	2	-	-
	Female	806	690	115	1	-	-	-
	II.—Cancer and other tumors—Male	78,272	73,731	4,227	62	135	95	22
	Female	87,953	80,864	6,933	101	18	33	4
45-55	Cancer and other malignant tumors—Male	76,368	71,984	4,078	59	131	95	21
	Female	83,558	77,272	6,142	92	16	33	3
45	Cancer of buccal cavity and pharynx—Male	4,118	3,904	195	2	10	6	1
	Female	993	883	105	3	1	1	-
45a-e	Cancer of buccal cavity—Male	2,846	2,714	125	-	1	5	1
	Female	668	586	79	2	-	1	-
45f	Cancer of pharynx—Male	1,272	1,190	70	2	9	1	-
	Female	325	297	26	1	1	-	-
46	Cancer of digestive organs and peritoneum—Male	39,728	37,277	2,260	40	73	67	9
	Female	33,313	31,529	1,728	33	6	19	-
46a	Cancer of esophagus—Male	2,213	2,042	166	-	1	4	-
	Female	621	593	27	-	-	1	-
46b,c	Cancer of stomach and duodenum—Male	15,980	14,743	1,150	17	24	41	5
	Female	9,973	9,305	637	17	4	10	-
46f	Cancer of liver and biliary passages—Male	4,301	4,000	271	7	12	9	2
	Female	5,580	5,294	272	10	-	4	-
46g	Cancer of pancreas—Male	3,180	3,034	130	3	9	3	1
	Female	2,511	2,397	113	-	-	1	-
46d,e,h,m	Cancer of other digestive organs and peritoneum—Male	14,052	13,458	543	13	27	10	1
	Female	14,628	13,940	677	6	2	3	-
47	Cancer of respiratory system—Male	7,819	7,455	325	3	19	14	3
	Female	2,422	2,278	141	1	-	2	-
48	Cancer of uterus—Female	16,516	14,176	2,304	25	5	6	-
49	Cancer of other female genital organs—Female	4,674	4,425	243	3	1	2	-
50	Cancer of breast—Male	210	198	12	-	-	-	-
	Female	15,516	14,344	957	11	1	1	2
51	Cancer of male genital organs—Male	10,171	9,556	600	6	7	1	1
52	Cancer of urinary organs (male and female)—Male	4,942	4,715	213	3	6	1	4
	Female	2,744	2,583	160	1	-	-	-
53	Cancer of skin (except vulva and scrotum)—Male	2,134	2,075	54	3	2	-	-
	Female	1,309	1,244	61	3	1	-	-
54	Cancer of central nervous system*—Male	1,481	1,434	45	-	1	-	1
	Female	1,050	995	32	1	-	1	1
55	Cancer of other and unspecified organs—Male	5,767	5,370	374	2	13	6	2
	Female	5,241	4,815	413	11	1	1	-
56a-c	Nonmalignant tumors of female genital organs—Female	2,639	2,006	625	5	2	-	1
56d,e	Nonmalignant tumors of other and unspecified organs—Male	701	645	52	1	2	-	1
	Female	675	638	37	-	-	-	-
57a-c	Tumors of female genital organs (nature unspecified)—Female	77	53	24	-	-	-	-
57d,e	Tumors of other and unspecified organs (nature unspecified)*—Male	1,203	1,102	97	2	2	-	-
	Female	1,004	895	105	4	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*—Male	16,756	15,379	1,291	41	31	13	1
	Female	28,923	26,207	2,650	55	5	5	1
58a-d	Acute rheumatic heart diseases—Male	548	450	97	-	1	-	-
	Female	600	492	103	3	2	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)—Male	249	180	66	3	-	-	-
	Female	243	185	56	2	-	-	-
59	Chronic rheumatism and other rheumatic diseases—Male	674	617	53	1	2	1	-
	Female	1,115	1,052	58	4	-	1	-
60	Gout—Male	3	3	-	-	-	-	-
61	Diabetes mellitus—Male	12,521	11,787	682	25	18	9	-
	Female	21,358	19,833	1,490	29	2	3	1
62	Diseases of pituitary gland—Male	67	62	5	-	-	-	-
	Female	71	67	4	-	-	-	-
63a	Simple goiter—Male	39	39	-	-	-	-	-
	Female	155	127	28	-	-	-	-
63b	Exophthalmic goiter—Male	514	475	31	1	6	1	-
	Female	2,795	2,581	209	4	1	-	-
63c-e	Other diseases of thyroid and parathyroid glands—Male	108	103	5	-	-	-	-
	Female	285	264	21	-	-	-	-
64	Diseases of thymus gland—Male	765	688	70	3	3	1	-
	Female	455	400	50	5	-	-	-
65	Diseases of adrenal glands (not specified as tuberculous)—Male	216	203	11	-	-	1	1
	Female	236	223	12	1	-	-	-
66	Other general diseases—Male	229	166	58	5	-	-	-
	Female	242	195	47	-	-	-	-
67	Scurvy—Male	16	14	2	-	-	-	-
	Female	14	11	3	-	-	-	-
68	Beriberi—Male	30	25	3	1	1	-	-
	Female	19	13	6	-	-	-	-
69	Pellagra (except alcoholic)—Male	648	474	174	-	-	-	-
	Female	1,188	663	519	6	-	-	-
70	Rickets—Male	69	41	26	2	-	-	-
	Female	70	44	25	1	-	-	-
71	Other avitaminoses—Male	60	52	8	-	-	-	-
	Female	77	57	19	-	-	1	-

*Refer to complete International List titles, table XI.

TABLE 10.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1941—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	White	Negro	OTHER RACES			
					Indian	Chinese	Japanese	Minor races
	IV.—Diseases of the blood and blood-forming organs—Male	5,154	4,824	304	12	10	2	2
	Female	4,426	4,121	291	7	2	5	-
72	Hemorrhagic conditions—Male	285	253	29	2	1	-	-
	Female	267	242	23	2	-	-	-
73a	Pernicious anemia—Male	926	881	39	4	-	2	-
	Female	1,072	1,017	52	3	-	-	-
73b-d	Other anemias (except splenic)—Male	551	479	65	4	3	-	-
	Female	530	442	87	-	-	1	-
74a	Leukemias—Male	2,858	2,715	133	2	6	-	2
	Female	2,096	1,990	101	1	2	2	-
74b	Aleukemias—Male	144	137	7	-	-	-	-
	Female	112	109	2	-	-	1	-
75	Diseases of spleen—Male	280	236	24	-	-	-	-
	Female	198	180	18	-	-	-	-
76	Other diseases of the blood and blood-forming organs—Male	130	123	7	-	-	-	-
	Female	151	141	8	1	-	1	-
	V.—Chronic poisoning and intoxication—Male	2,214	1,947	251	15	1	-	-
	Female	393	316	72	5	-	-	-
77	Alcoholism (ethylism)—Male	2,112	1,858	239	14	1	-	-
	Female	346	275	66	5	-	-	-
78	Lead poisoning—Male	61	51	10	-	-	-	-
	Female	9	6	3	-	-	-	-
79	Chronic poisoning by other mineral or organic substances—Male	41	38	2	1	-	-	-
	Female	38	35	3	-	-	-	-
	VI.—Diseases of the nervous system, etc.*—Male	67,962	59,680	8,007	115	76	67	17
	Female	66,652	57,854	8,651	106	13	25	3
80	Encephalitis (nonepidemic)—Male	824	724	92	5	2	1	-
	Female	607	532	72	3	-	-	-
81	Meningitis (not due to meningococcus)—Male	1,304	1,072	221	9	-	1	1
	Female	889	706	174	7	-	1	1
82	Diseases of spinal cord (see exceptions)*—Male	1,587	1,455	127	3	2	-	-
	Female	1,104	1,023	78	3	-	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)—Male	51,230	44,826	6,210	64	59	57	14
	Female	52,152	44,996	7,063	58	11	22	2
83b,c	Cerebral embolism, thrombosis, and softening—Male	5,792	5,447	327	4	11	2	1
	Female	5,655	5,337	307	9	1	1	-
83d	Hemiplegia and other paralysis of unspecified origin—Male	1,897	1,517	372	5	1	2	-
	Female	1,858	1,431	419	8	-	-	-
84	Mental diseases and deficiency (see exception)*—Male	590	468	119	2	-	-	1
	Female	820	673	145	2	-	-	-
85	Epilepsy—Male	1,335	1,093	237	3	-	2	-
	Female	992	844	140	6	1	1	-
86	Convulsions (under 5 years)—Male	273	187	81	5	-	-	-
	Female	250	172	75	3	-	-	-
87	Other diseases of nervous system—Male	1,973	1,847	122	3	-	1	-
	Female	1,544	1,458	84	2	-	-	-
88	Diseases of organs of vision—Male	27	21	6	-	-	-	-
	Female	28	23	4	1	-	-	-
89	Diseases of the ear and mastoid process—Male	1,130	1,023	93	12	1	1	-
	Female	753	659	90	4	-	-	-
	VII.—Diseases of the circulatory system—Male	242,039	222,794	18,531	304	256	95	59
	Female	173,506	156,579	16,671	210	21	20	5
90	Pericarditis (except acute rheumatic)—Male	367	310	54	2	-	1	-
	Female	225	170	55	-	-	-	-
91a,b	Bacterial and other acute or subacute endocarditis—Male	1,296	1,127	162	2	2	3	-
	Female	1,086	927	155	1	1	2	-
91c	Endocarditis (unspecified, under 45 years)—Male	164	111	53	-	-	-	-
	Female	131	93	38	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*—Male	20,683	18,071	2,534	35	16	15	12
	Female	18,494	16,103	2,352	30	3	5	1
92e	Endocarditis (unspecified, 45 years and over)—Male	1,334	1,157	175	1	1	-	-
	Female	1,186	1,001	185	-	-	-	-
93a	Acute myocarditis (except rheumatic)—Male	2,199	1,878	317	-	1	2	1
	Female	1,735	1,394	338	2	1	-	-
93b	Myocarditis (unspecified, under 45 years)—Male	374	264	110	-	-	-	-
	Female	305	166	139	-	-	-	-
93c,d	Chronic myocarditis and myocardial degeneration—Male	94,130	86,479	7,340	103	142	43	23
	Female	82,814	75,775	6,937	89	5	7	1
93e	Other myocarditis (unspecified)—Male	9,940	8,876	1,042	10	9	2	1
	Female	7,690	6,679	997	14	-	-	-
94a	Diseases of coronary arteries—Male	70,611	68,044	2,447	54	37	18	11
	Female	29,924	28,163	1,736	21	3	1	-
94b	Angina pectoris—Male	4,616	4,348	263	4	1	-	-
	Female	2,015	1,795	218	2	-	-	-
95a	Functional diseases of heart, etc.*—Male	557	519	36	2	-	-	-
	Female	487	444	41	2	-	-	-
95b,c	Other and unspecified diseases of heart—Male	19,741	16,979	2,667	69	15	4	7
	Female	14,037	11,649	2,346	30	7	3	2
96	Aneurysm (except of heart and aorta)—Male	905	819	83	1	1	1	-
	Female	467	423	42	-	-	1	1
97	Arteriosclerosis (except coronary or renal sclerosis)—Male	12,410	11,528	827	17	28	5	4
	Female	10,499	9,786	718	13	1	1	-
98	Gangrene—Male	280	219	60	1	-	-	-
	Female	216	171	45	-	-	-	-
99	Other diseases of arteries—Male	1,022	963	56	2	1	-	-
	Female	858	799	57	2	-	-	-
100	Diseases of veins—Male	456	427	27	1	-	1	-
	Female	470	431	39	-	-	-	-
101	Diseases of lymphatic system—Male	40	29	10	-	1	-	-
	Female	30	20	7	3	-	-	-
102	High blood pressure (idiopathic)—Male	797	574	222	-	1	-	-
	Female	772	575	197	-	-	-	-
103	Other diseases of circulatory system—Male	117	71	46	-	-	-	-
	Female	65	35	29	1	-	-	-

*Refer to complete International List titles, table XI.

TABLE 10.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1941—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX		Total deaths	White	Negro	OTHER RACES			
						Indian	Chinese	Japanese	Minor races
	VIII.—Diseases of the respiratory system	Male	45,185	37,616	7,148	320	52	30	19
		Female	32,971	27,340	5,326	292	6	6	1
104	Diseases of nasal fossae and accessory sinuses	Male	659	516	131	11	-	1	-
		Female	362	266	91	5	-	-	-
105	Diseases of larynx	Male	195	165	29	1	-	-	-
		Female	129	105	24	-	-	-	-
106a	Acute bronchitis	Male	523	458	62	3	-	-	-
		Female	443	380	59	4	-	-	-
106b	Chronic bronchitis	Male	1,099	1,039	56	2	1	1	-
		Female	747	702	43	2	-	-	-
106c	Bronchitis (unspecified)	Male	361	306	53	2	-	-	-
		Female	324	286	38	-	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	Male	17,188	14,509	2,492	134	25	20	8
		Female	14,223	12,051	2,025	140	2	4	1
108	Lobar pneumonia	Male	16,666	13,587	2,964	87	21	5	2
		Female	11,001	8,867	2,057	74	2	1	-
109	Pneumonia (unspecified)	Male	2,782	1,984	736	61	-	1	-
		Female	2,075	1,472	546	55	1	1	-
110	Pleurisy (not specified as tuberculous)	Male	1,283	1,117	153	5	2	1	5
		Female	575	487	87	1	-	-	-
111	Hemorrhagic infarction, etc.*	Male	1,603	1,436	157	9	-	-	1
		Female	1,574	1,424	143	7	-	-	-
112	Asthma	Male	1,279	1,147	127	1	2	-	2
		Female	1,058	928	129	-	1	-	-
113	Pulmonary emphysema	Male	110	102	8	-	-	-	-
		Female	31	27	4	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	Male	1,437	1,250	180	4	1	1	1
		Female	429	345	80	4	-	-	-
	IX.—Diseases of the digestive system	Male	43,760	38,219	5,198	206	85	34	18
		Female	31,433	26,809	4,437	162	4	17	4
115	Diseases of buccal cavity, pharynx, tonsils, and adnexa	Male	1,520	1,275	235	5	3	1	1
		Female	1,309	1,053	246	6	1	3	-
116	Diseases of esophagus	Male	115	96	19	-	-	-	-
		Female	86	74	12	-	-	-	-
117	Ulcer of stomach or duodenum	Male	7,333	6,717	579	6	22	7	2
		Female	1,531	1,332	197	1	1	-	-
118	Other diseases of stomach (except cancer)	Male	1,230	848	372	9	1	-	-
		Female	890	520	364	6	-	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	Male	6,102	4,668	1,322	105	3	2	2
		Female	4,745	3,517	1,147	78	1	1	1
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	Male	1,513	1,210	284	17	-	2	-
		Female	1,611	1,285	317	8	-	1	-
121	Appendicitis	Male	6,581	5,839	707	19	5	7	4
		Female	4,208	3,643	551	10	-	4	-
122a	Hernia	Male	2,976	2,625	343	6	1	-	1
		Female	1,830	1,713	111	6	-	-	-
122b	Intestinal obstruction	Male	3,142	2,673	455	9	3	1	1
		Female	3,589	2,967	605	12	-	4	1
123	Other diseases of intestines	Male	953	835	110	2	5	1	-
		Female	713	596	116	1	-	-	-
124	Cirrhosis of liver	Male	7,858	7,404	405	10	26	9	4
		Female	4,018	3,768	241	8	-	-	1
125	Other diseases of liver	Male	867	722	132	7	4	2	-
		Female	790	649	135	5	-	1	-
126	Biliary calculi	Male	1,370	1,331	28	3	7	1	-
		Female	3,069	2,983	76	7	1	2	-
127	Other diseases of gallbladder and biliary ducts	Male	1,115	1,049	59	3	2	1	1
		Female	1,982	1,851	117	12	-	1	1
128	Diseases of pancreas (except diabetes mellitus)	Male	461	426	31	1	3	-	-
		Female	376	346	29	1	-	-	-
129	Peritonitis (cause not stated)	Male	624	501	117	4	-	-	2
		Female	686	512	173	1	-	-	-
	X.—Diseases of the genito-urinary system	Male	65,821	55,750	9,843	98	86	24	20
		Female	50,852	42,483	8,256	89	10	9	5
130	Acute nephritis	Male	1,689	1,215	466	6	1	-	1
		Female	1,324	892	430	1	1	-	-
131a	Arteriosclerotic kidney	Male	34,746	29,609	5,020	47	47	15	8
		Female	31,140	25,522	4,557	48	4	6	3
131b	Other chronic nephritis	Male	14,706	12,213	2,443	19	21	5	5
		Female	11,932	9,891	2,013	19	4	3	2
132	Nephritis unspecified (10 years and over)	Male	2,563	2,048	509	2	2	1	1
		Female	1,854	1,399	449	6	-	-	-
133	Other diseases of kidneys and ureters, etc.*	Male	1,931	1,654	267	3	4	-	3
		Female	1,781	1,562	212	6	1	-	-
134	Calculi of urinary passages	Male	1,087	1,013	67	-	3	2	2
		Female	577	547	30	-	-	-	-
135	Diseases of urinary bladder	Male	412	306	103	2	1	-	-
		Female	255	225	26	2	-	-	-
136	Diseases of urethra (except calculus)	Male	412	228	183	-	1	-	-
		Female	25	21	4	-	-	-	-
137	Diseases of prostate	Male	8,237	7,440	772	18	6	1	-
138	Diseases of other male genital organs (except venereal)	Male	38	24	13	1	-	-	-
139a	Diseases of ovaries, fallopian tubes, and parametria	Female	1,319	873	442	4	-	-	-
139b	Diseases of uterus	Female	607	520	85	2	-	-	-
139c	Diseases of other and unspecified female genital organs	Female	40	31	8	1	-	-	-

*Refer to complete International List titles, table XI.

TABLE 10.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1941—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	White	Negro	OTHER RACES			
					Indian	Chinese	Japanese	Minor races
	XI.—Diseases of pregnancy, childbirth, and the puerperium—Female	7,956	5,864	2,033	49	7	3	-
140	Abortion with mention of infection—Female	1,014	731	277	4	2	-	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia* —Female	101	80	21	-	-	-	-
141b,d-f	Other abortions (nonseptic)*—Female	289	189	76	3	-	1	-
142a	Ectopic gestation, with mention of infection—Female	77	55	20	2	-	-	-
142b	Ectopic gestation, without mention of infection—Female	281	203	78	-	-	-	-
143	Hemorrhage of pregnancy (death before delivery)—Female	63	45	17	-	1	-	-
144	Toxemias of pregnancy (death before delivery)—Female	769	512	248	7	1	1	-
145	Other diseases and accidents of pregnancy (death before delivery)—Female	268	198	70	-	-	-	-
146	Hemorrhage of childbirth and puerperium—Female	1,046	844	197	3	1	1	-
147	Infection during childbirth and puerperium—Female	1,943	1,443	483	16	1	-	-
148	Puerperal toxemias (excluding death before delivery)—Female	1,161	819	336	6	-	-	-
149	Other accidents and specified conditions of childbirth—Female	517	432	79	5	1	-	-
150	Other and unspecified conditions of childbirth and puerperium—Female	447	313	131	3	-	-	-
	XII.—Diseases of the skin and cellular tissue—Male	671	568	96	5	-	1	1
	Female	675	539	130	4	1	1	-
151	Carbuncle and furuncle—Male	177	165	11	1	-	-	-
	Female	121	96	25	-	-	-	-
152	Phlegmon and acute abscess—Male	201	155	42	2	-	1	1
	Female	158	117	38	3	-	-	-
153	Other diseases of skin and cellular tissue—Male	293	248	43	2	-	-	-
	Female	396	326	67	1	1	1	-
	XIII.—Diseases of the bones and organs of movement—Male	653	564	85	1	-	2	1
	Female	401	341	60	-	-	-	-
154	Osteomyelitis and periostitis—Male	398	339	57	1	-	1	-
	Female	202	164	38	-	-	-	-
155	Other diseases of bones (except tuberculosis)—Male	76	74	2	-	-	-	-
	Female	70	67	3	-	-	-	-
156	Diseases of joints and other organs of movement—Male	179	151	26	-	-	1	1
	Female	129	110	19	-	-	-	-
157	XIV.—Congenital malformations—Male	7,560	7,050	486	17	2	4	1
	Female	6,362	5,949	375	28	6	3	1
	XV.—Diseases peculiar to the first year of life—Male	31,102	26,277	4,650	144	8	16	7
	Female	22,325	18,565	3,604	124	11	18	3
158	Congenital debility (cause not stated)—Male	1,668	1,121	531	16	-	-	-
	Female	1,219	788	413	18	-	-	-
159	Premature birth (cause not stated)—Male	18,961	15,931	2,957	75	4	7	7
	Female	14,380	11,887	2,404	65	7	14	3
160	Injury at birth—Male	6,701	6,071	599	23	2	6	-
	Female	4,188	3,736	428	19	3	2	-
161	Other diseases peculiar to the first year of life—Male	3,772	3,154	583	30	2	3	-
	Female	2,538	2,154	359	22	1	2	-
162	XVI.—Senility—Male	4,488	3,553	898	32	5	-	-
	Female	5,211	4,233	938	40	-	-	-
	XVII.—Violent or accidental deaths—Male	91,372	79,014	11,691	379	106	109	73
	Female	35,292	31,624	3,497	121	9	32	9
163,164	Suicide—Male	12,903	12,458	357	16	31	30	11
	Female	4,199	4,078	104	8	2	8	1
163	Suicide by poisoning—Male	2,942	2,853	70	2	9	7	1
	Female	1,950	1,888	56	2	-	3	1
164	Suicide by other means—Male	9,961	9,605	287	14	22	23	10
	Female	2,249	2,190	48	4	2	5	-
165-168	Homicide [1] —Male	6,290	2,655	3,573	28	7	11	16
	Female	1,639	762	863	9	-	5	-
166	Homicide by firearms—Male	3,641	1,609	1,998	16	3	5	10
	Female	884	459	418	5	-	2	-
167	Homicide by cutting or piercing instruments—Male	1,642	362	1,263	10	1	4	2
	Female	392	75	314	3	-	-	-
168	Homicide by other means—Male	1,007	684	312	2	3	2	4
	Female	363	228	131	1	-	3	-
169-195	Accidental deaths—Male	72,060	63,842	7,702	335	67	68	46
	Female	29,455	26,783	2,530	106	7	19	8
169	Railway accidents (except collisions with motor vehicles)—Male	3,295	2,776	479	36	2	1	1
	Female	255	227	27	1	-	-	-
170a	Collisions between automobiles and trains—Male	1,363	1,255	99	2	3	2	2
	Female	477	448	25	2	-	2	-
170b	Collisions between automobiles and streetcars—Male	93	87	4	-	-	2	-
	Female	25	23	2	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)—Male	28,992	25,872	2,892	138	28	33	29
	Female	8,520	7,785	683	40	2	8	2
170d	Motorcycle accidents (except collisions with automobiles)—Male	457	443	12	1	-	1	-
	Female	42	42	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles) Male	267	239	26	-	1	-	1
	Female	93	86	7	-	-	-	-
171b	Other and unspecified road-transport accidents—Male	243	199	41	3	-	-	-
	Female	55	50	5	-	-	-	-
172	Water-transport accidents—Male	944	846	92	2	-	2	2
	Female	107	101	6	-	-	-	-
173	Air-transport accidents—Male	831	828	1	-	-	-	2
	Female	25	25	-	-	-	-	-

* Refer to complete International List titles, table XI.

[1] Includes figures for infanticide (165).

TABLE 10.—DEATHS FROM EACH CAUSE, BY SPECIFIED RACE AND BY SEX: UNITED STATES, 1941—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	White	Negro	OTHER RACES			
					Indian	Chinese	Japanese	Minor races
	XVII.—Violent or accidental deaths—Continued							
	Accidental deaths—Continued							
174	Accidents in mines and quarries—Male	1,751	1,613	135	2	-	1	-
	Female	19	17	2	-	-	-	-
175a-c	Agricultural accidents—Male	1,871	1,703	151	11	-	4	2
	Female	83	79	3	-	-	1	-
175d,e	Forestry accidents—Male	426	369	49	8	-	-	-
176	Other accidents involving machinery—Male	1,282	1,135	145	1	-	1	-
	Female	29	29	-	-	-	-	-
177	Food poisoning—Male	253	179	72	1	-	1	-
	Female	229	156	69	2	-	2	-
178	Accidental absorption of poisonous gas—Male	1,071	1,001	63	5	-	1	1
	Female	393	371	20	2	-	-	-
179	Acute accidental poisoning by solids or liquids—Male	712	595	109	8	-	-	-
	Female	479	387	83	8	-	1	-
180	Conflagration—Male	1,295	1,003	279	9	3	1	-
	Female	704	495	212	6	-	1	-
181	Accidental burns (except conflagration)—Male	2,585	2,070	498	12	6	-	1
	Female	2,379	1,832	535	6	2	2	2
182	Accidental mechanical suffocation—Male	933	754	172	5	-	2	-
	Female	590	444	140	6	-	-	-
183	Accidental drowning—Male	4,798	4,040	710	24	13	9	2
	Female	743	673	61	5	3	-	1
184	Accidental injury by firearms—Male	2,101	1,726	358	13	-	4	-
	Female	313	221	91	1	-	-	-
185	Accidental injury by cutting or piercing instruments—Male	263	169	91	1	1	-	1
	Female	75	51	24	-	-	-	-
186a	Accidental injury by fall—Male	10,399	9,902	465	23	8	1	-
	Female	11,856	11,512	309	14	-	-	1
186b	Accidental injury by crushing—Male	391	348	43	-	-	-	-
	Female	31	22	7	-	-	1	1
187	Cataclysm, etc.*—Male	98	87	11	-	-	-	-
	Female	66	60	6	-	-	-	-
188	Injury by animals (except in agriculture and forestry)—Male	155	135	15	5	-	-	-
	Female	30	25	4	1	-	-	-
189	Hunger or thirst—Male	29	24	4	1	-	-	-
	Female	13	13	-	-	-	-	-
190	Excessive cold—Male	118	101	13	4	-	-	-
	Female	33	26	7	-	-	-	-
191	Excessive heat—Male	523	439	79	3	1	-	1
	Female	131	108	21	2	-	-	-
192	Lightning—Male	311	242	65	4	-	-	-
	Female	77	60	16	1	-	-	-
193	Accidents due to electric currents (except lightning)—Male	722	672	49	-	-	-	1
	Female	39	37	2	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)—Male	45	38	6	1	-	-	-
	Female	33	27	2	4	-	-	-
195a,b	Accidents due to medical or surgical intervention—Male	20	19	1	-	-	-	-
	Female	26	17	9	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects—Male	550	492	57	1	-	-	-
	Female	335	304	28	2	-	-	1
195c,e	Other and unspecified accidents—Male	2,873	2,441	418	11	1	2	-
	Female	1,168	1,040	124	3	-	1	-
196	Deaths of military personnel during operations of war—Male	1	1	-	-	-	-	-
198	Legal executions—Male	118	58	59	-	1	-	-
	Female	1	1	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes—Male	11,683	6,672	4,826	179	1	-	5
	Female	8,299	3,904	4,189	204	-	1	1
199	Sudden death—Male	820	543	273	3	-	-	1
	Female	527	277	246	4	-	-	-
200a	Ill-defined—Male	4,433	3,147	1,250	34	1	-	1
	Female	2,387	1,379	978	29	-	-	1
200b,c	Unknown or unspecified—Male	6,430	2,982	3,303	142	-	-	3
	Female	5,385	2,248	2,965	171	-	1	-

*Refer to complete International List titles, table XI.

SUPPLEMENT

SUPPLEMENT

Hawaii and Puerto Rico

Hawaii

Live births.—The Territory of Hawaii was admitted to the birth-registration area in 1929. In that year 11,248 births were registered representing a crude birth rate of 31.2 per 1,000 estimated population. The corresponding rate in 1941 was 23.0 per 1,000 population estimated as of July 1, 1941. Of the 10,116 live births reported in 1941, 3,347, or 33 percent, were Japanese; 2,523, or 25 percent, were Part-Hawaiian; 2,222, or 22 percent, were Caucasian; 1,043, or 10 percent, were Filipino; 502, or 5 percent, were Chinese; and 317, or 3 percent, were Hawaiian.

Stillbirths.—The stillbirth ratios (stillbirths per 1,000 live births) in Hawaii in 1941 were 28.4 for Hawaiian, 25.9 for Chinese, 23.0 for Filipino, 21.4 for Part-Hawaiian, 19.8 for Caucasian, and 16.1 for Japanese.

Total deaths.—The Territory of Hawaii was admitted to the death-registration area in 1917. In that year 3,710 deaths were registered and the crude death rate was 16.9 per 1,000 estimated population. In 1941 there were 5,351 deaths from all causes. Of this total, 2,243 deaths, or 42 percent, were from wounds of war caused by the air attack on Pearl Harbor on December 7, 1941. On the basis of the total number of deaths in 1941, the crude death rate was 12.2 per 1,000 estimated population. Excluding deaths among military personnel and civilians due to operations of war, the crude death rate was 7.1 per 1,000 estimated population. If it had not been for the war, the death rate for Hawaii in 1941 would have been the lowest ever reported since the Territory's admission to the registration area.

The six principal causes of death (excluding deaths due to operations of war) and their death rates were diseases of the heart (all forms), 131.3; cancer and other malignant tumors, 75.2; tuberculosis (all forms), 58.8; intracranial lesions of vascular origin, 52.5; nephritis, 51.6; and influenza and pneumonia (all forms), 40.4, per 100,000 estimated population. These causes accounted for nearly 34 percent of the total number of deaths.

Relatively large decreases in the death rates were reported in 1941 for typhoid and paratyphoid fever, diphtheria, influenza and pneumonia (all forms), ulcer of the stomach or duodenum, appendicitis, and hernia and intestinal obstruction, while comparatively large increases were recorded in the rates for diabetes mellitus; intracranial lesions of vascular origin; diarrhea, enteritis, and ulceration of the intestines; and motor-vehicle accidents.

Deaths under 1 year.—There were 408 deaths among infants in Hawaii in 1941. This represents a rate of 40.3 per 1,000 live births as compared with the rate of 44.7 in 1940. Nearly 47 percent of the infant deaths in 1941 were due to premature birth and pneumonia (all forms). The infant mortality rates for these causes were 13.2 and 5.6, respectively, per 1,000 live births.

Puerto Rico

Total deaths.—In 1941 there were 35,492 deaths registered in Puerto Rico. The crude death rate was 18.6 per 1,000 estimated population as compared with the rate of 18.4 per 1,000 enumerated population in 1940. The 1941 death rate was the fourth lowest reported for Puerto Rico since this possession was admitted to the death-registration area in 1932.

The mortality statistics for Puerto Rico are characterized by high death rates for infectious and parasitic diseases. The diseases of the digestive and respiratory systems also occupy high positions in the rank order of the leading causes of death.

The seven principal causes of death in 1941 and their death rates per 100,000 estimated population were diarrhea, enteritis, and ulceration of the intestines, 417.1; tuberculosis (all forms), 242.3; influenza and pneumonia (all forms), 173.2; malaria, 122.8; diseases of the heart, 117.0; nephritis, 107.5; and cancer and other malignant tumors, 53.5. These causes accounted for 66.4 percent of all deaths.

Deaths under 1 year.—There were 8,846 infant deaths registered in Puerto Rico in 1941, an increase of 625 over the corresponding number for 1940. A comparison of the figures for individual causes of death in 1941 with those for 1940 shows large increases in the deaths from diarrhea, enteritis, and ulceration of the intestines, and from premature birth, and a substantial decrease in the number of deaths from influenza and pneumonia (all forms). Since Puerto Rico has not yet been admitted to the birth-registration area, infant mortality rates based upon live births are not available.

Note.—Vital statistics tabulations for the Virgin Islands were not made for 1941 because birth and death transcripts were received for the first 3 months of the year only.

HAWAII

TABLE 1.—ENUMERATED POPULATION BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1940

RACE AND SEX	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
All races	423,330	23,353	179,326	49,923	78,930	446	35,818	55,534
Male	245,135	12,428	94,734	29,841	54,508	266	21,626	31,932
Female	178,195	10,925	84,592	20,082	24,422	180	14,192	23,602
Hawaiian	14,375	919	5,457	2,532	1,633	158	888	2,788
Male	7,413	469	2,778	1,275	856	99	467	1,469
Female	6,962	450	2,679	1,257	777	59	421	1,319
Part-Hawaiian	49,935	3,227	25,583	4,674	5,870	110	2,666	7,805
Male	24,650	1,564	12,422	2,340	2,979	53	1,352	3,940
Female	25,285	1,663	13,161	2,334	2,891	57	1,314	3,865
Caucasian	103,791	4,256	50,892	5,565	31,824	70	4,465	6,919
Male	64,473	2,177	26,944	2,968	26,526	34	2,340	3,484
Female	39,318	2,079	23,948	2,597	5,098	36	2,125	3,435
Chinese	28,774	910	22,445	922	2,122	17	862	1,496
Male	16,131	550	12,304	534	1,272	12	588	891
Female	12,643	360	10,141	388	850	5	274	605
Filipino	52,589	2,138	6,887	10,707	12,179	30	10,149	10,479
Male	40,791	1,607	5,102	8,987	8,882	29	8,025	8,159
Female	11,778	531	1,785	1,720	3,297	1	2,124	2,320
Japanese	157,905	11,207	60,593	23,658	22,794	49	15,470	24,134
Male	82,820	5,659	31,222	12,612	12,255	30	8,132	12,910
Female	75,085	5,548	29,371	11,046	10,539	19	7,338	11,224
Korean	6,851	387	3,636	433	1,455	9	301	630
Male	3,965	239	1,953	333	828	6	187	419
Female	2,886	148	1,683	100	627	3	114	211
Negro	255	7	133	3	76	-	3	33
Male	172	6	79	3	66	-	2	16
Female	83	1	54	-	10	-	1	17
Puerto Rican	8,296	298	3,366	1,417	980	3	990	1,242
Male	4,407	173	1,777	783	512	3	520	639
Female	3,889	125	1,589	634	468	-	470	603
All other	579	4	334	12	197	-	24	8
Male	313	4	153	6	132	-	13	5
Female	266	-	181	6	65	-	11	3

TABLE 2.—LIVE BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

AREA AND SEX	Total births [1]	Total deaths [1]	Excess of births over deaths [2]	Births per 100 deaths	DEATHS [1] OF INFANTS UNDER 1 YEAR OF AGE		STILLBIRTHS	
					Number	Per 1,000 live births	Number	Per 1,000 live births
Hawaii	10,116	5,351	4,765	189	408	40.3	[3] 200	19.8
Male	5,251	4,270	981	123	239	45.5	105	20.0
Female	4,865	1,081	3,784	450	169	34.7	92	18.9
Hilo city	609	197	412	309	20	32.8	15	24.6
Male	306	125	181	245	12	39.2	8	26.1
Female	303	72	231	421	8	26.4	7	23.1
Honolulu city	5,327	1,596	3,731	334	207	38.9	113	21.2
Male	2,779	1,019	1,760	273	127	45.7	66	23.7
Female	2,548	577	1,971	442	80	31.4	47	18.4
Hawaii County (exclusive of Hilo city)	996	311	685	320	36	36.1	[4] 15	15.1
Male	518	224	294	231	18	34.7	8	15.4
Female	478	87	391	549	18	37.7	6	12.6
Honolulu County (exclusive of Honolulu city)	1,099	2,615	-1,516	42	41	37.3	[5] 19	17.3
Male	561	2,502	-1,941	22	19	33.9	9	16.0
Female	538	113	425	476	22	40.9	8	14.9
Kalawao County	3	47	-44	6	-	0	-	0
Male	2	22	-20	9	-	0	-	0
Female	1	25	-24	4	-	0	-	0
Kauai County	781	203	578	385	38	48.7	11	14.1
Male	411	135	276	304	22	53.5	3	7.3
Female	370	68	302	544	16	43.2	8	21.6
Maui County	1,301	382	919	341	66	50.7	27	20.8
Male	674	243	431	277	41	60.8	11	16.3
Female	627	139	488	451	25	39.9	16	25.5

[1] Exclusive of stillbirths.
[2] A minus sign (-) indicates an excess of deaths over births.
[3] Includes 3 stillbirths of unknown sex.
[4] Includes 1 stillbirth of unknown sex.
[5] Includes 2 stillbirths of unknown sex.

TABLE 3.—LIVE BIRTHS BY RACE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

RACE	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
All races	10,116	609	5,327	996	1,099	3	781	1,301
Hawaiian	317	12	125	61	33	-	27	59
Part-Hawaiian	2,523	149	1,490	221	174	3	126	360
Caucasian	2,222	104	1,457	143	218	-	115	185
Puerto Rican	225	8	100	37	21	-	22	37
Other Caucasian	1,997	96	1,357	106	197	-	93	148
Chinese	502	16	430	8	18	-	10	20
Japanese	3,347	273	1,482	410	375	-	329	478
Korean	114	6	79	-	18	-	4	7
Filipino	1,043	49	230	153	253	-	169	189
All other	48	-	34	-	10	-	1	3

TABLE 4.—LIVE BIRTHS BY MONTH AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

AREA AND SEX	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Hawaii	10,116	800	726	800	772	830	807	850	852	927	939	890	943
Male	5,251	412	377	432	379	442	428	432	439	462	466	503	479
Female	4,865	388	349	368	393	388	379	398	413	465	473	387	464
Hilo city	609	53	46	45	59	51	37	54	46	56	62	49	51
Male	306	32	21	28	27	22	14	29	24	24	31	28	26
Female	303	21	25	17	32	29	23	25	22	32	31	21	25
Honolulu city	5,327	385	340	401	365	427	445	454	468	504	504	499	535
Male	2,779	199	175	208	171	230	241	247	248	243	253	285	279
Female	2,548	186	165	193	194	197	204	207	220	261	251	214	256
Hawaii County (exclusive of Hilo city)	996	106	85	87	84	87	81	77	83	83	71	77	75
Male	518	50	49	42	46	45	42	45	45	40	41	42	31
Female	478	56	36	45	38	42	39	32	38	43	30	35	44
Honolulu County (exclusive of Honolulu city)	1,099	101	79	83	76	94	78	90	97	109	98	85	109
Male	561	52	37	48	45	50	39	46	48	61	38	43	54
Female	538	49	42	35	31	44	39	44	49	48	60	42	55
Kalawao County	3	-	-	1	-	1	1	-	-	-	-	-	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-
Kauai County	781	62	79	65	72	61	57	57	55	60	73	73	67
Male	411	35	42	39	34	34	31	22	28	33	38	38	37
Female	370	27	37	26	38	27	26	35	27	27	35	35	30
Maui County	1,301	93	97	118	116	109	108	98	103	115	131	107	106
Male	674	44	53	67	56	60	60	43	46	61	65	67	52
Female	627	49	44	51	60	49	48	55	57	54	66	40	54

TABLE 5.—LIVE BIRTHS BY RACE AND BY AGE OF PARENTS: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

RACE OF CHILD AND AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
All races	10,116	109	1,675	2,999	2,333	1,445	777	282	155	95	246
10 to 14 years	12	1	1	1	-	-	-	-	-	-	9
15 to 19 years	1,217	78	552	325	123	35	3	3	-	1	97
20 to 24 years	3,529	28	1,003	1,555	595	171	65	17	7	5	83
25 to 29 years	2,930	2	104	1,012	1,096	486	140	38	20	5	27
30 to 34 years	1,317	-	10	95	463	460	201	47	25	8	8
35 to 39 years	801	-	3	8	48	267	273	101	53	36	12
40 to 44 years	275	-	-	2	6	22	94	72	42	34	3
45 to 49 years	20	-	-	-	-	3	-	3	7	6	1
50 to 54 years	3	-	-	-	1	-	1	-	1	-	-
Not stated	12	-	2	1	1	1	-	1	-	-	6
Hawaiian	317	5	44	72	67	38	35	13	6	1	36
10 to 14 years	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years	40	5	11	6	4	1	-	-	-	-	13
20 to 24 years	108	-	32	36	16	8	3	-	1	-	12
25 to 29 years	80	-	-	28	30	9	5	1	1	-	6
30 to 34 years	38	-	-	2	14	10	6	4	-	-	2
35 to 39 years	33	-	1	-	1	9	13	5	2	1	1
40 to 44 years	16	-	-	-	2	1	8	3	1	-	1
45 to 49 years	1	-	-	-	-	-	-	-	1	-	-

TABLE 5.—LIVE BIRTHS BY RACE AND BY AGE OF PARENTS: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941—Continued

RACE OF CHILD AND AGE OF MOTHER	Total births	AGE OF FATHER									
		15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
Part-Hawaiian	2,523	66	636	742	467	278	140	72	23	24	75
10 to 14 years	3	1	1	-	-	-	-	-	-	-	1
15 to 19 years	462	45	228	93	45	14	2	-	-	1	32
20 to 24 years	1,006	19	358	383	132	55	17	8	4	2	28
25 to 29 years	600	1	37	234	179	79	37	15	4	5	9
30 to 34 years	272	-	8	27	99	82	33	13	5	5	-
35 to 39 years	130	-	2	3	8	43	35	25	6	6	2
40 to 44 years	46	-	-	2	4	5	18	9	4	5	1
Not stated	4	-	2	-	-	-	-	-	-	-	2
Puerto Rican	225	4	65	67	45	18	10	4	3	2	7
15 to 19 years	53	2	28	13	7	1	-	-	-	-	2
20 to 24 years	99	1	34	37	21	2	1	-	-	-	3
25 to 29 years	42	1	3	13	12	8	4	-	-	-	1
30 to 34 years	15	-	-	2	4	5	2	1	1	-	-
35 to 39 years	11	-	-	1	1	2	3	1	1	2	-
40 to 44 years	3	-	-	-	-	-	-	2	1	-	-
Not stated	2	-	-	1	-	-	-	-	-	-	1
Other Caucasian	1,997	11	354	736	497	235	86	22	14	2	40
10 to 14 years	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years	213	9	119	52	12	5	-	-	-	-	16
20 to 24 years	693	2	206	356	86	24	6	1	-	-	12
25 to 29 years	638	-	29	291	221	72	15	3	3	-	4
30 to 34 years	321	-	-	35	157	83	29	7	7	-	3
35 to 39 years	109	-	-	2	20	45	29	8	1	2	4
40 to 44 years	20	-	-	-	-	6	7	5	2	-	-
45 to 49 years	1	-	-	-	-	-	-	-	1	-	-
50 to 54 years	1	-	-	-	1	-	-	-	-	-	-
Chinese	502	2	58	142	104	67	73	32	6	8	10
15 to 19 years	31	-	13	12	2	-	-	1	-	-	3
20 to 24 years	155	2	40	77	21	1	7	1	1	1	4
25 to 29 years	151	-	4	49	55	23	16	2	-	-	2
30 to 34 years	80	-	1	4	23	24	23	3	-	2	-
35 to 39 years	60	-	-	-	2	18	19	14	4	2	1
40 to 44 years	21	-	-	-	-	1	8	10	1	1	-
45 to 49 years	3	-	-	-	-	-	-	1	-	2	-
Not stated	1	-	-	-	1	-	-	-	-	-	-
Japanese	3,347	11	390	977	857	574	269	91	83	46	49
15 to 19 years	182	7	95	58	4	-	1	-	-	-	17
20 to 24 years	1,101	4	265	539	206	48	11	6	1	1	20
25 to 29 years	1,200	-	29	361	513	232	41	10	10	-	4
30 to 34 years	431	-	1	17	128	194	70	9	8	1	3
35 to 39 years	296	-	-	2	6	93	108	33	32	20	2
40 to 44 years	123	-	-	-	-	5	38	32	27	20	1
45 to 49 years	10	-	-	-	-	1	-	1	4	4	-
50 to 54 years	1	-	-	-	-	-	-	-	1	-	-
Not stated	3	-	-	-	-	1	-	-	-	-	2
Korean	114	1	40	32	14	10	2	1	2	9	3
15 to 19 years	17	1	12	3	-	-	-	-	-	-	1
20 to 24 years	57	-	28	22	5	1	-	-	-	-	1
25 to 29 years	17	-	-	7	8	2	-	-	-	-	-
30 to 34 years	7	-	-	-	1	4	2	-	-	-	-
35 to 39 years	9	-	-	-	-	3	-	1	1	3	1
40 to 44 years	7	-	-	-	-	-	-	-	1	6	-
Filipino	1,043	9	76	216	273	222	159	44	18	3	23
10 to 14 years	7	-	-	1	-	-	-	-	-	-	6
15 to 19 years	212	9	42	88	49	14	-	-	-	-	10
20 to 24 years	289	-	32	95	107	31	19	1	-	1	3
25 to 29 years	190	-	2	25	72	60	21	7	2	-	1
30 to 34 years	149	-	-	7	36	57	36	9	4	-	-
35 to 39 years	151	-	-	-	9	54	68	15	6	-	1
40 to 44 years	37	-	-	-	-	4	16	10	5	2	-
45 to 49 years	5	-	-	-	-	2	-	1	1	-	1
50 to 54 years	1	-	-	-	-	-	1	-	-	-	-
Not stated	2	-	-	-	-	-	-	1	-	-	1
All other	48	-	12	15	9	3	3	3	-	-	3
15 to 19 years	7	-	4	-	-	-	-	-	-	-	3
20 to 24 years	21	-	8	10	1	1	1	-	-	-	-
25 to 29 years	12	-	-	4	6	1	1	-	-	-	-
30 to 34 years	4	-	-	1	1	1	-	1	-	-	-
35 to 39 years	2	-	-	-	1	-	-	1	-	-	-
40 to 44 years	2	-	-	-	-	-	1	1	-	-	-

TABLE 6.—DEATHS BY RACE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

(Exclusive of stillbirths)

RACE	Hawaii	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
All races	5,351	197	1,596	511	2,615	47	205	382
Hawaiian	367	30	166	46	52	17	18	58
Part-Hawaiian	412	17	241	19	40	21	17	57
Caucasian	3,004	36	486	50	2,350	1	34	67
Puerto Rican	66	4	27	12	12	-	5	6
Other Caucasian	2,938	32	459	38	2,338	1	29	61
Chinese	267	10	189	15	22	1	14	16
Japanese	883	79	370	122	102	6	71	133
Korean	85	7	46	10	14	-	3	5
Filipino	280	18	75	47	48	1	45	46
All other	55	-	23	2	27	-	1	2

TABLE 7.—DEATHS BY MONTH AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

(Exclusive of stillbirths)

AREA AND SEX	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Hawaii	5,351	264	241	291	264	253	217	275	223	234	257	271	2,565
Male	4,270	162	169	176	173	177	143	164	143	159	170	177	2,457
Female	1,081	102	72	115	91	76	74	109	80	75	87	94	108
Hilo city:													
Male	125	11	10	8	9	15	4	14	7	13	14	11	9
Female	72	3	4	8	7	7	7	7	4	1	7	7	10
Honolulu city:													
Male	1,019	68	80	85	82	73	56	82	61	86	80	90	176
Female	577	57	43	55	45	37	39	58	43	40	48	47	67
Hawaii County (exclusive of Hilo city):													
Male	224	20	25	25	21	16	20	18	17	16	16	14	16
Female	87	7	7	9	9	11	4	6	6	7	6	8	7
Honolulu County (exclusive of Honolulu city):													
Male	2,502	18	25	32	32	28	17	30	30	22	24	28	2,216
Female	113	15	5	14	11	8	10	11	7	7	9	9	7
Kalawao County:													
Male	22	4	1	1	1	1	2	2	1	3	2	2	2
Female	25	1	-	5	1	1	3	4	1	1	4	1	3
Kauai County:													
Male	135	13	8	9	11	20	13	2	14	7	11	16	11
Female	68	7	3	6	6	3	4	10	8	5	3	8	5
Maui County:													
Male	243	28	20	16	17	24	31	16	13	12	23	16	27
Female	139	12	10	18	12	9	7	15	11	14	10	14	7

TABLE 8.—DEATHS BY AGE, RACE, AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

(Exclusive of stillbirths)

RACE AND SEX	Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
All races	5,351	408	58	28	18	10	522	56	51	488	1,379	488	222	219	194	177	211	211	231	310	227	161	113	49	15	8	3	18
Male	4,270	239	33	17	11	6	306	30	24	460	1,340	451	178	174	145	125	139	140	162	216	170	115	69	23	7	3	1	16
Female	1,081	169	25	11	7	4	216	28	27	28	39	57	44	45	49	54	72	71	69	94	57	48	44	26	8	5	2	-
Hawaiian:																												
Male	206	17	3	1	1	-	22	1	5	3	7	5	5	8	10	13	22	22	15	20	20	9	9	6	2	1	-	1
Female	161	15	4	1	-	1	19	2	4	3	7	2	11	4	8	6	17	14	9	19	9	10	3	8	2	3	1	-
Part-Hawaiian:																												
Male	212	72	11	7	4	1	95	9	3	10	8	12	9	8	6	5	10	10	7	4	8	5	2	1	-	-	-	-
Female	200	64	13	4	5	2	88	4	7	3	10	13	7	13	8	5	8	6	6	10	4	3	3	2	-	-	-	-
Caucasian:																												
Male	2,714	38	6	2	1	1	48	3	3	416	1,286	386	117	100	74	47	57	58	26	47	39	24	22	8	2	-	-	15
Female	290	28	2	1	1	1	33	4	2	5	4	16	15	7	10	14	15	20	20	29	24	22	29	14	5	1	1	-
Puerto Rican:																												
Male	37	5	2	-	-	-	5	1	1	-	-	1	-	2	1	1	1	-	5	10	4	4	-	1	-	-	-	-
Female	29	4	-	-	-	1	5	-	-	2	-	1	2	-	-	1	2	4	1	5	1	1	1	2	1	-	-	-
Other Caucasian:																												
Male	2,677	35	4	2	1	1	43	2	2	416	1,286	365	117	98	73	46	38	36	21	37	35	20	22	7	2	-	-	15
Female	261	24	2	1	1	-	28	4	2	3	4	15	13	7	10	13	13	16	19	24	23	21	28	12	4	1	1	-

TABLE 8.—DEATHS BY AGE, RACE, AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941—Continued

(Exclusive of stillbirths)

RACE AND SEX	Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
Chinese:																												
Male	197	9	-	-	1	1	11	1	-	5	2	3	4	3	7	6	6	12	27	27	31	25	16	5	3	2	1	-
Female	70	9	-	1	-	-	10	3	1	1	2	3	2	4	3	6	3	4	7	11	3	2	4	-	-	1	-	-
Japanese:																												
Male	599	53	7	4	3	2	69	11	12	21	20	25	9	22	22	13	44	41	69	98	63	47	13	1	-	-	-	1
Female	284	28	3	4	-	-	35	9	7	12	13	23	5	11	18	19	28	24	22	24	16	11	5	2	-	-	-	-
Korean:																												
Male	70	2	-	-	-	-	2	-	-	-	1	1	2	1	-	2	6	8	12	18	9	2	5	1	-	-	-	-
Female	13	3	1	-	1	-	5	-	1	-	-	-	-	2	1	1	-	-	2	-	1	-	-	-	-	-	-	-
Filipino:																												
Male	227	41	5	3	1	1	51	4	1	2	5	12	29	30	24	33	14	10	6	3	-	1	-	1	-	-	-	1
Female	53	19	2	-	-	-	21	3	5	3	2	-	3	4	1	3	1	3	2	1	-	-	-	-	1	-	-	-
All other:																												
Male	45	7	1	-	-	-	8	1	-	3	11	7	3	2	2	4	-	1	-	1	-	-	2	-	-	-	-	-
Female	10	5	-	-	-	-	5	1	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

TABLE 9.—DEATHS FROM SELECTED CAUSES: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	HAWAII		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
	Total deaths	Total death rate[1]							
All causes	5,351	1,215.4	197	1,596	311	2,615	47	203	382
Typhoid and paratyphoid fever—1,2	5	1.1	-	2	1	-	-	-	2
Cerebrospinal (meningococcus) meningitis—6	1	0.2	-	-	-	-	-	-	1
Whooping cough—9	9	2.0	-	3	-	1	-	3	2
Diphtheria—10	2	0.5	-	1	-	-	-	-	1
Tuberculosis of respiratory system, etc.*—13	239	54.3	25	130	18	16	-	18	32
Tuberculosis (other forms)—14-22	20	4.5	1	8	2	4	-	2	3
Dysentery—27	2	0.5	-	2	-	-	-	-	-
Syphilis—30	55	12.5	4	19	9	13	-	1	9
Influenza—33	12	2.7	1	3	4	1	-	-	3
Measles—35	5	1.1	-	4	-	1	-	-	-
Poliomyelitis and polioencephalitis (acute)—36	5	1.1	1	2	1	1	-	-	-
Cancer of digestive organs and peritoneum—46	180	40.9	18	92	19	15	-	18	18
Cancer of female genital organs—48,49	27	6.1	3	16	2	3	-	-	3
Cancer of breast—50	15	3.4	-	12	1	1	-	-	1
Cancer (other sites)—45,47,51-55	109	24.8	8	59	13	4	-	6	19
Acute rheumatic fever—58	3	0.7	-	2	-	1	-	-	-
Diabetes mellitus—61	86	19.5	4	54	6	7	-	10	5
Exophthalmic goiter—63b	1	0.2	-	-	-	1	-	-	-
Alcoholism (ethylism)—77	5	1.1	-	2	1	1	-	-	1
Intracranial lesions of vascular origin—83	231	52.5	14	108	31	30	-	14	34
Other diseases of nervous system, etc.*—80-82,84-88	33	7.5	2	11	5	10	-	2	3
Diseases of ear, nose, and throat—89,104,115	17	3.9	3	8	1	-	-	1	4
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	32	7.3	2	21	5	1	-	1	2
Diseases of coronary arteries and angina pectoris—94	139	31.6	3	86	14	22	-	7	7
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	407	92.4	21	215	53	43	-	22	53
Pneumonia (all forms)—107-109	166	37.7	11	93	11	31	-	6	14
Ulcer of stomach or duodenum—117	22	5.0	2	8	3	4	-	2	3
Diarrhea, enteritis, etc.*—119,120	46	10.4	2	17	5	4	-	4	14
Appendicitis—121	20	4.5	3	8	1	6	-	-	2
Hernia and intestinal obstruction—122	13	3.0	1	8	1	-	-	-	3
Cirrhosis of liver—124	34	7.7	-	21	2	8	-	2	1
Biliary calculi, etc.*—126,127	13	3.0	1	5	3	1	-	-	3
Nephritis—130-132	227	51.6	16	135	13	13	-	12	38
Diseases of prostate—137	10	2.3	2	4	2	-	-	2	-
Puerperal septicemia—140,142a,147	6	1.4	-	4	-	1	-	-	1
Puerperal toxemias—141a,c,144,148	8	1.8	-	3	2	1	-	2	-
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	10	2.3	1	5	1	-	-	-	3
Congenital malformations—157	53	12.0	7	25	3	4	-	3	11
Premature birth—159	134	30.4	4	81	10	14	-	11	14
Suicide—163,164	65	14.8	6	22	8	21	-	3	5
Homicide—165-168	16	3.6	1	8	1	4	-	1	1
Motor-vehicle accidents—170	92	20.9	6	33	7	33	-	4	9
Other accidents—169,171-195	218	49.5	4	75	19	82	2	14	22
All other causes*	2,558	581.0	20	181	33	2,212	45	32	35

*Refer to complete International List titles, table XI.

[1] Number per 100,000 population (440,281) estimated as of July 1, 1941.

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	Ha-waiian	Part-Hawaiian	CAUCASIAN			Chi-nese	Japa-nese	Korean	Fili-pino	All other
					Total	Puerto Rican	Other Caucasian					
	All causes—Male	4,270	206	212	2,714	37	2,677	197	599	70	227	45
	Female	1,081	161	200	290	29	261	70	284	13	53	10
	I.—Infectious and parasitic diseases—M	268	47	27	32	5	27	23	77	12	49	1
	F	156	31	39	15	1	14	3	53	2	13	-
1	Typhoid fever—M	2	-	1	-	-	-	-	-	-	1	-
	F	3	1	1	-	-	-	-	1	-	-	-
6	Cerebrospinal (meningococcus) meningitis—M	1	-	1	-	-	-	-	-	-	-	-
9	Whooping cough—M	4	-	2	-	-	-	-	1	-	1	-
	F	5	-	3	-	-	-	-	-	-	2	-
10	Diphtheria (infection by C. diphtheriae)—M	1	-	-	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-
12	Tetanus—M	6	1	1	2	-	2	-	1	-	1	-
	F	1	-	1	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)—M	176	25	10	16	3	13	16	59	9	40	1
	F	83	15	11	10	1	9	1	38	1	7	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs—M	161	23	9	14	3	11	16	57	8	33	1
	F	78	13	10	10	1	9	1	36	1	7	-
14	Tuberculosis of meninges and central nervous system—M	3	-	-	-	-	-	-	1	-	2	-
	F	1	-	1	-	-	-	-	-	-	-	-
15	Tuberculosis of intestines and peritoneum—M	3	1	1	-	-	-	-	-	-	1	-
16	Tuberculosis of vertebral column—M	2	-	-	1	-	1	-	1	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-
19	Tuberculosis of lymphatic system, etc.*—F	1	1	-	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system—M	1	-	-	-	-	-	-	-	1	-	-
22a	Disseminated tuberculosis (acute miliary)—M	6	1	-	1	-	1	-	-	-	4	-
	F	2	1	-	-	-	-	-	1	-	-	-
23	Leprosy—M	22	10	7	1	-	1	1	2	-	1	-
	F	26	7	15	-	-	-	-	4	-	-	-
24	Septicemia and purulent infection (nonpuerperal)—M	3	-	1	-	-	-	-	1	-	1	-
	F	2	-	1	-	-	-	-	-	-	1	-
25	Gonococcus infection—F	1	-	-	1	-	1	-	-	-	-	-
27	Dysentery—F	2	-	-	-	-	-	-	-	-	2	-
30	Syphilis (all forms)—M	35	10	-	7	2	5	2	10	3	3	-
	F	20	6	4	2	-	2	1	5	1	1	-
30a	Locomotor ataxia (tabes dorsalis)—M	1	-	-	-	-	-	1	-	-	-	-
30b	General paralysis of insane—M	6	-	-	2	1	1	1	2	-	1	-
	F	1	-	-	1	-	1	-	-	-	-	-
30c	Other syphilis of central nervous system—M	2	1	-	-	-	-	-	1	-	-	-
	F	4	2	2	-	-	-	-	-	-	-	-
30d	Aneurysm of aorta—M	9	3	-	2	-	2	-	3	1	-	-
	F	4	1	-	-	-	-	1	1	-	1	-
30e	Other syphilis of circulatory system—M	5	1	-	1	1	-	-	1	-	2	-
30f,g	Congenital, other and unspecified forms of syphilis—M	12	5	-	2	-	2	-	3	2	-	-
	F	11	3	2	1	-	1	-	4	1	-	-
32	Other diseases due to spirochetes—M	3	-	-	1	-	1	1	1	-	-	-
33a	Influenza, with respiratory complications specified—M	3	1	1	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-
33b	Influenza, without respiratory complications specified—M	5	-	-	2	-	2	2	1	-	-	-
	F	3	-	1	-	-	-	-	2	-	-	-
35	Measles—M	3	-	2	-	-	-	-	-	-	1	-
	F	2	-	1	-	-	-	-	1	-	-	-
36	Acute poliomyelitis and acute polioencephalitis—M	3	-	1	2	-	2	-	-	-	-	-
	F	2	1	-	1	-	1	-	-	-	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)—M	1	-	-	-	-	-	1	-	-	-	-
	F	2	-	1	-	-	-	-	1	-	-	-
38	Other diseases due to filtrable viruses—F	1	1	-	-	-	-	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases—F	1	-	-	1	-	1	-	-	-	-	-
	II.—Cancer and other tumors—M	224	20	4	49	5	44	18	99	14	19	1
	F	121	9	15	41	3	38	10	39	4	1	2
45-55	Cancer and other malignant tumors—M	218	20	4	48	5	43	18	94	14	19	1
	F	113	9	13	40	3	37	10	35	4	1	1
45	Cancer of buccal cavity and pharynx—M	13	-	-	4	-	4	2	5	-	2	-
	F	3	1	-	1	-	1	-	1	-	-	-
45a-e	Cancer of buccal cavity—M	5	-	-	3	-	3	1	1	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-
45f	Cancer of pharynx—M	8	-	-	1	-	1	1	4	-	2	-
	F	1	-	-	1	-	1	-	-	-	-	-
46	Cancer of digestive organs and peritoneum—M	133	10	3	26	4	22	12	63	12	7	-
	F	47	4	3	15	1	14	3	18	2	1	1
46a	Cancer of esophagus—M	7	1	-	1	1	-	-	5	-	-	-
46b,c	Cancer of stomach and duodenum—M	74	4	2	13	2	11	8	38	8	1	-
	F	26	2	1	7	1	6	2	11	2	-	1
46f	Cancer of liver and biliary passages—M	29	5	-	6	1	5	2	10	2	4	-
	F	5	-	-	2	-	2	-	3	-	-	-
46g	Cancer of pancreas—M	8	-	-	1	-	1	-	5	2	-	-
	F	6	2	1	2	-	2	-	-	-	1	-
46d,e,h,m	Cancer of other digestive organs and peritoneum—M	15	-	1	5	-	5	2	5	-	2	-
	F	10	-	1	4	-	4	1	4	-	-	-
47	Cancer of respiratory system—M	26	6	-	6	1	5	1	10	-	3	-
	F	4	2	-	-	-	-	-	2	-	-	-
48	Cancer of uterus—F	22	-	2	10	2	8	2	7	1	-	-
49	Cancer of other female genital organs—F	5	-	3	1	-	1	1	-	-	-	-
50	Cancer of breast—F	15	1	2	9	-	9	2	1	-	-	-
51	Cancer of male genital organs—M	8	-	-	2	-	2	-	3	1	2	-

* Refer to complete International List titles, table XI.

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	Hawaiian	Part-Hawaiian	CAUCASIAN			Chinese	Japanese	Korean	Filipino	All other
					Total	Puerto Rican	Other Caucasian					
	II.—Cancer and other tumors—Continued											
	Cancer and other malignant tumors—Continued											
52	Cancer of urinary organs (male and female)—M	11	1	-	4	-	4	1	4	-	1	-
	F	2	-	-	-	-	-	1	1	-	-	-
53	Cancer of skin (except vulva and scrotum)—M	10	2	1	3	-	3	-	2	-	2	-
	F	2	-	-	-	-	-	-	2	-	-	-
54	Cancer of central nervous system*—M	5	-	-	2	-	2	-	2	-	1	-
	F	4	-	-	2	-	2	1	1	-	-	-
55	Cancer of other and unspecified organs—M	12	1	-	1	-	1	2	5	1	1	1
	F	9	1	3	2	-	2	-	2	1	-	-
56a	Nonmalignant tumors of ovary—F	4	-	2	-	-	-	-	1	-	-	1
56b	Nonmalignant tumors of uterus—F	1	-	-	1	-	1	-	-	-	-	-
56d,e	Nonmalignant tumors of other and unspecified organs—M	4	-	-	-	-	-	-	4	-	-	-
	F	2	-	-	-	-	-	-	2	-	-	-
57d,e	Tumors of other and unspecified organs (nature unspecified)—M	2	-	-	1	-	1	-	1	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*—M	53	10	10	10	-	10	7	10	-	4	2
	F	64	9	9	24	2	22	8	11	-	3	-
58a-d	Acute rheumatic heart diseases—M	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	1	-	-	-	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)—F	1	-	-	-	-	-	-	1	-	-	-
59	Chronic rheumatism and other rheumatic diseases—M	2	-	-	1	-	1	-	-	-	1	-
	F	1	-	-	1	-	1	-	-	-	-	-
61	Diabetes mellitus—M	32	9	-	8	-	8	6	7	-	-	2
	F	54	9	7	21	2	19	7	9	-	1	-
63b	Exophthalmic goiter—M	1	-	-	1	-	1	-	-	-	-	-
64	Diseases of thymus gland—M	7	-	6	-	-	-	-	-	-	1	-
	F	2	-	1	-	-	-	-	1	-	-	-
65	Diseases of adrenal glands (not specified as tuberculous)—M	1	-	1	-	-	-	-	-	-	-	-
66	Other general diseases—M	2	-	2	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	1	1	-	-	-	-
68	Beriberi—M	6	-	1	-	-	-	1	2	-	2	-
	F	3	-	1	-	-	-	-	-	-	2	-
71	Other avitaminoses—M	1	-	-	-	-	-	-	1	-	-	-
	IV.—Diseases of the blood and blood-forming organs—M	10	-	2	2	1	1	1	3	-	2	-
	F	8	-	1	4	-	4	2	-	-	1	-
72	Hemorrhagic conditions—F	3	-	-	-	-	-	2	-	-	1	-
73a	Pernicious anemia—M	1	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	1	-	1	-	-	-	-	-
74a	Leukemias—M	8	-	1	2	1	1	1	2	-	2	-
	F	3	-	1	2	-	2	-	-	-	-	-
74b	Aleukemias—M	1	-	1	-	-	-	-	-	-	-	-
75	Diseases of spleen—F	1	-	-	1	-	1	-	-	-	-	-
	V.—Chronic poisoning and intoxication—M	5	-	-	2	1	1	-	3	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)—M	5	-	-	2	1	1	-	3	-	-	-
	VI.—Diseases of the nervous system, etc.*—M	178	10	10	36	6	30	13	86	6	17	-
	F	92	17	9	30	2	28	5	28	-	3	-
80	Encephalitis (nonepidemic)—M	4	-	-	1	1	-	-	3	-	-	-
	F	3	-	-	-	-	-	-	-	-	3	-
81	Meningitis (not due to meningococcus)—M	5	-	1	1	-	1	-	2	-	1	-
	F	5	2	3	-	-	-	-	-	-	-	-
82	Diseases of spinal cord (see exceptions)*—M	1	-	-	-	-	-	1	-	-	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)—M	142	8	7	28	5	23	10	69	6	14	-
	F	72	12	4	25	2	23	5	26	-	-	-
83b	Cerebral embolism and thrombosis—M	7	-	1	3	-	3	-	3	-	-	-
	F	4	-	-	3	-	3	-	1	-	-	-
83d	Hemiplegia and other paralysis of unspecified organs—M	5	-	-	-	-	-	2	3	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-
84	Mental diseases and deficiency (see exception)*—M	2	-	-	1	-	1	-	-	-	1	-
	F	2	2	-	-	-	-	-	-	-	-	-
85	Epilepsy—M	3	-	-	2	-	2	-	1	-	-	-
86	Convulsions (under 5 years)—M	2	1	-	-	-	-	-	1	-	-	-
87	Other diseases of nervous system—M	3	-	-	-	-	-	-	3	-	-	-
	F	3	-	1	2	-	2	-	-	-	-	-
89a	Otitis and other diseases of the ear—M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	1	-	-	-	-	-	-	-	-
89b	Diseases of mastoid process—M	3	1	1	-	-	-	-	1	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
	VII.—Diseases of the circulatory system—M	403	41	30	124	10	114	66	92	18	29	3
	F	199	38	20	80	8	72	15	39	1	5	1
90	Pericarditis (except acute rheumatic)—M	1	-	-	1	-	1	-	-	-	-	-
91a,b	Bacterial and other acute or subacute endocarditis—M	2	-	1	-	-	-	1	-	-	-	-
	F	9	-	2	1	-	1	1	2	-	2	1
92a-d	Chronic endocarditis and diseases of the valves*—M	26	4	5	6	1	5	-	7	1	3	-
	F	19	1	4	8	1	7	1	5	-	-	-
92e	Endocarditis (unspecified, 45 years and over)—M	4	-	-	1	-	1	-	1	1	1	-
	F	2	-	1	1	1	-	-	-	-	-	-
93a	Acute myocarditis (except rheumatic)—M	4	-	-	-	-	-	1	2	-	1	-
	F	1	-	-	-	-	-	-	1	-	-	-
93b	Myocarditis (unspecified, under 45 years)—M	1	-	-	-	-	-	-	-	-	1	-

* Refer to complete International List titles, table XI.

TABLE 10—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	Hawaiian	Part-Hawaiian	CAUCASIAN			Chinese	Japanese	Korean	Filipino	All other
					Total	Puerto Rican	Other Caucasian					
	VII.—Diseases of the circulatory system—Con.											
93c,d	Chronic myocarditis and myocardial degeneration—M	206	16	16	55	6	49	44	52	10	11	2
	F	118	27	7	48	5	43	10	22	1	3	-
93e	Other myocarditis (unspecified)—M	10	4	-	3	-	3	-	2	1	-	-
	F	3	2	-	1	-	1	-	-	-	-	-
94a	Diseases of coronary arteries—M	101	14	7	45	2	43	11	10	2	11	1
	F	24	4	2	13	-	13	1	4	-	-	-
94b	Angina pectoris—M	10	-	1	3	-	3	-	6	-	-	-
	F	4	-	1	2	-	2	-	1	-	-	-
95a	Functional diseases of heart, etc.*—M	1	-	-	-	-	-	-	1	-	-	-
95b,c	Other and unspecified diseases of heart—M	15	3	-	4	1	3	1	5	1	1	-
	F	17	4	2	5	1	4	2	4	-	-	-
96	Aneurysm (except of heart and aorta)—M	4	-	-	1	-	1	2	-	1	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)—M	14	-	-	4	-	4	5	4	1	-	-
	F	2	-	1	1	-	1	-	-	-	-	-
98	Gangrene—M	1	-	-	-	-	-	1	-	-	-	-
100	Diseases of veins—M	1	-	-	1	-	1	-	-	-	-	-
102	High blood pressure (idiopathic)—M	2	-	-	-	-	-	-	2	-	-	-
	VIII.—Diseases of the respiratory system—M	116	17	28	18	1	17	10	25	1	16	1
	F	78	12	23	15	3	12	6	17	1	4	-
104a	Diseases of nasal fossae—M	1	1	-	-	-	-	-	-	-	-	-
104b	Diseases of accessory sinuses—M	1	-	-	-	-	-	-	-	-	1	-
106a	Acute bronchitis—M	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-
106b	Chronic bronchitis—M	1	-	1	-	-	-	-	-	-	-	-
106c	Bronchitis (unspecified)—M	1	-	1	-	-	-	-	-	-	-	-
107	Bronchopneumonia (including capillary bronchitis)—M	62	8	18	12	1	11	4	9	1	10	-
	F	43	5	13	11	3	8	3	10	-	1	-
108	Lobar pneumonia—M	32	4	5	5	-	5	4	9	-	4	1
	F	25	5	9	3	-	3	2	4	1	1	-
109	Pneumonia (unspecified)—M	3	1	-	-	-	-	-	1	-	1	-
	F	1	-	-	-	-	-	-	-	-	1	-
110	Pleurisy (not specified as tuberculous)—M	5	-	1	-	-	-	-	4	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs—F	4	1	1	1	-	1	1	-	-	-	-
112	Asthma—M	4	1	1	1	-	1	-	1	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-
114	Other diseases of respiratory system (except tuberculosis)—M	5	2	-	-	-	-	2	1	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-
	IX.—Diseases of the digestive system—M	128	14	15	42	1	41	7	26	2	20	2
	F	49	5	12	11	-	11	2	12	1	5	1
115a,b,d	Diseases of buccal cavity and adnexa—M	4	-	2	2	-	2	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-
115c	Diseases of pharynx and tonsils—M	1	-	-	-	-	-	-	1	-	-	-
	F	3	-	-	1	-	1	-	-	1	1	-
117a	Ulcer of stomach—M	14	3	1	2	-	2	-	6	-	1	1
	F	3	1	-	1	-	1	-	1	-	-	-
117b	Ulcer of duodenum—M	5	-	-	2	-	2	2	1	-	-	-
118	Other diseases of stomach (except cancer)—M	3	-	-	1	-	1	1	1	-	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)—M	22	5	6	2	1	1	-	5	-	4	-
	F	14	1	8	-	-	-	1	-	-	3	1
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)—M	6	-	3	1	-	1	-	-	-	2	-
	F	4	1	-	-	-	-	-	3	-	-	-
121	Appendicitis—M	16	-	-	9	-	9	1	2	-	4	-
	F	4	-	2	-	-	-	-	2	-	-	-
122a	Hernia—M	3	-	-	2	-	2	1	-	-	-	-
	F	1	-	-	1	-	1	-	-	-	-	-
122b	Intestinal obstruction—M	6	-	1	2	-	2	-	2	-	1	-
	F	3	-	-	1	-	1	-	1	-	1	-
123	Other diseases of intestines—M	1	-	-	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-
124a	Cirrhosis of liver (with mention of alcoholism)—M	7	-	-	4	-	4	-	1	2	-	-
124b	Cirrhosis of liver (without mention of alcoholism)—M	21	4	2	6	-	6	2	2	-	4	1
	F	6	1	-	3	-	3	1	1	-	-	-
125a	Acute yellow atrophy of liver (nonpuerperal)—M	3	-	-	2	-	2	-	1	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-
125b	Other diseases of liver—M	4	1	-	1	-	1	-	2	-	-	-
	F	3	-	-	1	-	1	-	2	-	-	-
126	Biliary calculi—M	3	-	-	2	-	2	-	-	-	1	-
	F	2	-	-	1	-	1	-	1	-	-	-
127	Other diseases of gallbladder and biliary ducts—M	6	1	-	1	-	1	-	2	-	2	-
	F	2	-	-	2	-	2	-	-	-	-	-
128	Diseases of pancreas (except diabetes mellitus)—M	1	-	-	-	-	-	-	-	-	1	-
129	Peritonitis (cause not stated)—M	2	-	-	2	-	2	-	-	-	-	-
	X.—Diseases of the genito-urinary system—M	144	18	12	38	1	37	27	36	6	7	-
	F	107	25	17	18	3	15	7	32	1	7	-
130	Acute nephritis—M	1	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	1	-	1	1	-	-	-	-
131a	Arteriosclerotic kidney—M	83	10	9	25	1	24	15	16	5	3	-
	F	63	15	10	8	2	6	5	20	1	4	-
131b	Other chronic nephritis—M	39	6	3	8	-	8	7	15	-	-	-
	F	36	10	6	7	1	6	1	10	-	2	-
132	Nephritis unspecified (10 years and over)—M	1	-	-	-	-	-	1	-	-	-	-
	F	2	-	-	1	-	1	1	-	-	-	-
133	Other diseases of kidneys and ureters, etc.*—M	4	-	-	1	-	1	-	-	1	2	-
	F	3	-	1	-	-	-	-	1	-	1	-
134	Calculi of urinary passages—M	5	-	-	2	-	2	-	2	-	1	-
136	Diseases of urethra (except calculus)—M	1	1	-	-	-	-	-	-	-	-	-
137	Diseases of prostate—M	10	1	-	2	-	2	3	3	-	1	-
139a	Diseases of ovaries, fallopian tubes, and parametria—F	1	-	-	1	-	1	-	-	-	-	-

* Refer to complete International List titles, table XI.

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	Hawaiian	Part-Hawaiian	CAUCASIAN			Chinese	Japanese	Korean	Filipino	All other
					Total	Puerto Rican	Other Caucasian					
	XI.—Diseases of pregnancy, childbirth, and the puerperium—F	24	-	3	8	1	7	3	7	-	3	-
140	Abortion with mention of infection—F	3	-	1	-	-	-	1	1	-	-	-
140a,b	Abortion (septic), spontaneous or therapeutic *—F	2	-	-	-	-	-	1	1	-	-	-
140c,d	Abortion (septic), self-induced or non-therapeutic *—F	1	-	1	-	-	-	-	-	-	-	-
144c,d	Other toxemias of pregnancy (death before delivery) *—F	2	-	-	-	-	-	1	1	-	-	-
145	Other diseases and accidents of pregnancy (death before delivery)—F	1	-	-	-	-	-	-	1	-	-	-
146a	Placenta praevia (with childbirth)—F	1	-	-	1	1	-	-	-	-	-	-
146b,c	Other hemorrhages of childbirth and puerperium—F	4	-	-	-	-	-	1	1	-	2	-
147a,b	Puerperal pyelitis, other general or local puerperal infection* —F	3	-	-	3	-	3	-	-	-	-	-
148a,b	Puerperal eclampsia and nephritis *—F	4	-	1	1	-	1	-	2	-	-	-
148c,d	Other puerperal toxemias—F	2	-	-	2	-	2	-	-	-	-	-
149	Other accidents and specified conditions of childbirth—F	3	-	-	1	-	1	-	1	-	1	-
150	Other and unspecified conditions of childbirth and puerperium—F	1	-	1	-	-	-	-	-	-	-	-
	XII.—Diseases of the skin and cellular tissue—M	2	-	-	-	-	-	-	-	-	2	-
	F	1	-	1	-	-	-	-	-	-	-	-
151	Carbuncle and furuncle—M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	1	-	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue—M	1	-	-	-	-	-	-	-	-	1	-
	XIII.—Diseases of the bones, etc. *—M	2	-	1	-	-	-	-	1	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-
154	Osteomyelitis and periostitis—M	1	-	-	-	-	-	-	1	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)—M	1	-	1	-	-	-	-	-	-	-	-
157	XIV.—Congenital malformations—M	31	1	10	6	-	6	1	10	-	2	1
	F	22	3	3	4	-	4	-	10	-	1	1
	XV.—Diseases peculiar to the first year of life—M	125	4	31	23	1	22	7	31	2	21	6
	F	88	6	32	18	3	15	6	14	3	6	3
158	Congenital debility (cause not stated)—M	3	1	-	-	-	-	-	-	-	2	-
159	Premature birth (cause not stated)—M	72	1	19	16	-	16	4	16	2	13	1
	F	62	4	24	11	1	10	5	9	2	6	1
160a	Intracranial or spinal hemorrhage—M	12	1	3	2	-	2	-	3	-	2	1
	F	2	-	-	1	-	1	-	1	-	-	-
160b,c	Other injuries at birth—M	18	1	.2	4	1	3	1	6	-	3	1
	F	12	1	2	4	2	2	1	2	1	-	1
161	Other diseases peculiar to the first year of life—M	20	-	7	1	-	1	2	6	-	1	3
	F	12	1	6	2	-	2	-	2	-	-	1
162	XVI.—Senility—M	6	2	-	1	-	1	3	-	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-
	XVII.—Violent or accidental deaths—M	2,569	20	32	2,330	5	2,325	14	99	9	37	28
	F	67	5	13	22	3	19	3	21	-	1	2
163,164	Suicide—M	56	1	2	26	1	25	2	14	5	5	1
	F	9	1	-	1	-	1	2	4	-	-	1
163	Suicide by poisoning—M	13	-	1	2	-	2	-	3	4	3	-
	F	4	-	-	1	-	1	-	2	-	-	1
	Suicide by solid or liquid poisons—M	13	-	1	2	-	2	-	3	4	3	-
	F	4	-	-	1	-	1	-	2	-	-	1
164a	Suicide by hanging or strangulation—M	21	-	-	9	1	8	1	8	1	1	1
	F	2	-	-	-	-	-	1	1	-	-	-
164b	Suicide by drowning—M	1	-	-	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-
164c	Suicide by firearms and explosives—M	10	-	-	10	-	10	-	-	-	-	-
164d	Suicide by cutting or piercing instruments—M	5	-	-	2	-	2	-	3	-	-	-
164e	Suicide by jumping from high places—M	5	1	-	2	-	2	1	-	-	1	-
164g	Suicide by other or unspecified means—M	1	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
165-168	Homicide [1]—M	12	2	-	6	-	6	-	2	-	1	1
	F	4	-	1	1	-	1	-	1	-	1	-
166	Homicide by firearms—M	3	-	-	2	-	2	-	-	-	-	1
	F	2	-	-	1	-	1	-	1	-	-	-
167	Homicide by cutting or piercing instruments—M	6	2	-	2	-	2	-	1	-	1	-
	F	2	-	1	-	-	-	-	-	-	1	-
168	Homicide by other means—M	3	-	-	2	-	2	-	1	-	-	-
169-195	Accidental deaths—M	270	16	21	127	4	123	11	63	3	27	2
	F	40	4	9	16	3	13	1	9	-	-	1
169	Railway accidents (except collisions with motor vehicles)—M	1	-	-	1	-	1	-	-	-	-	-
170a	Collisions between automobiles and trains—M	2	-	-	-	-	-	-	1	-	1	-
170c	Automobile accidents (except collisions with trains or streetcars)—M	71	3	7	20	2	18	6	24	-	11	-
	F	10	1	1	4	1	3	-	4	-	-	-
170d	Motorcycle accidents (except collisions with automobiles)—M	8	-	1	7	-	7	-	-	-	-	-
	F	1	-	-	1	1	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents—M	1	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-
172	Water-transport accidents—M	8	-	-	6	-	6	-	1	-	-	1
173	Air-transport accidents—M	39	-	-	39	-	39	-	-	-	-	-
174	Accidents in mines and quarries—M	2	1	1	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table XI.

1 Includes figures for infanticide (165).

TABLE 10.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH AND SEX	Total deaths	Hawaiian	Part-Hawaiian	CAUCASIAN			Chinese	Japanese	Korean	Filipino	All other
					Total	Puerto Rican	Other Caucasian					
	XVII.—Violent or accidental deaths—Con.											
	Accidental deaths—Continued											
175a	Accidents involving agricultural machinery and vehicles—M	1	-	-	-	-	-	-	1	-	-	-
175b,c	Other agricultural accidents—M	2	-	-	-	-	-	-	1	-	1	-
176	Other accidents involving machinery—M	9	2	1	2	-	2	1	2	-	1	-
177	Food poisoning—M	1	-	-	-	-	-	-	-	-	1	-
178	Accidental absorption of poisonous gas—M	1	-	-	1	-	1	-	-	-	-	-
	F	1	-	-	1	-	1	-	-	-	-	-
179	Acute accidental poisoning by solids or liquids—M	5	-	-	1	1	-	1	1	1	1	-
	F	4	-	1	2	1	1	-	1	-	-	-
180	Conflagration—M	1	-	-	1	-	1	-	-	-	-	-
	F	2	-	-	2	-	2	-	-	-	-	-
181	Accidental burns (except conflagration)—M	8	-	-	1	-	1	1	4	-	2	-
	F	2	-	2	-	-	-	-	-	-	-	-
182	Accidental mechanical suffocation—M	5	-	-	2	-	2	-	3	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-
183	Accidental drowning—M	39	2	3	20	1	19	-	9	1	3	1
	F	4	1	-	1	-	1	-	1	-	-	1
184	Accidental injury by firearms—M	9	-	2	6	-	6	1	-	-	-	-
185	Accidental injury by cutting or piercing instruments—M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	1	-	-	-	-	-	-	-	-
186a	Accidental injury by fall—M	26	4	1	10	-	10	1	8	-	2	-
	F	10	-	3	4	-	4	1	2	-	-	-
186b	Accidental injury by crushing—M	3	1	-	1	-	1	-	1	-	-	-
188	Injury by animals (except in agriculture and forestry)—M	1	-	1	-	-	-	-	-	-	-	-
189	Hunger or thirst—F	1	1	-	-	-	-	-	-	-	-	-
191	Excessive heat—M	1	-	-	1	-	1	-	-	-	-	-
193	Accidents due to electric currents (except lightning)—M	3	-	-	3	-	3	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention—M	1	-	-	-	-	-	-	-	-	1	-
195d	Obstruction, suffocation, or puncture by ingested objects—M	3	-	1	1	-	1	-	1	-	-	-
	F	1	-	-	1	-	1	-	-	-	-	-
195c,e	Other and unspecified accidents—M	18	3	3	4	-	4	-	5	1	2	-
196	Deaths of military personnel during operations of war—M	2,186	-	-	2,162	-	2,162	-	1	-	-	23
197	Deaths of civilians due to operations of war—M	43	1	9	9	-	9	1	19	1	2	1
	F	14	-	3	4	-	4	-	7	-	-	-
198	Legal executions—M	2	-	-	-	-	-	-	-	-	2	-
	XVIII.—Ill-defined and unknown causes—M	6	2	-	1	-	1	-	1	-	2	-
	F	2	-	2	-	-	-	-	-	-	-	-
199	Sudden death—M	2	-	-	1	-	1	-	-	-	1	-
200a	Ill-defined—F	1	-	1	-	-	-	-	-	-	-	-
200b	Found dead (cause unknown)—M	2	2	-	-	-	-	-	-	-	-	-
200c	Unknown or unspecified—M	2	-	-	-	-	-	-	1	-	1	-
	F	1	-	1	-	-	-	-	-	-	-	-

TABLE 11.—DEATHS FROM SELECTED CAUSES, BY AGE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39
All causes	5,351	408	58	28	18	10	522	56	51	488	1,379	488	222	219
Typhoid and paratyphoid fever—1,2	5	-	-	-	-	-	-	-	1	-	1	1	1	1
Cerebrospinal (meningococcus) meningitis—6	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough—9	9	6	2	1	-	-	9	-	-	-	-	-	-	-
Diphtheria—10	2	-	1	-	-	-	1	1	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	239	-	2	-	-	-	2	1	5	14	20	31	21	24
Tuberculosis (other forms)—14-22	20	1	1	2	1	-	5	2	-	1	2	2	3	-
Dysentery—27	2	-	1	-	-	-	1	1	-	-	-	-	-	-
Syphilis—30	55	2	-	1	-	-	3	-	-	-	-	2	1	4
Influenza—33	12	3	1	-	-	-	4	-	-	-	1	1	1	1
Measles—35	5	3	2	-	-	-	5	-	-	-	-	-	-	-
Poliomyelitis and polioencephalitis (acute)—36	5	-	-	-	-	-	-	2	-	-	1	1	1	-
Cancer of digestive organs and peritoneum—46	180	-	-	-	-	1	1	-	-	-	3	2	3	9
Cancer of female genital organs—48,49	27	-	-	-	-	-	-	-	-	-	-	1	2	1
Cancer of breast—50	15	-	-	-	-	-	-	-	-	-	-	-	1	-
Cancer (other sites)—45,47,51-55	109	-	1	-	-	1	2	5	4	2	-	2	3	6
Acute rheumatic fever—58	3	-	-	-	-	-	-	-	-	3	-	-	-	-
Diabetes mellitus—61	86	-	-	-	-	-	-	-	-	-	1	-	3	4
Exophthalmic goiter—63b	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Alcoholism (ethylism)—77	5	-	-	-	-	-	-	-	-	-	-	-	1	1
Intracranial lesions of vascular origin—83	231	-	-	-	-	-	-	-	1	1	2	1	3	6
Other diseases of nervous system, etc.*—80-82,84-88	33	2	4	3	-	1	10	2	3	4	-	1	-	3
Diseases of ear, nose, and throat—89,104,115	17	3	1	1	1	-	6	2	1	1	2	1	-	1
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	32	-	-	-	-	-	-	2	4	2	-	4	3	2
Diseases of coronary arteries and angina pectoris—94	139	-	-	-	-	-	-	-	-	-	1	5	9	10
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	407	2	1	-	-	1	4	2	5	3	1	9	6	7
Pneumonia (all forms)—107-109	166	57	17	5	5	1	85	8	4	3	6	1	4	2
Ulcer of stomach or duodenum—117	22	-	-	-	-	-	-	-	-	-	2	2	1	2
Diarrhea, enteritis, etc.*—119,120	46	29	7	2	-	-	38	3	-	-	-	1	2	-
Appendicitis—121	20	-	-	-	-	-	-	2	1	1	6	3	2	-
Hernia and intestinal obstruction—122	13	2	-	-	-	-	2	-	-	-	1	-	2	1
Cirrhosis of liver—124	34	1	-	-	-	-	1	-	-	-	-	-	2	2
Biliary calculi, etc.*—126,127	13	-	-	-	-	-	-	-	-	-	-	-	-	1
Nephritis—130-132	227	-	-	2	1	-	3	4	-	4	3	4	6	13
Diseases of prostate—137	10	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal septicemia—140,142a,147	6	-	-	-	-	-	-	-	-	1	3	1	1	-
Puerperal toxemias—141a,c,144,148	8	-	-	-	-	-	-	-	-	1	-	4	1	1
Other puerperal causes-141b,d,e,f,142b,143,145,146,149,150	10	-	-	-	-	-	-	-	-	2	3	2	-	2
Congenital malformations—157	53	39	4	2	-	-	45	3	2	2	-	-	-	1
Premature birth—159	134	134	...	...	...	...	134	...	...	...	...	...	...	...
Suicide—163,164	65	-	-	-	-	-	-	-	-	5	4	9	10	3
Homicide—165-168	16	-	-	-	-	-	-	1	2	-	3	3	2	3
Motor-vehicle accidents—170	92	2	2	1	4	2	11	1	4	8	20	16	6	7
Other accidents—169,171-195	218	10	5	3	4	3	25	5	6	20	35	37	14	14
All other causes*	2,558	112	5	5	2	-	124	9	8	410	1,257	341	107	87

CAUSE OF DEATH	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
All causes	194	177	211	211	231	310	227	161	113	49	15	8	3	16
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	14	20	17	26	14	14	9	6	-	-	1	-	-	-
Tuberculosis (other forms)—14-22	-	3	-	-	2	-	-	-	-	-	-	-	-	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	5	2	5	8	8	8	7	1	1	-	-	-	-	-
Influenza—33	-	-	1	-	1	-	2	-	-	-	-	-	-	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis and polioencephalitis (acute)—36	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer of digestive organs and peritoneum—46	6	10	20	21	32	30	23	13	6	-	1	-	-	-
Cancer of female genital organs—48,49	6	2	5	1	2	4	1	-	2	-	-	-	-	-
Cancer of breast—50	1	2	-	2	1	5	-	2	1	-	-	-	-	-
Cancer (other sites)—45,47,51-55	4	8	11	11	11	14	13	8	4	1	-	-	-	-
Acute rheumatic fever—58	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus—61	-	5	7	12	9	22	12	4	5	2	-	-	-	-
Exophthalmic goiter—63b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	-	-	-	-	3	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	10	17	21	25	33	44	29	20	14	2	1	-	-	1
Other diseases of nervous system, etc.*—80-82,84-88	-	1	1	3	3	1	1	-	-	-	-	-	-	-
Diseases of ear, nose, and throat—89,104,115	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	1	4	4	2	-	-	2	1	1	-	-	-	-	-
Diseases of coronary arteries and angina pectoris—94	11	14	14	12	15	20	9	12	5	1	1	-	-	-
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	9	18	19	33	41	71	51	54	35	27	6	5	1	-
Pneumonia (all forms)—107-109	-	4	6	2	4	18	7	4	2	3	2	1	-	-
Ulcer of stomach or duodenum—117	3	-	2	5	2	2	1	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119,120	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Appendicitis—121	2	2	1	-	-	-	-	-	-	-	-	-	-	-
Hernia and intestinal obstruction—122	2	-	1	1	1	1	1	-	-	-	-	-	-	-
Cirrhosis of liver—124	3	3	10	5	2	2	4	-	-	-	-	-	-	-
Biliary calculi, etc.*—126,127	2	2	2	2	-	1	1	1	1	-	-	-	-	-
Nephritis—130-132	14	15	20	20	21	25	31	18	18	6	1	-	1	-
Diseases of prostate—137	-	-	-	1	1	1	5	-	1	1	-	-	-	-
Puerperal septicemia—140,142a,147	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal toxemias—141a,c,144,148	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other puerperal causes-141b,d,e,f,142b,143,145,146,149,150	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth—159	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide—163,164	5	5	7	5	3	5	3	1	-	-	-	-	-	-
Homicide—165-168	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Motor-vehicle accidents—170	3	3	2	-	6	2	1	1	-	1	-	-	-	-
Other accidents—169,171-195	21	9	5	6	5	3	3	3	3	2	1	-	-	1
All other causes*	70	28	28	7	11	15	10	12	13	3	1	2	1	14

*Refer to complete International List titles, table XI.

TABLE 12.—DEATHS FROM SELECTED CAUSES, BY MONTH: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	5,351	264	241	291	264	253	217	273	223	234	257	271	2,563
Typhoid and paratyphoid fever—1,2	5	1	-	-	1	1	-	-	1	1	-	-	-
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough—9	9	-	1	1	-	1	1	1	2	-	-	-	2
Diphtheria—10	2	-	-	-	2	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system, etc.*—13	239	16	17	22	13	23	15	19	28	18	19	26	23
Tuberculosis (other forms)—14-22	20	2	4	-	1	2	-	1	2	2	1	1	4
Dysentery—27	2	-	-	-	-	-	-	-	-	-	-	2	-
Syphilis—30	55	3	7	8	4	3	5	4	2	6	3	3	7
Influenza—33	12	2	1	1	-	1	1	-	2	2	-	-	2
Measles—35	5	1	-	3	1	-	-	-	-	-	-	-	-
Poliomyelitis and polioencephalitis (acute)—36	5	-	1	-	-	-	-	-	-	-	2	1	1
Cancer of digestive organs and peritoneum—46	180	15	21	18	13	21	9	17	8	12	15	13	18
Cancer of female genital organs—48,49	27	3	4	-	2	3	3	3	3	2	-	1	3
Cancer of breast—50	15	2	1	2	-	1	2	1	2	1	2	1	-
Cancer (other sites)—45,47,51-55	109	9	9	9	8	13	4	11	7	9	10	9	11
Acute rheumatic fever—58	3	1	-	-	1	-	-	-	-	-	-	-	1
Diabetes mellitus—61	86	3	6	4	8	9	5	11	6	9	12	5	8
Exophthalmic goiter—63b	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	5	2	1	1	-	-	-	-	-	-	-	-	1
Intracranial lesions of vascular origin—83	231	21	15	22	20	22	14	22	9	22	24	17	23
Other diseases of nervous system, etc.*—80-82,84-88	33	3	3	2	3	1	2	1	-	3	5	4	6
Diseases of ear, nose, and throat—89,104,115	17	-	2	1	2	1	2	2	1	1	1	1	3
Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	32	3	4	2	6	2	2	3	1	4	-	2	3
Diseases of coronary arteries and angina pectoris—94	139	11	10	9	14	17	13	16	7	3	11	10	18
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	407	39	33	32	31	26	22	32	38	26	33	47	48
Pneumonia (all forms)—107-109	168	24	11	24	18	9	8	10	6	13	11	17	15
Ulcer of stomach or duodenum—117	22	2	2	2	3	2	1	3	1	3	1	2	-
Diarrhea, enteritis, etc.*—119,120	46	4	2	5	10	8	2	3	4	-	2	2	4
Appendicitis—121	20	1	2	1	2	2	-	5	1	1	2	2	1
Hernia and intestinal obstruction—122	13	2	1	-	-	2	2	2	1	2	1	-	-
Cirrhosis of liver—124	34	4	4	3	2	4	1	3	3	2	4	3	1
Biliary calculi, etc.*—126,127	13	1	-	1	-	1	2	-	3	2	-	-	3
Nephritis—130-132	227	22	15	26	25	12	13	17	14	19	24	17	23
Diseases of prostate—137	10	1	1	1	1	-	1	-	-	3	-	-	2
Puerperal septicemia—140,142a,147	6	-	-	1	1	1	1	-	2	-	-	-	-
Puerperal toxemias—141a,c,144,148	8	-	1	-	-	-	1	2	1	1	-	-	2
Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	10	1	-	1	1	-	2	-	1	2	2	-	-
Congenital malformations—157	53	8	2	6	4	1	7	6	4	2	8	1	4
Premature birth—159	134	9	13	15	8	8	7	10	4	14	13	17	16
Suicide—163,164	65	3	8	5	8	5	4	8	4	6	3	5	6
Homicide—165-168	16	1	-	-	2	-	5	2	1	2	1	1	1
Motor-vehicle accidents—170	92	3	7	6	9	8	9	9	13	3	7	12	6
Other accidents—169,171-195	218	13	12	21	25	21	20	20	14	16	12	22	22
All other causes*	2,558	28	20	35	15	22	31	29	27	22	28	27	2,274

* Refer to complete International List titles, table XI.

TABLE 13.—DEATHS UNDER 1 YEAR FROM SELECTED CAUSES, BY AGE: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1941

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3-6 days	1 wk.	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	408	136	36	25	21	22	5	8	253	26	14	19	17	17	16	13	7	8	8	10
Whooping cough—9	6	-	-	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	1
Tuberculosis (other forms)—15-22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Septicemia and purulent infection—24	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Syphilis—30	2	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Influenza—33	3	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
Measles—35	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-
Other infectious and parasitic diseases—1-5,7,23,25,26,29,31,32,34,36-44	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Diseases of thymus gland—64	9	1	1	1	-	-	-	-	3	-	1	-	-	1	-	-	1	1	-	2
Hemorrhagic conditions—72	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of circulatory system—90-103	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1
Pneumonia (all forms)—107-109	57	-	-	2	-	-	1	3	10	2	7	7	4	8	8	3	-	2	3	
Other diseases of respiratory system—104-106,110-114	5	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	1	-	-
Diseases of buccal cavity, etc.*—115	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	29	-	-	-	1	2	2	5	2	3	4	2	4	2	-	2	2	2	1	
Hernia—122a	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other diseases, digestive sys.—116,121,123-128	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases, genito-urinary sys.—130,131,133-139	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Diseases of skin and cellular tissue—151-153	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Congenital malformations—157	39	7	4	2	5	8	1	1	28	-	1	2	3	3	1	-	-	1	-	-
Congenital debility—158	3	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Premature birth—159	134	86	19	9	7	6	2	1	130	3	-	-	-	1	-	-	-	-	-	-
Injury at birth—160	44	26	8	8	-	1	-	-	43	-	-	-	-	-	1	-	-	-	-	-
Other diseases peculiar to first year—161	32	13	4	5	4	1	-	-	27	4	1	-	-	-	-	-	-	-	-	-
Accidental mechanical suffocation—182	4	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
Other violence or accident—166-181,183-195	8	-	-	-	1	1	-	-	2	-	-	-	1	1	-	-	-	2	-	2
Ill-defined and unknown causes—199,200	4	1	-	-	-	2	-	-	3	-	-	-	-	-	-	1	-	-	-	-
All other causes*	6	-	-	-	-	-	-	1	1	-	2	-	1	-	1	-	1	-	-	-

* Refer to complete International List titles, table XI.

TABLE 14.—INFANT MORTALITY RATES (NUMBER OF DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FOR SELECTED CAUSES: TERRITORY OF HAWAII AND ITS SUBDIVISIONS, 1931-1941

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	1941	1940	1939	1938	1937	1936	1935	1934	1933	1932	1931
All causes	40.3	44.7	52.5	58.6	68.9	73.1	67.6	75.3	72.1	76.1	76.1
Cerebrospinal (meningococcus) meningitis—6	0	0.2	0	0.1	0	0.1	0.1	0	0	0.2	0.1
Whooping cough—9	0.6	0.7	2.2	1.8	0.9	0.3	1.1	4.2	2.8	0	0.1
Diphtheria—10	0	0	0.2	0	0	0	0	0	0.2	0.4	0.1
Erysipelas—11	0	0	0.1	0.1	0.1	0.1	0.3	0.1	0.4	0.2	0.2
Tetanus—12	0	0	0.1	0	0	0.1	0	0.1	0.3	0.4	0.6
Tuberculosis of respiratory system, etc.* —13	0	0.2	0	0	0	0.3	0.1	0.2	0.1	0.2	0.2
Tuberculosis of meninges, etc.* —14	0	0	0.1	0.3	0.1	0	0.4	0.3	0.3	0.1	0.2
Tuberculosis (other forms)—15-22	0.1	0	0	0	0.2	0	0.1	0.3	0.1	0.2	0
Dysentery—27	0	0	0	0	0	0	0	0.1	0.2	0	0.3
Syphilis—30	0.2	0.1	0.6	0.7	0.2	0.9	1.0	0.8	0.6	0.8	1.3
Influenza—33	0.3	1.1	0.3	1.0	1.8	2.0	1.7	1.4	0.6	0.4	0.6
Measles—35	0.3	0	0	0	8.1	0.7	0	0.1	0.2	0.6	1.3
Convulsions—86	0.1	0	0.1	0.1	0.1	0	0.3	0.2	0.5	1.4	0.5
Pneumonia (all forms)—107-109	5.6	7.8	10.2	15.6	19.4	17.9	13.4	18.1	16.6	16.7	15.0
Other diseases of respiratory system[1]—104-106,110-114	0.5	0.4	1.4	0.8	1.0	1.2	1.0	1.2	1.6	2.0	1.4
Diseases of stomach—117,118	0	0.2	0.1	0	0	0	0.1	0	0.1	0.1	0
Diarrhea, enteritis, etc.* —119	2.9	2.2	3.9	4.4	6.7	8.0	7.2	10.4	11.6	14.1	15.1
Intestinal obstruction—122b	0.1	0.6	0.4	0.3	0.6	0.5	0.3	0.4	0.2	0.3	0.9
Congenital malformations—157	3.9	4.6	3.7	4.0	5.5	6.6	5.3	4.9	5.1	5.1	5.4
Premature birth—159	13.2	14.1	14.8	13.9	12.6	16.1	16.2	14.4	13.7	13.0	14.6
Injury at birth—160	4.3	4.4	4.6	4.5	3.2	3.0	3.8	4.0	5.2	4.1	4.0
Congenital debility, other diseases peculiar to first year[2] —158,161	3.5	3.4	3.3	3.9	3.8	4.5	4.8	3.6	4.4	5.7	5.6
Other violence or accident—166-181,183-195	0.8	0.4	1.0	0.4	0.6	1.2	1.0	0.9	0.7	0.7	1.1
Ill-defined and unknown causes—199,200	0.4	0.2	0.1	0	0	0.1	0	0.2	0	0.1	0
All other causes*	3.6	4.0	5.1	6.7	6.1	9.2	9.4	9.4	6.5	9.4	7.6

* Refer to complete International List titles, table XI.
[1] Previous to 1939 rates are for bronchitis only.
[2] Previous to 1939 rates are for deaths under 3 months only.

PUERTO RICO

TABLE 1.—ENUMERATED POPULATION BY RACE, SEX, AND POPULATION-SIZE GROUPS: PUERTO RICO, 1940

AREA AND SEX	Total	White	All other races	AREA AND SEX	Total	White	All other races
Puerto Rico	1,869,255	1,430,744	438,511	Cities of 2,500 to 10,000	170,129	128,901	41,228
				Male	79,709	60,009	19,700
Male	938,280	718,398	219,882	Female	90,420	68,892	21,528
Female	930,975	712,346	218,629				
				Rural	1,302,898	1,014,713	288,185
Cities of 10,000 or more	396,228	287,130	109,098	Male	673,608	523,231	150,377
Male	184,963	135,158	49,805	Female	629,290	491,482	137,808
Female	211,265	151,972	59,293				

TABLE 2.—DEATHS BY MONTH, RACE, AND POPULATION-SIZE GROUPS: PUERTO RICO, 1941

(Exclusive of stillbirths)

AREA AND RACE		Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	Total	35,492	2,882	2,713	2,916	2,940	3,223	3,449	3,331	2,979	2,770	2,841	2,587	2,861
	White	27,501	2,208	2,053	2,253	2,261	2,488	2,699	2,593	2,320	2,159	2,214	2,028	2,225
	All other	7,991	674	660	663	679	735	750	738	659	611	627	559	636
Cities of 10,000 or more	White	6,748	518	492	581	595	686	668	596	542	508	507	480	575
	All other	2,336	166	187	178	204	203	224	225	196	186	192	166	209
Cities of 2,500 to 10,000	White	2,563	199	213	217	207	241	250	234	225	204	173	204	196
	All other	895	67	81	93	74	88	80	74	75	71	67	67	58
Rural	White	18,190	1,491	1,348	1,455	1,459	1,561	1,781	1,763	1,553	1,447	1,534	1,344	1,454
	All other	4,760	441	392	392	401	444	446	439	388	354	368	326	369
Cities of 10,000 or more														
Aguadilla	White	226	14	18	18	23	17	20	31	15	21	19	19	11
	All other	46	-	5	-	8	6	4	4	3	1	7	6	2
Arecibo	White	354	26	30	26	26	25	31	35	20	36	39	28	32
	All other	86	11	4	10	6	6	9	5	7	9	7	5	7
Bayamon	White	377	36	18	26	29	39	30	34	33	30	35	36	31
	All other	106	5	11	11	8	11	12	15	5	6	6	7	9
Caguas	White	372	30	46	27	26	18	48	37	30	32	32	18	28
	All other	185	12	17	16	15	15	17	21	14	11	22	9	16
Guayama	White	250	20	13	29	19	19	27	22	17	22	25	20	17
	All other	132	13	11	12	12	8	11	13	10	12	6	9	15
Mayaguez	White	931	58	68	77	82	105	94	80	82	70	71	61	83
	All other	211	15	24	15	24	15	18	25	14	7	19	15	20
Ponce	White	1,229	89	83	107	109	152	121	112	95	94	77	75	115
	All other	301	17	22	20	25	35	26	41	31	27	9	19	29
Rio Piedras	White	678	52	42	60	53	54	53	58	69	55	52	68	62
	All other	347	26	25	20	26	18	33	27	38	25	32	37	40
San Juan	White	2,331	193	174	211	228	257	244	187	181	148	157	155	196
	All other	922	67	68	74	80	89	94	74	74	88	84	59	71

TABLE 3.—DEATHS BY AGE, RACE, AND POPULATION-SIZE GROUPS: PUERTO RICO, 1941

(Exclusive of stillbirths)

AREA AND RACE	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
Puerto Rico—Total	35,492	8,846	3,137	2,138	1,132	732	1,464	653	1,002	1,792	1,586	1,174	1,243	1,113	1,097	1,098	858	1,081	1,167	1,144	756	865	578	387	236	202	11
White	27,501	7,355	2,507	1,701	904	579	1,122	500	773	1,316	1,173	864	901	807	793	802	610	802	871	877	608	663	420	268	156	119	10
Other	7,991	1,491	630	437	228	153	342	153	229	476	413	310	342	306	304	296	248	279	296	267	148	202	158	119	80	83	1
Cities of 10,000 or more—White	6,748	1,845	406	246	101	86	146	93	207	433	385	277	304	258	276	247	190	214	260	246	167	140	105	59	36	16	5
Other	2,336	432	118	59	38	26	64	35	76	178	156	106	137	115	116	110	94	79	97	68	57	51	45	30	24	26	1
Cities of 2,500 to 10,000—White	2,563	724	212	128	69	42	80	43	67	99	111	82	85	73	81	79	55	93	102	84	69	84	47	27	17	10	-
Other	895	175	53	40	25	14	40	12	15	32	47	35	43	40	43	31	31	39	31	38	21	37	12	22	7	12	-
Rural—White	18,190	4,786	1,889	1,327	734	451	896	364	499	784	677	505	512	476	436	476	365	495	509	547	372	439	268	182	103	93	5
Other	4,760	884	459	338	165	113	238	106	138	268	210	169	162	151	145	155	123	161	168	161	70	114	101	67	49	45	-
Cities of 10,000 or more																											
Aguadilla—White	226	50	18	16	4	2	6	2	6	16	14	10	11	7	7	7	6	5	5	12	11	5	4	-	2	-	-
Other	46	7	2	1	1	1	1	1	2	5	3	2	2	2	2	3	3	3	1	-	-	2	-	1	-	1	-
Arecibo—White	354	92	19	18	9	4	13	1	7	20	18	16	16	15	15	13	6	12	13	12	8	10	9	3	4	-	1
Other	86	12	5	-	1	2	2	1	3	7	4	1	9	3	2	5	6	6	3	2	3	2	2	1	1	3	-
Bayamon—White	377	107	23	16	6	4	9	12	10	25	20	11	19	10	15	15	11	16	14	10	7	4	7	4	2	-	-
Other	106	23	7	3	2	-	3	2	2	7	10	6	9	6	5	4	3	3	3	-	2	3	1	1	-	1	-
Caguas—White	372	89	25	15	6	6	9	2	13	31	20	16	13	17	20	11	8	11	15	14	6	9	8	6	2	-	-
Other	185	26	12	8	3	3	5	2	5	19	10	9	9	13	9	7	5	4	17	5	2	4	4	3	1	-	-
Guayama—White	250	65	19	14	9	9	9	4	5	18	20	9	8	2	4	8	7	4	4	6	6	7	7	3	2	1	-
Other	132	25	8	6	5	2	5	5	-	8	7	6	5	5	8	7	2	5	4	3	2	5	3	2	2	2	-
Mayaguez—White	931	240	70	38	21	17	23	13	28	51	48	29	36	36	41	36	21	34	49	31	25	12	15	8	7	2	-
Other	211	22	6	2	5	3	3	3	8	15	18	14	15	12	8	9	12	7	11	9	7	6	4	2	4	6	-
Ponce—White	1,229	313	76	50	21	12	15	20	35	74	71	54	54	50	37	51	45	37	51	54	31	30	19	16	7	6	-
Other	301	36	16	2	1	4	5	7	12	17	12	11	22	17	21	23	17	11	16	7	9	7	10	9	3	6	-
Rio Piedras—White	678	89	17	12	5	6	7	14	37	92	72	43	39	47	44	35	22	20	16	19	12	12	9	5	2	1	1
Other	347	57	23	11	10	5	13	4	15	30	30	28	26	15	17	12	8	8	4	8	3	4	5	3	7	1	-
San Juan—White	2,331	800	139	67	20	28	55	25	66	106	102	89	108	74	93	71	64	75	93	88	61	51	27	14	8	6	3
Other	922	224	39	26	10	6	27	10	29	68	62	29	40	42	44	40	38	32	38	34	29	18	16	8	6	6	1

535906 O - 43 - 16

TABLE 4.—DEATHS FROM SELECTED CAUSES, BY RACE AND POPULATION-SIZE GROUPS:

(Exclusive of stillbirths. Numbers after causes of death are

	CAUSE OF DEATH	PUERTO RICO		White	All other races	CITIES OF 10,000 OR MORE		CITIES OF 2,500 TO 10,000		RURAL	
		Total deaths	Total death rate[1]			White	All other races	White	All other races	White	All other races
1	All causes	35,492	1,857.0	27,501	7,991	6,748	2,336	2,563	895	18,190	4,760
2	Typhoid and paratyphoid fever—1,2	57	3.0	44	13	23	7	-	3	21	3
3	Cerebrospinal (meningococcus) meningitis—6	8	0.4	8	-	4	-	2	-	2	-
4	Scarlet fever—8	2	0.1	2	-	-	-	-	-	2	-
5	Whooping cough—9	293	15.3	240	53	20	8	24	8	196	37
6	Diphtheria—10	60	3.1	51	9	13	4	9	1	29	4
7	Tuberculosis of respiratory system, etc.*—13	4,493	235.1	3,330	1,163	1,191	411	301	141	1,838	611
8	Tuberculosis (other forms)—14-22	139	7.3	110	29	59	11	12	4	39	14
9	Dysentery—27	219	11.5	181	38	52	12	18	7	111	19
10	Malaria—28	2,348	122.8	1,711	637	327	120	152	45	1,232	472
11	Syphilis—30	488	25.5	364	124	120	54	50	11	194	59
12	Influenza—33	250	13.1	201	49	21	8	15	5	165	36
13	Measles—35	203	10.6	177	26	24	1	15	2	138	23
14	Poliomyelitis and policencephalitis (acute)—36	3	0.2	2	1	1	1	-	-	1	-
15	Cancer of digestive organs and peritoneum—46	503	26.3	391	112	132	40	46	20	213	52
16	Cancer of female genital organs—48,49	239	12.5	190	49	62	14	27	5	101	30
17	Cancer of breast—50	33	1.7	28	5	11	3	5	-	12	2
18	Cancer (other sites)—45,47,51-55	247	12.9	202	45	93	20	28	6	81	19
19	Acute rheumatic fever—58	21	1.1	13	8	6	2	-	1	7	5
20	Diabetes mellitus—61	91	4.8	68	23	37	11	5	4	26	8
21	Exophthalmic goiter—63b	3	0.2	3	-	3	-	-	-	-	-
22	Pellagra (except alcoholic)—69	35	1.8	24	11	4	3	-	-	20	8
23	Alcoholism (ethylism)—77	59	3.1	47	12	22	6	13	3	12	3
24	Intracranial lesions of vascular origin—83	630	33.0	443	187	154	75	62	28	227	84
25	Other diseases of nervous system, etc.*—80-82,84-88	326	17.1	267	59	72	19	34	4	161	36
26	Diseases of ear, nose, and throat—89,104,115	68	3.6	51	17	25	7	3	2	23	8
27	Chronic rheumatic diseases of heart—90a,92b,c,93c,95b	125	6.5	87	38	15	14	13	4	59	20
28	Diseases of coronary arteries and angina pectoris—94	317	16.6	229	88	93	26	32	14	104	48
29	Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,795	93.9	1,350	445	339	153	158	58	853	234
30	Pneumonia (all forms)—107-109	3,061	160.2	2,428	633	507	178	187	70	1,734	385
31	Ulcer of stomach or duodenum—117	96	5.0	73	23	20	8	7	1	46	14
32	Diarrhea, enteritis, etc.*—119,120	7,972	417.1	6,407	1,565	1,407	388	576	181	4,424	996
33	Appendicitis—121	67	3.5	51	16	18	8	6	4	27	4
34	Hernia and intestinal obstruction—122	120	6.3	87	33	34	9	12	3	41	21
35	Cirrhosis of liver—124	205	10.7	159	46	48	16	25	8	86	22
36	Biliary calculi, etc.*—126,127	22	1.2	16	6	6	3	5	-	5	3
37	Nephritis—130-132	2,054	107.5	1,526	528	312	162	118	45	1,096	321
38	Diseases of prostate—137	17	0.9	15	2	6	-	4	1	5	1
39	Puerperal septicemia—140,142a,147	115	6.0	91	24	25	12	5	-	61	12
40	Puerperal toxemias—141a,c,144,148	118	6.2	83	35	14	9	6	5	63	21
41	Other puerperal causes—141b,d,e,f,142b,143,145,146,149,150	157	8.2	120	37	25	10	9	3	86	24
42	Congenital malformations—157	166	8.7	151	15	53	4	18	-	80	11
43	Premature birth—159	371	19.4	303	68	74	20	40	9	189	39
44	Suicide—163,164	533	27.9	413	120	128	50	30	16	255	54
45	Homicide—165-168	300	15.7	190	110	54	44	20	9	116	57
46	Motor-vehicle accidents—170	261	13.7	191	70	60	29	19	5	112	36
47	Other accidents—169,171-195	474	24.8	352	122	112	47	22	13	218	62
48	All other causes*	6,328	331.1	5,031	1,297	922	309	430	146	3,679	842

*Refer to complete International List titles, table XI.
[1] Per 100,000 population (1,911,290) estimated as of July 1, 1941.

PUERTO RICO AND EACH CITY HAVING A POPULATION OF 10,000 OR MORE, 1941

those of the 1938 revision of the detailed International List)

CITIES OF 10,000 OR MORE																		
Aguadilla		Arecibo		Bayamon		Caguas		Guayama		Mayaguez		Ponce		Rio Piedras		San Juan		
White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	White	All other races	
226	46	354	86	377	106	372	185	250	132	931	211	1,229	301	678	347	2,331	922	1
-	-	1	-	1	-	1	-	2	-	-	-	10	-	-	-	8	7	2
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	2	-	2	-	3	1	1	-	1	-	4	-	-	3	7	4	5
1	-	1	-	1	-	-	1	-	1	-	-	4	1	-	1	8	-	6
42	14	49	11	38	14	81	48	46	20	180	46	211	46	292	100	252	112	7
4	-	3	-	9	-	3	1	3	-	10	1	2	-	1	1	24	8	8
1	-	1	-	7	2	1	-	2	3	2	-	7	-	4	2	27	5	9
17	1	10	4	14	4	6	7	29	21	39	7	166	39	6	11	40	26	10
1	2	7	2	10	1	4	1	2	1	4	3	24	9	24	9	44	26	11
-	-	1	-	1	1	3	-	2	-	6	1	-	-	5	3	3	3	12
7	-	-	1	-	-	1	-	1	-	2	-	5	-	1	-	7	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	14
5	-	10	4	11	-	4	2	2	2	12	3	27	10	5	5	56	14	15
1	-	4	1	4	-	3	-	1	2	6	1	14	3	3	-	26	7	16
1	-	1	1	1	-	-	-	-	-	-	1	1	-	2	-	5	1	17
3	-	3	-	8	-	4	-	1	-	7	3	20	4	9	2	38	11	18
-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	1	1	19
2	-	3	-	1	1	-	1	-	2	4	1	11	1	3	-	13	5	20
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	21
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	2	22
1	-	2	-	-	-	2	2	2	2	2	-	3	-	2	-	8	2	23
-	1	4	1	11	2	15	13	2	1	22	6	25	19	8	8	67	24	24
4	-	7	1	7	1	3	1	2	3	10	-	5	2	5	1	29	10	25
-	-	1	-	3	1	-	1	-	-	2	-	8	-	1	-	10	5	26
-	-	-	-	-	1	2	2	-	2	1	2	1	-	3	-	8	7	27
3	-	8	4	9	1	3	1	1	3	11	2	18	4	3	4	37	7	28
10	1	32	10	15	10	13	7	10	4	49	11	77	34	26	4	107	72	29
8	1	24	6	38	10	13	6	26	11	92	22	65	22	12	18	229	82	30
-	-	1	1	1	-	2	-	1	2	2	-	2	1	-	1	11	3	31
56	8	73	12	64	20	110	33	55	15	164	20	222	31	114	87	549	162	32
1	-	2	-	1	1	-	-	-	1	3	1	4	-	2	1	5	4	33
1	-	1	-	3	-	2	-	-	1	4	1	7	2	2	-	14	5	34
3	1	-	-	5	1	-	1	3	1	8	4	8	1	5	1	16	6	35
-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	3	1	36
2	3	17	5	16	7	17	12	9	12	90	26	40	14	21	19	100	64	37
-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	3	-	38
-	-	-	-	2	2	3	2	-	1	2	-	2	-	2	2	14	5	39
-	-	1	-	-	1	-	-	1	-	1	-	-	-	2	-	9	8	40
-	-	-	-	4	1	1	1	1	1	2	2	7	1	1	-	9	4	41
1	-	1	-	9	-	1	-	1	-	1	1	1	2	8	1	30	-	42
4	1	10	1	4	4	-	2	3	3	1	-	15	-	5	1	32	8	43
5	1	10	3	3	1	13	11	6	3	11	2	22	6	12	8	46	15	44
2	1	3	2	1	3	3	3	1	-	6	4	12	4	5	2	21	25	45
2	-	1	-	7	5	2	-	1	-	4	1	9	6	8	3	26	14	46
8	1	6	1	11	3	3	1	1	1	6	2	9	6	12	6	56	26	47
30	10	54	15	53	8	49	24	30	13	161	36	154	31	63	41	328	131	48

TABLE 5.—DEATHS FROM SELECTED CAUSES,

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the

	CAUSE OF DEATH	Total deaths	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14
1	All causes (white)	27,501	7,355	2,507	1,701	904	579	13,046	1,122	500
2	Typhoid and paratyphoid fever 1,2	44	1	-	1	1	-	3	3	3
3	Cerebrospinal (meningococcus) meningitis 6	8	2	4	-	-	-	6	1	1
4	Scarlet fever 8	2	-	1	1	-	-	2	-	-
5	Whooping cough 9	240	125	50	24	20	9	228	12	-
6	Diphtheria 10	51	11	15	17	3	1	47	3	-
7	Tuberculosis of respiratory system, etc.* 13	3,330	12	14	15	8	5	54	43	70
8	Tuberculosis (other forms) 14-22	110	15	8	10	2	4	39	13	5
9	Dysentery 27	181	55	25	11	4	3	98	12	7
10	Malaria 28	1,711	330	191	150	88	60	819	154	69
11	Syphilis 30	364	169	2	5	6	1	183	3	2
12	Influenza 33	201	54	24	11	8	12	109	11	3
13	Measles 35	177	32	54	29	22	10	147	22	3
14	Poliomyelitis and polioencephalitis (acute) 36	2	-	-	-	-	-	-	-	1
15	Cancer of digestive organs and peritoneum 46	391	-	-	-	-	-	-	-	-
16	Cancer of female genital organs 48,49	190	-	-	-	-	-	-	-	-
17	Cancer of breast 50	28	-	-	-	-	-	-	-	-
18	Cancer (other sites) 45,47,51-55	202	-	1	1	-	-	2	1	-
19	Acute rheumatic fever 58	13	1	1	-	1	-	3	1	1
20	Diabetes mellitus 61	68	-	-	-	-	-	-	1	1
21	Exophthalmic goiter 63b	3	-	-	-	-	-	-	-	-
22	Pellagra (except alcoholic) 69	24	-	3	4	3	-	10	3	-
23	Alcoholism (ethylism) 77	47	-	-	-	-	-	-	1	-
24	Intracranial lesions of vascular origin 83	443	5	3	1	1	1	11	4	5
25	Other diseases of nervous system, etc.* 80-82,84-88	267	65	25	22	14	9	135	16	15
26	Diseases of ear, nose, and throat 89,104,115	51	15	4	2	2	3	26	4	4
27	Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	87	-	-	1	-	1	2	1	3
28	Diseases of coronary arteries and angina pectoris 94	229	-	-	-	2	-	2	-	-
29	Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	1,350	7	3	7	1	3	21	11	14
30	Pneumonia (all forms) 107-109	2,428	946	332	222	108	70	1,678	120	41
31	Ulcer of stomach or duodenum 117	73	-	-	-	-	-	-	-	-
32	Diarrhea, enteritis, etc.* 119,120	6,407	2,872	1,330	810	394	229	5,635	311	53
33	Appendicitis 121	51	-	-	1	-	2	3	5	8
34	Hernia and intestinal obstruction 122	87	14	5	2	2	1	24	1	-
35	Cirrhosis of liver 124	159	-	1	-	-	-	1	1	1
36	Biliary calculi, etc.* 126,127	16	-	-	-	-	-	-	-	-
37	Nephritis 130-132	1,526	57	70	97	68	57	349	127	60
38	Diseases of prostate 137	15	-	-	-	-	-	-	-	-
39	Puerperal septicemia 140,142a,147	91	-	-	-	-	-	-	-	-
40	Puerperal toxemias 141a,c,144,148	63	-	-	-	-	-	-	-	-
41	Other puerperal causes 141b,d,e,f,142b,143,145,146,149,150	120	-	-	-	-	-	-	-	-
42	Congenital malformations 157	151	138	5	1	2	-	146	3	1
43	Premature birth 159	303	303	...	...	...	...	303	...	...
44	Suicide 163,164	413	-	-	-	-	-	-	-	3
45	Homicide 165-168	190	-	-	-	-	-	-	-	1
46	Motor-vehicle accidents 170	191	-	1	-	2	3	6	9	12
47	Other accidents 169,171-195	352	15	23	14	11	8	69	24	23
48	All other causes*	5,031	2,111	312	242	131	89	2,885	201	90
49	All causes (all other races)	7,991	1,491	630	437	228	153	2,939	342	153
50	Typhoid and paratyphoid fever 1,2	13	-	-	-	-	-	-	1	1
51	Whooping cough 9	53	22	15	10	2	1	50	3	-
52	Diphtheria 10	9	2	6	-	1	-	9	-	-
53	Tuberculosis of respiratory system, etc.* 13	1,163	5	3	2	1	3	14	12	31
54	Tuberculosis (other forms) 14-22	29	2	2	-	-	-	4	6	1
55	Dysentery 27	38	7	3	3	-	1	14	3	-
56	Malaria 28	637	85	61	53	27	28	254	67	27
57	Syphilis 30	124	31	1	1	-	-	33	2	-
58	Influenza 33	49	7	5	5	2	1	20	3	-
59	Measles 35	26	3	9	3	2	4	21	4	-
60	Poliomyelitis and polioencephalitis (acute) 36	1	-	-	1	-	-	1	-	-
61	Cancer of digestive organs and peritoneum 46	112	-	-	-	-	-	-	-	1
62	Cancer of female genital organs 48,49	49	-	-	-	-	-	-	-	-
63	Cancer of breast 50	5	-	-	-	-	-	-	-	-
64	Cancer (other sites) 45,47,51-55	45	-	-	-	-	-	-	-	-
65	Acute rheumatic fever 58	8	-	-	-	-	-	-	1	2
66	Diabetes mellitus 61	23	-	-	-	-	-	-	-	-
67	Pellagra (except alcoholic) 69	11	3	-	1	1	-	5	3	-
68	Alcoholism (ethylism) 77	12	-	-	-	-	-	-	-	-
69	Intracranial lesions of vascular origin 83	187	1	-	-	-	-	1	-	1
70	Other diseases of nervous system, etc.* 80-82,84-88	59	10	9	2	1	-	22	2	6
71	Diseases of ear, nose, and throat 89,104,115	17	4	-	-	2	1	7	2	2
72	Chronic rheumatic diseases of heart 90a,92b,c,93c,95b	38	-	-	-	-	-	-	1	-
73	Diseases of the coronary arteries and angina pectoris 94	88	-	-	-	-	-	-	-	-
74	Diseases of heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	445	1	-	1	-	-	2	1	-
75	Pneumonia (all forms) 107-109	633	179	82	54	30	24	369	39	15
76	Ulcer of stomach or duodenum 117	23	-	-	-	-	-	-	-	1
77	Diarrhea, enteritis, etc.* 119,120	1,565	603	341	208	113	51	1,316	86	11
78	Appendicitis 121	16	1	-	-	1	-	2	3	1
79	Hernia and intestinal obstruction 122	33	3	2	1	-	-	6	1	1
80	Cirrhosis of liver 124	46	-	-	-	-	-	-	-	-
81	Biliary calculi, etc.* 126,127	6	-	-	-	-	-	-	-	-
82	Nephritis 130-132	528	15	12	22	13	16	78	35	17
83	Diseases of prostate 137	2	-	-	-	-	-	-	-	-
84	Puerperal septicemia 140,142a,147	24	-	-	-	-	-	-	-	-
85	Puerperal toxemias 141a,c,144,148	35	-	-	-	-	-	-	-	-
86	Other puerperal causes 141b,d,e,f,142b,143,145,146,149,150	37	-	-	-	-	-	-	-	-
87	Congenital malformations 157	15	13	-	1	-	-	14	-	-
88	Premature birth 159	68	68	...	...	...	...	68	...	...
89	Suicide 163,164	120	-	-	-	-	-	-	-	-
90	Homicide 165-168	110	-	-	-	-	-	-	-	-
91	Motor-vehicle accidents 170	70	-	-	-	-	-	-	5	2
92	Other accidents 169,171-195	122	6	12	5	4	3	30	9	9
93	All other causes*	1,297	420	67	64	28	20	599	53	24

* Refer to complete International List titles, table XI.

BY AGE AND RACE: PUERTO RICO, 1941

detailed International List. Causes of the selected list for which there were no deaths are not shown)

15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
773	1,316	1,173	864	901	807	793	802	610	802	871	877	608	663	420	268	156	119	10	1
6	9	6	4	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	6
285	633	541	357	346	269	208	153	112	91	80	48	20	15	3	1	-	1	-	7
10	6	2	4	4	2	7	4	3	1	1	2	3	2	2	-	-	-	-	8
2	7	6	3	8	2	5	3	4	4	3	6	2	3	2	3	1	-	-	9
67	61	55	38	61	53	44	50	44	43	41	32	21	25	15	13	4	2	-	10
5	11	14	13	22	12	20	15	14	16	13	13	5	1	-	-	-	2	-	11
3	4	4	6	4	7	1	10	5	7	9	3	6	7	2	-	-	-	-	12
3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	3	9	7	12	30	41	41	39	60	51	45	31	9	7	6	-	-	-	15
1	1	6	8	10	28	22	29	20	19	13	14	7	1	7	3	1	-	-	16
-	-	1	2	-	3	5	7	1	-	2	4	-	2	1	-	-	-	-	17
-	2	2	4	7	14	24	13	15	22	31	25	19	11	6	1	1	2	-	18
2	1	-	-	1	1	-	1	-	1	-	-	-	-	-	1	-	-	-	19
-	2	1	2	2	2	5	7	5	9	10	10	5	3	2	-	1	-	-	20
-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	2	5	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	22
-	4	5	5	8	9	4	4	1	2	3	-	1	-	-	-	-	-	-	23
1	6	9	9	10	19	17	36	25	51	48	53	42	47	27	16	4	3	-	24
11	20	12	6	9	3	8	5	5	3	8	2	3	3	-	2	1	-	-	25
3	4	-	-	2	1	-	2	3	-	-	2	-	-	-	-	-	-	-	26
6	3	3	2	-	2	3	9	9	10	7	8	7	8	3	-	1	-	-	27
2	4	1	6	13	16	22	41	19	24	27	17	10	12	8	4	1	-	-	28
17	23	27	17	19	28	43	82	63	107	154	190	131	176	97	54	47	27	2	29
32	49	34	33	33	37	34	44	18	30	51	56	30	41	29	20	8	10	-	30
2	2	12	4	10	7	5	9	4	4	7	5	1	-	-	-	1	-	-	31
29	28	28	25	25	22	24	25	10	34	29	37	25	32	15	8	9	2	1	32
7	7	7	3	3	1	-	2	2	-	1	1	-	1	-	-	-	-	-	33
5	5	2	4	1	3	5	5	7	4	8	6	5	-	1	-	1	-	-	34
4	8	8	6	13	16	27	18	14	13	8	11	6	2	1	1	-	-	-	35
1	1	1	-	1	1	-	2	3	-	-	1	-	2	3	-	-	-	-	36
28	33	34	45	52	49	54	66	55	102	129	92	75	74	53	22	18	9	-	37
-	-	-	-	-	-	-	-	1	1	2	6	1	2	2	-	-	-	-	38
8	29	22	16	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	39
17	27	18	9	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	40
6	24	34	26	21	8	1	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	43
56	93	72	52	37	23	22	9	10	13	9	3	6	1	3	-	1	-	-	44
13	47	40	21	20	20	13	6	4	1	1	2	1	-	-	-	-	-	-	45
21	28	27	12	21	10	8	8	4	7	6	5	3	3	1	-	-	-	-	46
34	38	37	17	19	11	19	5	10	9	7	8	5	6	4	1	-	1	5	47
85	92	90	91	87	80	99	91	80	111	112	170	137	174	126	112	56	60	2	48
229	476	413	310	342	306	304	296	248	279	296	267	148	202	158	119	80	83	1	49
-	1	2	-	2	1	3	-	1	1	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
90	210	197	120	115	94	83	70	42	25	34	11	7	3	3	1	-	-	1	53
2	-	4	2	4	2	2	-	-	1	-	-	-	-	-	-	1	-	-	54
2	4	1	-	2	1	1	1	3	-	3	1	2	-	-	-	-	-	-	55
26	29	18	17	18	26	30	22	13	27	24	16	6	7	5	1	2	2	-	56
5	6	5	7	8	9	13	14	4	5	8	2	1	-	2	-	-	-	-	57
2	1	1	1	2	1	2	-	1	4	2	3	1	3	2	-	-	-	-	58
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	7	9	10	16	19	12	15	12	1	3	2	2	2	1	-	61
-	2	1	3	4	6	5	5	2	3	8	3	2	3	-	2	-	-	-	62
-	-	-	-	-	2	-	-	-	2	-	1	-	-	-	-	-	-	-	63
-	-	-	1	2	3	6	5	4	3	5	3	4	4	3	1	1	-	-	64
3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	65
-	1	-	-	4	2	1	3	2	5	2	2	-	1	-	-	-	-	-	66
-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	67
-	1	1	1	1	2	2	2	-	1	-	1	-	-	-	-	-	-	-	68
1	1	1	4	7	8	9	8	18	20	21	24	23	13	10	10	3	4	-	69
6	4	4	5	2	2	1	-	-	2	2	1	-	-	-	-	-	-	-	70
2	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	71
-	1	2	2	5	3	-	4	2	3	4	1	3	4	1	1	1	-	-	72
1	3	-	5	5	8	8	9	9	8	13	5	3	6	3	1	1	-	-	73
4	10	12	8	11	21	20	27	25	36	49	44	36	45	32	22	22	18	-	74
9	19	9	14	14	19	14	7	13	13	10	13	6	16	14	8	4	8	-	75
-	1	3	3	1	2	1	2	1	2	1	2	-	-	3	-	-	-	-	76
7	15	10	13	10	9	11	11	6	13	7	12	5	6	8	5	1	3	-	77
1	-	1	1	1	2	1	1	-	2	-	-	-	-	-	-	-	-	-	78
1	2	2	-	3	1	3	1	4	2	1	3	-	1	-	1	-	-	-	79
1	-	3	4	5	2	6	4	7	3	3	4	-	1	1	1	1	-	-	80
-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	1	-	-	-	81
8	18	22	10	15	14	21	32	35	39	37	45	17	30	22	15	9	9	-	82
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	83
4	7	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
4	14	8	-	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	85
5	10	6	5	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	86
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	88
9	28	25	15	11	8	11	4	2	-	3	1	-	2	-	1	-	-	-	89
7	34	23	13	13	6	4	5	2	1	-	1	-	-	1	-	-	-	-	90
9	12	3	5	9	7	4	4	3	3	2	-	2	-	-	-	-	-	-	91
8	13	5	6	5	9	5	11	2	1	2	4	-	-	2	-	1	-	-	92
11	28	34	39	38	23	24	26	27	40	37	52	29	54	44	46	31	38	-	93

TABLE 6.—DEATHS FROM EACH CAUSE, BY RACE: PUERTO RICO, 1941

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	Total deaths	White	All other
	All causes	35,492	27,501	7,991
	I.—Infectious and parasitic diseases	9,531	7,189	2,342
1	Typhoid fever	57	44	13
6	Cerebrospinal (meningococcus) meningitis	8	8	-
7	Anthrax (infection by Bacillus anthracis)	1	-	1
8	Scarlet fever	2	2	-
9	Whooping cough	293	240	53
10	Diphtheria (infection by C. diphtheriae)	60	51	9
11	Erysipelas	26	17	9
12	Tetanus	166	119	47
13-22	Tuberculosis (all forms)	4,632	3,440	1,192
13	Tuberculosis of respiratory system, etc.*	4,493	3,330	1,163
14	Tuberculosis of meninges and central nervous system	40	37	3
15	Tuberculosis of intestines and peritoneum	64	47	17
16	Tuberculosis of vertebral column	2	1	1
17a	Tuberculosis of bones (except vertebral column)	1	1	-
17b	Tuberculosis of joints (except vertebral column)	3	1	2
19	Tuberculosis of lymphatic system, etc.*	15	11	4
22	Disseminated tuberculosis	14	12	2
23	Leprosy	6	5	1
24	Septicemia and purulent infection (nonpuerperal)	110	86	24
25	Gonococcus infection	1	-	1
27	Dysentery	219	181	38
28	Malaria	2,348	1,711	637
30	Syphilis (all forms)	488	364	124
30a	Locomotor ataxia (tabes dorsalis)	5	2	3
30b	General paralysis of insane	15	8	7
30c-g	Other forms of syphilis	468	354	114
32	Other diseases due to spirochetes	8	6	2
33	Influenza (grippe)	250	201	49
35	Measles	203	177	26
36	Acute poliomyelitis and acute polioencephalitis	3	2	1
37	Acute infectious encephalitis (lethargic)	2	2	-
38	Other diseases due to filtrable viruses	3	1	2
39	Typhus fever and typhus-like diseases (due to Rickettsia)	1	1	-
40	Ankylostomiasis	329	278	51
42	Other diseases caused by helminths	171	143	28
43	Mycoses	137	105	32
44	Other infectious and parasitic (communicable) diseases	7	5	2
	II.—Cancer and other tumors	1,067	846	221
45-55	Cancer and other malignant tumors	1,022	811	211
45	Cancer of buccal cavity and pharynx	60	42	18
45a	Cancer of lip	3	2	1
45b	Cancer of tongue	9	7	2
45c	Cancer of mouth	6	5	1
45d	Cancer of jaw bone	12	7	5
45f	Cancer of pharynx	30	21	9
46	Cancer of digestive organs and peritoneum	503	391	112
46a	Cancer of esophagus	31	27	4
46b,c	Cancer of stomach and duodenum	337	258	79
46d	Cancer of rectum and anus	21	14	7
46e	Cancer of intestines (except duodenum and rectum)	44	35	9
46f	Cancer of liver and biliary passages	54	42	12
46g	Cancer of pancreas	13	12	1
46h	Cancer of mesentery and peritoneum	-	-	-
46m	Cancer of other and unspecified sites	3	3	-
47	Cancer of respiratory system	58	49	9
47a	Cancer of larynx	23	20	3
47d,e	Cancer of lung and pleura	25	23	2
47b, c,f	Cancer of other respiratory organs	10	6	4
48	Cancer of uterus	232	183	49
49	Cancer of other female genital organs	7	7	-
49a,b	Cancer of ovary, fallopian tube, and parametrium	3	3	-
49c,d	Cancer of vagina and vulva	3	3	-
49e	Cancer of other and unspecified sites	1	1	-
50	Cancer of breast	33	28	5
51	Cancer of male genital organs	36	32	4
51b	Cancer of prostate	26	24	2
51a, c-e	Cancer of other and unspecified sites	10	8	2
52	Cancer of urinary organs (male and female)	32	28	4
52a	Cancer of kidney	3	3	-
52b	Cancer of bladder	29	25	4
53	Cancer of skin (except vulva and scrotum)	20	17	3
54	Cancer of central nervous system*	4	4	-
55	Cancer of other and unspecified organs	37	30	7
55b	Cancer of bone (except jaw bone, etc.*)	5	4	1
55a, c-e	Cancer of other and unspecified organs	32	26	6
56a	Nonmalignant tumors of ovary	3	3	-
56b	Nonmalignant tumors of uterus	6	2	4
56d,e	Nonmalignant tumors of other and unspecified organs	2	2	-
57a	Tumors of ovary (nature unspecified)	1	1	-
57b	Tumors of uterus (nature unspecified)	2	2	-
57d,e	Tumors of other organs (nature unspecified)	31	25	6
	III.—Rheumatism, diseases of nutrition, etc.*	288	223	65
58	Acute rheumatic fever	21	13	8
59	Chronic rheumatism and other rheumatic diseases	14	13	1
61	Diabetes mellitus	91	68	23
63	Diseases of thyroid and parathyroid glands	4	4	-
64	Diseases of thymus gland	2	2	-
65	Diseases of adrenal glands (not specified as tuberculous)	1	1	-
	III.—Rheumatism, diseases of nutrition, etc.* — Continued			
66	Other general diseases	16	12	4
67	Scurvy	7	6	1
68	Beriberi	2	1	1
69	Pellagra (except alcoholic)	35	24	11
70	Rickets	34	26	8
71	Other avitaminoses	61	53	8
	IV.—Diseases of the blood and blood-forming organs	457	361	96
72	Hemorrhagic conditions	10	9	1
73a	Pernicious anemia	265	220	45
73b-d	Other anemias (except splenic)	160	118	42
74a	Leukemias	11	7	4
75	Diseases of spleen	11	7	4
	V.—Chronic poisoning and intoxication	59	47	12
77	Alcoholism (ethylism)	59	47	12
	VI.—Diseases of the nervous system, etc.*	985	731	254
80	Encephalitis (nonepidemic)	14	10	4
81a	Simple meningitis	148	129	19
82	Diseases of spinal cord (see exceptions)*	11	8	3
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	486	343	143
83b	Cerebral embolism and thrombosis	16	14	2
83c	Cerebral softening	11	5	6
83d	Hemiplegia and other paralysis of unspecified origin	117	81	36
84	Mental diseases and deficiency (see exception)*	25	21	4
85	Epilepsy	93	71	22
86	Convulsions (under 5 years)	17	12	5
87	Other diseases of nervous system	18	16	2
89a	Otitis and other diseases of the ear	22	16	6
89b	Diseases of mastoid process	7	5	2
	VII.—Diseases of the circulatory system	2,850	2,118	732
90	Pericarditis (except acute rheumatic)	7	6	1
91a,b	Bacterial and other acute or subacute endocarditis	16	13	3
91c	Endocarditis (unspecified, under 45 years)	11	10	1
92a-d	Chronic endocarditis and diseases of the valves*	294	207	87
92e	Endocarditis (unspecified, 45 years and over)	31	19	12
93a	Acute myocarditis (except rheumatic)	28	18	10
93b	Myocarditis (unspecified, under 45 years)	28	24	4
93c	Chronic myocarditis and myocardial degeneration, specified as rheumatic	5	3	2
93d,e	Chronic myocarditis and myocardial degeneration not specified, etc.*	1,047	817	230
94a	Diseases of coronary arteries	210	160	50
94b	Angina pectoris	107	69	38
95a	Functional diseases of heart, etc.*	28	19	9
95b,c	Other and unspecified diseases of heart	425	301	124
96	Aneurysm (except of heart and aorta)	1	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)	522	379	143
98	Gangrene	53	39	14
99	Other diseases of arteries	12	12	-
100	Diseases of veins	8	8	-
101	Diseases of lymphatic system	4	3	1
102	High blood pressure (idiopathic)	9	7	2
103	Other diseases of circulatory system	4	3	1
	VIII.—Diseases of the respiratory system	3,706	2,930	776
104b	Diseases of accessory sinuses	6	5	1
105	Diseases of larynx	13	9	4
106a	Acute bronchitis	253	199	54
106b	Chronic bronchitis	40	33	7
106c	Bronchitis (unspecified)	165	122	43
107	Bronchopneumonia (including capillary bronchitis)	2,093	1,662	431
108	Lobar pneumonia	573	458	115
109	Pneumonia (unspecified)	395	308	87
110	Pleurisy (not specified as tuberculous)	30	19	11
111a	Hemorrhagic infarction and thrombosis of lungs	8	6	2
111b, c	Acute edema, chronic and unspecified congestion of lungs	31	25	6
112	Asthma	80	68	12
114	Other diseases of respiratory system (except tuberculosis)	19	16	3
	IX.—Diseases of the digestive system	8,775	7,020	1,755
115a, b,d	Diseases of buccal cavity and adnexa	16	14	2
115c	Diseases of pharynx and tonsils	17	11	6
116	Diseases of esophagus	5	5	-
117a	Ulcer of stomach	89	67	22
117b	Ulcer of duodenum	7	6	1
118	Other diseases of stomach (except cancer)	98	72	26
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	5,146	4,202	944
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	2,826	2,205	621
121	Appendicitis	67	51	16
122a	Hernia	26	18	8
122b	Intestinal obstruction	94	69	25
123	Other diseases of intestines	93	81	12
124	Cirrhosis of liver	205	159	46
125a	Acute yellow atrophy of liver (nonpuerperal)	8	5	3
125b	Other diseases of liver	40	26	14
126	Biliary calculi	4	4	-
127	Other diseases of gallbladder and biliary ducts	18	12	6
128	Diseases of pancreas (except diabetes mellitus)	4	2	2
129	Peritonitis (cause not stated)	12	11	1

*Refer to complete International List titles, table XI.

TABLE 6.—DEATHS FROM EACH CAUSE, BY RACE: PUERTO RICO, 1941—Continued

(Exclusive of stillbirths)

List No.	CAUSE OF DEATH	Total deaths	White	All other
	X.—Diseases of the genito-urinary system	2,193	1,621	572
130	Acute nephritis	654	508	146
131	Chronic nephritis	1,213	883	330
132	Nephritis unspecified (10 years and over)	187	135	52
133	Other diseases of kidneys and ureters, etc.*	69	50	19
134	Calculi of urinary passages	6	5	1
135	Diseases of urinary bladder	11	4	7
136	Diseases of urethra (except calculus)	8	3	5
137	Diseases of prostate	17	15	2
139a	Diseases of ovaries, fallopian tubes, and parametria	15	9	6
139b	Diseases of uterus	10	6	4
139c	Diseases of other and unspecified female genital organs	3	3	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	390	294	96
140	Abortion with mention of infection	16	11	5
141	Abortion without mention of infection	16	11	5
142b	Ectopic gestation, without mention of infection	7	6	1
143	Hemorrhage of pregnancy (death before delivery)	2	-	2
144	Toxemias of pregnancy (death before delivery)	71	50	21
145	Other diseases and accidents of pregnancy (death before delivery)	5	2	3
146	Hemorrhage of childbirth and the puerperium	97	78	19
147a, b	Puerperal pyelitis, other general or local puerperal infection*	79	62	17
147c, d	Puerperal thrombophlebitis, embolism and sudden death	20	18	2
148	Puerperal toxemias*	46	32	14
149	Other accidents and specified conditions of childbirth	15	14	1
150	Other and unspecified conditions of childbirth and the puerperium	16	10	6
	XII.—Diseases of the skin and cellular tissue	57	49	8
151	Carbuncle and furuncle	29	27	2
152	Phlegmon and acute abscess	15	13	2
153	Other diseases of skin and cellular tissue	13	9	4
	XIII.—Diseases of the bones, etc.*	11	7	4
154	Osteomyelitis and periostitis	8	6	2
156	Diseases of joints and other organs of movement	3	1	2
157	XIV.—Congenital malformations	166	151	15
	XV.—Diseases peculiar to the first year of life	2,097	1,740	357
158	Congenital debility (cause not stated)	1,310	1,105	205
159	Premature birth (cause not stated)	371	303	68
160	Injury at birth	117	85	32
161	Other diseases peculiar to the first year of life	299	247	52
162	XVI.—Senility	288	205	83
	XVII.—Violent or accidental deaths	1,568	1,146	422
163, 164	Suicide	533	413	120
163	Suicide by poisoning	261	195	66
164a	Suicide by hanging or strangulation	125	99	26
164b	Suicide by drowning	14	8	6
164c	Suicide by firearms and explosives	103	89	14
164d	Suicide by cutting or piercing instruments	13	9	4
164e	Suicide by jumping from high places	6	5	1
164g	Suicide by other or unspecified means	11	8	3
165-168	Homicide [1]	300	190	110
166	Homicide by firearms	128	88	40
167	Homicide by cutting or piercing instruments	127	74	53
168	Homicide by other means	45	28	17
169-195	Accidental deaths	735	543	192
169	Railway accidents (except collisions with motor vehicles)	17	12	5
170	Motor-vehicle accidents	261	191	70
171	Streetcar and other road-transport accidents	10	6	4
173	Air-transport accidents	8	8	-
174	Accidents in mines and quarries	7	4	3
175a, b,c	Accidents involving agricultural machinery and vehicles, and other agricultural accidents	1	1	-
176	Other accidents involving machinery	15	12	3
177	Food poisoning	11	7	4
178	Accidental absorption of poisonous gas	4	2	2
179	Acute accidental poisoning by solids or liquids	18	15	3
180	Conflagration	2	2	-
181	Accidental burns (except conflagration)	77	56	21
182	Accidental mechanical suffocation	1	1	-
183	Accidental drowning	129	97	32
184	Accidental injury by firearms	16	11	5
185	Accidental injury by cutting or piercing instruments	7	5	2
186a	Accidental injury by fall	84	61	23
186b	Accidental injury by crushing	2	2	-
188	Injury by animals (except in agriculture and forestry)	5	2	3
191	Excessive heat	1	1	-
192	Lightning	7	7	-
193	Accidents due to electric currents (except lightning)	21	18	3
195d	Obstruction, suffocation, or puncture by ingested objects	8	7	1
195c,e	Other and unspecified accidents	23	15	8
	XVIII.—Ill-defined and unknown causes	1,004	823	181
199	Sudden death	7	7	-
200a	Ill-defined	175	132	43
200b	Found dead (cause unknown)	1	1	-
200c	Unknown or unspecified	821	683	138

* Refer to complete International List titles, table XI.

[1] Includes figures for infanticide (165).

TABLE 7.—DEATHS FROM SELECTED CAUSES, BY MONTH AND RACE: PUERTO RICO, 1941

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List. Causes of the selected list for which there were no deaths are not shown)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes (white)	27,501	2,208	2,053	2,253	2,261	2,488	2,699	2,593	2,320	2,159	2,214	2,028	2,225
Typhoid and paratyphoid fever-1,2	44	3	5	4	4	4	7	3	3	3	4	-	4
Cerebrospinal (meningococcus) meningitis-6	8	1	1	1	-	-	1	-	-	-	1	-	3
Scarlet fever-8	2	-	-	-	-	1	-	-	-	-	-	-	1
Whooping cough-9	240	26	21	25	32	20	16	21	18	12	18	13	20
Diphtheria-10	51	4	4	3	2	2	5	4	7	4	5	4	7
Tuberculosis of respiratory system, etc.*-13	3,330	278	246	302	301	275	260	291	305	268	300	240	264
Tuberculosis (other forms)-14-22	110	8	7	11	11	10	11	9	8	16	8	2	9
Dysentery-27	181	15	11	8	14	19	20	27	13	9	15	17	13
Malaria-28	1,711	118	109	153	134	136	181	179	135	127	153	145	141
Syphilis-30	364	38	32	35	24	34	29	34	33	32	20	24	29
Influenza-33	201	25	18	26	34	20	17	10	12	8	4	10	17
Measles-35	177	17	16	27	25	30	25	19	7	3	3	1	4
Poliomyelitis and polioencephalitis (acute)-36	2	1	-	1	-	-	-	-	-	-	-	-	-
Cancer of digestive organs and peritoneum-46	391	43	29	26	30	35	32	34	22	37	38	27	38
Cancer of female genital organs-48,49	190	14	20	17	15	9	18	15	20	13	17	13	19
Cancer of breast-50	28	2	1	3	4	5	3	4	1	-	1	2	2
Cancer (other sites)-45,47,51-55	202	14	19	18	17	18	23	9	14	17	14	23	18
Acute rheumatic fever-58	13	-	-	3	2	-	2	2	1	-	2	-	1
Diabetes mellitus-61	68	5	4	10	6	7	5	7	4	4	5	4	7
Exophthalmic goiter-63b	3	1	1	-	-	-	-	-	-	-	-	1	-
Pellagra (except alcoholic)-69	24	1	2	-	3	2	3	3	2	1	-	4	3
Alcoholism (ethylism)-77	47	4	7	2	2	6	3	4	4	7	4	2	2
Intracranial lesions of vascular origin-83	443	42	37	30	36	41	39	33	35	33	37	32	48
Other diseases of nervous system, etc.*-80-82,84-88	267	17	19	22	19	25	21	18	14	37	22	29	24
Diseases of ear, nose, and throat-89,104,115	51	7	5	3	1	3	9	5	4	2	4	5	3
Chronic rheumatic diseases of heart-90a,92b,c,93c,95b	87	5	7	4	8	13	8	4	10	7	8	7	6
Diseases of coronary arteries and angina pectoris-94	229	20	15	22	11	20	17	19	15	24	22	17	27
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,350	117	104	96	102	107	120	119	98	121	106	122	138
Pneumonia (all forms)-107-109	2,428	201	196	199	224	224	263	228	165	152	195	183	198
Ulcer of stomach or duodenum-117	73	6	2	8	6	3	11	4	5	6	10	4	8
Diarrhea, enteritis, etc.*-119,120	6,407	479	444	465	460	657	815	732	570	501	442	407	435
Appendicitis-121	51	6	7	5	3	3	6	4	5	3	1	4	4
Hernia and intestinal obstruction-122	87	8	5	6	6	3	9	4	13	6	9	6	12
Cirrhosis of liver-124	159	11	11	13	14	8	13	10	15	17	19	13	15
Biliary calculi, etc.*-126,127	16	2	2	1	2	1	-	1	1	1	2	3	-
Nephritis-130-132	1,526	104	143	135	126	124	119	141	136	128	119	131	120
Diseases of prostate-137	15	1	1	-	2	1	-	2	3	2	-	3	-
Puerperal septicemia-140,142a,147	91	7	8	9	5	9	4	12	10	4	9	6	8
Puerperal toxemias-141a,c,144,148	83	6	5	6	10	11	10	6	8	7	4	5	5
Other puerperal causes---141b,d,e,f,142b,143,145,146,149,150	120	11	8	9	8	11	8	11	5	12	15	9	13
Congenital malformations-157	151	15	11	9	10	14	13	11	11	7	21	14	15
Premature birth-159	303	28	27	27	23	26	26	29	18	17	36	18	28
Suicide-163,164	413	35	30	36	33	36	36	35	35	35	36	30	36
Homicide-165-168	190	13	12	18	15	14	17	14	7	19	22	21	18
Motor-vehicle accidents-170	191	11	9	22	16	16	22	20	21	14	13	15	12
Other accidents-169,171-195	352	30	24	27	24	29	23	25	38	33	28	33	38
All other causes*	5,031	408	368	406	437	458	429	431	469	410	424	379	412
All causes (all other races)	7,991	674	660	683	679	735	750	738	659	611	627	559	636
Typhoid and paratyphoid fever-1,2	13	1	3	-	3	1	1	1	-	-	1	1	1
Whooping cough-9	53	7	6	7	8	4	3	5	2	3	1	4	3
Diphtheria-10	9	-	-	1	1	-	1	2	2	-	2	-	-
Tuberculosis of respiratory system, etc.*-13	1,163	91	105	102	87	100	104	96	89	105	101	103	80
Tuberculosis (other forms)-14-22	29	-	3	3	4	4	3	2	3	2	1	1	3
Dysentery-27	38	2	2	1	2	5	6	7	3	3	2	2	3
Malaria-28	637	50	42	47	41	52	56	65	54	48	65	56	61
Syphilis-30	124	10	11	17	14	17	12	12	5	9	2	5	10
Influenza-33	49	9	6	4	10	7	2	1	2	1	-	5	2
Measles-35	26	6	5	2	3	1	3	1	4	-	1	-	-
Poliomyelitis and polioencephalitis (acute)-36	1	-	-	-	-	-	-	1	-	-	-	-	-
Cancer of digestive organs and peritoneum-46	112	11	7	12	8	10	13	7	8	6	12	12	6
Cancer of female genital organs-48,49	49	5	5	2	5	3	6	6	3	3	2	5	4
Cancer of breast-50	5	-	-	1	1	-	-	-	-	-	1	1	1
Cancer (other sites)-45,47,51-55	45	3	3	3	4	3	3	2	6	3	6	3	6
Acute rheumatic fever-58	8	1	-	-	1	-	3	1	-	-	1	-	1
Diabetes mellitus-61	23	5	2	3	5	2	-	1	-	-	3	1	1
Pellagra (except alcoholic)-69	11	1	3	1	1	1	-	1	1	2	-	-	-
Alcoholism (ethylism)-77	12	-	1	-	-	1	2	2	2	1	2	-	1
Intracranial lesions of vascular origin-83	187	8	13	14	11	18	23	14	12	21	13	15	25
Other diseases of nervous system, etc.*-80-82,84-88	59	3	5	11	3	7	1	8	4	7	4	1	5
Diseases of ear, nose, and throat-89,104,115	17	3	1	2	2	2	-	5	1	-	1	-	-
Chronic rheumatic diseases of heart-90a,92b,c,93c,95b	38	6	1	3	6	1	3	3	4	2	7	1	1
Diseases of coronary arteries and angina pectoris-94	88	11	4	7	4	9	5	7	8	8	8	7	10
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	445	34	51	43	34	38	26	37	42	34	34	33	39
Pneumonia (all forms)-107-109	633	50	51	49	68	55	66	54	53	43	41	46	57
Ulcer of stomach or duodenum-117	23	2	3	3	-	2	1	3	3	1	3	1	1
Diarrhea, enteritis, etc.*-119,120	1,565	141	117	112	122	158	214	178	145	106	102	72	98
Appendicitis-121	16	3	2	-	-	1	1	3	3	1	-	1	1
Hernia and intestinal obstruction-122	33	3	1	3	1	5	8	1	3	6	1	2	1
Cirrhosis of liver-124	46	6	2	1	7	7	2	4	6	3	4	2	2
Biliary calculi, etc.*-126,127	6	1	1	-	1	-	-	-	-	1	-	2	-
Nephritis-130-132	528	50	61	46	52	57	33	33	38	28	45	37	48
Diseases of prostate-137	2	-	-	-	-	-	1	-	-	-	1	-	-
Puerperal septicemia-140,142a,147	24	3	2	2	3	1	3	3	1	3	1	2	-
Puerperal toxemias-141a,c,144,148	35	1	6	6	2	6	1	2	-	3	1	4	3
Other puerperal causes---141b,d,e,f,142b,143,145,146,149,150	37	3	4	2	6	3	3	3	3	1	2	2	5
Congenital malformations-157	15	1	2	-	2	1	-	1	2	2	2	-	2
Premature birth-159	68	8	2	10	4	7	7	4	2	5	6	3	10
Suicide-163,164	120	7	10	12	7	10	6	15	8	8	14	13	10
Homicide-165-168	110	13	4	10	10	12	7	10	12	9	6	7	10
Motor-vehicle accidents-170	70	6	7	9	4	6	6	4	7	4	8	6	3
Other accidents-169,171-195	122	6	9	10	8	9	12	13	9	12	14	9	11
All other causes*	1,297	103	97	102	124	109	105	120	109	117	106	94	111

* Refer to complete International List titles, table XI.